



Republic of the Philippines
Department of Agriculture
Fertilizer and Pesticide Authority
FPA Bldg. BAI Compound, Visayas Ave. Diliman, Quezon City P.O. Box 2582, Q.C.
Tel. Nos. 920-8173*920-8573*922-3368-441-1601
E-mail add: fpacentral77@gmail.com | Website: <http://fpa.da.gov.ph>

January 8, 2021

Solicitation No.: **RFQ2021-01-03**

REQUEST FOR QUOTATION

The Fertilizer and Pesticide Authority, through its Bids and Awards Committee (BAC), invites interested parties for the:

Procurement of Laboratory Supplies for FY 2021

Approved Budget for the Contract: PhP 214,750.00

| Item No. | Item Description | Qty. | ABC (PhP) |
|----------|------------------------------------------------------------|---------------|-------------------|
| 1 | Autoclave Plastic Bag | 1 pack | 5,700.00 |
| 2 | Beaker, 30 mL | 24 pcs. | 1,440.00 |
| 3 | Refrigerator/Freezer Digital Thermometer with Bottle Probe | 1 unit | 15,600.00 |
| 4 | Diffusion caps (for GC) | 1 box | 2,500.00 |
| 5 | Disposable Mask, earloop | 15 boxes | 5,250.00 |
| 6 | Disposable Nitrile Gloves | 12 boxes | 9,000.00 |
| 7 | Disposable Nitrile Gloves | 10 boxes | 7,500.00 |
| 8 | Filter Paper | 30 boxes | 36,000.00 |
| 9 | Erlenmeyer Flask, 250 mL | 24 pcs. | 4,560.00 |
| 10 | Laboratory Gown | 12 pcs. | 14,900.00 |
| 11 | Membrane Filter | 2 packs | 16,000.00 |
| 12 | PTFE/Red Silicon rubber septa | 2 packs | 18,000.00 |
| 13 | Septa Non Stick BTO Inlet 11mm | 1 pack | 6,000.00 |
| 14 | Blue Pre-slit PTFE/Si Septa | 2 packs | 5,000.00 |
| 15 | Sterilization Indicator Tape | 1 roll | 1,500.00 |
| 16 | Sterile Sampling Bags | 1 pack | 5,700.00 |
| 17 | Syringe Filter | 1 pkg. | 25,000.00 |
| 18 | Tygon Tubings 5/16"ID x 7/16" OD | 1 pkg. | 8,600.00 |
| 19 | Vial, Screw Cap | 1 pack | 1,500.00 |
| 20 | Volumetric Flask, 25 mL | 50 pcs. | 25,000.00 |
| | | Total: | 214,750.00 |

Note: Please see attached technical specifications for each item.

A food-secure Philippines
with prosperous farmers and fisherfolk



Terms and Conditions:

1. Quotations received in excess of the ABC shall be automatically rejected during its opening.
2. Suppliers must submit their duly accomplished and signed Price Quotation, together with valid **PhilGEPS Registry Number, Mayor's Permit, Annual Business Tax Return, and Omnibus Sworn Statement** to the FPA-BAC. Submission sent on at the BAC official email-address, fpa.bac@gmail.com, will also be accepted if received prior to the deadline.
3. All quotations must be submitted to the FPA-BAC Secretariat through **Mr. Angelo S. Bugarin** and **Ms. Mirasol O. Bacarisas**. Deadline of submission of quotations is on **January 14, 2021, 5:00 p.m.**
4. All quoted items must be VAT inclusive.
5. Interested suppliers may obtain further information from the BAC Secretariat at the above address or at **(02) 8920-8573** and **(02) 8920-8449** during office hours (8:00 am – 5:00 pm) or through electronic mail at this address: fpa.bac@gmail.com.
6. Suppliers must preferably have a Landbank Account relative to the adoption of checkless payment or Direct Payment Scheme. In case other commercial bank account will be used, it will be subjected to the corresponding charges debited from payment transaction.
7. FPA-BAC reserves the right to accept or reject any quotation, annul the procurement process and reject all quotations at any time prior to the Award of Purchase Order without hereby incurring any liability to the affected suppliers.

(Sgd.) ROMIROSE B. PADIN
BAC Chairperson

TECHNICAL SPECIFICATIONS

| Unit | Item Description | Quantity | ABC |
|------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|----------------------------------------------|
| pck | Autoclave Plastic Bag Dimensions: 30.5 cm x 61 cm or equivalent Volume:16L (3.5 gal.) Thickness: 2.25 mm Quantity: 500 pc/pk with write on strip Made up of heavy transparent polyethylene Leak-proof, air-tight, can withstand up to 82 C and can be frozen with puncture proof tabs | 1 | 5,700.00 |
| pc | Beaker Capacity: 30 mL Type: Griffin Graduation Range: 5-25 mL Height:53 mm (approx) Outer Diameter: 35 mm (approx) Material: Borosilicate Low form with spout and uniform wall thickness Have an extra large marking spot | 24 | 1,440.00 |
| unit | Refrigerator/Freezer Digital Thermometer with Bottle Probe Temperature Range: -50 to 70°C Temperature Resolution: 1° Temperature Accuracy: ±1°C Bottle Probe: 1 x 2-1/2 inches (approx) Cable Length: approx 10 ft Notes: Accurately monitor temperatures in freezers, water baths, heating blocks, incubators, and refrigerators with this enclosed temperature-buffered sensor. Bottle insulates sensor from rapid temperature changes when refrigerator door is opened. Ten-foot micro-cable permits refrigerator doors to close on it. Bottle probe should be a solid-state probe eliminates mercury contamination in refrigerators. Probe is sealed in a miniature bottle (1 x 2-1/2 inches) filled with nontoxic glycol. Solution is GRAS (generally recognized as safe) by the FDA (Food and Drug Administration). Meets current CDC/VFC requirements. Includes: Traceable® Certificate, flip-open stand for lab bench, slot for wall mounting, and Velcro® and magnetic strips Overall Dimensions: 2-3/4 x 4-1/4 x 3/4 inches | 3 | 15,600.00 |
| box | Diffusion caps (for GC) Capacity: 4 mL Units in Package: 12pcs./pck | 1 | 2,500.00 |
| box | Disposable Mask, earloop Quantity: 100pcs/box Earloop | 15 | 5,250.00 |
| box | Disposable Nitrile Gloves Size: Medium Quantity: 100pcs/box Powder Free | 12 | 9,000.00 |
| box | Disposable Nitrile Gloves Size: Large Quantity: 100pcs/box Powder Free | 10 | 7,500.00 |
| box | Filter Paper no. 42 or equivalent, 125 mm dia. no. 40 or equivalent, 125 mm dia. no.1 or equivalent, 125 mm dia. | 10 5 15 | 18,000.00 7,500.00 10,500.00 |
| pc | Erlenmeyer Flask Capacity: 250 mL Graduation Interval: 25 mL Graduation Range: 50-200 mL mL Outer Diameter: 82 mm (approx) Material: Borosilicate Narrow mouth erlenmeyer flask with heavy duty rim Have an extra large marking spot | 24 | 4,560.00 |
| pc | Laboratory Gown Size:Small Medium Large Extra- Large Material: US Clothman | 4 5 2 1 | 4,800.00 6,000.00 2,700.00 1,400.00 |
| pack | Membrane Filter Diameter: 47 mm or approx Pore Size: approx 0.2 µm Material: Nylon | 2 | 16,000.00 |
| pck | PTFE/Red Silicon rubber Septa Diameter: 9 mm (for 12 mm cap) Material: PTFE/red Silicone Septa for screw top caps Units in Package: 100pcs./pck | 2 | 18,000.00 |

| | | | |
|------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|-----------|
| pck | Septa Non Stick BTO Inlet 11mm Diameter: 11 mm Material: PTFE/red Silicone Inlet septa, bleed and temperature optimized (BTO), non-stick, 11 mm, for 5880, 5890, 4890, 6850, 6890, 7890 GCs Units in Package: 50pcs./pck | 1 | 6,000.00 |
| pck | Blue Pre-slit PTFE/Si Septa Diameter: 9 mm Material: PTFE/white Silicone Units in Package: 100pcs./pck | 2 | 5,000.00 |
| roll | Sterilization Indicator Tape Dimensions (LxW): 50m x 19m Tape designed to be used with individual units to show that they have been exposed to steam (autoclave) sterilisation,distinguish between sterilised units and non sterilised units. The tape is lead free. Yellow printed strips turn to brown after the sterilisation of the tape | 1 | 1,500.00 |
| pck | Sterile Sampling Bags Dimensions: 115 mm x 230 mm or equivalent Thickness: 2.25 mm Quantity: 500 pc/pk with write on strip Made up of heavy transparent polyethylene Leak-proof, air-tight, can withstand up to 82 C and can be frozen with puncture proof tabs | 1 | 5,700.00 |
| pkg | Syringe Filter Diameter: 25 mm or approx Pore Size: approx 0.2 µm Format: Syringe Filter Hold-up Volume: < 30 µL Housing Material: Polypropylene Sample Volume: < 10 mL Separation Mode: Aqueous Solvent/sample Compatible: Nylon Units in Package: 1000pcs./pkg | 1 | 25,000.00 |
| pkg | Tygon Tubings 5/16"ID x 7/16"" OD Tubing OD (in): 7/16" Tubing ID (in): 5/16" Wall thickness: 1/16 " Tubing Formulation: Tygon Color: Transparent Length per pack: 50ft Max temperature: 1C ultra chemical-resistant tubing, 5/16 "ID x 7/16" OD, 50 ft/pck | 1 | 8,600.00 |
| pck | Vial, Screw Cap Capacity: 2 mL Material: Amber Units in Package: 100pcs./pck | 1 | 1,500.00 |
| pc | Volumetric Flask Capacity: 25 mL Accuracy Class: Class A Flask Style: Volumetric Flask Shape: Flat Bottom Neck Style: Long Stopper Style: High density polyethylene (HDPE) Tolerance +/-: 0.03 mL Height: 121 mm (approx) Outer Diameter: 40 mm (approx) Material: Borosilicate Graduation line is sharp and permanent and large white block letters make the inscription easy to read have been manufactured to Class A tolerances as established by ASTM E- 694 for volumetric ware,ASTM E- 542 for volumetric ware, and ASTM E-288 for volumetric flasks. | 50 | 25,000.00 |