

Republic of the Philippines Department of Agriculture

Fertilizer and Pesticide Authority

FPA Bldg. BAI Compound, Visayas Ave. Diliman, Quezon City P.O. Box 2582, Q.C. Tel. Nos. 8920-8573, 8441-1601, 8922-3368
E-mail add: fpacentral77@gmail.com | Website: http://fpa.da.gov.ph

April 26, 2022

MEMORANDUM CIRCULAR

No. 7

SUBJECT: PUBLICATION

PUBLICATION OF THE FERTILIZER BIOEFFICACY TRIAL TERMINAL

REPORT AT THE FPA WEBSITE TECHNICAL BULLETIN

In lieu of the Department Circular No. 01, Series of 2022 signed by Secretary William D. Dar on February 16, 2022 titled: "General Guidelines on the Registration of New Fertilizer Products with required Bioefficacy Trial and Mandatory Publication of the Bioefficacy Trial Report", the attached template shall be followed for publication of the report at the FPA website , Information Resources, Technical Bulletin. The publication at the FPA website as a technical bulletin for Fertilizer Bioefficacy Trial Report shall be regarded as a compliance for the publication requirement for new product registration.

The template must be filled-up by the researcher, and to be included in the submission of the terminal report for evaluation by the Fertilizer Technical Evaluator. Once the terminal report is approved, the applicant must submit the approved Technical Bulletin Form to the FPA Planning, Management, Information Division (PMID), Information Section for publication at the FPA Website. The Technical Bulletin Form stamped received by PMID must be submitted together with the application and documents for Product Registration to the Fertilizer Regulations Division, Product Registration Section.

Any information declared by the applicant with data privacy shall be treated by the agency to be under the purview of Republic Act 10173 otherwise known as Data Privacy Act of 2012.

For information and reference.









A food-secure and resilient Philippines

with empowered and prosperous farmers and fisherfolk





Republic of the Philippines Department of Agriculture

Fertilizer and Pesticide Authority

FPA Bldg. BAI Compound, Visayas Ave. Diliman, Quezon City P.O. Box 2582, Q.C. Tel. Nos. 8920-8573, 8441-1601, 8922-3368
E-mail add: fpacentral77@gmail.com | Website: http://fpa.da.gov.ph

TECHNICAL BULLETIN

FPA-TECHB-0001 Number: <u>FPR-0001</u> Date Published :

(Fertilizer Bioefficacy Trial Terminal Report)

Title:	
	Cream arrays are particularly constrained to
Abstract	- Baysa Aciministradiye Ufficeta
Introduction	Administrative Officer
-Product Description	heresa R. Oliveros,
Me Suzetti	D. Caretona, OTC-FRB; Chereist Ur -Mi-Alcalde, Supervising Agri, slounst
-Guaranteed Analysis	
-Recommended Rate	C. Sahagun, Chemist V
Toward Cuona	D. T. Ramu o, Coust Administrative Officer L. de Leon, Fianning Officer V
-Significant Findings	
Director for	
(Return of Investment, comparison with	Divinagracia, Design sted Deputy Executive
	se B. Padin, Officer-in-Charge Deputy rector for Pesticide
Electronic Med 22 challes	20.2 Undin Orlings in Change Davidin
Results and Discussion	Personnel
phlex (10) Workers in the Government", the	
as of 2020 or the "Epichad Rules and Real	lations coverming Contract of Service (COS) and
Recommendation	ompliance with DRM-GO From Circular No. 25.
Company Profile	
Researcher(s)	PERSONNEL
BECT : CREATING A REVIEW CO	MMITTEL FOR THE ASSESSMENT OF
Others	
References	
Sigher LV, 2020	
Annex	
Photo Documentation	





ID 9108651180



A food-secure and resilient Philippines

with empowered and prosperous farmers and fisherfolk

