



REPUBLIC OF THE PHILIPPINES
DEPARTMENT OF AGRICULTURE
FERTILIZER AND PESTICIDE AUTHORITY
LIST OF REGISTERED AGRICULTURAL PESTICIDES

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
AGCHEM MANUFACTURING CORPORATION	BISPYRIBAC SODIUM	ZYTOK 30 SC	300 g/L	SC	HERBICIDE	2	001-276-3388	23-Oct-24	SELECTIVE (POST-EMERGENCE)	Rice (Direct-Seeded (swallow))	Grasses, sedges and broadleaves	10ml/26 L water, 20 spray load/ hectare	0.1 ppm	-	Entry to treated field is allowed as soon as spray deposits on crops and weeds have dried
118 AGRICULTURAL CORPORATION	LAMBDA-CYHALOTHIN	ZULPAC LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	506-204-2908	16-May-24	SYSTEMIC	Cacao	Podborer	1.0-2.0Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
118 AGRICULTURAL CORPORATION	LAMBDA-CYHALOTHIN	ZULPAC LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	506-204-2908	16-May-24	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leafroller, black bug	1.0-1.5Tbsp/16 L of water	0.05ppm	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
118 AGRICULTURAL CORPORATION	LAMBDA-CYHALOTHIN	ZULPAC LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	506-204-2908	16-May-24	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
118 AGRICULTURAL CORPORATION	LAMBDA-CYHALOTHIN	ZULPAC LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	506-204-2908	16-May-24	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
118 AGRICULTURAL CORPORATION	LAMBDA-CYHALOTHIN	ZULPAC LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	506-204-2908	16-May-24	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
118 AGRICULTURAL CORPORATION	LAMBDA-CYHALOTHIN	ZULPAC LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	506-204-2908	16-May-24	SYSTEMIC	Mungbeans	Beanfly, flea beetle, leafhopper, aphids, mites, podborer	1.0Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
118 AGRICULTURAL CORPORATION	LAMBDA-CYHALOTHIN	ZULPAC LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	506-204-2908	16-May-24	SYSTEMIC	Corn	Comborer, aphids, seedling maggots	1.0-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
118 AGRICULTURAL CORPORATION	LAMBDA-CYHALOTHIN	ZULPAC LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	506-204-2908	16-May-24	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katyids	1.0-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
118 AGRICULTURAL CORPORATION	LAMBDA-CYHALOTHIN	ZULPAC LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	506-204-2908	16-May-24	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
118 AGRICULTURAL CORPORATION	LAMBDA-CYHALOTHIN	ZULPAC LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	506-204-2908	16-May-24	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
SL BIOTECH CORPORATION	NICLOXAMIDE ETHANOLAMINE SALT	ZULOL 70 WP	700 g/kg	WP	MOLLUSCICIDE	4	489-229-2735	29-Apr-24	-	Rice	Golden apple snail	30 gm or 1 sachet/per 16 L of water)	-	-	-
SHARPH INC.	AZOXYSTROBIN	ZOXY 250 SC	250 g/L	SC	FUNGICIDE	4	402-309-2947	23-Jan-20	SYSTEMIC	Banana	Black Sigatoka & freckle disease	-	-	No harvest interval is necessary	-
AGSFC PHUPPHIES CORPORATION	ZOXAMIDE	ZOXULM 240 SC	240 g/L	SC	FUNGICIDE	4	508-494-4578	17-Dec-24	-	Banana	Black sigatoka	0.5-1.0 Liter product/ha applied at 80-200 L/ha spray volume using ground	0.2mg/Kg	0 day	After spray deposits have dried.
AGWAY CHEMICALS CORPORATION	ZOXAMIDE	ZOXULM 240 SC	240 g/L	SC	FUNGICIDE	4	075-494-4661	14-Feb-25	-	Banana	Black sigatoka	0.5-1.0 L product/ha	-	0 day	After spray deposits have dried.
VANH HAWK AGRO CHEMICALS, INC.	METHYL EUGENOL	ZOXGEN	99 g/L	L	OTHERS	3	295-358-4919	25-Sep-25	-	Mango	Oriental Fruitfly	3-5 mL/baiting station	-	-	-
BERRIS AGRICULTURAL CO., INC.	CYPERMETHRIN	ZOOM 5 EC	50 g/L	EC	INSECTICIDE	4	233-037-0959	27-Jun-25	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1-3 Tbsp/36L	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
BERRIS AGRICULTURAL CO., INC.	CYPERMETHRIN	ZOOM 5 EC	50 g/L	EC	INSECTICIDE	4	233-037-0959	27-Jun-25	CONTACT	Rice	Green leafhoppers, brown planthopper, white-backed planthopper, leafroller, stem borer, armyworm, rice bug	1-3 Tbsp/36L	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
BERRIS AGRICULTURAL CO., INC.	CYPERMETHRIN	ZOOM 5 EC	50 g/L	EC	INSECTICIDE	4	233-037-0959	27-Jun-25	CONTACT	Cabbage	Diamond-back-moth, cabbage moth, worm	1-3 Tbsp/36L	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
BERRIS AGRICULTURAL CO., INC.	CYPERMETHRIN	ZOOM 5 EC	50 g/L	EC	INSECTICIDE	4	233-037-0959	27-Jun-25	CONTACT	Beans	Pod borers, beanfly, leafminers, aphids, cutworm	1-3 Tbsp/36L	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
BERRIS AGRICULTURAL CO., INC.	CYPERMETHRIN	ZOOM 5 EC	50 g/L	EC	INSECTICIDE	4	233-037-0959	27-Jun-25	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1-3 Tbsp/36L	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
BERRIS AGRICULTURAL CO., INC.	CYPERMETHRIN	ZOOM 5 EC	50 g/L	EC	INSECTICIDE	4	233-037-0959	27-Jun-25	CONTACT	Watermelon	Aphids, thrips, beetle	1-3 Tbsp/36L	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
BERRIS AGRICULTURAL CO., INC.	CYPERMETHRIN	ZOOM 5 EC	50 g/L	EC	INSECTICIDE	4	233-037-0959	27-Jun-25	CONTACT	Onion	Thrips, cutworm	1-3 Tbsp/36L	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
BERRIS AGRICULTURAL CO., INC.	CYPERMETHRIN	ZOOM 5 EC	50 g/L	EC	INSECTICIDE	4	233-037-0959	27-Jun-25	CONTACT	Banana	Thrips, scarring beetle	1-3 Tbsp/36L	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
BERRIS AGRICULTURAL CO., INC.	CYPERMETHRIN	ZOOM 5 EC	50 g/L	EC	INSECTICIDE	4	233-037-0959	27-Jun-25	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1-3 Tbsp/36L	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
BERRIS AGRICULTURAL CO., INC.	CYPERMETHRIN	ZOOM 5 EC	50 g/L	EC	INSECTICIDE	4	233-037-0959	27-Jun-25	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1-3 Tbsp/36L	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
BERRIS AGRICULTURAL CO., INC.	CYPERMETHRIN	ZOOM 5 EC	50 g/L	EC	INSECTICIDE	4	233-037-0959	27-Jun-25	CONTACT	Corn	Comborer, earworm	1-4.5 Tbsp/36L	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
FIRST PLANTERS AGRI-SOLUTION INC.	CARTAP HYDROCHLORIDE	ZOMBIE 50 SP	500 g/L	SP	INSECTICIDE	3	682-106-5596	26-Jun-23	SYSTEMIC	Cabbage	Diamond-back-moth, cabbage moth, cabbage worm aphids	1.5-2 Tbsp/ 36L water	-	-	Spraying should be done 10 days before harvest Enter the treated-field 48 hours after spraying
FIRST PLANTERS AGRI-SOLUTION INC.	CARTAP HYDROCHLORIDE	ZOMBIE 50 SP	500 g/L	SP	INSECTICIDE	3	682-106-5596	26-Jun-23	SYSTEMIC	Wongbok	Diamond-back-moth, cabbage moth, cabbage worm aphids	1.5-2 Tbsp/ 36L water	-	-	Spraying should be done 10 days before harvest Enter the treated-field 48 hours after spraying
FIRST PLANTERS AGRI-SOLUTION INC.	CARTAP HYDROCHLORIDE	ZOMBIE 50 SP	500 g/L	SP	INSECTICIDE	3	682-106-5596	26-Jun-23	SYSTEMIC	Pechay	Looper, cutworm, aphids	1.5-3 Tbsp/ 36L water	-	-	Spraying should be done 10 days before harvest Enter the treated-field 48 hours after spraying
FIRST PLANTERS AGRI-SOLUTION INC.	CARTAP HYDROCHLORIDE	ZOMBIE 50 SP	500 g/L	SP	INSECTICIDE	3	682-106-5596	26-Jun-23	SYSTEMIC	Onion	Thrips, cutworm	1.5-2 Tbsp/ 36L water	-	-	Spraying should be done 10 days before harvest Enter the treated-field 48 hours after spraying
FIRST PLANTERS AGRI-SOLUTION INC.	CARTAP HYDROCHLORIDE	ZOMBIE 50 SP	500 g/L	SP	INSECTICIDE	3	682-106-5596	26-Jun-23	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2 Tbsp/ 36L water	-	-	Spraying should be done 10 days before harvest Enter the treated-field 48 hours after spraying
FIRST PLANTERS AGRI-SOLUTION INC.	CARTAP HYDROCHLORIDE	ZOMBIE 50 SP	500 g/L	SP	INSECTICIDE	3	682-106-5596	26-Jun-23	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, aphids, tuber moth, leafminer	1.5-2 Tbsp/ 36L water	-	-	Spraying should be done 10 days before harvest Enter the treated-field 48 hours after spraying
FIRST PLANTERS AGRI-SOLUTION INC.	CARTAP HYDROCHLORIDE	ZOMBIE 50 SP	500 g/L	SP	INSECTICIDE	3	682-106-5596	26-Jun-23	SYSTEMIC	Mango	Leafhopper	1.5-2 Tbsp/ 36L water	-	-	Spraying should be done 10 days before harvest Enter the treated-field 48 hours after spraying
FIRST PLANTERS AGRI-SOLUTION INC.	CARTAP HYDROCHLORIDE	ZOMBIE 50 SP	500 g/L	SP	INSECTICIDE	3	682-106-5596	26-Jun-23	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	1.5 Tbsp/ 36L water	-	-	Spraying should be done 10 days before harvest Enter the treated-field 48 hours after spraying
FIRST PLANTERS AGRI-SOLUTION INC.	CARTAP HYDROCHLORIDE	ZOMBIE 50 SP	500 g/L	SP	INSECTICIDE	3	682-106-5596	26-Jun-23	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2 Tbsp/ 36L water	-	-	Spraying should be done 10 days before harvest Enter the treated-field 48 hours after spraying
ENVIREAU PACIFIC INC.	ZVINCION P	2VINCION P	100 g/L	SL	FUNGICIDE	4	503-496-4634	24-Jan-25	-	Pineapple	Butt molds	30mL product/L of water (apply the solution in 20 part of the fruits.)	-	-	-
HENGSHANG CROP PROTECTION (PHILIPPINES) INC.	DIURON	ZPPY 800 WP	800 g/kg	WP	HERBICIDE	4	667-021-5144	02-Jul-26	SYSTEMIC	Citrus	Annual and Perennial broadleaves and grasses	11.0-15.0Tbsp/16 L water	-	-	One day after application
HENGSHANG CROP PROTECTION (PHILIPPINES) INC.	DIURON	ZPPY 800 WP	800 g/kg	WP	HERBICIDE	4	667-021-5144	02-Jul-26	SYSTEMIC	Coffee	Annual and Perennial broadleaves and grasses	11.0-15.0Tbsp/16 L water	-	-	One day after application
HENGSHANG CROP PROTECTION (PHILIPPINES) INC.	DIURON	ZPPY 800 WP	800 g/kg	WP	HERBICIDE	4	667-021-5144	02-Jul-26	SYSTEMIC	Cotton	Annual and Perennial broadleaves and grasses	9-5 Tbsp/16 L water	-	-	One day after application
HENGSHANG CROP PROTECTION (PHILIPPINES) INC.	DIURON	ZPPY 800 WP	800 g/kg	WP	HERBICIDE	4	667-021-5144	02-Jul-26	SYSTEMIC	Sugarcane	Annual and Perennial broadleaves and grasses	80-13.0Tbsp/16 L water	-	-	One day after application
HENGSHANG CROP PROTECTION (PHILIPPINES) INC.	DIURON	ZPPY 800 WP	800 g/kg	WP	HERBICIDE	4	667-021-5144	02-Jul-26	SYSTEMIC	Pineapple	Annual and Perennial broadleaves and grasses	11.0Tbsp/16 L water	-	-	One day after application
HENGSHANG CROP PROTECTION (PHILIPPINES) INC.	DIURON	ZPPY 800 WP	800 g/kg	WP	HERBICIDE	4	667-021-5144	02-Jul-26	SYSTEMIC	Non-crop areas	Annual and Perennial broadleaves and grasses	20.0-28.0Tbsp/16 L water	-	-	One day after application
AGRI-BIO PHILIPPINES, INC.	HYDROGEN PEROXIDE+PARACETIC	ZIP VIRKOC	250 g/kg+65 g/kg	-	OTHERS	2	703-566-5057	23-Dec-24	-	-	Disinfection of surfaces in livestock installation, material incubators and hatcheries in poultry farms	-	-	-	-
BAYER CROSCIENCE, INC.	ZINC PHOSPHIDE	ZINC PHOSPHIDE 80 DP	800 g/kg	DP	RODENTICIDE	2	284-173-0390	28-Oct-20	-	-	Field rats,mice and other harmful rodents	2-3 grams/100-gms. Bait	-	-	-
BERRIS AGRICULTURAL CO., INC.	CARBENDAZIM	ZIMMER 500 SC	500 g/L	SC	FUNGICIDE	4	233-267-3194	06-Sep-25	SYSTEMIC	Mango	Anthracoze	1-Tbsp/16 L water	-	-	As soon as the spray dries
BERRIS AGRICULTURAL CO., INC.	CARBENDAZIM	ZIMMER 500 SC	500 g/L	SC	FUNGICIDE	4	233-267-3194	06-Sep-25	SYSTEMIC	Cucurbits	Downy mildew	1-Tbsp/16 L water	-	-	As soon as the spray dries
BERRIS AGRICULTURAL CO., INC.	CARBENDAZIM	ZIMMER 500 SC	500 g/L	SC	FUNGICIDE	4	233-267-3194	06-Sep-25	SYSTEMIC	Green peas (Legumes)	Powdery mildew	1-Tbsp/16 L water	-	-	As soon as the spray dries
BERRIS AGRICULTURAL CO., INC.	CARBENDAZIM	ZIMMER 500 SC	500 g/L	SC	FUNGICIDE	4	233-267-3194	06-Sep-25	SYSTEMIC	Sugarcane	Pineapple disease	9-10/200L water cane dipping	-	-	As soon as the spray dries
BERRIS AGRICULTURAL CO., INC.	CARBENDAZIM	ZIMMER 500 SC	500 g/L	SC	FUNGICIDE	4	233-267-3194	06-Sep-25	SYSTEMIC	Banana	Diamond fruit spot, anthracnose	0.5-1.0 mL/L water	-	-	As soon as the spray dries
EZERTech CORPORATION	CARBENDAZIM	ZIMO 500 SC	500 g/L	SC	FUNGICIDE	4	648-267-4927	04-Oct-25	SYSTEMIC	Mango	Anthracoze	1-Tbsp/16 L water	-	-	-

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
EZERTech CORPORATION	CARBENDAZIM	ZIMCO 500 SC	500 g/L	SC	FUNGICIDE	4	648-267-4927	04-Oct-25	SYSTEMIC	Cucurbits	Downy mildew	2-2Tbsp/16L water	-	-	-
EZERTech CORPORATION	CARBENDAZIM	ZIMCO 500 SC	500 g/L	SC	FUNGICIDE	4	648-267-4927	04-Oct-25	SYSTEMIC	Garden Peas (Legumes)	Powdery mildew	3-2Tbsp/16L water	-	-	-
EZERTech CORPORATION	CARBENDAZIM	ZIMCO 500 SC	500 g/L	SC	FUNGICIDE	4	648-267-4927	04-Oct-25	SYSTEMIC	Sugarcane	Pineapple disease	5-10/200L water	-	-	-
EZERTech CORPORATION	CARBENDAZIM	ZIMCO 500 SC	500 g/L	SC	FUNGICIDE	4	648-267-4927	04-Oct-25	SYSTEMIC	Banana	Diamond fruit spot, anthracnose	0.5-1.0 mL/ L water	-	-	-
AGWAY CHEMICALS CORPORATION	CARBENDAZIM	ZIMCOTE 500 SC	500 g/kg	SC	FUNGICIDE	4	075-267-4225-A (376)	17-Jan-27	SYSTEMIC	Mango	Anthraxnose	1-2Tbsp/16L water	-	-	Re-entry is allowed as soon as spray dries up.
AGWAY CHEMICALS CORPORATION	CARBENDAZIM	ZIMCOTE 500 SC	500 g/kg	SC	FUNGICIDE	4	075-267-4225-A (376)	17-Jan-27	SYSTEMIC	Cucurbits	Downy mildew	3-2Tbsp/16L water	-	-	Re-entry is allowed as soon as spray dries up.
AGWAY CHEMICALS CORPORATION	CARBENDAZIM	ZIMCOTE 500 SC	500 g/kg	SC	FUNGICIDE	4	075-267-4225-A (376)	17-Jan-27	SYSTEMIC	Green Peas (Legumes)	Powdery mildew	1-2Tbsp/16L water	-	-	Re-entry is allowed as soon as spray dries up.
AGWAY CHEMICALS CORPORATION	CARBENDAZIM	ZIMCOTE 500 SC	500 g/kg	SC	FUNGICIDE	4	075-267-4225-A (376)	17-Jan-27	SYSTEMIC	Sugarcane	Pineapple disease	5-10/200L water cane digging	-	-	Re-entry is allowed as soon as spray dries up.
AGWAY CHEMICALS CORPORATION	CARBENDAZIM	ZIMCOTE 500 SC	500 g/kg	SC	FUNGICIDE	4	075-267-4225-A (376)	17-Jan-27	SYSTEMIC	Banana	Diamond fruit spot, anthracnose	0.5-1.0 mL/ L water	7Days	-	Re-entry is allowed as soon as spray dries up.
ROTAM PHILIPPINES, INC.	GLUFOSINATE AMMONIUM	ZIBO 150 SL	150 g/L	SL	HERBICIDE	4	569-182-6371	30-Nov-25	NON-SELECTIVE/POST-EMERGENT	Cavendish Banana	Weeds	180 mL/ 16L water; 10L25-150 mL/ 16L water	-	-	-
ROTAM PHILIPPINES, INC.	GLUFOSINATE AMMONIUM	ZIBO 150 SL	150 g/L	SL	HERBICIDE	4	569-182-6371	30-Nov-25	NON-SELECTIVE/POST-EMERGENT	hubber	Weeds	16L-25 mL/ 16L water; 20L 5 mL/ 16L water; 10L 25 mL/ 16L water	-	-	-
ROTAM PHILIPPINES, INC.	GLUFOSINATE AMMONIUM	ZIBO 150 SL	150 g/L	SL	HERBICIDE	4	569-182-6371	30-Nov-25	NON-SELECTIVE/POST-EMERGENT	Oil palm	Weeds	120 mL/ 16L water; 10L 25 mL/ 16L water	-	-	-
ROTAM PHILIPPINES, INC.	GLUFOSINATE AMMONIUM	ZIBO 150 SL	150 g/L	SL	HERBICIDE	4	569-182-6371	30-Nov-25	NON-SELECTIVE/POST-EMERGENT	Non-crop areas	Weeds	120-161.5 mL/ 16L water	-	-	-
ONEGRAIN MARKETING CORPORATION	CYPERMETHRIN	ZIBAT 5 EC	50 g/L	EC	INSECTICIDE	4	723-037-5819	17-Mar-26	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16L water	-	7Days	Re-entry to treated field is allowed as soon as spray deposits dry.
ONEGRAIN MARKETING CORPORATION	CYPERMETHRIN	ZIBAT 5 EC	50 g/L	EC	INSECTICIDE	4	723-037-5819	17-Mar-26	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leafhopper, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16L water	-	7Days	Re-entry to treated field is allowed as soon as spray deposits dry.
ONEGRAIN MARKETING CORPORATION	CYPERMETHRIN	ZIBAT 5 EC	50 g/L	EC	INSECTICIDE	4	723-037-5819	17-Mar-26	CONTACT	Cabbage	Diamond-back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16L water	-	7Days	Re-entry to treated field is allowed as soon as spray deposits dry.
ONEGRAIN MARKETING CORPORATION	CYPERMETHRIN	ZIBAT 5 EC	50 g/L	EC	INSECTICIDE	4	723-037-5819	17-Mar-26	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16L water	-	7Days	Re-entry to treated field is allowed as soon as spray deposits dry.
ONEGRAIN MARKETING CORPORATION	CYPERMETHRIN	ZIBAT 5 EC	50 g/L	EC	INSECTICIDE	4	723-037-5819	17-Mar-26	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16L water	-	7Days	Re-entry to treated field is allowed as soon as spray deposits dry.
ONEGRAIN MARKETING CORPORATION	CYPERMETHRIN	ZIBAT 5 EC	50 g/L	EC	INSECTICIDE	4	723-037-5819	17-Mar-26	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16L water	-	7Days	Re-entry to treated field is allowed as soon as spray deposits dry.
ONEGRAIN MARKETING CORPORATION	CYPERMETHRIN	ZIBAT 5 EC	50 g/L	EC	INSECTICIDE	4	723-037-5819	17-Mar-26	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16L water	-	7Days	Re-entry to treated field is allowed as soon as spray deposits dry.
ONEGRAIN MARKETING CORPORATION	CYPERMETHRIN	ZIBAT 5 EC	50 g/L	EC	INSECTICIDE	4	723-037-5819	17-Mar-26	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16L water	-	7Days	Re-entry to treated field is allowed as soon as spray deposits dry.
ONEGRAIN MARKETING CORPORATION	CYPERMETHRIN	ZIBAT 5 EC	50 g/L	EC	INSECTICIDE	4	723-037-5819	17-Mar-26	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16L water	-	7Days	Re-entry to treated field is allowed as soon as spray deposits dry.
ONEGRAIN MARKETING CORPORATION	CYPERMETHRIN	ZIBAT 5 EC	50 g/L	EC	INSECTICIDE	4	723-037-5819	17-Mar-26	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16L water	-	7Days	Re-entry to treated field is allowed as soon as spray deposits dry.
ONEGRAIN MARKETING CORPORATION	CYPERMETHRIN	ZIBAT 5 EC	50 g/L	EC	INSECTICIDE	4	723-037-5819	17-Mar-26	CONTACT	Corn	Comborer, earworm	1.0-4.5 Tbsp/16L water	-	7Days	Re-entry to treated field is allowed as soon as spray deposits dry.
LTC MORITA CORPORATION	GLYPHOSATE IPA	ZIAH 480 SL	480 g/L	SL	HERBICIDE	4	679-151-5318	27-Oct-23	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/ha	-	-	-
LTC MORITA CORPORATION	GLYPHOSATE IPA	ZIAH 480 SL	480 g/L	SL	HERBICIDE	4	679-151-5318	27-Oct-23	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
LTC MORITA CORPORATION	GLYPHOSATE IPA	ZIAH 480 SL	480 g/L	SL	HERBICIDE	4	679-151-5318	27-Oct-23	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
LTC MORITA CORPORATION	GLYPHOSATE IPA	ZIAH 480 SL	480 g/L	SL	HERBICIDE	4	679-151-5318	27-Oct-23	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
LTC MORITA CORPORATION	GLYPHOSATE IPA	ZIAH 480 SL	480 g/L	SL	HERBICIDE	4	679-151-5318	27-Oct-23	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
LTC MORITA CORPORATION	GLYPHOSATE IPA	ZIAH 480 SL	480 g/L	SL	HERBICIDE	4	679-151-5318	27-Oct-23	POST-EMERGENT	hubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
LTC MORITA CORPORATION	GLYPHOSATE IPA	ZIAH 480 SL	480 g/L	SL	HERBICIDE	4	679-151-5318	27-Oct-23	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
LTC MORITA CORPORATION	GLYPHOSATE IPA	ZIAH 480 SL	480 g/L	SL	HERBICIDE	4	679-151-5318	27-Oct-23	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
LTC MORITA CORPORATION	GLYPHOSATE IPA	ZIAH 480 SL	480 g/L	SL	HERBICIDE	4	679-151-5318	27-Oct-23	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/ha	-	-	-
LTC MORITA CORPORATION	GLYPHOSATE IPA	ZIAH 480 SL	480 g/L	SL	HERBICIDE	4	679-151-5318	27-Oct-23	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
LTC MORITA CORPORATION	GLYPHOSATE IPA	ZIAH 480 SL	480 g/L	SL	HERBICIDE	4	679-151-5318	27-Oct-23	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
LTC MORITA CORPORATION	GLYPHOSATE IPA	ZIAH 480 SL	480 g/L	SL	HERBICIDE	4	679-151-5318	27-Oct-23	POST-EMERGENT	non-crop	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
LEADS AGRICULTURAL PRODUCTS CORPORATION	PROPRISULFURON	ZETA-ONE	100 g/L	SC	HERBICIDE	4	099-441-3228-A	09-Dec-25	POST-EMERGENCE	Rice (Direct Seeded)	Grasses (E. colona & E. crusgalli) Broadleaves (L. octovalvis & S. zeylanica) Sedges (C. difformis & C. tria)	0.5 L pond/ha (min), 1L prod/ha (max)	-	-	-
LEADS AGRICULTURAL PRODUCTS CORPORATION	PROPRISULFURON	ZETA-ONE	100 g/L	SC	HERBICIDE	4	099-441-3228-A	09-Dec-25	POST-EMERGENCE	Rice (Transplanted)	Grasses (E. colona & E. crusgalli) Broadleaves (L. octovalvis & S. zeylanica) Sedges (C. difformis & C. tria)	0.5 L pond/ha (min), 1L prod/ha (max)	-	-	-
SUMITOMO CHEMICAL PHILIPPINES INC.	PROPRISULFURON	ZETA-ONE	100 g/L	SC	HERBICIDE	4	472-441-3212	20-Sep-25	-	Rice (Direct-Seeded)	Grasses (E. colona & E. crusgalli) Broadleaves (L. octovalvis & S. zeylanica) Sedges (C. difformis & C. tria)	0.5 L pond/ha (min), 1L prod/ha (max)	-	-	-
SUMITOMO CHEMICAL PHILIPPINES INC.	PROPRISULFURON	ZETA-ONE	100 g/L	SC	HERBICIDE	4	472-441-3212	20-Sep-25	-	Rice (Transplanted)	Grasses (E. colona & E. crusgalli) Broadleaves (L. octovalvis & S. zeylanica) Sedges (C. difformis & C. tria)	0.5 L pond/ha (min), 1L prod/ha (max)	-	-	-
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	BUTACHLOR-PROPANIL	ZETANIL 70 EC	350 g/L+350 g/L	EC	HERBICIDE	3	575-238-5843	3-Feb-26	POST-EMERGENT	Rice (Direct-Seeded)	Grasses, broadleaves and sedges	8-12 Tbsp/16L water	-	-	-
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	BUTACHLOR-PROPANIL	ZETANIL 70 EC	350 g/L+350 g/L	EC	HERBICIDE	3	575-238-5843	3-Feb-26	POST-EMERGENT	Rice (Transplanted)	Grasses, broadleaves and sedges	8-12 Tbsp/16L water	-	-	-
GRANDIA AGRO MARKETING CORPORATION	BENOMYL	ZERIN 50 WP	500 g/kg	WP	FUNGICIDE	4	445-167-3345	24-Oct-24	SYSTEMIC	Mungbeans	Powdery mildew, cercospora leaf spot	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray.
GRANDIA AGRO MARKETING CORPORATION	BENOMYL	ZERIN 50 WP	500 g/kg	WP	FUNGICIDE	4	445-167-3345	24-Oct-24	SYSTEMIC	Beans	Powdery mildew, cercospora leaf spot	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray.
GRANDIA AGRO MARKETING CORPORATION	BENOMYL	ZERIN 50 WP	500 g/kg	WP	FUNGICIDE	4	445-167-3345	24-Oct-24	SYSTEMIC	Cabbage	Cercospora leaf spot	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray.
GRANDIA AGRO MARKETING CORPORATION	BENOMYL	ZERIN 50 WP	500 g/kg	WP	FUNGICIDE	4	445-167-3345	24-Oct-24	SYSTEMIC	Calamansi	Scab	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray.
GRANDIA AGRO MARKETING CORPORATION	BENOMYL	ZERIN 50 WP	500 g/kg	WP	FUNGICIDE	4	445-167-3345	24-Oct-24	SYSTEMIC	Cucumber	Powdery mildew	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray.
GRANDIA AGRO MARKETING CORPORATION	BENOMYL	ZERIN 50 WP	500 g/kg	WP	FUNGICIDE	4	445-167-3345	24-Oct-24	SYSTEMIC	Singer	Cercospora leaf spot	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray.
GRANDIA AGRO MARKETING CORPORATION	BENOMYL	ZERIN 50 WP	500 g/kg	WP	FUNGICIDE	4	445-167-3345	24-Oct-24	SYSTEMIC	Grapes	Powdery mildew	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray.
GRANDIA AGRO MARKETING CORPORATION	BENOMYL	ZERIN 50 WP	500 g/kg	WP	FUNGICIDE	4	445-167-3345	24-Oct-24	SYSTEMIC	Mandarin	Scab	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray.
GRANDIA AGRO MARKETING CORPORATION	BENOMYL	ZERIN 50 WP	500 g/kg	WP	FUNGICIDE	4	445-167-3345	24-Oct-24	SYSTEMIC	Mango	Anthraxnose, powdery mildew	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray.
GRANDIA AGRO MARKETING CORPORATION	BENOMYL	ZERIN 50 WP	500 g/kg	WP	FUNGICIDE	4	445-167-3345	24-Oct-24	SYSTEMIC	Melon	Powdery mildew	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray.
GRANDIA AGRO MARKETING CORPORATION	BENOMYL	ZERIN 50 WP	500 g/kg	WP	FUNGICIDE	4	445-167-3345	24-Oct-24	SYSTEMIC	Orange	Scab	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray.
GRANDIA AGRO MARKETING CORPORATION	BENOMYL	ZERIN 50 WP	500 g/kg	WP	FUNGICIDE	4	445-167-3345	24-Oct-24	SYSTEMIC	Papaya	Powdery mildew	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray.
GRANDIA AGRO MARKETING CORPORATION	BENOMYL	ZERIN 50 WP	500 g/kg	WP	FUNGICIDE	4	445-167-3345	24-Oct-24	SYSTEMIC	Pepper	Cercospora leaf spot	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray.
GRANDIA AGRO MARKETING CORPORATION	BENOMYL	ZERIN 50 WP	500 g/kg	WP	FUNGICIDE	4	445-167-3345	24-Oct-24	SYSTEMIC	Rice	Blast, sheath blight	3-4 Tbsp/16L water	1.0 ppm	7days	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray.

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
GRANDIA AGRO MARKETING CORPORATION	BENDIMYL	ZERIN 30 WP	500 g/kg	WP	FUNGICIDE	4	445-167-3345	24-Oct-24	SYSTEMIC	Strawberry	Cercospora leaf spot	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray.
GRANDIA AGRO MARKETING CORPORATION	BENDIMYL	ZERIN 50 WP	500 g/kg	WP	FUNGICIDE	4	445-167-3345	24-Oct-24	SYSTEMIC	Tobacco	Leaf mold, frog eye	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray.
GRANDIA AGRO MARKETING CORPORATION	BENDIMYL	ZERIN 30 WP	500 g/kg	WP	FUNGICIDE	4	445-167-3345	24-Oct-24	SYSTEMIC	Banana	Black sigatoka	280 g/ha	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray.
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	CARTAP HYDROCHLORIDE	ZENTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	575-106-5304	02-Jul-25	SYSTEMIC	Rice	Whorl maggot, stemborer, green leafhopper, brown planthopper	3.0-5.0Tbsp/36L water	0.7ppm	Stop spraying 10 days before harvest	Do not enter the field within two days after spraying.
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	CARTAP HYDROCHLORIDE	ZENTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	575-106-5304	02-Jul-25	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/36L water	-	Stop spraying 10 days before harvest	Do not enter the field within two days after spraying.
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	CARTAP HYDROCHLORIDE	ZENTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	575-106-5304	02-Jul-25	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/36L water	-	Stop spraying 10 days before harvest	Do not enter the field within two days after spraying.
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	CARTAP HYDROCHLORIDE	ZENTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	575-106-5304	02-Jul-25	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/36L water	-	Stop spraying 10 days before harvest	Do not enter the field within two days after spraying.
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	CARTAP HYDROCHLORIDE	ZENTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	575-106-5304	02-Jul-25	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/36L water	-	Stop spraying 10 days before harvest	Do not enter the field within two days after spraying.
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	CARTAP HYDROCHLORIDE	ZENTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	575-106-5304	02-Jul-25	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/36L water	-	Stop spraying 10 days before harvest	Do not enter the field within two days after spraying.
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	CARTAP HYDROCHLORIDE	ZENTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	575-106-5304	02-Jul-25	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/36L water	-	Stop spraying 10 days before harvest	Do not enter the field within two days after spraying.
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	CARTAP HYDROCHLORIDE	ZENTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	575-106-5304	02-Jul-25	SYSTEMIC	Mango	leafhoppers	1.5-2.0Tbsp/36L water	-	Stop spraying 10 days before harvest	Do not enter the field within two days after spraying.
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	CARTAP HYDROCHLORIDE	ZENTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	575-106-5304	02-Jul-25	SYSTEMIC	Pechay	looper, cutworm, aphids	1.5-3.0Tbsp/36L water	-	Stop spraying 10 days before harvest	Do not enter the field within two days after spraying.
EZERTECH CORPORATION	DIAZINON	ZENON 60 EC	600 g/L	EC	INSECTICIDE	2	648-034-5543	21-Sep-24	CONTACT	Rice	Whorl maggot, stemborer, leaffolder, planthopper, rice bug	25-35 ml/36L water	-	14 days	
EZERTECH CORPORATION	DIAZINON	ZENON 60 EC	600 g/L	EC	INSECTICIDE	2	648-034-5543	21-Sep-24	CONTACT	Corn	Comborer, earworm, aphids, silk beetle	25-35 ml/36L water	-	14 days	
EZERTECH CORPORATION	DIAZINON	ZENON 60 EC	600 g/L	EC	INSECTICIDE	2	648-034-5543	21-Sep-24	CONTACT	Beans	Cutworm, podborer, aphids, flea beetle	30-40 ml/36L water	-	14 days	
EZERTECH CORPORATION	DIAZINON	ZENON 60 EC	600 g/L	EC	INSECTICIDE	2	648-034-5543	21-Sep-24	CONTACT	Cowpea	Aphids, cutworm, grasshopper	25-35 ml/36L water	-	14 days	
EZERTECH CORPORATION	DIAZINON	ZENON 60 EC	600 g/L	EC	INSECTICIDE	2	648-034-5543	21-Sep-24	CONTACT	Soybeans	Cutworm, aphids, stink bug, grasshopper	25-35 ml/36L water	-	14 days	
EZERTECH CORPORATION	DIAZINON	ZENON 60 EC	600 g/L	EC	INSECTICIDE	2	648-034-5543	21-Sep-24	CONTACT	Pineapple	Mealybug	25-35 ml/36L water	-	14 days	
EZERTECH CORPORATION	DIAZINON	ZENON 60 EC	600 g/L	EC	INSECTICIDE	2	648-034-5543	21-Sep-24	CONTACT	Cotton	Katydid, grasshopper, cutworm, mites	25-35 ml/36L water	-	14 days	
EZERTECH CORPORATION	DIAZINON	ZENON 60 EC	600 g/L	EC	INSECTICIDE	2	648-034-5543	21-Sep-24	CONTACT	Tobacco	Budworm aphids, flea beetle, armyworm	25-35 ml/36L water	-	14 days	
EZERTECH CORPORATION	DIAZINON	ZENON 60 EC	600 g/L	EC	INSECTICIDE	2	648-034-5543	21-Sep-24	CONTACT	White potato	Aphids, leaffolder, cutworm	30-40 ml/36L water	-	14 days	
EZERTECH CORPORATION	DIAZINON	ZENON 60 EC	600 g/L	EC	INSECTICIDE	2	648-034-5543	21-Sep-24	CONTACT	Citrus	Mites, aphids, stink bug	40-80 ml/36L water	-	14 days	
EZERTECH CORPORATION	DIAZINON	ZENON 60 EC	600 g/L	EC	INSECTICIDE	2	648-034-5543	21-Sep-24	CONTACT	Banana	Thrips, mealybug, leaffolder (STEM and MAT spray application of mealy bugs)	25-35 ml/36L water	-	14 days	
GEM AGROLOGIC, INC.	METHOMYL	ZENNATE 40 SP	400 g/kg	SP	INSECTICIDE	2	238-164-2849	19-Jul-23	CONTACT	Asparagus	Armyworm, cutworm	1 Sachet/36L Sprayer	-	-	
GEM AGROLOGIC, INC.	METHOMYL	ZENNATE 40 SP	400 g/kg	SP	INSECTICIDE	2	238-164-2849	19-Jul-23	CONTACT	Banana	Thrips	1.5-2 Sachet/36L Sprayer	-	-	
GEM AGROLOGIC, INC.	METHOMYL	ZENNATE 40 SP	400 g/kg	SP	INSECTICIDE	2	238-164-2849	19-Jul-23	CONTACT	Beans	Leafroller, flea beetle , beanfly, podborer,aphids	1 Sachet/36L Sprayer	-	-	
GEM AGROLOGIC, INC.	METHOMYL	ZENNATE 40 SP	400 g/kg	SP	INSECTICIDE	2	238-164-2849	19-Jul-23	CONTACT	Mungbeans	Leafroller, flea beetle , beanfly, podborer,aphids	1 Sachet/36L Sprayer	-	-	
GEM AGROLOGIC, INC.	METHOMYL	ZENNATE 40 SP	400 g/kg	SP	INSECTICIDE	2	238-164-2849	19-Jul-23	CONTACT	Soybeans	Leafroller, flea beetle , beanfly, podborer,aphids	1 Sachet/36L Sprayer	-	-	
GEM AGROLOGIC, INC.	METHOMYL	ZENNATE 40 SP	400 g/kg	SP	INSECTICIDE	2	238-164-2849	19-Jul-23	CONTACT	Sitao	Leafroller, flea beetle , beanfly, podborer,aphids	1 Sachet/36L Sprayer	-	-	
GEM AGROLOGIC, INC.	METHOMYL	ZENNATE 40 SP	400 g/kg	SP	INSECTICIDE	2	238-164-2849	19-Jul-23	CONTACT	Corn	Comborer, earworm	1 Sachet/36L Sprayer	-	-	
GEM AGROLOGIC, INC.	METHOMYL	ZENNATE 40 SP	400 g/kg	SP	INSECTICIDE	2	238-164-2849	19-Jul-23	CONTACT	Sorghum	Comborer,earworm	1 Sachet/36L Sprayer	-	-	
GEM AGROLOGIC, INC.	METHOMYL	ZENNATE 40 SP	400 g/kg	SP	INSECTICIDE	2	238-164-2849	19-Jul-23	CONTACT	Eggplant	Aphids, flea beetle , fruitworm, lady beetle	1 Sachet/36L Sprayer	-	-	
GEM AGROLOGIC, INC.	METHOMYL	ZENNATE 40 SP	400 g/kg	SP	INSECTICIDE	2	238-164-2849	19-Jul-23	CONTACT	Melon	Aphids, squash beetle , leaf folder	1 Sachet/36L Sprayer	-	-	
GEM AGROLOGIC, INC.	METHOMYL	ZENNATE 40 SP	400 g/kg	SP	INSECTICIDE	2	238-164-2849	19-Jul-23	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leaf folder	1 Sachet/36L Sprayer	0.02ppm	3 Days	
GEM AGROLOGIC, INC.	METHOMYL	ZENNATE 40 SP	400 g/kg	SP	INSECTICIDE	2	238-164-2849	19-Jul-23	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	1 Sachet/36L Sprayer	-	-	
GEM AGROLOGIC, INC.	METHOMYL	ZENNATE 40 SP	400 g/kg	SP	INSECTICIDE	2	238-164-2849	19-Jul-23	CONTACT	Tomato	Tomato fruitworm, aphids	1 Sachet/36L Sprayer	-	-	
LINE AGRI TECH SOLUTIONS PHILIPPINES INC.	TRIDEMORPH	ZENTH 86 OL	860 g/L	OL	FUNGICIDE	2	015-097-4755	01-Apr-22	SYSTEMIC/CONTACT	Banana	Black sigatoka	0.5 L/ha Tridemorph + 0.5 L/ha Oxi	-	-	Until the spray deposit has dried
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	MALATHION	ZENCOR MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	575-038-3732	15-Dec-23	NON-SYSTEMIC	Fruit trees	Aphids, mealy bug, scale insect	1.5-3.0Tbsp/36L water	-	One (1) day after each spraying.	One (1) day after each spraying.
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	MALATHION	ZENCOR MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	575-038-3732	15-Dec-23	NON-SYSTEMIC	Rice	Armyworm, caseworm, leafhopper, bugs	2.0-3.0Tbsp/36L water	-	One (1) day after each spraying.	One (1) day after each spraying.
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	MALATHION	ZENCOR MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	575-038-3732	15-Dec-23	NON-SYSTEMIC	Corn	Earworm, silkworm, aphids, grasshopper	3.0-5.0Tbsp/36L water	-	One (1) day after each spraying.	One (1) day after each spraying.
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	MALATHION	ZENCOR MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	575-038-3732	15-Dec-23	NON-SYSTEMIC	Cabbage	Cabbage worm, looper, diamond back moth	2.0-5.0Tbsp/36L water	-	One (1) day after each spraying.	One (1) day after each spraying.
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	MALATHION	ZENCOR MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	575-038-3732	15-Dec-23	NON-SYSTEMIC	Legumes	Aphids, beanfly, cutworm, flea beetles, leafminer, maggots, mealybug, podborer, thrips	2.0-5.0Tbsp/36L water	-	One (1) day after each spraying.	One (1) day after each spraying.
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	MALATHION	ZENCOR MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	575-038-3732	15-Dec-23	NON-SYSTEMIC	Grapes	Beetles, cutworm, leafhopper, mealybug, scale, insect, spider mites	3.0Tbsp/36L water	-	One (1) day after each spraying.	One (1) day after each spraying.
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	MALATHION	ZENCOR MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	575-038-3732	15-Dec-23	NON-SYSTEMIC	Pineapple	Mealy bug	3.0Tbsp/36L water	-	One (1) day after each spraying.	One (1) day after each spraying.
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	MALATHION	ZENCOR MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	575-038-3732	15-Dec-23	NON-SYSTEMIC	Pepper	Aphid, cutworm, fruitworm	3.0Tbsp/36L water	-	One (1) day after each spraying.	One (1) day after each spraying.
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	MALATHION	ZENCOR MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	575-038-3732	15-Dec-23	NON-SYSTEMIC	Garlic	Cutworm	3.0Tbsp/36L water	-	One (1) day after each spraying.	One (1) day after each spraying.
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	MALATHION	ZENCOR MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	575-038-3732	15-Dec-23	NON-SYSTEMIC	Onion	Cutworm	3.0Tbsp/36L water	-	One (1) day after each spraying.	One (1) day after each spraying.
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	MALATHION	ZENCOR MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	575-038-3732	15-Dec-23	NON-SYSTEMIC	Tobacco	Aphids, katydid	3.0-6.0Tbsp/36L water	-	One (1) day after each spraying.	One (1) day after each spraying.
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	MALATHION	ZENCOR MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	575-038-3732	15-Dec-23	NON-SYSTEMIC	Ornamentals	Aphids, cutworm, mealybug, scale insect, spider mites	3.0-5.0Tbsp/36L water	-	One (1) day after each spraying.	One (1) day after each spraying.
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	MALATHION	ZENCOR MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	575-038-3732	15-Dec-23	NON-SYSTEMIC	Tomato	Lady beetle	3.0-5.0Tbsp/36L water	-	One (1) day after each spraying.	One (1) day after each spraying.
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	MALATHION	ZENCOR MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	575-038-3732	15-Dec-23	NON-SYSTEMIC	Eggplant	Aphids, fruitworm	3.0-5.0Tbsp/36L water	-	One (1) day after each spraying.	One (1) day after each spraying.
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	MALATHION	ZENCOR MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	575-038-3732	15-Dec-23	NON-SYSTEMIC	Sorghum	Web worm	3.0Tbsp/36L water	-	One (1) day after each spraying.	One (1) day after each spraying.
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	INCLUSAMIDE ETHANOLAMINE SALT	ZENCOCIDE 20 WP	700 g/kg	WP	MOLLUSCICIDE	4	575-229-3736	23-Apr-24	CONTACT	Rice	Golden Apple Snail (Kuhol)	35 gm/36 L water	-	-	Re-enter fields at least 48 hours after application
ZAGRO CORPORATION	METALDHYDE	ZECTRIC 6% PELLETS	60 g/kg	P	MOLLUSCICIDE	4	043-075-1046	31-Dec-23	CONTACT	Nice (Transplanted)	Golden apple snail	2-4 kg/ product per hectare	-	-	Do not enter treated field within 48 hours after application.
ZAGRO CORPORATION	METALDHYDE	ZECTRIC 6% PELLETS	60 g/kg	P	MOLLUSCICIDE	4	043-075-1046	31-Dec-23	CONTACT	Nice (Direct Seeded)	Golden apple snail	4-8 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application.
ZAGRO CORPORATION	METALDHYDE	ZECTRIC 6% PELLETS	60 g/kg	P	MOLLUSCICIDE	4	043-075-1046	31-Dec-23	CONTACT	Potted and driftwood-attached plants such as	Bush, snails, giant african snail and slugs	1-2 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application.

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
ZAGRO CORPORATION	METALDENHIDE	ZECTRIC 6% PELLETS	60 g/kg	P	MOLLUSCIDE	4	043-075-1046	31-Dec-23	CONTACT	Crucifers (Chinese Cabbage)	Slug, snails	6-8 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application.
ZAGRO CORPORATION	METALDENHIDE	ZECTRIC 6% PELLETS	60 g/kg	P	MOLLUSCIDE	4	043-075-1046	31-Dec-23	CONTACT	Strawberry	Slug, snails	6-8 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application.
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	MANCOZEB	ZERRA FLO 42 SC	420 g/L	SC	FUNGICIDE	4	459-053-3056	23-Feb-19	-	Banana	Black Sigatoka	4.5 L/Ha or 12 Tbsp/50L	-	-	-
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	MANCOZEB	ZERRA FLO 42 SC	420 g/L	SC	FUNGICIDE	4	459-053-3056	23-Feb-19	-	Potato	Late blight	3-6 L/ Tbsp/50L	-	-	-
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	MANCOZEB	ZERRA FLO 42 SC	420 g/L	SC	FUNGICIDE	4	459-053-3056	23-Feb-19	-	Tomato	Early blight, late blight, cercospora leaf blight	7-10 Tbsp/50L	-	-	-
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	MANCOZEB	ZERRA 80 WP	800 g/kg	WP	FUNGICIDE	4	459-053-2732	22-Jan-26	-	Potato	Early and late blight	3-7 Tbsp/35 L water	-	-	As soon as spray dries
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	MANCOZEB	ZERRA 80 WP	800 g/kg	WP	FUNGICIDE	4	459-053-2732	22-Jan-26	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/35 L water	-	7 Days	As soon as spray dries
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	MANCOZEB	ZERRA 80 WP	800 g/kg	WP	FUNGICIDE	4	459-053-2732	22-Jan-26	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/35 L water	-	7 Days	As soon as spray dries
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	MANCOZEB	ZERRA 80 WP	800 g/kg	WP	FUNGICIDE	4	459-053-2732	22-Jan-26	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/35 L water	-	7 Days	As soon as spray dries
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	MANCOZEB	ZERRA 80 WP	800 g/kg	WP	FUNGICIDE	4	459-053-2732	22-Jan-26	-	Celery	Late blight	3-6 Tbsp/35 L water	-	14 Days	As soon as spray dries
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	MANCOZEB	ZERRA 80 WP	800 g/kg	WP	FUNGICIDE	4	459-053-2732	22-Jan-26	-	Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/35 L water	-	5 days	As soon as spray dries
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	MANCOZEB	ZERRA 80 WP	800 g/kg	WP	FUNGICIDE	4	459-053-2732	22-Jan-26	-	Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/35 L water	-	5 days	As soon as spray dries
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	MANCOZEB	ZERRA 80 WP	800 g/kg	WP	FUNGICIDE	4	459-053-2732	22-Jan-26	-	Cotton	Damping off	3-6 Tbsp/35 L water	-	-	As soon as spray dries
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	MANCOZEB	ZERRA 80 WP	800 g/kg	WP	FUNGICIDE	4	459-053-2732	22-Jan-26	-	lettuce	Downy mildew	3-6 Tbsp/35 L water	-	7 Days	As soon as spray dries
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	MANCOZEB	ZERRA 80 WP	800 g/kg	WP	FUNGICIDE	4	459-053-2732	22-Jan-26	-	beans	Anthracoese, Downy mildew, Rust	3-6 Tbsp/35 L water	-	5 days	As soon as spray dries
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	MANCOZEB	ZERRA 80 WP	800 g/kg	WP	FUNGICIDE	4	459-053-2732	22-Jan-26	-	Peas	Anthracoese, Downy mildew, Rust	3-6 Tbsp/35 L water	-	5 days	As soon as spray dries
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	MANCOZEB	ZERRA 80 WP	800 g/kg	WP	FUNGICIDE	4	459-053-2732	22-Jan-26	-	Mungo	Anthracoese, Downy mildew, Rust	3-6 Tbsp/35 L water	-	5 days	As soon as spray dries
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	MANCOZEB	ZERRA 80 WP	800 g/kg	WP	FUNGICIDE	4	459-053-2732	22-Jan-26	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/35 L water	-	5 days	As soon as spray dries
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	MANCOZEB	ZERRA 80 WP	800 g/kg	WP	FUNGICIDE	4	459-053-2732	22-Jan-26	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/35 L water	-	7 Days	As soon as spray dries
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	MANCOZEB	ZERRA 80 WP	800 g/kg	WP	FUNGICIDE	4	459-053-2732	22-Jan-26	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/35 L water	-	7 Days	As soon as spray dries
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	MANCOZEB	ZERRA 80 WP	800 g/kg	WP	FUNGICIDE	4	459-053-2732	22-Jan-26	-	Pepper	Anthracoese	3-6 Tbsp/35 L water	-	7 Days	As soon as spray dries
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	MANCOZEB	ZERRA 80 WP	800 g/kg	WP	FUNGICIDE	4	459-053-2732	22-Jan-26	-	Chili	Anthracoese	3-6 Tbsp/35 L water	-	7 Days	As soon as spray dries
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	MANCOZEB	ZERRA 80 WP	800 g/kg	WP	FUNGICIDE	4	459-053-2732	22-Jan-26	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/35 L water	-	7 Days	As soon as spray dries
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	MANCOZEB	ZERRA 80 WP	800 g/kg	WP	FUNGICIDE	4	459-053-2732	22-Jan-26	-	Banana	Sigatoka, Black leaf streak	3-6 Tbsp/35 L water	-	-	As soon as spray dries
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	MANCOZEB	ZERRA 80 WP	800 g/kg	WP	FUNGICIDE	4	459-053-2732	22-Jan-26	-	Grapes	Downy mildew, black rot	3-6 Tbsp/35 L water	-	60 days	As soon as spray dries
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	MANCOZEB	ZERRA 80 WP	800 g/kg	WP	FUNGICIDE	4	459-053-2732	22-Jan-26	-	Mango	Anthracoese and Scab	3-6 Tbsp/35 L water	-	5 days	As soon as spray dries
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	MANCOZEB	ZERRA 80 WP	800 g/kg	WP	FUNGICIDE	4	459-053-2732	22-Jan-26	-	Papaya	Fruit rot	3-6 Tbsp/35 L water	-	-	As soon as spray dries
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	MANCOZEB	ZERRA 80 WP	800 g/kg	WP	FUNGICIDE	4	459-053-2732	22-Jan-26	-	Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/35 L water	-	5 days	As soon as spray dries
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	MANCOZEB	ZERRA 80 WP	800 g/kg	WP	FUNGICIDE	4	459-053-2732	22-Jan-26	-	Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/35 L water	-	5 days	As soon as spray dries
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	MANCOZEB	ZERRA 80 WP	800 g/kg	WP	FUNGICIDE	4	459-053-2732	22-Jan-26	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/35 L water	-	7 Days	As soon as spray dries
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	MANCOZEB	ZERRA 80 WP	800 g/kg	WP	FUNGICIDE	4	459-053-2732	22-Jan-26	-	Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/35 L water	0.03ppm	-	As soon as spray dries
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	MANCOZEB	ZERRA 80 WP	800 g/kg	WP	FUNGICIDE	4	459-053-2732	22-Jan-26	-	Peanut	Cercospora leaf spot	3-6 Tbsp/35 L water	-	14 Days	As soon as spray dries
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	MANCOZEB	ZERRA 80 WP	800 g/kg	WP	FUNGICIDE	4	459-053-2732	22-Jan-26	-	Soybeans	leaf rust	3-6 Tbsp/35 L water	-	-	As soon as spray dries
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	MANCOZEB	ZERRA 80 WP	800 g/kg	WP	FUNGICIDE	4	459-053-2732	22-Jan-26	-	Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/35 L water	-	-	As soon as spray dries
ORACLE CHEM CORPORATION	MANCOZEB	ZERAZER 80 WP	800 g/kg	WP	FUNGICIDE	4	417-053-2600	02-Jul-25	-	Potato	Early and late blight	3-6 Tbsp/35 L water	-	-	As soon as spray dries
ORACLE CHEM CORPORATION	MANCOZEB	ZERAZER 80 WP	800 g/kg	WP	FUNGICIDE	4	417-053-2600	02-Jul-25	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/35 L water	-	7 Days	As soon as spray dries
ORACLE CHEM CORPORATION	MANCOZEB	ZERAZER 80 WP	800 g/kg	WP	FUNGICIDE	4	417-053-2600	02-Jul-25	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/35 L water	-	7 Days	As soon as spray dries
ORACLE CHEM CORPORATION	MANCOZEB	ZERAZER 80 WP	800 g/kg	WP	FUNGICIDE	4	417-053-2600	02-Jul-25	-	broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/35 L water	-	7 Days	As soon as spray dries
ORACLE CHEM CORPORATION	MANCOZEB	ZERAZER 80 WP	800 g/kg	WP	FUNGICIDE	4	417-053-2600	02-Jul-25	-	Celery	Late blight	3-6 Tbsp/35 L water	-	14 Days	As soon as spray dries
ORACLE CHEM CORPORATION	MANCOZEB	ZERAZER 80 WP	800 g/kg	WP	FUNGICIDE	4	417-053-2600	02-Jul-25	-	Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/35 L water	-	5 days	As soon as spray dries
ORACLE CHEM CORPORATION	MANCOZEB	ZERAZER 80 WP	800 g/kg	WP	FUNGICIDE	4	417-053-2600	02-Jul-25	-	Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/35 L water	-	5 days	As soon as spray dries
ORACLE CHEM CORPORATION	MANCOZEB	ZERAZER 80 WP	800 g/kg	WP	FUNGICIDE	4	417-053-2600	02-Jul-25	-	Cotton	Damping off	3-6 Tbsp/35 L water	-	-	As soon as spray dries
ORACLE CHEM CORPORATION	MANCOZEB	ZERAZER 80 WP	800 g/kg	WP	FUNGICIDE	4	417-053-2600	02-Jul-25	-	lettuce	Downy mildew	3-6 Tbsp/35 L water	-	7 Days	As soon as spray dries
ORACLE CHEM CORPORATION	MANCOZEB	ZERAZER 80 WP	800 g/kg	WP	FUNGICIDE	4	417-053-2600	02-Jul-25	-	beans	Anthracoese, Downy mildew, Rust	3-6 Tbsp/35 L water	-	5 days	As soon as spray dries
ORACLE CHEM CORPORATION	MANCOZEB	ZERAZER 80 WP	800 g/kg	WP	FUNGICIDE	4	417-053-2600	02-Jul-25	-	Peas	Anthracoese, Downy mildew, Rust	3-6 Tbsp/35 L water	-	5 days	As soon as spray dries
ORACLE CHEM CORPORATION	MANCOZEB	ZERAZER 80 WP	800 g/kg	WP	FUNGICIDE	4	417-053-2600	02-Jul-25	-	Mungo	Anthracoese, Downy mildew, Rust	3-6 Tbsp/35 L water	-	5 days	As soon as spray dries
ORACLE CHEM CORPORATION	MANCOZEB	ZERAZER 80 WP	800 g/kg	WP	FUNGICIDE	4	417-053-2600	02-Jul-25	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/35 L water	-	5 days	As soon as spray dries
ORACLE CHEM CORPORATION	MANCOZEB	ZERAZER 80 WP	800 g/kg	WP	FUNGICIDE	4	417-053-2600	02-Jul-25	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/35 L water	-	7 Days	As soon as spray dries
ORACLE CHEM CORPORATION	MANCOZEB	ZERAZER 80 WP	800 g/kg	WP	FUNGICIDE	4	417-053-2600	02-Jul-25	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/35 L water	-	7 Days	As soon as spray dries
ORACLE CHEM CORPORATION	MANCOZEB	ZERAZER 80 WP	800 g/kg	WP	FUNGICIDE	4	417-053-2600	02-Jul-25	-	Pepper	Anthracoese	3-6 Tbsp/35 L water	-	7 Days	As soon as spray dries
ORACLE CHEM CORPORATION	MANCOZEB	ZERAZER 80 WP	800 g/kg	WP	FUNGICIDE	4	417-053-2600	02-Jul-25	-	Chili	Anthracoese	3-6 Tbsp/35 L water	-	7 Days	As soon as spray dries
ORACLE CHEM CORPORATION	MANCOZEB	ZERAZER 80 WP	800 g/kg	WP	FUNGICIDE	4	417-053-2600	02-Jul-25	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/35 L water	-	7 Days	As soon as spray dries
ORACLE CHEM CORPORATION	MANCOZEB	ZERAZER 80 WP	800 g/kg	WP	FUNGICIDE	4	417-053-2600	02-Jul-25	-	Banana	Sigatoka, Black leaf streak	3-6 Tbsp/35 L water	-	-	As soon as spray dries
ORACLE CHEM CORPORATION	MANCOZEB	ZERAZER 80 WP	800 g/kg	WP	FUNGICIDE	4	417-053-2600	02-Jul-25	-	Grapes	Downy mildew, black rot	3-6 Tbsp/35 L water	-	60 days	As soon as spray dries
ORACLE CHEM CORPORATION	MANCOZEB	ZERAZER 80 WP	800 g/kg	WP	FUNGICIDE	4	417-053-2600	02-Jul-25	-	Mango	Anthracoese and Scab	3-6 Tbsp/35 L water	-	5 days	As soon as spray dries
ORACLE CHEM CORPORATION	MANCOZEB	ZERAZER 80 WP	800 g/kg	WP	FUNGICIDE	4	417-053-2600	02-Jul-25	-	Papaya	Fruit rot	3-6 Tbsp/35 L water	-	-	As soon as spray dries

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
ORACLE CHEM CORPORATION	MANCOZEB	ZERAZER 80 WP	800 g/kg	WP	FUNGICIDE	4	417-053-2600	02-Jul-25	-	Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
ORACLE CHEM CORPORATION	MANCOZEB	ZERAZER 80 WP	800 g/kg	WP	FUNGICIDE	4	417-053-2600	02-Jul-25	-	Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
ORACLE CHEM CORPORATION	MANCOZEB	ZERAZER 80 WP	800 g/kg	WP	FUNGICIDE	4	417-053-2600	02-Jul-25	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries
ORACLE CHEM CORPORATION	MANCOZEB	ZERAZER 80 WP	800 g/kg	WP	FUNGICIDE	4	417-053-2600	02-Jul-25	-	Rice	Blatt, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/36 L water	0.02gpm	-	As soon as spray dries
ORACLE CHEM CORPORATION	MANCOZEB	ZERAZER 80 WP	800 g/kg	WP	FUNGICIDE	4	417-053-2600	02-Jul-25	-	Peanut	Cercospora leaf spot	3-6 Tbsp/36 L water	-	14 Days	As soon as spray dries
ORACLE CHEM CORPORATION	MANCOZEB	ZERAZER 80 WP	800 g/kg	WP	FUNGICIDE	4	417-053-2600	02-Jul-25	-	Soybeans	Leaf rust	3-6 Tbsp/36 L water	-	-	As soon as spray dries
ORACLE CHEM CORPORATION	MANCOZEB	ZERAZER 80 WP	800 g/kg	WP	FUNGICIDE	4	417-053-2600	02-Jul-25	-	Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/36 L water	-	-	As soon as spray dries
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	MANCOZEB	ZB MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	667-053-5123	25-Jun-26	-	Potato	Early and late blight	3-6 Tbsp/36 L water	-	-	As soon as spray dries
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	MANCOZEB	ZB MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	667-053-5123	25-Jun-26	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	MANCOZEB	ZB MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	667-053-5123	25-Jun-26	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	MANCOZEB	ZB MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	667-053-5123	25-Jun-26	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	MANCOZEB	ZB MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	667-053-5123	25-Jun-26	-	Galery	Late blight	3-6 Tbsp/36 L water	-	14 Days	As soon as spray dries
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	MANCOZEB	ZB MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	667-053-5123	25-Jun-26	-	Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	MANCOZEB	ZB MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	667-053-5123	25-Jun-26	-	Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	MANCOZEB	ZB MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	667-053-5123	25-Jun-26	-	Cotton	Damping off	3-6 Tbsp/36 L water	-	-	As soon as spray dries
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	MANCOZEB	ZB MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	667-053-5123	25-Jun-26	-	Artichoke	Downy mildew	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	MANCOZEB	ZB MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	667-053-5123	25-Jun-26	-	Beans	Anthracoese, Downy mildew, Rust	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	MANCOZEB	ZB MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	667-053-5123	25-Jun-26	-	Peas	Anthracoese, Downy mildew, Rust	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	MANCOZEB	ZB MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	667-053-5123	25-Jun-26	-	Mungbeans	Anthracoese, Downy mildew, Rust	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	MANCOZEB	ZB MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	667-053-5123	25-Jun-26	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	MANCOZEB	ZB MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	667-053-5123	25-Jun-26	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	MANCOZEB	ZB MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	667-053-5123	25-Jun-26	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	MANCOZEB	ZB MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	667-053-5123	25-Jun-26	-	Pepper	Anthracoese	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	MANCOZEB	ZB MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	667-053-5123	25-Jun-26	-	Chili	Anthracoese	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	MANCOZEB	ZB MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	667-053-5123	25-Jun-26	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	MANCOZEB	ZB MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	667-053-5123	25-Jun-26	-	Banana	Sigatoka, Black leaf streak	3-6 Tbsp/36 L water	-	-	As soon as spray dries
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	MANCOZEB	ZB MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	667-053-5123	25-Jun-26	-	Grapes	Downy mildew, black rot	3-6 Tbsp/36 L water	-	60 days	As soon as spray dries
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	MANCOZEB	ZB MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	667-053-5123	25-Jun-26	-	Mango	Anthracoese and Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	MANCOZEB	ZB MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	667-053-5123	25-Jun-26	-	Papaya	Fruit rot	3-6 Tbsp/36 L water	-	-	As soon as spray dries
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	MANCOZEB	ZB MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	667-053-5123	25-Jun-26	-	Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	MANCOZEB	ZB MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	667-053-5123	25-Jun-26	-	Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	MANCOZEB	ZB MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	667-053-5123	25-Jun-26	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	MANCOZEB	ZB MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	667-053-5123	25-Jun-26	-	Rice	Blatt, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/36 L water	-	-	As soon as spray dries
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	MANCOZEB	ZB MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	667-053-5123	25-Jun-26	-	Peanut	Cercospora leaf spot	3-6 Tbsp/36 L water	-	14 Days	As soon as spray dries
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	MANCOZEB	ZB MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	667-053-5123	25-Jun-26	-	Soybeans	Leaf rust	3-6 Tbsp/36 L water	-	-	As soon as spray dries
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	MANCOZEB	ZB MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	667-053-5123	25-Jun-26	-	Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/36 L water	-	-	As soon as spray dries
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	MALATHION	ZB MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	667-038-5056 (097)	06-Mar-26	-	Ornamentals	Aphids, Cutworms, mealybug, scale insects, spider mites	3.0-6.0 Tbsp/36L Water	-	One day after final spraying	One [1] day after each spraying.
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	MALATHION	ZB MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	667-038-5056 (097)	06-Mar-26	-	Fruit trees	Aphids, mealy bug, scale insect	2.5-3.0 Tbsp/36 L water	-	One day after final spraying	One [1] day after each spraying.
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	MALATHION	ZB MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	667-038-5056 (097)	06-Mar-26	-	Rice	Armyworm, caseworm, leafhopper, bugs	2.0-5.0 Tbsp/ 36 L water	-	One day after final spraying	One [1] day after each spraying.
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	MALATHION	ZB MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	667-038-5056 (097)	06-Mar-26	-	Corn	Earworm, silkworm, aphids, grasshopper	3.0-5.0 Tbsp/36L water	-	One day after final spraying	One [1] day after each spraying.
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	MALATHION	ZB MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	667-038-5056 (097)	06-Mar-26	-	Crucifers	Cabbage worm, looper, diamond back moth	2.0-5.0 Tbsp/ 36 L water	-	One day after final spraying	One [1] day after each spraying.
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	MALATHION	ZB MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	667-038-5056 (097)	06-Mar-26	-	Cabbage	Cabbage worm, looper, diamond back moth	2.0-5.0 Tbsp/ 36 L water	-	One day after final spraying	One [1] day after each spraying.
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	MALATHION	ZB MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	667-038-5056 (097)	06-Mar-26	-	Legumes	Aphids, beanfly, cutworm, flea beetles, leafminer, maggots, mealybug, podborer, thrips	2.0-5.0 Tbsp/ 36 L water	-	One day after final spraying	One [1] day after each spraying.
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	MALATHION	ZB MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	667-038-5056 (097)	06-Mar-26	-	Grapes	Beetles, cutworm, leafhopper, mealybug, scale, insect, spider mites	3.0 Tbsp/ 36 L water	-	One day after final spraying	One [1] day after each spraying.
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	MALATHION	ZB MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	667-038-5056 (097)	06-Mar-26	-	Pineapple	Mealybug	3.0 Tbsp/ 36 L water	-	One day after final spraying	One [1] day after each spraying.
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	MALATHION	ZB MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	667-038-5056 (097)	06-Mar-26	-	Pepper	Aphids, Cutworms, fruitworms	3.0 Tbsp/ 36 L water	-	One day after final spraying	One [1] day after each spraying.
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	MALATHION	ZB MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	667-038-5056 (097)	06-Mar-26	-	Garlic	Cutworms	3.0 Tbsp/ 36 L water	-	One day after final spraying	One [1] day after each spraying.
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	MALATHION	ZB MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	667-038-5056 (097)	06-Mar-26	-	Onion	Cutworms	3.0 Tbsp/ 36 L water	-	One day after final spraying	One [1] day after each spraying.
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	MALATHION	ZB MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	667-038-5056 (097)	06-Mar-26	-	Tobacco	Aphids, katydid	3.0-6.0 Tbsp/36L Water	-	One day after final spraying	One [1] day after each spraying.
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	MALATHION	ZB MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	667-038-5056 (097)	06-Mar-26	-	Tomato	Lady beetle	3.0-5.0 Tbsp/36L water	-	One day after final spraying	One [1] day after each spraying.
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	MALATHION	ZB MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	667-038-5056 (097)	06-Mar-26	-	Eggplant	Aphids, fruitworm	3.0-5.0 Tbsp/36L water	-	One day after final spraying	One [1] day after each spraying.
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	MALATHION	ZB MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	667-038-5056 (097)	06-Mar-26	-	Sorghum	Web worm	3.0 Tbsp/ 36 L water	-	One day after final spraying	One [1] day after each spraying.
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	CHLOROTHALONIL	ZB CHLOROTHALONIL 720 SC	720 g/L	SC	FUNGICIDE	4	667-118-5121	25-Jun-26	-	Ornamentals	Blackspot, black rot, powdery	-	-	-	Re- entry to treated areas may be done as soon as spray solutions has dried on the foliage
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	CHLOROTHALONIL	ZB CHLOROTHALONIL 720 SC	720 g/L	SC	FUNGICIDE	4	667-118-5121	25-Jun-26	-	Pepper	Early and late blight, bulb rot, neck rot	4.5-6.0 Tbsp/ 36L	-	-	Re- entry to treated areas may be done as soon as spray solutions has dried on the foliage
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	CHLOROTHALONIL	ZB CHLOROTHALONIL 720 SC	720 g/L	SC	FUNGICIDE	4	667-118-5121	25-Jun-26	-	Onion	Purple blotch, bulb rot, neck rot	4.5-6.0 Tbsp/ 36L	-	-	Re- entry to treated areas may be done as soon as spray solutions has dried on the foliage
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	CHLOROTHALONIL	ZB CHLOROTHALONIL 720 SC	720 g/L	SC	FUNGICIDE	4	667-118-5121	25-Jun-26	-	Mango	Anthracoese, diploidia rot	4.5-6.0 Tbsp/ 36L	-	-	Re- entry to treated areas may be done as soon as spray solutions has dried on the foliage

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	CHLOROTHALONIL	ZB CHLOROTHALONIL 720 SC	720 g/L	SC	FUNGICIDE	4	667-118-5121	25-Jun-26	-	Grapes	Downy mildew, powdery mildew, fruit rot	4.5-6.0 tbsp/ 16L	-	-	Re-entry to treated areas may be done as soon as spray solutions has dried on the foliage
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	CHLOROTHALONIL	ZB CHLOROTHALONIL 720 SC	720 g/L	SC	FUNGICIDE	4	667-118-5121	25-Jun-26	-	Eggplant	Early and late blight, Cercospora leaf spot, anthracnose	4.5-6.0 tbsp/ 16L	-	-	Re-entry to treated areas may be done as soon as spray solutions has dried on the foliage
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	CHLOROTHALONIL	ZB CHLOROTHALONIL 720 SC	720 g/L	SC	FUNGICIDE	4	667-118-5121	25-Jun-26	-	Catery	Early and late blight	4.5-6.0 tbsp/ 16L	-	-	Re-entry to treated areas may be done as soon as spray solutions has dried on the foliage
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	CHLOROTHALONIL	ZB CHLOROTHALONIL 720 SC	720 g/L	SC	FUNGICIDE	4	667-118-5121	25-Jun-26	-	Cucurbits	Powdery mildew, downy mildew, cercospora, anthracnose, vegetable fruit rot, early and late blight	4.5-6.0 tbsp/ 16L	-	-	Re-entry to treated areas may be done as soon as spray solutions has dried on the foliage
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	CHLOROTHALONIL	ZB CHLOROTHALONIL 720 SC	720 g/L	SC	FUNGICIDE	4	667-118-5121	25-Jun-26	-	Crucifers	Powdery m	4.5-6.0 tbsp/ 16L	-	-	Re-entry to treated areas may be done as soon as spray solutions has dried on the foliage
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	CHLOROTHALONIL	ZB CHLOROTHALONIL 720 SC	720 g/L	SC	FUNGICIDE	4	667-118-5121	25-Jun-26	-	Carrot	Alternative, cercospora, helminthosporium	4.5-6.0 tbsp/ 16L	-	-	Re-entry to treated areas may be done as soon as spray solutions has dried on the foliage
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	CHLOROTHALONIL	ZB CHLOROTHALONIL 720 SC	720 g/L	SC	FUNGICIDE	4	667-118-5121	25-Jun-26	-	Beans	Rust, anthracnose	4.5-6.0 tbsp/ 16L	-	-	Re-entry to treated areas may be done as soon as spray solutions has dried on the foliage
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	CHLOROTHALONIL	ZB CHLOROTHALONIL 720 SC	720 g/L	SC	FUNGICIDE	4	667-118-5121	25-Jun-26	-	Tomato	Early and late blight, vine rot	4.5-6.0 tbsp/ 16L	-	-	Re-entry to treated areas may be done as soon as spray solutions has dried on the foliage
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	CHLOROTHALONIL	ZB CHLOROTHALONIL 720 SC	720 g/L	SC	FUNGICIDE	4	667-118-5121	25-Jun-26	-	Potato	Early and late blight, vine rot	4.5-5.5 tbsp/ 16L	-	-	Re-entry to treated areas may be done as soon as spray solutions has dried on the foliage
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	CHLOROTHALONIL	ZB CHLOROTHALONIL 720 SC	720 g/L	SC	FUNGICIDE	4	667-118-5121	25-Jun-26	-	Banana	Black sigatoka	4.5-6.0 tbsp/ 16L	-	-	Re-entry to treated areas may be done as soon as spray solutions has dried on the foliage
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	CARBOFURAN	ZB CARBOFURAN 3 GR	30 g/kg	GR	INSECTICIDE	2	667-104-5125	25-Feb-26	-	Corn	Borer, earworm, grubs, seedling maggot	36.7-33.3 kg prod/ha	-	-	Two (2) days
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	CARBOFURAN	ZB CARBOFURAN 3 GR	30 g/kg	GR	INSECTICIDE	2	667-104-5125	25-Feb-26	-	Cotton	Nematodes, grubs	36.7-33.3 kg prod/ha	-	-	Two (2) days
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	CARBOFURAN	ZB CARBOFURAN 3 GR	30 g/kg	GR	INSECTICIDE	2	667-104-5125	25-Feb-26	-	Cowpea	Beanfly, grubs, nematodes, other soil insects	36.7-33.3 kg prod/ha	-	-	Two (2) days
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	CARBOFURAN	ZB CARBOFURAN 3 GR	30 g/kg	GR	INSECTICIDE	2	667-104-5125	25-Feb-26	-	Eggplant	Fruit borer	36.7-33.3 kg prod/ha	-	-	Two (2) days
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	CARBOFURAN	ZB CARBOFURAN 3 GR	30 g/kg	GR	INSECTICIDE	2	667-104-5125	25-Feb-26	-	Field legumes	Grubs	36.7-33.3 kg prod/ha	-	-	Two (2) days
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	CARBOFURAN	ZB CARBOFURAN 3 GR	30 g/kg	GR	INSECTICIDE	2	667-104-5125	25-Feb-26	-	Ornamentals	Scale insects, aphids, mealybugs	36.7-33.3 kg prod/ha	-	-	Two (2) days
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	CARBOFURAN	ZB CARBOFURAN 3 GR	30 g/kg	GR	INSECTICIDE	2	667-104-5125	25-Feb-26	-	Rice	Stemborer, whorl maggots, leafhopper, leafroller, caseworm, planthopper	36.7-33.3 kg prod/ha	-	-	Two (2) days
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	CARBOFURAN	ZB CARBOFURAN 3 GR	30 g/kg	GR	INSECTICIDE	2	667-104-5125	25-Feb-26	-	Soybeans	Beanfly, Grubs, nematodes, other soil insects	36.7-33.3 kg prod/ha	-	-	Two (2) days
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	CARBOFURAN	ZB CARBOFURAN 3 GR	30 g/kg	GR	INSECTICIDE	2	667-104-5125	25-Feb-26	-	Sugarcane	Borer, earworm, grubs, seedling maggot	36.7-33.3 kg prod/ha	-	-	Two (2) days
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	CARBOFURAN	ZB CARBOFURAN 3 GR	30 g/kg	GR	INSECTICIDE	2	667-104-5125	25-Feb-26	-	Tobacco	Nematodes, budworm	36.7-33.3 kg prod/ha	-	-	Two (2) days
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	CARBOFURAN	ZB CARBOFURAN 3 GR	30 g/kg	GR	INSECTICIDE	2	667-104-5125	25-Feb-26	-	White potato	Nematodes, grubs	36.7-33.3 kg prod/ha	-	-	Two (2) days
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	LAMBDA-CHYALOTHIRIN	ZB ARCHON 25 EC	25 g/L	EC	INSECTICIDE	2	667-204-6109	11-Apr-26	-	Cocoa	Pod borer	10-20 ml prod/ 16L water	-	Do not spray 3 days before harvest	Re-entry to treated field is allowed as soon as spray deposits dry
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	LAMBDA-CHYALOTHIRIN	ZB ARCHON 25 EC	25 g/L	EC	INSECTICIDE	2	667-204-6109	11-Apr-26	-	Corn	Borer, aphids, seedling maggot	10-15 ml prod/ 16L water	-	Do not spray 3 days before harvest	Re-entry to treated field is allowed as soon as spray deposits dry
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	LAMBDA-CHYALOTHIRIN	ZB ARCHON 25 EC	25 g/L	EC	INSECTICIDE	2	667-204-6109	11-Apr-26	-	Cotton	Bollworm	10-15 ml prod/ 16L water	-	Do not spray 3 days before harvest	Re-entry to treated field is allowed as soon as spray deposits dry
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	LAMBDA-CHYALOTHIRIN	ZB ARCHON 25 EC	25 g/L	EC	INSECTICIDE	2	667-204-6109	11-Apr-26	-	Mango	Hoppers	10-15 ml prod/ 16L water	-	Do not spray 3 days before harvest	Re-entry to treated field is allowed as soon as spray deposits dry
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	LAMBDA-CHYALOTHIRIN	ZB ARCHON 25 EC	25 g/L	EC	INSECTICIDE	2	667-204-6109	11-Apr-26	-	Mungbeans	Beanfly, flea beetle, leafhopper, aphids, mites, podborer	10 ml prod/ 16L water	-	Do not spray 3 days before harvest	Re-entry to treated field is allowed as soon as spray deposits dry
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	LAMBDA-CHYALOTHIRIN	ZB ARCHON 25 EC	25 g/L	EC	INSECTICIDE	2	667-204-6109	11-Apr-26	-	Cutworms, thrips	Onion	10 ml prod/ 16L water	-	Do not spray 3 days before harvest	Re-entry to treated field is allowed as soon as spray deposits dry
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	LAMBDA-CHYALOTHIRIN	ZB ARCHON 25 EC	25 g/L	EC	INSECTICIDE	2	667-204-6109	11-Apr-26	-	Rice	Green leafhopper, armyworm, rice bug, leafroller, black bug	10-15 ml prod/ 16L water	-	Do not spray 3 days before harvest	Re-entry to treated field is allowed as soon as spray deposits dry
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	LAMBDA-CHYALOTHIRIN	ZB ARCHON 25 EC	25 g/L	EC	INSECTICIDE	2	667-204-6109	11-Apr-26	-	Tobacco	Budworm, Cutworm, aphids, katydids	10-15 ml prod/ 16L water	-	Do not spray 3 days before harvest	Re-entry to treated field is allowed as soon as spray deposits dry
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	LAMBDA-CHYALOTHIRIN	ZB ARCHON 25 EC	25 g/L	EC	INSECTICIDE	2	667-204-6109	11-Apr-26	-	Tomato	Fruitworm, cutworm, aphids	10-15 ml prod/ 16L water	-	Do not spray 3 days before harvest	Re-entry to treated field is allowed as soon as spray deposits dry
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	LAMBDA-CHYALOTHIRIN	ZB ARCHON 25 EC	25 g/L	EC	INSECTICIDE	2	667-204-6109	11-Apr-26	-	Watermelon	Squash beetle, melon worm	10 ml prod/ 16L water	-	Do not spray 3 days before harvest	Re-entry to treated field is allowed as soon as spray deposits dry
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	2,4-D AMINE	ZB 2,4-D AMINE	400 g/L	SL	HERBICIDE	2	667-031-6218	24-Sep-24	-	Rice (Transplanted)	Annual broadleaves and sedges	1.5-6.5 tbsp/ 16L	-	-	Entry to fields and crops treated with ZB 2,4-D AMINE 400 SL can be done one day after spraying
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	2,4-D AMINE	ZB 2,4-D AMINE	400 g/L	SL	HERBICIDE	2	667-031-6218	24-Sep-24	-	Corn	Annual broadleaves and sedges	5-6.5 tbsp/ 16L	-	-	Entry to fields and crops treated with ZB 2,4-D AMINE 400 SL can be done one day after spraying
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	2,4-D AMINE	ZB 2,4-D AMINE	400 g/L	SL	HERBICIDE	2	667-031-6218	24-Sep-24	-	Sugarcane	Annual broadleaves and sedges	13-25 tbsp/ 16L	-	-	Entry to fields and crops treated with ZB 2,4-D AMINE 400 SL can be done one day after spraying
ZAGRO CORPORATION	IMIDACLOPRID	ZATHRON 200 SL	200g/L	SL	INSECTICIDE	3	043-240-5181	26-Aug-23	-	Mango	Hoppers	20-25 mL/ 100/L water	-	20 days	No re-entry within 48 hours after spray. Appropriate warning signs should be in place before and after spraying.
ZAGRO CORPORATION	IMIDACLOPRID	ZATHRON 200 SL	200g/L	SL	INSECTICIDE	3	043-240-5181	26-Aug-23	-	Banana	Flower thrips, aphids, mealy bugs	0.5 mL Prod/ 1 water	-	-	No re-entry within 48 hours after spray. Appropriate warning signs should be in place before and after spraying.
ZAGRO CORPORATION	IMIDACLOPRID	ZATHRON 200 SL	200g/L	SL	INSECTICIDE	3	043-240-5181	26-Aug-23	-	Watermelon	Thrips, aphids	-	-	-	No re-entry within 48 hours after spray. Appropriate warning signs should be in place before and after spraying.
ZAGRO CORPORATION	IMIDACLOPRID	ZATHRON 200 SL	200g/L	SL	INSECTICIDE	3	043-240-5181	26-Aug-23	-	Citrus	Rindborers, mealybug, scale insects	-	-	-	No re-entry within 48 hours after spray. Appropriate warning signs should be in place before and after spraying.
ZAGRO CORPORATION	IMIDACLOPRID	ZATHRON 200 SL	200g/L	SL	INSECTICIDE	3	043-240-5181	26-Aug-23	-	Cabbage	DBM, Flea beetle	-	-	-	No re-entry within 48 hours after spray. Appropriate warning signs should be in place before and after spraying.
ZAGRO CORPORATION	IMIDACLOPRID	ZATHRON 200 SL	200g/L	SL	INSECTICIDE	3	043-240-5181	26-Aug-23	-	Sugarcane	Termites	-	-	-	No re-entry within 48 hours after spray. Appropriate warning signs should be in place before and after spraying.
ZAGRO CORPORATION	IMIDACLOPRID	ZATHRON 200 SL	200g/L	SL	INSECTICIDE	3	043-240-5181	26-Aug-23	-	Asparagus	Thrips	-	-	-	No re-entry within 48 hours after spray. Appropriate warning signs should be in place before and after spraying.
ZAGRO CORPORATION	IMIDACLOPRID	ZATHRON 200 SL	200g/L	SL	INSECTICIDE	3	043-240-5181	26-Aug-23	-	Okra	Leafhopper	-	-	-	No re-entry within 48 hours after spray. Appropriate warning signs should be in place before and after spraying.
ZAGRO CORPORATION	IMIDACLOPRID	ZATHRON 200 SL	200g/L	SL	INSECTICIDE	3	043-240-5181	26-Aug-23	-	Pineapple	Mealybug	-	-	-	No re-entry within 48 hours after spray. Appropriate warning signs should be in place before and after spraying.
VETMATE FARMA CORP.	CARTAP HYDROCHLORIDE	ZARTOX 50SP	500g/kg	SP	INSECTICIDE	3	658-106-6147	2-Jul-25	-	Cabbage	Diamond-back moth, cabbage moth, cabbage worm, aphids	1.5-2.0 tbsp/ 16L water	-	-	Pre-planting materials (seed) in ZATHRON solution before planting at
VETMATE FARMA CORP.	CARTAP HYDROCHLORIDE	ZARTOX 50SP	500g/kg	SP	INSECTICIDE	3	658-106-6147	2-Jul-25	-	Wongbok	Diamond-back moth, cabbage moth, cabbage worm, aphids	1.5-2.0 tbsp/ 16L water	-	-	-
VETMATE FARMA CORP.	CARTAP HYDROCHLORIDE	ZARTOX 50SP	500g/kg	SP	INSECTICIDE	3	658-106-6147	2-Jul-25	-	Pechay	Looper, cutworm, aphids	1.5-3.0 tbsp/ 16L water	-	-	-
VETMATE FARMA CORP.	CARTAP HYDROCHLORIDE	ZARTOX 50SP	500g/kg	SP	INSECTICIDE	3	658-106-6147	2-Jul-25	-	Onion	Thrips, cutworm	1.5-2.0 tbsp/ 16L water	-	-	-
VETMATE FARMA CORP.	CARTAP HYDROCHLORIDE	ZARTOX 50SP	500g/kg	SP	INSECTICIDE	3	658-106-6147	2-Jul-25	-	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0 tbsp/ 16L water	-	-	-
VETMATE FARMA CORP.	CARTAP HYDROCHLORIDE	ZARTOX 50SP	500g/kg	SP	INSECTICIDE	3	658-106-6147	2-Jul-25	-	Potato	Thrips, cutworm, leafhopper, aphids, leafworm, tuber moth, leafminer	1.5-2.0 tbsp/ 16L water	-	-	-
VETMATE FARMA CORP.	CARTAP HYDROCHLORIDE	ZARTOX 50SP	500g/kg	SP	INSECTICIDE	3	658-106-6147	2-Jul-25	-	Mango	Leafhopper	1.5-2.0 tbsp/ 16L water	-	-	-
VETMATE FARMA CORP.	CARTAP HYDROCHLORIDE	ZARTOX 50SP	500g/kg	SP	INSECTICIDE	3	658-106-6147	2-Jul-25	-	Rice	Whorl maggot, stemborer, green leafhopper, brown planthopper	3.0-5.0 tbsp/ 16L water	-	-	-
VETMATE FARMA CORP.	CARTAP HYDROCHLORIDE	ZARTOX 50SP	500g/kg	SP	INSECTICIDE	3	658-106-6147	2-Jul-25	-	Garlic	Thrips, cutworm	1.5-2.0 tbsp/ 16L water	-	-	-
ZAGRO CORPORATION	POTASSIUM PERKONMOSULFATE	ZAKON	500g/kg	-	OTHERS	2	043-601-9999	31-Dec-24	-	-	Cleaning and disinfection in poultry hatcheries, animal farm building and equipment	-	-	-	-
118 AGRICULTURAL CORPORATION	MALATHION	ZAPUL MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	106-038-2906	10/14/2017	NON-SYSTEMIC	Fruit trees	Aphids, mealy bug scale insect	1.5-3.0tbsp/16L water	-	-	-
118 AGRICULTURAL CORPORATION	MALATHION	ZAPUL MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	106-038-2906	10/14/2017	NON-SYSTEMIC	Rice	Armyworm, caseworm, leafhopper, bugs	2-0.3.0tbsp/16L water	-	-	-
118 AGRICULTURAL CORPORATION	MALATHION	ZAPUL MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	106-038-2906	10/14/2017	NON-SYSTEMIC	Corn	Earworm, silkworm, aphids, grasshopper	3.0-5.0tbsp/16L water	-	-	-

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
118 AGRICULTURAL CORPORATION	MALATHION	ZAPUL MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	506-038-2906	10/14/2017	NON-SYSTEMIC	Cabbage	Cabbage worm, looper, diamond-back moth	2.0-5.0Tbsp/36 L water			
118 AGRICULTURAL CORPORATION	MALATHION	ZAPUL MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	506-038-2906	10/14/2017	NON-SYSTEMIC	Legumes	Aphids, beanfly, cutworm, flea beetles, leafminer, maggots, mealybug, podborer, thrips	2.0-5.0Tbsp/36 L water			
118 AGRICULTURAL CORPORATION	MALATHION	ZAPUL MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	506-038-2906	10/14/2017	NON-SYSTEMIC	Grapes	Beetles, cutworm, leafhopper, mealybug, scale, insect, spider mites	3.0Tbsp/36 L water			
118 AGRICULTURAL CORPORATION	MALATHION	ZAPUL MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	506-038-2906	10/14/2017	NON-SYSTEMIC	Pineapple	Mealy bug	3.0Tbsp/36 L water			
118 AGRICULTURAL CORPORATION	MALATHION	ZAPUL MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	506-038-2906	10/14/2017	NON-SYSTEMIC	Pepper	Aphid, cutworm, fruitworm	3.0Tbsp/36 L water			
118 AGRICULTURAL CORPORATION	MALATHION	ZAPUL MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	506-038-2906	10/14/2017	NON-SYSTEMIC	Garlic	Cutworm	3.0Tbsp/36 L water			
118 AGRICULTURAL CORPORATION	MALATHION	ZAPUL MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	506-038-2906	10/14/2017	NON-SYSTEMIC	Onion	Cutworm	3.0Tbsp/36 L water			
118 AGRICULTURAL CORPORATION	MALATHION	ZAPUL MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	506-038-2906	10/14/2017	NON-SYSTEMIC	Tobacco	Aphids, katydid	3.0-6.0Tbsp/36 L water			
118 AGRICULTURAL CORPORATION	MALATHION	ZAPUL MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	506-038-2906	10/14/2017	NON-SYSTEMIC	Ornamentals	Aphids, cutworm, mealybug, scale insect, spider mites	3.0-5.0Tbsp/36 L water			
118 AGRICULTURAL CORPORATION	MALATHION	ZAPUL MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	506-038-2906	10/14/2017	NON-SYSTEMIC	Tomato	Lady beetle	3.0-5.0Tbsp/36 L water			
118 AGRICULTURAL CORPORATION	MALATHION	ZAPUL MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	506-038-2906	10/14/2017	NON-SYSTEMIC	Eggplant	Aphids, fruitworm	3.0-5.0Tbsp/36 L water			
118 AGRICULTURAL CORPORATION	MALATHION	ZAPUL MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	506-038-2906	10/14/2017	NON-SYSTEMIC	Sorghum	Web worm	3.0Tbsp/36 L water			
118 AGRICULTURAL CORPORATION	CYPERMETHRIN	ZAPUL 5 EC	50 g/L	EC	INSECTICIDE	4	506-037-3726	17-Mar-26	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/36 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
118 AGRICULTURAL CORPORATION	CYPERMETHRIN	ZAPUL 5 EC	50 g/L	EC	INSECTICIDE	4	506-037-3726	17-Mar-26	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leafroller, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/36 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
118 AGRICULTURAL CORPORATION	CYPERMETHRIN	ZAPUL 5 EC	50 g/L	EC	INSECTICIDE	4	506-037-3726	17-Mar-26	CONTACT	Cabbage	Diamond-back-moth, cabbage moth, worm	1.0-3.0 Tbsp/36 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
118 AGRICULTURAL CORPORATION	CYPERMETHRIN	ZAPUL 5 EC	50 g/L	EC	INSECTICIDE	4	506-037-3726	17-Mar-26	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/36 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
118 AGRICULTURAL CORPORATION	CYPERMETHRIN	ZAPUL 5 EC	50 g/L	EC	INSECTICIDE	4	506-037-3726	17-Mar-26	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/36 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
118 AGRICULTURAL CORPORATION	CYPERMETHRIN	ZAPUL 5 EC	50 g/L	EC	INSECTICIDE	4	506-037-3726	17-Mar-26	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/36 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
118 AGRICULTURAL CORPORATION	CYPERMETHRIN	ZAPUL 5 EC	50 g/L	EC	INSECTICIDE	4	506-037-3726	17-Mar-26	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/36 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
118 AGRICULTURAL CORPORATION	CYPERMETHRIN	ZAPUL 5 EC	50 g/L	EC	INSECTICIDE	4	506-037-3726	17-Mar-26	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/36 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
118 AGRICULTURAL CORPORATION	CYPERMETHRIN	ZAPUL 5 EC	50 g/L	EC	INSECTICIDE	4	506-037-3726	17-Mar-26	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/36 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
118 AGRICULTURAL CORPORATION	CYPERMETHRIN	ZAPUL 5 EC	50 g/L	EC	INSECTICIDE	4	506-037-3726	17-Mar-26	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/36 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
118 AGRICULTURAL CORPORATION	CYPERMETHRIN	ZAPUL 5 EC	50 g/L	EC	INSECTICIDE	4	506-037-3726	17-Mar-26	CONTACT	Corn	Comborer, earworm	1.0-4.5 Tbsp/36 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
UNIVERSAL SCOPE PHILIPPINES, INC.	GLYPHOSATE IPA	ZAPPED FORTE	480 g/L	SL	HERBICIDE	4	428-151-2257	02-May-17	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/ha			
UNIVERSAL SCOPE PHILIPPINES, INC.	GLYPHOSATE IPA	ZAPPED FORTE	480 g/L	SL	HERBICIDE	4	428-151-2257	02-May-17	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha			
UNIVERSAL SCOPE PHILIPPINES, INC.	GLYPHOSATE IPA	ZAPPED FORTE	480 g/L	SL	HERBICIDE	4	428-151-2257	02-May-17	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha			
UNIVERSAL SCOPE PHILIPPINES, INC.	GLYPHOSATE IPA	ZAPPED FORTE	480 g/L	SL	HERBICIDE	4	428-151-2257	02-May-17	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha			
UNIVERSAL SCOPE PHILIPPINES, INC.	GLYPHOSATE IPA	ZAPPED FORTE	480 g/L	SL	HERBICIDE	4	428-151-2257	02-May-17	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha			
UNIVERSAL SCOPE PHILIPPINES, INC.	GLYPHOSATE IPA	ZAPPED FORTE	480 g/L	SL	HERBICIDE	4	428-151-2257	02-May-17	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha			
UNIVERSAL SCOPE PHILIPPINES, INC.	GLYPHOSATE IPA	ZAPPED FORTE	480 g/L	SL	HERBICIDE	4	428-151-2257	02-May-17	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	3.0 Liters/ha			
UNIVERSAL SCOPE PHILIPPINES, INC.	GLYPHOSATE IPA	ZAPPED FORTE	480 g/L	SL	HERBICIDE	4	428-151-2257	02-May-17	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha			
UNIVERSAL SCOPE PHILIPPINES, INC.	GLYPHOSATE IPA	ZAPPED FORTE	480 g/L	SL	HERBICIDE	4	428-151-2257	02-May-17	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/ha			
UNIVERSAL SCOPE PHILIPPINES, INC.	GLYPHOSATE IPA	ZAPPED FORTE	480 g/L	SL	HERBICIDE	4	428-151-2257	02-May-17	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha			
UNIVERSAL SCOPE PHILIPPINES, INC.	GLYPHOSATE IPA	ZAPPED FORTE	480 g/L	SL	HERBICIDE	4	428-151-2257	02-May-17	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha			
UNIVERSAL SCOPE PHILIPPINES, INC.	GLYPHOSATE IPA	ZAPPED FORTE	480 g/L	SL	HERBICIDE	4	428-151-2257	02-May-17	POST-EMERGENT	Non-crop	Annual & perennial grasses, broadleaf weeds & sedges				
BASF PHILIPPINES, INC.	AMECTROTADIN-OMETHOMORPH	ZAMPRO DM	300-225 g/L	SC	FUNGICIDE	4	005-425-2948	06-Jan-27	SYSTEMIC	Potato	Late Blight	3000-1200mL/ha		14 Days	As soon as spray has dried up
SINOCHEM CROP PROTECTION (PHLS.) INC.	BP4MC-CHLORPYRIFOS	ZAMBO 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	432-174-3030	26-Jun-24	-	Rice	Stemborer, armyworm, leafhopper, caseworm and planthopper	2.5-3.5 Tbsp/36L water		Stop spraying 15 days before harvest.	Do not enter the field within 2 days after spraying.
SINOCHEM CROP PROTECTION (PHLS.) INC.	BP4MC-CHLORPYRIFOS	ZAMBO 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	432-174-3030	26-Jun-24	-	Corn	Seedling maggot, corn earworm, comborer and armyworm	2.5-3.5 Tbsp/36L water		Stop spraying 15 days before harvest.	Do not enter the field within 2 days after spraying.
SINOCHEM CROP PROTECTION (PHLS.) INC.	BP4MC-CHLORPYRIFOS	ZAMBO 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	432-174-3030	26-Jun-24	-	Tobacco	Budworm, grasshopper, aphid, cutworm and armyworm	2.5-3.5 Tbsp/36L water		Stop spraying 15 days before harvest.	Do not enter the field within 2 days after spraying.
SINOCHEM CROP PROTECTION (PHLS.) INC.	BP4MC-CHLORPYRIFOS	ZAMBO 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	432-174-3030	26-Jun-24	-	Cucumber	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/36L water		Stop spraying 15 days before harvest.	Do not enter the field within 2 days after spraying.
SINOCHEM CROP PROTECTION (PHLS.) INC.	BP4MC-CHLORPYRIFOS	ZAMBO 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	432-174-3030	26-Jun-24	-	Melon	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/36L water		Stop spraying 15 days before harvest.	Do not enter the field within 2 days after spraying.
SINOCHEM CROP PROTECTION (PHLS.) INC.	BP4MC-CHLORPYRIFOS	ZAMBO 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	432-174-3030	26-Jun-24	-	Watermelon	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/36L water		Stop spraying 15 days before harvest.	Do not enter the field within 2 days after spraying.
SINOCHEM CROP PROTECTION (PHLS.) INC.	BP4MC-CHLORPYRIFOS	ZAMBO 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	432-174-3030	26-Jun-24	-	Onion	Thrips, cutworm	2.5-3.5 Tbsp/36L water		Stop spraying 15 days before harvest.	Do not enter the field within 2 days after spraying.
SINOCHEM CROP PROTECTION (PHLS.) INC.	BP4MC-CHLORPYRIFOS	ZAMBO 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	432-174-3030	26-Jun-24	-	Mungo	Beanfly, armyworm, cutworm, leafminer and leafroller	2.5-3.5 Tbsp/36L water		Stop spraying 15 days before harvest.	Do not enter the field within 2 days after spraying.
SINOCHEM CROP PROTECTION (PHLS.) INC.	BP4MC-CHLORPYRIFOS	ZAMBO 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	432-174-3030	26-Jun-24	-	Soybeans	Beanfly, armyworm, cutworm, leafminer and leafroller	2.5-3.5 Tbsp/36L water		Stop spraying 15 days before harvest.	Do not enter the field within 2 days after spraying.
SINOCHEM CROP PROTECTION (PHLS.) INC.	BP4MC-CHLORPYRIFOS	ZAMBO 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	432-174-3030	26-Jun-24	-	Beans	Beanfly, armyworm, cutworm, leafminer and leafroller	2.5-3.5 Tbsp/36L water		Stop spraying 15 days before harvest.	Do not enter the field within 2 days after spraying.
SYNGENTA PHILIPPINES INC.	BP4MC-CHLORPYRIFOS	ZAMBO 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	432-174-3030	26-Jun-24	-	Rice	Stemborer, armyworm, leafhopper, caseworm and planthopper	2.5-3.5 Tbsp/36L water		Stop spraying 15 days before harvest.	Do not enter the field within 2 days after spraying.
SYNGENTA PHILIPPINES INC.	BP4MC-CHLORPYRIFOS	ZAMBO 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	432-174-3030	26-Jun-24	-	Corn	Seedling maggot, corn earworm, comborer and armyworm	2.5-3.5 Tbsp/36L water		Stop spraying 15 days before harvest.	Do not enter the field within 2 days after spraying.
SYNGENTA PHILIPPINES INC.	BP4MC-CHLORPYRIFOS	ZAMBO 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	432-174-3030	26-Jun-24	-	Tobacco	Budworm, grasshopper, aphid, cutworm and armyworm	2.5-3.5 Tbsp/36L water		Stop spraying 15 days before harvest.	Do not enter the field within 2 days after spraying.
SYNGENTA PHILIPPINES INC.	BP4MC-CHLORPYRIFOS	ZAMBO 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	432-174-3030	26-Jun-24	-	Cucumber	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/36L water		Stop spraying 15 days before harvest.	Do not enter the field within 2 days after spraying.
SYNGENTA PHILIPPINES INC.	BP4MC-CHLORPYRIFOS	ZAMBO 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	432-174-3030	26-Jun-24	-	Melon	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/36L water		Stop spraying 15 days before harvest.	Do not enter the field within 2 days after spraying.
SYNGENTA PHILIPPINES INC.	BP4MC-CHLORPYRIFOS	ZAMBO 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	432-174-3030	26-Jun-24	-	Watermelon	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/36L water		Stop spraying 15 days before harvest.	Do not enter the field within 2 days after spraying.
SYNGENTA PHILIPPINES INC.	BP4MC-CHLORPYRIFOS	ZAMBO 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	432-174-3030	26-Jun-24	-	Onion	Thrips, cutworm	2.5-3.5 Tbsp/36L water		Stop spraying 15 days before harvest.	Do not enter the field within 2 days after spraying.
SYNGENTA PHILIPPINES INC.	BP4MC-CHLORPYRIFOS	ZAMBO 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	432-174-3030	26-Jun-24	-	Mungo	Bean podborer, aphid, beanfly, armyworm, leafminer, leafroller	2.5-3.5 Tbsp/36L water		Stop spraying 15 days before harvest.	Do not enter the field within 2 days after spraying.
SYNGENTA PHILIPPINES INC.	BP4MC-CHLORPYRIFOS	ZAMBO 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	432-174-3030	26-Jun-24	-	Soybeans	Bean podborer, aphid, beanfly, armyworm, leafminer, leafroller	2.5-3.5 Tbsp/36L water		Stop spraying 15 days before harvest.	Do not enter the field within 2 days after spraying.
SYNGENTA PHILIPPINES INC.	BP4MC-CHLORPYRIFOS	ZAMBO 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	432-174-3030	26-Jun-24	-	Beans	Bean podborer, aphid, beanfly, armyworm, leafminer, leafroller	2.5-3.5 Tbsp/36L water		Stop spraying 15 days before harvest.	Do not enter the field within 2 days after spraying.

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
ZAGRO CORPORATION	AZIXYSTROBIN	ZAGROBIN 25 SC	250 g/L	SC	FUNGICIDE	4	043-309-4095	23-Aug-23	SYSTEMIC	Mango	Anthracoose, scab, stem-end rot	6-8/100 L water	-	-	-
ZAGRO CORPORATION	AZIXYSTROBIN	ZAGROBIN 25 SC	250 g/L	SC	FUNGICIDE	4	043-309-4095	23-Aug-23	SYSTEMIC	Watermelon	Damping off, leaf spot, anthracnose, downy, mildew, powdery mildew	3-27bsp/16 L water	-	-	-
ZAGRO CORPORATION	AZIXYSTROBIN	ZAGROBIN 25 SC	250 g/L	SC	FUNGICIDE	4	043-309-4095	23-Aug-23	SYSTEMIC	Onion	Basil/bulb rot	1-27bsp/16 L water	-	-	-
ZAGRO CORPORATION	AZIXYSTROBIN	ZAGROBIN 25 SC	250 g/L	SC	FUNGICIDE	4	043-309-4095	23-Aug-23	SYSTEMIC	Tomato	Late/early blight, powdery mildew	0.5-37bsp/16 L water	-	-	-
ZAGRO CORPORATION	AZIXYSTROBIN	ZAGROBIN 25 SC	250 g/L	SC	FUNGICIDE	4	043-309-4095	23-Aug-23	SYSTEMIC	Corn	Sheath blight, leaf spot, leaf rust, ear rot	2-47bsp/16 L water	-	-	-
ZAGRO CORPORATION	AZIXYSTROBIN	ZAGROBIN 25 SC	250 g/L	SC	FUNGICIDE	4	043-309-4095	23-Aug-23	SYSTEMIC	Asparagus	Stem blight, leaf blight, fusarium wilt	3-37bsp/16 L water	-	-	-
ZAGRO CORPORATION	ZINC PHOSPHIDE	ZAGRO ZINC PHOSPHIDE 80	800 g/kg	D	RODENTICIDE	2	043-173-1470	30-Sep-24	-	Rice	Filid rats	-	-	-	-
ZAGRO CORPORATION	ZINC PHOSPHIDE	ZAGRO ZINC PHOSPHIDE 80	800 g/kg	D	RODENTICIDE	2	043-173-1470	30-Sep-24	-	Corn	Filid rats	-	-	-	-
ZAGRO CORPORATION	ZINC PHOSPHIDE	ZAGRO ZINC PHOSPHIDE 80	800 g/kg	D	RODENTICIDE	2	043-173-1470	30-Sep-24	-	Sugarcane	Filid rats	-	-	-	-
ZAGRO CORPORATION	MALATHION	ZAGRO MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	043-038-0252	17-Aug-26	NON-SYSTEMIC	Fruit trees	Aphids, mealy bug scale insect	1.5-3.07bsp/16 L water	-	Discontinue spraying at least 2-7 days before harvest	Entry to sprayed areas is not allowed within one day after application
ZAGRO CORPORATION	MALATHION	ZAGRO MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	043-038-0252	17-Aug-26	NON-SYSTEMIC	Rice	Amyworm, caseworm, leafhopper, bugs	3-5.7bsp/16 L water	-	Discontinue spraying at least 2-7 days before harvest	Entry to sprayed areas is not allowed within one day after application
ZAGRO CORPORATION	MALATHION	ZAGRO MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	043-038-0252	17-Aug-26	NON-SYSTEMIC	Corn	Earworm, silkworm, aphids, grasshopper	3-5.7bsp/16 L water	-	Discontinue spraying at least 2-7 days before harvest	Entry to sprayed areas is not allowed within one day after application
ZAGRO CORPORATION	MALATHION	ZAGRO MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	043-038-0252	17-Aug-26	NON-SYSTEMIC	Cabbage/Cabbage	Cabbage worm, looper, diamond-back moth	2.0-5.07bsp/16 L water	-	Discontinue spraying at least 2-7 days before harvest	Entry to sprayed areas is not allowed within one day after application
ZAGRO CORPORATION	MALATHION	ZAGRO MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	043-038-0252	17-Aug-26	NON-SYSTEMIC	Legumes	Aphids, beanfly, cutworm, flea beetles, leafminer, maggot, mealybug, podborer, thrips	2.0-5.07bsp/16 L water	-	Discontinue spraying at least 2-7 days before harvest	Entry to sprayed areas is not allowed within one day after application
ZAGRO CORPORATION	MALATHION	ZAGRO MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	043-038-0252	17-Aug-26	NON-SYSTEMIC	Grapes	Beetles, cutworm, leafhopper, mealybug, scale insect, spider mites	3.07bsp/16 L water	-	Discontinue spraying at least 2-7 days before harvest	Entry to sprayed areas is not allowed within one day after application
ZAGRO CORPORATION	MALATHION	ZAGRO MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	043-038-0252	17-Aug-26	NON-SYSTEMIC	Pineapple	Mealy bug	3.07bsp/16 L water	-	Discontinue spraying at least 2-7 days before harvest	Entry to sprayed areas is not allowed within one day after application
ZAGRO CORPORATION	MALATHION	ZAGRO MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	043-038-0252	17-Aug-26	NON-SYSTEMIC	Pepper	Aphid, cutworm, fruitworm	3.07bsp/16 L water	-	Discontinue spraying at least 2-7 days before harvest	Entry to sprayed areas is not allowed within one day after application
ZAGRO CORPORATION	MALATHION	ZAGRO MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	043-038-0252	17-Aug-26	NON-SYSTEMIC	Garlic	Cutworm	3.07bsp/16 L water	-	Discontinue spraying at least 2-7 days before harvest	Entry to sprayed areas is not allowed within one day after application
ZAGRO CORPORATION	MALATHION	ZAGRO MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	043-038-0252	17-Aug-26	NON-SYSTEMIC	Onion	Cutworm	3.07bsp/16 L water	-	Discontinue spraying at least 2-7 days before harvest	Entry to sprayed areas is not allowed within one day after application
ZAGRO CORPORATION	MALATHION	ZAGRO MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	043-038-0252	17-Aug-26	NON-SYSTEMIC	Tobacco	Aphids, katydid	3.0-6.07bsp/16 L water	-	Discontinue spraying at least 2-7 days before harvest	Entry to sprayed areas is not allowed within one day after application
ZAGRO CORPORATION	MALATHION	ZAGRO MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	043-038-0252	17-Aug-26	NON-SYSTEMIC	Ornamentals	Aphids, cutworm, mealybug, scale insect, spider mites	3.0-5.07bsp/16 L water	-	Discontinue spraying at least 2-7 days before harvest	Entry to sprayed areas is not allowed within one day after application
ZAGRO CORPORATION	MALATHION	ZAGRO MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	043-038-0252	17-Aug-26	NON-SYSTEMIC	Tomato	Lady beetle	3.0-5.07bsp/16 L water	-	Discontinue spraying at least 2-7 days before harvest	Entry to sprayed areas is not allowed within one day after application
ZAGRO CORPORATION	MALATHION	ZAGRO MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	043-038-0252	17-Aug-26	NON-SYSTEMIC	Eggplant	Aphids, fruitworm	3.0-5.07bsp/16 L water	-	Discontinue spraying at least 2-7 days before harvest	Entry to sprayed areas is not allowed within one day after application
ZAGRO CORPORATION	MALATHION	ZAGRO MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	043-038-0252	17-Aug-26	NON-SYSTEMIC	Sorghum	Web worm	3.07bsp/16 L water	-	Discontinue spraying at least 2-7 days before harvest	Entry to sprayed areas is not allowed within one day after application
ZAGRO CORPORATION	ATRAZINE	ZAGRO ATRAZINE 80 WP	800 g/kg	WP	HERBICIDE	4	043-080-1621	23-Dec-25	SELECTIVE (PRE-EMERGENT)	Corn	Broadleaf weeds & annual grasses	8-127bsp/16 L water	-	Do not spray 21 days before harvest	Enter treated field only when spray has completely dried
ZAGRO CORPORATION	ATRAZINE	ZAGRO ATRAZINE 80 WP	800 g/kg	WP	HERBICIDE	4	043-080-1621	23-Dec-25	SELECTIVE (PRE-EMERGENT)	Sorghum	Broadleaf weeds & annual grasses	8-127bsp/16 L water	-	Do not spray 21 days before harvest	Enter treated field only when spray has completely dried
ZAGRO CORPORATION	ATRAZINE	ZAGRO ATRAZINE 80 WP	800 g/kg	WP	HERBICIDE	4	043-080-1621	23-Dec-25	SELECTIVE (PRE-EMERGENT)	Sugarcane	Broadleaf weeds & annual grasses	8-127bsp/16 L water	-	Do not spray 21 days before harvest	Enter treated field only when spray has completely dried
ZAGRO CORPORATION	2,4-D IBE	ZAGRO 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	043-049-0253	12/31/24	SELECTIVE (POST-EMERGENT)	Rice	Sedges and broadleaf weeds	3.5-6.5.7bsp/16 L water	-	-	One day after spraying
ZAGRO CORPORATION	2,4-D IBE	ZAGRO 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	043-049-0253	12/31/24	SELECTIVE (POST-EMERGENT)	Corn	Sedges and broadleaf weeds	5.0-6.5.7bsp/16 L water	-	-	One day after spraying
ZAGRO CORPORATION	2,4-D IBE	ZAGRO 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	043-049-0253	12/31/24	SELECTIVE (POST-EMERGENT)	Sugarcane	Sedges and broadleaf weeds	10.0-25.0.7bsp/16 L water	-	-	One day after spraying
ZAGRO CORPORATION	2,4-D AMINE	ZAGRO 2,4-D AMINE EC	400 g/L	EC	HERBICIDE	2	043-031-0258	31-Dec-24	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Sedges and broadleaf weeds	3.5-6.57bsp/16 L water	0.1 ppm	-	One day after spraying
ZAGRO CORPORATION	2,4-D AMINE	ZAGRO 2,4-D AMINE EC	400 g/L	EC	HERBICIDE	2	043-031-0258	31-Dec-24	SELECTIVE (POST-EMERGENT)	Sugarcane	Sedges and broadleaf weeds	10-25.7bsp/16 L water	-	-	One day after spraying
ZAGRO CORPORATION	2,4-D AMINE	ZAGRO 2,4-D AMINE EC	400 g/L	EC	HERBICIDE	2	043-031-0258	31-Dec-24	SELECTIVE (POST-EMERGENT)	Corn	Sedges and broadleaf weeds	5-6.5.7bsp/16 L water	-	-	One day after spraying
ZAGRO CORPORATION	BSPURBAC SODIUM	ZAGRIBAC 100 SC	100 g/L	SC	HERBICIDE	2	043-276-5271	08-Nov-26	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Rice (Direct-Seeded wetland)	Grasses, sedges, and broadleaves	10ml/16 L water, 20 spray load/ hectare	0.1 ppm	-	-
ZAGRO CORPORATION	CHLTHUFLOWIN	ZAGDAL 24 EC	240 g/L	EC	HERBICIDE	4	043-123-4834	22-Jul-25	SELECTIVE (PRE /POST-EMERGENCE)	Onion	Broadleaves, sedges & grasses	2-4.4-8.7bsp/16 L water	-	-	Immediately after spray deposits have dried
ZAGRO CORPORATION	BROMACIL	ZAGOCIL 80 WP	800 g/kg	WP	HERBICIDE	4	043-169-3407	18-May-24	NON-SELECTIVE	Pineapple	Annual & Perennial weeds	4.3kg/ha, 14.7bsp/16 L water	-	-	-
ZAGRO CORPORATION	CARBARYL	ZACARB 85 WP	850 g/kg	WP	INSECTICIDE	2	043-035-0609	23-Dec-25	-	Tobacco	Rudworm, cutworm, aphids	4-6.7bsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
ZAGRO CORPORATION	CARBARYL	ZACARB 85 WP	850 g/kg	WP	INSECTICIDE	2	043-035-0609	23-Dec-25	-	Sorghum	Webworm, armyworm, cutworm, headworm	4-6.7bsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
ZAGRO CORPORATION	CARBARYL	ZACARB 85 WP	850 g/kg	WP	INSECTICIDE	2	043-035-0609	23-Dec-25	-	Ornamentals	Aphids, scale insect, mealy bug, fruit fly, mealy bug	4-6.7bsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
ZAGRO CORPORATION	CARBARYL	ZACARB 85 WP	850 g/kg	WP	INSECTICIDE	2	043-035-0609	23-Dec-25	-	Mango	Mango hopper, tip borer, twig borer, fruit fly, mealy bug	4-8.7bsp/16 L water	1 day	-	Do not enter treatment areas until spray deposit have dried
ZAGRO CORPORATION	CARBARYL	ZACARB 85 WP	850 g/kg	WP	INSECTICIDE	2	043-035-0609	23-Dec-25	-	Coffee	Berry borer	4-6.7bsp/16 L water	1 day	-	Do not enter treatment areas until spray deposit have dried
ZAGRO CORPORATION	CARBARYL	ZACARB 85 WP	850 g/kg	WP	INSECTICIDE	2	043-035-0609	23-Dec-25	-	Cacao	Podborer, aphids, caprid bug	4-6.7bsp/16 L water	1 day	-	Do not enter treatment areas until spray deposit have dried
ZAGRO CORPORATION	CARBARYL	ZACARB 85 WP	850 g/kg	WP	INSECTICIDE	2	043-035-0609	23-Dec-25	-	Citrus	Rind borer	4-6.7bsp/16 L water	5 days	-	Do not enter treatment areas until spray deposit have dried
ZAGRO CORPORATION	CARBARYL	ZACARB 85 WP	850 g/kg	WP	INSECTICIDE	2	043-035-0609	23-Dec-25	-	Rice	Green leafhopper, caseworm, aphids	4-6.7bsp/16 L water	1ppm	14 Days	Do not enter treatment areas until spray deposit have dried
ZAGRO CORPORATION	CARBARYL	ZACARB 85 WP	850 g/kg	WP	INSECTICIDE	2	043-035-0609	23-Dec-25	-	Soybean and other beans	Podborer, beanfly, leafminer, aphids	4-6.7bsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
ZAGRO CORPORATION	CARBARYL	ZACARB 85 WP	850 g/kg	WP	INSECTICIDE	2	043-035-0609	23-Dec-25	-	Cowpea	Podborer, beanfly, leafminer, aphids	4-6.7bsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
ZAGRO CORPORATION	CARBARYL	ZACARB 85 WP	850 g/kg	WP	INSECTICIDE	2	043-035-0609	23-Dec-25	-	Cotton	Bollworm, cutworm	4-6.7bsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
ZAGRO CORPORATION	CARBARYL	ZACARB 85 WP	850 g/kg	WP	INSECTICIDE	2	043-035-0609	23-Dec-25	-	Corn	Corn borer, corn earworm, army worm	4-6.7bsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
ZAGRO CORPORATION	CARBARYL	ZACARB 85 WP	850 g/kg	WP	INSECTICIDE	2	043-035-0609	23-Dec-25	-	Tomato	Fruitworm, leafy beetle	4-6.7bsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
ZAGRO CORPORATION	CARBARYL	ZACARB 85 WP	850 g/kg	WP	INSECTICIDE	2	043-035-0609	23-Dec-25	-	Cucurbits	Squish beetle, leafy beetle	4-6.7bsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
BERRIS AGRICULTURAL CO., INC.	ZINEB-COPPER OXYCHLORIDE	Z-30 XTRA 51 WP	340g/kg-170g/kg	WP	FUNGICIDE	4	Z33-512-4834	13-Jul-24	-	Potato	Late blight and Early blight	2 Kg/ha, spray 8-9 times at 7 days interval starting pre-bloom	-	-	-
BERRIS AGRICULTURAL CO., INC.	ZINEB-COPPER OXYCHLORIDE	Z-30 XTRA 51 WP	340g/kg-170g/kg	WP	FUNGICIDE	4	Z33-512-4834	08-Aug-21	-	Mango	Anthracoose	2 Kg/ha, spray 8-9 times at 7 days 10 days interval starting pre-bloom	-	-	10 days
BERRIS AGRICULTURAL CO., INC.	ZINEB-COPPER OXYCHLORIDE	Z-30 XTRA 51 WP	340g/kg-170g/kg	WP	FUNGICIDE	4	Z33-512-4834	13-Jul-24	-	Tomato	Late blight and Early blight	2 Kg/ha, spray 8-9 times at 7 days 10 days interval starting pre-bloom	-	-	7 days
BERRIS AGRICULTURAL CO., INC.	ZINEB-COPPER OXYCHLORIDE	Z-30 XTRA 51 WP	340g/kg-170g/kg	WP	FUNGICIDE	4	Z33-512-4834	13-Jul-24	-	Cutflower	Alternaria leaf blight	0.2-0.25 kg prod. / 50L of water	-	-	-
BERRIS AGRICULTURAL CO., INC.	ZINEB	Z-30 80 WP	800g/L	WP	FUNGICIDE	4	Z33-461-4016	06-Apr-19	-	Banana	Black Sigatoka	200g/100 L water	-	-	-
BERRIS AGRICULTURAL CO., INC.	ZINEB	Z-30 80 WP	800g/L	WP	FUNGICIDE	4	Z33-461-4016	06-Apr-19	-	Mango	Anthracoose	200-300g/100 L water	-	-	-

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
BERRIS AGRICULTURAL CO., INC.	ZNHB	2-10 80 WP	800g/L	WP	FUNGICIDE	4	233-461-4016	06-Apr-19		Papaya	Fruit rot				
BERRIS AGRICULTURAL CO., INC.	ZNHB	2-10 80 WP	800g/L	WP	FUNGICIDE	4	233-461-4016	06-Apr-19		Pineapple	Fruit rot				
BERRIS AGRICULTURAL CO., INC.	ZNHB	2-10 80 WP	800g/L	WP	FUNGICIDE	4	233-461-4016	08-Jul-25		bell pepper	Anthracoise	2-3 kg product/ha, at volume rate of 300-400 l/ha, apply 8 times starting at			
BERRIS AGRICULTURAL CO., INC.	ZNHB	2-10 80 WP	800g/L	WP	FUNGICIDE	4	233-461-4016	08-Jul-25		Tomato	Late blight	2-3 kg product/ha, at volume rate of 300-400 l/ha, apply 8 times starting at			
BERRIS AGRICULTURAL CO., INC.	ZNHB	2-10 80 WP	800g/L	WP	FUNGICIDE	4	233-461-4016	08-Jul-25		Potato	Late blight				
BERRIS AGRICULTURAL CO., INC.	ZNHB	2-10 80 WP	800g/L	WP	FUNGICIDE	4	233-461-4016	08-Jul-25		Carrot	Leaf blight	2-3 kg product/ha, at volume rate of 300-400 l/ha, apply 8 times starting at			
BERRIS AGRICULTURAL CO., INC.	ZNHB	2-10 430 OD	430 g/L	OD	FUNGICIDE	4	233-461-4397	08-Jun-25		Banana	Black sigatoka	2.5 liters per hectare, spray 6 times a 7 days interval			Crops treated with 2-10 430 OD can be harvested 0 days after spraying
RZIR AGRI TRADING	GLYPHOSATE IPA	2+ PREMIUM	480g/L	SL	HERBICIDE	4	600-151-4201	13-Dec-23	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/ha	-	-	-
RZIR AGRI TRADING	GLYPHOSATE IPA	2+ PREMIUM	480g/L	SL	HERBICIDE	4	600-151-4201	13-Dec-23	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
RZIR AGRI TRADING	GLYPHOSATE IPA	2+ PREMIUM	480g/L	SL	HERBICIDE	4	600-151-4201	13-Dec-23	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
RZIR AGRI TRADING	GLYPHOSATE IPA	2+ PREMIUM	480g/L	SL	HERBICIDE	4	600-151-4201	13-Dec-23	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
RZIR AGRI TRADING	GLYPHOSATE IPA	2+ PREMIUM	480g/L	SL	HERBICIDE	4	600-151-4201	13-Dec-23	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
RZIR AGRI TRADING	GLYPHOSATE IPA	2+ PREMIUM	480g/L	SL	HERBICIDE	4	600-151-4201	13-Dec-23	POST-EMERGENT	rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
RZIR AGRI TRADING	GLYPHOSATE IPA	2+ PREMIUM	480g/L	SL	HERBICIDE	4	600-151-4201	13-Dec-23	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
RZIR AGRI TRADING	GLYPHOSATE IPA	2+ PREMIUM	480g/L	SL	HERBICIDE	4	600-151-4201	13-Dec-23	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
RZIR AGRI TRADING	GLYPHOSATE IPA	2+ PREMIUM	480g/L	SL	HERBICIDE	4	600-151-4201	13-Dec-23	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/ha	-	-	-
RZIR AGRI TRADING	GLYPHOSATE IPA	2+ PREMIUM	480g/L	SL	HERBICIDE	4	600-151-4201	13-Dec-23	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
RZIR AGRI TRADING	GLYPHOSATE IPA	2+ PREMIUM	480g/L	SL	HERBICIDE	4	600-151-4201	13-Dec-23	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
RZIR AGRI TRADING	GLYPHOSATE IPA	2+ PREMIUM	480g/L	SL	HERBICIDE	4	600-151-4201	13-Dec-23	POST-EMERGENT	non-crop	Annual & perennial grasses, broadleaf weeds & sedges		-	-	-
YUJIME TRADE OPC	GLYPHOSATE IPA	YUJIME SUNBURN 480 SL	480 g/L	SL	HERBICIDE	4	691-151-6380	1-Aug-26	POST-EMERGENT	Glyphosate tolerant corn	Annual and perennial grasses, sedges and broadleaves				
YUJIME TRADE OPC	GLYPHOSATE IPA	YUJIME SUNBURN 480 SL	480 g/L	SL	HERBICIDE	4	691-151-6380	1-Aug-26	POST-EMERGENT	Mango	Annual and perennial grasses, sedges and broadleaves				
YUJIME TRADE OPC	GLYPHOSATE IPA	YUJIME SUNBURN 480 SL	480 g/L	SL	HERBICIDE	4	691-151-6380	1-Aug-26	POST-EMERGENT	Banana	Annual and perennial grasses, sedges and broadleaves				
YUJIME TRADE OPC	GLYPHOSATE IPA	YUJIME SUNBURN 480 SL	480 g/L	SL	HERBICIDE	4	691-151-6380	1-Aug-26	POST-EMERGENT	Coffee	Annual and perennial grasses, sedges and broadleaves				
YUJIME TRADE OPC	GLYPHOSATE IPA	YUJIME SUNBURN 480 SL	480 g/L	SL	HERBICIDE	4	691-151-6380	1-Aug-26	POST-EMERGENT	Cacao	Annual and perennial grasses, sedges and broadleaves				
YUJIME TRADE OPC	GLYPHOSATE IPA	YUJIME SUNBURN 480 SL	480 g/L	SL	HERBICIDE	4	691-151-6380	1-Aug-26	POST-EMERGENT	rubber	Annual and perennial grasses, sedges and broadleaves				
YUJIME TRADE OPC	GLYPHOSATE IPA	YUJIME SUNBURN 480 SL	480 g/L	SL	HERBICIDE	4	691-151-6380	1-Aug-26	POST-EMERGENT	Oil palm	Annual and perennial grasses, sedges and broadleaves				
YUJIME TRADE OPC	GLYPHOSATE IPA	YUJIME SUNBURN 480 SL	480 g/L	SL	HERBICIDE	4	691-151-6380	1-Aug-26	POST-EMERGENT	Citrus	Annual and perennial grasses, sedges and broadleaves				
YUJIME TRADE OPC	GLYPHOSATE IPA	YUJIME SUNBURN 480 SL	480 g/L	SL	HERBICIDE	4	691-151-6380	1-Aug-26	POST-EMERGENT	Coconut	Annual and perennial grasses, sedges and broadleaves				
YUJIME TRADE OPC	GLYPHOSATE IPA	YUJIME SUNBURN 480 SL	480 g/L	SL	HERBICIDE	4	691-151-6380	1-Aug-26	POST-EMERGENT	Sugarcane	Annual and perennial grasses, sedges and broadleaves				
YUJIME TRADE OPC	GLYPHOSATE IPA	YUJIME SUNBURN 480 SL	480 g/L	SL	HERBICIDE	4	691-151-6380	1-Aug-26	POST-EMERGENT	Vegetables under minimum or reduced tillage system	Annual and perennial grasses, sedges and broadleaves				
YUJIME TRADE OPC	GLYPHOSATE IPA	YUJIME SUNBURN 480 SL	480 g/L	SL	HERBICIDE	4	691-151-6380	1-Aug-26	POST-EMERGENT	Non-crop areas	Annual and perennial grasses, sedges and broadleaves				
YUJIME TRADE OPC	2,4-D IBE	YUJIME 2,4-D ESTER	491 g/L	-	HERBICIDE	2	691-049-5830 (99)	7-Sep-25	POST-EMERGENCE	Rice (Transplanted)	Annual broadleaves and sedges	5.0-6.50 tbsp/ 16L water	-	-	Do not spray with 2 days before harvest
YUJIME TRADE OPC	2,4-D IBE	YUJIME 2,4-D ESTER	491 g/L	-	HERBICIDE	2	691-049-5830 (99)	7-Sep-25	POST-EMERGENCE	Corn	Annual broadleaves and sedges	5.0-6.50 tbsp/ 16L water	-	-	Do not spray with 2 days before harvest
YUJIME TRADE OPC	2,4-D IBE	YUJIME 2,4-D ESTER	491 g/L	-	HERBICIDE	2	691-049-5830 (99)	7-Sep-25	POST-EMERGENCE	Sugarcane	Annual broadleaves and sedges	5.0-6.50 tbsp/ 16L water	-	-	Do not spray with 2 days before harvest
YUJIME TRADE OPC	2,4-D AMINE	YUJIME 2,4-D AMINE	400 g/L	-	HERBICIDE	2	691-013-5831 (99)	7-Sep-25	-	Rice (Transplanted)	Annual broadleaves and sedges	5.0-6.50 tbsp/ 16L water	-	-	Do not spray with 2 days before harvest
YUJIME TRADE OPC	2,4-D AMINE	YUJIME 2,4-D AMINE	400 g/L	-	HERBICIDE	2	691-013-5831 (99)	7-Sep-25	-	Corn	Annual broadleaves and sedges	5.0-6.50 tbsp/ 16L water	-	-	Do not spray with 2 days before harvest
YUJIME TRADE OPC	2,4-D AMINE	YUJIME 2,4-D AMINE	400 g/L	-	HERBICIDE	2	691-013-5831 (99)	7-Sep-25	-	Sugarcane	Annual broadleaves and sedges	5.0-6.50 tbsp/ 16L water	-	-	Do not spray with 2 days before harvest
INTEGRATED CROP TRADING CORPORATION	NICLOXAMIDE ETHANOLAMINE SALT	YURO 70 WP	700 g/kg	WP	MOLLUSCIDE	4	274-229-1306	25-May-24	CONTACT	Rice	Golden Apple Snail (Kuhul)	26 gm/16L water	-	-	
INTEGRATED CROP TRADING CORPORATION	NICLOXAMIDE	YURO 250 EC	250 g/L	EC	MOLLUSCIDE	4	274-229-1717	25-Sep-21	CONTACT	Rice	Golden Apple Snail	7-10, 10-14 Tbsp/ 16L Water	-	-	At least 48 hours after application.
VETMATE FARMA CORP.	BUTACHLOR-PROPANIL	YOKAN 70EC	350 g/L+350 g/L	EC	HERBICIDE	3	658-238-6142	23-Aug-24	POST-EMERGENT	Rice (Direct-Seeded)	Grasses, sedges & broadleaves	9-14 tbsps/ 16L water	-	-	
VETMATE FARMA CORP.	BUTACHLOR-PROPANIL	YOKAN 70EC	350 g/L+350 g/L	EC	HERBICIDE	3	658-238-6142	23-Aug-24	POST-EMERGENT	Rice (Transplanted)	Grasses, sedges & broadleaves	9-14 tbsps/ 16L water	-	-	
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CHLOROTHALONIL	YODA 500 SC	500 g/L	SC	FUNGICIDE	4	459-118-2734	22-Nov-24	-	Melon	Anthracoise, cercospora leafspot, downy mildew, leaf blight	6.0-8.5 Tbsp/16L	-	-	Harvesting may be done on the day of application.
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CHLOROTHALONIL	YODA 500 SC	500 g/L	SC	FUNGICIDE	4	459-118-2734	22-Nov-24	-	Corn	Heminthosphorium leaf spot, cercospora leafspot	6.0-8.5 Tbsp/16L	-	-	As soon as spray solution has dried on the foliage, re-entry into treated areas may be done.
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CHLOROTHALONIL	YODA 500 SC	500 g/L	SC	FUNGICIDE	4	459-118-2734	22-Nov-24	-	Eggplant	Anthracoise, cercospora leafspot, early and late blight	6.0-8.5 Tbsp/16L	-	-	Harvesting may be done on the day of application.
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CHLOROTHALONIL	YODA 500 SC	500 g/L	SC	FUNGICIDE	4	459-118-2734	22-Nov-24	-	Peanut	Cercospora leaf spot, rust	6.0-8.5 Tbsp/16L	-	-	As soon as spray solution has dried on the foliage, re-entry into treated areas may be done.
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CHLOROTHALONIL	YODA 500 SC	500 g/L	SC	FUNGICIDE	4	459-118-2734	22-Nov-24	-	Potato	Early and late blight, vine rot	6.0-8.5 Tbsp/16L	-	-	Harvesting may be done on the day of application.
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CHLOROTHALONIL	YODA 500 SC	500 g/L	SC	FUNGICIDE	4	459-118-2734	22-Nov-24	-	Tomato	Early and late blight, vine rot	6.0-8.5 Tbsp/16L	-	-	As soon as spray solution has dried on the foliage, re-entry into treated areas may be done.
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CHLOROTHALONIL	YODA 500 SC	500 g/L	SC	FUNGICIDE	4	459-118-2734	22-Nov-24	-	Carrot	Alternaria, cercospora leaf spot, heminthosphorium leaf spot	6.0-8.5 Tbsp/16L	-	-	Harvesting may be done on the day of application.
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CHLOROTHALONIL	YODA 500 SC	500 g/L	SC	FUNGICIDE	4	459-118-2734	22-Nov-24	-	Banana	Sigatoka, rust, freckles, heminthosphorium leaf spot	2 L/ha	2.0 mg/kg	-	As soon as spray solution has dried on the foliage, re-entry into treated areas may be done.
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CHLOROTHALONIL	YODA 500 SC	500 g/L	SC	FUNGICIDE	4	459-118-2734	22-Nov-24	-	Mango	Anthracoise, diploidi rot	6.0-8.5 Tbsp/16L	0.5 mg/kg	-	Harvesting may be done on the day of application.
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CHLOROTHALONIL	YODA 500 SC	500 g/L	SC	FUNGICIDE	4	459-118-2734	22-Nov-24	-	Beans	Rust, anthracnose	6.0-8.5 Tbsp/16L	-	-	Harvesting may be done on the day of application.
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CHLOROTHALONIL	YODA 500 SC	500 g/L	SC	FUNGICIDE	4	459-118-2734	22-Nov-24	-	Cucufers	Powdery mildew	6.0-8.5 Tbsp/16L	-	-	As soon as spray solution has dried on the foliage, re-entry into treated areas may be done.
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CHLOROTHALONIL	YODA 500 SC	500 g/L	SC	FUNGICIDE	4	459-118-2734	22-Nov-24	-	Onion	Purple blotch, bulb rot, neck rot	6.0-8.5 Tbsp/16L	-	-	Harvesting may be done on the day of application.
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CHLOROTHALONIL	YODA 500 SC	500 g/L	SC	FUNGICIDE	4	459-118-2734	22-Nov-24	-	Garlic	Purple blotch, bulb rot, neck rot	6.0-8.5 Tbsp/16L	-	-	As soon as spray solution has dried on the foliage, re-entry into treated areas may be done.
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CHLOROTHALONIL	YODA 500 SC	500 g/L	SC	FUNGICIDE	4	459-118-2734	22-Nov-24	-	Ornamentals	Black spot, black rot, powdery mildew	6.0-8.5 Tbsp/16L	-	-	As soon as spray solution has dried on the foliage, re-entry into treated areas may be done.
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CHLOROTHALONIL	YODA 500 SC	500 g/L	SC	FUNGICIDE	4	459-118-2734	22-Nov-24	-	Grapes	Downy mildew, powdery mildew, fruit rot	6.0-8.5 Tbsp/16L	-	-	As soon as spray solution has dried on the foliage, re-entry into treated areas may be done.

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CHLOROTHALONIL	YODA 900 SC	500 g/L	SC	FUNGICIDE	4	409-118-2734	22-Nov-24	-	Pepper	Anthracoise, cercospora leaf spot, early blight	60-8.5 Tbsp/16L	-	Harvesting may be done on the day of application.	As soon as spray solution has dried on the foliage, re-entry into treated areas may be done.
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CHLOROTHALONIL	YODA 900 SC	500 g/L	SC	FUNGICIDE	4	409-118-2734	22-Nov-24	-	Melon	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	60-8.5 Tbsp/16L	-	Harvesting may be done on the day of application.	As soon as spray solution has dried on the foliage, re-entry into treated areas may be done.
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CHLOROTHALONIL	YODA 900 SC	500 g/L	SC	FUNGICIDE	4	409-118-2734	22-Nov-24	-	Cucumber	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	60-8.5 Tbsp/16L	-	Harvesting may be done on the day of application.	As soon as spray solution has dried on the foliage, re-entry into treated areas may be done.
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CHLOROTHALONIL	YODA 900 SC	500 g/L	SC	FUNGICIDE	4	409-118-2734	22-Nov-24	-	Squash	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	60-8.5 Tbsp/16L	-	Harvesting may be done on the day of application.	As soon as spray solution has dried on the foliage, re-entry into treated areas may be done.
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CHLOROTHALONIL	YODA 900 SC	500 g/L	SC	FUNGICIDE	4	409-118-2734	22-Nov-24	-	Watermelon	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	60-8.5 Tbsp/16L	-	Harvesting may be done on the day of application.	As soon as spray solution has dried on the foliage, re-entry into treated areas may be done.
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CHLOROTHALONIL	YODA 900 SC	500 g/L	SC	FUNGICIDE	4	409-118-2734	22-Nov-24	-	Galery	Early and late blight	60-8.5 Tbsp/16L	-	Harvesting may be done on the day of application.	As soon as spray solution has dried on the foliage, re-entry into treated areas may be done.
UNITED AGRO TRADE CORPORATION	LAMBDA-CHYALOTHIRIN	Y-KURAT 2.5 EC	25 g/L	EC	INSECTICIDE	2	264-204-1343	01-Aug-24	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leafroller, black bug	1.0-1.5Tbsp/16L of water	0.05ppm	3Days	Re-entry to treated fields is allowed as soon as spray deposits dry
UNITED AGRO TRADE CORPORATION	LAMBDA-CHYALOTHIRIN	Y-KURAT 2.5 EC	25 g/L	EC	INSECTICIDE	2	264-204-1343	01-Aug-24	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/16L of water	-	3Days	Re-entry to treated fields is allowed as soon as spray deposits dry
UNITED AGRO TRADE CORPORATION	LAMBDA-CHYALOTHIRIN	Y-KURAT 2.5 EC	25 g/L	EC	INSECTICIDE	2	264-204-1343	01-Aug-24	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/16L of water	-	3Days	Re-entry to treated fields is allowed as soon as spray deposits dry
UNITED AGRO TRADE CORPORATION	LAMBDA-CHYALOTHIRIN	Y-KURAT 2.5 EC	25 g/L	EC	INSECTICIDE	2	264-204-1343	01-Aug-24	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/16L of water	-	3Days	Re-entry to treated fields is allowed as soon as spray deposits dry
UNITED AGRO TRADE CORPORATION	LAMBDA-CHYALOTHIRIN	Y-KURAT 2.5 EC	25 g/L	EC	INSECTICIDE	2	264-204-1343	01-Aug-24	SYSTEMIC	Mungbeans	Beanfly, flea beetle, leafhopper, aphids, mites, podborer	1.0Tbsp/16L of water	-	3Days	Re-entry to treated fields is allowed as soon as spray deposits dry
UNITED AGRO TRADE CORPORATION	LAMBDA-CHYALOTHIRIN	Y-KURAT 2.5 EC	25 g/L	EC	INSECTICIDE	2	264-204-1343	01-Aug-24	SYSTEMIC	Corn	Comborer, aphids, seedling maggots	1.0-1.5Tbsp/16L of water	-	3Days	Re-entry to treated fields is allowed as soon as spray deposits dry
UNITED AGRO TRADE CORPORATION	LAMBDA-CHYALOTHIRIN	Y-KURAT 2.5 EC	25 g/L	EC	INSECTICIDE	2	264-204-1343	01-Aug-24	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5Tbsp/16L of water	-	3Days	Re-entry to treated fields is allowed as soon as spray deposits dry
UNITED AGRO TRADE CORPORATION	LAMBDA-CHYALOTHIRIN	Y-KURAT 2.5 EC	25 g/L	EC	INSECTICIDE	2	264-204-1343	01-Aug-24	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/16L of water	-	3Days	Re-entry to treated fields is allowed as soon as spray deposits dry
UNITED AGRO TRADE CORPORATION	LAMBDA-CHYALOTHIRIN	Y-KURAT 2.5 EC	25 g/L	EC	INSECTICIDE	2	264-204-1343	01-Aug-24	SYSTEMIC	Cocoa	Podborer	1.0-2.0Tbsp/16L of water	-	3Days	Re-entry to treated fields is allowed as soon as spray deposits dry
UNITED AGRO TRADE CORPORATION	LAMBDA-CHYALOTHIRIN	Y-KURAT 2.5 EC	25 g/L	EC	INSECTICIDE	2	264-204-1343	01-Aug-24	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/16L of water	-	3Days	Re-entry to treated fields is allowed as soon as spray deposits dry
PLANTCARE TRADING CORPORATION	BISPYRIBAC SODIUM	VEEDMASTER SC 100	100 g/L	SC	HERBICIDE	4	406-276-3391	07-Jan-22	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Rice (Direct Seeded land)	Grasses, sedges & broadleaves	10m/16L water, 20 spray load/ hectare	0.1 ppm	-	As soon as spray deposit have dried.
BERRIS AGRICULTURAL CO., INC.	ABAMECTIN	YICHEM 1.8 EC	18 g/L	EC	INSECTICIDE	2	233-234-3309	08-Aug-26	-	Banana	Blossom thrips	0.5/ L/water	-	-	-
BERRIS AGRICULTURAL CO., INC.	ABAMECTIN	YICHEM 1.8 EC	18 g/L	EC	INSECTICIDE	2	233-234-3309	08-Aug-26	-	Cabbage	Diamond back moth	3000 mL prod/ha	-	-	-
BERRIS AGRICULTURAL CO., INC.	ABAMECTIN	YICHEM 1.8 EC	18 g/L	EC	INSECTICIDE	2	233-234-3309	08-Aug-26	-	Ornamentals	Mites	1.0-1.5Tbsp/16L of water	-	-	-
BERRIS AGRICULTURAL CO., INC.	ABAMECTIN	YICHEM 1.8 EC	18 g/L	EC	INSECTICIDE	2	233-234-3309	08-Aug-26	-	Pineapple	Mites	3000-4000ml prod/ha	-	-	-
BERRIS AGRICULTURAL CO., INC.	ABAMECTIN	YICHEM 1.8 EC	18 g/L	EC	INSECTICIDE	2	233-234-3309	08-Aug-26	-	Eggplant	Thrips, Leafhopper, fruit and shoot borer	2.0-5.0 Tbsp/16L of water	-	-	-
BERRIS AGRICULTURAL CO., INC.	ABAMECTIN	YICHEM 1.8 EC	18 g/L	EC	INSECTICIDE	2	233-234-3309	08-Aug-26	-	Onion	leafminer, thrips	2.0-3.0 Tbsp/16L of water	-	-	-
BERRIS AGRICULTURAL CO., INC.	ABAMECTIN	YICHEM 1.8 EC	18 g/L	EC	INSECTICIDE	2	233-234-3309	08-Aug-26	-	Potato	leafminer, thrips	2.0-3.0 Tbsp/16L of water	-	-	-
BERRIS AGRICULTURAL CO., INC.	ABAMECTIN	YICHEM 1.8 EC	18 g/L	EC	INSECTICIDE	2	233-234-3309	08-Aug-26	-	Tomato	leafminer, thrips, aphids	2.0-3.0 Tbsp/16L of water	-	-	-
BERRIS AGRICULTURAL CO., INC.	ABAMECTIN	YICHEM 1.8 EC	18 g/L	EC	INSECTICIDE	2	233-234-3309	08-Aug-26	-	Watermelon	leafmines, thrips, melonworm	2.0-3.0 Tbsp/16L of water	-	-	-
BERRIS AGRICULTURAL CO., INC.	ABAMECTIN	YICHEM 1.8 EC	18 g/L	EC	INSECTICIDE	2	233-234-3309	08-Aug-26	-	Papaya	Mites	0.5-1.0 Tbsp/16L of water	-	-	-
BERRIS AGRICULTURAL CO., INC.	ABAMECTIN	YICHEM 1.8 EC	18 g/L	EC	INSECTICIDE	2	233-234-3309	08-Aug-26	-	Strawberry	Mites	2.0-4.0 Tbsp/16L of water	-	-	-
BERRIS AGRICULTURAL CO., INC.	ABAMECTIN	YICHEM 1.8 EC	18 g/L	EC	INSECTICIDE	2	233-234-3309	08-Aug-26	-	Tobacco	Budworms, Thrips, aphids	5-15 mL Product per 16L water	-	-	-
BAYER CROSCIENCE, INC.	TETRAFLUPROLE	VEYVAL SC 200	200 g/L	SC	INSECTICIDE	3	284-515-4869	04-Nov-26	-	Corn	Fall armyworm	8-10 mL prod. Per ha, 200-250mL prod. Per tank load at spray volume of 500 L/ha	0.02 mg/kg	14days	Do not enter treated area before the spray deposits has dried completely (for at least 12 hours after application)
BAYER CROSCIENCE, INC.	TETRAFLUPROLE	VEYVAL SC 200	200 g/L	SC	INSECTICIDE	3	284-515-4869	04-Nov-26	-	Cabbage	Diamondback moth	4-8 mL product/16L water, 100-200 mL product/ha	-	7days	Do not enter treated area before the spray deposits has dried completely (for at least 12 hours after application)
BAYER CROSCIENCE, INC.	TETRAFLUPROLE	VEYVAL SC 200	200 g/L	SC	INSECTICIDE	3	284-515-4869	04-Nov-26	-	Rice	Stem-borer and leaf folder	15 mL prod. / 16L water, 150 mL prod. / ha	0.03 mg/ kg	13-34	Do not enter treated area before the spray deposits has dried completely (for at least 12 hours after application)
BAYER CROSCIENCE, INC.	TETRAFLUPROLE	VEYVAL SC 200	200 g/L	SC	INSECTICIDE	3	284-515-4869	04-Nov-26	-	Pepper	Fruitworm	100-200 mL prod. / ga	0.02 mg/ kg	3 days	Do not enter treated area before the spray deposits has dried completely (for at least 12 hours after application)
BAYER CROSCIENCE, INC.	TETRAFLUPROLE	VEYVAL SC 200	200 g/L	SC	INSECTICIDE	3	284-515-4869	04-Nov-26	-	Sugarcane	Cane borer	75-150 grams AI / hectare (5-20 mL prod. / 16L)	0.03 mg/kg	-	Do not enter treated area before the spray deposits has dried completely (for at least 12 hours after application)
BAYER CROSCIENCE, INC.	TETRAFLUPROLE	VEYVAL SC 200	200 g/L	SC	INSECTICIDE	3	284-515-4869	22-Jan-24	-	Eggplant	Fruit and shoot borer	8-8 mL prod. / 16L water at 400 L/ ha. Spray volume	0.03 mg/kg	3 days	-
BAYER CROSCIENCE, INC.	TETRAFLUPROLE	VEYVAL SC 200	200 g/L	SC	INSECTICIDE	3	284-515-4869	31-Jan-24	-	Corn (Drone application)	Fall armyworm (Unmanned Aerial System [UAS] application)	200 mL prod. / hectare ; 30-45 L/ ha. Spray volume	-	14 days	-
BAYER CROSCIENCE, INC.	TETRAFLUPROLE	VEYVAL SC 200	200 g/L	SC	INSECTICIDE	3	284-515-4869	02-Mar-24	-	Corn	Armyworm, corn borer, corn seedling maggot, corn earworm	100-200 mL prod. / hectare	0.02 mg/kg	-	-
BAYER CROSCIENCE, INC.	TETRAFLUPROLE	VEYVAL SC 200	200 g/L	SC	INSECTICIDE	3	284-515-4869	02-Mar-24	-	Mango	Tip borer, orchid fly, capsid bug	750-1000 mL prod./ hectare (2000L / hectare	0.03 mg/kg	-	-
BAYER CROSCIENCE, INC.	TETRAFLUPROLE	VEYVAL SC 200	200 g/L	SC	INSECTICIDE	3	284-515-4869	02-Mar-24	-	Tomato	Leafminer	100-200 mL prod. / ha	0.02 mg/kg	-	-
MONARCH AGRICULTURAL PRODUCTS, INC.	GLYPHOSATE IPA	YEAR ROUND 480 g/L	480 g/L	SL	HERBICIDE	4	096-151-2024	13-Oct-25	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/ha	-	-	-
MONARCH AGRICULTURAL PRODUCTS, INC.	GLYPHOSATE IPA	YEAR ROUND 480 g/L	480 g/L	SL	HERBICIDE	4	096-151-2024	13-Oct-25	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /ha	-	-	-
MONARCH AGRICULTURAL PRODUCTS, INC.	GLYPHOSATE IPA	YEAR ROUND 480 g/L	480 g/L	SL	HERBICIDE	4	096-151-2024	13-Oct-25	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
MONARCH AGRICULTURAL PRODUCTS, INC.	GLYPHOSATE IPA	YEAR ROUND 480 g/L	480 g/L	SL	HERBICIDE	4	096-151-2024	13-Oct-25	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
MONARCH AGRICULTURAL PRODUCTS, INC.	GLYPHOSATE IPA	YEAR ROUND 480 g/L	480 g/L	SL	HERBICIDE	4	096-151-2024	13-Oct-25	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
MONARCH AGRICULTURAL PRODUCTS, INC.	GLYPHOSATE IPA	YEAR ROUND 480 g/L	480 g/L	SL	HERBICIDE	4	096-151-2024	13-Oct-25	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
MONARCH AGRICULTURAL PRODUCTS, INC.	GLYPHOSATE IPA	YEAR ROUND 480 g/L	480 g/L	SL	HERBICIDE	4	096-151-2024	13-Oct-25	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/ha	-	-	-
MONARCH AGRICULTURAL PRODUCTS, INC.	GLYPHOSATE IPA	YEAR ROUND 480 g/L	480 g/L	SL	HERBICIDE	4	096-151-2024	13-Oct-25	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
CROP PROTECTION AGRIVENTURES INC.	PRETILACHLOR	VATAKI 30 EC	300 g/L	EC	HERBICIDE	4	616-063-5473	05-Sep-24	PRE-EMERGENCE	Rice (Direct-Seeded)	Grasses, sedges, and broadleaves weeds	-	-	-	-
SINCHEN CROP PROTECTION (PHILS.) INC.	ACETOXYTROBIN+O-FENOCONAZOLE	XYSTROLE 325 SC	200 g/L+125 g/L	SC	FUNGICIDE	3	432-486-6233	25-Jul-26	-	Corn	Northern corn leaf blight, white spot, gray leaf spot, brown spot	500-750 mL prod. / ha, 50-75 mL prod. / 16L water; 160-193 L/ha	0.03 ppm	28 days	When spray deposits have dried
SINCHEN CROP PROTECTION (PHILS.) INC.	ACETOXYTROBIN+O-FENOCONAZOLE	XYSTROLE 325 SC	200 g/L+125 g/L	SC	FUNGICIDE	3	432-486-6233	25-Jul-26	-	Onion	Anthracoise	800-1000 mL prod. / ha, 30-35 mL prod. / 16L water; 200-500 L/ha	0.03 ppm	12 days	When spray deposits have dried
SINCHEN CROP PROTECTION (PHILS.) INC.	ACETOXYTROBIN+O-FENOCONAZOLE	XYSTROLE 325 SC	200 g/L+125 g/L	SC	FUNGICIDE	3	432-486-6233	25-Jul-26	-	Potato	Late blight	400-500 mL prod. / ha, 20-25 mL prod. / 16L water; 200-500 L/ha	0.05 ppm	14 days	When spray deposits have dried
SINCHEN CROP PROTECTION (PHILS.) INC.	ACETOXYTROBIN+O-FENOCONAZOLE	XYSTROLE 325 SC	200 g/L+125 g/L	SC	FUNGICIDE	3	432-486-6233	25-Jul-26	-	Rice	Rice blast sheath blight	200-500 mL prod. / ha, 20-50 mL prod. / 16L water; 160-200 L/ha	0.6 ppm	30 days	When spray deposits have dried
SINCHEN CROP PROTECTION (PHILS.) INC.	ACETOXYTROBIN+O-FENOCONAZOLE	XYSTROLE 325 SC	200 g/L+125 g/L	SC	FUNGICIDE	3	432-486-6233	25-Jul-26	-	Mango	Anthracoise, scab, stem-end rot	100-200 mL prod. / ha, 100-200 mL prod. / 200L water; 2.046-3.5, 472 L/ha	0.2 ppm	14 days	When spray deposits have dried
UNIACHO, INC.	CYPERMETHRIN	XYPRIOR 5 EC	50 g/L	EC	INSECTICIDE	4	662-037-5000	27-Jun-25	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16L water	-	7Days	Re-entry to treated field is allowed as soon as spray deposit dry
UNIACHO, INC.	CYPERMETHRIN	XYPRIOR 5 EC	50 g/L	EC	INSECTICIDE	4	662-037-5000	27-Jun-25	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leafroller, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16L water	-	7Days	Re-entry to treated field is allowed as soon as spray deposit dry
UNIACHO, INC.	CYPERMETHRIN	XYPRIOR 5 EC	50 g/L	EC	INSECTICIDE	4	662-037-5000	27-Jun-25	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16L water	-	7Days	Re-entry to treated field is allowed as soon as spray deposit dry

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)		PHI	RE-ENTRY PERIOD
UNAHCO, INC.	CYPERMETHRIN	XYPRIOR S EC	50 g/L	EC	INSECTICIDE	4	462-037-5000	27-Jun-25	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	-	Re-entry to treated field is allowed as soon as spray deposit dry
UNAHCO, INC.	CYPERMETHRIN	XYPRIOR S EC	50 g/L	EC	INSECTICIDE	4	462-037-5000	27-Jun-25	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	-	Re-entry to treated field is allowed as soon as spray deposit dry
UNAHCO, INC.	CYPERMETHRIN	XYPRIOR S EC	50 g/L	EC	INSECTICIDE	4	462-037-5000	27-Jun-25	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	-	Re-entry to treated field is allowed as soon as spray deposit dry
UNAHCO, INC.	CYPERMETHRIN	XYPRIOR S EC	50 g/L	EC	INSECTICIDE	4	462-037-5000	27-Jun-25	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	-	Re-entry to treated field is allowed as soon as spray deposit dry
UNAHCO, INC.	CYPERMETHRIN	XYPRIOR S EC	50 g/L	EC	INSECTICIDE	4	462-037-5000	27-Jun-25	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	-	Re-entry to treated field is allowed as soon as spray deposit dry
UNAHCO, INC.	CYPERMETHRIN	XYPRIOR S EC	50 g/L	EC	INSECTICIDE	4	462-037-5000	27-Jun-25	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	7 Days	-	Re-entry to treated field is allowed as soon as spray deposit dry
UNAHCO, INC.	CYPERMETHRIN	XYPRIOR S EC	50 g/L	EC	INSECTICIDE	4	462-037-5000	27-Jun-25	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-	7 Days	-	Re-entry to treated field is allowed as soon as spray deposit dry
UNAHCO, INC.	CYPERMETHRIN	XYPRIOR S EC	50 g/L	EC	INSECTICIDE	4	462-037-5000	27-Jun-25	CONTACT	Corn	Comborer, earworm	1.0-4.5 Tbsp/16 L water	-	7 Days	-	Re-entry to treated field is allowed as soon as spray deposit dry
AGSPEC PHILIPPINES CORPORATION	PROFENOFOS	XYLACRON 50 EC	500g/L	EC	INSECTICIDE	2	508-070-3184	11-Aug-21	CONTACT	Mango	Thrips	1.0-2.0 Tbsp/16L water	-	Do not apply at less than 7 days before harvest	-	Do not enter treated fields for at least one (1) day after application.
AGSPEC PHILIPPINES CORPORATION	PROFENOFOS	XYLACRON 50 EC	500g/L	EC	INSECTICIDE	2	508-070-3184	11-Aug-21	CONTACT	Tomato	Fruitworm, armyworm, cutworm	3-5 Tbsp/16L water	-	Do not apply at less than 7 days before harvest	-	Do not enter treated fields for at least one (1) day after application.
AGSPEC PHILIPPINES CORPORATION	PROFENOFOS	XYLACRON 50 EC	500g/L	EC	INSECTICIDE	2	508-070-3184	11-Aug-21	CONTACT	Eggplant	Fruitborer, aphids, leafhopper, & thrips	1.5-3.0 Tbsp/16L water	-	Do not apply at less than 7 days before harvest	-	Do not enter treated fields for at least one (1) day after application.
AGSPEC PHILIPPINES CORPORATION	PROFENOFOS	XYLACRON 50 EC	500g/L	EC	INSECTICIDE	2	508-070-3184	11-Aug-21	CONTACT	Cabbage	Diamond back moth, cabbage worm & aphids, thrips	3-5 Tbsp/16L water	-	Do not apply at less than 7 days before harvest	-	Do not enter treated fields for at least one (1) day after application.
AGSPEC PHILIPPINES CORPORATION	PROFENOFOS	XYLACRON 50 EC	500g/L	EC	INSECTICIDE	2	508-070-3184	11-Aug-21	CONTACT	Watermelon	Thrips	3-5 Tbsp/16L water	-	Do not apply at less than 7 days before harvest	-	Do not enter treated fields for at least one (1) day after application.
AGSPEC PHILIPPINES CORPORATION	PROFENOFOS	XYLACRON 50 EC	500g/L	EC	INSECTICIDE	2	508-070-3184	11-Aug-21	CONTACT	Potato	Thrips, army worm, cutworm, tuber moth	3-5 Tbsp/16L water	-	Do not apply at less than 7 days before harvest	-	Do not enter treated fields for at least one (1) day after application.
AGSPEC PHILIPPINES CORPORATION	PROFENOFOS	XYLACRON 50 EC	500g/L	EC	INSECTICIDE	2	508-070-3184	11-Aug-21	CONTACT	Soybeans	Corn earworm, leafminer	3-5 Tbsp/16L water	-	Do not apply at less than 7 days before harvest	-	Do not enter treated fields for at least one (1) day after application.
AGSPEC PHILIPPINES CORPORATION	PROFENOFOS	XYLACRON 50 EC	500g/L	EC	INSECTICIDE	2	508-070-3184	11-Aug-21	CONTACT	Mungbeans	Corn earworm, leafminer	3-5 Tbsp/16L water	-	Do not apply at less than 7 days before harvest	-	Do not enter treated fields for at least one (1) day after application.
AGSPEC PHILIPPINES CORPORATION	PROFENOFOS	XYLACRON 50 EC	500g/L	EC	INSECTICIDE	2	508-070-3184	11-Aug-21	CONTACT	Cotton	Thrips, bollworm & budworm	3-5 Tbsp/16L water	-	Do not apply at less than 7 days before harvest	-	Do not enter treated fields for at least one (1) day after application.
AGSPEC PHILIPPINES CORPORATION	PROFENOFOS	XYLACRON 50 EC	500g/L	EC	INSECTICIDE	2	508-070-3184	11-Aug-21	CONTACT	Sitao	Beanyfly, leaf folder & aphids	1.5-3.0 Tbsp/16L water	-	Do not apply at less than 7 days before harvest	-	Do not enter treated fields for at least one (1) day after application.
THAPHIL ADVANCE AGRITECH CORP.	BUPROFEZIN	XYLORG 25 SC	250 g/L	SC	INSECTICIDE	4	657-224-4936	14-Feb-20	SYSTEMIC	Mango	Leafhopper	40-80 mL/200L water	-	Do not spray 15 days before harvest.	-	Re-entry to treated field is allowed as soon as solution dries up.
MANNA AGROLOGY AGR VENTURES OPC	LAMBDA-CHALOTHIRIN	XTREME 2.5 EC	25 g/L	EC	INSECTICIDE	2	778-204-5417	5-Jul-26	-	Nice	Green leafhopper, armyworm, rice bug, leaf folder, black bug	1.0-1.5 Tbsp/16L water	-	Do not spray 3 days before harvest	-	-
MANNA AGROLOGY AGR VENTURES OPC	LAMBDA-CHALOTHIRIN	XTREME 2.5 EC	25 g/L	EC	INSECTICIDE	2	778-204-5417	5-Jul-26	-	Mango	Hoppers	0.90-1.5 Tbsp/16L water	-	Do not spray 3 days before harvest	-	-
MANNA AGROLOGY AGR VENTURES OPC	LAMBDA-CHALOTHIRIN	XTREME 2.5 EC	25 g/L	EC	INSECTICIDE	2	778-204-5417	5-Jul-26	-	Tomato	Fruitworm, cutworm, aphids	1.0-1.5 Tbsp/16L water	-	Do not spray 3 days before harvest	-	-
MANNA AGROLOGY AGR VENTURES OPC	LAMBDA-CHALOTHIRIN	XTREME 2.5 EC	25 g/L	EC	INSECTICIDE	2	778-204-5417	5-Jul-26	-	Onion	Thrips, cutworm	1.0 Tbsp/16L water	-	Do not spray 3 days before harvest	-	-
MANNA AGROLOGY AGR VENTURES OPC	LAMBDA-CHALOTHIRIN	XTREME 2.5 EC	25 g/L	EC	INSECTICIDE	2	778-204-5417	5-Jul-26	-	Mungbeans	Beanyfly, flea beetle, leafhopper, aphids, mites, podborer	1.0 Tbsp/16L water	-	Do not spray 3 days before harvest	-	-
MANNA AGROLOGY AGR VENTURES OPC	LAMBDA-CHALOTHIRIN	XTREME 2.5 EC	25 g/L	EC	INSECTICIDE	2	778-204-5417	5-Jul-26	-	Corn	Corn borer, aphids, seedling maggots	1.0-1.5 Tbsp/16L water	-	Do not spray 3 days before harvest	-	-
MANNA AGROLOGY AGR VENTURES OPC	LAMBDA-CHALOTHIRIN	XTREME 2.5 EC	25 g/L	EC	INSECTICIDE	2	778-204-5417	5-Jul-26	-	Tobacco	Budworm, Cutworm, aphids, katyids	1.0-1.5 Tbsp/16L water	-	Do not spray 3 days before harvest	-	-
MANNA AGROLOGY AGR VENTURES OPC	LAMBDA-CHALOTHIRIN	XTREME 2.5 EC	25 g/L	EC	INSECTICIDE	2	778-204-5417	5-Jul-26	-	Cotton	Bollworm	1.0-1.5 Tbsp/16L water	-	Do not spray 3 days before harvest	-	-
MANNA AGROLOGY AGR VENTURES OPC	LAMBDA-CHALOTHIRIN	XTREME 2.5 EC	25 g/L	EC	INSECTICIDE	2	778-204-5417	5-Jul-26	-	Cocoa	Pod borer	1.0-2.0 Tbsp/16L water	-	Do not spray 3 days before harvest	-	-
MANNA AGROLOGY AGR VENTURES OPC	LAMBDA-CHALOTHIRIN	XTREME 2.5 EC	25 g/L	EC	INSECTICIDE	2	778-204-5417	5-Jul-26	-	Watermelon	Squash beetle, melon worm	1.0 Tbsp/16L water	-	Do not spray 3 days before harvest	-	-
ZAGRO CORPORATION	ETHEPHON	XTRAGRO 480 PGR	480 g/L	L	OTHERS	4	043-061-0598	25-Dec-24	-	Pineapple	As plant growth regulation for the flower induction and ripening	400-150mL/1000 trees	-	-	-	Fruits that are already ripe on the day of treatment can be harvested without any harmful residue. Generally,
ZAGRO CORPORATION	ETHEPHON	XTRAGRO 480 PGR	480 g/L	L	OTHERS	4	043-061-0598	15-Dec-24	-	Mango	As plant growth regulation for the flower induction and ripening	400-150mL/1000 trees	-	-	-	Fruits that are already ripe on the day of treatment can be harvested without any harmful residue. Generally,
ZAGRO CORPORATION	ETHEPHON	XTRAGRO 240 PGR	240 g/L	L	OTHERS	4	043-061-0598	31-Dec-18	-							
ZAGRO CORPORATION	ETHEPHON	XTRAGRO 10 LS	100 g/L	L	OTHERS	4	043-061-0000	31-Dec-18	-							
ENVIREAU PACIFIC INC.	CANOLA OIL	XTENDPLANT OIL ADJUVANT	900 g/L	-	OTHERS	4	503-446-3292	15-Feb-22	-	Cavendish Banana	Black Sigatoka and freckle	20mL/ha	-	-	-	As soon as the mist dried up
TRANS WORLD TRADING CO., INC.	THIAMETHOXAM	X-TARA 25 WG	250g/kg	WG	INSECTICIDE	4	038-312-4906	23-Sep-25	SYSTEMIC	Pineapple	Mealy bug	100-200 g/ha	0.01 mg/kg	No PHI proposed as last application of X-TARA 25 WG will be 486 days before harvest	-	Do not enter unless spray deposits have dried
TRANS WORLD TRADING CO., INC.	THIAMETHOXAM	X-TARA 25 WG	250g/kg	WG	INSECTICIDE	4	038-312-4906	23-Sep-25	SYSTEMIC	Mango	Leafhopper	105.6-123.2g prod/ha	0.20 mg/kg	No PHI proposed as the product will be applied at least 20 to 40 days before harvest	-	Do not enter unless spray deposits have dried
TRANS WORLD TRADING CO., INC.	THIAMETHOXAM	X-TARA 25 WG	250g/kg	WG	INSECTICIDE	4	038-312-4906	23-Sep-25	SYSTEMIC	Nice	Green leafhopper, brown plant hopper, white backed planthopper, rice bug, black bug	4.0-5.0 Tbsp/16L water; For black bug 7.0-10.0 Tbsp/16L water	-	28 days	-	Do not enter unless spray deposits have dried
TRANS WORLD TRADING CO., INC.	THIAMETHOXAM	X-TARA 25 WG	250g/kg	WG	INSECTICIDE	4	038-312-4906	23-Sep-25	SYSTEMIC	Stringbeans	Aphids, leafhopper	0.5-2.0 Drench, Foliar spray 2.0-5.0 Tbsp/16L water	-	7 days	-	Do not enter unless spray deposits have dried
TRANS WORLD TRADING CO., INC.	THIAMETHOXAM	X-TARA 25 WG	250g/kg	WG	INSECTICIDE	4	038-312-4906	23-Sep-25	SYSTEMIC	Eggplant	Aphids, leafhopper	0.5-2.0 Drench, Foliar spray 2.0-5.0 Tbsp/16L water	-	3 days	-	Do not enter unless spray deposits have dried
TRANS WORLD TRADING CO., INC.	THIAMETHOXAM	X-TARA 25 WG	250g/kg	WG	INSECTICIDE	4	038-312-4906	23-Sep-25	SYSTEMIC	Banana	Flower Thrips	4 g/ha	0.02 mg/kg	No PHI proposed as X-TARA 25 WG will be applied as bud rejection	-	Do not enter unless spray deposits have dried
INTEGRATED CROP TRADING CORPORATION	CYPERMETHRIN	X-PRESS METHRIN S EC	50 g/L	EC	INSECTICIDE	4	274-037-1438	12-Dec-24	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water	-	7 Days	-	Re-entry to treated field is allowed as soon as spray deposit dry
INTEGRATED CROP TRADING CORPORATION	CYPERMETHRIN	X-PRESS METHRIN S EC	50 g/L	EC	INSECTICIDE	4	274-037-1438	12-Dec-24	CONTACT	Nice	Green leafhopper, brown planthopper, white-backed planthopper, leaf folder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water	-	7 Days	-	Re-entry to treated field is allowed as soon as spray deposit dry
INTEGRATED CROP TRADING CORPORATION	CYPERMETHRIN	X-PRESS METHRIN S EC	50 g/L	EC	INSECTICIDE	4	274-037-1438	12-Dec-24	CONTACT	Cabbage	Diamond back moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	-	7 Days	-	Re-entry to treated field is allowed as soon as spray deposit dry
INTEGRATED CROP TRADING CORPORATION	CYPERMETHRIN	X-PRESS METHRIN S EC	50 g/L	EC	INSECTICIDE	4	274-037-1438	12-Dec-24	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	-	Re-entry to treated field is allowed as soon as spray deposit dry
INTEGRATED CROP TRADING CORPORATION	CYPERMETHRIN	X-PRESS METHRIN S EC	50 g/L	EC	INSECTICIDE	4	274-037-1438	12-Dec-24	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	-	Re-entry to treated field is allowed as soon as spray deposit dry
INTEGRATED CROP TRADING CORPORATION	CYPERMETHRIN	X-PRESS METHRIN S EC	50 g/L	EC	INSECTICIDE	4	274-037-1438	12-Dec-24	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	-	Re-entry to treated field is allowed as soon as spray deposit dry
INTEGRATED CROP TRADING CORPORATION	CYPERMETHRIN	X-PRESS METHRIN S EC	50 g/L	EC	INSECTICIDE	4	274-037-1438	12-Dec-24	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	-	Re-entry to treated field is allowed as soon as spray deposit dry
INTEGRATED CROP TRADING CORPORATION	CYPERMETHRIN	X-PRESS METHRIN S EC	50 g/L	EC	INSECTICIDE	4	274-037-1438	12-Dec-24	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	-	Re-entry to treated field is allowed as soon as spray deposit dry
INTEGRATED CROP TRADING CORPORATION	CYPERMETHRIN	X-PRESS METHRIN S EC	50 g/L	EC	INSECTICIDE	4	274-037-1438	12-Dec-24	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	7 Days	-	Re-entry to treated field is allowed as soon as spray deposit dry
INTEGRATED CROP TRADING CORPORATION	CYPERMETHRIN	X-PRESS METHRIN S EC	50 g/L	EC	INSECTICIDE	4	274-037-1438	12-Dec-24	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-	7 Days	-	Re-entry to treated field is allowed as soon as spray deposit dry
INTEGRATED CROP TRADING CORPORATION	CYPERMETHRIN	X-PRESS METHRIN S EC	50 g/L	EC	INSECTICIDE	4	274-037-1438	12-Dec-24	CONTACT	Corn	Comborer, earworm	1.0-4.5 Tbsp/16 L water	-	7 Days	-	Re-entry to treated field is allowed as soon as spray deposit dry
ZAGRO CORPORATION	CHLOPYRIFOS	X-PHOS 40 EC	400 g/L	EC	INSECTICIDE	2	043-101-0456	20-Apr-25	-	Banana	Thrips, aphids, scarring beetle and leafroller	20-30mL/16L liters water	-	Interval between last application and harvest is 14 days.	-	One day after application.
ZAGRO CORPORATION	CHLOPYRIFOS	X-PHOS 40 EC	400 g/L	EC	INSECTICIDE	2	043-101-0456	20-Apr-25	-	Sugarcane	White Grub	80-100mL/16L liters water	-	Interval between last application and harvest is 14 days.	-	One day after application.
ZAGRO CORPORATION	CHLOPYRIFOS	X-PHOS 40 EC	400 g/L	EC	INSECTICIDE	2	043-101-0456	20-Apr-25	-	Pineapple	Ants & Mealybugs	1-4 Ltrs/ha. Using boom spray	-	Interval between last application and harvest is 14 days.	-	One day after application.
ZAGRO CORPORATION	CHLOPYRIFOS	X-PHOS 30 EC	300 g/L	EC	INSECTICIDE	2	043-101-1498	20-Apr-19	-	Nice	Stem borer, armyworm, leafhopper, caseworm, planthopper, cutworm	2.5-3.5 Tbsp/16L water	-	Interval between last application and harvest is 14 days.	-	One day after application.
ZAGRO CORPORATION	CHLOPYRIFOS	X-PHOS 30 EC	300 g/L	EC	INSECTICIDE	2	043-101-1498	20-Apr-19	-	Potato	Tubermoth, leafhopper, cutworm, aphids	2.5-3.5 Tbsp/16L water	-	Interval between last application and harvest is 14 days.	-	One day after application.

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
ZAGRO CORPORATION	CHLORPYRIFOS	X-PHOS 30 EC	300 g/L	EC	INSECTICIDE	2	049-101-1498	20-Apr-19	-	Corn	Armyworm, cornborer, earworm, seedling maggots	2.5-3.5 tbsp/36L water	-	Interval between last application and harvest is 14 days	One day after application.
ZAGRO CORPORATION	CHLORPYRIFOS	X-PHOS 30 EC	300 g/L	EC	INSECTICIDE	2	043-101-1498	20-Apr-19	-	Beans	Beanfly, leafhopper, podborer, cutworm, armyworm	2.5-3.5 tbsp/36L water	-	Interval between last application and harvest is 14 days	One day after application.
ZAGRO CORPORATION	CHLORPYRIFOS	X-PHOS 20 EC	200 g/L	EC	INSECTICIDE	2	049-101-0457	20-Apr-19	-	Rice	Armyworm, caseworm, cutworm, stemborer, leafhopper, and planthopper	3.5 Tbsp/36 Liters water	-	Interval between last application and harvest is 14 days	One day after application.
ZAGRO CORPORATION	CHLORPYRIFOS	X-PHOS 20 EC	200 g/L	EC	INSECTICIDE	2	043-101-0457	20-Apr-19	-	Corn	Borer, earworms, seedling maggot & armyworm	3.5 Tbsp/36 Liters water	-	Interval between last application and harvest is 14 days	One day after application.
GREENTHUMB AGRISOLUTIONS, INC.	NICLOXAMIDE ETHANOLAMINE SALT	EPH 70 WP	700 g/kg	WP	MOLLUSCICIDE	4	184-229-4334	26-Apr-21	CONTACT	Rice	Golden Apple Snail (Kuhol)	30 g/m ² /36 L water	-	-	Do not enter the treated field within 48 hours after application
AGRO ADVANCED INTERNATIONAL PHILS., INC.	1,8 CINEOLE	XILOFROM 10 SL	10 g/L	SL	FUNGICIDE	4	473-502-4686	11-Oct-25	-	Cavendish Banana	Black Sigatoka	0.8 L product/hectare	-	-	As soon as solution has dried up
AGRO ADVANCED INTERNATIONAL PHILS., INC.	1,8 CINEOLE	XILOFROM 10 SL	10 g/L	SL	FUNGICIDE	4	473-502-4686	16-Feb-24	-	Pineapple	Chocolate spots, stem end rot, leaf spots, <i>Phytophthora</i> fruit rot, Fusarium fruit rot, fruit spots	2 mL to 4mL / 1 of water	-	-	As soon as solution has dried up
AGRO ADVANCED INTERNATIONAL PHILS., INC.	1,8 CINEOLE	XILOFROM 10 SL	10 g/L	SL	FUNGICIDE	4	473-502-4686	21-Oct-25	-	Pineapple	Heart rot and root rot caused by <i>Phytophthora</i> spp. And white leaf spot caused by <i>Chalara (Thelevospora) paradoxa</i>	3-8 mL product per Lit. at volume rate of 2.388 L per hectare	-	-	As soon as solution has dried up
SUMITOMO CHEMICAL PHILIPPINES INC.	BACILLUS THURINGENSIS VAR. AIZAWAI	KENTARI WDG	30 g/kg	WDG	INSECTICIDE	4	472-094-2704	11-Dec-23	-	Cabbage	Diamondback moth armyworm and armyworm	20g (2 tbsp.)/36 L water	-	-	Do not enter treated areas without protective clothing until sprays have dried
SUMITOMO CHEMICAL PHILIPPINES INC.	BACILLUS THURINGENSIS VAR. AIZAWAI	KENTARI WDG	30 g/kg	WDG	INSECTICIDE	4	472-094-2704	11-Dec-23	-	Mustard	Diamondback moth armyworm and armyworm	20g (2 tbsp.)/36 L water	-	-	Do not enter treated areas without protective clothing until sprays have dried
SUMITOMO CHEMICAL PHILIPPINES INC.	BACILLUS THURINGENSIS VAR. AIZAWAI	KENTARI WDG	30 g/kg	WDG	INSECTICIDE	4	472-094-2704	11-Dec-23	-	Cauliflower	Diamondback moth armyworm and armyworm	20g (2 tbsp.)/36 L water	-	-	Do not enter treated areas without protective clothing until sprays have dried
SUMITOMO CHEMICAL PHILIPPINES INC.	BACILLUS THURINGENSIS VAR. AIZAWAI	KENTARI WDG	30 g/kg	WDG	INSECTICIDE	4	472-094-2704	11-Dec-23	-	Broccoli	Diamondback moth armyworm and armyworm	20g (2 tbsp.)/36 L water	-	-	Do not enter treated areas without protective clothing until sprays have dried
SUMITOMO CHEMICAL PHILIPPINES INC.	BACILLUS THURINGENSIS VAR. AIZAWAI	KENTARI WDG	30 g/kg	WDG	INSECTICIDE	4	472-094-2704	11-Dec-23	-	Peachay	Diamondback moth armyworm and armyworm	20g (2 tbsp.)/36 L water	-	-	Do not enter treated areas without protective clothing until sprays have dried
SUMITOMO CHEMICAL PHILIPPINES INC.	BACILLUS THURINGENSIS VAR. AIZAWAI	KENTARI WDG	30 g/kg	WDG	INSECTICIDE	4	472-094-2704	11-Dec-23	-	Cavendish Banana	Slug caterpillars	1-2tbsp. water	-	-	Do not enter treated areas without protective clothing until sprays have dried
SUMITOMO CHEMICAL PHILIPPINES INC.	BACILLUS THURINGENSIS VAR. AIZAWAI	KENTARI WDG	30 g/kg	WDG	INSECTICIDE	4	472-094-2704	11-Dec-23	-	Corn	Fall armyworm, earworm and corn borer	0.5-1.5 kg prod. / ha. ; 30-40 g prod. / 36L water ; 332-420 L / ha. Spray volume	-	-	Do not enter treated areas without protective clothing until sprays have dried
VETMATE FARMA CORP.	GLYPHOSATE IPA	WRAP-UP 480 SL	480 g/L	SL	HERBICIDE	4	658-151-6103	15-Dec-26	POST-EMERGENT	Phosphote tolerant corn under minimum or reduced	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
VETMATE FARMA CORP.	GLYPHOSATE IPA	WRAP-UP 480 SL	480 g/L	SL	HERBICIDE	4	658-151-6103	15-Dec-26	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
VETMATE FARMA CORP.	GLYPHOSATE IPA	WRAP-UP 480 SL	480 g/L	SL	HERBICIDE	4	658-151-6103	15-Dec-26	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
VETMATE FARMA CORP.	GLYPHOSATE IPA	WRAP-UP 480 SL	480 g/L	SL	HERBICIDE	4	658-151-6103	15-Dec-26	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
VETMATE FARMA CORP.	GLYPHOSATE IPA	WRAP-UP 480 SL	480 g/L	SL	HERBICIDE	4	658-151-6103	15-Dec-26	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
VETMATE FARMA CORP.	GLYPHOSATE IPA	WRAP-UP 480 SL	480 g/L	SL	HERBICIDE	4	658-151-6103	15-Dec-26	POST-EMERGENT	rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
VETMATE FARMA CORP.	GLYPHOSATE IPA	WRAP-UP 480 SL	480 g/L	SL	HERBICIDE	4	658-151-6103	15-Dec-26	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
VETMATE FARMA CORP.	GLYPHOSATE IPA	WRAP-UP 480 SL	480 g/L	SL	HERBICIDE	4	658-151-6103	15-Dec-26	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
VETMATE FARMA CORP.	GLYPHOSATE IPA	WRAP-UP 480 SL	480 g/L	SL	HERBICIDE	4	658-151-6103	15-Dec-26	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/ha	-	-	-
VETMATE FARMA CORP.	GLYPHOSATE IPA	WRAP-UP 480 SL	480 g/L	SL	HERBICIDE	4	658-151-6103	15-Dec-26	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
VETMATE FARMA CORP.	GLYPHOSATE IPA	WRAP-UP 480 SL	480 g/L	SL	HERBICIDE	4	658-151-6103	15-Dec-26	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
VETMATE FARMA CORP.	GLYPHOSATE IPA	WRAP-UP 480 SL	480 g/L	SL	HERBICIDE	4	658-151-6103	15-Dec-26	POST-EMERGENT	non-crop areas	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	PIVETROZINE	WORTHIDE 50 WG	500 g/kg	WG	INSECTICIDE	4	539-307-5005	07-Jan-26	-	Mango	Leafhopper	80 g/200 L	-	No PHI proposed as the product will be applied at least 20 to 40 days before harvest	Do not enter treated fields until spray deposits have completely dried
DCOM MARKETING INCORPORATED	BURPOFEN	WONDERFUL 25 SC	250 g/L	SC	INSECTICIDE	3	467-224-5115	27-Nov-22	-	Mango	Leafhopper	60-80 mL/200L water	-	-	Re-entry to treated fields is allowed as soon as spray dries up
AGRI-SPROUT PHILIPPINES, INC.	MANCOZEB	WONDER 80 WP	800 g/kg	WP	FUNGICIDE	4	668-053-5499	09-Jun-24	-	Potato	Early and late blight	3-6 Tbsp/36 L water	-	-	As soon as spray dries
AGRI-SPROUT PHILIPPINES, INC.	MANCOZEB	WONDER 80 WP	800 g/kg	WP	FUNGICIDE	4	668-053-5499	09-Jun-24	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
AGRI-SPROUT PHILIPPINES, INC.	MANCOZEB	WONDER 80 WP	800 g/kg	WP	FUNGICIDE	4	668-053-5499	09-Jun-24	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
AGRI-SPROUT PHILIPPINES, INC.	MANCOZEB	WONDER 80 WP	800 g/kg	WP	FUNGICIDE	4	668-053-5499	09-Jun-24	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
AGRI-SPROUT PHILIPPINES, INC.	MANCOZEB	WONDER 80 WP	800 g/kg	WP	FUNGICIDE	4	668-053-5499	09-Jun-24	-	Calety	Late blight	3-6 Tbsp/36 L water	-	14 Days	As soon as spray dries
AGRI-SPROUT PHILIPPINES, INC.	MANCOZEB	WONDER 80 WP	800 g/kg	WP	FUNGICIDE	4	668-053-5499	09-Jun-24	-	Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
AGRI-SPROUT PHILIPPINES, INC.	MANCOZEB	WONDER 80 WP	800 g/kg	WP	FUNGICIDE	4	668-053-5499	09-Jun-24	-	Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
AGRI-SPROUT PHILIPPINES, INC.	MANCOZEB	WONDER 80 WP	800 g/kg	WP	FUNGICIDE	4	668-053-5499	09-Jun-24	-	Cotton	Damping off	3-6 Tbsp/36 L water	-	-	As soon as spray dries
AGRI-SPROUT PHILIPPINES, INC.	MANCOZEB	WONDER 80 WP	800 g/kg	WP	FUNGICIDE	4	668-053-5499	09-Jun-24	-	lettuce	Downy mildew	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
AGRI-SPROUT PHILIPPINES, INC.	MANCOZEB	WONDER 80 WP	800 g/kg	WP	FUNGICIDE	4	668-053-5499	09-Jun-24	-	Beans	Anthracoese, Downy mildew, Rust	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
AGRI-SPROUT PHILIPPINES, INC.	MANCOZEB	WONDER 80 WP	800 g/kg	WP	FUNGICIDE	4	668-053-5499	09-Jun-24	-	Peas	Anthracoese, Downy mildew, Rust	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
AGRI-SPROUT PHILIPPINES, INC.	MANCOZEB	WONDER 80 WP	800 g/kg	WP	FUNGICIDE	4	668-053-5499	09-Jun-24	-	Mungo	Anthracoese, Downy mildew, Rust	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
AGRI-SPROUT PHILIPPINES, INC.	MANCOZEB	WONDER 80 WP	800 g/kg	WP	FUNGICIDE	4	668-053-5499	09-Jun-24	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
AGRI-SPROUT PHILIPPINES, INC.	MANCOZEB	WONDER 80 WP	800 g/kg	WP	FUNGICIDE	4	668-053-5499	09-Jun-24	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
AGRI-SPROUT PHILIPPINES, INC.	MANCOZEB	WONDER 80 WP	800 g/kg	WP	FUNGICIDE	4	668-053-5499	09-Jun-24	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
AGRI-SPROUT PHILIPPINES, INC.	MANCOZEB	WONDER 80 WP	800 g/kg	WP	FUNGICIDE	4	668-053-5499	09-Jun-24	-	Pepper	Anthracoese	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
AGRI-SPROUT PHILIPPINES, INC.	MANCOZEB	WONDER 80 WP	800 g/kg	WP	FUNGICIDE	4	668-053-5499	09-Jun-24	-	Chili	Anthracoese	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
AGRI-SPROUT PHILIPPINES, INC.	MANCOZEB	WONDER 80 WP	800 g/kg	WP	FUNGICIDE	4	668-053-5499	09-Jun-24	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
AGRI-SPROUT PHILIPPINES, INC.	MANCOZEB	WONDER 80 WP	800 g/kg	WP	FUNGICIDE	4	668-053-5499	09-Jun-24	-	Banana	Sigatoka, Black leaf streak	3-6 Tbsp/36 L water	-	-	As soon as spray dries
AGRI-SPROUT PHILIPPINES, INC.	MANCOZEB	WONDER 80 WP	800 g/kg	WP	FUNGICIDE	4	668-053-5499	09-Jun-24	-	Grapes	Downy mildew, black rot	3-6 Tbsp/36 L water	-	60 days	As soon as spray dries
AGRI-SPROUT PHILIPPINES, INC.	MANCOZEB	WONDER 80 WP	800 g/kg	WP	FUNGICIDE	4	668-053-5499	09-Jun-24	-	Mango	Anthracoese and Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
AGRI-SPROUT PHILIPPINES, INC.	MANCOZEB	WONDER 80 WP	800 g/kg	WP	FUNGICIDE	4	668-053-5499	09-Jun-24	-	Papaya	Fruit rot	3-6 Tbsp/36 L water	-	-	As soon as spray dries
AGRI-SPROUT PHILIPPINES, INC.	MANCOZEB	WONDER 80 WP	800 g/kg	WP	FUNGICIDE	4	668-053-5499	09-Jun-24	-	Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
AGRI-SPROUT PHILIPPINES, INC.	MANCOZEB	WONDER 80 WP	800 g/kg	WP	FUNGICIDE	4	668-053-5499	09-Jun-24	-	Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
AGRI-SPROUT PHILIPPINES, INC.	MANCOZEB	WONDER 80 WP	800 g/kg	WP	FUNGICIDE	4	668-053-5499	09-Jun-24	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
AGRI-SPROUT PHILIPPINES, INC.	MANCOZEB	WONDER 80 WP	800 g/kg	WP	FUNGICIDE	4	668-053-5499	09-Jun-24	-	Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/36 L water	0.02ppm	-	As soon as spray dries
AGRI-SPROUT PHILIPPINES, INC.	MANCOZEB	WONDER 80 WP	800 g/kg	WP	FUNGICIDE	4	668-053-5499	09-Jun-24	-	Peanut	Cercospora leaf spot	3-6 Tbsp/36 L water	-	14 Days	As soon as spray dries

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
AGRI SPROUT PHILIPPINES, INC.	MANCOZEB	WONDER 80 WP	800 g/kg	WP	FUNGICIDE	4	668-053-5499	09-Jun-24		Soybeans	Leaf rust	3-6 Tbsp/36 L water	-	-	As soon as spray dries
AGRI SPROUT PHILIPPINES, INC.	MANCOZEB	WONDER 80WP	800 g/kg	WP	FUNGICIDE	4	668-053-5499	09-Jun-24		Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/36 L water	-	-	As soon as spray dries
CAVILLA AGR VENTURES, INC.	BPiMC-CHLORPYRIFOS	WOLVERINE 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	636-174-4889	06-Mar-22		Rice	Stemborer, armyworm, leafhopper, caseworm and planthopper	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
CAVILLA AGR VENTURES, INC.	BPiMC-CHLORPYRIFOS	WOLVERINE 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	636-174-4889	06-Mar-22		Corn	Seedling maggot, corn earworm, cornborer and armyworm	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
CAVILLA AGR VENTURES, INC.	BPiMC-CHLORPYRIFOS	WOLVERINE 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	636-174-4889	06-Mar-22		Tobacco	Budworm, grasshopper, aphid, cutworm and armyworm	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
CAVILLA AGR VENTURES, INC.	BPiMC-CHLORPYRIFOS	WOLVERINE 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	636-174-4889	06-Mar-22		Cucumber	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
CAVILLA AGR VENTURES, INC.	BPiMC-CHLORPYRIFOS	WOLVERINE 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	636-174-4889	06-Mar-22		Melon	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
CAVILLA AGR VENTURES, INC.	BPiMC-CHLORPYRIFOS	WOLVERINE 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	636-174-4889	06-Mar-22		Watermelon	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
CAVILLA AGR VENTURES, INC.	BPiMC-CHLORPYRIFOS	WOLVERINE 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	636-174-4889	06-Mar-22		Onion	Thrips, cutworm	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
CAVILLA AGR VENTURES, INC.	BPiMC-CHLORPYRIFOS	WOLVERINE 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	636-174-4889	06-Mar-22		Mungo	Bean podborer, aphids, Beanfly, armyworm, cutworm, leafminer and leafhopper	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
CAVILLA AGR VENTURES, INC.	BPiMC-CHLORPYRIFOS	WOLVERINE 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	636-174-4889	06-Mar-22		Soybeans	Bean podborer, aphids, Beanfly, armyworm, cutworm, leafminer and leafhopper	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
CAVILLA AGR VENTURES, INC.	BPiMC-CHLORPYRIFOS	WOLVERINE 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	636-174-4889	06-Mar-22		Beans	Bean podborer, aphids, Beanfly, armyworm, cutworm, leafminer and leafhopper	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
BIOSTADT PHILIPPINES INC.	CARTAP HYDROCHLORIDE	WOKTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	097-106-2201	21-Sep-24	SYSTEMIC	Rice	Whorl maggot, stemborer, green leafhopper, brown planthopper	3.0-5.0Tbsp/36 L water	0.2ppm	Spraying shall be stopped 10 days before harvest	Do not enter the field within 2 days after spraying
BIOSTADT PHILIPPINES INC.	CARTAP HYDROCHLORIDE	WOKTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	097-106-2201	21-Sep-24	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/36 L water	-	Spraying shall be stopped 10 days before harvest	Do not enter the field within 2 days after spraying
BIOSTADT PHILIPPINES INC.	CARTAP HYDROCHLORIDE	WOKTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	097-106-2201	21-Sep-24	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/36 L water	-	Spraying shall be stopped 10 days before harvest	Do not enter the field within 2 days after spraying
BIOSTADT PHILIPPINES INC.	CARTAP HYDROCHLORIDE	WOKTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	097-106-2201	21-Sep-24	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/36 L water	-	Spraying shall be stopped 10 days before harvest	Do not enter the field within 2 days after spraying
BIOSTADT PHILIPPINES INC.	CARTAP HYDROCHLORIDE	WOKTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	097-106-2201	21-Sep-24	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, aphids, leafworm, tuber moth, leafminer	1.5-2.0Tbsp/36 L water	-	Spraying shall be stopped 10 days before harvest	Do not enter the field within 2 days after spraying
BIOSTADT PHILIPPINES INC.	CARTAP HYDROCHLORIDE	WOKTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	097-106-2201	21-Sep-24	SYSTEMIC	Mango	leafhopper	1.5-2.0Tbsp/36 L water	-	Spraying shall be stopped 10 days before harvest	Do not enter the field within 2 days after spraying
BIOSTADT PHILIPPINES INC.	CARTAP HYDROCHLORIDE	WOKTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	097-106-2201	21-Sep-24	SYSTEMIC	Cabbage	Diamond-back moth, cabbage moth, cabbage worm, aphids	1.5-2.0Tbsp/36 L water	-	Spraying shall be stopped 10 days before harvest	Do not enter the field within 2 days after spraying
BIOSTADT PHILIPPINES INC.	CARTAP HYDROCHLORIDE	WOKTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	097-106-2201	21-Sep-24	SYSTEMIC	Waterbok	Diamond-back moth, cabbage moth, cabbage worm, aphids	1.5-2.0Tbsp/36 L water	-	Spraying shall be stopped 10 days before harvest	Do not enter the field within 2 days after spraying
BIOSTADT PHILIPPINES INC.	CARTAP HYDROCHLORIDE	WOKTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	097-106-2201	21-Sep-24	SYSTEMIC	Peachay	Looper, cutworm, aphids	1.5-3.0Tbsp/36 L water	-	Spraying shall be stopped 10 days before harvest	Do not enter the field within 2 days after spraying
GREEN THUMB EXPERT VENTURES, INC.	CYPERMETHRIN	WIZARD 5 EC	50 g/L	EC	INSECTICIDE	4	596-037-4117	06-Jul-24	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GREEN THUMB EXPERT VENTURES, INC.	CYPERMETHRIN	WIZARD 5 EC	50 g/L	EC	INSECTICIDE	4	596-037-4117	06-Jul-24	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leafhopper, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GREEN THUMB EXPERT VENTURES, INC.	CYPERMETHRIN	WIZARD 5 EC	50 g/L	EC	INSECTICIDE	4	596-037-4117	06-Jul-24	CONTACT	Cabbage	Diamond-back-moth, cabbage moth, worm	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GREEN THUMB EXPERT VENTURES, INC.	CYPERMETHRIN	WIZARD 5 EC	50 g/L	EC	INSECTICIDE	4	596-037-4117	06-Jul-24	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GREEN THUMB EXPERT VENTURES, INC.	CYPERMETHRIN	WIZARD 5 EC	50 g/L	EC	INSECTICIDE	4	596-037-4117	06-Jul-24	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GREEN THUMB EXPERT VENTURES, INC.	CYPERMETHRIN	WIZARD 5 EC	50 g/L	EC	INSECTICIDE	4	596-037-4117	06-Jul-24	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GREEN THUMB EXPERT VENTURES, INC.	CYPERMETHRIN	WIZARD 5 EC	50 g/L	EC	INSECTICIDE	4	596-037-4117	06-Jul-24	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GREEN THUMB EXPERT VENTURES, INC.	CYPERMETHRIN	WIZARD 5 EC	50 g/L	EC	INSECTICIDE	4	596-037-4117	06-Jul-24	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GREEN THUMB EXPERT VENTURES, INC.	CYPERMETHRIN	WIZARD 5 EC	50 g/L	EC	INSECTICIDE	4	596-037-4117	06-Jul-24	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-2.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GREEN THUMB EXPERT VENTURES, INC.	CYPERMETHRIN	WIZARD 5 EC	50 g/L	EC	INSECTICIDE	4	596-037-4117	06-Jul-24	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GREEN THUMB EXPERT VENTURES, INC.	CYPERMETHRIN	WIZARD 5 EC	50 g/L	EC	INSECTICIDE	4	596-037-4117	06-Jul-24	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
MONARCH AGRICULTURAL PRODUCTS, INC.	GLYPHOSATE IPA	WIFE CUT 360 g/L	360 g/L	SL	HERBICIDE	4	096-151-2023	04-Jan-22	POST-EMERGENT	Non-crop areas	common grassy fields	24-48 Tbsp/36L sprayer	-	-	-
CFS AGR VENTURES, INC.	CYPERMETHRIN	WINNIST 5 EC	50 g/L	EC	INSECTICIDE	4	631-037-4723	17-Mar-26	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
CFS AGR VENTURES, INC.	CYPERMETHRIN	WINNIST 5 EC	50 g/L	EC	INSECTICIDE	4	631-037-4723	17-Mar-26	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leafhopper, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
CFS AGR VENTURES, INC.	CYPERMETHRIN	WINNIST 5 EC	50 g/L	EC	INSECTICIDE	4	631-037-4723	17-Mar-26	CONTACT	Cabbage	Diamond-back-moth, cabbage moth, worm	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
CFS AGR VENTURES, INC.	CYPERMETHRIN	WINNIST 5 EC	50 g/L	EC	INSECTICIDE	4	631-037-4723	17-Mar-26	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
CFS AGR VENTURES, INC.	CYPERMETHRIN	WINNIST 5 EC	50 g/L	EC	INSECTICIDE	4	631-037-4723	17-Mar-26	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
CFS AGR VENTURES, INC.	CYPERMETHRIN	WINNIST 5 EC	50 g/L	EC	INSECTICIDE	4	631-037-4723	17-Mar-26	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
CFS AGR VENTURES, INC.	CYPERMETHRIN	WINNIST 5 EC	50 g/L	EC	INSECTICIDE	4	631-037-4723	17-Mar-26	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
CFS AGR VENTURES, INC.	CYPERMETHRIN	WINNIST 5 EC	50 g/L	EC	INSECTICIDE	4	631-037-4723	17-Mar-26	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
CFS AGR VENTURES, INC.	CYPERMETHRIN	WINNIST 5 EC	50 g/L	EC	INSECTICIDE	4	631-037-4723	17-Mar-26	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
CFS AGR VENTURES, INC.	CYPERMETHRIN	WINNIST 5 EC	50 g/L	EC	INSECTICIDE	4	631-037-4723	17-Mar-26	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
CFS AGR VENTURES, INC.	CYPERMETHRIN	WINNIST 5 EC	50 g/L	EC	INSECTICIDE	4	631-037-4723	17-Mar-26	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
VERDANT LUSTERCORE CORPORATION	GLYPHOSATE IPA	WILDFIRE 160 SL	160 g/L	SL	HERBICIDE	4	546-151-3499	14-Aug-18	POST-EMERGENT	Non-crop areas	common grassy fields	-	-	-	-
CULTIVA INCORPORATED	METHOML	WILD KID 40 SP	400 g/kg	SP	INSECTICIDE	2	201-164-1577	15-Oct-25	SYSTEMIC/CONTACT	Banana	Thrips	1.5-2 Sachet/36L Sprayer	-	-	Do not enter field treated with WILD KID 40 SP within 12 hours after application
CULTIVA INCORPORATED	METHOML	WILD KID 40 SP	400 g/kg	SP	INSECTICIDE	2	201-164-1577	15-Oct-25	SYSTEMIC/CONTACT	Beans	Leafhopper, flea beetle , beanfly, podborer, aphids	1 Sachet/36L Sprayer	-	-	Do not enter field treated with WILD KID 40 SP within 12 hours after application
CULTIVA INCORPORATED	METHOML	WILD KID 40 SP	400 g/kg	SP	INSECTICIDE	2	201-164-1577	15-Oct-25	SYSTEMIC/CONTACT	Mungbeans	Leafhopper, flea beetle , beanfly, podborer, aphids	1 Sachet/36L Sprayer	-	-	Do not enter field treated with WILD KID 40 SP within 12 hours after application
CULTIVA INCORPORATED	METHOML	WILD KID 40 SP	400 g/kg	SP	INSECTICIDE	2	201-164-1577	15-Oct-25	SYSTEMIC/CONTACT	Soybeans	Leafhopper, flea beetle , beanfly, podborer, aphids	1 Sachet/36L Sprayer	-	-	Do not enter field treated with WILD KID 40 SP within 12 hours after application
CULTIVA INCORPORATED	METHOML	WILD KID 40 SP	400 g/kg	SP	INSECTICIDE	2	201-164-1577	15-Oct-25	SYSTEMIC/CONTACT	Sitae	leafhopper, flea beetle , beanfly, podborer, aphids	1 Sachet/36L Sprayer	-	-	Do not enter field treated with WILD KID 40 SP within 12 hours after application
CULTIVA INCORPORATED	METHOML	WILD KID 40 SP	400 g/kg	SP	INSECTICIDE	2	201-164-1577	15-Oct-25	SYSTEMIC/CONTACT	Corn	Cornborer, earworm	1 Sachet/36L Sprayer	-	-	Do not enter field treated with WILD KID 40 SP within 12 hours after application
CULTIVA INCORPORATED	METHOML	WILD KID 40 SP	400 g/kg	SP	INSECTICIDE	2	201-164-1577	15-Oct-25	SYSTEMIC/CONTACT	Sorghum	Cornborer, earworm	1 Sachet/36L Sprayer	-	-	Do not enter field treated with WILD KID 40 SP within 12 hours after application
CULTIVA INCORPORATED	METHOML	WILD KID 40 SP	400 g/kg	SP	INSECTICIDE	2	201-164-1577	15-Oct-25	SYSTEMIC/CONTACT	Eggplant	Aphids, flea beetle, fruitworm, lady beetle	1 Sachet/36L Sprayer	-	-	Do not enter field treated with WILD KID 40 SP within 12 hours after application
CULTIVA INCORPORATED	METHOML	WILD KID 40 SP	400 g/kg	SP	INSECTICIDE	2	201-164-1577	15-Oct-25	SYSTEMIC/CONTACT	Melon	Aphids, Squash beetle , leafhopper	1 Sachet/36L Sprayer	-	-	Do not enter field treated with WILD KID 40 SP within 12 hours after application
CULTIVA INCORPORATED	METHOML	WILD KID 40 SP	400 g/kg	SP	INSECTICIDE	2	201-164-1577	15-Oct-25	SYSTEMIC/CONTACT	Rice	Green leafhopper, armyworm, caseworm, leafhopper	1 Sachet/36L Sprayer	0.03ppm	3 Days	Do not enter field treated with WILD KID 40 SP within 12 hours after application
CULTIVA INCORPORATED	METHOML	WILD KID 40 SP	400 g/kg	SP	INSECTICIDE	2	201-164-1577	15-Oct-25	SYSTEMIC/CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	1 Sachet/36L Sprayer	-	-	Do not enter field treated with WILD KID 40 SP within 12 hours after application

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
CULTIVA INCORPORATED	METHOMYL	WILD KID 40 SP	400 g/kg	SP	INSECTICIDE	2	201-164-1577	15-Oct-25	SYSTEMIC/CONTACT	Tomato	Tomato fruitworm, aphids	1 Sachet/36L Sprayer	-	-	Do not enter field treated with WILD KID 40 SP within 12 hours after application
BERRIS AGRICULTURAL CO., INC.	DELTAMETHRIN	WHZZZ 2.5 EC	25 g/L	EC	INSECTICIDE	4	233-085-2051	13-Aug-22	-	Mango	Hopper, tip borer, twig borer	0.8-1.0 Tbsp/36L water	-	-	24 hours after each spray
BERRIS AGRICULTURAL CO., INC.	DELTAMETHRIN	WHZZZ 2.5 EC	25 g/L	EC	INSECTICIDE	4	233-085-2051	13-Aug-22	-	Cabbage & other crucifers	Diamond-back moth, cabbage moth, cabbage worm	0.1 Tbsp/36L water	-	-	24 hours after each spray
BERRIS AGRICULTURAL CO., INC.	DELTAMETHRIN	WHZZZ 2.5 EC	25 g/L	EC	INSECTICIDE	4	233-085-2051	13-Aug-22	-	Tobacco	Budworm, armyworm, cutworm	0.8-1.0 Tbsp/36L water	-	-	24 hours after each spray
BERRIS AGRICULTURAL CO., INC.	DELTAMETHRIN	WHZZZ 2.5 EC	25 g/L	EC	INSECTICIDE	4	233-085-2051	13-Aug-22	-	Beans	Flea beetle, beanfly, bugs, thrips, cutworm, armyworm, podborer, gemlopper, bean lecanid	0.8-1.0 Tbsp/36L water	-	-	24 hours after each spray
BERRIS AGRICULTURAL CO., INC.	DELTAMETHRIN	WHZZZ 2.5 EC	25 g/L	EC	INSECTICIDE	4	233-085-2051	13-Aug-22	-	Soybeans	Flea beetle, beanfly, bugs, thrips, cutworm, armyworm, podborer, gemlopper, bean lecanid	0.8-1.0 Tbsp/36L water	-	-	24 hours after each spray
BERRIS AGRICULTURAL CO., INC.	DELTAMETHRIN	WHZZZ 2.5 EC	25 g/L	EC	INSECTICIDE	4	233-085-2051	13-Aug-22	-	Tomato	Fruitworm (heliothis)	0.8-1.0 Tbsp/36L water	-	-	24 hours after each spray
BERRIS AGRICULTURAL CO., INC.	DELTAMETHRIN	WHZZZ 2.5 EC	25 g/L	EC	INSECTICIDE	4	233-085-2051	13-Aug-22	-	Corn	Corn borer, corn earworm, seedling maggots	0.1 Tbsp/36L water	-	-	24 hours after each spray
BERRIS AGRICULTURAL CO., INC.	DELTAMETHRIN	WHZZZ 2.5 EC	25 g/L	EC	INSECTICIDE	4	233-085-2051	13-Aug-22	-	Eggplant	Thrips, flea beetle, fruitworm	0.1 Tbsp/36L water	-	-	24 hours after each spray
BERRIS AGRICULTURAL CO., INC.	DELTAMETHRIN	WHZZZ 2.5 EC	25 g/L	EC	INSECTICIDE	4	233-085-2051	13-Aug-22	-	Cotton	Leafhopper, bollworm, weevil	0.8-1.0 Tbsp/36L water	-	-	24 hours after each spray
BERRIS AGRICULTURAL CO., INC.	DELTAMETHRIN	WHZZZ 2.5 EC	25 g/L	EC	INSECTICIDE	4	233-085-2051	13-Aug-22	-	Agricultural crops	Locusts-nymphs/ Locusts-adult	1.0-1.5"/ 3.0 Tbsp/ 36L water	-	-	24 hours after each spray
BERRIS AGRICULTURAL CO., INC.	DELTAMETHRIN	WHZZZ 2.5 EC	25 g/L	EC	INSECTICIDE	4	233-085-2051	13-Aug-22	-	Cacao	Podborer, aphids	0.1 Tbsp/36L water	-	-	24 hours after each spray
VERDANT LUSTERCORE CORPORATION	BUTACHLOR	WHPLASH 600 EC	600 g/L	EC	HERBICIDE	4	546-150-3372	30-Jan-18	PRE-EMERGENT	Rice (Direct-seeded)	Grasses and sedges	9bsp (2-4 DAT)/9Tbsp(0-4 DAT) 0Tbsp/77bp	0.1 ppm	-	-
VERDANT LUSTERCORE CORPORATION	BUTACHLOR	WHPLASH 600 EC	600 g/L	EC	HERBICIDE	4	546-150-3372	30-Jan-18	PRE-EMERGENT	Rice (Transplanted)	Grasses and sedges	9bsp (2-4 DAT)/9Tbsp(0-4 DAT) 0Tbsp/77bp	0.1 ppm	-	-
JARDINE DISTRIBUTION, INC.	D-LIMONENE	WETCIT	60 g/L	SL	FUNGICIDE	4	N67-534-4843	23-Jul-24	-	Banana	Black sigatoka	0.5 L product per hectare (in combination with fungicide, MA 1:5-3.0Tbsp/36L water	-	-	-
WELLCHEM CORPORATION	MALATHION	WELLCHEM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	236-038-3479	24-Aug-24	NON-SYSTEMIC	Fruit trees	Aphids, mealy bug scale insect	1.0-3.0Tbsp/36L water	-	-	-
WELLCHEM CORPORATION	MALATHION	WELLCHEM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	236-038-3479	24-Aug-24	NON-SYSTEMIC	Rice	Armyworm, caseworm, leafhopper, bugs	2.0-3.0Tbsp/36L water	-	-	-
WELLCHEM CORPORATION	MALATHION	WELLCHEM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	236-038-3479	24-Aug-24	NON-SYSTEMIC	Corn	Earworm, silkworm, aphids, grasshopper	3.0-5.0Tbsp/36L water	-	-	-
WELLCHEM CORPORATION	MALATHION	WELLCHEM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	236-038-3479	24-Aug-24	NON-SYSTEMIC	Cabbage	Cabbage worm, loopers, diamond-back moth	2.0-5.0Tbsp/36L water	-	-	-
WELLCHEM CORPORATION	MALATHION	WELLCHEM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	236-038-3479	24-Aug-24	NON-SYSTEMIC	Legumes	Aphids, beanfly, cutworm, flea beetles, leafminer, maggots, mealybug, podborer, thrips	2.0-5.0Tbsp/36L water	-	-	-
WELLCHEM CORPORATION	MALATHION	WELLCHEM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	236-038-3479	24-Aug-24	NON-SYSTEMIC	Grapes	Beetles, cutworm, leafhopper, mealybug, scale, insect, spider mites	3.0Tbsp/36L water	-	-	-
WELLCHEM CORPORATION	MALATHION	WELLCHEM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	236-038-3479	24-Aug-24	NON-SYSTEMIC	Pineapple	Mealy bug	3.0Tbsp/36L water	-	-	-
WELLCHEM CORPORATION	MALATHION	WELLCHEM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	236-038-3479	24-Aug-24	NON-SYSTEMIC	Pepper	Aphid, cutworm, fruitworm	3.0Tbsp/36L water	-	-	-
WELLCHEM CORPORATION	MALATHION	WELLCHEM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	236-038-3479	24-Aug-24	NON-SYSTEMIC	Garlic	Cutworm	3.0Tbsp/36L water	-	-	-
WELLCHEM CORPORATION	MALATHION	WELLCHEM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	236-038-3479	24-Aug-24	NON-SYSTEMIC	Onion	Cutworm	3.0Tbsp/36L water	-	-	-
WELLCHEM CORPORATION	MALATHION	WELLCHEM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	236-038-3479	24-Aug-24	NON-SYSTEMIC	Tobacco	Aphids, katydid	3.0-6.0Tbsp/36L water	-	-	-
WELLCHEM CORPORATION	MALATHION	WELLCHEM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	236-038-3479	24-Aug-24	NON-SYSTEMIC	Ornamentals	Aphids, cutworm, mealybug, scale insect, spider mites	3.0-5.0Tbsp/36L water	-	-	-
WELLCHEM CORPORATION	MALATHION	WELLCHEM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	236-038-3479	24-Aug-24	NON-SYSTEMIC	Tomato	Lady beetle	3.0-5.0Tbsp/36L water	-	-	-
WELLCHEM CORPORATION	MALATHION	WELLCHEM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	236-038-3479	24-Aug-24	NON-SYSTEMIC	Eggplant	Aphids, fruitworm	3.0-5.0Tbsp/36L water	-	-	-
WELLCHEM CORPORATION	MALATHION	WELLCHEM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	236-038-3479	24-Aug-24	NON-SYSTEMIC	Sorghum	Web worm	3.0Tbsp/36L water	-	-	-
WELLCHEM CORPORATION	GLYPHOSATE IPA	WELLCHEM GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	236-151-4276	05-Mar-24	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/ha	-	-	-
WELLCHEM CORPORATION	GLYPHOSATE IPA	WELLCHEM GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	236-151-4276	05-Mar-24	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
WELLCHEM CORPORATION	GLYPHOSATE IPA	WELLCHEM GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	236-151-4276	05-Mar-24	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
WELLCHEM CORPORATION	GLYPHOSATE IPA	WELLCHEM GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	236-151-4276	05-Mar-24	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
WELLCHEM CORPORATION	GLYPHOSATE IPA	WELLCHEM GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	236-151-4276	05-Mar-24	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
WELLCHEM CORPORATION	GLYPHOSATE IPA	WELLCHEM GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	236-151-4276	05-Mar-24	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
WELLCHEM CORPORATION	GLYPHOSATE IPA	WELLCHEM GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	236-151-4276	05-Mar-24	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
WELLCHEM CORPORATION	GLYPHOSATE IPA	WELLCHEM GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	236-151-4276	05-Mar-24	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
WELLCHEM CORPORATION	GLYPHOSATE IPA	WELLCHEM GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	236-151-4276	05-Mar-24	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/ha	-	-	-
WELLCHEM CORPORATION	GLYPHOSATE IPA	WELLCHEM GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	236-151-4276	05-Mar-24	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
WELLCHEM CORPORATION	GLYPHOSATE IPA	WELLCHEM GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	236-151-4276	05-Mar-24	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
WELLCHEM CORPORATION	GLYPHOSATE IPA	WELLCHEM GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	236-151-4276	05-Mar-24	POST-EMERGENT	Non-crop	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
WELLCHEM CORPORATION	CHLORPYRIFOS	WELLCHEM CHLORPYRIFOS 300 EC	300 g/L	EC	INSECTICIDE	2	236-101-4275	05-Mar-25	-	Rice	Stemborer, armyworm, leafhopper, caseworm, planthopper, cutworm	2.5-3.5 Tbsp/36L water	-	-	-
WELLCHEM CORPORATION	CHLORPYRIFOS	WELLCHEM CHLORPYRIFOS 300 EC	300 g/L	EC	INSECTICIDE	2	236-101-4275	05-Mar-25	-	Potato	Tuber moth, leafhopper, cutworm, aphids	2.5-3.5 Tbsp/36L water	-	-	-
WELLCHEM CORPORATION	CHLORPYRIFOS	WELLCHEM CHLORPYRIFOS 300 EC	300 g/L	EC	INSECTICIDE	2	236-101-4275	05-Mar-25	-	Corn	Armyworm, cornborer, earworm, seedling maggots	2.5-3.5 Tbsp/36L water	-	-	-
WELLCHEM CORPORATION	CHLORPYRIFOS	WELLCHEM CHLORPYRIFOS 300 EC	300 g/L	EC	INSECTICIDE	2	236-101-4275	05-Mar-25	-	Beans	Beanfly, leafroller, podborer, cutworm, armyworm	2.5-3.5 Tbsp/36L water	-	-	-
WELLCHEM CORPORATION	ATRAZINE	WESSER ATRAZINE 80 WP	800 g/kg	WP	HERBICIDE	4	236-005-0965-A	21-Sep-26	SELECTIVE (PRE-EMERGENCE)	Corn	Broadleaf weeds & annual grasses	8-12Tbsp/36L water	-	-	Do not enter fields within (5) days after application
WELLCHEM CORPORATION	ATRAZINE	WESSER ATRAZINE 80 WP	800 g/kg	WP	HERBICIDE	4	236-005-0965-A	21-Sep-26	SELECTIVE (PRE-EMERGENCE)	Sorghum	Broadleaf weeds & annual grasses	8-12Tbsp/36L water	-	-	Do not enter fields within (5) days after application
WELLCHEM CORPORATION	ATRAZINE	WESSER ATRAZINE 80 WP	800 g/kg	WP	HERBICIDE	4	236-005-0965-A	21-Sep-26	SELECTIVE (PRE-EMERGENCE)	Sugarcane	Broadleaf weeds & annual grasses	8-12Tbsp/36L water	-	-	Do not enter fields within (5) days after application
VENTUROSA AGRIC TRADING	GLYPHOSATE IPA	WEIDZERO PLUS 480 SL	480 g/L	SL	HERBICIDE	4	725-151-5791	30-Nov-25	-	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/ha	-	-	-
VENTUROSA AGRIC TRADING	GLYPHOSATE IPA	WEIDZERO PLUS 480 SL	480 g/L	SL	HERBICIDE	4	725-151-5791	30-Nov-25	-	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
VENTUROSA AGRIC TRADING	GLYPHOSATE IPA	WEIDZERO PLUS 480 SL	480 g/L	SL	HERBICIDE	4	725-151-5791	30-Nov-25	-	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
VENTUROSA AGRIC TRADING	GLYPHOSATE IPA	WEIDZERO PLUS 480 SL	480 g/L	SL	HERBICIDE	4	725-151-5791	30-Nov-25	-	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
VENTUROSA AGRIC TRADING	GLYPHOSATE IPA	WEIDZERO PLUS 480 SL	480 g/L	SL	HERBICIDE	4	725-151-5791	30-Nov-25	-	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
VENTUROSA AGRIC TRADING	GLYPHOSATE IPA	WEIDZERO PLUS 480 SL	480 g/L	SL	HERBICIDE	4	725-151-5791	30-Nov-25	-	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
VENTUROSA AGRIC TRADING	GLYPHOSATE IPA	WEIDZERO PLUS 480 SL	480 g/L	SL	HERBICIDE	4	725-151-5791	30-Nov-25	-	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
VENTUROSA AGR TRADING	GLYPHOSATE IPA	WEEZERO PLUS 480 SL	480 g/L	SL	HERBICIDE	4	725-151-5791	30-Nov-25	-	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
VENTUROSA AGR TRADING	GLYPHOSATE IPA	WEEZERO PLUS 480 SL	480 g/L	SL	HERBICIDE	4	725-151-5791	30-Nov-25	-	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/ha	-	-	-
VENTUROSA AGR TRADING	GLYPHOSATE IPA	WEEZERO PLUS 480 SL	480 g/L	SL	HERBICIDE	4	725-151-5791	30-Nov-25	-	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
VENTUROSA AGR TRADING	GLYPHOSATE IPA	WEEZERO PLUS 480 SL	480 g/L	SL	HERBICIDE	4	725-151-5791	30-Nov-25	-	non-crop & minimum tillage system	Annual & perennial grasses, broadleaf weeds & sedges	2.4 Liters/ha	-	-	-
AGCHEM MANUFACTURING CORPORATION	2,4-D IBE	WEEOTROL 40 EC	490 g/L	EC	HERBICIDE	2	001-049-0080	31-Dec-26	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	0.1 ppm	Do not spray within two days before harvest	Entry to fields and crops treated with WEEOTROL EC can be done one day after spraying
AGCHEM MANUFACTURING CORPORATION	2,4-D IBE	WEEOTROL 40 EC	490 g/L	EC	HERBICIDE	2	001-049-0080	31-Dec-26	SELECTIVE (POST-EMERGENT)	corn	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	-	Do not spray within two days before harvest	Entry to fields and crops treated with WEEOTROL EC can be done one day after spraying
AGCHEM MANUFACTURING CORPORATION	2,4-D IBE	WEEOTROL 40 EC	490 g/L	EC	HERBICIDE	2	001-049-0080	31-Dec-26	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	-	Do not spray within two days before harvest	Entry to fields and crops treated with WEEOTROL EC can be done one day after spraying
FARMON AGR COMMUNITY CORPORATION	BISPYRIBAC SODIUM	WEEOTRM+ 100 SC	104.6 g/L	SC	HERBICIDE	4	621-278-4543	27-Oct-21	SELECTIVE (POST-EMERGENCE)	Rice (Direct-Seeded lowland)	Grasses, sedges & broadleaves	150ml/16 L water, 20 spray/load/ hectare	0.1 ppm	-	Entry to treated field is allowed as soon as spray deposits on crops and weeds have dried
CHEMREZ TECHNOLOGIES, INC.	GLUFOSINATE AMMONIUM	WEEDSTOP	150 g/L	SL	HERBICIDE	4	529-182-4677	01-Mar-25	NON-SELECTIVE(POST-EMERGENT)	Rubber	Annual & Perennial grasses, sedges & broadleaf weeds	215, 270, 135ml/16L water	-	-	-
CHEMREZ TECHNOLOGIES, INC.	GLUFOSINATE AMMONIUM	WEEDSTOP	150 g/L	SL	HERBICIDE	4	529-182-4677	01-Mar-25	NON-SELECTIVE(POST-EMERGENT)	Oil palm	Annual & Perennial grasses, sedges & broadleaf weeds	160, 135ml/16L water	-	-	-
CHEMREZ TECHNOLOGIES, INC.	GLUFOSINATE AMMONIUM	WEEDSTOP	150 g/L	SL	HERBICIDE	4	529-182-4677	01-Mar-25	NON-SELECTIVE(POST-EMERGENT)	Non-crop agricultural areas	Annual & Perennial grasses, sedges & broadleaf weeds	160-215 ml/16L water	-	-	-
CHEMREZ TECHNOLOGIES, INC.	GLUFOSINATE AMMONIUM	WEEDSTOP	150 g/L	SL	HERBICIDE	4	529-182-4677	01-Mar-25	NON-SELECTIVE(POST-EMERGENT)	Coffee	Annual & Perennial grasses, sedges & broadleaf weeds	160, 135ml/16L water	-	-	-
CHEMREZ TECHNOLOGIES, INC.	GLUFOSINATE AMMONIUM	WEEDSTOP	150 g/L	SL	HERBICIDE	4	529-182-4677	01-Mar-25	NON-SELECTIVE(POST-EMERGENT)	Citrus	Annual & Perennial grasses, sedges & broadleaf weeds	160, 135ml/16L water	-	-	-
CHEMREZ TECHNOLOGIES, INC.	GLUFOSINATE AMMONIUM	WEEDSTOP	150 g/L	SL	HERBICIDE	4	529-182-4677	01-Mar-25	NON-SELECTIVE(POST-EMERGENT)	Cavendish Banana	Annual & Perennial grasses, sedges & broadleaf weeds	160, 135-200 ml/16L water	0.2 mg/kg	-	-
CHEMREZ TECHNOLOGIES, INC.	GLUFOSINATE AMMONIUM	WEEDSTOP	150 g/L	SL	HERBICIDE	4	529-182-4677	01-Mar-25	NON-SELECTIVE(POST-EMERGENT)	Cacao	Annual & Perennial grasses, sedges & broadleaf weeds	160, 135ml/16L water	-	-	-
S&P ENTERPRISES, INC.	FLUAZIFOP-P-BUTYL	WEEDSHOT 15 EC	150 g/L	EC	HERBICIDE	4	566-212-4540	18-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Banana	Grasses; Itchgrass, goosegrass, sour papalum, crabgrasses, bermuda grasses & crowfoot grass	30-100ml/16 L sprayload	-	-	-
S&P ENTERPRISES, INC.	FLUAZIFOP-P-BUTYL	WEEDSHOT 15 EC	150 g/L	EC	HERBICIDE	4	566-212-4540	18-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Cacao	Grasses; Itchgrass, goosegrass, sour papalum, crabgrasses, bermuda grasses & crowfoot grass	30-100ml/16 L sprayload	-	-	-
S&P ENTERPRISES, INC.	FLUAZIFOP-P-BUTYL	WEEDSHOT 15 EC	150 g/L	EC	HERBICIDE	4	566-212-4540	18-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Citrus	Grasses; Itchgrass, goosegrass, sour papalum, crabgrasses, bermuda grasses & crowfoot grass	30-100ml/16 L sprayload	-	-	-
S&P ENTERPRISES, INC.	FLUAZIFOP-P-BUTYL	WEEDSHOT 15 EC	150 g/L	EC	HERBICIDE	4	566-212-4540	18-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Cotton	Grasses; Itchgrass, goosegrass, sour papalum, crabgrasses, bermuda grasses & crowfoot grass	30-100ml/16 L sprayload	-	-	-
S&P ENTERPRISES, INC.	FLUAZIFOP-P-BUTYL	WEEDSHOT 15 EC	150 g/L	EC	HERBICIDE	4	566-212-4540	18-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Coffee	Grasses; Itchgrass, goosegrass, sour papalum, crabgrasses, bermuda grasses & crowfoot grass	30-100ml/16 L sprayload	-	-	-
S&P ENTERPRISES, INC.	FLUAZIFOP-P-BUTYL	WEEDSHOT 15 EC	150 g/L	EC	HERBICIDE	4	566-212-4540	18-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Oil palm	Grasses; Itchgrass, goosegrass, sour papalum, crabgrasses, bermuda grasses & crowfoot grass	30-100ml/16 L sprayload	-	-	-
S&P ENTERPRISES, INC.	FLUAZIFOP-P-BUTYL	WEEDSHOT 15 EC	150 g/L	EC	HERBICIDE	4	566-212-4540	18-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Peanut	Grasses; Itchgrass, goosegrass, sour papalum, crabgrasses, bermuda grasses & crowfoot grass	30-100ml/16 L sprayload	-	-	-
S&P ENTERPRISES, INC.	FLUAZIFOP-P-BUTYL	WEEDSHOT 15 EC	150 g/L	EC	HERBICIDE	4	566-212-4540	18-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Rubber	Grasses; Itchgrass, goosegrass, sour papalum, crabgrasses, bermuda grasses & crowfoot grass	30-100ml/16 L sprayload	-	-	-
S&P ENTERPRISES, INC.	FLUAZIFOP-P-BUTYL	WEEDSHOT 15 EC	150 g/L	EC	HERBICIDE	4	566-212-4540	18-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Onion	Grasses; Itchgrass, goosegrass, sour papalum, crabgrasses, bermuda grasses & crowfoot grass	30-100ml/16 L sprayload	-	-	-
S&P ENTERPRISES, INC.	FLUAZIFOP-P-BUTYL	WEEDSHOT 15 EC	150 g/L	EC	HERBICIDE	4	566-212-4540	18-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Pineapple	Grasses; Itchgrass, goosegrass, sour papalum, crabgrasses, bermuda grasses & crowfoot grass	30-100ml/16 L sprayload	-	-	-
S&P ENTERPRISES, INC.	FLUAZIFOP-P-BUTYL	WEEDSHOT 15 EC	150 g/L	EC	HERBICIDE	4	566-212-4540	18-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Soybeans	Grasses; Itchgrass, goosegrass, sour papalum, crabgrasses, bermuda grasses & crowfoot grass	30-100ml/16 L sprayload	-	-	-
S&P ENTERPRISES, INC.	FLUAZIFOP-P-BUTYL	WEEDSHOT 15 EC	150 g/L	EC	HERBICIDE	4	566-212-4540	18-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Tomato	Grasses; Itchgrass, goosegrass, sour papalum, crabgrasses, bermuda grasses & crowfoot grass	30-100ml/16 L sprayload	-	-	-
UNITED AGRO TRADE CORPORATION	BUTACHLOR-2,4-D IBE	WEEDRO 60 EC	360+240 g/L	EC	HERBICIDE	3	264-152-2433	30-Sep-24	PRE-EMERGENT	Rice (Direct-seeded)	Broadleaf weeds,grasses & sedges	8-20Tbsp/16 L sprayload	Butachlor 0.1ppm 2,4-D IBE 0.1ppm	-	-
UNITED AGRO TRADE CORPORATION	BUTACHLOR-2,4-D IBE	WEEDRO 60 EC	360+240 g/L	EC	HERBICIDE	3	264-152-2433	30-Sep-24	PRE-EMERGENT	Rice (Transplanted)	Broadleaf weeds,grasses & sedges	8-20Tbsp/16 L sprayload	Butachlor 0.1ppm 2,4-D IBE 0.1ppm	-	-
JARDINE DISTRIBUTION, INC.	2,4-D IBE	WEEDKILL 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	367-049-0547	24-Oct-26	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	0.1 ppm	-	One day after application
JARDINE DISTRIBUTION, INC.	2,4-D IBE	WEEDKILL 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	367-049-0547	24-Oct-26	SELECTIVE (POST-EMERGENT)	corn	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	-	-	One day after application
JARDINE DISTRIBUTION, INC.	2,4-D IBE	WEEDKILL 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	367-049-0547	24-Oct-26	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	-	-	One day after application
LEADS AGRICULTURAL PRODUCTS CORPORATION	BUTACHLOR-2,4-D IBE	WEEDGUARD PLUS 60 EC	360+240 g/L	EC	HERBICIDE	4	099-152-3774-A	17-Nov-26	PRE-EMERGENT	Rice (Transplanted)	Broadleaf weeds,grasses & sedges	8-20Tbsp/16 L sprayload	Butachlor 0.1ppm 2,4-D IBE 0.1ppm	-	-
LEADS AGRICULTURAL PRODUCTS CORPORATION	BUTACHLOR-2,4-D IBE	WEEDGUARD PLUS 60 EC	360+240 g/L	EC	HERBICIDE	4	099-152-3774-A	17-Nov-26	PRE-EMERGENT	Rice (Direct-seeded)	Broadleaf weeds,grasses & sedges	8-20Tbsp/16 L sprayload	Butachlor 0.1ppm 2,4-D IBE 0.1ppm	-	-
DONATO C. CRUZ TRADING CORPORATION	DIURON	WEDEX 80 WP	800 g/kg	WP	HERBICIDE	4	587-021-4943	28-Jul-20	SYSTEMIC	Citrus	Blanket application against broadleaves and annual grasses	11.0-19.0 Tbsp/16 L water	-	-	24 hours after application
DONATO C. CRUZ TRADING CORPORATION	DIURON	WEDEX 80 WP	800 g/kg	WP	HERBICIDE	4	587-021-4943	28-Jul-20	SYSTEMIC	Coffee	Direct spray against annual and perennial grasses	11.0-19.0 Tbsp/16 L water	-	-	24 hours after application
DONATO C. CRUZ TRADING CORPORATION	DIURON	WEDEX 80 WP	800 g/kg	WP	HERBICIDE	4	587-021-4943	28-Jul-20	SYSTEMIC	Cotton	Blanket application against broadleaves and annual grasses	6.0 Tbsp/16 L water	-	-	24 hours after application
DONATO C. CRUZ TRADING CORPORATION	DIURON	WEDEX 80 WP	800 g/kg	WP	HERBICIDE	4	587-021-4943	28-Jul-20	SYSTEMIC	Sugarcane	Blanket application against broadleaves and annual grasses	6.5-13.0 Tbsp L water	-	-	24 hours after application
DONATO C. CRUZ TRADING CORPORATION	DIURON	WEDEX 80 WP	800 g/kg	WP	HERBICIDE	4	587-021-4943	28-Jul-20	SYSTEMIC	Pineapple	Blanket application against broadleaves and annual grasses	11.0 Tbsp/16 L water	-	-	24 hours after application
GREENTHUMB AGRISOLUTIONS,INC.	GLYPHOSATE IPA	WEEDER 48 SL	480 g/L	SL	HERBICIDE	4	584-151-3950	23-Dec-22	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/ha	-	-	-
GREENTHUMB AGRISOLUTIONS,INC.	GLYPHOSATE IPA	WEEDER 48 SL	480 g/L	SL	HERBICIDE	4	584-151-3950	23-Dec-22	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /ha	-	-	-
GREENTHUMB AGRISOLUTIONS,INC.	GLYPHOSATE IPA	WEEDER 48 SL	480 g/L	SL	HERBICIDE	4	584-151-3950	23-Dec-22	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /ha	-	-	-
GREENTHUMB AGRISOLUTIONS,INC.	GLYPHOSATE IPA	WEEDER 48 SL	480 g/L	SL	HERBICIDE	4	584-151-3950	23-Dec-22	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /ha	-	-	-
GREENTHUMB AGRISOLUTIONS,INC.	GLYPHOSATE IPA	WEEDER 48 SL	480 g/L	SL	HERBICIDE	4	584-151-3950	23-Dec-22	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /ha	-	-	-
GREENTHUMB AGRISOLUTIONS,INC.	GLYPHOSATE IPA	WEEDER 48 SL	480 g/L	SL	HERBICIDE	4	584-151-3950	23-Dec-22	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
GREENTHUMB AGRISOLUTIONS,INC.	GLYPHOSATE IPA	WEEDER 48 SL	480 g/L	SL	HERBICIDE	4	584-151-3950	23-Dec-22	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
GREENTHUMB AGRISOLUTIONS,INC.	GLYPHOSATE IPA	WEEDER 48 SL	480 g/L	SL	HERBICIDE	4	584-151-3950	23-Dec-22	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
GREENTHUMB AGRISOLUTIONS,INC.	GLYPHOSATE IPA	WEEDER 48 SL	480 g/L	SL	HERBICIDE	4	584-151-3950	23-Dec-22	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/ha	-	-	-
GREENTHUMB AGRISOLUTIONS,INC.	GLYPHOSATE IPA	WEEDER 48 SL	480 g/L	SL	HERBICIDE	4	584-151-3950	23-Dec-22	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
GREENTHUMB AGRISOLUTIONS,INC.	GLYPHOSATE IPA	WEEDER 48 SL	480 g/L	SL	HERBICIDE	4	584-151-3950	23-Dec-22	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
GREENTHUMB AGRISOLUTIONS,INC.	GLYPHOSATE IPA	WEEDER 48 SL	480 g/L	SL	HERBICIDE	4	584-151-3950	23-Dec-22	POST-EMERGENT	non-crop	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
TRANS WORLD TRADING CO., INC.	ETHALOFOP-BUTYL-BISPYRIBAC SODIUM	WEECON 200 OD	160 g/L+40 g/L	OD	HERBICIDE	4	638-904-5386	23-Dec-26	POST-EMERGENT	Rice (Direct-Seeded)	Grasses sedges and Broadleaves	750 mL/ ha, (75mL/ 38L spray load, 10 spray load per ha.	-	-	As soon as spray dries up.
PRIMSTOCKS CHEMICAL CORPORATION	GLYPHOSATE IPA	WEEDBLUSTER 48 SL	480 g/L	SL	HERBICIDE	4	623-151-4386-G	29-Apr-26	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/ha	-	-	-
PRIMSTOCKS CHEMICAL CORPORATION	GLYPHOSATE IPA	WEEDBLUSTER 48 SL	480 g/L	SL	HERBICIDE	4	623-151-4386-G	29-Apr-26	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /ha	-	-	-
PRIMSTOCKS CHEMICAL CORPORATION	GLYPHOSATE IPA	WEEDBLUSTER 48 SL	480 g/L	SL	HERBICIDE	4	623-151-4386-G	29-Apr-26	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /ha	-	-	-
PRIMSTOCKS CHEMICAL CORPORATION	GLYPHOSATE IPA	WEEDBLUSTER 48 SL	480 g/L	SL	HERBICIDE	4	623-151-4386-G	29-Apr-26	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /ha	-	-	-

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
PRIMSTOCKS CHEMICAL CORPORATION	GLYPHOSATE IPA	WEEDBLUSTER 48 SL	480 g/L	SL	HERBICIDE	4	623-151-4386-G	29-Apr-26	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
PRIMSTOCKS CHEMICAL CORPORATION	GLYPHOSATE IPA	WEEDBLUSTER 48 SL	480 g/L	SL	HERBICIDE	4	623-151-4386-G	29-Apr-26	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
PRIMSTOCKS CHEMICAL CORPORATION	GLYPHOSATE IPA	WEEDBLUSTER 48 SL	480 g/L	SL	HERBICIDE	4	623-151-4386-G	29-Apr-26	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
PRIMSTOCKS CHEMICAL CORPORATION	GLYPHOSATE IPA	WEEDBLUSTER 48 SL	480 g/L	SL	HERBICIDE	4	623-151-4386-G	29-Apr-26	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
PRIMSTOCKS CHEMICAL CORPORATION	GLYPHOSATE IPA	WEEDBLUSTER 48 SL	480 g/L	SL	HERBICIDE	4	623-151-4386-G	29-Apr-26	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/ha	-	-	-
PRIMSTOCKS CHEMICAL CORPORATION	GLYPHOSATE IPA	WEEDBLUSTER 48 SL	480 g/L	SL	HERBICIDE	4	623-151-4386-G	29-Apr-26	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
PRIMSTOCKS CHEMICAL CORPORATION	GLYPHOSATE IPA	WEEDBLUSTER 48 SL	480 g/L	SL	HERBICIDE	4	623-151-4386-G	29-Apr-26	POST-EMERGENT	Vegetables under minimum or reduced tillage system	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
PRIMSTOCKS CHEMICAL CORPORATION	GLYPHOSATE IPA	WEEDBLUSTER 48 SL	480 g/L	SL	HERBICIDE	4	623-151-4386-G	29-Apr-26	POST-EMERGENT	Non-crop agricultural areas	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
ORACLE CHEM CORPORATION	GLYPHOSATE IPA	WEEDBURN 480 SL	480 g/L	SL	HERBICIDE	4	417-151-2919	15-Dec-26	POST-EMERGENT	Glyphosate tolerant corn under minimum or reduced	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/ha	-	-	-
ORACLE CHEM CORPORATION	GLYPHOSATE IPA	WEEDBURN 480 SL	480 g/L	SL	HERBICIDE	4	417-151-2919	15-Dec-26	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
ORACLE CHEM CORPORATION	GLYPHOSATE IPA	WEEDBURN 480 SL	480 g/L	SL	HERBICIDE	4	417-151-2919	15-Dec-26	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
ORACLE CHEM CORPORATION	GLYPHOSATE IPA	WEEDBURN 480 SL	480 g/L	SL	HERBICIDE	4	417-151-2919	15-Dec-26	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
ORACLE CHEM CORPORATION	GLYPHOSATE IPA	WEEDBURN 480 SL	480 g/L	SL	HERBICIDE	4	417-151-2919	15-Dec-26	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
ORACLE CHEM CORPORATION	GLYPHOSATE IPA	WEEDBURN 480 SL	480 g/L	SL	HERBICIDE	4	417-151-2919	15-Dec-26	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
ORACLE CHEM CORPORATION	GLYPHOSATE IPA	WEEDBURN 480 SL	480 g/L	SL	HERBICIDE	4	417-151-2919	15-Dec-26	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
ORACLE CHEM CORPORATION	GLYPHOSATE IPA	WEEDBURN 480 SL	480 g/L	SL	HERBICIDE	4	417-151-2919	15-Dec-26	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
ORACLE CHEM CORPORATION	GLYPHOSATE IPA	WEEDBURN 480 SL	480 g/L	SL	HERBICIDE	4	417-151-2919	15-Dec-26	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/ha	-	-	-
ORACLE CHEM CORPORATION	GLYPHOSATE IPA	WEEDBURN 480 SL	480 g/L	SL	HERBICIDE	4	417-151-2919	15-Dec-26	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
ORACLE CHEM CORPORATION	GLYPHOSATE IPA	WEEDBURN 480 SL	480 g/L	SL	HERBICIDE	4	417-151-2919	15-Dec-26	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
ORACLE CHEM CORPORATION	GLYPHOSATE IPA	WEEDBURN 480 SL	480 g/L	SL	HERBICIDE	4	417-151-2919	15-Dec-26	POST-EMERGENT	Non-crop areas	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
INTEGRATED CROP TRADING CORPORATION	GLYPHOSATE IPA	WEEDBLASTER 480 SL	480g/L	SL	HERBICIDE	4	274-151-1914	09-Mar-25	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/ha	-	-	-
INTEGRATED CROP TRADING CORPORATION	GLYPHOSATE IPA	WEEDBLASTER 480 SL	480g/L	SL	HERBICIDE	4	274-151-1914	09-Mar-25	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
INTEGRATED CROP TRADING CORPORATION	GLYPHOSATE IPA	WEEDBLASTER 480 SL	480g/L	SL	HERBICIDE	4	274-151-1914	09-Mar-25	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
INTEGRATED CROP TRADING CORPORATION	GLYPHOSATE IPA	WEEDBLASTER 480 SL	480g/L	SL	HERBICIDE	4	274-151-1914	09-Mar-25	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
INTEGRATED CROP TRADING CORPORATION	GLYPHOSATE IPA	WEEDBLASTER 480 SL	480g/L	SL	HERBICIDE	4	274-151-1914	09-Mar-25	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
INTEGRATED CROP TRADING CORPORATION	GLYPHOSATE IPA	WEEDBLASTER 480 SL	480g/L	SL	HERBICIDE	4	274-151-1914	09-Mar-25	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
INTEGRATED CROP TRADING CORPORATION	GLYPHOSATE IPA	WEEDBLASTER 480 SL	480g/L	SL	HERBICIDE	4	274-151-1914	09-Mar-25	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
INTEGRATED CROP TRADING CORPORATION	GLYPHOSATE IPA	WEEDBLASTER 480 SL	480g/L	SL	HERBICIDE	4	274-151-1914	09-Mar-25	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
INTEGRATED CROP TRADING CORPORATION	GLYPHOSATE IPA	WEEDBLASTER 480 SL	480g/L	SL	HERBICIDE	4	274-151-1914	09-Mar-25	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/ha	-	-	-
INTEGRATED CROP TRADING CORPORATION	GLYPHOSATE IPA	WEEDBLASTER 480 SL	480g/L	SL	HERBICIDE	4	274-151-1914	09-Mar-25	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
INTEGRATED CROP TRADING CORPORATION	GLYPHOSATE IPA	WEEDBLASTER 480 SL	480g/L	SL	HERBICIDE	4	274-151-1914	09-Mar-25	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
INTEGRATED CROP TRADING CORPORATION	GLYPHOSATE IPA	WEEDBLASTER 480 SL	480g/L	SL	HERBICIDE	4	274-151-1914	09-Mar-25	POST-EMERGENT	Non-crop	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
EZERTech CORPORATION	GLUFOSINATE AMMONIUM	WEED OUT 150 SL	150 g/L	SL	HERBICIDE	4	648-182-5053	26-Aug-26	NON-SELECTIVE(POST-EMERGENT)	Rubber	Weeds	215ml /16 L water, 270ml /16 L water, 135ml /16 L water	-	-	Workers can re-enter the field after spray deposits have dried.
EZERTech CORPORATION	GLUFOSINATE AMMONIUM	WEED OUT 150 SL	150 g/L	SL	HERBICIDE	4	648-182-5053	26-Aug-26	NON-SELECTIVE(POST-EMERGENT)	Oil palm	Weeds	160ml /16 L water, 135ml /16 L water	-	-	Workers can re-enter the field after spray deposits have dried.
EZERTech CORPORATION	GLUFOSINATE AMMONIUM	WEED OUT 150 SL	150 g/L	SL	HERBICIDE	4	648-182-5053	26-Aug-26	NON-SELECTIVE(POST-EMERGENT)	Non-crop areas	Weeds	160-215ml /16 L water	-	-	Workers can re-enter the field after spray deposits have dried.
EZERTech CORPORATION	GLUFOSINATE AMMONIUM	WEED OUT 150 SL	150 g/L	SL	HERBICIDE	4	648-182-5053	05-Mar-23	NON-SELECTIVE(POST-EMERGENT)	Cavendish Banana	Weeds	160ml /16 L water, 135-200ml /16 L water	0.2 mg/kg	-	Workers can re-enter the field after spray deposits have dried.
EZERTech CORPORATION	GLUFOSINATE AMMONIUM	WEED OUT 150 SL	150 g/L	SL	HERBICIDE	4	648-182-5053	05-Mar-23	NON-SELECTIVE(POST-EMERGENT)	Cavendish banana	Annual perennial grasses, sedges and broadleaves	160-135-200 ml/ 16L water	-	-	-
EZERTech CORPORATION	GLUFOSINATE AMMONIUM	WEED OUT 150 SL	150 g/L	SL	HERBICIDE	4	648-182-5053	05-Mar-23	NON-SELECTIVE(POST-EMERGENT)	Rubber	Annual perennial grasses, sedges and broadleaves	215-270-135 ml/ 16L water	-	-	-
EZERTech CORPORATION	GLUFOSINATE AMMONIUM	WEED OUT 150 SL	150 g/L	SL	HERBICIDE	4	648-182-5053	05-Mar-23	NON-SELECTIVE(POST-EMERGENT)	Oil Palm	Annual perennial grasses, sedges and broadleaves	160-135 ml/ 16L water	-	-	-
EZERTech CORPORATION	GLUFOSINATE AMMONIUM	WEED OUT 150 SL	150 g/L	SL	HERBICIDE	4	648-182-5053	05-Mar-23	NON-SELECTIVE(POST-EMERGENT)	Citrus	Annual perennial grasses, sedges and broadleaves	160-135 ml/ 16L water	-	-	-
EZERTech CORPORATION	GLUFOSINATE AMMONIUM	WEED OUT 150 SL	150 g/L	SL	HERBICIDE	4	648-182-5053	05-Mar-23	NON-SELECTIVE(POST-EMERGENT)	Coffee	Annual perennial grasses, sedges and broadleaves	160-135 ml/ 16L water	-	-	-
EZERTech CORPORATION	GLUFOSINATE AMMONIUM	WEED OUT 150 SL	150 g/L	SL	HERBICIDE	4	648-182-5053	05-Mar-23	NON-SELECTIVE(POST-EMERGENT)	Cacao	Annual perennial grasses, sedges and broadleaves	160-135 ml/ 16L water	-	-	-
EZERTech CORPORATION	GLUFOSINATE AMMONIUM	WEED OUT 150 SL	150 g/L	SL	HERBICIDE	4	648-182-5053	05-Mar-23	NON-SELECTIVE(POST-EMERGENT)	Non-Crop	Annual perennial grasses, sedges and broadleaves	160-215 ml/16 L water	-	-	-
UNAHCO, INC.	CTHALOPROP-BUTYL-HISPIRBAC SODIUM	WEED BOMBER 200 OD	150 g/L+150 g/L	OD	HERBICIDE	4	660-504-6087	30-Oct-25	POST-EMERGENT	Rice (Direct-seeded)	Grasses (Echinochloa sp., Lysipchloa chinensis, and Ischaemum vagatum), broadleaves (Sphenoclea zeylanica, Ludwigia octovalvis)	500 ml. to 1L prod / hectare using a spray volume of 160 to 192 L water/ha	-	-	Re-entry to treated field is allowed as soon as spray deposits dry up.
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	ATRAZINE	WEED BLOCKER 800 WP	800 g/kg	WP	HERBICIDE	4	667-005-5138	01-Jul-26	SELECTIVE (PRE-EMERGENT)	Corn	Broadleaf weeds & annual grasses	8-1275g/16 L water	-	-	Do not enter fields within (5) days after application
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	ATRAZINE	WEED BLOCKER 800 WP	800 g/kg	WP	HERBICIDE	4	667-005-5138	01-Jul-26	SELECTIVE (PRE-EMERGENT)	Sorghum	Broadleaf weeds & Annual grasses	8-1275g/16 L water	-	-	Do not enter fields within (5) days after application
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	ATRAZINE	WEED BLOCKER 800 WP	800 g/kg	WP	HERBICIDE	4	667-005-5138	01-Jul-26	SELECTIVE (PRE-EMERGENT)	Sugarcane	Broadleaf weeds & Annual grasses	8-1275g/16 L water	-	-	Do not enter fields within (5) days after application
BIOSTADT PHILIPPINES INC.	AMMONIUM SALT OF GLYPHOSATE	WEED BAN ULTRA 710 SG	710 g/kg	SG	HERBICIDE	4	097-473-6280 (065)	27-Sep-26	SYSTEMIC (POST-EMERGENT)	Glyphosate tolerant corn	Grasses, sedges, and broadleaf weeds	3.2-1.8 kg prod / ha	-	-	-
BIOSTADT PHILIPPINES INC.	AMMONIUM SALT OF GLYPHOSATE	WEED BAN ULTRA 710 SG	710 g/kg	SG	HERBICIDE	4	097-473-6280 (065)	27-Sep-26	SYSTEMIC (POST-EMERGENT)	Corn hybrid (preplant)	Grasses, sedges, and broadleaf weeds	1.8-3.6 kg prod / ha	-	-	-
BIOSTADT PHILIPPINES INC.	AMMONIUM SALT OF GLYPHOSATE	WEED BAN ULTRA 710 SG	710 g/kg	SG	HERBICIDE	4	097-473-6280 (065)	27-Sep-26	SYSTEMIC (POST-EMERGENT)	Non-crop agricultural areas	Grasses, sedges, and broadleaf weeds	2.7-5.4 kg prod / ha	-	-	-
BIOSTADT PHILIPPINES INC.	GLYPHOSATE IPA	WEED BAN	480 g/L	SL	HERBICIDE	4	097-151-0705	01-Sep-24	POST-EMERGENT	Glyphosate tolerant corn under minimum or reduced	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/ha	-	-	-
BIOSTADT PHILIPPINES INC.	GLYPHOSATE IPA	WEED BAN	480 g/L	SL	HERBICIDE	4	097-151-0705	01-Sep-24	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
BIOSTADT PHILIPPINES INC.	GLYPHOSATE IPA	WEED BAN	480 g/L	SL	HERBICIDE	4	097-151-0705	01-Sep-24	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
BIOSTADT PHILIPPINES INC.	GLYPHOSATE IPA	WEED BAN	480 g/L	SL	HERBICIDE	4	097-151-0705	01-Sep-24	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
BIOSTADT PHILIPPINES INC.	GLYPHOSATE IPA	WEED BAN	480 g/L	SL	HERBICIDE	4	097-151-0705	01-Sep-24	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
BIOSTADT PHILIPPINES INC.	GLYPHOSATE IPA	WEED BAN	480 g/L	SL	HERBICIDE	4	097-151-0705	01-Sep-24	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
BIOSTADT PHILIPPINES INC.	GLYPHOSATE IPA	WEED BAN	480 g/L	SL	HERBICIDE	4	097-151-0705	01-Sep-24	POST-EMERGENT	oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liter/Ha	-	-	-
BIOSTADT PHILIPPINES INC.	GLYPHOSATE IPA	WEED BAN	480 g/L	SL	HERBICIDE	4	097-151-0705	01-Sep-24	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liter/Ha	-	-	-
BIOSTADT PHILIPPINES INC.	GLYPHOSATE IPA	WEED BAN	480 g/L	SL	HERBICIDE	4	097-151-0705	01-Sep-24	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liter/Ha	-	-	-
BIOSTADT PHILIPPINES INC.	GLYPHOSATE IPA	WEED BAN	480 g/L	SL	HERBICIDE	4	097-151-0705	01-Sep-24	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liter/Ha	-	-	-
BIOSTADT PHILIPPINES INC.	GLYPHOSATE IPA	WEED BAN	480 g/L	SL	HERBICIDE	4	097-151-0706	01-Sep-24	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liter/Ha	-	-	-
BIOSTADT PHILIPPINES INC.	GLYPHOSATE IPA	WEED BAN	480 g/L	SL	HERBICIDE	4	097-151-0706	01-Sep-24	POST-EMERGENT	Non-crop areas	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
SYNGENTA PHILIPPINES INC.	CHLOROTHALONIL	WEATHER STK 720 SC	720 g/L	SC	FUNGICIDE	4	011-118-6457	21-Dec-24	-	Asparagus	Stem and leaf blight	1.00 L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
SYNGENTA PHILIPPINES INC.	CHLOROTHALONIL	WEATHER STK 720 SC	720 g/L	SC	FUNGICIDE	4	011-118-6457	21-Dec-24	-	Banana	Black Sigatoka	1.0-2.0 L/ha	-	No pre-harvest interval necessary from last spray until harvest	Do not enter treatment areas until spray deposit have dried
SYNGENTA PHILIPPINES INC.	CHLOROTHALONIL	WEATHER STK 720 SC	720 g/L	SC	FUNGICIDE	4	011-118-6457	21-Dec-24	-	Beans	Rust, anthracnose	4.5-6.0 t/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
SYNGENTA PHILIPPINES INC.	CHLOROTHALONIL	WEATHER STK 720 SC	720 g/L	SC	FUNGICIDE	4	011-118-6457	21-Dec-24	-	Carrot	Alternaria cercospora, helminthosporium	4.5-6.0 t/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
SYNGENTA PHILIPPINES INC.	CHLOROTHALONIL	WEATHER STK 720 SC	720 g/L	SC	FUNGICIDE	4	011-118-6457	21-Dec-24	-	Celery	Early and late blight	4.5-6.0 t/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
SYNGENTA PHILIPPINES INC.	CHLOROTHALONIL	WEATHER STK 720 SC	720 g/L	SC	FUNGICIDE	4	011-118-6457	21-Dec-24	-	Crucifers	Powdery mildew	4.5-6.0 t/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
SYNGENTA PHILIPPINES INC.	CHLOROTHALONIL	WEATHER STK 720 SC	720 g/L	SC	FUNGICIDE	4	011-118-6457	21-Dec-24	-	Cucurbits	Powdery mildew, downy mildew, cercospora, anthracnose, septoria, fruit rot, early and late blight	4.5-6.0 t/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
SYNGENTA PHILIPPINES INC.	CHLOROTHALONIL	WEATHER STK 720 SC	720 g/L	SC	FUNGICIDE	4	011-118-6457	21-Dec-24	-	Eggplant	Early and late blight, cercospora, anthracnose	4.5-6.0 t/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
SYNGENTA PHILIPPINES INC.	CHLOROTHALONIL	WEATHER STK 720 SC	720 g/L	SC	FUNGICIDE	4	011-118-6457	21-Dec-24	-	Grapes	Downy mildew, powdery mildew, fruit rot	4.5-6.0 t/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
SYNGENTA PHILIPPINES INC.	CHLOROTHALONIL	WEATHER STK 720 SC	720 g/L	SC	FUNGICIDE	4	011-118-6457	21-Dec-24	-	Mango	Anthraxnose, diploia rot	4.5-6.0 t/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
SYNGENTA PHILIPPINES INC.	CHLOROTHALONIL	WEATHER STK 720 SC	720 g/L	SC	FUNGICIDE	4	011-118-6457	21-Dec-24	-	Onion	Purple blotch, bulb rot, neck rot	4.5-6.0 t/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
SYNGENTA PHILIPPINES INC.	CHLOROTHALONIL	WEATHER STK 720 SC	720 g/L	SC	FUNGICIDE	4	011-118-6457	21-Dec-24	-	Ornamentals	Black spot, black rot, powdery mildew	4.5-6.0 t/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
SYNGENTA PHILIPPINES INC.	CHLOROTHALONIL	WEATHER STK 720 SC	720 g/L	SC	FUNGICIDE	4	011-118-6457	21-Dec-24	-	Pepper	Early and late blight, bulb rot, neck rot	4.5-6.0 t/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
SYNGENTA PHILIPPINES INC.	CHLOROTHALONIL	WEATHER STK 720 SC	720 g/L	SC	FUNGICIDE	4	011-118-6457	21-Dec-24	-	Potato	Early and late blight, vine rot	4.5-6.0 t/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
SYNGENTA PHILIPPINES INC.	CHLOROTHALONIL	WEATHER STK 720 SC	720 g/L	SC	FUNGICIDE	4	011-118-6457	21-Dec-24	-	Tomato	Early and late blight, vine rot	4.5-6.0 t/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
CROPKING CHEMICALS INC.	CYPERMETHRIN	WEAPON 5 EC	50 g/L	EC	INSECTICIDE	4	065-037-1123	23-Dec-25	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L of water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
CROPKING CHEMICALS INC.	CYPERMETHRIN	WEAPON 5 EC	50 g/L	EC	INSECTICIDE	4	065-037-1123	23-Dec-25	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leafroller, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L of water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
CROPKING CHEMICALS INC.	CYPERMETHRIN	WEAPON 5 EC	50 g/L	EC	INSECTICIDE	4	065-037-1123	23-Dec-25	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L of water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
CROPKING CHEMICALS INC.	CYPERMETHRIN	WEAPON 5 EC	50 g/L	EC	INSECTICIDE	4	065-037-1123	23-Dec-25	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L of water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
CROPKING CHEMICALS INC.	CYPERMETHRIN	WEAPON 5 EC	50 g/L	EC	INSECTICIDE	4	065-037-1123	23-Dec-25	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L of water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
CROPKING CHEMICALS INC.	CYPERMETHRIN	WEAPON 5 EC	50 g/L	EC	INSECTICIDE	4	065-037-1123	23-Dec-25	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L of water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
CROPKING CHEMICALS INC.	CYPERMETHRIN	WEAPON 5 EC	50 g/L	EC	INSECTICIDE	4	065-037-1123	23-Dec-25	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L of water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
CROPKING CHEMICALS INC.	CYPERMETHRIN	WEAPON 5 EC	50 g/L	EC	INSECTICIDE	4	065-037-1123	23-Dec-25	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L of water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
CROPKING CHEMICALS INC.	CYPERMETHRIN	WEAPON 5 EC	50 g/L	EC	INSECTICIDE	4	065-037-1123	23-Dec-25	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L of water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
CROPKING CHEMICALS INC.	CYPERMETHRIN	WEAPON 5 EC	50 g/L	EC	INSECTICIDE	4	065-037-1123	23-Dec-25	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L of water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
CROPKING CHEMICALS INC.	CYPERMETHRIN	WEAPON 5 EC	50 g/L	EC	INSECTICIDE	4	065-037-1123	23-Dec-25	CONTACT	Corn	Comborer, earworm	1.0-4.5 Tbsp/16 L of water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
AGPLANTA MARKETING CORPORATION	CYPERMETHRIN	WAZAK 5 EC	50 g/L	EC	INSECTICIDE	4	720-037-5760	17-Mar-26	-	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L of water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
AGPLANTA MARKETING CORPORATION	CYPERMETHRIN	WAZAK 5 EC	50 g/L	EC	INSECTICIDE	4	720-037-5760	17-Mar-26	-	Rice	Green leafhopper, armyworm, rice bug, leafroller, black bug	1.0-3.0 Tbsp/16 L of water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
AGPLANTA MARKETING CORPORATION	CYPERMETHRIN	WAZAK 5 EC	50 g/L	EC	INSECTICIDE	4	720-037-5760	17-Mar-26	-	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L of water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
AGPLANTA MARKETING CORPORATION	CYPERMETHRIN	WAZAK 5 EC	50 g/L	EC	INSECTICIDE	4	720-037-5760	17-Mar-26	-	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L of water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
AGPLANTA MARKETING CORPORATION	CYPERMETHRIN	WAZAK 5 EC	50 g/L	EC	INSECTICIDE	4	720-037-5760	17-Mar-26	-	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L of water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
AGPLANTA MARKETING CORPORATION	CYPERMETHRIN	WAZAK 5 EC	50 g/L	EC	INSECTICIDE	4	720-037-5760	17-Mar-26	-	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L of water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
AGPLANTA MARKETING CORPORATION	CYPERMETHRIN	WAZAK 5 EC	50 g/L	EC	INSECTICIDE	4	720-037-5760	17-Mar-26	-	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L of water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
AGPLANTA MARKETING CORPORATION	CYPERMETHRIN	WAZAK 5 EC	50 g/L	EC	INSECTICIDE	4	720-037-5760	17-Mar-26	-	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L of water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
AGPLANTA MARKETING CORPORATION	CYPERMETHRIN	WAZAK 5 EC	50 g/L	EC	INSECTICIDE	4	720-037-5760	17-Mar-26	-	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L of water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
AGPLANTA MARKETING CORPORATION	CYPERMETHRIN	WAZAK 5 EC	50 g/L	EC	INSECTICIDE	4	720-037-5760	17-Mar-26	-	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L of water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
AGPLANTA MARKETING CORPORATION	CYPERMETHRIN	WAZAK 5 EC	50 g/L	EC	INSECTICIDE	4	720-037-5760	17-Mar-26	-	Corn	Comborer, earworm	1.0-4.5 Tbsp/16 L of water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
SINOCHEM CROP PROTECTION (PHILS.) INC.	LAMBDA-CHALOTHIRIN	WAVE 2.5 EC	25 g/L	EC	INSECTICIDE	2	432-204-2570	10-May-25	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leafroller, black bug	1.0-1.5Tbsp/16 L of water	0.05ppm	3Days	Re-entry to treated fields is allowed as soon as spray deposits dry
SINOCHEM CROP PROTECTION (PHILS.) INC.	LAMBDA-CHALOTHIRIN	WAVE 2.5 EC	25 g/L	EC	INSECTICIDE	2	432-204-2570	10-May-25	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/16 L of water	-	3Days	Re-entry to treated fields is allowed as soon as spray deposits dry
SINOCHEM CROP PROTECTION (PHILS.) INC.	LAMBDA-CHALOTHIRIN	WAVE 2.5 EC	25 g/L	EC	INSECTICIDE	2	432-204-2570	10-May-25	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/16 L of water	-	3Days	Re-entry to treated fields is allowed as soon as spray deposits dry
SINOCHEM CROP PROTECTION (PHILS.) INC.	LAMBDA-CHALOTHIRIN	WAVE 2.5 EC	25 g/L	EC	INSECTICIDE	2	432-204-2570	10-May-25	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/16 L of water	-	3Days	Re-entry to treated fields is allowed as soon as spray deposits dry
SINOCHEM CROP PROTECTION (PHILS.) INC.	LAMBDA-CHALOTHIRIN	WAVE 2.5 EC	25 g/L	EC	INSECTICIDE	2	432-204-2570	10-May-25	SYSTEMIC	Mungbeans	Beanfly, flea beetle, leafhopper, aphids, mites, podborer	1.0Tbsp/16 L of water	-	3Days	Re-entry to treated fields is allowed as soon as spray deposits dry
SINOCHEM CROP PROTECTION (PHILS.) INC.	LAMBDA-CHALOTHIRIN	WAVE 2.5 EC	25 g/L	EC	INSECTICIDE	2	432-204-2570	10-May-25	SYSTEMIC	Corn	Comborer, aphids, seedling maggots	1.0-1.5Tbsp/16 L of water	-	3Days	Re-entry to treated fields is allowed as soon as spray deposits dry
SINOCHEM CROP PROTECTION (PHILS.) INC.	LAMBDA-CHALOTHIRIN	WAVE 2.5 EC	25 g/L	EC	INSECTICIDE	2	432-204-2570	10-May-25	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katyids	1.0-1.5Tbsp/16 L of water	-	3Days	Re-entry to treated fields is allowed as soon as spray deposits dry
SINOCHEM CROP PROTECTION (PHILS.) INC.	LAMBDA-CHALOTHIRIN	WAVE 2.5 EC	25 g/L	EC	INSECTICIDE	2	432-204-2570	10-May-25	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/16 L of water	-	3Days	Re-entry to treated fields is allowed as soon as spray deposits dry
SINOCHEM CROP PROTECTION (PHILS.) INC.	LAMBDA-CHALOTHIRIN	WAVE 2.5 EC	25 g/L	EC	INSECTICIDE	2	432-204-2570	10-May-25	SYSTEMIC	Cocoa	Podborer	1.0-2.0Tbsp/16 L of water	-	3Days	Re-entry to treated fields is allowed as soon as spray deposits dry
SINOCHEM CROP PROTECTION (PHILS.) INC.	LAMBDA-CHALOTHIRIN	WAVE 2.5 EC	25 g/L	EC	INSECTICIDE	2	432-204-2570	10-May-25	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/16 L of water	-	3Days	Re-entry to treated fields is allowed as soon as spray deposits dry
SYNGENTA PHILIPPINES INC.	LAMBDA-CHALOTHIRIN	WAVE 2.5 EC	25 g/L	EC	INSECTICIDE	2	432-204-2570	10-Mar-25	-	Rice	Green leafhopper, armyworm, rice bug, leafroller, black bug	1.0-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
SYNGENTA PHILIPPINES INC.	LAMBDA-CHALOTHIRIN	WAVE 2.5 EC	25 g/L	EC	INSECTICIDE	2	432-204-2570	10-Mar-25	-	Mango	Hoppers	0.75-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
SYNGENTA PHILIPPINES INC.	LAMBDA-CHALOTHIRIN	WAVE 2.5 EC	25 g/L	EC	INSECTICIDE	2	432-204-2570	10-Mar-25	-	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
SYNGENTA PHILIPPINES INC.	LAMBDA-CYHALOTHRIN	WAVE 2.5 EC	25 g/L	EC	INSECTICIDE	2	432-204-2570	10-Mar-25	-	Onion	Thrips, cutworm	1.0Tbsp/36L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
SYNGENTA PHILIPPINES INC.	LAMBDA-CYHALOTHRIN	WAVE 2.5 EC	25 g/L	EC	INSECTICIDE	2	432-204-2570	10-Mar-25	-	Mungbeans	Beanfly, flea beetle, leafhopper, aphids, mites, podborer	1.0Tbsp/36L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
SYNGENTA PHILIPPINES INC.	LAMBDA-CYHALOTHRIN	WAVE 2.5 EC	25 g/L	EC	INSECTICIDE	2	432-204-2570	10-Mar-25	-	Corn	Comborer, aphids, seedling maggots	1.0-1.5Tbsp/36L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
SYNGENTA PHILIPPINES INC.	LAMBDA-CYHALOTHRIN	WAVE 2.5 EC	25 g/L	EC	INSECTICIDE	2	432-204-2570	10-Mar-25	-	Tobacco	Budworm, Cutworm, aphids, katyids	1.0-1.5Tbsp/36L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
SYNGENTA PHILIPPINES INC.	LAMBDA-CYHALOTHRIN	WAVE 2.5 EC	25 g/L	EC	INSECTICIDE	2	432-204-2570	10-Mar-25	-	Cotton	Bollworm	1.0-1.5Tbsp/36L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
SYNGENTA PHILIPPINES INC.	LAMBDA-CYHALOTHRIN	WAVE 2.5 EC	25 g/L	EC	INSECTICIDE	2	432-204-2570	10-Mar-25	-	Cacao	Podborer	1.0-2.0Tbsp/36L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
SYNGENTA PHILIPPINES INC.	LAMBDA-CYHALOTHRIN	WAVE 2.5 EC	25 g/L	EC	INSECTICIDE	2	432-204-2570	10-Mar-25	-	Watermelon	Squash beetle, melon worm	1.0Tbsp/36L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
GRUPO ALIADO AGRICULTURAL PRODUCTS CORPORATION	GLYPHOSATE IPA	WASHINGTON 480 SL	480g/L	SL	HERBICIDE	4	589-151-4056	07-Aug-20	POST-EMERGENT	Glyphosate tolerant corn	Annual & Perennial grasses,broadleaf weeds & sedges	2.0-4.0 Liters/ha	-	-	-
GRUPO ALIADO AGRICULTURAL PRODUCTS CORPORATION	GLYPHOSATE IPA	WASHINGTON 480 SL	480g/L	SL	HERBICIDE	4	589-151-4056	07-Aug-20	POST-EMERGENT	Mango	Annual & Perennial grasses,broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
GRUPO ALIADO AGRICULTURAL PRODUCTS CORPORATION	GLYPHOSATE IPA	WASHINGTON 480 SL	480g/L	SL	HERBICIDE	4	589-151-4056	07-Aug-20	POST-EMERGENT	Cacao	Annual & Perennial grasses,broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
GRUPO ALIADO AGRICULTURAL PRODUCTS CORPORATION	GLYPHOSATE IPA	WASHINGTON 480 SL	480g/L	SL	HERBICIDE	4	589-151-4056	07-Aug-20	POST-EMERGENT	Banana	Annual & Perennial grasses,broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
GRUPO ALIADO AGRICULTURAL PRODUCTS CORPORATION	GLYPHOSATE IPA	WASHINGTON 480 SL	480g/L	SL	HERBICIDE	4	589-151-4056	07-Aug-20	POST-EMERGENT	Coffee	Annual & Perennial grasses,broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
GRUPO ALIADO AGRICULTURAL PRODUCTS CORPORATION	GLYPHOSATE IPA	WASHINGTON 480 SL	480g/L	SL	HERBICIDE	4	589-151-4056	07-Aug-20	POST-EMERGENT	Hubber	Annual & Perennial grasses,broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
GRUPO ALIADO AGRICULTURAL PRODUCTS CORPORATION	GLYPHOSATE IPA	WASHINGTON 480 SL	480g/L	SL	HERBICIDE	4	589-151-4056	07-Aug-20	POST-EMERGENT	Oil palm	Annual & Perennial grasses,broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
GRUPO ALIADO AGRICULTURAL PRODUCTS CORPORATION	GLYPHOSATE IPA	WASHINGTON 480 SL	480g/L	SL	HERBICIDE	4	589-151-4056	07-Aug-20	POST-EMERGENT	Citrus	Annual & Perennial grasses,broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
GRUPO ALIADO AGRICULTURAL PRODUCTS CORPORATION	GLYPHOSATE IPA	WASHINGTON 480 SL	480g/L	SL	HERBICIDE	4	589-151-4056	07-Aug-20	POST-EMERGENT	Coconut	Annual & Perennial grasses,broadleaf weeds & sedges	4.5 Liters/ha	-	-	-
GRUPO ALIADO AGRICULTURAL PRODUCTS CORPORATION	GLYPHOSATE IPA	WASHINGTON 480 SL	480g/L	SL	HERBICIDE	4	589-151-4056	07-Aug-20	POST-EMERGENT	Sugarcane	Annual & Perennial grasses,broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
GRUPO ALIADO AGRICULTURAL PRODUCTS CORPORATION	GLYPHOSATE IPA	WASHINGTON 480 SL	480g/L	SL	HERBICIDE	4	589-151-4056	07-Aug-20	POST-EMERGENT	Vegetables	Annual & Perennial grasses,broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
GRUPO ALIADO AGRICULTURAL PRODUCTS CORPORATION	GLYPHOSATE IPA	WASHINGTON 480 SL	480g/L	SL	HERBICIDE	4	589-151-4056	07-Aug-20	POST-EMERGENT	Non-crop	Annual & Perennial grasses,broadleaf weeds & sedges	-	-	-	-
MINDORO SAGANA MERCHANDISING, INC.	CARTAP HYDROCHLORIDE	WARTAP 50 SP	500g/kg	SP	INSECTICIDE	3	571-106-4083	02-Jul-25	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.0-5.0Tbsp/36L water	0.2ppm	-	-
MINDORO SAGANA MERCHANDISING, INC.	CARTAP HYDROCHLORIDE	WARTAP 50 SP	500g/kg	SP	INSECTICIDE	3	571-106-4083	02-Jul-25	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/36L water	-	-	-
MINDORO SAGANA MERCHANDISING, INC.	CARTAP HYDROCHLORIDE	WARTAP 50 SP	500g/kg	SP	INSECTICIDE	3	571-106-4083	02-Jul-25	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/36L water	-	-	-
MINDORO SAGANA MERCHANDISING, INC.	CARTAP HYDROCHLORIDE	WARTAP 50 SP	500g/kg	SP	INSECTICIDE	3	571-106-4083	02-Jul-25	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/36L water	-	-	-
MINDORO SAGANA MERCHANDISING, INC.	CARTAP HYDROCHLORIDE	WARTAP 50 SP	500g/kg	SP	INSECTICIDE	3	571-106-4083	02-Jul-25	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/36L water	-	-	-
MINDORO SAGANA MERCHANDISING, INC.	CARTAP HYDROCHLORIDE	WARTAP 50 SP	500g/kg	SP	INSECTICIDE	3	571-106-4083	02-Jul-25	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/36L water	-	-	-
MINDORO SAGANA MERCHANDISING, INC.	CARTAP HYDROCHLORIDE	WARTAP 50 SP	500g/kg	SP	INSECTICIDE	3	571-106-4083	02-Jul-25	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/36L water	-	-	-
MINDORO SAGANA MERCHANDISING, INC.	CARTAP HYDROCHLORIDE	WARTAP 50 SP	500g/kg	SP	INSECTICIDE	3	571-106-4083	02-Jul-25	SYSTEMIC	Mango	leafhoppers	1.5-2.0Tbsp/36L water	-	-	-
MINDORO SAGANA MERCHANDISING, INC.	CARTAP HYDROCHLORIDE	WARTAP 50 SP	500g/kg	SP	INSECTICIDE	3	571-106-4083	02-Jul-25	SYSTEMIC	Pechay	looper, cutworm, aphids	1.5-3.0Tbsp/36L water	-	-	-
AGRI-SPOUT PHILIPPINES, INC.	BP3MC-CHLORPYRIFOS	WARRIOR 31.5	210-105 g/L	EC	INSECTICIDE	2	668-124-5500	12-Jul-24	SYSTEMIC	Rice	Leafhopper, planthopper, stemborer, armyworm, cutworm	2.5-3.5 Tbsp/36L water	-	Discontinue spraying at least 15 days before harvest	Entry to fields sprayed with the product is not allowed within two days after application
AGRI-SPOUT PHILIPPINES, INC.	BP3MC-CHLORPYRIFOS	WARRIOR 31.5	210-105 g/L	EC	INSECTICIDE	2	668-124-5500	12-Jul-24	SYSTEMIC	Corn	Seedling maggot, corn earworm, corn borer, armyworm	2.5-3.5 Tbsp/36L water	-	Discontinue spraying at least 15 days before harvest	Entry to fields sprayed with the product is not allowed within two days after application
AGRI-SPOUT PHILIPPINES, INC.	BP3MC-CHLORPYRIFOS	WARRIOR 31.5	210-105 g/L	EC	INSECTICIDE	2	668-124-5500	12-Jul-24	SYSTEMIC	Tobacco	Budworm, grasshopper, aphid, cutworm and armyworm	2.5-3.5 Tbsp/36L water	-	Discontinue spraying at least 15 days before harvest	Entry to fields sprayed with the product is not allowed within two days after application
AGRI-SPOUT PHILIPPINES, INC.	BP3MC-CHLORPYRIFOS	WARRIOR 31.5	210-105 g/L	EC	INSECTICIDE	2	668-124-5500	12-Jul-24	SYSTEMIC	Cucumber	Leafworm, squash bug, 28 spotted beetles	2.5-3.5 Tbsp/36L water	-	Discontinue spraying at least 15 days before harvest	Entry to fields sprayed with the product is not allowed within two days after application
AGRI-SPOUT PHILIPPINES, INC.	BP3MC-CHLORPYRIFOS	WARRIOR 31.5	210-105 g/L	EC	INSECTICIDE	2	668-124-5500	12-Jul-24	SYSTEMIC	Melon	Leafworm, squash bug, 28 spotted beetles	2.5-3.5 Tbsp/36L water	-	Discontinue spraying at least 15 days before harvest	Entry to fields sprayed with the product is not allowed within two days after application
AGRI-SPOUT PHILIPPINES, INC.	BP3MC-CHLORPYRIFOS	WARRIOR 31.5	210-105 g/L	EC	INSECTICIDE	2	668-124-5500	12-Jul-24	SYSTEMIC	Watermelon	Leafworm, squash bug, 28 spotted beetles	2.5-3.5 Tbsp/36L water	-	Discontinue spraying at least 15 days before harvest	Entry to fields sprayed with the product is not allowed within two days after application
AGRI-SPOUT PHILIPPINES, INC.	BP3MC-CHLORPYRIFOS	WARRIOR 31.5	210-105 g/L	EC	INSECTICIDE	2	668-124-5500	12-Jul-24	SYSTEMIC	Onion	Thrips, cutworm	2.5-3.5 Tbsp/36L water	-	Discontinue spraying at least 15 days before harvest	Entry to fields sprayed with the product is not allowed within two days after application
AGRI-SPOUT PHILIPPINES, INC.	BP3MC-CHLORPYRIFOS	WARRIOR 31.5	210-105 g/L	EC	INSECTICIDE	2	668-124-5500	12-Jul-24	SYSTEMIC	Garlic	Thrips, cutworm	2.5-3.5 Tbsp/36L water	-	Discontinue spraying at least 15 days before harvest	Entry to fields sprayed with the product is not allowed within two days after application
AGRI-SPOUT PHILIPPINES, INC.	BP3MC-CHLORPYRIFOS	WARRIOR 31.5	210-105 g/L	EC	INSECTICIDE	2	668-124-5500	12-Jul-24	SYSTEMIC	Mungo	Aphids, beanfly, armyworm, cutworm, leafminer, leaf folder	2.5-3.5 Tbsp/36L water	-	Discontinue spraying at least 15 days before harvest	Entry to fields sprayed with the product is not allowed within two days after application
AGRI-SPOUT PHILIPPINES, INC.	BP3MC-CHLORPYRIFOS	WARRIOR 31.5	210-105 g/L	EC	INSECTICIDE	2	668-124-5500	12-Jul-24	SYSTEMIC	Soybeans	Aphids, beanfly, armyworm, cutworm, leafminer, leaf folder	2.5-3.5 Tbsp/36L water	-	Discontinue spraying at least 15 days before harvest	Entry to fields sprayed with the product is not allowed within two days after application
AGRI-SPOUT PHILIPPINES, INC.	BP3MC-CHLORPYRIFOS	WARRIOR 31.5	210-105 g/L	EC	INSECTICIDE	2	668-124-5500	12-Jul-24	SYSTEMIC	Beans	Aphids, beanfly, armyworm, cutworm, leafminer, leaf folder	2.5-3.5 Tbsp/36L water	-	Discontinue spraying at least 15 days before harvest	Entry to fields sprayed with the product is not allowed within two days after application
AGRI-SPOUT PHILIPPINES, INC.	BP3MC-CHLORPYRIFOS	WARRIOR 31.5	210-105 g/L	EC	INSECTICIDE	2	668-124-5500	12-Jul-24	SYSTEMIC	Janzonex	Berry borer,bark borer	2.5-3.5 Tbsp/36L water	-	Discontinue spraying at least 15 days before harvest	Entry to fields sprayed with the product is not allowed within two days after application
JYNNSONS PHILIPPINES, INC.	LAMBDA-CYHALOTHRIN	WARLOCK 2.5 EC	25 g/L	EC	INSECTICIDE	2	351-204-4008	16-May-24	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leaf folder, black bug	1.0-1.5Tbsp/36L of water	0.05ppm	3 Days	Re-entry allowed as soon as spray deposits dry
JYNNSONS PHILIPPINES, INC.	LAMBDA-CYHALOTHRIN	WARLOCK 2.5 EC	25 g/L	EC	INSECTICIDE	2	351-204-4008	16-May-24	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/36L of water	-	3 Days	Re-entry allowed as soon as spray deposits dry
JYNNSONS PHILIPPINES, INC.	LAMBDA-CYHALOTHRIN	WARLOCK 2.5 EC	25 g/L	EC	INSECTICIDE	2	351-204-4008	16-May-24	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/36L of water	-	3 Days	Re-entry allowed as soon as spray deposits dry
JYNNSONS PHILIPPINES, INC.	LAMBDA-CYHALOTHRIN	WARLOCK 2.5 EC	25 g/L	EC	INSECTICIDE	2	351-204-4008	16-May-24	SYSTEMIC	Onion	Thrips,cutworm	1.0Tbsp/36L of water	-	3 Days	Re-entry allowed as soon as spray deposits dry
JYNNSONS PHILIPPINES, INC.	LAMBDA-CYHALOTHRIN	WARLOCK 2.5 EC	25 g/L	EC	INSECTICIDE	2	351-204-4008	16-May-24	SYSTEMIC	Mungbeans	Beanfly, flea beetle,leafhopper,aphids, mites, podborer	1.0Tbsp/36L of water	-	3 Days	Re-entry allowed as soon as spray deposits dry
JYNNSONS PHILIPPINES, INC.	LAMBDA-CYHALOTHRIN	WARLOCK 2.5 EC	25 g/L	EC	INSECTICIDE	2	351-204-4008	16-May-24	SYSTEMIC	Corn	Comborer, aphids, seedling maggots	1.0-1.5Tbsp/36L of water	-	3 Days	Re-entry allowed as soon as spray deposits dry
JYNNSONS PHILIPPINES, INC.	LAMBDA-CYHALOTHRIN	WARLOCK 2.5 EC	25 g/L	EC	INSECTICIDE	2	351-204-4008	16-May-24	SYSTEMIC	Tobacco	Budworm, cutworm, aphids,katyids	1.0-1.5Tbsp/36L of water	-	3 Days	Re-entry allowed as soon as spray deposits dry
JYNNSONS PHILIPPINES, INC.	LAMBDA-CYHALOTHRIN	WARLOCK 2.5 EC	25 g/L	EC	INSECTICIDE	2	351-204-4008	16-May-24	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/36L of water	-	3 Days	Re-entry allowed as soon as spray deposits dry
JYNNSONS PHILIPPINES, INC.	LAMBDA-CYHALOTHRIN	WARLOCK 2.5 EC	25 g/L	EC	INSECTICIDE	2	351-204-4008	16-May-24	SYSTEMIC	Cocoa	Pod borer	1.0-2.0Tbsp/36L of water	-	3 Days	Re-entry allowed as soon as spray deposits dry
JYNNSONS PHILIPPINES, INC.	LAMBDA-CYHALOTHRIN	WARLOCK 2.5 EC	25 g/L	EC	INSECTICIDE	2	351-204-4008	16-May-24	SYSTEMIC	Watermelon	Squash beetle,melon worm	1.0Tbsp/36L of water	-	3 Days	Re-entry allowed as soon as spray deposits dry
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN	WARDOG 2.5 EC	25g/L	EC	INSECTICIDE	2	396-204-4105	05-Jul-26	SYSTEMIC	Rice	Green leafhopper,armyworm,rice bug,leaf folder,black bug	1.0-1.5Tbsp/36L of water	0.05ppm	3 Days	Re-entry allowed as soon as spray deposits dry
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN	WARDOG 2.5 EC	25g/L	EC	INSECTICIDE	2	396-204-4105	05-Jul-26	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/36L of water	-	3 Days	Re-entry allowed as soon as spray deposits dry
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN	WARDOG 2.5 EC	25g/L	EC	INSECTICIDE	2	396-204-4105	05-Jul-26	SYSTEMIC	Tomato	Fruitworm,cutworm,aphids	1.0-1.5Tbsp/36L of water	-	3 Days	Re-entry allowed as soon as spray deposits dry
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN	WARDOG 2.5 EC	25g/L	EC	INSECTICIDE	2	396-204-4105	05-Jul-26	SYSTEMIC	Onion	Thrips,cutworm	1.0Tbsp/36L of water	-	3 Days	Re-entry allowed as soon as spray deposits dry
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN	WARDOG 2.5 EC	25g/L	EC	INSECTICIDE	2	396-204-4105	05-Jul-26	SYSTEMIC	Mungbeans	Beanfly,flea beetle,leafhopper,aphids,mites,podborer	1.0Tbsp/36L of water	-	3 Days	Re-entry allowed as soon as spray deposits dry
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN	WARDOG 2.5 EC	25g/L	EC	INSECTICIDE	2	396-204-4105	05-Jul-26	SYSTEMIC	Corn	Comborer, aphids, seedling maggots	1.0-1.5Tbsp/36L of water	-	3 Days	Re-entry allowed as soon as spray deposits dry

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN	WARD00 2.5 EC	25g/L	EC	INSECTICIDE	2	596-204-4105	05-Jul-26	SYSTEMIC	Tobacco	Budworm, cutworm, aphids, ladybirds	1.0-1.5Tbsp/36 L of water	-	3 Days	Re-entry allowed as soon as spray deposits dry
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN	WARD00 2.5 EC	25g/L	EC	INSECTICIDE	2	596-204-4105	05-Jul-26	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/36 L of water	-	3 Days	Re-entry allowed as soon as spray deposits dry
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN	WARD00 2.5 EC	25g/L	EC	INSECTICIDE	2	596-204-4105	05-Jul-26	SYSTEMIC	Cocoa	Pod borer	1.0-2.0Tbsp/36 L of water	-	3 Days	Re-entry allowed as soon as spray deposits dry
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN	WARD00 2.5 EC	25g/L	EC	INSECTICIDE	2	596-204-4105	05-Jul-26	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/36 L of water	-	3 Days	Re-entry allowed as soon as spray deposits dry
JYNNSONS PHILIPPINES, INC.	DELTAMETHRIN	WARDEN 2.5 EC	25 g/L	EC	INSECTICIDE	4	551-085-4030	28-Mar-26	-	Mango	Hopper, Tip borer, twig borer	0.75-1.0 Tbsp/36L water	-	24 hours after last spray	Enter treated area 24 hours after each spray
JYNNSONS PHILIPPINES, INC.	DELTAMETHRIN	WARDEN 2.5 EC	25 g/L	EC	INSECTICIDE	4	551-085-4030	28-Mar-26	-	Cabbage & other crucifers	Diamond-back moth, cabbage moth, cabbage worm	0.1 Tbsp/36L water	-	24 hours after last spray	Enter treated area 24 hours after each spray
JYNNSONS PHILIPPINES, INC.	DELTAMETHRIN	WARDEN 2.5 EC	25 g/L	EC	INSECTICIDE	4	551-085-4030	28-Mar-26	-	Tobacco	Budworm, armyworm, cutworm	0.8-1.0 Tbsp/36L water	-	24 hours after last spray	Enter treated area 24 hours after each spray
JYNNSONS PHILIPPINES, INC.	DELTAMETHRIN	WARDEN 2.5 EC	25 g/L	EC	INSECTICIDE	4	551-085-4030	28-Mar-26	-	Beans	Flea beetle, beanfly, bugs, thrips, cutworm, armyworm	0.8-1.0 Tbsp/36L water	-	24 hours after last spray	Enter treated area 24 hours after each spray
JYNNSONS PHILIPPINES, INC.	DELTAMETHRIN	WARDEN 2.5 EC	25 g/L	EC	INSECTICIDE	4	551-085-4030	28-Mar-26	-	Soybeans	Flea beetle, beanfly, bugs, thrips, cutworm, armyworm	0.8-1.0 Tbsp/36L water	-	24 hours after last spray	Enter treated area 24 hours after each spray
JYNNSONS PHILIPPINES, INC.	DELTAMETHRIN	WARDEN 2.5 EC	25 g/L	EC	INSECTICIDE	4	551-085-4030	28-Mar-26	-	Tomato	Fruitworm (Heliothis)	0.8-1.0 Tbsp/36L water	-	24 hours after last spray	Enter treated area 24 hours after each spray
JYNNSONS PHILIPPINES, INC.	DELTAMETHRIN	WARDEN 2.5 EC	25 g/L	EC	INSECTICIDE	4	551-085-4030	28-Mar-26	-	Corn	Corn borer, corn earworm, seedling maggots	0.1 Tbsp/36L water	-	24 hours after last spray	Enter treated area 24 hours after each spray
JYNNSONS PHILIPPINES, INC.	DELTAMETHRIN	WARDEN 2.5 EC	25 g/L	EC	INSECTICIDE	4	551-085-4030	28-Mar-26	-	Eggplant	Thrips, flea beetle, fruitworm	0.1 Tbsp/36L water	-	24 hours after last spray	Enter treated area 24 hours after each spray
JYNNSONS PHILIPPINES, INC.	DELTAMETHRIN	WARDEN 2.5 EC	25 g/L	EC	INSECTICIDE	4	551-085-4030	28-Mar-26	-	Cotton	Leafhopper, bollworm, weevil	0.8-1.0 Tbsp/36L water	-	24 hours after last spray	Enter treated area 24 hours after each spray
JYNNSONS PHILIPPINES, INC.	DELTAMETHRIN	WARDEN 2.5 EC	25 g/L	EC	INSECTICIDE	4	551-085-4030	28-Mar-26	-	Agricultural crops	Locusts-nymphs/ Locusts-adult	1.0-1.5" 3.0 Tbsp/36L water	-	24 hours after last spray	Enter treated area 24 hours after each spray
JYNNSONS PHILIPPINES, INC.	DELTAMETHRIN	WARDEN 2.5 EC	25 g/L	EC	INSECTICIDE	4	551-085-4030	28-Mar-26	-	Cacao	Podborer, aphids	0.1 Tbsp/36L water	-	24 hours after last spray	Enter treated area 24 hours after each spray
BIO SOLUTIONS INTERNATIONAL CORPORATION	NICLOXAMIDE ETHANOLAMINE SALT	WAPAX 70 WP	700g/Kg	WP	MOLLUSCICIDE	4	585-229-5889	20-Jul-23	-	Rice	Golden Apple Snail (Kuhai)	1 sachet 35 gms/ tankload 16L	-	-	Re-enter fields at least 48 hours after application
SINOCHEM CROP PROTECTION (PHLS.) INC.	MANCOZEB	WALLOP BLUE 80 WP	800g/kg	WP	FUNGICIDE	4	432-053-4630	21-Jan-25	-	Potato	Early and late blight	3-6 Tbsp/36 L water	-	-	-
SINOCHEM CROP PROTECTION (PHLS.) INC.	MANCOZEB	WALLOP BLUE 80 WP	800g/kg	WP	FUNGICIDE	4	432-053-4630	23-Jan-25	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	-	-
SINOCHEM CROP PROTECTION (PHLS.) INC.	MANCOZEB	WALLOP BLUE 80 WP	800g/kg	WP	FUNGICIDE	4	432-053-4630	21-Jan-25	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	-	-
SINOCHEM CROP PROTECTION (PHLS.) INC.	MANCOZEB	WALLOP BLUE 80 WP	800g/kg	WP	FUNGICIDE	4	432-053-4630	23-Jan-25	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	-	-
SINOCHEM CROP PROTECTION (PHLS.) INC.	MANCOZEB	WALLOP BLUE 80 WP	800g/kg	WP	FUNGICIDE	4	432-053-4630	21-Jan-25	-	Celery	Late blight	3-6 Tbsp/36 L water	-	-	-
SINOCHEM CROP PROTECTION (PHLS.) INC.	MANCOZEB	WALLOP BLUE 80 WP	800g/kg	WP	FUNGICIDE	4	432-053-4630	23-Jan-25	-	Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	-	-
SINOCHEM CROP PROTECTION (PHLS.) INC.	MANCOZEB	WALLOP BLUE 80 WP	800g/kg	WP	FUNGICIDE	4	432-053-4630	23-Jan-25	-	Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	-	-
SINOCHEM CROP PROTECTION (PHLS.) INC.	MANCOZEB	WALLOP BLUE 80 WP	800g/kg	WP	FUNGICIDE	4	432-053-4630	21-Jan-25	-	Cotton	Damping off	3-6 Tbsp/36 L water	-	-	-
SINOCHEM CROP PROTECTION (PHLS.) INC.	MANCOZEB	WALLOP BLUE 80 WP	800g/kg	WP	FUNGICIDE	4	432-053-4630	23-Jan-25	-	Lettuce	Downy mildew	3-6 Tbsp/36 L water	-	-	-
SINOCHEM CROP PROTECTION (PHLS.) INC.	MANCOZEB	WALLOP BLUE 80 WP	800g/kg	WP	FUNGICIDE	4	432-053-4630	21-Jan-25	-	Beans	Anthracoese, Downy mildew, Rust	3-6 Tbsp/36 L water	-	-	-
SINOCHEM CROP PROTECTION (PHLS.) INC.	MANCOZEB	WALLOP BLUE 80 WP	800g/kg	WP	FUNGICIDE	4	432-053-4630	21-Jan-25	-	Peas	Anthracoese, Downy mildew, Rust	3-6 Tbsp/36 L water	-	-	-
SINOCHEM CROP PROTECTION (PHLS.) INC.	MANCOZEB	WALLOP BLUE 80 WP	800g/kg	WP	FUNGICIDE	4	432-053-4630	21-Jan-25	-	Mungo	Anthracoese, Downy mildew, Rust	3-6 Tbsp/36 L water	-	-	-
SINOCHEM CROP PROTECTION (PHLS.) INC.	MANCOZEB	WALLOP BLUE 80 WP	800g/kg	WP	FUNGICIDE	4	432-053-4630	21-Jan-25	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/36 L water	-	-	-
SINOCHEM CROP PROTECTION (PHLS.) INC.	MANCOZEB	WALLOP BLUE 80 WP	800g/kg	WP	FUNGICIDE	4	432-053-4630	23-Jan-25	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36 L water	-	-	-
SINOCHEM CROP PROTECTION (PHLS.) INC.	MANCOZEB	WALLOP BLUE 80 WP	800g/kg	WP	FUNGICIDE	4	432-053-4630	21-Jan-25	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36 L water	-	-	-
SINOCHEM CROP PROTECTION (PHLS.) INC.	MANCOZEB	WALLOP BLUE 80 WP	800g/kg	WP	FUNGICIDE	4	432-053-4630	23-Jan-25	-	Pepper	Anthracoese	3-6 Tbsp/36 L water	-	-	-
SINOCHEM CROP PROTECTION (PHLS.) INC.	MANCOZEB	WALLOP BLUE 80 WP	800g/kg	WP	FUNGICIDE	4	432-053-4630	21-Jan-25	-	Chili	Anthracoese	3-6 Tbsp/36 L water	-	-	-
SINOCHEM CROP PROTECTION (PHLS.) INC.	MANCOZEB	WALLOP BLUE 80 WP	800g/kg	WP	FUNGICIDE	4	432-053-4630	21-Jan-25	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/36 L water	-	-	-
SINOCHEM CROP PROTECTION (PHLS.) INC.	MANCOZEB	WALLOP BLUE 80 WP	800g/kg	WP	FUNGICIDE	4	432-053-4630	23-Jan-25	-	Banana	Sigatoka, Black leaf streak	3-6 Tbsp/36 L water	-	-	-
SINOCHEM CROP PROTECTION (PHLS.) INC.	MANCOZEB	WALLOP BLUE 80 WP	800g/kg	WP	FUNGICIDE	4	432-053-4630	21-Jan-25	-	Grapes	Downy mildew, black rot	3-6 Tbsp/36 L water	-	-	-
SINOCHEM CROP PROTECTION (PHLS.) INC.	MANCOZEB	WALLOP BLUE 80 WP	800g/kg	WP	FUNGICIDE	4	432-053-4630	21-Jan-25	-	Mango	Anthracoese and Scab	3-6 Tbsp/36 L water	-	-	-
SINOCHEM CROP PROTECTION (PHLS.) INC.	MANCOZEB	WALLOP BLUE 80 WP	800g/kg	WP	FUNGICIDE	4	432-053-4630	21-Jan-25	-	Papaya	Fruit rot	3-6 Tbsp/36 L water	-	-	-
SINOCHEM CROP PROTECTION (PHLS.) INC.	MANCOZEB	WALLOP BLUE 80 WP	800g/kg	WP	FUNGICIDE	4	432-053-4630	23-Jan-25	-	Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	-	-
SINOCHEM CROP PROTECTION (PHLS.) INC.	MANCOZEB	WALLOP BLUE 80 WP	800g/kg	WP	FUNGICIDE	4	432-053-4630	23-Jan-25	-	Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	-	-
SINOCHEM CROP PROTECTION (PHLS.) INC.	MANCOZEB	WALLOP BLUE 80 WP	800g/kg	WP	FUNGICIDE	4	432-053-4630	21-Jan-25	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/36 L water	-	-	-
SINOCHEM CROP PROTECTION (PHLS.) INC.	MANCOZEB	WALLOP BLUE 80 WP	800g/kg	WP	FUNGICIDE	4	432-053-4630	23-Jan-25	-	Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/36 L water	0.02ppm	-	-
SINOCHEM CROP PROTECTION (PHLS.) INC.	MANCOZEB	WALLOP BLUE 80 WP	800g/kg	WP	FUNGICIDE	4	432-053-4630	21-Jan-25	-	Peanut	Cercospora leaf spot	3-6 Tbsp/36 L water	-	-	-
SINOCHEM CROP PROTECTION (PHLS.) INC.	MANCOZEB	WALLOP BLUE 80 WP	800g/kg	WP	FUNGICIDE	4	432-053-4630	21-Jan-25	-	Soybeans	leaf rust	3-6 Tbsp/36 L water	-	-	-
SINOCHEM CROP PROTECTION (PHLS.) INC.	MANCOZEB	WALLOP BLUE 80 WP	800g/kg	WP	FUNGICIDE	4	432-053-4630	21-Jan-25	-	Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/36 L water	-	-	-
SYNGENTA PHILIPPINES INC.	MANCOZEB	WALLOP BLUE 80 WP	800g/kg	WP	FUNGICIDE	4	432-053-4630	21-Jan-25	-	Potato	Early and late blight	3-6 Tbsp/36 L water	-	-	-
SYNGENTA PHILIPPINES INC.	MANCOZEB	WALLOP BLUE 80 WP	800g/kg	WP	FUNGICIDE	4	432-053-4630	23-Jan-25	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	-	-
SYNGENTA PHILIPPINES INC.	MANCOZEB	WALLOP BLUE 80 WP	800g/kg	WP	FUNGICIDE	4	432-053-4630	21-Jan-25	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	-	-
SYNGENTA PHILIPPINES INC.	MANCOZEB	WALLOP BLUE 80 WP	800g/kg	WP	FUNGICIDE	4	432-053-4630	23-Jan-25	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	-	-
SYNGENTA PHILIPPINES INC.	MANCOZEB	WALLOP BLUE 80 WP	800g/kg	WP	FUNGICIDE	4	432-053-4630	21-Jan-25	-	Celery	Late blight	3-6 Tbsp/36 L water	-	-	-
SYNGENTA PHILIPPINES INC.	MANCOZEB	WALLOP BLUE 80 WP	800g/kg	WP	FUNGICIDE	4	432-053-4630	21-Jan-25	-	Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	-	-
SYNGENTA PHILIPPINES INC.	MANCOZEB	WALLOP BLUE 80 WP	800g/kg	WP	FUNGICIDE	4	432-053-4630	23-Jan-25	-	Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	-	-
SYNGENTA PHILIPPINES INC.	MANCOZEB	WALLOP BLUE 80 WP	800g/kg	WP	FUNGICIDE	4	432-053-4630	21-Jan-25	-	Cotton	Damping off	3-6 Tbsp/36 L water	-	-	-
SYNGENTA PHILIPPINES INC.	MANCOZEB	WALLOP BLUE 80 WP	800g/kg	WP	FUNGICIDE	4	432-053-4630	21-Jan-25	-	Lettuce	Downy mildew	3-6 Tbsp/36 L water	-	-	-
SYNGENTA PHILIPPINES INC.	MANCOZEB	WALLOP BLUE 80 WP	800g/kg	WP	FUNGICIDE	4	432-053-4630	21-Jan-25	-	Beans	Anthracoese, Downy mildew, Rust	3-6 Tbsp/36 L water	-	-	-
SYNGENTA PHILIPPINES INC.	MANCOZEB	WALLOP BLUE 80 WP	800g/kg	WP	FUNGICIDE	4	432-053-4630	21-Jan-25	-	Peas	Anthracoese, Downy mildew, Rust	3-6 Tbsp/36 L water	-	-	-

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
SYNGENTA PHILIPPINES INC.	MANCOZEB	WALLOP BLUE 80 WP	800g/kg	WP	FUNGICIDE	4	432-053-4630	23-Jan-25		Mungo	Anthracoese, Downy mildew, Rust	3-6 Tbsp/36 L water			
SYNGENTA PHILIPPINES INC.	MANCOZEB	WALLOP BLUE 80 WP	800g/kg	WP	FUNGICIDE	4	432-053-4630	23-Jan-25		Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/36 L water			
SYNGENTA PHILIPPINES INC.	MANCOZEB	WALLOP BLUE 80 WP	800g/kg	WP	FUNGICIDE	4	432-053-4630	23-Jan-25		Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36 L water			
SYNGENTA PHILIPPINES INC.	MANCOZEB	WALLOP BLUE 80 WP	800g/kg	WP	FUNGICIDE	4	432-053-4630	23-Jan-25		Stron	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36 L water			
SYNGENTA PHILIPPINES INC.	MANCOZEB	WALLOP BLUE 80 WP	800g/kg	WP	FUNGICIDE	4	432-053-4630	23-Jan-25		Pepper	Anthracoese	3-6 Tbsp/36 L water			
SYNGENTA PHILIPPINES INC.	MANCOZEB	WALLOP BLUE 80 WP	800g/kg	WP	FUNGICIDE	4	432-053-4630	23-Jan-25		Chili	Anthracoese	3-6 Tbsp/36 L water			
SYNGENTA PHILIPPINES INC.	MANCOZEB	WALLOP BLUE 80 WP	800g/kg	WP	FUNGICIDE	4	432-053-4630	23-Jan-25		Eggplant	Blight, Anthracnose	3-6 Tbsp/36 L water			
SYNGENTA PHILIPPINES INC.	MANCOZEB	WALLOP BLUE 80 WP	800g/kg	WP	FUNGICIDE	4	432-053-4630	23-Jan-25		Banana	Sigatoka, Black leaf streak	3-6 Tbsp/36 L water			
SYNGENTA PHILIPPINES INC.	MANCOZEB	WALLOP BLUE 80 WP	800g/kg	WP	FUNGICIDE	4	432-053-4630	23-Jan-25		Grapes	Downy mildew, black rot	3-6 Tbsp/36 L water			
SYNGENTA PHILIPPINES INC.	MANCOZEB	WALLOP BLUE 80 WP	800g/kg	WP	FUNGICIDE	4	432-053-4630	23-Jan-25		Mango	Anthracoese and Scab	3-6 Tbsp/36 L water			
SYNGENTA PHILIPPINES INC.	MANCOZEB	WALLOP BLUE 80 WP	800g/kg	WP	FUNGICIDE	4	432-053-4630	23-Jan-25		Papaya	Fruit rot	3-6 Tbsp/36 L water			
SYNGENTA PHILIPPINES INC.	MANCOZEB	WALLOP BLUE 80 WP	800g/kg	WP	FUNGICIDE	4	432-053-4630	23-Jan-25		Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water			
SYNGENTA PHILIPPINES INC.	MANCOZEB	WALLOP BLUE 80 WP	800g/kg	WP	FUNGICIDE	4	432-053-4630	23-Jan-25		Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water			
SYNGENTA PHILIPPINES INC.	MANCOZEB	WALLOP BLUE 80 WP	800g/kg	WP	FUNGICIDE	4	432-053-4630	23-Jan-25		Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/36 L water			
SYNGENTA PHILIPPINES INC.	MANCOZEB	WALLOP BLUE 80 WP	800g/kg	WP	FUNGICIDE	4	432-053-4630	23-Jan-25		Rice	Blast, sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/36 L water			
SYNGENTA PHILIPPINES INC.	MANCOZEB	WALLOP BLUE 80 WP	800g/kg	WP	FUNGICIDE	4	432-053-4630	23-Jan-25		Peanut	Cercospora leaf spot	3-6 Tbsp/36 L water			
SYNGENTA PHILIPPINES INC.	MANCOZEB	WALLOP BLUE 80 WP	800g/kg	WP	FUNGICIDE	4	432-053-4630	23-Jan-25		Soybeans	Leaf rust	3-6 Tbsp/36 L water			
SYNGENTA PHILIPPINES INC.	MANCOZEB	WALLOP BLUE 80 WP	800g/kg	WP	FUNGICIDE	4	432-053-4630	23-Jan-25		Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/36 L water			
SINOCHEM CROP PROTECTION (PHILS.) INC.	MANCOZEB	WALLOP 80 WP	800 g/kg	WP	FUNGICIDE	4	432-053-3031-B	10-May-25	-	Potato	Early and late blight	3-6 Tbsp/36 L water	-	-	As soon as spray dries
SINOCHEM CROP PROTECTION (PHILS.) INC.	MANCOZEB	WALLOP 80 WP	800 g/kg	WP	FUNGICIDE	4	432-053-3031-B	10-May-25	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
SINOCHEM CROP PROTECTION (PHILS.) INC.	MANCOZEB	WALLOP 80 WP	800 g/kg	WP	FUNGICIDE	4	432-053-3031-B	10-May-25	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
SINOCHEM CROP PROTECTION (PHILS.) INC.	MANCOZEB	WALLOP 80 WP	800 g/kg	WP	FUNGICIDE	4	432-053-3031-B	10-May-25	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
SINOCHEM CROP PROTECTION (PHILS.) INC.	MANCOZEB	WALLOP 80 WP	800 g/kg	WP	FUNGICIDE	4	432-053-3031-B	10-May-25	-	Celery	Late blight	3-6 Tbsp/36 L water	-	14 Days	As soon as spray dries
SINOCHEM CROP PROTECTION (PHILS.) INC.	MANCOZEB	WALLOP 80 WP	800 g/kg	WP	FUNGICIDE	4	432-053-3031-B	10-May-25	-	Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
SINOCHEM CROP PROTECTION (PHILS.) INC.	MANCOZEB	WALLOP 80 WP	800 g/kg	WP	FUNGICIDE	4	432-053-3031-B	10-May-25	-	Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
SINOCHEM CROP PROTECTION (PHILS.) INC.	MANCOZEB	WALLOP 80 WP	800 g/kg	WP	FUNGICIDE	4	432-053-3031-B	10-May-25	-	Cotton	Damping off	3-6 Tbsp/36 L water	-	-	As soon as spray dries
SINOCHEM CROP PROTECTION (PHILS.) INC.	MANCOZEB	WALLOP 80 WP	800 g/kg	WP	FUNGICIDE	4	432-053-3031-B	10-May-25	-	Lettuce	Downy mildew	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries
SINOCHEM CROP PROTECTION (PHILS.) INC.	MANCOZEB	WALLOP 80 WP	800 g/kg	WP	FUNGICIDE	4	432-053-3031-B	10-May-25	-	Beans	Anthracoese, Downy mildew, Rust	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
SINOCHEM CROP PROTECTION (PHILS.) INC.	MANCOZEB	WALLOP 80 WP	800 g/kg	WP	FUNGICIDE	4	432-053-3031-B	10-May-25	-	Peas	Anthracoese, Downy mildew, Rust	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
SINOCHEM CROP PROTECTION (PHILS.) INC.	MANCOZEB	WALLOP 80 WP	800 g/kg	WP	FUNGICIDE	4	432-053-3031-B	10-May-25	-	Mungo	Anthracoese, Downy mildew, Rust	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
SINOCHEM CROP PROTECTION (PHILS.) INC.	MANCOZEB	WALLOP 80 WP	800 g/kg	WP	FUNGICIDE	4	432-053-3031-B	10-May-25	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
SINOCHEM CROP PROTECTION (PHILS.) INC.	MANCOZEB	WALLOP 80 WP	800 g/kg	WP	FUNGICIDE	4	432-053-3031-B	10-May-25	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
SINOCHEM CROP PROTECTION (PHILS.) INC.	MANCOZEB	WALLOP 80 WP	800 g/kg	WP	FUNGICIDE	4	432-053-3031-B	10-May-25	-	Stron	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
SINOCHEM CROP PROTECTION (PHILS.) INC.	MANCOZEB	WALLOP 80 WP	800 g/kg	WP	FUNGICIDE	4	432-053-3031-B	10-May-25	-	Pepper	Anthracoese	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
SINOCHEM CROP PROTECTION (PHILS.) INC.	MANCOZEB	WALLOP 80 WP	800 g/kg	WP	FUNGICIDE	4	432-053-3031-B	10-May-25	-	Chili	Anthracoese	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
SINOCHEM CROP PROTECTION (PHILS.) INC.	MANCOZEB	WALLOP 80 WP	800 g/kg	WP	FUNGICIDE	4	432-053-3031-B	10-May-25	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
SINOCHEM CROP PROTECTION (PHILS.) INC.	MANCOZEB	WALLOP 80 WP	800 g/kg	WP	FUNGICIDE	4	432-053-3031-B	10-May-25	-	Banana	Sigatoka, Black leaf streak	3-6 Tbsp/36 L water	-	-	As soon as spray dries
SINOCHEM CROP PROTECTION (PHILS.) INC.	MANCOZEB	WALLOP 80 WP	800 g/kg	WP	FUNGICIDE	4	432-053-3031-B	10-May-25	-	Grapes	Downy mildew, black rot	3-6 Tbsp/36 L water	-	60 days	As soon as spray dries
SINOCHEM CROP PROTECTION (PHILS.) INC.	MANCOZEB	WALLOP 80 WP	800 g/kg	WP	FUNGICIDE	4	432-053-3031-B	10-May-25	-	Mango	Anthracoese and Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
SINOCHEM CROP PROTECTION (PHILS.) INC.	MANCOZEB	WALLOP 80 WP	800 g/kg	WP	FUNGICIDE	4	432-053-3031-B	10-May-25	-	Papaya	Fruit rot	3-6 Tbsp/36 L water	-	-	As soon as spray dries
SINOCHEM CROP PROTECTION (PHILS.) INC.	MANCOZEB	WALLOP 80 WP	800 g/kg	WP	FUNGICIDE	4	432-053-3031-B	10-May-25	-	Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
SINOCHEM CROP PROTECTION (PHILS.) INC.	MANCOZEB	WALLOP 80 WP	800 g/kg	WP	FUNGICIDE	4	432-053-3031-B	10-May-25	-	Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
SINOCHEM CROP PROTECTION (PHILS.) INC.	MANCOZEB	WALLOP 80 WP	800 g/kg	WP	FUNGICIDE	4	432-053-3031-B	10-May-25	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
SINOCHEM CROP PROTECTION (PHILS.) INC.	MANCOZEB	WALLOP 80 WP	800 g/kg	WP	FUNGICIDE	4	432-053-3031-B	10-May-25	-	Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/36 L water	-	-	As soon as spray dries
SINOCHEM CROP PROTECTION (PHILS.) INC.	MANCOZEB	WALLOP 80 WP	800 g/kg	WP	FUNGICIDE	4	432-053-3031-B	10-May-25	-	Peanut	Cercospora leaf spot	3-6 Tbsp/36 L water	-	14 Days	As soon as spray dries
SINOCHEM CROP PROTECTION (PHILS.) INC.	MANCOZEB	WALLOP 80 WP	800 g/kg	WP	FUNGICIDE	4	432-053-3031-B	10-May-25	-	Soybeans	Leaf rust	3-6 Tbsp/36 L water	-	-	As soon as spray dries
SINOCHEM CROP PROTECTION (PHILS.) INC.	MANCOZEB	WALLOP 80 WP	800 g/kg	WP	FUNGICIDE	4	432-053-3031-B	10-May-25	-	Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/36 L water	-	-	As soon as spray dries
SYNGENTA PHILIPPINES INC.	MANCOZEB	WALLOP 80 WP	800 g/kg	WP	FUNGICIDE	4	432-053-3031	10-May-25		Potato	Early and late blight	3-6 Tbsp/36 L water			Do not enter treated field until spray has completely dried.
SYNGENTA PHILIPPINES INC.	MANCOZEB	WALLOP 80 WP	800 g/kg	WP	FUNGICIDE	4	432-053-3031	10-May-25		Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water			Do not enter treated field until spray has completely dried.
SYNGENTA PHILIPPINES INC.	MANCOZEB	WALLOP 80 WP	800 g/kg	WP	FUNGICIDE	4	432-053-3031	10-May-25		Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water			Do not enter treated field until spray has completely dried.
SYNGENTA PHILIPPINES INC.	MANCOZEB	WALLOP 80 WP	800 g/kg	WP	FUNGICIDE	4	432-053-3031	10-May-25		Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water			Do not enter treated field until spray has completely dried.
SYNGENTA PHILIPPINES INC.	MANCOZEB	WALLOP 80 WP	800 g/kg	WP	FUNGICIDE	4	432-053-3031	10-May-25		Celery	Late blight	3-6 Tbsp/36 L water			Do not enter treated field until spray has completely dried.
SYNGENTA PHILIPPINES INC.	MANCOZEB	WALLOP 80 WP	800 g/kg	WP	FUNGICIDE	4	432-053-3031	10-May-25		Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water			Do not enter treated field until spray has completely dried.
SYNGENTA PHILIPPINES INC.	MANCOZEB	WALLOP 80 WP	800 g/kg	WP	FUNGICIDE	4	432-053-3031	10-May-25		Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water			Do not enter treated field until spray has completely dried.
SYNGENTA PHILIPPINES INC.	MANCOZEB	WALLOP 80 WP	800 g/kg	WP	FUNGICIDE	4	432-053-3031	10-May-25		Cotton	Damping off	3-6 Tbsp/36 L water			Do not enter treated field until spray has completely dried.
SYNGENTA PHILIPPINES INC.	MANCOZEB	WALLOP 80 WP	800 g/kg	WP	FUNGICIDE	4	432-053-3031	10-May-25		Lettuce	Downy mildew	3-6 Tbsp/36 L water			Do not enter treated field until spray has completely dried.

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
SYNGENTA PHILIPPINES INC.	MANCOZEB	WALLOP 75 WDG	750g/kg	WDG	FUNGICIDE	4	011-053-3237	10-May-25	-	Squash	Downy mildew, anthracnose, scab	-	-	Do not enter treated field until spray has completely dried.	Do not enter treated field unit until spray has completely dried.
SYNGENTA PHILIPPINES INC.	MANCOZEB	WALLOP 75 WDG	750g/kg	WDG	FUNGICIDE	4	011-053-3237	10-May-25	-	Cotton	Damping off	-	-	Do not enter treated field until spray has completely dried.	Do not enter treated field unit until spray has completely dried.
SYNGENTA PHILIPPINES INC.	MANCOZEB	WALLOP 75 WDG	750g/kg	WDG	FUNGICIDE	4	011-053-3237	10-May-25	-	Lettuce	Downy mildew	-	-	Do not enter treated field until spray has completely dried.	Do not enter treated field unit until spray has completely dried.
SYNGENTA PHILIPPINES INC.	MANCOZEB	WALLOP 75 WDG	750g/kg	WDG	FUNGICIDE	4	011-053-3237	10-May-25	-	Beans	Anthracoese, Downy Mildew, Rust	-	-	Do not enter treated field until spray has completely dried.	Do not enter treated field unit until spray has completely dried.
SYNGENTA PHILIPPINES INC.	MANCOZEB	WALLOP 75 WDG	750g/kg	WDG	FUNGICIDE	4	011-053-3237	10-May-25	-	Peas	Anthracoese, Downy Mildew, Rust	-	-	Do not enter treated field until spray has completely dried.	Do not enter treated field unit until spray has completely dried.
SYNGENTA PHILIPPINES INC.	MANCOZEB	WALLOP 75 WDG	750g/kg	WDG	FUNGICIDE	4	011-053-3237	10-May-25	-	Mungbeans	Anthracoese, Downy Mildew, Rust	-	-	Do not enter treated field until spray has completely dried.	Do not enter treated field unit until spray has completely dried.
SYNGENTA PHILIPPINES INC.	MANCOZEB	WALLOP 75 WDG	750g/kg	WDG	FUNGICIDE	4	011-053-3237	10-May-25	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	-	-	Do not enter treated field until spray has completely dried.	Do not enter treated field unit until spray has completely dried.
SYNGENTA PHILIPPINES INC.	MANCOZEB	WALLOP 75 WDG	750g/kg	WDG	FUNGICIDE	4	011-053-3237	10-May-25	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	-	-	Do not enter treated field until spray has completely dried.	Do not enter treated field unit until spray has completely dried.
SYNGENTA PHILIPPINES INC.	MANCOZEB	WALLOP 75 WDG	750g/kg	WDG	FUNGICIDE	4	011-053-3237	10-May-25	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	-	-	Do not enter treated field until spray has completely dried.	Do not enter treated field unit until spray has completely dried.
SYNGENTA PHILIPPINES INC.	MANCOZEB	WALLOP 75 WDG	750g/kg	WDG	FUNGICIDE	4	011-053-3237	10-May-25	-	Pepper	Anthracoese	-	-	Do not enter treated field until spray has completely dried.	Do not enter treated field unit until spray has completely dried.
SYNGENTA PHILIPPINES INC.	MANCOZEB	WALLOP 75 WDG	750g/kg	WDG	FUNGICIDE	4	011-053-3237	10-May-25	-	Chili	Anthracoese	-	-	Do not enter treated field until spray has completely dried.	Do not enter treated field unit until spray has completely dried.
SYNGENTA PHILIPPINES INC.	MANCOZEB	WALLOP 75 WDG	750g/kg	WDG	FUNGICIDE	4	011-053-3237	10-May-25	-	Eggplant	Blight, anthracnose	-	-	Do not enter treated field until spray has completely dried.	Do not enter treated field unit until spray has completely dried.
SYNGENTA PHILIPPINES INC.	MANCOZEB	WALLOP 75 WDG	750g/kg	WDG	FUNGICIDE	4	011-053-3237	10-May-25	-	Banana	Sigatoka, black leaf streak	-	-	Do not enter treated field until spray has completely dried.	Do not enter treated field unit until spray has completely dried.
SYNGENTA PHILIPPINES INC.	MANCOZEB	WALLOP 75 WDG	750g/kg	WDG	FUNGICIDE	4	011-053-3237	10-May-25	-	Grapes	Downy mildew, black rot	-	-	Do not enter treated field until spray has completely dried.	Do not enter treated field unit until spray has completely dried.
SYNGENTA PHILIPPINES INC.	MANCOZEB	WALLOP 75 WDG	750g/kg	WDG	FUNGICIDE	4	011-053-3237	10-May-25	-	Mango	Anthracoese and Scab	-	-	Do not enter treated field until spray has completely dried.	Do not enter treated field unit until spray has completely dried.
SYNGENTA PHILIPPINES INC.	MANCOZEB	WALLOP 75 WDG	750g/kg	WDG	FUNGICIDE	4	011-053-3237	10-May-25	-	Papaya	Fruit rot	-	-	Do not enter treated field until spray has completely dried.	Do not enter treated field unit until spray has completely dried.
SYNGENTA PHILIPPINES INC.	MANCOZEB	WALLOP 75 WDG	750g/kg	WDG	FUNGICIDE	4	011-053-3237	10-May-25	-	Melon	Downy mildew, anthracnose, scab	-	-	Do not enter treated field until spray has completely dried.	Do not enter treated field unit until spray has completely dried.
SYNGENTA PHILIPPINES INC.	MANCOZEB	WALLOP 75 WDG	750g/kg	WDG	FUNGICIDE	4	011-053-3237	10-May-25	-	Watermelon	Downy mildew, anthracnose, scab	-	-	Do not enter treated field until spray has completely dried.	Do not enter treated field unit until spray has completely dried.
SYNGENTA PHILIPPINES INC.	MANCOZEB	WALLOP 75 WDG	750g/kg	WDG	FUNGICIDE	4	011-053-3237	10-May-25	-	Corn (sweet and popcorn)	Helminthosporium leaf spot	-	-	Do not enter treated field until spray has completely dried.	Do not enter treated field unit until spray has completely dried.
SYNGENTA PHILIPPINES INC.	MANCOZEB	WALLOP 75 WDG	750g/kg	WDG	FUNGICIDE	4	011-053-3237	10-May-25	-	Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	-	-	Do not enter treated field until spray has completely dried.	Do not enter treated field unit until spray has completely dried.
SYNGENTA PHILIPPINES INC.	MANCOZEB	WALLOP 75 WDG	750g/kg	WDG	FUNGICIDE	4	011-053-3237	10-May-25	-	Peanut	Cercospora leaf spot	-	-	Do not enter treated field until spray has completely dried.	Do not enter treated field unit until spray has completely dried.
SYNGENTA PHILIPPINES INC.	MANCOZEB	WALLOP 75 WDG	750g/kg	WDG	FUNGICIDE	4	011-053-3237	10-May-25	-	Soybeans	Leaf rust	-	-	Do not enter treated field until spray has completely dried.	Do not enter treated field unit until spray has completely dried.
SYNGENTA PHILIPPINES INC.	MANCOZEB	WALLOP 75 WDG	750g/kg	WDG	FUNGICIDE	4	011-053-3237	10-May-25	-	Ornamentals	Black spot, blight, anthracnose	-	-	Do not enter treated field until spray has completely dried.	Do not enter treated field unit until spray has completely dried.
NS NORTHERN ORGANIC FERTILIZER INC.	ABAMECTIN	WAKNIS 1.8 EC	18 g/L	EC	INSECTICIDE	2	470-234-4940	24-Jul-24	-	Banana	Blossom thrips	0.5/ L water	-	-	Re-enter treated area only after spray has dried
NS NORTHERN ORGANIC FERTILIZER INC.	ABAMECTIN	WAKNIS 1.8 EC	18 g/L	EC	INSECTICIDE	2	470-234-4940	24-Jul-24	-	Cabbage	Diamond back moth	1000 ml prod/ha	-	7 days	Re-enter treated area only after spray has dried
NS NORTHERN ORGANIC FERTILIZER INC.	ABAMECTIN	WAKNIS 1.8 EC	18 g/L	EC	INSECTICIDE	2	470-234-4940	24-Jul-24	-	Ornamentals	Mites	1.0-1.5Tbsp/16 L of water	-	-	Re-enter treated area only after spray has dried
NS NORTHERN ORGANIC FERTILIZER INC.	ABAMECTIN	WAKNIS 1.8 EC	18 g/L	EC	INSECTICIDE	2	470-234-4940	24-Jul-24	-	Pineapple	Mites	1000-2000ml prod/ha	-	-	Re-enter treated area only after spray has dried
NS NORTHERN ORGANIC FERTILIZER INC.	ABAMECTIN	WAKNIS 1.8 EC	18 g/L	EC	INSECTICIDE	2	470-234-4940	24-Jul-24	-	Eggplant	Thrips, Leafhopper, fruit and shoot borer	2.0-5.0 Tbsp/16 L of water	-	3 days	Re-enter treated area only after spray has dried
NS NORTHERN ORGANIC FERTILIZER INC.	ABAMECTIN	WAKNIS 1.8 EC	18 g/L	EC	INSECTICIDE	2	470-234-4940	24-Jul-24	-	Onion	leafminer, thrips	2.0-3.0 Tbsp/16 L of water	-	3 days	Re-enter treated area only after spray has dried
NS NORTHERN ORGANIC FERTILIZER INC.	ABAMECTIN	WAKNIS 1.8 EC	18 g/L	EC	INSECTICIDE	2	470-234-4940	24-Jul-24	-	Potato	leafminer, thrips	2.0-3.0 Tbsp/16 L of water	-	14 days	Re-enter treated area only after spray has dried
NS NORTHERN ORGANIC FERTILIZER INC.	ABAMECTIN	WAKNIS 1.8 EC	18 g/L	EC	INSECTICIDE	2	470-234-4940	24-Jul-24	-	Tomato	leafminer, thrips, aphids	2.0-3.0 Tbsp/16 L of water	-	3 days	Re-enter treated area only after spray has dried
NS NORTHERN ORGANIC FERTILIZER INC.	ABAMECTIN	WAKNIS 1.8 EC	18 g/L	EC	INSECTICIDE	2	470-234-4940	24-Jul-24	-	Watermelon	leafminer, thrips, melonworm	2.0-3.0 Tbsp/16 L of water	-	3 days	Re-enter treated area only after spray has dried
NS NORTHERN ORGANIC FERTILIZER INC.	ABAMECTIN	WAKNIS 1.8 EC	18 g/L	EC	INSECTICIDE	2	470-234-4940	24-Jul-24	-	Papaya	Mites	0.5-1.0 Tbsp/16 L of water	-	14 days	Re-enter treated area only after spray has dried
NS NORTHERN ORGANIC FERTILIZER INC.	ABAMECTIN	WAKNIS 1.8 EC	18 g/L	EC	INSECTICIDE	2	470-234-4940	24-Jul-24	-	Strawberry	Mites	2.0-4.0 Tbsp/16 L of water	-	3 days	Re-enter treated area only after spray has dried
PALMITRE CORPORATION	MANCOZEB	WAKAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	504-053-2855	04-Feb-22	-	Potato	Early and late blight	3-6 Tbsp/16 L water	-	-	As soon as spray dries
PALMITRE CORPORATION	MANCOZEB	WAKAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	504-053-2855	04-Feb-22	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 days	As soon as spray dries
PALMITRE CORPORATION	MANCOZEB	WAKAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	504-053-2855	04-Feb-22	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 days	As soon as spray dries
PALMITRE CORPORATION	MANCOZEB	WAKAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	504-053-2855	04-Feb-22	-	broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 days	As soon as spray dries
PALMITRE CORPORATION	MANCOZEB	WAKAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	504-053-2855	04-Feb-22	-	Galery	Late blight	3-6 Tbsp/16 L water	-	14 days	As soon as spray dries
PALMITRE CORPORATION	MANCOZEB	WAKAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	504-053-2855	04-Feb-22	-	Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
PALMITRE CORPORATION	MANCOZEB	WAKAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	504-053-2855	04-Feb-22	-	Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
PALMITRE CORPORATION	MANCOZEB	WAKAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	504-053-2855	04-Feb-22	-	Cotton	Damping off	3-6 Tbsp/16 L water	-	-	As soon as spray dries
PALMITRE CORPORATION	MANCOZEB	WAKAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	504-053-2855	04-Feb-22	-	Lettuce	Downy mildew	3-6 Tbsp/16 L water	-	7 days	As soon as spray dries
PALMITRE CORPORATION	MANCOZEB	WAKAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	504-053-2855	04-Feb-22	-	Beans	Anthracoese, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
PALMITRE CORPORATION	MANCOZEB	WAKAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	504-053-2855	04-Feb-22	-	Peas	Anthracoese, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
PALMITRE CORPORATION	MANCOZEB	WAKAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	504-053-2855	04-Feb-22	-	Mungbeans	Anthracoese, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
PALMITRE CORPORATION	MANCOZEB	WAKAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	504-053-2855	04-Feb-22	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
PALMITRE CORPORATION	MANCOZEB	WAKAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	504-053-2855	04-Feb-22	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	-	7 days	As soon as spray dries
PALMITRE CORPORATION	MANCOZEB	WAKAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	504-053-2855	04-Feb-22	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	-	7 days	As soon as spray dries
PALMITRE CORPORATION	MANCOZEB	WAKAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	504-053-2855	04-Feb-22	-	Pepper	Anthracoese	3-6 Tbsp/16 L water	-	7 days	As soon as spray dries
PALMITRE CORPORATION	MANCOZEB	WAKAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	504-053-2855	04-Feb-22	-	Chili	Anthracoese	3-6 Tbsp/16 L water	-	7 days	As soon as spray dries
PALMITRE CORPORATION	MANCOZEB	WAKAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	504-053-2855	04-Feb-22	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/16 L water	-	7 days	As soon as spray dries
PALMITRE CORPORATION	MANCOZEB	WAKAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	504-053-2855	04-Feb-22	-	Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16 L water	-	-	As soon as spray dries
PALMITRE CORPORATION	MANCOZEB	WAKAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	504-053-2855	04-Feb-22	-	Grapes	Downy mildew, black rot	3-6 Tbsp/16 L water	-	60 days	As soon as spray dries
PALMITRE CORPORATION	MANCOZEB	WAKAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	504-053-2855	04-Feb-22	-	Mango	Anthracoese and Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
PALMITRE CORPORATION	MANCOZEB	WAKAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	504-053-2855	04-Feb-22	-	Papaya	Fruit rot	3-6 Tbsp/16 L water	-	-	As soon as spray dries

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
PALMITRE CORPORATION	MANCOZEB	WAKAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	504-053-2855	04-Feb-22	-	Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
PALMITRE CORPORATION	MANCOZEB	WAKAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	504-053-2855	04-Feb-22	-	Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
PALMITRE CORPORATION	MANCOZEB	WAKAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	504-053-2855	04-Feb-22	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries
PALMITRE CORPORATION	MANCOZEB	WAKAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	504-053-2855	04-Feb-22	-	Rice	Blatt, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/36 L water	0.02ppm	-	As soon as spray dries
PALMITRE CORPORATION	MANCOZEB	WAKAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	504-053-2855	04-Feb-22	-	Peanut	Cercospora leaf spot	3-6 Tbsp/36 L water	-	14 Days	As soon as spray dries
PALMITRE CORPORATION	MANCOZEB	WAKAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	504-053-2855	04-Feb-22	-	Soybeans	Leaf rust	3-6 Tbsp/36 L water	-	-	As soon as spray dries
PALMITRE CORPORATION	MANCOZEB	WAKAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	504-053-2855	04-Feb-22	-	Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/36 L water	-	-	As soon as spray dries
DU PONT FAR EAST, INC.	CHLORFL	HYDATE L	240 g/L	SC	INSECTICIDE	1	014-172-0363	04-Apr-23	SYSTEMIC	Banana	Nematodes	10 mL/must	-	-	-
DOCARMA PEST MANAGEMENT SOLUTIONS CORP.	LAMBDA-CHYALOTHIRIN	VUATURE 2.5 EC	25 g/L	EC	INSECTICIDE	2	677-021-5267	07-Jun-23	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leafroller, black bug	1.0-1.5Tbsp/36 L of water	0.05ppm	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
DOCARMA PEST MANAGEMENT SOLUTIONS CORP.	LAMBDA-CHYALOTHIRIN	VUATURE 2.5 EC	25 g/L	EC	INSECTICIDE	2	677-021-5267	07-Jun-23	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/36 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
DOCARMA PEST MANAGEMENT SOLUTIONS CORP.	LAMBDA-CHYALOTHIRIN	VUATURE 2.5 EC	25 g/L	EC	INSECTICIDE	2	677-021-5267	07-Jun-23	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/36 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
DOCARMA PEST MANAGEMENT SOLUTIONS CORP.	LAMBDA-CHYALOTHIRIN	VUATURE 2.5 EC	25 g/L	EC	INSECTICIDE	2	677-021-5267	07-Jun-23	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/36 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
DOCARMA PEST MANAGEMENT SOLUTIONS CORP.	LAMBDA-CHYALOTHIRIN	VUATURE 2.5 EC	25 g/L	EC	INSECTICIDE	2	677-021-5267	07-Jun-23	SYSTEMIC	Mungbeans	Beanfly, flea beetle, leafhopper, aphids, mites, podborer	1.0Tbsp/36 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
DOCARMA PEST MANAGEMENT SOLUTIONS CORP.	LAMBDA-CHYALOTHIRIN	VUATURE 2.5 EC	25 g/L	EC	INSECTICIDE	2	677-021-5267	07-Jun-23	SYSTEMIC	Corn	Comborer, aphids, seedling maggots	1.0-1.5Tbsp/36 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
DOCARMA PEST MANAGEMENT SOLUTIONS CORP.	LAMBDA-CHYALOTHIRIN	VUATURE 2.5 EC	25 g/L	EC	INSECTICIDE	2	677-021-5267	07-Jun-23	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katyids	1.0-1.5Tbsp/36 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
DOCARMA PEST MANAGEMENT SOLUTIONS CORP.	LAMBDA-CHYALOTHIRIN	VUATURE 2.5 EC	25 g/L	EC	INSECTICIDE	2	677-021-5267	07-Jun-23	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/36 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
DOCARMA PEST MANAGEMENT SOLUTIONS CORP.	LAMBDA-CHYALOTHIRIN	VUATURE 2.5 EC	25 g/L	EC	INSECTICIDE	2	677-021-5267	07-Jun-23	SYSTEMIC	Cocoa	Podborer	1.0-2.0Tbsp/36 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
DOCARMA PEST MANAGEMENT SOLUTIONS CORP.	LAMBDA-CHYALOTHIRIN	VUATURE 2.5 EC	25 g/L	EC	INSECTICIDE	2	677-021-5267	07-Jun-23	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/36 L of water	-	3 days	Re-entry to treated fields is allowed as soon as spray deposits dry
TEXICON AGR VENTURES CORPORATION	ABAMECTIN	VULCAN 1.8 EC	18 g/L	EC	INSECTICIDE	2	242-234-6375	28-Nov-26	-	Banana	Blossom thrips	0.5 Tbsp/ L	-	-	-
TEXICON AGR VENTURES CORPORATION	ABAMECTIN	VULCAN 1.8 EC	18 g/L	EC	INSECTICIDE	2	242-234-6375	28-Nov-26	-	Cabbage	Diamondback moth	1L prod / ha	0.01 mg/kg	7 days	-
TEXICON AGR VENTURES CORPORATION	ABAMECTIN	VULCAN 1.8 EC	18 g/L	EC	INSECTICIDE	2	242-234-6375	28-Nov-26	-	Eggplant	Thrips, Leafhopper, fruit and shoot borer	2.0-5.0 Tbsp / 36L	0.01 mg/kg	3 days	-
TEXICON AGR VENTURES CORPORATION	ABAMECTIN	VULCAN 1.8 EC	18 g/L	EC	INSECTICIDE	2	242-234-6375	28-Nov-26	-	Mango	Cecid fly	200-500 mL/200L	0.04 mg/kg	-	-
TEXICON AGR VENTURES CORPORATION	ABAMECTIN	VULCAN 1.8 EC	18 g/L	EC	INSECTICIDE	2	242-234-6375	28-Nov-26	-	Onion	Leafminer and thrips	2.0-3.0 Tbsp/36 L of water	0.01 mg/kg	3 days	-
TEXICON AGR VENTURES CORPORATION	ABAMECTIN	VULCAN 1.8 EC	18 g/L	EC	INSECTICIDE	2	242-234-6375	28-Nov-26	-	Ornamentals	Mites	1.0-1.5 Tbsp/36L water	-	-	-
TEXICON AGR VENTURES CORPORATION	ABAMECTIN	VULCAN 1.8 EC	18 g/L	EC	INSECTICIDE	2	242-234-6375	28-Nov-26	-	Papaya	Mites	0.5-1.0 Tbsp/36L	0.01 mg/kg	14 days	-
TEXICON AGR VENTURES CORPORATION	ABAMECTIN	VULCAN 1.8 EC	18 g/L	EC	INSECTICIDE	2	242-234-6375	28-Nov-26	-	Pineapple	Mites	1-4 L prod/ha	0.01 mg/kg	-	-
TEXICON AGR VENTURES CORPORATION	ABAMECTIN	VULCAN 1.8 EC	18 g/L	EC	INSECTICIDE	2	242-234-6375	28-Nov-26	-	Potato	Leafminer and thrips	2.0-3.0 Tbsp/36 L of water	0.01 mg/kg	14 days	-
TEXICON AGR VENTURES CORPORATION	ABAMECTIN	VULCAN 1.8 EC	18 g/L	EC	INSECTICIDE	2	242-234-6375	28-Nov-26	-	Strawberry	Mites	2.0-4.0 Tbsp/36 L of water	0.01 mg/kg	3 days	-
TEXICON AGR VENTURES CORPORATION	ABAMECTIN	VULCAN 1.8 EC	18 g/L	EC	INSECTICIDE	2	242-234-6375	28-Nov-26	-	Tomato	Leafminer, thrips and aphids	2.0-3.0 Tbsp/36 L of water	0.01 mg/kg	3 days	-
TEXICON AGR VENTURES CORPORATION	ABAMECTIN	VULCAN 1.8 EC	18 g/L	EC	INSECTICIDE	2	242-234-6375	28-Nov-26	-	Watermelon	Leafminer, thrips, and melonworm	2.0-3.0 Tbsp/36 L of water	0.01 mg/kg	3 days	-
VTL AGRO PRODUCTS INCORPORATED	MALATHION	VTL MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	463-038-2502	17-May-22	NON-SYSTEMIC	Fruit trees	Aphids, mealy bug scale insect	1.5-3.0Tbsp/36 L water	-	Do not spray 14 days before harvest	Do not enter the field within two (2) days after spraying
VTL AGRO PRODUCTS INCORPORATED	MALATHION	VTL MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	463-038-2502	17-May-22	NON-SYSTEMIC	Rice	Armyworm, cutworm, leafhopper, bugs	2.0-3.0Tbsp/36 L water	-	Do not spray 14 days before harvest	Do not enter the field within two (2) days after spraying
VTL AGRO PRODUCTS INCORPORATED	MALATHION	VTL MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	463-038-2502	17-May-22	NON-SYSTEMIC	Corn	Earworm, silkworm, aphids, grasshopper	3.0-5.0Tbsp/36 L water	-	Do not spray 14 days before harvest	Do not enter the field within two (2) days after spraying
VTL AGRO PRODUCTS INCORPORATED	MALATHION	VTL MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	463-038-2502	17-May-22	NON-SYSTEMIC	Cabbage	Cabbage worm, loopers, diamond-back moth	2.0-5.0Tbsp/36 L water	-	Do not spray 14 days before harvest	Do not enter the field within two (2) days after spraying
VTL AGRO PRODUCTS INCORPORATED	MALATHION	VTL MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	463-038-2502	17-May-22	NON-SYSTEMIC	Legumes	Aphids, beanfly, cutworm, flea beetles, leafminer, maggots, mealybug, podborer, thrips	2.0-5.0Tbsp/36 L water	-	Do not spray 14 days before harvest	Do not enter the field within two (2) days after spraying
VTL AGRO PRODUCTS INCORPORATED	MALATHION	VTL MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	463-038-2502	17-May-22	NON-SYSTEMIC	Grapes	Beetles, cutworm, leafhopper, mealybug, scale, insect, spider mites	3.0Tbsp/36 L water	-	Do not spray 14 days before harvest	Do not enter the field within two (2) days after spraying
VTL AGRO PRODUCTS INCORPORATED	MALATHION	VTL MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	463-038-2502	17-May-22	NON-SYSTEMIC	Pineapple	Mealy bug	3.0Tbsp/36 L water	-	Do not spray 14 days before harvest	Do not enter the field within two (2) days after spraying
VTL AGRO PRODUCTS INCORPORATED	MALATHION	VTL MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	463-038-2502	17-May-22	NON-SYSTEMIC	Pepper	Aphid, cutworm, fruitworm	3.0Tbsp/36 L water	-	Do not spray 14 days before harvest	Do not enter the field within two (2) days after spraying
VTL AGRO PRODUCTS INCORPORATED	MALATHION	VTL MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	463-038-2502	17-May-22	NON-SYSTEMIC	Garlic	Cutworm	3.0Tbsp/36 L water	-	Do not spray 14 days before harvest	Do not enter the field within two (2) days after spraying
VTL AGRO PRODUCTS INCORPORATED	MALATHION	VTL MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	463-038-2502	17-May-22	NON-SYSTEMIC	Onion	Cutworm	3.0Tbsp/36 L water	-	Do not spray 14 days before harvest	Do not enter the field within two (2) days after spraying
VTL AGRO PRODUCTS INCORPORATED	MALATHION	VTL MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	463-038-2502	17-May-22	NON-SYSTEMIC	Tobacco	Aphids, katydid	3.0-6.0Tbsp/36 L water	-	Do not spray 14 days before harvest	Do not enter the field within two (2) days after spraying
VTL AGRO PRODUCTS INCORPORATED	MALATHION	VTL MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	463-038-2502	17-May-22	NON-SYSTEMIC	Ornamentals	Aphids, cutworm, mealybug, scale insect, spider mites	3.0-5.0Tbsp/36 L water	-	Do not spray 14 days before harvest	Do not enter the field within two (2) days after spraying
VTL AGRO PRODUCTS INCORPORATED	MALATHION	VTL MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	463-038-2502	17-May-22	NON-SYSTEMIC	Tomato	Lady beetle	3.0-5.0Tbsp/36 L water	-	Do not spray 14 days before harvest	Do not enter the field within two (2) days after spraying
VTL AGRO PRODUCTS INCORPORATED	MALATHION	VTL MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	463-038-2502	17-May-22	NON-SYSTEMIC	Eggplant	Aphids, fruitworm	3.0-5.0Tbsp/36 L water	-	Do not spray 14 days before harvest	Do not enter the field within two (2) days after spraying
VTL AGRO PRODUCTS INCORPORATED	MALATHION	VTL MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	463-038-2502	17-May-22	NON-SYSTEMIC	Sorghum	Web worm	3.0Tbsp/36 L water	-	Do not spray 14 days before harvest	Do not enter the field within two (2) days after spraying
VTL AGRO PRODUCTS INCORPORATED	DIURON	VTL DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	463-021-3513	18-Aug-21	SYSTEMIC	Citrus	Annual and Perennial broadleaves and grasses	13.0-15.0Tbsp/36 L water	-	-	Do not enter the treated fields without protective clothing until spray have dried
VTL AGRO PRODUCTS INCORPORATED	DIURON	VTL DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	463-021-3513	18-Aug-21	SYSTEMIC	Coffee	Annual and Perennial broadleaves and grasses	15.0-15.0Tbsp/36 L water	-	-	Do not enter the treated fields without protective clothing until spray have dried
VTL AGRO PRODUCTS INCORPORATED	DIURON	VTL DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	463-021-3513	18-Aug-21	SYSTEMIC	Cotton	Annual and Perennial broadleaves and grasses	6.0Tbsp/36 L water	-	-	Do not enter the treated fields without protective clothing until spray have dried
VTL AGRO PRODUCTS INCORPORATED	DIURON	VTL DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	463-021-3513	18-Aug-21	SYSTEMIC	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0Tbsp/36 L water	-	-	Do not enter the treated fields without protective clothing until spray have dried
VTL AGRO PRODUCTS INCORPORATED	DIURON	VTL DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	463-021-3513	18-Aug-21	SYSTEMIC	Pineapple	Annual and Perennial broadleaves and grasses	13.0Tbsp/36 L water	-	-	Do not enter the treated fields without protective clothing until spray have dried
VTL AGRO PRODUCTS INCORPORATED	DIURON	VTL DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	463-021-3513	18-Aug-21	SYSTEMIC	Non-crop land	Annual and Perennial broadleaves and grasses	20.0-28.0Tbsp/36 L water	-	-	Do not enter the treated fields without protective clothing until spray have dried
VTL AGRO PRODUCTS INCORPORATED	CARTAP HYDROCHLORIDE	VTL CARTAP 50 SP	800 g/kg	SP	INSECTICIDE	3	463-106-3485	12-Aug-24	SYSTEMIC	Rice	Whorl maggot, stemborer, green leafhopper, brown planthopper	3.0-5.0Tbsp/36 L water	0.2ppm	Stop spraying 10 days before harvest.	-
VTL AGRO PRODUCTS INCORPORATED	CARTAP HYDROCHLORIDE	VTL CARTAP 50 SP	800 g/kg	SP	INSECTICIDE	3	463-106-3485	12-Aug-24	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/36 L water	-	Stop spraying 10 days before harvest.	Do not enter the field within two days after spraying
VTL AGRO PRODUCTS INCORPORATED	CARTAP HYDROCHLORIDE	VTL CARTAP 50 SP	800 g/kg	SP	INSECTICIDE	3	463-106-3485	12-Aug-24	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/36 L water	-	Stop spraying 10 days before harvest.	Do not enter the field within two days after spraying
VTL AGRO PRODUCTS INCORPORATED	CARTAP HYDROCHLORIDE	VTL CARTAP 50 SP	800 g/kg	SP	INSECTICIDE	3	463-106-3485	12-Aug-24	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/36 L water	-	Stop spraying 10 days before harvest.	Do not enter the field within two days after spraying
VTL AGRO PRODUCTS INCORPORATED	CARTAP HYDROCHLORIDE	VTL CARTAP 50 SP	800 g/kg	SP	INSECTICIDE	3	463-106-3485	12-Aug-24	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/36 L water	-	Stop spraying 10 days before harvest.	Do not enter the field within two days after spraying

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
VTL AGRO PRODUCTS INCORPORATED	CARTAP HYDROCHLORIDE	VTL CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	469-106-3485	12-Aug-24	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/36 L water	-	Stop spraying 10 days before harvest.	Do not enter the field within two days after spraying
VTL AGRO PRODUCTS INCORPORATED	CARTAP HYDROCHLORIDE	VTL CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	469-106-3485	12-Aug-24	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/36 L water	-	Stop spraying 10 days before harvest.	Do not enter the field within two days after spraying
VTL AGRO PRODUCTS INCORPORATED	CARTAP HYDROCHLORIDE	VTL CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	469-106-3485	12-Aug-24	SYSTEMIC	Mango	leafhoppers	1.5-2.0Tbsp/36 L water	-	Stop spraying 10 days before harvest.	Do not enter the field within two days after spraying
VTL AGRO PRODUCTS INCORPORATED	CARTAP HYDROCHLORIDE	VTL CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	469-106-3485	12-Aug-24	SYSTEMIC	Peachy	looper, cutworm, aphids	1.5-3.0Tbsp/36 L water	-	Stop spraying 10 days before harvest.	Do not enter the field within two days after spraying
AGWAY CHEMICALS CORPORATION	AMETRYN+ATRAZINE	VTEX 80 WP	400-400 g/kg	WP	HERBICIDE	4	075-079-4746	22-Apr-22	SELECTIVE (POST/PRE-EMERGENT)	Sugarcane	Broadleaf weeds & Annual Grasses	9-14 Tbsp/36 Liters	-	Do not spray 21 days before harvest	Enter treated fields only when spray has completely dried
AGWAY CHEMICALS CORPORATION	AMETRYN+ATRAZINE	VTEX 80 WP	400-400 g/kg	WP	HERBICIDE	4	075-079-4746	22-Apr-22	SELECTIVE (POST/PRE-EMERGENT)	Oil palm	Broadleaf weeds & Annual Grasses	9-14 Tbsp/36 Liters	-	Do not spray 21 days before harvest	Enter treated fields only when spray has completely dried
AGWAY CHEMICALS CORPORATION	AMETRYN+ATRAZINE	VTEX 80 WP	400-400 g/kg	WP	HERBICIDE	4	075-079-4746	22-Apr-22	SELECTIVE (POST/PRE-EMERGENT)	Banana	Broadleaf weeds & Annual Grasses	9-14 Tbsp/36 Liters	-	Do not spray 21 days before harvest	Enter treated fields only when spray has completely dried
AGWAY CHEMICALS CORPORATION	AMETRYN+ATRAZINE	VTEX 80 WP	400-400 g/kg	WP	HERBICIDE	4	075-079-4746	22-Apr-22	SELECTIVE (POST/PRE-EMERGENT)	Citrus	Broadleaf weeds & Annual Grasses	9-14 Tbsp/36 Liters	-	Do not spray 21 days before harvest	Enter treated fields only when spray has completely dried
AGWAY CHEMICALS CORPORATION	AMETRYN+ATRAZINE	VTEX 80 WP	400-400 g/kg	WP	HERBICIDE	4	075-079-4746	22-Apr-22	SELECTIVE (POST/PRE-EMERGENT)	Coffee	Broadleaf weeds & Annual Grasses	9-14 Tbsp/36 Liters	-	Do not spray 21 days before harvest	Enter treated fields only when spray has completely dried
AGWAY CHEMICALS CORPORATION	AMETRYN+ATRAZINE	VTEX 80 WP	400-400 g/kg	WP	HERBICIDE	4	075-079-4746	22-Apr-22	SELECTIVE (POST/PRE-EMERGENT)	Cacao	Broadleaf weeds & Annual Grasses	9-14 Tbsp/36 Liters	-	Do not spray 21 days before harvest	Enter treated fields only when spray has completely dried
AGWAY CHEMICALS CORPORATION	AMETRYN+ATRAZINE	VTEX 80 WP	400-400 g/kg	WP	HERBICIDE	4	075-079-4746	22-Apr-22	SELECTIVE (POST/PRE-EMERGENT)	Banana	Black Sigatoka	1.00-Kg a.i./ha 1.38-L prod./ha	-	0 day	Do not enter treatment areas until spray deposit have dried
VEZAYA PLANTATION, INC.	CHLOROTHALONIL	VPI DÁCONIL 720SC	720 g/L	SC	FUNGICIDE	4	769-118-6125 (888)	25-Apr-26	-	-	-	-	-	-	-
CESA ANIMAL HEALTH (PHILIPPINES) INC.	POTASSIUM MONOPERSULPHATE-SODIUM CHLORIDE	V-CX	-	-	OTHERS	2	714-582-5711	31-Dec-24	-	-	Disinfection of equipment, plastic trays, and cages and final disinfection	-	-	-	-
ALTACROP PROTECTION CORPORATION	DIURON	VORTEX DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	351-021-4023	17-Dec-24	SYSTEMIC	Citrus	Annual and Perennial broadleaves and grasses	10.0-15.0Tbsp/36 L water	-	-	Entry to fields treated with VORTEX DIURONWP can be done one day after the application
ALTACROP PROTECTION CORPORATION	DIURON	VORTEX DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	351-021-4023	17-Dec-24	SYSTEMIC	Coffee	Annual and Perennial broadleaves and grasses	10.0-15.0Tbsp/36 L water	-	-	Entry to fields treated with VORTEX DIURONWP can be done one day after the application
ALTACROP PROTECTION CORPORATION	DIURON	VORTEX DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	351-021-4023	17-Dec-24	SYSTEMIC	Cotton	Annual and Perennial broadleaves and grasses	8.0Tbsp/36 L water	-	-	Entry to fields treated with VORTEX DIURONWP can be done one day after the application
ALTACROP PROTECTION CORPORATION	DIURON	VORTEX DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	351-021-4023	17-Dec-24	SYSTEMIC	Sugarcane	Annual and Perennial broadleaves and grasses	6-8.13.0Tbsp/36 L water	-	-	Entry to fields treated with VORTEX DIURONWP can be done one day after the application
ALTACROP PROTECTION CORPORATION	DIURON	VORTEX DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	351-021-4023	17-Dec-24	SYSTEMIC	Pineapple	Annual and Perennial broadleaves and grasses	10.0Tbsp/36 L water	-	-	Entry to fields treated with VORTEX DIURONWP can be done one day after the application
ALTACROP PROTECTION CORPORATION	DIURON	VORTEX DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	351-021-4023	17-Dec-24	SYSTEMIC	Non-crop land	Annual and Perennial broadleaves and grasses	20.0-28.0Tbsp/36 L water	-	-	Entry to fields treated with VORTEX DIURONWP can be done one day after the application
VANN HAWK AGRO CHEMICALS, INC.	BP3MC+CHLORPYRIFOS	VORDAN 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	295-174-2160	16-Jun-26	-	Rice	Stemborer, armyworm, leafhopper, caseworm and planthopper	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest	Do not enter treated field within 2 days after spraying
VANN HAWK AGRO CHEMICALS, INC.	BP3MC+CHLORPYRIFOS	VORDAN 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	295-174-2160	16-Jun-26	-	Corn	Seeding maggot, corn earworm, cornborer and armyworm	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest	Do not enter treated field within 2 days after spraying
VANN HAWK AGRO CHEMICALS, INC.	BP3MC+CHLORPYRIFOS	VORDAN 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	295-174-2160	16-Jun-26	-	Tobacco	Budworm, grasshopper, aphid, cutworm and armyworm	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest	Do not enter treated field within 2 days after spraying
VANN HAWK AGRO CHEMICALS, INC.	BP3MC+CHLORPYRIFOS	VORDAN 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	295-174-2160	16-Jun-26	-	Cucumber	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest	Do not enter treated field within 2 days after spraying
VANN HAWK AGRO CHEMICALS, INC.	BP3MC+CHLORPYRIFOS	VORDAN 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	295-174-2160	16-Jun-26	-	Melon	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest	Do not enter treated field within 2 days after spraying
VANN HAWK AGRO CHEMICALS, INC.	BP3MC+CHLORPYRIFOS	VORDAN 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	295-174-2160	16-Jun-26	-	Watermelon	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest	Do not enter treated field within 2 days after spraying
VANN HAWK AGRO CHEMICALS, INC.	BP3MC+CHLORPYRIFOS	VORDAN 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	295-174-2160	16-Jun-26	-	Onion	Thrips, cutworm	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest	Do not enter treated field within 2 days after spraying
VANN HAWK AGRO CHEMICALS, INC.	BP3MC+CHLORPYRIFOS	VORDAN 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	295-174-2160	16-Jun-26	-	Mungo	Beanyfly, armyworm, cutworm, leafminer and leaf folder	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest	Do not enter treated field within 2 days after spraying
VANN HAWK AGRO CHEMICALS, INC.	BP3MC+CHLORPYRIFOS	VORDAN 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	295-174-2160	16-Jun-26	-	Soybeans	Beanyfly, armyworm, cutworm, leafminer and leaf folder	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest	Do not enter treated field within 2 days after spraying
VANN HAWK AGRO CHEMICALS, INC.	BP3MC+CHLORPYRIFOS	VORDAN 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	295-174-2160	16-Jun-26	-	Beans	Beanyfly, armyworm, cutworm, leafminer and leaf folder	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest	Do not enter treated field within 2 days after spraying
TAIPAN BRAND FARM INC.	MANCOZEB	VONDOZEB PLUS 80 WP	800 g/kg	WP	FUNGICIDE	4	529-053-3125	05-Aug-24	-	Potato	Early and late blight	3-6 Tbsp/36 L water	-	-	As soon as spray dries
TAIPAN BRAND FARM INC.	MANCOZEB	VONDOZEB PLUS 80 WP	800 g/kg	WP	FUNGICIDE	4	529-053-3125	05-Aug-24	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	5.00 ppm	7 Days	As soon as spray dries
TAIPAN BRAND FARM INC.	MANCOZEB	VONDOZEB PLUS 80 WP	800 g/kg	WP	FUNGICIDE	4	529-053-3125	05-Aug-24	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	5.00 ppm	7 Days	As soon as spray dries
TAIPAN BRAND FARM INC.	MANCOZEB	VONDOZEB PLUS 80 WP	800 g/kg	WP	FUNGICIDE	4	529-053-3125	05-Aug-24	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	5.00 ppm	7 Days	As soon as spray dries
TAIPAN BRAND FARM INC.	MANCOZEB	VONDOZEB PLUS 80 WP	800 g/kg	WP	FUNGICIDE	4	529-053-3125	05-Aug-24	-	Celery	Late blight	3-6 Tbsp/36 L water	0.20 ppm	14 Days	As soon as spray dries
TAIPAN BRAND FARM INC.	MANCOZEB	VONDOZEB PLUS 80 WP	800 g/kg	WP	FUNGICIDE	4	529-053-3125	05-Aug-24	-	Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	2.00 ppm	5 days	As soon as spray dries
TAIPAN BRAND FARM INC.	MANCOZEB	VONDOZEB PLUS 80 WP	800 g/kg	WP	FUNGICIDE	4	529-053-3125	05-Aug-24	-	Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
TAIPAN BRAND FARM INC.	MANCOZEB	VONDOZEB PLUS 80 WP	800 g/kg	WP	FUNGICIDE	4	529-053-3125	05-Aug-24	-	Cotton	Damping off	3-6 Tbsp/36 L water	-	-	As soon as spray dries
TAIPAN BRAND FARM INC.	MANCOZEB	VONDOZEB PLUS 80 WP	800 g/kg	WP	FUNGICIDE	4	529-053-3125	05-Aug-24	-	Lettuce	Downy mildew	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
TAIPAN BRAND FARM INC.	MANCOZEB	VONDOZEB PLUS 80 WP	800 g/kg	WP	FUNGICIDE	4	529-053-3125	05-Aug-24	-	Beans	Anthracoese, Downy mildew, Rust	3-6 Tbsp/36 L water	3.00 ppm	5 days	As soon as spray dries
TAIPAN BRAND FARM INC.	MANCOZEB	VONDOZEB PLUS 80 WP	800 g/kg	WP	FUNGICIDE	4	529-053-3125	05-Aug-24	-	Peas	Anthracoese, Downy mildew, Rust	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
TAIPAN BRAND FARM INC.	MANCOZEB	VONDOZEB PLUS 80 WP	800 g/kg	WP	FUNGICIDE	4	529-053-3125	05-Aug-24	-	Mungo	Anthracoese, Downy mildew, Rust	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
TAIPAN BRAND FARM INC.	MANCOZEB	VONDOZEB PLUS 80 WP	800 g/kg	WP	FUNGICIDE	4	529-053-3125	05-Aug-24	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/36 L water	5.00 ppm	5 days	As soon as spray dries
TAIPAN BRAND FARM INC.	MANCOZEB	VONDOZEB PLUS 80 WP	800 g/kg	WP	FUNGICIDE	4	529-053-3125	05-Aug-24	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
TAIPAN BRAND FARM INC.	MANCOZEB	VONDOZEB PLUS 80 WP	800 g/kg	WP	FUNGICIDE	4	529-053-3125	05-Aug-24	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36 L water	0.50 ppm	7 Days	As soon as spray dries
TAIPAN BRAND FARM INC.	MANCOZEB	VONDOZEB PLUS 80 WP	800 g/kg	WP	FUNGICIDE	4	529-053-3125	05-Aug-24	-	Pepper	Anthracoese	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
TAIPAN BRAND FARM INC.	MANCOZEB	VONDOZEB PLUS 80 WP	800 g/kg	WP	FUNGICIDE	4	529-053-3125	05-Aug-24	-	Chilli	Anthracoese	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
TAIPAN BRAND FARM INC.	MANCOZEB	VONDOZEB PLUS 80 WP	800 g/kg	WP	FUNGICIDE	4	529-053-3125	05-Aug-24	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries
TAIPAN BRAND FARM INC.	MANCOZEB	VONDOZEB PLUS 80 WP	800 g/kg	WP	FUNGICIDE	4	529-053-3125	05-Aug-24	-	Banana	Sigatoka, Black leaf streak	3-6 Tbsp/36 L water	2.00 ppm	-	As soon as spray dries
TAIPAN BRAND FARM INC.	MANCOZEB	VONDOZEB PLUS 80 WP	800 g/kg	WP	FUNGICIDE	4	529-053-3125	05-Aug-24	-	Grapes	Downy mildew, black rot	3-6 Tbsp/36 L water	-	60 days	As soon as spray dries
TAIPAN BRAND FARM INC.	MANCOZEB	VONDOZEB PLUS 80 WP	800 g/kg	WP	FUNGICIDE	4	529-053-3125	05-Aug-24	-	Mango	Anthracoese and Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
TAIPAN BRAND FARM INC.	MANCOZEB	VONDOZEB PLUS 80 WP	800 g/kg	WP	FUNGICIDE	4	529-053-3125	05-Aug-24	-	Papaya	Fruit rot	3-6 Tbsp/36 L water	-	-	As soon as spray dries
TAIPAN BRAND FARM INC.	MANCOZEB	VONDOZEB PLUS 80 WP	800 g/kg	WP	FUNGICIDE	4	529-053-3125	05-Aug-24	-	Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	0.60 ppm	5 days	As soon as spray dries
TAIPAN BRAND FARM INC.	MANCOZEB	VONDOZEB PLUS 80 WP	800 g/kg	WP	FUNGICIDE	4	529-053-3125	05-Aug-24	-	Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
TAIPAN BRAND FARM INC.	MANCOZEB	VONDOZEB PLUS 80 WP	800 g/kg	WP	FUNGICIDE	4	529-053-3125	05-Aug-24	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
TAIPAN BRAND FARM INC.	MANCOZEB	VONDOZEB PLUS 80 WP	800 g/kg	WP	FUNGICIDE	4	529-053-3125	05-Aug-24	-	Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/36 L water	0.02ppm	-	As soon as spray dries
TAIPAN BRAND FARM INC.	MANCOZEB	VONDOZEB PLUS 80 WP	800 g/kg	WP	FUNGICIDE	4	529-053-3125	05-Aug-24	-	Peanut	Cercospora leaf spot	3-6 Tbsp/36 L water	-	14 Days	As soon as spray dries
TAIPAN BRAND FARM INC.	MANCOZEB	VONDOZEB PLUS 80 WP	800 g/kg	WP	FUNGICIDE	4	529-053-3125	05-Aug-24	-	Soybeans	Leaf rust	3-6 Tbsp/36 L water	-	-	As soon as spray dries

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
TAIFAN BRAND FARM INC.	MANCOZEB	VONDOZEB PLUS 80 WP	800 g/kg	WP	FUNGICIDE	4	329-033-3125	09-Aug-24	-	Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/38 L water	-	-	As soon as spray dries
UPL PHILIPPINES, INC.	MANCOZEB	VONDOZEB 75 WG	750 g/kg	WG	FUNGICIDE	4	362-053-3057	28-Mar-26	-	Mango	Anthracoise, scab	-	-	-	-
UPL PHILIPPINES, INC.	MANCOZEB	VONDOZEB 75 WG	750 g/kg	WG	FUNGICIDE	4	362-053-3057	28-Mar-26	-	Melon	Downy mildew, anthracnose, scab	-	-	-	-
UPL PHILIPPINES, INC.	MANCOZEB	VONDOZEB 75 WG	750 g/kg	WG	FUNGICIDE	4	362-053-3057	28-Mar-26	-	Watermelon	Downy mildew, anthracnose, scab	-	-	-	-
UPL PHILIPPINES, INC.	MANCOZEB	VONDOZEB 75 WG	750 g/kg	WG	FUNGICIDE	4	362-053-3057	28-Mar-26	-	Cucumber	Downy mildew, anthracnose, scab	-	-	-	-
UPL PHILIPPINES, INC.	MANCOZEB	VONDOZEB 75 WG	750 g/kg	WG	FUNGICIDE	4	362-053-3057	28-Mar-26	-	Potato	Early and late blight	-	-	-	-
UPL PHILIPPINES, INC.	MANCOZEB	VONDOZEB 75 WG	750 g/kg	WG	FUNGICIDE	4	362-053-3057	28-Mar-26	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	-	-	-	-
UPL PHILIPPINES, INC.	MANCOZEB	VONDOZEB 75 WG	750 g/kg	WG	FUNGICIDE	4	362-053-3057	28-Mar-26	-	Onion	Purple blotch, downy mildew, botrytis leaf spot	-	-	-	-
UPL PHILIPPINES, INC.	MANCOZEB	VONDOZEB 75 WG	750 g/kg	WG	FUNGICIDE	4	362-053-3057	28-Mar-26	-	Garlic	Purple blotch, downy mildew, botrytis leaf spot	-	-	-	-
UPL PHILIPPINES, INC.	MANCOZEB	VONDOZEB 75 WG	750 g/kg	WG	FUNGICIDE	4	362-053-3057	28-Mar-26	-	Banana	Sigatoka, black leaf streak	-	-	-	-
UPL PHILIPPINES, INC.	MANCOZEB	VONDOZEB 75 WG	750 g/kg	WG	FUNGICIDE	4	362-053-3057	28-Mar-26	-	Beans	Anthracoise, Downy Mildew, Rust	-	-	-	-
UPL PHILIPPINES, INC.	MANCOZEB	VONDOZEB 75 WG	750 g/kg	WG	FUNGICIDE	4	362-053-3057	28-Mar-26	-	Papaya	Fruit rot	-	-	-	-
UPL PHILIPPINES, INC.	MANCOZEB	VONDOZEB 75 WG	750 g/kg	WG	FUNGICIDE	4	362-053-3057	28-Mar-26	-	Cabbage	Downy mildew, alternaria leaf spot	-	-	-	-
UPL PHILIPPINES, INC.	MANCOZEB	VONDOZEB 75 WG	750 g/kg	WG	FUNGICIDE	4	362-053-3057	28-Mar-26	-	Cauliflower	Downy mildew, alternaria leaf spot	-	-	-	-
UPL PHILIPPINES, INC.	MANCOZEB	VONDOZEB 75 WG	750 g/kg	WG	FUNGICIDE	4	362-053-3057	28-Mar-26	-	Tobacco	Blue mold, anthracnose	-	-	-	-
UPL PHILIPPINES, INC.	MANCOZEB	VONDOZEB 75 WG	750 g/kg	WG	FUNGICIDE	4	362-053-3057	28-Mar-26	-	Citrus	Rusetting, greasy spot, black spot	-	-	-	-
UPL PHILIPPINES, INC.	MANCOZEB	VONDOZEB 75 WG	750 g/kg	WG	FUNGICIDE	4	362-053-3057	28-Mar-26	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	-	-	-	-
UPL PHILIPPINES, INC.	MANCOZEB	VONDOZEB 75 WG	750 g/kg	WG	FUNGICIDE	4	362-053-3057	28-Mar-26	-	Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	-	-	-	-
UPL PHILIPPINES, INC.	MANCOZEB	VONDOZEB 75 WG	750 g/kg	WG	FUNGICIDE	4	362-053-3057	28-Mar-26	-	Peanut	Cercospora leaf spot	-	-	-	-
UPL PHILIPPINES, INC.	MANCOZEB	VONDOZEB 75 WG	750 g/kg	WG	FUNGICIDE	4	362-053-3057	28-Mar-26	-	Ornamentals	Black spot, blight anthracnose	-	-	-	-
UPL PHILIPPINES, INC.	MANCOZEB	VONDOZEB 62 OD	620 g/L	OD	FUNGICIDE	4	362-053-3053	23-Sep-24	-	Banana	Black sigatoka	1.7-2.5 Liters/ha	-	No pre-harvest interval necessary from last spray until harvest	-
UPL PHILIPPINES, INC.	MANCOZEB	VONDOZEB 65 L	455 g/L	L	FUNGICIDE	4	362-053-3056	26-Jun-24	-	Banana	Black Sigatoka	1/L/ha	-	No pre-harvest interval required	Soon as spray has dried
PHILIPPINE FARMIX SOLUTIONS INC.	MANCOZEB	VONDOZEB 42 SC	420 g/L	SC	FUNGICIDE	4	335-053-3210	30-Aug-22	-	Banana	Black Sigatoka	4.5 Liters/ha	-	No pre-harvest interval necessary from last spray to harvest	Re-entry to fields is allowed as soon as spray has dried
UPL PHILIPPINES, INC.	MANCOZEB	VONDOZEB 42 SC	420 g/L	SC	FUNGICIDE	4	362-053-3055	28-Mar-26	-	Banana	Black Sigatoka	4.5 Liters/ha	-	No pre-harvest interval necessary from last spray until harvest	Re-entry to fields is allowed as soon as spray has dried
CULTIVA INCORPORATED	CARTAP HYDROCHLORIDE	VOLTZ 50 SP	500 g/kg	SP	INSECTICIDE	3	201-106-0956	23-Apr-25	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.0-5.0Tbsp/36 L water	0.2ppm	Do not spray within 10 days before harvest	Do not enter treated field within 2 days after spraying
CULTIVA INCORPORATED	CARTAP HYDROCHLORIDE	VOLTZ 50 SP	500 g/kg	SP	INSECTICIDE	3	201-106-0956	23-Apr-25	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/36 L water	-	Do not spray within 10 days before harvest	Do not enter treated field within 2 days after spraying
CULTIVA INCORPORATED	CARTAP HYDROCHLORIDE	VOLTZ 50 SP	500 g/kg	SP	INSECTICIDE	3	201-106-0956	23-Apr-25	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/36 L water	-	Do not spray within 10 days before harvest	Do not enter treated field within 2 days after spraying
CULTIVA INCORPORATED	CARTAP HYDROCHLORIDE	VOLTZ 50 SP	500 g/kg	SP	INSECTICIDE	3	201-106-0956	23-Apr-25	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/36 L water	-	Do not spray within 10 days before harvest	Do not enter treated field within 2 days after spraying
CULTIVA INCORPORATED	CARTAP HYDROCHLORIDE	VOLTZ 50 SP	500 g/kg	SP	INSECTICIDE	3	201-106-0956	23-Apr-25	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/36 L water	-	Do not spray within 10 days before harvest	Do not enter treated field within 2 days after spraying
CULTIVA INCORPORATED	CARTAP HYDROCHLORIDE	VOLTZ 50 SP	500 g/kg	SP	INSECTICIDE	3	201-106-0956	23-Apr-25	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/36 L water	-	Do not spray within 10 days before harvest	Do not enter treated field within 2 days after spraying
CULTIVA INCORPORATED	CARTAP HYDROCHLORIDE	VOLTZ 50 SP	500 g/kg	SP	INSECTICIDE	3	201-106-0956	23-Apr-25	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/36 L water	-	Do not spray within 10 days before harvest	Do not enter treated field within 2 days after spraying
CULTIVA INCORPORATED	CARTAP HYDROCHLORIDE	VOLTZ 50 SP	500 g/kg	SP	INSECTICIDE	3	201-106-0956	23-Apr-25	SYSTEMIC	Mango	leafhoppers	1.5-2.0Tbsp/36 L water	-	Do not spray within 10 days before harvest	Do not enter treated field within 2 days after spraying
CULTIVA INCORPORATED	CARTAP HYDROCHLORIDE	VOLTZ 50 SP	500 g/kg	SP	INSECTICIDE	3	201-106-0956	23-Apr-25	SYSTEMIC	Peachay	looper, cutworm, aphids	1.5-3.0Tbsp/36 L water	-	Do not spray within 10 days before harvest	Do not enter treated field within 2 days after spraying
FARM EDGE AGRO TRADING CORPORATION	PROFENOFOS	VOLTRON 50 EC	500 g/L	EC	INSECTICIDE	2	618-070-4460	03-Aug-24	CONTACT	Mango	Thrips	1.0-2.0 Tbsp/38 L water	-	Do not apply at least seven(7) days before harvest	Do not enter treated fields for at least one(1) day after application
FARM EDGE AGRO TRADING CORPORATION	PROFENOFOS	VOLTRON 50 EC	500 g/L	EC	INSECTICIDE	2	618-070-4460	03-Aug-24	CONTACT	Tomato	Fruitworm, armyworm, cutworm	3-5 Tbsp/38 L water	-	Do not apply at least seven(7) days before harvest	Do not enter treated fields for at least one(1) day after application
FARM EDGE AGRO TRADING CORPORATION	PROFENOFOS	VOLTRON 50 EC	500 g/L	EC	INSECTICIDE	2	618-070-4460	03-Aug-24	CONTACT	Eggplant	Fruitborer, aphids, leafhopper, & thrips	1.5-3.0 Tbsp/38 L water	-	Do not apply at least seven(7) days before harvest	Do not enter treated fields for at least one(1) day after application
FARM EDGE AGRO TRADING CORPORATION	PROFENOFOS	VOLTRON 50 EC	500 g/L	EC	INSECTICIDE	2	618-070-4460	03-Aug-24	CONTACT	Cabbage	Diamond-back moth, cabbage worm & aphids, thrips	3-5 Tbsp/38 L water	-	Do not apply at least seven(7) days before harvest	Do not enter treated fields for at least one(1) day after application
FARM EDGE AGRO TRADING CORPORATION	PROFENOFOS	VOLTRON 50 EC	500 g/L	EC	INSECTICIDE	2	618-070-4460	03-Aug-24	CONTACT	Watermelon	Thrips	3-5 Tbsp/38 L water	-	Do not apply at least seven(7) days before harvest	Do not enter treated fields for at least one(1) day after application
FARM EDGE AGRO TRADING CORPORATION	PROFENOFOS	VOLTRON 50 EC	500 g/L	EC	INSECTICIDE	2	618-070-4460	03-Aug-24	CONTACT	Potato	Thrips, army worm, cutworm, tuber moth	3-5 Tbsp/38 L water	-	Do not apply at least seven(7) days before harvest	Do not enter treated fields for at least one(1) day after application
FARM EDGE AGRO TRADING CORPORATION	PROFENOFOS	VOLTRON 50 EC	500 g/L	EC	INSECTICIDE	2	618-070-4460	03-Aug-24	CONTACT	Soybeans	Corn earworm, leafminer	3-5 Tbsp/38 L water	-	Do not apply at least seven(7) days before harvest	Do not enter treated fields for at least one(1) day after application
FARM EDGE AGRO TRADING CORPORATION	PROFENOFOS	VOLTRON 50 EC	500 g/L	EC	INSECTICIDE	2	618-070-4460	03-Aug-24	CONTACT	Mungbeans	Corn earworm, leafminer	3-5 Tbsp/38 L water	-	Do not apply at least seven(7) days before harvest	Do not enter treated fields for at least one(1) day after application
FARM EDGE AGRO TRADING CORPORATION	PROFENOFOS	VOLTRON 50 EC	500 g/L	EC	INSECTICIDE	2	618-070-4460	03-Aug-24	CONTACT	Cotton	Thrips, bollworm & budworm	3-5 Tbsp/38 L water	-	Do not apply at least seven(7) days before harvest	Do not enter treated fields for at least one(1) day after application
FARM EDGE AGRO TRADING CORPORATION	PROFENOFOS	VOLTRON 50 EC	500 g/L	EC	INSECTICIDE	2	618-070-4460	03-Aug-24	CONTACT	Sitao	Beanyfly, leaffolder & aphids	1.5-3.0 Tbsp/38 L water	-	Do not apply at least seven(7) days before harvest	Do not enter treated fields for at least one(1) day after application
ACE CROP SOLUTIONS INC.	CARBARYL	VOLTAGE 8S WP	850 g/kg	WP	INSECTICIDE	2	530-035-3319	12-Sep-26	-	Tobacco	Budworm, cutworm, aphids	4-6 tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
ACE CROP SOLUTIONS INC.	CARBARYL	VOLTAGE 8S WP	850 g/kg	WP	INSECTICIDE	2	530-035-3319	12-Sep-26	-	Sorghum	Webworm, armyworm, cutworm, headworm	4-6 tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
ACE CROP SOLUTIONS INC.	CARBARYL	VOLTAGE 8S WP	850 g/kg	WP	INSECTICIDE	2	530-035-3319	12-Sep-26	-	Ornamentals	Aphids, scale insect, mealy bug, cutworm	4-6 tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
ACE CROP SOLUTIONS INC.	CARBARYL	VOLTAGE 8S WP	850 g/kg	WP	INSECTICIDE	2	530-035-3319	12-Sep-26	-	Mango	Mango hopper, tip borer, twig borer, fruit fly, mealy bug	4-8 tbsp/16 L water	-	1 day	Do not enter treatment areas until spray deposit have dried
ACE CROP SOLUTIONS INC.	CARBARYL	VOLTAGE 8S WP	850 g/kg	WP	INSECTICIDE	2	530-035-3319	12-Sep-26	-	Coffee	Berry borer	4-6 tbsp/16 L water	-	1 day	Do not enter treatment areas until spray deposit have dried
ACE CROP SOLUTIONS INC.	CARBARYL	VOLTAGE 8S WP	850 g/kg	WP	INSECTICIDE	2	530-035-3319	12-Sep-26	-	Cacao	Podborer, aphids, caprid bug	4-6 tbsp/16 L water	-	1 day	Do not enter treatment areas until spray deposit have dried
ACE CROP SOLUTIONS INC.	CARBARYL	VOLTAGE 8S WP	850 g/kg	WP	INSECTICIDE	2	530-035-3319	12-Sep-26	-	Citrus	Rind borer	4-6 tbsp/16 L water	-	5 days	Do not enter treatment areas until spray deposit have dried
ACE CROP SOLUTIONS INC.	CARBARYL	VOLTAGE 8S WP	850 g/kg	WP	INSECTICIDE	2	530-035-3319	12-Sep-26	-	Soybeans	Podborer, beanyfly, leafminer, aphids	4-6 tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
ACE CROP SOLUTIONS INC.	CARBARYL	VOLTAGE 8S WP	850 g/kg	WP	INSECTICIDE	2	530-035-3319	12-Sep-26	-	Rice	Green leafhopper, caseworm, aphids	4-6 tbsp/16 L water	1ppm	14 Days	Do not enter treatment areas until spray deposit have dried

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
ACE CROP SOLUTIONS INC.	CARBARYL	VOLTAGE 8S WP	800 g/kg	WP	INSECTICIDE	2	530-035-3319	12-Sep-26	-	Cowpea	Podborer, beanfly, leafminer, cutworm, aphids	4-6 tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
ACE CROP SOLUTIONS INC.	CARBARYL	VOLTAGE 8S WP	800 g/kg	WP	INSECTICIDE	2	530-035-3319	12-Sep-26	-	Cotton	Bollworm, cutworm	4-6 tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
ACE CROP SOLUTIONS INC.	CARBARYL	VOLTAGE 8S WP	800 g/kg	WP	INSECTICIDE	2	530-035-3319	12-Sep-26	-	Corn	Corn borer, corn earworm, army worm	4-6 tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
ACE CROP SOLUTIONS INC.	CARBARYL	VOLTAGE 8S WP	800 g/kg	WP	INSECTICIDE	2	530-035-3319	12-Sep-26	-	Tomato	Fruitworm, leafy beetle	4-6 tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
ACE CROP SOLUTIONS INC.	CARBARYL	VOLTAGE 8S WP	800 g/kg	WP	INSECTICIDE	2	530-035-3319	12-Sep-26	-	Cucurbits	Squash beetle, leafy beetle	4-6 tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
BASF PHILIPPINES, INC.	FENPROFMOFPH	VOLLEY 88 OL	880 g/L	OL	FUNGICIDE	2	005-511-4820	30-Jul-25	SYSTEMIC	Banana	Black sigatoka	0.5-0.7 L product/ha at 5-7 days interval	0 day	-	As soon as spray droplets dries
VANN HAWK AGRO CHEMICALS, INC.	FFPIONIL	VOLACK 50 SC	50g/L	SC	INSECTICIDE	3	295-244-4027-A	12-May-26	CONTACT	Rice	Stenoborer,BPH,Leaf folder, Rice bug	1.3-2.0, 2.0-3.0, 2.7-4.0 tbsp./16L	0.01ppm	-	Do not apply 7 days before harvest
VANN HAWK AGRO CHEMICALS, INC.	FFPIONIL	VOLACK 50 SC	50g/L	SC	INSECTICIDE	3	295-244-4027-A	12-May-26	CONTACT	Cabbage	Diamond-back moth	1.3-2.0, 2.0-3.0, 2.7-4.0 tbsp./16L	-	-	Do not apply 7 days before harvest
VANN HAWK AGRO CHEMICALS, INC.	FFPIONIL	VOLACK 50 SC	50g/L	SC	INSECTICIDE	3	295-244-4027-A	12-May-26	CONTACT	Watermelon	Thrips,Leaf beetles	2.5-3.0 tbsp./16L	-	-	Do not apply 7 days before harvest
VANN HAWK AGRO CHEMICALS, INC.	FFPIONIL	VOLACK 50 SC	50g/L	SC	INSECTICIDE	3	295-244-4027-A	12-May-26	CONTACT	Onion	Cutworm	5.33 tbsp./16L	-	-	Do not apply 7 days before harvest
VANN HAWK AGRO CHEMICALS, INC.	FFPIONIL	VOLACK 50 SC	50g/L	SC	INSECTICIDE	3	295-244-4027-A	12-May-26	CONTACT	Eggplant	Shoot borer	3.0-4.0 tbsp./16L	-	-	Do not apply 7 days before harvest
VANN HAWK AGRO CHEMICALS, INC.	FFPIONIL	VOLACK 50 SC	50g/L	SC	INSECTICIDE	3	295-244-4027-A	12-May-26	CONTACT	Banana	Flower thrips	-	-	-	Do not apply 7 days before harvest
SYNGENTA PHILIPPINES INC.	CHLORDANTHANILPROLE+THIAMETHOXAM	VOLUM FLEXI 300 SC	200 g/L+100 g/L	SC	INSECTICIDE	4	011-400-2337	11-Apr-19	-	Eggplant	Fruit borer,shoot borer, cutworm, leafhopper, whiteflies, aphids, flea beetle,2B-spotted beetle	2.5-5.0ml prod/16L water	0.2ppm	3 days	-
SYNGENTA PHILIPPINES INC.	CHLORDANTHANILPROLE+THIAMETHOXAM	VOLUM FLEXI 300 SC	200 g/L+100 g/L	SC	INSECTICIDE	4	011-400-2337	11-Apr-19	-	Cabbage	Diamond-back moth,cutworm, aphids	2.5-4.0ml prod/16L water	0.2ppm	7 days	-
SYNGENTA PHILIPPINES INC.	CHLORDANTHANILPROLE+THIAMETHOXAM	VOLUM FLEXI 300 SC	200 g/L+100 g/L	SC	INSECTICIDE	4	011-400-2337	11-Apr-19	-	Stringbeans	Podborer,cutworm, leafhopper,aphids,whiteflies	2.5-5.0ml prod/16L water	0.1ppm	3 days	-
ONERGRAIN MARKETING CORPORATION	AZIXYSTROBIN	VOLDSTAR 25SC	250 g/L	SC	FUNGICIDE	4	723-309-6281	11-Mar-26	SYSTEMIC	Mango	Anthracoise, scab, stem-end rot	6-8/100L water	-	-	Do not spray 3-7 days before harvest
ONERGRAIN MARKETING CORPORATION	AZIXYSTROBIN	VOLDSTAR 25SC	250 g/L	SC	FUNGICIDE	4	723-309-6281	11-Mar-26	SYSTEMIC	Watermelon	Damping off, leaf spot, anthracnose, downy, mildew, powdery mildew	1-2 Tbsp./16L water	-	-	Do not spray 3-7 days before harvest
ONERGRAIN MARKETING CORPORATION	AZIXYSTROBIN	VOLDSTAR 25SC	250 g/L	SC	FUNGICIDE	4	723-309-6281	11-Mar-26	SYSTEMIC	Onion	Basil/ bulb rot	1-2 Tbsp./16L water	-	-	Do not spray 3-7 days before harvest
ONERGRAIN MARKETING CORPORATION	AZIXYSTROBIN	VOLDSTAR 25SC	250 g/L	SC	FUNGICIDE	4	723-309-6281	11-Mar-26	SYSTEMIC	Tomato	Late/ early blight, powdery mildew	0.5-1 tbsp/16L water	-	-	Do not spray 3-7 days before harvest
ONERGRAIN MARKETING CORPORATION	AZIXYSTROBIN	VOLDSTAR 25SC	250 g/L	SC	FUNGICIDE	4	723-309-6281	11-Mar-26	SYSTEMIC	Asparagus	Stem blight, leaf blight, fusarium wilt	1-3 Tbsp/16L	-	-	Do not spray 3-7 days before harvest
ONERGRAIN MARKETING CORPORATION	AZIXYSTROBIN	VOLDSTAR 25SC	250 g/L	SC	FUNGICIDE	4	723-309-6281	11-Mar-26	SYSTEMIC	Corn	Sheath blight, leaf spot, leaf rust, ear rot	1-3 Tbsp/16L	-	-	Do not spray 3-7 days before harvest
VLMAD OPC	MANCOZEB	VLMAD MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	774-053-6336	19-Jul-24	-	Potato	Early and late blight	3-6 Tbsp/16 L water	-	-	As soon as spray droplets dries
VLMAD OPC	MANCOZEB	VLMAD MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	774-053-6336	19-Jul-24	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 days	As soon as spray droplets dries
VLMAD OPC	MANCOZEB	VLMAD MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	774-053-6336	19-Jul-24	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 days	As soon as spray droplets dries
VLMAD OPC	MANCOZEB	VLMAD MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	774-053-6336	19-Jul-24	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 days	As soon as spray droplets dries
VLMAD OPC	MANCOZEB	VLMAD MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	774-053-6336	19-Jul-24	-	Celery	Late blight	3-6 Tbsp/16 L water	-	14 days	As soon as spray droplets dries
VLMAD OPC	MANCOZEB	VLMAD MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	774-053-6336	19-Jul-24	-	Cucumber	Downy mildew, anthracnose, scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray droplets dries
VLMAD OPC	MANCOZEB	VLMAD MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	774-053-6336	19-Jul-24	-	Squash	Downy mildew, anthracnose, scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray droplets dries
VLMAD OPC	MANCOZEB	VLMAD MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	774-053-6336	19-Jul-24	-	Cotton	Damping off	3-6 Tbsp/16 L water	-	-	As soon as spray droplets dries
VLMAD OPC	MANCOZEB	VLMAD MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	774-053-6336	19-Jul-24	-	Lettuce	Downy mildew	3-6 Tbsp/16 L water	-	7 days	As soon as spray droplets dries
VLMAD OPC	MANCOZEB	VLMAD MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	774-053-6336	19-Jul-24	-	Beans	Anthracoise, Downy Mildew, Rust	3-6 Tbsp/16 L water	-	5 days	As soon as spray droplets dries
VLMAD OPC	MANCOZEB	VLMAD MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	774-053-6336	19-Jul-24	-	Peas	Anthracoise, Downy Mildew, Rust	3-6 Tbsp/16 L water	-	5 days	As soon as spray droplets dries
VLMAD OPC	MANCOZEB	VLMAD MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	774-053-6336	19-Jul-24	-	Mungbeans	Anthracoise, Downy Mildew, Rust	3-6 Tbsp/16 L water	-	5 days	As soon as spray droplets dries
VLMAD OPC	MANCOZEB	VLMAD MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	774-053-6336	19-Jul-24	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16 L water	-	5 days	As soon as spray droplets dries
VLMAD OPC	MANCOZEB	VLMAD MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	774-053-6336	19-Jul-24	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	-	7 days	As soon as spray droplets dries
VLMAD OPC	MANCOZEB	VLMAD MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	774-053-6336	19-Jul-24	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	-	7 days	As soon as spray droplets dries
VLMAD OPC	MANCOZEB	VLMAD MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	774-053-6336	19-Jul-24	-	Pepper	Anthracoise	3-6 Tbsp/16 L water	-	7 days	As soon as spray droplets dries
VLMAD OPC	MANCOZEB	VLMAD MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	774-053-6336	19-Jul-24	-	Chili	Anthracoise	3-6 Tbsp/16 L water	-	7 days	As soon as spray droplets dries
VLMAD OPC	MANCOZEB	VLMAD MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	774-053-6336	19-Jul-24	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/16 L water	-	7 days	As soon as spray droplets dries
VLMAD OPC	MANCOZEB	VLMAD MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	774-053-6336	19-Jul-24	-	Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16 L water	-	-	As soon as spray droplets dries
VLMAD OPC	MANCOZEB	VLMAD MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	774-053-6336	19-Jul-24	-	Grapes	Downy mildew, black rot	3-6 Tbsp/16 L water	-	60 days	As soon as spray droplets dries
VLMAD OPC	MANCOZEB	VLMAD MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	774-053-6336	19-Jul-24	-	Mango	Anthracoise and scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray droplets dries
VLMAD OPC	MANCOZEB	VLMAD MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	774-053-6336	19-Jul-24	-	Papaya	Fruit rot	3-6 Tbsp/16 L water	-	-	As soon as spray droplets dries
VLMAD OPC	MANCOZEB	VLMAD MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	774-053-6336	19-Jul-24	-	Melon	Downy mildew, anthracnose, scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray droplets dries
VLMAD OPC	MANCOZEB	VLMAD MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	774-053-6336	19-Jul-24	-	Watermelon	Downy mildew, anthracnose, scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray droplets dries
VLMAD OPC	MANCOZEB	VLMAD MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	774-053-6336	19-Jul-24	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16 L water	-	7 days	As soon as spray droplets dries
VLMAD OPC	MANCOZEB	VLMAD MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	774-053-6336	19-Jul-24	-	Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16 L water	-	-	As soon as spray droplets dries
VLMAD OPC	MANCOZEB	VLMAD MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	774-053-6336	19-Jul-24	-	Peanut	Cercospora leaf spot	3-6 Tbsp/16 L water	-	14 days	As soon as spray droplets dries
VLMAD OPC	MANCOZEB	VLMAD MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	774-053-6336	19-Jul-24	-	Soybeans	Leaf rust	3-6 Tbsp/16 L water	-	-	As soon as spray droplets dries
VLMAD OPC	MANCOZEB	VLMAD MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	774-053-6336	19-Jul-24	-	Ornamentals	Black spot, blight, anthracnose	3-6 Tbsp/16 L water	-	-	As soon as spray droplets dries
VLMAD OPC	LAMBDA-CHYALOTHIRIN	VLMAD LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	774-204-6337	9-Mar-24	-	Rice	Green leafhopper, armyworm, rice bug, leaf folder, black bug	1.0-1.5 Tbsp/16L water	-	3 days	Re-entry to treated fields is allowed as soon as spray deposits dry
VLMAD OPC	LAMBDA-CHYALOTHIRIN	VLMAD LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	774-204-6337	9-Mar-24	-	Mango	Hoppers	0.75-1.5 tbsp/16L water	-	3 days	Re-entry to treated fields is allowed as soon as spray deposits dry
VLMAD OPC	LAMBDA-CHYALOTHIRIN	VLMAD LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	774-204-6337	9-Mar-24	-	Tomato	Fruitworm,cutworm,aphids	1.0-1.5 Tbsp/16L water	-	3 days	Re-entry to treated fields is allowed as soon as spray deposits dry
VLMAD OPC	LAMBDA-CHYALOTHIRIN	VLMAD LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	774-204-6337	9-Mar-24	-	Onion	Thrips, cutworm	1.0 tbsp/16L water	-	3 days	Re-entry to treated fields is allowed as soon as spray deposits dry
VLMAD OPC	LAMBDA-CHYALOTHIRIN	VLMAD LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	774-204-6337	9-Mar-24	-	Mungbeans	Beanfly, flea beetle,leafhopper,aphids, mites, podborer	1.0 tbsp/16L water	-	3 days	Re-entry to treated fields is allowed as soon as spray deposits dry
VLMAD OPC	LAMBDA-CHYALOTHIRIN	VLMAD LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	774-204-6337	9-Mar-24	-	Corn	Comborer, aphids, seedling maggots	1.0-1.5 Tbsp/16L water	-	3 days	Re-entry to treated fields is allowed as soon as spray deposits dry

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
VIMAD OPC	LAMBDA-CHYALOTHRIN	VIMAD LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	774-204-6337	9-Mar-24	-	Tobacco	Budworm, Cutworm, aphids, katyids	1.0-1.5 Tbsp/36L water	-	3 days	Re-entry to treated fields is allowed as soon as spray deposits dry
VIMAD OPC	LAMBDA-CHYALOTHRIN	VIMAD LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	774-204-6337	9-Mar-24	-	Cotton	Bollworm	1.0-1.5 Tbsp/36L water	-	3 days	Re-entry to treated fields is allowed as soon as spray deposits dry
VIMAD OPC	LAMBDA-CHYALOTHRIN	VIMAD LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	774-204-6337	9-Mar-24	-	Cocoa	Pod borer	1.0-2.0 Tbsp/36L water	-	3 days	Re-entry to treated fields is allowed as soon as spray deposits dry
VIMAD OPC	LAMBDA-CHYALOTHRIN	VIMAD LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	774-204-6337	9-Mar-24	-	Watermelon	Squash beetle, melon worm	1.0 Tbsp/36L water	-	3 days	Re-entry to treated fields is allowed as soon as spray deposits dry
VIMAD OPC	2,4-D AMINE	VIMAD 2,4-D AMINE	400 g/L	-	HERBICIDE	2	774-013-6338	13-Sep-24	POST-EMERGENT	Rice (Transplanted)	Annual broadleaves and sedges	3.5-6.5 Tbsp/36L water	-	-	Entry to field and crops treated with VIMAD 2,4-D AMINE can be done one day after spraying
VIMAD OPC	2,4-D AMINE	VIMAD 2,4-D AMINE	400 g/L	-	HERBICIDE	2	774-013-6338	13-Sep-24	POST-EMERGENT	Corn	Annual broadleaves and sedges	5.0-6.5 Tbsp/36L water	-	-	Entry to field and crops treated with VIMAD 2,4-D AMINE can be done one day after spraying
VIMAD OPC	2,4-D AMINE	VIMAD 2,4-D AMINE	400 g/L	-	HERBICIDE	2	774-013-6338	13-Sep-24	POST-EMERGENT	Sugarcane	Annual broadleaves and sedges	18.25 Tbsp/36L water	-	-	Entry to field and crops treated with VIMAD 2,4-D AMINE can be done one day after spraying
AGRO ADVANCED INTERNATIONAL PHLS, INC.	CHLOROTHALONIL	VIVO 720 SC	720 g/L	SC	FUNGICIDE	4	479-118-2666	17-Sep-25	-	Potato	Early blight, late blight, vine rot	1.00-1.80 L/ha or 4.5-5.5 Tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
AGRO ADVANCED INTERNATIONAL PHLS, INC.	CHLOROTHALONIL	VIVO 720 SC	720 g/L	SC	FUNGICIDE	4	479-118-2666	17-Sep-25	-	Tomato	Early blight, late blight, vine rot	1.13-1.90 L/ha or 4.5-6.0 Tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
AGRO ADVANCED INTERNATIONAL PHLS, INC.	CHLOROTHALONIL	VIVO 720 SC	720 g/L	SC	FUNGICIDE	4	479-118-2666	17-Sep-25	-	Beans	Rust, anthracnose	1.13-1.90 L/ha or 4.5-6.0 Tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
AGRO ADVANCED INTERNATIONAL PHLS, INC.	CHLOROTHALONIL	VIVO 720 SC	720 g/L	SC	FUNGICIDE	4	479-118-2666	17-Sep-25	-	Carrot	Alternaria leaf spot, cercospora leaf spot, helminthosporium leaf spot	1.13-1.90 L/ha or 4.5-6.0 Tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
AGRO ADVANCED INTERNATIONAL PHLS, INC.	CHLOROTHALONIL	VIVO 720 SC	720 g/L	SC	FUNGICIDE	4	479-118-2666	17-Sep-25	-	Crucifers	Powdery mildew	1.13-1.90 L/ha or 4.5-6.0 Tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
AGRO ADVANCED INTERNATIONAL PHLS, INC.	CHLOROTHALONIL	VIVO 720 SC	720 g/L	SC	FUNGICIDE	4	479-118-2666	17-Sep-25	-	Melon	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 Tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
AGRO ADVANCED INTERNATIONAL PHLS, INC.	CHLOROTHALONIL	VIVO 720 SC	720 g/L	SC	FUNGICIDE	4	479-118-2666	17-Sep-25	-	Cucumber	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 Tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
AGRO ADVANCED INTERNATIONAL PHLS, INC.	CHLOROTHALONIL	VIVO 720 SC	720 g/L	SC	FUNGICIDE	4	479-118-2666	17-Sep-25	-	Squash	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 Tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
AGRO ADVANCED INTERNATIONAL PHLS, INC.	CHLOROTHALONIL	VIVO 720 SC	720 g/L	SC	FUNGICIDE	4	479-118-2666	17-Sep-25	-	Watermelon	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 Tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
AGRO ADVANCED INTERNATIONAL PHLS, INC.	CHLOROTHALONIL	VIVO 720 SC	720 g/L	SC	FUNGICIDE	4	479-118-2666	17-Sep-25	-	Celery	Early blight, late blight	1.13-1.90 L/ha or 4.5-6.0 Tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
AGRO ADVANCED INTERNATIONAL PHLS, INC.	CHLOROTHALONIL	VIVO 720 SC	720 g/L	SC	FUNGICIDE	4	479-118-2666	17-Sep-25	-	Eggplant	Early blight, late blight, cercospora leafspot, anthracnose	1.13-1.90 L/ha or 4.5-6.0 Tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
AGRO ADVANCED INTERNATIONAL PHLS, INC.	CHLOROTHALONIL	VIVO 720 SC	720 g/L	SC	FUNGICIDE	4	479-118-2666	17-Sep-25	-	Onion	Purple blotch, bulb rot, neck rot	1.13-1.90 L/ha or 4.5-6.0 Tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
AGRO ADVANCED INTERNATIONAL PHLS, INC.	CHLOROTHALONIL	VIVO 720 SC	720 g/L	SC	FUNGICIDE	4	479-118-2666	17-Sep-25	-	Pepper	Early blight, cercospora leaf spot, anthracnose	1.13-1.90 L/ha or 4.5-6.0 Tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
AGRO ADVANCED INTERNATIONAL PHLS, INC.	CHLOROTHALONIL	VIVO 720 SC	720 g/L	SC	FUNGICIDE	4	479-118-2666	17-Sep-25	-	Grapes	Downy mildew, powdery mildew, fruit rot	1.13-1.90 L/ha or 4.5-6.0 Tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
AGRO ADVANCED INTERNATIONAL PHLS, INC.	CHLOROTHALONIL	VIVO 720 SC	720 g/L	SC	FUNGICIDE	4	479-118-2666	17-Sep-25	-	Mango	Anthracoese, diploid rot	3.75-5.60 L/ha or 4.5-6.0 Tbsp/36L	0.5 mg/kg	7-14 days	Do not enter treatment areas until spray deposit have dried
AGRO ADVANCED INTERNATIONAL PHLS, INC.	CHLOROTHALONIL	VIVO 720 SC	720 g/L	SC	FUNGICIDE	4	479-118-2666	17-Sep-25	-	Ornamentals	Black spot, powdery mildew, black rot	1.13-1.90 L/ha or 4.5-6.0 Tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
AGRO ADVANCED INTERNATIONAL PHLS, INC.	CHLOROTHALONIL	VIVO 720 SC	720 g/L	SC	FUNGICIDE	4	479-118-2666	17-Sep-25	-	Asparagus	Stem and leaf blight	1.80 L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
AGRO ADVANCED INTERNATIONAL PHLS, INC.	CHLOROTHALONIL	VIVO 720 SC	720 g/L	SC	FUNGICIDE	4	479-118-2666	17-Sep-25	-	Banana	Black sigatoka	1.38 L/ha	2.0 mg/kg	0 day	Do not enter treatment areas until spray deposit have dried
AGRO ADVANCED INTERNATIONAL PHLS, INC.	CHLOROTHALONIL	VIVO 500 SC	500 g/L	SC	FUNGICIDE	4	479-118-2667	17-Sep-25	-	Melon	Anthracoese, cercospora leafspot, downy mildew, leaf blight	6.0-8.5 Tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
AGRO ADVANCED INTERNATIONAL PHLS, INC.	CHLOROTHALONIL	VIVO 500 SC	500 g/L	SC	FUNGICIDE	4	479-118-2667	17-Sep-25	-	Corn	Heminthosporium leaf spot, cercospora leafspot	6.0-8.5 Tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
AGRO ADVANCED INTERNATIONAL PHLS, INC.	CHLOROTHALONIL	VIVO 500 SC	500 g/L	SC	FUNGICIDE	4	479-118-2667	17-Sep-25	-	Eggplant	Anthracoese, cercospora leafspot, early and late blight	6.0-8.5 Tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
AGRO ADVANCED INTERNATIONAL PHLS, INC.	CHLOROTHALONIL	VIVO 500 SC	500 g/L	SC	FUNGICIDE	4	479-118-2667	17-Sep-25	-	Peanut	Cercospora leaf spot, rust	6.0-8.5 Tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
AGRO ADVANCED INTERNATIONAL PHLS, INC.	CHLOROTHALONIL	VIVO 500 SC	500 g/L	SC	FUNGICIDE	4	479-118-2667	17-Sep-25	-	Potato	Early and late blight, vine rot	6.0-8.5 Tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
AGRO ADVANCED INTERNATIONAL PHLS, INC.	CHLOROTHALONIL	VIVO 500 SC	500 g/L	SC	FUNGICIDE	4	479-118-2667	17-Sep-25	-	Tomato	Early and late blight, vine rot	6.0-8.5 Tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
AGRO ADVANCED INTERNATIONAL PHLS, INC.	CHLOROTHALONIL	VIVO 500 SC	500 g/L	SC	FUNGICIDE	4	479-118-2667	17-Sep-25	-	Carrot	Alternaria, cercospora leaf spot, heminthosporium leaf spot	6.0-8.5 Tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
AGRO ADVANCED INTERNATIONAL PHLS, INC.	CHLOROTHALONIL	VIVO 500 SC	500 g/L	SC	FUNGICIDE	4	479-118-2667	17-Sep-25	-	Banana	Sigatoka, rust, freckles, heminthosporium leaf spot	2 L/ha	2.0 mg/kg	-	Do not enter treatment areas until spray deposit have dried
AGRO ADVANCED INTERNATIONAL PHLS, INC.	CHLOROTHALONIL	VIVO 500 SC	500 g/L	SC	FUNGICIDE	4	479-118-2667	17-Sep-25	-	Mango	Anthracoese, diploid rot	6.0-8.5 Tbsp/36L	0.5 mg/kg	7-14 days	Do not enter treatment areas until spray deposit have dried
AGRO ADVANCED INTERNATIONAL PHLS, INC.	CHLOROTHALONIL	VIVO 500 SC	500 g/L	SC	FUNGICIDE	4	479-118-2667	17-Sep-25	-	Beans	Rust, anthracnose	6.0-8.5 Tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
AGRO ADVANCED INTERNATIONAL PHLS, INC.	CHLOROTHALONIL	VIVO 500 SC	500 g/L	SC	FUNGICIDE	4	479-118-2667	17-Sep-25	-	Crucifers	Powdery mildew	6.0-8.5 Tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
AGRO ADVANCED INTERNATIONAL PHLS, INC.	CHLOROTHALONIL	VIVO 500 SC	500 g/L	SC	FUNGICIDE	4	479-118-2667	17-Sep-25	-	Onion	Purple blotch, bulb rot, neck rot	6.0-8.5 Tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
AGRO ADVANCED INTERNATIONAL PHLS, INC.	CHLOROTHALONIL	VIVO 500 SC	500 g/L	SC	FUNGICIDE	4	479-118-2667	17-Sep-25	-	Garlic	Purple blotch, bulb rot, neck rot	6.0-8.5 Tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
AGRO ADVANCED INTERNATIONAL PHLS, INC.	CHLOROTHALONIL	VIVO 500 SC	500 g/L	SC	FUNGICIDE	4	479-118-2667	17-Sep-25	-	Ornamentals	Black spot, black rot, powdery mildew	6.0-8.5 Tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
AGRO ADVANCED INTERNATIONAL PHLS, INC.	CHLOROTHALONIL	VIVO 500 SC	500 g/L	SC	FUNGICIDE	4	479-118-2667	17-Sep-25	-	Grapes	Downy mildew, powdery mildew, fruit rot	6.0-8.5 Tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
AGRO ADVANCED INTERNATIONAL PHLS, INC.	CHLOROTHALONIL	VIVO 500 SC	500 g/L	SC	FUNGICIDE	4	479-118-2667	17-Sep-25	-	Pepper	Anthracoese, cercospora leaf spot, early blight	6.0-8.5 Tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
AGRO ADVANCED INTERNATIONAL PHLS, INC.	CHLOROTHALONIL	VIVO 500 SC	500 g/L	SC	FUNGICIDE	4	479-118-2667	17-Sep-25	-	Melon	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
AGRO ADVANCED INTERNATIONAL PHLS, INC.	CHLOROTHALONIL	VIVO 500 SC	500 g/L	SC	FUNGICIDE	4	479-118-2667	17-Sep-25	-	Cucumber	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
AGRO ADVANCED INTERNATIONAL PHLS, INC.	CHLOROTHALONIL	VIVO 500 SC	500 g/L	SC	FUNGICIDE	4	479-118-2667	17-Sep-25	-	Squash	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
AGRO ADVANCED INTERNATIONAL PHLS, INC.	CHLOROTHALONIL	VIVO 500 SC	500 g/L	SC	FUNGICIDE	4	479-118-2667	17-Sep-25	-	Watermelon	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
AGRO ADVANCED INTERNATIONAL PHLS, INC.	CHLOROTHALONIL	VIVO 500 SC	500 g/L	SC	FUNGICIDE	4	479-118-2667	17-Sep-25	-	Celery	Early and late blight	6.0-8.5 Tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
AGREXPLORE CORPORATION	COPPER OXYCHLORIDE	VITAL BLUE 85 WP	850 g/kg	WP	FUNGICIDE	4	528-007-4504	11-Sep-21	-	Coffee	Brown eye spot, rust, anthracnose, pink disease	6.5-10.0 Tbsp/36L	-	Allow 7 days from last spray until harvest	Do not enter treated areas without protective clothing until spray has dried
AGREXPLORE CORPORATION	COPPER OXYCHLORIDE	VITAL BLUE 85 WP	850 g/kg	WP	FUNGICIDE	4	528-007-4504	11-Sep-21	-	Cacao	Pod rot, brown bark rot, black pod	6.5-10.0 Tbsp/36L	-	Allow 7 days from last spray until harvest	Do not enter treated areas without protective clothing until spray has dried
AGREXPLORE CORPORATION	COPPER OXYCHLORIDE	VITAL BLUE 85 WP	850 g/kg	WP	FUNGICIDE	4	528-007-4504	11-Sep-21	-	Mango	Anthracoese, sooty mold	6.5-10.0 Tbsp/36L	-	Allow 7 days from last spray until harvest	Do not enter treated areas without protective clothing until spray has dried
AGREXPLORE CORPORATION	COPPER OXYCHLORIDE	VITAL BLUE 85 WP	850 g/kg	WP	FUNGICIDE	4	528-007-4504	11-Sep-21	-	Tomato	Early blight, late blight, fruit rot, septoria leaf spot	6.5-10.0 Tbsp/36L	-	Allow 7 days from last spray until harvest	Do not enter treated areas without protective clothing until spray has dried
AGREXPLORE CORPORATION	COPPER OXYCHLORIDE	VITAL BLUE 85 WP	850 g/kg	WP	FUNGICIDE	4	528-007-4504	11-Sep-21	-	Tobacco	Blue mold fusarium, alternaria leafspot, frogeye disease	6.5-10.0 Tbsp/36L	-	Allow 7 days from last spray until harvest	Do not enter treated areas without protective clothing until spray has dried
AGREXPLORE CORPORATION	COPPER OXYCHLORIDE	VITAL BLUE 85 WP	850 g/kg	WP	FUNGICIDE	4	528-007-4504	11-Sep-21	-	Citrus	Black spot, anthracnose, scab, rust, fruit rot	6.5-10.0 Tbsp/36L	-	Allow 7 days from last spray until harvest	Do not enter treated areas without protective clothing until spray has dried
AGREXPLORE CORPORATION	COPPER OXYCHLORIDE	VITAL BLUE 85 WP	850 g/kg	WP	FUNGICIDE	4	528-007-4504	11-Sep-21	-	Banana	Sigatoka	6.5-10.0 Tbsp/36L	-	Allow 7 days from last spray until harvest	Do not enter treated areas without protective clothing until spray has dried
AGREXPLORE CORPORATION	COPPER OXYCHLORIDE	VITAL BLUE 85 WP	850 g/kg	WP	FUNGICIDE	4	528-007-4504	11-Sep-21	-	Pepper	Anthracoese, mildews, blight, fruit rot	6.5-10.0 Tbsp/36L	-	Allow 7 days from last spray until harvest	Do not enter treated areas without protective clothing until spray has dried
AGREXPLORE CORPORATION	COPPER OXYCHLORIDE	VITAL BLUE 85 WP	850 g/kg	WP	FUNGICIDE	4	528-007-4504	11-Sep-21	-	Potato	Early blight, late blight	6.5-10.0 Tbsp/36L	-	Allow 7 days from last spray until harvest	Do not enter treated areas without protective clothing until spray has dried

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
AGREXPLORE CORPORATION	COPPER OXYCHLORIDE	VITAL BLUE 85 WP	800 g/kg	WP	FUNGICIDE	4	528-007-4504	11-Sep-21	-	Watermelon	Anthraco, mildew, alternaria, fruit rot	6.5-10.0 Tbsp/36L	-	Allow 7 days from last spray until harvest	Do not enter treated area without protective clothing until spray has dried
AGREXPLORE CORPORATION	COPPER OXYCHLORIDE	VITAL BLUE 85 WP	800 g/kg	WP	FUNGICIDE	4	528-007-4504	11-Sep-21	-	Celery	Mildew, early blight, late blight	6.5-10.0 Tbsp/36L	-	Allow 7 days from last spray until harvest	Do not enter treated area without protective clothing until spray has dried
AGREXPLORE CORPORATION	COPPER OXYCHLORIDE	VITAL BLUE 85 WP	800 g/kg	WP	FUNGICIDE	4	528-007-4504	12-Sep-21	-	Crucifers	Mildew, cercospora alternaria	6.5-10.0 Tbsp/36L	-	Allow 7 days from last spray until harvest	Do not enter treated area without protective clothing until spray has dried
AGREXPLORE CORPORATION	COPPER OXYCHLORIDE	VITAL BLUE 85 WP	800 g/kg	WP	FUNGICIDE	4	528-007-4504	11-Sep-21	-	Carrot	Alternaria, cercospora	6.5-10.0 Tbsp/36L	-	Allow 7 days from last spray until harvest	Do not enter treated area without protective clothing until spray has dried
AGREXPLORE CORPORATION	COPPER OXYCHLORIDE	VITAL BLUE 85 WP	800 g/kg	WP	FUNGICIDE	4	528-007-4504	11-Sep-21	-	Melon	Mildew, cercospora, alternaria, anthracnose	6.5-10.0 Tbsp/36L	-	Allow 7 days from last spray until harvest	Do not enter treated area without protective clothing until spray has dried
JYNNSONS PHILIPPINES, INC.	BENOMYL	VITAL 50 WP	500 g/kg	WP	FUNGICIDE	4	551-167-3955	09-Aug-24	SYSTEMIC	Mungbeans	Powdery mildew, cercospora leaf spot	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
JYNNSONS PHILIPPINES, INC.	BENOMYL	VITAL 50 WP	500 g/kg	WP	FUNGICIDE	4	551-167-3955	09-Aug-24	SYSTEMIC	Beans	Powdery mildew, cercospora leaf spot	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
JYNNSONS PHILIPPINES, INC.	BENOMYL	VITAL 50 WP	500 g/kg	WP	FUNGICIDE	4	551-167-3955	09-Aug-24	SYSTEMIC	Cabbage	Cercospora leaf spot	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
JYNNSONS PHILIPPINES, INC.	BENOMYL	VITAL 50 WP	500 g/kg	WP	FUNGICIDE	4	551-167-3955	09-Aug-24	SYSTEMIC	Calamansi	Scab	1-3 Tbsp/36L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
JYNNSONS PHILIPPINES, INC.	BENOMYL	VITAL 50 WP	500 g/kg	WP	FUNGICIDE	4	551-167-3955	09-Aug-24	SYSTEMIC	Cucumber	Powdery mildew	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
JYNNSONS PHILIPPINES, INC.	BENOMYL	VITAL 50 WP	500 g/kg	WP	FUNGICIDE	4	551-167-3955	09-Aug-24	SYSTEMIC	Ginger	Cercospora leaf spot	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
JYNNSONS PHILIPPINES, INC.	BENOMYL	VITAL 50 WP	500 g/kg	WP	FUNGICIDE	4	551-167-3955	09-Aug-24	SYSTEMIC	Onions	Powdery mildew	1-3 Tbsp/36L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
JYNNSONS PHILIPPINES, INC.	BENOMYL	VITAL 50 WP	500 g/kg	WP	FUNGICIDE	4	551-167-3955	09-Aug-24	SYSTEMIC	Mandarin	Scab	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
JYNNSONS PHILIPPINES, INC.	BENOMYL	VITAL 50 WP	500 g/kg	WP	FUNGICIDE	4	551-167-3955	09-Aug-24	SYSTEMIC	Mango	Anthraco, powdery mildew	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
JYNNSONS PHILIPPINES, INC.	BENOMYL	VITAL 50 WP	500 g/kg	WP	FUNGICIDE	4	551-167-3955	09-Aug-24	SYSTEMIC	Melon	Powdery mildew	1-3 Tbsp/36L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
JYNNSONS PHILIPPINES, INC.	BENOMYL	VITAL 50 WP	500 g/kg	WP	FUNGICIDE	4	551-167-3955	09-Aug-24	SYSTEMIC	Orange	Scab	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
JYNNSONS PHILIPPINES, INC.	BENOMYL	VITAL 50 WP	500 g/kg	WP	FUNGICIDE	4	551-167-3955	09-Aug-24	SYSTEMIC	Papaya	Powdery mildew	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
JYNNSONS PHILIPPINES, INC.	BENOMYL	VITAL 50 WP	500 g/kg	WP	FUNGICIDE	4	551-167-3955	09-Aug-24	SYSTEMIC	Pepper	Cercospora leaf spot	1-3 Tbsp/36L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
JYNNSONS PHILIPPINES, INC.	BENOMYL	VITAL 50 WP	500 g/kg	WP	FUNGICIDE	4	551-167-3955	09-Aug-24	SYSTEMIC	Rice	Blast, sheath blight	3-6 Tbsp/36L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
JYNNSONS PHILIPPINES, INC.	BENOMYL	VITAL 50 WP	500 g/kg	WP	FUNGICIDE	4	551-167-3955	09-Aug-24	SYSTEMIC	Strawberry	Cercospora leaf spot	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
JYNNSONS PHILIPPINES, INC.	BENOMYL	VITAL 50 WP	500 g/kg	WP	FUNGICIDE	4	551-167-3955	09-Aug-24	SYSTEMIC	Tobacco	Leaf mold, frog eye	1-3 Tbsp/36L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
JYNNSONS PHILIPPINES, INC.	BENOMYL	VITAL 50 WP	500 g/kg	WP	FUNGICIDE	4	551-167-3955	09-Aug-24	SYSTEMIC	Banana	Black sigatoka	280 g/ha	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
CROPCARE CHEMICAL CORPORATION	MANCOZEB	VITABLU 800 WP	800 g/kg	WP	FUNGICIDE	4	556-053-3461	24-Jul-24	-	Potato	Early and late blight	3-6 Tbsp/36 L water	-	-	As soon as spray dries
CROPCARE CHEMICAL CORPORATION	MANCOZEB	VITABLU 800 WP	800 g/kg	WP	FUNGICIDE	4	556-053-3461	24-Jul-24	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
CROPCARE CHEMICAL CORPORATION	MANCOZEB	VITABLU 800 WP	800 g/kg	WP	FUNGICIDE	4	556-053-3461	24-Jul-24	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
CROPCARE CHEMICAL CORPORATION	MANCOZEB	VITABLU 800 WP	800 g/kg	WP	FUNGICIDE	4	556-053-3461	24-Jul-24	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
CROPCARE CHEMICAL CORPORATION	MANCOZEB	VITABLU 800 WP	800 g/kg	WP	FUNGICIDE	4	556-053-3461	24-Jul-24	-	Celery	Late blight	3-6 Tbsp/36 L water	-	14 Days	As soon as spray dries
CROPCARE CHEMICAL CORPORATION	MANCOZEB	VITABLU 800 WP	800 g/kg	WP	FUNGICIDE	4	556-053-3461	24-Jul-24	-	Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
CROPCARE CHEMICAL CORPORATION	MANCOZEB	VITABLU 800 WP	800 g/kg	WP	FUNGICIDE	4	556-053-3461	24-Jul-24	-	Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
CROPCARE CHEMICAL CORPORATION	MANCOZEB	VITABLU 800 WP	800 g/kg	WP	FUNGICIDE	4	556-053-3461	24-Jul-24	-	Cotton	Damping off	3-6 Tbsp/36 L water	-	-	As soon as spray dries
CROPCARE CHEMICAL CORPORATION	MANCOZEB	VITABLU 800 WP	800 g/kg	WP	FUNGICIDE	4	556-053-3461	24-Jul-24	-	Lettuce	Downy mildew	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
CROPCARE CHEMICAL CORPORATION	MANCOZEB	VITABLU 800 WP	800 g/kg	WP	FUNGICIDE	4	556-053-3461	24-Jul-24	-	Beans	Anthraco, Downy mildew, Rust	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
CROPCARE CHEMICAL CORPORATION	MANCOZEB	VITABLU 800 WP	800 g/kg	WP	FUNGICIDE	4	556-053-3461	24-Jul-24	-	Peas	Anthraco, Downy mildew, Rust	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
CROPCARE CHEMICAL CORPORATION	MANCOZEB	VITABLU 800 WP	800 g/kg	WP	FUNGICIDE	4	556-053-3461	24-Jul-24	-	Mungo	Anthraco, Downy mildew, Rust	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
CROPCARE CHEMICAL CORPORATION	MANCOZEB	VITABLU 800 WP	800 g/kg	WP	FUNGICIDE	4	556-053-3461	24-Jul-24	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
CROPCARE CHEMICAL CORPORATION	MANCOZEB	VITABLU 800 WP	800 g/kg	WP	FUNGICIDE	4	556-053-3461	24-Jul-24	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
CROPCARE CHEMICAL CORPORATION	MANCOZEB	VITABLU 800 WP	800 g/kg	WP	FUNGICIDE	4	556-053-3461	24-Jul-24	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
CROPCARE CHEMICAL CORPORATION	MANCOZEB	VITABLU 800 WP	800 g/kg	WP	FUNGICIDE	4	556-053-3461	24-Jul-24	-	Pepper	Anthraco	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
CROPCARE CHEMICAL CORPORATION	MANCOZEB	VITABLU 800 WP	800 g/kg	WP	FUNGICIDE	4	556-053-3461	24-Jul-24	-	Chili	Anthraco	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
CROPCARE CHEMICAL CORPORATION	MANCOZEB	VITABLU 800 WP	800 g/kg	WP	FUNGICIDE	4	556-053-3461	24-Jul-24	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
CROPCARE CHEMICAL CORPORATION	MANCOZEB	VITABLU 800 WP	800 g/kg	WP	FUNGICIDE	4	556-053-3461	24-Jul-24	-	Banana	Sigatoka, Black leaf streak	3-6 Tbsp/36 L water	-	-	As soon as spray dries
CROPCARE CHEMICAL CORPORATION	MANCOZEB	VITABLU 800 WP	800 g/kg	WP	FUNGICIDE	4	556-053-3461	24-Jul-24	-	Grapes	Downy mildew, black rot	3-6 Tbsp/36 L water	-	60 days	As soon as spray dries
CROPCARE CHEMICAL CORPORATION	MANCOZEB	VITABLU 800 WP	800 g/kg	WP	FUNGICIDE	4	556-053-3461	24-Jul-24	-	Mango	Anthraco and Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
CROPCARE CHEMICAL CORPORATION	MANCOZEB	VITABLU 800 WP	800 g/kg	WP	FUNGICIDE	4	556-053-3461	24-Jul-24	-	Papaya	Fruit rot	3-6 Tbsp/36 L water	-	-	As soon as spray dries
CROPCARE CHEMICAL CORPORATION	MANCOZEB	VITABLU 800 WP	800 g/kg	WP	FUNGICIDE	4	556-053-3461	24-Jul-24	-	Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
CROPCARE CHEMICAL CORPORATION	MANCOZEB	VITABLU 800 WP	800 g/kg	WP	FUNGICIDE	4	556-053-3461	24-Jul-24	-	Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
CROPCARE CHEMICAL CORPORATION	MANCOZEB	VITABLU 800 WP	800 g/kg	WP	FUNGICIDE	4	556-053-3461	24-Jul-24	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
CROPCARE CHEMICAL CORPORATION	MANCOZEB	VITABLU 800 WP	800 g/kg	WP	FUNGICIDE	4	556-053-3461	24-Jul-24	-	Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/36 L water	-	-	As soon as spray dries
CROPCARE CHEMICAL CORPORATION	MANCOZEB	VITABLU 800 WP	800 g/kg	WP	FUNGICIDE	4	556-053-3461	24-Jul-24	-	Peanut	Cercospora leaf spot	3-6 Tbsp/36 L water	-	14 Days	As soon as spray dries
CROPCARE CHEMICAL CORPORATION	MANCOZEB	VITABLU 800 WP	800 g/kg	WP	FUNGICIDE	4	556-053-3461	24-Jul-24	-	Soybeans	Leaf rust	3-6 Tbsp/36 L water	-	-	As soon as spray dries
CROPCARE CHEMICAL CORPORATION	MANCOZEB	VITABLU 800 WP	800 g/kg	WP	FUNGICIDE	4	556-053-3461	24-Jul-24	-	Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/36 L water	-	-	As soon as spray dries
TEXICON AGR VENTURES CORPORATION	DELTAMETHRIN	VITA 2.5 EC	25g/L	EC	INSECTICIDE	4	242-085-4398	29-May-25	-	Mango	Hopper, Tip borer, twig borer	7.5-10 Tbsp/36L water	-	24 hours after last spray	24 hours after last spray
TEXICON AGR VENTURES CORPORATION	DELTAMETHRIN	VITA 2.5 EC	25g/L	EC	INSECTICIDE	4	242-085-4398	29-May-25	-	Cabbage & other crucifers	Diamond back moth, cabbage moth, cabbage worm	10 Tbsp/36L water	-	24 hours after last spray	24 hours after last spray
TEXICON AGR VENTURES CORPORATION	DELTAMETHRIN	VITA 2.5 EC	25g/L	EC	INSECTICIDE	4	242-085-4398	29-May-25	-	Tobacco	Budworm, armyworm, cutworm	7.5-10 Tbsp/36L water	-	24 hours after last spray	24 hours after last spray
TEXICON AGR VENTURES CORPORATION	DELTAMETHRIN	VITA 2.5 EC	25g/L	EC	INSECTICIDE	4	242-085-4398	29-May-25	-	Beans	Flea beetle, beanfly, bug, thrips, cutworm, armyworm, pod borer, semi looper, bean lecanid	7.5-10 Tbsp/36L water	-	24 hours after last spray	24 hours after last spray
TEXICON AGR VENTURES CORPORATION	DELTAMETHRIN	VITA 2.5 EC	25g/L	EC	INSECTICIDE	4	242-085-4398	29-May-25	-	Soybeans	Flea beetle, beanfly, bug, thrips, cutworm, armyworm, pod borer, semi looper, bean lecanid	7.5-10 Tbsp/36L water	-	24 hours after last spray	24 hours after last spray
TEXICON AGR VENTURES CORPORATION	DELTAMETHRIN	VITA 2.5 EC	25g/L	EC	INSECTICIDE	4	242-085-4398	29-May-25	-	Tomato	Fruitworm (heliothis)	1.0 Tbsp/36L water	-	24 hours after last spray	24 hours after last spray

List of Registered Pesticide Products as of May 2, 2024

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
DIVINE AGRICULTURAL OPC	CYPERMETHRIN	VINEMETRIN S EC	50 g/L	EC	INSECTICIDE	4	753-037-6031	6 Jul-24	-	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 tbsp/ 16L water	-	7 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
DIVINE AGRICULTURAL OPC	CYPERMETHRIN	VINEMETRIN S EC	50 g/L	EC	INSECTICIDE	4	753-037-6031	6 Jul-24	-	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leafhoppers, stem borer, armyworm, rice bug	1.0-3.0 tbsp/ 16L water	-	7 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
DIVINE AGRICULTURAL OPC	CYPERMETHRIN	VINEMETRIN S EC	50 g/L	EC	INSECTICIDE	4	753-037-6031	6 Jul-24	-	Cabbage	Diamond-back moth, cabbage moth, worm	1.0-3.0 tbsp/ 16L water	-	7 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
DIVINE AGRICULTURAL OPC	CYPERMETHRIN	VINEMETRIN S EC	50 g/L	EC	INSECTICIDE	4	753-037-6031	6 Jul-24	-	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 tbsp/ 16L water	-	7 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
DIVINE AGRICULTURAL OPC	CYPERMETHRIN	VINEMETRIN S EC	50 g/L	EC	INSECTICIDE	4	753-037-6031	6 Jul-24	-	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 tbsp/ 16L water	-	7 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
DIVINE AGRICULTURAL OPC	CYPERMETHRIN	VINEMETRIN S EC	50 g/L	EC	INSECTICIDE	4	753-037-6031	6 Jul-24	-	Watermelon	Aphids, thrips, beetle	1.0-3.0 tbsp/ 16L water	-	7 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
DIVINE AGRICULTURAL OPC	CYPERMETHRIN	VINEMETRIN S EC	50 g/L	EC	INSECTICIDE	4	753-037-6031	6 Jul-24	-	Onion	Thrips, cutworm	1.0-3.0 tbsp/ 16L water	-	7 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
DIVINE AGRICULTURAL OPC	CYPERMETHRIN	VINEMETRIN S EC	50 g/L	EC	INSECTICIDE	4	753-037-6031	6 Jul-24	-	Banana	Thrips, scarring beetle	1.0-3.0 tbsp/ 16L water	-	7 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
DIVINE AGRICULTURAL OPC	CYPERMETHRIN	VINEMETRIN S EC	50 g/L	EC	INSECTICIDE	4	753-037-6031	6 Jul-24	-	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 tbsp/ 16L water	-	7 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
DIVINE AGRICULTURAL OPC	CYPERMETHRIN	VINEMETRIN S EC	50 g/L	EC	INSECTICIDE	4	753-037-6031	6 Jul-24	-	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 tbsp/ 16L water	-	7 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
DIVINE AGRICULTURAL OPC	CYPERMETHRIN	VINEMETRIN S EC	50 g/L	EC	INSECTICIDE	4	753-037-6031	6 Jul-24	-	Corn	Corn borer, earworm	1.0-4.5 tbsp/ 16L water	-	7 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
DIVINE AGRICULTURAL OPC	CYPERMETHRIN	VINEMETRIN S EC	50 g/L	EC	INSECTICIDE	4	753-037-6031	6 Jul-24	-	Rice	Golden apple snail	1 sachet 35 gms/Tankload 16L	-	-	At least 48 hours after application.
DIVINE AGRICULTURAL OPC	MANCOZEB	VINECOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	753-053-6033	2 Jul-25	-	Potato	Early and late blight	-	-	-	As soon as spray dries
DIVINE AGRICULTURAL OPC	MANCOZEB	VINECOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	753-053-6033	2 Jul-25	-	Cabbage	Downy mildew, alternaria leaf spot	-	-	7 Days	As soon as spray dries
DIVINE AGRICULTURAL OPC	MANCOZEB	VINECOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	753-053-6033	2 Jul-25	-	Cauliflower	Downy mildew, alternaria leaf spot	-	-	7 Days	As soon as spray dries
DIVINE AGRICULTURAL OPC	MANCOZEB	VINECOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	753-053-6033	2 Jul-25	-	Broccoli	Downy mildew, alternaria leaf spot	-	-	7 Days	As soon as spray dries
DIVINE AGRICULTURAL OPC	MANCOZEB	VINECOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	753-053-6033	2 Jul-25	-	Calety	Late blight	-	-	14 days	As soon as spray dries
DIVINE AGRICULTURAL OPC	MANCOZEB	VINECOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	753-053-6033	2 Jul-25	-	Cucumber	Downy mildew, anthracnose, scab	-	-	5 days	As soon as spray dries
DIVINE AGRICULTURAL OPC	MANCOZEB	VINECOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	753-053-6033	2 Jul-25	-	Squash	Downy mildew, anthracnose, scab	-	-	5 days	As soon as spray dries
DIVINE AGRICULTURAL OPC	MANCOZEB	VINECOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	753-053-6033	2 Jul-25	-	Cotton	Damping off	-	-	-	As soon as spray dries
DIVINE AGRICULTURAL OPC	MANCOZEB	VINECOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	753-053-6033	2 Jul-25	-	lettuce	Downy mildew	-	-	7 Days	As soon as spray dries
DIVINE AGRICULTURAL OPC	MANCOZEB	VINECOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	753-053-6033	2 Jul-25	-	Beans	Anthracoese, Downy Mildew, Rust	-	-	5 days	As soon as spray dries
DIVINE AGRICULTURAL OPC	MANCOZEB	VINECOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	753-053-6033	2 Jul-25	-	Peas	Anthracoese, Downy Mildew, Rust	-	-	5 days	As soon as spray dries
DIVINE AGRICULTURAL OPC	MANCOZEB	VINECOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	753-053-6033	2 Jul-25	-	Mungo	Anthracoese, Downy Mildew, Rust	-	-	5 days	As soon as spray dries
DIVINE AGRICULTURAL OPC	MANCOZEB	VINECOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	753-053-6033	2 Jul-25	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	-	-	5 days	As soon as spray dries
DIVINE AGRICULTURAL OPC	MANCOZEB	VINECOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	753-053-6033	2 Jul-25	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	-	-	7 Days	As soon as spray dries
DIVINE AGRICULTURAL OPC	MANCOZEB	VINECOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	753-053-6033	2 Jul-25	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	-	-	7 Days	As soon as spray dries
DIVINE AGRICULTURAL OPC	MANCOZEB	VINECOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	753-053-6033	2 Jul-25	-	Pepper	Anthracoese	-	-	7 Days	As soon as spray dries
DIVINE AGRICULTURAL OPC	MANCOZEB	VINECOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	753-053-6033	2 Jul-25	-	Chili	Anthracoese	-	-	7 Days	As soon as spray dries
DIVINE AGRICULTURAL OPC	MANCOZEB	VINECOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	753-053-6033	2 Jul-25	-	Eggplant	Blight, Anthracnose	-	-	7 Days	As soon as spray dries
DIVINE AGRICULTURAL OPC	MANCOZEB	VINECOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	753-053-6033	2 Jul-25	-	Banana	Sigatoka, black leaf streak	-	-	-	As soon as spray dries
DIVINE AGRICULTURAL OPC	MANCOZEB	VINECOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	753-053-6033	2 Jul-25	-	Grapes	Downy mildew, black rot	-	-	60 days	As soon as spray dries
DIVINE AGRICULTURAL OPC	MANCOZEB	VINECOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	753-053-6033	2 Jul-25	-	Mango	Anthracoese and Scab	-	-	5 days	As soon as spray dries
DIVINE AGRICULTURAL OPC	MANCOZEB	VINECOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	753-053-6033	2 Jul-25	-	Papaya	Fruit rot	-	-	-	As soon as spray dries
DIVINE AGRICULTURAL OPC	MANCOZEB	VINECOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	753-053-6033	2 Jul-25	-	Melon	Downy mildew, anthracnose, scab	-	-	5 days	As soon as spray dries
DIVINE AGRICULTURAL OPC	MANCOZEB	VINECOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	753-053-6033	2 Jul-25	-	Watermelon	Downy mildew, anthracnose, scab	-	-	5 days	As soon as spray dries
DIVINE AGRICULTURAL OPC	MANCOZEB	VINECOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	753-053-6033	2 Jul-25	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	-	-	7 Days	As soon as spray dries
DIVINE AGRICULTURAL OPC	MANCOZEB	VINECOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	753-053-6033	2 Jul-25	-	Rice	Blast, Sheath blight, Cercospora leaf spot , Helminthosporium leaf spot	-	-	-	As soon as spray dries
DIVINE AGRICULTURAL OPC	MANCOZEB	VINECOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	753-053-6033	2 Jul-25	-	Peanut	Cercospora leaf spot	-	-	14 days	As soon as spray dries
DIVINE AGRICULTURAL OPC	MANCOZEB	VINECOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	753-053-6033	2 Jul-25	-	Soybeans	Leaf rust	-	-	-	As soon as spray dries
DIVINE AGRICULTURAL OPC	MANCOZEB	VINECOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	753-053-6033	2 Jul-25	-	Ornamentals	Black spot, blight, anthracnose	-	-	-	As soon as spray dries
BAYER CROSCIENCE, INC.	PHENTHOATE-IPMC	VINDEX PLUS	250-100 g/L	EC	INSECTICIDE	2	284-193-0208	01-Feb-26	-	Rice	Whorl maggot, green leafhopper, brown planthopper, armyworm, rice bug	0.36-0.75prod/ha	Phenthoate-0.05 ppm	7 days	Re-entry to treated areas may be done 2 days after treatment
BAYER CROSCIENCE, INC.	PHENTHOATE-IPMC	VINDEX PLUS	250-100 g/L	EC	INSECTICIDE	2	284-193-0208	01-Feb-26	-	Corn	Corn borer, corn earworm, seedling maggot	0.36-0.75prod/ha	-	14 days	Re-entry to treated areas may be done 2 days after treatment
BAYER CROSCIENCE, INC.	PHENTHOATE-IPMC	VINDEX PLUS	250-100 g/L	EC	INSECTICIDE	2	284-193-0208	01-Feb-26	-	Sorghum	Webworm	0.36-0.75prod/ha	-	14 days	Re-entry to treated areas may be done 2 days after treatment
BAYER CROSCIENCE, INC.	PHENTHOATE-IPMC	VINDEX PLUS	250-100 g/L	EC	INSECTICIDE	2	284-193-0208	01-Feb-26	-	Tobacco	Budworm, cutworm	0.36-0.75prod/ha	-	30 days	Re-entry to treated areas may be done 2 days after treatment
BAYER CROSCIENCE, INC.	PHENTHOATE-IPMC	VINDEX PLUS	250-100 g/L	EC	INSECTICIDE	2	284-193-0208	01-Feb-26	-	Crucifers	Diamond backed-moth, cabbage worm, aphids	0.36-0.75prod/ha	-	7 days	Re-entry to treated areas may be done 2 days after treatment
BAYER CROSCIENCE, INC.	PHENTHOATE-IPMC	VINDEX PLUS	250-100 g/L	EC	INSECTICIDE	2	284-193-0208	01-Feb-26	-	Citrus	Scale insect, mealy bugs, aphid, white flies	0.36-0.75prod/ha	-	14 days	Re-entry to treated areas may be done 2 days after treatment
GENTRADEPHEL INC.	CHALDOPOF BUTYL-BISPYRIBAC SODIUM	VIKTA 200 OD	150 g/L+150 g/L	OD	HERBICIDE	4	660-504-6190	20 Oct-25	POST-EMERGENT	Rice (Direct-Seeded)	Grasses (Echinochloa sp., Lophochlaena chinensis, and Ischaemum rugosum), broadleaves (Euphorbia zeylanica, Lactuca octovalvis)	900 mL to 1.1 prod / ha. Using a spray volume of 300 to 920 L water/ ha. (10-12)	-	-	Re-entry to treated field is allowed as soon as spray deposits dry up.
TAIPAN BRAND FARM INC.	FLUOXASTROBIN+TEBUCONAZOLE	VIGOLD T	200.2 g/L+277.4 g/L	SC	FUNGICIDE	4	529-488-4552	29 Oct-24	SYSTEMIC	Rice	Sheath blight and neck/node blast	250-350 (mL/ha)	-	-	Do not spray 14 days before harvest
UNILACD, INC.	BISPYRIBAC SODIUM	VIGILANTE 100 SC	105.5 g/L	SC	HERBICIDE	4	462-276-4999	08-Nov-24	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Rice(Direct seeded)	Grasses, sedges and broadleaves	-	-	-	As soon as spray deposits have dried
AGWAY CHEMICALS CORPORATION	CARBARIL	VICTORY 85 WP	850 g/kg	WP	INSECTICIDE	2	075-035-1687	26-May-25	-	Tobacco	Budworm, cutworm, aphids	4-6 tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
AGWAY CHEMICALS CORPORATION	CARBARIL	VICTORY 85 WP	850 g/kg	WP	INSECTICIDE	2	075-035-1687	26-May-25	-	Sorghum	Webworm, armyworm, cutworm, headworm	4-6 tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
AGWAY CHEMICALS CORPORATION	CARBARIL	VICTORY 85 WP	850 g/kg	WP	INSECTICIDE	2	075-035-1687	26-May-25	-	Ornamentals	Aphids, scale insect, mealy bug, cutworm	4-6 tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
AGWAY CHEMICALS CORPORATION	CARBARIL	VICTORY 85 WP	850 g/kg	WP	INSECTICIDE	2	075-035-1687	26-May-25	-	Mango	Mango hopper, tip borer, twig borer, fruit fly, mealy bug	4-8 tbsp/16 L water	-	1 day	Do not enter treatment areas until spray deposit have dried
AGWAY CHEMICALS CORPORATION	CARBARIL	VICTORY 85 WP	850 g/kg	WP	INSECTICIDE	2	075-035-1687	26-May-25	-	Coffee	Berry borer	4-6 tbsp/16 L water	-	1 day	Do not enter treatment areas until spray deposit have dried
AGWAY CHEMICALS CORPORATION	CARBARIL	VICTORY 85 WP	850 g/kg	WP	INSECTICIDE	2	075-035-1687	26-May-25	-	Cacao	Podborer, aphids, capsid bug	4-6 tbsp/16 L water	-	1 day	Do not enter treatment areas until spray deposit have dried

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
AGWAY CHEMICALS CORPORATION	CARBARYL	VICTORY 85 WP	850 g/kg	WP	INSECTICIDE	2	075-035-1687	26-May-25	-	Citrus	Rind borer	4-6 tbsp/16 L water	-	5 days	Do not enter treatment areas until spray deposit have dried
AGWAY CHEMICALS CORPORATION	CARBARYL	VICTORY 85 WP	850 g/kg	WP	INSECTICIDE	2	075-035-1687	26-May-25	-	Soybeans	Podborer, beanfly, leafminer, aphids	4-6 tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
AGWAY CHEMICALS CORPORATION	CARBARYL	VICTORY 85 WP	850 g/kg	WP	INSECTICIDE	2	075-035-1687	26-May-25	-	Rice	Green leafhopper, caseworm, aphids	4-6 tbsp/16 L water	1ppm	14 Days	Do not enter treatment areas until spray deposit have dried
AGWAY CHEMICALS CORPORATION	CARBARYL	VICTORY 85 WP	850 g/kg	WP	INSECTICIDE	2	075-035-1687	26-May-25	-	Cowpea and other beans	Podborer, beanfly, leafminer, cutworm, aphids	4-6 tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
AGWAY CHEMICALS CORPORATION	CARBARYL	VICTORY 85 WP	850 g/kg	WP	INSECTICIDE	2	075-035-1687	26-May-25	-	Cotton seed	Bollworm, cutworm	4-6 tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
AGWAY CHEMICALS CORPORATION	CARBARYL	VICTORY 85 WP	850 g/kg	WP	INSECTICIDE	2	075-035-1687	26-May-25	-	Corn	Corn borer, corn earworm, army worm	4-6 tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
AGWAY CHEMICALS CORPORATION	CARBARYL	VICTORY 85 WP	850 g/kg	WP	INSECTICIDE	2	075-035-1687	26-May-25	-	Tomato	Fruitworm, leafy beetle	4-6 tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
AGWAY CHEMICALS CORPORATION	CARBARYL	VICTORY 85 WP	850 g/kg	WP	INSECTICIDE	2	075-035-1687	26-May-25	-	Cucurbits	Squash beetle, leafy beetle	4-6 tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
ARIES RINE CHEMICAL CORPORATION	CYHALOFOF BUTYL	VIBES 10 EC	100 g/L	EC	HERBICIDE	4	479-257-5184	15-Apr-25	-	Rice (Direct Seeded)	Grasses	7-9 tbsp./bank load; 12 of bank load/ha (16 capacity)	-	-	-
ARISTA LIFE SCIENCE PHILIPPINES INC.	CHLORPYRIFOS	VEXTER 300 EC	300 g/L	EC	INSECTICIDE	2	089-101-2312	04-Sep-17	-	Rice	Stemborer, armyworm, leafhopper, caseworm, planthopper, cutworm	2.5-3.5 tbsp/16L water	-	-	-
ARISTA LIFE SCIENCE PHILIPPINES INC.	CHLORPYRIFOS	VEXTER 300 EC	300 g/L	EC	INSECTICIDE	2	089-101-2312	04-Sep-17	-	Potato	Tubermoth, leafhopper, cutworm, aphids	2.5-3.5 tbsp/16L water	-	-	-
ARISTA LIFE SCIENCE PHILIPPINES INC.	CHLORPYRIFOS	VEXTER 300 EC	300 g/L	EC	INSECTICIDE	2	089-101-2312	04-Sep-17	-	Corn	Armyworm, cornborer, earworm, seedling maggots	2.5-3.5 tbsp/16L water	-	-	-
ARISTA LIFE SCIENCE PHILIPPINES INC.	CHLORPYRIFOS	VEXTER 300 EC	300 g/L	EC	INSECTICIDE	2	089-101-2312	04-Sep-17	-	Beans	Beanfly, leafroller, podborer, cutworm, armyworm	2.5-3.5 tbsp/16L water	-	-	-
SYNGENTA PHILIPPINES INC.	TRIFLUMEZOPYRIM	VESTORA 20 WG	20 g/kg	WG	INSECTICIDE	4	011-462-6458	21-Jul-25	-	Rice (Direct-seeded)	Brown planthopper and green leafhopper	125 g PP/ha	-	-	-
SYNGENTA PHILIPPINES INC.	TRIFLUMEZOPYRIM	VESTORA 20 WG	20 g/kg	WG	INSECTICIDE	4	011-462-6458	21-Jul-25	-	Rice (Transplanted)	Brown planthopper and green leafhopper	170 g PP/ha	-	-	-
AGRIVESTA INDUSTRIAL CORPORATION	THIAMETHOXAM	VESTARA 25 WG	250g/kg	WG	INSECTICIDE	4	633-312-4782	15-May-22	SYSTEMIC/CONTACT	Pineapple	Mealy bug	100-200 g/ha	0.01 mg/kg	No PHI proposed as last application of VESTARA 25 WG will be 436 days before harvest	Do not enter unless spray deposits have dried
AGRIVESTA INDUSTRIAL CORPORATION	THIAMETHOXAM	VESTARA 25 WG	250g/kg	WG	INSECTICIDE	4	633-312-4782	15-May-22	SYSTEMIC/CONTACT	Mango	Leafhopper	105.6-123.2g prod/ha	0.20 mg/kg	No PHI proposed as the product will be applied at least 20 to 40 days before harvest	Do not enter unless spray deposits have dried
AGRIVESTA INDUSTRIAL CORPORATION	THIAMETHOXAM	VESTARA 25 WG	250g/kg	WG	INSECTICIDE	4	633-312-4782	15-May-22	SYSTEMIC/CONTACT	Rice	Green leafhopper, brown planthopper, white backed planthopper, rice bug, black bug	4.0-5.0 tbsp/16L water; For black bug 2.0-3.0 tbsp/16L water	-	28 days	Do not enter unless spray deposits have dried
AGRIVESTA INDUSTRIAL CORPORATION	THIAMETHOXAM	VESTARA 25 WG	250g/kg	WG	INSECTICIDE	4	633-312-4782	15-May-22	SYSTEMIC/CONTACT	Stringbeans	Aphids, leafhopper	0.5-2.0 Drench, Foliar spray 2.0-5.0 tbsp/16L water	-	7 days	Do not enter unless spray deposits have dried
AGRIVESTA INDUSTRIAL CORPORATION	THIAMETHOXAM	VESTARA 25 WG	250g/kg	WG	INSECTICIDE	4	633-312-4782	15-May-22	SYSTEMIC/CONTACT	Leggiant	Aphids, leafhopper	0.5-2.0 Drench, Foliar spray 2.0-5.0 tbsp/16L water	-	1 days	Do not enter unless spray deposits have dried
AGRIVESTA INDUSTRIAL CORPORATION	THIAMETHOXAM	VESTARA 25 WG	250g/kg	WG	INSECTICIDE	4	633-312-4782	15-May-22	SYSTEMIC/CONTACT	Banana	Flower Thrips	4-6 g/L	0.02 mg/kg	No PHI proposed as VESTARA 25 WG will be applied as bud injection	Do not enter unless spray deposits have dried
ONEGRAIN MARKETING CORPORATION	GLIFOSINATE AMMONIUM	VESTAQUAT 33 SL	150 g/L	SL	HERBICIDE	4	723-182-5818	15-Nov-24	NON-SELECTIVE/POST-EMERGENT	Rubber	Annual and perennial weeds	11.5, 21.5, 27 tbsp/16L water	-	-	Do not enter the treated field until the spray has dried. When prior entry is necessary, wear protective clothing and chemical resistant gloves
ONEGRAIN MARKETING CORPORATION	GLIFOSINATE AMMONIUM	VESTAQUAT 33 SL	150 g/L	SL	HERBICIDE	4	723-182-5818	15-Nov-24	NON-SELECTIVE/POST-EMERGENT	Oil palm	Annual and perennial weeds	18.5, 36 tbsp/16L water	-	-	Do not enter the treated field until the spray has dried. When prior entry is necessary, wear protective clothing and chemical resistant gloves
ONEGRAIN MARKETING CORPORATION	GLIFOSINATE AMMONIUM	VESTAQUAT 33 SL	150 g/L	SL	HERBICIDE	4	723-182-5818	15-Nov-24	NON-SELECTIVE/POST-EMERGENT	Non-crop areas	Annual and perennial weeds	16-21.5 tbsp/16 L water	-	-	Do not enter the treated field until the spray has dried. When prior entry is necessary, wear protective clothing and chemical resistant gloves
ONEGRAIN MARKETING CORPORATION	GLIFOSINATE AMMONIUM	VESTAQUAT 33 SL	150 g/L	SL	HERBICIDE	4	723-182-5818	15-Nov-24	NON-SELECTIVE/POST-EMERGENT	Cavendish Banana	Annual and perennial weeds	16, 18, 20-20 tbsp/16L water	-	-	Do not enter the treated field until the spray has dried. When prior entry is necessary, wear protective clothing and chemical resistant gloves
ONEGRAIN MARKETING CORPORATION	CARTAP HYDROCHLORIDE	VESTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	723-106-5806	26-May-24	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.0-5.0 tbsp/16 L water	0.2ppm	Stop spraying 10 days before harvest	-
ONEGRAIN MARKETING CORPORATION	CARTAP HYDROCHLORIDE	VESTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	723-106-5806	26-May-24	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0 tbsp/16 L water	-	-	Do not enter the field within 2 days after spraying
ONEGRAIN MARKETING CORPORATION	CARTAP HYDROCHLORIDE	VESTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	723-106-5806	26-May-24	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0 tbsp/16 L water	-	-	Do not enter the field within 2 days after spraying
ONEGRAIN MARKETING CORPORATION	CARTAP HYDROCHLORIDE	VESTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	723-106-5806	26-May-24	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0 tbsp/16 L water	-	-	Do not enter the field within 2 days after spraying
ONEGRAIN MARKETING CORPORATION	CARTAP HYDROCHLORIDE	VESTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	723-106-5806	26-May-24	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0 tbsp/16 L water	-	-	Do not enter the field within 2 days after spraying
ONEGRAIN MARKETING CORPORATION	CARTAP HYDROCHLORIDE	VESTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	723-106-5806	26-May-24	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0 tbsp/16 L water	-	-	Do not enter the field within 2 days after spraying
ONEGRAIN MARKETING CORPORATION	CARTAP HYDROCHLORIDE	VESTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	723-106-5806	26-May-24	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0 tbsp/16 L water	-	-	Do not enter the field within 2 days after spraying
ONEGRAIN MARKETING CORPORATION	CARTAP HYDROCHLORIDE	VESTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	723-106-5806	26-May-24	SYSTEMIC	Mango	Leafhoppers	1.5-2.0 tbsp/16 L water	-	-	Do not enter the field within 2 days after spraying
ONEGRAIN MARKETING CORPORATION	CARTAP HYDROCHLORIDE	VESTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	723-106-5806	26-May-24	SYSTEMIC	Pechay	Looper, cutworm, aphids	1.5-3.0 tbsp/16 L water	-	-	Do not enter the field within 2 days after spraying
AGRIVESTA INDUSTRIAL CORPORATION	METHOMYL	VESTAMYL 40 SP	400 g/kg	SP	INSECTICIDE	2	633-164-5128	07-Apr-22	CONTACT	Asparagus	Armyworm, cutworm	2.0-2.5 tbsp/16 L sprayer	-	-	Do not enter fields treated with VESTAMYL 40 SP within twelve hours after application
AGRIVESTA INDUSTRIAL CORPORATION	METHOMYL	VESTAMYL 40 SP	400 g/kg	SP	INSECTICIDE	2	633-164-5128	07-Apr-22	CONTACT	Banana	Thrips	1.5-4.5 tbsp/16 L sprayer	-	-	Do not enter fields treated with VESTAMYL 40 SP within twelve hours after application
AGRIVESTA INDUSTRIAL CORPORATION	METHOMYL	VESTAMYL 40 SP	400 g/kg	SP	INSECTICIDE	2	633-164-5128	07-Apr-22	CONTACT	Beans	Leafroller, flea beetle , beanfly, podborer,aphids	2.0-3.5 tbsp/16 L sprayer	-	-	Do not enter fields treated with VESTAMYL 40 SP within twelve hours after application
AGRIVESTA INDUSTRIAL CORPORATION	METHOMYL	VESTAMYL 40 SP	400 g/kg	SP	INSECTICIDE	2	633-164-5128	07-Apr-22	CONTACT	Mungbeans	Leafroller, flea beetle , beanfly, podborer,aphids	2.0-3.5 tbsp/16 L sprayer	-	-	Do not enter fields treated with VESTAMYL 40 SP within twelve hours after application
AGRIVESTA INDUSTRIAL CORPORATION	METHOMYL	VESTAMYL 40 SP	400 g/kg	SP	INSECTICIDE	2	633-164-5128	07-Apr-22	CONTACT	Soybeans	Leafroller, flea beetle , beanfly, podborer,aphids	2.0-3.5 tbsp/16 L sprayer	-	-	Do not enter fields treated with VESTAMYL 40 SP within twelve hours after application
AGRIVESTA INDUSTRIAL CORPORATION	METHOMYL	VESTAMYL 40 SP	400 g/kg	SP	INSECTICIDE	2	633-164-5128	07-Apr-22	CONTACT	Pitas	Leafroller, flea beetle , beanfly, podborer,aphids	2.0-3.5 tbsp/16 L sprayer	-	-	Do not enter fields treated with VESTAMYL 40 SP within twelve hours after application
AGRIVESTA INDUSTRIAL CORPORATION	METHOMYL	VESTAMYL 40 SP	400 g/kg	SP	INSECTICIDE	2	633-164-5128	07-Apr-22	CONTACT	Corn	Cornborer, earworm	2.0-3.5 tbsp/16 L sprayer	-	-	Do not enter fields treated with VESTAMYL 40 SP within twelve hours after application
AGRIVESTA INDUSTRIAL CORPORATION	METHOMYL	VESTAMYL 40 SP	400 g/kg	SP	INSECTICIDE	2	633-164-5128	07-Apr-22	CONTACT	Sorghum	Cornborer, earworm	2.0-3.5 tbsp/16 L sprayer	-	-	Do not enter fields treated with VESTAMYL 40 SP within twelve hours after application
AGRIVESTA INDUSTRIAL CORPORATION	METHOMYL	VESTAMYL 40 SP	400 g/kg	SP	INSECTICIDE	2	633-164-5128	07-Apr-22	CONTACT	Eggplant	Aphids, flea beetle , fruitworm, lady beetle	2.0-3.5 tbsp/16 L sprayer	-	-	Do not enter fields treated with VESTAMYL 40 SP within twelve hours after application
AGRIVESTA INDUSTRIAL CORPORATION	METHOMYL	VESTAMYL 40 SP	400 g/kg	SP	INSECTICIDE	2	633-164-5128	07-Apr-22	CONTACT	Melon	Aphids, Squash beetle , leafroller	2.0-3.5 tbsp/16 L sprayer	-	-	Do not enter fields treated with VESTAMYL 40 SP within twelve hours after application
AGRIVESTA INDUSTRIAL CORPORATION	METHOMYL	VESTAMYL 40 SP	400 g/kg	SP	INSECTICIDE	2	633-164-5128	07-Apr-22	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leafroller	2.0-3.5 tbsp/16 L sprayer	0.05ppm	3 Days	Do not enter fields treated with VESTAMYL 40 SP within twelve hours after application
AGRIVESTA INDUSTRIAL CORPORATION	METHOMYL	VESTAMYL 40 SP	400 g/kg	SP	INSECTICIDE	2	633-164-5128	07-Apr-22	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	2.0-3.5 tbsp/16 L sprayer	-	-	Do not enter fields treated with VESTAMYL 40 SP within twelve hours after application
AGRIVESTA INDUSTRIAL CORPORATION	METHOMYL	VESTAMYL 40 SP	400 g/kg	SP	INSECTICIDE	2	633-164-5128	07-Apr-22	CONTACT	Tomato	Tomato fruitworm, aphids	2.0-3.5 tbsp/16 L sprayer	-	-	Do not enter fields treated with VESTAMYL 40 SP within twelve hours after application
ONEGRAIN MARKETING CORPORATION	NICLOSULFAMIDE ETHANOLAMINE SALT	VESTAMIDE 70 WP	700 g/kg	WP	MOLLUSCICIDE	4	723-229-5808	22-Feb-24	CONTACT	Rice	Golden Apple Snail (Kuhol)	36 g/L 16 L water	-	-	Do not enter the treated field within 48 hours after application
ONEGRAIN MARKETING CORPORATION	LAMBDA-CHYALOTHRIN	VESTAKILL 2.5 EC	25g/L	EC	INSECTICIDE	2	723-204-5816	16-May-24	-	Rice	Green leafhopper, armyworm, rice bug, leafroller, black bug	1.0-1.5 tbsp/16 L of water	0.05ppm	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
ONEGRAIN MARKETING CORPORATION	LAMBDA-CHYALOTHRIN	VESTAKILL 2.5 EC	25g/L	EC	INSECTICIDE	2	723-204-5816	16-May-24	-	Mango	Hoppers	0.75-1.5 tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
ONEGRAIN MARKETING CORPORATION	LAMBDA-CHYALOTHRIN	VESTAKILL 2.5 EC	25g/L	EC	INSECTICIDE	2	723-204-5816	16-May-24	-	Tomato	Fruitworm, cutworm, aphids	1.0-1.5 tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
ONEGRAIN MARKETING CORPORATION	LAMBDA-CHYALOTHRIN	VESTAKILL 2.5 EC	25g/L	EC	INSECTICIDE	2	723-204-5816	16-May-24	-	Onion	Thrips, cutworm	1.0 tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
ONEGRAIN MARKETING CORPORATION	LAMBDA-CHYALOTHRIN	VESTAKILL 2.5 EC	25g/L	EC	INSECTICIDE	2	723-204-5816	16-May-24	-	Mungbeans	Beanfly, flea beetle, leafhopper, aphids, mites, podborer	1.0 tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
ONEGRAIN MARKETING CORPORATION	LAMBDA-CHYALOTHRIN	VESTAKILL 2.5 EC	25g/L	EC	INSECTICIDE	2	723-204-5816	16-May-24	-	Corn	Cornborer, aphids, seedling maggots	1.0-1.5 tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
ONEGRAIN MARKETING CORPORATION	LAMBDA-CHYALOTHRIN	VESTAKILL 2.5 EC	25g/L	EC	INSECTICIDE	2	723-204-5816	16-May-24	-	Tobacco	Budworm, Cutworm, aphids, ladybirds	1.0-1.5 tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
ONEGRAIN MARKETING CORPORATION	LAMBDA-CHYALOTHRIN	VESTAKILL 2.5 EC	25g/L	EC	INSECTICIDE	2	723-204-5816	16-May-24	-	Cotton	Bollworm	1.0-1.5 tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
ONEGRAIN MARKETING CORPORATION	LAMBDA-CYHALOTHRIN	VESTAKILL 2.5 EC	25g/L	EC	INSECTICIDE	2	723-024-5816	16-May-24	-	Cocoa	Podborer	1.0-2.0tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
ONEGRAIN MARKETING CORPORATION	LAMBDA-CYHALOTHRIN	VESTAKILL 2.5 EC	25g/L	EC	INSECTICIDE	2	723-024-5816	16-May-24	-	Watermelon	Squash beetle, melon worm	1.0tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
ONEGRAIN MARKETING CORPORATION	CYHALOPIR-BUTYL	VESTAGRAZ 10 EC	100 g/L	EC	HERBICIDE	4	723-037-5811	15-Apr-25	SYSTEMIC	Rice (Direct Seeded)	Grasses	7-9tbsp./tank load, 12 of tank load/ha	-	-	-
ONEGRAIN MARKETING CORPORATION	PROFENOFOS	VESTAFOS 50 EC	500g/L	EC	INSECTICIDE	2	723-070-5810	16-Feb-25	CONTACT	Tomato	Fruitworm, armyworm, cutworm	3-5 Tbsp/16L water	-	Do not apply at least seven(7) days before harvest.	Do not enter treated fields for at least one(1) day after application.
ONEGRAIN MARKETING CORPORATION	PROFENOFOS	VESTAFOS 50 EC	500g/L	EC	INSECTICIDE	2	723-070-5810	16-Feb-25	CONTACT	Eggplant	Fruitborer, aphids, leafhopper, & thrips	1.5-3.0 Tbsp/16L water	-	Do not apply at least seven(7) days before harvest.	Do not enter treated fields for at least one(1) day after application.
ONEGRAIN MARKETING CORPORATION	PROFENOFOS	VESTAFOS 50 EC	500g/L	EC	INSECTICIDE	2	723-070-5810	16-Feb-25	CONTACT	Cabbage	Diamond back moth, cabbage worm & aphids, thrips	3-5 Tbsp/16L water	-	Do not apply at least seven(7) days before harvest.	Do not enter treated fields for at least one(1) day after application.
ONEGRAIN MARKETING CORPORATION	PROFENOFOS	VESTAFOS 50 EC	500g/L	EC	INSECTICIDE	2	723-070-5810	16-Feb-25	CONTACT	Watermelon	Thrips	3-5 Tbsp/16L water	-	Do not apply at least seven(7) days before harvest.	Do not enter treated fields for at least one(1) day after application.
ONEGRAIN MARKETING CORPORATION	PROFENOFOS	VESTAFOS 50 EC	500g/L	EC	INSECTICIDE	2	723-070-5810	16-Feb-25	CONTACT	Potato	Thrips, army worm, cutworm, tuber moth	3-5 Tbsp/16L water	-	Do not apply at least seven(7) days before harvest.	Do not enter treated fields for at least one(1) day after application.
ONEGRAIN MARKETING CORPORATION	PROFENOFOS	VESTAFOS 50 EC	500g/L	EC	INSECTICIDE	2	723-070-5810	16-Feb-25	CONTACT	Soybeans	Corn earworm, leafminer	3-5 Tbsp/16L water	-	Do not apply at least seven(7) days before harvest.	Do not enter treated fields for at least one(1) day after application.
ONEGRAIN MARKETING CORPORATION	PROFENOFOS	VESTAFOS 50 EC	500g/L	EC	INSECTICIDE	2	723-070-5810	16-Feb-25	CONTACT	Mungbeans	Corn earworm, leafminer	3-5 Tbsp/16L water	-	Do not apply at least seven(7) days before harvest.	Do not enter treated fields for at least one(1) day after application.
ONEGRAIN MARKETING CORPORATION	PROFENOFOS	VESTAFOS 50 EC	500g/L	EC	INSECTICIDE	2	723-070-5810	16-Feb-25	CONTACT	Cotton	Thrips, bollworm & budworm	3-5 Tbsp/16L water	-	Do not apply at least seven(7) days before harvest.	Do not enter treated fields for at least one(1) day after application.
ONEGRAIN MARKETING CORPORATION	PROFENOFOS	VESTAFOS 50 EC	500g/L	EC	INSECTICIDE	2	723-070-5810	16-Feb-25	CONTACT	Sitao	Beanfly, leaf folder & aphids	1.5-3.0 Tbsp/16L water	-	Do not apply at least seven(7) days before harvest.	Do not enter treated fields for at least one(1) day after application.
ONEGRAIN MARKETING CORPORATION	PROFENOFOS	VESTAFOS 50 EC	500g/L	EC	INSECTICIDE	2	723-070-5810	16-Feb-25	CONTACT	Mango	Blossom Thrips	1.0-2.0 Tbsp/16L water	-	Do not apply at least seven(7) days before harvest.	Do not enter treated fields for at least one(1) day after application.
ONEGRAIN MARKETING CORPORATION	MANCOZEB	VESTABLU 80 WP	800g/kg	WP	FUNGICIDE	4	723-051-6074	27-Feb-26	-	Potato	Early and late blight	3-6 Tbsp/16 L water	-	-	As soon as spray dries
ONEGRAIN MARKETING CORPORATION	MANCOZEB	VESTABLU 80 WP	800g/kg	WP	FUNGICIDE	4	723-051-6074	27-Feb-26	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 days	As soon as spray dries
ONEGRAIN MARKETING CORPORATION	MANCOZEB	VESTABLU 80 WP	800g/kg	WP	FUNGICIDE	4	723-051-6074	27-Feb-26	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 days	As soon as spray dries
ONEGRAIN MARKETING CORPORATION	MANCOZEB	VESTABLU 80 WP	800g/kg	WP	FUNGICIDE	4	723-051-6074	27-Feb-26	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 days	As soon as spray dries
ONEGRAIN MARKETING CORPORATION	MANCOZEB	VESTABLU 80 WP	800g/kg	WP	FUNGICIDE	4	723-051-6074	27-Feb-26	-	Celery	Late blight	3-6 Tbsp/16 L water	-	14 days	As soon as spray dries
ONEGRAIN MARKETING CORPORATION	MANCOZEB	VESTABLU 80 WP	800g/kg	WP	FUNGICIDE	4	723-051-6074	27-Feb-26	-	Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
ONEGRAIN MARKETING CORPORATION	MANCOZEB	VESTABLU 80 WP	800g/kg	WP	FUNGICIDE	4	723-051-6074	27-Feb-26	-	Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
ONEGRAIN MARKETING CORPORATION	MANCOZEB	VESTABLU 80 WP	800g/kg	WP	FUNGICIDE	4	723-051-6074	27-Feb-26	-	Cotton	Damping off	3-6 Tbsp/16 L water	-	-	As soon as spray dries
ONEGRAIN MARKETING CORPORATION	MANCOZEB	VESTABLU 80 WP	800g/kg	WP	FUNGICIDE	4	723-051-6074	27-Feb-26	-	Lettuce	Downy mildew	3-6 Tbsp/16 L water	-	7 days	As soon as spray dries
ONEGRAIN MARKETING CORPORATION	MANCOZEB	VESTABLU 80 WP	800g/kg	WP	FUNGICIDE	4	723-051-6074	27-Feb-26	-	Beans	Anthracoese, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
ONEGRAIN MARKETING CORPORATION	MANCOZEB	VESTABLU 80 WP	800g/kg	WP	FUNGICIDE	4	723-051-6074	27-Feb-26	-	Peas	Anthracoese, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
ONEGRAIN MARKETING CORPORATION	MANCOZEB	VESTABLU 80 WP	800g/kg	WP	FUNGICIDE	4	723-051-6074	27-Feb-26	-	Mungo	Anthracoese, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
ONEGRAIN MARKETING CORPORATION	MANCOZEB	VESTABLU 80 WP	800g/kg	WP	FUNGICIDE	4	723-051-6074	27-Feb-26	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
ONEGRAIN MARKETING CORPORATION	MANCOZEB	VESTABLU 80 WP	800g/kg	WP	FUNGICIDE	4	723-051-6074	27-Feb-26	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	-	7 days	As soon as spray dries
ONEGRAIN MARKETING CORPORATION	MANCOZEB	VESTABLU 80 WP	800g/kg	WP	FUNGICIDE	4	723-051-6074	27-Feb-26	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	-	7 days	As soon as spray dries
ONEGRAIN MARKETING CORPORATION	MANCOZEB	VESTABLU 80 WP	800g/kg	WP	FUNGICIDE	4	723-051-6074	27-Feb-26	-	Pepper	Anthracoese	3-6 Tbsp/16 L water	-	7 days	As soon as spray dries
ONEGRAIN MARKETING CORPORATION	MANCOZEB	VESTABLU 80 WP	800g/kg	WP	FUNGICIDE	4	723-051-6074	27-Feb-26	-	Chili	Anthracoese	3-6 Tbsp/16 L water	-	7 days	As soon as spray dries
ONEGRAIN MARKETING CORPORATION	MANCOZEB	VESTABLU 80 WP	800g/kg	WP	FUNGICIDE	4	723-051-6074	27-Feb-26	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/16 L water	-	7 days	As soon as spray dries
ONEGRAIN MARKETING CORPORATION	MANCOZEB	VESTABLU 80 WP	800g/kg	WP	FUNGICIDE	4	723-051-6074	27-Feb-26	-	Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16 L water	-	7 days	As soon as spray dries
ONEGRAIN MARKETING CORPORATION	MANCOZEB	VESTABLU 80 WP	800g/kg	WP	FUNGICIDE	4	723-051-6074	27-Feb-26	-	Grapes	Downy mildew, black rot	3-6 Tbsp/16 L water	-	60 days	As soon as spray dries
ONEGRAIN MARKETING CORPORATION	MANCOZEB	VESTABLU 80 WP	800g/kg	WP	FUNGICIDE	4	723-051-6074	27-Feb-26	-	Mango	Anthracoese and Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
ONEGRAIN MARKETING CORPORATION	MANCOZEB	VESTABLU 80 WP	800g/kg	WP	FUNGICIDE	4	723-051-6074	27-Feb-26	-	Papaya	Fruit rot	3-6 Tbsp/16 L water	-	-	As soon as spray dries
ONEGRAIN MARKETING CORPORATION	MANCOZEB	VESTABLU 80 WP	800g/kg	WP	FUNGICIDE	4	723-051-6074	27-Feb-26	-	Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
ONEGRAIN MARKETING CORPORATION	MANCOZEB	VESTABLU 80 WP	800g/kg	WP	FUNGICIDE	4	723-051-6074	27-Feb-26	-	Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
ONEGRAIN MARKETING CORPORATION	MANCOZEB	VESTABLU 80 WP	800g/kg	WP	FUNGICIDE	4	723-051-6074	27-Feb-26	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16 L water	-	7 days	As soon as spray dries
ONEGRAIN MARKETING CORPORATION	MANCOZEB	VESTABLU 80 WP	800g/kg	WP	FUNGICIDE	4	723-051-6074	27-Feb-26	-	Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16 L water	-	-	As soon as spray dries
ONEGRAIN MARKETING CORPORATION	MANCOZEB	VESTABLU 80 WP	800g/kg	WP	FUNGICIDE	4	723-051-6074	27-Feb-26	-	Peanut	Cercospora leaf spot	3-6 Tbsp/16 L water	-	14 days	As soon as spray dries
ONEGRAIN MARKETING CORPORATION	MANCOZEB	VESTABLU 80 WP	800g/kg	WP	FUNGICIDE	4	723-051-6074	27-Feb-26	-	Soybeans	Leaf rust	3-6 Tbsp/16 L water	-	-	As soon as spray dries
ONEGRAIN MARKETING CORPORATION	MANCOZEB	VESTABLU 80 WP	800g/kg	WP	FUNGICIDE	4	723-051-6074	27-Feb-26	-	Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/16 L water	-	-	As soon as spray dries
KEMSTAR CORPORATION	GLUFOSINATE AMMONIUM	VESTA 15 SL	150 g/L	SL	HERBICIDE	4	239-182-4062	02-Aug-26	NON-SELECTIVE(POST-EMERGENT)	Rubber	Annual & Perennial grasses, sedges & broadleaf weeds	-	-	-	-
KEMSTAR CORPORATION	GLUFOSINATE AMMONIUM	VESTA 15 SL	150 g/L	SL	HERBICIDE	4	239-182-4062	02-Aug-26	NON-SELECTIVE(POST-EMERGENT)	Oil Palm	Annual & Perennial grasses, sedges & broadleaf weeds	-	-	-	-
KEMSTAR CORPORATION	GLUFOSINATE AMMONIUM	VESTA 15 SL	150 g/L	SL	HERBICIDE	4	239-182-4062	02-Aug-26	NON-SELECTIVE(POST-EMERGENT)	Non-crop areas	Annual & Perennial grasses, sedges & broadleaf weeds	-	-	-	-
KEMSTAR CORPORATION	GLUFOSINATE AMMONIUM	VESTA 15 SL	150 g/L	SL	HERBICIDE	4	239-182-4062	02-Aug-26	NON-SELECTIVE(POST-EMERGENT)	Coffee	Annual & Perennial grasses, sedges & broadleaf weeds	-	-	-	-
KEMSTAR CORPORATION	GLUFOSINATE AMMONIUM	VESTA 15 SL	150 g/L	SL	HERBICIDE	4	239-182-4062	02-Aug-26	NON-SELECTIVE(POST-EMERGENT)	Citrus	Annual & Perennial grasses, sedges & broadleaf weeds	-	-	-	-
KEMSTAR CORPORATION	GLUFOSINATE AMMONIUM	VESTA 15 SL	150 g/L	SL	HERBICIDE	4	239-182-4062	02-Aug-26	NON-SELECTIVE(POST-EMERGENT)	Cavendish Banana	Annual & Perennial grasses, sedges & broadleaf weeds	-	0.2 mg/kg	-	-
KEMSTAR CORPORATION	GLUFOSINATE AMMONIUM	VESTA 15 SL	150 g/L	SL	HERBICIDE	4	239-182-4062	02-Aug-26	NON-SELECTIVE(POST-EMERGENT)	Cacao	Annual & Perennial grasses, sedges & broadleaf weeds	-	-	-	-
AGWAY CHEMICALS CORPORATION	CHLORPYRIFOS-CYPERMETHRIN	VESSEL ULTRA	250-25 g/L	EC	INSECTICIDE	2	075-239-5235	12-Oct-26	-	Rice	Whorl maggot, green leafhopper, brown planthopper, stemborer	20-30 ml (2-3 Tbsp)/16L water	-	-	25 days
AGWAY CHEMICALS CORPORATION	CHLORPYRIFOS-CYPERMETHRIN	VESSEL ULTRA	250-25 g/L	EC	INSECTICIDE	2	075-239-5235	12-Oct-26	-	Mango	Mango hopper	20-40 ml (2.5-4 Tbsp)/16L water	-	-	30 days

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
AGWAY CHEMICALS CORPORATION	CHLORPYRIFOS	VESSEL 400 EC	400 g/L	EC	INSECTICIDE	2	075-101-2967	24-Mar-24		Banana	Thrips, scarring beetle & aphids	20-30 ml per 16L water			
AGWAY CHEMICALS CORPORATION	CHLORPYRIFOS	VESSEL 400 EC	400 g/L	EC	INSECTICIDE	2	075-101-2967	24-Mar-24		Sugarcane	whitegrubs	80-100 ml per 16L water			
AGWAY CHEMICALS CORPORATION	CHLORPYRIFOS	VESSEL 400 EC	400 g/L	EC	INSECTICIDE	2	075-101-2967	24-Mar-24		Pineapple	Ants & Mealybugs	1-4 L per hectare			
AGWAY CHEMICALS CORPORATION	CHLORPYRIFOS	VESSEL 300 EC	300 g/L	EC	INSECTICIDE	2	075-101-1690	15-Aug-26		Rice	Stem borer, armyworm, leafhopper, caseworm, planthopper, cutworm	2.5-3.5 tbsp/16L water			
AGWAY CHEMICALS CORPORATION	CHLORPYRIFOS	VESSEL 300 EC	300 g/L	EC	INSECTICIDE	2	075-101-1690	15-Aug-26		Potato	Tubermoth, leafhopper, cutworm, aphids	2.5-3.5 tbsp/16L water			
AGWAY CHEMICALS CORPORATION	CHLORPYRIFOS	VESSEL 300 EC	300 g/L	EC	INSECTICIDE	2	075-101-1690	15-Aug-26		Corn	Armyworm, cornborer, sawworm, seedling maggots	2.5-3.5 tbsp/16L water			
AGWAY CHEMICALS CORPORATION	CHLORPYRIFOS	VESSEL 300 EC	300 g/L	EC	INSECTICIDE	2	075-101-1690	15-Aug-26		Beans	Beanfly, leafroller, podborer, cutworm, armyworm	2.5-3.5 tbsp/16L water			
PHILIPPINE FARMEX SOLUTIONS INC.	AMETRYNE	VERTEX 80 WP	800 g/kg	WP	HERBICIDE	4	535-068-3775	25-Nov-25	SELECTIVE (POST/PRE-EMERGENCE)	Banana	Annual broadleaves and grasses	9-15 tbsp/16L water		Do not spray 21 days before harvest	Enter treated fields only when spray has completely dried
PHILIPPINE FARMEX SOLUTIONS INC.	AMETRYNE	VERTEX 80 WP	800 g/kg	WP	HERBICIDE	4	535-068-3775	25-Nov-25	SELECTIVE (POST/PRE-EMERGENCE)	Coffee	Annual broadleaves and grasses	9-15 tbsp/16L water		Do not spray 21 days before harvest	Enter treated fields only when spray has completely dried
PHILIPPINE FARMEX SOLUTIONS INC.	AMETRYNE	VERTEX 80 WP	800 g/kg	WP	HERBICIDE	4	535-068-3775	25-Nov-25	SELECTIVE (POST/PRE-EMERGENCE)	Cacao	Annual broadleaves and grasses	9-15 tbsp/16L water		Do not spray 21 days before harvest	Enter treated fields only when spray has completely dried
PHILIPPINE FARMEX SOLUTIONS INC.	AMETRYNE	VERTEX 80 WP	800 g/kg	WP	HERBICIDE	4	535-068-3775	25-Nov-25	SELECTIVE (POST/PRE-EMERGENCE)	Oil palm	Annual broadleaves and grasses	9-15 tbsp/16L water		Do not spray 21 days before harvest	Enter treated fields only when spray has completely dried
PHILIPPINE FARMEX SOLUTIONS INC.	AMETRYNE	VERTEX 80 WP	800 g/kg	WP	HERBICIDE	4	535-068-3775	25-Nov-25	SELECTIVE (POST/PRE-EMERGENCE)	Citrus	Annual broadleaves and grasses	9-15 tbsp/16L water		Do not spray 21 days before harvest	Enter treated fields only when spray has completely dried
PHILIPPINE FARMEX SOLUTIONS INC.	AMETRYNE	VERTEX 80 WP	800 g/kg	WP	HERBICIDE	4	535-068-3775	25-Nov-25	SELECTIVE (POST/PRE-EMERGENCE)	Pineapple	Annual broadleaves and grasses	9-15 tbsp/16L water		Do not spray 21 days before harvest	Enter treated fields only when spray has completely dried
PHILIPPINE FARMEX SOLUTIONS INC.	AMETRYNE	VERTEX 80 WP	800 g/kg	WP	HERBICIDE	4	535-068-3775	25-Nov-25	SELECTIVE (POST/PRE-EMERGENCE)	Rubber	Annual broadleaves and grasses	9-15 tbsp/16L water		Do not spray 21 days before harvest	Enter treated fields only when spray has completely dried
PHILIPPINE FARMEX SOLUTIONS INC.	AMETRYNE	VERTEX 80 WP	800 g/kg	WP	HERBICIDE	4	535-068-3775	25-Nov-25	SELECTIVE (POST/PRE-EMERGENCE)	Corn	Annual broadleaves and grasses	9-15 tbsp/16L water		Do not spray 21 days before harvest	Enter treated fields only when spray has completely dried
PHILIPPINE FARMEX SOLUTIONS INC.	AMETRYNE	VERTEX 80 WP	800 g/kg	WP	HERBICIDE	4	535-068-3775	25-Nov-25	SELECTIVE (POST/PRE-EMERGENCE)	Sugarcane	Annual broadleaves and grasses	9-15 tbsp/16L water		Do not spray 21 days before harvest	Enter treated fields only when spray has completely dried
ARMORY AGRO CHEMICALS COMPANY	CARTAP HYDROCHLORIDE	VERIUS 50 SP	500 g/kg	SP	INSECTICIDE	3	671-106-5394	16-Mar-23		Rice	Whorl maggot, stem borer, green leafhopper, brown planthopper	10-15.0 tbsp/16 L water		Last application should be done at least 10 days before harvest	Do not enter the field within 2 days after spraying
ARMORY AGRO CHEMICALS COMPANY	CARTAP HYDROCHLORIDE	VERIUS 50 SP	500 g/kg	SP	INSECTICIDE	3	671-106-5394	16-Mar-23		Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0 tbsp/16 L water		Last application should be done at least 10 days before harvest	Do not enter the field within 2 days after spraying
ARMORY AGRO CHEMICALS COMPANY	CARTAP HYDROCHLORIDE	VERIUS 50 SP	500 g/kg	SP	INSECTICIDE	3	671-106-5394	16-Mar-23		Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0 tbsp/16 L water		Last application should be done at least 10 days before harvest	Do not enter the field within 2 days after spraying
ARMORY AGRO CHEMICALS COMPANY	CARTAP HYDROCHLORIDE	VERIUS 50 SP	500 g/kg	SP	INSECTICIDE	3	671-106-5394	16-Mar-23		Cucurbits	Thrips, leafworm, squash beetle, aphid, flea beetle	1.5-2.0 tbsp/16 L water		Last application should be done at least 10 days before harvest	Do not enter the field within 2 days after spraying
ARMORY AGRO CHEMICALS COMPANY	CARTAP HYDROCHLORIDE	VERIUS 50 SP	500 g/kg	SP	INSECTICIDE	3	671-106-5394	16-Mar-23		Garlic	Thrips, cutworm	1.5-2.0 tbsp/16 L water		Last application should be done at least 10 days before harvest	Do not enter the field within 2 days after spraying
ARMORY AGRO CHEMICALS COMPANY	CARTAP HYDROCHLORIDE	VERIUS 50 SP	500 g/kg	SP	INSECTICIDE	3	671-106-5394	16-Mar-23		Onion	Thrips, cutworm	1.5-2.0 tbsp/16 L water		Last application should be done at least 10 days before harvest	Do not enter the field within 2 days after spraying
ARMORY AGRO CHEMICALS COMPANY	CARTAP HYDROCHLORIDE	VERIUS 50 SP	500 g/kg	SP	INSECTICIDE	3	671-106-5394	16-Mar-23		Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0 tbsp/16 L water		Last application should be done at least 10 days before harvest	Do not enter the field within 2 days after spraying
ARMORY AGRO CHEMICALS COMPANY	CARTAP HYDROCHLORIDE	VERIUS 50 SP	500 g/kg	SP	INSECTICIDE	3	671-106-5394	16-Mar-23		Mango	Leafhoppers	1.5-2.0 tbsp/16 L water		Last application should be done at least 10 days before harvest	Do not enter the field within 2 days after spraying
ARMORY AGRO CHEMICALS COMPANY	CARTAP HYDROCHLORIDE	VERIUS 50 SP	500 g/kg	SP	INSECTICIDE	3	671-106-5394	16-Mar-23		Pechay	Looper, cutworm, aphids	1.5-3.0 tbsp/16 L water		Last application should be done at least 10 days before harvest	Do not enter the field within 2 days after spraying
VEROSTAR CORPORATION	MANCOZEB	VEROZER 80 WP	800 g/kg	WP	FUNGICIDE	4	688-051-5648	28-Dec-24		Potato	Early and late blight	3-6 Tbsp/16 L water			As soon as spray dries
VEROSTAR CORPORATION	MANCOZEB	VEROZER 80 WP	800 g/kg	WP	FUNGICIDE	4	688-051-5648	28-Dec-24		Cabbage	Downy mildew, Alternaria leafspot	3-6 Tbsp/16 L water		7 days	As soon as spray dries
VEROSTAR CORPORATION	MANCOZEB	VEROZER 80 WP	800 g/kg	WP	FUNGICIDE	4	688-051-5648	28-Dec-24		Cauliflower	Downy mildew, Alternaria leafspot	3-6 Tbsp/16 L water		7 days	As soon as spray dries
VEROSTAR CORPORATION	MANCOZEB	VEROZER 80 WP	800 g/kg	WP	FUNGICIDE	4	688-051-5648	28-Dec-24		Broccoli	Downy mildew, Alternaria leafspot	3-6 Tbsp/16 L water		7 days	As soon as spray dries
VEROSTAR CORPORATION	MANCOZEB	VEROZER 80 WP	800 g/kg	WP	FUNGICIDE	4	688-051-5648	28-Dec-24		Celery	Late blight	3-6 Tbsp/16 L water		14 days	As soon as spray dries
VEROSTAR CORPORATION	MANCOZEB	VEROZER 80 WP	800 g/kg	WP	FUNGICIDE	4	688-051-5648	28-Dec-24		Cucumber	Downy mildew, anthracnose, scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
VEROSTAR CORPORATION	MANCOZEB	VEROZER 80 WP	800 g/kg	WP	FUNGICIDE	4	688-051-5648	28-Dec-24		Squash	Downy mildew, anthracnose, scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
VEROSTAR CORPORATION	MANCOZEB	VEROZER 80 WP	800 g/kg	WP	FUNGICIDE	4	688-051-5648	28-Dec-24		Cotton	Damping off	3-6 Tbsp/16 L water		-	As soon as spray dries
VEROSTAR CORPORATION	MANCOZEB	VEROZER 80 WP	800 g/kg	WP	FUNGICIDE	4	688-051-5648	28-Dec-24		lettuce	Downy mildew	3-6 Tbsp/16 L water		7 days	As soon as spray dries
VEROSTAR CORPORATION	MANCOZEB	VEROZER 80 WP	800 g/kg	WP	FUNGICIDE	4	688-051-5648	28-Dec-24		beans	Anthracoese, Downy Mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray dries
VEROSTAR CORPORATION	MANCOZEB	VEROZER 80 WP	800 g/kg	WP	FUNGICIDE	4	688-051-5648	28-Dec-24		Peas	Anthracoese, Downy Mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray dries
VEROSTAR CORPORATION	MANCOZEB	VEROZER 80 WP	800 g/kg	WP	FUNGICIDE	4	688-051-5648	28-Dec-24		Mungo	Anthracoese, Downy Mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray dries
VEROSTAR CORPORATION	MANCOZEB	VEROZER 80 WP	800 g/kg	WP	FUNGICIDE	4	688-051-5648	28-Dec-24		tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16 L water		5 days	As soon as spray dries
VEROSTAR CORPORATION	MANCOZEB	VEROZER 80 WP	800 g/kg	WP	FUNGICIDE	4	688-051-5648	28-Dec-24		garlic	purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water		7 days	As soon as spray dries
VEROSTAR CORPORATION	MANCOZEB	VEROZER 80 WP	800 g/kg	WP	FUNGICIDE	4	688-051-5648	28-Dec-24		Onion	purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water		7 days	As soon as spray dries
VEROSTAR CORPORATION	MANCOZEB	VEROZER 80 WP	800 g/kg	WP	FUNGICIDE	4	688-051-5648	28-Dec-24		Pepper	Anthracoese	3-6 Tbsp/16 L water		7 days	As soon as spray dries
VEROSTAR CORPORATION	MANCOZEB	VEROZER 80 WP	800 g/kg	WP	FUNGICIDE	4	688-051-5648	28-Dec-24		Chili	Anthracoese	3-6 Tbsp/16 L water		7 days	As soon as spray dries
VEROSTAR CORPORATION	MANCOZEB	VEROZER 80 WP	800 g/kg	WP	FUNGICIDE	4	688-051-5648	28-Dec-24		Eggplant	Blight, anthracnose	3-6 Tbsp/16 L water		7 days	As soon as spray dries
VEROSTAR CORPORATION	MANCOZEB	VEROZER 80 WP	800 g/kg	WP	FUNGICIDE	4	688-051-5648	28-Dec-24		Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16 L water		-	As soon as spray dries
VEROSTAR CORPORATION	MANCOZEB	VEROZER 80 WP	800 g/kg	WP	FUNGICIDE	4	688-051-5648	28-Dec-24		Grapes	Downy mildew, black rot	3-6 Tbsp/16 L water		60 days	As soon as spray dries
VEROSTAR CORPORATION	MANCOZEB	VEROZER 80 WP	800 g/kg	WP	FUNGICIDE	4	688-051-5648	28-Dec-24		Mango	Anthracoese and Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
VEROSTAR CORPORATION	MANCOZEB	VEROZER 80 WP	800 g/kg	WP	FUNGICIDE	4	688-051-5648	28-Dec-24		Papaya	Fruit rot	3-6 Tbsp/16 L water		-	As soon as spray dries
VEROSTAR CORPORATION	MANCOZEB	VEROZER 80 WP	800 g/kg	WP	FUNGICIDE	4	688-051-5648	28-Dec-24		Melon	Downy mildew, anthracnose, scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
VEROSTAR CORPORATION	MANCOZEB	VEROZER 80 WP	800 g/kg	WP	FUNGICIDE	4	688-051-5648	28-Dec-24		Watermelon	Downy mildew, anthracnose, scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
VEROSTAR CORPORATION	MANCOZEB	VEROZER 80 WP	800 g/kg	WP	FUNGICIDE	4	688-051-5648	28-Dec-24		Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16 L water		7 days	As soon as spray dries
VEROSTAR CORPORATION	MANCOZEB	VEROZER 80 WP	800 g/kg	WP	FUNGICIDE	4	688-051-5648	28-Dec-24		rice	Blas, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16 L water		-	As soon as spray dries
VEROSTAR CORPORATION	MANCOZEB	VEROZER 80 WP	800 g/kg	WP	FUNGICIDE	4	688-051-5648	28-Dec-24		Peanut	Cercospora leaf spot	3-6 Tbsp/16 L water		14 days	As soon as spray dries
VEROSTAR CORPORATION	MANCOZEB	VEROZER 80 WP	800 g/kg	WP	FUNGICIDE	4	688-051-5648	28-Dec-24		Soybeans	Leaf rust	3-6 Tbsp/16 L water		-	As soon as spray dries
VEROSTAR CORPORATION	MANCOZEB	VEROZER 80 WP	800 g/kg	WP	FUNGICIDE	4	688-051-5648	28-Dec-24		Ornamentals	Black spot, blight, anthracnose	3-6 Tbsp/16 L water		-	As soon as spray dries

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
VEROSTAR CORPORATION	GLYPHOSATE IPA	VEROSATE 480 SL	480 g/L	SL	HERBICIDE	4	688-151-5458	21-May-24	POST-EMERGENT	glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/ha	-	-	-
VEROSTAR CORPORATION	GLYPHOSATE IPA	VEROSATE 480 SL	480 g/L	SL	HERBICIDE	4	688-151-5458	21-May-24	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
VEROSTAR CORPORATION	GLYPHOSATE IPA	VEROSATE 480 SL	480 g/L	SL	HERBICIDE	4	688-151-5458	21-May-24	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
VEROSTAR CORPORATION	GLYPHOSATE IPA	VEROSATE 480 SL	480 g/L	SL	HERBICIDE	4	688-151-5458	21-May-24	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
VEROSTAR CORPORATION	GLYPHOSATE IPA	VEROSATE 480 SL	480 g/L	SL	HERBICIDE	4	688-151-5458	21-May-24	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
VEROSTAR CORPORATION	GLYPHOSATE IPA	VEROSATE 480 SL	480 g/L	SL	HERBICIDE	4	688-151-5458	21-May-24	POST-EMERGENT	Hubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
VEROSTAR CORPORATION	GLYPHOSATE IPA	VEROSATE 480 SL	480 g/L	SL	HERBICIDE	4	688-151-5458	21-May-24	POST-EMERGENT	Gli palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
VEROSTAR CORPORATION	GLYPHOSATE IPA	VEROSATE 480 SL	480 g/L	SL	HERBICIDE	4	688-151-5458	21-May-24	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
VEROSTAR CORPORATION	GLYPHOSATE IPA	VEROSATE 480 SL	480 g/L	SL	HERBICIDE	4	688-151-5458	21-May-24	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/ha	-	-	-
VEROSTAR CORPORATION	GLYPHOSATE IPA	VEROSATE 480 SL	480 g/L	SL	HERBICIDE	4	688-151-5458	21-May-24	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
VEROSTAR CORPORATION	GLYPHOSATE IPA	VEROSATE 480 SL	480 g/L	SL	HERBICIDE	4	688-151-5458	21-May-24	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
VEROSTAR CORPORATION	GLYPHOSATE IPA	VEROSATE 480 SL	480 g/L	SL	HERBICIDE	4	688-151-5458	21-May-24	POST-EMERGENT	Non-crop	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
ASIA GOLD TRADING CORPORATION	BISPYRIBAC SODIUM	VERO 10 SC	100 g/L	SC	HERBICIDE	4	266-276-3386	20-Mar-24	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Rice (Direct Seeded lowland)	Grasses, sedges & broadleaves	10ml/26 L water, 20 spray load/ hectare	0.1 ppm	-	As soon as spray deposits have dried
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	PYRIBENZODIAM-CHALCOP-IBUTYL	VERMAX 5.5 EC	2540g/L	EC	HERBICIDE	3	376-403-4754	27-Jan-26	-	Rice (Direct Seeded)	Grasses, sedges & broadleaves	8.5-10 Tbsp/36L water	-	-	As soon as the spray mist dries up
G CHEMTRADING CORPORATION	CYPERMETHRIN	VERKO 5 EC	50 g/L	EC	INSECTICIDE	4	701-037-5585	27-Mar-24	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/36 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposit dry
G CHEMTRADING CORPORATION	CYPERMETHRIN	VERKO 5 EC	50 g/L	EC	INSECTICIDE	4	701-037-5585	27-Mar-24	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leafhopper, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/36 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposit dry
G CHEMTRADING CORPORATION	CYPERMETHRIN	VERKO 5 EC	50 g/L	EC	INSECTICIDE	4	701-037-5585	27-Mar-24	CONTACT	Cabbage	Diamond back moth, cabbage moth, worm	1.0-3.0 Tbsp/36 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposit dry
G CHEMTRADING CORPORATION	CYPERMETHRIN	VERKO 5 EC	50 g/L	EC	INSECTICIDE	4	701-037-5585	27-Mar-24	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/36 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposit dry
G CHEMTRADING CORPORATION	CYPERMETHRIN	VERKO 5 EC	50 g/L	EC	INSECTICIDE	4	701-037-5585	27-Mar-24	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/36 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposit dry
G CHEMTRADING CORPORATION	CYPERMETHRIN	VERKO 5 EC	50 g/L	EC	INSECTICIDE	4	701-037-5585	27-Mar-24	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/36 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposit dry
G CHEMTRADING CORPORATION	CYPERMETHRIN	VERKO 5 EC	50 g/L	EC	INSECTICIDE	4	701-037-5585	27-Mar-24	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/36 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposit dry
G CHEMTRADING CORPORATION	CYPERMETHRIN	VERKO 5 EC	50 g/L	EC	INSECTICIDE	4	701-037-5585	27-Mar-24	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/36 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposit dry
G CHEMTRADING CORPORATION	CYPERMETHRIN	VERKO 5 EC	50 g/L	EC	INSECTICIDE	4	701-037-5585	27-Mar-24	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/36 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposit dry
G CHEMTRADING CORPORATION	CYPERMETHRIN	VERKO 5 EC	50 g/L	EC	INSECTICIDE	4	701-037-5585	27-Mar-24	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/36 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposit dry
G CHEMTRADING CORPORATION	CYPERMETHRIN	VERKO 5 EC	50 g/L	EC	INSECTICIDE	4	701-037-5585	27-Mar-24	CONTACT	Corn	Comborer, earworm	1.0-4.5 Tbsp/36 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposit dry
FMC AGRO PHILIPPINES INC.	CYANTHRANILIPROLE	VERIMARK 20 SC	200g/L	SC	INSECTICIDE	4	598-485-4656	27-Jul-24	-	Tomato	Cutworm whiteflies & leafminer	700ml product/ha at dosage rate of 3.5ml/500ml of water, applied only	0.5mg/kg	-	-
FMC AGRO PHILIPPINES INC.	CYANTHRANILIPROLE	VERIMARK 20 SC	200g/L	SC	INSECTICIDE	4	598-485-4656	27-Jul-24	-	Bittergourd	Aphids & melon worm	960-1120ml product/ha at dosage rate of 6-7ml product dissolved in 1L of	0.3mg/kg	-	-
FMC AGRO PHILIPPINES INC.	CYANTHRANILIPROLE	VERIMARK 20 SC	200g/L	SC	INSECTICIDE	4	598-485-4656	27-Jul-24	-	Onion	Cutworm	1125ml product/ha at dosage rate of 1.125ml product dissolved in 2L of	0.1 ppm	-	-
JYNOSONS PHILIPPINES, INC.	BISPYRIBAC SODIUM	VERDICT 10 SC	100 g/L	SC	HERBICIDE	2	551-276-4576	23-Nov-21	SELECTIVE (POST-EMERGENT)	Rice (Direct Seeded lowland)	Grasses, sedges & broadleaves	2.5-5.0 Tbsp/36 L water	0.1 ppm	-	Entry to treated field is allowed as soon as spray deposits on crops and weeds have dried
SUMOCHEM CORPORATION	PRIMAPHOS METHYL	VERDE PRIMAPHOS 25 EC	250 g/L	EC	INSECTICIDE	4	489-137-8231	10-Feb-17	-	Stored product pests (beetles, weevils and borers)	-	-	-	-	-
SUMOTOMO CHEMICAL PHILIPPINES INC.	SABADILLA ALKALOID	VERATRAN D	-	-	INSECTICIDE	-	472-535-5255	20-Oct-21	-	Cavendish Banana	Flower Thrips	2.0-3.2 Grams prod./L water at rate of 80-100 ml per bud	-	-	-
BAYER CROSCIENCE, INC.	FLOUPYRIM	VERANGO PRIME SC 500	500 g/L	SC	FUNGICIDE	4	284-432-1753	12-Feb-24	-	Banana	Nematode, Black Sigatoka, freckle disease	600-1000ml prod/ha	0.8ppm	0 day	-
BAYER CROSCIENCE, INC.	FLOUPYRIM	VERANGO PRIME SC 400	400 g/L	SC	INSECTICIDE	3	284-432-5964	15-Dec-25	SYSTEMIC	Bittergourd	Root-knot nematode	0.60-1.25 L prod./ ha	0.5 mg/kg	7 days	Do not enter treated area before the spray deposit has dried completely (for at least 12 hours after application)
BAYER CROSCIENCE, INC.	FLOUPYRIM	VERANGO PRIME SC 400	400 g/L	SC	INSECTICIDE	3	284-432-5964	15-Dec-25	SYSTEMIC	Cabbage	Root-knot nematode	0.60-1.25 L prod./ ha	1.0 mg/kg	65 days	Do not enter treated area before the spray deposit has dried completely (for at least 12 hours after application)
BAYER CROSCIENCE, INC.	FLOUPYRIM	VERANGO PRIME SC 400	400 g/L	SC	INSECTICIDE	3	284-432-5964	15-Dec-25	SYSTEMIC	Eggplant	Root-knot nematode	0.60-1.25 L prod./ ha	0.5 mg/kg	7 days	Do not enter treated area before the spray deposit has dried completely (for at least 12 hours after application)
BAYER CROSCIENCE, INC.	FLOUPYRIM	VERANGO PRIME SC 400	400 g/L	SC	INSECTICIDE	3	284-432-5964	15-Dec-25	SYSTEMIC	Potato	Root-knot nematode	0.60-1.25 L prod./ ha	0.15 mg/kg	66 days	Do not enter treated area before the spray deposit has dried completely (for at least 12 hours after application)
BAYER CROSCIENCE, INC.	FLOUPYRIM	VERANGO PRIME SC 400	400 g/L	SC	INSECTICIDE	3	284-432-5964	15-Dec-25	SYSTEMIC	Tomato	Root-knot nematode	0.60-1.25 L prod./ ha	1.0 mg/kg	7 days	Do not enter treated area before the spray deposit has dried completely (for at least 12 hours after application)
BAYER CROSCIENCE, INC.	FLOUPYRIM	VERANGO PRIME SC 400	400 g/L	SC	INSECTICIDE	3	284-432-5964	15-Dec-25	SYSTEMIC	Watermelon	Root-knot nematode	0.60-1.25 L prod./ ha	0.02 mg/kg	39 days	Do not enter treated area before the spray deposit has dried completely (for at least 12 hours after application)
BAYER CROSCIENCE, INC.	FLOUPYRIM	VERANGO PRIME SC 400	400 g/L	SC	INSECTICIDE	3	284-432-5964	15-Dec-25	SYSTEMIC	Onion	Onion bulb nematodes	0.600-1.250 L prod./ ha	0.07 mg/kg	14 days	Do not enter treated area before the spray deposit has dried completely (for at least 12 hours after application)
BAYER CROSCIENCE, INC.	FLOUPYRIM	VERANGO PRIME SC 400	400 g/L	SC	INSECTICIDE	3	284-432-5964	15-Dec-25	SYSTEMIC	Banana	Burrowing nematodes and spiral nematodes	0.750-1.250 L prod./ ha	0.8 mg/kg	14 days	Do not enter treated area before the spray deposit has dried completely (for at least 12 hours after application)
ASIA GOLD TRADING CORPORATION	POLYETHYLENE SORBITAN OLEATE+POLYETHYLENE OXODECYL ETHER	VERA	250-450 mL/L	-	OTHERS	4	366-348-3387	20-Mar-24	SELECTIVE (POST-EMERGENT)	As surfactant on Vero 10 SC(AI: Bispyribac Sodium)	-	20-30ml/36 L water	-	-	-
PALMITRE CORPORATION	ABAMECTIN	VENUS 1.8 EC	18 g/L	EC	INSECTICIDE	2	504-234-3156	23-Apr-19	-	Banana	Blossom thrips	0.5/ L water	-	-	-
PALMITRE CORPORATION	ABAMECTIN	VENUS 1.8 EC	18 g/L	EC	INSECTICIDE	2	504-234-3156	23-Apr-19	-	Cabbage	Diamond back moth	1000 ml. prod/ha	-	-	-
PALMITRE CORPORATION	ABAMECTIN	VENUS 1.8 EC	18 g/L	EC	INSECTICIDE	2	504-234-3156	23-Apr-19	-	Ornamentals	Mites	1.0-1.5Tbsp/36 L of water	-	-	-
PALMITRE CORPORATION	ABAMECTIN	VENUS 1.8 EC	18 g/L	EC	INSECTICIDE	2	504-234-3156	23-Apr-19	-	Pineapple	Mites	1000-4000ml prod/ha	-	-	-
PALMITRE CORPORATION	ABAMECTIN	VENUS 1.8 EC	18 g/L	EC	INSECTICIDE	2	504-234-3156	23-Apr-19	-	Eggplant	Thrips, leafhopper, fruit and shoot borer	2.0-5.0 Tbsp/36 L of water	-	-	-
PALMITRE CORPORATION	ABAMECTIN	VENUS 1.8 EC	18 g/L	EC	INSECTICIDE	2	504-234-3156	23-Apr-19	-	Onion	leafminer, thrips	2.0-3.0 Tbsp/36 L of water	-	-	-
PALMITRE CORPORATION	ABAMECTIN	VENUS 1.8 EC	18 g/L	EC	INSECTICIDE	2	504-234-3156	23-Apr-19	-	Potato	leafminer, thrips	2.0-3.0 Tbsp/36 L of water	-	-	-
PALMITRE CORPORATION	ABAMECTIN	VENUS 1.8 EC	18 g/L	EC	INSECTICIDE	2	504-234-3156	23-Apr-19	-	Tomato	leafminer, thrips, aphids	2.0-3.0 Tbsp/36 L of water	-	-	-
PALMITRE CORPORATION	ABAMECTIN	VENUS 1.8 EC	18 g/L	EC	INSECTICIDE	2	504-234-3156	23-Apr-19	-	Watermelon	leafminers, thrips, melonworm	2.0-3.0 Tbsp/36 L of water	-	-	-
PALMITRE CORPORATION	ABAMECTIN	VENUS 1.8 EC	18 g/L	EC	INSECTICIDE	2	504-234-3156	23-Apr-19	-	Papaya	Mites	0.5-1.0 Tbsp/36 L of water	-	-	-
PALMITRE CORPORATION	ABAMECTIN	VENUS 1.8 EC	18 g/L	EC	INSECTICIDE	2	504-234-3156	23-Apr-19	-	Strawberry	Mites	2.0-4.0 Tbsp/36 L of water	-	-	-
PLANTCARE TRADING CORPORATION	METHOMYL	VENUM 40 SP	400g/kg	SP	INSECTICIDE	2	495-164-4844	07-Apr-25	CONTACT	Asparagus	Armyworm, cutworm	2.0-2.5 Tbsp/36L water	-	-	Do not enter fields treated with VENUM 40 SP within 12 hours after application
PLANTCARE TRADING CORPORATION	METHOMYL	VENUM 40 SP	400g/kg	SP	INSECTICIDE	2	495-164-4844	07-Apr-25	CONTACT	Banana	Thrips	3.5-4.5 Tbsp/36L water	-	-	Do not enter fields treated with VENUM 40 SP within 12 hours after application
PLANTCARE TRADING CORPORATION	METHOMYL	VENUM 40 SP	400g/kg	SP	INSECTICIDE	2	495-164-4844	07-Apr-25	CONTACT	beans	leaffolder, flea beetle, beanfly, podborer, aphids	2.0-3.5 Tbsp/36L water	-	-	Do not enter fields treated with VENUM 40 SP within 12 hours after application
PLANTCARE TRADING CORPORATION	METHOMYL	VENUM 40 SP	400g/kg	SP	INSECTICIDE	2	495-164-4844	07-Apr-25	CONTACT	Mungbeans	leaffolder, flea beetle, beanfly, podborer, aphids	2.0-3.5 Tbsp/36L water	-	-	Do not enter fields treated with VENUM 40 SP within 12 hours after application

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
PLANTCARE TRADING CORPORATION	METHOMIL	VENUM 40 SP	400g/kg	SP	INSECTICIDE	2	495-164-4844	07-Apr-25	CONTACT	Soybeans	Leafhopper, flea beetle, beanfly, podborer, aphids	2.0-3.5 Tbsp/36L water	-	-	Do not enter fields treated with VENUM 40 SP within 12 hours after application
PLANTCARE TRADING CORPORATION	METHOMIL	VENUM 40 SP	400g/kg	SP	INSECTICIDE	2	495-164-4844	07-Apr-25	CONTACT	Sitao	Leafhopper, flea beetle, beanfly, podborer, aphids	2.0-3.5 Tbsp/36L water	-	-	Do not enter fields treated with VENUM 40 SP within 12 hours after application
PLANTCARE TRADING CORPORATION	METHOMIL	VENUM 40 SP	400g/kg	SP	INSECTICIDE	2	495-164-4844	07-Apr-25	CONTACT	Corn	Comborer, earworm	2.0-3.5 Tbsp/36L water	-	-	Do not enter fields treated with VENUM 40 SP within 12 hours after application
PLANTCARE TRADING CORPORATION	METHOMIL	VENUM 40 SP	400g/kg	SP	INSECTICIDE	2	495-164-4844	07-Apr-25	CONTACT	Sorghum	Comborer, earworm	2.0-3.5 Tbsp/36L water	-	-	Do not enter fields treated with VENUM 40 SP within 12 hours after application
PLANTCARE TRADING CORPORATION	METHOMIL	VENUM 40 SP	400g/kg	SP	INSECTICIDE	2	495-164-4844	07-Apr-25	CONTACT	Eggplant	Aphids, flea beetle, fruitworm, lady beetle	2.0-3.5 Tbsp/36L water	-	-	Do not enter fields treated with VENUM 40 SP within 12 hours after application
PLANTCARE TRADING CORPORATION	METHOMIL	VENUM 40 SP	400g/kg	SP	INSECTICIDE	2	495-164-4844	07-Apr-25	CONTACT	Melon	Aphids, squash beetle, leafhopper	2.0-3.5 Tbsp/36L water	-	-	Do not enter fields treated with VENUM 40 SP within 12 hours after application
PLANTCARE TRADING CORPORATION	METHOMIL	VENUM 40 SP	400g/kg	SP	INSECTICIDE	2	495-164-4844	07-Apr-25	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leafhopper	2.0-3.5 Tbsp/36L water	0.01ppm	3 Days	Do not enter fields treated with VENUM 40 SP within 12 hours after application
PLANTCARE TRADING CORPORATION	METHOMIL	VENUM 40 SP	400g/kg	SP	INSECTICIDE	2	495-164-4844	07-Apr-25	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	2.0-3.5 Tbsp/36L water	-	-	Do not enter fields treated with VENUM 40 SP within 12 hours after application
PLANTCARE TRADING CORPORATION	METHOMIL	VENUM 40 SP	400g/kg	SP	INSECTICIDE	2	495-164-4844	07-Apr-25	CONTACT	Tomato	Tomato fruitworm, aphids	2.0-3.5 Tbsp/36L water	-	-	Do not enter fields treated with VENUM 40 SP within 12 hours after application
BIOSTADT PHILIPPINES INC.	CHLOROTHALONIL+TETRACONAZOLE	VENTUS 3L 2S SC	250+62.5g/L	SC	FUNGICIDE	3	697-408-4350	23-May-24	SYSTEMIC/CONTACT	Mango	Anthracoze and scab	1.28-1.60 Tbsp/36L	-	5 days before harvest	As soon as the spray solution has dried on the foliage
TEXICON AGR VENTURES CORPORATION	PROFENOFOS	VENTURES 500 EC	500 g/L	EC	INSECTICIDE	2	242-070-1423	25-Nov-24	CONTACT	Mango	Blossom Thrips	1.0-2.0 Tbsp/36L water	-	14 days	Do not enter treated field 1 day after application
TEXICON AGR VENTURES CORPORATION	PROFENOFOS	VENTURES 500 EC	500 g/L	EC	INSECTICIDE	2	242-070-1423	25-Nov-24	CONTACT	Tomato	Fruitworm, armyworm, cutworm	3-5 Tbsp/36L water	-	14 days	Do not enter treated field 1 day after application
TEXICON AGR VENTURES CORPORATION	PROFENOFOS	VENTURES 500 EC	500 g/L	EC	INSECTICIDE	2	242-070-1423	25-Nov-24	CONTACT	Eggplant	Fruitborer, aphids, leafhopper, & thrips	1.5-3.0 Tbsp/36L water	-	14 days	Do not enter treated field 1 day after application
TEXICON AGR VENTURES CORPORATION	PROFENOFOS	VENTURES 500 EC	500 g/L	EC	INSECTICIDE	2	242-070-1423	25-Nov-24	CONTACT	Cabbage and other crucifers	Diamond back moth, cabbage worm & aphids, thrips	3-5 Tbsp/36L water	-	14 days	Do not enter treated field 1 day after application
TEXICON AGR VENTURES CORPORATION	PROFENOFOS	VENTURES 500 EC	500 g/L	EC	INSECTICIDE	2	242-070-1423	25-Nov-24	CONTACT	Watermelon	Thrips	3-5 Tbsp/36L water	-	14 days	Do not enter treated field 1 day after application
TEXICON AGR VENTURES CORPORATION	PROFENOFOS	VENTURES 500 EC	500 g/L	EC	INSECTICIDE	2	242-070-1423	25-Nov-24	CONTACT	Potato	Thrips, army worm, cutworm, tuber moth	3-5 Tbsp/36L water	-	14 days	Do not enter treated field 1 day after application
TEXICON AGR VENTURES CORPORATION	PROFENOFOS	VENTURES 500 EC	500 g/L	EC	INSECTICIDE	2	242-070-1423	25-Nov-24	CONTACT	Soybeans	Thrips	3-5 Tbsp/36L water	-	14 days	Do not enter treated field 1 day after application
TEXICON AGR VENTURES CORPORATION	PROFENOFOS	VENTURES 500 EC	500 g/L	EC	INSECTICIDE	2	242-070-1423	25-Nov-24	CONTACT	Mungbeans	Corn earworm, leafminer	3-5 Tbsp/36L water	-	14 days	Do not enter treated field 1 day after application
TEXICON AGR VENTURES CORPORATION	PROFENOFOS	VENTURES 500 EC	500 g/L	EC	INSECTICIDE	2	242-070-1423	25-Nov-24	CONTACT	Cotton	Thrips, bollworm & budworm	3-5 Tbsp/36L water	-	14 days	Do not enter treated field 1 day after application
TEXICON AGR VENTURES CORPORATION	PROFENOFOS	VENTURES 500 EC	500 g/L	EC	INSECTICIDE	2	242-070-1423	25-Nov-24	CONTACT	Sitao	Beanfly, leafhopper, aphids, podborer	1.5-3.0 Tbsp/36L water	-	14 days	Do not enter treated field 1 day after application
TEXICON AGR VENTURES CORPORATION	PROFENOFOS	VENTURES 500 EC	500 g/L	EC	INSECTICIDE	2	242-070-1423	25-Nov-24	CONTACT	Beans	Beanflies, Aphids	2.0-5.0 Tbsp/36L water	-	14 days	Do not enter treated field 1 day after application
BERRIS AGRICULTURAL CO., INC.	CHLOROTHALONIL	VENGEANCE 75 WP	750 g/kg	WP	FUNGICIDE	4	233-118-1824	27-Feb-27	-	Grapes	Downy mildew, powdery mildew, fruit rot	3.2-4.8 Tbsp/36L water	-	-	Do not enter treatment areas until spray deposit have dried
BERRIS AGRICULTURAL CO., INC.	CHLOROTHALONIL	VENGEANCE 75 WP	750 g/kg	WP	FUNGICIDE	4	233-118-1824	27-Feb-27	-	Potato	Early and late blight, vine rot	3.2-4.8 Tbsp/36L water	-	-	Do not enter treatment areas until spray deposit have dried
BERRIS AGRICULTURAL CO., INC.	CHLOROTHALONIL	VENGEANCE 75 WP	750 g/kg	WP	FUNGICIDE	4	233-118-1824	27-Feb-27	-	Tomato	Early and late blight, vine rot	3.2-4.8 Tbsp/36L water	-	-	Do not enter treatment areas until spray deposit have dried
BERRIS AGRICULTURAL CO., INC.	CHLOROTHALONIL	VENGEANCE 75 WP	750 g/kg	WP	FUNGICIDE	4	233-118-1824	27-Feb-27	-	Banana	Sigatoka, rust, freckles	3.2-4.8 Tbsp/36L water	2.0 mg/kg	-	Do not enter treatment areas until spray deposit have dried
BERRIS AGRICULTURAL CO., INC.	CHLOROTHALONIL	VENGEANCE 75 WP	750 g/kg	WP	FUNGICIDE	4	233-118-1824	27-Feb-27	-	Pears	Rust, anthracnose	3.2-4.8 Tbsp/36L water	-	7 Days	Do not enter treatment areas until spray deposit have dried
BERRIS AGRICULTURAL CO., INC.	CHLOROTHALONIL	VENGEANCE 75 WP	750 g/kg	WP	FUNGICIDE	4	233-118-1824	27-Feb-27	-	Beans	Rust, anthracnose	3.2-4.8 Tbsp/36L water	-	7 Days	Do not enter treatment areas until spray deposit have dried
BERRIS AGRICULTURAL CO., INC.	CHLOROTHALONIL	VENGEANCE 75 WP	750 g/kg	WP	FUNGICIDE	4	233-118-1824	27-Feb-27	-	Citrus	Scab, melanose	3.2-4.8 Tbsp/36L water	-	-	Do not enter treatment areas until spray deposit have dried
BERRIS AGRICULTURAL CO., INC.	CHLOROTHALONIL	VENGEANCE 75 WP	750 g/kg	WP	FUNGICIDE	4	233-118-1824	27-Feb-27	-	Watermelon	Powdery mildew, anthracnose, early and late blight, cercospora leaf spot	3.2-4.8 Tbsp/36L water	-	-	Do not enter treatment areas until spray deposit have dried
BERRIS AGRICULTURAL CO., INC.	CHLOROTHALONIL	VENGEANCE 75 WP	750 g/kg	WP	FUNGICIDE	4	233-118-1824	27-Feb-27	-	Garlic	Purple blotch, bulb rot, neck rot	3.2-4.8 Tbsp/36L water	-	7 Days	Do not enter treatment areas until spray deposit have dried
BERRIS AGRICULTURAL CO., INC.	CHLOROTHALONIL	VENGEANCE 75 WP	750 g/kg	WP	FUNGICIDE	4	233-118-1824	27-Feb-27	-	Onion	Purple blotch, bulb rot, neck rot	3.2-4.8 Tbsp/36L water	-	7 Days	Do not enter treatment areas until spray deposit have dried
BERRIS AGRICULTURAL CO., INC.	CHLOROTHALONIL	VENGEANCE 75 WP	750 g/kg	WP	FUNGICIDE	4	233-118-1824	27-Feb-27	-	Rice	Rice blast, stem rot, helminthosporium leaf spot, cercospora leaf spot, sheath blight	3.2-4.8 Tbsp/36L water	0.1ppm	14 Days	Do not enter treatment areas until spray deposit have dried
BERRIS AGRICULTURAL CO., INC.	CHLOROTHALONIL	VENGEANCE 75 WP	750 g/kg	WP	FUNGICIDE	4	233-118-1824	27-Feb-27	-	Corn	Helminthosporium leafspot, rust, downy mildew	3.2-4.8 Tbsp/36L water	-	14 Days	Do not enter treatment areas until spray deposit have dried
BERRIS AGRICULTURAL CO., INC.	CHLOROTHALONIL	VENGEANCE 75 WP	750 g/kg	WP	FUNGICIDE	4	233-118-1824	27-Feb-27	-	Celery	late blight	3.2-4.8 Tbsp/36L water	-	7 Days	Do not enter treatment areas until spray deposit have dried
BERRIS AGRICULTURAL CO., INC.	CHLOROTHALONIL	VENGEANCE 75 WP	750 g/kg	WP	FUNGICIDE	4	233-118-1824	27-Feb-27	-	Eggplant	Early and late blight, cercospora, leaf spot	3.2-4.8 Tbsp/36L water	-	-	Do not enter treatment areas until spray deposit have dried
BERRIS AGRICULTURAL CO., INC.	CHLOROTHALONIL	VENGEANCE 75 WP	750 g/kg	WP	FUNGICIDE	4	233-118-1824	27-Feb-27	-	Pepper	Early and late blight, cercospora, leaf spot	3.2-4.8 Tbsp/36L water	-	-	Do not enter treatment areas until spray deposit have dried
BERRIS AGRICULTURAL CO., INC.	CHLOROTHALONIL	VENGEANCE 75 WP	750 g/kg	WP	FUNGICIDE	4	233-118-1824	27-Feb-27	-	Melon	Anthracoze, powdery mildew, early and late blight, cercospora leaf spot	3.2-4.8 Tbsp/36L water	-	-	Do not enter treatment areas until spray deposit have dried
BERRIS AGRICULTURAL CO., INC.	CHLOROTHALONIL	VENGEANCE 75 WP	750 g/kg	WP	FUNGICIDE	4	233-118-1824	27-Feb-27	-	Mango	Anthracoze, diploia rot	3.2-4.8 Tbsp/36L water	0.5 mg/kg	-	Do not enter treatment areas until spray deposit have dried
BERRIS AGRICULTURAL CO., INC.	CHLOROTHALONIL	VENGEANCE 75 WP	750 g/kg	WP	FUNGICIDE	4	233-118-1824	27-Feb-27	-	Ornamentals	Black spot, black rot, powdery mildew	3.2-4.8 Tbsp/36L water	-	-	Do not enter treatment areas until spray deposit have dried
BERRIS AGRICULTURAL CO., INC.	CHLOROTHALONIL	VENGEANCE 75 WP	750 g/kg	WP	FUNGICIDE	4	233-118-1824	27-Feb-27	-	Peanut	Cercospora leaf spot	3.2-4.8 Tbsp/36L water	-	14 Days	Do not enter treatment areas until spray deposit have dried
BERRIS AGRICULTURAL CO., INC.	CHLOROTHALONIL	VENGEANCE 75 WP	750 g/kg	WP	FUNGICIDE	4	233-118-1824	27-Feb-27	-	Lettuce	Downy mildew	3.2-4.8 Tbsp/36L water	-	-	Do not enter treatment areas until spray deposit have dried
BERRIS AGRICULTURAL CO., INC.	CHLOROTHALONIL	VENGEANCE 75 WP	750 g/kg	WP	FUNGICIDE	4	233-118-1824	27-Feb-27	-	Cabbage	Powdery mildew	3.2-4.8 Tbsp/36L water	-	-	Do not enter treatment areas until spray deposit have dried
BERRIS AGRICULTURAL CO., INC.	CHLOROTHALONIL	VENGEANCE 75 WP	750 g/kg	WP	FUNGICIDE	4	233-118-1824	27-Feb-27	-	Cauliflower	Powdery mildew	3.2-4.8 Tbsp/36L water	-	-	Do not enter treatment areas until spray deposit have dried
BERRIS AGRICULTURAL CO., INC.	CHLOROTHALONIL	VENGEANCE 75 WP	750 g/kg	WP	FUNGICIDE	4	233-118-1824	27-Feb-27	-	Broccoli	Powdery mildew	3.2-4.8 Tbsp/36L water	-	-	Do not enter treatment areas until spray deposit have dried
BERRIS AGRICULTURAL CO., INC.	CHLOROTHALONIL	VENGEANCE 75 WP	750 g/kg	WP	FUNGICIDE	4	233-118-1824	27-Feb-27	-	Carrot	Alternaria leaf spot, cercospora leaf spot	3.2-4.8 Tbsp/36L water	-	-	Do not enter treatment areas until spray deposit have dried
BERRIS AGRICULTURAL CO., INC.	CHLOROTHALONIL	VENGEANCE 75 WP	750 g/kg	WP	FUNGICIDE	4	233-118-1824	27-Feb-27	-	Squash	Anthracoze, powdery mildew, early and late blight, cercospora leaf spot	3.2-4.8 Tbsp/36L water	-	-	Do not enter treatment areas until spray deposit have dried
BERRIS AGRICULTURAL CO., INC.	CHLOROTHALONIL	VENGEANCE 720 SC	720 g/L	SC	FUNGICIDE	4	233-118-1823	27-Feb-24	-	Potato	Early blight, late blight, vine rot		-	-	
BERRIS AGRICULTURAL CO., INC.	CHLOROTHALONIL	VENGEANCE 720 SC	720 g/L	SC	FUNGICIDE	4	233-118-1823	27-Feb-24	-	Tomato	Early blight, late blight, vine rot		-	-	
BERRIS AGRICULTURAL CO., INC.	CHLOROTHALONIL	VENGEANCE 720 SC	720 g/L	SC	FUNGICIDE	4	233-118-1823	27-Feb-24	-	Beans	Rust, anthracnose		-	-	
BERRIS AGRICULTURAL CO., INC.	CHLOROTHALONIL	VENGEANCE 720 SC	720 g/L	SC	FUNGICIDE	4	233-118-1823	27-Feb-24	-	Carrot	Alternaria leaf spot, cercospora leaf spot, helminthosporium leaf spot		-	-	
BERRIS AGRICULTURAL CO., INC.	CHLOROTHALONIL	VENGEANCE 720 SC	720 g/L	SC	FUNGICIDE	4	233-118-1823	27-Feb-24	-	Crucifers	Powdery mildew		-	-	
BERRIS AGRICULTURAL CO., INC.	CHLOROTHALONIL	VENGEANCE 720 SC	720 g/L	SC	FUNGICIDE	4	233-118-1823	27-Feb-24	-	Cucurbits	Powdery mildew, downy mildew, cercospora, anthracnose, septoria, fruit rot, early and late blight		-	-	
BERRIS AGRICULTURAL CO., INC.	CHLOROTHALONIL	VENGEANCE 720 SC	720 g/L	SC	FUNGICIDE	4	233-118-1823	27-Feb-24	-	Celery	Early blight, late blight		-	-	
BERRIS AGRICULTURAL CO., INC.	CHLOROTHALONIL	VENGEANCE 720 SC	720 g/L	SC	FUNGICIDE	4	233-118-1823	27-Feb-24	-	Eggplant	Early blight, late blight, cercospora, anthracnose		-	-	
BERRIS AGRICULTURAL CO., INC.	CHLOROTHALONIL	VENGEANCE 720 SC	720 g/L	SC	FUNGICIDE	4	233-118-1823	27-Feb-24	-	Onion	Purple blotch, bulb rot, neck rot		-	-	
BERRIS AGRICULTURAL CO., INC.	CHLOROTHALONIL	VENGEANCE 720 SC	720 g/L	SC	FUNGICIDE	4	233-118-1823	27-Feb-24	-	Pepper	Early & late blight, bulb rot, neck rot		-	-	
BERRIS AGRICULTURAL CO., INC.	CHLOROTHALONIL	VENGEANCE 720 SC	720 g/L	SC	FUNGICIDE	4	233-118-1823	27-Feb-24	-	Grapes	Downy mildew, powdery mildew, fruit rot		-	-	

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)		PHI	RE-ENTRY PERIOD
BERRIS AGRICULTURAL CO., INC.	CHLOROTHALONIL	VENGEANCE 720 SC	720 g/L	SC	FUNGICIDE	4	239-118-1823	27-Feb-24		Mango	Anthracoise, diploidia rot					
BERRIS AGRICULTURAL CO., INC.	CHLOROTHALONIL	VENGEANCE 720 SC	720 g/L	SC	FUNGICIDE	4	239-118-1823	27-Feb-24		Ornamentals	Black spot, powdery mildew, black rot					
BERRIS AGRICULTURAL CO., INC.	CHLOROTHALONIL	VENGEANCE 720 SC	720 g/L	SC	FUNGICIDE	4	239-118-1823	27-Feb-24		Asparagus	Stem and leaf blight					
BERRIS AGRICULTURAL CO., INC.	CHLOROTHALONIL	VENGEANCE 720 SC	720 g/L	SC	FUNGICIDE	4	239-118-1823	27-Feb-24		Banana	Black Sigatoka					
BERRIS AGRICULTURAL CO., INC.	CHLOROTHALONIL	VENGEANCE 900 SC	900 g/L	SC	FUNGICIDE	4	239-118-1822	27-Feb-24		Melon	Anthracoise, cercospora leafspot, downy mildew, leaf blight	6.0-8.5 Tbsp/16 L		7-14 days		Do not enter treatment areas until spray deposit have dried
BERRIS AGRICULTURAL CO., INC.	CHLOROTHALONIL	VENGEANCE 900 SC	900 g/L	SC	FUNGICIDE	4	239-118-1822	27-Feb-24		Corn	Heminthosporium leaf spot, cercospora leafspot	6.0-8.5 Tbsp/16 L		7-14 days		Do not enter treatment areas until spray deposit have dried
BERRIS AGRICULTURAL CO., INC.	CHLOROTHALONIL	VENGEANCE 900 SC	900 g/L	SC	FUNGICIDE	4	239-118-1822	27-Feb-24		Eggplant	Anthracoise, cercospora leafspot, early and late blight	6.0-8.5 Tbsp/16 L		7-14 days		Do not enter treatment areas until spray deposit have dried
BERRIS AGRICULTURAL CO., INC.	CHLOROTHALONIL	VENGEANCE 900 SC	900 g/L	SC	FUNGICIDE	4	239-118-1822	27-Feb-24		Peanut	Cercospora leaf spot, rust	6.0-8.5 Tbsp/16 L		7-14 days		Do not enter treatment areas until spray deposit have dried
BERRIS AGRICULTURAL CO., INC.	CHLOROTHALONIL	VENGEANCE 900 SC	900 g/L	SC	FUNGICIDE	4	239-118-1822	27-Feb-24		Potato	Early and late blight, vine rot	6.0-8.5 Tbsp/16 L		7-14 days		Do not enter treatment areas until spray deposit have dried
BERRIS AGRICULTURAL CO., INC.	CHLOROTHALONIL	VENGEANCE 900 SC	900 g/L	SC	FUNGICIDE	4	239-118-1822	27-Feb-24		Tomato	Early and late blight, vine rot	6.0-8.5 Tbsp/16 L		7-14 days		Do not enter treatment areas until spray deposit have dried
BERRIS AGRICULTURAL CO., INC.	CHLOROTHALONIL	VENGEANCE 900 SC	900 g/L	SC	FUNGICIDE	4	239-118-1822	27-Feb-24		Carrot	Alternaria, cercospora leaf spot, heminthosporium leaf spot	6.0-8.5 Tbsp/16 L		7-14 days		Do not enter treatment areas until spray deposit have dried
BERRIS AGRICULTURAL CO., INC.	CHLOROTHALONIL	VENGEANCE 900 SC	900 g/L	SC	FUNGICIDE	4	239-118-1822	27-Feb-24		Banana	Sigatoka, rust, freckles, heminthosporium leaf spot	2 L/ha	2.0 mg/kg			Do not enter treatment areas until spray deposit have dried
BERRIS AGRICULTURAL CO., INC.	CHLOROTHALONIL	VENGEANCE 900 SC	900 g/L	SC	FUNGICIDE	4	239-118-1822	27-Feb-24		Mango	Anthracoise, diploidia rot	6.0-8.5 Tbsp/16 L	0.5 mg/kg	7-14 days		Do not enter treatment areas until spray deposit have dried
BERRIS AGRICULTURAL CO., INC.	CHLOROTHALONIL	VENGEANCE 900 SC	900 g/L	SC	FUNGICIDE	4	239-118-1822	27-Feb-24		Beans	Rust, anthracnose	6.0-8.5 Tbsp/16 L		7-14 days		Do not enter treatment areas until spray deposit have dried
BERRIS AGRICULTURAL CO., INC.	CHLOROTHALONIL	VENGEANCE 900 SC	900 g/L	SC	FUNGICIDE	4	239-118-1822	27-Feb-24		Crucifers	Powdery mildew	6.0-8.5 Tbsp/16 L		7-14 days		Do not enter treatment areas until spray deposit have dried
BERRIS AGRICULTURAL CO., INC.	CHLOROTHALONIL	VENGEANCE 900 SC	900 g/L	SC	FUNGICIDE	4	239-118-1822	27-Feb-24		Onion	Purple blotch, bulb rot, neck rot	6.0-8.5 Tbsp/16 L		7-14 days		Do not enter treatment areas until spray deposit have dried
BERRIS AGRICULTURAL CO., INC.	CHLOROTHALONIL	VENGEANCE 900 SC	900 g/L	SC	FUNGICIDE	4	239-118-1822	27-Feb-24		Garlic	Purple blotch, bulb rot, neck rot	6.0-8.5 Tbsp/16 L		7-14 days		Do not enter treatment areas until spray deposit have dried
BERRIS AGRICULTURAL CO., INC.	CHLOROTHALONIL	VENGEANCE 900 SC	900 g/L	SC	FUNGICIDE	4	239-118-1822	27-Feb-24		Ornamentals	Black spot, black rot, powdery mildew	6.0-8.5 Tbsp/16 L		7-14 days		Do not enter treatment areas until spray deposit have dried
BERRIS AGRICULTURAL CO., INC.	CHLOROTHALONIL	VENGEANCE 900 SC	900 g/L	SC	FUNGICIDE	4	239-118-1822	27-Feb-24		Grapes	Downy mildew, powdery mildew, fruit rot	6.0-8.5 Tbsp/16 L		7-14 days		Do not enter treatment areas until spray deposit have dried
BERRIS AGRICULTURAL CO., INC.	CHLOROTHALONIL	VENGEANCE 900 SC	900 g/L	SC	FUNGICIDE	4	239-118-1822	27-Feb-24		Pepper	Anthracoise, cercospora leaf spot, early blight	6.0-8.5 Tbsp/16 L		7-14 days		Do not enter treatment areas until spray deposit have dried
BERRIS AGRICULTURAL CO., INC.	CHLOROTHALONIL	VENGEANCE 900 SC	900 g/L	SC	FUNGICIDE	4	239-118-1822	27-Feb-24		Melon	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16 L		7-14 days		Do not enter treatment areas until spray deposit have dried
BERRIS AGRICULTURAL CO., INC.	CHLOROTHALONIL	VENGEANCE 900 SC	900 g/L	SC	FUNGICIDE	4	239-118-1822	27-Feb-24		Cucumber	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16 L		7-14 days		Do not enter treatment areas until spray deposit have dried
BERRIS AGRICULTURAL CO., INC.	CHLOROTHALONIL	VENGEANCE 900 SC	900 g/L	SC	FUNGICIDE	4	239-118-1822	27-Feb-24		Squash	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16 L		7-14 days		Do not enter treatment areas until spray deposit have dried
BERRIS AGRICULTURAL CO., INC.	CHLOROTHALONIL	VENGEANCE 900 SC	900 g/L	SC	FUNGICIDE	4	239-118-1822	27-Feb-24		Watermelon	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16 L		7-14 days		Do not enter treatment areas until spray deposit have dried
BERRIS AGRICULTURAL CO., INC.	CHLOROTHALONIL	VENGEANCE 900 SC	900 g/L	SC	FUNGICIDE	4	239-118-1822	27-Feb-24		Celery	Early and late blight	6.0-8.5 Tbsp/16 L		7-14 days		Do not enter treatment areas until spray deposit have dried
GRAT HARVEST AGROCHEMICALS CORPORATION	HEAT KILLED BURKHOLDERIA SP. STRAIN A 396	VENERAR	-	-	OTHERS	4	541-541-5355	03-Mar-22		Banana	Flower thrips	30 mL prod. / L				
GOLDEN PRIMESTOCKS CHEMICAL INC.	CYPERMETHRIN	VENDETTA 5 EC	50 g/L	EC	INSECTICIDE	4	573-037-4426	06-Jul-24	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water	-		Do not spray 7 Days before harvest	Entry to field and crops treated with VENDETTA 5 EC is allowed as soon as spray deposits dry.
GOLDEN PRIMESTOCKS CHEMICAL INC.	CYPERMETHRIN	VENDETTA 5 EC	50 g/L	EC	INSECTICIDE	4	573-037-4426	06-Jul-24	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leafhopper, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water	-		Do not spray 7 Days before harvest	Entry to field and crops treated with VENDETTA 5 EC is allowed as soon as spray deposits dry.
GOLDEN PRIMESTOCKS CHEMICAL INC.	CYPERMETHRIN	VENDETTA 5 EC	50 g/L	EC	INSECTICIDE	4	573-037-4426	06-Jul-24	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	-		Do not spray 7 Days before harvest	Entry to field and crops treated with VENDETTA 5 EC is allowed as soon as spray deposits dry.
GOLDEN PRIMESTOCKS CHEMICAL INC.	CYPERMETHRIN	VENDETTA 5 EC	50 g/L	EC	INSECTICIDE	4	573-037-4426	06-Jul-24	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	-		Do not spray 7 Days before harvest	Entry to field and crops treated with VENDETTA 5 EC is allowed as soon as spray deposits dry.
GOLDEN PRIMESTOCKS CHEMICAL INC.	CYPERMETHRIN	VENDETTA 5 EC	50 g/L	EC	INSECTICIDE	4	573-037-4426	06-Jul-24	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	-		Do not spray 7 Days before harvest	Entry to field and crops treated with VENDETTA 5 EC is allowed as soon as spray deposits dry.
GOLDEN PRIMESTOCKS CHEMICAL INC.	CYPERMETHRIN	VENDETTA 5 EC	50 g/L	EC	INSECTICIDE	4	573-037-4426	06-Jul-24	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	-		Do not spray 7 Days before harvest	Entry to field and crops treated with VENDETTA 5 EC is allowed as soon as spray deposits dry.
GOLDEN PRIMESTOCKS CHEMICAL INC.	CYPERMETHRIN	VENDETTA 5 EC	50 g/L	EC	INSECTICIDE	4	573-037-4426	06-Jul-24	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-		Do not spray 7 Days before harvest	Entry to field and crops treated with VENDETTA 5 EC is allowed as soon as spray deposits dry.
GOLDEN PRIMESTOCKS CHEMICAL INC.	CYPERMETHRIN	VENDETTA 5 EC	50 g/L	EC	INSECTICIDE	4	573-037-4426	06-Jul-24	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	-		Do not spray 7 Days before harvest	Entry to field and crops treated with VENDETTA 5 EC is allowed as soon as spray deposits dry.
GOLDEN PRIMESTOCKS CHEMICAL INC.	CYPERMETHRIN	VENDETTA 5 EC	50 g/L	EC	INSECTICIDE	4	573-037-4426	06-Jul-24	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-		Do not spray 7 Days before harvest	Entry to field and crops treated with VENDETTA 5 EC is allowed as soon as spray deposits dry.
GOLDEN PRIMESTOCKS CHEMICAL INC.	CYPERMETHRIN	VENDETTA 5 EC	50 g/L	EC	INSECTICIDE	4	573-037-4426	06-Jul-24	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-		Do not spray 7 Days before harvest	Entry to field and crops treated with VENDETTA 5 EC is allowed as soon as spray deposits dry.
GOLDEN PRIMESTOCKS CHEMICAL INC.	CYPERMETHRIN	VENDETTA 5 EC	50 g/L	EC	INSECTICIDE	4	573-037-4426	06-Jul-24	CONTACT	Corn	Comborer, earworm	1.0-4.5 Tbsp/16 L water	-		Do not spray 7 Days before harvest	Entry to field and crops treated with VENDETTA 5 EC is allowed as soon as spray deposits dry.
SINOCHEM CROP PROTECTION (PHLS.) INC.	HEXAZINONE-OLIRON	VELPAR 84	132 g/kg+468 g/kg	WG	HERBICIDE	4	432-435-4020	04-Jan-27	-	Sugarcane	Grasses, sedges & broadleaves	400 L/ha	-		118-137 days before harvest	Do not enter treated fields within 12 hours after spraying or until the spray has dried
SINOCHEM CROP PROTECTION (PHLS.) INC.	HEXAZINONE-OLIRON	VELPAR 84	132 g/kg+468 g/kg	WG	HERBICIDE	4	432-435-4020	04-Jan-27	-	Pineapple	Grasses (E. indica, D. setigera, P. conjugatum) and broadleaves (C. rotundifolium, A. gargueta, E. smithii, H. corymbosa, C. sugarcane	3,742 L/ ha	-		118-137 days before harvest	Do not enter treated fields within 12 hours after spraying or until the spray has dried
SYNGENTA PHILIPPINES INC.	HEXAZINONE-OLIRON	VELPAR 84	132 g/kg+468 g/kg	-	HERBICIDE	4	011-435-4020	04-Jan-27	-	Sugarcane	Grasses, sedges and broadleaves	400 L/ha	-		118-137 days before harvest	Do not enter treated fields within 12 hours after spraying or until the spray has dried
SYNGENTA PHILIPPINES INC.	HEXAZINONE-OLIRON	VELPAR 84	132 g/kg+468 g/kg	-	HERBICIDE	4	011-435-4020	04-Jan-27	-	Pineapple	Grasses (E. indica, D. setigera, P. conjugatum) and broadleaves (C. rotundifolium, A. gargueta, E. smithii, H. corymbosa, C. sugarcane	3,742 L/ha	-		-	Do not enter treated fields within 12 hours after spraying or until the spray has dried
INTEROKORA INC.	PYRIMETHANIL	VELJA 600 SC	600 g/L	SC	FUNGICIDE	4	464-345-5789	28-Jul-25		Cavendish Banana	Black Sigatoka	500L/ha		0 Day		Do not allow entry into treated areas until spray deposits have dried. When prior entry is necessary, wear cotton coveralls and PVC gloves. Wash thoroughly all
VAST AGRO SOLUTIONS, INC.	CHLOPYRIFOS	VEGATON 30 EC	300 g/L	EC	INSECTICIDE	2	385-101-2769	15-Aug-26	CONTACT	Rice	Stemborer, armyworm, leafhopper, caseworm, planthopper, cutworm	2.5-3.5 Tbsp/16L water	-		-	-
VAST AGRO SOLUTIONS, INC.	CHLOPYRIFOS	VEGATON 30 EC	300 g/L	EC	INSECTICIDE	2	385-101-2769	15-Aug-26	CONTACT	Potato	Tubermoth, leafhopper, cutworm, aphids	2.5-3.5 Tbsp/16L water	-		-	-
VAST AGRO SOLUTIONS, INC.	CHLOPYRIFOS	VEGATON 30 EC	300 g/L	EC	INSECTICIDE	2	385-101-2769	15-Aug-26	CONTACT	Corn	Armyworm, combor, earworm, seedling maggots	2.5-3.5 Tbsp/16L water	-		-	-
VAST AGRO SOLUTIONS, INC.	CHLOPYRIFOS	VEGATON 30 EC	300 g/L	EC	INSECTICIDE	2	385-101-2769	15-Aug-26	CONTACT	Beans	Beanfly, leafroller, podborer, cutworm, armyworm	2.5-3.5 Tbsp/16L water	-		-	-
FARM EDGE AGRO TRADING CORPORATION	BENOMYL	VAXXMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	618-167-5883	9-Sep-24	SYSTEMIC	Mango	Anthracoise, powdery mildew	1-2 Tbsp/16L water	-	14 Days		Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
FARM EDGE AGRO TRADING CORPORATION	BENOMYL	VAXXMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	618-167-5883	9-Sep-24	SYSTEMIC	Rice	Blast, sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-4 Tbsp/16L water	-	7 Days		Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
FARM EDGE AGRO TRADING CORPORATION	BENOMYL	VAXXMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	618-167-5883	9-Sep-24	SYSTEMIC	Melon	Powdery mildew	1-2 Tbsp/16L water	-	14 Days		Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
FARM EDGE AGRO TRADING CORPORATION	BENOMYL	VAXXMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	618-167-5883	9-Sep-24	SYSTEMIC	Pepper	Cercospora leaf spot	1-2 Tbsp/16L water	-	7 Days		Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
FARM EDGE AGRO TRADING CORPORATION	BENOMYL	VAXXMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	618-167-5883	9-Sep-24	SYSTEMIC	Beans	Powdery mildew	1-2 Tbsp/16L water	-	14 Days		Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
FARM EDGE AGRO TRADING CORPORATION	BENOMYL	VAXXMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	618-167-5883	9-Sep-24	SYSTEMIC	Mungbeans	Cercospora leaf spot	1-2 Tbsp/16L water	-	7 Days		Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
FARM EDGE AGRO TRADING CORPORATION	BENOMYL	VAXXMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	618-167-5883	9-Sep-24	SYSTEMIC	Calamansi	Scab	1-2 Tbsp/16L water	-	14 Days		Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
FARM EDGE AGRO TRADING CORPORATION	BENOMYL	VAXXMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	618-167-5883	9-Sep-24	SYSTEMIC	Cucumber	Powdery mildew	1-2 Tbsp/16L water	-	14 Days		Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
FARM EDGE AGRO TRADING CORPORATION	BENOMYL	VAXXMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	618-167-5883	9-Sep-24	SYSTEMIC	Singer	Cercospora leaf spot	1-2 Tbsp/16L water	-	7 Days		Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
FARM EDGE AGRO TRADING CORPORATION	BENOMYL	VAXXMYL 50 WP	500g/kg	WP	FUNGICIDE	4	618-167-5883	9-Sep-24	SYSTEMIC	Grape	Powdery mildew	1-2 tbsp/16L water	-	14 days	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
FARM EDGE AGRO TRADING CORPORATION	BENOMYL	VAXXMYL 50 WP	500g/kg	WP	FUNGICIDE	4	618-167-5883	9-Sep-24	SYSTEMIC	Mandarin	Scab	1-2 tbsp/16L water	-	14 days	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
FARM EDGE AGRO TRADING CORPORATION	BENOMYL	VAXXMYL 50 WP	500g/kg	WP	FUNGICIDE	4	618-167-5883	9-Sep-24	SYSTEMIC	Oranges	Scab	1-2 tbsp/16L water	-	14 days	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
FARM EDGE AGRO TRADING CORPORATION	BENOMYL	VAXXMYL 50 WP	500g/kg	WP	FUNGICIDE	4	618-167-5883	9-Sep-24	SYSTEMIC	Papaya	Powdery mildew	1-2 tbsp/16L water	-	14 days	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
FARM EDGE AGRO TRADING CORPORATION	BENOMYL	VAXXMYL 50 WP	500g/kg	WP	FUNGICIDE	4	618-167-5883	9-Sep-24	SYSTEMIC	Strawberry	Cercospora leaf spot	1-2 tbsp/16L water	-	7 days	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
FARM EDGE AGRO TRADING CORPORATION	BENOMYL	VAXXMYL 50 WP	500g/kg	WP	FUNGICIDE	4	618-167-5883	9-Sep-24	SYSTEMIC	Cabbage	Cercospora leaf spot	1-2 tbsp/16L water	-	7 days	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
FARM EDGE AGRO TRADING CORPORATION	BENOMYL	VAXXMYL 50 WP	500g/kg	WP	FUNGICIDE	4	618-167-5883	9-Sep-24	SYSTEMIC	Tobacco	Leaf mold, frog eye	1-2 tbsp/16L water	-	7 days	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
FARM EDGE AGRO TRADING CORPORATION	BENOMYL	VAXXMYL 50 WP	500g/kg	WP	FUNGICIDE	4	618-167-5883	9-Sep-24	SYSTEMIC	Banana	Black sigatoka	280 g/ha	-	7 days	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
VAST AGRO SOLUTIONS, INC.	CYPERMETHRIN	VASTHRIN 5 EC	50g/L	EC	INSECTICIDE	4	385-037-2028	31-Jan-25	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water	-	-	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
VAST AGRO SOLUTIONS, INC.	CYPERMETHRIN	VASTHRIN 5 EC	50g/L	EC	INSECTICIDE	4	385-037-2028	31-Jan-25	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leafhopper, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water	-	-	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
VAST AGRO SOLUTIONS, INC.	CYPERMETHRIN	VASTHRIN 5 EC	50g/L	EC	INSECTICIDE	4	385-037-2028	31-Jan-25	CONTACT	Cabbage	Diamond back moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	-	-	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
VAST AGRO SOLUTIONS, INC.	CYPERMETHRIN	VASTHRIN 5 EC	50g/L	EC	INSECTICIDE	4	385-037-2028	31-Jan-25	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	-	-	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
VAST AGRO SOLUTIONS, INC.	CYPERMETHRIN	VASTHRIN 5 EC	50g/L	EC	INSECTICIDE	4	385-037-2028	31-Jan-25	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	-	-	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
VAST AGRO SOLUTIONS, INC.	CYPERMETHRIN	VASTHRIN 5 EC	50g/L	EC	INSECTICIDE	4	385-037-2028	31-Jan-25	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	-	-	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
VAST AGRO SOLUTIONS, INC.	CYPERMETHRIN	VASTHRIN 5 EC	50g/L	EC	INSECTICIDE	4	385-037-2028	31-Jan-25	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	-	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
VAST AGRO SOLUTIONS, INC.	CYPERMETHRIN	VASTHRIN 5 EC	50g/L	EC	INSECTICIDE	4	385-037-2028	31-Jan-25	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	-	-	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
VAST AGRO SOLUTIONS, INC.	CYPERMETHRIN	VASTHRIN 5 EC	50g/L	EC	INSECTICIDE	4	385-037-2028	31-Jan-25	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	-	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
VAST AGRO SOLUTIONS, INC.	CYPERMETHRIN	VASTHRIN 5 EC	50g/L	EC	INSECTICIDE	4	385-037-2028	31-Jan-25	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-	-	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
VAST AGRO SOLUTIONS, INC.	CYPERMETHRIN	VASTHRIN 5 EC	50g/L	EC	INSECTICIDE	4	385-037-2028	31-Jan-25	CONTACT	Corn	Comborer, earworm	1.0-4.5 Tbsp/16 L water	-	-	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
VAST AGRO SOLUTIONS, INC.	MALATHION	VAST MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	385-038-2718	17-Mar-26	NON-SYSTEMIC	Fruit trees	Aphids, mealy bug scale insect	1.5-3.0Tbsp/16 L water	-	One day after final spraying	One (1) day after each spraying
VAST AGRO SOLUTIONS, INC.	MALATHION	VAST MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	385-038-2718	17-Mar-26	NON-SYSTEMIC	Rice	Armyworm, caseworm, leafhopper, bugs	2.0-5.0Tbsp/16 L water	-	One day after final spraying	One (1) day after each spraying
VAST AGRO SOLUTIONS, INC.	MALATHION	VAST MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	385-038-2718	17-Mar-26	NON-SYSTEMIC	Corn	Earworm, silkworm, aphids, grasshopper	3.0-5.0Tbsp/16 L water	-	One day after final spraying	One (1) day after each spraying
VAST AGRO SOLUTIONS, INC.	MALATHION	VAST MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	385-038-2718	17-Mar-26	NON-SYSTEMIC	Cabbage	Cabbage worm, looper, diamond back moth	2.0-5.0Tbsp/16 L water	-	One day after final spraying	One (1) day after each spraying
VAST AGRO SOLUTIONS, INC.	MALATHION	VAST MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	385-038-2718	17-Mar-26	NON-SYSTEMIC	Legumes	Aphids, beanfly, cutworm, flea beetles, leafminer, maggots, mealybug, posibone, thrips	2.0-5.0Tbsp/16 L water	-	One day after final spraying	One (1) day after each spraying
VAST AGRO SOLUTIONS, INC.	MALATHION	VAST MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	385-038-2718	17-Mar-26	NON-SYSTEMIC	Grapes	Beetles, cutworm, leafhopper, mealybug, scale, insect, spider mites	3.0Tbsp/16 L water	-	One day after final spraying	One (1) day after each spraying
VAST AGRO SOLUTIONS, INC.	MALATHION	VAST MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	385-038-2718	17-Mar-26	NON-SYSTEMIC	Pineapple	Mealy bug	3.0Tbsp/16 L water	-	One day after final spraying	One (1) day after each spraying
VAST AGRO SOLUTIONS, INC.	MALATHION	VAST MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	385-038-2718	17-Mar-26	NON-SYSTEMIC	Pepper	Aphid, cutworm, fruitworm	3.0Tbsp/16 L water	-	One day after final spraying	One (1) day after each spraying
VAST AGRO SOLUTIONS, INC.	MALATHION	VAST MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	385-038-2718	17-Mar-26	NON-SYSTEMIC	Garlic	Cutworm	3.0Tbsp/16 L water	-	One day after final spraying	One (1) day after each spraying
VAST AGRO SOLUTIONS, INC.	MALATHION	VAST MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	385-038-2718	17-Mar-26	NON-SYSTEMIC	Onion	Cutworm	3.0Tbsp/16 L water	-	One day after final spraying	One (1) day after each spraying
VAST AGRO SOLUTIONS, INC.	MALATHION	VAST MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	385-038-2718	17-Mar-26	NON-SYSTEMIC	Tobacco	Aphids, katydid	3.0-6.0Tbsp/16 L water	-	One day after final spraying	One (1) day after each spraying
VAST AGRO SOLUTIONS, INC.	MALATHION	VAST MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	385-038-2718	17-Mar-26	NON-SYSTEMIC	Ornamentals	Aphids, cutworm, mealybug, scale insect, spider mites	3.0-6.0Tbsp/16 L water	-	One day after final spraying	One (1) day after each spraying
VAST AGRO SOLUTIONS, INC.	MALATHION	VAST MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	385-038-2718	17-Mar-26	NON-SYSTEMIC	Tomato	Lady beetle	3.0-5.0Tbsp/16 L water	-	One day after final spraying	One (1) day after each spraying
VAST AGRO SOLUTIONS, INC.	MALATHION	VAST MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	385-038-2718	17-Mar-26	NON-SYSTEMIC	Eggplant	Aphids, fruitworm	3.0-5.0Tbsp/16 L water	-	One day after final spraying	One (1) day after each spraying
VAST AGRO SOLUTIONS, INC.	MALATHION	VAST MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	385-038-2718	17-Mar-26	NON-SYSTEMIC	Sorghum	Web worm	3.0Tbsp/16 L water	-	One day after final spraying	One (1) day after each spraying
VAST AGRO SOLUTIONS, INC.	2,4-D IBE	VAST 2,4-D ESTER	480 g/L	EC	HERBICIDE	2	385-049-2096-B	04-Nov-26	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	0.1 ppm	Do not spray within two days before harvest	Entry to fields and crops treated with VAST 2,4-D ESTER can be one day after spraying
VAST AGRO SOLUTIONS, INC.	2,4-D IBE	VAST 2,4-D ESTER	480 g/L	EC	HERBICIDE	2	385-049-2096-B	04-Nov-26	SELECTIVE (POST-EMERGENT)	Corn	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	-	Do not spray within two days before harvest	Entry to fields and crops treated with VAST 2,4-D ESTER can be one day after spraying
VAST AGRO SOLUTIONS, INC.	2,4-D IBE	VAST 2,4-D ESTER	480 g/L	EC	HERBICIDE	2	385-049-2096-B	04-Nov-26	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	-	Do not spray within two days before harvest	Entry to fields and crops treated with VAST 2,4-D ESTER can be one day after spraying
118 AGRICULTURAL CORPORATION	BENOMYL	VASKEG 50 WP	500g/kg	WP	FUNGICIDE	4	506-167-3727	09-Aug-24	SYSTEMIC	Mungbeans	Powdery mildew, cercospora leaf spot	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or after the spray
118 AGRICULTURAL CORPORATION	BENOMYL	VASKEG 50 WP	500g/kg	WP	FUNGICIDE	4	506-167-3727	09-Aug-24	SYSTEMIC	Beans	Powdery mildew, cercospora leaf spot	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or after the spray
118 AGRICULTURAL CORPORATION	BENOMYL	VASKEG 50 WP	500g/kg	WP	FUNGICIDE	4	506-167-3727	09-Aug-24	SYSTEMIC	Cabbage	Cercospora leaf spot	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or after the spray
118 AGRICULTURAL CORPORATION	BENOMYL	VASKEG 50 WP	500g/kg	WP	FUNGICIDE	4	506-167-3727	09-Aug-24	SYSTEMIC	Calamansi	Scab	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or after the spray
118 AGRICULTURAL CORPORATION	BENOMYL	VASKEG 50 WP	500g/kg	WP	FUNGICIDE	4	506-167-3727	09-Aug-24	SYSTEMIC	Cucumber	Powdery mildew	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or after the spray
118 AGRICULTURAL CORPORATION	BENOMYL	VASKEG 50 WP	500g/kg	WP	FUNGICIDE	4	506-167-3727	09-Aug-24	SYSTEMIC	Ginger	Cercospora leaf spot	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or after the spray
118 AGRICULTURAL CORPORATION	BENOMYL	VASKEG 50 WP	500g/kg	WP	FUNGICIDE	4	506-167-3727	09-Aug-24	SYSTEMIC	Grapes	Powdery mildew	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or after the spray
118 AGRICULTURAL CORPORATION	BENOMYL	VASKEG 50 WP	500g/kg	WP	FUNGICIDE	4	506-167-3727	09-Aug-24	SYSTEMIC	Mandarin	Scab	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or after the spray
118 AGRICULTURAL CORPORATION	BENOMYL	VASKEG 50 WP	500g/kg	WP	FUNGICIDE	4	506-167-3727	09-Aug-24	SYSTEMIC	Mango	Anthracoose, powdery mildew	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or after the spray
118 AGRICULTURAL CORPORATION	BENOMYL	VASKEG 50 WP	500g/kg	WP	FUNGICIDE	4	506-167-3727	09-Aug-24	SYSTEMIC	Melon	Powdery mildew	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or after the spray
118 AGRICULTURAL CORPORATION	BENOMYL	VASKEG 50 WP	500g/kg	WP	FUNGICIDE	4	506-167-3727	09-Aug-24	SYSTEMIC	Orange	Scab	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or after the spray
118 AGRICULTURAL CORPORATION	BENOMYL	VASKEG 50 WP	500g/kg	WP	FUNGICIDE	4	506-167-3727	09-Aug-24	SYSTEMIC	Papaya	Powdery mildew	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or after the spray
118 AGRICULTURAL CORPORATION	BENOMYL	VASKEG 50 WP	500g/kg	WP	FUNGICIDE	4	506-167-3727	09-Aug-24	SYSTEMIC	Pepper	Cercospora leaf spot	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or after the spray
118 AGRICULTURAL CORPORATION	BENOMYL	VASKEG 50 WP	500g/kg	WP	FUNGICIDE	4	506-167-3727	09-Aug-24	SYSTEMIC	Rice	Blast, sheath blight	3-4 Tbsp/16L water	1.0 ppm	7 days	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or after the spray
118 AGRICULTURAL CORPORATION	BENOMYL	VASKEG 50 WP	500g/kg	WP	FUNGICIDE	4	506-167-3727	09-Aug-24	SYSTEMIC	Strawberry	Cercospora leaf spot	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or after the spray
118 AGRICULTURAL CORPORATION	BENOMYL	VASKEG 50 WP	500g/kg	WP	FUNGICIDE	4	506-167-3727	09-Aug-24	SYSTEMIC	Tobacco	Leaf mold, frog eye	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or after the spray
118 AGRICULTURAL CORPORATION	BENOMYL	VASKEG 50 WP	500g/kg	WP	FUNGICIDE	4	506-167-3727	09-Aug-24	SYSTEMIC	Banana	Black sigatoka	280 g/ha	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or after the spray
STERIS INCORPORATED	PHOSPHINE	VAPORPHOS	2g/kg	-	FUMIGANT	1	434-399-2956	27-Oct-26	-	Stored grain	Corn and rice weevil, red four beetle and lesser grain borer	-	-	-	-

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
LINDE PHILIPPINES (SOUTH), INC.	ETHYL FORMATE	VAPORMATE	166.7 g/L	-	FUMIGANT	1	486-417-2719	25-Jan-24	-	Pineapple	Mealybugs and mites	400g product/m3 at 2 hours duration	-	-	Do not allow entry into treated area where the concentration of ethyl formate is above 100 ppm and CO2 is above 9000 ppm
LINDE PHILIPPINES (SOUTH), INC.	ETHYL FORMATE	VAPORMATE	166.7 g/L	-	FUMIGANT	1	486-417-2719	15-Jun-24	-	Banana	Mealybugs and scale insects	20g a.i/m3 or 0.12 kg prod/m3	1.0 ppm	-	Do not allow entry into treated area where the concentration of ethyl formate is above 100 ppm and CO2 is above 9000 ppm
AGRO ADVANCED INTERNATIONAL PHLS., INC.	MANCOZEB	VANZER 80 WP	800 g/kg	WP	FUNGICIDE	4	473-053-2663	17-Sep-25	-	Potato	Early and late blight	3-6 Tbsp/16 L water	-	-	As soon as spray dries
AGRO ADVANCED INTERNATIONAL PHLS., INC.	MANCOZEB	VANZER 80 WP	800 g/kg	WP	FUNGICIDE	4	473-053-2663	17-Sep-25	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
AGRO ADVANCED INTERNATIONAL PHLS., INC.	MANCOZEB	VANZER 80 WP	800 g/kg	WP	FUNGICIDE	4	473-053-2663	17-Sep-25	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
AGRO ADVANCED INTERNATIONAL PHLS., INC.	MANCOZEB	VANZER 80 WP	800 g/kg	WP	FUNGICIDE	4	473-053-2663	17-Sep-25	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
AGRO ADVANCED INTERNATIONAL PHLS., INC.	MANCOZEB	VANZER 80 WP	800 g/kg	WP	FUNGICIDE	4	473-053-2663	17-Sep-25	-	Celery	Late blight	3-6 Tbsp/16 L water	-	14 Days	As soon as spray dries
AGRO ADVANCED INTERNATIONAL PHLS., INC.	MANCOZEB	VANZER 80 WP	800 g/kg	WP	FUNGICIDE	4	473-053-2663	17-Sep-25	-	Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
AGRO ADVANCED INTERNATIONAL PHLS., INC.	MANCOZEB	VANZER 80 WP	800 g/kg	WP	FUNGICIDE	4	473-053-2663	17-Sep-25	-	Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
AGRO ADVANCED INTERNATIONAL PHLS., INC.	MANCOZEB	VANZER 80 WP	800 g/kg	WP	FUNGICIDE	4	473-053-2663	17-Sep-25	-	Cotton	Damping off	3-6 Tbsp/16 L water	-	-	As soon as spray dries
AGRO ADVANCED INTERNATIONAL PHLS., INC.	MANCOZEB	VANZER 80 WP	800 g/kg	WP	FUNGICIDE	4	473-053-2663	17-Sep-25	-	Lettuce	Downy mildew	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
AGRO ADVANCED INTERNATIONAL PHLS., INC.	MANCOZEB	VANZER 80 WP	800 g/kg	WP	FUNGICIDE	4	473-053-2663	17-Sep-25	-	Beans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
AGRO ADVANCED INTERNATIONAL PHLS., INC.	MANCOZEB	VANZER 80 WP	800 g/kg	WP	FUNGICIDE	4	473-053-2663	17-Sep-25	-	Peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
AGRO ADVANCED INTERNATIONAL PHLS., INC.	MANCOZEB	VANZER 80 WP	800 g/kg	WP	FUNGICIDE	4	473-053-2663	17-Sep-25	-	Mungo	Anthracnose, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
AGRO ADVANCED INTERNATIONAL PHLS., INC.	MANCOZEB	VANZER 80 WP	800 g/kg	WP	FUNGICIDE	4	473-053-2663	17-Sep-25	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
AGRO ADVANCED INTERNATIONAL PHLS., INC.	MANCOZEB	VANZER 80 WP	800 g/kg	WP	FUNGICIDE	4	473-053-2663	17-Sep-25	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
AGRO ADVANCED INTERNATIONAL PHLS., INC.	MANCOZEB	VANZER 80 WP	800 g/kg	WP	FUNGICIDE	4	473-053-2663	17-Sep-25	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
AGRO ADVANCED INTERNATIONAL PHLS., INC.	MANCOZEB	VANZER 80 WP	800 g/kg	WP	FUNGICIDE	4	473-053-2663	17-Sep-25	-	Pepper	Anthracnose	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
AGRO ADVANCED INTERNATIONAL PHLS., INC.	MANCOZEB	VANZER 80 WP	800 g/kg	WP	FUNGICIDE	4	473-053-2663	17-Sep-25	-	Chili	Anthracnose	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
AGRO ADVANCED INTERNATIONAL PHLS., INC.	MANCOZEB	VANZER 80 WP	800 g/kg	WP	FUNGICIDE	4	473-053-2663	17-Sep-25	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
AGRO ADVANCED INTERNATIONAL PHLS., INC.	MANCOZEB	VANZER 80 WP	800 g/kg	WP	FUNGICIDE	4	473-053-2663	17-Sep-25	-	Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16 L water	-	-	As soon as spray dries
AGRO ADVANCED INTERNATIONAL PHLS., INC.	MANCOZEB	VANZER 80 WP	800 g/kg	WP	FUNGICIDE	4	473-053-2663	17-Sep-25	-	Grapes	Downy mildew, black rot	3-6 Tbsp/16 L water	-	40 days	As soon as spray dries
AGRO ADVANCED INTERNATIONAL PHLS., INC.	MANCOZEB	VANZER 80 WP	800 g/kg	WP	FUNGICIDE	4	473-053-2663	17-Sep-25	-	Mango	Anthracnose and Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
AGRO ADVANCED INTERNATIONAL PHLS., INC.	MANCOZEB	VANZER 80 WP	800 g/kg	WP	FUNGICIDE	4	473-053-2663	17-Sep-25	-	Papaya	Fruit rot	3-6 Tbsp/16 L water	-	-	As soon as spray dries
AGRO ADVANCED INTERNATIONAL PHLS., INC.	MANCOZEB	VANZER 80 WP	800 g/kg	WP	FUNGICIDE	4	473-053-2663	17-Sep-25	-	Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
AGRO ADVANCED INTERNATIONAL PHLS., INC.	MANCOZEB	VANZER 80 WP	800 g/kg	WP	FUNGICIDE	4	473-053-2663	17-Sep-25	-	Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
AGRO ADVANCED INTERNATIONAL PHLS., INC.	MANCOZEB	VANZER 80 WP	800 g/kg	WP	FUNGICIDE	4	473-053-2663	17-Sep-25	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
AGRO ADVANCED INTERNATIONAL PHLS., INC.	MANCOZEB	VANZER 80 WP	800 g/kg	WP	FUNGICIDE	4	473-053-2663	17-Sep-25	-	Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16 L water	0.02ppm	-	As soon as spray dries
AGRO ADVANCED INTERNATIONAL PHLS., INC.	MANCOZEB	VANZER 80 WP	800 g/kg	WP	FUNGICIDE	4	473-053-2663	17-Sep-25	-	Peanut	Cercospora leaf spot	3-6 Tbsp/16 L water	-	14 Days	As soon as spray dries
AGRO ADVANCED INTERNATIONAL PHLS., INC.	MANCOZEB	VANZER 80 WP	800 g/kg	WP	FUNGICIDE	4	473-053-2663	17-Sep-25	-	Soybeans	leaf rust	3-6 Tbsp/16 L water	-	-	As soon as spray dries
AGRO ADVANCED INTERNATIONAL PHLS., INC.	MANCOZEB	VANZER 80 WP	800 g/kg	WP	FUNGICIDE	4	473-053-2663	17-Sep-25	-	Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/16 L water	-	-	As soon as spray dries
AGRO ADVANCED INTERNATIONAL PHLS., INC.	MANCOZEB	VANZER 75 WDG/DF	750 g/kg	WDG/DF	FUNGICIDE	4	473-053-2662	17-Sep-25	-	Tomato	Early and late blight	-	-	-	As soon as solution has dried up
AGRO ADVANCED INTERNATIONAL PHLS., INC.	MANCOZEB	VANZER 75 WDG/DF	750 g/kg	WDG/DF	FUNGICIDE	4	473-053-2662	17-Sep-25	-	Banana	Sigatoka	-	-	-	As soon as solution has dried up
AGRO ADVANCED INTERNATIONAL PHLS., INC.	MANCOZEB	VANZER 75 WDG/DF	750 g/kg	WDG/DF	FUNGICIDE	4	473-053-2662	17-Sep-25	-	Potato	Early and Late Blight	-	-	-	As soon as solution has dried up
AGRO ADVANCED INTERNATIONAL PHLS., INC.	MANCOZEB	VANZER 75 WDG/DF	750 g/kg	WDG/DF	FUNGICIDE	4	473-053-2662	17-Sep-25	-	Cabbage	Downy mildew, Alternaria leaf spot	-	-	-	As soon as solution has dried up
AGRO ADVANCED INTERNATIONAL PHLS., INC.	MANCOZEB	VANZER 75 WDG/DF	750 g/kg	WDG/DF	FUNGICIDE	4	473-053-2662	17-Sep-25	-	Cauliflower	Downy mildew, Alternaria leaf spot	-	-	-	As soon as solution has dried up
AGRO ADVANCED INTERNATIONAL PHLS., INC.	MANCOZEB	VANZER 75 WDG/DF	750 g/kg	WDG/DF	FUNGICIDE	4	473-053-2662	17-Sep-25	-	Broccoli	Downy mildew, Alternaria leaf spot	-	-	-	As soon as solution has dried up
AGRO ADVANCED INTERNATIONAL PHLS., INC.	MANCOZEB	VANZER 75 WDG/DF	750 g/kg	WDG/DF	FUNGICIDE	4	473-053-2662	17-Sep-25	-	Celery	Late Blight	-	-	-	As soon as solution has dried up
AGRO ADVANCED INTERNATIONAL PHLS., INC.	MANCOZEB	VANZER 75 WDG/DF	750 g/kg	WDG/DF	FUNGICIDE	4	473-053-2662	17-Sep-25	-	Cucumber	Downy Mildew, Anthracnose, Scab	-	-	-	As soon as solution has dried up
AGRO ADVANCED INTERNATIONAL PHLS., INC.	MANCOZEB	VANZER 75 WDG/DF	750 g/kg	WDG/DF	FUNGICIDE	4	473-053-2662	17-Sep-25	-	Squash	Downy Mildew, Anthracnose, Scab	-	-	-	As soon as solution has dried up
AGRO ADVANCED INTERNATIONAL PHLS., INC.	MANCOZEB	VANZER 75 WDG/DF	750 g/kg	WDG/DF	FUNGICIDE	4	473-053-2662	17-Sep-25	-	Cotton	Damping off	-	-	-	As soon as solution has dried up
AGRO ADVANCED INTERNATIONAL PHLS., INC.	MANCOZEB	VANZER 75 WDG/DF	750 g/kg	WDG/DF	FUNGICIDE	4	473-053-2662	17-Sep-25	-	Lettuce	Downy Mildew	-	-	-	As soon as solution has dried up
AGRO ADVANCED INTERNATIONAL PHLS., INC.	MANCOZEB	VANZER 75 WDG/DF	750 g/kg	WDG/DF	FUNGICIDE	4	473-053-2662	17-Sep-25	-	Beans	Anthracnose, Downy Mildew, Rust	-	-	-	As soon as solution has dried up
AGRO ADVANCED INTERNATIONAL PHLS., INC.	MANCOZEB	VANZER 75 WDG/DF	750 g/kg	WDG/DF	FUNGICIDE	4	473-053-2662	17-Sep-25	-	Peas	Anthracnose, Downy Mildew, Rust	-	-	-	As soon as solution has dried up
AGRO ADVANCED INTERNATIONAL PHLS., INC.	MANCOZEB	VANZER 75 WDG/DF	750 g/kg	WDG/DF	FUNGICIDE	4	473-053-2662	17-Sep-25	-	Mungo	Anthracnose, Downy Mildew, Rust	-	-	-	As soon as solution has dried up
AGRO ADVANCED INTERNATIONAL PHLS., INC.	MANCOZEB	VANZER 75 WDG/DF	750 g/kg	WDG/DF	FUNGICIDE	4	473-053-2662	17-Sep-25	-	Tomato	Early and late blight, Anthracnose ,Septoria leaf spot	-	-	-	As soon as solution has dried up
AGRO ADVANCED INTERNATIONAL PHLS., INC.	MANCOZEB	VANZER 75 WDG/DF	750 g/kg	WDG/DF	FUNGICIDE	4	473-053-2662	17-Sep-25	-	Onion	Purple blotch, Downy mildew, Botrytis leaf Blight	-	-	-	As soon as solution has dried up
AGRO ADVANCED INTERNATIONAL PHLS., INC.	MANCOZEB	VANZER 75 WDG/DF	750 g/kg	WDG/DF	FUNGICIDE	4	473-053-2662	17-Sep-25	-	Garlic	Purple blotch, Downy mildew, Botrytis leaf Blight	-	-	-	As soon as solution has dried up
AGRO ADVANCED INTERNATIONAL PHLS., INC.	MANCOZEB	VANZER 75 WDG/DF	750 g/kg	WDG/DF	FUNGICIDE	4	473-053-2662	17-Sep-25	-	Pepper	Anthracnose	-	-	-	As soon as solution has dried up
AGRO ADVANCED INTERNATIONAL PHLS., INC.	MANCOZEB	VANZER 75 WDG/DF	750 g/kg	WDG/DF	FUNGICIDE	4	473-053-2662	17-Sep-25	-	Eggplant	Blight, Anthracnose	-	-	-	As soon as solution has dried up
AGRO ADVANCED INTERNATIONAL PHLS., INC.	MANCOZEB	VANZER 75 WDG/DF	750 g/kg	WDG/DF	FUNGICIDE	4	473-053-2662	17-Sep-25	-	Banana	Sigatoka, Black leaf streak	-	-	-	As soon as solution has dried up
AGRO ADVANCED INTERNATIONAL PHLS., INC.	MANCOZEB	VANZER 75 WDG/DF	750 g/kg	WDG/DF	FUNGICIDE	4	473-053-2662	17-Sep-25	-	Grapes	Downy Mildew, Black rot	-	-	-	As soon as solution has dried up
AGRO ADVANCED INTERNATIONAL PHLS., INC.	MANCOZEB	VANZER 75 WDG/DF	750 g/kg	WDG/DF	FUNGICIDE	4	473-053-2662	17-Sep-25	-	Mango	Anthracnose, and scab	-	-	-	As soon as solution has dried up
AGRO ADVANCED INTERNATIONAL PHLS., INC.	MANCOZEB	VANZER 75 WDG/DF	750 g/kg	WDG/DF	FUNGICIDE	4	473-053-2662	17-Sep-25	-	Papaya	Fruit rot	-	-	-	As soon as solution has dried up
AGRO ADVANCED INTERNATIONAL PHLS., INC.	MANCOZEB	VANZER 75 WDG/DF	750 g/kg	WDG/DF	FUNGICIDE	4	473-053-2662	17-Sep-25	-	Melon	Downy mildew, Anthracnose, Scab	-	-	-	As soon as solution has dried up
AGRO ADVANCED INTERNATIONAL PHLS., INC.	MANCOZEB	VANZER 75 WDG/DF	750 g/kg	WDG/DF	FUNGICIDE	4	473-053-2662	17-Sep-25	-	Watermelon	Downy mildew, Anthracnose, Scab	-	-	-	As soon as solution has dried up

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
AGRO ADVANCED INTERNATIONAL PHLS, INC.	MANCOZEB	VANZER 75 WG/DF	750g/kg	WG/DF	FUNGICIDE	4	473-053-2662	17-Sep-25	-	Corn (sweet and popcorn)	Helminthosporium leaf spot				As soon as solution has dried up
AGRO ADVANCED INTERNATIONAL PHLS, INC.	MANCOZEB	VANZER 75 WG/DF	750g/kg	WG/DF	FUNGICIDE	4	473-053-2662	17-Sep-25	-	Rice	Blatt, Sheath blight, Cercospora leaf spot , Helminthosporium leaf spot		0.03ppm		As soon as solution has dried up
AGRO ADVANCED INTERNATIONAL PHLS, INC.	MANCOZEB	VANZER 75 WG/DF	750g/kg	WG/DF	FUNGICIDE	4	473-053-2662	17-Sep-25	-	Peanut	Cercospora leaf spot				As soon as solution has dried up
AGRO ADVANCED INTERNATIONAL PHLS, INC.	MANCOZEB	VANZER 75 WG/DF	750g/kg	WG/DF	FUNGICIDE	4	473-053-2662	17-Sep-25	-	Soybeans	Leaf rust				As soon as solution has dried up
AGRO ADVANCED INTERNATIONAL PHLS, INC.	MANCOZEB	VANZER 75 WG/DF	750g/kg	WG/DF	FUNGICIDE	4	473-053-2662	17-Sep-25	-	Ornamentals	Black spot, Blight, Anthracnose				As soon as solution has dried up
AGRO ADVANCED INTERNATIONAL PHLS, INC.	MANCOZEB	VANZER 600 OS	600 g/L	OS	FUNGICIDE	4	473-053-2665	17-Sep-25	-	Banana	Black sigatoka	4-5 kilos/ hectare	-		As soon as solution has dried up
AGRO ADVANCED INTERNATIONAL PHLS, INC.	MANCOZEB	VANZER 412F	412 g/L	F	FUNGICIDE	4	473-053-2664	17-Sep-25	-	Banana	Black Sigatoka	2-4 L/ hectare	-	Do not spray within 7 days before harvest	Do not enter the spray area within 2 days after spraying
FMC AGRO PHILIPPINES, INC.	CHLORANTHANILIPROLE	VANTACOR 600 SC	600 g/L	SC	INSECTICIDE	4	198-393-5796	29-Jul-26	-	Sugarcane	Sugarcane borer	0.125-0.167 L/ha		240-300 days	
JOEFABS AGRICHEM CORPORATION	DIFENOCONAZOLE	VANQLISH 250 EC	250 g/L	EC	FUNGICIDE	4	538-272-3664	14-Mar-22	SYSTEMIC	Banana	Black Sigatoka	0.30-0.40 L prod/ha			
JOEFABS AGRICHEM CORPORATION	DIFENOCONAZOLE	VANQLISH 250 EC	250 g/L	EC	FUNGICIDE	4	538-272-3664	14-Mar-22	SYSTEMIC	Mango	Anthracnose	0.528-0.88 L/ha			
JOEFABS AGRICHEM CORPORATION	DIFENOCONAZOLE	VANQLISH 250 EC	250 g/L	EC	FUNGICIDE	4	538-272-3664	14-Mar-22	SYSTEMIC	Rice	Sheath-Blight	0.25-0.30 L/ha			
JOEFABS AGRICHEM CORPORATION	DIFENOCONAZOLE	VANQLISH 250 EC	250 g/L	EC	FUNGICIDE	4	538-272-3664	14-Mar-22	SYSTEMIC	Stringbeans	Leaf spot	0.20-0.30 L/ha			
JOEFABS AGRICHEM CORPORATION	DIFENOCONAZOLE	VANQLISH 250 EC	250 g/L	EC	FUNGICIDE	4	538-272-3664	14-Mar-22	SYSTEMIC	Eggplant	Leaf Spot	0.20-0.30 L/ha			
JOEFABS AGRICHEM CORPORATION	DIFENOCONAZOLE	VANQLISH 250 EC	250 g/L	EC	FUNGICIDE	4	538-272-3664	14-Mar-22	SYSTEMIC	Tomato	Alternaria leaf spot, cercospora leafmold,powdery mildew	0.20-0.30 L/ha			
JOEFABS AGRICHEM CORPORATION	DIFENOCONAZOLE	VANQLISH 250 EC	250 g/L	EC	FUNGICIDE	4	538-272-3664	14-Mar-22	SYSTEMIC	Cabbage	Ringspot,alternaria	0.20-0.30 L/ha			
JOEFABS AGRICHEM CORPORATION	DIFENOCONAZOLE	VANQLISH 250 EC	250 g/L	EC	FUNGICIDE	4	538-272-3664	14-Mar-22	SYSTEMIC	Onion	Purple blotch	0.40-0.50 L/ha			
JOEFABS AGRICHEM CORPORATION	DIFENOCONAZOLE	VANQLISH 250 EC	250 g/L	EC	FUNGICIDE	4	538-272-3664	14-Mar-22	SYSTEMIC	Asparagus	Stem and leaf blight	0.36 L/ha			
JOCANIMA CORPORATION	IOXINIE	VANDINE	21.86 g/L	SL	OTHERS	3	141-449-8375	04-Feb-24	-	Cavendish Banana as tool	Moko disease caused by Ralstonia Solanacearum Race 2 and Panama disease caused by Fusarium oxysporum	10-20mL/L water	-		
VANN HAWK AGRO CHEMICALS, INC.	CHLOROTHALONIL	VANNRICH 230 SC	720 g/L	SC	FUNGICIDE	4	295-118-2943	05-Dec-26	-	Potato	Early blight, late blight, vine rot	1.00-1.80 L/ha or 4.5-6.0 tbsp/36L		7-14 days	Do not enter treatment areas until spray deposit have dried
VANN HAWK AGRO CHEMICALS, INC.	CHLOROTHALONIL	VANNRICH 720 SC	720 g/L	SC	FUNGICIDE	4	295-118-2943	05-Dec-26	-	Tomato	Early blight, late blight, vine rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L		7-14 days	Do not enter treatment areas until spray deposit have dried
VANN HAWK AGRO CHEMICALS, INC.	CHLOROTHALONIL	VANNRICH 720 SC	720 g/L	SC	FUNGICIDE	4	295-118-2943	05-Dec-26	-	Beans	Rust, anthracnose	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L		7-14 days	Do not enter treatment areas until spray deposit have dried
VANN HAWK AGRO CHEMICALS, INC.	CHLOROTHALONIL	VANNRICH 720 SC	720 g/L	SC	FUNGICIDE	4	295-118-2943	05-Dec-26	-	Carrot	Alternaria, cercospora, helminthosporium	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L		7-14 days	Do not enter treatment areas until spray deposit have dried
VANN HAWK AGRO CHEMICALS, INC.	CHLOROTHALONIL	VANNRICH 720 SC	720 g/L	SC	FUNGICIDE	4	295-118-2943	05-Dec-26	-	Crucifers	Powdery mildew	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L		7-14 days	Do not enter treatment areas until spray deposit have dried
VANN HAWK AGRO CHEMICALS, INC.	CHLOROTHALONIL	VANNRICH 720 SC	720 g/L	SC	FUNGICIDE	4	295-118-2943	05-Dec-26	-	Melon	Powdery mildew, Downy mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L		7-14 days	Do not enter treatment areas until spray deposit have dried
VANN HAWK AGRO CHEMICALS, INC.	CHLOROTHALONIL	VANNRICH 720 SC	720 g/L	SC	FUNGICIDE	4	295-118-2943	05-Dec-26	-	Cucumber	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L		7-14 days	Do not enter treatment areas until spray deposit have dried
VANN HAWK AGRO CHEMICALS, INC.	CHLOROTHALONIL	VANNRICH 720 SC	720 g/L	SC	FUNGICIDE	4	295-118-2943	05-Dec-26	-	Squash	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L		7-14 days	Do not enter treatment areas until spray deposit have dried
VANN HAWK AGRO CHEMICALS, INC.	CHLOROTHALONIL	VANNRICH 720 SC	720 g/L	SC	FUNGICIDE	4	295-118-2943	05-Dec-26	-	Watermelon	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L		7-14 days	Do not enter treatment areas until spray deposit have dried
VANN HAWK AGRO CHEMICALS, INC.	CHLOROTHALONIL	VANNRICH 720 SC	720 g/L	SC	FUNGICIDE	4	295-118-2943	05-Dec-26	-	Celery	Early blight, late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L		7-14 days	Do not enter treatment areas until spray deposit have dried
VANN HAWK AGRO CHEMICALS, INC.	CHLOROTHALONIL	VANNRICH 720 SC	720 g/L	SC	FUNGICIDE	4	295-118-2943	05-Dec-26	-	Eggplant	Early blight, late blight, cercospora leafspot, anthracnose	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L		7-14 days	Do not enter treatment areas until spray deposit have dried
VANN HAWK AGRO CHEMICALS, INC.	CHLOROTHALONIL	VANNRICH 720 SC	720 g/L	SC	FUNGICIDE	4	295-118-2943	05-Dec-26	-	Onion	Purple blotch, bulb rot, neck rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L		7-14 days	Do not enter treatment areas until spray deposit have dried
VANN HAWK AGRO CHEMICALS, INC.	CHLOROTHALONIL	VANNRICH 720 SC	720 g/L	SC	FUNGICIDE	4	295-118-2943	05-Dec-26	-	Pepper	Early and late blight, bulb rot, neck rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L		7-14 days	Do not enter treatment areas until spray deposit have dried
VANN HAWK AGRO CHEMICALS, INC.	CHLOROTHALONIL	VANNRICH 720 SC	720 g/L	SC	FUNGICIDE	4	295-118-2943	05-Dec-26	-	Grapes	Downy mildew, powdery mildew, fruit rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L		7-14 days	Do not enter treatment areas until spray deposit have dried
VANN HAWK AGRO CHEMICALS, INC.	CHLOROTHALONIL	VANNRICH 720 SC	720 g/L	SC	FUNGICIDE	4	295-118-2943	05-Dec-26	-	Mango	Anthracnose, diploidia rot	0.75-1.40 L/ha or 4.5-6.0 tbsp/36 L	0.5 mg/kg	7-14 days	Do not enter treatment areas until spray deposit have dried
VANN HAWK AGRO CHEMICALS, INC.	CHLOROTHALONIL	VANNRICH 720 SC	720 g/L	SC	FUNGICIDE	4	295-118-2943	05-Dec-26	-	Ornamentals	Black spot, powdery mildew, black rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L		7-14 days	Do not enter treatment areas until spray deposit have dried
VANN HAWK AGRO CHEMICALS, INC.	CHLOROTHALONIL	VANNRICH 720 SC	720 g/L	SC	FUNGICIDE	4	295-118-2943	05-Dec-26	-	Asparagus	Stem and leaf blight	1.80 L/ha		7-14 days	Do not enter treatment areas until spray deposit have dried
VANN HAWK AGRO CHEMICALS, INC.	CHLOROTHALONIL	VANNRICH 720 SC	720 g/L	SC	FUNGICIDE	4	295-118-2943	05-Dec-26	-	Banana	Black sigatoka	1.38 L/ha	2.0 mg/kg	0 day	Do not enter treatment areas until spray deposit have dried
VANN HAWK AGRO CHEMICALS, INC.	PYRIBENZODIM-CHALCOPROP-BUTYLE	VANNCHOR ULTRA 85 EC	80 g/L 25 g/L	EC	HERBICIDE	3	395-453-5024	27-Jan-26	-	Rice (Direct-seeded)	Grasses, sedges & broadleaves	8.5-10 Tbsp/36L water			
VANN HAWK AGRO CHEMICALS, INC.	MALATHION	VANN HAWK MALATHION 57 EC	170/00	EC	INSECTICIDE	4	295-038-1698	15-Apr-22	NON-SYSTEMIC	Fruit trees	Aphids, mealy bug scale insect	1.5-3.0 tbsp/36 L water		One (1) day after each spraying	One (1) day after each spraying
VANN HAWK AGRO CHEMICALS, INC.	MALATHION	VANN HAWK MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	295-038-1698	15-Apr-22	NON-SYSTEMIC	Rice	Armyworm, caseworm, leafhopper, bugs	2.0-3.0Tbsp/36 L water		One (1) day after each spraying	One (1) day after each spraying
VANN HAWK AGRO CHEMICALS, INC.	MALATHION	VANN HAWK MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	295-038-1698	15-Apr-22	NON-SYSTEMIC	Corn	Earworm, silkworm, aphids, grasshopper	3.0-5.0Tbsp/36 L water		One (1) day after each spraying	One (1) day after each spraying
VANN HAWK AGRO CHEMICALS, INC.	MALATHION	VANN HAWK MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	295-038-1698	15-Apr-22	NON-SYSTEMIC	Cabbage	Cabbage worm, looper, diamond-back moth	2.0-5.0Tbsp/36 L water		One (1) day after each spraying	One (1) day after each spraying
VANN HAWK AGRO CHEMICALS, INC.	MALATHION	VANN HAWK MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	295-038-1698	15-Apr-22	NON-SYSTEMIC	Legumes	Aphids, beanfly, cutworm, flea beetles, leafminer, maggots, mealybug, podborer, thrips	3.0-5.0Tbsp/36 L water		One (1) day after each spraying	One (1) day after each spraying
VANN HAWK AGRO CHEMICALS, INC.	MALATHION	VANN HAWK MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	295-038-1698	15-Apr-22	NON-SYSTEMIC	Grapes	Beetles, cutworm, leafhopper, mealybug, scale, insect, spider mites	3.0Tbsp/36 L water		One (1) day after each spraying	One (1) day after each spraying
VANN HAWK AGRO CHEMICALS, INC.	MALATHION	VANN HAWK MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	295-038-1698	15-Apr-22	NON-SYSTEMIC	Pineapple	Mealy bug	3.0Tbsp/36 L water		One (1) day after each spraying	One (1) day after each spraying
VANN HAWK AGRO CHEMICALS, INC.	MALATHION	VANN HAWK MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	295-038-1698	15-Apr-22	NON-SYSTEMIC	Pepper	Aphid, cutworm, fruitworm	3.0Tbsp/36 L water		One (1) day after each spraying	One (1) day after each spraying
VANN HAWK AGRO CHEMICALS, INC.	MALATHION	VANN HAWK MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	295-038-1698	15-Apr-22	NON-SYSTEMIC	Garlic	Cutworm	3.0Tbsp/36 L water		One (1) day after each spraying	One (1) day after each spraying
VANN HAWK AGRO CHEMICALS, INC.	MALATHION	VANN HAWK MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	295-038-1698	15-Apr-22	NON-SYSTEMIC	Onion	Cutworm	3.0Tbsp/36 L water		One (1) day after each spraying	One (1) day after each spraying
VANN HAWK AGRO CHEMICALS, INC.	MALATHION	VANN HAWK MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	295-038-1698	15-Apr-22	NON-SYSTEMIC	Tobacco	Aphids, katydid	3.0-6.0Tbsp/36 L water		One (1) day after each spraying	One (1) day after each spraying
VANN HAWK AGRO CHEMICALS, INC.	MALATHION	VANN HAWK MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	295-038-1698	15-Apr-22	NON-SYSTEMIC	Ornamentals	Aphids, cutworm, mealybug, scale insect, spider mites	3.0-5.0Tbsp/36 L water		One (1) day after each spraying	One (1) day after each spraying
VANN HAWK AGRO CHEMICALS, INC.	MALATHION	VANN HAWK MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	295-038-1698	15-Apr-22	NON-SYSTEMIC	Tomato	Lady beetle	3.0-5.0Tbsp/36 L water		One (1) day after each spraying	One (1) day after each spraying
VANN HAWK AGRO CHEMICALS, INC.	MALATHION	VANN HAWK MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	295-038-1698	15-Apr-22	NON-SYSTEMIC	Eggplant	Aphids, fruitworm	3.0-5.0Tbsp/36 L water		One (1) day after each spraying	One (1) day after each spraying
VANN HAWK AGRO CHEMICALS, INC.	MALATHION	VANN HAWK MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	295-038-1698	15-Apr-22	NON-SYSTEMIC	Sorghum	Web worm	3.0Tbsp/36 L water		One (1) day after each spraying	One (1) day after each spraying
VANN HAWK AGRO CHEMICALS, INC.	DIURON	VANN HAWK DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	295-021-4756	02-Oct-25	SYSTEMIC	Citrus	Grasses, annual & perennial broadleaves	13.0-19.0Tbsp/36 L water	-	-	Enter treated field 24 hours after application
VANN HAWK AGRO CHEMICALS, INC.	DIURON	VANN HAWK DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	295-021-4756	02-Oct-25	SYSTEMIC	Coffee	Grasses, annual & perennial broadleaves	13.0-19.0Tbsp/36 L water	-	-	Enter treated field 24 hours after application
VANN HAWK AGRO CHEMICALS, INC.	DIURON	VANN HAWK DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	295-021-4756	02-Oct-25	SYSTEMIC	Cotton	Grasses, annual & perennial broadleaves	6.0Tbsp/36 L water	-	-	Enter treated field 24 hours after application
VANN HAWK AGRO CHEMICALS, INC.	DIURON	VANN HAWK DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	295-021-4756	02-Oct-25	SYSTEMIC	Sugarcane	Grasses, annual & perennial broadleaves	6.3-13.0Tbsp/36 L water	-	-	Enter treated field 24 hours after application

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
VANN HAWK AGRO CHEMICALS, INC.	DURION	VANN HAWK DURION 80 WP	800 g/kg	WP	HERBICIDE	4	295-021-4756	02-Oct-25	SYSTEMIC	Pineapple	Grasses, annual & perennial broadleaves	11.0Tbsp/16 L water	-	-	Enter treated field 24 hours after application
VANN HAWK AGRO CHEMICALS, INC.	DURION	VANN HAWK DURION 80 WP	800 g/kg	WP	HERBICIDE	4	295-021-4756	02-Oct-25	SYSTEMIC	Non-crop land	Grasses, annual & perennial broadleaves	20.0-28.0Tbsp/16 L water	-	-	Enter treated field 24 hours after application
VANN HAWK AGRO CHEMICALS, INC.	ATRAZINE	VANN HAWK ATRAZINE	800 g/kg	WP	HERBICIDE	4	295-005-2805	29-Apr-26	SELECTIVE (PRE-EMERGENT)	Corn	Broadleaf weeds & annual grasses	8-12Tbsp/16 L water	-	-	Do not enter treated fields within 5 days after application
VANN HAWK AGRO CHEMICALS, INC.	ATRAZINE	VANN HAWK ATRAZINE	800 g/kg	WP	HERBICIDE	4	295-005-2805	29-Apr-26	SELECTIVE (PRE-EMERGENT)	Sorghum	Broadleaf weeds & annual grasses	8-12Tbsp/16 L water	-	-	Do not enter treated fields within 5 days after application
VANN HAWK AGRO CHEMICALS, INC.	ATRAZINE	VANN HAWK ATRAZINE	800 g/kg	WP	HERBICIDE	4	295-005-2805	29-Apr-26	SELECTIVE (PRE-EMERGENT)	Sugarcane	Broadleaf weeds & annual grasses	8-12Tbsp/16 L water	-	-	Do not enter treated fields within 5 days after application
VANN HAWK AGRO CHEMICALS, INC.	2,4-D IBE	VANN HAWK 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	295-040-2876	01-Oct-24	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual broadleaves & sedges	5.0-6.50Tbsp/16 L water	0.1 ppm	-	Entry to field and crops treated with VANN HAWK 2,4-D ESTER 400 EC can be done on day after spraying
VANN HAWK AGRO CHEMICALS, INC.	2,4-D IBE	VANN HAWK 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	295-040-2876	01-Oct-24	SELECTIVE (POST-EMERGENT)	Corn	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	-	-	Entry to field and crops treated with VANN HAWK 2,4-D ESTER 400 EC can be done on day after spraying
VANN HAWK AGRO CHEMICALS, INC.	2,4-D IBE	VANN HAWK 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	295-040-2876	01-Oct-24	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	-	-	Entry to field and crops treated with VANN HAWK 2,4-D ESTER 400 EC can be done on day after spraying
VANN HAWK AGRO CHEMICALS, INC.	2,4-D AMINE	VANN HAWK 2,4-D AMINE	400 g/L	EC	HERBICIDE	2	295-013-2116	01-Oct-24	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual broadleaves and sedges	3.5-6.5Tbsp/16 L water	0.1 ppm	-	Entry to fields and crops treated with VANN HAWK 2,4-D AMINE can be done one day after spraying
VANN HAWK AGRO CHEMICALS, INC.	2,4-D AMINE	VANN HAWK 2,4-D AMINE	400 g/L	EC	HERBICIDE	2	295-013-2116	01-Oct-24	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual broadleaves and sedges	11-25 Tbsp/16 L water	-	-	Entry to fields and crops treated with VANN HAWK 2,4-D AMINE can be done one day after spraying
VANN HAWK AGRO CHEMICALS, INC.	2,4-D AMINE	VANN HAWK 2,4-D AMINE	400 g/L	EC	HERBICIDE	2	295-013-2116	01-Oct-24	SELECTIVE (POST-EMERGENT)	Corn	Annual broadleaves and sedges	5-6.5 Tbsp/16 L water	-	-	Entry to fields and crops treated with VANN HAWK 2,4-D AMINE can be done one day after spraying
SYNGENTA PHILIPPINES INC.	CYCLOTRIFLURAM	VANIVA 450 SC	400 g/L	SC	FUNGICIDE	4	532-620-6138	25-May-24	-	Banana	Fusarium wilt (<i>Fusarium oxysporum</i> f. sp. Cubense TR4)	2L solution/ plant; 14 mL prod/ 100L water; 6.3 grams active ingredient/ 100L	-	-	-
GOLDEN FARMERS AGRICULTURAL CORPORATION	BUTACHLOR	VANESH 60 EC	600 g/L	EC	HERBICIDE	4	603-150-4316	03-Apr-21	PRE-EMERGENT	Rice (Direct-seeded)	Grasses and sedges	9Tbsp (2-4 DAT)/9Tbsp(0-4 DAT) 9Tbsp 7Tbsp	0.1 ppm	-	-
GOLDEN FARMERS AGRICULTURAL CORPORATION	BUTACHLOR	VANESH 60 EC	600 g/L	EC	HERBICIDE	4	603-150-4316	03-Apr-21	PRE-EMERGENT	Rice (Transplanted)	Grasses and sedges	9Tbsp (4 DAT), 7Tbsp (2-4 DAT), 11Tbsp (3 DAT)	0.1 ppm	-	-
LIHEMPHIL INTERNATIONAL INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	VALIDANT 347 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	590-395-5652	29-Dec-24	-	Banana	Flower thrips	1-3 mL/	-	90 days	Do not enter treated field for at least 1 day after application
LIHEMPHIL INTERNATIONAL INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	VALIDANT 347 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	590-395-5652	29-Dec-24	-	Interguard	Aphids, cutworm, fruitfly, leafhoppers, thrips	100-400 mL/ha ; 4-13 mL/ 16 L water	-	7 days	Do not enter treated field for at least 1 day after application
LIHEMPHIL INTERNATIONAL INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	VALIDANT 347 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	590-395-5652	29-Dec-24	-	Corn	Aphids, asiatic corn borer, cutworm, earworm, leafhopper	200-400ml product/ha, 10-10-16.0 mL product/16L	-	3 days	Do not enter treated field for at least 1 day after application
LIHEMPHIL INTERNATIONAL INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	VALIDANT 347 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	590-395-5652	29-Dec-24	-	Eggplant	Whiteflies, green leafhopper, aphids	100-200ml product/ha, 4-4 mL/16 L	-	7 days	Do not enter treated field for at least 1 day after application
LIHEMPHIL INTERNATIONAL INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	VALIDANT 347 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	590-395-5652	29-Dec-24	-	Mango	Capid bug, cecid fly, fruitfly, leafhoppers, tip borers	-	-	3 days	Do not enter treated field for at least 1 day after application
LIHEMPHIL INTERNATIONAL INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	VALIDANT 347 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	590-395-5652	29-Dec-24	-	Potato	Aphids, thrips, whiteflies	100-200ml product/ha, 4-4 mL/16 L	-	7 days	Do not enter treated field for at least 1 day after application
LIHEMPHIL INTERNATIONAL INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	VALIDANT 347 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	590-395-5652	29-Dec-24	-	Stringbeans	Aphids, green leafhoppers, mites	100-200ml product/ha, 4-4 mL/16 L	-	7 days	Do not enter treated field for at least 1 day after application
LIHEMPHIL INTERNATIONAL INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	VALIDANT 347 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	590-395-5652	29-Dec-24	-	Rice	Stem borer	100-200 mL/ha ; 10-30 mL/ 16 L water	-	14 days	Do not enter treated field for at least 1 day after application
VETMATE FARMS CORPORATION	OMYFLUORFEN	VALTAP 24 EC	240 g/L	EC	HERBICIDE	4	658-123-6430	4-Aug-26	SELECTIVE (PRE/POST-EMERGENCE)	Onion	Broadleaves, sedges and grasses	2-4 Tbsp/16L water	-	-	-
EVERLAND AGRICULTURAL CORPORATION	METHOMYL	VALOR 40 SP	400 g/kg	SP	INSECTICIDE	2	261-164-3291	24-Sep-21	CONTACT	Asparagus	Armyworm, cutworm	2.0-2.5 Tbsp/16 L sprayer	-	-	Re-entry to treated field is allowed as soon as spray deposits dry
EVERLAND AGRICULTURAL CORPORATION	METHOMYL	VALOR 40 SP	400 g/kg	SP	INSECTICIDE	2	261-164-3291	24-Sep-21	CONTACT	Banana	Thrips	3.3-4.5 Tbsp/16L water	-	-	Re-entry to treated field is allowed as soon as spray deposits dry
EVERLAND AGRICULTURAL CORPORATION	METHOMYL	VALOR 40 SP	400 g/kg	SP	INSECTICIDE	2	261-164-3291	24-Sep-21	CONTACT	Beans	Leafroller, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/16L water	-	-	Re-entry to treated field is allowed as soon as spray deposits dry
EVERLAND AGRICULTURAL CORPORATION	METHOMYL	VALOR 40 SP	400 g/kg	SP	INSECTICIDE	2	261-164-3291	24-Sep-21	CONTACT	Mungbeans	Leafroller, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/16L water	-	-	Re-entry to treated field is allowed as soon as spray deposits dry
EVERLAND AGRICULTURAL CORPORATION	METHOMYL	VALOR 40 SP	400 g/kg	SP	INSECTICIDE	2	261-164-3291	24-Sep-21	CONTACT	Soybeans	Leafroller, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/16L water	-	-	Re-entry to treated field is allowed as soon as spray deposits dry
EVERLAND AGRICULTURAL CORPORATION	METHOMYL	VALOR 40 SP	400 g/kg	SP	INSECTICIDE	2	261-164-3291	24-Sep-21	CONTACT	Sitao	Leafroller, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/16L water	-	-	Re-entry to treated field is allowed as soon as spray deposits dry
EVERLAND AGRICULTURAL CORPORATION	METHOMYL	VALOR 40 SP	400 g/kg	SP	INSECTICIDE	2	261-164-3291	24-Sep-21	CONTACT	Corn	Comborer, earworm	2.0-3.5 Tbsp/16L water	-	-	Re-entry to treated field is allowed as soon as spray deposits dry
EVERLAND AGRICULTURAL CORPORATION	METHOMYL	VALOR 40 SP	400 g/kg	SP	INSECTICIDE	2	261-164-3291	24-Sep-21	CONTACT	Sorghum	Comborer,earworm	2.0-3.5 Tbsp/16L water	-	-	Re-entry to treated field is allowed as soon as spray deposits dry
EVERLAND AGRICULTURAL CORPORATION	METHOMYL	VALOR 40 SP	400 g/kg	SP	INSECTICIDE	2	261-164-3291	24-Sep-21	CONTACT	Eggplant	Aphids, flea beetle , fruitworm, lady beetle	2.0-3.5 Tbsp/16L water	-	-	Re-entry to treated field is allowed as soon as spray deposits dry
EVERLAND AGRICULTURAL CORPORATION	METHOMYL	VALOR 40 SP	400 g/kg	SP	INSECTICIDE	2	261-164-3291	24-Sep-21	CONTACT	Melon	Aphids, squash beetle , leafroller	1 sachet/16L Sprayer	-	-	Re-entry to treated field is allowed as soon as spray deposits dry
EVERLAND AGRICULTURAL CORPORATION	METHOMYL	VALOR 40 SP	400 g/kg	SP	INSECTICIDE	2	261-164-3291	24-Sep-21	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leafroller	2.0-3.5 Tbsp/16L water	0.01ppm	3 Days	Re-entry to treated field is allowed as soon as spray deposits dry
EVERLAND AGRICULTURAL CORPORATION	METHOMYL	VALOR 40 SP	400 g/kg	SP	INSECTICIDE	2	261-164-3291	24-Sep-21	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	2.0-3.5 Tbsp/16L water	-	-	Re-entry to treated field is allowed as soon as spray deposits dry
EVERLAND AGRICULTURAL CORPORATION	METHOMYL	VALOR 40 SP	400 g/kg	SP	INSECTICIDE	2	261-164-3291	24-Sep-21	CONTACT	Tomato	Tomato fruitworm, aphids	2.0-3.5 Tbsp/16L water	-	-	Re-entry to treated field is allowed as soon as spray deposits dry
UNITED AGROSCIENCE PHILS., INC.	THIAMETHOXAM	VALENTE 25 WG	250g/L	WG	INSECTICIDE	4	602-312-4278	05-Mar-24	SYSTEMIC/CONTACT	Pineapple	Mealy bug	100-200 g/ha	0.05 mg/kg	-	No PHI proposed as last application of Gladiator will be 435 days before harvest
UNITED AGROSCIENCE PHILS., INC.	THIAMETHOXAM	VALENTE 25 WG	250g/L	WG	INSECTICIDE	4	602-312-4278	05-Mar-24	SYSTEMIC/CONTACT	Mango	Leafhopper	105-6-123.2g prod/ha	0.20 mg/kg	-	No PHI proposed as the product will be applied at least 2010-40 days before harvest
UNITED AGROSCIENCE PHILS., INC.	THIAMETHOXAM	VALENTE 25 WG	250g/L	WG	INSECTICIDE	4	602-312-4278	05-Mar-24	SYSTEMIC/CONTACT	Rice	Green leafhopper, brown plant hopper, white backed planthopper, Rice bug, Black bug	4.0-5.0 Tbsp/16L water; For black bug 7.0-9.0 Tbsp/16L water	-	28 days	Do not enter unless spray deposits have dried
UNITED AGROSCIENCE PHILS., INC.	THIAMETHOXAM	VALENTE 25 WG	250g/L	WG	INSECTICIDE	4	602-312-4278	05-Mar-24	SYSTEMIC/CONTACT	Stringbeans	Aphids, leafhopper	0.5-2.0 Drench, Foliar spray 2.0-5.0 Tbsp/16L water	-	7 days	Do not enter unless spray deposits have dried
UNITED AGROSCIENCE PHILS., INC.	THIAMETHOXAM	VALENTE 25 WG	250g/L	WG	INSECTICIDE	4	602-312-4278	05-Mar-24	SYSTEMIC/CONTACT	Eggplant	Aphids, leafhopper	0.5-2.0 Drench, Foliar spray 2.0-5.0 Tbsp/16L water	-	3 days	Do not enter unless spray deposits have dried
UNITED AGROSCIENCE PHILS., INC.	THIAMETHOXAM	VALENTE 25 WG	250g/L	WG	INSECTICIDE	4	602-312-4278	05-Mar-24	SYSTEMIC/CONTACT	Banana	Flower thrips	4 g/L	0.02 mg/kg	-	No PHI as it will be applied as bud injection
RADISSON AGROCHEMICAL CORPORATION	CHLOROTHALONIL	VALEANT 75 WP	750 g/kg	WP	FUNGICIDE	4	234-118-1296	13-Mar-25	-	Grapes	Downy mildew, powdery mildew, fruit rot	3.2-4.8 Tbsp/16L water	-	-	Do not enter treatment areas until spray deposit have dried
RADISSON AGROCHEMICAL CORPORATION	CHLOROTHALONIL	VALEANT 75 WP	750 g/kg	WP	FUNGICIDE	4	234-118-1296	13-Mar-25	-	Potato	Early and late blight, vine rot	3.2-4.8 Tbsp/16L water	-	-	Do not enter treatment areas until spray deposit have dried
RADISSON AGROCHEMICAL CORPORATION	CHLOROTHALONIL	VALEANT 75 WP	750 g/kg	WP	FUNGICIDE	4	234-118-1296	13-Mar-25	-	Tomato	Early and late blight, vine rot	3.2-4.8 Tbsp/16L water	-	-	Do not enter treatment areas until spray deposit have dried
RADISSON AGROCHEMICAL CORPORATION	CHLOROTHALONIL	VALEANT 75 WP	750 g/kg	WP	FUNGICIDE	4	234-118-1296	13-Mar-25	-	Banana	Sigatoka, rust, freckles	3.2-4.8 Tbsp/16L water	2.0 mg/Kg	-	Do not enter treatment areas until spray deposit have dried
RADISSON AGROCHEMICAL CORPORATION	CHLOROTHALONIL	VALEANT 75 WP	750 g/kg	WP	FUNGICIDE	4	234-118-1296	13-Mar-25	-	Peas	Rust, anthracnose	3.2-4.8 Tbsp/16L water	-	7 Days	Do not enter treatment areas until spray deposit have dried
RADISSON AGROCHEMICAL CORPORATION	CHLOROTHALONIL	VALEANT 75 WP	750 g/kg	WP	FUNGICIDE	4	234-118-1296	13-Mar-25	-	Beans	Rust, anthracnose	3.2-4.8 Tbsp/16L water	-	7 days	Do not enter treatment areas until spray deposit have dried
RADISSON AGROCHEMICAL CORPORATION	CHLOROTHALONIL	VALEANT 75 WP	750 g/kg	WP	FUNGICIDE	4	234-118-1296	13-Mar-25	-	Citrus	Scab, melanose	3.2-4.8 Tbsp/16L water	-	-	Do not enter treatment areas until spray deposit have dried
RADISSON AGROCHEMICAL CORPORATION	CHLOROTHALONIL	VALEANT 75 WP	750 g/kg	WP	FUNGICIDE	4	234-118-1296	13-Mar-25	-	Watermelon	Powdery mildew, anthracnose, early and late blight, cercospora leaf spot	3.2-4.8 Tbsp/16L water	-	-	Do not enter treatment areas until spray deposit have dried
RADISSON AGROCHEMICAL CORPORATION	CHLOROTHALONIL	VALEANT 75 WP	750 g/kg	WP	FUNGICIDE	4	234-118-1296	13-Mar-25	-	Garlic	Purple blotch, bulb rot, neck rot	3.2-4.8 Tbsp/16L water	-	7 days	Do not enter treatment areas until spray deposit have dried
RADISSON AGROCHEMICAL CORPORATION	CHLOROTHALONIL	VALEANT 75 WP	750 g/kg	WP	FUNGICIDE	4	234-118-1296	13-Mar-25	-	Onion	Purple blotch, bulb rot, neck rot	3.2-4.8 Tbsp/16L water	-	7 days	Do not enter treatment areas until spray deposit have dried
RADISSON AGROCHEMICAL CORPORATION	CHLOROTHALONIL	VALEANT 75 WP	750 g/kg	WP	FUNGICIDE	4	234-118-1296	13-Mar-25	-	Rice	Rice blast, stem rot, helminthosporium leaf spot, cercospora leaf spot, sheath blight	3.2-4.8 Tbsp/16L water	0.1ppm	14 Days	Do not enter treatment areas until spray deposit have dried
RADISSON AGROCHEMICAL CORPORATION	CHLOROTHALONIL	VALEANT 75 WP	750 g/kg	WP	FUNGICIDE	4	234-118-1296	13-Mar-25	-	Corn	Helminthosporium leafspot, rust, downy mildew	3.2-4.8 Tbsp/16L water	-	14 Days	Do not enter treatment areas until spray deposit have dried
RADISSON AGROCHEMICAL CORPORATION	CHLOROTHALONIL	VALEANT 75 WP	750 g/kg	WP	FUNGICIDE	4	234-118-1296	13-Mar-25	-	Catney	late blight	3.2-4.8 Tbsp/16L water	-	7 days	Do not enter treatment areas until spray deposit have dried
RADISSON AGROCHEMICAL CORPORATION	CHLOROTHALONIL	VALEANT 75 WP	750 g/kg	WP	FUNGICIDE	4	234-118-1296	13-Mar-25	-	Eggplant	Early and late blight, cercospora, leaf spot	3.2-4.8 Tbsp/16L water	-	-	Do not enter treatment areas until spray deposit have dried

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
RADISSON AGROCHEMICAL CORPORATION	CHLOROTHALONIL	VAUANT 75 WP	750 g/kg	WP	FUNGICIDE	4	234-118-1296	13-Mar-25	-	Pepper	Early and late blight, cercospora, leaf spot	3.2-4.8 Tbsp/36L water	-	-	Do not enter treatment areas until spray deposit have dried
RADISSON AGROCHEMICAL CORPORATION	CHLOROTHALONIL	VAUANT 75 WP	750 g/kg	WP	FUNGICIDE	4	234-118-1296	13-Mar-25	-	Melon	Anthracoze, powdery mildew, early and late blight, cercospora leaf spot	3.2-4.8 Tbsp/36L water	-	-	Do not enter treatment areas until spray deposit have dried
RADISSON AGROCHEMICAL CORPORATION	CHLOROTHALONIL	VAUANT 75 WP	750 g/kg	WP	FUNGICIDE	4	234-118-1296	13-Mar-25	-	Mango	Anthracoze, diploida rot	3.2-4.8 Tbsp/36L water	0.5 mg/kg	-	Do not enter treatment areas until spray deposit have dried
RADISSON AGROCHEMICAL CORPORATION	CHLOROTHALONIL	VAUANT 75 WP	750 g/kg	WP	FUNGICIDE	4	234-118-1296	13-Mar-25	-	Ornamentals	Black spot, black rot, powdery mildew	3.2-4.8 Tbsp/36L water	-	-	Do not enter treatment areas until spray deposit have dried
RADISSON AGROCHEMICAL CORPORATION	CHLOROTHALONIL	VAUANT 75 WP	750 g/kg	WP	FUNGICIDE	4	234-118-1296	13-Mar-25	-	Peanut	Cercospora leaf spot	3.2-4.8 Tbsp/36L water	-	14 days	Do not enter treatment areas until spray deposit have dried
RADISSON AGROCHEMICAL CORPORATION	CHLOROTHALONIL	VAUANT 75 WP	750 g/kg	WP	FUNGICIDE	4	234-118-1296	13-Mar-25	-	Lettuce	Downy mildew	3.2-4.8 Tbsp/36L water	-	-	Do not enter treatment areas until spray deposit have dried
RADISSON AGROCHEMICAL CORPORATION	CHLOROTHALONIL	VAUANT 75 WP	750 g/kg	WP	FUNGICIDE	4	234-118-1296	13-Mar-25	-	Cabbage	Powdery mildew	3.2-4.8 Tbsp/36L water	-	-	Do not enter treatment areas until spray deposit have dried
RADISSON AGROCHEMICAL CORPORATION	CHLOROTHALONIL	VAUANT 75 WP	750 g/kg	WP	FUNGICIDE	4	234-118-1296	13-Mar-25	-	Cauliflower	Powdery mildew	3.2-4.8 Tbsp/36L water	-	-	Do not enter treatment areas until spray deposit have dried
RADISSON AGROCHEMICAL CORPORATION	CHLOROTHALONIL	VAUANT 75 WP	750 g/kg	WP	FUNGICIDE	4	234-118-1296	13-Mar-25	-	Broccoli	Powdery mildew	3.2-4.8 Tbsp/36L water	-	-	Do not enter treatment areas until spray deposit have dried
RADISSON AGROCHEMICAL CORPORATION	CHLOROTHALONIL	VAUANT 75 WP	750 g/kg	WP	FUNGICIDE	4	234-118-1296	13-Mar-25	-	Carrot	Alternaria leaf spot, cercospora leaf spot	3.2-4.8 Tbsp/36L water	-	-	Do not enter treatment areas until spray deposit have dried
RADISSON AGROCHEMICAL CORPORATION	CHLOROTHALONIL	VAUANT 75 WP	750 g/kg	WP	FUNGICIDE	4	234-118-1296	13-Mar-25	-	Squash	Anthracoze, powdery mildew, early and late blight, cercospora leaf spot	3.2-4.8 Tbsp/36L water	-	-	Do not enter treatment areas until spray deposit have dried
RADISSON AGROCHEMICAL CORPORATION	CHLOROTHALONIL	VAUANT 720 SC	720 g/L	SC	FUNGICIDE	4	234-118-1785-A	03-Sep-24	-	Potato	Early blight, late blight, vine rot	1.00-1.80 L/ha or 4.5-5.5 tbsp/36L	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
RADISSON AGROCHEMICAL CORPORATION	CHLOROTHALONIL	VAUANT 720 SC	720 g/L	SC	FUNGICIDE	4	234-118-1785-A	03-Sep-24	-	Tomato	Early blight, late blight, vine rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
RADISSON AGROCHEMICAL CORPORATION	CHLOROTHALONIL	VAUANT 720 SC	720 g/L	SC	FUNGICIDE	4	234-118-1785-A	03-Sep-24	-	Beans	Rust, anthracnose	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
RADISSON AGROCHEMICAL CORPORATION	CHLOROTHALONIL	VAUANT 720 SC	720 g/L	SC	FUNGICIDE	4	234-118-1785-A	03-Sep-24	-	Carrot	Alternaria leaf spot, cercospora leaf spot, helminthosporium leaf spot	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
RADISSON AGROCHEMICAL CORPORATION	CHLOROTHALONIL	VAUANT 720 SC	720 g/L	SC	FUNGICIDE	4	234-118-1785-A	03-Sep-24	-	Crucifers	Powdery mildew	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
RADISSON AGROCHEMICAL CORPORATION	CHLOROTHALONIL	VAUANT 720 SC	720 g/L	SC	FUNGICIDE	4	234-118-1785-A	03-Sep-24	-	Melon	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
RADISSON AGROCHEMICAL CORPORATION	CHLOROTHALONIL	VAUANT 720 SC	720 g/L	SC	FUNGICIDE	4	234-118-1785-A	03-Sep-24	-	Cucumber	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
RADISSON AGROCHEMICAL CORPORATION	CHLOROTHALONIL	VAUANT 720 SC	720 g/L	SC	FUNGICIDE	4	234-118-1785-A	03-Sep-24	-	Squash	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
RADISSON AGROCHEMICAL CORPORATION	CHLOROTHALONIL	VAUANT 720 SC	720 g/L	SC	FUNGICIDE	4	234-118-1785-A	03-Sep-24	-	Watermelon	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
RADISSON AGROCHEMICAL CORPORATION	CHLOROTHALONIL	VAUANT 720 SC	720 g/L	SC	FUNGICIDE	4	234-118-1785-A	03-Sep-24	-	Celery	Early blight, late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
RADISSON AGROCHEMICAL CORPORATION	CHLOROTHALONIL	VAUANT 720 SC	720 g/L	SC	FUNGICIDE	4	234-118-1785-A	03-Sep-24	-	Eggplant	Early blight, late blight, cercospora leafspot, anthracnose	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
RADISSON AGROCHEMICAL CORPORATION	CHLOROTHALONIL	VAUANT 720 SC	720 g/L	SC	FUNGICIDE	4	234-118-1785-A	03-Sep-24	-	Onion	Purple blotch, bulb rot, neck rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
RADISSON AGROCHEMICAL CORPORATION	CHLOROTHALONIL	VAUANT 720 SC	720 g/L	SC	FUNGICIDE	4	234-118-1785-A	03-Sep-24	-	Pepper	Early blight, cercospora leaf spot, anthracnose	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
RADISSON AGROCHEMICAL CORPORATION	CHLOROTHALONIL	VAUANT 720 SC	720 g/L	SC	FUNGICIDE	4	234-118-1785-A	03-Sep-24	-	Grapes	Downy mildew, powdery mildew, fruit rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
RADISSON AGROCHEMICAL CORPORATION	CHLOROTHALONIL	VAUANT 720 SC	720 g/L	SC	FUNGICIDE	4	234-118-1785-A	03-Sep-24	-	Mango	Anthracoze, diploida rot	3.75-5.40 L/ha or 4.5-6.0 tbsp/36 L	0.5 mg/kg	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
RADISSON AGROCHEMICAL CORPORATION	CHLOROTHALONIL	VAUANT 720 SC	720 g/L	SC	FUNGICIDE	4	234-118-1785-A	03-Sep-24	-	Ornamentals	Black spot, powdery mildew, black rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
RADISSON AGROCHEMICAL CORPORATION	CHLOROTHALONIL	VAUANT 720 SC	720 g/L	SC	FUNGICIDE	4	234-118-1785-A	03-Sep-24	-	Asparagus	Stem and leaf blight	1.20 L/ha	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
RADISSON AGROCHEMICAL CORPORATION	CHLOROTHALONIL	VAUANT 720 SC	720 g/L	SC	FUNGICIDE	4	234-118-1785-A	03-Sep-24	-	Banana	Black sigatoka	1.38 L/ha	2.0 mg/kg	0 day	Do not enter treatment areas until spray deposit have dried
GALDIV AGRI TRADING CORPORATION	GLUFOSINATE AMMONIUM	VALEN 15 SL	150 g/L	SL	HERBICIDE	4	641-182-4933	30-Nov-25	NON-SELECTIVE/POST-EMERGENT	rubber	Weeds	250mL/36L water, 200mL/36 L water, 150mL/36L water	-	-	After spray deposits have dried
GALDIV AGRI TRADING CORPORATION	GLUFOSINATE AMMONIUM	VALEN 15 SL	150 g/L	SL	HERBICIDE	4	641-182-4933	30-Nov-25	NON-SELECTIVE/POST-EMERGENT	Oil palm	Weeds	300mL/36L water, 150mL/36 L water	-	-	After spray deposits have dried
GALDIV AGRI TRADING CORPORATION	GLUFOSINATE AMMONIUM	VALEN 15 SL	150 g/L	SL	HERBICIDE	4	641-182-4933	30-Nov-25	NON-SELECTIVE/POST-EMERGENT	Non-crop areas	Weeds	180-215mL/36 L water	-	-	After spray deposits have dried
GALDIV AGRI TRADING CORPORATION	GLUFOSINATE AMMONIUM	VALEN 15 SL	150 g/L	SL	HERBICIDE	4	641-182-4933	30-Nov-25	NON-SELECTIVE/POST-EMERGENT	Cavendish Banana	Weeds	300mL/36L water, 135-200mL/36 L water	0.2 mg/kg	-	After spray deposits have dried
NORTHERN PRIME TRADING CORPORATION	POLYETHYLENE SORBITAN GLYCOL POLYETHYLENE DODECYL ETHER	VAGARY MX	250 mL/L/450 mL/L	-	OTHERS	4	728-348-5924	4-Dec-25	-	-	As a surfactant on VAGARY 100 SC	-	-	-	-
NORTHERN PRIME TRADING CORPORATION	BISPIRIBAC SODIUM	VAGARY 100 SC	105.5 g/L	SC	HERBICIDE	4	728-276-5925	4-Dec-25	-	Rice (Direct-Seeded)	Grasses, sedges and broadleaves	-	-	-	As soon as spray deposits have dried.
NORTHERN PRIME TRADING CORPORATION	BISPIRIBAC SODIUM	VAGARY 100 SC	105.5 g/L	SC	HERBICIDE	4	728-276-5925	4-Dec-25	-	Rice (Transplanted)	Grasses, sedges and broadleaves	-	-	-	As soon as spray deposits have dried.
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	PROFENOFOS	VADER 500 EC	500 g/L	EC	INSECTICIDE	2	409-070-2532	09-Oct-23	CONTACT	Tomato	Fruitworm, armyworm, cutworm	3-5 Tbsp/36L water	-	14 days	Do not enter treated field 1 day after application
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	PROFENOFOS	VADER 500 EC	500 g/L	EC	INSECTICIDE	2	409-070-2532	09-Oct-23	CONTACT	Eggplant	Fruitborer, aphids, leafhopper, & thrips	1.5-3.0 Tbsp/36L water	-	14 days	Do not enter treated field 1 day after application
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	PROFENOFOS	VADER 500 EC	500 g/L	EC	INSECTICIDE	2	409-070-2532	09-Oct-23	CONTACT	Cabbage	Diamond back moth, cabbage worm & aphids, thrips	3-5 Tbsp/36L water	-	14 days	Do not enter treated field 1 day after application
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	PROFENOFOS	VADER 500 EC	500 g/L	EC	INSECTICIDE	2	409-070-2532	09-Oct-23	CONTACT	Watermelon	Thrips	3-5 Tbsp/36L water	-	14 days	Do not enter treated field 1 day after application
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	PROFENOFOS	VADER 500 EC	500 g/L	EC	INSECTICIDE	2	409-070-2532	09-Oct-23	CONTACT	Potato	Thrips, army worm, cutworm, tuber moth	3-5 Tbsp/36L water	-	14 days	Do not enter treated field 1 day after application
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	PROFENOFOS	VADER 500 EC	500 g/L	EC	INSECTICIDE	2	409-070-2532	09-Oct-23	CONTACT	Soybeans	Corn earworm, leafminer	3-5 Tbsp/36L water	-	14 days	Do not enter treated field 1 day after application
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	PROFENOFOS	VADER 500 EC	500 g/L	EC	INSECTICIDE	2	409-070-2532	09-Oct-23	CONTACT	Mungbeans	Corn earworm, leafminer	3-5 Tbsp/36L water	-	14 days	Do not enter treated field 1 day after application
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	PROFENOFOS	VADER 500 EC	500 g/L	EC	INSECTICIDE	2	409-070-2532	09-Oct-23	CONTACT	Cotton	Thrips, bollworm & budworm	3-5 Tbsp/36L water	-	14 days	Do not enter treated field 1 day after application
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	PROFENOFOS	VADER 500 EC	500 g/L	EC	INSECTICIDE	2	409-070-2532	09-Oct-23	CONTACT	Sitao	Beanyfly, leafroller & aphids	1.5-3.0 Tbsp/36L water	-	14 days	Do not enter treated field 1 day after application
UPL PHILIPPINES, INC.	MALATHION	UTHION 57 EC	570g/L	EC	INSECTICIDE	4	562-038-4825	15-Jun-24	NON-SYSTEMIC	Fruit trees	Aphids, mealy bug scale insect	1.5-3.0Tbsp/36L water	-	One (1) day after each spraying	One (1) day after each spraying
UPL PHILIPPINES, INC.	MALATHION	UTHION 57 EC	570g/L	EC	INSECTICIDE	4	562-038-4825	15-Jun-24	NON-SYSTEMIC	Rice	Armyworm, caseworm, leafhopper, bug	2.0-3.0Tbsp/36L water	-	One (1) day after each spraying	One (1) day after each spraying
UPL PHILIPPINES, INC.	MALATHION	UTHION 57 EC	570g/L	EC	INSECTICIDE	4	562-038-4825	15-Jun-24	NON-SYSTEMIC	Corn	Earworm, silkworm, aphids, grasshopper	3.0-5.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying
UPL PHILIPPINES, INC.	MALATHION	UTHION 57 EC	570g/L	EC	INSECTICIDE	4	562-038-4825	15-Jun-24	NON-SYSTEMIC	Cabbage	Cabbage worm, loopers, diamond back moth	2.0-5.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying
UPL PHILIPPINES, INC.	MALATHION	UTHION 57 EC	570g/L	EC	INSECTICIDE	4	562-038-4825	15-Jun-24	NON-SYSTEMIC	Legumes	Aphids, beanyfly, cutworm, flea beetles, leafminer, maggot, mealybug, podborer, thrips	2.0-5.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying
UPL PHILIPPINES, INC.	MALATHION	UTHION 57 EC	570g/L	EC	INSECTICIDE	4	562-038-4825	15-Jun-24	NON-SYSTEMIC	Grapes	Beetles, cutworm, leafhopper, mealybug, scale, insect, spider mites	3.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying
UPL PHILIPPINES, INC.	MALATHION	UTHION 57 EC	570g/L	EC	INSECTICIDE	4	562-038-4825	15-Jun-24	NON-SYSTEMIC	Pineapple	Mealy bug	3.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying
UPL PHILIPPINES, INC.	MALATHION	UTHION 57 EC	570g/L	EC	INSECTICIDE	4	562-038-4825	15-Jun-24	NON-SYSTEMIC	Pepper	Aphid, cutworm, fruitworm	3.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying
UPL PHILIPPINES, INC.	MALATHION	UTHION 57 EC	570g/L	EC	INSECTICIDE	4	562-038-4825	15-Jun-24	NON-SYSTEMIC	Garlic	Cutworm	3.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying
UPL PHILIPPINES, INC.	MALATHION	UTHION 57 EC	570g/L	EC	INSECTICIDE	4	562-038-4825	15-Jun-24	NON-SYSTEMIC	Onion	Cutworm	3.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying
UPL PHILIPPINES, INC.	MALATHION	UTHION 57 EC	570g/L	EC	INSECTICIDE	4	562-038-4825	15-Jun-24	NON-SYSTEMIC	Tobacco	Aphids, katydid	3.0-6.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
UPL PHILIPPINES, INC.	MALATHION	UTHION 57 EC	570g/L	EC	INSECTICIDE	4	162-038-4825	15-Jun-24	NON-SYSTEMIC	Ornamentals	Aphids, cutworm, mealybug, scale insect, spider mites	3.0-5.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
UPL PHILIPPINES, INC.	MALATHION	UTHION 57 EC	570g/L	EC	INSECTICIDE	4	162-038-4825	15-Jun-24	NON-SYSTEMIC	Tomato	Lady beetle	3.0-5.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
UPL PHILIPPINES, INC.	MALATHION	UTHION 57 EC	570g/L	EC	INSECTICIDE	4	162-038-4825	15-Jun-24	NON-SYSTEMIC	Eggplant	Aphids, fruitworm	3.0-5.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
UPL PHILIPPINES, INC.	MALATHION	UTHION 57 EC	570g/L	EC	INSECTICIDE	4	162-038-4825	15-Jun-24	NON-SYSTEMIC	Sorghum	Worm worm	3.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
MAGAN AGRO PHIL., ENTERPRISE, INC.	BROMACIL	URAGAN 80 WP	800 g/kg	WP	HERBICIDE	4	461-169-2576	28-Jul-23	NON-SELECTIVE	Pineapple	Annual & Perennial grasses	4.8kg/ha, 14 Tbsp/16 L water	-	-	Entry to treated fields may be done as soon as spray solution has dried on the foliage
PHILIPPINE FARMIX SOLUTIONS INC.	GLYPHOSATE IPA	UP-SHOT 480 SL	480 g/L	SL	HERBICIDE	4	535-151-3174	09-Jan-27	POST-EMERGENT	Glyphosate tolerant corn under minimum or reduced	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/ha	-	-	-
PHILIPPINE FARMIX SOLUTIONS INC.	GLYPHOSATE IPA	UP-SHOT 480 SL	480 g/L	SL	HERBICIDE	4	535-151-3174	09-Jan-27	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
PHILIPPINE FARMIX SOLUTIONS INC.	GLYPHOSATE IPA	UP-SHOT 480 SL	480 g/L	SL	HERBICIDE	4	535-151-3174	09-Jan-27	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
PHILIPPINE FARMIX SOLUTIONS INC.	GLYPHOSATE IPA	UP-SHOT 480 SL	480 g/L	SL	HERBICIDE	4	535-151-3174	09-Jan-27	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
PHILIPPINE FARMIX SOLUTIONS INC.	GLYPHOSATE IPA	UP-SHOT 480 SL	480 g/L	SL	HERBICIDE	4	535-151-3174	09-Jan-27	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
PHILIPPINE FARMIX SOLUTIONS INC.	GLYPHOSATE IPA	UP-SHOT 480 SL	480 g/L	SL	HERBICIDE	4	535-151-3174	09-Jan-27	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
PHILIPPINE FARMIX SOLUTIONS INC.	GLYPHOSATE IPA	UP-SHOT 480 SL	480 g/L	SL	HERBICIDE	4	535-151-3174	09-Jan-27	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
PHILIPPINE FARMIX SOLUTIONS INC.	GLYPHOSATE IPA	UP-SHOT 480 SL	480 g/L	SL	HERBICIDE	4	535-151-3174	09-Jan-27	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
PHILIPPINE FARMIX SOLUTIONS INC.	GLYPHOSATE IPA	UP-SHOT 480 SL	480 g/L	SL	HERBICIDE	4	535-151-3174	09-Jan-27	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/ha	-	-	-
PHILIPPINE FARMIX SOLUTIONS INC.	GLYPHOSATE IPA	UP-SHOT 480 SL	480 g/L	SL	HERBICIDE	4	535-151-3174	09-Jan-27	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
PHILIPPINE FARMIX SOLUTIONS INC.	GLYPHOSATE IPA	UP-SHOT 480 SL	480 g/L	SL	HERBICIDE	4	535-151-3174	09-Jan-27	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
PHILIPPINE FARMIX SOLUTIONS INC.	GLYPHOSATE IPA	UP-SHOT 480 SL	480 g/L	SL	HERBICIDE	4	535-151-3174	09-Jan-27	POST-EMERGENT	non-crop	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
UPL PHILIPPINES, INC.	DIURON	UPL DIURON 800 SC	800 g/kg	SC	HERBICIDE	4	162-021-5490	10-Jan-23	-	Citrus	Annual and Perennial broadleaves and grasses	11.0-19.0 Tbsp/ 16L water	-	-	24 hours, After application
UPL PHILIPPINES, INC.	DIURON	UPL DIURON 800 SC	800 g/kg	SC	HERBICIDE	4	162-021-5490	10-Jan-23	-	Coffee	Annual and Perennial broadleaves and grasses	11.0-19.0 Tbsp/ 16L water	-	-	24 hours, After application
UPL PHILIPPINES, INC.	DIURON	UPL DIURON 800 SC	800 g/kg	SC	HERBICIDE	4	162-021-5490	10-Jan-23	-	Cotton	Annual and Perennial broadleaves and grasses	8.0 Tbsp/ 16L Water	-	-	24 hours, After application
UPL PHILIPPINES, INC.	DIURON	UPL DIURON 800 SC	800 g/kg	SC	HERBICIDE	4	162-021-5490	10-Jan-23	-	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0 Tbsp/ 16L Water	-	-	24 hours, After application
UPL PHILIPPINES, INC.	DIURON	UPL DIURON 800 SC	800 g/kg	SC	HERBICIDE	4	162-021-5490	10-Jan-23	-	Pineapple	Annual and Perennial broadleaves and grasses	11.0 Tbsp/ 16L water	-	-	24 hours, After application
UPL PHILIPPINES, INC.	DIURON	UPL DIURON 800 SC	800 g/kg	SC	HERBICIDE	4	162-021-5490	10-Jan-23	-	Non-crop	Annual and Perennial broadleaves and grasses	-	-	-	24 hours, After application
CYMEX CORPORATION	BUTACHLOR-PROPANIL	UPGRADE	300-300 g/L	EC	HERBICIDE	3	537-238-4039	22-Apr-25	POST-EMERGENT	Rice (Direct-Seeded)	Grasses, Sedges and Broadleaves	8-12Tbsp/16 L water	Butachlor 0.1ppm Propenil 0.1ppm	-	Entry to the field sprayed with the product is allowed after the mist has dried
CYMEX CORPORATION	BUTACHLOR-PROPANIL	UPGRADE	300-300 g/L	EC	HERBICIDE	3	537-238-4039	22-Apr-25	POST-EMERGENT	Rice (Transplanted)	Grasses, Sedges and Broadleaves	8-12Tbsp/16 L water	Butachlor 0.1ppm Propenil 0.1ppm	-	Entry to the field sprayed with the product is allowed after the mist has dried
KEMSTAR CORPORATION	FLUAZIFOP-P-BUTYL	UPCIDE 15 EC	150 g/L	EC	HERBICIDE	4	239-212-3617	25-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Banana	Grasses, Ichi grass, goosegrass, sour papalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-
KEMSTAR CORPORATION	FLUAZIFOP-P-BUTYL	UPCIDE 15 EC	150 g/L	EC	HERBICIDE	4	239-212-3617	25-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Cacao	Grasses, Ichi grass, goosegrass, sour papalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-
KEMSTAR CORPORATION	FLUAZIFOP-P-BUTYL	UPCIDE 15 EC	150 g/L	EC	HERBICIDE	4	239-212-3617	25-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Citrus	Grasses, Ichi grass, goosegrass, sour papalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-
KEMSTAR CORPORATION	FLUAZIFOP-P-BUTYL	UPCIDE 15 EC	150 g/L	EC	HERBICIDE	4	239-212-3617	25-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Cotton	Grasses, Ichi grass, goosegrass, sour papalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-
KEMSTAR CORPORATION	FLUAZIFOP-P-BUTYL	UPCIDE 15 EC	150 g/L	EC	HERBICIDE	4	239-212-3617	25-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Coffee	Grasses, Ichi grass, goosegrass, sour papalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-
KEMSTAR CORPORATION	FLUAZIFOP-P-BUTYL	UPCIDE 15 EC	150 g/L	EC	HERBICIDE	4	239-212-3617	25-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Oil palm	Grasses, Ichi grass, goosegrass, sour papalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-
KEMSTAR CORPORATION	FLUAZIFOP-P-BUTYL	UPCIDE 15 EC	150 g/L	EC	HERBICIDE	4	239-212-3617	25-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Kamie	Grasses, Ichi grass, goosegrass, sour papalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-
KEMSTAR CORPORATION	FLUAZIFOP-P-BUTYL	UPCIDE 15 EC	150 g/L	EC	HERBICIDE	4	239-212-3617	25-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Rubber	Grasses, Ichi grass, goosegrass, sour papalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-
KEMSTAR CORPORATION	FLUAZIFOP-P-BUTYL	UPCIDE 15 EC	150 g/L	EC	HERBICIDE	4	239-212-3617	25-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Onion	Grasses, Ichi grass, goosegrass, sour papalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-
KEMSTAR CORPORATION	FLUAZIFOP-P-BUTYL	UPCIDE 15 EC	150 g/L	EC	HERBICIDE	4	239-212-3617	25-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Pineapple	Grasses, Ichi grass, goosegrass, sour papalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-
KEMSTAR CORPORATION	FLUAZIFOP-P-BUTYL	UPCIDE 15 EC	150 g/L	EC	HERBICIDE	4	239-212-3617	25-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Soybeans	Grasses, Ichi grass, goosegrass, sour papalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-
KEMSTAR CORPORATION	FLUAZIFOP-P-BUTYL	UPCIDE 15 EC	150 g/L	EC	HERBICIDE	4	239-212-3617	25-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Tomato	Grasses, Ichi grass, goosegrass, sour papalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-
FLAGLEAF AGRI PHILIPPINES, INC.	FLUAZIFOP-P-BUTYL	UNOCIDE 150 EC	150 g/L	EC	HERBICIDE	4	164-212-5011	18-Jan-22	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Banana	Grasses, Ichi grass, goosegrass, sour papalum, crabgrasses, bermuda grass, & crowfoot grass & cassava for the control of annual &	-	-	-	-
FLAGLEAF AGRI PHILIPPINES, INC.	FLUAZIFOP-P-BUTYL	UNOCIDE 150 EC	150 g/L	EC	HERBICIDE	4	164-212-5011	18-Jan-22	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Cacao	Grasses, Ichi grass, goosegrass, sour papalum, crabgrasses, bermuda grass, & crowfoot grass & cassava for the control of annual &	-	-	-	-
FLAGLEAF AGRI PHILIPPINES, INC.	FLUAZIFOP-P-BUTYL	UNOCIDE 150 EC	150 g/L	EC	HERBICIDE	4	164-212-5011	18-Jan-22	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Citrus	Grasses, Ichi grass, goosegrass, sour papalum, crabgrasses, bermuda grass, & crowfoot grass & cassava for the control of annual &	-	-	-	-
FLAGLEAF AGRI PHILIPPINES, INC.	FLUAZIFOP-P-BUTYL	UNOCIDE 150 EC	150 g/L	EC	HERBICIDE	4	164-212-5011	18-Jan-22	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Cotton	Grasses, Ichi grass, goosegrass, sour papalum, crabgrasses, bermuda grass, & crowfoot grass & cassava for the control of annual &	-	-	-	-
FLAGLEAF AGRI PHILIPPINES, INC.	FLUAZIFOP-P-BUTYL	UNOCIDE 150 EC	150 g/L	EC	HERBICIDE	4	164-212-5011	18-Jan-22	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Coffee	Grasses, Ichi grass, goosegrass, sour papalum, crabgrasses, bermuda grass, & crowfoot grass & cassava for the control of annual &	-	-	-	-
FLAGLEAF AGRI PHILIPPINES, INC.	FLUAZIFOP-P-BUTYL	UNOCIDE 150 EC	150 g/L	EC	HERBICIDE	4	164-212-5011	18-Jan-22	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Oil palm	Grasses, Ichi grass, goosegrass, sour papalum, crabgrasses, bermuda grass, & crowfoot grass & cassava for the control of annual &	-	-	-	-
FLAGLEAF AGRI PHILIPPINES, INC.	FLUAZIFOP-P-BUTYL	UNOCIDE 150 EC	150 g/L	EC	HERBICIDE	4	164-212-5011	18-Jan-22	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Kamie	Grasses, Ichi grass, goosegrass, sour papalum, crabgrasses, bermuda grass, & crowfoot grass & cassava for the control of annual &	-	-	-	-
FLAGLEAF AGRI PHILIPPINES, INC.	FLUAZIFOP-P-BUTYL	UNOCIDE 150 EC	150 g/L	EC	HERBICIDE	4	164-212-5011	18-Jan-22	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Rubber	Grasses, Ichi grass, goosegrass, sour papalum, crabgrasses, bermuda grass, & crowfoot grass & cassava for the control of annual &	-	-	-	-
FLAGLEAF AGRI PHILIPPINES, INC.	FLUAZIFOP-P-BUTYL	UNOCIDE 150 EC	150 g/L	EC	HERBICIDE	4	164-212-5011	18-Jan-22	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Onion	Grasses, Ichi grass, goosegrass, sour papalum, crabgrasses, bermuda grass, & crowfoot grass & cassava for the control of annual &	-	-	-	-
FLAGLEAF AGRI PHILIPPINES, INC.	FLUAZIFOP-P-BUTYL	UNOCIDE 150 EC	150 g/L	EC	HERBICIDE	4	164-212-5011	18-Jan-22	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Pineapple	Grasses, Ichi grass, goosegrass, sour papalum, crabgrasses, bermuda grass, & crowfoot grass & cassava for the control of annual &	-	-	-	-
FLAGLEAF AGRI PHILIPPINES, INC.	FLUAZIFOP-P-BUTYL	UNOCIDE 150 EC	150 g/L	EC	HERBICIDE	4	164-212-5011	18-Jan-22	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Soybeans	Grasses, Ichi grass, goosegrass, sour papalum, crabgrasses, bermuda grass, & crowfoot grass & cassava for the control of annual &	-	-	-	-
FLAGLEAF AGRI PHILIPPINES, INC.	FLUAZIFOP-P-BUTYL	UNOCIDE 150 EC	150 g/L	EC	HERBICIDE	4	164-212-5011	18-Jan-22	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Tomato	Grasses, Ichi grass, goosegrass, sour papalum, crabgrasses, bermuda grass, & crowfoot grass & cassava for the control of annual &	-	-	-	-
AGRO TECHNOPRODUCTS INC.	BUTACHLOR-PROPANIL	UNLEASH 70 EC	300-300 g/L	EC	HERBICIDE	3	370-238-3569	05-Oct-21	-	Rice (Direct-Seeded)	Grasses, Sedges and Broadleaves	8-12Tbsp/16 L water	Butachlor 0.1ppm Propenil 0.1ppm	-	As soon as the spray mist dried up
AGRO TECHNOPRODUCTS INC.	BUTACHLOR-PROPANIL	UNLEASH 70 EC	300-300 g/L	EC	HERBICIDE	3	370-238-3569	05-Oct-21	POST-EMERGENT	Rice (Transplanted)	Grasses, Sedges and Broadleaves	8-12Tbsp/16 L water	Butachlor 0.1ppm Propenil 0.1ppm	-	As soon as the spray mist dried up
UNITED AGRO TRADE CORPORATION	CARBOFURAN	UNITED AGRO CARBOFURAN 3G	30 g/kg	G	INSECTICIDE	2	264-104-1523	04-Mar-25	-	Corn	Borer, earworm, grub, seedling maggot	16.7-33.3 kg prod/ha	-	-	2 days
UNITED AGRO TRADE CORPORATION	CARBOFURAN	UNITED AGRO CARBOFURAN 3G	30 g/kg	G	INSECTICIDE	2	264-104-1523	04-Mar-25	-	Cotton	Nematodes, grubs	16.7-33.3 kg prod/ha	-	-	2 days
UNITED AGRO TRADE CORPORATION	CARBOFURAN	UNITED AGRO CARBOFURAN 3G	30 g/kg	G	INSECTICIDE	2	264-104-1523	04-Mar-25	-	Eggplant	Fruitborer	16.7-33.3 kg prod/ha	-	-	2 days
UNITED AGRO TRADE CORPORATION	CARBOFURAN	UNITED AGRO CARBOFURAN 3G	30 g/kg	G	INSECTICIDE	2	264-104-1523	04-Mar-25	-	Field legumes	Beanflies, grubs, nematodes	16.7-33.3 kg prod/ha	-	-	2 days
UNITED AGRO TRADE CORPORATION	CARBOFURAN	UNITED AGRO CARBOFURAN 3G	30 g/kg	G	INSECTICIDE	2	264-104-1523	04-Mar-25	-	Rice	Stem borer, whorl maggot, leafhopper, leafhopper, caseworm, glanbopper	16.7-33.3 kg prod/ha	0.2ppm	28 Days	2 days

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
UNITED AGRO TRADE CORPORATION	CARBOFURAN	UNITED AGRO CARBOFURAN 3G	30 g/kg	G	INSECTICIDE	2	264-104-1523	04-Mar-25	-	Soybeans	Beanyfly, grubs, nematodes, other soil insects	16.7-33.3 kg prod/ha	-	-	2 days
UNITED AGRO TRADE CORPORATION	CARBOFURAN	UNITED AGRO CARBOFURAN 3G	30 g/kg	G	INSECTICIDE	2	264-104-1523	04-Mar-25	-	Sugarcane	Borer, leafhopper, mealy bug, scale insects	16.7-33.3 kg prod/ha	-	-	2 days
UNITED AGRO TRADE CORPORATION	CARBOFURAN	UNITED AGRO CARBOFURAN 3G	30 g/kg	G	INSECTICIDE	2	264-104-1523	04-Mar-25	-	Tobacco	Nematode, budworm	16.7-33.3 kg prod/ha	-	-	2 days
UNITED AGRO TRADE CORPORATION	CARBOFURAN	UNITED AGRO CARBOFURAN 3G	30 g/kg	G	INSECTICIDE	2	264-104-1523	04-Mar-25	-	White potato	Nematodes, grubs	16.7-33.3 kg prod/ha	-	-	2 days
UNITED AGRO TRADE CORPORATION	CARBOFURAN	UNITED AGRO CARBOFURAN 3G	30 g/kg	G	INSECTICIDE	2	264-104-1523	04-Mar-25	-	Cowpea	Beanyfly, grubs, nematodes, other soil insects	16.7-33.3 kg prod/ha	-	-	2 days
UNITED AGRO TRADE CORPORATION	CARBOFURAN	UNITED AGRO CARBOFURAN 3G	30 g/kg	G	INSECTICIDE	2	264-104-1523	04-Mar-25	-	Ornamentals	Scale insect, aphids, mealy bug	16.7-33.3 kg prod/ha	-	-	2 days
UNITED AGRO TRADE CORPORATION	CARBARYL	UNITED AGRO CARBARYL 8S WP	850 g/kg	WP	INSECTICIDE	2	264-035-1331	10-Jul-24	-	Tobacco	Budworm, cutworm, aphids	4-6 tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
UNITED AGRO TRADE CORPORATION	CARBARYL	UNITED AGRO CARBARYL 8S WP	850 g/kg	WP	INSECTICIDE	2	264-035-1331	10-Jul-24	-	Sorghum	Webworm, armyworm, cutworm, headworm	4-6 tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
UNITED AGRO TRADE CORPORATION	CARBARYL	UNITED AGRO CARBARYL 8S WP	850 g/kg	WP	INSECTICIDE	2	264-035-1331	10-Jul-24	-	Ornamentals	Aphids, scale insect, mealy bug, cutworm	4-6 tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
UNITED AGRO TRADE CORPORATION	CARBARYL	UNITED AGRO CARBARYL 8S WP	850 g/kg	WP	INSECTICIDE	2	264-035-1331	10-Jul-24	-	Mango	Mango hopper, tip borer, twig borer, fruit fly, mealy bug	4-8 tbsp/16 L water	-	1 Day	Do not enter treatment areas until spray deposit have dried
UNITED AGRO TRADE CORPORATION	CARBARYL	UNITED AGRO CARBARYL 8S WP	850 g/kg	WP	INSECTICIDE	2	264-035-1331	10-Jul-24	-	Coffee	Berry borer	4-6 tbsp/16 L water	-	1 Day	Do not enter treatment areas until spray deposit have dried
UNITED AGRO TRADE CORPORATION	CARBARYL	UNITED AGRO CARBARYL 8S WP	850 g/kg	WP	INSECTICIDE	2	264-035-1331	10-Jul-24	-	Cacao	Podborer, aphids, capsid bug	4-6 tbsp/16 L water	-	1 Day	Do not enter treatment areas until spray deposit have dried
UNITED AGRO TRADE CORPORATION	CARBARYL	UNITED AGRO CARBARYL 8S WP	850 g/kg	WP	INSECTICIDE	2	264-035-1331	10-Jul-24	-	Citrus	Bind borer	4-6 tbsp/16 L water	-	5 days	Do not enter treatment areas until spray deposit have dried
UNITED AGRO TRADE CORPORATION	CARBARYL	UNITED AGRO CARBARYL 8S WP	850 g/kg	WP	INSECTICIDE	2	264-035-1331	10-Jul-24	-	Soybeans	Podborer, beanyfly, leafminer, aphids	4-6 tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
UNITED AGRO TRADE CORPORATION	CARBARYL	UNITED AGRO CARBARYL 8S WP	850 g/kg	WP	INSECTICIDE	2	264-035-1331	10-Jul-24	-	Rice	Green leafhopper, caseworm, aphids	4-6 tbsp/16 L water	1ppm	14 days	Do not enter treatment areas until spray deposit have dried
UNITED AGRO TRADE CORPORATION	CARBARYL	UNITED AGRO CARBARYL 8S WP	850 g/kg	WP	INSECTICIDE	2	264-035-1331	10-Jul-24	-	Cowpea and other beans	Podborer, beanyfly, leafmines, cutworm, aphids	4-6 tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
UNITED AGRO TRADE CORPORATION	CARBARYL	UNITED AGRO CARBARYL 8S WP	850 g/kg	WP	INSECTICIDE	2	264-035-1331	10-Jul-24	-	Cotton seed	Bollworm, cutworm	4-6 tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
UNITED AGRO TRADE CORPORATION	CARBARYL	UNITED AGRO CARBARYL 8S WP	850 g/kg	WP	INSECTICIDE	2	264-035-1331	10-Jul-24	-	Corn	Corn borer, corn earworm, army worm	4-6 tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
UNITED AGRO TRADE CORPORATION	CARBARYL	UNITED AGRO CARBARYL 8S WP	850 g/kg	WP	INSECTICIDE	2	264-035-1331	10-Jul-24	-	Tomato	Fruitworm, leafy beetle	4-6 tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
UNITED AGRO TRADE CORPORATION	CARBARYL	UNITED AGRO CARBARYL 8S WP	850 g/kg	WP	INSECTICIDE	2	264-035-1331	10-Jul-24	-	Cucurbits	Squash beetle, leafy beetle	4-6 tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
UNITED AGRO TRADE CORPORATION	ATRAZINE	UNITED AGRO ATRAZINE 80 WP	800 g/kg	WP	HERBICIDE	4	264-005-1332	20-Aug-24	SELECTIVE (PRE-EMERGENT)	Corn	Broadleaf weeds & annual grasses	8-12 tbsp/16 L water	-	-	Do not enter treated fields within 5 days after application
UNITED AGRO TRADE CORPORATION	ATRAZINE	UNITED AGRO ATRAZINE 80 WP	800 g/kg	WP	HERBICIDE	4	264-005-1332	20-Aug-24	SELECTIVE (PRE-EMERGENT)	Sorghum	Broadleaf weeds & annual grasses	8-12 tbsp/16 L water	-	-	Do not enter treated fields within 5 days after application
UNITED AGRO TRADE CORPORATION	ATRAZINE	UNITED AGRO ATRAZINE 80 WP	800 g/kg	WP	HERBICIDE	4	264-005-1332	20-Aug-24	SELECTIVE (PRE-EMERGENT)	Sugarcane	Broadleaf weeds & annual grasses	8-12 tbsp/16 L water	-	-	Do not enter treated fields within 5 days after application
UNIVERSAL SCOPE PHILIPPINES, INC.	2,4-D IBE	UNISCOPE 2,4-D ESTER	400 g/L	EC	HERBICIDE	2	428-040-3478	07-Aug-18	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual Broadleaves & sedges	5.0-6.50 tbsp/16 L water	0.1 ppm	-	-
UNIVERSAL SCOPE PHILIPPINES, INC.	2,4-D IBE	UNISCOPE 2,4-D ESTER	400 g/L	EC	HERBICIDE	2	428-040-3478	07-Aug-18	SELECTIVE (POST-EMERGENT)	Corn	Annual Broadleaves & sedges	5.0-6.50 tbsp/16 L water	-	-	-
UNIVERSAL SCOPE PHILIPPINES, INC.	2,4-D IBE	UNISCOPE 2,4-D ESTER	400 g/L	EC	HERBICIDE	2	428-040-3478	07-Aug-18	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual Broadleaves & sedges	5.0-6.50 tbsp/16 L water	-	-	-
UNIVERSAL SCOPE PHILIPPINES, INC.	2,4-D AMINE	UNISCOPE 2,4-D AMINE	400 g/L	SL	HERBICIDE	2	428-013-3477	07-Aug-18	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual broadleaves and sedges	3.5-6.5 tbsp/16 L water	0.1 ppm	-	-
UNIVERSAL SCOPE PHILIPPINES, INC.	2,4-D AMINE	UNISCOPE 2,4-D AMINE	400 g/L	SL	HERBICIDE	2	428-013-3477	07-Aug-18	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual broadleaves and sedges	3.5-6.5 tbsp/16 L water	-	-	-
UNIVERSAL SCOPE PHILIPPINES, INC.	2,4-D AMINE	UNISCOPE 2,4-D AMINE	400 g/L	SL	HERBICIDE	2	428-013-3477	07-Aug-18	SELECTIVE (POST-EMERGENT)	Corn	Annual broadleaves and sedges	5-6.5 tbsp/16 L water	-	-	-
ZHIL DEVELOPMENT CORPORATION	LAMBDA-CHYALOTHIRIN	UNIQUE 2.5 EC	25g/L	EC	INSECTICIDE	2	651-204-4861	16-May-21	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leafroller, black bug	1.0-1.5 tbsp/16 L of water	0.05ppm	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
ZHIL DEVELOPMENT CORPORATION	LAMBDA-CHYALOTHIRIN	UNIQUE 2.5 EC	25g/L	EC	INSECTICIDE	2	651-204-4861	16-May-21	SYSTEMIC	Mango	Hoppers	0.75-1.5 tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
ZHIL DEVELOPMENT CORPORATION	LAMBDA-CHYALOTHIRIN	UNIQUE 2.5 EC	25g/L	EC	INSECTICIDE	2	651-204-4861	16-May-21	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5 tbsp/16 L of water	-	-	Re-entry to treated fields is allowed as soon as spray deposits dry
ZHIL DEVELOPMENT CORPORATION	LAMBDA-CHYALOTHIRIN	UNIQUE 2.5 EC	25g/L	EC	INSECTICIDE	2	651-204-4861	16-May-21	SYSTEMIC	Onion	Thrips, cutworm	1.0 tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
ZHIL DEVELOPMENT CORPORATION	LAMBDA-CHYALOTHIRIN	UNIQUE 2.5 EC	25g/L	EC	INSECTICIDE	2	651-204-4861	16-May-21	SYSTEMIC	Mungbeans	Beanyfly, flea beetle, leafhopper, aphids, mites, podborer	1.0 tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
ZHIL DEVELOPMENT CORPORATION	LAMBDA-CHYALOTHIRIN	UNIQUE 2.5 EC	25g/L	EC	INSECTICIDE	2	651-204-4861	16-May-21	SYSTEMIC	Corn	Comborer, aphids, seedling maggots	1.0-1.5 tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
ZHIL DEVELOPMENT CORPORATION	LAMBDA-CHYALOTHIRIN	UNIQUE 2.5 EC	25g/L	EC	INSECTICIDE	2	651-204-4861	16-May-21	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, thrips	1.0-1.5 tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
ZHIL DEVELOPMENT CORPORATION	LAMBDA-CHYALOTHIRIN	UNIQUE 2.5 EC	25g/L	EC	INSECTICIDE	2	651-204-4861	16-May-21	SYSTEMIC	Cotton	Bollworm	1.0-1.5 tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
ZHIL DEVELOPMENT CORPORATION	LAMBDA-CHYALOTHIRIN	UNIQUE 2.5 EC	25g/L	EC	INSECTICIDE	2	651-204-4861	16-May-21	SYSTEMIC	Cocoa	Podborer	1.0-2.0 tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
ZHIL DEVELOPMENT CORPORATION	LAMBDA-CHYALOTHIRIN	UNIQUE 2.5 EC	25g/L	EC	INSECTICIDE	2	651-204-4861	16-May-21	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0 tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
UPL PHILIPPINES, INC.	METRIBUZIN	UNIMARK 70 WG	700 g/kg	WG	HERBICIDE	4	562-022-4826	25-Jun-25	SELECTIVE	Potato	Annual grasses and broadleaves	15-22.5 grams/16 L water	-	60 days	Re-entry to treated areas is allowed as soon as spray dried up
UPL PHILIPPINES, INC.	METRIBUZIN	UNIMARK 70 WG	700 g/kg	WG	HERBICIDE	4	562-022-4826	25-Jun-25	SELECTIVE	Soybeans	Annual grasses and broadleaves	15-22.5 grams/16 L water	-	60 days	Re-entry to treated areas is allowed as soon as spray dried up
UPL PHILIPPINES, INC.	METRIBUZIN	UNIMARK 70 WG	700 g/kg	WG	HERBICIDE	4	562-022-4826	25-Jun-25	SELECTIVE	Sugarcane	Annual grasses and broadleaves	15-30 gram/16 L water	-	60 days	Re-entry to treated areas is allowed as soon as spray dried up
UPL PHILIPPINES, INC.	METRIBUZIN	UNIMARK 70 WG	700 g/kg	WG	HERBICIDE	4	562-022-4826	25-Jun-25	SELECTIVE	Tomato	Annual grasses and broadleaves	15-22.5 grams/16 L water	-	60 days	Re-entry to treated areas is allowed as soon as spray dried up
UPL PHILIPPINES, INC.	MANCOZEB-METALAXYL	UNILAX 72 WP	640-80 g/kg	WP	FUNGICIDE	4	562-035-5601	12-Nov-24	SYSTEMIC	Potato	Early and late blight	8-10 tbsp (80-100g) per 16 L water	-	14 days	Re-entry to treated areas is allowed as soon as spray dried up.
UPL PHILIPPINES, INC.	MANCOZEB-METALAXYL	UNILAX 72 WP	640-80 g/kg	WP	FUNGICIDE	4	562-035-5601	12-Nov-24	SYSTEMIC	Tomato	Early and late blight	8-10 tbsp (80-100g) per 16 L water	-	3 days	Re-entry to treated areas is allowed as soon as spray dried up.
UPL PHILIPPINES, INC.	MANCOZEB-METALAXYL	UNILAX 72 WP	640-80 g/kg	WP	FUNGICIDE	4	562-035-5601	12-Nov-24	SYSTEMIC	Pineapple	Heart rot	10-14 kg./Ha	-	21 days	Re-entry to treated areas is allowed as soon as spray dried up.
UPL PHILIPPINES, INC.	MANCOZEB-METALAXYL	UNILAX 72 WP	640-80 g/kg	WP	FUNGICIDE	4	562-035-5601	12-Nov-24	SYSTEMIC	Asparagus	Spear rot	2 kgs./ Ha	-	-	Re-entry to treated areas is allowed as soon as spray dried up.
UPL PHILIPPINES, INC.	MANCOZEB-METALAXYL	UNILAX 72 WP	640-80 g/kg	WP	FUNGICIDE	4	562-035-5601	12-Nov-24	SYSTEMIC	Dichide	Black rot	2-3 Tbsp (25g)/16 L water	-	-	Re-entry to treated areas is allowed as soon as spray dried up.
EZERTECH CORPORATION	NICLOSAMIDE ETHANOLAMINE SALT	U-NICLO 70 WP	700 g/kg	WP	MOLLUSCICIDE	4	648-229-5145	06-Jul-26	CONTACT	Rice	Golden Apple Snail (Kuhol)	35 gm or 1 sachet/per 16 L of water	-	-	Do not enter the field within 2 days after spraying
UNAHCO, INC.	2,4-D IBE	UNAHGO 2,4-D ESTER	491 g/L	EC	HERBICIDE	2	662-040-5897	21-Feb-24	-	Rice (Transplanted)	Annual broadleaves and sedges	5.0-6.50 tbsp/ 16L water	-	-	Entry to field and crops treated with UNAHGO 2,4-D ESTER can be done 1 day after spraying
UNAHCO, INC.	2,4-D IBE	UNAHGO 2,4-D ESTER	491 g/L	EC	HERBICIDE	2	662-040-5897	21-Feb-24	-	Corn	Annual broadleaves and sedges	5.0-6.50 tbsp/ 16L water	-	-	Entry to field and crops treated with UNAHGO 2,4-D ESTER can be done 1 day after spraying
UNAHCO, INC.	2,4-D IBE	UNAHGO 2,4-D ESTER	491 g/L	EC	HERBICIDE	2	662-040-5897	21-Feb-24	-	Sugarcane	Annual broadleaves and sedges	5.0-6.50 tbsp/ 16L water	-	-	Entry to field and crops treated with UNAHGO 2,4-D ESTER can be done 1 day after spraying
PHILIPPINE FARMFIX SOLUTIONS INC.	PYMETROZINE	UMBRA 50 WG	500 g/kg	WG	INSECTICIDE	4	535-307-4206	12-Dec-26	-	Mango	leafhopper	1 sachet/200L	-	-	Do not enter treated fields until spray deposit have completely dried
S&P ENTERPRISES, INC.	CARBENDAZIM	ULTRAZIM	500 g/L	SC	FUNGICIDE	4	566-267-3989	18-Dec-26	SYSTEMIC	Mango	Anthracoze	1-2 tbsp/16 L water	-	-	Re-entry is allowed as soon as the spray deposits dry up
S&P ENTERPRISES, INC.	CARBENDAZIM	ULTRAZIM	500 g/L	SC	FUNGICIDE	4	566-267-3989	18-Dec-26	SYSTEMIC	Cucurbits	Downy mildew	1-2 tbsp/16 L water	-	-	Re-entry is allowed as soon as the spray deposits dry up
S&P ENTERPRISES, INC.	CARBENDAZIM	ULTRAZIM	500 g/L	SC	FUNGICIDE	4	566-267-3989	18-Dec-26	SYSTEMIC	Garden Peas (Legumes)	Powdery mildew	1-2 tbsp/16 L water	-	-	Re-entry is allowed as soon as the spray deposits dry up

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
S&P ENTERPRISES, INC.	CARBENDAZIM	ULTRAZIM	500 g/L	SC	FUNGICIDE	4	966-267-3889	18-Dec-26	SYSTEMIC	Avacane	Pineapple disease	5-10tbsp/200L	-	-	Re-entry is allowed as soon as the spray deposits dry up
S&P ENTERPRISES, INC.	CARBENDAZIM	ULTRAZIM	500 g/L	SC	FUNGICIDE	4	966-267-3889	18-Dec-26	SYSTEMIC	Banana	Diamond fruit spot, anthracnose	0.5-10ml/L	-	7 days	Re-entry is allowed as soon as the spray deposits dry up
ZAGRO CORPORATION	GLUTARALDEHYDE-BENZALKONIUM CHLORIDE	ULTRAIDE	150g/L-100g/L	-	OTHERS	2	949-308-5902	02-Dec-24	-	-	Cleaning and disinfection of poultry hatcheries, farm building premises and equipment	-	-	-	-
TRIPLI DIAMONDS AGRICULTURE	POLYETHYLENE SORBITAN SELEATE-POLY(VINYLENE DODECYL ETHER	ULTRASOL 3D SC	250/450/300ml/L water	-	OTHERS	4	405-348-4235	11-Jan-21	SELECTIVE (POST-EMERGENT)	-	As surfactant on Doser 3D SC	-	-	-	-
ULTRA BRIGHT INC.	CYPERMETHRIN	ULTRAMETHRIN SEC	50 g/L	EC	INSECTICIDE	4	773-037-6319	6-Jul-24	-	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 tbsp/16L water	-	7 days	Re-entry to treated fields is allowed as soon as spray deposits dry
ULTRA BRIGHT INC.	CYPERMETHRIN	ULTRAMETHRIN SEC	50 g/L	EC	INSECTICIDE	4	773-037-6319	6-Jul-24	-	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leafhopper, stem borer, armyworm, rice bug	1.0-3.0 tbsp/16L water	-	7 days	Re-entry to treated fields is allowed as soon as spray deposits dry
ULTRA BRIGHT INC.	CYPERMETHRIN	ULTRAMETHRIN SEC	50 g/L	EC	INSECTICIDE	4	773-037-6319	6-Jul-24	-	Cabbage	Diamond-back moth, cabbage moth, worm	1.0-3.0 tbsp/16L water	-	7 days	Re-entry to treated fields is allowed as soon as spray deposits dry
ULTRA BRIGHT INC.	CYPERMETHRIN	ULTRAMETHRIN SEC	50 g/L	EC	INSECTICIDE	4	773-037-6319	6-Jul-24	-	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 tbsp/16L water	-	7 days	Re-entry to treated fields is allowed as soon as spray deposits dry
ULTRA BRIGHT INC.	CYPERMETHRIN	ULTRAMETHRIN SEC	50 g/L	EC	INSECTICIDE	4	773-037-6319	6-Jul-24	-	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 tbsp/16L water	-	7 days	Re-entry to treated fields is allowed as soon as spray deposits dry
ULTRA BRIGHT INC.	CYPERMETHRIN	ULTRAMETHRIN SEC	50 g/L	EC	INSECTICIDE	4	773-037-6319	6-Jul-24	-	Watermelon	Aphids, thrips, beetle	1.0-3.0 tbsp/16L water	-	7 days	Re-entry to treated fields is allowed as soon as spray deposits dry
ULTRA BRIGHT INC.	CYPERMETHRIN	ULTRAMETHRIN SEC	50 g/L	EC	INSECTICIDE	4	773-037-6319	6-Jul-24	-	Onion	Thrips, cutworm	1.0-3.0 tbsp/16L water	-	7 days	Re-entry to treated fields is allowed as soon as spray deposits dry
ULTRA BRIGHT INC.	CYPERMETHRIN	ULTRAMETHRIN SEC	50 g/L	EC	INSECTICIDE	4	773-037-6319	6-Jul-24	-	Banana	Thrips, scaring beetle	1.0-3.0 tbsp/16L water	-	7 days	Re-entry to treated fields is allowed as soon as spray deposits dry
ULTRA BRIGHT INC.	CYPERMETHRIN	ULTRAMETHRIN SEC	50 g/L	EC	INSECTICIDE	4	773-037-6319	6-Jul-24	-	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 tbsp/16L water	-	7 days	Re-entry to treated fields is allowed as soon as spray deposits dry
ULTRA BRIGHT INC.	CYPERMETHRIN	ULTRAMETHRIN SEC	50 g/L	EC	INSECTICIDE	4	773-037-6319	6-Jul-24	-	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 tbsp/16L water	-	7 days	Re-entry to treated fields is allowed as soon as spray deposits dry
ULTRA BRIGHT INC.	CYPERMETHRIN	ULTRAMETHRIN SEC	50 g/L	EC	INSECTICIDE	4	773-037-6319	6-Jul-24	-	Corn	Corn borer, earworm	1.0-4.5 Tbsp/16L water	-	7 days	Re-entry to treated fields is allowed as soon as spray deposits dry
AGWAY CHEMICALS CORPORATION	PROFENOFOS	ULTRACRON 500 EC	500 g/L	EC	INSECTICIDE	2	075-070-2338	28-Jun-24	CONTACT	Mango	Thrips	1.0-2.0 Tbsp/16L water	-	-	Do not apply at least seven (7) days before harvest. Do not enter treated fields for at least one (1) day after application.
AGWAY CHEMICALS CORPORATION	PROFENOFOS	ULTRACRON 500 EC	500 g/L	EC	INSECTICIDE	2	075-070-2338	28-Jun-24	CONTACT	Tomato	Fruitworm, armyworm, cutworm	3-5 Tbsp/16L water	-	-	Do not apply at least seven (7) days before harvest. Do not enter treated fields for at least one (1) day after application.
AGWAY CHEMICALS CORPORATION	PROFENOFOS	ULTRACRON 500 EC	500 g/L	EC	INSECTICIDE	2	075-070-2338	28-Jun-24	CONTACT	Eggplant	Fruitborer, aphids, leafhopper & thrips	1-5-3.0 Tbsp/16L water	-	-	Do not enter treated fields for at least one (1) day after application.
AGWAY CHEMICALS CORPORATION	PROFENOFOS	ULTRACRON 500 EC	500 g/L	EC	INSECTICIDE	2	075-070-2338	28-Jun-24	CONTACT	Cabbage	Diamond back moth, cabbage worm & aphids	3-5 Tbsp/16L water	-	-	Do not apply at least seven (7) days before harvest. Do not enter treated fields for at least one (1) day after application.
AGWAY CHEMICALS CORPORATION	PROFENOFOS	ULTRACRON 500 EC	500 g/L	EC	INSECTICIDE	2	075-070-2338	28-Jun-24	CONTACT	Watermelon	Thrips	3-5 Tbsp/16L water	-	-	Do not apply at least seven (7) days before harvest. Do not enter treated fields for at least one (1) day after application.
AGWAY CHEMICALS CORPORATION	PROFENOFOS	ULTRACRON 500 EC	500 g/L	EC	INSECTICIDE	2	075-070-2338	28-Jun-24	CONTACT	Potato	Thrips, army worm, cutworm, tubermoth	3-5 Tbsp/16L water	-	-	Do not apply at least seven (7) days before harvest. Do not enter treated fields for at least one (1) day after application.
AGWAY CHEMICALS CORPORATION	PROFENOFOS	ULTRACRON 500 EC	500 g/L	EC	INSECTICIDE	2	075-070-2338	28-Jun-24	CONTACT	Soybeans	Corn earworm, leafminer	3-5 Tbsp/16L water	-	-	Do not apply at least seven (7) days before harvest. Do not enter treated fields for at least one (1) day after application.
AGWAY CHEMICALS CORPORATION	PROFENOFOS	ULTRACRON 500 EC	500 g/L	EC	INSECTICIDE	2	075-070-2338	28-Jun-24	CONTACT	Mungbeans	Corn earworm, leafminer	3-5 Tbsp/16L water	-	-	Do not apply at least seven (7) days before harvest. Do not enter treated fields for at least one (1) day after application.
AGWAY CHEMICALS CORPORATION	PROFENOFOS	ULTRACRON 500 EC	500 g/L	EC	INSECTICIDE	2	075-070-2338	28-Jun-24	CONTACT	Cotton	Thrips, bollworm & budworm	3-5 Tbsp/16L water	-	-	Do not apply at least seven (7) days before harvest. Do not enter treated fields for at least one (1) day after application.
AGWAY CHEMICALS CORPORATION	PROFENOFOS	ULTRACRON 500 EC	500 g/L	EC	INSECTICIDE	2	075-070-2338	28-Jun-24	CONTACT	Stae	Beanyfly, leafhopper & aphids	1.5-3.0 Tbsp/16L water	-	-	Do not apply at least seven (7) days before harvest. Do not enter treated fields for at least one (1) day after application.
AGRI BIZ CO. OF GS, INC.	BUTACHLOR	ULTRA-BUTASIL 50EC	600 g/L	EC	HERBICIDE	4	580-150-6474	18-Sep-24	PRE-EMERGENT	Rice (Direct seeded)	Grasses and sedges	-	-	-	-
AGRI BIZ CO. OF GS, INC.	BUTACHLOR	ULTRA-BUTASIL 50EC	600 g/L	EC	HERBICIDE	4	580-150-6474	18-Sep-24	PRE-EMERGENT	Rice (Transplanted)	Grasses and sedges	-	-	-	-
AGRI BIZ CO. OF GS, INC.	BUTACHLOR-PROPANIL	ULTRABONDS 70 EC	350-350 g/L	EC	HERBICIDE	3	580-238-4857	26-Jun-24	POST-EMERGENT	Rice (Direct-Seeded)	Grasses, Sedges and Broadleaves	8-12tbsp/16L water	Butachlor 0.1ppm Propanil 0.1ppm	-	As soon as the spray mist dries up
AGRI BIZ CO. OF GS, INC.	BUTACHLOR-PROPANIL	ULTRABONDS 70 EC	350-350 g/L	EC	HERBICIDE	3	580-238-4857	26-Jun-24	POST-EMERGENT	Rice (Transplanted)	Annual grasses, Sedges and Broadleaves	8-12tbsp/16L water	Butachlor 0.1ppm Propanil 0.1ppm	-	As soon as the spray mist dries up
POLARA CHEMICAL CORPORATION	RHODAMINE B	ULTRA PINK DYE	-	-	OTHERS	-	654-605-5901	24-Oct-25	-	Banana	Marker for use plantation	-	-	-	-
POLARA CHEMICAL CORPORATION	RHODAMINE B	ULTRA PINK DYE	-	-	OTHERS	-	654-605-5901	24-Oct-25	-	Pineapple	Marker for use plantation	-	-	-	-
S&P ENTERPRISES, INC.	ALCOHOL C23 (w/ 1,1-ETHOXYLATED	ULTRA BOOST	900g/L	-	OTHERS	4	566-460-4068	13-Aug-24	POST-EMERGENT	-	As Surfactant for RICE MAX 100 SC	25-30ml/16L of water	-	-	Re-entry to treated field is allowed as soon as spray deposits dry up
ULTRA BRIGHT INC.	LAMBDA-CYHALOTHRIN	ULTRA B.C. LAMBDA 2.5EC	25 g/L	EC	INSECTICIDE	2	773-204-6322	5-Jul-26	-	Rice	Green leafhopper, armyworm, rice bug, leafhopper, black bug	1.0-1.5 Tbsp/16L water	-	-	-
ULTRA BRIGHT INC.	LAMBDA-CYHALOTHRIN	ULTRA B.C. LAMBDA 2.5EC	25 g/L	EC	INSECTICIDE	2	773-204-6322	5-Jul-26	-	Mango	Hoppers	0.90-1.5 Tbsp/16L water	-	-	-
ULTRA BRIGHT INC.	LAMBDA-CYHALOTHRIN	ULTRA B.C. LAMBDA 2.5EC	25 g/L	EC	INSECTICIDE	2	773-204-6322	5-Jul-26	-	Tomato	Fruitworm, cutworm, aphids	1.0-1.5 Tbsp/16L water	-	-	-
ULTRA BRIGHT INC.	LAMBDA-CYHALOTHRIN	ULTRA B.C. LAMBDA 2.5EC	25 g/L	EC	INSECTICIDE	2	773-204-6322	5-Jul-26	-	Onion	Thrips,cutworm	1.0 tbsp/16L water	-	-	-
ULTRA BRIGHT INC.	LAMBDA-CYHALOTHRIN	ULTRA B.C. LAMBDA 2.5EC	25 g/L	EC	INSECTICIDE	2	773-204-6322	5-Jul-26	-	Mungbeans	Beanyfly, flea beetle, leafhopper, aphids, mites, podborer	1.0 tbsp/16L water	-	-	-
ULTRA BRIGHT INC.	LAMBDA-CYHALOTHRIN	ULTRA B.C. LAMBDA 2.5EC	25 g/L	EC	INSECTICIDE	2	773-204-6322	5-Jul-26	-	Corn	Comborer, aphids, seedling maggots	1.0-1.5 Tbsp/16L water	-	-	-
ULTRA BRIGHT INC.	LAMBDA-CYHALOTHRIN	ULTRA B.C. LAMBDA 2.5EC	25 g/L	EC	INSECTICIDE	2	773-204-6322	5-Jul-26	-	Tobacco	Budworm, Cutworm, aphids, katyids	1.0-1.5 Tbsp/16L water	-	-	-
ULTRA BRIGHT INC.	LAMBDA-CYHALOTHRIN	ULTRA B.C. LAMBDA 2.5EC	25 g/L	EC	INSECTICIDE	2	773-204-6322	5-Jul-26	-	Cotton	Bollworm	1.0-1.5 Tbsp/16L water	-	-	-
ULTRA BRIGHT INC.	LAMBDA-CYHALOTHRIN	ULTRA B.C. LAMBDA 2.5EC	25 g/L	EC	INSECTICIDE	2	773-204-6322	5-Jul-26	-	Cocoa	Pod borer	1.0-2.0 Tbsp/16L water	-	-	-
ULTRA BRIGHT INC.	LAMBDA-CYHALOTHRIN	ULTRA B.C. LAMBDA 2.5EC	25 g/L	EC	INSECTICIDE	2	773-204-6322	5-Jul-26	-	Watermelon	Squash beetle, melon worm	1.0 tbsp/16L water	-	-	-
ULTRA BRIGHT INC.	CARTAP HYDROCHLORIDE	ULTRA B.C. CARTAP 50SP	500 g/kg	SP	INSECTICIDE	3	773-106-6321	2-Jul-25	SYSTEMIC	Cabbage/wongbok	Diamond-back moth, cabbage moth, cabbage worm, aphids	1.5-2.0 tbsp/16L water	-	-	-
ULTRA BRIGHT INC.	CARTAP HYDROCHLORIDE	ULTRA B.C. CARTAP 50SP	500 g/kg	SP	INSECTICIDE	3	773-106-6321	2-Jul-25	SYSTEMIC	Pechay	Looper, cutworm, aphids	1.5-3.0 tbsp/16L water	-	-	-
ULTRA BRIGHT INC.	CARTAP HYDROCHLORIDE	ULTRA B.C. CARTAP 50SP	500 g/kg	SP	INSECTICIDE	3	773-106-6321	2-Jul-25	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0 tbsp/16L water	-	-	-
ULTRA BRIGHT INC.	CARTAP HYDROCHLORIDE	ULTRA B.C. CARTAP 50SP	500 g/kg	SP	INSECTICIDE	3	773-106-6321	2-Jul-25	SYSTEMIC	Cucurbits	Thrips, aphids, leafworm, flea beetle, squash beetle	1.5-2.0 tbsp/16L water	-	-	-
ULTRA BRIGHT INC.	CARTAP HYDROCHLORIDE	ULTRA B.C. CARTAP 50SP	500 g/kg	SP	INSECTICIDE	3	773-106-6321	2-Jul-25	SYSTEMIC	Potato	Thrips, aphids, cutworm, tuber moth, leafhoppers	1.5-2.0 tbsp/16L water	-	-	-
ULTRA BRIGHT INC.	CARTAP HYDROCHLORIDE	ULTRA B.C. CARTAP 50SP	500 g/kg	SP	INSECTICIDE	3	773-106-6321	2-Jul-25	SYSTEMIC	Mango	Leafhoppers	1.5-2.0 tbsp/16L water	-	-	-
ULTRA BRIGHT INC.	CARTAP HYDROCHLORIDE	ULTRA B.C. CARTAP 50SP	500 g/kg	SP	INSECTICIDE	3	773-106-6321	2-Jul-25	SYSTEMIC	Rice	Green leafhopper, brown planthopper, stemborer	3.0-5.0 Tbsp/16L water	-	-	-
ULTRA BRIGHT INC.	CARTAP HYDROCHLORIDE	ULTRA B.C. CARTAP 50SP	500 g/kg	SP	INSECTICIDE	3	773-106-6321	2-Jul-25	SYSTEMIC	Garlic	Cutworm, thrips	1.5-2.0 tbsp/16L water	-	-	-
ULTRA BRIGHT INC.	CARBOFURAN	ULTRA B.C. CARBOFURAN 3G	30 g/kg	G	INSECTICIDE	2	773-104-6320	31-Oct-24	-	Corn	Borer, earworm, grubs, seedling maggot	16-7-33.4 prod./ha (kg/ha)	-	-	Do not apply within thirty (30) days of harvest. Two (2) days
ULTRA BRIGHT INC.	CARBOFURAN	ULTRA B.C. CARBOFURAN 3G	30 g/kg	G	INSECTICIDE	2	773-104-6320	31-Oct-24	-	Cotton	Nematodes, grubs	16-7-33.4 prod./ha (kg/ha)	-	-	Do not apply within thirty (30) days of harvest. Two (2) days
ULTRA BRIGHT INC.	CARBOFURAN	ULTRA B.C. CARBOFURAN 3G	30 g/kg	G	INSECTICIDE	2	773-104-6320	31-Oct-24	-	Eggplant	Fruit borer	16-7-33.4 prod./ha (kg/ha)	-	-	Do not apply within thirty (30) days of harvest. Two (2) days
ULTRA BRIGHT INC.	CARBOFURAN	ULTRA B.C. CARBOFURAN 3G	30 g/kg	G	INSECTICIDE	2	773-104-6320	31-Oct-24	-	Field legumes	Grubs	16-7-33.4 prod./ha (kg/ha)	-	-	Do not apply within thirty (30) days of harvest. Two (2) days
ULTRA BRIGHT INC.	CARBOFURAN	ULTRA B.C. CARBOFURAN 3G	30 g/kg	G	INSECTICIDE	2	773-104-6320	31-Oct-24	-	Ornamentals	Scale insects, aphids, mealybugs	16-7-33.4 prod./ha (kg/ha)	-	-	Do not apply within thirty (30) days of harvest. Two (2) days
ULTRA BRIGHT INC.	CARBOFURAN	ULTRA B.C. CARBOFURAN 3G	30 g/kg	G	INSECTICIDE	2	773-104-6320	31-Oct-24	-	Rice	Stem borer, whorl maggot, leafhopper, leafhopper, cutworm, planthopper	16-7-33.4 prod./ha (kg/ha)	-	-	Do not apply within thirty (30) days of harvest. Two (2) days

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
ULTRA BRIGHT INC.	CARBOFURAN	ULTRA B.C. CARBOFURAN 3G	30 g/kg	G	INSECTICIDE	2	779-104-6320	31-Oct-24	-	Soybeans	Bean fly, grubs, nematodes, other soil insects	16-7.33.4 prod./ha (kg/ha)	-	Do not apply within thirty (30) days of harvest	Two (2) days
ULTRA BRIGHT INC.	CARBOFURAN	ULTRA B.C. CARBOFURAN 3G	30 g/kg	G	INSECTICIDE	2	779-104-6320	31-Oct-24	-	Sugarcane	Borer, leafhopper, mealy bug, scale insects	33.4-66.8 prod./ha (kg/ha)	-	Do not apply within thirty (30) days of harvest	Two (2) days
ULTRA BRIGHT INC.	CARBOFURAN	ULTRA B.C. CARBOFURAN 3G	30 g/kg	G	INSECTICIDE	2	779-104-6320	31-Oct-24	-	Tobacco	Nematodes, budworm	16-7.33.4 prod./ha (kg/ha)	-	Do not apply within thirty (30) days of harvest	Two (2) days
ULTRA BRIGHT INC.	CARBOFURAN	ULTRA B.C. CARBOFURAN 3G	30 g/kg	G	INSECTICIDE	2	779-104-6320	31-Oct-24	-	White potato	Nematodes, grubs	16.7-33.4 prod./ha (kg/ha)	-	Do not apply within thirty (30) days of harvest	Two (2) days
ULTRA BRIGHT INC.	CARBOFURAN	ULTRA B.C. CARBOFURAN 3G	30 g/kg	G	INSECTICIDE	2	779-104-6320	31-Oct-24	-	Cowpea	Bean fly, grubs, nematodes, other soil insects	16-7.33.4 prod./ha (kg/ha)	-	Do not apply within thirty (30) days of harvest	Two (2) days
MIGHTY AGRICULTURAL TRADING CORPORATION	POTASSIUM SALTS OF FATTY ACID	ULTRA 22	-	-	INSECTICIDE	4	783-476-5881	19-Mar-25	-	Cavendish banana	Mealy bugs, scale insects and aphids through stem and nut spray	-	-	0 day	After spray deposits have dried
ASGHEM MANUFACTURING CORPORATION	PROFENOFOS	ULTIMATE 50 EC	500 g/L	EC	INSECTICIDE	2	001-070-1804	16-Feb-25	CONTACT	Mango	Thrips	1.0-2.0 Tbsp/36L water	-	14 days	Do not enter treated field 1 day after application
ASGHEM MANUFACTURING CORPORATION	PROFENOFOS	ULTIMATE 50 EC	500 g/L	EC	INSECTICIDE	2	001-070-1804	16-Feb-25	CONTACT	Tomato	Fruitworm, armyworm, cutworm	3-5 Tbsp/36L water	-	14 days	Do not enter treated field 1 day after application
ASGHEM MANUFACTURING CORPORATION	PROFENOFOS	ULTIMATE 50 EC	500 g/L	EC	INSECTICIDE	2	001-070-1804	16-Feb-25	CONTACT	Eggplant	Fruitborer, aphids, leafhopper, & thrips	1.5-3.0 Tbsp/36L water	-	14 days	Do not enter treated field 1 day after application
ASGHEM MANUFACTURING CORPORATION	PROFENOFOS	ULTIMATE 50 EC	500 g/L	EC	INSECTICIDE	2	001-070-1804	16-Feb-25	CONTACT	Cabbage	Diamond back moth, cabbage worm & aphids, thrips	3-5 Tbsp/36L water	-	14 days	Do not enter treated field 1 day after application
ASGHEM MANUFACTURING CORPORATION	PROFENOFOS	ULTIMATE 50 EC	500 g/L	EC	INSECTICIDE	2	001-070-1804	16-Feb-25	CONTACT	Watermelon	Thrips	3-5 Tbsp/36L water	-	14 days	Do not enter treated field 1 day after application
ASGHEM MANUFACTURING CORPORATION	PROFENOFOS	ULTIMATE 50 EC	500 g/L	EC	INSECTICIDE	2	001-070-1804	16-Feb-25	CONTACT	Potato	Thrips, army worm, cutworm, tuber moth	3-5 Tbsp/36L water	-	14 days	Do not enter treated field 1 day after application
ASGHEM MANUFACTURING CORPORATION	PROFENOFOS	ULTIMATE 50 EC	500 g/L	EC	INSECTICIDE	2	001-070-1804	16-Feb-25	CONTACT	Soybeans	Com earworm, leaf miner	3-5 Tbsp/36L water	-	14 days	Do not enter treated field 1 day after application
ASGHEM MANUFACTURING CORPORATION	PROFENOFOS	ULTIMATE 50 EC	500 g/L	EC	INSECTICIDE	2	001-070-1804	16-Feb-25	CONTACT	Mungbeans	Com earworm, leaf miner	3-5 Tbsp/36L water	-	14 days	Do not enter treated field 1 day after application
ASGHEM MANUFACTURING CORPORATION	PROFENOFOS	ULTIMATE 50 EC	500 g/L	EC	INSECTICIDE	2	001-070-1804	16-Feb-25	CONTACT	Cotton	Thrips, bollworm & budworm	3-5 Tbsp/36L water	-	14 days	Do not enter treated field 1 day after application
ASGHEM MANUFACTURING CORPORATION	PROFENOFOS	ULTIMATE 50 EC	500 g/L	EC	INSECTICIDE	2	001-070-1804	16-Feb-25	CONTACT	Sitao	Beanyfly, leaf folder & aphids	1.5-3.0 Tbsp/36L water	-	14 days	Do not enter treated field 1 day after application
TEAMAGRO TRADING CORPORATION	PROFENOFOS	ULTIMA 500 EC	500 g/L	EC	INSECTICIDE	2	248-070-3224	25-Mar-25	CONTACT	Mango	Thrips	1.0-2.0 Tbsp/36L water	-	14 days	Do not enter treated field 1 day after application
TEAMAGRO TRADING CORPORATION	PROFENOFOS	ULTIMA 500 EC	500 g/L	EC	INSECTICIDE	2	248-070-3224	25-Mar-25	CONTACT	Tomato	Fruitworm, armyworm, cutworm	3-5 Tbsp/36L water	-	14 days	Do not enter treated field 1 day after application
TEAMAGRO TRADING CORPORATION	PROFENOFOS	ULTIMA 500 EC	500 g/L	EC	INSECTICIDE	2	248-070-3224	25-Mar-25	CONTACT	Eggplant	Fruitborer, aphids, leafhopper, & thrips	1.5-3.0 Tbsp/36L water	-	14 days	Do not enter treated field 1 day after application
TEAMAGRO TRADING CORPORATION	PROFENOFOS	ULTIMA 500 EC	500 g/L	EC	INSECTICIDE	2	248-070-3224	25-Mar-25	CONTACT	Cabbage	Diamond back moth, cabbage worm & aphids, thrips	3-5 Tbsp/36L water	-	14 days	Do not enter treated field 1 day after application
TEAMAGRO TRADING CORPORATION	PROFENOFOS	ULTIMA 500 EC	500 g/L	EC	INSECTICIDE	2	248-070-3224	25-Mar-25	CONTACT	Watermelon	Thrips	3-5 Tbsp/36L water	-	14 days	Do not enter treated field 1 day after application
TEAMAGRO TRADING CORPORATION	PROFENOFOS	ULTIMA 500 EC	500 g/L	EC	INSECTICIDE	2	248-070-3224	25-Mar-25	CONTACT	Potato	Thrips, army worm, cutworm, tuber moth	3-5 Tbsp/36L water	-	14 days	Do not enter treated field 1 day after application
TEAMAGRO TRADING CORPORATION	PROFENOFOS	ULTIMA 500 EC	500 g/L	EC	INSECTICIDE	2	248-070-3224	25-Mar-25	CONTACT	Soybeans	Com earworm, leaf miner	3-5 Tbsp/36L water	-	14 days	Do not enter treated field 1 day after application
TEAMAGRO TRADING CORPORATION	PROFENOFOS	ULTIMA 500 EC	500 g/L	EC	INSECTICIDE	2	248-070-3224	25-Mar-25	CONTACT	Mungbeans	Com earworm, leaf miner	3-5 Tbsp/36L water	-	14 days	Do not enter treated field 1 day after application
TEAMAGRO TRADING CORPORATION	PROFENOFOS	ULTIMA 500 EC	500 g/L	EC	INSECTICIDE	2	248-070-3224	25-Mar-25	CONTACT	Cotton	Thrips, bollworm & budworm	3-5 Tbsp/36L water	-	14 days	Do not enter treated field 1 day after application
TEAMAGRO TRADING CORPORATION	PROFENOFOS	ULTIMA 500 EC	500 g/L	EC	INSECTICIDE	2	248-070-3224	25-Mar-25	CONTACT	Sitao	Beanyfly, leaf folder & aphids	1.5-3.0 Tbsp/36L water	-	14 days	Do not enter treated field 1 day after application
TEAMAGRO TRADING CORPORATION	PROFENOFOS	ULTIMA 500 EC	500 g/L	EC	INSECTICIDE	2	248-070-3224	25-Mar-25	CONTACT	Beans	Beanflies, Aphids	-	-	Do not apply at less than 7 days before harvest	Do not enter treated fields for at least 1 day after application
NORTHERN PRIME TRADING CORPORATION	NICLOSAMIDE ETHANOLAMINE SALT	LIBRUP 70 WP	830 g/L	WP	MOLLUSCIDE	4	728-229-5857	21-Mar-25	-	Rice	Golden apple snail	25 g or 1 sachet / 26L of water	-	-	-
GREEN THUMB EXPERT VENTURES, INC.	LAMBDA-CHYALOTHIRIN	TYRANT 2.5 EC	25g/L	EC	INSECTICIDE	2	596-204-4367	16-May-24	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leaf folder, black bug	1.0-1.5 Tbsp/36L of water	0.05ppm	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
GREEN THUMB EXPERT VENTURES, INC.	LAMBDA-CHYALOTHIRIN	TYRANT 2.5 EC	25g/L	EC	INSECTICIDE	2	596-204-4367	16-May-24	SYSTEMIC	Mango	Hoppers	0.75-1.5 Tbsp/36L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
GREEN THUMB EXPERT VENTURES, INC.	LAMBDA-CHYALOTHIRIN	TYRANT 2.5 EC	25g/L	EC	INSECTICIDE	2	596-204-4367	16-May-24	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5 Tbsp/36L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
GREEN THUMB EXPERT VENTURES, INC.	LAMBDA-CHYALOTHIRIN	TYRANT 2.5 EC	25g/L	EC	INSECTICIDE	2	596-204-4367	16-May-24	SYSTEMIC	Onion	Thrips, cutworm	1.0 Tbsp/36L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
GREEN THUMB EXPERT VENTURES, INC.	LAMBDA-CHYALOTHIRIN	TYRANT 2.5 EC	25g/L	EC	INSECTICIDE	2	596-204-4367	16-May-24	SYSTEMIC	Mungbeans	Beanyfly, flea beetle, leafhopper, aphids, mites, podborer	1.0 Tbsp/36L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
GREEN THUMB EXPERT VENTURES, INC.	LAMBDA-CHYALOTHIRIN	TYRANT 2.5 EC	25g/L	EC	INSECTICIDE	2	596-204-4367	16-May-24	SYSTEMIC	Corn	Comborer, aphids, seedling maggots	1.0-1.5 Tbsp/36L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
GREEN THUMB EXPERT VENTURES, INC.	LAMBDA-CHYALOTHIRIN	TYRANT 2.5 EC	25g/L	EC	INSECTICIDE	2	596-204-4367	16-May-24	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5 Tbsp/36L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
GREEN THUMB EXPERT VENTURES, INC.	LAMBDA-CHYALOTHIRIN	TYRANT 2.5 EC	25g/L	EC	INSECTICIDE	2	596-204-4367	16-May-24	SYSTEMIC	Cotton	Bollworm	1.0-1.5 Tbsp/36L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
GREEN THUMB EXPERT VENTURES, INC.	LAMBDA-CHYALOTHIRIN	TYRANT 2.5 EC	25g/L	EC	INSECTICIDE	2	596-204-4367	16-May-24	SYSTEMIC	Cocoa	Podborer	1.0-2.0 Tbsp/36L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
GREEN THUMB EXPERT VENTURES, INC.	LAMBDA-CHYALOTHIRIN	TYRANT 2.5 EC	25g/L	EC	INSECTICIDE	2	596-204-4367	16-May-24	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0 Tbsp/36L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
TRANS WORLD TRADING CO., INC.	FLUAZIFOP-P-BUTYL	TWT GRASS OFF 15 EC	150 g/L	EC	HERBICIDE	4	038-212-6308	18-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Banana	Grasses; hchgrasses, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfoot grass	30-50 mL/36L water	-	-	-
TRANS WORLD TRADING CO., INC.	FLUAZIFOP-P-BUTYL	TWT GRASS OFF 15 EC	150 g/L	EC	HERBICIDE	4	038-212-6308	18-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Cacao	Grasses; hchgrasses, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfoot grass	30-50 mL/36L water	-	-	-
TRANS WORLD TRADING CO., INC.	FLUAZIFOP-P-BUTYL	TWT GRASS OFF 15 EC	150 g/L	EC	HERBICIDE	4	038-212-6308	18-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Coffee	Grasses; hchgrasses, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfoot grass	30-50 mL/36L water	-	-	-
TRANS WORLD TRADING CO., INC.	FLUAZIFOP-P-BUTYL	TWT GRASS OFF 15 EC	150 g/L	EC	HERBICIDE	4	038-212-6308	18-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Citrus	Grasses; hchgrasses, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfoot grass	30-50 mL/36L water	-	-	-
TRANS WORLD TRADING CO., INC.	FLUAZIFOP-P-BUTYL	TWT GRASS OFF 15 EC	150 g/L	EC	HERBICIDE	4	038-212-6308	18-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Cotton	Grasses; hchgrasses, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfoot grass	30-50 mL/36L water	-	-	-
TRANS WORLD TRADING CO., INC.	FLUAZIFOP-P-BUTYL	TWT GRASS OFF 15 EC	150 g/L	EC	HERBICIDE	4	038-212-6308	18-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Oil palm	Grasses; hchgrasses, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfoot grass	30-50 mL/36L water	-	-	-
TRANS WORLD TRADING CO., INC.	FLUAZIFOP-P-BUTYL	TWT GRASS OFF 15 EC	150 g/L	EC	HERBICIDE	4	038-212-6308	18-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Onion	Grasses; hchgrasses, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfoot grass	30-50 mL/36L water	-	-	-
TRANS WORLD TRADING CO., INC.	FLUAZIFOP-P-BUTYL	TWT GRASS OFF 15 EC	150 g/L	EC	HERBICIDE	4	038-212-6308	18-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Pineapple	Grasses; hchgrasses, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfoot grass	30-50 mL/36L water	-	-	-
TRANS WORLD TRADING CO., INC.	FLUAZIFOP-P-BUTYL	TWT GRASS OFF 15 EC	150 g/L	EC	HERBICIDE	4	038-212-6308	18-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Ramie	Grasses; hchgrasses, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfoot grass	30-50 mL/36L water	-	-	-
TRANS WORLD TRADING CO., INC.	FLUAZIFOP-P-BUTYL	TWT GRASS OFF 15 EC	150 g/L	EC	HERBICIDE	4	038-212-6308	18-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Rubber	Grasses; hchgrasses, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfoot grass	30-50 mL/36L water	-	-	-
TRANS WORLD TRADING CO., INC.	FLUAZIFOP-P-BUTYL	TWT GRASS OFF 15 EC	150 g/L	EC	HERBICIDE	4	038-212-6308	18-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Soybeans	Grasses; hchgrasses, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfoot grass	30-50 mL/36L water	-	-	-
TRANS WORLD TRADING CO., INC.	FLUAZIFOP-P-BUTYL	TWT GRASS OFF 15 EC	150 g/L	EC	HERBICIDE	4	038-212-6308	18-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Tomato	Grasses; hchgrasses, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfoot grass	30-50 mL/36L water	-	-	-
TRANS WORLD TRADING CO., INC.	FLUAZIFOP-P-BUTYL	TWT GRASS OFF 15 EC	150 g/L	EC	HERBICIDE	4	038-212-6308	18-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Cassava	Annual and perennial grass weeds	20-30 mL/36L water	-	-	-
ASGHEM MANUFACTURING CORPORATION	BUTACHLOR-PROPANIL	TWISTER 70 EC	300-350 g/L	EC	HERBICIDE	3	001-238-0929	26-Jun-24	POST-EMERGENT	Rice (Direct-Seeded)	Grasses, Sedges and Broadleaves	8-12 Tbsp/36L water	Butachlor 0.1ppm Propanil 0.1ppm	-	As soon as the spray mist dries up
ASGHEM MANUFACTURING CORPORATION	BUTACHLOR-PROPANIL	TWISTER 70 EC	300-350 g/L	EC	HERBICIDE	3	001-238-0929	26-Jun-24	POST-EMERGENT	Rice (Transplanted)	Grasses, Sedges and Broadleaves	8-12 Tbsp/36L water	Butachlor 0.1ppm Propanil 0.1ppm	-	As soon as the spray mist dries up
RAINBOW AGROSCIENCES PHILIPPINES INC.	TEBUCONAZOLE+TRIFLOXYSTROBIN	TWINSTAR 75 WG	500-250 g/kg	WG	FUNGICIDE	4	139-438-5246	20-Oct-26	SYSTEMIC	Mango	Anthraxnose	40-80 g prod / 300L water	-	30 days	As soon as spray deposits dries up.
RAINBOW AGROSCIENCES PHILIPPINES INC.	TEBUCONAZOLE+TRIFLOXYSTROBIN	TWINSTAR 75 WG	500-250 g/kg	WG	FUNGICIDE	4	139-438-5246	20-Oct-26	SYSTEMIC	Rice	Rice blast, Sheath blight & brown leaf spot, dirty panicle	12-16 g prod/36L water	-	35 days	As soon as spray deposits dries up.
RAINBOW AGROSCIENCES PHILIPPINES INC.	TEBUCONAZOLE+TRIFLOXYSTROBIN	TWINSTAR 75 WG	500-250 g/kg	WG	FUNGICIDE	4	139-438-5246	20-Oct-26	SYSTEMIC	Bitterguard	Cercospora leaf spot, anthracnose, powdery mildew	6-8 g/36L water	-	3 days	As soon as spray deposits dries up.

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
RAINBOW AGROSCIENCES PHILIPPINES INC.	TEBUCONAZOLE+TRIFLOXYSTROBIN	TWINSTAR 75 WG	500-250 g/kg	WG	FUNGICIDE	4	539-438-5246	20-Oct-26	SYSTEMIC	Tomato	Early blight	6-8 g/26 L water	-	3 days	As soon as spray deposits dries up.
RAINBOW AGROSCIENCES PHILIPPINES INC.	TEBUCONAZOLE+TRIFLOXYSTROBIN	TWINSTAR 75 WG	500-250 g/kg	WG	FUNGICIDE	4	539-438-5246	20-Oct-26	SYSTEMIC	Eggplant	Cercospora leaf spot, early blight	6-8 g/26 L water	-	3 days	As soon as spray deposits dries up.
RAINBOW AGROSCIENCES PHILIPPINES INC.	TEBUCONAZOLE+TRIFLOXYSTROBIN	TWINSTAR 75 WG	500-250 g/kg	WG	FUNGICIDE	4	539-438-5246	20-Oct-26	SYSTEMIC	Watermelon	Leaf spot, powdery mildew	6-8 g/26 L water	-	3 days	As soon as spray deposits dries up.
RAINBOW AGROSCIENCES PHILIPPINES INC.	TEBUCONAZOLE+TRIFLOXYSTROBIN	TWINSTAR 75 WG	500-250 g/kg	WG	FUNGICIDE	4	539-438-5246	20-Oct-26	SYSTEMIC	Corn	Corn rust, Helminthosporium leaf spot	4-5 g/26 L water	-	5 days	As soon as spray deposits dries up.
RAINBOW AGROSCIENCES PHILIPPINES INC.	TEBUCONAZOLE+TRIFLOXYSTROBIN	TWINSTAR 75 WG	500-250 g/kg	WG	FUNGICIDE	4	539-438-5246	20-Oct-26	SYSTEMIC	Onion	Purple blotch	4-8 g/26 L water	-	5 days	As soon as spray deposits dries up.
RAINBOW AGROSCIENCES PHILIPPINES INC.	TEBUCONAZOLE+TRIFLOXYSTROBIN	TWINSTAR 75 WG	500-250 g/kg	WG	FUNGICIDE	4	539-438-5246	20-Oct-26	SYSTEMIC	Potato	Early and late blight	100-200 gms product/ha	-	3 days	As soon as spray deposits dries up.
RAINBOW AGROSCIENCES PHILIPPINES INC.	TEBUCONAZOLE+TRIFLOXYSTROBIN	TWINSTAR 75 WG	500-250 g/kg	WG	FUNGICIDE	4	539-438-5246	20-Oct-26	SYSTEMIC	Cabbage	Leaf spot	200-200 gms product/ha	-	3 days	As soon as spray deposits dries up.
TWIN BAMBOO CORPORATION	NICLOSAMIDE ETHANOLAMINE SALT	TWINSIDE 70 WP	700 g/L	WP	MOLLUSCIDE	4	556-229-3090	20-Dec-24	CONTACT	Rice	Golden Apple Snail (Kuhol)	35 gm/26 L water	-	-	48 Hours after spraying
ONEGRAIN MARKETING CORPORATION	PRETILACHLOR+BUTACHLOR	TWINKLOR 55 EC	150g/L+400g/L	EC	HERBICIDE	4	723-591-5845	15-Jul-25	PRE-EMERGENT	Rice (Direct-seeded)	Grasses sedges, and broadleaves	20 Tbsp/ 16L	-	-	-
ASCHEM MANUFACTURING CORPORATION	DIFENOCANAZOLE+PROPICONAZOLE	TWINAZOLE 30EC	150 g/L+150 g/L	EC	FUNGICIDE	3	001-325-6336	19-Oct-26	SYSTEMIC	Rice	Sheath blight	250-350 mL prod. / ha	-	-	-
ASCHEM MANUFACTURING CORPORATION	DIFENOCANAZOLE+PROPICONAZOLE	TWINAZOLE 30EC	150 g/L+150 g/L	EC	FUNGICIDE	3	001-325-6336	19-Oct-26	SYSTEMIC	Corn	Ear rot, leaf blight, rust, banded leaf, and sheath blight	250-350 mL prod. / ha; 10-20 mL prod. / 16L water	0.5 ppm	-	-
FMC AGRO PHILIPPINES INC.	CHLORDANTHANILPROLE	TUVENTA	200 g/L	-	INSECTICIDE	4	598-393-6023	10-Feb-26	-	Cabbage	Diamondback moth, cutworm, cabbage worm	3.75 mL prod./ha; 600 L/ha	-	-	AS soon as spray solution has dried up
FMC AGRO PHILIPPINES INC.	CHLORDANTHANILPROLE	TUVENTA	200 g/L	-	INSECTICIDE	4	598-393-6023	10-Feb-26	-	Eggplant	Shoot borer, fruit borer, cutworm	2.5 mL prod./ha; 800 L/ha	-	-	AS soon as spray solution has dried up
FMC AGRO PHILIPPINES INC.	CHLORDANTHANILPROLE	TUVENTA	200 g/L	-	INSECTICIDE	4	598-393-6023	10-Feb-26	-	Tomato	Cutworm, fruitworm	8.0 mL prod./ha; 500 L/ha	-	-	AS soon as spray solution has dried up
FMC AGRO PHILIPPINES INC.	CHLORDANTHANILPROLE	TUVENTA	200 g/L	-	INSECTICIDE	4	598-393-6023	10-Feb-26	-	Bitterguard	Leafroller, cutworm	5.0 mL prod./ha; 500 L/ha	-	-	AS soon as spray solution has dried up
FMC AGRO PHILIPPINES INC.	CHLORDANTHANILPROLE	TUVENTA	200 g/L	-	INSECTICIDE	4	598-393-6023	10-Feb-26	-	Rice	Leafroller, stemborer	16.0 mL prod./ha; 160 L/ha	-	-	AS soon as spray solution has dried up
JOCANIMA CORPORATION	2,4-D AMINE	TURMOIL 2,4-D AMINE	400 g/L	EC	HERBICIDE	2	241-013-3169	02-May-19	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual broadleaves and sedges	3.5-6.5 Tbsp/26 L water	0.1 ppm	-	-
JOCANIMA CORPORATION	2,4-D AMINE	TURMOIL 2,4-D AMINE	400 g/L	EC	HERBICIDE	2	241-013-3169	02-May-19	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual broadleaves and sedges	19-25 Tbsp/26 L water	-	-	-
JOCANIMA CORPORATION	2,4-D AMINE	TURMOIL 2,4-D AMINE	400 g/L	EC	HERBICIDE	2	241-013-3169	02-May-19	SELECTIVE (POST-EMERGENT)	Corn	Annual broadleaves and sedges	5-6.5 Tbsp/26 L water	-	-	-
AVC CHEMICAL CORPORATION	FLAZASULFURON	TURFEDO 25WG	250 g/kg	WG	HERBICIDE	4	600-524-5030	10-Jan-26	SELECTIVE AND SYSTEMIC POST-EMERGENT	Turf (Post-emergent)	Annual and perennial grasses, broadleaves and sedges	1100-3000 grams product per hectare at spray volume of 200 liters per hectare	-	-	Enter the field as soon as the spray dries up
ENVIRO CROPVET PRODUCTS INC.	BUTACHLOR+PROPANIL	TURBOMAX 700 EC	300-150 g/L	EC	HERBICIDE	3	282-236-2083	16-May-22	POST-EMERGENT	Rice (Direct-Seeded)	Grasses, Sedges and Broadleaves	8-12 Tbsp/26 L water	Butachlor 0.1 ppm Propanil 0.1 ppm	-	As soon as the spray mist dries up
ENVIRO CROPVET PRODUCTS INC.	BUTACHLOR+PROPANIL	TURBOMAX 700 EC	300-150 g/L	EC	HERBICIDE	3	282-236-2083	16-May-22	POST-EMERGENT	Rice (Transplanted)	Grasses, Sedges and Broadleaves	9-12 Tbsp/26 L water	Butachlor 0.1 ppm Propanil 0.1 ppm	-	As soon as the spray mist dries up
JOCANIMA CORPORATION	PROPICONAZOLE	TURBOCANAZOLE 25 EC	250 g/L	EC	FUNGICIDE	3	241-178-1900	04-Sep-23	SYSTEMIC	Banana	Black Sigatoka	400mL/ha	-	-	Do not enter fields until spray has completely dried
JOCANIMA CORPORATION	PROPICONAZOLE	TURBOCANAZOLE 25 EC	250 g/L	EC	FUNGICIDE	3	241-178-1900	04-Sep-23	SYSTEMIC	Pineapple	Butt rot	8 ml / 100 L	-	-	Do not enter fields until spray has completely dried
AGRO ADVANCED INTERNATIONAL PHILS., INC.	CARBOFURAN	TURBO 3G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	473-104-2659	17-Sep-25	-	Sugarcane	Borer, leafhopper, mealy bug, scale insects, nematodes, white grubs, crickets & root flies	20-40 kg/ha	-	-	10 days after application
AGRO ADVANCED INTERNATIONAL PHILS., INC.	CARBOFURAN	TURBO 3G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	473-104-2660	17-Sep-25	-	Banana	Nematodes, corn weevil and scarring weevil	25-30 kg/ha	-	-	10 days after application
AGRO ADVANCED INTERNATIONAL PHILS., INC.	CARBOFURAN	TURBO 3G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	473-104-2660	17-Sep-25	-	Corn	Borer, earworm, grubs, seedling maggot	16.7-33.3 kg prod/ha	-	-	10 days after application
AGRO ADVANCED INTERNATIONAL PHILS., INC.	CARBOFURAN	TURBO 3G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	473-104-2660	17-Sep-25	-	Cotton	Nematodes, grubs	16.7-33.3 kg prod/ha	-	-	10 days after application
AGRO ADVANCED INTERNATIONAL PHILS., INC.	CARBOFURAN	TURBO 3G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	473-104-2660	17-Sep-25	-	Eggplant	Fruitborer	16.7-33.3 kg prod/ha	-	-	10 days after application
AGRO ADVANCED INTERNATIONAL PHILS., INC.	CARBOFURAN	TURBO 3G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	473-104-2660	17-Sep-25	-	Field legumes	Beanflies, grubs, nematodes	16.7-33.3 kg prod/ha	-	-	10 days after application
AGRO ADVANCED INTERNATIONAL PHILS., INC.	CARBOFURAN	TURBO 3G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	473-104-2660	17-Sep-25	-	Rice	Stem borer, whorl maggot, leafhopper, leafroller, caseworm, planthopper	16.7-33.3 kg prod/ha	0.2ppm	28 Days	10 days after application
AGRO ADVANCED INTERNATIONAL PHILS., INC.	CARBOFURAN	TURBO 3G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	473-104-2660	17-Sep-25	-	Soybeans	Beanfly, grubs, nematodes, other soil insects	16.7-33.3 kg prod/ha	-	-	10 days after application
AGRO ADVANCED INTERNATIONAL PHILS., INC.	CARBOFURAN	TURBO 3G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	473-104-2660	17-Sep-25	-	Sugarcane	Borer, leafhopper, mealy bug, nematodes, scale insects	16.7-33.3 kg prod/ha	-	-	10 days after application
AGRO ADVANCED INTERNATIONAL PHILS., INC.	CARBOFURAN	TURBO 3G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	473-104-2660	17-Sep-25	-	Tobacco	Nematode, budworm	16.7-33.3 kg prod/ha	-	-	10 days after application
AGRO ADVANCED INTERNATIONAL PHILS., INC.	CARBOFURAN	TURBO 3G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	473-104-2660	17-Sep-25	-	White potato	Nematodes, grubs	16.7-33.3 kg prod/ha	-	-	10 days after application
AGRO ADVANCED INTERNATIONAL PHILS., INC.	CARBOFURAN	TURBO 3G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	473-104-2660	17-Sep-25	-	Cowpea	Beanfly, grubs, nematodes, other soil insects	16.7-33.3 kg prod/ha	-	-	10 days after application
AGRO ADVANCED INTERNATIONAL PHILS., INC.	CARBOFURAN	TURBO 3G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	473-104-2660	17-Sep-25	-	Ornamentals	Scale insect, aphids, mealy bug	16.7-33.3 kg prod/ha	-	-	10 days after application
AGRO ADVANCED INTERNATIONAL PHILS., INC.	CARBOFURAN	TURBO 10G	100 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	473-104-2661	23-May-24	-	Banana	Nematodes, corn weevil and scarring weevil	10-15 kg/ha	-	-	-
MANAGRA TRADING CORPORATION	GLUFOSINATE AMMONIUM	TUMBLEWEEDS 150 SL	150 g/L	SL	HERBICIDE	4	476-182-3799	23-Aug-22	NON-SELECTIVE(POST-EMERGENT)	Rubber	Weeds	-	-	-	-
MANAGRA TRADING CORPORATION	GLUFOSINATE AMMONIUM	TUMBLEWEEDS 150 SL	150 g/L	SL	HERBICIDE	4	476-182-3799	23-Aug-22	NON-SELECTIVE(POST-EMERGENT)	Oil palm	Weeds	-	-	-	-
MANAGRA TRADING CORPORATION	GLUFOSINATE AMMONIUM	TUMBLEWEEDS 150 SL	150 g/L	SL	HERBICIDE	4	476-182-3799	23-Aug-22	NON-SELECTIVE(POST-EMERGENT)	Non-crop land	Weeds	-	-	-	-
MANAGRA TRADING CORPORATION	GLUFOSINATE AMMONIUM	TUMBLEWEEDS 150 SL	150 g/L	SL	HERBICIDE	4	476-182-3799	23-Aug-22	NON-SELECTIVE(POST-EMERGENT)	Cavendish Banana	Weeds	-	0.2 mg/kg	-	-
MARTHAIVE CO., LTD.	CARTAP HYDROCHLORIDE	TSUNAM 50 SP	500 g/kg	SP	INSECTICIDE	3	409-106-2313	09-Sep-20	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.0-5.0Tbsp/26 L water	0.2ppm	Stop spraying 10 days before harvest	-
MARTHAIVE CO., LTD.	CARTAP HYDROCHLORIDE	TSUNAM 50 SP	500 g/kg	SP	INSECTICIDE	3	409-106-2313	09-Sep-20	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/26 L water	-	-	-
MARTHAIVE CO., LTD.	CARTAP HYDROCHLORIDE	TSUNAM 50 SP	500 g/kg	SP	INSECTICIDE	3	409-106-2313	09-Sep-20	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/26 L water	-	-	-
MARTHAIVE CO., LTD.	CARTAP HYDROCHLORIDE	TSUNAM 50 SP	500 g/kg	SP	INSECTICIDE	3	409-106-2313	09-Sep-20	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/26 L water	-	-	-
MARTHAIVE CO., LTD.	CARTAP HYDROCHLORIDE	TSUNAM 50 SP	500 g/kg	SP	INSECTICIDE	3	409-106-2313	09-Sep-20	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/26 L water	-	-	-
MARTHAIVE CO., LTD.	CARTAP HYDROCHLORIDE	TSUNAM 50 SP	500 g/kg	SP	INSECTICIDE	3	409-106-2313	09-Sep-20	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/26 L water	-	-	-
MARTHAIVE CO., LTD.	CARTAP HYDROCHLORIDE	TSUNAM 50 SP	500 g/kg	SP	INSECTICIDE	3	409-106-2313	09-Sep-20	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/26 L water	-	-	-
MARTHAIVE CO., LTD.	CARTAP HYDROCHLORIDE	TSUNAM 50 SP	500 g/kg	SP	INSECTICIDE	3	409-106-2313	09-Sep-20	SYSTEMIC	Mango	leafhoppers	1.5-2.0Tbsp/26 L water	-	-	-
MARTHAIVE CO., LTD.	CARTAP HYDROCHLORIDE	TSUNAM 50 SP	500 g/kg	SP	INSECTICIDE	3	409-106-2313	09-Sep-20	SYSTEMIC	Pechay	looper, cutworm, aphids	1.5-3.0Tbsp/26 L water	-	-	-
RED BUFFALO AGRIVENTURES CORPORATION	CARTAP HYDROCHLORIDE	TSADA 50 SP	500 g/kg	SP	INSECTICIDE	3	501-106-3447	09-Jul-21	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.0-5.0Tbsp/26 L water	0.2ppm	Stop spraying 10 days before harvest	-
RED BUFFALO AGRIVENTURES CORPORATION	CARTAP HYDROCHLORIDE	TSADA 50 SP	500 g/kg	SP	INSECTICIDE	3	501-106-3447	09-Jul-21	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/26 L water	-	-	-
RED BUFFALO AGRIVENTURES CORPORATION	CARTAP HYDROCHLORIDE	TSADA 50 SP	500 g/kg	SP	INSECTICIDE	3	501-106-3447	09-Jul-21	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/26 L water	-	-	-
RED BUFFALO AGRIVENTURES CORPORATION	CARTAP HYDROCHLORIDE	TSADA 50 SP	500 g/kg	SP	INSECTICIDE	3	501-106-3447	09-Jul-21	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/26 L water	-	-	-
RED BUFFALO AGRIVENTURES CORPORATION	CARTAP HYDROCHLORIDE	TSADA 50 SP	500 g/kg	SP	INSECTICIDE	3	501-106-3447	09-Jul-21	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/26 L water	-	-	-

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
RED BUFFALO AGRIVENTURES CORPORATION	CARTAP HYDROCHLORIDE	TSADA 50 SP	500 g/Kg	SP	INSECTICIDE	3	501-106-3447	09-Jul-21	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/36 L water	-	-	-
RED BUFFALO AGRIVENTURES CORPORATION	CARTAP HYDROCHLORIDE	TSADA 50 SP	500 g/Kg	SP	INSECTICIDE	3	501-106-3447	09-Jul-21	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/36 L water	-	-	-
RED BUFFALO AGRIVENTURES CORPORATION	CARTAP HYDROCHLORIDE	TSADA 50 SP	500 g/Kg	SP	INSECTICIDE	3	501-106-3447	09-Jul-21	SYSTEMIC	Mango	leafhoppers	1.5-2.0Tbsp/36 L water	-	-	-
RED BUFFALO AGRIVENTURES CORPORATION	CARTAP HYDROCHLORIDE	TSADA 50 SP	500 g/Kg	SP	INSECTICIDE	3	501-106-3447	09-Jul-21	SYSTEMIC	Peachy	looper, cutworm, aphids	1.5-3.0Tbsp/36 L water	-	-	-
JOCANIMA CORPORATION	AMETRYN+ATRAZINE	TRY ME 80 WP	400-400 g/kg	WP	HERBICIDE	4	241-079-4000	17-Mar-20	SELECTIVE (POST/PRE-EMERGENT)	Sugarcane	Broadleaf weeds & Annual Grasses	9-14 Tbsp/36 Liters	-	-	-
JOCANIMA CORPORATION	AMETRYN+ATRAZINE	TRY ME 80 WP	400-400 g/kg	WP	HERBICIDE	4	241-079-4000	17-Mar-20	SELECTIVE (POST/PRE-EMERGENT)	Oil palm	Broadleaf weeds & Annual Grasses	9-14 Tbsp/36 Liters	-	-	-
JOCANIMA CORPORATION	AMETRYN+ATRAZINE	TRY ME 80 WP	400-400 g/kg	WP	HERBICIDE	4	241-079-4000	17-Mar-20	SELECTIVE (POST/PRE-EMERGENT)	Banana	Broadleaf weeds & Annual Grasses	9-14 Tbsp/36 Liters	-	-	-
JOCANIMA CORPORATION	AMETRYN+ATRAZINE	TRY ME 80 WP	400-400 g/kg	WP	HERBICIDE	4	241-079-4000	17-Mar-20	SELECTIVE (POST/PRE-EMERGENT)	Citrus	Broadleaf weeds & Annual Grasses	9-14 Tbsp/36 Liters	-	-	-
JOCANIMA CORPORATION	AMETRYN+ATRAZINE	TRY ME 80 WP	400-400 g/kg	WP	HERBICIDE	4	241-079-4000	17-Mar-20	SELECTIVE (POST/PRE-EMERGENT)	Coffee	Broadleaf weeds & Annual Grasses	9-14 Tbsp/36 Liters	-	-	-
JOCANIMA CORPORATION	AMETRYN+ATRAZINE	TRY ME 80 WP	400-400 g/kg	WP	HERBICIDE	4	241-079-4000	17-Mar-20	SELECTIVE (POST/PRE-EMERGENT)	Cacao	Broadleaf weeds & Annual Grasses	9-14 Tbsp/36 Liters	-	-	-
MONARCH AGRICULTURAL PRODUCTS, INC.	TRIDEMORPH	TRY ME MORE	860 g/L	-	FUNGICIDE	2	096-097-2332	22-Oct-23	SYSTEMIC/CONTACT	Banana	Black sigatoka	0.5 L/ha Tridemorph + 0.5 L/ha Oil	-	-	-
AGRIBASE CHEMICALS, INC.	MANCOZEB	TRUZE 80 WP	800 g/Kg	WP	FUNGICIDE	4	457-053-3033	14-Mar-25	-	Potato	Early and late blight	3-6 Tbsp/36 L water	-	-	As soon as spray dries
AGRIBASE CHEMICALS, INC.	MANCOZEB	TRUZE 80 WP	800 g/Kg	WP	FUNGICIDE	4	457-053-3033	14-Mar-25	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
AGRIBASE CHEMICALS, INC.	MANCOZEB	TRUZE 80 WP	800 g/Kg	WP	FUNGICIDE	4	457-053-3033	14-Mar-25	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
AGRIBASE CHEMICALS, INC.	MANCOZEB	TRUZE 80 WP	800 g/Kg	WP	FUNGICIDE	4	457-053-3033	14-Mar-25	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
AGRIBASE CHEMICALS, INC.	MANCOZEB	TRUZE 80 WP	800 g/Kg	WP	FUNGICIDE	4	457-053-3033	14-Mar-25	-	Celery	Late blight	3-6 Tbsp/36 L water	-	14 Days	As soon as spray dries
AGRIBASE CHEMICALS, INC.	MANCOZEB	TRUZE 80 WP	800 g/Kg	WP	FUNGICIDE	4	457-053-3033	14-Mar-25	-	Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
AGRIBASE CHEMICALS, INC.	MANCOZEB	TRUZE 80 WP	800 g/Kg	WP	FUNGICIDE	4	457-053-3033	14-Mar-25	-	Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
AGRIBASE CHEMICALS, INC.	MANCOZEB	TRUZE 80 WP	800 g/Kg	WP	FUNGICIDE	4	457-053-3033	14-Mar-25	-	Cotton	Damping off	3-6 Tbsp/36 L water	-	-	As soon as spray dries
AGRIBASE CHEMICALS, INC.	MANCOZEB	TRUZE 80 WP	800 g/Kg	WP	FUNGICIDE	4	457-053-3033	14-Mar-25	-	Lettuce	Downy mildew	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
AGRIBASE CHEMICALS, INC.	MANCOZEB	TRUZE 80 WP	800 g/Kg	WP	FUNGICIDE	4	457-053-3033	14-Mar-25	-	Beans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
AGRIBASE CHEMICALS, INC.	MANCOZEB	TRUZE 80 WP	800 g/Kg	WP	FUNGICIDE	4	457-053-3033	14-Mar-25	-	Peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
AGRIBASE CHEMICALS, INC.	MANCOZEB	TRUZE 80 WP	800 g/Kg	WP	FUNGICIDE	4	457-053-3033	14-Mar-25	-	Mungo	Anthracnose, Downy mildew, Rust	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
AGRIBASE CHEMICALS, INC.	MANCOZEB	TRUZE 80 WP	800 g/Kg	WP	FUNGICIDE	4	457-053-3033	14-Mar-25	-	Tomato	Early and late blight, Anthracnose, Septoria leaf blight	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
AGRIBASE CHEMICALS, INC.	MANCOZEB	TRUZE 80 WP	800 g/Kg	WP	FUNGICIDE	4	457-053-3033	14-Mar-25	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries
AGRIBASE CHEMICALS, INC.	MANCOZEB	TRUZE 80 WP	800 g/Kg	WP	FUNGICIDE	4	457-053-3033	14-Mar-25	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries
AGRIBASE CHEMICALS, INC.	MANCOZEB	TRUZE 80 WP	800 g/Kg	WP	FUNGICIDE	4	457-053-3033	14-Mar-25	-	Pepper	Anthracnose	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries
AGRIBASE CHEMICALS, INC.	MANCOZEB	TRUZE 80 WP	800 g/Kg	WP	FUNGICIDE	4	457-053-3033	14-Mar-25	-	Chili	Anthracnose	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries
AGRIBASE CHEMICALS, INC.	MANCOZEB	TRUZE 80 WP	800 g/Kg	WP	FUNGICIDE	4	457-053-3033	14-Mar-25	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries
AGRIBASE CHEMICALS, INC.	MANCOZEB	TRUZE 80 WP	800 g/Kg	WP	FUNGICIDE	4	457-053-3033	14-Mar-25	-	Banana	Sigatoka, Black leaf streak	3-6 Tbsp/36 L water	-	-	As soon as spray dries
AGRIBASE CHEMICALS, INC.	MANCOZEB	TRUZE 80 WP	800 g/Kg	WP	FUNGICIDE	4	457-053-3033	14-Mar-25	-	Grapes	Downy mildew, black rot	3-6 Tbsp/36 L water	-	60 days	As soon as spray dries
AGRIBASE CHEMICALS, INC.	MANCOZEB	TRUZE 80 WP	800 g/Kg	WP	FUNGICIDE	4	457-053-3033	14-Mar-25	-	Mango	Anthracnose and Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
AGRIBASE CHEMICALS, INC.	MANCOZEB	TRUZE 80 WP	800 g/Kg	WP	FUNGICIDE	4	457-053-3033	14-Mar-25	-	Papaya	Fruit rot	3-6 Tbsp/36 L water	-	-	As soon as spray dries
AGRIBASE CHEMICALS, INC.	MANCOZEB	TRUZE 80 WP	800 g/Kg	WP	FUNGICIDE	4	457-053-3033	14-Mar-25	-	Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
AGRIBASE CHEMICALS, INC.	MANCOZEB	TRUZE 80 WP	800 g/Kg	WP	FUNGICIDE	4	457-053-3033	14-Mar-25	-	Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
AGRIBASE CHEMICALS, INC.	MANCOZEB	TRUZE 80 WP	800 g/Kg	WP	FUNGICIDE	4	457-053-3033	14-Mar-25	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries
AGRIBASE CHEMICALS, INC.	MANCOZEB	TRUZE 80 WP	800 g/Kg	WP	FUNGICIDE	4	457-053-3033	14-Mar-25	-	Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/36 L water	0.02ppm	-	As soon as spray dries
AGRIBASE CHEMICALS, INC.	MANCOZEB	TRUZE 80 WP	800 g/Kg	WP	FUNGICIDE	4	457-053-3033	14-Mar-25	-	Peanut	Cercospora leaf spot	3-6 Tbsp/36 L water	-	14 Days	As soon as spray dries
AGRIBASE CHEMICALS, INC.	MANCOZEB	TRUZE 80 WP	800 g/Kg	WP	FUNGICIDE	4	457-053-3033	14-Mar-25	-	Soybeans	Leaf rust	3-6 Tbsp/36 L water	-	-	As soon as spray dries
AGRIBASE CHEMICALS, INC.	MANCOZEB	TRUZE 80 WP	800 g/Kg	WP	FUNGICIDE	4	457-053-3033	14-Mar-25	-	Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/36 L water	-	-	As soon as spray dries
SOUTHAND CONSUMERS COOPERATIVE	PYMETROZINE	TRUST 50 WG	500 g/Kg	WG	INSECTICIDE	4	599-307-4284	09-Mar-21	-	Mango	Mango Leafhopper	1 sachet*/200L	-	-	Do not enter the treated fields for at least 24 hours after application
CULTIVA INCORPORATED	CHLOROTHALONIL	TRUNIL 75 WP	750 g/Kg	WP	FUNGICIDE	4	201-118-1604	04-Nov-25	-	Grapes	Downy mildew, powdery mildew, fruit rot	3.2-4.8 Tbsp/36L water	-	-	Do not enter treatment areas until spray deposit have dried
CULTIVA INCORPORATED	CHLOROTHALONIL	TRUNIL 75 WP	750 g/Kg	WP	FUNGICIDE	4	201-118-1604	04-Nov-25	-	Potato	Early and late blight, vine rot	3.2-4.8 Tbsp/36L water	-	-	Do not enter treatment areas until spray deposit have dried
CULTIVA INCORPORATED	CHLOROTHALONIL	TRUNIL 75 WP	750 g/Kg	WP	FUNGICIDE	4	201-118-1604	04-Nov-25	-	Tomato	Early and late blight, vine rot	3.2-4.8 Tbsp/36L water	-	-	Do not enter treatment areas until spray deposit have dried
CULTIVA INCORPORATED	CHLOROTHALONIL	TRUNIL 75 WP	750 g/Kg	WP	FUNGICIDE	4	201-118-1604	04-Nov-25	-	Banana	Sigatoka, rust, freckles	3.2-4.8 Tbsp/36L water	2.0 mg/Kg	-	Do not enter treatment areas until spray deposit have dried
CULTIVA INCORPORATED	CHLOROTHALONIL	TRUNIL 75 WP	750 g/Kg	WP	FUNGICIDE	4	201-118-1604	04-Nov-25	-	Peas	Rust, anthracnose	3.2-4.8 Tbsp/36L water	-	7 days	Do not enter treatment areas until spray deposit have dried
CULTIVA INCORPORATED	CHLOROTHALONIL	TRUNIL 75 WP	750 g/Kg	WP	FUNGICIDE	4	201-118-1604	04-Nov-25	-	Beans	Rust, anthracnose	3.2-4.8 Tbsp/36L water	-	7 days	Do not enter treatment areas until spray deposit have dried
CULTIVA INCORPORATED	CHLOROTHALONIL	TRUNIL 75 WP	750 g/Kg	WP	FUNGICIDE	4	201-118-1604	04-Nov-25	-	Citrus	Scab, melanose	3.2-4.8 Tbsp/36L water	-	-	Do not enter treatment areas until spray deposit have dried
CULTIVA INCORPORATED	CHLOROTHALONIL	TRUNIL 75 WP	750 g/Kg	WP	FUNGICIDE	4	201-118-1604	04-Nov-25	-	Watermelon	Powdery mildew, anthracnose, early and late blight, cercospora leaf spot	3.2-4.8 Tbsp/36L water	-	-	Do not enter treatment areas until spray deposit have dried
CULTIVA INCORPORATED	CHLOROTHALONIL	TRUNIL 75 WP	750 g/Kg	WP	FUNGICIDE	4	201-118-1604	04-Nov-25	-	Garlic	Purple blotch, bulb rot, neck rot	3.2-4.8 Tbsp/36L water	-	7 days	Do not enter treatment areas until spray deposit have dried
CULTIVA INCORPORATED	CHLOROTHALONIL	TRUNIL 75 WP	750 g/Kg	WP	FUNGICIDE	4	201-118-1604	04-Nov-25	-	Onion	Purple blotch, bulb rot, neck rot	3.2-4.8 Tbsp/36L water	-	7 days	Do not enter treatment areas until spray deposit have dried
CULTIVA INCORPORATED	CHLOROTHALONIL	TRUNIL 75 WP	750 g/Kg	WP	FUNGICIDE	4	201-118-1604	04-Nov-25	-	Rice	Rice blast, stem rot, helminthosporium leaf spot, cercospora leaf spot, sheath blight	3.2-4.8 Tbsp/36L water	0.1ppm	14 Days	Do not enter treatment areas until spray deposit have dried
CULTIVA INCORPORATED	CHLOROTHALONIL	TRUNIL 75 WP	750 g/Kg	WP	FUNGICIDE	4	201-118-1604	04-Nov-25	-	Corn	Helminthosporium leafspot, rust, downy mildew	3.2-4.8 Tbsp/36L water	-	14 Days	Do not enter treatment areas until spray deposit have dried
CULTIVA INCORPORATED	CHLOROTHALONIL	TRUNIL 75 WP	750 g/Kg	WP	FUNGICIDE	4	201-118-1604	04-Nov-25	-	Celery	late blight	3.2-4.8 Tbsp/36L water	-	7 days	Do not enter treatment areas until spray deposit have dried
CULTIVA INCORPORATED	CHLOROTHALONIL	TRUNIL 75 WP	750 g/Kg	WP	FUNGICIDE	4	201-118-1604	04-Nov-25	-	Eggplant	Early and late blight, cercospora, leaf spot	3.2-4.8 Tbsp/36L water	-	-	Do not enter treatment areas until spray deposit have dried
CULTIVA INCORPORATED	CHLOROTHALONIL	TRUNIL 75 WP	750 g/Kg	WP	FUNGICIDE	4	201-118-1604	04-Nov-25	-	Pepper	Early and late blight, cercospora, leaf spot	3.2-4.8 Tbsp/36L water	-	-	Do not enter treatment areas until spray deposit have dried

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
CULTIVA INCORPORATED	CHLOROTHALONIL	TRINIL 75 WP	750 g/kg	WP	FUNGICIDE	4	201-118-1604	06-Nov-25	-	Melon	Anthraco, powdery mildew, early and late blight, cercospora leaf spot	3.2-4.8 Tbsp/36L water	-	-	Do not enter treatment areas until spray deposit have dried
CULTIVA INCORPORATED	CHLOROTHALONIL	TRINIL 75 WP	750 g/kg	WP	FUNGICIDE	4	201-118-1604	06-Nov-25	-	Mango	Anthraco, diploia rot	3.2-4.8 Tbsp/36L water	0.5 mg/kg	-	Do not enter treatment areas until spray deposit have dried
CULTIVA INCORPORATED	CHLOROTHALONIL	TRINIL 75 WP	750 g/kg	WP	FUNGICIDE	4	201-118-1604	06-Nov-25	-	Ornamentals	Black spot, black rot, powdery mildew	3.2-4.8 Tbsp/36L water	-	-	Do not enter treatment areas until spray deposit have dried
CULTIVA INCORPORATED	CHLOROTHALONIL	TRINIL 75 WP	750 g/kg	WP	FUNGICIDE	4	201-118-1604	06-Nov-25	-	Peanut	Cercospora leaf spot	3.2-4.8 Tbsp/36L water	-	14 Days	Do not enter treatment areas until spray deposit have dried
CULTIVA INCORPORATED	CHLOROTHALONIL	TRINIL 75 WP	750 g/kg	WP	FUNGICIDE	4	201-118-1604	06-Nov-25	-	Lettuce	Downy mildew	3.2-4.8 Tbsp/36L water	-	-	Do not enter treatment areas until spray deposit have dried
CULTIVA INCORPORATED	CHLOROTHALONIL	TRINIL 75 WP	750 g/kg	WP	FUNGICIDE	4	201-118-1604	06-Nov-25	-	Cabbage	Powdery mildew	3.2-4.8 Tbsp/36L water	-	-	Do not enter treatment areas until spray deposit have dried
CULTIVA INCORPORATED	CHLOROTHALONIL	TRINIL 75 WP	750 g/kg	WP	FUNGICIDE	4	201-118-1604	06-Nov-25	-	Cauliflower	Powdery mildew	3.2-4.8 Tbsp/36L water	-	-	Do not enter treatment areas until spray deposit have dried
CULTIVA INCORPORATED	CHLOROTHALONIL	TRINIL 75 WP	750 g/kg	WP	FUNGICIDE	4	201-118-1604	06-Nov-25	-	Broccoli	Powdery mildew	3.2-4.8 Tbsp/36L water	-	-	Do not enter treatment areas until spray deposit have dried
CULTIVA INCORPORATED	CHLOROTHALONIL	TRINIL 75 WP	750 g/kg	WP	FUNGICIDE	4	201-118-1604	06-Nov-25	-	Carrot	Alternaria leaf spot, cercospora leaf spot	3.2-4.8 Tbsp/36L water	-	-	Do not enter treatment areas until spray deposit have dried
CULTIVA INCORPORATED	CHLOROTHALONIL	TRINIL 75 WP	750 g/kg	WP	FUNGICIDE	4	201-118-1604	06-Nov-25	-	Squash	Anthraco, powdery mildew, early and late blight, cercospora leaf spot	3.2-4.8 Tbsp/36L water	-	-	Do not enter treatment areas until spray deposit have dried
FKA AGR CHEMICAL CORPORATION	CHLOROTHALONIL	TRUMPEC 720 SC	720 g/L	SC	FUNGICIDE	4	399-118-5965	7-Mar-26	-	Ornamentals	Black spot, black rot, powdery mildew	4.5-6.0 tbsp	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
FKA AGR CHEMICAL CORPORATION	CHLOROTHALONIL	TRUMPEC 720 SC	720 g/L	SC	FUNGICIDE	4	399-118-5965	7-Mar-26	-	Pepper	Early and late blight, bulb rot, neck rot	4.5-6.0 tbsp	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
FKA AGR CHEMICAL CORPORATION	CHLOROTHALONIL	TRUMPEC 720 SC	720 g/L	SC	FUNGICIDE	4	399-118-5965	7-Mar-26	-	Onion	Purple blotch, bulb rot, neck rot	4.5-6.0 tbsp	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
FKA AGR CHEMICAL CORPORATION	CHLOROTHALONIL	TRUMPEC 720 SC	720 g/L	SC	FUNGICIDE	4	399-118-5965	7-Mar-26	-	Mango	Anthraco, diploia rot	4.5-6.0 tbsp	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
FKA AGR CHEMICAL CORPORATION	CHLOROTHALONIL	TRUMPEC 720 SC	720 g/L	SC	FUNGICIDE	4	399-118-5965	7-Mar-26	-	Grape	Downy mildew, powdery mildew, fruit rot	4.5-6.0 tbsp	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
FKA AGR CHEMICAL CORPORATION	CHLOROTHALONIL	TRUMPEC 720 SC	720 g/L	SC	FUNGICIDE	4	399-118-5965	7-Mar-26	-	Eggplant	Early and late blight, cercospora leaf spot, anthracnose	4.5-6.0 tbsp	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
FKA AGR CHEMICAL CORPORATION	CHLOROTHALONIL	TRUMPEC 720 SC	720 g/L	SC	FUNGICIDE	4	399-118-5965	7-Mar-26	-	Galery	Early and late blight	4.5-6.0 tbsp	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
FKA AGR CHEMICAL CORPORATION	CHLOROTHALONIL	TRUMPEC 720 SC	720 g/L	SC	FUNGICIDE	4	399-118-5965	7-Mar-26	-	Cucurbits	Powdery mildew, downy mildew, cercospora, anthracnose, septoria, fruit rot, early and late blight	4.5-6.0 tbsp	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
FKA AGR CHEMICAL CORPORATION	CHLOROTHALONIL	TRUMPEC 720 SC	720 g/L	SC	FUNGICIDE	4	399-118-5965	7-Mar-26	-	Cruifers	Powdery mildew	4.5-6.0 tbsp	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
FKA AGR CHEMICAL CORPORATION	CHLOROTHALONIL	TRUMPEC 720 SC	720 g/L	SC	FUNGICIDE	4	399-118-5965	7-Mar-26	-	Carrot	Alternaria leaf spot, cercospora leaf spot, helminthosporium leaf spot	4.5-6.0 tbsp	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
FKA AGR CHEMICAL CORPORATION	CHLOROTHALONIL	TRUMPEC 720 SC	720 g/L	SC	FUNGICIDE	4	399-118-5965	7-Mar-26	-	Beans	Rust, anthracnose	4.5-6.0 tbsp	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
FKA AGR CHEMICAL CORPORATION	CHLOROTHALONIL	TRUMPEC 720 SC	720 g/L	SC	FUNGICIDE	4	399-118-5965	7-Mar-26	-	Tomato	Early and late blight, vine rot	4.5-6.0 tbsp	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
FKA AGR CHEMICAL CORPORATION	CHLOROTHALONIL	TRUMPEC 720 SC	720 g/L	SC	FUNGICIDE	4	399-118-5965	7-Mar-26	-	Potato	Early and late blight, vine rot	4.5-6.0 tbsp	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
FKA AGR CHEMICAL CORPORATION	CHLOROTHALONIL	TRUMPEC 720 SC	720 g/L	SC	FUNGICIDE	4	399-118-5965	7-Mar-26	-	Asparagus	Stem and leaf blight	1.80 L/ ha	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
FKA AGR CHEMICAL CORPORATION	CHLOROTHALONIL	TRUMPEC 720 SC	720 g/L	SC	FUNGICIDE	4	399-118-5965	7-Mar-26	-	Banana	Black sigatoka	1.0-2.0 L/ ha	-	-	No pre-harvest interval necessary from last spray until harvest
DCDM MARKETING INCORPORATED	CLOTHIANIDIN	TRUMPET 20 SC	200 g/L	SC	INSECTICIDE	4	467-379-5758	31-May-25	-	Rice	Rice black bug	4-5 Tbsp/36L	-	-	-
TEXICON AGR VENTURES CORPORATION	DIAZINON	TRUGOLD 60 EC	600 g/L	EC	INSECTICIDE	2	242-034-4407	23-Jun-24	CONTACT	Rice	Whorl maggot, stemborer, leafroller, planthopper, rice bug	2.5-4.0 Tbsp/36L Water	-	14 Days	Do not enter treated field for at least 1 day after application
TEXICON AGR VENTURES CORPORATION	DIAZINON	TRUGOLD 60 EC	600 g/L	EC	INSECTICIDE	2	242-034-4407	23-Jun-24	CONTACT	Corn	Comboner, earworm, aphids, silk beetle	2.5-4.0 Tbsp/36L Water	-	14 Days	Do not enter treated field for at least 1 day after application
TEXICON AGR VENTURES CORPORATION	DIAZINON	TRUGOLD 60 EC	600 g/L	EC	INSECTICIDE	2	242-034-4407	23-Jun-24	CONTACT	Beans	Cutworm, podbore, aphids, flea beetle	2.5-4.0 Tbsp/36L Water	-	14 Days	Do not enter treated field for at least 1 day after application
TEXICON AGR VENTURES CORPORATION	DIAZINON	TRUGOLD 60 EC	600 g/L	EC	INSECTICIDE	2	242-034-4407	23-Jun-24	CONTACT	Cowpea	Aphids, cutworm, grasshopper	2.5-4.0 Tbsp/36L Water	-	14 Days	Do not enter treated field for at least 1 day after application
TEXICON AGR VENTURES CORPORATION	DIAZINON	TRUGOLD 60 EC	600 g/L	EC	INSECTICIDE	2	242-034-4407	23-Jun-24	CONTACT	Soybeans	Cutworm, aphids, stink bug, grasshopper	2.5-4.0 Tbsp/36L Water	-	14 Days	Do not enter treated field for at least 1 day after application
TEXICON AGR VENTURES CORPORATION	DIAZINON	TRUGOLD 60 EC	600 g/L	EC	INSECTICIDE	2	242-034-4407	23-Jun-24	CONTACT	Pineapple	Mealybug	2.5-4.0 Tbsp/36L Water	-	14 Days	Do not enter treated field for at least 1 day after application
TEXICON AGR VENTURES CORPORATION	DIAZINON	TRUGOLD 60 EC	600 g/L	EC	INSECTICIDE	2	242-034-4407	23-Jun-24	CONTACT	Cotton	Katydid, grasshopper, cutworm, mites	2.5-4.0 Tbsp/36L Water	-	14 Days	Do not enter treated field for at least 1 day after application
TEXICON AGR VENTURES CORPORATION	DIAZINON	TRUGOLD 60 EC	600 g/L	EC	INSECTICIDE	2	242-034-4407	23-Jun-24	CONTACT	Tobacco	Budworm aphids, flea beetle, armyworm	2.5-4.0 Tbsp/36L Water	-	14 Days	Do not enter treated field for at least 1 day after application
TEXICON AGR VENTURES CORPORATION	DIAZINON	TRUGOLD 60 EC	600 g/L	EC	INSECTICIDE	2	242-034-4407	23-Jun-24	CONTACT	White potato	Aphids, leafhopper, cutworm	2.5-4.0 Tbsp/36L Water	-	14 Days	Do not enter treated field for at least 1 day after application
TEXICON AGR VENTURES CORPORATION	DIAZINON	TRUGOLD 60 EC	600 g/L	EC	INSECTICIDE	2	242-034-4407	23-Jun-24	CONTACT	Citrus	Mites, aphids, stink bug	2.5-4.0 Tbsp/36L Water	-	14 Days	Do not enter treated field for at least 1 day after application
TEXICON AGR VENTURES CORPORATION	DIAZINON	TRUGOLD 60 EC	600 g/L	EC	INSECTICIDE	2	242-034-4407	23-Jun-24	CONTACT	Banana	Thrips, mealybug, leafroller	2.5-4.0 Tbsp/36L Water	-	14 Days	Do not enter treated field for at least 1 day after application
TEXICON AGR VENTURES CORPORATION	DIAZINON	TRUGOLD 60 EC	600 g/L	EC	INSECTICIDE	2	242-034-4407	23-Jun-24	CONTACT	Mango	Hopper, tip borer	2.5-4.0 Tbsp/36L Water	-	14 Days	Do not enter treated field for at least 1 day after application
QNM AGRIVENTURES INC.	FIPRONIL	TRUEMAN 5 SC	50 g/L	SC	INSECTICIDE	3	577-244-3763	03-Jul-22	CONTACT	Rice	Stemborer, brown planthopper, leafroller, rice bug	1.3-2.0, 2.0-3.0, 2.7-4.0 Tbsp/36L	0.03ppm	10 days	One day after application
QNM AGRIVENTURES INC.	FIPRONIL	TRUEMAN 5 SC	50 g/L	SC	INSECTICIDE	3	577-244-3763	03-Jul-22	CONTACT	Cabbage	Diamond backed moth	1.3-2.0, 2.0-3.0, 2.7-4.0 Tbsp/36L	-	-	One day after application
QNM AGRIVENTURES INC.	FIPRONIL	TRUEMAN 5 SC	50 g/L	SC	INSECTICIDE	3	577-244-3763	03-Jul-22	CONTACT	Watermelon	Thrips, leaf beetles	2.5-3.0 tbsp /36L	-	-	One day after application
QNM AGRIVENTURES INC.	FIPRONIL	TRUEMAN 5 SC	50 g/L	SC	INSECTICIDE	3	577-244-3763	03-Jul-22	CONTACT	Onion	Cutworm	5.33 tbsp /36L	-	-	One day after application
QNM AGRIVENTURES INC.	FIPRONIL	TRUEMAN 5 SC	50 g/L	SC	INSECTICIDE	3	577-244-3763	03-Jul-22	CONTACT	Eggplant	Shoot borer	3.0-4.0 tbsp /36L	-	-	One day after application
G CHEMTRADING CORPORATION	LAMBDA-CYHALOTHIRIN	TRUECHEM 2.5 EC	25 g/L	EC	INSECTICIDE	2	701-021-5586	07-Jun-23	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leafroller, black bug	1.0-1.5 Tbsp/36 L of water	0.05ppm	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
G CHEMTRADING CORPORATION	LAMBDA-CYHALOTHIRIN	TRUECHEM 2.5 EC	25 g/L	EC	INSECTICIDE	2	701-021-5586	07-Jun-23	SYSTEMIC	Mango	Hoppers	0.75-1.5 Tbsp/36L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
G CHEMTRADING CORPORATION	LAMBDA-CYHALOTHIRIN	TRUECHEM 2.5 EC	25 g/L	EC	INSECTICIDE	2	701-021-5586	07-Jun-23	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5 Tbsp/36 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
G CHEMTRADING CORPORATION	LAMBDA-CYHALOTHIRIN	TRUECHEM 2.5 EC	25 g/L	EC	INSECTICIDE	2	701-021-5586	07-Jun-23	SYSTEMIC	Onion	Thrips, cutworm	1.0 Tbsp/36 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
G CHEMTRADING CORPORATION	LAMBDA-CYHALOTHIRIN	TRUECHEM 2.5 EC	25 g/L	EC	INSECTICIDE	2	701-021-5586	07-Jun-23	SYSTEMIC	Mungbeans	Beanfly, flea beetle, leafhopper, aphids, mites, podborer	1.0 Tbsp/36 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
G CHEMTRADING CORPORATION	LAMBDA-CYHALOTHIRIN	TRUECHEM 2.5 EC	25 g/L	EC	INSECTICIDE	2	701-021-5586	07-Jun-23	SYSTEMIC	Corn	Comboner, aphids, seedling maggots	1.0-1.5 Tbsp/36 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
G CHEMTRADING CORPORATION	LAMBDA-CYHALOTHIRIN	TRUECHEM 2.5 EC	25 g/L	EC	INSECTICIDE	2	701-021-5586	07-Jun-23	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5 Tbsp/36 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
G CHEMTRADING CORPORATION	LAMBDA-CYHALOTHIRIN	TRUECHEM 2.5 EC	25 g/L	EC	INSECTICIDE	2	701-021-5586	07-Jun-23	SYSTEMIC	Cotton	Bollworm	1.0-1.5 Tbsp/36 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
G CHEMTRADING CORPORATION	LAMBDA-CYHALOTHIRIN	TRUECHEM 2.5 EC	25 g/L	EC	INSECTICIDE	2	701-021-5586	07-Jun-23	SYSTEMIC	Cocoa	Podborer	1.0-2.0 Tbsp/36 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
G CHEMTRADING CORPORATION	LAMBDA-CYHALOTHIRIN	TRUECHEM 2.5 EC	25 g/L	EC	INSECTICIDE	2	701-021-5586	07-Jun-23	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0 Tbsp/36 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
JOEPABS AGRICHEM CORPORATION	PROFENOFOS	TROUNCE 500 EC	500 g/L	EC	INSECTICIDE	2	538-070-3785	17-Nov-23	CONTACT	Mango	Thrips	1.0-2.0 Tbsp/36L water	-	14 days	Do not treated field 1 day after application
JOEPABS AGRICHEM CORPORATION	PROFENOFOS	TROUNCE 500 EC	500 g/L	EC	INSECTICIDE	2	538-070-3785	17-Nov-23	CONTACT	Tomato	Fruitworm, armyworm, cutworm	0-5 Tbsp/36L water	-	14 days	Do not treated field 5 day after application
JOEPABS AGRICHEM CORPORATION	PROFENOFOS	TROUNCE 500 EC	500 g/L	EC	INSECTICIDE	2	538-070-3785	17-Nov-23	CONTACT	Eggplant	Fruitborer, aphids, leafhopper, & thrips	1.5-3.0 Tbsp/36L water	-	14 days	Do not treated field 1 day after application

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
JOEFABS AGRICHEM CORPORATION	PROFENOFOS	TROUNC 500 EC	500 g/L	EC	INSECTICIDE	2	538-070-3785	17-Nov-23	CONTACT	Cabbage	Diamond back moth, cabbage worm & aphids, thrips	3-5 Tbsp/36L water		14 days	Do not treated field 1 day after application
JOEFABS AGRICHEM CORPORATION	PROFENOFOS	TROUNC 500 EC	500 g/L	EC	INSECTICIDE	2	538-070-3785	17-Nov-23	CONTACT	Watermelon	Thrips	3-5 Tbsp/36L water		14 days	Do not treated field 1 day after application
JOEFABS AGRICHEM CORPORATION	PROFENOFOS	TROUNC 500 EC	500 g/L	EC	INSECTICIDE	2	538-070-3785	17-Nov-23	CONTACT	Potato	Thrips, army worm, cutworm, tuber moth	3-5 Tbsp/36L water		14 days	Do not treated field 1 day after application
JOEFABS AGRICHEM CORPORATION	PROFENOFOS	TROUNC 500 EC	500 g/L	EC	INSECTICIDE	2	538-070-3785	17-Nov-23	CONTACT	Soybeans	Corn earworm, leafminer	3-5 Tbsp/36L water		14 days	Do not treated field 1 day after application
JOEFABS AGRICHEM CORPORATION	PROFENOFOS	TROUNC 500 EC	500 g/L	EC	INSECTICIDE	2	538-070-3785	17-Nov-23	CONTACT	Mungbeans	Corn earworm, leafminer	3-5 Tbsp/36L water		14 days	Do not treated field 1 day after application
JOEFABS AGRICHEM CORPORATION	PROFENOFOS	TROUNC 500 EC	500 g/L	EC	INSECTICIDE	2	538-070-3785	17-Nov-23	CONTACT	Cotton	Thrips, bollworm & budworm	3-5 Tbsp/36L water		14 days	Do not treated field 1 day after application
JOEFABS AGRICHEM CORPORATION	PROFENOFOS	TROUNC 500 EC	500 g/L	EC	INSECTICIDE	2	538-070-3785	17-Nov-23	CONTACT	Sitao	Beanyfly, leaf folder & aphids	1.5-3.0 Tbsp/36L water		14 days	Do not treated field 1 day after application
TROPICURE, INC.	PROFICHAZOLE	TROPIDOLE 25 EC	250 g/L	EC	FUNGICIDE	3	091-178-4557	19-Jun-26	SYSTEMIC	Pineapple	Butt rot	8 ml / 200L			Do not enter treated fields until spray has completely dried
TROPICURE, INC.	PROFICHAZOLE	TROPIDOLE 25 EC	250 g/L	EC	FUNGICIDE	3	091-178-4557	19-Jun-26	SYSTEMIC	Banana	Black sigatoka	0.4 liters product/ha			Do not enter treated fields until spray has completely dried
ALDIZ INCORPORATED	METALDEHYDE	TROPA 6N PELETS	60 g/kg	P	MOLLUSCIDE	4	002-075-2447	08-Sep-24	CONTACT	Rice (Transplanted)	Golden apple snail	2-4kg/ product per hectare			Do not enter treated field within 48 hours after application
ALDIZ INCORPORATED	METALDEHYDE	TROPA 6N PELETS	60 g/kg	P	MOLLUSCIDE	4	002-075-2447	08-Sep-24	CONTACT	Rice (Direct-Seeded)	Golden apple snail	4-8kg/product per hectare			Do not enter treated field within 48 hours after application
ALDIZ INCORPORATED	METALDEHYDE	TROPA 6N PELETS	60 g/kg	P	MOLLUSCIDE	4	002-075-2447	08-Sep-24	CONTACT	Potted and driftwood-attached plants such as Chinese Cabbage	Bush, snails, giant african snail and slugs	1-2kg/product per hectare			Do not enter treated field within 48 hours after application
ALDIZ INCORPORATED	METALDEHYDE	TROPA 6N PELETS	60 g/kg	P	MOLLUSCIDE	4	002-075-2447	08-Sep-24	CONTACT	Chinese Cabbage	Slug, snails	0-8kg/product per hectare			Do not enter treated field within 48 hours after application
ALDIZ INCORPORATED	METALDEHYDE	TROPA 6N PELETS	60 g/kg	P	MOLLUSCIDE	4	002-075-2447	08-Sep-24	CONTACT	Strawberry	Slug, snails	0-8kg/product per hectare			Do not enter treated field within 48 hours after application
VERDANT LUSTERCORE CORPORATION	MANCOZEB	TROOP 80 WP	800 g/L	WP	FUNGICIDE	4	546-202-3697	20-Apr-22	CONTACT	Potato	Early and late blight	3-6 Tbsp/36 L water			As soon as spray dries
VERDANT LUSTERCORE CORPORATION	MANCOZEB	TROOP 80 WP	800 g/L	WP	FUNGICIDE	4	546-202-3697	20-Apr-22	CONTACT	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water		7 Days	As soon as spray dries
VERDANT LUSTERCORE CORPORATION	MANCOZEB	TROOP 80 WP	800 g/L	WP	FUNGICIDE	4	546-202-3697	20-Apr-22	CONTACT	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water		7 Days	As soon as spray dries
VERDANT LUSTERCORE CORPORATION	MANCOZEB	TROOP 80 WP	800 g/L	WP	FUNGICIDE	4	546-202-3697	20-Apr-22	CONTACT	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water		7 Days	As soon as spray dries
VERDANT LUSTERCORE CORPORATION	MANCOZEB	TROOP 80 WP	800 g/L	WP	FUNGICIDE	4	546-202-3697	20-Apr-22	CONTACT	Celery	Late blight	3-6 Tbsp/36 L water		14 Days	As soon as spray dries
VERDANT LUSTERCORE CORPORATION	MANCOZEB	TROOP 80 WP	800 g/L	WP	FUNGICIDE	4	546-202-3697	20-Apr-22	CONTACT	Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water		5 days	As soon as spray dries
VERDANT LUSTERCORE CORPORATION	MANCOZEB	TROOP 80 WP	800 g/L	WP	FUNGICIDE	4	546-202-3697	20-Apr-22	CONTACT	Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water		5 days	As soon as spray dries
VERDANT LUSTERCORE CORPORATION	MANCOZEB	TROOP 80 WP	800 g/L	WP	FUNGICIDE	4	546-202-3697	20-Apr-22	CONTACT	Cotton	Damping off	3-6 Tbsp/36 L water		-	As soon as spray dries
VERDANT LUSTERCORE CORPORATION	MANCOZEB	TROOP 80 WP	800 g/L	WP	FUNGICIDE	4	546-202-3697	20-Apr-22	CONTACT	lettuce	Downy mildew	3-6 Tbsp/36 L water		7 Days	As soon as spray dries
VERDANT LUSTERCORE CORPORATION	MANCOZEB	TROOP 80 WP	800 g/L	WP	FUNGICIDE	4	546-202-3697	20-Apr-22	CONTACT	Beans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/36 L water		5 days	As soon as spray dries
VERDANT LUSTERCORE CORPORATION	MANCOZEB	TROOP 80 WP	800 g/L	WP	FUNGICIDE	4	546-202-3697	20-Apr-22	CONTACT	Peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/36 L water		5 days	As soon as spray dries
VERDANT LUSTERCORE CORPORATION	MANCOZEB	TROOP 80 WP	800 g/L	WP	FUNGICIDE	4	546-202-3697	20-Apr-22	CONTACT	Mungo	Anthracnose, Downy mildew, Rust	3-6 Tbsp/36 L water		5 days	As soon as spray dries
VERDANT LUSTERCORE CORPORATION	MANCOZEB	TROOP 80 WP	800 g/L	WP	FUNGICIDE	4	546-202-3697	20-Apr-22	CONTACT	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/36 L water		5 days	As soon as spray dries
VERDANT LUSTERCORE CORPORATION	MANCOZEB	TROOP 80 WP	800 g/L	WP	FUNGICIDE	4	546-202-3697	20-Apr-22	CONTACT	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36 L water		7 Days	As soon as spray dries
VERDANT LUSTERCORE CORPORATION	MANCOZEB	TROOP 80 WP	800 g/L	WP	FUNGICIDE	4	546-202-3697	20-Apr-22	CONTACT	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36 L water		7 Days	As soon as spray dries
VERDANT LUSTERCORE CORPORATION	MANCOZEB	TROOP 80 WP	800 g/L	WP	FUNGICIDE	4	546-202-3697	20-Apr-22	CONTACT	Pepper	Anthracnose	3-6 Tbsp/36 L water		7 Days	As soon as spray dries
VERDANT LUSTERCORE CORPORATION	MANCOZEB	TROOP 80 WP	800 g/L	WP	FUNGICIDE	4	546-202-3697	20-Apr-22	CONTACT	Chili	Anthracnose	3-6 Tbsp/36 L water		7 Days	As soon as spray dries
VERDANT LUSTERCORE CORPORATION	MANCOZEB	TROOP 80 WP	800 g/L	WP	FUNGICIDE	4	546-202-3697	20-Apr-22	CONTACT	Fig/plant	Blight, Anthracnose	3-6 Tbsp/36 L water		7 Days	As soon as spray dries
VERDANT LUSTERCORE CORPORATION	MANCOZEB	TROOP 80 WP	800 g/L	WP	FUNGICIDE	4	546-202-3697	20-Apr-22	CONTACT	Banana	Sigatoka, Black leaf streak	3-6 Tbsp/36 L water		-	As soon as spray dries
VERDANT LUSTERCORE CORPORATION	MANCOZEB	TROOP 80 WP	800 g/L	WP	FUNGICIDE	4	546-202-3697	20-Apr-22	CONTACT	Grapes	Downy mildew, black rot	3-6 Tbsp/36 L water		60 days	As soon as spray dries
VERDANT LUSTERCORE CORPORATION	MANCOZEB	TROOP 80 WP	800 g/L	WP	FUNGICIDE	4	546-202-3697	20-Apr-22	CONTACT	Mango	Anthracnose and Scab	3-6 Tbsp/36 L water		5 days	As soon as spray dries
VERDANT LUSTERCORE CORPORATION	MANCOZEB	TROOP 80 WP	800 g/L	WP	FUNGICIDE	4	546-202-3697	20-Apr-22	CONTACT	Papaya	Fruit rot	3-6 Tbsp/36 L water		-	As soon as spray dries
VERDANT LUSTERCORE CORPORATION	MANCOZEB	TROOP 80 WP	800 g/L	WP	FUNGICIDE	4	546-202-3697	20-Apr-22	CONTACT	Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water		5 days	As soon as spray dries
VERDANT LUSTERCORE CORPORATION	MANCOZEB	TROOP 80 WP	800 g/L	WP	FUNGICIDE	4	546-202-3697	20-Apr-22	CONTACT	Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water		5 days	As soon as spray dries
VERDANT LUSTERCORE CORPORATION	MANCOZEB	TROOP 80 WP	800 g/L	WP	FUNGICIDE	4	546-202-3697	20-Apr-22	CONTACT	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/36 L water		7 Days	As soon as spray dries
VERDANT LUSTERCORE CORPORATION	MANCOZEB	TROOP 80 WP	800 g/L	WP	FUNGICIDE	4	546-202-3697	20-Apr-22	CONTACT	Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/36 L water	0.02ppm	-	As soon as spray dries
VERDANT LUSTERCORE CORPORATION	MANCOZEB	TROOP 80 WP	800 g/L	WP	FUNGICIDE	4	546-202-3697	20-Apr-22	CONTACT	Peanut	Cercospora leaf spot	3-6 Tbsp/36 L water		14 Days	As soon as spray dries
VERDANT LUSTERCORE CORPORATION	MANCOZEB	TROOP 80 WP	800 g/L	WP	FUNGICIDE	4	546-202-3697	20-Apr-22	CONTACT	Soybeans	Leaf rust	3-6 Tbsp/36 L water		-	As soon as spray dries
VERDANT LUSTERCORE CORPORATION	MANCOZEB	TROOP 80 WP	800 g/L	WP	FUNGICIDE	4	546-202-3697	20-Apr-22	CONTACT	Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/36 L water		-	As soon as spray dries
SAVWELL AGRISCIENCE VENTURES CORPORATION	BP/MC-CHLORPYRIFOS	TROJAN 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	681-174-5445	18-May-24	CONTACT	Rice	Stem borer, armyworm, leafhopper, cutworm and planthopper	2.5-3.5 Tbsp/36L water		Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
SAVWELL AGRISCIENCE VENTURES CORPORATION	BP/MC-CHLORPYRIFOS	TROJAN 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	681-174-5445	18-May-24	CONTACT	Corn	Seedling maggot, corn earworm, cornborer and armyworm	2.5-3.5 Tbsp/36L water		Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
SAVWELL AGRISCIENCE VENTURES CORPORATION	BP/MC-CHLORPYRIFOS	TROJAN 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	681-174-5445	18-May-24	CONTACT	Tobacco	Budworm, grasshopper, aphid, cutworm and armyworm	2.5-3.5 Tbsp/36L water		Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
SAVWELL AGRISCIENCE VENTURES CORPORATION	BP/MC-CHLORPYRIFOS	TROJAN 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	681-174-5445	18-May-24	CONTACT	Cucumber	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/36L water		Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
SAVWELL AGRISCIENCE VENTURES CORPORATION	BP/MC-CHLORPYRIFOS	TROJAN 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	681-174-5445	18-May-24	CONTACT	Melon	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/36L water		Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
SAVWELL AGRISCIENCE VENTURES CORPORATION	BP/MC-CHLORPYRIFOS	TROJAN 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	681-174-5445	18-May-24	CONTACT	Watermelon	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/36L water		Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
SAVWELL AGRISCIENCE VENTURES CORPORATION	BP/MC-CHLORPYRIFOS	TROJAN 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	681-174-5445	18-May-24	CONTACT	Onion	Thrips, cutworm	2.5-3.5 Tbsp/36L water		Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
SAVWELL AGRISCIENCE VENTURES CORPORATION	BP/MC-CHLORPYRIFOS	TROJAN 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	681-174-5445	18-May-24	CONTACT	Mungo	Bean, podborer, aphids, beanfly, armyworm, cutworm, leafminer, leaf folder	2.5-3.5 Tbsp/36L water		Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
SAVWELL AGRISCIENCE VENTURES CORPORATION	BP/MC-CHLORPYRIFOS	TROJAN 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	681-174-5445	18-May-24	CONTACT	Soybeans	Bean, podborer, aphids, beanfly, armyworm, cutworm, leafminer, leaf folder	2.5-3.5 Tbsp/36L water		Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
SAVWELL AGRISCIENCE VENTURES CORPORATION	BP/MC-CHLORPYRIFOS	TROJAN 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	681-174-5445	18-May-24	CONTACT	Beans	Bean, podborer, aphids, beanfly, armyworm, cutworm, leafminer, leaf folder	2.5-3.5 Tbsp/36L water		Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
TRIUMPH TRADING CORPORATION	MANCOZEB	TRIZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	356-053-2049	28-Feb-25	CONTACT	Potato	Early and late blight	3-6 Tbsp/36 L water		-	At least 48 hours after application
TRIUMPH TRADING CORPORATION	MANCOZEB	TRIZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	356-053-2049	28-Feb-25	CONTACT	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water		7 Days	At least 48 hours after application
TRIUMPH TRADING CORPORATION	MANCOZEB	TRIZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	356-053-2049	28-Feb-25	CONTACT	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water		7 Days	At least 48 hours after application

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
TRIGREEN TRADING CORPORATION	MANCOZEB	TRIZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	356-053-2049	28-Feb-25		Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water		7 Days	At least 48 hours after application
MANCOZEB	TRIZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	356-053-2049	28-Feb-25			Celery	Late blight	3-6 Tbsp/36 L water		14 Days	At least 48 hours after application
TRIGREEN TRADING CORPORATION	MANCOZEB	TRIZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	356-053-2049	28-Feb-25		Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water		5 days	At least 48 hours after application
TRIGREEN TRADING CORPORATION	MANCOZEB	TRIZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	356-053-2049	28-Feb-25		Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water		5 days	At least 48 hours after application
TRIGREEN TRADING CORPORATION	MANCOZEB	TRIZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	356-053-2049	28-Feb-25		Cotton	Damping off	3-6 Tbsp/36 L water		-	At least 48 hours after application
TRIGREEN TRADING CORPORATION	MANCOZEB	TRIZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	356-053-2049	28-Feb-25		Artichoke	Downy mildew	3-6 Tbsp/36 L water		7 Days	At least 48 hours after application
TRIGREEN TRADING CORPORATION	MANCOZEB	TRIZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	356-053-2049	28-Feb-25		Beans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/36 L water		5 days	At least 48 hours after application
TRIGREEN TRADING CORPORATION	MANCOZEB	TRIZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	356-053-2049	28-Feb-25		Peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/36 L water		5 days	At least 48 hours after application
TRIGREEN TRADING CORPORATION	MANCOZEB	TRIZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	356-053-2049	28-Feb-25		Mungo	Anthracnose, Downy mildew, Rust	3-6 Tbsp/36 L water		5 days	At least 48 hours after application
TRIGREEN TRADING CORPORATION	MANCOZEB	TRIZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	356-053-2049	28-Feb-25		Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/36 L water		5 days	At least 48 hours after application
TRIGREEN TRADING CORPORATION	MANCOZEB	TRIZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	356-053-2049	28-Feb-25		Saffron	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36 L water		7 Days	At least 48 hours after application
TRIGREEN TRADING CORPORATION	MANCOZEB	TRIZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	356-053-2049	28-Feb-25		Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36 L water		7 Days	At least 48 hours after application
TRIGREEN TRADING CORPORATION	MANCOZEB	TRIZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	356-053-2049	28-Feb-25		Pepper	Anthracnose	3-6 Tbsp/36 L water		7 Days	At least 48 hours after application
TRIGREEN TRADING CORPORATION	MANCOZEB	TRIZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	356-053-2049	28-Feb-25		Chili	Anthracnose	3-6 Tbsp/36 L water		7 Days	At least 48 hours after application
TRIGREEN TRADING CORPORATION	MANCOZEB	TRIZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	356-053-2049	28-Feb-25		Eggplant	Blight, Anthracnose	3-6 Tbsp/36 L water		7 Days	At least 48 hours after application
TRIGREEN TRADING CORPORATION	MANCOZEB	TRIZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	356-053-2049	28-Feb-25		Banana	Sigatoka, Black leaf streak	3-6 Tbsp/36 L water		-	At least 48 hours after application
TRIGREEN TRADING CORPORATION	MANCOZEB	TRIZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	356-053-2049	28-Feb-25		Grapes	Downy mildew, black rot	3-6 Tbsp/36 L water		60 days	At least 48 hours after application
TRIGREEN TRADING CORPORATION	MANCOZEB	TRIZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	356-053-2049	28-Feb-25		Mango	Anthracnose and Scab	3-6 Tbsp/36 L water		5 days	At least 48 hours after application
TRIGREEN TRADING CORPORATION	MANCOZEB	TRIZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	356-053-2049	28-Feb-25		Papaya	Fruit rot	3-6 Tbsp/36 L water		-	At least 48 hours after application
TRIGREEN TRADING CORPORATION	MANCOZEB	TRIZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	356-053-2049	28-Feb-25		Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water		5 days	At least 48 hours after application
TRIGREEN TRADING CORPORATION	MANCOZEB	TRIZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	356-053-2049	28-Feb-25		Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water		5 days	At least 48 hours after application
TRIGREEN TRADING CORPORATION	MANCOZEB	TRIZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	356-053-2049	28-Feb-25		Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/36 L water		7 Days	At least 48 hours after application
TRIGREEN TRADING CORPORATION	MANCOZEB	TRIZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	356-053-2049	28-Feb-25		Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/36 L water	0.02ppm	-	At least 48 hours after application
TRIGREEN TRADING CORPORATION	MANCOZEB	TRIZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	356-053-2049	28-Feb-25		Peanut	Cercospora leaf spot	3-6 Tbsp/36 L water		14 Days	At least 48 hours after application
TRIGREEN TRADING CORPORATION	MANCOZEB	TRIZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	356-053-2049	28-Feb-25		Soybeans	Leaf rust	3-6 Tbsp/36 L water		-	At least 48 hours after application
TRIGREEN TRADING CORPORATION	MANCOZEB	TRIZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	356-053-2049	28-Feb-25		Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/36 L water		-	At least 48 hours after application
TEXICON AGR VENTURES CORPORATION	GLUFOSINATE AMMONIUM	TRIX 150 SL	150 g/L	SL	HERBICIDE	4	242-182-3716	10-May-19	NON-SELECTIVE(POST-EMERGENT)	Rubber	Weeds			-	-
TEXICON AGR VENTURES CORPORATION	GLUFOSINATE AMMONIUM	TRIX 150 SL	150 g/L	SL	HERBICIDE	4	242-182-3716	10-May-19	NON-SELECTIVE(POST-EMERGENT)	Oil palm	Weeds			-	-
TEXICON AGR VENTURES CORPORATION	GLUFOSINATE AMMONIUM	TRIX 150 SL	150 g/L	SL	HERBICIDE	4	242-182-3716	10-May-19	NON-SELECTIVE(POST-EMERGENT)	Non-crop areas	Weeds			-	-
TEXICON AGR VENTURES CORPORATION	GLUFOSINATE AMMONIUM	TRIX 150 SL	150 g/L	SL	HERBICIDE	4	242-182-3716	10-May-19	NON-SELECTIVE(POST-EMERGENT)	Coffee	Weeds			-	-
TEXICON AGR VENTURES CORPORATION	GLUFOSINATE AMMONIUM	TRIX 150 SL	150 g/L	SL	HERBICIDE	4	242-182-3716	10-May-19	NON-SELECTIVE(POST-EMERGENT)	Citrus	Weeds			-	-
TEXICON AGR VENTURES CORPORATION	GLUFOSINATE AMMONIUM	TRIX 150 SL	150 g/L	SL	HERBICIDE	4	242-182-3716	10-May-19	NON-SELECTIVE(POST-EMERGENT)	Cavendish Banana	Weeds		0.2 mg/kg	-	-
TEXICON AGR VENTURES CORPORATION	GLUFOSINATE AMMONIUM	TRIX 150 SL	150 g/L	SL	HERBICIDE	4	242-182-3716	10-May-19	NON-SELECTIVE(POST-EMERGENT)	Cacao	Weeds			-	-
UPL PHILIPPINES, INC.	TRIDEMORPH	TRIUMPH 86 OIL	860 g/L	OL	FUNGICIDE	2	560-097-4875	13-Aug-24	SYSTEMIC/CONTACT	Banana	Black sigatoka	0.5 L/ha TRIUMPH 86 OL + 3.0 L/ha Oil or 0.5 L/ha TRIUMPH 86 OL + 3.0 L/ha oil + 3.6-6.1 / hectare		0 Day	Until the spray deposit has dried
JOCANIMA CORPORATION	PARAFFINIC MINERAL OIL	TRITEK	100 g/L	-	OTHERS	4	241-282-4208	23-Dec-26	-	Banana	Black sigatoka, scale insects mealybugs	-		-	Re-entry to treated fields is dependent on the pesticides product that was used. When crops were solely treated with Tritek, re-entry could be done as soon as
JOCANIMA CORPORATION	PARAFFINIC MINERAL OIL	TRITEK	100 g/L	-	OTHERS	4	241-282-4208	23-Dec-26	-	Pineapple	Scale insects, mealybug	20-40 L / hectare		-	When crops were solely treated with Tritek, re-entry could be done as soon as
BASF PHILIPPINES, INC.	PROFOSIDAM	TRIFLEX 75 EC	75 g/L	EC	HERBICIDE	4	005-614-6002	30-Jan-24	POST-EMERGENT	Rice (Transplanted)	E. crusgalli, L. chinensis, E. colonum	0.75-3.0 L product / hectare; 100 L/ hectare	0.05 mg/kg	60 days	As soon as spray droplets dries
TAGCHEM DRAGON DISTRIBUTION INC.	GLYPHOSATE IPA	TRIPLE 8 480 SL	480 g/L	SL	HERBICIDE	4	517-151-3422	07-Aug-23	POST-EMERGENT	Glyphosate tolerant corn	Annual and perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/ha	-	-	-
TAGCHEM DRAGON DISTRIBUTION INC.	GLYPHOSATE IPA	TRIPLE 8 480 SL	480 g/L	SL	HERBICIDE	4	517-151-3422	07-Aug-23	POST-EMERGENT	Mango	Annual and perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
TAGCHEM DRAGON DISTRIBUTION INC.	GLYPHOSATE IPA	TRIPLE 8 480 SL	480 g/L	SL	HERBICIDE	4	517-151-3422	07-Aug-23	POST-EMERGENT	Banana	Annual and perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
TAGCHEM DRAGON DISTRIBUTION INC.	GLYPHOSATE IPA	TRIPLE 8 480 SL	480 g/L	SL	HERBICIDE	4	517-151-3422	07-Aug-23	POST-EMERGENT	Coffee	Annual and perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
TAGCHEM DRAGON DISTRIBUTION INC.	GLYPHOSATE IPA	TRIPLE 8 480 SL	480 g/L	SL	HERBICIDE	4	517-151-3422	07-Aug-23	POST-EMERGENT	Cacao	Annual and perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
TAGCHEM DRAGON DISTRIBUTION INC.	GLYPHOSATE IPA	TRIPLE 8 480 SL	480 g/L	SL	HERBICIDE	4	517-151-3422	07-Aug-23	POST-EMERGENT	Rubber	Annual and perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
TAGCHEM DRAGON DISTRIBUTION INC.	GLYPHOSATE IPA	TRIPLE 8 480 SL	480 g/L	SL	HERBICIDE	4	517-151-3422	07-Aug-23	POST-EMERGENT	Oil palm	Annual and perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
TAGCHEM DRAGON DISTRIBUTION INC.	GLYPHOSATE IPA	TRIPLE 8 480 SL	480 g/L	SL	HERBICIDE	4	517-151-3422	07-Aug-23	POST-EMERGENT	Citrus	Annual and perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
TAGCHEM DRAGON DISTRIBUTION INC.	GLYPHOSATE IPA	TRIPLE 8 480 SL	480 g/L	SL	HERBICIDE	4	517-151-3422	07-Aug-23	POST-EMERGENT	Coconut	Annual and perennial grasses, broadleaf weeds & sedges	4.5 Liters/ha	-	-	-
TAGCHEM DRAGON DISTRIBUTION INC.	GLYPHOSATE IPA	TRIPLE 8 480 SL	480 g/L	SL	HERBICIDE	4	517-151-3422	07-Aug-23	POST-EMERGENT	Sugarcane	Annual and perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
TAGCHEM DRAGON DISTRIBUTION INC.	GLYPHOSATE IPA	TRIPLE 8 480 SL	480 g/L	SL	HERBICIDE	4	517-151-3422	07-Aug-23	POST-EMERGENT	Vegetables	Annual and perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
TAGCHEM DRAGON DISTRIBUTION INC.	GLYPHOSATE IPA	TRIPLE 8 480 SL	480 g/L	SL	HERBICIDE	4	517-151-3422	07-Aug-23	POST-EMERGENT	Non-crop land	Annual and perennial grasses, broadleaf weeds & sedges	-	-	-	-
TAGCHEM DRAGON DISTRIBUTION INC.	GLYPHOSATE IPA	TRIPLE 8 480 SL	480 g/L	SL	HERBICIDE	4	517-151-3422	07-Aug-23	POST-EMERGENT	Sugarcane	Annual and perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
TAGCHEM DRAGON DISTRIBUTION INC.	GLYPHOSATE IPA	TRIPLE 8 480 SL	480 g/L	SL	HERBICIDE	4	517-151-3422	07-Aug-23	POST-EMERGENT	Vegetables	Annual and perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
TAGCHEM DRAGON DISTRIBUTION INC.	GLYPHOSATE IPA	TRIPLE 8 480 SL	480 g/L	SL	HERBICIDE	4	517-151-3422	07-Aug-23	POST-EMERGENT	Non-crop	Annual and perennial grasses, broadleaf weeds & sedges	-	-	-	-
VAST AGRO SOLUTIONS, INC.	2,4-D AMINE	TRIPLE 2,4-D AMINE	400 g/L	EC	HERBICIDE	2	385-013-1973	06-Oct-24	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual broadleaves and sedges	3.5-6.5 Tbsp/36 L water	0.1 ppm	Do not spray within two days before harvest	Entry to fields and crops treated with TRIPLE 2,4-D AMINE can be one day after spraying
VAST AGRO SOLUTIONS, INC.	2,4-D AMINE	TRIPLE 2,4-D AMINE	400 g/L	EC	HERBICIDE	2	385-013-1973	06-Oct-24	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual broadleaves and sedges	15-25 Tbsp/36 L water	-	Do not spray within two days before harvest	Entry to fields and crops treated with TRIPLE 2,4-D AMINE can be one day after spraying
VAST AGRO SOLUTIONS, INC.	2,4-D AMINE	TRIPLE 2,4-D AMINE	400 g/L	EC	HERBICIDE	2	385-013-1973	06-Oct-24	SELECTIVE (POST-EMERGENT)	Corn	Annual broadleaves and sedges	6-6.5 Tbsp/36 L water	-	Do not spray within two days before harvest	Entry to fields and crops treated with TRIPLE 2,4-D AMINE can be one day after spraying
GENTRADEPH, INC.	TRIDEMORPH	TRIO 86 OL	860 g/L	OL	FUNGICIDE	2	460-097-5308	13-Aug-24	SYSTEMIC/CONTACT	Banana	Black sigatoka	0.5 L/ha Tridemorph + 5.0 L/ha Oil		Allow 7 days between last application and harvest	Do not enter treated field within day unless wearing protective clothing

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
MSCHA AGRO INDUSTRIAL CORPORATION	CYPERMETHRIN	TRINORTH 5 EC	50 g/L	EC	INSECTICIDE	4	620-037-4496	29-Aug-24	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
MSCHA AGRO INDUSTRIAL CORPORATION	CYPERMETHRIN	TRINORTH 5 EC	50 g/L	EC	INSECTICIDE	4	620-037-4496	29-Aug-24	CONTACT	Rice	Green leafhopper, brown planthopper, white backed planthopper, leafhopper, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
MSCHA AGRO INDUSTRIAL CORPORATION	CYPERMETHRIN	TRINORTH 5 EC	50 g/L	EC	INSECTICIDE	4	620-037-4496	29-Aug-24	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
MSCHA AGRO INDUSTRIAL CORPORATION	CYPERMETHRIN	TRINORTH 5 EC	50 g/L	EC	INSECTICIDE	4	620-037-4496	29-Aug-24	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
MSCHA AGRO INDUSTRIAL CORPORATION	CYPERMETHRIN	TRINORTH 5 EC	50 g/L	EC	INSECTICIDE	4	620-037-4496	29-Aug-24	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
MSCHA AGRO INDUSTRIAL CORPORATION	CYPERMETHRIN	TRINORTH 5 EC	50 g/L	EC	INSECTICIDE	4	620-037-4496	29-Aug-24	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
MSCHA AGRO INDUSTRIAL CORPORATION	CYPERMETHRIN	TRINORTH 5 EC	50 g/L	EC	INSECTICIDE	4	620-037-4496	29-Aug-24	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
MSCHA AGRO INDUSTRIAL CORPORATION	CYPERMETHRIN	TRINORTH 5 EC	50 g/L	EC	INSECTICIDE	4	620-037-4496	29-Aug-24	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
MSCHA AGRO INDUSTRIAL CORPORATION	CYPERMETHRIN	TRINORTH 5 EC	50 g/L	EC	INSECTICIDE	4	620-037-4496	29-Aug-24	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
MSCHA AGRO INDUSTRIAL CORPORATION	CYPERMETHRIN	TRINORTH 5 EC	50 g/L	EC	INSECTICIDE	4	620-037-4496	29-Aug-24	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
MSCHA AGRO INDUSTRIAL CORPORATION	CYPERMETHRIN	TRINORTH 5 EC	50 g/L	EC	INSECTICIDE	4	620-037-4496	29-Aug-24	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
AGRO ADVANCED INTERNATIONAL PHILS., INC.	TRIDEMORPH	TRIDEMORPH 86 OL	860 g/L	OL	FUNGICIDE	2	473-097-2603	11-Nov-25	SYSTEMIC/CONTACT	Banana	Sigatoka	0.5 L/ha Tridemorph + 5.0 L/ha Oil		-	As soon as solution has dried up
RAINBOW AGROSCIENCES PHILIPPINES INC.	TRIDEMORPH	TRIMOR 86 OL	860 g/L	OL	FUNGICIDE	2	539-097-5406	14-Apr-24	SYSTEMIC/CONTACT	Banana	Black sigatoka	-		-	-
MINDANAO AGRIPULS CORPORATION	TRIDEMORPH	TRIMAGPLUS 86 OL	860 g/L	OL	FUNGICIDE	2	632-097-4662	14-Feb-22	SYSTEMIC/CONTACT	Banana	Black sigatoka	0.088 L/ha Tridemorph plus 5-7 L/ha oil		Allow 7 days between last application and harvest	Do not enter treated field within day unless wearing protective clothing
CULTIVA INCORPORATED	UNJURON	TRIM 50 SC	500 g/kg	SC	HERBICIDE	4	201-171-5512	22-Jul-25	SELECTIVE (PRE /POST EMERGENCE)	Soybeans	Annual weeds	3.0-4.0 Tbsp/16L water		No restriction - product as applied only once at planting time	Do not enter treated field within 24 hours after spray application
CULTIVA INCORPORATED	UNJURON	TRIM 50 SC	500 g/kg	SC	HERBICIDE	4	201-171-5512	22-Jul-25	SELECTIVE (PRE /POST EMERGENCE)	Beans	Annual weeds	3.0-4.0 Tbsp/16L water		No restriction - product as applied only once at planting time	Do not enter treated field within 24 hours after spray application
CULTIVA INCORPORATED	UNJURON	TRIM 50 SC	500 g/kg	SC	HERBICIDE	4	201-171-5512	22-Jul-25	SELECTIVE (PRE /POST EMERGENCE)	Peanut	Annual weeds	3.0-4.0 Tbsp/16L water		No restriction - product as applied only once at planting time	Do not enter treated field within 24 hours after spray application
CULTIVA INCORPORATED	UNJURON	TRIM 50 SC	500 g/kg	SC	HERBICIDE	4	201-171-5512	22-Jul-25	SELECTIVE (PRE /POST EMERGENCE)	Sweet peas	Annual weeds	3.0-4.0 Tbsp/16L water		No restriction - product as applied only once at planting time	Do not enter treated field within 24 hours after spray application
CULTIVA INCORPORATED	UNJURON	TRIM 50 SC	500 g/kg	SC	HERBICIDE	4	201-171-5512	22-Jul-25	SELECTIVE (PRE /POST EMERGENCE)	Carrot	Annual weeds	3.0-4.0 Tbsp/16L water		No restriction - product as applied only once at planting time	Do not enter treated field within 24 hours after spray application
CULTIVA INCORPORATED	UNJURON	TRIM 50 SC	500 g/kg	SC	HERBICIDE	4	201-171-5512	22-Jul-25	SELECTIVE (PRE /POST EMERGENCE)	Celery	Annual weeds	3.0-4.0 Tbsp/16L water		No restriction - product as applied only once at planting time	Do not enter treated field within 24 hours after spray application
CULTIVA INCORPORATED	UNJURON	TRIM 50 SC	500 g/kg	SC	HERBICIDE	4	201-171-5512	22-Jul-25	SELECTIVE (PRE /POST EMERGENCE)	Corn	Annual weeds	3.5-4.0 Tbsp/16L water		No restriction - product as applied only once at planting time	Do not enter treated field within 24 hours after spray application
CULTIVA INCORPORATED	UNJURON	TRIM 50 SC	500 g/kg	SC	HERBICIDE	4	201-171-5512	22-Jul-25	SELECTIVE (PRE /POST EMERGENCE)	Onion	Annual weeds	3.0-4.0 Tbsp/16L water		No restriction - product as applied only once at planting time	Do not enter treated field within 24 hours after spray application
CULTIVA INCORPORATED	UNJURON	TRIM 50 SC	500 g/kg	SC	HERBICIDE	4	201-171-5512	22-Jul-25	SELECTIVE (PRE /POST EMERGENCE)	Garlic	Annual weeds	3.0-4.0 Tbsp/16L water		No restriction - product as applied only once at planting time	Do not enter treated field within 24 hours after spray application
CULTIVA INCORPORATED	UNJURON	TRIM 50 SC	500 g/kg	SC	HERBICIDE	4	201-171-5512	22-Jul-25	SELECTIVE (PRE /POST EMERGENCE)	Potato	Annual weeds	3.0-7.0 Tbsp/16L water		No restriction - product as applied only once at planting time	Do not enter treated field within 24 hours after spray application
CULTIVA INCORPORATED	UNJURON	TRIM 50 SC	500 g/kg	SC	HERBICIDE	4	201-171-5512	22-Jul-25	SELECTIVE (PRE /POST EMERGENCE)	Sugarcane	Annual weeds	3.0-5.0 Tbsp/16L water		No restriction - product as applied only once at planting time	Do not enter treated field within 24 hours after spray application
CULTIVA INCORPORATED	UNJURON	TRIM 50 SC	500 g/kg	SC	HERBICIDE	4	201-171-5512	22-Jul-25	SELECTIVE (PRE /POST EMERGENCE)	Tobacco	Annual weeds	3.50 Tbsp/16L water		No restriction - product as applied only once at planting time	Do not enter treated field within 24 hours after spray application
CULTIVA INCORPORATED	UNJURON	TRIM 50 SC	500 g/kg	SC	HERBICIDE	4	201-171-5512	22-Jul-25	SELECTIVE (PRE /POST EMERGENCE)	Pineapple	Annual weeds	7.0-10.5 Tbsp/16L water		No restriction - product as applied only once at planting time	Do not enter treated field within 24 hours after spray application
OLD TOWN AGRICULTURAL KINGS CORP.	FENTHION	TRILLION 500 EC	500 g/L	EC	INSECTICIDE	2	499-015-5625	01-Dec-24	-	Rice	Bugs	50-65 mL /16L water		14 days for fruits, 10 days for field crops	Soon as spray have dried
OLD TOWN AGRICULTURAL KINGS CORP.	FENTHION	TRILLION 500 EC	500 g/L	EC	INSECTICIDE	2	499-015-5625	01-Dec-24	-	Mango	Hopper, fruit flies	50-65 mL /16L water		14 days for fruits, 10 days for field crops	Soon as spray have dried
OLD TOWN AGRICULTURAL KINGS CORP.	FENTHION	TRILLION 500 EC	500 g/L	EC	INSECTICIDE	2	499-015-5625	01-Dec-24	-	Tobacco	Aphids, thrips	50-65 mL /16L water		14 days for fruits, 10 days for field crops	Soon as spray have dried
OLD TOWN AGRICULTURAL KINGS CORP.	FENTHION	TRILLION 500 EC	500 g/L	EC	INSECTICIDE	2	499-015-5625	01-Dec-24	-	Banana	Mealy bugs	50-65 mL /16L water		14 days for fruits, 10 days for field crops	Soon as spray have dried
OLD TOWN AGRICULTURAL KINGS CORP.	FENTHION	TRILLION 500 EC	500 g/L	EC	INSECTICIDE	2	499-015-5625	01-Dec-24	-	Sweet potato	Leafhopper, leafminer, weevil, aphids	50-65 mL /16L water		14 days for fruits, 10 days for field crops	Soon as spray have dried
OLD TOWN AGRICULTURAL KINGS CORP.	FENTHION	TRILLION 500 EC	500 g/L	EC	INSECTICIDE	2	499-015-5625	01-Dec-24	-	White potato	Leafhopper, leafminer, weevil, aphids	50-65 mL /16L water		14 days for fruits, 10 days for field crops	Soon as spray have dried
RAINBOW AGROSCIENCES PHILIPPINES INC.	CYROMAZINE	TRILAMAZOR 75 WP	750 g/kg	WP	INSECTICIDE	4	539-331-6411	21-Dec-26	-	Chrysanthemum	Leafminer	4.0 Tbsp/16L		14 days	Do not enter unless spray deposits have dried
RAINBOW AGROSCIENCES PHILIPPINES INC.	CYROMAZINE	TRILAMAZOR 75 WP	750 g/kg	WP	INSECTICIDE	4	539-331-6411	21-Dec-26	-	Garden peas	Leafminer	4.0-7.0 Tbsp/16L		14 days	Do not enter unless spray deposits have dried
RAINBOW AGROSCIENCES PHILIPPINES INC.	CYROMAZINE	TRILAMAZOR 75 WP	750 g/kg	WP	INSECTICIDE	4	539-331-6411	21-Dec-26	-	Onion	Leafminer	4.0-7.0 Tbsp/16L		14 days	Do not enter unless spray deposits have dried
RAINBOW AGROSCIENCES PHILIPPINES INC.	CYROMAZINE	TRILAMAZOR 75 WP	750 g/kg	WP	INSECTICIDE	4	539-331-6411	21-Dec-26	-	Stringbeans	Leafminer	5.0-7.0 Tbsp/16L		14 days	Do not enter unless spray deposits have dried
RAINBOW AGROSCIENCES PHILIPPINES INC.	CYROMAZINE	TRILAMAZOR 75 WP	750 g/kg	WP	INSECTICIDE	4	539-331-6411	21-Dec-26	-	Tomato	Leafminer	4.0-7.0 Tbsp/16L		14 days	Do not enter unless spray deposits have dried
RAINBOW AGROSCIENCES PHILIPPINES INC.	CYROMAZINE	TRILAMAZOR 75 WP	750 g/kg	WP	INSECTICIDE	4	539-331-6411	21-Dec-26	-	Potato	Leafminer	4.0-7.0 Tbsp/16L		14 days	Do not enter unless spray deposits have dried
RAINBOW AGROSCIENCES PHILIPPINES INC.	CYROMAZINE	TRILAMAZOR 75 WP	750 g/kg	WP	INSECTICIDE	4	539-331-6411	21-Dec-26	-	Watermelon	Leafminer	4.0-7.0 Tbsp/16L		14 days	Do not enter unless spray deposits have dried
AGCHEM MANUFACTURING CORPORATION	PRETILACHLOR	TRIK 30 EC	300 g/L	EC	HERBICIDE	4	001-063-4331	05-Sep-21	PRE-EMERGENCE	Rice (Direct-Seeded)	Grasses, sedges, and broadleaves weeds	3-5 Tbsp/16 L water	0.05ppm	-	-
EDEL AGRI AND CHEMICAL CORP.	CARTAP HYDROCHLORIDE	TRIGLUN 50 SP	500g/kg	SP	INSECTICIDE	3	597-106-4149	02-Jul-25	SYSTEMIC	Rice	Whorl maggot, stemborer, green leafhopper, brown planthopper	3.0-5.0Tbsp/16 L water	0.2ppm	-	-
EDEL AGRI AND CHEMICAL CORP.	CARTAP HYDROCHLORIDE	TRIGLUN 50 SP	500g/kg	SP	INSECTICIDE	3	597-106-4149	02-Jul-25	SYSTEMIC	Wongbok	Diamond Back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water		-	-
EDEL AGRI AND CHEMICAL CORP.	CARTAP HYDROCHLORIDE	TRIGLUN 50 SP	500g/kg	SP	INSECTICIDE	3	597-106-4149	02-Jul-25	SYSTEMIC	Cabbage	Diamond back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water		-	-
EDEL AGRI AND CHEMICAL CORP.	CARTAP HYDROCHLORIDE	TRIGLUN 50 SP	500g/kg	SP	INSECTICIDE	3	597-106-4149	02-Jul-25	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/16 L water		-	-
EDEL AGRI AND CHEMICAL CORP.	CARTAP HYDROCHLORIDE	TRIGLUN 50 SP	500g/kg	SP	INSECTICIDE	3	597-106-4149	02-Jul-25	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/16 L water		-	-
EDEL AGRI AND CHEMICAL CORP.	CARTAP HYDROCHLORIDE	TRIGLUN 50 SP	500g/kg	SP	INSECTICIDE	3	597-106-4149	02-Jul-25	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/16 L water		-	-
EDEL AGRI AND CHEMICAL CORP.	CARTAP HYDROCHLORIDE	TRIGLUN 50 SP	500g/kg	SP	INSECTICIDE	3	597-106-4149	02-Jul-25	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/16 L water		-	-
EDEL AGRI AND CHEMICAL CORP.	CARTAP HYDROCHLORIDE	TRIGLUN 50 SP	500g/kg	SP	INSECTICIDE	3	597-106-4149	02-Jul-25	SYSTEMIC	Mango	leafhoppers	1.5-2.0Tbsp/16 L water		-	-
EDEL AGRI AND CHEMICAL CORP.	CARTAP HYDROCHLORIDE	TRIGLUN 50 SP	500g/kg	SP	INSECTICIDE	3	597-106-4149	02-Jul-25	SYSTEMIC	Peachy	looper, cutworm, aphids	1.5-3.0Tbsp/16 L water		-	-
SINCHEN CROP PROTECTION (PHILS.) INC.	BIFENTHRIN+IMIDACLOPRID	TRIGGER 300 SC	250 g/L + 50 g/L	SC	INSECTICIDE	2	432-489-4893	01-Oct-24	SYSTEMIC	Potato	Leafminer, thrips	6.0-12.0 mL/16L water		5 days	Is allowed as soon as spray deposits had dried up
SINCHEN CROP PROTECTION (PHILS.) INC.	BIFENTHRIN+IMIDACLOPRID	TRIGGER 300 SC	250 g/L + 50 g/L	SC	INSECTICIDE	2	432-489-4893	01-Oct-24	SYSTEMIC	Rice	Stemborer, Whorl Manggot, leafhopper, Green leafhopper	15.0-25.0 mL/16L water		21 days	Is allowed as soon as spray deposits had dried up
SYNGETA PHILIPPINES INC.	BIFENTHRIN+IMIDACLOPRID	TRIGGER 300 SC	250 g/L + 50 g/L	SC	INSECTICIDE	2	432-489-4893	01-Oct-24	SYSTEMIC	Potato	Leafminer	6.0-12.0 mL/16L water		5 days	Is allowed as soon as spray deposits had dried up
SYNGETA PHILIPPINES INC.	BIFENTHRIN+IMIDACLOPRID	TRIGGER 300 SC	250 g/L + 50 g/L	SC	INSECTICIDE	2	432-489-4893	01-Oct-24	SYSTEMIC	Rice	Stemborer, Whorl Manggot, leafhopper, Green leafhopper	15.0-25.0 mL/16L water		21 days	Is allowed as soon as spray deposits had dried up
SYNGETA PHILIPPINES INC.	CYROMAZINE	TRIGARD 75 WP	75 g/kg	WP	INSECTICIDE	4	011-331-0980	20-Oct-24	-	Potato	Leafminer	4.3-6.4 g prod/16L		14 days	Do not enter unless spray deposits have dried
SYNGETA PHILIPPINES INC.	CYROMAZINE	TRIGARD 75 WP	75 g/kg	WP	INSECTICIDE	4	011-331-0980	20-Oct-24	-	Onion	Leafminer	4.3-6.4 g prod/16L		14 days	Do not enter unless spray deposits have dried

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
SYNGENTA PHILIPPINES INC.	CYROMAZINE	TRIGARD 75 WP	75 g/kg	WP	INSECTICIDE	4	011-331-0880	20-Oct-24	-	Garden peas	Leafminer	4.3-6.4 g prod/36L	-	14 days	Do not enter unless spray deposits have dried
SYNGENTA PHILIPPINES INC.	CYROMAZINE	TRIGARD 75 WP	75 g/kg	WP	INSECTICIDE	4	011-331-0880	20-Oct-24	-	Tomato	Leafminer	4.3-6.4 g prod/36L	-	14 days	Do not enter unless spray deposits have dried
SYNGENTA PHILIPPINES INC.	CYROMAZINE	TRIGARD 75 WP	75 g/kg	WP	INSECTICIDE	4	011-331-0880	20-Oct-24	-	Watermelon	Leafminer	4.3-6.4 g prod/36L	-	14 days	Do not enter unless spray deposits have dried
SYNGENTA PHILIPPINES INC.	CYROMAZINE	TRIGARD 75 WP	75 g/kg	WP	INSECTICIDE	4	011-331-0880	20-Oct-24	-	Stringbeans	Leafminer	4.36-6.4 g prod/36L	-	14 days	Do not enter unless spray deposits have dried
SYNGENTA PHILIPPINES INC.	CYROMAZINE	TRIGARD 75 WP	75 g/kg	WP	INSECTICIDE	4	011-331-0880	20-Oct-24	-	Chrysanthemum	Leafminer	3.2-4.8 g prod/36L	-	14 days	Do not enter unless spray deposits have dried
TRANS WORLD TRADING CO., INC.	TRIFLUMIZOLE	TRIFIMINE 30 WP	300 g/kg	WP	FUNGICIDE	3	038-252-0588	31-Dec-25	SYSTEMIC (POST-HARVEST)	Banana	Crown mold, crown rot and diamond fruit rot	1.333 gm product/L water	2.0 mg/kg	-	-
TRANS WORLD TRADING CO., INC.	TRIFLUMIZOLE	TRIFIMINE 30 WP	300 g/kg	WP	FUNGICIDE	3	038-252-0588	31-Dec-25	SYSTEMIC (POST-HARVEST)	Pineapple	Ceratocystis rot	0.17-0.25 g product/L water	2.0 mg/kg	-	-
ZAGRO CORPORATION	TRIFLOXYSTROBIN	TRIFLO 2 12S EC	-	EC	FUNGICIDE	4	043-318-5639	20-Dec-24	-	Banana	Sigatoka	0.7 L prod/ ha. 30. ha spray volume	0.05 mg/kg	-	-
ZAGRO CORPORATION	TRIFLOXYSTROBIN	TRIFLO 2 12S EC	-	EC	FUNGICIDE	4	043-318-5639	20-Dec-24	-	Asparagus	Stem and leaf blight	-	-	-	-
UNITED AGRO TRADE CORPORATION	TRIDEMORPH	TRIDEXIN 86 OL	860 g/L	OL	FUNGICIDE	2	264-097-2233	29-Jun-18	SYSTEMIC/CONTACT	Banana	Sigatoka	0.5 L/ha Tridemorph + 5.0 L/ha Oil	-	-	-
TEXCÓN AGR VENTURES CORPORATION	TRIDEMORPH	TRIDENT 86 OL	860 g/L	OL	FUNGICIDE	2	242-097-1958	07-Nov-24	SYSTEMIC/CONTACT	Banana	Sigatoka	0.688 L/ha Trident 86 OL + 5.0-7.0 L/ha Oil	-	Allow 7 days between last application and harvest	Do not enter treated field within 1 day unless wearing protective clothing
AGCHEM MANUFACTURING CORPORATION	TRIDEMORPH	TRIDEMO 860 OL	860 g/L	OL	FUNGICIDE	2	001-097-2107	22-Jun-21	SYSTEMIC/CONTACT	Banana	Black sigatoka	0.5 L/ha Tridemorph + 5.0 L/ha Oil	-	0 day	Until the spray deposit has dried
TRIGREEN TRADING CORPORATION	INCLOSAMIDE ETHANOLAMINE SALT	PRICE 70 WP	830 g/kg	WP	MOLLUSCICIDE	4	356-229-1833	17-Nov-36	CONTACT	Rice	Golden Apple Snail (Kuhol)	35 gm/36 L water	-	-	At least 48 hours after application
AGSMART CORPORATION	FLUAZIFOP-P-BUTYL	TRIBUTE 150 EC	150 g/L	EC	HERBICIDE	4	680-212-4664	19-Feb-27	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Onion	Rich grass, goose grass, sour paspalum, crabgrasses, bermuda grass, and crowfoot grass	3-5 Tbsp/36 L water	-	-	-
AGSMART CORPORATION	FLUAZIFOP-P-BUTYL	TRIBUTE 150 EC	150 g/L	EC	HERBICIDE	4	680-212-4664	19-Feb-27	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Tomato	Rich grass, goose grass, sour paspalum, crabgrasses, bermuda grass, and crowfoot grass	3-5 Tbsp/36 L water	-	-	-
AGSMART CORPORATION	FLUAZIFOP-P-BUTYL	TRIBUTE 150 EC	150 g/L	EC	HERBICIDE	4	680-212-4664	19-Feb-27	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Soybeans	Rich grass, goose grass, sour paspalum, crabgrasses, bermuda grass, and crowfoot grass	3-5 Tbsp/36 L water	-	-	-
AGSMART CORPORATION	FLUAZIFOP-P-BUTYL	TRIBUTE 150 EC	150 g/L	EC	HERBICIDE	4	680-212-4664	19-Feb-27	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Pineapple	Rich grass, goose grass, sour paspalum, crabgrasses, bermuda grass, and crowfoot grass	3-5 Tbsp/36 L water	-	-	-
AGSMART CORPORATION	FLUAZIFOP-P-BUTYL	TRIBUTE 150 EC	150 g/L	EC	HERBICIDE	4	680-212-4664	19-Feb-27	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Citrus	Rich grass, goose grass, sour paspalum, crabgrasses, bermuda grass, and crowfoot grass	3-5 Tbsp/36 L water	-	-	-
AGSMART CORPORATION	FLUAZIFOP-P-BUTYL	TRIBUTE 150 EC	150 g/L	EC	HERBICIDE	4	680-212-4664	19-Feb-27	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Coffee	Rich grass, goose grass, sour paspalum, crabgrasses, bermuda grass, and crowfoot grass	3-5 Tbsp/36 L water	-	-	-
AGSMART CORPORATION	FLUAZIFOP-P-BUTYL	TRIBUTE 150 EC	150 g/L	EC	HERBICIDE	4	680-212-4664	19-Feb-27	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Banana	Rich grass, goose grass, sour paspalum, crabgrasses, bermuda grass, and crowfoot grass	3-5 Tbsp/36 L water	-	-	-
AGSMART CORPORATION	FLUAZIFOP-P-BUTYL	TRIBUTE 150 EC	150 g/L	EC	HERBICIDE	4	680-212-4664	19-Feb-27	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Cacao	Rich grass, goose grass, sour paspalum, crabgrasses, bermuda grass, and crowfoot grass	3-5 Tbsp/36 L water	-	-	-
AGSMART CORPORATION	FLUAZIFOP-P-BUTYL	TRIBUTE 150 EC	150 g/L	EC	HERBICIDE	4	680-212-4664	19-Feb-27	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Cotton	Rich grass, goose grass, sour paspalum, crabgrasses, bermuda grass, and crowfoot grass	3-5 Tbsp/36 L water	-	-	-
AGSMART CORPORATION	FLUAZIFOP-P-BUTYL	TRIBUTE 150 EC	150 g/L	EC	HERBICIDE	4	680-212-4664	19-Feb-27	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Cassava	Annual and perennial grass weeds	2-3 Tbsp /36L	-	-	-
ZAGRO CORPORATION	TEBUCONAZOLE+TRIFLOXYSTROBIN	TRIBU Z 75 WG	500-250 g/kg	WG	FUNGICIDE	4	043-438-5638	20-Dec-24	-	Mango	Anthracoise	-	-	-	-
ZAGRO CORPORATION	TEBUCONAZOLE+TRIFLOXYSTROBIN	TRIBU Z 75 WG	500-250 g/kg	WG	FUNGICIDE	4	043-438-5638	20-Dec-24	-	Rice	Rice blast, sheath blight, brown leaf spot and dirty panicle	-	-	-	-
ZAGRO CORPORATION	TEBUCONAZOLE+TRIFLOXYSTROBIN	TRIBU Z 75 WG	500-250 g/kg	WG	FUNGICIDE	4	043-438-5638	20-Dec-24	-	Bittergourd	Powdery mildew, downy mildew, cercospora leaf spot and leaf anthracnose	-	-	-	-
ZAGRO CORPORATION	TEBUCONAZOLE+TRIFLOXYSTROBIN	TRIBU Z 75 WG	500-250 g/kg	WG	FUNGICIDE	4	043-438-5638	20-Dec-24	-	Tomato	Early blight	-	-	-	-
ZAGRO CORPORATION	TEBUCONAZOLE+TRIFLOXYSTROBIN	TRIBU Z 75 WG	500-250 g/kg	WG	FUNGICIDE	4	043-438-5638	20-Dec-24	-	Eggplant	Cercospora leaf spot	-	-	-	-
ZAGRO CORPORATION	TEBUCONAZOLE+TRIFLOXYSTROBIN	TRIBU Z 75 WG	500-250 g/kg	WG	FUNGICIDE	4	043-438-5638	20-Dec-24	-	onion	Purple blotch	-	-	-	-
ZAGRO CORPORATION	TEBUCONAZOLE+TRIFLOXYSTROBIN	TRIBU Z 75 WG	500-250 g/kg	WG	FUNGICIDE	4	043-438-5638	20-Dec-24	-	Corn	Helminthosporium, leaf spot, rust	-	-	-	-
ZAGRO CORPORATION	TEBUCONAZOLE+TRIFLOXYSTROBIN	TRIBU Z 75 WG	500-250 g/kg	WG	FUNGICIDE	4	043-438-5638	20-Dec-24	-	Watermelon	Leafspot, powdery mildew	-	-	-	-
ZAGRO CORPORATION	TEBUCONAZOLE+TRIFLOXYSTROBIN	TRIBU Z 75 WG	500-250 g/kg	WG	FUNGICIDE	4	043-438-5638	20-Dec-24	-	Potato	Early and late blight	-	-	-	-
TRIGREEN TRADING CORPORATION	CARTAP HYDROCHLORIDE	TRIBAND 50 SP	500 g/kg	SP	INSECTICIDE	3	356-106-1875	18-Jun-24	SYSTEMIC	Rice	Whorl maggot, stemborer, green leafhopper, brown planthopper	1.0-1.0 Tbsp/36 L water	0.2ppm	Stop spraying 10 days before harvest	-
TRIGREEN TRADING CORPORATION	CARTAP HYDROCHLORIDE	TRIBAND 50 SP	500 g/kg	SP	INSECTICIDE	3	356-106-1875	18-Jun-24	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0 Tbsp/36 L water	-	-	-
TRIGREEN TRADING CORPORATION	CARTAP HYDROCHLORIDE	TRIBAND 50 SP	500 g/kg	SP	INSECTICIDE	3	356-106-1875	18-Jun-24	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0 Tbsp/36 L water	-	-	-
TRIGREEN TRADING CORPORATION	CARTAP HYDROCHLORIDE	TRIBAND 50 SP	500 g/kg	SP	INSECTICIDE	3	356-106-1875	18-Jun-24	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0 Tbsp/36 L water	-	-	-
TRIGREEN TRADING CORPORATION	CARTAP HYDROCHLORIDE	TRIBAND 50 SP	500 g/kg	SP	INSECTICIDE	3	356-106-1875	18-Jun-24	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0 Tbsp/36 L water	-	-	-
TRIGREEN TRADING CORPORATION	CARTAP HYDROCHLORIDE	TRIBAND 50 SP	500 g/kg	SP	INSECTICIDE	3	356-106-1875	18-Jun-24	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0 Tbsp/36 L water	-	-	-
TRIGREEN TRADING CORPORATION	CARTAP HYDROCHLORIDE	TRIBAND 50 SP	500 g/kg	SP	INSECTICIDE	3	356-106-1875	18-Jun-24	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0 Tbsp/36 L water	-	-	-
TRIGREEN TRADING CORPORATION	CARTAP HYDROCHLORIDE	TRIBAND 50 SP	500 g/kg	SP	INSECTICIDE	3	356-106-1875	18-Jun-24	SYSTEMIC	Mango	leafhoppers	1.5-2.0 Tbsp/36 L water	-	-	-
TRIGREEN TRADING CORPORATION	CARTAP HYDROCHLORIDE	TRIBAND 50 SP	500 g/kg	SP	INSECTICIDE	3	356-106-1875	18-Jun-24	SYSTEMIC	Pechay	Looper, cutworm, aphids	1.5-3.0 Tbsp/36 L water	-	-	-
PHILIPPINE FARMIX SOLUTIONS INC.	TRIGDIMENOL	TRIATHION 30	30 g/kg	G	FUNGICIDE	4	135-311-3344	27-Oct-36	SYSTEMIC	Banana	Sigatoka	25 g prod/haat	-	Do not apply 7 days before	-
TEAMAGRO TRADING CORPORATION	LAMBDA CHYALOTHIRIN+THIAMETHOXAM	TRIANGLE 247 ZC	106g/L+141g/L	ZC	INSECTICIDE	2	248-395-5889	18-Feb-25	CONTACT	Potato	Whiteflies, aphids, thrips	300-300 ml/ha	-	7 days	Do not enter treated fields at least 1 day after application.
TEAMAGRO TRADING CORPORATION	LAMBDA CHYALOTHIRIN+THIAMETHOXAM	TRIANGLE 247 ZC	106g/L+141g/L	ZC	INSECTICIDE	2	248-395-5889	18-Feb-25	CONTACT	Stringbeans	Green leafhopper, aphids, mites	100-200 ml/ha	-	7 days	Do not enter treated fields at least 1 day after application.
TEAMAGRO TRADING CORPORATION	LAMBDA CHYALOTHIRIN+THIAMETHOXAM	TRIANGLE 247 ZC	106g/L+141g/L	ZC	INSECTICIDE	2	248-395-5889	18-Feb-25	CONTACT	Eggplant	Whiteflies, green leafhopper, aphids	300-300 ml/ha	-	7 days	Do not enter treated fields at least 1 day after application.
TEAMAGRO TRADING CORPORATION	LAMBDA CHYALOTHIRIN+THIAMETHOXAM	TRIANGLE 247 ZC	106g/L+141g/L	ZC	INSECTICIDE	2	248-395-5889	18-Feb-25	CONTACT	Bittergourd	Leafhoppers, thrips, aphids, fruitfly, cutworm	300-400 ml/ha	-	7 days	Do not enter treated fields at least 1 day after application.
TEAMAGRO TRADING CORPORATION	LAMBDA CHYALOTHIRIN+THIAMETHOXAM	TRIANGLE 247 ZC	106g/L+141g/L	ZC	INSECTICIDE	2	248-395-5889	18-Feb-25	CONTACT	Mango	Leafhoppers, tip-borers, capsid bug, fruitfly, acid fly	30-30ml/300L	-	3 days	Do not enter treated fields at least 1 day after application.
TEAMAGRO TRADING CORPORATION	LAMBDA CHYALOTHIRIN+THIAMETHOXAM	TRIANGLE 247 ZC	106g/L+141g/L	ZC	INSECTICIDE	2	248-395-5889	18-Feb-25	CONTACT	Corn	Asiatic corn borer, cutworm, leafhoppers, aphids, earworm	200-400 ml/ha	-	3 days	Do not enter treated fields at least 1 day after application.
TEAMAGRO TRADING CORPORATION	LAMBDA CHYALOTHIRIN+THIAMETHOXAM	TRIANGLE 247 ZC	106g/L+141g/L	ZC	INSECTICIDE	2	248-395-5889	18-Feb-25	CONTACT	Banana	Flower thrips	1-3 mL/L	-	30 days	Do not enter treated fields at least 1 day after application.
TEAMAGRO TRADING CORPORATION	LAMBDA CHYALOTHIRIN+THIAMETHOXAM	TRIANGLE 247 ZC	106g/L+141g/L	ZC	INSECTICIDE	2	248-395-5889	18-Feb-25	CONTACT	Rice	Stemborer, leafhopper, rice bugs	300-300 ml/ha	-	14 days	Do not enter treated fields at least 1 day after application.
PHILIPPINE FARMIX SOLUTIONS INC.	TRADIMEFON	TRADIFON 25 WP	250 g/kg	WP	FUNGICIDE	4	535-004-4025	24-Apr-26	SYSTEMIC	Pineapple	Fruit rot, heart rot, root rot, butt rot and butt mold	8-16grams/36 L water	-	0 day	Immediately after spray deposits have dried
PHILIPPINE FARMIX SOLUTIONS INC.	TRADIMEFON	TRADIFON 25 WP	250 g/kg	WP	FUNGICIDE	4	535-004-4025	24-Apr-26	SYSTEMIC	Soybeans	Rust	15-30grams/36 L water	-	0 day	Immediately after spray deposits have dried
PHILIPPINE FARMIX SOLUTIONS INC.	TRADIMEFON	TRADIFON 25 WP	250 g/kg	WP	FUNGICIDE	4	535-004-4025	24-Apr-26	SYSTEMIC	Mungbeans	Cercospora	7.5-15grams/36 L water	-	0 day	Immediately after spray deposits have dried
KEMSTAR CORPORATION	BUTACHLOR+PROPANIL	TRIMOR 70 EC	300-300 g/L	EC	HERBICIDE	3	239-238-2032	05-Jun-25	POST-EMERGENT	Rice (Direct Seeded)	Grasses, Sedges and Broadleaves	9-12Tbsp/36 L water	-	-	Butachlor 0.1ppm Propanil 0.1ppm
KEMSTAR CORPORATION	BUTACHLOR+PROPANIL	TRIMOR 70 EC	300-300 g/L	EC	HERBICIDE	3	239-238-2032	05-Jun-25	POST-EMERGENT	Rice (Transplanted)	Grasses, Sedges and Broadleaves	8-12Tbsp/36 L water	-	-	Butachlor 0.1ppm Propanil 0.1ppm
OLD TOWN AGRICULTURAL KINDS CORP.	PROPICONAZOLE	TRIMENDO 2S EC	250 g/L	EC	FUNGICIDE	3	409-178-5439	12-May-24	SYSTEMIC	Banana	Sigatoka	400mL/ha	-	-	-

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
OLD TOWN AGRICULTURAL KINGS CORP.	PROFICONAZOLE	TRIMENDO 25 EC	250 g/L	EC	FUNGICIDE	3	409-178-9439	12-May-24	SYSTEMIC	Pineapple	Butt rot	8 ml / 500 L	-	-	-
SUMITOMO CORPORATION PHILIPPINES	ETOFENPROX	TRIFIC 20 WP	200 g/kg	WP	INSECTICIDE	4	482-208-2671	08-Oct-22	CONTACT	Mango	Mango hopper & tip borer	1 Tbsp/16 L water	2.0 mg/kg	7 days	As soon as the spray solution has dried on the foliage
SUMITOMO CORPORATION PHILIPPINES	ETOFENPROX	TRIFIC 20 WP	200 g/kg	WP	INSECTICIDE	4	482-208-2671	08-Oct-22	CONTACT	Rice	Green leafhopper & Rice leaf folder	1-2 Tbsp/16 L water	0.05ppm	7 days	As soon as the spray solution has dried on the foliage
SUMITOMO CORPORATION PHILIPPINES	ETOFENPROX	TRIFIC 20 WP	200 g/kg	WP	INSECTICIDE	4	482-208-2671	08-Oct-22	CONTACT	Tomato	Fruit worm & Cutworm	2-3 Tbsp/16 L water	-	-	As soon as the spray solution has dried on the foliage
BIOSTART PHILIPPINES INC.	ETOFENPROX	TRIBRON EXCEL 10 EC	100 g/L	EC	INSECTICIDE	4	097-208-1309	18-Nov-24	CONTACT	Rice	Green leafhopper, brown plant hopper, stem borer, whorl maggot & leaf folder	1-2 Tbsp/16 L water	0.05ppm	7 days	As soon as the spray solution has dried on the foliage
BIOSTART PHILIPPINES INC.	ETOFENPROX	TRIBRON EXCEL 10 EC	100 g/L	EC	INSECTICIDE	4	097-208-1309	18-Nov-24	CONTACT	Mango	Hoppers	1-2 Tbsp/16 L water	2.0 mg/kg	7 days	As soon as the spray solution has dried on the foliage
SUMITOMO CORPORATION PHILIPPINES	ETOFENPROX	TRIBRON 30 EC	300 g/L	EC	INSECTICIDE	4	482-208-2670	08-Oct-22	CONTACT	Rice	Green leafhopper, brown plant hopper, stem borer, whorl maggot & leaf folder	2-4 Tbsp/100 L	0.05ppm	7 days	As soon as the spray solution has dried on the foliage
SUMITOMO CORPORATION PHILIPPINES	ETOFENPROX	TRIBRON 30 EC	300 g/L	EC	INSECTICIDE	4	482-208-2670	08-Oct-22	CONTACT	Mango	Mango Hopper, eard fly, capsid bug, fruit fly & seed borer	3-4 Tbsp/100 L, 7-14 Tbsp/1000 L	2.0 mg/kg	7 days	As soon as the spray solution has dried on the foliage
SUMITOMO CORPORATION PHILIPPINES	ETOFENPROX	TRIBRON 30 EC	300 g/L	EC	INSECTICIDE	4	482-208-2670	08-Oct-22	CONTACT	Banana	Scarring beetle	2.5-10.0 Tbsp/1000 L	2.0mg/kg	77 days	As soon as the spray solution has dried on the foliage
ZAGRO CORPORATION	GLUFOSINATE AMMONIUM	TRAST 15 SL	150 g/L	SL	HERBICIDE	4	043-182-3738	17-Jun-25	NON-SELECTIVE	Rubber	Weeds	215ml/16 L water, 270ml/16 L water, 425ml/16 L water	-	-	-
ZAGRO CORPORATION	GLUFOSINATE AMMONIUM	TRAST 15 SL	150 g/L	SL	HERBICIDE	4	043-182-3738	17-Jun-25	NON-SELECTIVE	Oil palm	Weeds	100ml/16 L water, 135ml/16 L water	-	-	-
ZAGRO CORPORATION	GLUFOSINATE AMMONIUM	TRAST 15 SL	150 g/L	SL	HERBICIDE	4	043-182-3738	17-Jun-25	NON-SELECTIVE	Non- crop Areas	Weeds	160-215ml/16 L water	-	-	-
ZAGRO CORPORATION	GLUFOSINATE AMMONIUM	TRAST 15 SL	150 g/L	SL	HERBICIDE	4	043-182-3738-A	17-Jun-25	NON-SELECTIVE	Cavendish Banana	Black sigatoka	160ml/16 L water, 135-200ml/16 L water	0.2 mg/kg	-	-
INDOFIL PHILIPPINES INC.	ZINC PHOSPHIDE	TRAPP	800 g/kg	B	RODENTICIDE	2	604-174-4329	06-Apr-24	-	Rice	Field rats, mice & other harmful rodents	-	-	-	-
INDOFIL PHILIPPINES INC.	ZINC PHOSPHIDE	TRAPP	800 g/kg	B	RODENTICIDE	2	604-174-4329	06-Apr-24	-	Corn	Field rats, mice & other harmful rodents	-	-	-	-
INDOFIL PHILIPPINES INC.	ZINC PHOSPHIDE	TRAPP	800 g/kg	B	RODENTICIDE	2	604-174-4329	06-Apr-24	-	Sugarcane	Field rats, mice & other harmful rodents	-	-	-	-
TRANS WORLD TRADING CO., INC.	MANCOZEB	TRANZER 80 WP	800 g/kg	WP	FUNGICIDE	4	038-051-0607	09-Jun-26	-	Potato	Early and late blight	3-6 Tbsp/16 L water	-	-	As soon as spray dries
TRANS WORLD TRADING CO., INC.	MANCOZEB	TRANZER 80 WP	800 g/kg	WP	FUNGICIDE	4	038-051-0607	09-Jun-26	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 days	As soon as spray dries
TRANS WORLD TRADING CO., INC.	MANCOZEB	TRANZER 80 WP	800 g/kg	WP	FUNGICIDE	4	038-051-0607	09-Jun-26	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 days	As soon as spray dries
TRANS WORLD TRADING CO., INC.	MANCOZEB	TRANZER 80 WP	800 g/kg	WP	FUNGICIDE	4	038-051-0607	09-Jun-26	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 days	As soon as spray dries
TRANS WORLD TRADING CO., INC.	MANCOZEB	TRANZER 80 WP	800 g/kg	WP	FUNGICIDE	4	038-051-0607	09-Jun-26	-	Celery	Late blight	3-6 Tbsp/16 L water	-	14 days	As soon as spray dries
TRANS WORLD TRADING CO., INC.	MANCOZEB	TRANZER 80 WP	800 g/kg	WP	FUNGICIDE	4	038-051-0607	09-Jun-26	-	Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
TRANS WORLD TRADING CO., INC.	MANCOZEB	TRANZER 80 WP	800 g/kg	WP	FUNGICIDE	4	038-051-0607	09-Jun-26	-	Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
TRANS WORLD TRADING CO., INC.	MANCOZEB	TRANZER 80 WP	800 g/kg	WP	FUNGICIDE	4	038-051-0607	09-Jun-26	-	Cotton	Damping off	3-6 Tbsp/16 L water	-	-	As soon as spray dries
TRANS WORLD TRADING CO., INC.	MANCOZEB	TRANZER 80 WP	800 g/kg	WP	FUNGICIDE	4	038-051-0607	09-Jun-26	-	Lettuce	Downy mildew	3-6 Tbsp/16 L water	-	7 days	As soon as spray dries
TRANS WORLD TRADING CO., INC.	MANCOZEB	TRANZER 80 WP	800 g/kg	WP	FUNGICIDE	4	038-051-0607	09-Jun-26	-	Beans	Anthracoese, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
TRANS WORLD TRADING CO., INC.	MANCOZEB	TRANZER 80 WP	800 g/kg	WP	FUNGICIDE	4	038-051-0607	09-Jun-26	-	Peas	Anthracoese, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
TRANS WORLD TRADING CO., INC.	MANCOZEB	TRANZER 80 WP	800 g/kg	WP	FUNGICIDE	4	038-051-0607	09-Jun-26	-	Mungo	Anthracoese, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
TRANS WORLD TRADING CO., INC.	MANCOZEB	TRANZER 80 WP	800 g/kg	WP	FUNGICIDE	4	038-051-0607	09-Jun-26	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
TRANS WORLD TRADING CO., INC.	MANCOZEB	TRANZER 80 WP	800 g/kg	WP	FUNGICIDE	4	038-051-0607	09-Jun-26	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	-	7 days	As soon as spray dries
TRANS WORLD TRADING CO., INC.	MANCOZEB	TRANZER 80 WP	800 g/kg	WP	FUNGICIDE	4	038-051-0607	09-Jun-26	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	-	7 days	As soon as spray dries
TRANS WORLD TRADING CO., INC.	MANCOZEB	TRANZER 80 WP	800 g/kg	WP	FUNGICIDE	4	038-051-0607	09-Jun-26	-	Pepper	Anthracoese	3-6 Tbsp/16 L water	-	7 days	As soon as spray dries
TRANS WORLD TRADING CO., INC.	MANCOZEB	TRANZER 80 WP	800 g/kg	WP	FUNGICIDE	4	038-051-0607	09-Jun-26	-	Chili	Anthracoese	3-6 Tbsp/16 L water	-	7 days	As soon as spray dries
TRANS WORLD TRADING CO., INC.	MANCOZEB	TRANZER 80 WP	800 g/kg	WP	FUNGICIDE	4	038-051-0607	09-Jun-26	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/16 L water	-	-	As soon as spray dries
TRANS WORLD TRADING CO., INC.	MANCOZEB	TRANZER 80 WP	800 g/kg	WP	FUNGICIDE	4	038-051-0607	09-Jun-26	-	Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16 L water	-	7 days	As soon as spray dries
TRANS WORLD TRADING CO., INC.	MANCOZEB	TRANZER 80 WP	800 g/kg	WP	FUNGICIDE	4	038-051-0607	09-Jun-26	-	Grapes	Downy mildew, black rot	3-6 Tbsp/16 L water	-	40 days	As soon as spray dries
TRANS WORLD TRADING CO., INC.	MANCOZEB	TRANZER 80 WP	800 g/kg	WP	FUNGICIDE	4	038-051-0607	09-Jun-26	-	Mango	Anthracoese and Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
TRANS WORLD TRADING CO., INC.	MANCOZEB	TRANZER 80 WP	800 g/kg	WP	FUNGICIDE	4	038-051-0607	09-Jun-26	-	Papaya	Fruit rot	3-6 Tbsp/16 L water	-	-	As soon as spray dries
TRANS WORLD TRADING CO., INC.	MANCOZEB	TRANZER 80 WP	800 g/kg	WP	FUNGICIDE	4	038-051-0607	09-Jun-26	-	Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
TRANS WORLD TRADING CO., INC.	MANCOZEB	TRANZER 80 WP	800 g/kg	WP	FUNGICIDE	4	038-051-0607	09-Jun-26	-	Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
TRANS WORLD TRADING CO., INC.	MANCOZEB	TRANZER 80 WP	800 g/kg	WP	FUNGICIDE	4	038-051-0607	09-Jun-26	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16 L water	-	7 days	As soon as spray dries
TRANS WORLD TRADING CO., INC.	MANCOZEB	TRANZER 80 WP	800 g/kg	WP	FUNGICIDE	4	038-051-0607	09-Jun-26	-	Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16 L water	-	-	As soon as spray dries
TRANS WORLD TRADING CO., INC.	MANCOZEB	TRANZER 80 WP	800 g/kg	WP	FUNGICIDE	4	038-051-0607	09-Jun-26	-	Peanut	Cercospora leaf spot	3-6 Tbsp/16 L water	-	14 days	As soon as spray dries
TRANS WORLD TRADING CO., INC.	MANCOZEB	TRANZER 80 WP	800 g/kg	WP	FUNGICIDE	4	038-051-0607	09-Jun-26	-	Soybeans	Leaf rust	3-6 Tbsp/16 L water	-	-	As soon as spray dries
TRANS WORLD TRADING CO., INC.	MANCOZEB	TRANZER 80 WP	800 g/kg	WP	FUNGICIDE	4	038-051-0607	09-Jun-26	-	Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/16 L water	-	-	As soon as spray dries
TRANS WORLD TRADING CO., INC.	MANCOZEB	TRANZER 75 WDG	750 g/kg	WDG	FUNGICIDE	4	038-051-3084	03-Dec-24	-	Tomato	Early and late blight	-	-	Do not spray 7 days before harvest	Do not enter the field within 2 days after spraying
TRANS WORLD TRADING CO., INC.	MANCOZEB	TRANZER 75 WDG	750 g/kg	WDG	FUNGICIDE	4	038-051-3084	03-Dec-24	-	Banana	Sigatoka	-	-	Do not spray 7 days before harvest	Do not enter the field within 2 days after spraying
TRANS WORLD TRADING CO., INC.	MANCOZEB	TRANZER 75 WDG	750 g/kg	WDG	FUNGICIDE	4	038-051-3084	03-Dec-24	-	Potato	Early and Late Blight	-	-	Do not spray 7 days before harvest	Do not enter the field within 2 days after spraying
TRANS WORLD TRADING CO., INC.	MANCOZEB	TRANZER 75 WDG	750 g/kg	WDG	FUNGICIDE	4	038-051-3084	03-Dec-24	-	Cabbage	Downy mildew, Alternaria leaf spot	-	-	Do not spray 7 days before harvest	Do not enter the field within 2 days after spraying
TRANS WORLD TRADING CO., INC.	MANCOZEB	TRANZER 75 WDG	750 g/kg	WDG	FUNGICIDE	4	038-051-3084	03-Dec-24	-	Cauliflower	Downy mildew, Alternaria leaf spot	-	-	Do not spray 7 days before harvest	Do not enter the field within 2 days after spraying
TRANS WORLD TRADING CO., INC.	MANCOZEB	TRANZER 75 WDG	750 g/kg	WDG	FUNGICIDE	4	038-051-3084	03-Dec-24	-	Broccoli	Downy mildew, Alternaria leaf spot	-	-	Do not spray 7 days before harvest	Do not enter the field within 2 days after spraying
TRANS WORLD TRADING CO., INC.	MANCOZEB	TRANZER 75 WDG	750 g/kg	WDG	FUNGICIDE	4	038-051-3084	03-Dec-24	-	Celery	Late Blight	-	-	Do not spray 7 days before harvest	Do not enter the field within 2 days after spraying
TRANS WORLD TRADING CO., INC.	MANCOZEB	TRANZER 75 WDG	750 g/kg	WDG	FUNGICIDE	4	038-051-3084	03-Dec-24	-	Cucumber	Downy Mildew, Anthracnose, Scab	-	-	Do not spray 7 days before harvest	Do not enter the field within 2 days after spraying
TRANS WORLD TRADING CO., INC.	MANCOZEB	TRANZER 75 WDG	750 g/kg	WDG	FUNGICIDE	4	038-051-3084	03-Dec-24	-	Squash	Downy Mildew, Anthracnose, Scab	-	-	Do not spray 7 days before harvest	Do not enter the field within 2 days after spraying
TRANS WORLD TRADING CO., INC.	MANCOZEB	TRANZER 75 WDG	750 g/kg	WDG	FUNGICIDE	4	038-051-3084	03-Dec-24	-	Cotton	Damping off	-	-	Do not spray 7 days before harvest	Do not enter the field within 2 days after spraying
TRANS WORLD TRADING CO., INC.	MANCOZEB	TRANZER 75 WDG	750 g/kg	WDG	FUNGICIDE	4	038-051-3084	03-Dec-24	-	Lettuce	Downy Mildew	-	-	Do not spray 7 days before harvest	Do not enter the field within 2 days after spraying

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
TRANS WORLD TRADING CO., INC.	MANCOZEB	TRANZER 75 WDG	750 g/kg	WDG	FUNGICIDE	4	038-053-3084	03-Dec-24	-	Beans	Anthracoese, Downy Mildew, Rust	-	-	Do not spray 7 days before harvest	Do not enter the field within 2 days after spraying
TRANS WORLD TRADING CO., INC.	MANCOZEB	TRANZER 75 WDG	750 g/kg	WDG	FUNGICIDE	4	038-053-3084	03-Dec-24	-	Peas	Anthracoese, Downy Mildew, Rust	-	-	Do not spray 7 days before harvest	Do not enter the field within 2 days after spraying
TRANS WORLD TRADING CO., INC.	MANCOZEB	TRANZER 75 WDG	750 g/kg	WDG	FUNGICIDE	4	038-053-3084	03-Dec-24	-	Mungbeans	Anthracoese, Downy Mildew, Rust	-	-	Do not spray 7 days before harvest	Do not enter the field within 2 days after spraying
TRANS WORLD TRADING CO., INC.	MANCOZEB	TRANZER 75 WDG	750 g/kg	WDG	FUNGICIDE	4	038-053-3084	03-Dec-24	-	Onion	Purple blotch, Downy mildew, Botrytis leaf blight	-	-	Do not spray 7 days before harvest	Do not enter the field within 2 days after spraying
TRANS WORLD TRADING CO., INC.	MANCOZEB	TRANZER 75 WDG	750 g/kg	WDG	FUNGICIDE	4	038-053-3084	03-Dec-24	-	Garlic	Purple blotch, Downy mildew, Botrytis leaf blight	-	-	Do not spray 7 days before harvest	Do not enter the field within 2 days after spraying
TRANS WORLD TRADING CO., INC.	MANCOZEB	TRANZER 75 WDG	750 g/kg	WDG	FUNGICIDE	4	038-053-3084	03-Dec-24	-	Pepper	Anthracoese	-	-	Do not spray 7 days before harvest	Do not enter the field within 2 days after spraying
TRANS WORLD TRADING CO., INC.	MANCOZEB	TRANZER 75 WDG	750 g/kg	WDG	FUNGICIDE	4	038-053-3084	03-Dec-24	-	Eggplant	Blight, Anthracnose	-	-	Do not spray 7 days before harvest	Do not enter the field within 2 days after spraying
TRANS WORLD TRADING CO., INC.	MANCOZEB	TRANZER 75 WDG	750 g/kg	WDG	FUNGICIDE	4	038-053-3084	03-Dec-24	-	Grapes	Downy Mildew, Black rot	-	-	Do not spray 7 days before harvest	Do not enter the field within 2 days after spraying
TRANS WORLD TRADING CO., INC.	MANCOZEB	TRANZER 75 WDG	750 g/kg	WDG	FUNGICIDE	4	038-053-3084	03-Dec-24	-	Mango	Anthracoese, and scab	-	-	Do not spray 7 days before harvest	Do not enter the field within 2 days after spraying
TRANS WORLD TRADING CO., INC.	MANCOZEB	TRANZER 75 WDG	750 g/kg	WDG	FUNGICIDE	4	038-053-3084	03-Dec-24	-	Papaya	Fruit rot	-	-	Do not spray 7 days before harvest	Do not enter the field within 2 days after spraying
TRANS WORLD TRADING CO., INC.	MANCOZEB	TRANZER 75 WDG	750 g/kg	WDG	FUNGICIDE	4	038-053-3084	03-Dec-24	-	Melon	Downy mildew, Anthracnose, Scab	-	-	Do not spray 7 days before harvest	Do not enter the field within 2 days after spraying
TRANS WORLD TRADING CO., INC.	MANCOZEB	TRANZER 75 WDG	750 g/kg	WDG	FUNGICIDE	4	038-053-3084	03-Dec-24	-	Watermelon	Downy mildew, Anthracnose, Scab	-	-	Do not spray 7 days before harvest	Do not enter the field within 2 days after spraying
TRANS WORLD TRADING CO., INC.	MANCOZEB	TRANZER 75 WDG	750 g/kg	WDG	FUNGICIDE	4	038-053-3084	03-Dec-24	-	Corn (sweet and popcorn)	Helminthosporium leaf spot	-	-	Do not spray 7 days before harvest	Do not enter the field within 2 days after spraying
TRANS WORLD TRADING CO., INC.	MANCOZEB	TRANZER 75 WDG	750 g/kg	WDG	FUNGICIDE	4	038-053-3084	03-Dec-24	-	Rice	Blast, Sheath blight, Cercospora leaf spot, Helminthosporium leaf spot	0.03ppm	-	Do not spray 7 days before harvest	Do not enter the field within 2 days after spraying
TRANS WORLD TRADING CO., INC.	MANCOZEB	TRANZER 75 WDG	750 g/kg	WDG	FUNGICIDE	4	038-053-3084	03-Dec-24	-	Peanut	Cercospora leaf spot	-	-	Do not spray 7 days before harvest	Do not enter the field within 2 days after spraying
TRANS WORLD TRADING CO., INC.	MANCOZEB	TRANZER 75 WDG	750 g/kg	WDG	FUNGICIDE	4	038-053-3084	03-Dec-24	-	Soybeans	Leaf rust	-	-	Do not spray 7 days before harvest	Do not enter the field within 2 days after spraying
TRANS WORLD TRADING CO., INC.	MANCOZEB	TRANZER 75 WDG	750 g/kg	WDG	FUNGICIDE	4	038-053-3084	03-Dec-24	-	Ornamentals	Black spot, Blight, Anthracnose	-	-	Do not spray 7 days before harvest	Do not enter the field within 2 days after spraying
TRANS WORLD TRADING CO., INC.	MANCOZEB	TRANZER 800 DS	600 g/L	DS	FUNGICIDE	4	038-053-2009	23-Nov-24	SYSTEMIC	Banana	Black Sigatoka	1.75-2.90 L/ha/m ²	-	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
TRANS WORLD TRADING CO., INC.	MANCOZEB	TRANZER 455 FLOWABLE	455 g/L	FC	FUNGICIDE	4	038-053-1039	24-May-25	SYSTEMIC	Banana	Sigatoka/black leaf streak	4-5 L/ha	-	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
TRANS WORLD TRADING CO., INC.	CYMOXANIL+MANCOZEB	TRANZATE 50S WP	40+40g/kg	WP	FUNGICIDE	4	038-163-3753	22-Aug-25	-	Potato	Late Blight	5 tbop/16L sprayer	-	-	Do not enter fields treated with TRANZATE 50S WP within 24 hours after application
TRANS WORLD TRADING CO., INC.	CYMOXANIL+MANCOZEB	TRANZATE 50S WP	40+40g/kg	WP	FUNGICIDE	4	038-163-3753	22-Aug-25	-	Tomato	Late Blight	5 tbop/16L sprayer	-	-	Do not enter fields treated with TRANZATE 50S WP within 24 hours after application
TRANS WORLD TRADING CO., INC.	CYMOXANIL+MANCOZEB	TRANZATE 50S WP	40+40g/kg	WP	FUNGICIDE	4	038-163-3753	22-Aug-25	-	Grapes	Downy mildew	5 tbop/16L sprayer	-	-	Do not enter fields treated with TRANZATE 50S WP within 24 hours after application
TRANS WORLD TRADING CO., INC.	DIURON	TRANSWORLD DIURON 80 SC	800 g/L	SC	HERBICIDE	4	038-021-2891	09-Mar-19	SYSTEMIC	Citrus	Annual and Perennial broadleaves and grasses	10.0-15.0 tbop/16 L water	-	-	-
TRANS WORLD TRADING CO., INC.	DIURON	TRANSWORLD DIURON 80 SC	800 g/L	SC	HERBICIDE	4	038-021-2891	09-Mar-19	SYSTEMIC	Coffee	Annual and Perennial broadleaves and grasses	10.0-15.0 tbop/16 L water	-	-	-
TRANS WORLD TRADING CO., INC.	DIURON	TRANSWORLD DIURON 80 SC	800 g/L	SC	HERBICIDE	4	038-021-2891	09-Mar-19	SYSTEMIC	Cotton	Annual and Perennial broadleaves and grasses	8.0 tbop/16L water	-	-	-
TRANS WORLD TRADING CO., INC.	DIURON	TRANSWORLD DIURON 80 SC	800 g/L	SC	HERBICIDE	4	038-021-2891	09-Mar-19	SYSTEMIC	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0 tbop/16L water	-	-	-
TRANS WORLD TRADING CO., INC.	DIURON	TRANSWORLD DIURON 80 SC	800 g/L	SC	HERBICIDE	4	038-021-2891	09-Mar-19	SYSTEMIC	Pineapple	Annual and Perennial broadleaves and grasses	11.0 tbop/16 L water	-	-	-
TRANS WORLD TRADING CO., INC.	DIURON	TRANSWORLD DIURON 80 SC	800 g/L	SC	HERBICIDE	4	038-021-2891	09-Mar-19	SYSTEMIC	Non-crop land	Annual and Perennial broadleaves and grasses	20.0-25.0 tbop/15 L water	-	-	-
TRANS WORLD TRADING CO., INC.	CHLOROTHALONIL	TRANSNIL 720 SC	720 g/L	SC	FUNGICIDE	4	038-118-1492	17-Sep-25	-	Potato	Early blight, late blight, vine rot	1.00-1.80 L/ha or 4.5-5.5 tbop/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
TRANS WORLD TRADING CO., INC.	CHLOROTHALONIL	TRANSNIL 720 SC	720 g/L	SC	FUNGICIDE	4	038-118-1492	17-Sep-25	-	Tomato	Early blight, late blight, vine rot	1.13-1.90 L/ha or 4.5-6.0 tbop/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
TRANS WORLD TRADING CO., INC.	CHLOROTHALONIL	TRANSNIL 720 SC	720 g/L	SC	FUNGICIDE	4	038-118-1492	17-Sep-25	-	Beans	Rust, anthracnose	1.13-1.90 L/ha or 4.5-6.0 tbop/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
TRANS WORLD TRADING CO., INC.	CHLOROTHALONIL	TRANSNIL 720 SC	720 g/L	SC	FUNGICIDE	4	038-118-1492	17-Sep-25	-	Carrot	Alternaria leaf spot, cercospora leaf spot, helminthosporium leaf spot	1.13-1.90 L/ha or 4.5-6.0 tbop/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
TRANS WORLD TRADING CO., INC.	CHLOROTHALONIL	TRANSNIL 720 SC	720 g/L	SC	FUNGICIDE	4	038-118-1492	17-Sep-25	-	Crucifers	Powdery mildew	1.13-1.90 L/ha or 4.5-6.0 tbop/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
TRANS WORLD TRADING CO., INC.	CHLOROTHALONIL	TRANSNIL 720 SC	720 g/L	SC	FUNGICIDE	4	038-118-1492	17-Sep-25	-	Melon	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbop/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
TRANS WORLD TRADING CO., INC.	CHLOROTHALONIL	TRANSNIL 720 SC	720 g/L	SC	FUNGICIDE	4	038-118-1492	17-Sep-25	-	Cucumber	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbop/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
TRANS WORLD TRADING CO., INC.	CHLOROTHALONIL	TRANSNIL 720 SC	720 g/L	SC	FUNGICIDE	4	038-118-1492	17-Sep-25	-	Squash	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbop/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
TRANS WORLD TRADING CO., INC.	CHLOROTHALONIL	TRANSNIL 720 SC	720 g/L	SC	FUNGICIDE	4	038-118-1492	17-Sep-25	-	Watermelon	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbop/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
TRANS WORLD TRADING CO., INC.	CHLOROTHALONIL	TRANSNIL 720 SC	720 g/L	SC	FUNGICIDE	4	038-118-1492	17-Sep-25	-	Celery	Early blight, late blight	1.13-1.90 L/ha or 4.5-6.0 tbop/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
TRANS WORLD TRADING CO., INC.	CHLOROTHALONIL	TRANSNIL 720 SC	720 g/L	SC	FUNGICIDE	4	038-118-1492	17-Sep-25	-	Eggplant	Early blight, late blight, cercospora leafspot, anthracnose	1.13-1.90 L/ha or 4.5-6.0 tbop/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
TRANS WORLD TRADING CO., INC.	CHLOROTHALONIL	TRANSNIL 720 SC	720 g/L	SC	FUNGICIDE	4	038-118-1492	17-Sep-25	-	Onion	Purple blotch, bulb rot, neck rot	1.13-1.90 L/ha or 4.5-6.0 tbop/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
TRANS WORLD TRADING CO., INC.	CHLOROTHALONIL	TRANSNIL 720 SC	720 g/L	SC	FUNGICIDE	4	038-118-1492	17-Sep-25	-	Pepper	Early blight, cercospora leaf spot, anthracnose	1.13-1.90 L/ha or 4.5-6.0 tbop/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
TRANS WORLD TRADING CO., INC.	CHLOROTHALONIL	TRANSNIL 720 SC	720 g/L	SC	FUNGICIDE	4	038-118-1492	17-Sep-25	-	Grapes	Downy mildew, powdery mildew, fruit rot	1.13-1.90 L/ha or 4.5-6.0 tbop/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
TRANS WORLD TRADING CO., INC.	CHLOROTHALONIL	TRANSNIL 720 SC	720 g/L	SC	FUNGICIDE	4	038-118-1492	17-Sep-25	-	Mango	Anthracoese, diplodia rot	0.75-5.80 L/ha or 4.5-6.0 tbop/16 L	0.5 mg/kg	7-14 days	Do not enter treatment areas until spray deposit have dried
TRANS WORLD TRADING CO., INC.	CHLOROTHALONIL	TRANSNIL 720 SC	720 g/L	SC	FUNGICIDE	4	038-118-1492	17-Sep-25	-	Ornamentals	Black spot, powdery mildew, black rot	1.13-1.90 L/ha or 4.5-6.0 tbop/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
TRANS WORLD TRADING CO., INC.	CHLOROTHALONIL	TRANSNIL 720 SC	720 g/L	SC	FUNGICIDE	4	038-118-1492	17-Sep-25	-	Asparagus	Stem and leaf blight	1.80 L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
TRANS WORLD TRADING CO., INC.	CHLOROTHALONIL	TRANSNIL 720 SC	720 g/L	SC	FUNGICIDE	4	038-118-1492	17-Sep-25	-	Banana	Black sigatoka	1.38 L/ha	2.0 mg/kg	0 day	Do not enter treatment areas until spray deposit have dried
TRANS WORLD TRADING CO., INC.	CHLOROTHALONIL	TRANSNIL 900 SC	900 g/L	SC	FUNGICIDE	4	038-118-1493-A	17-Sep-25	-	Melon	Anthracoese, cercospora leafspot, downy mildew, leaf blight	6.0-8.5 Tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
TRANS WORLD TRADING CO., INC.	CHLOROTHALONIL	TRANSNIL 900 SC	900 g/L	SC	FUNGICIDE	4	038-118-1493-A	17-Sep-25	-	Corn	Helminthosporium leaf spot, cercospora leafspot	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
TRANS WORLD TRADING CO., INC.	CHLOROTHALONIL	TRANSNIL 900 SC	900 g/L	SC	FUNGICIDE	4	038-118-1493-A	17-Sep-25	-	Eggplant	Anthracoese, cercospora leafspot, early and late blight	6.0-8.5 Tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
TRANS WORLD TRADING CO., INC.	CHLOROTHALONIL	TRANSNIL 900 SC	900 g/L	SC	FUNGICIDE	4	038-118-1493-A	17-Sep-25	-	Peanut	Cercospora leaf spot, rust	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
TRANS WORLD TRADING CO., INC.	CHLOROTHALONIL	TRANSNIL 900 SC	900 g/L	SC	FUNGICIDE	4	038-118-1493-A	17-Sep-25	-	Potato	Early and late blight, vine rot	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
TRANS WORLD TRADING CO., INC.	CHLOROTHALONIL	TRANSNIL 900 SC	900 g/L	SC	FUNGICIDE	4	038-118-1493-A	17-Sep-25	-	Tomato	Early and late blight, vine rot	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
TRANS WORLD TRADING CO., INC.	CHLOROTHALONIL	TRANSNIL 900 SC	900 g/L	SC	FUNGICIDE	4	038-118-1493-A	17-Sep-25	-	Carrot	Alternaria, cercospora leaf spot, helminthosporium leaf spot	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
TRANS WORLD TRADING CO., INC.	CHLOROTHALONIL	TRANSNIL 900 SC	900 g/L	SC	FUNGICIDE	4	038-118-1493-A	17-Sep-25	-	Banana	Sigatoka, rust, freckles, helminthosporium leaf spot	2 L/ha	2.0 mg/kg	-	Do not enter treatment areas until spray deposit have dried
TRANS WORLD TRADING CO., INC.	CHLOROTHALONIL	TRANSNIL 900 SC	900 g/L	SC	FUNGICIDE	4	038-118-1493-A	17-Sep-25	-	Mango	Anthracoese, diplodia rot	6.0-8.5 Tbsp/16 L	0.5 mg/kg	7-14 days	Do not enter treatment areas until spray deposit have dried
TRANS WORLD TRADING CO., INC.	CHLOROTHALONIL	TRANSNIL 900 SC	900 g/L	SC	FUNGICIDE	4	038-118-1493-A	17-Sep-25	-	Beans	Rust, anthracnose	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)		PHI	RE-ENTRY PERIOD
TRANS WORLD TRADING CO., INC.	CHLOROTHALONIL	TRANSNIL 900 SC	500 g/L	SC	FUNGICIDE	4	038-118-1491-A	17-Sep-25	-	Crucifers	Powdery mildew	6.0-8.5 Tbsp/16 L	-	7-14 days	-	Do not enter treatment areas until spray deposit have dried
TRANS WORLD TRADING CO., INC.	CHLOROTHALONIL	TRANSNIL 900 SC	500 g/L	SC	FUNGICIDE	4	038-118-1491-A	17-Sep-25	-	Onion	Purple blotch, bulb rot, neck rot	6.0-8.5 Tbsp/16 L	-	7-14 days	-	Do not enter treatment areas until spray deposit have dried
TRANS WORLD TRADING CO., INC.	CHLOROTHALONIL	TRANSNIL 900 SC	500 g/L	SC	FUNGICIDE	4	038-118-1491-A	17-Sep-25	-	Garlic	Purple blotch, bulb rot, neck rot	6.0-8.5 Tbsp/16 L	-	7-14 days	-	Do not enter treatment areas until spray deposit have dried
TRANS WORLD TRADING CO., INC.	CHLOROTHALONIL	TRANSNIL 900 SC	500 g/L	SC	FUNGICIDE	4	038-118-1491-A	17-Sep-25	-	Ornamentals	Black spot, black rot, powdery mildew	6.0-8.5 Tbsp/16 L	-	7-14 days	-	Do not enter treatment areas until spray deposit have dried
TRANS WORLD TRADING CO., INC.	CHLOROTHALONIL	TRANSNIL 900 SC	500 g/L	SC	FUNGICIDE	4	038-118-1491-A	17-Sep-25	-	Grapes	Downy mildew, powdery mildew, fruit rot	6.0-8.5 Tbsp/16 L	-	7-14 days	-	Do not enter treatment areas until spray deposit have dried
TRANS WORLD TRADING CO., INC.	CHLOROTHALONIL	TRANSNIL 900 SC	500 g/L	SC	FUNGICIDE	4	038-118-1491-A	17-Sep-25	-	Pepper	Anthracoese, cercospora leaf spot, early blight	6.0-8.5 Tbsp/16 L	-	7-14 days	-	Do not enter treatment areas until spray deposit have dried
TRANS WORLD TRADING CO., INC.	CHLOROTHALONIL	TRANSNIL 900 SC	500 g/L	SC	FUNGICIDE	4	038-118-1491-A	17-Sep-25	-	Melon	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16 L	-	7-14 days	-	Do not enter treatment areas until spray deposit have dried
TRANS WORLD TRADING CO., INC.	CHLOROTHALONIL	TRANSNIL 900 SC	500 g/L	SC	FUNGICIDE	4	038-118-1491-A	17-Sep-25	-	Cucumber	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16 L	-	7-14 days	-	Do not enter treatment areas until spray deposit have dried
TRANS WORLD TRADING CO., INC.	CHLOROTHALONIL	TRANSNIL 900 SC	500 g/L	SC	FUNGICIDE	4	038-118-1491-A	17-Sep-25	-	Squash	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16 L	-	7-14 days	-	Do not enter treatment areas until spray deposit have dried
TRANS WORLD TRADING CO., INC.	CHLOROTHALONIL	TRANSNIL 900 SC	500 g/L	SC	FUNGICIDE	4	038-118-1491-A	17-Sep-25	-	Watermelon	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16 L	-	7-14 days	-	Do not enter treatment areas until spray deposit have dried
TRANS WORLD TRADING CO., INC.	CHLOROTHALONIL	TRANSNIL 900 SC	500 g/L	SC	FUNGICIDE	4	038-118-1491-A	17-Sep-25	-	Celery	Early and late blight	6.0-8.5 Tbsp/16 L	-	7-14 days	-	Do not enter treatment areas until spray deposit have dried
TRANS WORLD TRADING CO., INC.	BUTACHLOR+2,4-D BE	TRANSNEX 60 EC	360+240 g/L	EC	HERBICIDE	3	038-152-2893	20-Dec-25	PRE-EMERGENT	Rice (Direct-seeded)	Broadleaf weeds, grasses & sedges	8-20Tbsp/16 L spray/load	Butachlor 0.1ppm 2,4-D BE 0.1ppm	-	-	-
TRANS WORLD TRADING CO., INC.	BUTACHLOR+2,4-D BE	TRANSNEX 60 EC	360+240 g/L	EC	HERBICIDE	3	038-152-2893	20-Dec-25	PRE-EMERGENT	Rice (Transplanted)	Broadleaf weeds, grasses & sedges	8-20Tbsp/16 L spray/load	Butachlor 0.1ppm 2,4-D BE 0.1ppm	-	-	-
TRANS WORLD TRADING CO., INC.	MANCOZEB+METALAXYL	TRANSOMET 720 WP	640+80 g/Kg	WP	FUNGICIDE	4	038-035-4832	27-May-25	SYSTEMIC	Pineapple	Heart Rot	40-14 kg/ha	-	-	-	Do not enter treated field until spray deposits have dried up.
TRANS WORLD TRADING CO., INC.	MANCOZEB+METALAXYL	TRANSOMET 720 WP	640+80 g/Kg	WP	FUNGICIDE	4	038-035-4832	27-May-25	SYSTEMIC	Potato	Late blight	9-10 Tbsp (50-100g)/16L water	-	-	-	Do not enter treated field until spray deposits have dried up.
TRANS WORLD TRADING CO., INC.	MANCOZEB+METALAXYL	TRANSOMET 720 WP	640+80 g/Kg	WP	FUNGICIDE	4	038-035-4832	27-May-25	SYSTEMIC	Tomato	Late blight	9-10 Tbsp (50-100g)/16L water	-	-	-	Do not enter treated field until spray deposits have dried up.
TRANS WORLD TRADING CO., INC.	MANCOZEB+METALAXYL	TRANSOMET 720 WP	640+80 g/Kg	WP	FUNGICIDE	4	038-035-4832	27-May-25	SYSTEMIC	Orchids	Black Rot	2.5 Tbsp (25g)/16L water	-	-	-	Do not enter treated field until spray deposits have dried up.
TRANS WORLD TRADING CO., INC.	MANCOZEB+METALAXYL	TRANSOMET 720 WP	640+80 g/Kg	WP	FUNGICIDE	4	038-035-4832	27-May-25	SYSTEMIC	Asparagus	Spear Rot	2 kg product/ha	-	-	-	Do not enter treated field until spray deposits have dried up.
TRANS WORLD TRADING CO., INC.	PROFENOFOS	TRANSOFOS 50 EC	500 g/L	EC	INSECTICIDE	2	038-070-1856-A	16-Feb-25	CONTACT	Tomato	Fruitworm, armyworm, cutworm	3-5 Tbsp/16L water	-	-	-	Do not enter the field within 24 hrs. after spraying.
TRANS WORLD TRADING CO., INC.	PROFENOFOS	TRANSOFOS 50 EC	500 g/L	EC	INSECTICIDE	2	038-070-1856-A	16-Feb-25	CONTACT	Eggplant	Fruitborer, aphids, leafhopper, & thrips	1.5-3.0 Tbsp/16L water	-	-	-	Do not enter the field within 24 hrs. after spraying.
TRANS WORLD TRADING CO., INC.	PROFENOFOS	TRANSOFOS 50 EC	500 g/L	EC	INSECTICIDE	2	038-070-1856-A	16-Feb-25	CONTACT	Cabbage	Diamond back moth, cabbage worms, loopers	3-5 Tbsp/16L water	-	-	-	Do not enter the field within 24 hrs. after spraying.
TRANS WORLD TRADING CO., INC.	PROFENOFOS	TRANSOFOS 50 EC	500 g/L	EC	INSECTICIDE	2	038-070-1856-A	16-Feb-25	CONTACT	Watermelon	Thrips	3-5 Tbsp/16L water	-	-	-	Do not enter the field within 24 hrs. after spraying.
TRANS WORLD TRADING CO., INC.	PROFENOFOS	TRANSOFOS 50 EC	500 g/L	EC	INSECTICIDE	2	038-070-1856-A	16-Feb-25	CONTACT	Potato	Thrips, army worm, cutworm, tuber moth	3-5 Tbsp/16L water	-	-	-	Do not enter the field within 24 hrs. after spraying.
TRANS WORLD TRADING CO., INC.	PROFENOFOS	TRANSOFOS 50 EC	500 g/L	EC	INSECTICIDE	2	038-070-1856-A	16-Feb-25	CONTACT	Soybeans	Corn earworm, leafminer	3-5 Tbsp/16L water	-	-	-	Do not enter the field within 24 hrs. after spraying.
TRANS WORLD TRADING CO., INC.	PROFENOFOS	TRANSOFOS 50 EC	500 g/L	EC	INSECTICIDE	2	038-070-1856-A	16-Feb-25	CONTACT	Mungbeans	Corn earworm, leafminer	3-5 Tbsp/16L water	-	-	-	Do not enter the field within 24 hrs. after spraying.
TRANS WORLD TRADING CO., INC.	PROFENOFOS	TRANSOFOS 50 EC	500 g/L	EC	INSECTICIDE	2	038-070-1856-A	16-Feb-25	CONTACT	Cotton	Thrips, bollworm & budworm	3-5 Tbsp/16L water	-	-	-	Do not enter the field within 24 hrs. after spraying.
TRANS WORLD TRADING CO., INC.	PROFENOFOS	TRANSOFOS 50 EC	500 g/L	EC	INSECTICIDE	2	038-070-1856-A	16-Feb-25	CONTACT	Sitap	Beanyfly, leaf folder, aphids, podborer	1.5-3.0 Tbsp/16L water	-	-	-	Do not enter the field within 24 hrs. after spraying.
TRANS WORLD TRADING CO., INC.	CLETHODIUM	TRANSCLIDE 24 EC	240 g/L	EC	HERBICIDE	4	038-334-5801	06-Jun-25	-	Onion	Grasses (E.colona, Eleusine indica, D. angustatum and D. ciliaris)	0.5 L/ha	-	-	-	-
TRANS WORLD TRADING CO., INC.	DIURON	TRANS WORLD DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	038-021-3080-A	27-May-25	POST-EMERGENCE	Citrus	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water	-	-	-	Entry to fields treated with TRANS WORLD DIURON 80 WP can be done one day after this application
TRANS WORLD TRADING CO., INC.	DIURON	TRANS WORLD DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	038-021-3080-A	27-May-25	POST-EMERGENCE	Coffee	Annual and Perennial broadleaves and grasses	13.0 Tbsp/16 L water	-	-	-	Entry to fields treated with TRANS WORLD DIURON 80 WP can be done one day after this application
TRANS WORLD TRADING CO., INC.	DIURON	TRANS WORLD DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	038-021-3080-A	27-May-25	POST-EMERGENCE	Cotton	Annual and Perennial broadleaves and grasses	6.0-5.0 Tbsp/16 L water	-	-	-	Entry to fields treated with TRANS WORLD DIURON 80 WP can be done one day after this application
TRANS WORLD TRADING CO., INC.	DIURON	TRANS WORLD DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	038-021-3080-A	27-May-25	POST-EMERGENCE	Sugarcane	Annual and Perennial broadleaves and grasses	14.5-13.0Tbsp/16 L water	-	-	-	Entry to fields treated with TRANS WORLD DIURON 80 WP can be done one day after this application
TRANS WORLD TRADING CO., INC.	DIURON	TRANS WORLD DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	038-021-3080-A	27-May-25	POST-EMERGENCE	Pineapple	Annual and Perennial broadleaves and grasses	14.0Tbsp/16 L water	-	-	-	Entry to fields treated with TRANS WORLD DIURON 80 WP can be done one day after this application
TRANS WORLD TRADING CO., INC.	DIURON	TRANS WORLD DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	038-021-3080-A	27-May-25	POST-EMERGENCE	Non-crop agricultural areas	Annual and Perennial broadleaves and grasses	20.0-28.0Tbsp/16 L water	-	-	-	Entry to fields treated with TRANS WORLD DIURON 80 WP can be done one day after this application
PHILIPPINE FARMIX SOLUTIONS INC.	OXYFLUORFEN	TRAMP 24 EC	240 g/L	EC	HERBICIDE	4	535-123-3997	20-May-25	SELECTIVE (PRE /POST EMERGENCE)	Onion (Transplanted)	Broadleaves, sedges & grasses	8-8 Tbsp/16 L of water	-	-	-	Entry to treated fields is allowed as soon as spray deposits have dried
PHILIPPINE FARMIX SOLUTIONS INC.	OXYFLUORFEN	TRAMP 24 EC	240 g/L	EC	HERBICIDE	4	535-123-3997	12-Sep-24	SELECTIVE (PRE /POST EMERGENCE)	Pineapple	Broadleaves, sedges & grasses	3-5 L prod / ha, 2000-3000 L/ ha	-	-	-	Entry to treated fields is allowed as soon as spray deposits have dried
ZAGRO CORPORATION	AMETRYN+ATRAZINE	TRAMEX COMBI 80 WP	400+400 g/kg	WP	HERBICIDE	4	043-079-0614	16-Oct-18	SELECTIVE (POST/PRE-EMERGENT)	Sugarcane	Broadleaf weeds and annual grasses	9-14 Tbsp/16 Liters	-	-	-	-
ZAGRO CORPORATION	AMETRYN+ATRAZINE	TRAMEX COMBI 80 WP	400+400 g/kg	WP	HERBICIDE	4	043-079-0614	16-Oct-18	SELECTIVE (POST/PRE-EMERGENT)	Oil palm	Broadleaf weeds and annual grasses	9-14 Tbsp/16 Liters	-	-	-	-
ZAGRO CORPORATION	AMETRYN+ATRAZINE	TRAMEX COMBI 80 WP	400+400 g/kg	WP	HERBICIDE	4	043-079-0614	16-Oct-18	SELECTIVE (POST/PRE-EMERGENT)	Banana	Broadleaf weeds and annual grasses	9-14 Tbsp/16 Liters	-	-	-	-
ZAGRO CORPORATION	AMETRYN+ATRAZINE	TRAMEX COMBI 80 WP	400+400 g/kg	WP	HERBICIDE	4	043-079-0614	16-Oct-18	SELECTIVE (POST/PRE-EMERGENT)	Citrus	Broadleaf weeds and annual grasses	9-14 Tbsp/16 Liters	-	-	-	-
ZAGRO CORPORATION	AMETRYN+ATRAZINE	TRAMEX COMBI 80 WP	400+400 g/kg	WP	HERBICIDE	4	043-079-0614	16-Oct-18	SELECTIVE (POST/PRE-EMERGENT)	Coffee	Broadleaf weeds and annual grasses	9-14 Tbsp/16 Liters	-	-	-	-
ZAGRO CORPORATION	AMETRYN+ATRAZINE	TRAMEX COMBI 80 WP	400+400 g/kg	WP	HERBICIDE	4	043-079-0614	16-Oct-18	SELECTIVE (POST/PRE-EMERGENT)	Cacao	Broadleaf weeds and annual grasses	9-14 Tbsp/16 Liters	-	-	-	-
TRADETON CORPORATION	DIFENOCANAZOLE	TRA-DIFENO	250 g/L	EC	FUNGICIDE	4	439-272-6436	22-Nov-24	SYSTEMIC	Rice	Sheath blight	0.25-0.30 L prod / ha	-	-	-	-
TRADETON CORPORATION	DIFENOCANAZOLE	TRA-DIFENO	250 g/L	EC	FUNGICIDE	4	439-272-6436	22-Nov-24	SYSTEMIC	Mango	Anthracoese	0.528-0.88 L prod / ha	-	-	14 days	-
TRADETON CORPORATION	DIFENOCANAZOLE	TRA-DIFENO	250 g/L	EC	FUNGICIDE	4	439-272-6436	22-Nov-24	SYSTEMIC	Leaf spot	Brinjalbeans	0.20-0.30 L prod / ha	-	-	7 days	-
TRADETON CORPORATION	DIFENOCANAZOLE	TRA-DIFENO	250 g/L	EC	FUNGICIDE	4	439-272-6436	22-Nov-24	SYSTEMIC	Tomato	Alternaria leaf spot, cercospora leaf mold, powdery mildew	0.20-0.30 L prod / ha	-	-	7 days	-
TRADETON CORPORATION	DIFENOCANAZOLE	TRA-DIFENO	250 g/L	EC	FUNGICIDE	4	439-272-6436	22-Nov-24	SYSTEMIC	Eggplant	Leaf spot	0.20-0.30 L prod / ha	-	-	7 days	-
TRADETON CORPORATION	DIFENOCANAZOLE	TRA-DIFENO	250 g/L	EC	FUNGICIDE	4	439-272-6436	22-Nov-24	SYSTEMIC	Cabbage	Ringspot, alternaria	0.20-0.30 L prod / ha	-	-	7 days	-
TRADETON CORPORATION	DIFENOCANAZOLE	TRA-DIFENO	250 g/L	EC	FUNGICIDE	4	439-272-6436	22-Nov-24	SYSTEMIC	Asparagus	Stem and leaf blight	0.36 L prod / ha	-	-	7 days	-
TRADETON CORPORATION	DIFENOCANAZOLE	TRA-DIFENO	250 g/L	EC	FUNGICIDE	4	439-272-6436	22-Nov-24	SYSTEMIC	Onion	Purple blotch	0.40-0.50 L prod / ha	-	-	7 days	-
TRADETON CORPORATION	DIFENOCANAZOLE	TRA-DIFENO	250 g/L	EC	FUNGICIDE	4	439-272-6436	22-Nov-24	SYSTEMIC	Banana	Black sigatoka	0.30-0.40 L prod/ha	-	-	-	-
TRADETON CORPORATION	CYPERMETHRIN	TRA-CYPR	50 g/L	EC	INSECTICIDE	4	438-037-6435	6-Dec-26	-	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-1.0 Tbsp/16 L water	-	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
TRADETON CORPORATION	CYPERMETHRIN	TRA-CYPR	50 g/L	EC	INSECTICIDE	4	438-037-6435	6-Dec-26	-	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leafhoppers, stem borer, armyworm, rice bug	1.0-1.0 Tbsp/16 L water	-	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
TRADETON CORPORATION	CYPERMETHRIN	TRA-CYPR	50 g/L	EC	INSECTICIDE	4	438-037-6435	6-Dec-26	-	Cabbage	Diamond-back moth, cabbage moth, worm	1.0-1.0 Tbsp/16 L water	-	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
TRADETON CORPORATION	CYPERMETHRIN	TRA-CYPR	50 g/L	EC	INSECTICIDE	4	438-037-6435	6-Dec-26	-	Beans	Pod borer, beanfly, leafminers, aphids, cutworm	1.0-1.0 Tbsp/16 L water	-	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
TRADETON CORPORATION	CYPERMETHRIN	TRA-CYPR	50 g/L	EC	INSECTICIDE	4	438-037-6435	6-Dec-26	-	Tomato	Tomato fruitworm, aphids, beetle	1.0-1.0 Tbsp/16 L water	-	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
TRADETON CORPORATION	CYPERMETHRIN	TRA-CYPER	50g/L	EC	INSECTICIDE	4	439-037-6435	6-Dec-26	-	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/36 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
TRADETON CORPORATION	CYPERMETHRIN	TRA-CYPER	50g/L	EC	INSECTICIDE	4	439-037-6435	6-Dec-26	-	Onion	Thrips, cutworm	1.0-3.0 Tbsp/36 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
TRADETON CORPORATION	CYPERMETHRIN	TRA-CYPER	50g/L	EC	INSECTICIDE	4	439-037-6435	6-Dec-26	-	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/36 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
TRADETON CORPORATION	CYPERMETHRIN	TRA-CYPER	50g/L	EC	INSECTICIDE	4	439-037-6435	6-Dec-26	-	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/36 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
TRADETON CORPORATION	CYPERMETHRIN	TRA-CYPER	50g/L	EC	INSECTICIDE	4	439-037-6435	6-Dec-26	-	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/36 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
TRADETON CORPORATION	CYPERMETHRIN	TRA-CYPER	50g/L	EC	INSECTICIDE	4	439-037-6435	6-Dec-26	-	Corn	Corn borer, earworm	1.0-4.5 Tbsp/36 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
AGRIBASE CHEMICALS, INC.	GLYPHOSATE IPA	TRACTOR 160 SL	160 g/L	SL	HERBICIDE	4	457-151-1269	09-Mar-25	POST-EMERGENT	non-crop areas	common grassy fields	3-6 L/ha	-	-	-
ACE CROP SOLUTIONS INC.	CHLORPYRIFOS	TRACER 300 EC	300 g/L	EC	INSECTICIDE	2	530-101-3509	24-Aug-18	-	Rice	Stem borer, armyworm, leafhopper, caseworm, planthopper, cutworm	2.5-3.5 Tbsp/36L water	-	-	-
ACE CROP SOLUTIONS INC.	CHLORPYRIFOS	TRACER 300 EC	300 g/L	EC	INSECTICIDE	2	530-101-3509	24-Aug-18	-	Potato	Tubermoth, leafhopper, cutworm, aphids	2.5-3.5 Tbsp/36L water	-	-	-
ACE CROP SOLUTIONS INC.	CHLORPYRIFOS	TRACER 300 EC	300 g/L	EC	INSECTICIDE	2	530-101-3509	24-Aug-18	-	Corn	Armyworm, cornborer, earworm, seedling maggots	2.5-3.5 Tbsp/36L water	-	-	-
ACE CROP SOLUTIONS INC.	CHLORPYRIFOS	TRACER 300 EC	300 g/L	EC	INSECTICIDE	2	530-101-3509	24-Aug-18	-	Beans	Beanfly, leafroller, podborer, cutworm, armyworm	2.5-3.5 Tbsp/36L water	-	-	-
TRANS WORLD TRADING CO., INC.	CARTAP HYDROCHLORIDE	TRAC 50 SP	500 g/kg	SP	INSECTICIDE	3	038-106-1374-A	10-Oct-24	SYSTEMIC	Rice	Whorl maggots, stem borer, green leafhopper, brown planthopper	3.0-5.0Tbsp/36 L water	0.2ppm	Do not spray within 10 days before harvest	Do not enter field within 2 days after spraying
TRANS WORLD TRADING CO., INC.	CARTAP HYDROCHLORIDE	TRAC 50 SP	500 g/kg	SP	INSECTICIDE	3	038-106-1374-A	10-Oct-24	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/36 L water	-	Do not spray within 10 days before harvest	Do not enter field within 2 days after spraying
TRANS WORLD TRADING CO., INC.	CARTAP HYDROCHLORIDE	TRAC 50 SP	500 g/kg	SP	INSECTICIDE	3	038-106-1374-A	10-Oct-24	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/36 L water	-	Do not spray within 10 days before harvest	Do not enter field within 2 days after spraying
TRANS WORLD TRADING CO., INC.	CARTAP HYDROCHLORIDE	TRAC 50 SP	500 g/kg	SP	INSECTICIDE	3	038-106-1374-A	10-Oct-24	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/36 L water	-	Do not spray within 10 days before harvest	Do not enter field within 2 days after spraying
TRANS WORLD TRADING CO., INC.	CARTAP HYDROCHLORIDE	TRAC 50 SP	500 g/kg	SP	INSECTICIDE	3	038-106-1374-A	10-Oct-24	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/36 L water	-	Do not spray within 10 days before harvest	Do not enter field within 2 days after spraying
TRANS WORLD TRADING CO., INC.	CARTAP HYDROCHLORIDE	TRAC 50 SP	500 g/kg	SP	INSECTICIDE	3	038-106-1374-A	10-Oct-24	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/36 L water	-	Do not spray within 10 days before harvest	Do not enter field within 2 days after spraying
TRANS WORLD TRADING CO., INC.	CARTAP HYDROCHLORIDE	TRAC 50 SP	500 g/kg	SP	INSECTICIDE	3	038-106-1374-A	10-Oct-24	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/36 L water	-	Do not spray within 10 days before harvest	Do not enter field within 2 days after spraying
TRANS WORLD TRADING CO., INC.	CARTAP HYDROCHLORIDE	TRAC 50 SP	500 g/kg	SP	INSECTICIDE	3	038-106-1374-A	10-Oct-24	SYSTEMIC	Mango	Leafhoppers	1.5-2.0Tbsp/36 L water	-	Do not spray within 10 days before harvest	Do not enter field within 2 days after spraying
TRANS WORLD TRADING CO., INC.	CARTAP HYDROCHLORIDE	TRAC 50 SP	500 g/kg	SP	INSECTICIDE	3	038-106-1374-A	10-Oct-24	SYSTEMIC	Pechey	Looper, cutworm, aphids	1.5-3.0Tbsp/36 L water	-	Do not spray within 10 days before harvest	Do not enter field within 2 days after spraying
AGRO IRIIS PHILIPPINES, INC.	CARBARYL	TOXINIL 85 WP	850 g/kg	WP	INSECTICIDE	2	752-035-6130	13-Aug-24	-	Tobacco	Budworm, cutworm, aphids	4-6 Tbsp/36 L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango	Treated areas may be re-entered immediately after spray has dried
AGRO IRIIS PHILIPPINES, INC.	CARBARYL	TOXINIL 85 WP	850 g/kg	WP	INSECTICIDE	2	752-035-6130	13-Aug-24	-	Sorghum	Webworm, armyworm, cutworm, headworm	4-6 Tbsp/36 L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango	Treated areas may be re-entered immediately after spray has dried
AGRO IRIIS PHILIPPINES, INC.	CARBARYL	TOXINIL 85 WP	850 g/kg	WP	INSECTICIDE	2	752-035-6130	13-Aug-24	-	Ornamentals	Aphids, scale insect, mealy bug, cutworm	8-16 Tbsp/36 L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango	Treated areas may be re-entered immediately after spray has dried
AGRO IRIIS PHILIPPINES, INC.	CARBARYL	TOXINIL 85 WP	850 g/kg	WP	INSECTICIDE	2	752-035-6130	13-Aug-24	-	Mango	Mango hopper, tip borer, twig borer, fruit fly, mealy bug	4-8 Tbsp/36 L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango	Treated areas may be re-entered immediately after spray has dried
AGRO IRIIS PHILIPPINES, INC.	CARBARYL	TOXINIL 85 WP	850 g/kg	WP	INSECTICIDE	2	752-035-6130	13-Aug-24	-	Coffee	Berry borer	4-6 Tbsp/36 L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango	Treated areas may be re-entered immediately after spray has dried
AGRO IRIIS PHILIPPINES, INC.	CARBARYL	TOXINIL 85 WP	850 g/kg	WP	INSECTICIDE	2	752-035-6130	13-Aug-24	-	Cacao	Pod borer, aphids, capsid bug	4-6 Tbsp/36 L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango	Treated areas may be re-entered immediately after spray has dried
AGRO IRIIS PHILIPPINES, INC.	CARBARYL	TOXINIL 85 WP	850 g/kg	WP	INSECTICIDE	2	752-035-6130	13-Aug-24	-	Citrus	Rind Borer	4-6 Tbsp/36 L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango	Treated areas may be re-entered immediately after spray has dried
AGRO IRIIS PHILIPPINES, INC.	CARBARYL	TOXINIL 85 WP	850 g/kg	WP	INSECTICIDE	2	752-035-6130	13-Aug-24	-	Soybeans	Pod borer, beanfly, leafminer, aphids	4-6 Tbsp/36 L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango	Treated areas may be re-entered immediately after spray has dried
AGRO IRIIS PHILIPPINES, INC.	CARBARYL	TOXINIL 85 WP	850 g/kg	WP	INSECTICIDE	2	752-035-6130	13-Aug-24	-	Rice	Green leafhopper, caseworm, aphids	4-6 Tbsp/36 L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango	Treated areas may be re-entered immediately after spray has dried
AGRO IRIIS PHILIPPINES, INC.	CARBARYL	TOXINIL 85 WP	850 g/kg	WP	INSECTICIDE	2	752-035-6130	13-Aug-24	-	Cowpea and other beans	Pod borer, beanfly, leaf miner, aphids, cutworm	4-8 Tbsp/36 L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango	Treated areas may be re-entered immediately after spray has dried
AGRO IRIIS PHILIPPINES, INC.	CARBARYL	TOXINIL 85 WP	850 g/kg	WP	INSECTICIDE	2	752-035-6130	13-Aug-24	-	Cotton seed	Bollworm, cutworm	4-6 Tbsp/36 L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango	Treated areas may be re-entered immediately after spray has dried
AGRO IRIIS PHILIPPINES, INC.	CARBARYL	TOXINIL 85 WP	850 g/kg	WP	INSECTICIDE	2	752-035-6130	13-Aug-24	-	Corn	Corn borer, corn earworm, army worm	4-6 Tbsp/36 L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango	Treated areas may be re-entered immediately after spray has dried
AGRO IRIIS PHILIPPINES, INC.	CARBARYL	TOXINIL 85 WP	850 g/kg	WP	INSECTICIDE	2	752-035-6130	13-Aug-24	-	Tomato	Fruitworm, lady beetle	4-6 Tbsp/36 L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango	Treated areas may be re-entered immediately after spray has dried
AGRO IRIIS PHILIPPINES, INC.	CARBARYL	TOXINIL 85 WP	850 g/kg	WP	INSECTICIDE	2	752-035-6130	13-Aug-24	-	Cucurbits	Squash beetle, lady beetle, aphids	4-6 Tbsp/36 L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango	Treated areas may be re-entered immediately after spray has dried
JIELS MASAGANA FARM SUPPLY, INC.	BP/MC-CHLORPYRIFOS	TOXIDAN 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	487-174-2798	27-Dec-24	-	Rice	Stem borer, armyworm, leafhopper, caseworm and planthopper	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
JIELS MASAGANA FARM SUPPLY, INC.	BP/MC-CHLORPYRIFOS	TOXIDAN 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	487-174-2798	27-Dec-24	-	Corn	Seedling naggot, corn earworm, cornborer and armyworm	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
JIELS MASAGANA FARM SUPPLY, INC.	BP/MC-CHLORPYRIFOS	TOXIDAN 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	487-174-2798	27-Dec-24	-	Tobacco	Budworm, grasshopper, aphid, cutworm and armyworm	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
JIELS MASAGANA FARM SUPPLY, INC.	BP/MC-CHLORPYRIFOS	TOXIDAN 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	487-174-2798	27-Dec-24	-	Cucumber	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
JIELS MASAGANA FARM SUPPLY, INC.	BP/MC-CHLORPYRIFOS	TOXIDAN 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	487-174-2798	27-Dec-24	-	Melon	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
JIELS MASAGANA FARM SUPPLY, INC.	BP/MC-CHLORPYRIFOS	TOXIDAN 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	487-174-2798	27-Dec-24	-	Watermelon	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
JIELS MASAGANA FARM SUPPLY, INC.	BP/MC-CHLORPYRIFOS	TOXIDAN 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	487-174-2798	27-Dec-24	-	Onion	Thrips, cutworm	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
JIELS MASAGANA FARM SUPPLY, INC.	BP/MC-CHLORPYRIFOS	TOXIDAN 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	487-174-2798	27-Dec-24	-	Mungo	Bean podborer, aphid, beanfly, armyworm, cutworm, leafminer, leafroller	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
JIELS MASAGANA FARM SUPPLY, INC.	BP/MC-CHLORPYRIFOS	TOXIDAN 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	487-174-2798	27-Dec-24	-	Soybeans	Bean podborer, aphid, beanfly, armyworm, cutworm, leafminer, leafroller	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
JIELS MASAGANA FARM SUPPLY, INC.	BP/MC-CHLORPYRIFOS	TOXIDAN 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	487-174-2798	27-Dec-24	-	Beans	Bean podborer, aphid, beanfly, armyworm, cutworm, leafminer, leafroller	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
NEXCHEM CORPORATION	THIAMETHOAM	TOXANEX 25 WG	250 g/kg	WG	INSECTICIDE	4	702-312-5608	27-Oct-26	-	Pineapple	Mealy bug	895 L/ha: 1870 L/ha	-	No PHI proposed as last application of TAYAMET 25WG will be 436 days before harvest	Do not enter unless spray deposits have dried
NEXCHEM CORPORATION	THIAMETHOAM	TOXANEX 25 WG	250 g/kg	WG	INSECTICIDE	4	702-312-5608	27-Oct-26	-	Mango	Leafhopper	300L	-	No PHI proposed as the product will be applied at least 30-40 days before harvest	Do not enter unless spray deposits have dried
NEXCHEM CORPORATION	THIAMETHOAM	TOXANEX 25 WG	250 g/kg	WG	INSECTICIDE	4	702-312-5608	27-Oct-26	-	Rice	Green leafhopper, brown plant hopper, white backed planthopper, rice bug, black bug	36L	-	28 Days	Do not enter unless spray deposits have dried
NEXCHEM CORPORATION	THIAMETHOAM	TOXANEX 25 WG	250 g/kg	WG	INSECTICIDE	4	702-312-5608	27-Oct-26	-	Stringbeans	Aphids, leafhopper	36L, 20L	-	7 days	Do not enter unless spray deposits have dried
NEXCHEM CORPORATION	THIAMETHOAM	TOXANEX 25 WG	250 g/kg	WG	INSECTICIDE	4	702-312-5608	27-Oct-26	-	Eggplant	Aphids, leafhopper	36L, 20L	-	3 days	Do not enter unless spray deposits have dried
NEXCHEM CORPORATION	THIAMETHOAM	TOXANEX 25 WG	250 g/kg	WG	INSECTICIDE	4	702-312-5608	27-Oct-26	-	Banana	Flower thrips	1L	-	No PHI proposed as TAYAMET 25WG will be applied as bud injection	Do not enter unless spray deposits have dried
UNITED AGRO TRADE CORPORATION	GLYPHOSATE IPA	POWER 160 SL	160 g/L	SL	HERBICIDE	4	264-151-1350	14-Aug-24	POST-EMERGENT	non-crop areas	Weeds	24-48 Tbsp/36L sprayer	-	-	-
SYNGENTA PHILIPPINES INC.	GLYPHOSATE IPA	TOUCHDOWN 480 SL	480 g/L	SL	HERBICIDE	4	031-151-4824	03-Sep-24	POST-EMERGENT	Annual grasses, broadleaf tolerant corn	Annual grasses, broadleaf weeds & sedges	2.0-3.0 L/ha/rh	-	-	-
SYNGENTA PHILIPPINES INC.	GLYPHOSATE IPA	TOUCHDOWN 480 SL	480 g/L	SL	HERBICIDE	4	031-151-4824	03-Sep-24	POST-EMERGENT	Mango	Annual grasses, broadleaf weeds & sedges	3.0 Liters /ha	-	-	-
SYNGENTA PHILIPPINES INC.	GLYPHOSATE IPA	TOUCHDOWN 480 SL	480 g/L	SL	HERBICIDE	4	031-151-4824	03-Sep-24	POST-EMERGENT	Banana	Annual grasses, broadleaf weeds & sedges	3.0 Liters /ha	-	-	-
SYNGENTA PHILIPPINES INC.	GLYPHOSATE IPA	TOUCHDOWN 480 SL	480 g/L	SL	HERBICIDE	4	031-151-4824	03-Sep-24	POST-EMERGENT	Coffee	Annual grasses, broadleaf weeds & sedges	3.0 Liters /ha	-	-	-
SYNGENTA PHILIPPINES INC.	GLYPHOSATE IPA	TOUCHDOWN 480 SL	480 g/L	SL	HERBICIDE	4	031-151-4824	03-Sep-24	POST-EMERGENT	Cacao	Annual grasses, broadleaf weeds & sedges	3.0 Liters /ha	-	-	-

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
SYNGENTA PHILIPPINES INC.	GLYPHOSATE IPA	TOUCHDOWN 480 SL	480 g/L	SL	HERBICIDE	4	011-151-4824	03-Sep-24	POST-EMERGENT	Rubber	Annual grasses, broadleaf weeds & sedges	1.5-4.5 Liters/ha	-	-	-
SYNGENTA PHILIPPINES INC.	GLYPHOSATE IPA	TOUCHDOWN 480 SL	480 g/L	SL	HERBICIDE	4	011-151-4824	03-Sep-24	POST-EMERGENT	Oil palm	Annual grasses, broadleaf weeds & sedges	1.5-4.5 Liters/ha	-	-	-
SYNGENTA PHILIPPINES INC.	GLYPHOSATE IPA	TOUCHDOWN 480 SL	480 g/L	SL	HERBICIDE	4	011-151-4824	03-Sep-24	POST-EMERGENT	Citrus	Annual grasses, broadleaf weeds & sedges	1.5-4.5 Liters/ha	-	-	-
SYNGENTA PHILIPPINES INC.	GLYPHOSATE IPA	TOUCHDOWN 480 SL	480 g/L	SL	HERBICIDE	4	011-151-4824	03-Sep-24	POST-EMERGENT	Coconut	Annual grasses, broadleaf weeds & sedges	1.5-4.5 Liters/ha	-	-	-
SYNGENTA PHILIPPINES INC.	GLYPHOSATE IPA	TOUCHDOWN 480 SL	480 g/L	SL	HERBICIDE	4	011-151-4824	03-Sep-24	POST-EMERGENT	Sugarcane	Annual grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
SYNGENTA PHILIPPINES INC.	GLYPHOSATE IPA	TOUCHDOWN 480 SL	480 g/L	SL	HERBICIDE	4	011-151-4824	03-Sep-24	POST-EMERGENT	Vegetables	Annual grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
SYNGENTA PHILIPPINES INC.	GLYPHOSATE IPA	TOUCHDOWN 480 SL	480 g/L	SL	HERBICIDE	4	011-151-4824	03-Sep-24	POST-EMERGENT	non-crop	Annual grasses, broadleaf weeds & sedges	-	-	-	-
AGWAY CHEMICALS CORPORATION	FENAZAQUIN	TOTEM 20 SC	200 g/L	SC	MITECIDE	2	075-382-4073	29-Aug-20	-	Pineapple	Mites	2.3-4.3 Tbsp/56L water	-	-	-
TOTAL COLOURS CORPORATION	PROCHLORAZ	TOTAL COLOURS PROCHLORAZ 450 EW	450 g/L	EW	FUNGICIDE	3	685-300-5414	05-Jun-21	-	Banana	Fungal crown mold/ crown rot, anthracnose, pitmark and smoky fruit	2.0-4.0 mL/ L water	-	-	-
TOTAL COLOURS CORPORATION	PROCHLORAZ	TOTAL COLOURS PROCHLORAZ 450 EW	450 g/L	EW	FUNGICIDE	3	685-300-5414	05-Jun-21	-	Pineapple	Butt and crown mold, bacterial rot and butt rot	0.5-1.0 mL/ L water	-	-	-
TOTAL COLOURS CORPORATION	PROCHLORAZ	TOTAL COLOURS PROCHLORAZ 450 EW	450 g/L	EW	FUNGICIDE	3	685-300-5414	05-Jun-21	-	Pineapple	Fruitlet core rot	1.0L/hectare	-	-	-
TOTAL COLOURS CORPORATION	AZADIRACTIN	TOTAL COLOURS NEMO OIL CONCENTRATE	-	-	INSECTICIDE/FUNGICIDE	4	685-513-5664	28-May-22	-	Banana	Scale insects, mealybugs, aphids, sigatoka	-	-	-	-
TOTAL COLOURS CORPORATION	DIMETHOMORPH	TOTAL COLOURS DIMETHOMORPH 48 SC	480 g/L	SC	FUNGICIDE	2	685-264-5446	08-Mar-22	SYSTEMIC	Banana	Leaf spot and leaf speckle	1.0-2.0-2.5 L/ha	-	-	-
TOTAL COLOURS CORPORATION	BURPROFEN	TOTAL COLOURS BURPROFEN 25 SC	250g/L	SC	INSECTICIDE	3	685-224-5415	21-Jul-24	-	Cavendish Banana	Scale insects, mealybugs and aphids	1.5-2.5 mL/ Water	-	-	-
ZEAL ECOLOGICAL NATURE (ZINCOR) CORPORATION	METALDEHYDE	TOSS-UP 6% PELLETS	60g/kg	PELLETS	MOLLUSCICIDE	4	575-075-5736	18-Jul-24	-	Rice (Transplanted)	Golden Apple Snail (kuhol)	2.0-4.0 Kg/ ha	-	-	Do not enter treated field within 48 hours after application.
ZEAL ECOLOGICAL NATURE (ZINCOR) CORPORATION	METALDEHYDE	TOSS-UP 6% PELLETS	60g/kg	PELLETS	MOLLUSCICIDE	4	575-075-5736	18-Jul-24	-	Rice (Direct Seeded)	Golden Apple Snail (kuhol)	4.0-8.0 Kg/ ha	-	-	Do not enter treated field within 48 hours after application.
ZEAL ECOLOGICAL NATURE (ZINCOR) CORPORATION	METALDEHYDE	TOSS-UP 6% PELLETS	60g/kg	PELLETS	MOLLUSCICIDE	4	575-075-5736	18-Jul-24	-	Potted and driftwood ornamental plants	Bush, snails, giant african snail and slugs	1.0-2.0 Kg/ ha	-	-	Do not enter treated field within 48 hours after application.
PHILIPPINE FARMIX SOLUTIONS INC.	ABAMECTIN	TORRENT 1.8 EC	18 g/L	EC	INSECTICIDE	2	535-234-3468	24-Jul-24	-	Banana	Blossom thrips	0.5/ L water	-	-	Re-enter treated area only after spray has dried
PHILIPPINE FARMIX SOLUTIONS INC.	ABAMECTIN	TORRENT 1.8 EC	18 g/L	EC	INSECTICIDE	2	535-234-3468	24-Jul-24	-	Cabbage	Diamond back moth	3000 mL prod/ha	-	7 days	Re-enter treated area only after spray has dried
PHILIPPINE FARMIX SOLUTIONS INC.	ABAMECTIN	TORRENT 1.8 EC	18 g/L	EC	INSECTICIDE	2	535-234-3468	24-Jul-24	-	Ornamentals	Mites	1.0-1.5Tbsp/16 L of water	-	-	Re-enter treated area only after spray has dried
PHILIPPINE FARMIX SOLUTIONS INC.	ABAMECTIN	TORRENT 1.8 EC	18 g/L	EC	INSECTICIDE	2	535-234-3468	24-Jul-24	-	Pineapple	Mites	3000-4000mL prod/ha	-	-	Re-enter treated area only after spray has dried
PHILIPPINE FARMIX SOLUTIONS INC.	ABAMECTIN	TORRENT 1.8 EC	18 g/L	EC	INSECTICIDE	2	535-234-3468	24-Jul-24	-	Eggplant	Thrips, leafhopper, fruit and shoot borer	2.0-5.0 Tbsp/16 L of water	-	3 days	Re-enter treated area only after spray has dried
PHILIPPINE FARMIX SOLUTIONS INC.	ABAMECTIN	TORRENT 1.8 EC	18 g/L	EC	INSECTICIDE	2	535-234-3468	24-Jul-24	-	Onion	leafminer, thrips	2.0-3.0 Tbsp/16 L of water	-	3 days	Re-enter treated area only after spray has dried
PHILIPPINE FARMIX SOLUTIONS INC.	ABAMECTIN	TORRENT 1.8 EC	18 g/L	EC	INSECTICIDE	2	535-234-3468	24-Jul-24	-	Potato	leafminer, thrips	2.0-3.0 Tbsp/16 L of water	-	14 days	Re-enter treated area only after spray has dried
PHILIPPINE FARMIX SOLUTIONS INC.	ABAMECTIN	TORRENT 1.8 EC	18 g/L	EC	INSECTICIDE	2	535-234-3468	24-Jul-24	-	Tomato	leafminer, thrips, aphids	2.0-3.0 Tbsp/16 L of water	-	3 days	Re-enter treated area only after spray has dried
PHILIPPINE FARMIX SOLUTIONS INC.	ABAMECTIN	TORRENT 1.8 EC	18 g/L	EC	INSECTICIDE	2	535-234-3468	24-Jul-24	-	Watermelon	leafminer, thrips, melonworm	2.0-3.0 Tbsp/16 L of water	-	3 days	Re-enter treated area only after spray has dried
PHILIPPINE FARMIX SOLUTIONS INC.	ABAMECTIN	TORRENT 1.8 EC	18 g/L	EC	INSECTICIDE	2	535-234-3468	24-Jul-24	-	Papaya	Mites	0.5-1.0 Tbsp/16 L of water	-	14 days	Re-enter treated area only after spray has dried
PHILIPPINE FARMIX SOLUTIONS INC.	ABAMECTIN	TORRENT 1.8 EC	18 g/L	EC	INSECTICIDE	2	535-234-3468	24-Jul-24	-	Strawberry	Mites	2.0-4.0 Tbsp/16 L of water	-	3 days	Re-enter treated area only after spray has dried
AGRIBASE CHEMICALS, INC.	CYPERMETHRIN	TORPEDO 5 EC	50 g/L	EC	INSECTICIDE	4	457-037-3271	30-Sep-24	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposit dry
AGRIBASE CHEMICALS, INC.	CYPERMETHRIN	TORPEDO 5 EC	50 g/L	EC	INSECTICIDE	4	457-037-3271	30-Sep-24	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leafhopper, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposit dry
AGRIBASE CHEMICALS, INC.	CYPERMETHRIN	TORPEDO 5 EC	50 g/L	EC	INSECTICIDE	4	457-037-3271	30-Sep-24	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposit dry
AGRIBASE CHEMICALS, INC.	CYPERMETHRIN	TORPEDO 5 EC	50 g/L	EC	INSECTICIDE	4	457-037-3271	30-Sep-24	CONTACT	beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposit dry
AGRIBASE CHEMICALS, INC.	CYPERMETHRIN	TORPEDO 5 EC	50 g/L	EC	INSECTICIDE	4	457-037-3271	30-Sep-24	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposit dry
AGRIBASE CHEMICALS, INC.	CYPERMETHRIN	TORPEDO 5 EC	50 g/L	EC	INSECTICIDE	4	457-037-3271	30-Sep-24	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposit dry
AGRIBASE CHEMICALS, INC.	CYPERMETHRIN	TORPEDO 5 EC	50 g/L	EC	INSECTICIDE	4	457-037-3271	30-Sep-24	CONTACT	onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposit dry
AGRIBASE CHEMICALS, INC.	CYPERMETHRIN	TORPEDO 5 EC	50 g/L	EC	INSECTICIDE	4	457-037-3271	30-Sep-24	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposit dry
AGRIBASE CHEMICALS, INC.	CYPERMETHRIN	TORPEDO 5 EC	50 g/L	EC	INSECTICIDE	4	457-037-3271	30-Sep-24	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposit dry
AGRIBASE CHEMICALS, INC.	CYPERMETHRIN	TORPEDO 5 EC	50 g/L	EC	INSECTICIDE	4	457-037-3271	30-Sep-24	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposit dry
AGRIBASE CHEMICALS, INC.	CYPERMETHRIN	TORPEDO 5 EC	50 g/L	EC	INSECTICIDE	4	457-037-3271	30-Sep-24	CONTACT	Corn	Comborer, earworm	1.0-4.5 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposit dry
SIGLAT INC.	MANCOZEB	TOROGI BLUE	800 g/kg	WP	FUNGICIDE	4	549-053-3409	30-Jul-24	-	Potato	Early and late blight	3-6 Tbsp/16 L water	-	-	As soon as spray dries
SIGLAT INC.	MANCOZEB	TOROGI BLUE	800 g/kg	WP	FUNGICIDE	4	549-053-3409	30-Jul-24	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 days	As soon as spray dries
SIGLAT INC.	MANCOZEB	TOROGI BLUE	800 g/kg	WP	FUNGICIDE	4	549-053-3409	30-Jul-24	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 days	As soon as spray dries
SIGLAT INC.	MANCOZEB	TOROGI BLUE	800 g/kg	WP	FUNGICIDE	4	549-053-3409	30-Jul-24	-	broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 days	As soon as spray dries
SIGLAT INC.	MANCOZEB	TOROGI BLUE	800 g/kg	WP	FUNGICIDE	4	549-053-3409	30-Jul-24	-	Celery	Late blight	3-6 Tbsp/16 L water	-	14 days	As soon as spray dries
SIGLAT INC.	MANCOZEB	TOROGI BLUE	800 g/kg	WP	FUNGICIDE	4	549-053-3409	30-Jul-24	-	Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
SIGLAT INC.	MANCOZEB	TOROGI BLUE	800 g/kg	WP	FUNGICIDE	4	549-053-3409	30-Jul-24	-	Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
SIGLAT INC.	MANCOZEB	TOROGI BLUE	800 g/kg	WP	FUNGICIDE	4	549-053-3409	30-Jul-24	-	Cotton	Damping off	3-6 Tbsp/16 L water	-	-	As soon as spray dries
SIGLAT INC.	MANCOZEB	TOROGI BLUE	800 g/kg	WP	FUNGICIDE	4	549-053-3409	30-Jul-24	-	lettuce	Downy mildew	3-6 Tbsp/16 L water	-	7 days	As soon as spray dries
SIGLAT INC.	MANCOZEB	TOROGI BLUE	800 g/kg	WP	FUNGICIDE	4	549-053-3409	30-Jul-24	-	beans	Anthracoese, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
SIGLAT INC.	MANCOZEB	TOROGI BLUE	800 g/kg	WP	FUNGICIDE	4	549-053-3409	30-Jul-24	-	peas	Anthracoese, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
SIGLAT INC.	MANCOZEB	TOROGI BLUE	800 g/kg	WP	FUNGICIDE	4	549-053-3409	30-Jul-24	-	Mungo	Anthracoese, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
SIGLAT INC.	MANCOZEB	TOROGI BLUE	800 g/kg	WP	FUNGICIDE	4	549-053-3409	30-Jul-24	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
SIGLAT INC.	MANCOZEB	TOROGI BLUE	800 g/kg	WP	FUNGICIDE	4	549-053-3409	30-Jul-24	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	-	7 days	As soon as spray dries
SIGLAT INC.	MANCOZEB	TOROGI BLUE	800 g/kg	WP	FUNGICIDE	4	549-053-3409	30-Jul-24	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	-	7 days	As soon as spray dries
SIGLAT INC.	MANCOZEB	TOROGI BLUE	800 g/kg	WP	FUNGICIDE	4	549-053-3409	30-Jul-24	-	Pepper	Anthracoese	3-6 Tbsp/16 L water	-	7 days	As soon as spray dries
SIGLAT INC.	MANCOZEB	TOROGI BLUE	800 g/kg	WP	FUNGICIDE	4	549-053-3409	30-Jul-24	-	Chili	Anthracoese	3-6 Tbsp/16 L water	-	7 days	As soon as spray dries

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD	
SIGLAT INC.	MANCOZEB	TOROGI BLUE	800 g/kg	WP	FUNGICIDE	4	549-053-3409	30-Jul-24	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries	
SIGLAT INC.	MANCOZEB	TOROGI BLUE	800 g/kg	WP	FUNGICIDE	4	549-053-3409	30-Jul-24	-	Banana	Sigatoka, Black leaf streak	3-6 Tbsp/36 L water	-	-	As soon as spray dries	
SIGLAT INC.	MANCOZEB	TOROGI BLUE	800 g/kg	WP	FUNGICIDE	4	549-053-3409	30-Jul-24	-	Grapes	Downy mildew, black rot	3-6 Tbsp/36 L water	-	60 days	As soon as spray dries	
SIGLAT INC.	MANCOZEB	TOROGI BLUE	800 g/kg	WP	FUNGICIDE	4	549-053-3409	30-Jul-24	-	Mango	Anthracnose and Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries	
SIGLAT INC.	MANCOZEB	TOROGI BLUE	800 g/kg	WP	FUNGICIDE	4	549-053-3409	30-Jul-24	-	Papaya	Fruit rot	3-6 Tbsp/36 L water	-	-	As soon as spray dries	
SIGLAT INC.	MANCOZEB	TOROGI BLUE	800 g/kg	WP	FUNGICIDE	4	549-053-3409	30-Jul-24	-	Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries	
SIGLAT INC.	MANCOZEB	TOROGI BLUE	800 g/kg	WP	FUNGICIDE	4	549-053-3409	30-Jul-24	-	Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries	
SIGLAT INC.	MANCOZEB	TOROGI BLUE	800 g/kg	WP	FUNGICIDE	4	549-053-3409	30-Jul-24	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries	
SIGLAT INC.	MANCOZEB	TOROGI BLUE	800 g/kg	WP	FUNGICIDE	4	549-053-3409	30-Jul-24	-	Rice	Black, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/36 L water	0.03ppm	-	As soon as spray dries	
SIGLAT INC.	MANCOZEB	TOROGI BLUE	800 g/kg	WP	FUNGICIDE	4	549-053-3409	30-Jul-24	-	Peanut	Cercospora leaf spot	3-6 Tbsp/36 L water	-	14 Days	As soon as spray dries	
SIGLAT INC.	MANCOZEB	TOROGI BLUE	800 g/kg	WP	FUNGICIDE	4	549-053-3409	30-Jul-24	-	Soybeans	leaf rust	3-6 Tbsp/36 L water	-	-	As soon as spray dries	
SIGLAT INC.	MANCOZEB	TOROGI BLUE	800 g/kg	WP	FUNGICIDE	4	549-053-3409	30-Jul-24	-	Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/36 L water	-	-	As soon as spray dries	
JARDINE DISTRIBUTION, INC.	BUTACHLOR-PROPANIL	TORNADO 70 EC	350-350 g/L	EC	HERBICIDE	3	367-238-2892-A	05-Jun-25	POST-EMERGENT	Rice (Direct Seeded)	Grasses, Sedges and Broadleaves	8-12Tbsp/36 L water	Butachlor 0.1ppm Propanil 0.1ppm	-	-	
JARDINE DISTRIBUTION, INC.	BUTACHLOR-PROPANIL	TORNADO 70 EC	300-300 g/L	EC	HERBICIDE	3	367-238-2892-A	05-Jun-25	POST-EMERGENT	Rice (Transplanted)	Grasses, Sedges and Broadleaves	8-12Tbsp/36 L water	Butachlor 0.1ppm Propanil 0.1ppm	-	-	
DOW AGRO SCIENCES & V.	PICHLORAM-2,4-D	TORODON 101	102 g/L-136 g/L	-	HERBICIDE	3	031-146-0316	31-Dec-21	-	Non-crop areas	Annual and perennial broadleaf of weeds	-	-	-	-	
ALTACROP PROTECTION CORPORATION	LAMBDA-CHALOTHRIN	TORCH 2.5 EC	25 g/L	EC	INSECTICIDE	2	351-204-1922	22-Jun-24	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leafroller, black bug	1.0-1.5Tbsp/36 L of water	0.05ppm	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry	
ALTACROP PROTECTION CORPORATION	LAMBDA-CHALOTHRIN	TORCH 2.5 EC	25 g/L	EC	INSECTICIDE	2	351-204-1922	22-Jun-24	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/36 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry	
ALTACROP PROTECTION CORPORATION	LAMBDA-CHALOTHRIN	TORCH 2.5 EC	25 g/L	EC	INSECTICIDE	2	351-204-1922	22-Jun-24	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/36 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry	
ALTACROP PROTECTION CORPORATION	LAMBDA-CHALOTHRIN	TORCH 2.5 EC	25 g/L	EC	INSECTICIDE	2	351-204-1922	22-Jun-24	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/36 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry	
ALTACROP PROTECTION CORPORATION	LAMBDA-CHALOTHRIN	TORCH 2.5 EC	25 g/L	EC	INSECTICIDE	2	351-204-1922	22-Jun-24	SYSTEMIC	Mungbeans	Beanfly, flea beetle, leafhopper, aphids, mites, podborer	1.0Tbsp/36 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry	
ALTACROP PROTECTION CORPORATION	LAMBDA-CHALOTHRIN	TORCH 2.5 EC	25 g/L	EC	INSECTICIDE	2	351-204-1922	22-Jun-24	SYSTEMIC	Corn	Combsore, aphids, seedling maggots	1.0-1.5Tbsp/36 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry	
ALTACROP PROTECTION CORPORATION	LAMBDA-CHALOTHRIN	TORCH 2.5 EC	25 g/L	EC	INSECTICIDE	2	351-204-1922	22-Jun-24	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5Tbsp/36 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry	
ALTACROP PROTECTION CORPORATION	LAMBDA-CHALOTHRIN	TORCH 2.5 EC	25 g/L	EC	INSECTICIDE	2	351-204-1922	22-Jun-24	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/36 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry	
ALTACROP PROTECTION CORPORATION	LAMBDA-CHALOTHRIN	TORCH 2.5 EC	25 g/L	EC	INSECTICIDE	2	351-204-1922	22-Jun-24	SYSTEMIC	Cocoa	Podborer	1.0-2.0Tbsp/36 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry	
ALTACROP PROTECTION CORPORATION	LAMBDA-CHALOTHRIN	TORCH 2.5 EC	25 g/L	EC	INSECTICIDE	2	351-204-1922	22-Jun-24	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/36 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry	
S&P ENTERPRISES, INC.	CYMOXANIL-MANCOZEB	TOPZATE 505 WP	40 g/kg+465 g/kg	WP	FUNGICIDE	4	566-163-6310	7-Dec-25	-	Potato	Late blight	50 g prod. / 36L	-	-	It is recommended to observe a days pre-harvest interval	Do not entry fields treated with TOPZATE 505 WP within 24hours after application
S&P ENTERPRISES, INC.	CYMOXANIL-MANCOZEB	TOPZATE 505 WP	40 g/kg+465 g/kg	WP	FUNGICIDE	4	566-163-6310	7-Dec-25	-	Tomato	Late blight	50 g prod. / 36L	-	-	It is recommended to observe a days pre-harvest interval	Do not entry fields treated with TOPZATE 505 WP within 24hours after application
S&P ENTERPRISES, INC.	CYMOXANIL-MANCOZEB	TOPZATE 505 WP	40 g/kg+465 g/kg	WP	FUNGICIDE	4	566-163-6310	7-Dec-25	-	Grapes	Downy mildew	50 g prod. / 36L	-	-	It is recommended to observe a days pre-harvest interval	Do not entry fields treated with TOPZATE 505 WP within 24hours after application
S&P ENTERPRISES, INC.	AZOXYSTROBIN	TOPSTAR 250 SC	250 g/L	SC	FUNGICIDE	4	566-309-5109	08-Jun-26	SYSTEMIC	Mango	Anthracnose, scab, stem-end rot	6-8/200L water	-	-	Do not spray 3-7 days before harvest	Re-entry to treated field is allowed as soon as spray dries up
S&P ENTERPRISES, INC.	AZOXYSTROBIN	TOPSTAR 250 SC	250 g/L	SC	FUNGICIDE	4	566-309-5109	08-Jun-26	SYSTEMIC	Watermelon	Damping off, leaf spot, anthracnose, downy, mildew, powdery mildew	1-2 Tbsp/36 L water	-	-	Do not spray 3-7 days before harvest	Re-entry to treated field is allowed as soon as spray dries up
S&P ENTERPRISES, INC.	AZOXYSTROBIN	TOPSTAR 250 SC	250 g/L	SC	FUNGICIDE	4	566-309-5109	08-Jun-26	SYSTEMIC	Onion	Basal/bulb rot	1-2 Tbsp/36 L water	-	-	Do not spray 3-7 days before harvest	Re-entry to treated field is allowed as soon as spray dries up
S&P ENTERPRISES, INC.	AZOXYSTROBIN	TOPSTAR 250 SC	250 g/L	SC	FUNGICIDE	4	566-309-5109	08-Jun-26	SYSTEMIC	Tomato	Late/early blight, powdery mildew	1.5-1Tbsp/36 L water	-	-	Do not spray 3-7 days before harvest	Re-entry to treated field is allowed as soon as spray dries up
S&P ENTERPRISES, INC.	AZOXYSTROBIN	TOPSTAR 250 SC	250 g/L	SC	FUNGICIDE	4	566-309-5109	08-Jun-26	SYSTEMIC	Corn	Sheath blight, leaf spot, leaf rust, ear rot	1-2 Tbsp/36 L water	-	-	Do not spray 3-7 days before harvest	Re-entry to treated field is allowed as soon as spray dries up
S&P ENTERPRISES, INC.	AZOXYSTROBIN	TOPSTAR 250 SC	250 g/L	SC	FUNGICIDE	4	566-309-5109	08-Jun-26	SYSTEMIC	Asparagus	Stem blight, leaf blight, fusarium wilt	1-3Tbsp/36 L water	-	-	Do not spray 3-7 days before harvest	Re-entry to treated field is allowed as soon as spray dries up
TRANS WORLD TRADING CO., INC.	THIOPHANATE METHYL	TOPSIN-M 70 WP	700 g/kg	WP	FUNGICIDE	4	038-107-0499	31-Dec-24	SYSTEMIC	Rice	Blas, neck rot, black spot	1.5-2.0 Tbsp/36L Water	1.0ppm	-	Do not spray within 14 days of harvest.	Re-entry is allowed once sprayed solution has dried up.
TRANS WORLD TRADING CO., INC.	THIOPHANATE METHYL	TOPSIN-M 70 WP	700 g/kg	WP	FUNGICIDE	4	038-107-0499	31-Dec-24	SYSTEMIC	Mango	Anthracnose	0.5-1.0 Tbsp/36L Water	-	-	Do not spray within 14 days of harvest.	Re-entry is allowed once sprayed solution has dried up.
TRANS WORLD TRADING CO., INC.	THIOPHANATE METHYL	TOPSIN-M 70 WP	700 g/kg	WP	FUNGICIDE	4	038-107-0499	31-Dec-24	SYSTEMIC	Tobacco	Frog eye leaf spot	0.5-1.0 Tbsp/36L Water	-	-	Do not spray within 14 days of harvest.	Re-entry is allowed once sprayed solution has dried up.
TRANS WORLD TRADING CO., INC.	THIOPHANATE METHYL	TOPSIN-M 70 WP	700 g/kg	WP	FUNGICIDE	4	038-107-0499	31-Dec-24	SYSTEMIC	Tomato	Powdery mildew	0.5-1.0 Tbsp/36L Water	-	-	Do not spray within 14 days of harvest.	Re-entry is allowed once sprayed solution has dried up.
TRANS WORLD TRADING CO., INC.	THIOPHANATE METHYL	TOPSIN-M 70 WP	700 g/kg	WP	FUNGICIDE	4	038-107-0499	31-Dec-24	SYSTEMIC	Legumes	Cercospora leaf spot, Anthracnose, botrytis leaf spot, fusarium wilt, powdery mildew	0.5-1.0 Tbsp/36L Water	-	-	Do not spray within 14 days of harvest.	Re-entry is allowed once sprayed solution has dried up.
TRANS WORLD TRADING CO., INC.	THIOPHANATE METHYL	TOPSIN-M 70 WP	700 g/kg	WP	FUNGICIDE	4	038-107-0499	31-Dec-24	SYSTEMIC	Beans	Cercospora leaf spot, Anthracnose, botrytis leaf spot, fusarium wilt, powdery mildew	0.5-1.0 Tbsp/36L Water	-	-	Do not spray within 14 days of harvest.	Re-entry is allowed once sprayed solution has dried up.
TRANS WORLD TRADING CO., INC.	THIOPHANATE METHYL	TOPSIN-M 70 WP	700 g/kg	WP	FUNGICIDE	4	038-107-0499	31-Dec-24	SYSTEMIC	Cucumber	Powdery mildew, Gummy Stem blight, leaf and fruit spots	0.5-1.0 Tbsp/36L Water	-	-	Do not spray within 14 days of harvest.	Re-entry is allowed once sprayed solution has dried up.
TRANS WORLD TRADING CO., INC.	THIOPHANATE METHYL	TOPSIN-M 70 WP	700 g/kg	WP	FUNGICIDE	4	038-107-0499	31-Dec-24	SYSTEMIC	Melon	Powdery mildew, Gummy Stem blight, leaf and fruit spots	0.5-1.0 Tbsp/36L Water	-	-	Do not spray within 14 days of harvest.	Re-entry is allowed once sprayed solution has dried up.
TRANS WORLD TRADING CO., INC.	THIOPHANATE METHYL	TOPSIN-M 70 WP	700 g/kg	WP	FUNGICIDE	4	038-107-0499	31-Dec-24	SYSTEMIC	Ornamentals	Powdery mildew, black spots	0.5-1.0 Tbsp/36L Water	-	-	Do not spray within 14 days of harvest.	Re-entry is allowed once sprayed solution has dried up.
TRANS WORLD TRADING CO., INC.	THIOPHANATE METHYL	TOPSIN-M 70 WP	700 g/kg	WP	FUNGICIDE	4	038-107-0499	31-Dec-24	SYSTEMIC	Orchids	Powdery mildew, black spots	0.5-1.0 Tbsp/36L Water	-	-	Do not spray within 14 days of harvest.	Re-entry is allowed once sprayed solution has dried up.
TRANS WORLD TRADING CO., INC.	THIOPHANATE METHYL	TOPSIN-M 70 WP	700 g/kg	WP	FUNGICIDE	4	038-107-0499	31-Dec-24	SYSTEMIC	Cabbage	Shot hole disease, cercospora leaf spot	0.5-1.0 Tbsp/36L Water	-	-	Do not spray within 14 days of harvest.	Re-entry is allowed once sprayed solution has dried up.
TRANS WORLD TRADING CO., INC.	THIOPHANATE METHYL	TOPSIN-M 70 WP	700 g/kg	WP	FUNGICIDE	4	038-107-0499	31-Dec-24	SYSTEMIC	Cauliflower	Shot hole disease, cercospora leaf spot	0.5-1.0 Tbsp/36L Water	-	-	Do not spray within 14 days of harvest.	Re-entry is allowed once sprayed solution has dried up.
TRANS WORLD TRADING CO., INC.	THIOPHANATE METHYL	TOPSIN-M 70 WP	700 g/kg	WP	FUNGICIDE	4	038-107-0499	31-Dec-24	SYSTEMIC	Lettuce	Shot hole disease, cercospora leaf spot	0.5-1.0 Tbsp/36L Water	-	-	Do not spray within 14 days of harvest.	Re-entry is allowed once sprayed solution has dried up.
TRANS WORLD TRADING CO., INC.	THIOPHANATE METHYL	TOPSIN-M 70 WP	700 g/kg	WP	FUNGICIDE	4	038-107-0499	31-Dec-24	SYSTEMIC	Strawberry	Powdery mildew	0.5-1.0 Tbsp/36L Water	-	-	Do not spray within 14 days of harvest.	Re-entry is allowed once sprayed solution has dried up.
TRANS WORLD TRADING CO., INC.	THIOPHANATE METHYL	TOPSIN-M 70 WP	700 g/kg	WP	FUNGICIDE	4	038-107-0499	31-Dec-24	SYSTEMIC	Grapes	Fruit rot, Powdery mildew, anthracnose	0.5-1.0 Tbsp/36L Water	-	-	Do not spray within 14 days of harvest.	Re-entry is allowed once sprayed solution has dried up.
TRANS WORLD TRADING CO., INC.	THIOPHANATE METHYL	TOPSIN-M 70 WP	700 g/kg	WP	FUNGICIDE	4	038-107-0499	31-Dec-24	SYSTEMIC	Orange	Scab	0.5-1.0 Tbsp/36L Water	-	-	Do not spray within 14 days of harvest.	Re-entry is allowed once sprayed solution has dried up.
TRANS WORLD TRADING CO., INC.	THIOPHANATE METHYL	TOPSIN-M 70 WP	700 g/kg	WP	FUNGICIDE	4	038-107-0499	31-Dec-24	SYSTEMIC	Citrus	Scab	0.5-1.0 Tbsp/36L Water	-	-	Do not spray within 14 days of harvest.	Re-entry is allowed once sprayed solution has dried up.
TRANS WORLD TRADING CO., INC.	THIOPHANATE METHYL	TOPSIN-M 70 WP	700 g/kg	WP	FUNGICIDE	4	038-107-0499	31-Dec-24	SYSTEMIC	Calamansi	Scab	0.5-1.0 Tbsp/36L Water	-	-	Do not spray within 14 days of harvest.	Re-entry is allowed once sprayed solution has dried up.
TRANS WORLD TRADING CO., INC.	THIOPHANATE METHYL	TOPSIN-M 70 WP	700 g/kg	WP	FUNGICIDE	4	038-107-0499	31-Dec-24	SYSTEMIC	Banana	Sigatoka, Diamond fruit spot	1.5-2.0, 1-4 Tbsp/36L Water	-	-	Do not spray within 14 days of harvest.	Re-entry is allowed once sprayed solution has dried up.
TRANS WORLD TRADING CO., INC.	THIOPHANATE METHYL	TOPSIN-M 70 WP	700 g/kg	WP	FUNGICIDE	4	038-107-0499	31-Dec-24	SYSTEMIC	Papaya	Powdery mildew	0.5-1.0 Tbsp/36L Water	-	-	Do not spray within 14 days of harvest.	Re-entry is allowed once sprayed solution has dried up.
TRANS WORLD TRADING CO., INC.	THIOPHANATE METHYL	TOPSIN-M 70 WP	700 g/kg	WP	FUNGICIDE	4	038-107-0499	31-Dec-24	SYSTEMIC	Cavendish Banana	Diamond fruit spot	30-40g Product/ 36 L water	-	-	-	14 days
TRANS WORLD TRADING CO., INC.	THIOPHANATE METHYL	TOPSIN-M 50 SC	500 g/L	SC	FUNGICIDE	4	038-107-5636	20-Dec-24	-	Cavendish Banana as bunch spray	Diamond fruit spot Caused by cercospora hayi, fusarium pallidoreum and fusarium solani	0.5-1.5 ml prod. / L water	-	-	Do not spray within 14 days before harvest	Do not enter the field within 2 days after spraying

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
ARYSTA LIFESCIENCE PHILIPPINES INC.	PENOXULAM-CHALDOPF-BUTYL	TOPSHOT 60 OD	10 g/L +50 g/L	OD	HERBICIDE	4	083-383-2311	04-Sep-17		Rice (Direct-seeded)	Ichneudoa crugalli, E.gloabrescom, C.diformi, L.rugosom, L.chineis, M.vagnalis, F.millicaea C.rita, S.ylantic and	8.37btp/tank load			
ARYSTA LIFESCIENCE PHILIPPINES INC.	PENOXULAM-CHALDOPF-BUTYL	TOPSHOT 60 OD	10 g/L +50 g/L	OD	HERBICIDE	4	083-383-2311	04-Sep-17		Rice (Transplanted)	Ichneudoa crugalli, E.gloabrescom, C.diformi, L.rugosom, L.chineis, M.vagnalis, F.millicaea C.rita, S.ylantic and	20btp/tank load			
SOW AGRO SCIENCES B.V.	PENOXULAM-CHALDOPF-BUTYL	TOPSHOT 60 OD	10 g/L +50 g/L	OD	HERBICIDE	4	013-383-1777	05-Nov-23		Rice (Direct-seeded)	Ichneudoa crugalli, E.gloabrescom, C.diformi, L.rugosom, L.chineis, M.vagnalis, F.millicaea C.rita, S.ylantic and	8.5, 7.0 btp/tank load			
SOW AGRO SCIENCES B.V.	PENOXULAM-CHALDOPF-BUTYL	TOPSHOT 60 OD	10 g/L +50 g/L	OD	HERBICIDE	4	013-383-1777	05-Nov-23		Rice (Transplanted)	Ichneudoa crugalli, E.gloabrescom, C.diformi, L.rugosom, L.chineis, M.vagnalis, F.millicaea C.rita, S.ylantic and	20.0, 8.5 btp/tank load			
DU PONT F&R EAST, INC.	PENOXULAM-CHALDOPF-BUTYL	TOPSHOT 60 OD	10 g/L +50 g/L	OD	HERBICIDE	4	014-381-4295	19-Mar-24		Rice (Direct-seeded)	Ichneudoa crugalli, E.gloabrescom, C.diformi, L.rugosom, L.chineis, M.vagnalis, F.millicaea C.rita, S.ylantic and	8.37btp/tank load			
DU PONT F&R EAST, INC.	PENOXULAM-CHALDOPF-BUTYL	TOPSHOT 60 OD	10 g/L +50 g/L	OD	HERBICIDE	4	014-381-4295	19-Mar-24		Rice (Transplanted)	Ichneudoa crugalli, E.gloabrescom, C.diformi, L.rugosom, L.chineis, M.vagnalis, F.millicaea C.rita, S.ylantic and	20btp/tank load			
MONARCH AGRICULTURAL PRODUCTS, INC.	THIOPHANATE METHYL	TOPS 70 WP	700 g/kg	WP	FUNGICIDE	4	096-107-0670	12-Jul-27	SYSTEMIC	Rice	Blast, neck rot, black spot	1.5-2.0 TSP/16L Water	1.0ppm	Do not spray fourteen (14) days before harvest.	Do not enter the treated field within five (5) days after spraying.
MONARCH AGRICULTURAL PRODUCTS, INC.	THIOPHANATE METHYL	TOPS 70 WP	700 g/kg	WP	FUNGICIDE	4	096-107-0670	12-Jul-27	SYSTEMIC	Mango	Anthraxnose	0.5-1.0 TSP/16L Water		Do not spray fourteen (14) days before harvest.	Do not enter the treated field within five (5) days after spraying.
MONARCH AGRICULTURAL PRODUCTS, INC.	THIOPHANATE METHYL	TOPS 70 WP	700 g/kg	WP	FUNGICIDE	4	096-107-0670	12-Jul-27	SYSTEMIC	Tobacco	Frog eye leaf spot	0.5-1.0 TSP/16L Water		Do not spray fourteen (14) days before harvest.	Do not enter the treated field within five (5) days after spraying.
MONARCH AGRICULTURAL PRODUCTS, INC.	THIOPHANATE METHYL	TOPS 70 WP	700 g/kg	WP	FUNGICIDE	4	096-107-0670	12-Jul-27	SYSTEMIC	Tomato	Powdery mildew	0.5-1.0 TSP/16L Water		Do not spray fourteen (14) days before harvest.	Do not enter the treated field within five (5) days after spraying.
MONARCH AGRICULTURAL PRODUCTS, INC.	THIOPHANATE METHYL	TOPS 70 WP	700 g/kg	WP	FUNGICIDE	4	096-107-0670	12-Jul-27	SYSTEMIC	Legumes	Cercospora leaf spot, Anthracnose, botrytis leaf spot, fusarium wilt, powdery mildew	0.5-1.0 TSP/16L Water		Do not spray fourteen (14) days before harvest.	Do not enter the treated field within five (5) days after spraying.
MONARCH AGRICULTURAL PRODUCTS, INC.	THIOPHANATE METHYL	TOPS 70 WP	700 g/kg	WP	FUNGICIDE	4	096-107-0670	12-Jul-27	SYSTEMIC	Beans	Cercospora leaf spot, Anthracnose, botrytis leaf spot, fusarium wilt, powdery mildew	0.5-1.0 TSP/16L Water		Do not spray fourteen (14) days before harvest.	Do not enter the treated field within five (5) days after spraying.
MONARCH AGRICULTURAL PRODUCTS, INC.	THIOPHANATE METHYL	TOPS 70 WP	700 g/kg	WP	FUNGICIDE	4	096-107-0670	12-Jul-27	SYSTEMIC	Cucumber	Powdery mildew, Gummy Stem blight, leaf and fruit spots	0.5-1.0 TSP/16L Water		Do not spray fourteen (14) days before harvest.	Do not enter the treated field within five (5) days after spraying.
MONARCH AGRICULTURAL PRODUCTS, INC.	THIOPHANATE METHYL	TOPS 70 WP	700 g/kg	WP	FUNGICIDE	4	096-107-0670	12-Jul-27	SYSTEMIC	Melon	Powdery mildew, Gummy Stem blight, leaf and fruit spots	0.5-1.0 TSP/16L Water		Do not spray fourteen (14) days before harvest.	Do not enter the treated field within five (5) days after spraying.
MONARCH AGRICULTURAL PRODUCTS, INC.	THIOPHANATE METHYL	TOPS 70 WP	700 g/kg	WP	FUNGICIDE	4	096-107-0670	12-Jul-27	SYSTEMIC	Ornamentals	Powdery mildew, black spots	0.5-1.0 TSP/16L Water		Do not spray fourteen (14) days before harvest.	Do not enter the treated field within five (5) days after spraying.
MONARCH AGRICULTURAL PRODUCTS, INC.	THIOPHANATE METHYL	TOPS 70 WP	700 g/kg	WP	FUNGICIDE	4	096-107-0670	12-Jul-27	SYSTEMIC	Orchids	Powdery mildew, black spots	0.5-1.0 TSP/16L Water		Do not spray fourteen (14) days before harvest.	Do not enter the treated field within five (5) days after spraying.
MONARCH AGRICULTURAL PRODUCTS, INC.	THIOPHANATE METHYL	TOPS 70 WP	700 g/kg	WP	FUNGICIDE	4	096-107-0670	12-Jul-27	SYSTEMIC	Cabbage	Shot hole disease, cercospora leaf spot	0.5-1.0 TSP/16L Water		Do not spray fourteen (14) days before harvest.	Do not enter the treated field within five (5) days after spraying.
MONARCH AGRICULTURAL PRODUCTS, INC.	THIOPHANATE METHYL	TOPS 70 WP	700 g/kg	WP	FUNGICIDE	4	096-107-0670	12-Jul-27	SYSTEMIC	Cauliflower	Shot hole disease, cercospora leaf spot	0.5-1.0 TSP/16L Water		Do not spray fourteen (14) days before harvest.	Do not enter the treated field within five (5) days after spraying.
MONARCH AGRICULTURAL PRODUCTS, INC.	THIOPHANATE METHYL	TOPS 70 WP	700 g/kg	WP	FUNGICIDE	4	096-107-0670	12-Jul-27	SYSTEMIC	Lettuce	Shot hole disease, cercospora leaf spot	0.5-1.0 TSP/16L Water		Do not spray fourteen (14) days before harvest.	Do not enter the treated field within five (5) days after spraying.
MONARCH AGRICULTURAL PRODUCTS, INC.	THIOPHANATE METHYL	TOPS 70 WP	700 g/kg	WP	FUNGICIDE	4	096-107-0670	12-Jul-27	SYSTEMIC	Strawberry	Powdery mildew	0.5-1.0 TSP/16L Water		Do not spray fourteen (14) days before harvest.	Do not enter the treated field within five (5) days after spraying.
MONARCH AGRICULTURAL PRODUCTS, INC.	THIOPHANATE METHYL	TOPS 70 WP	700 g/kg	WP	FUNGICIDE	4	096-107-0670	12-Jul-27	SYSTEMIC	Grapes	Fruit rot, Powdery mildew, anthracnose	0.5-1.0 TSP/16L Water		Do not spray fourteen (14) days before harvest.	Do not enter the treated field within five (5) days after spraying.
MONARCH AGRICULTURAL PRODUCTS, INC.	THIOPHANATE METHYL	TOPS 70 WP	700 g/kg	WP	FUNGICIDE	4	096-107-0670	12-Jul-27	SYSTEMIC	Orange	Scabs	0.5-1.0 TSP/16L Water		Do not spray fourteen (14) days before harvest.	Do not enter the treated field within five (5) days after spraying.
MONARCH AGRICULTURAL PRODUCTS, INC.	THIOPHANATE METHYL	TOPS 70 WP	700 g/kg	WP	FUNGICIDE	4	096-107-0670	12-Jul-27	SYSTEMIC	Citrus	Scabs	0.5-1.0 TSP/16L Water		Do not spray fourteen (14) days before harvest.	Do not enter the treated field within five (5) days after spraying.
MONARCH AGRICULTURAL PRODUCTS, INC.	THIOPHANATE METHYL	TOPS 70 WP	700 g/kg	WP	FUNGICIDE	4	096-107-0670	12-Jul-27	SYSTEMIC	Calamansi	Scabs	0.5-1.0 TSP/16L Water		Do not spray fourteen (14) days before harvest.	Do not enter the treated field within five (5) days after spraying.
MONARCH AGRICULTURAL PRODUCTS, INC.	THIOPHANATE METHYL	TOPS 70 WP	700 g/kg	WP	FUNGICIDE	4	096-107-0670	12-Jul-27	SYSTEMIC	Banana	Sigatoka disease; Diamond fruit spot and freckle	1.5-2.0 TSP/16L Water; 0.7 g product/L water		Do not spray fourteen (14) days before harvest.	Do not enter the treated field within five (5) days after spraying.
MONARCH AGRICULTURAL PRODUCTS, INC.	THIOPHANATE METHYL	TOPS 70 WP	700 g/kg	WP	FUNGICIDE	4	096-107-0670	12-Jul-27	SYSTEMIC	Papaya	Powdery mildew	0.5-1.0 TSP/16L Water		Do not spray fourteen (14) days before harvest.	Do not enter the treated field within five (5) days after spraying.
UNIVERSAL HARVESTER INC.	CHALDOPF-BUTYL	TOPRIKE 100 EC	100 g/L	EC	HERBICIDE	4	606-257-4267	05-Mar-21	SYSTEMIC	Rice (Direct-Seeded)	Grasses	7-9 btp/tank load; 12 of tank load/ha 115.4 g/ha			
F&A AGRI CHEMICAL CORPORATION	THIOPHANATE METHYL	TOPFER 70 WP	700 g/kg	WP	FUNGICIDE	4	399-107-2194	25-Mar-24	SYSTEMIC	Rice	Blast, neck rot, black spot	1.5-2.0 TSP/16L Water	1.0ppm	14 days	
F&A AGRI CHEMICAL CORPORATION	THIOPHANATE METHYL	TOPFER 70 WP	700 g/kg	WP	FUNGICIDE	4	399-107-2194	25-Mar-24	SYSTEMIC	Mango	Anthraxnose	0.5-1.0 TSP/16L Water			
F&A AGRI CHEMICAL CORPORATION	THIOPHANATE METHYL	TOPFER 70 WP	700 g/kg	WP	FUNGICIDE	4	399-107-2194	25-Mar-24	SYSTEMIC	Tobacco	Frog eye leaf spot	0.5-1.0 TSP/16L Water			
F&A AGRI CHEMICAL CORPORATION	THIOPHANATE METHYL	TOPFER 70 WP	700 g/kg	WP	FUNGICIDE	4	399-107-2194	25-Mar-24	SYSTEMIC	Tomato	Powdery mildew	0.5-1.0 TSP/16L Water			
F&A AGRI CHEMICAL CORPORATION	THIOPHANATE METHYL	TOPFER 70 WP	700 g/kg	WP	FUNGICIDE	4	399-107-2194	25-Mar-24	SYSTEMIC	Legumes	Cercospora leaf spot, Anthracnose, botrytis leaf spot, fusarium wilt, powdery mildew	0.5-1.0 TSP/16L Water			
F&A AGRI CHEMICAL CORPORATION	THIOPHANATE METHYL	TOPFER 70 WP	700 g/kg	WP	FUNGICIDE	4	399-107-2194	25-Mar-24	SYSTEMIC	Beans	Cercospora leaf spot, Anthracnose, botrytis leaf spot, fusarium wilt, powdery mildew	0.5-1.0 TSP/16L Water			
F&A AGRI CHEMICAL CORPORATION	THIOPHANATE METHYL	TOPFER 70 WP	700 g/kg	WP	FUNGICIDE	4	399-107-2194	25-Mar-24	SYSTEMIC	Cucumber	Powdery mildew, Gummy Stem blight, leaf and fruit spots	0.5-1.0 TSP/16L Water			
F&A AGRI CHEMICAL CORPORATION	THIOPHANATE METHYL	TOPFER 70 WP	700 g/kg	WP	FUNGICIDE	4	399-107-2194	25-Mar-24	SYSTEMIC	Melon	Powdery mildew, Gummy Stem blight, leaf and fruit spots	0.5-1.0 TSP/16L Water			
F&A AGRI CHEMICAL CORPORATION	THIOPHANATE METHYL	TOPFER 70 WP	700 g/kg	WP	FUNGICIDE	4	399-107-2194	25-Mar-24	SYSTEMIC	Ornamentals	Powdery mildew, black spots	0.5-1.0 TSP/16L Water			
F&A AGRI CHEMICAL CORPORATION	THIOPHANATE METHYL	TOPFER 70 WP	700 g/kg	WP	FUNGICIDE	4	399-107-2194	25-Mar-24	SYSTEMIC	Orchids	Powdery mildew, black spots	0.5-1.0 TSP/16L Water			
F&A AGRI CHEMICAL CORPORATION	THIOPHANATE METHYL	TOPFER 70 WP	700 g/kg	WP	FUNGICIDE	4	399-107-2194	25-Mar-24	SYSTEMIC	Cabbage	Shot hole disease, cercospora leaf spot	0.5-1.0 TSP/16L Water			
F&A AGRI CHEMICAL CORPORATION	THIOPHANATE METHYL	TOPFER 70 WP	700 g/kg	WP	FUNGICIDE	4	399-107-2194	25-Mar-24	SYSTEMIC	Cauliflower	Shot hole disease, cercospora leaf spot	0.5-1.0 TSP/16L Water			
F&A AGRI CHEMICAL CORPORATION	THIOPHANATE METHYL	TOPFER 70 WP	700 g/kg	WP	FUNGICIDE	4	399-107-2194	25-Mar-24	SYSTEMIC	Lettuce	Shot hole disease, cercospora leaf spot	0.5-1.0 TSP/16L Water			
F&A AGRI CHEMICAL CORPORATION	THIOPHANATE METHYL	TOPFER 70 WP	700 g/kg	WP	FUNGICIDE	4	399-107-2194	25-Mar-24	SYSTEMIC	Strawberry	Powdery mildew	0.5-1.0 TSP/16L Water			
F&A AGRI CHEMICAL CORPORATION	THIOPHANATE METHYL	TOPFER 70 WP	700 g/kg	WP	FUNGICIDE	4	399-107-2194	25-Mar-24	SYSTEMIC	Grapes	Fruit rot, Powdery mildew, anthracnose	0.5-1.0 TSP/16L Water			
F&A AGRI CHEMICAL CORPORATION	THIOPHANATE METHYL	TOPFER 70 WP	700 g/kg	WP	FUNGICIDE	4	399-107-2194	25-Mar-24	SYSTEMIC	Orange	Scabs	0.5-1.0 TSP/16L Water			
F&A AGRI CHEMICAL CORPORATION	THIOPHANATE METHYL	TOPFER 70 WP	700 g/kg	WP	FUNGICIDE	4	399-107-2194	25-Mar-24	SYSTEMIC	Citrus	Scabs	0.5-1.0 TSP/16L Water			
F&A AGRI CHEMICAL CORPORATION	THIOPHANATE METHYL	TOPFER 70 WP	700 g/kg	WP	FUNGICIDE	4	399-107-2194	25-Mar-24	SYSTEMIC	Calamansi	Scabs	0.5-1.0 TSP/16L Water			
F&A AGRI CHEMICAL CORPORATION	THIOPHANATE METHYL	TOPFER 70 WP	700 g/kg	WP	FUNGICIDE	4	399-107-2194	25-Mar-24	SYSTEMIC	Banana	Sigatoka disease	1.5-2.0 TSP/16L Water			
F&A AGRI CHEMICAL CORPORATION	THIOPHANATE METHYL	TOPFER 70 WP	700 g/kg	WP	FUNGICIDE	4	399-107-2194	25-Mar-24	SYSTEMIC	Papaya	Powdery mildew	0.5-1.0 TSP/16L Water			
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	BUTACHLOR-PROPANIL	TOPLINE 70 EC	350-350 g/L	EC	HERBICIDE	3	376-238-2255-A	19-Dec-26	POST-EMERGENT	Rice (Direct-Seeded)	Grasses, Sedges and Broadleaves	8-12btp/16 L water	Butachlor 0.1ppm Propamyl 0.1ppm	-	As soon as the spray mist dried up
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	BUTACHLOR-PROPANIL	TOPLINE 70 EC	350-350 g/L	EC	HERBICIDE	3	376-238-2255-A	19-Dec-26	POST-EMERGENT	Rice (Transplanted)	Grasses, Sedges and Broadleaves	9-12btp/16 L water	Butachlor 0.1ppm Propamyl 0.1ppm	-	As soon as the spray mist dried up
INTERNATIONAL VETERINARY & AGROCHEMICAL (I.V.A.) INC.	FLUAZOP-P-BUTYL	TOPFIDE 150 EC	150 g/L	EC	HERBICIDE	4	088-212-3796	23-Aug-25	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Banana	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-
INTERNATIONAL VETERINARY & AGROCHEMICAL (I.V.A.) INC.	FLUAZOP-P-BUTYL	TOPFIDE 150 EC	150 g/L	EC	HERBICIDE	4	088-212-3796	23-Aug-25	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Cacao	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-
INTERNATIONAL VETERINARY & AGROCHEMICAL (I.V.A.) INC.	FLUAZOP-P-BUTYL	TOPFIDE 150 EC	150 g/L	EC	HERBICIDE	4	088-212-3796	23-Aug-25	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Citrus	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-
INTERNATIONAL VETERINARY & AGROCHEMICAL (I.V.A.) INC.	FLUAZOP-P-BUTYL	TOPFIDE 150 EC	150 g/L	EC	HERBICIDE	4	088-212-3796	23-Aug-25	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Cotton	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-
INTERNATIONAL VETERINARY & AGROCHEMICAL (I.V.A.) INC.	FLUAZOP-P-BUTYL	TOPFIDE 150 EC	150 g/L	EC	HERBICIDE	4	088-212-3796	23-Aug-25	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Coffee	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-
INTERNATIONAL VETERINARY & AGROCHEMICAL (I.V.A.) INC.	FLUAZOP-P-BUTYL	TOPFIDE 150 EC	150 g/L	EC	HERBICIDE	4	088-212-3796	23-Aug-25	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Oil palm	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-
INTERNATIONAL VETERINARY & AGROCHEMICAL (I.V.A.) INC.	FLUAZOP-P-BUTYL	TOPFIDE 150 EC	150 g/L	EC	HERBICIDE	4	088-212-3796	23-Aug-25	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Ramie	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	FLUAZIFOP-P-BUTYL	TOPICIDE 150 EC	150 g/L	EC	HERBICIDE	4	088-212-3796	23-Aug-25	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Rubber	Grasses; Icthygrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16L sprayload	-	-	-
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	FLUAZIFOP-P-BUTYL	TOPICIDE 150 EC	150 g/L	EC	HERBICIDE	4	088-212-3796	23-Aug-25	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Onion	Grasses; Icthygrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	FLUAZIFOP-P-BUTYL	TOPICIDE 150 EC	150 g/L	EC	HERBICIDE	4	088-212-3796	23-Aug-25	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Pineapple	Grasses; Icthygrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16L sprayload	-	-	-
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	FLUAZIFOP-P-BUTYL	TOPICIDE 150 EC	150 g/L	EC	HERBICIDE	4	088-212-3796	23-Aug-25	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Soybeans	Grasses; Icthygrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	FLUAZIFOP-P-BUTYL	TOPICIDE 150 EC	150 g/L	EC	HERBICIDE	4	088-212-3796	23-Aug-25	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Tomato	Grasses; Icthygrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-
TOP AGRO PRODUCTS COMPANY	CYHALOXYL-FLUPIRIBAC SODIUM	TOPRONDS 15 SE	80 g/L +10 g/L	SE	HERBICIDE	4	210-904-5114	26-May-26	POST-EMERGENT	Rice (Direct-Seeded)	Grasses sedges and broadleaves	10.0 tank load/ ha 16L 13.5 tank load/ ha 16L	-	-	-
BIOSTADT PHILIPPINES INC.	PROPIWEB	TOPAZ 70 WP	700 g/kg	WP	FUNGICIDE	4	097-001-4103	04-Sep-26	-	Lettuce	Early blight, neck rot	50-65 g/ 16L water	-	-	-
BIOSTADT PHILIPPINES INC.	PROPIWEB	TOPAZ 70 WP	700 g/kg	WP	FUNGICIDE	4	097-001-4103	04-Sep-26	-	Onion	Downy mildew, anthracnose, purple blotch	50-65 g/ 16L water	-	-	-
BIOSTADT PHILIPPINES INC.	PROPIWEB	TOPAZ 70 WP	700 g/kg	WP	FUNGICIDE	4	097-001-4103	04-Sep-26	-	Cucurbits	Downy mildew, late blight	50-65 g/ 16L water	-	-	-
BIOSTADT PHILIPPINES INC.	PROPIWEB	TOPAZ 70 WP	700 g/kg	WP	FUNGICIDE	4	097-001-4103	04-Sep-26	-	Celery	Early and late blight	50-65 g/ 16L water	-	-	-
BIOSTADT PHILIPPINES INC.	PROPIWEB	TOPAZ 70 WP	700 g/kg	WP	FUNGICIDE	4	097-001-4103	04-Sep-26	-	Beans	Rust	50-65 g/ 16L water	-	-	-
BIOSTADT PHILIPPINES INC.	PROPIWEB	TOPAZ 70 WP	700 g/kg	WP	FUNGICIDE	4	097-001-4103	04-Sep-26	-	Potato	Early and late blight	50-65 g/ 16L water	-	-	-
BIOSTADT PHILIPPINES INC.	PROPIWEB	TOPAZ 70 WP	700 g/kg	WP	FUNGICIDE	4	097-001-4103	04-Sep-26	-	Tomato	Early and late blight	50-65 g/ 16L water	-	-	-
BIOSTADT PHILIPPINES INC.	PROPIWEB	TOPAZ 70 WP	700 g/kg	WP	FUNGICIDE	4	097-001-4103	04-Sep-26	-	Tobacco	Brown leaf spot	50-65 g/ 16L water	-	-	-
BIOSTADT PHILIPPINES INC.	PROPIWEB	TOPAZ 70 WP	700 g/kg	WP	FUNGICIDE	4	097-001-4103	04-Sep-26	-	Coffee	Brown eye spot	60h/ 16L water	-	-	-
BIOSTADT PHILIPPINES INC.	PROPIWEB	TOPAZ 70 WP	700 g/kg	WP	FUNGICIDE	4	097-001-4103	04-Sep-26	-	Citrus	Black spot	50-65 g/ 16L water	-	-	-
BIOSTADT PHILIPPINES INC.	PROPIWEB	TOPAZ 70 WP	700 g/kg	WP	FUNGICIDE	4	097-001-4103	04-Sep-26	-	Melon	Downy mildew	50-65 g/ 16L water	-	-	-
BIOSTADT PHILIPPINES INC.	PROPIWEB	TOPAZ 70 WP	700 g/kg	WP	FUNGICIDE	4	097-001-4103	04-Sep-26	-	Watermelon	Downy mildew	50-65 g/ 16L water	-	-	-
BIOSTADT PHILIPPINES INC.	PROPIWEB	TOPAZ 70 WP	700 g/kg	WP	FUNGICIDE	4	097-001-4103	04-Sep-26	-	Ornamentals	Black spot, rust	35-50 g/ 16L water	-	-	-
BIOSTADT PHILIPPINES INC.	PROPIWEB	TOPAZ 70 WP	700 g/kg	WP	FUNGICIDE	4	097-001-4103	04-Sep-26	-	Mango	Anthraxnose	50-65 g/ 16L water	-	-	-
BIOSTADT PHILIPPINES INC.	PROPIWEB	TOPAZ 70 WP	700 g/kg	WP	FUNGICIDE	4	097-001-4103	04-Sep-26	-	Banana	Sigatoka, freckle disease	2.5 kg/ha	-	-	-
VAST AGRO SOLUTIONS, INC.	CARTAP HYDROCHLORIDE	TOP RANK 50 SP	500 g/kg	SP	INSECTICIDE	3	385-106-2136	26-May-24	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.0-5.0 tbsps/16 L water	-	-	Spraying shall be stopped 10 days before harvest. Do not enter the field within 2 days after spraying.
VAST AGRO SOLUTIONS, INC.	CARTAP HYDROCHLORIDE	TOP RANK 50 SP	500 g/kg	SP	INSECTICIDE	3	385-106-2136	26-May-24	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0 tbsps/16 L water	-	-	Spraying shall be stopped 10 days before harvest. Do not enter the field within 2 days after spraying.
VAST AGRO SOLUTIONS, INC.	CARTAP HYDROCHLORIDE	TOP RANK 50 SP	500 g/kg	SP	INSECTICIDE	3	385-106-2136	26-May-24	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0 tbsps/16 L water	-	-	Spraying shall be stopped 10 days before harvest. Do not enter the field within 2 days after spraying.
VAST AGRO SOLUTIONS, INC.	CARTAP HYDROCHLORIDE	TOP RANK 50 SP	500 g/kg	SP	INSECTICIDE	3	385-106-2136	26-May-24	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0 tbsps/16 L water	-	-	Spraying shall be stopped 10 days before harvest. Do not enter the field within 2 days after spraying.
VAST AGRO SOLUTIONS, INC.	CARTAP HYDROCHLORIDE	TOP RANK 50 SP	500 g/kg	SP	INSECTICIDE	3	385-106-2136	26-May-24	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0 tbsps/16 L water	-	-	Spraying shall be stopped 10 days before harvest. Do not enter the field within 2 days after spraying.
VAST AGRO SOLUTIONS, INC.	CARTAP HYDROCHLORIDE	TOP RANK 50 SP	500 g/kg	SP	INSECTICIDE	3	385-106-2136	26-May-24	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0 tbsps/16 L water	-	-	Spraying shall be stopped 10 days before harvest. Do not enter the field within 2 days after spraying.
VAST AGRO SOLUTIONS, INC.	CARTAP HYDROCHLORIDE	TOP RANK 50 SP	500 g/kg	SP	INSECTICIDE	3	385-106-2136	26-May-24	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0 tbsps/16 L water	-	-	Spraying shall be stopped 10 days before harvest. Do not enter the field within 2 days after spraying.
VAST AGRO SOLUTIONS, INC.	CARTAP HYDROCHLORIDE	TOP RANK 50 SP	500 g/kg	SP	INSECTICIDE	3	385-106-2136	26-May-24	SYSTEMIC	Mango	leafhoppers	1.5-2.0 tbsps/16 L water	-	-	Spraying shall be stopped 10 days before harvest. Do not enter the field within 2 days after spraying.
VAST AGRO SOLUTIONS, INC.	CARTAP HYDROCHLORIDE	TOP RANK 50 SP	500 g/kg	SP	INSECTICIDE	3	385-106-2136	26-May-24	SYSTEMIC	Pechay	looper, cutworm, aphids	1.5-3.0 tbsps/16 L water	-	-	Spraying shall be stopped 10 days before harvest. Do not enter the field within 2 days after spraying.
S&P ENTERPRISES, INC.	CARTAP HYDROCHLORIDE	TOP ONE 50 SP	500g/kg	SP	INSECTICIDE	3	566-106-4013-A	27-May-25	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.0-5.0 tbsps/16 L water	-	-	Spraying should be done 10 days before harvest Do not enter the field within 2 days after spraying
S&P ENTERPRISES, INC.	CARTAP HYDROCHLORIDE	TOP ONE 50 SP	500g/kg	SP	INSECTICIDE	3	566-106-4013-A	27-May-25	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0 tbsps/16 L water	-	-	Spraying should be done 10 days before harvest Do not enter the field within 2 days after spraying
S&P ENTERPRISES, INC.	CARTAP HYDROCHLORIDE	TOP ONE 50 SP	500g/kg	SP	INSECTICIDE	3	566-106-4013-A	27-May-25	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0 tbsps/16 L water	-	-	Spraying should be done 10 days before harvest Do not enter the field within 2 days after spraying
S&P ENTERPRISES, INC.	CARTAP HYDROCHLORIDE	TOP ONE 50 SP	500g/kg	SP	INSECTICIDE	3	566-106-4013-A	27-May-25	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0 tbsps/16 L water	-	-	Spraying should be done 10 days before harvest Do not enter the field within 2 days after spraying
S&P ENTERPRISES, INC.	CARTAP HYDROCHLORIDE	TOP ONE 50 SP	500g/kg	SP	INSECTICIDE	3	566-106-4013-A	27-May-25	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0 tbsps/16 L water	-	-	Spraying should be done 10 days before harvest Do not enter the field within 2 days after spraying
S&P ENTERPRISES, INC.	CARTAP HYDROCHLORIDE	TOP ONE 50 SP	500g/kg	SP	INSECTICIDE	3	566-106-4013-A	27-May-25	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0 tbsps/16 L water	-	-	Spraying should be done 10 days before harvest Do not enter the field within 2 days after spraying
S&P ENTERPRISES, INC.	CARTAP HYDROCHLORIDE	TOP ONE 50 SP	500g/kg	SP	INSECTICIDE	3	566-106-4013-A	27-May-25	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0 tbsps/16 L water	-	-	Spraying should be done 10 days before harvest Do not enter the field within 2 days after spraying
S&P ENTERPRISES, INC.	CARTAP HYDROCHLORIDE	TOP ONE 50 SP	500g/kg	SP	INSECTICIDE	3	566-106-4013-A	27-May-25	SYSTEMIC	Mango	leafhoppers	1.5-2.0 tbsps/16 L water	-	-	Spraying should be done 10 days before harvest Do not enter the field within 2 days after spraying
S&P ENTERPRISES, INC.	CARTAP HYDROCHLORIDE	TOP ONE 50 SP	500g/kg	SP	INSECTICIDE	3	566-106-4013-A	27-May-25	SYSTEMIC	Pechay	looper, cutworm, aphids	1.5-3.0 tbsps/16 L water	-	-	Spraying should be done 10 days before harvest Do not enter the field within 2 days after spraying
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	CARTAP HYDROCHLORIDE	TOP LOAD 50 SP	500g/kg	SP	INSECTICIDE	3	596-106-4108	02-Jul-25	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.0-5.0 tbsps/16 L water	0.2ppm	-	-
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	CARTAP HYDROCHLORIDE	TOP LOAD 50 SP	500g/kg	SP	INSECTICIDE	3	596-106-4108	02-Jul-25	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0 tbsps/16 L water	-	-	-
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	CARTAP HYDROCHLORIDE	TOP LOAD 50 SP	500g/kg	SP	INSECTICIDE	3	596-106-4108	02-Jul-25	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0 tbsps/16 L water	-	-	-
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	CARTAP HYDROCHLORIDE	TOP LOAD 50 SP	500g/kg	SP	INSECTICIDE	3	596-106-4108	02-Jul-25	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0 tbsps/16 L water	-	-	-
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	CARTAP HYDROCHLORIDE	TOP LOAD 50 SP	500g/kg	SP	INSECTICIDE	3	596-106-4108	02-Jul-25	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0 tbsps/16 L water	-	-	-
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	CARTAP HYDROCHLORIDE	TOP LOAD 50 SP	500g/kg	SP	INSECTICIDE	3	596-106-4108	02-Jul-25	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0 tbsps/16 L water	-	-	-
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	CARTAP HYDROCHLORIDE	TOP LOAD 50 SP	500g/kg	SP	INSECTICIDE	3	596-106-4108	02-Jul-25	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0 tbsps/16 L water	-	-	-
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	CARTAP HYDROCHLORIDE	TOP LOAD 50 SP	500g/kg	SP	INSECTICIDE	3	596-106-4108	02-Jul-25	SYSTEMIC	Mango	leafhoppers	1.5-2.0 tbsps/16 L water	-	-	-
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	CARTAP HYDROCHLORIDE	TOP LOAD 50 SP	500g/kg	SP	INSECTICIDE	3	596-106-4108	02-Jul-25	SYSTEMIC	Pechay	looper, cutworm, aphids	1.5-3.0 tbsps/16 L water	-	-	-
S&P ENTERPRISES, INC.	PROFENOFOS	TOP KILL 50 EC	500g/L	EC	INSECTICIDE	2	566-070-4895	28-Apr-24	CONTACT	Tomato	Fruitworm, armyworm, cutworm	3-5 Tbsp/16L water	-	-	5 days after the last spray As soon as the spray solution has dried on the foliage
S&P ENTERPRISES, INC.	PROFENOFOS	TOP KILL 50 EC	500g/L	EC	INSECTICIDE	2	566-070-4895	28-Apr-24	CONTACT	Eggplant	Fruitborer, aphids, leafhopper, & thrips	1-5-3.0 Tbsp/16L water	-	-	5 days after the last spray As soon as the spray solution has dried on the foliage
S&P ENTERPRISES, INC.	PROFENOFOS	TOP KILL 50 EC	500g/L	EC	INSECTICIDE	2	566-070-4895	28-Apr-24	CONTACT	Cabbage	Diamond back moth, cabbage worm & loopers	3-5 Tbsp/16L water	-	-	5 days after the last spray As soon as the spray solution has dried on the foliage
S&P ENTERPRISES, INC.	PROFENOFOS	TOP KILL 50 EC	500g/L	EC	INSECTICIDE	2	566-070-4895	28-Apr-24	CONTACT	Watermelon	Thrips	3-5 Tbsp/16L water	-	-	5 days after the last spray As soon as the spray solution has dried on the foliage
S&P ENTERPRISES, INC.	PROFENOFOS	TOP KILL 50 EC	500g/L	EC	INSECTICIDE	2	566-070-4895	28-Apr-24	CONTACT	Potato	Thrips, army worm, cutworm, tuber moth	3-5 Tbsp/16L water	-	-	5 days after the last spray As soon as the spray solution has dried on the foliage
S&P ENTERPRISES, INC.	PROFENOFOS	TOP KILL 50 EC	500g/L	EC	INSECTICIDE	2	566-070-4895	28-Apr-24	CONTACT	Soybeans	Corn earworm, leafminer	3-5 Tbsp/16L water	-	-	5 days after the last spray As soon as the spray solution has dried on the foliage
S&P ENTERPRISES, INC.	PROFENOFOS	TOP KILL 50 EC	500g/L	EC	INSECTICIDE	2	566-070-4895	28-Apr-24	CONTACT	Mungbeans	Corn earworm, leafminer	3-5 Tbsp/16L water	-	-	5 days after the last spray As soon as the spray solution has dried on the foliage
S&P ENTERPRISES, INC.	PROFENOFOS	TOP KILL 50 EC	500g/L	EC	INSECTICIDE	2	566-070-4895	28-Apr-24	CONTACT	Cotton	Thrips, bollworm & budworm	3-5 Tbsp/16L water	-	-	5 days after the last spray As soon as the spray solution has dried on the foliage

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
S&P ENTERPRISES, INC.	PROFENOFOS	TOP KILL 50 EC	500g/L	EC	INSECTICIDE	2	166-070-4895	28-Apr-24	CONTACT	Itiao	Beanyfly, leaffolder, aphids, podborer	1.5-3.0 Tbsp/16L water	-	5 days after the last spray	As soon as the spray solution has dried on the foliage
S&P ENTERPRISES, INC.	PROFENOFOS	TOP KILL 50 EC	500g/L	EC	INSECTICIDE	2	166-070-4895	28-Apr-24	CONTACT	Beans	Beanyflies, Aphids	30.0-50.0 ml/ 16L water	-	5 days after the last spray	As soon as the spray solution has dried on the foliage
S&P ENTERPRISES, INC.	PROFENOFOS	TOP KILL 50 EC	500g/L	EC	INSECTICIDE	2	166-070-4895	28-Apr-24	CONTACT	Mango	Blossom Thrips	10.0-20.0 ml/16L water	-	5 days after the last spray	As soon as the spray solution has dried on the foliage
S&P ENTERPRISES, INC.	PYMETROZINE	TOP GUARD 50 WG	500 g/kg	WG	INSECTICIDE	4	166-307-4406	27-Jan-26	-	Mango	Mango leafhopper	40 grams	-	-	Do not enter the treated fields for at least 24 hours after application
S&P ENTERPRISES, INC.	PYMETROZINE	TOP GUARD 50 WG	500 g/kg	WG	INSECTICIDE	4	166-307-4406	27-Dec-23	-	Rice	Green leafhopper and brown planthopper	25-30 grams	-	-	Do not enter the treated fields for at least 24 hours after application
S&P ENTERPRISES, INC.	PYMETROZINE	TOP GUARD 50 WG	500 g/kg	WG	INSECTICIDE	4	166-307-4406	27-Dec-23	-	Corn	Leafhopper, planthopper and aphids	7-16 grams; 100-250 grams/ha	-	-	Do not enter the treated fields for at least 24 hours after application
UNITED AGRO TRADE CORPORATION	DIURON	TOP AGRO DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	264-021-1882	09-Mar-19	SYSTEMIC	Citrus	Annual and Perennial broadleaves and grasses	11.0-19.0Tbsp/16 L water	-	-	-
UNITED AGRO TRADE CORPORATION	DIURON	TOP AGRO DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	264-021-1882	09-Mar-19	SYSTEMIC	Coffee	Annual and Perennial broadleaves and grasses	11.0-19.0Tbsp/16 L water	-	-	-
UNITED AGRO TRADE CORPORATION	DIURON	TOP AGRO DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	264-021-1882	09-Mar-19	SYSTEMIC	Cotton	Annual and Perennial broadleaves and grasses	8.0Tbsp/16 L water	-	-	-
UNITED AGRO TRADE CORPORATION	DIURON	TOP AGRO DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	264-021-1882	09-Mar-19	SYSTEMIC	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0Tbsp/16 L water	-	-	-
UNITED AGRO TRADE CORPORATION	DIURON	TOP AGRO DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	264-021-1882	09-Mar-19	SYSTEMIC	Pineapple	Annual and Perennial broadleaves and grasses	11.0Tbsp/16 L water	-	-	-
UNITED AGRO TRADE CORPORATION	DIURON	TOP AGRO DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	264-021-1882	09-Mar-19	SYSTEMIC	Non-crop land	Annual and Perennial broadleaves and grasses	20.0-28.0Tbsp/16 L water	-	-	-
TOP AGRO PRODUCTS COMPANY	2,4-D IBE	TOP AGRO 2,4-D ESTER	400 g/L	EC	HERBICIDE	2	210-040-2488 A	05-Feb-25	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	0.1 ppm	Do not spray within two days before harvest	Entry to fields and crops treated with TOP AGRO 2,4-D ESTER can be done one day after spraying
TOP AGRO PRODUCTS COMPANY	2,4-D IBE	TOP AGRO 2,4-D ESTER	400 g/L	EC	HERBICIDE	2	210-040-2488 A	05-Feb-25	SELECTIVE (POST-EMERGENT)	Corn	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	-	Do not spray within two days before harvest	Entry to fields and crops treated with TOP AGRO 2,4-D ESTER can be done one day after spraying
TOP AGRO PRODUCTS COMPANY	2,4-D IBE	TOP AGRO 2,4-D ESTER	400 g/L	EC	HERBICIDE	2	210-040-2488 A	05-Feb-25	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	-	Do not spray within two days before harvest	Entry to fields and crops treated with TOP AGRO 2,4-D ESTER can be done one day after spraying
UNITED AGRO TRADE CORPORATION	2,4-D AMINE	TOP AGRO 2,4-D AMINE	400 g/L	EC	HERBICIDE	2	264-013-1744 A	31-Dec-26	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual broadleaves and sedges	1.5-5.5Tbsp/16 L water	0.1 ppm	-	Entry to fields and crops treated can be done one day after spraying
UNITED AGRO TRADE CORPORATION	2,4-D AMINE	TOP AGRO 2,4-D AMINE	400 g/L	EC	HERBICIDE	2	264-013-1744 A	31-Dec-26	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual broadleaves and sedges	13-25 Tbsp/16 L water	-	-	Entry to fields and crops treated can be done one day after spraying
UNITED AGRO TRADE CORPORATION	2,4-D AMINE	TOP AGRO 2,4-D AMINE	400 g/L	EC	HERBICIDE	2	264-013-1744 A	31-Dec-26	SELECTIVE (POST-EMERGENT)	Corn	Annual broadleaves and sedges	9-6.5 Tbsp/16 L water	-	-	Entry to fields and crops treated can be done one day after spraying
LEADS AGRICULTURAL PRODUCTS CORPORATION	DIURON	TOP ACE	800 g/L	SC	HERBICIDE	4	099-021-2221 A	28-Dec-25	SYSTEMIC	Citrus	Annual and Perennial broadleaves and grasses	11.0-19.0Tbsp/16 L water	-	-	Twenty four (24) hours after application.
LEADS AGRICULTURAL PRODUCTS CORPORATION	DIURON	TOP ACE	800 g/L	SC	HERBICIDE	4	099-021-2221 A	28-Dec-25	SYSTEMIC	Cotton	Annual and Perennial broadleaves and grasses	8.0Tbsp/16 L water	-	-	Twenty four (24) hours after application.
LEADS AGRICULTURAL PRODUCTS CORPORATION	DIURON	TOP ACE	800 g/L	SC	HERBICIDE	4	099-021-2221 A	28-Dec-25	SYSTEMIC	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0Tbsp/16 L water	-	-	Twenty four (24) hours after application.
LEADS AGRICULTURAL PRODUCTS CORPORATION	DIURON	TOP ACE	800 g/L	SC	HERBICIDE	4	099-021-2221 A	28-Dec-25	SYSTEMIC	Pineapple	Annual and Perennial broadleaves and grasses	11.0Tbsp/16 L water	-	-	Twenty four (24) hours after application.
LEADS AGRICULTURAL PRODUCTS CORPORATION	DIURON	TOP ACE	800 g/L	SC	HERBICIDE	4	099-021-2221 A	28-Dec-25	SYSTEMIC	Non-crop agricultural areas	Annual and Perennial broadleaves and grasses	20.0-28.0Tbsp/16 L water	-	-	Twenty four (24) hours after application.
ABIG TRADING CORPORATION	TRIDEMORPH	TOKALUX 86 OL	860 g/L	OL	FLUNICIDE	2	073-097-5422	13-Aug-21	SYSTEMIC/CONTACT	Banana	Black Sigatoka	0.088 L/ha Tridemorph plus 5-7 L/ha oil	-	Allow 7 days between last application and harvest	Do not enter treated field within day unless wearing protective clothing
ROTAM PHILIPPINES, INC.	TRIDEMORPH	TOKALUX 860 OL	860 g/L	OL	FLUNICIDE	2	569-097-3691	22-Jul-25	SYSTEMIC/CONTACT	Banana	Black Sigatoka	0.5 L/ha Tridemorph + 5.0 L/ha Oil	-	0 day	Until the spray deposit has dried
JOCAINMA CORPORATION	TRIDEMORPH	TOKALUX 86 OL	860 g/L	OL	FLUNICIDE	2	241-097-1598	20-Sep-24	SYSTEMIC/CONTACT	Banana	Sigatoka	0.5 L/ha TOKALUX 86 OL + 5.0 L/ha oil	-	0 day	Until the spray deposit has dried
TOP AGRO PRODUCTS COMPANY	GLYPHOSATE IPA	TODD MAX 480 SL	480 g/L	SL	HERBICIDE	4	210-151-3257	09-Mar-25	POST-EMERGENT	Annual & perennial grasses, broadleaf weeds & sedges	glyphosate tolerant corn	2.0-4.0 Liters/ha	-	-	-
TOP AGRO PRODUCTS COMPANY	GLYPHOSATE IPA	TODD MAX 480 SL	480 g/L	SL	HERBICIDE	4	210-151-3257	09-Mar-25	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /ha	-	-	-
TOP AGRO PRODUCTS COMPANY	GLYPHOSATE IPA	TODD MAX 480 SL	480 g/L	SL	HERBICIDE	4	210-151-3257	09-Mar-25	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /ha	-	-	-
TOP AGRO PRODUCTS COMPANY	GLYPHOSATE IPA	TODD MAX 480 SL	480 g/L	SL	HERBICIDE	4	210-151-3257	09-Mar-25	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /ha	-	-	-
TOP AGRO PRODUCTS COMPANY	GLYPHOSATE IPA	TODD MAX 480 SL	480 g/L	SL	HERBICIDE	4	210-151-3257	09-Mar-25	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /ha	-	-	-
TOP AGRO PRODUCTS COMPANY	GLYPHOSATE IPA	TODD MAX 480 SL	480 g/L	SL	HERBICIDE	4	210-151-3257	09-Mar-25	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
TOP AGRO PRODUCTS COMPANY	GLYPHOSATE IPA	TODD MAX 480 SL	480 g/L	SL	HERBICIDE	4	210-151-3257	09-Mar-25	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
TOP AGRO PRODUCTS COMPANY	GLYPHOSATE IPA	TODD MAX 480 SL	480 g/L	SL	HERBICIDE	4	210-151-3257	09-Mar-25	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
TOP AGRO PRODUCTS COMPANY	GLYPHOSATE IPA	TODD MAX 480 SL	480 g/L	SL	HERBICIDE	4	210-151-3257	09-Mar-25	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/ha	-	-	-
TOP AGRO PRODUCTS COMPANY	GLYPHOSATE IPA	TODD MAX 480 SL	480 g/L	SL	HERBICIDE	4	210-151-3257	09-Mar-25	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
TOP AGRO PRODUCTS COMPANY	GLYPHOSATE IPA	TODD MAX 480 SL	480 g/L	SL	HERBICIDE	4	210-151-3257	09-Mar-25	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
TOP AGRO PRODUCTS COMPANY	GLYPHOSATE IPA	TODD MAX 480 SL	480 g/L	SL	HERBICIDE	4	210-151-3257	09-Mar-25	POST-EMERGENT	Non-crop	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
R & A AGROFARM PRODUCTS, INC.	METALDEHYDE	TODAS 6% PELLET	60 g/kg	P	MOLLUSCIDE	4	400-075-2439	04-Feb-22	CONTACT	Rice (Transplanted)	Golden apple snail	2-4 kg/ product per hectare	-	-	Do not enter treated field within 48 hours after application.
R & A AGROFARM PRODUCTS, INC.	METALDEHYDE	TODAS 6% PELLET	60 g/kg	P	MOLLUSCIDE	4	400-075-2439	04-Feb-22	CONTACT	Rice (Direct-Seeded)	Golden apple snail	4-8 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application.
R & A AGROFARM PRODUCTS, INC.	METALDEHYDE	TODAS 6% PELLET	60 g/kg	P	MOLLUSCIDE	4	400-075-2439	04-Feb-22	CONTACT	Potted and driftwood-attached plants such as	Bush, snails, giant african snail and slugs	1-2 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application.
R & A AGROFARM PRODUCTS, INC.	METALDEHYDE	TODAS 6% PELLET	60 g/kg	P	MOLLUSCIDE	4	400-075-2439	04-Feb-22	CONTACT	Crucifers (Chinese Cabbage)	Slugs, snails	6-8 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application.
R & A AGROFARM PRODUCTS, INC.	METALDEHYDE	TODAS 6% PELLET	60 g/kg	P	MOLLUSCIDE	4	400-075-2439	04-Feb-22	CONTACT	Strawberry	Slugs, snails	6-8 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application.
JEELS MASAGANA FARM SUPPLY, INC.	CLOTHIANIDIN	TOBU 200 SC	200 g/L	SC	INSECTICIDE	4	487-379-6021	7-Sep-25	-	Rice	Rice black bug	40-50 ml	-	-	-
EVERLAND AGRI CORPORATION	THIAMETHOAM	TMX 25 WG	250g/kg	WG	INSECTICIDE	4	261-312-4812	31-May-22	SYSTEMIC/CONTACT	Pineapple	Mealy bug	100-200 g/ha	0.01 mg/kg	No PHI proposed as last application of TMX 25 WG will be 456 days before harvest	Do not enter unless spray deposits have dried
EVERLAND AGRI CORPORATION	THIAMETHOAM	TMX 25 WG	250g/kg	WG	INSECTICIDE	4	261-312-4812	31-May-22	SYSTEMIC/CONTACT	Mango	Leafhopper	105.6-123.3g/ha	0.20 mg/kg	No PHI proposed as the product will be applied at least 20 to 40 days before harvest	Do not enter unless spray deposits have dried
EVERLAND AGRI CORPORATION	THIAMETHOAM	TMX 25 WG	250g/kg	WG	INSECTICIDE	4	261-312-4812	31-May-22	SYSTEMIC/CONTACT	Rice	Green leafhopper, brown planthopper, white backed planthopper, rice bug, black bug	4.0-5.0 Tbsp/16L water; For black bug 7.0-10.0 Tbsp/16L water	-	28 days	Do not enter unless spray deposits have dried
EVERLAND AGRI CORPORATION	THIAMETHOAM	TMX 25 WG	250g/kg	WG	INSECTICIDE	4	261-312-4812	31-May-22	SYSTEMIC/CONTACT	Stringbeans	Aphids, leafhopper	0.5-2.0 Drench, Foliar spray 2.0-5.0 Tbsp/16L water	-	7 days	Do not enter unless spray deposits have dried
EVERLAND AGRI CORPORATION	THIAMETHOAM	TMX 25 WG	250g/kg	WG	INSECTICIDE	4	261-312-4812	31-May-22	SYSTEMIC/CONTACT	Eggplant	Aphids, leafhopper	6.0-7.0 Drench, Foliar spray 2.0-5.0 Tbsp/16L water	-	3 days	Do not enter unless spray deposits have dried
EVERLAND AGRI CORPORATION	THIAMETHOAM	TMX 25 WG	250g/kg	WG	INSECTICIDE	4	261-312-4812	31-May-22	SYSTEMIC/CONTACT	Banana	Flower Thrips	4 g/L	0.02 mg/kg	No PHI proposed as TMX 25 WG will be applied as bud initiation	Do not enter unless spray deposits have dried
FMC AGRO PHILIPPINES INC.	FLUAZINAM	TOCA	500 g/L	-	FLUNICIDE	4	998-301-6003	23-Jan-26	-	Potato	Late blight	15ml-20 ml/ 16L water	-	14 days	-
FMC AGRO PHILIPPINES INC.	FLUAZINAM	TOCA	500 g/L	-	FLUNICIDE	4	998-301-6003	23-Jan-26	-	Onion	Purple blotch	15ml-20 ml/ 16L water	-	7 days	-
TITAN AGRICULTURAL PRODUCTS, INC.	GLUFOSINATE AMMONIUM	TITAN GLUFOSINATE AMMONIUM 15 SL	150 g/L	SL	HERBICIDE	4	572-182-3709	05-May-19	NON-SELECTIVE(POST-EMERGENT)	Rubber	Annual grasses, perennial grasses and broadleaf weeds	225ml/16 L water; 270ml/16 L water; 135ml/16 L water	-	-	-
TITAN AGRICULTURAL PRODUCTS, INC.	GLUFOSINATE AMMONIUM	TITAN GLUFOSINATE AMMONIUM 15 SL	150 g/L	SL	HERBICIDE	4	572-182-3709	05-May-19	NON-SELECTIVE(POST-EMERGENT)	Oil palm	Annual grasses, perennial grasses and broadleaf weeds	160ml/16 L water; 195ml/16 L water	-	-	-
TITAN AGRICULTURAL PRODUCTS, INC.	GLUFOSINATE AMMONIUM	TITAN GLUFOSINATE AMMONIUM 15 SL	150 g/L	SL	HERBICIDE	4	572-182-3709	05-May-19	NON-SELECTIVE(POST-EMERGENT)	Non-crop areas	Annual grasses, perennial grasses and broadleaf weeds	160-215ml/16 L water	-	-	-

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
TITAN AGRICULTURAL PRODUCTS, INC.	GLUFOSINATE AMMONIUM	TITAN GLUFOSINATE AMMONIUM 15 SL	150 g/L	SL	HERBICIDE	4	572-182-3709	05-May-19	NON-SELECTIVE/POST-EMERGENT	Coffee	Annual grasses, perennial grasses and broadleaf weeds	300ml/16L water, 150ml/16 L water			
TITAN AGRICULTURAL PRODUCTS, INC.	GLUFOSINATE AMMONIUM	TITAN GLUFOSINATE AMMONIUM 15 SL	150 g/L	SL	HERBICIDE	4	572-182-3709	05-May-19	NON-SELECTIVE/POST-EMERGENT	Citrus	Annual grasses, perennial grasses and broadleaf weeds	300ml/16 L water, 150ml/16 L water			
TITAN AGRICULTURAL PRODUCTS, INC.	GLUFOSINATE AMMONIUM	TITAN GLUFOSINATE AMMONIUM 15 SL	150 g/L	SL	HERBICIDE	4	572-182-3709	05-May-19	NON-SELECTIVE/POST-EMERGENT	Cavendish Banana	Annual grasses, perennial grasses and broadleaf weeds	300ml/16L water, 130-200ml/16 L water	0.2 mg/kg		
TITAN AGRICULTURAL PRODUCTS, INC.	GLUFOSINATE AMMONIUM	TITAN GLUFOSINATE AMMONIUM 15 SL	150 g/L	SL	HERBICIDE	4	572-182-3709	05-May-19	NON-SELECTIVE/POST-EMERGENT	Cacao	Annual grasses, perennial grasses and broadleaf weeds	300ml/16 L water, 150ml/16 L water			
NANDIN'S AGRO SALES INC.	CYPERMETHRIN	TRADOR 5 EC	50 g/L	EC	INSECTICIDE	4	453-037-2455	07-Aug-21	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposits dry.
NANDIN'S AGRO SALES INC.	CYPERMETHRIN	TRADOR 5 EC	50 g/L	EC	INSECTICIDE	4	453-037-2455	07-Aug-21	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leafhopper, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposits dry.
NANDIN'S AGRO SALES INC.	CYPERMETHRIN	TRADOR 5 EC	50 g/L	EC	INSECTICIDE	4	453-037-2455	07-Aug-21	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposits dry.
NANDIN'S AGRO SALES INC.	CYPERMETHRIN	TRADOR 5 EC	50 g/L	EC	INSECTICIDE	4	453-037-2455	07-Aug-21	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposits dry.
NANDIN'S AGRO SALES INC.	CYPERMETHRIN	TRADOR 5 EC	50 g/L	EC	INSECTICIDE	4	453-037-2455	07-Aug-21	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposits dry.
NANDIN'S AGRO SALES INC.	CYPERMETHRIN	TRADOR 5 EC	50 g/L	EC	INSECTICIDE	4	453-037-2455	07-Aug-21	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposits dry.
NANDIN'S AGRO SALES INC.	CYPERMETHRIN	TRADOR 5 EC	50 g/L	EC	INSECTICIDE	4	453-037-2455	07-Aug-21	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposits dry.
NANDIN'S AGRO SALES INC.	CYPERMETHRIN	TRADOR 5 EC	50 g/L	EC	INSECTICIDE	4	453-037-2455	07-Aug-21	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposits dry.
NANDIN'S AGRO SALES INC.	CYPERMETHRIN	TRADOR 5 EC	50 g/L	EC	INSECTICIDE	4	453-037-2455	07-Aug-21	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposits dry.
NANDIN'S AGRO SALES INC.	CYPERMETHRIN	TRADOR 5 EC	50 g/L	EC	INSECTICIDE	4	453-037-2455	07-Aug-21	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposits dry.
NANDIN'S AGRO SALES INC.	CYPERMETHRIN	TRADOR 5 EC	50 g/L	EC	INSECTICIDE	4	453-037-2455	07-Aug-21	CONTACT	Corn	Comborer, earworm	1.0-4.5 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposits dry.
VTL AGRO PRODUCTS INCORPORATED	BPiMC-CHLORPYRIFOS	TRADOR 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	463-174-2746	28-Dec-22		Rice	Stemborer, armyworm, leafhopper, cutworm and planthopper	2.5-3.5 Tbsp/16L water		Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying.
VTL AGRO PRODUCTS INCORPORATED	BPiMC-CHLORPYRIFOS	TRADOR 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	463-174-2746	28-Dec-22		Corn	Seedling maggot, corn earworm, cornborer and armyworm	2.5-3.5 Tbsp/16L water		Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying.
VTL AGRO PRODUCTS INCORPORATED	BPiMC-CHLORPYRIFOS	TRADOR 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	463-174-2746	28-Dec-22		Tobacco	Leafworm, grasshopper, aphid, cutworm and armyworm	2.5-3.5 Tbsp/16L water		Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying.
VTL AGRO PRODUCTS INCORPORATED	BPiMC-CHLORPYRIFOS	TRADOR 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	463-174-2746	28-Dec-22		Cucumber	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/16L water		Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying.
VTL AGRO PRODUCTS INCORPORATED	BPiMC-CHLORPYRIFOS	TRADOR 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	463-174-2746	28-Dec-22		Melon	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/16L water		Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying.
VTL AGRO PRODUCTS INCORPORATED	BPiMC-CHLORPYRIFOS	TRADOR 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	463-174-2746	28-Dec-22		Watermelon	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/16L water		Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying.
VTL AGRO PRODUCTS INCORPORATED	BPiMC-CHLORPYRIFOS	TRADOR 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	463-174-2746	28-Dec-22		Onion	Thrips, cutworm	2.5-3.5 Tbsp/16L water		Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying.
VTL AGRO PRODUCTS INCORPORATED	BPiMC-CHLORPYRIFOS	TRADOR 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	463-174-2746	28-Dec-22		Mungo	Beanfly, armyworm, cutworm, leafminer and leafhopper	2.5-3.5 Tbsp/16L water		Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying.
VTL AGRO PRODUCTS INCORPORATED	BPiMC-CHLORPYRIFOS	TRADOR 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	463-174-2746	28-Dec-22		Soybeans	Beanfly, armyworm, cutworm, leafminer and leafhopper	2.5-3.5 Tbsp/16L water		Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying.
VTL AGRO PRODUCTS INCORPORATED	BPiMC-CHLORPYRIFOS	TRADOR 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	463-174-2746	28-Dec-22		Beans	Beanfly, armyworm, cutworm, leafminer and leafhopper	2.5-3.5 Tbsp/16L water		Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying.
BERRIS AGRICULTURAL CO., INC.	THIOPHANATE METHYL	TRITOP 70 WP	700 g/kg	WP	FUNGICIDE	4	233-107-1827	27-Feb-27	SYSTEMIC	Rice	Blast, neck rot, black spot	1.5-2.0 Tbsp/16L Water	1.0ppm	Do not spray within 14 days before harvest	Do not enter the treated field within 2 days after spraying.
BERRIS AGRICULTURAL CO., INC.	THIOPHANATE METHYL	TRITOP 70 WP	700 g/kg	WP	FUNGICIDE	4	233-107-1827	27-Feb-27	SYSTEMIC	Mango	Anthraxnose	0.5-1.0 Tbsp/16L Water		Do not spray within 14 days before harvest	Do not enter the treated field within 2 days after spraying.
BERRIS AGRICULTURAL CO., INC.	THIOPHANATE METHYL	TRITOP 70 WP	700 g/kg	WP	FUNGICIDE	4	233-107-1827	27-Feb-27	SYSTEMIC	Tobacco	Frog eye leaf spot	0.5-1.0 Tbsp/16L Water		Do not spray within 14 days before harvest	Do not enter the treated field within 2 days after spraying.
BERRIS AGRICULTURAL CO., INC.	THIOPHANATE METHYL	TRITOP 70 WP	700 g/kg	WP	FUNGICIDE	4	233-107-1827	27-Feb-27	SYSTEMIC	Tomato	Powdery mildew	0.5-1.0 Tbsp/16L Water		Do not spray within 14 days before harvest	Do not enter the treated field within 2 days after spraying.
BERRIS AGRICULTURAL CO., INC.	THIOPHANATE METHYL	TRITOP 70 WP	700 g/kg	WP	FUNGICIDE	4	233-107-1827	27-Feb-27	SYSTEMIC	Legumes	Cercospora leaf spot, Anthracnose, botrytis leaf spot, fusarium wilt, powdery mildew	0.5-1.0 Tbsp/16L Water		Do not spray within 14 days before harvest	Do not enter the treated field within 2 days after spraying.
BERRIS AGRICULTURAL CO., INC.	THIOPHANATE METHYL	TRITOP 70 WP	700 g/kg	WP	FUNGICIDE	4	233-107-1827	27-Feb-27	SYSTEMIC	Beans	Cercospora leaf spot, Anthracnose, botrytis leaf spot, fusarium wilt, powdery mildew	0.5-1.0 Tbsp/16L Water		Do not spray within 14 days before harvest	Do not enter the treated field within 2 days after spraying.
BERRIS AGRICULTURAL CO., INC.	THIOPHANATE METHYL	TRITOP 70 WP	700 g/kg	WP	FUNGICIDE	4	233-107-1827	27-Feb-27	SYSTEMIC	Cucumber	Powdery mildew, Gummy Stem blight, leaf and fruit spots	0.5-1.0 Tbsp/16L Water		Do not spray within 14 days before harvest	Do not enter the treated field within 2 days after spraying.
BERRIS AGRICULTURAL CO., INC.	THIOPHANATE METHYL	TRITOP 70 WP	700 g/kg	WP	FUNGICIDE	4	233-107-1827	27-Feb-27	SYSTEMIC	Melon	Powdery mildew, Gummy Stem blight, leaf and fruit spots	0.5-1.0 Tbsp/16L Water		Do not spray within 14 days before harvest	Do not enter the treated field within 2 days after spraying.
BERRIS AGRICULTURAL CO., INC.	THIOPHANATE METHYL	TRITOP 70 WP	700 g/kg	WP	FUNGICIDE	4	233-107-1827	27-Feb-27	SYSTEMIC	Ornamentals	Powdery mildew, black spots	0.5-1.0 Tbsp/16L Water		Do not spray within 14 days before harvest	Do not enter the treated field within 2 days after spraying.
BERRIS AGRICULTURAL CO., INC.	THIOPHANATE METHYL	TRITOP 70 WP	700 g/kg	WP	FUNGICIDE	4	233-107-1827	27-Feb-27	SYSTEMIC	Orchids	Powdery mildew, black spots	0.5-1.0 Tbsp/16L Water		Do not spray within 14 days before harvest	Do not enter the treated field within 2 days after spraying.
BERRIS AGRICULTURAL CO., INC.	THIOPHANATE METHYL	TRITOP 70 WP	700 g/kg	WP	FUNGICIDE	4	233-107-1827	27-Feb-27	SYSTEMIC	Cabbage	Shot hole disease, cercospora leaf spot	0.5-1.0 Tbsp/16L Water		Do not spray within 14 days before harvest	Do not enter the treated field within 2 days after spraying.
BERRIS AGRICULTURAL CO., INC.	THIOPHANATE METHYL	TRITOP 70 WP	700 g/kg	WP	FUNGICIDE	4	233-107-1827	27-Feb-27	SYSTEMIC	Cauliflower	Shot hole disease, cercospora leaf spot	0.5-1.0 Tbsp/16L Water		Do not spray within 14 days before harvest	Do not enter the treated field within 2 days after spraying.
BERRIS AGRICULTURAL CO., INC.	THIOPHANATE METHYL	TRITOP 70 WP	700 g/kg	WP	FUNGICIDE	4	233-107-1827	27-Feb-27	SYSTEMIC	Lettuce	Shot hole disease, cercospora leaf spot	0.5-1.0 Tbsp/16L Water		Do not spray within 14 days before harvest	Do not enter the treated field within 2 days after spraying.
BERRIS AGRICULTURAL CO., INC.	THIOPHANATE METHYL	TRITOP 70 WP	700 g/kg	WP	FUNGICIDE	4	233-107-1827	27-Feb-27	SYSTEMIC	Strawberry	Powdery mildew	0.5-1.0 Tbsp/16L Water		Do not spray within 14 days before harvest	Do not enter the treated field within 2 days after spraying.
BERRIS AGRICULTURAL CO., INC.	THIOPHANATE METHYL	TRITOP 70 WP	700 g/kg	WP	FUNGICIDE	4	233-107-1827	27-Feb-27	SYSTEMIC	Grapes	Fruit rot, Powdery mildew, anthracnose	0.5-1.0 Tbsp/16L Water		Do not spray within 14 days before harvest	Do not enter the treated field within 2 days after spraying.
BERRIS AGRICULTURAL CO., INC.	THIOPHANATE METHYL	TRITOP 70 WP	700 g/kg	WP	FUNGICIDE	4	233-107-1827	27-Feb-27	SYSTEMIC	Orange	Scabs	0.5-1.0 Tbsp/16L Water		Do not spray within 14 days before harvest	Do not enter the treated field within 2 days after spraying.
BERRIS AGRICULTURAL CO., INC.	THIOPHANATE METHYL	TRITOP 70 WP	700 g/kg	WP	FUNGICIDE	4	233-107-1827	27-Feb-27	SYSTEMIC	Citrus	Scabs	0.5-1.0 Tbsp/16L Water		Do not spray within 14 days before harvest	Do not enter the treated field within 2 days after spraying.
BERRIS AGRICULTURAL CO., INC.	THIOPHANATE METHYL	TRITOP 70 WP	700 g/kg	WP	FUNGICIDE	4	233-107-1827	27-Feb-27	SYSTEMIC	Calamansi	Scabs	0.5-1.0 Tbsp/16L Water		Do not spray within 14 days before harvest	Do not enter the treated field within 2 days after spraying.
BERRIS AGRICULTURAL CO., INC.	THIOPHANATE METHYL	TRITOP 70 WP	700 g/kg	WP	FUNGICIDE	4	233-107-1827	27-Feb-27	SYSTEMIC	Banana	Sigatoka disease	1.5-2.0 Tbsp/16L Water		Do not spray within 14 days before harvest	Do not enter the treated field within 2 days after spraying.
BERRIS AGRICULTURAL CO., INC.	THIOPHANATE METHYL	TRITOP 70 WP	700 g/kg	WP	FUNGICIDE	4	233-107-1827	27-Feb-27	SYSTEMIC	Papaya	Powdery mildew	0.5-1.0 Tbsp/16L Water		Do not spray within 14 days before harvest	Do not enter the treated field within 2 days after spraying.
SYNGENTA PHILIPPINES INC.	PROPICONAZOLE	TLT 250 EC	250 g/kg	EC	FUNGICIDE	3	011-178-0372	08-Apr-24	SYSTEMIC	Banana	Black sigatoka leaf streak	400ml/ha		0 day	Do not enter treated fields until spray has completely dried
SYNGENTA PHILIPPINES INC.	PROPICONAZOLE	TLT 250 EC	250 g/kg	EC	FUNGICIDE	3	011-178-0372	08-Apr-24	SYSTEMIC	Pineapple	Butt rot	8ml / 500L		no PHI as the product is applied as seed piece dip before planting	Do not enter treated fields until spray has completely dried
EZERTech CORPORATION	THIOPHANATE METHYL	TEMPO 70 WP	700 g/kg	WP	FUNGICIDE	4	648-107-6091-A	25-Mar-24	SYSTEMIC	Rice	Rice blast, neck rot, black spot	1.5-2.0 tbsp/ 16L		Do not spray 14 days before harvest	Do not enter the field within 2 days after spraying
EZERTech CORPORATION	THIOPHANATE METHYL	TEMPO 70 WP	700 g/kg	WP	FUNGICIDE	4	648-107-6091-A	25-Mar-24	SYSTEMIC	Banana	Sigatoka disease	1.5-2.0 tbsp/ 16L		Do not spray 14 days before harvest	Do not enter the field within 2 days after spraying
EZERTech CORPORATION	THIOPHANATE METHYL	TEMPO 70 WP	700 g/kg	WP	FUNGICIDE	4	648-107-6091-A	25-Mar-24	SYSTEMIC	Papaya	Powdery mildew	0.5-1.0 tbsp/ 16L		Do not spray 14 days before harvest	Do not enter the field within 2 days after spraying
EZERTech CORPORATION	THIOPHANATE METHYL	TEMPO 70 WP	700 g/kg	WP	FUNGICIDE	4	648-107-6091-A	25-Mar-24	SYSTEMIC	Mango	Anthraxnose	0.5-1.0 tbsp/ 16L		Do not spray 14 days before harvest	Do not enter the field within 2 days after spraying
EZERTech CORPORATION	THIOPHANATE METHYL	TEMPO 70 WP	700 g/kg	WP	FUNGICIDE	4	648-107-6091-A	25-Mar-24	SYSTEMIC	Orange	Scabs	0.5-1.0 tbsp/ 16L		Do not spray 14 days before harvest	Do not enter the field within 2 days after spraying
EZERTech CORPORATION	THIOPHANATE METHYL	TEMPO 70 WP	700 g/kg	WP	FUNGICIDE	4	648-107-6091-A	25-Mar-24	SYSTEMIC	Citrus	Scabs	0.5-1.0 tbsp/ 16L		Do not spray 14 days before harvest	Do not enter the field within 2 days after spraying
EZERTech CORPORATION	THIOPHANATE METHYL	TEMPO 70 WP	700 g/kg	WP	FUNGICIDE	4	648-107-6091-A	25-Mar-24	SYSTEMIC	Calamansi	Scabs	0.5-1.0 tbsp/ 16L		Do not spray 14 days before harvest	Do not enter the field within 2 days after spraying
EZERTech CORPORATION	THIOPHANATE METHYL	TEMPO 70 WP	700 g/kg	WP	FUNGICIDE	4	648-107-6091-A	25-Mar-24	SYSTEMIC	Tobacco	Frog eye leaf spot	0.5-1.0 tbsp/ 16L		Do not spray 14 days before harvest	Do not enter the field within 2 days after spraying
EZERTech CORPORATION	THIOPHANATE METHYL	TEMPO 70 WP	700 g/kg	WP	FUNGICIDE	4	648-107-6091-A	25-Mar-24	SYSTEMIC	Tomato	Powdery mildew	0.5-1.0 tbsp/ 16L		Do not spray 14 days before harvest	Do not enter the field within 2 days after spraying

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
EZERTECH CORPORATION	THIOPHANATE METHYL	TEMPO 70 WP	700 g/kg	WP	FUNGICIDE	4	648-107-6091-A	25-Mar-24	SYSTEMIC	beans	Powdery mildew, cercospora leaf spot, anthracnose, botrytis rot, fusarium wilt	0.5-1.0 tbsp/ 16L	-	Do not spray 14 days before harvest	Do not enter the field within 2 days after spraying
EZERTECH CORPORATION	THIOPHANATE METHYL	TEMPO 70 WP	700 g/kg	WP	FUNGICIDE	4	648-107-6091-A	25-Mar-24	SYSTEMIC	legumes	Powdery mildew, cercospora leaf spot, anthracnose, botrytis rot, fusarium wilt	0.5-1.0 tbsp/ 16L	-	Do not spray 14 days before harvest	Do not enter the field within 2 days after spraying
EZERTECH CORPORATION	THIOPHANATE METHYL	TEMPO 70 WP	700 g/kg	WP	FUNGICIDE	4	648-107-6091-A	25-Mar-24	SYSTEMIC	Cucumber	Powdery mildew, gummy stem blight, leaf and fruit spots	0.5-1.0 tbsp/ 16L	-	Do not spray 14 days before harvest	Do not enter the field within 2 days after spraying
EZERTECH CORPORATION	THIOPHANATE METHYL	TEMPO 70 WP	700 g/kg	WP	FUNGICIDE	4	648-107-6091-A	25-Mar-24	SYSTEMIC	Melon	Powdery mildew, gummy stem blight, leaf and fruit spots	0.5-1.0 tbsp/ 16L	-	Do not spray 14 days before harvest	Do not enter the field within 2 days after spraying
EZERTECH CORPORATION	THIOPHANATE METHYL	TEMPO 70 WP	700 g/kg	WP	FUNGICIDE	4	648-107-6091-A	25-Mar-24	SYSTEMIC	Cabbage	Shot hole disease, cercospora leaf spot	0.5-1.0 tbsp/ 16L	-	Do not spray 14 days before harvest	Do not enter the field within 2 days after spraying
EZERTECH CORPORATION	THIOPHANATE METHYL	TEMPO 70 WP	700 g/kg	WP	FUNGICIDE	4	648-107-6091-A	25-Mar-24	SYSTEMIC	Cauliflower	Shot hole disease, cercospora leaf spot	0.5-1.0 tbsp/ 16L	-	Do not spray 14 days before harvest	Do not enter the field within 2 days after spraying
EZERTECH CORPORATION	THIOPHANATE METHYL	TEMPO 70 WP	700 g/kg	WP	FUNGICIDE	4	648-107-6091-A	25-Mar-24	SYSTEMIC	Lettuce	Shot hole disease, cercospora leaf spot	0.5-1.0 tbsp/ 16L	-	Do not spray 14 days before harvest	Do not enter the field within 2 days after spraying
EZERTECH CORPORATION	THIOPHANATE METHYL	TEMPO 70 WP	700 g/kg	WP	FUNGICIDE	4	648-107-6091-A	25-Mar-24	SYSTEMIC	Strawberry	Powdery mildew	0.5-1.0 tbsp/ 16L	-	Do not spray 14 days before harvest	Do not enter the field within 2 days after spraying
EZERTECH CORPORATION	THIOPHANATE METHYL	TEMPO 70 WP	700 g/kg	WP	FUNGICIDE	4	648-107-6091-A	25-Mar-24	SYSTEMIC	Grapes	Fruit rot, powdery mildew, anthracnose	0.5-1.0 tbsp/ 16L	-	Do not spray 14 days before harvest	Do not enter the field within 2 days after spraying
EZERTECH CORPORATION	THIOPHANATE METHYL	TEMPO 70 WP	700 g/kg	WP	FUNGICIDE	4	648-107-6091-A	25-Mar-24	SYSTEMIC	Orchids	Powdery mildew, black spot	0.5-1.0 tbsp/ 16L	-	Do not spray 14 days before harvest	Do not enter the field within 2 days after spraying
EZERTECH CORPORATION	THIOPHANATE METHYL	TEMPO 70 WP	700 g/kg	WP	FUNGICIDE	4	648-107-6091-A	25-Mar-24	SYSTEMIC	Ornamentals	Powdery mildew, black spot	0.5-1.0 tbsp/ 16L	-	Do not spray 14 days before harvest	Do not enter the field within 2 days after spraying
AGCHEM MANUFACTURING CORPORATION	CARTAP HYDROCHLORIDE	THUNDER 50 SP	500 g/kg	SP	INSECTICIDE	3	001-106-1345	26-May-24	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.0-5.0 tbsp/ 16L water	0.2ppm	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
AGCHEM MANUFACTURING CORPORATION	CARTAP HYDROCHLORIDE	THUNDER 50 SP	500 g/kg	SP	INSECTICIDE	3	001-106-1345	26-May-24	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0 tbsp/ 16L water	-	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
AGCHEM MANUFACTURING CORPORATION	CARTAP HYDROCHLORIDE	THUNDER 50 SP	500 g/kg	SP	INSECTICIDE	3	001-106-1345	26-May-24	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0 tbsp/ 16L water	-	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
AGCHEM MANUFACTURING CORPORATION	CARTAP HYDROCHLORIDE	THUNDER 50 SP	500 g/kg	SP	INSECTICIDE	3	001-106-1345	26-May-24	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0 tbsp/ 16L water	-	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
AGCHEM MANUFACTURING CORPORATION	CARTAP HYDROCHLORIDE	THUNDER 50 SP	500 g/kg	SP	INSECTICIDE	3	001-106-1345	26-May-24	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0 tbsp/ 16L water	-	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
AGCHEM MANUFACTURING CORPORATION	CARTAP HYDROCHLORIDE	THUNDER 50 SP	500 g/kg	SP	INSECTICIDE	3	001-106-1345	26-May-24	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0 tbsp/ 16L water	-	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
AGCHEM MANUFACTURING CORPORATION	CARTAP HYDROCHLORIDE	THUNDER 50 SP	500 g/kg	SP	INSECTICIDE	3	001-106-1345	26-May-24	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0 tbsp/ 16L water	-	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
AGCHEM MANUFACTURING CORPORATION	CARTAP HYDROCHLORIDE	THUNDER 50 SP	500 g/kg	SP	INSECTICIDE	3	001-106-1345	26-May-24	SYSTEMIC	Mango	leafhoppers	1.5-2.0 tbsp/ 16L water	-	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
AGCHEM MANUFACTURING CORPORATION	CARTAP HYDROCHLORIDE	THUNDER 50 SP	500 g/kg	SP	INSECTICIDE	3	001-106-1345	26-May-24	SYSTEMIC	Pechay	looper, cutworm, aphids	1.5-3.0 tbsp/ 16L water	-	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
SINOCHEM CROP PROTECTION (PHILS.) INC.	METALDEHYDE	THUMP 6 GR	60 g/kg	P	MOLLUSCICIDE	4	011-075-3993	07-Mar-26	CONTACT	Rice (Transplanted)	Golden apple snail	2-4 kg/ product per hectare	-	-	Do not enter treated field within 48 hours after application
SINOCHEM CROP PROTECTION (PHILS.) INC.	METALDEHYDE	THUMP 6 GR	60 g/kg	P	MOLLUSCICIDE	4	011-075-3993	07-Mar-26	CONTACT	Rice (Direct Seeded)	Golden apple snail	4-8 kg/ product per hectare	-	-	Do not enter treated field within 48 hours after application
SINOCHEM CROP PROTECTION (PHILS.) INC.	METALDEHYDE	THUMP 6 GR	60 g/kg	P	MOLLUSCICIDE	4	011-075-3993	07-Mar-26	CONTACT	Potted and driftwood-attached plants such as	Bush, snails, giant african snail and slugs	1-2 kg/ product per hectare	-	-	Do not enter treated field within 48 hours after application
SINOCHEM CROP PROTECTION (PHILS.) INC.	METALDEHYDE	THUMP 6 GR	60 g/kg	P	MOLLUSCICIDE	4	011-075-3993	07-Mar-26	CONTACT	Chinese Cabbage	Slug, snails	6-8 kg/ product per hectare	-	-	Do not enter treated field within 48 hours after application
SINOCHEM CROP PROTECTION (PHILS.) INC.	METALDEHYDE	THUMP 6 GR	60 g/kg	P	MOLLUSCICIDE	4	011-075-3993	07-Mar-26	CONTACT	Strawberry	Slug, snails	6-8 kg/ product per hectare	-	-	Do not enter treated field within 48 hours after application
SYNGENTA PHILIPPINES INC.	METALDEHYDE	THUMP 6 GR	60 g/kg	P	MOLLUSCICIDE	4	011-075-3993	07-Mar-26	-	Rice (Transplanted)	Golden apple snail	2-4 kg/ product per hectare	-	-	-
SYNGENTA PHILIPPINES INC.	METALDEHYDE	THUMP 6 GR	60 g/kg	P	MOLLUSCICIDE	4	011-075-3993	07-Mar-26	-	Rice (Direct Seeded)	Golden apple snail	4-8 kg/ product per hectare	-	-	-
SYNGENTA PHILIPPINES INC.	METALDEHYDE	THUMP 6 GR	60 g/kg	P	MOLLUSCICIDE	4	011-075-3993	07-Mar-26	-	Potted and driftwood-attached plants such as	Bush, snails, giant african snail and slugs	1-2 kg/ product per hectare	-	-	-
SYNGENTA PHILIPPINES INC.	METALDEHYDE	THUMP 6 GR	60 g/kg	P	MOLLUSCICIDE	4	011-075-3993	07-Mar-26	-	Chinese Cabbage	Slug, snails	6-8 kg/ product per hectare	-	-	-
SYNGENTA PHILIPPINES INC.	METALDEHYDE	THUMP 6 GR	60 g/kg	P	MOLLUSCICIDE	4	011-075-3993	07-Mar-26	-	Strawberry	Slug, snails	6-8 kg/ product per hectare	-	-	-
SYNGENTA PHILIPPINES INC.	METALDEHYDE	THUMP 6 GR	60 g/kg	P	MOLLUSCICIDE	4	011-075-3993	07-Mar-26	-	Rice (Transplanted)	Golden apple snail	2-4 kg/ product per hectare	-	-	-
SYNGENTA PHILIPPINES INC.	METALDEHYDE	THUMP 6 GR	60 g/kg	P	MOLLUSCICIDE	4	011-075-3993	07-Mar-26	-	Rice (Direct Seeded)	Golden apple snail	4-8 kg/ product per hectare	-	-	-
SYNGENTA PHILIPPINES INC.	METALDEHYDE	THUMP 6 GR	60 g/kg	P	MOLLUSCICIDE	4	011-075-3993	07-Mar-26	-	Potted and driftwood-attached plants such as	Bush, snails, giant african snail and slugs	1-2 kg/ product per hectare	-	-	-
SYNGENTA PHILIPPINES INC.	METALDEHYDE	THUMP 6 GR	60 g/kg	P	MOLLUSCICIDE	4	011-075-3993	07-Mar-26	-	Chinese Cabbage	Slug, snails	6-8 kg/ product per hectare	-	-	-
SYNGENTA PHILIPPINES INC.	METALDEHYDE	THUMP 6 GR	60 g/kg	P	MOLLUSCICIDE	4	011-075-3993	07-Mar-26	-	Strawberry	Slug, snails	6-8 kg/ product per hectare	-	-	-
PLANTMEDS AGRISOLUTIONS CORP.	METHOMYL	THROWN OUT 40 SP	400 g/kg	SP	INSECTICIDE	2	683-164-5491	25-Nov-26	CONTACT	Asparagus	Armyworm, cutworm	1 Sachet/ 16L Sprayer	-	-	-
PLANTMEDS AGRISOLUTIONS CORP.	METHOMYL	THROWN OUT 40 SP	400 g/kg	SP	INSECTICIDE	2	683-164-5491	25-Nov-26	CONTACT	Banana	Thrips	1.5-2 Sachet/ 16L Sprayer	-	-	-
PLANTMEDS AGRISOLUTIONS CORP.	METHOMYL	THROWN OUT 40 SP	400 g/kg	SP	INSECTICIDE	2	683-164-5491	25-Nov-26	CONTACT	beans	Leafroller, flea beetle , beanfly, podborer,aphids	2-3.5 Tbsp/ 16L sprayer	-	-	-
PLANTMEDS AGRISOLUTIONS CORP.	METHOMYL	THROWN OUT 40 SP	400 g/kg	SP	INSECTICIDE	2	683-164-5491	25-Nov-26	CONTACT	Mungbeans	Leafroller, flea beetle , beanfly, podborer,aphids	2-3.5 Tbsp/ 16L sprayer	-	-	-
PLANTMEDS AGRISOLUTIONS CORP.	METHOMYL	THROWN OUT 40 SP	400 g/kg	SP	INSECTICIDE	2	683-164-5491	25-Nov-26	CONTACT	Soybeans	Leafroller, flea beetle , beanfly, podborer,aphids	2-3.5 Tbsp/ 16 L sprayer	-	-	-
PLANTMEDS AGRISOLUTIONS CORP.	METHOMYL	THROWN OUT 40 SP	400 g/kg	SP	INSECTICIDE	2	683-164-5491	25-Nov-26	CONTACT	Sitao	Leafroller, flea beetle , beanfly, podborer,aphids	2-3.5 Tbsp/ 16 L sprayer	-	-	-
PLANTMEDS AGRISOLUTIONS CORP.	METHOMYL	THROWN OUT 40 SP	400 g/kg	SP	INSECTICIDE	2	683-164-5491	25-Nov-26	CONTACT	corn	Comborer, earworm	2-3.5 Tbsp/ 16L L sprayer	-	-	-
PLANTMEDS AGRISOLUTIONS CORP.	METHOMYL	THROWN OUT 40 SP	400 g/kg	SP	INSECTICIDE	2	683-164-5491	25-Nov-26	CONTACT	Eggplant	Aphids, flea beetle , fruitworm, lady beetle	2-3.5 Tbsp/ 16L sprayer	-	-	-
PLANTMEDS AGRISOLUTIONS CORP.	METHOMYL	THROWN OUT 40 SP	400 g/kg	SP	INSECTICIDE	2	683-164-5491	25-Nov-26	CONTACT	Melon	Aphids, Squash beetle , leafroller	2-3.5 Tbsp/ 16 L sprayer	-	-	-
PLANTMEDS AGRISOLUTIONS CORP.	METHOMYL	THROWN OUT 40 SP	400 g/kg	SP	INSECTICIDE	2	683-164-5491	25-Nov-26	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leafroller	2-3.5 Tbsp/ 16L sprayer	-	-	-
PLANTMEDS AGRISOLUTIONS CORP.	METHOMYL	THROWN OUT 40 SP	400 g/kg	SP	INSECTICIDE	2	683-164-5491	25-Nov-26	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	2-3.5 Tbsp/ 16 L sprayer	-	-	-
PLANTMEDS AGRISOLUTIONS CORP.	METHOMYL	THROWN OUT 40 SP	400 g/kg	SP	INSECTICIDE	2	683-164-5491	25-Nov-26	CONTACT	Tomato	Tomato fruitworm, aphids	2-3.5 Tbsp/ 16 L sprayer	-	-	-
JOEPAAS AGRICHEM CORPORATION	GLYPHOSATE IPA	THROWER 480 SL	480 g/L	SL	HERBICIDE	4	538-151-3572	05-Oct-24	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/ha	-	-	-
JOEPAAS AGRICHEM CORPORATION	GLYPHOSATE IPA	THROWER 480 SL	480 g/L	SL	HERBICIDE	4	538-151-3572	05-Oct-24	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
JOEPAAS AGRICHEM CORPORATION	GLYPHOSATE IPA	THROWER 480 SL	480 g/L	SL	HERBICIDE	4	538-151-3572	05-Oct-24	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
JOEPAAS AGRICHEM CORPORATION	GLYPHOSATE IPA	THROWER 480 SL	480 g/L	SL	HERBICIDE	4	538-151-3572	05-Oct-24	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
JOEPAAS AGRICHEM CORPORATION	GLYPHOSATE IPA	THROWER 480 SL	480 g/L	SL	HERBICIDE	4	538-151-3572	05-Oct-24	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
JOEPAAS AGRICHEM CORPORATION	GLYPHOSATE IPA	THROWER 480 SL	480 g/L	SL	HERBICIDE	4	538-151-3572	05-Oct-24	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
JOEPAAS AGRICHEM CORPORATION	GLYPHOSATE IPA	THROWER 480 SL	480 g/L	SL	HERBICIDE	4	538-151-3572	05-Oct-24	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
JOEPAAS AGRICHEM CORPORATION	GLYPHOSATE IPA	THROWER 480 SL	480 g/L	SL	HERBICIDE	4	538-151-3572	05-Oct-24	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
JOEPAAS AGRICHEM CORPORATION	GLYPHOSATE IPA	THROWER 480 SL	480 g/L	SL	HERBICIDE	4	538-151-3572	05-Oct-24	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/ha	-	-	-

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
JOEPABS AGRICHEM CORPORATION	GLYPHOSATE IPA	THROWER 480 SL	480 g/L	SL	HERBICIDE	4	538-151-3572	05-Oct-24	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liter/ha			
JOEPABS AGRICHEM CORPORATION	GLYPHOSATE IPA	THROWER 480 SL	480 g/L	SL	HERBICIDE	4	538-151-3572	05-Oct-24	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liter/ha			
JOEPABS AGRICHEM CORPORATION	GLYPHOSATE IPA	THROWER 480 SL	480 g/L	SL	HERBICIDE	4	538-151-3572	05-Oct-24	POST-EMERGENT	non-crop	Annual & perennial grasses, broadleaf weeds & sedges				
RAINBOW AGROSCIENCES PHILIPPINES INC.	CHLORFENAPYR	THROTADEN 240 SC	240 g/L	SC	INSECTICIDE	3	539-283-6391 (038)	18-Dec-26		Banana	Flower thrips	8.30-12.50 mL / L			
RAINBOW AGROSCIENCES PHILIPPINES INC.	CHLORFENAPYR	THROTADEN 240 SC	240 g/L	SC	INSECTICIDE	3	539-283-6391 (038)	18-Dec-26		Cabbage	Diamondback moth, aphids, and cabbage moth	6.30-12.50 mL / 36L water			
RAINBOW AGROSCIENCES PHILIPPINES INC.	CHLORFENAPYR	THROTADEN 240 SC	240 g/L	SC	INSECTICIDE	3	539-283-6391 (038)	18-Dec-26		Potato	Thrips	2.30-6.30 mL / 36L water			
AGWAY CHEMICALS CORPORATION	FORMETANATE HCl	THRIPSHELD 20 SP	200 g/Kg	SP	INSECTICIDE	2	075-213-4071	29-Aug-26		Watermelon	Thrips, Mites	40-80 g / 36 L water		7 days	1 day or when spray droplets have dried up
AGWAY CHEMICALS CORPORATION	FORMETANATE HCl	THRIPSHELD 20 SP	200 g/Kg	SP	INSECTICIDE	2	075-213-4071	29-Aug-26		Melon	Thrips, Mites	40-80 g / 36 L water		7 days	1 day or when spray droplets have dried up
AGWAY CHEMICALS CORPORATION	FORMETANATE HCl	THRIPSHELD 20 SP	200 g/Kg	SP	INSECTICIDE	2	075-213-4071	29-Aug-26		Cucumber	Thrips, Mites	40-80 g / 36 L water		7 days	1 day or when spray droplets have dried up
AGWAY CHEMICALS CORPORATION	FORMETANATE HCl	THRIPSHELD 20 SP	200 g/Kg	SP	INSECTICIDE	2	075-213-4071	29-Aug-26		Squash	Thrips, Mites	40-80 g / 36 L water		7 days	1 day or when spray droplets have dried up
AGWAY CHEMICALS CORPORATION	FORMETANATE HCl	THRIPSHELD 20 SP	200 g/Kg	SP	INSECTICIDE	2	075-213-4071	29-Aug-26		Soybeans & other beans	Thrips, Aphids, Mites, Flea Beetle	40-80 g / 36 L water		7 days	1 day or when spray droplets have dried up
AGWAY CHEMICALS CORPORATION	FORMETANATE HCl	THRIPSHELD 20 SP	200 g/Kg	SP	INSECTICIDE	2	075-213-4071	29-Aug-26		Tobacco	Aphids, Budworm	40-80 g / 36 L water		7 days	1 day or when spray droplets have dried up
AGWAY CHEMICALS CORPORATION	FORMETANATE HCl	THRIPSHELD 20 SP	200 g/Kg	SP	INSECTICIDE	2	075-213-4071	29-Aug-26		White potato	Thrips	40-80 g / 36 L water		7 days	1 day or when spray droplets have dried up
AGWAY CHEMICALS CORPORATION	FORMETANATE HCl	THRIPSHELD 20 SP	200 g/Kg	SP	INSECTICIDE	2	075-213-4071	29-Aug-26		Tomato	Fruitworm	40-80 g / 36 L water		7 days	1 day or when spray droplets have dried up
AGWAY CHEMICALS CORPORATION	FORMETANATE HCl	THRIPSHELD 20 SP	200 g/Kg	SP	INSECTICIDE	2	075-213-4071	29-Aug-26		Mango	Thrips, capsid bugs, leafhoppers	40-80 g / 36 L water	0.03 ppm	7 days	1 day or when spray droplets have dried up
AGWAY CHEMICALS CORPORATION	FORMETANATE HCl	THRIPSHELD 20 SP	200 g/Kg	SP	INSECTICIDE	2	075-213-4071	29-Aug-26		Banana	Flower thrips	3-5 g product / 36 L water (inject 60-80mL/fruit)	0.03 ppm	7 days	1 day or when spray droplets have dried up
GREEN DRAGON RESOURCES CORPORATION	CYPERMETHRIN	THOR 5 EC	50g/L	EC	INSECTICIDE	4	652-037-4864	17-Mar-20	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp / 36 L water		7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
GREEN DRAGON RESOURCES CORPORATION	CYPERMETHRIN	THOR 5 EC	50g/L	EC	INSECTICIDE	4	652-037-4864	17-Mar-20	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leafroller, stem borer, armyworm, rice bug	1.0-3.0 Tbsp / 36 L water		7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
GREEN DRAGON RESOURCES CORPORATION	CYPERMETHRIN	THOR 5 EC	50g/L	EC	INSECTICIDE	4	652-037-4864	17-Mar-20	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp / 36 L water		7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
GREEN DRAGON RESOURCES CORPORATION	CYPERMETHRIN	THOR 5 EC	50g/L	EC	INSECTICIDE	4	652-037-4864	17-Mar-20	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp / 36 L water		7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
GREEN DRAGON RESOURCES CORPORATION	CYPERMETHRIN	THOR 5 EC	50g/L	EC	INSECTICIDE	4	652-037-4864	17-Mar-20	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp / 36 L water		7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
GREEN DRAGON RESOURCES CORPORATION	CYPERMETHRIN	THOR 5 EC	50g/L	EC	INSECTICIDE	4	652-037-4864	17-Mar-20	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp / 36 L water		7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
GREEN DRAGON RESOURCES CORPORATION	CYPERMETHRIN	THOR 5 EC	50g/L	EC	INSECTICIDE	4	652-037-4864	17-Mar-20	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp / 36 L water		7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
GREEN DRAGON RESOURCES CORPORATION	CYPERMETHRIN	THOR 5 EC	50g/L	EC	INSECTICIDE	4	652-037-4864	17-Mar-20	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp / 36 L water		7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
GREEN DRAGON RESOURCES CORPORATION	CYPERMETHRIN	THOR 5 EC	50g/L	EC	INSECTICIDE	4	652-037-4864	17-Mar-20	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp / 36 L water		7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
GREEN DRAGON RESOURCES CORPORATION	CYPERMETHRIN	THOR 5 EC	50g/L	EC	INSECTICIDE	4	652-037-4864	17-Mar-20	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp / 36 L water		7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
GREEN DRAGON RESOURCES CORPORATION	CYPERMETHRIN	THOR 5 EC	50g/L	EC	INSECTICIDE	4	652-037-4864	17-Mar-20	CONTACT	Corn	Comborer, earworm	1.0-4.5 Tbsp / 36 L water		7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
INTERNATIONAL VETERINARY & AGROCHEMICAL (I.V.A.), INC.	THIRAM	THIRAMAX 480 SC	480g/L	SC	FUNGICIDE	3	088-337-4569	21-Nov-24	-	Cavendish Banana	Black Sigatoka	2.5 L/ha			Do not apply to fruits or vegetables later 34-21 days before harvest
PHILAGROW INC.	THIRAM	THIRAM 80 WG	800 g/Kg	WG	FUNGICIDE	3	372-337-1876	21-Apr-24	-	Banana	Black sigatoka & freckle				
PHILAGROW INC.	THIRAM	THIRAM 80 WG	800 g/Kg	WG	FUNGICIDE	3	372-337-1876	21-Apr-21	-	Pineapple	Phytophthora heart rot & fruit rot				
PHILAGROW INC.	THIRAM	THIRAM 80 WG	800 g/Kg	WG	FUNGICIDE	3	372-337-1876	21-Apr-24	-	Celery	Leafspot & blight				
PHILAGROW INC.	THIRAM	THIRAM 80 WG	800 g/Kg	WG	FUNGICIDE	3	372-337-1876	21-Apr-24	-	Mango	Scab & anthracnose				
RADISSON AGROCHEMICAL CORPORATION	THIOPHANATE METHYL	THIO-MET 70 WP	700 g/Kg	WP	FUNGICIDE	4	234-107-1821	24-Feb-24	SYSTEMIC	Rice	Blast, neck rot, black spot	1.5-2.0 Tbsp / 36L Water	1.0ppm	Do not spray within fourteen (14) days of harvest	Do not enter the field within five (5) days after spraying
RADISSON AGROCHEMICAL CORPORATION	THIOPHANATE METHYL	THIO-MET 70 WP	700 g/Kg	WP	FUNGICIDE	4	234-107-1821	24-Feb-24	SYSTEMIC	Mango	Anthracoise	0.5-1.0 Tbsp / 36L Water		Do not spray within fourteen (14) days of harvest	Do not enter the field within five (5) days after spraying
RADISSON AGROCHEMICAL CORPORATION	THIOPHANATE METHYL	THIO-MET 70 WP	700 g/Kg	WP	FUNGICIDE	4	234-107-1821	24-Feb-24	SYSTEMIC	Tobacco	Frog-eye leaf spot	0.5-1.0 Tbsp / 36L Water		Do not spray within fourteen (14) days of harvest	Do not enter the field within five (5) days after spraying
RADISSON AGROCHEMICAL CORPORATION	THIOPHANATE METHYL	THIO-MET 70 WP	700 g/Kg	WP	FUNGICIDE	4	234-107-1821	24-Feb-24	SYSTEMIC	Tomato	Powdery mildew	0.5-1.0 Tbsp / 36L Water		Do not spray within fourteen (14) days of harvest	Do not enter the field within five (5) days after spraying
RADISSON AGROCHEMICAL CORPORATION	THIOPHANATE METHYL	THIO-MET 70 WP	700 g/Kg	WP	FUNGICIDE	4	234-107-1821	24-Feb-24	SYSTEMIC	Legumes	Cercospora leaf spot, Anthracnose, botrytis leaf spot, fusarium wilt, powdery mildew	0.5-1.0 Tbsp / 36L Water		Do not spray within fourteen (14) days of harvest	Do not enter the field within five (5) days after spraying
RADISSON AGROCHEMICAL CORPORATION	THIOPHANATE METHYL	THIO-MET 70 WP	700 g/Kg	WP	FUNGICIDE	4	234-107-1821	24-Feb-24	SYSTEMIC	Beans	Cercospora leaf spot, Anthracnose, botrytis leaf spot, fusarium wilt, powdery mildew	0.5-1.0 Tbsp / 36L Water		Do not spray within fourteen (14) days of harvest	Do not enter the field within five (5) days after spraying
RADISSON AGROCHEMICAL CORPORATION	THIOPHANATE METHYL	THIO-MET 70 WP	700 g/Kg	WP	FUNGICIDE	4	234-107-1821	24-Feb-24	SYSTEMIC	Cucumber	Powdery mildew, Gummy Stem blight, leaf and fruit spots	0.5-1.0 Tbsp / 36L Water		Do not spray within fourteen (14) days of harvest	Do not enter the field within five (5) days after spraying
RADISSON AGROCHEMICAL CORPORATION	THIOPHANATE METHYL	THIO-MET 70 WP	700 g/Kg	WP	FUNGICIDE	4	234-107-1821	24-Feb-24	SYSTEMIC	Melon	Powdery mildew, Gummy Stem blight, leaf and fruit spots	0.5-1.0 Tbsp / 36L Water		Do not spray within fourteen (14) days of harvest	Do not enter the field within five (5) days after spraying
RADISSON AGROCHEMICAL CORPORATION	THIOPHANATE METHYL	THIO-MET 70 WP	700 g/Kg	WP	FUNGICIDE	4	234-107-1821	24-Feb-24	SYSTEMIC	Ornamentals	Powdery mildew, black spots	0.5-1.0 Tbsp / 36L Water		Do not spray within fourteen (14) days of harvest	Do not enter the field within five (5) days after spraying
RADISSON AGROCHEMICAL CORPORATION	THIOPHANATE METHYL	THIO-MET 70 WP	700 g/Kg	WP	FUNGICIDE	4	234-107-1821	24-Feb-24	SYSTEMIC	Orchids	Powdery mildew, black spots	0.5-1.0 Tbsp / 36L Water		Do not spray within fourteen (14) days of harvest	Do not enter the field within five (5) days after spraying
RADISSON AGROCHEMICAL CORPORATION	THIOPHANATE METHYL	THIO-MET 70 WP	700 g/Kg	WP	FUNGICIDE	4	234-107-1821	24-Feb-24	SYSTEMIC	Cabbage	Shot-hole disease, cercospora leaf spot	0.5-1.0 Tbsp / 36L Water		Do not spray within fourteen (14) days of harvest	Do not enter the field within five (5) days after spraying
RADISSON AGROCHEMICAL CORPORATION	THIOPHANATE METHYL	THIO-MET 70 WP	700 g/Kg	WP	FUNGICIDE	4	234-107-1821	24-Feb-24	SYSTEMIC	Cauliflower	Shot-hole disease, cercospora leaf spot	0.5-1.0 Tbsp / 36L Water		Do not spray within fourteen (14) days of harvest	Do not enter the field within five (5) days after spraying
RADISSON AGROCHEMICAL CORPORATION	THIOPHANATE METHYL	THIO-MET 70 WP	700 g/Kg	WP	FUNGICIDE	4	234-107-1821	24-Feb-24	SYSTEMIC	Lettuce	Shot-hole disease, cercospora leaf spot	0.5-1.0 Tbsp / 36L Water		Do not spray within fourteen (14) days of harvest	Do not enter the field within five (5) days after spraying
RADISSON AGROCHEMICAL CORPORATION	THIOPHANATE METHYL	THIO-MET 70 WP	700 g/Kg	WP	FUNGICIDE	4	234-107-1821	24-Feb-24	SYSTEMIC	Strawberry	Powdery mildew	0.5-1.0 Tbsp / 36L Water		Do not spray within fourteen (14) days of harvest	Do not enter the field within five (5) days after spraying
RADISSON AGROCHEMICAL CORPORATION	THIOPHANATE METHYL	THIO-MET 70 WP	700 g/Kg	WP	FUNGICIDE	4	234-107-1821	24-Feb-24	SYSTEMIC	Grapes	Fruit rot, Powdery mildew, anthracnose	0.5-1.0 Tbsp / 36L Water		Do not spray within fourteen (14) days of harvest	Do not enter the field within five (5) days after spraying
RADISSON AGROCHEMICAL CORPORATION	THIOPHANATE METHYL	THIO-MET 70 WP	700 g/Kg	WP	FUNGICIDE	4	234-107-1821	24-Feb-24	SYSTEMIC	Orange	Scabs	0.5-1.0 Tbsp / 36L Water		Do not spray within fourteen (14) days of harvest	Do not enter the field within five (5) days after spraying
RADISSON AGROCHEMICAL CORPORATION	THIOPHANATE METHYL	THIO-MET 70 WP	700 g/Kg	WP	FUNGICIDE	4	234-107-1821	24-Feb-24	SYSTEMIC	Citrus	Scabs	0.5-1.0 Tbsp / 36L Water		Do not spray within fourteen (14) days of harvest	Do not enter the field within five (5) days after spraying
RADISSON AGROCHEMICAL CORPORATION	THIOPHANATE METHYL	THIO-MET 70 WP	700 g/Kg	WP	FUNGICIDE	4	234-107-1821	24-Feb-24	SYSTEMIC	Calamansi	Scabs	0.5-1.0 Tbsp / 36L Water		Do not spray within fourteen (14) days of harvest	Do not enter the field within five (5) days after spraying
RADISSON AGROCHEMICAL CORPORATION	THIOPHANATE METHYL	THIO-MET 70 WP	700 g/Kg	WP	FUNGICIDE	4	234-107-1821	24-Feb-24	SYSTEMIC	Banana	Sigatoka disease	1.5-2.0 Tbsp / 36L Water		Do not spray within fourteen (14) days of harvest	Do not enter the field within five (5) days after spraying
RADISSON AGROCHEMICAL CORPORATION	THIOPHANATE METHYL	THIO-MET 70 WP	700 g/Kg	WP	FUNGICIDE	4	234-107-1821	24-Feb-24	SYSTEMIC	Papaya	Powdery mildew	0.5-1.0 Tbsp / 36L Water		Do not spray within fourteen (14) days of harvest	Do not enter the field within five (5) days after spraying
LIEMPHIL INTERNATIONAL INC.	THIOMAX 70 WP	THIOMAX 70 WP	700 g/Kg	WP	FUNGICIDE	4	590-107-5373	25-Mar-24		Rice	Rice blast, neck rot, black spot	1.5-2.0 Tbsp / 36L Water	1.0ppm	Do not spray within 14 days of harvest	Do not enter treated field within five (5) days after spraying
LIEMPHIL INTERNATIONAL INC.	THIOPHANATE METHYL	THIOMAX 70 WP	700 g/Kg	WP	FUNGICIDE	4	590-107-5373	25-Mar-24		Mango	Antracnose	0.5-1.0 Tbsp / 36L Water		Do not spray within 14 days of harvest	Do not enter treated field within five (5) days after spraying
LIEMPHIL INTERNATIONAL INC.	THIOPHANATE METHYL	THIOMAX 70 WP	700 g/Kg	WP	FUNGICIDE	4	590-107-5373	25-Mar-24		Tobacco	Frog-eye leaf spot	0.5-1.0 Tbsp / 36L Water		Do not spray within 14 days of harvest	Do not enter treated field within five (5) days after spraying
LIEMPHIL INTERNATIONAL INC.	THIOPHANATE METHYL	THIOMAX 70 WP	700 g/Kg	WP	FUNGICIDE	4	590-107-5373	25-Mar-24		Tomato	Powdery mildew	0.5-1.0 Tbsp / 36L Water		Do not spray within 14 days of harvest	Do not enter treated field within five (5) days after spraying

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD	
LIChemPHIL INTERNATIONAL INC.	THIOPHANATE METHYL	THIOMAX 70 WP	700 g/kg	WP	FUNGICIDE	4	590-107-5373	25-Mar-24	-	legumes	Powdery mildew, cercospora leaf spot, anthracnose, botrytis rot, fusarium wilt	0.5-1.0 Tbsp/16L Water	-	Do not spray within 14 days of harvest	Do not enter treated field within five (5) days after spraying	
LIChemPHIL INTERNATIONAL INC.	THIOPHANATE METHYL	THIOMAX 70 WP	700 g/kg	WP	FUNGICIDE	4	590-107-5373	25-Mar-24	-	Beans	Powdery mildew, cercospora leaf spot, anthracnose, botrytis rot, fusarium wilt	0.5-1.0 Tbsp/16L Water	-	Do not spray within 14 days of harvest	Do not enter treated field within five (5) days after spraying	
LIChemPHIL INTERNATIONAL INC.	THIOPHANATE METHYL	THIOMAX 70 WP	700 g/kg	WP	FUNGICIDE	4	590-107-5373	25-Mar-24	-	Cucumber	Powdery mildew, gummy stem blight, leaf and fruit spots	0.5-1.0 Tbsp/16L Water	-	Do not spray within 14 days of harvest	Do not enter treated field within five (5) days after spraying	
LIChemPHIL INTERNATIONAL INC.	THIOPHANATE METHYL	THIOMAX 70 WP	700 g/kg	WP	FUNGICIDE	4	590-107-5373	25-Mar-24	-	Melon	Powdery mildew, gummy stem blight, leaf and fruit spots	0.5-1.0 Tbsp/16L Water	-	Do not spray within 14 days of harvest	Do not enter treated field within five (5) days after spraying	
LIChemPHIL INTERNATIONAL INC.	THIOPHANATE METHYL	THIOMAX 70 WP	700 g/kg	WP	FUNGICIDE	4	590-107-5373	25-Mar-24	-	Ornamentals	Powdery mildew, black spots	0.5-1.0 Tbsp/16L Water	-	Do not spray within 14 days of harvest	Do not enter treated field within five (5) days after spraying	
LIChemPHIL INTERNATIONAL INC.	THIOPHANATE METHYL	THIOMAX 70 WP	700 g/kg	WP	FUNGICIDE	4	590-107-5373	25-Mar-24	-	Orchids	Powdery mildew, black spots	0.5-1.0 Tbsp/16L Water	-	Do not spray within 14 days of harvest	Do not enter treated field within five (5) days after spraying	
LIChemPHIL INTERNATIONAL INC.	THIOPHANATE METHYL	THIOMAX 70 WP	700 g/kg	WP	FUNGICIDE	4	590-107-5373	25-Mar-24	-	Cabbage	Shot hole disease, cercospora leaf spot	0.5-1.0 Tbsp/16L Water	-	Do not spray within 14 days of harvest	Do not enter treated field within five (5) days after spraying	
LIChemPHIL INTERNATIONAL INC.	THIOPHANATE METHYL	THIOMAX 70 WP	700 g/kg	WP	FUNGICIDE	4	590-107-5373	25-Mar-24	-	Cauliflower	Shot hole disease, cercospora leaf spot	0.5-1.0 Tbsp/16L Water	-	Do not spray within 14 days of harvest	Do not enter treated field within five (5) days after spraying	
LIChemPHIL INTERNATIONAL INC.	THIOPHANATE METHYL	THIOMAX 70 WP	700 g/kg	WP	FUNGICIDE	4	590-107-5373	25-Mar-24	-	Lettuce	Shot hole disease, cercospora leaf spot	0.5-1.0 Tbsp/16L Water	-	Do not spray within 14 days of harvest	Do not enter treated field within five (5) days after spraying	
LIChemPHIL INTERNATIONAL INC.	THIOPHANATE METHYL	THIOMAX 70 WP	700 g/kg	WP	FUNGICIDE	4	590-107-5373	25-Mar-24	-	Strawberry	Powdery mildew	0.5-1.0 Tbsp/16L Water	-	Do not spray within 14 days of harvest	Do not enter treated field within five (5) days after spraying	
LIChemPHIL INTERNATIONAL INC.	THIOPHANATE METHYL	THIOMAX 70 WP	700 g/kg	WP	FUNGICIDE	4	590-107-5373	25-Mar-24	-	Grapes	Fruit rot, Powdery mildew, anthracnose	0.5-1.0 Tbsp/16L Water	-	Do not spray within 14 days of harvest	Do not enter treated field within five (5) days after spraying	
LIChemPHIL INTERNATIONAL INC.	THIOPHANATE METHYL	THIOMAX 70 WP	700 g/kg	WP	FUNGICIDE	4	590-107-5373	25-Mar-24	-	Orange	Scabs	0.5-1.0 Tbsp/16L Water	-	Do not spray within 14 days of harvest	Do not enter treated field within five (5) days after spraying	
LIChemPHIL INTERNATIONAL INC.	THIOPHANATE METHYL	THIOMAX 70 WP	700 g/kg	WP	FUNGICIDE	4	590-107-5373	25-Mar-24	-	Citrus	Scabs	0.5-1.0 Tbsp/16L Water	-	Do not spray within 14 days of harvest	Do not enter treated field within five (5) days after spraying	
LIChemPHIL INTERNATIONAL INC.	THIOPHANATE METHYL	THIOMAX 70 WP	700 g/kg	WP	FUNGICIDE	4	590-107-5373	25-Mar-24	-	Calamansi	Scabs	0.5-1.0 Tbsp/16L Water	-	Do not spray within 14 days of harvest	Do not enter treated field within five (5) days after spraying	
LIChemPHIL INTERNATIONAL INC.	THIOPHANATE METHYL	THIOMAX 70 WP	700 g/kg	WP	FUNGICIDE	4	590-107-5373	25-Mar-24	-	Banana	Sigatoka disease	1.5-2.0 Tbsp/16L Water	-	Do not spray within 14 days of harvest	Do not enter treated field within five (5) days after spraying	
LIChemPHIL INTERNATIONAL INC.	THIOPHANATE METHYL	THIOMAX 70 WP	700 g/kg	WP	FUNGICIDE	4	590-107-5373	25-Mar-24	-	Papaya	Powdery mildew	0.5-1.0 Tbsp/16L Water	-	Do not spray within 14 days of harvest	Do not enter treated field within five (5) days after spraying	
NEXCHEM CORPORATION	LAMBDA-CHALOTHRIN+THIAMETHOXAM	THANEX 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	702-395-5971	25-Sep-25	-	Potato	Whiteflies, aphids, thrips	100-200 ml prod./ha	-	7 days	Do not enter treated fields for at least 1 day after application	
NEXCHEM CORPORATION	LAMBDA-CHALOTHRIN+THIAMETHOXAM	THANEX 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	702-395-5971	25-Sep-25	-	Stringbeans	Green leafhopper, aphids, mites	100-200 ml prod./ha	-	7 days	Do not enter treated fields for at least 1 day after application	
NEXCHEM CORPORATION	LAMBDA-CHALOTHRIN+THIAMETHOXAM	THANEX 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	702-395-5971	25-Sep-25	-	Eggplant	Whiteflies, green leafhopper, aphids	100-200 ml prod./ha	-	7 days	Do not enter treated fields for at least 1 day after application	
NEXCHEM CORPORATION	LAMBDA-CHALOTHRIN+THIAMETHOXAM	THANEX 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	702-395-5971	25-Sep-25	-	Bitterground	Leafhoppers, thrips, aphids	100-400 ml prod./ha	-	7 days	Do not enter treated fields for at least 1 day after application	
NEXCHEM CORPORATION	LAMBDA-CHALOTHRIN+THIAMETHOXAM	THANEX 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	702-395-5971	25-Sep-25	-	Mango	leafhoppers, tipborers	100-200 ml prod./ha	-	3 days	Do not enter treated fields for at least 1 day after application	
NEXCHEM CORPORATION	LAMBDA-CHALOTHRIN+THIAMETHOXAM	THANEX 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	702-395-5971	25-Sep-25	-	Corn	Asian corn borer, cutworm, leafhoppers, aphids	200-400 ml prod./ha	-	3 days	Do not enter treated fields for at least 1 day after application	
NEXCHEM CORPORATION	LAMBDA-CHALOTHRIN+THIAMETHOXAM	THANEX 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	702-395-5971	25-Sep-25	-	Banana	flower thrips	3-10 ml/L	-	30 days	Do not enter treated fields for at least 1 day after application	
NEXCHEM CORPORATION	LAMBDA-CHALOTHRIN+THIAMETHOXAM	THANEX 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	702-395-5971	25-Sep-25	-	Rice	Stemborer, leafhopper, rice bugs	100-200 ml prod./ha	-	14 days	Do not enter treated fields for at least 1 day after application	
TEXICON AGR VENTURES CORPORATION	FFPRONIL	THETA 50 SC	50 g/L	SC	INSECTICIDE	3	242-244-3807	08-Sep-25	CONTACT	Rice	Stemborer, brown planthopper, leafroller, rice bug	1.3-2.0, 2.0-3.0, 2-7-4.0 tbsp./16L	0.01ppm	-	Do not apply 7 days before harvest	One day after application
TEXICON AGR VENTURES CORPORATION	FFPRONIL	THETA 50 SC	50 g/L	SC	INSECTICIDE	3	242-244-3807	08-Sep-25	CONTACT	Cabbage	Diamond backed moth	1.3-2.0, 2.0-3.0, 2-7-4.0 tbsp./16L	-	-	Do not apply 7 days before harvest	One day after application
TEXICON AGR VENTURES CORPORATION	FFPRONIL	THETA 50 SC	50 g/L	SC	INSECTICIDE	3	242-244-3807	08-Sep-25	CONTACT	Watermelon	Thrips, leaf beetles	2.5-3.0 tbsp./16L	-	-	Do not apply 7 days before harvest	One day after application
TEXICON AGR VENTURES CORPORATION	FFPRONIL	THETA 50 SC	50 g/L	SC	INSECTICIDE	3	242-244-3807	08-Sep-25	CONTACT	Onion	Cutworm	5-33 tbsp./16L	-	-	Do not apply 7 days before harvest	One day after application
TEXICON AGR VENTURES CORPORATION	FFPRONIL	THETA 50 SC	50 g/L	SC	INSECTICIDE	3	242-244-3807	08-Sep-25	CONTACT	Eggplant	Shoot borer	3.0-4.0 tbsp./16L	-	-	Do not apply 7 days before harvest	One day after application
INTERSORORA INC.	PROPICONAZOLE	THION 250 EC	250 g/L	EC	FUNGICIDE	4	664-178-5376	26-Mar-24	SYSTEMIC	Banana	Black sigatoka	400 ml/ha	-	-	-	
INTERSORORA INC.	PROPICONAZOLE	THION 250 EC	250 g/L	EC	FUNGICIDE	4	664-178-5376	26-Mar-24	SYSTEMIC	Pineapple	Butt rot	8 ml/100L	-	-	-	
PRIMSTOCKS CHEMICAL CORPORATION	BUTACHLOR+PROPANIL	THANOS 70 EC	350-100 g/L	EC	HERBICIDE	3	623-238-4510	08-Sep-26	POST-EMERGENT	Rice (Direct-Seeded)	Annual Grasses, Sedges and Broadleaves	9-17tbsp/16 L water	Butachlor 0.1ppm Propanil 0.1ppm	-	Entry to the field sprayed with the product is allowed after the mist has dried	
PRIMSTOCKS CHEMICAL CORPORATION	BUTACHLOR+PROPANIL	THANOS 70 EC	350-100 g/L	EC	HERBICIDE	3	623-238-4510	08-Sep-26	POST-EMERGENT	Rice (Transplanted)	Annual Grasses, Sedges and Broadleaves	9-17tbsp/16 L water	Butachlor 0.1ppm Propanil 0.1ppm	-	Entry to the field sprayed with the product is allowed after the mist has dried	
NS NORTHERN ORGANIC FERTILIZER INC.	CHLOROTHALONIL	THALONIL 75 WP	750 g/kg	WP	FUNGICIDE	4	470-118-3043	04-Jul-24	-	Grapes	Downy mildew, powdery mildew, fruit rot	3.2-4.8 Tbsp/16L water	-	-	Do not enter treatment areas until spray deposit have dried	
NS NORTHERN ORGANIC FERTILIZER INC.	CHLOROTHALONIL	THALONIL 75 WP	750 g/kg	WP	FUNGICIDE	4	470-118-3043	04-Jul-24	-	Potato	Early and late blight, vine rot	3.2-4.8 Tbsp/16L water	-	-	Do not enter treatment areas until spray deposit have dried	
NS NORTHERN ORGANIC FERTILIZER INC.	CHLOROTHALONIL	THALONIL 75 WP	750 g/kg	WP	FUNGICIDE	4	470-118-3043	04-Jul-24	-	Tomato	Early and late blight, vine rot	3.2-4.8 Tbsp/16L water	-	-	Do not enter treatment areas until spray deposit have dried	
NS NORTHERN ORGANIC FERTILIZER INC.	CHLOROTHALONIL	THALONIL 75 WP	750 g/kg	WP	FUNGICIDE	4	470-118-3043	04-Jul-24	-	Banana	Sigatoka, rust, freckles	3.2-4.8 Tbsp/16L water	2.0 mg/kg	-	Do not enter treatment areas until spray deposit have dried	
NS NORTHERN ORGANIC FERTILIZER INC.	CHLOROTHALONIL	THALONIL 75 WP	750 g/kg	WP	FUNGICIDE	4	470-118-3043	04-Jul-24	-	Peas	Rust, anthracnose	3.2-4.8 Tbsp/16L water	-	7 days	Do not enter treatment areas until spray deposit have dried	
NS NORTHERN ORGANIC FERTILIZER INC.	CHLOROTHALONIL	THALONIL 75 WP	750 g/kg	WP	FUNGICIDE	4	470-118-3043	04-Jul-24	-	Beans	Rust, anthracnose	3.2-4.8 Tbsp/16L water	-	7 days	Do not enter treatment areas until spray deposit have dried	
NS NORTHERN ORGANIC FERTILIZER INC.	CHLOROTHALONIL	THALONIL 75 WP	750 g/kg	WP	FUNGICIDE	4	470-118-3043	04-Jul-24	-	Citrus	Scab, melanose	3.2-4.8 Tbsp/16L water	-	-	Do not enter treatment areas until spray deposit have dried	
NS NORTHERN ORGANIC FERTILIZER INC.	CHLOROTHALONIL	THALONIL 75 WP	750 g/kg	WP	FUNGICIDE	4	470-118-3043	04-Jul-24	-	Watermelon	Powdery mildew, anthracnose, early and late blight, cercospora leaf spot	3.2-4.8 Tbsp/16L water	-	-	Do not enter treatment areas until spray deposit have dried	
NS NORTHERN ORGANIC FERTILIZER INC.	CHLOROTHALONIL	THALONIL 75 WP	750 g/kg	WP	FUNGICIDE	4	470-118-3043	04-Jul-24	-	Garlic	Purple blotch, bulb rot, neck rot	3.2-4.8 Tbsp/16L water	-	7 days	Do not enter treatment areas until spray deposit have dried	
NS NORTHERN ORGANIC FERTILIZER INC.	CHLOROTHALONIL	THALONIL 75 WP	750 g/kg	WP	FUNGICIDE	4	470-118-3043	04-Jul-24	-	Onion	Purple blotch, bulb rot, neck rot	3.2-4.8 Tbsp/16L water	-	7 days	Do not enter treatment areas until spray deposit have dried	
NS NORTHERN ORGANIC FERTILIZER INC.	CHLOROTHALONIL	THALONIL 75 WP	750 g/kg	WP	FUNGICIDE	4	470-118-3043	04-Jul-24	-	Rice	Rice blast, stem rot, helminthosporium leaf spot, cercospora leaf spot, sheath blight	3.2-4.8 Tbsp/16L water	0.1ppm	14 days	Do not enter treatment areas until spray deposit have dried	
NS NORTHERN ORGANIC FERTILIZER INC.	CHLOROTHALONIL	THALONIL 75 WP	750 g/kg	WP	FUNGICIDE	4	470-118-3043	04-Jul-24	-	Corn	helminthosporium leafspot, rust, downy mildew	3.2-4.8 Tbsp/16L water	-	14 days	Do not enter treatment areas until spray deposit have dried	
NS NORTHERN ORGANIC FERTILIZER INC.	CHLOROTHALONIL	THALONIL 75 WP	750 g/kg	WP	FUNGICIDE	4	470-118-3043	04-Jul-24	-	Celery	Late blight	3.2-4.8 Tbsp/16L water	-	7 days	Do not enter treatment areas until spray deposit have dried	
NS NORTHERN ORGANIC FERTILIZER INC.	CHLOROTHALONIL	THALONIL 75 WP	750 g/kg	WP	FUNGICIDE	4	470-118-3043	04-Jul-24	-	Eggplant	Early and late blight, cercospora, leaf spot	3.2-4.8 Tbsp/16L water	-	-	Do not enter treatment areas until spray deposit have dried	
NS NORTHERN ORGANIC FERTILIZER INC.	CHLOROTHALONIL	THALONIL 75 WP	750 g/kg	WP	FUNGICIDE	4	470-118-3043	04-Jul-24	-	Pepper	Early and late blight, cercospora, leaf spot	3.2-4.8 Tbsp/16L water	-	-	Do not enter treatment areas until spray deposit have dried	
NS NORTHERN ORGANIC FERTILIZER INC.	CHLOROTHALONIL	THALONIL 75 WP	750 g/kg	WP	FUNGICIDE	4	470-118-3043	04-Jul-24	-	Melon	Anthrancnose, powdery mildew, early and late blight, cercospora leaf spot	3.2-4.8 Tbsp/16L water	-	-	Do not enter treatment areas until spray deposit have dried	
NS NORTHERN ORGANIC FERTILIZER INC.	CHLOROTHALONIL	THALONIL 75 WP	750 g/kg	WP	FUNGICIDE	4	470-118-3043	04-Jul-24	-	Mango	Anthrancnose, diploids rot	3.2-4.8 Tbsp/16L water	0.5 mg/kg	-	Do not enter treatment areas until spray deposit have dried	
NS NORTHERN ORGANIC FERTILIZER INC.	CHLOROTHALONIL	THALONIL 75 WP	750 g/kg	WP	FUNGICIDE	4	470-118-3043	04-Jul-24	-	Ornamentals	Black spot, black rot, powdery mildew	3.2-4.8 Tbsp/16L water	-	-	Do not enter treatment areas until spray deposit have dried	
NS NORTHERN ORGANIC FERTILIZER INC.	CHLOROTHALONIL	THALONIL 75 WP	750 g/kg	WP	FUNGICIDE	4	470-118-3043	04-Jul-24	-	Peanut	Cercospora leaf spot	3.2-4.8 Tbsp/16L water	-	14 days	Do not enter treatment areas until spray deposit have dried	
NS NORTHERN ORGANIC FERTILIZER INC.	CHLOROTHALONIL	THALONIL 75 WP	750 g/kg	WP	FUNGICIDE	4	470-118-3043	04-Jul-24	-	Lettuce	Downy mildew	3.2-4.8 Tbsp/16L water	-	-	Do not enter treatment areas until spray deposit have dried	
NS NORTHERN ORGANIC FERTILIZER INC.	CHLOROTHALONIL	THALONIL 75 WP	750 g/kg	WP	FUNGICIDE	4	470-118-3043	04-Jul-24	-	Cabbage	Powdery mildew	3.2-4.8 Tbsp/16L water	-	-	Do not enter treatment areas until spray deposit have dried	
NS NORTHERN ORGANIC FERTILIZER INC.	CHLOROTHALONIL	THALONIL 75 WP	750 g/kg	WP	FUNGICIDE	4	470-118-3043	04-Jul-24	-	Cauliflower	Powdery mildew	3.2-4.8 Tbsp/16L water	-	-	Do not enter treatment areas until spray deposit have dried	
NS NORTHERN ORGANIC FERTILIZER INC.	CHLOROTHALONIL	THALONIL 75 WP	750 g/kg	WP	FUNGICIDE	4	470-118-3043	04-Jul-24	-	Broccoli	Powdery mildew	3.2-4.8 Tbsp/16L water	-	-	Do not enter treatment areas until spray deposit have dried	

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
NS NORTHERN ORGANIC FERTILIZER INC.	CHLOROTHALONIL	THALONIL 75 WP	750g/kg	WP	FUNGICIDE	4	470-118-3043	06-Jul-24		Carrot	Alternaria leaf spot, cercospora leaf spot	3.2-4.8 Tbsp/36 L water	-	-	Do not enter treatment areas until spray deposit have dried
NS NORTHERN ORGANIC FERTILIZER INC.	CHLOROTHALONIL	THALONIL 75 WP	750g/kg	WP	FUNGICIDE	4	470-118-3043	04-Jul-24		Squash	Antracnose, powdery mildew, early and late blight, cercospora leaf spot	3.2-4.8 Tbsp/36 L water	-	-	Do not enter treatment areas until spray deposit have dried
NS NORTHERN ORGANIC FERTILIZER INC.	CHLOROTHALONIL	THALONIL 720 SC	720g/L	SC	FUNGICIDE	4	470-118-5627	15-Nov-24		Ornamentals	Black spot, Black rot, Powdery mildew	4.5-6.0 Tbsp/36 L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
NS NORTHERN ORGANIC FERTILIZER INC.	CHLOROTHALONIL	THALONIL 720 SC	720g/L	SC	FUNGICIDE	4	470-118-5627	15-Nov-24		Pepper	Early and late blight, bulb rot, neck rot	4.5-6.0 Tbsp/36 L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
NS NORTHERN ORGANIC FERTILIZER INC.	CHLOROTHALONIL	THALONIL 720 SC	720g/L	SC	FUNGICIDE	4	470-118-5627	15-Nov-24		Onion	Purple blotch, bulb rot, neck rot	4.5-6.0 Tbsp/36 L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
NS NORTHERN ORGANIC FERTILIZER INC.	CHLOROTHALONIL	THALONIL 720 SC	720g/L	SC	FUNGICIDE	4	470-118-5627	15-Nov-24		Mango	Anthraxnose, diploelia rot	4.5-6.0 Tbsp/36 L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
NS NORTHERN ORGANIC FERTILIZER INC.	CHLOROTHALONIL	THALONIL 720 SC	720g/L	SC	FUNGICIDE	4	470-118-5627	15-Nov-24		Grapes	Downy mildew, powdery mildew, fruit rot	4.5-6.0 Tbsp/36 L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
NS NORTHERN ORGANIC FERTILIZER INC.	CHLOROTHALONIL	THALONIL 720 SC	720g/L	SC	FUNGICIDE	4	470-118-5627	15-Nov-24		Eggplant	Early and late blight, cercospora, anthracnose	4.5-6.0 Tbsp/36 L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
NS NORTHERN ORGANIC FERTILIZER INC.	CHLOROTHALONIL	THALONIL 720 SC	720g/L	SC	FUNGICIDE	4	470-118-5627	15-Nov-24		Citlery	Early and late blight	4.5-6.0 Tbsp/36 L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
NS NORTHERN ORGANIC FERTILIZER INC.	CHLOROTHALONIL	THALONIL 720 SC	720g/L	SC	FUNGICIDE	4	470-118-5627	15-Nov-24		Cucurbits	Powdery mildew, downy mildew, cercospora, anthracnose, septoria, fruit rot, early and late blight	4.5-6.0 Tbsp/36 L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
NS NORTHERN ORGANIC FERTILIZER INC.	CHLOROTHALONIL	THALONIL 720 SC	720g/L	SC	FUNGICIDE	4	470-118-5627	15-Nov-24		Cucufers	Powdery mildew	4.5-6.0 Tbsp/36 L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
NS NORTHERN ORGANIC FERTILIZER INC.	CHLOROTHALONIL	THALONIL 720 SC	720g/L	SC	FUNGICIDE	4	470-118-5627	15-Nov-24		Carrot	Alternaria, cercospora, helminthosporium	4.5-6.0 Tbsp/36 L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
NS NORTHERN ORGANIC FERTILIZER INC.	CHLOROTHALONIL	THALONIL 720 SC	720g/L	SC	FUNGICIDE	4	470-118-5627	15-Nov-24		Beans	Rust, anthracnose	4.5-6.0 Tbsp/36 L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
NS NORTHERN ORGANIC FERTILIZER INC.	CHLOROTHALONIL	THALONIL 720 SC	720g/L	SC	FUNGICIDE	4	470-118-5627	15-Nov-24		Tomato	Early and late blight, vine rot	4.5-6.0 Tbsp/36 L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
NS NORTHERN ORGANIC FERTILIZER INC.	CHLOROTHALONIL	THALONIL 720 SC	720g/L	SC	FUNGICIDE	4	470-118-5627	15-Nov-24		Potato	Early and late blight, vine rot	4.5-6.0 Tbsp/36 L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
NS NORTHERN ORGANIC FERTILIZER INC.	CHLOROTHALONIL	THALONIL 720 SC	720g/L	SC	FUNGICIDE	4	470-118-5627	15-Nov-24		Asparagus	Stem and leaf blight	1.6 L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
NS NORTHERN ORGANIC FERTILIZER INC.	CHLOROTHALONIL	THALONIL 720 SC	720g/L	SC	FUNGICIDE	4	470-118-5627	15-Nov-24		Banana	Black sigatoka	0.2-2.0 L/hectare	0 day	-	Do not enter treatment areas until spray deposit have dried
TOTAL FARM CARE AGR PRODUCTS INC.	DIURON	TYC-DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	533-021-3502	08/14/2018	SYSTEMIC	Citrus	Annual and Perennial broadleaves and grasses	11.0-19.0Tbsp/36 L water	-	-	
TOTAL FARM CARE AGR PRODUCTS INC.	DIURON	TYC-DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	533-021-3502	08/14/2018	SYSTEMIC	Coffee	Annual and Perennial broadleaves and grasses	11.0-19.0Tbsp/36 L water	-	-	
TOTAL FARM CARE AGR PRODUCTS INC.	DIURON	TYC-DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	533-021-3502	08/14/2018	SYSTEMIC	Cotton	Annual and Perennial broadleaves and grasses	6.0Tbsp/36 L water	-	-	
TOTAL FARM CARE AGR PRODUCTS INC.	DIURON	TYC-DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	533-021-3502	08/14/2018	SYSTEMIC	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0Tbsp/36 L water	-	-	
TOTAL FARM CARE AGR PRODUCTS INC.	DIURON	TYC-DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	533-021-3502	08/14/2018	SYSTEMIC	Pineapple	Annual and Perennial broadleaves and grasses	11.0Tbsp/36 L water	-	-	
TOTAL FARM CARE AGR PRODUCTS INC.	DIURON	TYC-DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	533-021-3502	08/14/2018	SYSTEMIC	Non-crop land	Annual and Perennial broadleaves and grasses	20.0-28.0Tbsp/36 L water	-	-	
TOTAL FARM CARE AGR PRODUCTS INC.	DIURON	TYC-DIURON 80 SC	800 g/L	SC	HERBICIDE	4	533-027-3487	14-Aug-18	SYSTEMIC	Citrus	Annual and Perennial broadleaves and grasses	11.0-19.0Tbsp/36 L water	-	-	
TOTAL FARM CARE AGR PRODUCTS INC.	DIURON	TYC-DIURON 80 SC	800 g/L	SC	HERBICIDE	4	533-027-3487	14-Aug-18	SYSTEMIC	Coffee	Annual and Perennial broadleaves and grasses	11.0-19.0Tbsp/36 L water	-	-	
TOTAL FARM CARE AGR PRODUCTS INC.	DIURON	TYC-DIURON 80 SC	800 g/L	SC	HERBICIDE	4	533-027-3487	14-Aug-18	SYSTEMIC	Cotton	Annual and Perennial broadleaves and grasses	6.0Tbsp/36 L water	-	-	
TOTAL FARM CARE AGR PRODUCTS INC.	DIURON	TYC-DIURON 80 SC	800 g/L	SC	HERBICIDE	4	533-027-3487	14-Aug-18	SYSTEMIC	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0Tbsp/36 L water	-	-	
TOTAL FARM CARE AGR PRODUCTS INC.	DIURON	TYC-DIURON 80 SC	800 g/L	SC	HERBICIDE	4	533-027-3487	14-Aug-18	SYSTEMIC	Pineapple	Annual and Perennial broadleaves and grasses	11.0Tbsp/36 L water	-	-	
TOTAL FARM CARE AGR PRODUCTS INC.	DIURON	TYC-DIURON 80 SC	800 g/L	SC	HERBICIDE	4	533-027-3487	14-Aug-18	SYSTEMIC	Non-crop land	Annual and Perennial broadleaves and grasses	20.0-28.0Tbsp/36 L water	-	-	
TOTAL FARM CARE AGR PRODUCTS INC.	ATRAZINE	TYC-ATRAZINE 80 WP	800 g/kg	WP	HERBICIDE	4	533-065-4078	29-Aug-20	SELECTIVE (PRE-EMERGENT)	Corn	Broadleaf weeds & annual grasses	8-12Tbsp/36 L water	-	-	Do not enter the field within 5 days after application
TOTAL FARM CARE AGR PRODUCTS INC.	ATRAZINE	TYC-ATRAZINE 80 WP	800 g/kg	WP	HERBICIDE	4	533-065-4078	29-Aug-20	SELECTIVE (PRE-EMERGENT)	Sorghum	Broadleaf weeds & annual grasses	8-12Tbsp/36 L water	-	-	Do not enter the field within 5 days after application
TOTAL FARM CARE AGR PRODUCTS INC.	ATRAZINE	TYC-ATRAZINE 80 WP	800 g/kg	WP	HERBICIDE	4	533-065-4078	29-Aug-20	SELECTIVE (PRE-EMERGENT)	Sugarcane	Broadleaf weeds & annual grasses	9-12Tbsp/36 L water	-	-	Do not enter the field within 5 days after application
TOTAL FARM CARE AGR PRODUCTS INC.	MANCOZEB	TYC-MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	533-051-4077	29-Aug-20		Potato	Early and late blight	3-6 Tbsp/36 L water	-	-	At least 48 hours after application
TOTAL FARM CARE AGR PRODUCTS INC.	MANCOZEB	TYC-MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	533-051-4077	29-Aug-20		Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	-	At least 48 hours after application
TOTAL FARM CARE AGR PRODUCTS INC.	MANCOZEB	TYC-MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	533-051-4077	29-Aug-20		Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	-	At least 48 hours after application
TOTAL FARM CARE AGR PRODUCTS INC.	MANCOZEB	TYC-MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	533-051-4077	29-Aug-20		Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	-	At least 48 hours after application
TOTAL FARM CARE AGR PRODUCTS INC.	MANCOZEB	TYC-MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	533-051-4077	29-Aug-20		Celery	Late blight	3-6 Tbsp/36 L water	-	-	At least 48 hours after application
TOTAL FARM CARE AGR PRODUCTS INC.	MANCOZEB	TYC-MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	533-051-4077	29-Aug-20		Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	-	At least 48 hours after application
TOTAL FARM CARE AGR PRODUCTS INC.	MANCOZEB	TYC-MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	533-051-4077	29-Aug-20		Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	-	At least 48 hours after application
TOTAL FARM CARE AGR PRODUCTS INC.	MANCOZEB	TYC-MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	533-051-4077	29-Aug-20		Cotton	Damping off	3-6 Tbsp/36 L water	-	-	At least 48 hours after application
TOTAL FARM CARE AGR PRODUCTS INC.	MANCOZEB	TYC-MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	533-051-4077	29-Aug-20		Lettuce	Downy mildew	3-6 Tbsp/36 L water	-	-	At least 48 hours after application
TOTAL FARM CARE AGR PRODUCTS INC.	MANCOZEB	TYC-MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	533-051-4077	29-Aug-20		Beans	Anthraxnose, Downy mildew, Rust	3-6 Tbsp/36 L water	-	-	At least 48 hours after application
TOTAL FARM CARE AGR PRODUCTS INC.	MANCOZEB	TYC-MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	533-051-4077	29-Aug-20		Peas	Anthraxnose, Downy mildew, Rust	3-6 Tbsp/36 L water	-	-	At least 48 hours after application
TOTAL FARM CARE AGR PRODUCTS INC.	MANCOZEB	TYC-MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	533-051-4077	29-Aug-20		Mungo	Anthraxnose, Downy mildew, Rust	3-6 Tbsp/36 L water	-	-	At least 48 hours after application
TOTAL FARM CARE AGR PRODUCTS INC.	MANCOZEB	TYC-MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	533-051-4077	29-Aug-20		Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/36 L water	-	-	At least 48 hours after application
TOTAL FARM CARE AGR PRODUCTS INC.	MANCOZEB	TYC-MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	533-051-4077	29-Aug-20		Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36 L water	-	-	At least 48 hours after application
TOTAL FARM CARE AGR PRODUCTS INC.	MANCOZEB	TYC-MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	533-051-4077	29-Aug-20		Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36 L water	-	-	At least 48 hours after application
TOTAL FARM CARE AGR PRODUCTS INC.	MANCOZEB	TYC-MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	533-051-4077	29-Aug-20		Pepper	Anthraxnose	3-6 Tbsp/36 L water	-	-	At least 48 hours after application
TOTAL FARM CARE AGR PRODUCTS INC.	MANCOZEB	TYC-MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	533-051-4077	29-Aug-20		Chili	Anthraxnose	3-6 Tbsp/36 L water	-	-	At least 48 hours after application
TOTAL FARM CARE AGR PRODUCTS INC.	MANCOZEB	TYC-MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	533-051-4077	29-Aug-20		Eggplant	Blight, Anthracnose	3-6 Tbsp/36 L water	-	-	At least 48 hours after application
TOTAL FARM CARE AGR PRODUCTS INC.	MANCOZEB	TYC-MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	533-051-4077	29-Aug-20		Banana	Sigatoka, Black leaf streak	3-6 Tbsp/36 L water	-	-	At least 48 hours after application
TOTAL FARM CARE AGR PRODUCTS INC.	MANCOZEB	TYC-MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	533-051-4077	29-Aug-20		Grapes	Downy mildew, black rot	3-6 Tbsp/36 L water	-	-	At least 48 hours after application
TOTAL FARM CARE AGR PRODUCTS INC.	MANCOZEB	TYC-MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	533-051-4077	29-Aug-20		Mango	Anthraxnose and Scab	3-6 Tbsp/36 L water	-	-	At least 48 hours after application
TOTAL FARM CARE AGR PRODUCTS INC.	MANCOZEB	TYC-MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	533-051-4077	29-Aug-20		Papaya	Fruit rot	3-6 Tbsp/36 L water	-	-	At least 48 hours after application
TOTAL FARM CARE AGR PRODUCTS INC.	MANCOZEB	TYC-MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	533-051-4077	29-Aug-20		Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	-	At least 48 hours after application
TOTAL FARM CARE AGR PRODUCTS INC.	MANCOZEB	TYC-MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	533-051-4077	29-Aug-20		Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	-	At least 48 hours after application

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
TOTAL FARM CARE AGRi PRODUCTS INC.	MANCOZEB	TFC MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	533-053-4077	29-Aug-20	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/36 L water	-	-	At least 48 hours after application
TOTAL FARM CARE AGRi PRODUCTS INC.	MANCOZEB	TFC MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	533-053-4077	29-Aug-20	-	Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/36 L water	0.02ppm	-	At least 48 hours after application
TOTAL FARM CARE AGRi PRODUCTS INC.	MANCOZEB	TFC MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	533-053-4077	29-Aug-20	-	Peanut	Cercospora leaf spot	3-6 Tbsp/36 L water	-	-	At least 48 hours after application
TOTAL FARM CARE AGRi PRODUCTS INC.	MANCOZEB	TFC MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	533-053-4077	29-Aug-20	-	Soybeans	Leaf rust	3-6 Tbsp/36 L water	-	-	At least 48 hours after application
TOTAL FARM CARE AGRi PRODUCTS INC.	MANCOZEB	TFC MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	533-053-4077	29-Aug-20	-	Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/36 L water	-	-	At least 48 hours after application
TOTAL FARM CARE AGRi PRODUCTS INC.	CYPERMETHRIN	TFC CYPER 5 EC	50 g/L	EC	INSECTICIDE	4	533-037-3163	17-Jun-22	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/36 L water	-	For all crops, do not spray 7 days before harvest	Re-entry to treated field is allowed as soon as spray deposit dries
TOTAL FARM CARE AGRi PRODUCTS INC.	CYPERMETHRIN	TFC CYPER 5 EC	50 g/L	EC	INSECTICIDE	4	533-037-3163	17-Jun-22	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leafhoppers, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/36 L water	-	For all crops, do not spray 7 days before harvest	Re-entry to treated field is allowed as soon as spray deposit dries
TOTAL FARM CARE AGRi PRODUCTS INC.	CYPERMETHRIN	TFC CYPER 5 EC	50 g/L	EC	INSECTICIDE	4	533-037-3163	17-Jun-22	CONTACT	Cabbage	Diamond-back moth, cabbage moth, worm	1.0-3.0 Tbsp/36 L water	-	For all crops, do not spray 7 days before harvest	Re-entry to treated field is allowed as soon as spray deposit dries
TOTAL FARM CARE AGRi PRODUCTS INC.	CYPERMETHRIN	TFC CYPER 5 EC	50 g/L	EC	INSECTICIDE	4	533-037-3163	17-Jun-22	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/36 L water	-	For all crops, do not spray 7 days before harvest	Re-entry to treated field is allowed as soon as spray deposit dries
TOTAL FARM CARE AGRi PRODUCTS INC.	CYPERMETHRIN	TFC CYPER 5 EC	50 g/L	EC	INSECTICIDE	4	533-037-3163	17-Jun-22	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/36 L water	-	For all crops, do not spray 7 days before harvest	Re-entry to treated field is allowed as soon as spray deposit dries
TOTAL FARM CARE AGRi PRODUCTS INC.	CYPERMETHRIN	TFC CYPER 5 EC	50 g/L	EC	INSECTICIDE	4	533-037-3163	17-Jun-22	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/36 L water	-	For all crops, do not spray 7 days before harvest	Re-entry to treated field is allowed as soon as spray deposit dries
TOTAL FARM CARE AGRi PRODUCTS INC.	CYPERMETHRIN	TFC CYPER 5 EC	50 g/L	EC	INSECTICIDE	4	533-037-3163	17-Jun-22	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/36 L water	-	For all crops, do not spray 7 days before harvest	Re-entry to treated field is allowed as soon as spray deposit dries
TOTAL FARM CARE AGRi PRODUCTS INC.	CYPERMETHRIN	TFC CYPER 5 EC	50 g/L	EC	INSECTICIDE	4	533-037-3163	17-Jun-22	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/36 L water	-	For all crops, do not spray 7 days before harvest	Re-entry to treated field is allowed as soon as spray deposit dries
TOTAL FARM CARE AGRi PRODUCTS INC.	CYPERMETHRIN	TFC CYPER 5 EC	50 g/L	EC	INSECTICIDE	4	533-037-3163	17-Jun-22	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/36 L water	-	For all crops, do not spray 7 days before harvest	Re-entry to treated field is allowed as soon as spray deposit dries
TOTAL FARM CARE AGRi PRODUCTS INC.	CYPERMETHRIN	TFC CYPER 5 EC	50 g/L	EC	INSECTICIDE	4	533-037-3163	17-Jun-22	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/36 L water	-	For all crops, do not spray 7 days before harvest	Re-entry to treated field is allowed as soon as spray deposit dries
TOTAL FARM CARE AGRi PRODUCTS INC.	CYPERMETHRIN	TFC CYPER 5 EC	50 g/L	EC	INSECTICIDE	4	533-037-3163	17-Jun-22	CONTACT	Corn	Combs, earworm	1.0-4.5 Tbsp/36 L water	-	For all crops, do not spray 7 days before harvest	Re-entry to treated field is allowed as soon as spray deposit dries
TOTAL FARM CARE AGRi PRODUCTS INC.	CARTAP HYDROCHLORIDE	TFC CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	533-106-3162	28-Mar-20	SYSTEMIC	Rice	Whorl maggot, stemborer, green leafhopper, brown planthopper	3.0-5.0 Tbsp/36 L water	0.2ppm	Stop spraying 10 days before harvest	-
TOTAL FARM CARE AGRi PRODUCTS INC.	CARTAP HYDROCHLORIDE	TFC CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	533-106-3162	28-Mar-20	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0 Tbsp/36 L water	-	-	-
TOTAL FARM CARE AGRi PRODUCTS INC.	CARTAP HYDROCHLORIDE	TFC CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	533-106-3162	28-Mar-20	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0 Tbsp/36 L water	-	-	-
TOTAL FARM CARE AGRi PRODUCTS INC.	CARTAP HYDROCHLORIDE	TFC CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	533-106-3162	28-Mar-20	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0 Tbsp/36 L water	-	-	-
TOTAL FARM CARE AGRi PRODUCTS INC.	CARTAP HYDROCHLORIDE	TFC CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	533-106-3162	28-Mar-20	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0 Tbsp/36 L water	-	-	-
TOTAL FARM CARE AGRi PRODUCTS INC.	CARTAP HYDROCHLORIDE	TFC CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	533-106-3162	28-Mar-20	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0 Tbsp/36 L water	-	-	-
TOTAL FARM CARE AGRi PRODUCTS INC.	CARTAP HYDROCHLORIDE	TFC CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	533-106-3162	28-Mar-20	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0 Tbsp/36 L water	-	-	-
TOTAL FARM CARE AGRi PRODUCTS INC.	CARTAP HYDROCHLORIDE	TFC CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	533-106-3162	28-Mar-20	SYSTEMIC	Mango	leafhoppers	1.5-2.0 Tbsp/36 L water	-	-	-
TOTAL FARM CARE AGRi PRODUCTS INC.	CARTAP HYDROCHLORIDE	TFC CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	533-106-3162	28-Mar-20	SYSTEMIC	Peach	looper, cutworm, aphids	1.5-3.0 Tbsp/36 L water	-	-	-
TEXICON AGRi VENTURES CORPORATION	ALKYLPHENOL-HYDROXYPOLYOXYETHYLENE	TEXSOL X	-	-	OTHERS	4	242-406-2409	08-Jul-24	-	-	As a surface active agent (emulsifier)	-	-	-	-
TEXICON AGRi VENTURES CORPORATION	POLYOXYETHYLENE SORBITAN FATTY ACID-POLYOXYETHYLENE DODECYL ETHER	TEXSOL 25 X	285+475 mL/L	-	OTHERS	4	242-348-4633	24-Jun-25	-	-	As Surfactant for ASPIRE SC TWIN	10 spray loads: 20-30mL/36L water. 15 spray loads: 15-20mL/36L water. 20	-	-	-
POLARA CHEMICAL CORPORATION	ETHOXYLATED DODECYL ALCOHOL	TEXSOL 100	990 g/kg	-	OTHERS	4	654-407-5955	08-Mar-26	-	-	As surface active agent (emulsifier)	-	-	-	-
TEXICON AGRi VENTURES CORPORATION	ETHOXYLATED DODECYL ALCOHOL	TEXSOL 100	990 g/kg	-	OTHERS	4	242-407-2410	08-Jul-21	-	-	As a surface active agent (emulsifier)	-	-	-	-
POLARA CHEMICAL CORPORATION	TRISILOXANE ALKOXYLATED-ALLYL ETHOXYLATE	TEXSL 248	83g/L +17 g/L	-	INSECTICIDE	4	654-335-5430	29-Jul-25	-	Banana	Sigatoka	-	-	-	-
POLARA CHEMICAL CORPORATION	TRISILOXANE ALKOXYLATED-ALLYL ETHOXYLATE	TEXSL 248	83g/L +17 g/L	-	INSECTICIDE	4	654-335-5430	29-Jul-25	-	Pineapple	Weeds	-	-	-	-
TEXICON AGRi VENTURES CORPORATION	CHLOROTHALONIL	TEXONIL 720 SC	720 g/L	SC	FUNGICIDE	4	242-118-2977	12-Apr-24	-	Potato	Early blight, late blight, vine rot	1.00-1.80 L/ha or 4.5-5.3 Tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
TEXICON AGRi VENTURES CORPORATION	CHLOROTHALONIL	TEXONIL 720 SC	720 g/L	SC	FUNGICIDE	4	242-118-2977	12-Apr-24	-	Tomato	Early blight, late blight, vine rot	1.13-1.90 L/ha or 4.5-6.0 Tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
TEXICON AGRi VENTURES CORPORATION	CHLOROTHALONIL	TEXONIL 720 SC	720 g/L	SC	FUNGICIDE	4	242-118-2977	12-Apr-24	-	Beans	Rust, anthracnose	1.13-1.90 L/ha or 4.5-6.0 Tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
TEXICON AGRi VENTURES CORPORATION	CHLOROTHALONIL	TEXONIL 720 SC	720 g/L	SC	FUNGICIDE	4	242-118-2977	12-Apr-24	-	Carrot	Alternaria leaf spot, cercospora leaf spot, helminthosporium leaf spot	1.13-1.90 L/ha or 4.5-6.0 Tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
TEXICON AGRi VENTURES CORPORATION	CHLOROTHALONIL	TEXONIL 720 SC	720 g/L	SC	FUNGICIDE	4	242-118-2977	12-Apr-24	-	Crucifers	Powdery mildew	1.13-1.90 L/ha or 4.5-6.0 Tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
TEXICON AGRi VENTURES CORPORATION	CHLOROTHALONIL	TEXONIL 720 SC	720 g/L	SC	FUNGICIDE	4	242-118-2977	12-Apr-24	-	Melon	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 Tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
TEXICON AGRi VENTURES CORPORATION	CHLOROTHALONIL	TEXONIL 720 SC	720 g/L	SC	FUNGICIDE	4	242-118-2977	12-Apr-24	-	Cucumber	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 Tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
TEXICON AGRi VENTURES CORPORATION	CHLOROTHALONIL	TEXONIL 720 SC	720 g/L	SC	FUNGICIDE	4	242-118-2977	12-Apr-24	-	Squash	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 Tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
TEXICON AGRi VENTURES CORPORATION	CHLOROTHALONIL	TEXONIL 720 SC	720 g/L	SC	FUNGICIDE	4	242-118-2977	12-Apr-24	-	Watermelon	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 Tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
TEXICON AGRi VENTURES CORPORATION	CHLOROTHALONIL	TEXONIL 720 SC	720 g/L	SC	FUNGICIDE	4	242-118-2977	12-Apr-24	-	Gallery	Early blight, late blight	1.13-1.90 L/ha or 4.5-6.0 Tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
TEXICON AGRi VENTURES CORPORATION	CHLOROTHALONIL	TEXONIL 720 SC	720 g/L	SC	FUNGICIDE	4	242-118-2977	12-Apr-24	-	Eggplant	Early blight, late blight, cercospora leafspot, anthracnose	1.13-1.90 L/ha or 4.5-6.0 Tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
TEXICON AGRi VENTURES CORPORATION	CHLOROTHALONIL	TEXONIL 720 SC	720 g/L	SC	FUNGICIDE	4	242-118-2977	12-Apr-24	-	Onion	Purple blotch, bulb rot, neck rot	1.13-1.90 L/ha or 4.5-6.0 Tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
TEXICON AGRi VENTURES CORPORATION	CHLOROTHALONIL	TEXONIL 720 SC	720 g/L	SC	FUNGICIDE	4	242-118-2977	12-Apr-24	-	Pepper	Early blight, cercospora leaf spot, anthracnose	1.13-1.90 L/ha or 4.5-6.0 Tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
TEXICON AGRi VENTURES CORPORATION	CHLOROTHALONIL	TEXONIL 720 SC	720 g/L	SC	FUNGICIDE	4	242-118-2977	12-Apr-24	-	Grapes	Downy mildew, powdery mildew, fruit rot	1.13-1.90 L/ha or 4.5-6.0 Tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
TEXICON AGRi VENTURES CORPORATION	CHLOROTHALONIL	TEXONIL 720 SC	720 g/L	SC	FUNGICIDE	4	242-118-2977	12-Apr-24	-	Mango	Anthraco, diplodia rot	3.75-5.80 L/ha or 4.5-6.0 Tbsp/36 L	0.5 mg/kg	7-14 days	Do not enter treatment areas until spray deposit have dried
TEXICON AGRi VENTURES CORPORATION	CHLOROTHALONIL	TEXONIL 720 SC	720 g/L	SC	FUNGICIDE	4	242-118-2977	12-Apr-24	-	Ornamentals	Black spot, powdery mildew, black rot	1.13-1.90 L/ha or 4.5-6.0 Tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
TEXICON AGRi VENTURES CORPORATION	CHLOROTHALONIL	TEXONIL 720 SC	720 g/L	SC	FUNGICIDE	4	242-118-2977	12-Apr-24	-	Asparagus	Stem and leaf blight	1.80 L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
TEXICON AGRi VENTURES CORPORATION	CHLOROTHALONIL	TEXONIL 720 SC	720 g/L	SC	FUNGICIDE	4	242-118-2977	12-Apr-24	-	Banana	Black sigatoka	1.38 L/ha	2.0 mg/kg	0 day	Do not enter treatment areas until spray deposit have dried
TEXICON AGRi VENTURES CORPORATION	CHLOROTHALONIL	TEXONIL 720 SC	720 g/L	SC	FUNGICIDE	4	242-118-2977	12-Apr-24	-	Okra	Damping off, stem rot, powdery mildew, late blight, cercospora leafspot, downy mildew	2 Tbsp product in 36 L water	-	-	Do not enter treatment areas until spray deposit have dried
TEXICON AGRi VENTURES CORPORATION	CHLOROTHALONIL	TEXONIL 500 SC	500 g/L	SC	FUNGICIDE	4	242-118-2976	12-Apr-24	-	Melon	Anthraco, cercospora leafspot, downy mildew, leaf blight	6.0-8.5 Tbsp/36 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
TEXICON AGRi VENTURES CORPORATION	CHLOROTHALONIL	TEXONIL 500 SC	500 g/L	SC	FUNGICIDE	4	242-118-2976	12-Apr-24	-	Corn	Helminthosporium leaf spot, cercospora leafspot	6.0-8.5 Tbsp/36 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
TEXICON AGRi VENTURES CORPORATION	CHLOROTHALONIL	TEXONIL 500 SC	500 g/L	SC	FUNGICIDE	4	242-118-2976	12-Apr-24	-	Eggplant	Anthraco, cercospora leafspot, early and late blight	6.0-8.5 Tbsp/36 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
TEXICON AGRi VENTURES CORPORATION	CHLOROTHALONIL	TEXONIL 500 SC	500 g/L	SC	FUNGICIDE	4	242-118-2976	12-Apr-24	-	Peanut	Cercospora leaf spot, rust	6.0-8.5 Tbsp/36 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
TEXICON AGRi VENTURES CORPORATION	CHLOROTHALONIL	TEXONIL 500 SC	500 g/L	SC	FUNGICIDE	4	242-118-2976	12-Apr-24	-	Potato	Early and late blight, vine rot	6.0-8.5 Tbsp/36 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
TEXICON AGRi VENTURES CORPORATION	CHLOROTHALONIL	TEXONIL 500 SC	500 g/L	SC	FUNGICIDE	4	242-118-2976	12-Apr-24	-	Tomato	Early and late blight, vine rot	6.0-8.5 Tbsp/36 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)		PHI	RE-ENTRY PERIOD
TEXICON AGR VENTURES CORPORATION	CHLOROTHALONIL	TEXONIL 500 SC	500 g/L	SC	FUNGICIDE	4	242-118-2976	12-Apr-24		Carrot	Alternaria, cercospora leaf spot, heminthosphorium leaf spot	6.0-8.5 Tbsp/16 L		7-14 days		Do not enter treatment areas until spray deposit have dried
TEXICON AGR VENTURES CORPORATION	CHLOROTHALONIL	TEXONIL 500 SC	500 g/L	SC	FUNGICIDE	4	242-118-2976	12-Apr-24		Banana	Sigatoka, rust, freckles, heminthosphorium leaf spot	2 L/ha	2.0 mg/kg	-		Do not enter treatment areas until spray deposit have dried
TEXICON AGR VENTURES CORPORATION	CHLOROTHALONIL	TEXONIL 500 SC	500 g/L	SC	FUNGICIDE	4	242-118-2976	12-Apr-24		Mango	Anthracoese, diploida rot	6.0-8.5 Tbsp/16 L	0.5 mg/kg	7-14 days		Do not enter treatment areas until spray deposit have dried
TEXICON AGR VENTURES CORPORATION	CHLOROTHALONIL	TEXONIL 500 SC	500 g/L	SC	FUNGICIDE	4	242-118-2976	12-Apr-24		beans	Rust, anthracnose	6.0-8.5 Tbsp/16 L		7-14 days		Do not enter treatment areas until spray deposit have dried
TEXICON AGR VENTURES CORPORATION	CHLOROTHALONIL	TEXONIL 500 SC	500 g/L	SC	FUNGICIDE	4	242-118-2976	12-Apr-24		Crucifers	Powdery mildew	6.0-8.5 Tbsp/16 L		7-14 days		Do not enter treatment areas until spray deposit have dried
TEXICON AGR VENTURES CORPORATION	CHLOROTHALONIL	TEXONIL 500 SC	500 g/L	SC	FUNGICIDE	4	242-118-2976	12-Apr-24		Onion	Purple blotch, bulb rot, neck rot	6.0-8.5 Tbsp/16 L		7-14 days		Do not enter treatment areas until spray deposit have dried
TEXICON AGR VENTURES CORPORATION	CHLOROTHALONIL	TEXONIL 500 SC	500 g/L	SC	FUNGICIDE	4	242-118-2976	12-Apr-24		Garlic	Purple blotch, bulb rot, neck rot	6.0-8.5 Tbsp/16 L		7-14 days		Do not enter treatment areas until spray deposit have dried
TEXICON AGR VENTURES CORPORATION	CHLOROTHALONIL	TEXONIL 500 SC	500 g/L	SC	FUNGICIDE	4	242-118-2976	12-Apr-24		Ornamentals	Black spot, black rot, powdery mildew	6.0-8.5 Tbsp/16 L		7-14 days		Do not enter treatment areas until spray deposit have dried
TEXICON AGR VENTURES CORPORATION	CHLOROTHALONIL	TEXONIL 500 SC	500 g/L	SC	FUNGICIDE	4	242-118-2976	12-Apr-24		Grapes	Downy mildew, powdery mildew, fruit rot	6.0-8.5 Tbsp/16 L		7-14 days		Do not enter treatment areas until spray deposit have dried
TEXICON AGR VENTURES CORPORATION	CHLOROTHALONIL	TEXONIL 500 SC	500 g/L	SC	FUNGICIDE	4	242-118-2976	12-Apr-24		Pepper	Anthracoese, cercospora leaf spot, early blight	6.0-8.5 Tbsp/16 L		7-14 days		Do not enter treatment areas until spray deposit have dried
TEXICON AGR VENTURES CORPORATION	CHLOROTHALONIL	TEXONIL 500 SC	500 g/L	SC	FUNGICIDE	4	242-118-2976	12-Apr-24		Melon	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16 L		7-14 days		Do not enter treatment areas until spray deposit have dried
TEXICON AGR VENTURES CORPORATION	CHLOROTHALONIL	TEXONIL 500 SC	500 g/L	SC	FUNGICIDE	4	242-118-2976	12-Apr-24		Cucumber	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16 L		7-14 days		Do not enter treatment areas until spray deposit have dried
TEXICON AGR VENTURES CORPORATION	CHLOROTHALONIL	TEXONIL 500 SC	500 g/L	SC	FUNGICIDE	4	242-118-2976	12-Apr-24		Squash	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16 L		7-14 days		Do not enter treatment areas until spray deposit have dried
TEXICON AGR VENTURES CORPORATION	CHLOROTHALONIL	TEXONIL 500 SC	500 g/L	SC	FUNGICIDE	4	242-118-2976	12-Apr-24		Watermelon	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16 L		7-14 days		Do not enter treatment areas until spray deposit have dried
TEXICON AGR VENTURES CORPORATION	CHLOROTHALONIL	TEXONIL 500 SC	500 g/L	SC	FUNGICIDE	4	242-118-2976	12-Apr-24		Catery	Early and late blight	6.0-8.5 Tbsp/16 L		7-14 days		Do not enter treatment areas until spray deposit have dried
TEXICON AGR VENTURES CORPORATION	CHLOROTHALONIL	TEXONIL 500 SC	500 g/L	SC	FUNGICIDE	4	242-118-2976	12-Apr-24		Okra	Damping off, stem rot, powdery mildew, late blight, cercospora leafspot, downy mildew	35-50 ml in 16 L water		-		Do not enter treatment areas until spray deposit have dried
TEXICON AGR VENTURES CORPORATION	PARAFFINIC MINERAL OIL	TEXICON AGR OIL	100 g/L	-	OTHERS	4	242-282-3800	02-Sep-25	CONTACT	Banana	Black sigatoka as spray adjuvant	5.0 Liters/ha	-	-		Re-entry to treated field is dependent on the pesticide product that was used. When crops were solely treated with Texicon Agri Oil, re-entry could be done as
TEXICON AGR VENTURES CORPORATION	PARAFFINIC MINERAL OIL	TEXICON AGR OIL	100 g/L	-	OTHERS	4	242-282-3800	02-Sep-25	CONTACT	Pineapple	Mrlay bugs, scale insects	30-40 L/ha	-	-		Re-entry to treated field is dependent on the pesticide product that was used. When crops were solely treated with Texicon Agri Oil, re-entry could be done as
TEXICON AGR VENTURES CORPORATION	BENOMYL	TEXAMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	242-167-1396	24-Oct-24	SYSTEMIC	Mungbeans	Powdery mildew, cercospora leaf spot	1-2 Tbsp/16L water	-	-		Within 24 hours after spraying the treated field may be entered only with the use of appropriate personal protective
TEXICON AGR VENTURES CORPORATION	BENOMYL	TEXAMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	242-167-1396	24-Oct-24	SYSTEMIC	beans	Powdery mildew, cercospora leaf spot	1-2 Tbsp/16L water	-	-		Within 24 hours after spraying the treated field may be entered only with the use of appropriate personal protective
TEXICON AGR VENTURES CORPORATION	BENOMYL	TEXAMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	242-167-1396	24-Oct-24	SYSTEMIC	Cabbage	Cercospora leaf spot	1-2 Tbsp/16L water	-	-		Within 24 hours after spraying the treated field may be entered only with the use of appropriate personal protective
TEXICON AGR VENTURES CORPORATION	BENOMYL	TEXAMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	242-167-1396	24-Oct-24	SYSTEMIC	Calamansi	Scab	1-2 Tbsp/16L water	-	-		Within 24 hours after spraying the treated field may be entered only with the use of appropriate personal protective
TEXICON AGR VENTURES CORPORATION	BENOMYL	TEXAMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	242-167-1396	24-Oct-24	SYSTEMIC	Cucumber	Powdery mildew	1-2 Tbsp/16L water	-	-		Within 24 hours after spraying the treated field may be entered only with the use of appropriate personal protective
TEXICON AGR VENTURES CORPORATION	BENOMYL	TEXAMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	242-167-1396	24-Oct-24	SYSTEMIC	Ginger	Cercospora leaf spot	1-2 Tbsp/16L water	-	-		Within 24 hours after spraying the treated field may be entered only with the use of appropriate personal protective
TEXICON AGR VENTURES CORPORATION	BENOMYL	TEXAMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	242-167-1396	24-Oct-24	SYSTEMIC	Grapes	Powdery mildew	1-2 Tbsp/16L water	-	-		Within 24 hours after spraying the treated field may be entered only with the use of appropriate personal protective
TEXICON AGR VENTURES CORPORATION	BENOMYL	TEXAMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	242-167-1396	24-Oct-24	SYSTEMIC	Mandarin	Scab	1-2 Tbsp/16L water	-	-		Within 24 hours after spraying the treated field may be entered only with the use of appropriate personal protective
TEXICON AGR VENTURES CORPORATION	BENOMYL	TEXAMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	242-167-1396	24-Oct-24	SYSTEMIC	Mango	Anthracoese, powdery mildew	1-2 Tbsp/16L water	-	-		Within 24 hours after spraying the treated field may be entered only with the use of appropriate personal protective
TEXICON AGR VENTURES CORPORATION	BENOMYL	TEXAMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	242-167-1396	24-Oct-24	SYSTEMIC	Melon	Powdery mildew	1-2 Tbsp/16L water	-	-		Within 24 hours after spraying the treated field may be entered only with the use of appropriate personal protective
TEXICON AGR VENTURES CORPORATION	BENOMYL	TEXAMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	242-167-1396	24-Oct-24	SYSTEMIC	Orange	Scab	1-2 Tbsp/16L water	-	-		Within 24 hours after spraying the treated field may be entered only with the use of appropriate personal protective
TEXICON AGR VENTURES CORPORATION	BENOMYL	TEXAMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	242-167-1396	24-Oct-24	SYSTEMIC	Papaya	Powdery mildew	1-2 Tbsp/16L water	-	-		Within 24 hours after spraying the treated field may be entered only with the use of appropriate personal protective
TEXICON AGR VENTURES CORPORATION	BENOMYL	TEXAMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	242-167-1396	24-Oct-24	SYSTEMIC	Pepper	Cercospora leaf spot	1-2 Tbsp/16L water	-	-		Within 24 hours after spraying the treated field may be entered only with the use of appropriate personal protective
TEXICON AGR VENTURES CORPORATION	BENOMYL	TEXAMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	242-167-1396	24-Oct-24	SYSTEMIC	Rice	Blast, sheath blight	1-4 Tbsp/16L water	1.0 ppm	7 days		Within 24 hours after spraying the treated field may be entered only with the use of appropriate personal protective
TEXICON AGR VENTURES CORPORATION	BENOMYL	TEXAMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	242-167-1396	24-Oct-24	SYSTEMIC	Strawberry	Cercospora leaf spot	1-2 Tbsp/16L water	-	-		Within 24 hours after spraying the treated field may be entered only with the use of appropriate personal protective
TEXICON AGR VENTURES CORPORATION	BENOMYL	TEXAMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	242-167-1396	24-Oct-24	SYSTEMIC	tabacco	Leaf mold, frog eye	1-2 Tbsp/16L water	-	-		Within 24 hours after spraying the treated field may be entered only with the use of appropriate personal protective
TEXICON AGR VENTURES CORPORATION	BENOMYL	TEXAMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	242-167-1396	24-Oct-24	SYSTEMIC	Banana	Black sigatoka	280 g/ha	-	-		Within 24 hours after spraying the treated field may be entered only with the use of appropriate personal protective
PHILIPPINE FARMIX SOLUTIONS INC.	TETRIS 300 EC	TETRIS 300 EC	225-75 g/L	EC	FUNGICIDE	3	535-414-4816	31-May-22	SYSTEMIC	Cavendish Banana	Black Sigatoka	0.4 L prod/ha		0 day		After spray deposits have dried.
FULL GREEN AGRO CORPORATION	LAMBDA-CHYALOTHIRIN	TESLA 2.5 EC	25 g/L	EC	INSECTICIDE	2	475-204-3576	05-Oct-18	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leaf folder, black bug	1.0-1.5Tbsp/16 L of water	0.05ppm	1Days		Re-entry to treated fields is allowed as soon as spray deposits dry
FULL GREEN AGRO CORPORATION	LAMBDA-CHYALOTHIRIN	TESLA 2.5 EC	25 g/L	EC	INSECTICIDE	2	475-204-3576	05-Oct-18	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/16 L of water		3Days		Re-entry to treated fields is allowed as soon as spray deposits dry
FULL GREEN AGRO CORPORATION	LAMBDA-CHYALOTHIRIN	TESLA 2.5 EC	25 g/L	EC	INSECTICIDE	2	475-204-3576	05-Oct-18	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/16 L of water		3Days		Re-entry to treated fields is allowed as soon as spray deposits dry
FULL GREEN AGRO CORPORATION	LAMBDA-CHYALOTHIRIN	TESLA 2.5 EC	25 g/L	EC	INSECTICIDE	2	475-204-3576	05-Oct-18	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/16 L of water		3Days		Re-entry to treated fields is allowed as soon as spray deposits dry
FULL GREEN AGRO CORPORATION	LAMBDA-CHYALOTHIRIN	TESLA 2.5 EC	25 g/L	EC	INSECTICIDE	2	475-204-3576	05-Oct-18	SYSTEMIC	Mungbeans	Beardfly, flea beetle, leafhopper, aphids, mites, podborer	1.0Tbsp/16 L of water		3Days		Re-entry to treated fields is allowed as soon as spray deposits dry
FULL GREEN AGRO CORPORATION	LAMBDA-CHYALOTHIRIN	TESLA 2.5 EC	25 g/L	EC	INSECTICIDE	2	475-204-3576	05-Oct-18	SYSTEMIC	Corn	Comborer, aphids, seedling maggots	1.0-1.5Tbsp/16 L of water		3Days		Re-entry to treated fields is allowed as soon as spray deposits dry
FULL GREEN AGRO CORPORATION	LAMBDA-CHYALOTHIRIN	TESLA 2.5 EC	25 g/L	EC	INSECTICIDE	2	475-204-3576	05-Oct-18	SYSTEMIC	tabacco	Budworm, Cutworm, aphids, katydids	1.0-1.5Tbsp/16 L of water		3Days		Re-entry to treated fields is allowed as soon as spray deposits dry
FULL GREEN AGRO CORPORATION	LAMBDA-CHYALOTHIRIN	TESLA 2.5 EC	25 g/L	EC	INSECTICIDE	2	475-204-3576	05-Oct-18	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/16 L of water		3Days		Re-entry to treated fields is allowed as soon as spray deposits dry
FULL GREEN AGRO CORPORATION	LAMBDA-CHYALOTHIRIN	TESLA 2.5 EC	25 g/L	EC	INSECTICIDE	2	475-204-3576	05-Oct-18	SYSTEMIC	Cocoa	Podborer	1.0-2.0Tbsp/16 L of water		3Days		Re-entry to treated fields is allowed as soon as spray deposits dry
FULL GREEN AGRO CORPORATION	LAMBDA-CHYALOTHIRIN	TESLA 2.5 EC	25 g/L	EC	INSECTICIDE	2	475-204-3576	05-Oct-18	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/16 L of water		3Days		Re-entry to treated fields is allowed as soon as spray deposits dry
VERDANT LUSTERCORE CORPORATION	GLYPHOSATE IPA	TEROR 480 SL	480 g/L	SL	HERBICIDE	4	546-151-3685	05-Apr-22	POST-EMERGENT	Glyohosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/ha				
VERDANT LUSTERCORE CORPORATION	GLYPHOSATE IPA	TEROR 480 SL	480 g/L	SL	HERBICIDE	4	546-151-3685	05-Apr-22	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /ha				
VERDANT LUSTERCORE CORPORATION	GLYPHOSATE IPA	TEROR 480 SL	480 g/L	SL	HERBICIDE	4	546-151-3685	05-Apr-22	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha				
VERDANT LUSTERCORE CORPORATION	GLYPHOSATE IPA	TEROR 480 SL	480 g/L	SL	HERBICIDE	4	546-151-3685	05-Apr-22	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha				
VERDANT LUSTERCORE CORPORATION	GLYPHOSATE IPA	TEROR 480 SL	480 g/L	SL	HERBICIDE	4	546-151-3685	05-Apr-22	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha				
VERDANT LUSTERCORE CORPORATION	GLYPHOSATE IPA	TEROR 480 SL	480 g/L	SL	HERBICIDE	4	546-151-3685	05-Apr-22	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha				
VERDANT LUSTERCORE CORPORATION	GLYPHOSATE IPA	TEROR 480 SL	480 g/L	SL	HERBICIDE	4	546-151-3685	05-Apr-22	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha				
VERDANT LUSTERCORE CORPORATION	GLYPHOSATE IPA	TEROR 480 SL	480 g/L	SL	HERBICIDE	4	546-151-3685	05-Apr-22	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha				
VERDANT LUSTERCORE CORPORATION	GLYPHOSATE IPA	TEROR 480 SL	480 g/L	SL	HERBICIDE	4	546-151-3685	05-Apr-22	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/ha				
VERDANT LUSTERCORE CORPORATION	GLYPHOSATE IPA	TEROR 480 SL	480 g/L	SL	HERBICIDE	4	546-151-3685	05-Apr-22	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha				

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
VERDANT LUSTERCORE CORPORATION	GLYPHOSATE IPA	TERROR 480 SL	480 g/L	SL	HERBICIDE	4	546-151-3685	05-Apr-22	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 liter/ha	-	-	-
VERDANT LUSTERCORE CORPORATION	GLYPHOSATE IPA	TERROR 480 SL	480 g/L	SL	HERBICIDE	4	546-151-3685	05-Apr-22	POST-EMERGENT	non-crop	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
JOEPABS AGRICHEM CORPORATION	LAMBDA-CHYALOTHIRIN	TERRIBLE 2.5 EC	25 g/L	EC	INSECTICIDE	2	538-204-3274	04-Jan-25	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leafroller, black bug	1.0-1.5Tbsp/16L of water	0.05ppm	1Days	Re-entry to treated fields is allowed as soon as spray deposits dry
JOEPABS AGRICHEM CORPORATION	LAMBDA-CHYALOTHIRIN	TERRIBLE 2.5 EC	25 g/L	EC	INSECTICIDE	2	538-204-3274	04-Jan-25	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/16L of water	-	3Days	Re-entry to treated fields is allowed as soon as spray deposits dry
JOEPABS AGRICHEM CORPORATION	LAMBDA-CHYALOTHIRIN	TERRIBLE 2.5 EC	25 g/L	EC	INSECTICIDE	2	538-204-3274	04-Jan-25	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/16L of water	-	3Days	Re-entry to treated fields is allowed as soon as spray deposits dry
JOEPABS AGRICHEM CORPORATION	LAMBDA-CHYALOTHIRIN	TERRIBLE 2.5 EC	25 g/L	EC	INSECTICIDE	2	538-204-3274	04-Jan-25	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/16L of water	-	3Days	Re-entry to treated fields is allowed as soon as spray deposits dry
JOEPABS AGRICHEM CORPORATION	LAMBDA-CHYALOTHIRIN	TERRIBLE 2.5 EC	25 g/L	EC	INSECTICIDE	2	538-204-3274	04-Jan-25	SYSTEMIC	Mungbeans	Beanyfly, flea beetle, leafhopper, aphids, mites, podborer	1.0Tbsp/16L of water	-	3Days	Re-entry to treated fields is allowed as soon as spray deposits dry
JOEPABS AGRICHEM CORPORATION	LAMBDA-CHYALOTHIRIN	TERRIBLE 2.5 EC	25 g/L	EC	INSECTICIDE	2	538-204-3274	04-Jan-25	SYSTEMIC	Corn	Comborer, aphids, seedling maggots	1.0-1.5Tbsp/16L of water	-	3Days	Re-entry to treated fields is allowed as soon as spray deposits dry
JOEPABS AGRICHEM CORPORATION	LAMBDA-CHYALOTHIRIN	TERRIBLE 2.5 EC	25 g/L	EC	INSECTICIDE	2	538-204-3274	04-Jan-25	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katyids	1.0-1.5Tbsp/16L of water	-	3Days	Re-entry to treated fields is allowed as soon as spray deposits dry
JOEPABS AGRICHEM CORPORATION	LAMBDA-CHYALOTHIRIN	TERRIBLE 2.5 EC	25 g/L	EC	INSECTICIDE	2	538-204-3274	04-Jan-25	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/16L of water	-	3Days	Re-entry to treated fields is allowed as soon as spray deposits dry
JOEPABS AGRICHEM CORPORATION	LAMBDA-CHYALOTHIRIN	TERRIBLE 2.5 EC	25 g/L	EC	INSECTICIDE	2	538-204-3274	04-Jan-25	SYSTEMIC	Cocoa	Podborer	1.0-2.0Tbsp/16L of water	-	3Days	Re-entry to treated fields is allowed as soon as spray deposits dry
JOEPABS AGRICHEM CORPORATION	LAMBDA-CHYALOTHIRIN	TERRIBLE 2.5 EC	25 g/L	EC	INSECTICIDE	2	538-204-3274	04-Jan-25	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/16L of water	-	3Days	Re-entry to treated fields is allowed as soon as spray deposits dry
VAST AGRO SOLUTIONS, INC.	METHOMYL	TERRAPEST 40 SP	400 g/kg	SP	INSECTICIDE	2	385-164-3380	21-Feb-25	CONTACT	Asparagus	Armyworm, cutworm	1Sachet/18Ll Sprayer	-	-	Do not enter fields treated TERRAPEST 40SP within 12 hours after application
VAST AGRO SOLUTIONS, INC.	METHOMYL	TERRAPEST 40 SP	400 g/kg	SP	INSECTICIDE	2	385-164-3380	21-Feb-25	CONTACT	Banana	Thrips	1.5-2 Sachet/18Ll Sprayer	-	-	Do not enter fields treated TERRAPEST 40SP within 12 hours after application
VAST AGRO SOLUTIONS, INC.	METHOMYL	TERRAPEST 40 SP	400 g/kg	SP	INSECTICIDE	2	385-164-3380	21-Feb-25	CONTACT	Beans	Leafroller, flea beetle , beanyfly, podborer,aphids	1Sachet/18Ll Sprayer	-	-	Do not enter fields treated TERRAPEST 40SP within 12 hours after application
VAST AGRO SOLUTIONS, INC.	METHOMYL	TERRAPEST 40 SP	400 g/kg	SP	INSECTICIDE	2	385-164-3380	21-Feb-25	CONTACT	Mungbeans	Leafroller, flea beetle , beanyfly, podborer,aphids	1Sachet/18Ll Sprayer	-	-	Do not enter fields treated TERRAPEST 40SP within 12 hours after application
VAST AGRO SOLUTIONS, INC.	METHOMYL	TERRAPEST 40 SP	400 g/kg	SP	INSECTICIDE	2	385-164-3380	21-Feb-25	CONTACT	Soybeans	Leafroller, flea beetle , beanyfly, podborer,aphids	1Sachet/18Ll Sprayer	-	-	Do not enter fields treated TERRAPEST 40SP within 12 hours after application
VAST AGRO SOLUTIONS, INC.	METHOMYL	TERRAPEST 40 SP	400 g/kg	SP	INSECTICIDE	2	385-164-3380	21-Feb-25	CONTACT	Stao	Leafroller, flea beetle , beanyfly, podborer,aphids	1Sachet/18Ll Sprayer	-	-	Do not enter fields treated TERRAPEST 40SP within 12 hours after application
VAST AGRO SOLUTIONS, INC.	METHOMYL	TERRAPEST 40 SP	400 g/kg	SP	INSECTICIDE	2	385-164-3380	21-Feb-25	CONTACT	Corn	Comborer, earworm	1Sachet/18Ll Sprayer	-	-	Do not enter fields treated TERRAPEST 40SP within 12 hours after application
VAST AGRO SOLUTIONS, INC.	METHOMYL	TERRAPEST 40 SP	400 g/kg	SP	INSECTICIDE	2	385-164-3380	21-Feb-25	CONTACT	Sorghum	Comborer, earworm	1Sachet/18Ll Sprayer	-	-	Do not enter fields treated TERRAPEST 40SP within 12 hours after application
VAST AGRO SOLUTIONS, INC.	METHOMYL	TERRAPEST 40 SP	400 g/kg	SP	INSECTICIDE	2	385-164-3380	21-Feb-25	CONTACT	Eggplant	Aphids, flea beetle, fruitworm, lady beetle	1Sachet/18Ll Sprayer	-	-	Do not enter fields treated TERRAPEST 40SP within 12 hours after application
VAST AGRO SOLUTIONS, INC.	METHOMYL	TERRAPEST 40 SP	400 g/kg	SP	INSECTICIDE	2	385-164-3380	21-Feb-25	CONTACT	Melon	Aphids, Squash beetle , leafroller	1Sachet/18Ll Sprayer	-	-	Do not enter fields treated TERRAPEST 40SP within 12 hours after application
VAST AGRO SOLUTIONS, INC.	METHOMYL	TERRAPEST 40 SP	400 g/kg	SP	INSECTICIDE	2	385-164-3380	21-Feb-25	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leafroller	1Sachet/18Ll Sprayer	0.05ppm	3Days	Do not enter fields treated TERRAPEST 40SP within 12 hours after application
VAST AGRO SOLUTIONS, INC.	METHOMYL	TERRAPEST 40 SP	400 g/kg	SP	INSECTICIDE	2	385-164-3380	21-Feb-25	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	1Sachet/18Ll Sprayer	-	-	Do not enter fields treated TERRAPEST 40SP within 12 hours after application
VAST AGRO SOLUTIONS, INC.	METHOMYL	TERRAPEST 40 SP	400 g/kg	SP	INSECTICIDE	2	385-164-3380	21-Feb-25	CONTACT	Tomato	Tomato fruitworm, aphids	1Sachet/18Ll Sprayer	-	-	Do not enter fields treated TERRAPEST 40SP within 12 hours after application
BERRIS AGRICULTURAL CO., INC.	THRAM	TERRAIN 80 WDG	820 g/kg	WDG	FUNGICIDE	3	233-337-4298	15-Mar-24	-	Citery	Septoria leafspot and blight	6 Tbsp/ 96L water	-	-	Do not apply to fruits or vegetables later than 14-21 days before harvest. As soon as spray dries.
BERRIS AGRICULTURAL CO., INC.	THRAM	TERRAIN 80 WDG	820 g/kg	WDG	FUNGICIDE	3	233-337-4298	15-Mar-24	-	Mango	Anthracoise and scab	4 Tbsp/ 16L water	-	-	Do not apply to fruits or vegetables later than 14-21 days before harvest. As soon as spray dries.
BERRIS AGRICULTURAL CO., INC.	THRAM	TERRAIN 80 WDG	820 g/kg	WDG	FUNGICIDE	3	233-337-4298	15-Mar-24	-	Banana	Black sigtosis and freckles	40 Tbsp/ 16L water	-	-	Do not apply to fruits or vegetables later than 14-21 days before harvest. As soon as spray dries.
UPL PHILIPPINES, INC.	CHLOROTHALONIL-TETRACONAZOLE	TERRA STAR	250+2.5 g/L	-	FUNGICIDE	3	562-488-4868	15-Jun-24	-	Mango	Antracnose	1.28-1.60 Tbsp/ 16L	-	-	5 days after the last spray As soon as the spray solution has dried on the foliage.
ASIA GOLD TRADING CORPORATION	LAMBDA-CHYALOTHIRIN	TERMINATOR 2.5 EC	25 g/L	EC	INSECTICIDE	2	266-204-3325	24-Sep-23	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leafroller, black bug	1.0-1.5Tbsp/16L of water	0.05ppm	3Days	Re-entry to treated fields is allowed as soon as spray deposits dry
ASIA GOLD TRADING CORPORATION	LAMBDA-CHYALOTHIRIN	TERMINATOR 2.5 EC	25 g/L	EC	INSECTICIDE	2	266-204-3325	24-Sep-23	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/16L of water	-	3Days	Re-entry to treated fields is allowed as soon as spray deposits dry
ASIA GOLD TRADING CORPORATION	LAMBDA-CHYALOTHIRIN	TERMINATOR 2.5 EC	25 g/L	EC	INSECTICIDE	2	266-204-3325	24-Sep-23	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/16L of water	-	3Days	Re-entry to treated fields is allowed as soon as spray deposits dry
ASIA GOLD TRADING CORPORATION	LAMBDA-CHYALOTHIRIN	TERMINATOR 2.5 EC	25 g/L	EC	INSECTICIDE	2	266-204-3325	24-Sep-23	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/16L of water	-	3Days	Re-entry to treated fields is allowed as soon as spray deposits dry
ASIA GOLD TRADING CORPORATION	LAMBDA-CHYALOTHIRIN	TERMINATOR 2.5 EC	25 g/L	EC	INSECTICIDE	2	266-204-3325	24-Sep-23	SYSTEMIC	Mungbeans	Beanyfly, flea beetle, leafhopper, aphids, mites, podborer	1.0Tbsp/16L of water	-	3Days	Re-entry to treated fields is allowed as soon as spray deposits dry
ASIA GOLD TRADING CORPORATION	LAMBDA-CHYALOTHIRIN	TERMINATOR 2.5 EC	25 g/L	EC	INSECTICIDE	2	266-204-3325	24-Sep-23	SYSTEMIC	Corn	Comborer, aphids, seedling maggots	1.0-1.5Tbsp/16L of water	-	3Days	Re-entry to treated fields is allowed as soon as spray deposits dry
ASIA GOLD TRADING CORPORATION	LAMBDA-CHYALOTHIRIN	TERMINATOR 2.5 EC	25 g/L	EC	INSECTICIDE	2	266-204-3325	24-Sep-23	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katyids	1.0-1.5Tbsp/16L of water	-	3Days	Re-entry to treated fields is allowed as soon as spray deposits dry
ASIA GOLD TRADING CORPORATION	LAMBDA-CHYALOTHIRIN	TERMINATOR 2.5 EC	25 g/L	EC	INSECTICIDE	2	266-204-3325	24-Sep-23	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/16L of water	-	3Days	Re-entry to treated fields is allowed as soon as spray deposits dry
ASIA GOLD TRADING CORPORATION	LAMBDA-CHYALOTHIRIN	TERMINATOR 2.5 EC	25 g/L	EC	INSECTICIDE	2	266-204-3325	24-Sep-23	SYSTEMIC	Cocoa	Podborer	1.0-2.0Tbsp/16L of water	-	3Days	Re-entry to treated fields is allowed as soon as spray deposits dry
ASIA GOLD TRADING CORPORATION	LAMBDA-CHYALOTHIRIN	TERMINATOR 2.5 EC	25 g/L	EC	INSECTICIDE	2	266-204-3325	24-Sep-23	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/16L of water	-	3Days	Re-entry to treated fields is allowed as soon as spray deposits dry
RADISSON AGROCHEMICAL CORPORATION	CARTAP HYDROCHLORIDE	TEPOK 50 SP	500 g/kg	SP	INSECTICIDE	3	234-106-1230	26-Nov-26	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	1.0-5.0Tbsp/16L of water	0.2ppm	-	Stop spraying 10 days before harvest Do not enter the treated field with 48 hours after spraying
RADISSON AGROCHEMICAL CORPORATION	CARTAP HYDROCHLORIDE	TEPOK 50 SP	500 g/kg	SP	INSECTICIDE	3	234-106-1230	26-Nov-26	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16L of water	-	-	Stop spraying 10 days before harvest Do not enter the treated field with 48 hours after spraying
RADISSON AGROCHEMICAL CORPORATION	CARTAP HYDROCHLORIDE	TEPOK 50 SP	500 g/kg	SP	INSECTICIDE	3	234-106-1230	26-Nov-26	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16L of water	-	-	Stop spraying 10 days before harvest Do not enter the treated field with 48 hours after spraying
RADISSON AGROCHEMICAL CORPORATION	CARTAP HYDROCHLORIDE	TEPOK 50 SP	500 g/kg	SP	INSECTICIDE	3	234-106-1230	26-Nov-26	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/16L of water	-	-	Stop spraying 10 days before harvest Do not enter the treated field with 48 hours after spraying
RADISSON AGROCHEMICAL CORPORATION	CARTAP HYDROCHLORIDE	TEPOK 50 SP	500 g/kg	SP	INSECTICIDE	3	234-106-1230	26-Nov-26	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/16L of water	-	-	Stop spraying 10 days before harvest Do not enter the treated field with 48 hours after spraying
RADISSON AGROCHEMICAL CORPORATION	CARTAP HYDROCHLORIDE	TEPOK 50 SP	500 g/kg	SP	INSECTICIDE	3	234-106-1230	26-Nov-26	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/16L of water	-	-	Stop spraying 10 days before harvest Do not enter the treated field with 48 hours after spraying
RADISSON AGROCHEMICAL CORPORATION	CARTAP HYDROCHLORIDE	TEPOK 50 SP	500 g/kg	SP	INSECTICIDE	3	234-106-1230	26-Nov-26	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/16L of water	-	-	Stop spraying 10 days before harvest Do not enter the treated field with 48 hours after spraying
RADISSON AGROCHEMICAL CORPORATION	CARTAP HYDROCHLORIDE	TEPOK 50 SP	500 g/kg	SP	INSECTICIDE	3	234-106-1230	26-Nov-26	SYSTEMIC	Mango	leafhoppers	1.5-2.0Tbsp/16L of water	-	-	Stop spraying 10 days before harvest Do not enter the treated field with 48 hours after spraying
RADISSON AGROCHEMICAL CORPORATION	CARTAP HYDROCHLORIDE	TEPOK 50 SP	500 g/kg	SP	INSECTICIDE	3	234-106-1230	26-Nov-26	SYSTEMIC	Peachy	looper, cutworm, aphids	1.5-1.0Tbsp/16L of water	-	-	Stop spraying 10 days before harvest Do not enter the treated field with 48 hours after spraying
UPL PHILIPPINES, INC.	FLUXACASTROBIN+TEBUCONAZOLE	TEPERA PLUS 480 SC	200.2 g/L+27.74 g/L	SC	FUNGICIDE	4	562-488-4868	15-Jun-24	SYSTEMIC	Rice	Sheath blight and neck/node blast	260-350mL product/ha with volume rate of 500 L/ha at 45-55 DAT and 60-70	0.6- mg/kg(Tebuconazole)	-	Do not spray 14 days before harvest Entry to crops and fields sprayed with EVITO-T may be done 1 day after spraying
DOW AGRO SCIENCES B.V.	1,3-DICHLOROPROPENE	TELDONE II	940 g/kg	-	NEMATOCIDE	2	031-147-0318	31-Dec-21	-	Pineapple	Nematodes(Radopholus,Meloidogynes,Helicotylenchus)	94.0mL/ha	-	-	For broadcast application, do not enter treated area within 12 hours after application unless heavy duty synthetic footgear is worn. For post plant
DOW AGRO SCIENCES B.V.	1,3-DICHLOROPROPENE	TELDONE II	940 g/kg	-	NEMATOCIDE	2	031-147-0318	31-Dec-21	-	Banana	Bacterial(Pseudomonas spp.)and other soil pests	16-200liters/ha	-	-	For broadcast application, do not enter treated area within 72 hours after application unless heavy duty synthetic footgear is worn. For post plant
ALDIX INCORPORATED	ABAMECTIN	TELLURIDE 1.8 EC	18 g/L	EC	INSECTICIDE	2	002-234-4757	19-Jun-25	-	Banana	Blossom thrips	0.5/ L water	-	-	Re-enter treated area only after spray deposits have dried out
ALDIX INCORPORATED	ABAMECTIN	TELLURIDE 1.8 EC	18 g/L	EC	INSECTICIDE	2	002-234-4757	19-Jun-25	-	Cabbage	Diamond back moth	3000 mL prod/ha	-	-	Re-enter treated area only after spray deposits have dried out
ALDIX INCORPORATED	ABAMECTIN	TELLURIDE 1.8 EC	18 g/L	EC	INSECTICIDE	2	002-234-4757	19-Jun-25	-	Ornamentals	Mites	1.0-1.5Tbsp/16L of water	-	-	Re-enter treated area only after spray deposits have dried out
ALDIX INCORPORATED	ABAMECTIN	TELLURIDE 1.8 EC	18 g/L	EC	INSECTICIDE	2	002-234-4757	19-Jun-25	-	Pine apple	Mites	3000-4000mL prod/ha	-	-	Re-enter treated area only after spray deposits have dried out
ALDIX INCORPORATED	ABAMECTIN	TELLURIDE 1.8 EC	18 g/L	EC	INSECTICIDE	2	002-234-4757	19-Jun-25	-	Eggplant	Thrips, Leafhopper, fruit and shoot borer	2.0-5.0 Tbsp/16L of water	-	3 days	Re-enter treated area only after spray deposits have dried out

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
ALDIZ INCORPORATED	ABAMECTIN	TELLURIDE 1.8 EC	18 g/L	EC	INSECTICIDE	2	002-234-4757	19-Jun-25	-	Onion	leafminer, thrips	2.0-3.0 Tbsp/16 L of water	-	3 days	Re-enter treated area only after spray deposits have dried out
ALDIZ INCORPORATED	ABAMECTIN	TELLURIDE 1.8 EC	18 g/L	EC	INSECTICIDE	2	002-234-4757	19-Jun-25	-	Potato	leafminer, thrips	2.0-3.0 Tbsp/16 L of water	-	14 days	Re-enter treated area only after spray deposits have dried out
ALDIZ INCORPORATED	ABAMECTIN	TELLURIDE 1.8 EC	18 g/L	EC	INSECTICIDE	2	002-234-4757	19-Jun-25	-	Tomato	leafminer, thrips, aphids	2.0-3.0 Tbsp/16 L of water	-	3 days	Re-enter treated area only after spray deposits have dried out
ALDIZ INCORPORATED	ABAMECTIN	TELLURIDE 1.8 EC	18 g/L	EC	INSECTICIDE	2	002-234-4757	19-Jun-25	-	Watermelon	leafmines, thrips, melonworm	2.0-3.0 Tbsp/16 L of water	-	3 days	Re-enter treated area only after spray deposits have dried out
ALDIZ INCORPORATED	ABAMECTIN	TELLURIDE 1.8 EC	18 g/L	EC	INSECTICIDE	2	002-234-4757	19-Jun-25	-	Papaya	Mites	0.5-1.0 Tbsp/16 L of water	-	14 days	Re-enter treated area only after spray deposits have dried out
ALDIZ INCORPORATED	ABAMECTIN	TELLURIDE 1.8 EC	18 g/L	EC	INSECTICIDE	2	002-234-4757	19-Jun-25	-	Strawberry	Mites	2.0-4.0 Tbsp/16 L of water	-	3 days	Re-enter treated area only after spray deposits have dried out
ALDIZ INCORPORATED	ABAMECTIN	TELLURIDE 1.8 EC	18 g/L	EC	INSECTICIDE	2	002-234-4757	19-Jun-25	-	Mango	Cecid fly	-	-	-	Re-enter treated area only after spray deposits have dried out
CULTIVA INCORPORATED	CHLOROTHALONIL	TELGAR 500 SC	500 g/L	SC	FUNGICIDE	4	201-118-1605	04-Nov-25	-	Melon	Anthracoese, cercospora leafspot, downy mildew, leaf blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Into treated areas may be done as soon as spray solution has dried.
CULTIVA INCORPORATED	CHLOROTHALONIL	TELGAR 500 SC	500 g/L	SC	FUNGICIDE	4	201-118-1605	04-Nov-25	-	Corn	Heminthosphorium leaf spot, cercospora leafspot	6.0-8.5 Tbsp/16 L	-	7-14 days	Into treated areas may be done as soon as spray solution has dried.
CULTIVA INCORPORATED	CHLOROTHALONIL	TELGAR 500 SC	500 g/L	SC	FUNGICIDE	4	201-118-1605	04-Nov-25	-	Eggplant	Anthracoese, cercospora leafspot, early and late blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Into treated areas may be done as soon as spray solution has dried.
CULTIVA INCORPORATED	CHLOROTHALONIL	TELGAR 500 SC	500 g/L	SC	FUNGICIDE	4	201-118-1605	04-Nov-25	-	Peanut	Cercospora leaf spot, rust	6.0-8.5 Tbsp/16 L	-	7-14 days	Into treated areas may be done as soon as spray solution has dried.
CULTIVA INCORPORATED	CHLOROTHALONIL	TELGAR 500 SC	500 g/L	SC	FUNGICIDE	4	201-118-1605	04-Nov-25	-	Potato	Early and late blight, vine rot	6.0-8.5 Tbsp/16 L	-	7-14 days	Into treated areas may be done as soon as spray solution has dried.
CULTIVA INCORPORATED	CHLOROTHALONIL	TELGAR 500 SC	500 g/L	SC	FUNGICIDE	4	201-118-1605	04-Nov-25	-	Tomato	Early and late blight, vine rot	6.0-8.5 Tbsp/16 L	-	7-14 days	Into treated areas may be done as soon as spray solution has dried.
CULTIVA INCORPORATED	CHLOROTHALONIL	TELGAR 500 SC	500 g/L	SC	FUNGICIDE	4	201-118-1605	04-Nov-25	-	Carrot	Alternaria, cercospora leaf spot, heminthosphorium leaf spot	6.0-8.5 Tbsp/16 L	-	7-14 days	Into treated areas may be done as soon as spray solution has dried.
CULTIVA INCORPORATED	CHLOROTHALONIL	TELGAR 500 SC	500 g/L	SC	FUNGICIDE	4	201-118-1605	04-Nov-25	-	Banana	Sigatoka, rust, freckles, heminthosphorium leaf spot	2 L/ha	2.0 mg/kg	-	Into treated areas may be done as soon as spray solution has dried.
CULTIVA INCORPORATED	CHLOROTHALONIL	TELGAR 500 SC	500 g/L	SC	FUNGICIDE	4	201-118-1605	04-Nov-25	-	Mango	Anthracoese, diplodia rot	6.0-8.5 Tbsp/16 L	0.5 mg/kg	7-14 days	Into treated areas may be done as soon as spray solution has dried.
CULTIVA INCORPORATED	CHLOROTHALONIL	TELGAR 500 SC	500 g/L	SC	FUNGICIDE	4	201-118-1605	04-Nov-25	-	Beans	Rust, anthracnose	6.0-8.5 Tbsp/16 L	-	7-14 days	Into treated areas may be done as soon as spray solution has dried.
CULTIVA INCORPORATED	CHLOROTHALONIL	TELGAR 500 SC	500 g/L	SC	FUNGICIDE	4	201-118-1605	04-Nov-25	-	Cucubers	Powdery mildew	6.0-8.5 Tbsp/16 L	-	7-14 days	Into treated areas may be done as soon as spray solution has dried.
CULTIVA INCORPORATED	CHLOROTHALONIL	TELGAR 500 SC	500 g/L	SC	FUNGICIDE	4	201-118-1605	04-Nov-25	-	Onion	Purple blotch, bulb rot, neck rot	6.0-8.5 Tbsp/16 L	-	7-14 days	Into treated areas may be done as soon as spray solution has dried.
CULTIVA INCORPORATED	CHLOROTHALONIL	TELGAR 500 SC	500 g/L	SC	FUNGICIDE	4	201-118-1605	04-Nov-25	-	Garlic	Purple blotch, bulb rot, neck rot	6.0-8.5 Tbsp/16 L	-	7-14 days	Into treated areas may be done as soon as spray solution has dried.
CULTIVA INCORPORATED	CHLOROTHALONIL	TELGAR 500 SC	500 g/L	SC	FUNGICIDE	4	201-118-1605	04-Nov-25	-	Ornamentals	Black spot, black rot, powdery mildew	6.0-8.5 Tbsp/16 L	-	7-14 days	Into treated areas may be done as soon as spray solution has dried.
CULTIVA INCORPORATED	CHLOROTHALONIL	TELGAR 500 SC	500 g/L	SC	FUNGICIDE	4	201-118-1605	04-Nov-25	-	Grapes	Downy mildew, powdery mildew, fruit rot	6.0-8.5 Tbsp/16 L	-	7-14 days	Into treated areas may be done as soon as spray solution has dried.
CULTIVA INCORPORATED	CHLOROTHALONIL	TELGAR 500 SC	500 g/L	SC	FUNGICIDE	4	201-118-1605	04-Nov-25	-	Pepper	Anthracoese, cercospora leaf spot, early blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Into treated areas may be done as soon as spray solution has dried.
CULTIVA INCORPORATED	CHLOROTHALONIL	TELGAR 500 SC	500 g/L	SC	FUNGICIDE	4	201-118-1605	04-Nov-25	-	Melon	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Into treated areas may be done as soon as spray solution has dried.
CULTIVA INCORPORATED	CHLOROTHALONIL	TELGAR 500 SC	500 g/L	SC	FUNGICIDE	4	201-118-1605	04-Nov-25	-	Cucumber	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Into treated areas may be done as soon as spray solution has dried.
CULTIVA INCORPORATED	CHLOROTHALONIL	TELGAR 500 SC	500 g/L	SC	FUNGICIDE	4	201-118-1605	04-Nov-25	-	Squash	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Into treated areas may be done as soon as spray solution has dried.
CULTIVA INCORPORATED	CHLOROTHALONIL	TELGAR 500 SC	500 g/L	SC	FUNGICIDE	4	201-118-1605	04-Nov-25	-	Watermelon	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Into treated areas may be done as soon as spray solution has dried.
CULTIVA INCORPORATED	CHLOROTHALONIL	TELGAR 500 SC	500 g/L	SC	FUNGICIDE	4	201-118-1605	04-Nov-25	-	Celery	Early and late blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Into treated areas may be done as soon as spray solution has dried.
AGWAY CHEMICALS CORPORATION	GLYPHOSATE IPA	TEXWEED 480 SL	480 g/L	SL	HERBICIDE	4	075-151-1791	08-Dec-26	POST-EMERGENT	Glyphosate tolerant corn under minimum or reduced	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/ha	-	-	-
AGWAY CHEMICALS CORPORATION	GLYPHOSATE IPA	TEXWEED 480 SL	480 g/L	SL	HERBICIDE	4	075-151-1791	08-Dec-26	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
AGWAY CHEMICALS CORPORATION	GLYPHOSATE IPA	TEXWEED 480 SL	480 g/L	SL	HERBICIDE	4	075-151-1791	08-Dec-26	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
AGWAY CHEMICALS CORPORATION	GLYPHOSATE IPA	TEXWEED 480 SL	480 g/L	SL	HERBICIDE	4	075-151-1791	08-Dec-26	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
AGWAY CHEMICALS CORPORATION	GLYPHOSATE IPA	TEXWEED 480 SL	480 g/L	SL	HERBICIDE	4	075-151-1791	08-Dec-26	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
AGWAY CHEMICALS CORPORATION	GLYPHOSATE IPA	TEXWEED 480 SL	480 g/L	SL	HERBICIDE	4	075-151-1791	08-Dec-26	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
AGWAY CHEMICALS CORPORATION	GLYPHOSATE IPA	TEXWEED 480 SL	480 g/L	SL	HERBICIDE	4	075-151-1791	08-Dec-26	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
AGWAY CHEMICALS CORPORATION	GLYPHOSATE IPA	TEXWEED 480 SL	480 g/L	SL	HERBICIDE	4	075-151-1791	08-Dec-26	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
AGWAY CHEMICALS CORPORATION	GLYPHOSATE IPA	TEXWEED 480 SL	480 g/L	SL	HERBICIDE	4	075-151-1791	08-Dec-26	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/ha	-	-	-
AGWAY CHEMICALS CORPORATION	GLYPHOSATE IPA	TEXWEED 480 SL	480 g/L	SL	HERBICIDE	4	075-151-1791	08-Dec-26	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
AGWAY CHEMICALS CORPORATION	GLYPHOSATE IPA	TEXWEED 480 SL	480 g/L	SL	HERBICIDE	4	075-151-1791	08-Dec-26	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
AGWAY CHEMICALS CORPORATION	GLYPHOSATE IPA	TEXWEED 480 SL	480 g/L	SL	HERBICIDE	4	075-151-1791	08-Dec-26	POST-EMERGENT	Non-crop areas	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
COMPANIA J. M. INC.	PARA-TERTIARY-AMPHENOL-ORTHO-BENZYL-PABA-CHLOROPHENOL-ORTHO-PHENYLPHENOL	TEK-TROL	4g/L+10g/L+12g/L	-	OTHERS	2	716-600-5869	31-Dec-24	-	-	Cleaning and disinfection for poultry and livestock farms	-	-	-	-
PLANTCARE TRADING CORPORATION	PROFENOFOS	TEKRON 50 EC	500 g/L	EC	INSECTICIDE	2	495-070-5969	16-Feb-25	CONTACT	Tomato	Fruitworm, armyworm, cutworm	3.0-5.0 Tbsp/16L water	-	Do not apply at least seven (7) days before harvest	Do not enter treated fields for at least 1 day after application
PLANTCARE TRADING CORPORATION	PROFENOFOS	TEKRON 50 EC	500 g/L	EC	INSECTICIDE	2	495-070-5969	16-Feb-25	CONTACT	Eggplant	Fruitborer, aphids, leafhopper, thrips	1.5-3.0 Tbsp/16 L water	-	Do not apply at least seven (7) days before harvest	Do not enter treated fields for at least 1 day after application
PLANTCARE TRADING CORPORATION	PROFENOFOS	TEKRON 50 EC	500 g/L	EC	INSECTICIDE	2	495-070-5969	16-Feb-25	CONTACT	Cabbage	Diamond-back moth, cabbage worm, aphids	3.0-5.0 Tbsp/16L water	-	Do not apply at least seven (7) days before harvest	Do not enter treated fields for at least 1 day after application
PLANTCARE TRADING CORPORATION	PROFENOFOS	TEKRON 50 EC	500 g/L	EC	INSECTICIDE	2	495-070-5969	16-Feb-25	CONTACT	Watermelon	Thrips	3.0-5.0 Tbsp/16L water	-	Do not apply at least seven (7) days before harvest	Do not enter treated fields for at least 1 day after application
PLANTCARE TRADING CORPORATION	PROFENOFOS	TEKRON 50 EC	500 g/L	EC	INSECTICIDE	2	495-070-5969	16-Feb-25	CONTACT	Potato	Thrips, armyworms, cutworm, tubermoth	3.0-5.0 Tbsp/16L water	-	Do not apply at least seven (7) days before harvest	Do not enter treated fields for at least 1 day after application
PLANTCARE TRADING CORPORATION	PROFENOFOS	TEKRON 50 EC	500 g/L	EC	INSECTICIDE	2	495-070-5969	16-Feb-25	CONTACT	Soybean	Corn earworm, leafminers	3.0-5.0 Tbsp/16L water	-	Do not apply at least seven (7) days before harvest	Do not enter treated fields for at least 1 day after application
PLANTCARE TRADING CORPORATION	PROFENOFOS	TEKRON 50 EC	500 g/L	EC	INSECTICIDE	2	495-070-5969	16-Feb-25	CONTACT	Mungbeans	Corn earworm, leafminers	3.0-5.0 Tbsp/16L water	-	Do not apply at least seven (7) days before harvest	Do not enter treated fields for at least 1 day after application
PLANTCARE TRADING CORPORATION	PROFENOFOS	TEKRON 50 EC	500 g/L	EC	INSECTICIDE	2	495-070-5969	16-Feb-25	CONTACT	Cotton	Thrips, bollworms, budworms	3.0-5.0 Tbsp/16L water	-	Do not apply at least seven (7) days before harvest	Do not enter treated fields for at least 1 day after application
PLANTCARE TRADING CORPORATION	PROFENOFOS	TEKRON 50 EC	500 g/L	EC	INSECTICIDE	2	495-070-5969	16-Feb-25	CONTACT	Peas	beanfly, leafhopper, aphids	1.5-3.0 Tbsp/16 L water	-	Do not apply at least seven (7) days before harvest	Do not enter treated fields for at least 1 day after application
PLANTCARE TRADING CORPORATION	PROFENOFOS	TEKRON 50 EC	500 g/L	EC	INSECTICIDE	2	495-070-5969	16-Feb-25	CONTACT	Mango	Thrips	1.0-2.0 Tbsp/16L water	-	Do not apply at least seven (7) days before harvest	Do not enter treated fields for at least 1 day after application
AGWAY CHEMICALS CORPORATION	GLUFOSINATE AMMONIUM	TEXBURN 15 SL	150 g/L	SL	HERBICIDE	4	075-182-4422	22-Oct-26	NON-SELECTIVE(POST-EMERGENT)	hubber	Annual & Perennial grasses, sedges & broadleaf weeds	215ml/16L water, 275ml/16 L water, 135ml/16 L water	-	-	After spray deposits have dried
AGWAY CHEMICALS CORPORATION	GLUFOSINATE AMMONIUM	TEXBURN 15 SL	150 g/L	SL	HERBICIDE	4	075-182-4422	22-Oct-26	NON-SELECTIVE(POST-EMERGENT)	Oil palm	Annual & Perennial grasses, sedges & broadleaf weeds	360ml/16 L water, 135ml/16 L water	-	-	After spray deposits have dried
AGWAY CHEMICALS CORPORATION	GLUFOSINATE AMMONIUM	TEXBURN 15 SL	150 g/L	SL	HERBICIDE	4	075-182-4422	22-Oct-26	NON-SELECTIVE(POST-EMERGENT)	Non-Agricultural Crop Areas	Annual & Perennial grasses, sedges & broadleaf weeds	160-215ml/16 L water	-	-	After spray deposits have dried
AGWAY CHEMICALS CORPORATION	GLUFOSINATE AMMONIUM	TEXBURN 15 SL	150 g/L	SL	HERBICIDE	4	075-182-4422	22-Oct-26	NON-SELECTIVE(POST-EMERGENT)	Cavendish Banana	Annual & Perennial grasses, sedges & broadleaf weeds	360ml/16 L water, 135-200ml/16 L water	0.2 mg/kg	-	After spray deposits have dried
TEXCON AGR VENTURES CORPORATION	PERMETHRIN	TESO 10 EC	100 g/L	EC	INSECTICIDE	4	242-127-4497	30-Aug-24	POST-EMERGENT	Cabbage	Diamond-back moth, aphids, cabbage moth	1-3 Tbsp/16L water	-	-	Spray at weekly interval depending on degree of infestation. Interval between last application and

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
TEXICON AGR VENTURES CORPORATION	PERMETHRIN	TEGO 10 EC	100 g/L	EC	INSECTICIDE	4	242-127-4497	30-Aug-24	-	Tomato	Fruitworms	1-3 Tbsp/36L water	-	Spray at weekly interval depending on degree of infestation. Interval between last application and	One day after spraying
TEXICON AGR VENTURES CORPORATION	PERMETHRIN	TEGO 10 EC	100 g/L	EC	INSECTICIDE	4	242-127-4497	30-Aug-24	-	Mango	Mango hoppers	1-3 Tbsp/36L water	-	Spray at weekly interval depending on degree of infestation. Interval between last application and	One day after spraying
TEXICON AGR VENTURES CORPORATION	PERMETHRIN	TEGO 10 EC	100 g/L	EC	INSECTICIDE	4	242-127-4497	30-Aug-24	-	Tobacco	Budworm, cutworm, aphids, hopper, leafworm	1-3 Tbsp/36L water	-	Spray at weekly interval depending on degree of infestation. Interval between last application and	One day after spraying
TEXICON AGR VENTURES CORPORATION	PERMETHRIN	TEGO 10 EC	100 g/L	EC	INSECTICIDE	4	242-127-4497	30-Aug-24	-	Corn	Corn borer, earworm	1-3 Tbsp/36L water	-	Spray at weekly interval depending on degree of infestation. Interval between last application and	One day after spraying
TEXICON AGR VENTURES CORPORATION	PERMETHRIN	TEGO 10 EC	100 g/L	EC	INSECTICIDE	4	242-127-4497	30-Aug-24	-	Rice	Whorl maggot, planthopper, Green leafhopper, stemborer, leafminer	1-3 Tbsp/36L water	-	Spray at weekly interval depending on degree of infestation. Interval between last application and	One day after spraying
TEXICON AGR VENTURES CORPORATION	PERMETHRIN	TEGO 10 EC	100 g/L	EC	INSECTICIDE	4	242-127-4497	30-Aug-24	-	Beans	Podborer, aphids, flea beetle, beanflies	1-3 Tbsp/36L water	-	Spray at weekly interval depending on degree of infestation. Interval between last application and	One day after spraying
TEXICON AGR VENTURES CORPORATION	PERMETHRIN	TEGO 10 EC	100 g/L	EC	INSECTICIDE	4	242-127-4497	30-Aug-24	-	White Potato	Tubermoth	1-3 Tbsp/36L water	-	Spray at weekly interval depending on degree of infestation. Interval between last application and	One day after spraying
TEXICON AGR VENTURES CORPORATION	PERMETHRIN	TEGO 10 EC	100 g/L	EC	INSECTICIDE	4	242-127-4497	30-Aug-24	-	Onion	Thrips	1-3 Tbsp/36L water	-	Spray at weekly interval depending on degree of infestation. Interval between last application and	One day after spraying
TROPICUKE, INC.	CHLOROTHALONIL	TECONIL 720 SC	720 g/L	SC	FUNGICIDE	4	091-118-1394	23-Feb-24	-	Potato	Early blight, late blight, vine rot	1.00-1.80 L/ha or 4.5-5.9 Tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
TROPICUKE, INC.	CHLOROTHALONIL	TECONIL 720 SC	720 g/L	SC	FUNGICIDE	4	091-118-1394	23-Feb-24	-	Tomato	Early blight, late blight, vine rot	1.13-1.90 L/ha or 4.5-6.0 Tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
TROPICUKE, INC.	CHLOROTHALONIL	TECONIL 720 SC	720 g/L	SC	FUNGICIDE	4	091-118-1394	23-Feb-24	-	Carrot	Alternaria leaf spot, cercospora leaf spot, helminthosporium leaf spot	1.13-1.90 L/ha or 4.5-6.0 Tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
TROPICUKE, INC.	CHLOROTHALONIL	TECONIL 720 SC	720 g/L	SC	FUNGICIDE	4	091-118-1394	23-Feb-24	-	Crucifers	Powdery mildew	1.13-1.90 L/ha or 4.5-6.0 Tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
TROPICUKE, INC.	CHLOROTHALONIL	TECONIL 720 SC	720 g/L	SC	FUNGICIDE	4	091-118-1394	23-Feb-24	-	Melon	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 Tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
TROPICUKE, INC.	CHLOROTHALONIL	TECONIL 720 SC	720 g/L	SC	FUNGICIDE	4	091-118-1394	23-Feb-24	-	Cucumber	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 Tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
TROPICUKE, INC.	CHLOROTHALONIL	TECONIL 720 SC	720 g/L	SC	FUNGICIDE	4	091-118-1394	23-Feb-24	-	Celery	Early blight, late blight	1.13-1.90 L/ha or 4.5-6.0 Tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
TROPICUKE, INC.	CHLOROTHALONIL	TECONIL 720 SC	720 g/L	SC	FUNGICIDE	4	091-118-1394	23-Feb-24	-	Eggplant	Early blight, late blight, cercospora leafspot, anthracnose	1.13-1.90 L/ha or 4.5-6.0 Tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
TROPICUKE, INC.	CHLOROTHALONIL	TECONIL 720 SC	720 g/L	SC	FUNGICIDE	4	091-118-1394	23-Feb-24	-	Onion	Purple blotch, bulb rot, neck rot	1.13-1.90 L/ha or 4.5-6.0 Tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
TROPICUKE, INC.	CHLOROTHALONIL	TECONIL 720 SC	720 g/L	SC	FUNGICIDE	4	091-118-1394	23-Feb-24	-	Pepper	Early blight, cercospora leaf spot, anthracnose	1.13-1.90 L/ha or 4.5-6.0 Tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
TROPICUKE, INC.	CHLOROTHALONIL	TECONIL 720 SC	720 g/L	SC	FUNGICIDE	4	091-118-1394	23-Feb-24	-	Grapes	Downy mildew, powdery mildew, fruit rot	1.13-1.90 L/ha or 4.5-6.0 Tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
TROPICUKE, INC.	CHLOROTHALONIL	TECONIL 720 SC	720 g/L	SC	FUNGICIDE	4	091-118-1394	23-Feb-24	-	Mango	Anthracoese, diploidi rot	1.75-5.00 L/ha or 4.5-6.0 Tbsp/36 L	0.5 mg/kg	7-14 days	Do not enter treatment areas until spray deposit have dried
TROPICUKE, INC.	CHLOROTHALONIL	TECONIL 720 SC	720 g/L	SC	FUNGICIDE	4	091-118-1394	23-Feb-24	-	Ornamentals	Black spot, powdery mildew, black rot	1.13-1.90 L/ha or 4.5-6.0 Tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
TROPICUKE, INC.	CHLOROTHALONIL	TECONIL 720 SC	720 g/L	SC	FUNGICIDE	4	091-118-1394	23-Feb-24	-	Asparagus	Stem and leaf blight	1.80 L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
TROPICUKE, INC.	CHLOROTHALONIL	TECONIL 720 SC	720 g/L	SC	FUNGICIDE	4	091-118-1394	23-Feb-24	-	Banana	Black sigatoka	1.38 L/ha	2.0 mg/kg	0 day	Do not enter treatment areas until spray deposit have dried
UCHEMPHIL INTERNATIONAL INC.	DIFENOCONAZOLE	TECNO 250 EC	250 g/L	EC	FUNGICIDE	4	590-272-5824	15-Aug-25	SYSTEMIC	Rice	Sheath Blight	0.25-0.30 L product/ha	-	-	-
UCHEMPHIL INTERNATIONAL INC.	DIFENOCONAZOLE	TECNO 250 EC	250 g/L	EC	FUNGICIDE	4	590-272-5824	15-Aug-25	SYSTEMIC	Mango	Anthracoese	0.028-0.080 L product/ha	-	14 days	-
UCHEMPHIL INTERNATIONAL INC.	DIFENOCONAZOLE	TECNO 250 EC	250 g/L	EC	FUNGICIDE	4	590-272-5824	15-Aug-25	SYSTEMIC	Stringbeans	Leaf spot	0.20-0.25 L product/ha	-	7 days	-
UCHEMPHIL INTERNATIONAL INC.	DIFENOCONAZOLE	TECNO 250 EC	250 g/L	EC	FUNGICIDE	4	590-272-5824	15-Aug-25	SYSTEMIC	Tomato	Alternaria leaf spot, cercospora leaf mold, and powdery mildew	0.40 L product/ha	-	7 days	-
UCHEMPHIL INTERNATIONAL INC.	DIFENOCONAZOLE	TECNO 250 EC	250 g/L	EC	FUNGICIDE	4	590-272-5824	15-Aug-25	SYSTEMIC	Eggplant	Leafspot	0.20-0.25 L product/ha	-	7 days	-
UCHEMPHIL INTERNATIONAL INC.	DIFENOCONAZOLE	TECNO 250 EC	250 g/L	EC	FUNGICIDE	4	590-272-5824	15-Aug-25	SYSTEMIC	Cabbage	Alternaria leaf spot and ring spot	0.20-0.25 L product/ha	-	7 days	-
UCHEMPHIL INTERNATIONAL INC.	DIFENOCONAZOLE	TECNO 250 EC	250 g/L	EC	FUNGICIDE	4	590-272-5824	15-Aug-25	SYSTEMIC	Onion	Purple blotch	0.40-0.50 L product/ha	-	7 days	-
UCHEMPHIL INTERNATIONAL INC.	DIFENOCONAZOLE	TECNO 250 EC	250 g/L	EC	FUNGICIDE	4	590-272-5824	15-Aug-25	SYSTEMIC	Asparagus	Stem and Leaf blight	0.36 L product/ ha	-	7 days	-
UCHEMPHIL INTERNATIONAL INC.	DIFENOCONAZOLE	TECNO 250 EC	250 g/L	EC	FUNGICIDE	4	590-272-5824	15-Aug-25	SYSTEMIC	Banana	Black sigatoka	0.30-0.340 L product/ ha	-	-	-
ORACLE CHEM CORPORATION	BENZAZOLONIUM CHLORIDE	TECH PRO 400	40 g/L by mass	-	OTHERS	4	417-097-5331	25-Nov-23	-	Banana	Raktonia solenaceorum - as tool disinfectant	30-20mL/L water	-	-	As soon as spray solution has dried up.
JOANIMA CORPORATION	TERBUCONAZOLE	TERBUCOZ 430 SC	430 g/L	SC	FUNGICIDE	4	241-259-2132	23-Jan-27	SYSTEMIC	Banana	Black Sigatoka	0.23L prof./ha	-	0 day	Until the spray deposit has dried
JOANIMA CORPORATION	TERBUCONAZOLE	TERBUCOZ 430 SC	430 g/L	SC	FUNGICIDE	4	241-259-2132	23-Jan-27	SYSTEMIC	Corn	Rust	25-30mL/36 L water	-	-	Until the spray deposit has dried
JOANIMA CORPORATION	TERBUCONAZOLE	TERBUCOZ 430 SC	430 g/L	SC	FUNGICIDE	4	241-259-2132	23-Jan-27	SYSTEMIC	Mango	Anthracoese	35-45mL/100 L water	-	22 days	Until the spray deposit has dried
ROTAM PHILIPPINES, INC.	TERBUCONAZOLE	TERBUCOZ 430 SC	430 g/L	SC	FUNGICIDE	4	569-259-3089	22-Jul-25	SYSTEMIC	Banana	Sigatoka	0.23L prof./ha	-	0 Day	Until the spray deposit has dried
ROTAM PHILIPPINES, INC.	TERBUCONAZOLE	TERBUCOZ 430 SC	430 g/L	SC	FUNGICIDE	4	569-259-3089	22-Jul-25	SYSTEMIC	Corn	Rust	25-30mL/36 L water	-	-	Until the spray deposit has dried
ROTAM PHILIPPINES, INC.	TERBUCONAZOLE	TERBUCOZ 430 SC	430 g/L	SC	FUNGICIDE	4	569-259-3089	22-Jul-25	SYSTEMIC	Mango	Anthracoese	35-45mL/100 L water	-	22 days	Until the spray deposit has dried
ASGHEM MANUFACTURING CORPORATION	TERBUCONAZOLE	TERBUCHEM 43 SC	430 g/L	SC	FUNGICIDE	4	001-259-5283	10-Dec-23	SYSTEMIC	Banana	Sigatoka	0.23L prof./ha	-	0 day	After spray deposits have dried.
ASGHEM MANUFACTURING CORPORATION	TERBUCONAZOLE	TERBUCHEM 43 SC	430 g/L	SC	FUNGICIDE	4	001-259-5283	10-Dec-23	SYSTEMIC	Corn	Rust	25-30mL/36 L water	-	-	After spray deposits have dried.
ASGHEM MANUFACTURING CORPORATION	TERBUCONAZOLE	TERBUCHEM 43 SC	430 g/L	SC	FUNGICIDE	4	001-259-5283	10-Dec-23	SYSTEMIC	Mango	Anthracoese	35-45mL/100 L water	-	22 days	After spray deposits have dried.
TEAMAGRO TRADING CORPORATION	2,4-D AMINE	TEAMGRO 2,4-D AMINE	400 g/L	EC	HERBICIDE	2	248-013-3289-A	31-Dec-26	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual broadleaves and sedges	3.5-6.5Tbsp/36 L water	0.1 ppm	-	Entry to fields and crops treated with TEAMAGRO 2,4-D AMINE can be done one day after spraying.
TEAMAGRO TRADING CORPORATION	2,4-D AMINE	TEAMGRO 2,4-D AMINE	400 g/L	EC	HERBICIDE	2	248-013-3289-A	31-Dec-26	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual broadleaves and sedges	13-25 Tbsp/36 L water	-	-	Entry to fields and crops treated with TEAMAGRO 2,4-D AMINE can be done one day after spraying.
TEAMAGRO TRADING CORPORATION	2,4-D AMINE	TEAMGRO 2,4-D AMINE	400 g/L	EC	HERBICIDE	2	248-013-3289-A	31-Dec-26	SELECTIVE (POST-EMERGENT)	Corn	Annual broadleaves and sedges	5-6.5 Tbsp/36 L water	-	-	Entry to fields and crops treated with TEAMAGRO 2,4-D AMINE can be done one day after spraying.
TEAMAGRO TRADING CORPORATION	MALATHION	TEAMAGRO MALATHION	570 g/L	EC	INSECTICIDE	4	248-038-3226	26-Jan-24	NON-SYSTEMIC	Fruit trees	Aphids, mealy bug scale insect	1.5-3.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying
TEAMAGRO TRADING CORPORATION	MALATHION	TEAMAGRO MALATHION	570 g/L	EC	INSECTICIDE	4	248-038-3226	26-Jan-24	NON-SYSTEMIC	Rice	Armyworm, caseworm, leafhopper, bug	2.0-5.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying
TEAMAGRO TRADING CORPORATION	MALATHION	TEAMAGRO MALATHION	570 g/L	EC	INSECTICIDE	4	248-038-3226	26-Jan-24	NON-SYSTEMIC	Corn	Earworm, silkworm, aphids, grasshopper	3.0-5.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying
TEAMAGRO TRADING CORPORATION	MALATHION	TEAMAGRO MALATHION	570 g/L	EC	INSECTICIDE	4	248-038-3226	26-Jan-24	NON-SYSTEMIC	Cabbage	Cabbage worm, loopers, diamond-back moth	2.0-5.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying
TEAMAGRO TRADING CORPORATION	MALATHION	TEAMAGRO MALATHION	570 g/L	EC	INSECTICIDE	4	248-038-3226	26-Jan-24	NON-SYSTEMIC	Legumes	Aphids, beanfly, cutworm, flea beetles, leafminer, maggot, mealybug, podborer, thrips	2.0-5.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying
TEAMAGRO TRADING CORPORATION	MALATHION	TEAMAGRO MALATHION	570 g/L	EC	INSECTICIDE	4	248-038-3226	26-Jan-24	NON-SYSTEMIC	Grapes	Beetles, cutworm, leafhopper, mealybug, scale, insect, spider mites	3.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying
TEAMAGRO TRADING CORPORATION	MALATHION	TEAMAGRO MALATHION	570 g/L	EC	INSECTICIDE	4	248-038-3226	26-Jan-24	NON-SYSTEMIC	Pineapple	Mealy bug	3.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying
TEAMAGRO TRADING CORPORATION	MALATHION	TEAMAGRO MALATHION	570 g/L	EC	INSECTICIDE	4	248-038-3226	26-Jan-24	NON-SYSTEMIC	Pepper	Aphid, cutworm, fruitworm	3.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying
TEAMAGRO TRADING CORPORATION	MALATHION	TEAMAGRO MALATHION	570 g/L	EC	INSECTICIDE	4	248-038-3226	26-Jan-24	NON-SYSTEMIC	Garlic	Cutworm	3.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying
TEAMAGRO TRADING CORPORATION	MALATHION	TEAMAGRO MALATHION	570 g/L	EC	INSECTICIDE	4	248-038-3226	26-Jan-24	NON-SYSTEMIC	Onion	Cutworm	3.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying
TEAMAGRO TRADING CORPORATION	MALATHION	TEAMAGRO MALATHION	570 g/L	EC	INSECTICIDE	4	248-038-3226	26-Jan-24	NON-SYSTEMIC	Tobacco	Aphids, katydid	3.0-6.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
TEAMAGRO TRADING CORPORATION	MALATHION	TEAMAGRO MALATHION	570 g/L	EC	INSECTICIDE	4	248-088-3226	26-Jan-24	NON-SYSTEMIC	Ornamentals	Aphids, cutworm, mealybug, scale insect, spider mites	3.0-5.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying
TEAMAGRO TRADING CORPORATION	MALATHION	TEAMAGRO MALATHION	570 g/L	EC	INSECTICIDE	4	248-088-3226	26-Jan-24	NON-SYSTEMIC	Tomato	Lady beetle	3.0-5.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying
TEAMAGRO TRADING CORPORATION	MALATHION	TEAMAGRO MALATHION	570 g/L	EC	INSECTICIDE	4	248-088-3226	26-Jan-24	NON-SYSTEMIC	Eggplant	Aphids, fruitworm	3.0-5.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying
TEAMAGRO TRADING CORPORATION	MALATHION	TEAMAGRO MALATHION	570 g/L	EC	INSECTICIDE	4	248-088-3226	26-Jan-24	NON-SYSTEMIC	Sorghum	Web worm	3.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying
TEAMAGRO TRADING CORPORATION	MALATHION	TEAMAGRO MALATHION	570 g/L	EC	INSECTICIDE	4	248-088-3226	26-Jan-24	NON-SYSTEMIC	Crucifers	Cabbage worm, loopers, diamond-back moth	2.0-5.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying
TEAMAGRO TRADING CORPORATION	ATRAZINE	TEAMAGRO ATRAZINE 80 WP	800 g/kg	WP	HERBICIDE	4	248-065-1521	20-Aug-24	SELECTIVE (PRE-EMERGENT)	Corn	Broadleaf weeds & annual grasses	8-12Tbsp/36 L water	-	-	Do not enter treated fields within 5 days after application
TEAMAGRO TRADING CORPORATION	ATRAZINE	TEAMAGRO ATRAZINE 80 WP	800 g/kg	WP	HERBICIDE	4	248-065-1521	20-Aug-24	SELECTIVE (PRE-EMERGENT)	Sorghum	Broadleaf weeds & annual grasses	8-12Tbsp/36 L water	-	-	Do not enter treated fields within 5 days after application
TEAMAGRO TRADING CORPORATION	ATRAZINE	TEAMAGRO ATRAZINE 80 WP	800 g/kg	WP	HERBICIDE	4	248-065-1521	20-Aug-24	SELECTIVE (PRE-EMERGENT)	Sugarcane	Broadleaf weeds & annual grasses	8-12Tbsp/36 L water	-	-	Do not enter treated fields within 5 days after application
TEAMAGRO TRADING CORPORATION	2,4-D IBE	TEAMAGRO 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	248-040-1433	10-Dec-24	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual Broadleaves & sedges	3.5-6.5 Tbsp/36 L water	0.1 ppm	-	One (1) day after spraying.
TEAMAGRO TRADING CORPORATION	2,4-D IBE	TEAMAGRO 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	248-040-1433	10-Dec-24	SELECTIVE (POST-EMERGENT)	Corn	Annual Broadleaves & sedges	5.0-6.5 Tbsp/36 L water	-	-	One (1) day after spraying.
TEAMAGRO TRADING CORPORATION	2,4-D IBE	TEAMAGRO 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	248-040-1433	10-Dec-24	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual Broadleaves & sedges	13.0-25.0Tbsp/36 L water	-	-	One (1) day after spraying.
TEAMAGRO TRADING CORPORATION	DURON	TEAM AGRO DURON 80 WP	800 g/kg	WP	HERBICIDE	4	248-021-4344	04-May-24	NON-SELECTIVE/SELECTIVE	Citrus	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/36 L water	-	-	Entry to fields treated with TEAMAGRO DURON 80 WP can be done one day after application.
TEAMAGRO TRADING CORPORATION	DURON	TEAM AGRO DURON 80 WP	800 g/kg	WP	HERBICIDE	4	248-021-4344	04-May-24	NON-SELECTIVE/SELECTIVE	Coffee	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/36 L water	-	-	Entry to fields treated with TEAMAGRO DURON 80 WP can be done one day after application.
TEAMAGRO TRADING CORPORATION	DURON	TEAM AGRO DURON 80 WP	800 g/kg	WP	HERBICIDE	4	248-021-4344	04-May-24	NON-SELECTIVE/SELECTIVE	Cotton	Annual and Perennial broadleaves and grasses	6.0Tbsp/36 L water	-	-	Entry to fields treated with TEAMAGRO DURON 80 WP can be done one day after application.
TEAMAGRO TRADING CORPORATION	DURON	TEAM AGRO DURON 80 WP	800 g/kg	WP	HERBICIDE	4	248-021-4344	04-May-24	NON-SELECTIVE/SELECTIVE	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0Tbsp/36 L water	-	-	Entry to fields treated with TEAMAGRO DURON 80 WP can be done one day after application.
TEAMAGRO TRADING CORPORATION	DURON	TEAM AGRO DURON 80 WP	800 g/kg	WP	HERBICIDE	4	248-021-4344	04-May-24	NON-SELECTIVE/SELECTIVE	Pineapple	Annual and Perennial broadleaves and grasses	14.0Tbsp/36 L water	-	-	Entry to fields treated with TEAMAGRO DURON 80 WP can be done one day after application.
TEAMAGRO TRADING CORPORATION	DURON	TEAM AGRO DURON 80 WP	800 g/kg	WP	HERBICIDE	4	248-021-4344	04-May-24	NON-SELECTIVE/SELECTIVE	Non-crop land	Annual and Perennial broadleaves and grasses	20.0-28.0Tbsp/36 L water	-	-	Entry to fields treated with TEAMAGRO DURON 80 WP can be done one day after application.
TOTAL COLOURS CORPORATION	CHLOROTHALONIL-MANCOZEB	TC CHLOROXEB WP	360g/kg=400g/kg	WP	FUNGICIDE	2	465-533-5536	02-Jul-22	CONTACT	Banana	Black Sigatoka	3.0-2.5 L/ha	-	-	-
AGCHEM MANUFACTURING CORPORATION	THIAMETHOXAM	TAYAMET 25 WG	250 g/kg	WG	INSECTICIDE	4	001-312-3744	30-Jun-25	SYSTEMIC	Pineapple	Mealy bug	300-200 g/ha	0.05 mg/kg	No PHI proposed as last application of TAYAMET 25WG will be 48 days before harvest	Do not enter unless spray deposits have dried
AGCHEM MANUFACTURING CORPORATION	THIAMETHOXAM	TAYAMET 25 WG	250 g/kg	WG	INSECTICIDE	4	001-312-3744	30-Jun-25	SYSTEMIC	Mango	Leafhopper	105.6-123.2g prod/ha	0.20 mg/kg	No PHI proposed as the product will be applied at least 20-40 days before harvest	Do not enter unless spray deposits have dried
AGCHEM MANUFACTURING CORPORATION	THIAMETHOXAM	TAYAMET 25 WG	250 g/kg	WG	INSECTICIDE	4	001-312-3744	30-Jun-25	SYSTEMIC	Rice	Green leafhopper, brown plant hopper, white backed planthopper,	4.0-5.0 Tbsp/36L water; For black bug 7.0-10.0 Tbsp/36L water	-	38 days	Do not enter unless spray deposits have dried
AGCHEM MANUFACTURING CORPORATION	THIAMETHOXAM	TAYAMET 25 WG	250 g/kg	WG	INSECTICIDE	4	001-312-3744	30-Jun-25	SYSTEMIC	Stringbeans	Aphids, leafhopper	0.5-2.0 Drench, Foliar spray 2.0-5.0 Tbsp/36L water	-	7 days	Do not enter unless spray deposits have dried
AGCHEM MANUFACTURING CORPORATION	THIAMETHOXAM	TAYAMET 25 WG	250 g/kg	WG	INSECTICIDE	4	001-312-3744	30-Jun-25	SYSTEMIC	Eggplant	Aphids, leafhopper	0.5-2.0 Drench, Foliar spray 2.0-5.0 Tbsp/36L water	-	3 days	Do not enter unless spray deposits have dried
AGCHEM MANUFACTURING CORPORATION	THIAMETHOXAM	TAYAMET 25 WG	250 g/kg	WG	INSECTICIDE	4	001-312-3744	30-Jun-25	SYSTEMIC	Banana	Flower thrips	4 g/L	0.02 mg/kg	No PHI proposed as TAYAMET 25WG will be applied as bud injection	Do not enter unless spray deposits have dried
ALDIE INCORPORATED	PROFENOFOS	TAURUS 50 EC	500 g/L	EC	INSECTICIDE	2	002-070-3261	30-Jan-26	CONTACT	Mango	Thrips	1.0-2.0 Tbsp/36L water	-	7 days before harvest	1 day after Application
ALDIE INCORPORATED	PROFENOFOS	TAURUS 50 EC	500 g/L	EC	INSECTICIDE	2	002-070-3261	30-Jan-26	CONTACT	Tomato	Fruitworm, armyworm, cutworm	3-5 Tbsp/36L water	-	7 Days before harvest	1 Day after Application
ALDIE INCORPORATED	PROFENOFOS	TAURUS 50 EC	500 g/L	EC	INSECTICIDE	2	002-070-3261	30-Jan-26	CONTACT	Eggplant	Fruitborer, aphids, leafhopper, & thrips	1.5-3.0 Tbsp/36L water	-	7 Days before harvest	1 Day after Application
ALDIE INCORPORATED	PROFENOFOS	TAURUS 50 EC	500 g/L	EC	INSECTICIDE	2	002-070-3261	30-Jan-26	CONTACT	Cabbage	Diamond back moth, cabbage worm & aphids, thrips	3-5 Tbsp/36L water	-	7 Days before harvest	1 Day after Application
ALDIE INCORPORATED	PROFENOFOS	TAURUS 50 EC	500 g/L	EC	INSECTICIDE	2	002-070-3261	30-Jan-26	CONTACT	Watermelon	Thrips	3-5 Tbsp/36L water	-	7 Days before harvest	1 Day after Application
ALDIE INCORPORATED	PROFENOFOS	TAURUS 50 EC	500 g/L	EC	INSECTICIDE	2	002-070-3261	30-Jan-26	CONTACT	Potato	Thrips, army worm, cutworm, tuber moth	3-5 Tbsp/36L water	-	7 Days before harvest	1 Day after Application
ALDIE INCORPORATED	PROFENOFOS	TAURUS 50 EC	500 g/L	EC	INSECTICIDE	2	002-070-3261	30-Jan-26	CONTACT	Soybeans	Corn earworm, leafminer	3-5 Tbsp/36L water	-	7 Days before harvest	1 Day after Application
ALDIE INCORPORATED	PROFENOFOS	TAURUS 50 EC	500 g/L	EC	INSECTICIDE	2	002-070-3261	30-Jan-26	CONTACT	Mungbeans	Corn earworm, leafminer	3-5 Tbsp/36L water	-	7 Days before harvest	1 Day after Application
ALDIE INCORPORATED	PROFENOFOS	TAURUS 50 EC	500 g/L	EC	INSECTICIDE	2	002-070-3261	30-Jan-26	CONTACT	Cotton	Thrips, bollworm & budworm	3-5 Tbsp/36L water	-	7 Days before harvest	1 Day after Application
ALDIE INCORPORATED	PROFENOFOS	TAURUS 50 EC	500 g/L	EC	INSECTICIDE	2	002-070-3261	30-Jan-26	CONTACT	Sitao	Beetfly, leafroller & aphids	1.5-3.0 Tbsp/36L water	-	7 Days before harvest	1 Day after Application
AGRO ADVANCED INTERNATIONAL PHLS, INC.	CHINAMALDEHYDE	TARSSUS XP	-	-	INSECTICIDE	-	473-533-5197	29-Jun-24	-	Banana	Banana thrips	1.0-2.0 ml prod. /ha; 1 water by bunch spray	-	-	-
AGRO ADVANCED INTERNATIONAL PHLS, INC.	CHINAMALDEHYDE	TARSSUS XP	-	-	INSECTICIDE	-	473-533-5197	29-Jun-24	-	Banana	Scale insects, mealy bugs through bunch spray and for the control of scale insect, mealy bugs, scoring beetles and aphids through stem and	1.5-2.0 ml prod. / L water	-	-	-
AGRO ADVANCED INTERNATIONAL PHLS, INC.	CHINAMALDEHYDE	TARSSUS XP	-	-	INSECTICIDE	-	473-533-5197	29-Jun-24	-	Tobacco	Whiteflies, thrips and aphids	0.5-3 ml prod. / L	-	-	-
AGRO ADVANCED INTERNATIONAL PHLS, INC.	CHINAMALDEHYDE	TARSSUS XP	-	-	INSECTICIDE	-	473-533-5197	29-Jun-24	-	Banana	Scale insects, mealy bugs, aphids, and scarring beetles (Stem & Mat Spray)	1.0-1.5 ml prod. / L ha	-	-	-
AGRO ADVANCED INTERNATIONAL PHLS, INC.	CHINAMALDEHYDE	TARSSUS XP	-	-	INSECTICIDE	-	473-533-5197	21-Mar-24	-	Pineapple	Mealy bugs, scale insects and pineapple mites	1.3 ml product per Lit at volume rate of 2.33L prod/ga	-	-	-
AGRO ADVANCED INTERNATIONAL PHLS, INC.	CHINAMALDEHYDE	TARSSUS XP	-	-	INSECTICIDE	-	473-533-5197	13-Jul-24	-	Papaya	Mealybugs, scale insects, mites, aphids, whiteflies	1-3 ml prod. / L water	-	-	As soon as solution has dried up
AGCHEM MANUFACTURING CORPORATION	NICLOSAMIDE	TARGET 25 EC	250 g/L	EC	MOLLUSCIDE	4	001-229-1133	22-Feb-21	-	Rice	Golden apple snail	7-10 Tbsp/36L water	-	-	At least 48 hours after application
OLD TOWN AGRICULTURAL KINGS CORP.	GLAZIOPROP-P-ETHYL	FANGA EC	100 g/L	EC	HERBICIDE	4	499-317-5456	30-May-14	SYSTEMIC/SELECTIVE (POST-EMERGENCE)	Pineapple	Grasses	9-18 Tbsp/36 L water	-	-	As soon as the spray mist dries up.
ACE CROP SOLUTIONS INC.	CARBIFURAN	TARE 3G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	530-104-3441	08-Jul-21	-	Corn	Borer, earworm, grubs, seedling maggot	36.7-33.3 kg prod/ha	-	-	2 days
ACE CROP SOLUTIONS INC.	CARBIFURAN	TARE 3G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	530-104-3441	08-Jul-21	-	Cotton	Nematodes, grubs	36.7-33.3 kg prod/ha	-	-	2 days
ACE CROP SOLUTIONS INC.	CARBIFURAN	TARE 3G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	530-104-3441	08-Jul-21	-	Eggplant	Fruitborer	36.7-33.3 kg prod/ha	-	-	2 days
ACE CROP SOLUTIONS INC.	CARBIFURAN	TARE 3G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	530-104-3441	08-Jul-21	-	Field legumes	Beetflies, grubs, nematodes	36.7-33.3 kg prod/ha	-	-	2 days
ACE CROP SOLUTIONS INC.	CARBIFURAN	TARE 3G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	530-104-3441	08-Jul-21	-	Rice	Stem borer, whorl maggot, leafhopper, leafroller, caseworm, planthopper	36.7-33.3 kg prod/ha	0.2ppm	28 Days	2 days
ACE CROP SOLUTIONS INC.	CARBIFURAN	TARE 3G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	530-104-3441	08-Jul-21	-	soybeans	Beetfly, grubs, nematodes, other soil insects	36.7-33.3 kg prod/ha	-	-	2 days
ACE CROP SOLUTIONS INC.	CARBIFURAN	TARE 3G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	530-104-3441	08-Jul-21	-	Sugarcane	Borer, leafhopper, mealy bug, nematodes, scale insects	36.7-33.3 kg prod/ha	-	-	2 days
ACE CROP SOLUTIONS INC.	CARBIFURAN	TARE 3G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	530-104-3441	08-Jul-21	-	Tobacco	Nematode, budworm	36.7-33.3 kg prod/ha	-	-	2 days
ACE CROP SOLUTIONS INC.	CARBIFURAN	TARE 3G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	530-104-3441	08-Jul-21	-	White potato	Nematodes, grubs	36.7-33.3 kg prod/ha	-	-	2 days
ACE CROP SOLUTIONS INC.	CARBIFURAN	TARE 3G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	530-104-3441	08-Jul-21	-	Cowpea	Beetfly, grubs, nematodes, other soil insects	36.7-33.3 kg prod/ha	-	-	2 days
ACE CROP SOLUTIONS INC.	CARBIFURAN	TARE 3G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	530-104-3441	08-Jul-21	-	Ornamentals	Scale insect, aphids, mealy bug	36.7-33.3 kg prod/ha	-	-	2 days
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	BENOMYL	TARAMEL 50 WP	500 g/kg	WP	FUNGICIDE	4	596-167-5044	15-Nov-25	SYSTEMIC	Mungbeans	Powdery mildew, cercospora leaf spot	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray deposits
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	BENOMYL	TARAMEL 50 WP	500 g/kg	WP	FUNGICIDE	4	596-167-5044	15-Nov-25	SYSTEMIC	Beans	Powdery mildew, cercospora leaf spot	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray deposits
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	BENOMYL	TARAMEL 50 WP	500 g/kg	WP	FUNGICIDE	4	596-167-5044	15-Nov-25	SYSTEMIC	Cabbage	Cercospora leaf spot	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray deposits

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	BENOMYL	TARAMYL 50 WP	500g/kg	WP	FUNGICIDE	4	596-167-5044	15-Nov-25	SYSTEMIC	Calamansi	Scab	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray deposits
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	BENOMYL	TARAMYL 50 WP	500g/kg	WP	FUNGICIDE	4	596-167-5044	15-Nov-25	SYSTEMIC	Cucumber	Powdery mildew	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray deposits
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	BENOMYL	TARAMYL 50 WP	500g/kg	WP	FUNGICIDE	4	596-167-5044	15-Nov-25	SYSTEMIC	Ginger	Cercospora leaf spot	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray deposits
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	BENOMYL	TARAMYL 50 WP	500g/kg	WP	FUNGICIDE	4	596-167-5044	15-Nov-25	SYSTEMIC	Grapes	Powdery mildew	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray deposits
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	BENOMYL	TARAMYL 50 WP	500g/kg	WP	FUNGICIDE	4	596-167-5044	15-Nov-25	SYSTEMIC	Mandarin	Scab	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray deposits
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	BENOMYL	TARAMYL 50 WP	500g/kg	WP	FUNGICIDE	4	596-167-5044	15-Nov-25	SYSTEMIC	Mango	Anthraxnose, powdery mildew	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray deposits
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	BENOMYL	TARAMYL 50 WP	500g/kg	WP	FUNGICIDE	4	596-167-5044	15-Nov-25	SYSTEMIC	Melon	Powdery mildew	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray deposits
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	BENOMYL	TARAMYL 50 WP	500g/kg	WP	FUNGICIDE	4	596-167-5044	15-Nov-25	SYSTEMIC	Orange	Scab	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray deposits
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	BENOMYL	TARAMYL 50 WP	500g/kg	WP	FUNGICIDE	4	596-167-5044	15-Nov-25	SYSTEMIC	Papaya	Powdery mildew	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray deposits
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	BENOMYL	TARAMYL 50 WP	500g/kg	WP	FUNGICIDE	4	596-167-5044	15-Nov-25	SYSTEMIC	Pepper	Cercospora leaf spot	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray deposits
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	BENOMYL	TARAMYL 50 WP	500g/kg	WP	FUNGICIDE	4	596-167-5044	15-Nov-25	SYSTEMIC	Rice	Blast, sheath blight	3-4 Tbsp/36L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray deposits
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	BENOMYL	TARAMYL 50 WP	500g/kg	WP	FUNGICIDE	4	596-167-5044	15-Nov-25	SYSTEMIC	Strawberry	Cercospora leaf spot	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray deposits
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	BENOMYL	TARAMYL 50 WP	500g/kg	WP	FUNGICIDE	4	596-167-5044	15-Nov-25	SYSTEMIC	Tobacco	Leaf mold, frog eye	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray deposits
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	BENOMYL	TARAMYL 50 WP	500g/kg	WP	FUNGICIDE	4	596-167-5044	15-Nov-25	SYSTEMIC	Banana	Black sigatoka	40g/ha	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray deposits
JARDINE DISTRIBUTION, INC.	CHLORDANTHANILPROLE	TARALIN 5 SC	50 g/L	SC	INSECTICIDE	4	367-393-4895	04-Jul-24	-	Cabbage	Diamondback moth, cutworm, cabbage worm	10-15 mL prod/36L	1 day	-	-
JARDINE DISTRIBUTION, INC.	CHLORDANTHANILPROLE	TARALIN 5 SC	50 g/L	SC	INSECTICIDE	4	367-393-4895	04-Jul-24	-	Eggplant	shootbore/fruitborer, Cutworm	10 mL prod/36L	1 day	-	-
JARDINE DISTRIBUTION, INC.	CHLORDANTHANILPROLE	TARALIN 5 SC	50 g/L	SC	INSECTICIDE	4	367-393-4895	04-Jul-24	-	Stringbeans	Podborer, leaffolder	10 mL prod/36L	1 day	-	-
JARDINE DISTRIBUTION, INC.	CHLORDANTHANILPROLE	TARALIN 5 SC	50 g/L	SC	INSECTICIDE	4	367-393-4895	04-Jul-24	-	Rice	Stemborer, leaffolder	40 mL prod/36L water	-	45-60 days	-
JARDINE DISTRIBUTION, INC.	CHLORDANTHANILPROLE	TARALIN 5 SC	50 g/L	SC	INSECTICIDE	4	367-393-4895	04-Jul-24	-	Tomato	Cutworm, fruitworm	27-40 mL prod/36L	-	3 days	-
JARDINE DISTRIBUTION, INC.	CHLORDANTHANILPROLE	TARALIN 5 SC	50 g/L	SC	INSECTICIDE	4	367-393-4895	04-Jul-24	-	Corn	Corn borer, earworm	25-30 mL/36L	-	7 days	-
JARDINE DISTRIBUTION, INC.	CHLORDANTHANILPROLE	TARALIN 5 SC	50 g/L	SC	INSECTICIDE	4	367-393-4895	04-Jul-24	-	Tobacco	Budworm, cutworm	25-30 mL/36L	-	7 days	-
JARDINE DISTRIBUTION, INC.	CHLORDANTHANILPROLE	TARALIN 5 SC	50 g/L	SC	INSECTICIDE	4	367-393-4895	04-Jul-24	-	Sugarcane	Sugarcane borer	1.5-2.0 L prod/ha	-	240-300 days	-
JARDINE DISTRIBUTION, INC.	CHLORDANTHANILPROLE	TARALIN 5 SC	50 g/L	SC	INSECTICIDE	4	367-393-4895	04-Jul-24	-	Wittergourd	Leafhopper, cutworm	20 mL/36L	-	3 days	-
DIVINE AGRICULTURAL OPC	BUTACHLOR-PROPANIL	TAKARI 700 EC	350 g/L+350 g/L	EC	HERBICIDE	3	753-238-6032	23-Aug-24	POST-EMERGENT	Rice (Direct-seeded)	Grasses, sedges and broadleaves	9-14 tbsp / 36L water	-	-	-
DIVINE AGRICULTURAL OPC	BUTACHLOR-PROPANIL	TAKARI 700 EC	350 g/L+350 g/L	EC	HERBICIDE	3	753-238-6032	23-Aug-24	POST-EMERGENT	Rice (Transplanted)	Grasses, sedges and broadleaves	9-14 tbsp / 36L water	-	-	-
TOP AGRO PRODUCTS COMPANY	BUPROFEZIN	TAPROZIN 25 SC	250 g/L	SC	INSECTICIDE	3	210-224-5896	27-Nov-25	-	Mango	Leafhopper	40-80 mL/200L water	-	-	Re-entry to treated fields is allowed as soon as spray dries up.
FKA AGRI CHEMICAL CORPORATION	CARTAP HYDROCHLORIDE	TAPDAN 50 SP	500g/kg	SP	INSECTICIDE	3	399-106-3358	09-Feb-24	SYSTEMIC	Rice	Whorl maggot, stemborer, green leafhopper, brown planthopper	3.0-5.0Tbsp/36L water	0.2pm	-	Spraying should be done 10 days before harvest Enter the treated field 48 hours after spraying
FKA AGRI CHEMICAL CORPORATION	CARTAP HYDROCHLORIDE	TAPDAN 50 SP	500g/kg	SP	INSECTICIDE	3	399-106-3358	09-Feb-24	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/36L water	-	-	Spraying should be done 10 days before harvest Enter the treated field 48 hours after spraying
FKA AGRI CHEMICAL CORPORATION	CARTAP HYDROCHLORIDE	TAPDAN 50 SP	500g/kg	SP	INSECTICIDE	3	399-106-3358	09-Feb-24	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/36L water	-	-	Spraying should be done 10 days before harvest Enter the treated field 48 hours after spraying
FKA AGRI CHEMICAL CORPORATION	CARTAP HYDROCHLORIDE	TAPDAN 50 SP	500g/kg	SP	INSECTICIDE	3	399-106-3358	09-Feb-24	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/36L water	-	-	Spraying should be done 10 days before harvest Enter the treated field 48 hours after spraying
FKA AGRI CHEMICAL CORPORATION	CARTAP HYDROCHLORIDE	TAPDAN 50 SP	500g/kg	SP	INSECTICIDE	3	399-106-3358	09-Feb-24	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/36L water	-	-	Spraying should be done 10 days before harvest Enter the treated field 48 hours after spraying
FKA AGRI CHEMICAL CORPORATION	CARTAP HYDROCHLORIDE	TAPDAN 50 SP	500g/kg	SP	INSECTICIDE	3	399-106-3358	09-Feb-24	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/36L water	-	-	Spraying should be done 10 days before harvest Enter the treated field 48 hours after spraying
FKA AGRI CHEMICAL CORPORATION	CARTAP HYDROCHLORIDE	TAPDAN 50 SP	500g/kg	SP	INSECTICIDE	3	399-106-3358	09-Feb-24	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/36L water	-	-	Spraying should be done 10 days before harvest Enter the treated field 48 hours after spraying
FKA AGRI CHEMICAL CORPORATION	CARTAP HYDROCHLORIDE	TAPDAN 50 SP	500g/kg	SP	INSECTICIDE	3	399-106-3358	09-Feb-24	SYSTEMIC	Mango	leafhoppers	1.5-2.0Tbsp/36L water	-	-	Spraying should be done 10 days before harvest Enter the treated field 48 hours after spraying
FKA AGRI CHEMICAL CORPORATION	CARTAP HYDROCHLORIDE	TAPDAN 50 SP	500g/kg	SP	INSECTICIDE	3	399-106-3358	09-Feb-24	SYSTEMIC	Pechay	Looper, cutworm, aphids	1.5-3.0Tbsp/36L water	-	-	Spraying should be done 10 days before harvest Enter the treated field 48 hours after spraying
AGRO IRIIS PHILIPPINES, INC.	CARTAP HYDROCHLORIDE	TAPCASS 50 SP	500 g/kg	SP	INSECTICIDE	3	752-106-6135	9-Feb-24	SYSTEMIC	Cabbage	Diamond-back moth, cabbage moth, cabbage worm, aphids	1.5-2 Tbsp/ 36L water	-	-	Spraying should be done 10 days before harvest Enter the treated field 48 hours after spraying
AGRO IRIIS PHILIPPINES, INC.	CARTAP HYDROCHLORIDE	TAPCASS 50 SP	500 g/kg	SP	INSECTICIDE	3	752-106-6135	9-Feb-24	SYSTEMIC	Wongbok	Diamond-back moth, cabbage moth, cabbage worm, aphids	1.5-2 Tbsp/ 36L water	-	-	Spraying should be done 10 days before harvest Enter the treated field 48 hours after spraying
AGRO IRIIS PHILIPPINES, INC.	CARTAP HYDROCHLORIDE	TAPCASS 50 SP	500 g/kg	SP	INSECTICIDE	3	752-106-6135	9-Feb-24	SYSTEMIC	Pechay	Looper, cutworm, aphids	1.5-3 Tbsp/ 36L water	-	-	Spraying should be done 10 days before harvest Enter the treated field 48 hours after spraying
AGRO IRIIS PHILIPPINES, INC.	CARTAP HYDROCHLORIDE	TAPCASS 50 SP	500 g/kg	SP	INSECTICIDE	3	752-106-6135	9-Feb-24	SYSTEMIC	Onion	Thrips, cutworm	1.5-2 Tbsp/ 36L water	-	-	Spraying should be done 10 days before harvest Enter the treated field 48 hours after spraying
AGRO IRIIS PHILIPPINES, INC.	CARTAP HYDROCHLORIDE	TAPCASS 50 SP	500 g/kg	SP	INSECTICIDE	3	752-106-6135	9-Feb-24	SYSTEMIC	Cucurbits	Thrips, aphids, leafworm, flea beetle, squash beetle	-	-	-	Spraying should be done 10 days before harvest Enter the treated field 48 hours after spraying
AGRO IRIIS PHILIPPINES, INC.	CARTAP HYDROCHLORIDE	TAPCASS 50 SP	500 g/kg	SP	INSECTICIDE	3	752-106-6135	9-Feb-24	SYSTEMIC	Potato	Thrips, aphid, cutworm, tuber moth, leafhopper	1.5-2 Tbsp/ 36L water	-	-	Spraying should be done 10 days before harvest Enter the treated field 48 hours after spraying
AGRO IRIIS PHILIPPINES, INC.	CARTAP HYDROCHLORIDE	TAPCASS 50 SP	500 g/kg	SP	INSECTICIDE	3	752-106-6135	9-Feb-24	SYSTEMIC	Mango	Leafhopper	1.5-2 Tbsp/ 36L water	-	-	Spraying should be done 10 days before harvest Enter the treated field 48 hours after spraying
AGRO IRIIS PHILIPPINES, INC.	CARTAP HYDROCHLORIDE	TAPCASS 50 SP	500 g/kg	SP	INSECTICIDE	3	752-106-6135	9-Feb-24	SYSTEMIC	Rice	Green leafhopper, brown planthopper, stemborer, whorl maggot	3-5 Tbsp/ 36L water	-	-	Spraying should be done 10 days before harvest Enter the treated field 48 hours after spraying
AGRO IRIIS PHILIPPINES, INC.	CARTAP HYDROCHLORIDE	TAPCASS 50 SP	500 g/kg	SP	INSECTICIDE	3	752-106-6135	9-Feb-24	SYSTEMIC	Garlic	Cutworm, thrips	1.5-2 Tbsp/ 36L water	-	-	Spraying should be done 10 days before harvest Enter the treated field 48 hours after spraying
SAVENWELL AGRISCIENCE VENTURES CORPORATION	CARTAP HYDROCHLORIDE	TAP OUT 50 SP	500g/kg	SP	INSECTICIDE	3	681-106-5447	18-May-24	SYSTEMIC	Rice	Whorl maggot, stemborer, green leafhopper, brown planthopper	3.0-5.0Tbsp/36L water	0.2pm	-	Do not enter the field within 2 days after spraying
SAVENWELL AGRISCIENCE VENTURES CORPORATION	CARTAP HYDROCHLORIDE	TAP OUT 50 SP	500g/kg	SP	INSECTICIDE	3	681-106-5447	18-May-24	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/36L water	-	-	Do not enter the field within 2 days after spraying
SAVENWELL AGRISCIENCE VENTURES CORPORATION	CARTAP HYDROCHLORIDE	TAP OUT 50 SP	500g/kg	SP	INSECTICIDE	3	681-106-5447	18-May-24	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/36L water	-	-	Do not enter the field within 2 days after spraying
SAVENWELL AGRISCIENCE VENTURES CORPORATION	CARTAP HYDROCHLORIDE	TAP OUT 50 SP	500g/kg	SP	INSECTICIDE	3	681-106-5447	18-May-24	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/36L water	-	-	Do not enter the field within 2 days after spraying
SAVENWELL AGRISCIENCE VENTURES CORPORATION	CARTAP HYDROCHLORIDE	TAP OUT 50 SP	500g/kg	SP	INSECTICIDE	3	681-106-5447	18-May-24	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/36L water	-	-	Do not enter the field within 2 days after spraying
SAVENWELL AGRISCIENCE VENTURES CORPORATION	CARTAP HYDROCHLORIDE	TAP OUT 50 SP	500g/kg	SP	INSECTICIDE	3	681-106-5447	18-May-24	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/36L water	-	-	Do not enter the field within 2 days after spraying
SAVENWELL AGRISCIENCE VENTURES CORPORATION	CARTAP HYDROCHLORIDE	TAP OUT 50 SP	500g/kg	SP	INSECTICIDE	3	681-106-5447	18-May-24	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/36L water	-	-	Do not enter the field within 2 days after spraying
SAVENWELL AGRISCIENCE VENTURES CORPORATION	CARTAP HYDROCHLORIDE	TAP OUT 50 SP	500g/kg	SP	INSECTICIDE	3	681-106-5447	18-May-24	SYSTEMIC	Mango	leafhoppers	1.5-2.0Tbsp/36L water	-	-	Do not enter the field within 2 days after spraying
SAVENWELL AGRISCIENCE VENTURES CORPORATION	CARTAP HYDROCHLORIDE	TAP OUT 50 SP	500g/kg	SP	INSECTICIDE	3	681-106-5447	18-May-24	SYSTEMIC	Pechay	Looper, cutworm, aphids	1.5-3.0Tbsp/36L water	-	-	Do not enter the field within 2 days after spraying
JOCANINA CORPORATION	CARBENDAZIM+TEBUCONAZOLE	TANTOR 250 SC	125 g/L+125 g/L	SC	FUNGICIDE	4	341-405-2396	18-Aug-24	SYSTEMIC	Mango	Anthraxnose	16-24mL/36L Sprayer	-	55 days after last application	When spray deposits have dried
ROTAM PHILIPPINES, INC.	CARBENDAZIM+TEBUCONAZOLE	TANTOR 250 SC	125 g/L+125 g/L	SC	FUNGICIDE	4	369-405-3692	22-Jul-25	SYSTEMIC	Mango	Anthraxnose	36-24mL/36L Sprayer	-	55 days after last application	When spray deposits have dried
SINCHEN CROP PROTECTION (PHIL.) INC.	CARBENDAZIM+TEBUCONAZOLE	TANTAN 250 SC	125 g/L+125 g/L	SC	FUNGICIDE	4	432-405-4204	28-Mar-26	-	Mango	Anthraxnose	16-24mL/36L Sprayer	-	55 days	When spray deposits have dried

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
SYNGENTA PHILIPPINES INC.	CARBENDAZIM+TRIBUCONAZOLE	TANTAN 200 SC	125 g/L+125 g/L	SC	FUNGICIDE	4	051-405-4004	28-Mar-26	-	Mango	Anthracoase	16-24mL/36L Sprayer	-	35 days after last application	When spray deposits have dried
ARMORY AGRO CHEMICALS COMPANY	CHLOROTHALONIL	TANKER 720 SC	720 g/L	SC	FUNGICIDE	4	671-118-5141	26-Jun-25	-	Ornamentals	Black spot, Black rot, Powdery mildew	4.5-6 Tbsp	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ARMORY AGRO CHEMICALS COMPANY	CHLOROTHALONIL	TANKER 720 SC	720 g/L	SC	FUNGICIDE	4	671-118-5141	26-Jun-25	-	Pepper	Early and late blight, bulb rot, neck rot	4.5-6 Tbsp	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ARMORY AGRO CHEMICALS COMPANY	CHLOROTHALONIL	TANKER 720 SC	720 g/L	SC	FUNGICIDE	4	671-118-5141	26-Jun-25	-	Onion	Purple blotch, bulb rot, neck rot	4.5-6 Tbsp	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ARMORY AGRO CHEMICALS COMPANY	CHLOROTHALONIL	TANKER 720 SC	720 g/L	SC	FUNGICIDE	4	671-118-5141	26-Jun-25	-	Mango	Anthracoase, Diplodia rot	4.5-6 Tbsp	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ARMORY AGRO CHEMICALS COMPANY	CHLOROTHALONIL	TANKER 720 SC	720 g/L	SC	FUNGICIDE	4	671-118-5141	26-Jun-25	-	Grapes	Downy mildew, powdery mildew, fruit rot	4.5-6 Tbsp	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ARMORY AGRO CHEMICALS COMPANY	CHLOROTHALONIL	TANKER 720 SC	720 g/L	SC	FUNGICIDE	4	671-118-5141	26-Jun-25	-	Eggplant	Early and late blight, cercospora, anthracnose	4.5-6 Tbsp	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ARMORY AGRO CHEMICALS COMPANY	CHLOROTHALONIL	TANKER 720 SC	720 g/L	SC	FUNGICIDE	4	671-118-5141	26-Jun-25	-	Celery	Early and late blight	4.5-6 Tbsp	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ARMORY AGRO CHEMICALS COMPANY	CHLOROTHALONIL	TANKER 720 SC	720 g/L	SC	FUNGICIDE	4	671-118-5141	26-Jun-25	-	Cucurbits	Powdery mildew, downy mildew, cercospora, anthracnose, Septoria, fruit rot, early and late blight	4.5-6 Tbsp	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ARMORY AGRO CHEMICALS COMPANY	CHLOROTHALONIL	TANKER 720 SC	720 g/L	SC	FUNGICIDE	4	671-118-5141	26-Jun-25	-	Crucifers	Powdery mildew	4.5-6 Tbsp	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ARMORY AGRO CHEMICALS COMPANY	CHLOROTHALONIL	TANKER 720 SC	720 g/L	SC	FUNGICIDE	4	671-118-5141	26-Jun-25	-	Carrot	Alternaria, cercospora, helminthosporium	4.5-6 Tbsp	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ARMORY AGRO CHEMICALS COMPANY	CHLOROTHALONIL	TANKER 720 SC	720 g/L	SC	FUNGICIDE	4	671-118-5141	26-Jun-25	-	Beans	Rust, anthracnose	4.5-6 Tbsp	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ARMORY AGRO CHEMICALS COMPANY	CHLOROTHALONIL	TANKER 720 SC	720 g/L	SC	FUNGICIDE	4	671-118-5141	26-Jun-25	-	Tomato	Early blight, Blight, Vine rot	4.5-6 Tbsp	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ARMORY AGRO CHEMICALS COMPANY	CHLOROTHALONIL	TANKER 720 SC	720 g/L	SC	FUNGICIDE	4	671-118-5141	26-Jun-25	-	Potato	Early and late blight, vine rot	4.5-6 Tbsp	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ARMORY AGRO CHEMICALS COMPANY	CHLOROTHALONIL	TANKER 720 SC	720 g/L	SC	FUNGICIDE	4	671-118-5141	26-Jun-25	-	Asparagus	Stem and leaf blight	1.6 L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ARMORY AGRO CHEMICALS COMPANY	CHLOROTHALONIL	TANKER 720 SC	720 g/L	SC	FUNGICIDE	4	671-118-5141	26-Jun-25	-	Banana	Black Sigatoka	1.38 L/ha	-	0 day	Do not enter treatment areas until spray deposit have dried
LIHEMPHIL INTERNATIONAL INC.	TRIBUCONAZOLE+TRIFLOXYSTROBIN	TANIMAX 75 WG	500-250 g/Kg	WG	FUNGICIDE	4	590-538-5640	21-Dec-24	SYSTEMIC	Mango	Anthracoase	40-80 prod / 200 L water	-	30 days	Immediately after spray deposits has dried up.
LIHEMPHIL INTERNATIONAL INC.	TRIBUCONAZOLE+TRIFLOXYSTROBIN	TANIMAX 75 WG	500-250 g/Kg	WG	FUNGICIDE	4	590-538-5640	21-Dec-24	SYSTEMIC	Rice	Rice blast, Sheath blight & brown leaf spot, dirty panicle	12-16 prod/36 L water	-	30 days	Immediately after spray deposits has dried up.
LIHEMPHIL INTERNATIONAL INC.	TRIBUCONAZOLE+TRIFLOXYSTROBIN	TANIMAX 75 WG	500-250 g/Kg	WG	FUNGICIDE	4	590-538-5640	21-Dec-24	SYSTEMIC	Bittergourd	Powdery mildew, downy mildew, Cercospora leaf spot, & leaf anthracnose	-	-	-	Immediately after spray deposits has dried up.
LIHEMPHIL INTERNATIONAL INC.	TRIBUCONAZOLE+TRIFLOXYSTROBIN	TANIMAX 75 WG	500-250 g/Kg	WG	FUNGICIDE	4	590-538-5640	21-Dec-24	SYSTEMIC	Tomato	Early blight	-	-	-	Immediately after spray deposits has dried up.
LIHEMPHIL INTERNATIONAL INC.	TRIBUCONAZOLE+TRIFLOXYSTROBIN	TANIMAX 75 WG	500-250 g/Kg	WG	FUNGICIDE	4	590-538-5640	21-Dec-24	SYSTEMIC	Eggplant	Cercospora leaf spot	-	-	-	Immediately after spray deposits has dried up.
LIHEMPHIL INTERNATIONAL INC.	TRIBUCONAZOLE+TRIFLOXYSTROBIN	TANIMAX 75 WG	500-250 g/Kg	WG	FUNGICIDE	4	590-538-5640	21-Dec-24	SYSTEMIC	Onion	Purple blotch	-	-	-	Immediately after spray deposits has dried up.
LIHEMPHIL INTERNATIONAL INC.	TRIBUCONAZOLE+TRIFLOXYSTROBIN	TANIMAX 75 WG	500-250 g/Kg	WG	FUNGICIDE	4	590-538-5640	21-Dec-24	SYSTEMIC	Corn	Helminthosporium leaf spot, rust	-	-	-	Immediately after spray deposits has dried up.
LIHEMPHIL INTERNATIONAL INC.	TRIBUCONAZOLE+TRIFLOXYSTROBIN	TANIMAX 75 WG	500-250 g/Kg	WG	FUNGICIDE	4	590-538-5640	21-Dec-24	SYSTEMIC	Watermelon	Leafspot, powdery mildew	-	-	-	Immediately after spray deposits has dried up.
LIHEMPHIL INTERNATIONAL INC.	TRIBUCONAZOLE+TRIFLOXYSTROBIN	TANIMAX 75 WG	500-250 g/Kg	WG	FUNGICIDE	4	590-538-5640	21-Dec-24	SYSTEMIC	Potato	Early and late blight	-	-	-	Immediately after spray deposits has dried up.
AIMS TRADING INTERNATIONAL, INC.	2,4-D AMINE	TANICIDE 400 SL	400 g/L	SL	HERBICIDE	2	750-013-6000	24-Sep-24	POST-EMERGENCE	Rice (Transplanted)	Annual broadleaves and sedges	3.5-6.5 Tbsp/36L	-	-	Entry to fields and crops treated with TANICIDE 400 SL can be done one day after spraying
AIMS TRADING INTERNATIONAL, INC.	2,4-D AMINE	TANICIDE 400 SL	400 g/L	SL	HERBICIDE	2	750-013-6000	24-Sep-24	POST-EMERGENCE	Corn	Annual broadleaves and sedges	5-6.5 Tbsp/36L	-	-	Entry to fields and crops treated with TANICIDE 400 SL can be done one day after spraying
AIMS TRADING INTERNATIONAL, INC.	2,4-D AMINE	TANICIDE 400 SL	400 g/L	SL	HERBICIDE	2	750-013-6000	24-Sep-24	POST-EMERGENCE	Sugarcane	Annual broadleaves and sedges	15-25 Tbsp/36L	-	-	Entry to fields and crops treated with TANICIDE 400 SL can be done one day after spraying
AIMS TRADING INTERNATIONAL, INC.	2,4-D AMINE	TANIAMINE 40 SL	400 g/L	SL	HERBICIDE	2	043-013-4308	27-Mar-24	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual broadleaves and sedges	3.5-6.5 Tbsp/36 L water	0.1 ppm	-	Entry to fields and crops treated with TANIAMINE 40 SL can be done one day after spraying
ZAGRO CORPORATION	2,4-D AMINE	TANIAMINE 40 SL	400g/L	SL	HERBICIDE	2	043-013-4308	27-Mar-24	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual broadleaves and sedges	15-25 Tbsp/36 L water	-	-	Entry to fields and crops treated with TANIAMINE 40 SL can be done one day after spraying
ZAGRO CORPORATION	2,4-D AMINE	TANIAMINE 40 SL	400g/L	SL	HERBICIDE	2	043-013-4308	27-Mar-24	SELECTIVE (POST-EMERGENT)	Corn	Annual broadleaves and sedges	9-6.5 Tbsp/36 L water	-	-	Entry to fields and crops treated with TANIAMINE 40 SL can be done one day after spraying
CULTIVA INCORPORATED	THIOPHANATE METHYL	TANGO 70 WP	700 g/Kg	WP	FUNGICIDE	4	201-107-1493	16-Apr-25	SYSTEMIC	Rice	Blast, neck rot, black spot	1.5-2.0 Tbsp/36L Water	1.0ppm	-	Do not spray within 14 days of harvest
CULTIVA INCORPORATED	THIOPHANATE METHYL	TANGO 70 WP	700 g/Kg	WP	FUNGICIDE	4	201-107-1493	16-Apr-25	SYSTEMIC	Mango	Anthracoase	0.5-1.0 Tbsp/36L Water	-	-	Do not spray within 14 days of harvest
CULTIVA INCORPORATED	THIOPHANATE METHYL	TANGO 70 WP	700 g/Kg	WP	FUNGICIDE	4	201-107-1493	16-Apr-25	SYSTEMIC	Tobacco	Frog eye leaf spot	0.5-1.0 Tbsp/36L Water	-	-	Do not enter the treated field within 2 days after application
CULTIVA INCORPORATED	THIOPHANATE METHYL	TANGO 70 WP	700 g/Kg	WP	FUNGICIDE	4	201-107-1493	16-Apr-25	SYSTEMIC	Tomato	Powdery mildew	0.5-1.0 Tbsp/36L Water	-	-	Do not enter the treated field within 2 days after application
CULTIVA INCORPORATED	THIOPHANATE METHYL	TANGO 70 WP	700 g/Kg	WP	FUNGICIDE	4	201-107-1493	16-Apr-25	SYSTEMIC	Legumes	Cercospora leaf spot, Anthracnose, botrytis leaf spot, fusarium wilt, powdery mildew	0.5-1.0 Tbsp/36L Water	-	-	Do not spray within 14 days of harvest
CULTIVA INCORPORATED	THIOPHANATE METHYL	TANGO 70 WP	700 g/Kg	WP	FUNGICIDE	4	201-107-1493	16-Apr-25	SYSTEMIC	Beans	Cercospora leaf spot, Anthracnose, botrytis leaf spot, fusarium wilt, powdery mildew	0.5-1.0 Tbsp/36L Water	-	-	Do not enter the treated field within 2 days after application
CULTIVA INCORPORATED	THIOPHANATE METHYL	TANGO 70 WP	700 g/Kg	WP	FUNGICIDE	4	201-107-1493	16-Apr-25	SYSTEMIC	Cucumber	Powdery mildew, Gummy Stem blight, leaf and fruit spots, scab	0.5-1.0 Tbsp/36L Water	-	-	Do not enter the treated field within 2 days after application
CULTIVA INCORPORATED	THIOPHANATE METHYL	TANGO 70 WP	700 g/Kg	WP	FUNGICIDE	4	201-107-1493	16-Apr-25	SYSTEMIC	Melon	Powdery mildew, Gummy Stem blight, leaf and fruit spots, scab	0.5-1.0 Tbsp/36L Water	-	-	Do not enter the treated field within 2 days after application
CULTIVA INCORPORATED	THIOPHANATE METHYL	TANGO 70 WP	700 g/Kg	WP	FUNGICIDE	4	201-107-1493	16-Apr-25	SYSTEMIC	Ornamentals	Powdery mildew, black spots	0.5-1.0 Tbsp/36L Water	-	-	Do not spray within 14 days of harvest
CULTIVA INCORPORATED	THIOPHANATE METHYL	TANGO 70 WP	700 g/Kg	WP	FUNGICIDE	4	201-107-1493	16-Apr-25	SYSTEMIC	Orchids	Powdery mildew, black spots	0.5-1.0 Tbsp/36L Water	-	-	Do not enter the treated field within 2 days after application
CULTIVA INCORPORATED	THIOPHANATE METHYL	TANGO 70 WP	700 g/Kg	WP	FUNGICIDE	4	201-107-1493	16-Apr-25	SYSTEMIC	Cabbage	Shot hole disease, cercospora leaf spot	0.5-1.0 Tbsp/36L Water	-	-	Do not enter the treated field within 2 days after application
CULTIVA INCORPORATED	THIOPHANATE METHYL	TANGO 70 WP	700 g/Kg	WP	FUNGICIDE	4	201-107-1493	16-Apr-25	SYSTEMIC	Califlower	Shot hole disease, cercospora leaf spot	0.5-1.0 Tbsp/36L Water	-	-	Do not enter the treated field within 2 days after application
CULTIVA INCORPORATED	THIOPHANATE METHYL	TANGO 70 WP	700 g/Kg	WP	FUNGICIDE	4	201-107-1493	16-Apr-25	SYSTEMIC	Lettuce	Shot hole disease, cercospora leaf spot	0.5-1.0 Tbsp/36L Water	-	-	Do not enter the treated field within 2 days after application
CULTIVA INCORPORATED	THIOPHANATE METHYL	TANGO 70 WP	700 g/Kg	WP	FUNGICIDE	4	201-107-1493	16-Apr-25	SYSTEMIC	Strawberry	Powdery mildew, gray mold, Cercospora leaf spot	0.5-1.0 Tbsp/36L Water	-	-	Do not enter the treated field within 2 days after application
CULTIVA INCORPORATED	THIOPHANATE METHYL	TANGO 70 WP	700 g/Kg	WP	FUNGICIDE	4	201-107-1493	16-Apr-25	SYSTEMIC	Grapes	Fruit rot, Powdery mildew, anthracnose	0.5-1.0 Tbsp/36L Water	-	-	Do not enter the treated field within 2 days after application
CULTIVA INCORPORATED	THIOPHANATE METHYL	TANGO 70 WP	700 g/Kg	WP	FUNGICIDE	4	201-107-1493	16-Apr-25	SYSTEMIC	Orange	Scabs	0.5-1.0 Tbsp/36L Water	-	-	Do not enter the treated field within 2 days after application
CULTIVA INCORPORATED	THIOPHANATE METHYL	TANGO 70 WP	700 g/Kg	WP	FUNGICIDE	4	201-107-1493	16-Apr-25	SYSTEMIC	Citrus	Scabs	0.5-1.0 Tbsp/36L Water	-	-	Do not enter the treated field within 2 days after application
CULTIVA INCORPORATED	THIOPHANATE METHYL	TANGO 70 WP	700 g/Kg	WP	FUNGICIDE	4	201-107-1493	16-Apr-25	SYSTEMIC	Calamansi	Scabs	0.5-1.0 Tbsp/36L Water	-	-	Do not enter the treated field within 2 days after application
CULTIVA INCORPORATED	THIOPHANATE METHYL	TANGO 70 WP	700 g/Kg	WP	FUNGICIDE	4	201-107-1493	16-Apr-25	SYSTEMIC	Banana	Sigatoka disease	1.5-2.0 Tbsp/36L Water	-	-	Do not enter the treated field within 2 days after application
CULTIVA INCORPORATED	THIOPHANATE METHYL	TANGO 70 WP	700 g/Kg	WP	FUNGICIDE	4	201-107-1493	16-Apr-25	SYSTEMIC	Papaya	Powdery mildew	0.5-1.0 Tbsp/36L Water	-	-	Do not enter the treated field within 2 days after application
RADISSON AGROCHEMICAL CORPORATION	CHLOPIRIFOS+CYPERMETHRIN	TANDEM EC	250-25 g/L	EC	INSECTICIDE	2	234-239-1452	31-Mar-25	-	Rice	Whorl maggot, green leafhopper, brown planthopper, stemborer	20-30 ml (2-3 Tbsp)/36L water	-	-	-
RADISSON AGROCHEMICAL CORPORATION	CHLOPIRIFOS+CYPERMETHRIN	TANDEM EC	250-25 g/L	EC	INSECTICIDE	2	234-239-1452	31-Mar-25	-	Mango	Mango hopper	25-40 ml (2.5-4 Tbsp)/36L water	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	CAPTAN	TANCAP 50 WP	500 g/Kg	WP	FUNGICIDE	4	539-215-6259	22-Aug-26	-	Avocado	Black spots	4-8 Tbsp/36L water (15-400 L/ha)	-	-	When applied at recommended rates, very shot or no harvest interval will normally be necessary
RAINBOW AGROSCIENCES PHILIPPINES INC.	CAPTAN	TANCAP 50 WP	500 g/Kg	WP	FUNGICIDE	4	539-215-6259	22-Aug-26	-	Beans	Anthracoase, rust, and downy mildew	4-8Tbsp/36L water (15-400 L/ha)	-	-	When applied at recommended rates, very shot or no harvest interval will normally be necessary
RAINBOW AGROSCIENCES PHILIPPINES INC.	CAPTAN	TANCAP 50 WP	500 g/Kg	WP	FUNGICIDE	4	539-215-6259	22-Aug-26	-	Carrot	Alternaria and cercospora leaf spot, late blight, and cercospora blight	4-8 Tbsp/36L water (15-400 L/ha)	-	-	When applied at recommended rates, very shot or no harvest interval will normally be necessary

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
RAINBOW AGROSCIENCES PHILIPPINES INC.	CAPTAN	TANCAP 50 WP	500 g/kg	WP	FUNGICIDE	4	539-215-6259	22-Aug-26	-	Celery	Damping-off and pink rot	4-8 tbsp/ 36L water (15-400 L/ha)	-	When applied at recommended rates, very short or no harvest interval will normally be necessary	After spray has dried up
RAINBOW AGROSCIENCES PHILIPPINES INC.	CAPTAN	TANCAP 50 WP	500 g/kg	WP	FUNGICIDE	4	539-215-6259	22-Aug-26	-	Citrus	Brown spots, melanose black spots, and scab	4-8 tbsp/ 36L water (15-400 L/ha)	-	When applied at recommended rates, very short or no harvest interval will normally be necessary	After spray has dried up
RAINBOW AGROSCIENCES PHILIPPINES INC.	CAPTAN	TANCAP 50 WP	500 g/kg	WP	FUNGICIDE	4	539-215-6259	22-Aug-26	-	Corn	Diplodia rot	4-8 tbsp/ 36L water (15-400 L/ha)	-	When applied at recommended rates, very short or no harvest interval will normally be necessary	After spray has dried up
RAINBOW AGROSCIENCES PHILIPPINES INC.	CAPTAN	TANCAP 50 WP	500 g/kg	WP	FUNGICIDE	4	539-215-6259	22-Aug-26	-	Cucumber	Mildew, anthracnose, cercospora and septoria leaf spot	4-8 tbsp/ 36L water (15-400 L/ha)	-	When applied at recommended rates, very short or no harvest interval will normally be necessary	After spray has dried up
RAINBOW AGROSCIENCES PHILIPPINES INC.	CAPTAN	TANCAP 50 WP	500 g/kg	WP	FUNGICIDE	4	539-215-6259	22-Aug-26	-	Eggplant	Anthracoze, fruit rot, early blight, phomopsis blight	4-8 tbsp/ 36L water (15-400 L/ha)	-	When applied at recommended rates, very short or no harvest interval will normally be necessary	After spray has dried up
RAINBOW AGROSCIENCES PHILIPPINES INC.	CAPTAN	TANCAP 50 WP	500 g/kg	WP	FUNGICIDE	4	539-215-6259	22-Aug-26	-	Garlic	Downy mildew, leaf blight, and purple blotch	4-8 tbsp/ 36L water (15-400 L/ha)	-	When applied at recommended rates, very short or no harvest interval will normally be necessary	After spray has dried up
RAINBOW AGROSCIENCES PHILIPPINES INC.	CAPTAN	TANCAP 50 WP	500 g/kg	WP	FUNGICIDE	4	539-215-6259	22-Aug-26	-	Grapes	Dead arm disease	4-8 tbsp/ 36L water (15-400 L/ha)	-	When applied at recommended rates, very short or no harvest interval will normally be necessary	After spray has dried up
RAINBOW AGROSCIENCES PHILIPPINES INC.	CAPTAN	TANCAP 50 WP	500 g/kg	WP	FUNGICIDE	4	539-215-6259	22-Aug-26	-	Mango	Anthracoze and Scab	4-8 tbsp/ 36L water (15-400 L/ha)	-	When applied at recommended rates, very short or no harvest interval will normally be necessary	After spray has dried up
RAINBOW AGROSCIENCES PHILIPPINES INC.	CAPTAN	TANCAP 50 WP	500 g/kg	WP	FUNGICIDE	4	539-215-6259	22-Aug-26	-	Mei-on	Cercospora leafspot and mildew	4-8 tbsp/ 36L water (15-400 L/ha)	-	When applied at recommended rates, very short or no harvest interval will normally be necessary	After spray has dried up
RAINBOW AGROSCIENCES PHILIPPINES INC.	CAPTAN	TANCAP 50 WP	500 g/kg	WP	FUNGICIDE	4	539-215-6259	22-Aug-26	-	Onion	Downy mildew, purple blotch, and leaf blight	4-8 tbsp/ 36L water (15-400 L/ha)	-	When applied at recommended rates, very short or no harvest interval will normally be necessary	After spray has dried up
RAINBOW AGROSCIENCES PHILIPPINES INC.	CAPTAN	TANCAP 50 WP	500 g/kg	WP	FUNGICIDE	4	539-215-6259	22-Aug-26	-	Ornamentals	Black spot and phytophthora disease	4-8 tbsp/ 36L water (15-400 L/ha)	-	When applied at recommended rates, very short or no harvest interval will normally be necessary	After spray has dried up
RAINBOW AGROSCIENCES PHILIPPINES INC.	CAPTAN	TANCAP 50 WP	500 g/kg	WP	FUNGICIDE	4	539-215-6259	22-Aug-26	-	Oil palm	Anthracoze, seedling blight, diplodia leaf spot	4-8 tbsp/ 36L water (15-400 L/ha)	-	When applied at recommended rates, very short or no harvest interval will normally be necessary	After spray has dried up
RAINBOW AGROSCIENCES PHILIPPINES INC.	CAPTAN	TANCAP 50 WP	500 g/kg	WP	FUNGICIDE	4	539-215-6259	22-Aug-26	-	Pepper	Anthracoze, stem-end rot, fruit rot, cercospora leaf spot	4-8 tbsp/ 36L water (15-400 L/ha)	-	When applied at recommended rates, very short or no harvest interval will normally be necessary	After spray has dried up
RAINBOW AGROSCIENCES PHILIPPINES INC.	CAPTAN	TANCAP 50 WP	500 g/kg	WP	FUNGICIDE	4	539-215-6259	22-Aug-26	-	Pineapple	Heart rot, root rot	4-8 tbsp/ 36L water (15-400 L/ha)	-	When applied at recommended rates, very short or no harvest interval will normally be necessary	After spray has dried up
RAINBOW AGROSCIENCES PHILIPPINES INC.	CAPTAN	TANCAP 50 WP	500 g/kg	WP	FUNGICIDE	4	539-215-6259	22-Aug-26	-	Potato	Early and late blight	4-8 tbsp/ 36L water (15-400 L/ha)	-	When applied at recommended rates, very short or no harvest interval will normally be necessary	After spray has dried up
RAINBOW AGROSCIENCES PHILIPPINES INC.	CAPTAN	TANCAP 50 WP	500 g/kg	WP	FUNGICIDE	4	539-215-6259	22-Aug-26	-	Squash	Mildew, cercospora leaf spot, anthracnose, and septoria leaf spot	4-8 tbsp/ 36L water (15-400 L/ha)	-	When applied at recommended rates, very short or no harvest interval will normally be necessary	After spray has dried up
RAINBOW AGROSCIENCES PHILIPPINES INC.	CAPTAN	TANCAP 50 WP	500 g/kg	WP	FUNGICIDE	4	539-215-6259	22-Aug-26	-	Strawberry	Botrytis rot, grey molds	4-8 tbsp/ 36L water (15-400 L/ha)	-	When applied at recommended rates, very short or no harvest interval will normally be necessary	After spray has dried up
RAINBOW AGROSCIENCES PHILIPPINES INC.	CAPTAN	TANCAP 50 WP	500 g/kg	WP	FUNGICIDE	4	539-215-6259	22-Aug-26	-	Tomato	Anthracoze, early and late blights, and septoria leaf spot	4-8 tbsp/ 36L water (15-400 L/ha)	-	When applied at recommended rates, very short or no harvest interval will normally be necessary	After spray has dried up
RAINBOW AGROSCIENCES PHILIPPINES INC.	CAPTAN	TANCAP 50 WP	500 g/kg	WP	FUNGICIDE	4	539-215-6259	22-Aug-26	-	Watermelon	Mildew, alternaria and cercospora leaf spot	4-8 tbsp/ 36L water (15-400 L/ha)	-	When applied at recommended rates, very short or no harvest interval will normally be necessary	After spray has dried up
CYNBEI CORPORATION	NICLOXAMIDE ETHANOLAMINE SALT	TANAME 70 WP	830 g/kg	WP	MOLLUSCICIDE	4	517-229-3489	22-Mar-25	CONTACT	Rice	Golden Apple Snail (Kuhol)	10 tank load/ha 1 cannet / 10gm/ tankload (16)	-	-	At least 48 hours after application
FMC AGRO PHILIPPINES INC.	BIFENTHRIN	TALSTAR 8 SC	80 g/L	SC	INSECTICIDE	2	598-328-4182	30-Oct-26	-	Banana	Flower thrips	40-5-7 ml prod/L water	-	30 days	0 day or as soon as excess solution dries up
FMC AGRO PHILIPPINES INC.	BIFENTHRIN	TALSTAR 8 SC	80 g/L	SC	INSECTICIDE	2	598-328-4182	30-Oct-26	-	Mango	Leafhoppers and tipborers	6-16 g/ 200L or 75-100ml prod/200L water and apply at 5-20 at early stage of	-	30 days	0 day or as soon as excess solution dries up
FMC AGRO PHILIPPINES INC.	BIFENTHRIN	TALSTAR 8 SC	80 g/L	SC	INSECTICIDE	2	598-328-4182	30-Oct-26	-	Rice	Black bug, green leafhopper and rice bug	500 ml prod/ hectare	-	7 days	-
AGWAY CHEMICALS CORPORATION	BIFENTHRIN	TALSTAR 10 WP	10 g/kg	WP	INSECTICIDE	2	075-328-1537	21-Jul-20	-	Banana	Flower thrips	4-6 grams prod/L water	-	-	As soon as the spray mist dries-up
FMC AGRO PHILIPPINES INC.	BIFENTHRIN	TALSTAR 10 WP	200 g/kg	WP	INSECTICIDE	2	598-328-4183	30-Oct-26	-	Banana	Flower thrips	4-6 grams prod/L water	-	-	As soon as the spray mist dries-up
OLD TOWN AGRICULTURAL KINGS CORP.	FLUBENDAMIDE	TAKUMI 480 SC	480 g/L	SC	INSECTICIDE	4	499-386-5442	14-May-24	-	Eggplant	Tip borer and fruit borer	3-4 g/ 36 L water	-	3 days	After spray deposits have dried
OLD TOWN AGRICULTURAL KINGS CORP.	FLUBENDAMIDE	TAKUMI 480 SC	480 g/L	SC	INSECTICIDE	4	499-386-5442	14-May-24	-	Tobacco	Cutworm budworm	3-4 g/ 36 L water	-	-	After spray deposits have dried
OLD TOWN AGRICULTURAL KINGS CORP.	FLUBENDAMIDE	TAKUMI 480 SC	480 g/L	SC	INSECTICIDE	4	499-386-5442	14-May-24	-	Tomato	Cutworm, fruitworm	4-5 g/ 36 L water	-	3 days	After spray deposits have dried
OLD TOWN AGRICULTURAL KINGS CORP.	FLUBENDAMIDE	TAKUMI 480 SC	480 g/L	SC	INSECTICIDE	4	499-386-5442	14-May-24	-	Amplaya	Cutworm, leafroller	4-5 g/ 36 L water	-	3 days	After spray deposits have dried
OLD TOWN AGRICULTURAL KINGS CORP.	FLUBENDAMIDE	TAKUMI 480 SC	480 g/L	SC	INSECTICIDE	4	499-386-5442	14-May-24	-	Stringbeans	Podborer and cutworm	3-6/ 36L water	-	3 days	After spray deposits have dried
OLD TOWN AGRICULTURAL KINGS CORP.	FLUBENDAMIDE	TAKUMI 480 SC	480 g/L	SC	INSECTICIDE	4	499-386-5442	14-May-24	-	Watermelon	Mei-on worm	4-5 g/ 36 L water	-	-	After spray deposits have dried
OLD TOWN AGRICULTURAL KINGS CORP.	FLUBENDAMIDE	TAKUMI 480 SC	480 g/L	SC	INSECTICIDE	4	499-386-5442	14-May-24	-	Onion	Cutworm, armyworm	4-5 g/ 36 L water	-	-	After spray deposits have dried
OLD TOWN AGRICULTURAL KINGS CORP.	FLUBENDAMIDE	TAKUMI 480 SC	480 g/L	SC	INSECTICIDE	4	499-386-5442	14-May-24	-	Rice	Leafroller, stemborer	2-4 ml/kg seed	-	-	After spray deposits have dried
OLD TOWN AGRICULTURAL KINGS CORP.	FLUBENDAMIDE	TAKUMI 480 SC	480 g/L	SC	INSECTICIDE	4	499-386-5442	14-May-24	-	Cabbage	Diamond back moth	3-4 g/ 36 L water	-	5 days	After spray deposits have dried
OLD TOWN AGRICULTURAL KINGS CORP.	FLUBENDAMIDE	TAKUMI 24 WG	240g/kg	WG	INSECTICIDE	4	499-386-5441	14-May-24	-	Eggplant	Tip borer and fruit borer	6-8 g/ 36 L water	-	3 days	After spray deposits have dried
OLD TOWN AGRICULTURAL KINGS CORP.	FLUBENDAMIDE	TAKUMI 24 WG	240g/kg	WG	INSECTICIDE	4	499-386-5441	14-May-24	-	Tobacco	Cutworm budworm	5-7 g/ 36 L water	-	3 days	After spray deposits have dried
OLD TOWN AGRICULTURAL KINGS CORP.	FLUBENDAMIDE	TAKUMI 24 WG	240g/kg	WG	INSECTICIDE	4	499-386-5441	14-May-24	-	Tomato	Cutworm, fruitworm	4-6 g/ 36 L water	-	-	After spray deposits have dried
OLD TOWN AGRICULTURAL KINGS CORP.	FLUBENDAMIDE	TAKUMI 24 WG	240g/kg	WG	INSECTICIDE	4	499-386-5441	14-May-24	-	Amplaya	Cutworm, leafroller	4-6 g/ 36 L water	-	3 days	After spray deposits have dried
OLD TOWN AGRICULTURAL KINGS CORP.	FLUBENDAMIDE	TAKUMI 24 WG	240g/kg	WG	INSECTICIDE	4	499-386-5441	14-May-24	-	Watermelon	Armyworm, cutworm, fruitworm, leafroller, rindworm	2-4 g/ 36 L water	-	1 day	After spray deposits have dried
OLD TOWN AGRICULTURAL KINGS CORP.	FLUBENDAMIDE	TAKUMI 24 WG	240g/kg	WG	INSECTICIDE	4	499-386-5441	14-May-24	-	Onion	Cutworm, armyworm	2-4 g/ 36 L water	-	1 day	After spray deposits have dried
OLD TOWN AGRICULTURAL KINGS CORP.	FLUBENDAMIDE	TAKUMI 24 WG	240g/kg	WG	INSECTICIDE	4	499-386-5441	14-May-24	-	Rice	Leafroller, stemborer	5-20 g/ 36 L water	-	30 days	After spray deposits have dried
OLD TOWN AGRICULTURAL KINGS CORP.	FLUBENDAMIDE	TAKUMI 24 WG	240g/kg	WG	INSECTICIDE	4	499-386-5441	14-May-24	-	Corn	Corn borer	4-8 g/36 L water	-	5 days	After spray deposits have dried
JARDINE DISTRIBUTION, INC.	FLUBENDAMIDE	TAKUMI 20 WG	200 g/kg	WG	INSECTICIDE	4	499-386-5790	7-Aug-26	-	Eggplant	Tip borer and Fruit borer	380-240 g prod / ha	1.5 ppm	-	After spray deposits have dried
JARDINE DISTRIBUTION, INC.	FLUBENDAMIDE	TAKUMI 20 WG	200 g/kg	WG	INSECTICIDE	4	499-386-5790	7-Aug-26	-	Tobacco	Budworm and cutworm	120-180 g prod / ha	-	-	After spray deposits have dried
JARDINE DISTRIBUTION, INC.	FLUBENDAMIDE	TAKUMI 20 WG	200 g/kg	WG	INSECTICIDE	4	499-386-5790	7-Aug-26	-	Tomato	Cutworm and fruitworm	120-180 g prod/ ha; 4.8-7.2 g prod/ 36L water; 400L/ ha	0.2 ppm	3 days	After spray deposits have dried
JARDINE DISTRIBUTION, INC.	FLUBENDAMIDE	TAKUMI 20 WG	200 g/kg	WG	INSECTICIDE	4	499-386-5790	7-Aug-26	-	Watermelon	Armyworm, cutworm, fruitworm, leafroller, rindworm	2.4-4.8 g prod / 36L water; 400L/ ha	0.2 ppm	1 day	After spray deposits have dried
JARDINE DISTRIBUTION, INC.	FLUBENDAMIDE	TAKUMI 20 WG	200 g/kg	WG	INSECTICIDE	4	499-386-5790	7-Aug-26	-	Onion	Cutworm and armyworm	2.4-4.8 g prod / 36L water; 400L/ ha	0.5 ppm	-	After spray deposits have dried
JARDINE DISTRIBUTION, INC.	FLUBENDAMIDE	TAKUMI 20 WG	200 g/kg	WG	INSECTICIDE	4	499-386-5790	7-Aug-26	-	Bittergourd	Leafroller and cutworm	120-180 g prod / ha; 4.8-7.2 g prod / 36L water; 400L/ ha	0.5 ppm	3 days	After spray deposits have dried
JARDINE DISTRIBUTION, INC.	FLUBENDAMIDE	TAKUMI 20 WG	200 g/kg	WG	INSECTICIDE	4	499-386-5790	7-Aug-26	-	Stringbeans	Podborer, cutworm, armyworm and semi-lapper	60-120 g prod/ ha; 2.4-4.8 g prod/ 36L water; 400L/ ha	0.5 ppm	3 days	After spray deposits have dried
JARDINE DISTRIBUTION, INC.	FLUBENDAMIDE	TAKUMI 20 WG	200 g/kg	WG	INSECTICIDE	4	499-386-5790	7-Aug-26	-	Rice	Stemborer and leafroller	120-240 gprod / ha; 360 L/ha	0.05 ppm	-	After spray deposits have dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	IMAZOSULFURON	TAKOFF 10 SC	100 g/L	SC	HERBICIDE	4	099-363-2597	13-May-25	PRE-EMERGENT/POST-EMERGENT	Rice (Transplanted)	Sedges and broadleaves	1.00-1.50 Tbsp/36L water	0.1ppm	-	24 hours after spraying
SUNTOMAG CHEMICAL PHILIPPINES INC.	IMAZOSULFURON	TAKOFF 10 SC	100 g/L	SC	HERBICIDE	4	472-983-2591	18-May-25	PRE-EMERGENT/POST-EMERGENT	Rice (Transplanted)	Sedges and broadleaves	1.00-1.50 Tbsp/36L water	0.1ppm	-	24 hours after spraying
TAGSHELD DISTRIBUTION INC.	DIFENCONAZOLE-PROPICONAZOLE	TAGSHELD 300 EC	150 g/L-150 g/L	EC	FUNGICIDE	3	517-325-5401	25-Jul-24	SYSTEMIC	Rice	Sheath Blight	3.5-5.5 Tbsp/36L water	-	-	-
TAGSHELD DISTRIBUTION INC.	DIFENCONAZOLE-PROPICONAZOLE	TAGSHELD 300 EC	150 g/L-150 g/L	EC	FUNGICIDE	3	517-325-5401	25-Jul-24	SYSTEMIC	Corn	Banded leaf, sheath blight, ear rot, leaf blight & rust	1.0-2.0 Tbsp/36L water	-	-	-
POLYETHYLENE SORBTHAN (POLYETHYLENEGLYCOL ETHER	TAGRSOL	285/475/240mL/L	-	-	OTHERS	4	517-348-4075	06-Dec-25	SELECTIVE (POST-EMERGENT)	Rice	As a surfactant on GUARDON	20-30mL/36L water	-	-	As soon as spray deposit have dried.
TAGSHELD DISTRIBUTION INC.	FLAUSUCIDE 70 WP	700 g/kg	WP	MOLLUSCICIDE	4	517-229-3002	23-Apr-24	-	Rice	Golden apple snail	10 tank load/ha 1 cannet / tankload	-	-	-	-

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
TAGCHEM DRAGON DISTRIBUTION INC.	METALDEHYDE	TAGLUSCIDE 0% PELLET	60 g/kg	P	MOLLUSCIDE	4	517-075-4907	18-Jul-21	CONTACT	Rice (Transplanted)	Golden apple snail	2-4 kg/ product per hectare	-	-	Do not enter treated field within 48 hours after last application
TAGCHEM DRAGON DISTRIBUTION INC.	METALDEHYDE	TAGLUSCIDE 0% PELLET	60 g/kg	P	MOLLUSCIDE	4	517-075-4907	18-Jul-21	CONTACT	Rice (Direct-Seeded)	Golden apple snail	4-8 kg/ product per hectare	-	-	Do not enter treated field within 48 hours after last application
TAGCHEM DRAGON DISTRIBUTION INC.	METALDEHYDE	TAGLUSCIDE 0% PELLET	60 g/kg	P	MOLLUSCIDE	4	517-075-4907	18-Jul-21	CONTACT	Potted and driftwood-attached plants such as Chinese Cabbage	Slugs, snails, giant african snail and slugs	1-2 kg/ product per hectare	-	-	Do not enter treated field within 48 hours after last application
TAGCHEM DRAGON DISTRIBUTION INC.	METALDEHYDE	TAGLUSCIDE 0% PELLET	60 g/kg	P	MOLLUSCIDE	4	517-075-4907	18-Jul-21	CONTACT	Chinese Cabbage	Slugs, snails	4-8 kg/ product per hectare	-	-	Do not enter treated field within 48 hours after last application
TAGCHEM DRAGON DISTRIBUTION INC.	METALDEHYDE	TAGLUSCIDE 0% PELLET	60 g/kg	P	MOLLUSCIDE	4	517-075-4907	18-Jul-21	CONTACT	Strawberry	Slugs, snails	6-8 kg/ product per hectare	-	-	Do not enter treated field within 48 hours after last application
TAGCHEM DRAGON DISTRIBUTION INC.	NICLOXAMIDE	TAGLUSCIDE 250 FC	250 g/L	EC	MOLLUSCIDE	4	517-229-4722	13-Aug-21	-	Rice	Golden apple snail	7-10, 10-14 Tbsp/16L Water	-	-	Entry to field and crops treated with TAGLUSCIDE 250 FC can be done 48 hours after spraying
TAGCHEM DRAGON DISTRIBUTION INC.	METALDEHYDE	TAGCHEM METALDEHYDE	60 g/kg	P	MOLLUSCIDE	4	517-075-4636	25-Jan-25	CONTACT	Rice (Transplanted)	Golden apple snail	2-4 Kgs/ha	-	-	Do not enter treated field within 48 hours after application.
TAGCHEM DRAGON DISTRIBUTION INC.	METALDEHYDE	TAGCHEM METALDEHYDE	60 g/kg	P	MOLLUSCIDE	4	517-075-4636	25-Jan-25	CONTACT	Rice (Direct-Seeded)	Golden apple snail	4-8 Kgs/ha	-	-	Do not enter treated field within 48 hours after application.
TAGCHEM DRAGON DISTRIBUTION INC.	METALDEHYDE	TAGCHEM METALDEHYDE	60 g/kg	P	MOLLUSCIDE	4	517-075-4636	25-Jan-25	CONTACT	Potted and driftwood-attached plants such as	Slugs, snails, giant african snail and slugs	1-2 Kgs/ha	-	-	Do not enter treated field within 48 hours after application.
TAGCHEM DRAGON DISTRIBUTION INC.	MANCOZEB	TAGCHEM MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	517-053-3820	22-Apr-25	-	Potato	Early and late blight	3-6 Tbsp/16 L water	-	-	As soon as spray dries
TAGCHEM DRAGON DISTRIBUTION INC.	MANCOZEB	TAGCHEM MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	517-053-3820	22-Apr-25	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
TAGCHEM DRAGON DISTRIBUTION INC.	MANCOZEB	TAGCHEM MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	517-053-3820	22-Apr-25	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
TAGCHEM DRAGON DISTRIBUTION INC.	MANCOZEB	TAGCHEM MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	517-053-3820	22-Apr-25	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
TAGCHEM DRAGON DISTRIBUTION INC.	MANCOZEB	TAGCHEM MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	517-053-3820	22-Apr-25	-	Celery	Late blight	3-6 Tbsp/16 L water	-	14 Days	As soon as spray dries
TAGCHEM DRAGON DISTRIBUTION INC.	MANCOZEB	TAGCHEM MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	517-053-3820	22-Apr-25	-	Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
TAGCHEM DRAGON DISTRIBUTION INC.	MANCOZEB	TAGCHEM MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	517-053-3820	22-Apr-25	-	Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
TAGCHEM DRAGON DISTRIBUTION INC.	MANCOZEB	TAGCHEM MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	517-053-3820	22-Apr-25	-	Cotton	Damping off	3-6 Tbsp/16 L water	-	-	As soon as spray dries
TAGCHEM DRAGON DISTRIBUTION INC.	MANCOZEB	TAGCHEM MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	517-053-3820	22-Apr-25	-	Lettuce	Downy mildew	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
TAGCHEM DRAGON DISTRIBUTION INC.	MANCOZEB	TAGCHEM MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	517-053-3820	22-Apr-25	-	Beans	Anthraxnose, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
TAGCHEM DRAGON DISTRIBUTION INC.	MANCOZEB	TAGCHEM MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	517-053-3820	22-Apr-25	-	Peas	Anthraxnose, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
TAGCHEM DRAGON DISTRIBUTION INC.	MANCOZEB	TAGCHEM MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	517-053-3820	22-Apr-25	-	Mango	Anthraxnose, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
TAGCHEM DRAGON DISTRIBUTION INC.	MANCOZEB	TAGCHEM MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	517-053-3820	22-Apr-25	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
TAGCHEM DRAGON DISTRIBUTION INC.	MANCOZEB	TAGCHEM MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	517-053-3820	22-Apr-25	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
TAGCHEM DRAGON DISTRIBUTION INC.	MANCOZEB	TAGCHEM MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	517-053-3820	22-Apr-25	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
TAGCHEM DRAGON DISTRIBUTION INC.	MANCOZEB	TAGCHEM MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	517-053-3820	22-Apr-25	-	Pepper	Anthraxnose	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
TAGCHEM DRAGON DISTRIBUTION INC.	MANCOZEB	TAGCHEM MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	517-053-3820	22-Apr-25	-	Chili	Anthraxnose	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
TAGCHEM DRAGON DISTRIBUTION INC.	MANCOZEB	TAGCHEM MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	517-053-3820	22-Apr-25	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
TAGCHEM DRAGON DISTRIBUTION INC.	MANCOZEB	TAGCHEM MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	517-053-3820	22-Apr-25	-	Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16 L water	-	-	As soon as spray dries
TAGCHEM DRAGON DISTRIBUTION INC.	MANCOZEB	TAGCHEM MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	517-053-3820	22-Apr-25	-	Grapes	Downy mildew, black rot	3-6 Tbsp/16 L water	-	60 days	As soon as spray dries
TAGCHEM DRAGON DISTRIBUTION INC.	MANCOZEB	TAGCHEM MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	517-053-3820	22-Apr-25	-	Mango	Anthraxnose and Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
TAGCHEM DRAGON DISTRIBUTION INC.	MANCOZEB	TAGCHEM MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	517-053-3820	22-Apr-25	-	Papaya	Fruit rot	3-6 Tbsp/16 L water	-	-	As soon as spray dries
TAGCHEM DRAGON DISTRIBUTION INC.	MANCOZEB	TAGCHEM MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	517-053-3820	22-Apr-25	-	Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
TAGCHEM DRAGON DISTRIBUTION INC.	MANCOZEB	TAGCHEM MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	517-053-3820	22-Apr-25	-	Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
TAGCHEM DRAGON DISTRIBUTION INC.	MANCOZEB	TAGCHEM MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	517-053-3820	22-Apr-25	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
TAGCHEM DRAGON DISTRIBUTION INC.	MANCOZEB	TAGCHEM MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	517-053-3820	22-Apr-25	-	Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16 L water	0.02ppm	-	As soon as spray dries
TAGCHEM DRAGON DISTRIBUTION INC.	MANCOZEB	TAGCHEM MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	517-053-3820	22-Apr-25	-	Peanut	Cercospora leaf spot	3-6 Tbsp/16 L water	-	14 Days	As soon as spray dries
TAGCHEM DRAGON DISTRIBUTION INC.	MANCOZEB	TAGCHEM MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	517-053-3820	22-Apr-25	-	Soybeans	leaf rust	3-6 Tbsp/16 L water	-	-	As soon as spray dries
TAGCHEM DRAGON DISTRIBUTION INC.	MANCOZEB	TAGCHEM MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	517-053-3820	22-Apr-25	-	Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/16 L water	-	-	As soon as spray dries
TAGCHEM DRAGON DISTRIBUTION INC.	GLUFOSINATE AMMONIUM	TAGCHEM GLUFOSINATE 150 SL	150 g/L	SL	HERBICIDE	4	517-182-5070	27-May-25	NON-SELECTIVE(POST-EMERGENT)	Rubber	Annual & Perennial grasses, sedges & broad leaf weeds	215, 270, 135ml/16L water	-	-	After spray deposits have dried
TAGCHEM DRAGON DISTRIBUTION INC.	GLUFOSINATE AMMONIUM	TAGCHEM GLUFOSINATE 150 SL	150 g/L	SL	HERBICIDE	4	517-182-5070	27-May-25	NON-SELECTIVE(POST-EMERGENT)	Oil palm	Annual & Perennial grasses, sedges & broad leaf weeds	160, 135ml/16L water	-	-	After spray deposits have dried
TAGCHEM DRAGON DISTRIBUTION INC.	GLUFOSINATE AMMONIUM	TAGCHEM GLUFOSINATE 150 SL	150 g/L	SL	HERBICIDE	4	517-182-5070	27-May-25	NON-SELECTIVE(POST-EMERGENT)	Non-crop agricultural areas	Annual & Perennial grasses, sedges & broad leaf weeds	160-215 ml/16L water	-	-	After spray deposits have dried
TAGCHEM DRAGON DISTRIBUTION INC.	GLUFOSINATE AMMONIUM	TAGCHEM GLUFOSINATE 150 SL	150 g/L	SL	HERBICIDE	4	517-182-5070	27-May-25	NON-SELECTIVE(POST-EMERGENT)	Coffee	Annual & Perennial grasses, sedges & broad leaf weeds	160, 135ml/16L water	-	-	After spray deposits have dried
TAGCHEM DRAGON DISTRIBUTION INC.	GLUFOSINATE AMMONIUM	TAGCHEM GLUFOSINATE 150 SL	150 g/L	SL	HERBICIDE	4	517-182-5070	27-May-25	NON-SELECTIVE(POST-EMERGENT)	Citrus	Annual & Perennial grasses, sedges & broad leaf weeds	160, 135ml/16L water	-	-	After spray deposits have dried
TAGCHEM DRAGON DISTRIBUTION INC.	GLUFOSINATE AMMONIUM	TAGCHEM GLUFOSINATE 150 SL	150 g/L	SL	HERBICIDE	4	517-182-5070	27-May-25	NON-SELECTIVE(POST-EMERGENT)	Cavendish Banana	Annual & Perennial grasses, sedges & broad leaf weeds	160, 135-200 ml/16L water	0.2 mg/kg	-	After spray deposits have dried
TAGCHEM DRAGON DISTRIBUTION INC.	GLUFOSINATE AMMONIUM	TAGCHEM GLUFOSINATE 150 SL	150 g/L	SL	HERBICIDE	4	517-182-5070	27-May-25	NON-SELECTIVE(POST-EMERGENT)	Cacao	Annual & Perennial grasses, sedges & broad leaf weeds	160, 135ml/16L water	-	-	After spray deposits have dried
TAGCHEM DRAGON DISTRIBUTION INC.	GLUFOSINATE AMMONIUM	TAGCHEM GLUFOSINATE 150 SL	150 g/L	SL	HERBICIDE	4	517-182-5070	27-May-25	NON-SELECTIVE(POST-EMERGENT)	Citrus	Annual and Perennial broadleaves and grasses	13.0-15.0Tbsp/16 L water	-	-	Entry to fields treated with TAGCHEM DUIRON 80 WP can be done one day after application
TAGCHEM DRAGON DISTRIBUTION INC.	DUIRON	TAGCHEM DUIRON 80 WP	800 g/kg	WP	HERBICIDE	4	517-021-3819-A	15-Nov-25	SYSTEMIC	Coffee	Annual and Perennial broadleaves and grasses	13.0-15.0Tbsp/16 L water	-	-	Entry to fields treated with TAGCHEM DUIRON 80 WP can be done one day after application
TAGCHEM DRAGON DISTRIBUTION INC.	DUIRON	TAGCHEM DUIRON 80 WP	800 g/kg	WP	HERBICIDE	4	517-021-3819-A	15-Nov-25	SYSTEMIC	Cotton	Annual and Perennial broadleaves and grasses	8.0Tbsp/16 L water	-	-	Entry to fields treated with TAGCHEM DUIRON 80 WP can be done one day after application
TAGCHEM DRAGON DISTRIBUTION INC.	DUIRON	TAGCHEM DUIRON 80 WP	800 g/kg	WP	HERBICIDE	4	517-021-3819-A	15-Nov-25	SYSTEMIC	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0Tbsp/16 L water	-	-	Entry to fields treated with TAGCHEM DUIRON 80 WP can be done one day after application
TAGCHEM DRAGON DISTRIBUTION INC.	DUIRON	TAGCHEM DUIRON 80 WP	800 g/kg	WP	HERBICIDE	4	517-021-3819-A	15-Nov-25	SYSTEMIC	Pineapple	Annual and Perennial broadleaves and grasses	13.0Tbsp/16 L water	-	-	Entry to fields treated with TAGCHEM DUIRON 80 WP can be done one day after application
TAGCHEM DRAGON DISTRIBUTION INC.	DUIRON	TAGCHEM DUIRON 80 WP	800 g/kg	WP	HERBICIDE	4	517-021-3819-A	15-Nov-25	SYSTEMIC	Non-crop land	Annual and Perennial broadleaves and grasses	20.0-28.0Tbsp/16 L water	-	-	Entry to fields treated with TAGCHEM DUIRON 80 WP can be done one day after application
TAGCHEM DRAGON DISTRIBUTION INC.	2,4-D IBE	TAGCHEM 2,4-D ESTER	400 g/L	EC	HERBICIDE	2	517-040-4909	21-Feb-24	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Broadleaves & sedges	5.0-6.50Tbsp/16L water	0.1 ppm	-	1 Day after spraying
TAGCHEM DRAGON DISTRIBUTION INC.	2,4-D IBE	TAGCHEM 2,4-D ESTER	400 g/L	EC	HERBICIDE	2	517-040-4909	21-Feb-24	SELECTIVE (POST-EMERGENT)	Corn	Broadleaves & sedges	5.0-6.50Tbsp/16 L water	-	-	1 Day after spraying
TAGCHEM DRAGON DISTRIBUTION INC.	2,4-D IBE	TAGCHEM 2,4-D ESTER	400 g/L	EC	HERBICIDE	2	517-040-4909	21-Feb-24	SELECTIVE (POST-EMERGENT)	Sugarcane	Broadleaves & sedges	5.0-6.50Tbsp/16 L water	-	-	1 Day after spraying
TAGCHEM DRAGON DISTRIBUTION INC.	2,4-D AMINE	TAGCHEM 2,4-D AMINE	400 g/L	-	HERBICIDE	2	517-033-5931	9-Oct-25	POST-EMERGENCE	Rice (Transplanted)	Annual broadleaves and sedges	5.5-6.5 Tbsp/ 16L water	-	-	Entry fields and crops treated with TAGCHEM 2,4-D AMINE can be done one day after spraying
TAGCHEM DRAGON DISTRIBUTION INC.	2,4-D AMINE	TAGCHEM 2,4-D AMINE	400 g/L	-	HERBICIDE	2	517-033-5931	9-Oct-25	POST-EMERGENCE	Corn	Annual broadleaves and sedges	5.0-6.5 Tbsp/ 16L water	-	-	Entry fields and crops treated with TAGCHEM 2,4-D AMINE can be done one day after spraying

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
TAGCHEM DRAGON DISTRIBUTION INC.	2,4-D AMINE	TAGCHEM 2,4-D AMINE	400 g/L	-	HERBICIDE	2	517-033-5981	9-Oct-25	POST-EMERGENCE	Sugarcane	Annual broadleaves and sedges	15-25 flup/ 56L water	-	-	Entry fields and crops treated with TAGCHEM 2,4-D AMINE can be done one day after spraying
TAGCHEM DRAGON DISTRIBUTION INC.	CYPERMETHRIN	TAG387 5 EC	50 g/L	EC	INSECTICIDE	4	517-037-2999	21-Mar-25	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/56 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
TAGCHEM DRAGON DISTRIBUTION INC.	CYPERMETHRIN	TAG387 5 EC	50 g/L	EC	INSECTICIDE	4	517-037-2999	21-Mar-25	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leafhopper, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/56 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
TAGCHEM DRAGON DISTRIBUTION INC.	CYPERMETHRIN	TAG387 5 EC	50 g/L	EC	INSECTICIDE	4	517-037-2999	21-Mar-25	CONTACT	Cabbage	Diamond back moth, cabbage moth, worm	1.0-3.0 Tbsp/56 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
TAGCHEM DRAGON DISTRIBUTION INC.	CYPERMETHRIN	TAG387 5 EC	50 g/L	EC	INSECTICIDE	4	517-037-2999	21-Mar-25	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/56 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
TAGCHEM DRAGON DISTRIBUTION INC.	CYPERMETHRIN	TAG387 5 EC	50 g/L	EC	INSECTICIDE	4	517-037-2999	21-Mar-25	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/56 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
TAGCHEM DRAGON DISTRIBUTION INC.	CYPERMETHRIN	TAG387 5 EC	50 g/L	EC	INSECTICIDE	4	517-037-2999	21-Mar-25	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/56 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
TAGCHEM DRAGON DISTRIBUTION INC.	CYPERMETHRIN	TAG387 5 EC	50 g/L	EC	INSECTICIDE	4	517-037-2999	21-Mar-25	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/56 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
TAGCHEM DRAGON DISTRIBUTION INC.	CYPERMETHRIN	TAG387 5 EC	50 g/L	EC	INSECTICIDE	4	517-037-2999	21-Mar-25	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/56 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
TAGCHEM DRAGON DISTRIBUTION INC.	CYPERMETHRIN	TAG387 5 EC	50 g/L	EC	INSECTICIDE	4	517-037-2999	21-Mar-25	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/56 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
TAGCHEM DRAGON DISTRIBUTION INC.	CYPERMETHRIN	TAG387 5 EC	50 g/L	EC	INSECTICIDE	4	517-037-2999	21-Mar-25	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/56 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
TAGCHEM DRAGON DISTRIBUTION INC.	CYPERMETHRIN	TAG387 5 EC	50 g/L	EC	INSECTICIDE	4	517-037-2999	21-Mar-25	CONTACT	Corn	Comborer, earworm	1.0-4.5 Tbsp/56 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
JYNKSONS PHILIPPINES, INC.	BP/MC-CHLORPYRIFOS	TAG TEAM 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	551-174-3943	27-Dec-24	-	Rice	Stemborer, armyworm, leafhopper, caseworm and planthopper	2.5-3.5 Tbsp/56L water	-	-	Stop spraying 15 days before harvest Do not enter the field within 2 days after spraying.
JYNKSONS PHILIPPINES, INC.	BP/MC-CHLORPYRIFOS	TAG TEAM 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	551-174-3943	27-Dec-24	-	Corn	Seedling maggot, corn earworm, comborer and armyworm	2.5-3.5 Tbsp/56L water	-	-	Stop spraying 15 days before harvest Do not enter the field within 2 days after spraying.
JYNKSONS PHILIPPINES, INC.	BP/MC-CHLORPYRIFOS	TAG TEAM 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	551-174-3943	27-Dec-24	-	Tobacco	Budworm, grasshopper, aphid, cutworm and armyworm	2.5-3.5 Tbsp/56L water	-	-	Stop spraying 15 days before harvest Do not enter the field within 2 days after spraying.
JYNKSONS PHILIPPINES, INC.	BP/MC-CHLORPYRIFOS	TAG TEAM 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	551-174-3943	27-Dec-24	-	Cucumber	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/56L water	-	-	Stop spraying 15 days before harvest Do not enter the field within 2 days after spraying.
JYNKSONS PHILIPPINES, INC.	BP/MC-CHLORPYRIFOS	TAG TEAM 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	551-174-3943	27-Dec-24	-	Melon	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/56L water	-	-	Stop spraying 15 days before harvest Do not enter the field within 2 days after spraying.
JYNKSONS PHILIPPINES, INC.	BP/MC-CHLORPYRIFOS	TAG TEAM 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	551-174-3943	27-Dec-24	-	Watermelon	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/56L water	-	-	Stop spraying 15 days before harvest Do not enter the field within 2 days after spraying.
JYNKSONS PHILIPPINES, INC.	BP/MC-CHLORPYRIFOS	TAG TEAM 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	551-174-3943	27-Dec-24	-	Onion	Thrips, cutworm	2.5-3.5 Tbsp/56L water	-	-	Stop spraying 15 days before harvest Do not enter the field within 2 days after spraying.
JYNKSONS PHILIPPINES, INC.	BP/MC-CHLORPYRIFOS	TAG TEAM 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	551-174-3943	27-Dec-24	-	Mungo	Beanfly, armyworm, cutworm, leafminer and leafhopper	2.5-3.5 Tbsp/56L water	-	-	Stop spraying 15 days before harvest Do not enter the field within 2 days after spraying.
JYNKSONS PHILIPPINES, INC.	BP/MC-CHLORPYRIFOS	TAG TEAM 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	551-174-3943	27-Dec-24	-	Soybeans	Beanfly, armyworm, cutworm, leafminer and leafhopper	2.5-3.5 Tbsp/56L water	-	-	Stop spraying 15 days before harvest Do not enter the field within 2 days after spraying.
JYNKSONS PHILIPPINES, INC.	BP/MC-CHLORPYRIFOS	TAG TEAM 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	551-174-3943	27-Dec-24	-	Beans	Beanfly, armyworm, cutworm, leafminer and leafhopper	2.5-3.5 Tbsp/56L water	-	-	Stop spraying 15 days before harvest Do not enter the field within 2 days after spraying.
INTERSORORA INC.	PROPIAIB	TADUN 70 WP	700 g/kg	WP	FUNGICIDE	4	664-001-6445	21-Feb-26	-	Lettuce	Early blight, neck rot	50-65 g prod. / 56L water	-	7 days	Immediately after spray deposits have dried
INTERSORORA INC.	PROPIAIB	TADUN 70 WP	700 g/kg	WP	FUNGICIDE	4	664-001-6445	21-Feb-26	-	Onion	Downy mildew, anthracnose, purple blotch	50-65 g prod. / 56L water	-	7 days	Immediately after spray deposits have dried
INTERSORORA INC.	PROPIAIB	TADUN 70 WP	700 g/kg	WP	FUNGICIDE	4	664-001-6445	21-Feb-26	-	Cucurbits	Downy mildew, late blight	50-65 g prod. / 56L water	-	7 days	Immediately after spray deposits have dried
INTERSORORA INC.	PROPIAIB	TADUN 70 WP	700 g/kg	WP	FUNGICIDE	4	664-001-6445	21-Feb-26	-	Celery	Early and late blight	50-65 g prod. / 56L water	-	7 days	Immediately after spray deposits have dried
INTERSORORA INC.	PROPIAIB	TADUN 70 WP	700 g/kg	WP	FUNGICIDE	4	664-001-6445	21-Feb-26	-	Beans	Rust	50-65 g prod. / 56L water	-	7 days	Immediately after spray deposits have dried
INTERSORORA INC.	PROPIAIB	TADUN 70 WP	700 g/kg	WP	FUNGICIDE	4	664-001-6445	21-Feb-26	-	Potato	Early and late blight	50-65 g prod. / 56L water	-	7 days	Immediately after spray deposits have dried
INTERSORORA INC.	PROPIAIB	TADUN 70 WP	700 g/kg	WP	FUNGICIDE	4	664-001-6445	21-Feb-26	-	Tomato	Early and late blight	50-65 g prod. / 56L water	-	3 days	Immediately after spray deposits have dried
INTERSORORA INC.	PROPIAIB	TADUN 70 WP	700 g/kg	WP	FUNGICIDE	4	664-001-6445	21-Feb-26	-	Tobacco	Brown leaf spot	50-65 g prod. / 56L water	-	7 days	Immediately after spray deposits have dried
INTERSORORA INC.	PROPIAIB	TADUN 70 WP	700 g/kg	WP	FUNGICIDE	4	664-001-6445	21-Feb-26	-	Coffee	Brown eye spot	50-65 g prod. / 56L water	-	7 days	Immediately after spray deposits have dried
INTERSORORA INC.	PROPIAIB	TADUN 70 WP	700 g/kg	WP	FUNGICIDE	4	664-001-6445	21-Feb-26	-	Citrus	Black spot	65 g prod. / 56L water	-	7 days	Immediately after spray deposits have dried
INTERSORORA INC.	PROPIAIB	TADUN 70 WP	700 g/kg	WP	FUNGICIDE	4	664-001-6445	21-Feb-26	-	Melon	Downy mildew	50-65 g prod. / 56L water	-	7 days	Immediately after spray deposits have dried
INTERSORORA INC.	PROPIAIB	TADUN 70 WP	700 g/kg	WP	FUNGICIDE	4	664-001-6445	21-Feb-26	-	Watermelon	Downy mildew	50-65 g prod. / 56L water	-	7 days	Immediately after spray deposits have dried
INTERSORORA INC.	PROPIAIB	TADUN 70 WP	700 g/kg	WP	FUNGICIDE	4	664-001-6445	21-Feb-26	-	Ornamentals	Black spot, rust	50-65 g prod. / 56L water	-	7 days	Immediately after spray deposits have dried
INTERSORORA INC.	PROPIAIB	TADUN 70 WP	700 g/kg	WP	FUNGICIDE	4	664-001-6445	21-Feb-26	-	Mango	Anthraxnose	50-65 g prod. / 56L water	-	7 days	Immediately after spray deposits have dried
INTERSORORA INC.	PROPIAIB	TADUN 70 WP	700 g/kg	WP	FUNGICIDE	4	664-001-6445	21-Feb-26	-	Rice	Dirty panicle, brown leaf spot	50-100 g prod. / 56L water 300-1000 g prod. / ha	-	18 days	Immediately after spray deposits have dried
INTERSORORA INC.	PROPIAIB	TADUN 70 WP	700 g/kg	WP	FUNGICIDE	4	664-001-6445	21-Feb-26	-	Banana	Sigatoka, freckle disease	2.5 kg / ha	-	7 days	Immediately after spray deposits have dried
INTERSORORA INC.	PROPIAIB	TADUN 70 WP	700 g/kg	WP	FUNGICIDE	4	664-001-6445	21-Feb-26	-	Asparagus	Cercospora leaf spot	2.5 kg / ha	-	7 days	Immediately after spray deposits have dried
UNAHCO, INC.	ABAMECTIN	TACTICA 1.8 EC	18 g/L	EC	INSECTICIDE	2	662-234-5003	04-Sep-23	-	Banana	Blossom thrips	0.5/ L water	-	-	Re-enter the field as soon as spray dries
UNAHCO, INC.	ABAMECTIN	TACTICA 1.8 EC	18 g/L	EC	INSECTICIDE	2	662-234-5003	04-Sep-23	-	Cabbage	Diamond back moth	3000 mL prod/ha	-	-	Re-enter the field as soon as spray dries
UNAHCO, INC.	ABAMECTIN	TACTICA 1.8 EC	18 g/L	EC	INSECTICIDE	2	662-234-5003	04-Sep-23	-	Ornamentals	Mites	1.0-1.5Tbsp/56 L of water	-	-	Re-enter the field as soon as spray dries
UNAHCO, INC.	ABAMECTIN	TACTICA 1.8 EC	18 g/L	EC	INSECTICIDE	2	662-234-5003	04-Sep-23	-	Pineapple	Mites	3000-4000mL prod/ha	-	-	Re-enter the field as soon as spray dries
UNAHCO, INC.	ABAMECTIN	TACTICA 1.8 EC	18 g/L	EC	INSECTICIDE	2	662-234-5003	04-Sep-23	-	Eggplant	Thrips, leafhopper, fruit and shoot borer	2.0-5.0 Tbsp/56 L of water	-	-	Re-enter the field as soon as spray dries
UNAHCO, INC.	ABAMECTIN	TACTICA 1.8 EC	18 g/L	EC	INSECTICIDE	2	662-234-5003	04-Sep-23	-	Onion	leafminer, thrips	2.0-3.0 Tbsp/56 L of water	-	-	Re-enter the field as soon as spray dries
UNAHCO, INC.	ABAMECTIN	TACTICA 1.8 EC	18 g/L	EC	INSECTICIDE	2	662-234-5003	04-Sep-23	-	Potato	leafminer, thrips	2.0-3.0 Tbsp/56 L of water	-	-	Re-enter the field as soon as spray dries
UNAHCO, INC.	ABAMECTIN	TACTICA 1.8 EC	18 g/L	EC	INSECTICIDE	2	662-234-5003	04-Sep-23	-	Tomato	leafminer, thrips, aphids	2.0-3.0 Tbsp/56 L of water	-	-	Re-enter the field as soon as spray dries
UNAHCO, INC.	ABAMECTIN	TACTICA 1.8 EC	18 g/L	EC	INSECTICIDE	2	662-234-5003	04-Sep-23	-	Watermelon	Leafminer, thrips, melonworm	2.0-3.0 Tbsp/56 L of water	-	-	Re-enter the field as soon as spray dries
UNAHCO, INC.	ABAMECTIN	TACTICA 1.8 EC	18 g/L	EC	INSECTICIDE	2	662-234-5003	04-Sep-23	-	Papaya	Mites	0.5-1.0 Tbsp/56 L of water	-	-	Re-enter the field as soon as spray dries
UNAHCO, INC.	ABAMECTIN	TACTICA 1.8 EC	18 g/L	EC	INSECTICIDE	2	662-234-5003	04-Sep-23	-	Strawberry	Mites	2.0-4.0 Tbsp/56 L of water	-	-	Re-enter the field as soon as spray dries
TAIPAN BRAND FARM INC.	BISPYRIBAC SODIUM	TAMAX 30 SC	100 g/L	SC	HERBICIDE	4	529-276-4450	30-Jul-24	SELECTIVE	Rice (Direct-Seeded)	Grasses, sedges & broadleaves	15m/56 L water, 20 spray load/ hectare	0.1 ppm	-	Entry to treated field is allowed as soon as spray deposits on crops and weeds have dried.
TAIPAN BRAND FARM INC.	BISPYRIBAC SODIUM	TAMAX 30 SC	100 g/L	SC	HERBICIDE	4	529-276-4450	30-Jul-24	SELECTIVE	Rice (Transplanted)	Grasses, sedges & broadleaves	15m/56 L water, 20 spray load/ hectare	0.1 ppm	-	Entry to treated field is allowed as soon as spray deposits on crops and weeds have dried.
SAVWELL AGRISCIENCE VENTURES CORPORATION	CYPERMETHRIN	T.K.O 5 EC	50 g/L	EC	INSECTICIDE	4	681-037-5453	17-Mar-23	-	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/56 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
SAVWELL AGRISCIENCE VENTURES CORPORATION	CYPERMETHRIN	T.K.O 5 EC	50 g/L	EC	INSECTICIDE	4	681-037-5453	17-Mar-23	-	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leafhopper, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/56 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
SAVWELL AGRISCIENCE VENTURES CORPORATION	CYPERMETHRIN	T.K.O 5 EC	50 g/L	EC	INSECTICIDE	4	681-037-5453	17-Mar-23	-	Cabbage	Diamond back moth, cabbage moth, worm	1.0-3.0 Tbsp/56 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
SAVWELL AGRISCIENCE VENTURES CORPORATION	CYPERMETHRIN	T.K.O 5 EC	50 g/L	EC	INSECTICIDE	4	681-037-5453	17-Mar-23	-	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/56 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
SAVEWELL AGRISCIENCE VENTURES CORPORATION	CYPERMETHRIN	T.K.O 5 EC	90 g/L	EC	INSECTICIDE	4	681-037-5453	17-Mar-23	-	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
SAVEWELL AGRISCIENCE VENTURES CORPORATION	CYPERMETHRIN	T.K.O 5 EC	90 g/L	EC	INSECTICIDE	4	681-037-5453	17-Mar-23	-	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
SAVEWELL AGRISCIENCE VENTURES CORPORATION	CYPERMETHRIN	T.K.O 5 EC	90 g/L	EC	INSECTICIDE	4	681-037-5453	17-Mar-23	-	Onion	Thrips, cutworm	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
SAVEWELL AGRISCIENCE VENTURES CORPORATION	CYPERMETHRIN	T.K.O 5 EC	90 g/L	EC	INSECTICIDE	4	681-037-5453	17-Mar-23	-	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
SAVEWELL AGRISCIENCE VENTURES CORPORATION	CYPERMETHRIN	T.K.O 5 EC	90 g/L	EC	INSECTICIDE	4	681-037-5453	17-Mar-23	-	Cotton	Bollworm, cutworm, leafworm, aphids, leaffolder, thrips, boll weevil	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
SAVEWELL AGRISCIENCE VENTURES CORPORATION	CYPERMETHRIN	T.K.O 5 EC	90 g/L	EC	INSECTICIDE	4	681-037-5453	17-Mar-23	-	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
SAVEWELL AGRISCIENCE VENTURES CORPORATION	CYPERMETHRIN	T.K.O 5 EC	90 g/L	EC	INSECTICIDE	4	681-037-5453	17-Mar-23	-	Corn	Comborer, earworm	1.0-4.5 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
PHILIPPINE FARMFIX SOLUTIONS INC.	CARBENDAZIM	SYSTEMA 50 SC	500 g/L	SC	FUNGICIDE	4	535-267-3836	02-Dec-25	SYSTEMIC	Mango	Anthracoise	1-2Tbsp/36 L water	-	-	As soon as the spray dried
PHILIPPINE FARMFIX SOLUTIONS INC.	CARBENDAZIM	SYSTEMA 50 SC	500 g/L	SC	FUNGICIDE	4	535-267-3836	02-Dec-25	SYSTEMIC	Cucurbits	Downy mildew	1-2Tbsp/36 L water	-	-	As soon as the spray dried
PHILIPPINE FARMFIX SOLUTIONS INC.	CARBENDAZIM	SYSTEMA 50 SC	500 g/L	SC	FUNGICIDE	4	535-267-3836	02-Dec-25	SYSTEMIC	Garden Peas (Legumes)	Powdery mildew	1-2Tbsp/36 L water	-	-	As soon as the spray dried
PHILIPPINE FARMFIX SOLUTIONS INC.	CARBENDAZIM	SYSTEMA 50 SC	500 g/L	SC	FUNGICIDE	4	535-267-3836	02-Dec-25	SYSTEMIC	Sugarcan	Pinnapple disease	5-10/200L water/cane dipping	-	-	As soon as the spray dried
PHILIPPINE FARMFIX SOLUTIONS INC.	CARBENDAZIM	SYSTEMA 50 SC	500 g/L	SC	FUNGICIDE	4	535-267-3836	02-Dec-25	SYSTEMIC	Banana	Diamond fruit spot, anthracnose	0.5-1 mL/L water (50-100 mL spray volume)	-	-	As soon as the spray dried
PHILIPPINE FARMFIX SOLUTIONS INC.	CARBENDAZIM	SYSTEMA 50 SC	500 g/L	SC	FUNGICIDE	4	535-267-3836	16-Feb-24	SYSTEMIC	Rubber tree	<i>Periderotegopsis</i> sp.	250-300 mL prod. / hectare (Drone spray application)	-	-	As soon as the spray dried
CULTIVA INCORPORATED	CHLOROTHALONIL	SYNTAX 720 SC	720 g/L	SC	FUNGICIDE	4	201-118-1606	04-Nov-25	-	Potato	Early blight, late blight, vine rot	1.00-1.80 L/ha or 4.5-5.3 Tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
CULTIVA INCORPORATED	CHLOROTHALONIL	SYNTAX 720 SC	720 g/L	SC	FUNGICIDE	4	201-118-1606	04-Nov-25	-	Tomato	Early blight, late blight, vine rot	1.13-1.90 L/ha or 4.5-6.0 Tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
CULTIVA INCORPORATED	CHLOROTHALONIL	SYNTAX 720 SC	720 g/L	SC	FUNGICIDE	4	201-118-1606	04-Nov-25	-	Beans	Rust, anthracnose	1.13-1.90 L/ha or 4.5-6.0 Tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
CULTIVA INCORPORATED	CHLOROTHALONIL	SYNTAX 720 SC	720 g/L	SC	FUNGICIDE	4	201-118-1606	04-Nov-25	-	Carrot	Alternaria leaf spot, cercospora leaf spot, helminthosporium leaf spot	1.13-1.90 L/ha or 4.5-6.0 Tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
CULTIVA INCORPORATED	CHLOROTHALONIL	SYNTAX 720 SC	720 g/L	SC	FUNGICIDE	4	201-118-1606	04-Nov-25	-	Cucifers	Powdery mildew	1.13-1.90 L/ha or 4.5-6.0 Tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
CULTIVA INCORPORATED	CHLOROTHALONIL	SYNTAX 720 SC	720 g/L	SC	FUNGICIDE	4	201-118-1606	04-Nov-25	-	Melon	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 Tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
CULTIVA INCORPORATED	CHLOROTHALONIL	SYNTAX 720 SC	720 g/L	SC	FUNGICIDE	4	201-118-1606	04-Nov-25	-	Cucumber	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 Tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
CULTIVA INCORPORATED	CHLOROTHALONIL	SYNTAX 720 SC	720 g/L	SC	FUNGICIDE	4	201-118-1606	04-Nov-25	-	Squash	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 Tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
CULTIVA INCORPORATED	CHLOROTHALONIL	SYNTAX 720 SC	720 g/L	SC	FUNGICIDE	4	201-118-1606	04-Nov-25	-	Watermelon	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 Tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
CULTIVA INCORPORATED	CHLOROTHALONIL	SYNTAX 720 SC	720 g/L	SC	FUNGICIDE	4	201-118-1606	04-Nov-25	-	Galery	Early blight, late blight	1.13-1.90 L/ha or 4.5-6.0 Tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
CULTIVA INCORPORATED	CHLOROTHALONIL	SYNTAX 720 SC	720 g/L	SC	FUNGICIDE	4	201-118-1606	04-Nov-25	-	Eggplant	Early blight, late blight, cercospora leafspot, anthracnose	1.13-1.90 L/ha or 4.5-6.0 Tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
CULTIVA INCORPORATED	CHLOROTHALONIL	SYNTAX 720 SC	720 g/L	SC	FUNGICIDE	4	201-118-1606	04-Nov-25	-	Onion	Purple blotch, bulb rot, neck rot	1.13-1.90 L/ha or 4.5-6.0 Tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
CULTIVA INCORPORATED	CHLOROTHALONIL	SYNTAX 720 SC	720 g/L	SC	FUNGICIDE	4	201-118-1606	04-Nov-25	-	Pepper	Early blight, cercospora leaf spot, anthracnose	1.13-1.90 L/ha or 4.5-6.0 Tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
CULTIVA INCORPORATED	CHLOROTHALONIL	SYNTAX 720 SC	720 g/L	SC	FUNGICIDE	4	201-118-1606	04-Nov-25	-	Grapes	Downy mildew, powdery mildew, fruit rot	1.13-1.90 L/ha or 4.5-6.0 Tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
CULTIVA INCORPORATED	CHLOROTHALONIL	SYNTAX 720 SC	720 g/L	SC	FUNGICIDE	4	201-118-1606	04-Nov-25	-	Mango	Anthracoise, diploia rot	3.75-5.0 L/ha or 4.5-6.0 Tbsp/36 L	0.5 mg/kg	7-14 days	Do not enter treatment areas until spray deposit have dried
CULTIVA INCORPORATED	CHLOROTHALONIL	SYNTAX 720 SC	720 g/L	SC	FUNGICIDE	4	201-118-1606	04-Nov-25	-	Ornamentals	Black spot, powdery mildew, black rot	1.13-1.90 L/ha or 4.5-6.0 Tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
CULTIVA INCORPORATED	CHLOROTHALONIL	SYNTAX 720 SC	720 g/L	SC	FUNGICIDE	4	201-118-1606	04-Nov-25	-	Asparagus	Stem and leaf blight	1.80 L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
CULTIVA INCORPORATED	CHLOROTHALONIL	SYNTAX 720 SC	720 g/L	SC	FUNGICIDE	4	201-118-1606	04-Nov-25	-	Banana	Black sigatoka	1.38 L/ha	2.0 mg/kg	0 day	Do not enter treatment areas until spray deposit have dried
THAPHIL ADVANCE AGRITECH CORP.	ACEPHATE	SYMMETRIX 75 SP	750 g/L	SP	INSECTICIDE	3	057-242-4935	28-Jun-21	-	Tobacco	Budworm,aphids	1-2 Tbsp/ 36L	-	-	Crops sprayed with SYMMETRIX 75 SP can be harvested 2 weeks after treated
THAPHIL ADVANCE AGRITECH CORP.	ACEPHATE	SYMMETRIX 75 SP	750 g/L	SP	INSECTICIDE	3	057-242-4935	28-Jun-21	-	Eggplant	Fruitborer	2-3 Tbsp/ 36L	-	-	Crops sprayed with SYMMETRIX 75 SP can be harvested 2 weeks after treated
THAPHIL ADVANCE AGRITECH CORP.	ACEPHATE	SYMMETRIX 75 SP	750 g/L	SP	INSECTICIDE	3	057-242-4935	28-Jun-21	-	Stringbeans	Aphids	2-3 Tbsp/ 36L	-	-	Crops sprayed with SYMMETRIX 75 SP can be harvested 2 weeks after treated
THAPHIL ADVANCE AGRITECH CORP.	ACEPHATE	SYMMETRIX 75 SP	750 g/L	SP	INSECTICIDE	3	057-242-4935	28-Jun-21	-	Tomato	Fruitworm	2-3 Tbsp/ 36L	-	-	Crops sprayed with SYMMETRIX 75 SP can be harvested 2 weeks after treated
THAPHIL ADVANCE AGRITECH CORP.	ACEPHATE	SYMMETRIX 75 SP	750 g/L	SP	INSECTICIDE	3	057-242-4935	28-Jun-21	-	Watermelon	Aphids And Thrips	2-3 Tbsp/ 36L	-	-	Crops sprayed with SYMMETRIX 75 SP can be harvested 2 weeks after treated
THAPHIL ADVANCE AGRITECH CORP.	ACEPHATE	SYMMETRIX 75 SP	750 g/L	SP	INSECTICIDE	3	057-242-4935	28-Jun-21	-	Nice	Whorl maggot,green leafhopper,brown plant hopper,stemborer, leaffolder And rice bug	2-3 Tbsp/ 36L	-	-	Crops sprayed with SYMMETRIX 75 SP can be harvested 2 weeks after treated
THAPHIL ADVANCE AGRITECH CORP.	ACEPHATE	SYMMETRIX 75 SP	750 g/L	SP	INSECTICIDE	3	057-242-4935	28-Jun-21	-	Banana	Thrips	2-3 Tbsp/ 36L	-	-	Crops sprayed with SYMMETRIX 75 SP can be harvested 2 weeks after treated
THAPHIL ADVANCE AGRITECH CORP.	ACEPHATE	SYMMETRIX 75 SP	750 g/L	SP	INSECTICIDE	3	057-242-4935	28-Jun-21	-	Mango	Mango, leafhopper, tipborer	1.5-2 Tbsp/ 36L	-	-	Crops sprayed with SYMMETRIX 75 SP can be harvested 2 weeks after treated
C.B. ANDREW ASIA, INC.	DIFENOCONAZOLE-PROPICONAZOLE	SYMBIO 300 EC	150 g/L+150 g/L	EC	FUNGICIDE	3	460-325-4226	13-Jan-27	SYSTEMIC	Rice	Sheath Blight	25 ml prod/36 L water	0.0ppm	-	-
JOANIMA CORPORATION	DODINE	DYLLIT 400 SC	400 g/L	SC	FUNGICIDE	2	241-418-2778	02-Oct-21	-	Banana	Black Sigatoka	0.8-1.2 L product/ha	-	0 Day	No ground workers allowed during spraying operation. Workers can enter area only after 1-2 hours of application to avoid small droplet drift.
FLAGLEAF AGRI PHILIPPINES, INC.	LAMBDA-CHYALOTHIRIN	SWORD	25 g/L	EC	INSECTICIDE	2	564-204-3604	27-Nov-18	SYSTEMIC	Nice	Green leafhopper, armynorm, rice bug, leaffolder, black bug	1.0-1.5Tbsp/36L of water	0.05ppm	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
FLAGLEAF AGRI PHILIPPINES, INC.	LAMBDA-CHYALOTHIRIN	SWORD	25 g/L	EC	INSECTICIDE	2	564-204-3604	27-Nov-18	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/36L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
FLAGLEAF AGRI PHILIPPINES, INC.	LAMBDA-CHYALOTHIRIN	SWORD	25 g/L	EC	INSECTICIDE	2	564-204-3604	27-Nov-18	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/36L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
FLAGLEAF AGRI PHILIPPINES, INC.	LAMBDA-CHYALOTHIRIN	SWORD	25 g/L	EC	INSECTICIDE	2	564-204-3604	27-Nov-18	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/36L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
FLAGLEAF AGRI PHILIPPINES, INC.	LAMBDA-CHYALOTHIRIN	SWORD	25 g/L	EC	INSECTICIDE	2	564-204-3604	27-Nov-18	SYSTEMIC	Mungbeans	Beanyfly, flea beetle, leafhopper, aphids, mites, podborer	1.0Tbsp/36 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
FLAGLEAF AGRI PHILIPPINES, INC.	LAMBDA-CHYALOTHIRIN	SWORD	25 g/L	EC	INSECTICIDE	2	564-204-3604	27-Nov-18	SYSTEMIC	Corn	Comborer, aphids, seedling maggots	1.0-1.5Tbsp/36L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
FLAGLEAF AGRI PHILIPPINES, INC.	LAMBDA-CHYALOTHIRIN	SWORD	25 g/L	EC	INSECTICIDE	2	564-204-3604	27-Nov-18	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5Tbsp/36L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
FLAGLEAF AGRI PHILIPPINES, INC.	LAMBDA-CHYALOTHIRIN	SWORD	25 g/L	EC	INSECTICIDE	2	564-204-3604	27-Nov-18	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/36L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
FLAGLEAF AGRI PHILIPPINES, INC.	LAMBDA-CHYALOTHIRIN	SWORD	25 g/L	EC	INSECTICIDE	2	564-204-3604	27-Nov-18	SYSTEMIC	Cocoa	Podborer	1.0-2.0Tbsp/36 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
FLAGLEAF AGRI PHILIPPINES, INC.	LAMBDA-CHYALOTHIRIN	SWORD	25 g/L	EC	INSECTICIDE	2	564-204-3604	27-Nov-18	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/36L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
ALTACROP PROTECTION CORPORATION	BUTACHLOR-PROPANIL	SWITCH 70 EC	300-350 g/L	EC	HERBICIDE	3	351-238-2355	08-Jan-18	POST-EMERGENT	Rice (Direct Seeded)	Grasses, Sedges and Broadleaves	8-12Tbsp/36 L water	Butachlor 0.1ppm Propanil 0.1ppm	-	As soon as the spray mist dries up
ALTACROP PROTECTION CORPORATION	BUTACHLOR-PROPANIL	SWITCH 70 EC	300-350 g/L	EC	HERBICIDE	3	351-238-2355	08-Jan-18	POST-EMERGENT	Rice (Transplanted)	Grasses, Sedges and Broadleaves	8-12Tbsp/36 L water	Butachlor 0.1ppm Propanil 0.1ppm	-	As soon as the spray mist dries up
ALTACROP PROTECTION CORPORATION	NICLOSMETH ETAMOLAMINE SALT	SWPPE 70 WP	700 g/kg	WP	MOLLUSCICIDE	4	351-229-1783	05-Jun-18	CONTACT	Nice	Golden Apple Snail (Kuhol)	30 gm/36 L water	-	-	Do not enter the treated field within 48 hours after application
SINCHEN CROP PROTECTION (PHLS.) INC.	METHOMYL	SWIFT 40 SP	400 g/kg	SP	INSECTICIDE	2	432-164-3582	11-Nov-24	CONTACT	Asparagus	Armyworm, cutworm	2.0-2.5 Tbsp/36 L sprayer	-	-	Do not enter fields treated with SWIFT 40SP within twelve hours after application
SINCHEN CROP PROTECTION (PHLS.) INC.	METHOMYL	SWIFT 40 SP	400 g/kg	SP	INSECTICIDE	2	432-164-3582	11-Nov-24	CONTACT	Banana	Thrips	3.5-4.5 Tbsp/36 L sprayer	-	-	Do not enter fields treated with SWIFT 40SP within twelve hours after application

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
SINOCHEM CROP PROTECTION (PHILS.) INC.	METHOMYL	SWIFT 40 SP	400 g/kg	SP	INSECTICIDE	2	432-164-3582	11-Nov-24	CONTACT	beans	Leafhopper, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/36L water	-	-	Do not enter fields treated with SWIFT 40 SP within twelve hours after application
SINOCHEM CROP PROTECTION (PHILS.) INC.	METHOMYL	SWIFT 40 SP	400 g/kg	SP	INSECTICIDE	2	432-164-3582	11-Nov-24	CONTACT	Mungbeans	Leafhopper, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/36L water	-	-	Do not enter fields treated with SWIFT 40 SP within twelve hours after application
SINOCHEM CROP PROTECTION (PHILS.) INC.	METHOMYL	SWIFT 40 SP	400 g/kg	SP	INSECTICIDE	2	432-164-3582	11-Nov-24	CONTACT	Soybeans	Leafhopper, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/36L water	-	-	Do not enter fields treated with SWIFT 40 SP within twelve hours after application
SINOCHEM CROP PROTECTION (PHILS.) INC.	METHOMYL	SWIFT 40 SP	400 g/kg	SP	INSECTICIDE	2	432-164-3582	11-Nov-24	CONTACT	Peas	Leafhopper, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/36L water	-	-	Do not enter fields treated with SWIFT 40 SP within twelve hours after application
SINOCHEM CROP PROTECTION (PHILS.) INC.	METHOMYL	SWIFT 40 SP	400 g/kg	SP	INSECTICIDE	2	432-164-3582	11-Nov-24	CONTACT	Corn	Comborer, earworm	2.0-3.5 Tbsp/36L water	-	-	Do not enter fields treated with SWIFT 40 SP within twelve hours after application
SINOCHEM CROP PROTECTION (PHILS.) INC.	METHOMYL	SWIFT 40 SP	400 g/kg	SP	INSECTICIDE	2	432-164-3582	11-Nov-24	CONTACT	eggplant	Aphids, flea beetle , fruitworm, lady beetle	2.0-3.5 Tbsp/36L water	-	-	Do not enter fields treated with SWIFT 40 SP within twelve hours after application
SINOCHEM CROP PROTECTION (PHILS.) INC.	METHOMYL	SWIFT 40 SP	400 g/kg	SP	INSECTICIDE	2	432-164-3582	11-Nov-24	CONTACT	Melon	Aphids, Squash beetle , leafhopper	2.0-3.5 Tbsp/36L water	-	-	Do not enter fields treated with SWIFT 40 SP within twelve hours after application
SINOCHEM CROP PROTECTION (PHILS.) INC.	METHOMYL	SWIFT 40 SP	400 g/kg	SP	INSECTICIDE	2	432-164-3582	11-Nov-24	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leafhopper	2.0-3.5 Tbsp/36L water	0.05ppm	3 Days	Do not enter fields treated with SWIFT 40 SP within twelve hours after application
SINOCHEM CROP PROTECTION (PHILS.) INC.	METHOMYL	SWIFT 40 SP	400 g/kg	SP	INSECTICIDE	2	432-164-3582	11-Nov-24	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	2.0-3.5 Tbsp/36L water	-	-	Do not enter fields treated with SWIFT 40 SP within twelve hours after application
SINOCHEM CROP PROTECTION (PHILS.) INC.	METHOMYL	SWIFT 40 SP	400 g/kg	SP	INSECTICIDE	2	432-164-3582	11-Nov-24	CONTACT	Tomato	Tomato fruitworm, aphids	2.0-3.5 Tbsp/36L water	-	-	Do not enter fields treated with SWIFT 40 SP within twelve hours after application
SYNGENTA PHILIPPINES INC.	METHOMYL	SWIFT 40 SP	400 g/kg	SP	INSECTICIDE	2	432-164-3582	11-Nov-24	CONTACT	Asparagus	Armyworm, cutworm	2.0-2.5 Tbsp/36 L sprayer	-	-	Do not enter fields treated with SWIFT 40 SP within twelve hours after application
SYNGENTA PHILIPPINES INC.	METHOMYL	SWIFT 40 SP	400 g/kg	SP	INSECTICIDE	2	432-164-3582	11-Nov-24	CONTACT	Banana	Thrips	3.5-4.5 Tbsp/36 L sprayer	-	-	Do not enter fields treated with SWIFT 40 SP within twelve hours after application
SYNGENTA PHILIPPINES INC.	METHOMYL	SWIFT 40 SP	400 g/kg	SP	INSECTICIDE	2	432-164-3582	11-Nov-24	CONTACT	beans	Leafhopper, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/36L water	-	-	Do not enter fields treated with SWIFT 40 SP within twelve hours after application
SYNGENTA PHILIPPINES INC.	METHOMYL	SWIFT 40 SP	400 g/kg	SP	INSECTICIDE	2	432-164-3582	11-Nov-24	CONTACT	Mungbeans	Leafhopper, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/36L water	-	-	Do not enter fields treated with SWIFT 40 SP within twelve hours after application
SYNGENTA PHILIPPINES INC.	METHOMYL	SWIFT 40 SP	400 g/kg	SP	INSECTICIDE	2	432-164-3582	11-Nov-24	CONTACT	Soybeans	Leafhopper, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/36L water	-	-	Do not enter fields treated with SWIFT 40 SP within twelve hours after application
SYNGENTA PHILIPPINES INC.	METHOMYL	SWIFT 40 SP	400 g/kg	SP	INSECTICIDE	2	432-164-3582	11-Nov-24	CONTACT	Peas	Leafhopper, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/36L water	-	-	Do not enter fields treated with SWIFT 40 SP within twelve hours after application
SYNGENTA PHILIPPINES INC.	METHOMYL	SWIFT 40 SP	400 g/kg	SP	INSECTICIDE	2	432-164-3582	11-Nov-24	CONTACT	Corn	Comborer, earworm	2.0-3.5 Tbsp/36L water	-	-	Do not enter fields treated with SWIFT 40 SP within twelve hours after application
SYNGENTA PHILIPPINES INC.	METHOMYL	SWIFT 40 SP	400 g/kg	SP	INSECTICIDE	2	432-164-3582	11-Nov-24	CONTACT	eggplant	Aphids, flea beetle , fruitworm, lady beetle	2.0-3.5 Tbsp/36L water	-	-	Do not enter fields treated with SWIFT 40 SP within twelve hours after application
SYNGENTA PHILIPPINES INC.	METHOMYL	SWIFT 40 SP	400 g/kg	SP	INSECTICIDE	2	432-164-3582	11-Nov-24	CONTACT	Melon	Aphids, Squash beetle , leafhopper	2.0-3.5 Tbsp/36L water	-	-	Do not enter fields treated with SWIFT 40 SP within twelve hours after application
SYNGENTA PHILIPPINES INC.	METHOMYL	SWIFT 40 SP	400 g/kg	SP	INSECTICIDE	2	432-164-3582	11-Nov-24	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leafhopper	2.0-3.5 Tbsp/36L water	0.05ppm	1 Days	Do not enter fields treated with SWIFT 40 SP within twelve hours after application
SYNGENTA PHILIPPINES INC.	METHOMYL	SWIFT 40 SP	400 g/kg	SP	INSECTICIDE	2	432-164-3582	11-Nov-24	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	2.0-3.5 Tbsp/36L water	-	-	Do not enter fields treated with SWIFT 40 SP within twelve hours after application
SYNGENTA PHILIPPINES INC.	METHOMYL	SWIFT 40 SP	400 g/kg	SP	INSECTICIDE	2	432-164-3582	11-Nov-24	CONTACT	Tomato	Tomato fruitworm, aphids	2.0-3.5 Tbsp/36L water	-	-	Do not enter fields treated with SWIFT 40 SP within twelve hours after application
UPL PHILIPPINES, INC.	GLYPHOSATE IPA	SWEEP 480 SL	480 g/L	SL	HERBICIDE	4	562-151-3362	07-Jun-26	POST-EMERGENT	Glyphosate tolerant corn under minimum or reduced	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/ha	-	-	
UPL PHILIPPINES, INC.	GLYPHOSATE IPA	SWEEP 480 SL	480 g/L	SL	HERBICIDE	4	562-151-3362	07-Jun-26	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /ha	-	-	
UPL PHILIPPINES, INC.	GLYPHOSATE IPA	SWEEP 480 SL	480 g/L	SL	HERBICIDE	4	562-151-3362	07-Jun-26	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	
UPL PHILIPPINES, INC.	GLYPHOSATE IPA	SWEEP 480 SL	480 g/L	SL	HERBICIDE	4	562-151-3362	07-Jun-26	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /ha	-	-	
UPL PHILIPPINES, INC.	GLYPHOSATE IPA	SWEEP 480 SL	480 g/L	SL	HERBICIDE	4	562-151-3362	07-Jun-26	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /ha	-	-	
UPL PHILIPPINES, INC.	GLYPHOSATE IPA	SWEEP 480 SL	480 g/L	SL	HERBICIDE	4	562-151-3362	07-Jun-26	POST-EMERGENT	rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	
UPL PHILIPPINES, INC.	GLYPHOSATE IPA	SWEEP 480 SL	480 g/L	SL	HERBICIDE	4	562-151-3362	07-Jun-26	POST-EMERGENT	Gil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	
UPL PHILIPPINES, INC.	GLYPHOSATE IPA	SWEEP 480 SL	480 g/L	SL	HERBICIDE	4	562-151-3362	07-Jun-26	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	
UPL PHILIPPINES, INC.	GLYPHOSATE IPA	SWEEP 480 SL	480 g/L	SL	HERBICIDE	4	562-151-3362	07-Jun-26	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/ha	-	-	
UPL PHILIPPINES, INC.	GLYPHOSATE IPA	SWEEP 480 SL	480 g/L	SL	HERBICIDE	4	562-151-3362	07-Jun-26	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	
UPL PHILIPPINES, INC.	GLYPHOSATE IPA	SWEEP 480 SL	480 g/L	SL	HERBICIDE	4	562-151-3362	07-Jun-26	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	
UPL PHILIPPINES, INC.	GLYPHOSATE IPA	SWEEP 480 SL	480 g/L	SL	HERBICIDE	4	562-151-3362	07-Jun-26	POST-EMERGENT	non-crop areas	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	
RAINBOW AGROSCIENCES PHILIPPINES INC.	SULFENTRAZONE	SURENA 480 SC	480 g/L	SC	HERBICIDE	3	539-392-5382	08-Apr-24	PRE-EMERGENT	Pineapple	Grasses	1.0-2.0 L/ha	-	-	
RAINBOW AGROSCIENCES PHILIPPINES INC.	SULFENTRAZONE	SURENA 480 SC	480 g/L	SC	HERBICIDE	3	539-392-5382	08-Apr-24	PRE-EMERGENT	Sugarcane	Grasses	-	-	-	
HEXTAR VENTURE PHILIPPINES INC.	GLYPHOSATE IPA	SURIA 480 SL	480 g/L	SL	HERBICIDE	4	477-151-4238	17-Jan-24	NON-SELECTIVE/SYSTEMIC	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/ha	-	-	12 hours. Do not harvest crops for at least 7 days after last spray. Do not allow farm animals to graze grasses for at least 2 months after last spray.
HEXTAR VENTURE PHILIPPINES INC.	GLYPHOSATE IPA	SURIA 480 SL	480 g/L	SL	HERBICIDE	4	477-151-4238	17-Jan-24	NON-SELECTIVE/SYSTEMIC	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /ha	-	-	12 hours. Do not harvest crops for at least 7 days after last spray. Do not allow farm animals to graze grasses for at least 2 months after last spray.
HEXTAR VENTURE PHILIPPINES INC.	GLYPHOSATE IPA	SURIA 480 SL	480 g/L	SL	HERBICIDE	4	477-151-4238	17-Jan-24	NON-SELECTIVE/SYSTEMIC	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /ha	-	-	12 hours. Do not harvest crops for at least 7 days after last spray. Do not allow farm animals to graze grasses for at least 2 months after last spray.
HEXTAR VENTURE PHILIPPINES INC.	GLYPHOSATE IPA	SURIA 480 SL	480 g/L	SL	HERBICIDE	4	477-151-4238	17-Jan-24	NON-SELECTIVE/SYSTEMIC	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /ha	-	-	12 hours. Do not harvest crops for at least 7 days after last spray. Do not allow farm animals to graze grasses for at least 2 months after last spray.
HEXTAR VENTURE PHILIPPINES INC.	GLYPHOSATE IPA	SURIA 480 SL	480 g/L	SL	HERBICIDE	4	477-151-4238	17-Jan-24	NON-SELECTIVE/SYSTEMIC	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /ha	-	-	12 hours. Do not harvest crops for at least 7 days after last spray. Do not allow farm animals to graze grasses for at least 2 months after last spray.
HEXTAR VENTURE PHILIPPINES INC.	GLYPHOSATE IPA	SURIA 480 SL	480 g/L	SL	HERBICIDE	4	477-151-4238	17-Jan-24	NON-SELECTIVE/SYSTEMIC	rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	12 hours. Do not harvest crops for at least 7 days after last spray. Do not allow farm animals to graze grasses for at least 2 months after last spray.
HEXTAR VENTURE PHILIPPINES INC.	GLYPHOSATE IPA	SURIA 480 SL	480 g/L	SL	HERBICIDE	4	477-151-4238	17-Jan-24	NON-SELECTIVE/SYSTEMIC	Gil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	12 hours. Do not harvest crops for at least 7 days after last spray. Do not allow farm animals to graze grasses for at least 2 months after last spray.
HEXTAR VENTURE PHILIPPINES INC.	GLYPHOSATE IPA	SURIA 480 SL	480 g/L	SL	HERBICIDE	4	477-151-4238	17-Jan-24	NON-SELECTIVE/SYSTEMIC	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	12 hours. Do not harvest crops for at least 7 days after last spray. Do not allow farm animals to graze grasses for at least 2 months after last spray.
HEXTAR VENTURE PHILIPPINES INC.	GLYPHOSATE IPA	SURIA 480 SL	480 g/L	SL	HERBICIDE	4	477-151-4238	17-Jan-24	NON-SELECTIVE/SYSTEMIC	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/ha	-	-	12 hours. Do not harvest crops for at least 7 days after last spray. Do not allow farm animals to graze grasses for at least 2 months after last spray.
HEXTAR VENTURE PHILIPPINES INC.	GLYPHOSATE IPA	SURIA 480 SL	480 g/L	SL	HERBICIDE	4	477-151-4238	17-Jan-24	NON-SELECTIVE/SYSTEMIC	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	12 hours. Do not harvest crops for at least 7 days after last spray. Do not allow farm animals to graze grasses for at least 2 months after last spray.
HEXTAR VENTURE PHILIPPINES INC.	GLYPHOSATE IPA	SURIA 480 SL	480 g/L	SL	HERBICIDE	4	477-151-4238	17-Jan-24	NON-SELECTIVE/SYSTEMIC	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	12 hours. Do not harvest crops for at least 7 days after last spray. Do not allow farm animals to graze grasses for at least 2 months after last spray.
HEXTAR VENTURE PHILIPPINES INC.	GLYPHOSATE IPA	SURIA 480 SL	480 g/L	SL	HERBICIDE	4	477-151-4238	17-Jan-24	NON-SELECTIVE/SYSTEMIC	non-crop	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	12 hours. Do not harvest crops for at least 7 days after last spray. Do not allow farm animals to graze grasses for at least 2 months after last spray.
C.B. ANDREW ASIA, INC.	THIAMF	SURGE 480 SC	480 g/L	SC	FUNGICIDE	3	460-337-4986	16-Dec-25	-	Banana	Black sigatoka	-	-	0 day	Harvesting may be done on the day of application
CROPKING CHEMICALS INC.	ALKYL MODIFIED HEPTAMETHYLTRISILOXANE	SURFAST 560	100 g/kg	L	OTHERS	4	065-382-3958	23-Dec-25	-	Banana	Sigatoka (as adjuvant in tank combination with MANCOZEB 48 F Used	Mix with Mancozeb 48 F. 5% of Oil Used	-	-	No PHI needed when Surfast is used alone. The PHI required depends on the agrochemicals when Surfast
CROPKING CHEMICALS INC.	TRISILOXANE ALKOXYLATE-ALLYL ETHOXYLATE	SURFAST 408	83+17 g/L	-	OTHERS	4	065-335-3172	20-May-25	-	Mango	Leafhopper, capid bugs, Cecid fly	29-100ml (4-16ml)/100ml	-	-	No PHI required when SURFAST 408 is used alone. PHI depends on the agrochemical where SURFAST 408 is
CROPKING CHEMICALS INC.	TRISILOXANE ALKOXYLATE-ALLYL ETHOXYLATE	SURFAST 408	83+17 g/L	-	OTHERS	4	065-335-3172	20-May-25	-	Banana	Sigatoka	1 Tbsp/36 L water	-	-	No PHI required when SURFAST 408 is used alone. PHI depends on the agrochemical where SURFAST 408 is
CROPKING CHEMICALS INC.	TRISILOXANE ALKOXYLATE-ALLYL ETHOXYLATE	SURFAST 408	83+17 g/L	-	OTHERS	4	065-335-3172	20-May-25	-	Pineapple	Weeds	1-2 Tbsp/36 L water	-	-	No PHI required when SURFAST 408 is used alone. PHI depends on the agrochemical where SURFAST 408 is
UNIVACIO, INC.	POLYETHYLENE SORBITAN OLSEAT+POLYOXYETHYLENE DODECYL ETHER	SURFAMAX	250+450+ml/L	-	OTHERS	4	062-348-4998	04-Dec-22	SELECTIVE (POST-EMERGENT)	-	As a surfactant for VIGILANTE 100SC	-	-	-	Do not enter field without protective clothing (long sleeved shirts and long pants) until the spray have dried
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	BUTACHLOR-PROPANIL	SURESTOP 700 EC RICE HERBICIDE	300-350 g/L	EC	HERBICIDE	3	409-238-2484	29-Oct-21	POST-EMERGENT	Rice (Direct Seeded)	Grasses, Sedges and Broadleaves	8-12Tbsp/36 L water	-	-	Butachlor 0.1ppm Propenil 0.1ppm
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	BUTACHLOR-PROPANIL	SURESTOP 700 EC RICE HERBICIDE	300-350 g/L	EC	HERBICIDE	3	409-238-2484	29-Oct-21	POST-EMERGENT	Rice (Transplanted)	Grasses, Sedges and Broadleaves	8-12Tbsp/36 L water	-	-	Butachlor 0.1ppm Propenil 0.1ppm

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
S&P ENTERPRISES, INC.	NICLOSAMIDE ETHANOLAMINE SALT	SURESHOT 70 WP	700g/kg	WP	MOLLUSCIDE	4	166-229-4340-A	23-Apr-24	CONTACT	Rice	Golden Apple Snail	10grams or 1 sachet	-	-	Do not enter the treated field within 48 hours after application
S&P ENTERPRISES, INC.	METALDEHYDE	SURESHOT 6% PELLET	60 g/kg	P	MOLLUSCIDE	4	166-075-4538	18-Jul-24	CONTACT	Rice (Transplanted)	Golden apple snail	2-4 kg/ product per hectare	-	-	Do not enter treated field within 48 hours after application.
S&P ENTERPRISES, INC.	METALDEHYDE	SURESHOT 6% PELLET	60 g/kg	P	MOLLUSCIDE	4	166-075-4538	18-Jul-24	CONTACT	Rice (Direct Seeded)	Golden apple snail	4-8 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application.
S&P ENTERPRISES, INC.	METALDEHYDE	SURESHOT 6% PELLET	60 g/kg	P	MOLLUSCIDE	4	166-075-4538	18-Jul-24	CONTACT	Potted and driftwood-attached plants such as	Bush, snails, giant african snail and slugs	1-2 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application.
S&P ENTERPRISES, INC.	METALDEHYDE	SURESHOT 6% PELLET	60 g/kg	P	MOLLUSCIDE	4	166-075-4538	18-Jul-24	CONTACT	Crucifers (Chinese Cabbage)	Slug, snails	6-8 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application.
S&P ENTERPRISES, INC.	METALDEHYDE	SURESHOT 6% PELLET	60 g/kg	P	MOLLUSCIDE	4	166-075-4538	18-Jul-24	CONTACT	Strawberry	Slug, snails	6-8 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application.
JARDINE DISTRIBUTION, INC.	NICLOSAMIDE ETHANOLAMINE SALT	SUREKILL 70 WP	700 g/kg	WP	MOLLUSCIDE	4	367-229-1070	24-Oct-26	CONTACT	Rice	Golden Apple Snail (Kuhol)	25 gm/ 16 L water	-	-	No less than 48 hours after spraying
SURE CROP SCIENCE AGRIVENTURES, INC.	GLUFOSINATE AMMONIUM	SUREFIRE 150 SL	150 g/L	SL	HERBICIDE	4	640-182-4989	16-Dec-25	NON-SELECTIVE (POST-EMERGENT)	Cavendish Banana	Annual and perennial grasses, sedges and broadleaf weeds	160ml /16L water, 135-200ml/16 L water	0.2 mg/kg	-	Do not apply at least seven (7) days before harvest. Do not enter treated fields for at least one (1) day after application.
SURE CROP SCIENCE AGRIVENTURES, INC.	GLUFOSINATE AMMONIUM	SUREFIRE 150 SL	150 g/L	SL	HERBICIDE	4	640-182-4989	16-Dec-25	NON-SELECTIVE (POST-EMERGENT)	Rubber	Annual and perennial grasses, sedges and broadleaf weeds	225ml/16L water, 270ml/16 L water, 135ml/16L water	-	-	Do not apply at least seven (7) days before harvest. Do not enter treated fields for at least one (1) day after application.
SURE CROP SCIENCE AGRIVENTURES, INC.	GLUFOSINATE AMMONIUM	SUREFIRE 150 SL	150 g/L	SL	HERBICIDE	4	640-182-4989	16-Dec-25	NON-SELECTIVE (POST-EMERGENT)	Oil palm	Annual and perennial grasses, sedges and broadleaf weeds	160ml/16L water, 135ml/16 L water	-	-	Do not apply at least seven (7) days before harvest. Do not enter treated fields for at least one (1) day after application.
SURE CROP SCIENCE AGRIVENTURES, INC.	GLUFOSINATE AMMONIUM	SUREFIRE 150 SL	150 g/L	SL	HERBICIDE	4	640-182-4989	16-Dec-25	NON-SELECTIVE (POST-EMERGENT)	Citrus	Annual and perennial grasses, sedges and broadleaf weeds	160ml/16L water, 135ml/16 L water	-	-	Do not apply at least seven (7) days before harvest. Do not enter treated fields for at least one (1) day after application.
SURE CROP SCIENCE AGRIVENTURES, INC.	GLUFOSINATE AMMONIUM	SUREFIRE 150 SL	150 g/L	SL	HERBICIDE	4	640-182-4989	16-Dec-25	NON-SELECTIVE (POST-EMERGENT)	Coffee	Annual and perennial grasses, sedges and broadleaf weeds	160ml/16 L water, 135ml/16 L water	-	-	Do not apply at least seven (7) days before harvest. Do not enter treated fields for at least one (1) day after application.
SURE CROP SCIENCE AGRIVENTURES, INC.	GLUFOSINATE AMMONIUM	SUREFIRE 150 SL	150 g/L	SL	HERBICIDE	4	640-182-4989	16-Dec-25	NON-SELECTIVE (POST-EMERGENT)	Cacao	Annual and perennial grasses, sedges and broadleaf weeds	160ml/16L water, 135ml/16 L water	-	-	Do not apply at least seven (7) days before harvest. Do not enter treated fields for at least one (1) day after application.
SURE CROP SCIENCE AGRIVENTURES, INC.	GLUFOSINATE AMMONIUM	SUREFIRE 150 SL	150 g/L	SL	HERBICIDE	4	640-182-4989	16-Dec-25	NON-SELECTIVE (POST-EMERGENT)	Non-crop areas	Annual and perennial grasses, sedges and broadleaf weeds	160-215ml/16 L water	-	-	Do not apply at least seven (7) days before harvest. Do not enter treated fields for at least one (1) day after application.
ZAGRO CORPORATION	CARBOFURAN	SUREDONE 3 G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	043-104-2286	09-Jan-23	SYSTEMIC	Corn	Borer, earworm, grubs, seedling maggot	16-7.33.3 kg prod/ha	-	-	Do not apply within 30 days of harvest.
ZAGRO CORPORATION	CARBOFURAN	SUREDONE 3 G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	043-104-2286	09-Jan-23	SYSTEMIC	Cotton	Nematodes, grubs	16-7.33.3 kg prod/ha	-	-	Do not apply within 30 days of harvest. Do not enter the field within two days after application
ZAGRO CORPORATION	CARBOFURAN	SUREDONE 3 G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	043-104-2286	09-Jan-23	SYSTEMIC	Eggplant	Fruitborer	16-7.33.3 kg prod/ha	-	-	Do not apply within 30 days of harvest. Do not enter the field within two days after application
ZAGRO CORPORATION	CARBOFURAN	SUREDONE 3 G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	043-104-2286	09-Jan-23	SYSTEMIC	Field legumes	Beetflies, grubs, nematodes	16-7.33.3 kg prod/ha	-	-	Do not apply within 30 days of harvest. Do not enter the field within two days after application
ZAGRO CORPORATION	CARBOFURAN	SUREDONE 3 G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	043-104-2286	09-Jan-23	SYSTEMIC	Rice	Stem borer, whorl maggot, leafhopper, leaf folder, caseworm, glantheopper	16-7.33.3 kg prod/ha	0.2ppm	-	Do not apply within 30 days of harvest. Do not enter the field within two days after application
ZAGRO CORPORATION	CARBOFURAN	SUREDONE 3 G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	043-104-2286	09-Jan-23	SYSTEMIC	Soybeans	Beetfly, grubs, nematodes, other soil insects	16-7.33.3 kg prod/ha	-	-	Do not apply within 30 days of harvest. Do not enter the field within two days after application
ZAGRO CORPORATION	CARBOFURAN	SUREDONE 3 G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	043-104-2286	09-Jan-23	SYSTEMIC	Sugarcane	Borer, leafhopper, mealy bug, nematodes, scale insects	16-7.33.3 kg prod/ha	-	-	Do not apply within 30 days of harvest. Do not enter the field within two days after application
ZAGRO CORPORATION	CARBOFURAN	SUREDONE 3 G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	043-104-2286	09-Jan-23	SYSTEMIC	Tobacco	Nematode, budworm	16-7.33.3 kg prod/ha	-	-	Do not apply within 30 days of harvest. Do not enter the field within two days after application
ZAGRO CORPORATION	CARBOFURAN	SUREDONE 3 G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	043-104-2286	09-Jan-23	SYSTEMIC	White potato	Nematodes, grubs	16-7.33.3 kg prod/ha	-	-	Do not apply within 30 days of harvest. Do not enter the field within two days after application
ZAGRO CORPORATION	CARBOFURAN	SUREDONE 3 G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	043-104-2286	09-Jan-23	SYSTEMIC	Ornamentals	Scale insect, aphids, mealy bug	16-7.33.3 kg prod/ha	-	-	Do not apply within 30 days of harvest. Do not enter the field within two days after application
SURE CROP SCIENCE AGRIVENTURES, INC.	METALDEHYDE	SUREDEAD 6% PELLETS	60g/kg	P	MOLLUSCIDE	4	640-075-5800	18-Jul-24	CONTACT	Rice (Transplanted)	Golden apple snail	2-4 kg/ product per hectare	-	-	Do not enter treated field within 48 hours after application
SURE CROP SCIENCE AGRIVENTURES, INC.	METALDEHYDE	SUREDEAD 6% PELLETS	60g/kg	P	MOLLUSCIDE	4	640-075-5800	18-Jul-24	CONTACT	Rice (Direct Seeded)	Golden apple snail	4-8 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application
SURE CROP SCIENCE AGRIVENTURES, INC.	METALDEHYDE	SUREDEAD 6% PELLETS	60g/kg	P	MOLLUSCIDE	4	640-075-5800	18-Jul-24	CONTACT	Potted and driftwood-attached plants	Bush, snails, giant african snail and slugs	1-2 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application
SURE CROP SCIENCE AGRIVENTURES, INC.	METALDEHYDE	SUREDEAD 6% PELLETS	60g/kg	P	MOLLUSCIDE	4	640-075-5800	18-Jul-24	CONTACT	Crucifers	Slug, snails	6-8 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application
SURE CROP SCIENCE AGRIVENTURES, INC.	METALDEHYDE	SUREDEAD 6% PELLETS	60g/kg	P	MOLLUSCIDE	4	640-075-5800	18-Jul-24	CONTACT	Strawberry	Slug, snails	6-8 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application
SURE CROP SCIENCE AGRIVENTURES, INC.	MALATHION	SURECROP MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	640-038-4968	11-Dec-25	-	Fruit trees	Aphids, mealy bugs, scale insects	1.5-3 Tbsp/ 16L water	-	One (1) day after each spraying	one (1) day after each spraying
SURE CROP SCIENCE AGRIVENTURES, INC.	MALATHION	SURECROP MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	640-038-4968	11-Dec-25	-	Rice	Armyworms, caseworms, leafhopper, bugs	2-6 Tbsp/ 16L water	-	One (1) day after each spraying	one (1) day after each spraying
SURE CROP SCIENCE AGRIVENTURES, INC.	MALATHION	SURECROP MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	640-038-4968	11-Dec-25	-	Corn	Earhworm, silworm, aphids, grasshoppers	3-5 Tbsp/ 16L water	-	One (1) day after each spraying	one (1) day after each spraying
SURE CROP SCIENCE AGRIVENTURES, INC.	MALATHION	SURECROP MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	640-038-4968	11-Dec-25	-	Crucifers/Cabbage	Cabbage worm, loopers, diamond back moth	2-5 Tbsp/ 16L water	-	One (1) day after each spraying	one (1) day after each spraying
SURE CROP SCIENCE AGRIVENTURES, INC.	MALATHION	SURECROP MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	640-038-4968	11-Dec-25	-	Cabbage	Cabbage worm, loopers, diamond back moth	2-5 Tbsp/ 16L water	-	One (1) day after each spraying	one (1) day after each spraying
SURE CROP SCIENCE AGRIVENTURES, INC.	MALATHION	SURECROP MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	640-038-4968	11-Dec-25	-	Legumes	Aphids, beanfly, cutworm, flea beetles, leafminer, maggots, mealybug, podborer, thrips	2-5 Tbsp/ 16L water	-	One (1) day after each spraying	one (1) day after each spraying
SURE CROP SCIENCE AGRIVENTURES, INC.	MALATHION	SURECROP MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	640-038-4968	11-Dec-25	-	Grapes	Beetles, cutworm, leafhopper, mealybug, scale, insect, spider mites	3 Tbsp/ 16L water	-	One (1) day after each spraying	one (1) day after each spraying
SURE CROP SCIENCE AGRIVENTURES, INC.	MALATHION	SURECROP MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	640-038-4968	11-Dec-25	-	Pineapple	Mealy bugs	3 Tbsp/ 16L water	-	One (1) day after each spraying	one (1) day after each spraying
SURE CROP SCIENCE AGRIVENTURES, INC.	MALATHION	SURECROP MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	640-038-4968	11-Dec-25	-	Pepper	Aphids, cutworms, fruitworm	3 Tbsp/ 16L water	-	One (1) day after each spraying	one (1) day after each spraying
SURE CROP SCIENCE AGRIVENTURES, INC.	MALATHION	SURECROP MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	640-038-4968	11-Dec-25	-	Garlic	cutworms	3 Tbsp/ 16L water	-	One (1) day after each spraying	one (1) day after each spraying
SURE CROP SCIENCE AGRIVENTURES, INC.	MALATHION	SURECROP MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	640-038-4968	11-Dec-25	-	Onion	cutworms	3 Tbsp/ 16L water	-	One (1) day after each spraying	one (1) day after each spraying
SURE CROP SCIENCE AGRIVENTURES, INC.	MALATHION	SURECROP MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	640-038-4968	11-Dec-25	-	Tobacco	Plant growth regulator	3-6 Tbsp/ 16 L water	-	One (1) day after each spraying	one (1) day after each spraying
SURE CROP SCIENCE AGRIVENTURES, INC.	MALATHION	SURECROP MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	640-038-4968	11-Dec-25	-	Ornamentals	Aphids, cutworm, mealybug, scale insect, spider mites	3-5 Tbsp/ 16L water	-	One (1) day after each spraying	one (1) day after each spraying
SURE CROP SCIENCE AGRIVENTURES, INC.	MALATHION	SURECROP MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	640-038-4968	11-Dec-25	-	Tomato	Lady beetle	5-5 Tbsp/ 16L water	-	One (1) day after each spraying	one (1) day after each spraying
SURE CROP SCIENCE AGRIVENTURES, INC.	MALATHION	SURECROP MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	640-038-4968	11-Dec-25	-	Eggplant	Aphids, fruitworm	3-5 Tbsp/ 16L water	-	One (1) day after each spraying	one (1) day after each spraying
SURE CROP SCIENCE AGRIVENTURES, INC.	MALATHION	SURECROP MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	640-038-4968	11-Dec-25	-	Sorghum	Web worm	3 Tbsp/ 16L water	-	One (1) day after each spraying	one (1) day after each spraying
SURE CROP SCIENCE AGRIVENTURES, INC.	DURON	SURECROP DURON 80SC	800 g/L	SC	HERBICIDE	4	640-021-6315	19-Oct-26	SYSTEMIC	Citrus	Annual and perennial broadleaf weeds and grasses	130-190 mL prod. / 16L water	-	-	Twenty four (24) hours after application
SURE CROP SCIENCE AGRIVENTURES, INC.	DURON	SURECROP DURON 80SC	800 g/L	SC	HERBICIDE	4	640-021-6315	19-Oct-26	SYSTEMIC	Coffee	Annual and perennial broadleaf weeds and grasses	130-190 mL prod. / 16L water	-	-	Twenty four (24) hours after application
SURE CROP SCIENCE AGRIVENTURES, INC.	DURON	SURECROP DURON 80SC	800 g/L	SC	HERBICIDE	4	640-021-6315	19-Oct-26	SYSTEMIC	Cotton	Annual and perennial broadleaf weeds and grasses	40 mL prod. / 16L water	-	-	Twenty four (24) hours after application
SURE CROP SCIENCE AGRIVENTURES, INC.	DURON	SURECROP DURON 80SC	800 g/L	SC	HERBICIDE	4	640-021-6315	19-Oct-26	SYSTEMIC	Sugarcane	Annual and perennial broadleaf weeds and grasses	60-130 mL prod. / 16L water	-	-	Twenty four (24) hours after application
SURE CROP SCIENCE AGRIVENTURES, INC.	DURON	SURECROP DURON 80SC	800 g/L	SC	HERBICIDE	4	640-021-6315	19-Oct-26	SYSTEMIC	Pineapple	Annual and perennial broadleaf weeds and grasses	140 mL prod. / 16L water	-	-	Twenty four (24) hours after application
SURE CROP SCIENCE AGRIVENTURES, INC.	DURON	SURECROP DURON 80SC	800 g/L	SC	HERBICIDE	4	640-021-6315	19-Oct-26	SYSTEMIC	Non-crop agricultural areas	Annual and perennial broadleaf weeds and grasses	200-280 mL prod. / 16L water	-	-	Twenty four (24) hours after application
SURE CROP SCIENCE AGRIVENTURES, INC.	DURON	SURECROP DURON 80 WP	800 g/kg	WP	HERBICIDE	4	640-021-4882-A	18-Feb-26	SYSTEMIC	Citrus	Annual and Perennial broadleaves and grasses	15-19 Tbsp/16 L water	-	-	-
SURE CROP SCIENCE AGRIVENTURES, INC.	DURON	SURECROP DURON 80 WP	800 g/kg	WP	HERBICIDE	4	640-021-4882-A	18-Feb-26	SYSTEMIC	Coffee	Annual and Perennial broadleaves and grasses	15-19 Tbsp/16 L water	-	-	-
SURE CROP SCIENCE AGRIVENTURES, INC.	DURON	SURECROP DURON 80 WP	800 g/kg	WP	HERBICIDE	4	640-021-4882-A	18-Feb-26	SYSTEMIC	Sugarcane	Annual and Perennial broadleaves and grasses	6-5-13 Tbsp / 16 L water	-	-	-
SURE CROP SCIENCE AGRIVENTURES, INC.	DURON	SURECROP DURON 80 WP	800 g/kg	WP	HERBICIDE	4	640-021-4882-A	18-Feb-26	SYSTEMIC	Cotton	Annual and Perennial broadleaves and grasses	3.0-5.0 Tbsp / 16 L water	-	-	-
SURE CROP SCIENCE AGRIVENTURES, INC.	DURON	SURECROP DURON 80 WP	800 g/kg	WP	HERBICIDE	4	640-021-4882-A	18-Feb-26	SYSTEMIC	Pineapple	Annual and Perennial broadleaves and grasses	13 Tbsp / 16 L water	-	-	-

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)			PHI	RE ENTRY PERIOD
SURE CROP SCIENCE AGRIVENTURES, INC.	DIURON	SURECROP DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	640 021 4882-A	18-Feb-26	SYSTEMIC	Non-crop land	Annual and Perennial broadleaves and grasses	20-28 Tbsp / 56 L water	-	-	-	-	-
SURE CROP SCIENCE AGRIVENTURES, INC.	DIURON	SURECROP DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	640 021 4882	15-Aug-22	SYSTEMIC	Citrus	Grasses, annual & perennial broadleaves	13.0-19.0Tbsp/56 L water	-	-	-	-	Twenty four [24] hours after application.
SURE CROP SCIENCE AGRIVENTURES, INC.	DIURON	SURECROP DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	640 021 4882	15-Aug-22	SYSTEMIC	Coffee	Grasses, annual & perennial broadleaves	13.0-19.0Tbsp/56 L water	-	-	-	-	Twenty four [24] hours after application.
SURE CROP SCIENCE AGRIVENTURES, INC.	DIURON	SURECROP DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	640 021 4882	15-Aug-22	SYSTEMIC	Cotton	Grasses, annual & perennial broadleaves	8.0Tbsp/56 L water	-	-	-	-	Twenty four [24] hours after application.
SURE CROP SCIENCE AGRIVENTURES, INC.	DIURON	SURECROP DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	640 021 4882	15-Aug-22	SYSTEMIC	Tagitrona	Grasses, annual & perennial broadleaves	6.5-13.0Tbsp/56 L water	-	-	-	-	Twenty four [24] hours after application.
SURE CROP SCIENCE AGRIVENTURES, INC.	DIURON	SURECROP DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	640 021 4882	15-Aug-22	SYSTEMIC	Pineapple	Grasses, annual & perennial broadleaves	13.0Tbsp/56 L water	-	-	-	-	Twenty four [24] hours after application.
SURE CROP SCIENCE AGRIVENTURES, INC.	DIURON	SURECROP DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	640 021 4882	15-Aug-22	SYSTEMIC	Non-crop land	Grasses, annual & perennial broadleaves	20.0-28.0Tbsp/56 L water	-	-	-	-	Twenty four [24] hours after application.
SURE CROP SCIENCE AGRIVENTURES, INC.	BENOMYL	SURECROP BENOMYL 50 WP	500 g/L	WP	FUNGICIDE	4	588-167-4328	10-Apr-24	-	Mungbeans	Powdery mildew, cercospora leaf spot	1-2 Tbsp/56L water	-	-	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or after the spray
SURE CROP SCIENCE AGRIVENTURES, INC.	BENOMYL	SURECROP BENOMYL 50 WP	500 g/L	WP	FUNGICIDE	4	588-167-4328	10-Apr-24	-	Beans	Powdery mildew, cercospora leaf spot	1-2 Tbsp/56L water	-	-	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or after the spray
SURE CROP SCIENCE AGRIVENTURES, INC.	BENOMYL	SURECROP BENOMYL 50 WP	500 g/L	WP	FUNGICIDE	4	588-167-4328	10-Apr-24	-	Cabbage	Cercospora leaf spot	1-2 Tbsp/56L water	-	-	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or after the spray
SURE CROP SCIENCE AGRIVENTURES, INC.	BENOMYL	SURECROP BENOMYL 50 WP	500 g/L	WP	FUNGICIDE	4	588-167-4328	10-Apr-24	-	Calamansi	Scab	1-2 Tbsp/56L water	-	-	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or after the spray
SURE CROP SCIENCE AGRIVENTURES, INC.	BENOMYL	SURECROP BENOMYL 50 WP	500 g/L	WP	FUNGICIDE	4	588-167-4328	10-Apr-24	-	Cucumber	Powdery mildew	1-2 Tbsp/56L water	-	-	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or after the spray
SURE CROP SCIENCE AGRIVENTURES, INC.	BENOMYL	SURECROP BENOMYL 50 WP	500 g/L	WP	FUNGICIDE	4	588-167-4328	10-Apr-24	-	Ginger	Cercospora leaf spot	1-2 Tbsp/56L water	-	-	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or after the spray
SURE CROP SCIENCE AGRIVENTURES, INC.	BENOMYL	SURECROP BENOMYL 50 WP	500 g/L	WP	FUNGICIDE	4	588-167-4328	10-Apr-24	-	Grapes	Powdery mildew	1-2 Tbsp/56L water	-	-	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or after the spray
SURE CROP SCIENCE AGRIVENTURES, INC.	BENOMYL	SURECROP BENOMYL 50 WP	500 g/L	WP	FUNGICIDE	4	588-167-4328	10-Apr-24	-	Mandarin	Scab	1-2 Tbsp/56L water	-	-	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or after the spray
SURE CROP SCIENCE AGRIVENTURES, INC.	BENOMYL	SURECROP BENOMYL 50 WP	500 g/L	WP	FUNGICIDE	4	588-167-4328	10-Apr-24	-	Mango	Anthracoosis, powdery mildew	1-2 Tbsp/56L water	-	-	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or after the spray
SURE CROP SCIENCE AGRIVENTURES, INC.	BENOMYL	SURECROP BENOMYL 50 WP	500 g/L	WP	FUNGICIDE	4	588-167-4328	10-Apr-24	-	Medea	Powdery mildew	1-2 Tbsp/56L water	-	-	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or after the spray
SURE CROP SCIENCE AGRIVENTURES, INC.	BENOMYL	SURECROP BENOMYL 50 WP	500 g/L	WP	FUNGICIDE	4	588-167-4328	10-Apr-24	-	Orange	Scab	1-2 Tbsp/56L water	-	-	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or after the spray
SURE CROP SCIENCE AGRIVENTURES, INC.	BENOMYL	SURECROP BENOMYL 50 WP	500 g/L	WP	FUNGICIDE	4	588-167-4328	10-Apr-24	-	Papaya	Powdery mildew	1-2 Tbsp/56L water	-	-	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or after the spray
SURE CROP SCIENCE AGRIVENTURES, INC.	BENOMYL	SURECROP BENOMYL 50 WP	500 g/L	WP	FUNGICIDE	4	588-167-4328	10-Apr-24	-	Pepper	Cercospora leaf spot	1-2 Tbsp/56L water	-	-	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or after the spray
SURE CROP SCIENCE AGRIVENTURES, INC.	BENOMYL	SURECROP BENOMYL 50 WP	500 g/L	WP	FUNGICIDE	4	588-167-4328	10-Apr-24	-	Rice	Blact, sheath blight	3-4 Tbsp/56L water	1.0 ppm	7 days	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or after the spray
SURE CROP SCIENCE AGRIVENTURES, INC.	BENOMYL	SURECROP BENOMYL 50 WP	500 g/L	WP	FUNGICIDE	4	588-167-4328	10-Apr-24	-	Strawberry	Cercospora leaf spot	1-2 Tbsp/56L water	-	-	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or after the spray
SURE CROP SCIENCE AGRIVENTURES, INC.	BENOMYL	SURECROP BENOMYL 50 WP	500 g/L	WP	FUNGICIDE	4	588-167-4328	10-Apr-24	-	Tobacco	Leaf mold, frog eye	1-2 Tbsp/56L water	-	-	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or after the spray
SURE CROP SCIENCE AGRIVENTURES, INC.	BENOMYL	SURECROP BENOMYL 50 WP	500 g/L	WP	FUNGICIDE	4	588-167-4328	10-Apr-24	-	Banana	Black sigatoka	180 g/ha	-	-	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or after the spray
SURE CROP SCIENCE AGRIVENTURES, INC.	ATRAZINE	SURECROP ATRAZINE 80 WP	800g/Kg	WP	HERBICIDE	4	640 005 4870	13-Aug-25	SELECTIVE (PRE-EMERGENT)	Corn	Annual broadleaf weeds and annual grasses	6-12Tbsp/56 L water	-	-	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or after the spray
SURE CROP SCIENCE AGRIVENTURES, INC.	ATRAZINE	SURECROP ATRAZINE 80 WP	800g/Kg	WP	HERBICIDE	4	640 005 4870	13-Aug-25	SELECTIVE (PRE-EMERGENT)	Sorghum	Annual broadleaf weeds and annual grasses	6-12Tbsp/56 L water	-	-	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or after the spray
SURE CROP SCIENCE AGRIVENTURES, INC.	ATRAZINE	SURECROP ATRAZINE 80 WP	800g/Kg	WP	HERBICIDE	4	640 005 4870	13-Aug-25	SELECTIVE (PRE-EMERGENT)	Sugarcane	Annual broadleaf weeds and annual grasses	6-12Tbsp/56 L water	-	-	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or after the spray
SURE CROP SCIENCE AGRIVENTURES, INC.	2,4-D IBE	SURECROP 2,4-D ESTER	400 g/L	EC	HERBICIDE	2	640 049 4871	13-Aug-25	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Broadleaves & sedges	1-0.6.50Tbsp/56 L water	0.1 ppm	-	-	-	Do not spray within two days before harvest
SURE CROP SCIENCE AGRIVENTURES, INC.	2,4-D IBE	SURECROP 2,4-D ESTER	400 g/L	EC	HERBICIDE	2	640 049 4871	13-Aug-25	SELECTIVE (POST-EMERGENT)	Corn	Broadleaves & sedges	0-0.6.50Tbsp/56 L water	-	-	-	-	Do not spray within two days before harvest
SURE CROP SCIENCE AGRIVENTURES, INC.	2,4-D IBE	SURECROP 2,4-D ESTER	400 g/L	EC	HERBICIDE	2	640 049 4871	13-Aug-25	SELECTIVE (POST-EMERGENT)	Sugarcane	Broadleaves & sedges	1-0.6.50Tbsp/56 L water	-	-	-	-	Do not spray within two days before harvest
SURE CROP SCIENCE AGRIVENTURES, INC.	2,4-D AMINE	SURECROP 2,4-D AMINE	400g/L	EC	HERBICIDE	2	640 013 4891	02-Sep-25	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual broadleaves and sedges	1-5-6.5Tbsp/56 L water	0.1 ppm	-	-	-	Entry to fields and crops treated with SURECROP 2,4-D AMINE can be done one-day after spraying
SURE CROP SCIENCE AGRIVENTURES, INC.	2,4-D AMINE	SURECROP 2,4-D AMINE	400g/L	EC	HERBICIDE	2	640 013 4891	02-Sep-25	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual broadleaves and sedges	13-25 Tbsp/56 L water	-	-	-	-	Entry to fields and crops treated with SURECROP 2,4-D AMINE can be done one-day after spraying
SURE CROP SCIENCE AGRIVENTURES, INC.	2,4-D AMINE	SURECROP 2,4-D AMINE	400g/L	EC	HERBICIDE	2	640 013 4891	02-Sep-25	SELECTIVE (POST-EMERGENT)	Corn	Annual broadleaves and sedges	5-6.5 Tbsp/56 L water	-	-	-	-	Entry to fields and crops treated with SURECROP 2,4-D AMINE can be done one-day after spraying
TEAMAGRO TRADING CORPORATION	BENOMYL	SUREWIN 50 WP	500 g/Kg	WP	FUNGICIDE	4	248-167-1937	09-Aug-24	SYSTEMIC	Mungbeans	Powdery mildew, cercospora leaf spot	1-2 Tbsp/56L water	-	-	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or after the spray
TEAMAGRO TRADING CORPORATION	BENOMYL	SUREWIN 50 WP	500 g/Kg	WP	FUNGICIDE	4	248-167-1937	09-Aug-24	SYSTEMIC	Beans	Powdery mildew, cercospora leaf spot	1-2 Tbsp/56L water	-	-	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or after the spray
TEAMAGRO TRADING CORPORATION	BENOMYL	SUREWIN 50 WP	500 g/Kg	WP	FUNGICIDE	4	248-167-1937	09-Aug-24	SYSTEMIC	Cabbage	Cercospora leaf spot	1-2 Tbsp/56L water	-	-	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or after the spray
TEAMAGRO TRADING CORPORATION	BENOMYL	SUREWIN 50 WP	500 g/Kg	WP	FUNGICIDE	4	248-167-1937	09-Aug-24	SYSTEMIC	Calamansi	Scab	1-2 Tbsp/56L water	-	-	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or after the spray
TEAMAGRO TRADING CORPORATION	BENOMYL	SUREWIN 50 WP	500 g/Kg	WP	FUNGICIDE	4	248-167-1937	09-Aug-24	SYSTEMIC	Cucumber	Powdery mildew	1-2 Tbsp/56L water	-	-	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or after the spray
TEAMAGRO TRADING CORPORATION	BENOMYL	SUREWIN 50 WP	500 g/Kg	WP	FUNGICIDE	4	248-167-1937	09-Aug-24	SYSTEMIC	Ginger	Cercospora leaf spot	1-2 Tbsp/56L water	-	-	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or after the spray
TEAMAGRO TRADING CORPORATION	BENOMYL	SUREWIN 50 WP	500 g/Kg	WP	FUNGICIDE	4	248-167-1937	09-Aug-24	SYSTEMIC	Grapes	Powdery mildew	1-2 Tbsp/56L water	-	-	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or after the spray
TEAMAGRO TRADING CORPORATION	BENOMYL	SUREWIN 50 WP	500 g/Kg	WP	FUNGICIDE	4	248-167-1937	09-Aug-24	SYSTEMIC	Mandarin	Scab	1-2 Tbsp/56L water	-	-	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or after the spray
TEAMAGRO TRADING CORPORATION	BENOMYL	SUREWIN 50 WP	500 g/Kg	WP	FUNGICIDE	4	248-167-1937	09-Aug-24	SYSTEMIC	Mango	Anthracoosis, powdery mildew	1-2 Tbsp/56L water	-	-	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or after the spray
TEAMAGRO TRADING CORPORATION	BENOMYL	SUREWIN 50 WP	500 g/Kg	WP	FUNGICIDE	4	248-167-1937	09-Aug-24	SYSTEMIC	Melon	Powdery mildew	1-2 Tbsp/56L water	-	-	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or after the spray
TEAMAGRO TRADING CORPORATION	BENOMYL	SUREWIN 50 WP	500 g/Kg	WP	FUNGICIDE	4	248-167-1937	09-Aug-24	SYSTEMIC	Orange	Scab	1-2 Tbsp/56L water	-	-	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or after the spray
TEAMAGRO TRADING CORPORATION	BENOMYL	SUREWIN 50 WP	500 g/Kg	WP	FUNGICIDE	4	248-167-1937	09-Aug-24	SYSTEMIC	Papaya	Powdery mildew	1-2 Tbsp/56L water	-	-	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or after the spray
TEAMAGRO TRADING CORPORATION	BENOMYL	SUREWIN 50 WP	500 g/Kg	WP	FUNGICIDE	4	248-167-1937	09-Aug-24	SYSTEMIC	Pepper	Cercospora leaf spot	1-2 Tbsp/56L water	-	-	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or after the spray
TEAMAGRO TRADING CORPORATION	BENOMYL	SUREWIN 50 WP	500 g/Kg	WP	FUNGICIDE	4	248-167-1937	09-Aug-24	SYSTEMIC	Rice	Blact, sheath blight	3-4 Tbsp/56L water	-	-	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or after the spray
TEAMAGRO TRADING CORPORATION	BENOMYL	SUREWIN 50 WP	500 g/Kg	WP	FUNGICIDE	4	248-167-1937	09-Aug-24	SYSTEMIC	Strawberry	Cercospora leaf spot	1-2 Tbsp/56L water	-	-	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or after the spray
TEAMAGRO TRADING CORPORATION	BENOMYL	SUREWIN 50 WP	500 g/Kg	WP	FUNGICIDE	4	248-167-1937	09-Aug-24	SYSTEMIC	Tobacco	Leaf mold, frog eye	1-2 Tbsp/56L water	-	-	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or after the spray
TEAMAGRO TRADING CORPORATION	BENOMYL	SUREWIN 50 WP	500 g/Kg	WP	FUNGICIDE	4	248-167-1937	09-Aug-24	SYSTEMIC	Banana	Black sigatoka	180 g/ha	-	-	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or after the spray
LEADS AGRICULTURAL PRODUCTS CORPORATION	NICLOSAAMIDE	SURE 250 EC	250 g/L	EC	MOLLUSCIDE	4	099-229-1003	10-Jun-20	-	Rice	Golden apple snail	7-10 Tbsp/56L water	-	-	-	-	48 hours
SURE CROP SCIENCE AGRIVENTURES, INC.	GLYPHOSATE IPA	SUPREMO 480 SL	480g/L	SL	HERBICIDE	4	640 151 4896-A (242)	12-May-26	SYSTEMIC (NON-SELECTIVE)	Glyphosate tolerant com	Annual and perennial grasses, broadleaf weeds and sedges	3-4.5liters/ha	-	-	-	-	-
SURE CROP SCIENCE AGRIVENTURES, INC.	GLYPHOSATE IPA	SUPREMO 480 SL	480g/L	SL	HERBICIDE	4	640 151 4896-A (242)	12-May-26	SYSTEMIC (NON-SELECTIVE)	Mango	Annual and perennial grasses, broadleaf weeds and sedges	3-4.5.5liters/ha	-	-	-	-	-
SURE CROP SCIENCE AGRIVENTURES, INC.	GLYPHOSATE IPA	SUPREMO 480 SL	480g/L	SL	HERBICIDE	4	640 151 4896-A (242)	12-May-26	SYSTEMIC (NON-SELECTIVE)	Banana	Annual and perennial grasses, broadleaf weeds and sedges	3-4.5.5liters/ha	-	-	-	-	-
SURE CROP SCIENCE AGRIVENTURES, INC.	GLYPHOSATE IPA	SUPREMO 480 SL	480g/L	SL	HERBICIDE	4	640 151 4896-A (242)	12-May-26	SYSTEMIC (NON-SELECTIVE)	Cacao	Annual and perennial grasses, broadleaf weeds and sedges	3-4.5.5liters/ha	-	-	-	-	-
SURE CROP SCIENCE AGRIVENTURES, INC.	GLYPHOSATE IPA	SUPREMO 480 SL	480g/L	SL	HERBICIDE	4	640 151 4896-A (242)	12-May-26	SYSTEMIC (NON-SELECTIVE)	Sugarcane	Annual and perennial grasses, broadleaf weeds and sedges	3-4.5.5liters/ha	-	-	-	-	-
SURE CROP SCIENCE AGRIVENTURES, INC.	GLYPHOSATE IPA	SUPREMO 480 SL	480g/L	SL	HERBICIDE	4	640 151 4896-A (242)	12-May-26	SYSTEMIC (NON-SELECTIVE)	Coffee	Annual and perennial grasses, broadleaf weeds and sedges	3-4.5.5liters/ha	-	-	-	-	-

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
SURE CROP SCIENCE AGRIVENTURES, INC.	GLYPHOSATE IPA	SUPREMO 480 SL	480g/L	SL	HERBICIDE	4	640-151-4896-A (242)	12-May-26	SYSTEMIC (NON-SELECTIVE)	Rubber	Annual and perennial grasses, broadleaf weeds and sedges	2.0 Liters/ha	-	-	-
SURE CROP SCIENCE AGRIVENTURES, INC.	GLYPHOSATE IPA	SUPREMO 480 SL	480g/L	SL	HERBICIDE	4	640-151-4896-A (242)	12-May-26	SYSTEMIC (NON-SELECTIVE)	Oil palm	Annual and perennial grasses, broadleaf weeds and sedges	2.0 Liters/ha	-	-	-
SURE CROP SCIENCE AGRIVENTURES, INC.	GLYPHOSATE IPA	SUPREMO 480 SL	480g/L	SL	HERBICIDE	4	640-151-4896-A (242)	12-May-26	SYSTEMIC (NON-SELECTIVE)	Citrus	Annual and perennial grasses, broadleaf weeds and sedges	2.0 Liters/ha	-	-	-
SURE CROP SCIENCE AGRIVENTURES, INC.	GLYPHOSATE IPA	SUPREMO 480 SL	480g/L	SL	HERBICIDE	4	640-151-4896-A (242)	12-May-26	SYSTEMIC (NON-SELECTIVE)	Coconut	Annual and perennial grasses, broadleaf weeds and sedges	4.5 Liters/ha	-	-	-
SURE CROP SCIENCE AGRIVENTURES, INC.	GLYPHOSATE IPA	SUPREMO 480 SL	480g/L	SL	HERBICIDE	4	640-151-4896-A (242)	12-May-26	SYSTEMIC (NON-SELECTIVE)	Sugarcane	Annual and perennial grasses, broadleaf weeds and sedges	2.0 Liters/ha	-	-	-
SURE CROP SCIENCE AGRIVENTURES, INC.	GLYPHOSATE IPA	SUPREMO 480 SL	480g/L	SL	HERBICIDE	4	640-151-4896-A (242)	12-May-26	SYSTEMIC (NON-SELECTIVE)	Vegetables	Annual and perennial grasses, broadleaf weeds and sedges	2.0 Liters/ha	-	-	-
SURE CROP SCIENCE AGRIVENTURES, INC.	GLYPHOSATE IPA	SUPREMO 480 SL	480g/L	SL	HERBICIDE	4	640-151-4896-A (242)	12-May-26	SYSTEMIC (NON-SELECTIVE)	Non-crop	Annual and perennial grasses, broadleaf weeds and sedges	-	-	-	-
UNIVACO, INC.	DIFENCONAZOLE+PROPICONAZOLE	SUPREMACY 300 EC	190 g/L+150 g/L	EC	FUNGICIDE	3	662-325-5259	25-Jul-24	SYSTEMIC	Rice	Sheath Blight	2.5-3.5 Tbsp/16 L water	-	-	-
UNIVACO, INC.	DIFENCONAZOLE+PROPICONAZOLE	SUPREMACY 300 EC	150 g/L+150 g/L	EC	FUNGICIDE	3	662-325-5259	25-Jul-24	SYSTEMIC	Corn	Banded leaf, sheath blight, ear rot, leaf blight & rust	3-7 Tbsp/16 L water	-	45 Days	-
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CYPERMETHRIN	SUPRA 5 EC	50 g/L	EC	INSECTICIDE	4	459-037-2607-A	27-Jun-25	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dries
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CYPERMETHRIN	SUPRA 5 EC	50 g/L	EC	INSECTICIDE	4	459-037-2607-A	27-Jun-25	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leafhopper, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dries
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CYPERMETHRIN	SUPRA 5 EC	50 g/L	EC	INSECTICIDE	4	459-037-2607-A	27-Jun-25	CONTACT	Cabbage	Diamond back moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dries
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CYPERMETHRIN	SUPRA 5 EC	50 g/L	EC	INSECTICIDE	4	459-037-2607-A	27-Jun-25	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dries
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CYPERMETHRIN	SUPRA 5 EC	50 g/L	EC	INSECTICIDE	4	459-037-2607-A	27-Jun-25	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dries
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CYPERMETHRIN	SUPRA 5 EC	50 g/L	EC	INSECTICIDE	4	459-037-2607-A	27-Jun-25	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dries
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CYPERMETHRIN	SUPRA 5 EC	50 g/L	EC	INSECTICIDE	4	459-037-2607-A	27-Jun-25	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dries
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CYPERMETHRIN	SUPRA 5 EC	50 g/L	EC	INSECTICIDE	4	459-037-2607-A	27-Jun-25	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dries
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CYPERMETHRIN	SUPRA 5 EC	50 g/L	EC	INSECTICIDE	4	459-037-2607-A	27-Jun-25	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dries
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CYPERMETHRIN	SUPRA 5 EC	50 g/L	EC	INSECTICIDE	4	459-037-2607-A	27-Jun-25	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dries
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CYPERMETHRIN	SUPRA 5 EC	50 g/L	EC	INSECTICIDE	4	459-037-2607-A	27-Jun-25	CONTACT	Corn	Comborer, earworm	1.0-4.5 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dries
AGREXPLORE CORPORATION	DELTAMETHRIN	SUPPRESS 2.5 EC	25 g/L	EC	INSECTICIDE	4	528-085-4123	25-Sep-20	-	Mango	Hopper, Tip borer, twig borer	0.75-1.0 Tbsp/16L water	-	-	-
AGREXPLORE CORPORATION	DELTAMETHRIN	SUPPRESS 2.5 EC	25 g/L	EC	INSECTICIDE	4	528-085-4123	25-Sep-20	-	Cabbage & other crucifers	Diamond-back moth, cabbage moth, cabbage worm	0.1 Tbsp/16L water	-	-	-
AGREXPLORE CORPORATION	DELTAMETHRIN	SUPPRESS 2.5 EC	25 g/L	EC	INSECTICIDE	4	528-085-4123	25-Sep-20	-	Tobacco	Budworm, armyworm, cutworm	0.8-1.0 Tbsp/16L water	-	-	-
AGREXPLORE CORPORATION	DELTAMETHRIN	SUPPRESS 2.5 EC	25 g/L	EC	INSECTICIDE	4	528-085-4123	25-Sep-20	-	Beans	Flea beetle, beanfly, bugs, thrips, cutworm, armyworm	0.8-1.0 Tbsp/16L water	-	-	-
AGREXPLORE CORPORATION	DELTAMETHRIN	SUPPRESS 2.5 EC	25 g/L	EC	INSECTICIDE	4	528-085-4123	25-Sep-20	-	Soybeans	Flea beetle, beanfly, bugs, thrips, cutworm, armyworm	0.8-1.0 Tbsp/16L water	-	-	-
AGREXPLORE CORPORATION	DELTAMETHRIN	SUPPRESS 2.5 EC	25 g/L	EC	INSECTICIDE	4	528-085-4123	25-Sep-20	-	Tomato	Fruitworm (heliothis)	0.8-1.0 Tbsp/16L water	-	-	-
AGREXPLORE CORPORATION	DELTAMETHRIN	SUPPRESS 2.5 EC	25 g/L	EC	INSECTICIDE	4	528-085-4123	25-Sep-20	-	Corn	Corn borer, corn earworm, seedling maggots	0.1 Tbsp/16L water	-	-	-
AGREXPLORE CORPORATION	DELTAMETHRIN	SUPPRESS 2.5 EC	25 g/L	EC	INSECTICIDE	4	528-085-4123	25-Sep-20	-	Eggplant	Thrips, flea beetle, fruitworm	0.1 Tbsp/16L water	-	-	-
AGREXPLORE CORPORATION	DELTAMETHRIN	SUPPRESS 2.5 EC	25 g/L	EC	INSECTICIDE	4	528-085-4123	25-Sep-20	-	Cotton	Leafhopper, bollworm, weevil	0.8-1.0 Tbsp/16L water	-	-	-
AGREXPLORE CORPORATION	DELTAMETHRIN	SUPPRESS 2.5 EC	25 g/L	EC	INSECTICIDE	4	528-085-4123	25-Sep-20	-	Agricultural crops	Locusts nymphs/ Locusts-adult	1.0-1.5 Tbsp/16L water	-	-	-
AGREXPLORE CORPORATION	DELTAMETHRIN	SUPPRESS 2.5 EC	25 g/L	EC	INSECTICIDE	4	528-085-4123	25-Sep-20	-	Cacao	Podborer, aphids	0.1 Tbsp/16L water	-	-	-
INTERNATIONAL VETERINARY & AGROCHEMICAL (PVA), INC.	AZOXYSTROBIN	SUPERSTAR 250 SC	250 g/L	SC	FUNGICIDE	4	088-309-3364-A	04-Dec-26	SYSTEMIC	Mango	Anthraxnose, scab, stem-end rot	6-8/100L water	-	Do not spray 3-7 days before harvest	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
INTERNATIONAL VETERINARY & AGROCHEMICAL (PVA), INC.	AZOXYSTROBIN	SUPERSTAR 250 SC	250 g/L	SC	FUNGICIDE	4	088-309-3364-A	04-Dec-26	SYSTEMIC	Watermelon	Damping off, leaf spot, anthracnose, downy, mildew, powdery mildew	1-2Tbsp/16 L water	-	Do not spray 3-7 days before harvest	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
INTERNATIONAL VETERINARY & AGROCHEMICAL (PVA), INC.	AZOXYSTROBIN	SUPERSTAR 250 SC	250 g/L	SC	FUNGICIDE	4	088-309-3364-A	04-Dec-26	SYSTEMIC	Onion	Basal/bulb rot	1.2Tbsp/16 L water	-	Do not spray 3-7 days before harvest	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
INTERNATIONAL VETERINARY & AGROCHEMICAL (PVA), INC.	AZOXYSTROBIN	SUPERSTAR 250 SC	250 g/L	SC	FUNGICIDE	4	088-309-3364-A	04-Dec-26	SYSTEMIC	Tomato	Late/early blight, powdery mildew	0.5-1Tbsp/16 L water	-	Do not spray 3-7 days before harvest	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
INTERNATIONAL VETERINARY & AGROCHEMICAL (PVA), INC.	AZOXYSTROBIN	SUPERSTAR 250 SC	250 g/L	SC	FUNGICIDE	4	088-309-3364-A	04-Dec-26	SYSTEMIC	Corn	Sheath blight, leaf spot, leaf rust, ear rot	2-4Tbsp/16 L water	-	Do not spray 3-7 days before harvest	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
INTERNATIONAL VETERINARY & AGROCHEMICAL (PVA), INC.	AZOXYSTROBIN	SUPERSTAR 250 SC	250 g/L	SC	FUNGICIDE	4	088-309-3364-A	04-Dec-26	SYSTEMIC	Asparagus	Stem blight, leaf blight, fusarium wilt	1-3Tbsp/16 L water	-	Do not spray 3-7 days before harvest	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
MARTHADAVE CO., LTD.	CYPERMETHRIN	SUPERSMAK 50 EC	50 g/L	EC	INSECTICIDE	4	409-037-2134	20-Dec-20	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dries
MARTHADAVE CO., LTD.	CYPERMETHRIN	SUPERSMAK 50 EC	50 g/L	EC	INSECTICIDE	4	409-037-2134	20-Dec-20	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leafhopper, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dries
MARTHADAVE CO., LTD.	CYPERMETHRIN	SUPERSMAK 50 EC	50 g/L	EC	INSECTICIDE	4	409-037-2134	20-Dec-20	CONTACT	Cabbage	Diamond back moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dries
MARTHADAVE CO., LTD.	CYPERMETHRIN	SUPERSMAK 50 EC	50 g/L	EC	INSECTICIDE	4	409-037-2134	20-Dec-20	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dries
MARTHADAVE CO., LTD.	CYPERMETHRIN	SUPERSMAK 50 EC	50 g/L	EC	INSECTICIDE	4	409-037-2134	20-Dec-20	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dries
MARTHADAVE CO., LTD.	CYPERMETHRIN	SUPERSMAK 50 EC	50 g/L	EC	INSECTICIDE	4	409-037-2134	20-Dec-20	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dries
MARTHADAVE CO., LTD.	CYPERMETHRIN	SUPERSMAK 50 EC	50 g/L	EC	INSECTICIDE	4	409-037-2134	20-Dec-20	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dries
MARTHADAVE CO., LTD.	CYPERMETHRIN	SUPERSMAK 50 EC	50 g/L	EC	INSECTICIDE	4	409-037-2134	20-Dec-20	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dries
MARTHADAVE CO., LTD.	CYPERMETHRIN	SUPERSMAK 50 EC	50 g/L	EC	INSECTICIDE	4	409-037-2134	20-Dec-20	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dries
MARTHADAVE CO., LTD.	CYPERMETHRIN	SUPERSMAK 50 EC	50 g/L	EC	INSECTICIDE	4	409-037-2134	20-Dec-20	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dries
MARTHADAVE CO., LTD.	CYPERMETHRIN	SUPERSMAK 50 EC	50 g/L	EC	INSECTICIDE	4	409-037-2134	20-Dec-20	CONTACT	Corn	Comborer, earworm	1.0-4.5 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dries
INTERNATIONAL VETERINARY & AGROCHEMICAL (PVA), INC.	DELTAMETHRIN	SUPERQUICK 2.5 EC	25 g/L	EC	INSECTICIDE	4	088-085-1213	14-Jun-26	-	Mango	Hopper, Tip borer, twig borer	0.75-1.0 Tbsp/16L water	-	24 hours after last spray	24 hours after each spray
INTERNATIONAL VETERINARY & AGROCHEMICAL (PVA), INC.	DELTAMETHRIN	SUPERQUICK 2.5 EC	25 g/L	EC	INSECTICIDE	4	088-085-1213	14-Jun-26	-	Cabbage & other crucifers	Diamond-back moth, cabbage moth, cabbage worm	0.1 Tbsp/16L water	-	24 hours after last spray	24 hours after each spray
INTERNATIONAL VETERINARY & AGROCHEMICAL (PVA), INC.	DELTAMETHRIN	SUPERQUICK 2.5 EC	25 g/L	EC	INSECTICIDE	4	088-085-1213	14-Jun-26	-	Tobacco	Budworm, armyworm, cutworm	0.8-1.0 Tbsp/16L water	-	24 hours after last spray	24 hours after each spray
INTERNATIONAL VETERINARY & AGROCHEMICAL (PVA), INC.	DELTAMETHRIN	SUPERQUICK 2.5 EC	25 g/L	EC	INSECTICIDE	4	088-085-1213	14-Jun-26	-	Beans	Flea beetle, beanfly, bugs, thrips, cutworm, armyworm	0.8-1.0 Tbsp/16L water	-	24 hours after last spray	24 hours after each spray
INTERNATIONAL VETERINARY & AGROCHEMICAL (PVA), INC.	DELTAMETHRIN	SUPERQUICK 2.5 EC	25 g/L	EC	INSECTICIDE	4	088-085-1213	14-Jun-26	-	Soybeans	Flea beetle, beanfly, bugs, thrips, cutworm, armyworm	0.8-1.0 Tbsp/16L water	-	24 hours after last spray	24 hours after each spray
INTERNATIONAL VETERINARY & AGROCHEMICAL (PVA), INC.	DELTAMETHRIN	SUPERQUICK 2.5 EC	25 g/L	EC	INSECTICIDE	4	088-085-1213	14-Jun-26	-	Tomato	Fruitworm (heliothis)	0.8-1.0 Tbsp/16L water	-	24 hours after last spray	24 hours after each spray
INTERNATIONAL VETERINARY & AGROCHEMICAL (PVA), INC.	DELTAMETHRIN	SUPERQUICK 2.5 EC	25 g/L	EC	INSECTICIDE	4	088-085-1213	14-Jun-26	-	Corn	Corn borer, corn earworm, seedling maggots	0.1 Tbsp/16L water	-	24 hours after last spray	24 hours after each spray
INTERNATIONAL VETERINARY & AGROCHEMICAL (PVA), INC.	DELTAMETHRIN	SUPERQUICK 2.5 EC	25 g/L	EC	INSECTICIDE	4	088-085-1213	14-Jun-26	-	Eggplant	Thrips, flea beetle, fruitworm	0.1 Tbsp/16L water	-	24 hours after last spray	24 hours after each spray

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)		PHI	RE-ENTRY PERIOD
INTERNATIONAL VETERINARY & AGROCHEMICAL (PVA), INC.	DELTAMETHRIN	SUPERQUICK 2.5 EC	25 g/L	EC	INSECTICIDE	4	088-085-1213	14-Jun-26	-	Cotton	Leafhopper, bollworm, weevil	0.8-1.0 Tbsp/36L water	-		24 hours after last spray	24 hours after each spray
INTERNATIONAL VETERINARY & AGROCHEMICAL (PVA), INC.	DELTAMETHRIN	SUPERQUICK 2.5 EC	25 g/L	EC	INSECTICIDE	4	088-085-1213	14-Jun-26	-	Agricultural crops (horticultural and agronomic)	Locusts-nymphs/ Locusts-adult	1.0-1.5* 3.0 Tbsp/ 36L water	-		24 hours after last spray	24 hours after each spray
INTERNATIONAL VETERINARY & AGROCHEMICAL (PVA), INC.	DELTAMETHRIN	SUPERQUICK 2.5 EC	25 g/L	EC	INSECTICIDE	4	088-085-1213	14-Jun-26	-	Cacao	Podborer, aphids	0.1 Tbsp/36L water	-		24 hours after last spray	24 hours after each spray
INTERNATIONAL VETERINARY & AGROCHEMICAL (PVA), INC.	DELTAMETHRIN	SUPERQUICK 2.5 EC	25 g/L	EC	INSECTICIDE	4	088-085-1213	14-Jun-26	-	Rice	Whorl maggot, green leafhopper, stemborer, ricebug, rice black bug, caseworm	0.8-1.0 Tbsp/36L water	1.0ppm		24 hours after last spray	24 hours after each spray
ARIES RINE CHEMICAL CORPORATION	CYPERMETHRIN	SUPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	306-037-2070	19-Apr-25	-	Cabbage	Diamond-back moth, cabbage moth, worm	10-30 mL/36L water	-		For all crops, do not spray 7 days before harvest	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
ARIES RINE CHEMICAL CORPORATION	CYPERMETHRIN	SUPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	306-037-2070	19-Apr-25	-	Watermelon	Aphids, thrips, beetle	10-30 mL/36L water	-		For all crops, do not spray 7 days before harvest	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
ARIES RINE CHEMICAL CORPORATION	CYPERMETHRIN	SUPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	306-037-2070	19-Apr-25	-	Tobacco	Aphids, cutworm, budworm, thrips	10-30 mL/36L water	-		For all crops, do not spray 7 days before harvest	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
ARIES RINE CHEMICAL CORPORATION	CYPERMETHRIN	SUPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	306-037-2070	19-Apr-25	-	Tomato	Tomato, fruitworm, aphids, beetle	10-30 mL/36L water	-		For all crops, do not spray 7 days before harvest	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
ARIES RINE CHEMICAL CORPORATION	CYPERMETHRIN	SUPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	306-037-2070	19-Apr-25	-	Rice	Brown planthopper, stemborer, green leafhopper, armyworm, rice bug	10-30 mL/36L water	-		For all crops, do not spray 7 days before harvest	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
ARIES RINE CHEMICAL CORPORATION	CYPERMETHRIN	SUPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	306-037-2070	19-Apr-25	-	Cotton	Bollworm, leafworm, aphids, leafhopper, thrips boll weevil	10-30 mL/36L water	-		For all crops, do not spray 7 days before harvest	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
ARIES RINE CHEMICAL CORPORATION	CYPERMETHRIN	SUPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	306-037-2070	19-Apr-25	-	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	10-30 mL/36L water	-		For all crops, do not spray 7 days before harvest	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
ARIES RINE CHEMICAL CORPORATION	CYPERMETHRIN	SUPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	306-037-2070	19-Apr-25	-	Mango	Leafhopper, twig borer, tip borer, fruit fly	10-30 mL/36L water	-		For all crops, do not spray 7 days before harvest	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
ARIES RINE CHEMICAL CORPORATION	CYPERMETHRIN	SUPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	306-037-2070	19-Apr-25	-	Corn	Comborer	10-45 mL/36L water	-		For all crops, do not spray 7 days before harvest	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
PLANTCARE TRADING CORPORATION	CYPERMETHRIN	SUPER M 5 EC	50 g/L	EC	INSECTICIDE	4	495-037-5372	17-Mar-26	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/36 L water	-		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
PLANTCARE TRADING CORPORATION	CYPERMETHRIN	SUPER M 5 EC	50 g/L	EC	INSECTICIDE	4	495-037-5372	17-Mar-26	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leafhopper, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/36 L water	-		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
PLANTCARE TRADING CORPORATION	CYPERMETHRIN	SUPER M 5 EC	50 g/L	EC	INSECTICIDE	4	495-037-5372	17-Mar-26	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/36 L water	-		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
PLANTCARE TRADING CORPORATION	CYPERMETHRIN	SUPER M 5 EC	50 g/L	EC	INSECTICIDE	4	495-037-5372	17-Mar-26	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/36 L water	-		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
PLANTCARE TRADING CORPORATION	CYPERMETHRIN	SUPER M 5 EC	50 g/L	EC	INSECTICIDE	4	495-037-5372	17-Mar-26	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/36 L water	-		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
PLANTCARE TRADING CORPORATION	CYPERMETHRIN	SUPER M 5 EC	50 g/L	EC	INSECTICIDE	4	495-037-5372	17-Mar-26	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/36 L water	-		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
PLANTCARE TRADING CORPORATION	CYPERMETHRIN	SUPER M 5 EC	50 g/L	EC	INSECTICIDE	4	495-037-5372	17-Mar-26	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/36 L water	-		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
PLANTCARE TRADING CORPORATION	CYPERMETHRIN	SUPER M 5 EC	50 g/L	EC	INSECTICIDE	4	495-037-5372	17-Mar-26	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/36 L water	-		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
PLANTCARE TRADING CORPORATION	CYPERMETHRIN	SUPER M 5 EC	50 g/L	EC	INSECTICIDE	4	495-037-5372	17-Mar-26	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/36 L water	-		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
PLANTCARE TRADING CORPORATION	CYPERMETHRIN	SUPER M 5 EC	50 g/L	EC	INSECTICIDE	4	495-037-5372	17-Mar-26	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/36 L water	-		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
PLANTCARE TRADING CORPORATION	CYPERMETHRIN	SUPER M 5 EC	50 g/L	EC	INSECTICIDE	4	495-037-5372	17-Mar-26	CONTACT	Corn	Comborer, earworm	1.0-4.5 Tbsp/36 L water	-		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
INTERNATIONAL VETERINARY & AGROCHEMICAL (PVA), INC.	NICOSAMIDE ETHANOLAMINE SALT	SUPERKILL 70 WP	700 g/kg	WP	MOLLUSCIDE	4	088-229-1700-A	26-Jan-27	CONTACT	Rice	Golden Apple Snail (kuhol)	30 gm/36L water	-		-	Do not enter the treated field within 48 hours after application.
INTERNATIONAL VETERINARY & AGROCHEMICAL (PVA), INC.	PROFENOFOS	SUPERINSECTICIDE 50 EC	500 g/L	EC	INSECTICIDE	2	088-070-2333-A (097)	01-Dec-25	CONTACT	Tomato	Fruitworm, armyworm, cutworm	3-5 Tbsp/36L water	-		Do not apply at less than 7 days before harvest	Do not enter treated field 1 day after application
INTERNATIONAL VETERINARY & AGROCHEMICAL (PVA), INC.	PROFENOFOS	SUPERINSECTICIDE 50 EC	500 g/L	EC	INSECTICIDE	2	088-070-2333-A (097)	01-Dec-25	CONTACT	Eggplant	Fruitborer, aphids, leafhopper, & thrips	1.5-3.0 Tbsp/36L water	-		Do not apply at less than 7 days before harvest	Do not enter treated field 1 day after application
INTERNATIONAL VETERINARY & AGROCHEMICAL (PVA), INC.	PROFENOFOS	SUPERINSECTICIDE 50 EC	500 g/L	EC	INSECTICIDE	2	088-070-2333-A (097)	01-Dec-25	CONTACT	Cabbage	Diamond back moth, cabbage worm & aphids, thrips	3-5 Tbsp/36L water	-		Do not apply at less than 7 days before harvest	Do not enter treated field 1 day after application
INTERNATIONAL VETERINARY & AGROCHEMICAL (PVA), INC.	PROFENOFOS	SUPERINSECTICIDE 50 EC	500 g/L	EC	INSECTICIDE	2	088-070-2333-A (097)	01-Dec-25	CONTACT	Watermelon	Thrips	3-5 Tbsp/36L water	-		Do not apply at less than 7 days before harvest	Do not enter treated field 1 day after application
INTERNATIONAL VETERINARY & AGROCHEMICAL (PVA), INC.	PROFENOFOS	SUPERINSECTICIDE 50 EC	500 g/L	EC	INSECTICIDE	2	088-070-2333-A (097)	01-Dec-25	CONTACT	Potato	Thrips, army worm, cutworm, tuber moth	3-5 Tbsp/36L water	-		Do not apply at less than 7 days before harvest	Do not enter treated field 1 day after application
INTERNATIONAL VETERINARY & AGROCHEMICAL (PVA), INC.	PROFENOFOS	SUPERINSECTICIDE 50 EC	500 g/L	EC	INSECTICIDE	2	088-070-2333-A (097)	01-Dec-25	CONTACT	Soybeans	Corn earworm, leafminer	3-5 Tbsp/36L water	-		Do not apply at less than 7 days before harvest	Do not enter treated field 1 day after application
INTERNATIONAL VETERINARY & AGROCHEMICAL (PVA), INC.	PROFENOFOS	SUPERINSECTICIDE 50 EC	500 g/L	EC	INSECTICIDE	2	088-070-2333-A (097)	01-Dec-25	CONTACT	Mungbeans	Corn earworm, leafminer	3-5 Tbsp/36L water	-		Do not apply at less than 7 days before harvest	Do not enter treated field 1 day after application
INTERNATIONAL VETERINARY & AGROCHEMICAL (PVA), INC.	PROFENOFOS	SUPERINSECTICIDE 50 EC	500 g/L	EC	INSECTICIDE	2	088-070-2333-A (097)	01-Dec-25	CONTACT	Cotton	Thrips, bollworm & budworm	3-5 Tbsp/36L water	-		Do not apply at less than 7 days before harvest	Do not enter treated field 1 day after application
INTERNATIONAL VETERINARY & AGROCHEMICAL (PVA), INC.	PROFENOFOS	SUPERINSECTICIDE 50 EC	500 g/L	EC	INSECTICIDE	2	088-070-2333-A (097)	01-Dec-25	CONTACT	Sitao	Beanyfly, leaf folder & aphids	1.5-3.0 Tbsp/36L water	-		Do not apply at less than 7 days before harvest	Do not enter treated field 1 day after application
INTERNATIONAL VETERINARY & AGROCHEMICAL (PVA), INC.	PROFENOFOS	SUPERINSECTICIDE 50 EC	500 g/L	EC	INSECTICIDE	2	088-070-2333-A (097)	01-Dec-25	CONTACT	Mango	Blossom thrips	1.0-1.5 L prod/ha	-		Do not apply at less than 7 days before harvest	Do not enter treated field 1 day after application
SUPERAGRO CHEMICALS, INC.	ETHEPHON	SUPERETHYLENE 480 SL	480g/L	SL	OTHERS	4	578-061-5785	21-Jan-25	-	Pineapple	Pineapple flowering and ripening	-	-		Fruits that are already ripe on the day of treatment can be harvested without any harmful residue Generally.	Re-entry into treated areas may be done as soon as spray has dried
SUPERAGRO CHEMICALS, INC.	ETHEPHON	SUPERETHYLENE 480 SL	480g/L	SL	OTHERS	4	578-061-5785	21-Jan-25	-	Banana	-	-	-		Fruits that are already ripe on the day of treatment can be harvested without any harmful residue Generally.	Re-entry into treated areas may be done as soon as spray has dried
SUPERAGRO CHEMICALS, INC.	ETHEPHON	SUPERETHYLENE 480 SL	480g/L	SL	OTHERS	4	578-061-5785	21-Jan-25	-	Mango	-	-	-		Fruits that are already ripe on the day of treatment can be harvested without any harmful residue Generally.	Re-entry into treated areas may be done as soon as spray has dried
SUPERAGRO CHEMICALS, INC.	ETHEPHON	SUPERETHYLENE 480 SL	480g/L	SL	OTHERS	4	578-061-5785	21-Jan-25	-	Coffee	Coffee ripening	-	-		Fruits that are already ripe on the day of treatment can be harvested without any harmful residue Generally.	Re-entry into treated areas may be done as soon as spray has dried
SUPERAGRO CHEMICALS, INC.	DURIOR	SUPERDURIOR 800 SC	800 g/L	SC	HERBICIDE	4	578-027-5836	24-Sep-24	-	Citrus	Annual and perennial broadleaves and grasses	11.0-19.0 Tbsp/ 36 water	-		-	A day after application
SUPERAGRO CHEMICALS, INC.	DURIOR	SUPERDURIOR 800 SC	800 g/L	SC	HERBICIDE	4	578-027-5836	24-Sep-24	-	Coffee	Annual and perennial broadleaves and grasses	11.0-19.0 Tbsp/ 36 water	-		-	A day after application
SUPERAGRO CHEMICALS, INC.	DURIOR	SUPERDURIOR 800 SC	800 g/L	SC	HERBICIDE	4	578-027-5836	24-Sep-24	-	Cotton	Annual and perennial broadleaves and grasses	8 tbsp /36 water	-		-	A day after application
SUPERAGRO CHEMICALS, INC.	DURIOR	SUPERDURIOR 800 SC	800 g/L	SC	HERBICIDE	4	578-027-5836	24-Sep-24	-	Sugarcane	Annual and perennial broadleaves and grasses	6.5-13.0 Tbsp/ 36 water	-		-	A day after application
SUPERAGRO CHEMICALS, INC.	DURIOR	SUPERDURIOR 800 SC	800 g/L	SC	HERBICIDE	4	578-027-5836	24-Sep-24	-	Pineapple	Annual and perennial broadleaves and grasses	11 Tbsp/ 36 water	-		-	A day after application
SUPERAGRO CHEMICALS, INC.	DURIOR	SUPERDURIOR 800 SC	800 g/L	SC	HERBICIDE	4	578-027-5836	24-Sep-24	-	Non-crop land	Annual and perennial broadleaves and grasses	20.0-28.0 Tbsp/ 36 water	-		-	A day after application
MONARCH AGRICULTURAL PRODUCTS, INC.	CARBENDAZIM	SUPERDAZIM 50 SC	500 g/L	SC	FUNGICIDE	4	096-267-2560	05-Mar-19	SYSTEMIC	Mango	Anthracoise	1-2Tbsp/36 L water	-		-	-
MONARCH AGRICULTURAL PRODUCTS, INC.	CARBENDAZIM	SUPERDAZIM 50 SC	500 g/L	SC	FUNGICIDE	4	096-267-2560	05-Mar-19	SYSTEMIC	Cucurbits	Downy mildew	1-2Tbsp/36 L water	-		-	-
MONARCH AGRICULTURAL PRODUCTS, INC.	CARBENDAZIM	SUPERDAZIM 50 SC	500 g/L	SC	FUNGICIDE	4	096-267-2560	05-Mar-19	SYSTEMIC	Garden Peas (Legumes)	Powdery mildew	1-2Tbsp/36 L water	-		-	-
MONARCH AGRICULTURAL PRODUCTS, INC.	CARBENDAZIM	SUPERDAZIM 50 SC	500 g/L	SC	FUNGICIDE	4	096-267-2560	05-Mar-19	SYSTEMIC	Sugarcane	Pineapple disease	5-10/200L water cane dipping	-		-	-
MONARCH AGRICULTURAL PRODUCTS, INC.	CARBENDAZIM	SUPERDAZIM 50 SC	500 g/L	SC	FUNGICIDE	4	096-267-2560	05-Mar-19	SYSTEMIC	Banana	Diamond fruit spot, anthracnose	0.5-1.0 mL/ L water	-		-	-
BIOAGRO AGRICULTURAL PRODUCTS, INC.	CARBENDAZIM	SUPERDAZIM	500 g/L	SC	FUNGICIDE	4	608-267-4302	26-Mar-24	SYSTEMIC	Mango	Anthracoise	1-2Tbsp/36 L water	-		-	-
BIOAGRO AGRICULTURAL PRODUCTS, INC.	CARBENDAZIM	SUPERDAZIM	500 g/L	SC	FUNGICIDE	4	608-267-4302	26-Mar-24	SYSTEMIC	Cucurbits	Downy mildew	1-2Tbsp/36 L water	-		-	-
BIOAGRO AGRICULTURAL PRODUCTS, INC.	CARBENDAZIM	SUPERDAZIM	500 g/L	SC	FUNGICIDE	4	608-267-4302	26-Mar-24	SYSTEMIC	Garden Peas (Legumes)	Powdery mildew	1-2Tbsp/36 L water	-		-	-
BIOAGRO AGRICULTURAL PRODUCTS, INC.	CARBENDAZIM	SUPERDAZIM	500 g/L	SC	FUNGICIDE	4	608-267-4302	26-Mar-24	SYSTEMIC	Sugarcane	Pineapple disease	5-10/200L water cane dipping	-		-	-
BIOAGRO AGRICULTURAL PRODUCTS, INC.	CARBENDAZIM	SUPERDAZIM	500 g/L	SC	FUNGICIDE	4	608-267-4302	26-Mar-24	SYSTEMIC	Banana	Diamond fruit spot, anthracnose	0.5-1.0 mL/ L water	-		-	-
AGRIBASE CHEMICALS, INC.	BLUFACHOR+2,4-D IBE	SUPERCUR 60 EC	360-240 g/L	EC	HERBICIDE	3	437-152-2473	23-Oct-24	PRE-EMERGENT	Rice (Direct-seeded)	Broadleaf weeds,grasses & sedges	8-20Tbsp/36 L sprayload	Butachlor 0.1ppm 2,4-D IBE 0.1ppm	-	-	-

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
AGRIBASE CHEMICALS, INC.	BUTACHLOR-2,4-D IBE	SUPERCUT 60 EC	800-240 g/L	EC	HERBICIDE	3	407-152-2473	23-Oct-24	PRE-EMERGENT	Rice (Transplanted)	Broadleaf weeds, grasses & sedges	8-20tbsp/36 L sprayload	Butachlor 0.1ppm 2,4-D IBE 0.1ppm	-	-
INTERNATIONAL VETERINARY & AGROCHEMICAL (IV&A) INC.	CARBARYL	SUPER SEVEN 85 WP	850 g/kg	WP	INSECTICIDE	2	088-035-2076	27-Nov-24	-	Tobacco	Budworm, cutworm, aphids	4-6tbsp/36L water	-	-	Treated areas maybe re-entered immediately after spray has dried
INTERNATIONAL VETERINARY & AGROCHEMICAL (IV&A) INC.	CARBARYL	SUPER SEVEN 85 WP	850 g/kg	WP	INSECTICIDE	2	088-035-2076	27-Nov-24	-	Sorghum	Webworm, armyworm, cutworm, headworm	4-6tbsp/36L water	-	-	Treated areas maybe re-entered immediately after spray has dried
INTERNATIONAL VETERINARY & AGROCHEMICAL (IV&A) INC.	CARBARYL	SUPER SEVEN 85 WP	850 g/kg	WP	INSECTICIDE	2	088-035-2076	27-Nov-24	-	Ornamentals	Aphids, scale insect, mealy bug, cutworm	4-6tbsp/36L water	-	-	Treated areas maybe re-entered immediately after spray has dried
INTERNATIONAL VETERINARY & AGROCHEMICAL (IV&A) INC.	CARBARYL	SUPER SEVEN 85 WP	850 g/kg	WP	INSECTICIDE	2	088-035-2076	27-Nov-24	-	Mango	Mango hopper, tip borer, twig borer, fruit fly, mealy bug	4-6tbsp/36L water	-	1 Day	Treated areas maybe re-entered immediately after spray has dried
INTERNATIONAL VETERINARY & AGROCHEMICAL (IV&A) INC.	CARBARYL	SUPER SEVEN 85 WP	850 g/kg	WP	INSECTICIDE	2	088-035-2076	27-Nov-24	-	Coffee	Berry borer	4-6tbsp/36L water	-	1 Day	Treated areas maybe re-entered immediately after spray has dried
INTERNATIONAL VETERINARY & AGROCHEMICAL (IV&A) INC.	CARBARYL	SUPER SEVEN 85 WP	850 g/kg	WP	INSECTICIDE	2	088-035-2076	27-Nov-24	-	Cacao	Podborer, aphids, caprid bug	4-6tbsp/36L water	-	1 Day	Treated areas maybe re-entered immediately after spray has dried
INTERNATIONAL VETERINARY & AGROCHEMICAL (IV&A) INC.	CARBARYL	SUPER SEVEN 85 WP	850 g/kg	WP	INSECTICIDE	2	088-035-2076	27-Nov-24	-	Citrus	Rind borer	4-6tbsp/36L water	-	5 days	Treated areas maybe re-entered immediately after spray has dried
INTERNATIONAL VETERINARY & AGROCHEMICAL (IV&A) INC.	CARBARYL	SUPER SEVEN 85 WP	850 g/kg	WP	INSECTICIDE	2	088-035-2076	27-Nov-24	-	Soybeans	Podborer, beanfly, leafminer, aphids	4-6tbsp/36L water	-	-	Treated areas maybe re-entered immediately after spray has dried
INTERNATIONAL VETERINARY & AGROCHEMICAL (IV&A) INC.	CARBARYL	SUPER SEVEN 85 WP	850 g/kg	WP	INSECTICIDE	2	088-035-2076	27-Nov-24	-	Rice	Green leafhopper, caseworm, aphids	4-6tbsp/36L water	1ppm	14 Days	Treated areas maybe re-entered immediately after spray has dried
INTERNATIONAL VETERINARY & AGROCHEMICAL (IV&A) INC.	CARBARYL	SUPER SEVEN 85 WP	850 g/kg	WP	INSECTICIDE	2	088-035-2076	27-Nov-24	-	Cowpea and other beans	Podborer, beanfly, leafminer, cutworm, aphids	4-6tbsp/36L water	-	-	Treated areas maybe re-entered immediately after spray has dried
INTERNATIONAL VETERINARY & AGROCHEMICAL (IV&A) INC.	CARBARYL	SUPER SEVEN 85 WP	850 g/kg	WP	INSECTICIDE	2	088-035-2076	27-Nov-24	-	Cotton seed	Bollworm, cutworm	4-6tbsp/36L water	-	-	Treated areas maybe re-entered immediately after spray has dried
INTERNATIONAL VETERINARY & AGROCHEMICAL (IV&A) INC.	CARBARYL	SUPER SEVEN 85 WP	850 g/kg	WP	INSECTICIDE	2	088-035-2076	27-Nov-24	-	Corn	Corn borer, corn earworm, army worm	4-6tbsp/36L water	-	-	Treated areas maybe re-entered immediately after spray has dried
INTERNATIONAL VETERINARY & AGROCHEMICAL (IV&A) INC.	CARBARYL	SUPER SEVEN 85 WP	850 g/kg	WP	INSECTICIDE	2	088-035-2076	27-Nov-24	-	Tomato	Fruitworm, leafy beetle	4-6tbsp/36L water	-	-	Treated areas maybe re-entered immediately after spray has dried
INTERNATIONAL VETERINARY & AGROCHEMICAL (IV&A) INC.	CARBARYL	SUPER SEVEN 85 WP	850 g/kg	WP	INSECTICIDE	2	088-035-2076	27-Nov-24	-	Cucurbits	Squash beetle, leafy beetle	4-6tbsp/36L water	-	-	Treated areas maybe re-entered immediately after spray has dried
HQ AGRICARE TRADING, INC.	GLYPHOSATE IPA	SUPER PWR	180 g/L	SL	HERBICIDE	4	105-151-4251	05-Feb-24	POST-EMERGENT	Non-crop Areas	Common grassy field	3-4 L/ha	-	-	-
ARIES RINE CHEMICAL CORPORATION	MALATHION	SUPER MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	478-038-4257	12-Feb-24	NON-SYSTEMIC	Fruit trees	Aphids, mealy bug scale insect	1.0-3.0tbsp/36 L water	-	-	-
ARIES RINE CHEMICAL CORPORATION	MALATHION	SUPER MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	478-038-4257	12-Feb-24	NON-SYSTEMIC	Rice	Armyworm, caseworm, leafhopper, bugs	2.0-3.0tbsp/36 L water	-	-	-
ARIES RINE CHEMICAL CORPORATION	MALATHION	SUPER MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	478-038-4257	12-Feb-24	NON-SYSTEMIC	Corn	Earworm, silkworm, aphids, grasshopper	3.0-5.0tbsp/36 L water	-	-	-
ARIES RINE CHEMICAL CORPORATION	MALATHION	SUPER MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	478-038-4257	12-Feb-24	NON-SYSTEMIC	Cruifer	Cabbage worm, loopers, diamond-back moth	2.0-5.0tbsp/36 L water	-	-	-
ARIES RINE CHEMICAL CORPORATION	MALATHION	SUPER MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	478-038-4257	12-Feb-24	NON-SYSTEMIC	Cabbage	Cabbage worm, loopers, diamond-back moth	2.0-5.0tbsp/36 L water	-	-	-
ARIES RINE CHEMICAL CORPORATION	MALATHION	SUPER MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	478-038-4257	12-Feb-24	NON-SYSTEMIC	Legumes	Aphids, beanfly, cutworm, flea beetles, leafminer, maggots, mealybug, podborer, thrips	2.0-5.0tbsp/36 L water	-	-	-
ARIES RINE CHEMICAL CORPORATION	MALATHION	SUPER MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	478-038-4257	12-Feb-24	NON-SYSTEMIC	Grapes	Beetles, cutworm, leafhopper, mealybug, scale, insect, spider mites	3.0tbsp/36 L water	-	-	-
ARIES RINE CHEMICAL CORPORATION	MALATHION	SUPER MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	478-038-4257	12-Feb-24	NON-SYSTEMIC	Pineapple	Mealy bug	3.0tbsp/36 L water	-	-	-
ARIES RINE CHEMICAL CORPORATION	MALATHION	SUPER MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	478-038-4257	12-Feb-24	NON-SYSTEMIC	Pepper	Aphid, cutworm, fruitworm	3.0tbsp/36 L water	-	-	-
ARIES RINE CHEMICAL CORPORATION	MALATHION	SUPER MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	478-038-4257	12-Feb-24	NON-SYSTEMIC	Garlic	Cutworm	3.0tbsp/36 L water	-	-	-
ARIES RINE CHEMICAL CORPORATION	MALATHION	SUPER MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	478-038-4257	12-Feb-24	NON-SYSTEMIC	Onion	Cutworm	3.0tbsp/36 L water	-	-	-
ARIES RINE CHEMICAL CORPORATION	MALATHION	SUPER MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	478-038-4257	12-Feb-24	NON-SYSTEMIC	Tobacco	Aphids, katydid	3.0-6.0tbsp/36 L water	-	-	-
ARIES RINE CHEMICAL CORPORATION	MALATHION	SUPER MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	478-038-4257	12-Feb-24	NON-SYSTEMIC	Ornamentals	Aphids, cutworm, mealybug, scale insect, spider mites	3.0-5.0tbsp/36 L water	-	-	-
ARIES RINE CHEMICAL CORPORATION	MALATHION	SUPER MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	478-038-4257	12-Feb-24	NON-SYSTEMIC	Tomato	Lady beetle	3.0-5.0tbsp/36 L water	-	-	-
ARIES RINE CHEMICAL CORPORATION	MALATHION	SUPER MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	478-038-4257	12-Feb-24	NON-SYSTEMIC	Eggplant	Aphids, fruitworm	3.0-5.0tbsp/36 L water	-	-	-
ARIES RINE CHEMICAL CORPORATION	MALATHION	SUPER MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	478-038-4257	12-Feb-24	NON-SYSTEMIC	Sorghum	Web worm	3.0tbsp/36 L water	-	-	-
MARTHADAVE CO., LTD.	LAMBDA-CHYALOTHIRIN	SUPER LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	409-204-2135	20-Dec-20	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leafroller, black bug	1.0-1.5tbsp/36 L of water	0.05ppm	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
MARTHADAVE CO., LTD.	LAMBDA-CHYALOTHIRIN	SUPER LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	409-204-2135	20-Dec-20	SYSTEMIC	Mango	Hoppers	0.75-1.5tbsp/36 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
MARTHADAVE CO., LTD.	LAMBDA-CHYALOTHIRIN	SUPER LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	409-204-2135	20-Dec-20	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5tbsp/36 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
MARTHADAVE CO., LTD.	LAMBDA-CHYALOTHIRIN	SUPER LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	409-204-2135	20-Dec-20	SYSTEMIC	Onion	Thrips, cutworm	1.0tbsp/36 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
MARTHADAVE CO., LTD.	LAMBDA-CHYALOTHIRIN	SUPER LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	409-204-2135	20-Dec-20	SYSTEMIC	Mungbeans	Beanfly, flea beetle, leafhopper, aphids, mites, podborer	1.0tbsp/36 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
MARTHADAVE CO., LTD.	LAMBDA-CHYALOTHIRIN	SUPER LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	409-204-2135	20-Dec-20	SYSTEMIC	Corn	Comborer, aphids, seedling maggots	1.0-1.5tbsp/36 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
MARTHADAVE CO., LTD.	LAMBDA-CHYALOTHIRIN	SUPER LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	409-204-2135	20-Dec-20	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5tbsp/36 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
MARTHADAVE CO., LTD.	LAMBDA-CHYALOTHIRIN	SUPER LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	409-204-2135	20-Dec-20	SYSTEMIC	Cotton	Bollworm	1.0-1.5tbsp/36 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
MARTHADAVE CO., LTD.	LAMBDA-CHYALOTHIRIN	SUPER LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	409-204-2135	20-Dec-20	SYSTEMIC	Cocoa	Podborer	1.0-2.0tbsp/36 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
MARTHADAVE CO., LTD.	LAMBDA-CHYALOTHIRIN	SUPER LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	409-204-2135	20-Dec-20	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0tbsp/36 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
INTERNATIONAL VETERINARY & AGROCHEMICAL (IV&A) INC.	BUTACHLOR-PROPANIL	SUPER HERBICIDE 700 EC	300-350 g/L	EC	HERBICIDE	3	088-238-1883	01-Dec-25	POST-EMERGENT	Rice (Direct Seeded)	Grasses, Sedges and Broadleaves	8-12tbsp/36 L water	Butachlor 0.1ppm Propanil 0.1ppm	-	As soon as the spray mist dries up
INTERNATIONAL VETERINARY & AGROCHEMICAL (IV&A) INC.	BUTACHLOR-PROPANIL	SUPER HERBICIDE 700 EC	300-350 g/L	EC	HERBICIDE	3	088-238-1883	01-Dec-25	POST-EMERGENT	Rice (Transplanted)	Grasses, Sedges and Broadleaves	8-12tbsp/36 L water	Butachlor 0.1ppm Propanil 0.1ppm	-	As soon as the spray mist dries up
INTERNATIONAL VETERINARY & AGROCHEMICAL (IV&A) INC.	GLYPHOSATE IPA	SUPER GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	088-151-2359	01-Oct-24	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/ha	-	-	-
INTERNATIONAL VETERINARY & AGROCHEMICAL (IV&A) INC.	GLYPHOSATE IPA	SUPER GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	088-151-2359	01-Oct-24	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
INTERNATIONAL VETERINARY & AGROCHEMICAL (IV&A) INC.	GLYPHOSATE IPA	SUPER GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	088-151-2359	01-Oct-24	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
INTERNATIONAL VETERINARY & AGROCHEMICAL (IV&A) INC.	GLYPHOSATE IPA	SUPER GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	088-151-2359	01-Oct-24	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
INTERNATIONAL VETERINARY & AGROCHEMICAL (IV&A) INC.	GLYPHOSATE IPA	SUPER GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	088-151-2359	01-Oct-24	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
INTERNATIONAL VETERINARY & AGROCHEMICAL (IV&A) INC.	GLYPHOSATE IPA	SUPER GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	088-151-2359	01-Oct-24	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
INTERNATIONAL VETERINARY & AGROCHEMICAL (IV&A) INC.	GLYPHOSATE IPA	SUPER GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	088-151-2359	01-Oct-24	POST-EMERGENT	Gill palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
INTERNATIONAL VETERINARY & AGROCHEMICAL (IV&A) INC.	GLYPHOSATE IPA	SUPER GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	088-151-2359	01-Oct-24	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
INTERNATIONAL VETERINARY & AGROCHEMICAL (IV&A) INC.	GLYPHOSATE IPA	SUPER GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	088-151-2359	01-Oct-24	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/ha	-	-	-
INTERNATIONAL VETERINARY & AGROCHEMICAL (IV&A) INC.	GLYPHOSATE IPA	SUPER GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	088-151-2359	01-Oct-24	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
INTERNATIONAL VETERINARY & AGROCHEMICAL (IV&A) INC.	GLYPHOSATE IPA	SUPER GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	088-151-2359	01-Oct-24	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
INTERNATIONAL VETERINARY & AGROCHEMICAL (IV&A) INC.	GLYPHOSATE IPA	SUPER GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	088-151-2359	01-Oct-24	POST-EMERGENT	non-crop	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
INTERNATIONAL VETERINARY & AGROCHEMICAL (IV&A), INC.	GLYPHOSATE IPA	SUPER GLYPHOSATE 160 SL	160 g/L	SL	HERBICIDE	4	088-153-2359	01-Oct-24	POST-EMERGENT	Non-crop areas	common grassy fields	-	-	-	-
DCOM MARKETING INCORPORATED	NICLOXOLACETHANOLAMINE SALT	SUPER DI 70 WP	700 g/kg	WP	MOLLUSCICIDE	4	467-229-2523	12-Jan-25	CONTACT	Rice	Golden Apple Snail (Kuhol)	36 gm/36 L water	-	-	-
INTERNATIONAL VETERINARY & AGROCHEMICAL (IV&A), INC.	CARTAP HYDROCHLORIDE	SUPER CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	088-106-1354-B	02-Jun-26	SYSTEMIC	Rice	Whorl maggot, stemborer, green leafhopper, brown planthopper	3.0-5.0Tbsp/36 L water	0.2ppm	-	Spraying should be done 10 days before harvest Enter the treated field 48 hours after spraying
INTERNATIONAL VETERINARY & AGROCHEMICAL (IV&A), INC.	CARTAP HYDROCHLORIDE	SUPER CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	088-106-1354-B	02-Jun-26	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/36 L water	-	-	Spraying should be done 10 days before harvest Enter the treated field 48 hours after spraying
INTERNATIONAL VETERINARY & AGROCHEMICAL (IV&A), INC.	CARTAP HYDROCHLORIDE	SUPER CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	088-106-1354-B	02-Jun-26	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/36 L water	-	-	Spraying should be done 10 days before harvest Enter the treated field 48 hours after spraying
INTERNATIONAL VETERINARY & AGROCHEMICAL (IV&A), INC.	CARTAP HYDROCHLORIDE	SUPER CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	088-106-1354-B	02-Jun-26	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/36 L water	-	-	Spraying should be done 10 days before harvest Enter the treated field 48 hours after spraying
INTERNATIONAL VETERINARY & AGROCHEMICAL (IV&A), INC.	CARTAP HYDROCHLORIDE	SUPER CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	088-106-1354-B	02-Jun-26	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/36 L water	-	-	Spraying should be done 10 days before harvest Enter the treated field 48 hours after spraying
INTERNATIONAL VETERINARY & AGROCHEMICAL (IV&A), INC.	CARTAP HYDROCHLORIDE	SUPER CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	088-106-1354-B	02-Jun-26	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/36 L water	-	-	Spraying should be done 10 days before harvest Enter the treated field 48 hours after spraying
INTERNATIONAL VETERINARY & AGROCHEMICAL (IV&A), INC.	CARTAP HYDROCHLORIDE	SUPER CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	088-106-1354-B	02-Jun-26	SYSTEMIC	Mango	leafhoppers	1.5-2.0Tbsp/36 L water	-	-	Spraying should be done 10 days before harvest Enter the treated field 48 hours after spraying
INTERNATIONAL VETERINARY & AGROCHEMICAL (IV&A), INC.	CARTAP HYDROCHLORIDE	SUPER CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	088-106-1354-B	02-Jun-26	SYSTEMIC	Peachay	looper, cutworm, aphids	1.5-3.0Tbsp/36 L water	-	-	Spraying should be done 10 days before harvest Enter the treated field 48 hours after spraying
AGCHEM MANUFACTURING CORPORATION	CHLORPYRIFOS	SUPER BLAZER 30 EC	300 g/L	EC	INSECTICIDE	2	001-101-2143	27-Dec-24	-	Rice	Stemborer, armyworm, leafhopper, caseworm, planthopper, cutworm	2.5-3.5 Tbsp/36L water	-	-	-
AGCHEM MANUFACTURING CORPORATION	CHLORPYRIFOS	SUPER BLAZER 30 EC	300 g/L	EC	INSECTICIDE	2	001-101-2143	27-Dec-24	-	Potato	Tubermoth, leafhopper, cutworm, aphids	2.5-3.5 Tbsp/36L water	-	-	-
AGCHEM MANUFACTURING CORPORATION	CHLORPYRIFOS	SUPER BLAZER 30 EC	300 g/L	EC	INSECTICIDE	2	001-101-2143	27-Dec-24	-	Corn	Armyworm, cornborer, earworm, seedling maggot	2.5-3.5 Tbsp/36L water	-	-	-
AGCHEM MANUFACTURING CORPORATION	CHLORPYRIFOS	SUPER BLAZER 30 EC	300 g/L	EC	INSECTICIDE	2	001-101-2143	27-Dec-24	-	Beans	Beanfly, leafroller, podborer, cutworm, armyworm	2.5-3.5 Tbsp/36L water	-	-	-
INTERNATIONAL VETERINARY & AGROCHEMICAL (IV&A), INC.	2,4-D IBE	SUPER 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	088-049-2034	02-Dec-22	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual Broadleaves & sedges	5.0-6.50Tbsp/36 L water	0.1 ppm	-	Do not spray within two days before harvest Entry to fields and crops treated with SUPER 2,4-D ESTER can be done one day after spraying
INTERNATIONAL VETERINARY & AGROCHEMICAL (IV&A), INC.	2,4-D IBE	SUPER 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	088-049-2034	02-Dec-22	SELECTIVE (POST-EMERGENT)	Corn	Annual Broadleaves & sedges	5.0-6.50Tbsp/36 L water	-	-	Do not spray within two days before harvest Entry to fields and crops treated with SUPER 2,4-D ESTER can be done one day after spraying
INTERNATIONAL VETERINARY & AGROCHEMICAL (IV&A), INC.	2,4-D IBE	SUPER 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	088-049-2034	02-Dec-22	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual Broadleaves & sedges	5.0-6.50Tbsp/36 L water	-	-	Do not spray within two days before harvest Entry to fields and crops treated with SUPER 2,4-D ESTER can be done one day after spraying
INTERNATIONAL VETERINARY & AGROCHEMICAL (IV&A), INC.	2,4-D AMINE	SUPER 2,4-D AMINE	400 g/L	EC	HERBICIDE	2	088-013-1685	27-Feb-27	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual broadleaves and sedges	3.5-6.5Tbsp/36 L water	0.1 ppm	-	-
INTERNATIONAL VETERINARY & AGROCHEMICAL (IV&A), INC.	2,4-D AMINE	SUPER 2,4-D AMINE	400 g/L	EC	HERBICIDE	2	088-013-1685	27-Feb-27	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual broadleaves and sedges	3.5-6.5Tbsp/36 L water	-	-	-
INTERNATIONAL VETERINARY & AGROCHEMICAL (IV&A), INC.	2,4-D AMINE	SUPER 2,4-D AMINE	400 g/L	EC	HERBICIDE	2	088-013-1685	27-Feb-27	SELECTIVE (POST-EMERGENT)	Corn	Annual broadleaves and sedges	5-6.5 Tbsp/36 L water	-	-	-
AGWAY CHEMICALS CORPORATION	SULFENTHAZONE	SURZONE 480 SC	480 g/L	SC	HERBICIDE	3	075-392-5208	30-Sep-26	PRE-EMERGENT	Pineapple	Nutedge Broadleaves	2 L/HA	-	-	0 Day
AGWAY CHEMICALS CORPORATION	SULFENTHAZONE	SURZONE 480 SC	480 g/L	SC	HERBICIDE	3	075-392-5208	30-Sep-26	PRE-EMERGENT	Sugarcane	Sedge (Cyperus rotundus) Grasses broadleaves	1 L/HA	-	-	0 Day
SUNO AGROTECH INC.	THIRAM	SUNO THIRAM 80 WG	800 g/kg	WG	FUNGICIDE	3	619-337-5580	25-Oct-24	-	Banana	Black sigatoka & freckle	2.5 kg/ha 300L water	-	-	Re-entry to treated areas as soon as the spray droplets deposits has dried up
SUNO AGROTECH INC.	THIRAM	SUNO THIRAM 80 WG	800 g/kg	WG	FUNGICIDE	3	619-337-5581	25-Oct-24	-	Pineapple	Phytophthora heart rot & fruit rot	7.5-11.5 kg/ha 400-500L water, 8-13kg/ha 1000-400L water	-	-	Re-entry to treated areas as soon as the spray droplets deposits has dried up
SUNO AGROTECH INC.	THIRAM	SUNO THIRAM 80 WG	800 g/kg	WG	FUNGICIDE	3	619-337-5582	25-Oct-24	-	Coleary	Leafspot & blight	4 Tbsp /56L water	-	-	Do not enter the field within 2 days after spraying
SUNO AGROTECH INC.	THIRAM	SUNO THIRAM 80 WG	800 g/kg	WG	FUNGICIDE	3	619-337-5583	25-Oct-24	-	Mango	Scab & anthracnose	6 Tbsp /56L water	-	-	Re-entry to treated areas as soon as the spray droplets deposits has dried up
SUNO AGROTECH INC.	THIOPHANATE METHYL	SUNO THIOPHANATE METHYL 70 WP	700 g/kg	WP	FUNGICIDE	4	619-307-5579	25-Oct-24	-	Rice	Rice blast, neck rot, black spot	1.5-2.0 Tbsp /56L water	-	-	Do not enter the field within 2 days after spraying
SUNO AGROTECH INC.	THIOPHANATE METHYL	SUNO THIOPHANATE METHYL 70 WP	700 g/kg	WP	FUNGICIDE	4	619-307-5580	25-Oct-24	-	Mango	Anthracoese	0.5-1.0 Tbsp/36L Water	-	-	Do not enter the field within 2 days after spraying
SUNO AGROTECH INC.	THIOPHANATE METHYL	SUNO THIOPHANATE METHYL 70 WP	700 g/kg	WP	FUNGICIDE	4	619-307-5581	25-Oct-24	-	Tobacco	Frog eye leaf spot	0.5-1.0 Tbsp/36L Water	-	-	Do not enter the field within 2 days after spraying
SUNO AGROTECH INC.	THIOPHANATE METHYL	SUNO THIOPHANATE METHYL 70 WP	700 g/kg	WP	FUNGICIDE	4	619-307-5582	25-Oct-24	-	Tomato	Powdery mildew	0.5-1.0 Tbsp/36L Water	-	-	Do not enter the field within 2 days after spraying
SUNO AGROTECH INC.	THIOPHANATE METHYL	SUNO THIOPHANATE METHYL 70 WP	700 g/kg	WP	FUNGICIDE	4	619-307-5583	25-Oct-24	-	Legumes	Powdery mildew, cercospora leaf spot, anthracnose, botrytis rot, Fusarium wilt	0.5-1.0 Tbsp/36L Water	-	-	Do not enter the field within 2 days after spraying
SUNO AGROTECH INC.	THIOPHANATE METHYL	SUNO THIOPHANATE METHYL 70 WP	700 g/kg	WP	FUNGICIDE	4	619-307-5584	25-Oct-24	-	Beans	Powdery mildew, cercospora leaf spot, anthracnose, botrytis rot, Fusarium wilt	0.5-1.0 Tbsp/36L Water	-	-	Do not enter the field within 2 days after spraying
SUNO AGROTECH INC.	THIOPHANATE METHYL	SUNO THIOPHANATE METHYL 70 WP	700 g/kg	WP	FUNGICIDE	4	619-307-5585	25-Oct-24	-	Cucumber	Powdery mildew, gummy stem blight, leaf and fruit spots	0.5-1.0 Tbsp/36L Water	-	-	Do not enter the field within 2 days after spraying
SUNO AGROTECH INC.	THIOPHANATE METHYL	SUNO THIOPHANATE METHYL 70 WP	700 g/kg	WP	FUNGICIDE	4	619-307-5586	25-Oct-24	-	Melon	Powdery mildew, gummy stem blight, leaf and fruit spots	0.5-1.0 Tbsp/36L Water	-	-	Do not enter the field within 2 days after spraying
SUNO AGROTECH INC.	THIOPHANATE METHYL	SUNO THIOPHANATE METHYL 70 WP	700 g/kg	WP	FUNGICIDE	4	619-307-5587	25-Oct-24	-	Ornamentals	Powdery mildew, black spots	0.5-1.0 Tbsp/36L Water	-	-	Do not enter the field within 2 days after spraying
SUNO AGROTECH INC.	THIOPHANATE METHYL	SUNO THIOPHANATE METHYL 70 WP	700 g/kg	WP	FUNGICIDE	4	619-307-5588	25-Oct-24	-	Orchids	Powdery mildew, black spots	0.5-1.0 Tbsp/36L Water	-	-	Do not enter the field within 2 days after spraying
SUNO AGROTECH INC.	THIOPHANATE METHYL	SUNO THIOPHANATE METHYL 70 WP	700 g/kg	WP	FUNGICIDE	4	619-307-5589	25-Oct-24	-	Cabbage	Shot hole disease, cercospora leaf spot	0.5-1.0 Tbsp/36L Water	-	-	Do not enter the field within 2 days after spraying
SUNO AGROTECH INC.	THIOPHANATE METHYL	SUNO THIOPHANATE METHYL 70 WP	700 g/kg	WP	FUNGICIDE	4	619-307-5590	25-Oct-24	-	Cauliflower	Shot hole disease, cercospora leaf spot	0.5-1.0 Tbsp/36L Water	-	-	Do not enter the field within 2 days after spraying
SUNO AGROTECH INC.	THIOPHANATE METHYL	SUNO THIOPHANATE METHYL 70 WP	700 g/kg	WP	FUNGICIDE	4	619-307-5591	25-Oct-24	-	Lettuce	Shot hole disease, cercospora leaf spot	0.5-1.0 Tbsp/36L Water	-	-	Do not enter the field within 2 days after spraying
SUNO AGROTECH INC.	THIOPHANATE METHYL	SUNO THIOPHANATE METHYL 70 WP	700 g/kg	WP	FUNGICIDE	4	619-307-5592	25-Oct-24	-	Strawberry	Powdery mildew	0.5-1.0 Tbsp/36L Water	-	-	Do not enter the field within 2 days after spraying
SUNO AGROTECH INC.	THIOPHANATE METHYL	SUNO THIOPHANATE METHYL 70 WP	700 g/kg	WP	FUNGICIDE	4	619-307-5593	25-Oct-24	-	Grapes	Fruit rot, Powdery mildew, anthracnose	0.5-1.0 Tbsp/36L Water	-	-	Do not enter the field within 2 days after spraying
SUNO AGROTECH INC.	THIOPHANATE METHYL	SUNO THIOPHANATE METHYL 70 WP	700 g/kg	WP	FUNGICIDE	4	619-307-5594	25-Oct-24	-	Orange	Scabs	0.5-1.0 Tbsp/36L Water	-	-	Do not enter the field within 2 days after spraying
SUNO AGROTECH INC.	THIOPHANATE METHYL	SUNO THIOPHANATE METHYL 70 WP	700 g/kg	WP	FUNGICIDE	4	619-307-5595	25-Oct-24	-	Citrus	Scabs	0.5-1.0 Tbsp/36L Water	-	-	Do not enter the field within 2 days after spraying
SUNO AGROTECH INC.	THIOPHANATE METHYL	SUNO THIOPHANATE METHYL 70 WP	700 g/kg	WP	FUNGICIDE	4	619-307-5596	25-Oct-24	-	Calamansi	Scabs	0.5-1.0 Tbsp/36L Water	-	-	Do not enter the field within 2 days after spraying
SUNO AGROTECH INC.	THIOPHANATE METHYL	SUNO THIOPHANATE METHYL 70 WP	700 g/kg	WP	FUNGICIDE	4	619-307-5597	25-Oct-24	-	Banana	Sigatoka	1.5-2.0 Tbsp/ 36L water	-	-	Do not enter the field within 2 days after spraying
SUNO AGROTECH INC.	THIOPHANATE METHYL	SUNO THIOPHANATE METHYL 70 WP	700 g/kg	WP	FUNGICIDE	4	619-307-5598	25-Oct-24	-	Papaya	Powdery mildew	0.1-1.0 Tbsp/ 36L water	-	-	Do not enter the field within 2 days after spraying
SUNO AGROTECH INC.	MANCOZEB	SUNO MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	669-053-5092	17-Sep-23	-	Potato	Early and late blight	3-6 Tbsp/36 L water	-	-	As soon as spray has dried
SUNO AGROTECH INC.	MANCOZEB	SUNO MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	669-053-5092	17-Sep-23	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	-	As soon as spray has dried
SUNO AGROTECH INC.	MANCOZEB	SUNO MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	669-053-5092	17-Sep-23	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	-	As soon as spray has dried
SUNO AGROTECH INC.	MANCOZEB	SUNO MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	669-053-5092	17-Sep-23	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	-	As soon as spray has dried
SUNO AGROTECH INC.	MANCOZEB	SUNO MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	669-053-5092	17-Sep-23	-	Coleary	Late blight	3-6 Tbsp/36 L water	-	-	As soon as spray has dried
SUNO AGROTECH INC.	MANCOZEB	SUNO MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	669-053-5092	17-Sep-23	-	Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	-	As soon as spray has dried
SUNO AGROTECH INC.	MANCOZEB	SUNO MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	669-053-5092	17-Sep-23	-	Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	-	As soon as spray has dried
SUNO AGROTECH INC.	MANCOZEB	SUNO MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	669-053-5092	17-Sep-23	-	Cotton	Damping off	3-6 Tbsp/36 L water	-	-	As soon as spray has dried
SUNO AGROTECH INC.	MANCOZEB	SUNO MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	669-053-5092	17-Sep-23	-	lettuce	Downy mildew	3-6 Tbsp/36 L water	-	-	As soon as spray has dried
SUNO AGROTECH INC.	MANCOZEB	SUNO MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	669-053-5092	17-Sep-23	-	Beans	Anthracoese, Downy mildew, Rust	3-6 Tbsp/36 L water	-	-	As soon as spray has dried

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
SUNO AGROTECH INC.	MANCOZEB	SUNO MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	669-053-5092	17-Sep-23		Pean	Anthracoese, Downy mildew, Rust	3-6 Tbsp/36 L water	-	5 days	As soon as spray has dried
SUNO AGROTECH INC.	MANCOZEB	SUNO MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	669-053-5092	17-Sep-23		Mungo	Anthracoese, Downy mildew, Rust	3-6 Tbsp/36 L water	-	5 days	As soon as spray has dried
SUNO AGROTECH INC.	MANCOZEB	SUNO MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	669-053-5092	17-Sep-23		Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/36 L water	-	5 days	As soon as spray has dried
SUNO AGROTECH INC.	MANCOZEB	SUNO MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	669-053-5092	17-Sep-23		Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36 L water	-	7 Days	As soon as spray has dried
SUNO AGROTECH INC.	MANCOZEB	SUNO MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	669-053-5092	17-Sep-23		Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36 L water	-	7 Days	As soon as spray has dried
SUNO AGROTECH INC.	MANCOZEB	SUNO MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	669-053-5092	17-Sep-23		Pepper	Anthracoese	3-6 Tbsp/36 L water	-	7 Days	As soon as spray has dried
SUNO AGROTECH INC.	MANCOZEB	SUNO MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	669-053-5092	17-Sep-23		Chili	Anthracoese	3-6 Tbsp/36 L water	-	7 Days	As soon as spray has dried
SUNO AGROTECH INC.	MANCOZEB	SUNO MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	669-053-5092	17-Sep-23		Eggplant	Blight, Anthracnose	3-6 Tbsp/36 L water	-	7 Days	As soon as spray has dried
SUNO AGROTECH INC.	MANCOZEB	SUNO MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	669-053-5092	17-Sep-23		Banana	Sigatoka, Black leaf streak	3-6 Tbsp/36 L water	-	-	As soon as spray has dried
SUNO AGROTECH INC.	MANCOZEB	SUNO MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	669-053-5092	17-Sep-23		Grapes	Downy mildew, black rot	3-6 Tbsp/36 L water	-	60 days	As soon as spray has dried
SUNO AGROTECH INC.	MANCOZEB	SUNO MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	669-053-5092	17-Sep-23		Mango	Anthracoese and Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray has dried
SUNO AGROTECH INC.	MANCOZEB	SUNO MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	669-053-5092	17-Sep-23		Papaya	Fruit rot	3-6 Tbsp/36 L water	-	-	As soon as spray has dried
SUNO AGROTECH INC.	MANCOZEB	SUNO MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	669-053-5092	17-Sep-23		Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray has dried
SUNO AGROTECH INC.	MANCOZEB	SUNO MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	669-053-5092	17-Sep-23		Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray has dried
SUNO AGROTECH INC.	MANCOZEB	SUNO MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	669-053-5092	17-Sep-23		Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/36 L water	-	7 Days	As soon as spray has dried
SUNO AGROTECH INC.	MANCOZEB	SUNO MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	669-053-5092	17-Sep-23		Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/36 L water	-	-	As soon as spray has dried
SUNO AGROTECH INC.	MANCOZEB	SUNO MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	669-053-5092	17-Sep-23		Peanut	Cercospora leaf spot	3-6 Tbsp/36 L water	-	14 Days	As soon as spray has dried
SUNO AGROTECH INC.	MANCOZEB	SUNO MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	669-053-5092	17-Sep-23		Soybeans	Leaf rust	3-6 Tbsp/36 L water	-	-	As soon as spray has dried
SUNO AGROTECH INC.	MANCOZEB	SUNO MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	669-053-5092	17-Sep-23		Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/36 L water	-	-	As soon as spray has dried
SUNO AGROTECH INC.	MALATHION	SUNO MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	669-038-5094	23-Dec-25	NON-SYSTEMIC	Fruit trees	Aphids, mealy bug scale insect	1.5-3.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying
SUNO AGROTECH INC.	MALATHION	SUNO MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	669-038-5094	23-Dec-25	NON-SYSTEMIC	Rice	Amyrmom, caseworm, leafhopper, bugs	2.0-5.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying
SUNO AGROTECH INC.	MALATHION	SUNO MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	669-038-5094	23-Dec-25	NON-SYSTEMIC	Corn	Earworm, silkworm, aphids, grasshopper	3.0-5.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying
SUNO AGROTECH INC.	MALATHION	SUNO MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	669-038-5094	23-Dec-25	NON-SYSTEMIC	Cabbage	Cabbage worm, looper, diamond back moth	2.0-5.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying
SUNO AGROTECH INC.	MALATHION	SUNO MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	669-038-5094	23-Dec-25	NON-SYSTEMIC	Legumes	Aphids, beanfly, cutworm, flea beetles, leafminer, maggots, mealybug, podborer, thrips	2.0-5.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying
SUNO AGROTECH INC.	MALATHION	SUNO MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	669-038-5094	23-Dec-25	NON-SYSTEMIC	Grapes	Beetles, cutworm, leafhopper, mealybug, scale, insect, spider mites	3.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying
SUNO AGROTECH INC.	MALATHION	SUNO MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	669-038-5094	23-Dec-25	NON-SYSTEMIC	Pineapple	Mealy bug	3.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying
SUNO AGROTECH INC.	MALATHION	SUNO MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	669-038-5094	23-Dec-25	NON-SYSTEMIC	Pepper	Aphid, cutworm, fruitworm	3.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying
SUNO AGROTECH INC.	MALATHION	SUNO MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	669-038-5094	23-Dec-25	NON-SYSTEMIC	Garlic	Cutworm	3.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying
SUNO AGROTECH INC.	MALATHION	SUNO MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	669-038-5094	23-Dec-25	NON-SYSTEMIC	Onion	Cutworm	3.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying
SUNO AGROTECH INC.	MALATHION	SUNO MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	669-038-5094	23-Dec-25	NON-SYSTEMIC	Tobacco	Aphids, katydid	3.0-6.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying
SUNO AGROTECH INC.	MALATHION	SUNO MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	669-038-5094	23-Dec-25	NON-SYSTEMIC	Ornamentals	Aphids, cutworm, mealybug, scale insect, spider mites	3.0-5.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying
SUNO AGROTECH INC.	MALATHION	SUNO MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	669-038-5094	23-Dec-25	NON-SYSTEMIC	Tomato	Lady beetle	3.0-5.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying
SUNO AGROTECH INC.	MALATHION	SUNO MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	669-038-5094	23-Dec-25	NON-SYSTEMIC	Eggplant	Aphids, fruitworm	3.0-5.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying
SUNO AGROTECH INC.	MALATHION	SUNO MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	669-038-5094	23-Dec-25	NON-SYSTEMIC	Sorghum	Web worm	3.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying
SUNO AGROTECH INC.	MALATHION	SUNO MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	669-038-5094	23-Dec-25	NON-SYSTEMIC	Cruifers	Cabbage worm, looper, diamond back moth	2.0-5.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying
SUNO AGROTECH INC.	LAMBDA CYHALOTHIRIN	SUNO LAMBDA CYHALOTHIRIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	669-204-5095	21-Dec-26	SYSTEMIC	Rice	Green leafhopper, amyrmom, rice bug, leafroller, black bug	1.0-1.5Tbsp/36 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
SUNO AGROTECH INC.	LAMBDA CYHALOTHIRIN	SUNO LAMBDA CYHALOTHIRIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	669-204-5095	21-Dec-26	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/36 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
SUNO AGROTECH INC.	LAMBDA CYHALOTHIRIN	SUNO LAMBDA CYHALOTHIRIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	669-204-5095	21-Dec-26	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/36 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
SUNO AGROTECH INC.	LAMBDA CYHALOTHIRIN	SUNO LAMBDA CYHALOTHIRIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	669-204-5095	21-Dec-26	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/36 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
SUNO AGROTECH INC.	LAMBDA CYHALOTHIRIN	SUNO LAMBDA CYHALOTHIRIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	669-204-5095	21-Dec-26	SYSTEMIC	Mungbeans	Beanfly, flea beetle, leafhopper, aphids, mites, podborer	1.0Tbsp/36 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
SUNO AGROTECH INC.	LAMBDA CYHALOTHIRIN	SUNO LAMBDA CYHALOTHIRIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	669-204-5095	21-Dec-26	SYSTEMIC	Corn	Comborer, aphids, seedling maggots	1.0-1.5Tbsp/36 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
SUNO AGROTECH INC.	LAMBDA CYHALOTHIRIN	SUNO LAMBDA CYHALOTHIRIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	669-204-5095	21-Dec-26	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5Tbsp/36 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
SUNO AGROTECH INC.	LAMBDA CYHALOTHIRIN	SUNO LAMBDA CYHALOTHIRIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	669-204-5095	21-Dec-26	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/36 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
SUNO AGROTECH INC.	LAMBDA CYHALOTHIRIN	SUNO LAMBDA CYHALOTHIRIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	669-204-5095	21-Dec-26	SYSTEMIC	Cocoa	Podborer	1.0-2.0Tbsp/36 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
SUNO AGROTECH INC.	LAMBDA CYHALOTHIRIN	SUNO LAMBDA CYHALOTHIRIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	669-204-5095	21-Dec-26	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/36 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
SUNO AGROTECH INC.	GLYPHOSATE IPA	SUNO GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	669-151-5091-A (216)	08-Dec-26	POST-EMERGENT		Glyphosate tolerant corn under minimum or reduced	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/ha	-	-
SUNO AGROTECH INC.	GLYPHOSATE IPA	SUNO GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	669-151-5091-A (216)	08-Dec-26	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
SUNO AGROTECH INC.	GLYPHOSATE IPA	SUNO GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	669-151-5091-A (216)	08-Dec-26	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
SUNO AGROTECH INC.	GLYPHOSATE IPA	SUNO GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	669-151-5091-A (216)	08-Dec-26	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
SUNO AGROTECH INC.	GLYPHOSATE IPA	SUNO GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	669-151-5091-A (216)	08-Dec-26	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
SUNO AGROTECH INC.	GLYPHOSATE IPA	SUNO GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	669-151-5091-A (216)	08-Dec-26	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0Liters/ha	-	-	-
SUNO AGROTECH INC.	GLYPHOSATE IPA	SUNO GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	669-151-5091-A (216)	08-Dec-26	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0Liters/ha	-	-	-
SUNO AGROTECH INC.	GLYPHOSATE IPA	SUNO GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	669-151-5091-A (216)	08-Dec-26	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0Liters/ha	-	-	-
SUNO AGROTECH INC.	GLYPHOSATE IPA	SUNO GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	669-151-5091-A (216)	08-Dec-26	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/ha	-	-	-
SUNO AGROTECH INC.	GLYPHOSATE IPA	SUNO GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	669-151-5091-A (216)	08-Dec-26	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0Liters/ha	-	-	-
SUNO AGROTECH INC.	GLYPHOSATE IPA	SUNO GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	669-151-5091-A (216)	08-Dec-26	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0Liters/ha	-	-	-

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
SUNO AGROTECH INC.	GLYPHOSATE IPA	SUNO GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	669-151-5091-A (236)	08-Dec-26	POST-EMERGENT	Non-crop	Annual & perennial grasses, broadleaf weeds & sedges		-	-	
SUNO AGROTECH INC.	GLUFOSINATE AMMONIUM	SUNO GLUFOSINATE 15 SL	150 g/L	SL	HERBICIDE	4	669-182-5090-A	05-Jul-24	NON-SELECTIVE(POST-EMERGENT)	Cavendish Banana	Annual & Perennial grasses, sedges & broadleaf weeds	300ml /36 L water, 135-200ml/16 L water	-	-	After spray deposits have dried
SUNO AGROTECH INC.	GLUFOSINATE AMMONIUM	SUNO GLUFOSINATE 15 SL	150 g/L	SL	HERBICIDE	4	669-182-5090-A	05-Jul-24	NON-SELECTIVE(POST-EMERGENT)	Rubber	Annual & Perennial grasses, sedges & broadleaf weeds	250ml/36 L water, 270ml/16 L water, 150ml/16 L water	-	-	After spray deposits have dried
SUNO AGROTECH INC.	GLUFOSINATE AMMONIUM	SUNO GLUFOSINATE 15 SL	150 g/L	SL	HERBICIDE	4	669-182-5090-A	05-Jul-24	NON-SELECTIVE(POST-EMERGENT)	Oil palm	Annual & Perennial grasses, sedges & broadleaf weeds	300ml/36 L water, 135ml/16 L water	-	-	After spray deposits have dried
SUNO AGROTECH INC.	GLUFOSINATE AMMONIUM	SUNO GLUFOSINATE 15 SL	150 g/L	SL	HERBICIDE	4	669-182-5090-A	05-Jul-24	NON-SELECTIVE(POST-EMERGENT)	Coffee	Annual & Perennial grasses, sedges & broadleaf weeds	300ml/36 L water, 135ml/16 L water	-	-	After spray deposits have dried
SUNO AGROTECH INC.	GLUFOSINATE AMMONIUM	SUNO GLUFOSINATE 15 SL	150 g/L	SL	HERBICIDE	4	669-182-5090-A	05-Jul-24	NON-SELECTIVE(POST-EMERGENT)	Cacao	Annual & Perennial grasses, sedges & broadleaf weeds	300ml/36 L water, 135ml/16 L water	-	-	After spray deposits have dried
SUNO AGROTECH INC.	GLUFOSINATE AMMONIUM	SUNO GLUFOSINATE 15 SL	150 g/L	SL	HERBICIDE	4	669-182-5090-A	05-Jul-24	NON-SELECTIVE(POST-EMERGENT)	Citrus	Annual & Perennial grasses, sedges & broadleaf weeds	300ml/36 L water, 135ml/16 L water	-	-	After spray deposits have dried
SUNO AGROTECH INC.	GLUFOSINATE AMMONIUM	SUNO GLUFOSINATE 15 SL	150 g/L	SL	HERBICIDE	4	669-182-5090-A	05-Jul-24	NON-SELECTIVE(POST-EMERGENT)	Non-crop areas	Annual & Perennial grasses, sedges & broadleaf weeds	300-215 ml/ 36L water	-	-	After spray deposits have dried
SUNO AGROTECH INC.	CYPERMETHRIN	SUNO CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	669-037-5093	21-Dec-26	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/36 L water	7 days	-	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
SUNO AGROTECH INC.	CYPERMETHRIN	SUNO CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	669-037-5093	21-Dec-26	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leafhopper, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/36 L water	7 days	-	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
SUNO AGROTECH INC.	CYPERMETHRIN	SUNO CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	669-037-5093	21-Dec-26	CONTACT	Cabbage	Diamond-back moth, cabbage moth, worm	1.0-3.0 Tbsp/36 L water	7 days	-	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
SUNO AGROTECH INC.	CYPERMETHRIN	SUNO CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	669-037-5093	21-Dec-26	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/36 L water	7 days	-	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
SUNO AGROTECH INC.	CYPERMETHRIN	SUNO CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	669-037-5093	21-Dec-26	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/36 L water	7 days	-	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
SUNO AGROTECH INC.	CYPERMETHRIN	SUNO CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	669-037-5093	21-Dec-26	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/36 L water	7 days	-	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
SUNO AGROTECH INC.	CYPERMETHRIN	SUNO CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	669-037-5093	21-Dec-26	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/36 L water	7 days	-	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
SUNO AGROTECH INC.	CYPERMETHRIN	SUNO CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	669-037-5093	21-Dec-26	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/36 L water	7 days	-	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
SUNO AGROTECH INC.	CYPERMETHRIN	SUNO CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	669-037-5093	21-Dec-26	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/36 L water	7 days	-	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
SUNO AGROTECH INC.	CYPERMETHRIN	SUNO CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	669-037-5093	21-Dec-26	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/36 L water	7 days	-	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
SUNO AGROTECH INC.	CYPERMETHRIN	SUNO CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	669-037-5093	21-Dec-26	CONTACT	Corn	Comborer, earworm	1.0-4.5 Tbsp/36 L water	7 days	-	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
SUNO AGROTECH INC.	ABAMECTIN	SUNO ABAMECTIN 1.8 EC	18.0 g/L	EC	INSECTICIDE	2	669-234-5089	13-Sep-24		Banana	Blossom thrips	0.5/ L water	-	-	
SUNO AGROTECH INC.	ABAMECTIN	SUNO ABAMECTIN 1.8 EC	18.0 g/L	EC	INSECTICIDE	2	669-234-5089	13-Sep-24		Cabbage	Diamond back moth	3000 mL Prod / Ha	7 days	-	
SUNO AGROTECH INC.	ABAMECTIN	SUNO ABAMECTIN 1.8 EC	18.0 g/L	EC	INSECTICIDE	2	669-234-5089	13-Sep-24		Ornamentals	Mites	1.0-1.5 Tbsp/ 36L water	-	-	
SUNO AGROTECH INC.	ABAMECTIN	SUNO ABAMECTIN 1.8 EC	18.0 g/L	EC	INSECTICIDE	2	669-234-5089	13-Sep-24		Pineapple	Mites	3000-4000 mL Prod. / Ha	-	-	
SUNO AGROTECH INC.	ABAMECTIN	SUNO ABAMECTIN 1.8 EC	18.0 g/L	EC	INSECTICIDE	2	669-234-5089	13-Sep-24		Eggplant	Thrips, leafhopper, fruit and shoot borer	2.0-5.0 Tbsp/ 36L water	3 days	-	
SUNO AGROTECH INC.	ABAMECTIN	SUNO ABAMECTIN 1.8 EC	18.0 g/L	EC	INSECTICIDE	2	669-234-5089	13-Sep-24		Onion	Leafminer, thrips	2.0-3.0 Tbsp/ 36L water	3 days	-	
SUNO AGROTECH INC.	ABAMECTIN	SUNO ABAMECTIN 1.8 EC	18.0 g/L	EC	INSECTICIDE	2	669-234-5089	13-Sep-24		Potato	Leafminer, thrips	2.0-3.0 Tbsp/ 36L water	14 days	-	
SUNO AGROTECH INC.	ABAMECTIN	SUNO ABAMECTIN 1.8 EC	18.0 g/L	EC	INSECTICIDE	2	669-234-5089	13-Sep-24		Tomato	Leafminer, thrips, aphids	2.0-3.0 Tbsp/ 36L water	3 days	-	
SUNO AGROTECH INC.	ABAMECTIN	SUNO ABAMECTIN 1.8 EC	18.0 g/L	EC	INSECTICIDE	2	669-234-5089	13-Sep-24		Watermelon	Leafminer, thrips, melonworm	2.0-2.0 Tbsp/ 36L water	3 days	-	
SUNO AGROTECH INC.	ABAMECTIN	SUNO ABAMECTIN 1.8 EC	18.0 g/L	EC	INSECTICIDE	2	669-234-5089	13-Sep-24		Papaya	Mites	0.5-1.0 Tbsp/ 36L water	14 days	-	
SUNO AGROTECH INC.	ABAMECTIN	SUNO ABAMECTIN 1.8 EC	18.0 g/L	EC	INSECTICIDE	2	669-234-5089	13-Sep-24		Strawberry	Mites	2.0-4.0 Tbsp/ 36L water	3 days	-	
ACE CROP SOLUTIONS INC.	CYHALOPOF BUTYL-BISPYRIBAC SODIUM	SIAPYRE 200 OD	150 g/L+50 g/L	OD	HERBICIDE	4	530-504-6029 (234)	1-Feb-26	POST-EMERGENT	Rice (Direct-Seeded)	Grasses, broadleaves and sedges	90 ml to 1 l formulated product / hectare (using spray volumes of 160 l)	-	-	Re-entry to the rice field can be done as soon as spray dries up
MARTHAVE CO., LTD.	CARBENDAZIM	SUNDAZIM 50 WP	500 g/kg	WP	FUNGICIDE	4	409-267-2280	04-Aug-20	SYSTEMIC	Mango	Anthraxnose	1-2Tbsp/36 L water			
MARTHAVE CO., LTD.	CARBENDAZIM	SUNDAZIM 50 WP	500 g/kg	WP	FUNGICIDE	4	409-267-2280	04-Aug-20	SYSTEMIC	Cucurbits	Downy mildew	3-2Tbsp/36 L water			
MARTHAVE CO., LTD.	CARBENDAZIM	SUNDAZIM 50 WP	500 g/kg	WP	FUNGICIDE	4	409-267-2280	04-Aug-20	SYSTEMIC	Garden Peas (Legumes)	Powdery mildew	1-2Tbsp/36 L water			
MARTHAVE CO., LTD.	CARBENDAZIM	SUNDAZIM 50 WP	500 g/kg	WP	FUNGICIDE	4	409-267-2280	04-Aug-20	SYSTEMIC	Sugarcane	Pineapple disease	5-10/200L water cane dipping			
MARTHAVE CO., LTD.	CARBENDAZIM	SUNDAZIM 50 WP	500 g/kg	WP	FUNGICIDE	4	409-267-2280	04-Aug-20	SYSTEMIC	Banana	Diamond fruit spot, anthracnose	0.5-1.0 mL/ L water			
SANKHEM CORPORATION	LAMBDA-CHYALOTHRIIN	SUN LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	515-204-3505	24-Aug-24	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leafroller, black bug	1.0-1.5Tbsp/36 L of water	0.05ppm	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray dries up
SANKHEM CORPORATION	LAMBDA-CHYALOTHRIIN	SUN LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	515-204-3505	24-Aug-24	SYSTEMIC	Mango	Hoppers	0.75-1.3Tbsp/36 L of water		Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray dries up
SANKHEM CORPORATION	LAMBDA-CHYALOTHRIIN	SUN LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	515-204-3505	24-Aug-24	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/36 L of water		Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray dries up
SANKHEM CORPORATION	LAMBDA-CHYALOTHRIIN	SUN LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	515-204-3505	24-Aug-24	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/36 L of water		Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray dries up
SANKHEM CORPORATION	LAMBDA-CHYALOTHRIIN	SUN LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	515-204-3505	24-Aug-24	SYSTEMIC	Mungbeans	Beanfly, flea beetle, leafhopper, aphids, mites, podborer	1.0Tbsp/36 L of water		Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray dries up
SANKHEM CORPORATION	LAMBDA-CHYALOTHRIIN	SUN LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	515-204-3505	24-Aug-24	SYSTEMIC	Corn	Comborer, aphids, seedling maggots	1.0-1.5Tbsp/36 L of water		Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray dries up
SANKHEM CORPORATION	LAMBDA-CHYALOTHRIIN	SUN LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	515-204-3505	24-Aug-24	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5Tbsp/36 L of water		Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray dries up
SANKHEM CORPORATION	LAMBDA-CHYALOTHRIIN	SUN LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	515-204-3505	24-Aug-24	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/36 L of water		Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray dries up
SANKHEM CORPORATION	LAMBDA-CHYALOTHRIIN	SUN LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	515-204-3505	24-Aug-24	SYSTEMIC	Cocao	Podborer	1.0-2.0Tbsp/36 L of water		Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray dries up
SANKHEM CORPORATION	LAMBDA-CHYALOTHRIIN	SUN LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	515-204-3505	24-Aug-24	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/36 L of water		Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray dries up
SANKHEM CORPORATION	CARTAP HYDROCHLORIDE	SUN CARTAP 50 SP	500g/kg	SP	INSECTICIDE	3	515-106-4070	26-Jun-26	SYSTEMIC	Rice	Wheat maggot, stemborer, green leafhopper, brown planthopper	3.0-5.0Tbsp/36 L water	0.2ppm	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
SANKHEM CORPORATION	CARTAP HYDROCHLORIDE	SUN CARTAP 50 SP	500g/kg	SP	INSECTICIDE	3	515-106-4070	26-Jun-26	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/36 L water		Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
SANKHEM CORPORATION	CARTAP HYDROCHLORIDE	SUN CARTAP 50 SP	500g/kg	SP	INSECTICIDE	3	515-106-4070	26-Jun-26	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/36 L water		Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
SANKHEM CORPORATION	CARTAP HYDROCHLORIDE	SUN CARTAP 50 SP	500g/kg	SP	INSECTICIDE	3	515-106-4070	26-Jun-26	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/36 L water		Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
SANKHEM CORPORATION	CARTAP HYDROCHLORIDE	SUN CARTAP 50 SP	500g/kg	SP	INSECTICIDE	3	515-106-4070	26-Jun-26	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/36 L water		Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
SANKHEM CORPORATION	CARTAP HYDROCHLORIDE	SUN CARTAP 50 SP	500g/kg	SP	INSECTICIDE	3	515-106-4070	26-Jun-26	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/36 L water		Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
SANKHEM CORPORATION	CARTAP HYDROCHLORIDE	SUN CARTAP 50 SP	500g/kg	SP	INSECTICIDE	3	515-106-4070	26-Jun-26	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/36 L water		Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
SANKHEM CORPORATION	CARTAP HYDROCHLORIDE	SUN CARTAP 50 SP	500g/kg	SP	INSECTICIDE	3	515-106-4070	26-Jun-26	SYSTEMIC	Mango	leafhoppers	1.5-2.0Tbsp/36 L water		Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
SANKHEM CORPORATION	CARTAP HYDROCHLORIDE	SUN CARTAP 50 SP	500g/kg	SP	INSECTICIDE	3	515-106-4070	26-Jun-26	SYSTEMIC	Pechay	looper, cutworm, aphids	1.5-3.0Tbsp/36 L water		Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
SANKHEM CORPORATION	2,4-D IBE	SUN 2,4-D ISTER	480 g/L	EC	HERBICIDE	2	515-040-3185	07-Jul-26	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual Broadleaves & sedges	1.0-6.50Tbsp/36 L water	0.1 ppm	Do not spray within 2 days before harvest	Entry to field and crops treated with SUN 2,4-D ISTER can be done one day after spraying.

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD	
SANHEM CORPORATION	2,4-D IBE	SUN 2,4-D-ESTER	490 g/L	EC	HERBICIDE	2	515-049-3185	07-Jul-26	SELECTIVE (POST-EMERGENT)	Corn	Annual Broadleaves & sedges	5.0-6.5Tbsp/36L water	-	-	Do not spray within 2 days before harvest Entry to field and crops treated with SUN 2,4-D-ESTER can be done one day after spraying.	
SANHEM CORPORATION	2,4-D IBE	SUN 2,4-D-ESTER	490 g/L	EC	HERBICIDE	2	515-049-3185	07-Jul-26	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual Broadleaves & sedges	5.0-6.50Tbsp/36 L water	-	-	Do not spray within 2 days before harvest Entry to field and crops treated with SUN 2,4-D-ESTER can be done one day after spraying.	
SANHEM CORPORATION	2,4-D-AMINE	SUN 2,4-D-AMINE	400 g/L	EC	HERBICIDE	2	515-033-3188	07-Jul-23	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual broadleaves and sedges	3.5-6.5Tbsp/36L of water	0.1 ppm	-	-	
SANHEM CORPORATION	2,4-D-AMINE	SUN 2,4-D-AMINE	400 g/L	EC	HERBICIDE	2	515-033-3188	07-Jul-23	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual broadleaves and sedges	15-25 Tbsp/36 L water	-	-	-	
SANHEM CORPORATION	2,4-D-AMINE	SUN 2,4-D-AMINE	400 g/L	EC	HERBICIDE	2	515-033-3188	07-Jul-23	SELECTIVE (POST-EMERGENT)	Corn	Annual broadleaves and sedges	5-6.5 Tbsp/36 L water	-	-	-	
SUMOCHEM CORPORATION	ALUMINUM PHOSPHIDE	SUMOPHOS	960 g/kg	TAB	FUMIGANT	1	483-084-2705	08-Oct-25	CONTACT	-	Rust-red beetle, cadelie, khapra beetle, grain moth, indian-meal moth, grain and rice weevil, saw toothed grain beetle, confused flour	1 bag/7.5m	-	-	-	
ASCHEM MANUFACTURING CORPORATION	LAMBDA-CHALOTHRIN	SUMAO 2.5 EC	25 g/L	EC	INSECTICIDE	2	001-204-1898	16-May-24	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leaf folder, black bug	1.0-1.5Tbsp/36L of water	0.05ppm	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry	
ASCHEM MANUFACTURING CORPORATION	LAMBDA-CHALOTHRIN	SUMAO 2.5 EC	25 g/L	EC	INSECTICIDE	2	001-204-1898	16-May-24	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/36L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry	
ASCHEM MANUFACTURING CORPORATION	LAMBDA-CHALOTHRIN	SUMAO 2.5 EC	25 g/L	EC	INSECTICIDE	2	001-204-1898	16-May-24	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/36L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry	
ASCHEM MANUFACTURING CORPORATION	LAMBDA-CHALOTHRIN	SUMAO 2.5 EC	25 g/L	EC	INSECTICIDE	2	001-204-1898	16-May-24	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/36L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry	
ASCHEM MANUFACTURING CORPORATION	LAMBDA-CHALOTHRIN	SUMAO 2.5 EC	25 g/L	EC	INSECTICIDE	2	001-204-1898	16-May-24	SYSTEMIC	Mungbeans	Beanyfly, flea beetle, leafhopper, aphids, mites, podborer	1.0Tbsp/36L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry	
ASCHEM MANUFACTURING CORPORATION	LAMBDA-CHALOTHRIN	SUMAO 2.5 EC	25 g/L	EC	INSECTICIDE	2	001-204-1898	16-May-24	SYSTEMIC	Corn	Comborer, aphids, seedling maggots	1.0-1.5Tbsp/36L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry	
ASCHEM MANUFACTURING CORPORATION	LAMBDA-CHALOTHRIN	SUMAO 2.5 EC	25 g/L	EC	INSECTICIDE	2	001-204-1898	16-May-24	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5Tbsp/36L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry	
ASCHEM MANUFACTURING CORPORATION	LAMBDA-CHALOTHRIN	SUMAO 2.5 EC	25 g/L	EC	INSECTICIDE	2	001-204-1898	16-May-24	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/36L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry	
ASCHEM MANUFACTURING CORPORATION	LAMBDA-CHALOTHRIN	SUMAO 2.5 EC	25 g/L	EC	INSECTICIDE	2	001-204-1898	16-May-24	SYSTEMIC	Cocoa	Podborer	1.0-2.0Tbsp/36L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry	
ASCHEM MANUFACTURING CORPORATION	LAMBDA-CHALOTHRIN	SUMAO 2.5 EC	25 g/L	EC	INSECTICIDE	2	001-204-1898	16-May-24	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/36L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry	
KARRAT MARKETING CORPORATION	AMETRYN+ABAZINE	SUMATTEE	400-400 g/kg	WP	HERBICIDE	4	446-079-4896	27-Oct-20	SELECTIVE (POST/PRE-EMERGENT)	Sugarcane	Broadleaf weeds & Annual Grasses	9-14 Tbsp/36 Liters	-	-	Do not spray 21 days before harvest Enter treated fields only when spray has completely dried	
KARRAT MARKETING CORPORATION	AMETRYN+ABAZINE	SUMATTEE	400-400 g/kg	WP	HERBICIDE	4	446-079-4896	27-Oct-20	SELECTIVE (POST/PRE-EMERGENT)	Oil palm	Broadleaf weeds & Annual Grasses	9-14 Tbsp/36 Liters	-	-	Do not spray 21 days before harvest Enter treated fields only when spray has completely dried	
KARRAT MARKETING CORPORATION	AMETRYN+ABAZINE	SUMATTEE	400-400 g/kg	WP	HERBICIDE	4	446-079-4896	27-Oct-20	SELECTIVE (POST/PRE-EMERGENT)	Banana	Broadleaf weeds & Annual Grasses	9-14 Tbsp/36 Liters	-	-	Do not spray 21 days before harvest Enter treated fields only when spray has completely dried	
KARRAT MARKETING CORPORATION	AMETRYN+ABAZINE	SUMATTEE	400-400 g/kg	WP	HERBICIDE	4	446-079-4896	27-Oct-20	SELECTIVE (POST/PRE-EMERGENT)	Citrus	Broadleaf weeds & Annual Grasses	9-14 Tbsp/36 Liters	-	-	Do not spray 21 days before harvest Enter treated fields only when spray has completely dried	
KARRAT MARKETING CORPORATION	AMETRYN+ABAZINE	SUMATTEE	400-400 g/kg	WP	HERBICIDE	4	446-079-4896	27-Oct-20	SELECTIVE (POST/PRE-EMERGENT)	Coffee	Broadleaf weeds & Annual Grasses	9-14 Tbsp/36 Liters	-	-	Do not spray 21 days before harvest Enter treated fields only when spray has completely dried	
KARRAT MARKETING CORPORATION	AMETRYN+ABAZINE	SUMATTEE	400-400 g/kg	WP	HERBICIDE	4	446-079-4896	27-Oct-20	SELECTIVE (POST/PRE-EMERGENT)	Cacao	Broadleaf weeds & Annual Grasses	9-14 Tbsp/36 Liters	-	-	Do not spray 21 days before harvest Enter treated fields only when spray has completely dried	
SURE CROP SCIENCE ADVENTURES, INC.	NICLOSAMIDE ETHANOLAMINE SALT	SUMMA 70 WP	700 g/L	WP	MOLLUSCIDE	4	640-229-4055-A (735)	14-Jul-26	CONTACT	Rice	Golden Apple Snail (Kuhol)	25 gm/36L water	-	-	At least 48 hours after application	
JARDINE DISTRIBUTION, INC.	FENITROTHION	SUMITHION 50 EC	500 g/L	EC	INSECTICIDE	2	367-032-1052	18-May-25	CONTACT	Rice	Caseworm, stemborer, ricebug	3-5 Tbsp/36L water	0.2 ppm	-	Crops treated with SUMITHION 50 EC can be harvested 14 days after spraying. Entry to fields and crops sprayed with SUMITHION 50 EC can be done as soon as sprayed plants have dried	
JARDINE DISTRIBUTION, INC.	FENITROTHION	SUMITHION 50 EC	500 g/L	EC	INSECTICIDE	2	367-032-1052	18-May-25	CONTACT	Fruit trees	Aphids, mealy bug, scale insects	3-5 Tbsp/36L water	-	-	Crops treated with SUMITHION 50 EC can be harvested 14 days after spraying. Entry to fields and crops sprayed with SUMITHION 50 EC can be done as soon as sprayed plants have dried	
JARDINE DISTRIBUTION, INC.	FENITROTHION	SUMITHION 50 EC	500 g/L	EC	INSECTICIDE	2	367-032-1052	18-May-25	CONTACT	Tomato	Aphids, fruit worm	3-5 Tbsp/36L water	0.2 ppm	-	Crops treated with SUMITHION 50 EC can be harvested 14 days after spraying. Entry to fields and crops sprayed with SUMITHION 50 EC can be done as soon as sprayed plants have dried	
JARDINE DISTRIBUTION, INC.	FENITROTHION	SUMITHION 50 EC	500 g/L	EC	INSECTICIDE	2	367-032-1052	18-May-25	CONTACT	Eggplant	Aphids, fleabeetle, fruitworm, lady beetle	3-5 Tbsp/36L water	0.2 ppm	-	Crops treated with SUMITHION 50 EC can be harvested 14 days after spraying. Entry to fields and crops sprayed with SUMITHION 50 EC can be done as soon as sprayed plants have dried	
JARDINE DISTRIBUTION, INC.	FENITROTHION	SUMITHION 50 EC	500 g/L	EC	INSECTICIDE	2	367-032-1052	18-May-25	CONTACT	Beans	Beanyfly, fleabeetle, aphids, leaf folder, podborer	3-5 Tbsp/36L water	0.2 ppm	-	Crops treated with SUMITHION 50 EC can be harvested 14 days after spraying. Entry to fields and crops sprayed with SUMITHION 50 EC can be done as soon as sprayed plants have dried	
JARDINE DISTRIBUTION, INC.	FENITROTHION	SUMITHION 50 EC	500 g/L	EC	INSECTICIDE	2	367-032-1052	18-May-25	CONTACT	Citrus	Aphids, scale insects, mealy bug	3-5 Tbsp/36L water	2 ppm	-	Crops treated with SUMITHION 50 EC can be harvested 14 days after spraying. Entry to fields and crops sprayed with SUMITHION 50 EC can be done as soon as sprayed plants have dried	
JARDINE DISTRIBUTION, INC.	FENITROTHION	SUMITHION 50 EC	500 g/L	EC	INSECTICIDE	2	367-032-1052	18-May-25	CONTACT	Ornamentals	Aphids, scale insects, mealy bug, cutworm	3-5 Tbsp/36L water	-	-	Crops treated with SUMITHION 50 EC can be harvested 14 days after spraying. Entry to fields and crops sprayed with SUMITHION 50 EC can be done as soon as sprayed plants have dried	
JARDINE DISTRIBUTION, INC.	FENITROTHION	SUMITHION 50 EC	500 g/L	EC	INSECTICIDE	2	367-032-1052	18-May-25	CONTACT	Pineapple	Mealy bug, souring beetle	1.0 Tbsp/36L water	0.05 ppm	-	Crops treated with SUMITHION 50 EC can be harvested 14 days after spraying. Entry to fields and crops sprayed with SUMITHION 50 EC can be done as soon as sprayed plants have dried	
JARDINE DISTRIBUTION, INC.	FENITROTHION	SUMITHION 50 EC	500 g/L	EC	INSECTICIDE	2	367-032-1052	18-May-25	CONTACT	Banana	Flower thrips	2 ml/L	-	-	Crops treated with SUMITHION 50 EC can be harvested 14 days after spraying. Entry to fields and crops sprayed with SUMITHION 50 EC can be done as soon as sprayed plants have dried	
SUMITOMO CHEMICAL PHILIPPINES INC.	FENITROTHION	SUMITHION 50 EC	500 g/L	EC	INSECTICIDE	2	472-032-2596	18-May-25	CONTACT	Rice	Caseworm, stemborer, ricebug	3-5 Tbsp/36L water	-	-	Crops treated with SUMITHION 50 EC can be harvested 14 days after spraying. Entry to fields and crops sprayed with SUMITHION 50 EC can be done as soon as sprayed plants have dried	
SUMITOMO CHEMICAL PHILIPPINES INC.	FENITROTHION	SUMITHION 50 EC	500 g/L	EC	INSECTICIDE	2	472-032-2596	18-May-25	CONTACT	Fruit trees	Aphids, mealy bug, scale insects	3-5 Tbsp/36L water	-	-	Crops treated with SUMITHION 50 EC can be harvested 14 days after spraying. Entry to fields and crops sprayed with SUMITHION 50 EC can be done as soon as sprayed plants have dried	
SUMITOMO CHEMICAL PHILIPPINES INC.	FENITROTHION	SUMITHION 50 EC	500 g/L	EC	INSECTICIDE	2	472-032-2596	18-May-25	CONTACT	Tomato	Aphids, fruit worm	3-5 Tbsp/36L water	-	-	Crops treated with SUMITHION 50 EC can be harvested 14 days after spraying. Entry to fields and crops sprayed with SUMITHION 50 EC can be done as soon as sprayed plants have dried	
SUMITOMO CHEMICAL PHILIPPINES INC.	FENITROTHION	SUMITHION 50 EC	500 g/L	EC	INSECTICIDE	2	472-032-2596	18-May-25	CONTACT	Eggplant	Aphids, fleabeetle, fruitworm, lady beetle	3-5 Tbsp/36L water	-	-	Crops treated with SUMITHION 50 EC can be harvested 14 days after spraying. Entry to fields and crops sprayed with SUMITHION 50 EC can be done as soon as sprayed plants have dried	
SUMITOMO CHEMICAL PHILIPPINES INC.	FENITROTHION	SUMITHION 50 EC	500 g/L	EC	INSECTICIDE	2	472-032-2596	18-May-25	CONTACT	Beans	Beanyfly, fleabeetle, aphids, leaf folder, podborer	3-5 Tbsp/36L water	-	-	Crops treated with SUMITHION 50 EC can be harvested 14 days after spraying. Entry to fields and crops sprayed with SUMITHION 50 EC can be done as soon as sprayed plants have dried	
SUMITOMO CHEMICAL PHILIPPINES INC.	FENITROTHION	SUMITHION 50 EC	500 g/L	EC	INSECTICIDE	2	472-032-2596	18-May-25	CONTACT	Citrus	Aphids, scale insects, mealy bug	3-5 Tbsp/36L water	-	-	Crops treated with SUMITHION 50 EC can be harvested 14 days after spraying. Entry to fields and crops sprayed with SUMITHION 50 EC can be done as soon as sprayed plants have dried	
SUMITOMO CHEMICAL PHILIPPINES INC.	FENITROTHION	SUMITHION 50 EC	500 g/L	EC	INSECTICIDE	2	472-032-2596	18-May-25	CONTACT	Ornamentals	Aphids, scale insects, mealy bug, cutworm	3-5 Tbsp/36L water	-	-	Crops treated with SUMITHION 50 EC can be harvested 14 days after spraying. Entry to fields and crops sprayed with SUMITHION 50 EC can be done as soon as sprayed plants have dried	
SUMITOMO CHEMICAL PHILIPPINES INC.	FENITROTHION	SUMITHION 50 EC	500 g/L	EC	INSECTICIDE	2	472-032-2596	18-May-25	CONTACT	Pineapple	Mealy bug, souring beetle	1.0 Tbsp/36L water	-	-	Crops treated with SUMITHION 50 EC can be harvested 14 days after spraying. Entry to fields and crops sprayed with SUMITHION 50 EC can be done as soon as sprayed plants have dried	
JARDINE DISTRIBUTION, INC.	FLUMIOXAZIN	SUMIMAX 50 WG	500 g/kg	WG	HERBICIDE	4	367-543-5525	11-Aug-24	-	Sugarcane	Broadleaves, grasses and sedges	-	-	-	-	
JARDINE DISTRIBUTION, INC.	FLUMIOXAZIN	SUMIMAX 50 WG	500 g/kg	WG	HERBICIDE	4	367-543-5525	11-Aug-24	-	Cassava	Broadleaves, grasses and sedges	-	-	-	-	
JARDINE DISTRIBUTION, INC.	FLUMIOXAZIN	SUMIMAX 50 WG	500 g/kg	WG	HERBICIDE	4	367-543-5525	11-Aug-24	-	Cavendish Banana	Broadleaves, grasses and sedges	-	-	-	-	
SUMITOMO CHEMICAL PHILIPPINES INC.	FLUMIOXAZIN	SUMIMAX 50 WG	500 g/kg	WG	HERBICIDE	4	472-543-5413	11-Aug-24	-	Sugarcane	Broadleaves, grasses and sedges	250-300 g prod./ha. When applied alone 150 g prod./ha. When in tank 750 g prod./ha.	-	-	Not applicable SUMIMAX will not be applied directly on plants and the active ingredient is not systemic. Spray	As soon as spray dries up.
SUMITOMO CHEMICAL PHILIPPINES INC.	FLUMIOXAZIN	SUMIMAX 50 WG	500 g/kg	WG	HERBICIDE	4	472-543-5413	11-Aug-24	-	Cassava	Broadleaves, grasses and sedges	-	-	-	-	
SUMITOMO CHEMICAL PHILIPPINES INC.	DMICHAZOLE	SUMI-EIGHT 12.5 WP	125 g/kg	WP	FUNGICIDE	4	472-292-2594	18-May-25	SYSTEMIC	Banana	Sigatoka	100 g x 1/ha (0.80 kg product/ha) as low volume aerial spray using fixed wing	-	-	-	Do not enter treated fields until spray deposit have completely dried.
JARDINE DISTRIBUTION, INC.	FENVALERATE	SUMICIDIN 3 EC	30 g/L	EC	INSECTICIDE	4	367-031-1053	24-Oct-23	-	Mango	Mango hopper, Tip borer, twig borer	5-8 Tbsp/36L water	-	-	Crops treated with Sumicidin 3 EC can be harvested days after spraying.	24 hours after spraying
JARDINE DISTRIBUTION, INC.	FENVALERATE	SUMICIDIN 3 EC	30 g/L	EC	INSECTICIDE	4	367-031-1053	24-Oct-23	-	Cruifers	Diamondback moth, cabbage worm	5-8 Tbsp/36L water	-	-	Crops treated with Sumicidin 3 EC can be harvested days after spraying.	24 hours after spraying
JARDINE DISTRIBUTION, INC.	FENVALERATE	SUMICIDIN 3 EC	30 g/L	EC	INSECTICIDE	4	367-031-1053	24-Oct-23	-	Beans	Aphids, leafminer, bean lycanid	5-8 Tbsp/36L water	0.5 ppm	-	Crops treated with Sumicidin 3 EC can be harvested days after spraying.	24 hours after spraying
JARDINE DISTRIBUTION, INC.	FENVALERATE	SUMICIDIN 3 EC	30 g/L	EC	INSECTICIDE	4	367-031-1053	24-Oct-23	-	Cucurbits (watermelon and melon)	Squash beetle	5-8 Tbsp/36L water	-	-	Crops treated with Sumicidin 3 EC can be harvested days after spraying.	24 hours after spraying
JARDINE DISTRIBUTION, INC.	FENVALERATE	SUMICIDIN 3 EC	30 g/L	EC	INSECTICIDE	4	367-031-1053	24-Oct-23	-	Tobacco	Aphids, budworm	5-8 Tbsp/36L water	-	-	Crops treated with Sumicidin 3 EC can be harvested days after spraying.	24 hours after spraying
JARDINE DISTRIBUTION, INC.	FENVALERATE	SUMICIDIN 3 EC	30 g/L	EC	INSECTICIDE	4	367-031-1053	24-Oct-23	-	Cotton	Aphids, budworm	5-8 Tbsp/36L water	-	-	Crops treated with Sumicidin 3 EC can be harvested days after spraying.	24 hours after spraying
SUMITOMO CHEMICAL PHILIPPINES INC.	FENVALERATE	SUMICIDIN 3 EC	30 g/L	EC	INSECTICIDE	4	472-031-2595	18-May-25	-	Mango	Mango hopper, Tip borer, twig borer	5-8 Tbsp/36L water	-	-	Crops treated with SUMICIDIN 3EC can be harvested 2 days after spraying.	Entry to fields and crops sprayed with SUMICIDIN 3EC can be done one day after spraying.
SUMITOMO CHEMICAL PHILIPPINES INC.	FENVALERATE	SUMICIDIN 3 EC	30 g/L	EC	INSECTICIDE	4	472-031-2595	18-May-25	-	Cruifers	Diamondback moth, cabbage worm	5-8 Tbsp/36L water	-	-	Crops treated with SUMICIDIN 3EC can be harvested 2 days after spraying.	Entry to fields and crops sprayed with SUMICIDIN 3EC can be done one day after spraying.
SUMITOMO CHEMICAL PHILIPPINES INC.	FENVALERATE	SUMICIDIN 3 EC	30 g/L	EC	INSECTICIDE	4	472-031-2595	18-May-25	-	Beans	Aphids, leafminer, bean lycanid	5-8 Tbsp/36L water	-	-	Crops treated with SUMICIDIN 3EC can be harvested 2 days after spraying.	Entry to fields and crops sprayed with SUMICIDIN 3EC can be done one day after spraying.
SUMITOMO CHEMICAL PHILIPPINES INC.	FENVALERATE	SUMICIDIN 3 EC	30 g/L	EC	INSECTICIDE	4	472-031-2595	18-May-25	-	Cucurbits	Squash beetle	5-8 Tbsp/36L water	-	-	Crops treated with SUMICIDIN 3EC can be harvested 2 days after spraying.	Entry to fields and crops sprayed with SUMICIDIN 3EC can be done one day after spraying.

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
SUMITOMO CHEMICAL PHILIPPINES INC.	FENVALERATE	SUMICIDIN 3 EC	30g/L	EC	INSECTICIDE	4	472-031-2595	18-May-25	-	Tobacco	Aphids, budworm	5-8 Tbsp/36L water	-	Crops treated with SUMICIDIN 3EC can be harvested 2 days after spraying	Entry to fields and crops sprayed with SUMICIDIN 3EC can be done one day after spraying
SUMITOMO CHEMICAL PHILIPPINES INC.	FENVALERATE	SUMICIDIN 3 EC	30g/L	EC	INSECTICIDE	4	472-031-2595	18-May-25	-	Cotton	Aphids, budworm	5-8 Tbsp/36L water	-	Crops treated with SUMICIDIN 3EC can be harvested 2 days after spraying	Entry to fields and crops sprayed with SUMICIDIN 3EC can be done one day after spraying
SUMITOMO CHEMICAL PHILIPPINES INC.	ESFENVALERATE	SUMI-ALPHA 2.5 EC	25 g/L	EC	INSECTICIDE	2	472-275-2593	18-May-25	CONTACT	Rice	Stemborer, black bug, rice bug, whorl maggots, leafhopper brown plant hopper	1.5-2.0 Tbsp/36L water	2.0ppm	Do not spray on rice and corn at 21 days before harvest	Do not enter fields without protective clothing and until spray deposits have dried up (usually within 24 hours)
SUMITOMO CHEMICAL PHILIPPINES INC.	ESFENVALERATE	SUMI-ALPHA 2.5 EC	25 g/L	EC	INSECTICIDE	2	472-275-2593	18-May-25	CONTACT	Mango	Mango hopper, twig borer, tip borer	1.5-2.0 Tbsp/36L water	-	3 days	Do not enter fields without protective clothing and until spray deposits have dried up (usually within 24 hours)
SUMITOMO CHEMICAL PHILIPPINES INC.	ESFENVALERATE	SUMI-ALPHA 2.5 EC	25 g/L	EC	INSECTICIDE	2	472-275-2593	18-May-25	CONTACT	Corn	Corn borer	1.5-2.0 Tbsp/36L water	-	Do not spray on rice and corn at 21 days before harvest	Do not enter fields without protective clothing and until spray deposits have dried up (usually within 24 hours)
SUMITOMO CHEMICAL PHILIPPINES INC.	ESFENVALERATE	SUMI-ALPHA 2.5 EC	25 g/L	EC	INSECTICIDE	2	472-275-2593	18-May-25	CONTACT	Stringbeans	Podborer, aphids	1.5-2.0 Tbsp/36L water	-	3 days	Do not enter fields without protective clothing and until spray deposits have dried up (usually within 24 hours)
SUMITOMO CHEMICAL PHILIPPINES INC.	ESFENVALERATE	SUMI-ALPHA 2.5 EC	25 g/L	EC	INSECTICIDE	2	472-275-2593	18-May-25	CONTACT	Eggplant	Shoot/fruit borer, leafhopper	1.5-2.0 Tbsp/36L water	-	7 days	Do not enter fields without protective clothing and until spray deposits have dried up (usually within 24 hours)
SUL AGROSCIENCE PHILIPPINES INC.	CHLOROTHALONIL	SULALIN 720 SC	720 g/L	SC	FUNGICIDE	4	692-118-5524	13-Aug-24	-	Ornamentals	Black spot, Black rot, Powdery mildew	4.5-6.0 tbsp	-	7-14 days, except in banana (0 day)	Do not enter treatment areas until spray deposit have dried
SUL AGROSCIENCE PHILIPPINES INC.	CHLOROTHALONIL	SULALIN 720 SC	720 g/L	SC	FUNGICIDE	4	692-118-5524	13-Aug-24	-	Pepper	Early and late blight, bulb rot, neck rot	4.5-6.0 tbsp	-	7-14 days, except in banana (0 day)	Do not enter treatment areas until spray deposit have dried
SUL AGROSCIENCE PHILIPPINES INC.	CHLOROTHALONIL	SULALIN 720 SC	720 g/L	SC	FUNGICIDE	4	692-118-5524	13-Aug-24	-	Onion	Purple blotch, bulb rot, neck rot	4.5-6.0 tbsp	-	7-14 days, except in banana (0 day)	Do not enter treatment areas until spray deposit have dried
SUL AGROSCIENCE PHILIPPINES INC.	CHLOROTHALONIL	SULALIN 720 SC	720 g/L	SC	FUNGICIDE	4	692-118-5524	13-Aug-24	-	Mango	Anthraxnose, diploidia rot	4.5-6.0 tbsp	-	7-14 days, except in banana (0 day)	Do not enter treatment areas until spray deposit have dried
SUL AGROSCIENCE PHILIPPINES INC.	CHLOROTHALONIL	SULALIN 720 SC	720 g/L	SC	FUNGICIDE	4	692-118-5524	13-Aug-24	-	Grapes	Downy mildew, powdery mildew, fruit rot	4.5-6.0 tbsp	-	7-14 days, except in banana (0 day)	Do not enter treatment areas until spray deposit have dried
SUL AGROSCIENCE PHILIPPINES INC.	CHLOROTHALONIL	SULALIN 720 SC	720 g/L	SC	FUNGICIDE	4	692-118-5524	13-Aug-24	-	Eggplant	Early and late blight, cercospora, anthracnose	4.5-6.0 tbsp	-	7-14 days, except in banana (0 day)	Do not enter treatment areas until spray deposit have dried
SUL AGROSCIENCE PHILIPPINES INC.	CHLOROTHALONIL	SULALIN 720 SC	720 g/L	SC	FUNGICIDE	4	692-118-5524	13-Aug-24	-	Celery	Early and late blight	4.5-6.0 tbsp	-	7-14 days, except in banana (0 day)	Do not enter treatment areas until spray deposit have dried
SUL AGROSCIENCE PHILIPPINES INC.	CHLOROTHALONIL	SULALIN 720 SC	720 g/L	SC	FUNGICIDE	4	692-118-5524	13-Aug-24	-	Cucurbits	Powdery mildew, downy mildew cercospora, septoria, fruit rot, anthracnose, early and late blight	4.5-6.0 tbsp	-	7-14 days, except in banana (0 day)	Do not enter treatment areas until spray deposit have dried
SUL AGROSCIENCE PHILIPPINES INC.	CHLOROTHALONIL	SULALIN 720 SC	720 g/L	SC	FUNGICIDE	4	692-118-5524	13-Aug-24	-	Cucufiers	Powdery mildew	4.5-6.0 tbsp	-	7-14 days, except in banana (0 day)	Do not enter treatment areas until spray deposit have dried
SUL AGROSCIENCE PHILIPPINES INC.	CHLOROTHALONIL	SULALIN 720 SC	720 g/L	SC	FUNGICIDE	4	692-118-5524	13-Aug-24	-	Carrot	Alternaria, cercospora, helminthosporium	4.5-6.0 tbsp	-	7-14 days, except in banana (0 day)	Do not enter treatment areas until spray deposit have dried
SUL AGROSCIENCE PHILIPPINES INC.	CHLOROTHALONIL	SULALIN 720 SC	720 g/L	SC	FUNGICIDE	4	692-118-5524	13-Aug-24	-	Beans	Rust, anthracnose	4.5-6.0 tbsp	-	7-14 days, except in banana (0 day)	Do not enter treatment areas until spray deposit have dried
SUL AGROSCIENCE PHILIPPINES INC.	CHLOROTHALONIL	SULALIN 720 SC	720 g/L	SC	FUNGICIDE	4	692-118-5524	13-Aug-24	-	Tomato	Early blight, Blight, Vine rot	4.5-6.0 tbsp	-	7-14 days, except in banana (0 day)	Do not enter treatment areas until spray deposit have dried
SUL AGROSCIENCE PHILIPPINES INC.	CHLOROTHALONIL	SULALIN 720 SC	720 g/L	SC	FUNGICIDE	4	692-118-5524	13-Aug-24	-	Potato	Early blight, Blight, Vine rot	4.5-6.0 tbsp	-	7-14 days, except in banana (0 day)	Do not enter treatment areas until spray deposit have dried
SUL AGROSCIENCE PHILIPPINES INC.	CHLOROTHALONIL	SULALIN 720 SC	720 g/L	SC	FUNGICIDE	4	692-118-5524	13-Aug-24	-	Asparagus	Stem and leaf blight	1.6L/ha	-	7-14 days, except in banana (0 day)	Do not enter treatment areas until spray deposit have dried
SUL AGROSCIENCE PHILIPPINES INC.	CHLOROTHALONIL	SULALIN 720 SC	720 g/L	SC	FUNGICIDE	4	692-118-5524	13-Aug-24	-	Banana	Black sigatoka	1.0-2.0 L/ha	-	7-14 days, except in banana (0 day)	Do not enter treatment areas until spray deposit have dried
GOLDEN FARMERS AGRI PRODUCT CORPORATION	DELTAMETHRIN	SULTAN 2.5 EC	25 g/L	EC	INSECTICIDE	4	603-085-4317	09-Apr-21	-	Mango	Hopper, Tip borer, twig borer	0.75-1.0 Tbsp/36L water	-	-	-
GOLDEN FARMERS AGRI PRODUCT CORPORATION	DELTAMETHRIN	SULTAN 2.5 EC	25 g/L	EC	INSECTICIDE	4	603-085-4317	09-Apr-21	-	Cabbage & other crucifers	Diamond-back moth, cabbage moth, cabbage worm	0.1 Tbsp/36L water	-	-	-
GOLDEN FARMERS AGRI PRODUCT CORPORATION	DELTAMETHRIN	SULTAN 2.5 EC	25 g/L	EC	INSECTICIDE	4	603-085-4317	09-Apr-21	-	Tobacco	Budworm, armyworm, cutworm	0.8-1.0 Tbsp/36L water	-	-	-
GOLDEN FARMERS AGRI PRODUCT CORPORATION	DELTAMETHRIN	SULTAN 2.5 EC	25 g/L	EC	INSECTICIDE	4	603-085-4317	09-Apr-21	-	Beans	Fllea beetle, beanfly, bugs, thrips, cutworm, armyworm	0.8-1.0 Tbsp/36L water	-	-	-
GOLDEN FARMERS AGRI PRODUCT CORPORATION	DELTAMETHRIN	SULTAN 2.5 EC	25 g/L	EC	INSECTICIDE	4	603-085-4317	09-Apr-21	-	Soybeans	Fllea beetle, beanfly, bugs, thrips, cutworm, armyworm	0.8-1.0 Tbsp/36L water	-	-	-
GOLDEN FARMERS AGRI PRODUCT CORPORATION	DELTAMETHRIN	SULTAN 2.5 EC	25 g/L	EC	INSECTICIDE	4	603-085-4317	09-Apr-21	-	Tomato	Fruitworm (heliothis)	0.8-1.0 Tbsp/36L water	-	-	-
GOLDEN FARMERS AGRI PRODUCT CORPORATION	DELTAMETHRIN	SULTAN 2.5 EC	25 g/L	EC	INSECTICIDE	4	603-085-4317	09-Apr-21	-	Corn	Corn borer, corn earworm, seedling maggots	0.1 Tbsp/36L water	-	-	-
GOLDEN FARMERS AGRI PRODUCT CORPORATION	DELTAMETHRIN	SULTAN 2.5 EC	25 g/L	EC	INSECTICIDE	4	603-085-4317	09-Apr-21	-	Eggplant	Thrips, flea beetle, fruitworm	0.1 Tbsp/36L water	-	-	-
GOLDEN FARMERS AGRI PRODUCT CORPORATION	DELTAMETHRIN	SULTAN 2.5 EC	25 g/L	EC	INSECTICIDE	4	603-085-4317	09-Apr-21	-	Cotton	Leafhopper, bollworm, weevil	0.8-1.0 Tbsp/36L water	-	-	-
GOLDEN FARMERS AGRI PRODUCT CORPORATION	DELTAMETHRIN	SULTAN 2.5 EC	25 g/L	EC	INSECTICIDE	4	603-085-4317	09-Apr-21	-	Agricultural crops	Locusts nymphs/ Locusts-adult	1.0-1.5"/ 3.0 Tbsp/ 36L water	-	-	-
GOLDEN FARMERS AGRI PRODUCT CORPORATION	DELTAMETHRIN	SULTAN 2.5 EC	25 g/L	EC	INSECTICIDE	4	603-085-4317	09-Apr-21	-	Cacao	Podborer, aphids	0.1 Tbsp/36L water	-	-	-
INTERNATIONAL VETERINARY & AGROCHEMICAL (I.V.A), INC.	SULFUR	SULFOLAC 80 WG	800 g/kg	WG	FUNGICIDE	4	088-083-2395	15-Jun-25	-	Beans	Downly mildew, powdery mildew	1.5-7.0 Tbsp/36 L water	-	Do not spray within 7 days before harvest	After spray deposit has been dried
INTERNATIONAL VETERINARY & AGROCHEMICAL (I.V.A), INC.	SULFUR	SULFOLAC 80 WG	800 g/kg	WG	FUNGICIDE	4	088-083-2395	15-Jun-25	-	Citrus	Downly mildew, powdery mildew	5.0-6.0 Tbsp/36 L water	-	Do not spray within 7 days before harvest	After spray deposit has been dried
INTERNATIONAL VETERINARY & AGROCHEMICAL (I.V.A), INC.	SULFUR	SULFOLAC 80 WG	800 g/kg	WG	FUNGICIDE	4	088-083-2395	15-Jun-25	-	Vegetables	Powdery mildew	5.0-6.0 Tbsp/36 L water	-	Do not spray within 7 days before harvest	After spray deposit has been dried
INTERNATIONAL VETERINARY & AGROCHEMICAL (I.V.A), INC.	SULFUR	SULFOLAC 80 WG	800 g/kg	WG	FUNGICIDE	4	088-083-2395	15-Jun-25	-	Ornamentals	Downly mildew, powdery mildew	5.0-6.0 Tbsp/36 L water	-	Do not spray within 7 days before harvest	After spray deposit has been dried
INTERNATIONAL VETERINARY & AGROCHEMICAL (I.V.A), INC.	SULFUR	SULFOLAC 80 WG	800 g/kg	WG	FUNGICIDE	4	088-083-2395	15-Jun-25	-	Papaya	Powdery mildew	5.0-6.0 Tbsp/36 L water	-	Do not spray within 7 days before harvest	After spray deposit has been dried
INTERNATIONAL VETERINARY & AGROCHEMICAL (I.V.A), INC.	SULFUR	SULFOLAC 80 WG	800 g/kg	WG	FUNGICIDE	4	088-083-2395	15-Jun-25	-	Pepper	Downly mildew, powdery mildew	6.0-7.0 Tbsp/36 L water	-	Do not spray within 7 days before harvest	After spray deposit has been dried
INTERNATIONAL VETERINARY & AGROCHEMICAL (I.V.A), INC.	SULFUR	SULFOLAC 80 WG	800 g/kg	WG	FUNGICIDE	4	088-083-2395	15-Jun-25	-	Potato	Downly mildew, powdery mildew	5.0-6.0 Tbsp/36 L water	-	Do not spray within 7 days before harvest	After spray deposit has been dried
INTERNATIONAL VETERINARY & AGROCHEMICAL (I.V.A), INC.	SULFUR	SULFOLAC 80 WG	800 g/kg	WG	FUNGICIDE	4	088-083-2395	15-Jun-25	-	Tomato	Downly mildew, powdery mildew	5.0-6.0 Tbsp/36 L water	-	Do not spray within 7 days before harvest	After spray deposit has been dried
INTERNATIONAL VETERINARY & AGROCHEMICAL (I.V.A), INC.	SULFUR	SULFOLAC 80 WG	800 g/kg	WG	FUNGICIDE	4	088-083-2395	15-Jun-25	-	Eggplant	Downly mildew, powdery mildew	5.0-6.0 Tbsp/36 L water	-	Do not spray within 7 days before harvest	After spray deposit has been dried
INTERNATIONAL VETERINARY & AGROCHEMICAL (I.V.A), INC.	SULFUR	SULFOLAC 80 WG	800 g/kg	WG	FUNGICIDE	4	088-083-2395	15-Jun-25	-	Grapes	Powdery mildew	5.0-6.0 Tbsp/36 L water	-	Do not spray within 7 days before harvest	After spray deposit has been dried
INTERNATIONAL VETERINARY & AGROCHEMICAL (I.V.A), INC.	SULFUR	SULFOLAC 80 WG	800 g/kg	WG	FUNGICIDE	4	088-083-2395	15-Jun-25	-	Cotton	Downly mildew, powdery mildew	5.0-6.0 Tbsp/36 L water	-	Do not spray within 7 days before harvest	After spray deposit has been dried
INTERNATIONAL VETERINARY & AGROCHEMICAL (I.V.A), INC.	SULFUR	SULFOLAC 80 WG	800 g/kg	WG	FUNGICIDE	4	088-083-2395	15-Jun-25	-	Banana	Black sigatoka, Freckle	2.5 kg/ha	-	0 day	After spray deposit has been dried
INTERNATIONAL VETERINARY & AGROCHEMICAL (I.V.A), INC.	SULFUR	SULFOLAC 80 WG	800 g/kg	WG	FUNGICIDE	4	088-083-2395	15-Jun-25	-	Pineapple	Mites	5.0-6.0 Tbsp/36 L water	-	0 day	After spray deposit has been dried
NS NORTHERN ORGANIC FERTILIZER INC.	GLUFOSINATE AMMONIUM	SUKOSK 150 SL	150 g/L	SL	HERBICIDE	4	470-182-4941	31-Mar-25	NON-SELECTIVE(POST-EMERGENT)	Cavendish Banana	Annual & Perennial grasses, sedges & broadleaf weeds	360ml/36L water, 135-200ml/36 L water	0.2 mg/kg	-	After spray deposits have dried
NS NORTHERN ORGANIC FERTILIZER INC.	GLUFOSINATE AMMONIUM	SUKOSK 150 SL	150 g/L	SL	HERBICIDE	4	470-182-4941	31-Mar-25	NON-SELECTIVE(POST-EMERGENT)	Rubber	Annual & Perennial grasses, sedges & broadleaf weeds	225ml/36L water, 270ml/36 L water, 155ml/36 L water	-	-	After spray deposits have dried
NS NORTHERN ORGANIC FERTILIZER INC.	GLUFOSINATE AMMONIUM	SUKOSK 150 SL	150 g/L	SL	HERBICIDE	4	470-182-4941	31-Mar-25	NON-SELECTIVE(POST-EMERGENT)	Oil Palm	Annual & Perennial grasses, sedges & broadleaf weeds	360ml/36L water, 135ml/36 L water	-	-	After spray deposits have dried
NS NORTHERN ORGANIC FERTILIZER INC.	GLUFOSINATE AMMONIUM	SUKOSK 150 SL	150 g/L	SL	HERBICIDE	4	470-182-4941	31-Mar-25	NON-SELECTIVE(POST-EMERGENT)	Non-crop areas	Weeds	360-225ml/36 L water	-	-	After spray deposits have dried
VANN HAWK AGRO CHEMICALS, INC.	LAMBDA-CYHALOTHRIN	SUKOD 2.5 EC	25 g/L	EC	INSECTICIDE	2	295-037-1522	03-Feb-24	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leafroller, black bug	1.0-1.5Tbsp/36 L of water	0.05ppm	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
VANN HAWK AGRO CHEMICALS, INC.	LAMBDA-CYHALOTHRIN	SUKOD 2.5 EC	25 g/L	EC	INSECTICIDE	2	295-037-1522	03-Feb-24	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/36 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
VANN HAWK AGRO CHEMICALS, INC.	LAMBDA-CYHALOTHRIN	SUKOD 2.5 EC	25 g/L	EC	INSECTICIDE	2	295-037-1522	03-Feb-24	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/36 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
VANN HAWK AGRO CHEMICALS, INC.	LAMBDA-CYHALOTHRIN	SUKOD 2.5 EC	25 g/L	EC	INSECTICIDE	2	295-037-1522	03-Feb-24	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/36 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
VANN HAWK AGRO CHEMICALS, INC.	LAMBDA-CYHALOTHRIN	SUKOD 2.5 EC	25 g/L	EC	INSECTICIDE	2	295-037-1522	03-Feb-24	SYSTEMIC	Mungbeans	Beanfly, flea beetle, leafhopper, aphids, mites, podborer	1.0Tbsp/36 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
VANN HAWK AGRO CHEMICALS, INC.	LAMBDA-CYHALOTHRIN	SUKOD 2.5 EC	25 g/L	EC	INSECTICIDE	2	295-037-1522	03-Feb-24	SYSTEMIC	Corn	Comborer, aphids, seedling maggots	1.0-1.5Tbsp/36 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
VANH HAWK AGRIC CHEMICALS, INC.	LAMBDA-CYHALOTHRIN	SUXUDO 2.5 EC	25 g/L	EC	INSECTICIDE	2	295-037-1522	03-Feb-24	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5Tbsp/16L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
VANH HAWK AGRIC CHEMICALS, INC.	LAMBDA-CYHALOTHRIN	SUXUDO 2.5 EC	25 g/L	EC	INSECTICIDE	2	295-037-1522	03-Feb-24	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/16L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
VANH HAWK AGRIC CHEMICALS, INC.	LAMBDA-CYHALOTHRIN	SUXUDO 2.5 EC	25 g/L	EC	INSECTICIDE	2	295-037-1522	03-Feb-24	SYSTEMIC	Cocoa	Podborer	1.0-2.0Tbsp/16L of water	-	1 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
VANH HAWK AGRIC CHEMICALS, INC.	LAMBDA-CYHALOTHRIN	SUXUDO 2.5 EC	25 g/L	EC	INSECTICIDE	2	295-037-1522	03-Feb-24	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/16L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
ORACLE CHEM CORPORATION	PREFLACHOR	DUPFIX 300 EC	300g/L	EC	HERBICIDE	4	417-003-4918	24-Sep-25	PRE-EMERGENCE	Rice (Direct-Seeded)	Grasses, sedges, and broadleaves weeds	10-15 Tbsp per tankload of 16L capacity 400L/ha	0.05ppm	-	-
FRA AGRIC CHEMICAL CORPORATION	HEXAZINONE-GLURON	SUCROSHIELD 40 WG	132g/kg-80kg/kg	WG	HERBICIDE	4	399-435-6426	13-Dec-25	-	Sugarcane	Annual grasses, broadleaves and sedges	-	-	-	-
CORTEVA AGRISCIENCE PHILIPPINES, INC.	SPINOSAD	SUCCESS NATURALYTE 25 SC	25 g/L	SC	INSECTICIDE	4	737-306-4296	23-Aug-26	-	Cabbage	Diamond back moth	25-50mL (2.5-5 Tbsp) /16L of water	-	-	-
CORTEVA AGRISCIENCE PHILIPPINES, INC.	SPINOSAD	SUCCESS NATURALYTE 25 SC	25 g/L	SC	INSECTICIDE	4	737-306-4296	23-Aug-26	-	Banana	Flower thrips	1.0-1.25 mL/L of water	-	-	-
CORTEVA AGRISCIENCE PHILIPPINES, INC.	SPINOSAD	SUCCESS NATURALYTE 25 SC	25 g/L	SC	INSECTICIDE	4	737-306-4296	23-Aug-26	-	Eggplant	Fruit borer	40-65mL/16L of water	-	-	-
CORTEVA AGRISCIENCE PHILIPPINES, INC.	SPINOSAD	SUCCESS NATURALYTE 25 SC	25 g/L	SC	INSECTICIDE	4	737-306-4296	23-Aug-26	-	Beans	Podborer	30-50mL/16L of water	-	-	-
CORTEVA AGRISCIENCE PHILIPPINES, INC.	SPINOSAD	SUCCESS NATURALYTE 25 SC	25 g/L	SC	INSECTICIDE	4	737-306-4296	23-Aug-26	-	Bulb Onion	Thrips & Cutworm	40-100mL/16L of water	-	-	-
DU PONT FAR EAST, INC.	SPINOSAD	SUCCESS NATURALYTE 25 SC	25 g/L	SC	INSECTICIDE	4	014-306-4296	19-Mar-24	-	Cabbage	Diamond back moth	25-50mL (2.5-5 Tbsp) /16L of water	-	-	-
DU PONT FAR EAST, INC.	SPINOSAD	SUCCESS NATURALYTE 25 SC	25 g/L	SC	INSECTICIDE	4	014-306-4296	19-Mar-24	-	Banana	Flower thrips	1.0-1.25 mL/L of water	-	-	-
DU PONT FAR EAST, INC.	SPINOSAD	SUCCESS NATURALYTE 25 SC	25 g/L	SC	INSECTICIDE	4	014-306-4296	19-Mar-24	-	Eggplant	Fruit borer	40-65mL/16L of water	-	-	-
DU PONT FAR EAST, INC.	SPINOSAD	SUCCESS NATURALYTE 25 SC	25 g/L	SC	INSECTICIDE	4	014-306-4296	19-Mar-24	-	Beans	Podborer	30-50mL/16L of water	-	-	-
DU PONT FAR EAST, INC.	SPINOSAD	SUCCESS NATURALYTE 25 SC	25 g/L	SC	INSECTICIDE	4	014-306-4296	19-Mar-24	-	Bulb Onion	Thrips & Cutworm	40-100mL/16L of water	-	-	-
TAIPAN BRAND FARM INC.	SPINOSAD	SUCCESS NATURALYTE 25 SC	25 g/L	SC	INSECTICIDE	4	529-306-3475	05-Aug-18	-	Cabbage	Diamond back moth	25-50mL (2.5-5 Tbsp) /16L of water	-	-	-
TAIPAN BRAND FARM INC.	SPINOSAD	SUCCESS NATURALYTE 25 SC	25 g/L	SC	INSECTICIDE	4	529-306-3475	05-Aug-18	-	Banana	Flower thrips	1.0-1.25 mL/L of water	-	-	-
TAIPAN BRAND FARM INC.	SPINOSAD	SUCCESS NATURALYTE 25 SC	25 g/L	SC	INSECTICIDE	4	529-306-3475	05-Aug-18	-	Eggplant	Fruit borer	40-65mL/16L of water	-	-	-
TAIPAN BRAND FARM INC.	SPINOSAD	SUCCESS NATURALYTE 25 SC	25 g/L	SC	INSECTICIDE	4	529-306-3475	05-Aug-18	-	Beans	Podborer	30-50mL/16L of water	-	-	-
TAIPAN BRAND FARM INC.	SPINOSAD	SUCCESS NATURALYTE 25 SC	25 g/L	SC	INSECTICIDE	4	529-306-3475	05-Aug-18	-	Bulb Onion	Thrips & Cutworm	40-100mL/16L of water	-	-	-
TEXCON AGR VENTURES CORPORATION	METALDEHYDE	SUBMARINER 6N PELLETS	6g/L	P	MOLLUSCICIDE	4	242-075-2239	04-May-24	CONTACT	Rice (Transplanted)	Golden Apple Snail (Kuhol)	2-4 Kg/L ha	-	-	Do not enter treated field within 48 hours after application
TEXCON AGR VENTURES CORPORATION	METALDEHYDE	SUBMARINER 6N PELLETS	6g/L	P	MOLLUSCICIDE	4	242-075-2239	04-May-24	CONTACT	Rice (Direct-seeded)	Golden Apple Snail (Kuhol)	4-8 kg/Lha	-	-	Do not enter treated field within 48 hours after application
TEXCON AGR VENTURES CORPORATION	METALDEHYDE	SUBMARINER 6N PELLETS	6g/L	P	MOLLUSCICIDE	4	242-075-2239	04-May-24	CONTACT	Plotted and driftwood-attached plants such as	Bush Snails, Giant African Snail, and Slugs	1-2 kg/Lha	-	-	Do not enter treated field within 48 hours after application
TEXCON AGR VENTURES CORPORATION	METALDEHYDE	SUBMARINER 6N PELLETS	6g/L	P	MOLLUSCICIDE	4	242-075-2239	04-May-24	CONTACT	Cruisers (Chinese Cabbage)	Slugs, Snails	6-8 kg/Lha	-	-	Do not enter treated field within 48 hours after application
SINOCHEM CROP PROTECTION (PHILS.) INC.	PENOXISULAM-CHALOFOP- BUTYL	SUAVE 60 OD	10 g/L+50 g/L	OD	HERBICIDE	4	432-381-4629	21-Jan-25	SELECTIVE/POST-EMERGENT	Rice (Direct-seeded)	E. crus-galli, E. glabrescens, C. difformis/L. rogosum, L. chinensis, M. vaginalis, F. millicoma, C. info, S. sylvatica and L. octovalvis	12tankloads/ha, 5-8Tbsp/Tankloads; 15tankloads/ha, 5-	-	-	After spray deposits has dried up
SINOCHEM CROP PROTECTION (PHILS.) INC.	PENOXISULAM-CHALOFOP- BUTYL	SUAVE 60 OD	10 g/L+50 g/L	OD	HERBICIDE	4	432-381-4629	21-Jan-25	SELECTIVE/POST-EMERGENT	Rice (Transplanted)	E. crus-galli, E. glabrescens, C. difformis/L. rogosum, L. chinensis, M. vaginalis, F. millicoma, C. info, S. sylvatica and L. octovalvis	12tankloads/ha, 6-8Tbsp/Tankloads; 15tankloads/ha, 5-	-	-	After spray deposits has dried up
SYNGENTA PHILIPPINES INC.	PENOXISULAM-CHALOFOP- BUTYL	SUAVE 60 OD	10 g/L+50 g/L	OD	HERBICIDE	4	432-381-4629	21-Jan-25	SELECTIVE/POST-EMERGENT	Rice (Direct-seeded)	E. crus-galli, E. glabrescens, C. difformis/L. rogosum, L. chinensis, M. vaginalis, F. millicoma, C. info, S. sylvatica and L. octovalvis	12tankloads/ha, 6-8Tbsp/Tankloads; 15tankloads/ha, 5-	-	-	-
SYNGENTA PHILIPPINES INC.	PENOXISULAM-CHALOFOP- BUTYL	SUAVE 60 OD	10 g/L+50 g/L	OD	HERBICIDE	4	432-381-4629	21-Jan-25	SELECTIVE/POST-EMERGENT	Rice (Transplanted)	E. crus-galli, E. glabrescens, C. difformis/L. rogosum, L. chinensis, M. vaginalis, F. millicoma, C. info, S. sylvatica and L. octovalvis	12tankloads/ha, 6-8Tbsp/Tankloads; 15tankloads/ha, 5-	-	-	-
CYMEJB CORPORATION	METHOMYL	STYPE 40 SP	400 g/kg	SP	INSECTICIDE	2	537-164-3560	21-Sep-21	CONTACT	Asparagus	Armyworm, cutworm	-	-	-	Do not enter fields treated with STYPE 40 SP within 12 hours after application
CYMEJB CORPORATION	METHOMYL	STYPE 40 SP	400 g/kg	SP	INSECTICIDE	2	537-164-3560	21-Sep-21	CONTACT	Banana	Thrips	30-40 Tbsp/16L Sprayer	-	-	Do not enter fields treated with STYPE 40 SP within 12 hours after application
CYMEJB CORPORATION	METHOMYL	STYPE 40 SP	400 g/kg	SP	INSECTICIDE	2	537-164-3560	21-Sep-21	CONTACT	Beans	Leafroller, flea beetle , beanfly, podborer,aphids	2-3L Tbsp/16L Sprayer	-	-	Do not enter fields treated with STYPE 40 SP within 12 hours after application
CYMEJB CORPORATION	METHOMYL	STYPE 40 SP	400 g/kg	SP	INSECTICIDE	2	537-164-3560	21-Sep-21	CONTACT	Mungbeans	Leafroller, flea beetle , beanfly, podborer,aphids	2-3L Tbsp/16L Sprayer	-	-	Do not enter fields treated with STYPE 40 SP within 12 hours after application
CYMEJB CORPORATION	METHOMYL	STYPE 40 SP	400 g/kg	SP	INSECTICIDE	2	537-164-3560	21-Sep-21	CONTACT	Soybeans	Leafroller, flea beetle , beanfly, podborer,aphids	2-3L Tbsp/16L Sprayer	-	-	Do not enter fields treated with STYPE 40 SP within 12 hours after application
CYMEJB CORPORATION	METHOMYL	STYPE 40 SP	400 g/kg	SP	INSECTICIDE	2	537-164-3560	21-Sep-21	CONTACT	Sitao	Leafroller, flea beetle , beanfly, podborer,aphids	2-3L Tbsp/16L Sprayer	-	-	Do not enter fields treated with STYPE 40 SP within 12 hours after application
CYMEJB CORPORATION	METHOMYL	STYPE 40 SP	400 g/kg	SP	INSECTICIDE	2	537-164-3560	21-Sep-21	CONTACT	Corn	Comborer, earworm	2-3L Tbsp/16L Sprayer	-	-	Do not enter fields treated with STYPE 40 SP within 12 hours after application
CYMEJB CORPORATION	METHOMYL	STYPE 40 SP	400 g/kg	SP	INSECTICIDE	2	537-164-3560	21-Sep-21	CONTACT	Sorghum	Comborer, earworm	2-3L Tbsp/16L Sprayer	-	-	Do not enter fields treated with STYPE 40 SP within 12 hours after application
CYMEJB CORPORATION	METHOMYL	STYPE 40 SP	400 g/kg	SP	INSECTICIDE	2	537-164-3560	21-Sep-21	CONTACT	Eggplant	Aphids, flea beetle, fruitworm, lady beetle	2-3L Tbsp/16L Sprayer	-	-	Do not enter fields treated with STYPE 40 SP within 12 hours after application
CYMEJB CORPORATION	METHOMYL	STYPE 40 SP	400 g/kg	SP	INSECTICIDE	2	537-164-3560	21-Sep-21	CONTACT	Melon	Aphids, Squash beetle , leafroller	2-3L Tbsp/16L Sprayer	-	-	Do not enter fields treated with STYPE 40 SP within 12 hours after application
CYMEJB CORPORATION	METHOMYL	STYPE 40 SP	400 g/kg	SP	INSECTICIDE	2	537-164-3560	21-Sep-21	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leafroller	2-3L Tbsp/16L Sprayer	0.05ppm	3 Days	Do not enter fields treated with STYPE 40 SP within 12 hours after application
CYMEJB CORPORATION	METHOMYL	STYPE 40 SP	400 g/kg	SP	INSECTICIDE	2	537-164-3560	21-Sep-21	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	2-3L Tbsp/16L Sprayer	-	-	Do not enter fields treated with STYPE 40 SP within 12 hours after application
CYMEJB CORPORATION	METHOMYL	STYPE 40 SP	400 g/kg	SP	INSECTICIDE	2	537-164-3560	21-Sep-21	CONTACT	Tomato	Tomato fruitworm, aphids	2-3L Tbsp/16L Sprayer	-	-	Do not enter fields treated with STYPE 40 SP within 12 hours after application
ZEAL ECOLOGICAL NATURE (ZENCOM) CORPORATION	GLUTHANODIN	STURDY 200 SC	200 g/L	SC	INSECTICIDE	4	575-379-6254	12-May-26	-	Rice	Rice black bug	4.0-5.0 Tbsp/ 16L water (40-50 mL)	-	-	Allowed as soon as spray deposits dry
PHILIPPINE FARIMIX SOLUTIONS INC.	DELTAMETHRIN	STUNNER 2.5 EC	25 g/L	EC	INSECTICIDE	4	535-085-3178	22-May-22	-	Mango	Hopper, Tip borer, twig borer	0.75-1.0 Tbsp/16L water	-	24 hours after last spray	Enter treated area 24 hours after each spray
PHILIPPINE FARIMIX SOLUTIONS INC.	DELTAMETHRIN	STUNNER 2.5 EC	25 g/L	EC	INSECTICIDE	4	535-085-3178	22-May-22	-	Cabbage & other crucifers	Diamond-back moth, cabbage moth, cabbage worm	0.1 Tbsp/16L water	-	24 hours after last spray	Enter treated area 24 hours after each spray
PHILIPPINE FARIMIX SOLUTIONS INC.	DELTAMETHRIN	STUNNER 2.5 EC	25 g/L	EC	INSECTICIDE	4	535-085-3178	22-May-22	-	Tobacco	Budworm, armyworm, cutworm	0.8-1.0 Tbsp/16L water	-	24 hours after last spray	Enter treated area 24 hours after each spray
PHILIPPINE FARIMIX SOLUTIONS INC.	DELTAMETHRIN	STUNNER 2.5 EC	25 g/L	EC	INSECTICIDE	4	535-085-3178	22-May-22	-	Beans	Flea beetle, beanfly, bugs, thrips, cutworm, armyworm, podborer, semi-looper, bean lycanid	0.8-1.0 Tbsp/16L water	-	24 hours after last spray	Enter treated area 24 hours after each spray
PHILIPPINE FARIMIX SOLUTIONS INC.	DELTAMETHRIN	STUNNER 2.5 EC	25 g/L	EC	INSECTICIDE	4	535-085-3178	22-May-22	-	soybeans	Flea beetle, beanfly, bugs, thrips, cutworm, armyworm, podborer, semi-looper, bean lycanid	0.8-1.0 Tbsp/16L water	-	24 hours after last spray	Enter treated area 24 hours after each spray
PHILIPPINE FARIMIX SOLUTIONS INC.	DELTAMETHRIN	STUNNER 2.5 EC	25 g/L	EC	INSECTICIDE	4	535-085-3178	22-May-22	-	Tomato	Fruitworm (heliothis)	0.8-1.0 Tbsp/16L water	-	24 hours after last spray	Enter treated area 24 hours after each spray
PHILIPPINE FARIMIX SOLUTIONS INC.	DELTAMETHRIN	STUNNER 2.5 EC	25 g/L	EC	INSECTICIDE	4	535-085-3178	22-May-22	-	Corn	Corn borer, corn earworm, seedling maggot	0.1 Tbsp/16L water	-	24 hours after last spray	Enter treated area 24 hours after each spray
PHILIPPINE FARIMIX SOLUTIONS INC.	DELTAMETHRIN	STUNNER 2.5 EC	25 g/L	EC	INSECTICIDE	4	535-085-3178	22-May-22	-	Eggplant	Thrips, flea beetle, fruitworm	0.1 Tbsp/16L water	-	24 hours after last spray	Enter treated area 24 hours after each spray
PHILIPPINE FARIMIX SOLUTIONS INC.	DELTAMETHRIN	STUNNER 2.5 EC	25 g/L	EC	INSECTICIDE	4	535-085-3178	22-May-22	-	Cotton	Leafhopper, bollworm, weevil	0.8-1.0 Tbsp/16L water	-	24 hours after last spray	Enter treated area 24 hours after each spray
PHILIPPINE FARIMIX SOLUTIONS INC.	DELTAMETHRIN	STUNNER 2.5 EC	25 g/L	EC	INSECTICIDE	4	535-085-3178	22-May-22	-	Agricultural crops	Locusts-nymphs/ Locusts-adult	1.0-1.5"/ 3.0 Tbsp/ 16L water	-	24 hours after last spray	Enter treated area 24 hours after each spray
PHILIPPINE FARIMIX SOLUTIONS INC.	DELTAMETHRIN	STUNNER 2.5 EC	25 g/L	EC	INSECTICIDE	4	535-085-3178	22-May-22	-	Cacao	Podborer, aphids	0.1 Tbsp/16L water	-	24 hours after last spray	Enter treated area 24 hours after each spray
SINOCHEM CROP PROTECTION (PHILS.) INC.	AZIXYTHROBIN	STROBE 250 SC	250 g/L	SC	FUNGICIDE	4	432-309-4216	29-Dec-23	SYSTEMIC	Mango	Anthracoase, scab, stem-end rot	6-8/200L water	-	-	Do not spray 3-7 days before harvest
SINOCHEM CROP PROTECTION (PHILS.) INC.	AZIXYTHROBIN	STROBE 250 SC	250 g/L	SC	FUNGICIDE	4	432-309-4216	29-Dec-23	SYSTEMIC	Watermelon	Damping off, leaf spot, anthracnose, downy, mildew, powdery mildew	1-2Tbsp/16L water	-	-	Do not spray 3-7 days before harvest

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
SINOCHEM CROP PROTECTION (PHLS.) INC.	AZOXYSTROBIN	STROBE 250 SC	250 g/L	SC	FUNGICIDE	4	432-309-4216	29-Dec-23	SYSTEMIC	Onion	Basal/bulb rot	1-275g/36 L water	-	Do not spray 3-7 days before harvest	-
SINOCHEM CROP PROTECTION (PHLS.) INC.	AZOXYSTROBIN	STROBE 250 SC	250 g/L	SC	FUNGICIDE	4	432-309-4216	29-Dec-23	SYSTEMIC	Tomato	Late/early blight, powdery mildew	0.5-175g/36 L water	-	Do not spray 3-7 days before harvest	-
SINOCHEM CROP PROTECTION (PHLS.) INC.	AZOXYSTROBIN	STROBE 250 SC	250 g/L	SC	FUNGICIDE	4	432-309-4216	29-Dec-23	SYSTEMIC	Corn	Sheath blight, leaf spot, leaf rust, ear rot	2-475g/36 L water	-	Do not spray 3-7 days before harvest	-
SINOCHEM CROP PROTECTION (PHLS.) INC.	AZOXYSTROBIN	STROBE 250 SC	250 g/L	SC	FUNGICIDE	4	432-309-4216	29-Dec-23	SYSTEMIC	Asparagus	Stem blight, leaf blight, fusarium wilt	2-375g/36 L water	-	Do not spray 3-7 days before harvest	-
MISCHA AGRO INDUSTRIAL CORPORATION	BUTACHLOR-PROPANIL	STRIPPER 70 EC	350-350 g/L	EC	HERBICIDE	3	620-238-4495	29-Aug-24	POST-EMERGENT	Rice (Direct-Seeded)	Grasses, sedges and Broadleaves	8-1275g/36 L water	Butachlor 0.1ppm Propantil 0.1ppm	-	-
MISCHA AGRO INDUSTRIAL CORPORATION	BUTACHLOR-PROPANIL	STRIPPER 70 EC	350-350 g/L	EC	HERBICIDE	3	620-238-4495	29-Aug-24	POST-EMERGENT	Rice (Transplanted)	Grasses, sedges and Broadleaves	8-1275g/36 L water	Butachlor 0.1ppm Propantil 0.1ppm	-	-
GENTRADEPHIL INC.	DINOTEFURAN	STRIKER 20 SG	200g/kg	SG	INSECTICIDE	4	660-373-5201	29-Jul-25	SYSTEMIC/CONTACT	Mango	Mango Leafhopper	1.0-2.0 g/36 water; 15.62-31.25 g/100L water	-	7 days	As soon as spray solution has dried on the foliage
GENTRADEPHIL INC.	DINOTEFURAN	STRIKER 20 SG	200g/kg	SG	INSECTICIDE	4	660-373-5201	29-Jul-25	SYSTEMIC/CONTACT	Watermelon	Aphids, whiteflies	2.0-5.0 g/36 water; 15.62-31.25 g/100L water	-	16 days after the last spray	As soon as spray solution has dried on the foliage
GENTRADEPHIL INC.	DINOTEFURAN	STRIKER 20 SG	200g/kg	SG	INSECTICIDE	4	660-373-5201	29-Jul-25	SYSTEMIC/CONTACT	Tomato	Whiteflies, hoppers, cutworm	2.0-5.0 g/36 water; 15.62-31.25 g/100L water	-	7 days	As soon as spray solution has dried on the foliage
GENTRADEPHIL INC.	DINOTEFURAN	STRIKER 20 SG	200g/kg	SG	INSECTICIDE	4	660-373-5201	29-Jul-25	SYSTEMIC/CONTACT	Eggplant	Hoppers, whiteflies, fruit borer	2.0-5.0 g/36 water; 15.62-31.25 g/100L water	-	7 days	As soon as spray solution has dried on the foliage
GENTRADEPHIL INC.	DINOTEFURAN	STRIKER 20 SG	200g/kg	SG	INSECTICIDE	4	660-373-5201	29-Jul-25	SYSTEMIC/CONTACT	Rice	Green leafhopper, brown planthopper, rice bug	2.0-5.0 g/36 water; 15.62-31.25 g/100L water	-	26 days after the last spray	As soon as spray solution has dried on the foliage
GENTRADEPHIL INC.	DINOTEFURAN	STRIKER 20 SG	200g/kg	SG	INSECTICIDE	4	660-373-5201	29-Jul-25	SYSTEMIC/CONTACT	Coconut	Scale insects	2-5 g/36L water	-	-	As soon as spray solution has dried on the foliage
WISHCROPS, INC.	CYPERMETHRIN	STRIKE 1 SEC	50g/L	EC	INSECTICIDE	4	644-037-4760	17-Mar-26	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/36 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
WISHCROPS, INC.	CYPERMETHRIN	STRIKE 1 SEC	50g/L	EC	INSECTICIDE	4	644-037-4760	17-Mar-26	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leafroller, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/36 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
WISHCROPS, INC.	CYPERMETHRIN	STRIKE 1 SEC	50g/L	EC	INSECTICIDE	4	644-037-4760	17-Mar-26	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/36 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
WISHCROPS, INC.	CYPERMETHRIN	STRIKE 1 SEC	50g/L	EC	INSECTICIDE	4	644-037-4760	17-Mar-26	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/36 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
WISHCROPS, INC.	CYPERMETHRIN	STRIKE 1 SEC	50g/L	EC	INSECTICIDE	4	644-037-4760	17-Mar-26	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/36 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
WISHCROPS, INC.	CYPERMETHRIN	STRIKE 1 SEC	50g/L	EC	INSECTICIDE	4	644-037-4760	17-Mar-26	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/36 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
WISHCROPS, INC.	CYPERMETHRIN	STRIKE 1 SEC	50g/L	EC	INSECTICIDE	4	644-037-4760	17-Mar-26	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/36 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
WISHCROPS, INC.	CYPERMETHRIN	STRIKE 1 SEC	50g/L	EC	INSECTICIDE	4	644-037-4760	17-Mar-26	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/36 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
WISHCROPS, INC.	CYPERMETHRIN	STRIKE 1 SEC	50g/L	EC	INSECTICIDE	4	644-037-4760	17-Mar-26	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/36 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
WISHCROPS, INC.	CYPERMETHRIN	STRIKE 1 SEC	50g/L	EC	INSECTICIDE	4	644-037-4760	17-Mar-26	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/36 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
WISHCROPS, INC.	CYPERMETHRIN	STRIKE 1 SEC	50g/L	EC	INSECTICIDE	4	644-037-4760	17-Mar-26	CONTACT	Corn	Comborer, earworm	1.0-4.5 Tbsp/36 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
AGWAY CHEMICALS CORPORATION	METHOMYL	STRENGTH 40 SP	400 g/kg	SP	INSECTICIDE	2	075-164-1686	08-Mar-25	CONTACT	Asparagus	Armyworm, cutworm	1 Sachet/36L Sprayer	-	-	-
AGWAY CHEMICALS CORPORATION	METHOMYL	STRENGTH 40 SP	400 g/kg	SP	INSECTICIDE	2	075-164-1686	08-Mar-25	CONTACT	Banana	Thrips	1.5-2 Sachet/36L Sprayer	-	-	-
AGWAY CHEMICALS CORPORATION	METHOMYL	STRENGTH 40 SP	400 g/kg	SP	INSECTICIDE	2	075-164-1686	08-Mar-25	CONTACT	Beans	Leafroller, flea beetle , beanfly, podborer,aphids	1 Sachet/36L Sprayer	-	-	-
AGWAY CHEMICALS CORPORATION	METHOMYL	STRENGTH 40 SP	400 g/kg	SP	INSECTICIDE	2	075-164-1686	08-Mar-25	CONTACT	Mungbeans	Leafroller, flea beetle , beanfly, podborer,aphids	1 Sachet/36L Sprayer	-	-	-
AGWAY CHEMICALS CORPORATION	METHOMYL	STRENGTH 40 SP	400 g/kg	SP	INSECTICIDE	2	075-164-1686	08-Mar-25	CONTACT	Soybeans	Leafroller, flea beetle , beanfly, podborer,aphids	1 Sachet/36L Sprayer	-	-	-
AGWAY CHEMICALS CORPORATION	METHOMYL	STRENGTH 40 SP	400 g/kg	SP	INSECTICIDE	2	075-164-1686	08-Mar-25	CONTACT	Stringbeans	Leafroller, flea beetle , beanfly, podborer,aphids	1 Sachet/36L Sprayer	-	-	-
AGWAY CHEMICALS CORPORATION	METHOMYL	STRENGTH 40 SP	400 g/kg	SP	INSECTICIDE	2	075-164-1686	08-Mar-25	CONTACT	Corn	Comborer, earworm	1 Sachet/36L Sprayer	-	-	-
AGWAY CHEMICALS CORPORATION	METHOMYL	STRENGTH 40 SP	400 g/kg	SP	INSECTICIDE	2	075-164-1686	08-Mar-25	CONTACT	Sorghum	Comborer, earworm	1 Sachet/36L Sprayer	-	-	-
AGWAY CHEMICALS CORPORATION	METHOMYL	STRENGTH 40 SP	400 g/kg	SP	INSECTICIDE	2	075-164-1686	08-Mar-25	CONTACT	Eggplant	Aphids, flea beetle , fruitworm, lady beetle	1 Sachet/36L Sprayer	-	-	-
AGWAY CHEMICALS CORPORATION	METHOMYL	STRENGTH 40 SP	400 g/kg	SP	INSECTICIDE	2	075-164-1686	08-Mar-25	CONTACT	Melon	Aphids, squash beetle , leafroller	1 Sachet/36L Sprayer	-	-	-
AGWAY CHEMICALS CORPORATION	METHOMYL	STRENGTH 40 SP	400 g/kg	SP	INSECTICIDE	2	075-164-1686	08-Mar-25	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leafroller	1 Sachet/36L Sprayer	0.03ppm	3 Days	-
AGWAY CHEMICALS CORPORATION	METHOMYL	STRENGTH 40 SP	400 g/kg	SP	INSECTICIDE	2	075-164-1686	08-Mar-25	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	1 Sachet/36L Sprayer	-	-	-
AGWAY CHEMICALS CORPORATION	METHOMYL	STRENGTH 40 SP	400 g/kg	SP	INSECTICIDE	2	075-164-1686	08-Mar-25	CONTACT	Tomato	Tomato fruitworm, aphids	1 Sachet/36L Sprayer	-	-	-
C.B. ANDREW ASIA, INC.	PYRIBENZODIM-CHYALCROP-BUTYL	STRANGE 8.5 EC	25+80g/L	EC	HERBICIDE	3	460-453-4741	22-Jan-26	-	Rice (Direct-Seeded)	Grasses, sedges & broadleaves	10 Tbsp/(10 spray load/ha); 8.5 Tbsp/(12 spray load/ha)	-	-	As soon as spray deposit have dried.
ACE CROP SOLUTIONS INC.	NICLOSAFIDE ETHANOLAMINE SALT	STRAIGHT FLUSH 70 WP	700 g/kg	WP	MOLLUSCICIDE	4	530-229-3135	21-Mar-25	CONTACT	Rice	Golden Apple Snail (Kuhel)	20 gm/36 L water; 10 tank/load/ha	-	-	At least 48 hours after application
ACE CROP SOLUTIONS INC.	NICLOSAFIDE	STRAIGHT FLUSH 25 EC	250 g/L	EC	MOLLUSCICIDE	4	530-229-3440	09-Mar-26	-	Rice	Golden apple snail	7-10 Tbsp/36L water	-	-	Do not re-enter the field within two days after spraying
BASF PHILIPPINES, INC.	FLOCCUMAFEN	STORM WAX BLOCK BAIT	0.05 g/kg	BB	RODENTICIDE	4	005-295-0786	11-Dec-26	-	Cacao	Rats, Mice	400-600 g/ha	-	-	-
BASF PHILIPPINES, INC.	FLOCCUMAFEN	STORM WAX BLOCK BAIT	0.05 g/kg	BB	RODENTICIDE	4	005-295-0786	11-Dec-26	-	Gili palm	Rats, Mice	400-600 g/ha	-	-	-
BASF PHILIPPINES, INC.	FLOCCUMAFEN	STORM WAX BLOCK BAIT	0.05 g/kg	BB	RODENTICIDE	4	005-295-0786	11-Dec-26	-	Banana	Rats, Mice	400-600 g/ha	-	-	-
BASF PHILIPPINES, INC.	FLOCCUMAFEN	STORM WAX BLOCK BAIT	0.05 g/kg	BB	RODENTICIDE	4	005-295-0786	11-Dec-26	-	Sugarcane	Rats, Mice	400-600 g/ha	-	-	-
BASF PHILIPPINES, INC.	FLOCCUMAFEN	STORM WAX BLOCK BAIT	0.05 g/kg	BB	RODENTICIDE	4	005-295-0786	11-Dec-26	-	Pineapple	Rats, Mice	400-600 g/ha	-	-	-
LEADS AGRICULTURAL PRODUCTS CORPORATION	METALDEHIDE	STOP 6N PELLETS	60 g/kg	P	MOLLUSCICIDE	4	099-075-0804	06-Jan-26	CONTACT	Rice (Transplanted)	Golden apple snail	2.0-4.0 kg/ha	-	-	Do not enter treated field within 48 hours after application
LEADS AGRICULTURAL PRODUCTS CORPORATION	METALDEHIDE	STOP 6N PELLETS	60 g/kg	P	MOLLUSCICIDE	4	099-075-0804	06-Jan-26	CONTACT	Rice (Direct-Seeded)	Golden apple snail	2.0-8.0 kg/ha	-	-	Do not enter treated field within 48 hours after application
LEADS AGRICULTURAL PRODUCTS CORPORATION	METALDEHIDE	STOP 6N PELLETS	60 g/kg	P	MOLLUSCICIDE	4	099-075-0804	06-Jan-26	CONTACT	Potted and driftwood-attached plants such as	Snails, snails, giant african snail and slugs	1.0-2.0 kg/ha	-	-	Do not enter treated field within 48 hours after application
LEADS AGRICULTURAL PRODUCTS CORPORATION	METALDEHIDE	STOP 6N PELLETS	60 g/kg	P	MOLLUSCICIDE	4	099-075-0804	18-Jul-24	CONTACT	strawberry	Slugs ,snails	6.0-8.0 kg/ ha	-	-	Do not enter treated field within 48 hours after application
LEADS AGRICULTURAL PRODUCTS CORPORATION	METALDEHIDE	STOP 6N PELLETS	60 g/kg	P	MOLLUSCICIDE	4	099-075-0804	18-Jul-24	CONTACT	Crucifers (Chinese Cabbage)	Slugs ,snails	6.0-8.0 kg/ ha	-	-	Do not enter treated field within 48 hours after application
AGWAY CHEMICALS CORPORATION	TEA TREE OIL-OF-ENOCONAZOLE	STK REGEV	400+200g/L	EC	FUNGICIDE	4	075-480-5193	20-Jun-25	SYSTEMIC	Banana	Black Sigatoka	300-500ml product/ha	-	0 days	As soon as foliage dries up
AGWAY CHEMICALS CORPORATION	TEA TREE OIL-OF-ENOCONAZOLE	STK REGEV	400+200g/L	EC	FUNGICIDE	4	075-480-5193	20-Jun-25	SYSTEMIC	Rice	Sheath blight & rice blast	200-500 ml product/ha	-	7 days	As soon as foliage dries up
AGWAY CHEMICALS CORPORATION	TEA TREE OIL-OF-ENOCONAZOLE	STK REGEV	400+200g/L	EC	FUNGICIDE	4	075-480-5193	20-Jun-25	SYSTEMIC	Mango	Anthracoose, panicle/blossom blight and stem-end rot	100-125 ml product per 200L water	-	14 days	As soon as foliage dries up
STOCKTON AGRIMOR PHILIPPINES INC.	TEA TREE OIL-OF-ENOCONAZOLE	STK REGEV	400+200g/L	EC	FUNGICIDE	4	527-480-4399	20-Jun-25	SYSTEMIC	Banana	Black Sigatoka	300-500ml product/ha	-	0 day	As soon as foliage dries up
STOCKTON AGRIMOR PHILIPPINES INC.	TEA TREE OIL-OF-ENOCONAZOLE	STK REGEV	400+200g/L	EC	FUNGICIDE	4	527-480-4399	20-Jun-25	SYSTEMIC	Rice	Sheath blight & rice blast	200-500 ml product/ha	-	7 days	As soon as foliage dries up
STOCKTON AGRIMOR PHILIPPINES INC.	TEA TREE OIL-OF-ENOCONAZOLE	STK REGEV	400+200g/L	EC	FUNGICIDE	4	527-480-4399	20-Jun-25	SYSTEMIC	Mango	Anthracoose, panicle/blossom blight and stem-end rot	100-125 ml product per 200L water	-	14 days	As soon as foliage dries up
LEADS AGRICULTURAL PRODUCTS CORPORATION	TEA TREE OIL-OF-ENOCONAZOLE	STK REGEV	400 g/L+200 g/L	-	FUNGICIDE	4	099-480-6318	20-Jun-25	-	Rice	Sheath blight	200-500 mL / ha; 20-40 mL/ 36L	-	7 days	As soon as foliage dries up

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
LEADS AGRICULTURAL PRODUCTS CORPORATION	TEA TREE OIL-OFENOCNAZOLE	STK REGV	400 g/L<200 g/L	-	FUNGICIDE	4	099-480-6318	20-Jun-25	-	Mango	Anthracoese,panicle/blossom blight and stem-end rot	1000-1200 mL/ha, 100-125 mL/200L	-	0 day	As soon as foliage dries up
LEADS AGRICULTURAL PRODUCTS CORPORATION	TEA TREE OIL-OFENOCNAZOLE	STK REGV	400 g/L<200 g/L	-	FUNGICIDE	4	099-480-6318	20-Jun-25	-	Banana	Black sigatoka	800-900 mL/ ha	-	14 days	As soon as foliage dries up
STOCKTON AGRIMOR PHILIPPINES INC.	GLYPHOSATE IPA	STK GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	527-151-3217	08-Oct-19	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.5 Liters/ha	-	-	-
STOCKTON AGRIMOR PHILIPPINES INC.	GLYPHOSATE IPA	STK GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	527-151-3217	08-Oct-19	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.5 Liters/ha	-	-	-
STOCKTON AGRIMOR PHILIPPINES INC.	GLYPHOSATE IPA	STK GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	527-151-3217	08-Oct-19	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
STOCKTON AGRIMOR PHILIPPINES INC.	GLYPHOSATE IPA	STK GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	527-151-3217	08-Oct-19	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
STOCKTON AGRIMOR PHILIPPINES INC.	GLYPHOSATE IPA	STK GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	527-151-3217	08-Oct-19	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
STOCKTON AGRIMOR PHILIPPINES INC.	GLYPHOSATE IPA	STK GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	527-151-3217	08-Oct-19	POST-EMERGENT	rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
STOCKTON AGRIMOR PHILIPPINES INC.	GLYPHOSATE IPA	STK GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	527-151-3217	08-Oct-19	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
STOCKTON AGRIMOR PHILIPPINES INC.	GLYPHOSATE IPA	STK GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	527-151-3217	08-Oct-19	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
STOCKTON AGRIMOR PHILIPPINES INC.	GLYPHOSATE IPA	STK GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	527-151-3217	08-Oct-19	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/ha	-	-	-
STOCKTON AGRIMOR PHILIPPINES INC.	GLYPHOSATE IPA	STK GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	527-151-3217	08-Oct-19	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
STOCKTON AGRIMOR PHILIPPINES INC.	GLYPHOSATE IPA	STK GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	527-151-3217	08-Oct-19	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
STOCKTON AGRIMOR PHILIPPINES INC.	GLYPHOSATE IPA	STK GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	527-151-3217	08-Oct-19	POST-EMERGENT	non-crop	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
STOCKTON AGRIMOR PHILIPPINES INC.	TEA TREE OIL	STK 608	-	-	OTHERS	4	527-402-2349	11-Jun-19	-	Banana	Sigatoka	-	-	-	Harvesting may be done 24 hours after application
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	TRIDEMORPH	STINGER 86 OL	860 g/L	OL	FUNGICIDE	2	458-091-2529	10-Dec-22	SYSTEMIC/CONTACT	Banana	Sigatoka	0.5-0.8 L/ha + 10-15 L/ha Oil	-	-	Harvesting may be done right after spraying
INTEGRATED CROP TRADING CORPORATION	PHYMETROZINE	STING 50 WG	500g/kg	WDG	INSECTICIDE	4	274-307-4376	31-May-24	-	Mango	Mango Leafhopper	1 sachet/200 L	-	-	Do not enter the treated fields for at least 24 hours after application
AGSMART CORPORATION	BETACYFLUTHRIN	STILLETU 25 EC	25 g/L	EC	INSECTICIDE	2	680-356-5326	25-Jan-27	-	Tobacco	Budworm	10-20 mL/16 L	-	7 days	After spray deposits have dried
AGSMART CORPORATION	BETACYFLUTHRIN	STILLETU 25 EC	25 g/L	EC	INSECTICIDE	2	680-356-5326	25-Jan-27	-	Corn	Seeding maggot, corn borer	25-30 mL/16 L	-	13 days	After spray deposits have dried
AGSMART CORPORATION	BETACYFLUTHRIN	STILLETU 25 EC	25 g/L	EC	INSECTICIDE	2	680-356-5326	25-Jan-27	-	Rice	leafhopper, stemborer, black bug, whorl maggot	20mL, 40mL, 40mL-50mL per 16L	-	18 days	After spray deposits have dried
AGSMART CORPORATION	BETACYFLUTHRIN	STILLETU 25 EC	25 g/L	EC	INSECTICIDE	2	680-356-5326	25-Jan-27	-	Mango	Mango hopper	20-65 mL/16 L	-	28 days	After spray deposits have dried
AGSMART CORPORATION	BETACYFLUTHRIN	STILLETU 25 EC	25 g/L	EC	INSECTICIDE	2	680-356-5326	25-Jan-27	-	Eggplant	Fruit borer, tip borer	15-20 mL/16 L	-	3 days	After spray deposits have dried
FMC AGRO PHILIPPINES INC.	INDOXACARB	STEWARD 30 WDG	300 g/kg	WDG	INSECTICIDE	3	598-353-4412	28-Jun-24	CONTACT	Cabbage	Diamond-back moth	3.0-3.5 grams product/16 L water	-	-	As soon as the spray has dried
FMC AGRO PHILIPPINES INC.	INDOXACARB	STEWARD 30 WDG	300 g/kg	WDG	INSECTICIDE	3	598-353-4412	28-Jun-24	CONTACT	Eggplant	Shoot/Fruitborer	4.0-5.0 grams product/16 L water	-	-	As soon as the spray has dried
FMC AGRO PHILIPPINES INC.	INDOXACARB	STEWARD 30 WDG	300 g/kg	WDG	INSECTICIDE	3	598-353-4412	28-Jun-24	CONTACT	Stringbeans	Podborer	4.0-5.0 grams product/16 L water	-	-	As soon as the spray has dried
FMC AGRO PHILIPPINES INC.	INDOXACARB	STEWARD 30 WDG	300 g/kg	WDG	INSECTICIDE	3	598-353-4412	28-Jun-24	CONTACT	Bittergourd	Leaf folder and cutworm	4.0-5.0 grams product/16 L water	-	-	As soon as the spray has dried
FMC AGRO PHILIPPINES INC.	INDOXACARB	STEWARD 30 WDG	300 g/kg	WDG	INSECTICIDE	3	598-353-4412	28-Jun-24	CONTACT	Tobacco	Cutworm, Budworm	4.0grams product/16 L water	-	-	As soon as the spray has dried
FMC AGRO PHILIPPINES INC.	INDOXACARB	STEWARD 30 WDG	300 g/kg	WDG	INSECTICIDE	3	598-353-4412	28-Jun-24	CONTACT	Corn	Corn borer, earworm and fall armyworm	4.0 grams product/16 L water	-	-	As soon as the spray has dried
FLAGLEAF AGRI PHILIPPINES, INC.	AMETRYNE	STEMATRYNE	800g/kg	WP	HERBICIDE	4	564-068-4057	19-Jul-20	SELECTIVE (POST/PRE-EMERGENCE)	Banana	Annual broadleaves and grasses	9-15 Tbsp/16 L water	-	-	-
FLAGLEAF AGRI PHILIPPINES, INC.	AMETRYNE	STEMATRYNE	800g/kg	WP	HERBICIDE	4	564-068-4057	19-Jul-20	SELECTIVE (POST/PRE-EMERGENCE)	Coffee	Annual broadleaves and grasses	9-15 Tbsp/16 L water	-	-	-
FLAGLEAF AGRI PHILIPPINES, INC.	AMETRYNE	STEMATRYNE	800g/kg	WP	HERBICIDE	4	564-068-4057	19-Jul-20	SELECTIVE (POST/PRE-EMERGENCE)	Cacao	Annual broadleaves and grasses	9-15 Tbsp/16 L water	-	-	-
FLAGLEAF AGRI PHILIPPINES, INC.	AMETRYNE	STEMATRYNE	800g/kg	WP	HERBICIDE	4	564-068-4057	19-Jul-20	SELECTIVE (POST/PRE-EMERGENCE)	Oil palm	Annual broadleaves and grasses	9-15 Tbsp/16 L water	-	-	-
FLAGLEAF AGRI PHILIPPINES, INC.	AMETRYNE	STEMATRYNE	800g/kg	WP	HERBICIDE	4	564-068-4057	19-Jul-20	SELECTIVE (POST/PRE-EMERGENCE)	Citrus	Annual broadleaves and grasses	9-15 Tbsp/16 L water	-	-	-
FLAGLEAF AGRI PHILIPPINES, INC.	AMETRYNE	STEMATRYNE	800g/kg	WP	HERBICIDE	4	564-068-4057	19-Jul-20	SELECTIVE (POST/PRE-EMERGENCE)	Pineapple	Annual broadleaves and grasses	9-15 Tbsp/16 L water	-	-	-
FLAGLEAF AGRI PHILIPPINES, INC.	AMETRYNE	STEMATRYNE	800g/kg	WP	HERBICIDE	4	564-068-4057	19-Jul-20	SELECTIVE (POST/PRE-EMERGENCE)	rubber	Annual broadleaves and grasses	9-15 Tbsp/16 L water	-	-	-
FLAGLEAF AGRI PHILIPPINES, INC.	AMETRYNE	STEMATRYNE	800g/kg	WP	HERBICIDE	4	564-068-4057	19-Jul-20	SELECTIVE (POST/PRE-EMERGENCE)	Corn	Annual broadleaves and grasses	9-15 Tbsp/16 L water	-	-	-
FLAGLEAF AGRI PHILIPPINES, INC.	AMETRYNE	STEMATRYNE	800g/kg	WP	HERBICIDE	4	564-068-4057	19-Jul-20	SELECTIVE (POST/PRE-EMERGENCE)	Sugarcane	Annual broadleaves and grasses	9-15 Tbsp/16 L water	-	-	-
TAIPAN BRAND FARM INC.	CHLOPYRIFOS	STEMAT 40 EC	400 g/L	EC	INSECTICIDE	2	529-101-3121	25-Feb-22	-	Banana	Thrips,scarring beetle & aphids	20-30 ml per 16L water	3.00 ppm	-	-
TAIPAN BRAND FARM INC.	CHLOPYRIFOS	STEMAT 40 EC	400 g/L	EC	INSECTICIDE	2	529-101-3121	25-Feb-22	-	Sugarcane	whitegrubs	80-100 ml per 16L water	0.10 ppm	-	-
TAIPAN BRAND FARM INC.	CHLOPYRIFOS	STEMAT 40 EC	400 g/L	EC	INSECTICIDE	2	529-101-3121	25-Feb-22	-	Pineapple	Ants & Mealybugs	1-4 L per hectare	-	-	-
TAIPAN BRAND FARM INC.	CHLOPYRIFOS	STEMAT 3E	300 g/L	EC	INSECTICIDE	2	529-101-4028	25-Feb-25	-	Rice	Stemborer,armyworm, leafhopper,earworm,planthopper,cutworm	25-35 mL/16 L water	0.10 ppm	10 days	-
TAIPAN BRAND FARM INC.	CHLOPYRIFOS	STEMAT 3E	300 g/L	EC	INSECTICIDE	2	529-101-4028	25-Feb-25	-	Potato	Tubermoth, leafhopper, cutworm, aphids	25-35 mL/16 L water	0.05 ppm	-	-
TAIPAN BRAND FARM INC.	CHLOPYRIFOS	STEMAT 3E	300 g/L	EC	INSECTICIDE	2	529-101-4028	25-Feb-25	-	Corn	Armyworm, comborer,earworm,seeding maggot	25-35 mL/16 L water	0.10 ppm	-	-
TAIPAN BRAND FARM INC.	CHLOPYRIFOS	STEMAT 3E	300 g/L	EC	INSECTICIDE	2	529-101-4028	25-Feb-25	-	Beans	Beanfly, leafroller, podborer, cutworm, armyworm	25-35 mL/16 L water	0.10 ppm	-	-
TAIPAN BRAND FARM INC.	CHLOPYRIFOS	STEMAT 3E	300 g/L	EC	INSECTICIDE	2	529-101-4028	25-Feb-25	-	Cabbage	Diamond-back moth, cabbage moth, cabbage worm, aphids	1.5-2 Tbsp/ 16L water	-	-	-
SURE CROP SCIENCE AGRIVENTURES, INC.	CARTAP HYDROCHLORIDE	STELLAR SDP	500 g/kg	SP	INSECTICIDE	3	640-106-6193 (038)	16-Jun-26	SYSTEMIC	Cucurbits	Thrips, leafworms, and squash beetles	1.5-2 Tbsp/ 16L water	-	-	-
SURE CROP SCIENCE AGRIVENTURES, INC.	CARTAP HYDROCHLORIDE	STELLAR SDP	500 g/kg	SP	INSECTICIDE	3	640-106-6193 (038)	16-Jun-26	SYSTEMIC	Garlic	Thrips and cutworm	1.5-2 Tbsp/ 16L water	-	-	-
SURE CROP SCIENCE AGRIVENTURES, INC.	CARTAP HYDROCHLORIDE	STELLAR SDP	500 g/kg	SP	INSECTICIDE	3	640-106-6193 (038)	16-Jun-26	SYSTEMIC	Mango	Leafhoppers	1.5-2 Tbsp/ 16L water	-	-	-
SURE CROP SCIENCE AGRIVENTURES, INC.	CARTAP HYDROCHLORIDE	STELLAR SDP	500 g/kg	SP	INSECTICIDE	3	640-106-6193 (038)	16-Jun-26	SYSTEMIC	Onion	Thrips and cutworm	1.5-2 Tbsp/ 16L water	-	-	-
SURE CROP SCIENCE AGRIVENTURES, INC.	CARTAP HYDROCHLORIDE	STELLAR SDP	500 g/kg	SP	INSECTICIDE	3	640-106-6193 (038)	16-Jun-26	SYSTEMIC	pechay	lonper, cutworm, aphids	1.5-2 Tbsp/ 16L water	-	-	-
SURE CROP SCIENCE AGRIVENTURES, INC.	CARTAP HYDROCHLORIDE	STELLAR SDP	500 g/kg	SP	INSECTICIDE	3	640-106-6193 (038)	16-Jun-26	SYSTEMIC	Potato	Thrips, cutworms, leafhoppers, aphids, tuber moth, and leafminer	1.5-2 Tbsp/ 16L water	-	-	-
SURE CROP SCIENCE AGRIVENTURES, INC.	CARTAP HYDROCHLORIDE	STELLAR SDP	500 g/kg	SP	INSECTICIDE	3	640-106-6193 (038)	16-Jun-26	SYSTEMIC	Rice	Stemborers, green leafhoppers, brown planthoppers, and whorl maggots	3-5 Tbsp/16L water	-	-	-
AGRO IRIS PHILIPPINES, INC.	AZIOXYSTROBIN-OFENOCNAZOLE	STATO 325 SC	125 g/L<200 g/L	SC	FUNGICIDE	4	752-486-6009	22-May-26	-	Rice	Rice blast, sheat blight	4.0-5.0 tbsp/ 16L water; 2.5-5.0 tbsp/ 16L water	-	-	-
AGRO IRIS PHILIPPINES, INC.	AZIOXYSTROBIN-OFENOCNAZOLE	STATO 325 SC	125 g/L<200 g/L	SC	FUNGICIDE	4	752-486-6009	22-May-26	-	Corn	Northern corn leaf blight, white spot, gray leaf spot, brown spot	1.0-7.5 tbsp/ 16L water	-	-	-
AGRO IRIS PHILIPPINES, INC.	AZIOXYSTROBIN-OFENOCNAZOLE	STATO 325 SC	125 g/L<200 g/L	SC	FUNGICIDE	4	752-486-6009	22-May-26	-	Mango	Anthracoese, scab, stem end rot	900-950 mL/ 200L drum	-	-	-
AGRO IRIS PHILIPPINES, INC.	AZIOXYSTROBIN-OFENOCNAZOLE	STATO 325 SC	125 g/L<200 g/L	SC	FUNGICIDE	4	752-486-6009	22-May-26	-	Onion	Anthracoese	2.0-3.5 tbsp/ 16L water	-	-	-

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
AGRO RES PHILIPPINES, INC.	AZDXYSTROBIN-DIFENOCONAZOLE	STATO 32S SC	125 g/L+200g/L	SC	FUNGICIDE	4	752-486-6009	22-May-26	-	Potato	Late blight	2.0-2.5 tbsp/ 16L water	-	-	-
JARDINE DISTRIBUTION, INC.	SPINOSAD	STATIC	0.2 g/L	SC	INSECTICIDE	4	367-306-3694	20-Apr-19	-	Mango	Fruit flies	400-500 ml prod / ha	-	-	-
UCHOMPHIL INTERNATIONAL INC.	BENTAZONE	STARTUP 48 SL	480 g/L	SL	HERBICIDE	4	590-083-5374	25-Mar-24	SELECTIVE (POST-EMERGENT)	Rice	Perennial sedges, annual broadleaves and weeds	6-12tbsp/36 L water	0.1 ppm	30 days before harvest	Immediately after spray deposit has dried up
UCHOMPHIL INTERNATIONAL INC.	BENTAZONE	STARTUP 48 SL	480 g/L	SL	HERBICIDE	4	590-083-5374	25-Mar-24	SELECTIVE (POST-EMERGENT)	Soybeans	Perennial sedges, annual broadleaves and weeds	-	-	30 days before harvest	Immediately after spray deposit has dried up
SUPERAGRO CHEMICALS, INC.	AZDXYSTROBIN	STARLORD 250 SC	250 g/L	SC	FUNGICIDE	4	578-309-3762	30-Nov-22	SYSTEMIC	Mango	Anthraxnose, scab, stem-end rot	6-8/100L water	-	Do not spray 3-7 days before harvest	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
SUPERAGRO CHEMICALS, INC.	AZDXYSTROBIN	STARLORD 250 SC	250 g/L	SC	FUNGICIDE	4	578-309-3762	30-Nov-22	SYSTEMIC	Watermelon	Damping off, leaf spot, anthracnose, downy, mildew, powdery mildew	1-2tbsp/16 L water	-	Do not spray 3-7 days before harvest	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
SUPERAGRO CHEMICALS, INC.	AZDXYSTROBIN	STARLORD 250 SC	250 g/L	SC	FUNGICIDE	4	578-309-3762	30-Nov-22	SYSTEMIC	Onion	Basal/bulb rot	1-2tbsp/16 L water	-	Do not spray 3-7 days before harvest	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
SUPERAGRO CHEMICALS, INC.	AZDXYSTROBIN	STARLORD 250 SC	250 g/L	SC	FUNGICIDE	4	578-309-3762	30-Nov-22	SYSTEMIC	Tomato	Late/early blight, powdery mildew	0.5-1tbsp/16 L water	-	Do not spray 3-7 days before harvest	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
SUPERAGRO CHEMICALS, INC.	AZDXYSTROBIN	STARLORD 250 SC	250 g/L	SC	FUNGICIDE	4	578-309-3762	30-Nov-22	SYSTEMIC	Corn	Sheath blight, leaf spot, leaf rust, ear rot	3-4tbsp/16 L water	-	Do not spray 3-7 days before harvest	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
SUPERAGRO CHEMICALS, INC.	AZDXYSTROBIN	STARLORD 250 SC	250 g/L	SC	FUNGICIDE	4	578-309-3762	30-Nov-22	SYSTEMIC	Asparagus	Stem blight, leaf blight, fusarium wilt	1-3tbsp/16 L water	-	Do not spray 3-7 days before harvest	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
LEADS AGRICULTURAL PRODUCTS CORPORATION	DINOTEFURAN	STARLKE 20 SG	200 g/kg	SG	INSECTICIDE	4	099-373-1591	20-Oct-26	SYSTEMIC	Mango	Mango-Hopper	2.0-2.0 g/16 water	-	7 days after the last spray	As soon as the spray solution has dried on the foliage.
LEADS AGRICULTURAL PRODUCTS CORPORATION	DINOTEFURAN	STARLKE 20 SG	200 g/kg	SG	INSECTICIDE	4	099-373-1591	20-Oct-26	SYSTEMIC	Watermelon	Aphids, whiteflies	2.0-5.0 g/16 water	-	16 days after the last spray	As soon as the spray solution has dried on the foliage.
LEADS AGRICULTURAL PRODUCTS CORPORATION	DINOTEFURAN	STARLKE 20 SG	200 g/kg	SG	INSECTICIDE	4	099-373-1591	20-Oct-26	SYSTEMIC	Tomato	Whiteflies, hoppers, cutworm	2.0-5.0 g/16 water	-	7 days after the last spray	As soon as the spray solution has dried on the foliage.
LEADS AGRICULTURAL PRODUCTS CORPORATION	DINOTEFURAN	STARLKE 20 SG	200 g/kg	SG	INSECTICIDE	4	099-373-1591	20-Oct-26	SYSTEMIC	Eggplant	Hoppers, whiteflies, fruit borer	2.0-5.0 g/16 water	-	7 days after the last spray	As soon as the spray solution has dried on the foliage.
LEADS AGRICULTURAL PRODUCTS CORPORATION	DINOTEFURAN	STARLKE 20 SG	200 g/kg	SG	INSECTICIDE	4	099-373-1591	20-Oct-26	SYSTEMIC	Rice	Green leafhopper, brown planthopper, rice	2.0-5.0 g/16 water	-	24 days after the last spray	As soon as the spray solution has dried on the foliage.
LEADS AGRICULTURAL PRODUCTS CORPORATION	DINOTEFURAN	STARLKE 20 SG	200 g/kg	SG	INSECTICIDE	4	099-373-1591	20-Oct-26	SYSTEMIC	Coconut	Scale insects	5g/Tree (Trunk Injection)	1.0 ppm	0 day	As soon as the spray solution has dried on the foliage.
AGWAY CHEMICALS CORPORATION	BUPROFEZIN	STARFLEX 2% TREEBAG	20 g/kg	-	INSECTICIDE	4	075-224-6210	6-Jul-24	-	Banana	Mealy bugs and scale insects	1 bag per bunch	-	-	-
AGWAY CHEMICALS CORPORATION	BIFENTHRIN/STARBUNCH 2% MASTERBATCH	STARBUNCH 0.1% PE	-	-	INSECTICIDE	4	075-328-5241	07-Sep-23	-	Banana	Mealybugs & scale insects	-	-	-	0 day
CHEMPLAST PHILIPPINES, INC.	BIFENTHRIN/STARBUNCH 2% MASTERBATCH	STARBUNCH 0.1% PE	1 g/kg	-	INSECTICIDE	4	574-328-5194	07-Sep-23	-	Banana	Mealybugs & scale insects	0.07 kg a/ha	-	-	0 day
SOLE PHILS., INC. (STARPLCD DIVISION)	CHLORPYRIFOS	STARPLCD CHLORPYRIFOS IMPREGNATED PLASTIC	200 g/kg	G	INSECTICIDE	2	369-101-1787	09-Jun-18	-	Banana	Mealybug	-	-	-	-
C.B. ANDREW ASIA, INC.	GLYPHOSATE IPA	STARNDOUT 160 SL	160 g/L	SL	HERBICIDE	4	460-151-2497	07-Feb-24	POST-EMERGENT	Non-crop areas	Common grassy fields	24-48 Tbsp/16L water	-	-	-
BASF PHILIPPINES, INC.	CHLORANTHANILIPROLE	STAMPEDE 5 SC	50 g/L	SC	INSECTICIDE	4	005-393-5593	04-Jul-24	-	Cabbage	Diamond back-moth, cutworm, cabbage worm	10-15 mL prod/16L	-	-	Twelve hours after spraying
BASF PHILIPPINES, INC.	CHLORANTHANILIPROLE	STAMPEDE 5 SC	50 g/L	SC	INSECTICIDE	4	005-393-5593	04-Jul-24	-	Tobacco	Budworm, cutworm	25-30 mL/16L	-	-	Twelve hours after spraying
BASF PHILIPPINES, INC.	CHLORANTHANILIPROLE	STAMPEDE 5 SC	50 g/L	SC	INSECTICIDE	4	005-393-5593	04-Jul-24	-	Eggplant	shootborer/fruitborer, Cutworm	10 mL / 16L	-	-	Twelve hours after spraying
BASF PHILIPPINES, INC.	CHLORANTHANILIPROLE	STAMPEDE 5 SC	50 g/L	SC	INSECTICIDE	4	005-393-5593	04-Jul-24	-	Stringbeans	Podborer, leaffolder	10 mL / 16L	-	-	Twelve hours after spraying
BASF PHILIPPINES, INC.	CHLORANTHANILIPROLE	STAMPEDE 5 SC	50 g/L	SC	INSECTICIDE	4	005-393-5593	04-Jul-24	-	Rice	Stemborer, leaffolder	40 mL / 16L	-	-	Twelve hours after spraying
BASF PHILIPPINES, INC.	CHLORANTHANILIPROLE	STAMPEDE 5 SC	50 g/L	SC	INSECTICIDE	4	005-393-5593	04-Jul-24	-	Tomato	Cutworm, fruitworm	27-40 mL / 16L	-	-	Twelve hours after spraying
BASF PHILIPPINES, INC.	CHLORANTHANILIPROLE	STAMPEDE 5 SC	50 g/L	SC	INSECTICIDE	4	005-393-5593	04-Jul-24	-	Sugarcane	Sugarcane borer	1.5-2.0 L prod/ha	-	-	Twelve hours after spraying
BASF PHILIPPINES, INC.	CHLORANTHANILIPROLE	STAMPEDE 5 SC	50 g/L	SC	INSECTICIDE	4	005-393-5593	04-Jul-24	-	Corn	Corn borer, earworm	25-30 mL/16L	-	-	Twelve hours after spraying
BASF PHILIPPINES, INC.	CHLORANTHANILIPROLE	STAMPEDE 5 SC	50 g/L	SC	INSECTICIDE	4	005-393-5593	04-Jul-24	-	Bittergourd	Leaffolder, cutworm	-	-	-	Twelve hours after spraying
INHILCO, INC.	COPPER SULFATE	STARLDSAN F POWDER	14.6 g/kg	-	OTHERS	2	742-607-5947	15-Dec-24	-	-	Drainfection in farm animal facilities	-	-	-	-
JYNNSONS PHILIPPINES, INC.	DIFENOCONAZOLE	STARKE 25 EC	250 g/L	EC	FUNGICIDE	4	551-272-5609	11-Aug-24	-	Rice	Sheath Blight	0.25-0.30 L prod/ Ha	-	-	-
JYNNSONS PHILIPPINES, INC.	DIFENOCONAZOLE	STARKE 25 EC	250 g/L	EC	FUNGICIDE	4	551-272-5609	11-Aug-24	-	Mango	Anthraxnose	0.128-0.8 L prod/ Ha	-	-	14 days
JYNNSONS PHILIPPINES, INC.	DIFENOCONAZOLE	STARKE 25 EC	250 g/L	EC	FUNGICIDE	4	551-272-5609	11-Aug-24	-	Stringbeans	Leafspot	0.25-0.30 L prod/ Ha	-	-	7 days
JYNNSONS PHILIPPINES, INC.	DIFENOCONAZOLE	STARKE 25 EC	250 g/L	EC	FUNGICIDE	4	551-272-5609	11-Aug-24	-	Tomato	Alternaria leaf spot, cercospora leafmold, powdery mildew	0.25-0.30 L prod/ Ha	-	-	7 days
JYNNSONS PHILIPPINES, INC.	DIFENOCONAZOLE	STARKE 25 EC	250 g/L	EC	FUNGICIDE	4	551-272-5609	11-Aug-24	-	Eggplant	Leaf spot	0.25-0.30 L prod/ Ha	-	-	7 days
JYNNSONS PHILIPPINES, INC.	DIFENOCONAZOLE	STARKE 25 EC	250 g/L	EC	FUNGICIDE	4	551-272-5609	11-Aug-24	-	Cabbage	Ringspot, alternaria	0.25-0.30 L prod/ Ha	-	-	7 days
JYNNSONS PHILIPPINES, INC.	DIFENOCONAZOLE	STARKE 25 EC	250 g/L	EC	FUNGICIDE	4	551-272-5609	11-Aug-24	-	Asparagus	Stem and leaf blight	0.36 L prod/ Ha	-	-	-
JYNNSONS PHILIPPINES, INC.	DIFENOCONAZOLE	STARKE 25 EC	250 g/L	EC	FUNGICIDE	4	551-272-5609	11-Aug-24	-	Onion	Purple blotch	0.40-0.50 L prod/ Ha	-	-	7 days
JYNNSONS PHILIPPINES, INC.	DIFENOCONAZOLE	STARKE 25 EC	250 g/L	EC	FUNGICIDE	4	551-272-5609	11-Aug-24	-	Banana	Black sigatoka	0.30-0.40 L prod/ha	-	-	-
LEADS AGRICULTURAL PRODUCTS CORPORATION	BENALAXYL-M-HANCOZEB	STADIO M WG	40+600 g/kg	WG	FUNGICIDE	4	099-401-2344	15-Jul-25	CONTACT/SYSTEMIC	Potato	Late Blight	36-0.20-0.7tbsp/16L water (2000 Spray volume/ha)	M: 0-2 ppm P: 0-02 ppm	7 days	-
SANHEM CORPORATION	BUTACHLOR+PROPANIL	SQUEEZE 70 EC	350-350 g/L	EC	HERBICIDE	3	515-238-3074	05-Nov-24	POST-EMERGENT	Rice (Direct-Seeded)	Grasses, Sedges and Broadleaves	8-12tbsp/16 L water	-	-	-
SANHEM CORPORATION	BUTACHLOR+PROPANIL	SQUEEZE 70 EC	350-350 g/L	EC	HERBICIDE	3	515-238-3074	05-Nov-24	POST-EMERGENT	Rice (Transplanted)	Grasses, Sedges and Broadleaves	8-12tbsp/16 L water	-	-	-
SINOCHEM CROP PROTECTION (PHILS.) INC.	GLYPHOSATE AMMONIUM	SQUARE OFF AS 330 *	330 g/L	AS	HERBICIDE	4	432-182-5088	11-May-24	-	Glyphosate tolerant corn	Weeds	1.5-2.5 L prod / ha. At spray volume of 180 L/ha, applied at 15-40 cwp	-	-	-
SYNENTA PHILIPPINES INC.	GLYPHOSATE AMMONIUM	SQUARE OFF AS 330 *	330 g/L	AS	HERBICIDE	4	432-182-5088	11-May-24	-	Glyphosate tolerant corn	Weeds	-	-	-	-
SINOCHEM CROP PROTECTION (PHILS.) INC.	GLYPHOSATE IPA	SQUARE OFF 480 SL	480g/L	SL	HERBICIDE	4	432-151-4479-C	03-Sep-24	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/ha	-	-	-
SINOCHEM CROP PROTECTION (PHILS.) INC.	GLYPHOSATE IPA	SQUARE OFF 480 SL	480g/L	SL	HERBICIDE	4	432-151-4479-C	03-Sep-24	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /ha	-	-	-
SINOCHEM CROP PROTECTION (PHILS.) INC.	GLYPHOSATE IPA	SQUARE OFF 480 SL	480g/L	SL	HERBICIDE	4	432-151-4479-C	03-Sep-24	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /ha	-	-	-
SINOCHEM CROP PROTECTION (PHILS.) INC.	GLYPHOSATE IPA	SQUARE OFF 480 SL	480g/L	SL	HERBICIDE	4	432-151-4479-C	03-Sep-24	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /ha	-	-	-
SINOCHEM CROP PROTECTION (PHILS.) INC.	GLYPHOSATE IPA	SQUARE OFF 480 SL	480g/L	SL	HERBICIDE	4	432-151-4479-C	03-Sep-24	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /ha	-	-	-
SINOCHEM CROP PROTECTION (PHILS.) INC.	GLYPHOSATE IPA	SQUARE OFF 480 SL	480g/L	SL	HERBICIDE	4	432-151-4479-C	03-Sep-24	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
SINOCHEM CROP PROTECTION (PHILS.) INC.	GLYPHOSATE IPA	SQUARE OFF 480 SL	480g/L	SL	HERBICIDE	4	432-151-4479-C	03-Sep-24	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
SINOCHEM CROP PROTECTION (PHILS.) INC.	GLYPHOSATE IPA	SQUARE OFF 480 SL	480g/L	SL	HERBICIDE	4	432-151-4479-C	03-Sep-24	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
SINOCHEM CROP PROTECTION (PHILS.) INC.	GLYPHOSATE IPA	SQUARE OFF 480 SL	480g/L	SL	HERBICIDE	4	432-151-4479-C	03-Sep-24	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/ha	-	-	-
SINOCHEM CROP PROTECTION (PHILS.) INC.	GLYPHOSATE IPA	SQUARE OFF 480 SL	480g/L	SL	HERBICIDE	4	432-151-4479-C	03-Sep-24	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
SINOCHEM CROP PROTECTION (PHILS.) INC.	GLYPHOSATE IPA	SQUARE OFF 480 SL	480g/L	SL	HERBICIDE	4	432-151-4479-C	03-Sep-24	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
SINOCHEM CROP PROTECTION (PHILS.) INC.	GLYPHOSATE IPA	SQUARE OFF 480 SL	480g/L	SL	HERBICIDE	4	432-151-4479-C	03-Sep-24	POST-EMERGENT	non-crop	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
SYNGENTA PHILIPPINES INC.	GLYPHOSATE IPA	SQUARE OFF 480 SL	480g/L	SL	HERBICIDE	4	031-151-4479	03-Jul-27	POST-EMERGENT	Glyphosate tolerant corn under minimum or reduced tillage	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/ha	-	-	-
SYNGENTA PHILIPPINES INC.	GLYPHOSATE IPA	SQUARE OFF 480 SL	480g/L	SL	HERBICIDE	4	031-151-4479	03-Jul-27	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.5 Liters/ha	-	-	-
SYNGENTA PHILIPPINES INC.	GLYPHOSATE IPA	SQUARE OFF 480 SL	480g/L	SL	HERBICIDE	4	031-151-4479	03-Jul-27	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
SYNGENTA PHILIPPINES INC.	GLYPHOSATE IPA	SQUARE OFF 480 SL	480g/L	SL	HERBICIDE	4	031-151-4479	03-Jul-27	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
SYNGENTA PHILIPPINES INC.	GLYPHOSATE IPA	SQUARE OFF 480 SL	480g/L	SL	HERBICIDE	4	031-151-4479	03-Jul-27	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
SYNGENTA PHILIPPINES INC.	GLYPHOSATE IPA	SQUARE OFF 480 SL	480g/L	SL	HERBICIDE	4	031-151-4479	03-Jul-27	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
SYNGENTA PHILIPPINES INC.	GLYPHOSATE IPA	SQUARE OFF 480 SL	480g/L	SL	HERBICIDE	4	031-151-4479	03-Jul-27	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
SYNGENTA PHILIPPINES INC.	GLYPHOSATE IPA	SQUARE OFF 480 SL	480g/L	SL	HERBICIDE	4	031-151-4479	03-Jul-27	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
SYNGENTA PHILIPPINES INC.	GLYPHOSATE IPA	SQUARE OFF 480 SL	480g/L	SL	HERBICIDE	4	031-151-4479	03-Jul-27	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/ha	-	-	-
SYNGENTA PHILIPPINES INC.	GLYPHOSATE IPA	SQUARE OFF 480 SL	480g/L	SL	HERBICIDE	4	031-151-4479	03-Jul-27	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
SYNGENTA PHILIPPINES INC.	GLYPHOSATE IPA	SQUARE OFF 480 SL	480g/L	SL	HERBICIDE	4	031-151-4479	03-Jul-27	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
SYNGENTA PHILIPPINES INC.	GLYPHOSATE IPA	SQUARE OFF 480 SL	480g/L	SL	HERBICIDE	4	031-151-4479	03-Jul-27	POST-EMERGENT	Non-crop areas	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
AGRIBASE CHEMICALS, INC.	DELTAMETHRIN	SQUADRON 2.5 EC	25 g/L	EC	INSECTICIDE	4	457-085-2474	23-Oct-24		Mango	Hopper, Tip borer, twig borer	0.75-1.0 Tbsp/36L water	-	-	24 Hours after last spray Enter treated area 24 hours after each spray
AGRIBASE CHEMICALS, INC.	DELTAMETHRIN	SQUADRON 2.5 EC	25 g/L	EC	INSECTICIDE	4	457-085-2474	23-Oct-24		Cabbage & other crucifers	Diamond-back moth, cabbage moth, cabbage worm	0.1 Tbsp/36L water	-	-	24 Hours after last spray Enter treated area 24 hours after each spray
AGRIBASE CHEMICALS, INC.	DELTAMETHRIN	SQUADRON 2.5 EC	25 g/L	EC	INSECTICIDE	4	457-085-2474	23-Oct-24		Tobacco	Budworm, armyworm, cutworm	0.8-1.0 Tbsp/36L water	-	-	24 Hours after last spray Enter treated area 24 hours after each spray
AGRIBASE CHEMICALS, INC.	DELTAMETHRIN	SQUADRON 2.5 EC	25 g/L	EC	INSECTICIDE	4	457-085-2474	23-Oct-24		Beans	Flea beetle, beanfly, bugs, thrips, cutworm, armyworm	0.8-1.0 Tbsp/36L water	-	-	24 Hours after last spray Enter treated area 24 hours after each spray
AGRIBASE CHEMICALS, INC.	DELTAMETHRIN	SQUADRON 2.5 EC	25 g/L	EC	INSECTICIDE	4	457-085-2474	23-Oct-24		Soybeans	Flea beetle, beanfly, bugs, thrips, cutworm, armyworm	0.8-1.0 Tbsp/36L water	-	-	24 Hours after last spray Enter treated area 24 hours after each spray
AGRIBASE CHEMICALS, INC.	DELTAMETHRIN	SQUADRON 2.5 EC	25 g/L	EC	INSECTICIDE	4	457-085-2474	23-Oct-24		Tomato	Fruitworm (heliothis)	0.8-1.0 Tbsp/36L water	-	-	24 Hours after last spray Enter treated area 24 hours after each spray
AGRIBASE CHEMICALS, INC.	DELTAMETHRIN	SQUADRON 2.5 EC	25 g/L	EC	INSECTICIDE	4	457-085-2474	23-Oct-24		Corn	Corn borer, corn earworm, seedling maggot	0.1 Tbsp/36L water	-	-	24 Hours after last spray Enter treated area 24 hours after each spray
AGRIBASE CHEMICALS, INC.	DELTAMETHRIN	SQUADRON 2.5 EC	25 g/L	EC	INSECTICIDE	4	457-085-2474	23-Oct-24		Eggplant	Thrips, flea beetle, fruitworm	0.1 Tbsp/36L water	-	-	24 Hours after last spray Enter treated area 24 hours after each spray
AGRIBASE CHEMICALS, INC.	DELTAMETHRIN	SQUADRON 2.5 EC	25 g/L	EC	INSECTICIDE	4	457-085-2474	23-Oct-24		Cotton	Leafhopper, bollworm, weevil	0.8-1.0 Tbsp/36L water	-	-	24 Hours after last spray Enter treated area 24 hours after each spray
AGRIBASE CHEMICALS, INC.	DELTAMETHRIN	SQUADRON 2.5 EC	25 g/L	EC	INSECTICIDE	4	457-085-2474	23-Oct-24		Agricultural crops	Locusts nymphs/ Locusts-adult	0.0-1.5"/ 3.0 Tbsp/ 36L water	-	-	24 Hours after last spray Enter treated area 24 hours after each spray
AGRIBASE CHEMICALS, INC.	DELTAMETHRIN	SQUADRON 2.5 EC	25 g/L	EC	INSECTICIDE	4	457-085-2474	23-Oct-24		Cacao	Podborer, aphids	0.1 Tbsp/36L water	-	-	24 Hours after last spray Enter treated area 24 hours after each spray
FIRST PLANTERS AGRI-SOLUTION INC.	GLYPHOSATE IPA	SPUTNIK 480 SL	480 g/L	SL	HERBICIDE	4	682-151-5352	25-Sep-24	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/ha	-	-	-
FIRST PLANTERS AGRI-SOLUTION INC.	GLYPHOSATE IPA	SPUTNIK 480 SL	480 g/L	SL	HERBICIDE	4	682-151-5352	25-Sep-24	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
FIRST PLANTERS AGRI-SOLUTION INC.	GLYPHOSATE IPA	SPUTNIK 480 SL	480 g/L	SL	HERBICIDE	4	682-151-5352	25-Sep-24	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
FIRST PLANTERS AGRI-SOLUTION INC.	GLYPHOSATE IPA	SPUTNIK 480 SL	480 g/L	SL	HERBICIDE	4	682-151-5352	25-Sep-24	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
FIRST PLANTERS AGRI-SOLUTION INC.	GLYPHOSATE IPA	SPUTNIK 480 SL	480 g/L	SL	HERBICIDE	4	682-151-5352	25-Sep-24	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
FIRST PLANTERS AGRI-SOLUTION INC.	GLYPHOSATE IPA	SPUTNIK 480 SL	480 g/L	SL	HERBICIDE	4	682-151-5352	25-Sep-24	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
FIRST PLANTERS AGRI-SOLUTION INC.	GLYPHOSATE IPA	SPUTNIK 480 SL	480 g/L	SL	HERBICIDE	4	682-151-5352	25-Sep-24	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
FIRST PLANTERS AGRI-SOLUTION INC.	GLYPHOSATE IPA	SPUTNIK 480 SL	480 g/L	SL	HERBICIDE	4	682-151-5352	25-Sep-24	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
FIRST PLANTERS AGRI-SOLUTION INC.	GLYPHOSATE IPA	SPUTNIK 480 SL	480 g/L	SL	HERBICIDE	4	682-151-5352	25-Sep-24	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/ha	-	-	-
FIRST PLANTERS AGRI-SOLUTION INC.	GLYPHOSATE IPA	SPUTNIK 480 SL	480 g/L	SL	HERBICIDE	4	682-151-5352	25-Sep-24	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
FIRST PLANTERS AGRI-SOLUTION INC.	GLYPHOSATE IPA	SPUTNIK 480 SL	480 g/L	SL	HERBICIDE	4	682-151-5352	25-Sep-24	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
FIRST PLANTERS AGRI-SOLUTION INC.	GLYPHOSATE IPA	SPUTNIK 480 SL	480 g/L	SL	HERBICIDE	4	682-151-5352	25-Sep-24	POST-EMERGENT	non-crop	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
VERDANT LUSTERCORE CORPORATION	CARTAP HYDROCHLORIDE	SPUR 50 SP	500 g/kg	SP	INSECTICIDE	3	546-106-3373	14-Aug-21	SYSTEMIC	Rice	Whorl maggot, stemborer, green leafhopper, brown planthopper	3.0-5.0 Tbsp/36 L water	0.7ppm	-	Application of SPURS 50 SP should be stopped 10 days before harvest Entry to fields sprayed with SPURS 50 SP is allowed 2 days after spraying
VERDANT LUSTERCORE CORPORATION	CARTAP HYDROCHLORIDE	SPUR 50 SP	500 g/kg	SP	INSECTICIDE	3	546-106-3373	14-Aug-21	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0 Tbsp/36 L water	-	-	Application of SPURS 50 SP should be stopped 10 days before harvest Entry to fields sprayed with SPURS 50 SP is allowed 2 days after spraying
VERDANT LUSTERCORE CORPORATION	CARTAP HYDROCHLORIDE	SPUR 50 SP	500 g/kg	SP	INSECTICIDE	3	546-106-3373	14-Aug-21	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0 Tbsp/36 L water	-	-	Application of SPURS 50 SP should be stopped 10 days before harvest Entry to fields sprayed with SPURS 50 SP is allowed 2 days after spraying
VERDANT LUSTERCORE CORPORATION	CARTAP HYDROCHLORIDE	SPUR 50 SP	500 g/kg	SP	INSECTICIDE	3	546-106-3373	14-Aug-21	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0 Tbsp/36 L water	-	-	Application of SPURS 50 SP should be stopped 10 days before harvest Entry to fields sprayed with SPURS 50 SP is allowed 2 days after spraying
VERDANT LUSTERCORE CORPORATION	CARTAP HYDROCHLORIDE	SPUR 50 SP	500 g/kg	SP	INSECTICIDE	3	546-106-3373	14-Aug-21	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0 Tbsp/36 L water	-	-	Application of SPURS 50 SP should be stopped 10 days before harvest Entry to fields sprayed with SPURS 50 SP is allowed 2 days after spraying
VERDANT LUSTERCORE CORPORATION	CARTAP HYDROCHLORIDE	SPUR 50 SP	500 g/kg	SP	INSECTICIDE	3	546-106-3373	14-Aug-21	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0 Tbsp/36 L water	-	-	Application of SPURS 50 SP should be stopped 10 days before harvest Entry to fields sprayed with SPURS 50 SP is allowed 2 days after spraying
VERDANT LUSTERCORE CORPORATION	CARTAP HYDROCHLORIDE	SPUR 50 SP	500 g/kg	SP	INSECTICIDE	3	546-106-3373	14-Aug-21	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0 Tbsp/36 L water	-	-	Application of SPURS 50 SP should be stopped 10 days before harvest Entry to fields sprayed with SPURS 50 SP is allowed 2 days after spraying
VERDANT LUSTERCORE CORPORATION	CARTAP HYDROCHLORIDE	SPUR 50 SP	500 g/kg	SP	INSECTICIDE	3	546-106-3373	14-Aug-21	SYSTEMIC	Mango	leafhoppers	1.5-2.0 Tbsp/36 L water	-	-	Application of SPURS 50 SP should be stopped 10 days before harvest Entry to fields sprayed with SPURS 50 SP is allowed 2 days after spraying
VERDANT LUSTERCORE CORPORATION	CARTAP HYDROCHLORIDE	SPUR 50 SP	500 g/kg	SP	INSECTICIDE	3	546-106-3373	14-Aug-21	SYSTEMIC	Pechay	looper, cutworm, aphids	1.5-3.0 Tbsp/36 L water	-	-	Application of SPURS 50 SP should be stopped 10 days before harvest Entry to fields sprayed with SPURS 50 SP is allowed 2 days after spraying
B.M. CUSPAG AGRI TRADE	WILCOXAMIDE ETHANOLAMINE SALT	SPRINTER 70 WP	700 g/kg	WP	MOLLUSCICIDE	4	368-228-3669	14-Mar-19	CONTACT	Rice	Golden Apple Snail (Kuhol)	35 gm/36L water	-	-	-
PHILIPPINE FARMFAX SOLUTIONS INC.	DIFENOCONAZOLE	SPRINT 250 EC	250 g/L	EC	FUNGICIDE	4	535-272-4427	22-Nov-24	SYSTEMIC	Banana	Black Sigatoka	0.30-0.40 L prod/ha	-	-	-
PHILIPPINE FARMFAX SOLUTIONS INC.	DIFENOCONAZOLE	SPRINT 250 EC	250 g/L	EC	FUNGICIDE	4	535-272-4427	22-Nov-24	SYSTEMIC	Mango	Anthraxnose	0.028-0.08 L/ha	-	-	-
PHILIPPINE FARMFAX SOLUTIONS INC.	DIFENOCONAZOLE	SPRINT 250 EC	250 g/L	EC	FUNGICIDE	4	535-272-4427	22-Nov-24	SYSTEMIC	Rice	Sheath blight	0.25-0.30 L/ha	-	-	-
PHILIPPINE FARMFAX SOLUTIONS INC.	DIFENOCONAZOLE	SPRINT 250 EC	250 g/L	EC	FUNGICIDE	4	535-272-4427	22-Nov-24	SYSTEMIC	Stringbeans	Leaf spot	0.20-0.30 L/ha	-	-	-
PHILIPPINE FARMFAX SOLUTIONS INC.	DIFENOCONAZOLE	SPRINT 250 EC	250 g/L	EC	FUNGICIDE	4	535-272-4427	22-Nov-24	SYSTEMIC	Eggplant	Leaf spot	0.20-0.30 L/ha	-	-	-
PHILIPPINE FARMFAX SOLUTIONS INC.	DIFENOCONAZOLE	SPRINT 250 EC	250 g/L	EC	FUNGICIDE	4	535-272-4427	22-Nov-24	SYSTEMIC	Tomato	Alternaria leaf spot, cercospora leafmold, powdery mildew	0.20-0.30 L/ha	-	-	-
PHILIPPINE FARMFAX SOLUTIONS INC.	DIFENOCONAZOLE	SPRINT 250 EC	250 g/L	EC	FUNGICIDE	4	535-272-4427	22-Nov-24	SYSTEMIC	Cabbage	Ringspot, alternaria	0.20-0.30 L/ha	-	-	-
PHILIPPINE FARMFAX SOLUTIONS INC.	DIFENOCONAZOLE	SPRINT 250 EC	250 g/L	EC	FUNGICIDE	4	535-272-4427	22-Nov-24	SYSTEMIC	Onion	Purple blotch	0.40-0.50 L/ha	-	-	-
PHILIPPINE FARMFAX SOLUTIONS INC.	DIFENOCONAZOLE	SPRINT 250 EC	250 g/L	EC	FUNGICIDE	4	535-272-4427	22-Nov-24	SYSTEMIC	Asparagus	Stem and leaf blight	0.36 L/ha	-	-	-

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD	
ACE CROP SOLUTIONS INC.	CYPERMETHRIN	SPRAYMATE S EC	50 g/L	EC	INSECTICIDE	4	530-037-3133	25-Mar-25	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/36 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposit dry	
ACE CROP SOLUTIONS INC.	CYPERMETHRIN	SPRAYMATE S EC	50 g/L	EC	INSECTICIDE	4	530-037-3133	21-Mar-25	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leafhoppers, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/36 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposit dry	
ACE CROP SOLUTIONS INC.	CYPERMETHRIN	SPRAYMATE S EC	50 g/L	EC	INSECTICIDE	4	530-037-3133	21-Mar-25	CONTACT	Cabbage	Diamond-back moth, cabbage moth, worm	1.0-3.0 Tbsp/36 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposit dry	
ACE CROP SOLUTIONS INC.	CYPERMETHRIN	SPRAYMATE S EC	50 g/L	EC	INSECTICIDE	4	530-037-3133	21-Mar-25	CONTACT	Beans	Pod borer, beanfly, leafminers, aphids, cutworm	1.0-3.0 Tbsp/36 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposit dry	
ACE CROP SOLUTIONS INC.	CYPERMETHRIN	SPRAYMATE S EC	50 g/L	EC	INSECTICIDE	4	530-037-3133	21-Mar-25	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/36 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposit dry	
ACE CROP SOLUTIONS INC.	CYPERMETHRIN	SPRAYMATE S EC	50 g/L	EC	INSECTICIDE	4	530-037-3133	21-Mar-25	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/36 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposit dry	
ACE CROP SOLUTIONS INC.	CYPERMETHRIN	SPRAYMATE S EC	50 g/L	EC	INSECTICIDE	4	530-037-3133	21-Mar-25	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/36 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposit dry	
ACE CROP SOLUTIONS INC.	CYPERMETHRIN	SPRAYMATE S EC	50 g/L	EC	INSECTICIDE	4	530-037-3133	21-Mar-25	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/36 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposit dry	
ACE CROP SOLUTIONS INC.	CYPERMETHRIN	SPRAYMATE S EC	50 g/L	EC	INSECTICIDE	4	530-037-3133	21-Mar-25	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/36 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposit dry	
ACE CROP SOLUTIONS INC.	CYPERMETHRIN	SPRAYMATE S EC	50 g/L	EC	INSECTICIDE	4	530-037-3133	21-Mar-25	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/36 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposit dry	
ACE CROP SOLUTIONS INC.	CYPERMETHRIN	SPRAYMATE S EC	50 g/L	EC	INSECTICIDE	4	530-037-3133	21-Mar-25	CONTACT	Corn	Comborer, earworm	1.0-4.5 Tbsp/36 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposit dry	
SUMOICHEM CORPORATION	LAMBDA-CHYALOTHIRIN	SPRAY-FOG 2.5 EC	25 g/L	EC	INSECTICIDE	2	483-204-5851	19-Sep-25	-	Corn	Stophilus spp., tribolium castaneum, rhagoletia dominica	20-40 ml prod. / L water of diluent	-	-	Do not enter treated area until all treated surfaces are dry. Ventilate rooms which where tagged by opening doors or windows before entry	
WYNSONS PHILIPPINES, INC.	PRETACHLOR	SPOTLESS 30 EC	300g/L	EC	HERBICIDE	4	351-061-4837	05-Sep-24	PRE-EMERGENCE	Rice (Direct-Seeded)	Grasses, sedges, and broadleaves weeds	10-15tbsp per tankload of 36 L capacity sprayer	0.05ppm	-	-	
JOCANIMA CORPORATION	DIOCELY DIMETHYL AMMONIUM CHLORIDE	SPORIKILL	120 g/L	SC	OTHERS	3	241-428-4254	07-Feb-19	-	Cavendish Banana	As foot bath, tire dip, tool and machinery disinfectant for the control of Moko disease and Fusarium wilt	9-15 ml / L water	-	-	-	
VERICA AGRO CHEM, INC.	(E,Z) 9,11-TETRADECADIENYL ACETATE	SPODO-LURE	975.2 g/Kg	-	OTHERS	4	647-509-4794	03-Feb-24	-	Onion(as Phenomene)	Common cutworm	9traps/hectare	-	-	-	
VERICA AGRO CHEM, INC.	(E,Z) 9,11-TETRADECADIENYL ACETATE	SPODO-LURE	975.2 g/kg	-	OTHERS	4	647-509-4794	03-Feb-24	-	Corn	Fall armyworm	9traps/hectare	-	-	-	
VERICA AGRO CHEM, INC.	(E,Z) 9,11-TETRADECADIENYL ACETATE	SPODO-LURE	975.2 g/kg	-	INSECTICIDE	4	647-509-4794	03-Feb-24	-	Cotton	Common cutworm	40mg A.i. per hectare or 45 lures per hectare	-	-	-	
VERICA AGRO CHEM, INC.	(E,Z) 9,11-TETRADECADIENYL ACETATE	SPODO-LURE	975.2 g/kg	-	INSECTICIDE	4	647-509-4794	03-Feb-24	-	Onion	Common cutworm	40mg A.i. per hectare or 45 lures per hectare	-	-	-	
VERICA AGRO CHEM, INC.	(E,Z) 9,11-TETRADECADIENYL ACETATE	SPODO-LURE	975.2 g/kg	-	INSECTICIDE	4	647-509-4794	03-Feb-24	-	Tobacco	Common cutworm	40mg A.i. per hectare or 45 lures per hectare	-	-	-	
RAINBOW AGROSCIENCES PHILIPPINES INC.	SPIROXAMINE	SPRENDO 300 EC	500 g/L	EC	FUNGICIDE	2	539-385-5276	17-Nov-26	SYSTEMIC	Banana	Black Sigatoka	0.64 L prod./ha	-	-	-	
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	GLYPHOSATE IPA	SPIFFIRE 480 SL	480 g/L	SL	HERBICIDE	4	376-151-2200-A	19-Jan-27	POST-EMERGENT	Banana	Glyphosate tolerant corn under minimum or reduced tillage system	2.0-4.0Liters/ha	-	-	-	
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	GLYPHOSATE IPA	SPIFFIRE 480 SL	480 g/L	SL	HERBICIDE	4	376-151-2200-A	19-Jan-27	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-	
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	GLYPHOSATE IPA	SPIFFIRE 480 SL	480 g/L	SL	HERBICIDE	4	376-151-2200-A	19-Jan-27	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-	
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	GLYPHOSATE IPA	SPIFFIRE 480 SL	480 g/L	SL	HERBICIDE	4	376-151-2200-A	19-Jan-27	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-	
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	GLYPHOSATE IPA	SPIFFIRE 480 SL	480 g/L	SL	HERBICIDE	4	376-151-2200-A	19-Jan-27	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-	
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	GLYPHOSATE IPA	SPIFFIRE 480 SL	480 g/L	SL	HERBICIDE	4	376-151-2200-A	19-Jan-27	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-	
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	GLYPHOSATE IPA	SPIFFIRE 480 SL	480 g/L	SL	HERBICIDE	4	376-151-2200-A	19-Jan-27	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-	
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	GLYPHOSATE IPA	SPIFFIRE 480 SL	480 g/L	SL	HERBICIDE	4	376-151-2200-A	19-Jan-27	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-	
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	GLYPHOSATE IPA	SPIFFIRE 480 SL	480 g/L	SL	HERBICIDE	4	376-151-2200-A	19-Jan-27	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/ha	-	-	-	
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	GLYPHOSATE IPA	SPIFFIRE 480 SL	480 g/L	SL	HERBICIDE	4	376-151-2200-A	19-Jan-27	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-	
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	GLYPHOSATE IPA	SPIFFIRE 480 SL	480 g/L	SL	HERBICIDE	4	376-151-2200-A	19-Jan-27	POST-EMERGENT	Vegetables under minimum or reduced tillage system	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-	
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	GLYPHOSATE IPA	SPIFFIRE 480 SL	480 g/L	SL	HERBICIDE	4	376-151-2200-A	19-Jan-27	POST-EMERGENT	Non-crop agricultural areas	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-	
ARISTA LIFESCIENCE PHILIPPINES INC.	SPIROXAMINE	SPIRINOX 500 EC	500 g/L	EC	FUNGICIDE	2	083-385-4218	05-Jan-21	SYSTEMIC	Banana	Black Sigatoka	0.64 Liters prod/ha	-	0 day	After spray deposit have dried	
INTERNATIONAL VETERINARY & AGROCHEMICAL (I.V.A.) INC.	SPIROXAMINE	SPIROMAX 50 EC	500 g/L	EC	FUNGICIDE	2	088-387-5642	17-Nov-26	-	Banana	Black Sigatoka	0.64 L prod./ha	-	0 Day	After spray deposits have dried.	
KERTITECH CORPORATION	SPIROXAMINE	SPIRAL 500 EC	500 g/L	EC	FUNGICIDE	2	646-385-6274	25-Sep-26	SYSTEMIC	Banana	Black sigatoka	0.5 L/ha banana oil + 0.05 L/ha emulsifier + 0.64 L/ha SPIRAL 500 EC	-	-	As soon as spray solution has dried on foliage	
GRANDIA AGRO MARKETING CORPORATION	BUTACHLOR-PROPANIL	SPIKE 70 EC	350-390 g/L	EC	HERBICIDE	3	445-238-3466	24-Jul-24	POST-EMERGENT	Rice (Direct-Seeded)	Grasses, Sedges and Broadleaves	9-12Tbsp/36 L water	-	-	-	
GRANDIA AGRO MARKETING CORPORATION	BUTACHLOR-PROPANIL	SPIKE 70 EC	350-390 g/L	EC	HERBICIDE	3	445-238-3466	24-Jul-24	POST-EMERGENT	Rice (Transplanted)	Grasses, Sedges and Broadleaves	9-12Tbsp/36 L water	-	-	-	
GOLDENMAN MARKETING CORPORATION	NICLOXAMIDE ETHANOLAMINE SALT	SPHERE 70 WP	700 g/kg	WP	MOLLUSCICIDE	4	400-229-3142	23-Apr-27	CONTACT	Rice	Golden Apple Snail (Kuhai)	1 sachet (35 gm) / tankload (36liters)	-	-	-	
RAINBOW AGROSCIENCES PHILIPPINES INC.	SPIROTETRAMAT	SPIERAMET 240 SC	240 g/L	SC	INSECTICIDE	4	539-419-5594	04-Nov-24	NON-SELECTIVE (POST-EMERGENT)	Banana	Flower thrips	3.3-4.17 ml product/ liter water	-	84 days	-	
GOLDEN FARMERS AGRI PRODUCT CORPORATION	GLIFOSINATE AMMONIUM	SPEED 15 SL	150 g/L	SL	HERBICIDE	4	603-182-5954	15-Nov-24	NON-SELECTIVE (POST-EMERGENT)	Cavendish banana	In field, shaded conditions: Mixed weeds (grasses, sedges and broadleaves).	-	-	-	Do not enter the treated fields until the spray has dried. When prior entry is necessary, wear protective clothing and chemical resistant gloves.	
GOLDEN FARMERS AGRI PRODUCT CORPORATION	GLIFOSINATE AMMONIUM	SPEED 15 SL	150 g/L	SL	HERBICIDE	4	603-182-5954	15-Nov-24	NON-SELECTIVE (POST-EMERGENT)	Rubber	Mature shaded condition:cogon immature, open condition:cogon	-	-	-	Do not enter the treated fields until the spray has dried. When prior entry is necessary, wear protective clothing and chemical resistant gloves.	
GOLDEN FARMERS AGRI PRODUCT CORPORATION	GLIFOSINATE AMMONIUM	SPEED 15 SL	150 g/L	SL	HERBICIDE	4	603-182-5954	15-Nov-24	NON-SELECTIVE (POST-EMERGENT)	Oil palm	Mature shaded condition:Mixed weeds (grasses and broadleaves) immature, open field: mixed weeds (grasses and broadleaves)	-	-	-	Do not enter the treated fields until the spray has dried. When prior entry is necessary, wear protective clothing and chemical resistant gloves.	
GOLDEN FARMERS AGRI PRODUCT CORPORATION	GLIFOSINATE AMMONIUM	SPEED 15 SL	150 g/L	SL	HERBICIDE	4	603-182-5954	15-Nov-24	NON-SELECTIVE (POST-EMERGENT)	Non-crop areas	Mixed weeds (grasses, sedges and broadleaves)	36-21.5 Tbsp/ 36L water	-	-	Do not enter the treated fields until the spray has dried. When prior entry is necessary, wear protective clothing and chemical resistant gloves.	
NOVELLUS CENTRIS CORPORATION	NICLOXAMIDE ETHANOLAMINE SALT	SPECTRUM 70 WP	700g/kg	WP	MOLLUSCICIDE	4	567-229-4145	09-Jul-23	CONTACT	Rice	Golden Apple Snail (Kuhai)	35 gm/36 L water	-	-	Do not enter the treated field within 48 hours after application	
AGRIEALD TRADING CORPORATION	LAMBDA-CHYALOTHIRIN	SPECTRA 2.5 EC	25g/L	EC	INSECTICIDE	2	625-204-4573	23-Nov-21	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leafroller, black bug	1.0-1.5Tbsp/36 L of water	0.05ppm	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
AGRIEALD TRADING CORPORATION	LAMBDA-CHYALOTHIRIN	SPECTRA 2.5 EC	25g/L	EC	INSECTICIDE	2	625-204-4573	23-Nov-21	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/36 L of water	-	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
AGRIEALD TRADING CORPORATION	LAMBDA-CHYALOTHIRIN	SPECTRA 2.5 EC	25g/L	EC	INSECTICIDE	2	625-204-4573	23-Nov-21	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/36 L of water	-	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
AGRIEALD TRADING CORPORATION	LAMBDA-CHYALOTHIRIN	SPECTRA 2.5 EC	25g/L	EC	INSECTICIDE	2	625-204-4573	23-Nov-21	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/36 L of water	-	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
AGRIEALD TRADING CORPORATION	LAMBDA-CHYALOTHIRIN	SPECTRA 2.5 EC	25g/L	EC	INSECTICIDE	2	625-204-4573	23-Nov-21	SYSTEMIC	Mungbeans	Beanfly, flea beetle, leafhopper, aphids, mites, podborer	1.0Tbsp/36 L of water	-	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
AGRIEALD TRADING CORPORATION	LAMBDA-CHYALOTHIRIN	SPECTRA 2.5 EC	25g/L	EC	INSECTICIDE	2	625-204-4573	23-Nov-21	SYSTEMIC	Corn	Comborer, aphids, seedling maggots	1.0-1.5Tbsp/36 L of water	-	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
AGRIEALD TRADING CORPORATION	LAMBDA-CHYALOTHIRIN	SPECTRA 2.5 EC	25g/L	EC	INSECTICIDE	2	625-204-4573	23-Nov-21	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5Tbsp/36 L of water	-	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
AGRIEALD TRADING CORPORATION	LAMBDA-CHYALOTHIRIN	SPECTRA 2.5 EC	25g/L	EC	INSECTICIDE	2	625-204-4573	23-Nov-21	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/36 L of water	-	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
AGRIEALD TRADING CORPORATION	LAMBDA-CHYALOTHIRIN	SPECTRA 2.5 EC	25g/L	EC	INSECTICIDE	2	625-204-4573	23-Nov-21	SYSTEMIC	Cocoa	Podborer	1.0-2.0Tbsp/36 L of water	-	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
AGRIEALD TRADING CORPORATION	LAMBDA-CHYALOTHIRIN	SPECTRA 2.5 EC	25g/L	EC	INSECTICIDE	2	625-204-4573	23-Nov-21	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/36 L of water	-	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
TROPI-CARE, INC.	NICLOXAMIDE ETHANOLAMINE SALT	SPEAR 70 WP	700 g/kg	WP	MOLLUSCICIDE	4	091-229-2936	16-Jan-26	CONTACT	Rice	Golden Apple Snail (Kuhai)	35 gm/36 L water	-	-	48 hours after spraying.	
SUMIFRU (PHILIPPINES) CORPORATION	CHLOROTHALONIL	SPC DACONIL 720SC	720 g/L	SC	FUNGICIDE	4	761-118-6122 (088)	24-Apr-26	-	Banana	Black sigatoka	1.00-4g a.i. / ha 1.88 L prod./ ha	-	-	No pre-harvest interval necessary from last spray until harvest	

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
CROPEVO PHILIPPINES, INC.	ETHEPHON	SPAWN 480 SL	480g/L	SL	OTHERS	4	599-081-4087	09-Mar-21		Pineapple	Pineapple flowering & ripening	400-150m/1000 trees	-	Fruits that are already ripe on the day of treatment can be harvested without any harmful residue Generally.	Re-entry into treated areas may be done as soon as spray has dried
CROPEVO PHILIPPINES, INC.	ETHEPHON	SPAWN 480 SL	480g/L	SL	OTHERS	4	599-081-4087	09-Mar-21		Banana	Banana ripening	400-150m/1000 trees	-	Fruits that are already ripe on the day of treatment can be harvested without any harmful residue Generally.	Re-entry into treated areas may be done as soon as spray has dried
CROPEVO PHILIPPINES, INC.	ETHEPHON	SPAWN 480 SL	480g/L	SL	OTHERS	4	599-081-4087	09-Mar-21		Mango	Mango ripening	400-150m/1000 trees	-	Fruits that are already ripe on the day of treatment can be harvested without any harmful residue Generally.	Re-entry into treated areas may be done as soon as spray has dried
CROPEVO PHILIPPINES, INC.	ETHEPHON	SPAWN 480 SL	480g/L	SL	OTHERS	4	599-081-4087	09-Mar-21		Coffee	Coffee ripening	400-150m/1000 trees	-	Fruits that are already ripe on the day of treatment can be harvested without any harmful residue Generally.	Re-entry into treated areas may be done as soon as spray has dried
CYBERTH PHILIPPINES, INC.	DELTAMETHRIN	SPARTAN 2.5 EC	25 g/L	EC	INSECTICIDE	4	216-085-3300	09-Jul-20		Mango	Hopper, Tip borer, twig borer	0.75-1.0 Tbsp/36L water	-	Fruits that are already ripe on the day of treatment can be harvested without any harmful residue Generally.	Do not apply within 24 hours before harvest
CYBERTH PHILIPPINES, INC.	DELTAMETHRIN	SPARTAN 2.5 EC	25 g/L	EC	INSECTICIDE	4	216-085-3300	09-Jul-20		Cabbage & other crucifers	Diamond-back moth, cabbage moth, cabbage worm	0.1 Tbsp/36L water	-	Do not apply within 24 hours before harvest	Do not enter treated fields within 24 hours after application
CYBERTH PHILIPPINES, INC.	DELTAMETHRIN	SPARTAN 2.5 EC	25 g/L	EC	INSECTICIDE	4	216-085-3300	09-Jul-20		Tobacco	Budworm, armyworm, cutworm	0.8-1.0 Tbsp/36L water	-	Do not apply within 24 hours before harvest	Do not enter treated fields within 24 hours after application
CYBERTH PHILIPPINES, INC.	DELTAMETHRIN	SPARTAN 2.5 EC	25 g/L	EC	INSECTICIDE	4	216-085-3300	09-Jul-20		Beans	Fllea beetle, beanfly, bugs, thrips, cutworm, armyworm	0.8-1.0 Tbsp/36L water	-	Do not apply within 24 hours before harvest	Do not enter treated fields within 24 hours after application
CYBERTH PHILIPPINES, INC.	DELTAMETHRIN	SPARTAN 2.5 EC	25 g/L	EC	INSECTICIDE	4	216-085-3300	09-Jul-20		Soybeans	Fllea beetle, beanfly, bugs, thrips, cutworm, armyworm	0.8-1.0 Tbsp/36L water	-	Do not apply within 24 hours before harvest	Do not enter treated fields within 24 hours after application
CYBERTH PHILIPPINES, INC.	DELTAMETHRIN	SPARTAN 2.5 EC	25 g/L	EC	INSECTICIDE	4	216-085-3300	09-Jul-20		Tomato	Fruitworm (heliothis)	0.8-1.0 Tbsp/36L water	-	Do not apply within 24 hours before harvest	Do not enter treated fields within 24 hours after application
CYBERTH PHILIPPINES, INC.	DELTAMETHRIN	SPARTAN 2.5 EC	25 g/L	EC	INSECTICIDE	4	216-085-3300	09-Jul-20		Corn	Corn borer, corn earworm, seedling maggots	0.1 Tbsp/36L water	-	Do not apply within 24 hours before harvest	Do not enter treated fields within 24 hours after application
CYBERTH PHILIPPINES, INC.	DELTAMETHRIN	SPARTAN 2.5 EC	25 g/L	EC	INSECTICIDE	4	216-085-3300	09-Jul-20		Eggplant	Thrips, flea beetle, fruitworm	0.1 Tbsp/36L water	-	Do not apply within 24 hours before harvest	Do not enter treated fields within 24 hours after application
CYBERTH PHILIPPINES, INC.	DELTAMETHRIN	SPARTAN 2.5 EC	25 g/L	EC	INSECTICIDE	4	216-085-3300	09-Jul-20		Cotton	Leafhopper, bollworm, weevil	0.8-1.0 Tbsp/36L water	-	Do not apply within 24 hours before harvest	Do not enter treated fields within 24 hours after application
CYBERTH PHILIPPINES, INC.	DELTAMETHRIN	SPARTAN 2.5 EC	25 g/L	EC	INSECTICIDE	4	216-085-3300	09-Jul-20		Agricultural crops	Locusts-nymphs/ Locusts-adult	1.0-1.5" 3.0 Tbsp/ 36L water	-	Do not apply within 24 hours before harvest	Do not enter treated fields within 24 hours after application
CYBERTH PHILIPPINES, INC.	DELTAMETHRIN	SPARTAN 2.5 EC	25 g/L	EC	INSECTICIDE	4	216-085-3300	09-Jul-20		Cacao	Podborer, aphids	0.1 Tbsp/36L water	-	Do not apply within 24 hours before harvest	Do not enter treated fields within 24 hours after application
ALTACROP PROTECTION CORPORATION	CARTAP HYDROCHLORIDE	SPARROW 50 SP	500 g/kg	SP	INSECTICIDE	3	351-106-2137	13-Aug-22	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	1.0-1.0 Tbsp/36 L water	0.2ppm	Stop spraying 10 days before harvest	Do not enter the treated field with 48 hours after spraying
ALTACROP PROTECTION CORPORATION	CARTAP HYDROCHLORIDE	SPARROW 50 SP	500 g/kg	SP	INSECTICIDE	3	351-106-2137	13-Aug-22	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/36 L water	-	Stop spraying 10 days before harvest	Do not enter the treated field with 48 hours after spraying
ALTACROP PROTECTION CORPORATION	CARTAP HYDROCHLORIDE	SPARROW 50 SP	500 g/kg	SP	INSECTICIDE	3	351-106-2137	13-Aug-22	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/36 L water	-	Stop spraying 10 days before harvest	Do not enter the treated field with 48 hours after spraying
ALTACROP PROTECTION CORPORATION	CARTAP HYDROCHLORIDE	SPARROW 50 SP	500 g/kg	SP	INSECTICIDE	3	351-106-2137	13-Aug-22	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/36 L water	-	Stop spraying 10 days before harvest	Do not enter the treated field with 48 hours after spraying
ALTACROP PROTECTION CORPORATION	CARTAP HYDROCHLORIDE	SPARROW 50 SP	500 g/kg	SP	INSECTICIDE	3	351-106-2137	13-Aug-22	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/36 L water	-	Stop spraying 10 days before harvest	Do not enter the treated field with 48 hours after spraying
ALTACROP PROTECTION CORPORATION	CARTAP HYDROCHLORIDE	SPARROW 50 SP	500 g/kg	SP	INSECTICIDE	3	351-106-2137	13-Aug-22	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/36 L water	-	Stop spraying 10 days before harvest	Do not enter the treated field with 48 hours after spraying
ALTACROP PROTECTION CORPORATION	CARTAP HYDROCHLORIDE	SPARROW 50 SP	500 g/kg	SP	INSECTICIDE	3	351-106-2137	13-Aug-22	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/36 L water	-	Stop spraying 10 days before harvest	Do not enter the treated field with 48 hours after spraying
ALTACROP PROTECTION CORPORATION	CARTAP HYDROCHLORIDE	SPARROW 50 SP	500 g/kg	SP	INSECTICIDE	3	351-106-2137	13-Aug-22	SYSTEMIC	Mango	Leafhoppers	1.5-2.0Tbsp/36 L water	-	Stop spraying 10 days before harvest	Do not enter the treated field with 48 hours after spraying
ALTACROP PROTECTION CORPORATION	CARTAP HYDROCHLORIDE	SPARROW 50 SP	500 g/kg	SP	INSECTICIDE	3	351-106-2137	13-Aug-22	SYSTEMIC	Pechay	Looper, cutworm, aphids	1.5-3.0Tbsp/36 L water	-	Stop spraying 10 days before harvest	Do not enter the treated field with 48 hours after spraying
GRANDIA AGRO MARKETING CORPORATION	ALCOHOL C12 iso, ETHOXYLATED	SPAN	800 g/L	-	OTHERS	4	445-460-5080	13-Aug-21	POST-EMERGENT		As surfactant for COMBEE 100 cc	-	-	As soon as spray hyave deposits dried up.	-
GENTRADEPHIL INC.	CHLOROTHALONIL	SOWER 720 SC	720 g/L	SC	FUNGICIDE	4	660-118-5186	15-Nov-24		Potato	Early blight, late blight, vine rot	4.5-6.0 Tbsp/36L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GENTRADEPHIL INC.	CHLOROTHALONIL	SOWER 720 SC	720 g/L	SC	FUNGICIDE	4	660-118-5186	15-Nov-24		Tomato	Early blight, late blight, vine rot	4.5-6.0 Tbsp/36L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GENTRADEPHIL INC.	CHLOROTHALONIL	SOWER 720 SC	720 g/L	SC	FUNGICIDE	4	660-118-5186	15-Nov-24		Beans	Rust, anthracnose	4.5-6.0 Tbsp/36L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GENTRADEPHIL INC.	CHLOROTHALONIL	SOWER 720 SC	720 g/L	SC	FUNGICIDE	4	660-118-5186	15-Nov-24		Carrot	Alternaria leaf spot, cercospora leaf spot, helminthosporium leaf spot	4.5-6.0 Tbsp/36L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GENTRADEPHIL INC.	CHLOROTHALONIL	SOWER 720 SC	720 g/L	SC	FUNGICIDE	4	660-118-5186	15-Nov-24		Cucufers	Powdery mildew	4.5-6.0 Tbsp/36L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GENTRADEPHIL INC.	CHLOROTHALONIL	SOWER 720 SC	720 g/L	SC	FUNGICIDE	4	660-118-5186	15-Nov-24		Cucurbits	Powdery mildew, downy mildew, cercospora, anthracnose, septoria, fruit rot, early and late blight	4.5-6.0 Tbsp/36L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GENTRADEPHIL INC.	CHLOROTHALONIL	SOWER 720 SC	720 g/L	SC	FUNGICIDE	4	660-118-5186	15-Nov-24		Celery	Early blight, late blight	4.5-6.0 Tbsp/36L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GENTRADEPHIL INC.	CHLOROTHALONIL	SOWER 720 SC	720 g/L	SC	FUNGICIDE	4	660-118-5186	15-Nov-24		Eggplant	Early blight, late blight, cercospora, anthracnose	4.5-6.0 Tbsp/36L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GENTRADEPHIL INC.	CHLOROTHALONIL	SOWER 720 SC	720 g/L	SC	FUNGICIDE	4	660-118-5186	15-Nov-24		Onion	Purple blotch, bulb rot, neck rot	4.5-6.0 Tbsp/36L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GENTRADEPHIL INC.	CHLOROTHALONIL	SOWER 720 SC	720 g/L	SC	FUNGICIDE	4	660-118-5186	15-Nov-24		Pepper	Early & Late blight, Bulb rot, Neck rot	4.5-6.0 Tbsp/36L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GENTRADEPHIL INC.	CHLOROTHALONIL	SOWER 720 SC	720 g/L	SC	FUNGICIDE	4	660-118-5186	15-Nov-24		Grapes	Downy mildew, powdery mildew, fruit rot	4.5-6.0 Tbsp/36L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GENTRADEPHIL INC.	CHLOROTHALONIL	SOWER 720 SC	720 g/L	SC	FUNGICIDE	4	660-118-5186	15-Nov-24		Mango	Anthracoese, diplodia rot	4.5-6.0 Tbsp/36L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GENTRADEPHIL INC.	CHLOROTHALONIL	SOWER 720 SC	720 g/L	SC	FUNGICIDE	4	660-118-5186	15-Nov-24		Ornamentals	Black spot, powdery mildew, black rot	4.5-6.0 Tbsp/36L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GENTRADEPHIL INC.	CHLOROTHALONIL	SOWER 720 SC	720 g/L	SC	FUNGICIDE	4	660-118-5186	15-Nov-24		Asparagus	Stem and leaf blight	1.8L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GENTRADEPHIL INC.	CHLOROTHALONIL	SOWER 720 SC	720 g/L	SC	FUNGICIDE	4	660-118-5186	15-Nov-24		Banana	Black sigatoka	1.38L/ha	-	0 day	Do not enter treatment areas until spray deposit have dried
VAST AGRO SOLUTIONS, INC.	ETHALOPRO BUTYL-BISPYRIBAC SODIUM	SQUI 200 OD	150 g/L+100 g/L	OD	HERBICIDE	4	385-504-6036	20-Oct-25	POST-EMERGENT	Rice (Direct-Seeded)	Grasses, broadleaves and sedges	900 mL to 1 L prod./ ha. Using a spray volume of 360(L/ha) water/ ha. (10-15 L)	-	-	Re-entry to treated fields is allowed as soon as spray deposits dry up
ASIA GOLD TRADING CORPORATION	DIFENCONAZOLE+PROPICONAZOLE	SORA 300 EC	190 g/L+150 g/L	EC	FUNGICIDE	3	266-325-4566	25-Jul-24	SYSTEMIC	Rice	Sheath Blight	2.5-3.5 Tbsp/36 L water	0.6ppm	-	-
ASIA GOLD TRADING CORPORATION	DIFENCONAZOLE+PROPICONAZOLE	SORA 300 EC	150 g/L+150 g/L	EC	FUNGICIDE	3	266-325-4566	25-Jul-24	SYSTEMIC	Corn	Banded leaf,sheath blight,ear rot,late blight & rust	3-2 Tbsp/36 L water	-	45 days	-
ALDIX INCORPORATED	BUTACHLOR	SONIC 600 EC	600 g/L	EC	HERBICIDE	4	002-150-0728	25-Jun-24	PRE-EMERGENT	Rice (Transplanted)	Grasses and sedges	9- TSONIC) FOLLOWED BY 11(2,4-D EC), 3(Tbsp/36L water)	0.1 ppm	-	-
ALDIX INCORPORATED	BUTACHLOR	SONIC 600 EC	600 g/L	EC	HERBICIDE	4	002-150-0728	25-Jun-24	PRE-EMERGENT	Rice (Transplanted)	Grasses and sedges	9- TSONIC) FOLLOWED BY 11(2,4-D EC), 3(Tbsp/36L water)	0.1 ppm	-	-
BAYER CROSCIENCE, INC.	IMIDACLOPRID-BETA-CYFLUTHRIN	SOLIMON 300 OD	210+90 g/L	OD	INSECTICIDE	2	284-398-2289	28-Dec-25	SYSTEMIC/CONTACT	Mango	Mango leafhopper	20-40mL product/200 liters water 50-80 mL prod/200L water	Beta-cyfluthrin 0.02ppm	28 days	No re-entry within 48 hours on spray. Warning signs should be placed before and after spraying.
BAYER CROSCIENCE, INC.	IMIDACLOPRID-BETA-CYFLUTHRIN	SOLIMON 300 OD	210+90 g/L	OD	INSECTICIDE	2	284-398-2289	05-Nov-22		Okra	Leafhoppers, aphids, thrips	9mL prod. / 36L water; 125 mL prod. / ha	0.1 mg/kg (Beta-cyfluthrin) (0.7	-	-
TEAMAGRO TRADING CORPORATION	METHOMYL	SOLITAIRE 40 SP	400 g/kg	SP	INSECTICIDE	2	248-164-3225	01-Oct-24	CONTACT	Asparagus	Armyworm, cutworm	1 Sachet/36L Sprayer	-	-	Do not enter fields treated with SOLITAIRE 40 SP within 12 hours after application.
TEAMAGRO TRADING CORPORATION	METHOMYL	SOLITAIRE 40 SP	400 g/kg	SP	INSECTICIDE	2	248-164-3225	01-Oct-24	CONTACT	Banana	Thrips	1.5-2 Sachet/36L Sprayer	-	-	Do not enter fields treated with SOLITAIRE 40 SP within 12 hours after application.
TEAMAGRO TRADING CORPORATION	METHOMYL	SOLITAIRE 40 SP	400 g/kg	SP	INSECTICIDE	2	248-164-3225	01-Oct-24	CONTACT	Beans	Leafroller, flea beetle , beanfly, podborer,aphids	1 Sachet/36L Sprayer	-	-	Do not enter fields treated with SOLITAIRE 40 SP within 12 hours after application.
TEAMAGRO TRADING CORPORATION	METHOMYL	SOLITAIRE 40 SP	400 g/kg	SP	INSECTICIDE	2	248-164-3225	01-Oct-24	CONTACT	Mungbeans	Leafroller, flea beetle , beanfly, podborer,aphids	1 Sachet/36L Sprayer	-	-	Do not enter fields treated with SOLITAIRE 40 SP within 12 hours after application.
TEAMAGRO TRADING CORPORATION	METHOMYL	SOLITAIRE 40 SP	400 g/kg	SP	INSECTICIDE	2	248-164-3225	01-Oct-24	CONTACT	Soybeans	Leafroller, flea beetle , beanfly, podborer,aphids	1 Sachet/36L Sprayer	-	-	Do not enter fields treated with SOLITAIRE 40 SP within 12 hours after application.
TEAMAGRO TRADING CORPORATION	METHOMYL	SOLITAIRE 40 SP	400 g/kg	SP	INSECTICIDE	2	248-164-3225	01-Oct-24	CONTACT	Sitao	Leafroller, flea beetle , beanfly, podborer,aphids	1 Sachet/36L Sprayer	-	-	Do not enter fields treated with SOLITAIRE 40 SP within 12 hours after application.
TEAMAGRO TRADING CORPORATION	METHOMYL	SOLITAIRE 40 SP	400 g/kg	SP	INSECTICIDE	2	248-164-3225	01-Oct-24	CONTACT	Corn	Comborer, earworm	1 Sachet/36L Sprayer	-	-	Do not enter fields treated with SOLITAIRE 40 SP within 12 hours after application.
TEAMAGRO TRADING CORPORATION	METHOMYL	SOLITAIRE 40 SP	400 g/kg	SP	INSECTICIDE	2	248-164-3225	01-Oct-24	CONTACT	Sorghum	Comborer,earworm	1 Sachet/36L Sprayer	-	-	Do not enter fields treated with SOLITAIRE 40 SP within 12 hours after application.
TEAMAGRO TRADING CORPORATION	METHOMYL	SOLITAIRE 40 SP	400 g/kg	SP	INSECTICIDE	2	248-164-3225	01-Oct-24	CONTACT	Eggplant	Aphids, flea beetle, fruitworm, lady beetle	1 Sachet/36L Sprayer	-	-	Do not enter fields treated with SOLITAIRE 40 SP within 12 hours after application.

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
TEAMAGRO TRADING CORPORATION	METHOMYL	SOLITAIRE 40 SP	400 g/kg	SP	INSECTICIDE	2	248-164-3225	01-Oct-24	CONTACT	Melon	Aphids, squash beetle / leafhopper	1 Sachet/16L Sprayer	-	-	Do not enter fields treated with SOLITAIRE 40 SP within 12 hours after application
TEAMAGRO TRADING CORPORATION	METHOMYL	SOLITAIRE 40 SP	400 g/kg	SP	INSECTICIDE	2	248-164-3225	01-Oct-24	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leafhopper	1 Sachet/16L Sprayer	0.05ppm	-	Do not enter fields treated with SOLITAIRE 40 SP within 12 hours after application
TEAMAGRO TRADING CORPORATION	METHOMYL	SOLITAIRE 40 SP	400 g/kg	SP	INSECTICIDE	2	248-164-3225	02-Oct-24	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	1 Sachet/16L Sprayer	-	-	Do not enter fields treated with SOLITAIRE 40 SP within 12 hours after application
TEAMAGRO TRADING CORPORATION	METHOMYL	SOLITAIRE 40 SP	400 g/kg	SP	INSECTICIDE	2	248-164-3225	01-Oct-24	CONTACT	Tomato	Tomato fruitworm, aphids	1 Sachet/16L Sprayer	-	-	Do not enter fields treated with SOLITAIRE 40 SP within 12 hours after application
AGRO TECHNOPRODUCTS INC.	FOSETYL-ALUMINUM	SOLID 80 WP	800 g/kg	WP	FUNGICIDE	4	370-154-5068	11-Mar-23	SYSTEMIC	Pineapple	Heart rot	-	-	-	-
AGRO TECHNOPRODUCTS INC.	FOSETYL-ALUMINUM	SOLID 80 WP	800 g/kg	WP	FUNGICIDE	4	370-154-5068	11-Mar-23	SYSTEMIC	Coconut	Wet bud rot, nut rot	-	-	-	-
AGRO TECHNOPRODUCTS INC.	FOSETYL-ALUMINUM	SOLID 80 WP	800 g/kg	WP	FUNGICIDE	4	370-154-5068	11-Mar-23	SYSTEMIC	Rubber	Black stripe	-	-	-	-
AGRO TECHNOPRODUCTS INC.	FOSETYL-ALUMINUM	SOLID 80 WP	800 g/kg	WP	FUNGICIDE	4	370-154-5068	11-Mar-23	SYSTEMIC	Cacao	Black pod	-	-	-	-
AGRO TECHNOPRODUCTS INC.	FOSETYL-ALUMINUM	SOLID 80 WP	800 g/kg	WP	FUNGICIDE	4	370-154-5068	11-Mar-23	SYSTEMIC	Orchids	Black rot	-	-	-	-
AGRO TECHNOPRODUCTS INC.	FOSETYL-ALUMINUM	SOLID 80 WP	800 g/kg	WP	FUNGICIDE	4	370-154-5068	11-Mar-23	SYSTEMIC	Asparagus	Crown & spear rot	-	-	-	-
ARIES RINE CHEMICAL CORPORATION	GLYPHOSATE IPA	SOLAR 360 SC	360 g/L	SC	HERBICIDE	4	478-153-2727	29-Jan-24	POST-EMERGENT	Non-crop areas:	Common grassy fields	3-6 L/ha, 24-48Tbsp/36 L water (200 L/ha) 12-24 Tbsp/36 L water (400 L/ha)	-	-	-
SYNGENTA PHILIPPINES INC.	PRETILACHLOR	SOFIT 300 EC	300 g/kg	EC	HERBICIDE	4	011-063-0090	01-Feb-26	PRE-EMERGENCE	Rice (Direct Seeded)	Grasses, sedges, and broadleaves weeds	3-5 Tbsp / 36 L water	0.05ppm	-	-
SYNGENTA PHILIPPINES INC.	PRETILACHLOR	SOFIT 300 EC	300 g/kg	EC	HERBICIDE	4	011-063-0090	01-Feb-26	PRE-EMERGENCE	Rice (Transplanted)	Grasses controlled: Echinochloa glabrescens, Ischaemum rugosum & Leptochloa chinensis. Sedges controlled: Cyperus iria, cyperus	1.0-1.5L product/ha	0.05ppm	-	-
SULI AGROSCIENCE PHILIPPINES INC.	THIRAM	SODUKU 80N WG	-	WG	FUNGICIDE	3	692-337-5717	18-May-25	-	Banana	Black leaf sigatoka, freckle leaf & disease	Ground application: 2.5 kg/ha mixed in 100 water. Aerial application: 1.2-5	-	0 days	Do not enter treatment areas until spray deposit have dried
SULI AGROSCIENCE PHILIPPINES INC.	THIRAM	SODUKU 80N WG	-	WG	FUNGICIDE	3	692-337-5717	18-May-25	-	Pineapple	Phytophthora heart rot & fruitrot (FCK)	Phytophthora disease: 7.5-11.5kg/ha mixed in 400-500L water; FCK: 8-11kg to 4 Tbsp per 36L water	-	7-10 days	Do not enter treatment areas until spray deposit have dried
SULI AGROSCIENCE PHILIPPINES INC.	THIRAM	SODUKU 80N WG	-	WG	FUNGICIDE	3	692-337-5717	20-May-25	-	Mango	Anthraxnose, scab	-	-	-	Do not enter treatment areas until spray deposit have dried
SULI AGROSCIENCE PHILIPPINES INC.	THIRAM	SODUKU 80N WG	-	WG	FUNGICIDE	3	692-337-5717	21-May-25	-	Galery	Septoria leaf spot and blight	8 Tbsp per 36L water	-	7-10 days	Do not enter treatment areas until spray deposit have dried
SULI AGROSCIENCE PHILIPPINES INC.	THIRAM	SODUKU 80N WG	-	WG	FUNGICIDE	3	692-337-5717	22-May-25	-	Potato	Late blight	1-4per L water	-	-	Do not enter treatment areas until spray deposit have dried
SULI AGROSCIENCE PHILIPPINES INC.	THIRAM	SODUKU 80N WG	-	WG	FUNGICIDE	3	692-337-5717	23-May-25	-	Avocado	Cercospora spot	2.5-3.5g per L water; 300-700g per 200	-	-	Do not enter treatment areas until spray deposit have dried
KEMSTAR CORPORATION	NICLOSAMIDE ETHANOLAMINE SALT	SNORKEL 70 WP	700 g/kg	WP	MOLLUSCICIDE	4	219-229-4031	07-Jun-20	CONTACT	Rice	Golden Apple Snail (Kuhol)	35 gm/36 L water	-	-	-
TAIPAN BRAND FARM INC.	NICLOSAMIDE ETHANOLAMINE SALT	SNORKEL 70 WP	700 g/kg	WP	MOLLUSCICIDE	4	529-229-3248	24-Oct-26	CONTACT	Rice	Golden Apple Snail (Kuhol)	26 gm/36 L water	-	-	No less than 48 hours after spraying
YULIME TRADE OPC	CYPERMETHRIN	SNIPER 5 EC	50g/L	EC	INSECTICIDE	4	691-037-5518-8(90)	27-Jun-25	-	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-1.0 Tbsp/36 L water	-	-	Do not spray seven days before harvest
YULIME TRADE OPC	CYPERMETHRIN	SNIPER 5 EC	50g/L	EC	INSECTICIDE	4	691-037-5518-8(90)	27-Jun-25	-	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leafhopper, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/36 L water	-	-	Do not spray seven days before harvest
YULIME TRADE OPC	CYPERMETHRIN	SNIPER 5 EC	50g/L	EC	INSECTICIDE	4	691-037-5518-8(90)	27-Jun-25	-	Cabbage	Diamond back moth, cabbage moth, worm	1.0-3.0 Tbsp/36 L water	-	-	Do not spray seven days before harvest
YULIME TRADE OPC	CYPERMETHRIN	SNIPER 5 EC	50g/L	EC	INSECTICIDE	4	691-037-5518-8(90)	27-Jun-25	-	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/36 L water	-	-	Do not spray seven days before harvest
YULIME TRADE OPC	CYPERMETHRIN	SNIPER 5 EC	50g/L	EC	INSECTICIDE	4	691-037-5518-8(90)	27-Jun-25	-	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/36 L water	-	-	Do not spray seven days before harvest
YULIME TRADE OPC	CYPERMETHRIN	SNIPER 5 EC	50g/L	EC	INSECTICIDE	4	691-037-5518-8(90)	27-Jun-25	-	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/36 L water	-	-	Do not spray seven days before harvest
YULIME TRADE OPC	CYPERMETHRIN	SNIPER 5 EC	50g/L	EC	INSECTICIDE	4	691-037-5518-8(90)	27-Jun-25	-	Onion	Thrips, cutworm	1.0-3.0 Tbsp/36 L water	-	-	Do not spray seven days before harvest
YULIME TRADE OPC	CYPERMETHRIN	SNIPER 5 EC	50g/L	EC	INSECTICIDE	4	691-037-5518-8(90)	27-Jun-25	-	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/36 L water	-	-	Do not spray seven days before harvest
YULIME TRADE OPC	CYPERMETHRIN	SNIPER 5 EC	50g/L	EC	INSECTICIDE	4	691-037-5518-8(90)	27-Jun-25	-	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/36 L water	-	-	Do not spray seven days before harvest
YULIME TRADE OPC	CYPERMETHRIN	SNIPER 5 EC	50g/L	EC	INSECTICIDE	4	691-037-5518-8(90)	27-Jun-25	-	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/36 L water	-	-	Do not spray seven days before harvest
YULIME TRADE OPC	CYPERMETHRIN	SNIPER 5 EC	50g/L	EC	INSECTICIDE	4	691-037-5518-8(90)	27-Jun-25	-	Corn	Comborer, earworm	1.0-4.5 Tbsp/36 L water	-	-	Do not spray seven days before harvest
PLANTMEDS AGRISOLUTIONS CORP.	NICLOSAMIDE ETHANOLAMINE SALT	SNAP 70 WP	700 g/kg	WP	MOLLUSCICIDE	4	483-229-5492	20-Jul-26	CONTACT	Rice	Golden Apple Snail (Kuhol)	35 tankload/ ha	-	-	Re-enter fields at least 48 hours after application
ZAGRO CORPORATION	NICLOSAMIDE ETHANOLAMINE SALT	SNAILTOR 70 WP	700 g/kg	WP	MOLLUSCICIDE	4	043-229-1281	20-Dec-24	CONTACT	Rice	Golden Apple Snail (Kuhol)	35 gm/36 L water	-	-	-
ARIES RINE CHEMICAL CORPORATION	NICLOSAMIDE ETHANOLAMINE SALT	SNAILMATE 70 WP	700 g/L	WP	MOLLUSCICIDE	4	478-229-2723	23-Feb-25	CONTACT	Rice	Golden Apple Snail (Kuhol)	35 grams or 1 sachet/ per 36 L water	-	-	At least 48 hours after application
ARIES RINE CHEMICAL CORPORATION	NICLOSAMIDE	SNAILMATE 250 EC	250 g/L	EC	MOLLUSCICIDE	4	478-229-2722	18-Oct-26	-	Rice	Golden apple snail	7-10, 10-14 Tbsp/36L water	-	-	Entry to field and crops treated with SNAILMATE 250 EC can be done 48 hours after spraying
SAVWELL AGR-MARKETING CO.	NICLOSAMIDE ETHANOLAMINE SALT	SNAILKILL 70 WP	700 g/kg	WP	MOLLUSCICIDE	4	425-229-2931	10-Jan-23	CONTACT	Rice	Golden Apple Snail (Kuhol)	35 gm/36 L water	-	-	Do not enter the treated field within 48 hours after application
AGCHEM MANUFACTURING CORPORATION	METALDEHYDE	SNAILKILL 6N P	60 g/kg	P	MOLLUSCICIDE	4	001-075-0475	31-Dec-26	CONTACT	Rice (Transplanted)	Golden apple snail	2-4 kg/ product per hectare	-	-	Do not enter treated field within 48 hours after application
AGCHEM MANUFACTURING CORPORATION	METALDEHYDE	SNAILKILL 6N P	60 g/kg	P	MOLLUSCICIDE	4	001-075-0475	31-Dec-26	CONTACT	Rice (Direct Seeded)	Golden apple snail	4-8 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application
AGCHEM MANUFACTURING CORPORATION	METALDEHYDE	SNAILKILL 6N P	60 g/kg	P	MOLLUSCICIDE	4	001-075-0475	31-Dec-26	CONTACT	Potted and driftwood-attached plants such as	Bush, snails, giant african snail and slugs	1-2 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application
AGCHEM MANUFACTURING CORPORATION	METALDEHYDE	SNAILKILL 6N P	60 g/kg	P	MOLLUSCICIDE	4	001-075-0475	31-Dec-26	CONTACT	Chinese Cabbage	Slug, snails	6-8 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application
AGCHEM MANUFACTURING CORPORATION	METALDEHYDE	SNAILKILL 6N P	60 g/kg	P	MOLLUSCICIDE	4	001-075-0475	31-Dec-26	CONTACT	Strawberry	Slug, snails	6-8 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application
SAVWELL AGRISCIENCE VENTURES CORPORATION	METALDEHYDE	SNAILKILL 6N P	60 g/kg	P	MOLLUSCICIDE	4	681-075-5450	23-Dec-23	-	Rice (Transplanted)	Golden apple snail	3-4 kg/ product per hectare	-	-	Do not enter treated field within 48 hours application
SAVWELL AGRISCIENCE VENTURES CORPORATION	METALDEHYDE	SNAILKILL 6N P	60 g/kg	P	MOLLUSCICIDE	4	681-075-5450	23-Dec-23	-	Rice (Direct Seeded)	Golden apple snail	4-8 kg/product per hectare	-	-	Do not enter treated field within 48 hours application
SAVWELL AGRISCIENCE VENTURES CORPORATION	METALDEHYDE	SNAILKILL 6N P	60 g/kg	P	MOLLUSCICIDE	4	681-075-5450	23-Dec-23	-	Potted and driftwood-attached plants such as	Bush, snails, giant african snail and slugs	1-2 kg/product per hectare	-	-	Do not enter treated field within 48 hours application
SAVWELL AGRISCIENCE VENTURES CORPORATION	METALDEHYDE	SNAILKILL 6N P	60 g/kg	P	MOLLUSCICIDE	4	681-075-5450	23-Dec-23	-	Chinese Cabbage	Slug, snails	6-8 kg/product per hectare	-	-	Do not enter treated field within 48 hours application
SAVWELL AGRISCIENCE VENTURES CORPORATION	METALDEHYDE	SNAILKILL 6N P	60 g/kg	P	MOLLUSCICIDE	4	681-075-5450	23-Dec-23	-	Strawberry	Slug, snails	6-8 kg/product per hectare	-	-	Do not enter treated field within 48 hours application
SAVWELL AGR-MARKETING CO.	NICLOSAMIDE	SNAILKILL 250 EC	250 g/L	EC	MOLLUSCICIDE	4	425-229-3026	28-May-18	-	Rice	Golden apple snail	7-10 Tbsp/ 36L water	-	-	-
S&P ENTERPRISES, INC.	METALDEHYDE	SNAILKILL 6N PELLETS	60 g/kg	P	MOLLUSCICIDE	4	366-075-6047	31-Dec-23	-	Rice (Transplanted)	Golden apple snail	2-4 kg/ha	-	-	Do not enter treated field within 48 hours after application
S&P ENTERPRISES, INC.	METALDEHYDE	SNAILKILL 6N PELLETS	60 g/kg	P	MOLLUSCICIDE	4	366-075-6047	31-Dec-23	-	Rice (Direct Seeded)	Golden apple snail	4-8 kg/ha	-	-	Do not enter treated field within 48 hours after application
S&P ENTERPRISES, INC.	METALDEHYDE	SNAILKILL 6N PELLETS	60 g/kg	P	MOLLUSCICIDE	4	366-075-6047	31-Dec-23	-	Potted and driftwood-attached plants such as	Bush, snails, giant african snail and slugs	1-2 kg/ha	-	-	Do not enter treated field within 48 hours after application
S&P ENTERPRISES, INC.	METALDEHYDE	SNAILKILL 6N PELLETS	60 g/kg	P	MOLLUSCICIDE	4	366-075-6047	31-Dec-23	-	Chinese Cabbage	Slug, snails	6-8 kg/ha	-	-	Do not enter treated field within 48 hours after application
S&P ENTERPRISES, INC.	METALDEHYDE	SNAILKILL 6N PELLETS	60 g/kg	P	MOLLUSCICIDE	4	366-075-6047	31-Dec-23	-	Strawberry	Slug, snails	6-8 kg/ha	-	-	Do not enter treated field within 48 hours after application
PLANTCARE TRADING CORPORATION	NICLOSAMIDE ETHANOLAMINE SALT	SNAILKILL 70 WP	700 g/kg	WP	MOLLUSCICIDE	4	495-229-2794	22-Feb-24	CONTACT	Rice	Golden Apple Snail (Kuhol)	35 grams / 1 sachet	-	-	-
GENTRADEPHIL INC.	METALDEHYDE	SNAILER 6N PELLET	60 g/kg	P	MOLLUSCICIDE	4	660-075-4986	18-Jul-24	CONTACT	Rice (Transplanted)	Golden apple snail	2-4 kg/ product per hectare	-	-	Do not enter treated field within 48 hours after application
GENTRADEPHIL INC.	METALDEHYDE	SNAILER 6N PELLET	60 g/kg	P	MOLLUSCICIDE	4	660-075-4986	18-Jul-24	CONTACT	Rice (Direct Seeded)	Golden apple snail	4-8 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
GENTRADPHIL INC.	METALDEHYDE	SNAILER 6% PELLET	60 g/kg	P	MOLLUSCIDE	4	660-075-4986	18-Jul-24	CONTACT	Potted and driftwood-attached plants such as Crucifers	Bush, snails, giant african snail and slugs	1-2 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application
GENTRADPHIL INC.	METALDEHYDE	SNAILER 6% PELLET	60 g/kg	P	MOLLUSCIDE	4	660-075-4986	18-Jul-24	CONTACT	Crucifers	-	-	-	-	Do not enter treated field within 48 hours after application
GENTRADPHIL INC.	METALDEHYDE	SNAILER 6% PELLET	60 g/kg	P	MOLLUSCIDE	4	660-075-4986	18-Jul-24	CONTACT	Strawberry	-	-	-	-	Do not enter treated field within 48 hours after application
MINORO SAGANA MERCHANDISING, INC.	NICLOSAMIDE ETHANOLAMINE SALT	SNAILDOWN 70 WP	700g/kg	WP	MOLLUSCIDE	4	571-229-3700	20-Jul-26	CONTACT	Rice	Golden Apple Snail (Kuhol)	40 tankload/ha 1 sachet (50gms)/tankload (16L)	-	-	Re-enter fields at least 48 hours after application
ORACLE CHEM CORPORATION	NICLOSAMIDE	SNAILDOWN 250 EC	250 g/L	EC	MOLLUSCIDE	4	417-229-3419	15-Jun-21	-	Rice	Golden apple snail	7-10 Tbsp/16 L water	-	-	At least 48 hours after application
FARMON AGRI-COMMUNITY CORPORATION	NICLOSAMIDE ETHANOLAMINE SALT	SNAILUFF+ 70 WP	700g/kg	WP	MOLLUSCIDE	4	621-229-4541	17-Oct-21	CONTACT	Rice	Golden apple snail	70gms (1 sachet) per 10 Tank load/ha	-	-	48 hours after spraying
UNACON, INC.	NICLOSAMIDE ETHANOLAMINE SALT	SNAILBOMB 7 WP	700g/kg	WP	MOLLUSCIDE	4	612-229-4409	25-Jun-24	CONTACT	Rice	Golden apple snail	70g/1 pouch/16 L water	-	-	-
ASIA GOLD TRADING CORPORATION	METALDEHYDE	SNAILBAT 6%I	60 g/kg	P	MOLLUSCIDE	4	266-075-3969	12-May-25	CONTACT	Rice (Transplanted)	Golden apple snail	2-4 kg/ product per hectare	-	-	Do not enter treated field within 48 hours after application
ASIA GOLD TRADING CORPORATION	METALDEHYDE	SNAILBAT 6%I	60 g/kg	P	MOLLUSCIDE	4	266-075-3969	12-May-25	CONTACT	Rice (Direct Seeded)	Golden apple snail	4-8 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application
ASIA GOLD TRADING CORPORATION	METALDEHYDE	SNAILBAT 6%I	60 g/kg	P	MOLLUSCIDE	4	266-075-3969	12-May-25	CONTACT	Potted and driftwood-attached plants such as	Bush, snails, giant african snail and slugs	1-2 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application
YANN HAWK AGRO CHEMICALS, INC.	NICLOSAMIDE ETHANOLAMINE SALT	SNAIL OUT 70 WP	700g/kg	WP	MOLLUSCIDE	4	295-229-2460	13-Oct-24	CONTACT	Rice	Golden Apple Snail (Kuhol)	25 gm/16L water	-	-	-
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	METALDEHYDE	SNAIL CHAMP 6 GR	60 g/kg	GR	MOLLUSCIDE	4	667-075-5081	07-Mar-26	-	Rice (Transplanted)	Golden apple snail	2-4 kg/ product per hectare	-	-	Do not enter treated field within 48 hours after application.
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	METALDEHYDE	SNAIL CHAMP 6 GR	60 g/kg	GR	MOLLUSCIDE	4	667-075-5081	07-Mar-26	-	Rice (Direct-seeded)	Golden apple snail	4-8 kg/ product per hectare	-	-	Do not enter treated field within 48 hours after application.
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	METALDEHYDE	SNAIL CHAMP 6 GR	60 g/kg	GR	MOLLUSCIDE	4	667-075-5081	07-Mar-26	-	Potted and driftwood-attached plants such as	Bush, snails, giant african snail and slugs	1-2 kg/ product per hectare	-	-	Do not enter treated field within 48 hours after application.
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	METALDEHYDE	SNAIL CHAMP 6 GR	60 g/kg	GR	MOLLUSCIDE	4	667-075-5081	07-Mar-26	-	Crucifers (Chinese Cabbage)	Slug, snails	6-8 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application.
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	METALDEHYDE	SNAIL CHAMP 6 GR	60 g/kg	GR	MOLLUSCIDE	4	667-075-5081	07-Mar-26	-	Strawberry	Slug, snails	6-8 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application.
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	NICLOSAMIDE ETHANOLAMINE SALT	SNAIL AWAY 700 WP	700 g/kg	WP	MOLLUSCIDE	4	667-229-5112	25-Jun-26	-	Rice	Golden Apple Snail (Kuhol)	25 g (1 sachet) per 16 L water	-	-	No less than 48 hours after spraying
FLAGLEAF AGRI PHILIPPINES, INC.	MANCOZEB	SMUT 80 WP	800 g/kg	WP	FUNGICIDE	4	564-053-3711	22-May-21	-	Potato	Early and late blight	3-6 Tbsp/16 L water	-	-	As soon as spray dries
FLAGLEAF AGRI PHILIPPINES, INC.	MANCOZEB	SMUT 80 WP	800 g/kg	WP	FUNGICIDE	4	564-053-3711	22-May-21	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
FLAGLEAF AGRI PHILIPPINES, INC.	MANCOZEB	SMUT 80 WP	800 g/kg	WP	FUNGICIDE	4	564-053-3711	22-May-21	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
FLAGLEAF AGRI PHILIPPINES, INC.	MANCOZEB	SMUT 80 WP	800 g/kg	WP	FUNGICIDE	4	564-053-3711	22-May-21	-	broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
FLAGLEAF AGRI PHILIPPINES, INC.	MANCOZEB	SMUT 80 WP	800 g/kg	WP	FUNGICIDE	4	564-053-3711	22-May-21	-	Coleli	Late blight	3-6 Tbsp/16 L water	-	14 Days	As soon as spray dries
FLAGLEAF AGRI PHILIPPINES, INC.	MANCOZEB	SMUT 80 WP	800 g/kg	WP	FUNGICIDE	4	564-053-3711	22-May-21	-	Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
FLAGLEAF AGRI PHILIPPINES, INC.	MANCOZEB	SMUT 80 WP	800 g/kg	WP	FUNGICIDE	4	564-053-3711	22-May-21	-	Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
FLAGLEAF AGRI PHILIPPINES, INC.	MANCOZEB	SMUT 80 WP	800 g/kg	WP	FUNGICIDE	4	564-053-3711	22-May-21	-	Cotton	Damping off	3-6 Tbsp/16 L water	-	-	As soon as spray dries
FLAGLEAF AGRI PHILIPPINES, INC.	MANCOZEB	SMUT 80 WP	800 g/kg	WP	FUNGICIDE	4	564-053-3711	22-May-21	-	lettuce	Downy mildew	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
FLAGLEAF AGRI PHILIPPINES, INC.	MANCOZEB	SMUT 80 WP	800 g/kg	WP	FUNGICIDE	4	564-053-3711	22-May-21	-	beans	Anthracoese, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
FLAGLEAF AGRI PHILIPPINES, INC.	MANCOZEB	SMUT 80 WP	800 g/kg	WP	FUNGICIDE	4	564-053-3711	22-May-21	-	Peas	Anthracoese, Downy mildew, Rust	3-6 Tbsp/16 L water	-	-	As soon as spray dries
FLAGLEAF AGRI PHILIPPINES, INC.	MANCOZEB	SMUT 80 WP	800 g/kg	WP	FUNGICIDE	4	564-053-3711	22-May-21	-	Mungo	Anthracoese, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
FLAGLEAF AGRI PHILIPPINES, INC.	MANCOZEB	SMUT 80 WP	800 g/kg	WP	FUNGICIDE	4	564-053-3711	22-May-21	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
FLAGLEAF AGRI PHILIPPINES, INC.	MANCOZEB	SMUT 80 WP	800 g/kg	WP	FUNGICIDE	4	564-053-3711	22-May-21	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
FLAGLEAF AGRI PHILIPPINES, INC.	MANCOZEB	SMUT 80 WP	800 g/kg	WP	FUNGICIDE	4	564-053-3711	22-May-21	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
FLAGLEAF AGRI PHILIPPINES, INC.	MANCOZEB	SMUT 80 WP	800 g/kg	WP	FUNGICIDE	4	564-053-3711	22-May-21	-	Pepper	Anthracoese	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
FLAGLEAF AGRI PHILIPPINES, INC.	MANCOZEB	SMUT 80 WP	800 g/kg	WP	FUNGICIDE	4	564-053-3711	22-May-21	-	Chili	Anthracoese	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
FLAGLEAF AGRI PHILIPPINES, INC.	MANCOZEB	SMUT 80 WP	800 g/kg	WP	FUNGICIDE	4	564-053-3711	22-May-21	-	eggplant	Blight, Anthracnose	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
FLAGLEAF AGRI PHILIPPINES, INC.	MANCOZEB	SMUT 80 WP	800 g/kg	WP	FUNGICIDE	4	564-053-3711	22-May-21	-	Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16 L water	-	-	As soon as spray dries
FLAGLEAF AGRI PHILIPPINES, INC.	MANCOZEB	SMUT 80 WP	800 g/kg	WP	FUNGICIDE	4	564-053-3711	22-May-21	-	Grapes	Downy mildew, black rot	3-6 Tbsp/16 L water	-	60 days	As soon as spray dries
FLAGLEAF AGRI PHILIPPINES, INC.	MANCOZEB	SMUT 80 WP	800 g/kg	WP	FUNGICIDE	4	564-053-3711	22-May-21	-	Mango	Anthracoese and Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
FLAGLEAF AGRI PHILIPPINES, INC.	MANCOZEB	SMUT 80 WP	800 g/kg	WP	FUNGICIDE	4	564-053-3711	22-May-21	-	Papaya	Fruit rot	3-6 Tbsp/16 L water	-	-	As soon as spray dries
FLAGLEAF AGRI PHILIPPINES, INC.	MANCOZEB	SMUT 80 WP	800 g/kg	WP	FUNGICIDE	4	564-053-3711	22-May-21	-	Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
FLAGLEAF AGRI PHILIPPINES, INC.	MANCOZEB	SMUT 80 WP	800 g/kg	WP	FUNGICIDE	4	564-053-3711	22-May-21	-	Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
FLAGLEAF AGRI PHILIPPINES, INC.	MANCOZEB	SMUT 80 WP	800 g/kg	WP	FUNGICIDE	4	564-053-3711	22-May-21	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
FLAGLEAF AGRI PHILIPPINES, INC.	MANCOZEB	SMUT 80 WP	800 g/kg	WP	FUNGICIDE	4	564-053-3711	22-May-21	-	Rice	Blact, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16 L water	0.03ppm	-	As soon as spray dries
FLAGLEAF AGRI PHILIPPINES, INC.	MANCOZEB	SMUT 80 WP	800 g/kg	WP	FUNGICIDE	4	564-053-3711	22-May-21	-	Peanut	Cercospora leaf spot	3-6 Tbsp/16 L water	-	14 Days	As soon as spray dries
FLAGLEAF AGRI PHILIPPINES, INC.	MANCOZEB	SMUT 80 WP	800 g/kg	WP	FUNGICIDE	4	564-053-3711	22-May-21	-	Soybeans	leaf rust	3-6 Tbsp/16 L water	-	-	As soon as spray dries
FLAGLEAF AGRI PHILIPPINES, INC.	MANCOZEB	SMUT 80 WP	800 g/kg	WP	FUNGICIDE	4	564-053-3711	22-May-21	-	Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/16 L water	-	-	As soon as spray dries
MEGA BOOSTER AGRI TRADING CO.	BUTACHLOR-PROPANIL	SMOOTH 70 EC	350-350 g/L	EC	HERBICIDE	3	531-238-3573	05-Oct-24	POST-EMERGENT	Rice (Direct Seeded)	Grasses, Sedges and Broadleaves	8-12Tbsp/16 L water	-	-	As soon as the spray mist dries up.
MEGA BOOSTER AGRI TRADING CO.	BUTACHLOR-PROPANIL	SMOOTH 70 EC	350-350 g/L	EC	HERBICIDE	3	531-238-3573	05-Oct-24	POST-EMERGENT	Rice (Transplanted)	Grasses, Sedges and Broadleaves	8-12Tbsp/16 L water	-	-	As soon as the spray mist dries up.
BIOSTADT PHILIPPINES INC.	CYPERMETHRIN	SMASH 5 EC	50 g/L	EC	INSECTICIDE	4	097-037-0750	27-Jun-25	CONTACT	Mango	leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
BIOSTADT PHILIPPINES INC.	CYPERMETHRIN	SMASH 5 EC	50 g/L	EC	INSECTICIDE	4	097-037-0750	27-Jun-25	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leafroller, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
BIOSTADT PHILIPPINES INC.	CYPERMETHRIN	SMASH 5 EC	50 g/L	EC	INSECTICIDE	4	097-037-0750	27-Jun-25	CONTACT	Cabbage	Diamond back moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
BIOSTADT PHILIPPINES INC.	CYPERMETHRIN	SMASH 5 EC	50 g/L	EC	INSECTICIDE	4	097-037-0750	27-Jun-25	CONTACT	beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
BIOSTADT PHILIPPINES INC.	CYPERMETHRIN	SMASH 5 EC	50 g/L	EC	INSECTICIDE	4	097-037-0750	27-Jun-25	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
BIOSTADT PHILIPPINES INC.	CYPERMETHRIN	SMASH 5 EC	50 g/L	EC	INSECTICIDE	4	097-037-0750	27-Jun-25	CONTACT	Watermelon	Aphids, Thrips, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
BIOSTADT PHILIPPINES INC.	CYPERMETHRIN	SMASH 5 EC	50 g/L	EC	INSECTICIDE	4	097-037-0750	27-Jun-25	CONTACT	Stron	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
BIOSTADT PHILIPPINES INC.	CYPERMETHRIN	SMASH 5 EC	50 g/L	EC	INSECTICIDE	4	097-037-0750	27-Jun-25	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
BIOSTADT PHILIPPINES INC.	CYPERMETHRIN	SMASH S EC	50 g/L	EC	INSECTICIDE	4	097-037-0750	27-Jun-25	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dries
BIOSTADT PHILIPPINES INC.	CYPERMETHRIN	SMASH E EC	50 g/L	EC	INSECTICIDE	4	097-037-0750	27-Jun-25	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dries
BIOSTADT PHILIPPINES INC.	CYPERMETHRIN	SMASH S EC	50 g/L	EC	INSECTICIDE	4	097-037-0750	27-Jun-25	CONTACT	Corn	Comborer, earworm	1.0-4.5 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dries
DCDM MARKETING INCORPORATED	PRETILACHLOR	SMART HERB 30 EC	300 g/L	EC	HERBICIDE	4	467-061-4486	05-Sep-24	PRE-EMERGENCE	Rice (Direct Seeded)	Grasses, sedges, and broadleaves weeds	3-5 tbg /76 L water	0.05ppm	-	-
SAVERS ALLIANCE TRADING CORPORATION	NICLOSAMIDE ETHANOLAMINE SALT	SLUGKILL 70 WP	700 g/kg	WP	MOLLUSCIDE	4	635-229-4898	31-Mar-26	CONTACT	Rice	Golden Apple Snail	1 sachet (16 gms)/Tankload (16 liters)	-	-	Re-enter fields at least 48 hours after application
ZEAL ECOLOGICAL NATURE (ZEINOR) CORPORATION	NICLOSAMIDE ETHANOLAMINE SALT	SLUGKILL 70 WP	700 g/kg	WP	MOLLUSCIDE	4	175-229-3736	02-Jun-19	CONTACT	Rice	Golden Apple Snail (Kuhol)	36 gm/16L water	-	-	-
VANN HAWK AGRO CHEMICALS, INC.	METALDEHYDE	SLUG OUT 6N P	60 g/kg	P	MOLLUSCIDE	4	295-075-1699	07-Feb-24	CONTACT	Rice (Transplanted)	Golden apple snail	2-4 kg/ product per hectare	-	-	Do not enter treated field within 48 hours after application
VANN HAWK AGRO CHEMICALS, INC.	METALDEHYDE	SLUG OUT 6N P	60 g/kg	P	MOLLUSCIDE	4	295-075-1699	07-Feb-24	CONTACT	Rice (Direct Seeded)	Golden apple snail	4.8 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application
VANN HAWK AGRO CHEMICALS, INC.	METALDEHYDE	SLUG OUT 6N P	60 g/kg	P	MOLLUSCIDE	4	295-075-1699	07-Feb-24	CONTACT	Potted and driftwood-attached plants such as	Bush, snails, giant african snail and slugs	1-2 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application
VANN HAWK AGRO CHEMICALS, INC.	METALDEHYDE	SLUG OUT 6N P	60 g/kg	P	MOLLUSCIDE	4	295-075-1699	07-Feb-24	CONTACT	Crucifers (Chinese Cabbage)	Slug, snails	6-8 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application
VANN HAWK AGRO CHEMICALS, INC.	METALDEHYDE	SLUG OUT 6N P	60 g/kg	P	MOLLUSCIDE	4	295-075-1699	07-Feb-24	CONTACT	Strawberry	Slug, snails	6-8 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application
CROP PROTECTION AGRIVENTURES INC.	CYHALOFOF BUTYL	SUGER 10 EC	100 g/L	EC	HERBICIDE	4	616-257-5477	15-Apr-25	-	Rice (Direct Seeded)	Grasses	7-9 tbg /tank load; 12 of tank load/ha (16L capacity)	-	-	-
SANKHEM CORPORATION	NICLOSAMIDE ETHANOLAMINE SALT	SLAYER 70 WP	700 g/kg	WP	MOLLUSCIDE	4	115-229-3186	09-Sep-22	CONTACT	Rice	Golden Apple Snail (Kuhol)	36 gm/16L water	-	-	Do not enter the treated field within 48 hours after application
PRIMSTOCKS CHEMICAL CORPORATION	CARTAP HYDROCHLORIDE	SLAY 50 SP	500 g/kg	SP	INSECTICIDE	3	623-106-4005	06-Oct-26	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	1.0-5.0Tbsp/16 L water	0.2ppm	Do not harvest within 10 days before harvest.	Do not enter treated field within 2 days after spraying.
PRIMSTOCKS CHEMICAL CORPORATION	CARTAP HYDROCHLORIDE	SLAY 50 SP	500 g/kg	SP	INSECTICIDE	3	623-106-4005	06-Oct-26	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	-	Do not harvest within 10 days before harvest.	Do not enter treated field within 2 days after spraying.
PRIMSTOCKS CHEMICAL CORPORATION	CARTAP HYDROCHLORIDE	SLAY 50 SP	500 g/kg	SP	INSECTICIDE	3	623-106-4005	06-Oct-26	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	-	Do not harvest within 10 days before harvest.	Do not enter treated field within 2 days after spraying.
PRIMSTOCKS CHEMICAL CORPORATION	CARTAP HYDROCHLORIDE	SLAY 50 SP	500 g/kg	SP	INSECTICIDE	3	623-106-4005	06-Oct-26	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/16 L water	-	Do not harvest within 10 days before harvest.	Do not enter treated field within 2 days after spraying.
PRIMSTOCKS CHEMICAL CORPORATION	CARTAP HYDROCHLORIDE	SLAY 50 SP	500 g/kg	SP	INSECTICIDE	3	623-106-4005	06-Oct-26	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	Do not harvest within 10 days before harvest.	Do not enter treated field within 2 days after spraying.
PRIMSTOCKS CHEMICAL CORPORATION	CARTAP HYDROCHLORIDE	SLAY 50 SP	500 g/kg	SP	INSECTICIDE	3	623-106-4005	06-Oct-26	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	Do not harvest within 10 days before harvest.	Do not enter treated field within 2 days after spraying.
PRIMSTOCKS CHEMICAL CORPORATION	CARTAP HYDROCHLORIDE	SLAY 50 SP	500 g/kg	SP	INSECTICIDE	3	623-106-4005	06-Oct-26	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids, leafworm and leafminer	1.5-2.0Tbsp/16 L water	-	Do not harvest within 10 days before harvest.	Do not enter treated field within 2 days after spraying.
PRIMSTOCKS CHEMICAL CORPORATION	CARTAP HYDROCHLORIDE	SLAY 50 SP	500 g/kg	SP	INSECTICIDE	3	623-106-4005	06-Oct-26	SYSTEMIC	Mango	Leafhoppers	1.5-2.0Tbsp/16 L water	-	Do not harvest within 10 days before harvest.	Do not enter treated field within 2 days after spraying.
PRIMSTOCKS CHEMICAL CORPORATION	CARTAP HYDROCHLORIDE	SLAY 50 SP	500 g/kg	SP	INSECTICIDE	3	623-106-4005	06-Oct-26	SYSTEMIC	Peachay	Looper, cutworm, aphids	1.5-3.0Tbsp/16 L water	-	Do not harvest within 10 days before harvest.	Do not enter treated field within 2 days after spraying.
JARDINE DISTRIBUTION, INC.	GLYPHOSATE IPA	SLASH 480 SL	480 g/L	SL	HERBICIDE	4	367-151-1184	08-May-24	POST-EMERGENT	Glyphosate tolerant corn	Annual and perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/ha	-	-	-
JARDINE DISTRIBUTION, INC.	GLYPHOSATE IPA	SLASH 480 SL	480 g/L	SL	HERBICIDE	4	367-151-1184	08-May-24	POST-EMERGENT	Mango	Annual and perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /ha	0.20 ppm	-	-
JARDINE DISTRIBUTION, INC.	GLYPHOSATE IPA	SLASH 480 SL	480 g/L	SL	HERBICIDE	4	367-151-1184	08-May-24	POST-EMERGENT	Banana	Annual and perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	0.20 ppm	-	-
JARDINE DISTRIBUTION, INC.	GLYPHOSATE IPA	SLASH 480 SL	480 g/L	SL	HERBICIDE	4	367-151-1184	08-May-24	POST-EMERGENT	Coffee	Annual and perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	1.00 ppm	-	-
JARDINE DISTRIBUTION, INC.	GLYPHOSATE IPA	SLASH 480 SL	480 g/L	SL	HERBICIDE	4	367-151-1184	08-May-24	POST-EMERGENT	Cacao	Annual and perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	1.00 ppm	-	-
JARDINE DISTRIBUTION, INC.	GLYPHOSATE IPA	SLASH 480 SL	480 g/L	SL	HERBICIDE	4	367-151-1184	08-May-24	POST-EMERGENT	Rubber	Annual and perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
JARDINE DISTRIBUTION, INC.	GLYPHOSATE IPA	SLASH 480 SL	480 g/L	SL	HERBICIDE	4	367-151-1184	08-May-24	POST-EMERGENT	Gil palm	Annual and perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
JARDINE DISTRIBUTION, INC.	GLYPHOSATE IPA	SLASH 480 SL	480 g/L	SL	HERBICIDE	4	367-151-1184	08-May-24	POST-EMERGENT	Citrus	Annual and perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
JARDINE DISTRIBUTION, INC.	GLYPHOSATE IPA	SLASH 480 SL	480 g/L	SL	HERBICIDE	4	367-151-1184	08-May-24	POST-EMERGENT	Coconut	Annual and perennial grasses, broadleaf weeds & sedges	4.5 Liters/ha	-	-	-
JARDINE DISTRIBUTION, INC.	GLYPHOSATE IPA	SLASH 480 SL	480 g/L	SL	HERBICIDE	4	367-151-1184	08-May-24	POST-EMERGENT	Sugarcane	Annual and perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	2.00 ppm	-	-
JARDINE DISTRIBUTION, INC.	GLYPHOSATE IPA	SLASH 480 SL	480 g/L	SL	HERBICIDE	4	367-151-1184	08-May-24	POST-EMERGENT	Vegetables	Annual and perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
JARDINE DISTRIBUTION, INC.	GLYPHOSATE IPA	SLASH 480 SL	480 g/L	SL	HERBICIDE	4	367-151-1184	08-May-24	POST-EMERGENT	non-crop	Annual and perennial grasses, broadleaf weeds & sedges	-	-	-	-
VAST AGRO SOLUTIONS, INC.	LAMBDA-CYHALOTHRIN	SLAMI 2.5 EC	25 g/L	EC	INSECTICIDE	2	385-204-1976	06-Nov-26	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leafhopper, black bug	1.0-1.5Tbsp/16 L of water	0.05ppm	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
VAST AGRO SOLUTIONS, INC.	LAMBDA-CYHALOTHRIN	SLAMI 2.5 EC	25 g/L	EC	INSECTICIDE	2	385-204-1976	06-Nov-26	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
VAST AGRO SOLUTIONS, INC.	LAMBDA-CYHALOTHRIN	SLAMI 2.5 EC	25 g/L	EC	INSECTICIDE	2	385-204-1976	06-Nov-26	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/16 L of water	-	1 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
VAST AGRO SOLUTIONS, INC.	LAMBDA-CYHALOTHRIN	SLAMI 2.5 EC	25 g/L	EC	INSECTICIDE	2	385-204-1976	06-Nov-26	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
VAST AGRO SOLUTIONS, INC.	LAMBDA-CYHALOTHRIN	SLAMI 2.5 EC	25 g/L	EC	INSECTICIDE	2	385-204-1976	06-Nov-26	SYSTEMIC	Mungbeans	Beanfly, flea beetle, leafhopper, aphids, mites, podborer	1.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
VAST AGRO SOLUTIONS, INC.	LAMBDA-CYHALOTHRIN	SLAMI 2.5 EC	25 g/L	EC	INSECTICIDE	2	385-204-1976	06-Nov-26	SYSTEMIC	Corn	Comborer, aphids, seedling maggots	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
VAST AGRO SOLUTIONS, INC.	LAMBDA-CYHALOTHRIN	SLAMI 2.5 EC	25 g/L	EC	INSECTICIDE	2	385-204-1976	06-Nov-26	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
VAST AGRO SOLUTIONS, INC.	LAMBDA-CYHALOTHRIN	SLAMI 2.5 EC	25 g/L	EC	INSECTICIDE	2	385-204-1976	06-Nov-26	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
VAST AGRO SOLUTIONS, INC.	LAMBDA-CYHALOTHRIN	SLAMI 2.5 EC	25 g/L	EC	INSECTICIDE	2	385-204-1976	06-Nov-26	SYSTEMIC	Cacao	Podborer	1.0-2.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
VAST AGRO SOLUTIONS, INC.	LAMBDA-CYHALOTHRIN	SLAMI 2.5 EC	25 g/L	EC	INSECTICIDE	2	385-204-1976	06-Nov-26	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
SL BIOTECH CORPORATION	NICLOSAMIDE ETHANOLAMINE SALT	SL BIOTECH NICLOSAMIDE 70 WP	700 g/kg	WP	MOLLUSCIDE	4	468-229-6177	21-Feb-25	-	Rice	Golden-apple snail	36 grams or 1 sachet	-	-	Do not enter the treated field within 48 hours after application
SL BIOTECH CORPORATION	METHOMYL	SL BIOTECH METHOMYL 40 SP	400 g/kg	SP	INSECTICIDE	2	488-164-6178	21-Feb-24	CONTACT	Asparagus	Armyworm, cutworm	2.0-2.5 Tbsp/16L water	-	-	Do not enter treated fields within 12 hours after application
SL BIOTECH CORPORATION	METHOMYL	SL BIOTECH METHOMYL 40 SP	400 g/kg	SP	INSECTICIDE	2	488-164-6178	21-Feb-24	CONTACT	Banana	Thrips	3.5-4.5 Tbsp/16L water	-	-	Do not enter treated fields within 12 hours after application
SL BIOTECH CORPORATION	METHOMYL	SL BIOTECH METHOMYL 40 SP	400 g/kg	SP	INSECTICIDE	2	488-164-6178	21-Feb-24	CONTACT	Beans	Leafhopper, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/ 16L water	-	-	Do not enter treated fields within 12 hours after application
SL BIOTECH CORPORATION	METHOMYL	SL BIOTECH METHOMYL 40 SP	400 g/kg	SP	INSECTICIDE	2	488-164-6178	21-Feb-24	CONTACT	Mungbeans	Leafhopper, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/ 16L water	-	-	Do not enter treated fields within 12 hours after application
SL BIOTECH CORPORATION	METHOMYL	SL BIOTECH METHOMYL 40 SP	400 g/kg	SP	INSECTICIDE	2	488-164-6178	21-Feb-24	CONTACT	Soybeans	Leafhopper, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/ 16L water	-	-	Do not enter treated fields within 12 hours after application
SL BIOTECH CORPORATION	METHOMYL	SL BIOTECH METHOMYL 40 SP	400 g/kg	SP	INSECTICIDE	2	488-164-6178	21-Feb-24	CONTACT	Sitao	Leafhopper, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/ 16L water	-	-	Do not enter treated fields within 12 hours after application
SL BIOTECH CORPORATION	METHOMYL	SL BIOTECH METHOMYL 40 SP	400 g/kg	SP	INSECTICIDE	2	488-164-6178	21-Feb-24	CONTACT	Corn	Corn borer, earworm	2.0-3.5 Tbsp/ 16L water	-	-	Do not enter treated fields within 12 hours after application
SL BIOTECH CORPORATION	METHOMYL	SL BIOTECH METHOMYL 40 SP	400 g/kg	SP	INSECTICIDE	2	488-164-6178	21-Feb-24	CONTACT	Eggplant	Aphids, flea beetle, fruitworm, lady beetle	2.0-3.5 Tbsp/ 16L water	-	-	Do not enter treated fields within 12 hours after application
SL BIOTECH CORPORATION	METHOMYL	SL BIOTECH METHOMYL 40 SP	400 g/kg	SP	INSECTICIDE	2	488-164-6178	21-Feb-24	CONTACT	Melon	Aphids, Squash beetle , leafhopper	2.0-3.5 Tbsp/ 16L water	-	-	Do not enter treated fields within 12 hours after application
SL BIOTECH CORPORATION	METHOMYL	SL BIOTECH METHOMYL 40 SP	400 g/kg	SP	INSECTICIDE	2	488-164-6178	21-Feb-24	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leafhopper	2.0-3.5 Tbsp/ 16L water	-	-	Do not enter treated fields within 12 hours after application
SL BIOTECH CORPORATION	METHOMYL	SL BIOTECH METHOMYL 40 SP	400 g/kg	SP	INSECTICIDE	2	488-164-6178	21-Feb-24	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	2.0-3.5 Tbsp/ 16L water	-	-	Do not enter treated fields within 12 hours after application

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
SL BIOTECH CORPORATION	METHOMYL	SL BIOTECH METHOMYL 40 SP	400 g/kg	SP	INSECTICIDE	2	488-164-6178	23-Feb-24	CONTACT	Tomato	Tomato fruitworm, aphids	2.0-3.5 Tbsp/ 16L water	-	-	Do not enter treated fields within 12 hours after application
METAMORF CORPORATION	METAMORF	SL BIOTECH METAMORF 100 EC	100 g/L	EC	HERBICIDE	4	488-409-6179	29-Apr-25	POST-EMERGENT	Rice (Direct-seeded)	Grasses, echinochloa sp., Leptochloa chinensis, ischaemum rugosum	700-ml to 1 L prod/ ha 2.5 Tbsp (70 mL to 10 Tbsp or 100 mL)	-	-	-
SL BIOTECH CORPORATION	GLYPHOSATE IPA	SL BIOTECH GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	488-151-6180	29-Apr-26	POST-EMERGENT	Glyphosate tolerant corn	Annual and perennial grasses, broadleaf weeds and sedges	2.0-4.0 Liters/ha	-	-	-
SL BIOTECH CORPORATION	GLYPHOSATE IPA	SL BIOTECH GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	488-151-6180	29-Apr-26	POST-EMERGENT	Mango	Annual and perennial grasses, broadleaf weeds and sedges	3.0-4.5 Liters/ha	-	-	-
SL BIOTECH CORPORATION	GLYPHOSATE IPA	SL BIOTECH GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	488-151-6180	29-Apr-26	POST-EMERGENT	Banana	Annual and perennial grasses, broadleaf weeds and sedges	3.0-4.5 Liters/ha	-	-	-
SL BIOTECH CORPORATION	GLYPHOSATE IPA	SL BIOTECH GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	488-151-6180	29-Apr-26	POST-EMERGENT	Coffee	Annual and perennial grasses, broadleaf weeds and sedges	3.0-4.5 Liters/ha	-	-	-
SL BIOTECH CORPORATION	GLYPHOSATE IPA	SL BIOTECH GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	488-151-6180	29-Apr-26	POST-EMERGENT	Cacao	Annual and perennial grasses, broadleaf weeds and sedges	3.0-4.5 Liters/ha	-	-	-
SL BIOTECH CORPORATION	GLYPHOSATE IPA	SL BIOTECH GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	488-151-6180	29-Apr-26	POST-EMERGENT	Rubber	Annual and perennial grasses, broadleaf weeds and sedges	2.0 Liters/ha	-	-	-
SL BIOTECH CORPORATION	GLYPHOSATE IPA	SL BIOTECH GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	488-151-6180	29-Apr-26	POST-EMERGENT	Oil palm	Annual and perennial grasses, broadleaf weeds and sedges	2.0 Liters/ha	-	-	-
SL BIOTECH CORPORATION	GLYPHOSATE IPA	SL BIOTECH GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	488-151-6180	29-Apr-26	POST-EMERGENT	Citrus	Annual and perennial grasses, broadleaf weeds and sedges	2.0 Liters/ha	-	-	-
SL BIOTECH CORPORATION	GLYPHOSATE IPA	SL BIOTECH GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	488-151-6180	29-Apr-26	POST-EMERGENT	Coconut	Annual and perennial grasses, broadleaf weeds and sedges	4.5 Liters/ha	-	-	-
SL BIOTECH CORPORATION	GLYPHOSATE IPA	SL BIOTECH GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	488-151-6180	29-Apr-26	POST-EMERGENT	Sugarcane	Annual and perennial grasses, broadleaf weeds and sedges	2.0 Liters/ha	-	-	-
SL BIOTECH CORPORATION	GLYPHOSATE IPA	SL BIOTECH GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	488-151-6180	29-Apr-26	POST-EMERGENT	Vegetables under minimum or reduced tillage system	Annual and perennial grasses, broadleaf weeds and sedges	2.0 Liters/ha	-	-	-
SL BIOTECH CORPORATION	GLYPHOSATE IPA	SL BIOTECH GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	488-151-6180	29-Apr-26	POST-EMERGENT	Non-crop agricultural areas	Annual and perennial grasses, broadleaf weeds and sedges	-	-	-	-
SL BIOTECH CORPORATION	CARTAP HYDROCHLORIDE	SL BIOTECH CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	488-106-6181	9-Feb-24	SYSTEMIC	Cabbage	Diamond-back moth, cabbage moth, cabbage worm, aphids	1.5-2 Tbsp/ 16L water	-	-	Spraying should be done 10 days before harvest Enter the treated field 48 hours after spraying
SL BIOTECH CORPORATION	CARTAP HYDROCHLORIDE	SL BIOTECH CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	488-106-6181	9-Feb-24	SYSTEMIC	Wongbok	Diamond-back moth, cabbage moth, cabbage worm, aphids	1.5-2 Tbsp/ 16L water	-	-	Spraying should be done 10 days before harvest Enter the treated field 48 hours after spraying
SL BIOTECH CORPORATION	CARTAP HYDROCHLORIDE	SL BIOTECH CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	488-106-6181	9-Feb-24	SYSTEMIC	Pechay	Looper, cutworm, aphids	1.5-3 Tbsp/ 16L water	-	-	Spraying should be done 10 days before harvest Enter the treated field 48 hours after spraying
SL BIOTECH CORPORATION	CARTAP HYDROCHLORIDE	SL BIOTECH CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	488-106-6181	9-Feb-24	SYSTEMIC	Onion	Thrips, cutworm	1.5-2 Tbsp/ 16L water	-	-	Spraying should be done 10 days before harvest Enter the treated field 48 hours after spraying
SL BIOTECH CORPORATION	CARTAP HYDROCHLORIDE	SL BIOTECH CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	488-106-6181	9-Feb-24	SYSTEMIC	Cucurbits	Thrips, aphids, leafworm, flea beetle, squash beetle	1.5-2 Tbsp/ 16L water	-	-	Spraying should be done 10 days before harvest Enter the treated field 48 hours after spraying
SL BIOTECH CORPORATION	CARTAP HYDROCHLORIDE	SL BIOTECH CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	488-106-6181	9-Feb-24	SYSTEMIC	Potato	Thrips, aphid, cutworm, tuber moth, leafhopper	1.5-2 Tbsp/ 16L water	-	-	Spraying should be done 10 days before harvest Enter the treated field 48 hours after spraying
SL BIOTECH CORPORATION	CARTAP HYDROCHLORIDE	SL BIOTECH CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	488-106-6181	9-Feb-24	SYSTEMIC	Mango	Leafhopper	1.5-2 Tbsp/ 16L water	-	-	Spraying should be done 10 days before harvest Enter the treated field 48 hours after spraying
SL BIOTECH CORPORATION	CARTAP HYDROCHLORIDE	SL BIOTECH CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	488-106-6181	9-Feb-24	SYSTEMIC	Rice	Green leafhopper, brown planthopper, stemborer, whorl maggot	3-5 Tbsp/ 16L water	-	-	Spraying should be done 10 days before harvest Enter the treated field 48 hours after spraying
SL BIOTECH CORPORATION	CARTAP HYDROCHLORIDE	SL BIOTECH CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	488-106-6181	9-Feb-24	SYSTEMIC	Garlic	Cutworm, thrips	1.5-2 Tbsp/ 16L water	-	-	Spraying should be done 10 days before harvest Enter the treated field 48 hours after spraying
UPL PHILIPPINES, INC.	METALAXY-m+MANCOZEB	SEYWALK 68 WG	39-640 g/kg	WG	FUNGICIDE	4	562-080-5059	09-Mar-26	-	Potato	Late blight	100 g per 16 L water	-	14 Days	Re-entry to treated areas is allowed as soon as spray has completely dried-up
UPL PHILIPPINES, INC.	METALAXY-m+MANCOZEB	SEYWALK 68 WG	39-640 g/kg	WG	FUNGICIDE	4	562-080-5059	09-Mar-26	-	Tomato	Late blight	100 g per 16 L water	-	3 Days	Re-entry to treated areas is allowed as soon as spray has completely dried-up
UPL PHILIPPINES, INC.	METALAXY-m+MANCOZEB	SEYWALK 68 WG	39-640 g/kg	WG	FUNGICIDE	4	562-080-5059	09-Mar-26	-	Pineapple	Heart rot	30-14 ggs./ha	-	30 days	Re-entry to treated areas is allowed as soon as spray has completely dried-up
UPL PHILIPPINES, INC.	METALAXY-m+MANCOZEB	SEYWALK 68 WG	39-640 g/kg	WG	FUNGICIDE	4	562-080-5059	09-Mar-26	-	Asparagus	Spear rot	2 ggs./ ha	-	1 day	Re-entry to treated areas is allowed as soon as spray has completely dried-up
UPL PHILIPPINES, INC.	METALAXY-m+MANCOZEB	SEYWALK 68 WG	39-640 g/kg	WG	FUNGICIDE	4	562-080-5059	09-Mar-26	-	Orchids	Black rot	25 g/ ha	-	-	Re-entry to treated areas is allowed as soon as spray has completely dried-up
GALCHEM ENTERPRISE, INC.	PARAFINIC MINERAL OIL	SE ENSPRAY 99	1000 g/L	-	OTHERS	4	642-282-4738	01-Apr-25	CONTACT	Banana	Black sigatoka as spray adjuvant in combination with fungicide	-	-	-	Re-entry to treated areas is allowed as soon as spray has completely dried-up
GALCHEM ENTERPRISE, INC.	PARAFINIC MINERAL OIL	SE ENSPRAY 99	990g/L	EC	OTHERS	4	642-282-4738	01-Apr-25	-	Mango	Mango Leafhopper	0.5-1.0L/100L water	-	-	Re-entry to treated crops/areas is dependent on the pesticide product that was used. When crops are only treated with SE Enspray 99, Re-entry is allowed when
GALCHEM ENTERPRISE, INC.	PARAFINIC MINERAL OIL	SE ENSPRAY 99	990g/L	EC	OTHERS	4	642-282-4738	01-Apr-25	-	Banana	Black sigatoka, scale insects and mealy bug	-	-	-	Re-entry to treated crops/areas is dependent on the pesticide product that was used. When crops are only treated with SE Enspray 99, Re-entry is allowed when
GALCHEM ENTERPRISE, INC.	PARAFINIC MINERAL OIL	SE ENSPRAY 99	990g/L	EC	OTHERS	4	642-282-4738	01-Apr-25	-	Pineapple	Scale insects and mealy bug	-	-	-	Re-entry to treated crops/areas is dependent on the pesticide product that was used. When crops are only treated with SE Enspray 99, Re-entry is allowed when
PLANCARE TRADING CORPORATION	CARBARYL	SYTET 85 WP	850 g/kg	WP	INSECTICIDE	2	495-035-5970	4-Feb-26	-	Tobacco	Budworms, cutworms, aphids	40-60 g/16 L water	-	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango
PLANCARE TRADING CORPORATION	CARBARYL	SYTET 85 WP	850 g/kg	WP	INSECTICIDE	2	495-035-5970	4-Feb-26	-	Sorghum	Weebworm, armyworm, cutworm, headworm	40-60 g/16 L water	-	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango
PLANCARE TRADING CORPORATION	CARBARYL	SYTET 85 WP	850 g/kg	WP	INSECTICIDE	2	495-035-5970	4-Feb-26	-	Ornamentals	Aphids, scale insect, mealy bug, cutworm	-	-	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango
PLANCARE TRADING CORPORATION	CARBARYL	SYTET 85 WP	850 g/kg	WP	INSECTICIDE	2	495-035-5970	4-Feb-26	-	Mango	Mango hopper, tip borer, twig borer, fruit fly, mealy bug	40-60 g/16 L water	-	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango
PLANCARE TRADING CORPORATION	CARBARYL	SYTET 85 WP	850 g/kg	WP	INSECTICIDE	2	495-035-5970	4-Feb-26	-	Coffee	Berry borer	40-60 g/16 L water	-	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango
PLANCARE TRADING CORPORATION	CARBARYL	SYTET 85 WP	850 g/kg	WP	INSECTICIDE	2	495-035-5970	4-Feb-26	-	Cacao	Pod borer, aphids, capid bug	40-60 g/16 L water	-	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango
PLANCARE TRADING CORPORATION	CARBARYL	SYTET 85 WP	850 g/kg	WP	INSECTICIDE	2	495-035-5970	4-Feb-26	-	Citrus	Rind borer	40-60 g/16 L water	-	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango
PLANCARE TRADING CORPORATION	CARBARYL	SYTET 85 WP	850 g/kg	WP	INSECTICIDE	2	495-035-5970	4-Feb-26	-	Soybeans	Pod borer, bean fly, leaf miner, aphids	40-60 g/16 L water	-	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango
PLANCARE TRADING CORPORATION	CARBARYL	SYTET 85 WP	850 g/kg	WP	INSECTICIDE	2	495-035-5970	4-Feb-26	-	Rice	Green leafhopper, caseworm, aphids	40-60 g/16 L water	-	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango
PLANCARE TRADING CORPORATION	CARBARYL	SYTET 85 WP	850 g/kg	WP	INSECTICIDE	2	495-035-5970	4-Feb-26	-	Cowpea	Pod borer, bean fly, leaf miner, aphids, cutworm	40-60 g/16 L water	-	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango
PLANCARE TRADING CORPORATION	CARBARYL	SYTET 85 WP	850 g/kg	WP	INSECTICIDE	2	495-035-5970	4-Feb-26	-	Cotton seeds	Bollworm, cutworm	40-60 g/16 L water	-	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango
PLANCARE TRADING CORPORATION	CARBARYL	SYTET 85 WP	850 g/kg	WP	INSECTICIDE	2	495-035-5970	4-Feb-26	-	Corn	Corn borer, corn earworm, army worm	40-60 g/16 L water	-	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango
PLANCARE TRADING CORPORATION	CARBARYL	SYTET 85 WP	850 g/kg	WP	INSECTICIDE	2	495-035-5970	4-Feb-26	-	Tomato	Fruitworm, lady beetle	40-60 g/16 L water	-	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango
PLANCARE TRADING CORPORATION	CARBARYL	SYTET 85 WP	850 g/kg	WP	INSECTICIDE	2	495-035-5970	4-Feb-26	-	Cucurbits	Squash beetle, lady beetle, aphids	40-60 g/16 L water	-	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango
JELS MASAGANA FARM SUPPLY, INC.	2,4-D-BE	SIX 4-D ESTER	490 g/L	EC	HERBICIDE	2	487-040-5230	08-Mar-22	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual Broadleaves & sedges	5.0-6.50Tbsp/16L water	-	-	Do not spray within two days before harvest Entry to fields and crops treated with SIX 4-D ESTER can be done one day after spraying.
JELS MASAGANA FARM SUPPLY, INC.	2,4-D-BE	SIX 4-D ESTER	490 g/L	EC	HERBICIDE	2	487-040-5230	08-Mar-22	SELECTIVE (POST-EMERGENT)	Corn	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	-	-	Do not spray within two days before harvest Entry to fields and crops treated with SIX 4-D ESTER can be done one day after spraying.
JELS MASAGANA FARM SUPPLY, INC.	2,4-D-BE	SIX 4-D ESTER	490 g/L	EC	HERBICIDE	2	487-040-5230	08-Mar-22	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual Broadleaves & sedges	5.0-6.50Tbsp/16L water	-	-	Do not spray within two days before harvest Entry to fields and crops treated with SIX 4-D ESTER can be done one day after spraying.
MANAGRA TRADING CORPORATION	METHOMYL	SITEPOK 40 SP	400 g/kg	SP	INSECTICIDE	2	476-164-3223	18-Oct-22	CONTACT	Asparagus	Armyworm, cutworm	-	-	-	Do not enter fields treated with SITEPOK 40 SP within 12 hours after application
MANAGRA TRADING CORPORATION	METHOMYL	SITEPOK 40 SP	400 g/kg	SP	INSECTICIDE	2	476-164-3223	18-Oct-22	CONTACT	Banana	Thrips	30-40 Tbsp/16L Sprayer	-	-	Do not enter fields treated with SITEPOK 40 SP within 12 hours after application
MANAGRA TRADING CORPORATION	METHOMYL	SITEPOK 40 SP	400 g/kg	SP	INSECTICIDE	2	476-164-3223	18-Oct-22	CONTACT	Beans	Leafroller, flea beetle, beanfly, podborer,aphids	2-3 L Tbsp/16L Sprayer	-	-	Do not enter fields treated with SITEPOK 40 SP within 12 hours after application
MANAGRA TRADING CORPORATION	METHOMYL	SITEPOK 40 SP	400 g/kg	SP	INSECTICIDE	2	476-164-3223	18-Oct-22	CONTACT	Mungbeans	Leafroller, flea beetle, beanfly, podborer,aphids	2-3 L Tbsp/16L Sprayer	-	-	Do not enter fields treated with SITEPOK 40 SP within 12 hours after application
MANAGRA TRADING CORPORATION	METHOMYL	SITEPOK 40 SP	400 g/kg	SP	INSECTICIDE	2	476-164-3223	18-Oct-22	CONTACT	Soybeans	Leafroller, flea beetle, beanfly, podborer,aphids	2-3 L Tbsp/16L Sprayer	-	-	Do not enter fields treated with SITEPOK 40 SP within 12 hours after application
MANAGRA TRADING CORPORATION	METHOMYL	SITEPOK 40 SP	400 g/kg	SP	INSECTICIDE	2	476-164-3223	18-Oct-22	CONTACT	Sitas	Leafroller, flea beetle, beanfly, podborer,aphids	2-3 L Tbsp/16L Sprayer	-	-	Do not enter fields treated with SITEPOK 40 SP within 12 hours after application
MANAGRA TRADING CORPORATION	METHOMYL	SITEPOK 40 SP	400 g/kg	SP	INSECTICIDE	2	476-164-3223	18-Oct-22	CONTACT	Corn	Comborer, earworm	2-3 L Tbsp/16L Sprayer	-	-	Do not enter fields treated with SITEPOK 40 SP within 12 hours after application

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
MANAGRA TRADING CORPORATION	METHOMYL	STPEOK 40 SP	400 g/kg	SP	INSECTICIDE	2	476-164-3223	18-Oct-22	CONTACT	Sorghum	Comborer, earworm	2-3 l Tbsp/16L Sprayer	-	-	Do not enter fields treated with STPEOK 40 SP within 12 hours after application
MANAGRA TRADING CORPORATION	METHOMYL	STPEOK 40 SP	400 g/kg	SP	INSECTICIDE	2	476-164-3223	18-Oct-22	CONTACT	Eggplant	Aphids, flea beetle , fruitworm, lady beetle	2-3 l Tbsp/16L Sprayer	-	-	Do not enter fields treated with STPEOK 40 SP within 12 hours after application
MANAGRA TRADING CORPORATION	METHOMYL	STPEOK 40 SP	400 g/kg	SP	INSECTICIDE	2	476-164-3223	18-Oct-22	CONTACT	Meiion	Aphids, Squash beetle , leaf folder	2-3 l Tbsp/16L Sprayer	-	-	Do not enter fields treated with STPEOK 40 SP within 12 hours after application
MANAGRA TRADING CORPORATION	METHOMYL	STPEOK 40 SP	400 g/kg	SP	INSECTICIDE	2	476-164-3223	18-Oct-22	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leaf folder	2-3 l Tbsp/16L Sprayer	0.05ppm	3 Days	Do not enter fields treated with STPEOK 40 SP within 12 hours after application
MANAGRA TRADING CORPORATION	METHOMYL	STPEOK 40 SP	400 g/kg	SP	INSECTICIDE	2	476-164-3223	18-Oct-22	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	2-3 l Tbsp/16L Sprayer	-	-	Do not enter fields treated with STPEOK 40 SP within 12 hours after application
MANAGRA TRADING CORPORATION	METHOMYL	STPEOK 40 SP	400 g/kg	SP	INSECTICIDE	2	476-164-3223	18-Oct-22	CONTACT	Tomato	Tomato fruitworm, aphids	2-3 l Tbsp/16L Sprayer	-	-	Do not enter fields treated with STPEOK 40 SP within 12 hours after application
IAGRI CHEMICAL CORPORATION	CHLORPYRIFOS	SIR CHP 300 EC	300 g/L	EC	INSECTICIDE	2	534-101-3328	07-Oct-17		Rice	Stemborer, armyworm, leafhopper, caseworm, planthopper, cutworm	2.5-3.5 tbsp/16L water	-	-	
IAGRI CHEMICAL CORPORATION	CHLORPYRIFOS	SIR CHP 300 EC	300 g/L	EC	INSECTICIDE	2	534-101-3328	07-Oct-17		Potato	Tubermoth, leafhopper, cutworm, aphids	2.5-3.5 tbsp/16L water	-	-	
IAGRI CHEMICAL CORPORATION	CHLORPYRIFOS	SIR CHP 300 EC	300 g/L	EC	INSECTICIDE	2	534-101-3328	07-Oct-17		Corn	Armyworm, comborer, earworm, seedling maggots	2.5-3.5 tbsp/16L water	-	-	
IAGRI CHEMICAL CORPORATION	CHLORPYRIFOS	SIR CHP 300 EC	300 g/L	EC	INSECTICIDE	2	534-101-3328	07-Oct-17		Beans	Beanfly, leafroller, podborer, cutworm, armyworm	2.5-3.5 tbsp/16L water	-	-	
IAGRI CHEMICAL CORPORATION	CHLORPYRIFOS	SIR CHP 30 EC	300 g/L	EC	INSECTICIDE	2	534-101-3328	07-Oct-17		Rice	Stemborer, armyworm, leafhopper, caseworm, planthopper, cutworm	2.5-3.5 tbsp/16L water	-	-	
IAGRI CHEMICAL CORPORATION	CHLORPYRIFOS	SIR CHP 30 EC	300 g/L	EC	INSECTICIDE	2	534-101-3328	07-Oct-17		Potato	Tubermoth, leafhopper, cutworm, aphids	2.5-3.5 tbsp/16L water	-	-	
IAGRI CHEMICAL CORPORATION	CHLORPYRIFOS	SIR CHP 30 EC	300 g/L	EC	INSECTICIDE	2	534-101-3328	07-Oct-17		Corn	Armyworm, comborer, earworm, seedling maggots	2.5-3.5 tbsp/16L water	-	-	
IAGRI CHEMICAL CORPORATION	CHLORPYRIFOS	SIR CHP 30 EC	300 g/L	EC	INSECTICIDE	2	534-101-3328	07-Oct-17		Beans	Beanfly, leafroller, podborer, cutworm, armyworm	2.5-3.5 tbsp/16L water	-	-	
FKA AGRI CHEMICAL CORPORATION	GLUFOSINATE AMMONIUM	SINTOR 150 SL	150 g/L	SL	HERBICIDE	4	399-182-4833	10-Nov-25	NON-SELECTIVE(POST-EMERGENT)	Rubber	Annual & Perennial grasses, sedges & broadleaf weeds	250ml/16L water, 270ml/16 L water	-	-	After spray deposits have dried
FKA AGRI CHEMICAL CORPORATION	GLUFOSINATE AMMONIUM	SINTOR 150 SL	150 g/L	SL	HERBICIDE	4	399-182-4833	10-Nov-25	NON-SELECTIVE(POST-EMERGENT)	Pai palm	Annual & Perennial grasses, sedges & broadleaf weeds	160ml/16L water, 130ml/16 L water	-	-	After spray deposits have dried
FKA AGRI CHEMICAL CORPORATION	GLUFOSINATE AMMONIUM	SINTOR 150 SL	150 g/L	SL	HERBICIDE	4	399-182-4833	10-Nov-25	NON-SELECTIVE(POST-EMERGENT)	Non-agricultural crop areas	Annual & Perennial grasses, sedges & broadleaf weeds	160-215ml/16 L water	-	-	After spray deposits have dried
FKA AGRI CHEMICAL CORPORATION	GLUFOSINATE AMMONIUM	SINTOR 150 SL	150 g/L	SL	HERBICIDE	4	399-182-4833	10-Nov-25	NON-SELECTIVE(POST-EMERGENT)	Citrus	Annual & Perennial grasses, sedges & broadleaf weeds	160ml /16 L water, 135-200ml/16 L water	0.2 mg/kg	-	After spray deposits have dried
FKA AGRI CHEMICAL CORPORATION	GLUFOSINATE AMMONIUM	SINTOR 150 SL	150 g/L	SL	HERBICIDE	4	399-182-4833	10-Nov-25	NON-SELECTIVE(POST-EMERGENT)	Coffee	Annual & Perennial grasses, sedges & broadleaf weeds	-	-	-	After spray deposits have dried
FKA AGRI CHEMICAL CORPORATION	GLUFOSINATE AMMONIUM	SINTOR 150 SL	150 g/L	SL	HERBICIDE	4	399-182-4833	10-Nov-25	NON-SELECTIVE(POST-EMERGENT)	Cacao	Annual & Perennial grasses, sedges & broadleaf weeds	-	-	-	After spray deposits have dried
MAGAN AGRO PHILS , ENTERPRISE, INC.	HEXAZINONE-DIURON	SINOR 600 WG	132g/kg-600g/kg	WG	HERBICIDE	4	461-435-5867	23-Sep-25	-	Sugarcane	Annual grasses, broadleaves and sedges	400L per hectare	-	-	118-127 days before harvest
SINO-MONSANTO OIL CORPORATION	NICLOSULAMIDE ETHANOLAMINE SALT	SINO-M NICLOSULAMIDE 700 SP	700g/kg	WP	MOLLUSCICIDE	4	624-229-5826(190)	23-Apr-24	-	Rice	Golden apple snail	30 g/L pouch/16 L water	-	-	-
SINO-MONSANTO OIL CORPORATION	CARTAP HYDROCHLORIDE	SINO-M CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	624-106-5826(190)	27-May-25	SYSTEMIC	Rice	Wheat maggots, stemborer, green leafhopper, brown planthopper	3-0.5.0Tbsp/16 L water	-	-	Spraying should be done 10 days before harvest
SINO-MONSANTO OIL CORPORATION	CARTAP HYDROCHLORIDE	SINO-M CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	624-106-5826(190)	27-May-25	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	-	-	Spraying should be done 10 days before harvest
SINO-MONSANTO OIL CORPORATION	CARTAP HYDROCHLORIDE	SINO-M CARTAP 30 SP	300 g/kg	SP	INSECTICIDE	3	624-106-5826(190)	27-May-25	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	-	-	Spraying should be done 10 days before harvest
SINO-MONSANTO OIL CORPORATION	CARTAP HYDROCHLORIDE	SINO-M CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	624-106-5826(190)	27-May-25	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/16 L water	-	-	Spraying should be done 10 days before harvest
SINO-MONSANTO OIL CORPORATION	CARTAP HYDROCHLORIDE	SINO-M CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	624-106-5826(190)	27-May-25	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	-	Spraying should be done 10 days before harvest
SINO-MONSANTO OIL CORPORATION	CARTAP HYDROCHLORIDE	SINO-M CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	624-106-5826(190)	27-May-25	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	-	Spraying should be done 10 days before harvest
SINO-MONSANTO OIL CORPORATION	CARTAP HYDROCHLORIDE	SINO-M CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	624-106-5826(190)	27-May-25	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/16 L water	-	-	Spraying should be done 10 days before harvest
SINO-MONSANTO OIL CORPORATION	CARTAP HYDROCHLORIDE	SINO-M CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	624-106-5826(190)	27-May-25	SYSTEMIC	Mango	leafhoppers	1.5-2.0Tbsp/16 L water	-	-	Spraying should be done 10 days before harvest
SINO-MONSANTO OIL CORPORATION	CARTAP HYDROCHLORIDE	SINO-M CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	624-106-5826(190)	27-May-25	SYSTEMIC	Peachay	looper, cutworm, aphids	1.5-1.0Tbsp/16 L water	-	-	Spraying should be done 10 days before harvest
SINOCHEM CROP PROTECTION (PHILS.) INC.	PYRIMETHANIL	SINOCHEM PYRIMETHANIL 600 SC	600 g/L	SC	FUNGICIDE	4	011-345-5119	26-Nov-25	-	Cavendish Banana	Black sigatoka	500-750 ml prod/ Ha	-	-	Do not harvest for 7 days after the last spray application
SYNGENTA PHILIPPINES INC.	PYRIMETHANIL	SINOCHEM PYRIMETHANIL 600 SC	600 g/L	SC	FUNGICIDE	4	011-345-5119	26-Nov-25	-	Cavendish Banana	Black sigatoka	500-750 ml prod/ Ha	-	-	Do not harvest for 7 days after the last spray application
SINOCHEM CROP PROTECTION (PHILS.) INC.	MALATHION	SINOCHEM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	432-038-3092	05-Jan-25	NON-SYSTEMIC	Fruit trees	Aphids, mealy bug, scale insect	1.5-3.0Tbsp/16 L water	-	-	One (1) day after each spray
SINOCHEM CROP PROTECTION (PHILS.) INC.	MALATHION	SINOCHEM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	432-038-3092	05-Jan-25	NON-SYSTEMIC	Rice	Armyworm, caseworm, leafhopper, bugs	2-0.5.0Tbsp/16 L water	-	-	One (1) day after each spray
SINOCHEM CROP PROTECTION (PHILS.) INC.	MALATHION	SINOCHEM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	432-038-3092	05-Jan-25	NON-SYSTEMIC	Corn	Earworm, silkworm, aphids, grasshopper	3-0.5.0Tbsp/16 L water	-	-	One (1) day after each spray
SINOCHEM CROP PROTECTION (PHILS.) INC.	MALATHION	SINOCHEM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	432-038-3092	05-Jan-25	NON-SYSTEMIC	Cabbage	Cabbage worm, looper, diamond-back moth	2-0.5.0Tbsp/16 L water	-	-	One (1) day after each spray
SINOCHEM CROP PROTECTION (PHILS.) INC.	MALATHION	SINOCHEM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	432-038-3092	05-Jan-25	NON-SYSTEMIC	Legumes	Aphids, beanfly, cutworm, flea beetles, leafminer, maggots, mealybug, podborer, thrips	2-0.5.0Tbsp/16 L water	-	-	One (1) day after each spray
SINOCHEM CROP PROTECTION (PHILS.) INC.	MALATHION	SINOCHEM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	432-038-3092	05-Jan-25	NON-SYSTEMIC	Grapes	Beetles, cutworm, leafhopper, mealybug, scale, insect, spider mites	3.0Tbsp/16 L water	-	-	One (1) day after each spray
SINOCHEM CROP PROTECTION (PHILS.) INC.	MALATHION	SINOCHEM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	432-038-3092	05-Jan-25	NON-SYSTEMIC	Pineapple	Mealy bug	3.0Tbsp/16 L water	-	-	One (1) day after each spray
SINOCHEM CROP PROTECTION (PHILS.) INC.	MALATHION	SINOCHEM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	432-038-3092	05-Jan-25	NON-SYSTEMIC	Pepper	Aphids, cutworm, fruitworm	3.0Tbsp/16 L water	-	-	One (1) day after each spray
SINOCHEM CROP PROTECTION (PHILS.) INC.	MALATHION	SINOCHEM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	432-038-3092	05-Jan-25	NON-SYSTEMIC	Garlic	Cutworm	3.0Tbsp/16 L water	-	-	One (1) day after each spray
SINOCHEM CROP PROTECTION (PHILS.) INC.	MALATHION	SINOCHEM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	432-038-3092	05-Jan-25	NON-SYSTEMIC	Onion	Cutworm	3.0Tbsp/16 L water	-	-	One (1) day after each spray
SINOCHEM CROP PROTECTION (PHILS.) INC.	MALATHION	SINOCHEM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	432-038-3092	05-Jan-25	NON-SYSTEMIC	Tobacco	Aphids, katydid	3-0.6.0Tbsp/16 L water	-	-	One (1) day after each spray
SINOCHEM CROP PROTECTION (PHILS.) INC.	MALATHION	SINOCHEM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	432-038-3092	05-Jan-25	NON-SYSTEMIC	Ornamentals	Aphids, cutworm, mealybug, scale insect, spider mites	3-0.5.0Tbsp/16 L water	-	-	One (1) day after each spray
SINOCHEM CROP PROTECTION (PHILS.) INC.	MALATHION	SINOCHEM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	432-038-3092	05-Jan-25	NON-SYSTEMIC	Tomato	Lady beetle	3-0.5.0Tbsp/16 L water	-	-	One (1) day after each spray
SINOCHEM CROP PROTECTION (PHILS.) INC.	MALATHION	SINOCHEM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	432-038-3092	05-Jan-25	NON-SYSTEMIC	Eggplant	Aphids, fruitworm	3-0.5.0Tbsp/16 L water	-	-	One (1) day after each spray
SINOCHEM CROP PROTECTION (PHILS.) INC.	MALATHION	SINOCHEM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	432-038-3092	05-Jan-25	NON-SYSTEMIC	Sorghum	Web worm	3.0Tbsp/16 L water	-	-	One (1) day after each spray
SYNGENTA PHILIPPINES INC.	MALATHION	SINOCHEM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	011-038-3092	22-Dec-24	-	Fruit trees	Aphids, mealy bug, scale insect	1.5-3.0Tbsp/16 L water	-	-	One (1) day after each spray
SYNGENTA PHILIPPINES INC.	MALATHION	SINOCHEM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	011-038-3092	22-Dec-24	-	Rice	Armyworm, caseworm, leafhopper, bugs	2-0.5.0Tbsp/16 L water	-	-	One (1) day after each spray
SYNGENTA PHILIPPINES INC.	MALATHION	SINOCHEM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	011-038-3092	22-Dec-24	-	Corn	Earworm, silkworm, aphids, grasshopper	3-0.5.0Tbsp/16 L water	-	-	One (1) day after each spray
SYNGENTA PHILIPPINES INC.	MALATHION	SINOCHEM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	011-038-3092	22-Dec-24	-	Cabbage/Crucifers	Cabbage worm, diamond-back moth, looper	2-0.5.0Tbsp/16 L water	-	-	One (1) day after each spray
SYNGENTA PHILIPPINES INC.	MALATHION	SINOCHEM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	011-038-3092	22-Dec-24	-	Legumes	Aphids, beanfly, cutworm, flea beetles, leafminer, maggots, mealybug, podborer, thrips	2-0.5.0Tbsp/16 L water	-	-	One (1) day after each spray
SYNGENTA PHILIPPINES INC.	MALATHION	SINOCHEM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	011-038-3092	22-Dec-24	-	Grapes	Beetles, cutworm, leafhopper, mealybug, scale, insect, spider mites	3.0Tbsp/16 L water	-	-	One (1) day after each spray
SYNGENTA PHILIPPINES INC.	MALATHION	SINOCHEM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	011-038-3092	22-Dec-24	-	Pineapple	Mealy bug	3.0Tbsp/16 L water	-	-	One (1) day after each spray
SYNGENTA PHILIPPINES INC.	MALATHION	SINOCHEM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	011-038-3092	22-Dec-24	-	Pepper	Aphids, cutworm, fruitworm	3.0Tbsp/16 L water	-	-	One (1) day after each spray

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
SYNGENTA PHILIPPINES INC.	MALATHION	SINOCHEM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	011-038-3092	22-Dec-24		Garlic	Cutworm	3.0Tbsp/36 L water	-	-	One (1) day after each spray
SYNGENTA PHILIPPINES INC.	MALATHION	SINOCHEM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	011-038-3092	22-Dec-24		Onion	Cutworm	3.0Tbsp/36 L water	-	-	One (1) day after each spray
SYNGENTA PHILIPPINES INC.	MALATHION	SINOCHEM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	011-038-3092	22-Dec-24		Tobacco	Aphids, katydid	3.0-6.0Tbsp/36 L water	-	-	One (1) day after each spray
SYNGENTA PHILIPPINES INC.	MALATHION	SINOCHEM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	011-038-3092	22-Dec-24		Ornamentals	Aphids, cutworm, mealybug, scale insect, spider mites	3.0-5.0Tbsp/36 L water	-	-	One (1) day after each spray
SYNGENTA PHILIPPINES INC.	MALATHION	SINOCHEM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	011-038-3092	22-Dec-24		Tomato	Lady beetle	3.0-5.0Tbsp/36 L water	-	-	One (1) day after each spray
SYNGENTA PHILIPPINES INC.	MALATHION	SINOCHEM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	011-038-3092	22-Dec-24		Eggplant	Aphids, fruitworm	3.0-5.0Tbsp/36 L water	-	-	One (1) day after each spray
SYNGENTA PHILIPPINES INC.	MALATHION	SINOCHEM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	011-038-3092	22-Dec-24		Sorghum	Web worm	3.0Tbsp/36 L water	-	-	One (1) day after each spray
SINOCHEM CROP PROTECTION (PHILS.) INC.	AZOXYSTROBIN	SINOCHEM AZOXYSTROBIN 250 SC	250 g/L	SC	FUNGICIDE	4	432-309-5266	28-Oct-23	SYSTEMIC	Banana	Black sigatoka and freckle diseases	-	-	-	-
SINOCHEM CROP PROTECTION (PHILS.) INC.	AZOXYSTROBIN	SINOCHEM AZOXYSTROBIN 250 SC	250 g/L	SC	FUNGICIDE	4	432-309-5266	28-Oct-23	SYSTEMIC	Candlish Banana (Post-harvest treatment)	Anthraxnose, crown rot, crown mold	-	-	-	-
SINOCHEM CROP PROTECTION (PHILS.) INC.	AZOXYSTROBIN	SINOCHEM AZOXYSTROBIN 250 SC	250 g/L	SC	FUNGICIDE	4	432-309-5266	28-Oct-23	SYSTEMIC	Pineapple	Butt mold	-	-	-	-
SINOCHEM CROP PROTECTION (PHILS.) INC.	2,4-D IBE	SINOCHEM 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	432-049-3072	05-Nov-24	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual Broadleaves & sedges	5.0-6.50Tbsp/36 L water	0.1 ppm	-	Do not spray within 2 days before harvest
SINOCHEM CROP PROTECTION (PHILS.) INC.	2,4-D IBE	SINOCHEM 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	432-049-3072	05-Nov-24	SELECTIVE (POST-EMERGENT)	Corn	Annual Broadleaves & sedges	5.0-6.50Tbsp/36 L water	-	-	Do not spray within 2 days before harvest
SINOCHEM CROP PROTECTION (PHILS.) INC.	2,4-D IBE	SINOCHEM 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	432-049-3072	05-Nov-24	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual Broadleaves & sedges	5.0-6.50Tbsp/36 L water	-	-	Do not spray within 2 days before harvest
SYNGENTA PHILIPPINES INC.	2,4-D IBE	SINOCHEM 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	011-049-3072	29-Jun-27	-	Rice (Transplanted)	Annual Broadleaves & sedges	5.0-6.50Tbsp/36 L water	0.1 ppm	-	Do not spray within 2 days before harvest
SYNGENTA PHILIPPINES INC.	2,4-D IBE	SINOCHEM 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	011-049-3072	29-Jun-27	-	Corn	Annual Broadleaves & sedges	5.0-6.50Tbsp/36 L water	-	-	Do not spray within 2 days before harvest
SYNGENTA PHILIPPINES INC.	2,4-D IBE	SINOCHEM 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	011-049-3072	29-Jun-27	-	Sugarcane	Annual Broadleaves & sedges	5.0-6.50Tbsp/36 L water	-	-	Do not spray within 2 days before harvest
SINOCHEM CROP PROTECTION (PHILS.) INC.	2,4-D AMINE	SINOCHEM 2,4-D AMINE	400 g/L	EC	HERBICIDE	2	432-033-3073	21-Jan-25	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual broadleaves and sedges	3.5-6.5Tbsp/36 L water	0.1 ppm	-	Entry to fields and crops treated with SINOCHEM 2,4-D AMINE can be done one day after spraying
SINOCHEM CROP PROTECTION (PHILS.) INC.	2,4-D AMINE	SINOCHEM 2,4-D AMINE	400 g/L	EC	HERBICIDE	2	432-033-3073	21-Jan-25	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual broadleaves and sedges	15-25 Tbsp/36 L water	-	-	Entry to fields and crops treated with SINOCHEM 2,4-D AMINE can be done one day after spraying
SINOCHEM CROP PROTECTION (PHILS.) INC.	2,4-D AMINE	SINOCHEM 2,4-D AMINE	400 g/L	EC	HERBICIDE	2	432-033-3073	21-Jan-25	SELECTIVE (POST-EMERGENT)	Corn	Annual broadleaves and sedges	9-6.5 Tbsp/36 L water	-	-	Entry to fields and crops treated with SINOCHEM 2,4-D AMINE can be done one day after spraying
SYNGENTA PHILIPPINES INC.	2,4-D AMINE	SINOCHEM 2,4-D AMINE	400 g/L	EC	HERBICIDE	2	432-033-3073	21-Jan-25	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual broadleaves and sedges	3.5-6.5Tbsp/36 L water	0.1 ppm	-	Entry to fields and crops treated with SINOCHEM 2,4-D AMINE can be done one day after spraying
SYNGENTA PHILIPPINES INC.	2,4-D AMINE	SINOCHEM 2,4-D AMINE	400 g/L	EC	HERBICIDE	2	432-033-3073	21-Jan-25	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual broadleaves and sedges	15-25 Tbsp/36 L water	-	-	Entry to fields and crops treated with SINOCHEM 2,4-D AMINE can be done one day after spraying
SYNGENTA PHILIPPINES INC.	2,4-D AMINE	SINOCHEM 2,4-D AMINE	400 g/L	EC	HERBICIDE	2	432-033-3073	21-Jan-25	SELECTIVE (POST-EMERGENT)	Corn	Annual broadleaves and sedges	9-6.5 Tbsp/36 L water	-	-	Entry to fields and crops treated with SINOCHEM 2,4-D AMINE can be done one day after spraying
NS NORTHERN ORGANIC FERTILIZER INC.	PROFENOFOS	SINGLE SHOT 500 EC	500g/L	EC	INSECTICIDE	2	470-070-4859	03-Mar-24	CONTACT	Tomato	Fruitworm, armyworm, cutworm	3-5 Tbsp/36L water	-	14 days	Do not enter treated field one (1) day after application
NS NORTHERN ORGANIC FERTILIZER INC.	PROFENOFOS	SINGLE SHOT 500 EC	500g/L	EC	INSECTICIDE	2	470-070-4859	03-Mar-24	CONTACT	Eggplant	Fruitborer, aphids, leafhopper, & thrips	1.5-3.0 Tbsp/36 L water	-	14 days	Do not enter treated field one (1) day after application
NS NORTHERN ORGANIC FERTILIZER INC.	PROFENOFOS	SINGLE SHOT 500 EC	500g/L	EC	INSECTICIDE	2	470-070-4859	03-Mar-24	CONTACT	Cabbage	Diamond back moth, cabbage worm & aphids	3-5 Tbsp/36L water	-	14 days	Do not enter treated field one (1) day after application
NS NORTHERN ORGANIC FERTILIZER INC.	PROFENOFOS	SINGLE SHOT 500 EC	500g/L	EC	INSECTICIDE	2	470-070-4859	03-Mar-24	CONTACT	Watermelon	Thrips	3-5 Tbsp/36L water	-	14 days	Do not enter treated field one (1) day after application
NS NORTHERN ORGANIC FERTILIZER INC.	PROFENOFOS	SINGLE SHOT 500 EC	500g/L	EC	INSECTICIDE	2	470-070-4859	03-Mar-24	CONTACT	Potato	Thrips, army worm, cutworm, tuber moth	3-5 Tbsp/36L water	-	14 days	Do not enter treated field one (1) day after application
NS NORTHERN ORGANIC FERTILIZER INC.	PROFENOFOS	SINGLE SHOT 500 EC	500g/L	EC	INSECTICIDE	2	470-070-4859	03-Mar-24	CONTACT	Soybeans	Corn earworm, leafminer	3-5 Tbsp/36L water	-	14 days	Do not enter treated field one (1) day after application
NS NORTHERN ORGANIC FERTILIZER INC.	PROFENOFOS	SINGLE SHOT 500 EC	500g/L	EC	INSECTICIDE	2	470-070-4859	03-Mar-24	CONTACT	Mungbeans	Corn earworm, leafminer	3-5 Tbsp/36L water	-	14 days	Do not enter treated field one (1) day after application
NS NORTHERN ORGANIC FERTILIZER INC.	PROFENOFOS	SINGLE SHOT 500 EC	500g/L	EC	INSECTICIDE	2	470-070-4859	03-Mar-24	CONTACT	Cotton	Thrips, bollworm & budworm	3-5 Tbsp/36L water	-	14 days	Do not enter treated field one (1) day after application
NS NORTHERN ORGANIC FERTILIZER INC.	PROFENOFOS	SINGLE SHOT 500 EC	500g/L	EC	INSECTICIDE	2	470-070-4859	03-Mar-24	CONTACT	Sitao	Beanfly, leafroller & aphids	1.5-3.0 Tbsp/36 L water	-	14 days	Do not enter treated field one (1) day after application
MONARCH AGRICULTURAL PRODUCTS, INC.	CHLOROTHALONIL	SINCONIL 720 SC	720 g/L	SC	FUNGICIDE	4	096-118-4809	27-May-25	NON-SYSTEMIC	Potato	Early blight, late blight, vine rot	4.5-6.0 Tbsp/36L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
MONARCH AGRICULTURAL PRODUCTS, INC.	CHLOROTHALONIL	SINCONIL 720 SC	720 g/L	SC	FUNGICIDE	4	096-118-4809	27-May-25	NON-SYSTEMIC	Tomato	Early blight, late blight, vine rot	4.5-6.0 Tbsp/36L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
MONARCH AGRICULTURAL PRODUCTS, INC.	CHLOROTHALONIL	SINCONIL 720 SC	720 g/L	SC	FUNGICIDE	4	096-118-4809	27-May-25	NON-SYSTEMIC	Beans	Rust, anthracnose	4.5-6.0 Tbsp/36L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
MONARCH AGRICULTURAL PRODUCTS, INC.	CHLOROTHALONIL	SINCONIL 720 SC	720 g/L	SC	FUNGICIDE	4	096-118-4809	27-May-25	NON-SYSTEMIC	Carrot	Alternaria leaf spot, cercospora leaf spot, helminthosporium leaf spot	4.5-6.0 Tbsp/36L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
MONARCH AGRICULTURAL PRODUCTS, INC.	CHLOROTHALONIL	SINCONIL 720 SC	720 g/L	SC	FUNGICIDE	4	096-118-4809	27-May-25	NON-SYSTEMIC	Crucifers	Powdery mildew	4.5-6.0 Tbsp/36L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
MONARCH AGRICULTURAL PRODUCTS, INC.	CHLOROTHALONIL	SINCONIL 720 SC	720 g/L	SC	FUNGICIDE	4	096-118-4809	27-May-25	NON-SYSTEMIC	Cucurbits	Powdery mildew, downy mildew, cercospora, anthracnose, septoria, fruit rot, early and late blight	4.5-6.0 Tbsp/36L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
MONARCH AGRICULTURAL PRODUCTS, INC.	CHLOROTHALONIL	SINCONIL 720 SC	720 g/L	SC	FUNGICIDE	4	096-118-4809	27-May-25	NON-SYSTEMIC	Celery	Early blight, late blight	4.5-6.0 Tbsp/36L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
MONARCH AGRICULTURAL PRODUCTS, INC.	CHLOROTHALONIL	SINCONIL 720 SC	720 g/L	SC	FUNGICIDE	4	096-118-4809	27-May-25	NON-SYSTEMIC	Eggplant	Early blight, late blight, cercospora, anthracnose	4.5-6.0 Tbsp/36L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
MONARCH AGRICULTURAL PRODUCTS, INC.	CHLOROTHALONIL	SINCONIL 720 SC	720 g/L	SC	FUNGICIDE	4	096-118-4809	27-May-25	NON-SYSTEMIC	Onion	Purple blotch, bulb rot, neck rot	4.5-6.0 Tbsp/36L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
MONARCH AGRICULTURAL PRODUCTS, INC.	CHLOROTHALONIL	SINCONIL 720 SC	720 g/L	SC	FUNGICIDE	4	096-118-4809	27-May-25	NON-SYSTEMIC	Pepper	Early & Late blight, Bulb rot, Neck rot	4.5-6.0 Tbsp/36L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
MONARCH AGRICULTURAL PRODUCTS, INC.	CHLOROTHALONIL	SINCONIL 720 SC	720 g/L	SC	FUNGICIDE	4	096-118-4809	27-May-25	NON-SYSTEMIC	Grapes	Downy mildew, powdery mildew, fruit rot	4.5-6.0 Tbsp/36L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
MONARCH AGRICULTURAL PRODUCTS, INC.	CHLOROTHALONIL	SINCONIL 720 SC	720 g/L	SC	FUNGICIDE	4	096-118-4809	27-May-25	NON-SYSTEMIC	Mango	Anthraxnose, diplodia	4.5-6.0 Tbsp/36L water	0.5 mg/kg	7-14 days	Do not enter treatment areas until spray deposit have dried
MONARCH AGRICULTURAL PRODUCTS, INC.	CHLOROTHALONIL	SINCONIL 720 SC	720 g/L	SC	FUNGICIDE	4	096-118-4809	27-May-25	NON-SYSTEMIC	Ornamentals	Black spot, powdery mildew, black rot	4.5-6.0 Tbsp/36L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
MONARCH AGRICULTURAL PRODUCTS, INC.	CHLOROTHALONIL	SINCONIL 720 SC	720 g/L	SC	FUNGICIDE	4	096-118-4809	27-May-25	NON-SYSTEMIC	Asparagus	Stem and leaf blight	1.8L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
MONARCH AGRICULTURAL PRODUCTS, INC.	CHLOROTHALONIL	SINCONIL 720 SC	720 g/L	SC	FUNGICIDE	4	096-118-4809	27-May-25	NON-SYSTEMIC	Banana	Black sigatoka	1.38L/ha	2.0 mg/Kg	0 day	Do not enter treatment areas until spray deposit have dried
C.B. ANDREW ASIA, INC.	GLYPHOSATE IPA	SINCERA GMAX 720s	720 g/L	SC	HERBICIDE	4	460-151-3524	02-Sep-24	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
C.B. ANDREW ASIA, INC.	GLYPHOSATE IPA	SINCERA GMAX 720s	720 g/L	SC	HERBICIDE	4	460-151-3524	02-Sep-24	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
C.B. ANDREW ASIA, INC.	GLYPHOSATE IPA	SINCERA GMAX 720s	720 g/L	SC	HERBICIDE	4	460-151-3524	02-Sep-24	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
C.B. ANDREW ASIA, INC.	GLYPHOSATE IPA	SINCERA GMAX 720s	720 g/L	SC	HERBICIDE	4	460-151-3524	02-Sep-24	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
C.B. ANDREW ASIA, INC.	GLYPHOSATE IPA	SINCERA GMAX 720s	720 g/L	SC	HERBICIDE	4	460-151-3524	02-Sep-24	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
C.B. ANDREW ASIA, INC.	GLYPHOSATE IPA	SINCERA GMAX 720s	720 g/L	SC	HERBICIDE	4	460-151-3524	02-Sep-24	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
C.B. ANDREW ASIA, INC.	GLYPHOSATE IPA	SINCERA GMAX 720s	720 g/L	SC	HERBICIDE	4	460-151-3524	02-Sep-24	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
C.B. ANDREW ASIA, INC.	GLYPHOSATE IPA	SINCERA GMAX 720s	720 g/L	SC	HERBICIDE	4	460-151-3524	02-Sep-24	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
C.B. ANDREW ASIA, INC.	GLYPHOSATE IPA	SINCERA GMAX 720s	720 g/L	SC	HERBICIDE	4	460-151-3524	02-Sep-24	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
C.B. ANDREW ASIA, INC.	GLYPHOSATE IPA	SINCERA GMAX 720s	720 g/L	SC	HERBICIDE	4	460-151-3524	02-Sep-24	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
C.B. ANDREW ASIA, INC.	GLYPHOSATE IPA	SINCRAS QMAX 720s	720 g/L	SC	HERBICIDE	4	460-151-9324	02-Sep-24	POST-EMERGENT	Non-crop	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
LIICHEMPLI INTERNATIONAL INC.	GLUFOSINATE AMMONIUM	SINATE 130 SL	150 g/L	SL	HERBICIDE	4	590-182-4805	27-May-25	NON-SELECTIVE(POST-EMERGENT)	Rubber	Annual & Perennial grasses, sedges & broadleaf weeds	25L, 27L, 135mL/36L water	-	-	After spray deposits have dried
LIICHEMPLI INTERNATIONAL INC.	GLUFOSINATE AMMONIUM	SINATE 130 SL	150 g/L	SL	HERBICIDE	4	590-182-4805	27-May-25	NON-SELECTIVE(POST-EMERGENT)	Oil palm	Annual & Perennial grasses, sedges & broadleaf weeds	36L, 135mL/36L water	-	-	After spray deposits have dried
LIICHEMPLI INTERNATIONAL INC.	GLUFOSINATE AMMONIUM	SINATE 130 SL	150 g/L	SL	HERBICIDE	4	590-182-4805	27-May-25	NON-SELECTIVE(POST-EMERGENT)	Non-crop areas	Annual & Perennial grasses, sedges & broadleaf weeds	360-725 mL/36L water	-	-	After spray deposits have dried
LIICHEMPLI INTERNATIONAL INC.	GLUFOSINATE AMMONIUM	SINATE 130 SL	150 g/L	SL	HERBICIDE	4	590-182-4805	27-May-25	NON-SELECTIVE(POST-EMERGENT)	Coffee	Annual & Perennial grasses, sedges & broadleaf weeds	36L, 135mL/36L water	-	-	After spray deposits have dried
LIICHEMPLI INTERNATIONAL INC.	GLUFOSINATE AMMONIUM	SINATE 130 SL	150 g/L	SL	HERBICIDE	4	590-182-4805	27-May-25	NON-SELECTIVE(POST-EMERGENT)	Citrus	Annual & Perennial grasses, sedges & broadleaf weeds	36L, 135mL/36L water	-	-	After spray deposits have dried
LIICHEMPLI INTERNATIONAL INC.	GLUFOSINATE AMMONIUM	SINATE 130 SL	150 g/L	SL	HERBICIDE	4	590-182-4805	27-May-25	NON-SELECTIVE(POST-EMERGENT)	Cavendish Banana	Annual & Perennial grasses, sedges & broadleaf weeds	36L, 135-200 mL/36L water	0.2 mg/kg	-	After spray deposits have dried
LIICHEMPLI INTERNATIONAL INC.	GLUFOSINATE AMMONIUM	SINATE 130 SL	150 g/L	SL	HERBICIDE	4	590-182-4805	27-May-25	NON-SELECTIVE(POST-EMERGENT)	Cacao	Annual & Perennial grasses, sedges & broadleaf weeds	36L, 135mL/36L water	-	-	After spray deposits have dried
KARPOS CHEMICALS SOLUTIONS CO.	POTASSIUM SALTS OF FATTY ACID	SIMBACIDE	-	-	INSECTICIDE	4	684-476-5932	19-Mar-25	-	Carendish banana as insecticidal soap	Mealy bugs, scale insects and aphids through stem and mal spray	-	-	0 day	After spray deposits have dried
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CHLOROTHALONIL	SIMBA 720 SC	720 g/L	SC	FUNGICIDE	4	459-118-2733	10-Dec-22	-	Potato	Early blight, late blight, vine rot	1.00-1.80 L/ha or 4.5-5.5 tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CHLOROTHALONIL	SIMBA 720 SC	720 g/L	SC	FUNGICIDE	4	459-118-2733	10-Dec-22	-	Tomato	Early blight, late blight, vine rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CHLOROTHALONIL	SIMBA 720 SC	720 g/L	SC	FUNGICIDE	4	459-118-2733	10-Dec-22	-	Beans	Rust, anthracnose	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CHLOROTHALONIL	SIMBA 720 SC	720 g/L	SC	FUNGICIDE	4	459-118-2733	10-Dec-22	-	Carrot	Alternaria leaf spot, cercospora leaf spot, helminthosporium leaf spot	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CHLOROTHALONIL	SIMBA 720 SC	720 g/L	SC	FUNGICIDE	4	459-118-2733	10-Dec-22	-	Crucifers	Powdery mildew	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CHLOROTHALONIL	SIMBA 720 SC	720 g/L	SC	FUNGICIDE	4	459-118-2733	10-Dec-22	-	Melon	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CHLOROTHALONIL	SIMBA 720 SC	720 g/L	SC	FUNGICIDE	4	459-118-2733	10-Dec-22	-	Cucumber	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CHLOROTHALONIL	SIMBA 720 SC	720 g/L	SC	FUNGICIDE	4	459-118-2733	10-Dec-22	-	Squash	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CHLOROTHALONIL	SIMBA 720 SC	720 g/L	SC	FUNGICIDE	4	459-118-2733	10-Dec-22	-	Watermelon	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CHLOROTHALONIL	SIMBA 720 SC	720 g/L	SC	FUNGICIDE	4	459-118-2733	10-Dec-22	-	Celery	Early blight, late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CHLOROTHALONIL	SIMBA 720 SC	720 g/L	SC	FUNGICIDE	4	459-118-2733	10-Dec-22	-	Leggiant	Early blight, late blight, cercospora leafspot, anthracnose	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CHLOROTHALONIL	SIMBA 720 SC	720 g/L	SC	FUNGICIDE	4	459-118-2733	10-Dec-22	-	Straw	Purple blotch, bulb rot, neck rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CHLOROTHALONIL	SIMBA 720 SC	720 g/L	SC	FUNGICIDE	4	459-118-2733	10-Dec-22	-	Pepper	Early blight, cercospora leaf spot, anthracnose	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CHLOROTHALONIL	SIMBA 720 SC	720 g/L	SC	FUNGICIDE	4	459-118-2733	10-Dec-22	-	Grapes	Downy mildew, powdery mildew, fruit rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CHLOROTHALONIL	SIMBA 720 SC	720 g/L	SC	FUNGICIDE	4	459-118-2733	10-Dec-22	-	Mango	Anthracoese, diploid rot	3.75-5.60 L/ha or 4.5-6.0 tbsp/36 L	0.5 mg/kg	7-14 days	Do not enter treatment areas until spray deposit have dried
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CHLOROTHALONIL	SIMBA 720 SC	720 g/L	SC	FUNGICIDE	4	459-118-2733	10-Dec-22	-	Ornamentals	Black spot, powdery mildew, black rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CHLOROTHALONIL	SIMBA 720 SC	720 g/L	SC	FUNGICIDE	4	459-118-2733	10-Dec-22	-	Asparagus	Stem and leaf blight	1.80 L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CHLOROTHALONIL	SIMBA 720 SC	720 g/L	SC	FUNGICIDE	4	459-118-2733	10-Dec-22	-	Banana	Black sigatoka	1.38 L/ha	2.0 mg/kg	0 day	Do not enter treatment areas until spray deposit have dried
CHOKING CHEMICALS INC.	HALOXYP-6-METHYL ESTER	SIMAKOR	108 g/L	EC	HERBICIDE	2	665-951-3367	29-Jan-24	SYSTEMIC (POST-EMERGENCE)	Onion	Annual and Perennial grasses	2-5-5.0 Tbsp/36L	-	-	Onion spray droplets have dried out
MOMENTIVE PERFORMANCE MATERIALS PTE LTD.	ALYLX MODIFIED HEPTAMETHYLSILTRISULOXANE	SILVET 560	108 g/kg	L	OTHERS	4	437-362-2361	25-Feb-27	-	Banana	Sigatoka	Mix with Mancozeb 448 F. 5% of Oil based	-	-	-
BIOSTADT PHILIPPINES INC.	TRISULOXANE ALKOXYLATE-ALLYL ETHOXYLATE	SILVET 408	83+27 g/L	-	OTHERS	4	097-335-4228	17-Jan-24	-	Mango	Leafhopper, capsid bugs, Cecid fly	25-300mL (4-16mL)/300mL	-	No PHI needed when Silwet is used alone. The PHI required depends on the agrochemical where Silwet 408 is used.	Do not enter treated field without protective clothing (long sleeved shirt and long pants) until sprays have dried. Consult and follow pesticide label
BIOSTADT PHILIPPINES INC.	TRISULOXANE ALKOXYLATE-ALLYL ETHOXYLATE	SILVET 408	83+17 g/L	-	OTHERS	4	097-335-4228	17-Jan-24	-	Banana	Sigatoka	1-2 Tbsp/36 L water	-	No PHI needed when Silwet is used alone. The PHI required depends on the agrochemical where Silwet 408 is used.	Do not enter treated field without protective clothing (long sleeved shirt and long pants) until sprays have dried. Consult and follow pesticide label
BIOSTADT PHILIPPINES INC.	TRISULOXANE ALKOXYLATE-ALLYL ETHOXYLATE	SILVET 408	83+17 g/L	-	OTHERS	4	097-335-4228	17-Jan-24	-	Pineapple	Weeds	1-2 Tbsp/36 L water	-	No PHI needed when Silwet is used alone. The PHI required depends on the agrochemical where Silwet 408 is used.	Do not enter treated field without protective clothing (long sleeved shirt and long pants) until sprays have dried. Consult and follow pesticide label
MOMENTIVE PERFORMANCE MATERIALS PTE LTD.	TRISULOXANE ALKOXYLATE-ALLYL ETHOXYLATE	SILVET 408	83+17 g/L	-	OTHERS	4	437-335-2362	25-Feb-27	-	Mango	Leafhopper, capsid bugs, Cecid fly	25-300mL (4-16mL)/300mL	-	-	-
MOMENTIVE PERFORMANCE MATERIALS PTE LTD.	TRISULOXANE ALKOXYLATE-ALLYL ETHOXYLATE	SILVET 408	83+17 g/L	-	OTHERS	4	437-335-2362	25-Feb-27	-	Banana	Sigatoka	1-2 Tbsp/36 L water	-	-	-
MOMENTIVE PERFORMANCE MATERIALS PTE LTD.	TRISULOXANE ALKOXYLATE-ALLYL ETHOXYLATE	SILVET 408	83+17 g/L	-	OTHERS	4	437-335-2362	25-Feb-27	-	Pineapple	Weeds	1-2 Tbsp/36 L water	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	TERBUCONAZOLE	SILVZOLE 430 SC	430 g/L	SC	FUNGICIDE	4	539-259-4217	20-Oct-26	SYSTEMIC	Banana	Sigatoka	0.2L prod./ha	-	0 day	As soon as spray deposits dries up
RAINBOW AGROSCIENCES PHILIPPINES INC.	TERBUCONAZOLE	SILVZOLE 430 SC	430 g/L	SC	FUNGICIDE	4	539-259-4217	20-Oct-26	SYSTEMIC	Corn	Rust	25-30mL/36 L water	-	-	As soon as spray deposits dries up
RAINBOW AGROSCIENCES PHILIPPINES INC.	TERBUCONAZOLE	SILVZOLE 430 SC	430 g/L	SC	FUNGICIDE	4	539-259-4217	20-Oct-26	SYSTEMIC	Mango	Anthracoese	25-45mL/200 L water	-	22 days	As soon as spray deposits dries up
AGSMART CORPORATION	PYRACLOSTROBIN	SILVERTOWN 250 EC	250 g/L	EC	FUNGICIDE	2	680-396-6162	17-May-26	-	Corn	Leaf spot	0.4 L/ha, 3.2 tbsps/ 36L	-	-	-
AGSMART CORPORATION	PYRACLOSTROBIN	SILVERTOWN 250 EC	250 g/L	EC	FUNGICIDE	2	680-396-6162	17-May-26	-	Banana	Black sigatoka and freckles	0.4 L/ha, 3.2 tbsps/ 36L	-	-	-
BAYER CROSCIENCE, INC.	TERBUCONAZOLE+TRIAMINOL	SILVACUR 300 EC	225+75 g/L	EC	FUNGICIDE	3	284-414-2606	28-Dec-25	SYSTEMIC	Cavendish Banana	Black Sigatoka	400 mL PP/ha	Tebuconazole 0.09 ppm/ Triadimenol	0 day	After spray deposits have dried
MIGHTY AGRICULTURAL TRADING CORPORATION	POTASSIUM SULFATE	SILUX 300	-	-	FUNGICIDE	4	713-492-3857	19-Nov-23	-	Banana	Diamond spot, fruit spot, maturity stain, finger rot, anthracnose, oilsmack and black sigatoka	0.5-2 L/ha	-	-	-
AGSMART CORPORATION	LAMBDA-CHALOTHRIN	SILENCIO 25 EC	25 g/L	EC	INSECTICIDE	2	680-204-6463	19-Feb-27	-	Cocoa	Pod borer	1.0-2.0 tbsps prod. / 36L water (Based on 1 tbsps=10 mL)	-	Do not spray 3 days before harvest	Re-entry to treated field is allowed as soon as spray deposits dry
AGSMART CORPORATION	LAMBDA-CHALOTHRIN	SILENCIO 25 EC	25 g/L	EC	INSECTICIDE	2	680-204-6463	19-Feb-27	-	Corn	Borer, aphids, seedling maggot	1.0-1.5 tbsps / 36L water (Based on 1 tbsps=10mL)	-	Do not spray 3 days before harvest	Re-entry to treated field is allowed as soon as spray deposits dry
AGSMART CORPORATION	LAMBDA-CHALOTHRIN	SILENCIO 25 EC	25 g/L	EC	INSECTICIDE	2	680-204-6463	19-Feb-27	-	Cotton	Bollworm	1.0-1.5 tbsps / 36L water (Based on 1 tbsps=10mL)	-	Do not spray 3 days before harvest	Re-entry to treated field is allowed as soon as spray deposits dry
AGSMART CORPORATION	LAMBDA-CHALOTHRIN	SILENCIO 25 EC	25 g/L	EC	INSECTICIDE	2	680-204-6463	19-Feb-27	-	Mango	Hoppers	0.90-1.5 tbsps prod. / 36L water (Based on 1 tbsps=10mL)	-	Do not spray 3 days before harvest	Re-entry to treated field is allowed as soon as spray deposits dry
AGSMART CORPORATION	LAMBDA-CHALOTHRIN	SILENCIO 25 EC	25 g/L	EC	INSECTICIDE	2	680-204-6463	19-Feb-27	-	Mungbeans	Beanfly, flea beetle, leafhopper, aphids, mites, podborer	1.0 tbsps prod. / 36L water (Based on 1 tbsps=10 mL)	-	Do not spray 3 days before harvest	Re-entry to treated field is allowed as soon as spray deposits dry
AGSMART CORPORATION	LAMBDA-CHALOTHRIN	SILENCIO 25 EC	25 g/L	EC	INSECTICIDE	2	680-204-6463	19-Feb-27	-	Onion	Cutworms, thrips	1.0 tbsps prod. / 36L water (Based on 1 tbsps=10 mL)	-	Do not spray 3 days before harvest	Re-entry to treated field is allowed as soon as spray deposits dry
AGSMART CORPORATION	LAMBDA-CHALOTHRIN	SILENCIO 25 EC	25 g/L	EC	INSECTICIDE	2	680-204-6463	19-Feb-27	-	Rice	Green leafhopper, armyworm, rice bug, leafroller, black bug	1.0-1.5 tbsps / 36L water (Based on 1 tbsps=10mL)	-	Do not spray 3 days before harvest	Re-entry to treated field is allowed as soon as spray deposits dry
AGSMART CORPORATION	LAMBDA-CHALOTHRIN	SILENCIO 25 EC	25 g/L	EC	INSECTICIDE	2	680-204-6463	19-Feb-27	-	Tobacco	Budworm, Cutworm, aphids, katydid	1.0-1.5 tbsps / 36L water (Based on 1 tbsps=10mL)	-	Do not spray 3 days before harvest	Re-entry to treated field is allowed as soon as spray deposits dry
AGSMART CORPORATION	LAMBDA-CHALOTHRIN	SILENCIO 25 EC	25 g/L	EC	INSECTICIDE	2	680-204-6463	19-Feb-27	-	Tomato	Fruitworm, cutworm, aphids	1.0-1.5 tbsps / 36L water (Based on 1 tbsps=10mL)	-	Do not spray 3 days before harvest	Re-entry to treated field is allowed as soon as spray deposits dry
AGSMART CORPORATION	LAMBDA-CHALOTHRIN	SILENCIO 25 EC	25 g/L	EC	INSECTICIDE	2	680-204-6463	19-Feb-27	-	Watermelon	Squash beetle, melon worm	1.0 tbsps prod. / 36L water (Based on 1 tbsps=10 mL)	-	Do not spray 3 days before harvest	Re-entry to treated field is allowed as soon as spray deposits dry
GREENHUMB AGRISOLUTIONS, INC.	CYPERMETHRIN	SIKAT 5 EC	50 g/L	EC	INSECTICIDE	4	584-037-4338	26-Apr-21	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GREENHUMB AGRISOLUTIONS, INC.	CYPERMETHRIN	SIKAT 5 EC	50 g/L	EC	INSECTICIDE	4	584-037-4338	26-Apr-21	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leafroller, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GREENHUMB AGRISOLUTIONS, INC.	CYPERMETHRIN	SIKAT 5 EC	50 g/L	EC	INSECTICIDE	4	584-037-4338	26-Apr-21	CONTACT	Cabbage	Diamond back moth, cabbage moth, worm	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GREENHUMB AGRISOLUTIONS, INC.	CYPERMETHRIN	SIKAT 5 EC	50 g/L	EC	INSECTICIDE	4	584-037-4338	26-Apr-21	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
GREENTHUMB AGRISOLUTIONS,INC.	CYPERMETHRIN	SKAT S EC	50 g/L	EC	INSECTICIDE	4	584-037-4338	26-Apr-21	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GREENTHUMB AGRISOLUTIONS,INC.	CYPERMETHRIN	SKAT S EC	50 g/L	EC	INSECTICIDE	4	584-037-4338	26-Apr-21	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GREENTHUMB AGRISOLUTIONS,INC.	CYPERMETHRIN	SKAT S EC	50 g/L	EC	INSECTICIDE	4	584-037-4338	26-Apr-21	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GREENTHUMB AGRISOLUTIONS,INC.	CYPERMETHRIN	SKAT S EC	50 g/L	EC	INSECTICIDE	4	584-037-4338	26-Apr-21	CONTACT	Banana	Thrips, scarving beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GREENTHUMB AGRISOLUTIONS,INC.	CYPERMETHRIN	SKAT S EC	50 g/L	EC	INSECTICIDE	4	584-037-4338	26-Apr-21	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GREENTHUMB AGRISOLUTIONS,INC.	CYPERMETHRIN	SKAT S EC	50 g/L	EC	INSECTICIDE	4	584-037-4338	26-Apr-21	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GREENTHUMB AGRISOLUTIONS,INC.	CYPERMETHRIN	SKAT S EC	50 g/L	EC	INSECTICIDE	4	584-037-4338	26-Apr-21	CONTACT	Corn	Comborer, earworm	1.0-4.5 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
TEXCON AGR VENTURES CORPORATION	CYALOPOP BUTYL	SIGNUS 300 EC	300 g/L	EC	HERBICIDE	4	342-257-4906	23-Oct-24	SYSTEMIC	Rice (Direct-Seeded)	Grasses	7-9 tbsp./tank load, 12 of tank load/ha (16L capacity)	-	-	-
NS NORTHERN ORGANIC FERTILIZER INC.	CHLOROTHALONIL	SIGNATURE 500 SC	500 g/L	SC	FUNGICIDE	4	470-118-2579	15-Apr-24	-	Corn	Heminthosphorium leaf spot, cercospora leafspot	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
NS NORTHERN ORGANIC FERTILIZER INC.	CHLOROTHALONIL	SIGNATURE 500 SC	500 g/L	SC	FUNGICIDE	4	470-118-2579	15-Apr-24	-	Eggplant	Anthracoese, cercospora leafspot, early and late blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
NS NORTHERN ORGANIC FERTILIZER INC.	CHLOROTHALONIL	SIGNATURE 500 SC	500 g/L	SC	FUNGICIDE	4	470-118-2579	15-Apr-24	-	Peanut	Cercospora leaf spot, rust	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
NS NORTHERN ORGANIC FERTILIZER INC.	CHLOROTHALONIL	SIGNATURE 500 SC	500 g/L	SC	FUNGICIDE	4	470-118-2579	15-Apr-24	-	Potato	Early and late blight, vine rot	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
NS NORTHERN ORGANIC FERTILIZER INC.	CHLOROTHALONIL	SIGNATURE 500 SC	500 g/L	SC	FUNGICIDE	4	470-118-2579	15-Apr-24	-	Tomato	Early and late blight, vine rot	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
NS NORTHERN ORGANIC FERTILIZER INC.	CHLOROTHALONIL	SIGNATURE 500 SC	500 g/L	SC	FUNGICIDE	4	470-118-2579	15-Apr-24	-	Carrot	Alternaria, cercospora leaf spot, heminthosphorium leaf spot	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
NS NORTHERN ORGANIC FERTILIZER INC.	CHLOROTHALONIL	SIGNATURE 500 SC	500 g/L	SC	FUNGICIDE	4	470-118-2579	15-Apr-24	-	Banana	Sigatoka, rust, freckles, heminthosphorium leaf spot	2 L/ha	2.0 mg/kg	-	-
NS NORTHERN ORGANIC FERTILIZER INC.	CHLOROTHALONIL	SIGNATURE 500 SC	500 g/L	SC	FUNGICIDE	4	470-118-2579	15-Apr-24	-	Mango	Anthracoese, diploia rot	6.0-8.5 Tbsp/16 L	0.5 mg/kg	7-14 days	Do not enter treatment areas until spray deposit have dried
NS NORTHERN ORGANIC FERTILIZER INC.	CHLOROTHALONIL	SIGNATURE 500 SC	500 g/L	SC	FUNGICIDE	4	470-118-2579	15-Apr-24	-	Beans	Rust, anthracnose	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
NS NORTHERN ORGANIC FERTILIZER INC.	CHLOROTHALONIL	SIGNATURE 500 SC	500 g/L	SC	FUNGICIDE	4	470-118-2579	15-Apr-24	-	Cucubers	Powdery mildew	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
NS NORTHERN ORGANIC FERTILIZER INC.	CHLOROTHALONIL	SIGNATURE 500 SC	500 g/L	SC	FUNGICIDE	4	470-118-2579	15-Apr-24	-	Onion	Purple blotch, bulb rot, neck rot	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
NS NORTHERN ORGANIC FERTILIZER INC.	CHLOROTHALONIL	SIGNATURE 500 SC	500 g/L	SC	FUNGICIDE	4	470-118-2579	15-Apr-24	-	Garlic	Purple blotch, bulb rot, neck rot	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
NS NORTHERN ORGANIC FERTILIZER INC.	CHLOROTHALONIL	SIGNATURE 500 SC	500 g/L	SC	FUNGICIDE	4	470-118-2579	15-Apr-24	-	Ornamentals	Black spot, black rot, powdery mildew	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
NS NORTHERN ORGANIC FERTILIZER INC.	CHLOROTHALONIL	SIGNATURE 500 SC	500 g/L	SC	FUNGICIDE	4	470-118-2579	15-Apr-24	-	Grapes	Downy mildew, powdery mildew, fruit rot	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
NS NORTHERN ORGANIC FERTILIZER INC.	CHLOROTHALONIL	SIGNATURE 500 SC	500 g/L	SC	FUNGICIDE	4	470-118-2579	15-Apr-24	-	Pepper	Anthracoese, cercospora leaf spot, early blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
NS NORTHERN ORGANIC FERTILIZER INC.	CHLOROTHALONIL	SIGNATURE 500 SC	500 g/L	SC	FUNGICIDE	4	470-118-2579	15-Apr-24	-	Melon	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
NS NORTHERN ORGANIC FERTILIZER INC.	CHLOROTHALONIL	SIGNATURE 500 SC	500 g/L	SC	FUNGICIDE	4	470-118-2579	15-Apr-24	-	Cucumber	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
NS NORTHERN ORGANIC FERTILIZER INC.	CHLOROTHALONIL	SIGNATURE 500 SC	500 g/L	SC	FUNGICIDE	4	470-118-2579	15-Apr-24	-	Squash	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
NS NORTHERN ORGANIC FERTILIZER INC.	CHLOROTHALONIL	SIGNATURE 500 SC	500 g/L	SC	FUNGICIDE	4	470-118-2579	15-Apr-24	-	Watermelon	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
NS NORTHERN ORGANIC FERTILIZER INC.	CHLOROTHALONIL	SIGNATURE 500 SC	500 g/L	SC	FUNGICIDE	4	470-118-2579	15-Apr-24	-	Celery	Early and late blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
PALMATRE CORPORATION	CHLOPYRIFOS	SIGBAN 300 EC	300 g/L	EC	INSECTICIDE	2	504-101-3158	23-Apr-19	-	Rice	Stemborer, armyworm, leafhopper, caseworm, planthopper, cutworm	2.5-3.5 Tbsp/16L water	-	-	-
PALMATRE CORPORATION	CHLOPYRIFOS	SIGBAN 300 EC	300 g/L	EC	INSECTICIDE	2	504-101-3158	23-Apr-19	-	Potato	Tubermoth, leafhopper, cutworm, aphids	2.5-3.5 Tbsp/16L water	-	-	-
PALMATRE CORPORATION	CHLOPYRIFOS	SIGBAN 300 EC	300 g/L	EC	INSECTICIDE	2	504-101-3158	23-Apr-19	-	Corn	Armyworm, comborer, earworm, seedling maggots	2.5-3.5 Tbsp/16L water	-	-	-
PALMATRE CORPORATION	CHLOPYRIFOS	SIGBAN 300 EC	300 g/L	EC	INSECTICIDE	2	504-101-3158	23-Apr-19	-	Beans	Beanyfly, leafroller, podborer, cutworm, armyworm	2.5-3.5 Tbsp/16L water	-	-	-
CHEMREZ TECHNOLOGIES, INC.	MANCOZEB	55GAZER 80 WP	800g/kg	WP	FUNGICIDE	4	529-053-4464	02-Aug-24	-	Potato	Early and late blight	3-6 Tbsp/16 L water	-	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying.
CHEMREZ TECHNOLOGIES, INC.	MANCOZEB	55GAZER 80 WP	800g/kg	WP	FUNGICIDE	4	529-053-4464	02-Aug-24	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying.
CHEMREZ TECHNOLOGIES, INC.	MANCOZEB	55GAZER 80 WP	800g/kg	WP	FUNGICIDE	4	529-053-4464	02-Aug-24	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying.
CHEMREZ TECHNOLOGIES, INC.	MANCOZEB	55GAZER 80 WP	800g/kg	WP	FUNGICIDE	4	529-053-4464	02-Aug-24	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying.
CHEMREZ TECHNOLOGIES, INC.	MANCOZEB	55GAZER 80 WP	800g/kg	WP	FUNGICIDE	4	529-053-4464	02-Aug-24	-	Celery	Late blight	3-6 Tbsp/16 L water	-	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying.
CHEMREZ TECHNOLOGIES, INC.	MANCOZEB	55GAZER 80 WP	800g/kg	WP	FUNGICIDE	4	529-053-4464	02-Aug-24	-	Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying.
CHEMREZ TECHNOLOGIES, INC.	MANCOZEB	55GAZER 80 WP	800g/kg	WP	FUNGICIDE	4	529-053-4464	02-Aug-24	-	Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying.
CHEMREZ TECHNOLOGIES, INC.	MANCOZEB	55GAZER 80 WP	800g/kg	WP	FUNGICIDE	4	529-053-4464	02-Aug-24	-	Cotton	Damping off	3-6 Tbsp/16 L water	-	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying.
CHEMREZ TECHNOLOGIES, INC.	MANCOZEB	55GAZER 80 WP	800g/kg	WP	FUNGICIDE	4	529-053-4464	02-Aug-24	-	Lettuce	Downy mildew	3-6 Tbsp/16 L water	-	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying.
CHEMREZ TECHNOLOGIES, INC.	MANCOZEB	55GAZER 80 WP	800g/kg	WP	FUNGICIDE	4	529-053-4464	02-Aug-24	-	Beans	Anthracoese, Downy mildew, Rust	3-6 Tbsp/16 L water	-	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying.
CHEMREZ TECHNOLOGIES, INC.	MANCOZEB	55GAZER 80 WP	800g/kg	WP	FUNGICIDE	4	529-053-4464	02-Aug-24	-	Peas	Anthracoese, Downy mildew, Rust	3-6 Tbsp/16 L water	-	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying.
CHEMREZ TECHNOLOGIES, INC.	MANCOZEB	55GAZER 80 WP	800g/kg	WP	FUNGICIDE	4	529-053-4464	02-Aug-24	-	Mungo	Anthracoese, Downy mildew, Rust	3-6 Tbsp/16 L water	-	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying.
CHEMREZ TECHNOLOGIES, INC.	MANCOZEB	55GAZER 80 WP	800g/kg	WP	FUNGICIDE	4	529-053-4464	02-Aug-24	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16 L water	-	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying.
CHEMREZ TECHNOLOGIES, INC.	MANCOZEB	55GAZER 80 WP	800g/kg	WP	FUNGICIDE	4	529-053-4464	02-Aug-24	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	-	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying.
CHEMREZ TECHNOLOGIES, INC.	MANCOZEB	55GAZER 80 WP	800g/kg	WP	FUNGICIDE	4	529-053-4464	02-Aug-24	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	-	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying.
CHEMREZ TECHNOLOGIES, INC.	MANCOZEB	55GAZER 80 WP	800g/kg	WP	FUNGICIDE	4	529-053-4464	02-Aug-24	-	Pepper	Anthracoese	3-6 Tbsp/16 L water	-	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying.
CHEMREZ TECHNOLOGIES, INC.	MANCOZEB	55GAZER 80 WP	800g/kg	WP	FUNGICIDE	4	529-053-4464	02-Aug-24	-	Chili	Anthracoese	3-6 Tbsp/16 L water	-	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying.
CHEMREZ TECHNOLOGIES, INC.	MANCOZEB	55GAZER 80 WP	800g/kg	WP	FUNGICIDE	4	529-053-4464	02-Aug-24	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/16 L water	-	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying.
CHEMREZ TECHNOLOGIES, INC.	MANCOZEB	55GAZER 80 WP	800g/kg	WP	FUNGICIDE	4	529-053-4464	02-Aug-24	-	Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16 L water	-	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying.
CHEMREZ TECHNOLOGIES, INC.	MANCOZEB	55GAZER 80 WP	800g/kg	WP	FUNGICIDE	4	529-053-4464	02-Aug-24	-	Grapes	Downy mildew, black rot	3-6 Tbsp/16 L water	-	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying.
CHEMREZ TECHNOLOGIES, INC.	MANCOZEB	55GAZER 80 WP	800g/kg	WP	FUNGICIDE	4	529-053-4464	02-Aug-24	-	Mango	Anthracoese and Scab	3-6 Tbsp/16 L water	-	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying.
CHEMREZ TECHNOLOGIES, INC.	MANCOZEB	55GAZER 80 WP	800g/kg	WP	FUNGICIDE	4	529-053-4464	02-Aug-24	-	Papaya	Fruit rot	3-6 Tbsp/16 L water	-	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying.
CHEMREZ TECHNOLOGIES, INC.	MANCOZEB	55GAZER 80 WP	800g/kg	WP	FUNGICIDE	4	529-053-4464	02-Aug-24	-	Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying.
CHEMREZ TECHNOLOGIES, INC.	MANCOZEB	55GAZER 80 WP	800g/kg	WP	FUNGICIDE	4	529-053-4464	02-Aug-24	-	Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying.

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
CHEMREZ TECHNOLOGIES, INC.	MANCOZEB	35GAZEB 80 WP	800g/kg	WP	FUNGICIDE	4	529-053-4664	02-Aug-24	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/36 L water	-	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying.
CHEMREZ TECHNOLOGIES, INC.	MANCOZEB	35GAZEB 80 WP	800g/kg	WP	FUNGICIDE	4	529-053-4664	02-Aug-24	-	Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/36 L water	0.03ppm	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying.
CHEMREZ TECHNOLOGIES, INC.	MANCOZEB	35GAZEB 80 WP	800g/kg	WP	FUNGICIDE	4	529-053-4664	02-Aug-24	-	Peanut	Cercospora leaf spot	3-6 Tbsp/36 L water	-	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying.
CHEMREZ TECHNOLOGIES, INC.	MANCOZEB	35GAZEB 80 WP	800g/kg	WP	FUNGICIDE	4	529-053-4664	02-Aug-24	-	Soybeans	Leaf rust	3-6 Tbsp/36 L water	-	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying.
CHEMREZ TECHNOLOGIES, INC.	MANCOZEB	35GAZEB 80 WP	800g/kg	WP	FUNGICIDE	4	529-053-4664	02-Aug-24	-	Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/36 L water	-	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying.
CHEMREZ TECHNOLOGIES, INC.	MANCOZEB	35GAZEB 600 OS	600g/L	OS	FUNGICIDE	4	529-053-4621	18-Jan-22	-	Banana	Black Sigatoka	1:50-1:75g A.i or 1:75-2:90 L/ha signet 600-OS mixed in 80L water. Spray 10-14	-	-	-
INTERNATIONAL VETERINARY & AGROCHEMICAL (PVA), INC.	DIFENOCONAZOLE	35GATROL 25 EC	250 g/L	EC	FUNGICIDE	4	088-272-2819	09-Jun-26	SYSTEMIC	Banana	Black Sigatoka	0.30-0.40L prod/ha	-	0 Day	-
INTERNATIONAL VETERINARY & AGROCHEMICAL (PVA), INC.	DIFENOCONAZOLE	35GATROL 25 EC	250 g/L	EC	FUNGICIDE	4	088-272-2819	09-Jun-26	SYSTEMIC	Mango	Anthracoese	0.528-0.88 L/ha	-	14 Days	-
INTERNATIONAL VETERINARY & AGROCHEMICAL (PVA), INC.	DIFENOCONAZOLE	35GATROL 25 EC	250 g/L	EC	FUNGICIDE	4	088-272-2819	09-Jun-26	SYSTEMIC	Rice	Sheath Blight	0.25-0.30L/ha	-	-	-
INTERNATIONAL VETERINARY & AGROCHEMICAL (PVA), INC.	DIFENOCONAZOLE	35GATROL 25 EC	250 g/L	EC	FUNGICIDE	4	088-272-2819	09-Jun-26	SYSTEMIC	Stringbeans	Leaf spot	0.20-0.30 L/ha	-	7 days	-
INTERNATIONAL VETERINARY & AGROCHEMICAL (PVA), INC.	DIFENOCONAZOLE	35GATROL 25 EC	250 g/L	EC	FUNGICIDE	4	088-272-2819	09-Jun-26	SYSTEMIC	Eggplant	Leaf spot	0.20-0.30L/ha	-	7 Days	-
INTERNATIONAL VETERINARY & AGROCHEMICAL (PVA), INC.	DIFENOCONAZOLE	35GATROL 25 EC	250 g/L	EC	FUNGICIDE	4	088-272-2819	09-Jun-26	SYSTEMIC	Tomato	Alternaria leaf spot, cercospora leafmold, powdery mildew	0.20-0.30 L/ha	-	7 Days	-
INTERNATIONAL VETERINARY & AGROCHEMICAL (PVA), INC.	DIFENOCONAZOLE	35GATROL 25 EC	250 g/L	EC	FUNGICIDE	4	088-272-2819	09-Jun-26	SYSTEMIC	Cabbage	Ringspot, alternaria	0.20-0.30 L/ha	-	7 Days	-
INTERNATIONAL VETERINARY & AGROCHEMICAL (PVA), INC.	DIFENOCONAZOLE	35GATROL 25 EC	250 g/L	EC	FUNGICIDE	4	088-272-2819	09-Jun-26	SYSTEMIC	Onion	Purple blotch	0.40-0.50 L/ha	-	7 Days	-
INTERNATIONAL VETERINARY & AGROCHEMICAL (PVA), INC.	DIFENOCONAZOLE	35GATROL 25 EC	250 g/L	EC	FUNGICIDE	4	088-272-2819	09-Jun-26	SYSTEMIC	Asparagus	Stem and leaf blight	0.36 L/ha	-	7 Days	-
C.B. ANDREW ASIA, INC.	CHLOROTHALONIL	35GANIL 720 SC	720 g/L	SC	FUNGICIDE	4	460-118-3285-A	15-Aug-26	-	Potato	Early blight, late blight, vine rot	1.00-1.80L/ha or 4.5-5.5 Tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
C.B. ANDREW ASIA, INC.	CHLOROTHALONIL	35GANIL 720 SC	720 g/L	SC	FUNGICIDE	4	460-118-3285-A	15-Aug-26	-	Tomato	Early blight, late blight, vine rot	1.13-1.90L/ha or 4.5-6.0 Tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
C.B. ANDREW ASIA, INC.	CHLOROTHALONIL	35GANIL 720 SC	720 g/L	SC	FUNGICIDE	4	460-118-3285-A	15-Aug-26	-	Beans	Rust, anthracnose	1.13-1.90L/ha or 4.5-6.0 Tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
C.B. ANDREW ASIA, INC.	CHLOROTHALONIL	35GANIL 720 SC	720 g/L	SC	FUNGICIDE	4	460-118-3285-A	15-Aug-26	-	Carrot	Alternaria leaf spot, cercospora leaf spot, helminthosporium leaf spot	1.13-1.90L/ha or 4.5-6.0 Tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
C.B. ANDREW ASIA, INC.	CHLOROTHALONIL	35GANIL 720 SC	720 g/L	SC	FUNGICIDE	4	460-118-3285-A	15-Aug-26	-	Cabbage	Powdery mildew	1.13-1.90L/ha or 4.5-6.0 Tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
C.B. ANDREW ASIA, INC.	CHLOROTHALONIL	35GANIL 720 SC	720 g/L	SC	FUNGICIDE	4	460-118-3285-A	15-Aug-26	-	Broccoli	Powdery mildew	1.13-1.90L/ha or 4.5-6.0 Tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
C.B. ANDREW ASIA, INC.	CHLOROTHALONIL	35GANIL 720 SC	720 g/L	SC	FUNGICIDE	4	460-118-3285-A	15-Aug-26	-	Cauliflower	Powdery mildew	1.13-1.90L/ha or 4.5-6.0 Tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
C.B. ANDREW ASIA, INC.	CHLOROTHALONIL	35GANIL 720 SC	720 g/L	SC	FUNGICIDE	4	460-118-3285-A	15-Aug-26	-	Melon	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90L/ha or 4.5-6.0 Tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
C.B. ANDREW ASIA, INC.	CHLOROTHALONIL	35GANIL 720 SC	720 g/L	SC	FUNGICIDE	4	460-118-3285-A	15-Aug-26	-	Cucumber	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90L/ha or 4.5-6.0 Tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
C.B. ANDREW ASIA, INC.	CHLOROTHALONIL	35GANIL 720 SC	720 g/L	SC	FUNGICIDE	4	460-118-3285-A	15-Aug-26	-	Watermelon	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90L/ha or 4.5-6.0 Tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
C.B. ANDREW ASIA, INC.	CHLOROTHALONIL	35GANIL 720 SC	720 g/L	SC	FUNGICIDE	4	460-118-3285-A	15-Aug-26	-	Celery	Early blight, late blight	1.1-1.90L/ha or 4.5-6.0 Tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
C.B. ANDREW ASIA, INC.	CHLOROTHALONIL	35GANIL 720 SC	720 g/L	SC	FUNGICIDE	4	460-118-3285-A	15-Aug-26	-	Eggplant	Early blight, late blight, cercospora leafspot, anthracnose	1.13-1.90L/ha or 4.5-6.0 Tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
C.B. ANDREW ASIA, INC.	CHLOROTHALONIL	35GANIL 720 SC	720 g/L	SC	FUNGICIDE	4	460-118-3285-A	15-Aug-26	-	Onion	Purple blotch, bulb rot, neck rot	1.13-1.90L/ha or 4.5-6.0 Tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
C.B. ANDREW ASIA, INC.	CHLOROTHALONIL	35GANIL 720 SC	720 g/L	SC	FUNGICIDE	4	460-118-3285-A	15-Aug-26	-	Pepper	Early and late blight, bulb rot, neck rot	1.13-1.90L/ha or 4.5-6.0 Tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
C.B. ANDREW ASIA, INC.	CHLOROTHALONIL	35GANIL 720 SC	720 g/L	SC	FUNGICIDE	4	460-118-3285-A	15-Aug-26	-	Grapes	Downy mildew, powdery mildew, fruit rot	1.13-1.90L/ha or 4.5-6.0 Tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
C.B. ANDREW ASIA, INC.	CHLOROTHALONIL	35GANIL 720 SC	720 g/L	SC	FUNGICIDE	4	460-118-3285-A	15-Aug-26	-	Mango	Anthracoese, diploia rot	3.75-5.80L/ha or 4.5-6.0 Tbsp/36 L	0.5 mg/kg	7-14 days	Do not enter treatment areas until spray deposit have dried
C.B. ANDREW ASIA, INC.	CHLOROTHALONIL	35GANIL 720 SC	720 g/L	SC	FUNGICIDE	4	460-118-3285-A	15-Aug-26	-	Ornamentals	Black spot, powdery mildew, black rot	1.13-1.90L/ha or 4.5-6.0 Tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
C.B. ANDREW ASIA, INC.	CHLOROTHALONIL	35GANIL 720 SC	720 g/L	SC	FUNGICIDE	4	460-118-3285-A	15-Aug-26	-	Asparagus	Stem and leaf blight	1.80L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
C.B. ANDREW ASIA, INC.	CHLOROTHALONIL	35GANIL 720 SC	720 g/L	SC	FUNGICIDE	4	460-118-3285-A	15-Aug-26	-	Banana	Black sigatoka	1.38 L/ha	2.0 mg/kg	0 day	Do not enter treatment areas until spray deposit have dried
BAYER CROPSCIENCE, INC.	PYRIMETHANIL	35GANEX 600 SC	600 g/L	SC	FUNGICIDE	4	384-945-1068	28-Dec-25	-	Cavendish Banana	Black Sigatoka	760ml/ha	-	-	-
POLARA CHEMICAL CORPORATION	PARAFFINIC MINERAL OIL	35GA OIL	100 g/L	-	OTHERS*	4	654-282-5298	15-Dec-21	-	Banana	Sigatoka	5L per hectare (5 L prod. / 25 L water)	-	-	Re-entry to treated fields is dependent on the pesticide product that was used when crops were safely treated with 35GA OIL, re-entry could be done
ALDIZ INCORPORATED	CHLOPRYFOS	35GA 300 EC	300 g/L	EC	INSECTICIDE	2	000-101-0640	10-Jul-24	-	Rice	Stemborer, armyworm, leafhopper, caseworm, planthopper, cutworm	2.5-3.5 Tbsp/36L water	-	7 Days	As soon as the spray deposits have dried
ALDIZ INCORPORATED	CHLOPRYFOS	35GA 300 EC	300 g/L	EC	INSECTICIDE	2	000-101-0640	10-Jul-24	-	Potato	Tubermoth, leafhopper, cutworm, aphids	2.5-3.5 Tbsp/36L water	-	7 Days	As soon as the spray deposits have dried
ALDIZ INCORPORATED	CHLOPRYFOS	35GA 300 EC	300 g/L	EC	INSECTICIDE	2	000-101-0640	10-Jul-24	-	Corn	Armyworm, cornborer, earworm, seedling maggots	2.5-3.5 Tbsp/36L water	-	7 Days	As soon as the spray deposits have dried
ALDIZ INCORPORATED	CHLOPRYFOS	35GA 300 EC	300 g/L	EC	INSECTICIDE	2	000-101-0640	10-Jul-24	-	Beans	Beanfly, leafroller, podborer, cutworm, armyworm	2.5-3.5 Tbsp/36L water	-	7 Days	As soon as the spray deposits have dried
BASF PHILIPPINES, INC.	HYDAMETHYLNON	50GE PRO FIRE ANT BAIT	7.3 g/Kg	B	INSECTICIDE	4	005-292-0772	08-Oct-26	-	Pineapple	Ants	1.7 kg/ha	-	0 day	-
EZERTech CORPORATION	CYPERMETHRIN	SIDRICK'S 5 EC	50g/L	EC	INSECTICIDE	4	648-037-4797	31-May-25	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/36 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
EZERTech CORPORATION	CYPERMETHRIN	SIDRICK'S 5 EC	50g/L	EC	INSECTICIDE	4	648-037-4797	31-May-25	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leafroller, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/36 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
EZERTech CORPORATION	CYPERMETHRIN	SIDRICK'S 5 EC	50g/L	EC	INSECTICIDE	4	648-037-4797	31-May-25	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/36 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
EZERTech CORPORATION	CYPERMETHRIN	SIDRICK'S 5 EC	50g/L	EC	INSECTICIDE	4	648-037-4797	31-May-25	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/36 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
EZERTech CORPORATION	CYPERMETHRIN	SIDRICK'S 5 EC	50g/L	EC	INSECTICIDE	4	648-037-4797	31-May-25	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/36 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
EZERTech CORPORATION	CYPERMETHRIN	SIDRICK'S 5 EC	50g/L	EC	INSECTICIDE	4	648-037-4797	31-May-25	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/36 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
EZERTech CORPORATION	CYPERMETHRIN	SIDRICK'S 5 EC	50g/L	EC	INSECTICIDE	4	648-037-4797	31-May-25	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/36 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
EZERTech CORPORATION	CYPERMETHRIN	SIDRICK'S 5 EC	50g/L	EC	INSECTICIDE	4	648-037-4797	31-May-25	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/36 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
EZERTech CORPORATION	CYPERMETHRIN	SIDRICK'S 5 EC	50g/L	EC	INSECTICIDE	4	648-037-4797	31-May-25	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/36 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
EZERTech CORPORATION	CYPERMETHRIN	SIDRICK'S 5 EC	50g/L	EC	INSECTICIDE	4	648-037-4797	31-May-25	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/36 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
EZERTech CORPORATION	CYPERMETHRIN	SIDRICK'S 5 EC	50g/L	EC	INSECTICIDE	4	648-037-4797	31-May-25	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/36 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
SYNGENTA PHILIPPINES INC.	DIFENOCONAZOLE	SCD 250 EC	250 g/L	EC	FUNGICIDE	4	011-272-0636	31-Nov-25	SYSTEMIC	Banana	Black Sigatoka	300-400ml prod/ha	-	-	-
ENVIREAU PACIFIC INC.	GLUFOSINATE AMMONIUM	SCARIO 20 SL	200 g/L	SL	HERBICIDE	4	509-182-5666	02-Feb-25	NON-SELECTIVE (POST-EMERGENT)	Cavendish Banana	Weeds	-	-	-	-
ENVIREAU PACIFIC INC.	GLUFOSINATE AMMONIUM	SCARIO 20 SL	200 g/L	SL	HERBICIDE	4	509-182-5666	02-Feb-25	NON-SELECTIVE (POST-EMERGENT)	Rubber	Weeds	-	-	-	-
ENVIREAU PACIFIC INC.	GLUFOSINATE AMMONIUM	SCARIO 20 SL	200 g/L	SL	HERBICIDE	4	509-182-5666	02-Feb-25	NON-SELECTIVE (POST-EMERGENT)	Oil palm	Weeds	-	-	-	-

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
ENVIREAU PACIFIC INC.	GLYPHOSICATE AMMONIUM	SCARDO 20 SL	200 g/L	SL	HERBICIDE	4	909-182-5666	02-Feb-25	NON-SELECTIVE (POST-EMERGENT)	Non-crop	Weeds	-	-	-	-
BIOAGRO AGRICULTURAL PRODUCTS, INC.	CARBARYL	SI REN 85 WP	850 g/kg	WP	INSECTICIDE	2	608-035-4304	26-Mar-24	-	Tobacco	Budworm, cutworm, aphids	4-6 tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
BIOAGRO AGRICULTURAL PRODUCTS, INC.	CARBARYL	SI REN 85 WP	850 g/kg	WP	INSECTICIDE	2	608-035-4304	26-Mar-24	-	Sorghum	Webworm, armyworm, cutworm, headworm	4-6 tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
BIOAGRO AGRICULTURAL PRODUCTS, INC.	CARBARYL	SI REN 85 WP	850 g/kg	WP	INSECTICIDE	2	608-035-4304	26-Mar-24	-	Ornamentals	Aphids, scale insect, mealy bug, cutworm	4-6 tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
BIOAGRO AGRICULTURAL PRODUCTS, INC.	CARBARYL	SI REN 85 WP	850 g/kg	WP	INSECTICIDE	2	608-035-4304	26-Mar-24	-	Mango	Mango hopper, tip borer, twig borer, fruit fly, mealy bug	4-8 tbsp/16 L water	1 Day	-	Do not enter treatment areas until spray deposit have dried
BIOAGRO AGRICULTURAL PRODUCTS, INC.	CARBARYL	SI REN 85 WP	850 g/kg	WP	INSECTICIDE	2	608-035-4304	26-Mar-24	-	Coffee	Berry borer	4-6 tbsp/16 L water	1 Day	-	Do not enter treatment areas until spray deposit have dried
BIOAGRO AGRICULTURAL PRODUCTS, INC.	CARBARYL	SI REN 85 WP	850 g/kg	WP	INSECTICIDE	2	608-035-4304	26-Mar-24	-	Cacao	Podborer, aphids, capsid bug	4-6 tbsp/16 L water	1 Day	-	Do not enter treatment areas until spray deposit have dried
BIOAGRO AGRICULTURAL PRODUCTS, INC.	CARBARYL	SI REN 85 WP	850 g/kg	WP	INSECTICIDE	2	608-035-4304	26-Mar-24	-	Citrus	Rind borer	4-6 tbsp/16 L water	5 days	-	Do not enter treatment areas until spray deposit have dried
BIOAGRO AGRICULTURAL PRODUCTS, INC.	CARBARYL	SI REN 85 WP	850 g/kg	WP	INSECTICIDE	2	608-035-4304	26-Mar-24	-	Soybeans	Podborer, beanfly, leafminer, aphids	4-6 tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
BIOAGRO AGRICULTURAL PRODUCTS, INC.	CARBARYL	SI REN 85 WP	850 g/kg	WP	INSECTICIDE	2	608-035-4304	26-Mar-24	-	Rice	Green leafhopper, caseworm, aphids	4-6 tbsp/16 L water	1ppm	14 Days	Do not enter treatment areas until spray deposit have dried
BIOAGRO AGRICULTURAL PRODUCTS, INC.	CARBARYL	SI REN 85 WP	850 g/kg	WP	INSECTICIDE	2	608-035-4304	26-Mar-24	-	Cowpea and other beans	Podborer, beanfly, leafminer, cutworm, aphids	4-6 tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
BIOAGRO AGRICULTURAL PRODUCTS, INC.	CARBARYL	SI REN 85 WP	850 g/kg	WP	INSECTICIDE	2	608-035-4304	26-Mar-24	-	Cotton seed	Bollworm, cutworm	4-6 tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
BIOAGRO AGRICULTURAL PRODUCTS, INC.	CARBARYL	SI REN 85 WP	850 g/kg	WP	INSECTICIDE	2	608-035-4304	26-Mar-24	-	Corn	Corn borer, corn earworm, army worm	4-6 tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
BIOAGRO AGRICULTURAL PRODUCTS, INC.	CARBARYL	SI REN 85 WP	850 g/kg	WP	INSECTICIDE	2	608-035-4304	26-Mar-24	-	Tomato	Fruitworm, leafy beetle	4-6 tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
BIOAGRO AGRICULTURAL PRODUCTS, INC.	CARBARYL	SI REN 85 WP	850 g/kg	WP	INSECTICIDE	2	608-035-4304	26-Mar-24	-	Cucurbits	Squash beetle, leafy beetle	4-6 tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
VLMAO OPC	GLYPHOSATE IPA	SHOWTIME 480 SL	480 g/L	SL	HERBICIDE	4	774-151-6434	8-Dec-26	-	glyphosate tolerant corn	Annual and perennial grasses, broadleaf weeds and sedges	2.0-4.0 Liters/ha	-	-	-
VLMAO OPC	GLYPHOSATE IPA	SHOWTIME 480 SL	480 g/L	SL	HERBICIDE	4	774-151-6434	8-Dec-26	-	Mango	Annual and perennial grasses, broadleaf weeds and sedges	3.0-4.5 Liters/ha	-	-	-
VLMAO OPC	GLYPHOSATE IPA	SHOWTIME 480 SL	480 g/L	SL	HERBICIDE	4	774-151-6434	8-Dec-26	-	Banana	Annual and perennial grasses, broadleaf weeds and sedges	3.0-4.5 Liters/ha	-	-	-
VLMAO OPC	GLYPHOSATE IPA	SHOWTIME 480 SL	480 g/L	SL	HERBICIDE	4	774-151-6434	8-Dec-26	-	Coffee	Annual and perennial grasses, broadleaf weeds and sedges	3.0-4.5 Liters/ha	-	-	-
VLMAO OPC	GLYPHOSATE IPA	SHOWTIME 480 SL	480 g/L	SL	HERBICIDE	4	774-151-6434	8-Dec-26	-	Cacao	Annual and perennial grasses, broadleaf weeds and sedges	3.0-4.5 Liters/ha	-	-	-
VLMAO OPC	GLYPHOSATE IPA	SHOWTIME 480 SL	480 g/L	SL	HERBICIDE	4	774-151-6434	8-Dec-26	-	Rubber	Annual and perennial grasses, broadleaf weeds and sedges	2.0 Liters/ha	-	-	-
VLMAO OPC	GLYPHOSATE IPA	SHOWTIME 480 SL	480 g/L	SL	HERBICIDE	4	774-151-6434	8-Dec-26	-	Oil palm	Annual and perennial grasses, broadleaf weeds and sedges	2.0 Liters/ha	-	-	-
VLMAO OPC	GLYPHOSATE IPA	SHOWTIME 480 SL	480 g/L	SL	HERBICIDE	4	774-151-6434	8-Dec-26	-	Citrus	Annual and perennial grasses, broadleaf weeds and sedges	2.0 Liters/ha	-	-	-
VLMAO OPC	GLYPHOSATE IPA	SHOWTIME 480 SL	480 g/L	SL	HERBICIDE	4	774-151-6434	8-Dec-26	-	Coconut	Annual and perennial grasses, broadleaf weeds and sedges	4.5 Liters/ha	-	-	-
VLMAO OPC	GLYPHOSATE IPA	SHOWTIME 480 SL	480 g/L	SL	HERBICIDE	4	774-151-6434	8-Dec-26	-	Sugarcane	Annual and perennial grasses, broadleaf weeds and sedges	2.0 Liters/ha	-	-	-
VLMAO OPC	GLYPHOSATE IPA	SHOWTIME 480 SL	480 g/L	SL	HERBICIDE	4	774-151-6434	8-Dec-26	-	Vegetables	Annual and perennial grasses, broadleaf weeds and sedges	2.0 Liters/ha	-	-	-
VLMAO OPC	GLYPHOSATE IPA	SHOWTIME 480 SL	480 g/L	SL	HERBICIDE	4	774-151-6434	8-Dec-26	-	Non-crop agricultural areas and minimum or reduced	Annual and perennial grasses, broadleaf weeds and sedges	-	-	-	-
UCHEMPLH INTERNATIONAL INC.	PYRRENZOLIM+CYHALOPR+ BUTYL	SHOT PLUS 250 EC	50 g/L+200 g/L	EC	HERBICIDE	3	590-453-6049	28-Feb-26	POST-EMERGENT	Rice	Grasses (Leptochloa chinensis, Echinochloa crusgalli, Ischaemum rugosum), sedges (Cyperus sp.) , broadleaves (Sphenocleus zeylanicus)	0.75-1.0 kg proof/ hectare at spray volume of 30 tank/loads / hectare	-	-	As soon as spray deposits dry up
JOEFABS AGRICHEM CORPORATION	CYPERMETHRIN	SHOOTER 5 EC	50g/L	EC	INSECTICIDE	4	414-037-2158	12-Sep-22	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
JOEFABS AGRICHEM CORPORATION	CYPERMETHRIN	SHOOTER 5 EC	50g/L	EC	INSECTICIDE	4	414-037-2158	12-Sep-22	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leafhopper, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
JOEFABS AGRICHEM CORPORATION	CYPERMETHRIN	SHOOTER 5 EC	50g/L	EC	INSECTICIDE	4	414-037-2158	12-Sep-22	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
JOEFABS AGRICHEM CORPORATION	CYPERMETHRIN	SHOOTER 5 EC	50g/L	EC	INSECTICIDE	4	414-037-2158	12-Sep-22	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
JOEFABS AGRICHEM CORPORATION	CYPERMETHRIN	SHOOTER 5 EC	50g/L	EC	INSECTICIDE	4	414-037-2158	12-Sep-22	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
JOEFABS AGRICHEM CORPORATION	CYPERMETHRIN	SHOOTER 5 EC	50g/L	EC	INSECTICIDE	4	414-037-2158	12-Sep-22	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
JOEFABS AGRICHEM CORPORATION	CYPERMETHRIN	SHOOTER 5 EC	50g/L	EC	INSECTICIDE	4	414-037-2158	12-Sep-22	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
JOEFABS AGRICHEM CORPORATION	CYPERMETHRIN	SHOOTER 5 EC	50g/L	EC	INSECTICIDE	4	414-037-2158	12-Sep-22	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
JOEFABS AGRICHEM CORPORATION	CYPERMETHRIN	SHOOTER 5 EC	50g/L	EC	INSECTICIDE	4	414-037-2158	12-Sep-22	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
JOEFABS AGRICHEM CORPORATION	CYPERMETHRIN	SHOOTER 5 EC	50g/L	EC	INSECTICIDE	4	414-037-2158	12-Sep-22	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
JOEFABS AGRICHEM CORPORATION	CYPERMETHRIN	SHOOTER 5 EC	50g/L	EC	INSECTICIDE	4	414-037-2158	12-Sep-22	CONTACT	Corn	Comborer, earworm	1.0-4.5 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
RAINBOW AGROSCIENCES PHILIPPINES INC.	CHLOPYRIFOS	SHOOTER 400 EC	400 g/L	EC	INSECTICIDE	2	539-101-5479	28-Jun-24	-	Banana	Thrips,scarring beetle & aphids	20-30 ml per 16L water	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	CHLOPYRIFOS	SHOOTER 400 EC	400 g/L	EC	INSECTICIDE	2	539-101-5479	28-Jun-24	-	Sugarcane	whitegrubs	80-100 ml per 16L water	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	CHLOPYRIFOS	SHOOTER 400 EC	400 g/L	EC	INSECTICIDE	2	539-101-5479	28-Jun-24	-	Pineapple	Ants & Mealybugs	1-1 L per hectare	-	-	-
BERRIS AGRICULTURAL CO., INC.	CARBARYL	SHOOT 85 WP	850 g/kg	WP	INSECTICIDE	2	233-035-1825	27-Feb-24	-	Tobacco	Budworm, cutworm, aphids	4-6 tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
BERRIS AGRICULTURAL CO., INC.	CARBARYL	SHOOT 85 WP	850 g/kg	WP	INSECTICIDE	2	233-035-1825	27-Feb-24	-	Sorghum	Webworm, armyworm, cutworm, headworm	4-6 tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
BERRIS AGRICULTURAL CO., INC.	CARBARYL	SHOOT 85 WP	850 g/kg	WP	INSECTICIDE	2	233-035-1825	27-Feb-24	-	Ornamentals	Aphids, scale insect, mealy bug, cutworm	4-6 tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
BERRIS AGRICULTURAL CO., INC.	CARBARYL	SHOOT 85 WP	850 g/kg	WP	INSECTICIDE	2	233-035-1825	27-Feb-24	-	Mango	Mango hopper, tip borer, twig borer, fruit fly, mealy bug	4-8 tbsp/16 L water	1 Day	-	Do not enter treatment areas until spray deposit have dried
BERRIS AGRICULTURAL CO., INC.	CARBARYL	SHOOT 85 WP	850 g/kg	WP	INSECTICIDE	2	233-035-1825	27-Feb-24	-	Coffee	Berry borer	4-6 tbsp/16 L water	1 Day	-	Do not enter treatment areas until spray deposit have dried
BERRIS AGRICULTURAL CO., INC.	CARBARYL	SHOOT 85 WP	850 g/kg	WP	INSECTICIDE	2	233-035-1825	27-Feb-24	-	Cacao	Podborer, aphids, capsid bug	4-6 tbsp/16 L water	1 Day	-	Do not enter treatment areas until spray deposit have dried
BERRIS AGRICULTURAL CO., INC.	CARBARYL	SHOOT 85 WP	850 g/kg	WP	INSECTICIDE	2	233-035-1825	27-Feb-24	-	Citrus	Rind borer	4-6 tbsp/16 L water	5 days	-	Do not enter treatment areas until spray deposit have dried
BERRIS AGRICULTURAL CO., INC.	CARBARYL	SHOOT 85 WP	850 g/kg	WP	INSECTICIDE	2	233-035-1825	27-Feb-24	-	Soybeans	Podborer, beanfly, leafminer, aphids	4-6 tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
BERRIS AGRICULTURAL CO., INC.	CARBARYL	SHOOT 85 WP	850 g/kg	WP	INSECTICIDE	2	233-035-1825	27-Feb-24	-	Rice	Green leafhopper, caseworm, aphids	4-6 tbsp/16 L water	1ppm	14 Days	Do not enter treatment areas until spray deposit have dried
BERRIS AGRICULTURAL CO., INC.	CARBARYL	SHOOT 85 WP	850 g/kg	WP	INSECTICIDE	2	233-035-1825	27-Feb-24	-	Cowpea and other beans	Podborer, beanfly, leafminer, cutworm, aphids	4-6 tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
BERRIS AGRICULTURAL CO., INC.	CARBARYL	SHOOT 85 WP	850 g/kg	WP	INSECTICIDE	2	233-035-1825	27-Feb-24	-	Cotton seed	Bollworm, cutworm	4-6 tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
BERRIS AGRICULTURAL CO., INC.	CARBARYL	SHOOT 85 WP	850 g/kg	WP	INSECTICIDE	2	233-035-1825	27-Feb-24	-	Corn	Corn borer, corn earworm, army worm	4-6 tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
BERRIS AGRICULTURAL CO., INC.	CARBARYL	SHOOT 85 WP	850 g/kg	WP	INSECTICIDE	2	233-035-1825	27-Feb-24	-	Tomato	Fruitworm, leafy beetle	4-6 tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
BERRIS AGRICULTURAL CO., INC.	CARBARYL	SHOOT 85 WP	850 g/kg	WP	INSECTICIDE	2	233-035-1825	27-Feb-24	-	Cucurbits	Squash beetle, leafy beetle	4-6 tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
ALVA CHEMICALS, INC.	MANCOZEB	SHOGLIN 800 WP	800 g/kg	WP	FUNGICIDE	4	401-053-2180	25-Oct-19		Potato	Early and late blight	3-6 Tbsp/36 L water	-	-	As soon as spray dries
ALVA CHEMICALS, INC.	MANCOZEB	SHOGLIN 800 WP	800 g/kg	WP	FUNGICIDE	4	401-053-2180	25-Oct-19		Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries
ALVA CHEMICALS, INC.	MANCOZEB	SHOGLIN 800 WP	800 g/kg	WP	FUNGICIDE	4	401-053-2180	25-Oct-19		Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries
ALVA CHEMICALS, INC.	MANCOZEB	SHOGLIN 800 WP	800 g/kg	WP	FUNGICIDE	4	401-053-2180	25-Oct-19		Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries
ALVA CHEMICALS, INC.	MANCOZEB	SHOGLIN 800 WP	800 g/kg	WP	FUNGICIDE	4	401-053-2180	25-Oct-19		Garlic	Late blight	3-6 Tbsp/36 L water	-	14 days	As soon as spray dries
ALVA CHEMICALS, INC.	MANCOZEB	SHOGLIN 800 WP	800 g/kg	WP	FUNGICIDE	4	401-053-2180	25-Oct-19		Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
ALVA CHEMICALS, INC.	MANCOZEB	SHOGLIN 800 WP	800 g/kg	WP	FUNGICIDE	4	401-053-2180	25-Oct-19		Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
ALVA CHEMICALS, INC.	MANCOZEB	SHOGLIN 800 WP	800 g/kg	WP	FUNGICIDE	4	401-053-2180	25-Oct-19		Cotton	Damping off	3-6 Tbsp/36 L water	-	-	As soon as spray dries
ALVA CHEMICALS, INC.	MANCOZEB	SHOGLIN 800 WP	800 g/kg	WP	FUNGICIDE	4	401-053-2180	25-Oct-19		Lettuce	Downy mildew	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries
ALVA CHEMICALS, INC.	MANCOZEB	SHOGLIN 800 WP	800 g/kg	WP	FUNGICIDE	4	401-053-2180	25-Oct-19		Beans	Anthracoese, Downy mildew, Rust	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
ALVA CHEMICALS, INC.	MANCOZEB	SHOGLIN 800 WP	800 g/kg	WP	FUNGICIDE	4	401-053-2180	25-Oct-19		Peas	Anthracoese, Downy mildew, Rust	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
ALVA CHEMICALS, INC.	MANCOZEB	SHOGLIN 800 WP	800 g/kg	WP	FUNGICIDE	4	401-053-2180	25-Oct-19		Mungo	Anthracoese, Downy mildew, Rust	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
ALVA CHEMICALS, INC.	MANCOZEB	SHOGLIN 800 WP	800 g/kg	WP	FUNGICIDE	4	401-053-2180	25-Oct-19		Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
ALVA CHEMICALS, INC.	MANCOZEB	SHOGLIN 800 WP	800 g/kg	WP	FUNGICIDE	4	401-053-2180	25-Oct-19		Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries
ALVA CHEMICALS, INC.	MANCOZEB	SHOGLIN 800 WP	800 g/kg	WP	FUNGICIDE	4	401-053-2180	25-Oct-19		Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries
ALVA CHEMICALS, INC.	MANCOZEB	SHOGLIN 800 WP	800 g/kg	WP	FUNGICIDE	4	401-053-2180	25-Oct-19		Pepper	Anthracoese	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries
ALVA CHEMICALS, INC.	MANCOZEB	SHOGLIN 800 WP	800 g/kg	WP	FUNGICIDE	4	401-053-2180	25-Oct-19		Chili	Anthracoese	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries
ALVA CHEMICALS, INC.	MANCOZEB	SHOGLIN 800 WP	800 g/kg	WP	FUNGICIDE	4	401-053-2180	25-Oct-19		Eggplant	Blight, Anthracnose	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries
ALVA CHEMICALS, INC.	MANCOZEB	SHOGLIN 800 WP	800 g/kg	WP	FUNGICIDE	4	401-053-2180	25-Oct-19		Banana	Sigatoka, Black leaf streak	3-6 Tbsp/36 L water	-	-	As soon as spray dries
ALVA CHEMICALS, INC.	MANCOZEB	SHOGLIN 800 WP	800 g/kg	WP	FUNGICIDE	4	401-053-2180	25-Oct-19		Grapes	Downy mildew, black rot	3-6 Tbsp/36 L water	-	60 days	As soon as spray dries
ALVA CHEMICALS, INC.	MANCOZEB	SHOGLIN 800 WP	800 g/kg	WP	FUNGICIDE	4	401-053-2180	25-Oct-19		Mango	Anthracoese and Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
ALVA CHEMICALS, INC.	MANCOZEB	SHOGLIN 800 WP	800 g/kg	WP	FUNGICIDE	4	401-053-2180	25-Oct-19		Papaya	Fruit rot	3-6 Tbsp/36 L water	-	-	As soon as spray dries
ALVA CHEMICALS, INC.	MANCOZEB	SHOGLIN 800 WP	800 g/kg	WP	FUNGICIDE	4	401-053-2180	25-Oct-19		Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
ALVA CHEMICALS, INC.	MANCOZEB	SHOGLIN 800 WP	800 g/kg	WP	FUNGICIDE	4	401-053-2180	25-Oct-19		Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
ALVA CHEMICALS, INC.	MANCOZEB	SHOGLIN 800 WP	800 g/kg	WP	FUNGICIDE	4	401-053-2180	25-Oct-19		Corn (Sweet and Popsom)	Helminthosporium leaf spot	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries
ALVA CHEMICALS, INC.	MANCOZEB	SHOGLIN 800 WP	800 g/kg	WP	FUNGICIDE	4	401-053-2180	25-Oct-19		Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/36 L water	0.02ppm	-	As soon as spray dries
ALVA CHEMICALS, INC.	MANCOZEB	SHOGLIN 800 WP	800 g/kg	WP	FUNGICIDE	4	401-053-2180	25-Oct-19		Peanut	Cercospora leaf spot	3-6 Tbsp/36 L water	-	14 days	As soon as spray dries
ALVA CHEMICALS, INC.	MANCOZEB	SHOGLIN 800 WP	800 g/kg	WP	FUNGICIDE	4	401-053-2180	25-Oct-19		Soybeans	Leaf rust	3-6 Tbsp/36 L water	-	-	As soon as spray dries
ALVA CHEMICALS, INC.	MANCOZEB	SHOGLIN 800 WP	800 g/kg	WP	FUNGICIDE	4	401-053-2180	25-Oct-19		Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/36 L water	-	-	As soon as spray dries
C.B. ANDREW ASIA, INC.	CLOTHIANIDIN+LAMBDA CYHALOTHRIN	SHOCKWAVE 300 SC		SC	FUNGICIDE		451-623-6200	20-Jul-24	-	Rice	Brown planthopper, green leafhopper, rice black bug, leaf folder, stem borer				
C.B. ANDREW ASIA, INC.	CLOTHIANIDIN+LAMBDA CYHALOTHRIN	SHOCKWAVE 300 SC		SC	FUNGICIDE		451-623-6200	20-Jul-24	-	Corn	Fall armyworm				
SL BIOTECH CORPORATION	BUTACHLOR+PROPANIL	SHOCK 70 EC	350-100 g/L	EC	HERBICIDE	3	488-238-4362	06-Nov-23	POST-EMERGENT	Rice (Direct Seeded)	Grasses, Sedges and Broadleaves	8-12 Tbsp/36 L water	Butachlor 0.1ppm Propanil 0.1ppm	-	-
SL BIOTECH CORPORATION	BUTACHLOR+PROPANIL	SHOCK 70 EC	350-100 g/L	EC	HERBICIDE	3	488-238-4362	06-Nov-23	POST-EMERGENT	Rice (Transplanted)	Grasses, Sedges and Broadleaves	8-12 Tbsp/36 L water	Butachlor 0.1ppm Propanil 0.1ppm	-	-
DCOM MARKETING INCORPORATED	BENDIML	SHINEGO 50 WP	500 g/kg	WP	FUNGICIDE	4	467-167-2761	09-Aug-24	SYSTEMIC	Mungbeans	Powdery mildew, cercospora leaf spot	1-2 Tbsp/36L water	-	7 days	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
DCOM MARKETING INCORPORATED	BENDIML	SHINEGO 50 WP	500 g/kg	WP	FUNGICIDE	4	467-167-2761	09-Aug-24	SYSTEMIC	Beans	Powdery mildew, cercospora leaf spot	1-2 Tbsp/36L water	-	14 days	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
DCOM MARKETING INCORPORATED	BENDIML	SHINEGO 50 WP	500 g/kg	WP	FUNGICIDE	4	467-167-2761	09-Aug-24	SYSTEMIC	Cabbage	Cercospora leaf spot	1-2 Tbsp/36L water	-	7 days	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
DCOM MARKETING INCORPORATED	BENDIML	SHINEGO 50 WP	500 g/kg	WP	FUNGICIDE	4	467-167-2761	09-Aug-24	SYSTEMIC	Calamansi	Scab	1-2 Tbsp/36L water	-	14 days	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
DCOM MARKETING INCORPORATED	BENDIML	SHINEGO 50 WP	500 g/kg	WP	FUNGICIDE	4	467-167-2761	09-Aug-24	SYSTEMIC	Cucumber	Powdery mildew	1-2 Tbsp/36L water	-	14 days	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
DCOM MARKETING INCORPORATED	BENDIML	SHINEGO 50 WP	500 g/kg	WP	FUNGICIDE	4	467-167-2761	09-Aug-24	SYSTEMIC	Ginger	Cercospora leaf spot	1-2 Tbsp/36L water	-	7 days	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
DCOM MARKETING INCORPORATED	BENDIML	SHINEGO 50 WP	500 g/kg	WP	FUNGICIDE	4	467-167-2761	09-Aug-24	SYSTEMIC	Grapes	Powdery mildew	1-2 Tbsp/36L water	-	14 days	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
DCOM MARKETING INCORPORATED	BENDIML	SHINEGO 50 WP	500 g/kg	WP	FUNGICIDE	4	467-167-2761	09-Aug-24	SYSTEMIC	Mandarin	Scab	1-2 Tbsp/36L water	-	14 days	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
DCOM MARKETING INCORPORATED	BENDIML	SHINEGO 50 WP	500 g/kg	WP	FUNGICIDE	4	467-167-2761	09-Aug-24	SYSTEMIC	Mango	Anthracoese, powdery mildew	1-2 Tbsp/36L water	-	14 days	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
DCOM MARKETING INCORPORATED	BENDIML	SHINEGO 50 WP	500 g/kg	WP	FUNGICIDE	4	467-167-2761	09-Aug-24	SYSTEMIC	Melon	Powdery mildew	1-2 Tbsp/36L water	-	14 days	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
DCOM MARKETING INCORPORATED	BENDIML	SHINEGO 50 WP	500 g/kg	WP	FUNGICIDE	4	467-167-2761	09-Aug-24	SYSTEMIC	Orange	Scab	1-2 Tbsp/36L water	-	14 days	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
DCOM MARKETING INCORPORATED	BENDIML	SHINEGO 50 WP	500 g/kg	WP	FUNGICIDE	4	467-167-2761	09-Aug-24	SYSTEMIC	Papaya	Powdery mildew	1-2 Tbsp/36L water	-	14 days	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
DCOM MARKETING INCORPORATED	BENDIML	SHINEGO 50 WP	500 g/kg	WP	FUNGICIDE	4	467-167-2761	09-Aug-24	SYSTEMIC	Pepper	Cercospora leaf spot	1-2 Tbsp/36L water	-	7 days	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
DCOM MARKETING INCORPORATED	BENDIML	SHINEGO 50 WP	500 g/kg	WP	FUNGICIDE	4	467-167-2761	09-Aug-24	SYSTEMIC	Rice	Blast, sheath blight	3-4 Tbsp/36L water	-	7 days	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
DCOM MARKETING INCORPORATED	BENDIML	SHINEGO 50 WP	500 g/kg	WP	FUNGICIDE	4	467-167-2761	09-Aug-24	SYSTEMIC	Strawberry	Cercospora leaf spot	1-2 Tbsp/36L water	-	7 days	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
DCOM MARKETING INCORPORATED	BENDIML	SHINEGO 50 WP	500 g/kg	WP	FUNGICIDE	4	467-167-2761	09-Aug-24	SYSTEMIC	Tobacco	Leaf mold, frog eye	1-2 Tbsp/36L water	-	7 days	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
DCOM MARKETING INCORPORATED	BENDIML	SHINEGO 50 WP	500 g/kg	WP	FUNGICIDE	4	467-167-2761	09-Aug-24	SYSTEMIC	Banana	Black Sigatoka	200 g/ha	-	7 days	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
DCOM MARKETING INCORPORATED	GLYPHOSATE IPA	SHINE 480 SL	480 g/L	SL	HERBICIDE	4	467-151-2554	09-Mar-25	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/ha	-	-	-
DCOM MARKETING INCORPORATED	GLYPHOSATE IPA	SHINE 480 SL	480 g/L	SL	HERBICIDE	4	467-151-2554	09-Mar-25	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
DCOM MARKETING INCORPORATED	GLYPHOSATE IPA	SHINE 480 SL	480 g/L	SL	HERBICIDE	4	467-151-2554	09-Mar-25	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
DCOM MARKETING INCORPORATED	GLYPHOSATE IPA	SHINE 480 SL	480 g/L	SL	HERBICIDE	4	467-151-2554	09-Mar-25	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
DCOM MARKETING INCORPORATED	GLYPHOSATE IPA	SHINE 480 SL	480 g/L	SL	HERBICIDE	4	467-151-2554	09-Mar-25	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
DCOM MARKETING INCORPORATED	GLYPHOSATE IPA	SHINE 480 SL	480 g/L	SL	HERBICIDE	4	467-151-2554	09-Mar-25	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD	
DCOM MARKETING INCORPORATED	GLYPHOSATE IPA	SHINE 480 SL	480 g/L	SL	HERBICIDE	4	467-151-2554	09-Mar-25	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0liters/ha	-	-	-	
DCOM MARKETING INCORPORATED	GLYPHOSATE IPA	SHINE 480 SL	480 g/L	SL	HERBICIDE	4	467-151-2554	09-Mar-25	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0liters/ha	-	-	-	
DCOM MARKETING INCORPORATED	GLYPHOSATE IPA	SHINE 480 SL	480 g/L	SL	HERBICIDE	4	467-151-2554	09-Mar-25	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5liters/ha	-	-	-	
DCOM MARKETING INCORPORATED	GLYPHOSATE IPA	SHINE 480 SL	480 g/L	SL	HERBICIDE	4	467-151-2554	09-Mar-25	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0liters/ha	-	-	-	
DCOM MARKETING INCORPORATED	GLYPHOSATE IPA	SHINE 480 SL	480 g/L	SL	HERBICIDE	4	467-151-2554	09-Mar-25	POST-EMERGENT	Vegetables under minimum or tillage system	Annual & perennial grasses, broadleaf weeds & sedges	2.0liters/ha	-	-	-	
DCOM MARKETING INCORPORATED	GLYPHOSATE IPA	SHINE 480 SL	480 g/L	SL	HERBICIDE	4	467-151-2554	09-Mar-25	POST-EMERGENT	non-crop agricultural areas	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-	
ZOEIS PHILIPPINES, INC.	SODIUM HYDROXIDE	SHFT	8.7 g/L	-	OTHERS	2	705-567-5608	31-Dec-24	-	-	Disinfection of surfaces and equipment in livestock housing and all types of building structures	-	-	-	-	
BAYER CROSCIENCE, INC.	CYPERMETHRIN	SHERPA 050 EC	50 g/L	EC	INSECTICIDE	4	284-037-0623	11-Jan-19	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry	
BAYER CROSCIENCE, INC.	CYPERMETHRIN	SHERPA 050 EC	50 g/L	EC	INSECTICIDE	4	284-037-0623	11-Jan-19	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leafhopper, stem borer, armyworms, rice bug	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry	
BAYER CROSCIENCE, INC.	CYPERMETHRIN	SHERPA 050 EC	50 g/L	EC	INSECTICIDE	4	284-037-0623	11-Jan-19	CONTACT	Cabbage	Diamond back moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry	
BAYER CROSCIENCE, INC.	CYPERMETHRIN	SHERPA 050 EC	50 g/L	EC	INSECTICIDE	4	284-037-0623	11-Jan-19	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry	
BAYER CROSCIENCE, INC.	CYPERMETHRIN	SHERPA 050 EC	50 g/L	EC	INSECTICIDE	4	284-037-0623	11-Jan-19	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry	
BAYER CROSCIENCE, INC.	CYPERMETHRIN	SHERPA 050 EC	50 g/L	EC	INSECTICIDE	4	284-037-0623	11-Jan-19	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry	
BAYER CROSCIENCE, INC.	CYPERMETHRIN	SHERPA 050 EC	50 g/L	EC	INSECTICIDE	4	284-037-0623	11-Jan-19	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry	
BAYER CROSCIENCE, INC.	CYPERMETHRIN	SHERPA 050 EC	50 g/L	EC	INSECTICIDE	4	284-037-0623	11-Jan-19	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry	
BAYER CROSCIENCE, INC.	CYPERMETHRIN	SHERPA 050 EC	50 g/L	EC	INSECTICIDE	4	284-037-0623	11-Jan-19	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry	
BAYER CROSCIENCE, INC.	CYPERMETHRIN	SHERPA 050 EC	50 g/L	EC	INSECTICIDE	4	284-037-0623	11-Jan-19	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry	
BAYER CROSCIENCE, INC.	CYPERMETHRIN	SHERPA 050 EC	50 g/L	EC	INSECTICIDE	4	284-037-0623	11-Jan-19	CONTACT	Corn	Com-borer, earworm	1.0-4.5 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry	
EZERTECH CORPORATION	FPFONIL	SHERIFF 0.3 GR	30 g/kg	GR	INSECTICIDE	3	648-244-5501	28-Oct-24	-	Rice (transplanted)	Stemborer	30-17 kg/ hectare	-	-	Do not apply 7 days before harvest	1 day after application
EZERTECH CORPORATION	FPFONIL	SHERIFF 0.3 GR	30 g/kg	GR	INSECTICIDE	3	648-244-5501	28-Oct-24	-	Rice (Direct-seeded)	Brown planthopper	11-17 kg/ hectare	-	-	Do not apply 7 days before harvest	1 day after application
EZERTECH CORPORATION	FPFONIL	SHERIFF 0.3 GR	30 g/kg	GR	INSECTICIDE	3	648-244-5501	28-Oct-24	-	Corn	Stemborer	30-17 kg/ hectare	-	-	Do not apply 7 days before harvest	1 day after application
EZERTECH CORPORATION	FPFONIL	SHERIFF 0.3 GR	30 g/kg	GR	INSECTICIDE	3	648-244-5501	28-Oct-24	-	Sugarcane (plant canes) & cotton	White grubs	20-30 kg/ hectare	-	-	Do not apply 7 days before harvest	1 day after application
ALTACROP PROTECTION CORPORATION	2,4-D IBE	SHELTER 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	351-049-2911	17-Oct-26	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	0.1 ppm	-	Do not spray within two days before harvest	Entry to fields and crops treated with SHELTER 2,4-D ESTER can be done one day after spraying
ALTACROP PROTECTION CORPORATION	2,4-D IBE	SHELTER 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	351-049-2911	17-Oct-26	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	-	-	Do not spray within two days before harvest	Entry to fields and crops treated with SHELTER 2,4-D ESTER can be done one day after spraying
ALTACROP PROTECTION CORPORATION	2,4-D AMINE	SHELTER 2,4-D AMINE	490 g/L	EC	HERBICIDE	2	351-013-1660	31-Dec-23	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual broadleaves and sedges	3.5-6.5Tbsp/16 L water	0.1 ppm	-	-	Entry to fields and crops treated with SHELTER 2,4-D AMINE can be done one day after spraying
ALTACROP PROTECTION CORPORATION	2,4-D AMINE	SHELTER 2,4-D AMINE	490 g/L	EC	HERBICIDE	2	351-013-1660	31-Dec-23	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual broadleaves and sedges	18-25 Tbsp/16 L water	-	-	-	Entry to fields and crops treated with SHELTER 2,4-D AMINE can be done one day after spraying
ALTACROP PROTECTION CORPORATION	2,4-D AMINE	SHELTER 2,4-D AMINE	490 g/L	EC	HERBICIDE	2	351-013-1660	31-Dec-23	SELECTIVE (POST-EMERGENT)	Corn	Annual broadleaves and sedges	5-6.5 Tbsp/16 L water	-	-	-	Entry to fields and crops treated with SHELTER 2,4-D AMINE can be done one day after spraying
CHEMISOL INCORPORATED	C18-C24 LINEAR & BRANCHED/HYDROCARBONS	SHELL GTL GS 330	-	-	OTHERS	-	663-525-5012	13-Oct-24	-	Cavendish Banana	Black Sigatoka (As adjunct)	5 L prod. / ha.	-	-	-	-
KEMISTAR CORPORATION	2,4-D IBE	SHELL 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	529-049-2832-A	07-Jul-26	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	0.1 ppm	-	Do not spray within two days before harvest	Entry to fields and crops treated with SHELL 2,4 can be done one (1) day after spraying
KEMISTAR CORPORATION	2,4-D IBE	SHELL 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	529-049-2832-A	07-Jul-26	SELECTIVE (POST-EMERGENT)	Corn	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	-	-	Do not spray within two days before harvest	Entry to fields and crops treated with SHELL 2,4 can be done one (1) day after spraying
KEMISTAR CORPORATION	2,4-D IBE	SHELL 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	529-049-2832-A	07-Jul-26	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	-	-	Do not spray within two days before harvest	Entry to fields and crops treated with SHELL 2,4 can be done one (1) day after spraying
TAIPAN BRAND FARM INC.	2,4-D IBE	SHELL 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	529-049-3338	07-Jul-26	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	0.10 ppm	2 days	24 hours after spraying	24 hours after spraying
TAIPAN BRAND FARM INC.	2,4-D IBE	SHELL 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	529-049-3338	07-Jul-26	SELECTIVE (POST-EMERGENT)	Corn	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	0.05 ppm	2 days	24 hours after spraying	24 hours after spraying
TAIPAN BRAND FARM INC.	2,4-D IBE	SHELL 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	529-049-3338	07-Jul-26	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	0.05 ppm	2 days	24 hours after spraying	24 hours after spraying
KEMISTAR CORPORATION	2,4-D AMINE	SHELL 2,4-D AMINE	490 g/L	EC	HERBICIDE	2	529-013-1971	07-Jul-23	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual broadleaves and sedges	3.5-6.5Tbsp/16 L water	0.1 ppm	-	-	Entry to fields and crops treated with SHELL 2,4-D AMINE can be done one (1) day after spraying
KEMISTAR CORPORATION	2,4-D AMINE	SHELL 2,4-D AMINE	490 g/L	EC	HERBICIDE	2	529-013-1971	07-Jul-23	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual broadleaves and sedges	18-25 Tbsp/16 L water	-	-	-	Entry to fields and crops treated with SHELL 2,4-D AMINE can be done one (1) day after spraying
KEMISTAR CORPORATION	2,4-D AMINE	SHELL 2,4-D AMINE	490 g/L	EC	HERBICIDE	2	529-013-1971	07-Jul-23	SELECTIVE (POST-EMERGENT)	Corn	Annual broadleaves and sedges	5-6.5 Tbsp/16 L water	-	-	-	Entry to fields and crops treated with SHELL 2,4-D AMINE can be done one (1) day after spraying
TAIPAN BRAND FARM INC.	2,4-D AMINE	SHELL 2,4-D AMINE	490 g/L	EC	HERBICIDE	2	529-013-3120	28-Feb-25	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual broadleaves and sedges	3.5-6.5Tbsp/16 L water	0.10 ppm	-	24 hours after spraying	24 hours after spraying
TAIPAN BRAND FARM INC.	2,4-D AMINE	SHELL 2,4-D AMINE	490 g/L	EC	HERBICIDE	2	529-013-3120	28-Feb-25	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual broadleaves and sedges	18-25 Tbsp/16 L water	0.10 ppm	-	24 hours after spraying	24 hours after spraying
TAIPAN BRAND FARM INC.	2,4-D AMINE	SHELL 2,4-D AMINE	490 g/L	EC	HERBICIDE	2	529-013-3120	28-Feb-25	SELECTIVE (POST-EMERGENT)	Corn	Annual broadleaves and sedges	5-6.5 Tbsp/16 L water	0.10 ppm	-	24 hours after spraying	24 hours after spraying
CROP PROTECTION ADVENTURES INC.	CLOTHIANIDIN	SHEARLINE 20SC	200 g/L	SC	INSECTICIDE	4	016-379-6053	31-May-25	-	Rice	Rice black bug	4.5 tbsps/ 16L	-	-	-	-
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	CHLOROTHALONIL	SHAW 720 SC	720 g/L	SC	FUNGICIDE	4	575-118-5734	15-Nov-24	-	Potato	Early & late blight, vine rot	4.5-6.0 Tbsp/ 16L water	-	-	Do not apply within 7 to 14 mdays from last spray till harvest except banana (0 days).	Entry to treated fields may be done as soon as spray solution has dried on the foliage
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	CHLOROTHALONIL	SHAW 720 SC	720 g/L	SC	FUNGICIDE	4	575-118-5734	15-Nov-24	-	Tomato	Early & late blight, vine rot	4.5-6.0 Tbsp/ 16L water	-	-	Do not apply within 7 to 14 mdays from last spray till harvest except banana (0 days).	Entry to treated fields may be done as soon as spray solution has dried on the foliage
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	CHLOROTHALONIL	SHAW 720 SC	720 g/L	SC	FUNGICIDE	4	575-118-5734	15-Nov-24	-	Beans	Rust, anthracnose	Do not apply within 7 to 14 mdays from last spray till harvest except banana (0 days).	-	-	Do not apply within 7 to 14 mdays from last spray till harvest except banana (0 days).	Entry to treated fields may be done as soon as spray solution has dried on the foliage
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	CHLOROTHALONIL	SHAW 720 SC	720 g/L	SC	FUNGICIDE	4	575-118-5734	15-Nov-24	-	Carrots	Alternative, cercospora leaf spot, helminthosporium leaf spot	4.5-6.0 Tbsp/ 16L water	-	-	Do not apply within 7 to 14 mdays from last spray till harvest except banana (0 days).	Entry to treated fields may be done as soon as spray solution has dried on the foliage
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	CHLOROTHALONIL	SHAW 720 SC	720 g/L	SC	FUNGICIDE	4	575-118-5734	15-Nov-24	-	Cucufers	Powdery Mildew	4.5-6.0 Tbsp/ 16L water	-	-	Do not apply within 7 to 14 mdays from last spray till harvest except banana (0 days).	Entry to treated fields may be done as soon as spray solution has dried on the foliage
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	CHLOROTHALONIL	SHAW 720 SC	720 g/L	SC	FUNGICIDE	4	575-118-5734	15-Nov-24	-	Cucurbits	Powdery Mildew, Cercospora, Septoria fruit rot, anthracnose, early & late blight	4.5-6.0 Tbsp/ 16L water	-	-	Do not apply within 7 to 14 mdays from last spray till harvest except banana (0 days).	Entry to treated fields may be done as soon as spray solution has dried on the foliage
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	CHLOROTHALONIL	SHAW 720 SC	720 g/L	SC	FUNGICIDE	4	575-118-5734	15-Nov-24	-	Celery	Early & late blight	4.5-6.0 Tbsp/ 16L water	-	-	Do not apply within 7 to 14 mdays from last spray till harvest except banana (0 days).	Entry to treated fields may be done as soon as spray solution has dried on the foliage
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	CHLOROTHALONIL	SHAW 720 SC	720 g/L	SC	FUNGICIDE	4	575-118-5734	15-Nov-24	-	Aggplant	Early & Late blight, cercospora leaf spot, anthracnose	4.5-6.0 Tbsp/ 16L water	-	-	Do not apply within 7 to 14 mdays from last spray till harvest except banana (0 days).	Entry to treated fields may be done as soon as spray solution has dried on the foliage
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	CHLOROTHALONIL	SHAW 720 SC	720 g/L	SC	FUNGICIDE	4	575-118-5734	15-Nov-24	-	Onion	Purple blotch, bulb rot, neck rot	4.5-6.0 Tbsp/ 16L water	-	-	Do not apply within 7 to 14 mdays from last spray till harvest except banana (0 days).	Entry to treated fields may be done as soon as spray solution has dried on the foliage
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	CHLOROTHALONIL	SHAW 720 SC	720 g/L	SC	FUNGICIDE	4	575-118-5734	15-Nov-24	-	Pepper	Early blight, cercospora leaf spot, anthracnose	4.5-6.0 Tbsp/ 16L water	-	-	Do not apply within 7 to 14 mdays from last spray till harvest except banana (0 days).	Entry to treated fields may be done as soon as spray solution has dried on the foliage
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	CHLOROTHALONIL	SHAW 720 SC	720 g/L	SC	FUNGICIDE	4	575-118-5734	15-Nov-24	-	Corn	helminthosporium leaf spot, cercospora leaf spot,	4.5-6.0 Tbsp/ 16L water	-	-	Do not apply within 7 to 14 mdays from last spray till harvest except banana (0 days).	Entry to treated fields may be done as soon as spray solution has dried on the foliage
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	CHLOROTHALONIL	SHAW 720 SC	720 g/L	SC	FUNGICIDE	4	575-118-5734	15-Nov-24	-	Grapes	Downy mildew, powdery mildew, fruit rot	4.5-6.0 Tbsp/ 16L water	-	-	Do not apply within 7 to 14 mdays from last spray till harvest except banana (0 days).	Entry to treated fields may be done as soon as spray solution has dried on the foliage
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	CHLOROTHALONIL	SHAW 720 SC	720 g/L	SC	FUNGICIDE	4	575-118-5734	15-Nov-24	-	Mango	Anthracoese, diplodia rot	4.5-6.0 Tbsp/ 16L water	-	-	Do not apply within 7 to 14 mdays from last spray till harvest except banana (0 days).	Entry to treated fields may be done as soon as spray solution has dried on the foliage
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	CHLOROTHALONIL	SHAW 720 SC	720 g/L	SC	FUNGICIDE	4	575-118-5734	15-Nov-24	-	Banana	Sigatoka, Leaf fleckle, rust, helminthosporium leaf spot	1.0-2.0 L per ha Tbsp/ 16L water	-	-	Do not apply within 7 to 14 mdays from last spray till harvest except banana (0 days).	Entry to treated fields may be done as soon as spray solution has dried on the foliage

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	CHLOROTHALONIL	SHAW 720 SC	720 g/L	SC	FUNGICIDE	4	575-118-5734	15-Nov-24	-	Ornamentals	Black spot, powdery mildew, black rot	4.5-6.0 Tbsp/ 16L water	-	-	Do not apply within 7 to 14 mdays from last spray till harvest except banana (10 days).
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	CHLOROTHALONIL	SHAW 720 SC	720 g/L	SC	FUNGICIDE	4	575-118-5734	15-Nov-24	-	Asparagus	Stem and leaf blight	4.5-6.0 Tbsp/ 16L water	-	-	Do not apply within 7 to 14 mdays from last spray till harvest except banana (10 days).
AGRI-SPOUT PHILIPPINES, INC.	NICOSAMIDE ETHANOLAMINE SALT	SHARTER 20 WP	200 g/kg	WP	MOLLUSCICIDE	4	489-229-5086	12-Feb-24	CONTACT	Rice	Golden Apple Snail (Kuhol)	30 gm/ 16L water	-	-	Do not enter the treated field within 48 hours after application
DARL AGRICULTURAL ENTERPRISES INC.	GLYPHOSATE IPA	SHARU 480 SL	480 g/L	SL	HERBICIDE	4	489-151-2769	4-Jan-23	POST-EMERGENT	Glyphosate tolerant corn	Annual and perennial grasses, sedges and broadleaves	2.0-4.0 Liters/ha	-	-	
DARL AGRICULTURAL ENTERPRISES INC.	GLYPHOSATE IPA	SHARU 480 SL	480 g/L	SL	HERBICIDE	4	489-151-2769	4-Jan-23	POST-EMERGENT	Mango	Annual and perennial grasses, sedges and broadleaves	3.0-4.5 Liters/ha	-	-	
DARL AGRICULTURAL ENTERPRISES INC.	GLYPHOSATE IPA	SHARU 480 SL	480 g/L	SL	HERBICIDE	4	489-151-2769	4-Jan-23	POST-EMERGENT	Banana	Annual and perennial grasses, sedges and broadleaves	3.0-4.5 Liters/ha	-	-	
DARL AGRICULTURAL ENTERPRISES INC.	GLYPHOSATE IPA	SHARU 480 SL	480 g/L	SL	HERBICIDE	4	489-151-2769	4-Jan-23	POST-EMERGENT	Coffee	Annual and perennial grasses, sedges and broadleaves	3.0-4.5 Liters/ha	-	-	
DARL AGRICULTURAL ENTERPRISES INC.	GLYPHOSATE IPA	SHARU 480 SL	480 g/L	SL	HERBICIDE	4	489-151-2769	4-Jan-23	POST-EMERGENT	Cacao	Annual and perennial grasses, sedges and broadleaves	3.0-4.5 Liters/ha	-	-	
DARL AGRICULTURAL ENTERPRISES INC.	GLYPHOSATE IPA	SHARU 480 SL	480 g/L	SL	HERBICIDE	4	489-151-2769	4-Jan-23	POST-EMERGENT	Rubber	Annual and perennial grasses, sedges and broadleaves	2.0Liters/ha	-	-	
DARL AGRICULTURAL ENTERPRISES INC.	GLYPHOSATE IPA	SHARU 480 SL	480 g/L	SL	HERBICIDE	4	489-151-2769	4-Jan-23	POST-EMERGENT	Oil palm	Annual and perennial grasses, sedges and broadleaves	2.0Liters/ha	-	-	
DARL AGRICULTURAL ENTERPRISES INC.	GLYPHOSATE IPA	SHARU 480 SL	480 g/L	SL	HERBICIDE	4	489-151-2769	4-Jan-23	POST-EMERGENT	Citrus	Annual and perennial grasses, sedges and broadleaves	2.0Liters/ha	-	-	
DARL AGRICULTURAL ENTERPRISES INC.	GLYPHOSATE IPA	SHARU 480 SL	480 g/L	SL	HERBICIDE	4	489-151-2769	4-Jan-23	POST-EMERGENT	Coconut	Annual and perennial grasses, sedges and broadleaves	4.5 Liters/ha	-	-	
DARL AGRICULTURAL ENTERPRISES INC.	GLYPHOSATE IPA	SHARU 480 SL	480 g/L	SL	HERBICIDE	4	489-151-2769	4-Jan-23	POST-EMERGENT	Sugarcane	Annual and perennial grasses, sedges and broadleaves	2.0Liters/ha	-	-	
DARL AGRICULTURAL ENTERPRISES INC.	GLYPHOSATE IPA	SHARU 480 SL	480 g/L	SL	HERBICIDE	4	489-151-2769	4-Jan-23	POST-EMERGENT	Vegetables under minimum or reduced tillage system	Annual and perennial grasses, sedges and broadleaves	2.0Liters/ha	-	-	
DARL AGRICULTURAL ENTERPRISES INC.	GLYPHOSATE IPA	SHARU 480 SL	480 g/L	SL	HERBICIDE	4	489-151-2769	4-Jan-23	POST-EMERGENT	Non-crop areas	Annual and perennial grasses, sedges and broadleaves	-	-	-	
ALDIZ INCORPORATED	GLYPHOSATE IPA	SHARPSHOOTER 48 SL	480 g/L	SL	HERBICIDE	4	002-151-1295	03-Dec-26	POST-EMERGENT	Glyphosate tolerant corn under minimum or reduced	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/ha	-	7 Days	As soon as the spray deposits have dried
ALDIZ INCORPORATED	GLYPHOSATE IPA	SHARPSHOOTER 48 SL	480 g/L	SL	HERBICIDE	4	002-151-1295	03-Dec-26	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	7 Days	As soon as the spray deposits have dried
ALDIZ INCORPORATED	GLYPHOSATE IPA	SHARPSHOOTER 48 SL	480 g/L	SL	HERBICIDE	4	002-151-1295	03-Dec-26	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	7 Days	As soon as the spray deposits have dried
ALDIZ INCORPORATED	GLYPHOSATE IPA	SHARPSHOOTER 48 SL	480 g/L	SL	HERBICIDE	4	002-151-1295	03-Dec-26	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	7 Days	As soon as the spray deposits have dried
ALDIZ INCORPORATED	GLYPHOSATE IPA	SHARPSHOOTER 48 SL	480 g/L	SL	HERBICIDE	4	002-151-1295	03-Dec-26	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	7 Days	As soon as the spray deposits have dried
ALDIZ INCORPORATED	GLYPHOSATE IPA	SHARPSHOOTER 48 SL	480 g/L	SL	HERBICIDE	4	002-151-1295	03-Dec-26	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0Liters/ha	-	7 Days	As soon as the spray deposits have dried
ALDIZ INCORPORATED	GLYPHOSATE IPA	SHARPSHOOTER 48 SL	480 g/L	SL	HERBICIDE	4	002-151-1295	03-Dec-26	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0Liters/ha	-	7 Days	As soon as the spray deposits have dried
ALDIZ INCORPORATED	GLYPHOSATE IPA	SHARPSHOOTER 48 SL	480 g/L	SL	HERBICIDE	4	002-151-1295	03-Dec-26	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0Liters/ha	-	7 Days	As soon as the spray deposits have dried
ALDIZ INCORPORATED	GLYPHOSATE IPA	SHARPSHOOTER 48 SL	480 g/L	SL	HERBICIDE	4	002-151-1295	03-Dec-26	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/ha	-	7 Days	As soon as the spray deposits have dried
ALDIZ INCORPORATED	GLYPHOSATE IPA	SHARPSHOOTER 48 SL	480 g/L	SL	HERBICIDE	4	002-151-1295	03-Dec-26	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0Liters/ha	-	7 Days	As soon as the spray deposits have dried
ALDIZ INCORPORATED	GLYPHOSATE IPA	SHARPSHOOTER 48 SL	480 g/L	SL	HERBICIDE	4	002-151-1295	03-Dec-26	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	7 Days	As soon as the spray deposits have dried
ALDIZ INCORPORATED	GLYPHOSATE IPA	SHARPSHOOTER 48SL	480 g/L	SL	HERBICIDE	4	002-151-1295	03-Dec-26	POST-EMERGENT	non-crop	Annual & perennial grasses, broadleaf weeds & sedges	-	-	7 Days	As soon as the spray deposits have dried
SHARPHIL INC.	TERBUCONAZOLE	SHARPHIL TERBUCONAZOLE 430 SC	430 g/L	SC	FUNGICIDE	4	402-259-2575	11-Apr-30	SYSTEMIC	Banana	Sigatoka	0.25L prod./ha	-	-	
SHARPHIL INC.	TERBUCONAZOLE	SHARPHIL TERBUCONAZOLE 430 SC	430 g/L	SC	FUNGICIDE	4	402-259-2575	11-Apr-30	SYSTEMIC	Corn	Rust	25-30mL/16 L water	-	-	
SHARPHIL INC.	TERBUCONAZOLE	SHARPHIL TERBUCONAZOLE 430 SC	430 g/L	SC	FUNGICIDE	4	402-259-2575	11-Apr-30	SYSTEMIC	Mango	Anthracoese	35-45mL/100 L water	-	-	
SHARPHIL INC.	CHLADIFOP BUTYL	SHARPHIL RYCOP 100 EC	100 g/kg	EC	HERBICIDE	4	402-257-3457	14-Jul-24	SYSTEMIC	Rice (Direct-Seeded)	Grasses	7-9Tbsp./tank load, 12 of tank load/ha (16L capacity)	-	-	
SHARPHIL INC.	PROFENOFOS	SHARPHIL PROF 50 EC	500g/L	EC	INSECTICIDE	2	402-070-4266	01-Mar-21	CONTACT	Mango	Thrips	1.0-2.0 Tbsp/16L water	-	14 Days	Do not enter treated fields for at least one(1) day after application
SHARPHIL INC.	PROFENOFOS	SHARPHIL PROF 50 EC	500g/L	EC	INSECTICIDE	2	402-070-4266	01-Mar-21	CONTACT	Tomato	Fruitworm, armyworm, cutworm	3-5 Tbsp/16L water	-	14 Days	Do not enter treated fields for at least one(1) day after application
SHARPHIL INC.	PROFENOFOS	SHARPHIL PROF 50 EC	500g/L	EC	INSECTICIDE	2	402-070-4266	01-Mar-21	CONTACT	Eggplant	Fruitborer, aphids, leafhopper, & thrips	1.5-3.0 Tbsp/16L water	-	14 Days	Do not enter treated fields for at least one(1) day after application
SHARPHIL INC.	PROFENOFOS	SHARPHIL PROF 50 EC	500g/L	EC	INSECTICIDE	2	402-070-4266	01-Mar-21	CONTACT	Cabbage	Diamond back moth, cabbage worm & aphids, thrips	3-5 Tbsp/16L water	-	14 Days	Do not enter treated fields for at least one(1) day after application
SHARPHIL INC.	PROFENOFOS	SHARPHIL PROF 50 EC	500g/L	EC	INSECTICIDE	2	402-070-4266	01-Mar-21	CONTACT	Watermelon	Thrips	3-5 Tbsp/16L water	-	14 Days	Do not enter treated fields for at least one(1) day after application
SHARPHIL INC.	PROFENOFOS	SHARPHIL PROF 50 EC	500g/L	EC	INSECTICIDE	2	402-070-4266	01-Mar-21	CONTACT	Potato	Thrips, army worm, cutworm, tuber moth	3-5 Tbsp/16L water	-	14 Days	Do not enter treated fields for at least one(1) day after application
SHARPHIL INC.	PROFENOFOS	SHARPHIL PROF 50 EC	500g/L	EC	INSECTICIDE	2	402-070-4266	01-Mar-21	CONTACT	Soybeans	Corn earworm, leafminer	3-5 Tbsp/16L water	-	14 Days	Do not enter treated fields for at least one(1) day after application
SHARPHIL INC.	PROFENOFOS	SHARPHIL PROF 50 EC	500g/L	EC	INSECTICIDE	2	402-070-4266	01-Mar-21	CONTACT	Mungbeans	Corn earworm, leafminer	3-5 Tbsp/16L water	-	14 Days	Do not enter treated fields for at least one(1) day after application
SHARPHIL INC.	PROFENOFOS	SHARPHIL PROF 50 EC	500g/L	EC	INSECTICIDE	2	402-070-4266	01-Mar-21	CONTACT	Cotton	Thrips, bollworm & budworm	3-5 Tbsp/16L water	-	14 Days	Do not enter treated fields for at least one(1) day after application
SHARPHIL INC.	PROFENOFOS	SHARPHIL PROF 50 EC	500g/L	EC	INSECTICIDE	2	402-070-4266	01-Mar-21	CONTACT	Sitao	Beanyfly, leaf folder & aphids	1.5-3.0 Tbsp/16L water	-	14 Days	Do not enter treated fields for at least one(1) day after application
SHARPHIL INC.	METALDEHYDE	SHARPHIL METALDEHYDE 5 GB	50 g/kg	GB	MOLLUSCICIDE	4	402-075-4048	07/14/2020	CONTACT	Rice (Transplanted)	Golden apple snail	2-4 kg/ product per hectare	-	-	
SHARPHIL INC.	METALDEHYDE	SHARPHIL METALDEHYDE 5 GB	50 g/kg	GB	MOLLUSCICIDE	4	402-075-4048	07/14/2020	CONTACT	Rice (Direct-Seeded)	Golden apple snail	4-8 kg/product per hectare	-	-	
SHARPHIL INC.	METALDEHYDE	SHARPHIL METALDEHYDE 5 GB	50 g/kg	GB	MOLLUSCICIDE	4	402-075-4048	07/14/2020	CONTACT	Potted and driftwood-attached plants such as	Bush, snails, giant african snail and slugs	1-2 kg/product per hectare	-	-	
SHARPHIL INC.	METALDEHYDE	SHARPHIL METALDEHYDE 5 GB	50 g/kg	GB	MOLLUSCICIDE	4	402-075-4048	07/14/2020	CONTACT	Chinese Cabbage	Slug, snails	6-8 kg/product per hectare	-	-	
SHARPHIL INC.	METALDEHYDE	SHARPHIL METALDEHYDE 5 GB	50 g/kg	GB	MOLLUSCICIDE	4	402-075-4048	07/14/2020	CONTACT	Strawberry	Slug, snails	6-8 kg/product per hectare	-	-	
SHARPHIL INC.	MALATHION	SHARPHIL MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	402-038-2172	09-Oct-19	NON-SYSTEMIC	Fruit trees	Aphids, mealy bug scale insect	1.5-3.0Tbsp/16L water	-	-	
SHARPHIL INC.	MALATHION	SHARPHIL MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	402-038-2172	09-Oct-19	NON-SYSTEMIC	Rice	Armyworm, cutworm, leafhopper, bugs	2.0-3.0Tbsp/16L water	-	-	
SHARPHIL INC.	MALATHION	SHARPHIL MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	402-038-2172	09-Oct-19	NON-SYSTEMIC	Corn	Earworm, silkworm, aphids, grasshopper	3.0-5.0Tbsp/16L water	-	-	
SHARPHIL INC.	MALATHION	SHARPHIL MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	402-038-2172	09-Oct-19	NON-SYSTEMIC	Cabbage	Cabbage worm, looper, diamond-back moth	2.0-3.0Tbsp/16L water	-	-	
SHARPHIL INC.	MALATHION	SHARPHIL MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	402-038-2172	09-Oct-19	NON-SYSTEMIC	Legumes	Aphids, beanfly, cutworm, flea beetles, leafminer, maggots, mealybug, armyworm, thrips	2.0-5.0Tbsp/16L water	-	-	
SHARPHIL INC.	MALATHION	SHARPHIL MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	402-038-2172	09-Oct-19	NON-SYSTEMIC	Grapes	Beetles, cutworm, leafhopper, mealybug, scale, insect, spider mites	3.0Tbsp/16L water	-	-	
SHARPHIL INC.	MALATHION	SHARPHIL MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	402-038-2172	09-Oct-19	NON-SYSTEMIC	Pineapple	Mealy bug	3.0Tbsp/16L water	-	-	
SHARPHIL INC.	MALATHION	SHARPHIL MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	402-038-2172	09-Oct-19	NON-SYSTEMIC	Pepper	Aphid, cutworm, fruitworm	3.0Tbsp/16L water	-	-	
SHARPHIL INC.	MALATHION	SHARPHIL MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	402-038-2172	09-Oct-19	NON-SYSTEMIC	Garlic	Cutworm	3.0Tbsp/16L water	-	-	
SHARPHIL INC.	MALATHION	SHARPHIL MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	402-038-2172	09-Oct-19	NON-SYSTEMIC	Onion	Cutworm	3.0Tbsp/16L water	-	-	

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
SHARPHIL INC.	MALATHION	SHARPHIL MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	402-038-2172	09-Oct-19	NON-SYSTEMIC	Tobacco	Aphids, ladyd	10-6.0Tbsp/16 L water			
SHARPHIL INC.	MALATHION	SHARPHIL MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	402-038-2172	09-Oct-19	NON-SYSTEMIC	Ornamentals	Aphids, cutworm, mealybug, scale insect, spider mites	10-5.0Tbsp/16 L water			
SHARPHIL INC.	MALATHION	SHARPHIL MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	402-038-2172	09-Oct-19	NON-SYSTEMIC	Tomato	Lady beetle	10-5.0Tbsp/16 L water			
SHARPHIL INC.	MALATHION	SHARPHIL MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	402-038-2172	09-Oct-19	NON-SYSTEMIC	Eggplant	Aphids, fruitworm	10-5.0Tbsp/16 L water			
SHARPHIL INC.	MALATHION	SHARPHIL MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	402-038-2172	09-Oct-19	NON-SYSTEMIC	Sorghum	Web worm	1.0Tbsp/16 L water			
SHARPHIL INC.	LUFENURON	SHARPHIL LUFENURON 5% EC	50g/L	EC	INSECTICIDE	4	402-321-4490	28-Aug-21		Tomato	Fruitworm & cutworm	2.0-3.5 Tbsp/16 L water		7 days	
SHARPHIL INC.	LUFENURON	SHARPHIL LUFENURON 5% EC	50g/L	EC	INSECTICIDE	4	402-321-4490	28-Aug-21		Mango	Twigcutter and tipborer	1.0-1.5 Tbsp/16 L water			
SHARPHIL INC.	LAMBDA-CYHALOTHRIN	SHARPHIL LAMBDA-CYHALOTHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	402-204-2424	08-Oct-24	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leafroller, black bug	1.0-1.5Tbsp/16 L of water	0.05ppm	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
SHARPHIL INC.	LAMBDA-CYHALOTHRIN	SHARPHIL LAMBDA-CYHALOTHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	402-204-2424	08-Oct-24	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
SHARPHIL INC.	LAMBDA-CYHALOTHRIN	SHARPHIL LAMBDA-CYHALOTHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	402-204-2424	08-Oct-24	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
SHARPHIL INC.	LAMBDA-CYHALOTHRIN	SHARPHIL LAMBDA-CYHALOTHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	402-204-2424	08-Oct-24	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
SHARPHIL INC.	LAMBDA-CYHALOTHRIN	SHARPHIL LAMBDA-CYHALOTHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	402-204-2424	08-Oct-24	SYSTEMIC	Mungbeans	Bearfly, flea beetle, leafhopper, aphids, mites, podborer	1.0Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
SHARPHIL INC.	LAMBDA-CYHALOTHRIN	SHARPHIL LAMBDA-CYHALOTHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	402-204-2424	08-Oct-24	SYSTEMIC	Corn	Comborer, aphids, seedling maggots	1.0-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
SHARPHIL INC.	LAMBDA-CYHALOTHRIN	SHARPHIL LAMBDA-CYHALOTHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	402-204-2424	08-Oct-24	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, ladydids	1.0-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
SHARPHIL INC.	LAMBDA-CYHALOTHRIN	SHARPHIL LAMBDA-CYHALOTHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	402-204-2424	08-Oct-24	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
SHARPHIL INC.	LAMBDA-CYHALOTHRIN	SHARPHIL LAMBDA-CYHALOTHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	402-204-2424	08-Oct-24	SYSTEMIC	Cacao	Podborer	1.0-2.0Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
SHARPHIL INC.	LAMBDA-CYHALOTHRIN	SHARPHIL LAMBDA-CYHALOTHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	402-204-2424	08-Oct-24	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/16 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
SHARPHIL INC.	GLUFOSINATE AMMONIUM	SHARPHIL GLUFOSINATE AMMONIUM	150 g/L	SL	HERBICIDE	4	402-182-3766	19-Sep-21	NON-SELECTIVE/POST-EMERGENT	Rubber	Annual & Perennial grasses, sedges & broadleaf weeds				
SHARPHIL INC.	GLUFOSINATE AMMONIUM	SHARPHIL GLUFOSINATE AMMONIUM	150 g/L	SL	HERBICIDE	4	402-182-3766	19-Sep-21	NON-SELECTIVE/POST-EMERGENT	Oil palm	Annual & Perennial grasses, sedges & broadleaf weeds				
SHARPHIL INC.	GLUFOSINATE AMMONIUM	SHARPHIL GLUFOSINATE AMMONIUM	150 g/L	SL	HERBICIDE	4	402-182-3766	19-Sep-21	NON-SELECTIVE/POST-EMERGENT	Non-Agricultural Crop Areas	Annual & Perennial grasses, sedges & broadleaf weeds				
SHARPHIL INC.	GLUFOSINATE AMMONIUM	SHARPHIL GLUFOSINATE AMMONIUM	150 g/L	SL	HERBICIDE	4	402-182-3766	19-Sep-21	NON-SELECTIVE/POST-EMERGENT	Coffee	Annual & Perennial grasses, sedges & broadleaf weeds				
SHARPHIL INC.	GLUFOSINATE AMMONIUM	SHARPHIL GLUFOSINATE AMMONIUM	150 g/L	SL	HERBICIDE	4	402-182-3766	19-Sep-21	NON-SELECTIVE/POST-EMERGENT	Citrus	Annual & Perennial grasses, sedges & broadleaf weeds				
SHARPHIL INC.	GLUFOSINATE AMMONIUM	SHARPHIL GLUFOSINATE AMMONIUM	150 g/L	SL	HERBICIDE	4	402-182-3766	19-Sep-21	NON-SELECTIVE/POST-EMERGENT	Cavendish Banana	Annual & Perennial grasses, sedges & broadleaf weeds		0.2 mg/kg		
SHARPHIL INC.	GLUFOSINATE AMMONIUM	SHARPHIL GLUFOSINATE AMMONIUM	150 g/L	SL	HERBICIDE	4	402-182-3766	19-Sep-21	NON-SELECTIVE/POST-EMERGENT	Cacao	Annual & Perennial grasses, sedges & broadleaf weeds				
SHARPHIL INC.	FLUAZIFOP-P-BUTYL	SHARPHIL FLUAZIFOP-P-BUTYL	150 g/L	EC	HERBICIDE	4	402-212-3313	12-Aug-20	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Banana	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-		
SHARPHIL INC.	FLUAZIFOP-P-BUTYL	SHARPHIL FLUAZIFOP-P-BUTYL	150 g/L	EC	HERBICIDE	4	402-212-3313	12-Aug-20	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Cacao	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-		
SHARPHIL INC.	FLUAZIFOP-P-BUTYL	SHARPHIL FLUAZIFOP-P-BUTYL	150 g/L	EC	HERBICIDE	4	402-212-3313	12-Aug-20	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Citrus	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-		
SHARPHIL INC.	FLUAZIFOP-P-BUTYL	SHARPHIL FLUAZIFOP-P-BUTYL	150 g/L	EC	HERBICIDE	4	402-212-3313	12-Aug-20	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Cotton	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-		
SHARPHIL INC.	FLUAZIFOP-P-BUTYL	SHARPHIL FLUAZIFOP-P-BUTYL	150 g/L	EC	HERBICIDE	4	402-212-3313	12-Aug-20	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Coffee	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-		
SHARPHIL INC.	FLUAZIFOP-P-BUTYL	SHARPHIL FLUAZIFOP-P-BUTYL	150 g/L	EC	HERBICIDE	4	402-212-3313	12-Aug-20	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Oil palm	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-		
SHARPHIL INC.	FLUAZIFOP-P-BUTYL	SHARPHIL FLUAZIFOP-P-BUTYL	150 g/L	EC	HERBICIDE	4	402-212-3313	12-Aug-20	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Ramie	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-		
SHARPHIL INC.	FLUAZIFOP-P-BUTYL	SHARPHIL FLUAZIFOP-P-BUTYL	150 g/L	EC	HERBICIDE	4	402-212-3313	12-Aug-20	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Rubber	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-		
SHARPHIL INC.	FLUAZIFOP-P-BUTYL	SHARPHIL FLUAZIFOP-P-BUTYL	150 g/L	EC	HERBICIDE	4	402-212-3313	12-Aug-20	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Onion	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-		
SHARPHIL INC.	FLUAZIFOP-P-BUTYL	SHARPHIL FLUAZIFOP-P-BUTYL	150 g/L	EC	HERBICIDE	4	402-212-3313	12-Aug-20	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Pineapple	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-		
SHARPHIL INC.	FLUAZIFOP-P-BUTYL	SHARPHIL FLUAZIFOP-P-BUTYL	150 g/L	EC	HERBICIDE	4	402-212-3313	12-Aug-20	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Soybeans	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-		
SHARPHIL INC.	FLUAZIFOP-P-BUTYL	SHARPHIL FLUAZIFOP-P-BUTYL	150 g/L	EC	HERBICIDE	4	402-212-3313	12-Aug-20	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Tomato	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-		
SHARPHIL INC.	DIURON	SHARPHIL DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	402-021-2423	08-Oct-24	SELECTIVE	Citrus	Annual and Perennial broadleaves and grasses	11.0-19.0Tbsp/16 L water			Re-entry into treated areas may be done as soon as spray solution dries on foliage
SHARPHIL INC.	DIURON	SHARPHIL DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	402-021-2423	08-Oct-24	SELECTIVE	Coffee	Annual and Perennial broadleaves and grasses	11.0-19.0Tbsp/16 L water			Re-entry into treated areas may be done as soon as spray solution dries on foliage
SHARPHIL INC.	DIURON	SHARPHIL DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	402-021-2423	08-Oct-24	SELECTIVE	Cotton	Annual and Perennial broadleaves and grasses	8.0Tbsp/16 L water			Re-entry into treated areas may be done as soon as spray solution dries on foliage
SHARPHIL INC.	DIURON	SHARPHIL DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	402-021-2423	08-Oct-24	SELECTIVE	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0Tbsp/16 L water			Re-entry into treated areas may be done as soon as spray solution dries on foliage
SHARPHIL INC.	DIURON	SHARPHIL DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	402-021-2423	08-Oct-24	SELECTIVE	Pineapple	Annual and Perennial broadleaves and grasses	11.0Tbsp/16 L water			Re-entry into treated areas may be done as soon as spray solution dries on foliage
SHARPHIL INC.	DIURON	SHARPHIL DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	402-021-2423	08-Oct-24	SELECTIVE	Non-crop land	Annual and Perennial broadleaves and grasses	10.0-28.0Tbsp/16 L water			Re-entry into treated areas may be done as soon as spray solution dries on foliage
SHARPHIL INC.	DIAZINON	SHARPHIL DIAZ	600 g/L	EC	INSECTICIDE	2	402-034-2562	29-Mar-25	CONTACT	Rice	Whorl maggot, stemborer, leafroller, planthopper, rice bug	2.5-4.0 Tbsp/16L Water		14 days	Do not enter treated field for at least 1 day after application
SHARPHIL INC.	DIAZINON	SHARPHIL DIAZ	600 g/L	EC	INSECTICIDE	2	402-034-2562	29-Mar-25	CONTACT	Corn	Comborer, earworm, aphids, silk beetle	2.5-4.0 Tbsp/16L Water		14 days	Do not enter treated field for at least 1 day after application
SHARPHIL INC.	DIAZINON	SHARPHIL DIAZ	600 g/L	EC	INSECTICIDE	2	402-034-2562	29-Mar-25	CONTACT	Beans	Cutworm, podborer, aphids, flea beetle	2.5-4.0 Tbsp/16L Water		14 days	Do not enter treated field for at least 1 day after application
SHARPHIL INC.	DIAZINON	SHARPHIL DIAZ	600 g/L	EC	INSECTICIDE	2	402-034-2562	29-Mar-25	CONTACT	Cowpea	Aphids, cutworm, grasshopper	2.5-4.0 Tbsp/16L Water		14 days	Do not enter treated field for at least 1 day after application
SHARPHIL INC.	DIAZINON	SHARPHIL DIAZ	600 g/L	EC	INSECTICIDE	2	402-034-2562	29-Mar-25	CONTACT	Soybeans	Cutworm, aphids, stink bug, grasshopper	2.5-4.0 Tbsp/16L Water		14 days	Do not enter treated field for at least 1 day after application
SHARPHIL INC.	DIAZINON	SHARPHIL DIAZ	600 g/L	EC	INSECTICIDE	2	402-034-2562	29-Mar-25	CONTACT	Pineapple	Mealybug	2.5-4.0 Tbsp/16L Water		14 days	Do not enter treated field for at least 1 day after application
SHARPHIL INC.	DIAZINON	SHARPHIL DIAZ	600 g/L	EC	INSECTICIDE	2	402-034-2562	29-Mar-25	CONTACT	Cotton	Katydid, grasshopper, cutworm, mites	2.5-4.0 Tbsp/16L Water		14 days	Do not enter treated field for at least 1 day after application
SHARPHIL INC.	DIAZINON	SHARPHIL DIAZ	600 g/L	EC	INSECTICIDE	2	402-034-2562	29-Mar-25	CONTACT	Tobacco	Budworm aphids, flea beetle, armyworm	2.5-4.0 Tbsp/16L Water		14 days	Do not enter treated field for at least 1 day after application
SHARPHIL INC.	DIAZINON	SHARPHIL DIAZ	600 g/L	EC	INSECTICIDE	2	402-034-2562	29-Mar-25	CONTACT	White potato	Aphids, leafroller, cutworm	2.5-4.0 Tbsp/16L Water		14 days	Do not enter treated field for at least 1 day after application
SHARPHIL INC.	DIAZINON	SHARPHIL DIAZ	600 g/L	EC	INSECTICIDE	2	402-034-2562	29-Mar-25	CONTACT	Citrus	Mites, aphids, stink bug	2.5-4.0 Tbsp/16L Water		14 days	Do not enter treated field for at least 1 day after application
SHARPHIL INC.	DIAZINON	SHARPHIL DIAZ	600 g/L	EC	INSECTICIDE	2	402-034-2562	29-Mar-25	CONTACT	Banana	Thrips, mealybug, leafroller	2.5-4.0 Tbsp/16L Water		14 days	Do not enter treated field for at least 1 day after application
SHARPHIL INC.	DIAZINON	SHARPHIL DIAZ	600 g/L	EC	INSECTICIDE	2	402-034-2562	29-Mar-25	CONTACT	Mango	Hopper, tip borer	2.5-4.0 Tbsp/16L Water		14 days	Do not enter treated field for at least 1 day after application
SHARPHIL INC.	DELTAMETHRIN	SHARPHIL DELTA 2.5 EC	25 g/L	EC	INSECTICIDE	4	402-085-2392	08-Oct-24		Mango	Hopper, Tip borer, twig borer	0.75-1.0 Tbsp/16L water			24 Hours after each spray
SHARPHIL INC.	DELTAMETHRIN	SHARPHIL DELTA 2.5 EC	25 g/L	EC	INSECTICIDE	4	402-085-2392	08-Oct-24		Cabbage & other crucifers	Diamond-back moth, cabbage moth, cabbage worm	0.1 Tbsp/16L water			24 Hours after each spray

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
SHARPHIL INC.	DELTAMETHRIN	SHARPHIL DELTA 2.5 EC	25 g/L	EC	INSECTICIDE	4	402-085-2392	08-Oct-24	08-Oct-24	Tobacco	Budworm, armyworm, cutworm	0.8-1.0 Tbsp/36L water	-	-	24 Hours after each spray
SHARPHIL INC.	DELTAMETHRIN	SHARPHIL DELTA 2.5 EC	25 g/L	EC	INSECTICIDE	4	402-085-2392	08-Oct-24	08-Oct-24	Beans	Fla beetle, beanfly, bugs, thrips, cutworm, armyworm, podborer, semiooppers, bean lycanid	0.8-1.0 Tbsp/36L water	-	-	24 Hours after each spray
SHARPHIL INC.	DELTAMETHRIN	SHARPHIL DELTA 2.5 EC	25 g/L	EC	INSECTICIDE	4	402-085-2392	08-Oct-24	08-Oct-24	Soybeans	Fla beetle, beanfly, bugs, thrips, cutworm, armyworm, podborer, semiooppers, bean lycanid	0.8-1.0 Tbsp/36L water	-	-	24 Hours after each spray
SHARPHIL INC.	DELTAMETHRIN	SHARPHIL DELTA 2.5 EC	25 g/L	EC	INSECTICIDE	4	402-085-2392	08-Oct-24	08-Oct-24	Tomato	Fruitworm (heliothis)	0.8-1.0 Tbsp/36L water	-	-	24 Hours after each spray
SHARPHIL INC.	DELTAMETHRIN	SHARPHIL DELTA 2.5 EC	25 g/L	EC	INSECTICIDE	4	402-085-2392	08-Oct-24	08-Oct-24	Corn	Corn borer, corn earworm, seedling maggots	0.1 Tbsp/36L water	-	-	24 Hours after each spray
SHARPHIL INC.	DELTAMETHRIN	SHARPHIL DELTA 2.5 EC	25 g/L	EC	INSECTICIDE	4	402-085-2392	08-Oct-24	08-Oct-24	Eggplant	Thrips, flea beetle, fruitworm	0.1 Tbsp/36L water	-	-	24 Hours after each spray
SHARPHIL INC.	DELTAMETHRIN	SHARPHIL DELTA 2.5 EC	25 g/L	EC	INSECTICIDE	4	402-085-2392	08-Oct-24	08-Oct-24	Cotton	Leafhopper, bollworm, weevil	0.8-1.0 Tbsp/36L water	-	-	24 Hours after each spray
SHARPHIL INC.	DELTAMETHRIN	SHARPHIL DELTA 2.5 EC	25 g/L	EC	INSECTICIDE	4	402-085-2392	08-Oct-24	08-Oct-24	Agricultural crops	Locusts nymphs/ Locusts adult	1.0-1.5 Tbsp/3.0 Tbsp/36L water	-	-	24 Hours after each spray
SHARPHIL INC.	DELTAMETHRIN	SHARPHIL DELTA 2.5 EC	25 g/L	EC	INSECTICIDE	4	402-085-2392	08-Oct-24	08-Oct-24	Cacao	Podborer, aphids	0.1 Tbsp/36L water	-	-	24 Hours after each spray
SHARPHIL INC.	AZOXYSTROBIN	SHARPHIL AZOXYSTROBIN 25 SC	250 g/L	SC	FUNGICIDE	4	402-309-2946	23-Jan-20	23-Jan-20	Mango	Anthraxnose, scab, stem-end rot	6-8/100L water	-	-	
SHARPHIL INC.	AZOXYSTROBIN	SHARPHIL AZOXYSTROBIN 25 SC	250 g/L	SC	FUNGICIDE	4	402-309-2946	23-Jan-20	23-Jan-20	Watermelon	Damping off, leaf spot, anthracnose, downy, mildew, powdery mildew	1-2Tbsp/36L water	-	-	
SHARPHIL INC.	AZOXYSTROBIN	SHARPHIL AZOXYSTROBIN 25 SC	250 g/L	SC	FUNGICIDE	4	402-309-2946	23-Jan-20	23-Jan-20	Onion	Basal/bulb rot	1-2Tbsp/36 L water	-	-	
SHARPHIL INC.	AZOXYSTROBIN	SHARPHIL AZOXYSTROBIN 25 SC	250 g/L	SC	FUNGICIDE	4	402-309-2946	23-Jan-20	23-Jan-20	Tomato	Late/early blight, powdery mildew	0.5-1Tbsp/36 L water	-	-	
SHARPHIL INC.	AZOXYSTROBIN	SHARPHIL AZOXYSTROBIN 25 SC	250 g/L	SC	FUNGICIDE	4	402-309-2946	23-Jan-20	23-Jan-20	Corn	Sheath blight, leaf spot, leaf rust, ear rot	1-4Tbsp/36 L water	-	-	
SHARPHIL INC.	AZOXYSTROBIN	SHARPHIL AZOXYSTROBIN 25 SC	250 g/L	SC	FUNGICIDE	4	402-309-2946	23-Jan-20	23-Jan-20	Asparagus	Stem blight, leaf blight, fusarium wilt	1-3Tbsp/36 L water	-	-	
SHARPHIL INC.	AZOXYSTROBIN	SHARPHIL AZOXYSTROBIN 25 SC	250 g/L	SC	FUNGICIDE	4	402-309-3946	19-Sep-21	19-Sep-21	Mango	Anthraxnose, scab, stem-end rot	6-8/100L water	-	-	
SHARPHIL INC.	AZOXYSTROBIN	SHARPHIL AZOXYSTROBIN 25 SC	250 g/L	SC	FUNGICIDE	4	402-309-3946	19-Sep-21	19-Sep-21	Watermelon	Damping off, leaf spot, anthracnose, downy, mildew, powdery mildew	1-2Tbsp/36 L water	-	-	
SHARPHIL INC.	AZOXYSTROBIN	SHARPHIL AZOXYSTROBIN 25 SC	250 g/L	SC	FUNGICIDE	4	402-309-3946	19-Sep-21	19-Sep-21	Onion	Basal/bulb rot	1-2Tbsp/36 L water	-	-	
SHARPHIL INC.	AZOXYSTROBIN	SHARPHIL AZOXYSTROBIN 25 SC	250 g/L	SC	FUNGICIDE	4	402-309-3946	19-Sep-21	19-Sep-21	Tomato	Late/early blight, powdery mildew	0.5-1Tbsp/36 L water	-	-	
SHARPHIL INC.	AZOXYSTROBIN	SHARPHIL AZOXYSTROBIN 25 SC	250 g/L	SC	FUNGICIDE	4	402-309-3946	19-Sep-21	19-Sep-21	Corn	Sheath blight, leaf spot, leaf rust, ear rot	2-4Tbsp/36 L water	-	-	
SHARPHIL INC.	AZOXYSTROBIN	SHARPHIL AZOXYSTROBIN 25 SC	250 g/L	SC	FUNGICIDE	4	402-309-3946	19-Sep-21	19-Sep-21	Asparagus	Stem blight, leaf blight, fusarium wilt	1-3Tbsp/36 L water	-	-	
SHARPHIL INC.	ATRAZINE	SHARPHIL ATRAZINE 80 WP	800 g/kg	WP	HERBICIDE	4	402-060-2348	03-Dec-26	03-Dec-26	Corn	Broadleaf weeds & annual grasses	8-12Tbsp/36 L water	-	-	Do not enter the field within 5 days after application
SHARPHIL INC.	ATRAZINE	SHARPHIL ATRAZINE 80 WP	800 g/kg	WP	HERBICIDE	4	402-060-2348	03-Dec-26	03-Dec-26	Sorghum	Broadleaf weeds & annual grasses	8-12Tbsp/36 L water	-	-	Do not enter the field within 5 days after application
SHARPHIL INC.	ATRAZINE	SHARPHIL ATRAZINE 80 WP	800 g/kg	WP	HERBICIDE	4	402-060-2348	03-Dec-26	03-Dec-26	Sugarcane	Broadleaf weeds & annual grasses	8-12Tbsp/36 L water	-	-	Do not enter the field within 5 days after application
SHARPHIL INC.	ACEPHATE	SHARPHIL ACEPHATE 75 SP	750 g/kg	SP	INSECTICIDE	4	402-242-4437	10-Jul-19	10-Jul-19	Tobacco	Budworm, aphids	2-3 Tbsp/36L water	-	-	
SHARPHIL INC.	ACEPHATE	SHARPHIL ACEPHATE 75 SP	750 g/kg	SP	INSECTICIDE	4	402-242-4437	10-Jul-19	10-Jul-19	Eggplant	Fruitborer	2-3 Tbsp/36L water	-	-	
SHARPHIL INC.	ACEPHATE	SHARPHIL ACEPHATE 75 SP	750 g/kg	SP	INSECTICIDE	4	402-242-4437	10-Jul-19	10-Jul-19	Stringbeans	Aphids	2-3 Tbsp/36L water	-	-	
SHARPHIL INC.	ACEPHATE	SHARPHIL ACEPHATE 75 SP	750 g/kg	SP	INSECTICIDE	4	402-242-4437	10-Jul-19	10-Jul-19	Tomato	Fruitworm	2-3 Tbsp/36L water	-	-	
SHARPHIL INC.	ACEPHATE	SHARPHIL ACEPHATE 75 SP	750 g/kg	SP	INSECTICIDE	4	402-242-4437	10-Jul-19	10-Jul-19	Banana	Thrips	1.5-2 Tbsp/36L water	-	-	
SHARPHIL INC.	ACEPHATE	SHARPHIL ACEPHATE 75 SP	750 g/kg	SP	INSECTICIDE	4	402-242-4437	10-Jul-19	10-Jul-19	Watermelon	Aphids, thrips	2-3 Tbsp/36L water	-	-	
SHARPHIL INC.	ACEPHATE	SHARPHIL ACEPHATE 75 SP	750 g/kg	SP	INSECTICIDE	4	402-242-4437	10-Jul-19	10-Jul-19	Rice	Whorl maggot, green leafhopper, brown planthopper, stemborer, leafroller, rice bug	2-3 Tbsp/36L water	0.02 ppm	Can be harvested 2 weeks after treatment	
SHARPHIL INC.	CYPERMETHRIN	SHARPHIL S EC	50 g/L	EC	INSECTICIDE	4	402-037-2069	29-Mar-25	29-Mar-25	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/36 L water	-	-	Re-entry to treated field is allowed as soon as spray deposit dry
SHARPHIL INC.	CYPERMETHRIN	SHARPHIL S EC	50 g/L	EC	INSECTICIDE	4	402-037-2069	29-Mar-25	29-Mar-25	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leafroller, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
SHARPHIL INC.	CYPERMETHRIN	SHARPHIL S EC	50 g/L	EC	INSECTICIDE	4	402-037-2069	29-Mar-25	29-Mar-25	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
SHARPHIL INC.	CYPERMETHRIN	SHARPHIL S EC	50 g/L	EC	INSECTICIDE	4	402-037-2069	29-Mar-25	29-Mar-25	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
SHARPHIL INC.	CYPERMETHRIN	SHARPHIL S EC	50 g/L	EC	INSECTICIDE	4	402-037-2069	29-Mar-25	29-Mar-25	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
SHARPHIL INC.	CYPERMETHRIN	SHARPHIL S EC	50 g/L	EC	INSECTICIDE	4	402-037-2069	29-Mar-25	29-Mar-25	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
SHARPHIL INC.	CYPERMETHRIN	SHARPHIL S EC	50 g/L	EC	INSECTICIDE	4	402-037-2069	29-Mar-25	29-Mar-25	Onion	Thrips, cutworm	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
SHARPHIL INC.	CYPERMETHRIN	SHARPHIL S EC	50 g/L	EC	INSECTICIDE	4	402-037-2069	29-Mar-25	29-Mar-25	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
SHARPHIL INC.	CYPERMETHRIN	SHARPHIL S EC	50 g/L	EC	INSECTICIDE	4	402-037-2069	29-Mar-25	29-Mar-25	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
SHARPHIL INC.	CYPERMETHRIN	SHARPHIL S EC	50 g/L	EC	INSECTICIDE	4	402-037-2069	29-Mar-25	29-Mar-25	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
SHARPHIL INC.	CYPERMETHRIN	SHARPHIL S EC	50 g/L	EC	INSECTICIDE	4	402-037-2069	29-Mar-25	29-Mar-25	Corn	Comborer, earworm	1.0-4.5 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ASIA GOLD TRADING CORPORATION	GLYPHOSATE IPA	SHARPENS 480 SL	480 g/L	SL	HERBICIDE	4	266-151-5154	03-Jan-23	03-Jan-23	glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.0 Liters/ha	-	-	
ASIA GOLD TRADING CORPORATION	GLYPHOSATE IPA	SHARPENS 480 SL	480 g/L	SL	HERBICIDE	4	266-151-5154	03-Jan-23	03-Jan-23	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	
ASIA GOLD TRADING CORPORATION	GLYPHOSATE IPA	SHARPENS 480 SL	480 g/L	SL	HERBICIDE	4	266-151-5154	03-Jan-23	03-Jan-23	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	
ASIA GOLD TRADING CORPORATION	GLYPHOSATE IPA	SHARPENS 480 SL	480 g/L	SL	HERBICIDE	4	266-151-5154	03-Jan-23	03-Jan-23	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	
ASIA GOLD TRADING CORPORATION	GLYPHOSATE IPA	SHARPENS 480 SL	480 g/L	SL	HERBICIDE	4	266-151-5154	03-Jan-23	03-Jan-23	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	
ASIA GOLD TRADING CORPORATION	GLYPHOSATE IPA	SHARPENS 480 SL	480 g/L	SL	HERBICIDE	4	266-151-5154	03-Jan-23	03-Jan-23	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	
ASIA GOLD TRADING CORPORATION	GLYPHOSATE IPA	SHARPENS 480 SL	480 g/L	SL	HERBICIDE	4	266-151-5154	03-Jan-23	03-Jan-23	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	
ASIA GOLD TRADING CORPORATION	GLYPHOSATE IPA	SHARPENS 480 SL	480 g/L	SL	HERBICIDE	4	266-151-5154	03-Jan-23	03-Jan-23	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	
ASIA GOLD TRADING CORPORATION	GLYPHOSATE IPA	SHARPENS 480 SL	480 g/L	SL	HERBICIDE	4	266-151-5154	03-Jan-23	03-Jan-23	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/ha	-	-	
ASIA GOLD TRADING CORPORATION	GLYPHOSATE IPA	SHARPENS 480 SL	480 g/L	SL	HERBICIDE	4	266-151-5154	03-Jan-23	03-Jan-23	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	
ASIA GOLD TRADING CORPORATION	GLYPHOSATE IPA	SHARPENS 480 SL	480 g/L	SL	HERBICIDE	4	266-151-5154	03-Jan-23	03-Jan-23	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	
ASIA GOLD TRADING CORPORATION	GLYPHOSATE IPA	SHARPENS 480 SL	480 g/L	SL	HERBICIDE	4	266-151-5154	03-Jan-23	03-Jan-23	non-crop	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	
ASIA GOLD TRADING CORPORATION	GLYPHOSATE IPA	SHARPENS 480 SL	480 g/L	SL	HERBICIDE	4	266-151-5154	03-Jan-23	03-Jan-23	glyphosate tolerant corn	Annual broadleaves and certain annual grasses	3.0-4.0 Liters/ha	-	-	
ASIA GOLD TRADING CORPORATION	GLYPHOSATE IPA	SHARPENS 480 SL	480 g/L	SL	HERBICIDE	4	266-151-5154	03-Jan-23	03-Jan-23	Mango	Annual broadleaves and certain annual grasses	3.0-4.5 Liters/ha	-	-	

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
ASIA GOLD TRADING CORPORATION	GLYPHOSATE IPA	SHARPEENS 480 SL	480 g/L	SL	HERBICIDE	4	266-151-5154	09-Jan-23	POST-EMERGENT	Banana	Annual broadleaves and certain annual grasses	3.0-4.5 Liters/Ha			
ASIA GOLD TRADING CORPORATION	GLYPHOSATE IPA	SHARPEENS 480 SL	480 g/L	SL	HERBICIDE	4	266-151-5154	09-Jan-23	POST-EMERGENT	Coffee	Annual broadleaves and certain annual grasses	3.0-4.5 Liters/Ha			
ASIA GOLD TRADING CORPORATION	GLYPHOSATE IPA	SHARPEENS 480 SL	480 g/L	SL	HERBICIDE	4	266-151-5154	09-Jan-23	POST-EMERGENT	Cacao	Annual broadleaves and certain annual grasses	3.0-4.5 Liters/Ha			
ASIA GOLD TRADING CORPORATION	GLYPHOSATE IPA	SHARPEENS 480 SL	480 g/L	SL	HERBICIDE	4	266-151-5154	09-Jan-23	POST-EMERGENT	Rubber	Annual broadleaves and certain annual grasses	2.0 Liters/Ha			
ASIA GOLD TRADING CORPORATION	GLYPHOSATE IPA	SHARPEENS 480 SL	480 g/L	SL	HERBICIDE	4	266-151-5154	09-Jan-23	POST-EMERGENT	Oil palm	Annual broadleaves and certain annual grasses	2.0 Liters/Ha			
ASIA GOLD TRADING CORPORATION	GLYPHOSATE IPA	SHARPEENS 480 SL	480 g/L	SL	HERBICIDE	4	266-151-5154	09-Jan-23	POST-EMERGENT	Citrus	Annual broadleaves and certain annual grasses	2.0 Liters/Ha			
ASIA GOLD TRADING CORPORATION	GLYPHOSATE IPA	SHARPEENS 480 SL	480 g/L	SL	HERBICIDE	4	266-151-5154	09-Jan-23	POST-EMERGENT	Coconut	Annual broadleaves and certain annual grasses	4.5 Liters/Ha			
ASIA GOLD TRADING CORPORATION	GLYPHOSATE IPA	SHARPEENS 480 SL	480 g/L	SL	HERBICIDE	4	266-151-5154	09-Jan-23	POST-EMERGENT	Sugarcane	Annual broadleaves and certain annual grasses	2.0 Liters/Ha			
ASIA GOLD TRADING CORPORATION	GLYPHOSATE IPA	SHARPEENS 480 SL	480 g/L	SL	HERBICIDE	4	266-151-5154	09-Jan-23	POST-EMERGENT	Vegetables	Annual broadleaves and certain annual grasses	2.0 Liters/Ha			
ASIA GOLD TRADING CORPORATION	GLYPHOSATE IPA	SHARPEENS 480 SL	480 g/L	SL	HERBICIDE	4	266-151-5154	09-Jan-23	POST-EMERGENT	non-crop	Annual broadleaves and certain annual grasses	-			
NOVELLUS CENTRIS CORPORATION	GLYPHOSATE IPA	SHARPEENS 480 SL	480 g/L	SL	HERBICIDE	4	567-151-3659	09-Jan-23	POST-EMERGENT	Glyphosate tolerant corn	Annual and perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha			
NOVELLUS CENTRIS CORPORATION	GLYPHOSATE IPA	SHARPEENS 480 SL	480 g/L	SL	HERBICIDE	4	567-151-3659	09-Jan-23	POST-EMERGENT	Mango	Annual and perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/Ha			
NOVELLUS CENTRIS CORPORATION	GLYPHOSATE IPA	SHARPEENS 480 SL	480 g/L	SL	HERBICIDE	4	567-151-3659	09-Jan-23	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/Ha			
NOVELLUS CENTRIS CORPORATION	GLYPHOSATE IPA	SHARPEENS 480 SL	480 g/L	SL	HERBICIDE	4	567-151-3659	09-Jan-23	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/Ha			
NOVELLUS CENTRIS CORPORATION	GLYPHOSATE IPA	SHARPEENS 480 SL	480 g/L	SL	HERBICIDE	4	567-151-3659	09-Jan-23	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/Ha			
NOVELLUS CENTRIS CORPORATION	GLYPHOSATE IPA	SHARPEENS 480 SL	480 g/L	SL	HERBICIDE	4	567-151-3659	09-Jan-23	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
NOVELLUS CENTRIS CORPORATION	GLYPHOSATE IPA	SHARPEENS 480 SL	480 g/L	SL	HERBICIDE	4	567-151-3659	09-Jan-23	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
NOVELLUS CENTRIS CORPORATION	GLYPHOSATE IPA	SHARPEENS 480 SL	480 g/L	SL	HERBICIDE	4	567-151-3659	09-Jan-23	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
NOVELLUS CENTRIS CORPORATION	GLYPHOSATE IPA	SHARPEENS 480 SL	480 g/L	SL	HERBICIDE	4	567-151-3659	09-Jan-23	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha			
NOVELLUS CENTRIS CORPORATION	GLYPHOSATE IPA	SHARPEENS 480 SL	480 g/L	SL	HERBICIDE	4	567-151-3659	09-Jan-23	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
NOVELLUS CENTRIS CORPORATION	GLYPHOSATE IPA	SHARPEENS 480 SL	480 g/L	SL	HERBICIDE	4	567-151-3659	09-Jan-23	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha			
NOVELLUS CENTRIS CORPORATION	GLYPHOSATE IPA	SHARPEENS 480 SL	480 g/L	SL	HERBICIDE	4	567-151-3659	09-Jan-23	POST-EMERGENT	non-crop	Annual & perennial grasses, broadleaf weeds & sedges	-			
TEXCON AGR VENTURES CORPORATION	ATRAZINE	SHARK 80 WP	800 g/kg	WP	HERBICIDE	4	242-060-1768	13-Oct-26	SELECTIVE (PRE-EMERGENT)	Corn	Broadleaf weeds & annual grasses	8-127bsp/36 L water	-		Do not enter the field within 5 days after application
TEXCON AGR VENTURES CORPORATION	ATRAZINE	SHARK 80 WP	800 g/kg	WP	HERBICIDE	4	242-060-1768	13-Oct-26	SELECTIVE (PRE-EMERGENT)	Sorghum	Broadleaf weeds & annual grasses	8-127bsp/36 L water	-		Do not enter the field within 5 days after application
TEXCON AGR VENTURES CORPORATION	ATRAZINE	SHARK 80 WP	800 g/kg	WP	HERBICIDE	4	242-060-1768	13-Oct-26	SELECTIVE (PRE-EMERGENT)	Sugarcane	Broadleaf weeds & annual grasses	8-127bsp/36 L water	-		Do not enter the field within 5 days after application
SHARPHIL INC.	DIFENOCANAZOLE	SHARDF 250 EC	250 g/L	EC	FUNGICIDE	4	402-272-2563	19-Sep-21	SYSTEMIC	Banana	Black Sigatoka	0.30-0.40 L prod/Ha	-		
SHARPHIL INC.	DIFENOCANAZOLE	SHARDF 250 EC	250 g/L	EC	FUNGICIDE	4	402-272-2563	19-Sep-21	SYSTEMIC	Mango	Anthraxnose	0.528-0.88 L/Ha	-	14 days	
SHARPHIL INC.	DIFENOCANAZOLE	SHARDF 250 EC	250 g/L	EC	FUNGICIDE	4	402-272-2563	19-Sep-21	SYSTEMIC	Rice	Sheath Blight	0.25-0.30 L/Ha	-		
SHARPHIL INC.	DIFENOCANAZOLE	SHARDF 250 EC	250 g/L	EC	FUNGICIDE	4	402-272-2563	19-Sep-21	SYSTEMIC	Stringbeans	Leaf spot	0.20-0.30 L/Ha	-	7 days	
SHARPHIL INC.	DIFENOCANAZOLE	SHARDF 250 EC	250 g/L	EC	FUNGICIDE	4	402-272-2563	19-Sep-21	SYSTEMIC	Eggplant	Leaf Spot	0.20-0.30 L/Ha	-	7 days	
SHARPHIL INC.	DIFENOCANAZOLE	SHARDF 250 EC	250 g/L	EC	FUNGICIDE	4	402-272-2563	19-Sep-21	SYSTEMIC	Tomato	Alternaria leaf spot, cercospora leafmold, powdery mildew	0.20-0.30 L/Ha	-	7 days	
SHARPHIL INC.	DIFENOCANAZOLE	SHARDF 250 EC	250 g/L	EC	FUNGICIDE	4	402-272-2563	19-Sep-21	SYSTEMIC	Cabbage	Ringspot, alternaria	0.20-0.30 L/Ha	-	7 days	
SHARPHIL INC.	DIFENOCANAZOLE	SHARDF 250 EC	250 g/L	EC	FUNGICIDE	4	402-272-2563	19-Sep-21	SYSTEMIC	Onion	Purple blotch	0.40-0.50 L/Ha	-	7 days	
SHARPHIL INC.	DIFENOCANAZOLE	SHARDF 250 EC	250 g/L	EC	FUNGICIDE	4	402-272-2563	19-Sep-21	SYSTEMIC	Asparagus	Stem and leaf blight	0.36 L/Ha	-		
SHARPHIL INC.	BISPYRIBAC SODIUM	SHARBS 40 SC	400 g/L	SC	HERBICIDE	4	402-276-4090	15-Aug-20	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Rice (Direct-Seeded lowland)	Grasses, sedges & broadleaves	10ml/26 L water, 20 spray load/ hectare	0.1 ppm		
SHARPHIL INC.	BISPYRIBAC SODIUM	SHARBS 10 SC	106.4 g/L	SC	HERBICIDE	2	402-276-3038	01-Jul-20	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Rice (Direct-Seeded lowland)	Grasses and broadleaves	10ml/26 L water, 20 spray load/ hectare	0.1 ppm	-	Entry to treated field is allowed as soon as spray deposits on crops and weed dried
SHARPHIL INC.	BISPYRIBAC SODIUM	SHARBS 10 SC	106.4 g/L	SC	HERBICIDE	2	402-276-3038	01-Jul-20	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Rice (Direct-Seeded lowland)	Grasses and broadleaves	10ml/26 L water, 20 spray load/ hectare	0.1 ppm	-	Entry to treated field is allowed as soon as spray deposits on crops and weed dried
BIOAGRO AGRICULTURAL PRODUCTS, INC.	CHLOROTHALONIL	SHAQ ONIL 720 SC	720g/L	SC	FUNGICIDE	4	608-118-4570	21-Nov-21		Potato	Early blight, late blight, vine rot	1.00-1.80 L/Ha or 4.5-5.5 tbsp/36L	-	7-14 days except banana(0 day)	Do not enter treated areas until spray deposits have dried
BIOAGRO AGRICULTURAL PRODUCTS, INC.	CHLOROTHALONIL	SHAQ ONIL 720 SC	720g/L	SC	FUNGICIDE	4	608-118-4570	21-Nov-21		Tomato	Early blight, late blight, vine rot	1.13-1.90 L/Ha or 4.5-6.0 tbsp/36L	-	7-14 days except banana(0 day)	Do not enter treated areas until spray deposits have dried
BIOAGRO AGRICULTURAL PRODUCTS, INC.	CHLOROTHALONIL	SHAQ ONIL 720 SC	720g/L	SC	FUNGICIDE	4	608-118-4570	21-Nov-21		Beans	Rust, anthracnose	1.13-1.90 L/Ha or 4.5-6.0 tbsp/36L	-	7-14 days except banana(0 day)	Do not enter treated areas until spray deposits have dried
BIOAGRO AGRICULTURAL PRODUCTS, INC.	CHLOROTHALONIL	SHAQ ONIL 720 SC	720g/L	SC	FUNGICIDE	4	608-118-4570	21-Nov-21		Carrot	Alternaria leaf spot, cercospora leaf spot, helminthosporium leaf spot	1.13-1.90 L/Ha or 4.5-6.0 tbsp/36L	-	7-14 days except banana(0 day)	Do not enter treated areas until spray deposits have dried
BIOAGRO AGRICULTURAL PRODUCTS, INC.	CHLOROTHALONIL	SHAQ ONIL 720 SC	720g/L	SC	FUNGICIDE	4	608-118-4570	21-Nov-21		Cucufers	Powdery mildew	1.13-1.90 L/Ha or 4.5-6.0 tbsp/36L	-	7-14 days except banana(0 day)	Do not enter treated areas until spray deposits have dried
BIOAGRO AGRICULTURAL PRODUCTS, INC.	CHLOROTHALONIL	SHAQ ONIL 720 SC	720g/L	SC	FUNGICIDE	4	608-118-4570	21-Nov-21		Melon	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/Ha or 4.5-6.0 tbsp/36L	-	7-14 days except banana(0 day)	Do not enter treated areas until spray deposits have dried
BIOAGRO AGRICULTURAL PRODUCTS, INC.	CHLOROTHALONIL	SHAQ ONIL 720 SC	720g/L	SC	FUNGICIDE	4	608-118-4570	21-Nov-21		Cucumber	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/Ha or 4.5-6.0 tbsp/36L	-	7-14 days except banana(0 day)	Do not enter treated areas until spray deposits have dried
BIOAGRO AGRICULTURAL PRODUCTS, INC.	CHLOROTHALONIL	SHAQ ONIL 720 SC	720g/L	SC	FUNGICIDE	4	608-118-4570	21-Nov-21		Squash	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/Ha or 4.5-6.0 tbsp/36L	-	7-14 days except banana(0 day)	Do not enter treated areas until spray deposits have dried
BIOAGRO AGRICULTURAL PRODUCTS, INC.	CHLOROTHALONIL	SHAQ ONIL 720 SC	720g/L	SC	FUNGICIDE	4	608-118-4570	21-Nov-21		Watermelon	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/Ha or 4.5-6.0 tbsp/36L	-	7-14 days except banana(0 day)	Do not enter treated areas until spray deposits have dried
BIOAGRO AGRICULTURAL PRODUCTS, INC.	CHLOROTHALONIL	SHAQ ONIL 720 SC	720g/L	SC	FUNGICIDE	4	608-118-4570	21-Nov-21		Celery	Early blight, late blight	1.13-1.90 L/Ha or 4.5-6.0 tbsp/36L	-	7-14 days except banana(0 day)	Do not enter treated areas until spray deposits have dried
BIOAGRO AGRICULTURAL PRODUCTS, INC.	CHLOROTHALONIL	SHAQ ONIL 720 SC	720g/L	SC	FUNGICIDE	4	608-118-4570	21-Nov-21		Eggplant	Early blight, late blight, cercospora leafspot, anthracnose	1.13-1.90 L/Ha or 4.5-6.0 tbsp/36L	-	7-14 days except banana(0 day)	Do not enter treated areas until spray deposits have dried
BIOAGRO AGRICULTURAL PRODUCTS, INC.	CHLOROTHALONIL	SHAQ ONIL 720 SC	720g/L	SC	FUNGICIDE	4	608-118-4570	21-Nov-21		Onion	Purple blotch, bulb rot, neck rot	1.13-1.90 L/Ha or 4.5-6.0 tbsp/36L	-	7-14 days except banana(0 day)	Do not enter treated areas until spray deposits have dried
BIOAGRO AGRICULTURAL PRODUCTS, INC.	CHLOROTHALONIL	SHAQ ONIL 720 SC	720g/L	SC	FUNGICIDE	4	608-118-4570	21-Nov-21		Pepper	Early blight, cercospora leaf spot, anthracnose	1.13-1.90 L/Ha or 4.5-6.0 tbsp/36L	-	7-14 days except banana(0 day)	Do not enter treated areas until spray deposits have dried
BIOAGRO AGRICULTURAL PRODUCTS, INC.	CHLOROTHALONIL	SHAQ ONIL 720 SC	720g/L	SC	FUNGICIDE	4	608-118-4570	21-Nov-21		Grapes	Downy mildew, powdery mildew, fruit rot	1.13-1.90 L/Ha or 4.5-6.0 tbsp/36L	-	7-14 days except banana(0 day)	Do not enter treated areas until spray deposits have dried
BIOAGRO AGRICULTURAL PRODUCTS, INC.	CHLOROTHALONIL	SHAQ ONIL 720 SC	720g/L	SC	FUNGICIDE	4	608-118-4570	21-Nov-21		Mango	Anthraxnose, diploia rot	3.75-5.40 L/Ha or 4.5-6.0 tbsp/36 L	0.5 mg/kg	7-14 days except banana(0 day)	Do not enter treated areas until spray deposits have dried
BIOAGRO AGRICULTURAL PRODUCTS, INC.	CHLOROTHALONIL	SHAQ ONIL 720 SC	720g/L	SC	FUNGICIDE	4	608-118-4570	21-Nov-21		Ornamentals	Black spot, powdery mildew, black rot	1.13-1.90 L/Ha or 4.5-6.0 tbsp/36L	-	7-14 days except banana(0 day)	Do not enter treated areas until spray deposits have dried
BIOAGRO AGRICULTURAL PRODUCTS, INC.	CHLOROTHALONIL	SHAQ ONIL 720 SC	720g/L	SC	FUNGICIDE	4	608-118-4570	21-Nov-21		Asparagus	Stem and leaf blight	1.80 L/Ha	-	7-14 days except banana(0 day)	Do not enter treated areas until spray deposits have dried
BIOAGRO AGRICULTURAL PRODUCTS, INC.	CHLOROTHALONIL	SHAQ ONIL 720 SC	720g/L	SC	FUNGICIDE	4	608-118-4570	21-Nov-21		Banana	Black Sigatoka	2.0 mg/kg	-	7-14 days except banana(0 day)	Do not enter treated areas until spray deposits have dried
TAIPAN BRAND FARM INC.	GLYPHOSATE IPA	SHADOW 480 SL	480 g/L	SL	HERBICIDE	4	529-151-3119	28-Feb-25	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha			

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
TAIPAN BRAND FARM INC.	GLYPHOSATE IPA	SHADOW 480 SL	480 g/L	SL	HERBICIDE	4	529-151-3119	28-Feb-25	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/Ha	-	-	-
TAIPAN BRAND FARM INC.	GLYPHOSATE IPA	SHADOW 480 SL	480 g/L	SL	HERBICIDE	4	529-151-3119	28-Feb-25	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/Ha	-	-	-
TAIPAN BRAND FARM INC.	GLYPHOSATE IPA	SHADOW 480 SL	480 g/L	SL	HERBICIDE	4	529-151-3119	28-Feb-25	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/Ha	-	-	-
TAIPAN BRAND FARM INC.	GLYPHOSATE IPA	SHADOW 480 SL	480 g/L	SL	HERBICIDE	4	529-151-3119	28-Feb-25	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/Ha	-	-	-
TAIPAN BRAND FARM INC.	GLYPHOSATE IPA	SHADOW 480 SL	480 g/L	SL	HERBICIDE	4	529-151-3119	28-Feb-25	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
TAIPAN BRAND FARM INC.	GLYPHOSATE IPA	SHADOW 480 SL	480 g/L	SL	HERBICIDE	4	529-151-3119	28-Feb-25	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
TAIPAN BRAND FARM INC.	GLYPHOSATE IPA	SHADOW 480 SL	480 g/L	SL	HERBICIDE	4	529-151-3119	28-Feb-25	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
TAIPAN BRAND FARM INC.	GLYPHOSATE IPA	SHADOW 480 SL	480 g/L	SL	HERBICIDE	4	529-151-3119	28-Feb-25	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha	-	-	-
TAIPAN BRAND FARM INC.	GLYPHOSATE IPA	SHADOW 480 SL	480 g/L	SL	HERBICIDE	4	529-151-3119	28-Feb-25	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	3.0 Liters/Ha	-	-	-
TAIPAN BRAND FARM INC.	GLYPHOSATE IPA	SHADOW 480 SL	480 g/L	SL	HERBICIDE	4	529-151-3119	28-Feb-25	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
PHILIPPINE FARMEX SOLUTIONS INC.	BOSPIRIBAC SODIUM	SHADES 100 SC	104.6 g/L	SC	HERBICIDE	2	555-276-4516	23-Sep-24	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Rice (Direct Seeded (lowland))	Grasses, sedges and broadleaves	2cm/76 L water, 20 spray load/ hectare	0.1 ppm	-	Entry to treated field is allowed as soon as deposit on crops and weeds have dried
BIOUFE SCIENCES SOLUTIONS COMPANY	POTASSIUM SILICATE	SF-808	300 g/L	-	FUNGICIDE	4	581-402-4572	19-Nov-25	-	Banana	Diamond spot, fruit spot, maturity stain, finger rot, anthracnose, pinworm and black sigatoka	-	-	-	-
TESSENDERO KERLEY PHILIPPINES, INCORPORATED	CARBARYL	SEVIN 85 WP	850 g/kg	WP	INSECTICIDE	2	751-035-1200	30-Jan-26	-	Tobacco	Budworm, cutworm, aphids	40-60 g/16 L water	-	-	Treated areas may be re-entered immediately after spray has dried on foliage
TESSENDERO KERLEY PHILIPPINES, INCORPORATED	CARBARYL	SEVIN 85 WP	850 g/kg	WP	INSECTICIDE	2	751-035-1200	30-Jan-26	-	Sorghum	Webworm, armyworm, cutworm, headworm	40-60 g/16 L water	-	-	Treated areas may be re-entered immediately after spray has dried on foliage
TESSENDERO KERLEY PHILIPPINES, INCORPORATED	CARBARYL	SEVIN 85 WP	850 g/kg	WP	INSECTICIDE	2	751-035-1200	30-Jan-26	-	Ornamentals	Aphids, scale insect, mealy bug, cutworm	40-60 g/16 L water	-	-	Treated areas may be re-entered immediately after spray has dried on foliage
TESSENDERO KERLEY PHILIPPINES, INCORPORATED	CARBARYL	SEVIN 85 WP	850 g/kg	WP	INSECTICIDE	2	751-035-1200	30-Jan-26	-	Mango	Mango hopper, tip borer, twig borer, fruit fly, mealy bug	40-60 g/16 L water	-	-	Treated areas may be re-entered immediately after spray has dried on foliage
TESSENDERO KERLEY PHILIPPINES, INCORPORATED	CARBARYL	SEVIN 85 WP	850 g/kg	WP	INSECTICIDE	2	751-035-1200	30-Jan-26	-	Coffee	Berry borer	40-60 g/16 L water	-	-	Treated areas may be re-entered immediately after spray has dried on foliage
TESSENDERO KERLEY PHILIPPINES, INCORPORATED	CARBARYL	SEVIN 85 WP	850 g/kg	WP	INSECTICIDE	2	751-035-1200	30-Jan-26	-	Cacao	Podborer, aphids, capsid bug	40-60 g/16 L water	-	-	Treated areas may be re-entered immediately after spray has dried on foliage
TESSENDERO KERLEY PHILIPPINES, INCORPORATED	CARBARYL	SEVIN 85 WP	850 g/kg	WP	INSECTICIDE	2	751-035-1200	30-Jan-26	-	Citrus	Rind borer	40-60 g/16 L water	-	-	Treated areas may be re-entered immediately after spray has dried on foliage
TESSENDERO KERLEY PHILIPPINES, INCORPORATED	CARBARYL	SEVIN 85 WP	850 g/kg	WP	INSECTICIDE	2	751-035-1200	30-Jan-26	-	Soybeans	Pod borer, beanfly, leafminer, aphids	40-60 g/16 L water	-	-	Treated areas may be re-entered immediately after spray has dried on foliage
TESSENDERO KERLEY PHILIPPINES, INCORPORATED	CARBARYL	SEVIN 85 WP	850 g/kg	WP	INSECTICIDE	2	751-035-1200	30-Jan-26	-	Rice	Green leafhopper, caseworm, rice bug	40-60 g/16 L water	-	-	Treated areas may be re-entered immediately after spray has dried on foliage
TESSENDERO KERLEY PHILIPPINES, INCORPORATED	CARBARYL	SEVIN 85 WP	850 g/kg	WP	INSECTICIDE	2	751-035-1200	30-Jan-26	-	Cowpea and other beans	Pod borer, beanfly, leaf miner, aphids	40-60 g/16 L water	-	-	Treated areas may be re-entered immediately after spray has dried on foliage
TESSENDERO KERLEY PHILIPPINES, INCORPORATED	CARBARYL	SEVIN 85 WP	850 g/kg	WP	INSECTICIDE	2	751-035-1200	30-Jan-26	-	Cotton seed	Silkworm, cutworm	40-60 g/16 L water	-	-	Treated areas may be re-entered immediately after spray has dried on foliage
TESSENDERO KERLEY PHILIPPINES, INCORPORATED	CARBARYL	SEVIN 85 WP	850 g/kg	WP	INSECTICIDE	2	751-035-1200	30-Jan-26	-	Corn	Corn borer, corn earworm, army worm	40-60 g/16 L water	-	-	Treated areas may be re-entered immediately after spray has dried on foliage
TESSENDERO KERLEY PHILIPPINES, INCORPORATED	CARBARYL	SEVIN 85 WP	850 g/kg	WP	INSECTICIDE	2	751-035-1200	30-Jan-26	-	Tomato	Fruitworm, lady beetle	40-60 g/16 L water	-	-	Treated areas may be re-entered immediately after spray has dried on foliage
TESSENDERO KERLEY PHILIPPINES, INCORPORATED	CARBARYL	SEVIN 85 WP	850 g/kg	WP	INSECTICIDE	2	751-035-1200	30-Jan-26	-	Cucurbits	Squash beetle, lady beetle, aphids	40-60 g/16 L water	-	-	Treated areas may be re-entered immediately after spray has dried on foliage
BAYER CROPSCIENCE, INC.	CARBARYL	SEVIN 50 WP	500 g/kg	WP	INSECTICIDE	2	284-035-0201	24-Apr-20	-	Tobacco	Budworm, cutworm, aphids	4-6 tbsp/16 L water	-	-	-
BAYER CROPSCIENCE, INC.	CARBARYL	SEVIN 50 WP	500 g/kg	WP	INSECTICIDE	2	284-035-0201	24-Apr-20	-	Sorghum	Webworm, armyworm, cutworm, headworm	4-6 tbsp/16 L water	-	-	-
BAYER CROPSCIENCE, INC.	CARBARYL	SEVIN 50 WP	500 g/kg	WP	INSECTICIDE	2	284-035-0201	24-Apr-20	-	Ornamentals	Aphids, scale insect, mealy bug, cutworm	4-6 tbsp/16 L water	-	-	-
BAYER CROPSCIENCE, INC.	CARBARYL	SEVIN 50 WP	500 g/kg	WP	INSECTICIDE	2	284-035-0201	24-Apr-20	-	Mango	Mango hopper, tip borer, twig borer, fruit fly, mealy bug	4-8 tbsp/16 L water	-	-	-
BAYER CROPSCIENCE, INC.	CARBARYL	SEVIN 50 WP	500 g/kg	WP	INSECTICIDE	2	284-035-0201	24-Apr-20	-	Coffee	Berry borer	4-6 tbsp/16 L water	-	-	-
BAYER CROPSCIENCE, INC.	CARBARYL	SEVIN 50 WP	500 g/kg	WP	INSECTICIDE	2	284-035-0201	24-Apr-20	-	Cacao	Podborer, aphids, capsid bug	4-6 tbsp/16 L water	-	-	-
BAYER CROPSCIENCE, INC.	CARBARYL	SEVIN 50 WP	500 g/kg	WP	INSECTICIDE	2	284-035-0201	24-Apr-20	-	Citrus	Rind borer	4-6 tbsp/16 L water	-	-	-
BAYER CROPSCIENCE, INC.	CARBARYL	SEVIN 50 WP	500 g/kg	WP	INSECTICIDE	2	284-035-0201	24-Apr-20	-	Soybeans	Podborer, beanfly, leafminer, aphids	4-6 tbsp/16 L water	-	-	-
BAYER CROPSCIENCE, INC.	CARBARYL	SEVIN 50 WP	500 g/kg	WP	INSECTICIDE	2	284-035-0201	24-Apr-20	-	Rice	Green leafhopper, caseworm, aphids	4-6 tbsp/16 L water	1ppm	-	-
BAYER CROPSCIENCE, INC.	CARBARYL	SEVIN 50 WP	500 g/kg	WP	INSECTICIDE	2	284-035-0201	24-Apr-20	-	Cowpea and other beans	Podborer, beanfly, leafminer, cutworm, aphids	4-6 tbsp/16 L water	-	-	-
BAYER CROPSCIENCE, INC.	CARBARYL	SEVIN 50 WP	500 g/kg	WP	INSECTICIDE	2	284-035-0201	24-Apr-20	-	Cotton seed	Bollworm, cutworm	4-6 tbsp/16 L water	-	-	-
BAYER CROPSCIENCE, INC.	CARBARYL	SEVIN 50 WP	500 g/kg	WP	INSECTICIDE	2	284-035-0201	24-Apr-20	-	Corn	Corn borer, corn earworm, army worm	4-6 tbsp/16 L water	-	-	-
BAYER CROPSCIENCE, INC.	CARBARYL	SEVIN 50 WP	500 g/kg	WP	INSECTICIDE	2	284-035-0201	24-Apr-20	-	Tomato	Fruitworm, lady beetle	4-6 tbsp/16 L water	-	-	-
BAYER CROPSCIENCE, INC.	CARBARYL	SEVIN 50 WP	500 g/kg	WP	INSECTICIDE	2	284-035-0201	24-Apr-20	-	Cucurbits	Squash beetle, lady beetle	4-6 tbsp/16 L water	-	-	-
INTEGRATED CROP TRADING CORPORATION	CARBARYL	SEVEN ELEVEN BS WP	850 g/kg	WP	INSECTICIDE	2	274-035-1360	03-Feb-24	-	Tobacco	Budworm, cutworm, aphids	4-6 tbsp/16 L water	-	-	-
INTEGRATED CROP TRADING CORPORATION	CARBARYL	SEVEN ELEVEN BS WP	850 g/kg	WP	INSECTICIDE	2	274-035-1360	03-Feb-24	-	Sorghum	Webworm, armyworm, cutworm, headworm	4-6 tbsp/16 L water	-	-	Enter treated areas immediately after spray has dried
INTEGRATED CROP TRADING CORPORATION	CARBARYL	SEVEN ELEVEN BS WP	850 g/kg	WP	INSECTICIDE	2	274-035-1360	03-Feb-24	-	Ornamentals	Aphids, scale insect, mealy bug, cutworm	4-6 tbsp/16 L water	-	-	Enter treated areas immediately after spray has dried
INTEGRATED CROP TRADING CORPORATION	CARBARYL	SEVEN ELEVEN BS WP	850 g/kg	WP	INSECTICIDE	2	274-035-1360	03-Feb-24	-	Mango	Mango hopper, tip borer, twig borer, fruit fly, mealy bug	4-8 tbsp/16 L water	-	1 Day	Enter treated areas immediately after spray has dried
INTEGRATED CROP TRADING CORPORATION	CARBARYL	SEVEN ELEVEN BS WP	850 g/kg	WP	INSECTICIDE	2	274-035-1360	03-Feb-24	-	Coffee	Berry borer	4-6 tbsp/16 L water	-	1 Day	Enter treated areas immediately after spray has dried
INTEGRATED CROP TRADING CORPORATION	CARBARYL	SEVEN ELEVEN BS WP	850 g/kg	WP	INSECTICIDE	2	274-035-1360	03-Feb-24	-	Cacao	Podborer, aphids, capsid bug	4-6 tbsp/16 L water	-	1 Day	Enter treated areas immediately after spray has dried
INTEGRATED CROP TRADING CORPORATION	CARBARYL	SEVEN ELEVEN BS WP	850 g/kg	WP	INSECTICIDE	2	274-035-1360	03-Feb-24	-	Citrus	Rind borer	4-6 tbsp/16 L water	-	5 days	Enter treated areas immediately after spray has dried
INTEGRATED CROP TRADING CORPORATION	CARBARYL	SEVEN ELEVEN BS WP	850 g/kg	WP	INSECTICIDE	2	274-035-1360	03-Feb-24	-	Soybeans	Podborer, beanfly, leafminer, aphids	4-6 tbsp/16 L water	-	-	Enter treated areas immediately after spray has dried
INTEGRATED CROP TRADING CORPORATION	CARBARYL	SEVEN ELEVEN BS WP	850 g/kg	WP	INSECTICIDE	2	274-035-1360	03-Feb-24	-	Rice	Green leafhopper, caseworm, aphids	4-6 tbsp/16 L water	1ppm	14 Days	Enter treated areas immediately after spray has dried
INTEGRATED CROP TRADING CORPORATION	CARBARYL	SEVEN ELEVEN BS WP	850 g/kg	WP	INSECTICIDE	2	274-035-1360	03-Feb-24	-	Cowpeas and other beans	Podborer, beanfly, leafminer, cutworm, aphids	4-6 tbsp/16 L water	-	-	Enter treated areas immediately after spray has dried
INTEGRATED CROP TRADING CORPORATION	CARBARYL	SEVEN ELEVEN BS WP	850 g/kg	WP	INSECTICIDE	2	274-035-1360	03-Feb-24	-	Cotton seed	Bollworm, cutworm	4-6 tbsp/16 L water	-	-	Enter treated areas immediately after spray has dried
INTEGRATED CROP TRADING CORPORATION	CARBARYL	SEVEN ELEVEN BS WP	850 g/kg	WP	INSECTICIDE	2	274-035-1360	03-Feb-24	-	Corn	Corn borer, corn earworm, army worm	4-6 tbsp/16 L water	-	-	Enter treated areas immediately after spray has dried
INTEGRATED CROP TRADING CORPORATION	CARBARYL	SEVEN ELEVEN BS WP	850 g/kg	WP	INSECTICIDE	2	274-035-1360	03-Feb-24	-	Tomato	Fruitworm, lady beetle	4-6 tbsp/16 L water	-	-	Enter treated areas immediately after spray has dried
INTEGRATED CROP TRADING CORPORATION	CARBARYL	SEVEN ELEVEN BS WP	850 g/kg	WP	INSECTICIDE	2	274-035-1360	03-Feb-24	-	Cucurbits	Squash beetle, lady beetle	4-6 tbsp/16 L water	-	-	Enter treated areas immediately after spray has dried
TEXICON AGR VENTURES CORPORATION	FOSETHYL ALUMINUM	SETA 80 WP	800 g/kg	WP	FUNGICIDE	4	242-154-1946	09-Aug-24	SYSTEMIC	Pineapple	Heart rot	6-12 Tbsp/16L	-	90	-
TEXICON AGR VENTURES CORPORATION	FOSETHYL ALUMINUM	SETA 80 WP	800 g/kg	WP	FUNGICIDE	4	242-154-1946	09-Aug-24	SYSTEMIC	Coconut	Wet bud rot, nut rot	6-12 Tbsp/16L	-	-	-

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
TEXICON AGR VENTURES CORPORATION	FOSETYL-ALUMINUM	SETA 80 WP	800 g/kg	WP	FUNGICIDE	4	242-154-1946	09-Aug-24	SYSTEMIC	Rubber	Black stripe	3-6 Tbsp/16L	-	-	-
TEXICON AGR VENTURES CORPORATION	FOSETYL-ALUMINUM	SETA 80 WP	800 g/kg	WP	FUNGICIDE	4	242-154-1946	09-Aug-24	SYSTEMIC	Cacao	Black pod	6-12 Tbsp/16L	-	-	-
TEXICON AGR VENTURES CORPORATION	FOSETYL-ALUMINUM	SETA 80 WP	800 g/kg	WP	FUNGICIDE	4	242-154-1946	09-Aug-24	SYSTEMIC	Orchids	Black rot	6-12 Tbsp/16L	-	-	-
TEXICON AGR VENTURES CORPORATION	FOSETYL-ALUMINUM	SETA 80 WP	800 g/kg	WP	FUNGICIDE	4	242-154-1946	09-Aug-24	SYSTEMIC	Okra	Damping off, stem rot, powdery mildew, late blight, Cercospora leaf spot, downy mildew	40-120 ml in 16L water	-	-	-
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	PACLOBUTRAZOL	SERVO	250g/L	SC	OTHERS	3	376-237-4274	05-Mar-21	-	Mango	Plant growth regulator	4ml per 1 meter canopy diameter	-	-	-
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	PACLOBUTRAZOL	SERVO	250g/L	SC	OTHERS	3	376-237-4274	05-Mar-21	-	durian	Plant growth regulator	0.5-1.5/1.5-4.0 Tbsp/5 L water	-	-	-
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	PACLOBUTRAZOL	SERVO	250g/L	SC	OTHERS	3	376-237-4274	05-Mar-21	-	Calamansi	Plant growth regulator	3-2 Tbsp/5 L water	-	-	-
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	PACLOBUTRAZOL	SERVO	250g/L	SC	OTHERS	3	376-237-4274	05-Mar-21	-	Cocoa as PGR	Plant growth regulator	0.25 Tbsp/5 L water	-	-	-
INTERSORORA INC.	GLUFOSINATE AMMONIUM	SERENI 15 SL	150 g/L	SL	HERBICIDE	4	664-182-5037	10-Feb-26	NON-SELECTIVE (POST-EMERGENT)	Cavendish Banana	Annual and perennial, grass and broad-leaved weeds	260ml/16L water; 135-200 ml/26L water	-	-	After spray deposits have dried
INTERSORORA INC.	GLUFOSINATE AMMONIUM	SERENI 15 SL	150 g/L	SL	HERBICIDE	4	664-182-5037	10-Feb-26	NON-SELECTIVE (POST-EMERGENT)	Rubber	Annual and perennial, grass and broad-leaved weeds	215ml/16L water; 270ml/16L water; 125ml/16L water	-	-	After spray deposits have dried
INTERSORORA INC.	GLUFOSINATE AMMONIUM	SERENI 15 SL	150 g/L	SL	HERBICIDE	4	664-182-5037	10-Feb-26	NON-SELECTIVE (POST-EMERGENT)	Gil palm	Annual and perennial, grass and broad-leaved weeds	160ml/16L water; 135ml/16L water	-	-	After spray deposits have dried
INTERSORORA INC.	GLUFOSINATE AMMONIUM	SERENI 15 SL	150 g/L	SL	HERBICIDE	4	664-182-5037	10-Feb-26	NON-SELECTIVE (POST-EMERGENT)	Citrus	Annual and perennial, grass and broad-leaved weeds	160ml/16L water; 135ml/16L water	-	-	After spray deposits have dried
INTERSORORA INC.	GLUFOSINATE AMMONIUM	SERENI 15 SL	150 g/L	SL	HERBICIDE	4	664-182-5037	10-Feb-26	NON-SELECTIVE (POST-EMERGENT)	Coffee	Annual and perennial, grass and broad-leaved weeds	160ml/16L water; 135ml/16L water	-	-	After spray deposits have dried
INTERSORORA INC.	GLUFOSINATE AMMONIUM	SERENI 15 SL	150 g/L	SL	HERBICIDE	4	664-182-5037	10-Feb-26	NON-SELECTIVE (POST-EMERGENT)	Cacao	Annual and perennial, grass and broad-leaved weeds	160ml/16L water; 135ml/16L water	-	-	After spray deposits have dried
INTERSORORA INC.	GLUFOSINATE AMMONIUM	SERENI 15 SL	150 g/L	SL	HERBICIDE	4	664-182-5037	10-Feb-26	NON-SELECTIVE (POST-EMERGENT)	Non-crop areas	Annual and perennial, grass and broad-leaved weeds	160ml-235ml/16L water	-	-	After spray deposits have dried
BAYER CROSCIENCE, INC.	BACILLUS AMPOLOUQUEFACIENS QST 713	SERENADE SC	13.7 g/L	SC	FUNGICIDE	4	284-366-3116	5-Dec-26	-	Banana	Black Sigatoka, crown mild, crown rot, and fusarium wilt	0.75-2.0L/ha; fusarium wilt - 5-15 ml product/L water; 50ml spray	-	0 day	May enter treated area after spray deposits have dried
BAYER CROSCIENCE, INC.	BACILLUS AMPOLOUQUEFACIENS QST 713	SERENADE SC	13.7 g/L	SC	FUNGICIDE	4	284-366-3116	5-Dec-26	-	Mango	Anthracoise	0.4-0.6L/100L water	-	0 day	May enter treated area after spray deposits have dried
BAYER CROSCIENCE, INC.	BACILLUS AMPOLOUQUEFACIENS QST 713	SERENADE SC	13.7 g/L	SC	FUNGICIDE	4	284-366-3116	5-Dec-26	-	Potato	Late Blight	1-2.0 L/ha	-	0 day	May enter treated area after spray deposits have dried
BAYER CROSCIENCE, INC.	BACILLUS AMPOLOUQUEFACIENS QST 713	SERENADE SC	13.7 g/L	SC	FUNGICIDE	4	284-366-3116	5-Dec-26	-	Garden peas	Powdery mildew	1.0-2.0L/ha	-	0 day	May enter treated area after spray deposits have dried
BAYER CROSCIENCE, INC.	BACILLUS AMPOLOUQUEFACIENS QST 713	SERENADE SC	13.7 g/L	SC	FUNGICIDE	4	284-366-3116	5-Dec-26	-	Okra	Leaf mold	1-2.0 L prod./ha	-	0 day	May enter treated area after spray deposits have dried
BAYER CROSCIENCE, INC.	BACILLUS AMPOLOUQUEFACIENS QST 713	SERENADE SC	13.7 g/L	SC	FUNGICIDE	4	284-366-3116	5-Dec-26	-	Eggplant	Cercospora Leaf spot	2-10ml prod./L water	-	0 day	May enter treated area after spray deposits have dried
BAYER CROSCIENCE, INC.	BACILLUS AMPOLOUQUEFACIENS QST 713	SERENADE SC	13.7 g/L	SC	FUNGICIDE	4	284-366-3116	5-Dec-26	-	Onion	Damping off, anthracnose, twister	2-10ml prod./L water	-	0 day	May enter treated area after spray deposits have dried
BAYER CROSCIENCE, INC.	BACILLUS AMPOLOUQUEFACIENS QST 713	SERENADE SC	13.7 g/L	SC	FUNGICIDE	4	284-366-3116	5-Dec-26	-	Rice	Rice blast, bacterial leaf blight, sheath blight	3000-2000ml prod./ha	-	0 day	May enter treated area after spray deposits have dried
BAYER CROSCIENCE, INC.	BACILLUS AMPOLOUQUEFACIENS QST 713	SERENADE SC	13.7 g/L	SC	FUNGICIDE	4	284-366-3116	5-Dec-26	-	Strawberry	Strawberry leafspot	1-2 L prod./ha, 5-10ml prod./ha	-	0 day	May enter treated area after spray deposits have dried
BAYER CROSCIENCE, INC.	BACILLUS AMPOLOUQUEFACIENS QST 713	SERENADE SC	13.7 g/L	SC	FUNGICIDE	4	284-366-3116	5-Dec-26	-	Chrysanthemum	White rust	10ml prod./L water; 2 L prod./ha	-	0 day	May enter treated area after spray deposits have dried
BAYER CROSCIENCE, INC.	BACILLUS AMPOLOUQUEFACIENS QST 713	SERENADE SC	13.7 g/L	SC	FUNGICIDE	4	284-366-3116	10-Sep-24	-	Stringbeans	Damping off, cercospora leaf spot, rust	500-2000ml prod./ha, 5-10ml prod./L water	-	0 day	May enter treated area after spray deposits have dried
BAYER CROSCIENCE, INC.	BACILLUS AMPOLOUQUEFACIENS QST 713	SERENADE SC	13.7 g/L	SC	FUNGICIDE	4	284-366-3116	5-Dec-26	-	Bitterroot	Damping off, cercospora leaf spot	Foliar/0.5-2.0 L prod./L water, Drench/10-30 ml prod./L water	-	0 day	May enter treated area after spray deposits have dried
BAYER CROSCIENCE, INC.	BACILLUS AMPOLOUQUEFACIENS QST 713	SERENADE SC	13.7 g/L	SC	FUNGICIDE	4	284-366-3116	5-Dec-26	-	Cabbage	Cercospora leaf spot, club root	1000-2000 ml Prod./ha, 5-10 ml Prod./L water	-	0 day	May enter treated area after spray deposits have dried
BAYER CROSCIENCE, INC.	BACILLUS AMPOLOUQUEFACIENS QST 713	SERENADE SC	13.7 g/L	SC	FUNGICIDE	4	284-366-3116	5-Dec-26	-	Watermelon	Foliar (Damping off, cercospora leaf spot) Drench (Damping off, fusarium wilt)	Foliar (500-2,000ml product/ha) Drench (0-10ml product/L water)	-	0 day	May enter treated area after spray deposits have dried
BAYER CROSCIENCE, INC.	BACILLUS AMPOLOUQUEFACIENS QST 713	SERENADE SC	13.7 g/L	SC	FUNGICIDE	4	284-366-3116	5-Dec-26	-	Tobacco	Frog-eye	Foliar (0.5-2.0L/ha at 4000 spray volume) Drench (5-10ml/L water at 100	-	0 day	May enter treated area after spray deposits have dried
BAYER CROSCIENCE, INC.	BACILLUS AMPOLOUQUEFACIENS QST 713	SERENADE SC	13.7 g/L	SC	FUNGICIDE	4	284-366-3116	5-Dec-26	-	Tomato	Early light (foliar spray) and for the control of damping-off and fusarium wilt (drench application)	9-10 ml/L; 1.0-2.0 L/hectare	-	0 day	May enter treated area after spray deposits have dried
BAYER CROSCIENCE, INC.	BACILLUS AMPOLOUQUEFACIENS QST 713	SERENADE SC	13.7 g/L	SC	FUNGICIDE	4	284-366-3116	5-Dec-26	-	Sweet pepper	Anthracoise (foliar application) and damping-off (drench application)	14-64 ml/L; 16L water at spray volume of 900 L/ha; 80-160 ml/L water at 30-64 L prod./hectare; 1.13-36 ml prod/L 100L water; 3000 L/hectare	-	0 day	May enter treated area after spray deposits have dried
BAYER CROSCIENCE, INC.	BACILLUS AMPOLOUQUEFACIENS QST 713	SERENADE SC	13.7 g/L	SC	FUNGICIDE	4	284-366-3116	5-Dec-26	-	Pomele	Scab, bacterial canker	100L water; 3000 L/hectare	-	0 day	May enter treated area after spray deposits have dried
EZERTCH CORPORATION	2,4-D IBE	SENTRO 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	648-049-5117	24-Jun-26	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual Broadleaves & sedges	3.5-6.5 Tbsp/ water	0.1 ppm	-	Do not spray within two days before harvest
EZERTCH CORPORATION	2,4-D IBE	SENTRO 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	648-049-5117	24-Jun-26	SELECTIVE (POST-EMERGENT)	corn	Annual Broadleaves & sedges	5.0-6.5 Tbsp/ water	-	-	Do not spray within two days before harvest
EZERTCH CORPORATION	2,4-D IBE	SENTRO 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	648-049-5117	24-Jun-26	SELECTIVE (POST-EMERGENT)	sugarcane	Annual Broadleaves & sedges	11.0-26.0 Tbsp/ water	-	-	Do not spray within two days before harvest
EZERTCH CORPORATION	2,4-D AMINE	SENTRO 2,4-D AMINE	400 g/L	SL	HERBICIDE	2	648-033-5116	24-Jun-26	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual broadleaves and sedges	3.5-6.5 Tbsp/L	0.1 ppm	-	1 Day
EZERTCH CORPORATION	2,4-D AMINE	SENTRO 2,4-D AMINE	400 g/L	SL	HERBICIDE	2	648-033-5116	24-Jun-26	SELECTIVE (POST-EMERGENT)	sugarcane	Annual broadleaves and sedges	11.0-26.0 Tbsp/L	-	-	1 Day
EZERTCH CORPORATION	2,4-D AMINE	SENTRO 2,4-D AMINE	400 g/L	SL	HERBICIDE	2	648-033-5116	24-Jun-26	SELECTIVE (POST-EMERGENT)	corn	Annual broadleaves and sedges	5.0-6.5 Tbsp/L	-	-	1 Day
HEXTAR VENTURE PHILIPPINES INC.	GLUFOSINATE AMMONIUM	SENTINEL 15 SL	150 g/L	SL	HERBICIDE	4	477-182-4393	19-Jun-25	CONTACT/SELECTIVE	Rubber	Annual grasses, perennial grasses & broadleaf weeds	3.5 L/ Ha	-	-	12 hours
HEXTAR VENTURE PHILIPPINES INC.	GLUFOSINATE AMMONIUM	SENTINEL 15 SL	150 g/L	SL	HERBICIDE	4	477-182-4393	19-Jun-25	CONTACT/SELECTIVE	Gil palm	Annual grasses, perennial grasses & broadleaf weeds	3.5 L/ Ha	-	-	12 hours
HEXTAR VENTURE PHILIPPINES INC.	GLUFOSINATE AMMONIUM	SENTINEL 15 SL	150 g/L	SL	HERBICIDE	4	477-182-4393	19-Jun-25	CONTACT/SELECTIVE	Non-crop areas	Weeds	3.5 L/ Ha	-	-	12 hours
HEXTAR VENTURE PHILIPPINES INC.	GLUFOSINATE AMMONIUM	SENTINEL 15 SL	150 g/L	SL	HERBICIDE	4	477-182-4393	19-Jun-25	CONTACT/SELECTIVE	Cavendish Banana	Annual grasses, perennial grasses & broadleaf weeds	3.5 L/ Ha	0.2 mg/kg	-	12 hours
ZHIL DEVELOPMENT CORPORATION	CYPERMETHRIN	SENSOR 5 EC	50g/L	EC	INSECTICIDE	4	651-037-4862	17-Mar-20	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water	-	-	7 days
ZHIL DEVELOPMENT CORPORATION	CYPERMETHRIN	SENSOR 5 EC	50g/L	EC	INSECTICIDE	4	651-037-4862	17-Mar-20	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leafhopper, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water	-	-	7 days
ZHIL DEVELOPMENT CORPORATION	CYPERMETHRIN	SENSOR 5 EC	50g/L	EC	INSECTICIDE	4	651-037-4862	17-Mar-20	CONTACT	Cabbage	Diamond back moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	-	-	7 days
ZHIL DEVELOPMENT CORPORATION	CYPERMETHRIN	SENSOR 5 EC	50g/L	EC	INSECTICIDE	4	651-037-4862	17-Mar-20	CONTACT	beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	-	-	7 days
ZHIL DEVELOPMENT CORPORATION	CYPERMETHRIN	SENSOR 5 EC	50g/L	EC	INSECTICIDE	4	651-037-4862	17-Mar-20	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	-	-	7 days
ZHIL DEVELOPMENT CORPORATION	CYPERMETHRIN	SENSOR 5 EC	50g/L	EC	INSECTICIDE	4	651-037-4862	17-Mar-20	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	-	-	7 days
ZHIL DEVELOPMENT CORPORATION	CYPERMETHRIN	SENSOR 5 EC	50g/L	EC	INSECTICIDE	4	651-037-4862	17-Mar-20	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	-	7 days
ZHIL DEVELOPMENT CORPORATION	CYPERMETHRIN	SENSOR 5 EC	50g/L	EC	INSECTICIDE	4	651-037-4862	17-Mar-20	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	-	-	7 days
ZHIL DEVELOPMENT CORPORATION	CYPERMETHRIN	SENSOR 5 EC	50g/L	EC	INSECTICIDE	4	651-037-4862	17-Mar-20	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	-	7 days
ZHIL DEVELOPMENT CORPORATION	CYPERMETHRIN	SENSOR 5 EC	50g/L	EC	INSECTICIDE	4	651-037-4862	17-Mar-20	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-	-	7 days
ZHIL DEVELOPMENT CORPORATION	CYPERMETHRIN	SENSOR 5 EC	50g/L	EC	INSECTICIDE	4	651-037-4862	17-Mar-20	CONTACT	Corn	Comborer, earworm	1.0-4.5 Tbsp/16 L water	-	-	7 days
TAIPAN BRAND FARM INC.	FFPHONIL	SEFOR 30 SC	50g/L	SC	INSECTICIDE	3	529-244-4004	22-Jun-24	CONTACT	Rice	Stemborer, brown planthopper, leafhopper, rice bug	1.3-2.0, 2.0-3.0, 2.7-4.0 Tbsp/16L	0.05ppm	-	Do not apply 7 days before harvest
TAIPAN BRAND FARM INC.	FFPHONIL	SEFOR 30 SC	50g/L	SC	INSECTICIDE	3	529-244-4004	22-Jun-24	CONTACT	Cabbage	Diamond backed moth	1.3-2.0, 2.0-3.0, 2.7-4.0 Tbsp/16L	0.05 ppm	-	Do not apply 7 days before harvest

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
TAIPAN BRAND FARM INC.	FFPRONIL	SEKOR 50 SC	50g/L	SC	INSECTICIDE	3	529-244-4404	22-Jun-24	CONTACT	Watermelon	Thrips, leaf beetles	2.5-3.0 tbsp /36L	-	Do not apply 7 days before harvest	One day after application.
TAIPAN BRAND FARM INC.	FFPRONIL	SEKOR 50 SC	50g/L	SC	INSECTICIDE	3	529-244-4404	22-Jun-24	CONTACT	Onion	Cutworm	5.33 tbsp /36L	-	Do not apply 7 days before harvest	One day after application.
TAIPAN BRAND FARM INC.	FFPRONIL	SEKOR 50 SC	50g/L	SC	INSECTICIDE	3	529-244-4404	22-Jun-24	CONTACT	Eggplant	Shoot borer	3.0-4.0 tbsp /36L	-	Do not apply 7 days before harvest	One day after application.
UCHENPHIL INTERNATIONAL INC.	CHLOFFENAPR	SENDER 100 SC	100 g/L	SC	INSECTICIDE	3	590-281-4887	02-Sep-25		Cabbage	Diamond back moth, aphids and cabbage moth	1.5-3.0 Tbsp/36 L water	-	Do not spray within 14 days before harvest	Do not enter treated fields within two days after spraying.
UCHENPHIL INTERNATIONAL INC.	CHLOFFENAPR	SENDER 100 SC	100 g/L	SC	INSECTICIDE	3	590-281-4887	02-Sep-25		Potato	Thrips	0.5-1.5 Tbsp/36L water	-	Do not spray within 14 days before harvest	Do not enter treated fields within two days after spraying
UCHENPHIL INTERNATIONAL INC.	CHLOFFENAPR	SENDER 100 SC	100 g/L	SC	INSECTICIDE	3	590-281-4887	02-Sep-25		Banana	Flower thrips	2-3 ml/ L water	-	Do not spray within 14 days before harvest	Do not enter treated fields within two days after spraying
BASF PHILIPPINES, INC.	PIRACLOSTROBIN	SELTIMA 10 CS	100 g/L	CS	FUNGICIDE	4	005-237-4465	01-Apr-25	SYSTEMIC	Rice	Panicle blast caused by <i>Fusarium oryzae</i> and Sheath blight caused by <i>Rhizoctonia solani</i>	750-1000ml. of product/ha using a volume rate of 800L/ha/ha, sprayed	-	No pre-harvest interval	As soon as spray droplets dries or 24 hours after spraying
JARDINE DISTRIBUTION, INC.	CLETHODIM	SELECT 24 EC	240 g/L	EC	HERBICIDE	4	367-334-4110	16-Jun-24		Onion	Grasses for the control of E.colona, Eleusine indica, D. aegyptium & D. ciliaris	0.5 L/ha	-	Do not spray 14 days before harvest	Entry to crops and fields sprayed with SELECT 24 EC may be done 1 day after spraying
SYNGENTA PHILIPPINES INC.	PROFENOFOS	SELECRON 500 EC	500 g/L	EC	INSECTICIDE	2	011-070-0101	28-Oct-24	CONTACT	Mango	Thrips	1.0-2.0 Tbsp/36L water	-		
SYNGENTA PHILIPPINES INC.	PROFENOFOS	SELECRON 500 EC	500 g/L	EC	INSECTICIDE	2	011-070-0101	28-Oct-24	CONTACT	Tomato	Fruitworm, armyworm, cutworm	3-5 Tbsp/36L water	-		
SYNGENTA PHILIPPINES INC.	PROFENOFOS	SELECRON 500 EC	500 g/L	EC	INSECTICIDE	2	011-070-0101	28-Oct-24	CONTACT	Eggplant	Fruitborer, aphids, leafhopper, & thrips	1.5-3.0 Tbsp/36L water	-		
SYNGENTA PHILIPPINES INC.	PROFENOFOS	SELECRON 500 EC	500 g/L	EC	INSECTICIDE	2	011-070-0101	28-Oct-24	CONTACT	Cabbage	Diamond back moth, cabbage worm & aphids, thrips	3-5 Tbsp/36L water	-		
SYNGENTA PHILIPPINES INC.	PROFENOFOS	SELECRON 500 EC	500 g/L	EC	INSECTICIDE	2	011-070-0101	28-Oct-24	CONTACT	Watermelon	Thrips	3-5 Tbsp/36L water	-		
SYNGENTA PHILIPPINES INC.	PROFENOFOS	SELECRON 500 EC	500 g/L	EC	INSECTICIDE	2	011-070-0101	28-Oct-24	CONTACT	Potato	Thrips, army worm, cutworm, tuber moth	3-5 Tbsp/36L water	-		
SYNGENTA PHILIPPINES INC.	PROFENOFOS	SELECRON 500 EC	500 g/L	EC	INSECTICIDE	2	011-070-0101	28-Oct-24	CONTACT	Soybeans	Corn earworm, leafminer	3-5 Tbsp/36L water	-		
SYNGENTA PHILIPPINES INC.	PROFENOFOS	SELECRON 500 EC	500 g/L	EC	INSECTICIDE	2	011-070-0101	28-Oct-24	CONTACT	Mungbeans	Corn earworm, leafminer	3-5 Tbsp/36L water	-		
SYNGENTA PHILIPPINES INC.	PROFENOFOS	SELECRON 500 EC	500 g/L	EC	INSECTICIDE	2	011-070-0101	28-Oct-24	CONTACT	Cotton	Thrips, bollworm & budworm	3-5 Tbsp/36L water	-		
SYNGENTA PHILIPPINES INC.	PROFENOFOS	SELECRON 500 EC	500 g/L	EC	INSECTICIDE	2	011-070-0101	28-Oct-24	CONTACT	Sitao	Beetfly, leaf folder & aphids	1.5-3.0 Tbsp/36L water	-		
ALTA CROP PROTECTION CORPORATION	PROFENOFOS	SELECK 50 EC	500 g/L	EC	INSECTICIDE	2	351-070-2356	08-Jan-18	CONTACT	Mango	Thrips	1.0-2.0 Tbsp/36L water	-	14 days	Do not enter treated field 1 day after application
ALTA CROP PROTECTION CORPORATION	PROFENOFOS	SELECK 50 EC	500 g/L	EC	INSECTICIDE	2	351-070-2356	08-Jan-18	CONTACT	Tomato	Fruitworm, armyworm, cutworm	3-5 Tbsp/36L water	-	14 days	Do not enter treated field 1 day after application
ALTA CROP PROTECTION CORPORATION	PROFENOFOS	SELECK 50 EC	500 g/L	EC	INSECTICIDE	2	351-070-2356	08-Jan-18	CONTACT	Eggplant	Fruitborer, aphids, leafhopper, & thrips	1.5-3.0 Tbsp/36L water	-	14 days	Do not enter treated field 1 day after application
ALTA CROP PROTECTION CORPORATION	PROFENOFOS	SELECK 50 EC	500 g/L	EC	INSECTICIDE	2	351-070-2356	08-Jan-18	CONTACT	Cabbage	Diamond back moth, cabbage worm & aphids, thrips	3-5 Tbsp/36L water	-	14 days	Do not enter treated field 1 day after application
ALTA CROP PROTECTION CORPORATION	PROFENOFOS	SELECK 50 EC	500 g/L	EC	INSECTICIDE	2	351-070-2356	08-Jan-18	CONTACT	Watermelon	Thrips	3-5 Tbsp/36L water	-	14 days	Do not enter treated field 1 day after application
ALTA CROP PROTECTION CORPORATION	PROFENOFOS	SELECK 50 EC	500 g/L	EC	INSECTICIDE	2	351-070-2356	08-Jan-18	CONTACT	Potato	Thrips, army worm, cutworm, tuber moth	3-5 Tbsp/36L water	-	14 days	Do not enter treated field 1 day after application
ALTA CROP PROTECTION CORPORATION	PROFENOFOS	SELECK 50 EC	500 g/L	EC	INSECTICIDE	2	351-070-2356	08-Jan-18	CONTACT	Soybeans	Corn earworm, leafminer	3-5 Tbsp/36L water	-	14 days	Do not enter treated field 1 day after application
ALTA CROP PROTECTION CORPORATION	PROFENOFOS	SELECK 50 EC	500 g/L	EC	INSECTICIDE	2	351-070-2356	08-Jan-18	CONTACT	Mungbeans	Corn earworm, leafminer	3-5 Tbsp/36L water	-	14 days	Do not enter treated field 1 day after application
ALTA CROP PROTECTION CORPORATION	PROFENOFOS	SELECK 50 EC	500 g/L	EC	INSECTICIDE	2	351-070-2356	08-Jan-18	CONTACT	Cotton	Thrips, bollworm & budworm	3-5 Tbsp/36L water	-	14 days	Do not enter treated field 1 day after application
ALTA CROP PROTECTION CORPORATION	PROFENOFOS	SELECK 50 EC	500 g/L	EC	INSECTICIDE	2	351-070-2356	08-Jan-18	CONTACT	Sitao	Beetfly, leaf folder & aphids	1.5-3.0 Tbsp/36L water	-	14 days	Do not enter treated field 1 day after application
JARDINE DISTRIBUTION, INC.	SPIROTETRAMAT	SEGURO 240 SC	240 g/L	SC	INSECTICIDE	2	367-419-5995	08-Jan-18	CONTACT	Banana	Flower thrips	3.3-4.17 ml. prod./L water	-	84 days	Treated areas may be re-entered immediately after bud injection (in banana) or as soon as spray deposits have dried completely (in pineapple)
JARDINE DISTRIBUTION, INC.	SPIROTETRAMAT	SEGURO 240 SC	240 g/L	SC	INSECTICIDE	4	367-419-5995	18-Jan-26	-	Pineapple	Nematodes, mealybugs, scale insects, white grubs and mites	0.45-1.20 L prod./ha	-	120 days	Treated areas may be re-entered immediately after bud injection (in banana) or as soon as spray deposits have dried completely (in pineapple)
ARIES RINE CHEMICAL CORPORATION	CYHALOPOF BUTYL-BISPYRIBAC SODIUM	SEGADOR PLUS 200 OD	150g/L +50g/L	OD	HERBICIDE	4	478-504-5842	24-Apr-25	POST-EMERGENT	Rice (Direct-Seeded)	Grasses, broadleaves and sedges	10ml/36 L water, 20 spray load/ hectare	0.1 ppm	-	As soon as spray deposits have dried
ARIES RINE CHEMICAL CORPORATION	BISPYRIBAC SODIUM	SEGADOR 10 SC	105.5 g/L	SC	HERBICIDE	4	478-276-3320	05-Mar-25	SELECTIVE (POST-EMERGENT)	Rice (Direct-Seeded)	Grasses, sedges & broadleaves	10ml/36 L water, 20 spray load/ hectare	0.1 ppm	-	As soon as spray deposits have dried
ARIES RINE CHEMICAL CORPORATION	BISPYRIBAC SODIUM	SEGADOR 10 SC	105.5 g/L	SC	HERBICIDE	4	478-276-3320	05-Mar-25	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Grasses, sedges & broadleaves	10ml/36 L water, 20 spray load/ hectare	0.1 ppm	-	As soon as spray deposits have dried
BASF PHILIPPINES, INC.	AFIDOPROPEN	SEFINA 50 DC	50 g/L	DC	INSECTICIDE	3	005-627-6277	26-Sep-26	-	Eggplant	Leafhopper and whitefly	0.75-1.0 L/ha, 3-4 Tbsp/ 36L	-	7 Days	1 day
JYNNSONS PHILIPPINES, INC.	FFPRONIL	SEKEX 5 SC	50g/L	SC	INSECTICIDE	3	551-244-4645	04-Feb-25	CONTACT	Rice	Stem borer, brown planthopper, leaf folder, rice bug	1.3-2.0, 2.0-3.0, 2.7-4.0 tbsp./36L	0.05ppm	Do not apply 7 days before harvest	One day after application.
JYNNSONS PHILIPPINES, INC.	FFPRONIL	SEKEX 5 SC	50g/L	SC	INSECTICIDE	3	551-244-4645	04-Feb-25	CONTACT	Cabbage	Diamond backed moth	1.3-2.0, 2.0-3.0, 2.7-4.0 tbsp./36L	-	Do not apply 7 days before harvest	One day after application.
JYNNSONS PHILIPPINES, INC.	FFPRONIL	SEKEX 5 SC	50g/L	SC	INSECTICIDE	3	551-244-4645	04-Feb-25	CONTACT	Watermelon	Thrips, leaf beetles	2.5-3.0 tbsp./36L	-	Do not apply 7 days before harvest	One day after application.
JYNNSONS PHILIPPINES, INC.	FFPRONIL	SEKEX 5 SC	50g/L	SC	INSECTICIDE	3	551-244-4645	04-Feb-25	CONTACT	Onion	Cutworm	5.33 tbsp./36L	-	Do not apply 7 days before harvest	One day after application.
JYNNSONS PHILIPPINES, INC.	FFPRONIL	SEKEX 5 SC	50g/L	SC	INSECTICIDE	3	551-244-4645	04-Feb-25	CONTACT	Eggplant	Shoot borer	3.0-4.0 tbsp./36L	-	Do not apply 7 days before harvest	One day after application.
JYNNSONS PHILIPPINES, INC.	FFPRONIL	SEKEX 5 SC	50g/L	SC	INSECTICIDE	3	551-244-4645	04-Feb-25	CONTACT	Banana	Flower thrips	-	-	Do not apply 7 days before harvest	One day after application.
S&P ENTERPRISES, INC.	BUTACHLOR+2,4-D IBE	SEED STOP ULTRA 60 EC	360 g/L+240 g/L	EC	HERBICIDE	3	566-152-6014	20-Dec-25	PRE-EMERGENT	Rice (Transplanted)	Broadleaf weeds, grasses and sedges	9.20Tbsp/36 L sprayload	-	-	-
S&P ENTERPRISES, INC.	BUTACHLOR+2,4-D IBE	SEED STOP ULTRA 60 EC	360 g/L+240 g/L	EC	HERBICIDE	3	566-152-6014	20-Dec-25	PRE-EMERGENT	Rice (Direct-seeded)	Broadleaf weeds, grasses and sedges	8.20Tbsp/36 L sprayload	-	-	-
S&P ENTERPRISES, INC.	BUTACHLOR	SEED STOP 60 EC	600 g/L	EC	HERBICIDE	4	566-150-6013	18-Sep-24	PRE-EMERGENT	Rice (Transplanted)	Grasses and sedges	40bsp (2-4 DAT) 9Tbsp (0-4 DAT) 7Tbsp+7Tbsp	-	-	-
S&P ENTERPRISES, INC.	BUTACHLOR	SEED STOP 60 EC	600 g/L	EC	HERBICIDE	4	566-150-6013	18-Sep-24	PRE-EMERGENT	Rice (Direct-seeded)	Grasses and sedges	34-6.8 g/L, 36-130 g/36 L, 3.4 g/L	-	-	As soon as spray deposits have dried
MIGHTY AGRICULTURAL TRADING CORPORATION	FOSETYL-ALUMINUM	SECURE 80 WG	800 g/kg	WG	FUNGICIDE	4	733-154-5987	11-Jan-26	SYSTEMIC	Pineapple	Heart rot	20 g/L, 50g/36L water	-	-	As soon as spray deposits have dried
MIGHTY AGRICULTURAL TRADING CORPORATION	FOSETYL-ALUMINUM	SECURE 80 WG	800 g/kg	WG	FUNGICIDE	4	733-154-5987	11-Jan-26	SYSTEMIC	Coconut	Wet bud rot and nut rot	-	-	-	As soon as spray deposits have dried
MIGHTY AGRICULTURAL TRADING CORPORATION	FOSETYL-ALUMINUM	SECURE 80 WG	800 g/kg	WG	FUNGICIDE	4	733-154-5987	11-Jan-26	SYSTEMIC	Cacao	Black pod	3.4 g/L, 50g/36L water	-	-	As soon as spray deposits have dried
MIGHTY AGRICULTURAL TRADING CORPORATION	FOSETYL-ALUMINUM	SECURE 80 WG	800 g/kg	WG	FUNGICIDE	4	733-154-5987	11-Jan-26	SYSTEMIC	Rubber	Black stripe (Panel disease)	Preventive: 14 g/L, Curative: 28 g/L, 225 g/L 16L	-	-	As soon as spray deposits have dried
MIGHTY AGRICULTURAL TRADING CORPORATION	FOSETYL-ALUMINUM	SECURE 80 WG	800 g/kg	WG	FUNGICIDE	4	733-154-5987	11-Jan-26	SYSTEMIC	Rice	Bacterial leaf blight	1.5-2.0 kg/ha	-	-	As soon as spray deposits have dried
MIGHTY AGRICULTURAL TRADING CORPORATION	FOSETYL-ALUMINUM	SECURE 80 WG	800 g/kg	WG	FUNGICIDE	4	733-154-5987	11-Jan-26	SYSTEMIC	Onchids	Black rot	3.4 g/L, 50g/36 L water	-	-	As soon as spray deposits have dried
TRANS WORLD TRADING CO., INC.	DIFENOCONAZOLE	S-CURE 250 EC	250 g/L	EC	FUNGICIDE	4	038-272-3752	29-Oct-26	SYSTEMIC	Banana	Black Sigatoka	0.3-0.4 L/ha or 1 Tbsp/36L water	-	-	-
TRANS WORLD TRADING CO., INC.	DIFENOCONAZOLE	S-CURE 250 EC	250 g/L	EC	FUNGICIDE	4	038-272-3752	29-Oct-26	SYSTEMIC	Mango	Anthraxnose	1 Tbsp/36 L water	-	14 days	-
TRANS WORLD TRADING CO., INC.	DIFENOCONAZOLE	S-CURE 250 EC	250 g/L	EC	FUNGICIDE	4	038-272-3752	29-Oct-26	SYSTEMIC	Rice	Sheath Blight	0.25-0.30 L/ha or 1 Tbsp/36L water	-	-	-
TRANS WORLD TRADING CO., INC.	DIFENOCONAZOLE	S-CURE 250 EC	250 g/L	EC	FUNGICIDE	4	038-272-3752	29-Oct-26	SYSTEMIC	Stringbeans	Leaf spot	0.2-0.3 L/ha or 1 Tbsp/36L water	-	7 days	-
TRANS WORLD TRADING CO., INC.	DIFENOCONAZOLE	S-CURE 250 EC	250 g/L	EC	FUNGICIDE	4	038-272-3752	29-Oct-26	SYSTEMIC	Eggplant	Leaf spot	0.3-0.3 L/ha or 1 Tbsp/36L water	-	7 days	-
TRANS WORLD TRADING CO., INC.	DIFENOCONAZOLE	S-CURE 250 EC	250 g/L	EC	FUNGICIDE	4	038-272-3752	29-Oct-26	SYSTEMIC	Tomato	Alternaria leaf spot, cercospora leaf mold, powdery mildew	0.2-0.3 L/ha or 1 Tbsp/36L water	-	7 days	-

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
TRANS WORLD TRADING CO., INC.	DIFENOCANAZOLE	S-CURE 250 EC	250 g/L	EC	FUNGICIDE	4	038-272-3752	29-Oct-26	SYSTEMIC	Cabbage	Ringspot,alternaria	0.2-0.3 L/ha or 1 Tbsp/16L water	-	7 days	
TRANS WORLD TRADING CO., INC.	DIFENOCANAZOLE	S-CURE 250 EC	250 g/L	EC	FUNGICIDE	4	038-272-3752	29-Oct-26	SYSTEMIC	Onion	Purple blotch	0.4-0.6 L/ha or 1-2 Tbsp/16L water	-	7 days	
TRANS WORLD TRADING CO., INC.	DIFENOCANAZOLE	S-CURE 250 EC	250 g/L	EC	FUNGICIDE	4	038-272-3752	29-Oct-26	SYSTEMIC	Asparagus	Stem and leaf blight	0.36 L/ha or 1 Tbsp/16L water	-	7 days	
SHELLHOMES CHEMICALS, INCORPORATED	DELTAMETHRIN	SCOUT 2.5 EC	25 g/L	EC	INSECTICIDE	4	481-085-2778	10-Feb-17		Mango	Wormer, Tip borer, twig borer	0.75-1.0 Tbsp/16L water	-		
SHELLHOMES CHEMICALS, INCORPORATED	DELTAMETHRIN	SCOUT 2.5 EC	25 g/L	EC	INSECTICIDE	4	481-085-2778	10-Feb-17		Cabbage & other crucifers	Diamond-back moth, cabbage moth, cabbage worm	0.1 Tbsp/16L water	-		
SHELLHOMES CHEMICALS, INCORPORATED	DELTAMETHRIN	SCOUT 2.5 EC	25 g/L	EC	INSECTICIDE	4	481-085-2778	10-Feb-17		Tobacco	Budworm, armyworm, cutworm	0.8-1.0 Tbsp/16L water	-		
SHELLHOMES CHEMICALS, INCORPORATED	DELTAMETHRIN	SCOUT 2.5 EC	25 g/L	EC	INSECTICIDE	4	481-085-2778	10-Feb-17		Beans	Flea beetle, beanfly, bugs, thrips, cutworm, armyworm	0.8-1.0 Tbsp/16L water	-		
SHELLHOMES CHEMICALS, INCORPORATED	DELTAMETHRIN	SCOUT 2.5 EC	25 g/L	EC	INSECTICIDE	4	481-085-2778	10-Feb-17		Soybeans	Flea beetle, beanfly, bugs, thrips, cutworm, armyworm	0.8-1.0 Tbsp/16L water	-		
SHELLHOMES CHEMICALS, INCORPORATED	DELTAMETHRIN	SCOUT 2.5 EC	25 g/L	EC	INSECTICIDE	4	481-085-2778	10-Feb-17		Tomato	Fruitworm (heliothis)	0.8-1.0 Tbsp/16L water	-		
SHELLHOMES CHEMICALS, INCORPORATED	DELTAMETHRIN	SCOUT 2.5 EC	25 g/L	EC	INSECTICIDE	4	481-085-2778	10-Feb-17		Corn	Corn borer, corn earworm, seedling maggots	0.1 Tbsp/16L water	-		
SHELLHOMES CHEMICALS, INCORPORATED	DELTAMETHRIN	SCOUT 2.5 EC	25 g/L	EC	INSECTICIDE	4	481-085-2778	10-Feb-17		Eggplant	Thrips, flea beetle, fruitworm	0.1 Tbsp/16L water	-		
SHELLHOMES CHEMICALS, INCORPORATED	DELTAMETHRIN	SCOUT 2.5 EC	25 g/L	EC	INSECTICIDE	4	481-085-2778	10-Feb-17		Cotton	Leafhopper, bollworm, weevil	0.8-1.0 Tbsp/16L water	-		
SHELLHOMES CHEMICALS, INCORPORATED	DELTAMETHRIN	SCOUT 2.5 EC	25 g/L	EC	INSECTICIDE	4	481-085-2778	10-Feb-17		Agricultural crops	Locusts nymphs/ Locusts-adult	1.0-1.5* 3.0 Tbsp/ 16L water	-		
SHELLHOMES CHEMICALS, INCORPORATED	DELTAMETHRIN	SCOUT 2.5 EC	25 g/L	EC	INSECTICIDE	4	481-085-2778	10-Feb-17		Cacao	Podborer, aphids	0.1 Tbsp/16L water	-		
ALDIZ INCORPORATED	METHOMYL	SCORPIO 40 SP	400 g/kg	SP	INSECTICIDE	2	000-164-2411	28-Jul-25	CONTACT	Banana	Thrips	3-4% 40% Tbsp/16L Sprayer	-	Numbers of days recommended between last spray until harvest of the crops indicated in the table above	
ALDIZ INCORPORATED	METHOMYL	SCORPIO 40 SP	400 g/kg	SP	INSECTICIDE	2	000-164-2411	28-Jul-25	CONTACT	Mans	Leafroller, flea beetle , beanfly, podborer,aphids	2-3% Tbsp/16L Sprayer	-	Numbers of days recommended between last spray until harvest of the crops indicated in the table above	
ALDIZ INCORPORATED	METHOMYL	SCORPIO 40 SP	400 g/kg	SP	INSECTICIDE	2	000-164-2411	28-Jul-25	CONTACT	Mungbeans	Leafroller, flea beetle , beanfly, podborer,aphids	2-3% Tbsp/16L Sprayer	-	Numbers of days recommended between last spray until harvest of the crops indicated in the table above	
ALDIZ INCORPORATED	METHOMYL	SCORPIO 40 SP	400 g/kg	SP	INSECTICIDE	2	000-164-2411	28-Jul-25	CONTACT	Soybeans	Leafroller, flea beetle , beanfly, podborer,aphids	2-3% Tbsp/16L Sprayer	-	Numbers of days recommended between last spray until harvest of the crops indicated in the table above	
ALDIZ INCORPORATED	METHOMYL	SCORPIO 40 SP	400 g/kg	SP	INSECTICIDE	2	000-164-2411	28-Jul-25	CONTACT	Sitao	Leafroller, flea beetle , beanfly, podborer,aphids	2-3% Tbsp/16L Sprayer	-	Numbers of days recommended between last spray until harvest of the crops indicated in the table above	
ALDIZ INCORPORATED	METHOMYL	SCORPIO 40 SP	400 g/kg	SP	INSECTICIDE	2	000-164-2411	28-Jul-25	CONTACT	Corn	Comborer, earworm	2-3% Tbsp/16L Sprayer	-	Numbers of days recommended between last spray until harvest of the crops indicated in the table above	
ALDIZ INCORPORATED	METHOMYL	SCORPIO 40 SP	400 g/kg	SP	INSECTICIDE	2	000-164-2411	28-Jul-25	CONTACT	Sorghum	Comborer,earworm	2-3% Tbsp/16L Sprayer	-	Numbers of days recommended between last spray until harvest of the crops indicated in the table above	
ALDIZ INCORPORATED	METHOMYL	SCORPIO 40 SP	400 g/kg	SP	INSECTICIDE	2	000-164-2411	28-Jul-25	CONTACT	Eggplant	Aphids, flea beetle , fruitworm, lady beetle	2-3% Tbsp/16L Sprayer	-	Numbers of days recommended between last spray until harvest of the crops indicated in the table above	
ALDIZ INCORPORATED	METHOMYL	SCORPIO 40 SP	400 g/kg	SP	INSECTICIDE	2	000-164-2411	28-Jul-25	CONTACT	Melon	Aphids, squash beetle , leafroller	2-3% Tbsp/16L Sprayer	-	Numbers of days recommended between last spray until harvest of the crops indicated in the table above	
ALDIZ INCORPORATED	METHOMYL	SCORPIO 40 SP	400 g/kg	SP	INSECTICIDE	2	000-164-2411	28-Jul-25	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leafroller	2-3% Tbsp/16L Sprayer	0.01ppm	Numbers of days recommended between last spray until harvest of the crops indicated in the table above	
ALDIZ INCORPORATED	METHOMYL	SCORPIO 40 SP	400 g/kg	SP	INSECTICIDE	2	000-164-2411	28-Jul-25	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	2-3% Tbsp/16L Sprayer	-	Numbers of days recommended between last spray until harvest of the crops indicated in the table above	
ALDIZ INCORPORATED	METHOMYL	SCORPIO 40 SP	400 g/kg	SP	INSECTICIDE	2	000-164-2411	28-Jul-25	CONTACT	Tomato	Tomato fruitworm, aphids	2-3% Tbsp/16L Sprayer	-	Numbers of days recommended between last spray until harvest of the crops indicated in the table above	
SYNGENTA PHILIPPINES INC.	DIFENOCANAZOLE	SCORE 250 EC	250 g/L	EC	FUNGICIDE	4	011-272-0668	09-Apr-24	SYSTEMIC	Banana	Black Sigatoka	0.30-0.40 L prod/ha	-	-	
SYNGENTA PHILIPPINES INC.	DIFENOCANAZOLE	SCORE 250 EC	250 g/L	EC	FUNGICIDE	4	011-272-0668	03-Jul-25	SYSTEMIC	Mango	Anthracoose	0.28-0.88 L/ha	-	14 days	
SYNGENTA PHILIPPINES INC.	DIFENOCANAZOLE	SCORE 250 EC	250 g/L	EC	FUNGICIDE	4	011-272-0668	03-Jul-25	SYSTEMIC	Rice	Sheath Blight	0.25-0.30 L/ha	-	-	
SYNGENTA PHILIPPINES INC.	DIFENOCANAZOLE	SCORE 250 EC	250 g/L	EC	FUNGICIDE	4	011-272-0668	03-Jul-25	SYSTEMIC	Stringbeans	Leaf spot	0.20-0.30 L/ha	-	7 days	
SYNGENTA PHILIPPINES INC.	DIFENOCANAZOLE	SCORE 250 EC	250 g/L	EC	FUNGICIDE	4	011-272-0668	03-Jul-25	SYSTEMIC	Eggplant	Leaf Spot	0.20-0.30 L/ha	-	7 days	
SYNGENTA PHILIPPINES INC.	DIFENOCANAZOLE	SCORE 250 EC	250 g/L	EC	FUNGICIDE	4	011-272-0668	03-Jul-25	SYSTEMIC	Tomato	Alternaria leaf spot, cercospora leafmold,powdery mildew	0.20-0.30 L/ha	-	7 days	
SYNGENTA PHILIPPINES INC.	DIFENOCANAZOLE	SCORE 250 EC	250 g/L	EC	FUNGICIDE	4	011-272-0668	03-Jul-25	SYSTEMIC	Cabbage	Ringspot,alternaria	0.20-0.30 L/ha	-	7 days	
SYNGENTA PHILIPPINES INC.	DIFENOCANAZOLE	SCORE 250 EC	250 g/L	EC	FUNGICIDE	4	011-272-0668	03-Jul-25	SYSTEMIC	Onion	Purple blotch	0.40-0.50 L/ha	-	7 days	
SYNGENTA PHILIPPINES INC.	DIFENOCANAZOLE	SCORE 250 EC	250 g/L	EC	FUNGICIDE	4	011-272-0668	03-Jul-25	SYSTEMIC	Asparagus	Stem and leaf blight	0.36 L/ha	-	7 days	
ACE CROP SOLUTIONS INC.	MANCOZEB+METALAXYL	SCORCH 72 WP	640-80 g/kg	WP	FUNGICIDE	4	530-035-3480	24-Jan-26	SYSTEMIC	Potato	Late blight	1 Sachet/16L	-		
ACE CROP SOLUTIONS INC.	MANCOZEB+METALAXYL	SCORCH 72 WP	640-80 g/kg	WP	FUNGICIDE	4	530-035-3480	07-Aug-18	SYSTEMIC	Tomato	Late blight	1 Sachet/16L	-		
ACE CROP SOLUTIONS INC.	MANCOZEB+METALAXYL	SCORCH 72 WP	640-80 g/kg	WP	FUNGICIDE	4	530-035-3480	07-Aug-18	SYSTEMIC	Pineapple	Heart rot	2 kg prod./ha	-		
ACE CROP SOLUTIONS INC.	MANCOZEB+METALAXYL	SCORCH 72 WP	640-80 g/kg	WP	FUNGICIDE	4	530-035-3480	07-Aug-18	SYSTEMIC	Asparagus	Spear rot	10-14 kg prod./ha	-		
ACE CROP SOLUTIONS INC.	MANCOZEB+METALAXYL	SCORCH 72 WP	640-80 g/kg	WP	FUNGICIDE	4	530-035-3480	07-Aug-18	SYSTEMIC	Orchids	Black rot	25 kg prod./ha	-		
ZAGRO CORPORATION	THIOPHANATE METHYL	SCOPE 70 WP	700 g/kg	WP	FUNGICIDE	4	043-107-0758	24-Jan-26	SYSTEMIC	Rice	Blast, neck rot, black spot	1.5-2.0 TBSP/16L Water	1.0ppm	Do not spray 14 days before harvest.	Entry to crops and sprayed with SCOPE 70 WP can be done five days after spraying
ZAGRO CORPORATION	THIOPHANATE METHYL	SCOPE 70 WP	700 g/kg	WP	FUNGICIDE	4	043-107-0758	24-Jan-26	SYSTEMIC	Mango	Anthracoose	0.5-1.0 TBSP/16L Water	-	Do not spray 14 days before harvest.	Entry to crops and sprayed with SCOPE 70 WP can be done five days after spraying
ZAGRO CORPORATION	THIOPHANATE METHYL	SCOPE 70 WP	700 g/kg	WP	FUNGICIDE	4	043-107-0758	24-Jan-26	SYSTEMIC	Tobacco	Frog eye leaf spot	0.5-1.0 TBSP/16L Water	-	Do not spray 14 days before harvest.	Entry to crops and sprayed with SCOPE 70 WP can be done five days after spraying
ZAGRO CORPORATION	THIOPHANATE METHYL	SCOPE 70 WP	700 g/kg	WP	FUNGICIDE	4	043-107-0758	24-Jan-26	SYSTEMIC	Tomato	Powdery mildew	0.5-1.0 TBSP/16L Water	-	Do not spray 14 days before harvest.	Entry to crops and sprayed with SCOPE 70 WP can be done five days after spraying
ZAGRO CORPORATION	THIOPHANATE METHYL	SCOPE 70 WP	700 g/kg	WP	FUNGICIDE	4	043-107-0758	24-Jan-26	SYSTEMIC	Legumes	Cercospora leaf spot, Anthracnose, botrytis leaf spot, fusarium wilt, powdery mildew	0.5-1.0 TBSP/16L Water	-	Do not spray 14 days before harvest.	Entry to crops and sprayed with SCOPE 70 WP can be done five days after spraying
ZAGRO CORPORATION	THIOPHANATE METHYL	SCOPE 70 WP	700 g/kg	WP	FUNGICIDE	4	043-107-0758	24-Jan-26	SYSTEMIC	Beans	Cercospora leaf spot, Anthracnose, botrytis leaf spot, fusarium wilt, powdery mildew	0.5-1.0 TBSP/16L Water	-	Do not spray 14 days before harvest.	Entry to crops and sprayed with SCOPE 70 WP can be done five days after spraying
ZAGRO CORPORATION	THIOPHANATE METHYL	SCOPE 70 WP	700 g/kg	WP	FUNGICIDE	4	043-107-0758	24-Jan-26	SYSTEMIC	Cucumber	Powdery mildew, Gummy Stem blight, leaf and fruit spots	0.5-1.0 TBSP/16L Water	-	Do not spray 14 days before harvest.	Entry to crops and sprayed with SCOPE 70 WP can be done five days after spraying
ZAGRO CORPORATION	THIOPHANATE METHYL	SCOPE 70 WP	700 g/kg	WP	FUNGICIDE	4	043-107-0758	24-Jan-26	SYSTEMIC	Melon	Powdery mildew, Gummy Stem blight, leaf and fruit spots	0.5-1.0 TBSP/16L Water	-	Do not spray 14 days before harvest.	Entry to crops and sprayed with SCOPE 70 WP can be done five days after spraying
ZAGRO CORPORATION	THIOPHANATE METHYL	SCOPE 70 WP	700 g/kg	WP	FUNGICIDE	4	043-107-0758	24-Jan-26	SYSTEMIC	Ornamentals	Powdery mildew, black spots	0.5-1.0 TBSP/16L Water	-	Do not spray 14 days before harvest.	Entry to crops and sprayed with SCOPE 70 WP can be done five days after spraying
ZAGRO CORPORATION	THIOPHANATE METHYL	SCOPE 70 WP	700 g/kg	WP	FUNGICIDE	4	043-107-0758	24-Jan-26	SYSTEMIC	Orchids	Powdery mildew, black spots	0.5-1.0 TBSP/16L Water	-	Do not spray 14 days before harvest.	Entry to crops and sprayed with SCOPE 70 WP can be done five days after spraying
ZAGRO CORPORATION	THIOPHANATE METHYL	SCOPE 70 WP	700 g/kg	WP	FUNGICIDE	4	043-107-0758	24-Jan-26	SYSTEMIC	Cabbage	Shot hole disease, cercospora leaf spot	0.5-1.0 TBSP/16L Water	-	Do not spray 14 days before harvest.	Entry to crops and sprayed with SCOPE 70 WP can be done five days after spraying
ZAGRO CORPORATION	THIOPHANATE METHYL	SCOPE 70 WP	700 g/kg	WP	FUNGICIDE	4	043-107-0758	24-Jan-26	SYSTEMIC	Cauliflower	Shot hole disease, cercospora leaf spot	0.5-1.0 TBSP/16L Water	-	Do not spray 14 days before harvest.	Entry to crops and sprayed with SCOPE 70 WP can be done five days after spraying
ZAGRO CORPORATION	THIOPHANATE METHYL	SCOPE 70 WP	700 g/kg	WP	FUNGICIDE	4	043-107-0758	24-Jan-26	SYSTEMIC	Lettuce	Shot hole disease, cercospora leaf spot	0.5-1.0 TBSP/16L Water	-	Do not spray 14 days before harvest.	Entry to crops and sprayed with SCOPE 70 WP can be done five days after spraying
ZAGRO CORPORATION	THIOPHANATE METHYL	SCOPE 70 WP	700 g/kg	WP	FUNGICIDE	4	043-107-0758	24-Jan-26	SYSTEMIC	Strawberry	Powdery mildew	0.5-1.0 TBSP/16L Water	-	Do not spray 14 days before harvest.	Entry to crops and sprayed with SCOPE 70 WP can be done five days after spraying
ZAGRO CORPORATION	THIOPHANATE METHYL	SCOPE 70 WP	700 g/kg	WP	FUNGICIDE	4	043-107-0758	24-Jan-26	SYSTEMIC	Grapes	Fruit rot, Powdery mildew, anthracnose	0.5-1.0 TBSP/16L Water	-	Do not spray 14 days before harvest.	Entry to crops and sprayed with SCOPE 70 WP can be done five days after spraying
ZAGRO CORPORATION	THIOPHANATE METHYL	SCOPE 70 WP	700 g/kg	WP	FUNGICIDE	4	043-107-0758	24-Jan-26	SYSTEMIC	Orange	Scabs	0.5-1.0 TBSP/16L Water	-	Do not spray 14 days before harvest.	Entry to crops and sprayed with SCOPE 70 WP can be done five days after spraying

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
ZAGRO CORPORATION	THIOPHANATE METHYL	SCOPE 70 WP	700 g/kg	WP	FUNGICIDE	4	043-107-0758	26-Jan-26	SYSTEMIC	Citrus	Scab	0.5-1.0 TBSP/36L Water	-	Do not spray 14 days before harvest.	Entry to crops and sprayed with SCOPE 70 WP can be done five days after spraying
ZAGRO CORPORATION	THIOPHANATE METHYL	SCOPE 70 WP	700 g/kg	WP	FUNGICIDE	4	043-107-0758	24-Jan-26	SYSTEMIC	Calamansi	Scab	0.5-1.0 TBSP/36L Water	-	Do not spray 14 days before harvest.	Entry to crops and sprayed with SCOPE 70 WP can be done five days after spraying
ZAGRO CORPORATION	THIOPHANATE METHYL	SCOPE 70 WP	700 g/kg	WP	FUNGICIDE	4	043-107-0758	24-Jan-26	SYSTEMIC	Banana	Sigatoka disease	1.5-2 TBSP/36L Water	-	Do not spray 14 days before harvest.	Entry to crops and sprayed with SCOPE 70 WP can be done five days after spraying
ZAGRO CORPORATION	THIOPHANATE METHYL	SCOPE 70 WP	700 g/kg	WP	FUNGICIDE	4	043-107-0758	24-Jan-26	SYSTEMIC	Papaya	Powdery mildew	0.5-1.0 TBSP/36L Water	-	Do not spray 14 days before harvest.	Entry to crops and sprayed with SCOPE 70 WP can be done five days after spraying
GOLDENMAN MARKETING CORPORATION	DIFENOCONAZOLE	S-CODE 250 EC	250 g/L	EC	FUNGICIDE	4	400-272-3660	03-Oct-24	SYSTEMIC	Banana	Black Sigatoka	0.30-0.40 L prod/ha	-	-	-
GOLDENMAN MARKETING CORPORATION	DIFENOCONAZOLE	S-CODE 250 EC	250 g/L	EC	FUNGICIDE	4	400-272-3660	03-Oct-24	SYSTEMIC	Mango	Anthracoese	0.129-0.88 L/ha	-	14 days	-
GOLDENMAN MARKETING CORPORATION	DIFENOCONAZOLE	S-CODE 250 EC	250 g/L	EC	FUNGICIDE	4	400-272-3660	03-Oct-24	SYSTEMIC	Rice	Sheath Blight	0.25-0.30 L/ha	-	-	-
GOLDENMAN MARKETING CORPORATION	DIFENOCONAZOLE	S-CODE 250 EC	250 g/L	EC	FUNGICIDE	4	400-272-3660	03-Oct-24	SYSTEMIC	Stringbeans	Leaf spot	0.20-0.30 L/ha	-	7 days	-
GOLDENMAN MARKETING CORPORATION	DIFENOCONAZOLE	S-CODE 250 EC	250 g/L	EC	FUNGICIDE	4	400-272-3660	03-Oct-24	SYSTEMIC	Eggplant	Leaf Spot	0.30-0.30 L/ha	-	7 days	-
GOLDENMAN MARKETING CORPORATION	DIFENOCONAZOLE	S-CODE 250 EC	250 g/L	EC	FUNGICIDE	4	400-272-3660	03-Oct-24	SYSTEMIC	Tomato	Alternaria leaf spot, cercospora leafmold, powdery mildew	0.20-0.30 L/ha	-	7 days	-
GOLDENMAN MARKETING CORPORATION	DIFENOCONAZOLE	S-CODE 250 EC	250 g/L	EC	FUNGICIDE	4	400-272-3660	03-Oct-24	SYSTEMIC	Cabbage	Ringspot, alternaria	0.20-0.30 L/ha	-	7 days	-
GOLDENMAN MARKETING CORPORATION	DIFENOCONAZOLE	S-CODE 250 EC	250 g/L	EC	FUNGICIDE	4	400-272-3660	03-Oct-24	SYSTEMIC	Onion	Purple blotch	0.40-0.50 L/ha	-	7 days	-
GOLDENMAN MARKETING CORPORATION	DIFENOCONAZOLE	S-CODE 250 EC	250 g/L	EC	FUNGICIDE	4	400-272-3660	03-Oct-24	SYSTEMIC	Asparagus	Stem and leaf blight	0.36 L/ha	-	-	-
SYNGENTA PHILIPPINES INC.	FLUDIOXONIL	SCHOLAR 230 SC	230 g/L	SC	FUNGICIDE	4	011-575-5678	01-Mar-23	-	Pineapple	Mold	1-2.6 mL prod / L water	-	-	-
PLANTMEDS AGRISOLUTIONS CORP.	MANCOZEB	SCRIPTER 80 WP	800 g/kg	WP	FUNGICIDE	4	683-053-5396	02-Jul-25	-	Potato	Early and late blight	3-6 Tbsp/36 L water	-	-	As soon as spray dries
PLANTMEDS AGRISOLUTIONS CORP.	MANCOZEB	SCRIPTER 80 WP	800 g/kg	WP	FUNGICIDE	4	683-053-5396	02-Jul-25	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries
PLANTMEDS AGRISOLUTIONS CORP.	MANCOZEB	SCRIPTER 80 WP	800 g/kg	WP	FUNGICIDE	4	683-053-5396	02-Jul-25	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries
PLANTMEDS AGRISOLUTIONS CORP.	MANCOZEB	SCRIPTER 80 WP	800 g/kg	WP	FUNGICIDE	4	683-053-5396	02-Jul-25	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries
PLANTMEDS AGRISOLUTIONS CORP.	MANCOZEB	SCRIPTER 80 WP	800 g/kg	WP	FUNGICIDE	4	683-053-5396	02-Jul-25	-	Celery	Late blight	3-6 Tbsp/36 L water	-	14 days	As soon as spray dries
PLANTMEDS AGRISOLUTIONS CORP.	MANCOZEB	SCRIPTER 80 WP	800 g/kg	WP	FUNGICIDE	4	683-053-5396	02-Jul-25	-	Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
PLANTMEDS AGRISOLUTIONS CORP.	MANCOZEB	SCRIPTER 80 WP	800 g/kg	WP	FUNGICIDE	4	683-053-5396	02-Jul-25	-	Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
PLANTMEDS AGRISOLUTIONS CORP.	MANCOZEB	SCRIPTER 80 WP	800 g/kg	WP	FUNGICIDE	4	683-053-5396	02-Jul-25	-	Cotton	Damping off	3-6 Tbsp/36 L water	-	-	As soon as spray dries
PLANTMEDS AGRISOLUTIONS CORP.	MANCOZEB	SCRIPTER 80 WP	800 g/kg	WP	FUNGICIDE	4	683-053-5396	02-Jul-25	-	Vertuase	Downy mildew	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries
PLANTMEDS AGRISOLUTIONS CORP.	MANCOZEB	SCRIPTER 80 WP	800 g/kg	WP	FUNGICIDE	4	683-053-5396	02-Jul-25	-	Beans	Anthracoese, Downy mildew, Rust	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
PLANTMEDS AGRISOLUTIONS CORP.	MANCOZEB	SCRIPTER 80 WP	800 g/kg	WP	FUNGICIDE	4	683-053-5396	02-Jul-25	-	Peas	Anthracoese, Downy mildew, Rust	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
PLANTMEDS AGRISOLUTIONS CORP.	MANCOZEB	SCRIPTER 80 WP	800 g/kg	WP	FUNGICIDE	4	683-053-5396	02-Jul-25	-	Mungo	Anthracoese, Downy mildew, Rust	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
PLANTMEDS AGRISOLUTIONS CORP.	MANCOZEB	SCRIPTER 80 WP	800 g/kg	WP	FUNGICIDE	4	683-053-5396	02-Jul-25	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
PLANTMEDS AGRISOLUTIONS CORP.	MANCOZEB	SCRIPTER 80 WP	800 g/kg	WP	FUNGICIDE	4	683-053-5396	02-Jul-25	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries
PLANTMEDS AGRISOLUTIONS CORP.	MANCOZEB	SCRIPTER 80 WP	800 g/kg	WP	FUNGICIDE	4	683-053-5396	02-Jul-25	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries
PLANTMEDS AGRISOLUTIONS CORP.	MANCOZEB	SCRIPTER 80 WP	800 g/kg	WP	FUNGICIDE	4	683-053-5396	02-Jul-25	-	Pepper	Anthracoese	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries
PLANTMEDS AGRISOLUTIONS CORP.	MANCOZEB	SCRIPTER 80 WP	800 g/kg	WP	FUNGICIDE	4	683-053-5396	02-Jul-25	-	Chili	Anthracoese	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries
PLANTMEDS AGRISOLUTIONS CORP.	MANCOZEB	SCRIPTER 80 WP	800 g/kg	WP	FUNGICIDE	4	683-053-5396	02-Jul-25	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries
PLANTMEDS AGRISOLUTIONS CORP.	MANCOZEB	SCRIPTER 80 WP	800 g/kg	WP	FUNGICIDE	4	683-053-5396	02-Jul-25	-	Banana	Sigatoka, Black leaf streak	3-6 Tbsp/36 L water	-	-	As soon as spray dries
PLANTMEDS AGRISOLUTIONS CORP.	MANCOZEB	SCRIPTER 80 WP	800 g/kg	WP	FUNGICIDE	4	683-053-5396	02-Jul-25	-	Grapes	Downy mildew, black rot	3-6 Tbsp/36 L water	-	60 days	As soon as spray dries
PLANTMEDS AGRISOLUTIONS CORP.	MANCOZEB	SCRIPTER 80 WP	800 g/kg	WP	FUNGICIDE	4	683-053-5396	02-Jul-25	-	Mango	Anthracoese and Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
PLANTMEDS AGRISOLUTIONS CORP.	MANCOZEB	SCRIPTER 80 WP	800 g/kg	WP	FUNGICIDE	4	683-053-5396	02-Jul-25	-	Papaya	Fruit rot	3-6 Tbsp/36 L water	-	-	As soon as spray dries
PLANTMEDS AGRISOLUTIONS CORP.	MANCOZEB	SCRIPTER 80 WP	800 g/kg	WP	FUNGICIDE	4	683-053-5396	02-Jul-25	-	Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
PLANTMEDS AGRISOLUTIONS CORP.	MANCOZEB	SCRIPTER 80 WP	800 g/kg	WP	FUNGICIDE	4	683-053-5396	02-Jul-25	-	Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
PLANTMEDS AGRISOLUTIONS CORP.	MANCOZEB	SCRIPTER 80 WP	800 g/kg	WP	FUNGICIDE	4	683-053-5396	02-Jul-25	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries
PLANTMEDS AGRISOLUTIONS CORP.	MANCOZEB	SCRIPTER 80 WP	800 g/kg	WP	FUNGICIDE	4	683-053-5396	02-Jul-25	-	Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/36 L water	-	-	As soon as spray dries
PLANTMEDS AGRISOLUTIONS CORP.	MANCOZEB	SCRIPTER 80 WP	800 g/kg	WP	FUNGICIDE	4	683-053-5396	02-Jul-25	-	Peanut	Cercospora leaf spot	3-6 Tbsp/36 L water	-	14 days	As soon as spray dries
PLANTMEDS AGRISOLUTIONS CORP.	MANCOZEB	SCRIPTER 80 WP	800 g/kg	WP	FUNGICIDE	4	683-053-5396	02-Jul-25	-	Soybeans	Leaf rust	3-6 Tbsp/36 L water	-	-	As soon as spray dries
PLANTMEDS AGRISOLUTIONS CORP.	MANCOZEB	SCRIPTER 80 WP	800 g/kg	WP	FUNGICIDE	4	683-053-5396	02-Jul-25	-	Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/36 L water	-	-	As soon as spray dries
TRANS WORLD TRADING CO., INC.	PYRIMETHANIL	SCARLET 40 SC	400 g/L	SC	FUNGICIDE	4	038-345-5021	27-Jan-26	-	Cavendish Banana	Black Sigatoka	0.75-1.25 mL prod / 30L water 0.3-0.45 kg L / ha	-	-	Do not allow entry into treated areas until spray deposits have dried. When prior entry is necessary, wear cotton coveralls and PVC gloves. Wash thoroughly all
AGRIBASE CHEMICALS, INC.	PROFENOFOS	SCANNER 50 EC	500 g/L	EC	INSECTICIDE	2	457-070-2552	16-Feb-25	CONTACT	Mango	Thrips	1.0-2.0 Tbsp/36L water	-	14 days	Do not enter treated field 1 day after application
AGRIBASE CHEMICALS, INC.	PROFENOFOS	SCANNER 50 EC	500 g/L	EC	INSECTICIDE	2	457-070-2552	16-Feb-25	CONTACT	Tomato	Fruitworm, armyworm, cutworm	3-5 Tbsp/36L water	-	14 days	Do not enter treated field 1 day after application
AGRIBASE CHEMICALS, INC.	PROFENOFOS	SCANNER 50 EC	500 g/L	EC	INSECTICIDE	2	457-070-2552	16-Feb-25	CONTACT	Eggplant	Fruitborer, aphids, leafhopper, & thrips	1.5-3.0 Tbsp/36L water	-	14 days	Do not enter treated field 1 day after application
AGRIBASE CHEMICALS, INC.	PROFENOFOS	SCANNER 50 EC	500 g/L	EC	INSECTICIDE	2	457-070-2552	16-Feb-25	CONTACT	Cabbage	Diamond back moth, cabbage worm & aphids, thrips	3-5 Tbsp/36L water	-	14 days	Do not enter treated field 1 day after application
AGRIBASE CHEMICALS, INC.	PROFENOFOS	SCANNER 50 EC	500 g/L	EC	INSECTICIDE	2	457-070-2552	16-Feb-25	CONTACT	Watermelon	Thrips	3-5 Tbsp/36L water	-	14 days	Do not enter treated field 1 day after application
AGRIBASE CHEMICALS, INC.	PROFENOFOS	SCANNER 50 EC	500 g/L	EC	INSECTICIDE	2	457-070-2552	16-Feb-25	CONTACT	Potato	Thrips, army worm, cutworm, tuber moth	3-5 Tbsp/36L water	-	14 days	Do not enter treated field 1 day after application
AGRIBASE CHEMICALS, INC.	PROFENOFOS	SCANNER 50 EC	500 g/L	EC	INSECTICIDE	2	457-070-2552	16-Feb-25	CONTACT	Soybeans	Corn earworm, leafminer	3-5 Tbsp/36L water	-	14 days	Do not enter treated field 1 day after application
AGRIBASE CHEMICALS, INC.	PROFENOFOS	SCANNER 50 EC	500 g/L	EC	INSECTICIDE	2	457-070-2552	16-Feb-25	CONTACT	Mungbeans	Corn earworm, leafminer	3-5 Tbsp/36L water	-	14 days	Do not enter treated field 1 day after application
AGRIBASE CHEMICALS, INC.	PROFENOFOS	SCANNER 50 EC	500 g/L	EC	INSECTICIDE	2	457-070-2552	16-Feb-25	CONTACT	Cotton	Thrips, bollworm & budworm	3-5 Tbsp/36L water	-	14 days	Do not enter treated field 1 day after application
AGRIBASE CHEMICALS, INC.	PROFENOFOS	SCANNER 50 EC	500 g/L	EC	INSECTICIDE	2	457-070-2552	16-Feb-25	CONTACT	Sitao	Beanyfly, leaffolder & aphids	1.5-3.0 Tbsp/36L water	-	14 days	Do not enter treated field 1 day after application
TAIPAN BRAND FARM INC.	BUTACHLOR-PROPANIL	SCALPEL 70 EC	300-350 g/L	EC	HERBICIDE	3	329-238-3510	24-Aug-18	POST-EMERGENT	Rice (Direct Seeded)	Grasses, Sedges and Broadleaves	8-12Tbsp/36 L water	Butachlor 0.1ppm Propanil 0.1ppm	-	-
TAIPAN BRAND FARM INC.	BUTACHLOR-PROPANIL	SCALPEL 70 EC	300-350 g/L	EC	HERBICIDE	3	329-238-3510	24-Aug-18	POST-EMERGENT	Rice (Transplanted)	Grasses, Sedges and Broadleaves	8-12Tbsp/36 L water	Butachlor 0.1ppm Propanil 0.1ppm	-	-

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
VETMATE FARMA CORP.	PRELACHOR	SCAD-M 300EC	300 g/L	EC	HERBICIDE	4	608-003-0144	28-Sep-25	PRE-EMERGENCE	Rice (Direct-seeded)	Grasses sedges and broadleaves weeds	10-15 Tbsp/ Tankload of 38L capacity Sprayer, 8.5-12.5 Tbsp/ Tankload of 18L	-	-	-
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	MANCOZEB	SCABBER 80 WP	800 g/kg	WP	FUNGICIDE	4	575-053-5303	02-Jul-25	-	Potato	Early and late blight	3-6 Tbsp/36 L water	-	-	As soon as spray dries
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	MANCOZEB	SCABBER 80 WP	800 g/kg	WP	FUNGICIDE	4	575-053-5303	02-Jul-25	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	-	As soon as spray dries
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	MANCOZEB	SCABBER 80 WP	800 g/kg	WP	FUNGICIDE	4	575-053-5303	02-Jul-25	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	-	As soon as spray dries
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	MANCOZEB	SCABBER 80 WP	800 g/kg	WP	FUNGICIDE	4	575-053-5303	02-Jul-25	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	-	As soon as spray dries
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	MANCOZEB	SCABBER 80 WP	800 g/kg	WP	FUNGICIDE	4	575-053-5303	02-Jul-25	-	Celery	Late blight	3-6 Tbsp/36 L water	-	-	As soon as spray dries
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	MANCOZEB	SCABBER 80 WP	800 g/kg	WP	FUNGICIDE	4	575-053-5303	02-Jul-25	-	Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	-	As soon as spray dries
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	MANCOZEB	SCABBER 80 WP	800 g/kg	WP	FUNGICIDE	4	575-053-5303	02-Jul-25	-	Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	-	As soon as spray dries
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	MANCOZEB	SCABBER 80 WP	800 g/kg	WP	FUNGICIDE	4	575-053-5303	02-Jul-25	-	Cotton	Damping off	3-6 Tbsp/36 L water	-	-	As soon as spray dries
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	MANCOZEB	SCABBER 80 WP	800 g/kg	WP	FUNGICIDE	4	575-053-5303	02-Jul-25	-	Lettuce	Downy mildew	3-6 Tbsp/36 L water	-	-	As soon as spray dries
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	MANCOZEB	SCABBER 80 WP	800 g/kg	WP	FUNGICIDE	4	575-053-5303	02-Jul-25	-	Beans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/36 L water	-	-	As soon as spray dries
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	MANCOZEB	SCABBER 80 WP	800 g/kg	WP	FUNGICIDE	4	575-053-5303	02-Jul-25	-	Peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/36 L water	-	-	As soon as spray dries
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	MANCOZEB	SCABBER 80 WP	800 g/kg	WP	FUNGICIDE	4	575-053-5303	02-Jul-25	-	Mungo	Anthracnose, Downy mildew, Rust	3-6 Tbsp/36 L water	-	-	As soon as spray dries
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	MANCOZEB	SCABBER 80 WP	800 g/kg	WP	FUNGICIDE	4	575-053-5303	02-Jul-25	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/36 L water	-	-	As soon as spray dries
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	MANCOZEB	SCABBER 80 WP	800 g/kg	WP	FUNGICIDE	4	575-053-5303	02-Jul-25	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36 L water	-	-	As soon as spray dries
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	MANCOZEB	SCABBER 80 WP	800 g/kg	WP	FUNGICIDE	4	575-053-5303	02-Jul-25	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36 L water	-	-	As soon as spray dries
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	MANCOZEB	SCABBER 80 WP	800 g/kg	WP	FUNGICIDE	4	575-053-5303	02-Jul-25	-	Pepper	Anthracnose	3-6 Tbsp/36 L water	-	-	As soon as spray dries
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	MANCOZEB	SCABBER 80 WP	800 g/kg	WP	FUNGICIDE	4	575-053-5303	02-Jul-25	-	Chili	Anthracnose	3-6 Tbsp/36 L water	-	-	As soon as spray dries
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	MANCOZEB	SCABBER 80 WP	800 g/kg	WP	FUNGICIDE	4	575-053-5303	02-Jul-25	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/36 L water	-	-	As soon as spray dries
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	MANCOZEB	SCABBER 80 WP	800 g/kg	WP	FUNGICIDE	4	575-053-5303	02-Jul-25	-	Banana	Sigatoka, Black leaf streak	3-6 Tbsp/36 L water	-	-	As soon as spray dries
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	MANCOZEB	SCABBER 80 WP	800 g/kg	WP	FUNGICIDE	4	575-053-5303	02-Jul-25	-	Grapes	Downy mildew, black rot	3-6 Tbsp/36 L water	-	-	As soon as spray dries
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	MANCOZEB	SCABBER 80 WP	800 g/kg	WP	FUNGICIDE	4	575-053-5303	02-Jul-25	-	Mango	Anthracnose and Scab	3-6 Tbsp/36 L water	-	-	As soon as spray dries
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	MANCOZEB	SCABBER 80 WP	800 g/kg	WP	FUNGICIDE	4	575-053-5303	02-Jul-25	-	Papaya	Fruit rot	3-6 Tbsp/36 L water	-	-	As soon as spray dries
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	MANCOZEB	SCABBER 80 WP	800 g/kg	WP	FUNGICIDE	4	575-053-5303	02-Jul-25	-	Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	-	As soon as spray dries
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	MANCOZEB	SCABBER 80 WP	800 g/kg	WP	FUNGICIDE	4	575-053-5303	02-Jul-25	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/36 L water	-	-	As soon as spray dries
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	MANCOZEB	SCABBER 80 WP	800 g/kg	WP	FUNGICIDE	4	575-053-5303	02-Jul-25	-	Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/36 L water	0.02ppm	-	As soon as spray dries
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	MANCOZEB	SCABBER 80 WP	800 g/kg	WP	FUNGICIDE	4	575-053-5303	02-Jul-25	-	Peanut	Cercospora leaf spot	3-6 Tbsp/36 L water	-	-	As soon as spray dries
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	MANCOZEB	SCABBER 80 WP	800 g/kg	WP	FUNGICIDE	4	575-053-5303	02-Jul-25	-	Soybeans	Leaf rust	3-6 Tbsp/36 L water	-	-	As soon as spray dries
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	MANCOZEB	SCABBER 80 WP	800 g/kg	WP	FUNGICIDE	4	575-053-5303	02-Jul-25	-	Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/36 L water	-	-	As soon as spray dries
AGRI CHEMICAL CORPORATION	CARBARYL	SAVYL 85 WP	850 g/kg	WP	FUNGICIDE	4	575-053-5303	02-Jul-25	-	Tobacco	Bulworm, cutworm, aphids	4-6 Tbsp/36L water	-	-	Do not enter treatment areas until spray deposit have dried
AGRI CHEMICAL CORPORATION	CARBARYL	SAVYL 85 WP	850 g/kg	WP	INSECTICIDE	2	534-035-3287	07-May-20	-	Sorghum	Webworm, armyworm, cutworm, headworm	4-6 Tbsp/36L water	-	-	Do not enter treatment areas until spray deposit have dried
AGRI CHEMICAL CORPORATION	CARBARYL	SAVYL 85 WP	850 g/kg	WP	INSECTICIDE	2	534-035-3287	07-May-20	-	Ornamentals	Aphids, scale insect, mealy bug, cutworm	4-6 Tbsp/36L water	-	-	Do not enter treatment areas until spray deposit have dried
AGRI CHEMICAL CORPORATION	CARBARYL	SAVYL 85 WP	850 g/kg	WP	INSECTICIDE	2	534-035-3287	07-May-20	-	Mango	Mango hopper, tip borer, twig borer, fruit fly, mealy bug	4-8 Tbsp/36L water	-	1 Day	Do not enter treatment areas until spray deposit have dried
AGRI CHEMICAL CORPORATION	CARBARYL	SAVYL 85 WP	850 g/kg	WP	INSECTICIDE	2	534-035-3287	07-May-20	-	Coffee	Berry borer	4-6 Tbsp/36L water	-	1 Day	Do not enter treatment areas until spray deposit have dried
AGRI CHEMICAL CORPORATION	CARBARYL	SAVYL 85 WP	850 g/kg	WP	INSECTICIDE	2	534-035-3287	07-May-20	-	Cacao	Podborer, aph ds, capsid bug	4-6 Tbsp/36L water	-	1 Day	Do not enter treatment areas until spray deposit have dried
AGRI CHEMICAL CORPORATION	CARBARYL	SAVYL 85 WP	850 g/kg	WP	INSECTICIDE	2	534-035-3287	07-May-20	-	Citrus	Rind borer	4-6 Tbsp/36L water	-	5 days	Do not enter treatment areas until spray deposit have dried
AGRI CHEMICAL CORPORATION	CARBARYL	SAVYL 85 WP	850 g/kg	WP	INSECTICIDE	2	534-035-3287	07-May-20	-	Soybeans	Podborer, beanfly, leafminer, aphids	4-6 Tbsp/36L water	-	-	Do not enter treatment areas until spray deposit have dried
AGRI CHEMICAL CORPORATION	CARBARYL	SAVYL 85 WP	850 g/kg	WP	INSECTICIDE	2	534-035-3287	07-May-20	-	Rice	Green leafhopper, caseworm, aphids	4-6 Tbsp/36L water	1ppm	14 Days	Do not enter treatment areas until spray deposit have dried
AGRI CHEMICAL CORPORATION	CARBARYL	SAVYL 85 WP	850 g/kg	WP	INSECTICIDE	2	534-035-3287	07-May-20	-	Cowpea and other beans	Podborer, beanfly, leafminer, cutworm, aphids	4-6 Tbsp/36L water	-	-	Do not enter treatment areas until spray deposit have dried
AGRI CHEMICAL CORPORATION	CARBARYL	SAVYL 85 WP	850 g/kg	WP	INSECTICIDE	2	534-035-3287	07-May-20	-	Cotton seed	Bulworm, cutworm	4-6 Tbsp/36L water	-	-	Do not enter treatment areas until spray deposit have dried
AGRI CHEMICAL CORPORATION	CARBARYL	SAVYL 85 WP	850 g/kg	WP	INSECTICIDE	2	534-035-3287	07-May-20	-	Corn	Corn borer, corn earworm, army worm	4-6 Tbsp/36L water	-	-	Do not enter treatment areas until spray deposit have dried
AGRI CHEMICAL CORPORATION	CARBARYL	SAVYL 85 WP	850 g/kg	WP	INSECTICIDE	2	534-035-3287	07-May-20	-	Tomato	Fruitworm, leafy beetle	4-6 Tbsp/36L water	-	-	Do not enter treatment areas until spray deposit have dried
AGRI CHEMICAL CORPORATION	CARBARYL	SAVYL 85 WP	850 g/kg	WP	INSECTICIDE	2	534-035-3287	07-May-20	-	Cucurbits	Squash beetle, leafy beetle	4-6 Tbsp/36L water	-	-	Do not enter treatment areas until spray deposit have dried
AGPLANTA MARKETING CORPORATION	NICLOXAMIDE ETHANOLAMINE SALT	SAVOUGE 70WP	700 g/kg	WP	MOLLUSCICIDE	4	720-229-6327	22-Feb-24	-	Rice	Golden apple snail	25 grams or 1 sachet	-	-	Do not enter the treated field within 48 hours after application
SAVENEEL AGRISCIENCE VENTURES CORPORATION	CHLOROTHALONIL	SAVONIL 50 SC	500 g/L	SC	FUNGICIDE	4	681-118-5448	18-May-24	-	Corn	Helminthosporium leaf spot, cercospora leafspot	6.0-8.5 Tbsp/36 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
SAVENEEL AGRISCIENCE VENTURES CORPORATION	CHLOROTHALONIL	SAVONIL 50 SC	500 g/L	SC	FUNGICIDE	4	681-118-5448	18-May-24	-	Eggplant	Anthracnose, cercospora leafspot, early and late blight	6.0-8.5 Tbsp/36 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
SAVENEEL AGRISCIENCE VENTURES CORPORATION	CHLOROTHALONIL	SAVONIL 50 SC	500 g/L	SC	FUNGICIDE	4	681-118-5448	18-May-24	-	Peanut	Cercospora leaf spot, rust	6.0-8.5 Tbsp/36 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
SAVENEEL AGRISCIENCE VENTURES CORPORATION	CHLOROTHALONIL	SAVONIL 50 SC	500 g/L	SC	FUNGICIDE	4	681-118-5448	18-May-24	-	Potato	Early and late blight, vine rot	6.0-8.5 Tbsp/36 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
SAVENEEL AGRISCIENCE VENTURES CORPORATION	CHLOROTHALONIL	SAVONIL 50 SC	500 g/L	SC	FUNGICIDE	4	681-118-5448	18-May-24	-	Tomato	Early and late blight, vine rot	6.0-8.5 Tbsp/36 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
SAVENEEL AGRISCIENCE VENTURES CORPORATION	CHLOROTHALONIL	SAVONIL 50 SC	500 g/L	SC	FUNGICIDE	4	681-118-5448	18-May-24	-	Carrot	Alternaria, cercospora leaf spot, helminthosporium leaf spot	6.0-8.5 Tbsp/36 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
SAVENEEL AGRISCIENCE VENTURES CORPORATION	CHLOROTHALONIL	SAVONIL 50 SC	500 g/L	SC	FUNGICIDE	4	681-118-5448	18-May-24	-	Banana	Sigatoka, rust, freckles, helminthosporium leaf spot	2 L/ha	2.0 mg/kg	-	Do not enter treatment areas until spray deposit have dried
SAVENEEL AGRISCIENCE VENTURES CORPORATION	CHLOROTHALONIL	SAVONIL 50 SC	500 g/L	SC	FUNGICIDE	4	681-118-5448	18-May-24	-	Mango	Anthracnose, diplodia rot	6.0-8.5 Tbsp/36 L	0.5 mg/kg	7-14 days	Do not enter treatment areas until spray deposit have dried
SAVENEEL AGRISCIENCE VENTURES CORPORATION	CHLOROTHALONIL	SAVONIL 50 SC	500 g/L	SC	FUNGICIDE	4	681-118-5448	18-May-24	-	beans	Rust, anthracnose	6.0-8.5 Tbsp/36 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
SAVENEEL AGRISCIENCE VENTURES CORPORATION	CHLOROTHALONIL	SAVONIL 50 SC	500 g/L	SC	FUNGICIDE	4	681-118-5448	18-May-24	-	Cucurbits	Powdery mildew	6.0-8.5 Tbsp/36 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
SAVEWELL AGRISCIENCE VENTURES CORPORATION	CHLOROTHALONIL	SAVONIL 50 SC	500 g/L	SC	FUNGICIDE	4	681-118-5448	18-May-24	-	Onion	Purple blotch, bulb rot, neck rot	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
SAVEWELL AGRISCIENCE VENTURES CORPORATION	CHLOROTHALONIL	SAVONIL 50 SC	500 g/L	SC	FUNGICIDE	4	681-118-5448	18-May-24	-	Garlic	Purple blotch, bulb rot, neck rot	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
SAVEWELL AGRISCIENCE VENTURES CORPORATION	CHLOROTHALONIL	SAVONIL 50 SC	500 g/L	SC	FUNGICIDE	4	681-118-5448	18-May-24	-	Ornamentals	Black spot, black rot, powdery mildew	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
SAVEWELL AGRISCIENCE VENTURES CORPORATION	CHLOROTHALONIL	SAVONIL 50 SC	500 g/L	SC	FUNGICIDE	4	681-118-5448	18-May-24	-	Grapes	Downy mildew, powdery mildew, fruit rot	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
SAVEWELL AGRISCIENCE VENTURES CORPORATION	CHLOROTHALONIL	SAVONIL 50 SC	500 g/L	SC	FUNGICIDE	4	681-118-5448	18-May-24	-	Pepper	Anthraxnose, cercospora leaf spot, early blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
SAVEWELL AGRISCIENCE VENTURES CORPORATION	CHLOROTHALONIL	SAVONIL 50 SC	500 g/L	SC	FUNGICIDE	4	681-118-5448	18-May-24	-	Melon	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
SAVEWELL AGRISCIENCE VENTURES CORPORATION	CHLOROTHALONIL	SAVONIL 50 SC	500 g/L	SC	FUNGICIDE	4	681-118-5448	18-May-24	-	Cucumber	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
SAVEWELL AGRISCIENCE VENTURES CORPORATION	CHLOROTHALONIL	SAVONIL 50 SC	500 g/L	SC	FUNGICIDE	4	681-118-5448	18-May-24	-	Squash	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
SAVEWELL AGRISCIENCE VENTURES CORPORATION	CHLOROTHALONIL	SAVONIL 50 SC	500 g/L	SC	FUNGICIDE	4	681-118-5448	18-May-24	-	Watermelon	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
SAVEWELL AGRISCIENCE VENTURES CORPORATION	CHLOROTHALONIL	SAVONIL 50 SC	500 g/L	SC	FUNGICIDE	4	681-118-5448	18-May-24	-	Celery	Early and late blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
DOW AGRO SCIENCES B.V.	MANCOZEB	SAVIOR 80 WP	800 g/kg	WP	FUNGICIDE	4	013-053-0857	06-Oct-17	-	Potato	Early and late blight	3-6 Tbsp/16 L water	-	-	As soon as spray dries
DOW AGRO SCIENCES B.V.	MANCOZEB	SAVIOR 80 WP	800 g/kg	WP	FUNGICIDE	4	013-053-0857	06-Oct-17	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 days	As soon as spray dries
DOW AGRO SCIENCES B.V.	MANCOZEB	SAVIOR 80 WP	800 g/kg	WP	FUNGICIDE	4	013-053-0857	06-Oct-17	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 days	As soon as spray dries
DOW AGRO SCIENCES B.V.	MANCOZEB	SAVIOR 80 WP	800 g/kg	WP	FUNGICIDE	4	013-053-0857	06-Oct-17	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 days	As soon as spray dries
DOW AGRO SCIENCES B.V.	MANCOZEB	SAVIOR 80 WP	800 g/kg	WP	FUNGICIDE	4	013-053-0857	06-Oct-17	-	Celery	Late blight	3-6 Tbsp/16 L water	-	14 days	As soon as spray dries
DOW AGRO SCIENCES B.V.	MANCOZEB	SAVIOR 80 WP	800 g/kg	WP	FUNGICIDE	4	013-053-0857	06-Oct-17	-	Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
DOW AGRO SCIENCES B.V.	MANCOZEB	SAVIOR 80 WP	800 g/kg	WP	FUNGICIDE	4	013-053-0857	06-Oct-17	-	Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
DOW AGRO SCIENCES B.V.	MANCOZEB	SAVIOR 80 WP	800 g/kg	WP	FUNGICIDE	4	013-053-0857	06-Oct-17	-	Cotton	Damping off	3-6 Tbsp/16 L water	-	-	As soon as spray dries
DOW AGRO SCIENCES B.V.	MANCOZEB	SAVIOR 80 WP	800 g/kg	WP	FUNGICIDE	4	013-053-0857	06-Oct-17	-	lettuce	Downy mildew	3-6 Tbsp/16 L water	-	7 days	As soon as spray dries
DOW AGRO SCIENCES B.V.	MANCOZEB	SAVIOR 80 WP	800 g/kg	WP	FUNGICIDE	4	013-053-0857	06-Oct-17	-	beans	Anthraxnose, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
DOW AGRO SCIENCES B.V.	MANCOZEB	SAVIOR 80 WP	800 g/kg	WP	FUNGICIDE	4	013-053-0857	06-Oct-17	-	peas	Anthraxnose, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
DOW AGRO SCIENCES B.V.	MANCOZEB	SAVIOR 80 WP	800 g/kg	WP	FUNGICIDE	4	013-053-0857	06-Oct-17	-	Mungo	Anthraxnose, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
DOW AGRO SCIENCES B.V.	MANCOZEB	SAVIOR 80 WP	800 g/kg	WP	FUNGICIDE	4	013-053-0857	06-Oct-17	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
DOW AGRO SCIENCES B.V.	MANCOZEB	SAVIOR 80 WP	800 g/kg	WP	FUNGICIDE	4	013-053-0857	06-Oct-17	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	-	7 days	As soon as spray dries
DOW AGRO SCIENCES B.V.	MANCOZEB	SAVIOR 80 WP	800 g/kg	WP	FUNGICIDE	4	013-053-0857	06-Oct-17	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	-	7 days	As soon as spray dries
DOW AGRO SCIENCES B.V.	MANCOZEB	SAVIOR 80 WP	800 g/kg	WP	FUNGICIDE	4	013-053-0857	06-Oct-17	-	Pepper	Anthraxnose	3-6 Tbsp/16 L water	-	7 days	As soon as spray dries
DOW AGRO SCIENCES B.V.	MANCOZEB	SAVIOR 80 WP	800 g/kg	WP	FUNGICIDE	4	013-053-0857	06-Oct-17	-	Chili	Anthraxnose	3-6 Tbsp/16 L water	-	7 days	As soon as spray dries
DOW AGRO SCIENCES B.V.	MANCOZEB	SAVIOR 80 WP	800 g/kg	WP	FUNGICIDE	4	013-053-0857	06-Oct-17	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/16 L water	-	7 days	As soon as spray dries
DOW AGRO SCIENCES B.V.	MANCOZEB	SAVIOR 80 WP	800 g/kg	WP	FUNGICIDE	4	013-053-0857	06-Oct-17	-	Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16 L water	-	-	As soon as spray dries
DOW AGRO SCIENCES B.V.	MANCOZEB	SAVIOR 80 WP	800 g/kg	WP	FUNGICIDE	4	013-053-0857	06-Oct-17	-	Grapes	Downy mildew, black rot	3-6 Tbsp/16 L water	-	60 days	As soon as spray dries
DOW AGRO SCIENCES B.V.	MANCOZEB	SAVIOR 80 WP	800 g/kg	WP	FUNGICIDE	4	013-053-0857	06-Oct-17	-	Mango	Anthraxnose and Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
DOW AGRO SCIENCES B.V.	MANCOZEB	SAVIOR 80 WP	800 g/kg	WP	FUNGICIDE	4	013-053-0857	06-Oct-17	-	Papaya	Fruit rot	3-6 Tbsp/16 L water	-	-	As soon as spray dries
DOW AGRO SCIENCES B.V.	MANCOZEB	SAVIOR 80 WP	800 g/kg	WP	FUNGICIDE	4	013-053-0857	06-Oct-17	-	Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
DOW AGRO SCIENCES B.V.	MANCOZEB	SAVIOR 80 WP	800 g/kg	WP	FUNGICIDE	4	013-053-0857	06-Oct-17	-	Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
DOW AGRO SCIENCES B.V.	MANCOZEB	SAVIOR 80 WP	800 g/kg	WP	FUNGICIDE	4	013-053-0857	06-Oct-17	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16 L water	-	7 days	As soon as spray dries
DOW AGRO SCIENCES B.V.	MANCOZEB	SAVIOR 80 WP	800 g/kg	WP	FUNGICIDE	4	013-053-0857	06-Oct-17	-	Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16 L water	0.02ppm	-	As soon as spray dries
DOW AGRO SCIENCES B.V.	MANCOZEB	SAVIOR 80 WP	800 g/kg	WP	FUNGICIDE	4	013-053-0857	06-Oct-17	-	Peanut	Cercospora leaf spot	3-6 Tbsp/16 L water	-	14 days	As soon as spray dries
DOW AGRO SCIENCES B.V.	MANCOZEB	SAVIOR 80 WP	800 g/kg	WP	FUNGICIDE	4	013-053-0857	06-Oct-17	-	Soybeans	Leaf rust	3-6 Tbsp/16 L water	-	-	As soon as spray dries
DOW AGRO SCIENCES B.V.	MANCOZEB	SAVIOR 80 WP	800 g/kg	WP	FUNGICIDE	4	013-053-0857	06-Oct-17	-	Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/16 L water	-	-	As soon as spray dries
SAVEWELL AGRISCIENCE VENTURES CORPORATION	MALATHION	SAVEWELL MALATHION	570 g/L	EC	INSECTICIDE	4	681-038-5455	26-Jan-24	-	Fruit trees	Aphids, mealy bug scale insect	1.5-3 Tbsp/16L water	-	One(1) day after each spraying	One(1) day after each spraying
SAVEWELL AGRISCIENCE VENTURES CORPORATION	MALATHION	SAVEWELL MALATHION	570 g/L	EC	INSECTICIDE	4	681-038-5455	26-Jan-24	-	Rice	Armyworm, caseworm, leafhopper, bugs	2-5 Tbsp/16L water	-	One(1) day after each spraying	One(1) day after each spraying
SAVEWELL AGRISCIENCE VENTURES CORPORATION	MALATHION	SAVEWELL MALATHION	570 g/L	EC	INSECTICIDE	4	681-038-5455	26-Jan-24	-	Corn	Earworm, silkworm, aphids, grasshopper	3-5 Tbsp/16L water	-	One(1) day after each spraying	One(1) day after each spraying
SAVEWELL AGRISCIENCE VENTURES CORPORATION	MALATHION	SAVEWELL MALATHION	570 g/L	EC	INSECTICIDE	4	681-038-5455	26-Jan-24	-	Crucifers	Cabbage worm, loopers, diamond-back moth	2-5 Tbsp/16L water	-	One(1) day after each spraying	One(1) day after each spraying
SAVEWELL AGRISCIENCE VENTURES CORPORATION	MALATHION	SAVEWELL MALATHION	570 g/L	EC	INSECTICIDE	4	681-038-5455	26-Jan-24	-	Cabbage	Cabbage worm, loopers, diamond-back moth	2-5 Tbsp/16L water	-	One(1) day after each spraying	One(1) day after each spraying
SAVEWELL AGRISCIENCE VENTURES CORPORATION	MALATHION	SAVEWELL MALATHION	570 g/L	EC	INSECTICIDE	4	681-038-5455	26-Jan-24	-	legumes	Aphids, beanfly, cutworm, flea beetles, leafminer, maggots, mealy bug, podbore, thrips	2-5 Tbsp/16L water	-	One(1) day after each spraying	One(1) day after each spraying
SAVEWELL AGRISCIENCE VENTURES CORPORATION	MALATHION	SAVEWELL MALATHION	570 g/L	EC	INSECTICIDE	4	681-038-5455	26-Jan-24	-	Grapes	Beetles, cutworm, leafhopper, mealybug, scale, insect, spider mites	3 Tbsp/16L water	-	One(1) day after each spraying	One(1) day after each spraying
SAVEWELL AGRISCIENCE VENTURES CORPORATION	MALATHION	SAVEWELL MALATHION	570 g/L	EC	INSECTICIDE	4	681-038-5455	26-Jan-24	-	Pineapple	Mealy bugs	3 Tbsp/16L water	-	One(1) day after each spraying	One(1) day after each spraying
SAVEWELL AGRISCIENCE VENTURES CORPORATION	MALATHION	SAVEWELL MALATHION	570 g/L	EC	INSECTICIDE	4	681-038-5455	26-Jan-24	-	Pepper	Aphids, cutworm, fruitworm	3 Tbsp/16L water	-	One(1) day after each spraying	One(1) day after each spraying
SAVEWELL AGRISCIENCE VENTURES CORPORATION	MALATHION	SAVEWELL MALATHION	570 g/L	EC	INSECTICIDE	4	681-038-5455	26-Jan-24	-	Garlic	Cutworm	3 Tbsp/16L water	-	One(1) day after each spraying	One(1) day after each spraying
SAVEWELL AGRISCIENCE VENTURES CORPORATION	MALATHION	SAVEWELL MALATHION	570 g/L	EC	INSECTICIDE	4	681-038-5455	26-Jan-24	-	Onion	Cutworm	3 Tbsp/16L water	-	One(1) day after each spraying	One(1) day after each spraying
SAVEWELL AGRISCIENCE VENTURES CORPORATION	MALATHION	SAVEWELL MALATHION	570 g/L	EC	INSECTICIDE	4	681-038-5455	26-Jan-24	-	tobacco	Aphids, katydid	3-6 Tbsp/16 L water	-	One(1) day after each spraying	One(1) day after each spraying
SAVEWELL AGRISCIENCE VENTURES CORPORATION	MALATHION	SAVEWELL MALATHION	570 g/L	EC	INSECTICIDE	4	681-038-5455	26-Jan-24	-	Ornamentals	Aphids, cutworm, mealybug, scale insect, spider mites	3-5 Tbsp/16L water	-	One(1) day after each spraying	One(1) day after each spraying
SAVEWELL AGRISCIENCE VENTURES CORPORATION	MALATHION	SAVEWELL MALATHION	570 g/L	EC	INSECTICIDE	4	681-038-5455	26-Jan-24	-	Tomato	Lady beetle	3-5 Tbsp/16L water	-	One(1) day after each spraying	One(1) day after each spraying
SAVEWELL AGRISCIENCE VENTURES CORPORATION	MALATHION	SAVEWELL MALATHION	570 g/L	EC	INSECTICIDE	4	681-038-5455	26-Jan-24	-	eggplant	Aphids, fruitworm	3-5 Tbsp/16L water	-	One(1) day after each spraying	One(1) day after each spraying
SAVEWELL AGRISCIENCE VENTURES CORPORATION	MALATHION	SAVEWELL MALATHION	570 g/L	EC	INSECTICIDE	4	681-038-5455	26-Jan-24	-	Sorghum	Web worm	3 Tbsp/16L water	-	One(1) day after each spraying	One(1) day after each spraying
SAVEWELL AGRISCIENCE VENTURES CORPORATION	LAMBDA-CYHALOTHIN	SAVEWELL LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	681-204-5454	04-Jan-22	-	Rice	Green leafhopper, armyworm, rice bug, leafrollers, black bug	1.0-1.5 Tbsp/16L water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray deposits dry

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
SAVEWELL AGRISCIENCE VENTURES CORPORATION	LAMBDA-CYHALOTHRIN	SAVEWELL LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	681-204-5454	06-Jan-22	-	Mango	Hopper	0.75-1.5 tbsp/ 16L water	-	Do not spray 1 days before harvest.	Re-entry to treated fields is allowed as soon as spray deposits dry
SAVEWELL AGRISCIENCE VENTURES CORPORATION	LAMBDA-CYHALOTHRIN	SAVEWELL LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	681-204-5454	06-Jan-22	-	Tomato	Fruitworm, cutworm, aphids	1.0-1.5 tbsp/ 16L water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray deposits dry
SAVEWELL AGRISCIENCE VENTURES CORPORATION	LAMBDA-CYHALOTHRIN	SAVEWELL LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	681-204-5454	06-Jan-22	-	Onion	Thrips, cutworm	1.0 tbsp/16L water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray deposits dry
SAVEWELL AGRISCIENCE VENTURES CORPORATION	LAMBDA-CYHALOTHRIN	SAVEWELL LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	681-204-5454	06-Jan-22	-	Mungbeans	Beanfly, flea beetle, leafhopper, aphids, mites, podborer	1.0 tbsp/16L water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray deposits dry
SAVEWELL AGRISCIENCE VENTURES CORPORATION	LAMBDA-CYHALOTHRIN	SAVEWELL LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	681-204-5454	06-Jan-22	-	Corn	Comborer, aphids, seedling maggots	1.0-1.5 tbsp/ 16L water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray deposits dry
SAVEWELL AGRISCIENCE VENTURES CORPORATION	LAMBDA-CYHALOTHRIN	SAVEWELL LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	681-204-5454	06-Jan-22	-	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5 tbsp/ 16L water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray deposits dry
SAVEWELL AGRISCIENCE VENTURES CORPORATION	LAMBDA-CYHALOTHRIN	SAVEWELL LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	681-204-5454	06-Jan-22	-	Cotton	Bollworm	1.0-1.5 tbsp/ 16L water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray deposits dry
SAVEWELL AGRISCIENCE VENTURES CORPORATION	LAMBDA-CYHALOTHRIN	SAVEWELL LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	681-204-5454	06-Jan-22	-	Cocoa	Podborer	1.0-2.0 tbsp/ 16L water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray deposits dry
SAVEWELL AGRISCIENCE VENTURES CORPORATION	LAMBDA-CYHALOTHRIN	SAVEWELL LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	681-204-5454	06-Jan-22	-	Watermelon	Squash beetle, melon worm	1.0 tbsp/16L water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray deposits dry
SAVEWELL AGR-MARKETING CO.	DUIRON	SAVEWELL DUIRON 80 WP	800 g/kg	WP	HERBICIDE	4	425-085-3435	29-Jun-18	SYSTEMIC	Citrus	Annual and Perennial broadleaves and grasses	11.0-15.0tbsp/16 L water	-		
SAVEWELL AGR-MARKETING CO.	DUIRON	SAVEWELL DUIRON 80 WP	800 g/kg	WP	HERBICIDE	4	425-085-3435	29-Jun-18	SYSTEMIC	Coffee	Annual and Perennial broadleaves and grasses	11.0-15.0tbsp/16 L water	-		
SAVEWELL AGR-MARKETING CO.	DUIRON	SAVEWELL DUIRON 80 WP	800 g/kg	WP	HERBICIDE	4	425-085-3435	29-Jun-18	SYSTEMIC	Cotton	Annual and Perennial broadleaves and grasses	8.0tbsp/16 L water	-		
SAVEWELL AGR-MARKETING CO.	DUIRON	SAVEWELL DUIRON 80 WP	800 g/kg	WP	HERBICIDE	4	425-085-3435	29-Jun-18	SYSTEMIC	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0tbsp/16 L water	-		
SAVEWELL AGR-MARKETING CO.	DUIRON	SAVEWELL DUIRON 80 WP	800 g/kg	WP	HERBICIDE	4	425-085-3435	29-Jun-18	SYSTEMIC	Pineapple	Annual and Perennial broadleaves and grasses	11.0tbsp/16 L water	-		
SAVEWELL AGR-MARKETING CO.	DUIRON	SAVEWELL DUIRON 80 WP	800 g/kg	WP	HERBICIDE	4	425-085-3435	29-Jun-18	SYSTEMIC	Non-crop land	Annual and Perennial broadleaves and grasses	10.0-28.0tbsp/16 L water	-		
SAVEWELL AGR-MARKETING CO.	ATRAZINE	SAVEWELL ATRAZINE	800 g/kg	WP	HERBICIDE	4	425-065-3034	26-Jun-18	SELECTIVE (PRE-EMERGENT)	Corn	Broadleaf weeds & annual grasses	9-12tbsp/16 L water	-		
SAVEWELL AGR-MARKETING CO.	ATRAZINE	SAVEWELL ATRAZINE	800 g/kg	WP	HERBICIDE	4	425-065-3034	26-Jun-18	SELECTIVE (PRE-EMERGENT)	Sorghum	Broadleaf weeds & annual grasses	9-12tbsp/16 L water	-		
SAVEWELL AGR-MARKETING CO.	ATRAZINE	SAVEWELL ATRAZINE	800 g/kg	WP	HERBICIDE	4	425-065-3034	26-Jun-18	SELECTIVE (PRE-EMERGENT)	Sugarcane	Broadleaf weeds & annual grasses	9-12tbsp/16 L water	-		
SAVEWELL AGRISCIENCE VENTURES CORPORATION	2,4-D AMINE	SAVEWELL 2,4-D AMINE	400 g/L	-	HERBICIDE	2	681-031-5452	31-Dec-23	POST-EMERGENCE	Rice (Transplanted)	Sedges and broadleaf weeds	18-25 tisp / 16L water	-		Entry to fields and crops treated with SAVEWELL 2,4-D AMINE can be done one day after spraying
SAVEWELL AGRISCIENCE VENTURES CORPORATION	2,4-D AMINE	SAVEWELL 2,4-D AMINE	400 g/L	-	HERBICIDE	2	681-031-5452	31-Dec-23	POST-EMERGENCE	Corn	Sedges and broadleaf weeds	5.0-6.5 tbsp/16 L water	-		Entry to fields and crops treated with SAVEWELL 2,4-D AMINE can be done one day after spraying
SAVEWELL AGRISCIENCE VENTURES CORPORATION	2,4-D AMINE	SAVEWELL 2,4-D AMINE	400 g/L	-	HERBICIDE	2	681-031-5452	31-Dec-23	POST-EMERGENCE	Sugarcane	Sedges and broadleaf weeds	5.0-6.5 tbsp/16 L water	-		Entry to fields and crops treated with SAVEWELL 2,4-D AMINE can be done one day after spraying
SAVEWELL AGRISCIENCE VENTURES CORPORATION	2,4-D BEE	SAVEWELL 2,4-D ESTER	491 g/L	EC	HERBICIDE	2	681-049-5451	31-Dec-23	POST-EMERGENCE	Rice (Transplanted)	Sedges and broadleaf weeds	5.0-6.50 tbsp/ 16L water	-	Do not spray within two days before harvest	Entry to fields and crops treated with SAVEWELL 2,4-D ESTER can be done one day after spraying
SAVEWELL AGRISCIENCE VENTURES CORPORATION	2,4-D BEE	SAVEWELL 2,4-D ESTER	491 g/L	EC	HERBICIDE	2	681-049-5451	31-Dec-23	POST-EMERGENCE	Corn	Sedges and broadleaf weeds	5.0-6.50 tbsp/ 16L water	-	Do not spray within two days before harvest	Entry to fields and crops treated with SAVEWELL 2,4-D ESTER can be done one day after spraying
SAVEWELL AGRISCIENCE VENTURES CORPORATION	2,4-D BEE	SAVEWELL 2,4-D ESTER	491 g/L	EC	HERBICIDE	2	681-049-5451	31-Dec-23	POST-EMERGENCE	Sugarcane	Sedges and broadleaf weeds	5.0-6.50 tbsp/ 16L water	-	Do not spray within two days before harvest	Entry to fields and crops treated with SAVEWELL 2,4-D ESTER can be done one day after spraying
SAVEWELL AGR-MARKETING CO.	GLYPHOSATE IPA	SAVETIME 480 SL	480 g/L	SL	HERBICIDE	4	681-151-5449	18-May-24	POST-EMERGENT	Annual & perennial grasses, broadleaf weeds & sedges	Oryzohout tolerant corn	2.0-4.0 Liters/ha	-		
SAVEWELL AGRISCIENCE VENTURES CORPORATION	GLYPHOSATE IPA	SAVETIME 480 SL	480 g/L	SL	HERBICIDE	4	681-151-5449	18-May-24	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-		
SAVEWELL AGRISCIENCE VENTURES CORPORATION	GLYPHOSATE IPA	SAVETIME 480 SL	480 g/L	SL	HERBICIDE	4	681-151-5449	18-May-24	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-		
SAVEWELL AGRISCIENCE VENTURES CORPORATION	GLYPHOSATE IPA	SAVETIME 480 SL	480 g/L	SL	HERBICIDE	4	681-151-5449	18-May-24	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-		
SAVEWELL AGRISCIENCE VENTURES CORPORATION	GLYPHOSATE IPA	SAVETIME 480 SL	480 g/L	SL	HERBICIDE	4	681-151-5449	18-May-24	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-		
SAVEWELL AGRISCIENCE VENTURES CORPORATION	GLYPHOSATE IPA	SAVETIME 480 SL	480 g/L	SL	HERBICIDE	4	681-151-5449	18-May-24	POST-EMERGENT	rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-		
SAVEWELL AGRISCIENCE VENTURES CORPORATION	GLYPHOSATE IPA	SAVETIME 480 SL	480 g/L	SL	HERBICIDE	4	681-151-5449	18-May-24	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-		
SAVEWELL AGRISCIENCE VENTURES CORPORATION	GLYPHOSATE IPA	SAVETIME 480 SL	480 g/L	SL	HERBICIDE	4	681-151-5449	18-May-24	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-		
SAVEWELL AGRISCIENCE VENTURES CORPORATION	GLYPHOSATE IPA	SAVETIME 480 SL	480 g/L	SL	HERBICIDE	4	681-151-5449	18-May-24	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/ha	-		
SAVEWELL AGRISCIENCE VENTURES CORPORATION	GLYPHOSATE IPA	SAVETIME 480 SL	480 g/L	SL	HERBICIDE	4	681-151-5449	18-May-24	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-		
SAVEWELL AGRISCIENCE VENTURES CORPORATION	GLYPHOSATE IPA	SAVETIME 480 SL	480 g/L	SL	HERBICIDE	4	681-151-5449	18-May-24	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-		
SAVERS ALLIANCE TRADING CORPORATION	PROFENOFOS	SAVERS PRO 500 EC	50 g/L	EC	INSECTICIDE	2	655-070-5779	08-Jul-24	-	Tomato	Fruitworm, armyworm, cutworm	3-5 tbsp/16L water	-	14 days	Do not enter treated field 1 day after application
SAVERS ALLIANCE TRADING CORPORATION	PROFENOFOS	SAVERS PRO 500 EC	50 g/L	EC	INSECTICIDE	2	655-070-5779	08-Jul-24	-	eggplant	Fruitborer, aphids, leafhopper, & thrips	1.5-3.0 tbsp/16L water	-	14 days	Do not enter treated field 1 day after application
SAVERS ALLIANCE TRADING CORPORATION	PROFENOFOS	SAVERS PRO 500 EC	50 g/L	EC	INSECTICIDE	2	655-070-5779	08-Jul-24	-	Cabbage	Diamond back moth, cabbage worm & aphids	3-5 tbsp/16L water	-	14 days	Do not enter treated field 1 day after application
SAVERS ALLIANCE TRADING CORPORATION	PROFENOFOS	SAVERS PRO 500 EC	50 g/L	EC	INSECTICIDE	2	655-070-5779	08-Jul-24	-	Watermelon	Thrips	3-5 tbsp/16L water	-	14 days	Do not enter treated field 1 day after application
SAVERS ALLIANCE TRADING CORPORATION	PROFENOFOS	SAVERS PRO 500 EC	50 g/L	EC	INSECTICIDE	2	655-070-5779	08-Jul-24	-	potato	Thrips, army worm, cutworm, tuber moth	3-5 tbsp/16L water	-	14 days	Do not enter treated field 1 day after application
SAVERS ALLIANCE TRADING CORPORATION	PROFENOFOS	SAVERS PRO 500 EC	50 g/L	EC	INSECTICIDE	2	655-070-5779	08-Jul-24	-	soybeans	Corn earworm, leafminer	3-5 tbsp/16L water	-	14 days	Do not enter treated field 1 day after application
SAVERS ALLIANCE TRADING CORPORATION	PROFENOFOS	SAVERS PRO 500 EC	50 g/L	EC	INSECTICIDE	2	655-070-5779	08-Jul-24	-	Mungbeans	Corn earworm, leafminer	3-5 tbsp/16L water	-	14 days	Do not enter treated field 1 day after application
SAVERS ALLIANCE TRADING CORPORATION	PROFENOFOS	SAVERS PRO 500 EC	50 g/L	EC	INSECTICIDE	2	655-070-5779	08-Jul-24	-	Cotton	Thrips, bollworm & budworm	3-5 tbsp/16L water	-	14 days	Do not enter treated field 1 day after application
SAVERS ALLIANCE TRADING CORPORATION	PROFENOFOS	SAVERS PRO 500 EC	50 g/L	EC	INSECTICIDE	2	655-070-5779	08-Jul-24	-	Sitao	Beanfly, leafhopper & aphids	1.5-3.0 tbsp/16L water	-	14 days	Do not enter treated field 1 day after application
SAVERS ALLIANCE TRADING CORPORATION	METALDEHYDE	SAVERS METALDEHYDE 6N P	60 g/kg	P	MOLLUSCICIDE	4	655-075-5777	07-Feb-24	-	Rice (Transplanted)	Golden apple snail	2-4 kg/ product per hectare	-	-	Do not enter treated field within 48 hours after application.
SAVERS ALLIANCE TRADING CORPORATION	METALDEHYDE	SAVERS METALDEHYDE 6N P	60 g/kg	P	MOLLUSCICIDE	4	655-075-5777	07-Feb-24	-	Rice (Direct Seeded)	Golden apple snail	4-8 kg/ product per hectare	-	-	Do not enter treated field within 48 hours after application.
SAVERS ALLIANCE TRADING CORPORATION	METALDEHYDE	SAVERS METALDEHYDE 6N P	60 g/kg	P	MOLLUSCICIDE	4	655-075-5777	07-Feb-24	-	Potted and driftwood-attached plants such as	Bush, snails, giant african snail and slugs	1-2 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application.
SAVERS ALLIANCE TRADING CORPORATION	METALDEHYDE	SAVERS METALDEHYDE 6N P	60 g/kg	P	MOLLUSCICIDE	4	655-075-5777	07-Feb-24	-	Cruisers	Slug, snails	6-8 kg/ product per hectare	-	-	Do not enter treated field within 48 hours after application.
SAVERS ALLIANCE TRADING CORPORATION	METALDEHYDE	SAVERS METALDEHYDE 6N P	60 g/kg	P	MOLLUSCICIDE	4	655-075-5777	07-Feb-24	-	Strawberry	Slug, snails	6-8 kg/ product per hectare	-	-	Do not enter treated field within 48 hours after application.
SAVERS ALLIANCE TRADING CORPORATION	LAMBDA-CYHALOTHRIN	SAVERS LAMBDA 2.5 EC	25g/L	EC	INSECTICIDE	2	655-204-5778	05-Jul-26	-	Rice	Green leafhopper, armyworm, rice bug, leafhoppers, black bug	1.0-1.5tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
SAVERS ALLIANCE TRADING CORPORATION	LAMBDA-CYHALOTHRIN	SAVERS LAMBDA 2.5 EC	25g/L	EC	INSECTICIDE	2	655-204-5778	05-Jul-26	-	Mango	Hoppers	0.75-1.5tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
SAVERS ALLIANCE TRADING CORPORATION	LAMBDA-CYHALOTHRIN	SAVERS LAMBDA 2.5 EC	25g/L	EC	INSECTICIDE	2	655-204-5778	05-Jul-26	-	Tomato	Fruitworm, cutworm, aphids	1.0-1.5tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
SAVERS ALLIANCE TRADING CORPORATION	LAMBDA-CYHALOTHRIN	SAVERS LAMBDA 2.5 EC	25g/L	EC	INSECTICIDE	2	655-204-5778	05-Jul-26	-	Onion	Thrips, cutworm	1.0tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
SAVERS ALLIANCE TRADING CORPORATION	LAMBDA-CYHALOTHRIN	SAVERS LAMBDA 2.5 EC	25g/L	EC	INSECTICIDE	2	655-204-5778	05-Jul-26	-	Mungbeans	Beanfly, flea beetle, leafhopper, aphids, mites, podborer	1.0tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
SAVERS ALLIANCE TRADING CORPORATION	LAMBDA-CYHALOTHRIN	SAVERS LAMBDA 2.5 EC	25g/L	EC	INSECTICIDE	2	655-204-5778	05-Jul-26	-	Corn	Comborer, aphids, seedling maggots	1.0-1.5tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
SAVERS ALLIANCE TRADING CORPORATION	LAMBDA-CYHALOTHRIN	SAVERS LAMBDA 2.5 EC	25g/L	EC	INSECTICIDE	2	655-204-5778	05-Jul-26	-	Tobacco	Budworm, cutworm, aphids, katydids	1.0-1.5tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
SAVERS ALLIANCE TRADING CORPORATION	LAMBDA-CHYALOTHRIN	SAVERS LAMBDA 2.5 EC	25g/L	EC	INSECTICIDE	2	655-204-5778	05-Jul-26	-	Cotton	Bollworm	1.0-1.5tbsp/36L of water	-	Do not spray 1 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
SAVERS ALLIANCE TRADING CORPORATION	LAMBDA-CHYALOTHRIN	SAVERS LAMBDA 2.5 EC	25g/L	EC	INSECTICIDE	2	655-204-5778	05-Jul-26	-	Cocoa	Pod borer	1.0-2.0tbsp/36L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
SAVERS ALLIANCE TRADING CORPORATION	LAMBDA-CHYALOTHRIN	SAVERS LAMBDA 2.5 EC	25g/L	EC	INSECTICIDE	2	655-204-5778	05-Jul-26	-	Watermelon	Squash beetle, melon worm	1.0tbsp/36L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
SAVERS ALLIANCE TRADING CORPORATION	BUTACHLOR+PROPANIL	SAVERS BUTACHLO 700 EC	300-350 g/L	EC	HERBICIDE	3	655-238-5765	23-Aug-24	POST-EMERGENT	Rice (Direct Seeded)	Grasses, Sedges and Broadleaves	9-14 Tbsp / 36L water	-	-	-
SAVERS ALLIANCE TRADING CORPORATION	BUTACHLOR+PROPANIL	SAVERS BUTACHLO 700 EC	300-350 g/L	EC	HERBICIDE	3	655-238-5765	23-Aug-24	POST-EMERGENT	Rice (Transplanted)	Grasses, Sedges and Broadleaves	9-14 Tbsp / 36L water	-	-	-
SAVWELL AGRISCIENCE VENTURES CORPORATION	BENOMYL	SAVEGUARD 50 WP	500 g/kg	WP	FUNGICIDE	4	681-167-5344	09-Aug-21	SYSTEMIC	Mungbeans	Powdery mildew, cercospora leaf spot	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray.
SAVWELL AGRISCIENCE VENTURES CORPORATION	BENOMYL	SAVEGUARD 50 WP	500 g/kg	WP	FUNGICIDE	4	681-167-5344	09-Aug-21	SYSTEMIC	Beans	Powdery mildew, cercospora leaf spot	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray.
SAVWELL AGRISCIENCE VENTURES CORPORATION	BENOMYL	SAVEGUARD 50 WP	500 g/kg	WP	FUNGICIDE	4	681-167-5344	09-Aug-21	SYSTEMIC	Cabbage/Wongbook	Cercospora leaf spot	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray.
SAVWELL AGRISCIENCE VENTURES CORPORATION	BENOMYL	SAVEGUARD 50 WP	500 g/kg	WP	FUNGICIDE	4	681-167-5344	09-Aug-21	SYSTEMIC	Calamansi	Scab	1-3 Tbsp/36L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray.
SAVWELL AGRISCIENCE VENTURES CORPORATION	BENOMYL	SAVEGUARD 50 WP	500 g/kg	WP	FUNGICIDE	4	681-167-5344	09-Aug-21	SYSTEMIC	Cucumber	Powdery mildew	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray.
SAVWELL AGRISCIENCE VENTURES CORPORATION	BENOMYL	SAVEGUARD 50 WP	500 g/kg	WP	FUNGICIDE	4	681-167-5344	09-Aug-21	SYSTEMIC	Cinger	Cercospora leaf spot	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray.
SAVWELL AGRISCIENCE VENTURES CORPORATION	BENOMYL	SAVEGUARD 50 WP	500 g/kg	WP	FUNGICIDE	4	681-167-5344	09-Aug-21	SYSTEMIC	Grapes	Powdery mildew	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray.
SAVWELL AGRISCIENCE VENTURES CORPORATION	BENOMYL	SAVEGUARD 50 WP	500 g/kg	WP	FUNGICIDE	4	681-167-5344	09-Aug-21	SYSTEMIC	Mandarin	Scab	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray.
SAVWELL AGRISCIENCE VENTURES CORPORATION	BENOMYL	SAVEGUARD 50 WP	500 g/kg	WP	FUNGICIDE	4	681-167-5344	09-Aug-21	SYSTEMIC	Mango	Anthraxnose, powdery mildew	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray.
SAVWELL AGRISCIENCE VENTURES CORPORATION	BENOMYL	SAVEGUARD 50 WP	500 g/kg	WP	FUNGICIDE	4	681-167-5344	09-Aug-21	SYSTEMIC	Melon	Powdery mildew	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray.
SAVWELL AGRISCIENCE VENTURES CORPORATION	BENOMYL	SAVEGUARD 50 WP	500 g/kg	WP	FUNGICIDE	4	681-167-5344	09-Aug-21	SYSTEMIC	Orange	Scab	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray.
SAVWELL AGRISCIENCE VENTURES CORPORATION	BENOMYL	SAVEGUARD 50 WP	500 g/kg	WP	FUNGICIDE	4	681-167-5344	09-Aug-21	SYSTEMIC	Papaya	Powdery mildew	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray.
SAVWELL AGRISCIENCE VENTURES CORPORATION	BENOMYL	SAVEGUARD 50 WP	500 g/kg	WP	FUNGICIDE	4	681-167-5344	09-Aug-21	SYSTEMIC	Pepper	Cercospora leaf spot	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray.
SAVWELL AGRISCIENCE VENTURES CORPORATION	BENOMYL	SAVEGUARD 50 WP	500 g/kg	WP	FUNGICIDE	4	681-167-5344	09-Aug-21	SYSTEMIC	Rice	Blatt, sheath blight	3-4 Tbsp/36L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray.
SAVWELL AGRISCIENCE VENTURES CORPORATION	BENOMYL	SAVEGUARD 50 WP	500 g/kg	WP	FUNGICIDE	4	681-167-5344	09-Aug-21	SYSTEMIC	Strawberry	Cercospora leaf spot	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray.
SAVWELL AGRISCIENCE VENTURES CORPORATION	BENOMYL	SAVEGUARD 50 WP	500 g/kg	WP	FUNGICIDE	4	681-167-5344	09-Aug-21	SYSTEMIC	Tobacco	Leaf mold, frog eye	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray.
SAVWELL AGRISCIENCE VENTURES CORPORATION	BENOMYL	SAVEGUARD 50 WP	500 g/kg	WP	FUNGICIDE	4	681-167-5344	09-Aug-21	SYSTEMIC	Banana	Black sigatoka	20g/ha	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray.
JOIFABS AGRICHEM CORPORATION	BUTACHLOR+PROPANIL	SAVE CROP	300-350 g/L	EC	HERBICIDE	3	538-238-3570	05-Oct-21	POST-EMERGENT	Rice (Direct-Seeded)	Grasses, Sedges and Broadleaves	8-12tbsp/36L water	Butachlor 0.1ppm Propanil 0.1ppm	-	Entry to the sprayed with the product is allowed after the mist has dried up.
JOIFABS AGRICHEM CORPORATION	BUTACHLOR+PROPANIL	SAVE CROP	300-350 g/L	EC	HERBICIDE	3	538-238-3570	05-Oct-21	POST-EMERGENT	Rice (Transplanted)	Grasses, Sedges and Broadleaves	8-12tbsp/36L water	Butachlor 0.1ppm Propanil 0.1ppm	-	Entry to the sprayed with the product is allowed after the mist has dried up.
CYBERTH PHILIPPINES, INC.	METALDEHYDE	SAVAGE 6N PELLET	60 g/kg	P	MOLLUSCICIDE	4	216-075-1684	17-May-20	CONTACT	Rice (Transplanted)	Golden apple snail	2-4 kg/ product per hectare	-	-	Do not enter treated field within 48 hours after last application
CYBERTH PHILIPPINES, INC.	METALDEHYDE	SAVAGE 6N PELLET	60 g/kg	P	MOLLUSCICIDE	4	216-075-1684	17-May-20	CONTACT	Rice (Direct Seeded)	Golden apple snail	4-8 kg/product per hectare	-	-	Do not enter treated field within 48 hours after last application
CYBERTH PHILIPPINES, INC.	METALDEHYDE	SAVAGE 6N PELLET	60 g/kg	P	MOLLUSCICIDE	4	216-075-1684	17-May-20	CONTACT	Potted and driftwood-planted plants such as	Bush, snails, giant african snail and slugs	1-2 kg/product per hectare	-	-	Do not enter treated field within 48 hours after last application
CYBERTH PHILIPPINES, INC.	METALDEHYDE	SAVAGE 6N PELLET	60 g/kg	P	MOLLUSCICIDE	4	216-075-1684	17-May-20	CONTACT	Chinese Cabbage	Slug, snails	6-8 kg/product per hectare	-	-	Do not enter treated field within 48 hours after last application
CYBERTH PHILIPPINES, INC.	METALDEHYDE	SAVAGE 6N PELLET	60 g/kg	P	MOLLUSCICIDE	4	216-075-1684	17-May-20	CONTACT	Strawberry	Slug, snails	6-8 kg/product per hectare	-	-	Do not enter treated field within 48 hours after last application
INTERKORONA INC.	TEBUCONAZOLE	SAUROX 430 SC	430g/L	SC	FUNGICIDE	4	664-259-5280	26-Nov-26	SYSTEMIC	Mango	Anthraxnose	35-45ml/200L water	-	22 days	Until spray has dried
INTERKORONA INC.	TEBUCONAZOLE	SAUROX 430 SC	430g/L	SC	FUNGICIDE	4	664-259-5280	26-Nov-26	SYSTEMIC	Banana	Black sigatoka	0.23 L/ha	-	0 day	Until spray has dried
INTERKORONA INC.	TEBUCONAZOLE	SAUROX 430 SC	430g/L	SC	FUNGICIDE	4	664-259-5280	26-Nov-26	SYSTEMIC	Corn	Rust	26-30 ml/36L water	-	-	Until spray has dried
EDSEL AGRI AND CHEMICAL CORP.	PROFENOFOS	SAURON 500 EC	500 g/L	EC	INSECTICIDE	2	597-070-5296	08-Jul-24	CONTACT	Mango	Thrips	1.0-2.0 Tbsp/36L water	-	14 days	Do not enter treated field 1 day after application
EDSEL AGRI AND CHEMICAL CORP.	PROFENOFOS	SAURON 500 EC	500 g/L	EC	INSECTICIDE	2	597-070-5296	08-Jul-24	CONTACT	Tomato	Fruitworm, armyworm, cutworm	3-5 Tbsp/36L water	-	14 days	Do not enter treated field 1 day after application
EDSEL AGRI AND CHEMICAL CORP.	PROFENOFOS	SAURON 500 EC	500 g/L	EC	INSECTICIDE	2	597-070-5296	08-Jul-24	CONTACT	Eggplant	Fruitborer, aphids, leafhopper, & thrips	1.5-3.0 Tbsp/36L water	-	14 days	Do not enter treated field 1 day after application
EDSEL AGRI AND CHEMICAL CORP.	PROFENOFOS	SAURON 500 EC	500 g/L	EC	INSECTICIDE	2	597-070-5296	08-Jul-24	CONTACT	Cabbage	Diamond back moth, cabbage worm & aphids, thrips	3-5 Tbsp/36L water	-	14 days	Do not enter treated field 1 day after application
EDSEL AGRI AND CHEMICAL CORP.	PROFENOFOS	SAURON 500 EC	500 g/L	EC	INSECTICIDE	2	597-070-5296	08-Jul-24	CONTACT	Watermelon	Thrips	3-5 Tbsp/36L water	-	14 days	Do not enter treated field 1 day after application
EDSEL AGRI AND CHEMICAL CORP.	PROFENOFOS	SAURON 500 EC	500 g/L	EC	INSECTICIDE	2	597-070-5296	08-Jul-24	CONTACT	Potato	Thrips, army worm, cutworm, tuberworm	3-5 Tbsp/36L water	-	14 days	Do not enter treated field 1 day after application
EDSEL AGRI AND CHEMICAL CORP.	PROFENOFOS	SAURON 500 EC	500 g/L	EC	INSECTICIDE	2	597-070-5296	08-Jul-24	CONTACT	Soybeans	Corn earworm, leafminer	3-5 Tbsp/36L water	-	14 days	Do not enter treated field 1 day after application
EDSEL AGRI AND CHEMICAL CORP.	PROFENOFOS	SAURON 500 EC	500 g/L	EC	INSECTICIDE	2	597-070-5296	08-Jul-24	CONTACT	Mungbeans	Corn earworm, leafminer	3-5 Tbsp/36L water	-	14 days	Do not enter treated field 1 day after application
EDSEL AGRI AND CHEMICAL CORP.	PROFENOFOS	SAURON 500 EC	500 g/L	EC	INSECTICIDE	2	597-070-5296	08-Jul-24	CONTACT	Cotton	Thrips, bollworm & budworm	3-5 Tbsp/36L water	-	14 days	Do not enter treated field 1 day after application
EDSEL AGRI AND CHEMICAL CORP.	PROFENOFOS	SAURON 500 EC	500 g/L	EC	INSECTICIDE	2	597-070-5296	08-Jul-24	CONTACT	Sitao	Beanyfly, leaf folder & aphids	1.5-3.0 Tbsp/36L water	-	14 days	Do not enter treated field 1 day after application
VAST AGRO SOLUTIONS, INC.	METSULFURON METHYL+CHLORIMURON ETHYL	SATURA 20 WP	100-120 g/kg	WP	HERBICIDE	4	385-298-5681	05-May-24	POST-EMERGENCE	Rice (Transplanted)	Broadleaf weeds & annual grasses	-	-	-	As soon as spray mix dries up
VAST AGRO SOLUTIONS, INC.	METSULFURON METHYL+CHLORIMURON ETHYL	SATURA 20 WP	100-120 g/kg	WP	HERBICIDE	4	385-298-5681	05-May-24	POST-EMERGENCE	Rice (Direct-Seeded)	Broadleaf weeds & annual grasses	-	-	-	As soon as spray mix dries up
BIOSTADT PHILIPPINES INC.	THIOBENCARB+PROPANIL	SATUNIL 600 EC	400-200 g/L	EC	HERBICIDE	3	397-370-1554	18-Nov-26	SELECTIVE	Rice	Grasses, sedges & broadleaf weeds	15-20.0 Tbsp/36L water	-	-	Entry to treated field is allowed as soon as spray deposits have dried
JARDINE DISTRIBUTION, INC.	TRIFLORINE	SAPROL 19 DC	190 g/L	DC	FUNGICIDE	3	367-177-3369	30-Jan-24	-	Beans	Rust	2 1/2 tbsps/36L water	0.05 ppm	2-3 days	24 hours after spraying
JARDINE DISTRIBUTION, INC.	TRIFLORINE	SAPROL 19 DC	190 g/L	DC	FUNGICIDE	3	367-177-3369	30-Jan-24	-	Cabbage	Leaf spot	3-8 tbsps/36L water	2.00 ppm	5 days	24 hours after spraying
JARDINE DISTRIBUTION, INC.	TRIFLORINE	SAPROL 19 DC	190 g/L	DC	FUNGICIDE	3	367-177-3369	30-Jan-24	-	Mango	Anthraxnose, stem-end rot	2 1/2-3 tbsps/36L water	2.00 ppm	-	24 hours after spraying
JARDINE DISTRIBUTION, INC.	TRIFLORINE	SAPROL 19 DC	190 g/L	DC	FUNGICIDE	3	367-177-3369	30-Jan-24	-	Pineapple	Wilt, fruit rot	4 tbsps/36L water	2.00 ppm	-	24 hours after spraying
JARDINE DISTRIBUTION, INC.	TRIFLORINE	SAPROL 19 DC	190 g/L	DC	FUNGICIDE	3	367-177-3369	30-Jan-24	-	Sugarcane	Rot	4-8 tbsps/36L water	-	-	24 hours after spraying
JARDINE DISTRIBUTION, INC.	TRIFLORINE	SAPROL 19 DC	190 g/L	DC	FUNGICIDE	3	367-177-3369	30-Jan-24	-	Roses	Leaf spot	2 1/2-4 tbsps/36L water	-	-	24 hours after spraying
SUMATOMA CORPORATION PHILIPPINES	TRIFLORINE	SAPROL 19 DC	190 g/L	DC	FUNGICIDE	3	482-177-3182	27-Nov-22	-	Beans	Rust	2 1/2 tbsps/36L water	-	2-3 days before harvest	24 hours after spraying
SUMATOMA CORPORATION PHILIPPINES	TRIFLORINE	SAPROL 19 DC	190 g/L	DC	FUNGICIDE	3	482-177-3182	27-Nov-22	-	Cabbage	Leaf spot	3-8 tbsps/36L water	-	-	24 hours after spraying
SUMATOMA CORPORATION PHILIPPINES	TRIFLORINE	SAPROL 19 DC	190 g/L	DC	FUNGICIDE	3	482-177-3182	27-Nov-22	-	Mango	Anthraxnose, stem-end rot	2 1/2-3 tbsps/36L water	-	-	24 hours after spraying
SUMATOMA CORPORATION PHILIPPINES	TRIFLORINE	SAPROL 19 DC	190 g/L	DC	FUNGICIDE	3	482-177-3182	27-Nov-22	-	Pineapple	Wilt, fruit rot	4 tbsps/36L water	-	-	24 hours after spraying
SUMATOMA CORPORATION PHILIPPINES	TRIFLORINE	SAPROL 19 DC	190 g/L	DC	FUNGICIDE	3	482-177-3182	27-Nov-22	-	Sugarcane	Rot	4-8 tbsps/36L water	-	-	24 hours after spraying

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
SUMATOMO CORPORATION PHILIPPINES	TRIFLOPINE	SAPROL 19 DC	190 g/L	DC	FUNGICIDE	3	462-177-3182	27-Nov-22	-	Roses	Leaf spot	2.1/2.4 tbsp/36L water	-	-	24 hours after spraying
AGRO ADVANCED INTERNATIONAL PHILS., INC.	SOYBEAN OIL, ETHOXYLATED	SAPONIT	450 g/L	-	OTHERS	4	473-588-5330	12-Oct-24	-	Banana	Black sigatoka (as adjuvant)	0.25-0.5 L prod / ha	-	-	As soon as solution has dried up.
NS NORTHERN ORGANIC FERTILIZER INC.	CHLORFENAPIR	SAPASAP 100 SC	100 g/L	SC	INSECTICIDE	3	470-283-5628	02-Sep-25	-	Cabbage	Diamond back moth, aphids & cabbage moth	1.5-3.0 tbsp/ 36 L water	-	-	Do not spray within 14 days before harvest
NS NORTHERN ORGANIC FERTILIZER INC.	CHLORFENAPIR	SAPASAP 100 SC	100 g/L	SC	INSECTICIDE	3	470-283-5628	02-Sep-25	-	Potato	Thrips	0.5-1.5 tbsp/36L water	-	-	Do not enter treated fields within two days after spraying
NS NORTHERN ORGANIC FERTILIZER INC.	CHLORFENAPIR	SAPASAP 100 SC	100 g/L	SC	INSECTICIDE	3	470-283-5628	03-Sep-25	-	Banana	Flower thrips	2-3 mL / L water	-	-	Do not enter treated fields within two days after spraying
AGRO ADVANCED INTERNATIONAL PHILS., INC.	GLYPHOSATE IPA	SANTILMO 480 SL	480 g/L	SL	HERBICIDE	4	473-151-2679	14-Oct-25	SYSTEMIC	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/ha	-	-	-
AGRO ADVANCED INTERNATIONAL PHILS., INC.	GLYPHOSATE IPA	SANTILMO 480 SL	480 g/L	SL	HERBICIDE	4	473-151-2679	14-Oct-25	SYSTEMIC	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /Ha	-	-	-
AGRO ADVANCED INTERNATIONAL PHILS., INC.	GLYPHOSATE IPA	SANTILMO 480 SL	480 g/L	SL	HERBICIDE	4	473-151-2679	14-Oct-25	SYSTEMIC	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
AGRO ADVANCED INTERNATIONAL PHILS., INC.	GLYPHOSATE IPA	SANTILMO 480 SL	480 g/L	SL	HERBICIDE	4	473-151-2679	14-Oct-25	SYSTEMIC	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /ha	-	-	-
AGRO ADVANCED INTERNATIONAL PHILS., INC.	GLYPHOSATE IPA	SANTILMO 480 SL	480 g/L	SL	HERBICIDE	4	473-151-2679	14-Oct-25	SYSTEMIC	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
AGRO ADVANCED INTERNATIONAL PHILS., INC.	GLYPHOSATE IPA	SANTILMO 480 SL	480 g/L	SL	HERBICIDE	4	473-151-2679	14-Oct-25	SYSTEMIC	hubbar	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
AGRO ADVANCED INTERNATIONAL PHILS., INC.	GLYPHOSATE IPA	SANTILMO 480 SL	480 g/L	SL	HERBICIDE	4	473-151-2679	14-Oct-25	SYSTEMIC	Gil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
AGRO ADVANCED INTERNATIONAL PHILS., INC.	GLYPHOSATE IPA	SANTILMO 480 SL	480 g/L	SL	HERBICIDE	4	473-151-2679	14-Oct-25	SYSTEMIC	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
AGRO ADVANCED INTERNATIONAL PHILS., INC.	GLYPHOSATE IPA	SANTILMO 480 SL	480 g/L	SL	HERBICIDE	4	473-151-2679	14-Oct-25	SYSTEMIC	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/ha	-	-	-
AGRO ADVANCED INTERNATIONAL PHILS., INC.	GLYPHOSATE IPA	SANTILMO 480 SL	480 g/L	SL	HERBICIDE	4	473-151-2679	14-Oct-25	SYSTEMIC	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
AGRO ADVANCED INTERNATIONAL PHILS., INC.	GLYPHOSATE IPA	SANTILMO 480 SL	480 g/L	SL	HERBICIDE	4	473-151-2679	14-Oct-25	SYSTEMIC	Vegetables under minimum or reduced tillage system	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
AGRO ADVANCED INTERNATIONAL PHILS., INC.	GLYPHOSATE IPA	SANTILMO 480 SL	480 g/L	SL	HERBICIDE	4	473-151-2679	14-Oct-25	SYSTEMIC	non-crop areas	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
CHEMREZ TECHNOLOGIES, INC.	BENZAZONIUM CHLORIDE	SANIFLUS PQ	400 g/L	SC	OTHERS	4	529-394-4666	14-Feb-25	-	Banana	As tool disinfectant for the control of Moko disease (Xanthomonas solanaceorum)	20 ml per liter of solution	-	-	-
CHEMREZ TECHNOLOGIES, INC.	BENZAZONIUM CHLORIDE	SANIFLUS PQ	400 g/L	SC	OTHERS	4	529-394-4666	14-Feb-25	-	Banana	As tool disinfectant for the control of Panama disease (Fusarium coprosporum f. sp. Cubense)	30-40 mL per liter of water	-	-	-
CROP PROTECTION AGRIVENTURES INC.	BUTACHLOR-PROPANIL	SANGGOT 700C	350 g/L+350 g/L	EC	HERBICIDE	3	436-238-6329	26-Jun-24	POST-EMERGENT	Rice (Transplanted)	Grasses, sedges and broadleaves	8-12 Tbsp/36 L water	-	-	As soon as the spray mist dries up
CROP PROTECTION AGRIVENTURES INC.	BUTACHLOR-PROPANIL	SANGGOT 700C	350 g/L+350 g/L	EC	HERBICIDE	3	436-238-6329	26-Jun-24	POST-EMERGENT	Rice (Direct Seeded)	Grasses, sedges and broadleaves	8-12 Tbsp/36 L water	-	-	As soon as the spray mist dries up
JYNSONS PHILIPPINES, INC.	ABAMECTIN	SANCTION 1.8 EC	18g/L	EC	INSECTICIDE	2	551-234-5725	29-Jan-26	-	Banana	Blossom thrips	0.5 per L water tbsp/36L water	-	7 days; potato and papaya - 14days; eggplant, onion, tomato, watermelon and strawberry 3 days	Is allowed as soon as spray deposits had dried up.
JYNSONS PHILIPPINES, INC.	ABAMECTIN	SANCTION 1.8 EC	18g/L	EC	INSECTICIDE	2	551-234-5725	29-Jan-26	-	Strawberry	Mites	2.0-4.0 tbsp/36L water	-	7 days; potato and papaya - 14days; eggplant, onion, tomato, watermelon and strawberry 3 days	Is allowed as soon as spray deposits had dried up.
JYNSONS PHILIPPINES, INC.	ABAMECTIN	SANCTION 1.8 EC	18g/L	EC	INSECTICIDE	2	551-234-5725	29-Jan-26	-	Cabbage	DBM	NA	-	7 days; potato and papaya - 14days; eggplant, onion, tomato, watermelon and strawberry 3 days	Is allowed as soon as spray deposits had dried up.
JYNSONS PHILIPPINES, INC.	ABAMECTIN	SANCTION 1.8 EC	18g/L	EC	INSECTICIDE	2	551-234-5725	29-Jan-26	-	Pineapple	Thrips	2.0-5.0 tbsp/36L water	-	7 days; potato and papaya - 14days; eggplant, onion, tomato, watermelon and strawberry 3 days	Is allowed as soon as spray deposits had dried up.
JYNSONS PHILIPPINES, INC.	ABAMECTIN	SANCTION 1.8 EC	18g/L	EC	INSECTICIDE	2	551-234-5725	29-Jan-26	-	Eggplant	Leafminers, fruit & shot borer	5.0 tbsp/36L water	-	7 days; potato and papaya - 14days; eggplant, onion, tomato, watermelon and strawberry 3 days	Is allowed as soon as spray deposits had dried up.
JYNSONS PHILIPPINES, INC.	ABAMECTIN	SANCTION 1.8 EC	18g/L	EC	INSECTICIDE	2	551-234-5725	29-Jan-26	-	Onion	Leafminer, thrips	2.0-3.0 tbsp/36L water	-	7 days; potato and papaya - 14days; eggplant, onion, tomato, watermelon and strawberry 3 days	Is allowed as soon as spray deposits had dried up.
JYNSONS PHILIPPINES, INC.	ABAMECTIN	SANCTION 1.8 EC	18g/L	EC	INSECTICIDE	2	551-234-5725	29-Jan-26	-	Potato	Leafminers, thrips	2.0-3.0 tbsp/36L water	-	7 days; potato and papaya - 14days; eggplant, onion, tomato, watermelon and strawberry 3 days	Is allowed as soon as spray deposits had dried up.
JYNSONS PHILIPPINES, INC.	ABAMECTIN	SANCTION 1.8 EC	18g/L	EC	INSECTICIDE	2	551-234-5725	29-Jan-26	-	Tomato	Leafminer, thrips, aphids	2.0-3.0 tbsp/36L water	-	7 days; potato and papaya - 14days; eggplant, onion, tomato, watermelon and strawberry 3 days	Is allowed as soon as spray deposits had dried up.
JYNSONS PHILIPPINES, INC.	ABAMECTIN	SANCTION 1.8 EC	18g/L	EC	INSECTICIDE	2	551-234-5725	29-Jan-26	-	Watermelon	Leafminer, thrips, melonworm	2.0-3.0 tbsp/36L water; 2.0-5.0 tbsp/36L water	-	7 days; potato and papaya - 14days; eggplant, onion, tomato, watermelon and strawberry 3 days	Is allowed as soon as spray deposits had dried up.
JYNSONS PHILIPPINES, INC.	ABAMECTIN	SANCTION 1.8 EC	18g/L	EC	INSECTICIDE	2	551-234-5725	29-Jan-26	-	Papaya	Mites	2.0-5.0 tbsp/36L water	-	7 days; potato and papaya - 14days; eggplant, onion, tomato, watermelon and strawberry 3 days	Is allowed as soon as spray deposits had dried up.
JYNSONS PHILIPPINES, INC.	ABAMECTIN	SANCTION 1.8 EC	18g/L	EC	INSECTICIDE	2	551-234-5725	29-Jan-26	-	Ornamentals	Mites	1.0-1.5 tbsp/36L water	-	7 days; potato and papaya - 14days; eggplant, onion, tomato, watermelon and strawberry 3 days	Is allowed as soon as spray deposits had dried up.
DOW AGRO SCIENCES B.V.	PROPOCONAZOLE	SANAZOLE 250 EC	250 g/L	EC	FUNGICIDE	3	013-178-0916	24-May-24	SYSTEMIC	Banana	Black sigatoka	40mL/ha	-	-	-
DOW AGRO SCIENCES B.V.	PROPOCONAZOLE	SANAZOLE 250 EC	250 g/L	EC	FUNGICIDE	3	013-178-0916	24-May-21	SYSTEMIC	Pineapple	Butt rot	8 ml / 300 L	-	-	-
VTL AGRO PRODUCTS INCORPORATED	LAMBDA-CHYALOTHIRIN	SAMURAI 2.5 EC	25 g/L	EC	INSECTICIDE	2	463-204-5272	05-Nov-26	SYSTEMIC	Corn	Aphids, corn borers, seedling maggots	1.0-1.5 tbsp/ 36L water	-	Do not spray 3 days before harvest	Enter treated fields as soon as spray deposits have dried up.
VTL AGRO PRODUCTS INCORPORATED	LAMBDA-CHYALOTHIRIN	SAMURAI 2.5 EC	25 g/L	EC	INSECTICIDE	2	463-204-5272	05-Nov-26	SYSTEMIC	Rice	Armyworms, black bugs, Green leafhoppers, leafhoppers, Rice bugs	1.0-1.5 tbsp/ 36L water	-	Do not spray 3 days before harvest	Enter treated fields as soon as spray deposits have dried up.
VTL AGRO PRODUCTS INCORPORATED	LAMBDA-CHYALOTHIRIN	SAMURAI 2.5 EC	25 g/L	EC	INSECTICIDE	2	463-204-5272	05-Nov-26	SYSTEMIC	Cacao	Pod borer	1.0-2.0 tbsp/ 36L water	-	Do not spray 3 days before harvest	Enter treated fields as soon as spray deposits have dried up.
VTL AGRO PRODUCTS INCORPORATED	LAMBDA-CHYALOTHIRIN	SAMURAI 2.5 EC	25 g/L	EC	INSECTICIDE	2	463-204-5272	05-Nov-26	SYSTEMIC	Mango	Hoppers	0.75-1.5 tbsp/ 36L water	-	Do not spray 3 days before harvest	Enter treated fields as soon as spray deposits have dried up.
VTL AGRO PRODUCTS INCORPORATED	LAMBDA-CHYALOTHIRIN	SAMURAI 2.5 EC	25 g/L	EC	INSECTICIDE	2	463-204-5272	05-Nov-26	SYSTEMIC	Onion	Cutworms, Thrips	1.0 tbsp/ 36L water	-	Do not spray 3 days before harvest	Enter treated fields as soon as spray deposits have dried up.
VTL AGRO PRODUCTS INCORPORATED	LAMBDA-CHYALOTHIRIN	SAMURAI 2.5 EC	25 g/L	EC	INSECTICIDE	2	463-204-5272	05-Nov-26	SYSTEMIC	Cotton	Bollworms	1-1.5 tbsp/ 36L water	-	Do not spray 3 days before harvest	Enter treated fields as soon as spray deposits have dried up.
VTL AGRO PRODUCTS INCORPORATED	LAMBDA-CHYALOTHIRIN	SAMURAI 2.5 EC	25 g/L	EC	INSECTICIDE	2	463-204-5272	05-Nov-26	SYSTEMIC	Tomato	Aphids, cutworms, fruitworms	1-1.5 tbsp/ 36L water	-	Do not spray 3 days before harvest	Enter treated fields as soon as spray deposits have dried up.
VTL AGRO PRODUCTS INCORPORATED	LAMBDA-CHYALOTHIRIN	SAMURAI 2.5 EC	25 g/L	EC	INSECTICIDE	2	463-204-5272	05-Nov-26	SYSTEMIC	Watermelon	Melon worms, squash beetles	1.0 tbsp/ 36L water	-	Do not spray 3 days before harvest	Enter treated fields as soon as spray deposits have dried up.
VTL AGRO PRODUCTS INCORPORATED	LAMBDA-CHYALOTHIRIN	SAMURAI 2.5 EC	25 g/L	EC	INSECTICIDE	2	463-204-5272	05-Nov-26	SYSTEMIC	Mungbean	Aphids, beanflies, flea beetles, leafhoppers, mites	1.0 tbsp/ 36L water	-	Do not spray 3 days before harvest	Enter treated fields as soon as spray deposits have dried up.
VTL AGRO PRODUCTS INCORPORATED	LAMBDA-CHYALOTHIRIN	SAMURAI 2.5 EC	25 g/L	EC	INSECTICIDE	2	463-204-5272	05-Nov-26	SYSTEMIC	Tobacco	Aphids, budworms, cutworms, katydids	1-1.5 tbsp/ 36L water	-	Do not spray 3 days before harvest	Enter treated fields as soon as spray deposits have dried up.
S&P ENTERPRISES, INC.	CARBARYL	SAMSON 85 WP	850 g/kg	WP	INSECTICIDE	2	566-035-5922	13-Aug-24	-	Tobacco	Budworm, cutworm, aphids	4-6 tbsp/36L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango.	Treated areas may be re-entered immediately after spray has dried
S&P ENTERPRISES, INC.	CARBARYL	SAMSON 85 WP	850 g/kg	WP	INSECTICIDE	2	566-035-5922	13-Aug-24	-	Sorghum	Webworm, armyworm, cutworm, headworm	4-6 tbsp/36L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango.	Treated areas may be re-entered immediately after spray has dried
S&P ENTERPRISES, INC.	CARBARYL	SAMSON 85 WP	850 g/kg	WP	INSECTICIDE	2	566-035-5922	13-Aug-24	-	Ornamentals	Aphids, scale insects, mealy bug, cutworm	4-6 tbsp/36L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango.	Treated areas may be re-entered immediately after spray has dried
S&P ENTERPRISES, INC.	CARBARYL	SAMSON 85 WP	850 g/kg	WP	INSECTICIDE	2	566-035-5922	13-Aug-24	-	Mango	Mango hopper, tip borer, twig borer, fruitfly, mealy bug	4-8 tbsp/36L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango.	Treated areas may be re-entered immediately after spray has dried
S&P ENTERPRISES, INC.	CARBARYL	SAMSON 85 WP	850 g/kg	WP	INSECTICIDE	2	566-035-5922	13-Aug-24	-	Coffee	Berry borer	4-6 tbsp/36L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango.	Treated areas may be re-entered immediately after spray has dried
S&P ENTERPRISES, INC.	CARBARYL	SAMSON 85 WP	850 g/kg	WP	INSECTICIDE	2	566-035-5922	13-Aug-24	-	Cacao	Pod borer, aphids, capid bug	4-6 tbsp/36L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango.	Treated areas may be re-entered immediately after spray has dried
S&P ENTERPRISES, INC.	CARBARYL	SAMSON 85 WP	850 g/kg	WP	INSECTICIDE	2	566-035-5922	13-Aug-24	-	Citrus	Rind borer	4-6 tbsp/36L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango.	Treated areas may be re-entered immediately after spray has dried
S&P ENTERPRISES, INC.	CARBARYL	SAMSON 85 WP	850 g/kg	WP	INSECTICIDE	2	566-035-5922	13-Aug-24	-	Soybeans	Pod borer, bean fly, leaf miner, aphids	4-6 tbsp/36L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango.	Treated areas may be re-entered immediately after spray has dried
S&P ENTERPRISES, INC.	CARBARYL	SAMSON 85 WP	850 g/kg	WP	INSECTICIDE	2	566-035-5922	13-Aug-24	-	Rice	Green leafhopper, caseworm, aphids	4-6 tbsp/36L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango.	Treated areas may be re-entered immediately after spray has dried
S&P ENTERPRISES, INC.	CARBARYL	SAMSON 85 WP	850 g/kg	WP	INSECTICIDE	2	566-035-5922	13-Aug-24	-	Cowpea	Pod borer, bean fly, leaf miner, aphids, cutworm	4-6 tbsp/36L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango.	Treated areas may be re-entered immediately after spray has dried
S&P ENTERPRISES, INC.	CARBARYL	SAMSON 85 WP	850 g/kg	WP	INSECTICIDE	2	566-035-5922	13-Aug-24	-	Cotton seeds	Bollworm, cutworm	4-6 tbsp/36L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango.	Treated areas may be re-entered immediately after spray has dried
S&P ENTERPRISES, INC.	CARBARYL	SAMSON 85 WP	850 g/kg	WP	INSECTICIDE	2	566-035-5922	13-Aug-24	-	Tomato	Corn borer, corn earworm, armyworm	4-6 tbsp/36L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango.	Treated areas may be re-entered immediately after spray has dried

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD	
S&P ENTERPRISES, INC.	CARBARYL	SAMSON 85 WP	850 g/kg	WP	INSECTICIDE	2	566-035-5922	13-Aug-24	-	Cucurbits	Squash beetle, lady beetle, aphids	4-6tbsp/36L water	-	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango.	Treated areas may be re-entered immediately after spray has dried
LTC MORITA CORPORATION	LAMBDA-CHYALOTHIRIN	SAMPOL 2.5 EC	25g/L	EC	INSECTICIDE	2	679-204-5547	05-Jul-26	SYSTEMIC	Rice	Green leafhopper,armyworm,rice bug,leafhoppers,black bug	1.0-1.5tbsp/36 L of water	-	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
LTC MORITA CORPORATION	LAMBDA-CHYALOTHIRIN	SAMPOL 2.5 EC	25g/L	EC	INSECTICIDE	2	679-204-5547	05-Jul-26	SYSTEMIC	Mango	Hoppers	0.75-1.5tbsp/36L of water	-	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
LTC MORITA CORPORATION	LAMBDA-CHYALOTHIRIN	SAMPOL 2.5 EC	25g/L	EC	INSECTICIDE	2	679-204-5547	05-Jul-26	SYSTEMIC	Tomato	Fruitworm,cutworm,aphids	1.0-1.5tbsp/36 L of water	-	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
LTC MORITA CORPORATION	LAMBDA-CHYALOTHIRIN	SAMPOL 2.5 EC	25g/L	EC	INSECTICIDE	2	679-204-5547	05-Jul-26	SYSTEMIC	Onion	Thrips,cutworm	1.0tbsp/36 L of water	-	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
LTC MORITA CORPORATION	LAMBDA-CHYALOTHIRIN	SAMPOL 2.5 EC	25g/L	EC	INSECTICIDE	2	679-204-5547	05-Jul-26	SYSTEMIC	Mungbeans	Beanyfly,flea beetle,leafhopper,aphids,mites,podborer	1.0tbsp/36 L of water	-	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
LTC MORITA CORPORATION	LAMBDA-CHYALOTHIRIN	SAMPOL 2.5 EC	25g/L	EC	INSECTICIDE	2	679-204-5547	05-Jul-26	SYSTEMIC	Corn	Comborer, aphids, seedling maggots	1.0-1.5tbsp/36 L of water	-	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
LTC MORITA CORPORATION	LAMBDA-CHYALOTHIRIN	SAMPOL 2.5 EC	25g/L	EC	INSECTICIDE	2	679-204-5547	05-Jul-26	SYSTEMIC	Tobacco	Budworm,cutworm, aphids,katydid	1.0-1.5tbsp/36 L of water	-	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
LTC MORITA CORPORATION	LAMBDA-CHYALOTHIRIN	SAMPOL 2.5 EC	25g/L	EC	INSECTICIDE	2	679-204-5547	05-Jul-26	SYSTEMIC	Cotton	Bollworm	1.0-1.5tbsp/36 L of water	-	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
LTC MORITA CORPORATION	LAMBDA-CHYALOTHIRIN	SAMPOL 2.5 EC	25g/L	EC	INSECTICIDE	2	679-204-5547	05-Jul-26	SYSTEMIC	Cocoa	Pod borer	1.0-2.0tbsp/36 L of water	-	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
LTC MORITA CORPORATION	LAMBDA-CHYALOTHIRIN	SAMPOL 2.5 EC	25g/L	EC	INSECTICIDE	2	679-204-5547	05-Jul-26	SYSTEMIC	Watermelon	Squash beetle,melon worm	1.0tbsp/36 L of water	-	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
BIOSTADT PHILIPPINES INC.	PHENTHOATE	SALVO 90 EC	500 g/L	EC	INSECTICIDE	2	097-059-2853-A	21-Sep-26	-	Onion	Thrips	20-50 ml/36L water	-	14 days	-	Safe-entry into treated areas may be done at least 2 days after application
BIOSTADT PHILIPPINES INC.	PHENTHOATE	SALVO 90 EC	500 g/L	EC	INSECTICIDE	2	097-059-2853	21-Sep-26	-	Rice	Green leafhopper, brown planthopper, stemborer, whorl maggot, cutworm	20-50 ml/36L water	-	7 days	-	Safe-entry into treated areas may be done at least 2 days after application
BIOSTADT PHILIPPINES INC.	PHENTHOATE	SALVO 90 EC	500 g/L	EC	INSECTICIDE	2	097-059-2853	21-Sep-26	-	Corn	Corn borer, earworm, cutworm	20-50 ml/36L water	-	14 days	-	Safe-entry into treated areas may be done at least 2 days after application
BIOSTADT PHILIPPINES INC.	PHENTHOATE	SALVO 90 EC	500 g/L	EC	INSECTICIDE	2	097-059-2853	21-Sep-26	-	Cabbage & other crucifers	Diamond-back moth, cabbage worm, aphids, cutworm	20-50 ml/36L water	-	7 days	-	Safe-entry into treated areas may be done at least 2 days after application
BIOSTADT PHILIPPINES INC.	PHENTHOATE	SALVO 90 EC	500 g/L	EC	INSECTICIDE	2	097-059-2853	21-Sep-26	-	Eggplant	Firebeetle, mealybug	20-50 ml/36L water	-	3 days	-	Safe-entry into treated areas may be done at least 2 days after application
BIOSTADT PHILIPPINES INC.	PHENTHOATE	SALVO 90 EC	500 g/L	EC	INSECTICIDE	2	097-059-2853	21-Sep-26	-	Tomato	Fruitworm, lady beetle	20-50 ml/36L water	-	3 days	-	Safe-entry into treated areas may be done at least 2 days after application
BIOSTADT PHILIPPINES INC.	PHENTHOATE	SALVO 90 EC	500 g/L	EC	INSECTICIDE	2	097-059-2853	21-Sep-26	-	Mango	Mango hopper, tip borer, twig borer	20-50 ml/36L water	-	14 days	-	Safe-entry into treated areas may be done at least 2 days after application
BIOSTADT PHILIPPINES INC.	PHENTHOATE	SALVO 90 EC	500 g/L	EC	INSECTICIDE	2	097-059-2853	21-Sep-26	-	Soybeans & other beans	Pod borer, aphids, semi-looper, leafroller	20-50 ml/36L water	-	7 days	-	Safe-entry into treated areas may be done at least 2 days after application
BIOSTADT PHILIPPINES INC.	PHENTHOATE	SALVO 90 EC	500 g/L	EC	INSECTICIDE	2	097-059-2853	21-Sep-26	-	Cucumber and other cucurbits	Aphids	20-50 ml/36L water	-	3 days	-	Safe-entry into treated areas may be done at least 2 days after application
BIOSTADT PHILIPPINES INC.	PHENTHOATE	SALVO 90 EC	500 g/L	EC	INSECTICIDE	2	097-059-2853	21-Sep-26	-	White potato	Aphids, cutworm	20-50 ml/36L water	-	7 days	-	Safe-entry into treated areas may be done at least 2 days after application
BIOSTADT PHILIPPINES INC.	PHENTHOATE	SALVO 90 EC	500 g/L	EC	INSECTICIDE	2	097-059-2853	21-Sep-26	-	Tobacco	Budworm, cutworm, aphids, armyworm, thrips, leafworm	20-50 ml/36L water	-	-	-	Safe-entry into treated areas may be done at least 2 days after application
BIOSTADT PHILIPPINES INC.	PHENTHOATE	SALVO 90 EC	500 g/L	EC	INSECTICIDE	2	097-059-2853	21-Sep-26	-	Citrus	Scale insect, aphids, mealybug, whiteflies	20-50 ml/36L water	-	14 days	-	Safe-entry into treated areas may be done at least 2 days after application
BIOSTADT PHILIPPINES INC.	PHENTHOATE	SALVO 90 EC	500 g/L	EC	INSECTICIDE	2	097-059-2853	21-Sep-26	-	Sorghum	Webworm, armyworm	20-50 ml/36L water	-	14 days	-	Safe-entry into treated areas may be done at least 2 days after application
BIOSTADT PHILIPPINES INC.	PHENTHOATE	SALVO 90 EC	500 g/L	EC	INSECTICIDE	2	097-059-2853	21-Sep-26	-	Cotton	Leafhopper, bollworm, flower weevil, boll weevil, cotton stainer, leafworm, aphids	20-50 ml/36L water	-	14 days	-	Safe-entry into treated areas may be done at least 2 days after application
VETMATE FARMA CORP.	LAMBDA-CHYALOTHIRIN	SALVATEX 2.5 EC	25 g/L	EC	INSECTICIDE	2	658-204-6143	5-Jul-26	-	Rice	Green leafhopper, armyworm, rice bug, leafroller, black bug	1.0-1.5 tbsp/ 36L water	-	-	-	-
VETMATE FARMA CORP.	LAMBDA-CHYALOTHIRIN	SALVATEX 2.5 EC	25 g/L	EC	INSECTICIDE	2	658-204-6143	5-Jul-26	-	Mango	Hoppers	0.90-1.5 tbsp/ 36L water	-	-	-	-
VETMATE FARMA CORP.	LAMBDA-CHYALOTHIRIN	SALVATEX 2.5 EC	25 g/L	EC	INSECTICIDE	2	658-204-6143	5-Jul-26	-	Tomato	Fruitworm, cutworm, aphids	1.0-1.5 tbsp/ 36L water	-	-	-	-
VETMATE FARMA CORP.	LAMBDA-CHYALOTHIRIN	SALVATEX 2.5 EC	25 g/L	EC	INSECTICIDE	2	658-204-6143	5-Jul-26	-	Onion	Thrips, cutworm	1.0tbsp/ 36L water	-	-	-	-
VETMATE FARMA CORP.	LAMBDA-CHYALOTHIRIN	SALVATEX 2.5 EC	25 g/L	EC	INSECTICIDE	2	658-204-6143	5-Jul-26	-	Mungbeans	Beanyfly, flea beetle, leafhopper, aphids, mites, podborer	1.0tbsp/ 36L water	-	-	-	-
VETMATE FARMA CORP.	LAMBDA-CHYALOTHIRIN	SALVATEX 2.5 EC	25 g/L	EC	INSECTICIDE	2	658-204-6143	5-Jul-26	-	Corn	Com-borer, aphids, seedling maggots	1.0-1.5 tbsp/ 36L water	-	-	-	-
VETMATE FARMA CORP.	LAMBDA-CHYALOTHIRIN	SALVATEX 2.5 EC	25 g/L	EC	INSECTICIDE	2	658-204-6143	5-Jul-26	-	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5 tbsp/ 36L water	-	-	-	-
VETMATE FARMA CORP.	LAMBDA-CHYALOTHIRIN	SALVATEX 2.5 EC	25 g/L	EC	INSECTICIDE	2	658-204-6143	5-Jul-26	-	Cotton	Bollworm	1.0-1.5 tbsp/ 36L water	-	-	-	-
VETMATE FARMA CORP.	LAMBDA-CHYALOTHIRIN	SALVATEX 2.5 EC	25 g/L	EC	INSECTICIDE	2	658-204-6143	5-Jul-26	-	Cocoa	Pod borer	1.0-2.0 tbsp/36L water	-	-	-	-
VETMATE FARMA CORP.	LAMBDA-CHYALOTHIRIN	SALVATEX 2.5 EC	25 g/L	EC	INSECTICIDE	2	658-204-6143	5-Jul-26	-	Watermelon	Squash beetle, melon worm	1.0tbsp/ 36L water	-	-	-	-
JARDINE DISTRIBUTION, INC.	CHYALOTOP-BUTYL-BISPYRIBAC SODIUM	SALVADOR 200 OD	160 g/L+40 g/L	OD	HERBICIDE	4	367-504-5363	02-Dec-26	POST-EMERGENT	Rice (Direct-Seeded)	Grasses sedges and Broadleaves	750 mL/ha, (75mL/ 36L spray load; 10 spray load per/ha	-	-	-	As soon as sprays dries.
GOLDENMAN MARKETING CORPORATION	CHLOPYRIFOS	SALUTE 30 EC	300 g/L	EC	INSECTICIDE	2	400-101-3702	17-May-22	-	Rice	Stemborer, armyworm, leafhopper, earworm, planthopper, cutworm	2.5-3.5 tbsp/36L water	-	-	-	-
GOLDENMAN MARKETING CORPORATION	CHLOPYRIFOS	SALUTE 30 EC	300 g/L	EC	INSECTICIDE	2	400-101-3702	17-May-22	-	Potato	Tubermoth, leafhopper, cutworm, aphids	2.5-3.5 tbsp/36L water	-	-	-	-
GOLDENMAN MARKETING CORPORATION	CHLOPYRIFOS	SALUTE 30 EC	300 g/L	EC	INSECTICIDE	2	400-101-3702	17-May-22	-	Corn	Armyworm, comborer, earworm, seedling maggots	2.5-3.5 tbsp/36L water	-	-	-	-
GOLDENMAN MARKETING CORPORATION	CHLOPYRIFOS	SALUTE 30 EC	300 g/L	EC	INSECTICIDE	2	400-101-3702	17-May-22	-	Beans	Beanyfly, leafroller, podborer, cutworm, armyworm	2.5-3.5 tbsp/36L water	-	-	-	-
FARM EDGE AGRO TRADING CORPORATION	FLUAZIFOP-P-BUTYL	SALUDO 15 EC	150 g/L	EC	HERBICIDE	4	618-212-4902	17-Sep-24	SYSTEMIC/SELECTIVE/POST-EMERGENT	Banana	Grasses; Itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-	-
FARM EDGE AGRO TRADING CORPORATION	FLUAZIFOP-P-BUTYL	SALUDO 15 EC	150 g/L	EC	HERBICIDE	4	618-212-4902	17-Sep-24	SYSTEMIC/SELECTIVE/POST-EMERGENT	Cacao	Grasses; Itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-	-
FARM EDGE AGRO TRADING CORPORATION	FLUAZIFOP-P-BUTYL	SALUDO 15 EC	150 g/L	EC	HERBICIDE	4	618-212-4902	17-Sep-24	SYSTEMIC/SELECTIVE/POST-EMERGENT	Citrus	Grasses; Itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-	-
FARM EDGE AGRO TRADING CORPORATION	FLUAZIFOP-P-BUTYL	SALUDO 15 EC	150 g/L	EC	HERBICIDE	4	618-212-4902	17-Sep-24	SYSTEMIC/SELECTIVE/POST-EMERGENT	Cotton	Grasses; Itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-	-
FARM EDGE AGRO TRADING CORPORATION	FLUAZIFOP-P-BUTYL	SALUDO 15 EC	150 g/L	EC	HERBICIDE	4	618-212-4902	17-Sep-24	SYSTEMIC/SELECTIVE/POST-EMERGENT	Coffee	Grasses; Itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-	-
FARM EDGE AGRO TRADING CORPORATION	FLUAZIFOP-P-BUTYL	SALUDO 15 EC	150 g/L	EC	HERBICIDE	4	618-212-4902	17-Sep-24	SYSTEMIC/SELECTIVE/POST-EMERGENT	Oil palm	Grasses; Itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-	-
FARM EDGE AGRO TRADING CORPORATION	FLUAZIFOP-P-BUTYL	SALUDO 15 EC	150 g/L	EC	HERBICIDE	4	618-212-4902	17-Sep-24	SYSTEMIC/SELECTIVE/POST-EMERGENT	Ramie	Grasses; Itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-	-
FARM EDGE AGRO TRADING CORPORATION	FLUAZIFOP-P-BUTYL	SALUDO 15 EC	150 g/L	EC	HERBICIDE	4	618-212-4902	17-Sep-24	SYSTEMIC/SELECTIVE/POST-EMERGENT	Rubber	Grasses; Itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-	-
FARM EDGE AGRO TRADING CORPORATION	FLUAZIFOP-P-BUTYL	SALUDO 15 EC	150 g/L	EC	HERBICIDE	4	618-212-4902	17-Sep-24	SYSTEMIC/SELECTIVE/POST-EMERGENT	Avocado	Grasses; Itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-	-
FARM EDGE AGRO TRADING CORPORATION	FLUAZIFOP-P-BUTYL	SALUDO 15 EC	150 g/L	EC	HERBICIDE	4	618-212-4902	17-Sep-24	SYSTEMIC/SELECTIVE/POST-EMERGENT	Onion	Grasses; Itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-	-
FARM EDGE AGRO TRADING CORPORATION	FLUAZIFOP-P-BUTYL	SALUDO 15 EC	150 g/L	EC	HERBICIDE	4	618-212-4902	17-Sep-24	SYSTEMIC/SELECTIVE/POST-EMERGENT	Pineapple	Grasses; Itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-	-
FARM EDGE AGRO TRADING CORPORATION	FLUAZIFOP-P-BUTYL	SALUDO 15 EC	150 g/L	EC	HERBICIDE	4	618-212-4902	17-Sep-24	SYSTEMIC/SELECTIVE/POST-EMERGENT	Soybeans	Grasses; Itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-	-
FARM EDGE AGRO TRADING CORPORATION	FLUAZIFOP-P-BUTYL	SALUDO 15 EC	150 g/L	EC	HERBICIDE	4	618-212-4902	17-Sep-24	SYSTEMIC/SELECTIVE/POST-EMERGENT	Tomato	Grasses; Itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-	-
VAST AGRO SOLUTIONS, INC.	METALDEHIDE	SAMUHO 6N PELLETS	60 g/kg	P	MOLLUSCICIDE	4	385-075-1977	06-Oct-24	CONTACT	Rice (Transplanted)	Golden apple snail	2-4 kg/ product per hectare	-	-	-	Do not enter treated field within 48 hours after application
VAST AGRO SOLUTIONS, INC.	METALDEHIDE	SAMUHO 6N PELLETS	60 g/kg	P	MOLLUSCICIDE	4	385-075-1977	06-Oct-24	CONTACT	Rice (Direct-Seeded)	Golden apple snail	4-8 kg/product per hectare	-	-	-	Do not enter treated field within 48 hours after application
VAST AGRO SOLUTIONS, INC.	METALDEHIDE	SAMUHO 6N PELLETS	60 g/kg	P	MOLLUSCICIDE	4	385-075-1977	06-Oct-24	CONTACT	Plotted and driftwood-attached plants such as	Bush, snails, giant african snail and slugs	1-2 kg/product per hectare	-	-	-	Do not enter treated field within 48 hours after application
FARMCON CORPORATION	GLYPHOSATE IPA	SAKHO 480 SL	480g/L	SL	HERBICIDE	4	592-151-4080	09/29/2020	POST-EMERGENT	Glyphosate tolerant corn	Annual & Perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/ha	-	-	-	-

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
FARMCON CORPORATION	GLYPHOSATE IPA	SAKTO 480 SL	480g/L	SL	HERBICIDE	4	590-151-4080	09/29/2020	POST-EMERGENT	Mango	Annual & Perennial grasses,broadleaf weeds & sedges	1.0-4.5 Liters/ha			
FARMCON CORPORATION	GLYPHOSATE IPA	SAKTO 480 SL	480g/L	SL	HERBICIDE	4	590-151-4080	09/29/2020	POST-EMERGENT	Cacao	Annual & Perennial grasses,broadleaf weeds & sedges	1.0-4.5 Liters/ha			
FARMCON CORPORATION	GLYPHOSATE IPA	SAKTO 480 SL	480g/L	SL	HERBICIDE	4	590-151-4080	09/29/2020	POST-EMERGENT	Banana	Annual & Perennial grasses,broadleaf weeds & sedges	1.0-4.5 Liters/ha			
FARMCON CORPORATION	GLYPHOSATE IPA	SAKTO 480 SL	480g/L	SL	HERBICIDE	4	590-151-4080	09/29/2020	POST-EMERGENT	Coffee	Annual & Perennial grasses,broadleaf weeds & sedges	1.0-4.5 Liters/ha			
FARMCON CORPORATION	GLYPHOSATE IPA	SAKTO 480 SL	480g/L	SL	HERBICIDE	4	590-151-4080	09/29/2020	POST-EMERGENT	Rubber	Annual & Perennial grasses,broadleaf weeds & sedges	2.0 Liters/ha			
FARMCON CORPORATION	GLYPHOSATE IPA	SAKTO 480 SL	480g/L	SL	HERBICIDE	4	590-151-4080	09/29/2020	POST-EMERGENT	Oil palm	Annual & Perennial grasses,broadleaf weeds & sedges	2.0 Liters/ha			
FARMCON CORPORATION	GLYPHOSATE IPA	SAKTO 480 SL	480g/L	SL	HERBICIDE	4	590-151-4080	09/29/2020	POST-EMERGENT	Citrus	Annual & Perennial grasses,broadleaf weeds & sedges	2.0 Liters/ha			
FARMCON CORPORATION	GLYPHOSATE IPA	SAKTO 480 SL	480g/L	SL	HERBICIDE	4	590-151-4080	09/29/2020	POST-EMERGENT	Coconut	Annual & Perennial grasses,broadleaf weeds & sedges	4.5 Liters/ha			
FARMCON CORPORATION	GLYPHOSATE IPA	SAKTO 480 SL	480g/L	SL	HERBICIDE	4	590-151-4080	09/29/2020	POST-EMERGENT	Sugarcane	Annual & Perennial grasses,broadleaf weeds & sedges	2.0 Liters/ha			
FARMCON CORPORATION	GLYPHOSATE IPA	SAKTO 480 SL	480g/L	SL	HERBICIDE	4	590-151-4080	09/29/2020	POST-EMERGENT	Vegetables	Annual & Perennial grasses,broadleaf weeds & sedges	2.0 Liters/ha			
FARMCON CORPORATION	GLYPHOSATE IPA	SAKTO 480 SL	480g/L	SL	HERBICIDE	4	590-151-4080	09/29/2020	POST-EMERGENT	Non-crop	Annual & Perennial grasses,broadleaf weeds & sedges				
ZHIL DEVELOPMENT CORPORATION	2,4-D IBE	SAGANA 2,4-D ESTER	491 g/L	EC	HERBICIDE	2	651-049-5203	31-Dec-23	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual Broadleaves & sedges	5.0-6.50tbsp/36 L water	0.1 ppm	Do not spray within two days before harvest	Entry to fields and crops treated with SAGANA 2,4-D ESTER can be done one day after spraying
ZHIL DEVELOPMENT CORPORATION	2,4-D IBE	SAGANA 2,4-D ESTER	491 g/L	EC	HERBICIDE	2	651-049-5203	31-Dec-23	SELECTIVE (POST-EMERGENT)	Corn	Annual Broadleaves & sedges	5.0-6.50tbsp/36 L water		Do not spray within two days before harvest	Entry to fields and crops treated with SAGANA 2,4-D ESTER can be done one day after spraying
ZHIL DEVELOPMENT CORPORATION	2,4-D IBE	SAGANA 2,4-D ESTER	491 g/L	EC	HERBICIDE	2	651-049-5203	31-Dec-23	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual Broadleaves & sedges	5.0-6.50tbsp/36 L water		Do not spray within two days before harvest	Entry to fields and crops treated with SAGANA 2,4-D ESTER can be done one day after spraying
ZHIL DEVELOPMENT CORPORATION	2,4-D AMINE	SAGANA 2,4-D AMINE	400 g/L	SC	HERBICIDE	2	651-013-5202	31-Dec-23	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual broadleaves and sedges	1.5-6.57tbsp/36 L water	0.1 ppm		Entry to fields and crops treated with SAGANA 2,4-D AMINE can be done one day after spraying
ZHIL DEVELOPMENT CORPORATION	2,4-D AMINE	SAGANA 2,4-D AMINE	400 g/L	SC	HERBICIDE	2	651-013-5202	31-Dec-23	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual broadleaves and sedges	13-25 7tbsp/36 L water			Entry to fields and crops treated with SAGANA 2,4-D AMINE can be done one day after spraying
ZHIL DEVELOPMENT CORPORATION	2,4-D AMINE	SAGANA 2,4-D AMINE	400 g/L	SC	HERBICIDE	2	651-013-5202	31-Dec-23	SELECTIVE (POST-EMERGENT)	Corn	Annual broadleaves and sedges	6-6.5 7tbsp/36 L water			Entry to fields and crops treated with SAGANA 2,4-D AMINE can be done one day after spraying
TRANS WORLD TRADING CO., INC.	BUTACHLOR-PROPANIL	SADAM-D 70 EC	350-350 g/L	EC	HERBICIDE	3	038-238-1334	19-Dec-26	POST-EMERGENT	Rice (Transplanted)	Grasses, Sedges and Broadleaves	8-12tbsp/36 L water	Butachlor 0.1ppm Propagol 0.1ppm		
TRANS WORLD TRADING CO., INC.	BUTACHLOR-PROPANIL	SADAM-D 70 EC	350-350 g/L	EC	HERBICIDE	3	038-238-1334	19-Dec-26	POST-EMERGENT	Rice (Transplanted)	Grasses, Sedges and Broadleaves	8-12tbsp/36 L water	Butachlor 0.1ppm Propagol 0.1ppm		
UNIVERSAL SCOPE PHILIPPINES, INC.	BUTACHLOR-PROPANIL	SACATI 70 EC	350-350 g/L	EC	HERBICIDE	3	428-238-2886	21-Sep-20	POST-EMERGENT	Rice (Direct-Seeded)	Grasses, Sedges and Broadleaves	8-12tbsp/36 L water	Butachlor 0.1ppm Propagol 0.1ppm		
UNIVERSAL SCOPE PHILIPPINES, INC.	BUTACHLOR-PROPANIL	SACATI 70 EC	350-350 g/L	EC	HERBICIDE	3	428-238-2886	21-Sep-20	POST-EMERGENT	Rice (Transplanted)	Grasses, Sedges and Broadleaves	8-12tbsp/36 L water	Butachlor 0.1ppm Propagol 0.1ppm		
FULL GREEN AGRO CORPORATION	BUTACHLOR-PROPANIL	SABRE 70 EC	350-350 g/L	EC	HERBICIDE	3	475-238-3556	21-Sep-18	POST-EMERGENT	Rice (Direct-Seeded)	Grasses, Sedges and Broadleaves	8-12 tbsp/36 L water	Butachlor 0.1ppm Propagol 0.1ppm		
FULL GREEN AGRO CORPORATION	BUTACHLOR-PROPANIL	SABRE 70 EC	350-350 g/L	EC	HERBICIDE	3	475-238-3556	21-Sep-18	POST-EMERGENT	Rice (Transplanted)	Grasses, Sedges and Broadleaves	8-12 tbsp/36 L water	Butachlor 0.1ppm Propagol 0.1ppm		
NS NORTHERN ORGANIC FERTILIZER INC.	CYPERMETHRIN	SABDONG S EC	50 g/L	EC	INSECTICIDE	4	470-037-3044	04-Jul-24	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/36 L water		When applied at recommended rates, very short or no harvest interval will be necessary	Re-entry to field is allowed as soon as spray deposit dries
NS NORTHERN ORGANIC FERTILIZER INC.	CYPERMETHRIN	SABDONG S EC	50 g/L	EC	INSECTICIDE	4	470-037-3044	04-Jul-24	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leafroller, stem-borer, armyworm, rice bial	1.0-3.0 Tbsp/36 L water		When applied at recommended rates, very short or no harvest interval will be necessary	Re-entry to field is allowed as soon as spray deposit dries
NS NORTHERN ORGANIC FERTILIZER INC.	CYPERMETHRIN	SABDONG S EC	50 g/L	EC	INSECTICIDE	4	470-037-3044	04-Jul-24	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/36 L water		When applied at recommended rates, very short or no harvest interval will be necessary	Re-entry to field is allowed as soon as spray deposit dries
NS NORTHERN ORGANIC FERTILIZER INC.	CYPERMETHRIN	SABDONG S EC	50 g/L	EC	INSECTICIDE	4	470-037-3044	04-Jul-24	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/36 L water		When applied at recommended rates, very short or no harvest interval will be necessary	Re-entry to field is allowed as soon as spray deposit dries
NS NORTHERN ORGANIC FERTILIZER INC.	CYPERMETHRIN	SABDONG S EC	50 g/L	EC	INSECTICIDE	4	470-037-3044	04-Jul-24	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/36 L water		When applied at recommended rates, very short or no harvest interval will be necessary	Re-entry to field is allowed as soon as spray deposit dries
NS NORTHERN ORGANIC FERTILIZER INC.	CYPERMETHRIN	SABDONG S EC	50 g/L	EC	INSECTICIDE	4	470-037-3044	04-Jul-24	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/36 L water		When applied at recommended rates, very short or no harvest interval will be necessary	Re-entry to field is allowed as soon as spray deposit dries
NS NORTHERN ORGANIC FERTILIZER INC.	CYPERMETHRIN	SABDONG S EC	50 g/L	EC	INSECTICIDE	4	470-037-3044	04-Jul-24	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/36 L water		When applied at recommended rates, very short or no harvest interval will be necessary	Re-entry to field is allowed as soon as spray deposit dries
NS NORTHERN ORGANIC FERTILIZER INC.	CYPERMETHRIN	SABDONG S EC	50 g/L	EC	INSECTICIDE	4	470-037-3044	04-Jul-24	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/36 L water		When applied at recommended rates, very short or no harvest interval will be necessary	Re-entry to field is allowed as soon as spray deposit dries
NS NORTHERN ORGANIC FERTILIZER INC.	CYPERMETHRIN	SABDONG S EC	50 g/L	EC	INSECTICIDE	4	470-037-3044	04-Jul-24	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/36 L water		When applied at recommended rates, very short or no harvest interval will be necessary	Re-entry to field is allowed as soon as spray deposit dries
NS NORTHERN ORGANIC FERTILIZER INC.	CYPERMETHRIN	SABDONG S EC	50 g/L	EC	INSECTICIDE	4	470-037-3044	04-Jul-24	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/36 L water		When applied at recommended rates, very short or no harvest interval will be necessary	Re-entry to field is allowed as soon as spray deposit dries
NS NORTHERN ORGANIC FERTILIZER INC.	CYPERMETHRIN	SABDONG S EC	50 g/L	EC	INSECTICIDE	4	470-037-3044	04-Jul-24	CONTACT	Corn	Comborer, earworm	1.0-4.5 Tbsp/36 L water		When applied at recommended rates, very short or no harvest interval will be necessary	Re-entry to field is allowed as soon as spray deposit dries
LPL PHILIPPINES, INC.	PYRACLOSTROBIN ETHYL-PRETELACHLOR	SAATHI GOLD 30.75 WG	7.5g/kg+300g/kg	WG	HERBICIDE	4	562-518-5827 (R/7)	22-Aug-25	PRE (POST-EMERGENT)	Rice	Grasses sedges and broadleaves	100-200 g/ 36 water			Re-entry to field is allowed one day after treatment
LPL PHILIPPINES, INC.	MANCOZEB-CARBENDAZIM	SAAF 75 WP	630 g/kg	WP	FUNGICIDE	4	562-526-5015	17-Jan-26	-	Mango	Panicle blight and scabs	500-750 g/ 200L			Re-entry to treated areas is allowed as soon as spray dried up
S&P ENTERPRISES, INC.	PYRACLOSTROBIN	S&P PYRACLOSTROBIN 25 EC	250 g/L	EC	FUNGICIDE	2	566-396-6212	29-Oct-26	-	Banana	Sigatoka freckles	0.40 L/ha	4 days	-	As soon as spray deposits have dried or at 24 hours after spraying
S&P ENTERPRISES, INC.	PYRACLOSTROBIN	S&P PYRACLOSTROBIN 25 EC	250 g/L	EC	FUNGICIDE	2	566-396-6212	29-Oct-26	-	Corn	leaf spot	0.40 L/ha	4 days	-	As soon as spray deposits have dried or at 24 hours after spraying
S&P ENTERPRISES, INC.	PACLOBUTRAZOL	S&P PACLOBUTRAZOL 25 SC	250 g/L	SC	OTHERS	3	566-237-6092	19-Nov-24	-	Mango	Plant growth regulator	Rate is dependent on the size of the canopy. Apply S&P Paclobutrazol 25 SC 10-5.0tbsp; 5-10 mL; 1.5-2.0tbsp; 15-20 mL; 1.0-2.0tbsp; 10-20 mL			
S&P ENTERPRISES, INC.	PACLOBUTRAZOL	S&P PACLOBUTRAZOL 25 SC	250 g/L	SC	OTHERS	3	566-237-6092	19-Nov-24	-	Durian	Plant growth regulator	Rate is dependent on the size of the canopy. Apply S&P Paclobutrazol 25 SC 10-5.0tbsp; 5-10 mL; 1.5-2.0tbsp; 15-20 mL; 1.0-2.0tbsp; 10-20 mL			
S&P ENTERPRISES, INC.	PACLOBUTRAZOL	S&P PACLOBUTRAZOL 25 SC	250 g/L	SC	OTHERS	3	566-237-6092	19-Nov-24	-	Calamansi	Plant growth regulator	Rate is dependent on the size of the canopy. Apply S&P Paclobutrazol 25 SC 10-5.0tbsp; 5-10 mL; 1.5-2.0tbsp; 15-20 mL; 1.0-2.0tbsp; 10-20 mL			
S&P ENTERPRISES, INC.	PACLOBUTRAZOL	S&P PACLOBUTRAZOL 25 SC	250 g/L	SC	OTHERS	3	566-237-6092	19-Nov-24	-	Cocoa	Plant growth regulator	1/4tbsp; 2-3 mL			
S&P ENTERPRISES, INC.	MANCOZEB	S&P MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	566-053-6041	23-Dec-25	-	Potato	Early and late blight				
S&P ENTERPRISES, INC.	MANCOZEB	S&P MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	566-053-6041	23-Dec-25	-	Cabbage	Downy mildew, alternaria leaf spot				
S&P ENTERPRISES, INC.	MANCOZEB	S&P MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	566-053-6041	23-Dec-25	-	Cauliflower	Downy mildew, alternaria leaf spot				
S&P ENTERPRISES, INC.	MANCOZEB	S&P MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	566-053-6041	23-Dec-25	-	Broccoli	Downy mildew, alternaria leaf spot				
S&P ENTERPRISES, INC.	MANCOZEB	S&P MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	566-053-6041	23-Dec-25	-	Celery	Late blight				
S&P ENTERPRISES, INC.	MANCOZEB	S&P MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	566-053-6041	23-Dec-25	-	Cucumber	Downy mildew, anthracnose, scab				
S&P ENTERPRISES, INC.	MANCOZEB	S&P MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	566-053-6041	23-Dec-25	-	Squash	Downy mildew, anthracnose, scab				
S&P ENTERPRISES, INC.	MANCOZEB	S&P MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	566-053-6041	23-Dec-25	-	Cotton	Damping off				
S&P ENTERPRISES, INC.	MANCOZEB	S&P MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	566-053-6041	23-Dec-25	-	Lettuce	Downy mildew				
S&P ENTERPRISES, INC.	MANCOZEB	S&P MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	566-053-6041	23-Dec-25	-	Beans	Anthracoise, Downy mildew, rust				
S&P ENTERPRISES, INC.	MANCOZEB	S&P MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	566-053-6041	23-Dec-25	-	Peas	Anthracoise, Downy mildew, rust				
S&P ENTERPRISES, INC.	MANCOZEB	S&P MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	566-053-6041	23-Dec-25	-	Mungo	Anthracoise, Downy mildew, rust				
S&P ENTERPRISES, INC.	MANCOZEB	S&P MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	566-053-6041	23-Dec-25	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot				
S&P ENTERPRISES, INC.	MANCOZEB	S&P MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	566-053-6041	23-Dec-25	-	Onion	Purple blotch, downy mildew, Botrytis leaf blight				

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
S&P ENTERPRISES, INC.	MANCOZEB	S&P MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	566-053-6041	23-Dec-25	-	Garlic	Purple blotch, downy mildew, Botrytis leaf blight	-	-	-	-
S&P ENTERPRISES, INC.	MANCOZEB	S&P MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	566-053-6041	23-Dec-25	-	Pepper	Anthracoise	-	-	-	-
S&P ENTERPRISES, INC.	MANCOZEB	S&P MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	566-053-6041	23-Dec-25	-	Chili	Anthracoise	-	-	-	-
S&P ENTERPRISES, INC.	MANCOZEB	S&P MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	566-053-6041	23-Dec-25	-	Eggplant	Blight, Anthracnose	-	-	-	-
S&P ENTERPRISES, INC.	MANCOZEB	S&P MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	566-053-6041	23-Dec-25	-	Banana	Sigatoka, Black leaf streak	-	-	-	-
S&P ENTERPRISES, INC.	MANCOZEB	S&P MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	566-053-6041	23-Dec-25	-	Grape	Downy mildew, black rot	-	-	-	-
S&P ENTERPRISES, INC.	MANCOZEB	S&P MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	566-053-6041	23-Dec-25	-	Mango	Anthracoise and scab	-	-	-	-
S&P ENTERPRISES, INC.	MANCOZEB	S&P MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	566-053-6041	23-Dec-25	-	Papaya	Fruit rot	-	-	-	-
S&P ENTERPRISES, INC.	MANCOZEB	S&P MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	566-053-6041	23-Dec-25	-	Melon	Downy mildew, anthracnose, scab	-	-	-	-
S&P ENTERPRISES, INC.	MANCOZEB	S&P MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	566-053-6041	23-Dec-25	-	Watermelon	Downy mildew, anthracnose, scab	-	-	-	-
S&P ENTERPRISES, INC.	MANCOZEB	S&P MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	566-053-6041	23-Dec-25	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	-	-	-	-
S&P ENTERPRISES, INC.	MANCOZEB	S&P MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	566-053-6041	23-Dec-25	-	Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	-	-	-	-
S&P ENTERPRISES, INC.	MANCOZEB	S&P MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	566-053-6041	23-Dec-25	-	Peanut	Cercospora leaf spot	-	-	-	-
S&P ENTERPRISES, INC.	MANCOZEB	S&P MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	566-053-6041	23-Dec-25	-	Soybeans	Leaf rust	-	-	-	-
S&P ENTERPRISES, INC.	MANCOZEB	S&P MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	566-053-6041	23-Dec-25	-	Ornamentals	Black spot, blight, Anthracnose	-	-	-	-
S&P ENTERPRISES, INC.	MALATHION	S&P MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	566-038-3777	09-Oct-26	NON-SYSTEMIC	Fruit trees	Aphids, mealy bug scale insect	1.5-3.0tbsp/36 L water	-	One (1) day after each spraying	One(1) day after each spraying
S&P ENTERPRISES, INC.	MALATHION	S&P MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	566-038-3777	09-Oct-26	NON-SYSTEMIC	Rice	Armyworm, caseworm, leafhopper, bugs	2.0-3.0tbsp/36 L water	-	One (1) day after each spraying	One(1) day after each spraying
S&P ENTERPRISES, INC.	MALATHION	S&P MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	566-038-3777	09-Oct-26	NON-SYSTEMIC	Corn	Earworm, silkworm, aphids, grasshopper	3.0-5.0tbsp/36 L water	-	One (1) day after each spraying	One(1) day after each spraying
S&P ENTERPRISES, INC.	MALATHION	S&P MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	566-038-3777	09-Oct-26	NON-SYSTEMIC	Crucifers (Cabbage)	Cabbage worm, loopers, diamond-back moth	2.0-5.0tbsp/36 L water	-	One (1) day after each spraying	One(1) day after each spraying
S&P ENTERPRISES, INC.	MALATHION	S&P MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	566-038-3777	09-Oct-26	NON-SYSTEMIC	Legumes	Aphids, beanfly, cutworm, flea beetles, leafminer, maggots, mealybug, podborer, thrips	2.0-5.0tbsp/36 L water	-	One (1) day after each spraying	One(1) day after each spraying
S&P ENTERPRISES, INC.	MALATHION	S&P MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	566-038-3777	09-Oct-26	NON-SYSTEMIC	Grapes	Beetles, cutworm, leafhopper, mealybug, scale, insect, spider mites	3.0tbsp/36 L water	-	One (1) day after each spraying	One(1) day after each spraying
S&P ENTERPRISES, INC.	MALATHION	S&P MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	566-038-3777	09-Oct-26	NON-SYSTEMIC	Pineapple	Mealy bug	3.0tbsp/36 L water	-	One (1) day after each spraying	One(1) day after each spraying
S&P ENTERPRISES, INC.	MALATHION	S&P MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	566-038-3777	09-Oct-26	NON-SYSTEMIC	Pepper	Aphid, cutworm, fruitworm	3.0tbsp/36 L water	-	One (1) day after each spraying	One(1) day after each spraying
S&P ENTERPRISES, INC.	MALATHION	S&P MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	566-038-3777	09-Oct-26	NON-SYSTEMIC	Garlic	Cutworm	3.0tbsp/36 L water	-	One (1) day after each spraying	One(1) day after each spraying
S&P ENTERPRISES, INC.	MALATHION	S&P MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	566-038-3777	09-Oct-26	NON-SYSTEMIC	Onion	Cutworm	3.0tbsp/36 L water	-	One (1) day after each spraying	One(1) day after each spraying
S&P ENTERPRISES, INC.	MALATHION	S&P MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	566-038-3777	09-Oct-26	NON-SYSTEMIC	Tobacco	Aphids, katydid	3.0-6.0tbsp/36 L water	-	One (1) day after each spraying	One(1) day after each spraying
S&P ENTERPRISES, INC.	MALATHION	S&P MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	566-038-3777	09-Oct-26	NON-SYSTEMIC	Ornamentals	Aphids, cutworm, mealybug, scale insect, spider mites	3.0-5.0tbsp/36 L water	-	One (1) day after each spraying	One(1) day after each spraying
S&P ENTERPRISES, INC.	MALATHION	S&P MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	566-038-3777	09-Oct-26	NON-SYSTEMIC	Tomato	Lady beetle	3.0-5.0tbsp/36 L water	-	One (1) day after each spraying	One(1) day after each spraying
S&P ENTERPRISES, INC.	MALATHION	S&P MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	566-038-3777	09-Oct-26	NON-SYSTEMIC	Eggplant	Aphids, fruitworm	3.0-5.0tbsp/36 L water	-	One (1) day after each spraying	One(1) day after each spraying
S&P ENTERPRISES, INC.	MALATHION	S&P MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	566-038-3777	09-Oct-26	NON-SYSTEMIC	Sorghum	Web worm	3.0tbsp/36 L water	-	One (1) day after each spraying	One(1) day after each spraying
S&P ENTERPRISES, INC.	LAMBDA-CHYALOTHIRIN	S&P LAMBDACHYALOTHIRIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	566-204-6342	27-Jun-25	-	Rice	Green leafhopper, armyworm, rice bug, leafroller, black bug	1-1.5 tbsps/ 36L water	-	Do not spray 3 days before harvest	Re-entry to treated field is allowed as soon as spray deposits dry
S&P ENTERPRISES, INC.	LAMBDA-CHYALOTHIRIN	S&P LAMBDACHYALOTHIRIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	566-204-6342	27-Jun-25	-	Mango	Hoppers	0.75-1.5 tbsps/36L water	-	Do not spray 3 days before harvest	Re-entry to treated field is allowed as soon as spray deposits dry
S&P ENTERPRISES, INC.	LAMBDA-CHYALOTHIRIN	S&P LAMBDACHYALOTHIRIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	566-204-6342	27-Jun-25	-	Tomato	Fruitworm, cutworm, aphids	1-1.5 tbsps/ 36L water	-	Do not spray 3 days before harvest	Re-entry to treated field is allowed as soon as spray deposits dry
S&P ENTERPRISES, INC.	LAMBDA-CHYALOTHIRIN	S&P LAMBDACHYALOTHIRIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	566-204-6342	27-Jun-25	-	Onion	Thrips, cutworm	1 tbsps/ 36L water	-	Do not spray 3 days before harvest	Re-entry to treated field is allowed as soon as spray deposits dry
S&P ENTERPRISES, INC.	LAMBDA-CHYALOTHIRIN	S&P LAMBDACHYALOTHIRIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	566-204-6342	27-Jun-25	-	Mungbeans	Bean flies, flea beetles, leaf hoppers, aphids, mites, pod borers	1 tbsps/ 36L water	-	Do not spray 3 days before harvest	Re-entry to treated field is allowed as soon as spray deposits dry
S&P ENTERPRISES, INC.	LAMBDA-CHYALOTHIRIN	S&P LAMBDACHYALOTHIRIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	566-204-6342	27-Jun-25	-	Corn	Corn borer, aphids, seedling maggots	1-1.5 tbsps/ 36L water	-	Do not spray 3 days before harvest	Re-entry to treated field is allowed as soon as spray deposits dry
S&P ENTERPRISES, INC.	LAMBDA-CHYALOTHIRIN	S&P LAMBDACHYALOTHIRIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	566-204-6342	27-Jun-25	-	Tobacco	Rudworm, Cutworm, aphids, katydids	1-1.5 tbsps/ 36L water	-	Do not spray 3 days before harvest	Re-entry to treated field is allowed as soon as spray deposits dry
S&P ENTERPRISES, INC.	LAMBDA-CHYALOTHIRIN	S&P LAMBDACHYALOTHIRIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	566-204-6342	27-Jun-25	-	Cotton	Bollworms	1-1.5 tbsps/ 36L water	-	Do not spray 3 days before harvest	Re-entry to treated field is allowed as soon as spray deposits dry
S&P ENTERPRISES, INC.	LAMBDA-CHYALOTHIRIN	S&P LAMBDACHYALOTHIRIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	566-204-6342	27-Jun-25	-	Cocoa	Pod borers	1-2 Tbsp/36L water	-	Do not spray 3 days before harvest	Re-entry to treated field is allowed as soon as spray deposits dry
S&P ENTERPRISES, INC.	LAMBDA-CHYALOTHIRIN	S&P LAMBDACHYALOTHIRIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	566-204-6342	27-Jun-25	-	Watermelon	Squash beetle, melon worm	1 tbsps/ 36L water	-	Do not spray 3 days before harvest	Re-entry to treated field is allowed as soon as spray deposits dry
S&P ENTERPRISES, INC.	FIPRONIL	S&P FIPRONIL 5 SC	50 g/L	SC	INSECTICIDE	3	566-244-6173	15-Feb-25	CONTACT	Rice	Stemborer, brown planthopper, leafroller, rice bug	900,320,240 spray volume/ ha L	-	Do not apply 7 days before harvest	One day after application
S&P ENTERPRISES, INC.	FIPRONIL	S&P FIPRONIL 5 SC	50 g/L	SC	INSECTICIDE	3	566-244-6173	15-Feb-25	CONTACT	Cabbage	Diamondback moth	900,320,240 spray volume/ ha L	-	Do not apply 7 days before harvest	One day after application
S&P ENTERPRISES, INC.	FIPRONIL	S&P FIPRONIL 5 SC	50 g/L	SC	INSECTICIDE	3	566-244-6173	15-Feb-25	CONTACT	Watermelon	Thrips, leaf beetles	400 spray volume/ ha L	-	Do not apply 7 days before harvest	One day after application
S&P ENTERPRISES, INC.	FIPRONIL	S&P FIPRONIL 5 SC	50 g/L	SC	INSECTICIDE	3	566-244-6173	15-Feb-25	CONTACT	Onion	Cutworm	300 spray volume/ ha L	-	Do not apply 7 days before harvest	One day after application
S&P ENTERPRISES, INC.	FIPRONIL	S&P FIPRONIL 5 SC	50 g/L	SC	INSECTICIDE	3	566-244-6173	15-Feb-25	CONTACT	Eggplant	Shoot borer	400 spray volume/ ha L	-	Do not apply 7 days before harvest	One day after application
S&P ENTERPRISES, INC.	ETHEPHON	S&P ETHEPHON 48 SL	480 g/L	SL	OTHERS	4	566-061-6479	21-Jan-25	-	Pineapple	Plant growth regulator	-	-	Fruits that are already ripe on the day of the treatment can be harvested without any harmful residue.	Re-entry into related areas may be done as soon as spray has dried
S&P ENTERPRISES, INC.	ETHEPHON	S&P ETHEPHON 48 SL	480 g/L	SL	OTHERS	4	566-061-6479	21-Jan-25	-	Banana	Plant growth regulator	-	-	Fruits that are already ripe on the day of the treatment can be harvested without any harmful residue.	Re-entry into related areas may be done as soon as spray has dried
S&P ENTERPRISES, INC.	ETHEPHON	S&P ETHEPHON 48 SL	480 g/L	SL	OTHERS	4	566-061-6479	21-Jan-25	-	Mango	Plant growth regulator	-	-	Fruits that are already ripe on the day of the treatment can be harvested without any harmful residue.	Re-entry into related areas may be done as soon as spray has dried
S&P ENTERPRISES, INC.	ETHEPHON	S&P ETHEPHON 48 SL	480 g/L	SL	OTHERS	4	566-061-6479	21-Jan-25	-	Coffee	Plant growth regulator	-	-	Fruits that are already ripe on the day of the treatment can be harvested without any harmful residue.	Re-entry into related areas may be done as soon as spray has dried
S&P ENTERPRISES, INC.	DIURON	S&P DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	566-021-6301	25-Sep-24	-	Citrus	Grasses, annual and perennial broadleaves	18.0-19.0 Tbsp/36 L water	-	-	A day after application
S&P ENTERPRISES, INC.	DIURON	S&P DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	566-021-6301	25-Sep-24	-	Coffee	Grasses, annual and perennial broadleaves	13.0-15.0 Tbsp/36 L water	-	-	A day after application
S&P ENTERPRISES, INC.	DIURON	S&P DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	566-021-6301	25-Sep-24	-	Cotton	Grasses, annual and perennial broadleaves	8 tbsps/ 36L water	-	-	A day after application
S&P ENTERPRISES, INC.	DIURON	S&P DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	566-021-6301	25-Sep-24	-	Sugarcane	Grasses, annual and perennial broadleaves	6.5-13.0 tbsps/ 36L water	-	-	A day after application
S&P ENTERPRISES, INC.	DIURON	S&P DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	566-021-6301	25-Sep-24	-	Pineapple	Grasses, annual and perennial broadleaves	13 tbsps/ 36L water	-	-	A day after application
S&P ENTERPRISES, INC.	DIURON	S&P DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	566-021-6301	25-Sep-24	-	Non-crop land	Grasses, annual and perennial broadleaves	20.0-28.0tbsp/ 36L water	-	-	A day after application
S&P ENTERPRISES, INC.	CHLORPYRIFOS	S&P CHLORPYRIFOS 300 EC	300 g/L	EC	INSECTICIDE	2	566-101-6302	15-Aug-26	-	Rice	Stemborer, armyworm, leafhopper, caseworm, planthopper, cutworm	25-35 mL/36L water; 2.5-3.5 tbsps/36L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
S&P ENTERPRISES, INC.	CHLORPYRIFOS	S&P CHLORPYRIFOS 300 EC	300 g/L	EC	INSECTICIDE	2	566-101-6302	15-Aug-26	-	Potato	Tubermoot, leafhopper, cutworm, aphids	25-35 mL/36L water; 2.5-3.5 tbsp/36L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
S&P ENTERPRISES, INC.	CHLORPYRIFOS	S&P CHLORPYRIFOS 300 EC	300 g/L	EC	INSECTICIDE	2	566-101-6302	15-Aug-26	-	Corn	Armyworm, cornborer, earworm, seedling maggots	25-35 mL/36L water; 2.5-3.5 tbsp/36L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
S&P ENTERPRISES, INC.	CHLORPYRIFOS	S&P CHLORPYRIFOS 300 EC	300 g/L	EC	INSECTICIDE	2	566-101-6302	15-Aug-26	-	Beans	Beanfly, leafroller, podborer, cutworm, armyworm	25-35 mL/36L water; 2.5-3.5 tbsp/36L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
S&P ENTERPRISES, INC.	BUPROFEZIN	S&P BUPROFEZIN 25 SC	250 g/L	SC	INSECTICIDE	3	566-224-6324	14-Feb-26	-	Mango	Leafhopper	40-80 mL/200L water	-	Do not spray 15 days before harvest.	Re-entry to treated field is allowed as soon as solution dries up.
S&P ENTERPRISES, INC.	ATRAZINE	S&P ATRAZINE 80 WP	800 g/kg	WP	HERBICIDE	4	566-006-3778-A	29-Apr-26	SELECTIVE (PRE-EMERGENT)	Corn	Broadleaf weeds & annual grasses	8-12tbsp/36 L water	-	-	Do not enter treated fields with 5 days after application
S&P ENTERPRISES, INC.	ATRAZINE	S&P ATRAZINE 80 WP	800 g/kg	WP	HERBICIDE	4	566-006-3778-A	29-Apr-26	SELECTIVE (PRE-EMERGENT)	Sorghum	Broadleaf weeds & annual grasses	8-12tbsp/36 L water	-	-	Do not enter treated fields with 5 days after application
S&P ENTERPRISES, INC.	ATRAZINE	S&P ATRAZINE 80 WP	800 g/kg	WP	HERBICIDE	4	566-006-3778-A	29-Apr-26	SELECTIVE (PRE-EMERGENT)	Sugarcane	Broadleaf weeds & annual grasses	8-12tbsp/36 L water	-	-	Do not enter treated fields with 5 days after application
S&P ENTERPRISES, INC.	ACEPHATE	S&P ACEPHATE 75 SP	750 g/kg	SP	INSECTICIDE	4	566-242-6477	21-Dec-26	-	Tobacco	Budworm, aphids	2-3 tbsp /36L	-	-	-
S&P ENTERPRISES, INC.	ACEPHATE	S&P ACEPHATE 75 SP	750 g/kg	SP	INSECTICIDE	4	566-242-6477	21-Dec-26	-	Eggplant	Fruit borer	2-3 tbsp /36L	-	-	-
S&P ENTERPRISES, INC.	ACEPHATE	S&P ACEPHATE 75 SP	750 g/kg	SP	INSECTICIDE	4	566-242-6477	21-Dec-26	-	Stringbeans	Aphids	2-3 tbsp /36L	-	-	-
S&P ENTERPRISES, INC.	ACEPHATE	S&P ACEPHATE 75 SP	750 g/kg	SP	INSECTICIDE	4	566-242-6477	21-Dec-26	-	Tomato	Fruitworm	2-3 tbsp /36L	-	-	-
S&P ENTERPRISES, INC.	ACEPHATE	S&P ACEPHATE 75 SP	750 g/kg	SP	INSECTICIDE	4	566-242-6477	21-Dec-26	-	Watermelon	Aphids and thrips	2-3 tbsp /36L	-	-	-
S&P ENTERPRISES, INC.	ACEPHATE	S&P ACEPHATE 75 SP	750 g/kg	SP	INSECTICIDE	4	566-242-6477	21-Dec-26	-	Mango	Leafhopper; tip borer	1.5-2 tbspp/ 36L	-	-	-
S&P ENTERPRISES, INC.	ACEPHATE	S&P ACEPHATE 75 SP	750 g/kg	SP	INSECTICIDE	4	566-242-6477	21-Dec-26	-	Rice	Whorl maggot, green leafhopper, brown planthopper, stemborer, leafhopper, rice bug	2-3 tbsp /36L	-	-	-
S&P ENTERPRISES, INC.	ABAMECTIN	S&P ABAMECTIN 1.8 EC	18 g/L	EC	INSECTICIDE	2	566-234-6137	29-Jan-26	-	Banana	Blossom thrips	4-5/ L water; 0.5/ L water	-	-	Is allowed as soon as spray deposits had dried up
S&P ENTERPRISES, INC.	ABAMECTIN	S&P ABAMECTIN 1.8 EC	18 g/L	EC	INSECTICIDE	2	566-234-6137	29-Jan-26	-	Cabbage	Diamond back moth	1000 mL prod/ha; 2.0 tbsp/ 36L water	-	7 Days	Is allowed as soon as spray deposits had dried up
S&P ENTERPRISES, INC.	ABAMECTIN	S&P ABAMECTIN 1.8 EC	18 g/L	EC	INSECTICIDE	2	566-234-6137	29-Jan-26	-	Ornamentals	Mites	30-15 mL/ 36L water; 1.0-1.5 tbsp/ 36L water	-	-	Is allowed as soon as spray deposits had dried up
S&P ENTERPRISES, INC.	ABAMECTIN	S&P ABAMECTIN 1.8 EC	18 g/L	EC	INSECTICIDE	2	566-234-6137	29-Jan-26	-	Pineapple	Mites	1000-4000 mL prod/ha	-	-	Is allowed as soon as spray deposits had dried up
S&P ENTERPRISES, INC.	ABAMECTIN	S&P ABAMECTIN 1.8 EC	18 g/L	EC	INSECTICIDE	2	566-234-6137	29-Jan-26	-	Papaya	Mites	100-600 mL prod/ha; 2.0-5.0 tbsp/36L water	-	14 days	Is allowed as soon as spray deposits had dried up
S&P ENTERPRISES, INC.	ABAMECTIN	S&P ABAMECTIN 1.8 EC	18 g/L	EC	INSECTICIDE	2	566-234-6137	29-Jan-26	-	Strawberry	Mites	400-1200 mL prod/ha; 2.0-4.0 tbsp/36L water	-	3 Days	Is allowed as soon as spray deposits had dried up
S&P ENTERPRISES, INC.	ABAMECTIN	S&P ABAMECTIN 1.8 EC	18 g/L	EC	INSECTICIDE	2	566-234-6137	29-Jan-26	-	Eggplant	Thrips, Leafhopper, fruit and shoot borer	500-1000 mL prod/ha; 2.0-3.0 tbsp/ 36L water	-	3 Days	Is allowed as soon as spray deposits had dried up
S&P ENTERPRISES, INC.	ABAMECTIN	S&P ABAMECTIN 1.8 EC	18 g/L	EC	INSECTICIDE	2	566-234-6137	29-Jan-26	-	Onion	Leafminer, thrips	500-1000 mL prod/ha; 2.0-3.0 tbsp/36L water	-	3 Days	Is allowed as soon as spray deposits had dried up
S&P ENTERPRISES, INC.	ABAMECTIN	S&P ABAMECTIN 1.8 EC	18 g/L	EC	INSECTICIDE	2	566-234-6137	29-Jan-26	-	Potato	Leafminer, thrips	500-1000 mL prod/ha; 2.0-3.0 tbsp/36L water	-	14 days	Is allowed as soon as spray deposits had dried up
S&P ENTERPRISES, INC.	ABAMECTIN	S&P ABAMECTIN 1.8 EC	18 g/L	EC	INSECTICIDE	2	566-234-6137	29-Jan-26	-	Tomato	Leafminer, thrips, aphids	500-1000 mL prod/ha; 2.0-3.0 tbsp/36L water	-	3 Days	Is allowed as soon as spray deposits had dried up
S&P ENTERPRISES, INC.	ABAMECTIN	S&P ABAMECTIN 1.8 EC	18 g/L	EC	INSECTICIDE	2	566-234-6137	29-Jan-26	-	Watermelon	Leafminer, thrips, melonworm	500-1000 mL prod/ha; 2.0-3.0 tbsp/36L water	-	3 Days	Is allowed as soon as spray deposits had dried up
S&P ENTERPRISES, INC.	2,4-D AMINE	S&P 2,4-D AMINE	400 g/L	SL	HERBICIDE	2	566-013-3781	24-Sep-24	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual broadleaves and sedges	1.5-6.5 tbspp/36 L water	0.1 ppm	-	Entry to fields and crops treated with S & P 2,4-D AMINE can be done one day after spraying.
S&P ENTERPRISES, INC.	2,4-D AMINE	S&P 2,4-D AMINE	400 g/L	SL	HERBICIDE	2	566-013-3781	24-Sep-24	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual broadleaves and sedges	15-25 Tbsp/36L water	-	-	Entry to fields and crops treated with S & P 2,4-D AMINE can be done one day after spraying.
S&P ENTERPRISES, INC.	2,4-D AMINE	S&P 2,4-D AMINE	400 g/L	SL	HERBICIDE	2	566-013-3781	24-Sep-24	SELECTIVE (POST-EMERGENT)	Corn	Annual broadleaves and sedges	5-6.5 Tbsp/36 L water	-	-	Entry to fields and crops treated with S & P 2,4-D AMINE can be done one day after spraying.
S&P ENTERPRISES, INC.	DIURON	S & P DIURON 80 SC	800 g/L	SC	HERBICIDE	4	566-021-4740	02-Apr-22	SYSTEMIC	Citrus	Grasses, annual & perennial broadleaves	11.0-15.0tbsp/36 L water	-	-	Twenty four (24) hours after application.
S&P ENTERPRISES, INC.	DIURON	S & P DIURON 80 SC	800 g/L	SC	HERBICIDE	4	566-021-4740	02-Apr-22	SYSTEMIC	Coffee	Grasses, annual & perennial broadleaves	11.0-15.0tbsp/36 L water	-	-	Twenty four (24) hours after application.
S&P ENTERPRISES, INC.	DIURON	S & P DIURON 80 SC	800 g/L	SC	HERBICIDE	4	566-021-4740	02-Apr-22	SYSTEMIC	Cotton	Grasses, annual & perennial broadleaves	8.0Tbsp/36 L water	-	-	Twenty four (24) hours after application.
S&P ENTERPRISES, INC.	DIURON	S & P DIURON 80 SC	800 g/L	SC	HERBICIDE	4	566-021-4740	02-Apr-22	SYSTEMIC	Sugarcane	Grasses, annual & perennial broadleaves	6-5-13.0Tbsp/36 L water	-	-	Twenty four (24) hours after application.
S&P ENTERPRISES, INC.	DIURON	S & P DIURON 80 SC	800 g/L	SC	HERBICIDE	4	566-021-4740	02-Apr-22	SYSTEMIC	Pineapple	Grasses, annual & perennial broadleaves	11.0Tbsp/36 L water	-	-	Twenty four (24) hours after application.
S&P ENTERPRISES, INC.	DIURON	S & P DIURON 80 SC	800 g/L	SC	HERBICIDE	4	566-021-4740	02-Apr-22	SYSTEMIC	Non-crop land	Grasses, annual & perennial broadleaves	20.0-28.0Tbsp/36 L water	-	-	Twenty four (24) hours after application.
S&P ENTERPRISES, INC.	2,4-D IBE	S & P 2,4-D IBE	490 g/L	EC	HERBICIDE	2	566-049-3779	04-Nov-26	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual Broadleaves & sedges	5.0-6.50Tbsp/36 L water	0.1 ppm	Do not spray within 2 days before harvest	Entry to field and crops treated with S&P 2,4-D IBE can be done 1 day after spraying.
S&P ENTERPRISES, INC.	2,4-D IBE	S & P 2,4-D IBE	490 g/L	EC	HERBICIDE	2	566-049-3779	04-Nov-26	SELECTIVE (POST-EMERGENT)	Corn	Annual Broadleaves & sedges	5.0-6.50Tbsp/36 L water	-	Do not spray within 2 days before harvest	Entry to field and crops treated with S&P 2,4-D IBE can be done 1 day after spraying.
S&P ENTERPRISES, INC.	2,4-D IBE	S & P 2,4-D IBE	490 g/L	EC	HERBICIDE	2	566-049-3779	04-Nov-26	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual Broadleaves & sedges	5.0-6.50Tbsp/36 L water	-	Do not spray within 2 days before harvest	Entry to field and crops treated with S&P 2,4-D IBE can be done 1 day after spraying.
CULTIVA INCORPORATED	DELTAMETHRIN	RYDER 2.5 EC	25 g/L	EC	INSECTICIDE	4	201-085-1723	19-Sep-23	-	Mango	Hopper, Tip borer, twig borer	0.75-1.0 Tbsp/36L water	-	24 Hours after each spray	24 Hours after each spray
CULTIVA INCORPORATED	DELTAMETHRIN	RYDER 2.5 EC	25 g/L	EC	INSECTICIDE	4	201-085-1723	19-Sep-23	-	Cabbage & other crucifers	Diamond-back moth, cabbage moth, cabbage worm	0.1 Tbsp/36L water	-	24 Hours after each spray	24 Hours after each spray
CULTIVA INCORPORATED	DELTAMETHRIN	RYDER 2.5 EC	25 g/L	EC	INSECTICIDE	4	201-085-1723	19-Sep-23	-	Tobacco	Budworm, armyworm, cutworm	0.8-1.0 Tbsp/ 36L water	-	24 Hours after each spray	24 Hours after each spray
CULTIVA INCORPORATED	DELTAMETHRIN	RYDER 2.5 EC	25 g/L	EC	INSECTICIDE	4	201-085-1723	19-Sep-23	-	Beans	Flea beetle, beanfly, bugs, thrips, cutworm, armyworm, podborer, semihoppers, bean lycenid	0.8-1.0 Tbsp/36L water	-	24 Hours after each spray	24 Hours after each spray
CULTIVA INCORPORATED	DELTAMETHRIN	RYDER 2.5 EC	25 g/L	EC	INSECTICIDE	4	201-085-1723	19-Sep-23	-	Soybeans	Flea beetle, beanfly, bugs, thrips, cutworm, armyworm, podborer, semihoppers, bean lycenid	0.8-1.0 Tbsp/36L water	-	24 Hours after each spray	24 Hours after each spray
CULTIVA INCORPORATED	DELTAMETHRIN	RYDER 2.5 EC	25 g/L	EC	INSECTICIDE	4	201-085-1723	19-Sep-23	-	Tomato	Fruitworm (helioliths)	0.8-1.0 Tbsp/36L water	-	24 Hours after each spray	24 Hours after each spray
CULTIVA INCORPORATED	DELTAMETHRIN	RYDER 2.5 EC	25 g/L	EC	INSECTICIDE	4	201-085-1723	19-Sep-23	-	Corn	Corn borer, corn earworm, seedling maggots	0.1 Tbsp/36L water	-	24 Hours after each spray	24 Hours after each spray
CULTIVA INCORPORATED	DELTAMETHRIN	RYDER 2.5 EC	25 g/L	EC	INSECTICIDE	4	201-085-1723	19-Sep-23	-	Eggplant	Thrips, flea beetle	0.1 Tbsp/36L water	-	24 Hours after each spray	24 Hours after each spray
CULTIVA INCORPORATED	DELTAMETHRIN	RYDER 2.5 EC	25 g/L	EC	INSECTICIDE	4	201-085-1723	19-Sep-23	-	Cotton	Leafhopper, bollworm, weevil	0.8-1.0 Tbsp/36L water	-	24 Hours after each spray	24 Hours after each spray
CULTIVA INCORPORATED	DELTAMETHRIN	RYDER 2.5 EC	25 g/L	EC	INSECTICIDE	4	201-085-1723	19-Sep-23	-	Agricultural crops	Locusts nymphs/ Locusts-adult	1.0-1.5"/ 3.0 Tbsp/ 36L water	-	24 Hours after each spray	24 Hours after each spray
CULTIVA INCORPORATED	DELTAMETHRIN	RYDER 2.5 EC	25 g/L	EC	INSECTICIDE	4	201-085-1723	19-Sep-23	-	Cacao	Podborer, aphids	0.1 Tbsp/36L water	-	24 Hours after each spray	24 Hours after each spray
SINCHRO CROP PROTECTION (PHLS.) INC.	BETA-CYPERMETHRIN	RUSH 4.5 EC	45g/L	EC	INSECTICIDE	2	432-332-4310	27-Mar-27	-	Rice	Green leafhopper, whorl maggot, brown planthopper, stemborer, rice bugs, rice black bugs	30-6-21.3 ml/36 L water	-	-	Entry to treated field allowed as soon as spray deposits have dried.
SINCHRO CROP PROTECTION (PHLS.) INC.	BETA-CYPERMETHRIN	RUSH 4.5 EC	45g/L	EC	INSECTICIDE	2	432-332-4310	27-Mar-27	-	Mango	Hoppers, twig/tip borer	21-3-32 ml/36 L water	-	-	Entry to treated field allowed as soon as spray deposits have dried.
SINCHRO CROP PROTECTION (PHLS.) INC.	BETA-CYPERMETHRIN	RUSH 4.5 EC	45g/L	EC	INSECTICIDE	2	432-332-4310	27-Mar-27	-	Corn	Seedling maggot, corn borer, earworms	21.3 ml/36 L water	-	-	Entry to treated field allowed as soon as spray deposits have dried.
SINCHRO CROP PROTECTION (PHLS.) INC.	BETA-CYPERMETHRIN	RUSH 4.5 EC	45g/L	EC	INSECTICIDE	2	432-332-4310	27-Mar-27	-	Tomato	Fruitworm	21.3 ml/36 L water	-	-	Entry to treated field allowed as soon as spray deposits have dried.
SINCHRO CROP PROTECTION (PHLS.) INC.	BETA-CYPERMETHRIN	RUSH 4.5 EC	45g/L	EC	INSECTICIDE	2	432-332-4310	27-Mar-27	-	Eggplant	Shoot/fruit borer, leafhoppers	30-6-21.3 ml/36 L water	-	-	Entry to treated field allowed as soon as spray deposits have dried.
SINCHRO CROP PROTECTION (PHLS.) INC.	BETA-CYPERMETHRIN	RUSH 4.5 EC	45g/L	EC	INSECTICIDE	2	432-332-4310	27-Mar-27	-	Mungbeans	Pod borers, leafhopper	30-6-21.3 ml/36 L water	-	-	Entry to treated field allowed as soon as spray deposits have dried.
SYNGENTA PHILIPPINES INC.	BETA-CYPERMETHRIN	RUSH 4.5 EC	45g/L	EC	INSECTICIDE	2	432-332-4310	27-Mar-24	-	Rice	Green leafhopper, whorl maggot, brown planthopper, stemborer, rice bugs, rice black bugs	30-6-21.3 ml/36 L water	-	-	Entry to treated field allowed as soon as spray deposits have dried.

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD	
SYNGENTA PHILIPPINES INC.	BETA-CYPERMETHRIN	RUSH 4.5 EC	45g/L	EC	INSECTICIDE	2	432-332-4310	27-Mar-24		Mango	Hoppers, twig/tip borer	21.3-32 ml/16L water	-	-	Entry to treated field allowed as soon as spray deposits have dried.	
SYNGENTA PHILIPPINES INC.	BETA-CYPERMETHRIN	RUSH 4.5 EC	45g/L	EC	INSECTICIDE	2	432-332-4310	27-Mar-24		Corn	Seeding maggot, corn borer, earworms	21.3 ml/16L water	-	-	Entry to treated field allowed as soon as spray deposits have dried.	
SYNGENTA PHILIPPINES INC.	BETA-CYPERMETHRIN	RUSH 4.5 EC	45g/L	EC	INSECTICIDE	2	432-332-4310	27-Mar-24		Tomato	Fruitworm	21.3 ml/16L water	-	-	Entry to treated field allowed as soon as spray deposits have dried.	
SYNGENTA PHILIPPINES INC.	BETA-CYPERMETHRIN	RUSH 4.5 EC	45g/L	EC	INSECTICIDE	2	432-332-4310	27-Mar-24		Eggplant	Shoot/fruit borer, leafhoppers	10.6-21.3 ml/16L water	-	-	Entry to treated field allowed as soon as spray deposits have dried.	
SYNGENTA PHILIPPINES INC.	BETA-CYPERMETHRIN	RUSH 4.5 EC	45g/L	EC	INSECTICIDE	2	432-332-4310	27-Mar-24		Mungbeans	Pod borers, leafhopper	10.6-21.3 ml/16L water	-	-	Entry to treated field allowed as soon as spray deposits have dried.	
JEELS MASAGANA FARM SUPPLY, INC.	GLYPHOSATE IPA	RUN-UP 480 SL	480 g/L	SL	HERBICIDE	4	487-151-2701	23-Jun-24	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/ha	-	-		
JEELS MASAGANA FARM SUPPLY, INC.	GLYPHOSATE IPA	RUN-UP 480 SL	480 g/L	SL	HERBICIDE	4	487-151-2701	23-Jun-24	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-		
JEELS MASAGANA FARM SUPPLY, INC.	GLYPHOSATE IPA	RUN-UP 480 SL	480 g/L	SL	HERBICIDE	4	487-151-2701	23-Jun-24	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-		
JEELS MASAGANA FARM SUPPLY, INC.	GLYPHOSATE IPA	RUN-UP 480 SL	480 g/L	SL	HERBICIDE	4	487-151-2701	23-Jun-24	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-		
JEELS MASAGANA FARM SUPPLY, INC.	GLYPHOSATE IPA	RUN-UP 480 SL	480 g/L	SL	HERBICIDE	4	487-151-2701	23-Jun-24	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-		
JEELS MASAGANA FARM SUPPLY, INC.	GLYPHOSATE IPA	RUN-UP 480 SL	480 g/L	SL	HERBICIDE	4	487-151-2701	23-Jun-24	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-		
JEELS MASAGANA FARM SUPPLY, INC.	GLYPHOSATE IPA	RUN-UP 480 SL	480 g/L	SL	HERBICIDE	4	487-151-2701	23-Jun-24	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-		
JEELS MASAGANA FARM SUPPLY, INC.	GLYPHOSATE IPA	RUN-UP 480 SL	480 g/L	SL	HERBICIDE	4	487-151-2701	23-Jun-24	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-		
JEELS MASAGANA FARM SUPPLY, INC.	GLYPHOSATE IPA	RUN-UP 480 SL	480 g/L	SL	HERBICIDE	4	487-151-2701	23-Jun-24	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/ha	-	-		
JEELS MASAGANA FARM SUPPLY, INC.	GLYPHOSATE IPA	RUN-UP 480 SL	480 g/L	SL	HERBICIDE	4	487-151-2701	23-Jun-24	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-		
JEELS MASAGANA FARM SUPPLY, INC.	GLYPHOSATE IPA	RUN-UP 480 SL	480 g/L	SL	HERBICIDE	4	487-151-2701	23-Jun-24	POST-EMERGENT	Vegetables under minimum or reduced tillage system	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-		
JEELS MASAGANA FARM SUPPLY, INC.	GLYPHOSATE IPA	RUN-UP 480 SL	480 g/L	SL	HERBICIDE	4	487-151-2701	23-Jun-24	POST-EMERGENT	Non-crop agricultural areas	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-		
S&P ENTERPRISES, INC.	GLUFOSINATE AMMONIUM	RUNMAX 150 SL	150 g/L	SL	HERBICIDE	4	566-182-5903	10-Nov-25	NON-SELECTIVE (POST-EMERGENT)	Cavendish banana	In field, shaded conditions: Mixed weeds (grasses, sedges and broadleaves)	1.5 L/ha or 0.75 % Prod. Concentration; 120 ml/16L water	-	-		
S&P ENTERPRISES, INC.	GLUFOSINATE AMMONIUM	RUNMAX 150 SL	150 g/L	SL	HERBICIDE	4	566-182-5903	10-Nov-25	NON-SELECTIVE (POST-EMERGENT)	Rubber	Mature shaded condition:cagon immature, open condition:cagon	-	-	-		
S&P ENTERPRISES, INC.	GLUFOSINATE AMMONIUM	RUNMAX 150 SL	150 g/L	SL	HERBICIDE	4	566-182-5903	10-Nov-25	NON-SELECTIVE (POST-EMERGENT)	Oil palm	-	-	-	-		
S&P ENTERPRISES, INC.	GLUFOSINATE AMMONIUM	RUNMAX 150 SL	150 g/L	SL	HERBICIDE	4	566-182-5903	10-Nov-25	NON-SELECTIVE (POST-EMERGENT)	Non-crop areas (Agricultural)	Weeds	-	-	-		
JOCANIMA CORPORATION	NICLOSAMIDE	RUNDOWN 25 EC	250 g/L	EC	MOLLUSCICIDE	4	241-229-3171	03-May-19		Rice	Golden apple snail	7-10 Tbsp/16L water	-	-		
S&P ENTERPRISES, INC.	GLYPHOSATE IPA	RUN OUT 48 SL	480g/L	SL	HERBICIDE	4	566-151-4009	09-Mar-25	POST-EMERGENT	Glyphosate tolerant corn	Annual & Perennial grasses,broadleaf weeds & sedges	2.0-4.0 Liters/ha	-	-		
S&P ENTERPRISES, INC.	GLYPHOSATE IPA	RUN OUT 48 SL	480g/L	SL	HERBICIDE	4	566-151-4009	09-Mar-25	POST-EMERGENT	Mango	Annual & Perennial grasses,broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-		
S&P ENTERPRISES, INC.	GLYPHOSATE IPA	RUN OUT 48 SL	480g/L	SL	HERBICIDE	4	566-151-4009	09-Mar-25	POST-EMERGENT	Cacao	Annual & Perennial grasses,broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-		
S&P ENTERPRISES, INC.	GLYPHOSATE IPA	RUN OUT 48 SL	480g/L	SL	HERBICIDE	4	566-151-4009	09-Mar-25	POST-EMERGENT	Banana	Annual & Perennial grasses,broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-		
S&P ENTERPRISES, INC.	GLYPHOSATE IPA	RUN OUT 48 SL	480g/L	SL	HERBICIDE	4	566-151-4009	09-Mar-25	POST-EMERGENT	Coffee	Annual & Perennial grasses,broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-		
S&P ENTERPRISES, INC.	GLYPHOSATE IPA	RUN OUT 48 SL	480g/L	SL	HERBICIDE	4	566-151-4009	09-Mar-25	POST-EMERGENT	Rubber	Annual & Perennial grasses,broadleaf weeds & sedges	2.0 Liters/ha	-	-		
S&P ENTERPRISES, INC.	GLYPHOSATE IPA	RUN OUT 48 SL	480g/L	SL	HERBICIDE	4	566-151-4009	09-Mar-25	POST-EMERGENT	Oil palm	Annual & Perennial grasses,broadleaf weeds & sedges	2.0 Liters/ha	-	-		
S&P ENTERPRISES, INC.	GLYPHOSATE IPA	RUN OUT 48 SL	480g/L	SL	HERBICIDE	4	566-151-4009	09-Mar-25	POST-EMERGENT	Citrus	Annual & Perennial grasses,broadleaf weeds & sedges	2.0 Liters/ha	-	-		
S&P ENTERPRISES, INC.	GLYPHOSATE IPA	RUN OUT 48 SL	480g/L	SL	HERBICIDE	4	566-151-4009	09-Mar-25	POST-EMERGENT	Coconut	Annual & Perennial grasses,broadleaf weeds & sedges	4.5 Liters/ha	-	-		
S&P ENTERPRISES, INC.	GLYPHOSATE IPA	RUN OUT 48 SL	480g/L	SL	HERBICIDE	4	566-151-4009	09-Mar-25	POST-EMERGENT	Sugarcane	Annual & Perennial grasses,broadleaf weeds & sedges	2.0 Liters/ha	-	-		
S&P ENTERPRISES, INC.	GLYPHOSATE IPA	RUN OUT 48 SL	480g/L	SL	HERBICIDE	4	566-151-4009	09-Mar-25	POST-EMERGENT	Vegetables	Annual & Perennial grasses,broadleaf weeds & sedges	2.0 Liters/ha	-	-		
S&P ENTERPRISES, INC.	GLYPHOSATE IPA	RUN OUT 48 SL	480g/L	SL	HERBICIDE	4	566-151-4009	09-Mar-25	POST-EMERGENT	Non-crop	Annual & Perennial grasses,broadleaf weeds & sedges	-	-	-		
MEGA BOOSTER AGRI TRADING CO.	NICLOSAMIDE ETHANOLAMINE SALT	RUMBLE SPRAY 70 WP	700 g/kg	WP	MOLLUSCICIDE	4	511-229-3574	05-Oct-24	CONTACT	Rice	Golden Apple Snail (Kuhol)	35 gm/16L water	-	-		
JYNNSONS PHILIPPINES, INC.	FPFONIL	RUMBLE S 3C	50g/L	SC	INSECTICIDE	3	551-244-4567	19-Nov-21	CONTACT	Rice	Stemborer, brown planthopper, leafroller, rice bug	1.3-2.0, 2.0-3.0, 2.7-4.0 tbsp./16L	0.05ppm	-	Do not apply 7 days before harvest	One day after application.
JYNNSONS PHILIPPINES, INC.	FPFONIL	RUMBLE S 3C	50g/L	SC	INSECTICIDE	3	551-244-4567	19-Nov-21	CONTACT	Cabbage	Diamond backed moth	1.3-2.0, 2.0-3.0, 2.7-4.0 tbsp./16L	-	-	Do not apply 7 days before harvest	One day after application.
JYNNSONS PHILIPPINES, INC.	FPFONIL	RUMBLE S 3C	50g/L	SC	INSECTICIDE	3	551-244-4567	19-Nov-21	CONTACT	Watermelon	Thrips, leaf beetles	2.5-3.0 tbsp./16L	-	-	Do not apply 7 days before harvest	One day after application.
JYNNSONS PHILIPPINES, INC.	FPFONIL	RUMBLE S 3C	50g/L	SC	INSECTICIDE	3	551-244-4567	19-Nov-21	CONTACT	Onion	Cutworm	5.33 tbsp./16L	-	-	Do not apply 7 days before harvest	One day after application.
JYNNSONS PHILIPPINES, INC.	FPFONIL	RUMBLE S 3C	50g/L	SC	INSECTICIDE	3	551-244-4567	19-Nov-21	CONTACT	Eggplant	Shoot borer	3.0-4.0 tbsp./16L	-	-	Do not apply 7 days before harvest	One day after application.
ACE CROP SOLUTIONS INC.	METALDEHYDE	RUN 6N	60 g/kg	P	MOLLUSCICIDE	4	530-075-3151	22-Apr-25	CONTACT	Rice (Transplanted)	Golden apple snail	2-4 kg/ product per hectare	-	-		
ACE CROP SOLUTIONS INC.	METALDEHYDE	RUN 6N	60 g/kg	P	MOLLUSCICIDE	4	530-075-3151	22-Apr-25	CONTACT	Rice (Direct-Seeded)	Golden apple snail	4.8 kg/product per hectare	-	-		
ACE CROP SOLUTIONS INC.	METALDEHYDE	RUN 6N	60 g/kg	P	MOLLUSCICIDE	4	530-075-3151	22-Apr-25	CONTACT	Plotted and driftwood-attached plants such as	Bush, snails, giant african snail and slugs	1-2 kg/product per hectare	-	-		
JYNNSONS PHILIPPINES, INC.	GLYPHOSATE IPA	RUB-OUT 480 SL	480 g/L	SL	HERBICIDE	4	551-151-3953	09-Mar-25	POST-EMERGENT	Glyphosate tolerant corn under minimum or reduced	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/ha	-	-		
JYNNSONS PHILIPPINES, INC.	GLYPHOSATE IPA	RUB-OUT 480 SL	480 g/L	SL	HERBICIDE	4	551-151-3953	09-Mar-25	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-		
JYNNSONS PHILIPPINES, INC.	GLYPHOSATE IPA	RUB-OUT 480 SL	480 g/L	SL	HERBICIDE	4	551-151-3953	09-Mar-25	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-		
JYNNSONS PHILIPPINES, INC.	GLYPHOSATE IPA	RUB-OUT 480 SL	480 g/L	SL	HERBICIDE	4	551-151-3953	09-Mar-25	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-		
JYNNSONS PHILIPPINES, INC.	GLYPHOSATE IPA	RUB-OUT 480 SL	480 g/L	SL	HERBICIDE	4	551-151-3953	09-Mar-25	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-		
JYNNSONS PHILIPPINES, INC.	GLYPHOSATE IPA	RUB-OUT 480 SL	480 g/L	SL	HERBICIDE	4	551-151-3953	09-Mar-25	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-		
JYNNSONS PHILIPPINES, INC.	GLYPHOSATE IPA	RUB-OUT 480 SL	480 g/L	SL	HERBICIDE	4	551-151-3953	09-Mar-25	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-		
JYNNSONS PHILIPPINES, INC.	GLYPHOSATE IPA	RUB-OUT 480 SL	480 g/L	SL	HERBICIDE	4	551-151-3953	09-Mar-25	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-		
JYNNSONS PHILIPPINES, INC.	GLYPHOSATE IPA	RUB-OUT 480 SL	480 g/L	SL	HERBICIDE	4	551-151-3953	09-Mar-25	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/ha	-	-		
JYNNSONS PHILIPPINES, INC.	GLYPHOSATE IPA	RUB-OUT 480 SL	480 g/L	SL	HERBICIDE	4	551-151-3953	09-Mar-25	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-		
JYNNSONS PHILIPPINES, INC.	GLYPHOSATE IPA	RUB-OUT 480 SL	480 g/L	SL	HERBICIDE	4	551-151-3953	09-Mar-25	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-		
JYNNSONS PHILIPPINES, INC.	GLYPHOSATE IPA	RUB-OUT 480 SL	480 g/L	SL	HERBICIDE	4	551-151-3953	09-Mar-25	POST-EMERGENT	Non-crop agricultural areas	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-		
FMC AGRO PHILIPPINES INC.	AZIXYSROBIN	RUBATO 25 SC	250 g/L	SC	FUNGICIDE	4	598-309-4195	02-Nov-20	SYSTEMIC	Mango	Anthracoese, scab, stem-end rot	6-8/100L water	-	-	Do not spray 3-7 days before harvest	Re-entry treated field is allowed as soon as spray dries up

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
FMC AGRO PHILIPPINES INC.	AZOXYSTROBIN	RUBATO 25 SC	250 g/L	SC	FUNGICIDE	4	598-309-4195	02-Nov-20	SYSTEMIC	Watermelon	Damping off, leaf spot, anthracnose, downy, mildew, powdery mildew	1-275g/16 L water	-	Do not spray 3-7 days before harvest	Re-entry treated field is allowed as soon as spray dries up
FMC AGRO PHILIPPINES INC.	AZOXYSTROBIN	RUBATO 25 SC	250 g/L	SC	FUNGICIDE	4	598-309-4195	02-Nov-20	SYSTEMIC	Onion	Basal/bulb rot	1-275g/16 L water	-	Do not spray 3-7 days before harvest	Re-entry treated field is allowed as soon as spray dries up
FMC AGRO PHILIPPINES INC.	AZOXYSTROBIN	RUBATO 25 SC	250 g/L	SC	FUNGICIDE	4	598-309-4195	02-Nov-20	SYSTEMIC	Tomato	Late/early blight, powdery mildew	0.5-175g/16 L water	-	Do not spray 3-7 days before harvest	Re-entry treated field is allowed as soon as spray dries up
FMC AGRO PHILIPPINES INC.	AZOXYSTROBIN	RUBATO 25 SC	250 g/L	SC	FUNGICIDE	4	598-309-4195	02-Nov-20	SYSTEMIC	Corn	Sheath blight, leaf spot, leaf rust, ear rot	2-475g/16 L water	-	Do not spray 3-7 days before harvest	Re-entry treated field is allowed as soon as spray dries up
FMC AGRO PHILIPPINES INC.	AZOXYSTROBIN	RUBATO 25 SC	250 g/L	SC	FUNGICIDE	4	598-309-4195	02-Nov-20	SYSTEMIC	Asparagus	Stem blight, leaf blight, fusarium wilt	1-375g/16 L water	-	Do not spray 3-7 days before harvest	Re-entry treated field is allowed as soon as spray dries up
FMC AGRO PHILIPPINES INC.	AZOXYSTROBIN	RUBATO 25 SC	250 g/L	SC	FUNGICIDE	4	598-309-4441	18-Jul-21	SYSTEMIC	Mango	Anthracoese, scab, stem-end rot	6-8/100L water	-	Do not spray 3-7 days before harvest	Re-entry treated field is allowed as soon as spray dries up
FMC AGRO PHILIPPINES INC.	AZOXYSTROBIN	RUBATO 25 SC	250 g/L	SC	FUNGICIDE	4	598-309-4441	18-Jul-21	SYSTEMIC	Watermelon	Damping off, leaf spot, anthracnose, downy, mildew, powdery mildew	1-275g/16 L water	-	Do not spray 3-7 days before harvest	Re-entry treated field is allowed as soon as spray dries up
FMC AGRO PHILIPPINES INC.	AZOXYSTROBIN	RUBATO 25 SC	250 g/L	SC	FUNGICIDE	4	598-309-4441	18-Jul-21	SYSTEMIC	Onion	Basal/bulb rot	1-275g/16 L water	-	Do not spray 3-7 days before harvest	Re-entry treated field is allowed as soon as spray dries up
FMC AGRO PHILIPPINES INC.	AZOXYSTROBIN	RUBATO 25 SC	250 g/L	SC	FUNGICIDE	4	598-309-4441	18-Jul-21	SYSTEMIC	Tomato	Late/early blight, powdery mildew	0.5-175g/16 L water	-	Do not spray 3-7 days before harvest	Re-entry treated field is allowed as soon as spray dries up
FMC AGRO PHILIPPINES INC.	AZOXYSTROBIN	RUBATO 25 SC	250 g/L	SC	FUNGICIDE	4	598-309-4441	18-Jul-21	SYSTEMIC	Corn	Sheath blight, leaf spot, leaf rust, ear rot	2-475g/16 L water	-	Do not spray 3-7 days before harvest	Re-entry treated field is allowed as soon as spray dries up
FMC AGRO PHILIPPINES INC.	AZOXYSTROBIN	RUBATO 25 SC	250 g/L	SC	FUNGICIDE	4	598-309-4441	18-Jul-21	SYSTEMIC	Asparagus	Stem blight, leaf blight, fusarium wilt	1-375g/16 L water	-	Do not spray 3-7 days before harvest	Re-entry treated field is allowed as soon as spray dries up
PHILAGROW INC.	AZOXYSTROBIN	RUBATO 25 SC	250g/L	SC	FUNGICIDE	4	372-309-3204	23-Jan-17	SYSTEMIC	Mango	Anthracoese, scab, stem-end rot	6-8/100L water	-		
PHILAGROW INC.	AZOXYSTROBIN	RUBATO 25 SC	250g/L	SC	FUNGICIDE	4	372-309-3204	23-Jan-17	SYSTEMIC	Watermelon	Damping off, leaf spot, anthracnose, downy, mildew, powdery mildew	1-275g/16 L water	-		
PHILAGROW INC.	AZOXYSTROBIN	RUBATO 25 SC	250g/L	SC	FUNGICIDE	4	372-309-3204	23-Jan-17	SYSTEMIC	Onion	Basal/bulb rot	1-275g/16 L water	-		
PHILAGROW INC.	AZOXYSTROBIN	RUBATO 25 SC	250g/L	SC	FUNGICIDE	4	372-309-3204	23-Jan-17	SYSTEMIC	Tomato	Late/early blight, powdery mildew	0.5-175g/16 L water	-		
PHILAGROW INC.	AZOXYSTROBIN	RUBATO 25 SC	250g/L	SC	FUNGICIDE	4	372-309-3204	23-Jan-17	SYSTEMIC	Corn	Sheath blight, leaf spot, leaf rust, ear rot	2-475g/16 L water	-		
PHILAGROW INC.	AZOXYSTROBIN	RUBATO 25 SC	250g/L	SC	FUNGICIDE	4	372-309-3204	23-Jan-17	SYSTEMIC	Asparagus	Stem blight, leaf blight, fusarium wilt	1-375g/16 L water	-		
AGRIBASE CHEMICALS, INC.	LAMBDA-CHYALOTHIRIN	HPG 2.5 EC	25 g/L	EC	INSECTICIDE	2	457-204-3265	16-May-24	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leafroller, black bug	1.0-1.575g/16 L of water	0.05ppm	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
AGRIBASE CHEMICALS, INC.	LAMBDA-CHYALOTHIRIN	HPG 2.5 EC	25 g/L	EC	INSECTICIDE	2	457-204-3265	16-May-24	SYSTEMIC	Mango	Hoppers	0.75-1.575g/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
AGRIBASE CHEMICALS, INC.	LAMBDA-CHYALOTHIRIN	HPG 2.5 EC	25 g/L	EC	INSECTICIDE	2	457-204-3265	16-May-24	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.575g/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
AGRIBASE CHEMICALS, INC.	LAMBDA-CHYALOTHIRIN	HPG 2.5 EC	25 g/L	EC	INSECTICIDE	2	457-204-3265	16-May-24	SYSTEMIC	Onion	Thrips, cutworm	1.075g/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
AGRIBASE CHEMICALS, INC.	LAMBDA-CHYALOTHIRIN	HPG 2.5 EC	25 g/L	EC	INSECTICIDE	2	457-204-3265	16-May-24	SYSTEMIC	Mungbeans	Beanyfly, flea beetle, leafhopper, aphids, mites, podborer	1.075g/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
AGRIBASE CHEMICALS, INC.	LAMBDA-CHYALOTHIRIN	HPG 2.5 EC	25 g/L	EC	INSECTICIDE	2	457-204-3265	16-May-24	SYSTEMIC	Corn	Comborer, aphids, seedling maggots	1.0-1.575g/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
AGRIBASE CHEMICALS, INC.	LAMBDA-CHYALOTHIRIN	HPG 2.5 EC	25 g/L	EC	INSECTICIDE	2	457-204-3265	16-May-24	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.575g/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
AGRIBASE CHEMICALS, INC.	LAMBDA-CHYALOTHIRIN	HPG 2.5 EC	25 g/L	EC	INSECTICIDE	2	457-204-3265	16-May-24	SYSTEMIC	Cotton	Bollworm	1.0-1.575g/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
AGRIBASE CHEMICALS, INC.	LAMBDA-CHYALOTHIRIN	HPG 2.5 EC	25 g/L	EC	INSECTICIDE	2	457-204-3265	16-May-24	SYSTEMIC	Cocoa	Podborer	1.0-2.075g/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
AGRIBASE CHEMICALS, INC.	LAMBDA-CHYALOTHIRIN	HPG 2.5 EC	25 g/L	EC	INSECTICIDE	2	457-204-3265	16-May-24	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.075g/16 L of water	-	3 days	
EZERTECH CORPORATION	PIMETROZINE	ROZAN 50 WG	500 g/kg	WG	INSECTICIDE	4	648-307-6449	27-Jan-26	CONTACT	Corn	Leafhopper, planthopper and aphids	100-250g/ha, dilute 2-3g/ 16L water	-	5 days	Do not enter treated field until spray deposits have completely dried
EZERTECH CORPORATION	PIMETROZINE	ROZAN 50 WG	500 g/kg	WG	INSECTICIDE	4	648-307-6449	27-Jan-26	CONTACT	Mango	Mango leafhopper	80g/ 200L water	-	NO PHI is proposed since last spray will be 20-40 days before harvest	Do not enter treated field until spray deposits have completely dried
EZERTECH CORPORATION	PIMETROZINE	ROZAN 50 WG	500 g/kg	WG	INSECTICIDE	4	648-307-6449	27-Jan-26	CONTACT	Rice	Brown planthopper and green leafhopper	25-30g/16 L water	-	36 days	Do not enter treated field until spray deposits have completely dried
MARS AGRI VENTURES AND COMMODITIES INC.	MANCOZEB	ROYALZER 80 WP	800g/kg	WP	FUNGICIDE	4	609-051-4374	21-May-21		Potato	Early and late blight	3-6 Tbsp/16 L water	-	-	As soon as spray dries.
MARS AGRI VENTURES AND COMMODITIES INC.	MANCOZEB	ROYALZER 80 WP	800g/kg	WP	FUNGICIDE	4	609-051-4374	21-May-21		Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	-	As soon as spray dries.
MARS AGRI VENTURES AND COMMODITIES INC.	MANCOZEB	ROYALZER 80 WP	800g/kg	WP	FUNGICIDE	4	609-051-4374	21-May-21		Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 days	As soon as spray dries.
MARS AGRI VENTURES AND COMMODITIES INC.	MANCOZEB	ROYALZER 80 WP	800g/kg	WP	FUNGICIDE	4	609-051-4374	21-May-21		Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 days	As soon as spray dries.
MARS AGRI VENTURES AND COMMODITIES INC.	MANCOZEB	ROYALZER 80 WP	800g/kg	WP	FUNGICIDE	4	609-051-4374	21-May-21		Celery	Late blight	3-6 Tbsp/16 L water	-	14 days	As soon as spray dries.
MARS AGRI VENTURES AND COMMODITIES INC.	MANCOZEB	ROYALZER 80 WP	800g/kg	WP	FUNGICIDE	4	609-051-4374	21-May-21		Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries.
MARS AGRI VENTURES AND COMMODITIES INC.	MANCOZEB	ROYALZER 80 WP	800g/kg	WP	FUNGICIDE	4	609-051-4374	21-May-21		Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries.
MARS AGRI VENTURES AND COMMODITIES INC.	MANCOZEB	ROYALZER 80 WP	800g/kg	WP	FUNGICIDE	4	609-051-4374	21-May-21		Cotton	Damping off	3-6 Tbsp/16 L water	-	-	As soon as spray dries.
MARS AGRI VENTURES AND COMMODITIES INC.	MANCOZEB	ROYALZER 80 WP	800g/kg	WP	FUNGICIDE	4	609-051-4374	21-May-21		Lettuce	Downy mildew	3-6 Tbsp/16 L water	-	7 days	As soon as spray dries.
MARS AGRI VENTURES AND COMMODITIES INC.	MANCOZEB	ROYALZER 80 WP	800g/kg	WP	FUNGICIDE	4	609-051-4374	21-May-21		Beans	Anthracoese, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries.
MARS AGRI VENTURES AND COMMODITIES INC.	MANCOZEB	ROYALZER 80 WP	800g/kg	WP	FUNGICIDE	4	609-051-4374	21-May-21		Peas	Anthracoese, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries.
MARS AGRI VENTURES AND COMMODITIES INC.	MANCOZEB	ROYALZER 80 WP	800g/kg	WP	FUNGICIDE	4	609-051-4374	21-May-21		Mungo	Anthracoese, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries.
MARS AGRI VENTURES AND COMMODITIES INC.	MANCOZEB	ROYALZER 80 WP	800g/kg	WP	FUNGICIDE	4	609-051-4374	21-May-21		Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries.
MARS AGRI VENTURES AND COMMODITIES INC.	MANCOZEB	ROYALZER 80 WP	800g/kg	WP	FUNGICIDE	4	609-051-4374	21-May-21		Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	-	7 days	As soon as spray dries.
MARS AGRI VENTURES AND COMMODITIES INC.	MANCOZEB	ROYALZER 80 WP	800g/kg	WP	FUNGICIDE	4	609-051-4374	21-May-21		Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	-	7 days	As soon as spray dries.
MARS AGRI VENTURES AND COMMODITIES INC.	MANCOZEB	ROYALZER 80 WP	800g/kg	WP	FUNGICIDE	4	609-051-4374	21-May-21		Pepper	Anthracoese	3-6 Tbsp/16 L water	-	7 days	As soon as spray dries.
MARS AGRI VENTURES AND COMMODITIES INC.	MANCOZEB	ROYALZER 80 WP	800g/kg	WP	FUNGICIDE	4	609-051-4374	21-May-21		Chili	Anthracoese	3-6 Tbsp/16 L water	-	7 days	As soon as spray dries.
MARS AGRI VENTURES AND COMMODITIES INC.	MANCOZEB	ROYALZER 80 WP	800g/kg	WP	FUNGICIDE	4	609-051-4374	21-May-21		Eggplant	Blight, Anthracnose	3-6 Tbsp/16 L water	-	7 days	As soon as spray dries.
MARS AGRI VENTURES AND COMMODITIES INC.	MANCOZEB	ROYALZER 80 WP	800g/kg	WP	FUNGICIDE	4	609-051-4374	21-May-21		Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16 L water	-	-	As soon as spray dries.
MARS AGRI VENTURES AND COMMODITIES INC.	MANCOZEB	ROYALZER 80 WP	800g/kg	WP	FUNGICIDE	4	609-051-4374	21-May-21		Brinjes	Downy mildew, black rot	3-6 Tbsp/16 L water	-	40 days	As soon as spray dries.
MARS AGRI VENTURES AND COMMODITIES INC.	MANCOZEB	ROYALZER 80 WP	800g/kg	WP	FUNGICIDE	4	609-051-4374	21-May-21		Mango	Anthracoese and Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries.
MARS AGRI VENTURES AND COMMODITIES INC.	MANCOZEB	ROYALZER 80 WP	800g/kg	WP	FUNGICIDE	4	609-051-4374	21-May-21		Papaya	Fruit rot	3-6 Tbsp/16 L water	-	-	As soon as spray dries.
MARS AGRI VENTURES AND COMMODITIES INC.	MANCOZEB	ROYALZER 80 WP	800g/kg	WP	FUNGICIDE	4	609-051-4374	21-May-21		Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries.
MARS AGRI VENTURES AND COMMODITIES INC.	MANCOZEB	ROYALZER 80 WP	800g/kg	WP	FUNGICIDE	4	609-051-4374	21-May-21		Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries.
MARS AGRI VENTURES AND COMMODITIES INC.	MANCOZEB	ROYALZER 80 WP	800g/kg	WP	FUNGICIDE	4	609-051-4374	21-May-21		Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16 L water	-	7 days	As soon as spray dries.
MARS AGRI VENTURES AND COMMODITIES INC.	MANCOZEB	ROYALZER 80 WP	800g/kg	WP	FUNGICIDE	4	609-051-4374	21-May-21		Rice	Blast, Sheath blight, cereospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16 L water	0.02ppm	-	As soon as spray dries.

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
MARS AGR VENTURES AND COMMODITIES INC.	MANCOZEB	ROYALZEB 80 WP	800g/kg	WP	FUNGICIDE	4	609-053-4374	21-May-21		Peanut	Cercospora leaf spot	3-6 Tbsp/36 L water	-	14 days	As soon as spray dries.
MARS AGR VENTURES AND COMMODITIES INC.	MANCOZEB	ROYALZEB 80 WP	800g/kg	WP	FUNGICIDE	4	609-053-4374	21-May-21		Soybeans	Leaf rust	3-6 Tbsp/36 L water	-	-	As soon as spray dries.
MARS AGR VENTURES AND COMMODITIES INC.	MANCOZEB	ROYALZEB 80 WP	800g/kg	WP	FUNGICIDE	4	009-053-4374	21-May-21		Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/36 L water	-	-	As soon as spray dries.
BIOAGRO AGRICULTURAL PRODUCTS, INC.	CARTAP HYDROCHLORIDE	ROYAL CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	608-106-4305	26-Mar-24	SYSTEMIC	Rice	Whorl maggot, stemborer, green leafhopper, brown planthopper	0.0-0.5 Tbsp/36 L water	0.3ppm	Stop spraying 10 days before harvest	Do not enter the field within two(2) days after spraying.
BIOAGRO AGRICULTURAL PRODUCTS, INC.	CARTAP HYDROCHLORIDE	ROYAL CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	608-106-4305	26-Mar-24	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/36 L water		Stop spraying 10 days before harvest	Do not enter the field within two(2) days after spraying.
BIOAGRO AGRICULTURAL PRODUCTS, INC.	CARTAP HYDROCHLORIDE	ROYAL CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	608-106-4305	26-Mar-24	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/36 L water		Stop spraying 10 days before harvest	Do not enter the field within two(2) days after spraying.
BIOAGRO AGRICULTURAL PRODUCTS, INC.	CARTAP HYDROCHLORIDE	ROYAL CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	608-106-4305	26-Mar-24	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/36 L water		Stop spraying 10 days before harvest	Do not enter the field within two(2) days after spraying.
BIOAGRO AGRICULTURAL PRODUCTS, INC.	CARTAP HYDROCHLORIDE	ROYAL CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	608-106-4305	26-Mar-24	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/36 L water		Stop spraying 10 days before harvest	Do not enter the field within two(2) days after spraying.
BIOAGRO AGRICULTURAL PRODUCTS, INC.	CARTAP HYDROCHLORIDE	ROYAL CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	608-106-4305	26-Mar-24	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/36 L water		Stop spraying 10 days before harvest	Do not enter the field within two(2) days after spraying.
BIOAGRO AGRICULTURAL PRODUCTS, INC.	CARTAP HYDROCHLORIDE	ROYAL CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	608-106-4305	26-Mar-24	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/36 L water		Stop spraying 10 days before harvest	Do not enter the field within two(2) days after spraying.
BIOAGRO AGRICULTURAL PRODUCTS, INC.	CARTAP HYDROCHLORIDE	ROYAL CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	608-106-4305	26-Mar-24	SYSTEMIC	Mango	leafhoppers	1.5-2.0Tbsp/36 L water		Stop spraying 10 days before harvest	Do not enter the field within two(2) days after spraying.
BIOAGRO AGRICULTURAL PRODUCTS, INC.	CARTAP HYDROCHLORIDE	ROYAL CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	608-106-4305	26-Mar-24	SYSTEMIC	Pechay	looper, cutworm, aphids	1.5-2.0Tbsp/36 L water		Stop spraying 10 days before harvest	Do not enter the field within two(2) days after spraying.
TEXICON AGR VENTURES CORPORATION	DIFENOCANAZOLE	ROYAL 250 EC	250 g/L	EC	FUNGICIDE	4	242-272-3940-A	02-Dec-25	SYSTEMIC	Banana	Black Sigatoka	0.30-0.40 L prod/ha			
TEXICON AGR VENTURES CORPORATION	DIFENOCANAZOLE	ROYAL 250 EC	250 g/L	EC	FUNGICIDE	4	242-272-3940-A	02-Dec-25	SYSTEMIC	Mango	Anthracoese	0.029-0.08 L/ha		14 days	
TEXICON AGR VENTURES CORPORATION	DIFENOCANAZOLE	ROYAL 250 EC	250 g/L	EC	FUNGICIDE	4	242-272-3940-A	02-Dec-25	SYSTEMIC	Rice	Sheath Blight	0.25-0.30 L/ha		-	
TEXICON AGR VENTURES CORPORATION	DIFENOCANAZOLE	ROYAL 250 EC	250 g/L	EC	FUNGICIDE	4	242-272-3940-A	02-Dec-25	SYSTEMIC	Tringbeans	Leaf spot	0.30-0.30 L/ha		7 days	
TEXICON AGR VENTURES CORPORATION	DIFENOCANAZOLE	ROYAL 250 EC	250 g/L	EC	FUNGICIDE	4	242-272-3940-A	02-Dec-25	SYSTEMIC	Eggplant	Leaf Spot	0.20-0.30 L/ha		7 days	
TEXICON AGR VENTURES CORPORATION	DIFENOCANAZOLE	ROYAL 250 EC	250 g/L	EC	FUNGICIDE	4	242-272-3940-A	02-Dec-25	SYSTEMIC	Tomato	Alternaria leaf spot, cercospora leafmold, powdery mildew	0.30-0.30 L/ha		7 days	
TEXICON AGR VENTURES CORPORATION	DIFENOCANAZOLE	ROYAL 250 EC	250 g/L	EC	FUNGICIDE	4	242-272-3940-A	02-Dec-25	SYSTEMIC	Cabbage	Ringspot, alternaria	0.20-0.30 L/ha		7 days	
TEXICON AGR VENTURES CORPORATION	DIFENOCANAZOLE	ROYAL 250 EC	250 g/L	EC	FUNGICIDE	4	242-272-3940-A	02-Dec-25	SYSTEMIC	Onion	Purple blotch	0.40-0.50 L/ha		7 days	
TEXICON AGR VENTURES CORPORATION	DIFENOCANAZOLE	ROYAL 250 EC	250 g/L	EC	FUNGICIDE	4	242-272-3940-A	02-Dec-25	SYSTEMIC	Asparagus	Stem and leaf blight	0.36 L/ha		7 days	
SINOCHEM CROP PROTECTION (PHILS.) INC.	MANCOZEB+METALAXYL	ROXYL 720 WP	640/80 g/kg	WP	FUNGICIDE	4	432-035-4001	17-Mar-26	SYSTEMIC	Pineapple	Heart Rot	10-14 kg/ha		-	
SINOCHEM CROP PROTECTION (PHILS.) INC.	MANCOZEB+METALAXYL	ROXYL 720 WP	640/80 g/kg	WP	FUNGICIDE	4	432-035-4001	17-Mar-26	SYSTEMIC	Potato	Late blight	8-10 Tbsp (50-100g)/36L water		-	
SINOCHEM CROP PROTECTION (PHILS.) INC.	MANCOZEB+METALAXYL	ROXYL 720 WP	640/80 g/kg	WP	FUNGICIDE	4	432-035-4001	17-Mar-26	SYSTEMIC	Tomato	Late blight	8-10 Tbsp (50-100g)/36L water		-	
SINOCHEM CROP PROTECTION (PHILS.) INC.	MANCOZEB+METALAXYL	ROXYL 720 WP	640/80 g/kg	WP	FUNGICIDE	4	432-035-4001	17-Mar-26	SYSTEMIC	Orchids	Black Rot	2.5 Tbsp (25g)/36L water		-	
SINOCHEM CROP PROTECTION (PHILS.) INC.	MANCOZEB+METALAXYL	ROXYL 720 WP	640/80 g/kg	WP	FUNGICIDE	4	432-035-4001	17-Mar-26	SYSTEMIC	Asparagus	Spear Rot	2 kg products/ha		-	
SYNGENTA PHILIPPINES INC.	MANCOZEB+METALAXYL	ROXYL 720 WP	640/80 g/kg	WP	FUNGICIDE	4	011-305-4001	17-Mar-26	SYSTEMIC	Pineapple	Heart Rot	10-14 kg/ha		-	
SYNGENTA PHILIPPINES INC.	MANCOZEB+METALAXYL	ROXYL 720 WP	640/80 g/kg	WP	FUNGICIDE	4	011-305-4001	17-Mar-26	SYSTEMIC	Potato	Late blight	8-10Tbsp (50-100g)/36L water		-	
SYNGENTA PHILIPPINES INC.	MANCOZEB+METALAXYL	ROXYL 720 WP	640/80 g/kg	WP	FUNGICIDE	4	011-305-4001	17-Mar-26	SYSTEMIC	Tomato	Late blight	8-10 Tbsp (50-100g)/36L water		-	
SYNGENTA PHILIPPINES INC.	MANCOZEB+METALAXYL	ROXYL 720 WP	640/80 g/kg	WP	FUNGICIDE	4	011-305-4001	17-Mar-26	SYSTEMIC	Orchids	Black Rot	2.5 Tbsp (25g)/36L water		-	
SYNGENTA PHILIPPINES INC.	MANCOZEB+METALAXYL	ROXYL 720 WP	640/80 g/kg	WP	FUNGICIDE	4	011-305-4001	17-Mar-26	SYSTEMIC	Asparagus	Spear Rot	2 kg products/ha		-	
ARICA GALLEON AGRIVENTURES, INC.	POTASSIUM MONOPHOSPHATE TRIPLE SALT	ROYTCIDE 52 WSP	520 g/L	WSP	OTHERS	4	699-596-5967	1-Dec-23	-		Surface disinfection and water sanitation in animal facilities for poultry, swine, bovine, equine; for terminal biosecurity and	9g prod. / L water; 5-10 g prod. / L water; 0.4-0.8 product L/ha; 30-40 mL/36 L		-	
FMC AGRO PHILIPPINES INC.	IPRODIONE	ROVRAL AQUAFLO SC 50	500 g/L	SC	FUNGICIDE	3	598-155-4188	02-Nov-26	SELECTIVE	Rice	Sheath blight	0.4-0.8 product L/ha; 30-40 mL/36 L	3ppm	14 Days	Do not enter treated areas without protective clothing until sprays have dried
FMC AGRO PHILIPPINES INC.	IPRODIONE	ROVRAL AQUAFLO SC 50	500 g/L	SC	FUNGICIDE	3	598-155-4188	02-Nov-26	SELECTIVE	Banana	Sigatoka & crown rot & crown mold	1.0-1.5 product L/ha; (2-3 mL/liter)	10.0 mg/kg	0 day	Do not enter treated areas without protective clothing until sprays have dried
FMC AGRO PHILIPPINES INC.	IPRODIONE	ROVRAL AQUAFLO SC 50	500 g/L	SC	FUNGICIDE	3	598-155-4188	02-Nov-26	SELECTIVE	Turf grass	Fairy ring	4.0-12.0 product L/ha		-	Do not enter treated areas without protective clothing until sprays have dried
FMC AGRO PHILIPPINES INC.	IPRODIONE	ROVRAL 50 WP	500 g/kg	WP	FUNGICIDE	4	598-155-4187	02-Nov-26	SELECTIVE	Rice	Sheath blight	3.0-6.0 Tbsp/36L	3ppm	14 Days	-
FMC AGRO PHILIPPINES INC.	IPRODIONE	ROVRAL 50 WP	500 g/kg	WP	FUNGICIDE	4	598-155-4187	02-Nov-26	SELECTIVE	Banana	Sigatoka & crown rot & mold	2-3 g/L (Applied as aerial spray. Please refer to label for details)	10.0 mg/kg	-	-
FMC AGRO PHILIPPINES INC.	IPRODIONE	ROVRAL 50 WP	500 g/kg	WP	FUNGICIDE	4	598-155-4187	02-Nov-26	SELECTIVE	Cabbage	Black leg	5.5-10.5 Tbsp/36 L		-	-
FMC AGRO PHILIPPINES INC.	IPRODIONE	ROVRAL 50 WP	500 g/kg	WP	FUNGICIDE	4	598-155-4187	02-Nov-26	SELECTIVE	Turf grass	Fairy ring	10-19 Tbsp/36 L		-	-
ALDIZ INCORPORATED	CHLOROTHALONIL	ROVER 500	500 g/L	SC	FUNGICIDE	4	002-118-0451	31-Mar-25		Melon	Anthracoese, cercospora leafspot, downy mildew, leaf blight	6.0-8.5 Tbsp/36 L		7-14 days	Do not enter treatment areas until spray deposit have dried
ALDIZ INCORPORATED	CHLOROTHALONIL	ROVER 500	500 g/L	SC	FUNGICIDE	4	002-118-0451	31-Mar-25		Corn	Heminthosporium leaf spot, cercospora leafspot	6.0-8.5 Tbsp/36 L		7-14 days	Do not enter treatment areas until spray deposit have dried
ALDIZ INCORPORATED	CHLOROTHALONIL	ROVER 500	500 g/L	SC	FUNGICIDE	4	002-118-0451	31-Mar-25		Eggplant	Anthracoese, cercospora leafspot, early and late blight	6.0-8.5 Tbsp/36 L		7-14 days	Do not enter treatment areas until spray deposit have dried
ALDIZ INCORPORATED	CHLOROTHALONIL	ROVER 500	500 g/L	SC	FUNGICIDE	4	002-118-0451	31-Mar-25		Peanut	Cercospora leaf spot, rust	6.0-8.5 Tbsp/36 L		7-14 days	Do not enter treatment areas until spray deposit have dried
ALDIZ INCORPORATED	CHLOROTHALONIL	ROVER 500	500 g/L	SC	FUNGICIDE	4	002-118-0451	31-Mar-25		Potato	Early and late blight, vine rot	6.0-8.5 Tbsp/36 L		7-14 days	Do not enter treatment areas until spray deposit have dried
ALDIZ INCORPORATED	CHLOROTHALONIL	ROVER 500	500 g/L	SC	FUNGICIDE	4	002-118-0451	31-Mar-25		Tomato	Early and late blight, vine rot	6.0-8.5 Tbsp/36 L		7-14 days	Do not enter treatment areas until spray deposit have dried
ALDIZ INCORPORATED	CHLOROTHALONIL	ROVER 500	500 g/L	SC	FUNGICIDE	4	002-118-0451	31-Mar-25		Carrot	Alternaria, cercospora leaf spot, heminthosporium leaf spot	6.0-8.5 Tbsp/36 L		7-14 days	Do not enter treatment areas until spray deposit have dried
ALDIZ INCORPORATED	CHLOROTHALONIL	ROVER 500	500 g/L	SC	FUNGICIDE	4	002-118-0451	31-Mar-25		Banana	Sigatoka, rust, freckles, heminthosporium leaf spot	2 L/ha	2.0 mg/kg	-	Do not enter treatment areas until spray deposit have dried
ALDIZ INCORPORATED	CHLOROTHALONIL	ROVER 500	500 g/L	SC	FUNGICIDE	4	002-118-0451	31-Mar-25		Mango	Anthracoese, diploida rot	6.0-8.5 Tbsp/36 L	0.5 mg/kg	7-14 days	Do not enter treatment areas until spray deposit have dried
ALDIZ INCORPORATED	CHLOROTHALONIL	ROVER 500	500 g/L	SC	FUNGICIDE	4	002-118-0451	31-Mar-25		Beans	Rust, anthracnose	6.0-8.5 Tbsp/36 L		7-14 days	Do not enter treatment areas until spray deposit have dried
ALDIZ INCORPORATED	CHLOROTHALONIL	ROVER 500	500 g/L	SC	FUNGICIDE	4	002-118-0451	31-Mar-25		Crucifers	Powdery mildew	6.0-8.5 Tbsp/36 L		7-14 days	Do not enter treatment areas until spray deposit have dried
ALDIZ INCORPORATED	CHLOROTHALONIL	ROVER 500	500 g/L	SC	FUNGICIDE	4	002-118-0451	31-Mar-25		Onion	Purple blotch, bulb rot, neck rot	6.0-8.5 Tbsp/36 L		7-14 days	Do not enter treatment areas until spray deposit have dried
ALDIZ INCORPORATED	CHLOROTHALONIL	ROVER 500	500 g/L	SC	FUNGICIDE	4	002-118-0451	31-Mar-25		Garlic	Purple blotch, bulb rot, neck rot	6.0-8.5 Tbsp/36 L		7-14 days	Do not enter treatment areas until spray deposit have dried
ALDIZ INCORPORATED	CHLOROTHALONIL	ROVER 500	500 g/L	SC	FUNGICIDE	4	002-118-0451	31-Mar-25		Ornamentals	Black spot, block rot, powdery mildew	6.0-8.5 Tbsp/36 L		7-14 days	Do not enter treatment areas until spray deposit have dried
ALDIZ INCORPORATED	CHLOROTHALONIL	ROVER 500	500 g/L	SC	FUNGICIDE	4	002-118-0451	31-Mar-25		Grapes	Downy mildew, powdery mildew, fruit rot	6.0-8.5 Tbsp/36 L		7-14 days	Do not enter treatment areas until spray deposit have dried
ALDIZ INCORPORATED	CHLOROTHALONIL	ROVER 500	500 g/L	SC	FUNGICIDE	4	002-118-0451	31-Mar-25		Pepper	Anthracoese, cercospora leaf spot, early blight	6.0-8.5 Tbsp/36 L		7-14 days	Do not enter treatment areas until spray deposit have dried
ALDIZ INCORPORATED	CHLOROTHALONIL	ROVER 500	500 g/L	SC	FUNGICIDE	4	002-118-0451	31-Mar-25		Cucumber	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/36 L		7-14 days	Do not enter treatment areas until spray deposit have dried

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
ALDZ INCORPORATED	CHLOROTHALONIL	ROVER 500	500 g/L	SC	FUNGICIDE	4	000-118-0451	31-Mar-25		Squash	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/36 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ALDZ INCORPORATED	CHLOROTHALONIL	ROVER 500	500 g/L	SC	FUNGICIDE	4	000-118-0451	31-Mar-25		Watermelon	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/36 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ALDZ INCORPORATED	CHLOROTHALONIL	ROVER 500	500 g/L	C	FUNGICIDE	4	000-118-0451	31-Mar-25		Catery	Early and late blight	6.0-8.5 Tbsp/36 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
BAYER CROSCIENCE, INC.	ISOTIANIL+TRIFLUOROMETHYLBENZOTHIADIAZOL-2-YL METHYL CARBAMATE	ROUTINE START FS 280	200 g/L+180 g/L	FS	FUNGICIDE	3	284-537-5281	3-Dec-26	-	Rice	Rice blast	9-10 ml prod./kg seeds	-	-	-
BAYER CROSCIENCE, INC.	ISOTIANIL	ROUTINE SC 200	200 g/L	SC	FUNGICIDE	4	284-581-9710	2-May-24	-	Banana	Black Sigatoka	0.25 L/HA	-	0 Day	Do not enter treated area before the spray deposit has dried completely (for at least 12 hours after application)
BAYER CROSCIENCE, INC.	GLYPHOSATE AS POTASSIUM SALT	ROUNDUP TURBOPLUS	662 g/L	SL	HERBICIDE	4	284-375-4670/3227	22-Oct-25	POST-EMERGENT	Glyphosate tolerant corn	Annual and perennial grasses, broadleaf weeds and sedges	1.9-2.0 Liters/ha	-	-	-
BAYER CROSCIENCE, INC.	GLYPHOSATE AS POTASSIUM SALT	ROUNDUP TURBOPLUS	662 g/L	SL	HERBICIDE	4	284-375-4670/3227	22-Oct-25	POST-EMERGENT	Mango	Annual and perennial grasses, broadleaf weeds and sedges	1.9-3 Liters/ha	-	-	-
BAYER CROSCIENCE, INC.	GLYPHOSATE AS POTASSIUM SALT	ROUNDUP TURBOPLUS	662 g/L	SL	HERBICIDE	4	284-375-4670/3227	22-Oct-25	POST-EMERGENT	Cacao	Annual and perennial grasses, broadleaf weeds and sedges	1.9-3 Liters/ha	-	-	-
BAYER CROSCIENCE, INC.	GLYPHOSATE AS POTASSIUM SALT	ROUNDUP TURBOPLUS	662 g/L	SL	HERBICIDE	4	284-375-4670/3227	22-Oct-25	POST-EMERGENT	Banana	Annual and perennial grasses, broadleaf weeds and sedges	1.9-3 Liters/ha	-	-	-
BAYER CROSCIENCE, INC.	GLYPHOSATE AS POTASSIUM SALT	ROUNDUP TURBOPLUS	662 g/L	SL	HERBICIDE	4	284-375-4670/3227	22-Oct-25	POST-EMERGENT	Coffee	Annual and perennial grasses, broadleaf weeds and sedges	1.9-3 Liters/ha	-	-	-
BAYER CROSCIENCE, INC.	GLYPHOSATE AS POTASSIUM SALT	ROUNDUP TURBOPLUS	662 g/L	SL	HERBICIDE	4	284-375-4670/3227	22-Oct-25	POST-EMERGENT	Rubber	Annual and perennial grasses, broadleaf weeds and sedges	1.9-3 Liters/ha	-	-	-
BAYER CROSCIENCE, INC.	GLYPHOSATE AS POTASSIUM SALT	ROUNDUP TURBOPLUS	662 g/L	SL	HERBICIDE	4	284-375-4670/3227	22-Oct-25	POST-EMERGENT	Oil palm	Annual and perennial grasses, broadleaf weeds and sedges	1.9-3 Liters/ha	-	-	-
BAYER CROSCIENCE, INC.	GLYPHOSATE AS POTASSIUM SALT	ROUNDUP TURBOPLUS	662 g/L	SL	HERBICIDE	4	284-375-4670/3227	22-Oct-25	POST-EMERGENT	Citrus	Annual and perennial grasses, broadleaf weeds and sedges	1.9-3 Liters/ha	-	-	-
BAYER CROSCIENCE, INC.	GLYPHOSATE AS POTASSIUM SALT	ROUNDUP TURBOPLUS	662 g/L	SL	HERBICIDE	4	284-375-4670/3227	22-Oct-25	POST-EMERGENT	Coconut	Annual and perennial grasses, broadleaf weeds and sedges	1.9-3 Liters/ha	-	-	-
BAYER CROSCIENCE, INC.	GLYPHOSATE AS POTASSIUM SALT	ROUNDUP TURBOPLUS	662 g/L	SL	HERBICIDE	4	284-375-4670/3227	22-Oct-25	POST-EMERGENT	Sugarcane	Annual and perennial grasses, broadleaf weeds and sedges	1.9 Liters/ha	-	-	-
BAYER CROSCIENCE, INC.	GLYPHOSATE AS POTASSIUM SALT	ROUNDUP TURBOPLUS	662 g/L	SL	HERBICIDE	4	284-375-4670/3227	22-Oct-25	POST-EMERGENT	Vegetables	Annual and perennial grasses, broadleaf weeds and sedges	1.9 Liters/ha	-	-	-
BAYER CROSCIENCE, INC.	GLYPHOSATE AS POTASSIUM SALT	ROUNDUP TURBOPLUS	662 g/L	SL	HERBICIDE	4	284-375-4670/3227	22-Oct-25	POST-EMERGENT	Non-crop	Annual and perennial grasses, broadleaf weeds and sedges	-	-	-	-
SINOCHEM CROP PROTECTION (PHILS.) INC.	GLYPHOSATE AS POTASSIUM SALT	ROUNDUP TURBO PLUS	662 g/L	EC	HERBICIDE	4	432-375-3131	18-Nov-19	POST-EMERGENT	Glyphosate tolerant corn	Annual and perennial grasses, broadleaf weeds and sedges	-	-	-	-
SINOCHEM CROP PROTECTION (PHILS.) INC.	GLYPHOSATE AS POTASSIUM SALT	ROUNDUP TURBO PLUS	662 g/L	EC	HERBICIDE	4	432-375-3131	18-Nov-19	POST-EMERGENT	Mango	Annual and perennial grasses, broadleaf weeds and sedges	-	-	-	-
SINOCHEM CROP PROTECTION (PHILS.) INC.	GLYPHOSATE AS POTASSIUM SALT	ROUNDUP TURBO PLUS	662 g/L	EC	HERBICIDE	4	432-375-3131	18-Nov-19	POST-EMERGENT	Banana	Annual and perennial grasses, broadleaf weeds and sedges	-	-	-	-
SINOCHEM CROP PROTECTION (PHILS.) INC.	GLYPHOSATE AS POTASSIUM SALT	ROUNDUP TURBO PLUS	662 g/L	EC	HERBICIDE	4	432-375-3131	18-Nov-19	POST-EMERGENT	Coffee	Annual and perennial grasses, broadleaf weeds and sedges	-	-	-	-
SINOCHEM CROP PROTECTION (PHILS.) INC.	GLYPHOSATE AS POTASSIUM SALT	ROUNDUP TURBO PLUS	662 g/L	EC	HERBICIDE	4	432-375-3131	18-Nov-19	POST-EMERGENT	Rubber	Annual and perennial grasses, broadleaf weeds and sedges	-	-	-	-
SINOCHEM CROP PROTECTION (PHILS.) INC.	GLYPHOSATE AS POTASSIUM SALT	ROUNDUP TURBO PLUS	662 g/L	EC	HERBICIDE	4	432-375-3131	18-Nov-19	POST-EMERGENT	Oil palm	Annual and perennial grasses, broadleaf weeds and sedges	-	-	-	-
SINOCHEM CROP PROTECTION (PHILS.) INC.	GLYPHOSATE AS POTASSIUM SALT	ROUNDUP TURBO PLUS	662 g/L	EC	HERBICIDE	4	432-375-3131	18-Nov-19	POST-EMERGENT	Citrus	Annual and perennial grasses, broadleaf weeds and sedges	-	-	-	-
SINOCHEM CROP PROTECTION (PHILS.) INC.	GLYPHOSATE AS POTASSIUM SALT	ROUNDUP TURBO PLUS	662 g/L	EC	HERBICIDE	4	432-375-3131	18-Nov-19	POST-EMERGENT	Coconut	Annual and perennial grasses, broadleaf weeds and sedges	-	-	-	-
SINOCHEM CROP PROTECTION (PHILS.) INC.	GLYPHOSATE AS POTASSIUM SALT	ROUNDUP TURBO PLUS	662 g/L	EC	HERBICIDE	4	432-375-3131	18-Nov-19	POST-EMERGENT	Sugarcane	Annual and perennial grasses, broadleaf weeds and sedges	-	-	-	-
SINOCHEM CROP PROTECTION (PHILS.) INC.	GLYPHOSATE AS POTASSIUM SALT	ROUNDUP TURBO PLUS	662 g/L	EC	HERBICIDE	4	432-375-3131	18-Nov-19	POST-EMERGENT	Vegetables	Annual and perennial grasses, broadleaf weeds and sedges	-	-	-	-
SINOCHEM CROP PROTECTION (PHILS.) INC.	GLYPHOSATE AS POTASSIUM SALT	ROUNDUP TURBO PLUS	662 g/L	EC	HERBICIDE	4	432-375-3131	18-Nov-19	POST-EMERGENT	Non-crop	Annual and perennial grasses, broadleaf weeds and sedges	-	-	-	-
SINOCHEM CROP PROTECTION (PHILS.) INC.	GLYPHOSATE AS POTASSIUM SALT	ROUNDUP TURBO PLUS	662 g/L	EC	HERBICIDE	4	432-375-3131	18-Nov-19	POST-EMERGENT	Glyphosate tolerant corn	Annual and perennial grasses, broadleaf weeds and sedges	2-3 Liters/ha	-	-	-
SINOCHEM CROP PROTECTION (PHILS.) INC.	GLYPHOSATE AS POTASSIUM SALT	ROUNDUP TRANSORB	441g/L	SL	HERBICIDE	4	432-151-4229	16-Jan-21	POST-EMERGENT	Mango	Annual and perennial grasses, broadleaf weeds and sedges	3-4.5 Liters/ha	-	-	-
SINOCHEM CROP PROTECTION (PHILS.) INC.	GLYPHOSATE AS POTASSIUM SALT	ROUNDUP TRANSORB	441g/L	SL	HERBICIDE	4	432-151-4229	16-Jan-21	POST-EMERGENT	Cacao	Annual and perennial grasses, broadleaf weeds and sedges	3-4.5 Liters/ha	-	-	-
SINOCHEM CROP PROTECTION (PHILS.) INC.	GLYPHOSATE AS POTASSIUM SALT	ROUNDUP TRANSORB	441g/L	SL	HERBICIDE	4	432-151-4229	16-Jan-21	POST-EMERGENT	Banana	Annual and perennial grasses, broadleaf weeds and sedges	3-4.5 Liters/ha	-	-	-
SINOCHEM CROP PROTECTION (PHILS.) INC.	GLYPHOSATE AS POTASSIUM SALT	ROUNDUP TRANSORB	441g/L	SL	HERBICIDE	4	432-151-4229	16-Jan-21	POST-EMERGENT	Coffee	Annual and perennial grasses, broadleaf weeds and sedges	3-4.5 Liters/ha	-	-	-
SINOCHEM CROP PROTECTION (PHILS.) INC.	GLYPHOSATE AS POTASSIUM SALT	ROUNDUP TRANSORB	441g/L	SL	HERBICIDE	4	432-151-4229	16-Jan-21	POST-EMERGENT	Rubber	Annual and perennial grasses, broadleaf weeds and sedges	2.0 Liters/ha	-	-	-
SINOCHEM CROP PROTECTION (PHILS.) INC.	GLYPHOSATE AS POTASSIUM SALT	ROUNDUP TRANSORB	441g/L	SL	HERBICIDE	4	432-151-4229	16-Jan-21	POST-EMERGENT	Oil palm	Annual and perennial grasses, broadleaf weeds and sedges	2.0 Liters/ha	-	-	-
SINOCHEM CROP PROTECTION (PHILS.) INC.	GLYPHOSATE AS POTASSIUM SALT	ROUNDUP TRANSORB	441g/L	SL	HERBICIDE	4	432-151-4229	16-Jan-21	POST-EMERGENT	Citrus	Annual and perennial grasses, broadleaf weeds and sedges	2.0 Liters/ha	-	-	-
SINOCHEM CROP PROTECTION (PHILS.) INC.	GLYPHOSATE AS POTASSIUM SALT	ROUNDUP TRANSORB	441g/L	SL	HERBICIDE	4	432-151-4229	16-Jan-21	POST-EMERGENT	Coconut	Annual and perennial grasses, broadleaf weeds and sedges	4.5 Liters/ha	-	-	-
SINOCHEM CROP PROTECTION (PHILS.) INC.	GLYPHOSATE AS POTASSIUM SALT	ROUNDUP TRANSORB	441g/L	SL	HERBICIDE	4	432-151-4229	16-Jan-21	POST-EMERGENT	Sugarcane	Annual and perennial grasses, broadleaf weeds and sedges	2.0 Liters/ha	-	-	-
SINOCHEM CROP PROTECTION (PHILS.) INC.	GLYPHOSATE AS POTASSIUM SALT	ROUNDUP TRANSORB	441g/L	SL	HERBICIDE	4	432-151-4229	16-Jan-21	POST-EMERGENT	Vegetables	Annual and perennial grasses, broadleaf weeds and sedges	2.0 Liters/ha	-	-	-
SINOCHEM CROP PROTECTION (PHILS.) INC.	GLYPHOSATE AS POTASSIUM SALT	ROUNDUP TRANSORB	441g/L	SL	HERBICIDE	4	432-151-4229	16-Jan-21	POST-EMERGENT	Non-crop	Annual and perennial grasses, broadleaf weeds and sedges	-	-	-	-
BAYER CROSCIENCE, INC.	GLYPHOSATE AS POTASSIUM SALT	ROUNDUP TRANSORB	441 g/L	SL	HERBICIDE	4	284-375-4739/4026	25-Apr-26	POST-EMERGENT	Glyphosate tolerant corn	Annual and perennial grasses, broadleaf weeds and sedges	2-3 Liters/ha	-	-	-
BAYER CROSCIENCE, INC.	GLYPHOSATE AS POTASSIUM SALT	ROUNDUP TRANSORB	441 g/L	SL	HERBICIDE	4	284-375-4739/4026	25-Apr-26	POST-EMERGENT	Mango	Annual and perennial grasses, broadleaf weeds and sedges	3-4.5 Liters/ha	-	-	-
BAYER CROSCIENCE, INC.	GLYPHOSATE AS POTASSIUM SALT	ROUNDUP TRANSORB	441 g/L	SL	HERBICIDE	4	284-375-4739/4026	25-Apr-26	POST-EMERGENT	Cacao	Annual and perennial grasses, broadleaf weeds and sedges	3-4.5 Liters/ha	-	-	-
BAYER CROSCIENCE, INC.	GLYPHOSATE AS POTASSIUM SALT	ROUNDUP TRANSORB	441 g/L	SL	HERBICIDE	4	284-375-4739/4026	25-Apr-26	POST-EMERGENT	Banana	Annual and perennial grasses, broadleaf weeds and sedges	3-4.5 Liters/ha	-	-	-
BAYER CROSCIENCE, INC.	GLYPHOSATE AS POTASSIUM SALT	ROUNDUP TRANSORB	441 g/L	SL	HERBICIDE	4	284-375-4739/4026	25-Apr-26	POST-EMERGENT	Coffee	Annual and perennial grasses, broadleaf weeds and sedges	3-4.5 Liters/ha	-	-	-
BAYER CROSCIENCE, INC.	GLYPHOSATE AS POTASSIUM SALT	ROUNDUP TRANSORB	441 g/L	SL	HERBICIDE	4	284-375-4739/4026	25-Apr-26	POST-EMERGENT	Rubber	Annual and perennial grasses, broadleaf weeds and sedges	2.0 Liters/ha	-	-	-
BAYER CROSCIENCE, INC.	GLYPHOSATE AS POTASSIUM SALT	ROUNDUP TRANSORB	441 g/L	SL	HERBICIDE	4	284-375-4739/4026	25-Apr-26	POST-EMERGENT	Oil palm	Annual and perennial grasses, broadleaf weeds and sedges	2.0 Liters/ha	-	-	-
BAYER CROSCIENCE, INC.	GLYPHOSATE AS POTASSIUM SALT	ROUNDUP TRANSORB	441 g/L	SL	HERBICIDE	4	284-375-4739/4026	25-Apr-26	POST-EMERGENT	Citrus	Annual and perennial grasses, broadleaf weeds and sedges	2.0 Liters/ha	-	-	-
BAYER CROSCIENCE, INC.	GLYPHOSATE AS POTASSIUM SALT	ROUNDUP TRANSORB	441 g/L	SL	HERBICIDE	4	284-375-4739/4026	25-Apr-26	POST-EMERGENT	Coconut	Annual and perennial grasses, broadleaf weeds and sedges	4.5 Liters/ha	-	-	-
BAYER CROSCIENCE, INC.	GLYPHOSATE AS POTASSIUM SALT	ROUNDUP TRANSORB	441 g/L	SL	HERBICIDE	4	284-375-4739/4026	25-Apr-26	POST-EMERGENT	Sugarcane	Annual and perennial grasses, broadleaf weeds and sedges	2.0 Liters/ha	-	-	-

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
BAYER CROPSCIENCE, INC.	GLYPHOSATE AS POTASSIUM SALT	ROUNDUP TRANSORB	441 g/L	SL	HERBICIDE	4	284-375-4739/4026	25-Apr-26	POST-EMERGENT	Vegetables	Annual and perennial grasses, broadleaf weeds and sedges	2.0 Liters/ha	-	-	-
BAYER CROPSCIENCE, INC.	GLYPHOSATE AS POTASSIUM SALT	ROUNDUP TRANSORB	441 g/L	SL	HERBICIDE	4	284-375-4739/4026	25-Apr-26	POST-EMERGENT	Non-crop	Annual and perennial grasses, broadleaf weeds and sedges	-	-	-	-
BAYER CROPSCIENCE, INC.	GLYPHOSATE IPA	ROUNDUP 48 SL	480 g/L	SL	HERBICIDE	4	284-151-4568/0326	24-Oct-25	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/ha	-	-	-
BAYER CROPSCIENCE, INC.	GLYPHOSATE IPA	ROUNDUP 48 SL	480 g/L	SL	HERBICIDE	4	284-151-4568/0326	24-Oct-25	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
BAYER CROPSCIENCE, INC.	GLYPHOSATE IPA	ROUNDUP 48 SL	480 g/L	SL	HERBICIDE	4	284-151-4568/0326	24-Oct-25	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
BAYER CROPSCIENCE, INC.	GLYPHOSATE IPA	ROUNDUP 48 SL	480 g/L	SL	HERBICIDE	4	284-151-4568/0326	24-Oct-25	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
BAYER CROPSCIENCE, INC.	GLYPHOSATE IPA	ROUNDUP 48 SL	480 g/L	SL	HERBICIDE	4	284-151-4568/0326	24-Oct-25	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
BAYER CROPSCIENCE, INC.	GLYPHOSATE IPA	ROUNDUP 48 SL	480 g/L	SL	HERBICIDE	4	284-151-4568/0326	24-Oct-25	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
BAYER CROPSCIENCE, INC.	GLYPHOSATE IPA	ROUNDUP 48 SL	480 g/L	SL	HERBICIDE	4	284-151-4568/0326	24-Oct-25	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
BAYER CROPSCIENCE, INC.	GLYPHOSATE IPA	ROUNDUP 48 SL	480 g/L	SL	HERBICIDE	4	284-151-4568/0326	24-Oct-25	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
BAYER CROPSCIENCE, INC.	GLYPHOSATE IPA	ROUNDUP 48 SL	480 g/L	SL	HERBICIDE	4	284-151-4568/0326	24-Oct-25	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/ha	-	-	-
BAYER CROPSCIENCE, INC.	GLYPHOSATE IPA	ROUNDUP 48 SL	480 g/L	SL	HERBICIDE	4	284-151-4568/0326	24-Oct-25	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
BAYER CROPSCIENCE, INC.	GLYPHOSATE IPA	ROUNDUP 48 SL	480 g/L	SL	HERBICIDE	4	284-151-4568/0326	24-Oct-25	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
BAYER CROPSCIENCE, INC.	GLYPHOSATE IPA	ROUNDUP 48 SL	480 g/L	SL	HERBICIDE	4	284-151-4568/0326	24-Oct-25	POST-EMERGENT	Non-crop land	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
SINOCHEM CROP PROTECTION (PHLS.) INC.	GLYPHOSATE IPA	ROUND UP 48% SL	480 g/L	SL	HERBICIDE	4	432-151-2568	18-Jun-20	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/ha	-	-	-
SINOCHEM CROP PROTECTION (PHLS.) INC.	GLYPHOSATE IPA	ROUND UP 48% SL	480 g/L	SL	HERBICIDE	4	432-151-2568	18-Jun-20	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
SINOCHEM CROP PROTECTION (PHLS.) INC.	GLYPHOSATE IPA	ROUND UP 48% SL	480 g/L	SL	HERBICIDE	4	432-151-2568	18-Jun-20	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
SINOCHEM CROP PROTECTION (PHLS.) INC.	GLYPHOSATE IPA	ROUND UP 48% SL	480 g/L	SL	HERBICIDE	4	432-151-2568	18-Jun-20	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
SINOCHEM CROP PROTECTION (PHLS.) INC.	GLYPHOSATE IPA	ROUND UP 48% SL	480 g/L	SL	HERBICIDE	4	432-151-2568	18-Jun-20	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
SINOCHEM CROP PROTECTION (PHLS.) INC.	GLYPHOSATE IPA	ROUND UP 48% SL	480 g/L	SL	HERBICIDE	4	432-151-2568	18-Jun-20	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
SINOCHEM CROP PROTECTION (PHLS.) INC.	GLYPHOSATE IPA	ROUND UP 48% SL	480 g/L	SL	HERBICIDE	4	432-151-2568	18-Jun-20	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
SINOCHEM CROP PROTECTION (PHLS.) INC.	GLYPHOSATE IPA	ROUND UP 48% SL	480 g/L	SL	HERBICIDE	4	432-151-2568	18-Jun-20	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
SINOCHEM CROP PROTECTION (PHLS.) INC.	GLYPHOSATE IPA	ROUND UP 48% SL	480 g/L	SL	HERBICIDE	4	432-151-2568	18-Jun-20	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/ha	-	-	-
SINOCHEM CROP PROTECTION (PHLS.) INC.	GLYPHOSATE IPA	ROUND UP 48% SL	480 g/L	SL	HERBICIDE	4	432-151-2568	18-Jun-20	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
SINOCHEM CROP PROTECTION (PHLS.) INC.	GLYPHOSATE IPA	ROUND UP 48% SL	480 g/L	SL	HERBICIDE	4	432-151-2568	18-Jun-20	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
SINOCHEM CROP PROTECTION (PHLS.) INC.	GLYPHOSATE IPA	ROUND UP 48% SL	480 g/L	SL	HERBICIDE	4	432-151-2568	18-Jun-20	POST-EMERGENT	non-crop	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
JOANIMA CORPORATION	METHOMYL	ROSTOP 40 SP	400 g/kg	SP	INSECTICIDE	2	241-164-1568	21-Sep-22	CONTACT	Banana	Thrips	3.5-4.5 Tbsp/16 L water	-	-	Do not enter fields treated with ROSTOP 40 SP within 12 hours after application.
JOANIMA CORPORATION	METHOMYL	ROSTOP 40 SP	400 g/kg	SP	INSECTICIDE	2	241-164-1568	21-Sep-22	CONTACT	Beans	Leafroller, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/16 L water	-	-	Do not enter fields treated with ROSTOP 40 SP within 12 hours after application.
JOANIMA CORPORATION	METHOMYL	ROSTOP 40 SP	400 g/kg	SP	INSECTICIDE	2	241-164-1568	21-Sep-22	CONTACT	Mungbeans	Leafroller, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/16 L water	-	-	Do not enter fields treated with ROSTOP 40 SP within 12 hours after application.
JOANIMA CORPORATION	METHOMYL	ROSTOP 40 SP	400 g/kg	SP	INSECTICIDE	2	241-164-1568	21-Sep-22	CONTACT	Soybeans	Leafroller, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/16 L water	-	-	Do not enter fields treated with ROSTOP 40 SP within 12 hours after application.
JOANIMA CORPORATION	METHOMYL	ROSTOP 40 SP	400 g/kg	SP	INSECTICIDE	2	241-164-1568	21-Sep-22	CONTACT	Sitao	Leafroller, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/16 L water	-	-	Do not enter fields treated with ROSTOP 40 SP within 12 hours after application.
JOANIMA CORPORATION	METHOMYL	ROSTOP 40 SP	400 g/kg	SP	INSECTICIDE	2	241-164-1568	21-Sep-22	CONTACT	Corn	Comborer, earworm	2.0-3.5 Tbsp/16 L water	-	-	Do not enter fields treated with ROSTOP 40 SP within 12 hours after application.
JOANIMA CORPORATION	METHOMYL	ROSTOP 40 SP	400 g/kg	SP	INSECTICIDE	2	241-164-1568	21-Sep-22	CONTACT	Sorghum	Comborer, earworm	2.0-3.5 Tbsp/16 L water	-	-	Do not enter fields treated with ROSTOP 40 SP within 12 hours after application.
JOANIMA CORPORATION	METHOMYL	ROSTOP 40 SP	400 g/kg	SP	INSECTICIDE	2	241-164-1568	21-Sep-22	CONTACT	Eggplant	Aphids, flea beetle , fruitworm, lady beetle	2.0-3.5 Tbsp/16 L water	-	-	Do not enter fields treated with ROSTOP 40 SP within 12 hours after application.
JOANIMA CORPORATION	METHOMYL	ROSTOP 40 SP	400 g/kg	SP	INSECTICIDE	2	241-164-1568	21-Sep-22	CONTACT	Melon	Aphids, Squash beetle , leafroller	2.0-3.5 Tbsp/16 L water	-	-	Do not enter fields treated with ROSTOP 40 SP within 12 hours after application.
JOANIMA CORPORATION	METHOMYL	ROSTOP 40 SP	400 g/kg	SP	INSECTICIDE	2	241-164-1568	21-Sep-22	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leafroller	2.0-3.5 Tbsp/16 L water	0.01ppm	3 Days	Do not enter fields treated with ROSTOP 40 SP within 12 hours after application.
JOANIMA CORPORATION	METHOMYL	ROSTOP 40 SP	400 g/kg	SP	INSECTICIDE	2	241-164-1568	21-Sep-22	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	2.0-3.5 Tbsp/16 L water	-	-	Do not enter fields treated with ROSTOP 40 SP within 12 hours after application.
JOANIMA CORPORATION	METHOMYL	ROSTOP 40 SP	400 g/kg	SP	INSECTICIDE	2	241-164-1568	21-Sep-22	CONTACT	Tomato	Tomato fruitworm, aphids	2.0-3.5 Tbsp/16 L water	-	-	Do not enter fields treated with ROSTOP 40 SP within 12 hours after application.
ROTAM PHILIPPINES, INC.	METHOMYL	ROSTOP 40 SP	400 g/kg	SP	INSECTICIDE	2	569-164-3690	22-Jul-25	CONTACT	Asparagus	Armyworm, cutworm	1 Sachet/18Ll Sprayer	-	-	-
ROTAM PHILIPPINES, INC.	METHOMYL	ROSTOP 40 SP	400 g/kg	SP	INSECTICIDE	2	569-164-3690	22-Jul-25	CONTACT	Banana	Thrips	3.5-2 Sachet/18Ll Sprayer	-	-	-
ROTAM PHILIPPINES, INC.	METHOMYL	ROSTOP 40 SP	400 g/kg	SP	INSECTICIDE	2	569-164-3690	22-Jul-25	CONTACT	Beans	Leafroller, flea beetle , beanfly, podborer,aphids	1 Sachet/18Ll Sprayer	-	-	-
ROTAM PHILIPPINES, INC.	METHOMYL	ROSTOP 40 SP	400 g/kg	SP	INSECTICIDE	2	569-164-3690	22-Jul-25	CONTACT	Mungbeans	Leafroller, flea beetle , beanfly, podborer,aphids	1 Sachet/18Ll Sprayer	-	-	-
ROTAM PHILIPPINES, INC.	METHOMYL	ROSTOP 40 SP	400 g/kg	SP	INSECTICIDE	2	569-164-3690	22-Jul-25	CONTACT	Soybeans	Leafroller, flea beetle , beanfly, podborer,aphids	1 Sachet/18Ll Sprayer	-	-	-
ROTAM PHILIPPINES, INC.	METHOMYL	ROSTOP 40 SP	400 g/kg	SP	INSECTICIDE	2	569-164-3690	22-Jul-25	CONTACT	Sitao	Leafroller, flea beetle , beanfly, podborer,aphids	1 Sachet/18Ll Sprayer	-	-	-
ROTAM PHILIPPINES, INC.	METHOMYL	ROSTOP 40 SP	400 g/kg	SP	INSECTICIDE	2	569-164-3690	22-Jul-25	CONTACT	Corn	Comborer, earworm	1 Sachet/18Ll Sprayer	-	-	-
ROTAM PHILIPPINES, INC.	METHOMYL	ROSTOP 40 SP	400 g/kg	SP	INSECTICIDE	2	569-164-3690	22-Jul-25	CONTACT	Sorghum	Comborer, earworm	1 Sachet/18Ll Sprayer	-	-	-
ROTAM PHILIPPINES, INC.	METHOMYL	ROSTOP 40 SP	400 g/kg	SP	INSECTICIDE	2	569-164-3690	22-Jul-25	CONTACT	Eggplant	Aphids, flea beetle , fruitworm, lady beetle	1 Sachet/18Ll Sprayer	-	-	-
ROTAM PHILIPPINES, INC.	METHOMYL	ROSTOP 40 SP	400 g/kg	SP	INSECTICIDE	2	569-164-3690	22-Jul-25	CONTACT	Melon	Aphids, Squash beetle , leafroller	1 Sachet/18Ll Sprayer	-	-	-
ROTAM PHILIPPINES, INC.	METHOMYL	ROSTOP 40 SP	400 g/kg	SP	INSECTICIDE	2	569-164-3690	22-Jul-25	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leafroller	1 Sachet/18Ll Sprayer	-	3 Days	-
ROTAM PHILIPPINES, INC.	METHOMYL	ROSTOP 40 SP	400 g/kg	SP	INSECTICIDE	2	569-164-3690	22-Jul-25	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	1 Sachet/18Ll Sprayer	-	-	-
ROTAM PHILIPPINES, INC.	METHOMYL	ROSTOP 40 SP	400 g/kg	SP	INSECTICIDE	2	569-164-3690	22-Jul-25	CONTACT	Tomato	Tomato fruitworm, aphids	1 Sachet/18Ll Sprayer	-	-	-
AGRI- SPROUT PHILIPPINES, INC.	GLYPHOSATE IPA	ROOT-OUT 480 SL	480 g/L	SL	HERBICIDE	4	668-151-5067	09-Mar-25	NON-SELECTIVE	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/ha	-	-	-
AGRI- SPROUT PHILIPPINES, INC.	GLYPHOSATE IPA	ROOT-OUT 480 SL	480 g/L	SL	HERBICIDE	4	668-151-5067	09-Mar-25	NON-SELECTIVE	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
AGRI- SPROUT PHILIPPINES, INC.	GLYPHOSATE IPA	ROOT-OUT 480 SL	480 g/L	SL	HERBICIDE	4	668-151-5067	09-Mar-25	NON-SELECTIVE	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
AGRI- SPROUT PHILIPPINES, INC.	GLYPHOSATE IPA	ROOT-OUT 480 SL	480 g/L	SL	HERBICIDE	4	668-151-5067	09-Mar-25	NON-SELECTIVE	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
AGRI- SPROUT PHILIPPINES, INC.	GLYPHOSATE IPA	ROOT-OUT 480 SL	480 g/L	SL	HERBICIDE	4	668-151-5067	09-Mar-25	NON-SELECTIVE	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
AGRI-SPROUT PHILIPPINES, INC.	GLYPHOSATE IPA	ROOT-OUT 480 SL	480 g/L	SL	HERBICIDE	4	668-151-5067	09-Mar-25	NON-SELECTIVE	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liter/ha	-	-	-
AGRI-SPROUT PHILIPPINES, INC.	GLYPHOSATE IPA	ROOT-OUT 480 SL	480 g/L	SL	HERBICIDE	4	668-151-5067	09-Mar-25	NON-SELECTIVE	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liter/ha	-	-	-
AGRI-SPROUT PHILIPPINES, INC.	GLYPHOSATE IPA	ROOT-OUT 480 SL	480 g/L	SL	HERBICIDE	4	668-151-5067	09-Mar-25	NON-SELECTIVE	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liter/ha	-	-	-
AGRI-SPROUT PHILIPPINES, INC.	GLYPHOSATE IPA	ROOT-OUT 480 SL	480 g/L	SL	HERBICIDE	4	668-151-5067	09-Mar-25	NON-SELECTIVE	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liter/ha	-	-	-
AGRI-SPROUT PHILIPPINES, INC.	GLYPHOSATE IPA	ROOT-OUT 480 SL	480 g/L	SL	HERBICIDE	4	668-151-5067	09-Mar-25	NON-SELECTIVE	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liter/ha	-	-	-
AGRI-SPROUT PHILIPPINES, INC.	GLYPHOSATE IPA	ROOT-OUT 480 SL	480 g/L	SL	HERBICIDE	4	668-151-5067	09-Mar-25	NON-SELECTIVE	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liter/ha	-	-	-
AGRI-SPROUT PHILIPPINES, INC.	GLYPHOSATE IPA	ROOT-OUT 480 SL	480 g/L	SL	HERBICIDE	4	668-151-5067	09-Mar-25	NON-SELECTIVE	non-crop	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
BAYER CROSCIENCE, INC.	OXADIAZON	ROWSTAR EC 25	250 g/L	EC	HERBICIDE	4	284-124-0248	29-Aug-26	-	Onion (Transplanted)	Grasses, Sedges, Broad-leaf Weeds	40-100 gm./16 L water	-	-	-
BAYER CROSCIENCE, INC.	OXADIAZON	ROWSTAR EC 25	250 g/L	EC	HERBICIDE	4	284-124-0248	29-Aug-26	-	Rice (Transplanted)	Grasses, Sedges, Broad-leaf Weeds	50-60 gm./16 L water	-	-	-
BAYER CROSCIENCE, INC.	OXADIAZON	ROWSTAR EC 25	250 g/L	EC	HERBICIDE	4	284-124-0248	29-Aug-26	-	Rice (Dry-Seeded)	Grasses, Sedges, Broad-leaf Weeds	40-100 gm./16 L water	-	-	-
BAYER CROSCIENCE, INC.	OXADIAZON	ROWSTAR EC 25	250 g/L	EC	HERBICIDE	4	284-124-0248	29-Aug-26	-	Rice (Direct Seeded Pre-Germinated)	Grasses, Sedges, Broad-leaf Weeds	40-50 gm./16 L water	-	-	-
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	CARBENDAZIM	ROWIN 500 SC	500 g/L	SC	FUNGICIDE	4	376-267-4898	04-Sep-25	SYSTEMIC	Mango	Anthraxnose	1-27bsp/16 L water	-	-	Re-entry is allowed as soon as the spray deposits dry up.
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	CARBENDAZIM	ROWIN 500 SC	500 g/L	SC	FUNGICIDE	4	376-267-4898	04-Sep-25	SYSTEMIC	Banana	Diamond fruit spot, anthracnose	0.5-1.0 ml/16 L water	-	7 days	Re-entry is allowed as soon as the spray deposits dry up.
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	CARBENDAZIM	ROWIN 500 SC	500 g/L	SC	FUNGICIDE	4	376-267-4898	04-Sep-25	SYSTEMIC	Cucurbits	Downy mildew	1-27bsp/16 L water	-	-	Re-entry is allowed as soon as the spray deposits dry up.
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	CARBENDAZIM	ROWIN 500 SC	500 g/L	SC	FUNGICIDE	4	376-267-4898	04-Sep-25	SYSTEMIC	Sugarcane	Pineapple disease	5-10/200L water	-	-	Re-entry is allowed as soon as the spray deposits dry up.
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	CARBENDAZIM	ROWIN 500 SC	500 g/L	SC	FUNGICIDE	4	376-267-4898	04-Sep-25	SYSTEMIC	Green peas	Powdery mildew	1-27bsp/16 L water	-	-	Re-entry is allowed as soon as the spray deposits dry up.
LIOMPHIL INTERNATIONAL INC.	OXADIAZON	ROWGOLD 25 EC	250 g/L	EC	HERBICIDE	4	590-124-5561	12-Oct-24	SELECTIVE (PRE-EMERGENCE)	Onion (Transplanted)	Grasses, Sedges, Broad-leaf Weeds	-	-	-	Re-entry can be done after the spray droplets have dried up. It recommended to keep from distributing the soil, even by treading on the sprayed soil surfaces, to
LIOMPHIL INTERNATIONAL INC.	OXADIAZON	ROWGOLD 25 EC	250 g/L	EC	HERBICIDE	4	590-124-5561	12-Oct-24	SELECTIVE (PRE-EMERGENCE)	Rice (Transplanted)	Grasses, Sedges, Broad-leaf Weeds	-	-	-	Re-entry can be done after the spray droplets have dried up. It recommended to keep from distributing the soil, even by treading on the sprayed soil surfaces, to
LIOMPHIL INTERNATIONAL INC.	OXADIAZON	ROWGOLD 25 EC	250 g/L	EC	HERBICIDE	4	590-124-5561	12-Oct-24	SELECTIVE (PRE-EMERGENCE)	Rice (Dry-Seeded)	Grasses, Sedges, Broad-leaf Weeds	-	-	-	Re-entry can be done after the spray droplets have dried up. It recommended to keep from distributing the soil, even by treading on the sprayed soil surfaces, to
LIOMPHIL INTERNATIONAL INC.	OXADIAZON	ROWGOLD 25 EC	250 g/L	EC	HERBICIDE	4	590-124-5561	12-Oct-24	SELECTIVE (PRE-EMERGENCE)	Rice (Direct Seeded Pre-Germinated)	Grasses, Sedges, Broad-leaf Weeds	-	-	-	Re-entry can be done after the spray droplets have dried up. It recommended to keep from distributing the soil, even by treading on the sprayed soil surfaces, to
JOCANIMA CORPORATION	ABAMECTIN	ROWECTIN 1.8 EC	18 g/L	EC	INSECTICIDE	2	241-234-1553	29-Sep-26	-	Banana	Blossom thrips	0.5/ L water	-	0 day	Re-enter treated area only after spray has dried
JOCANIMA CORPORATION	ABAMECTIN	ROWECTIN 1.8 EC	18 g/L	EC	INSECTICIDE	2	241-234-1553	29-Sep-26	-	Cabbage	Diamond back moth	1000 ml. prod/ha	-	7 days	Re-enter treated area only after spray has dried
JOCANIMA CORPORATION	ABAMECTIN	ROWECTIN 1.8 EC	18 g/L	EC	INSECTICIDE	2	241-234-1553	29-Sep-26	-	Ornamentals	Mites	1.0-1.57bsp/16 L of water	-	-	Re-enter treated area only after spray has dried
JOCANIMA CORPORATION	ABAMECTIN	ROWECTIN 1.8 EC	18 g/L	EC	INSECTICIDE	2	241-234-1553	29-Sep-26	-	Pineapple	Mites	1000-4000ml. prod/ha	-	-	Re-enter treated area only after spray has dried
JOCANIMA CORPORATION	ABAMECTIN	ROWECTIN 1.8 EC	18 g/L	EC	INSECTICIDE	2	241-234-1553	29-Sep-26	-	Eggplant	Thrips, leafhopper, fruit and shoot borer	2.0-5.0 Tbsp/16 L of water	-	3 days	Re-enter treated area only after spray has dried
JOCANIMA CORPORATION	ABAMECTIN	ROWECTIN 1.8 EC	18 g/L	EC	INSECTICIDE	2	241-234-1553	29-Sep-26	-	Onion	leafminer, thrips	2.0-3.0 Tbsp/16 L of water	-	3 days	Re-enter treated area only after spray has dried
JOCANIMA CORPORATION	ABAMECTIN	ROWECTIN 1.8 EC	18 g/L	EC	INSECTICIDE	2	241-234-1553	29-Sep-26	-	Potato	leafminer, thrips	2.0-3.0 Tbsp/16 L of water	-	14 days	Re-enter treated area only after spray has dried
JOCANIMA CORPORATION	ABAMECTIN	ROWECTIN 1.8 EC	18 g/L	EC	INSECTICIDE	2	241-234-1553	29-Sep-26	-	Tomato	leafminer, thrips, aphids	2.0-3.0 Tbsp/16 L of water	-	3 days	Re-enter treated area only after spray has dried
JOCANIMA CORPORATION	ABAMECTIN	ROWECTIN 1.8 EC	18 g/L	EC	INSECTICIDE	2	241-234-1553	29-Sep-26	-	Watermelon	Leafminer, thrips, melonworm	2.0-3.0 Tbsp/16 L of water	-	3 days	Re-enter treated area only after spray has dried
JOCANIMA CORPORATION	ABAMECTIN	ROWECTIN 1.8 EC	18 g/L	EC	INSECTICIDE	2	241-234-1553	29-Sep-26	-	Papaya	Mites	0.5-1.0 Tbsp/16 L of water	-	14 days	Re-enter treated area only after spray has dried
JOCANIMA CORPORATION	ABAMECTIN	ROWECTIN 1.8 EC	18 g/L	EC	INSECTICIDE	2	241-234-1553	29-Sep-26	-	Strawberry	Mites	2.0-4.0 Tbsp/16 L of water	-	3 days	Re-enter treated area only after spray has dried
ROTAM PHILIPPINES, INC.	ABAMECTIN	ROWECTIN 1.8 EC	18 g/L	EC	INSECTICIDE	2	569-234-3688	22-Jul-25	-	Banana	Blossom thrips	0.5/ L water	-	-	-
ROTAM PHILIPPINES, INC.	ABAMECTIN	ROWECTIN 1.8 EC	18 g/L	EC	INSECTICIDE	2	569-234-3688	22-Jul-25	-	Cabbage	Diamond back moth	1000 ml. prod/ha	-	-	-
ROTAM PHILIPPINES, INC.	ABAMECTIN	ROWECTIN 1.8 EC	18 g/L	EC	INSECTICIDE	2	569-234-3688	22-Jul-25	-	Ornamentals	Mites	1.0-1.57bsp/16 L of water	-	-	-
ROTAM PHILIPPINES, INC.	ABAMECTIN	ROWECTIN 1.8 EC	18 g/L	EC	INSECTICIDE	2	569-234-3688	22-Jul-25	-	Pineapple	Mites	1000-4000ml. prod/ha	-	-	-
ROTAM PHILIPPINES, INC.	ABAMECTIN	ROWECTIN 1.8 EC	18 g/L	EC	INSECTICIDE	2	569-234-3688	22-Jul-25	-	Eggplant	Thrips, leafhopper, fruit and shoot borer	2.0-5.0 Tbsp/16 L of water	-	-	-
ROTAM PHILIPPINES, INC.	ABAMECTIN	ROWECTIN 1.8 EC	18 g/L	EC	INSECTICIDE	2	569-234-3688	22-Jul-25	-	Onion	leafminer, thrips	2.0-3.0 Tbsp/16 L of water	-	-	-
ROTAM PHILIPPINES, INC.	ABAMECTIN	ROWECTIN 1.8 EC	18 g/L	EC	INSECTICIDE	2	569-234-3688	22-Jul-25	-	Potato	leafminer, thrips	2.0-3.0 Tbsp/16 L of water	-	-	-
ROTAM PHILIPPINES, INC.	ABAMECTIN	ROWECTIN 1.8 EC	18 g/L	EC	INSECTICIDE	2	569-234-3688	22-Jul-25	-	Tomato	leafminer, thrips, aphids	2.0-3.0 Tbsp/16 L of water	-	-	-
ROTAM PHILIPPINES, INC.	ABAMECTIN	ROWECTIN 1.8 EC	18 g/L	EC	INSECTICIDE	2	569-234-3688	22-Jul-25	-	Watermelon	leafminer, thrips, melonworm	2.0-3.0 Tbsp/16 L of water	-	-	-
ROTAM PHILIPPINES, INC.	ABAMECTIN	ROWECTIN 1.8 EC	18 g/L	EC	INSECTICIDE	2	569-234-3688	22-Jul-25	-	Papaya	Mites	0.5-1.0 Tbsp/16 L of water	-	-	-
ROTAM PHILIPPINES, INC.	ABAMECTIN	ROWECTIN 1.8 EC	18 g/L	EC	INSECTICIDE	2	569-234-3688	22-Jul-25	-	Strawberry	Mites	2.0-4.0 Tbsp/16 L of water	-	-	-
AGRO IRIS PHILIPPINES, INC.	OXYFLUORFEN	ROLEN 240 EC	240 g/L	EC	HERBICIDE	4	762-123-6131	4-Aug-26	SELECTIVE (PRE-POST-EMERGENCE)	Onion	Broadleaves, sedges & grasses	2-4 tbsp/16L water	-	-	-
VAST AGRO SOLUTIONS, INC.	TEBUCONAZOLE+TRIFLOXYSTROBIN	ROKON DX 75 WG	500 g/kg+250 g/kg	WG	FUNGICIDE	4	385-438-5898	21-Dec-24	SYSTEMIC	Mango	Anthraxnose	40-80 g/16 L water	-	30 days	Immediately after spray deposits has dried up
VAST AGRO SOLUTIONS, INC.	TEBUCONAZOLE+TRIFLOXYSTROBIN	ROKON DX 75 WG	500 g/kg+250 g/kg	WG	FUNGICIDE	4	385-438-5898	21-Dec-24	SYSTEMIC	Rice	Rice blast, sheath blight, brown leaf spot and dirty panicle	15-16 g/16 L water	-	35 days	Immediately after spray deposits has dried up
VAST AGRO SOLUTIONS, INC.	TEBUCONAZOLE+TRIFLOXYSTROBIN	ROKON DX 75 WG	500 g/kg+250 g/kg	WG	FUNGICIDE	4	385-438-5898	21-Dec-24	SYSTEMIC	Bittergourd	Powdery mildew, downy mildew, Cercospora leafspot and leaf anthracnose	6-8 g/16L water	-	3 days	Immediately after spray deposits has dried up
VAST AGRO SOLUTIONS, INC.	TEBUCONAZOLE+TRIFLOXYSTROBIN	ROKON DX 75 WG	500 g/kg+250 g/kg	WG	FUNGICIDE	4	385-438-5898	21-Dec-24	SYSTEMIC	Tomato	Early blight	6-8 g/16L water	-	3 days	Immediately after spray deposits has dried up
VAST AGRO SOLUTIONS, INC.	TEBUCONAZOLE+TRIFLOXYSTROBIN	ROKON DX 75 WG	500 g/kg+250 g/kg	WG	FUNGICIDE	4	385-438-5898	21-Dec-24	SYSTEMIC	Eggplant	Cercospora leaf spot	6-8 g/16L water	-	3 days	Immediately after spray deposits has dried up
VAST AGRO SOLUTIONS, INC.	TEBUCONAZOLE+TRIFLOXYSTROBIN	ROKON DX 75 WG	500 g/kg+250 g/kg	WG	FUNGICIDE	4	385-438-5898	21-Dec-24	SYSTEMIC	Onion	Purple blotch	4-8 g/16L water	-	5 days	Immediately after spray deposits has dried up
VAST AGRO SOLUTIONS, INC.	TEBUCONAZOLE+TRIFLOXYSTROBIN	ROKON DX 75 WG	500 g/kg+250 g/kg	WG	FUNGICIDE	4	385-438-5898	21-Dec-24	SYSTEMIC	Corn	Helminthosporium, leaf spot, rust	6-8 g/16L water	-	5 days	Immediately after spray deposits has dried up
VAST AGRO SOLUTIONS, INC.	TEBUCONAZOLE+TRIFLOXYSTROBIN	ROKON DX 75 WG	500 g/kg+250 g/kg	WG	FUNGICIDE	4	385-438-5898	21-Dec-24	SYSTEMIC	Watermelon	Leafspot, powdery mildew	4-8 g/16L water	-	5 days	Immediately after spray deposits has dried up
VAST AGRO SOLUTIONS, INC.	TEBUCONAZOLE+TRIFLOXYSTROBIN	ROKON DX 75 WG	500 g/kg+250 g/kg	WG	FUNGICIDE	4	385-438-5898	21-Dec-24	SYSTEMIC	Potato	Early and late blight	4-8 g/16L water	-	3 days	Immediately after spray deposits has dried up
SINOCHEM CROP PROTECTION (PHLS.) INC.	BUTACHLOR+2,4-D IBE	ROQUE EC	360+240 g/L	EC	HERBICIDE	3	432-152-2303	20-Mar-25	PRE-EMERGENT	Rice (Direct seeded)	Broadleaf weeds,grasses & sedges	8-207bsp/16 L spray/load	Butachlor 0.1ppm 2,4-D IBE 0.1ppm	-	-
SINOCHEM CROP PROTECTION (PHLS.) INC.	BUTACHLOR+2,4-D IBE	ROQUE EC	360+240 g/L	EC	HERBICIDE	3	432-152-2303	20-Mar-25	PRE-EMERGENT	Rice (Transplanted)	Broadleaf weeds,grasses & sedges	8-207bsp/16 L spray/load	Butachlor 0.1ppm 2,4-D IBE 0.1ppm	-	-
SYNGENTA PHILIPPINES INC.	BUTACHLOR+2,4-D IBE	ROQUE EC	360+240 g/L	EC	HERBICIDE	3	011-152-2303	20-Mar-25	PRE-EMERGENT	Rice (Direct seeded)	Broadleaf weeds,grasses & sedges	8-207bsp/16 L spray/load	-	-	-
SYNGENTA PHILIPPINES INC.	BUTACHLOR+2,4-D IBE	ROQUE EC	360+240 g/L	EC	HERBICIDE	3	011-152-2303	20-Mar-25	PRE-EMERGENT	Rice (Transplanted)	Broadleaf weeds,grasses & sedges	8-207bsp/16 L spray/load	-	-	-

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
VERDANT LUSTERCORE CORPORATION	BUTACHLOR-2,4-D IBE	ROEGE 600 EC	300-240 g/L	EC	HERBICIDE	3	546-152-3371	30-Jan-21	PRE-EMERGENT	Rice (Direct-seeded)	Broadleaf weeds,grasses & sedges	8-20tbsp/36 L sprayload	Butachlor 0.1ppm 2,4-D IBE 0.1ppm	-	-
VERDANT LUSTERCORE CORPORATION	BUTACHLOR-2,4-D IBE	ROEGE 600 EC	300-240 g/L	EC	HERBICIDE	3	546-152-3371	30-Jan-21	PRE-EMERGENT	Rice (Transplanted)	Broadleaf weeds,grasses & sedges	8-20tbsp/36 L sprayload	Butachlor 0.1ppm 2,4-D IBE 0.1ppm	-	-
ROM ROEM CHEMICAL CORPORATION	CARTAP HYDROCHLORIDE	ROEMTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	561-106-3654	23-Feb-19	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	1.0-5.0tbsp/36 L water	0.2ppm	Stop spraying 10 days before harvest	
ROM ROEM CHEMICAL CORPORATION	CARTAP HYDROCHLORIDE	ROEMTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	561-106-3654	23-Feb-19	SYSTEMIC	Wetpabok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0tbsp/36 L water			
ROM ROEM CHEMICAL CORPORATION	CARTAP HYDROCHLORIDE	ROEMTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	561-106-3654	23-Feb-19	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0tbsp/36 L water			
ROM ROEM CHEMICAL CORPORATION	CARTAP HYDROCHLORIDE	ROEMTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	561-106-3654	23-Feb-19	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0tbsp/36 L water			
ROM ROEM CHEMICAL CORPORATION	CARTAP HYDROCHLORIDE	ROEMTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	561-106-3654	23-Feb-19	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0tbsp/36 L water			
ROM ROEM CHEMICAL CORPORATION	CARTAP HYDROCHLORIDE	ROEMTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	561-106-3654	23-Feb-19	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0tbsp/36 L water			
ROM ROEM CHEMICAL CORPORATION	CARTAP HYDROCHLORIDE	ROEMTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	561-106-3654	23-Feb-19	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0tbsp/36 L water			
ROM ROEM CHEMICAL CORPORATION	CARTAP HYDROCHLORIDE	ROEMTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	561-106-3654	23-Feb-19	SYSTEMIC	Mango	leafhoppers	1.5-2.0tbsp/36 L water			
ROM ROEM CHEMICAL CORPORATION	CARTAP HYDROCHLORIDE	ROEMTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	561-106-3654	23-Feb-19	SYSTEMIC	Pechay	looper, cutworm, aphids	1.5-3.0tbsp/36 L water			
ROM ROEM CHEMICAL CORPORATION	CARTAP HYDROCHLORIDE	ROEMTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	561-106-3654	23-Feb-19	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leafroller, black bug	1.0-1.5tbsp/36 L of water	0.05ppm	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
ROM ROEM CHEMICAL CORPORATION	LAMBDA-CHYALOTHIRIN	ROEMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	561-204-3655	23-Feb-19	SYSTEMIC	Mango	Hoppers	0.75-1.5tbsp/36 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
ROM ROEM CHEMICAL CORPORATION	LAMBDA-CHYALOTHIRIN	ROEMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	561-204-3655	23-Feb-19	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5tbsp/36 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
ROM ROEM CHEMICAL CORPORATION	LAMBDA-CHYALOTHIRIN	ROEMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	561-204-3655	23-Feb-19	SYSTEMIC	Onion	Thrips, cutworm	1.0tbsp/36 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
ROM ROEM CHEMICAL CORPORATION	LAMBDA-CHYALOTHIRIN	ROEMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	561-204-3655	23-Feb-19	SYSTEMIC	Mungbeans	Beanfly, flea beetle, leafhopper, aphids, mites, podborer	1.0tbsp/36 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
ROM ROEM CHEMICAL CORPORATION	LAMBDA-CHYALOTHIRIN	ROEMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	561-204-3655	23-Feb-19	SYSTEMIC	Corn	Comborer, aphids, seedling maggots	1.0-1.5tbsp/36 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
ROM ROEM CHEMICAL CORPORATION	LAMBDA-CHYALOTHIRIN	ROEMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	561-204-3655	23-Feb-19	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katyids	1.0-1.5tbsp/36 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
ROM ROEM CHEMICAL CORPORATION	LAMBDA-CHYALOTHIRIN	ROEMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	561-204-3655	23-Feb-19	SYSTEMIC	Cotton	Bollworm	1.0-1.5tbsp/36 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
ROM ROEM CHEMICAL CORPORATION	LAMBDA-CHYALOTHIRIN	ROEMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	561-204-3655	23-Feb-19	SYSTEMIC	Cocoa	Podborer	1.0-2.0tbsp/36 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
ROM ROEM CHEMICAL CORPORATION	LAMBDA-CHYALOTHIRIN	ROEMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	561-204-3655	23-Feb-19	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0tbsp/36 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
RAINBOW AGROSCIENCES PHILIPPINES INC.	THIAMETHORAM	ROCKOT XTRA 350 FS	350 g/L	FS	INSECTICIDE	4	539-312-5084	09-Jun-26		Corn (as seed treatment)	Seedling maggot	50ml/ 50-20kg bag of seeds			
RAINBOW AGROSCIENCES PHILIPPINES INC.	THIAMETHORAM	ROCKOT XTRA 350 FS	350 g/L	FS	INSECTICIDE	4	539-312-5084	09-Jun-26		Rice	Greenleafhoppers, Brown planthopper, White backed planthopper	20ml/ 40kg sack of seeds			
RAINBOW AGROSCIENCES PHILIPPINES INC.	THIAMETHORAM	ROCKOT 25 WG	250 g/kg	WG	INSECTICIDE	4	539-312-4102	29-Aug-26	SYSTEMIC/CONTACT	Pineapple	Mealy bug	100-200 g/ha	0.01 mg/kg	No PHI as last application will be 436 days before harvest	Do not enter unless spray deposits have dried
RAINBOW AGROSCIENCES PHILIPPINES INC.	THIAMETHORAM	ROCKOT 25 WG	250 g/kg	WG	INSECTICIDE	4	539-312-4102	29-Aug-26	SYSTEMIC/CONTACT	Mango	Leafhopper	105.6-123.2g prod/ha	0.20 mg/kg	No PHI since applied at least 20-40 days before harvest	Do not enter unless spray deposits have dried
RAINBOW AGROSCIENCES PHILIPPINES INC.	THIAMETHORAM	ROCKOT 25 WG	250 g/kg	WG	INSECTICIDE	4	539-312-4102	29-Aug-26	SYSTEMIC/CONTACT	Rice	Green leafhopper, brown plant hopper, white backed planthopper, rice bug, black bug	4.0-5.0 Tbsp/36 L water; For black bug 7.0-10.0 Tbsp/36 L water		28 days	Do not enter unless spray deposits have dried
RAINBOW AGROSCIENCES PHILIPPINES INC.	THIAMETHORAM	ROCKOT 25 WG	250 g/kg	WG	INSECTICIDE	4	539-312-4102	29-Aug-26	SYSTEMIC/CONTACT	Stringbeans	Aphids, leafhopper	0.5-2.0 Drench, Foliar spray 2.0-5.0 Tbsp/36 L water		7 days	Do not enter unless spray deposits have dried
RAINBOW AGROSCIENCES PHILIPPINES INC.	THIAMETHORAM	ROCKOT 25 WG	250 g/kg	WG	INSECTICIDE	4	539-312-4102	29-Aug-26	SYSTEMIC/CONTACT	Eggplant	Aphids, leafhopper	0.5-2.0 Drench, Foliar spray 2.0-5.0 Tbsp/36 L water		3 days	Do not enter unless spray deposits have dried
RAINBOW AGROSCIENCES PHILIPPINES INC.	THIAMETHORAM	ROCKOT 25 WG	250 g/kg	WG	INSECTICIDE	4	539-312-4102	29-Aug-26	SYSTEMIC/CONTACT	Banana	Flower thrips	4-g/L	0.02 mg/kg	No PHI as will be applied as bud injection	Do not enter unless spray deposits have dried
ZAGRO CORPORATION	DIFENOCONAZOLE	ROCKIE 250 EC	250 g/L	EC	FUNGICIDE	4	043-272-3290	28-Oct-23	SYSTEMIC	Banana	Black Sigatoka	0.30-0.40 L prod/ha			
ZAGRO CORPORATION	DIFENOCONAZOLE	ROCKIE 250 EC	250 g/L	EC	FUNGICIDE	4	043-272-3290	28-Oct-23	SYSTEMIC	Mango	Anthracoise	0.528-0.88 L/ha			
ZAGRO CORPORATION	DIFENOCONAZOLE	ROCKIE 250 EC	250 g/L	EC	FUNGICIDE	4	043-272-3290	28-Oct-23	SYSTEMIC	Rice	Sheath-Blight	0.25-0.30 L/ha			
ZAGRO CORPORATION	DIFENOCONAZOLE	ROCKIE 250 EC	250 g/L	EC	FUNGICIDE	4	043-272-3290	28-Oct-23	SYSTEMIC	Stringbeans	Leaf spot	0.20-0.30 L/ha			
ZAGRO CORPORATION	DIFENOCONAZOLE	ROCKIE 250 EC	250 g/L	EC	FUNGICIDE	4	043-272-3290	28-Oct-23	SYSTEMIC	Eggplant	Leaf spot	0.20-0.30 L/ha			
ZAGRO CORPORATION	DIFENOCONAZOLE	ROCKIE 250 EC	250 g/L	EC	FUNGICIDE	4	043-272-3290	28-Oct-23	SYSTEMIC	Tomato	Alternaria leaf spot, cercospora leafmold,powdery mildew	0.20-0.30 L/ha			
ZAGRO CORPORATION	DIFENOCONAZOLE	ROCKIE 250 EC	250 g/L	EC	FUNGICIDE	4	043-272-3290	28-Oct-23	SYSTEMIC	Cabbage	Ringspot,alternaria	0.20-0.30 L/ha			
ZAGRO CORPORATION	DIFENOCONAZOLE	ROCKIE 250 EC	250 g/L	EC	FUNGICIDE	4	043-272-3290	28-Oct-23	SYSTEMIC	Onion	Purple blotch	0.40-0.50 L/ha			
ZAGRO CORPORATION	DIFENOCONAZOLE	ROCKIE 250 EC	250 g/L	EC	FUNGICIDE	4	043-272-3290	28-Oct-23	SYSTEMIC	Asparagus	Stem and leaf blight	0.36 L/ha			
TEXICON AGR VENTURES CORPORATION	CYPERMETHRIN	ROCKET 5 EC	50 g/L	EC	INSECTICIDE	4	242-037-1198	22-Aug-26	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-1.0 Tbsp/36 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
TEXICON AGR VENTURES CORPORATION	CYPERMETHRIN	ROCKET 5 EC	50 g/L	EC	INSECTICIDE	4	242-037-1198	22-Aug-26	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leafroller, stem borer, armyworm, rice bug	1.0-1.0 Tbsp/36 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
TEXICON AGR VENTURES CORPORATION	CYPERMETHRIN	ROCKET 5 EC	50 g/L	EC	INSECTICIDE	4	242-037-1198	22-Aug-26	CONTACT	Cabbage	Diamond-back-moth, cabbage moth, worm	1.0-1.0 Tbsp/36 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
TEXICON AGR VENTURES CORPORATION	CYPERMETHRIN	ROCKET 5 EC	50 g/L	EC	INSECTICIDE	4	242-037-1198	22-Aug-26	CONTACT	beans	Pod-borer, beanfly, leafminer, aphids, cutworm	1.0-1.0 Tbsp/36 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
TEXICON AGR VENTURES CORPORATION	CYPERMETHRIN	ROCKET 5 EC	50 g/L	EC	INSECTICIDE	4	242-037-1198	22-Aug-26	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-1.0 Tbsp/36 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
TEXICON AGR VENTURES CORPORATION	CYPERMETHRIN	ROCKET 5 EC	50 g/L	EC	INSECTICIDE	4	242-037-1198	22-Aug-26	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-1.0 Tbsp/36 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
TEXICON AGR VENTURES CORPORATION	CYPERMETHRIN	ROCKET 5 EC	50 g/L	EC	INSECTICIDE	4	242-037-1198	22-Aug-26	CONTACT	Onion	Thrips, cutworm	1.0-1.0 Tbsp/36 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
TEXICON AGR VENTURES CORPORATION	CYPERMETHRIN	ROCKET 5 EC	50 g/L	EC	INSECTICIDE	4	242-037-1198	22-Aug-26	CONTACT	Banana	Thrips, scarring beetle	1.0-1.0 Tbsp/36 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
TEXICON AGR VENTURES CORPORATION	CYPERMETHRIN	ROCKET 5 EC	50 g/L	EC	INSECTICIDE	4	242-037-1198	22-Aug-26	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-2.0 Tbsp/36 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
TEXICON AGR VENTURES CORPORATION	CYPERMETHRIN	ROCKET 5 EC	50 g/L	EC	INSECTICIDE	4	242-037-1198	22-Aug-26	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-1.0 Tbsp/36 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
TEXICON AGR VENTURES CORPORATION	CYPERMETHRIN	ROCKET 5 EC	50 g/L	EC	INSECTICIDE	4	242-037-1198	22-Aug-26	CONTACT	Corn	Comborer, earworm	1.0-4.5 Tbsp/36 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
R & A AGROFARM PRODUCTS, INC.	MANCOZEB	ROBIN 80 WP	800 g/kg	WP	FUNGICIDE	4	450-053-2457	29-Jun-18		Potato	Early and late blight	3-6 Tbsp/36 L water			As soon as spray dries
R & A AGROFARM PRODUCTS, INC.	MANCOZEB	ROBIN 80 WP	800 g/kg	WP	FUNGICIDE	4	450-053-2457	29-Jun-18		Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water		7 Days	As soon as spray dries
R & A AGROFARM PRODUCTS, INC.	MANCOZEB	ROBIN 80 WP	800 g/kg	WP	FUNGICIDE	4	450-053-2457	29-Jun-18		Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water		7 Days	As soon as spray dries
R & A AGROFARM PRODUCTS, INC.	MANCOZEB	ROBIN 80 WP	800 g/kg	WP	FUNGICIDE	4	450-053-2457	29-Jun-18		Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water		7 Days	As soon as spray dries
R & A AGROFARM PRODUCTS, INC.	MANCOZEB	ROBIN 80 WP	800 g/kg	WP	FUNGICIDE	4	450-053-2457	29-Jun-18		Celery	Late blight	3-6 Tbsp/36 L water		14 Days	As soon as spray dries
R & A AGROFARM PRODUCTS, INC.	MANCOZEB	ROBIN 80 WP	800 g/kg	WP	FUNGICIDE	4	450-053-2457	29-Jun-18		Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water		5 days	As soon as spray dries
R & A AGROFARM PRODUCTS, INC.	MANCOZEB	ROBIN 80 WP	800 g/kg	WP	FUNGICIDE	4	450-053-2457	29-Jun-18		Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water		5 days	As soon as spray dries

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
R & A AGROFARM PRODUCTS, INC.	MANCOZEB	ROBIN 80 WP	800 g/kg	WP	FUNGICIDE	4	450-053-2457	29-Jun-18	-	Cotton	Damping off	3-6 Tbsp/36 L water	-	-	As soon as spray dries
R & A AGROFARM PRODUCTS, INC.	MANCOZEB	ROBIN 80 WP	800 g/kg	WP	FUNGICIDE	4	450-053-2457	29-Jun-18	-	lettuce	Downy mildew	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
R & A AGROFARM PRODUCTS, INC.	MANCOZEB	ROBIN 80 WP	800 g/kg	WP	FUNGICIDE	4	450-053-2457	29-Jun-18	-	beans	Anthracoese, Downy mildew, Rust	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
R & A AGROFARM PRODUCTS, INC.	MANCOZEB	ROBIN 80 WP	800 g/kg	WP	FUNGICIDE	4	450-053-2457	29-Jun-18	-	Peas	Anthracoese, Downy mildew, Rust	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
R & A AGROFARM PRODUCTS, INC.	MANCOZEB	ROBIN 80 WP	800 g/kg	WP	FUNGICIDE	4	450-053-2457	29-Jun-18	-	Mungo	Anthracoese, Downy mildew, Rust	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
R & A AGROFARM PRODUCTS, INC.	MANCOZEB	ROBIN 80 WP	800 g/kg	WP	FUNGICIDE	4	450-053-2457	29-Jun-18	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
R & A AGROFARM PRODUCTS, INC.	MANCOZEB	ROBIN 80 WP	800 g/kg	WP	FUNGICIDE	4	450-053-2457	29-Jun-18	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
R & A AGROFARM PRODUCTS, INC.	MANCOZEB	ROBIN 80 WP	800 g/kg	WP	FUNGICIDE	4	450-053-2457	29-Jun-18	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
R & A AGROFARM PRODUCTS, INC.	MANCOZEB	ROBIN 80 WP	800 g/kg	WP	FUNGICIDE	4	450-053-2457	29-Jun-18	-	Pepper	Anthracoese	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
R & A AGROFARM PRODUCTS, INC.	MANCOZEB	ROBIN 80 WP	800 g/kg	WP	FUNGICIDE	4	450-053-2457	29-Jun-18	-	Chili	Anthracoese	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
R & A AGROFARM PRODUCTS, INC.	MANCOZEB	ROBIN 80 WP	800 g/kg	WP	FUNGICIDE	4	450-053-2457	29-Jun-18	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
R & A AGROFARM PRODUCTS, INC.	MANCOZEB	ROBIN 80 WP	800 g/kg	WP	FUNGICIDE	4	450-053-2457	29-Jun-18	-	Banana	Sigatoka, Black leaf streak	3-6 Tbsp/36 L water	-	-	As soon as spray dries
R & A AGROFARM PRODUCTS, INC.	MANCOZEB	ROBIN 80 WP	800 g/kg	WP	FUNGICIDE	4	450-053-2457	29-Jun-18	-	grapes	Downy mildew, black rot	3-6 Tbsp/36 L water	-	60 days	As soon as spray dries
R & A AGROFARM PRODUCTS, INC.	MANCOZEB	ROBIN 80 WP	800 g/kg	WP	FUNGICIDE	4	450-053-2457	29-Jun-18	-	Mango	Anthracoese and Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
R & A AGROFARM PRODUCTS, INC.	MANCOZEB	ROBIN 80 WP	800 g/kg	WP	FUNGICIDE	4	450-053-2457	29-Jun-18	-	Papaya	Fruit rot	3-6 Tbsp/36 L water	-	-	As soon as spray dries
R & A AGROFARM PRODUCTS, INC.	MANCOZEB	ROBIN 80 WP	800 g/kg	WP	FUNGICIDE	4	450-053-2457	29-Jun-18	-	Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
R & A AGROFARM PRODUCTS, INC.	MANCOZEB	ROBIN 80 WP	800 g/kg	WP	FUNGICIDE	4	450-053-2457	29-Jun-18	-	Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
R & A AGROFARM PRODUCTS, INC.	MANCOZEB	ROBIN 80 WP	800 g/kg	WP	FUNGICIDE	4	450-053-2457	29-Jun-18	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
R & A AGROFARM PRODUCTS, INC.	MANCOZEB	ROBIN 80 WP	800 g/kg	WP	FUNGICIDE	4	450-053-2457	29-Jun-18	-	Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/36 L water	0.02ppm	-	As soon as spray dries
R & A AGROFARM PRODUCTS, INC.	MANCOZEB	ROBIN 80 WP	800 g/kg	WP	FUNGICIDE	4	450-053-2457	29-Jun-18	-	Peanut	Cercospora leaf spot	3-6 Tbsp/36 L water	-	14 Days	As soon as spray dries
R & A AGROFARM PRODUCTS, INC.	MANCOZEB	ROBIN 80 WP	800 g/kg	WP	FUNGICIDE	4	450-053-2457	29-Jun-18	-	soybeans	Leaf rust	3-6 Tbsp/36 L water	-	-	As soon as spray dries
R & A AGROFARM PRODUCTS, INC.	MANCOZEB	ROBIN 80 WP	800 g/kg	WP	FUNGICIDE	4	450-053-2457	29-Jun-18	-	Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/36 L water	-	-	As soon as spray dries
PLANTERS PRODUCTS INC.	CYHALOPIR BUTYL-BISPYRIBAC SODIUM	ROADRUNNER 200 OD	150 g/L +50 g/L	OD	HERBICIDE	4	081-904-6161	20-Oct-25	POST-EMERGENT	Rice (Direct Seeded)	Grasses (Echinochloa sp., Lysitochia chinensis, and Ischaemum rugosum), broadleaves (Sphenoclea zeylanica, Ludwigia octovalvis)	-	-	-	Re-entry to treated field is allowed as soon as spray deposits dry up.
NANDIN'S AGRO SALES INC.	GLYPHOSATE IPA	RNN GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	453-151-3473	28-Jul-21	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/ha	-	-	-
NANDIN'S AGRO SALES INC.	GLYPHOSATE IPA	RNN GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	453-151-3473	28-Jul-21	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
NANDIN'S AGRO SALES INC.	GLYPHOSATE IPA	RNN GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	453-151-3473	28-Jul-21	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
NANDIN'S AGRO SALES INC.	GLYPHOSATE IPA	RNN GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	453-151-3473	28-Jul-21	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
NANDIN'S AGRO SALES INC.	GLYPHOSATE IPA	RNN GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	453-151-3473	28-Jul-21	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
NANDIN'S AGRO SALES INC.	GLYPHOSATE IPA	RNN GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	453-151-3473	28-Jul-21	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
NANDIN'S AGRO SALES INC.	GLYPHOSATE IPA	RNN GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	453-151-3473	28-Jul-21	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
NANDIN'S AGRO SALES INC.	GLYPHOSATE IPA	RNN GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	453-151-3473	28-Jul-21	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
NANDIN'S AGRO SALES INC.	GLYPHOSATE IPA	RNN GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	453-151-3473	28-Jul-21	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/ha	-	-	-
NANDIN'S AGRO SALES INC.	GLYPHOSATE IPA	RNN GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	453-151-3473	28-Jul-21	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
NANDIN'S AGRO SALES INC.	GLYPHOSATE IPA	RNN GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	453-151-3473	28-Jul-21	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
NANDIN'S AGRO SALES INC.	GLYPHOSATE IPA	RNN GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	453-151-3473	28-Jul-21	POST-EMERGENT	non-crop	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
ARIES RNE CHEMICAL CORPORATION	DIURON	RNE DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	478-021-2724	09-Mar-25	SYSTEMIC	Citrus	Annual and Perennial broadleaves and grasses	11.0-19.0Tbsp/36 L water	-	-	Entry to fields treated with RNE DIURON 80 WP can be done one day after application
ARIES RNE CHEMICAL CORPORATION	DIURON	RNE DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	478-021-2724	09-Mar-25	SYSTEMIC	Coffee	Annual and Perennial broadleaves and grasses	11.0-19.0Tbsp/36 L water	-	-	Entry to fields treated with RNE DIURON 80 WP can be done one day after application
ARIES RNE CHEMICAL CORPORATION	DIURON	RNE DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	478-021-2724	09-Mar-25	SYSTEMIC	Cotton	Annual and Perennial broadleaves and grasses	8.0Tbsp/36 L water	-	-	Entry to fields treated with RNE DIURON 80 WP can be done one day after application
ARIES RNE CHEMICAL CORPORATION	DIURON	RNE DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	478-021-2724	09-Mar-25	SYSTEMIC	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0Tbsp/36 L water	-	-	Entry to fields treated with RNE DIURON 80 WP can be done one day after application
ARIES RNE CHEMICAL CORPORATION	DIURON	RNE DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	478-021-2724	09-Mar-25	SYSTEMIC	Pineapple	Annual and Perennial broadleaves and grasses	11.0Tbsp/36 L water	-	-	Entry to fields treated with RNE DIURON 80 WP can be done one day after application
ARIES RNE CHEMICAL CORPORATION	DIURON	RNE DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	478-021-2724	09-Mar-25	SYSTEMIC	Non-crop land	Annual and Perennial broadleaves and grasses	20.0-28.0Tbsp/36 L water	-	-	Entry to fields treated with RNE DIURON 80 WP can be done one day after application
ARIES RNE CHEMICAL CORPORATION	2,4-D IBE	RNE 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	478-049-2638	04-Nov-23	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual Broadleaves & sedges	5.0-6.50Tbsp/36 L water	0.1 ppm	-	Do not spray within two days before harvest
ARIES RNE CHEMICAL CORPORATION	2,4-D IBE	RNE 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	478-049-2638	04-Nov-23	SELECTIVE (POST-EMERGENT)	corn	Annual Broadleaves & sedges	5.0-6.50Tbsp/36 L water	-	-	Entry to field and crops treated with RNE 2,4-D Ester can be done one day after spraying
ARIES RNE CHEMICAL CORPORATION	2,4-D IBE	RNE 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	478-049-2638	04-Nov-23	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual Broadleaves & sedges	5.0-6.50Tbsp/36 L water	-	-	Entry to field and crops treated with RNE 2,4-D Ester can be done one day after spraying
FKA AGRI CHEMICAL CORPORATION	METSULFURON-METHYL-CHLORIMURON ETHYL	RIZATTAC 20 WP	100g/kg-100g/kg	WP	INSECTICIDE	4	399-286-6427	5-May-24	POST-EMERGENCE	Rice (Direct-seeded)	Broadleaf weeds and sedges	5-10 tankloads/ ha	-	-	As soon as spray mist dries up
FKA AGRI CHEMICAL CORPORATION	METSULFURON-METHYL-CHLORIMURON ETHYL	RIZATTAC 20 WP	100g/kg-100g/kg	WP	INSECTICIDE	4	399-286-6427	5-May-24	POST-EMERGENCE	Rice (Transplanted)	Broadleaf weeds and sedges	5-10 tankloads/ ha	-	-	As soon as spray mist dries up
VETMATE FARMA CORP.	METALDEHYDE	RIVADON 6N P	60 g/kg	P	MOLLUSCICIDE	4	658-075-6145	7-Feb-24	-	Rice (Transplanted)	Golden apple snail	2-4 kgs./ha	-	-	Do not enter treated field within 48 hours after application
VETMATE FARMA CORP.	METALDEHYDE	RIVADON 6N P	60 g/kg	P	MOLLUSCICIDE	4	658-075-6145	7-Feb-24	-	Rice (Direct-seeded)	Golden apple snail	4-8 kgs./ha	-	-	Do not enter treated field within 48 hours after application
VETMATE FARMA CORP.	METALDEHYDE	RIVADON 6N P	60 g/kg	P	MOLLUSCICIDE	4	658-075-6145	7-Feb-24	-	Potted and driftwood-attached plants such as cloverlens	Bush snails, giant african snails and slugs	1-2 kgs./ha	-	-	Do not enter treated field within 48 hours after application
VETMATE FARMA CORP.	METALDEHYDE	RIVADON 6N P	60 g/kg	P	MOLLUSCICIDE	4	658-075-6145	7-Feb-24	-	Slugs, snails	Slugs, snails	6-8 kgs./ha	-	-	Do not enter treated field within 48 hours after application
VETMATE FARMA CORP.	METALDEHYDE	RIVADON 6N P	60 g/kg	P	MOLLUSCICIDE	4	658-075-6145	7-Feb-24	-	Strawberry	Slugs, snails	6-8 kgs./ha	-	-	Do not enter treated field within 48 hours after application
RAINBOW AGROSCIENCES PHILIPPINES INC.	FENOXAPROP P-ETHYL-ETHOXYXISULFURON	RISUN 90 SC	60-21 g/L	SC	HERBICIDE	3	539-357-5383	28-Jun-24	SYSTEMIC/CONTACT	Rice (Transplanted)	Annual grasses, sedges and broadleaf weeds	900 mL Dosage Prod./ha(mL)	-	-	After spray deposits have dried.
RAINBOW AGROSCIENCES PHILIPPINES INC.	FENOXAPROP P-ETHYL-ETHOXYXISULFURON	RISUN 90 SC	60-21 g/L	SC	HERBICIDE	3	539-357-5383	28-Jun-24	SYSTEMIC/CONTACT	Rice (Direct-seeded Wet-Sown)	Annual grasses, sedges and broadleaf weeds	900 mL Dosage Prod./ha(mL)	-	-	After spray deposits have dried.
MONARC CROP SOLUTIONS PROVIDER CORPORATION	BUTACHLOR	RIS 600 EC	600 g/L	EC	HERBICIDE	3	550-150-4966	05-Jun-22	-	Transplanted rice	Grasses sedges	8Tbsp. (2-4 DAT)(7Tbsp (0-4 DAT) 9Tbsp(7Tbsp	0.1ppm	-	-
MONARC CROP SOLUTIONS PROVIDER CORPORATION	BUTACHLOR	RIS 600 EC	600 g/L	EC	HERBICIDE	3	550-150-4966	05-Jun-22	-	Direct seeded rice	Grasses sedges	8Tbsp (2-4 DMS), 7Tbsp (2-4 DMS), 11 Tbsp (10 DAT)	0.1ppm	-	-

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
ALTACROP PROTECTION CORPORATION	CLOTHIANIDIN	RIFTOX 20 SC	200 g/L	SC	INSECTICIDE	4	351-379-9766	31-May-25		Rice	Rice black bug	4-5 tbsp/36L			
ALTACROP PROTECTION CORPORATION	GLYPHOSATE IPA	RINGSIDE 480 SL	480 g/L	SL	HERBICIDE	4	351-151-2432	02-Sep-24	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/ha			
ALTACROP PROTECTION CORPORATION	GLYPHOSATE IPA	RINGSIDE 480 SL	480 g/L	SL	HERBICIDE	4	351-151-2432	02-Sep-24	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha			
ALTACROP PROTECTION CORPORATION	GLYPHOSATE IPA	RINGSIDE 480 SL	480 g/L	SL	HERBICIDE	4	351-151-2432	02-Sep-24	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha			
ALTACROP PROTECTION CORPORATION	GLYPHOSATE IPA	RINGSIDE 480 SL	480 g/L	SL	HERBICIDE	4	351-151-2432	02-Sep-24	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha			
ALTACROP PROTECTION CORPORATION	GLYPHOSATE IPA	RINGSIDE 480 SL	480 g/L	SL	HERBICIDE	4	351-151-2432	02-Sep-24	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha			
ALTACROP PROTECTION CORPORATION	GLYPHOSATE IPA	RINGSIDE 480 SL	480 g/L	SL	HERBICIDE	4	351-151-2432	02-Sep-24	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha			
ALTACROP PROTECTION CORPORATION	GLYPHOSATE IPA	RINGSIDE 480 SL	480 g/L	SL	HERBICIDE	4	351-151-2432	02-Sep-24	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha			
ALTACROP PROTECTION CORPORATION	GLYPHOSATE IPA	RINGSIDE 480 SL	480 g/L	SL	HERBICIDE	4	351-151-2432	02-Sep-24	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha			
ALTACROP PROTECTION CORPORATION	GLYPHOSATE IPA	RINGSIDE 480 SL	480 g/L	SL	HERBICIDE	4	351-151-2432	02-Sep-24	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/ha			
ALTACROP PROTECTION CORPORATION	GLYPHOSATE IPA	RINGSIDE 480 SL	480 g/L	SL	HERBICIDE	4	351-151-2432	02-Sep-24	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha			
ALTACROP PROTECTION CORPORATION	GLYPHOSATE IPA	RINGSIDE 480 SL	480 g/L	SL	HERBICIDE	4	351-151-2432	02-Sep-24	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha			
ALTACROP PROTECTION CORPORATION	GLYPHOSATE IPA	RINGSIDE 480 SL	480 g/L	SL	HERBICIDE	4	351-151-2432	02-Sep-24	POST-EMERGENT	Non-crop	Annual & perennial grasses, broadleaf weeds & sedges				
JARDINE DISTRIBUTION, INC.	METOMNOSTROBIN	RINGO-L 20 SC	200 g/L	SC	FUNGICIDE	2	367-424-2932	01-Jul-23	SYSTEMIC	Mango	Anthraxnose	0.8-1.2 tbsp prod/36L water		7 days	Do not enter treated fields until spray deposit have completely dried
JARDINE DISTRIBUTION, INC.	METOMNOSTROBIN	RINGO-L 20 SC	200 g/L	SC	FUNGICIDE	2	367-424-2932	01-Jul-23	SYSTEMIC	Onion	Anthraxnose/twister bulb rot	0.8-2.0 tbsp prod/36L water		14 days	Do not enter treated fields until spray deposit have completely dried
OLD TOWN AGRICULTURAL KINDS CORP.	METOMNOSTROBIN	RINGO-L 20 SC	200 g/L	SC	FUNGICIDE	2	409-424-5440	12-May-24	SYSTEMIC	Mango	Anthraxnose	0.8-1.2 tbsp prod/36L water	0.01 ppm	7 days	Do not enter treated fields until spray deposit have completely dried
OLD TOWN AGRICULTURAL KINDS CORP.	METOMNOSTROBIN	RINGO-L 20 SC	200 g/L	SC	FUNGICIDE	2	409-424-5440	12-May-24	SYSTEMIC	Onion	Anthraxnose/twister bulb rot	0.8-2.0 tbsp prod/36L water	0.01 ppm	14 days	Do not enter treated fields until spray deposit have completely dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	NOVALURON-BIFENTHREN	RIMON FAST 100 SC	50+50g/L	SC	INSECTICIDE	2	099-484-4533	04-Oct-24	CONTACT	Cabbage	Diamond back moth	1.5-2.0 tbsp/36L water		3 days	Re-entry to treated field is allowed as soon as spray deposits have dried
MAGAN AGRO PHILS., ENTERPRISE, INC.	NOVALURON-BIFENTHREN	RIMON FAST 100 SC	50+50g/L	SC	INSECTICIDE	2	461-484-4452	25-Jul-24	CONTACT	Cabbage	Diamond back moth	1.5-2.0 tbsp/36L water		3 days	Re-entry to treated field is allowed as soon as spray deposits have dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	NOVALURON	RIMON 10 EC	100 g/L	EC	INSECTICIDE	4	099-349-1128	30-Jul-26		Cabbage	Diamond back moth	1-2 tbsp/36L		1 week	1 day
PLANTCARE TRADING CORPORATION	CLOTHIANIDIN	BIGOR 20 SC	200 g/L	SC	INSECTICIDE	4	495-379-5895	31-May-25		Rice	Rice black bug	4-5 tbsp/ 36L			
TOTAL FARM CARE AGR PRODUCTS INC.	THIOPHANATE METHYL	RIGHT-F 70 WP	700 g/kg	WP	FUNGICIDE	4	533-107-3481	14-Aug-18	SYSTEMIC	Rice	Blast, neck rot, black spot	1.5-2.0 TBSP/36L Water	1.0ppm	14 days	
TOTAL FARM CARE AGR PRODUCTS INC.	THIOPHANATE METHYL	RIGHT-F 70 WP	700 g/kg	WP	FUNGICIDE	4	533-107-3481	14-Aug-18	SYSTEMIC	Mango	Anthraxnose	0.5-1.0 TBSP/36L Water			
TOTAL FARM CARE AGR PRODUCTS INC.	THIOPHANATE METHYL	RIGHT-F 70 WP	700 g/kg	WP	FUNGICIDE	4	533-107-3481	14-Aug-18	SYSTEMIC	Tobacco	Frog eye leaf spot	0.5-1.0 TBSP/36L Water			
TOTAL FARM CARE AGR PRODUCTS INC.	THIOPHANATE METHYL	RIGHT-F 70 WP	700 g/kg	WP	FUNGICIDE	4	533-107-3481	14-Aug-18	SYSTEMIC	Tomato	Powdery mildew	0.5-1.0 TBSP/36L Water			
TOTAL FARM CARE AGR PRODUCTS INC.	THIOPHANATE METHYL	RIGHT-F 70 WP	700 g/kg	WP	FUNGICIDE	4	533-107-3481	14-Aug-18	SYSTEMIC	Legumes	Cercospora leaf spot, Anthracnose, botrytis leaf spot, fusarium wilt, powdery mildew	0.5-1.0 TBSP/36L Water			
TOTAL FARM CARE AGR PRODUCTS INC.	THIOPHANATE METHYL	RIGHT-F 70 WP	700 g/kg	WP	FUNGICIDE	4	533-107-3481	14-Aug-18	SYSTEMIC	Beans	Cercospora leaf spot, Anthracnose, botrytis leaf spot, fusarium wilt, powdery mildew	0.5-1.0 TBSP/36L Water			
TOTAL FARM CARE AGR PRODUCTS INC.	THIOPHANATE METHYL	RIGHT-F 70 WP	700 g/kg	WP	FUNGICIDE	4	533-107-3481	14-Aug-18	SYSTEMIC	Cucumber	Powdery mildew, Gummy Stem blight, leaf and fruit spots	0.5-1.0 TBSP/36L Water			
TOTAL FARM CARE AGR PRODUCTS INC.	THIOPHANATE METHYL	RIGHT-F 70 WP	700 g/kg	WP	FUNGICIDE	4	533-107-3481	14-Aug-18	SYSTEMIC	Melon	Powdery mildew, Gummy Stem blight, leaf and fruit spots	0.5-1.0 TBSP/36L Water			
TOTAL FARM CARE AGR PRODUCTS INC.	THIOPHANATE METHYL	RIGHT-F 70 WP	700 g/kg	WP	FUNGICIDE	4	533-107-3481	14-Aug-18	SYSTEMIC	Ornamentals	Powdery mildew, black spots	0.5-1.0 TBSP/36L Water			
TOTAL FARM CARE AGR PRODUCTS INC.	THIOPHANATE METHYL	RIGHT-F 70 WP	700 g/kg	WP	FUNGICIDE	4	533-107-3481	14-Aug-18	SYSTEMIC	Dichide	Powdery mildew, black spots	0.5-1.0 TBSP/36L Water			
TOTAL FARM CARE AGR PRODUCTS INC.	THIOPHANATE METHYL	RIGHT-F 70 WP	700 g/kg	WP	FUNGICIDE	4	533-107-3481	14-Aug-18	SYSTEMIC	Cabbage	Shot hole disease, cercospora leaf spot	0.5-1.0 TBSP/36L Water			
TOTAL FARM CARE AGR PRODUCTS INC.	THIOPHANATE METHYL	RIGHT-F 70 WP	700 g/kg	WP	FUNGICIDE	4	533-107-3481	14-Aug-18	SYSTEMIC	Cauliflower	Shot hole disease, cercospora leaf spot	0.5-1.0 TBSP/36L Water			
TOTAL FARM CARE AGR PRODUCTS INC.	THIOPHANATE METHYL	RIGHT-F 70 WP	700 g/kg	WP	FUNGICIDE	4	533-107-3481	14-Aug-18	SYSTEMIC	Lettuce	Shot hole disease, cercospora leaf spot	0.5-1.0 TBSP/36L Water			
TOTAL FARM CARE AGR PRODUCTS INC.	THIOPHANATE METHYL	RIGHT-F 70 WP	700 g/kg	WP	FUNGICIDE	4	533-107-3481	14-Aug-18	SYSTEMIC	Strawberry	Powdery mildew	0.5-1.0 TBSP/36L Water			
TOTAL FARM CARE AGR PRODUCTS INC.	THIOPHANATE METHYL	RIGHT-F 70 WP	700 g/kg	WP	FUNGICIDE	4	533-107-3481	14-Aug-18	SYSTEMIC	Grapes	Fruit rot, Powdery mildew, anthracnose	0.5-1.0 TBSP/36L Water			
TOTAL FARM CARE AGR PRODUCTS INC.	THIOPHANATE METHYL	RIGHT-F 70 WP	700 g/kg	WP	FUNGICIDE	4	533-107-3481	14-Aug-18	SYSTEMIC	Orange	Scabs	0.5-1.0 TBSP/36L Water			
TOTAL FARM CARE AGR PRODUCTS INC.	THIOPHANATE METHYL	RIGHT-F 70 WP	700 g/kg	WP	FUNGICIDE	4	533-107-3481	14-Aug-18	SYSTEMIC	Citrus	Scabs	0.5-1.0 TBSP/36L Water			
TOTAL FARM CARE AGR PRODUCTS INC.	THIOPHANATE METHYL	RIGHT-F 70 WP	700 g/kg	WP	FUNGICIDE	4	533-107-3481	14-Aug-18	SYSTEMIC	Calamansi	Scabs	0.5-1.0 TBSP/36L Water			
TOTAL FARM CARE AGR PRODUCTS INC.	THIOPHANATE METHYL	RIGHT-F 70 WP	700 g/kg	WP	FUNGICIDE	4	533-107-3481	14-Aug-18	SYSTEMIC	Banana	Sigatoka disease	1.5-2.0 TBSP/36L Water			
TOTAL FARM CARE AGR PRODUCTS INC.	THIOPHANATE METHYL	RIGHT-F 70 WP	700 g/kg	WP	FUNGICIDE	4	533-107-3481	14-Aug-18	SYSTEMIC	Papaya	Powdery mildew	0.5-1.0 TBSP/36L Water			
EVERLAND AGRIC CORPORATION	CHLOROTHALONIL	RIGHT TRAC 720 SC	720 g/L	SC	FUNGICIDE	4	261-118-2147	24-Mar-20		Potato	Early blight, late blight, vine rot	1.00-1.90 L/ha or 4.5-6.0 tbsp/36L		7-14 days	Do not enter treatment areas until spray deposit have dried
EVERLAND AGRIC CORPORATION	CHLOROTHALONIL	RIGHT TRAC 720 SC	720 g/L	SC	FUNGICIDE	4	261-118-2147	24-Mar-20		Tomato	Early blight, late blight, vine rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L		7-14 days	Do not enter treatment areas until spray deposit have dried
EVERLAND AGRIC CORPORATION	CHLOROTHALONIL	RIGHT TRAC 720 SC	720 g/L	SC	FUNGICIDE	4	261-118-2147	24-Mar-20		Beans	Rust, anthracnose	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L		7-14 days	Do not enter treatment areas until spray deposit have dried
EVERLAND AGRIC CORPORATION	CHLOROTHALONIL	RIGHT TRAC 720 SC	720 g/L	SC	FUNGICIDE	4	261-118-2147	24-Mar-20		Carrot	Alternaria leaf spot, cercospora leaf spot, helminthosporium leaf spot	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L		7-14 days	Do not enter treatment areas until spray deposit have dried
EVERLAND AGRIC CORPORATION	CHLOROTHALONIL	RIGHT TRAC 720 SC	720 g/L	SC	FUNGICIDE	4	261-118-2147	24-Mar-20		Crucifers	Powdery mildew	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L		7-14 days	Do not enter treatment areas until spray deposit have dried
EVERLAND AGRIC CORPORATION	CHLOROTHALONIL	RIGHT TRAC 720 SC	720 g/L	SC	FUNGICIDE	4	261-118-2147	24-Mar-20		Melon	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L		7-14 days	Do not enter treatment areas until spray deposit have dried
EVERLAND AGRIC CORPORATION	CHLOROTHALONIL	RIGHT TRAC 720 SC	720 g/L	SC	FUNGICIDE	4	261-118-2147	24-Mar-20		Cucumber	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L		7-14 days	Do not enter treatment areas until spray deposit have dried
EVERLAND AGRIC CORPORATION	CHLOROTHALONIL	RIGHT TRAC 720 SC	720 g/L	SC	FUNGICIDE	4	261-118-2147	24-Mar-20		Squash	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L		7-14 days	Do not enter treatment areas until spray deposit have dried
EVERLAND AGRIC CORPORATION	CHLOROTHALONIL	RIGHT TRAC 720 SC	720 g/L	SC	FUNGICIDE	4	261-118-2147	24-Mar-20		Watermelon	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L		7-14 days	Do not enter treatment areas until spray deposit have dried
EVERLAND AGRIC CORPORATION	CHLOROTHALONIL	RIGHT TRAC 720 SC	720 g/L	SC	FUNGICIDE	4	261-118-2147	24-Mar-20		Gallery	Early blight, late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L		7-14 days	Do not enter treatment areas until spray deposit have dried
EVERLAND AGRIC CORPORATION	CHLOROTHALONIL	RIGHT TRAC 720 SC	720 g/L	SC	FUNGICIDE	4	261-118-2147	24-Mar-20		Eggplant	Early blight, late blight, cercospora leafspot, anthracnose	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L		7-14 days	Do not enter treatment areas until spray deposit have dried
EVERLAND AGRIC CORPORATION	CHLOROTHALONIL	RIGHT TRAC 720 SC	720 g/L	SC	FUNGICIDE	4	261-118-2147	24-Mar-20		Onion	Purple blotch, bulb rot, neck rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L		7-14 days	Do not enter treatment areas until spray deposit have dried
EVERLAND AGRIC CORPORATION	CHLOROTHALONIL	RIGHT TRAC 720 SC	720 g/L	SC	FUNGICIDE	4	261-118-2147	24-Mar-20		Pepper	Early blight, cercospora leaf spot, anthracnose	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L		7-14 days	Do not enter treatment areas until spray deposit have dried
EVERLAND AGRIC CORPORATION	CHLOROTHALONIL	RIGHT TRAC 720 SC	720 g/L	SC	FUNGICIDE	4	261-118-2147	24-Mar-20		Grapes	Downy mildew, powdery mildew, fruit rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L		7-14 days	Do not enter treatment areas until spray deposit have dried
EVERLAND AGRIC CORPORATION	CHLOROTHALONIL	RIGHT TRAC 720 SC	720 g/L	SC	FUNGICIDE	4	261-118-2147	24-Mar-20		Mango	Anthraxnose, diploida rot	3.75-5.60 L/ha or 4.5-6.0 tbsp/36L	0.5 mg/kg	7-14 days	Do not enter treatment areas until spray deposit have dried

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
EVERLAND AGRICORPORATION	CHLOROTHALONIL	RIGHT TRAC 720 SC	720 g/L	SC	FUNGICIDE	4	361-118-2147	28-Mar-20		Ornamentals	Black spot, powdery mildew, black rot	1.13-1.90L/ha or 4.5-6.0tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
EVERLAND AGRICORPORATION	CHLOROTHALONIL	RIGHT TRAC 720 SC	720 g/L	SC	FUNGICIDE	4	261-118-2147	24-Mar-20		Asparagus	Stem and leaf blight	1.80 L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
EVERLAND AGRICORPORATION	CHLOROTHALONIL	RIGHT TRAC 720 SC	720 g/L	SC	FUNGICIDE	4	361-118-2147	24-Mar-20		Banana	Black Sigatoka	1.38 L/ha	2.0 mg/kg	0 day	Do not enter treatment areas until spray deposit have dried
SYNGENTA PHILIPPINES INC.	METALAXYL-m+MANCOZEB	RIDOMIL GOLD ME 68 WG	40+640 g/Kg	WG	FUNGICIDE	4	011-080-2084	22-May-25	SYSTEMIC	Asparagus	Spear rot	2 kg prod./ha	-	1 day	Do not enter treated field until spray has completely dried
SYNGENTA PHILIPPINES INC.	METALAXYL-m+MANCOZEB	RIDOMIL GOLD ME 68 WG	40+640 g/Kg	WG	FUNGICIDE	4	011-080-2084	22-May-25	SYSTEMIC	Orchids	Black rot	25 g prod/ha	-	-	Do not enter treated field until spray has completely dried
SYNGENTA PHILIPPINES INC.	METALAXYL-m+MANCOZEB	RIDOMIL GOLD ME 68 WG	40+640 g/Kg	WG	FUNGICIDE	4	011-080-2084	22-May-25	SYSTEMIC	Pineapple	Heart rot	6-14 kg prod/ha	-	90 days	Do not enter treated field until spray has completely dried
SYNGENTA PHILIPPINES INC.	METALAXYL-m+MANCOZEB	RIDOMIL GOLD ME 68 WG	40+640 g/Kg	WG	FUNGICIDE	4	011-080-2084	22-May-25	SYSTEMIC	Potato	Late blight disease	10kg prod/36L	-	14 days	Do not enter treated field until spray has completely dried
SYNGENTA PHILIPPINES INC.	METALAXYL-m+MANCOZEB	RIDOMIL GOLD ME 68 WG	40+640 g/Kg	WG	FUNGICIDE	4	011-080-2084	22-May-25	SYSTEMIC	Tomato	Late blight disease	10kg prod/36L	-	3 days	Do not enter treated field until spray has completely dried
SYNGENTA PHILIPPINES INC.	METALAXYL-m	RIDOMIL GOLD 480 SL	480 g/L	SL	FUNGICIDE	2	011-384-3133	15-Nov-25	SYSTEMIC	Pineapple	Heart rot & root rot	8.35-12.50ml prod/1 water	0.01 ug/g	156 days	-
AGRIC'S ENTERPRISES	CYPERMETHRIN	RICOTHIN 5 EC	50g/L	EC	INSECTICIDE	4	650-037-4930	08-May-22	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
AGRIC'S ENTERPRISES	CYPERMETHRIN	RICOTHIN 5 EC	50g/L	EC	INSECTICIDE	4	650-037-4930	08-May-22	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leafhopper, stem borer, armyworm, rice bug	1.0-2.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
AGRIC'S ENTERPRISES	CYPERMETHRIN	RICOTHIN 5 EC	50g/L	EC	INSECTICIDE	4	650-037-4930	08-May-22	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
AGRIC'S ENTERPRISES	CYPERMETHRIN	RICOTHIN 5 EC	50g/L	EC	INSECTICIDE	4	650-037-4930	08-May-22	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
AGRIC'S ENTERPRISES	CYPERMETHRIN	RICOTHIN 5 EC	50g/L	EC	INSECTICIDE	4	650-037-4930	08-May-22	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
AGRIC'S ENTERPRISES	CYPERMETHRIN	RICOTHIN 5 EC	50g/L	EC	INSECTICIDE	4	650-037-4930	08-May-22	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
AGRIC'S ENTERPRISES	CYPERMETHRIN	RICOTHIN 5 EC	50g/L	EC	INSECTICIDE	4	650-037-4930	08-May-22	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
AGRIC'S ENTERPRISES	CYPERMETHRIN	RICOTHIN 5 EC	50g/L	EC	INSECTICIDE	4	650-037-4930	08-May-22	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
AGRIC'S ENTERPRISES	CYPERMETHRIN	RICOTHIN 5 EC	50g/L	EC	INSECTICIDE	4	650-037-4930	08-May-22	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
AGRIC'S ENTERPRISES	CYPERMETHRIN	RICOTHIN 5 EC	50g/L	EC	INSECTICIDE	4	650-037-4930	08-May-22	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
AGRIC'S ENTERPRISES	CYPERMETHRIN	RICOTHIN 5 EC	50g/L	EC	INSECTICIDE	4	650-037-4930	08-May-22	CONTACT	Corn	Comborer, earworm	1.0-4.5 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
BAVER CROSCIENCE, INC.	FENOXAPROP P-ETHYL-ETHOXYXLSUFURON	RICESTAR XTRA	69+23 g/L	SC	HERBICIDE	3	284-357-1217	28-Dec-25	SYSTEMIC/CONTACT	Rice (Transplanted)	Annual grasses, sedges and broadleaf weeds	30ml/36 L water	Fenoxaprop p-ethyl 0.05gpm	-	-
BAVER CROSCIENCE, INC.	FENOXAPROP P-ETHYL-ETHOXYXLSUFURON	RICESTAR XTRA	69+23 g/L	SC	HERBICIDE	3	284-357-1217	28-Dec-25	SYSTEMIC/CONTACT	Rice (Direct-seeded Wet Low)	Annual grasses, sedges and broadleaf weeds	36 ml/36 L water	Fenoxaprop p-ethyl 0.05gpm	-	-
S&P ENTERPRISES, INC.	CHALOFOP BUTYL-8SPRIBAC SODIUM	RICEMAX ULTRA 200 OD	150 g/L+100 g/L	OD	HERBICIDE	4	366-504-5934	29-Nov-25	POST-EMERGENT	Rice (Direct-Seeded)	Grasses, broadleaves, sedges	600-ml to 1 L product/ ha (Using spray volume of 100-150 L water/ha.)	-	-	Re-entry to treated field is allowed as soon as spray deposits dry up.
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	BUTACHLOR	RICEGARD 600 EC	600 g/L	EC	HERBICIDE	4	409-150-2485	29-Oct-24	PRE-EMERGENT	Rice (Direct-seeded)	Grasses and sedges	90tsp (2-4 DAT) 97tsp(0-4 DAT) 17tsp (77tsp	0.1 ppm	-	-
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	BUTACHLOR	RICEGARD 600 EC	600 g/L	EC	HERBICIDE	4	409-150-2485	29-Oct-24	PRE-EMERGENT	Rice (Transplanted)	Grasses and sedges	90tsp(2-40Wb), 77tsp(2-40Wb), 117tsp (30 DAS)	0.1 ppm	-	-
AGRI BIZ CO. OF GS, INC.	PRETILACHLOR	RICEFT 30EC	300 g/L	EC	HERBICIDE	4	580-061-6289	5-Sep-24	PRE-EMERGENT	Rice (Direct-seeded)	Grasses, sedges, broadleaf weeds	-	-	-	-
RAINBOW AGRISCIENCES PHILIPPINES INC.	PENOXULAM+CHALOFOP BUTYL	RICEDOCTOR 60 OD	10 g/L+50 g/L	OD	HERBICIDE	4	539-381-4395	20-May-25	POST-EMERGENT	Rice (Direct-seeded)	Cruquill, E.glabrescens, C. difformis, L.rugosum, L.chinensis, M.vagnalis, F.millicox, C.rita, S.zylantica and L.ostoceras	14-18Tbsp/tankload	-	-	After spray deposits has dried up
RAINBOW AGRISCIENCES PHILIPPINES INC.	PENOXULAM+CHALOFOP BUTYL	RICEDOCTOR 60 OD	10 g/L+50 g/L	OD	HERBICIDE	4	539-381-4395	20-May-25	POST-EMERGENT	Rice (Transplanted)	Cruquill, E.glabrescens, C. difformis, L.rugosum, L.chinensis, M.vagnalis, F.millicox, C.rita, S.zylantica and L.ostoceras	14-18Tbsp/tankload	-	-	After spray deposits has dried up
RAINBOW AGRISCIENCES PHILIPPINES INC.	BUTACHLOR+PROPANIL	RICECLEAN 70 EC	350+350 g/L	EC	HERBICIDE	3	539-238-4213	07-Nov-26	POST-EMERGENT	Rice (Transplanted)	Grasses, Sedges and Broadleaves	8-12 Tbsp/16 L water	Butachlor 0.1ppm Propanil 0.1ppm	-	-
RAINBOW AGRISCIENCES PHILIPPINES INC.	BUTACHLOR+PROPANIL	RICECLEAN 70 EC	350+350 g/L	EC	HERBICIDE	3	539-238-4213	07-Nov-26	POST-EMERGENT	Rice (Transplanted)	Grasses, Sedges and Broadleaves	8-12 Tbsp/16 L water	Butachlor 0.1ppm Propanil 0.1ppm	-	-
C.B. ANDREW ASIA, INC.	BUTACHLOR	RICEBRO 60 EC	600 g/L	EC	HERBICIDE	4	460-150-2571	12-Jan-25	PRE-EMERGENT	Rice (Direct-seeded)	Grasses and sedges	90tsp (2-4 DAT) 97tsp(0-4 DAT) 17tsp (77tsp	0.1 ppm	-	-
C.B. ANDREW ASIA, INC.	BUTACHLOR	RICEBRO 60 EC	600 g/L	EC	HERBICIDE	4	460-150-2571	12-Jan-25	PRE-EMERGENT	Rice (Transplanted)	Grasses and sedges	90tsp(2-40Wb), 77tsp(2-40Wb), 117tsp (30 DAS)	0.1 ppm	-	-
RAINBOW AGRISCIENCES PHILIPPINES INC.	BISPRIBAC SODIUM	RICEBARN 100 SC	100 g/L	SC	HERBICIDE	4	539-276-4026	21-Jan-25	SELECTIVE (POST-EMERGENCE)	Rice (Direct-Seeded)	Grasses, sedges & broadleaves	10spray/load/ha, 25-30m/16L water, 17spray/load/ha, 20.8-25m/16L water	0.1 ppm	-	Entry to treated field is allowed as soon as spray deposits on crops and weeds have dried
RAINBOW AGRISCIENCES PHILIPPINES INC.	CHALOFOP BUTYL	RICEAID 100 EC	100 g/L	EC	HERBICIDE	4	539-257-4791	20-May-25	SYSTEMIC	Rice (Direct-Seeded)	Grasses	7-9 tbsp./tank load, 12 of tank load/ha	0.1 ppm	-	Entry to treated field is allowed as soon as spray deposits on crops and weeds have dried
HAULR PHILIPPINES AGROSERVICE INC.	PENOXULAM+CHALOFOP BUTYL	RICE WEEDING 60 OD	50 g/L+10 g/L	OD	HERBICIDE	4	672-383-6292	6-Oct-26	-	Rice (Transplanted)	Echinochloa crusgalli, E.glabrescens, C.difformis, L.rugosum, L.chinensis, M.vagnalis, F.millicox, C.rita, S.zylantica and Echinochloa crusgalli, E.glabrescens, C.difformis, L.rugosum, L.chinensis, M.vagnalis, F.millicox, C.rita, S.zylantica and	7-9 tbsp./tank load, 12 of tank load/ha	-	-	-
HAULR PHILIPPINES AGROSERVICE INC.	PENOXULAM+CHALOFOP BUTYL	RICE WEEDING 60 OD	50 g/L+10 g/L	OD	HERBICIDE	4	672-383-6292	6-Oct-26	-	Rice (Transplanted)	Echinochloa crusgalli, E.glabrescens, C.difformis, L.rugosum, L.chinensis, M.vagnalis, F.millicox, C.rita, S.zylantica and Echinochloa crusgalli, E.glabrescens, C.difformis, L.rugosum, L.chinensis, M.vagnalis, F.millicox, C.rita, S.zylantica and	7-9 tbsp./tank load, 12 of tank load/ha	-	-	-
S&P ENTERPRISES, INC.	CHALOFOP BUTYL	RICE SHOT 10 EC	100 g/L	EC	HERBICIDE	2	566-257-5105	15-Apr-22	-	Rice (Direct-Seeded)	Grasses	7-9 tbsp./tank load, 12 of tank load/ha	-	-	-
S&P ENTERPRISES, INC.	BISPRIBAC SODIUM	RICE MAX 100 SC	100 g/L	SC	HERBICIDE	4	566-276-4067	09-Mar-26	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Rice (Direct-Seeded lowland)	Grasses, sedges, and broadleaves	10m/16 L water, 20 spray load/ hectare	0.1 ppm	-	Re-entry to treated field is allowed as soon as spray deposits dry up.
S&P ENTERPRISES, INC.	BUTACHLOR+PROPANIL	RICE DUO 70 EC	350 g/L+350 g/L	EC	HERBICIDE	3	566-238-6015	3-Feb-26	POST-EMERGENT	Rice (Transplanted)	Grasses, sedges and broadleaves	8-12 Tbsp/16 L water	-	-	As soon as the spray mist dried up
S&P ENTERPRISES, INC.	BUTACHLOR+PROPANIL	RICE DUO 70 EC	350 g/L+350 g/L	EC	HERBICIDE	3	566-238-6015	3-Feb-26	POST-EMERGENT	Rice (Direct-seeded)	Grasses, sedges and broadleaves	8-12 Tbsp/16 L water	-	-	As soon as the spray mist dried up
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	PENOXULAM+CHALOFOP BUTYL	RICE BUDDY 60 OD	10 g/L+10 g/L	OD	HERBICIDE	4	667-383-5357	23-Feb-27	-	Rice (Direct-seeded)	Echinochloa crusgalli, E.glabrescens, C.difformis, L.rugosum, L.chinensis, M.vagnalis, F.millicox, C.rita, S.zylantica and	8-1, 7-2 Tbsp/tank load	-	-	-
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	PENOXULAM+CHALOFOP BUTYL	RICE BUDDY 60 OD	10 g/L+10 g/L	OD	HERBICIDE	4	667-383-5357	23-Feb-27	-	Rice (Transplanted)	Echinochloa crusgalli, E.glabrescens, C.difformis, L.rugosum, L.chinensis, M.vagnalis, F.millicox, C.rita, S.zylantica and	10, 8, 5 Tbsp/tank load	-	-	-
JARDINE DISTRIBUTION, INC.	BISPRIBAC SODIUM	RICE BAC 400 SC	100 g/L	SC	HERBICIDE	4	367-276-4161	07-Aug-26	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Rice (Direct-Seeded lowland)	Grasses, sedges, and broadleaves	10m/16 L water, 20 spray load/ hectare	0.1 ppm	-	As soon as spray deposits have dried
AGRO IRIS PHILIPPINES, INC.	PYRIBENZOXIM+CHALOFOP BUTYL	RICEBENZ 85 EC	25 g/L+40 g/L	EC	HERBICIDE	3	752-453-6007	27-Jan-26	-	Rice (Direct-Seeded)	Grasses, sedges and broadleaves	8-5-10 Tbsp/16 L water	-	-	-
BIOSTADT PHILIPPINES INC.	CYMOXANIL+MANCOZEB	REZULT 50S WP	40+465g/Kg	WP	FUNGICIDE	4	097-163-5249	05-Feb-24	-	Potato	Late Blight	5tbsp./16L sprayer	-	7 Days	Do not enter fields treated with REZULT 50S WP within 24 hours after application.
BIOSTADT PHILIPPINES INC.	CYMOXANIL+MANCOZEB	REZULT 50S WP	40+465g/Kg	WP	FUNGICIDE	4	097-163-5249	05-Feb-24	-	Tomato	Late Blight	5tbsp./16L sprayer	-	7 Days	Do not enter fields treated with REZULT 50S WP within 24 hours after application.
BIOSTADT PHILIPPINES INC.	CYMOXANIL+MANCOZEB	REZULT 50S WP	40+465g/Kg	WP	FUNGICIDE	4	097-163-5249	05-Feb-24	-	Grapes	Downy mildew	5tbsp./16 L sprayer	-	7 Days	Do not enter fields treated with REZULT 50S WP within 24 hours after application.
AGCHEM MANUFACTURING CORPORATION	BUTACHLOR+2,4-D BB	REWARD 60 EC	360+240 g/L	EC	HERBICIDE	3	001-152-2220	29-Dec-25	PRE-EMERGENT	Rice (Transplanted)	Broadleaf weeds, grasses & sedges	8-20tbsp/16 L sprayload	Butachlor 0.1ppm 2,4-D BB 0.1ppm	-	-
AGCHEM MANUFACTURING CORPORATION	BUTACHLOR+2,4-D BB	REWARD 60 EC	360+240 g/L	EC	HERBICIDE	3	001-152-2220	29-Dec-25	PRE-EMERGENT	Rice (Transplanted)	Broadleaf weeds, grasses & sedges	8-20tbsp/16 L sprayload	Butachlor 0.1ppm 2,4-D BB 0.1ppm	-	-
SYNGENTA PHILIPPINES INC.	MANIPROFAMID	REVUS 250 SC	250 g/L	SC	FUNGICIDE	4	011-440-2381	16-Nov-24	-	Tomato	Late blight	10-15 Tbsp/36L	-	3 days	Do not enter until spray deposits have dried
SYNGENTA PHILIPPINES INC.	MANIPROFAMID	REVUS 250 SC	250 g/L	SC	FUNGICIDE	4	011-440-2381	16-Nov-24	-	Potato	Late blight	10-15 Tbsp/36L	-	1 days	Do not enter until spray deposits have dried
SYNGENTA PHILIPPINES INC.	MANIPROFAMID	REVUS 250 SC	250 g/L	SC	FUNGICIDE	4	011-440-2381	16-Nov-24	-	Pineapple	Heart rot	1.12-2.0 prod/ha (L)	-	8 months	Do not enter until spray deposits have dried
CAVILLA AGR VENTURES, INC.	CYPERMETHRIN	REVOLVER 5 EC	50g/L	EC	INSECTICIDE	4	636-037-4694	06-Mar-22	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water	-	7 days	Entry to field and crops treated with REVOLVER 5 EC is allowed as soon as spray deposits dry
CAVILLA AGR VENTURES, INC.	CYPERMETHRIN	REVOLVER 5 EC	50g/L	EC	INSECTICIDE	4	636-037-4694	06-Mar-22	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leafhoppers, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water	-	7 days	Entry to field and crops treated with REVOLVER 5 EC is allowed as soon as spray deposits dry
CAVILLA AGR VENTURES, INC.	CYPERMETHRIN	REVOLVER 5 EC	50g/L	EC	INSECTICIDE	4	636-037-4694	06-Mar-22	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	-	7 days	Entry to field and crops treated with REVOLVER 5 EC is allowed as soon as spray deposits dry

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
CAVILLA AGR VENTURES, INC.	CYPERMETHRIN	REVOLVER 5 EC	50g/L	EC	INSECTICIDE	4	636-037-4694	06-Mar-22	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	-	7 days	Entry to field and crops treated with REVOLVER 5 EC is allowed as soon as spray deposits dry
CAVILLA AGR VENTURES, INC.	CYPERMETHRIN	REVOLVER 5 EC	50g/L	EC	INSECTICIDE	4	636-037-4694	06-Mar-22	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	-	7 days	Entry to field and crops treated with REVOLVER 5 EC is allowed as soon as spray deposits dry
CAVILLA AGR VENTURES, INC.	CYPERMETHRIN	REVOLVER 5 EC	50g/L	EC	INSECTICIDE	4	636-037-4694	06-Mar-22	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	-	7 days	Entry to field and crops treated with REVOLVER 5 EC is allowed as soon as spray deposits dry
CAVILLA AGR VENTURES, INC.	CYPERMETHRIN	REVOLVER 5 EC	50g/L	EC	INSECTICIDE	4	636-037-4694	06-Mar-22	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	7 days	Entry to field and crops treated with REVOLVER 5 EC is allowed as soon as spray deposits dry
CAVILLA AGR VENTURES, INC.	CYPERMETHRIN	REVOLVER 5 EC	50g/L	EC	INSECTICIDE	4	636-037-4694	06-Mar-22	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	-	7 days	Entry to field and crops treated with REVOLVER 5 EC is allowed as soon as spray deposits dry
CAVILLA AGR VENTURES, INC.	CYPERMETHRIN	REVOLVER 5 EC	50g/L	EC	INSECTICIDE	4	636-037-4694	06-Mar-22	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	7 days	Entry to field and crops treated with REVOLVER 5 EC is allowed as soon as spray deposits dry
CAVILLA AGR VENTURES, INC.	CYPERMETHRIN	REVOLVER 5 EC	50g/L	EC	INSECTICIDE	4	636-037-4694	06-Mar-22	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-	7 days	Entry to field and crops treated with REVOLVER 5 EC is allowed as soon as spray deposits dry
CAVILLA AGR VENTURES, INC.	CYPERMETHRIN	REVOLVER 5 EC	50g/L	EC	INSECTICIDE	4	636-037-4694	06-Mar-22	CONTACT	Corn	Comborer, earworm	1.0-4.5 Tbsp/16 L water	-	7 days	Entry to field and crops treated with REVOLVER 5 EC is allowed as soon as spray deposits dry
AGWAY CHEMICALS CORPORATION	FOSPHAZATE	REVAZATE 10 G	100 g/kg	G	NEMATOCIDE	2	075-347-5733	10-Jun-25	-	Banana	Burrowing Nematode	3g products/Met or 20 kg product/Ha Tbsp/16 L sprayer	-	-	-
AGWAY CHEMICALS CORPORATION	FOSPHAZATE	REVAZATE 10 G	100 g/kg	G	NEMATOCIDE	2	075-347-5733	10-Jun-25	-	Potato	Potato Cyst Nematode	20 kg product/Ha Tbsp/16 L sprayer	-	-	-
JYNNSONS PHILIPPINES, INC.	CARBOFURAN	REVAMP 3G	30 g/kg	G	INSECTICIDE	2	551-104-5679	01-Feb-24	-	Corn	Borer, earworm, grubs, seedling maggot	16-7-33.3 kg prod/ha	-	-	2 Days
JYNNSONS PHILIPPINES, INC.	CARBOFURAN	REVAMP 3G	30 g/kg	G	INSECTICIDE	2	551-104-5679	01-Feb-24	-	Cotton	Nematodes, grubs	16-7-33.3 kg prod/ha	-	-	2 Days
JYNNSONS PHILIPPINES, INC.	CARBOFURAN	REVAMP 3G	30 g/kg	G	INSECTICIDE	2	551-104-5679	01-Feb-24	-	Eggplant	Fruitborer	16-7-33.3 kg prod/ha	-	-	2 Days
JYNNSONS PHILIPPINES, INC.	CARBOFURAN	REVAMP 3G	30 g/kg	G	INSECTICIDE	2	551-104-5679	01-Feb-24	-	Field legumes	Grubs	16-7-33.3 kg prod/ha	-	-	2 Days
JYNNSONS PHILIPPINES, INC.	CARBOFURAN	REVAMP 3G	30 g/kg	G	INSECTICIDE	2	551-104-5679	01-Feb-24	-	Rice	Stem borer, whorl maggot, leafhopper, leafroller, caseworm, planthopper	16-7-33.3 kg prod/ha	0.2ppm	-	2 Days
JYNNSONS PHILIPPINES, INC.	CARBOFURAN	REVAMP 3G	30 g/kg	G	INSECTICIDE	2	551-104-5679	01-Feb-24	-	Soybeans	Bean fly, grubs, nematodes, other soilinsects	16-7-33.3 kg prod/ha	-	-	2 Days
JYNNSONS PHILIPPINES, INC.	CARBOFURAN	REVAMP 3G	30 g/kg	G	INSECTICIDE	2	551-104-5679	01-Feb-24	-	Sugarcane	Borer, leafhopper, mealy bug, scale insects	16-7-33.3 kg prod/ha	-	-	2 Days
JYNNSONS PHILIPPINES, INC.	CARBOFURAN	REVAMP 3G	30 g/kg	G	INSECTICIDE	2	551-104-5679	01-Feb-24	-	Tobacco	Nematodes, budworm	16-7-33.3 kg prod/ha	-	-	2 Days
JYNNSONS PHILIPPINES, INC.	CARBOFURAN	REVAMP 3G	30 g/kg	G	INSECTICIDE	2	551-104-5679	01-Feb-24	-	White potato	Nematodes, grubs	16-7-33.3 kg prod/ha	-	-	2 Days
JYNNSONS PHILIPPINES, INC.	CARBOFURAN	REVAMP 3G	30 g/kg	G	INSECTICIDE	2	551-104-5679	01-Feb-24	-	Cowpea	Bean fly, grubs, neamatode, other soil insects	16-7-33.3 kg prod/ha	-	-	2 Days
JYNNSONS PHILIPPINES, INC.	CARBOFURAN	REVAMP 3G	30 g/kg	G	INSECTICIDE	2	551-104-5679	01-Feb-24	-	Ornamentals	Scale insects, aphids, mealy bug	16-7-33.3 kg prod/ha	-	-	2 Days
GEM AGROLOGIC, INC.	MANCOZEB	REV 800 WP	800g/kg	WP	FUNGICIDE	4	238-053-0974	05-Feb-24	-	Potato	Early and late blight	3-6 Tbsp/16 L water	-	-	As soon as spray dries
GEM AGROLOGIC, INC.	MANCOZEB	REV 800 WP	800g/kg	WP	FUNGICIDE	4	238-053-0974	05-Feb-24	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 days	As soon as spray dries
GEM AGROLOGIC, INC.	MANCOZEB	REV 800 WP	800g/kg	WP	FUNGICIDE	4	238-053-0974	05-Feb-24	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 days	As soon as spray dries
GEM AGROLOGIC, INC.	MANCOZEB	REV 800 WP	800g/kg	WP	FUNGICIDE	4	238-053-0974	05-Feb-24	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 days	As soon as spray dries
GEM AGROLOGIC, INC.	MANCOZEB	REV 800 WP	800g/kg	WP	FUNGICIDE	4	238-053-0974	05-Feb-24	-	Celery	Late blight	3-6 Tbsp/16 L water	-	14 days	As soon as spray dries
GEM AGROLOGIC, INC.	MANCOZEB	REV 800 WP	800g/kg	WP	FUNGICIDE	4	238-053-0974	05-Feb-24	-	Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
GEM AGROLOGIC, INC.	MANCOZEB	REV 800 WP	800g/kg	WP	FUNGICIDE	4	238-053-0974	05-Feb-24	-	Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
GEM AGROLOGIC, INC.	MANCOZEB	REV 800 WP	800g/kg	WP	FUNGICIDE	4	238-053-0974	05-Feb-24	-	Cotton	Damping off	3-6 Tbsp/16 L water	-	-	As soon as spray dries
GEM AGROLOGIC, INC.	MANCOZEB	REV 800 WP	800g/kg	WP	FUNGICIDE	4	238-053-0974	05-Feb-24	-	Lettuce	Downy mildew	3-6 Tbsp/16 L water	-	7 days	As soon as spray dries
GEM AGROLOGIC, INC.	MANCOZEB	REV 800 WP	800g/kg	WP	FUNGICIDE	4	238-053-0974	05-Feb-24	-	Beans	Anthracoese, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
GEM AGROLOGIC, INC.	MANCOZEB	REV 800 WP	800g/kg	WP	FUNGICIDE	4	238-053-0974	05-Feb-24	-	Peas	Anthracoese, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
GEM AGROLOGIC, INC.	MANCOZEB	REV 800 WP	800g/kg	WP	FUNGICIDE	4	238-053-0974	05-Feb-24	-	Mungo	Anthracoese, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
GEM AGROLOGIC, INC.	MANCOZEB	REV 800 WP	800g/kg	WP	FUNGICIDE	4	238-053-0974	05-Feb-24	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
GEM AGROLOGIC, INC.	MANCOZEB	REV 800 WP	800g/kg	WP	FUNGICIDE	4	238-053-0974	05-Feb-24	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	-	7 days	As soon as spray dries
GEM AGROLOGIC, INC.	MANCOZEB	REV 800 WP	800g/kg	WP	FUNGICIDE	4	238-053-0974	05-Feb-24	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	-	7 days	As soon as spray dries
GEM AGROLOGIC, INC.	MANCOZEB	REV 800 WP	800g/kg	WP	FUNGICIDE	4	238-053-0974	05-Feb-24	-	Pepper	Anthracoese	3-6 Tbsp/16 L water	-	7 days	As soon as spray dries
GEM AGROLOGIC, INC.	MANCOZEB	REV 800 WP	800g/kg	WP	FUNGICIDE	4	238-053-0974	05-Feb-24	-	Chili	Anthracoese	3-6 Tbsp/16 L water	-	7 days	As soon as spray dries
GEM AGROLOGIC, INC.	MANCOZEB	REV 800 WP	800g/kg	WP	FUNGICIDE	4	238-053-0974	05-Feb-24	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/16 L water	-	7 days	As soon as spray dries
GEM AGROLOGIC, INC.	MANCOZEB	REV 800 WP	800g/kg	WP	FUNGICIDE	4	238-053-0974	05-Feb-24	-	Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16 L water	-	-	As soon as spray dries
GEM AGROLOGIC, INC.	MANCOZEB	REV 800 WP	800g/kg	WP	FUNGICIDE	4	238-053-0974	05-Feb-24	-	Grapes	Downy mildew, black rot	3-6 Tbsp/16 L water	-	60 days	As soon as spray dries
GEM AGROLOGIC, INC.	MANCOZEB	REV 800 WP	800g/kg	WP	FUNGICIDE	4	238-053-0974	05-Feb-24	-	Mango	Anthracoese and Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
GEM AGROLOGIC, INC.	MANCOZEB	REV 800 WP	800g/kg	WP	FUNGICIDE	4	238-053-0974	05-Feb-24	-	Papaya	Fruit rot	3-6 Tbsp/16 L water	-	-	As soon as spray dries
GEM AGROLOGIC, INC.	MANCOZEB	REV 800 WP	800g/kg	WP	FUNGICIDE	4	238-053-0974	05-Feb-24	-	Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
GEM AGROLOGIC, INC.	MANCOZEB	REV 800 WP	800g/kg	WP	FUNGICIDE	4	238-053-0974	05-Feb-24	-	Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
GEM AGROLOGIC, INC.	MANCOZEB	REV 800 WP	800g/kg	WP	FUNGICIDE	4	238-053-0974	05-Feb-24	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16 L water	-	7 days	As soon as spray dries
GEM AGROLOGIC, INC.	MANCOZEB	REV 800 WP	800g/kg	WP	FUNGICIDE	4	238-053-0974	05-Feb-24	-	Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16 L water	0.02ppm	-	As soon as spray dries
GEM AGROLOGIC, INC.	MANCOZEB	REV 800 WP	800g/kg	WP	FUNGICIDE	4	238-053-0974	05-Feb-24	-	Peanut	Cercospora leaf spot	3-6 Tbsp/16 L water	-	14 days	As soon as spray dries
GEM AGROLOGIC, INC.	MANCOZEB	REV 800 WP	800g/kg	WP	FUNGICIDE	4	238-053-0974	05-Feb-24	-	Soybeans	Leaf rust	3-6 Tbsp/16 L water	-	-	As soon as spray dries
GEM AGROLOGIC, INC.	MANCOZEB	REV 800 WP	800g/kg	WP	FUNGICIDE	4	238-053-0974	05-Feb-24	-	Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/16 L water	-	-	As soon as spray dries
FMC AGRO PHILIPPINES INC.	BENTAZONE	RESUMIDE 48 SL	400 g/L	SL	HERBICIDE	4	598-083-5967	25-Mar-24	-	Rice	Perennial and annual broadleaf weeds	6-13 tbg or 60ml, 130ml, 1.0-1.5 L prod/ hectare	-	30 days before harvest	Immediately after spray deposits has dried up.
FMC AGRO PHILIPPINES INC.	BENTAZONE	RESUMIDE 48 SL	400 g/L	SL	HERBICIDE	4	598-083-5967	25-Mar-24	-	Soybeans	Perennial and annual broadleaf weeds	6-13 tbg or 60ml, 130ml, 1.0-1.5 L prod/ hectare	-	30 days before harvest	Immediately after spray deposits has dried up.
C.B. ANDREW ASIA, INC.	PENDOLICUM-CHALDOP- BUTYL	RESTORE 60 OD	10 g/L+90 g/L	OD	HERBICIDE	4	460-381-4803	27-May-25	-	Rice (Direct-seeded)	Echinochloa crusgalli, E. globosum, C. difformis, L. rugosum, L. chinensis, M. vaginalis, F. miliacea, C. setacea, S. yulianica and Echinochloa crusgalli, E. globosum, C. difformis, L. rugosum, L. chinensis, M. vaginalis, F. miliacea, C. setacea, S. yulianica and	8.57bg/bank load	-	-	-
C.B. ANDREW ASIA, INC.	PENDOLICUM-CHALDOP- BUTYL	RESTORE 60 OD	10 g/L+90 g/L	OD	HERBICIDE	4	460-381-4803	27-May-25	-	Rice (Transplanted)	Echinochloa crusgalli, E. globosum, C. difformis, L. rugosum, L. chinensis, M. vaginalis, F. miliacea, C. setacea, S. yulianica and	107bg/bank load	-	-	-
ARIES INC CHEMICAL CORPORATION	POLYETHYLENE SORBITAN SEBATE+POLYETHYLENE DODECYL ETHER	RESTER	250+400 mL/L	-	OTHERS	4	479-348-3321	05-Mar-25	SELECTIVE (POST-EMERGENT)		As surfactant on Segador 10 SC	25-30ml/16 L water	-	-	-

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD	
HQ AGRICARE TRADING, INC.	CHLOROTHALONIL	RESQ 720 SC	720g/L	SC	FUNGICIDE	4	505-118-4252	03-Sep-24	-	Potato	Early blight, late blight, vine rot	1.00-1.80 L/ha or 4.5-5.5 tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried	
HQ AGRICARE TRADING, INC.	CHLOROTHALONIL	RESQ 720 SC	720g/L	SC	FUNGICIDE	4	505-118-4252	03-Sep-24	-	Tomato	Early blight, late blight, vine rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried	
HQ AGRICARE TRADING, INC.	CHLOROTHALONIL	RESQ 720 SC	720g/L	SC	FUNGICIDE	4	505-118-4252	03-Sep-24	-	Beans	Rust, anthracnose	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried	
HQ AGRICARE TRADING, INC.	CHLOROTHALONIL	RESQ 720 SC	720g/L	SC	FUNGICIDE	4	505-118-4252	03-Sep-24	-	Carrot	Alternaria leaf spot, cercospora leaf spot, helminthosporium leaf spot	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried	
HQ AGRICARE TRADING, INC.	CHLOROTHALONIL	RESQ 720 SC	720g/L	SC	FUNGICIDE	4	505-118-4252	03-Sep-24	-	Crucifers	Powdery mildew	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried	
HQ AGRICARE TRADING, INC.	CHLOROTHALONIL	RESQ 720 SC	720g/L	SC	FUNGICIDE	4	505-118-4252	03-Sep-24	-	Melon	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried	
HQ AGRICARE TRADING, INC.	CHLOROTHALONIL	RESQ 720 SC	720g/L	SC	FUNGICIDE	4	505-118-4252	03-Sep-24	-	Cucumber	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried	
HQ AGRICARE TRADING, INC.	CHLOROTHALONIL	RESQ 720 SC	720g/L	SC	FUNGICIDE	4	505-118-4252	03-Sep-24	-	Squash	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried	
HQ AGRICARE TRADING, INC.	CHLOROTHALONIL	RESQ 720 SC	720g/L	SC	FUNGICIDE	4	505-118-4252	03-Sep-24	-	Watermelon	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried	
HQ AGRICARE TRADING, INC.	CHLOROTHALONIL	RESQ 720 SC	720g/L	SC	FUNGICIDE	4	505-118-4252	03-Sep-24	-	Celery	Early blight, late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried	
HQ AGRICARE TRADING, INC.	CHLOROTHALONIL	RESQ 720 SC	720g/L	SC	FUNGICIDE	4	505-118-4252	03-Sep-24	-	Eggplant	Early blight, late blight, cercospora leafspot, anthracnose	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried	
HQ AGRICARE TRADING, INC.	CHLOROTHALONIL	RESQ 720 SC	720g/L	SC	FUNGICIDE	4	505-118-4252	03-Sep-24	-	Onion	Purple blotch, bulb rot, neck rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried	
HQ AGRICARE TRADING, INC.	CHLOROTHALONIL	RESQ 720 SC	720g/L	SC	FUNGICIDE	4	505-118-4252	03-Sep-24	-	Pepper	Early blight, cercospora leaf spot, anthracnose	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried	
HQ AGRICARE TRADING, INC.	CHLOROTHALONIL	RESQ 720 SC	720g/L	SC	FUNGICIDE	4	505-118-4252	03-Sep-24	-	Grapes	Downy mildew, powdery mildew, fruit rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried	
HQ AGRICARE TRADING, INC.	CHLOROTHALONIL	RESQ 720 SC	720g/L	SC	FUNGICIDE	4	505-118-4252	03-Sep-24	-	Mango	Anthracoese, diploidi rot	1.75-5.0 L/ha or 4.5-6.0 tbsp/36 L	0.5 mg/kg	7-14 days	Do not enter treatment areas until spray deposit have dried	
HQ AGRICARE TRADING, INC.	CHLOROTHALONIL	RESQ 720 SC	720g/L	SC	FUNGICIDE	4	505-118-4252	03-Sep-24	-	Ornamentals	Black spot, powdery mildew, black rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried	
HQ AGRICARE TRADING, INC.	CHLOROTHALONIL	RESQ 720 SC	720g/L	SC	FUNGICIDE	4	505-118-4252	03-Sep-24	-	Asparagus	Stem and leaf blight	1.80 L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried	
HQ AGRICARE TRADING, INC.	CHLOROTHALONIL	RESQ 720 SC	720g/L	SC	FUNGICIDE	4	505-118-4252	03-Sep-24	-	Banana	Black sigatoka	1.38 L/ha	2.0 mg/kg	0 day	Do not enter treatment areas until spray deposit have dried	
SULI AGRISCIENCE PHILIPPINES INC.	DIFENOCONAZOLE	RESOLUTE 25 EC	250 g/L	EC	FUNGICIDE	4	692-272-5641	23-Dec-24	SYSTEMIC	Banana	Black Sigatoka	0.30-0.40 L prod/ha	-	-	-	
SULI AGRISCIENCE PHILIPPINES INC.	DIFENOCONAZOLE	RESOLUTE 25 EC	250 g/L	EC	FUNGICIDE	4	692-272-5641	23-Dec-24	SYSTEMIC	Mango	Anthracoese	0.528-0.88 L/ha	-	14 days	-	
SULI AGRISCIENCE PHILIPPINES INC.	DIFENOCONAZOLE	RESOLUTE 25 EC	250 g/L	EC	FUNGICIDE	4	692-272-5641	23-Dec-24	SYSTEMIC	Rice	Sheath Blight	0.25-0.30 L/ha	-	-	-	
SULI AGRISCIENCE PHILIPPINES INC.	DIFENOCONAZOLE	RESOLUTE 25 EC	250 g/L	EC	FUNGICIDE	4	692-272-5641	23-Dec-24	SYSTEMIC	Stringbeans	Leaf spot	0.20-0.30 L/ha	-	7 days	-	
SULI AGRISCIENCE PHILIPPINES INC.	DIFENOCONAZOLE	RESOLUTE 25 EC	250 g/L	EC	FUNGICIDE	4	692-272-5641	23-Dec-24	SYSTEMIC	Eggplant	Leaf Spot	0.20-0.30 L/ha	-	7 days	-	
SULI AGRISCIENCE PHILIPPINES INC.	DIFENOCONAZOLE	RESOLUTE 25 EC	250 g/L	EC	FUNGICIDE	4	692-272-5641	23-Dec-24	SYSTEMIC	Tomato	Alternaria leaf spot, cercospora leafmold, powdery mildew	0.20-0.30 L/ha	-	7 days	-	
SULI AGRISCIENCE PHILIPPINES INC.	DIFENOCONAZOLE	RESOLUTE 25 EC	250 g/L	EC	FUNGICIDE	4	692-272-5641	23-Dec-24	SYSTEMIC	Cabbage	Ringspot, alternaria	0.20-0.30 L/ha	-	7 days	-	
SULI AGRISCIENCE PHILIPPINES INC.	DIFENOCONAZOLE	RESOLUTE 25 EC	250 g/L	EC	FUNGICIDE	4	692-272-5641	23-Dec-24	SYSTEMIC	Onion	Purple blotch	0.40-0.50 L/ha	-	7 days	-	
SULI AGRISCIENCE PHILIPPINES INC.	DIFENOCONAZOLE	RESOLUTE 25 EC	250 g/L	EC	FUNGICIDE	4	692-272-5641	23-Dec-24	SYSTEMIC	Asparagus	Stem and leaf blight	0.36 L/ha	-	-	-	
AGWAY CHEMICALS CORPORATION	AZIDYNITROBEN-DIFENOCONAZOLE	RESIST 325 SC	300-125 g/L	SC	FUNGICIDE	4	075-486-5242	22-May-23	-	Rice	Sheath Blight, sheath rot	-	-	-	-	
OCAM MARKETING INCORPORATED	CHALOFOP-BUTYL-BISPYRIBAC SODIUM	RESCUE PRO 200 OD	150g/L +50g/L	OD	HERBICIDE	4	467-904-5982	29-Nov-25	POST-EMERGENT	Rice (Direct-seeded)	Grasses, broadleaves and sedges	50-100 mL/ 36L	-	-	As soon as spray dries up.	
OCAM MARKETING INCORPORATED	CHALOFOP-BUTYL-BISPYRIBAC SODIUM	RESCUE E33E	80-50 g/L	SE	HERBICIDE	4	467-904-5150	26-May-23	POST-EMERGENT	Rice (Direct-seeded)	Grasses, sedges and broadleaves	-	-	-	-	
VANN HAWK AGRO CHEMICALS, INC.	CARBARYL	RESBAK 85 WP	850 g/kg	WP	INSECTICIDE	2	295-035-2104	22-Aug-26	-	Tobacco	Budworm, cutworm, aphids	4-6 tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried	
VANN HAWK AGRO CHEMICALS, INC.	CARBARYL	RESBAK 85 WP	850 g/kg	WP	INSECTICIDE	2	295-035-2104	22-Aug-26	-	Sorghum	Wetworm, armyworm, cutworm, headworm	4-6 tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried	
VANN HAWK AGRO CHEMICALS, INC.	CARBARYL	RESBAK 85 WP	850 g/kg	WP	INSECTICIDE	2	295-035-2104	22-Aug-26	-	Ornamentals	Aphids, scale insect, mealy bug, cutworm	4-6 tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried	
VANN HAWK AGRO CHEMICALS, INC.	CARBARYL	RESBAK 85 WP	850 g/kg	WP	INSECTICIDE	2	295-035-2104	22-Aug-26	-	Mango	Mango hopper, tip borer, twig borer, fruit fly, mealy bug	4-8 tbsp/16 L water	-	1 day	Do not enter treatment areas until spray deposit have dried	
VANN HAWK AGRO CHEMICALS, INC.	CARBARYL	RESBAK 85 WP	850 g/kg	WP	INSECTICIDE	2	295-035-2104	22-Aug-26	-	Coffee	Berry borer	4-6 tbsp/16 L water	-	1 day	Do not enter treatment areas until spray deposit have dried	
VANN HAWK AGRO CHEMICALS, INC.	CARBARYL	RESBAK 85 WP	850 g/kg	WP	INSECTICIDE	2	295-035-2104	22-Aug-26	-	Cacao	Podborer, aphids, capsid bug	4-6 tbsp/16 L water	-	1 day	Do not enter treatment areas until spray deposit have dried	
VANN HAWK AGRO CHEMICALS, INC.	CARBARYL	RESBAK 85 WP	850 g/kg	WP	INSECTICIDE	2	295-035-2104	22-Aug-26	-	Citrus	Rind borer	4-6 tbsp/16 L water	-	5 days	Do not enter treatment areas until spray deposit have dried	
VANN HAWK AGRO CHEMICALS, INC.	CARBARYL	RESBAK 85 WP	850 g/kg	WP	INSECTICIDE	2	295-035-2104	22-Aug-26	-	Soybeans	Podborer, beanfly, leafminer, aphids	4-6 tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried	
VANN HAWK AGRO CHEMICALS, INC.	CARBARYL	RESBAK 85 WP	850 g/kg	WP	INSECTICIDE	2	295-035-2104	22-Aug-26	-	Rice	Green leafhopper, cutworm, aphids	4-6 tbsp/16 L water	-	14 days	Do not enter treatment areas until spray deposit have dried	
VANN HAWK AGRO CHEMICALS, INC.	CARBARYL	RESBAK 85 WP	850 g/kg	WP	INSECTICIDE	2	295-035-2104	22-Aug-26	-	Cowpea and other beans	Podborer, beanfly, leafminer, cutworm, aphids	4-6 tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried	
VANN HAWK AGRO CHEMICALS, INC.	CARBARYL	RESBAK 85 WP	850 g/kg	WP	INSECTICIDE	2	295-035-2104	22-Aug-26	-	Cotton seed	Bollworm, cutworm	4-6 tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried	
VANN HAWK AGRO CHEMICALS, INC.	CARBARYL	RESBAK 85 WP	850 g/kg	WP	INSECTICIDE	2	295-035-2104	22-Aug-26	-	Corn	Corn borer, corn earworm, army worm	4-6 tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried	
VANN HAWK AGRO CHEMICALS, INC.	CARBARYL	RESBAK 85 WP	850 g/kg	WP	INSECTICIDE	2	295-035-2104	22-Aug-26	-	Tomato	Fruitworm, leafy beetle	4-6 tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried	
VANN HAWK AGRO CHEMICALS, INC.	CARBARYL	RESBAK 85 WP	850 g/kg	WP	INSECTICIDE	2	295-035-2104	22-Aug-26	-	Cucurbits	Squash beetle, leafy beetle	4-6 tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried	
TEXICON AGR VENTURES CORPORATION	CARTAP HYDROCHLORIDE	REFULSE 50 SP	500 g/kg	SP	INSECTICIDE	3	242-106-2231	07-Aug-26	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	1.5-5.0tbsp/16 L water	0.2ppm	-	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
TEXICON AGR VENTURES CORPORATION	CARTAP HYDROCHLORIDE	REFULSE 50 SP	500 g/kg	SP	INSECTICIDE	3	242-106-2231	07-Aug-26	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0tbsp/16 L water	-	-	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
TEXICON AGR VENTURES CORPORATION	CARTAP HYDROCHLORIDE	REFULSE 50 SP	500 g/kg	SP	INSECTICIDE	3	242-106-2231	07-Aug-26	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0tbsp/16 L water	-	-	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
TEXICON AGR VENTURES CORPORATION	CARTAP HYDROCHLORIDE	REFULSE 50 SP	500 g/kg	SP	INSECTICIDE	3	242-106-2231	07-Aug-26	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0tbsp/16 L water	-	-	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
TEXICON AGR VENTURES CORPORATION	CARTAP HYDROCHLORIDE	REFULSE 50 SP	500 g/kg	SP	INSECTICIDE	3	242-106-2231	07-Aug-26	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0tbsp/16 L water	-	-	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
TEXICON AGR VENTURES CORPORATION	CARTAP HYDROCHLORIDE	REFULSE 50 SP	500 g/kg	SP	INSECTICIDE	3	242-106-2231	07-Aug-26	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0tbsp/16 L water	-	-	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
TEXICON AGR VENTURES CORPORATION	CARTAP HYDROCHLORIDE	REFULSE 50 SP	500 g/kg	SP	INSECTICIDE	3	242-106-2231	07-Aug-26	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0tbsp/16 L water	-	-	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
TEXICON AGR VENTURES CORPORATION	CARTAP HYDROCHLORIDE	REFULSE 50 SP	500 g/kg	SP	INSECTICIDE	3	242-106-2231	07-Aug-26	SYSTEMIC	Mango	leafhoppers	1.5-2.0tbsp/16 L water	-	-	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
TEXICON AGR VENTURES CORPORATION	CARTAP HYDROCHLORIDE	REFULSE 50 SP	500 g/kg	SP	INSECTICIDE	3	242-106-2231	07-Aug-26	SYSTEMIC	Pechay	Looper, cutworm, aphids	1.5-3.0tbsp/16 L water	-	-	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
DOW AGRO SCIENCES B.V.	PENOXULAM-CHALOFOP-BUTYL	REPVOX 60 OD	10 g/L +50 g/L	OD	HERBICIDE	4	013-383-4551	26-Oct-24	-	Rice (Direct-seeded)	Echinochloa crusgalli, E.gloabrescens, C.diformis, L.rugosum, L.chinensis, M.vaginalis, F.miliacea, C.jritia, S.zylarica and	8.0tbsp/tank load	-	-	-	
DOW AGRO SCIENCES B.V.	PENOXULAM-CHALOFOP-BUTYL	REPVOX 60 OD	10 g/L +50 g/L	OD	HERBICIDE	4	013-383-4551	26-Oct-24	-	Rice (Transplanted)	Echinochloa crusgalli, E.gloabrescens, C.diformis, L.rugosum, L.chinensis, M.vaginalis, F.miliacea, C.jritia, S.zylarica and	10tbsp/tank load	-	-	-	
SYNGENTA PHILIPPINES INC.	PENOXULAM-CHALOFOP-BUTYL	REPVOX 60 OD	10 g/L +50 g/L	OD	HERBICIDE	4	013-383-4415	28-Jun-24	-	Rice (Direct-seeded)	Echinochloa crusgalli, E.gloabrescens, C.diformis, L.rugosum, L.chinensis, M.vaginalis, F.miliacea, C.jritia, S.zylarica and	8.5, 7.0tbsp/tank load	-	-	-	

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
SYNGENTA PHILIPPINES INC.	PENCICULAM-CHALCOP-BUTYL	REPTVOX 60 OD	10 g/L+90 g/L	OD	HERBICIDE	4	011-883-4415	28-Jun-24	-	Rice (Transplanted)	<i>Echinochloa crusgalli</i> , <i>S. globeosum</i> , <i>C. difformis</i> , <i>L. rugosum</i> , <i>L. chinensis</i> , <i>M. vaginalis</i> , <i>F. milianacea</i> , <i>C. iria</i> , <i>S. yunnanica</i> and	10.0, 8.5 Tbsp/hank load	-	-	-
UPL PHILIPPINES, INC.	THIAMETHOXAM	RENOVA 25 WG	250g/kg	WG	INSECTICIDE	4	562-312-4621	15-Jan-25	SYSTEMIC/CONTACT	Pineapple	Mealy bug	200-200 g/ha	0.01 mg/kg	No PHI proposed as last application of Renova will be 436 days before harvest	-
UPL PHILIPPINES, INC.	THIAMETHOXAM	RENOVA 25 WG	250g/kg	WG	INSECTICIDE	4	562-312-4621	15-Jan-25	SYSTEMIC/CONTACT	Mango	Leafhopper	105.6-123.3g prod/ha	0.20 mg/kg	No PHI proposed as the product will be applied at least 20-40 days before harvest	-
UPL PHILIPPINES, INC.	THIAMETHOXAM	RENOVA 25 WG	250g/kg	WG	INSECTICIDE	4	562-312-4621	15-Jan-25	SYSTEMIC/CONTACT	Rice	Green leafhopper, brown plant hopper, white backed planthopper, rice bug, black bug	4.0-5.0 Tbsp/16L water; For black bug 7.0-10.0 Tbsp/16L water	-	38 days	-
UPL PHILIPPINES, INC.	THIAMETHOXAM	RENOVA 25 WG	250g/kg	WG	INSECTICIDE	4	562-312-4621	15-Jan-25	SYSTEMIC/CONTACT	Stringbeans	Aphids, leafhopper	0.5-2.0 Drench, Foliar spray 2.0-5.0 Tbsp/16L water	-	7 days	-
UPL PHILIPPINES, INC.	THIAMETHOXAM	RENOVA 25 WG	250g/kg	WG	INSECTICIDE	4	562-312-4621	15-Jan-25	SYSTEMIC/CONTACT	Eggplant	Aphids, leafhopper	0.5-2.0 Drench, Foliar spray 2.0-5.0 Tbsp/16L water	-	3 days	-
UPL PHILIPPINES, INC.	THIAMETHOXAM	RENOVA 25 WG	250g/kg	WG	INSECTICIDE	4	562-312-4621	15-Jan-25	SYSTEMIC/CONTACT	Banana	Flower Thrips	4 g/L	0.02 mg/kg	No PHI proposed as Renova will be applied as bud injection	-
UPL PHILIPPINES, INC.	THIAMETHOXAM	RENO 350 FS	350g/L	FS	INSECTICIDE	4	562-312-4795	20-May-25	-	Corn (as seed treatment)	Seedling maggot	30-120 ml/16-20 kgs. Seeds	-	-	-
UPL PHILIPPINES, INC.	THIAMETHOXAM	RENO 350 FS	350g/L	FS	INSECTICIDE	4	562-312-4795	20-May-25	-	Rice	Green l leafhopper, brown planthopper & whitebacked planthopper	25-50 ml/40 kgs. Seeds	-	-	-
GREENTHUMB AGRISOLUTIONS, INC.	FLUAZIFOP-P-BUTYL	REMOVE 150 EC	150 g/L	EC	HERBICIDE	4	584-212-4705	12-Mar-22	SYSTEMIC/SELECTIVE(POST-EMERGENT)	Banana	Grasses; Icthygrass, goosegrass, sour papalum, jungle rice, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16L water	-	-	-
GREENTHUMB AGRISOLUTIONS, INC.	FLUAZIFOP-P-BUTYL	REMOVE 150 EC	150 g/L	EC	HERBICIDE	4	584-212-4705	12-Mar-22	SYSTEMIC/SELECTIVE(POST-EMERGENT)	Cacao	Grasses; Icthygrass, goosegrass, sour papalum, jungle rice, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16L water	-	-	-
GREENTHUMB AGRISOLUTIONS, INC.	FLUAZIFOP-P-BUTYL	REMOVE 150 EC	150 g/L	EC	HERBICIDE	4	584-212-4705	12-Mar-22	SYSTEMIC/SELECTIVE(POST-EMERGENT)	Citrus	Grasses; Icthygrass, goosegrass, sour papalum, jungle rice, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16L water	-	-	-
GREENTHUMB AGRISOLUTIONS, INC.	FLUAZIFOP-P-BUTYL	REMOVE 150 EC	150 g/L	EC	HERBICIDE	4	584-212-4705	12-Mar-22	SYSTEMIC/SELECTIVE(POST-EMERGENT)	Cotton	Grasses; Icthygrass, goosegrass, sour papalum, jungle rice, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16L water	-	-	-
GREENTHUMB AGRISOLUTIONS, INC.	FLUAZIFOP-P-BUTYL	REMOVE 150 EC	150 g/L	EC	HERBICIDE	4	584-212-4705	12-Mar-22	SYSTEMIC/SELECTIVE(POST-EMERGENT)	Coffee	Grasses; Icthygrass, goosegrass, sour papalum, jungle rice, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16L water	-	-	-
GREENTHUMB AGRISOLUTIONS, INC.	FLUAZIFOP-P-BUTYL	REMOVE 150 EC	150 g/L	EC	HERBICIDE	4	584-212-4705	12-Mar-22	SYSTEMIC/SELECTIVE(POST-EMERGENT)	Oil palm	Grasses; Icthygrass, goosegrass, sour papalum, jungle rice, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16L water	-	-	-
GREENTHUMB AGRISOLUTIONS, INC.	FLUAZIFOP-P-BUTYL	REMOVE 150 EC	150 g/L	EC	HERBICIDE	4	584-212-4705	12-Mar-22	SYSTEMIC/SELECTIVE(POST-EMERGENT)	Ramie	Grasses; Icthygrass, goosegrass, sour papalum, jungle rice, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16L water	-	-	-
GREENTHUMB AGRISOLUTIONS, INC.	FLUAZIFOP-P-BUTYL	REMOVE 150 EC	150 g/L	EC	HERBICIDE	4	584-212-4705	12-Mar-22	SYSTEMIC/SELECTIVE(POST-EMERGENT)	Rubber	Grasses; Icthygrass, goosegrass, sour papalum, jungle rice, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16L water	-	-	-
GREENTHUMB AGRISOLUTIONS, INC.	FLUAZIFOP-P-BUTYL	REMOVE 150 EC	150 g/L	EC	HERBICIDE	4	584-212-4705	12-Mar-22	SYSTEMIC/SELECTIVE(POST-EMERGENT)	Onion	Grasses; Icthygrass, goosegrass, sour papalum, jungle rice, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16L water	-	-	-
GREENTHUMB AGRISOLUTIONS, INC.	FLUAZIFOP-P-BUTYL	REMOVE 150 EC	150 g/L	EC	HERBICIDE	4	584-212-4705	12-Mar-22	SYSTEMIC/SELECTIVE(POST-EMERGENT)	Pineapple	Grasses; Icthygrass, goosegrass, sour papalum, jungle rice, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16L water	-	-	-
GREENTHUMB AGRISOLUTIONS, INC.	FLUAZIFOP-P-BUTYL	REMOVE 150 EC	150 g/L	EC	HERBICIDE	4	584-212-4705	12-Mar-22	SYSTEMIC/SELECTIVE(POST-EMERGENT)	Soybeans	Grasses; Icthygrass, goosegrass, sour papalum, jungle rice, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16L water	-	-	-
GREENTHUMB AGRISOLUTIONS, INC.	FLUAZIFOP-P-BUTYL	REMOVE 150 EC	150 g/L	EC	HERBICIDE	4	584-212-4705	12-Mar-22	SYSTEMIC/SELECTIVE(POST-EMERGENT)	Tomato	Grasses; Icthygrass, goosegrass, sour papalum, jungle rice, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16L water	-	-	-
AGRO TECHNOPRODUCTS INC.	MANCOZEB	REMEDY 420 SC	420 g/L	SC	FUNGICIDE	4	370-053-2320	17-Sep-23	-	Banana	Black Sigatoka	4.5 L/ha or 12 Tbsp/16L	-	-	-
AGRO TECHNOPRODUCTS INC.	MANCOZEB	REMEDY 420 SC	420 g/L	SC	FUNGICIDE	4	370-053-2320	17-Sep-23	-	Potato	Late blight	9-6 L Tbsp/16L	-	-	-
AGRO TECHNOPRODUCTS INC.	MANCOZEB	REMEDY 420 SC	420 g/L	SC	FUNGICIDE	4	370-053-2320	17-Sep-23	-	Tomato	Early blight, late blight, cercospora leaf blight	7-10 Tbsp/16L	-	-	-
ASIA GOLD TRADING CORPORATION	GLUFOSINATE AMMONIUM	REKKA 150 SL	150 g/L	SL	HERBICIDE	4	266-182-5919	27-May-24	NON-SELECTIVE (POST-EMERGENT)	Cavendish banana	Annual and perennial grasses, sedges, and broadleaf weeds	160, 135-200 ml/16L water	-	-	After spray deposits have dried
ASIA GOLD TRADING CORPORATION	GLUFOSINATE AMMONIUM	REKKA 150 SL	150 g/L	SL	HERBICIDE	4	266-182-5919	27-May-24	NON-SELECTIVE (POST-EMERGENT)	Rubber	Annual and perennial grasses, sedges, and broadleaf weeds	215, 270, 125 ml/16L water	-	-	After spray deposits have dried
ASIA GOLD TRADING CORPORATION	GLUFOSINATE AMMONIUM	REKKA 150 SL	150 g/L	SL	HERBICIDE	4	266-182-5919	27-May-24	NON-SELECTIVE (POST-EMERGENT)	Oil palm	Annual and perennial grasses, sedges, and broadleaf weeds	160, 135 ml/16L water	-	-	After spray deposits have dried
ASIA GOLD TRADING CORPORATION	GLUFOSINATE AMMONIUM	REKKA 150 SL	150 g/L	SL	HERBICIDE	4	266-182-5919	27-May-24	NON-SELECTIVE (POST-EMERGENT)	Citrus	Annual and perennial grasses, sedges, and broadleaf weeds	160, 135 ml/16L water	-	-	After spray deposits have dried
ASIA GOLD TRADING CORPORATION	GLUFOSINATE AMMONIUM	REKKA 150 SL	150 g/L	SL	HERBICIDE	4	266-182-5919	27-May-24	NON-SELECTIVE (POST-EMERGENT)	Coffee	Annual and perennial grasses, sedges, and broadleaf weeds	160, 135 ml/16L water	-	-	After spray deposits have dried
ASIA GOLD TRADING CORPORATION	GLUFOSINATE AMMONIUM	REKKA 150 SL	150 g/L	SL	HERBICIDE	4	266-182-5919	27-May-24	NON-SELECTIVE (POST-EMERGENT)	Cacao	Annual and perennial grasses, sedges, and broadleaf weeds	160, 135 ml/16L water	-	-	After spray deposits have dried
ASIA GOLD TRADING CORPORATION	GLUFOSINATE AMMONIUM	REKKA 150 SL	150 g/L	SL	HERBICIDE	4	266-182-5919	27-May-24	NON-SELECTIVE (POST-EMERGENT)	Non-crop areas	Annual and perennial grasses, sedges, and broadleaf weeds	160-215 ml/16L water	-	-	After spray deposits have dried
AGWAY CHEMICALS CORPORATION	MANCOZEB-METALAXYL	REID 72 WP	640+80 g/kg	WP	FUNGICIDE	4	075-035-4100	29-Aug-23	SYSTEMIC	Potato	Late Blight	1 Sachet/16L	-	-	-
AGWAY CHEMICALS CORPORATION	MANCOZEB-METALAXYL	REID 72 WP	640+80 g/kg	WP	FUNGICIDE	4	075-035-4100	29-Aug-23	SYSTEMIC	Tomato	Late Blight	1 Sachet/16L	-	-	-
AGWAY CHEMICALS CORPORATION	MANCOZEB-METALAXYL	REID 72 WP	640+80 g/kg	WP	FUNGICIDE	4	075-035-4100	29-Aug-23	SYSTEMIC	Asparagus	Spear rot	2 kg prod./ha	-	-	-
AGWAY CHEMICALS CORPORATION	MANCOZEB-METALAXYL	REID 72 WP	640+80 g/kg	WP	FUNGICIDE	4	075-035-4100	29-Aug-23	SYSTEMIC	Pineapple	Heart rot	10-14 kg prod./ha	-	-	-
AGWAY CHEMICALS CORPORATION	MANCOZEB-METALAXYL	REID 72 WP	640+80 g/kg	WP	FUNGICIDE	4	075-035-4100	29-Aug-23	SYSTEMIC	Gichids	Black rot	25 kg prod./ha	-	-	-
BASF PHILIPPINES, INC.	FFPHONL	REGENT 0.3 GR	3 g/kg	G	INSECTICIDE	3	005-244-0541	18-Jan-27	CONTACT	Rice (Transplanted)	Stemborer	10-17 kg prod./ha	0.01ppm	7 days before harvest	1 day after application
BASF PHILIPPINES, INC.	FFPHONL	REGENT 0.3 GR	3 g/kg	G	INSECTICIDE	3	005-244-0541	18-Jan-27	CONTACT	Rice (Direct-seeded)	Brown planthopper	30-37 kg prod./ha	0.01ppm	7 days before harvest	1 day after application
BASF PHILIPPINES, INC.	FFPHONL	REGENT 0.3 GR	3 g/kg	G	INSECTICIDE	3	005-244-0541	18-Jan-27	CONTACT	Corn	Asiatic corn borer, earworm & aphids	10-13 kg prod./ha	0.01 ppm	7 days before harvest	1 day after application
BASF PHILIPPINES, INC.	FFPHONL	REGENT 0.3 GR	3 g/kg	G	INSECTICIDE	3	005-244-0541	18-Jan-27	CONTACT	Sugarcane (plant canes) & jostom	White grubs	20-30 kg prod./ha	-	7 days before harvest	1 day after application
BASF PHILIPPINES, INC.	FFPHONL	REGENT 0.3 GR	3 g/kg	G	INSECTICIDE	3	005-244-0541	31-Oct-23	CONTACT	Cavendish Banana	Corn weevil	20-40 kg prod./ hectare	-	7 days before harvest	1 day after application
JOCANIMA CORPORATION	EXTRACT OF REYNOLDSIA SACHALINENSIS	REGALIA	90g/L	-	FUNGICIDE	4	241-628-6290	6-Oct-24	-	Banana	Black sigatoka	1200 ml prod./ha	-	-	-
SYNGENTA PHILIPPINES INC.	REFLECT 125 EC	125 g/L	125 g/L	EC	HERBICIDE	4	011-448-3361	23-Oct-24	-	Banana	Black Sigatoka	0.6 L/ha	0.05 mg/kg	0 day	-
BIOSTADT PHILIPPINES INC.	MANCOZEB	REDEEM 800 WP	800 g/kg	WP	FUNGICIDE	4	097-053-0684-A	06-Jul-26	-	Potato	Early and late blight	3-6 Tbsp/16 L water	-	-	As soon as spray dries
BIOSTADT PHILIPPINES INC.	MANCOZEB	REDEEM 800 WP	800 g/kg	WP	FUNGICIDE	4	097-053-0684-A	06-Jul-26	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	-	7 Days
BIOSTADT PHILIPPINES INC.	MANCOZEB	REDEEM 800 WP	800 g/kg	WP	FUNGICIDE	4	097-053-0684-A	06-Jul-26	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	-	7 Days
BIOSTADT PHILIPPINES INC.	MANCOZEB	REDEEM 800 WP	800 g/kg	WP	FUNGICIDE	4	097-053-0684-A	06-Jul-26	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	-	7 Days
BIOSTADT PHILIPPINES INC.	MANCOZEB	REDEEM 800 WP	800 g/kg	WP	FUNGICIDE	4	097-053-0684-A	06-Jul-26	-	Celery	Late blight	3-6 Tbsp/16 L water	-	-	14 Days
BIOSTADT PHILIPPINES INC.	MANCOZEB	REDEEM 800 WP	800 g/kg	WP	FUNGICIDE	4	097-053-0684-A	06-Jul-26	-	Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	-	5 days
BIOSTADT PHILIPPINES INC.	MANCOZEB	REDEEM 800 WP	800 g/kg	WP	FUNGICIDE	4	097-053-0684-A	06-Jul-26	-	Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	-	5 days
BIOSTADT PHILIPPINES INC.	MANCOZEB	REDEEM 800 WP	800 g/kg	WP	FUNGICIDE	4	097-053-0684-A	06-Jul-26	-	Cotton	Damping off	3-6 Tbsp/16 L water	-	-	As soon as spray dries
BIOSTADT PHILIPPINES INC.	MANCOZEB	REDEEM 800 WP	800 g/kg	WP	FUNGICIDE	4	097-053-0684-A	06-Jul-26	-	Lettuce	Downy mildew	3-6 Tbsp/16 L water	-	-	7 Days
BIOSTADT PHILIPPINES INC.	MANCOZEB	REDEEM 800 WP	800 g/kg	WP	FUNGICIDE	4	097-053-0684-A	06-Jul-26	-	Beans	Anthracoise, Downy mildew, Rust	3-6 Tbsp/16 L water	-	-	5 days
BIOSTADT PHILIPPINES INC.	MANCOZEB	REDEEM 800 WP	800 g/kg	WP	FUNGICIDE	4	097-053-0684-A	06-Jul-26	-	Peas	Anthracoise, Downy mildew, Rust	3-6 Tbsp/16 L water	-	-	5 days
BIOSTADT PHILIPPINES INC.	MANCOZEB	REDEEM 800 WP	800 g/kg	WP	FUNGICIDE	4	097-053-0684-A	06-Jul-26	-	Mungo	Anthracoise, Downy mildew, Rust	3-6 Tbsp/16 L water	-	-	5 days

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
BIOSTADT PHILIPPINES INC.	MANCOZEB	REDEEM 800 WP	800 g/kg	WP	FUNGICIDE	4	097-033-0084-A	06-Jul-26	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
BIOSTADT PHILIPPINES INC.	MANCOZEB	REDEEM 800 WP	800 g/kg	WP	FUNGICIDE	4	097-053-0084-A	06-Jul-26	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries
BIOSTADT PHILIPPINES INC.	MANCOZEB	REDEEM 800 WP	800 g/kg	WP	FUNGICIDE	4	097-033-0084-A	06-Jul-26	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries
BIOSTADT PHILIPPINES INC.	MANCOZEB	REDEEM 800 WP	800 g/kg	WP	FUNGICIDE	4	097-033-0084-A	06-Jul-26	-	Pepper	Anthracoise	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries
BIOSTADT PHILIPPINES INC.	MANCOZEB	REDEEM 800 WP	800 g/kg	WP	FUNGICIDE	4	097-033-0084-A	06-Jul-26	-	Chili	Anthracoise	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries
BIOSTADT PHILIPPINES INC.	MANCOZEB	REDEEM 800 WP	800 g/kg	WP	FUNGICIDE	4	097-033-0084-A	06-Jul-26	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries
BIOSTADT PHILIPPINES INC.	MANCOZEB	REDEEM 800 WP	800 g/kg	WP	FUNGICIDE	4	097-033-0084-A	06-Jul-26	-	Banana	Sigatoka, Black leaf streak	3-6 Tbsp/36 L water	-	-	As soon as spray dries
BIOSTADT PHILIPPINES INC.	MANCOZEB	REDEEM 800 WP	800 g/kg	WP	FUNGICIDE	4	097-033-0084-A	06-Jul-26	-	Grapes	Downy mildew, black rot	3-6 Tbsp/36 L water	-	60 days	As soon as spray dries
BIOSTADT PHILIPPINES INC.	MANCOZEB	REDEEM 800 WP	800 g/kg	WP	FUNGICIDE	4	097-033-0084-A	06-Jul-26	-	Mango	Anthracoise and Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
BIOSTADT PHILIPPINES INC.	MANCOZEB	REDEEM 800 WP	800 g/kg	WP	FUNGICIDE	4	097-033-0084-A	06-Jul-26	-	Papaya	Fruit rot	3-6 Tbsp/36 L water	-	-	As soon as spray dries
BIOSTADT PHILIPPINES INC.	MANCOZEB	REDEEM 800 WP	800 g/kg	WP	FUNGICIDE	4	097-033-0084-A	06-Jul-26	-	Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
BIOSTADT PHILIPPINES INC.	MANCOZEB	REDEEM 800 WP	800 g/kg	WP	FUNGICIDE	4	097-033-0084-A	06-Jul-26	-	Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
BIOSTADT PHILIPPINES INC.	MANCOZEB	REDEEM 800 WP	800 g/kg	WP	FUNGICIDE	4	097-033-0084-A	06-Jul-26	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries
BIOSTADT PHILIPPINES INC.	MANCOZEB	REDEEM 800 WP	800 g/kg	WP	FUNGICIDE	4	097-053-0084-A	06-Jul-26	-	Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/36 L water	-	-	As soon as spray dries
BIOSTADT PHILIPPINES INC.	MANCOZEB	REDEEM 800 WP	800 g/kg	WP	FUNGICIDE	4	097-033-0084-A	06-Jul-26	-	Peanut	Cercospora leaf spot	3-6 Tbsp/36 L water	-	14 days	As soon as spray dries
BIOSTADT PHILIPPINES INC.	MANCOZEB	REDEEM 800 WP	800 g/kg	WP	FUNGICIDE	4	097-033-0084-A	06-Jul-26	-	Soybeans	Leaf rust	3-6 Tbsp/36 L water	-	-	As soon as spray dries
BIOSTADT PHILIPPINES INC.	MANCOZEB	REDEEM 800 WP	800 g/kg	WP	FUNGICIDE	4	097-033-0084-A	06-Jul-26	-	Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/36 L water	-	-	As soon as spray dries
BIOSTADT PHILIPPINES INC.	MANCOZEB	REDEEM 750 WDG	750 g/kg	WDG	FUNGICIDE	4	097-033-1434	03-May-25	-	Potato	Early and Late Blight				
BIOSTADT PHILIPPINES INC.	MANCOZEB	REDEEM 750 WDG	750 g/kg	WDG	FUNGICIDE	4	097-033-1434	03-May-25	-	Cabbage	Downy mildew, Alternaria leaf spot				
BIOSTADT PHILIPPINES INC.	MANCOZEB	REDEEM 750 WDG	750 g/kg	WDG	FUNGICIDE	4	097-033-1434	03-May-25	-	Cauliflower	Downy mildew, Alternaria leaf spot				
BIOSTADT PHILIPPINES INC.	MANCOZEB	REDEEM 750 WDG	750 g/kg	WDG	FUNGICIDE	4	097-033-1434	03-May-25	-	Broccoli	Downy mildew, Alternaria leaf spot				
BIOSTADT PHILIPPINES INC.	MANCOZEB	REDEEM 750 WDG	750 g/kg	WDG	FUNGICIDE	4	097-033-1434	03-May-25	-	Celery	Late Blight				
BIOSTADT PHILIPPINES INC.	MANCOZEB	REDEEM 750 WDG	750 g/kg	WDG	FUNGICIDE	4	097-033-1434	03-May-25	-	Cucumber	Downy Mildew, Anthracnose, Scab				
BIOSTADT PHILIPPINES INC.	MANCOZEB	REDEEM 750 WDG	750 g/kg	WDG	FUNGICIDE	4	097-033-1434	03-May-25	-	Squash	Downy Mildew, Anthracnose, Scab				
BIOSTADT PHILIPPINES INC.	MANCOZEB	REDEEM 750 WDG	750 g/kg	WDG	FUNGICIDE	4	097-033-1434	03-May-25	-	Cotton	Damping off				
BIOSTADT PHILIPPINES INC.	MANCOZEB	REDEEM 750 WDG	750 g/kg	WDG	FUNGICIDE	4	097-033-1434	03-May-25	-	Lettuce	Downy Mildew				
BIOSTADT PHILIPPINES INC.	MANCOZEB	REDEEM 750 WDG	750 g/kg	WDG	FUNGICIDE	4	097-033-1434	03-May-25	-	Beans	Anthracoise, Downy Mildew, Rust				
BIOSTADT PHILIPPINES INC.	MANCOZEB	REDEEM 750 WDG	750 g/kg	WDG	FUNGICIDE	4	097-033-1434	03-May-25	-	Pisao	Anthracoise, Downy Mildew, Rust				
BIOSTADT PHILIPPINES INC.	MANCOZEB	REDEEM 750 WDG	750 g/kg	WDG	FUNGICIDE	4	097-033-1434	03-May-25	-	Mungo	Anthracoise, Downy Mildew, Rust				
BIOSTADT PHILIPPINES INC.	MANCOZEB	REDEEM 750 WDG	750 g/kg	WDG	FUNGICIDE	4	097-033-1434	03-May-25	-	Tomato	Early and late blight, Anthracnose ,Septoria leaf spot				
BIOSTADT PHILIPPINES INC.	MANCOZEB	REDEEM 750 WDG	750 g/kg	WDG	FUNGICIDE	4	097-033-1434	03-May-25	-	Onion	Purple blotch, Downy mildew, Botrytis leaf Blight				
BIOSTADT PHILIPPINES INC.	MANCOZEB	REDEEM 750 WDG	750 g/kg	WDG	FUNGICIDE	4	097-033-1434	03-May-25	-	Garlic	Purple blotch, Downy mildew, Botrytis leaf Blight				
BIOSTADT PHILIPPINES INC.	MANCOZEB	REDEEM 750 WDG	750 g/kg	WDG	FUNGICIDE	4	097-033-1434	03-May-25	-	Pepper	Anthracoise				
BIOSTADT PHILIPPINES INC.	MANCOZEB	REDEEM 750 WDG	750 g/kg	WDG	FUNGICIDE	4	097-033-1434	03-May-25	-	Eggplant	Blight, Anthracnose				
BIOSTADT PHILIPPINES INC.	MANCOZEB	REDEEM 750 WDG	750 g/kg	WDG	FUNGICIDE	4	097-033-1434	03-May-25	-	Banana	Sigatoka, Black leaf streak				
BIOSTADT PHILIPPINES INC.	MANCOZEB	REDEEM 750 WDG	750 g/kg	WDG	FUNGICIDE	4	097-033-1434	03-May-25	-	Grapes	Downy Mildew, Black rot				
BIOSTADT PHILIPPINES INC.	MANCOZEB	REDEEM 750 WDG	750 g/kg	WDG	FUNGICIDE	4	097-033-1434	03-May-25	-	Mango	Anthracoise, and scab				
BIOSTADT PHILIPPINES INC.	MANCOZEB	REDEEM 750 WDG	750 g/kg	WDG	FUNGICIDE	4	097-033-1434	03-May-25	-	Papaya	Fruit rot				
BIOSTADT PHILIPPINES INC.	MANCOZEB	REDEEM 750 WDG	750 g/kg	WDG	FUNGICIDE	4	097-033-1434	03-May-25	-	Melon	Downy mildew, Anthracnose, Scab				
BIOSTADT PHILIPPINES INC.	MANCOZEB	REDEEM 750 WDG	750 g/kg	WDG	FUNGICIDE	4	097-033-1434	03-May-25	-	Watermelon	Downy mildew, Anthracnose, Scab				
BIOSTADT PHILIPPINES INC.	MANCOZEB	REDEEM 750 WDG	750 g/kg	WDG	FUNGICIDE	4	097-033-1434	03-May-25	-	Corn (sweet and popcorn)	Helminthosporium leaf spot				
BIOSTADT PHILIPPINES INC.	MANCOZEB	REDEEM 750 WDG	750 g/kg	WDG	FUNGICIDE	4	097-033-1434	03-May-25	-	Rice	Blast, Sheath blight, Cercospora leaf spot , Helminthosporium leaf spot		0.03ppm		
BIOSTADT PHILIPPINES INC.	MANCOZEB	REDEEM 750 WDG	750 g/kg	WDG	FUNGICIDE	4	097-033-1434	03-May-25	-	Peanut	Cercospora leaf spot				
BIOSTADT PHILIPPINES INC.	MANCOZEB	REDEEM 750 WDG	750 g/kg	WDG	FUNGICIDE	4	097-033-1434	03-May-25	-	Soybeans	Leaf rust				
BIOSTADT PHILIPPINES INC.	MANCOZEB	REDEEM 750 WDG	750 g/kg	WDG	FUNGICIDE	4	097-033-1434	03-May-25	-	Ornamentals	Black spot, Blight, Anthracnose				
BIOSTADT PHILIPPINES INC.	MANCOZEB	REDEEM 600 OS	600 g/L	OS	FUNGICIDE	4	097-053-2565	03-Dec-25	-	Banana	Black sigatoka	-	-	Do not spray within 7 days before harvest	Do not enter near the field with in 2 days after spraying
BIOSTADT PHILIPPINES INC.	MANCOZEB	REDEEM 420 SC	420 g/L	SC	FUNGICIDE	4	097-033-1436	08-May-24	-	Banana	Black Sigatoka	4-5 L/ha or 12 Tbsp/36L	-	It is recommended to observe a 7 day pre-harvest interval	Re-entry to fields is allowed as soon as spray has dried
BIOSTADT PHILIPPINES INC.	MANCOZEB	REDEEM 420 SC	420 g/L	SC	FUNGICIDE	4	097-053-1436	08-May-24	-	Potato	Late blight	5-6 % Tbsp/16L	-	It is recommended to observe a 7 day pre-harvest interval	Re-entry to fields is allowed as soon as spray has dried
BIOSTADT PHILIPPINES INC.	MANCOZEB	REDEEM 420 SC	420 g/L	SC	FUNGICIDE	4	097-033-1436	08-May-24	-	Tomato	Early blight, late blight, cercospora leaf blight	7-10 Tbsp/36L	-	It is recommended to observe a 7 day pre-harvest interval	Re-entry to fields is allowed as soon as spray has dried
RYAY HARVEST TRADING CORPORATION	PROPICONAZOLE	HEBULCONAZOLE 25 EC	250 g/L	EC	FUNGICIDE	3	772-176-6495	18-Jan-27	SYSTEMIC	Banana	Black sigatoka	0.4 liters product/ha	-	-	-
DCOM MARKETING INCORPORATED	CUPROBUS OXIDE	RED SHIELD 75 WG	862 g/kg	WG	INSECTICIDE	4	467-249-3633	19-Dec-19	-	Rice	Bacterial leaf streak, bacterial leaf blight, cercospora leaf spot	2-3 Scoops/36 L of water	-	Harvesting can be done even a day after application, as long as the spray has already dried.	Do not enter treated area without protective clothing until sprays have dried. The area to be treated must be vacated by unprotected persons
DCOM MARKETING INCORPORATED	CUPROBUS OXIDE	RED SHIELD 75 WG	862 g/kg	WG	INSECTICIDE	4	467-249-3633	19-Dec-19	-	Cabbage	Black rot, leaf spot, downy mildew	1-5-2 Scoops/36 L of water	-	Harvesting can be done even a day after application, as long as the spray has already dried.	Do not enter treated area without protective clothing until sprays have dried. The area to be treated must be vacated by unprotected persons
DCOM MARKETING INCORPORATED	CUPROBUS OXIDE	RED SHIELD 75 WG	862 g/kg	WG	INSECTICIDE	4	467-249-3633	19-Dec-19	-	Cacao	Pod rot	2.0 Scoops/36 L of water	-	Harvesting can be done even a day after application, as long as the spray has already dried.	Do not enter treated area without protective clothing until sprays have dried. The area to be treated must be vacated by unprotected persons
DCOM MARKETING INCORPORATED	CUPROBUS OXIDE	RED SHIELD 75 WG	862 g/kg	WG	INSECTICIDE	4	467-249-3633	19-Dec-19	-	Carrot	Leaf Blight	1.5-2.0 Scoops/36 L of water	-	Harvesting can be done even a day after application, as long as the spray has already dried.	Do not enter treated area without protective clothing until sprays have dried. The area to be treated must be vacated by unprotected persons
DCOM MARKETING INCORPORATED	CUPROBUS OXIDE	RED SHIELD 75 WG	862 g/kg	WG	INSECTICIDE	4	467-249-3633	19-Dec-19	-	Celery	Leaf spot, leaf blight	1.5-2.0 Scoops/36 L of water	-	Harvesting can be done even a day after application, as long as the spray has already dried.	Do not enter treated area without protective clothing until sprays have dried. The area to be treated must be vacated by unprotected persons
DCOM MARKETING INCORPORATED	CUPROBUS OXIDE	RED SHIELD 75 WG	862 g/kg	WG	INSECTICIDE	4	467-249-3633	19-Dec-19	-	Citrus	Canker, Scab	2.0 Scoops/36 L of water	-	Harvesting can be done even a day after application, as long as the spray has already dried.	Do not enter treated area without protective clothing until sprays have dried. The area to be treated must be vacated by unprotected persons

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
DCOM MARKETING INCORPORATED	CUPRIOUS OXIDE	RED SHIELD 75 WG	862 g/kg	WG	INSECTICIDE	4	467-249-3633	19-Dec-19	-	Coffee	Coffee, Berry disease	2.0 Scoops/56.1 of water	-	Harvesting can be done even a day after application, as long as the spray has already dried.	Do not enter treated area without protective clothing until sprays have dried. The area to be treated must be vacated by unprotected persons
DCOM MARKETING INCORPORATED	CUPRIOUS OXIDE	RED SHIELD 75 WG	862 g/kg	WG	INSECTICIDE	4	467-249-3633	19-Dec-19	-	Cucumber	Downy mildew	1.5-2.0 Scoops/56.1 of water	-	Harvesting can be done even a day after application, as long as the spray has already dried.	Do not enter treated area without protective clothing until sprays have dried. The area to be treated must be vacated by unprotected persons
DCOM MARKETING INCORPORATED	CUPRIOUS OXIDE	RED SHIELD 75 WG	862 g/kg	WG	INSECTICIDE	4	467-249-3633	19-Dec-19	-	Mango	Anthraxnose	1.0-1.5 Scoops/56.1 of water	-	Harvesting can be done even a day after application, as long as the spray has already dried.	Do not enter treated area without protective clothing until sprays have dried. The area to be treated must be vacated by unprotected persons
DCOM MARKETING INCORPORATED	CUPRIOUS OXIDE	RED SHIELD 75 WG	862 g/kg	WG	INSECTICIDE	4	467-249-3633	19-Dec-19	-	Onion	Purple blotch	1.5 Scoops/56.1 of water	-	Harvesting can be done even a day after application, as long as the spray has already dried.	Do not enter treated area without protective clothing until sprays have dried. The area to be treated must be vacated by unprotected persons
DCOM MARKETING INCORPORATED	CUPRIOUS OXIDE	RED SHIELD 75 WG	862 g/kg	WG	INSECTICIDE	4	467-249-3633	19-Dec-19	-	Potato	Late Blight	1.5-2.0 Scoops/56.1 of water	-	Harvesting can be done even a day after application, as long as the spray has already dried.	Do not enter treated area without protective clothing until sprays have dried. The area to be treated must be vacated by unprotected persons
DCOM MARKETING INCORPORATED	CUPRIOUS OXIDE	RED SHIELD 75 WG	862 g/kg	WG	INSECTICIDE	4	467-249-3633	19-Dec-19	-	Snap Beans	Anthraxnose, Rust	1.5-2.0 Scoops/56.1 of water	-	Harvesting can be done even a day after application, as long as the spray has already dried.	Do not enter treated area without protective clothing until sprays have dried. The area to be treated must be vacated by unprotected persons
DCOM MARKETING INCORPORATED	CUPRIOUS OXIDE	RED SHIELD 75 WG	862 g/kg	WG	INSECTICIDE	4	467-249-3633	19-Dec-19	-	Tomato	Early blight	1.5-2.0 Scoops/56.1 of water	-	Harvesting can be done even a day after application, as long as the spray has already dried.	Do not enter treated area without protective clothing until sprays have dried. The area to be treated must be vacated by unprotected persons
MARPAD RHEIMMER ENTERPRISES CORPORATION	LAMBDA-CHALOTHIRIN	RED KITE 2.5 EC	25 g/L	EC	INSECTICIDE	2	766-204-6159	5-Jul-26	-	Rice	Green leafhopper, armyworm, rice bug, leafhopper, black bug	1.0-1.57bop/56.1 of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
MARPAD RHEIMMER ENTERPRISES CORPORATION	LAMBDA-CHALOTHIRIN	RED KITE 2.5 EC	25 g/L	EC	INSECTICIDE	2	766-204-6159	5-Jul-26	-	Mango	Hoppers	0.75-1.57bop/56.1 of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
MARPAD RHEIMMER ENTERPRISES CORPORATION	LAMBDA-CHALOTHIRIN	RED KITE 2.5 EC	25 g/L	EC	INSECTICIDE	2	766-204-6159	5-Jul-26	-	Tomato	Fruitworm, cutworm, aphids	1.0-1.57bop/56.1 of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
MARPAD RHEIMMER ENTERPRISES CORPORATION	LAMBDA-CHALOTHIRIN	RED KITE 2.5 EC	25 g/L	EC	INSECTICIDE	2	766-204-6159	5-Jul-26	-	Onion	Thrips, cutworm	1.07bop/56.1 of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
MARPAD RHEIMMER ENTERPRISES CORPORATION	LAMBDA-CHALOTHIRIN	RED KITE 2.5 EC	25 g/L	EC	INSECTICIDE	2	766-204-6159	5-Jul-26	-	Mungbeans	Beetfly, flea beetle, leafhopper, aphids, mites, podborer	1.07bop/56.1 of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
MARPAD RHEIMMER ENTERPRISES CORPORATION	LAMBDA-CHALOTHIRIN	RED KITE 2.5 EC	25 g/L	EC	INSECTICIDE	2	766-204-6159	5-Jul-26	-	Corn	Comborer, aphids, seedling maggots	1.0-1.57bop/56.1 of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
MARPAD RHEIMMER ENTERPRISES CORPORATION	LAMBDA-CHALOTHIRIN	RED KITE 2.5 EC	25 g/L	EC	INSECTICIDE	2	766-204-6159	5-Jul-26	-	Tobacco	Budworm, Cutworm, aphids, ladybirds	1.0-1.57bop/56.1 of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
MARPAD RHEIMMER ENTERPRISES CORPORATION	LAMBDA-CHALOTHIRIN	RED KITE 2.5 EC	25 g/L	EC	INSECTICIDE	2	766-204-6159	5-Jul-26	-	Cotton	Bollworm	1.0-1.57bop/56.1 of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
MARPAD RHEIMMER ENTERPRISES CORPORATION	LAMBDA-CHALOTHIRIN	RED KITE 2.5 EC	25 g/L	EC	INSECTICIDE	2	766-204-6159	5-Jul-26	-	Cacao	Pod borer	1.0-2.07bop/56.1 of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
MARPAD RHEIMMER ENTERPRISES CORPORATION	LAMBDA-CHALOTHIRIN	RED KITE 2.5 EC	25 g/L	EC	INSECTICIDE	2	766-204-6159	5-Jul-26	-	Watermelon	Squash beetle, melon worm	1.07bop/56.1 of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
AGWAY CHEMICALS CORPORATION	ACEPHATE	RECLAIM 40 SL	400 g/L	SL	INSECTICIDE	3	075-242-5519	12-Aug-24	-	Tomato	Budworm, aphids	-	-	Crops sprayed with RECLAIM 40 SL	Re-entry to treated field is allowed as soon as solution dries up
AGWAY CHEMICALS CORPORATION	ACEPHATE	RECLAIM 40 SL	400 g/L	SL	INSECTICIDE	3	075-242-5519	12-Aug-24	-	Eggplant	Fruitborer	-	-	Crops sprayed with RECLAIM 40 SL	Re-entry to treated field is allowed as soon as solution dries up
AGWAY CHEMICALS CORPORATION	ACEPHATE	RECLAIM 40 SL	400 g/L	SL	INSECTICIDE	3	075-242-5519	12-Aug-24	-	Stringbeans	Aphids	-	-	Crops sprayed with RECLAIM 40 SL	Re-entry to treated field is allowed as soon as solution dries up
AGWAY CHEMICALS CORPORATION	ACEPHATE	RECLAIM 40 SL	400 g/L	SL	INSECTICIDE	3	075-242-5519	12-Aug-24	-	Tomato	Fruitworm	-	-	Crops sprayed with RECLAIM 40 SL	Re-entry to treated field is allowed as soon as solution dries up
AGWAY CHEMICALS CORPORATION	ACEPHATE	RECLAIM 40 SL	400 g/L	SL	INSECTICIDE	3	075-242-5519	12-Aug-24	-	Banana	Leafhopper, Tipborer	-	-	Crops sprayed with RECLAIM 40 SL	Re-entry to treated field is allowed as soon as solution dries up
AGWAY CHEMICALS CORPORATION	ACEPHATE	RECLAIM 40 SL	400 g/L	SL	INSECTICIDE	3	075-242-5519	12-Aug-24	-	Watermelon	Aphids, thrips	-	-	Crops sprayed with RECLAIM 40 SL	Re-entry to treated field is allowed as soon as solution dries up
AGWAY CHEMICALS CORPORATION	ACEPHATE	RECLAIM 40 SL	400 g/L	SL	INSECTICIDE	3	075-242-5519	12-Aug-24	-	Rice	Whorl maggot, green leafhopper, brown planthopper, stemborer, leafhoppers, rice bug	-	-	Crops sprayed with RECLAIM 40 SL	Re-entry to treated field is allowed as soon as solution dries up
AGWAY CHEMICALS CORPORATION	ACEPHATE	RECLAIM 40 SL	400 g/L	SL	INSECTICIDE	3	075-242-5519	12-Aug-24	-	Mango	Leafhopper and tip borer	0.02 ppm	-	Crops sprayed with RECLAIM 40 SL	Re-entry to treated field is allowed as soon as solution dries up
INDOFIL PHILIPPINES INC.	LAMBDA-CHALOTHIRIN+THIAMETHOXAM	RECKON 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	604-395-4878-A	18-Jun-25	CONTACT/SYSTEMIC	Potato	Whiteflies, aphids, thrips	300-200ml product/ha; 4-6 ml/56.1	0.1 Thiamethoxam; 0.1	7 Days	Do not enter treated fields at least 1 Day after application
INDOFIL PHILIPPINES INC.	LAMBDA-CHALOTHIRIN+THIAMETHOXAM	RECKON 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	604-395-4878-A	18-Jun-25	CONTACT/SYSTEMIC	Stringbeans	Green Leafhopper, aphids, mites	300-200ml product/ha; 4-6 ml/56.1	0.5 Thiamethoxam; 0.2 (with seed)	7 Days	Do not enter treated fields at least 1 Day after application
INDOFIL PHILIPPINES INC.	LAMBDA-CHALOTHIRIN+THIAMETHOXAM	RECKON 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	604-395-4878-A	18-Jun-25	CONTACT/SYSTEMIC	Eggplant	Whiteflies, green leafhopper, aphids	300-200ml product/ha; 4-6 ml/56.1	0.2 Thiamethoxam; 0.2	7 Days	Do not enter treated fields at least 1 Day after application
INDOFIL PHILIPPINES INC.	LAMBDA-CHALOTHIRIN+THIAMETHOXAM	RECKON 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	604-395-4878-A	18-Jun-25	CONTACT/SYSTEMIC	Bittergourd	Leafhoppers, thrips, aphids, fruitfly, cutworm	300-200ml product/ha; 4-13 ml/56.1	0.2 Thiamethoxam; 0.2	7 Days	Do not enter treated fields at least 1 Day after application
INDOFIL PHILIPPINES INC.	LAMBDA-CHALOTHIRIN+THIAMETHOXAM	RECKON 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	604-395-4878-A	18-Jun-25	CONTACT/SYSTEMIC	Mango	Leafhoppers, tipborers, capsid bug, fruitfly, codic fly	12-24ml/200L	0.1 Thiamethoxam; 0.2	3 Days	Do not enter treated fields at least 1 Day after application
INDOFIL PHILIPPINES INC.	LAMBDA-CHALOTHIRIN+THIAMETHOXAM	RECKON 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	604-395-4878-A	18-Jun-25	CONTACT/SYSTEMIC	Corn	Asiatic corn borer, cutworm, leafhopper, aphids, earworm	200-400ml product/ha; 10-16.0 ml product/56.1	0.06ppm Thiamethoxam; 1-3 ml/L	3 Days	Do not enter treated fields at least 1 Day after application
INDOFIL PHILIPPINES INC.	LAMBDA-CHALOTHIRIN+THIAMETHOXAM	RECKON 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	604-395-4878-A	18-Jun-25	CONTACT/SYSTEMIC	Banana	Flower thrips	-	1.0ppm Thiamethoxam; 0.5 ppm Thiamethoxam	10 Days	Do not enter treated fields at least 1 Day after application
INDOFIL PHILIPPINES INC.	LAMBDA-CHALOTHIRIN+THIAMETHOXAM	RECKON 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	604-395-4878-A	18-Jun-25	CONTACT/SYSTEMIC	Rice	Stemborer, leafhopper, rice bugs	30-307bop prod/56.1	-	14 Days	Do not enter treated fields at least 1 Day after application
BAYER CROSCIENCE, INC.	TETRANILIPROLE	REATTIS FS 480	480 g/L	FS	INSECTICIDE	4	284-515-5014	09-Feb-27	-	Corn	Corn seedling, maggot, cutworm and white grubs, fall armyworm	6.25-10 ml prod. / kg seeds 7.5-10 ml prod. / kg seeds	0.01 mg/kg	-	-
BAYER CROSCIENCE, INC.	TETRANILIPROLE	REATTIS FS 480	480 g/L	FS	INSECTICIDE	4	284-515-5014	09-Feb-27	-	Rice	Stemborer and rice leafhopper	3-3-10 ml prod. / kg seeds	0.01 mg/kg	-	-
GOLDEN PRIMESTOCKS CHEMICAL INC.	GLYPHOSATE IPA	REAPER 480 SL	480 g/L	SL	HERBICIDE	4	573-151-3719	04-Feb-25	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/ha	-	-	-
GOLDEN PRIMESTOCKS CHEMICAL INC.	GLYPHOSATE IPA	REAPER 480 SL	480 g/L	SL	HERBICIDE	4	573-151-3719	04-Feb-25	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
GOLDEN PRIMESTOCKS CHEMICAL INC.	GLYPHOSATE IPA	REAPER 480 SL	480 g/L	SL	HERBICIDE	4	573-151-3719	04-Feb-25	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
GOLDEN PRIMESTOCKS CHEMICAL INC.	GLYPHOSATE IPA	REAPER 480 SL	480 g/L	SL	HERBICIDE	4	573-151-3719	04-Feb-25	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
GOLDEN PRIMESTOCKS CHEMICAL INC.	GLYPHOSATE IPA	REAPER 480 SL	480 g/L	SL	HERBICIDE	4	573-151-3719	04-Feb-25	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
GOLDEN PRIMESTOCKS CHEMICAL INC.	GLYPHOSATE IPA	REAPER 480 SL	480 g/L	SL	HERBICIDE	4	573-151-3719	04-Feb-25	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
GOLDEN PRIMESTOCKS CHEMICAL INC.	GLYPHOSATE IPA	REAPER 480 SL	480 g/L	SL	HERBICIDE	4	573-151-3719	04-Feb-25	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
GOLDEN PRIMESTOCKS CHEMICAL INC.	GLYPHOSATE IPA	REAPER 480 SL	480 g/L	SL	HERBICIDE	4	573-151-3719	04-Feb-25	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
GOLDEN PRIMESTOCKS CHEMICAL INC.	GLYPHOSATE IPA	REAPER 480 SL	480 g/L	SL	HERBICIDE	4	573-151-3719	04-Feb-25	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/ha	-	-	-
GOLDEN PRIMESTOCKS CHEMICAL INC.	GLYPHOSATE IPA	REAPER 480 SL	480 g/L	SL	HERBICIDE	4	573-151-3719	04-Feb-25	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
GOLDEN PRIMESTOCKS CHEMICAL INC.	GLYPHOSATE IPA	REAPER 480 SL	480 g/L	SL	HERBICIDE	4	573-151-3719	04-Feb-25	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
GOLDEN PRIMESTOCKS CHEMICAL INC.	GLYPHOSATE IPA	REAPER 480 SL	480 g/L	SL	HERBICIDE	4	573-151-3719	04-Feb-25	POST-EMERGENT	Non-crop	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
AKTY MULTI TRADING CO. PHILS, INC.	PACLOBUTRAZOL	READY 25 SC	250 g/L	SC	OTHERS	3	540-237-5829	29-Nov-24	-	Mango	Plant growth regulator	-	-	-	-
AKTY MULTI TRADING CO. PHILS, INC.	PACLOBUTRAZOL	READY 25 SC	250 g/L	SC	OTHERS	3	540-237-5829	29-Nov-24	-	Durian	Plant growth regulator	-	-	-	-
AKTY MULTI TRADING CO. PHILS, INC.	PACLOBUTRAZOL	READY 25 SC	250 g/L	SC	OTHERS	3	540-237-5829	29-Nov-24	-	Calamansi	Plant growth regulator	-	-	-	-
AKTY MULTI TRADING CO. PHILS, INC.	PACLOBUTRAZOL	READY 25 SC	250 g/L	SC	OTHERS	3	540-237-5829	29-Nov-24	-	Cacao	Plant growth regulator	-	-	-	-
RBAY HARVEST TRADING CORPORATION	DIFENOCONAZOLE	RIEOL 250 EC	250 g/L	EC	FUNGICIDE	4	772-272-6366	24-Feb-26	SYSTEMIC	Rice	Sheath blight	0.25-0.30 L prod./ha	-	-	-
RBAY HARVEST TRADING CORPORATION	DIFENOCONAZOLE	RIEOL 250 EC	250 g/L	EC	FUNGICIDE	4	772-272-6366	24-Feb-26	SYSTEMIC	Mango	Anthraxnose	0.258-0.88 L prod./ha; 30-50 ml prod./200L	-	-	-
RBAY HARVEST TRADING CORPORATION	DIFENOCONAZOLE	RIEOL 250 EC	250 g/L	EC	FUNGICIDE	4	772-272-6366	24-Feb-26	SYSTEMIC	Stringbeans	Leaf spot	0.25-0.30 L prod./ha	-	-	-
RBAY HARVEST TRADING CORPORATION	DIFENOCONAZOLE	RIEOL 250 EC	250 g/L	EC	FUNGICIDE	4	772-272-6366	24-Feb-26	SYSTEMIC	Tomato	Alternaria leaf spot, cercospora leaf mold, powdery mildew	0.25-0.30 L prod./ha	-	-	-
RBAY HARVEST TRADING CORPORATION	DIFENOCONAZOLE	RIEOL 250 EC	250 g/L	EC	FUNGICIDE	4	772-272-6366	24-Feb-26	SYSTEMIC	Eggplant	Leaf spot	0.25-0.30 L prod./ha	-	-	-

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
RBAY HARVEST TRADING CORPORATION	DIFENOCANAZOLE	BIKOLE 250 EC	250 g/L	EC	FUNGICIDE	4	772-272-6366	24-Feb-26	SYSTEMIC	Cabbage	Ringpot, alternaria	0.25-0.30/L prod./ha	-	-	-
RBAY HARVEST TRADING CORPORATION	DIFENOCANAZOLE	BIKOLE 250 EC	250 g/L	EC	FUNGICIDE	4	772-272-6366	24-Feb-26	SYSTEMIC	Asparagus	Stem and leaf blight	0.36 L prod./ha; 0.4 g/L	-	-	-
RBAY HARVEST TRADING CORPORATION	DIFENOCANAZOLE	BIKOLE 250 EC	250 g/L	EC	FUNGICIDE	4	772-272-6366	24-Feb-26	SYSTEMIC	Onion	Purple blotch	0.40-0.50/L prod./ha	-	-	-
RBAY HARVEST TRADING CORPORATION	DIFENOCANAZOLE	BIKOLE 250 EC	250 g/L	EC	FUNGICIDE	4	772-272-6366	24-Feb-26	SYSTEMIC	Banana	Black Sigatoka	0.30-0.40/L prod./ha	-	-	-
RBAY HARVEST TRADING CORPORATION	LAMBDA-CHYALOTHIRIN+THIAMETHOXAM	BIETHAL 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	772-395-6363	25-Sep-25	CONTACT/SYSTEMIC	Potato	Whiteflies, aphids, thrips	100-200 mL prod./ha; 4.0-6.0 mL prod./16L	-	7 days	Do not enter treated fields for at least 1 day after application
RBAY HARVEST TRADING CORPORATION	LAMBDA-CHYALOTHIRIN+THIAMETHOXAM	BIETHAL 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	772-395-6363	25-Sep-25	CONTACT/SYSTEMIC	Stringbeans	Green leafhopper, aphids, mites	100-200 mL prod./ha; 4.0-6.0 mL prod./16L	-	7 days	Do not enter treated fields for at least 1 day after application
RBAY HARVEST TRADING CORPORATION	LAMBDA-CHYALOTHIRIN+THIAMETHOXAM	BIETHAL 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	772-395-6363	25-Sep-25	CONTACT/SYSTEMIC	Eggplant	Whiteflies, green leafhopper, aphids	100-200 mL prod./ha; 4.0-6.0 mL prod./16L	-	7 days	Do not enter treated fields for at least 1 day after application
RBAY HARVEST TRADING CORPORATION	LAMBDA-CHYALOTHIRIN+THIAMETHOXAM	BIETHAL 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	772-395-6363	25-Sep-25	CONTACT/SYSTEMIC	Bitter gourd	Leafhoppers, thrips, aphids	100-400 mL prod./ha; 4.0-13.0 mL prod./16L	-	7 days	Do not enter treated fields for at least 1 day after application
RBAY HARVEST TRADING CORPORATION	LAMBDA-CHYALOTHIRIN+THIAMETHOXAM	BIETHAL 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	772-395-6363	25-Sep-25	CONTACT/SYSTEMIC	Mango	Leafhoppers, lygbugs	30-50 mL/ 200L	-	3 days	Do not enter treated fields for at least 1 day after application
RBAY HARVEST TRADING CORPORATION	LAMBDA-CHYALOTHIRIN+THIAMETHOXAM	BIETHAL 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	772-395-6363	25-Sep-25	CONTACT/SYSTEMIC	Corn	Asian corn borer, cutworm, leafhoppers, aphids	250-400 mL prod./ha; 10.0-16.0 mL prod./16L	-	3 days	Do not enter treated fields for at least 1 day after application
RBAY HARVEST TRADING CORPORATION	LAMBDA-CHYALOTHIRIN+THIAMETHOXAM	BIETHAL 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	772-395-6363	25-Sep-25	CONTACT/SYSTEMIC	Banana	Flower thrips	1-3 mL/L	-	30 days	Do not enter treated fields for at least 1 day after application
RBAY HARVEST TRADING CORPORATION	LAMBDA-CHYALOTHIRIN+THIAMETHOXAM	BIETHAL 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	772-395-6363	25-Sep-25	CONTACT/SYSTEMIC	Rice	Stem borer, leafhopper, rice bugs	100-200 mL prod./ha; 10.0-30.0 mL prod./16L	-	40 days	Do not enter treated fields for at least 1 day after application
RBAY HARVEST TRADING CORPORATION	PROFENOFOS	BIKOFOS 50 EC	500 g/L	EC	INSECTICIDE	2	772-070-6362	11-Sep-24	-	Tomato	Fruitworm, Armyworm, cutworm	3.0-5.0 Tbsp/16L water	-	14 days	Do not enter treated field 24 hours after spraying
RBAY HARVEST TRADING CORPORATION	PROFENOFOS	BIKOFOS 50 EC	500 g/L	EC	INSECTICIDE	2	772-070-6362	11-Sep-24	-	Eggplant	Fruitborer, aphids, leafhopper, & thrips	1.5-3.0 Tbsp/16L water	-	14 days	Do not enter treated field 24 hours after spraying
RBAY HARVEST TRADING CORPORATION	PROFENOFOS	BIKOFOS 50 EC	500 g/L	EC	INSECTICIDE	2	772-070-6362	11-Sep-24	-	Cabbage	Diamond-back moth, cabbage worms, aphids, thrips	3.0-5.0 Tbsp/16L water	-	14 days	Do not enter treated field 24 hours after spraying
RBAY HARVEST TRADING CORPORATION	PROFENOFOS	BIKOFOS 50 EC	500 g/L	EC	INSECTICIDE	2	772-070-6362	11-Sep-24	-	Potato	Thrips, army worm, cutworm, tubermoth	3.0-5.0 Tbsp/16L water	-	14 days	Do not enter treated field 24 hours after spraying
RBAY HARVEST TRADING CORPORATION	PROFENOFOS	BIKOFOS 50 EC	500 g/L	EC	INSECTICIDE	2	772-070-6362	11-Sep-24	-	Soybeans	Corn earworm, leafminer	3.0-5.0 Tbsp/16L water	-	14 days	Do not enter treated field 24 hours after spraying
RBAY HARVEST TRADING CORPORATION	PROFENOFOS	BIKOFOS 50 EC	500 g/L	EC	INSECTICIDE	2	772-070-6362	11-Sep-24	-	Mungbeans	Corn earworm, leafminer	3.0-5.0 Tbsp/16L water	-	14 days	Do not enter treated field 24 hours after spraying
RBAY HARVEST TRADING CORPORATION	PROFENOFOS	BIKOFOS 50 EC	500 g/L	EC	INSECTICIDE	2	772-070-6362	11-Sep-24	-	Cotton	Thrips, bollworm & budworm	3.0-5.0 Tbsp/16L water	-	14 days	Do not enter treated field 24 hours after spraying
RBAY HARVEST TRADING CORPORATION	PROFENOFOS	BIKOFOS 50 EC	500 g/L	EC	INSECTICIDE	2	772-070-6362	11-Sep-24	-	Itaas	Beanyfly, leafroller, aphids	1.5-3.0 Tbsp/16L water	-	14 days	Do not enter treated field 24 hours after spraying
RBAY HARVEST TRADING CORPORATION	PROFENOFOS	BIKOFOS 50 EC	500 g/L	EC	INSECTICIDE	2	772-070-6362	11-Sep-24	-	Watermelon	Thrips	3.0-5.0 Tbsp/16L water	-	14 days	Do not enter treated field 24 hours after spraying
RBAY HARVEST TRADING CORPORATION	PROFENOFOS	BIKOFOS 50 EC	500 g/L	EC	INSECTICIDE	2	772-070-6362	11-Sep-24	-	Mango	Blossom thrips	1.0-2.0 Tbsp/16L water	-	14 days	Do not enter treated field 24 hours after spraying
RBAY HARVEST TRADING CORPORATION	CARBENDAZIM	BIENDAZIM 50 SC	500 g/L	SC	FUNGICIDE	4	772-267-6364	17-Jan-24	SYSTEMIC	Banana	Diamond fruit spot, anthracnose	0.5-1.0 mL/ L water	-	-	-
RBAY HARVEST TRADING CORPORATION	CARBENDAZIM	BIENDAZIM 50 SC	500 g/L	SC	FUNGICIDE	4	772-267-6364	17-Jan-24	SYSTEMIC	Cucurbits	Downy mildew	2-2 Tbsp/ 16L water	-	-	-
RBAY HARVEST TRADING CORPORATION	CARBENDAZIM	BIENDAZIM 50 SC	500 g/L	SC	FUNGICIDE	4	772-267-6364	17-Jan-24	SYSTEMIC	Green peas (Legumes)	Powdery mildew	0-2 Tbsp/ 16L water	-	-	-
RBAY HARVEST TRADING CORPORATION	CARBENDAZIM	BIENDAZIM 50 SC	500 g/L	SC	FUNGICIDE	4	772-267-6364	17-Jan-24	SYSTEMIC	Mango	Anthracoese	1-2 Tbsp/16L water	-	-	-
RBAY HARVEST TRADING CORPORATION	CARBENDAZIM	BIENDAZIM 50 SC	500 g/L	SC	FUNGICIDE	4	772-267-6364	17-Jan-24	SYSTEMIC	Sugarcane	Pineapple disease	5-10Tbsp/ 200L water	-	-	-
RBAY HARVEST TRADING CORPORATION	FLUAZOPOP-P-BUTYL	BIKIDE 15 EC	150 g/L	EC	HERBICIDE	4	772-212-6368	18-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Banana	Grasses, litchgrass, goosegrass, sour, papalum, crab grasses, bermuda grass, crowfoot grass	30-50 mL/ 16L	-	-	-
RBAY HARVEST TRADING CORPORATION	FLUAZOPOP-P-BUTYL	BIKIDE 15 EC	150 g/L	EC	HERBICIDE	4	772-212-6368	18-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Cacao	Grasses, litchgrass, goosegrass, sour, papalum, crab grasses, bermuda grass, crowfoot grass	30-50 mL/ 16L	-	-	-
RBAY HARVEST TRADING CORPORATION	FLUAZOPOP-P-BUTYL	BIKIDE 15 EC	150 g/L	EC	HERBICIDE	4	772-212-6368	18-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Coffee	Grasses, litchgrass, goosegrass, sour, papalum, crab grasses, bermuda grass, crowfoot grass	30-50 mL/ 16L	-	-	-
RBAY HARVEST TRADING CORPORATION	FLUAZOPOP-P-BUTYL	BIKIDE 15 EC	150 g/L	EC	HERBICIDE	4	772-212-6368	18-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Citrus	Grasses, litchgrass, goosegrass, sour, papalum, crab grasses, bermuda grass, crowfoot grass	30-50 mL/ 16L	-	-	-
RBAY HARVEST TRADING CORPORATION	FLUAZOPOP-P-BUTYL	BIKIDE 15 EC	150 g/L	EC	HERBICIDE	4	772-212-6368	18-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Cotton	Grasses, litchgrass, goosegrass, sour, papalum, crab grasses, bermuda grass, crowfoot grass	30-50 mL/ 16L	-	-	-
RBAY HARVEST TRADING CORPORATION	FLUAZOPOP-P-BUTYL	BIKIDE 15 EC	150 g/L	EC	HERBICIDE	4	772-212-6368	18-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Oil palm	Grasses, litchgrass, goosegrass, sour, papalum, crab grasses, bermuda grass, crowfoot grass	-	-	-	-
RBAY HARVEST TRADING CORPORATION	FLUAZOPOP-P-BUTYL	BIKIDE 15 EC	150 g/L	EC	HERBICIDE	4	772-212-6368	18-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Onion	Grasses, litchgrass, goosegrass, sour, papalum, crab grasses, bermuda grass, crowfoot grass	30-50 mL/ 16L	-	-	-
RBAY HARVEST TRADING CORPORATION	FLUAZOPOP-P-BUTYL	BIKIDE 15 EC	150 g/L	EC	HERBICIDE	4	772-212-6368	18-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Pineapple	Grasses, litchgrass, goosegrass, sour, papalum, crab grasses, bermuda grass, crowfoot grass	30-50 mL/ 16L	-	-	-
RBAY HARVEST TRADING CORPORATION	FLUAZOPOP-P-BUTYL	BIKIDE 15 EC	150 g/L	EC	HERBICIDE	4	772-212-6368	18-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Ramie	Grasses, litchgrass, goosegrass, sour, papalum, crab grasses, bermuda grass, crowfoot grass	-	-	-	-
RBAY HARVEST TRADING CORPORATION	FLUAZOPOP-P-BUTYL	BIKIDE 15 EC	150 g/L	EC	HERBICIDE	4	772-212-6368	18-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Rubber	Grasses, litchgrass, goosegrass, sour, papalum, crab grasses, bermuda grass, crowfoot grass	-	-	-	-
RBAY HARVEST TRADING CORPORATION	FLUAZOPOP-P-BUTYL	BIKIDE 15 EC	150 g/L	EC	HERBICIDE	4	772-212-6368	18-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Soybeans	Grasses, litchgrass, goosegrass, sour, papalum, crab grasses, bermuda grass, crowfoot grass	30-50 mL/ 16L	-	-	-
RBAY HARVEST TRADING CORPORATION	FLUAZOPOP-P-BUTYL	BIKIDE 15 EC	150 g/L	EC	HERBICIDE	4	772-212-6368	18-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Tomato	Grasses, litchgrass, goosegrass, sour, papalum, crab grasses, bermuda grass, crowfoot grass	30-50 mL/ 16L	-	-	-
RBAY HARVEST TRADING CORPORATION	FLUAZOPOP-P-BUTYL	BIKIDE 15 EC	150 g/L	EC	HERBICIDE	4	772-212-6368	18-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Cassava	Annual and perennial grass weeds	30-50 mL/ 16L	-	-	-
ZHENGHANG CROP PROTECTION (PHILIPPINES) INC.	PROCHOLOZAZ	RAZPRO 450 EW	450 g/L	EW	FUNGICIDE	3	581-300-5094	17-Jan-26	-	Banana	Fungal crown mold and crown rot	12 mL/ 16L water	-	0 day	-
ZHENGHANG CROP PROTECTION (PHILIPPINES) INC.	PROCHOLOZAZ	RAZPRO 450 EW	450 g/L	EW	FUNGICIDE	3	581-300-5094	17-Jan-26	-	Pineapple	Butt and crown mold and fruitlet core rot	0.5-1.0 mL/ L 1:1 ha	-	0 day	-
BIOLIFE SCIENCES SOLUTIONS COMPANY	PROCHOLOZAZ	RAZOR 450 EW	450 g/L	EW	FUNGICIDE	3	581-300-5096	05-May-24	-	Banana	Fungal crown mold, crown rot, anthracnose, pitmark, and smoky fruit	2-4 mL/L water	-	-	-
BIOLIFE SCIENCES SOLUTIONS COMPANY	PROCHOLOZAZ	RAZOR 450 EW	450 g/L	EW	FUNGICIDE	3	581-300-5096	05-May-24	-	Pineapple	Butt & crown mold	0.5-1.0 mL / L water	-	-	-
BIOLIFE SCIENCES SOLUTIONS COMPANY	PROCHOLOZAZ	RAZOR 450 EW	450 g/L	EW	FUNGICIDE	3	581-300-5096	05-May-24	-	Pineapple	Fruitlet core rot	0.10 mL / ha	-	-	-
BIOLIFE SCIENCES SOLUTIONS COMPANY	PROCHOLOZAZ	RAZOR 450 EW	450 g/L	EW	FUNGICIDE	3	581-300-5096	25-Apr-23	-	Pineapple	Black rot	1.0-3.0 L prod./ha; 0.5-1.0 mL prod./ L water	-	-	-
TEAMAGRO TRADING CORPORATION	BISPYRIBAC SODIUM	RAZER 30 SC	105.5 g/L	SC	HERBICIDE	4	248-276-3649	19-Feb-25	SELECTIVE (POST-EMERGENT)	Rice (Direct seeded)	Grasses, sedges & broadleaves	15mL/16L water, 20 spray load/ hectare	0.1 ppm	-	As soon as spray deposits have dried.
TEAMAGRO TRADING CORPORATION	BISPYRIBAC SODIUM	RAZER 30 SC	105.5 g/L	SC	HERBICIDE	4	248-276-3649	19-Feb-25	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Grasses, sedges & broadleaves	15mL/16 L water, 20 spray load/ hectare	0.1 ppm	-	As soon as spray deposits have dried.
R & A AGROFARM PRODUCTS, INC.	THOPHANATE METHYL	RAVEN 70% WP	700 g/Kg	WP	FUNGICIDE	4	450-107-1771	29-Jun-18	SYSTEMIC	Rice	Blast, neck rot, black spot	1.5-2.0 TBSP/16L Water	-	14 days	-
R & A AGROFARM PRODUCTS, INC.	THOPHANATE METHYL	RAVEN 70% WP	700 g/Kg	WP	FUNGICIDE	4	450-107-1771	29-Jun-18	SYSTEMIC	Mango	Anthracoese	0.5-1.0 TBSP/16L Water	-	-	-
R & A AGROFARM PRODUCTS, INC.	THOPHANATE METHYL	RAVEN 70% WP	700 g/Kg	WP	FUNGICIDE	4	450-107-1771	29-Jun-18	SYSTEMIC	Tobacco	Frog eye leaf spot	0.5-1.0 TBSP/16L Water	-	-	-
R & A AGROFARM PRODUCTS, INC.	THOPHANATE METHYL	RAVEN 70% WP	700 g/Kg	WP	FUNGICIDE	4	450-107-1771	29-Jun-18	SYSTEMIC	Tomato	Powdery mildew	0.5-1.0 TBSP/16L Water	-	-	-
R & A AGROFARM PRODUCTS, INC.	THOPHANATE METHYL	RAVEN 70% WP	700 g/Kg	WP	FUNGICIDE	4	450-107-1771	29-Jun-18	SYSTEMIC	Legumes	Cercospora leaf spot, Anthracnose, botrytis leaf spot, fusarium wilt, powdery mildew	0.5-1.0 TBSP/16L Water	-	-	-
R & A AGROFARM PRODUCTS, INC.	THOPHANATE METHYL	RAVEN 70% WP	700 g/Kg	WP	FUNGICIDE	4	450-107-1771	29-Jun-18	SYSTEMIC	Beans	Cercospora leaf spot, Anthracnose, botrytis leaf spot, fusarium wilt, powdery mildew	0.5-1.0 TBSP/16L Water	-	-	-

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
R & A AGROFARM PRODUCTS, INC.	THIOPHANATE METHYL	BAVEN 70% WP	700 g/kg	WP	FUNGICIDE	4	450-107-1771	29-Jun-18	SYSTEMIC	Cucumber	Powdery mildew, Gummy Stem blight, leaf and fruit spots	0.5-1.0 Tbsp/16L Water	-	-	-
R & A AGROFARM PRODUCTS, INC.	THIOPHANATE METHYL	BAVEN 70% WP	700 g/kg	WP	FUNGICIDE	4	450-107-1771	29-Jun-18	SYSTEMIC	Melon	Powdery mildew, Gummy Stem blight, leaf and fruit spots	0.5-1.0 Tbsp/16L Water	-	-	-
R & A AGROFARM PRODUCTS, INC.	THIOPHANATE METHYL	BAVEN 70% WP	700 g/kg	WP	FUNGICIDE	4	450-107-1771	29-Jun-18	SYSTEMIC	Ornamentals	Powdery mildew, black spots	0.5-1.0 Tbsp/16L Water	-	-	-
R & A AGROFARM PRODUCTS, INC.	THIOPHANATE METHYL	BAVEN 70% WP	700 g/kg	WP	FUNGICIDE	4	450-107-1771	29-Jun-18	SYSTEMIC	Onions	Powdery mildew, black spots	0.5-1.0 Tbsp/16L Water	-	-	-
R & A AGROFARM PRODUCTS, INC.	THIOPHANATE METHYL	BAVEN 70% WP	700 g/kg	WP	FUNGICIDE	4	450-107-1771	29-Jun-18	SYSTEMIC	Cabbage	Shot hole disease, cercospora leaf spot	0.5-1.0 Tbsp/16L Water	-	-	-
R & A AGROFARM PRODUCTS, INC.	THIOPHANATE METHYL	BAVEN 70% WP	700 g/kg	WP	FUNGICIDE	4	450-107-1771	29-Jun-18	SYSTEMIC	Cauliflower	Shot hole disease, cercospora leaf spot	0.5-1.0 Tbsp/16L Water	-	-	-
R & A AGROFARM PRODUCTS, INC.	THIOPHANATE METHYL	BAVEN 70% WP	700 g/kg	WP	FUNGICIDE	4	450-107-1771	29-Jun-18	SYSTEMIC	Lettuce	Shot hole disease, cercospora leaf spot	0.5-1.0 Tbsp/16L Water	-	-	-
R & A AGROFARM PRODUCTS, INC.	THIOPHANATE METHYL	BAVEN 70% WP	700 g/kg	WP	FUNGICIDE	4	450-107-1771	29-Jun-18	SYSTEMIC	Strawberry	Powdery mildew	0.5-1.0 Tbsp/16L Water	-	-	-
R & A AGROFARM PRODUCTS, INC.	THIOPHANATE METHYL	BAVEN 70% WP	700 g/kg	WP	FUNGICIDE	4	450-107-1771	29-Jun-18	SYSTEMIC	Grapes	Fruit rot, Powdery mildew, anthracnose	0.5-1.0 Tbsp/16L Water	-	-	-
R & A AGROFARM PRODUCTS, INC.	THIOPHANATE METHYL	BAVEN 70% WP	700 g/kg	WP	FUNGICIDE	4	450-107-1771	29-Jun-18	SYSTEMIC	Orange	Scabs	0.5-1.0 Tbsp/16L Water	-	-	-
R & A AGROFARM PRODUCTS, INC.	THIOPHANATE METHYL	BAVEN 70% WP	700 g/kg	WP	FUNGICIDE	4	450-107-1771	29-Jun-18	SYSTEMIC	Citrus	Scabs	0.5-1.0 Tbsp/16L Water	-	-	-
R & A AGROFARM PRODUCTS, INC.	THIOPHANATE METHYL	BAVEN 70% WP	700 g/kg	WP	FUNGICIDE	4	450-107-1771	29-Jun-18	SYSTEMIC	Calamansi	Scabs	0.5-1.0 Tbsp/16L Water	-	-	-
R & A AGROFARM PRODUCTS, INC.	THIOPHANATE METHYL	BAVEN 70% WP	700 g/kg	WP	FUNGICIDE	4	450-107-1771	29-Jun-18	SYSTEMIC	Banana	Sigatoka disease	1.5-2.0 Tbsp/16L Water	-	-	-
R & A AGROFARM PRODUCTS, INC.	THIOPHANATE METHYL	BAVEN 70% WP	700 g/kg	WP	FUNGICIDE	4	450-107-1771	29-Jun-18	SYSTEMIC	Papaya	Powdery mildew	0.5-1.0 Tbsp/16L Water	-	-	-
VAST AGRO SOLUTIONS, INC.	ZINC PHOSPHIDE	BAT-X 80 WP	800g/kg	WP	RODENTICIDE	2	365-173-4219	27-Jun-25	-	Field	Rats and mice	50g	-	-	-
CULTIVA INCORPORATED	ZINC PHOSPHIDE	BATTEN 80 WP	800 g/kg	WP	RODENTICIDE	2	261-173-3798	23-Aug-25	-	Agricultural field	Rodents	-	-	-	-
ULPI PHILIPPINES, INC.	ZINC PHOSPHIDE	BATOL	800 g/kg	B	RODENTICIDE	2	362-173-3748	27-Jun-25	-	Field	Rats and mice	-	-	-	-
BIOSTADT PHILIPPINES INC.	ZINC PHOSPHIDE	BATKIL	800 g/kg	B	RODENTICIDE	2	097-173-0861	27-Jun-25	-	Rice	Field rats, mice & other harmful rodents	0.5 teaspoon as bait on crushed rice.com.dried fish & any foodstuff	-	-	-
BIOSTADT PHILIPPINES INC.	ZINC PHOSPHIDE	BATKIL	800 g/kg	B	RODENTICIDE	2	097-173-0861	27-Jun-25	-	Corn	Field rats, mice & other harmful rodents	0.5 teaspoon as bait on crushed rice.com.dried fish & any foodstuff	-	-	-
BIOSTADT PHILIPPINES INC.	ZINC PHOSPHIDE	BATKIL	800 g/kg	B	RODENTICIDE	2	097-173-0861	27-Jun-25	-	Sugarcane	Field rats, mice & other harmful rodents	0.5 teaspoon as bait on crushed rice.com.dried fish & any foodstuff	-	-	-
CYBERTH PHILIPPINES, INC.	ZINC PHOSPHIDE	BATCHET 80% POWDER	800 g/kg	-	RODENTICIDE	2	216-173-3773	15-Jul-22	-	Field	Rats and mice	-	-	-	-
S&P ENTERPRISES, INC.	ZINC PHOSPHIDE	BAT-BAIT	800g/kg	-	RODENTICIDE	2	166-173-5944	27-Jun-25	-	Field	Rats and mice	-	-	-	-
QNM AGRIVENTURES INC.	LAMBDA-CHYALOTHIRIN	RAPIOR 2.5 EC	25 g/L	EC	INSECTICIDE	2	577-204-3762	03-Jul-22	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leafroller, black bug	1.0-1.5Tbsp/16L of water	0.05ppm	3Days	Re-entry to treated fields is allowed as soon as spray deposits dry
QNM AGRIVENTURES INC.	LAMBDA-CHYALOTHIRIN	RAPIOR 2.5 EC	25 g/L	EC	INSECTICIDE	2	577-204-3762	03-Jul-22	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/16 L of water	-	3Days	Re-entry to treated fields is allowed as soon as spray deposits dry
QNM AGRIVENTURES INC.	LAMBDA-CHYALOTHIRIN	RAPIOR 2.5 EC	25 g/L	EC	INSECTICIDE	2	577-204-3762	03-Jul-22	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/16L of water	-	3Days	Re-entry to treated fields is allowed as soon as spray deposits dry
QNM AGRIVENTURES INC.	LAMBDA-CHYALOTHIRIN	RAPIOR 2.5 EC	25 g/L	EC	INSECTICIDE	2	577-204-3762	03-Jul-22	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/16L of water	-	3Days	Re-entry to treated fields is allowed as soon as spray deposits dry
QNM AGRIVENTURES INC.	LAMBDA-CHYALOTHIRIN	RAPIOR 2.5 EC	25 g/L	EC	INSECTICIDE	2	577-204-3762	03-Jul-22	SYSTEMIC	Mungbeans	Beanfly, flea beetle, leafhopper, aphids, mites, podborer	1.0Tbsp/16L of water	-	3Days	Re-entry to treated fields is allowed as soon as spray deposits dry
QNM AGRIVENTURES INC.	LAMBDA-CHYALOTHIRIN	RAPIOR 2.5 EC	25 g/L	EC	INSECTICIDE	2	577-204-3762	03-Jul-22	SYSTEMIC	Corn	Combers, aphids, seedling maggots	1.0-1.5Tbsp/16L of water	-	3Days	Re-entry to treated fields is allowed as soon as spray deposits dry
QNM AGRIVENTURES INC.	LAMBDA-CHYALOTHIRIN	RAPIOR 2.5 EC	25 g/L	EC	INSECTICIDE	2	577-204-3762	03-Jul-22	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, ladybirds	1.0-1.5Tbsp/16L of water	-	3Days	Re-entry to treated fields is allowed as soon as spray deposits dry
QNM AGRIVENTURES INC.	LAMBDA-CHYALOTHIRIN	RAPIOR 2.5 EC	25 g/L	EC	INSECTICIDE	2	577-204-3762	03-Jul-22	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/16L of water	-	3Days	Re-entry to treated fields is allowed as soon as spray deposits dry
QNM AGRIVENTURES INC.	LAMBDA-CHYALOTHIRIN	RAPIOR 2.5 EC	25 g/L	EC	INSECTICIDE	2	577-204-3762	03-Jul-22	SYSTEMIC	Cocoa	Podborer	1.0-2.0Tbsp/16L of water	-	3Days	Re-entry to treated fields is allowed as soon as spray deposits dry
QNM AGRIVENTURES INC.	LAMBDA-CHYALOTHIRIN	RAPIOR 2.5 EC	25 g/L	EC	INSECTICIDE	2	577-204-3762	03-Jul-22	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/16L of water	-	3Days	Re-entry to treated fields is allowed as soon as spray deposits dry
BERRIS AGRICULTURAL CO., INC.	ALYLX MODIFIED HEPTAMETHYLTRISULOXANE	RAPIID-WET 408	100 g/L	L	OTHERS	4	233-362-3941	03-Dec-25	-	Banana	As adjuvant in tank combination with MANCOZEB 488 F for the control of sigatoka	16x with Mancozeb 488 F. 5% of Oil Used	-	-	No PHI needed when RAPIID-WET is used alone. The PHI required depends on the agrochemicals where RAPIID-WET is used alone
BERRIS AGRICULTURAL CO., INC.	TRISULOXANE ALKOXYLATE-ALYLX ETHOXYLATE	RAPIID-WET 408	83+17 g/L	-	OTHERS	4	233-335-3968	28-Dec-25	-	Mango	Leafhopper, capsid bugs, Cecid fly	25-100ml (4-16ml)/200ml	-	-	No PHI required when RAPIID-WET 408 is used alone PHI depends on the agrochemical where RAPIID-WET 408 is used alone
BERRIS AGRICULTURAL CO., INC.	TRISULOXANE ALKOXYLATE-ALYLX ETHOXYLATE	RAPIID-WET 408	83+17 g/L	-	OTHERS	4	233-335-3968	28-Dec-25	-	Banana	Sigatoka	1-2 Tbsp/16 L water	-	-	No PHI required when RAPIID-WET 408 is used alone PHI depends on the agrochemical where RAPIID-WET 408 is used alone
BERRIS AGRICULTURAL CO., INC.	TRISULOXANE ALKOXYLATE-ALYLX ETHOXYLATE	RAPIID-WET 408	83+17 g/L	-	OTHERS	4	233-335-3968	28-Dec-25	-	Pineapple	Weeds	1-2 Tbsp/16 L water	-	-	No PHI required when RAPIID-WET 408 is used alone PHI depends on the agrochemical where RAPIID-WET 408 is used alone
ACE CROP SOLUTIONS INC.	FLUAZIFOP-P-BUTYL	RAPIID FIRE 15 EC	150 g/L	EC	HERBICIDE	4	530-212-4664	14-Feb-22	SYSTEMIC/SELECTIVE/POST-EMERGENT	Banana	Grasses; itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L water	-	-	-
ACE CROP SOLUTIONS INC.	FLUAZIFOP-P-BUTYL	RAPIID FIRE 15 EC	150 g/L	EC	HERBICIDE	4	530-212-4664	14-Feb-22	SYSTEMIC/SELECTIVE/POST-EMERGENT	Cacao	Grasses; itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L water	-	-	-
ACE CROP SOLUTIONS INC.	FLUAZIFOP-P-BUTYL	RAPIID FIRE 15 EC	150 g/L	EC	HERBICIDE	4	530-212-4664	14-Feb-22	SYSTEMIC/SELECTIVE/POST-EMERGENT	Citrus	Grasses; itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L water	-	-	-
ACE CROP SOLUTIONS INC.	FLUAZIFOP-P-BUTYL	RAPIID FIRE 15 EC	150 g/L	EC	HERBICIDE	4	530-212-4664	14-Feb-22	SYSTEMIC/SELECTIVE/POST-EMERGENT	Cotton	Grasses; itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L water	-	-	-
ACE CROP SOLUTIONS INC.	FLUAZIFOP-P-BUTYL	RAPIID FIRE 15 EC	150 g/L	EC	HERBICIDE	4	530-212-4664	14-Feb-22	SYSTEMIC/SELECTIVE/POST-EMERGENT	Coffee	Grasses; itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L water	-	-	-
ACE CROP SOLUTIONS INC.	FLUAZIFOP-P-BUTYL	RAPIID FIRE 15 EC	150 g/L	EC	HERBICIDE	4	530-212-4664	14-Feb-22	SYSTEMIC/SELECTIVE/POST-EMERGENT	Oil palm	Grasses; itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L water	-	-	-
ACE CROP SOLUTIONS INC.	FLUAZIFOP-P-BUTYL	RAPIID FIRE 15 EC	150 g/L	EC	HERBICIDE	4	530-212-4664	14-Feb-22	SYSTEMIC/SELECTIVE/POST-EMERGENT	Ramie	Grasses; itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L water	-	-	-
ACE CROP SOLUTIONS INC.	FLUAZIFOP-P-BUTYL	RAPIID FIRE 15 EC	150 g/L	EC	HERBICIDE	4	530-212-4664	14-Feb-22	SYSTEMIC/SELECTIVE/POST-EMERGENT	Rubber	Grasses; itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L water	-	-	-
ACE CROP SOLUTIONS INC.	FLUAZIFOP-P-BUTYL	RAPIID FIRE 15 EC	150 g/L	EC	HERBICIDE	4	530-212-4664	14-Feb-22	SYSTEMIC/SELECTIVE/POST-EMERGENT	Onion	Grasses; itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L water	-	-	-
ACE CROP SOLUTIONS INC.	FLUAZIFOP-P-BUTYL	RAPIID FIRE 15 EC	150 g/L	EC	HERBICIDE	4	530-212-4664	14-Feb-22	SYSTEMIC/SELECTIVE/POST-EMERGENT	Pineapple	Grasses; itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L water	-	-	-
ACE CROP SOLUTIONS INC.	FLUAZIFOP-P-BUTYL	RAPIID FIRE 15 EC	150 g/L	EC	HERBICIDE	4	530-212-4664	14-Feb-22	SYSTEMIC/SELECTIVE/POST-EMERGENT	Soybeans	Grasses; itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L water	-	-	-
ACE CROP SOLUTIONS INC.	FLUAZIFOP-P-BUTYL	RAPIID FIRE 15 EC	150 g/L	EC	HERBICIDE	4	530-212-4664	14-Feb-22	SYSTEMIC/SELECTIVE/POST-EMERGENT	Tomato	Grasses; itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L water	-	-	-
JYNNSONS PHILIPPINES, INC.	BUTACHLOR+2,4-D-IBE	HANSACK 60 EC	360+240 g/L	EC	HERBICIDE	3	551-152-3998	20-Dec-25	PRE-EMERGENT	Rice (Direct-seeded)	Broadleaf weeds,grasses & sedges	8-20Tbsp/16 L sprayload	Butachlor 0.1ppm 2,4-D-IBE 0.1ppm	-	-
JYNNSONS PHILIPPINES, INC.	BUTACHLOR+2,4-D-IBE	HANSACK 60 EC	360+240 g/L	EC	HERBICIDE	3	551-152-3998	20-Dec-25	PRE-EMERGENT	Rice (Transplanted)	Broadleaf weeds,grasses & sedges	8-20Tbsp/16 L sprayload	Butachlor 0.1ppm 2,4-D-IBE 0.1ppm	-	-
AVC CHEMICAL CORPORATION	CYAZAFAMID	BANMAN 30 SC	106.4 g/L	SC	FUNGICIDE	4	060-426-2949	11-Aug-24	SELECTIVE	Cabbage	Clubroot	10ml/Gallon (4L water)	0.05 ppm	50-60 days	Enter the field as soon as the spray dries up
AVC CHEMICAL CORPORATION	CYAZAFAMID	BANMAN 30 SC	106.4 g/L	SC	SELECTIVE	4	060-426-2949	11-Aug-24	SELECTIVE	Tomato	Late blight	25-30ml/ 16L water	2 ppm	0 day	Enter the field as soon as the spray dries up
AVC CHEMICAL CORPORATION	CYAZAFAMID	BANMAN 30 SC	106.4 g/L	SC	FUNGICIDE	4	060-426-2949	11-Aug-24	SELECTIVE	Potato	Late blight	25-30ml/16L water	0.05 ppm	0 day	Enter the field as soon as the spray dries up
EZERTECH CORPORATION	CHLIFLUPROFEN	BANKADA 24 EC	240 g/L	EC	HERBICIDE	4	646-123-5334	02-Feb-24	-	Onion	Broadleaves, sedges & grasses	4-8 Tbsp/16 L of water	-	-	Entry to fields may be done after spray deposits have dried up.
GOLDEN FARMERS AGRI PRODUCT CORPORATION	BPAC-CHLORPYRIFOS	RANGER 33.5 EC	210+105 g/L	EC	INSECTICIDE	2	609-174-4315	03-Apr-24	-	Rice	Stemborer, armyworm, leafhopper, caseworm and planthopper	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
GOLDEN FARMERS AGRICULTURAL PRODUCT CORPORATION	BPiMC-CHLORPYRIFOS	RANGER 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	609-174-4315	03-Apr-24	-	Corn	Seedling maggot, corn earworm, cornborer and armyworm	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
GOLDEN FARMERS AGRICULTURAL PRODUCT CORPORATION	BPiMC-CHLORPYRIFOS	RANGER 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	609-174-4315	03-Apr-24	-	Tobacco	Budworm, grasshopper, aphid, cutworm and armyworm	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
GOLDEN FARMERS AGRICULTURAL PRODUCT CORPORATION	BPiMC-CHLORPYRIFOS	RANGER 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	609-174-4315	03-Apr-24	-	Cucumber	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
GOLDEN FARMERS AGRICULTURAL PRODUCT CORPORATION	BPiMC-CHLORPYRIFOS	RANGER 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	609-174-4315	03-Apr-24	-	Melon	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
GOLDEN FARMERS AGRICULTURAL PRODUCT CORPORATION	BPiMC-CHLORPYRIFOS	RANGER 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	609-174-4315	03-Apr-24	-	Watermelon	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
GOLDEN FARMERS AGRICULTURAL PRODUCT CORPORATION	BPiMC-CHLORPYRIFOS	RANGER 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	609-174-4315	03-Apr-24	-	Onion	Thrips, cutworm	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
GOLDEN FARMERS AGRICULTURAL PRODUCT CORPORATION	BPiMC-CHLORPYRIFOS	RANGER 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	609-174-4315	03-Apr-24	-	Mungo	Beanfly, armyworm, cutworm, leafminer and leaf folder	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
GOLDEN FARMERS AGRICULTURAL PRODUCT CORPORATION	BPiMC-CHLORPYRIFOS	RANGER 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	609-174-4315	03-Apr-24	-	Soybeans	Beanfly, armyworm, cutworm, leafminer and leaf folder	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
GOLDEN FARMERS AGRICULTURAL PRODUCT CORPORATION	BPiMC-CHLORPYRIFOS	RANGER 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	609-174-4315	03-Apr-24	-	Beans	Beanfly, armyworm, cutworm, leafminer and leaf folder	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
JYNNSONS PHILIPPINES, INC.	THIAMETHOXAM	RAMROD 25 WG	250g/kg	WG	INSECTICIDE	4	551-312-4446	24-Jul-24	SYSTEMIC	Pineapple	Mealy bug	100-200 g/ha	0.05 mg/kg	No PHI proposed as last application of RAMROD 25 WG will be 48-days before harvest	Do not enter unless spray deposits have dried
JYNNSONS PHILIPPINES, INC.	THIAMETHOXAM	RAMROD 25 WG	250g/kg	WG	INSECTICIDE	4	551-312-4446	24-Jul-24	SYSTEMIC	Mango	Leafhopper	105.6-123.3g prod/ha	0.20 mg/kg	No PHI proposed as the product will be applied at least 20-40 days before harvest	Do not enter unless spray deposits have dried
JYNNSONS PHILIPPINES, INC.	THIAMETHOXAM	RAMROD 25 WG	250g/kg	WG	INSECTICIDE	4	551-312-4446	24-Jul-24	SYSTEMIC	Rice	Green leafhopper, brown plant hopper, white backed planthopper, rice bug, black bug	4.0-5.0 Tbsp/36L water; For black bug 7.0-10.0 Tbsp/36L water	-	20 days	Do not enter unless spray deposits have dried
JYNNSONS PHILIPPINES, INC.	THIAMETHOXAM	RAMROD 25 WG	250g/kg	WG	INSECTICIDE	4	551-312-4446	24-Jul-24	SYSTEMIC	Stringbeans	Aphids, leafhopper	0.5-2.0 Drench, Foliar spray 2.0-5.0 Tbsp/36L water	-	7 days	Do not enter unless spray deposits have dried
JYNNSONS PHILIPPINES, INC.	THIAMETHOXAM	RAMROD 25 WG	250g/kg	WG	INSECTICIDE	4	551-312-4446	24-Jul-24	SYSTEMIC	Eggplant	Aphids, leafhopper	0.5-2.0 Drench, Foliar spray 2.0-5.0 Tbsp/36L water	-	3 days	Do not enter unless spray deposits have dried
JYNNSONS PHILIPPINES, INC.	THIAMETHOXAM	RAMROD 25 WG	250g/kg	WG	INSECTICIDE	4	551-312-4446	24-Jul-24	SYSTEMIC	Banana	Thrips	4-6g/L	0.02 mg/kg	No PHI proposed as RAMROD will be applied as bud rejection	Do not enter unless spray deposits have dried
AGSMART CORPORATION	PROFENOFOS	RAMPEL 500 EC	500 g/L	EC	INSECTICIDE	2	680-070-6465	19-Feb-27	-	Cabbage and other crucifers	Diamondback moth, cabbage worm, looper, and aphids	30-50 mL/36L water	-	Do not apply at less than 7 days before harvest	Do not enter treated fields for at least 1 day after application
AGSMART CORPORATION	PROFENOFOS	RAMPEL 500 EC	500 g/L	EC	INSECTICIDE	2	680-070-6465	19-Feb-27	-	Cotton	Thrips, bollworm & budworm	30-50 mL/36L water	-	Do not apply at less than 7 days before harvest	Do not enter treated fields for at least 1 day after application
AGSMART CORPORATION	PROFENOFOS	RAMPEL 500 EC	500 g/L	EC	INSECTICIDE	2	680-070-6465	19-Feb-27	-	Eggplant	Fruit borer, aphids, leafhopper, and thrips	1.5 tbsp or 3.2 tbsp	-	Do not apply at less than 7 days before harvest	Do not enter treated fields for at least 1 day after application
AGSMART CORPORATION	PROFENOFOS	RAMPEL 500 EC	500 g/L	EC	INSECTICIDE	2	680-070-6465	19-Feb-27	-	Mango	Blossom thrips	10-20 mL/36L water	-	Do not apply at less than 7 days before harvest	Do not enter treated fields for at least 1 day after application
AGSMART CORPORATION	PROFENOFOS	RAMPEL 500 EC	500 g/L	EC	INSECTICIDE	2	680-070-6465	19-Feb-27	-	Mungbeans	Corn earworm, leafminer	30-50 mL/36L water	-	Do not apply at less than 7 days before harvest	Do not enter treated fields for at least 1 day after application
AGSMART CORPORATION	PROFENOFOS	RAMPEL 500 EC	500 g/L	EC	INSECTICIDE	2	680-070-6465	19-Feb-27	-	Potato	Thrips, army worm, cutworm, tuber moth	30-50 mL/36L water	-	Do not apply at less than 7 days before harvest	Do not enter treated fields for at least 1 day after application
AGSMART CORPORATION	PROFENOFOS	RAMPEL 500 EC	500 g/L	EC	INSECTICIDE	2	680-070-6465	19-Feb-27	-	Soybeans	Corn earworm, leafminer	30-50 mL/36L water	-	Do not apply at less than 7 days before harvest	Do not enter treated fields for at least 1 day after application
AGSMART CORPORATION	PROFENOFOS	RAMPEL 500 EC	500 g/L	EC	INSECTICIDE	2	680-070-6465	19-Feb-27	-	Stringbeans	Beanfly, leaf folder, aphids, and pod borer	1.5 tbsp or 3.2 tbsp	-	Do not apply at less than 7 days before harvest	Do not enter treated fields for at least 1 day after application
AGSMART CORPORATION	PROFENOFOS	RAMPEL 500 EC	500 g/L	EC	INSECTICIDE	2	680-070-6465	19-Feb-27	-	Tomato	Fruitworm, armyworm, cutworm	15-30 mL/36L water	-	Do not apply at less than 7 days before harvest	Do not enter treated fields for at least 1 day after application
AGSMART CORPORATION	PROFENOFOS	RAMPEL 500 EC	500 g/L	EC	INSECTICIDE	2	680-070-6465	19-Feb-27	-	Watermelon	Blossom thrips	30-50 mL/36L water	-	Do not apply at less than 7 days before harvest	Do not enter treated fields for at least 1 day after application
BAYER CROSCIENCE, INC.	CARTAP HYDROCHLORIDE	RAMPAGE 50 SP	500 g/kg	SP	INSECTICIDE	3	284-106-2087	24-May-25	SYSTEMIC	Rice	Whorl maggot, stemborer, green leafhopper, brown planthopper	3.0-5.0Tbsp/36L water	0.20ppm	Stop spraying 10 days before harvest	-
BAYER CROSCIENCE, INC.	CARTAP HYDROCHLORIDE	RAMPAGE 50 SP	500 g/kg	SP	INSECTICIDE	3	284-106-2087	24-May-25	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/36L water	-	-	-
BAYER CROSCIENCE, INC.	CARTAP HYDROCHLORIDE	RAMPAGE 50 SP	500 g/kg	SP	INSECTICIDE	3	284-106-2087	24-May-25	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/36L water	-	-	-
BAYER CROSCIENCE, INC.	CARTAP HYDROCHLORIDE	RAMPAGE 50 SP	500 g/kg	SP	INSECTICIDE	3	284-106-2087	24-May-25	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/36L water	-	-	-
BAYER CROSCIENCE, INC.	CARTAP HYDROCHLORIDE	RAMPAGE 50 SP	500 g/kg	SP	INSECTICIDE	3	284-106-2087	24-May-25	SYSTEMIC	Saffir	Thrips, cutworm	1.5-2.0Tbsp/36L water	-	-	-
BAYER CROSCIENCE, INC.	CARTAP HYDROCHLORIDE	RAMPAGE 50 SP	500 g/kg	SP	INSECTICIDE	3	284-106-2087	24-May-25	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/36L water	-	-	-
BAYER CROSCIENCE, INC.	CARTAP HYDROCHLORIDE	RAMPAGE 50 SP	500 g/kg	SP	INSECTICIDE	3	284-106-2087	24-May-25	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/36L water	-	-	-
BAYER CROSCIENCE, INC.	CARTAP HYDROCHLORIDE	RAMPAGE 50 SP	500 g/kg	SP	INSECTICIDE	3	284-106-2087	24-May-25	SYSTEMIC	Mango	leafhoppers	1.5-2.0Tbsp/36L water	-	-	-
BAYER CROSCIENCE, INC.	CARTAP HYDROCHLORIDE	RAMPAGE 50 SP	500 g/kg	SP	INSECTICIDE	3	284-106-2087	24-May-25	SYSTEMIC	Peachay	looper, cutworm, aphids	1.5-3.0Tbsp/36L water	-	-	-
TRIGREEN TRADING CORPORATION	LAMBDA-CHYALOTHIRIN	RAM 2.5 EC	25 g/L	EC	INSECTICIDE	2	356-204-3239	03-Feb-24	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leaf folder, black bug	1.0-1.5Tbsp/36L of water	0.05ppm	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray dries up
TRIGREEN TRADING CORPORATION	LAMBDA-CHYALOTHIRIN	RAM 2.5 EC	25 g/L	EC	INSECTICIDE	2	356-204-3239	03-Feb-24	SYSTEMIC	Mango	Hoppers	0.75-1.3Tbsp/36L of water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray dries up
TRIGREEN TRADING CORPORATION	LAMBDA-CHYALOTHIRIN	RAM 2.5 EC	25 g/L	EC	INSECTICIDE	2	356-204-3239	03-Feb-24	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/36L of water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray dries up
TRIGREEN TRADING CORPORATION	LAMBDA-CHYALOTHIRIN	RAM 2.5 EC	25 g/L	EC	INSECTICIDE	2	356-204-3239	03-Feb-24	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/36L of water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray dries up
TRIGREEN TRADING CORPORATION	LAMBDA-CHYALOTHIRIN	RAM 2.5 EC	25 g/L	EC	INSECTICIDE	2	356-204-3239	03-Feb-24	SYSTEMIC	Mungbeans	Beanfly, flea beetle, leafhopper, aphids, mites, podborer	1.0Tbsp/36L of water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray dries up
TRIGREEN TRADING CORPORATION	LAMBDA-CHYALOTHIRIN	RAM 2.5 EC	25 g/L	EC	INSECTICIDE	2	356-204-3239	03-Feb-24	SYSTEMIC	Corn	Comborer, aphids, seedling maggots	1.0-1.5Tbsp/36L of water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray dries up
TRIGREEN TRADING CORPORATION	LAMBDA-CHYALOTHIRIN	RAM 2.5 EC	25 g/L	EC	INSECTICIDE	2	356-204-3239	03-Feb-24	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydid	1.0-1.5Tbsp/36L of water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray dries up
TRIGREEN TRADING CORPORATION	LAMBDA-CHYALOTHIRIN	RAM 2.5 EC	25 g/L	EC	INSECTICIDE	2	356-204-3239	03-Feb-24	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/36L of water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray dries up
TRIGREEN TRADING CORPORATION	LAMBDA-CHYALOTHIRIN	RAM 2.5 EC	25 g/L	EC	INSECTICIDE	2	356-204-3239	03-Feb-24	SYSTEMIC	Cocoa	Podborer	1.0-2.0Tbsp/36L of water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray dries up
TRIGREEN TRADING CORPORATION	LAMBDA-CHYALOTHIRIN	RAM 2.5 EC	25 g/L	EC	INSECTICIDE	2	356-204-3239	03-Feb-24	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/36L of water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray dries up
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	AZIOXYSTROBIN	RALLY 250 SC	250 g/L	SC	FUNGICIDE	4	667-309-5310	29-Dec-26	SYSTEMIC	Mango	Anthracoise, scab, stem-end rot	6-8/100L water	-	Do not spray 3-7 days before harvest	Re-entry to treated field is allowed as soon as spray dries up.
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	AZIOXYSTROBIN	RALLY 250 SC	250 g/L	SC	FUNGICIDE	4	667-309-5310	29-Dec-26	SYSTEMIC	Watermelon	Damping off, leaf spot, anthracnose, downy, mildew, powdery mildew	3-2Tbsp/36L water	-	Do not spray 3-7 days before harvest	Re-entry to treated field is allowed as soon as spray dries up.
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	AZIOXYSTROBIN	RALLY 250 SC	250 g/L	SC	FUNGICIDE	4	667-309-5310	29-Dec-26	SYSTEMIC	Onion	Rust/bulb rot	3-2Tbsp/36L water	-	Do not spray 3-7 days before harvest	Re-entry to treated field is allowed as soon as spray dries up.
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	AZIOXYSTROBIN	RALLY 250 SC	250 g/L	SC	FUNGICIDE	4	667-309-5310	29-Dec-26	SYSTEMIC	Tomato	Late/early blight, powdery mildew	0.5-1Tbsp/36L water	-	Do not spray 3-7 days before harvest	Re-entry to treated field is allowed as soon as spray dries up.
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	AZIOXYSTROBIN	RALLY 250 SC	250 g/L	SC	FUNGICIDE	4	667-309-5310	29-Dec-26	SYSTEMIC	Corn	Sheath blight, leaf spot, leaf rust, ear rot	2-4Tbsp/36L water	-	Do not spray 3-7 days before harvest	Re-entry to treated field is allowed as soon as spray dries up.
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	AZIOXYSTROBIN	RALLY 250 SC	250 g/L	SC	FUNGICIDE	4	667-309-5310	29-Dec-26	SYSTEMIC	Asparagus	Stem blight, leaf blight, fusarium wilt	3-3Tbsp/36L water	-	Do not spray 3-7 days before harvest	Re-entry to treated field is allowed as soon as spray dries up.
AVC CHEMICAL CORPORATION	TOLPYRALATE	RAKER 400 SC	400 g/L	SC	HERBICIDE	4	660-506-4763	03-May-25	SYSTEMIC/SELECTIVE POST-EMERGENCE	Corn	Annual and perennial grasses, broadleaves and sedges	30-12.5 mL/36L of water	-	-	-
RIK KING'S AGRICULTURAL SUPPLY INC.	CYPERMETHRIN	RAJA 5 EC	50 g/L	EC	INSECTICIDE	4	693-037-5527	17-Mar-26	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/36L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposits dry
RIK KING'S AGRICULTURAL SUPPLY INC.	CYPERMETHRIN	RAJA 5 EC	50 g/L	EC	INSECTICIDE	4	693-037-5527	17-Mar-26	CONTACT	Nice	Green leafhopper, brown planthopper, white-backed planthopper, leaf folder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/36L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposits dry
RIK KING'S AGRICULTURAL SUPPLY INC.	CYPERMETHRIN	RAJA 5 EC	50 g/L	EC	INSECTICIDE	4	693-037-5527	17-Mar-26	CONTACT	Cabbage	Diamond-back-moth, cabbage moth, worm	1.0-3.0 Tbsp/36L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposits dry
RIK KING'S AGRICULTURAL SUPPLY INC.	CYPERMETHRIN	RAJA 5 EC	50 g/L	EC	INSECTICIDE	4	693-037-5527	17-Mar-26	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/36L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposits dry
RIK KING'S AGRICULTURAL SUPPLY INC.	CYPERMETHRIN	RAJA 5 EC	50 g/L	EC	INSECTICIDE	4	693-037-5527	17-Mar-26	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/36L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposits dry

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
RTK KING'S AGRI SUPPLY INC.	CYPERMETHRIN	BAJA 5 EC	50g/L	EC	INSECTICIDE	4	693-037-5227	17-Mar-26	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposits dry
RTK KING'S AGRI SUPPLY INC.	CYPERMETHRIN	BAJA 5 EC	50g/L	EC	INSECTICIDE	4	693-037-5227	17-Mar-26	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposits dry
RTK KING'S AGRI SUPPLY INC.	CYPERMETHRIN	BAJA 5 EC	50g/L	EC	INSECTICIDE	4	693-037-5227	17-Mar-26	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposits dry
RTK KING'S AGRI SUPPLY INC.	CYPERMETHRIN	BAJA 5 EC	50g/L	EC	INSECTICIDE	4	693-037-5227	17-Mar-26	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposits dry
RTK KING'S AGRI SUPPLY INC.	CYPERMETHRIN	BAJA 5 EC	50g/L	EC	INSECTICIDE	4	693-037-5227	17-Mar-26	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposits dry
RTK KING'S AGRI SUPPLY INC.	CYPERMETHRIN	BAJA 5 EC	50g/L	EC	INSECTICIDE	4	693-037-5227	17-Mar-26	CONTACT	Corn	Combevier, earworm	1.0-4.5 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposits dry
RAINBOW AGROSCIENCES PHILIPPINES INC.	CARTAP HYDROCHLORIDE	BAINTAP 50 SP	500g/kg	SP	INSECTICIDE	3	539-106-5345	09-Feb-24	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.0-5.0 Tbsp/36 L water	0.2ppm	10 days	Do not enter treated field within 2 days after spraying
RAINBOW AGROSCIENCES PHILIPPINES INC.	CARTAP HYDROCHLORIDE	BAINTAP 50 SP	500g/kg	SP	INSECTICIDE	3	539-106-5345	09-Feb-24	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0 Tbsp/36 L water	-	10 days	Do not enter treated field within 2 days after spraying
RAINBOW AGROSCIENCES PHILIPPINES INC.	CARTAP HYDROCHLORIDE	BAINTAP 50 SP	500g/kg	SP	INSECTICIDE	3	539-106-5345	09-Feb-24	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0 Tbsp/36 L water	-	10 days	Do not enter treated field within 2 days after spraying
RAINBOW AGROSCIENCES PHILIPPINES INC.	CARTAP HYDROCHLORIDE	BAINTAP 50 SP	500g/kg	SP	INSECTICIDE	3	539-106-5345	09-Feb-24	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0 Tbsp/36 L water	-	10 days	Do not enter treated field within 2 days after spraying
RAINBOW AGROSCIENCES PHILIPPINES INC.	CARTAP HYDROCHLORIDE	BAINTAP 50 SP	500g/kg	SP	INSECTICIDE	3	539-106-5345	09-Feb-24	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0 Tbsp/36 L water	-	10 days	Do not enter treated field within 2 days after spraying
RAINBOW AGROSCIENCES PHILIPPINES INC.	CARTAP HYDROCHLORIDE	BAINTAP 50 SP	500g/kg	SP	INSECTICIDE	3	539-106-5345	09-Feb-24	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0 Tbsp/36 L water	-	10 days	Do not enter treated field within 2 days after spraying
RAINBOW AGROSCIENCES PHILIPPINES INC.	CARTAP HYDROCHLORIDE	BAINTAP 50 SP	500g/kg	SP	INSECTICIDE	3	539-106-5345	09-Feb-24	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, and aphids	1.5-2.0 Tbsp/36 L water	-	10 days	Do not enter treated field within 2 days after spraying
RAINBOW AGROSCIENCES PHILIPPINES INC.	CARTAP HYDROCHLORIDE	BAINTAP 50 SP	500g/kg	SP	INSECTICIDE	3	539-106-5345	09-Feb-24	SYSTEMIC	Mango	Leafhoppers	1.5-2.0 Tbsp/36 L water	-	10 days	Do not enter treated field within 2 days after spraying
RAINBOW AGROSCIENCES PHILIPPINES INC.	CARTAP HYDROCHLORIDE	BAINTAP 50 SP	500g/kg	SP	INSECTICIDE	3	539-106-5345	09-Feb-24	SYSTEMIC	Pechay	Looper, cutworm, aphids	1.5-3.0 Tbsp/36 L water	-	10 days	Do not enter treated field within 2 days after spraying
CULTIVA INCORPORATED	MANCOZEB	RAINSHIELD 80 WP	800g/kg	WP	FUNGICIDE	4	201-051-1395-A	06-Dec-26	-	Potato	Early and late blight	3-6 Tbsp/36 L water	-	-	As soon as spray dries
CULTIVA INCORPORATED	MANCOZEB	RAINSHIELD 80 WP	800g/kg	WP	FUNGICIDE	4	201-051-1395-A	06-Dec-26	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	-	As soon as spray dries
CULTIVA INCORPORATED	MANCOZEB	RAINSHIELD 80 WP	800g/kg	WP	FUNGICIDE	4	201-051-1395-A	06-Dec-26	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
CULTIVA INCORPORATED	MANCOZEB	RAINSHIELD 80 WP	800g/kg	WP	FUNGICIDE	4	201-051-1395-A	06-Dec-26	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
CULTIVA INCORPORATED	MANCOZEB	RAINSHIELD 80 WP	800g/kg	WP	FUNGICIDE	4	201-051-1395-A	06-Dec-26	-	Celery	Late blight	3-6 Tbsp/36 L water	-	14 days	As soon as spray dries
CULTIVA INCORPORATED	MANCOZEB	RAINSHIELD 80 WP	800g/kg	WP	FUNGICIDE	4	201-051-1395-A	06-Dec-26	-	Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
CULTIVA INCORPORATED	MANCOZEB	RAINSHIELD 80 WP	800g/kg	WP	FUNGICIDE	4	201-051-1395-A	06-Dec-26	-	Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
CULTIVA INCORPORATED	MANCOZEB	RAINSHIELD 80 WP	800g/kg	WP	FUNGICIDE	4	201-051-1395-A	06-Dec-26	-	Cotton	Damping off	3-6 Tbsp/36 L water	-	-	As soon as spray dries
CULTIVA INCORPORATED	MANCOZEB	RAINSHIELD 80 WP	800g/kg	WP	FUNGICIDE	4	201-051-1395-A	06-Dec-26	-	lettuce	Downy mildew	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries
CULTIVA INCORPORATED	MANCOZEB	RAINSHIELD 80 WP	800g/kg	WP	FUNGICIDE	4	201-051-1395-A	06-Dec-26	-	beans	Anthracoese, Downy mildew, Rust	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
CULTIVA INCORPORATED	MANCOZEB	RAINSHIELD 80 WP	800g/kg	WP	FUNGICIDE	4	201-051-1395-A	06-Dec-26	-	Peas	Anthracoese, Downy mildew, Rust	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
CULTIVA INCORPORATED	MANCOZEB	RAINSHIELD 80 WP	800g/kg	WP	FUNGICIDE	4	201-051-1395-A	06-Dec-26	-	Mungo	Anthracoese, Downy mildew, Rust	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
CULTIVA INCORPORATED	MANCOZEB	RAINSHIELD 80 WP	800g/kg	WP	FUNGICIDE	4	201-051-1395-A	06-Dec-26	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
CULTIVA INCORPORATED	MANCOZEB	RAINSHIELD 80 WP	800g/kg	WP	FUNGICIDE	4	201-051-1395-A	06-Dec-26	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries
CULTIVA INCORPORATED	MANCOZEB	RAINSHIELD 80 WP	800g/kg	WP	FUNGICIDE	4	201-051-1395-A	06-Dec-26	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries
CULTIVA INCORPORATED	MANCOZEB	RAINSHIELD 80 WP	800g/kg	WP	FUNGICIDE	4	201-051-1395-A	06-Dec-26	-	Pepper	Anthracoese	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries
CULTIVA INCORPORATED	MANCOZEB	RAINSHIELD 80 WP	800g/kg	WP	FUNGICIDE	4	201-051-1395-A	06-Dec-26	-	Chili	Anthracoese	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries
CULTIVA INCORPORATED	MANCOZEB	RAINSHIELD 80 WP	800g/kg	WP	FUNGICIDE	4	201-051-1395-A	06-Dec-26	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries
CULTIVA INCORPORATED	MANCOZEB	RAINSHIELD 80 WP	800g/kg	WP	FUNGICIDE	4	201-051-1395-A	06-Dec-26	-	Banana	Sigatoka, Black leaf streak	3-6 Tbsp/36 L water	-	-	As soon as spray dries
CULTIVA INCORPORATED	MANCOZEB	RAINSHIELD 80 WP	800g/kg	WP	FUNGICIDE	4	201-051-1395-A	06-Dec-26	-	Grapes	Downy mildew, black rot	3-6 Tbsp/36 L water	-	60 days	As soon as spray dries
CULTIVA INCORPORATED	MANCOZEB	RAINSHIELD 80 WP	800g/kg	WP	FUNGICIDE	4	201-051-1395-A	06-Dec-26	-	Mango	Anthracoese and Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
CULTIVA INCORPORATED	MANCOZEB	RAINSHIELD 80 WP	800g/kg	WP	FUNGICIDE	4	201-051-1395-A	06-Dec-26	-	Papaya	Fruit rot	3-6 Tbsp/36 L water	-	-	As soon as spray dries
CULTIVA INCORPORATED	MANCOZEB	RAINSHIELD 80 WP	800g/kg	WP	FUNGICIDE	4	201-051-1395-A	06-Dec-26	-	Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
CULTIVA INCORPORATED	MANCOZEB	RAINSHIELD 80 WP	800g/kg	WP	FUNGICIDE	4	201-051-1395-A	06-Dec-26	-	Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
CULTIVA INCORPORATED	MANCOZEB	RAINSHIELD 80 WP	800g/kg	WP	FUNGICIDE	4	201-051-1395-A	06-Dec-26	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries
CULTIVA INCORPORATED	MANCOZEB	RAINSHIELD 80 WP	800g/kg	WP	FUNGICIDE	4	201-051-1395-A	06-Dec-26	-	Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/36 L water	-	-	As soon as spray dries
CULTIVA INCORPORATED	MANCOZEB	RAINSHIELD 80 WP	800g/kg	WP	FUNGICIDE	4	201-051-1395-A	06-Dec-26	-	Peanut	Cercospora leaf spot	3-6 Tbsp/36 L water	-	14 days	As soon as spray dries
CULTIVA INCORPORATED	MANCOZEB	RAINSHIELD 80 WP	800g/kg	WP	FUNGICIDE	4	201-051-1395-A	06-Dec-26	-	Soybeans	Leaf rust	3-6 Tbsp/36 L water	-	-	As soon as spray dries
CULTIVA INCORPORATED	MANCOZEB	RAINSHIELD 80 WP	800g/kg	WP	FUNGICIDE	4	201-051-1395-A	06-Dec-26	-	Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/36 L water	-	-	As soon as spray dries
RAINBOW AGROSCIENCES PHILIPPINES INC.	IMDACLOPRID-BETA-CYFLUTHRIN	RAINPIRTA 300 OD	210-90 g/L	OD	INSECTICIDE	2	539-398-4885	27-Aug-25	SYSTEMIC/CONTACT	Mango	Mango leafhopper	20-40mL product/100 liters water 50-80 mL prod/200L water	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	NICLOSAMIDE ETHANOLAMINE SALT	RAINLUSCIDE 70 WP	700g/kg	WP	MOLLUSCIDE	4	539-229-4671	21-Feb-25	CONTACT	Rice	Golden apple snail	25 grams of 1 sachet product/ sprayet leaf (16 liters)	-	-	Do not enter the treated field within 48 hours after application
RAINBOW AGROSCIENCES PHILIPPINES INC.	FLUAZINAM	RAINNOPRAL 500 SC	500 g/L	SC	FUNGICIDE	4	539-301-6115	14-Apr-26	-	Potato	Late blight	15-20 mL prod/ 36 L water 800-500 mL prod / hectare	-	-	Do not apply RAINNOPRAL 500 SC 14 days before harvest for potato and 7 days before harvest for onion
RAINBOW AGROSCIENCES PHILIPPINES INC.	FLUAZINAM	RAINNOPRAL 500 SC	500 g/L	SC	FUNGICIDE	4	539-301-6115	14-Apr-26	-	Onion	Purple blotch	15-20 mL prod/ 36 L water 800-500 mL prod / hectare	-	-	Do not apply RAINNOPRAL 500 SC 14 days before harvest for potato and 7 days before harvest for onion
ONEGRAIN MARKETING CORPORATION	GLYPHOSATE IPA	RAINFIRE 480 SL	480 g/L	SL	HERBICIDE	4	723-151-5821	09-Mar-25	POST-EMERGENT	Glyphosate tolerant corn	Annual and perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/ha	-	-	-
ONEGRAIN MARKETING CORPORATION	GLYPHOSATE IPA	RAINFIRE 480 SL	480 g/L	SL	HERBICIDE	4	723-151-5821	09-Mar-25	POST-EMERGENT	Mango	Annual and perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
ONEGRAIN MARKETING CORPORATION	GLYPHOSATE IPA	RAINFIRE 480 SL	480 g/L	SL	HERBICIDE	4	723-151-5821	09-Mar-25	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
ONEGRAIN MARKETING CORPORATION	GLYPHOSATE IPA	RAINFIRE 480 SL	480 g/L	SL	HERBICIDE	4	723-151-5821	09-Mar-25	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
ONEGRAIN MARKETING CORPORATION	GLYPHOSATE IPA	RAINFIRE 480 SL	480 g/L	SL	HERBICIDE	4	723-151-5821	09-Mar-25	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
ONEGRAIN MARKETING CORPORATION	GLYPHOSATE IPA	RAINFIRE 480 SL	480 g/L	SL	HERBICIDE	4	723-151-5821	09-Mar-25	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
ONEGRAIN MARKETING CORPORATION	GLYPHOSATE IPA	RAINFIRE 480 SL	480 g/L	SL	HERBICIDE	4	723-151-5821	09-Mar-25	POST-EMERGENT	Gil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
ONEGRAIN MARKETING CORPORATION	GLYPHOSATE IPA	RAINFIRE 480 SL	480 g/L	SL	HERBICIDE	4	723-151-5821	09-Mar-25	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
ONEGRAIN MARKETING CORPORATION	GLYPHOSATE IPA	RAINFIRE 480 SL	480 g/L	SL	HERBICIDE	4	723-151-5821	09-Mar-25	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/ha	-	-	-
ONEGRAIN MARKETING CORPORATION	GLYPHOSATE IPA	RAINFIRE 480 SL	480 g/L	SL	HERBICIDE	4	723-151-5821	09-Mar-25	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
ONEGRAIN MARKETING CORPORATION	GLYPHOSATE IPA	RAINFIRE 480 SL	480 g/L	SL	HERBICIDE	4	723-151-5821	09-Mar-25	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
ONEGRAIN MARKETING CORPORATION	GLYPHOSATE IPA	RAINFIRE 480 SL	480 g/L	SL	HERBICIDE	4	723-151-5821	09-Mar-25	POST-EMERGENT	Non-crop	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	PROPIEB	RAINEB 70 WP	700 g/kg	WP	FUNGICIDE	4	539-001-5960 (096)	12-Dec-25	-	Lettuce	Early blight, neck rot	50-65 g prod. / 16 L water	-	7 days	Immediately after spray deposits has dried up
RAINBOW AGROSCIENCES PHILIPPINES INC.	PROPIEB	RAINEB 70 WP	700 g/kg	WP	FUNGICIDE	4	539-001-5960 (096)	12-Dec-25	-	Onion	Downy mildew, anthracnose, purple blotch	50-65 g prod. / 16 L water	-	7 days	Immediately after spray deposits has dried up
RAINBOW AGROSCIENCES PHILIPPINES INC.	PROPIEB	RAINEB 70 WP	700 g/kg	WP	FUNGICIDE	4	539-001-5960 (096)	12-Dec-25	-	Cucurbits	Downy mildew, late blight	50-65 g prod. / 16 L water	-	7 days	Immediately after spray deposits has dried up
RAINBOW AGROSCIENCES PHILIPPINES INC.	PROPIEB	RAINEB 70 WP	700 g/kg	WP	FUNGICIDE	4	539-001-5960 (096)	12-Dec-25	-	Citlery	early and late blight	50-65 g prod. / 16 L water	-	7 days	Immediately after spray deposits has dried up
RAINBOW AGROSCIENCES PHILIPPINES INC.	PROPIEB	RAINEB 70 WP	700 g/kg	WP	FUNGICIDE	4	539-001-5960 (096)	12-Dec-25	-	Beans	Rust	50-65 g prod. / 16 L water	-	7 days	Immediately after spray deposits has dried up
RAINBOW AGROSCIENCES PHILIPPINES INC.	PROPIEB	RAINEB 70 WP	700 g/kg	WP	FUNGICIDE	4	539-001-5960 (096)	12-Dec-25	-	Potato	Early and late blight	50-65 g prod. / 16 L water	-	7 days	Immediately after spray deposits has dried up
RAINBOW AGROSCIENCES PHILIPPINES INC.	PROPIEB	RAINEB 70 WP	700 g/kg	WP	FUNGICIDE	4	539-001-5960 (096)	12-Dec-25	-	Tomato	Early and late blight	50-65 g prod. / 16 L water	-	3 days	Immediately after spray deposits has dried up
RAINBOW AGROSCIENCES PHILIPPINES INC.	PROPIEB	RAINEB 70 WP	700 g/kg	WP	FUNGICIDE	4	539-001-5960 (096)	12-Dec-25	-	Tobacco	Brown leaf spot	50-65 g prod. / 16 L water	-	7 days	Immediately after spray deposits has dried up
RAINBOW AGROSCIENCES PHILIPPINES INC.	PROPIEB	RAINEB 70 WP	700 g/kg	WP	FUNGICIDE	4	539-001-5960 (096)	12-Dec-25	-	Coffee	Brown eye spot	50-65 g prod. / 16 L water	-	7 days	Immediately after spray deposits has dried up
RAINBOW AGROSCIENCES PHILIPPINES INC.	PROPIEB	RAINEB 70 WP	700 g/kg	WP	FUNGICIDE	4	539-001-5960 (096)	12-Dec-25	-	Citrus	Black spot	66 g prod. / 16 L water	-	7 days	Immediately after spray deposits has dried up
RAINBOW AGROSCIENCES PHILIPPINES INC.	PROPIEB	RAINEB 70 WP	700 g/kg	WP	FUNGICIDE	4	539-001-5960 (096)	12-Dec-25	-	Melon	Downy mildew	50-65 g prod. / 16 L water	-	7 days	Immediately after spray deposits has dried up
RAINBOW AGROSCIENCES PHILIPPINES INC.	PROPIEB	RAINEB 70 WP	700 g/kg	WP	FUNGICIDE	4	539-001-5960 (096)	12-Dec-25	-	Watermelon	Downy mildew	50-65 g prod. / 16 L water	-	7 days	Immediately after spray deposits has dried up
RAINBOW AGROSCIENCES PHILIPPINES INC.	PROPIEB	RAINEB 70 WP	700 g/kg	WP	FUNGICIDE	4	539-001-5960 (096)	12-Dec-25	-	Ornamentals	Black spot, rust	35-50 g prod. / 16 L water	-	7 days	Immediately after spray deposits has dried up
RAINBOW AGROSCIENCES PHILIPPINES INC.	PROPIEB	RAINEB 70 WP	700 g/kg	WP	FUNGICIDE	4	539-001-5960 (096)	12-Dec-25	-	Mango	Anthraxnose	50-65 g prod. / 16 L water	-	7 days	Immediately after spray deposits has dried up
RAINBOW AGROSCIENCES PHILIPPINES INC.	PROPIEB	RAINEB 70 WP	700 g/kg	WP	FUNGICIDE	4	539-001-5960 (096)	12-Dec-25	-	Rice	Dirty panicle, brown leaf sp	50-100 g prod. / 16 L water (500-100 g prod. / ha)	-	18 days	Immediately after spray deposits has dried up
RAINBOW AGROSCIENCES PHILIPPINES INC.	PROPIEB	RAINEB 70 WP	700 g/kg	WP	FUNGICIDE	4	539-001-5960 (096)	12-Dec-25	-	Banana	Sigatoka, Freckle disease	2.5 kg per ha	-	7 days	Immediately after spray deposits has dried up
RAINBOW AGROSCIENCES PHILIPPINES INC.	PROPIEB	RAINEB 70 WP	700 g/kg	WP	FUNGICIDE	4	539-001-5960 (096)	12-Dec-25	-	Asparagus	Stem and leaf blight	2.5 kg per ha	-	7 days	Immediately after spray deposits has dried up
RAINBOW AGROSCIENCES PHILIPPINES INC.	CARBENDAZIM	RAINDAZIM 500 SC	500 g/L	SC	FUNGICIDE	4	539-267-6390 (376)	18-Dec-26	SYSTEMIC	Banana	Diamond fruit spot, anthracnose	0.5 - 1.0mL / 16 L water (80 - 100mL spray volume)	-	7 days	Re-entry is allowed as soon as spray deposits dry up
RAINBOW AGROSCIENCES PHILIPPINES INC.	CARBENDAZIM	RAINDAZIM 500 SC	500 g/L	SC	FUNGICIDE	4	539-267-6390 (376)	18-Dec-26	SYSTEMIC	Cucurbits	downy mildew	1-2 Tbsp / 16L water	-	-	Re-entry is allowed as soon as spray deposits dry up
RAINBOW AGROSCIENCES PHILIPPINES INC.	CARBENDAZIM	RAINDAZIM 500 SC	500 g/L	SC	FUNGICIDE	4	539-267-6390 (376)	18-Dec-26	SYSTEMIC	Green peas (legumes)	Powdery mildew	1-2 Tbsp / 16L water	-	-	Re-entry is allowed as soon as spray deposits dry up
RAINBOW AGROSCIENCES PHILIPPINES INC.	CARBENDAZIM	RAINDAZIM 500 SC	500 g/L	SC	FUNGICIDE	4	539-267-6390 (376)	18-Dec-26	SYSTEMIC	Mango	anthracnose	1-2 Tbsp / 16L water	-	-	Re-entry is allowed as soon as spray deposits dry up
RAINBOW AGROSCIENCES PHILIPPINES INC.	CARBENDAZIM	RAINDAZIM 500 SC	500 g/L	SC	FUNGICIDE	4	539-267-6390 (376)	18-Dec-26	SYSTEMIC	Sugarcane	Pineapple disease	5- 10 mL 200 L water cane dipping	-	-	Re-entry is allowed as soon as spray deposits dry up
RAINBOW AGROSCIENCES PHILIPPINES INC.	MANCOZEB	RAINCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	539-053-4370	22-May-24	-	Potato	Early and late blight	3-6 Tbsp / 16 L water	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	MANCOZEB	RAINCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	539-053-4370	22-May-24	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp / 16 L water	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	MANCOZEB	RAINCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	539-053-4370	22-May-24	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp / 16 L water	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	MANCOZEB	RAINCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	539-053-4370	22-May-24	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp / 16 L water	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	MANCOZEB	RAINCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	539-053-4370	22-May-24	-	Citlery	Late blight	3-6 Tbsp / 16 L water	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	MANCOZEB	RAINCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	539-053-4370	22-May-24	-	Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp / 16 L water	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	MANCOZEB	RAINCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	539-053-4370	22-May-24	-	Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp / 16 L water	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	MANCOZEB	RAINCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	539-053-4370	22-May-24	-	Cotton	Damping off	3-6 Tbsp / 16 L water	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	MANCOZEB	RAINCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	539-053-4370	22-May-24	-	Lettuce	Downy mildew	3-6 Tbsp / 16 L water	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	MANCOZEB	RAINCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	539-053-4370	22-May-24	-	Beans	Anthraxnose, Downy mildew, Rust	3-6 Tbsp / 16 L water	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	MANCOZEB	RAINCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	539-053-4370	22-May-24	-	Peas	Anthraxnose, Downy mildew, Rust	3-6 Tbsp / 16 L water	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	MANCOZEB	RAINCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	539-053-4370	22-May-24	-	Mungo	Anthraxnose, Downy mildew, Rust	3-6 Tbsp / 16 L water	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	MANCOZEB	RAINCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	539-053-4370	22-May-24	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp / 16 L water	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	MANCOZEB	RAINCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	539-053-4370	22-May-24	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp / 16 L water	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	MANCOZEB	RAINCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	539-053-4370	22-May-24	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp / 16 L water	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	MANCOZEB	RAINCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	539-053-4370	22-May-24	-	Pepper	Anthraxnose	3-6 Tbsp / 16 L water	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	MANCOZEB	RAINCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	539-053-4370	22-May-24	-	Chili	Anthraxnose	3-6 Tbsp / 16 L water	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	MANCOZEB	RAINCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	539-053-4370	22-May-24	-	Eggplant	Blight, Anthracnose	3-6 Tbsp / 16 L water	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	MANCOZEB	RAINCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	539-053-4370	22-May-24	-	Banana	Sigatoka, Black leaf streak	3-6 Tbsp / 16 L water	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	MANCOZEB	RAINCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	539-053-4370	22-May-24	-	Grapes	Downy mildew, black rot	3-6 Tbsp / 16 L water	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	MANCOZEB	RAINCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	539-053-4370	22-May-24	-	Mango	Anthraxnose and Scab	3-6 Tbsp / 16 L water	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	MANCOZEB	RAINCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	539-053-4370	22-May-24	-	Papaya	Fruit rot	3-6 Tbsp / 16 L water	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	MANCOZEB	RAINCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	539-053-4370	22-May-24	-	Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp / 16 L water	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	MANCOZEB	RAINCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	539-053-4370	22-May-24	-	Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp / 16 L water	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	MANCOZEB	RAINCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	539-053-4370	22-May-24	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp / 16 L water	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	MANCOZEB	RAINCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	539-053-4370	22-May-24	-	Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp / 16 L water	0.03ppm	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	MANCOZEB	RAINCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	539-053-4370	22-May-24	-	Peanut	Cercospora leaf spot	3-6 Tbsp / 16 L water	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	MANCOZEB	RAINCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	539-053-4370	22-May-24	-	Soybeans	leaf rust	3-6 Tbsp / 16 L water	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	MANCOZEB	RAINCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	539-053-4370	22-May-24	-	Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp / 16 L water	-	-	-

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
RAINBOW AGROSCIENCES PHILIPPINES INC.	GLYPHOSATE IPA	RAINBOW GLYPHOSATE IPA 480 SL	480 g/L	SL	HERBICIDE	4	539-151-3276	29-Apr-26	POST-EMERGENT	glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/ha	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	GLYPHOSATE IPA	RAINBOW GLYPHOSATE IPA 480 SL	480 g/L	SL	HERBICIDE	4	539-151-3276	29-Apr-26	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	GLYPHOSATE IPA	RAINBOW GLYPHOSATE IPA 480 SL	480 g/L	SL	HERBICIDE	4	539-151-3276	29-Apr-26	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	GLYPHOSATE IPA	RAINBOW GLYPHOSATE IPA 480 SL	480 g/L	SL	HERBICIDE	4	539-151-3276	29-Apr-26	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	GLYPHOSATE IPA	RAINBOW GLYPHOSATE IPA 480 SL	480 g/L	SL	HERBICIDE	4	539-151-3276	29-Apr-26	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	GLYPHOSATE IPA	RAINBOW GLYPHOSATE IPA 480 SL	480 g/L	SL	HERBICIDE	4	539-151-3276	29-Apr-26	POST-EMERGENT	Hubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	GLYPHOSATE IPA	RAINBOW GLYPHOSATE IPA 480 SL	480 g/L	SL	HERBICIDE	4	539-151-3276	29-Apr-26	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	GLYPHOSATE IPA	RAINBOW GLYPHOSATE IPA 480 SL	480 g/L	SL	HERBICIDE	4	539-151-3276	29-Apr-26	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	GLYPHOSATE IPA	RAINBOW GLYPHOSATE IPA 480 SL	480 g/L	SL	HERBICIDE	4	539-151-3276	29-Apr-26	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/ha	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	GLYPHOSATE IPA	RAINBOW GLYPHOSATE IPA 480 SL	480 g/L	SL	HERBICIDE	4	539-151-3276	29-Apr-26	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	GLYPHOSATE IPA	RAINBOW GLYPHOSATE IPA 480 SL	480 g/L	SL	HERBICIDE	4	539-151-3276	29-Apr-26	POST-EMERGENT	Vegetables under minimum or reduced tillage system	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	GLYPHOSATE IPA	RAINBOW GLYPHOSATE IPA 480 SL	480 g/L	SL	HERBICIDE	4	539-151-3276	29-Apr-26	POST-EMERGENT	Non-crop agricultural areas	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	GLUFOSINATE AMMONIUM	RAINBOW GLUFOSINATE AMMONIUM 150 SL	150 g/L	SL	HERBICIDE	4	539-182-3825	10-Nov-25	NON-SELECTIVE(POST-EMERGENT)	Hubber	Weeds	-	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	GLUFOSINATE AMMONIUM	RAINBOW GLUFOSINATE AMMONIUM 150 SL	150 g/L	SL	HERBICIDE	4	539-182-3825	10-Nov-25	NON-SELECTIVE(POST-EMERGENT)	Oil palm	Weeds	-	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	GLUFOSINATE AMMONIUM	RAINBOW GLUFOSINATE AMMONIUM 150 SL	150 g/L	SL	HERBICIDE	4	539-182-3825	10-Nov-25	NON-SELECTIVE(POST-EMERGENT)	Non-Agrohatural Crop Areas	Weeds	-	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	GLUFOSINATE AMMONIUM	RAINBOW GLUFOSINATE AMMONIUM 150 SL	150 g/L	SL	HERBICIDE	4	539-182-3825	10-Nov-25	NON-SELECTIVE(POST-EMERGENT)	Cavendish Banana	Weeds	-	0.2 mg/kg	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	BUTACHLOR	RAINBOW BUTACHLOR 60 EC	600 g/L	EC	HERBICIDE	4	539-150-3278	29-Apr-26	PRE-EMERGENT	Rice (Direct-seeded)	Grasses and sedges	90bp (2-4 DAT)97bp(0-4 DAT), 98bp/97bp	0.1 ppm	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	BUTACHLOR	RAINBOW BUTACHLOR 60 EC	600 g/L	EC	HERBICIDE	4	539-150-3278	29-Apr-26	PRE-EMERGENT	Rice (Transplanted)	Grasses and sedges	90bp (2-4 DAT), 97bp(0-4 DAT), 98bp/97bp	0.1 ppm	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	AMETRYNE+ATRAZINE	RAINBOW AMETRYNE+ATRAZINE 80 WP	400-400 g/kg	WP	HERBICIDE	4	539-079-3341	27-Oct-26	SELECTIVE (POST/PRE-EMERGENT)	Sugarcane	Broadleaf weeds and annual grasses or reduced tillage system in annual and perennial grasses, broadleaf weeds and sedges	9-14 Tbsp/36 Liters	-	Do not spray 21 days before harvest	Enter treated fields only when spray has completely dried
RAINBOW AGROSCIENCES PHILIPPINES INC.	AMETRYNE+ATRAZINE	RAINBOW AMETRYNE+ATRAZINE 80 WP	400-400 g/kg	WP	HERBICIDE	4	539-079-3341	27-Oct-26	SELECTIVE (POST/PRE-EMERGENT)	Palm oil	Broadleaf weeds and annual grasses or reduced tillage system in annual and perennial grasses, broadleaf weeds and sedges	9-14 Tbsp/36 Liters	-	Do not spray 21 days before harvest	Enter treated fields only when spray has completely dried
RAINBOW AGROSCIENCES PHILIPPINES INC.	AMETRYNE+ATRAZINE	RAINBOW AMETRYNE+ATRAZINE 80 WP	400-400 g/kg	WP	HERBICIDE	4	539-079-3341	27-Oct-26	SELECTIVE (POST/PRE-EMERGENT)	Banana	Broadleaf weeds and annual grasses or reduced tillage system in annual and perennial grasses, broadleaf weeds and sedges	9-14 Tbsp/36 Liters	-	Do not spray 21 days before harvest	Enter treated fields only when spray has completely dried
RAINBOW AGROSCIENCES PHILIPPINES INC.	AMETRYNE+ATRAZINE	RAINBOW AMETRYNE+ATRAZINE 80 WP	400-400 g/kg	WP	HERBICIDE	4	539-079-3341	27-Oct-26	SELECTIVE (POST/PRE-EMERGENT)	Citrus	Broadleaf weeds and annual grasses or reduced tillage system in annual and perennial grasses, broadleaf weeds and sedges	9-14 Tbsp/36 Liters	-	Do not spray 21 days before harvest	Enter treated fields only when spray has completely dried
RAINBOW AGROSCIENCES PHILIPPINES INC.	AMETRYNE+ATRAZINE	RAINBOW AMETRYNE+ATRAZINE 80 WP	400-400 g/kg	WP	HERBICIDE	4	539-079-3341	27-Oct-26	SELECTIVE (POST/PRE-EMERGENT)	Coffee	Broadleaf weeds and annual grasses or reduced tillage system in annual and perennial grasses, broadleaf weeds and sedges	9-14 Tbsp/36 Liters	-	Do not spray 21 days before harvest	Enter treated fields only when spray has completely dried
RAINBOW AGROSCIENCES PHILIPPINES INC.	AMETRYNE+ATRAZINE	RAINBOW AMETRYNE+ATRAZINE 80 WP	400-400 g/kg	WP	HERBICIDE	4	539-079-3341	27-Oct-26	SELECTIVE (POST/PRE-EMERGENT)	Cacao	Broadleaf weeds and annual grasses or reduced tillage system in annual and perennial grasses, broadleaf weeds and sedges	9-14 Tbsp/36 Liters	-	Do not spray 21 days before harvest	Enter treated fields only when spray has completely dried
RAINBOW AGROSCIENCES PHILIPPINES INC.	AMETRYNE	RAINBOW AMETRYN 80 WG	800g/kg	WG	HERBICIDE	4	539-068-4392	05-Jun-24	SELECTIVE (POST/PRE-EMERGENCE)	Banana	Annual broadleaves and grasses	9-15 tbsp/36L water	-	Do not spray 21 days before harvest	Enter treated fields only when spray has completely dried
RAINBOW AGROSCIENCES PHILIPPINES INC.	AMETRYNE	RAINBOW AMETRYN 80 WG	800g/kg	WG	HERBICIDE	4	539-068-4392	05-Jun-24	SELECTIVE (POST/PRE-EMERGENCE)	Coffee	Annual broadleaves and grasses	9-15 tbsp/36L water	-	Do not spray 21 days before harvest	Enter treated fields only when spray has completely dried
RAINBOW AGROSCIENCES PHILIPPINES INC.	AMETRYNE	RAINBOW AMETRYN 80 WG	800g/kg	WG	HERBICIDE	4	539-068-4392	05-Jun-24	SELECTIVE (POST/PRE-EMERGENCE)	Cacao	Annual broadleaves and grasses	9-15 tbsp/36L water	-	Do not spray 21 days before harvest	Enter treated fields only when spray has completely dried
RAINBOW AGROSCIENCES PHILIPPINES INC.	AMETRYNE	RAINBOW AMETRYN 80 WG	800g/kg	WG	HERBICIDE	4	539-068-4392	05-Jun-24	SELECTIVE (POST/PRE-EMERGENCE)	Oil palm	Annual broadleaves and grasses	9-15 tbsp/36L water	-	Do not spray 21 days before harvest	Enter treated fields only when spray has completely dried
RAINBOW AGROSCIENCES PHILIPPINES INC.	AMETRYNE	RAINBOW AMETRYN 80 WG	800g/kg	WG	HERBICIDE	4	539-068-4392	05-Jun-24	SELECTIVE (POST/PRE-EMERGENCE)	Citrus	Annual broadleaves and grasses	9-15 tbsp/36L water	-	Do not spray 21 days before harvest	Enter treated fields only when spray has completely dried
RAINBOW AGROSCIENCES PHILIPPINES INC.	AMETRYNE	RAINBOW AMETRYN 80 WG	800g/kg	WG	HERBICIDE	4	539-068-4392	05-Jun-24	SELECTIVE (POST/PRE-EMERGENCE)	Pineapple	Annual broadleaves and grasses	9-15 tbsp/36L water	-	Do not spray 21 days before harvest	Enter treated fields only when spray has completely dried
RAINBOW AGROSCIENCES PHILIPPINES INC.	AMETRYNE	RAINBOW AMETRYN 80 WG	800g/kg	WG	HERBICIDE	4	539-068-4392	05-Jun-24	SELECTIVE (POST/PRE-EMERGENCE)	Rubber	Annual broadleaves and grasses	9-15 tbsp/36L water	-	Do not spray 21 days before harvest	Enter treated fields only when spray has completely dried
RAINBOW AGROSCIENCES PHILIPPINES INC.	AMETRYNE	RAINBOW AMETRYN 80 WG	800g/kg	WG	HERBICIDE	4	539-068-4392	05-Jun-24	SELECTIVE (POST/PRE-EMERGENCE)	Corn	Annual broadleaves and grasses	9-15 tbsp/36L water	-	Do not spray 21 days before harvest	Enter treated fields only when spray has completely dried
RAINBOW AGROSCIENCES PHILIPPINES INC.	AMETRYNE	RAINBOW AMETRYN 80 WG	800g/kg	WG	HERBICIDE	4	539-068-4392	05-Jun-24	SELECTIVE (POST/PRE-EMERGENCE)	Sugarcane	Annual broadleaves and grasses	9-15 tbsp/36L water	-	Do not spray 21 days before harvest	Enter treated fields only when spray has completely dried
ARYSTA LIFESCIENCE PHILIPPINES INC.	PENOXULAM	RAINBOW 250 OF	25 g/L	OF	HERBICIDE	4	093-376-2389	04-Sep-20	-	Rice (Direct-Seeded)	Echinochloa spp., Sphenoclea zeylanica, Fimbristylis littoralis, Monachosora, Cyperus difformis and C. iria	10Tbsp/tank load	-	-	-
CORTEVA ASIA PACIFIC INC. PHILIPPINE BRANCH	PENOXULAM	RAINBOW 25 OF	25 g/L	OF	HERBICIDE	4	737-374-1188	23-Aug-26	-	Rice (Direct-Seeded)	Echinochloa spp., Sphenoclea zeylanica, Fimbristylis littoralis, Monachosora, Cyperus difformis and C. iria	6-9Tbsp/tank load	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	FPFONIL	RAINBONIL 50 SC	50 g/L	SC	INSECTICIDE	3	539-244-3643	15-Feb-25	CONTACT	Rice	Echinochloa spp., Sphenoclea zeylanica, Fimbristylis littoralis, Monachosora, Cyperus difformis and C. iria	1.3-2.0, 2.0-3.0, 2.7-4.0 tbsp/36L	0.05ppm	Do not apply 7 days before harvest	One day after application
RAINBOW AGROSCIENCES PHILIPPINES INC.	FPFONIL	RAINBONIL 50 SC	50 g/L	SC	INSECTICIDE	3	539-244-3643	15-Feb-25	CONTACT	Cabbage	Diamond backed moth	1.3-2.0, 2.0-3.0, 2.7-4.0 tbsp/36L	-	Do not apply 7 days before harvest	One day after application
RAINBOW AGROSCIENCES PHILIPPINES INC.	FPFONIL	RAINBONIL 50 SC	50 g/L	SC	INSECTICIDE	3	539-244-3643	15-Feb-25	CONTACT	Watermelon	Thrips, leaf beetles	2.5-3.0 tbsp/36L	-	Do not apply 7 days before harvest	One day after application
RAINBOW AGROSCIENCES PHILIPPINES INC.	FPFONIL	RAINBONIL 50 SC	50 g/L	SC	INSECTICIDE	3	539-244-3643	15-Feb-25	CONTACT	Onion	Cutworm	5.33 tbsp/36L	-	Do not apply 7 days before harvest	One day after application
RAINBOW AGROSCIENCES PHILIPPINES INC.	FPFONIL	RAINBONIL 50 SC	50 g/L	SC	INSECTICIDE	3	539-244-3643	15-Feb-25	CONTACT	Eggplant	Shoot borer	3.0-4.0 tbsp/36L	-	Do not apply 7 days before harvest	One day after application
THAPHIL ADVANCE AGRITECH CORP.	METHOMYL	RAIDEX 40 SP	400 g/kg	SP	INSECTICIDE	2	657-164-4945	31-May-22	CONTACT	Asparagus	Armyworm, cutworm	1 Sachet/36L Sprayer	-	-	-
THAPHIL ADVANCE AGRITECH CORP.	METHOMYL	RAIDEX 40 SP	400 g/kg	SP	INSECTICIDE	2	657-164-4945	31-May-22	CONTACT	Banana	Thrips	1.5-2 Sachet/36L Sprayer	-	-	-
THAPHIL ADVANCE AGRITECH CORP.	METHOMYL	RAIDEX 40 SP	400 g/kg	SP	INSECTICIDE	2	657-164-4945	31-May-22	CONTACT	Beans	Leafhopper, flea beetle, beanfly, podborer,aphids	1 Sachet/36L Sprayer	-	-	-
THAPHIL ADVANCE AGRITECH CORP.	METHOMYL	RAIDEX 40 SP	400 g/kg	SP	INSECTICIDE	2	657-164-4945	31-May-22	CONTACT	Mungbeans	Leafhopper, flea beetle, beanfly, podborer,aphids	1 Sachet/36L Sprayer	-	-	-
THAPHIL ADVANCE AGRITECH CORP.	METHOMYL	RAIDEX 40 SP	400 g/kg	SP	INSECTICIDE	2	657-164-4945	31-May-22	CONTACT	Soybeans	Leafhopper, flea beetle, beanfly, podborer,aphids	1 Sachet/36L Sprayer	-	-	-
THAPHIL ADVANCE AGRITECH CORP.	METHOMYL	RAIDEX 40 SP	400 g/kg	SP	INSECTICIDE	2	657-164-4945	31-May-22	CONTACT	Sitas	Leafhopper, flea beetle, beanfly, podborer,aphids	1 Sachet/36L Sprayer	-	-	-
THAPHIL ADVANCE AGRITECH CORP.	METHOMYL	RAIDEX 40 SP	400 g/kg	SP	INSECTICIDE	2	657-164-4945	31-May-22	CONTACT	Corn	Comborer, earworm	1 Sachet/36L Sprayer	-	-	-
THAPHIL ADVANCE AGRITECH CORP.	METHOMYL	RAIDEX 40 SP	400 g/kg	SP	INSECTICIDE	2	657-164-4945	31-May-22	CONTACT	Sorghum	Comborer,earworm	1 Sachet/36L Sprayer	-	-	-
THAPHIL ADVANCE AGRITECH CORP.	METHOMYL	RAIDEX 40 SP	400 g/kg	SP	INSECTICIDE	2	657-164-4945	31-May-22	CONTACT	Eggplant	Aphids, flea beetle, fruitworm, lady beetle	1 Sachet/36L Sprayer	-	-	-
THAPHIL ADVANCE AGRITECH CORP.	METHOMYL	RAIDEX 40 SP	400 g/kg	SP	INSECTICIDE	2	657-164-4945	31-May-22	CONTACT	Melon	Aphids, Squash beetle, leafhopper	1 Sachet/36L Sprayer	-	-	-
THAPHIL ADVANCE AGRITECH CORP.	METHOMYL	RAIDEX 40 SP	400 g/kg	SP	INSECTICIDE	2	657-164-4945	31-May-22	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leafhopper	1 Sachet/36L Sprayer	0.05ppm	-	-
THAPHIL ADVANCE AGRITECH CORP.	METHOMYL	RAIDEX 40 SP	400 g/kg	SP	INSECTICIDE	2	657-164-4945	31-May-22	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	1 Sachet/36L Sprayer	-	-	-
THAPHIL ADVANCE AGRITECH CORP.	METHOMYL	RAIDEX 40 SP	400 g/kg	SP	INSECTICIDE	2	657-164-4945	31-May-22	CONTACT	Tomato	Tomato fruitworm, aphids	1 Sachet/36L Sprayer	-	-	-
RADISSON AGROCHEMICAL CORPORATION	CARBENDAZIM	RADZIM 50 WP	500 g/kg	WP	FUNGICIDE	4	234-267-1864	07-Apr-24	SYSTEMIC	Mango	Anthracoose	5-2Tbsp/36 L water	-	-	-
RADISSON AGROCHEMICAL CORPORATION	CARBENDAZIM	RADZIM 50 WP	500 g/kg	WP	FUNGICIDE	4	234-267-1864	07-Apr-24	SYSTEMIC	Cucurbits	Downy mildew	1-2Tbsp/36 L water	-	-	-

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
RADISSON AGROCHEMICAL CORPORATION	CARBENDAZIM	RADISSON 30 WP	300 g/kg	WP	FUNGICIDE	4	234-267-1864	07-Apr-24	SYSTEMIC	Garden Peas (Legumes)	Powdery mildew	1.2bsp/36 L water	-	-	-
RADISSON AGROCHEMICAL CORPORATION	CARBENDAZIM	RADISSON 30 WP	300 g/kg	WP	FUNGICIDE	4	234-267-1864	07-Apr-24	SYSTEMIC	Sugarcane	Pineapple disease	5-10/200L water cane dipping	-	-	-
RADISSON AGROCHEMICAL CORPORATION	CARBENDAZIM	RADISSON 30 WP	300 g/kg	WP	FUNGICIDE	4	234-267-1864	07-Apr-24	SYSTEMIC	Banana	Diamond fruit spot, anthracnose	0.5-1.0 ml / water	-	-	-
GREENTHUMB AGRISOLUTIONS,INC.	CHLOROTHALONIL	RADIX 720 SC	720 g/L	SC	FUNGICIDE	4	584-118-4375	24-May-21	-	Potato	Early blight, late blight, vine rot	1.00-1.80/L/ha or 4.5-6.0bsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GREENTHUMB AGRISOLUTIONS,INC.	CHLOROTHALONIL	RADIX 720 SC	720 g/L	SC	FUNGICIDE	4	584-118-4375	24-May-21	-	Tomato	Early blight, late blight, vine rot	1.13-1.90/L/ha or 4.5-6.0bsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GREENTHUMB AGRISOLUTIONS,INC.	CHLOROTHALONIL	RADIX 720 SC	720 g/L	SC	FUNGICIDE	4	584-118-4375	24-May-21	-	Beans	Rust, anthracnose	1.13-1.90/L/ha or 4.5-6.0bsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GREENTHUMB AGRISOLUTIONS,INC.	CHLOROTHALONIL	RADIX 720 SC	720 g/L	SC	FUNGICIDE	4	584-118-4375	24-May-21	-	Carrot	Alternaria leaf spot, cercospora leaf spot, helminthosporium leaf spot	1.13-1.90/L/ha or 4.5-6.0bsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GREENTHUMB AGRISOLUTIONS,INC.	CHLOROTHALONIL	RADIX 720 SC	720 g/L	SC	FUNGICIDE	4	584-118-4375	24-May-21	-	Cucufers	Powdery mildew	1.13-1.90/L/ha or 4.5-6.0bsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GREENTHUMB AGRISOLUTIONS,INC.	CHLOROTHALONIL	RADIX 720 SC	720 g/L	SC	FUNGICIDE	4	584-118-4375	24-May-21	-	Melon	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90/L/ha or 4.5-6.0bsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GREENTHUMB AGRISOLUTIONS,INC.	CHLOROTHALONIL	RADIX 720 SC	720 g/L	SC	FUNGICIDE	4	584-118-4375	24-May-21	-	Cucumber	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90/L/ha or 4.5-6.0bsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GREENTHUMB AGRISOLUTIONS,INC.	CHLOROTHALONIL	RADIX 720 SC	720 g/L	SC	FUNGICIDE	4	584-118-4375	24-May-21	-	Squash	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90/L/ha or 4.5-6.0bsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GREENTHUMB AGRISOLUTIONS,INC.	CHLOROTHALONIL	RADIX 720 SC	720 g/L	SC	FUNGICIDE	4	584-118-4375	24-May-21	-	Watermelon	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90/L/ha or 4.5-6.0bsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GREENTHUMB AGRISOLUTIONS,INC.	CHLOROTHALONIL	RADIX 720 SC	720 g/L	SC	FUNGICIDE	4	584-118-4375	24-May-21	-	Gelery	Early blight, late blight	1.13-1.90/L/ha or 4.5-6.0bsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GREENTHUMB AGRISOLUTIONS,INC.	CHLOROTHALONIL	RADIX 720 SC	720 g/L	SC	FUNGICIDE	4	584-118-4375	24-May-21	-	Eggplant	Early blight, late blight, cercospora leafspot, anthracnose	1.13-1.90/L/ha or 4.5-6.0bsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GREENTHUMB AGRISOLUTIONS,INC.	CHLOROTHALONIL	RADIX 720 SC	720 g/L	SC	FUNGICIDE	4	584-118-4375	24-May-21	-	Onion	Purple blotch, bulb rot, neck rot	1.13-1.90/L/ha or 4.5-6.0bsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GREENTHUMB AGRISOLUTIONS,INC.	CHLOROTHALONIL	RADIX 720 SC	720 g/L	SC	FUNGICIDE	4	584-118-4375	24-May-21	-	Pepper	Early blight, cercospora leaf spot, anthracnose	1.13-1.90/L/ha or 4.5-6.0bsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GREENTHUMB AGRISOLUTIONS,INC.	CHLOROTHALONIL	RADIX 720 SC	720 g/L	SC	FUNGICIDE	4	584-118-4375	24-May-21	-	Grapes	Downy mildew, powdery mildew, fruit rot	1.13-1.90/L/ha or 4.5-6.0bsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GREENTHUMB AGRISOLUTIONS,INC.	CHLOROTHALONIL	RADIX 720 SC	720 g/L	SC	FUNGICIDE	4	584-118-4375	24-May-21	-	Mango	Anthracoese, diploida rot	3.75-5.0/L/ha or 4.5-6.0bsp/36L	0.5 mg/kg	7-14 days	Do not enter treatment areas until spray deposit have dried
GREENTHUMB AGRISOLUTIONS,INC.	CHLOROTHALONIL	RADIX 720 SC	720 g/L	SC	FUNGICIDE	4	584-118-4375	24-May-21	-	Ornammentals	Black spot, powdery mildew, black rot	1.13-1.90/L/ha or 4.5-6.0bsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GREENTHUMB AGRISOLUTIONS,INC.	CHLOROTHALONIL	RADIX 720 SC	720 g/L	SC	FUNGICIDE	4	584-118-4375	24-May-21	-	Asparagus	Stem and leaf blight	1.80/L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GREENTHUMB AGRISOLUTIONS,INC.	CHLOROTHALONIL	RADIX 720 SC	720 g/L	SC	FUNGICIDE	4	584-118-4375	24-May-21	-	Banana	Black Sigatoka	1.38/L/ha	2.0 mg/kg	0 day	Do not enter treatment areas until spray deposit have dried
RADISSON AGROCHEMICAL CORPORATION	METHOMYL	RADISSON METHOMYL 40 SP	400 g/kg	SP	INSECTICIDE	2	234-164-1357	10-Oct-24	CONTACT	Asparagus	Armyworm, cutworm	2.0-2.5 Tbsp/36 L sprayer	-	-	Do not enter field treated with RADISSON METHOMYL 40 SP within 12 hours after application
RADISSON AGROCHEMICAL CORPORATION	METHOMYL	RADISSON METHOMYL 40 SP	400 g/kg	SP	INSECTICIDE	2	234-164-1357	10-Oct-24	CONTACT	Banana	Thrips	3.5-4.5 Tbsp/36 L sprayer	-	-	Do not enter field treated with RADISSON METHOMYL 40 SP within 12 hours after application
RADISSON AGROCHEMICAL CORPORATION	METHOMYL	RADISSON METHOMYL 40 SP	400 g/kg	SP	INSECTICIDE	2	234-164-1357	10-Oct-24	CONTACT	Beans	Leafroller, flea beetle, beanfly, podborer,aphids	2.0-3.5 Tbsp/36 L sprayer	-	-	Do not enter field treated with RADISSON METHOMYL 40 SP within 12 hours after application
RADISSON AGROCHEMICAL CORPORATION	METHOMYL	RADISSON METHOMYL 40 SP	400 g/kg	SP	INSECTICIDE	2	234-164-1357	10-Oct-24	CONTACT	Mungbeans	Leafroller, flea beetle, beanfly, podborer,aphids	2.0-3.5 Tbsp/36 L sprayer	-	-	Do not enter field treated with RADISSON METHOMYL 40 SP within 12 hours after application
RADISSON AGROCHEMICAL CORPORATION	METHOMYL	RADISSON METHOMYL 40 SP	400 g/kg	SP	INSECTICIDE	2	234-164-1357	10-Oct-24	CONTACT	Soybeans	Leafroller, flea beetle, beanfly, podborer,aphids	2.0-3.5 Tbsp/36 L sprayer	-	-	Do not enter field treated with RADISSON METHOMYL 40 SP within 12 hours after application
RADISSON AGROCHEMICAL CORPORATION	METHOMYL	RADISSON METHOMYL 40 SP	400 g/kg	SP	INSECTICIDE	2	234-164-1357	10-Oct-24	CONTACT	Sitaa	Leafroller, flea beetle, beanfly, podborer,aphids	2.0-3.5 Tbsp/36 L sprayer	-	-	Do not enter field treated with RADISSON METHOMYL 40 SP within 12 hours after application
RADISSON AGROCHEMICAL CORPORATION	METHOMYL	RADISSON METHOMYL 40 SP	400 g/kg	SP	INSECTICIDE	2	234-164-1357	10-Oct-24	CONTACT	Corn	Combsore, earworm	2.0-3.5 Tbsp/36 L sprayer	-	-	Do not enter field treated with RADISSON METHOMYL 40 SP within 12 hours after application
RADISSON AGROCHEMICAL CORPORATION	METHOMYL	RADISSON METHOMYL 40 SP	400 g/kg	SP	INSECTICIDE	2	234-164-1357	10-Oct-24	CONTACT	Sorghum	Combsore, earworm	2.0-3.5 Tbsp/36 L sprayer	-	-	Do not enter field treated with RADISSON METHOMYL 40 SP within 12 hours after application
RADISSON AGROCHEMICAL CORPORATION	METHOMYL	RADISSON METHOMYL 40 SP	400 g/kg	SP	INSECTICIDE	2	234-164-1357	10-Oct-24	CONTACT	Eggplant	Aphids, flea beetle, fruitworm, lady beetle	2.0-3.5 Tbsp/36 L sprayer	-	-	Do not enter field treated with RADISSON METHOMYL 40 SP within 12 hours after application
RADISSON AGROCHEMICAL CORPORATION	METHOMYL	RADISSON METHOMYL 40 SP	400 g/kg	SP	INSECTICIDE	2	234-164-1357	10-Oct-24	CONTACT	Melon	Aphids, Squash beetle , leafroller	2.0-3.5 Tbsp/36 L sprayer	-	-	Do not enter field treated with RADISSON METHOMYL 40 SP within 12 hours after application
RADISSON AGROCHEMICAL CORPORATION	METHOMYL	RADISSON METHOMYL 40 SP	400 g/kg	SP	INSECTICIDE	2	234-164-1357	10-Oct-24	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leafroller	2.0-3.5 Tbsp/36 L sprayer	0.03ppm	3 Days	Do not enter field treated with RADISSON METHOMYL 40 SP within 12 hours after application
RADISSON AGROCHEMICAL CORPORATION	METHOMYL	RADISSON METHOMYL 40 SP	400 g/kg	SP	INSECTICIDE	2	234-164-1357	10-Oct-24	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	2.0-3.5 Tbsp/36 L sprayer	-	-	Do not enter field treated with RADISSON METHOMYL 40 SP within 12 hours after application
RADISSON AGROCHEMICAL CORPORATION	METHOMYL	RADISSON METHOMYL 40 SP	400 g/kg	SP	INSECTICIDE	2	234-164-1357	10-Oct-24	CONTACT	Tomato	Tomato fruitworm, aphids	2.0-3.5 Tbsp/36 L sprayer	-	-	Do not enter field treated with RADISSON METHOMYL 40 SP within 12 hours after application
RADISSON AGROCHEMICAL CORPORATION	MANCOZEB	RADISSON MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	234-053-1090	25-Sep-25	-	Potato	Early and late blight	3-6 Tbsp/36 L water	-	-	As soon as spray dries
RADISSON AGROCHEMICAL CORPORATION	MANCOZEB	RADISSON MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	234-053-1090	25-Sep-25	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
RADISSON AGROCHEMICAL CORPORATION	MANCOZEB	RADISSON MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	234-053-1090	25-Sep-25	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
RADISSON AGROCHEMICAL CORPORATION	MANCOZEB	RADISSON MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	234-053-1090	25-Sep-25	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	-	As soon as spray dries
RADISSON AGROCHEMICAL CORPORATION	MANCOZEB	RADISSON MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	234-053-1090	25-Sep-25	-	Galery	Late blight	3-6 Tbsp/36 L water	-	14 Days	As soon as spray dries
RADISSON AGROCHEMICAL CORPORATION	MANCOZEB	RADISSON MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	234-053-1090	25-Sep-25	-	Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
RADISSON AGROCHEMICAL CORPORATION	MANCOZEB	RADISSON MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	234-053-1090	25-Sep-25	-	Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
RADISSON AGROCHEMICAL CORPORATION	MANCOZEB	RADISSON MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	234-053-1090	25-Sep-25	-	Cotton	Damping off	3-6 Tbsp/36 L water	-	-	As soon as spray dries
RADISSON AGROCHEMICAL CORPORATION	MANCOZEB	RADISSON MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	234-053-1090	25-Sep-25	-	lettuce	Downy mildew	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
RADISSON AGROCHEMICAL CORPORATION	MANCOZEB	RADISSON MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	234-053-1090	25-Sep-25	-	beans	Anthracoese, Downy mildew, Rust	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
RADISSON AGROCHEMICAL CORPORATION	MANCOZEB	RADISSON MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	234-053-1090	25-Sep-25	-	Peas	Anthracoese, Downy mildew, Rust	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
RADISSON AGROCHEMICAL CORPORATION	MANCOZEB	RADISSON MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	234-053-1090	25-Sep-25	-	Mungo	Anthracoese, Downy mildew, Rust	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
RADISSON AGROCHEMICAL CORPORATION	MANCOZEB	RADISSON MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	234-053-1090	25-Sep-25	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
RADISSON AGROCHEMICAL CORPORATION	MANCOZEB	RADISSON MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	234-053-1090	25-Sep-25	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
RADISSON AGROCHEMICAL CORPORATION	MANCOZEB	RADISSON MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	234-053-1090	25-Sep-25	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
RADISSON AGROCHEMICAL CORPORATION	MANCOZEB	RADISSON MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	234-053-1090	25-Sep-25	-	Pepper	Anthracoese	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
RADISSON AGROCHEMICAL CORPORATION	MANCOZEB	RADISSON MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	234-053-1090	25-Sep-25	-	Chili	Anthracoese	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
RADISSON AGROCHEMICAL CORPORATION	MANCOZEB	RADISSON MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	234-053-1090	25-Sep-25	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
RADISSON AGROCHEMICAL CORPORATION	MANCOZEB	RADISSON MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	234-053-1090	25-Sep-25	-	Banana	Sigatoka, Black leaf streak	3-6 Tbsp/36 L water	-	-	As soon as spray dries
RADISSON AGROCHEMICAL CORPORATION	MANCOZEB	RADISSON MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	234-053-1090	25-Sep-25	-	Grapes	Downy mildew, black rot	3-6 Tbsp/36 L water	-	60 days	As soon as spray dries
RADISSON AGROCHEMICAL CORPORATION	MANCOZEB	RADISSON MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	234-053-1090	25-Sep-25	-	Mango	Anthracoese and Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
RADISSON AGROCHEMICAL CORPORATION	MANCOZEB	RADISSON MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	234-053-1090	25-Sep-25	-	Papaya	Fruit rot	3-6 Tbsp/36 L water	-	-	As soon as spray dries

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
RADISSON AGROCHEMICAL CORPORATION	MANCOZEB	RADISSON MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	234-003-1090	25-Sep-25	-	Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
RADISSON AGROCHEMICAL CORPORATION	MANCOZEB	RADISSON MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	234-003-1090	25-Sep-25	-	Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
RADISSON AGROCHEMICAL CORPORATION	MANCOZEB	RADISSON MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	234-003-1090	25-Sep-25	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
RADISSON AGROCHEMICAL CORPORATION	MANCOZEB	RADISSON MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	234-003-1090	25-Sep-25	-	Rice	Blatt, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/36 L water	0.02ppm	-	As soon as spray dries
RADISSON AGROCHEMICAL CORPORATION	MANCOZEB	RADISSON MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	234-003-1090	25-Sep-25	-	Peanut	Cercospora leaf spot	3-6 Tbsp/36 L water	-	14 Days	As soon as spray dries
RADISSON AGROCHEMICAL CORPORATION	MANCOZEB	RADISSON MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	234-003-1090	25-Sep-25	-	Soybeans	Leaf rust	3-6 Tbsp/36 L water	-	-	As soon as spray dries
RADISSON AGROCHEMICAL CORPORATION	MANCOZEB	RADISSON MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	234-003-1090	25-Sep-25	-	Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/36 L water	-	-	As soon as spray dries
RADISSON AGROCHEMICAL CORPORATION	MALATHION	RADISSON MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	234-038-1655	22-Mar-26	NON-SYSTEMIC	Fruit trees	Aphids, mealy bug scale insect	1.5-3.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying
RADISSON AGROCHEMICAL CORPORATION	MALATHION	RADISSON MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	234-038-1655	22-Mar-26	NON-SYSTEMIC	Rice	Armyworm, caseworm, leafhopper, bugs	2.0-3.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying
RADISSON AGROCHEMICAL CORPORATION	MALATHION	RADISSON MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	234-038-1655	22-Mar-26	NON-SYSTEMIC	Corn	Earworm, silkworm, aphids, grasshopper	3.0-5.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying
RADISSON AGROCHEMICAL CORPORATION	MALATHION	RADISSON MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	234-038-1655	22-Mar-26	NON-SYSTEMIC	Cabbage/Crucifer	Cabbage worm, loopers, diamond-back moth	2.0-5.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying
RADISSON AGROCHEMICAL CORPORATION	MALATHION	RADISSON MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	234-038-1655	22-Mar-26	NON-SYSTEMIC	Legumes	Aphids, beanfly, cutworm, flea beetles, leafminer, maggots, mealybug, podborer, thrips	2.0-5.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying
RADISSON AGROCHEMICAL CORPORATION	MALATHION	RADISSON MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	234-038-1655	22-Mar-26	NON-SYSTEMIC	Grapes	Beetles, cutworm, leafhopper, mealybug, scale insect, spider mites	3.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying
RADISSON AGROCHEMICAL CORPORATION	MALATHION	RADISSON MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	234-038-1655	22-Mar-26	NON-SYSTEMIC	Pineapple	Mealy bug	3.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying
RADISSON AGROCHEMICAL CORPORATION	MALATHION	RADISSON MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	234-038-1655	22-Mar-26	NON-SYSTEMIC	Pepper	Aphid, cutworm, fruitworm	3.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying
RADISSON AGROCHEMICAL CORPORATION	MALATHION	RADISSON MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	234-038-1655	22-Mar-26	NON-SYSTEMIC	Garlic	Cutworm	3.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying
RADISSON AGROCHEMICAL CORPORATION	MALATHION	RADISSON MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	234-038-1655	22-Mar-26	NON-SYSTEMIC	Onion	Cutworm	3.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying
RADISSON AGROCHEMICAL CORPORATION	MALATHION	RADISSON MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	234-038-1655	22-Mar-26	NON-SYSTEMIC	Tobacco	Aphids, katydid	3.0-6.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying
RADISSON AGROCHEMICAL CORPORATION	MALATHION	RADISSON MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	234-038-1655	22-Mar-26	NON-SYSTEMIC	Ornamentals	Aphids, cutworm, mealybug, scale insect, spider mites	3.0-5.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying
RADISSON AGROCHEMICAL CORPORATION	MALATHION	RADISSON MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	234-038-1655	22-Mar-26	NON-SYSTEMIC	Tomato	Lady beetle	3.0-5.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying
RADISSON AGROCHEMICAL CORPORATION	MALATHION	RADISSON MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	234-038-1655	22-Mar-26	NON-SYSTEMIC	Eggplant	Aphids, fruitworm	3.0-5.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying
RADISSON AGROCHEMICAL CORPORATION	MALATHION	RADISSON MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	234-038-1655	22-Mar-26	NON-SYSTEMIC	Sorghum	Web worm	3.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying
RADISSON AGROCHEMICAL CORPORATION	IMIDACLOPRID	RADISSON IMIDACLOPRID 300 SL	100 g/L	SL	INSECTICIDE	4	234-240-4320	09-Apr-21	-	Mango	Hoppers	20-25ml/100 L water	-	20 days	No re-entry within 48 hours after spray. Appropriate warning signs should be in place before and after spraying.
RADISSON AGROCHEMICAL CORPORATION	IMIDACLOPRID	RADISSON IMIDACLOPRID 300 SL	100 g/L	SL	INSECTICIDE	4	234-240-4320	09-Apr-21	-	Banana	Flower thrips, aphids, mealy bug	1 ml product/L water	-	-	No re-entry within 48 hours after spray. Appropriate warning signs should be in place before and after spraying.
RADISSON AGROCHEMICAL CORPORATION	IMIDACLOPRID	RADISSON IMIDACLOPRID 300 SL	100 g/L	SL	INSECTICIDE	4	234-240-4320	09-Apr-21	-	Watermelon	Thrips, aphids	6-8 ml/36 L water	-	7 days	No re-entry within 48 hours after spray. Appropriate warning signs should be in place before and after spraying.
RADISSON AGROCHEMICAL CORPORATION	IMIDACLOPRID	RADISSON IMIDACLOPRID 300 SL	100 g/L	SL	INSECTICIDE	4	234-240-4320	09-Apr-21	-	Citrus	Rindborer, mealybug, scale insects	2-5.0 ml/36 L water	-	14 days	No re-entry within 48 hours after spray. Appropriate warning signs should be in place before and after spraying.
RADISSON AGROCHEMICAL CORPORATION	IMIDACLOPRID	RADISSON IMIDACLOPRID 300 SL	100 g/L	SL	INSECTICIDE	4	234-240-4320	09-Apr-21	-	Cabbage	CBM, Flea beetle	4-5ml/36 L water	-	28 days	No re-entry within 48 hours after spray. Appropriate warning signs should be in place before and after spraying.
RADISSON AGROCHEMICAL CORPORATION	IMIDACLOPRID	RADISSON IMIDACLOPRID 300 SL	100 g/L	SL	INSECTICIDE	4	234-240-4320	09-Apr-21	-	Sugarcane	Termites	3-5 ml/36 L water	-	-	No re-entry within 48 hours after spray. Appropriate warning signs should be in place before and after spraying.
RADISSON AGROCHEMICAL CORPORATION	IMIDACLOPRID	RADISSON IMIDACLOPRID 300 SL	100 g/L	SL	INSECTICIDE	4	234-240-4320	09-Apr-21	-	Asparagus	Thrips	-	-	-	No re-entry within 48 hours after spray. Appropriate warning signs should be in place before and after spraying.
RADISSON AGROCHEMICAL CORPORATION	IMIDACLOPRID	RADISSON IMIDACLOPRID 300 SL	100 g/L	SL	INSECTICIDE	4	234-240-4320	09-Apr-21	-	Okra	Leafhopper	-	-	-	No re-entry within 48 hours after spray. Appropriate warning signs should be in place before and after spraying.
RADISSON AGROCHEMICAL CORPORATION	DURON	RADISSON DURON 80 WP	800 g/kg	WP	HERBICIDE	4	234-021-1829	09-Mar-25	SYSTEMIC	Citrus	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/36 L water	-	-	Entry to fields treated with RADISSON DURON 80 WP can be done one day after application.
RADISSON AGROCHEMICAL CORPORATION	DURON	RADISSON DURON 80 WP	800 g/kg	WP	HERBICIDE	4	234-021-1829	09-Mar-25	SYSTEMIC	Coffee	Annual and Perennial broadleaves and grasses	11.0-19.0Tbsp/36 L water	-	-	Entry to fields treated with RADISSON DURON 80 WP can be done one day after application.
RADISSON AGROCHEMICAL CORPORATION	DURON	RADISSON DURON 80 WP	800 g/kg	WP	HERBICIDE	4	234-021-1829	09-Mar-25	SYSTEMIC	Cotton	Annual and Perennial broadleaves and grasses	8.0Tbsp/36 L water	-	-	Entry to fields treated with RADISSON DURON 80 WP can be done one day after application.
RADISSON AGROCHEMICAL CORPORATION	DURON	RADISSON DURON 80 WP	800 g/kg	WP	HERBICIDE	4	234-021-1829	09-Mar-25	SYSTEMIC	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0Tbsp/36 L water	-	-	Entry to fields treated with RADISSON DURON 80 WP can be done one day after application.
RADISSON AGROCHEMICAL CORPORATION	DURON	RADISSON DURON 80 WP	800 g/kg	WP	HERBICIDE	4	234-021-1829	09-Mar-25	SYSTEMIC	Pineapple	Annual and Perennial broadleaves and grasses	13.0Tbsp/36 L water	-	-	Entry to fields treated with RADISSON DURON 80 WP can be done one day after application.
RADISSON AGROCHEMICAL CORPORATION	DURON	RADISSON DURON 80 WP	800 g/kg	WP	HERBICIDE	4	234-021-1829	09-Mar-25	SYSTEMIC	Non-crop land	Annual and Perennial broadleaves and grasses	20.0-28.0Tbsp/36 L water	-	-	Entry to fields treated with RADISSON DURON 80 WP can be done one day after application.
RADISSON AGROCHEMICAL CORPORATION	DURON	RADISSON DURON 80 SC	800 g/L	SC	HERBICIDE	4	234-021-4088	15-Aug-26	SYSTEMIC	Citrus	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/36 L water	-	-	Twenty four (24) hours after application.
RADISSON AGROCHEMICAL CORPORATION	DURON	RADISSON DURON 80 SC	800 g/L	SC	HERBICIDE	4	234-021-4088	15-Aug-26	SYSTEMIC	Coffee	Annual and Perennial broadleaves and grasses	11.0-19.0Tbsp/36 L water	-	-	Twenty four (24) hours after application.
RADISSON AGROCHEMICAL CORPORATION	DURON	RADISSON DURON 80 SC	800 g/L	SC	HERBICIDE	4	234-021-4088	15-Aug-26	SYSTEMIC	Cotton	Annual and Perennial broadleaves and grasses	8.0Tbsp/36 L water	-	-	Twenty four (24) hours after application.
RADISSON AGROCHEMICAL CORPORATION	DURON	RADISSON DURON 80 SC	800 g/L	SC	HERBICIDE	4	234-021-4088	15-Aug-26	SYSTEMIC	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0Tbsp/36 L water	-	-	Twenty four (24) hours after application.
RADISSON AGROCHEMICAL CORPORATION	DURON	RADISSON DURON 80 SC	800 g/L	SC	HERBICIDE	4	234-021-4088	15-Aug-26	SYSTEMIC	Pineapple	Annual and Perennial broadleaves and grasses	13.0Tbsp/36 L water	-	-	Twenty four (24) hours after application.
RADISSON AGROCHEMICAL CORPORATION	DURON	RADISSON DURON 80 SC	800 g/L	SC	HERBICIDE	4	234-021-4088	15-Aug-26	SYSTEMIC	Non-crop land	Annual and Perennial broadleaves and grasses	20.0-28.0Tbsp/36 L water	-	-	Twenty four (24) hours after application.
RADISSON AGROCHEMICAL CORPORATION	DELTAMETHRIN	RADISSON DELTAMETHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	4	234-085-2016	16-Jun-26	NON-SYSTEMIC	Mango	Hopper, Tip borer, twig borer	0.75-1.0 Tbsp/36L water	-	24 hours after last spray	Enter treated area 24 hours after each spray
RADISSON AGROCHEMICAL CORPORATION	DELTAMETHRIN	RADISSON DELTAMETHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	4	234-085-2016	16-Jun-26	NON-SYSTEMIC	Cabbage & other crucifers	Diamond-back moth, cabbage moth, cabbage worm	0.1 Tbsp/36L water	-	24 hours after last spray	Enter treated area 24 hours after each spray
RADISSON AGROCHEMICAL CORPORATION	DELTAMETHRIN	RADISSON DELTAMETHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	4	234-085-2016	16-Jun-26	NON-SYSTEMIC	Tobacco	Budworm, armyworm, cutworm	0.8-1.0 Tbsp/36L water	-	24 hours after last spray	Enter treated area 24 hours after each spray
RADISSON AGROCHEMICAL CORPORATION	DELTAMETHRIN	RADISSON DELTAMETHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	4	234-085-2016	16-Jun-26	NON-SYSTEMIC	Beans	Flea beetle, beanfly, bugs, thrips, cutworm, armyworm	0.8-1.0 Tbsp/36L water	-	24 hours after last spray	Enter treated area 24 hours after each spray
RADISSON AGROCHEMICAL CORPORATION	DELTAMETHRIN	RADISSON DELTAMETHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	4	234-085-2016	16-Jun-26	NON-SYSTEMIC	Soybeans	Flea beetle, beanfly, bugs, thrips, cutworm, armyworm	0.8-1.0 Tbsp/36L water	-	24 hours after last spray	Enter treated area 24 hours after each spray
RADISSON AGROCHEMICAL CORPORATION	DELTAMETHRIN	RADISSON DELTAMETHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	4	234-085-2016	16-Jun-26	NON-SYSTEMIC	Tomato	Fruitworm (heliothis)	0.8-1.0 Tbsp/36L water	-	24 hours after last spray	Enter treated area 24 hours after each spray
RADISSON AGROCHEMICAL CORPORATION	DELTAMETHRIN	RADISSON DELTAMETHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	4	234-085-2016	16-Jun-26	NON-SYSTEMIC	Corn	Corn borer, corn earworm, seedling maggots	0.1 Tbsp/36L water	-	24 hours after last spray	Enter treated area 24 hours after each spray
RADISSON AGROCHEMICAL CORPORATION	DELTAMETHRIN	RADISSON DELTAMETHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	4	234-085-2016	16-Jun-26	NON-SYSTEMIC	Eggplant	Thrips, flea beetle, fruitworm	0.1 Tbsp/36L water	-	24 hours after last spray	Enter treated area 24 hours after each spray
RADISSON AGROCHEMICAL CORPORATION	DELTAMETHRIN	RADISSON DELTAMETHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	4	234-085-2016	16-Jun-26	NON-SYSTEMIC	Cotton	Leafhopper, bollworm, weevil	0.8-1.0 Tbsp/36L water	-	24 hours after last spray	Enter treated area 24 hours after each spray
RADISSON AGROCHEMICAL CORPORATION	DELTAMETHRIN	RADISSON DELTAMETHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	4	234-085-2016	16-Jun-26	NON-SYSTEMIC	Other horticultural and agronomic crops	Locusts-nymphs/ Locusts-adult	1.0-1.5"/ 3.0 Tbsp/36L water	-	24 hours after last spray	Enter treated area 24 hours after each spray
RADISSON AGROCHEMICAL CORPORATION	DELTAMETHRIN	RADISSON DELTAMETHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	4	234-085-2016	16-Jun-26	NON-SYSTEMIC	Cacao	Podborer, aphid	0.1 Tbsp/36L water	-	24 hours after last spray	Enter treated area 24 hours after each spray
RADISSON AGROCHEMICAL CORPORATION	COPPER OXYCHLORIDE	RADISSON COPPER OXYCHLORIDE 58 WP	580 g/kg	WP	FUNGICIDE	4	234-007-3824	09-Nov-22	-	Rice	Rice blast, helminthosporium, cercospora leaf spot	5-6 tbsps/36L water	-	-	-
RADISSON AGROCHEMICAL CORPORATION	COPPER OXYCHLORIDE	RADISSON COPPER OXYCHLORIDE 58 WP	580 g/kg	WP	FUNGICIDE	4	234-007-3824	09-Nov-22	-	Coffee	Brown eye spot, rust, anthracnose, pink disease	5-8 tbsps/36L water	-	-	-
RADISSON AGROCHEMICAL CORPORATION	COPPER OXYCHLORIDE	RADISSON COPPER OXYCHLORIDE 58 WP	580 g/kg	WP	FUNGICIDE	4	234-007-3824	09-Nov-22	-	Cacao	Pod rot, brown bark rot, black pod	5-8 tbsps/36L water	-	-	-

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)		PHI	RE-ENTRY PERIOD
RADISSON AGROCHEMICAL CORPORATION	COPPER OXYCHLORIDE	RADISSON COPPER OXYCHLORIDE 58 WP	580 g/kg	WP	FUNGICIDE	4	234-007-3824	09-Nov-22		Mango	Anthracoese, sooty mold	5.5-8 tbsp/16L water				
RADISSON AGROCHEMICAL CORPORATION	COPPER OXYCHLORIDE	RADISSON COPPER OXYCHLORIDE 58 WP	580 g/kg	WP	FUNGICIDE	4	234-007-3824	09-Nov-22		Tomato	Early blight, late blight, fruit rot, septoria leaf spot	5.5-8 tbsp/16L water				
RADISSON AGROCHEMICAL CORPORATION	COPPER OXYCHLORIDE	RADISSON COPPER OXYCHLORIDE 58 WP	580 g/kg	WP	FUNGICIDE	4	234-007-3824	09-Nov-22		Tobacco	Blue mold fusarium, alternaria leafspot, froggye disease	5.5-8 tbsp/16L water				
RADISSON AGROCHEMICAL CORPORATION	COPPER OXYCHLORIDE	RADISSON COPPER OXYCHLORIDE 58 WP	580 g/kg	WP	FUNGICIDE	4	234-007-3824	09-Nov-22		Citrus	Black spot, anthracnose, scab, rust, fruit rot	5.5-8 tbsp/16L water				
RADISSON AGROCHEMICAL CORPORATION	COPPER OXYCHLORIDE	RADISSON COPPER OXYCHLORIDE 58 WP	580 g/kg	WP	FUNGICIDE	4	234-007-3824	09-Nov-22		Banana	Sigatoka	5.5-8 tbsp/16L water				
RADISSON AGROCHEMICAL CORPORATION	COPPER OXYCHLORIDE	RADISSON COPPER OXYCHLORIDE 58 WP	580 g/kg	WP	FUNGICIDE	4	234-007-3824	09-Nov-22		Pepper	Anthracoese, mildews, blight, fruit rot	5.5-8 tbsp/16L water				
RADISSON AGROCHEMICAL CORPORATION	COPPER OXYCHLORIDE	RADISSON COPPER OXYCHLORIDE 58 WP	580 g/kg	WP	FUNGICIDE	4	234-007-3824	09-Nov-22		Potato	Early blight, late blight	5.5-8 tbsp/16L water				
RADISSON AGROCHEMICAL CORPORATION	COPPER OXYCHLORIDE	RADISSON COPPER OXYCHLORIDE 58 WP	580 g/kg	WP	FUNGICIDE	4	234-007-3824	09-Nov-22		Watermelon	Anthracoese, mildews, alternaria, fruit rot	5.5-8 tbsp/16L water				
RADISSON AGROCHEMICAL CORPORATION	COPPER OXYCHLORIDE	RADISSON COPPER OXYCHLORIDE 58 WP	580 g/kg	WP	FUNGICIDE	4	234-007-3824	09-Nov-22		Celery	Mildews, early blight, late blight	5.5-8 tbsp/16L water				
RADISSON AGROCHEMICAL CORPORATION	COPPER OXYCHLORIDE	RADISSON COPPER OXYCHLORIDE 58 WP	580 g/kg	WP	FUNGICIDE	4	234-007-3824	09-Nov-22		Crucifers	Mildews, cercospora alternaria	5.5-8 tbsp/16L water				
RADISSON AGROCHEMICAL CORPORATION	COPPER OXYCHLORIDE	RADISSON COPPER OXYCHLORIDE 58 WP	580 g/kg	WP	FUNGICIDE	4	234-007-3824	09-Nov-22		Carrot	Alternaria, cercospora	5.5-8 tbsp/16L water				
RADISSON AGROCHEMICAL CORPORATION	COPPER OXYCHLORIDE	RADISSON COPPER OXYCHLORIDE 58 WP	580 g/kg	WP	FUNGICIDE	4	234-007-3824	09-Nov-22		Melon	Mildew, cercospora, alternaria, anthracnose	5.5-8 tbsp/16L water				
RADISSON AGROCHEMICAL CORPORATION	COPPER HYDROXIDE	RADISSON COPPER HYDROXIDE 77 WP	770 g/kg	WP	FUNGICIDE	4	234-006-3823	09-Nov-19		Banana	Sigatoka	2.6-6.0 Tbsp/16L water				
RADISSON AGROCHEMICAL CORPORATION	COPPER HYDROXIDE	RADISSON COPPER HYDROXIDE 77 WP	770 g/kg	WP	FUNGICIDE	4	234-006-3823	09-Nov-19		Beans	Bacterial blight, rust	2.6-6.0 Tbsp/16L water				
RADISSON AGROCHEMICAL CORPORATION	COPPER HYDROXIDE	RADISSON COPPER HYDROXIDE 77 WP	770 g/kg	WP	FUNGICIDE	4	234-006-3823	09-Nov-19		Cabbage	Black rot, black leaf spot	2.6-6.0 Tbsp/16L water				
RADISSON AGROCHEMICAL CORPORATION	COPPER HYDROXIDE	RADISSON COPPER HYDROXIDE 77 WP	770 g/kg	WP	FUNGICIDE	4	234-006-3823	09-Nov-19		Cacao	Black pod	2.6-6.0 Tbsp/16L water				
RADISSON AGROCHEMICAL CORPORATION	COPPER HYDROXIDE	RADISSON COPPER HYDROXIDE 77 WP	770 g/kg	WP	FUNGICIDE	4	234-006-3823	09-Nov-19		Carrot	Cercospora	2.6-6.0 Tbsp/16L water				
RADISSON AGROCHEMICAL CORPORATION	COPPER HYDROXIDE	RADISSON COPPER HYDROXIDE 77 WP	770 g/kg	WP	FUNGICIDE	4	234-006-3823	09-Nov-19		Cauliflower	Downy mildew, alternaria leaf spot	2.6-6.0 Tbsp/16L water				
RADISSON AGROCHEMICAL CORPORATION	COPPER HYDROXIDE	RADISSON COPPER HYDROXIDE 77 WP	770 g/kg	WP	FUNGICIDE	4	234-006-3823	09-Nov-19		Celery	Early blight	2.6-6.0 Tbsp/16L water				
RADISSON AGROCHEMICAL CORPORATION	COPPER HYDROXIDE	RADISSON COPPER HYDROXIDE 77 WP	770 g/kg	WP	FUNGICIDE	4	234-006-3823	09-Nov-19		Citrus	Black spot, scab, Melanose	2.6-6.0 Tbsp/16L water				
RADISSON AGROCHEMICAL CORPORATION	COPPER HYDROXIDE	RADISSON COPPER HYDROXIDE 77 WP	770 g/kg	WP	FUNGICIDE	4	234-006-3823	09-Nov-19		Coffee	Leaf rust, coffee berry disease	2.6-6.0 Tbsp/16L water				
RADISSON AGROCHEMICAL CORPORATION	COPPER HYDROXIDE	RADISSON COPPER HYDROXIDE 77 WP	770 g/kg	WP	FUNGICIDE	4	234-006-3823	09-Nov-19		Cucumber	Anthracoese, septoria, cercospora, fruit rot, downy mildew	2.6-6.0 Tbsp/16L water				
RADISSON AGROCHEMICAL CORPORATION	COPPER HYDROXIDE	RADISSON COPPER HYDROXIDE 77 WP	770 g/kg	WP	FUNGICIDE	4	234-006-3823	09-Nov-19		Grapes	Anthracoese, mildew, black rot	2.6-6.0 Tbsp/16L water				
RADISSON AGROCHEMICAL CORPORATION	COPPER HYDROXIDE	RADISSON COPPER HYDROXIDE 77 WP	770 g/kg	WP	FUNGICIDE	4	234-006-3823	09-Nov-19		Mango	Anthracoese	2.6-6.0 Tbsp/16L water				
RADISSON AGROCHEMICAL CORPORATION	COPPER HYDROXIDE	RADISSON COPPER HYDROXIDE 77 WP	770 g/kg	WP	FUNGICIDE	4	234-006-3823	09-Nov-19		Onion	Purple blotch, downy mildew	2.6-6.0 Tbsp/16L water				
RADISSON AGROCHEMICAL CORPORATION	COPPER HYDROXIDE	RADISSON COPPER HYDROXIDE 77 WP	770 g/kg	WP	FUNGICIDE	4	234-006-3823	09-Nov-19		Peas	Powdery mildew	2.6-6.0 Tbsp/16L water				
RADISSON AGROCHEMICAL CORPORATION	COPPER HYDROXIDE	RADISSON COPPER HYDROXIDE 77 WP	770 g/kg	WP	FUNGICIDE	4	234-006-3823	09-Nov-19		Peanut	Cercospora leaf spot	2.6-6.0 Tbsp/16L water				
RADISSON AGROCHEMICAL CORPORATION	COPPER HYDROXIDE	RADISSON COPPER HYDROXIDE 77 WP	770 g/kg	WP	FUNGICIDE	4	234-006-3823	09-Nov-19		Pepper	Bacterial blight, rust	2.6-6.0 Tbsp/16L water				
RADISSON AGROCHEMICAL CORPORATION	COPPER HYDROXIDE	RADISSON COPPER HYDROXIDE 77 WP	770 g/kg	WP	FUNGICIDE	4	234-006-3823	09-Nov-19		Potato	Early blight, late blight	2.6-6.0 Tbsp/16L water				
RADISSON AGROCHEMICAL CORPORATION	COPPER HYDROXIDE	RADISSON COPPER HYDROXIDE 77 WP	770 g/kg	WP	FUNGICIDE	4	234-006-3823	09-Nov-19		Rice	Blast, sheath blight, bacterial leaf streak	2.6-6.0 Tbsp/16L water				
RADISSON AGROCHEMICAL CORPORATION	COPPER HYDROXIDE	RADISSON COPPER HYDROXIDE 77 WP	770 g/kg	WP	FUNGICIDE	4	234-006-3823	09-Nov-19		Tomato	Early blight, late blight, fruity rot, septoria alternaria	2.6-6.0 Tbsp/16L water				
RADISSON AGROCHEMICAL CORPORATION	COPPER HYDROXIDE	RADISSON COPPER HYDROXIDE 77 WP	770 g/kg	WP	FUNGICIDE	4	234-006-3823	09-Nov-19		Watermelon	Anthracoese, fruit rot, downy mildew	2.6-6.0 Tbsp/16L water				
RADISSON AGROCHEMICAL CORPORATION	COPPER HYDROXIDE	RADISSON COPPER HYDROXIDE 77 WP	770 g/kg	WP	FUNGICIDE	4	234-006-3823	09-Nov-19		Papaya	Bacterial crown rot	4-5.7 g/kg				
RADISSON AGROCHEMICAL CORPORATION	CARBOFURAN	RADISSON CARBOFURAN 3G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	234-104-1472	04-Mar-25		Corn	Borer, earworm, grubs, seedling maggot	16.7-33.3 kg prod/ha	-	-	2 Days	
RADISSON AGROCHEMICAL CORPORATION	CARBOFURAN	RADISSON CARBOFURAN 3G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	234-104-1472	04-Mar-25		Cotton	Nematodes, grubs	16.7-33.3 kg prod/ha	-	-	2 Days	
RADISSON AGROCHEMICAL CORPORATION	CARBOFURAN	RADISSON CARBOFURAN 3G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	234-104-1472	04-Mar-25		Eggplant	Fruitborer	16.7-33.3 kg prod/ha	-	-	2 Days	
RADISSON AGROCHEMICAL CORPORATION	CARBOFURAN	RADISSON CARBOFURAN 3G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	234-104-1472	04-Mar-25		Field legumes	grubs	16.7-33.3 kg prod/ha	-	-	2 Days	
RADISSON AGROCHEMICAL CORPORATION	CARBOFURAN	RADISSON CARBOFURAN 3G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	234-104-1472	04-Mar-25		Rice	Stem borer, whorl maggot, leafhopper, leafhopper, caseworm, planthopper	16.7-33.3 kg prod/ha	0.2ppm	20 Days	2 Days	
RADISSON AGROCHEMICAL CORPORATION	CARBOFURAN	RADISSON CARBOFURAN 3G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	234-104-1472	04-Mar-25		Soybeans	Beanfly, grubs, nematodes, other soil insects	16.7-33.3 kg prod/ha	-	-	2 Days	
RADISSON AGROCHEMICAL CORPORATION	CARBOFURAN	RADISSON CARBOFURAN 3G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	234-104-1472	04-Mar-25		Sugarcane	Borer, leafhopper, mealy bug, nematodes, scale insects	16.7-33.3 kg prod/ha	-	-	2 Days	
RADISSON AGROCHEMICAL CORPORATION	CARBOFURAN	RADISSON CARBOFURAN 3G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	234-104-1472	04-Mar-25		Tobacco	Nematode, budworm	16.7-33.3 kg prod/ha	-	-	2 Days	
RADISSON AGROCHEMICAL CORPORATION	CARBOFURAN	RADISSON CARBOFURAN 3G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	234-104-1472	04-Mar-25		White potato	Nematodes, grubs	16.7-33.3 kg prod/ha	-	-	2 Days	
RADISSON AGROCHEMICAL CORPORATION	CARBOFURAN	RADISSON CARBOFURAN 3G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	234-104-1472	04-Mar-25		Cowpea	Beanfly, grubs, nematodes, other soil insects	16.7-33.3 kg prod/ha	-	-	2 Days	
RADISSON AGROCHEMICAL CORPORATION	CARBOFURAN	RADISSON CARBOFURAN 3G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	234-104-1472	04-Mar-25		Ornamentals	Scale insect, aphids, mealy bug	16.7-33.3 kg prod/ha	-	-	2 Days	
RADISSON AGROCHEMICAL CORPORATION	ATRAZINE	RADISSON ATRAZINE 80 WP	800 g/kg	WP	HERBICIDE	4	234-065-1255	26-Mar-25	SELECTIVE (PRE-EMERGENT)	Corn	Broadleaf weeds & annual grasses	9-12Tbsp/16 L water	-	-		Do not enter the field within 5 days after application
RADISSON AGROCHEMICAL CORPORATION	ATRAZINE	RADISSON ATRAZINE 80 WP	800 g/kg	WP	HERBICIDE	4	234-065-1255	26-Mar-25	SELECTIVE (PRE-EMERGENT)	Sorghum	Broadleaf weeds & annual grasses	9-12Tbsp/16 L water	-	-		Do not enter the field within 5 days after application
RADISSON AGROCHEMICAL CORPORATION	ATRAZINE	RADISSON ATRAZINE 80 WP	800 g/kg	WP	HERBICIDE	4	234-065-1255	26-Mar-25	SELECTIVE (PRE-EMERGENT)	Sugarcane	Broadleaf weeds & annual grasses	9-12Tbsp/16 L water	-	-		Do not enter the field within 5 days after application
RADISSON AGROCHEMICAL CORPORATION	ACEPHATE	RADISSON ACEPHATE	750 g/kg	SP	INSECTICIDE	3	234-242-1562	15-Sep-25	-	Tobacco	Budworm, aphids	2-3 Tbsp/16L water	-	-		Crops sprayed with RADISSON ACEPHATE 75 SP can be harvested 2 weeks after treatment
RADISSON AGROCHEMICAL CORPORATION	ACEPHATE	RADISSON ACEPHATE	750 g/kg	SP	INSECTICIDE	3	234-242-1562	15-Sep-25	-	Eggplant	Fruitborer	2-3 Tbsp/16L water	-	-		Crops sprayed with RADISSON ACEPHATE 75 SP can be harvested 2 weeks after treatment
RADISSON AGROCHEMICAL CORPORATION	ACEPHATE	RADISSON ACEPHATE	750 g/kg	SP	INSECTICIDE	3	234-242-1562	15-Sep-25	-	Stringbean	Aphids	2-3 Tbsp/16L water	-	-		Crops sprayed with RADISSON ACEPHATE 75 SP can be harvested 2 weeks after treatment
RADISSON AGROCHEMICAL CORPORATION	ACEPHATE	RADISSON ACEPHATE	750 g/kg	SP	INSECTICIDE	3	234-242-1562	15-Sep-25	-	Tomato	Fruitworm	2-3 Tbsp/16L water	-	-		Crops sprayed with RADISSON ACEPHATE 75 SP can be harvested 2 weeks after treatment
RADISSON AGROCHEMICAL CORPORATION	ACEPHATE	RADISSON ACEPHATE	750 g/kg	SP	INSECTICIDE	3	234-242-1562	15-Sep-25	-	Banana	Thrips	1-2 Tbsp/16L water	-	-		Crops sprayed with RADISSON ACEPHATE 75 SP can be harvested 2 weeks after treatment
RADISSON AGROCHEMICAL CORPORATION	ACEPHATE	RADISSON ACEPHATE	750 g/kg	SP	INSECTICIDE	3	234-242-1562	15-Sep-25	-	Watermelon	Aphids, thrips	2-3 Tbsp/16L water	-	-		Crops sprayed with RADISSON ACEPHATE 75 SP can be harvested 2 weeks after treatment
RADISSON AGROCHEMICAL CORPORATION	ACEPHATE	RADISSON ACEPHATE	750 g/kg	SP	INSECTICIDE	3	234-242-1562	15-Sep-25	-	Rice	Whorl maggot, green leafhopper, brown planthopper, stemborer, leafhopper, thrips	2-3 Tbsp/16L water	0.02 ppm	-		Crops sprayed with RADISSON ACEPHATE 75 SP can be harvested 2 weeks after treatment
RADISSON AGROCHEMICAL CORPORATION	ACEPHATE	RADISSON ACEPHATE	750 g/kg	SP	INSECTICIDE	3	234-242-1562	15-Sep-25	-	Mango	Hopper, thrips	1.5-2 Tbsp/16L water	-	-		Crops sprayed with RADISSON ACEPHATE 75 SP can be harvested 2 weeks after treatment
RADISSON AGROCHEMICAL CORPORATION	2,4-D IBE	RADISSON 2,4-D ISTER	400 g/L	EC	HERBICIDE	2	234-049-3085-A	06-Sep-26	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual Broadleaves & sedges	1.0-6.50Tbsp/16 L water	0.1 ppm	-		Do not spray within 2 days before harvest

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
RADISSON AGROCHEMICAL CORPORATION	2,4-D IBE	RADISSON 2,4-D ESTER	400 g/L	EC	HERBICIDE	2	234-040-3085-A	06-Sep-26	SELECTIVE (POST-EMERGENT)	Corn	Annual Broadleaves & sedges	5.0-6.50tbsp/36 L water	-	Do not spray within 2 days before harvest	Entry to fields and crops treated with 2,4-D Ester 400 EC can be done one day after spraying.
RADISSON AGROCHEMICAL CORPORATION	2,4-D IBE	RADISSON 2,4-D ESTER	400 g/L	EC	HERBICIDE	2	234-040-3085-A	06-Sep-26	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual Broadleaves & sedges	5.0-6.50tbsp/36 L water	-	Do not spray within 2 days before harvest	Entry to fields and crops treated with 2,4-D Ester 400 EC can be done one day after spraying.
RADISSON AGROCHEMICAL CORPORATION	2,4-D AMINE	RADISSON 2,4-D AMINE 400 SL	400g/L	SL	HERBICIDE	2	234-033-3363	06-Sep-26	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual broadleaves and sedges	3.5-6.5tbsp/36 L water	0.1 ppm	-	Entry to field and crops treated with RADISSON 2,4-D AMINE 400 SL can be done 1 day after spraying.
RADISSON AGROCHEMICAL CORPORATION	2,4-D AMINE	RADISSON 2,4-D AMINE 400 SL	400g/L	SL	HERBICIDE	2	234-033-3363	06-Sep-26	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual broadleaves and sedges	18-25 Tbsp/36 L water	-	-	Entry to field and crops treated with RADISSON 2,4-D AMINE 400 SL can be done 1 day after spraying.
RADISSON AGROCHEMICAL CORPORATION	2,4-D AMINE	RADISSON 2,4-D AMINE 400 SL	400g/L	SL	HERBICIDE	2	234-033-3363	06-Sep-26	SELECTIVE (POST-EMERGENT)	Corn	Annual broadleaves and sedges	5-6.5 Tbsp/36 L of water	-	-	Entry to field and crops treated with RADISSON 2,4-D AMINE 400 SL can be done 1 day after spraying.
RADISSON AGROCHEMICAL CORPORATION	ABAMECTIN	RADI-MEXTIN 1.8 EC	18 g/L	EC	INSECTICIDE	2	234-234-2118	04-Sep-26	-	Banana	Blossom thrips	0.1/ L water	-	-	Re-enter the field as soon as spray dries
RADISSON AGROCHEMICAL CORPORATION	ABAMECTIN	RADI-MEXTIN 1.8 EC	18 g/L	EC	INSECTICIDE	2	234-234-2118	04-Sep-26	-	Cabbage	Diamond back moth	300 mL prod./ha	-	-	Re-enter the field as soon as spray dries
RADISSON AGROCHEMICAL CORPORATION	ABAMECTIN	RADI-MEXTIN 1.8 EC	18 g/L	EC	INSECTICIDE	2	234-234-2118	04-Sep-26	-	Ornamentals	Mites	1.0-1.5Tbsp/36 L of water	-	-	Re-enter the field as soon as spray dries
RADISSON AGROCHEMICAL CORPORATION	ABAMECTIN	RADI-MEXTIN 1.8 EC	18 g/L	EC	INSECTICIDE	2	234-234-2118	04-Sep-26	-	Pineapple	Mites	300-400mL prod./ha	-	-	Re-enter the field as soon as spray dries
RADISSON AGROCHEMICAL CORPORATION	ABAMECTIN	RADI-MEXTIN 1.8 EC	18 g/L	EC	INSECTICIDE	2	234-234-2118	04-Sep-26	-	Eggplant	Thrips, leafhopper, fruit and shoot borer	2.0-5.0 Tbsp/36 L of water	-	-	Re-enter the field as soon as spray dries
RADISSON AGROCHEMICAL CORPORATION	ABAMECTIN	RADI-MEXTIN 1.8 EC	18 g/L	EC	INSECTICIDE	2	234-234-2118	04-Sep-26	-	Onion	leafminer, thrips	2.0-2.0 Tbsp/36 L of water	-	-	Re-enter the field as soon as spray dries
RADISSON AGROCHEMICAL CORPORATION	ABAMECTIN	RADI-MEXTIN 1.8 EC	18 g/L	EC	INSECTICIDE	2	234-234-2118	04-Sep-26	-	Potato	leafminer, thrips	2.0-3.0 Tbsp/36 L of water	-	-	Re-enter the field as soon as spray dries
RADISSON AGROCHEMICAL CORPORATION	ABAMECTIN	RADI-MEXTIN 1.8 EC	18 g/L	EC	INSECTICIDE	2	234-234-2118	04-Sep-26	-	Tomato	leafminer, thrips, aphids	2.0-3.0 Tbsp/36 L of water	-	-	Re-enter the field as soon as spray dries
RADISSON AGROCHEMICAL CORPORATION	ABAMECTIN	RADI-MEXTIN 1.8 EC	18 g/L	EC	INSECTICIDE	2	234-234-2118	04-Sep-26	-	Watermelon	Leafminer, thrips, melonworm	2.0-3.0 Tbsp/36 L of water	-	-	Re-enter the field as soon as spray dries
RADISSON AGROCHEMICAL CORPORATION	ABAMECTIN	RADI-MEXTIN 1.8 EC	18 g/L	EC	INSECTICIDE	2	234-234-2118	04-Sep-26	-	Papaya	Mites	0.5-1.0 Tbsp/36 L of water	-	-	Re-enter the field as soon as spray dries
RADISSON AGROCHEMICAL CORPORATION	ABAMECTIN	RADI-MEXTIN 1.8 EC	18 g/L	EC	INSECTICIDE	2	234-234-2118	04-Sep-26	-	Strawberry	Mites	2.0-4.0 Tbsp/36 L of water	-	-	Re-enter the field as soon as spray dries
SHELLHOMES CHEMICALS, INCORPORATED	ATRAZINE	RADICAL 80 WP	800 g/kg	WP	HERBICIDE	4	461-060-3342	27-Dec-17	SELECTIVE (PRE-EMERGENT)	Corn	Broadleaf weeds & annual grasses	8-12Tbsp/36 L water	-	-	-
SHELLHOMES CHEMICALS, INCORPORATED	ATRAZINE	RADICAL 80 WP	800 g/kg	WP	HERBICIDE	4	461-060-3342	27-Dec-17	SELECTIVE (PRE-EMERGENT)	Sorghum	Broadleaf weeds & annual grasses	8-12Tbsp/36 L water	-	-	-
SHELLHOMES CHEMICALS, INCORPORATED	ATRAZINE	RADICAL 80 WP	800 g/kg	WP	HERBICIDE	4	461-060-3342	27-Dec-17	SELECTIVE (PRE-EMERGENT)	Sugarcane	Broadleaf weeds & annual grasses	8-12Tbsp/36 L water	-	-	-
ALTACROP PROTECTION CORPORATION	FFIPRONIL	RADIANT 50 SC	50 g/L	SC	INSECTICIDE	3	351-244-3255	24-Jan-20	CONTACT	Rice	Stemborer, brown planthopper, leafroller, rice bug	1.3-2.0, 2.0-3.0, 2.7-4.0 Tbsp./36L	0.03ppm	10 days	-
ALTACROP PROTECTION CORPORATION	FFIPRONIL	RADIANT 50 SC	50 g/L	SC	INSECTICIDE	3	351-244-3255	24-Jan-20	CONTACT	Cabbage	Diamond backed moth	1.3-2.0, 2.0-3.0, 2.7-4.0 Tbsp./36L	-	-	-
ALTACROP PROTECTION CORPORATION	FFIPRONIL	RADIANT 50 SC	50 g/L	SC	INSECTICIDE	3	351-244-3255	24-Jan-20	CONTACT	Watermelon	Thrips, leaf beetles	2.5-3.0 Tbsp./36L	-	-	-
ALTACROP PROTECTION CORPORATION	FFIPRONIL	RADIANT 50 SC	50 g/L	SC	INSECTICIDE	3	351-244-3255	24-Jan-20	CONTACT	Onion	Cutworm	5.33Tbsp./36L	-	-	-
ALTACROP PROTECTION CORPORATION	FFIPRONIL	RADIANT 50 SC	50 g/L	SC	INSECTICIDE	3	351-244-3255	24-Jan-20	CONTACT	Eggplant	Shoot borer	30-40 mL/36L water	-	-	-
ALTACROP PROTECTION CORPORATION	FFIPRONIL	RADIANT 50 SC	50 g/L	SC	INSECTICIDE	3	351-244-3255	24-Jan-20	CONTACT	Rice	Black bug	40-50 mL/ spray load	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	CLOTHIANIDIN	RADEPROLE 200 SC	200 g/L	SC	INSECTICIDE	4	539-379-6183	8-Jun-26	-	-	-	-	-	-	-
BAYER CROSCIENCE, INC.	COLUMETRALYL	RACUMIN DUST	7.5 g/Kg	WP	RODENTICIDE	4	264-020-0024	28-Dec-25	-	Agricultural field	Rodents	-	-	-	-
RADISSON AGROCHEMICAL CORPORATION	POLYETHYLENE SORBITAN QUATE+POLYOXYETHYLENE DODECYL ETHER	RACIOL	250 mL/L+450 mL/L	-	OTHERS	4	246-348-2559	05-Mar-25	SELECTIVE (POST-EMERGENT)	-	Surfactant on Choice 10 SC	25- 30 mL/36 L water; 10 spray loads/ha	-	-	-
RADISSON AGROCHEMICAL CORPORATION	DIFENOCONAZOLE	RACONAZOLE 25 EC	250 g/L	EC	FUNGICIDE	4	234-272-5507	22-Jul-24	SYSTEMIC	Banana	Black Sigatoka	0.30-0.40 L prod./ha	-	-	-
RADISSON AGROCHEMICAL CORPORATION	DIFENOCONAZOLE	RACONAZOLE 25 EC	250 g/L	EC	FUNGICIDE	4	234-272-5507	22-Jul-24	SYSTEMIC	Mango	Anthraxnose	0.529-0.88 L/ha	-	14 days	-
RADISSON AGROCHEMICAL CORPORATION	DIFENOCONAZOLE	RACONAZOLE 25 EC	250 g/L	EC	FUNGICIDE	4	234-272-5507	22-Jul-24	SYSTEMIC	Rice	Sheath Blight	0.25-0.30 L/ha	-	-	-
RADISSON AGROCHEMICAL CORPORATION	DIFENOCONAZOLE	RACONAZOLE 25 EC	250 g/L	EC	FUNGICIDE	4	234-272-5507	22-Jul-24	SYSTEMIC	Stringbeans	Leaf spot	0.20-0.30 L/ha	-	7 days	-
RADISSON AGROCHEMICAL CORPORATION	DIFENOCONAZOLE	RACONAZOLE 25 EC	250 g/L	EC	FUNGICIDE	4	234-272-5507	22-Jul-24	SYSTEMIC	Eggplant	Leaf Spot	0.20-0.30 L/ha	-	7 days	-
RADISSON AGROCHEMICAL CORPORATION	DIFENOCONAZOLE	RACONAZOLE 25 EC	250 g/L	EC	FUNGICIDE	4	234-272-5507	22-Jul-24	SYSTEMIC	Tomato	Alternaria leaf spot, cercospora leafmold,powdery mildew	0.20-0.30 L/ha	-	7 days	-
RADISSON AGROCHEMICAL CORPORATION	DIFENOCONAZOLE	RACONAZOLE 25 EC	250 g/L	EC	FUNGICIDE	4	234-272-5507	22-Jul-24	SYSTEMIC	Cabbage	Ringspot,alternaria	0.20-0.30 L/ha	-	7 days	-
RADISSON AGROCHEMICAL CORPORATION	DIFENOCONAZOLE	RACONAZOLE 25 EC	250 g/L	EC	FUNGICIDE	4	234-272-5507	22-Jul-24	SYSTEMIC	Onion	Purple blotch	0.40-0.30 L/ha	-	7 days	-
RADISSON AGROCHEMICAL CORPORATION	DIFENOCONAZOLE	RACONAZOLE 25 EC	250 g/L	EC	FUNGICIDE	4	234-272-5507	22-Jul-24	SYSTEMIC	Asparagus	Stem and leaf blight	0.36 L/ha	-	7 days	-
RADISSON AGROCHEMICAL CORPORATION	TRIDEMORPH	RAC TRIDEMORPH 86 OL	860 g/L	OL	FUNGICIDE	2	234-097-4211	23-Dec-23	SYSTEMIC/CONTACT	Banana	Sigatoka	0.5 L/ha Tridemorph + 5.0 L/ha Oxi	-	-	-
RADISSON AGROCHEMICAL CORPORATION	THIAMETHOXAM	RAC THIAMETHOXAM 25 WG	250 g/L	WG	INSECTICIDE	4	234-312-6198	16-Jun-26	-	Mango	Leafhoppers	6-7 g prod/ 100 L water 0.96- 1.2 g prod/ 36 L water	-	-	Do not enter unless spray deposits have dried
RADISSON AGROCHEMICAL CORPORATION	THIAMETHOXAM	RAC THIAMETHOXAM 25 WG	250 g/L	WG	INSECTICIDE	4	234-312-6198	16-Jun-26	-	Rice	Green leafhopper, brown planthopper, white-backed planthopper, rice bug	0.94-1.41 (0.2-0.3 Tbsp prod) 6-10 g prod/ 36L water	-	-	Do not enter unless spray deposits have dried
RADISSON AGROCHEMICAL CORPORATION	THIAMETHOXAM	RAC THIAMETHOXAM 25 WG	250 g/L	WG	INSECTICIDE	4	234-312-6198	16-Jun-26	-	Stringbeans	Aphids and leafhoppers	30-30 g prod/ 100 L water 3.6-4.8 g prod/ 36 L water	-	-	Do not enter unless spray deposits have dried
RADISSON AGROCHEMICAL CORPORATION	THIAMETHOXAM	RAC THIAMETHOXAM 25 WG	250 g/L	WG	INSECTICIDE	4	234-312-6198	16-Jun-26	-	Eggplant	Aphids and leafhoppers	10-30 g prod/ 100 L water 3.6-4.8 g prod/ 36 L water	-	-	Do not enter unless spray deposits have dried
RADISSON AGROCHEMICAL CORPORATION	THIAMETHOXAM	RAC THIAMETHOXAM 25 WG	250 g/L	WG	INSECTICIDE	4	234-312-6198	16-Jun-26	-	Banana	Flower thrips	6-6 g prod/ 1 L water (40-30 mL solution/ bug)	-	-	Do not enter unless spray deposits have dried
RADISSON AGROCHEMICAL CORPORATION	THIAMETHOXAM	RAC THIAMETHOXAM 25 WG	250 g/L	WG	INSECTICIDE	4	234-312-6198	16-Jun-26	-	Pineapple	Mealy bug	100-200 g prod/ ha	-	-	Do not enter unless spray deposits have dried
RADISSON AGROCHEMICAL CORPORATION	PYMETROZINE	RAC PYMETROZINE 50 WG	500 g/kg	WG	INSECTICIDE	4	234-307-6279	27-Sep-26	-	Corn	Leafopper, planthopper and aphids	7-16 g prod / 36L water; 100-250 g prod / ha	0.02 ppm	5 days	Do not enter treated fields until spray deposits have completely dried
RADISSON AGROCHEMICAL CORPORATION	PYMETROZINE	RAC PYMETROZINE 50 WG	500 g/kg	WG	INSECTICIDE	4	234-307-6279	27-Sep-26	-	Mango	Mango leafhopper	80 g prod / 200L water	-	-	Do not enter treated fields until spray deposits have completely dried
RADISSON AGROCHEMICAL CORPORATION	PYMETROZINE	RAC PYMETROZINE 50 WG	500 g/kg	WG	INSECTICIDE	4	234-307-6279	27-Sep-26	-	Rice	Brown planthopper, green leafhopper	25-30g prod / 36L water	0.02 ppm	36 days	Do not enter treated fields until spray deposits have completely dried
RADISSON AGROCHEMICAL CORPORATION	METALDEHYDE	RAC METALDEHYDE 0%	60 g/kg	P	MOLLUSCICIDE	4	234-075-1514	12-May-25	CONTACT	Rice (Transplanted)	Golden apple snail	2-4 kg/ product per hectare	-	-	Do not enter treated field within 48 hours after application
RADISSON AGROCHEMICAL CORPORATION	METALDEHYDE	RAC METALDEHYDE 0%	60 g/kg	P	MOLLUSCICIDE	4	234-075-1514	12-May-25	CONTACT	Rice (Direct Seeded)	Golden apple snail	4-8 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application
RADISSON AGROCHEMICAL CORPORATION	METALDEHYDE	RAC METALDEHYDE 0%	60 g/kg	P	MOLLUSCICIDE	4	234-075-1514	12-May-25	CONTACT	Plotted and dripwood-attached plants such as	Brush, snails, giant african snail and slugs	5-2 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application
RADISSON AGROCHEMICAL CORPORATION	MANCOZEB + METALAXYL	RAC MANCOZEB + METALAXYL 72 WP	640-80 g/Kg	WP	FUNGICIDE	4	234-035-3071	16-Oct-24	SYSTEMIC	Potato	Late blight	1 Sachet/36L	-	14 days	Do not enter treated field until spray deposi have dried up.
RADISSON AGROCHEMICAL CORPORATION	MANCOZEB+METALAXYL	RAC MANCOZEB + METALAXYL 72 WP	640-80 g/Kg	WP	FUNGICIDE	4	234-035-3071	16-Oct-24	SYSTEMIC	Tomato	Late blight	1 Sachet/36L	-	1 days	Do not enter treated field until spray deposit have dried up.
RADISSON AGROCHEMICAL CORPORATION	MANCOZEB+METALAXYL	RAC MANCOZEB + METALAXYL 72 WP	640-80 g/Kg	WP	FUNGICIDE	4	234-035-3071	16-Oct-24	SYSTEMIC	Pineapple	Heart rot	2 kg prod./ha	-	21 days	Do not enter treated field until spray deposit have dried up.
RADISSON AGROCHEMICAL CORPORATION	MANCOZEB+METALAXYL	RAC MANCOZEB + METALAXYL 72 WP	640-80 g/Kg	WP	FUNGICIDE	4	234-035-3071	16-Oct-24	SYSTEMIC	Asparagus	Spear rot	10-14 kg prod./ha	-	1 day	Do not enter treated field until spray deposit have dried up.
RADISSON AGROCHEMICAL CORPORATION	MANCOZEB+METALAXYL	RAC MANCOZEB + METALAXYL 72 WP	640-80 g/Kg	WP	FUNGICIDE	4	234-035-3071	16-Oct-24	SYSTEMIC	Orchids	Black rot	25 kg prod./ha	-	-	Do not enter treated field until spray deposit have dried up.
RADISSON AGROCHEMICAL CORPORATION	LAMBDA CHYALOTHRIN	RAC LAMBDACHYALOTHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	234-204-1204-B	03-Feb-27	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leafroller, black bug	1.0-1.5Tbsp/36 L of water	0.05ppm	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray dries up
RADISSON AGROCHEMICAL CORPORATION	LAMBDA CHYALOTHRIN	RAC LAMBDACHYALOTHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	234-204-1204-B	03-Feb-27	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/36 L of water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray dries up

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
RADISSON AGROCHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN	RAC LAMBDA CYHALOTHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	234-204-1204-B	03-Feb-27	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/36 L of water		Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray dries up
RADISSON AGROCHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN	RAC LAMBDA CYHALOTHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	234-204-1204-B	03-Feb-27	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/36 L of water		Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray dries up
RADISSON AGROCHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN	RAC LAMBDA CYHALOTHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	234-204-1204-B	03-Feb-27	SYSTEMIC	Mungbeans	Beetfly, flea beetle, leafhopper, aphids, mites, podborer	1.0Tbsp/36L of water		Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray dries up
RADISSON AGROCHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN	RAC LAMBDA CYHALOTHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	234-204-1204-B	03-Feb-27	SYSTEMIC	Corn	Comborer, aphids, seedling maggots	1.0-1.5Tbsp/36 L of water		Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray dries up
RADISSON AGROCHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN	RAC LAMBDA CYHALOTHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	234-204-1204-B	03-Feb-27	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5Tbsp/36 L of water		Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray dries up
RADISSON AGROCHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN	RAC LAMBDA CYHALOTHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	234-204-1204-B	03-Feb-27	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/36 L of water		Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray dries up
RADISSON AGROCHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN	RAC LAMBDA CYHALOTHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	234-204-1204-B	03-Feb-27	SYSTEMIC	Cacao	Podborer	1.0-2.0Tbsp/36 L of water		Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray dries up
RADISSON AGROCHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN	RAC LAMBDA CYHALOTHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	234-204-1204-B	03-Feb-27	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/36 L of water		Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray dries up
RADISSON AGROCHEMICAL CORPORATION	GLYPHOSATE IPA	RAC GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	234-151-1317-A	23-Jun-24	POST-EMERGENT	Glyphosate tolerant corn under minimum or reduced	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0Liters/ha			
RADISSON AGROCHEMICAL CORPORATION	GLYPHOSATE IPA	RAC GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	234-151-1317-A	23-Jun-24	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha			
RADISSON AGROCHEMICAL CORPORATION	GLYPHOSATE IPA	RAC GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	234-151-1317-A	23-Jun-24	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha			
RADISSON AGROCHEMICAL CORPORATION	GLYPHOSATE IPA	RAC GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	234-151-1317-A	23-Jun-24	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha			
RADISSON AGROCHEMICAL CORPORATION	GLYPHOSATE IPA	RAC GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	234-151-1317-A	23-Jun-24	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha			
RADISSON AGROCHEMICAL CORPORATION	GLYPHOSATE IPA	RAC GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	234-151-1317-A	23-Jun-24	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha			
RADISSON AGROCHEMICAL CORPORATION	GLYPHOSATE IPA	RAC GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	234-151-1317-A	23-Jun-24	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha			
RADISSON AGROCHEMICAL CORPORATION	GLYPHOSATE IPA	RAC GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	234-151-1317-A	23-Jun-24	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha			
RADISSON AGROCHEMICAL CORPORATION	GLYPHOSATE IPA	RAC GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	234-151-1317-A	23-Jun-24	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/ha			
RADISSON AGROCHEMICAL CORPORATION	GLYPHOSATE IPA	RAC GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	234-151-1317-A	23-Jun-24	POST-EMERGENT	Jugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha			
RADISSON AGROCHEMICAL CORPORATION	GLYPHOSATE IPA	RAC GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	234-151-1317-A	23-Jun-24	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha			
RADISSON AGROCHEMICAL CORPORATION	GLYPHOSATE IPA	RAC GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	234-151-1317-A	23-Jun-24	POST-EMERGENT	Non-crop	Annual & perennial grasses, broadleaf weeds & sedges				
RADISSON AGROCHEMICAL CORPORATION	GLYPHOSATE IPA	RAC GLYPHOSATE 160 SL	160 g/L	SL	HERBICIDE	4	234-151-1316	19-Feb-26	POST-EMERGENT	Non-crop areas	common grassy fields	3-6 L/ha, 24-40Tbsp/36 L water (300 L/ha), 12-24 Tbsp/36 L water (400 L/ha)			
RADISSON AGROCHEMICAL CORPORATION	GLIFOSINATE AMMONIUM	RAC GLIFOSINATE AMMONIUM 15 SL	150 g/L	SL	HERBICIDE	4	234-182-3449-A	06-Feb-26	NON-SELECTIVE(POST-EMERGENT)	Rubber	Weeds				
RADISSON AGROCHEMICAL CORPORATION	GLIFOSINATE AMMONIUM	RAC GLIFOSINATE AMMONIUM 15 SL	150 g/L	SL	HERBICIDE	4	234-182-3449-A	06-Feb-26	NON-SELECTIVE(POST-EMERGENT)	Oil palm	Weeds				
RADISSON AGROCHEMICAL CORPORATION	GLIFOSINATE AMMONIUM	RAC GLIFOSINATE AMMONIUM 15 SL	150 g/L	SL	HERBICIDE	4	234-182-3449-A	06-Feb-26	NON-SELECTIVE(POST-EMERGENT)	Non-crop agricultural areas	Weeds		0.2 mg/kg		
RADISSON AGROCHEMICAL CORPORATION	GLIFOSINATE AMMONIUM	RAC GLIFOSINATE AMMONIUM 15 SL	150 g/L	SL	HERBICIDE	4	234-182-3449-A	06-Feb-26	NON-SELECTIVE(POST-EMERGENT)	Cavendish Banana	Weeds				
RADISSON AGROCHEMICAL CORPORATION	FOSETYL-ALUMINIUM	RAC FOSETYL-AL 80 WP	800 g/kg	WP	FUNGICIDE	4	234-154-3620	12-Jan-25	SYSTEMIC	Pineapple	Heart rot	50-130 product (gms/36L)			
RADISSON AGROCHEMICAL CORPORATION	FOSETYL-ALUMINIUM	RAC FOSETYL-AL 80 WP	800 g/kg	WP	FUNGICIDE	4	234-154-3620	12-Jan-25	SYSTEMIC	Coconut	Wet-bud rot, nut rot	180 product (gms/36L)			
RADISSON AGROCHEMICAL CORPORATION	FOSETYL-ALUMINIUM	RAC FOSETYL-AL 80 WP	800 g/kg	WP	FUNGICIDE	4	234-154-3620	12-Jan-25	SYSTEMIC	Rubber	Black stripe	225-455 product (gms/36L)			
RADISSON AGROCHEMICAL CORPORATION	FOSETYL-ALUMINIUM	RAC FOSETYL-AL 80 WP	800 g/kg	WP	FUNGICIDE	4	234-154-3620	12-Jan-25	SYSTEMIC	Cacao	Black pod	50 product (gms/36L)			
RADISSON AGROCHEMICAL CORPORATION	FOSETYL-ALUMINIUM	RAC FOSETYL-AL 80 WP	800 g/kg	WP	FUNGICIDE	4	234-154-3620	12-Jan-25	SYSTEMIC	Orchids	Black rot	50 product (gms/36L)			
RADISSON AGROCHEMICAL CORPORATION	FLUAZIFOP-P-BUTYL	RAC FLUAZIFOP-P-BUTYL 15 EC	150 g/L	EC	HERBICIDE	4	234-212-4243	31-Jan-24	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Banana	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload			
RADISSON AGROCHEMICAL CORPORATION	FLUAZIFOP-P-BUTYL	RAC FLUAZIFOP-P-BUTYL 15 EC	150 g/L	EC	HERBICIDE	4	234-212-4243	31-Jan-24	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Cacao	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload			
RADISSON AGROCHEMICAL CORPORATION	FLUAZIFOP-P-BUTYL	RAC FLUAZIFOP-P-BUTYL 15 EC	150 g/L	EC	HERBICIDE	4	234-212-4243	31-Jan-24	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Citrus	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload			
RADISSON AGROCHEMICAL CORPORATION	FLUAZIFOP-P-BUTYL	RAC FLUAZIFOP-P-BUTYL 15 EC	150 g/L	EC	HERBICIDE	4	234-212-4243	31-Jan-24	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Cotton	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload			
RADISSON AGROCHEMICAL CORPORATION	FLUAZIFOP-P-BUTYL	RAC FLUAZIFOP-P-BUTYL 15 EC	150 g/L	EC	HERBICIDE	4	234-212-4243	31-Jan-24	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Coffee	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload			
RADISSON AGROCHEMICAL CORPORATION	FLUAZIFOP-P-BUTYL	RAC FLUAZIFOP-P-BUTYL 15 EC	150 g/L	EC	HERBICIDE	4	234-212-4243	31-Jan-24	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Oil palm	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload			
RADISSON AGROCHEMICAL CORPORATION	FLUAZIFOP-P-BUTYL	RAC FLUAZIFOP-P-BUTYL 15 EC	150 g/L	EC	HERBICIDE	4	234-212-4243	31-Jan-24	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Maize	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload			
RADISSON AGROCHEMICAL CORPORATION	FLUAZIFOP-P-BUTYL	RAC FLUAZIFOP-P-BUTYL 15 EC	150 g/L	EC	HERBICIDE	4	234-212-4243	31-Jan-24	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Rubber	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload			
RADISSON AGROCHEMICAL CORPORATION	FLUAZIFOP-P-BUTYL	RAC FLUAZIFOP-P-BUTYL 15 EC	150 g/L	EC	HERBICIDE	4	234-212-4243	31-Jan-24	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Onion	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload			
RADISSON AGROCHEMICAL CORPORATION	FLUAZIFOP-P-BUTYL	RAC FLUAZIFOP-P-BUTYL 15 EC	150 g/L	EC	HERBICIDE	4	234-212-4243	31-Jan-24	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Pineapple	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload			
RADISSON AGROCHEMICAL CORPORATION	FLUAZIFOP-P-BUTYL	RAC FLUAZIFOP-P-BUTYL 15 EC	150 g/L	EC	HERBICIDE	4	234-212-4243	31-Jan-24	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Soybeans	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload			
RADISSON AGROCHEMICAL CORPORATION	FLUAZIFOP-P-BUTYL	RAC FLUAZIFOP-P-BUTYL 15 EC	150 g/L	EC	HERBICIDE	4	234-212-4243	31-Jan-24	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Tomato	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload			
RADISSON AGROCHEMICAL CORPORATION	CYPERMETHRIN	RAC CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	234-037-0970	15-Nov-24	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/36 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
RADISSON AGROCHEMICAL CORPORATION	CYPERMETHRIN	RAC CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	234-037-0970	15-Nov-24	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leafhopper, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/36 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
RADISSON AGROCHEMICAL CORPORATION	CYPERMETHRIN	RAC CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	234-037-0970	15-Nov-24	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/36 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
RADISSON AGROCHEMICAL CORPORATION	CYPERMETHRIN	RAC CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	234-037-0970	15-Nov-24	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/36 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
RADISSON AGROCHEMICAL CORPORATION	CYPERMETHRIN	RAC CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	234-037-0970	15-Nov-24	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/36 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
RADISSON AGROCHEMICAL CORPORATION	CYPERMETHRIN	RAC CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	234-037-0970	15-Nov-24	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/36 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
RADISSON AGROCHEMICAL CORPORATION	CYPERMETHRIN	RAC CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	234-037-0970	15-Nov-24	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/36 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
RADISSON AGROCHEMICAL CORPORATION	CYPERMETHRIN	RAC CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	234-037-0970	15-Nov-24	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/36 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
RADISSON AGROCHEMICAL CORPORATION	CYPERMETHRIN	RAC CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	234-037-0970	15-Nov-24	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/36 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
RADISSON AGROCHEMICAL CORPORATION	CYPERMETHRIN	RAC CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	234-037-0970	15-Nov-24	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/36 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
RADISSON AGROCHEMICAL CORPORATION	CYPERMETHRIN	RAC CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	234-037-0970	15-Nov-24	CONTACT	Corn	Comborer, earworm	1.0-4.5 Tbsp/36 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
RADISSON AGROCHEMICAL CORPORATION	CYHALOFOF-BUTYL	RAC CYHALOFOF 100 EC	100 g/L	EC	HERBICIDE	4	234-257-5254-A	20-May-25	SYSTEMIC	Rice (Direct-Seeded)	Grasses (Echinochloa spp., Leptochloa chinensis, and Ischaemum rugosum)	7-9 Tbsp./tank load, 12 of tank load/ha			
RADISSON AGROCHEMICAL CORPORATION	THIODIAZOLE COPPER	RAC COPPER THIODIAZOLE 20 SC	200g/L	SC	FUNGICIDE	4	234-371-3772	15-Jul-22		Rice	Bacterial leaf blight	6 Tbsp. or 1/2 bottle (Tbsp/36 L or 1 pint/cutload)		Stop spraying 20 days before harvest	Do not enter the treated field until the solution has dried up on the foliage
RADISSON AGROCHEMICAL CORPORATION	COPPER OXYCHLORIDE	RAC COPPER OXYCHLORIDE 50 WP	580 g/kg	WP	FUNGICIDE	4	234-077-4099	29-Aug-23		Rice	Rice blast, helminthosporium, oryzaeora leaf spot	5-6 Tbsp/36 water			

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
RADISSON AGROCHEMICAL CORPORATION	COPPER OXYCHLORIDE	RAC COPPER OXYCHLORIDE 50 WP	580 g/kg	WP	FUNGICIDE	4	234-077-4099	29-Aug-23		Coffee	Brown eye spot, rust, anthracnose, pink disease	5.5-8 tbsp/16L water			
RADISSON AGROCHEMICAL CORPORATION	COPPER OXYCHLORIDE	RAC COPPER OXYCHLORIDE 50 WP	580 g/kg	WP	FUNGICIDE	4	234-077-4099	29-Aug-23		Cacao	Pod rot, brown bark rot, black pod	5.5-8 tbsp/16L water			
RADISSON AGROCHEMICAL CORPORATION	COPPER OXYCHLORIDE	RAC COPPER OXYCHLORIDE 50 WP	580 g/kg	WP	FUNGICIDE	4	234-077-4099	29-Aug-23		Mango	Anthrachnose, sooty mold	5.5-8 tbsp/16L water			
RADISSON AGROCHEMICAL CORPORATION	COPPER OXYCHLORIDE	RAC COPPER OXYCHLORIDE 50 WP	580 g/kg	WP	FUNGICIDE	4	234-077-4099	29-Aug-23		Tomato	Early blight, late blight, fruit rot, septoria leaf spot	5.5-8 tbsp/16L water			
RADISSON AGROCHEMICAL CORPORATION	COPPER OXYCHLORIDE	RAC COPPER OXYCHLORIDE 50 WP	580 g/kg	WP	FUNGICIDE	4	234-077-4099	29-Aug-23		Tobacco	Blue mold fusarium, alternaria leafspot, frogeye disease	5.5-8 tbsp/16L water			
RADISSON AGROCHEMICAL CORPORATION	COPPER OXYCHLORIDE	RAC COPPER OXYCHLORIDE 50 WP	580 g/kg	WP	FUNGICIDE	4	234-077-4099	29-Aug-23		Citrus	Black spot, anthracnose, scab, rust, fruit rot	5.5-8 tbsp/16L water			
RADISSON AGROCHEMICAL CORPORATION	COPPER OXYCHLORIDE	RAC COPPER OXYCHLORIDE 50 WP	580 g/kg	WP	FUNGICIDE	4	234-077-4099	29-Aug-23		Banana	Sigatoka	5.5-8 tbsp/16L water			
RADISSON AGROCHEMICAL CORPORATION	COPPER OXYCHLORIDE	RAC COPPER OXYCHLORIDE 50 WP	580 g/kg	WP	FUNGICIDE	4	234-077-4099	29-Aug-23		Pepper	Anthrachnose, mildews, blight, fruit rot	5.5-8 tbsp/16L water			
RADISSON AGROCHEMICAL CORPORATION	COPPER OXYCHLORIDE	RAC COPPER OXYCHLORIDE 50 WP	580 g/kg	WP	FUNGICIDE	4	234-077-4099	29-Aug-23		Potato	Early blight, late blight	5.5-8 tbsp/16L water			
RADISSON AGROCHEMICAL CORPORATION	COPPER OXYCHLORIDE	RAC COPPER OXYCHLORIDE 50 WP	580 g/kg	WP	FUNGICIDE	4	234-077-4099	29-Aug-23		Watermelon	Anthrachnose, mildews, alternaria, fruit rot	5.5-8 tbsp/16L water			
RADISSON AGROCHEMICAL CORPORATION	COPPER OXYCHLORIDE	RAC COPPER OXYCHLORIDE 50 WP	580 g/kg	WP	FUNGICIDE	4	234-077-4099	29-Aug-23		Gelery	Mildews, early blight, late blight	5.5-8 tbsp/16L water			
RADISSON AGROCHEMICAL CORPORATION	COPPER OXYCHLORIDE	RAC COPPER OXYCHLORIDE 50 WP	580 g/kg	WP	FUNGICIDE	4	234-077-4099	29-Aug-23		Cruifers	Mildews, cercospora alternaria	5.5-8 tbsp/16L water			
RADISSON AGROCHEMICAL CORPORATION	COPPER OXYCHLORIDE	RAC COPPER OXYCHLORIDE 50 WP	580 g/kg	WP	FUNGICIDE	4	234-077-4099	29-Aug-23		Carrot	Alternaria, cercospora	5.5-8 tbsp/16L water			
RADISSON AGROCHEMICAL CORPORATION	COPPER OXYCHLORIDE	RAC COPPER OXYCHLORIDE 50 WP	580 g/kg	WP	FUNGICIDE	4	234-077-4099	29-Aug-23		Melon	Mildew, cercospora, alternaria, anthracnose	5.5-8 tbsp/16L water			
RADISSON AGROCHEMICAL CORPORATION	COPPER HYDROXIDE	RAC COPPER HYDROXIDE 77 WP	770 g/kg	WP	FUNGICIDE	3	234-004-3823	09-Nov-22		Banana	Sigatoka	2.6-6.0 Tbsp/16L water			
RADISSON AGROCHEMICAL CORPORATION	COPPER HYDROXIDE	RAC COPPER HYDROXIDE 77 WP	770 g/kg	WP	FUNGICIDE	3	234-004-3823	09-Nov-22		Beans	Bacterial blight, rust	2.6-6.0 Tbsp/16L water			
RADISSON AGROCHEMICAL CORPORATION	COPPER HYDROXIDE	RAC COPPER HYDROXIDE 77 WP	770 g/kg	WP	FUNGICIDE	3	234-004-3823	09-Nov-22		Cabbage	Black rot, black leaf spot	2.6-6.0 Tbsp/16L water			
RADISSON AGROCHEMICAL CORPORATION	COPPER HYDROXIDE	RAC COPPER HYDROXIDE 77 WP	770 g/kg	WP	FUNGICIDE	3	234-004-3823	09-Nov-22		Cacao	Black pod	2.6-6.0 Tbsp/16L water			
RADISSON AGROCHEMICAL CORPORATION	COPPER HYDROXIDE	RAC COPPER HYDROXIDE 77 WP	770 g/kg	WP	FUNGICIDE	3	234-004-3823	09-Nov-22		Carrot	Cercospora	2.6-6.0 Tbsp/16L water			
RADISSON AGROCHEMICAL CORPORATION	COPPER HYDROXIDE	RAC COPPER HYDROXIDE 77 WP	770 g/kg	WP	FUNGICIDE	3	234-004-3823	09-Nov-22		Cauliflower	Downy mildew, alternaria leaf spot	2.6-6.0 Tbsp/16L water			
RADISSON AGROCHEMICAL CORPORATION	COPPER HYDROXIDE	RAC COPPER HYDROXIDE 77 WP	770 g/kg	WP	FUNGICIDE	3	234-004-3823	09-Nov-22		Gelery	Early blight	2.6-6.0 Tbsp/16L water			
RADISSON AGROCHEMICAL CORPORATION	COPPER HYDROXIDE	RAC COPPER HYDROXIDE 77 WP	770 g/kg	WP	FUNGICIDE	3	234-004-3823	09-Nov-22		Citrus	Black spot, scab, Melanose	2.6-6.0 Tbsp/16L water			
RADISSON AGROCHEMICAL CORPORATION	COPPER HYDROXIDE	RAC COPPER HYDROXIDE 77 WP	770 g/kg	WP	FUNGICIDE	3	234-004-3823	09-Nov-22		Coffee	Leaf rust, coffee berry disease	2.6-6.0 Tbsp/16L water			
RADISSON AGROCHEMICAL CORPORATION	COPPER HYDROXIDE	RAC COPPER HYDROXIDE 77 WP	770 g/kg	WP	FUNGICIDE	3	234-004-3823	09-Nov-22		Cucumber	Anthrachnose, septoria, cercospora, fruit rot, downy mildew	2.6-6.0 Tbsp/16L water			
RADISSON AGROCHEMICAL CORPORATION	COPPER HYDROXIDE	RAC COPPER HYDROXIDE 77 WP	770 g/kg	WP	FUNGICIDE	3	234-004-3823	09-Nov-22		Grapes	Anthrachnose, mildew, black rot	2.6-6.0 Tbsp/16L water			
RADISSON AGROCHEMICAL CORPORATION	COPPER HYDROXIDE	RAC COPPER HYDROXIDE 77 WP	770 g/kg	WP	FUNGICIDE	3	234-004-3823	09-Nov-22		Mango	Anthrachnose	2.6-6.0 Tbsp/16L water			
RADISSON AGROCHEMICAL CORPORATION	COPPER HYDROXIDE	RAC COPPER HYDROXIDE 77 WP	770 g/kg	WP	FUNGICIDE	3	234-004-3823	09-Nov-22		Onion	Purple blotch, downy mildew	2.6-6.0 Tbsp/16L water			
RADISSON AGROCHEMICAL CORPORATION	COPPER HYDROXIDE	RAC COPPER HYDROXIDE 77 WP	770 g/kg	WP	FUNGICIDE	3	234-004-3823	09-Nov-22		Peas	Powdery mildew	2.6-6.0 Tbsp/16L water			
RADISSON AGROCHEMICAL CORPORATION	COPPER HYDROXIDE	RAC COPPER HYDROXIDE 77 WP	770 g/kg	WP	FUNGICIDE	3	234-004-3823	09-Nov-22		Peanut	Cercospora leaf spot	2.6-6.0 Tbsp/16L water			
RADISSON AGROCHEMICAL CORPORATION	COPPER HYDROXIDE	RAC COPPER HYDROXIDE 77 WP	770 g/kg	WP	FUNGICIDE	3	234-004-3823	09-Nov-22		Pepper	Bacterial blight, rust	2.6-6.0 Tbsp/16L water			
RADISSON AGROCHEMICAL CORPORATION	COPPER HYDROXIDE	RAC COPPER HYDROXIDE 77 WP	770 g/kg	WP	FUNGICIDE	3	234-004-3823	09-Nov-22		Potato	Early blight, late blight	2.6-6.0 Tbsp/16L water			
RADISSON AGROCHEMICAL CORPORATION	COPPER HYDROXIDE	RAC COPPER HYDROXIDE 77 WP	770 g/kg	WP	FUNGICIDE	3	234-004-3823	09-Nov-22		Rice	Blast, sheath blight, bacterial leaf streak	2.6-6.0 Tbsp/16L water			
RADISSON AGROCHEMICAL CORPORATION	COPPER HYDROXIDE	RAC COPPER HYDROXIDE 77 WP	770 g/kg	WP	FUNGICIDE	3	234-004-3823	09-Nov-22		Tomato	Early blight, late blight, fruity rot, septoria alternaria	2.6-6.0 Tbsp/16L water			
RADISSON AGROCHEMICAL CORPORATION	COPPER HYDROXIDE	RAC COPPER HYDROXIDE 77 WP	770 g/kg	WP	FUNGICIDE	3	234-004-3823	09-Nov-22		Watermelon	Anthrachnose, fruit rot, downy mildew	2.6-6.0 Tbsp/16L water			
RADISSON AGROCHEMICAL CORPORATION	COPPER HYDROXIDE	RAC COPPER HYDROXIDE 77 WP	770 g/kg	WP	FUNGICIDE	3	234-004-3823	09-Nov-22		Papaya	Bacterial crown rot	4.5-7.0 kg/ha			
RADISSON AGROCHEMICAL CORPORATION	CLOTHIANIDIN	RAC CLOTHIANIDIN 200 SC	200 g/L	SC	INSECTICIDE	4	234-379-3846 (130)	7-Sep-25		Rice	Rice black bug	0.08-0.3 kg or 1.4-5 tbsp/16L, 400-500 products/ha	-	-	-
RADISSON AGROCHEMICAL CORPORATION	CHLORPYRIFOS	RAC CHLORPYRIFOS 40 EC	400 g/L	EC	INSECTICIDE	2	234-101-4035	07-Jun-26	-	Banana	Scarring beetle and aphids	20-30 ml per 16L water	-	-	-
RADISSON AGROCHEMICAL CORPORATION	CHLORPYRIFOS	RAC CHLORPYRIFOS 40 EC	400 g/L	EC	INSECTICIDE	2	234-101-4035	07-Jun-26	-	Sugarcane	Whitegrubs	80-100 ml per 16L water	-	-	-
RADISSON AGROCHEMICAL CORPORATION	CHLORPYRIFOS	RAC CHLORPYRIFOS 40 EC	400 g/L	EC	INSECTICIDE	2	234-101-4035	07-Jun-26	-	Pineapple	Ants and mealybugs	3-4 L per hectare	-	-	-
RADISSON AGROCHEMICAL CORPORATION	CHLOROTHALONIL	RAC CHLOROTHALONIL 500 SC	500 g/L	SC	FUNGICIDE	4	234-118-3662	26-Feb-25	-	Melon	Anthrachnose, cercospora leafspot, downy mildew, leaf blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
RADISSON AGROCHEMICAL CORPORATION	CHLOROTHALONIL	RAC CHLOROTHALONIL 500 SC	500 g/L	SC	FUNGICIDE	4	234-118-3662	26-Feb-25	-	Eggplant	Anthrachnose, cercospora leafspot, early and late blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
RADISSON AGROCHEMICAL CORPORATION	CHLOROTHALONIL	RAC CHLOROTHALONIL 500 SC	500 g/L	SC	FUNGICIDE	4	234-118-3662	26-Feb-25	-	Peanut	Cercospora leaf spot, rust	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
RADISSON AGROCHEMICAL CORPORATION	CHLOROTHALONIL	RAC CHLOROTHALONIL 500 SC	500 g/L	SC	FUNGICIDE	4	234-118-3662	26-Feb-25	-	Potato	Early and late blight, vine rot	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
RADISSON AGROCHEMICAL CORPORATION	CHLOROTHALONIL	RAC CHLOROTHALONIL 500 SC	500 g/L	SC	FUNGICIDE	4	234-118-3662	26-Feb-25	-	Tomato	Early and late blight, vine rot	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
RADISSON AGROCHEMICAL CORPORATION	CHLOROTHALONIL	RAC CHLOROTHALONIL 500 SC	500 g/L	SC	FUNGICIDE	4	234-118-3662	26-Feb-25	-	Carrot	Alternaria, cercospora leaf spot, heminthosporium leaf spot	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
RADISSON AGROCHEMICAL CORPORATION	CHLOROTHALONIL	RAC CHLOROTHALONIL 500 SC	500 g/L	SC	FUNGICIDE	4	234-118-3662	26-Feb-25	-	Banana	Sigatoka, rust, freckles, heminthosporium leaf spot	2 L/ha	2.0 mg/kg	0 day	Do not enter treatment areas until spray deposit have dried
RADISSON AGROCHEMICAL CORPORATION	CHLOROTHALONIL	RAC CHLOROTHALONIL 500 SC	500 g/L	SC	FUNGICIDE	4	234-118-3662	26-Feb-25	-	Mango	Anthrachnose, d-plodia rot	6.0-8.5 Tbsp/16 L	0.5 mg/kg	7-14 days	Do not enter treatment areas until spray deposit have dried
RADISSON AGROCHEMICAL CORPORATION	CHLOROTHALONIL	RAC CHLOROTHALONIL 500 SC	500 g/L	SC	FUNGICIDE	4	234-118-3662	26-Feb-25	-	Beans	Rust, anthracnose	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
RADISSON AGROCHEMICAL CORPORATION	CHLOROTHALONIL	RAC CHLOROTHALONIL 500 SC	500 g/L	SC	FUNGICIDE	4	234-118-3662	26-Feb-25	-	Cruifers	Powdery mildew	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
RADISSON AGROCHEMICAL CORPORATION	CHLOROTHALONIL	RAC CHLOROTHALONIL 500 SC	500 g/L	SC	FUNGICIDE	4	234-118-3662	26-Feb-25	-	Onion	Purple blotch, bulb rot, neck rot	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
RADISSON AGROCHEMICAL CORPORATION	CHLOROTHALONIL	RAC CHLOROTHALONIL 500 SC	500 g/L	SC	FUNGICIDE	4	234-118-3662	26-Feb-25	-	Garlic	Purple blotch, bulb rot, neck rot	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
RADISSON AGROCHEMICAL CORPORATION	CHLOROTHALONIL	RAC CHLOROTHALONIL 500 SC	500 g/L	SC	FUNGICIDE	4	234-118-3662	26-Feb-25	-	Ornamentials	Black spot, block rot, powdery mildew	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
RADISSON AGROCHEMICAL CORPORATION	CHLOROTHALONIL	RAC CHLOROTHALONIL 500 SC	500 g/L	SC	FUNGICIDE	4	234-118-3662	26-Feb-25	-	Grapes	Downy mildew, powdery mildew, fruit rot	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
RADISSON AGROCHEMICAL CORPORATION	CHLOROTHALONIL	RAC CHLOROTHALONIL 500 SC	500 g/L	SC	FUNGICIDE	4	234-118-3662	26-Feb-25	-	Pepper	Anthrachnose, cercospora leaf spot, early blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
RADISSON AGROCHEMICAL CORPORATION	CHLOROTHALONIL	RAC CHLOROTHALONIL 500 SC	500 g/L	SC	FUNGICIDE	4	234-118-3662	26-Feb-25	-	Melon	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
RADISSON AGROCHEMICAL CORPORATION	CHLOROTHALONIL	RAC CHLOROTHALONIL 500 SC	500 g/L	SC	FUNGICIDE	4	234-118-3662	26-Feb-25	-	Cucumber	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/36 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
RADISSON AGROCHEMICAL CORPORATION	CHLOROTHALONIL	RAC CHLOROTHALONIL 500 SC	500 g/L	SC	FUNGICIDE	4	234-118-3662	26-Feb-25	-	Squash	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/36 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
RADISSON AGROCHEMICAL CORPORATION	CHLOROTHALONIL	RAC CHLOROTHALONIL 500 SC	500 g/L	SC	FUNGICIDE	4	234-118-3662	26-Feb-25	-	Watermelon	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/36 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
RADISSON AGROCHEMICAL CORPORATION	CHLOROTHALONIL	RAC CHLOROTHALONIL 500 SC	500 g/L	SC	FUNGICIDE	4	234-118-3662	26-Feb-25	-	Salery	Early and late blight	6.0-8.5 Tbsp/36 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
RADISSON AGROCHEMICAL CORPORATION	CARBARYL	RAC CARBARYL BS WP	850 g/kg	WP	INSECTICIDE	2	234-035-1224	03-Feb-24	-	Tobacco	Budworm, cutworm, aphids	4-6 tbsp/36 L water	-	-	Do not enter treatment areas until spray deposit have dried
RADISSON AGROCHEMICAL CORPORATION	CARBARYL	RAC CARBARYL BS WP	850 g/kg	WP	INSECTICIDE	2	234-035-1224	03-Feb-24	-	Sorghum	Webworm, armyworm, cutworm, headworm	4-6 tbsp/36 L water	-	-	Do not enter treatment areas until spray deposit have dried
RADISSON AGROCHEMICAL CORPORATION	CARBARYL	RAC CARBARYL BS WP	850 g/kg	WP	INSECTICIDE	2	234-035-1224	03-Feb-24	-	Ornamentals	Aphids, scale insect, mealy bug, cutworm	4-6 tbsp/36 L water	-	-	Do not enter treatment areas until spray deposit have dried
RADISSON AGROCHEMICAL CORPORATION	CARBARYL	RAC CARBARYL BS WP	850 g/kg	WP	INSECTICIDE	2	234-035-1224	03-Feb-24	-	Mango	Mango hopper, tip borer, twig borer, fruit fly, mealy bug	4-6 tbsp/36 L water	-	1 Day	Do not enter treatment areas until spray deposit have dried
RADISSON AGROCHEMICAL CORPORATION	CARBARYL	RAC CARBARYL BS WP	850 g/kg	WP	INSECTICIDE	2	234-035-1224	03-Feb-24	-	Coffee	Berry borer	4-6 tbsp/36 L water	-	1 Day	Do not enter treatment areas until spray deposit have dried
RADISSON AGROCHEMICAL CORPORATION	CARBARYL	RAC CARBARYL BS WP	850 g/kg	WP	INSECTICIDE	2	234-035-1224	03-Feb-24	-	Cacao	Podborer, aphids, capsid bug	4-6 tbsp/36 L water	-	1 Day	Do not enter treatment areas until spray deposit have dried
RADISSON AGROCHEMICAL CORPORATION	CARBARYL	RAC CARBARYL BS WP	850 g/kg	WP	INSECTICIDE	2	234-035-1224	03-Feb-24	-	Citrus	Rind borer	4-6 tbsp/36 L water	-	5 days	Do not enter treatment areas until spray deposit have dried
RADISSON AGROCHEMICAL CORPORATION	CARBARYL	RAC CARBARYL BS WP	850 g/kg	WP	INSECTICIDE	2	234-035-1224	03-Feb-24	-	Soybeans	Podborer, beanfly, leafminer, aphids	4-6 tbsp/36 L water	-	-	Do not enter treatment areas until spray deposit have dried
RADISSON AGROCHEMICAL CORPORATION	CARBARYL	RAC CARBARYL BS WP	850 g/kg	WP	INSECTICIDE	2	234-035-1224	03-Feb-24	-	Rice	Green leafhopper, caseworm, aphids	4-6 tbsp/36 L water	1ppm	14 Days	Do not enter treatment areas until spray deposit have dried
RADISSON AGROCHEMICAL CORPORATION	CARBARYL	RAC CARBARYL BS WP	850 g/kg	WP	INSECTICIDE	2	234-035-1224	03-Feb-24	-	Cowpea and other beans	Podborer, beanfly, leafminer, cutworm, aphids	4-6 tbsp/36 L water	-	-	Do not enter treatment areas until spray deposit have dried
RADISSON AGROCHEMICAL CORPORATION	CARBARYL	RAC CARBARYL BS WP	850 g/kg	WP	INSECTICIDE	2	234-035-1224	03-Feb-24	-	Cotton seed	Bollworm, cutworm	4-6 tbsp/36 L water	-	-	Do not enter treatment areas until spray deposit have dried
RADISSON AGROCHEMICAL CORPORATION	CARBARYL	RAC CARBARYL BS WP	850 g/kg	WP	INSECTICIDE	2	234-035-1224	03-Feb-24	-	Cam	Cam borer, cam earworm, army worm	4-6 tbsp/36 L water	-	-	Do not enter treatment areas until spray deposit have dried
RADISSON AGROCHEMICAL CORPORATION	CARBARYL	RAC CARBARYL BS WP	850 g/kg	WP	INSECTICIDE	2	234-035-1224	03-Feb-24	-	Tomato	Fruitworm, leafy beetle	4-6 tbsp/36 L water	-	-	Do not enter treatment areas until spray deposit have dried
RADISSON AGROCHEMICAL CORPORATION	CARBARYL	RAC CARBARYL BS WP	850 g/kg	WP	INSECTICIDE	2	234-035-1224	03-Feb-24	-	Cucurbits	Squash beetle, leafy beetle	4-6 tbsp/36 L water	-	-	Do not enter treatment areas until spray deposit have dried
RADISSON AGROCHEMICAL CORPORATION	BUTACHLOR	RAC BUTACHLOR 60 EC	600 g/L	EC	HERBICIDE	4	234-150-1241	16-Jun-26	PRE-EMERGENT	Rice (Direct-seeded)	Grasses and sedges	9tbsp (2-4 DAT)/7tbsp(0-4 DAT), 0.7tbsp/7tbsp	0.1 ppm	-	-
RADISSON AGROCHEMICAL CORPORATION	BUTACHLOR	RAC BUTACHLOR 60 EC	600 g/L	EC	HERBICIDE	4	234-150-1241	16-Jun-26	PRE-EMERGENT	Rice (Transplanted)	Grasses and sedges	9tbsp(2-40MS), 7tbsp(2-40MS), 1.1tbsp / 60 DAS)	0.1 ppm	-	-
RADISSON AGROCHEMICAL CORPORATION	BUTACHLOR+PROPANIL	RAC BUTACHLOR + PROPANIL 70 EC	300-350 g/L	EC	HERBICIDE	3	234-238-1077	18-Feb-26	POST-EMERGENT	Rice (Direct-Seeded)	Grasses, Sedges and Broadleaves	9-12tbsp/36 L water	Butachlor 0.1ppm Propanil 0.1ppm	-	-
RADISSON AGROCHEMICAL CORPORATION	BUTACHLOR+PROPANIL	RAC BUTACHLOR + PROPANIL 70 EC	300-350 g/L	EC	HERBICIDE	3	234-238-1077	18-Feb-26	POST-EMERGENT	Rice (Transplanted)	Grasses, Sedges and Broadleaves	9-12tbsp/36 L water	Butachlor 0.1ppm Propanil 0.1ppm	-	-
R & A AGROFARM PRODUCTS, INC.	MALATHION	R & A MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	400-038-2456	22-Oct-18	NON-SYSTEMIC	Fruit trees	Aphids, mealy bug scale insect	1.5-3.0Tbsp/36 L water	-	Interval between last application and harvest is generally 2-7 days	One day after spraying.
R & A AGROFARM PRODUCTS, INC.	MALATHION	R & A MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	400-038-2456	22-Oct-18	NON-SYSTEMIC	Rice	Armyworm, caseworm, leafhopper, bugs	2.0-3.0Tbsp/36 L water	-	Interval between last application and harvest is generally 2-7 days	One day after spraying.
R & A AGROFARM PRODUCTS, INC.	MALATHION	R & A MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	400-038-2456	22-Oct-18	NON-SYSTEMIC	Corn	Earworm, silkworm, aphids, grasshopper	3.0-5.0Tbsp/36 L water	-	Interval between last application and harvest is generally 2-7 days	One day after spraying.
R & A AGROFARM PRODUCTS, INC.	MALATHION	R & A MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	400-038-2456	22-Oct-18	NON-SYSTEMIC	Cabbage	Cabbage worm, looper, diamond-back moth	2.0-5.0Tbsp/36 L water	-	Interval between last application and harvest is generally 2-7 days	One day after spraying.
R & A AGROFARM PRODUCTS, INC.	MALATHION	R & A MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	400-038-2456	22-Oct-18	NON-SYSTEMIC	Legumes	Aphids, beanfly, cutworm, flea beetles, leafminer, maggots, mealybug, podborer, thrips	2.0-5.0Tbsp/36 L water	-	Interval between last application and harvest is generally 2-7 days	One day after spraying.
R & A AGROFARM PRODUCTS, INC.	MALATHION	R & A MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	400-038-2456	22-Oct-18	NON-SYSTEMIC	Peppes	Beetles, cutworm, leafhopper, mealybug, scale, insect, spider mites	3.0Tbsp/36 L water	-	Interval between last application and harvest is generally 2-7 days	One day after spraying.
R & A AGROFARM PRODUCTS, INC.	MALATHION	R & A MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	400-038-2456	22-Oct-18	NON-SYSTEMIC	Pineapple	Mealy bug	3.0Tbsp/36 L water	-	Interval between last application and harvest is generally 2-7 days	One day after spraying.
R & A AGROFARM PRODUCTS, INC.	MALATHION	R & A MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	400-038-2456	22-Oct-18	NON-SYSTEMIC	Pepper	Aphid, cutworm, fruitworm	3.0Tbsp/36 L water	-	Interval between last application and harvest is generally 2-7 days	One day after spraying.
R & A AGROFARM PRODUCTS, INC.	MALATHION	R & A MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	400-038-2456	22-Oct-18	NON-SYSTEMIC	Garlic	Cutworm	3.0Tbsp/36 L water	-	Interval between last application and harvest is generally 2-7 days	One day after spraying.
R & A AGROFARM PRODUCTS, INC.	MALATHION	R & A MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	400-038-2456	22-Oct-18	NON-SYSTEMIC	Shran	Cutworm	3.0Tbsp/36 L water	-	Interval between last application and harvest is generally 2-7 days	One day after spraying.
R & A AGROFARM PRODUCTS, INC.	MALATHION	R & A MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	400-038-2456	22-Oct-18	NON-SYSTEMIC	Tobacco	Aphids, katydid	3.0-6.0Tbsp/36 L water	-	Interval between last application and harvest is generally 2-7 days	One day after spraying.
R & A AGROFARM PRODUCTS, INC.	MALATHION	R & A MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	400-038-2456	22-Oct-18	NON-SYSTEMIC	Ornamentals	Aphids, cutworm, mealybug, scale insect, spider mites	3.0-5.0Tbsp/36 L water	-	Interval between last application and harvest is generally 2-7 days	One day after spraying.
R & A AGROFARM PRODUCTS, INC.	MALATHION	R & A MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	400-038-2456	22-Oct-18	NON-SYSTEMIC	Tomato	Lady beetle	3.0-5.0Tbsp/36 L water	-	Interval between last application and harvest is generally 2-7 days	One day after spraying.
R & A AGROFARM PRODUCTS, INC.	MALATHION	R & A MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	400-038-2456	22-Oct-18	NON-SYSTEMIC	Eggplant	Aphids, fruitworm	3.0-5.0Tbsp/36 L water	-	Interval between last application and harvest is generally 2-7 days	One day after spraying.
R & A AGROFARM PRODUCTS, INC.	MALATHION	R & A MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	400-038-2456	22-Oct-18	NON-SYSTEMIC	Sorghum	Web worm	3.0Tbsp/36 L water	-	Interval between last application and harvest is generally 2-7 days	One day after spraying.
R & A AGROFARM PRODUCTS, INC.	2,4-D BEE	R & A 2,4-D ESTER	400g/L	EC	HERBICIDE	2	400-049-4622	17-Jan-22	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual Broadleaves & sedges	5.0-6.50Tbsp/36 L water	-	-	1 Day after spraying
R & A AGROFARM PRODUCTS, INC.	2,4-D BEE	R & A 2,4-D ESTER	400g/L	EC	HERBICIDE	2	400-049-4622	17-Jan-22	SELECTIVE (POST-EMERGENT)	Corn	Annual Broadleaves & sedges	5.0-6.50Tbsp/36 L water	-	-	1 Day after spraying
R & A AGROFARM PRODUCTS, INC.	2,4-D BEE	R & A 2,4-D ESTER	400g/L	EC	HERBICIDE	2	400-049-4622	17-Jan-22	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual Broadleaves & sedges	5.0-6.50Tbsp/36 L water	-	-	1 Day after spraying
R & A AGROFARM PRODUCTS, INC.	2,4-D AMINE	R & A 2,4-D AMINE ACTION	400 g/L	EC	HERBICIDE	2	400-033-2436	03-Sep-18	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual broadleaves and sedges	3.5-6.5Tbsp/36 L water	0.1 ppm	-	-
R & A AGROFARM PRODUCTS, INC.	2,4-D AMINE	R & A 2,4-D AMINE ACTION	400 g/L	EC	HERBICIDE	2	400-033-2436	03-Sep-18	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual broadleaves and sedges	3-25 Tbsp/36 L water	-	-	-
R & A AGROFARM PRODUCTS, INC.	2,4-D AMINE	R & A 2,4-D AMINE ACTION	400 g/L	EC	HERBICIDE	2	400-033-2436	03-Sep-18	SELECTIVE (POST-EMERGENT)	Corn	Annual broadleaves and sedges	5-6.5 Tbsp/36 L water	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	HEXAZINONE-CHLORIN	QUICKCANE 60 WG	132 g/kg+68 g/kg	WG	HERBICIDE	4	539-435-5926	13-Dec-25	-	Sugarcane	Annual grasses, sedges and broadleaves	400L/ha	-	-	-
A&B SUMMIT DISTRIBUTION INC.	ALUMINUM PHOSPHIDE	QUICKPHOS TABLET	560 g/kg	-	FUMIGANT	1	739-084-1206	27-Oct-25	-	-	As fumigant for the control of Stored product pest	-	-	-	-
A&B SUMMIT DISTRIBUTION INC.	ALUMINUM PHOSPHIDE	QUICKPHOS SACHET	560 g/kg	-	FUMIGANT	1	739-084-5272	27-Oct-25	-	-	As fumigant for the control of Stored product pest	-	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	ETHEPHON	QUICKER 48 SL	480g/L	SL	OTHERS	4	539-061-4625	21-Jan-25	-	Pineapple	Pineapple flowering & ripening	Unshaded: 100-150ml/1000 trees ; Shaded: 150-200ml/1000 trees	-	Fruits that are already ripe on the day of treatment can be harvested without any harmful residue Generally.	Re-entry into treated areas may be done as soon as spray has dried
RAINBOW AGROSCIENCES PHILIPPINES INC.	ETHEPHON	QUICKER 48 SL	480g/L	SL	OTHERS	4	539-061-4625	21-Jan-25	-	Banana	Banana ripening	Unshaded: 100-150ml/1000 trees ; Shaded: 150-200ml/1000 trees	-	Fruits that are already ripe on the day of treatment can be harvested without any harmful residue Generally.	Re-entry into treated areas may be done as soon as spray has dried
RAINBOW AGROSCIENCES PHILIPPINES INC.	ETHEPHON	QUICKER 48 SL	480g/L	SL	OTHERS	4	539-061-4625	21-Jan-25	-	Mango	Mango ripening	Unshaded: 100-150ml/1000 trees ; Shaded: 150-200ml/1000 trees	-	Fruits that are already ripe on the day of treatment can be harvested without any harmful residue Generally.	Re-entry into treated areas may be done as soon as spray has dried
RAINBOW AGROSCIENCES PHILIPPINES INC.	ETHEPHON	QUICKER 48 SL	480g/L	SL	OTHERS	4	539-061-4625	21-Jan-25	-	Coffee	Coffee ripening	Unshaded: 100-150ml/1000 trees ; Shaded: 150-200ml/1000 trees	-	Fruits that are already ripe on the day of treatment can be harvested without any harmful residue Generally.	Re-entry into treated areas may be done as soon as spray has dried
AIMS TRADING INTERNATIONAL, INC.	GLYPHOSATE IPA	QUICKCIDE 480 SL	480 g/L	SL	HERBICIDE	4	750-151-6001	29-Apr-26	POST-EMERGENT	Glyphosate tolerant corn under minimum or reduced	Annual and perennial grasses, broadleaf weeds and sedges	2.0-4.0 Liters/ha	-	-	-
AIMS TRADING INTERNATIONAL, INC.	GLYPHOSATE IPA	QUICKCIDE 480 SL	480 g/L	SL	HERBICIDE	4	750-151-6001	29-Apr-26	POST-EMERGENT	Mango	Annual and perennial grasses, broadleaf weeds and sedges	4.5 Liters/ha	-	-	-
AIMS TRADING INTERNATIONAL, INC.	GLYPHOSATE IPA	QUICKCIDE 480 SL	480 g/L	SL	HERBICIDE	4	750-151-6001	29-Apr-26	POST-EMERGENT	Banana	Annual and perennial grasses, broadleaf weeds and sedges	4.5 Liters/ha	-	-	-
AIMS TRADING INTERNATIONAL, INC.	GLYPHOSATE IPA	QUICKCIDE 480 SL	480 g/L	SL	HERBICIDE	4	750-151-6001	29-Apr-26	POST-EMERGENT	Coffee	Annual and perennial grasses, broadleaf weeds and sedges	3.0 Liters/ha	-	-	-

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
AIMS TRADING INTERNATIONAL, INC.	GLYPHOSATE IPA	QUICKCIDE 480 SL	480 g/L	SL	HERBICIDE	4	750 151-6001	29-Apr-26	POST-EMERGENT	Cacao	Annual and perennial grasses, broadleaf weeds and sedges	1.0 Liter/ha	-	-	-
AIMS TRADING INTERNATIONAL, INC.	GLYPHOSATE IPA	QUICKCIDE 480 SL	480 g/L	SL	HERBICIDE	4	750 151-6001	29-Apr-26	POST-EMERGENT	Rubber	Annual and perennial grasses, broadleaf weeds and sedges	2.0 Liter/ha	-	-	-
AIMS TRADING INTERNATIONAL, INC.	GLYPHOSATE IPA	QUICKCIDE 480 SL	480 g/L	SL	HERBICIDE	4	750 151-6001	29-Apr-26	POST-EMERGENT	Oil palm	Annual and perennial grasses, broadleaf weeds and sedges	2.0 Liter/ha	-	-	-
AIMS TRADING INTERNATIONAL, INC.	GLYPHOSATE IPA	QUICKCIDE 480 SL	480 g/L	SL	HERBICIDE	4	750 151-6001	29-Apr-26	POST-EMERGENT	Citrus	Annual and perennial grasses, broadleaf weeds and sedges	4.5 Liter/ha	-	-	-
AIMS TRADING INTERNATIONAL, INC.	GLYPHOSATE IPA	QUICKCIDE 480 SL	480 g/L	SL	HERBICIDE	4	750 151-6001	29-Apr-26	POST-EMERGENT	Coconut	Annual and perennial grasses, broadleaf weeds and sedges	2.0 Liter/ha	-	-	-
AIMS TRADING INTERNATIONAL, INC.	GLYPHOSATE IPA	QUICKCIDE 480 SL	480 g/L	SL	HERBICIDE	4	750 151-6001	29-Apr-26	POST-EMERGENT	Nagarsane	Annual and perennial grasses, broadleaf weeds and sedges	2.0 Liter/ha	-	-	-
AIMS TRADING INTERNATIONAL, INC.	GLYPHOSATE IPA	QUICKCIDE 480 SL	480 g/L	SL	HERBICIDE	4	750 151-6001	29-Apr-26	POST-EMERGENT	Vegetables	Annual and perennial grasses, broadleaf weeds and sedges	2.0 Liter/ha	-	-	-
JOCANIMA CORPORATION	GLUFOSINATE AMMONIUM	QUICKBURN 15 SL	150 g/L	SL	HERBICIDE	4	241-182-2227	7-Feb-26	NON-SELECTIVE (POST-EMERGENT)	Cavendish banana	Annual grasses, perennial grasses and broadleaves	-	-	-	-
JOCANIMA CORPORATION	GLUFOSINATE AMMONIUM	QUICKBURN 15 SL	150 g/L	SL	HERBICIDE	4	241-182-2227	7-Feb-26	NON-SELECTIVE (POST-EMERGENT)	Rubber	Annual grasses, perennial grasses and broadleaves	-	-	-	-
JOCANIMA CORPORATION	GLUFOSINATE AMMONIUM	QUICKBURN 15 SL	150 g/L	SL	HERBICIDE	4	241-182-2227	7-Feb-26	NON-SELECTIVE (POST-EMERGENT)	Oil palm	Annual grasses, perennial grasses and broadleaves	-	-	-	-
ROTAM PHILIPPINES, INC.	FENPROPHAMORH	QUEST 2.5 EC	25 g/L	EC	FUNGICIDE	2	400-204-3415	9-Sep-25	SYSTEMIC	Banana	Black sigatoka	0.5-0.7 L/ha	-	0 day	As soon as spray droplets dries
GOLDENMAN MARKETING CORPORATION	LAMBDA-CHYALOTHIRIN	QUEST 2.5 EC	25 g/L	EC	INSECTICIDE	2	400-204-3415	23-Mar-25	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leafroller, black bug	1.0-1.5 tbgp/16 L of water	0.05ppm	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
GOLDENMAN MARKETING CORPORATION	LAMBDA-CHYALOTHIRIN	QUEST 2.5 EC	25 g/L	EC	INSECTICIDE	2	400-204-3415	23-Mar-25	SYSTEMIC	Mango	Hoppers	0.75-1.5 tbgp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
GOLDENMAN MARKETING CORPORATION	LAMBDA-CHYALOTHIRIN	QUEST 2.5 EC	25 g/L	EC	INSECTICIDE	2	400-204-3415	23-Mar-25	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5 tbgp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
GOLDENMAN MARKETING CORPORATION	LAMBDA-CHYALOTHIRIN	QUEST 2.5 EC	25 g/L	EC	INSECTICIDE	2	400-204-3415	23-Mar-25	SYSTEMIC	Onion	Thrips, cutworm	1.0 tbgp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
GOLDENMAN MARKETING CORPORATION	LAMBDA-CHYALOTHIRIN	QUEST 2.5 EC	25 g/L	EC	INSECTICIDE	2	400-204-3415	23-Mar-25	SYSTEMIC	Mungbeans	Beanfly, flea beetle, leafhopper, aphids, mites, podborer	1.0 tbgp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
GOLDENMAN MARKETING CORPORATION	LAMBDA-CHYALOTHIRIN	QUEST 2.5 EC	25 g/L	EC	INSECTICIDE	2	400-204-3415	23-Mar-25	SYSTEMIC	Corn	Comborer, aphids, seedling maggots	1.0-1.5 tbgp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
GOLDENMAN MARKETING CORPORATION	LAMBDA-CHYALOTHIRIN	QUEST 2.5 EC	25 g/L	EC	INSECTICIDE	2	400-204-3415	23-Mar-25	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5 tbgp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
GOLDENMAN MARKETING CORPORATION	LAMBDA-CHYALOTHIRIN	QUEST 2.5 EC	25 g/L	EC	INSECTICIDE	2	400-204-3415	23-Mar-25	SYSTEMIC	Cotton	Bollworm	1.0-1.5 tbgp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
GOLDENMAN MARKETING CORPORATION	LAMBDA-CHYALOTHIRIN	QUEST 2.5 EC	25 g/L	EC	INSECTICIDE	2	400-204-3415	23-Mar-25	SYSTEMIC	Cocoa	Podborer	1.0-2.0 tbgp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
GOLDENMAN MARKETING CORPORATION	LAMBDA-CHYALOTHIRIN	QUEST 2.5 EC	25 g/L	EC	INSECTICIDE	2	400-204-3415	23-Mar-25	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0 tbgp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
TEAMAGRO TRADING CORPORATION	NICLOXAMIDE	QUEST 250 EC	250 g/L	EC	MOLLUSCICIDE	4	248-229-4876	17-Jul-26	-	Rice	Golden apple snail	300 ml/ 16L water; 1.0 L/ha	-	-	At least 48 hours after application
PHILIPPINE FARMFLEX SOLUTIONS INC.	GLUFOSINATE AMMONIUM	QUASAR 150 SL	150 g/L	SL	HERBICIDE	4	535-182-3674	31-Mar-25	NON-SELECTIVE(POST-EMERGENT)	hubber	Annual grasses, perennial grasses & broadleaf weeds	21cm/16L water, 270ml/16 L water, 135ml/16 L water	-	-	After spray deposits have dried
PHILIPPINE FARMFLEX SOLUTIONS INC.	GLUFOSINATE AMMONIUM	QUASAR 150 SL	150 g/L	SL	HERBICIDE	4	535-182-3674	31-Mar-25	NON-SELECTIVE(POST-EMERGENT)	oil palm	Annual grasses, perennial grasses & broadleaf weeds	360ml/16 L water, 135ml/16 L water	-	-	After spray deposits have dried
PHILIPPINE FARMFLEX SOLUTIONS INC.	GLUFOSINATE AMMONIUM	QUASAR 150 SL	150 g/L	SL	HERBICIDE	4	535-182-3674	31-Mar-25	NON-SELECTIVE(POST-EMERGENT)	Non-crop areas	Weeds	180-215ml/16 L water	-	-	After spray deposits have dried
PHILIPPINE FARMFLEX SOLUTIONS INC.	GLUFOSINATE AMMONIUM	QUASAR 150 SL	150 g/L	SL	HERBICIDE	4	535-182-3674	31-Mar-25	NON-SELECTIVE(POST-EMERGENT)	Cavendish Banana	Annual grasses, perennial grasses & broadleaf weeds	360ml /16L water, 135-200ml/16 L water	0.2 mg/kg	-	After spray deposits have dried
EZERTech CORPORATION	CARTAP HYDROCHLORIDE	QUARTA 50 SP	500 g/kg	SP	INSECTICIDE	3	648-106-5085	16-Mar-26	CONTACT	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.0-5.0 tbgp/16 L water	-	Do not spray within 10 days before harvest	Do not enter field within 2 days after spraying
EZERTech CORPORATION	CARTAP HYDROCHLORIDE	QUARTA 50 SP	500 g/kg	SP	INSECTICIDE	3	648-106-5085	16-Mar-26	CONTACT	Wongkok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0 tbgp/16 L water	-	Do not spray within 10 days before harvest	Do not enter field within 2 days after spraying
EZERTech CORPORATION	CARTAP HYDROCHLORIDE	QUARTA 50 SP	500 g/kg	SP	INSECTICIDE	3	648-106-5085	16-Mar-26	CONTACT	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0 tbgp/16 L water	-	Do not spray within 10 days before harvest	Do not enter field within 2 days after spraying
EZERTech CORPORATION	CARTAP HYDROCHLORIDE	QUARTA 50 SP	500 g/kg	SP	INSECTICIDE	3	648-106-5085	16-Mar-26	CONTACT	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0 tbgp/16 L water	-	Do not spray within 10 days before harvest	Do not enter field within 2 days after spraying
EZERTech CORPORATION	CARTAP HYDROCHLORIDE	QUARTA 50 SP	500 g/kg	SP	INSECTICIDE	3	648-106-5085	16-Mar-26	CONTACT	Garlic	Thrips, cutworm	1.5-2.0 tbgp/16 L water	-	Do not spray within 10 days before harvest	Do not enter field within 2 days after spraying
EZERTech CORPORATION	CARTAP HYDROCHLORIDE	QUARTA 50 SP	500 g/kg	SP	INSECTICIDE	3	648-106-5085	16-Mar-26	CONTACT	Onion	Thrips, cutworm	1.5-2.0 tbgp/16 L water	-	Do not spray within 10 days before harvest	Do not enter field within 2 days after spraying
EZERTech CORPORATION	CARTAP HYDROCHLORIDE	QUARTA 50 SP	500 g/kg	SP	INSECTICIDE	3	648-106-5085	16-Mar-26	CONTACT	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0 tbgp/16 L water	-	Do not spray within 10 days before harvest	Do not enter field within 2 days after spraying
EZERTech CORPORATION	CARTAP HYDROCHLORIDE	QUARTA 50 SP	500 g/kg	SP	INSECTICIDE	3	648-106-5085	16-Mar-26	CONTACT	Mango	Leafhoppers	1.5-2.0 tbgp/16 L water	-	Do not spray within 10 days before harvest	Do not enter field within 2 days after spraying
EZERTech CORPORATION	CARTAP HYDROCHLORIDE	QUARTA 50 SP	500 g/kg	SP	INSECTICIDE	3	648-106-5085	16-Mar-26	CONTACT	Pechay	Looper, cutworm, aphids	1.5-3.0 tbgp/16 L water	-	Do not spray within 10 days before harvest	Do not enter field within 2 days after spraying
TEAMAGRO TRADING CORPORATION	CARBARYL	QUADRO 85 WP	850 g/kg	WP	INSECTICIDE	2	248-035-1376	04-Mar-25	-	Tobacco	Budworm, cutworm, aphids	4-6 tbgp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
TEAMAGRO TRADING CORPORATION	CARBARYL	QUADRO 85 WP	850 g/kg	WP	INSECTICIDE	2	248-035-1376	04-Mar-25	-	Sorghum	Webworm, armyworm, cutworm, headworm	4-6 tbgp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
TEAMAGRO TRADING CORPORATION	CARBARYL	QUADRO 85 WP	850 g/kg	WP	INSECTICIDE	2	248-035-1376	04-Mar-25	-	Ornamentals	Aphids, scale insect, mealy bug, cutworm	4-6 tbgp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
TEAMAGRO TRADING CORPORATION	CARBARYL	QUADRO 85 WP	850 g/kg	WP	INSECTICIDE	2	248-035-1376	04-Mar-25	-	Mango	Mango hopper, tip borer, twig borer, fruit fly, mealy bug	4-8 tbgp/16 L water	-	1 Day	Do not enter treatment areas until spray deposit have dried
TEAMAGRO TRADING CORPORATION	CARBARYL	QUADRO 85 WP	850 g/kg	WP	INSECTICIDE	2	248-035-1376	04-Mar-25	-	Coffee	Berry borer	4-6 tbgp/16 L water	-	1 Day	Do not enter treatment areas until spray deposit have dried
TEAMAGRO TRADING CORPORATION	CARBARYL	QUADRO 85 WP	850 g/kg	WP	INSECTICIDE	2	248-035-1376	04-Mar-25	-	Cacao	Podborer, aphids, capsid bug	4-6 tbgp/16 L water	-	1 Day	Do not enter treatment areas until spray deposit have dried
TEAMAGRO TRADING CORPORATION	CARBARYL	QUADRO 85 WP	850 g/kg	WP	INSECTICIDE	2	248-035-1376	04-Mar-25	-	Citrus	Rind borer	4-6 tbgp/16 L water	-	5 days	Do not enter treatment areas until spray deposit have dried
TEAMAGRO TRADING CORPORATION	CARBARYL	QUADRO 85 WP	850 g/kg	WP	INSECTICIDE	2	248-035-1376	04-Mar-25	-	Soybeans	Podborer, beanfly, leafminer, aphids	4-6 tbgp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
TEAMAGRO TRADING CORPORATION	CARBARYL	QUADRO 85 WP	850 g/kg	WP	INSECTICIDE	2	248-035-1376	04-Mar-25	-	Rice	Green leafhopper, caseworm, aphids	4-6 tbgp/16 L water	1ppm	14 Days	Do not enter treatment areas until spray deposit have dried
TEAMAGRO TRADING CORPORATION	CARBARYL	QUADRO 85 WP	850 g/kg	WP	INSECTICIDE	2	248-035-1376	04-Mar-25	-	Cowpea and other beans	Podborer, beanfly, leafminer, cutworm, aphids	4-6 tbgp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
TEAMAGRO TRADING CORPORATION	CARBARYL	QUADRO 85 WP	850 g/kg	WP	INSECTICIDE	2	248-035-1376	04-Mar-25	-	Cotton seed	Bollworm, cutworm	4-6 tbgp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
TEAMAGRO TRADING CORPORATION	CARBARYL	QUADRO 85 WP	850 g/kg	WP	INSECTICIDE	2	248-035-1376	04-Mar-25	-	Corn	Corn borer, corn earworm, army worm	4-6 tbgp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
TEAMAGRO TRADING CORPORATION	CARBARYL	QUADRO 85 WP	850 g/kg	WP	INSECTICIDE	2	248-035-1376	04-Mar-25	-	Tomato	Fruitworm, leafy beetle	4-6 tbgp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
TEAMAGRO TRADING CORPORATION	CARBARYL	QUADRO 85 WP	850 g/kg	WP	INSECTICIDE	2	248-035-1376	04-Mar-25	-	Cucurbits	Squash beetle, leafy beetle	4-6 tbgp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
TAGCHEM DRAGON DISTRIBUTION INC.	BISPYRIBAC SODIUM	QUADRO 8	105.5 g/L	SC	HERBICIDE	4	517-276-4076	04-Dec-25	SELECTIVE (POST-EMERGENT)	Rice (Direct Seeded)	Grasses, sedges, and broadleaves	15ml/16 L water, 20 spray load/ hectare	0.1 ppm	-	As soon as spray deposit have dried.
TAGCHEM DRAGON DISTRIBUTION INC.	BISPYRIBAC SODIUM	QUADRO 8	105.5 g/L	SC	HERBICIDE	4	517-276-4076	04-Dec-25	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Grasses, sedges, and broadleaves	15ml/16 L water, 20 spray load/ hectare	0.1 ppm	-	As soon as spray deposit have dried.
TRANS WORLD TRADING CO., INC.	PYRACLOSTROBIN	Q-RIO 25 EC	250 g/L	EC	FUNGICIDE	2	038-396-4579	17-Dec-24	-	Rice	Leaf spot	0.4 Dose rate	-	4 days	After drying of spray or 24 hours after spraying
TRANS WORLD TRADING CO., INC.	PYRACLOSTROBIN	Q-RIO 25 EC	250 g/L	EC	FUNGICIDE	2	038-396-4579	17-Dec-24	-	Banana	Sigatoka freckles	0.4 Dose rate	-	4 days	After drying of spray or 24 hours after spraying
KEMISTAR CORPORATION	CARBOPURAN	Q-RADAN 3G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	239-104-3612	07-Dec-24	-	Corn	Borer, earworm, grubs, seedling maggot	16.7-33.3 kg/ prod/ha	-	-	2 Days
KEMISTAR CORPORATION	CARBOPURAN	Q-RADAN 3G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	239-104-3612	07-Dec-24	-	Cotton	Nematodes, grubs	16.7-33.3 kg/ prod/ha	-	-	2 Days
KEMISTAR CORPORATION	CARBOPURAN	Q-RADAN 3G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	239-104-3612	07-Dec-24	-	Eggplant	Fruitborer	16.7-33.3 kg/ prod/ha	-	-	2 Days

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
KEMSTAR CORPORATION	CARBOFURAN	Q-RADAN 3G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	239-104-3612	07-Dec-24	-	Field legumes	Beetflies, grubs, nematodes	16.7-33-3 kg/ prod/ha	-	-	2 Days
KEMSTAR CORPORATION	CARBOFURAN	Q-RADAN 3G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	239-104-3612	07-Dec-24	-	Rice	Stem borer, whorl maggot, leafhopper, leaf folder, caseworm, planthopper	16.7-33-3 kg/ prod/ha	0.2ppm	28 Days	2 Days
KEMSTAR CORPORATION	CARBOFURAN	Q-RADAN 3G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	239-104-3612	07-Dec-24	-	Soybeans	Beetfly, grubs, nematodes, other soil insects	16.7-33-3 kg/ prod/ha	-	-	2 Days
KEMSTAR CORPORATION	CARBOFURAN	Q-RADAN 3G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	239-104-3612	07-Dec-24	-	Sugarcane	Borer, leafhopper, mealy bug, nematodes, scale insects	16.7-33-3 kg/ prod/ha	-	-	2 Days
KEMSTAR CORPORATION	CARBOFURAN	Q-RADAN 3G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	239-104-3612	07-Dec-24	-	Tobacco	Nematode, budworm	16.7-33-3 kg/ prod/ha	-	-	2 Days
KEMSTAR CORPORATION	CARBOFURAN	Q-RADAN 3G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	239-104-3612	07-Dec-24	-	White potato	Nematodes, grubs	16.7-33-3 kg/ prod/ha	-	-	2 Days
KEMSTAR CORPORATION	CARBOFURAN	Q-RADAN 3G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	239-104-3612	07-Dec-24	-	Cowpea	Beetfly, grubs, nematodes, other soil insects	16.7-33-3 kg/ prod/ha	-	-	2 Days
KEMSTAR CORPORATION	CARBOFURAN	Q-RADAN 3G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	239-104-3612	07-Dec-24	-	Ornamentals	Scale insect, aphids, mealy bug	16.7-33-3 kg/ prod/ha	-	-	2 Days
GREEN ACTION BRIGADE INC.	FFPRONIL	QILUNIL 5 SC	50 g/L	SC	INSECTICIDE	3	775-244-6352	27-Oct-26	CONTACT	Rice	Stem borer, brown planthopper (BPH), leaf folder, rice bug	500-900 ml. prod. / ha	-	Do not apply 7 days before harvest	One day after application
GREEN ACTION BRIGADE INC.	FFPRONIL	QILUNIL 5 SC	50 g/L	SC	INSECTICIDE	3	775-244-6352	27-Oct-26	CONTACT	Cabbage	Diamondback moth (DBM)	500-1000 ml. prod. / ha	-	Do not apply 7 days before harvest	One day after application
GREEN ACTION BRIGADE INC.	FFPRONIL	QILUNIL 5 SC	50 g/L	SC	INSECTICIDE	3	775-244-6352	27-Oct-26	CONTACT	Watermelon	Thrips, leaf beetles	500-1000 ml. prod. / ha	-	Do not apply 7 days before harvest	One day after application
GREEN ACTION BRIGADE INC.	FFPRONIL	QILUNIL 5 SC	50 g/L	SC	INSECTICIDE	3	775-244-6352	27-Oct-26	CONTACT	Onions	Cutworm	1000 ml. prod/ha	-	Do not apply 7 days before harvest	One day after application
GREEN ACTION BRIGADE INC.	FFPRONIL	QILUNIL 5 SC	50 g/L	SC	INSECTICIDE	3	775-244-6352	27-Oct-26	CONTACT	Eggplant	Fruit borer	700-1000 ml. prod. / ha	-	Do not apply 7 days before harvest	One day after application
FMC AGRO PHILIPPINES INC.	METAMBFOP	PYZERO 10 EC	100 g/L	EC	HERBICIDE	4	598-409-4186	30-Oct-26	CONTACT	Rice (Direct Seeded)	Barnyard grass and hyptis/his grass	1 L/ha	0.005ppm	-	-
ZAGRO CORPORATION	PERMETHRIN	PYTOX 10 EC	100 g/L	EC	INSECTICIDE	4	043-127-0347	03-Apr-24	-	Cabbage	Diamond-back moth, aphids, cabbage moth	1-3 Tbsp/38L water	-	Spray at weekly interval depending on degree of infestation. Interval between last application and	One day after spraying
ZAGRO CORPORATION	PERMETHRIN	PYTOX 10 EC	100 g/L	EC	INSECTICIDE	4	043-127-0347	03-Apr-24	-	Tomato	Fruitworms	1-3 Tbsp/38L water	-	Spray at weekly interval depending on degree of infestation. Interval between last application and	One day after spraying
ZAGRO CORPORATION	PERMETHRIN	PYTOX 10 EC	100 g/L	EC	INSECTICIDE	4	043-127-0347	03-Apr-24	-	Mango	Mango hoppers	1-3 Tbsp/38L water	-	Spray at weekly interval depending on degree of infestation. Interval between last application and	One day after spraying
ZAGRO CORPORATION	PERMETHRIN	PYTOX 10 EC	100 g/L	EC	INSECTICIDE	4	043-127-0347	03-Apr-24	-	Tobacco	Budworm, cutworm, aphids, hopper, leafworm	1-3 Tbsp/38L water	-	Spray at weekly interval depending on degree of infestation. Interval between last application and	One day after spraying
ZAGRO CORPORATION	PERMETHRIN	PYTOX 10 EC	100 g/L	EC	INSECTICIDE	4	043-127-0347	03-Apr-24	-	Corn	Corn borer, earworm	1-3 Tbsp/38L water	-	Spray at weekly interval depending on degree of infestation. Interval between last application and	One day after spraying
ZAGRO CORPORATION	PERMETHRIN	PYTOX 10 EC	100 g/L	EC	INSECTICIDE	4	043-127-0347	03-Apr-24	-	Rice	Whorl maggot, planthopper, Green leafhopper, stem borer, leaf folder	1-2 Tbsp/38L water	-	Spray at weekly interval depending on degree of infestation. Interval between last application and	One day after spraying
ZAGRO CORPORATION	PERMETHRIN	PYTOX 10 EC	100 g/L	EC	INSECTICIDE	4	043-127-0347	03-Apr-24	-	Beans	Powdery mildew, aphids, flea beetle, beanflies	1-3 Tbsp/38L water	-	Spray at weekly interval depending on degree of infestation. Interval between last application and	One day after spraying
ZAGRO CORPORATION	PERMETHRIN	PYTOX 10 EC	100 g/L	EC	INSECTICIDE	4	043-127-0347	03-Apr-24	-	White Potato	Tubermoth	1-3 Tbsp/38L water	-	Spray at weekly interval depending on degree of infestation. Interval between last application and	One day after spraying
ZAGRO CORPORATION	PERMETHRIN	PYTOX 10 EC	100 g/L	EC	INSECTICIDE	4	043-127-0347	03-Apr-24	-	Onion	Thrips	1-3 Tbsp/38L water	-	Spray at weekly interval depending on degree of infestation. Interval between last application and	One day after spraying
JOCANIMA CORPORATION	PHYRIMETHANIL	PHYRUS 400 SC	400 g/L	SC	FUNGICIDE	4	241-345-3253	23-Dec-22	-	Cavendish Banana	Black sigatoka	750 ml/ha	-	0 day	Do not allow entry into treated areas until spray deposits have dried. When prior entry is necessary, wear cotton coveralls and PVC gloves. Wash thoroughly all
AKTY MULTI TRADING CO. PHILS. INC.	PHYRIMETHANIL	PHYRUS 400 SC	400 g/L	SC	FUNGICIDE	4	241-345-3253	23-Dec-22	-	Mango	Leafhopper	1.5 liter/200L	-	-	Do not enter the treated fields for at least 24 hours after application
RAINBOW AGROSCIENCES PHILIPPINES INC.	PIRACLOSTROBIN	PIRACIN 250 EC	250 g/L	EC	FUNGICIDE	2	539-396-5083	13-May-26	-	Corn	Leafspot	0.4 Dose rate	-	4 days	After drying of spray or 24 hours after spraying
RAINBOW AGROSCIENCES PHILIPPINES INC.	PIRACLOSTROBIN	PIRACIN 250 EC	250 g/L	EC	FUNGICIDE	2	539-396-5083	13-May-26	-	Cavendish Banana	Black sigatoka and freckles	0.4 Dose rate	-	4 days	After drying of spray or 24 hours after spraying
NS NORTHERN ORGANIC FERTILIZER INC.	BP4MC-CHLORPYRIFOS	PIYODAN 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	470-174-4084	16-Jun-26	-	Rice	Stem borer, armyworm, leafhopper, caseworm and planthopper	2.5-3.5 Tbsp/38L water	-	Stop spraying 15 days before harvest	Do not enter treated field within 2 days after spray
NS NORTHERN ORGANIC FERTILIZER INC.	BP4MC-CHLORPYRIFOS	PIYODAN 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	470-174-4084	16-Jun-26	-	Corn	Seedling maggot, corn earworm, cornborer and armyworm	2.5-3.5 Tbsp/38L water	-	Stop spraying 15 days before harvest	Do not enter treated field within 2 days after spray
NS NORTHERN ORGANIC FERTILIZER INC.	BP4MC-CHLORPYRIFOS	PIYODAN 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	470-174-4084	16-Jun-26	-	Cucumber	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/38L water	-	Stop spraying 15 days before harvest	Do not enter treated field within 2 days after spray
NS NORTHERN ORGANIC FERTILIZER INC.	BP4MC-CHLORPYRIFOS	PIYODAN 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	470-174-4084	16-Jun-26	-	Melon	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/38L water	-	Stop spraying 15 days before harvest	Do not enter treated field within 2 days after spray
NS NORTHERN ORGANIC FERTILIZER INC.	BP4MC-CHLORPYRIFOS	PIYODAN 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	470-174-4084	16-Jun-26	-	Watermelon	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/38L water	-	Stop spraying 15 days before harvest	Do not enter treated field within 2 days after spray
NS NORTHERN ORGANIC FERTILIZER INC.	BP4MC-CHLORPYRIFOS	PIYODAN 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	470-174-4084	16-Jun-26	-	Onion	Thrips, cutworm	2.5-3.5 Tbsp/38L water	-	Stop spraying 15 days before harvest	Do not enter treated field within 2 days after spray
NS NORTHERN ORGANIC FERTILIZER INC.	BP4MC-CHLORPYRIFOS	PIYODAN 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	470-174-4084	16-Jun-26	-	Mungbeans	Beetfly, armyworm, cutworm, leaf miner and leaf folder	2.5-3.5 Tbsp/38L water	-	Stop spraying 15 days before harvest	Do not enter treated field within 2 days after spray
NS NORTHERN ORGANIC FERTILIZER INC.	BP4MC-CHLORPYRIFOS	PIYODAN 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	470-174-4084	16-Jun-26	-	Soybeans	Beetfly, armyworm, cutworm, leaf miner and leaf folder	2.5-3.5 Tbsp/38L water	-	Stop spraying 15 days before harvest	Do not enter treated field within 2 days after spray
NS NORTHERN ORGANIC FERTILIZER INC.	BP4MC-CHLORPYRIFOS	PIYODAN 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	470-174-4084	16-Jun-26	-	Beans	Beetfly, armyworm, cutworm, leaf miner and leaf folder	2.5-3.5 Tbsp/38L water	-	Stop spraying 15 days before harvest	Do not enter treated field within 2 days after spray
EZERTECH CORPORATION	GLYPHOSATE IPA	PIYHO 480 SL	480 g/L	SL	HERBICIDE	4	648-151-5180-A	04-Nov-26	SYSTEMIC	Glyphosate tolerant corn under minimum or reduced	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
EZERTECH CORPORATION	GLYPHOSATE IPA	PIYHO 480 SL	480 g/L	SL	HERBICIDE	4	648-151-5180-A	04-Nov-26	SYSTEMIC	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
EZERTECH CORPORATION	GLYPHOSATE IPA	PIYHO 480 SL	480 g/L	SL	HERBICIDE	4	648-151-5180-A	04-Nov-26	SYSTEMIC	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
EZERTECH CORPORATION	GLYPHOSATE IPA	PIYHO 480 SL	480 g/L	SL	HERBICIDE	4	648-151-5180-A	04-Nov-26	SYSTEMIC	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
EZERTECH CORPORATION	GLYPHOSATE IPA	PIYHO 480 SL	480 g/L	SL	HERBICIDE	4	648-151-5180-A	04-Nov-26	SYSTEMIC	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
EZERTECH CORPORATION	GLYPHOSATE IPA	PIYHO 480 SL	480 g/L	SL	HERBICIDE	4	648-151-5180-A	04-Nov-26	SYSTEMIC	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
EZERTECH CORPORATION	GLYPHOSATE IPA	PIYHO 480 SL	480 g/L	SL	HERBICIDE	4	648-151-5180-A	04-Nov-26	SYSTEMIC	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
EZERTECH CORPORATION	GLYPHOSATE IPA	PIYHO 480 SL	480 g/L	SL	HERBICIDE	4	648-151-5180-A	04-Nov-26	SYSTEMIC	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/ha	-	-	-
EZERTECH CORPORATION	GLYPHOSATE IPA	PIYHO 480 SL	480 g/L	SL	HERBICIDE	4	648-151-5180-A	04-Nov-26	SYSTEMIC	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
EZERTECH CORPORATION	GLYPHOSATE IPA	PIYHO 480 SL	480 g/L	SL	HERBICIDE	4	648-151-5180-A	04-Nov-26	SYSTEMIC	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
EZERTECH CORPORATION	GLYPHOSATE IPA	PIYHO 480 SL	480 g/L	SL	HERBICIDE	4	648-151-5180-A	04-Nov-26	SYSTEMIC	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
EZERTECH CORPORATION	GLYPHOSATE IPA	PIYHO 480 SL	480 g/L	SL	HERBICIDE	4	648-151-5180-A	04-Nov-26	SYSTEMIC	Non-crop areas	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
DAVAO PACKAGING CORPORATION	CHLORPYRIFOS	PIYITILUNE 20 PE M/B	200 g/kg	G	INSECTICIDE	2	123-101-3082	28-Jul-20	-	Banana	Mealy bug, thrips and scarring beetle	0.1 kg/ha	-	-	-
MACDONALD PLASTIC PRODUCT, INC.	CHLORPYRIFOS	PIYITILUNE 20 PE M/B	200 g/kg	G	INSECTICIDE	2	124-101-3083	11-Aug-20	-	Banana	Mealy bug, thrips and scarring beetle	0.1 kg/ha	-	-	-
MAGAN AGRO PHILS., ENTERPRISE, INC.	CHLORPYRIFOS	PIYITILUNE 20 PE M/B	200 g/kg	G	INSECTICIDE	2	461-101-2598	28-Jul-26	-	Banana	Mealy bug, thrips and scarring beetle	0.1 kg/ha	-	-	-
MAGAN AGRO PHILS., ENTERPRISE, INC.	CHLORPYRIFOS	PIYITILUNE 14 PE BAG	-	-	INSECTICIDE	-	461-101-4550	25-Mar-25	-	Banana	Mealy bug	-	-	-	-
MAGAN AGRO PHILS., ENTERPRISE, INC.	CHLORPYRIFOS/PIYITILUNE 20 PE M/B	PIYITILUNE 14 PE BAG	200 g/kg	EC	INSECTICIDE	2	461-101-4449	25-Jul-21	-	Banana	Mealy bug	-	-	-	-
MAGAN AGRO PHILS., ENTERPRISE, INC.	CHLORPYRIFOS	PIYINEX 40 EC	400 g/L	EC	INSECTICIDE	2	461-101-3241	26-Sep-23	-	Banana	Thrips, scarring beetle & aphids	30-30 ml per 38L water	-	30 days from last application	As soon as spray deposits have dried or after bud injection in banana.
MAGAN AGRO PHILS., ENTERPRISE, INC.	CHLORPYRIFOS	PIYINEX 40 EC	400 g/L	EC	INSECTICIDE	2	461-101-3241	26-Sep-23	-	Sugarcane	Whitegrubs	40-100 ml per 38L water	-	30 days from last application	As soon as spray deposits have dried or after bud injection in banana.
MAGAN AGRO PHILS., ENTERPRISE, INC.	CHLORPYRIFOS	PIYINEX 40 EC	400 g/L	EC	INSECTICIDE	2	461-101-3241	26-Sep-23	-	Pineapple	Ants, Mealybugs, White grubs and symphylids	1-4 L per hectare, 4000 L/ha spray volume, 8 L/ha (pre-spray)	0.05ppm	30 days from last application	As soon as spray deposits have dried or after bud injection in banana.

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
ZAGRO CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	PYREZOL 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	043 395-5335	02-Sep-24	-	Potato	Whiteflies, aphids, thrips	100-200ml product/ha, 4-6 ml/56 L	-	7 days	
ZAGRO CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	PYREZOL 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	043 395-5335	02-Sep-24	-	Stringbeans	Green Leafhopper, aphids, mites	200-200ml product/ha, 4-6 ml/56 L	-	7 days	
ZAGRO CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	PYREZOL 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	043 395-5335	02-Sep-24	-	Eggplant	Whiteflies, green leafhopper, aphids	100-200ml product/ha, 4-6 ml/56 L	-	7 days	
ZAGRO CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	PYREZOL 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	043 395-5335	02-Sep-24	-	Bittergourd	Leafhoppers, thrips, aphids, fruitfly, cutworm	200-200ml product/ha, 4-13 ml/56L	-	7 days	
ZAGRO CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	PYREZOL 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	043 395-5335	02-Sep-24	-	Mango	Leafhoppers, tipborders, capsid bug, fruitfly, cecid fly	12-24ml/200L	-	13 days	
ZAGRO CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	PYREZOL 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	043 395-5335	02-Sep-24	-	Corn	Asianic corn borer, cutworm, leafhopper, aphids, earworm	250-400ml product/ha, 10.0-16.0 ml product/56L	-	13 days	
ZAGRO CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	PYREZOL 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	043 395-5335	02-Sep-24	-	Banana	Flower thrips	1-3 ml/L	-	90 days	
ZAGRO CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	PYREZOL 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	043 395-5335	02-Sep-24	-	Rice	Stemborer, leafhopper, rice bugs	10-30 Tbsp prod/56L	-	14 days	
AGWAY CHEMICALS CORPORATION	PYRIMETHANIL	PIRAX 400 SC	400 g/L	SC	FUNGICIDE	4	075-345-4571	21-Nov-24	-	Cavendish Banana	Black sigatoka	750 ml/ha	-	0 day	Do not allow entry into treated areas until spray deposits have dried. When prior entry is necessary, wear cotton coveralls and PVC gloves. Wash thoroughly all
NAC UNITED CROP SOLUTIONS CORPORATION	PYRIMETHANIL	PIRAMD 400 SC	400 g/L	SC	FUNGICIDE	4	597-340-5457	20-May-24	-	Cavendish Banana	Black Sigatoka	750 mL/ha	-	0 day	Do not allow entry into treated areas until spray deposits have dried. When prior entry is necessary, wear cotton coveralls and PVC gloves. Wash thoroughly all
ELITE AGROCHEMICALS INC.	PYRIBENZODIM+CYHALOPOF-BUTYL	PIANCHOR ULTRA 8.5 EC	25 g/L+40 g/L	EC	HERBICIDE	3	719-453-5940	26-Jul-25	-	Rice (Direct Seeded)	Grasses, sedges & broadleaves	-	-	-	-
ONEGRAIN MARKETING CORPORATION	PIMETROZINE	PIMETRONE 50 WG	500 g/kg	WG	INSECTICIDE	4	723-307-5929	27-Dec-23	-	Mango	Leafhopper	80 g/56L	-	-	Do no enter treated fields for at least 24 hours after application
QNM AGRIVENTURES INC.	PIMETROZINE	PIMET 50 WG	500 g/kg	WG	INSECTICIDE	4	577-807-4361	04-Jun-21	-	Mango	Mango Leafhopper	1 sachet*/200L	-	-	Do not enter the treated fields for at least 24 hours after application
SABERO ORGANICS PHILIPPINES ASIA INC.	PIMETROZINE	PIMECOR 50 WG	500 g/kg	WG	INSECTICIDE	4	466-307-4934	11-Oct-25	-	Mango	leafhopper	1 sachet/200L	-	-	No PHI proposed as the product will be applied at least 30 to 40 days before harvest
SABERO ORGANICS PHILIPPINES ASIA INC.	PIMETROZINE	PIMECOR 50 WG	500 g/kg	WG	INSECTICIDE	4	466-307-4934	12-Oct-25	-	Corn	Leafhopper, planthopper, aphids	7-16 g/ 16L water	-	-	No PHI proposed as the product will be applied at least 30 to 40 days before harvest
UPL PHILIPPINES, INC.	PIMETROZINE	PIILON 50 WG	500 g/kg	WG	INSECTICIDE	4	562-307-5369	24-Mar-24	-	Mango	leafhopper	1 sachet*/200L	-	-	Do not enter treated fields until spray deposit have completely dried
UPL PHILIPPINES, INC.	PIMETROZINE	PIILON 50 WG	500 g/kg	WG	INSECTICIDE	4	562-307-5369	24-Mar-24	-	Corn	Leafhopper, planthopper & aphids	-	-	-	Do not enter treated fields until spray deposit have completely dried
UPL PHILIPPINES, INC.	PIMETROZINE	PIILON 50 WG	500 g/kg	WG	INSECTICIDE	4	562-307-5369	24-Mar-24	-	Rice	leafhopper and green leafhopper	-	-	-	Do not enter treated fields until spray deposit have completely dried
ALDIX INCORPORATED	PYRIBENZODIM+CYHALOPOF-BUTYL	PIANCHOR ULTRA 8.5 EC	25+40g/L	EC	HERBICIDE	3	002-453-3604	23-Feb-26	-	Rice (Direct Seeded)	Grasses, sedges & broadleaves	10 Tbsp/16L water	0.05 ppm	-	Not required due to the early timing of application
ALDIX INCORPORATED	PYRIBENZODIM	PIANCHOR 3 EC	80 g/L	EC	HERBICIDE	4	002-387-2926	23-Feb-26	SYSTEMIC	Rice (Direct Seeded)	Grasses, sedges & broadleaves	50 - 60 ml	0.05 ppm	-	Not required due to the early timing of application
FMC AGRO PHILIPPINES INC.	DIFENOCONAZOLE	PURSUE 25 EC	250 g/L	EC	FUNGICIDE	4	598-272-4170	30-Oct-23	SYSTEMIC	Banana	Black Sigatoka	0.30-0.40 L prod/ha	-	-	-
FMC AGRO PHILIPPINES INC.	DIFENOCONAZOLE	PURSUE 25 EC	250 g/L	EC	FUNGICIDE	4	598-272-4170	30-Oct-23	SYSTEMIC	Mango	Anthraxnose	0.028-0.88 L/ha	-	14 days	-
FMC AGRO PHILIPPINES INC.	DIFENOCONAZOLE	PURSUE 25 EC	250 g/L	EC	FUNGICIDE	4	598-272-4170	30-Oct-23	SYSTEMIC	Rice	Sheath blight	0.25-0.30 L/ha	-	-	-
FMC AGRO PHILIPPINES INC.	DIFENOCONAZOLE	PURSUE 25 EC	250 g/L	EC	FUNGICIDE	4	598-272-4170	30-Oct-23	SYSTEMIC	Stringbeans	Leaf spot	0.20-0.30 L/ha	-	7 days	-
FMC AGRO PHILIPPINES INC.	DIFENOCONAZOLE	PURSUE 25 EC	250 g/L	EC	FUNGICIDE	4	598-272-4170	30-Oct-23	SYSTEMIC	Eggplant	Leaf Spot	0.20-0.30 L/ha	-	7 days	-
FMC AGRO PHILIPPINES INC.	DIFENOCONAZOLE	PURSUE 25 EC	250 g/L	EC	FUNGICIDE	4	598-272-4170	30-Oct-23	SYSTEMIC	Tomato	Alternaria leaf spot, cercospora leafmold, powdery mildew	0.20-0.30 L/ha	-	7 days	-
FMC AGRO PHILIPPINES INC.	DIFENOCONAZOLE	PURSUE 25 EC	250 g/L	EC	FUNGICIDE	4	598-272-4170	30-Oct-23	SYSTEMIC	Cabbage	Ringspot, alternaria	0.20-0.30 L/ha	-	7 days	-
FMC AGRO PHILIPPINES INC.	DIFENOCONAZOLE	PURSUE 25 EC	250 g/L	EC	FUNGICIDE	4	598-272-4170	30-Oct-23	SYSTEMIC	Onion	Purple blotch	0.40-0.50 L/ha	-	7 days	-
FMC AGRO PHILIPPINES INC.	DIFENOCONAZOLE	PURSUE 25 EC	250 g/L	EC	FUNGICIDE	4	598-272-4170	30-Oct-23	SYSTEMIC	Asparagus	Stem and leaf blight	0.36 L/ha	-	-	-
ENVIREAU PACIFIC INC.	PARAFFINIC MINERAL OIL	PURESPRAY GREEN	980mL/L	-	OTHERS/INSECTICIDE	4	503-282-5248	20-Oct-26	-	Banana	Scale insects mealybugs	15-20 mL/L of water	-	-	-
ENVIREAU PACIFIC INC.	PARAFFINIC MINERAL OIL	PURESPRAY GREEN	980mL/L	-	OTHERS/INSECTICIDE	4	503-282-5248	20-Oct-26	-	Pineapple	Scale insects mealybugs	15-20 mL/L of water	-	-	-
ARIES RNE CHEMICAL CORPORATION	CARBOFURAN	PUREDAN 3G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	478-104-3109	18-Jan-25	-	Corn	Borer, earworm, grub, seedling maggot	16.7-33.3 kg prod/ha	-	-	2 days
ARIES RNE CHEMICAL CORPORATION	CARBOFURAN	PUREDAN 3G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	478-104-3109	18-Jan-25	-	Cotton	Nematodes, grubs	16.7-33.3 kg prod/ha	-	-	2 days
ARIES RNE CHEMICAL CORPORATION	CARBOFURAN	PUREDAN 3G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	478-104-3109	18-Jan-25	-	Eggplant	Fruitborer	16.7-33.3 kg prod/ha	-	-	2 days
ARIES RNE CHEMICAL CORPORATION	CARBOFURAN	PUREDAN 3G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	478-104-3109	18-Jan-25	-	Field legumes	Grubs	16.7-33.3 kg prod/ha	-	-	2 days
ARIES RNE CHEMICAL CORPORATION	CARBOFURAN	PUREDAN 3G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	478-104-3109	18-Jan-25	-	Rice	Stem borer, whorl maggot, leafhopper, leafroller, caseworm, planthopper	16.7-33.3 kg prod/ha	0.2ppm	28 Days	2 days
ARIES RNE CHEMICAL CORPORATION	CARBOFURAN	PUREDAN 3G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	478-104-3109	18-Jan-25	-	Soybeans	Beetfly, grubs, nematodes, other soil insects	16.7-33.3 kg prod/ha	-	-	2 days
ARIES RNE CHEMICAL CORPORATION	CARBOFURAN	PUREDAN 3G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	478-104-3109	18-Jan-25	-	Sugarcane	Borer, leafhopper, mealy bug, scale insects	16.7-33.3 kg prod/ha	-	-	2 days
ARIES RNE CHEMICAL CORPORATION	CARBOFURAN	PUREDAN 3G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	478-104-3109	18-Jan-25	-	Tobacco	Nematodes, budworm	16.7-33.3 kg prod/ha	-	-	2 days
ARIES RNE CHEMICAL CORPORATION	CARBOFURAN	PUREDAN 3G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	478-104-3109	18-Jan-25	-	White potato	Nematode, grubs	16.7-33.3 kg prod/ha	-	-	2 days
ARIES RNE CHEMICAL CORPORATION	CARBOFURAN	PUREDAN 3G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	478-104-3109	18-Jan-25	-	Cowpea	Beetfly, grubs, nematode, other soil insect	16.7-33.3 kg prod/ha	-	-	2 days
ARIES RNE CHEMICAL CORPORATION	CARBOFURAN	PUREDAN 3G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	478-104-3109	18-Jan-25	-	Ornamentals	Scale insect, aphids, mealy bug	16.7-33.3 kg prod/ha	-	-	2 days
GEM AGROLOGIC, INC.	DIFENOCONAZOLE	PUNTOS 250 EC	250 g/L	EC	FUNGICIDE	4	238-272-3723	02-Jun-22	SYSTEMIC	Banana	Black Sigatoka	0.30-0.40 L prod/ha	-	-	-
GEM AGROLOGIC, INC.	DIFENOCONAZOLE	PUNTOS 250 EC	250 g/L	EC	FUNGICIDE	4	238-272-3723	02-Jun-22	SYSTEMIC	Mango	Anthraxnose	0.028-0.88 L/ha	-	14 days	-
GEM AGROLOGIC, INC.	DIFENOCONAZOLE	PUNTOS 250 EC	250 g/L	EC	FUNGICIDE	4	238-272-3723	02-Jun-22	SYSTEMIC	Rice	Sheath Blight	0.25-0.30 L/ha	-	-	-
GEM AGROLOGIC, INC.	DIFENOCONAZOLE	PUNTOS 250 EC	250 g/L	EC	FUNGICIDE	4	238-272-3723	02-Jun-22	SYSTEMIC	Stringbeans	Leaf spot	0.20-0.30 L/ha	-	7 days	-
GEM AGROLOGIC, INC.	DIFENOCONAZOLE	PUNTOS 250 EC	250 g/L	EC	FUNGICIDE	4	238-272-3723	02-Jun-22	SYSTEMIC	Eggplant	Leaf Spot	0.20-0.30 L/ha	-	7 days	-
GEM AGROLOGIC, INC.	DIFENOCONAZOLE	PUNTOS 250 EC	250 g/L	EC	FUNGICIDE	4	238-272-3723	02-Jun-22	SYSTEMIC	Tomato	Alternaria leaf spot, cercospora leafmold, powdery mildew	0.20-0.30 L/ha	-	7 days	-
GEM AGROLOGIC, INC.	DIFENOCONAZOLE	PUNTOS 250 EC	250 g/L	EC	FUNGICIDE	4	238-272-3723	02-Jun-22	SYSTEMIC	Cabbage	Ringspot, alternaria	0.20-0.30 L/ha	-	7 days	-
GEM AGROLOGIC, INC.	DIFENOCONAZOLE	PUNTOS 250 EC	250 g/L	EC	FUNGICIDE	4	238-272-3723	02-Jun-22	SYSTEMIC	Onion	Purple blotch	0.40-0.50 L/ha	-	7 days	-
GEM AGROLOGIC, INC.	DIFENOCONAZOLE	PUNTOS 250 EC	250 g/L	EC	FUNGICIDE	4	238-272-3723	02-Jun-22	SYSTEMIC	Asparagus	Stem and leaf blight	0.36 L/ha	-	7 days	-
PRIMSTOCKS CHEMICAL CORPORATION	ACEPHATE	PUNISHER 40 SL	400 g/L	SL	INSECTICIDE	3	623-242-4607	04-Jan-25	-	Tobacco	Budworm, aphids	8-14 Tbsp/16 L water (200L of water/ha)	-	-	Crop sprayed with PUNISHER 40 SL can be harvested two weeks after treatment.
PRIMSTOCKS CHEMICAL CORPORATION	ACEPHATE	PUNISHER 40 SL	400 g/L	SL	INSECTICIDE	3	623-242-4607	04-Jan-25	-	Eggplant	Fruitborer	8-14 Tbsp/16 L water (200L of water/ha)	-	-	Crop sprayed with PUNISHER 40 SL can be harvested two weeks after treatment.
PRIMSTOCKS CHEMICAL CORPORATION	ACEPHATE	PUNISHER 40 SL	400 g/L	SL	INSECTICIDE	3	623-242-4607	04-Jan-25	-	Stringbeans	Aphids	8-14 Tbsp/16 L water (200L of water/ha)	-	-	Crop sprayed with PUNISHER 40 SL can be harvested two weeks after treatment.
PRIMSTOCKS CHEMICAL CORPORATION	ACEPHATE	PUNISHER 40 SL	400 g/L	SL	INSECTICIDE	3	623-242-4607	04-Jan-25	-	Tomato	Fruitworm	8-14 Tbsp/16 L water (200L of water/ha)	-	-	Crop sprayed with PUNISHER 40 SL can be harvested two weeks after treatment.
PRIMSTOCKS CHEMICAL CORPORATION	ACEPHATE	PUNISHER 40 SL	400 g/L	SL	INSECTICIDE	3	623-242-4607	04-Jan-25	-	Banana	Thrips	2.5-3.5 Tbsp/16L water	-	-	Crop sprayed with PUNISHER 40 SL can be harvested two weeks after treatment.

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD	
PRIMSTOCKS CHEMICAL CORPORATION	ACHPHATE	PUNISHER 40 SL	400 g/L	SL	INSECTICIDE	3	623-242-4607	06-Jan-25	-	Watermelon	Aphids, thrips	8-14 Tbsp/16L water (200L of water/ha)	-	-	Crop sprayed with PUNISHER 40 SL can be harvested two weeks after treatment.	Re-entry to treated field is allowed as soon as solution dries up.
PRIMSTOCKS CHEMICAL CORPORATION	ACHPHATE	PUNISHER 40SL	400 g/L	SL	INSECTICIDE	3	623-242-4607	06-Jan-25	-	Rice	Whorl maggot, green leafhopper, brown planthopper, stemborer, leafhopper, rice bug	8-14 Tbsp/16 L water (200L of water/ha)	0.02 ppm	-	Crop sprayed with PUNISHER 40 SL can be harvested two weeks after treatment.	Re-entry to treated field is allowed as soon as solution dries up.
PRIMSTOCKS CHEMICAL CORPORATION	ACHPHATE	PUNISHER 40SL	400 g/L	SL	INSECTICIDE	3	623-242-4607	06-Jan-25	-	Mango	Leafhopper, Tipbeaters	2.5-3.5 Tbsp/16L water	-	-	Crop sprayed with PUNISHER 40 SL can be harvested two weeks after treatment.	Re-entry to treated field is allowed as soon as solution dries up.
ZAGRO CORPORATION	CYPERMETHRIN	PUNIS X 5.5 EC	55 g/L	EC	INSECTICIDE	4	043-037-0581	31-Dec-18	CONTACT	Alfalfa	Aphids	2.0-3.0 Tbsp/16L Water	-	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ZAGRO CORPORATION	CYPERMETHRIN	PUNIS X 5.5 EC	55 g/L	EC	INSECTICIDE	4	043-037-0581	31-Dec-18	CONTACT	Banana	Scarring Beetle, Thrips	1.5-4.0 Tbsp/16L Water	-	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ZAGRO CORPORATION	CYPERMETHRIN	PUNIS X 5.5 EC	55 g/L	EC	INSECTICIDE	4	043-037-0581	31-Dec-18	CONTACT	Corn	Corn Borer, Earworm	3.0-4.0 Tbsp/16L Water	-	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ZAGRO CORPORATION	CYPERMETHRIN	PUNIS X 5.5 EC	55 g/L	EC	INSECTICIDE	4	043-037-0581	31-Dec-18	CONTACT	Cotton	Bollworm, leafhopper	1.5-4.0 Tbsp/16L Water	-	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ZAGRO CORPORATION	CYPERMETHRIN	PUNIS X 5.5 EC	55 g/L	EC	INSECTICIDE	4	043-037-0581	31-Dec-18	CONTACT	Mango	Mango Hopper	1.5-4.0 Tbsp/16L Water	-	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ZAGRO CORPORATION	CYPERMETHRIN	PUNIS X 5.5 EC	55 g/L	EC	INSECTICIDE	4	043-037-0581	31-Dec-18	CONTACT	Rice	Brown Planthopper, Green Leafhopper, Leaf Folder, White Backed Planthopper	1.0-4.0 Tbsp/16L Water	-	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ZAGRO CORPORATION	CYPERMETHRIN	PUNIS X 5.5 EC	55 g/L	EC	INSECTICIDE	4	043-037-0581	31-Dec-18	CONTACT	Onion	Thrips, cutworm	1.5-4.0 Tbsp/16L Water	-	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ZAGRO CORPORATION	CYPERMETHRIN	PUNIS X 5.5 EC	55 g/L	EC	INSECTICIDE	4	043-037-0581	31-Dec-18	CONTACT	Tobacco	Budworm, cutworm, aphids	1.5-4.0 Tbsp/16L Water	-	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
LEB LEGACY AGRIC CORP.	CYPERMETHRIN	PUNCHOUT 5 EC	50 g/L	EC	INSECTICIDE	4	666-037-5646	17-Mar-26	-	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water	-	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
LEB LEGACY AGRIC CORP.	CYPERMETHRIN	PUNCHOUT 5 EC	50 g/L	EC	INSECTICIDE	4	666-037-5646	17-Mar-26	-	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leafhopper, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water	-	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
LEB LEGACY AGRIC CORP.	CYPERMETHRIN	PUNCHOUT 5 EC	50 g/L	EC	INSECTICIDE	4	666-037-5646	17-Mar-26	-	Cabbage	Diamond back moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	-	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
LEB LEGACY AGRIC CORP.	CYPERMETHRIN	PUNCHOUT 5 EC	50 g/L	EC	INSECTICIDE	4	666-037-5646	17-Mar-26	-	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	-	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
LEB LEGACY AGRIC CORP.	CYPERMETHRIN	PUNCHOUT 5 EC	50 g/L	EC	INSECTICIDE	4	666-037-5646	17-Mar-26	-	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	-	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
LEB LEGACY AGRIC CORP.	CYPERMETHRIN	PUNCHOUT 5 EC	50 g/L	EC	INSECTICIDE	4	666-037-5646	17-Mar-26	-	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	-	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
LEB LEGACY AGRIC CORP.	CYPERMETHRIN	PUNCHOUT 5 EC	50 g/L	EC	INSECTICIDE	4	666-037-5646	17-Mar-26	-	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
LEB LEGACY AGRIC CORP.	CYPERMETHRIN	PUNCHOUT 5 EC	50 g/L	EC	INSECTICIDE	4	666-037-5646	17-Mar-26	-	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	-	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
LEB LEGACY AGRIC CORP.	CYPERMETHRIN	PUNCHOUT 5 EC	50 g/L	EC	INSECTICIDE	4	666-037-5646	17-Mar-26	-	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
LEB LEGACY AGRIC CORP.	CYPERMETHRIN	PUNCHOUT 5 EC	50 g/L	EC	INSECTICIDE	4	666-037-5646	17-Mar-26	-	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
LEB LEGACY AGRIC CORP.	CYPERMETHRIN	PUNCHOUT 5 EC	50 g/L	EC	INSECTICIDE	4	666-037-5646	17-Mar-26	-	Corn	Comborer, earworm	1.0-4.5 Tbsp/16 L water	-	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
UPL PHILIPPINES, INC.	LAMBDA-CHYALOTHRIN	PUSAR 2.5 EC	25 g/L	EC	INSECTICIDE	2	562-204-3750	27-Jun-25	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leafhopper, black bug	1.0-1.5Tbsp/16 L of water	0.05ppm	-	3 Days	Re-entry to treated field is allowed as soon as spray deposits dry
UPL PHILIPPINES, INC.	LAMBDA-CHYALOTHRIN	PUSAR 2.5 EC	25 g/L	EC	INSECTICIDE	2	562-204-3750	27-Jun-25	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/16 L of water	-	-	3 Days	Re-entry to treated field is allowed as soon as spray deposits dry
UPL PHILIPPINES, INC.	LAMBDA-CHYALOTHRIN	PUSAR 2.5 EC	25 g/L	EC	INSECTICIDE	2	562-204-3750	27-Jun-25	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/16 L of water	-	-	3 Days	Re-entry to treated field is allowed as soon as spray deposits dry
UPL PHILIPPINES, INC.	LAMBDA-CHYALOTHRIN	PUSAR 2.5 EC	25 g/L	EC	INSECTICIDE	2	562-204-3750	27-Jun-25	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/16 L of water	-	-	3 Days	Re-entry to treated field is allowed as soon as spray deposits dry
UPL PHILIPPINES, INC.	LAMBDA-CHYALOTHRIN	PUSAR 2.5 EC	25 g/L	EC	INSECTICIDE	2	562-204-3750	27-Jun-25	SYSTEMIC	Mungbeans	Beanfly, flea beetle, leafhopper, aphids, mites, podborer	1.0Tbsp/16 L of water	-	-	3 Days	Re-entry to treated field is allowed as soon as spray deposits dry
UPL PHILIPPINES, INC.	LAMBDA-CHYALOTHRIN	PUSAR 2.5 EC	25 g/L	EC	INSECTICIDE	2	562-204-3750	27-Jun-25	SYSTEMIC	Corn	Comborer, aphids, seedling maggots	1.0-1.5Tbsp/16 L of water	-	-	3Days	Re-entry to treated field is allowed as soon as spray deposits dry
UPL PHILIPPINES, INC.	LAMBDA-CHYALOTHRIN	PUSAR 2.5 EC	25 g/L	EC	INSECTICIDE	2	562-204-3750	27-Jun-25	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5Tbsp/16 L of water	-	-	3 Days	Re-entry to treated field is allowed as soon as spray deposits dry
UPL PHILIPPINES, INC.	LAMBDA-CHYALOTHRIN	PUSAR 2.5 EC	25 g/L	EC	INSECTICIDE	2	562-204-3750	27-Jun-25	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/16 L of water	-	-	3 Days	Re-entry to treated field is allowed as soon as spray deposits dry
UPL PHILIPPINES, INC.	LAMBDA-CHYALOTHRIN	PUSAR 2.5 EC	25 g/L	EC	INSECTICIDE	2	562-204-3750	27-Jun-25	SYSTEMIC	Cacao	Podborer	1.0-2.0Tbsp/16 L of water	-	-	3 Days	Re-entry to treated field is allowed as soon as spray deposits dry
UPL PHILIPPINES, INC.	LAMBDA-CHYALOTHRIN	PUSAR 2.5 EC	25 g/L	EC	INSECTICIDE	2	562-204-3750	27-Jun-25	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/16 L of water	-	-	3 Days	Re-entry to treated field is allowed as soon as spray deposits dry
ENVIREAU PACIFIC INC.	PARAFFINIC MINERAL OIL	PS 22E	-	-	OTHERS	4	503-282-5466	12-Oct-24	-	Pineapple	Scale insect, mealybug	15 mL / L water spray	-	-	-	-
ENVIREAU PACIFIC INC.	PARAFFINIC MINERAL OIL	PS 22E	-	-	OTHERS	4	503-282-5466	12-Oct-24	-	Banana	Scale insect, mealybug	15-20 mL / L water spray	-	-	-	-
BIOSTADT PHILIPPINES INC.	PROFENOFOS	PRUDENT 50 EC	500 g/L	EC	INSECTICIDE	2	097-070-2234-A	11-Apr-26	CONTACT	Mango	Thrips	1.0-2.0 Tbsp/16L water	-	-	1 days	Do not enter treated field in 1 day after application
BIOSTADT PHILIPPINES INC.	PROFENOFOS	PRUDENT 50 EC	500 g/L	EC	INSECTICIDE	2	097-070-2234-A	11-Apr-26	CONTACT	Tomato	Fruitworm, armyworm, cutworm	3-5 Tbsp/16L water	-	-	1 days	Do not enter treated field in 1 day after application
BIOSTADT PHILIPPINES INC.	PROFENOFOS	PRUDENT 50 EC	500 g/L	EC	INSECTICIDE	2	097-070-2234-A	11-Apr-26	CONTACT	Eggplant	Fruitborer, aphids, leafhopper, & thrips	1.5-3.0 Tbsp/16L water	-	-	1 days	Do not enter treated field in 1 day after application
BIOSTADT PHILIPPINES INC.	PROFENOFOS	PRUDENT 50 EC	500 g/L	EC	INSECTICIDE	2	097-070-2234-A	11-Apr-26	CONTACT	Cabbage	Diamond back moth, cabbage worm & aphids, thrips	3-5 Tbsp/16L water	-	-	1 days	Do not enter treated field in 1 day after application
BIOSTADT PHILIPPINES INC.	PROFENOFOS	PRUDENT 50 EC	500 g/L	EC	INSECTICIDE	2	097-070-2234-A	11-Apr-26	CONTACT	Watermelon	Thrips	3-5 Tbsp/16L water	-	-	1 days	Do not enter treated field in 1 day after application
BIOSTADT PHILIPPINES INC.	PROFENOFOS	PRUDENT 50 EC	500 g/L	EC	INSECTICIDE	2	097-070-2234-A	11-Apr-26	CONTACT	Potato	Thrips, army worm, cutworm, tuber moth	3-5 Tbsp/16L water	-	-	1 days	Do not enter treated field in 1 day after application
BIOSTADT PHILIPPINES INC.	PROFENOFOS	PRUDENT 50 EC	500 g/L	EC	INSECTICIDE	2	097-070-2234-A	11-Apr-26	CONTACT	Soybeans	Corn earworm, leafminer	3-5 Tbsp/16L water	-	-	1 days	Do not enter treated field in 1 day after application
BIOSTADT PHILIPPINES INC.	PROFENOFOS	PRUDENT 50 EC	500 g/L	EC	INSECTICIDE	2	097-070-2234-A	11-Apr-26	CONTACT	Mungbeans	Corn earworm, leafminer	3-5 Tbsp/16L water	-	-	1 days	Do not enter treated field in 1 day after application
BIOSTADT PHILIPPINES INC.	PROFENOFOS	PRUDENT 50 EC	500 g/L	EC	INSECTICIDE	2	097-070-2234-A	11-Apr-26	CONTACT	Cotton	Thrips, bollworm & budworm	3-5 Tbsp/16L water	-	-	1 days	Do not enter treated field in 1 day after application
BIOSTADT PHILIPPINES INC.	PROFENOFOS	PRUDENT 50 EC	500 g/L	EC	INSECTICIDE	2	097-070-2234-A	11-Apr-26	CONTACT	Sitao	Beanfly, leafhopper & aphids	1.5-3.0 Tbsp/16L water	-	-	1 days	Do not enter treated field in 1 day after application
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	PROFICONAZOLE	PROZOL 250 EC	250 g/L	EC	FUNGICIDE	3	667-178-5211	01-Oct-26	SYSTEMIC	Banana	Black Sigatoka	-	-	-	-	-
THAPHIL ADVANCE AGRITECH CORP.	GLUFOSINATE AMMONIUM	PROXYMA 150 SL	150 g/L	SL	HERBICIDE	4	657-182-4938	02-Nov-21	NON-SELECTIVE/POST-EMERGENT	Cavendish banana	Annual & Perennial grasses, sedges & broadleaf weeds	360 mL/16 L water, 135-200 mL/16 L water	0.2 mg/kg	-	-	After spray deposits have dried
THAPHIL ADVANCE AGRITECH CORP.	GLUFOSINATE AMMONIUM	PROXYMA 150 SL	150 g/L	SL	HERBICIDE	4	657-182-4938	02-Nov-21	NON-SELECTIVE/POST-EMERGENT	Rubber	Annual & Perennial grasses, sedges & broadleaf weeds	215 mL/16 L water, 270 mL/16 L water, 135 mL/16 L water	-	-	-	After spray deposits have dried
THAPHIL ADVANCE AGRITECH CORP.	GLUFOSINATE AMMONIUM	PROXYMA 150 SL	150 g/L	SL	HERBICIDE	4	657-182-4938	02-Nov-21	NON-SELECTIVE/POST-EMERGENT	Oil Palm	Annual & Perennial grasses, sedges & broadleaf weeds	360 mL/16 L water, 135 mL/16 L water	-	-	-	After spray deposits have dried
THAPHIL ADVANCE AGRITECH CORP.	GLUFOSINATE AMMONIUM	PROXYMA 150 SL	150 g/L	SL	HERBICIDE	4	657-182-4938	02-Nov-21	NON-SELECTIVE/POST-EMERGENT	Citrus	Annual & Perennial grasses, sedges & broadleaf weeds	360 mL/16 L water, 135 mL/16 L water	-	-	-	After spray deposits have dried
THAPHIL ADVANCE AGRITECH CORP.	GLUFOSINATE AMMONIUM	PROXYMA 150 SL	150 g/L	SL	HERBICIDE	4	657-182-4938	02-Nov-21	NON-SELECTIVE/POST-EMERGENT	Coffee	Annual & Perennial grasses, sedges & broadleaf weeds	360 mL/16 L water, 135 mL/16 L water	-	-	-	After spray deposits have dried
THAPHIL ADVANCE AGRITECH CORP.	GLUFOSINATE AMMONIUM	PROXYMA 150 SL	150 g/L	SL	HERBICIDE	4	657-182-4938	02-Nov-21	NON-SELECTIVE/POST-EMERGENT	Cacao	Annual & Perennial grasses, sedges & broadleaf weeds	360 mL/16 L water, 135 mL/16 L water	-	-	-	After spray deposits have dried
THAPHIL ADVANCE AGRITECH CORP.	GLUFOSINATE AMMONIUM	PROXYMA 150 SL	150 g/L	SL	HERBICIDE	4	657-182-4938	02-Nov-21	NON-SELECTIVE/POST-EMERGENT	Non-Crop	Annual & Perennial grasses, sedges & broadleaf weeds	360-215 mL/16 L water	-	-	-	After spray deposits have dried
INDOFIL PHILIPPINES INC.	PROFICONAZOLE	PROVISO 250 EC	250 g/L	EC	FUNGICIDE	3	604-178-4856	29-Jul-25	SYSTEMIC	Banana	Sigatoka and black leaf streak	400mL/ha	-	-	0 days	Do not enter treated field until spray has completely dried.
INDOFIL PHILIPPINES INC.	PROFICONAZOLE	PROVISO 250 EC	250 g/L	EC	FUNGICIDE	3	604-178-4856	29-Jul-25	SYSTEMIC	Pineapple	Butt rot	8 ml / 200L	-	-	-	No PHI as the product is applied on seed piece dip before planning
ABG TRADING CORPORATION	PYRACLOSTROBIN	PROVIDENCE 25 EC	250 g/L	EC	FUNGICIDE	2	673-396-5424	29-Oct-23	-	Corn	Leaf spot	0.4L/ha	-	-	4 days	As soon as spray deposits have dried or at 24 hours after spraying.
ABG TRADING CORPORATION	PYRACLOSTROBIN	PROVIDENCE 25 EC	250 g/L	EC	FUNGICIDE	2	673-396-5424	29-Oct-23	-	Banana	Sigatoka freckles	0.4L/ha	-	-	4 days	As soon as spray deposits have dried or at 24 hours after spraying.

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
VANN HAWK AGRIC CHEMICALS, INC.	CHLORFENAPYR	PROVETSU 100 SC	100 g/L	SC	INSECTICIDE	3	295-283-5215	02-Sep-25	-	Cabbage	Diamond back moth, aphids and cabbage moth	1.5-3.0 Tbsp/16L water	-	Do not spray within 14 days before harvest	Do not enter treated fields within two days after spraying
VANN HAWK AGRIC CHEMICALS, INC.	CHLORFENAPYR	PROVETSU 100 SC	100 g/L	SC	INSECTICIDE	3	295-283-5215	02-Sep-25	-	Potato	Thrips	0.5-1.5 Tbsp/16L water	-	Do not spray within 14 days before harvest	Do not enter treated fields within two days after spraying
VANN HAWK AGRIC CHEMICALS, INC.	CHLORFENAPYR	PROVETSU 100 SC	100 g/L	SC	INSECTICIDE	3	295-283-5215	02-Sep-25	-	Banana	Flower thrips	2-3 mL / L water	-	Do not spray within 14 days before harvest	Do not enter treated fields within two days after spraying
INTEGRATED CROP TRADING CORPORATION	PROFENOFOS	PROVEN 50 EC	500 g/L	EC	INSECTICIDE	2	274-070-1838	16-Feb-25	CONTACT	Mango	Blossom thrips	1.0-2.0 Tbsp/16L water	-	14 days	Do not treated field 1 day after application
INTEGRATED CROP TRADING CORPORATION	PROFENOFOS	PROVEN 50 EC	500 g/L	EC	INSECTICIDE	2	274-070-1838	16-Feb-25	CONTACT	Tomato	Fruitworm, armyworm, cutworm	3-5 Tbsp/16L water	-	14 days	Do not treated field 1 day after application
INTEGRATED CROP TRADING CORPORATION	PROFENOFOS	PROVEN 50 EC	500 g/L	EC	INSECTICIDE	2	274-070-1838	16-Feb-25	CONTACT	Eggplant	Fruitborer, aphids, leafhopper, & thrips	1.5-3.0 Tbsp/16L water	-	14 days	Do not treated field 1 day after application
INTEGRATED CROP TRADING CORPORATION	PROFENOFOS	PROVEN 50 EC	500 g/L	EC	INSECTICIDE	2	274-070-1838	16-Feb-25	CONTACT	Cabbage	Diamond back moth, cabbage worm, loopers	3-5 Tbsp/16L water	-	14 days	Do not treated field 1 day after application
INTEGRATED CROP TRADING CORPORATION	PROFENOFOS	PROVEN 50 EC	500 g/L	EC	INSECTICIDE	2	274-070-1838	16-Feb-25	CONTACT	Watermelon	Thrips	3-5 Tbsp/16L water	-	14 days	Do not treated field 1 day after application
INTEGRATED CROP TRADING CORPORATION	PROFENOFOS	PROVEN 50 EC	500 g/L	EC	INSECTICIDE	2	274-070-1838	16-Feb-25	CONTACT	Potato	Thrips, army worm, cutworm, tuber moth	3-5 Tbsp/16L water	-	14 days	Do not treated field 1 day after application
INTEGRATED CROP TRADING CORPORATION	PROFENOFOS	PROVEN 50 EC	500 g/L	EC	INSECTICIDE	2	274-070-1838	16-Feb-25	CONTACT	Soybeans	Corn earworm, leafminer	3-5 Tbsp/16L water	-	14 days	Do not treated field 1 day after application
INTEGRATED CROP TRADING CORPORATION	PROFENOFOS	PROVEN 50 EC	500 g/L	EC	INSECTICIDE	2	274-070-1838	16-Feb-25	CONTACT	Mungbeans	Corn earworm, leafminer	3-5 Tbsp/16L water	-	14 days	Do not treated field 1 day after application
INTEGRATED CROP TRADING CORPORATION	PROFENOFOS	PROVEN 50 EC	500 g/L	EC	INSECTICIDE	2	274-070-1838	16-Feb-25	CONTACT	Cotton	Thrips, bollworm & budworm	3-5 Tbsp/16L water	-	14 days	Do not treated field 1 day after application
INTEGRATED CROP TRADING CORPORATION	PROFENOFOS	PROVEN 50 EC	500 g/L	EC	INSECTICIDE	2	274-070-1838	16-Feb-25	CONTACT	Sitao	Beetfly, leaf folder, aphids & podborer	1.5-3.0 Tbsp/16L water	-	14 days	Do not treated field 1 day after application
GREENHUMB VENTURES CORP.	PROFENOFOS	PROTOP 500 EC	500 g/L	EC	INSECTICIDE	2	584-070-5748	08-Jul-24	-	Tomato	Fruitworm, armyworm, cutworm	3-5 Tbsp/16L water	-	14 days	Do not enter treated field 1 day after application
GREENHUMB VENTURES CORP.	PROFENOFOS	PROTOP 500 EC	500 g/L	EC	INSECTICIDE	2	584-070-5748	08-Jul-24	-	Eggplant	Fruitborer, aphids, leafhopper, & thrips	1.5-3.0 Tbsp/16L water	-	14 days	Do not enter treated field 1 day after application
GREENHUMB VENTURES CORP.	PROFENOFOS	PROTOP 500 EC	500 g/L	EC	INSECTICIDE	2	584-070-5748	08-Jul-24	-	Cabbage	Diamond back moth, cabbage worm & aphids	3-5 Tbsp/16L water	-	14 days	Do not enter treated field 1 day after application
GREENHUMB VENTURES CORP.	PROFENOFOS	PROTOP 500 EC	500 g/L	EC	INSECTICIDE	2	584-070-5748	08-Jul-24	-	Watermelon	Thrips	3-5 Tbsp/16L water	-	14 days	Do not enter treated field 1 day after application
GREENHUMB VENTURES CORP.	PROFENOFOS	PROTOP 500 EC	500 g/L	EC	INSECTICIDE	2	584-070-5748	08-Jul-24	-	Potato	Thrips, army worm, cutworm, tuber moth	3-5 Tbsp/16L water	-	14 days	Do not enter treated field 1 day after application
GREENHUMB VENTURES CORP.	PROFENOFOS	PROTOP 500 EC	500 g/L	EC	INSECTICIDE	2	584-070-5748	08-Jul-24	-	Soybeans	Corn earworm, leafminer	3-5 Tbsp/16L water	-	14 days	Do not enter treated field 1 day after application
GREENHUMB VENTURES CORP.	PROFENOFOS	PROTOP 500 EC	500 g/L	EC	INSECTICIDE	2	584-070-5748	08-Jul-24	-	Mungbeans	Corn earworm, leafminer	3-5 Tbsp/16L water	-	14 days	Do not enter treated field 1 day after application
GREENHUMB VENTURES CORP.	PROFENOFOS	PROTOP 500 EC	500 g/L	EC	INSECTICIDE	2	584-070-5748	08-Jul-24	-	Cotton	Thrips, bollworm & budworm	3-5 Tbsp/16L water	-	14 days	Do not enter treated field 1 day after application
GREENHUMB VENTURES CORP.	PROFENOFOS	PROTOP 500 EC	500 g/L	EC	INSECTICIDE	2	584-070-5748	08-Jul-24	-	Sitao	Beetfly, leaf folder & aphids	1.5-3.0 Tbsp/16L water	-	14 days	Do not enter treated field 1 day after application
AGWAY CHEMICALS CORPORATION	PROFENEB	PROTOCOL WP 70	700 g/kg	WP	FUNGICIDE	4	075-001-2420 (096)	04-Jul-26	-	Lettuce	Early blight, neck rot	50-65 g/ 16L water	-	7 days	Immediately after spray deposits have dried
AGWAY CHEMICALS CORPORATION	PROFENEB	PROTOCOL WP 70	700 g/kg	WP	FUNGICIDE	4	075-001-2420 (096)	04-Jul-26	-	Onion	Downy mildew, anthracnose, purple blotch	50-65 g/ 16L water	-	7 days	Immediately after spray deposits have dried
AGWAY CHEMICALS CORPORATION	PROFENEB	PROTOCOL WP 70	700 g/kg	WP	FUNGICIDE	4	075-001-2420 (096)	04-Jul-26	-	Cucurbits	Downy mildew, late blight	50-65 g/ 16L water	-	7 days	Immediately after spray deposits have dried
AGWAY CHEMICALS CORPORATION	PROFENEB	PROTOCOL WP 70	700 g/kg	WP	FUNGICIDE	4	075-001-2420 (096)	04-Jul-26	-	Celery	Early and late blight	50-65 g/ 16L water	-	7 days	Immediately after spray deposits have dried
AGWAY CHEMICALS CORPORATION	PROFENEB	PROTOCOL WP 70	700 g/kg	WP	FUNGICIDE	4	075-001-2420 (096)	04-Jul-26	-	Beans	Rust	50-65 g/ 16L water	-	7 days	Immediately after spray deposits have dried
AGWAY CHEMICALS CORPORATION	PROFENEB	PROTOCOL WP 70	700 g/kg	WP	FUNGICIDE	4	075-001-2420 (096)	04-Jul-26	-	Potato	Early and late blight	50-65 g/ 16L water	-	7 days	Immediately after spray deposits have dried
AGWAY CHEMICALS CORPORATION	PROFENEB	PROTOCOL WP 70	700 g/kg	WP	FUNGICIDE	4	075-001-2420 (096)	04-Jul-26	-	Tomato	Early and late blight	50-65 g/ 16L water	-	3 days	Immediately after spray deposits have dried
AGWAY CHEMICALS CORPORATION	PROFENEB	PROTOCOL WP 70	700 g/kg	WP	FUNGICIDE	4	075-001-2420 (096)	04-Jul-26	-	Tobacco	Brown leaf spot	50-65 g/ 16L water	-	7 days	Immediately after spray deposits have dried
AGWAY CHEMICALS CORPORATION	PROFENEB	PROTOCOL WP 70	700 g/kg	WP	FUNGICIDE	4	075-001-2420 (096)	04-Jul-26	-	Coffee	Brown eye spot	65 g/ 16L water	-	7 days	Immediately after spray deposits have dried
AGWAY CHEMICALS CORPORATION	PROFENEB	PROTOCOL WP 70	700 g/kg	WP	FUNGICIDE	4	075-001-2420 (096)	04-Jul-26	-	Citrus	Black spot	50-65 g/ 16L water	-	7 days	Immediately after spray deposits have dried
AGWAY CHEMICALS CORPORATION	PROFENEB	PROTOCOL WP 70	700 g/kg	WP	FUNGICIDE	4	075-001-2420 (096)	04-Jul-26	-	Melon	Downy mildew	50-65 g/ 16L water	-	7 days	Immediately after spray deposits have dried
AGWAY CHEMICALS CORPORATION	PROFENEB	PROTOCOL WP 70	700 g/kg	WP	FUNGICIDE	4	075-001-2420 (096)	04-Jul-26	-	Watermelon	Downy mildew	50-65 g/ 16L water	-	7 days	Immediately after spray deposits have dried
AGWAY CHEMICALS CORPORATION	PROFENEB	PROTOCOL WP 70	700 g/kg	WP	FUNGICIDE	4	075-001-2420 (096)	04-Jul-26	-	Ornamentals	Black spot, rust	35-50 g/16L water	-	7 days	Immediately after spray deposits have dried
AGWAY CHEMICALS CORPORATION	PROFENEB	PROTOCOL WP 70	700 g/kg	WP	FUNGICIDE	4	075-001-2420 (096)	04-Jul-26	-	Mango	Anthracoze	50-65 g/ 16L water	-	7 days	Immediately after spray deposits have dried
AGWAY CHEMICALS CORPORATION	PROFENEB	PROTOCOL WP 70	700 g/kg	WP	FUNGICIDE	4	075-001-2420 (096)	04-Jul-26	-	Rice	Dirty panicle, brown leaf spot	50-65 g/ 16L water (100-1200 prod / ha)	0.05 ppm	18 days	Immediately after spray deposits have dried
AGWAY CHEMICALS CORPORATION	PROFENEB	PROTOCOL WP 70	700 g/kg	WP	FUNGICIDE	4	075-001-2420 (096)	04-Jul-26	-	Banana	Sigatoka, freckle disease	2.5 kg/ha	-	0 day	Immediately after spray deposits have dried
SAVWELL AGR- MARKETING CO.	PROFENOFOS	PROTEXWELL 50 EC	500 g/L	EC	INSECTICIDE	2	425-070-3035	26-Jun-18	CONTACT	Mango	Thrips	1.0-2.0 Tbsp/16L water	-		
SAVWELL AGR- MARKETING CO.	PROFENOFOS	PROTEXWELL 50 EC	500 g/L	EC	INSECTICIDE	2	425-070-3035	26-Jun-18	CONTACT	Tomato	Fruitworm, armyworm, cutworm	3-5 Tbsp/16L water	-		
SAVWELL AGR- MARKETING CO.	PROFENOFOS	PROTEXWELL 50 EC	500 g/L	EC	INSECTICIDE	2	425-070-3035	26-Jun-18	CONTACT	Eggplant	Fruitborer, aphids, leafhopper, & thrips	1.5-3.0 Tbsp/16L water	-		
SAVWELL AGR- MARKETING CO.	PROFENOFOS	PROTEXWELL 50 EC	500 g/L	EC	INSECTICIDE	2	425-070-3035	26-Jun-18	CONTACT	Cabbage	Diamond back moth, cabbage worm & aphids, thrips	3-5 Tbsp/16L water	-		
SAVWELL AGR- MARKETING CO.	PROFENOFOS	PROTEXWELL 50 EC	500 g/L	EC	INSECTICIDE	2	425-070-3035	26-Jun-18	CONTACT	Watermelon	Thrips	3-5 Tbsp/16L water	-		
SAVWELL AGR- MARKETING CO.	PROFENOFOS	PROTEXWELL 50 EC	500 g/L	EC	INSECTICIDE	2	425-070-3035	26-Jun-18	CONTACT	Potato	Thrips, army worm, cutworm, tuber moth	3-5 Tbsp/16L water	-		
SAVWELL AGR- MARKETING CO.	PROFENOFOS	PROTEXWELL 50 EC	500 g/L	EC	INSECTICIDE	2	425-070-3035	26-Jun-18	CONTACT	Soybeans	Corn earworm, leafminer	3-5 Tbsp/16L water	-		
SAVWELL AGR- MARKETING CO.	PROFENOFOS	PROTEXWELL 50 EC	500 g/L	EC	INSECTICIDE	2	425-070-3035	26-Jun-18	CONTACT	Mungbeans	Corn earworm, leafminer	3-5 Tbsp/16L water	-		
SAVWELL AGR- MARKETING CO.	PROFENOFOS	PROTEXWELL 50 EC	500 g/L	EC	INSECTICIDE	2	425-070-3035	26-Jun-18	CONTACT	Cotton	Thrips, bollworm & budworm	3-5 Tbsp/16L water	-		
SAVWELL AGR- MARKETING CO.	PROFENOFOS	PROTEXWELL 50 EC	500 g/L	EC	INSECTICIDE	2	425-070-3035	26-Jun-18	CONTACT	Sitao	Beetfly, leaf folder & aphids	1.5-3.0 Tbsp/16L water	-		
INDOFIL PHILIPPINES INC.	CHLOROTHALONIL	PROTEGER 720 SC	720 g/L	SC	FUNGICIDE	4	604-118-6270	18-Sep-26	-	Asparagus	Stem and late blight	1.8 L/ ha	-	7-14 days	Do not enter treated areas until spray deposits have dried up
INDOFIL PHILIPPINES INC.	CHLOROTHALONIL	PROTEGER 720 SC	720 g/L	SC	FUNGICIDE	4	604-118-6270	18-Sep-26	-	Banana	Black sigatoka	1.0-2.0 L/ ha	-	0 day	Do not enter treated areas until spray deposits have dried up
INDOFIL PHILIPPINES INC.	CHLOROTHALONIL	PROTEGER 720 SC	720 g/L	SC	FUNGICIDE	4	604-118-6270	18-Sep-26	-	Beans	Anthracoze and rust	4.5-6.0 Tbsp/ 16L water	-	7-14 days	Do not enter treated areas until spray deposits have dried up
INDOFIL PHILIPPINES INC.	CHLOROTHALONIL	PROTEGER 720 SC	720 g/L	SC	FUNGICIDE	4	604-118-6270	18-Sep-26	-	Carrot	Alternaria leaf spot, cercospora leaf spot, and helminthosporium leaf spot	4.5-6.0 Tbsp/ 16L water	-	7-14 days	Do not enter treated areas until spray deposits have dried up
INDOFIL PHILIPPINES INC.	CHLOROTHALONIL	PROTEGER 720 SC	720 g/L	SC	FUNGICIDE	4	604-118-6270	18-Sep-26	-	Celery	Late blight	4.5-6.0 Tbsp/ 16L water	-	7-14 days	Do not enter treated areas until spray deposits have dried up
INDOFIL PHILIPPINES INC.	CHLOROTHALONIL	PROTEGER 720 SC	720 g/L	SC	FUNGICIDE	4	604-118-6270	18-Sep-26	-	Cruifers	Powdery mildew	4.5-6.0 Tbsp/ 16L water	-	7-14 days	Do not enter treated areas until spray deposits have dried up
INDOFIL PHILIPPINES INC.	CHLOROTHALONIL	PROTEGER 720 SC	720 g/L	SC	FUNGICIDE	4	604-118-6270	18-Sep-26	-	Broccoli	Powdery mildew	4.5-6.0 Tbsp/ 16L water	-	7-14 days	Do not enter treated areas until spray deposits have dried up
INDOFIL PHILIPPINES INC.	CHLOROTHALONIL	PROTEGER 720 SC	720 g/L	SC	FUNGICIDE	4	604-118-6270	18-Sep-26	-	Cabbage	Powdery mildew	4.5-6.0 Tbsp/ 16L water	-	7-14 days	Do not enter treated areas until spray deposits have dried up

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD		
INDOFIL PHILIPPINES INC.	CHLOROTHALONIL	PROTEGER 720 SC	720 g/L	SC	FUNGICIDE	4	604-118-6270	18-Sep-26	-	Cauliflower	Powdery mildew	4.5-6.0tbsp/ 16L water	-	7-14 days	Do not enter treated areas until spray deposits have dried up		
INDOFIL PHILIPPINES INC.	CHLOROTHALONIL	PROTEGER 720 SC	720 g/L	SC	FUNGICIDE	4	604-118-6270	18-Sep-26	-	Cucurbits	Anthracoese, early and late blight, cercospora leaf spot, downy mildew, fruit rot, powdery mildew, and septoria leaf spot	4.5-6.0tbsp/ 16L water	-	7-14 days	Do not enter treated areas until spray deposits have dried up		
INDOFIL PHILIPPINES INC.	CHLOROTHALONIL	PROTEGER 720 SC	720 g/L	SC	FUNGICIDE	4	604-118-6270	18-Sep-26	-	Cucumber	Anthracoese, early and late blight, cercospora leaf spot, downy mildew, fruit rot, powdery mildew, and septoria leaf spot	4.5-6.0tbsp/ 16L water	-	7-14 days	Do not enter treated areas until spray deposits have dried up		
INDOFIL PHILIPPINES INC.	CHLOROTHALONIL	PROTEGER 720 SC	720 g/L	SC	FUNGICIDE	4	604-118-6270	18-Sep-26	-	Melon	Anthracoese, early and late blight, cercospora leaf spot, downy mildew, fruit rot, powdery mildew, and septoria leaf spot	4.5-6.0tbsp/ 16L water	-	7-14 days	Do not enter treated areas until spray deposits have dried up		
INDOFIL PHILIPPINES INC.	CHLOROTHALONIL	PROTEGER 720 SC	720 g/L	SC	FUNGICIDE	4	604-118-6270	18-Sep-26	-	Squash	Anthracoese, early and late blight, cercospora leaf spot, downy mildew, fruit rot, powdery mildew, and septoria leaf spot	4.5-6.0tbsp/ 16L water	-	7-14 days	Do not enter treated areas until spray deposits have dried up		
INDOFIL PHILIPPINES INC.	CHLOROTHALONIL	PROTEGER 720 SC	720 g/L	SC	FUNGICIDE	4	604-118-6270	18-Sep-26	-	Watermelon	Anthracoese, early and late blight, cercospora leaf spot, downy mildew, fruit rot, powdery mildew, and septoria leaf spot	4.5-6.0tbsp/ 16L water	-	7-14 days	Do not enter treated areas until spray deposits have dried up		
INDOFIL PHILIPPINES INC.	CHLOROTHALONIL	PROTEGER 720 SC	720 g/L	SC	FUNGICIDE	4	604-118-6270	18-Sep-26	-	Eggplant	Anthracoese, early and late blight, and cercospora leaf spot	4.5-6.0tbsp/ 16L water	-	7-14 days	Do not enter treated areas until spray deposits have dried up		
INDOFIL PHILIPPINES INC.	CHLOROTHALONIL	PROTEGER 720 SC	720 g/L	SC	FUNGICIDE	4	604-118-6270	18-Sep-26	-	Grapes	Downy mildew, powdery mildew, fruit rot	4.5-6.0tbsp/ 16L water	-	7-14 days	Do not enter treated areas until spray deposits have dried up		
INDOFIL PHILIPPINES INC.	CHLOROTHALONIL	PROTEGER 720 SC	720 g/L	SC	FUNGICIDE	4	604-118-6270	18-Sep-26	-	Mango	Anthracoese and diplodia rot	4.5-6.0tbsp/ 16L water	-	7-14 days	Do not enter treated areas until spray deposits have dried up		
INDOFIL PHILIPPINES INC.	CHLOROTHALONIL	PROTEGER 720 SC	720 g/L	SC	FUNGICIDE	4	604-118-6270	18-Sep-26	-	Onion	Bulb rot, neck rot, and purple blotch	4.5-6.0tbsp/ 16L water	-	7-14 days	Do not enter treated areas until spray deposits have dried up		
INDOFIL PHILIPPINES INC.	CHLOROTHALONIL	PROTEGER 720 SC	720 g/L	SC	FUNGICIDE	4	604-118-6270	18-Sep-26	-	Ornamentals	Black rot, black spot, and powdery mildew	4.5-6.0tbsp/ 16L water	-	7-14 days	Do not enter treated areas until spray deposits have dried up		
INDOFIL PHILIPPINES INC.	CHLOROTHALONIL	PROTEGER 720 SC	720 g/L	SC	FUNGICIDE	4	604-118-6270	18-Sep-26	-	Pepper	Early and late blight, bulb rot, and neck rot	4.5-6.0tbsp/ 16L water	-	7-14 days	Do not enter treated areas until spray deposits have dried up		
INDOFIL PHILIPPINES INC.	CHLOROTHALONIL	PROTEGER 720 SC	720 g/L	SC	FUNGICIDE	4	604-118-6270	18-Sep-26	-	Potato	Early and late blight, and vine rot	4.5-6.0tbsp/ 16L water	-	7-14 days	Do not enter treated areas until spray deposits have dried up		
INDOFIL PHILIPPINES INC.	CHLOROTHALONIL	PROTEGER 720 SC	720 g/L	SC	FUNGICIDE	4	604-118-6270	18-Sep-26	-	Tomato	Early and late blight, and vine rot	4.5-6.0tbsp/ 16L water	-	7-14 days	Do not enter treated areas until spray deposits have dried up		
ZAGRO CORPORATION	TRIDEMORPH	PROTECTAR 86 OL	860 g/L	OL	FUNGICIDE	2	043-097-4014	07-Apr-23	SYSTEMIC/CONTACT	Banana	Black sigatoka	0.5 L/ha Tridemorph + 5.0 L/ha Oil	-	-	Until the spray deposit has dried.		
C.B. ANDREW ASIA, INC.	POLY(VINYLENE SULFONATE)-POLY(VINYLENE ALKYL ETHER)	PROTEC AJ-3000	290-480 mL/L	SC	OTHERS	4	460-348-2757	28-Dec-25	-	-	As surfactant on GUARANTEED 50N SC (w/ Bispyribac Sodium)	-	-	-	-		
POLARA CHEMICAL CORPORATION	METHYLATED SEED OIL	PROSTICK	99.9g/L	-	OTHERS	4	604-447-5191	03-Sep-26	-	-	As an adjuvant in combination with Mancozeb	Black Sigatoka and Freckle Diseases	1.0-2.0 L/ ha	-	-		
AGWAY CHEMICALS CORPORATION	OXADIAZON	PROSTAR 25 EC	250 g/L	EC	HERBICIDE	4	075-124-5071	22-Apr-26	SELECTIVE (PRE-EMERGENCE)	Onion (Transplanted) and other cuttings	Grasses, Sedges & Broadleaves	80-100 gm/16L water	-	-	Re-entry could be done after spray droplets have dried up. It recommended to avoid disturbing the soil. By stepping on sprayed soil surface, to maintain the		
AGWAY CHEMICALS CORPORATION	OXADIAZON	PROSTAR 25 EC	250 g/L	EC	HERBICIDE	4	075-124-5071	22-Apr-26	SELECTIVE (PRE-EMERGENCE)	Rice (Transplanted)	Grasses, Sedges & Broadleaves	50-60 gm/16L water	-	-	Re-entry could be done after spray droplets have dried up. It recommended to avoid disturbing the soil. By stepping on sprayed soil surface, to maintain the		
AGWAY CHEMICALS CORPORATION	OXADIAZON	PROSTAR 25 EC	250 g/L	EC	HERBICIDE	4	075-124-5071	22-Apr-26	SELECTIVE (PRE-EMERGENCE)	Rice (Dry-Seeded)	Grasses, Sedges & Broadleaves	80-100 gm/16L water	-	-	Re-entry could be done after spray droplets have dried up. It recommended to avoid disturbing the soil. By stepping on sprayed soil surface, to maintain the		
AGWAY CHEMICALS CORPORATION	OXADIAZON	PROSTAR 25 EC	250 g/L	EC	HERBICIDE	4	075-124-5071	22-Apr-26	SELECTIVE (PRE-EMERGENCE)	Rice (Direct Seeded Pre-seminated)	Grasses, Sedges & Broadleaves	40-50 gm/16L water	-	-	Re-entry could be done after spray droplets have dried up. It recommended to avoid disturbing the soil. By stepping on sprayed soil surface, to maintain the		
BIOLIFE SCIENCES SOLUTIONS COMPANY	OXITETRACYCLINE HCl	PROFLEX POWDER	991.0 g/kg	WP	OTHERS	4	581-470-4288	04-Mar-25	-	-	Cavendish banana	Fruit rot	0.3-1 g product/liter	-	-	-	
BIOLIFE SCIENCES SOLUTIONS COMPANY	OXITETRACYCLINE HCl	PROFLEX POWDER	991.0 g/kg	WP	OTHERS	4	581-470-4288	04-Mar-25	-	-	Pineapple	Bacterial heart rot	-	-	-	-	
ZAGRO CORPORATION	PROPAMOCARB HCL	PROPLANT	722 g/L	SC	FUNGICIDE	4	043-119-0610	06-Apr-25	SYSTEMIC	Cabbage	Late blight	2-4 mL/kg seed	-	-	-		
ZAGRO CORPORATION	PROPAMOCARB HCL	PROPLANT	722 g/L	SC	FUNGICIDE	4	043-119-0610	06-Apr-25	SYSTEMIC	Lettuce	Late blight	2-4 mL/kg seed	-	-	-		
ZAGRO CORPORATION	PROPAMOCARB HCL	PROPLANT	722 g/L	SC	FUNGICIDE	4	043-119-0610	06-Apr-25	SYSTEMIC	Tobacco	Late blight	10 mL/kg seed	-	-	-		
ZAGRO CORPORATION	PROPAMOCARB HCL	PROPLANT	722 g/L	SC	FUNGICIDE	4	043-119-0610	06-Apr-25	SYSTEMIC	Tomato	Late blight	10 mL/kg seed	-	-	-		
EZERTECH CORPORATION	PROPRIONAZOLE	PROPRIZOL 250 EC	250 g/L	EC	FUNGICIDE	3	648-178-9594	03-Feb-26	SYSTEMIC	Banana	Black sigatoka	400 mL/ha	-	-	Do not enter treated fields until spray has completely dried.		
EZERTECH CORPORATION	PROPRIONAZOLE	PROPRIZOL 250 EC	250 g/L	EC	FUNGICIDE	3	648-178-9594	03-Feb-26	SYSTEMIC	Pineapple	Butt rot and Fusarium sp.	8 mL/100 L	-	-	Do not enter treated fields until spray has completely dried.		
ZAGRO CORPORATION	PROPRIONAZOLE	PROPEAC 25 EC	250 g/L	EC	FUNGICIDE	4	043-178-3309	16-Aug-25	SYSTEMIC	Banana	Black sigatoka	25-32 mL/16L	-	-	-		
TEXICON AGR VENTURES CORPORATION	PROPIBEN	PROFITEX 70 WP	700 g/kg	WP	FUNGICIDE	4	242-001-3448	08-Jul-24	-	-	Lettuce	Early blight, neck rot	50-65 g/16L water	-	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying	
TEXICON AGR VENTURES CORPORATION	PROPIBEN	PROFITEX 70 WP	700 g/kg	WP	FUNGICIDE	4	242-001-3448	08-Jul-24	-	-	Onion	Downy mildew, anthracnose, purple blotch	50-65 g/16L water	-	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying	
TEXICON AGR VENTURES CORPORATION	PROPIBEN	PROFITEX 70 WP	700 g/kg	WP	FUNGICIDE	4	242-001-3448	08-Jul-24	-	-	Cucurbits	Downy mildew, late blight	50-65 g/16L water	-	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying	
TEXICON AGR VENTURES CORPORATION	PROPIBEN	PROFITEX 70 WP	700 g/kg	WP	FUNGICIDE	4	242-001-3448	08-Jul-24	-	-	Celery	Early and late blight	50-65 g/16L water	-	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying	
TEXICON AGR VENTURES CORPORATION	PROPIBEN	PROFITEX 70 WP	700 g/kg	WP	FUNGICIDE	4	242-001-3448	08-Jul-24	-	-	Beans	Rust	50-65 g/16L water	-	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying	
TEXICON AGR VENTURES CORPORATION	PROPIBEN	PROFITEX 70 WP	700 g/kg	WP	FUNGICIDE	4	242-001-3448	08-Jul-24	-	-	Potato	Early and late blight	50-65 g/16L water	-	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying	
TEXICON AGR VENTURES CORPORATION	PROPIBEN	PROFITEX 70 WP	700 g/kg	WP	FUNGICIDE	4	242-001-3448	08-Jul-24	-	-	Tomato	Early and late blight	50-65 g/16L water	-	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying	
TEXICON AGR VENTURES CORPORATION	PROPIBEN	PROFITEX 70 WP	700 g/kg	WP	FUNGICIDE	4	242-001-3448	08-Jul-24	-	-	Tobacco	Brown leaf spot	50-65 g/16L water	-	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying	
TEXICON AGR VENTURES CORPORATION	PROPIBEN	PROFITEX 70 WP	700 g/kg	WP	FUNGICIDE	4	242-001-3448	08-Jul-24	-	-	Coffee	Brown eye spot	65 g/16L water	-	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying	
TEXICON AGR VENTURES CORPORATION	PROPIBEN	PROFITEX 70 WP	700 g/kg	WP	FUNGICIDE	4	242-001-3448	08-Jul-24	-	-	Citrus	Black spot	50-65 g/16L water	-	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying	
TEXICON AGR VENTURES CORPORATION	PROPIBEN	PROFITEX 70 WP	700 g/kg	WP	FUNGICIDE	4	242-001-3448	08-Jul-24	-	-	Melon	Downy mildew	50-65 g/16L water	-	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying	
TEXICON AGR VENTURES CORPORATION	PROPIBEN	PROFITEX 70 WP	700 g/kg	WP	FUNGICIDE	4	242-001-3448	08-Jul-24	-	-	Watermelon	Downy mildew	50-65 g/16L water	-	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying	
TEXICON AGR VENTURES CORPORATION	PROPIBEN	PROFITEX 70 WP	700 g/kg	WP	FUNGICIDE	4	242-001-3448	08-Jul-24	-	-	Ornamentals	Black spot, rust	85-90 g/16L water	-	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying	
TEXICON AGR VENTURES CORPORATION	PROPIBEN	PROFITEX 70 WP	700 g/kg	WP	FUNGICIDE	4	242-001-3448	08-Jul-24	-	-	Mango	Anthracoese	50-65 g/16L water	-	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying	
TEXICON AGR VENTURES CORPORATION	PROPIBEN	PROFITEX 70 WP	700 g/kg	WP	FUNGICIDE	4	242-001-3448	08-Jul-24	-	-	Rice	Dryy panicle, brown leaf spot	50-65 g/16L water (500-1000g product)	0.05 ppm	-	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
TEXICON AGR VENTURES CORPORATION	PROPIBEN	PROFITEX 70 WP	700 g/kg	WP	FUNGICIDE	4	242-001-3448	08-Jul-24	-	-	Banana	Sigatoka, freckle disease	2.5 kg/ha	-	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying	
PHILIPPINE FARMIX SOLUTIONS INC.	PROPIBEN	PROPIN 70 WP	700g/kg	WP	FUNGICIDE	4	535-001-4064	02-Aug-23	-	-	Lettuce	Early blight, neck rot	50-65 g/16L water	-	-	Immediately after spray deposits have dried	
PHILIPPINE FARMIX SOLUTIONS INC.	PROPIBEN	PROPIN 70 WP	700g/kg	WP	FUNGICIDE	4	535-001-4064	02-Aug-23	-	-	Onion	Downy mildew, anthracnose, purple blotch	50-65 g/16L water	-	-	Immediately after spray deposits have dried	
PHILIPPINE FARMIX SOLUTIONS INC.	PROPIBEN	PROPIN 70 WP	700g/kg	WP	FUNGICIDE	4	535-001-4064	02-Aug-23	-	-	Cucurbits	Downy mildew, late blight	50-65 g/16L water	-	-	Immediately after spray deposits have dried	
PHILIPPINE FARMIX SOLUTIONS INC.	PROPIBEN	PROPIN 70 WP	700g/kg	WP	FUNGICIDE	4	535-001-4064	02-Aug-23	-	-	Celery	Early and late blight	50-65 g/16L water	-	-	Immediately after spray deposits have dried	
PHILIPPINE FARMIX SOLUTIONS INC.	PROPIBEN	PROPIN 70 WP	700g/kg	WP	FUNGICIDE	4	535-001-4064	02-Aug-23	-	-	Beans	Rust	50-65 g/16L water	-	-	Immediately after spray deposits have dried	
PHILIPPINE FARMIX SOLUTIONS INC.	PROPIBEN	PROPIN 70 WP	700g/kg	WP	FUNGICIDE	4	535-001-4064	02-Aug-23	-	-	Potato	Early and late blight	50-65 g/16L water	-	-	Immediately after spray deposits have dried	
PHILIPPINE FARMIX SOLUTIONS INC.	PROPIBEN	PROPIN 70 WP	700g/kg	WP	FUNGICIDE	4	535-001-4064	02-Aug-23	-	-	Tomato	Early and late blight	50-65 g/16L water	-	-	Immediately after spray deposits have dried	
PHILIPPINE FARMIX SOLUTIONS INC.	PROPIBEN	PROPIN 70 WP	700g/kg	WP	FUNGICIDE	4	535-001-4064	02-Aug-23	-	-	Tobacco	Brown leaf spot	50-65 g/16L water	-	-	Immediately after spray deposits have dried	
PHILIPPINE FARMIX SOLUTIONS INC.	PROPIBEN	PROPIN 70 WP	700g/kg	WP	FUNGICIDE	4	535-001-4064	02-Aug-23	-	-	Coffee	Brown eye spot	65 g/16L water	-	-	Immediately after spray deposits have dried	
PHILIPPINE FARMIX SOLUTIONS INC.	PROPIBEN	PROPIN 70 WP	700g/kg	WP	FUNGICIDE	4	535-001-4064	02-Aug-23	-	-	Citrus	Black spot	50-65 g/16L water	-	-	Immediately after spray deposits have dried	

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
PHILIPPINE FARMIX SOLUTIONS INC.	PROFIMEB	PROFIN 70 WP	700g/kg	WP	FUNGICIDE	4	535-001-4064	02-Aug-23	-	Melon	Downy mildew	50-65 g/36L water	-	-	Immediately after spray deposits have dried
PHILIPPINE FARMIX SOLUTIONS INC.	PROFIMEB	PROFIN 70 WP	700g/kg	WP	FUNGICIDE	4	535-001-4064	02-Aug-23	-	Watermelon	Downy mildew	50-65 g/36L water	-	-	Immediately after spray deposits have dried
PHILIPPINE FARMIX SOLUTIONS INC.	PROFIMEB	PROFIN 70 WP	700g/kg	WP	FUNGICIDE	4	535-001-4064	02-Aug-23	-	Asparagus	Cercospora Leaf Blight	2.5-kg/ha	-	-	Immediately after spray deposits have dried
PHILIPPINE FARMIX SOLUTIONS INC.	PROFIMEB	PROFIN 70 WP	700g/kg	WP	FUNGICIDE	4	535-001-4064	02-Aug-23	-	Ornamentals	Black spot, rust	25-50 g/36L water	-	-	Immediately after spray deposits have dried
PHILIPPINE FARMIX SOLUTIONS INC.	PROFIMEB	PROFIN 70 WP	700g/kg	WP	FUNGICIDE	4	535-001-4064	02-Aug-23	-	Mango	Anthraxnose	50-65 g/36L water	-	-	Immediately after spray deposits have dried
PHILIPPINE FARMIX SOLUTIONS INC.	PROFIMEB	PROFIN 70 WP	700g/kg	WP	FUNGICIDE	4	535-001-4064	02-Aug-23	-	Rice	Dirty panicle, brown leaf spot	50-100 (100: 1,000 g product/ha)	-	-	Immediately after spray deposits have dried
PHILIPPINE FARMIX SOLUTIONS INC.	PROFIMEB	PROFIN 70 WP	700g/kg	WP	FUNGICIDE	4	535-001-4064	02-Aug-23	-	Banana	Sigatoka, freckle disease	2.5-kg/ha	-	-	Immediately after spray deposits have dried
INTERNATIONAL VETERINARY & AGROCHEMICAL (IYA), INC.	PROFICONAZOLE	PROFICUR 25 EC	250 g/L	EC	FUNGICIDE	3	088-178-2818	09-Jun-26	SYSTEMIC	Banana	Black sigatoka	400ml/ha	-	0 Day	Do not enter treated fields until spray has completely dried
INTERNATIONAL VETERINARY & AGROCHEMICAL (IYA), INC.	PROFICONAZOLE	PROFICUR 25 EC	250 g/L	EC	FUNGICIDE	3	088-178-2818	09-Jun-26	SYSTEMIC	Pineapple	Butt rot	8 ml / 200L	-	No PHI as applied as seed piece dip before planting	Do not enter treated fields until spray has completely dried
MEGA BOOSTER AGRI TRADING CO.	PROFICONAZOLE	PROFICOTE 250 EC	250g/L	EC	FUNGICIDE	3	531-178-3439	07-Jul-18	SYSTEMIC	Banana	Black sigatoka	400ml/ha	-	-	-
MEGA BOOSTER AGRI TRADING CO.	PROFICONAZOLE	PROFICOTE 250 EC	250g/L	EC	FUNGICIDE	3	531-178-3439	07-Jul-18	SYSTEMIC	Pineapple	Butt rot	8 ml / 200L	-	-	-
MIGHTY AGRICULTURAL TRADING CORPORATION	PROFICONAZOLE	PROFICON 25 EC	-	EC	FUNGICIDE	3	733-178-6046	20-Feb-24	-	Banana	Black sigatoka	400 ml prod. / hectare	-	0 day	0 day
MIGHTY AGRICULTURAL TRADING CORPORATION	PROFICONAZOLE	PROFICON 25 EC	-	EC	FUNGICIDE	3	733-178-6046	20-Feb-24	-	Pineapple	Butt rot or base rot, fruitlet core rot, black rot, Fusarium spp., Phytophthora spp., Pythium spp.	0.5-1.0 ml prod./L water at 50 mL dip solution/plant; 1-4 L prod. / hectare	-	0 day	0 day
KEMISTAR CORPORATION	FFRONIL	PRONIL 50 SC	50g/L	SC	INSECTICIDE	3	239-244-4417	29-Jun-21	CONTACT	Rice	Stemborer, brown planthopper, leafhopper, rice bug	1.3-2.0, 2.0-3.0, 2.7-4.0 tbsp./36L	0.03ppm	10 days	-
KEMISTAR CORPORATION	FFRONIL	PRONIL 50 SC	50g/L	SC	INSECTICIDE	3	239-244-4417	29-Jun-21	CONTACT	Cabbage	Diamond backed moth	1.3-2.0, 2.0-3.0, 2.7-4.0 tbsp./36L	-	-	-
KEMISTAR CORPORATION	FFRONIL	PRONIL 50 SC	50g/L	SC	INSECTICIDE	3	239-244-4417	29-Jun-21	CONTACT	Watermelon	Thrips, leaf beetles	2.5-3.0 tbsp./36L	-	-	-
KEMISTAR CORPORATION	FFRONIL	PRONIL 50 SC	50g/L	SC	INSECTICIDE	3	239-244-4417	29-Jun-21	CONTACT	Onion	Cutworm	5.33 tbsp./36L	-	-	-
KEMISTAR CORPORATION	FFRONIL	PRONIL 50 SC	50g/L	SC	INSECTICIDE	3	239-244-4417	29-Jun-21	CONTACT	Eggplant	Shoot borer	3.0-4.0 tbsp./36L	-	-	-
KEMISTAR CORPORATION	FFRONIL	PRONIL 50 SC	50g/L	SC	INSECTICIDE	3	239-244-4417	29-Jun-21	CONTACT	Corn (as seed treatment)	Seeding Maggots	200-250ml/20 kg seed	-	-	-
TRANS WORLD TRADING CO., INC.	METHOMYL	PRONATE 40 SP	400 g/kg	SP	INSECTICIDE	2	038-164-3538	22-Oct-24	CONTACT	Asparagus	Armyworm, cutworm	2.0-2.5 Tbsp/36 L sprayer	-	-	Do not enter the field within twelve (12) hours after application
TRANS WORLD TRADING CO., INC.	METHOMYL	PRONATE 40 SP	400 g/kg	SP	INSECTICIDE	2	038-164-3538	22-Oct-24	CONTACT	Banana	Thrips	1.5-4.5 Tbsp/36 L sprayer	-	-	Do not enter the field within twelve (12) hours after application
TRANS WORLD TRADING CO., INC.	METHOMYL	PRONATE 40 SP	400 g/kg	SP	INSECTICIDE	2	038-164-3538	22-Oct-24	CONTACT	Beans	Leafroller, flea beetle , beanfly, podborer,aphids	2.0-2.5 Tbsp/36 L sprayer	-	-	Do not enter the field within twelve (12) hours after application
TRANS WORLD TRADING CO., INC.	METHOMYL	PRONATE 40 SP	400 g/kg	SP	INSECTICIDE	2	038-164-3538	22-Oct-24	CONTACT	Mungbeans	Leafroller, flea beetle , beanfly, podborer,aphids	2.0-2.5 Tbsp/36 L sprayer	-	-	Do not enter the field within twelve (12) hours after application
TRANS WORLD TRADING CO., INC.	METHOMYL	PRONATE 40 SP	400 g/kg	SP	INSECTICIDE	2	038-164-3538	22-Oct-24	CONTACT	Soybeans	Leafroller, flea beetle , beanfly, podborer,aphids	2.0-2.5 Tbsp/36 L sprayer	-	-	Do not enter the field within twelve (12) hours after application
TRANS WORLD TRADING CO., INC.	METHOMYL	PRONATE 40 SP	400 g/kg	SP	INSECTICIDE	2	038-164-3538	22-Oct-24	CONTACT	Sitao	Leafroller, flea beetle , beanfly, podborer,aphids	2.0-2.5 Tbsp/36 L sprayer	-	-	Do not enter the field within twelve (12) hours after application
TRANS WORLD TRADING CO., INC.	METHOMYL	PRONATE 40 SP	400 g/kg	SP	INSECTICIDE	2	038-164-3538	22-Oct-24	CONTACT	Corn	Combore, earworm	2.0-2.5 Tbsp/36 L sprayer	-	-	Do not enter the field within twelve (12) hours after application
TRANS WORLD TRADING CO., INC.	METHOMYL	PRONATE 40 SP	400 g/kg	SP	INSECTICIDE	2	038-164-3538	22-Oct-24	CONTACT	Eggplant	Aphids, flea beetle, fruitworm, lady beetle	2.0-2.5 Tbsp/36 L sprayer	-	-	Do not enter the field within twelve (12) hours after application
TRANS WORLD TRADING CO., INC.	METHOMYL	PRONATE 40 SP	400 g/kg	SP	INSECTICIDE	2	038-164-3538	22-Oct-24	CONTACT	Melon	Aphids, squash beetle , leafroller	2.0-2.5 Tbsp/36 L sprayer	-	-	Do not enter the field within twelve (12) hours after application
TRANS WORLD TRADING CO., INC.	METHOMYL	PRONATE 40 SP	400 g/kg	SP	INSECTICIDE	2	038-164-3538	22-Oct-24	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leafroller	2.0-2.5 Tbsp/36 L sprayer	0.03ppm	3 Days	Do not enter the field within twelve (12) hours after application
TRANS WORLD TRADING CO., INC.	METHOMYL	PRONATE 40 SP	400 g/kg	SP	INSECTICIDE	2	038-164-3538	22-Oct-24	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	2.0-2.5 Tbsp/36 L sprayer	-	-	Do not enter the field within twelve (12) hours after application
TRANS WORLD TRADING CO., INC.	METHOMYL	PRONATE 40 SP	400 g/kg	SP	INSECTICIDE	2	038-164-3538	22-Oct-24	CONTACT	Tomato	Tomato fruitworm, aphids	2.0-2.5 Tbsp/36 L sprayer	-	-	Do not enter the field within twelve (12) hours after application
DCOM MARKETING INCORPORATED	FFRONIL	PROMISE 5 SC	50 g/L	SC	INSECTICIDE	3	467-244-3633	04-Feb-25	CONTACT	Rice	Stemborer, brown planthopper, leafroller, rice bug	1.3-2.0, 2.0-3.0, 2.7-4.0 tbsp./36L	0.03ppm	10 days	-
DCOM MARKETING INCORPORATED	FFRONIL	PROMISE 5 SC	50 g/L	SC	INSECTICIDE	3	467-244-3633	04-Feb-25	CONTACT	Cabbage	Diamond backed moth	1.3-2.0, 2.0-3.0, 2.7-4.0 tbsp./36L	-	-	-
DCOM MARKETING INCORPORATED	FFRONIL	PROMISE 5 SC	50 g/L	SC	INSECTICIDE	3	467-244-3633	04-Feb-25	CONTACT	Watermelon	Thrips, leaf beetles	2.5-3.0 tbsp./36L	-	-	-
DCOM MARKETING INCORPORATED	FFRONIL	PROMISE 5 SC	50 g/L	SC	INSECTICIDE	3	467-244-3633	04-Feb-25	CONTACT	Onion	Cutworm	5.33 tbsp./36L	-	-	-
DCOM MARKETING INCORPORATED	FFRONIL	PROMISE 5 SC	50 g/L	SC	INSECTICIDE	3	467-244-3633	04-Feb-25	CONTACT	Eggplant	Shoot borer	3.0-4.0 tbsp./36L	-	-	-
TAIPAN BRAND FARM INC.	PENDOLISUAM-CHALODIOP- BUTYL	PROMINENT 60 OD	10 g/L<50 g/L	OD	HERBICIDE	4	529-381-4024	06-Jun-24	SELECTIVE(POST-EMERGENT)	Rice (Direct-seeded)	<i>E. crus-galli</i> , <i>E. glabrescens</i> , <i>C. difformis</i> , <i>L. rogusum</i> , <i>L. chinensis</i> , <i>M. vagabunda</i> , <i>F. miltorea</i> , <i>C. f. sp.</i> , <i>S. sylvatica</i> and <i>L. entexensis</i>	1200L/haods, 6-8Tbsp/Tankloads; 1200L/haods, 6-8Tbsp/Tankloads	-	-	After spray deposits has dried up
TAIPAN BRAND FARM INC.	PENDOLISUAM-CHALODIOP- BUTYL	PROMINENT 60 OD	10 g/L<50 g/L	OD	HERBICIDE	4	529-381-4024	06-Jun-24	SELECTIVE(POST-EMERGENT)	Rice (Transplanted)	<i>E. crus-galli</i> , <i>E. glabrescens</i> , <i>C. difformis</i> , <i>L. rogusum</i> , <i>L. chinensis</i> , <i>M. vagabunda</i> , <i>F. miltorea</i> , <i>C. f. sp.</i> , <i>S. sylvatica</i> and <i>L. entexensis</i>	1200L/haods, 6-8Tbsp/Tankloads; 1200L/haods, 6-8Tbsp/Tankloads	-	-	After spray deposits has dried up
UPL PHILIPPINES, INC.	PROFAMOCARB HCL	PROMAG 722 SL	722 g/L	SL	FUNGICIDE	4	562-119-4839	15-Jun-24	SYSTEMIC	Cabbage	Late blight	2-4 mL/Kg seed	-	-	-
UPL PHILIPPINES, INC.	PROFAMOCARB HCL	PROMAG 722 SL	722 g/L	SL	FUNGICIDE	4	562-119-4839	15-Jun-24	SYSTEMIC	lettuce and other crucifers	Late blight	2-4 mL/Kg seed	-	-	-
UPL PHILIPPINES, INC.	PROFAMOCARB HCL	PROMAG 722 SL	722 g/L	SL	FUNGICIDE	4	562-119-4839	15-Jun-24	SYSTEMIC	Tobacco	Late blight	10 mL/Kg seed	-	-	-
UPL PHILIPPINES, INC.	PROFAMOCARB HCL	PROMAG 722 SL	722 g/L	SL	FUNGICIDE	4	562-119-4839	15-Jun-24	SYSTEMIC	Tomato and other solanaceous crops	Late blight	10 mL/Kg seed	-	-	-
UPL PHILIPPINES, INC.	PROFAMOCARB HCL	PROMAG 722 SL	722 g/L	SL	FUNGICIDE	4	562-119-4839	15-Jun-24	SYSTEMIC	Potato	Late blight	20-40mL/36L water	-	-	-
STERIX INCORPORATED	SULFURYL FLUORIDES	PROFUME	99.8%	-	FUMIGANT	1	434-539-5338	05-Feb-22	-	-	Stored insect pests of milled rice, paddy, corn, and wheat	Dosage is determined by ProFume fumigade program based on	-	-	-
GIM AGRIVENTURES INC.	PROFENOFOS	PROFIT 50 EC	520 g/L	EC	INSECTICIDE	2	577-070-3757	03-Jul-22	CONTACT	Mango	Thrips	1.0-2.0 Tbsp/36L water	-	-	Do not apply at less than 7 days before harvest
GIM AGRIVENTURES INC.	PROFENOFOS	PROFIT 50 EC	520 g/L	EC	INSECTICIDE	2	577-070-3757	03-Jul-22	CONTACT	Tomato	Fruitworm, armyworm, cutworm	3-5 Tbsp/36L water	-	-	Do not enter treated fields for at least one (1) day after application.
GIM AGRIVENTURES INC.	PROFENOFOS	PROFIT 50 EC	520 g/L	EC	INSECTICIDE	2	577-070-3757	03-Jul-22	CONTACT	Eggplant	Fruitborer, aphids, leafhopper, & thrips	1.5-3.0 Tbsp/36L water	-	-	Do not enter treated fields for at least one (1) day after application.
GIM AGRIVENTURES INC.	PROFENOFOS	PROFIT 50 EC	520 g/L	EC	INSECTICIDE	2	577-070-3757	03-Jul-22	CONTACT	Cabbage	Diamond back moth, cabbage worm & aphids, thrips	3-5 Tbsp/36L water	-	-	Do not enter treated fields for at least one (1) day after application.
GIM AGRIVENTURES INC.	PROFENOFOS	PROFIT 50 EC	520 g/L	EC	INSECTICIDE	2	577-070-3757	03-Jul-22	CONTACT	Watermelon	Thrips	3-5 Tbsp/36L water	-	-	Do not enter treated fields for at least one (1) day after application.
GIM AGRIVENTURES INC.	PROFENOFOS	PROFIT 50 EC	520 g/L	EC	INSECTICIDE	2	577-070-3757	03-Jul-22	CONTACT	Potato	Thrips, army worm, cutworm, tubermoth	3-5 Tbsp/36L water	-	-	Do not enter treated fields for at least one (1) day after application.
GIM AGRIVENTURES INC.	PROFENOFOS	PROFIT 50 EC	520 g/L	EC	INSECTICIDE	2	577-070-3757	03-Jul-22	CONTACT	Soybeans	Corn earworm, leafminer	3-5 Tbsp/36L water	-	-	Do not enter treated fields for at least one (1) day after application.
GIM AGRIVENTURES INC.	PROFENOFOS	PROFIT 50 EC	520 g/L	EC	INSECTICIDE	2	577-070-3757	03-Jul-22	CONTACT	Mungbeans	Corn earworm, leafminer	3-5 Tbsp/36L water	-	-	Do not enter treated fields for at least one (1) day after application.
GIM AGRIVENTURES INC.	PROFENOFOS	PROFIT 50 EC	520 g/L	EC	INSECTICIDE	2	577-070-3757	03-Jul-22	CONTACT	Cotton	Thrips, bollworm & budworm	3-5 Tbsp/36L water	-	-	Do not enter treated fields for at least one (1) day after application.
GIM AGRIVENTURES INC.	PROFENOFOS	PROFIT 50 EC	520 g/L	EC	INSECTICIDE	2	577-070-3757	03-Jul-22	CONTACT	Sitao	Beanyfly, leafroller & aphids	1.5-3.0 Tbsp/36L water	-	-	Do not enter treated fields for at least one (1) day after application.
CROPKING CHEMICALS INC.	BUPROFEZIN	PROFESSOR 30 WP	100 g/kg	WP	INSECTICIDE	4	065-224-3381	22-Oct-24	SYSTEMIC	Rice	Brown planthopper & Green leafhopper	1-3 tbsp/36 L	0.5 ppm	-	Re-entry is allowed as soon as spray dries.
CROPKING CHEMICALS INC.	BUPROFEZIN	PROFESSOR 30 WP	100 g/kg	WP	INSECTICIDE	4	065-224-3381	22-Oct-24	SYSTEMIC	Mango	Hopper	1-3 sachet/drum, 1 drum=200L	-	-	Re-entry is allowed as soon as spray dries.

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
CROPHING CHEMICALS INC.	BLUPROFEZIN	PROFESSOR 10 WP	500 g/kg	WP	INSECTICIDE	4	965-224-3581	22-Oct-24	SYSTEMIC	Pineapple	Mealybugs	4.68 kg/ha			Re-entry is allowed as soon as spray dries.
MARTHADAVE CO., LTD.	PROFENOFOS	PROFENOSMARTH 50 EC	500 g/L	EC	INSECTICIDE	2	409-070-3099	17-Jan-19	CONTACT	Mango	Thrips	1.0-2.0 Tbsp/36L water			
MARTHADAVE CO., LTD.	PROFENOFOS	PROFENOSMARTH 50 EC	500 g/L	EC	INSECTICIDE	2	409-070-3099	17-Jan-19	CONTACT	Tomato	Fruitworm, armyworm, cutworm	3-5 Tbsp/36L water			
MARTHADAVE CO., LTD.	PROFENOFOS	PROFENOSMARTH 50 EC	500 g/L	EC	INSECTICIDE	2	409-070-3099	17-Jan-19	CONTACT	Eggplant	Fruitborer, aphids, leafhopper, & thrips	1.5-3.0 Tbsp/36L water			
MARTHADAVE CO., LTD.	PROFENOFOS	PROFENOSMARTH 50 EC	500 g/L	EC	INSECTICIDE	2	409-070-3099	17-Jan-19	CONTACT	Cabbage	Diamond back moth, cabbage worm & aphids, thrips	3-5 Tbsp/36L water			
MARTHADAVE CO., LTD.	PROFENOFOS	PROFENOSMARTH 50 EC	500 g/L	EC	INSECTICIDE	2	409-070-3099	17-Jan-19	CONTACT	Watermelon	Thrips	3-5 Tbsp/36L water			
MARTHADAVE CO., LTD.	PROFENOFOS	PROFENOSMARTH 50 EC	500 g/L	EC	INSECTICIDE	2	409-070-3099	17-Jan-19	CONTACT	Potato	Thrips, army worm, cutworm, tuber moth	3-5 Tbsp/36L water			
MARTHADAVE CO., LTD.	PROFENOFOS	PROFENOSMARTH 50 EC	500 g/L	EC	INSECTICIDE	2	409-070-3099	17-Jan-19	CONTACT	Soybeans	Corn earworm, leafminer	3-5 Tbsp/36L water			
MARTHADAVE CO., LTD.	PROFENOFOS	PROFENOSMARTH 50 EC	500 g/L	EC	INSECTICIDE	2	409-070-3099	17-Jan-19	CONTACT	Mungbeans	Corn earworm, leafminer	3-5 Tbsp/36L water			
MARTHADAVE CO., LTD.	PROFENOFOS	PROFENOSMARTH 50 EC	500 g/L	EC	INSECTICIDE	2	409-070-3099	17-Jan-19	CONTACT	Cotton	Thrips, bollworm & budworm	3-5 Tbsp/36L water			
MARTHADAVE CO., LTD.	PROFENOFOS	PROFENOSMARTH 50 EC	500 g/L	EC	INSECTICIDE	2	409-070-3099	17-Jan-19	CONTACT	Sitao	Beanyfly, leaf folder & aphids	1.5-3.0 Tbsp/36L water			
NEXCHEM CORPORATION	PROFENEX 50 EC	PROFENEX 50 EC	500 g/L	EC	INSECTICIDE	2	702-070-5612	01-Dec-24	CONTACT	Mango	Thrips	1.0-2.0 Tbsp/36L water		14 Days	One (1) day after each spraying
NEXCHEM CORPORATION	PROFENEX 50 EC	PROFENEX 50 EC	500 g/L	EC	INSECTICIDE	2	702-070-5612	01-Dec-24	CONTACT	Tomato	Fruitworm, armyworm, cutworm	3-5 Tbsp/36L water		14 Days	One (1) day after each spraying
NEXCHEM CORPORATION	PROFENEX 50 EC	PROFENEX 50 EC	500 g/L	EC	INSECTICIDE	2	702-070-5612	01-Dec-24	CONTACT	Eggplant	Fruitborer, aphids, leafhopper, & thrips	1.5-3.0 Tbsp/36L water		14 Days	One (1) day after each spraying
NEXCHEM CORPORATION	PROFENEX 50 EC	PROFENEX 50 EC	500 g/L	EC	INSECTICIDE	2	702-070-5612	01-Dec-24	CONTACT	Cabbage	Diamond back moth, cabbage worm & aphids, thrips	3-5 Tbsp/36L water		14 Days	One (1) day after each spraying
NEXCHEM CORPORATION	PROFENEX 50 EC	PROFENEX 50 EC	500 g/L	EC	INSECTICIDE	2	702-070-5612	01-Dec-24	CONTACT	Watermelon	Thrips	3-5 Tbsp/36L water		14 Days	One (1) day after each spraying
NEXCHEM CORPORATION	PROFENEX 50 EC	PROFENEX 50 EC	500 g/L	EC	INSECTICIDE	2	702-070-5612	01-Dec-24	CONTACT	Potato	Thrips, army worm, cutworm, tuber moth	3-5 Tbsp/36L water		14 Days	One (1) day after each spraying
NEXCHEM CORPORATION	PROFENEX 50 EC	PROFENEX 50 EC	500 g/L	EC	INSECTICIDE	2	702-070-5612	01-Dec-24	CONTACT	Soybeans	Corn earworm, leafminer	3-5 Tbsp/36L water		14 Days	One (1) day after each spraying
NEXCHEM CORPORATION	PROFENEX 50 EC	PROFENEX 50 EC	500 g/L	EC	INSECTICIDE	2	702-070-5612	01-Dec-24	CONTACT	Mungbeans	Corn earworm, leafminer	3-5 Tbsp/36L water		14 Days	One (1) day after each spraying
NEXCHEM CORPORATION	PROFENEX 50 EC	PROFENEX 50 EC	500 g/L	EC	INSECTICIDE	2	702-070-5612	01-Dec-24	CONTACT	Cotton	Thrips, bollworm & budworm	3-5 Tbsp/36L water		14 Days	One (1) day after each spraying
NEXCHEM CORPORATION	PROFENEX 50 EC	PROFENEX 50 EC	500 g/L	EC	INSECTICIDE	2	702-070-5612	01-Dec-24	CONTACT	Sitao	Beanyfly, leaf folder & aphids	1.5-3.0 Tbsp/36L water		14 Days	One (1) day after each spraying
KEMISTAR CORPORATION	PROFEN 50 EC	PROFEN 50 EC	500 g/L	EC	INSECTICIDE	2	239-070-3793	20-Jun-25	CONTACT	Mango	Thrips	1.0-2.0 Tbsp/36L water		Do not apply at less than 7 days before harvest	Do not enter treated fields for at least 1 day after application
KEMISTAR CORPORATION	PROFEN 50 EC	PROFEN 50 EC	500 g/L	EC	INSECTICIDE	2	239-070-3793	20-Jun-25	CONTACT	Tomato	Fruitworm, armyworm, cutworm	3-5 Tbsp/36L water		Do not apply at less than 7 days before harvest	Do not enter treated fields for at least 1 day after application
KEMISTAR CORPORATION	PROFEN 50 EC	PROFEN 50 EC	500 g/L	EC	INSECTICIDE	2	239-070-3793	20-Jun-25	CONTACT	Eggplant	Fruitborer, aphids, leafhopper, & thrips	1.5-3.0 Tbsp/36L water		Do not apply at less than 7 days before harvest	Do not enter treated fields for at least 1 day after application
KEMISTAR CORPORATION	PROFEN 50 EC	PROFEN 50 EC	500 g/L	EC	INSECTICIDE	2	239-070-3793	20-Jun-25	CONTACT	Cabbage	Diamond back moth, cabbage worm & aphids, thrips	3-5 Tbsp/36L water		Do not apply at less than 7 days before harvest	Do not enter treated fields for at least 1 day after application
KEMISTAR CORPORATION	PROFEN 50 EC	PROFEN 50 EC	500 g/L	EC	INSECTICIDE	2	239-070-3793	20-Jun-25	CONTACT	Watermelon	Thrips	3-5 Tbsp/36L water		Do not apply at less than 7 days before harvest	Do not enter treated fields for at least 1 day after application
KEMISTAR CORPORATION	PROFEN 50 EC	PROFEN 50 EC	500 g/L	EC	INSECTICIDE	2	239-070-3793	20-Jun-25	CONTACT	Potato	Thrips, army worm, cutworm, tuber moth	3-5 Tbsp/36L water		Do not apply at less than 7 days before harvest	Do not enter treated fields for at least 1 day after application
KEMISTAR CORPORATION	PROFEN 50 EC	PROFEN 50 EC	500 g/L	EC	INSECTICIDE	2	239-070-3793	20-Jun-25	CONTACT	Soybeans	Corn earworm, leafminer	3-5 Tbsp/36L water		Do not apply at less than 7 days before harvest	Do not enter treated fields for at least 1 day after application
KEMISTAR CORPORATION	PROFEN 50 EC	PROFEN 50 EC	500 g/L	EC	INSECTICIDE	2	239-070-3793	20-Jun-25	CONTACT	Mungbeans	Corn earworm, leafminer	3-5 Tbsp/36L water		Do not apply at less than 7 days before harvest	Do not enter treated fields for at least 1 day after application
KEMISTAR CORPORATION	PROFEN 50 EC	PROFEN 50 EC	500 g/L	EC	INSECTICIDE	2	239-070-3793	20-Jun-25	CONTACT	Cotton	Thrips, bollworm & budworm	3-5 Tbsp/36L water		Do not apply at less than 7 days before harvest	Do not enter treated fields for at least 1 day after application
KEMISTAR CORPORATION	PROFEN 50 EC	PROFEN 50 EC	500 g/L	EC	INSECTICIDE	2	239-070-3793	20-Jun-25	CONTACT	Sitao	Beanyfly, leaf folder & aphids	1.5-3.0 Tbsp/36L water		Do not apply at less than 7 days before harvest	Do not enter treated fields for at least 1 day after application
RADISSON AGROCHEMICAL CORPORATION	PROFECHRON 500 EC	PROFECHRON 500 EC	500 g/L	EC	INSECTICIDE	2	234-070-2079	31-Mar-25	CONTACT	Mango	Thrips	1.0-2.0 Tbsp/36L water		Do not apply at less than 7 days before harvest	Do not enter treated fields for at least 1 day after application
RADISSON AGROCHEMICAL CORPORATION	PROFECHRON 500 EC	PROFECHRON 500 EC	500 g/L	EC	INSECTICIDE	2	234-070-2079	31-Mar-25	CONTACT	Tomato	Fruitworm, armyworm, cutworm	3-5 Tbsp/36L water		Do not apply at less than 7 days before harvest	Do not enter treated fields for at least 1 day after application
RADISSON AGROCHEMICAL CORPORATION	PROFECHRON 500 EC	PROFECHRON 500 EC	500 g/L	EC	INSECTICIDE	2	234-070-2079	31-Mar-25	CONTACT	Eggplant	Fruitborer, aphids, leafhopper, & thrips	1.5-3.0 Tbsp/36L water		Do not apply at less than 7 days before harvest	Do not enter treated fields for at least 1 day after application
RADISSON AGROCHEMICAL CORPORATION	PROFECHRON 500 EC	PROFECHRON 500 EC	500 g/L	EC	INSECTICIDE	2	234-070-2079	31-Mar-25	CONTACT	Cabbage	Diamond back moth, cabbage worm & aphids, thrips	3-5 Tbsp/36L water		Do not apply at less than 7 days before harvest	Do not enter treated fields for at least 1 day after application
RADISSON AGROCHEMICAL CORPORATION	PROFECHRON 500 EC	PROFECHRON 500 EC	500 g/L	EC	INSECTICIDE	2	234-070-2079	31-Mar-25	CONTACT	Watermelon	Thrips	3-5 Tbsp/36L water		Do not apply at less than 7 days before harvest	Do not enter treated fields for at least 1 day after application
RADISSON AGROCHEMICAL CORPORATION	PROFECHRON 500 EC	PROFECHRON 500 EC	500 g/L	EC	INSECTICIDE	2	234-070-2079	31-Mar-25	CONTACT	Potato	Thrips, army worm, cutworm, tuber moth	3-5 Tbsp/36L water		Do not apply at less than 7 days before harvest	Do not enter treated fields for at least 1 day after application
RADISSON AGROCHEMICAL CORPORATION	PROFECHRON 500 EC	PROFECHRON 500 EC	500 g/L	EC	INSECTICIDE	2	234-070-2079	31-Mar-25	CONTACT	Soybeans	Corn earworm, leafminer	3-5 Tbsp/36L water		Do not apply at less than 7 days before harvest	Do not enter treated fields for at least 1 day after application
RADISSON AGROCHEMICAL CORPORATION	PROFECHRON 500 EC	PROFECHRON 500 EC	500 g/L	EC	INSECTICIDE	2	234-070-2079	31-Mar-25	CONTACT	Mungbeans	Corn earworm, leafminer	3-5 Tbsp/36L water		Do not apply at less than 7 days before harvest	Do not enter treated fields for at least 1 day after application
RADISSON AGROCHEMICAL CORPORATION	PROFECHRON 500 EC	PROFECHRON 500 EC	500 g/L	EC	INSECTICIDE	2	234-070-2079	31-Mar-25	CONTACT	Cotton	Thrips, bollworm & budworm	3-5 Tbsp/36L water		Do not apply at less than 7 days before harvest	Do not enter treated fields for at least 1 day after application
RADISSON AGROCHEMICAL CORPORATION	PROFECHRON 500 EC	PROFECHRON 500 EC	500 g/L	EC	INSECTICIDE	2	234-070-2079	31-Mar-25	CONTACT	Sitao	Beanyfly, leaf folder & aphids	1.0-3.0 Tbsp/36L water		Do not apply at less than 7 days before harvest	Do not enter treated fields for at least 1 day after application
RADISSON AGROCHEMICAL CORPORATION	PROFECHRON 500 EC	PROFECHRON 500 EC	500 g/L	EC	INSECTICIDE	2	234-070-2079	31-Mar-25	CONTACT	beans	Beanyflies, Aphids			Do not apply at less than 7 days before harvest	Do not enter treated fields for at least 1 day after application
PROFARM CORPORATION	NICLOSMIDE ETHANOLAMINE SALT	PROFARM NICLO 70 WP	700 g/kg	WP	MOLLUSCICIDE	4	555-229-3454	23-Jul-18	CONTACT	Rice	Golden Apple Snail (Luhol)	30 gm/36L water			
PROFARM CORPORATION	GLYPHOSATE IPA	PROFARM GLIYPO 480 SL	480 g/L	SL	HERBICIDE	4	555-151-3453	23-Jul-18	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/ha			
PROFARM CORPORATION	GLYPHOSATE IPA	PROFARM GLIYPO 480 SL	480 g/L	SL	HERBICIDE	4	555-151-3453	23-Jul-18	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha			
PROFARM CORPORATION	GLYPHOSATE IPA	PROFARM GLIYPO 480 SL	480 g/L	SL	HERBICIDE	4	555-151-3453	23-Jul-18	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha			
PROFARM CORPORATION	GLYPHOSATE IPA	PROFARM GLIYPO 480 SL	480 g/L	SL	HERBICIDE	4	555-151-3453	23-Jul-18	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha			
PROFARM CORPORATION	GLYPHOSATE IPA	PROFARM GLIYPO 480 SL	480 g/L	SL	HERBICIDE	4	555-151-3453	23-Jul-18	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha			
PROFARM CORPORATION	GLYPHOSATE IPA	PROFARM GLIYPO 480 SL	480 g/L	SL	HERBICIDE	4	555-151-3453	23-Jul-18	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha			
PROFARM CORPORATION	GLYPHOSATE IPA	PROFARM GLIYPO 480 SL	480 g/L	SL	HERBICIDE	4	555-151-3453	23-Jul-18	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha			
PROFARM CORPORATION	GLYPHOSATE IPA	PROFARM GLIYPO 480 SL	480 g/L	SL	HERBICIDE	4	555-151-3453	23-Jul-18	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha			
PROFARM CORPORATION	GLYPHOSATE IPA	PROFARM GLIYPO 480 SL	480 g/L	SL	HERBICIDE	4	555-151-3453	23-Jul-18	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	3.5 Liters/ha			
PROFARM CORPORATION	GLYPHOSATE IPA	PROFARM GLIYPO 480 SL	480 g/L	SL	HERBICIDE	4	555-151-3453	23-Jul-18	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha			
PROFARM CORPORATION	GLYPHOSATE IPA	PROFARM GLIYPO 480 SL	480 g/L	SL	HERBICIDE	4	555-151-3453	23-Jul-18	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha			
PROFARM CORPORATION	GLYPHOSATE IPA	PROFARM GLIYPO 480 SL	480 g/L	SL	HERBICIDE	4	555-151-3453	23-Jul-18	POST-EMERGENT	non-crop	Annual & perennial grasses, broadleaf weeds & sedges				
PROFARM CORPORATION	CYPERMETHRIN	PROFARM CYPER 5 EC	50 g/L	EC	INSECTICIDE	4	555-037-3452	23-Jul-18	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/36L water	7 Days		Re-entry to treated field is allowed as soon as spray deposit dry

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
PROFAIRM CORPORATION	CYPERMETHRIN	PROFAIRM CYPER 5 EC	50 g/L	EC	INSECTICIDE	4	555-037-3452	23-Jul-18	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leafhopper, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
PROFAIRM CORPORATION	CYPERMETHRIN	PROFAIRM CYPER 5 EC	50 g/L	EC	INSECTICIDE	4	555-037-3452	23-Jul-18	CONTACT	Cabbage	Diamond-back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
PROFAIRM CORPORATION	CYPERMETHRIN	PROFAIRM CYPER 5 EC	50 g/L	EC	INSECTICIDE	4	555-037-3452	23-Jul-18	CONTACT	beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
PROFAIRM CORPORATION	CYPERMETHRIN	PROFAIRM CYPER 5 EC	50 g/L	EC	INSECTICIDE	4	555-037-3452	23-Jul-18	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
PROFAIRM CORPORATION	CYPERMETHRIN	PROFAIRM CYPER 5 EC	50 g/L	EC	INSECTICIDE	4	555-037-3452	23-Jul-18	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
PROFAIRM CORPORATION	CYPERMETHRIN	PROFAIRM CYPER 5 EC	50 g/L	EC	INSECTICIDE	4	555-037-3452	23-Jul-18	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
PROFAIRM CORPORATION	CYPERMETHRIN	PROFAIRM CYPER 5 EC	50 g/L	EC	INSECTICIDE	4	555-037-3452	23-Jul-18	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
PROFAIRM CORPORATION	CYPERMETHRIN	PROFAIRM CYPER 5 EC	50 g/L	EC	INSECTICIDE	4	555-037-3452	23-Jul-18	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
PROFAIRM CORPORATION	CYPERMETHRIN	PROFAIRM CYPER 5 EC	50 g/L	EC	INSECTICIDE	4	555-037-3452	23-Jul-18	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
PROFAIRM CORPORATION	CYPERMETHRIN	PROFAIRM CYPER 5 EC	50 g/L	EC	INSECTICIDE	4	555-037-3452	23-Jul-18	CONTACT	Corn	Comborer, earworm	1.0-4.5 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
PROFAIRM CORPORATION	CARTAP HYDROCHLORIDE	PROFAIRM CARTAP	500 g/kg	SP	INSECTICIDE	3	555-106-3455	23-Jul-18	SYSTEMIC	Rice	Whorl maggot, stemborer, green leafhopper, brown planthopper	3.0-5.0Tbsp/16 L water	0.2ppm		Stop spraying 10 days before harvest
PROFAIRM CORPORATION	CARTAP HYDROCHLORIDE	PROFAIRM CARTAP	500 g/kg	SP	INSECTICIDE	3	555-106-3455	23-Jul-18	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water			
PROFAIRM CORPORATION	CARTAP HYDROCHLORIDE	PROFAIRM CARTAP	500 g/kg	SP	INSECTICIDE	3	555-106-3455	23-Jul-18	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water			
PROFAIRM CORPORATION	CARTAP HYDROCHLORIDE	PROFAIRM CARTAP	500 g/kg	SP	INSECTICIDE	3	555-106-3455	23-Jul-18	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/16 L water			
PROFAIRM CORPORATION	CARTAP HYDROCHLORIDE	PROFAIRM CARTAP	500 g/kg	SP	INSECTICIDE	3	555-106-3455	23-Jul-18	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/16 L water			
PROFAIRM CORPORATION	CARTAP HYDROCHLORIDE	PROFAIRM CARTAP	500 g/kg	SP	INSECTICIDE	3	555-106-3455	23-Jul-18	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/16 L water			
PROFAIRM CORPORATION	CARTAP HYDROCHLORIDE	PROFAIRM CARTAP	500 g/kg	SP	INSECTICIDE	3	555-106-3455	23-Jul-18	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/16 L water			
PROFAIRM CORPORATION	CARTAP HYDROCHLORIDE	PROFAIRM CARTAP	500 g/kg	SP	INSECTICIDE	3	555-106-3455	23-Jul-18	SYSTEMIC	Mango	leafhoppers	1.5-2.0Tbsp/16 L water			
PROFAIRM CORPORATION	CARTAP HYDROCHLORIDE	PROFAIRM CARTAP	500 g/kg	SP	INSECTICIDE	3	555-106-3455	23-Jul-18	SYSTEMIC	Pechay	looper, cutworm, aphids	1.5-3.0Tbsp/16 L water			
HEXTAR VENTURE PHILIPPINES INC.	BENDIML	PROCURE 50 WP	500 g/kg	WP	FUNGICIDE	4	477-167-2615	05-Aug-25	SYSTEMIC	Mungbeans	Powdery mildew, cercospora leaf spot	1-2 Tbsp/16L water		14 days	24 hours
HEXTAR VENTURE PHILIPPINES INC.	BENDIML	PROCURE 50 WP	500 g/kg	WP	FUNGICIDE	4	477-167-2615	05-Aug-25	SYSTEMIC	beans	Powdery mildew, cercospora leaf spot	1-2 Tbsp/16L water		14 days	24 hours
HEXTAR VENTURE PHILIPPINES INC.	BENDIML	PROCURE 50 WP	500 g/kg	WP	FUNGICIDE	4	477-167-2615	05-Aug-25	SYSTEMIC	Cabbage	Cercospora leaf spot	1-2 Tbsp/16L water		7 days	24 hours
HEXTAR VENTURE PHILIPPINES INC.	BENDIML	PROCURE 50 WP	500 g/kg	WP	FUNGICIDE	4	477-167-2615	05-Aug-25	SYSTEMIC	Calamansi	Scab	1-2 Tbsp/16L water		14 days	24 hours
HEXTAR VENTURE PHILIPPINES INC.	BENDIML	PROCURE 50 WP	500 g/kg	WP	FUNGICIDE	4	477-167-2615	05-Aug-25	SYSTEMIC	Cucumber	Powdery mildew	1-2 Tbsp/16L water		14 days	24 hours
HEXTAR VENTURE PHILIPPINES INC.	BENDIML	PROCURE 50 WP	500 g/kg	WP	FUNGICIDE	4	477-167-2615	05-Aug-25	SYSTEMIC	ginger	Cercospora leaf spot	1-2 Tbsp/16L water		7 days	24 hours
HEXTAR VENTURE PHILIPPINES INC.	BENDIML	PROCURE 50 WP	500 g/kg	WP	FUNGICIDE	4	477-167-2615	05-Aug-25	SYSTEMIC	Grapes	Powdery mildew	1-2 Tbsp/16L water		14 days	24 hours
HEXTAR VENTURE PHILIPPINES INC.	BENDIML	PROCURE 50 WP	500 g/kg	WP	FUNGICIDE	4	477-167-2615	05-Aug-25	SYSTEMIC	Mandarin	Scab	1-2 Tbsp/16L water		14 days	24 hours
HEXTAR VENTURE PHILIPPINES INC.	BENDIML	PROCURE 50 WP	500 g/kg	WP	FUNGICIDE	4	477-167-2615	05-Aug-25	SYSTEMIC	Mango	Anthracoose, powdery mildew	1-2 Tbsp/16L water		14 days	24 hours
HEXTAR VENTURE PHILIPPINES INC.	BENDIML	PROCURE 50 WP	500 g/kg	WP	FUNGICIDE	4	477-167-2615	05-Aug-25	SYSTEMIC	Melon	Powdery mildew	1-2 Tbsp/16L water		14 days	24 hours
HEXTAR VENTURE PHILIPPINES INC.	BENDIML	PROCURE 50 WP	500 g/kg	WP	FUNGICIDE	4	477-167-2615	05-Aug-25	SYSTEMIC	Orange	Scab	1-2 Tbsp/16L water		14 days	24 hours
HEXTAR VENTURE PHILIPPINES INC.	BENDIML	PROCURE 50 WP	500 g/kg	WP	FUNGICIDE	4	477-167-2615	05-Aug-25	SYSTEMIC	Papaya	Powdery mildew	1-2 Tbsp/16L water		14 days	24 hours
HEXTAR VENTURE PHILIPPINES INC.	BENDIML	PROCURE 50 WP	500 g/kg	WP	FUNGICIDE	4	477-167-2615	05-Aug-25	SYSTEMIC	Pepper	Cercospora leaf spot	1-2 Tbsp/16L water		7 days	24 hours
HEXTAR VENTURE PHILIPPINES INC.	BENDIML	PROCURE 50 WP	500 g/kg	WP	FUNGICIDE	4	477-167-2615	05-Aug-25	SYSTEMIC	Rice	Blast, sheath blight	1-4 Tbsp/16L water		7 days	24 hours
HEXTAR VENTURE PHILIPPINES INC.	BENDIML	PROCURE 50 WP	500 g/kg	WP	FUNGICIDE	4	477-167-2615	05-Aug-25	SYSTEMIC	Strawberry	Cercospora leaf spot	1-2 Tbsp/16L water		7 days	24 hours
HEXTAR VENTURE PHILIPPINES INC.	BENDIML	PROCURE 50 WP	500 g/kg	WP	FUNGICIDE	4	477-167-2615	05-Aug-25	SYSTEMIC	Tobacco	Leaf mold, frog eye	1-2 Tbsp/16L water		7 days	24 hours
HEXTAR VENTURE PHILIPPINES INC.	BENDIML	PROCURE 50 WP	500 g/kg	WP	FUNGICIDE	4	477-167-2615	05-Aug-25	SYSTEMIC	Banana	Black sigatoka	280 g/ha		7 days	24 hours
ELITE AGROCHEMICALS INC.	PROFENOFOS	PROCTOR 500 EC	500 g/L	EC	INSECTICIDE	2	719-070-6224	21-Mar-25	CONTACT	Cabbage and other crucifers	Diamond-back moth, cabbage worms, aphids	30-50 Tbsp/ 16L water		Do not apply at less than 7 days before harvest	Do not enter treated fields for at least 1 day after application
ELITE AGROCHEMICALS INC.	PROFENOFOS	PROCTOR 500 EC	500 g/L	EC	INSECTICIDE	2	719-070-6224	21-Mar-25	CONTACT	Watermelon	Thrips	30-50 Tbsp/ 16L water		Do not apply at less than 7 days before harvest	Do not enter treated fields for at least 1 day after application
ELITE AGROCHEMICALS INC.	PROFENOFOS	PROCTOR 500 EC	500 g/L	EC	INSECTICIDE	2	719-070-6224	21-Mar-25	CONTACT	White potato	Thrips, armyworm, cutworm, tuber moth	30-50 Tbsp/ 16L water		Do not apply at less than 7 days before harvest	Do not enter treated fields for at least 1 day after application
ELITE AGROCHEMICALS INC.	PROFENOFOS	PROCTOR 500 EC	500 g/L	EC	INSECTICIDE	2	719-070-6224	21-Mar-25	CONTACT	beans	Corn earworm, leafminer	30-50 Tbsp/ 16L water		Do not apply at less than 7 days before harvest	Do not enter treated fields for at least 1 day after application
ELITE AGROCHEMICALS INC.	PROFENOFOS	PROCTOR 500 EC	500 g/L	EC	INSECTICIDE	2	719-070-6224	21-Mar-25	CONTACT	Soybeans	Corn earworm, leafminer	30-50 Tbsp/ 16L water		Do not apply at less than 7 days before harvest	Do not enter treated fields for at least 1 day after application
ELITE AGROCHEMICALS INC.	PROFENOFOS	PROCTOR 500 EC	500 g/L	EC	INSECTICIDE	2	719-070-6224	21-Mar-25	CONTACT	Mungbeans	Corn earworm, leafminer	30-50 Tbsp/ 16L water		Do not apply at less than 7 days before harvest	Do not enter treated fields for at least 1 day after application
ELITE AGROCHEMICALS INC.	PROFENOFOS	PROCTOR 500 EC	500 g/L	EC	INSECTICIDE	2	719-070-6224	21-Mar-25	CONTACT	Tomato	Fruitworm, armyworm, cutworm	30-50 Tbsp/ 16L water		Do not apply at less than 7 days before harvest	Do not enter treated fields for at least 1 day after application
ELITE AGROCHEMICALS INC.	PROFENOFOS	PROCTOR 500 EC	500 g/L	EC	INSECTICIDE	2	719-070-6224	21-Mar-25	CONTACT	Cotton	Thrips, bollworm & budworm	30-50 Tbsp/ 16L water		Do not apply at less than 7 days before harvest	Do not enter treated fields for at least 1 day after application
ELITE AGROCHEMICALS INC.	PROFENOFOS	PROCTOR 500 EC	500 g/L	EC	INSECTICIDE	2	719-070-6224	21-Mar-25	CONTACT	Eggplant	Fruitbore, aphids, leafhopper, & thrips	1.5-3.0 Tbsp/ 16L water		Do not apply at less than 7 days before harvest	Do not enter treated fields for at least 1 day after application
ELITE AGROCHEMICALS INC.	PROFENOFOS	PROCTOR 500 EC	500 g/L	EC	INSECTICIDE	2	719-070-6224	21-Mar-25	CONTACT	Sitao	Beanfly, leafhopper & aphids	1.0-3.0 Tbsp/ 16L water		Do not apply at less than 7 days before harvest	Do not enter treated fields for at least 1 day after application
ELITE AGROCHEMICALS INC.	PROFENOFOS	PROCTOR 500 EC	500 g/L	EC	INSECTICIDE	2	719-070-6224	21-Mar-25	CONTACT	Mango	Thrips	1.0-2.0 Tbsp/16L water		Do not apply at less than 7 days before harvest	Do not enter treated fields for at least 1 day after application
ARIES INC CHEMICAL CORPORATION	ACETAMIPRID	PROCLAMP 3EC	30g/L	EC	INSECTICIDE	3	478-329-5160	06-Feb-23		Mango Hopper		1.5-2.0 Tbsp / 16 L water		Do not spray within 14 days of harvest	Do not enter the field within 2 days after spraying
ARIES INC CHEMICAL CORPORATION	ACETAMIPRID	PROCLAMP 3EC	30g/L	EC	INSECTICIDE	3	478-329-5160	06-Feb-23		leafhoppers & fruit /shoot borer		1.0-2.0 Tbsp / 16 L water		Do not spray within 14 days of harvest	
AGRIBASE CHEMICALS, INC.	BISPYRIBAC SODIUM	PROCLEAN 10 SC	300 g/L	SC	HERBICIDE	2	487-276-3821	23-Oct-24	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Rice (Direct seeded /swallow)	Grasses, sedges, and broadleaves	20ml/16 L water, 30 spray load/ hectare	0.1 ppm		Entry to treated field is allowed as soon as spray deposits on crops and weeds have dried
SYNGENTA PHILIPPINES INC.	EMAMECTIN BENZOATE	PROCLAIM OPTI 5 WG	50 g/kg	WG	INSECTICIDE	3	031-501-4752	09-Jul-25	CONTACT	Cabbage	Diamondback moth, cutworm, cabbage butterfly	10 grams product/16L Knapsack sprayer; 20-30 Tankload/ha	0.03 mg/Kg	3 days	Do not enter treated areas until spray deposit is dry or unless protective clothing is worn
SYNGENTA PHILIPPINES INC.	EMAMECTIN BENZOATE	PROCLAIM OPTI 5 WG	50 g/kg	WG	INSECTICIDE	3	031-501-4752	09-Jul-25	CONTACT	Eggplant	Fruit and shoot borer, cutworm	10 grams product/16L Knapsack sprayer; 20-30 Tankload/ha	0.04 mg/Kg	3 days	Do not enter treated areas until spray deposit is dry or unless protective clothing is worn
SYNGENTA PHILIPPINES INC.	EMAMECTIN BENZOATE	PROCLAIM OPTI 5 WG	50 g/kg	WG	INSECTICIDE	3	031-501-4752	09-Jul-25	CONTACT	Tomato	Fruit worm, cutworm	10 grams product/16L Knapsack sprayer; 20-30 Tankload/ha	0.02 mg/Kg	3 days	Do not enter treated areas until spray deposit is dry or unless protective clothing is worn
SYNGENTA PHILIPPINES INC.	EMAMECTIN BENZOATE	PROCLAIM OPTI 5 WG	50 g/kg	WG	INSECTICIDE	3	031-501-4752	09-Jul-25	CONTACT	Corn	Asiatic corn borer, cutworm, earworm, fall armyworm	25 grams product/16L Knapsack sprayer; 30-32 Tankload/ha	0.03 mg/Kg	0 day	Do not enter treated areas until spray deposit is dry or unless protective clothing is worn
SYNGENTA PHILIPPINES INC.	EMAMECTIN BENZOATE	PROCLAIM OPTI 5 WG	50 g/kg	WG	INSECTICIDE	3	031-501-4752	15-Jun-24		Fall armyworm (Knapsack spraying)		200-300 g/mold / hectare 10-12 No. of tankload / hectare			
TRANS WORLD TRADING CO., INC.	BIUPROFEZIN-MPFC	PROCIN 25 WP	50-200 g/Kg	WP	INSECTICIDE	3	038-255-0590	31-Dec-24		Rice	Green leafhopper, brown leafhopper	1.5-3.0 Tbsp/16 L water	Biuprofezin 0.5ppm MPFC 0.1ppm	Do not spray within 14 days of harvest	Do not enter the field within 2 days after spraying

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD	
TRANS WORLD TRADING CO., INC.	BUPROFEZIN-MPC	PROCN 25 WP	50-200 g/kg	WP	INSECTICIDE	3	038-255-0900	31-Dec-24	-	Mango	Leafhopper	3.0-4.0 Tbsp/16 L water	-	-	Do not spray within 14 days of harvest	Do not enter the field within 2 days after spraying
MONARC CROP SOLUTIONS PROVIDER CORPORATION	FFPROIL	PROBUS 50 SC	50 g/L	SC	INSECTICIDE	3	550-224-3411	18-May-18	CONTACT	Rice	Stemborer, brown planthopper, leafroller, rice bug	1.3-2.0, 2.0-3.0, 2.7-4.0 tbsp/16L	0.0ppm	30 days	-	-
MONARC CROP SOLUTIONS PROVIDER CORPORATION	FFPROIL	PROBUS 50 SC	50 g/L	SC	INSECTICIDE	3	550-224-3411	18-May-18	CONTACT	Cabbage	Diamond backed moth	1.3-2.0, 2.0-3.0, 2.7-4.0 tbsp/16L	-	-	-	-
MONARC CROP SOLUTIONS PROVIDER CORPORATION	FFPROIL	PROBUS 50 SC	50 g/L	SC	INSECTICIDE	3	550-224-3411	18-May-18	CONTACT	Watermelon	Thrips, leaf beetles	2.5-3.0 tbsp/16L	-	-	-	-
MONARC CROP SOLUTIONS PROVIDER CORPORATION	FFPROIL	PROBUS 50 SC	50 g/L	SC	INSECTICIDE	3	550-224-3411	18-May-18	CONTACT	Onion	Cutworm	5.33 tbsp/16L	-	-	-	-
MONARC CROP SOLUTIONS PROVIDER CORPORATION	FFPROIL	PROBUS 50 SC	50 g/L	SC	INSECTICIDE	3	550-224-3411	18-May-18	CONTACT	Eggplant	Shoot borer	3.0-4.0 tbsp/16L	-	-	-	-
ARISTA LIFESCIENCE PHILIPPINES INC.	GAMMA-CHALOTHRIN	PRO-ANIS 15 CS	15 g/L	CS	INSECTICIDE	4	083-372-2375	19-Mar-18	CONTACT	Rice	Green leafhopper, stemborer	2.3 tbsp/16 L water	0.2ppm	-	-	-
ARISTA LIFESCIENCE PHILIPPINES INC.	GAMMA-CHALOTHRIN	PRO-ANIS 15 CS	15 g/L	CS	INSECTICIDE	4	083-372-2375	19-Mar-18	CONTACT	Mango	Mango hopper, tip hopper, twig borer	4.5 tbsp/16 L water	-	-	-	-
TAGCHEM DRAGON DISTRIBUTION INC.	BUTACHLOR	PRO RICE 60 EC	600 g/L	EC	HERBICIDE	4	517-150-5226	14-Dec-23	PRE-EMERGENT	Rice (Direct-seeded)	Grasses and sedges	-	-	-	-	-
TAGCHEM DRAGON DISTRIBUTION INC.	BUTACHLOR	PRO RICE 60 EC	600 g/L	EC	HERBICIDE	4	517-150-5226	14-Dec-23	PRE-EMERGENT	Rice (Transplanted)	Grasses and sedges	-	-	-	-	-
DAYM CROPSCIENCE, INC.	POLY(VINYLENE SORBITAN FATTY ACID)-POLY(VINYLENE DODECYL ETHER	PRIORITY MIX	750 g/L	LC	OTHERS	4	266-348-3640	11-Feb-22	-	-	-	As surfactant on PRIORITY 100 SC	0.25L/ha	-	-	-
DCOM MARKETING INCORPORATED	POLY(VINYLENE SORBITAN FATTY ACID)-POLY(VINYLENE DODECYL ETHER	PRIORITY MIX	750 g/L	LC	OTHERS	4	467-348-3541	15-Nov-25	-	-	-	As surfactant on PRIORITY SC 100	30 - 30mL/16 L water; 10- 20 spray loads	-	-	-
DAYM CROPSCIENCE, INC.	BISPYRIBAC SODIUM	PRIORITY 100 SC	100 g/L	SC	HERBICIDE	4	266-348-3639	11-Feb-22	-	Rice (Direct-seeded lowland)	Grasses, sedges & broadleaves	10spray/load/ha, 25-30m/16L water; 110spray/load/ha, 20.8-20m/16L water	0.1 ppm	-	-	-
DCOM MARKETING INCORPORATED	BISPYRIBAC SODIUM	PRIORITY 100 SC	100 g/L	SC	HERBICIDE	4	467-276-3549	15-Nov-25	POST-EMERGENT	Rice (Direct-Seeded lowland)	Grasses, sedges, and broadleaves	30m/16 L water, 20 spray load/ hectare	0.1 ppm	-	-	As soon as spray deposit have dried.
GOLDENMAN MARKETING CORPORATION	GLYPHOSATE IPA	PRIMO 480 SL	480 g/L	SL	HERBICIDE	4	400-151-3143	21-Sep-18	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/ha	-	-	-	-
GOLDENMAN MARKETING CORPORATION	GLYPHOSATE IPA	PRIMO 480 SL	480 g/L	SL	HERBICIDE	4	400-151-3143	21-Sep-18	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-	-
GOLDENMAN MARKETING CORPORATION	GLYPHOSATE IPA	PRIMO 480 SL	480 g/L	SL	HERBICIDE	4	400-151-3143	21-Sep-18	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-	-
GOLDENMAN MARKETING CORPORATION	GLYPHOSATE IPA	PRIMO 480 SL	480 g/L	SL	HERBICIDE	4	400-151-3143	21-Sep-18	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-	-
GOLDENMAN MARKETING CORPORATION	GLYPHOSATE IPA	PRIMO 480 SL	480 g/L	SL	HERBICIDE	4	400-151-3143	21-Sep-18	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-	-
GOLDENMAN MARKETING CORPORATION	GLYPHOSATE IPA	PRIMO 480 SL	480 g/L	SL	HERBICIDE	4	400-151-3143	21-Sep-18	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0Liters/ha	-	-	-	-
GOLDENMAN MARKETING CORPORATION	GLYPHOSATE IPA	PRIMO 480 SL	480 g/L	SL	HERBICIDE	4	400-151-3143	21-Sep-18	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0Liters/ha	-	-	-	-
GOLDENMAN MARKETING CORPORATION	GLYPHOSATE IPA	PRIMO 480 SL	480 g/L	SL	HERBICIDE	4	400-151-3143	21-Sep-18	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0Liters/ha	-	-	-	-
GOLDENMAN MARKETING CORPORATION	GLYPHOSATE IPA	PRIMO 480 SL	480 g/L	SL	HERBICIDE	4	400-151-3143	21-Sep-18	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/ha	-	-	-	-
GOLDENMAN MARKETING CORPORATION	GLYPHOSATE IPA	PRIMO 480 SL	480 g/L	SL	HERBICIDE	4	400-151-3143	21-Sep-18	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0Liters/ha	-	-	-	-
GOLDENMAN MARKETING CORPORATION	GLYPHOSATE IPA	PRIMO 480 SL	480 g/L	SL	HERBICIDE	4	400-151-3143	21-Sep-18	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0Liters/ha	-	-	-	-
GOLDENMAN MARKETING CORPORATION	GLYPHOSATE IPA	PRIMO 480 SL	480 g/L	SL	HERBICIDE	4	400-151-3143	21-Sep-18	POST-EMERGENT	Non-crop	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-	-
MID LIFE SCIENCES RESOURCE PHILIPPINES INC.	GLYPHOSATE IPA	PRIMO 480 SL	480 g/L	SL	HERBICIDE	4	563-151-3563	21-Sep-18	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/ha	-	-	-	-
MID LIFE SCIENCES RESOURCE PHILIPPINES INC.	GLYPHOSATE IPA	PRIMO 480 SL	480 g/L	SL	HERBICIDE	4	563-151-3563	21-Sep-18	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-	-
MID LIFE SCIENCES RESOURCE PHILIPPINES INC.	GLYPHOSATE IPA	PRIMO 480 SL	480 g/L	SL	HERBICIDE	4	563-151-3563	21-Sep-18	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-	-
MID LIFE SCIENCES RESOURCE PHILIPPINES INC.	GLYPHOSATE IPA	PRIMO 480 SL	480 g/L	SL	HERBICIDE	4	563-151-3563	21-Sep-18	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-	-
MID LIFE SCIENCES RESOURCE PHILIPPINES INC.	GLYPHOSATE IPA	PRIMO 480 SL	480 g/L	SL	HERBICIDE	4	563-151-3563	21-Sep-18	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-	-
MID LIFE SCIENCES RESOURCE PHILIPPINES INC.	GLYPHOSATE IPA	PRIMO 480 SL	480 g/L	SL	HERBICIDE	4	563-151-3563	21-Sep-18	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0Liters/ha	-	-	-	-
MID LIFE SCIENCES RESOURCE PHILIPPINES INC.	GLYPHOSATE IPA	PRIMO 480 SL	480 g/L	SL	HERBICIDE	4	563-151-3563	21-Sep-18	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-	-
MID LIFE SCIENCES RESOURCE PHILIPPINES INC.	GLYPHOSATE IPA	PRIMO 480 SL	480 g/L	SL	HERBICIDE	4	563-151-3563	21-Sep-18	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-	-
MID LIFE SCIENCES RESOURCE PHILIPPINES INC.	GLYPHOSATE IPA	PRIMO 480 SL	480 g/L	SL	HERBICIDE	4	563-151-3563	21-Sep-18	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/ha	-	-	-	-
MID LIFE SCIENCES RESOURCE PHILIPPINES INC.	GLYPHOSATE IPA	PRIMO 480 SL	480 g/L	SL	HERBICIDE	4	563-151-3563	21-Sep-18	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-	-
MID LIFE SCIENCES RESOURCE PHILIPPINES INC.	GLYPHOSATE IPA	PRIMO 480 SL	480 g/L	SL	HERBICIDE	4	563-151-3563	21-Sep-18	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-	-
MID LIFE SCIENCES RESOURCE PHILIPPINES INC.	GLYPHOSATE IPA	PRIMO 480 SL	480 g/L	SL	HERBICIDE	4	563-151-3563	21-Sep-18	POST-EMERGENT	Non-crop	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-	-
INDOFIL PHILIPPINES INC.	BUPROFEZIN-MPC	PRIMEX 25 WP	50-200g/kg	WP	INSECTICIDE	3	604-255-4386	06-Jun-24	-	Rice	Green leafhopper, Brown leafhopper	1.5-3.0 Tbsp/16 L water	Buprofezin 0.5ppm MPC 0.1ppm	-	Do not spray within 14 days of harvest	Do not enter the field within 2 days after spraying
INDOFIL PHILIPPINES INC.	BUPROFEZIN-MPC	PRIMEX 25 WP	50-200g/kg	WP	INSECTICIDE	3	604-255-4386	06-Jun-24	-	Mango	Leafhopper	3.0-4.0 Tbsp/16 L water	-	-	Do not spray within 14 days of harvest	Do not enter the field within 2 days after spraying
PRIMSTOCKS CHEMICAL CORPORATION	DURION	PRIMSTOCKS DURION 80 WP	800 g/kg	WP	HERBICIDE	4	623-021-4603-B	29-Sep-26	SYSTEMIC	Citrus	Annual and Perennial broadleaves and grasses	11.0-19.0Tbsp/16 L water	-	-	24 hours after application	-
PRIMSTOCKS CHEMICAL CORPORATION	DURION	PRIMSTOCKS DURION 80 WP	800 g/kg	WP	HERBICIDE	4	623-021-4603-B	29-Sep-26	SYSTEMIC	Coffee	Annual and Perennial broadleaves and grasses	11.0-19.0Tbsp/16 L water	-	-	24 hours after application	-
PRIMSTOCKS CHEMICAL CORPORATION	DURION	PRIMSTOCKS DURION 80 WP	800 g/kg	WP	HERBICIDE	4	623-021-4603-B	29-Sep-26	SYSTEMIC	Cotton	Annual and Perennial broadleaves and grasses	8.0Tbsp/16 L water	-	-	24 hours after application	-
PRIMSTOCKS CHEMICAL CORPORATION	DURION	PRIMSTOCKS DURION 80 WP	800 g/kg	WP	HERBICIDE	4	623-021-4603-B	29-Sep-26	SYSTEMIC	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0Tbsp/16 L water	-	-	24 hours after application	-
PRIMSTOCKS CHEMICAL CORPORATION	DURION	PRIMSTOCKS DURION 80 WP	800 g/kg	WP	HERBICIDE	4	623-021-4603-B	29-Sep-26	SYSTEMIC	Pineapple	Annual and Perennial broadleaves and grasses	11.0Tbsp/16 L water	-	-	24 hours after application	-
PRIMSTOCKS CHEMICAL CORPORATION	DURION	PRIMSTOCKS DURION 80 WP	800 g/kg	WP	HERBICIDE	4	623-021-4603-B	29-Sep-26	SYSTEMIC	Non-crop agricultural areas	Annual and Perennial broadleaves and grasses	20.0-28.0Tbsp/16 L water	-	-	24 hours after application	-
DONATO C. CRUZ TRADING CORPORATION	GLUFOSINATE AMMONIUM	PRIMERA X-OUT 150 SL	150 g/L	SL	HERBICIDE	4	587-182-4785	17-May-22	NON-SELECTIVE(POST-EMERGENT)	Rubber	Annual & Perennial grasses, sedges & broadleaf weeds	215, 270, 135mL/16L water	-	-	After spray deposits have dried	-
DONATO C. CRUZ TRADING CORPORATION	GLUFOSINATE AMMONIUM	PRIMERA X-OUT 150 SL	150 g/L	SL	HERBICIDE	4	587-182-4785	17-May-22	NON-SELECTIVE(POST-EMERGENT)	Oil palm	Annual & Perennial grasses, sedges & broadleaf weeds	360, 135mL/16L water	-	-	After spray deposits have dried	-
DONATO C. CRUZ TRADING CORPORATION	GLUFOSINATE AMMONIUM	PRIMERA X-OUT 150 SL	150 g/L	SL	HERBICIDE	4	587-182-4785	17-May-22	NON-SELECTIVE(POST-EMERGENT)	Non-crop areas	Annual & Perennial grasses, sedges & broadleaf weeds	180-215 mL/16L water	-	-	After spray deposits have dried	-
DONATO C. CRUZ TRADING CORPORATION	GLUFOSINATE AMMONIUM	PRIMERA X-OUT 150 SL	150 g/L	SL	HERBICIDE	4	587-182-4785	17-May-22	NON-SELECTIVE(POST-EMERGENT)	Coffee	Annual & Perennial grasses, sedges & broadleaf weeds	360, 135mL/16L water	-	-	After spray deposits have dried	-
DONATO C. CRUZ TRADING CORPORATION	GLUFOSINATE AMMONIUM	PRIMERA X-OUT 150 SL	150 g/L	SL	HERBICIDE	4	587-182-4785	17-May-22	NON-SELECTIVE(POST-EMERGENT)	Citrus	Annual & Perennial grasses, sedges & broadleaf weeds	360, 135mL/16L water	-	-	After spray deposits have dried	-
DONATO C. CRUZ TRADING CORPORATION	GLUFOSINATE AMMONIUM	PRIMERA X-OUT 150 SL	150 g/L	SL	HERBICIDE	4	587-182-4785	17-May-22	NON-SELECTIVE(POST-EMERGENT)	Cavendish Banana	Annual & Perennial grasses, sedges & broadleaf weeds	360, 135-200 mL/16L water	0.2 mg/kg	-	After spray deposits have dried	-
DONATO C. CRUZ TRADING CORPORATION	GLUFOSINATE AMMONIUM	PRIMERA X-OUT 150 SL	150 g/L	SL	HERBICIDE	4	587-182-4785	17-May-22	NON-SELECTIVE(POST-EMERGENT)	Cacao	Annual & Perennial grasses, sedges & broadleaf weeds	360, 135mL/16L water	-	-	After spray deposits have dried	-
DONATO C. CRUZ TRADING CORPORATION	METRIBUZIN	PRIMERA STERILEX 70 WG	700 g/kg	WG	HERBICIDE	4	587-022-4987	25-Jun-22	SELECTIVE	Potato	Annual grasses and broadleaves	15-22.5 grams/16 L water	-	60 days	Re-entry to treated areas is allowed as soon as spray dried up	-
DONATO C. CRUZ TRADING CORPORATION	METRIBUZIN	PRIMERA STERILEX 70 WG	700 g/kg	WG	HERBICIDE	4	587-022-4987	25-Jun-22	SELECTIVE	Soybeans	Annual grasses and broadleaves	15-22.5 grams/16 L water	-	60 days	Re-entry to treated areas is allowed as soon as spray dried up	-
DONATO C. CRUZ TRADING CORPORATION	METRIBUZIN	PRIMERA STERILEX 70 WG	700 g/kg	WG	HERBICIDE	4	587-022-4987	25-Jun-22	SELECTIVE	Sugarcane	Annual grasses and broadleaves	35-50 gram/16 L water	-	60 days	Re-entry to treated areas is allowed as soon as spray dried up	-

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)		PHI	RE-ENTRY PERIOD
DONATO C. CRUZ TRADING CORPORATION	METRIBLON	PRIMERA STERILEX 70 WG	700g/kg	WG	HERBICIDE	4	587-022-4087	25-Jun-22	SELECTIVE	Tomato	Annual grasses and broadleaves	15-22.5 grams/16 L water	-	-	60 days	Re-entry to treated areas is allowed as soon as spray dried up
DONATO C. CRUZ TRADING CORPORATION	ZINC PHOSPHIDE	PRIMERA RATON	800g/kg	P	RODENTICIDE	2	587-173-4787	17-May-22	-	Field	Rats and mice	-	-	-	-	-
DONATO C. CRUZ TRADING CORPORATION	LAMBDA-CHYALOTHIRIN	PRIMERA MARKADO 2.5 EC	25g/L	EC	INSECTICIDE	2	587-204-4786	17-May-22	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leafroller, black bug	1.0-1.57bsp/16 L of water	0.05ppm	-	Do not spray 3 days before harvested	Re-entry to treated fields is allowed as soon as spray deposits dry
DONATO C. CRUZ TRADING CORPORATION	LAMBDA-CHYALOTHIRIN	PRIMERA MARKADO 2.5 EC	25g/L	EC	INSECTICIDE	2	587-204-4786	17-May-22	SYSTEMIC	Mango	Hoppers	0.75-1.57bsp/16 L of water	-	-	Do not spray 3 days before harvested	Re-entry to treated fields is allowed as soon as spray deposits dry
DONATO C. CRUZ TRADING CORPORATION	LAMBDA-CHYALOTHIRIN	PRIMERA MARKADO 2.5 EC	25g/L	EC	INSECTICIDE	2	587-204-4786	17-May-22	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.57bsp/16 L of water	-	-	Do not spray 3 days before harvested	Re-entry to treated fields is allowed as soon as spray deposits dry
DONATO C. CRUZ TRADING CORPORATION	LAMBDA-CHYALOTHIRIN	PRIMERA MARKADO 2.5 EC	25g/L	EC	INSECTICIDE	2	587-204-4786	17-May-22	SYSTEMIC	Onion	Thrips, cutworm	1.07bsp/16 L of water	-	-	Do not spray 3 days before harvested	Re-entry to treated fields is allowed as soon as spray deposits dry
DONATO C. CRUZ TRADING CORPORATION	LAMBDA-CHYALOTHIRIN	PRIMERA MARKADO 2.5 EC	25g/L	EC	INSECTICIDE	2	587-204-4786	17-May-22	SYSTEMIC	Mungbeans	Beanfly, flea beetle, leafhopper, aphids, mites, podborer	1.07bsp/16 L of water	-	-	Do not spray 3 days before harvested	Re-entry to treated fields is allowed as soon as spray deposits dry
DONATO C. CRUZ TRADING CORPORATION	LAMBDA-CHYALOTHIRIN	PRIMERA MARKADO 2.5 EC	25g/L	EC	INSECTICIDE	2	587-204-4786	17-May-22	SYSTEMIC	Corn	Comborer, aphids, seedling maggots	1.0-1.57bsp/16 L of water	-	-	Do not spray 3 days before harvested	Re-entry to treated fields is allowed as soon as spray deposits dry
DONATO C. CRUZ TRADING CORPORATION	LAMBDA-CHYALOTHIRIN	PRIMERA MARKADO 2.5 EC	25g/L	EC	INSECTICIDE	2	587-204-4786	17-May-22	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.57bsp/16 L of water	-	-	Do not spray 3 days before harvested	Re-entry to treated fields is allowed as soon as spray deposits dry
DONATO C. CRUZ TRADING CORPORATION	LAMBDA-CHYALOTHIRIN	PRIMERA MARKADO 2.5 EC	25g/L	EC	INSECTICIDE	2	587-204-4786	17-May-22	SYSTEMIC	Cotton	Bollworm	1.0-1.57bsp/16 L of water	-	-	Do not spray 3 days before harvested	Re-entry to treated fields is allowed as soon as spray deposits dry
DONATO C. CRUZ TRADING CORPORATION	LAMBDA-CHYALOTHIRIN	PRIMERA MARKADO 2.5 EC	25g/L	EC	INSECTICIDE	2	587-204-4786	17-May-22	SYSTEMIC	Cocoa	Podborer	1.0-2.07bsp/16 L of water	-	-	Do not spray 3 days before harvested	Re-entry to treated fields is allowed as soon as spray deposits dry
DONATO C. CRUZ TRADING CORPORATION	LAMBDA-CHYALOTHIRIN	PRIMERA MARKADO 2.5 EC	25g/L	EC	INSECTICIDE	2	587-204-4786	17-May-22	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.07bsp/16 L of water	-	-	Do not spray 3 days before harvested	Re-entry to treated fields is allowed as soon as spray deposits dry
DONATO C. CRUZ TRADING CORPORATION	CYPERMETHRIN	PRIMERA LEADER 5 EC	50g/L	EC	INSECTICIDE	4	587-037-4156	06-Nov-20	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water	-	-	7 days	Entry to field and crops treated with LEADER 5 EC is allowed as soon as spray deposits dry
DONATO C. CRUZ TRADING CORPORATION	CYPERMETHRIN	PRIMERA LEADER 5 EC	50g/L	EC	INSECTICIDE	4	587-037-4156	06-Nov-20	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leafroller, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water	-	-	7 days	Entry to field and crops treated with LEADER 5 EC is allowed as soon as spray deposits dry
DONATO C. CRUZ TRADING CORPORATION	CYPERMETHRIN	PRIMERA LEADER 5 EC	50g/L	EC	INSECTICIDE	4	587-037-4156	06-Nov-20	CONTACT	Cabbage	Diamond back moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	-	-	7 days	Entry to field and crops treated with LEADER 5 EC is allowed as soon as spray deposits dry
DONATO C. CRUZ TRADING CORPORATION	CYPERMETHRIN	PRIMERA LEADER 5 EC	50g/L	EC	INSECTICIDE	4	587-037-4156	06-Nov-20	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	-	-	7 days	Entry to field and crops treated with LEADER 5 EC is allowed as soon as spray deposits dry
DONATO C. CRUZ TRADING CORPORATION	CYPERMETHRIN	PRIMERA LEADER 5 EC	50g/L	EC	INSECTICIDE	4	587-037-4156	06-Nov-20	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	-	-	7 days	Entry to field and crops treated with LEADER 5 EC is allowed as soon as spray deposits dry
DONATO C. CRUZ TRADING CORPORATION	CYPERMETHRIN	PRIMERA LEADER 5 EC	50g/L	EC	INSECTICIDE	4	587-037-4156	06-Nov-20	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	-	-	7 days	Entry to field and crops treated with LEADER 5 EC is allowed as soon as spray deposits dry
DONATO C. CRUZ TRADING CORPORATION	CYPERMETHRIN	PRIMERA LEADER 5 EC	50g/L	EC	INSECTICIDE	4	587-037-4156	06-Nov-20	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	-	7 days	Entry to field and crops treated with LEADER 5 EC is allowed as soon as spray deposits dry
DONATO C. CRUZ TRADING CORPORATION	CYPERMETHRIN	PRIMERA LEADER 5 EC	50g/L	EC	INSECTICIDE	4	587-037-4156	06-Nov-20	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	-	-	7 days	Entry to field and crops treated with LEADER 5 EC is allowed as soon as spray deposits dry
DONATO C. CRUZ TRADING CORPORATION	CYPERMETHRIN	PRIMERA LEADER 5 EC	50g/L	EC	INSECTICIDE	4	587-037-4156	06-Nov-20	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	-	7 days	Entry to field and crops treated with LEADER 5 EC is allowed as soon as spray deposits dry
DONATO C. CRUZ TRADING CORPORATION	CYPERMETHRIN	PRIMERA LEADER 5 EC	50g/L	EC	INSECTICIDE	4	587-037-4156	06-Nov-20	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-	-	7 days	Entry to field and crops treated with LEADER 5 EC is allowed as soon as spray deposits dry
DONATO C. CRUZ TRADING CORPORATION	CYPERMETHRIN	PRIMERA LEADER 5 EC	50g/L	EC	INSECTICIDE	4	587-037-4156	06-Nov-20	CONTACT	Corn	Comborer, earworm	1.0-4.5 Tbsp/16 L water	-	-	7 days	Entry to field and crops treated with LEADER 5 EC is allowed as soon as spray deposits dry
DONATO C. CRUZ TRADING CORPORATION	DIURON	PRIMERA DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	587-021-4052	07/14/2020	SYSTEMIC	Citrus	Annual and Perennial broadleaves and grasses	15.0-19.07bsp/16 L water	-	-	-	-
DONATO C. CRUZ TRADING CORPORATION	DIURON	PRIMERA DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	587-021-4052	07/14/2020	SYSTEMIC	Coffee	Annual and Perennial broadleaves and grasses	15.0-19.07bsp/16 L water	-	-	-	-
DONATO C. CRUZ TRADING CORPORATION	DIURON	PRIMERA DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	587-021-4052	07/14/2020	SYSTEMIC	Cotton	Annual and Perennial broadleaves and grasses	6.07bsp/16 L water	-	-	-	-
DONATO C. CRUZ TRADING CORPORATION	DIURON	PRIMERA DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	587-021-4052	07/14/2020	SYSTEMIC	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.07bsp/16 L water	-	-	-	-
DONATO C. CRUZ TRADING CORPORATION	DIURON	PRIMERA DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	587-021-4052	07/14/2020	SYSTEMIC	Pineapple	Annual and Perennial broadleaves and grasses	13.07bsp/16 L water	-	-	-	-
DONATO C. CRUZ TRADING CORPORATION	DIURON	PRIMERA DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	587-021-4052	07/14/2020	SYSTEMIC	Non-crop land	Annual and Perennial broadleaves and grasses	20.0-28.07bsp/16 L water	-	-	-	-
DONATO C. CRUZ TRADING CORPORATION	GLYPHOSATE IPA	PRIMERA CLEANFIELD 480 SL	480 g/L	SL	HERBICIDE	4	587-151-4784	17-May-22	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-3.0 Liters/ha	-	-	-	-
DONATO C. CRUZ TRADING CORPORATION	GLYPHOSATE IPA	PRIMERA CLEANFIELD 480 SL	480 g/L	SL	HERBICIDE	4	587-151-4784	17-May-22	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0 Liters /ha	-	-	-	-
DONATO C. CRUZ TRADING CORPORATION	GLYPHOSATE IPA	PRIMERA CLEANFIELD 480 SL	480 g/L	SL	HERBICIDE	4	587-151-4784	17-May-22	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0 Liters/ha	-	-	-	-
DONATO C. CRUZ TRADING CORPORATION	GLYPHOSATE IPA	PRIMERA CLEANFIELD 480 SL	480 g/L	SL	HERBICIDE	4	587-151-4784	17-May-22	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0 Liters/ha	-	-	-	-
DONATO C. CRUZ TRADING CORPORATION	GLYPHOSATE IPA	PRIMERA CLEANFIELD 480 SL	480 g/L	SL	HERBICIDE	4	587-151-4784	17-May-22	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0 Liters/ha	-	-	-	-
DONATO C. CRUZ TRADING CORPORATION	GLYPHOSATE IPA	PRIMERA CLEANFIELD 480 SL	480 g/L	SL	HERBICIDE	4	587-151-4784	17-May-22	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	3.5-4.5 Liters/ha	-	-	-	-
DONATO C. CRUZ TRADING CORPORATION	GLYPHOSATE IPA	PRIMERA CLEANFIELD 480 SL	480 g/L	SL	HERBICIDE	4	587-151-4784	17-May-22	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	3.5-4.5 Liters/ha	-	-	-	-
DONATO C. CRUZ TRADING CORPORATION	GLYPHOSATE IPA	PRIMERA CLEANFIELD 480 SL	480 g/L	SL	HERBICIDE	4	587-151-4784	17-May-22	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	3.5-4.5 Liters/ha	-	-	-	-
DONATO C. CRUZ TRADING CORPORATION	GLYPHOSATE IPA	PRIMERA CLEANFIELD 480 SL	480 g/L	SL	HERBICIDE	4	587-151-4784	17-May-22	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	3.5-4.5 Liters/ha	-	-	-	-
DONATO C. CRUZ TRADING CORPORATION	GLYPHOSATE IPA	PRIMERA CLEANFIELD 480 SL	480 g/L	SL	HERBICIDE	4	587-151-4784	17-May-22	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-	-
DONATO C. CRUZ TRADING CORPORATION	GLYPHOSATE IPA	PRIMERA CLEANFIELD 480 SL	480 g/L	SL	HERBICIDE	4	587-151-4784	17-May-22	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-	-
DONATO C. CRUZ TRADING CORPORATION	GLYPHOSATE IPA	PRIMERA CLEANFIELD 480 SL	480 g/L	SL	HERBICIDE	4	587-151-4784	17-May-22	POST-EMERGENT	non-crop	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-	-
DONATO C. CRUZ TRADING CORPORATION	CARBOFURAN	PRIMERA CARBOFURAN 3G	30 g/kg	G	INSECTICIDE	2	587-104-4053	14-Jul-20	-	Corn	Borer, earworm, grubs, seedling maggot	16-7-33.3 kg prod/ha	-	-	-	-
DONATO C. CRUZ TRADING CORPORATION	CARBOFURAN	PRIMERA CARBOFURAN 3G	30 g/kg	G	INSECTICIDE	2	587-104-4053	14-Jul-20	-	Cotton	Nematodes, grubs	16-7-33.3 kg prod/ha	-	-	-	-
DONATO C. CRUZ TRADING CORPORATION	CARBOFURAN	PRIMERA CARBOFURAN 3G	30 g/kg	G	INSECTICIDE	2	587-104-4053	14-Jul-20	-	Eggplant	Fruitborer	16-7-33.3 kg prod/ha	-	-	-	-
DONATO C. CRUZ TRADING CORPORATION	CARBOFURAN	PRIMERA CARBOFURAN 3G	30 g/kg	G	INSECTICIDE	2	587-104-4053	14-Jul-20	-	Field legumes	Beanflies, grubs, nematodes	16-7-33.3 kg prod/ha	-	-	-	-
DONATO C. CRUZ TRADING CORPORATION	CARBOFURAN	PRIMERA CARBOFURAN 3G	30 g/kg	G	INSECTICIDE	2	587-104-4053	14-Jul-20	-	Rice	Stem borer, whorl maggot, leafhopper, leafroller, caseworm, planthopper	16-7-33.3 kg prod/ha	0.2ppm	-	28 Days	-
DONATO C. CRUZ TRADING CORPORATION	CARBOFURAN	PRIMERA CARBOFURAN 3G	30 g/kg	G	INSECTICIDE	2	587-104-4053	14-Jul-20	-	Soybeans	Beanfly, grubs, nematodes, other soil insects	16-7-33.3 kg prod/ha	-	-	-	-
DONATO C. CRUZ TRADING CORPORATION	CARBOFURAN	PRIMERA CARBOFURAN 3G	30 g/kg	G	INSECTICIDE	2	587-104-4053	14-Jul-20	-	Sugarcane	Borer, leafhopper, mealy bug, nematodes, scale insects	16-7-33.3 kg prod/ha	-	-	-	-
DONATO C. CRUZ TRADING CORPORATION	CARBOFURAN	PRIMERA CARBOFURAN 3G	30 g/kg	G	INSECTICIDE	2	587-104-4053	14-Jul-20	-	Tobacco	Nematode, budworm	16-7-33.3 kg prod/ha	-	-	-	-
DONATO C. CRUZ TRADING CORPORATION	CARBOFURAN	PRIMERA CARBOFURAN 3G	30 g/kg	G	INSECTICIDE	2	587-104-4053	14-Jul-20	-	White potato	Nematodes, grubs	16-7-33.3 kg prod/ha	-	-	-	-
DONATO C. CRUZ TRADING CORPORATION	CARBOFURAN	PRIMERA CARBOFURAN 3G	30 g/kg	G	INSECTICIDE	2	587-104-4053	14-Jul-20	-	Cowpea	Beanfly, grubs, nematodes, other soil insects	16-7-33.3 kg prod/ha	-	-	-	-
DONATO C. CRUZ TRADING CORPORATION	CARBOFURAN	PRIMERA CARBOFURAN 3G	30 g/kg	G	INSECTICIDE	2	587-104-4053	14-Jul-20	-	Ornamentals	Scale insect, aphids, mealy bug	16-7-33.3 kg prod/ha	-	-	-	-
DONATO C. CRUZ TRADING CORPORATION	MANCOZEB	PRIMERA ATTAIN 80 WP	800g/kg	WP	FUNGICIDE	4	587-051-4802	27-May-22	-	Potato	Early and late blight	3-6 Tbsp/16 L water	-	-	-	As soon as spray dries
DONATO C. CRUZ TRADING CORPORATION	MANCOZEB	PRIMERA ATTAIN 80 WP	800g/kg	WP	FUNGICIDE	4	587-051-4802	27-May-22	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	-	7 days	As soon as spray dries
DONATO C. CRUZ TRADING CORPORATION	MANCOZEB	PRIMERA ATTAIN 80 WP	800g/kg	WP	FUNGICIDE	4	587-051-4802	27-May-22	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	-	7 days	As soon as spray dries
DONATO C. CRUZ TRADING CORPORATION	MANCOZEB	PRIMERA ATTAIN 80 WP	800g/kg	WP	FUNGICIDE	4	587-051-4802	27-May-22	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	-	7 days	As soon as spray dries

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
DONATO C. CRUZ TRADING CORPORATION	MANCOZEB	PRIMERA ATTAIN 80 WP	800g/kg	WP	FUNGICIDE	4	587-053-4802	27-May-22		Celery	Late blight	3-6 Tbsp/36 L water		14 days	As soon as spray dries
DONATO C. CRUZ TRADING CORPORATION	MANCOZEB	PRIMERA ATTAIN 80 WP	800g/kg	WP	FUNGICIDE	4	587-053-4802	27-May-22		Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water		5 days	As soon as spray dries
DONATO C. CRUZ TRADING CORPORATION	MANCOZEB	PRIMERA ATTAIN 80 WP	800g/kg	WP	FUNGICIDE	4	587-053-4802	27-May-22		Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water		5 days	As soon as spray dries
DONATO C. CRUZ TRADING CORPORATION	MANCOZEB	PRIMERA ATTAIN 80 WP	800g/kg	WP	FUNGICIDE	4	587-053-4802	27-May-22		Cotton	Damping off	3-6 Tbsp/36 L water		-	As soon as spray dries
DONATO C. CRUZ TRADING CORPORATION	MANCOZEB	PRIMERA ATTAIN 80 WP	800g/kg	WP	FUNGICIDE	4	587-053-4802	27-May-22		Lettuce	Downy mildew	3-6 Tbsp/36 L water		7 days	As soon as spray dries
DONATO C. CRUZ TRADING CORPORATION	MANCOZEB	PRIMERA ATTAIN 80 WP	800g/kg	WP	FUNGICIDE	4	587-053-4802	27-May-22		Peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/36 L water		5 days	As soon as spray dries
DONATO C. CRUZ TRADING CORPORATION	MANCOZEB	PRIMERA ATTAIN 80 WP	800g/kg	WP	FUNGICIDE	4	587-053-4802	27-May-22		Peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/36 L water		5 days	As soon as spray dries
DONATO C. CRUZ TRADING CORPORATION	MANCOZEB	PRIMERA ATTAIN 80 WP	800g/kg	WP	FUNGICIDE	4	587-053-4802	27-May-22		Mungo	Anthracnose, Downy mildew, Rust	3-6 Tbsp/36 L water		5 days	As soon as spray dries
DONATO C. CRUZ TRADING CORPORATION	MANCOZEB	PRIMERA ATTAIN 80 WP	800g/kg	WP	FUNGICIDE	4	587-053-4802	27-May-22		Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/36 L water		5 days	As soon as spray dries
DONATO C. CRUZ TRADING CORPORATION	MANCOZEB	PRIMERA ATTAIN 80 WP	800g/kg	WP	FUNGICIDE	4	587-053-4802	27-May-22		Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36 L water		7 days	As soon as spray dries
DONATO C. CRUZ TRADING CORPORATION	MANCOZEB	PRIMERA ATTAIN 80 WP	800g/kg	WP	FUNGICIDE	4	587-053-4802	27-May-22		Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36 L water		7 days	As soon as spray dries
DONATO C. CRUZ TRADING CORPORATION	MANCOZEB	PRIMERA ATTAIN 80 WP	800g/kg	WP	FUNGICIDE	4	587-053-4802	27-May-22		Pepper	Anthracnose	3-6 Tbsp/36 L water		7 days	As soon as spray dries
DONATO C. CRUZ TRADING CORPORATION	MANCOZEB	PRIMERA ATTAIN 80 WP	800g/kg	WP	FUNGICIDE	4	587-053-4802	27-May-22		Chili	Anthracnose	3-6 Tbsp/36 L water		7 days	As soon as spray dries
DONATO C. CRUZ TRADING CORPORATION	MANCOZEB	PRIMERA ATTAIN 80 WP	800g/kg	WP	FUNGICIDE	4	587-053-4802	27-May-22		Eggplant	Blight, Anthracnose	3-6 Tbsp/36 L water		-	As soon as spray dries
DONATO C. CRUZ TRADING CORPORATION	MANCOZEB	PRIMERA ATTAIN 80 WP	800g/kg	WP	FUNGICIDE	4	587-053-4802	27-May-22		Banana	Sigatoka, Black leaf streak	3-6 Tbsp/36 L water		-	As soon as spray dries
DONATO C. CRUZ TRADING CORPORATION	MANCOZEB	PRIMERA ATTAIN 80 WP	800g/kg	WP	FUNGICIDE	4	587-053-4802	27-May-22		Grapes	Downy mildew, black rot	3-6 Tbsp/36 L water		60 days	As soon as spray dries
DONATO C. CRUZ TRADING CORPORATION	MANCOZEB	PRIMERA ATTAIN 80 WP	800g/kg	WP	FUNGICIDE	4	587-053-4802	27-May-22		Mango	Anthracnose and Scab	3-6 Tbsp/36 L water		5 days	As soon as spray dries
DONATO C. CRUZ TRADING CORPORATION	MANCOZEB	PRIMERA ATTAIN 80 WP	800g/kg	WP	FUNGICIDE	4	587-053-4802	27-May-22		Papaya	Fruit rot	3-6 Tbsp/36 L water		-	As soon as spray dries
DONATO C. CRUZ TRADING CORPORATION	MANCOZEB	PRIMERA ATTAIN 80 WP	800g/kg	WP	FUNGICIDE	4	587-053-4802	27-May-22		Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water		5 days	As soon as spray dries
DONATO C. CRUZ TRADING CORPORATION	MANCOZEB	PRIMERA ATTAIN 80 WP	800g/kg	WP	FUNGICIDE	4	587-053-4802	27-May-22		Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water		5 days	As soon as spray dries
DONATO C. CRUZ TRADING CORPORATION	MANCOZEB	PRIMERA ATTAIN 80 WP	800g/kg	WP	FUNGICIDE	4	587-053-4802	27-May-22		Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/36 L water		7 days	As soon as spray dries
DONATO C. CRUZ TRADING CORPORATION	MANCOZEB	PRIMERA ATTAIN 80 WP	800g/kg	WP	FUNGICIDE	4	587-053-4802	27-May-22		Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/36 L water	0.02ppm	-	As soon as spray dries
DONATO C. CRUZ TRADING CORPORATION	MANCOZEB	PRIMERA ATTAIN 80 WP	800g/kg	WP	FUNGICIDE	4	587-053-4802	27-May-22		Peanut	Cercospora leaf spot	3-6 Tbsp/36 L water		14 days	As soon as spray dries
DONATO C. CRUZ TRADING CORPORATION	MANCOZEB	PRIMERA ATTAIN 80 WP	800g/kg	WP	FUNGICIDE	4	587-053-4802	27-May-22		Soybeans	Leaf rust	3-6 Tbsp/36 L water		-	As soon as spray dries
DONATO C. CRUZ TRADING CORPORATION	MANCOZEB	PRIMERA ATTAIN 80 WP	800g/kg	WP	FUNGICIDE	4	587-053-4802	27-May-22		Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/36 L water		-	As soon as spray dries
DONATO C. CRUZ TRADING CORPORATION	2,4-D AMINE	PRIMERA 2,4-D AMINE	400 g/L	EC	HERBICIDE	2	587-033-4050	14-Jul-20	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual broadleaves and sedges	3.5-6.5 Tbsp/36 L water	0.1 ppm	-	
DONATO C. CRUZ TRADING CORPORATION	2,4-D AMINE	PRIMERA 2,4-D AMINE	400 g/L	EC	HERBICIDE	2	587-033-4050	14-Jul-20	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual broadleaves and sedges	10-25 Tbsp/36 L water		-	
DONATO C. CRUZ TRADING CORPORATION	2,4-D AMINE	PRIMERA 2,4-D AMINE	400 g/L	EC	HERBICIDE	2	587-033-4050	14-Jul-20	SELECTIVE (POST-EMERGENT)	Corn	Annual broadleaves and sedges	6-6.5 Tbsp/36 L water		-	
PRIMESTOCKS CHEMICAL CORPORATION	PROFENOFOS	PRIME PROFENOFOS 50 EC	500 g/L	EC	INSECTICIDE	2	623-070-5275	17-Nov-26	CONTACT	Tomato	Fruitworm, armyworm, cutworm	3.0-5.0 Tbsp/ 36L water	-	14 days	Do not enter treated field 1 day after application
PRIMESTOCKS CHEMICAL CORPORATION	PROFENOFOS	PRIME PROFENOFOS 50 EC	500 g/L	EC	INSECTICIDE	2	623-070-5275	17-Nov-26	CONTACT	Eggplant	Fruitborer, aphids, leafhopper, & thrips	1.5-3.0 Tbsp/ 36L water	-	14 days	Do not enter treated field 1 day after application
PRIMESTOCKS CHEMICAL CORPORATION	PROFENOFOS	PRIME PROFENOFOS 50 EC	500 g/L	EC	INSECTICIDE	2	623-070-5275	17-Nov-26	CONTACT	Cabbage	Diamond-back moth, cabbage worms, aphids, thrips	3.0-5.0 Tbsp/ 36L water	-	14 days	Do not enter treated field 1 day after application
PRIMESTOCKS CHEMICAL CORPORATION	PROFENOFOS	PRIME PROFENOFOS 50 EC	500 g/L	EC	INSECTICIDE	2	623-070-5275	17-Nov-26	CONTACT	Potato	Thrips, armyworm, cutworm, tubeworm	3.0-5.0 Tbsp/ 36L water	-	14 days	Do not enter treated field 1 day after application
PRIMESTOCKS CHEMICAL CORPORATION	PROFENOFOS	PRIME PROFENOFOS 50 EC	500 g/L	EC	INSECTICIDE	2	623-070-5275	17-Nov-26	CONTACT	Soybeans	Corn earworm, leafminer	3.0-5.0 Tbsp/ 36L water	-	14 days	Do not enter treated field 1 day after application
PRIMESTOCKS CHEMICAL CORPORATION	PROFENOFOS	PRIME PROFENOFOS 50 EC	500 g/L	EC	INSECTICIDE	2	623-070-5275	17-Nov-26	CONTACT	Mungbeans	Corn earworm, leafminer	3.0-5.0 Tbsp/ 36L water	-	14 days	Do not enter treated field 1 day after application
PRIMESTOCKS CHEMICAL CORPORATION	PROFENOFOS	PRIME PROFENOFOS 50 EC	500 g/L	EC	INSECTICIDE	2	623-070-5275	17-Nov-26	CONTACT	Cotton	Thrips, bollworm & budworm	3.0-5.0 Tbsp/ 36L water	-	14 days	Do not enter treated field 1 day after application
PRIMESTOCKS CHEMICAL CORPORATION	PROFENOFOS	PRIME PROFENOFOS 50 EC	500 g/L	EC	INSECTICIDE	2	623-070-5275	17-Nov-26	CONTACT	Sitao	Beetfly, leafroller, aphids	3.0-3.0 Tbsp/36 L water	-	14 days	Do not enter treated field 1 day after application
PRIMESTOCKS CHEMICAL CORPORATION	PROFENOFOS	PRIME PROFENOFOS 50 EC	500 g/L	EC	INSECTICIDE	2	623-070-5275	17-Nov-26	CONTACT	Watermelon	Thrips	3.0-5.0 Tbsp/ 36L water	-	14 days	Do not enter treated field 1 day after application
PRIMESTOCKS CHEMICAL CORPORATION	PROFENOFOS	PRIME PROFENOFOS 50 EC	500 g/L	EC	INSECTICIDE	2	623-070-5275	17-Nov-26	CONTACT	Mango	Blossom thrips	3.0-5.0 Tbsp/ 36L water	-	14 days	Do not enter treated field 1 day after application
PRIMESTOCKS CHEMICAL CORPORATION	MANCOZEB	PRIME MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	623-053-4748	05-Feb-24		Potato	Early and late blight	3-6 Tbsp/36 L water		-	
PRIMESTOCKS CHEMICAL CORPORATION	MANCOZEB	PRIME MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	623-053-4748	05-Feb-24		Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water		Allow 7 days from last spray until harvest.	-
PRIMESTOCKS CHEMICAL CORPORATION	MANCOZEB	PRIME MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	623-053-4748	05-Feb-24		Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water		Allow 7 days from last spray until harvest.	-
PRIMESTOCKS CHEMICAL CORPORATION	MANCOZEB	PRIME MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	623-053-4748	05-Feb-24		Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water		Allow 7 days from last spray until harvest.	-
PRIMESTOCKS CHEMICAL CORPORATION	MANCOZEB	PRIME MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	623-053-4748	05-Feb-24		Celery	Late blight	3-6 Tbsp/36 L water		Allow 7 days from last spray until harvest.	-
PRIMESTOCKS CHEMICAL CORPORATION	MANCOZEB	PRIME MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	623-053-4748	05-Feb-24		Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water		Allow 7 days from last spray until harvest.	-
PRIMESTOCKS CHEMICAL CORPORATION	MANCOZEB	PRIME MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	623-053-4748	05-Feb-24		Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water		Allow 7 days from last spray until harvest.	-
PRIMESTOCKS CHEMICAL CORPORATION	MANCOZEB	PRIME MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	623-053-4748	05-Feb-24		Cotton	Damping off	3-6 Tbsp/36 L water		Allow 7 days from last spray until harvest.	-
PRIMESTOCKS CHEMICAL CORPORATION	MANCOZEB	PRIME MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	623-053-4748	05-Feb-24		Lettuce	Downy mildew	3-6 Tbsp/36 L water		Allow 7 days from last spray until harvest.	-
PRIMESTOCKS CHEMICAL CORPORATION	MANCOZEB	PRIME MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	623-053-4748	05-Feb-24		Beans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/36 L water		Allow 7 days from last spray until harvest.	-
PRIMESTOCKS CHEMICAL CORPORATION	MANCOZEB	PRIME MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	623-053-4748	05-Feb-24		Peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/36 L water		Allow 7 days from last spray until harvest.	-
PRIMESTOCKS CHEMICAL CORPORATION	MANCOZEB	PRIME MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	623-053-4748	05-Feb-24		Mungo	Anthracnose, Downy mildew, Rust	3-6 Tbsp/36 L water		Allow 7 days from last spray until harvest.	-
PRIMESTOCKS CHEMICAL CORPORATION	MANCOZEB	PRIME MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	623-053-4748	05-Feb-24		Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/36 L water		Allow 7 days from last spray until harvest.	-
PRIMESTOCKS CHEMICAL CORPORATION	MANCOZEB	PRIME MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	623-053-4748	05-Feb-24		Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36 L water		Allow 7 days from last spray until harvest.	-
PRIMESTOCKS CHEMICAL CORPORATION	MANCOZEB	PRIME MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	623-053-4748	05-Feb-24		Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36 L water		Allow 7 days from last spray until harvest.	-
PRIMESTOCKS CHEMICAL CORPORATION	MANCOZEB	PRIME MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	623-053-4748	05-Feb-24		Pepper	Anthracnose	3-6 Tbsp/36 L water		Allow 7 days from last spray until harvest.	-
PRIMESTOCKS CHEMICAL CORPORATION	MANCOZEB	PRIME MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	623-053-4748	05-Feb-24		Chili	Anthracnose	3-6 Tbsp/36 L water		Allow 7 days from last spray until harvest.	-
PRIMESTOCKS CHEMICAL CORPORATION	MANCOZEB	PRIME MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	623-053-4748	05-Feb-24		Eggplant	Blight, Anthracnose	3-6 Tbsp/36 L water		Allow 7 days from last spray until harvest.	-

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
PRIMSTOCKS CHEMICAL CORPORATION	MANCOZEB	PRIME MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	623-053-4748	05-Feb-24	-	Banana	Sigatoka, Black leaf streak	3-6 Tbsp/36 L water	-	Allow 7 days from last spray until harvest.	-
PRIMSTOCKS CHEMICAL CORPORATION	MANCOZEB	PRIME MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	623-053-4748	05-Feb-24	-	Grapes	Downy mildew, black rot	3-6 Tbsp/36 L water	-	Allow 7 days from last spray until harvest.	-
PRIMSTOCKS CHEMICAL CORPORATION	MANCOZEB	PRIME MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	623-053-4748	05-Feb-24	-	Mango	Anthraxnose and Scab	3-6 Tbsp/36 L water	-	Allow 7 days from last spray until harvest.	-
PRIMSTOCKS CHEMICAL CORPORATION	MANCOZEB	PRIME MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	623-053-4748	05-Feb-24	-	Papaya	Fruit rot	3-6 Tbsp/36 L water	-	Allow 7 days from last spray until harvest.	-
PRIMSTOCKS CHEMICAL CORPORATION	MANCOZEB	PRIME MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	623-053-4748	05-Feb-24	-	Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	Allow 7 days from last spray until harvest.	-
PRIMSTOCKS CHEMICAL CORPORATION	MANCOZEB	PRIME MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	623-053-4748	05-Feb-24	-	Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	Allow 7 days from last spray until harvest.	-
PRIMSTOCKS CHEMICAL CORPORATION	MANCOZEB	PRIME MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	623-053-4748	05-Feb-24	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/36 L water	-	Allow 7 days from last spray until harvest.	-
PRIMSTOCKS CHEMICAL CORPORATION	MANCOZEB	PRIME MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	623-053-4748	05-Feb-24	-	Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/36 L water	0.02ppm	Allow 7 days from last spray until harvest.	-
PRIMSTOCKS CHEMICAL CORPORATION	MANCOZEB	PRIME MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	623-053-4748	05-Feb-24	-	Peanut	Cercospora leaf spot	3-6 Tbsp/36 L water	-	Allow 7 days from last spray until harvest.	-
PRIMSTOCKS CHEMICAL CORPORATION	MANCOZEB	PRIME MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	623-053-4748	05-Feb-24	-	Soybeans	Leaf rust	3-6 Tbsp/36 L water	-	Allow 7 days from last spray until harvest.	-
PRIMSTOCKS CHEMICAL CORPORATION	MANCOZEB	PRIME MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	623-053-4748	05-Feb-24	-	Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/36 L water	-	Allow 7 days from last spray until harvest.	-
PRIMSTOCKS CHEMICAL CORPORATION	MALATHION	PRIME MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	623-038-4602	06-Jun-24	NON-SYSTEMIC	Fruit trees	Aphids, mealy bug scale insect	1.5-3.0Tbsp/36 L water	-	One day after each spraying.	One day after each spraying.
PRIMSTOCKS CHEMICAL CORPORATION	MALATHION	PRIME MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	623-038-4602	06-Jun-24	NON-SYSTEMIC	Rice	Armyworm, caseworm, leafhopper, bugs	2.0-5.0Tbsp/36 L water	-	One day after each spraying.	One day after each spraying.
PRIMSTOCKS CHEMICAL CORPORATION	MALATHION	PRIME MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	623-038-4602	06-Jun-24	NON-SYSTEMIC	Corn	Earworm, silkworm, aphids, grasshopper	3.0-5.0Tbsp/36 L water	-	One day after each spraying.	One day after each spraying.
PRIMSTOCKS CHEMICAL CORPORATION	MALATHION	PRIME MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	623-038-4602	06-Jun-24	NON-SYSTEMIC	Crucifer (cabbage)	Cabbage worm, looper, diamond-back moth	2.0-5.0Tbsp/36 L water	-	One day after each spraying.	One day after each spraying.
PRIMSTOCKS CHEMICAL CORPORATION	MALATHION	PRIME MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	623-038-4602	06-Jun-24	NON-SYSTEMIC	Legumes	Aphids, beanfly, cutworm, flea beetles, leafminer, maggots, mealybug, podborer, thrips	2.0-5.0Tbsp/36 L water	-	One day after each spraying.	One day after each spraying.
PRIMSTOCKS CHEMICAL CORPORATION	MALATHION	PRIME MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	623-038-4602	06-Jun-24	NON-SYSTEMIC	Grapes	Beetles, cutworm, leafhopper, mealybug, scale insect, spider mites	3.0Tbsp/36 L water	-	One day after each spraying.	One day after each spraying.
PRIMSTOCKS CHEMICAL CORPORATION	MALATHION	PRIME MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	623-038-4602	06-Jun-24	NON-SYSTEMIC	Pineapple	Mealy bug	3.0Tbsp/36 L water	-	One day after each spraying.	One day after each spraying.
PRIMSTOCKS CHEMICAL CORPORATION	MALATHION	PRIME MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	623-038-4602	06-Jun-24	NON-SYSTEMIC	Pepper	Aphid, cutworm, fruitworm	3.0Tbsp/36 L water	-	One day after each spraying.	One day after each spraying.
PRIMSTOCKS CHEMICAL CORPORATION	MALATHION	PRIME MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	623-038-4602	06-Jun-24	NON-SYSTEMIC	Garlic	Cutworm	3.0Tbsp/36 L water	-	One day after each spraying.	One day after each spraying.
PRIMSTOCKS CHEMICAL CORPORATION	MALATHION	PRIME MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	623-038-4602	06-Jun-24	NON-SYSTEMIC	Onion	Cutworm	3.0Tbsp/36 L water	-	One day after each spraying.	One day after each spraying.
PRIMSTOCKS CHEMICAL CORPORATION	MALATHION	PRIME MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	623-038-4602	06-Jun-24	NON-SYSTEMIC	Tobacco	Aphids, katydid	3.0-6.0Tbsp/36 L water	-	One day after each spraying.	One day after each spraying.
PRIMSTOCKS CHEMICAL CORPORATION	MALATHION	PRIME MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	623-038-4602	06-Jun-24	NON-SYSTEMIC	Ornamentals	Aphids, cutworm, mealybug, scale insect, spider mites	3.0-5.0Tbsp/36 L water	-	One day after each spraying.	One day after each spraying.
PRIMSTOCKS CHEMICAL CORPORATION	MALATHION	PRIME MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	623-038-4602	06-Jun-24	NON-SYSTEMIC	Tomato	Lady beetle	3.0-5.0Tbsp/36 L water	-	One day after each spraying.	One day after each spraying.
PRIMSTOCKS CHEMICAL CORPORATION	MALATHION	PRIME MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	623-038-4602	06-Jun-24	NON-SYSTEMIC	Eggplant	Aphids, fruitworm	3.0-5.0Tbsp/36 L water	-	One day after each spraying.	One day after each spraying.
PRIMSTOCKS CHEMICAL CORPORATION	MALATHION	PRIME MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	623-038-4602	06-Jun-24	NON-SYSTEMIC	Sorghum	Web worm	3.0Tbsp/36 L water	-	One day after each spraying.	One day after each spraying.
PRIMSTOCKS CHEMICAL CORPORATION	DIFENCONAZOLE	PRIME DIFENCONAZOLE 25 EC	250 g/L	EC	FUNGICIDE	4	623-272-6273	21-Sep-26	-	Asparagus	Stem and leaf blight	0.36 L prod / ha	-	-	Do not enter treated field/ area until spray deposit has dried unless wearing protective clothing
PRIMSTOCKS CHEMICAL CORPORATION	DIFENCONAZOLE	PRIME DIFENCONAZOLE 25 EC	250 g/L	EC	FUNGICIDE	4	623-272-6273	21-Sep-26	-	Banana	Black Sigatoka	0.30-0.40 L prod/ ha	-	-	Do not enter treated field/ area until spray deposit has dried unless wearing protective clothing
PRIMSTOCKS CHEMICAL CORPORATION	DIFENCONAZOLE	PRIME DIFENCONAZOLE 25 EC	250 g/L	EC	FUNGICIDE	4	623-272-6273	21-Sep-26	-	Cabbage	Alternaria leaf spot	0.20-0.25 L prod / ha	-	7 Days	Do not enter treated field/ area until spray deposit has dried unless wearing protective clothing
PRIMSTOCKS CHEMICAL CORPORATION	DIFENCONAZOLE	PRIME DIFENCONAZOLE 25 EC	250 g/L	EC	FUNGICIDE	4	623-272-6273	21-Sep-26	-	Eggplant	Leaf spot	0.20-0.25 L prod / ha	-	7 Days	Do not enter treated field/ area until spray deposit has dried unless wearing protective clothing
PRIMSTOCKS CHEMICAL CORPORATION	DIFENCONAZOLE	PRIME DIFENCONAZOLE 25 EC	250 g/L	EC	FUNGICIDE	4	623-272-6273	21-Sep-26	-	Mango	Anthraxnose	0.528-0.880 L prod / ha	-	14 days	Do not enter treated field/ area until spray deposit has dried unless wearing protective clothing
PRIMSTOCKS CHEMICAL CORPORATION	DIFENCONAZOLE	PRIME DIFENCONAZOLE 25 EC	250 g/L	EC	FUNGICIDE	4	623-272-6273	21-Sep-26	-	Onion	Purple blotch	0.40-0.50 L prod/ha	-	-	Do not enter treated field/ area until spray deposit has dried unless wearing protective clothing
PRIMSTOCKS CHEMICAL CORPORATION	DIFENCONAZOLE	PRIME DIFENCONAZOLE 25 EC	250 g/L	EC	FUNGICIDE	4	623-272-6273	21-Sep-26	-	Rice	Sheath blight	0.25-0.30 L prod/ha	-	7 Days	Do not enter treated field/ area until spray deposit has dried unless wearing protective clothing
PRIMSTOCKS CHEMICAL CORPORATION	DIFENCONAZOLE	PRIME DIFENCONAZOLE 25 EC	250 g/L	EC	FUNGICIDE	4	623-272-6273	21-Sep-26	-	Stringbeans	Leaf spot	0.20-0.25 L prod / ha	-	7 Days	Do not enter treated field/ area until spray deposit has dried unless wearing protective clothing
PRIMSTOCKS CHEMICAL CORPORATION	DIFENCONAZOLE	PRIME DIFENCONAZOLE 25 EC	250 g/L	EC	FUNGICIDE	4	623-272-6273	21-Sep-26	-	Tomato	Alternaria leaf spot, cercospora leaf mold, powdery mildew	0.40 L prod / ha	-	7 Days	Do not enter treated field/ area until spray deposit has dried unless wearing protective clothing
PRIMSTOCKS CHEMICAL CORPORATION	DIAZINON	PRIME DIAZINON 600 EC	600 g/L	EC	INSECTICIDE	2	623-034-6071	2 Mar-26	-	Banana	Thrips, mealybug, leaf folder	25-35 mL prod / 36L water	-	-	-
PRIMSTOCKS CHEMICAL CORPORATION	DIAZINON	PRIME DIAZINON 600 EC	600 g/L	EC	INSECTICIDE	2	623-034-6071	2 Mar-26	-	Beans	Cutworm, podborer, aphids, flea beetle	25-35 mL prod / 36L water	-	-	-
PRIMSTOCKS CHEMICAL CORPORATION	DIAZINON	PRIME DIAZINON 600 EC	600 g/L	EC	INSECTICIDE	2	623-034-6071	2 Mar-26	-	Citrus	Mites, aphids, stink bug	25-35 mL prod / 36L water	-	-	-
PRIMSTOCKS CHEMICAL CORPORATION	DIAZINON	PRIME DIAZINON 600 EC	600 g/L	EC	INSECTICIDE	2	623-034-6071	2 Mar-26	-	Corn	Comborer, earworm, aphids, silk beetle	25-35 mL prod / 36L water	-	-	-
PRIMSTOCKS CHEMICAL CORPORATION	DIAZINON	PRIME DIAZINON 600 EC	600 g/L	EC	INSECTICIDE	2	623-034-6071	2 Mar-26	-	Cotton	Katydid, grasshopper, cutworm, mites	25-35 mL prod / 36L water	-	-	-
PRIMSTOCKS CHEMICAL CORPORATION	DIAZINON	PRIME DIAZINON 600 EC	600 g/L	EC	INSECTICIDE	2	623-034-6071	2 Mar-26	-	Cowpea	Aphids, cutworm, grasshopper	25-35 mL prod / 36L water	-	-	-
PRIMSTOCKS CHEMICAL CORPORATION	DIAZINON	PRIME DIAZINON 600 EC	600 g/L	EC	INSECTICIDE	2	623-034-6071	2 Mar-26	-	Mango	Hopper, tigrborer	25-35 mL prod / 36L water	-	-	-
PRIMSTOCKS CHEMICAL CORPORATION	DIAZINON	PRIME DIAZINON 600 EC	600 g/L	EC	INSECTICIDE	2	623-034-6071	2 Mar-26	-	Pineapple	Mealybug	25-35 mL prod / 36L water	-	-	-
PRIMSTOCKS CHEMICAL CORPORATION	DIAZINON	PRIME DIAZINON 600 EC	600 g/L	EC	INSECTICIDE	2	623-034-6071	2 Mar-26	-	Rice	Rice bug, stemborer, leaf folder, whorl maggot	25-35 mL prod / 36L water	-	-	-
PRIMSTOCKS CHEMICAL CORPORATION	DIAZINON	PRIME DIAZINON 600 EC	600 g/L	EC	INSECTICIDE	2	623-034-6071	2 Mar-26	-	Soybeans	Cutworm, aphids, stink bug, grasshopper	25-35 mL prod / 36L water	-	-	-
PRIMSTOCKS CHEMICAL CORPORATION	DIAZINON	PRIME DIAZINON 600 EC	600 g/L	EC	INSECTICIDE	2	623-034-6071	2 Mar-26	-	Tobacco	Budworm, aphids, armyworm, flea beetle	25-35 mL prod / 36L water	-	-	-
PRIMSTOCKS CHEMICAL CORPORATION	DIAZINON	PRIME DIAZINON 600 EC	600 g/L	EC	INSECTICIDE	2	623-034-6071	2 Mar-26	-	White potato	Aphids, leaf folder, cutworm	25-35 mL prod / 36L water	-	-	-
PRIMSTOCKS CHEMICAL CORPORATION	AMETRYN+ATRAZINE	PRIME AA 800 WP	400 g/kg-400 g/kg	WP	HERBICIDE	4	623-079-6192 (S90)	16-Jun-26	SELECTIVE (PRE/POST-EMERGENT)	Pineapple	Annual broadleaves and grasses	20-60 g prod/ 36L water 1.5-2.0 kg prod/ ha	-	21 days	Immediately after spray deposits has dried up
PRIMSTOCKS CHEMICAL CORPORATION	AMETRYN+ATRAZINE	PRIME AA 800 WP	400 g/kg-400 g/kg	WP	HERBICIDE	4	623-079-6192 (S90)	16-Jun-26	SELECTIVE (PRE/POST-EMERGENT)	Sugarcane	Annual broadleaves and grasses	60-100 g prod/ 36L water 2.0-3.0 kg prod/ ha	-	21 days	Immediately after spray deposits has dried up
PRIMSTOCKS CHEMICAL CORPORATION	2,4-D-BE	PRIME 2,4-D-ESTER 400 EC	400 g/L	EC	HERBICIDE	2	623-049-400B-A	04-Nov-26	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Sedges & Broadleaf weeds	5.0-6.5 Tbsp/36 L water	0.1 ppm	-	Entry to fields and crops treated with CALYPSO 400 EC can be done one day after spraying
PRIMSTOCKS CHEMICAL CORPORATION	2,4-D-BE	PRIME 2,4-D-ESTER 400 EC	400 g/L	EC	HERBICIDE	2	623-049-400B-A	04-Nov-26	SELECTIVE (POST-EMERGENT)	Corn	Sedges & Broadleaf weeds	5.0-6.5 Tbsp/36 L water	-	-	Entry to fields and crops treated with CALYPSO 400 EC can be done one day after spraying
PRIMSTOCKS CHEMICAL CORPORATION	2,4-D-BE	PRIME 2,4-D-ESTER 400 EC	400 g/L	EC	HERBICIDE	2	623-049-400B-A	04-Nov-26	SELECTIVE (POST-EMERGENT)	Sugarcane	Sedges & Broadleaf weeds	10.0-26.0 Tbsp/36 L water	-	-	Entry to fields and crops treated with CALYPSO 400 EC can be done one day after spraying
PRIMSTOCKS CHEMICAL CORPORATION	2,4-D-AMINE	PRIME 2,4-D-AMINE 400 SL	400 g/L	EC	HERBICIDE	2	623-031-4507	13-Sep-24	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual broadleaves and sedges	3.5-6.5Tbsp/36 L water	0.1 ppm	-	Entry to fields and crops treated with BEASTED 400 SL can be done one day after spraying
PRIMSTOCKS CHEMICAL CORPORATION	2,4-D-AMINE	PRIME 2,4-D-AMINE 400 SL	400 g/L	EC	HERBICIDE	2	623-031-4507	13-Sep-24	SELECTIVE (POST-EMERGENT)	Corn	Annual broadleaves and sedges	10-25 Tbsp/36 L water	-	-	Entry to fields and crops treated with BEASTED 400 SL can be done one day after spraying
PRIMSTOCKS CHEMICAL CORPORATION	2,4-D-AMINE	PRIME 2,4-D-AMINE 400 SL	400 g/L	EC	HERBICIDE	2	623-031-4507	13-Sep-24	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual broadleaves and sedges	6-6.5 Tbsp/36 L water	-	-	Entry to fields and crops treated with BEASTED 400 SL can be done one day after spraying
VAST AGRO SOLUTIONS, INC.	PROFENOFOS	PRIMAPHOS 50 EC	500 g/L	EC	INSECTICIDE	2	385-070-2770	17-Mar-26	CONTACT	Mango	Thrips	1.0-2.0 Tbsp/36L water	-	14 days	Do not enter treated field 1 day after application.

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
VAST AGRO SOLUTIONS, INC.	PROFENOFOS	PRIMAPHOS 50 EC	500 g/L	EC	INSECTICIDE	2	385-070-2770	17-Mar-26	CONTACT	Tomato	Fruitworm, armyworm, cutworm	3-5 Tbsp/38L water	-	14 days	Do not enter treated field 1 day after application.
VAST AGRO SOLUTIONS, INC.	PROFENOFOS	PRIMAPHOS 50 EC	500 g/L	EC	INSECTICIDE	2	385-070-2770	17-Mar-26	CONTACT	Eggplant	Fruitborer, aphids, leafhopper, & thrips	2.5-3.0 Tbsp/38L water	-	14 days	Do not enter treated field 1 day after application.
VAST AGRO SOLUTIONS, INC.	PROFENOFOS	PRIMAPHOS 50 EC	500 g/L	EC	INSECTICIDE	2	385-070-2770	17-Mar-26	CONTACT	Cabbage	Diamond back moth, cabbage worm & aphids, thrips	3-5 Tbsp/38L water	-	14 days	Do not enter treated field 1 day after application.
VAST AGRO SOLUTIONS, INC.	PROFENOFOS	PRIMAPHOS 50 EC	500 g/L	EC	INSECTICIDE	2	385-070-2770	17-Mar-26	CONTACT	Watermelon	Thrips	3-5 Tbsp/38L water	-	14 days	Do not enter treated field 1 day after application.
VAST AGRO SOLUTIONS, INC.	PROFENOFOS	PRIMAPHOS 50 EC	500 g/L	EC	INSECTICIDE	2	385-070-2770	17-Mar-26	CONTACT	Potato	Thrips, army worm, cutworm, tuber moth	3-5 Tbsp/38L water	-	14 days	Do not enter treated field 1 day after application.
VAST AGRO SOLUTIONS, INC.	PROFENOFOS	PRIMAPHOS 50 EC	500 g/L	EC	INSECTICIDE	2	385-070-2770	17-Mar-26	CONTACT	Soybeans	Corn earworm, leafminer	3-5 Tbsp/38L water	-	14 days	Do not enter treated field 1 day after application.
VAST AGRO SOLUTIONS, INC.	PROFENOFOS	PRIMAPHOS 50 EC	500 g/L	EC	INSECTICIDE	2	385-070-2770	17-Mar-26	CONTACT	Mungbeans	Corn earworm, leafminer	3-5 Tbsp/38L water	-	14 days	Do not enter treated field 1 day after application.
VAST AGRO SOLUTIONS, INC.	PROFENOFOS	PRIMAPHOS 50 EC	500 g/L	EC	INSECTICIDE	2	385-070-2770	17-Mar-26	CONTACT	Cotton	Thrips, bollworm & budworm	3-5 Tbsp/38L water	-	14 days	Do not enter treated field 1 day after application.
VAST AGRO SOLUTIONS, INC.	PROFENOFOS	PRIMAPHOS 50 EC	500 g/L	EC	INSECTICIDE	2	385-070-2770	17-Mar-26	CONTACT	Sitao	Beanfly, leafhopper & aphids	2.5-3.0 Tbsp/38L water	-	14 days	Do not enter treated field 1 day after application.
SINCHEN CROP PROTECTION (PHILS.) INC.	NICLOSAMIDE ETHANOLAMINE SALT	PRIMADEX 70 WP	700 g/kg	WP	MOLLUSCIDE	4	432-229-2550	04-Mar-25	CONTACT	Rice	Golden Apple Snail (Kuhol)	35 gm/ 36L water	-	-	Do not enter the treated field within 48 hours after application
SYNGENTA PHILIPPINES INC.	NICLOSAMIDE ETHANOLAMINE SALT	PRIMADEX 70 WP	700 g/kg	WP	MOLLUSCIDE	4	432-229-2550	04-Mar-25	CONTACT	Rice	Golden Apple Snail (Kuhol)	25 g or 1 sachet/ 36 L water	-	-	Do not enter the treated field within 48 hours after application
C.B. ANDREW ASIA, INC.	FOSETYL ALUMINUM	PRIMAL 80 WP	800 g/kg	WP	FUNGICIDE	4	460-154-3260	04-Apr-26	SYSTEMIC	Pineapple	Heart rot	6-12 Tbsp/38L	-	-	-
C.B. ANDREW ASIA, INC.	FOSETYL ALUMINUM	PRIMAL 80 WP	800 g/kg	WP	FUNGICIDE	4	460-154-3260	04-Apr-26	SYSTEMIC	Coconut	Wet-bud rot, nut rot	6-12 Tbsp/38L	-	-	-
C.B. ANDREW ASIA, INC.	FOSETYL ALUMINUM	PRIMAL 80 WP	800 g/kg	WP	FUNGICIDE	4	460-154-3260	04-Apr-26	SYSTEMIC	Rubber	Black stripe	9-6 Tbsp/38L	-	-	-
C.B. ANDREW ASIA, INC.	FOSETYL ALUMINUM	PRIMAL 80 WP	800 g/kg	WP	FUNGICIDE	4	460-154-3260	04-Apr-26	SYSTEMIC	Cacao	Black pod	6-12 Tbsp/38L	-	-	-
C.B. ANDREW ASIA, INC.	FOSETYL ALUMINUM	PRIMAL 80 WP	800 g/kg	WP	FUNGICIDE	4	460-154-3260	04-Apr-26	SYSTEMIC	Pechnis	Black rot	6-12 Tbsp/38L	-	-	-
BERRIS AGRICULTURAL CO., INC.	IMIDACLOPRID	PRIMADORE 20 SL	200g/L	SL	INSECTICIDE	3	233-240-5013	16-Jan-26	SYSTEMIC	Mango	hoppers	20-25 ml/ 100 L water	-	20 days	In banana (bud injection), enter the treated area immediately after injection. In other crops (including banana as foliar application), enter treated areas after spray
BERRIS AGRICULTURAL CO., INC.	IMIDACLOPRID	PRIMADORE 20 SL	200g/L	SL	INSECTICIDE	3	233-240-5013	16-Jan-26	SYSTEMIC	Banana	Flower thrips, aphids, mealy bugs	0.5-1.0 ml prod./ liter water	-	0 days	In banana (bud injection), enter the treated area immediately after injection. In other crops (including banana as foliar application), enter treated areas after spray
BERRIS AGRICULTURAL CO., INC.	IMIDACLOPRID	PRIMADORE 20 SL	200g/L	SL	INSECTICIDE	3	233-240-5013	16-Jan-26	SYSTEMIC	Watermelon	Thrips, aphids	3-4 ml/38 L water	-	-	In banana (bud injection), enter the treated area immediately after injection. In other crops (including banana as foliar application), enter treated areas after spray
BERRIS AGRICULTURAL CO., INC.	IMIDACLOPRID	PRIMADORE 20 SL	200g/L	SL	INSECTICIDE	3	233-240-5013	16-Jan-26	SYSTEMIC	Citrus	Rindbore, mealybug, scale insects	1.25-2.50 ml/ 36 L water	-	14 days	In banana (bud injection), enter the treated area immediately after injection. In other crops (including banana as foliar application), enter treated areas after spray
BERRIS AGRICULTURAL CO., INC.	IMIDACLOPRID	PRIMADORE 20 SL	200g/L	SL	INSECTICIDE	3	233-240-5013	16-Jan-26	SYSTEMIC	Cabbage	OBM, Flea beetle	2-0.2.5 ml/ 36 L water	-	28 days	In banana (bud injection), enter the treated area immediately after injection. In other crops (including banana as foliar application), enter treated areas after spray
BERRIS AGRICULTURAL CO., INC.	IMIDACLOPRID	PRIMADORE 20 SL	200g/L	SL	INSECTICIDE	3	233-240-5013	16-Jan-26	SYSTEMIC	Sugarcane	Termites	1.5-2.5 ml/ 36 L water	-	-	In banana (bud injection), enter the treated area immediately after injection. In other crops (including banana as foliar application), enter treated areas after spray
BERRIS AGRICULTURAL CO., INC.	IMIDACLOPRID	PRIMADORE 20 SL	200g/L	SL	INSECTICIDE	3	233-240-5013	16-Jan-26	SYSTEMIC	Asparagus	Thrips	3 ml/ 36 L water	-	0 days	In banana (bud injection), enter the treated area immediately after injection. In other crops (including banana as foliar application), enter treated areas after spray
BERRIS AGRICULTURAL CO., INC.	IMIDACLOPRID	PRIMADORE 20 SL	200g/L	SL	INSECTICIDE	3	233-240-5013	16-Jan-26	SYSTEMIC	Okra	Leafhopper	0.62-1.25 ml 36 L water	-	0 days	In banana (bud injection), enter the treated area immediately after injection. In other crops (including banana as foliar application), enter treated areas after spray
BERRIS AGRICULTURAL CO., INC.	IMIDACLOPRID	PRIMADORE 20 SL	200g/L	SL	INSECTICIDE	3	233-240-5013	16-Jan-26	SYSTEMIC	Pineapple	Mealybugs	Dip planting materials (seed) in PRIMADORE 20 SL solution before	-	30 days	In banana (bud injection), enter the treated area immediately after injection. In other crops (including banana as foliar application), enter treated areas after spray
MONARCH AGRICULTURAL PRODUCTS, INC.	PROPIWEB	PRIMACOL 70 WP	700 g/kg	WP	FUNGICIDE	4	096-001-3830	04-Sep-26	-	Lettuce	Early blight, neck rot	50-65 g/ 38L water	-	7 days	-
MONARCH AGRICULTURAL PRODUCTS, INC.	PROPIWEB	PRIMACOL 70 WP	700 g/kg	WP	FUNGICIDE	4	096-001-3830	04-Sep-26	-	Onion	Downy mildew, anthracnose, purple blotch	50-65 g/ 38L water	-	7 days	-
MONARCH AGRICULTURAL PRODUCTS, INC.	PROPIWEB	PRIMACOL 70 WP	700 g/kg	WP	FUNGICIDE	4	096-001-3830	04-Sep-26	-	Cucurbits	Downy mildew, late blight	50-65 g/ 38L water	-	7 days	-
MONARCH AGRICULTURAL PRODUCTS, INC.	PROPIWEB	PRIMACOL 70 WP	700 g/kg	WP	FUNGICIDE	4	096-001-3830	04-Sep-26	-	Galery	Early and late blight	50-65 g/ 38L water	-	7 days	-
MONARCH AGRICULTURAL PRODUCTS, INC.	PROPIWEB	PRIMACOL 70 WP	700 g/kg	WP	FUNGICIDE	4	096-001-3830	04-Sep-26	-	Beans	Rust	50-65 g/ 38L water	-	7 days	-
MONARCH AGRICULTURAL PRODUCTS, INC.	PROPIWEB	PRIMACOL 70 WP	700 g/kg	WP	FUNGICIDE	4	096-001-3830	04-Sep-26	-	Potato	Early and late blight	50-65 g/ 38L water	-	7 days	-
MONARCH AGRICULTURAL PRODUCTS, INC.	PROPIWEB	PRIMACOL 70 WP	700 g/kg	WP	FUNGICIDE	4	096-001-3830	04-Sep-26	-	Tomato	Early and late blight	50-65 g/ 38L water	-	7 days	-
MONARCH AGRICULTURAL PRODUCTS, INC.	PROPIWEB	PRIMACOL 70 WP	700 g/kg	WP	FUNGICIDE	4	096-001-3830	04-Sep-26	-	Tobacco	Brown leaf spot	50-65 g/ 38L water	-	7 days	-
MONARCH AGRICULTURAL PRODUCTS, INC.	PROPIWEB	PRIMACOL 70 WP	700 g/kg	WP	FUNGICIDE	4	096-001-3830	04-Sep-26	-	Coffee	Brown eye spot	65 g/ 38L water	-	7 days	-
MONARCH AGRICULTURAL PRODUCTS, INC.	PROPIWEB	PRIMACOL 70 WP	700 g/kg	WP	FUNGICIDE	4	096-001-3830	04-Sep-26	-	Citrus	Black spot	50-65 g/ 38L water	-	7 days	-
MONARCH AGRICULTURAL PRODUCTS, INC.	PROPIWEB	PRIMACOL 70 WP	700 g/kg	WP	FUNGICIDE	4	096-001-3830	04-Sep-26	-	Melon	Downy mildew	50-65 g/ 38L water	-	7 days	-
MONARCH AGRICULTURAL PRODUCTS, INC.	PROPIWEB	PRIMACOL 70 WP	700 g/kg	WP	FUNGICIDE	4	096-001-3830	04-Sep-26	-	Watermelon	Downy mildew	50-65 g/ 38L water	-	7 days	-
MONARCH AGRICULTURAL PRODUCTS, INC.	PROPIWEB	PRIMACOL 70 WP	700 g/kg	WP	FUNGICIDE	4	096-001-3830	04-Sep-26	-	Ornamentals	Black spot, rust	26-50 g/ 38L water	-	7 days	-
MONARCH AGRICULTURAL PRODUCTS, INC.	PROPIWEB	PRIMACOL 70 WP	700 g/kg	WP	FUNGICIDE	4	096-001-3830	04-Sep-26	-	Mango	Anthracoese	50-65 g/ 38L water	-	7 days	-
MONARCH AGRICULTURAL PRODUCTS, INC.	PROPIWEB	PRIMACOL 70 WP	700 g/kg	WP	FUNGICIDE	4	096-001-3830	04-Sep-26	-	Rice	Dryy panicle, brown leaf spot	50-100 (100-1,000g prod./ha)	0.05 ppm	18 days	-
MONARCH AGRICULTURAL PRODUCTS, INC.	PROPIWEB	PRIMACOL 70 WP	700 g/kg	WP	FUNGICIDE	4	096-001-3830	04-Sep-26	-	Banana	Sigatoka, freckle disease	2.5 kgs / ha	-	0 da	-
MONARCH AGRICULTURAL PRODUCTS, INC.	PROPIWEB	PRIMACOL 70 WP	700 g/kg	WP	FUNGICIDE	4	096-001-3830	04-Sep-26	-	Asparagus	Cercospora Leaf Blight	2.3 kgs / ha	-	-	-
S&P ENTERPRISES, INC.	PROFAMOCARB HCL	PREVITER 722 SL	722 g/L	SL	FUNGICIDE	4	566-119-5149	15-Jun-24	SYSTEMIC	Lettuce	Late blight	2-4 mL/kg seed	-	-	-
S&P ENTERPRISES, INC.	PROFAMOCARB HCL	PREVITER 722 SL	722 g/L	SL	FUNGICIDE	4	566-119-5149	15-Jun-24	SYSTEMIC	Cabbage	Late blight	2-4 mL/kg seed	-	-	-
S&P ENTERPRISES, INC.	PROFAMOCARB HCL	PREVITER 722 SL	722 g/L	SL	FUNGICIDE	4	566-119-5149	15-Jun-24	SYSTEMIC	Tomato	Late blight	10 mL/kg seed	-	-	-
S&P ENTERPRISES, INC.	PROFAMOCARB HCL	PREVITER 722 SL	722 g/L	SL	FUNGICIDE	4	566-119-5149	15-Jun-24	SYSTEMIC	Tobacco	Late blight	10 mL/kg seed	-	-	-
BAYER CROSCIENCE, INC.	PROFAMOCARB HCL	PREVICUR-N	722 g/L	SL	FUNGICIDE	4	284-119-0552	28-Dec-25	SYSTEMIC	Cabbage (as seed treatment)	Late blight	2-4 mL/kg seed	-	-	-
BAYER CROSCIENCE, INC.	PROFAMOCARB HCL	PREVICUR-N	722 g/L	SL	FUNGICIDE	4	284-119-0552	28-Dec-25	SYSTEMIC	Lettuce and other crucifers	Late blight	2-4 mL/kg seed	-	-	-
BAYER CROSCIENCE, INC.	PROFAMOCARB HCL	PREVICUR-N	722 g/L	SL	FUNGICIDE	4	284-119-0552	28-Dec-25	SYSTEMIC	Tobacco	Late blight	10 mL/kg seed	-	-	-
BAYER CROSCIENCE, INC.	PROFAMOCARB HCL	PREVICUR-N	722 g/L	SL	FUNGICIDE	4	284-119-0552	28-Dec-25	SYSTEMIC	Tomato and other solanaceous crops	Late blight	10 mL/kg seed	-	-	-
BAYER CROSCIENCE, INC.	PROFAMOCARB HCL	PREVICUR-N	722 g/L	SL	FUNGICIDE	4	284-119-0552	28-Dec-25	SYSTEMIC	Potato	Late blight	20-40mL/38L water	-	-	-
TAIPAN BRAND FARM INC.	PROFAMOCARB HCL	PREVICUR-N	722 g/L	SL	FUNGICIDE	4	529-119-5152	28-Dec-25	SYSTEMIC	Cabbage (as seed treatment)	Late blight	2-4 mL/kg seed	-	-	-
TAIPAN BRAND FARM INC.	PROFAMOCARB HCL	PREVICUR-N	722 g/L	SL	FUNGICIDE	4	529-119-5152	28-Dec-25	SYSTEMIC	Lettuce and other crucifers	Late blight	2-4 mL/kg seed	-	-	-
TAIPAN BRAND FARM INC.	PROFAMOCARB HCL	PREVICUR-N	722 g/L	SL	FUNGICIDE	4	529-119-5152	28-Dec-25	SYSTEMIC	Tobacco	Late blight	10 mL/kg seed	-	-	-
TAIPAN BRAND FARM INC.	PROFAMOCARB HCL	PREVICUR-N	722 g/L	SL	FUNGICIDE	4	529-119-5152	28-Dec-25	SYSTEMIC	Tomato and other solanaceous crops	Late blight	10 mL/kg seed	-	-	-
TAIPAN BRAND FARM INC.	PROFAMOCARB HCL	PREVICUR-N	722 g/L	SL	FUNGICIDE	4	529-119-5152	28-Dec-25	SYSTEMIC	Potato	Late blight	20-40mL/38L water	-	-	-

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
INTEGRATED CROP TRADING CORPORATION	CARTAP HYDROCHLORIDE	PREVENT 50 SP	500 g/kg	SP	INSECTICIDE	3	274-106-5730	26-May-24	SYSTEMIC	Rice	Whorl maggot, stemborer, green leafhopper, brown planthopper	1.0-5.0tbsp/36 L water	-	Spraying should be done 10 days before harvest	Do not enter the field within 2 days after spraying
INTEGRATED CROP TRADING CORPORATION	CARTAP HYDROCHLORIDE	PREVENT 50 SP	500 g/kg	SP	INSECTICIDE	3	274-106-5730	26-May-24	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0tbsp/36 L water	-	Spraying should be done 10 days before harvest	Do not enter the field within 2 days after spraying
INTEGRATED CROP TRADING CORPORATION	CARTAP HYDROCHLORIDE	PREVENT 50 SP	500 g/kg	SP	INSECTICIDE	3	274-106-5730	26-May-24	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0tbsp/36 L water	-	Spraying should be done 10 days before harvest	Do not enter the field within 2 days after spraying
INTEGRATED CROP TRADING CORPORATION	CARTAP HYDROCHLORIDE	PREVENT 50 SP	500 g/kg	SP	INSECTICIDE	3	274-106-5730	26-May-24	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0tbsp/36 L water	-	Spraying should be done 10 days before harvest	Do not enter the field within 2 days after spraying
INTEGRATED CROP TRADING CORPORATION	CARTAP HYDROCHLORIDE	PREVENT 50 SP	500 g/kg	SP	INSECTICIDE	3	274-106-5730	26-May-24	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0tbsp/36 L water	-	Spraying should be done 10 days before harvest	Do not enter the field within 2 days after spraying
INTEGRATED CROP TRADING CORPORATION	CARTAP HYDROCHLORIDE	PREVENT 50 SP	500 g/kg	SP	INSECTICIDE	3	274-106-5730	26-May-24	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0tbsp/36 L water	-	Spraying should be done 10 days before harvest	Do not enter the field within 2 days after spraying
INTEGRATED CROP TRADING CORPORATION	CARTAP HYDROCHLORIDE	PREVENT 50 SP	500 g/kg	SP	INSECTICIDE	3	274-106-5730	26-May-24	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0tbsp/36 L water	-	Spraying should be done 10 days before harvest	Do not enter the field within 2 days after spraying
INTEGRATED CROP TRADING CORPORATION	CARTAP HYDROCHLORIDE	PREVENT 50 SP	500 g/kg	SP	INSECTICIDE	3	274-106-5730	26-May-24	SYSTEMIC	Mango	leafhoppers	1.5-2.0tbsp/36 L water	-	Spraying should be done 10 days before harvest	Do not enter the field within 2 days after spraying
INTEGRATED CROP TRADING CORPORATION	CARTAP HYDROCHLORIDE	PREVENT 50 SP	500 g/kg	SP	INSECTICIDE	3	274-106-5730	26-May-24	SYSTEMIC	Pechay	looper, cutworm, aphids	1.5-3.0tbsp/36 L water	-	Spraying should be done 10 days before harvest	Do not enter the field within 2 days after spraying
FMC AGRO PHILIPPINES INC.	CHLORDANTHIANILPROLE	PREVATHON SC	50 g/L	SC	INSECTICIDE	4	598-393-4410	28-Jun-24	-	Cabbage	Diamondback moth, cutworm, cabbage worm	10-15 ml. prod./36L	4 ppm	1 day	Twelve hours after spraying
FMC AGRO PHILIPPINES INC.	CHLORDANTHIANILPROLE	PREVATHON SC	50 g/L	SC	INSECTICIDE	4	598-393-4410	28-Jun-24	-	Eggplant	shootborer/fruitborer: Cutworm	10- ml.prod/36L	0.3 ppm	1 day	Twelve hours after spraying
FMC AGRO PHILIPPINES INC.	CHLORDANTHIANILPROLE	PREVATHON SC	50 g/L	SC	INSECTICIDE	4	598-393-4410	28-Jun-24	-	Stringbeans	Podborer	10- ml.prod/36L	0.02 ppm	1 day	Twelve hours after spraying
FMC AGRO PHILIPPINES INC.	CHLORDANTHIANILPROLE	PREVATHON SC	50 g/L	SC	INSECTICIDE	4	598-393-4410	28-Jun-24	-	Rice	Stemborer, leafroller (Drone application)	40 ml.prod./ ha	2 ppm	46-60 days	Twelve hours after spraying
FMC AGRO PHILIPPINES INC.	CHLORDANTHIANILPROLE	PREVATHON SC	50 g/L	SC	INSECTICIDE	4	598-393-4410	28-Jun-24	-	Tomato	Cutworm, fruitworm	27-40 ml. prod./36L	0.60 ppm	3 days	Twelve hours after spraying
FMC AGRO PHILIPPINES INC.	CHLORDANTHIANILPROLE	PREVATHON SC	50 g/L	SC	INSECTICIDE	4	598-393-4410	28-Jun-24	-	Corn	Corn borer, earworm	25-30 ml./36L water	0.02 ppm	7 days	Twelve hours after spraying
FMC AGRO PHILIPPINES INC.	CHLORDANTHIANILPROLE	PREVATHON SC	50 g/L	SC	INSECTICIDE	4	598-393-4410	28-Jun-24	-	Tobacco	Budworm, cutworm	25-30 ml./36L	3 ppm	7 days	Twelve hours after spraying
FMC AGRO PHILIPPINES INC.	CHLORDANTHIANILPROLE	PREVATHON SC	50 g/L	SC	INSECTICIDE	4	598-393-4410	28-Jun-24	-	Sugarcane	Sugarcane borer (drench application)	1.5-2.0 g prod. / ha. At spray volume of 800 L/ha	0.5 mg/kg	255 days	Twelve hours after spraying
FMC AGRO PHILIPPINES INC.	CHLORDANTHIANILPROLE	PREVATHON SC	50 g/L	SC	INSECTICIDE	4	598-393-4410	28-Jun-24	-	Bittergourd	leafroller/, cutworm	30ml/36L	0.60 mg/kg	3 days	Twelve hours after spraying
FMC AGRO PHILIPPINES INC.	CHLORDANTHIANILPROLE	PREVATHON SC	50 g/L	SC	INSECTICIDE	4	598-393-4410	28-Jun-24	-	Corn	Fall armyworm	40-50 ml. per 36L	0.02 ppm	7 days	-
FMC AGRO PHILIPPINES INC.	CHLORDANTHIANILPROLE	PREVATHON SC	50 g/L	SC	INSECTICIDE	4	598-393-4410	28-Jun-24	-	Pineapple	White grubs (pre-plant and post-plant application)	0.07% 0.120 L prod. Ha., 1.5-2.5 L prod. Ha	-	150 days	-
FMC AGRO PHILIPPINES INC.	CHLORDANTHIANILPROLE	PREVATHON SC	50 g/L	SC	INSECTICIDE	4	598-393-4410	22-Apr-24	-	Pineapple	White grubs	-	-	-	-
FMC AGRO PHILIPPINES INC.	FLUAZIFOP-P-BUTYL	PREVAL 12.5 EC	125 g/L	EC	HERBICIDE	4	598-212-4171	30-Oct-20	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Banana	Grasses; Itchgrass, goosegrass, sour papalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/36 L sprayload	-	-	-
FMC AGRO PHILIPPINES INC.	FLUAZIFOP-P-BUTYL	PREVAL 12.5 EC	125 g/L	EC	HERBICIDE	4	598-212-4171	30-Oct-20	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Cacao	Grasses; Itchgrass, goosegrass, sour papalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/36 L sprayload	-	-	-
FMC AGRO PHILIPPINES INC.	FLUAZIFOP-P-BUTYL	PREVAL 12.5 EC	125 g/L	EC	HERBICIDE	4	598-212-4171	30-Oct-20	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Citrus	Grasses; Itchgrass, goosegrass, sour papalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/36 L sprayload	-	-	-
FMC AGRO PHILIPPINES INC.	FLUAZIFOP-P-BUTYL	PREVAL 12.5 EC	125 g/L	EC	HERBICIDE	4	598-212-4171	30-Oct-20	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Cotton	Grasses; Itchgrass, goosegrass, sour papalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/36 L sprayload	-	-	-
FMC AGRO PHILIPPINES INC.	FLUAZIFOP-P-BUTYL	PREVAL 12.5 EC	125 g/L	EC	HERBICIDE	4	598-212-4171	30-Oct-20	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Coffee	Grasses; Itchgrass, goosegrass, sour papalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/36 L sprayload	-	-	-
FMC AGRO PHILIPPINES INC.	FLUAZIFOP-P-BUTYL	PREVAL 12.5 EC	125 g/L	EC	HERBICIDE	4	598-212-4171	30-Oct-20	SELECTIVE/SYSTEMIC (POST-EMERGENT)	oil palm	Grasses; Itchgrass, goosegrass, sour papalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/36 L sprayload	-	-	-
FMC AGRO PHILIPPINES INC.	FLUAZIFOP-P-BUTYL	PREVAL 12.5 EC	125 g/L	EC	HERBICIDE	4	598-212-4171	30-Oct-20	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Ramie	Grasses; Itchgrass, goosegrass, sour papalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/36 L sprayload	-	-	-
FMC AGRO PHILIPPINES INC.	FLUAZIFOP-P-BUTYL	PREVAL 12.5 EC	125 g/L	EC	HERBICIDE	4	598-212-4171	30-Oct-20	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Rubber	Grasses; Itchgrass, goosegrass, sour papalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/36 L sprayload	-	-	-
FMC AGRO PHILIPPINES INC.	FLUAZIFOP-P-BUTYL	PREVAL 12.5 EC	125 g/L	EC	HERBICIDE	4	598-212-4171	30-Oct-20	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Siriro	Grasses; Itchgrass, goosegrass, sour papalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/36 L sprayload	-	-	-
FMC AGRO PHILIPPINES INC.	FLUAZIFOP-P-BUTYL	PREVAL 12.5 EC	125 g/L	EC	HERBICIDE	4	598-212-4171	30-Oct-20	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Pineapple	Grasses; Itchgrass, goosegrass, sour papalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/36 L sprayload	-	-	-
FMC AGRO PHILIPPINES INC.	FLUAZIFOP-P-BUTYL	PREVAL 12.5 EC	125 g/L	EC	HERBICIDE	4	598-212-4171	30-Oct-20	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Soybeans	Grasses; Itchgrass, goosegrass, sour papalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/36 L sprayload	-	-	-
FMC AGRO PHILIPPINES INC.	FLUAZIFOP-P-BUTYL	PREVAL 12.5 EC	125 g/L	EC	HERBICIDE	4	598-212-4171	30-Oct-20	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Tomato	Grasses; Itchgrass, goosegrass, sour papalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/36 L sprayload	-	-	-
NEXCHEM CORPORATION	PRETILACHLOR	PRETILANEX 30 EC	300 g/L	EC	HERBICIDE	4	702-060-5722	05-Sep-24	PRE-EMERGENCE	Rice (Direct-Seeded)	Grasses, sedges, and broadleaves weeds	10-15 Tbsp/ Tankload of 38 capacity sprayer, 8.5-12.5 Tbsp/ Tankload of 16L	-	-	-
AGRI-SPOURT PHILIPPINES, INC.	PRETILACHLOR	PRETIL 30 EC	300 g/L	EC	HERBICIDE	4	668-061-5461	05-Sep-21	PRE-EMERGENCE	Rice (Direct-Seeded)	Grasses, sedges, and broadleaves weeds	-	-	-	-
AKTIV MULTI TRADING CO. PHILS. INC.	PRETILACHLOR	PRETACHLOR 30 EC	300 g/L	EC	HERBICIDE	4	546-060-4472	16-Apr-25	PRE-EMERGENCE	Rice (Direct-Seeded)	Grasses, sedges, and broadleaves weeds	3-5 tbsp./36 L water	0.05ppm	-	-
KEMSTAR CORPORATION	DIURON	PRESTIGE 80 SC	800 g/L	SC	HERBICIDE	4	239-021-2927	16-Nov-26	SYSTEMIC	Citrus	Annual and Perennial broadleaves and grasses	11.0-19.0tbsp/36 L water	-	-	Entry to fields and crops treated with PRESTIGE 80 SC can be done one (1) day after spraying
KEMSTAR CORPORATION	DIURON	PRESTIGE 80 SC	800 g/L	SC	HERBICIDE	4	239-021-2927	16-Nov-26	SYSTEMIC	Coffee	Annual and Perennial broadleaves and grasses	11.0-19.0tbsp/36 L water	-	-	Entry to fields and crops treated with PRESTIGE 80 SC can be done one (1) day after spraying
KEMSTAR CORPORATION	DIURON	PRESTIGE 80 SC	800 g/L	SC	HERBICIDE	4	239-021-2927	16-Nov-26	SYSTEMIC	Cotton	Annual and Perennial broadleaves and grasses	8.0tbsp/36 L water	-	-	Entry to fields and crops treated with PRESTIGE 80 SC can be done one (1) day after spraying
KEMSTAR CORPORATION	DIURON	PRESTIGE 80 SC	800 g/L	SC	HERBICIDE	4	239-021-2927	16-Nov-26	SYSTEMIC	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0tbsp/36 L water	-	-	Entry to fields and crops treated with PRESTIGE 80 SC can be done one (1) day after spraying
KEMSTAR CORPORATION	DIURON	PRESTIGE 80 SC	800 g/L	SC	HERBICIDE	4	239-021-2927	16-Nov-26	SYSTEMIC	Pineapple	Annual and Perennial broadleaves and grasses	11.0tbsp/36 L water	-	-	Entry to fields and crops treated with PRESTIGE 80 SC can be done one (1) day after spraying
KEMSTAR CORPORATION	DIURON	PRESTIGE 80 SC	800 g/L	SC	HERBICIDE	4	239-021-2927	16-Nov-26	SYSTEMIC	Non-crop land	Annual and Perennial broadleaves and grasses	20.0-28.0tbsp/36 L water	-	-	Entry to fields and crops treated with PRESTIGE 80 SC can be done one (1) day after spraying
VERDANT LUSTERCORE CORPORATION	PHENTHIOATE	PREMIER 50 EC	500 g/L	EC	INSECTICIDE	2	546-059-3586	22-Oct-18	-	Thrips	Onion	20-50 ml/36L water	-	-	-
VERDANT LUSTERCORE CORPORATION	PHENTHIOATE	PREMIER 50 EC	500 g/L	EC	INSECTICIDE	2	546-059-3586	22-Oct-18	-	Rice	Green leafhopper, brown planthopper, stemborer, whorl maggot, cutworm	20-50 ml/36L water	-	-	-
VERDANT LUSTERCORE CORPORATION	PHENTHIOATE	PREMIER 50 EC	500 g/L	EC	INSECTICIDE	2	546-059-3586	22-Oct-18	-	Corn	Corn borer, earworm, cutworm	20-50 ml/36L water	-	-	-
VERDANT LUSTERCORE CORPORATION	PHENTHIOATE	PREMIER 50 EC	500 g/L	EC	INSECTICIDE	2	546-059-3586	22-Oct-18	-	Cabbage & other crucifers	Diamond-back moth, cabbage worm, aphids, cutworm	20-50 ml/36L water	-	-	-
VERDANT LUSTERCORE CORPORATION	PHENTHIOATE	PREMIER 50 EC	500 g/L	EC	INSECTICIDE	2	546-059-3586	22-Oct-18	-	Eggplant	Firebeetle, mealybug	20-50 ml/36L water	-	-	-
VERDANT LUSTERCORE CORPORATION	PHENTHIOATE	PREMIER 50 EC	500 g/L	EC	INSECTICIDE	2	546-059-3586	22-Oct-18	-	Tomato	Fruitworm, lady beetle	20-50 ml/36L water	-	-	-
VERDANT LUSTERCORE CORPORATION	PHENTHIOATE	PREMIER 50 EC	500 g/L	EC	INSECTICIDE	2	546-059-3586	22-Oct-18	-	Mango	Mango hopper, tip borer, twig borer	20-50 ml/36L water	-	-	-
VERDANT LUSTERCORE CORPORATION	PHENTHIOATE	PREMIER 50 EC	500 g/L	EC	INSECTICIDE	2	546-059-3586	22-Oct-18	-	Soybeans & other beans	Pod borer, aphids, semi-looper, leafroller	20-50 ml/36L water	-	-	-
VERDANT LUSTERCORE CORPORATION	PHENTHIOATE	PREMIER 50 EC	500 g/L	EC	INSECTICIDE	2	546-059-3586	22-Oct-18	-	Cucumber and other cucurbits	Aphids	20-50 ml/36L water	-	-	-
VERDANT LUSTERCORE CORPORATION	PHENTHIOATE	PREMIER 50 EC	500 g/L	EC	INSECTICIDE	2	546-059-3586	22-Oct-18	-	White potato	Aphids, cutworm	20-50 ml/36L water	-	-	-
VERDANT LUSTERCORE CORPORATION	PHENTHIOATE	PREMIER 50 EC	500 g/L	EC	INSECTICIDE	2	546-059-3586	22-Oct-18	-	Tobacco	Budworm, cutworm, aphids, armyworm, thrips, leafworm	20-50 ml/36L water	-	-	-
VERDANT LUSTERCORE CORPORATION	PHENTHIOATE	PREMIER 50 EC	500 g/L	EC	INSECTICIDE	2	546-059-3586	22-Oct-18	-	Citrus	Scale insect, aphids, mealybug, whiteflies	20-50 ml/36L water	-	-	-
VERDANT LUSTERCORE CORPORATION	PHENTHIOATE	PREMIER 50 EC	500 g/L	EC	INSECTICIDE	2	546-059-3586	22-Oct-18	-	Sorghum	Webworm, armyworm	20-50 ml/36L water	-	-	-
VERDANT LUSTERCORE CORPORATION	PHENTHIOATE	PREMIER 50 EC	500 g/L	EC	INSECTICIDE	2	546-059-3586	22-Oct-18	-	Cotton	Leafhopper, bollworm, flower weevil, boll weevil, cotton stainer, leafworm, aphids	20-50 ml/36L water	-	-	-

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
ZAGRO CORPORATION	PENDIMETHALIN	PREKILL 330	330 g/L	EC	HERBICIDE	4	043-142-0682	31-Dec-25	SELECTIVE	Corn	Grasses	15-22.5 Tbsp/36L water	-	-	Entry to treated fields and crops can be done one day after spraying
ZAGRO CORPORATION	PENDIMETHALIN	PREKILL 330	330 g/L	EC	HERBICIDE	4	043-142-0682	31-Dec-25	SELECTIVE	Rice (Transplanted)	Grasses & Broadleaf weeds	7.5-22.5 Tbsp/36L water	0.2ppm	-	Entry to treated fields and crops can be done one day after spraying
ZAGRO CORPORATION	PENDIMETHALIN	PREKILL 330	330 g/L	EC	HERBICIDE	4	043-142-0682	31-Dec-25	SELECTIVE	Rice (Direct Seeded)	Grasses & Broadleaf weeds	15-22.5 Tbsp/36L water	0.2ppm	-	Entry to treated fields and crops can be done one day after spraying
ZAGRO CORPORATION	PENDIMETHALIN	PREKILL 330	330 g/L	EC	HERBICIDE	4	043-142-0682	31-Dec-25	SELECTIVE	Rice (lowland)	Grasses & Broadleaf weeds	15-22.5 Tbsp/36L water	0.2ppm	-	Entry to treated fields and crops can be done one day after spraying
ZAGRO CORPORATION	PENDIMETHALIN	PREKILL 330	330 g/L	EC	HERBICIDE	4	043-142-0682	31-Dec-25	SELECTIVE	Rice (Upland)	Grasses & Broadleaf weeds	15-22.5 Tbsp/36L water	0.2ppm	-	Entry to treated fields and crops can be done one day after spraying
ZAGRO CORPORATION	PENDIMETHALIN	PREKILL 330	330 g/L	EC	HERBICIDE	4	043-142-0682	31-Dec-25	SELECTIVE	Cotton	Grasses & Broadleaf weeds	15-30 Tbsp/36L water	-	-	Entry to treated fields and crops can be done one day after spraying
ZAGRO CORPORATION	PENDIMETHALIN	PREKILL 330	330 g/L	EC	HERBICIDE	4	043-142-0682	31-Dec-25	SELECTIVE	Onion (Transplanted)	Grasses & Broadleaf weeds	11.5-15.0 Tbsp/36L water	-	-	Entry to treated fields and crops can be done one day after spraying
ZAGRO CORPORATION	PENDIMETHALIN	PREKILL 330	330 g/L	EC	HERBICIDE	4	043-142-0682	31-Dec-25	SELECTIVE	Sugarcane	Grasses & Broadleaf weeds	22.5-30 Tbsp/36L water	-	-	Entry to treated fields and crops can be done one day after spraying
ZAGRO CORPORATION	PENDIMETHALIN	PREKILL 330	330 g/L	EC	HERBICIDE	4	043-142-0682	31-Dec-25	SELECTIVE	Tobacco	Grasses & Broadleaf weeds	5.0-10.0 Tbsp/36L water	-	-	Entry to treated fields and crops can be done one day after spraying
LTC MORITA CORPORATION	PRETILACHLOR	PREHERB 300 EC	300 g/L	EC	HERBICIDE	4	679-063-5317	24-Sep-25	PRE-EMERGENCE	Rice (Direct Seeded)	Grasses, sedges, and broadleaves weeds	10-15 tbsp per tankload of 36 L capacity sprayer	0.05ppm	-	-
INTEGRO AGROCHEM ENTERPRISES CO.	CHLOPPYRIFOS	PREDATOR 300 EC	300 g/L	EC	INSECTICIDE	2	661-101-4995	09-Jun-24	-	Rice	Stemborer,armyworm,leafhopper,caseworm,planthopper,cutworm	25-35 mL per 36 Liter Water	-	-	-
INTEGRO AGROCHEM ENTERPRISES CO.	CHLOPPYRIFOS	PREDATOR 300 EC	300 g/L	EC	INSECTICIDE	2	661-101-4995	09-Jun-24	-	Potato	Tuber moth,leafhopper, cutworm, aphids	25-35 mL per 16 Liter Water	-	-	-
INTEGRO AGROCHEM ENTERPRISES CO.	CHLOPPYRIFOS	PREDATOR 300 EC	300 g/L	EC	INSECTICIDE	2	661-101-4995	09-Jun-24	-	Corn	Armyworm, cornborer, earworm, seedling magots	25-35 mL per 16 Liter Water	-	-	-
INTEGRO AGROCHEM ENTERPRISES CO.	CHLOPPYRIFOS	PREDATOR 300 EC	300 g/L	EC	INSECTICIDE	2	661-101-4995	09-Jun-24	-	Beans	Bean fly, Leafroller, pod borer, cutworm, armyworm	25-35 mL per 16 Liter Water	-	-	-
UNITED AGRO TRADE CORPORATION	THIOPHANATE METHYL	PRECLUR 70 WP	700 g/kg	WP	FUNGICIDE	4	264-107-1885	25-Apr-24	SYSTEMIC	Rice	Blast, neck rot, black spot	1.5-2.0 TESP/36L Water	1.0ppm	Do not enter the field within five (5) days after spraying	Do not spray within fourteen (14) days of harvest
UNITED AGRO TRADE CORPORATION	THIOPHANATE METHYL	PRECLUR 70 WP	700 g/kg	WP	FUNGICIDE	4	264-107-1885	25-Apr-24	SYSTEMIC	Mango	Anthraxnose	0.5-1.0 TESP/36L Water	-	Do not enter the field within five (5) days after spraying	Do not spray within fourteen (14) days of harvest
UNITED AGRO TRADE CORPORATION	THIOPHANATE METHYL	PRECLUR 70 WP	700 g/kg	WP	FUNGICIDE	4	264-107-1885	25-Apr-24	SYSTEMIC	Tobacco	Frog eye leaf spot	0.5-1.0 TESP/36L Water	-	Do not enter the field within five (5) days after spraying	Do not spray within fourteen (14) days of harvest
UNITED AGRO TRADE CORPORATION	THIOPHANATE METHYL	PRECLUR 70 WP	700 g/kg	WP	FUNGICIDE	4	264-107-1885	25-Apr-24	SYSTEMIC	Tomato	Powdery mildew	0.5-1.0 TESP/36L Water	-	Do not enter the field within five (5) days after spraying	Do not spray within fourteen (14) days of harvest
UNITED AGRO TRADE CORPORATION	THIOPHANATE METHYL	PRECLUR 70 WP	700 g/kg	WP	FUNGICIDE	4	264-107-1885	25-Apr-24	SYSTEMIC	Legumes	Cercospora leaf spot, Anthracnose, botrytis leaf spot, fusarium wilt, powdery mildew	0.5-1.0 TESP/36L Water	-	Do not enter the field within five (5) days after spraying	Do not spray within fourteen (14) days of harvest
UNITED AGRO TRADE CORPORATION	THIOPHANATE METHYL	PRECLUR 70 WP	700 g/kg	WP	FUNGICIDE	4	264-107-1885	25-Apr-24	SYSTEMIC	Beans	Cercospora leaf spot, Anthracnose, botrytis leaf spot, fusarium wilt, powdery mildew	0.5-1.0 TESP/36L Water	-	Do not enter the field within five (5) days after spraying	Do not spray within fourteen (14) days of harvest
UNITED AGRO TRADE CORPORATION	THIOPHANATE METHYL	PRECLUR 70 WP	700 g/kg	WP	FUNGICIDE	4	264-107-1885	25-Apr-24	SYSTEMIC	Cucumber	Powdery mildew, Gummy Stem blight, leaf and fruit spots	0.5-1.0 TESP/36L Water	-	Do not enter the field within five (5) days after spraying	Do not spray within fourteen (14) days of harvest
UNITED AGRO TRADE CORPORATION	THIOPHANATE METHYL	PRECLUR 70 WP	700 g/kg	WP	FUNGICIDE	4	264-107-1885	25-Apr-24	SYSTEMIC	Melon	Powdery mildew, Gummy Stem blight, leaf and fruit spots	0.5-1.0 TESP/36L Water	-	Do not enter the field within five (5) days after spraying	Do not spray within fourteen (14) days of harvest
UNITED AGRO TRADE CORPORATION	THIOPHANATE METHYL	PRECLUR 70 WP	700 g/kg	WP	FUNGICIDE	4	264-107-1885	25-Apr-24	SYSTEMIC	Ornamentals	Powdery mildew, black spots	0.5-1.0 TESP/36L Water	-	Do not enter the field within five (5) days after spraying	Do not spray within fourteen (14) days of harvest
UNITED AGRO TRADE CORPORATION	THIOPHANATE METHYL	PRECLUR 70 WP	700 g/kg	WP	FUNGICIDE	4	264-107-1885	25-Apr-24	SYSTEMIC	Orchids	Powdery mildew, black spots	0.5-1.0 TESP/36L Water	-	Do not enter the field within five (5) days after spraying	Do not spray within fourteen (14) days of harvest
UNITED AGRO TRADE CORPORATION	THIOPHANATE METHYL	PRECLUR 70 WP	700 g/kg	WP	FUNGICIDE	4	264-107-1885	25-Apr-24	SYSTEMIC	Cabbage	Shot hole disease, cercospora leaf spot	0.5-1.0 TESP/36L Water	-	Do not enter the field within five (5) days after spraying	Do not spray within fourteen (14) days of harvest
UNITED AGRO TRADE CORPORATION	THIOPHANATE METHYL	PRECLUR 70 WP	700 g/kg	WP	FUNGICIDE	4	264-107-1885	25-Apr-24	SYSTEMIC	Caiflflower	Shot-hole disease, cercospora leaf spot	0.5-1.0 TESP/36L Water	-	Do not enter the field within five (5) days after spraying	Do not spray within fourteen (14) days of harvest
UNITED AGRO TRADE CORPORATION	THIOPHANATE METHYL	PRECLUR 70 WP	700 g/kg	WP	FUNGICIDE	4	264-107-1885	25-Apr-24	SYSTEMIC	Lettuce	Shot-hole disease, cercospora leaf spot	0.5-1.0 TESP/36L Water	-	Do not enter the field within five (5) days after spraying	Do not spray within fourteen (14) days of harvest
UNITED AGRO TRADE CORPORATION	THIOPHANATE METHYL	PRECLUR 70 WP	700 g/kg	WP	FUNGICIDE	4	264-107-1885	25-Apr-24	SYSTEMIC	Strawberry	Powdery mildew	0.5-1.0 TESP/36L Water	-	Do not enter the field within five (5) days after spraying	Do not spray within fourteen (14) days of harvest
UNITED AGRO TRADE CORPORATION	THIOPHANATE METHYL	PRECLUR 70 WP	700 g/kg	WP	FUNGICIDE	4	264-107-1885	25-Apr-24	SYSTEMIC	Grapes	Fruit rot, Powdery mildew, anthracnose	0.5-1.0 TESP/36L Water	-	Do not enter the field within five (5) days after spraying	Do not spray within fourteen (14) days of harvest
UNITED AGRO TRADE CORPORATION	THIOPHANATE METHYL	PRECLUR 70 WP	700 g/kg	WP	FUNGICIDE	4	264-107-1885	25-Apr-24	SYSTEMIC	Orange	Scabs	0.5-1.0 TESP/36L Water	-	Do not enter the field within five (5) days after spraying	Do not spray within fourteen (14) days of harvest
UNITED AGRO TRADE CORPORATION	THIOPHANATE METHYL	PRECLUR 70 WP	700 g/kg	WP	FUNGICIDE	4	264-107-1885	25-Apr-24	SYSTEMIC	Citrus	Scabs	0.5-1.0 TESP/36L Water	-	Do not enter the field within five (5) days after spraying	Do not spray within fourteen (14) days of harvest
UNITED AGRO TRADE CORPORATION	THIOPHANATE METHYL	PRECLUR 70 WP	700 g/kg	WP	FUNGICIDE	4	264-107-1885	25-Apr-24	SYSTEMIC	Calamansi	Scabs	0.5-1.0 TESP/36L Water	-	Do not enter the field within five (5) days after spraying	Do not spray within fourteen (14) days of harvest
UNITED AGRO TRADE CORPORATION	THIOPHANATE METHYL	PRECLUR 70 WP	700 g/kg	WP	FUNGICIDE	4	264-107-1885	25-Apr-24	SYSTEMIC	Banana	Sigatoka disease	1.5-2.0 TESP/36L Water	-	Do not enter the field within five (5) days after spraying	Do not spray within fourteen (14) days of harvest
UNITED AGRO TRADE CORPORATION	THIOPHANATE METHYL	PRECLUR 70 WP	700 g/kg	WP	FUNGICIDE	4	264-107-1885	25-Apr-24	SYSTEMIC	Papaya	Powdery mildew	0.5-1.0 TESP/36L Water	-	Do not enter the field within five (5) days after spraying	Do not spray within fourteen (14) days of harvest
ALDIZ INCORPORATED	PRETILACHLOR	PRECOR 300 EC	300 g/kg	EC	HERBICIDE	4	052-063-5360	23-Feb-26	PRE-EMERGENCE	Rice (Direct Seeded)	Grasses, sedges, and broadleaves weeds	9.5 tbsp /36 L water	0.05ppm	-	-
SAVERS ALLIANCE TRADING CORPORATION	GLYPHOSATE IPA	PRECISION 480 SL	480 g/L	SL	HERBICIDE	4	655-151-4948	27-Oct-23	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/ha	-	-	-
SAVERS ALLIANCE TRADING CORPORATION	GLYPHOSATE IPA	PRECISION 480 SL	480 g/L	SL	HERBICIDE	4	655-151-4948	27-Oct-23	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
SAVERS ALLIANCE TRADING CORPORATION	GLYPHOSATE IPA	PRECISION 480 SL	480 g/L	SL	HERBICIDE	4	655-151-4948	27-Oct-23	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
SAVERS ALLIANCE TRADING CORPORATION	GLYPHOSATE IPA	PRECISION 480 SL	480 g/L	SL	HERBICIDE	4	655-151-4948	27-Oct-23	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
SAVERS ALLIANCE TRADING CORPORATION	GLYPHOSATE IPA	PRECISION 480 SL	480 g/L	SL	HERBICIDE	4	655-151-4948	27-Oct-23	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
SAVERS ALLIANCE TRADING CORPORATION	GLYPHOSATE IPA	PRECISION 480 SL	480 g/L	SL	HERBICIDE	4	655-151-4948	27-Oct-23	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
SAVERS ALLIANCE TRADING CORPORATION	GLYPHOSATE IPA	PRECISION 480 SL	480 g/L	SL	HERBICIDE	4	655-151-4948	27-Oct-23	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
SAVERS ALLIANCE TRADING CORPORATION	GLYPHOSATE IPA	PRECISION 480 SL	480 g/L	SL	HERBICIDE	4	655-151-4948	27-Oct-23	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
SAVERS ALLIANCE TRADING CORPORATION	GLYPHOSATE IPA	PRECISION 480 SL	480 g/L	SL	HERBICIDE	4	655-151-4948	27-Oct-23	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/ha	-	-	-
SAVERS ALLIANCE TRADING CORPORATION	GLYPHOSATE IPA	PRECISION 480 SL	480 g/L	SL	HERBICIDE	4	655-151-4948	27-Oct-23	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
SAVERS ALLIANCE TRADING CORPORATION	GLYPHOSATE IPA	PRECISION 480 SL	480 g/L	SL	HERBICIDE	4	655-151-4948	27-Oct-23	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
SAVERS ALLIANCE TRADING CORPORATION	GLYPHOSATE IPA	PRECISION 480 SL	480 g/L	SL	HERBICIDE	4	655-151-4948	27-Oct-23	POST-EMERGENT	Non-crop	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
ASIA GOLD TRADING CORPORATION	GLYPHOSATE IPA	P-PLUS	160 g/L	SL	HERBICIDE	4	266-151-3973	28-Dec-19	POST-EMERGENT	non-crop areas	common grassy fields	-	-	-	-
LEADS AGRICULTURAL PRODUCTS CORPORATION	DINTHOFENCARB	POWMYLS 25 SC	250 g/L	SC	FUNGICIDE	4	699-427-3052	18-Mar-25	SYSTEMIC	Cavendish Banana	Black Sigatoka & Freckle disease	600-800/ha Combination with banana oil and 1.5 l/ha Mancozeb 800 cs	0 Day	-	Entry to treated fields may be done as soon as spray mix has dried in foliage
SUMITOMO CHEMICAL PHILIPPINES INC.	DINTHOFENCARB	POWMYLS 25 SC	250 g/L	SC	FUNGICIDE	4	472-427-2960	18-Mar-25	SYSTEMIC	Cavendish Banana	Black Sigatoka & Freckle disease	600-800/ha Combination with banana oil and 1.5 l/ha Mancozeb 800 cs	0 Day	-	Entry to treated fields may be done as soon as spray mix has dried in foliage
COMBINE J.M. INC.	CHLORINE DIOXIDE	POWERSAFE	-	-	OTHERS	2	716-586-5716	31-Dec-24	-	-	Disinfection of animal houses, pens and equipment; water line treatment or drinking water disinfection in animal facilities	-	-	-	-
BIODIFE SCIENCES SOLUTIONS COMPANY	WHITE MINERAL OIL	POWEROLL TOPAZ AG	100g/L	-	OTHERS	4	361-282-4956	18-Nov-22	-	Banana	Black sigatoka as adjuvant in combination with fungicide	5/0 Liter/ha	-	-	Re-entry to treated crops/areas is dependent on the pesticide product that was used. When crops are only treated with SK Emprayr, Re-entry could be done after
ARMORY AGRO CHEMICALS COMPANY	LAMBDA-CHALOTHRIN+THIAMETHOXAM	POWERKILL 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	671-395-5804	21-Dec-23	CONTACT/STOMACH	Potato	Whiteflies, aphids, thrips	4.0-6.0 Tbsp/36L	-	7 Days	-
ARMORY AGRO CHEMICALS COMPANY	LAMBDA-CHALOTHRIN+THIAMETHOXAM	POWERKILL 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	671-395-5804	21-Dec-23	CONTACT/STOMACH	Stringbeans	Green Leafhopper, aphids, mites	4.0-6.0 Tbsp/36L	-	7 Days	-
ARMORY AGRO CHEMICALS COMPANY	LAMBDA-CHALOTHRIN+THIAMETHOXAM	POWERKILL 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	671-395-5804	21-Dec-23	CONTACT/STOMACH	Eggplant	Whiteflies, green leafhopper, aphids	4.0-6.0 Tbsp/36L	-	7 Days	-
ARMORY AGRO CHEMICALS COMPANY	LAMBDA-CHALOTHRIN+THIAMETHOXAM	POWERKILL 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	671-395-5804	21-Dec-23	CONTACT/STOMACH	Bittergourd	Leafhoppers, thrips, aphids, fruitfly, cutworm	4.0-13.0 Tbsp/36L	-	7 Days	-

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
ARMORY AGRO CHEMICALS COMPANY	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	POWERROLL 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	671-895-5804	21 Dec-23	CONTACT/STOMACH	Mango	Leafhoppers, tipboners, capsid bug, fruitfly, ceceid fly	4.0-6.0 Tbsp/36L	-	3 Days	-
ARMORY AGRO CHEMICALS COMPANY	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	POWERROLL 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	671-395-5804	21 Dec-23	CONTACT/STOMACH	Corn	Asiatic corn borer, cutworm, leafhopper, aphids, earworm	30.16 Tbsp/18L	-	3 Days	-
ARMORY AGRO CHEMICALS COMPANY	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	POWERROLL 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	671-395-5804	21 Dec-23	CONTACT/STOMACH	Banana	Flower thrips	1-3 mL/L	-	90 days	-
ARMORY AGRO CHEMICALS COMPANY	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	POWERROLL 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	671-395-5804	21 Dec-23	CONTACT/STOMACH	Rice	Stemborer, leafhopper, rice bugs	-	-	-	-
CORTEVA AGRISCIENCE PHILIPPINES, INC.	OryLA 305 and CRY2AB2	POWERCORE (MON8034 x TC1507 x NK603)	-	-	INSECTICIDE	-	PIF-04-07-12	17-Jan-23	-	Corn	Fall armyworm (PIF)	-	-	-	-
BAYER CROSCIENCE, INC.	GLYPHOSATE IPA	POWER 16 SL	160 g/L	SL	HERBICIDE	4	284-151-4049	17-Aug-25	POST-EMERGENT	non-crop areas	common grassy fields	9.6 Liters/ha	-	-	-
MONSANTO PHILIPPINES INC.	GLYPHOSATE IPA	POWER 16 SL	160 g/L	SL	HERBICIDE	4	028-151-0571	25-Jul-25	POST-EMERGENT	non-crop areas	common grassy fields	9.6 Liters/ha	-	-	-
SINOCHEM CROP PROTECTION (PHIL.) INC.	GLYPHOSATE IPA	POWER 16 SL	160 g/L	SL	HERBICIDE	4	432-151-2569	24-Mar-19	POST-EMERGENT	non-crop areas	common grassy fields	-	-	-	-
ZAGRO CORPORATION	GLYPHOSATE IPA	POUNDER 160	160 g/L	SL	HERBICIDE	4	043-151-1445	07-Feb-19	POST-EMERGENT	non-crop areas	common grassy fields	-	-	-	-
ZAGRO CORPORATION	GLYPHOSATE IPA	POUNCE 480	480 g/L	SL	HERBICIDE	4	043-151-1327	30-Sep-24	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/ha	-	-	-
ZAGRO CORPORATION	GLYPHOSATE IPA	POUNCE 480	480 g/L	SL	HERBICIDE	4	043-151-1327	30-Sep-24	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
ZAGRO CORPORATION	GLYPHOSATE IPA	POUNCE 480	480 g/L	SL	HERBICIDE	4	043-151-1327	30-Sep-24	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
ZAGRO CORPORATION	GLYPHOSATE IPA	POUNCE 480	480 g/L	SL	HERBICIDE	4	043-151-1327	30-Sep-24	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
ZAGRO CORPORATION	GLYPHOSATE IPA	POUNCE 480	480 g/L	SL	HERBICIDE	4	043-151-1327	30-Sep-24	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
ZAGRO CORPORATION	GLYPHOSATE IPA	POUNCE 480	480 g/L	SL	HERBICIDE	4	043-151-1327	30-Sep-24	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
ZAGRO CORPORATION	GLYPHOSATE IPA	POUNCE 480	480 g/L	SL	HERBICIDE	4	043-151-1327	30-Sep-24	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
ZAGRO CORPORATION	GLYPHOSATE IPA	POUNCE 480	480 g/L	SL	HERBICIDE	4	043-151-1327	30-Sep-24	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
ZAGRO CORPORATION	GLYPHOSATE IPA	POUNCE 480	480 g/L	SL	HERBICIDE	4	043-151-1327	30-Sep-24	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/ha	-	-	-
ZAGRO CORPORATION	GLYPHOSATE IPA	POUNCE 480	480 g/L	SL	HERBICIDE	4	043-151-1327	30-Sep-24	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
ZAGRO CORPORATION	GLYPHOSATE IPA	POUNCE 480	480 g/L	SL	HERBICIDE	4	043-151-1327	30-Sep-24	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
ZAGRO CORPORATION	GLYPHOSATE IPA	POUNCE 480	480 g/L	SL	HERBICIDE	4	043-151-1327	30-Sep-24	POST-EMERGENT	non-crop	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
INTERKORRA INC.	AZIXYSTROBIN	POST-PRO 25 SC	250 g/L	SC	FUNGICIDE	4	664-309-5161	10-Feb-26	POST-HARVEST	Banana	Black sigatoka and freckle diseases, as post-harvest treatment in cavendish banana (Anthraxnose, crown rot, crown mold)	0.6-1.6 mL/L	-	No harvest interval is necessary	-
INTERKORRA INC.	AZIXYSTROBIN	POST-PRO 25 SC	250 g/L	SC	FUNGICIDE	4	664-309-5161	10-Feb-26	POST-HARVEST	Pineapple	Butt mold	0.6-1.2 mL/L	-	No harvest interval is necessary	-
CROPPING CHEMICALS INC.	BISPYRIBAC SODIUM	POST-HERB 30% SC	126.4 g/L	SC	HERBICIDE	2	060-276-2468	09-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Rice	Grasses, sedges & broadleaves	15mL/36L water, 20 spray load/ hectare	0.1 ppm	-	Entry to treated field is allowed as soon as spray deposits on crops and weeds have dried
AGRO ADVANCED INTERNATIONAL PHILS. INC.	LIXONLINE	POFRUIT	50 g/L	-	OTHERS	4	473-534-5198	12-Oct-24	-	Cavendish Banana	Crown rot and crown mold	1.5-5.0 mL/L	-	-	-
PHILIPPINE FARMFLEX SOLUTIONS INC.	BENOMYL	PORTER	500 g/kg	WP	FUNGICIDE	4	535-167-3177	22-May-19	SYSTEMIC	Mungbeans	Powdery mildew, cercospora leaf spot	1-2 Tbsp/36L water	-	-	-
PHILIPPINE FARMFLEX SOLUTIONS INC.	BENOMYL	PORTER	500 g/kg	WP	FUNGICIDE	4	535-167-3177	22-May-19	SYSTEMIC	Beans	Powdery mildew, cercospora leaf spot	1-2 Tbsp/36L water	-	-	-
PHILIPPINE FARMFLEX SOLUTIONS INC.	BENOMYL	PORTER	500 g/kg	WP	FUNGICIDE	4	535-167-3177	22-May-19	SYSTEMIC	Wongbok	Cercospora leaf spot	1-2 Tbsp/36L water	-	-	-
PHILIPPINE FARMFLEX SOLUTIONS INC.	BENOMYL	PORTER	500 g/kg	WP	FUNGICIDE	4	535-167-3177	22-May-19	SYSTEMIC	Cabbage	Cercospora leaf spot	1-2 Tbsp/36L water	-	-	-
PHILIPPINE FARMFLEX SOLUTIONS INC.	BENOMYL	PORTER	500 g/kg	WP	FUNGICIDE	4	535-167-3177	22-May-19	SYSTEMIC	Calamansi	Scab	1-2 Tbsp/36L water	-	-	-
PHILIPPINE FARMFLEX SOLUTIONS INC.	BENOMYL	PORTER	500 g/kg	WP	FUNGICIDE	4	535-167-3177	22-May-19	SYSTEMIC	Cucumber	Powdery mildew	1-2 Tbsp/36L water	-	-	-
PHILIPPINE FARMFLEX SOLUTIONS INC.	BENOMYL	PORTER	500 g/kg	WP	FUNGICIDE	4	535-167-3177	22-May-19	SYSTEMIC	ginger	Cercospora leaf spot	1-2 Tbsp/36L water	-	-	-
PHILIPPINE FARMFLEX SOLUTIONS INC.	BENOMYL	PORTER	500 g/kg	WP	FUNGICIDE	4	535-167-3177	22-May-19	SYSTEMIC	Grapes	Powdery mildew	1-2 Tbsp/36L water	-	-	-
PHILIPPINE FARMFLEX SOLUTIONS INC.	BENOMYL	PORTER	500 g/kg	WP	FUNGICIDE	4	535-167-3177	22-May-19	SYSTEMIC	Mandarin	Scab	1-2 Tbsp/36L water	-	-	-
PHILIPPINE FARMFLEX SOLUTIONS INC.	BENOMYL	PORTER	500 g/kg	WP	FUNGICIDE	4	535-167-3177	22-May-19	SYSTEMIC	Mango	Anthraxnose, powdery mildew	1-2 Tbsp/36L water	-	-	-
PHILIPPINE FARMFLEX SOLUTIONS INC.	BENOMYL	PORTER	500 g/kg	WP	FUNGICIDE	4	535-167-3177	22-May-19	SYSTEMIC	Melon	Powdery mildew	1-2 Tbsp/36L water	-	-	-
PHILIPPINE FARMFLEX SOLUTIONS INC.	BENOMYL	PORTER	500 g/kg	WP	FUNGICIDE	4	535-167-3177	22-May-19	SYSTEMIC	Orange	Scab	1-2 Tbsp/36L water	-	-	-
PHILIPPINE FARMFLEX SOLUTIONS INC.	BENOMYL	PORTER	500 g/kg	WP	FUNGICIDE	4	535-167-3177	22-May-19	SYSTEMIC	Papaya	Powdery mildew	1-2 Tbsp/36L water	-	-	-
PHILIPPINE FARMFLEX SOLUTIONS INC.	BENOMYL	PORTER	500 g/kg	WP	FUNGICIDE	4	535-167-3177	22-May-19	SYSTEMIC	Pepper	Cercospora leaf spot	1-2 Tbsp/36L water	-	-	-
PHILIPPINE FARMFLEX SOLUTIONS INC.	BENOMYL	PORTER	500 g/kg	WP	FUNGICIDE	4	535-167-3177	22-May-19	SYSTEMIC	Rice	Blast, sheath blight	3-4 Tbsp/36L water	1.0 ppm	7 days	-
PHILIPPINE FARMFLEX SOLUTIONS INC.	BENOMYL	PORTER	500 g/kg	WP	FUNGICIDE	4	535-167-3177	22-May-19	SYSTEMIC	strawberry	Cercospora leaf spot	1-2 Tbsp/36L water	-	-	-
PHILIPPINE FARMFLEX SOLUTIONS INC.	BENOMYL	PORTER	500 g/kg	WP	FUNGICIDE	4	535-167-3177	22-May-19	SYSTEMIC	Tobacco	Leaf mold, frog eye	1-2 Tbsp/36L water	-	-	-
PHILIPPINE FARMFLEX SOLUTIONS INC.	BENOMYL	PORTER	500 g/kg	WP	FUNGICIDE	4	535-167-3177	22-May-19	SYSTEMIC	Banana	Black sigatoka	280 g/ha	-	-	-
JARDINE DISTRIBUTION, INC.	METALDEHYDE	PORSNAIL PLUS 75 WP	750 g/kg	WP	MOLLUSCIDIDE	4	367-075-0646	24-Oct-19	CONTACT	Rice (Transplanted)	Golden apple snail	1 Sachet/36L water	-	-	-
JARDINE DISTRIBUTION, INC.	METALDEHYDE	PORSNAIL PLUS 75 WP	750 g/kg	WP	MOLLUSCIDIDE	4	367-075-0646	24-Oct-19	CONTACT	Rice (Direct-Seeded)	Golden apple snail	1 Sachet/36L water	-	-	-
TAIPAN BRAND FARM INC.	METALDEHYDE	PORSNAIL PLUS 75 WP	750 g/kg	WP	MOLLUSCIDIDE	4	529-075-3137	31-Dec-23	CONTACT	Rice (Transplanted)	Golden apple snail	1 Sachet/36L water	-	-	Do not enter treated field/ paddy within 48 hours after application
TAIPAN BRAND FARM INC.	METALDEHYDE	PORSNAIL PLUS 75 WP	750 g/kg	WP	MOLLUSCIDIDE	4	529-075-3137	31-Dec-23	CONTACT	Rice (Direct-Seeded)	Golden apple snail	1 Sachet/36L water	-	-	Do not enter treated field/ paddy within 48 hours after application
AGCHEM MANUFACTURING CORPORATION	METALDEHYDE	PORSNAIL 75 WP	750 g/kg	WP	MOLLUSCIDIDE	3	001-075-0509	31-Dec-26	CONTACT	Rice (Transplanted)	Golden apple snail	1 Sachet/36L water	-	-	Do not enter treated field/ paddy within 48 hours after application
AGCHEM MANUFACTURING CORPORATION	METALDEHYDE	PORSNAIL 75 WP	750 g/kg	WP	MOLLUSCIDIDE	3	001-075-0509	31-Dec-26	CONTACT	Rice (Direct-Seeded)	Golden apple snail	1 Sachet/36L water	-	-	Do not enter treated field/ paddy within 48 hours after application
ORACLE CHEM CORPORATION	CYHALOPROF-BUTYL-BISPYRIBAC SODIUM	POWNT 2000	150 g/L+150 g/L	OD	HERBICIDE	4	417-904-6328 (90)	24-Oct-26	POST-EMERGENT	Rice (Direct-Seeded)	Grasses (Echinochloa sp., Lophochla chinensis, and Ischaemum rugosum), broadleaves (Euphorbia corollata, Lactuca (lettuce) sp.)	900 mL-1L prod./ ha; 180-192 L/ha	-	-	Re-entry to treated field is allowed as soon as spray deposits dry up.
BASF PHILIPPINES, INC.	CLOTHIANIDIN+IMIDACLOPRID	PONCHO PLUS FS 600	360+240 g/L	FS	INSECTICIDE	2	005-481-4768	28-Jun-24	SYSTEMIC	Corn (as seed treatment)	Seedling Maggots, Armyworm, Cornborer & Hoppers	4-10 mL prod./kg of seeds	0.01 mg/kg Clothianidin 0.05	-	-
BASF PHILIPPINES, INC.	METIRAM	POLYRAM 70 DF	700 g/kg	DF	FUNGICIDE	4	005-529-5058	19-Feb-27	-	Potato	Late blight	3-14g prod/ hectare at volume rate of 625-700 L/ha	0.2mg/ kg	5-7 days	As soon as spray droplets dry
BASF PHILIPPINES, INC.	METIRAM	POLYRAM 70 DF	700 g/kg	DF	FUNGICIDE	4	005-529-5058	19-Feb-27	-	Banana	Black sigatoka	1.0-1.5 kg/ha; 18-200 L/ha	-	0 Day	As soon as spray droplets dry
SUPREME POLYMER MASTERBATCH PLASTIC PRODUCTS TRADING INC.	BIFENTHRIN+BUPROFEZIN	POLYGUARD ZC	1 g/kg+20 g/kg	-	INSECTICIDE	4	795-455-5560	16-May-26	-	Banana	Flower thrips, mealybugs, and aphids	-	-	-	-
PHILIPPINE FARMFLEX SOLUTIONS INC.	BUTACHLOR+PROPANIL	POLYGVON 70 EC	350+350 g/L	EC	HERBICIDE	3	535-238-3190	04-Nov-26	POST-EMERGENT	Rice (Direct-Seeded)	Grasses, Sedges and Broadleaves	8-12Tbsp/36 L water	Butachlor 0.1ppm Propanil 0.1ppm	-	As soon as the spray mist dries up
PHILIPPINE FARMFLEX SOLUTIONS INC.	BUTACHLOR+PROPANIL	POLYGVON 70 EC	350+350 g/L	EC	HERBICIDE	3	535-238-3190	04-Nov-26	POST-EMERGENT	Rice (Transplanted)	Grasses, Sedges and Broadleaves	8-12Tbsp/36 L water	Butachlor 0.1ppm Propanil 0.1ppm	-	As soon as the spray mist dried up

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
SUPREME POLYMER MASTERBATCH PLASTIC PRODUCTS TRADING INC.	BUPROFEZIN	PolyBupro	20 g/kg	-	INSECTICIDE	3	795-224-9068	15-Mar-24	-	Banana	Mealybugs and scale insects	-	-	-	-
CEVA ANIMAL HEALTH (PHILIPPINES) INC.	SODIUM FERCARBONATE	POLSAFE PC	450 g/kg	-	OTHERS	2	714-584-5713	31-Dec-24	-	-	Disinfection of footbaths, trucks/trailers in animal facilities	-	-	-	-
PHIL DREAM AGRO VENTURES INC.	DIFENOCONAZOLE	POUSH 250 EC	250 g/L	EC	FUNGICIDE	4	726-272-5793	24-Feb-26	-	Rice	Sheath Blight	0.28-0.30 L/ha	-	-	-
PHIL DREAM AGRO VENTURES INC.	DIFENOCONAZOLE	POUSH 250 EC	250 g/L	EC	FUNGICIDE	4	726-272-5793	24-Feb-26	-	Mango	Anthraxnose	0.528-0.88 L/ha	-	-	-
PHIL DREAM AGRO VENTURES INC.	DIFENOCONAZOLE	POUSH 250 EC	250 g/L	EC	FUNGICIDE	4	726-272-5793	24-Feb-26	-	Stringbeans	Leaf spot	0.20-0.30 L/ha	-	-	-
PHIL DREAM AGRO VENTURES INC.	DIFENOCONAZOLE	POUSH 250 EC	250 g/L	EC	FUNGICIDE	4	726-272-5793	24-Feb-26	-	Tomato	Alternaria leaf spot, cercospora leafmold, powdery mildew	0.20-0.30 L/ha	-	-	-
PHIL DREAM AGRO VENTURES INC.	DIFENOCONAZOLE	POUSH 250 EC	250 g/L	EC	FUNGICIDE	4	726-272-5793	24-Feb-26	-	Eggplant	Leaf spot	0.20-0.30 L/ha	-	-	-
PHIL DREAM AGRO VENTURES INC.	DIFENOCONAZOLE	POUSH 250 EC	250 g/L	EC	FUNGICIDE	4	726-272-5793	24-Feb-26	-	Cabbage	Ringspot, alternaria	0.20-0.30 L/ha	-	-	-
PHIL DREAM AGRO VENTURES INC.	DIFENOCONAZOLE	POUSH 250 EC	250 g/L	EC	FUNGICIDE	4	726-272-5793	24-Feb-26	-	Asparagus	Stem and leaf blight	0.36 L/ha	-	-	-
PHIL DREAM AGRO VENTURES INC.	DIFENOCONAZOLE	POUSH 250 EC	250 g/L	EC	FUNGICIDE	4	726-272-5793	24-Feb-26	-	Onion	Purple blotch	0.40-0.50 L/ha	-	-	-
PHIL DREAM AGRO VENTURES INC.	DIFENOCONAZOLE	POUSH 250 EC	250 g/L	EC	FUNGICIDE	4	726-272-5793	24-Feb-26	-	Banana	Black Sigatoka	0.3-0.4 L/ha	-	-	-
AGRIBASE CHEMICALS, INC.	METHOMYL	POLARIS 40 SP	400 g/kg	SP	INSECTICIDE	2	457-164-3747	07-Apr-25	CONTACT	Asparagus	Armyworm, cutworm	2.0-2.5 Tbsp/36L sprayer	-	-	Do not enter fields treated with POLARIS 40 SP within twelve hours after application
AGRIBASE CHEMICALS, INC.	METHOMYL	POLARIS 40 SP	400 g/kg	SP	INSECTICIDE	2	457-164-3747	07-Apr-25	CONTACT	Banana	Thrips	3.5-4.5 Tbsp/36L sprayer	-	-	Do not enter fields treated with POLARIS 40 SP within twelve hours after application
AGRIBASE CHEMICALS, INC.	METHOMYL	POLARIS 40 SP	400 g/kg	SP	INSECTICIDE	2	457-164-3747	07-Apr-25	CONTACT	Beans	Leafroller, flea beetle , beanfly, podborer,aphids	2.0-2.5 Tbsp/36L sprayer	-	-	Do not enter fields treated with POLARIS 40 SP within twelve hours after application
AGRIBASE CHEMICALS, INC.	METHOMYL	POLARIS 40 SP	400 g/kg	SP	INSECTICIDE	2	457-164-3747	07-Apr-25	CONTACT	Mungbeans	Leafroller, flea beetle , beanfly, podborer,aphids	2.0-2.5 Tbsp/36L sprayer	-	-	Do not enter fields treated with POLARIS 40 SP within twelve hours after application
AGRIBASE CHEMICALS, INC.	METHOMYL	POLARIS 40 SP	400 g/kg	SP	INSECTICIDE	2	457-164-3747	07-Apr-25	CONTACT	Soybeans	Leafroller, flea beetle , beanfly, podborer,aphids	2.0-2.5 Tbsp/36L sprayer	-	-	Do not enter fields treated with POLARIS 40 SP within twelve hours after application
AGRIBASE CHEMICALS, INC.	METHOMYL	POLARIS 40 SP	400 g/kg	SP	INSECTICIDE	2	457-164-3747	07-Apr-25	CONTACT	Sitao	Leafroller, flea beetle , beanfly, podborer,aphids	2.0-2.5 Tbsp/36L sprayer	-	-	Do not enter fields treated with POLARIS 40 SP within twelve hours after application
AGRIBASE CHEMICALS, INC.	METHOMYL	POLARIS 40 SP	400 g/kg	SP	INSECTICIDE	2	457-164-3747	07-Apr-25	CONTACT	Corn	Comborer, earworm	2.0-2.5 Tbsp/36L sprayer	-	-	Do not enter fields treated with POLARIS 40 SP within twelve hours after application
AGRIBASE CHEMICALS, INC.	METHOMYL	POLARIS 40 SP	400 g/kg	SP	INSECTICIDE	2	457-164-3747	07-Apr-25	CONTACT	Eggplant	Aphids, flea beetle , fruitworm, lady beetle	2.0-2.5 Tbsp/36L sprayer	-	-	Do not enter fields treated with POLARIS 40 SP within twelve hours after application
AGRIBASE CHEMICALS, INC.	METHOMYL	POLARIS 40 SP	400 g/kg	SP	INSECTICIDE	2	457-164-3747	07-Apr-25	CONTACT	Melon	Aphids, Squash beetle , leafroller	2.0-2.5 Tbsp/36L sprayer	-	-	Do not enter fields treated with POLARIS 40 SP within twelve hours after application
AGRIBASE CHEMICALS, INC.	METHOMYL	POLARIS 40 SP	400 g/kg	SP	INSECTICIDE	2	457-164-3747	07-Apr-25	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leafroller	2.0-2.5 Tbsp/36L sprayer	0.05ppm	3 Days	Do not enter fields treated with POLARIS 40 SP within twelve hours after application
AGRIBASE CHEMICALS, INC.	METHOMYL	POLARIS 40 SP	400 g/kg	SP	INSECTICIDE	2	457-164-3747	07-Apr-25	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	2.0-2.5 Tbsp/36L sprayer	-	-	Do not enter fields treated with POLARIS 40 SP within twelve hours after application
AGRIBASE CHEMICALS, INC.	METHOMYL	POLARIS 40 SP	400 g/kg	SP	INSECTICIDE	2	457-164-3747	07-Apr-25	CONTACT	Tomato	Tomato fruitworm, aphids	2.0-2.5 Tbsp/36L sprayer	-	-	Do not enter fields treated with POLARIS 40 SP within twelve hours after application
ZAGRO CORPORATION	METALDEHYDE	POLAR M	50 g/kg	P	MOLLUSCICIDE	4	043-075-2393	26-May-18	CONTACT	Rice (Transplanted)	Golden apple snail	2-4 kg/ product per hectare	-	-	-
ZAGRO CORPORATION	METALDEHYDE	POLAR M	50 g/kg	P	MOLLUSCICIDE	4	043-075-2393	26-May-18	CONTACT	Rice (Direct-Seeded)	Golden apple snail	4-8 kg/product per hectare	-	-	-
ZAGRO CORPORATION	METALDEHYDE	POLAR M	50 g/kg	P	MOLLUSCICIDE	4	043-075-2393	26-May-18	CONTACT	Plotted and driftwood-attached plants such as	Bush, snails, giant african snail and slugs	1-2 kg/product per hectare	-	-	-
ZAGRO CORPORATION	METALDEHYDE	POLAR M	50 g/kg	P	MOLLUSCICIDE	4	043-075-2393	26-May-18	CONTACT	Chinese Cabbage	Slug, snails	6-8 kg/product per hectare	-	-	-
ZAGRO CORPORATION	METALDEHYDE	POLAR M	50 g/kg	P	MOLLUSCICIDE	4	043-075-2393	26-May-18	CONTACT	Strawberry	Slug, snails	6-8 kg/product per hectare	-	-	-
TWIN BAMBOO CORPORATION	DIFENOCONAZOLE	POINTMAX 250 EC	250 g/L	EC	FUNGICIDE	4	526-272-5379	22-Nov-24	SYSTEMIC	Banana	Black Sigatoka	0.30-0.40 L prod/ha	-	-	-
TWIN BAMBOO CORPORATION	DIFENOCONAZOLE	POINTMAX 250 EC	250 g/L	EC	FUNGICIDE	4	526-272-5379	22-Nov-24	SYSTEMIC	Mango	Anthraxnose	0.528-0.88 L/ha	-	-	-
TWIN BAMBOO CORPORATION	DIFENOCONAZOLE	POINTMAX 250 EC	250 g/L	EC	FUNGICIDE	4	526-272-5379	22-Nov-24	SYSTEMIC	Rice	Sheath Blight	0.25-0.30 L/ha	-	-	-
TWIN BAMBOO CORPORATION	DIFENOCONAZOLE	POINTMAX 250 EC	250 g/L	EC	FUNGICIDE	4	526-272-5379	22-Nov-24	SYSTEMIC	Stringbeans	Leaf spot	0.20-0.30 L/ha	-	-	-
TWIN BAMBOO CORPORATION	DIFENOCONAZOLE	POINTMAX 250 EC	250 g/L	EC	FUNGICIDE	4	526-272-5379	22-Nov-24	SYSTEMIC	Eggplant	Leaf spot	0.20-0.30 L/ha	-	-	-
TWIN BAMBOO CORPORATION	DIFENOCONAZOLE	POINTMAX 250 EC	250 g/L	EC	FUNGICIDE	4	526-272-5379	22-Nov-24	SYSTEMIC	Tomato	Alternaria leaf spot, cercospora leafmold, powdery mildew	0.20-0.30 L/ha	-	-	-
TWIN BAMBOO CORPORATION	DIFENOCONAZOLE	POINTMAX 250 EC	250 g/L	EC	FUNGICIDE	4	526-272-5379	22-Nov-24	SYSTEMIC	Cabbage	Ringspot, alternaria	0.20-0.30 L/ha	-	-	-
TWIN BAMBOO CORPORATION	DIFENOCONAZOLE	POINTMAX 250 EC	250 g/L	EC	FUNGICIDE	4	526-272-5379	22-Nov-24	SYSTEMIC	Onion	Purple blotch	0.40-0.50 L/ha	-	-	-
TWIN BAMBOO CORPORATION	DIFENOCONAZOLE	POINTMAX 250 EC	250 g/L	EC	FUNGICIDE	4	526-272-5379	22-Nov-24	SYSTEMIC	Asparagus	Stem and leaf blight	0.36 L/ha	-	-	-
PMC AGRO PHILIPPINES INC.	FLUTRIFOL	POINTER 250 SC	250 g/L	SC	FUNGICIDE	2	598-457-4172	30-Oct-26	SYSTEMIC	Banana	Black Sigatoka	0.4-0.6 L product /ha	0.0ppm	Harvesting may be done on the day of application	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
RAINBOW AGROSCIENCES PHILIPPINES INC.	PHENTHOATE	POATE 500 EC	500 g/L	EC	INSECTICIDE	2	539-059-5977	28-Dec-25	-	Rice	Green leafhoppers, brown planthoppers, stemborers, whorl maggot, cutworm	20-50 mL/34L water	-	7 days	Re-entry into treated areas may be done at least 2 days after treatment
RAINBOW AGROSCIENCES PHILIPPINES INC.	PHENTHOATE	POATE 500 EC	500 g/L	EC	INSECTICIDE	2	539-059-5977	28-Dec-25	-	Corn	Corn borer, earworm, cutworm	20-50 mL/34L water	-	14 days	Re-entry into treated areas may be done at least 2 days after treatment
RAINBOW AGROSCIENCES PHILIPPINES INC.	PHENTHOATE	POATE 500 EC	500 g/L	EC	INSECTICIDE	2	539-059-5977	28-Dec-25	-	Sorghum	Webworm, armyworm	20-50 mL/34L water	-	14 days	Re-entry into treated areas may be done at least 2 days after treatment
RAINBOW AGROSCIENCES PHILIPPINES INC.	PHENTHOATE	POATE 500 EC	500 g/L	EC	INSECTICIDE	2	539-059-5977	28-Dec-25	-	Soybeans and other beans	Podborer, aphids, semi looper, leafroller	20-50 mL/34L water	-	7 days	Re-entry into treated areas may be done at least 2 days after treatment
RAINBOW AGROSCIENCES PHILIPPINES INC.	PHENTHOATE	POATE 500 EC	500 g/L	EC	INSECTICIDE	2	539-059-5977	28-Dec-25	-	Cabbage	Diamondback moth, cabbage worm, aphids, cutworm	20-50 mL/34L water	-	7 days	Re-entry into treated areas may be done at least 2 days after treatment
RAINBOW AGROSCIENCES PHILIPPINES INC.	PHENTHOATE	POATE 500 EC	500 g/L	EC	INSECTICIDE	2	539-059-5977	28-Dec-25	-	Crucifers	Diamondback moth, cabbage worm, aphids, cutworm	20-50 mL/34L water	-	7 days	Re-entry into treated areas may be done at least 2 days after treatment
RAINBOW AGROSCIENCES PHILIPPINES INC.	PHENTHOATE	POATE 500 EC	500 g/L	EC	INSECTICIDE	2	539-059-5977	28-Dec-25	-	Cucumber	Aphids	20-50 mL/34L water	-	3 days	Re-entry into treated areas may be done at least 2 days after treatment
RAINBOW AGROSCIENCES PHILIPPINES INC.	PHENTHOATE	POATE 500 EC	500 g/L	EC	INSECTICIDE	2	539-059-5977	28-Dec-25	-	Cucurbits	Aphids	20-50 mL/34L water	-	3 days	Re-entry into treated areas may be done at least 2 days after treatment
RAINBOW AGROSCIENCES PHILIPPINES INC.	PHENTHOATE	POATE 500 EC	500 g/L	EC	INSECTICIDE	2	539-059-5977	28-Dec-25	-	Eggplant	Flea beetle, mealybug	20-50 mL/34L water	-	3 days	Re-entry into treated areas may be done at least 2 days after treatment
RAINBOW AGROSCIENCES PHILIPPINES INC.	PHENTHOATE	POATE 500 EC	500 g/L	EC	INSECTICIDE	2	539-059-5977	28-Dec-25	-	Tomato	Fruitworm, lady beetle	20-50 mL/34L water	-	3 days	Re-entry into treated areas may be done at least 2 days after treatment
RAINBOW AGROSCIENCES PHILIPPINES INC.	PHENTHOATE	POATE 500 EC	500 g/L	EC	INSECTICIDE	2	539-059-5977	28-Dec-25	-	Tobacco	Budworm, cutworm, aphids, armyworm, thrip, leafworm	20-50 mL/34L water	-	3 days	Re-entry into treated areas may be done at least 2 days after treatment
RAINBOW AGROSCIENCES PHILIPPINES INC.	PHENTHOATE	POATE 500 EC	500 g/L	EC	INSECTICIDE	2	539-059-5977	28-Dec-25	-	White potato	Aphids, cutworm	20-50 mL/34L water	-	7 days	Re-entry into treated areas may be done at least 2 days after treatment
RAINBOW AGROSCIENCES PHILIPPINES INC.	PHENTHOATE	POATE 500 EC	500 g/L	EC	INSECTICIDE	2	539-059-5977	28-Dec-25	-	Cotton	Leafhopper, bollworm, flower weevil, boll weevil, cotton stainer, leafworm, aphids	20-50 mL/34L water	-	14 days	Re-entry into treated areas may be done at least 2 days after treatment
RAINBOW AGROSCIENCES PHILIPPINES INC.	PHENTHOATE	POATE 500 EC	500 g/L	EC	INSECTICIDE	2	539-059-5977	28-Dec-25	-	Onion	Thrips	20-50 mL/34L water	-	14 days	Re-entry into treated areas may be done at least 2 days after treatment
RAINBOW AGROSCIENCES PHILIPPINES INC.	PHENTHOATE	POATE 500 EC	500 g/L	EC	INSECTICIDE	2	539-059-5977	28-Dec-25	-	Citrus	Scale insect, aphids, mealybug, whiteflies	20-50 mL/34L water	-	14 days	Re-entry into treated areas may be done at least 2 days after treatment
RAINBOW AGROSCIENCES PHILIPPINES INC.	PHENTHOATE	POATE 500 EC	500 g/L	EC	INSECTICIDE	2	539-059-5977	28-Dec-25	-	Mango	Mango hopper, tip borer, twig borer	125-312.5 mL/300L water	-	14 days	Re-entry into treated areas may be done at least 2 days after treatment
ASIA GOLD TRADING CORPORATION	GLYPHOSATE IPA	P-MAX 480 SL	480 g/L	SL	HERBICIDE	4	266-151-2316-B	01-Aug-26	POST-EMERGENT	Glyphosate tolerant corn under minimum or reduced	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.0 Liters/ha	-	-	-
ASIA GOLD TRADING CORPORATION	GLYPHOSATE IPA	P-MAX 480 SL	480 g/L	SL	HERBICIDE	4	266-151-2316-B	01-Aug-26	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
ASIA GOLD TRADING CORPORATION	GLYPHOSATE IPA	P-MAX 480 SL	480 g/L	SL	HERBICIDE	4	266-151-2316-B	01-Aug-26	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	10-4.5 Liters/Ha	-	-	-
ASIA GOLD TRADING CORPORATION	GLYPHOSATE IPA	P-MAX 480 SL	480 g/L	SL	HERBICIDE	4	266-151-2316-B	01-Aug-26	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	10-4.5 Liters/Ha	-	-	-
ASIA GOLD TRADING CORPORATION	GLYPHOSATE IPA	P-MAX 480 SL	480 g/L	SL	HERBICIDE	4	266-151-2316-B	01-Aug-26	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	10-4.5 Liters/Ha	-	-	-
ASIA GOLD TRADING CORPORATION	GLYPHOSATE IPA	P-MAX 480 SL	480 g/L	SL	HERBICIDE	4	266-151-2316-B	01-Aug-26	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	10.0liters/Ha	-	-	-
ASIA GOLD TRADING CORPORATION	GLYPHOSATE IPA	P-MAX 480 SL	480 g/L	SL	HERBICIDE	4	266-151-2316-B	01-Aug-26	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
ASIA GOLD TRADING CORPORATION	GLYPHOSATE IPA	P-MAX 480 SL	480 g/L	SL	HERBICIDE	4	266-151-2316-B	01-Aug-26	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
ASIA GOLD TRADING CORPORATION	GLYPHOSATE IPA	P-MAX 480 SL	480 g/L	SL	HERBICIDE	4	266-151-2316-B	01-Aug-26	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha	-	-	-
ASIA GOLD TRADING CORPORATION	GLYPHOSATE IPA	P-MAX 480 SL	480 g/L	SL	HERBICIDE	4	266-151-2316-B	01-Aug-26	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
ASIA GOLD TRADING CORPORATION	GLYPHOSATE IPA	P-MAX 480 SL	480 g/L	SL	HERBICIDE	4	266-151-2316-B	01-Aug-26	POST-EMERGENT	Vegetables under minimum/ reduced tillage	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
ASIA GOLD TRADING CORPORATION	GLYPHOSATE IPA	P-MAX 480 SL	480 g/L	SL	HERBICIDE	4	266-151-2316-B	01-Aug-26	POST-EMERGENT	non-crop areas	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
NAC UNITED CROP SOLUTIONS CORPORATION	PYRACLOSTROBIN	FLUVAR 250 EC	250 g/L	EC	FUNGICIDE	2	687-396-6028	1-Feb-26	-	Corn	Leaf spot	0.4 L/ha	-	4 days	After drying of spray
NAC UNITED CROP SOLUTIONS CORPORATION	PYRACLOSTROBIN	FLUVAR 250 EC	250 g/L	EC	FUNGICIDE	2	687-396-6028	1-Feb-26	-	Banana	Black Sigatoka and freckle	0.4 L/ha	-	4 days	After drying of spray
LEADS AGRICULTURAL PRODUCTS CORPORATION	PHYDALYL	PLEO 10 EC	100 g/L	EC	INSECTICIDE	4	099-381-2519	08-Jan-25	CONTACT	Cabbage	Diamondback moth, cabbage worm, cutworms	16-24 ml /36 L water	-	-	Do not spray cabbage with this product 7 days before head harvest
LEADS AGRICULTURAL PRODUCTS CORPORATION	PHYDALYL	PLEO 10 EC	100 g/L	EC	INSECTICIDE	4	099-381-2519	08-Jan-25	CONTACT	Tobacco	Budworms, cutworms	16-24 ml /36 L water	-	-	Do not spray cabbage with this product 7 days before head harvest
LEADS AGRICULTURAL PRODUCTS CORPORATION	PHYDALYL	PLEO 10 EC	100 g/L	EC	INSECTICIDE	4	099-381-2519	08-Jan-25	CONTACT	Corn	Fall armyworm	40-60 mL product/16liter, 1-1.5 L product/ha	-	-	Do not spray cabbage with this product 7 days before head harvest
SUMTOMO CORPORATION PHILIPPINES	PHYDALYL	PLEO 10 EC	100 g/L	EC	INSECTICIDE	4	472-381-2592	18-May-25	CONTACT	Cabbage	Diamondback moth, cabbage worm, cutworms	16-24 ml /36 L water	-	-	Do not spray cabbage with this product 7 days before head harvest
SUMTOMO CORPORATION PHILIPPINES	PHYDALYL	PLEO 10 EC	100 g/L	EC	INSECTICIDE	4	472-381-2592	18-May-25	CONTACT	Tobacco	Budworms, cutworms	16-24 ml /36 L water	-	-	Do not spray cabbage with this product 7 days before head harvest
SUMTOMO CORPORATION PHILIPPINES	PHYDALYL	PLEO 10 EC	100 g/L	EC	INSECTICIDE	4	472-381-2592	18-May-25	CONTACT	Corn	Fall armyworm, corn earworm, corn borer	200mL, 500-mL, 500-mL	-	-	Do not spray cabbage with this product 7 days before head harvest
118AGRICULTURAL CORPORATION	CARTAP HYDROCHLORIDE	PLATINUM 50 SP	500 g/kg	SP	INSECTICIDE	3	506-106-3221	26-May-24	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	10-5.0 tbsps/16 L water	0.2ppm	-	Do not enter the field within 2 days after spraying
118AGRICULTURAL CORPORATION	CARTAP HYDROCHLORIDE	PLATINUM 50 SP	500 g/kg	SP	INSECTICIDE	3	506-106-3221	26-May-24	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0 tbsps/16 L water	-	-	Do not enter the field within 2 days after spraying
118AGRICULTURAL CORPORATION	CARTAP HYDROCHLORIDE	PLATINUM 50 SP	500 g/kg	SP	INSECTICIDE	3	506-106-3221	26-May-24	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0 tbsps/16 L water	-	-	Do not enter the field within 2 days after spraying
118AGRICULTURAL CORPORATION	CARTAP HYDROCHLORIDE	PLATINUM 50 SP	500 g/kg	SP	INSECTICIDE	3	506-106-3221	26-May-24	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0 tbsps/16 L water	-	-	Do not enter the field within 2 days after spraying
118AGRICULTURAL CORPORATION	CARTAP HYDROCHLORIDE	PLATINUM 50 SP	500 g/kg	SP	INSECTICIDE	3	506-106-3221	26-May-24	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0 tbsps/16 L water	-	-	Do not enter the field within 2 days after spraying
118AGRICULTURAL CORPORATION	CARTAP HYDROCHLORIDE	PLATINUM 50 SP	500 g/kg	SP	INSECTICIDE	3	506-106-3221	26-May-24	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0 tbsps/16 L water	-	-	Do not enter the field within 2 days after spraying
118AGRICULTURAL CORPORATION	CARTAP HYDROCHLORIDE	PLATINUM 50 SP	500 g/kg	SP	INSECTICIDE	3	506-106-3221	26-May-24	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0 tbsps/16 L water	-	-	Do not enter the field within 2 days after spraying
118AGRICULTURAL CORPORATION	CARTAP HYDROCHLORIDE	PLATINUM 50 SP	500 g/kg	SP	INSECTICIDE	3	506-106-3221	26-May-24	SYSTEMIC	Mango	leafhoppers	1.5-2.0 tbsps/16 L water	-	-	Do not enter the field within 2 days after spraying
118AGRICULTURAL CORPORATION	CARTAP HYDROCHLORIDE	PLATINUM 50 SP	500 g/kg	SP	INSECTICIDE	3	506-106-3221	26-May-24	SYSTEMIC	Pechay	loopier, cutworm, aphids	1.5-3.0 tbsps/16 L water	-	-	Do not enter the field within 2 days after spraying
PHILIPPINE FARMFLEX SOLUTIONS INC.	CHLORPYRIFOS/PLASTECH 20% W/B	PLASTECH 1% IPE	10 g/kg	IPE	INSECTICIDE	4	535-101-4684	01-Mar-25	-	Banana	Methylbug	-	-	-	-
GOLDEN FARMERS AGR PRODUCT CORPORATION	FLUAZIFOP-P-BUTYL	PLANTGUARD 15 EC	150 g/L	EC	HERBICIDE	4	609-212-4485	20-Aug-21	-	Banana	Grasses; Itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-
GOLDEN FARMERS AGR PRODUCT CORPORATION	FLUAZIFOP-P-BUTYL	PLANTGUARD 15 EC	150 g/L	EC	HERBICIDE	4	609-212-4485	20-Aug-21	-	Cacao	Grasses; Itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-
GOLDEN FARMERS AGR PRODUCT CORPORATION	FLUAZIFOP-P-BUTYL	PLANTGUARD 15 EC	150 g/L	EC	HERBICIDE	4	609-212-4485	20-Aug-21	-	Citrus	Grasses; Itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-
GOLDEN FARMERS AGR PRODUCT CORPORATION	FLUAZIFOP-P-BUTYL	PLANTGUARD 15 EC	150 g/L	EC	HERBICIDE	4	609-212-4485	20-Aug-21	-	Cotton	Grasses; Itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-
GOLDEN FARMERS AGR PRODUCT CORPORATION	FLUAZIFOP-P-BUTYL	PLANTGUARD 15 EC	150 g/L	EC	HERBICIDE	4	609-212-4485	20-Aug-21	-	Coffee	Grasses; Itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-
GOLDEN FARMERS AGR PRODUCT CORPORATION	FLUAZIFOP-P-BUTYL	PLANTGUARD 15 EC	150 g/L	EC	HERBICIDE	4	609-212-4485	20-Aug-21	-	Oil palm	Grasses; Itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-
GOLDEN FARMERS AGR PRODUCT CORPORATION	FLUAZIFOP-P-BUTYL	PLANTGUARD 15 EC	150 g/L	EC	HERBICIDE	4	609-212-4485	20-Aug-21	-	Ramie	Grasses; Itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-
GOLDEN FARMERS AGR PRODUCT CORPORATION	FLUAZIFOP-P-BUTYL	PLANTGUARD 15 EC	150 g/L	EC	HERBICIDE	4	609-212-4485	20-Aug-21	-	Rubber	Grasses; Itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-
GOLDEN FARMERS AGR PRODUCT CORPORATION	FLUAZIFOP-P-BUTYL	PLANTGUARD 15 EC	150 g/L	EC	HERBICIDE	4	609-212-4485	20-Aug-21	-	Onion	Grasses; Itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-
GOLDEN FARMERS AGR PRODUCT CORPORATION	FLUAZIFOP-P-BUTYL	PLANTGUARD 15 EC	150 g/L	EC	HERBICIDE	4	609-212-4485	20-Aug-21	-	Pineapple	Grasses; Itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-
GOLDEN FARMERS AGR PRODUCT CORPORATION	FLUAZIFOP-P-BUTYL	PLANTGUARD 15 EC	150 g/L	EC	HERBICIDE	4	609-212-4485	20-Aug-21	-	Soybeans	Grasses; Itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-
GOLDEN FARMERS AGR PRODUCT CORPORATION	FLUAZIFOP-P-BUTYL	PLANTGUARD 15 EC	150 g/L	EC	HERBICIDE	4	609-212-4485	20-Aug-21	-	Tomato	Grasses; Itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-
PLANTERS PRODUCTS INC.	DURON	PLANTERS DURON 80 WP	800 g/kg	WP	HERBICIDE	4	031-021-6149	25-Sep-24	POST-EMERGENCE	Citrus	Grasses annual and perennial broadleaves	11.0-19.0 tbsps/16 L	-	-	Re-entry period at 24 hours after application
PLANTERS PRODUCTS INC.	DURON	PLANTERS DURON 80 WP	800 g/kg	WP	HERBICIDE	4	031-021-6149	25-Sep-24	POST-EMERGENCE	Coffee	Grasses annual and perennial broadleaves	11.0-19.0 tbsps/16 L	-	-	Re-entry period at 24 hours after application
PLANTERS PRODUCTS INC.	DURON	PLANTERS DURON 80 WP	800 g/kg	WP	HERBICIDE	4	031-021-6149	25-Sep-24	POST-EMERGENCE	Cotton	Grasses annual and perennial broadleaves	8.0 tbsps/16 L	-	-	Re-entry period at 24 hours after application
PLANTERS PRODUCTS INC.	DURON	PLANTERS DURON 80 WP	800 g/kg	WP	HERBICIDE	4	031-021-6149	25-Sep-24	POST-EMERGENCE	Sugarcane	Grasses annual and perennial broadleaves	6.50-13.0 tbsps/16 L	-	-	Re-entry period at 24 hours after application
PLANTERS PRODUCTS INC.	DURON	PLANTERS DURON 80 WP	800 g/kg	WP	HERBICIDE	4	031-021-6149	25-Sep-24	POST-EMERGENCE	Pineapple	Grasses annual and perennial broadleaves	11.0 tbsps/16 L	-	-	Re-entry period at 24 hours after application
PLANTERS PRODUCTS INC.	DURON	PLANTERS DURON 80 WP	800 g/kg	WP	HERBICIDE	4	031-021-6149	25-Sep-24	POST-EMERGENCE	Non-crop land	Grasses annual and perennial broadleaves	20.0-28.0 tbsps/16 L	-	-	Re-entry period at 24 hours after application
PLANTERS PRODUCTS, INC. (PPI)	CARBENDAZIM	PLANTERS CARBENDAZIM 500 SC	500 g/L	SC	FUNGICIDE	4	031-267-6311	2-Dec-25	-	Mango	Anthracoee	1-2 Tbsp/16 L water	-	-	As soon as the spray dries
PLANTERS PRODUCTS, INC. (PPI)	CARBENDAZIM	PLANTERS CARBENDAZIM 500 SC	500 g/L	SC	FUNGICIDE	4	031-267-6311	2-Dec-25	-	Cucurbits	Downy mildew	1-2 Tbsp/16 L water	-	-	As soon as the spray dries
PLANTERS PRODUCTS, INC. (PPI)	CARBENDAZIM	PLANTERS CARBENDAZIM 500 SC	500 g/L	SC	FUNGICIDE	4	031-267-6311	2-Dec-25	-	Green peas (legumes)	Powdery mildew	1-2 Tbsp/16 L water	-	-	As soon as the spray dries
PLANTERS PRODUCTS, INC. (PPI)	CARBENDAZIM	PLANTERS CARBENDAZIM 500 SC	500 g/L	SC	FUNGICIDE	4	031-267-6311	2-Dec-25	-	Sugarcane	Pineapple disease	6-10 / 200 mL water (cane dringing)	-	-	As soon as the spray dries
PLANTERS PRODUCTS, INC. (PPI)	CARBENDAZIM	PLANTERS CARBENDAZIM 500 SC	500 g/L	SC	FUNGICIDE	4	031-267-6311	2-Dec-25	-	Banana	Diamond fruit spot, anthracnose	0.5-1 mL/L water (50-100 mL spray volume)	-	-	As soon as the spray dries
PLANTERS PRODUCTS INC.	ATRAZINE	PLANTERS ATRAZINE 80 WP	800 g/kg	WP	HERBICIDE	4	031-060-0452	09-Aug-21	SELECTIVE (PRE-EMERGENT)	Corn	Broadleaf weeds & annual grasses	8-17 tbsps/16 L water	-	-	Do not enter the field within 5 days after application
PLANTERS PRODUCTS INC.	ATRAZINE	PLANTERS ATRAZINE 80 WP	800 g/kg	WP	HERBICIDE	4	031-060-0452	09-Aug-21	SELECTIVE (PRE-EMERGENT)	Sorghum	Broadleaf weeds & annual grasses	8-17 tbsps/16 L water	-	-	Do not enter the field within 5 days after application
PLANTERS PRODUCTS INC.	ATRAZINE	PLANTERS ATRAZINE 80 WP	800 g/kg	WP	HERBICIDE	4	031-060-0452	09-Aug-21	SELECTIVE (PRE-EMERGENT)	Sugarcane	Broadleaf weeds & annual grasses	8-17 tbsps/16 L water	-	-	Do not enter the field within 5 days after application
PLANTCARE TRADING CORPORATION	MALATHION	PLANTCARE MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	495-038-2785	29-Jul-24	NON-SYSTEMIC	Fruit trees	Aphids, mealy bug, scale insect	1.5-3.0 tbsps/16 L water	-	-	-
PLANTCARE TRADING CORPORATION	MALATHION	PLANTCARE MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	495-038-2785	29-Jul-24	NON-SYSTEMIC	Rice	Armyworm, cutworm, leafhopper, bugs	2.0-3.0 tbsps/16 L water	-	-	-

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
PLANTCARE TRADING CORPORATION	MALATHION	PLANTCARE MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	495-038-2785	29-Jul-24	NON-SYSTEMIC	Corn	Earworm, silkworm, aphids, grasshopper	1.0-5.0Tbsp/36 L water			
PLANTCARE TRADING CORPORATION	MALATHION	PLANTCARE MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	495-038-2785	29-Jul-24	NON-SYSTEMIC	Cabbage	Cabbage worm, looper, diamond-back moth	2.0-5.0Tbsp/36 L water			
PLANTCARE TRADING CORPORATION	MALATHION	PLANTCARE MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	495-038-2785	29-Jul-24	NON-SYSTEMIC	Legumes	Aphids, beanfly, cutworm, flea beetles, leafminer, maggots, mealybug, podborer, thrips	2.0-5.0Tbsp/36 L water			
PLANTCARE TRADING CORPORATION	MALATHION	PLANTCARE MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	495-038-2785	29-Jul-24	NON-SYSTEMIC	Grapes	Beetles, cutworm, leafhopper, mealybug, scale, insect, spider mites	3.0Tbsp/36 L water			
PLANTCARE TRADING CORPORATION	MALATHION	PLANTCARE MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	495-038-2785	29-Jul-24	NON-SYSTEMIC	Pineapple	Mealy bug	3.0Tbsp/36 L water			
PLANTCARE TRADING CORPORATION	MALATHION	PLANTCARE MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	495-038-2785	29-Jul-24	NON-SYSTEMIC	Pepper	Aphid, cutworm, fruitworm	3.0Tbsp/36 L water			
PLANTCARE TRADING CORPORATION	MALATHION	PLANTCARE MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	495-038-2785	29-Jul-24	NON-SYSTEMIC	Garlic	Cutworm	3.0Tbsp/36 L water			
PLANTCARE TRADING CORPORATION	MALATHION	PLANTCARE MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	495-038-2785	29-Jul-24	NON-SYSTEMIC	Onion	Cutworm	3.0Tbsp/36 L water			
PLANTCARE TRADING CORPORATION	MALATHION	PLANTCARE MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	495-038-2785	29-Jul-24	NON-SYSTEMIC	Tobacco	Aphids, katydid	3.0-6.0Tbsp/36 L water			
PLANTCARE TRADING CORPORATION	MALATHION	PLANTCARE MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	495-038-2785	29-Jul-24	NON-SYSTEMIC	Ornamentals	Aphids, cutworm, mealybug, scale insect, spider mites	3.0-5.0Tbsp/36 L water			
PLANTCARE TRADING CORPORATION	MALATHION	PLANTCARE MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	495-038-2785	29-Jul-24	NON-SYSTEMIC	Tomato	Lady beetle	3.0-5.0Tbsp/36 L water			
PLANTCARE TRADING CORPORATION	MALATHION	PLANTCARE MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	495-038-2785	29-Jul-24	NON-SYSTEMIC	Eggplant	Aphids, fruitworm	3.0-5.0Tbsp/36 L water			
PLANTCARE TRADING CORPORATION	MALATHION	PLANTCARE MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	495-038-2785	29-Jul-24	NON-SYSTEMIC	Sorghum	Web worm	3.0Tbsp/36 L water			
PLANTCARE TRADING CORPORATION	GLYPHOSATE IPA	PLANTCARE GLYPHO 480 SL	480g/L	SL	HERBICIDE	4	495-151-3153	09-Mar-25	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.0 Liters/ha	-	-	-
PLANTCARE TRADING CORPORATION	GLYPHOSATE IPA	PLANTCARE GLYPHO 480 SL	480g/L	SL	HERBICIDE	4	495-151-3153	09-Mar-25	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
PLANTCARE TRADING CORPORATION	GLYPHOSATE IPA	PLANTCARE GLYPHO 480 SL	480g/L	SL	HERBICIDE	4	495-151-3153	09-Mar-25	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
PLANTCARE TRADING CORPORATION	GLYPHOSATE IPA	PLANTCARE GLYPHO 480 SL	480g/L	SL	HERBICIDE	4	495-151-3153	09-Mar-25	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
PLANTCARE TRADING CORPORATION	GLYPHOSATE IPA	PLANTCARE GLYPHO 480 SL	480g/L	SL	HERBICIDE	4	495-151-3153	09-Mar-25	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
PLANTCARE TRADING CORPORATION	GLYPHOSATE IPA	PLANTCARE GLYPHO 480 SL	480g/L	SL	HERBICIDE	4	495-151-3153	09-Mar-25	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
PLANTCARE TRADING CORPORATION	GLYPHOSATE IPA	PLANTCARE GLYPHO 480 SL	480g/L	SL	HERBICIDE	4	495-151-3153	09-Mar-25	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
PLANTCARE TRADING CORPORATION	GLYPHOSATE IPA	PLANTCARE GLYPHO 480 SL	480g/L	SL	HERBICIDE	4	495-151-3153	09-Mar-25	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
PLANTCARE TRADING CORPORATION	GLYPHOSATE IPA	PLANTCARE GLYPHO 480 SL	480g/L	SL	HERBICIDE	4	495-151-3153	09-Mar-25	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/ha	-	-	-
PLANTCARE TRADING CORPORATION	GLYPHOSATE IPA	PLANTCARE GLYPHO 480 SL	480g/L	SL	HERBICIDE	4	495-151-3153	09-Mar-25	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
PLANTCARE TRADING CORPORATION	GLYPHOSATE IPA	PLANTCARE GLYPHO 480 SL	480g/L	SL	HERBICIDE	4	495-151-3153	09-Mar-25	POST-EMERGENT	Vegetables under minimum or reduced tillage system	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
PLANTCARE TRADING CORPORATION	GLYPHOSATE IPA	PLANTCARE GLYPHO 480 SL	480g/L	SL	HERBICIDE	4	495-151-3153	09-Mar-25	POST-EMERGENT	Non-crop	Annual & perennial grasses, broadleaf weeds & sedges		-	-	-
PLANTCARE TRADING CORPORATION	2,4-D AMINE	PLANTCARE 2,4-D AMINE	400 g/L	-	HERBICIDE	2	495-013-2824	31-Dec-26	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual broadleaves and sedges	5.5-6.5 Tbsp/36 L water	-	-	Entry to fields and crops treated with PLANTCARE 2,4-D AMINE can be done one day after spraying
PLANTCARE TRADING CORPORATION	2,4-D AMINE	PLANTCARE 2,4-D AMINE	400 g/L	-	HERBICIDE	2	495-013-2824	31-Dec-26	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual broadleaves and sedges	10-25 Tbsp/36 L water	-	-	Entry to fields and crops treated with PLANTCARE 2,4-D AMINE can be done one day after spraying
PLANTCARE TRADING CORPORATION	2,4-D AMINE	PLANTCARE 2,4-D AMINE	400 g/L	-	HERBICIDE	2	495-013-2824	31-Dec-26	SELECTIVE (POST-EMERGENT)	Corn	Annual broadleaves and sedges	5.0-6.5 Tbsp/36 L water	-	-	Entry to fields and crops treated with PLANTCARE 2,4-D AMINE can be done one day after spraying
PIONEER TRADING & SUPPLY CO., INC.	HYDROTREATED LIGHT PARAFFINIC DISTILLATES	PITRADE ECO OIL	-	-	OTHERS	4	617-782-4923	18-Jul-25	-	Banana	Black Sigatoka	5.0 Liters/ha	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	METALARYL-m	PINNACLE 480 SL	480 g/L	SL	FUNGICIDE	2	339-384-6358	15-Nov-26	-	Pineapple	Heart rot and root rot	8.33-12.50 ml prod./L water 7.00-14.04 L prod./ha applied at 4-7 and	0.05 ppm	156 days	-
LA TRINIDAD SUNRISE	CYPERMETHRIN	PINNACLE 5 EC	50 g/L	EC	INSECTICIDE	4	354-037-3436	29-Jun-24	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/36 L water	-	-	Re-entry to treated field is allowed as soon as spray deposit dry
LA TRINIDAD SUNRISE	CYPERMETHRIN	PINNACLE 5 EC	50 g/L	EC	INSECTICIDE	4	354-037-3436	29-Jun-24	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leafroller, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/36 L water	-	-	Re-entry to treated field is allowed as soon as spray deposit dry
LA TRINIDAD SUNRISE	CYPERMETHRIN	PINNACLE 5 EC	50 g/L	EC	INSECTICIDE	4	354-037-3436	29-Jun-24	CONTACT	Cabbage	Diamond-back-moth, cabbage moth, worm	1.0-3.0 Tbsp/36 L water	-	-	Re-entry to treated field is allowed as soon as spray deposit dry
LA TRINIDAD SUNRISE	CYPERMETHRIN	PINNACLE 5 EC	50 g/L	EC	INSECTICIDE	4	354-037-3436	29-Jun-24	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/36 L water	-	-	Re-entry to treated field is allowed as soon as spray deposit dry
LA TRINIDAD SUNRISE	CYPERMETHRIN	PINNACLE 5 EC	50 g/L	EC	INSECTICIDE	4	354-037-3436	29-Jun-24	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/36 L water	-	-	Re-entry to treated field is allowed as soon as spray deposit dry
LA TRINIDAD SUNRISE	CYPERMETHRIN	PINNACLE 5 EC	50 g/L	EC	INSECTICIDE	4	354-037-3436	29-Jun-24	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/36 L water	-	-	Re-entry to treated field is allowed as soon as spray deposit dry
LA TRINIDAD SUNRISE	CYPERMETHRIN	PINNACLE 5 EC	50 g/L	EC	INSECTICIDE	4	354-037-3436	29-Jun-24	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/36 L water	-	-	Re-entry to treated field is allowed as soon as spray deposit dry
LA TRINIDAD SUNRISE	CYPERMETHRIN	PINNACLE 5 EC	50 g/L	EC	INSECTICIDE	4	354-037-3436	29-Jun-24	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/36 L water	-	-	Re-entry to treated field is allowed as soon as spray deposit dry
LA TRINIDAD SUNRISE	CYPERMETHRIN	PINNACLE 5 EC	50 g/L	EC	INSECTICIDE	4	354-037-3436	29-Jun-24	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/36 L water	-	-	Re-entry to treated field is allowed as soon as spray deposit dry
LA TRINIDAD SUNRISE	CYPERMETHRIN	PINNACLE 5 EC	50 g/L	EC	INSECTICIDE	4	354-037-3436	29-Jun-24	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/36 L water	-	-	Re-entry to treated field is allowed as soon as spray deposit dry
LA TRINIDAD SUNRISE	CYPERMETHRIN	PINNACLE 5 EC	50 g/L	EC	INSECTICIDE	4	354-037-3436	29-Jun-24	CONTACT	Corn	Comborer, earworm	1.0-4.5 Tbsp/36 L water	-	-	Re-entry to treated field is allowed as soon as spray deposit dry
PINE VALLEY CORPORATION	MANCOZEB	PINEZER 80 WP	800g/kg	WP	FUNGICIDE	4	643-053-4755	22-Apr-25	-	Potato	Early and late blight	3-6 Tbsp/36 L water	-	-	As soon as spray dries
PINE VALLEY CORPORATION	MANCOZEB	PINEZER 80 WP	800g/kg	WP	FUNGICIDE	4	643-053-4755	22-Apr-25	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	-	As soon as spray dries
PINE VALLEY CORPORATION	MANCOZEB	PINEZER 80 WP	800g/kg	WP	FUNGICIDE	4	643-053-4755	22-Apr-25	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	-	As soon as spray dries
PINE VALLEY CORPORATION	MANCOZEB	PINEZER 80 WP	800g/kg	WP	FUNGICIDE	4	643-053-4755	22-Apr-25	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	-	As soon as spray dries
PINE VALLEY CORPORATION	MANCOZEB	PINEZER 80 WP	800g/kg	WP	FUNGICIDE	4	643-053-4755	22-Apr-25	-	Galery	Late blight	3-6 Tbsp/36 L water	-	-	As soon as spray dries
PINE VALLEY CORPORATION	MANCOZEB	PINEZER 80 WP	800g/kg	WP	FUNGICIDE	4	643-053-4755	22-Apr-25	-	Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	-	As soon as spray dries
PINE VALLEY CORPORATION	MANCOZEB	PINEZER 80 WP	800g/kg	WP	FUNGICIDE	4	643-053-4755	22-Apr-25	-	Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	-	As soon as spray dries
PINE VALLEY CORPORATION	MANCOZEB	PINEZER 80 WP	800g/kg	WP	FUNGICIDE	4	643-053-4755	22-Apr-25	-	Cotton	Damping off	3-6 Tbsp/36 L water	-	-	As soon as spray dries
PINE VALLEY CORPORATION	MANCOZEB	PINEZER 80 WP	800g/kg	WP	FUNGICIDE	4	643-053-4755	22-Apr-25	-	lettuce	Downy mildew	3-6 Tbsp/36 L water	-	-	As soon as spray dries
PINE VALLEY CORPORATION	MANCOZEB	PINEZER 80 WP	800g/kg	WP	FUNGICIDE	4	643-053-4755	22-Apr-25	-	Beans	Anthracoese, Downy mildew, Rust	3-6 Tbsp/36 L water	-	-	As soon as spray dries
PINE VALLEY CORPORATION	MANCOZEB	PINEZER 80 WP	800g/kg	WP	FUNGICIDE	4	643-053-4755	22-Apr-25	-	Peas	Anthracoese, Downy mildew, Rust	3-6 Tbsp/36 L water	-	-	As soon as spray dries
PINE VALLEY CORPORATION	MANCOZEB	PINEZER 80 WP	800g/kg	WP	FUNGICIDE	4	643-053-4755	22-Apr-25	-	Mungo	Anthracoese, Downy mildew, Rust	3-6 Tbsp/36 L water	-	-	As soon as spray dries
PINE VALLEY CORPORATION	MANCOZEB	PINEZER 80 WP	800g/kg	WP	FUNGICIDE	4	643-053-4755	22-Apr-25	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/36 L water	-	-	As soon as spray dries
PINE VALLEY CORPORATION	MANCOZEB	PINEZER 80 WP	800g/kg	WP	FUNGICIDE	4	643-053-4755	22-Apr-25	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36 L water	-	-	As soon as spray dries
PINE VALLEY CORPORATION	MANCOZEB	PINEZER 80 WP	800g/kg	WP	FUNGICIDE	4	643-053-4755	22-Apr-25	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36 L water	-	-	As soon as spray dries

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
PINE VALLEY CORPORATION	MANCOZEB	PINEZER 80 WP	800g/kg	WP	FUNGICIDE	4	643-053-4755	22-Apr-25	-	Pepper	Anthracoise	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries
PINE VALLEY CORPORATION	MANCOZEB	PINEZER 80 WP	800g/kg	WP	FUNGICIDE	4	643-053-4755	22-Apr-25	-	Chili	Anthracoise	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries
PINE VALLEY CORPORATION	MANCOZEB	PINEZER 80 WP	800g/kg	WP	FUNGICIDE	4	643-053-4755	22-Apr-25	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/36 L water	-	-	As soon as spray dries
PINE VALLEY CORPORATION	MANCOZEB	PINEZER 80 WP	800g/kg	WP	FUNGICIDE	4	643-053-4755	22-Apr-25	-	Banana	Sigatoka, Black leaf streak	3-6 Tbsp/36 L water	-	-	As soon as spray dries
PINE VALLEY CORPORATION	MANCOZEB	PINEZER 80 WP	800g/kg	WP	FUNGICIDE	4	643-053-4755	22-Apr-25	-	Grapes	Downy mildew, black rot	3-6 Tbsp/36 L water	-	60 days	As soon as spray dries
PINE VALLEY CORPORATION	MANCOZEB	PINEZER 80 WP	800g/kg	WP	FUNGICIDE	4	643-053-4755	22-Apr-25	-	Mango	Anthracoise and Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
PINE VALLEY CORPORATION	MANCOZEB	PINEZER 80 WP	800g/kg	WP	FUNGICIDE	4	643-053-4755	22-Apr-25	-	Papaya	Fruit rot	3-6 Tbsp/36 L water	-	-	As soon as spray dries
PINE VALLEY CORPORATION	MANCOZEB	PINEZER 80 WP	800g/kg	WP	FUNGICIDE	4	643-053-4755	22-Apr-25	-	Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
PINE VALLEY CORPORATION	MANCOZEB	PINEZER 80 WP	800g/kg	WP	FUNGICIDE	4	643-053-4755	22-Apr-25	-	Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
PINE VALLEY CORPORATION	MANCOZEB	PINEZER 80 WP	800g/kg	WP	FUNGICIDE	4	643-053-4755	22-Apr-25	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries
PINE VALLEY CORPORATION	MANCOZEB	PINEZER 80 WP	800g/kg	WP	FUNGICIDE	4	643-053-4755	22-Apr-25	-	Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/36 L water	0.02ppm	-	As soon as spray dries
PINE VALLEY CORPORATION	MANCOZEB	PINEZER 80 WP	800g/kg	WP	FUNGICIDE	4	643-053-4755	22-Apr-25	-	Peanut	Cercospora leaf spot	3-6 Tbsp/36 L water	-	14 days	As soon as spray dries
PINE VALLEY CORPORATION	MANCOZEB	PINEZER 80 WP	800g/kg	WP	FUNGICIDE	4	643-053-4755	22-Apr-25	-	Soybeans	Leaf rust	3-6 Tbsp/36 L water	-	-	As soon as spray dries
PINE VALLEY CORPORATION	MANCOZEB	PINEZER 80 WP	800g/kg	WP	FUNGICIDE	4	643-053-4755	22-Apr-25	-	Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/36 L water	-	-	As soon as spray dries
JOCANIMA CORPORATION	POLYMERIC TERPENES	PINENE II	960 g/L	EC	OTHERS	4	241-404-2352	23-Dec-28	-	Banana -as adjuvant (spreaders sticker)	Black sigatoka	100-500ml/ha	-	-	-
PIONEER TRADING & SUPPLY CO., INC.	PROPIEB	PINER 70 WP	700 g/kg	WP	FUNGICIDE	4	617-001-4799	21-May-22	-	lettuce	Early blight, neck rot	50-65 Product/36L (ml. or g)	-	The final application of PINER 70 WP must be made 7 days before harvest. In vegetable crops and tomatoes, 3	Immediately after spray deposits have dried
PIONEER TRADING & SUPPLY CO., INC.	PROPIEB	PINER 70 WP	700 g/kg	WP	FUNGICIDE	4	617-001-4799	21-May-22	-	Onion	Downy mildew, anthracnose, purple blotch	50-65 Product/36L (ml. or g)	-	The final application of PINER 70 WP must be made 7 days before harvest. In vegetable crops and tomatoes, 3	Immediately after spray deposits have dried
PIONEER TRADING & SUPPLY CO., INC.	PROPIEB	PINER 70 WP	700 g/kg	WP	FUNGICIDE	4	617-001-4799	21-May-22	-	Cucurbits	Downy mildew, late blight	50-65 Product/36L (ml. or g)	-	The final application of PINER 70 WP must be made 7 days before harvest. In vegetable crops and tomatoes, 3	Immediately after spray deposits have dried
PIONEER TRADING & SUPPLY CO., INC.	PROPIEB	PINER 70 WP	700 g/kg	WP	FUNGICIDE	4	617-001-4799	21-May-22	-	Celery	Early and late blight	50-65 Product/36L (ml. or g)	-	The final application of PINER 70 WP must be made 7 days before harvest. In vegetable crops and tomatoes, 3	Immediately after spray deposits have dried
PIONEER TRADING & SUPPLY CO., INC.	PROPIEB	PINER 70 WP	700 g/kg	WP	FUNGICIDE	4	617-001-4799	21-May-22	-	beans	Rust	50-65 Product/36L (ml. or g)	-	The final application of PINER 70 WP must be made 7 days before harvest. In vegetable crops and tomatoes, 3	Immediately after spray deposits have dried
PIONEER TRADING & SUPPLY CO., INC.	PROPIEB	PINER 70 WP	700 g/kg	WP	FUNGICIDE	4	617-001-4799	21-May-22	-	Potato	Early and late blight	50-65 Product/36L (ml. or g)	-	The final application of PINER 70 WP must be made 7 days before harvest. In vegetable crops and tomatoes, 3	Immediately after spray deposits have dried
PIONEER TRADING & SUPPLY CO., INC.	PROPIEB	PINER 70 WP	700 g/kg	WP	FUNGICIDE	4	617-001-4799	21-May-22	-	Tomato	Early and late blight	50-65 Product/36L (ml. or g)	-	The final application of PINER 70 WP must be made 7 days before harvest. In vegetable crops and tomatoes, 3	Immediately after spray deposits have dried
PIONEER TRADING & SUPPLY CO., INC.	PROPIEB	PINER 70 WP	700 g/kg	WP	FUNGICIDE	4	617-001-4799	21-May-22	-	Tobacco	Brown eye spot	50-65 Product/36L (ml. or g)	-	The final application of PINER 70 WP must be made 7 days before harvest. In vegetable crops and tomatoes, 3	Immediately after spray deposits have dried
PIONEER TRADING & SUPPLY CO., INC.	PROPIEB	PINER 70 WP	700 g/kg	WP	FUNGICIDE	4	617-001-4799	21-May-22	-	Coffee	Brown eye spot	65 Product/36L (ml. or g)	-	The final application of PINER 70 WP must be made 7 days before harvest. In vegetable crops and tomatoes, 3	Immediately after spray deposits have dried
PIONEER TRADING & SUPPLY CO., INC.	PROPIEB	PINER 70 WP	700 g/kg	WP	FUNGICIDE	4	617-001-4799	21-May-22	-	Citrus	Black spot	50-65 Product/36L (ml. or g)	-	The final application of PINER 70 WP must be made 7 days before harvest. In vegetable crops and tomatoes, 3	Immediately after spray deposits have dried
PIONEER TRADING & SUPPLY CO., INC.	PROPIEB	PINER 70 WP	700 g/kg	WP	FUNGICIDE	4	617-001-4799	21-May-22	-	Melon	Downy mildew	50-65 Product/36L (ml. or g)	-	The final application of PINER 70 WP must be made 7 days before harvest. In vegetable crops and tomatoes, 3	Immediately after spray deposits have dried
PIONEER TRADING & SUPPLY CO., INC.	PROPIEB	PINER 70 WP	700 g/kg	WP	FUNGICIDE	4	617-001-4799	21-May-22	-	Watermelon	Downy mildew	50-65 Product/36L (ml. or g)	-	The final application of PINER 70 WP must be made 7 days before harvest. In vegetable crops and tomatoes, 3	Immediately after spray deposits have dried
PIONEER TRADING & SUPPLY CO., INC.	PROPIEB	PINER 70 WP	700 g/kg	WP	FUNGICIDE	4	617-001-4799	21-May-22	-	Ornamentals	Black spot, rust	35-50 Product/350L (ml. or g)	-	The final application of PINER 70 WP must be made 7 days before harvest. In vegetable crops and tomatoes, 3	Immediately after spray deposits have dried
PIONEER TRADING & SUPPLY CO., INC.	PROPIEB	PINER 70 WP	700 g/kg	WP	FUNGICIDE	4	617-001-4799	21-May-22	-	Mango	Anthracoise	50-65 Product/36L (ml. or g)	-	The final application of PINER 70 WP must be made 7 days before harvest. In vegetable crops and tomatoes, 3	Immediately after spray deposits have dried
PIONEER TRADING & SUPPLY CO., INC.	PROPIEB	PINER 70 WP	700 g/kg	WP	FUNGICIDE	4	617-001-4799	21-May-22	-	Rice	Dirty panicle, brown leaf spot	-	0.05 ppm	18 days	Immediately after spray deposits have dried
PIONEER TRADING & SUPPLY CO., INC.	PROPIEB	PINER 70 WP	700 g/kg	WP	FUNGICIDE	4	617-001-4799	21-May-22	-	Banana	Sigatoka, freckle disease	2.5 product/ha (kg or L)	-	The final application of PINER 70 WP must be made 7 days before harvest. In vegetable crops and tomatoes, 3	Immediately after spray deposits have dried
PIONEER TRADING & SUPPLY CO., INC.	PROPIEB	PINER 70 WP	700 g/kg	WP	FUNGICIDE	4	617-001-4799	21-May-22	-	Asparagus	Cercospora Leaf Blight	2.5 product/ha	-	The final application of PINER 70 WP must be made 7 days before harvest. In vegetable crops and tomatoes, 3	Immediately after spray deposits have dried
PHILIPPINE FARMFIX SOLUTIONS INC.	AVIGLYCINE HYDROCHLORIDE	PINCOR 15 SP	150 g/kg	SP	OTHERS	4	135-431-4264	26-Feb-24	-	Pineapple	Natural induction flowering	2g/ha	-	-	Re-entry to treated area may be done as soon as spray has dried.
SUMITOMO CHEMICAL PHILIPPINES INC.	AVIGLYCINE HYDROCHLORIDE	PINCOR 15 SP	150 g/kg	SP	OTHERS	4	472-431-3124	18-Dec-26	-	Pineapple	Natural induction flowering	2g/ha	-	-	Re-entry to treated area may be done as soon as spray has dried.
MEGA BOOSTER AGRI TRADING CO.	CHLOPYRIFOS	PILSOP 300 EC	300 g/L	EC	INSECTICIDE	2	531-101-3148	17-Jun-24	-	Rice	Stemborer, armyworm, leafhopper, caseworm, planthopper, cutworm	2.5-3.5 tbsp/36L water	-	-	-
MEGA BOOSTER AGRI TRADING CO.	CHLOPYRIFOS	PILSOP 300 EC	300 g/L	EC	INSECTICIDE	2	531-101-3148	17-Jun-24	-	Potato	Tubermoth, leafhopper, cutworm, aphids	2.5-3.5 tbsp/36L water	-	-	-
MEGA BOOSTER AGRI TRADING CO.	CHLOPYRIFOS	PILSOP 300 EC	300 g/L	EC	INSECTICIDE	2	531-101-3148	17-Jun-24	-	Corn	Armyworm, cornborer, earworm, seedling maggots	2.5-3.5 tbsp/36L water	-	-	-
MEGA BOOSTER AGRI TRADING CO.	CHLOPYRIFOS	PILSOP 300 EC	300 g/L	EC	INSECTICIDE	2	531-101-3148	17-Jun-24	-	beans	Beanfly, leafroller, podborer, cutworm, armyworm	2.5-3.5 tbsp/36L water	-	-	-
VANN HAWK AGRO CHEMICALS, INC.	MANCOZEB	PILARZER 80 WP	800 g/kg	WP	FUNGICIDE	4	295-053-0835	03-Feb-26	-	Potato	Early and late blight	3-6 Tbsp/36 L water	-	-	As soon as spray dries
VANN HAWK AGRO CHEMICALS, INC.	MANCOZEB	PILARZER 80 WP	800 g/kg	WP	FUNGICIDE	4	295-053-0835	03-Feb-26	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
VANN HAWK AGRO CHEMICALS, INC.	MANCOZEB	PILARZER 80 WP	800 g/kg	WP	FUNGICIDE	4	295-053-0835	03-Feb-26	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
VANN HAWK AGRO CHEMICALS, INC.	MANCOZEB	PILARZER 80 WP	800 g/kg	WP	FUNGICIDE	4	295-053-0835	03-Feb-26	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
VANN HAWK AGRO CHEMICALS, INC.	MANCOZEB	PILARZER 80 WP	800 g/kg	WP	FUNGICIDE	4	295-053-0835	03-Feb-26	-	Celery	Late blight	3-6 Tbsp/36 L water	-	14 Days	As soon as spray dries
VANN HAWK AGRO CHEMICALS, INC.	MANCOZEB	PILARZER 80 WP	800 g/kg	WP	FUNGICIDE	4	295-053-0835	03-Feb-26	-	Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
VANN HAWK AGRO CHEMICALS, INC.	MANCOZEB	PILARZER 80 WP	800 g/kg	WP	FUNGICIDE	4	295-053-0835	03-Feb-26	-	Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
VANN HAWK AGRO CHEMICALS, INC.	MANCOZEB	PILARZER 80 WP	800 g/kg	WP	FUNGICIDE	4	295-053-0835	03-Feb-26	-	Cotton	Damping off	3-6 Tbsp/36 L water	-	-	As soon as spray dries
VANN HAWK AGRO CHEMICALS, INC.	MANCOZEB	PILARZER 80 WP	800 g/kg	WP	FUNGICIDE	4	295-053-0835	03-Feb-26	-	lettuce	Downy mildew	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
VANN HAWK AGRO CHEMICALS, INC.	MANCOZEB	PILARZER 80 WP	800 g/kg	WP	FUNGICIDE	4	295-053-0835	03-Feb-26	-	beans	Anthracoise, Downy mildew, Rust	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
VANN HAWK AGRO CHEMICALS, INC.	MANCOZEB	PILARZER 80 WP	800 g/kg	WP	FUNGICIDE	4	295-053-0835	03-Feb-26	-	Peas	Anthracoise, Downy mildew, Rust	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
VANN HAWK AGRO CHEMICALS, INC.	MANCOZEB	PILARZER 80 WP	800 g/kg	WP	FUNGICIDE	4	295-053-0835	03-Feb-26	-	Mungo	Anthracoise, Downy mildew, Rust	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
VANN HAWK AGRO CHEMICALS, INC.	MANCOZEB	PILARZER 80 WP	800 g/kg	WP	FUNGICIDE	4	295-053-0835	03-Feb-26	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
VANN HAWK AGRO CHEMICALS, INC.	MANCOZEB	PILARZER 80 WP	800 g/kg	WP	FUNGICIDE	4	295-053-0835	03-Feb-26	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
VANN HAWK AGRO CHEMICALS, INC.	MANCOZEB	PILARZER 80 WP	800 g/kg	WP	FUNGICIDE	4	295-053-0835	03-Feb-26	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
VANN HAWK AGRO CHEMICALS, INC.	MANCOZEB	PILARZER 80 WP	800 g/kg	WP	FUNGICIDE	4	295-053-0835	03-Feb-26	-	Pepper	Anthracoise	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
VANN HAWK AGRO CHEMICALS, INC.	MANCOZEB	PILARZER 80 WP	800 g/kg	WP	FUNGICIDE	4	295-053-0835	03-Feb-26	-	Chili	Anthracoise	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
VANN HAWK AGRO CHEMICALS, INC.	MANCOZEB	PILARZER 80 WP	800 g/kg	WP	FUNGICIDE	4	295-053-0835	03-Feb-26	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
VANN HAWK AGRO CHEMICALS, INC.	MANCOZEB	PIARZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	295-053-0855	03-Feb-26	-	Banana	Sigatoka, Black leaf streak	3-6 Tbsp/36 L water	-	-	As soon as spray dries
VANN HAWK AGRO CHEMICALS, INC.	MANCOZEB	PIARZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	295-053-0855	03-Feb-26	-	Grapes	Downy mildew, black rot	3-6 Tbsp/36 L water	-	60 days	As soon as spray dries
VANN HAWK AGRO CHEMICALS, INC.	MANCOZEB	PIARZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	295-053-0855	03-Feb-26	-	Mango	Anthracoise and Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
VANN HAWK AGRO CHEMICALS, INC.	MANCOZEB	PIARZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	295-053-0855	03-Feb-26	-	Papaya	Fruit rot	3-6 Tbsp/36 L water	-	-	As soon as spray dries
VANN HAWK AGRO CHEMICALS, INC.	MANCOZEB	PIARZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	295-053-0855	03-Feb-26	-	Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
VANN HAWK AGRO CHEMICALS, INC.	MANCOZEB	PIARZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	295-053-0855	03-Feb-26	-	Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
VANN HAWK AGRO CHEMICALS, INC.	MANCOZEB	PIARZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	295-053-0855	03-Feb-26	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries
VANN HAWK AGRO CHEMICALS, INC.	MANCOZEB	PIARZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	295-053-0855	03-Feb-26	-	Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/36 L water	0.02ppm	-	As soon as spray dries
VANN HAWK AGRO CHEMICALS, INC.	MANCOZEB	PIARZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	295-053-0855	03-Feb-26	-	Peanut	Cercospora leaf spot	3-6 Tbsp/36 L water	-	34 days	As soon as spray dries
VANN HAWK AGRO CHEMICALS, INC.	MANCOZEB	PIARZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	295-053-0855	03-Feb-26	-	Soybeans	Leaf rust	3-6 Tbsp/36 L water	-	-	As soon as spray dries
VANN HAWK AGRO CHEMICALS, INC.	MANCOZEB	PIARZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	295-053-0855	03-Feb-26	-	Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/36 L water	-	-	As soon as spray dries
VANN HAWK AGRO CHEMICALS, INC.	MANCOZEB	PIARZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	295-053-0855	03-Feb-26	-	Corn	Leaf spot	0.40 L prod/ha	-	-	After drying of spray or 24 hours after spraying
PIARQUM PHILIPPINES CORP.	PYRACLOSTROBIN	PIARITMA 250 EC	250 g/L	EC	FUNGICIDE	2	694-396-6163	17-May-26	-	Banana	Black sigatoka and freckles	0.40 L prod/ha	-	-	After drying of spray or 24 hours after spraying
PIARQUM PHILIPPINES CORP.	GLUFOSINATE AMMONIUM	PIARSTAR 150 SL	150 g/L	SL	HERBICIDE	4	694-182-5852	16-Sep-25	-	Cavendish banana	Grasses sedges and broadleaves	-	-	-	After spray deposits have dried
PIARQUM PHILIPPINES CORP.	GLUFOSINATE AMMONIUM	PIARSTAR 150 SL	150 g/L	SL	HERBICIDE	4	694-182-5852	16-Sep-25	-	Rubber	Grasses sedges and broadleaves	-	-	-	After spray deposits have dried
PIARQUM PHILIPPINES CORP.	GLUFOSINATE AMMONIUM	PIARSTAR 150 SL	150 g/L	SL	HERBICIDE	4	694-182-5852	16-Sep-25	-	Oil palm	Grasses sedges and broadleaves	-	-	-	After spray deposits have dried
PIARQUM PHILIPPINES CORP.	GLUFOSINATE AMMONIUM	PIARSTAR 150 SL	150 g/L	SL	HERBICIDE	4	694-182-5852	16-Sep-25	-	Non-agricultural crop areas	Grasses sedges and broadleaves	-	-	-	After spray deposits have dried
PIARQUM PHILIPPINES CORP.	PENDIMETHALIN-CHLOROP. BUTYL	PIARSPRINT 600D	50 g/L+10 g/L	OD	HERBICIDE	4	694-383-6298	9-Oct-26	-	Rice (Transplanted)	Echinochloa crusgalli, E. globosa, C. difformis, L. rugosum, L. chinensis, M. vaginalis, F. millacea, C. rita, S. tyticola and	-	-	-	-
PIARQUM PHILIPPINES CORP.	PENDIMETHALIN-CHLOROP. BUTYL	PIARSPRINT 600D	50 g/L+10 g/L	OD	HERBICIDE	4	694-383-6298	9-Oct-26	-	Rice (Direct-seeded)	Echinochloa crusgalli, E. globosa, C. difformis, L. rugosum, L. chinensis, M. vaginalis, F. millacea, C. rita, S. tyticola and	-	-	-	-
PIARQUM PHILIPPINES CORP.	CHLOROTHALONIL	PIARNIL 720 SC	720 g/L	SC	FUNGICIDE	4	694-118-5533	27-Aug-24	-	Ornamentals	Black spot, Black rot, Powdery mildew	1.25-1.9 L/ hectares	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
PIARQUM PHILIPPINES CORP.	CHLOROTHALONIL	PIARNIL 720 SC	720 g/L	SC	FUNGICIDE	4	694-118-5533	27-Aug-24	-	Pepper	Early and late blight, bulb rot, neck rot	1.25-1.9 L/ hectares	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
PIARQUM PHILIPPINES CORP.	CHLOROTHALONIL	PIARNIL 720 SC	720 g/L	SC	FUNGICIDE	4	694-118-5533	27-Aug-24	-	Onion	Purple blotch, bulb rot, neck rot	1.25-1.9 L/ hectares	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
PIARQUM PHILIPPINES CORP.	CHLOROTHALONIL	PIARNIL 720 SC	720 g/L	SC	FUNGICIDE	4	694-118-5533	27-Aug-24	-	Mango	Anthracoise, diploia rot	1.75-5.6 L/ hectares	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
PIARQUM PHILIPPINES CORP.	CHLOROTHALONIL	PIARNIL 720 SC	720 g/L	SC	FUNGICIDE	4	694-118-5533	27-Aug-24	-	Grapes	Downy mildew, powdery mildew, fruit rot	1.25-1.9 L/ hectares	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
PIARQUM PHILIPPINES CORP.	CHLOROTHALONIL	PIARNIL 720 SC	720 g/L	SC	FUNGICIDE	4	694-118-5533	27-Aug-24	-	Eggplant	Early and late blight, Cercospora leaf spot, anthracnose	1.25-1.9 L/ hectares	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
PIARQUM PHILIPPINES CORP.	CHLOROTHALONIL	PIARNIL 720 SC	720 g/L	SC	FUNGICIDE	4	694-118-5533	27-Aug-24	-	Citrus	Early and late blight	1.25-1.9 L/ hectares	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
PIARQUM PHILIPPINES CORP.	CHLOROTHALONIL	PIARNIL 720 SC	720 g/L	SC	FUNGICIDE	4	694-118-5533	27-Aug-24	-	Cucurbits	Powdery mildew, downy mildew, cercospora, anthracnose, septoria, fruit rot, early and late blight	1.25-1.9 L/ hectares	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
PIARQUM PHILIPPINES CORP.	CHLOROTHALONIL	PIARNIL 720 SC	720 g/L	SC	FUNGICIDE	4	694-118-5533	27-Aug-24	-	Cucurbits	Powdery mildew	1.25-1.9 L/ hectares	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
PIARQUM PHILIPPINES CORP.	CHLOROTHALONIL	PIARNIL 720 SC	720 g/L	SC	FUNGICIDE	4	694-118-5533	27-Aug-24	-	Carrot	Alternaria leaf spot, cercospora leaf spot, helminthosporium leaf spot	1.25-1.9 L/ hectares	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
PIARQUM PHILIPPINES CORP.	CHLOROTHALONIL	PIARNIL 720 SC	720 g/L	SC	FUNGICIDE	4	694-118-5533	27-Aug-24	-	Beans	Rust, anthracnose	1.25-1.9 L/ hectares	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
PIARQUM PHILIPPINES CORP.	CHLOROTHALONIL	PIARNIL 720 SC	720 g/L	SC	FUNGICIDE	4	694-118-5533	27-Aug-24	-	Tomato	Early and late blight, vine rot	1.25-1.9 L/ hectares	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
PIARQUM PHILIPPINES CORP.	CHLOROTHALONIL	PIARNIL 720 SC	720 g/L	SC	FUNGICIDE	4	694-118-5533	27-Aug-24	-	Potato	Early and late blight, vine rot	1.0-1.8 L/ hectares	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
PIARQUM PHILIPPINES CORP.	CHLOROTHALONIL	PIARNIL 720 SC	720 g/L	SC	FUNGICIDE	4	694-118-5533	27-Aug-24	-	Asparagus	Stem and leaf blight	1.8 L/ hectares	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
PIARQUM PHILIPPINES CORP.	CHLOROTHALONIL	PIARNIL 720 SC	720 g/L	SC	FUNGICIDE	4	694-118-5533	27-Aug-24	-	Banana	Black sigatoka	10-20 L/ha	0 day	-	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
PIARQUM PHILIPPINES CORP.	LAMBDA-CHYALOTHRIN+THIAMETHOXAM	PIARISA 247ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	694-395-6114	14-Apr-23	-	Potato	Whiteflies, aphids, thrips	100-200 mL prod/ ha 4.0-6.0 mL/ 36L	-	7 days	DO NOT enter treated fields for atleast 1 day after application
PIARQUM PHILIPPINES CORP.	LAMBDA-CHYALOTHRIN+THIAMETHOXAM	PIARISA 247ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	694-395-6114	14-Apr-23	-	Stringbeans	Green leafhopper, aphids, mites	100-200 mL prod/ ha 4.0-6.0 mL/ 36L	-	7 days	DO NOT enter treated fields for atleast 1 day after application
PIARQUM PHILIPPINES CORP.	LAMBDA-CHYALOTHRIN+THIAMETHOXAM	PIARISA 247ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	694-395-6114	14-Apr-23	-	Eggplant	Green leafhopper, whiteflies, aphids	100-200 mL prod/ ha 4.0-6.0 mL/ 36L	-	7 days	DO NOT enter treated fields for atleast 1 day after application
PIARQUM PHILIPPINES CORP.	LAMBDA-CHYALOTHRIN+THIAMETHOXAM	PIARISA 247ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	694-395-6114	14-Apr-23	-	Bitter ground	Leafhopper, thrips, fruitfly, cutworm	100-400 mL prod/ ha 4.0-10.0 mL/ 36L	-	7 days	DO NOT enter treated fields for atleast 1 day after application
PIARQUM PHILIPPINES CORP.	LAMBDA-CHYALOTHRIN+THIAMETHOXAM	PIARISA 247ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	694-395-6114	14-Apr-23	-	Corn	Asiatic corn borer, earworms, cutworm, leafhopper, aphids	100-400 mL prod/ ha 10.0-15.0 mL/ 36L	-	3 days	DO NOT enter treated fields for atleast 1 day after application
PIARQUM PHILIPPINES CORP.	LAMBDA-CHYALOTHRIN+THIAMETHOXAM	PIARISA 247ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	694-395-6114	14-Apr-23	-	Mango	Leafhoppers, tip borers, capsid bug, fruitfly, cod fly	20-30 mL prod/ ha 20-30 mL/ 120 L	-	3 days	DO NOT enter treated fields for atleast 1 day after application
PIARQUM PHILIPPINES CORP.	LAMBDA-CHYALOTHRIN+THIAMETHOXAM	PIARISA 247ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	694-395-6114	14-Apr-23	-	Banana	Flower thrips	9-13 mL prod/ ha 1.1 mL/ L	-	90 days	DO NOT enter treated fields for atleast 1 day after application
PIARQUM PHILIPPINES CORP.	LAMBDA-CHYALOTHRIN+THIAMETHOXAM	PIARISA 247ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	694-395-6114	14-Apr-23	-	Rice	Stem borer	100-300 mL prod/ ha 10.0-30.0 mL/ 36L	-	14 days	DO NOT enter treated fields for atleast 1 day after application
VANN HAWK AGRO CHEMICALS, INC.	CHLOROTHALONIL	PIARICH 500 SC	500 g/L	SC	FUNGICIDE	4	295-118-0853-A	16-Jun-26	-	Melon	Anthracoise, cercospora leafspot, downy mildew, leaf blight	6.0-8.5 Tbsp/36 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
VANN HAWK AGRO CHEMICALS, INC.	CHLOROTHALONIL	PIARICH 500 SC	500 g/L	SC	FUNGICIDE	4	295-118-0853-A	16-Jun-26	-	Corn	Helminthosporium leaf spot, cercospora leafspot	6.0-8.5 Tbsp/36 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
VANN HAWK AGRO CHEMICALS, INC.	CHLOROTHALONIL	PIARICH 500 SC	500 g/L	SC	FUNGICIDE	4	295-118-0853-A	16-Jun-26	-	Eggplant	Anthracoise, cercospora leafspot, early and late blight	6.0-8.5 Tbsp/36 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
VANN HAWK AGRO CHEMICALS, INC.	CHLOROTHALONIL	PIARICH 500 SC	500 g/L	SC	FUNGICIDE	4	295-118-0853-A	16-Jun-26	-	Potato	Early and late blight, vine rot	6.0-8.5 Tbsp/36 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
VANN HAWK AGRO CHEMICALS, INC.	CHLOROTHALONIL	PIARICH 500 SC	500 g/L	SC	FUNGICIDE	4	295-118-0853-A	16-Jun-26	-	Tomato	Early and late blight, vine rot	6.0-8.5 Tbsp/36 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
VANN HAWK AGRO CHEMICALS, INC.	CHLOROTHALONIL	PIARICH 500 SC	500 g/L	SC	FUNGICIDE	4	295-118-0853-A	16-Jun-26	-	Carrot	Alternaria, cercospora leaf spot, helminthosporium leaf spot	6.0-8.5 Tbsp/36 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
VANN HAWK AGRO CHEMICALS, INC.	CHLOROTHALONIL	PIARICH 500 SC	500 g/L	SC	FUNGICIDE	4	295-118-0853-A	16-Jun-26	-	Banana	Sigatoka, rust, freckles, helminthosporium leaf spot	2 L/ha	2.0 mg/kg	-	Do not enter treatment areas until spray deposit have dried
VANN HAWK AGRO CHEMICALS, INC.	CHLOROTHALONIL	PIARICH 500 SC	500 g/L	SC	FUNGICIDE	4	295-118-0853-A	16-Jun-26	-	Mango	Anthracoise, diploia rot	6.0-8.5 Tbsp/36 L	0.5 mg/kg	7-14 days	Do not enter treatment areas until spray deposit have dried
VANN HAWK AGRO CHEMICALS, INC.	CHLOROTHALONIL	PIARICH 500 SC	500 g/L	SC	FUNGICIDE	4	295-118-0853-A	16-Jun-26	-	Beans	Rust, anthracnose	6.0-8.5 Tbsp/36 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
VANN HAWK AGRO CHEMICALS, INC.	CHLOROTHALONIL	PIARICH 500 SC	500 g/L	SC	FUNGICIDE	4	295-118-0853-A	16-Jun-26	-	Cucurbits	Powdery mildew	6.0-8.5 Tbsp/36 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
VANN HAWK AGRO CHEMICALS, INC.	CHLOROTHALONIL	PIARICH 500 SC	500 g/L	SC	FUNGICIDE	4	295-118-0853-A	16-Jun-26	-	Onion	Purple blotch, bulb rot, neck rot	6.0-8.5 Tbsp/36 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
VANN HAWK AGRO CHEMICALS, INC.	CHLOROTHALONIL	PIARICH 500 SC	500 g/L	SC	FUNGICIDE	4	295-118-0853-A	16-Jun-26	-	Garlic	Purple blotch, bulb rot, neck rot	6.0-8.5 Tbsp/36 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
VANN HAWK AGRO CHEMICALS, INC.	CHLOROTHALONIL	PIARICH 500 SC	500 g/L	SC	FUNGICIDE	4	295-118-0853-A	16-Jun-26	-	Ornamentals	Black spot, black rot, powdery mildew	6.0-8.5 Tbsp/36 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
VANN HAWK AGRO CHEMICALS, INC.	CHLOROTHALONIL	PIARICH 500 SC	500 g/L	SC	FUNGICIDE	4	295-118-0853-A	16-Jun-26	-	Grapes	Downy mildew, powdery mildew, fruit rot	6.0-8.5 Tbsp/36 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
VANN HAWK AGRO CHEMICALS, INC.	CHLOROTHALONIL	FLARICH 900 SC	900 g/L	SC	FUNGICIDE	4	295-118-0853-A	18-Jun-26	-	Pepper	Anthracoese, cercospora leaf spot, early blight	6.0-8.5 Tbsp/36 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
VANN HAWK AGRO CHEMICALS, INC.	CHLOROTHALONIL	FLARICH 900 SC	900 g/L	SC	FUNGICIDE	4	295-118-0853-A	18-Jun-26	-	Melon	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/36 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
VANN HAWK AGRO CHEMICALS, INC.	CHLOROTHALONIL	FLARICH 900 SC	900 g/L	SC	FUNGICIDE	4	295-118-0853-A	18-Jun-26	-	Cucumber	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/36 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
VANN HAWK AGRO CHEMICALS, INC.	CHLOROTHALONIL	FLARICH 900 SC	900 g/L	SC	FUNGICIDE	4	295-118-0853-A	18-Jun-26	-	Squash	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/36 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
VANN HAWK AGRO CHEMICALS, INC.	CHLOROTHALONIL	FLARICH 900 SC	900 g/L	SC	FUNGICIDE	4	295-118-0853-A	18-Jun-26	-	Watermelon	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/36 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
VANN HAWK AGRO CHEMICALS, INC.	CHLOROTHALONIL	FLARICH 900 SC	900 g/L	SC	FUNGICIDE	4	295-118-0853-A	18-Jun-26	-	Celery	Early and late blight	6.0-8.5 Tbsp/36 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
PIONEER TRADING & SUPPLY CO., INC.	GLUFOSINATE AMMONIUM	PPOSINATE 15SL	150 g/L	SL	HERBICIDE	4	617-182-6096	29-Nov-24	SELECTIVE (POST-EMERGENT)	Avendish banana	Annual grasses	-	-	-	After spray deposits have dried
PIONEER TRADING & SUPPLY CO., INC.	GLUFOSINATE AMMONIUM	PPOSINATE 15SL	150 g/L	SL	HERBICIDE	4	617-182-6096	29-Nov-24	SELECTIVE (POST-EMERGENT)	Rubber	Annual grasses	-	-	-	After spray deposits have dried
PIONEER TRADING & SUPPLY CO., INC.	GLUFOSINATE AMMONIUM	PPOSINATE 15SL	150 g/L	SL	HERBICIDE	4	617-182-6096	29-Nov-24	SELECTIVE (POST-EMERGENT)	Oil palm	Annual grasses	-	-	-	After spray deposits have dried
PIONEER TRADING & SUPPLY CO., INC.	GLUFOSINATE AMMONIUM	PPOSINATE 15SL	150 g/L	SL	HERBICIDE	4	617-182-6096	29-Nov-24	SELECTIVE (POST-EMERGENT)	Non-crop areas	Mixed weeds, perennial grasses and broadleaf weeds	-	-	-	After spray deposits have dried
PIONEER TRADING & SUPPLY CO., INC.	TRIDEMORPH	PIDEMORPH 860 DL	860 g/L	DL	FUNGICIDE	2	617-097-4788	01-Apr-25	SYSTEMIC/CONTACT	Banana	Black Sigatoka	0.5 L/ha PIDEOMORPH 860 DL + 0.5 L/ha Qil	-	-	Until the spray deposit has dried
PIONEER TRADING & SUPPLY CO., INC.	DIFENOCONAZOLE	PICONAZOLE 250 EC	250 g/L	EC	FUNGICIDE	4	617-272-5346	11-Jul-25	SYSTEMIC	Banana	Black Sigatoka	0.30-0.40 L prod/ha	-	-	-
PIONEER TRADING & SUPPLY CO., INC.	DIFENOCONAZOLE	PICONAZOLE 250 EC	250 g/L	EC	FUNGICIDE	4	617-272-5346	11-Jul-25	SYSTEMIC	Mango	Anthracoese	0.528-0.88 L/ha	-	-	-
PIONEER TRADING & SUPPLY CO., INC.	DIFENOCONAZOLE	PICONAZOLE 250 EC	250 g/L	EC	FUNGICIDE	4	617-272-5346	11-Jul-25	SYSTEMIC	Rice	Sheath Blight	0.25-0.30 L/ha	-	-	-
PIONEER TRADING & SUPPLY CO., INC.	DIFENOCONAZOLE	PICONAZOLE 250 EC	250 g/L	EC	FUNGICIDE	4	617-272-5346	11-Jul-25	SYSTEMIC	Soybeans	Leaf spot	0.20-0.30 L/ha	-	-	-
PIONEER TRADING & SUPPLY CO., INC.	DIFENOCONAZOLE	PICONAZOLE 250 EC	250 g/L	EC	FUNGICIDE	4	617-272-5346	11-Jul-25	SYSTEMIC	Eggplant	Leaf Spot	0.20-0.30 L/ha	-	-	-
PIONEER TRADING & SUPPLY CO., INC.	DIFENOCONAZOLE	PICONAZOLE 250 EC	250 g/L	EC	FUNGICIDE	4	617-272-5346	11-Jul-25	SYSTEMIC	Tomato	Alternaria leaf spot, cercospora leaf mold, powdery mildew	0.20-0.30 L/ha	-	-	-
PIONEER TRADING & SUPPLY CO., INC.	DIFENOCONAZOLE	PICONAZOLE 250 EC	250 g/L	EC	FUNGICIDE	4	617-272-5346	11-Jul-25	SYSTEMIC	Cabbage	Ringspot, alternaria	0.20-0.30 L/ha	-	-	-
PIONEER TRADING & SUPPLY CO., INC.	DIFENOCONAZOLE	PICONAZOLE 250 EC	250 g/L	EC	FUNGICIDE	4	617-272-5346	11-Jul-25	SYSTEMIC	Onion	Purple blotch	0.40-0.50 L/ha	-	-	-
PIONEER TRADING & SUPPLY CO., INC.	DIFENOCONAZOLE	PICONAZOLE 250 EC	250 g/L	EC	FUNGICIDE	4	617-272-5346	11-Jul-25	SYSTEMIC	Asparagus	Stem and leaf blight	0.36 L/ha	-	-	-
AGRO IRES PHILIPPINES, INC.	PROPAMOCARB HCL	PICOCARB 722 SL	722 g/L	SL	FUNGICIDE	4	762-119-6134	16-Sep-24	SYSTEMIC	Cabbage (as seed treatment)	-	2-4 mL / kg seed	-	-	45-60 days after transplanting
AGRO IRES PHILIPPINES, INC.	PROPAMOCARB HCL	PICOCARB 722 SL	722 g/L	SL	FUNGICIDE	4	762-119-6134	16-Sep-24	SYSTEMIC	Lettuce and other crucifers	-	2-4 mL / kg seed	-	-	45-60 days after transplanting
AGRO IRES PHILIPPINES, INC.	PROPAMOCARB HCL	PICOCARB 722 SL	722 g/L	SL	FUNGICIDE	4	762-119-6134	16-Sep-24	SYSTEMIC	Tobacco and other solanaceous crops	-	30 mL/kg seed	-	-	45-60 days after transplanting
AGRO IRES PHILIPPINES, INC.	PROPAMOCARB HCL	PICOCARB 722 SL	722 g/L	SL	FUNGICIDE	4	762-119-6134	16-Sep-24	SYSTEMIC	Tomato and other solanaceous crops	-	30 mL/kg seed	-	-	45-60 days after transplanting
AGRO IRES PHILIPPINES, INC.	PROPAMOCARB HCL	PICOCARB 722 SL	722 g/L	SL	FUNGICIDE	4	762-119-6134	16-Sep-24	SYSTEMIC	Potato	Late blight	30-40 mL / 36 L water	-	-	45-60 days after transplanting
AGRO IRES PHILIPPINES, INC.	DIFENOCONAZOLE+PROPICONAZOLE	PICDIANE 300 EC	150 g/L + 150 g/L	EC	FUNGICIDE	3	762-325-6077	7-Jun-26	SYSTEMIC	Rice	Sheath blight	25 ml prod/36 L water	-	-	45-60 days after transplanting
MIGHTY AGRICULTURAL TRADING CORPORATION	PHYTOCARE 45 EW	PHYTOCARE 45 EW	450 g/L	EW	FUNGICIDE	3	733-300-5986 (S81)	10-Jan-26	-	Banana	Fungal crown mold/ crown rot, anthracnose, pitmark and smoky fruit	2.0-4.0 mL prod / L water	-	0 day	After spray deposits have dried.
MIGHTY AGRICULTURAL TRADING CORPORATION	PHYTOCARE 45 EW	PHYTOCARE 45 EW	450 g/L	EW	FUNGICIDE	3	733-300-5986 (S81)	10-Jan-26	-	Pineapple	Butt and crown mold, Fruitlet core rot (FCR)	0.5-1 mL prod / L water: 1 L prod / hectare	-	0 day	After spray deposits have dried.
MIGHTY AGRICULTURAL TRADING CORPORATION	PHYTOCARE 45 EW	PHYTOCARE 45 EW	450 g/L	EW	FUNGICIDE	3	733-300-5986 (S81)	8-Feb-24	-	Pineapple	Fusarium spp., Phytophthora spp., Pythium spp., Thielaviopsis spp.	0.5-1.0 mL prod / L 1-4 L prod / hectare	-	0 day	After spray deposits have dried.
PACIFIC FUMIGATION CO., INC.	ALUMINUM PHOSPHIDE	PHOSPRO	960 g/kg	TAB/P	FUMIGANT	1	295-084-2446	09-Sep-24	CONTACT	-	Stored product pest	1 bag/7.5m	-	-	-
ACE CROP SOLUTIONS INC.	PHENOX 80 WP	PHENOX 80 WP	800 g/kg	WP	HERBICIDE	4	530-021-3245	04-Dec-25	SYSTEMIC	Citrus	Annual and Perennial broadleaves and grasses	11.0-19.0Tbsp/36 L water	-	-	Entry to fields treated with AGRON 80WP can be done one day after application
ACE CROP SOLUTIONS INC.	PHENOX 80 WP	PHENOX 80 WP	800 g/kg	WP	HERBICIDE	4	530-021-3245	04-Dec-25	SYSTEMIC	Coffee	Annual and Perennial broadleaves and grasses	11.0-19.0Tbsp/36 L water	-	-	Entry to fields treated with AGRON 80WP can be done one day after application
ACE CROP SOLUTIONS INC.	PHENOX 80 WP	PHENOX 80 WP	800 g/kg	WP	HERBICIDE	4	530-021-3245	04-Dec-25	SYSTEMIC	Cotton	Annual and Perennial broadleaves and grasses	6.0Tbsp/36 L water	-	-	Entry to fields treated with AGRON 80WP can be done one day after application
ACE CROP SOLUTIONS INC.	PHENOX 80 WP	PHENOX 80 WP	800 g/kg	WP	HERBICIDE	4	530-021-3245	04-Dec-25	SYSTEMIC	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0Tbsp/36 L water	-	-	Entry to fields treated with AGRON 80WP can be done one day after application
ACE CROP SOLUTIONS INC.	PHENOX 80 WP	PHENOX 80 WP	800 g/kg	WP	HERBICIDE	4	530-021-3245	04-Dec-25	SYSTEMIC	Pineapple	Annual and Perennial broadleaves and grasses	11.0Tbsp/36 L water	-	-	Entry to fields treated with AGRON 80WP can be done one day after application
ACE CROP SOLUTIONS INC.	PHENOX 80 WP	PHENOX 80 WP	800 g/kg	WP	HERBICIDE	4	530-021-3245	04-Dec-25	SYSTEMIC	Non-crop land	Annual and Perennial broadleaves and grasses	20.0-28.0Tbsp/36 L water	-	-	Entry to fields treated with AGRON 80WP can be done one day after application
PHILAGROW INC.	TERBUCONAZOLE	PHILAGROW TBZ 43 SC	430g/L	SC	FUNGICIDE	4	372-259-2721	18-Jun-24	SYSTEMIC	Mango	Anthracoese & stem-end rot	35-45mL/100 L water	-	22 days	Until spray has dried
PHILAGROW INC.	TERBUCONAZOLE	PHILAGROW TBZ 43 SC	430g/L	SC	FUNGICIDE	4	372-259-2721	18-Jun-24	SYSTEMIC	Banana	Sigatoka	0.29 L/ha	-	0 day	Until spray has dried
PHILAGROW INC.	TERBUCONAZOLE	PHILAGROW TBZ 43 SC	430g/L	SC	FUNGICIDE	4	372-259-2721	18-Jun-24	SYSTEMIC	Corn	Rust	25-30 ml/36 L water	-	-	Until spray has dried
AGWAY CHEMICALS CORPORATION	PHENTHOATE	PHENTO M 50 EC	500 g/L	EC	INSECTICIDE	2	075-059-3482	12-Feb-24	-	Onion	Thrips	20-50 ml/36L water	-	14 Days	Safe-entry into treated areas may be done at least 2 days after application
AGWAY CHEMICALS CORPORATION	PHENTHOATE	PHENTO M 50 EC	500 g/L	EC	INSECTICIDE	2	075-059-3482	12-Feb-24	-	Rice	Green leafhopper, brown planthopper, stemborer, whorl maggot, cutworm	20-50 ml/36L water	-	7 Days	Safe-entry into treated areas may be done at least 2 days after application
AGWAY CHEMICALS CORPORATION	PHENTHOATE	PHENTO M 50 EC	500 g/L	EC	INSECTICIDE	2	075-059-3482	12-Feb-24	-	Corn	Corn borer, earworm, cutworm	20-50 ml/36L water	-	14 Days	Safe-entry into treated areas may be done at least 2 days after application
AGWAY CHEMICALS CORPORATION	PHENTHOATE	PHENTO M 50 EC	500 g/L	EC	INSECTICIDE	2	075-059-3482	12-Feb-24	-	Cabbage & other crucifers	Diamond-back moth, cabbage worm, aphids, cutworm	30-50 ml/36L water	-	7 Days	Safe-entry into treated areas may be done at least 2 days after application
AGWAY CHEMICALS CORPORATION	PHENTHOATE	PHENTO M 50 EC	500 g/L	EC	INSECTICIDE	2	075-059-3482	12-Feb-24	-	Eggplant	Fliesbeetle, mealybug	20-50 ml/36L water	-	3 Days	Safe-entry into treated areas may be done at least 2 days after application
AGWAY CHEMICALS CORPORATION	PHENTHOATE	PHENTO M 50 EC	500 g/L	EC	INSECTICIDE	2	075-059-3482	12-Feb-24	-	Tomato	Tomatoe, lady beetle	20-50 ml/36L water	-	3 Days	Safe-entry into treated areas may be done at least 2 days after application
AGWAY CHEMICALS CORPORATION	PHENTHOATE	PHENTO M 50 EC	500 g/L	EC	INSECTICIDE	2	075-059-3482	12-Feb-24	-	Mango	Mango hopper, tip borer, twig borer	20-50 ml/36L water	-	14 Days	Safe-entry into treated areas may be done at least 2 days after application
AGWAY CHEMICALS CORPORATION	PHENTHOATE	PHENTO M 50 EC	500 g/L	EC	INSECTICIDE	2	075-059-3482	12-Feb-24	-	Soybeans & other beans	Pod borer, aphids, semi-looper, leafroller	20-50 ml/36L water	-	7 Days	Safe-entry into treated areas may be done at least 2 days after application
AGWAY CHEMICALS CORPORATION	PHENTHOATE	PHENTO M 50 EC	500 g/L	EC	INSECTICIDE	2	075-059-3482	12-Feb-24	-	Cucumber and other cucurbits	Aphids	20-50 ml/36L water	-	3 Days	Safe-entry into treated areas may be done at least 2 days after application
AGWAY CHEMICALS CORPORATION	PHENTHOATE	PHENTO M 50 EC	500 g/L	EC	INSECTICIDE	2	075-059-3482	12-Feb-24	-	White potato	Aphids, cutworm	20-50 ml/36L water	-	7 Days	Safe-entry into treated areas may be done at least 2 days after application
AGWAY CHEMICALS CORPORATION	PHENTHOATE	PHENTO M 50 EC	500 g/L	EC	INSECTICIDE	2	075-059-3482	12-Feb-24	-	Tobacco	Budworm, cutworm, aphids, armyworm, thrips, leafworm	20-50 ml/36L water	-	-	Safe-entry into treated areas may be done at least 7 days after application
AGWAY CHEMICALS CORPORATION	PHENTHOATE	PHENTO M 50 EC	500 g/L	EC	INSECTICIDE	2	075-059-3482	12-Feb-24	-	Citrus	Scale insect, aphids, mealybug, whiteflies	20-50 ml/36L water	-	14 Days	Safe-entry into treated areas may be done at least 2 days after application
AGWAY CHEMICALS CORPORATION	PHENTHOATE	PHENTO M 50 EC	500 g/L	EC	INSECTICIDE	2	075-059-3482	12-Feb-24	-	Sorghum	Weibworm, armyworm	20-50 ml/36L water	-	14 Days	Safe-entry into treated areas may be done at least 2 days after application
AGWAY CHEMICALS CORPORATION	PHENTHOATE	PHENTO M 50 EC	500 g/L	EC	INSECTICIDE	2	075-059-3482	12-Feb-24	-	Cotton	Leafhopper, bollworm, flower weevil, boll weevil, cotton stainer, leafworm, aphids	20-50 ml/36L water	-	14 Days	Safe-entry into treated areas may be done at least 2 days after application
CYBIRTH PHILIPPINES, INC.	PHENOM 50 EC	PHENOM 50 EC	500 g/L	EC	INSECTICIDE	2	216-059-2668	17-Sep-22	-	Onion	Thrips	20-50 ml/36L water	-	14 days	Entry into fields treated with PHENOM 50 EC may be done at least 2 days after application
CYBIRTH PHILIPPINES, INC.	PHENOM 50 EC	PHENOM 50 EC	500 g/L	EC	INSECTICIDE	2	216-059-2668	17-Sep-22	-	Rice	Green leafhopper, brown planthopper, stemborer, whorl maggot, cutworm	20-50 ml/36L water	-	7 days	Entry into fields treated with PHENOM 50 EC may be done at least 2 days after application
CYBIRTH PHILIPPINES, INC.	PHENOM 50 EC	PHENOM 50 EC	500 g/L	EC	INSECTICIDE	2	216-059-2668	17-Sep-22	-	Corn	Corn borer, earworm, cutworm	20-50 ml/36L water	-	14 days	Entry into fields treated with PHENOM 50 EC may be done at least 2 days after application

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)		PHI	RE-ENTRY PERIOD
CYBERTH PHILIPPINES, INC.	PHENTHOATE	PHENOM 50 EC	500 g/L	EC	INSECTICIDE	2	216-059-2668	17-Sep-22	-	Cabbage & other crucifers	Diamond-back moth, cabbage worm, aphids, cutworm	20-50 ml/36L water	-	7 days	-	Entry into fields treated with PHENOM 50 EC may be done at least 2 days after application
CYBERTH PHILIPPINES, INC.	PHENTHOATE	PHENOM 50 EC	500 g/L	EC	INSECTICIDE	2	216-059-2668	17-Sep-22	-	Eggplant	Flea beetle, mealybug	20-50 ml/36L water	-	3 days	-	Entry into fields treated with PHENOM 50 EC may be done at least 2 days after application
CYBERTH PHILIPPINES, INC.	PHENTHOATE	PHENOM 50 EC	500 g/L	EC	INSECTICIDE	2	216-059-2668	17-Sep-22	-	Tomato	Fruitworm, lady beetle	20-50 ml/36L water	-	1 days	-	Entry into fields treated with PHENOM 50 EC may be done at least 2 days after application
CYBERTH PHILIPPINES, INC.	PHENTHOATE	PHENOM 50 EC	500 g/L	EC	INSECTICIDE	2	216-059-2668	17-Sep-22	-	Mango	Mango hopper, tip borer, twig borer	20-50 ml/36L water	-	14 days	-	Entry into fields treated with PHENOM 50 EC may be done at least 2 days after application
CYBERTH PHILIPPINES, INC.	PHENTHOATE	PHENOM 50 EC	500 g/L	EC	INSECTICIDE	2	216-059-2668	17-Sep-22	-	Soybeans & other beans	Pod borer, aphids, semi-looper, leafroller	20-50 ml/36L water	-	7 days	-	Entry into fields treated with PHENOM 50 EC may be done at least 2 days after application
CYBERTH PHILIPPINES, INC.	PHENTHOATE	PHENOM 50 EC	500 g/L	EC	INSECTICIDE	2	216-059-2668	17-Sep-22	-	Cucumber and other cucurbits	Aphids	20-50 ml/36L water	-	3 days	-	Entry into fields treated with PHENOM 50 EC may be done at least 2 days after application
CYBERTH PHILIPPINES, INC.	PHENTHOATE	PHENOM 50 EC	500 g/L	EC	INSECTICIDE	2	216-059-2668	17-Sep-22	-	White potato	Aphids, cutworm	20-50 ml/36L water	-	7 days	-	Entry into fields treated with PHENOM 50 EC may be done at least 2 days after application
CYBERTH PHILIPPINES, INC.	PHENTHOATE	PHENOM 50 EC	500 g/L	EC	INSECTICIDE	2	216-059-2668	17-Sep-22	-	Tobacco	Budworm, cutworm, aphids, armyworm, thrips, leafworm	20-50 ml/36L water	-	-	-	Entry into fields treated with PHENOM 50 EC may be done at least 2 days after application
CYBERTH PHILIPPINES, INC.	PHENTHOATE	PHENOM 50 EC	500 g/L	EC	INSECTICIDE	2	216-059-2668	17-Sep-22	-	Citrus	Scale insect, aphids, mealybug, whiteflies	20-50 ml/36L water	-	14 days	-	Entry into fields treated with PHENOM 50 EC may be done at least 2 days after application
CYBERTH PHILIPPINES, INC.	PHENTHOATE	PHENOM 50 EC	500 g/L	EC	INSECTICIDE	2	216-059-2668	17-Sep-22	-	Sorghum	Webworm, armyworm	20-50 ml/36L water	-	14 days	-	Entry into fields treated with PHENOM 50 EC may be done at least 2 days after application
CYBERTH PHILIPPINES, INC.	PHENTHOATE	PHENOM 50 EC	500 g/L	EC	INSECTICIDE	2	216-059-2668	17-Sep-22	-	Cotton	Leafhopper, bollworm, flower weevil, boll weevil, cotton stainer, leafworm, aphids	20-50 ml/36L water	-	14 days	-	Entry into fields treated with PHENOM 50 EC may be done at least 2 days after application
AGWAY CHEMICALS CORPORATION	PHENTHOATE-BPMVC	PHENDEX 350 EC	250 g/L+100 g/L	EC	INSECTICIDE	2	075-193-4964	05-Sep-25	-	Rice	Whorl maggot, green leafhopper, brown planthopper, armyworm, rice bug	24-40 Dosage ml/26 L Water	-	7 days	-	Re-entry to treated areas may be done 2 days after treatment.
AGWAY CHEMICALS CORPORATION	PHENTHOATE-BPMVC	PHENDEX 350 EC	250 g/L+100 g/L	EC	INSECTICIDE	2	075-193-4964	05-Sep-25	-	Corn	Corn borer, corn earworm, seedling maggots	24-40 Dosage ml/26 L Water	-	14 days	-	Re-entry to treated areas may be done 2 days after treatment.
AGWAY CHEMICALS CORPORATION	PHENTHOATE-BPMVC	PHENDEX 350 EC	250 g/L+100 g/L	EC	INSECTICIDE	2	075-193-4964	05-Sep-25	-	Sorghum	Webworm	24-40 Dosage ml/26 L Water	-	14 days	-	Re-entry to treated areas may be done 2 days after treatment.
AGWAY CHEMICALS CORPORATION	PHENTHOATE-BPMVC	PHENDEX 350 EC	250 g/L+100 g/L	EC	INSECTICIDE	2	075-193-4964	05-Sep-25	-	Tobacco	Budworm, cutworm	24-40 Dosage ml/26 L Water	-	10 days	-	Re-entry to treated areas may be done 2 days after treatment.
AGWAY CHEMICALS CORPORATION	PHENTHOATE-BPMVC	PHENDEX 350 EC	250 g/L+100 g/L	EC	INSECTICIDE	2	075-193-4964	05-Sep-25	-	Crucifers	Diamond backed moth, cabbage worm, aphids	24-40 Dosage ml/26 L Water	-	7 days	-	Re-entry to treated areas may be done 2 days after treatment.
AGWAY CHEMICALS CORPORATION	PHENTHOATE-BPMVC	PHENDEX 350 EC	250 g/L+100 g/L	EC	INSECTICIDE	2	075-193-4964	05-Sep-25	-	Citrus	Scale insect, mealy bugs, aphid, white flies	24-40 Dosage ml/26 L Water	-	14 days	-	Re-entry to treated areas may be done 2 days after treatment.
SABERO ORGANICS PHILIPPINES ASIA INC.	PHENTHOATE-BPMVC	PHENDAL SUPER 350 EC	250-100 g/L	EC	INSECTICIDE	2	466-193-4892	05-Sep-25	-	Rice	Whorl maggot, green leafhopper, brown planthopper, armyworm, rice bug	24-40 ml/24 Liters	Phenthoate-0.05 ppm	7 days	-	Re-entry to treated areas may be done 2 days after treatment
SABERO ORGANICS PHILIPPINES ASIA INC.	PHENTHOATE-BPMVC	PHENDAL SUPER 350 EC	250-100 g/L	EC	INSECTICIDE	2	466-193-4892	05-Sep-25	-	Corn	Corn borer, corn earworm, seedling maggot	24-40 ml/24 Liters	-	14 days	-	Re-entry to treated areas may be done 2 days after treatment
SABERO ORGANICS PHILIPPINES ASIA INC.	PHENTHOATE-BPMVC	PHENDAL SUPER 350 EC	250-100 g/L	EC	INSECTICIDE	2	466-193-4892	05-Sep-25	-	Sorghum	Webworm	24-40 ml/24 Liters	-	14 days	-	Re-entry to treated areas may be done 2 days after treatment
SABERO ORGANICS PHILIPPINES ASIA INC.	PHENTHOATE-BPMVC	PHENDAL SUPER 350 EC	250-100 g/L	EC	INSECTICIDE	2	466-193-4892	05-Sep-25	-	Tobacco	Budworm, cutworm	24-40 ml/24 Liters	-	10 days	-	Re-entry to treated areas may be done 2 days after treatment
SABERO ORGANICS PHILIPPINES ASIA INC.	PHENTHOATE-BPMVC	PHENDAL SUPER 350 EC	250-100 g/L	EC	INSECTICIDE	2	466-193-4892	05-Sep-25	-	Crucifers	Diamond backed moth, cabbage worm, aphids	24-40 ml/24 Liters	-	7 days	-	Re-entry to treated areas may be done 2 days after treatment
SABERO ORGANICS PHILIPPINES ASIA INC.	PHENTHOATE-BPMVC	PHENDAL SUPER 350 EC	250-100 g/L	EC	INSECTICIDE	2	466-193-4892	05-Sep-25	-	Citrus	Scale insect, mealy bugs, aphid, white flies	24-40 ml/24 Liters	-	14 days	-	Re-entry to treated areas may be done 2 days after treatment
SABERO ORGANICS PHILIPPINES ASIA INC.	PHENTHOATE	PHENDAL 50 EC	500 g/L	EC	INSECTICIDE	2	466-059-4135	09-Oct-26	-	Onion	Thrips	20-50 ml/36L water	-	-	-	Do not spray within 14 days before harvest on citrus, corn, cottons, mango, onion and sorghum; 7 days on rice.
SABERO ORGANICS PHILIPPINES ASIA INC.	PHENTHOATE	PHENDAL 50 EC	500 g/L	EC	INSECTICIDE	2	466-059-4135	09-Oct-26	-	Rice	Green leafhopper, brown planthopper, stem borer, whorl maggot, cutworm	20-50 ml/36L water	-	-	-	Do not spray within 14 days before harvest on citrus, corn, cottons, mango, onion and sorghum; 7 days on rice.
SABERO ORGANICS PHILIPPINES ASIA INC.	PHENTHOATE	PHENDAL 50 EC	500 g/L	EC	INSECTICIDE	2	466-059-4135	09-Oct-26	-	Corn	Corn borer, earworm, cutworm	20-50 ml/36L water	-	-	-	Do not spray within 14 days before harvest on citrus, corn, cottons, mango, onion and sorghum; 7 days on rice.
SABERO ORGANICS PHILIPPINES ASIA INC.	PHENTHOATE	PHENDAL 50 EC	500 g/L	EC	INSECTICIDE	2	466-059-4135	09-Oct-26	-	Cabbage & other crucifers	Diamond-back moth, cabbage worm, aphids, cutworm	20-50 ml/36L water	-	-	-	Do not spray within 14 days before harvest on citrus, corn, cottons, mango, onion and sorghum; 7 days on rice.
SABERO ORGANICS PHILIPPINES ASIA INC.	PHENTHOATE	PHENDAL 50 EC	500 g/L	EC	INSECTICIDE	2	466-059-4135	09-Oct-26	-	Eggplant	Flea beetle, mealybug	20-50 ml/36L water	-	-	-	Do not spray within 14 days before harvest on citrus, corn, cottons, mango, onion and sorghum; 7 days on rice.
SABERO ORGANICS PHILIPPINES ASIA INC.	PHENTHOATE	PHENDAL 50 EC	500 g/L	EC	INSECTICIDE	2	466-059-4135	09-Oct-26	-	Tomato	Fruitworm, lady beetle	20-50 ml/36L water	-	-	-	Do not spray within 14 days before harvest on citrus, corn, cottons, mango, onion and sorghum; 7 days on rice.
SABERO ORGANICS PHILIPPINES ASIA INC.	PHENTHOATE	PHENDAL 50 EC	500 g/L	EC	INSECTICIDE	2	466-059-4135	09-Oct-26	-	Mango	Mango hopper, tip borer, twig borer	20-50 ml/36L water	-	-	-	Do not spray within 14 days before harvest on citrus, corn, cottons, mango, onion and sorghum; 7 days on rice.
SABERO ORGANICS PHILIPPINES ASIA INC.	PHENTHOATE	PHENDAL 50 EC	500 g/L	EC	INSECTICIDE	2	466-059-4135	09-Oct-26	-	Soybeans & other beans	Pod borer, aphids, semi-looper, leafroller	20-50 ml/36L water	-	-	-	Do not spray within 14 days before harvest on citrus, corn, cottons, mango, onion and sorghum; 7 days on rice.
SABERO ORGANICS PHILIPPINES ASIA INC.	PHENTHOATE	PHENDAL 50 EC	500 g/L	EC	INSECTICIDE	2	466-059-4135	09-Oct-26	-	Cucumber and other cucurbits	Aphids	20-50 ml/36L water	-	-	-	Do not spray within 14 days before harvest on citrus, corn, cottons, mango, onion and sorghum; 7 days on rice.
SABERO ORGANICS PHILIPPINES ASIA INC.	PHENTHOATE	PHENDAL 50 EC	500 g/L	EC	INSECTICIDE	2	466-059-4135	09-Oct-26	-	White potato	Aphids, cutworm	20-50 ml/36L water	-	-	-	Do not spray within 14 days before harvest on citrus, corn, cottons, mango, onion and sorghum; 7 days on rice.
SABERO ORGANICS PHILIPPINES ASIA INC.	PHENTHOATE	PHENDAL 50 EC	500 g/L	EC	INSECTICIDE	2	466-059-4135	09-Oct-26	-	Tobacco	Budworm, cutworm, aphids, armyworm, thrips, leafworm	20-50 ml/36L water	-	-	-	Do not spray within 14 days before harvest on citrus, corn, cottons, mango, onion and sorghum; 7 days on rice.
SABERO ORGANICS PHILIPPINES ASIA INC.	PHENTHOATE	PHENDAL 50 EC	500 g/L	EC	INSECTICIDE	2	466-059-4135	09-Oct-26	-	Citrus	Scale insect, aphids, mealybug, whiteflies	20-50 ml/36L water	-	-	-	Do not spray within 14 days before harvest on citrus, corn, cottons, mango, onion and sorghum; 7 days on rice.
SABERO ORGANICS PHILIPPINES ASIA INC.	PHENTHOATE	PHENDAL 50 EC	500 g/L	EC	INSECTICIDE	2	466-059-4135	09-Oct-26	-	Sorghum	Webworm, armyworm	20-50 ml/36L water	-	-	-	Do not spray within 14 days before harvest on citrus, corn, cottons, mango, onion and sorghum; 7 days on rice.
SABERO ORGANICS PHILIPPINES ASIA INC.	PHENTHOATE	PHENDAL 50 EC	500 g/L	EC	INSECTICIDE	2	466-059-4135	09-Oct-26	-	Cotton	Leafhopper, bollworm, flower weevil, boll weevil, cotton stainer, leafworm, aphids	20-50 ml/36L water	-	-	-	Do not spray within 14 days before harvest on citrus, corn, cottons, mango, onion and sorghum; 7 days on rice.
ASIA GOLD TRADING CORPORATION	CARBARYL	PHANTOM 85 WP	850 g/kg	WP	INSECTICIDE	2	266-035-3971	03-Feb-24	-	Tobacco	Budworm, cutworm, aphids	4-6 tbsp/36 L water	-	-	-	Do not enter treatment areas until spray deposit have dried
ASIA GOLD TRADING CORPORATION	CARBARYL	PHANTOM 85 WP	850 g/kg	WP	INSECTICIDE	2	266-035-3971	03-Feb-24	-	Sorghum	Webworm, armyworm, cutworm, headworm	4-6 tbsp/36 L water	-	-	-	Do not enter treatment areas until spray deposit have dried
ASIA GOLD TRADING CORPORATION	CARBARYL	PHANTOM 85 WP	850 g/kg	WP	INSECTICIDE	2	266-035-3971	03-Feb-24	-	Ornamentals	Aphids, scale insect, mealy bug, cutworm	4-6 tbsp/36 L water	-	-	-	Do not enter treatment areas until spray deposit have dried
ASIA GOLD TRADING CORPORATION	CARBARYL	PHANTOM 85 WP	850 g/kg	WP	INSECTICIDE	2	266-035-3971	03-Feb-24	-	Mango	Mango hopper, tip borer, twig borer, fruit fly, mealy bug	4-8 tbsp/16 L water	-	1 day	-	Do not enter treatment areas until spray deposit have dried
ASIA GOLD TRADING CORPORATION	CARBARYL	PHANTOM 85 WP	850 g/kg	WP	INSECTICIDE	2	266-035-3971	03-Feb-24	-	Coffee	Berry borer	4-6 tbsp/36 L water	-	1 day	-	Do not enter treatment areas until spray deposit have dried
ASIA GOLD TRADING CORPORATION	CARBARYL	PHANTOM 85 WP	850 g/kg	WP	INSECTICIDE	2	266-035-3971	03-Feb-24	-	Cacao	Podborer, aphids, capsid bug	4-6 tbsp/16 L water	-	1 day	-	Do not enter treatment areas until spray deposit have dried
ASIA GOLD TRADING CORPORATION	CARBARYL	PHANTOM 85 WP	850 g/kg	WP	INSECTICIDE	2	266-035-3971	03-Feb-24	-	Citrus	Rind borer	4-6 tbsp/36 L water	-	5 days	-	Do not enter treatment areas until spray deposit have dried
ASIA GOLD TRADING CORPORATION	CARBARYL	PHANTOM 85 WP	850 g/kg	WP	INSECTICIDE	2	266-035-3971	03-Feb-24	-	Soybeans	Podborer, beanfly, leafminer, aphids	4-6 tbsp/16 L water	-	-	-	Do not enter treatment areas until spray deposit have dried
ASIA GOLD TRADING CORPORATION	CARBARYL	PHANTOM 85 WP	850 g/kg	WP	INSECTICIDE	2	266-035-3971	03-Feb-24	-	Rice	Green leafhopper, cseworm, aphids	4-6 tbsp/16 L water	1ppm	14 days	-	Do not enter treatment areas until spray deposit have dried
ASIA GOLD TRADING CORPORATION	CARBARYL	PHANTOM 85 WP	850 g/kg	WP	INSECTICIDE	2	266-035-3971	03-Feb-24	-	Cowpea and other beans	Podborer, beanfly, leafminer, cutworm, aphids	4-6 tbsp/16 L water	-	-	-	Do not enter treatment areas until spray deposit have dried
ASIA GOLD TRADING CORPORATION	CARBARYL	PHANTOM 85 WP	850 g/kg	WP	INSECTICIDE	2	266-035-3971	03-Feb-24	-	Cotton seed	Bollworm, cutworm	4-6 tbsp/16 L water	-	-	-	Do not enter treatment areas until spray deposit have dried
ASIA GOLD TRADING CORPORATION	CARBARYL	PHANTOM 85 WP	850 g/kg	WP	INSECTICIDE	2	266-035-3971	03-Feb-24	-	Corn	Corn borer, corn earworm, army worm	4-6 tbsp/16 L water	-	-	-	Do not enter treatment areas until spray deposit have dried
ASIA GOLD TRADING CORPORATION	CARBARYL	PHANTOM 85 WP	850 g/kg	WP	INSECTICIDE	2	266-035-3971	03-Feb-24	-	Tomato	Fruitworm, lady beetle	4-6 tbsp/16 L water	-	-	-	Do not enter treatment areas until spray deposit have dried
ASIA GOLD TRADING CORPORATION	CARBARYL	PHANTOM 85 WP	850 g/kg	WP	INSECTICIDE	2	266-035-3971	03-Feb-24	-	Cucurbits	Squash beetle, lady beetle	4-6 tbsp/16 L water	-	-	-	Do not enter treatment areas until spray deposit have dried
SU PORT FAY EAST, INC.	TRIFLURAZEPYRIM	PEXALON® 106 SC	106 g/L	SC	INSECTICIDE	4	034-462-4039	26-Nov-24	-	Rice	Green Leafhopper & Brown planthopper	300ml prod./ha	0.05ppm	-	-	Twelve hours after spraying
CORTEVA ASIA PACIFIC INC. PHILIPPINE BRANCH	TRIFLURAZEPYRIM	PEXALON® 106 SC	106 g/L	SC	INSECTICIDE	4	034-462-4039	22-Oct-24	-	Rice	Brown planthopper (through drone spray application)	240 ml prod. / ha.	-	-	-	-
CORTEVA ASIA PACIFIC INC. PHILIPPINE BRANCH	TRIFLURAZEPYRIM	PEXALON® 106 SC	106 g/L	SC	INSECTICIDE	4	034-462-4039	22-Oct-24	-	Mango	Hoppers	-	-	-	-	-
ROM ROEM CHEMICAL CORPORATION	CYPERMETHRIN	PETRIN S EC	50 g/L	EC	INSECTICIDE	4	361-037-3681	05-Apr-19	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/36 L water	-	7 Days	-	Re-entry to treated field is allowed as soon as spray deposit dry
ROM ROEM CHEMICAL CORPORATION	CYPERMETHRIN	PETRIN S EC	50 g/L	EC	INSECTICIDE	4	361-037-3681	05-Apr-19	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leafroller, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/36 L water	-	7 Days	-	Re-entry to treated field is allowed as soon as spray deposit dry

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
ROM ROM CHEMICAL CORPORATION	CYPERMETHRIN	PETRIN S EC	50 g/L	EC	INSECTICIDE	4	561-037-3681	05-Apr-19	CONTACT	Cabbage	Diamond back moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ROM ROM CHEMICAL CORPORATION	CYPERMETHRIN	PETRIN S EC	50 g/L	EC	INSECTICIDE	4	561-037-3681	05-Apr-19	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	2.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ROM ROM CHEMICAL CORPORATION	CYPERMETHRIN	PETRIN S EC	50 g/L	EC	INSECTICIDE	4	561-037-3681	05-Apr-19	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ROM ROM CHEMICAL CORPORATION	CYPERMETHRIN	PETRIN S EC	50 g/L	EC	INSECTICIDE	4	561-037-3681	05-Apr-19	CONTACT	Watermelon	Aphids, thrips, beetle	2.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ROM ROM CHEMICAL CORPORATION	CYPERMETHRIN	PETRIN S EC	50 g/L	EC	INSECTICIDE	4	561-037-3681	05-Apr-19	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ROM ROM CHEMICAL CORPORATION	CYPERMETHRIN	PETRIN S EC	50 g/L	EC	INSECTICIDE	4	561-037-3681	05-Apr-19	CONTACT	Banana	Thrips, scarling beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ROM ROM CHEMICAL CORPORATION	CYPERMETHRIN	PETRIN S EC	50 g/L	EC	INSECTICIDE	4	561-037-3681	05-Apr-19	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ROM ROM CHEMICAL CORPORATION	CYPERMETHRIN	PETRIN S EC	50 g/L	EC	INSECTICIDE	4	561-037-3681	05-Apr-19	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ROM ROM CHEMICAL CORPORATION	CYPERMETHRIN	PETRIN S EC	50 g/L	EC	INSECTICIDE	4	561-037-3681	05-Apr-19	CONTACT	Corn	Comborer, earworm	1.0-4.5 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	METHOMYL	PEST-X 400 SP	400 g/kg	SP	INSECTICIDE	2	667-164-5147	06-Jul-26	CONTACT	Asparagus	Armyworm, cutworm	2.0-3.5 Tbsp/16 L water	-	-	Do not enter fields treated with PEST-X 400 SP within 12 hours after application
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	METHOMYL	PEST-X 400 SP	400 g/kg	SP	INSECTICIDE	2	667-164-5147	06-Jul-26	CONTACT	Banana	Thrips	3.5-4.5 Tbsp/16 L water	-	-	Do not enter fields treated with PEST-X 400 SP within 12 hours after application
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	METHOMYL	PEST-X 400 SP	400 g/kg	SP	INSECTICIDE	2	667-164-5147	06-Jul-26	CONTACT	Beans	Leafroller, flea beetle, beanfly, podborer,aphids	2.0-3.5 Tbsp/16 L water	-	-	Do not enter fields treated with PEST-X 400 SP within 12 hours after application
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	METHOMYL	PEST-X 400 SP	400 g/kg	SP	INSECTICIDE	2	667-164-5147	06-Jul-26	CONTACT	Mungbeans	Leafroller, flea beetle, beanfly, podborer,aphids	2.0-3.5 Tbsp/16 L water	-	-	Do not enter fields treated with PEST-X 400 SP within 12 hours after application
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	METHOMYL	PEST-X 400 SP	400 g/kg	SP	INSECTICIDE	2	667-164-5147	06-Jul-26	CONTACT	Soybeans	Leafroller, flea beetle, beanfly, podborer,aphids	2.0-3.5 Tbsp/16 L water	-	-	Do not enter fields treated with PEST-X 400 SP within 12 hours after application
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	METHOMYL	PEST-X 400 SP	400 g/kg	SP	INSECTICIDE	2	667-164-5147	06-Jul-26	CONTACT	Sitao	Leafroller, flea beetle, beanfly, podborer,aphids	2.0-3.5 Tbsp/16 L water	-	-	Do not enter fields treated with PEST-X 400 SP within 12 hours after application
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	METHOMYL	PEST-X 400 SP	400 g/kg	SP	INSECTICIDE	2	667-164-5147	06-Jul-26	CONTACT	Corn	Comborer, earworm	2.0-3.5 Tbsp/16 L water	-	-	Do not enter fields treated with PEST-X 400 SP within 12 hours after application
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	METHOMYL	PEST-X 400 SP	400 g/kg	SP	INSECTICIDE	2	667-164-5147	06-Jul-26	CONTACT	Eggplant	Aphids, flea beetle, fruitworm, lady beetle	2.0-3.5 Tbsp/16 L water	-	-	Do not enter fields treated with PEST-X 400 SP within 12 hours after application
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	METHOMYL	PEST-X 400 SP	400 g/kg	SP	INSECTICIDE	2	667-164-5147	06-Jul-26	CONTACT	Melon	Aphids, Squash beetle, leafroller	2.0-3.5 Tbsp/16 L water	-	-	Do not enter fields treated with PEST-X 400 SP within 12 hours after application
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	METHOMYL	PEST-X 400 SP	400 g/kg	SP	INSECTICIDE	2	667-164-5147	06-Jul-26	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leafroller	2.0-3.5 Tbsp/16 L water	-	-	Do not enter fields treated with PEST-X 400 SP within 12 hours after application
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	METHOMYL	PEST-X 400 SP	400 g/kg	SP	INSECTICIDE	2	667-164-5147	06-Jul-26	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	2.0-3.5 Tbsp/16 L water	-	-	Do not enter fields treated with PEST-X 400 SP within 12 hours after application
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	METHOMYL	PEST-X 400 SP	400 g/kg	SP	INSECTICIDE	2	667-164-5147	06-Jul-26	CONTACT	Tomato	Tomato fruitworm, aphids	2.0-3.5 Tbsp/16 L water	-	-	Do not enter fields treated with PEST-X 400 SP within 12 hours after application
VERDANT LUSTERCORE CORPORATION	LAMBDA-CHYALOTHIRIN	PEST-OUT 2.5 EC	25 g/L	EC	INSECTICIDE	2	546-204-3683	20-Apr-22	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leafroller, black bug	1.0-1.5 Tbsp/16 L of water	0.05ppm	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
VERDANT LUSTERCORE CORPORATION	LAMBDA-CHYALOTHIRIN	PEST-OUT 2.5 EC	25 g/L	EC	INSECTICIDE	2	546-204-3683	20-Apr-22	SYSTEMIC	Mango	Hoppers	0.75-1.5 Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
VERDANT LUSTERCORE CORPORATION	LAMBDA-CHYALOTHIRIN	PEST-OUT 2.5 EC	25 g/L	EC	INSECTICIDE	2	546-204-3683	20-Apr-22	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5 Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
VERDANT LUSTERCORE CORPORATION	LAMBDA-CHYALOTHIRIN	PEST-OUT 2.5 EC	25 g/L	EC	INSECTICIDE	2	546-204-3683	20-Apr-22	SYSTEMIC	Onion	Thrips, cutworm	1.0 Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
VERDANT LUSTERCORE CORPORATION	LAMBDA-CHYALOTHIRIN	PEST-OUT 2.5 EC	25 g/L	EC	INSECTICIDE	2	546-204-3683	20-Apr-22	SYSTEMIC	Mungbeans	Beanfly, flea beetle, leafhopper, aphids, mites, podborer	1.0 Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
VERDANT LUSTERCORE CORPORATION	LAMBDA-CHYALOTHIRIN	PEST-OUT 2.5 EC	25 g/L	EC	INSECTICIDE	2	546-204-3683	20-Apr-22	SYSTEMIC	Corn	Comborer, aphids, seedling maggots	1.0-1.5 Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
VERDANT LUSTERCORE CORPORATION	LAMBDA-CHYALOTHIRIN	PEST-OUT 2.5 EC	25 g/L	EC	INSECTICIDE	2	546-204-3683	20-Apr-22	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5 Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
VERDANT LUSTERCORE CORPORATION	LAMBDA-CHYALOTHIRIN	PEST-OUT 2.5 EC	25 g/L	EC	INSECTICIDE	2	546-204-3683	20-Apr-22	SYSTEMIC	Cotton	Bollworm	1.0-1.5 Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
VERDANT LUSTERCORE CORPORATION	LAMBDA-CHYALOTHIRIN	PEST-OUT 2.5 EC	25 g/L	EC	INSECTICIDE	2	546-204-3683	20-Apr-22	SYSTEMIC	Cocoa	Podborer	1.0-2.0 Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
VERDANT LUSTERCORE CORPORATION	LAMBDA-CHYALOTHIRIN	PEST-OUT 2.5 EC	25 g/L	EC	INSECTICIDE	2	546-204-3683	20-Apr-22	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0 Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	ABAMECTIN	PESTIMEX 18 EC	18 g/L	EC	INSECTICIDE	2	667-234-6283	2-Oct-26	-	Banana	Blossom thrips	4.5 per L water; 0.5 per L water	0.01 ppm	-	Re-enter treated area only after spray has dried
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	ABAMECTIN	PESTIMEX 18 EC	18 g/L	EC	INSECTICIDE	2	667-234-6283	2-Oct-26	-	Cabbage	Diamondback moth	1000 mL prod / ha, 2.0 Tbsp/ 16L water	0.01 ppm	7 Days	Re-enter treated area only after spray has dried
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	ABAMECTIN	PESTIMEX 18 EC	18 g/L	EC	INSECTICIDE	2	667-234-6283	2-Oct-26	-	Ornamentals	Mites	10-15 mL/ 16L water; 1.0-1.5 Tbsp/ 16L water	-	-	Re-enter treated area only after spray has dried
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	ABAMECTIN	PESTIMEX 18 EC	18 g/L	EC	INSECTICIDE	2	667-234-6283	2-Oct-26	-	Pineapple	Mites	1000-4000 mL prod / ha	0.01 ppm	-	Re-enter treated area only after spray has dried
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	ABAMECTIN	PESTIMEX 18 EC	18 g/L	EC	INSECTICIDE	2	667-234-6283	2-Oct-26	-	Eggplant	Thrips, leaf hopper, fruit and shoot borer	900-1500 mL prod / ha, 2.0-5.0 Tbsp/ 16L water	0.01 ppm	3 Days	Re-enter treated area only after spray has dried
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	ABAMECTIN	PESTIMEX 18 EC	18 g/L	EC	INSECTICIDE	2	667-234-6283	2-Oct-26	-	Onion	Leafminer, and thrips	900-1000 mL prod / ha, 2.0-3.0 Tbsp/ 16L water	0.01 ppm	1 Days	Re-enter treated area only after spray has dried
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	ABAMECTIN	PESTIMEX 18 EC	18 g/L	EC	INSECTICIDE	2	667-234-6283	2-Oct-26	-	Potato	Leafminer, and thrips	900-1000 mL prod / ha, 2.0-3.0 Tbsp/ 16L water	0.01 ppm	14 Days	Re-enter treated area only after spray has dried
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	ABAMECTIN	PESTIMEX 18 EC	18 g/L	EC	INSECTICIDE	2	667-234-6283	2-Oct-26	-	Tomato	Leafminer, thrips and aphids	900-1000 mL prod / ha, 2.0-3.0 Tbsp/ 16L water	0.01 ppm	3 Days	Re-enter treated area only after spray has dried
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	ABAMECTIN	PESTIMEX 18 EC	18 g/L	EC	INSECTICIDE	2	667-234-6283	2-Oct-26	-	Watermelon	Leafminer, thrips and melon worm	900-1000 mL prod / ha, 2.0-3.0 Tbsp/ 16L water	0.01 ppm	3 Days	Re-enter treated area only after spray has dried
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	ABAMECTIN	PESTIMEX 18 EC	18 g/L	EC	INSECTICIDE	2	667-234-6283	2-Oct-26	-	Papaya	Mites	100-600 mL prod / ha, 0.5-1.0 Tbsp 16L water	0.01 ppm	14 Days	Re-enter treated area only after spray has dried
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	ABAMECTIN	PESTIMEX 18 EC	18 g/L	EC	INSECTICIDE	2	667-234-6283	2-Oct-26	-	Strawberry	Mites	600-1200 mL prod / ha, 2.0-4.0 Tbsp/ 16L water	0.01 ppm	3 Days	Re-enter treated area only after spray has dried
RAINBOW AGROSCIENCES PHILIPPINES INC.	METHOMYL	PECOVER 40 SP	400g/kg	SP	INSECTICIDE	2	539-164-4672	21-Feb-25	CONTACT	Asparagus	Armyworm, cutworm	2.0-2.5 Tbsp/ 16L water	-	-	Do not enter fields treated within 12 hours application
RAINBOW AGROSCIENCES PHILIPPINES INC.	METHOMYL	PECOVER 40 SP	400g/kg	SP	INSECTICIDE	2	539-164-4672	21-Feb-25	CONTACT	Banana	Thrips	3.5-4.5 Tbsp/ 16L water	-	-	Do not enter fields treated within 12 hours application
RAINBOW AGROSCIENCES PHILIPPINES INC.	METHOMYL	PECOVER 40 SP	400g/kg	SP	INSECTICIDE	2	539-164-4672	21-Feb-25	CONTACT	Beans	Leafroller, flea beetle, beanfly, podborer,aphids	2.0-3.5 Tbsp/ 16L water	-	-	Do not enter fields treated within 12 hours application
RAINBOW AGROSCIENCES PHILIPPINES INC.	METHOMYL	PECOVER 40 SP	400g/kg	SP	INSECTICIDE	2	539-164-4672	21-Feb-25	CONTACT	Mungbeans	Leafroller, flea beetle, beanfly, podborer,aphids	2.0-3.5 Tbsp/ 16L water	-	-	Do not enter fields treated within 12 hours application
RAINBOW AGROSCIENCES PHILIPPINES INC.	METHOMYL	PECOVER 40 SP	400g/kg	SP	INSECTICIDE	2	539-164-4672	21-Feb-25	CONTACT	Soybeans	Leafroller, flea beetle, beanfly, podborer,aphids	2.0-3.5 Tbsp/ 16L water	-	-	Do not enter fields treated within 12 hours application
RAINBOW AGROSCIENCES PHILIPPINES INC.	METHOMYL	PECOVER 40 SP	400g/kg	SP	INSECTICIDE	2	539-164-4672	21-Feb-25	CONTACT	Sitao	Leafroller, flea beetle, beanfly, podborer,aphids	2.0-3.5 Tbsp/ 16L water	-	-	Do not enter fields treated within 12 hours application
RAINBOW AGROSCIENCES PHILIPPINES INC.	METHOMYL	PECOVER 40 SP	400g/kg	SP	INSECTICIDE	2	539-164-4672	21-Feb-25	CONTACT	Corn	Comborer, earworm	2.0-3.5 Tbsp/ 16L water	-	-	Do not enter fields treated within 12 hours application
RAINBOW AGROSCIENCES PHILIPPINES INC.	METHOMYL	PECOVER 40 SP	400g/kg	SP	INSECTICIDE	2	539-164-4672	21-Feb-25	CONTACT	Eggplant	Aphids, flea beetle, fruitworm, lady beetle	2.0-3.5 Tbsp/ 16L water	-	-	Do not enter fields treated within 12 hours application
RAINBOW AGROSCIENCES PHILIPPINES INC.	METHOMYL	PECOVER 40 SP	400g/kg	SP	INSECTICIDE	2	539-164-4672	21-Feb-25	CONTACT	Melon	Aphids, Squash beetle, leafroller	2.0-3.5 Tbsp/ 16L water	-	-	Do not enter fields treated within 12 hours application
RAINBOW AGROSCIENCES PHILIPPINES INC.	METHOMYL	PECOVER 40 SP	400g/kg	SP	INSECTICIDE	2	539-164-4672	21-Feb-25	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leafroller	2.0-3.5 Tbsp/ 16L water	0.01ppm	3 Days	Do not enter fields treated within 12 hours application
RAINBOW AGROSCIENCES PHILIPPINES INC.	METHOMYL	PECOVER 40 SP	400g/kg	SP	INSECTICIDE	2	539-164-4672	21-Feb-25	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	2.0-3.5 Tbsp/ 16L water	-	-	Do not enter fields treated within 12 hours application
RAINBOW AGROSCIENCES PHILIPPINES INC.	METHOMYL	PECOVER 40 SP	400g/kg	SP	INSECTICIDE	2	539-164-4672	21-Feb-25	CONTACT	Tomato	Tomato fruitworm, aphids	2.0-3.5 Tbsp/ 16L water	-	-	Do not enter fields treated within 12 hours application
AGRO TECHNOPRODUCTS INC.	BLTACHLOR+2,4-D IBE	PERISOT 60 EC	300-240 g/L	EC	HERBICIDE	3	370-152-3568	05-Oct-21	PRE-EMERGENT	Rice (Direct seeded)	Broadleaf weeds,grasses & sedges	8-20Tbsp/16 L spray/load	Butachlor 0.1ppm 2,4-D IBE 0.1ppm	-	-
AGRO TECHNOPRODUCTS INC.	BLTACHLOR+2,4-D IBE	PERISOT 60 EC	300-240 g/L	EC	HERBICIDE	3	370-152-3568	05-Oct-21	PRE-EMERGENT	Rice (Transplanted)	Broadleaf weeds,grasses & sedges	8-20Tbsp/16 L spray/load	Butachlor 0.1ppm 2,4-D IBE 0.1ppm	-	-

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
SUMTOMO CORPORATION PHILIPPINES	HALOSULFURAN-METHYL	PERMIT 10 WP	100g/kg	WP	HERBICIDE	4	482-354-5176	18-Aug-23	SELECTIVE	Rice (Transplanted)	Broadleaf weeds and sedges	-	-	-	Entry to treated field is allowed as soon as spray deposits have dried.
SUMTOMO CORPORATION PHILIPPINES	HALOSULFURAN-METHYL	PERMIT 10 WP	100g/kg	WP	HERBICIDE	4	482-354-5176	18-Aug-23	SELECTIVE	Rice (Direct-Seeded)	Broadleaf weeds and sedges	-	-	-	Entry to treated field is allowed as soon as spray deposits have dried.
LINK AGRITECH SOLUTIONS PHILIPPINES INC.	TEBUCONAZOLE	FERMIDOR 430 SC	430g/L	SC	FUNGICIDE	4	615-259-4444	24-Jul-21	SYSTEMIC	Mango	Anthraxnose & stem-end rot	35-45ml/100 L water	-	22 days	Until spray has dried
LINK AGRITECH SOLUTIONS PHILIPPINES INC.	TEBUCONAZOLE	FERMIDOR 430 SC	430g/L	SC	FUNGICIDE	4	615-259-4444	24-Jul-21	SYSTEMIC	Banana	Sigatoka	0.23 L/ha	-	0 day	Until spray has dried
LINK AGRITECH SOLUTIONS PHILIPPINES INC.	TEBUCONAZOLE	FERMIDOR 430 SC	430g/L	SC	FUNGICIDE	4	615-259-4444	24-Jul-21	SYSTEMIC	Corn	Rust	25-30 ml/16 L water	-	-	Until spray has dried
MD LIFE SCIENCES RESOURCE PHILIPPINES INC.	TEBUCONAZOLE	FERMIDOR 25 WP	25g/kg	WP	FUNGICIDE	4	563-259-4439	12-Jul-21	SYSTEMIC	Mango	Anthraxnose & stem-end rot	50-75g/100 Liters water	-	22 days	When spray deposits have dried
MD LIFE SCIENCES RESOURCE PHILIPPINES INC.	TEBUCONAZOLE	FERMIDOR 25 WP	25g/kg	WP	FUNGICIDE	4	563-259-4439	12-Jul-21	SYSTEMIC	Rice	Sheath blight	30-50 g/16 L water	0.05ppm	55 days	When spray deposits have dried
MD LIFE SCIENCES RESOURCE PHILIPPINES INC.	TEBUCONAZOLE	FERMIDOR 25 WP	25g/kg	WP	FUNGICIDE	4	563-259-4439	12-Jul-21	SYSTEMIC	Cabbage	Alternaria & leaf spot	25-30 g/16 L water	-	7 days	When spray deposits have dried
MD LIFE SCIENCES RESOURCE PHILIPPINES INC.	TEBUCONAZOLE	FERMIDOR 25 WP	25g/kg	WP	FUNGICIDE	4	563-259-4439	12-Jul-21	SYSTEMIC	Potato	Early blight	25-30 g/16 L water	-	30 days	When spray deposits have dried
AGCHEM MANUFACTURING CORPORATION	PERMETHRIN	PERMECHEM 10 EC	100 g/L	EC	INSECTICIDE	4	001-127-5322	19-Jan-27	-	Cabbage	Diamond-back moth, aphids, cabbage moth	1-3 Tbsp/16L water	-	-	Spray at weekly interval depending on degree of infestation. Interval between last application and
AGCHEM MANUFACTURING CORPORATION	PERMETHRIN	PERMECHEM 10 EC	100 g/L	EC	INSECTICIDE	4	001-127-5322	19-Jan-27	-	Tomato	Fruitworms	1-3 Tbsp/16L water	-	-	Spray at weekly interval depending on degree of infestation. Interval between last application and
AGCHEM MANUFACTURING CORPORATION	PERMETHRIN	PERMECHEM 10 EC	100 g/L	EC	INSECTICIDE	4	001-127-5322	19-Jan-27	-	Mango	Mango hoppers	1-3 Tbsp/16L water	-	-	Spray at weekly interval depending on degree of infestation. Interval between last application and
AGCHEM MANUFACTURING CORPORATION	PERMETHRIN	PERMECHEM 10 EC	100 g/L	EC	INSECTICIDE	4	001-127-5322	19-Jan-27	-	Tobacco	Budworm, cutworm, aphids, hopper, leafworm	1-3 Tbsp/16L water	-	-	Spray at weekly interval depending on degree of infestation. Interval between last application and
AGCHEM MANUFACTURING CORPORATION	PERMETHRIN	PERMECHEM 10 EC	100 g/L	EC	INSECTICIDE	4	001-127-5322	19-Jan-27	-	Corn	Corn borer, earworm	1-3 Tbsp/16L water	-	-	Spray at weekly interval depending on degree of infestation. Interval between last application and
AGCHEM MANUFACTURING CORPORATION	PERMETHRIN	PERMECHEM 10 EC	100 g/L	EC	INSECTICIDE	4	001-127-5322	19-Jan-27	-	Rice	Whorl maggot, planthopper, Green leafhopper, stem-borer, leafroller	1-2 Tbsp/16L water	-	-	Spray at weekly interval depending on degree of infestation. Interval between last application and
AGCHEM MANUFACTURING CORPORATION	PERMETHRIN	PERMECHEM 10 EC	100 g/L	EC	INSECTICIDE	4	001-127-5322	19-Jan-27	-	Beans	Pod-borer, aphids, flea beetles, beanflies	1-3 Tbsp/16L water	-	-	Spray at weekly interval depending on degree of infestation. Interval between last application and
AGCHEM MANUFACTURING CORPORATION	PERMETHRIN	PERMECHEM 10 EC	100 g/L	EC	INSECTICIDE	4	001-127-5322	19-Jan-27	-	White Potato	Tubermoth	1-3 Tbsp/16L water	-	-	Spray at weekly interval depending on degree of infestation. Interval between last application and
AGCHEM MANUFACTURING CORPORATION	PERMETHRIN	PERMECHEM 10 EC	100 g/L	EC	INSECTICIDE	4	001-127-5322	19-Jan-27	-	Onion	Thrips	1-3 Tbsp/16L water	-	-	Spray at weekly interval depending on degree of infestation. Interval between last application and
BASF PHILIPPINES, INC.	DMETHOATE	PERFEKTHION 40 EC	400 g/L	EC	INSECTICIDE	2	005-045-0533	13-Feb-25	SELECTIVE/SYSTEMIC/CONTACT	Rice	Leafhopper, planthoppers, bugs, stem-borer	2-3 mL/16L water	0.1 ppm	-	Do not spray within 14 days before harvest interval. For other crops, banana 3 months.
BASF PHILIPPINES, INC.	DMETHOATE	PERFEKTHION 40 EC	400 g/L	EC	INSECTICIDE	2	005-045-0533	13-Feb-25	SELECTIVE/SYSTEMIC/CONTACT	Tobacco	Aphids, thrips	2-3 mL/16L water	-	-	Do not spray within 14 days before harvest interval. For other crops, banana 3 months.
BASF PHILIPPINES, INC.	DMETHOATE	PERFEKTHION 40 EC	400 g/L	EC	INSECTICIDE	2	005-045-0533	13-Feb-25	SELECTIVE/SYSTEMIC/CONTACT	Mango	Leafhoppers	2-3 mL/16L water	-	-	Do not spray within 14 days before harvest interval. For other crops, banana 3 months.
BASF PHILIPPINES, INC.	DMETHOATE	PERFEKTHION 40 EC	400 g/L	EC	INSECTICIDE	2	005-045-0533	13-Feb-25	SELECTIVE/SYSTEMIC/CONTACT	Beans	Aphids, thrips, beanflies, leafrollers	3-5 mL/16L water	-	-	Do not spray within 14 days before harvest interval. For other crops, banana 3 months.
BASF PHILIPPINES, INC.	DMETHOATE	PERFEKTHION 40 EC	400 g/L	EC	INSECTICIDE	2	005-045-0533	13-Feb-25	SELECTIVE/SYSTEMIC/CONTACT	eggplant	Aphids, thrips	2-3 mL/16L water	-	-	Do not spray within 14 days before harvest interval. For other crops, banana 3 months.
BASF PHILIPPINES, INC.	DMETHOATE	PERFEKTHION 40 EC	400 g/L	EC	INSECTICIDE	2	005-045-0533	13-Feb-25	SELECTIVE/SYSTEMIC/CONTACT	Cucurbits	Aphids, thrips	2-3 mL/16L water	-	-	Do not spray within 14 days before harvest interval. For other crops, banana 3 months.
BASF PHILIPPINES, INC.	DMETHOATE	PERFEKTHION 40 EC	400 g/L	EC	INSECTICIDE	2	005-045-0533	13-Feb-25	SELECTIVE/SYSTEMIC/CONTACT	Pineapple	Mealybug	2-3 mL/16L water	0.05 ppm	-	Do not spray within 14 days before harvest interval. For other crops, banana 3 months.
BASF PHILIPPINES, INC.	DMETHOATE	PERFEKTHION 40 EC	400 g/L	EC	INSECTICIDE	2	005-045-0533	13-Feb-25	SELECTIVE/SYSTEMIC/CONTACT	Coffee	Berry-borer, leafroller, mealybug	2-3 mL/16L water	0.05 ppm	-	Do not spray within 14 days before harvest interval. For other crops, banana 3 months.
BASF PHILIPPINES, INC.	DMETHOATE	PERFEKTHION 40 EC	400 g/L	EC	INSECTICIDE	2	005-045-0533	13-Feb-25	SELECTIVE/SYSTEMIC/CONTACT	Cacao	Aphids, capid bugs	1.5-6.4 mL/16L water	-	-	Do not spray within 14 days before harvest interval. For other crops, banana 3 months.
BASF PHILIPPINES, INC.	DMETHOATE	PERFEKTHION 40 EC	400 g/L	EC	INSECTICIDE	2	005-045-0533	13-Feb-25	SELECTIVE/SYSTEMIC/CONTACT	Citrus	Aphids, mealybugs, rind-borers, scale insects	2-3 mL/16L water	-	-	Do not spray within 14 days before harvest interval. For other crops, banana 3 months.
BASF PHILIPPINES, INC.	DMETHOATE	PERFEKTHION 40 EC	400 g/L	EC	INSECTICIDE	2	005-045-0533	13-Feb-25	SELECTIVE/SYSTEMIC/CONTACT	Cotton	Aphids, leafroller, whiteflies, mites	2-3 mL/16L water	-	-	Do not spray within 14 days before harvest interval. For other crops, banana 3 months.
BASF PHILIPPINES, INC.	DMETHOATE	PERFEKTHION 40 EC	400 g/L	EC	INSECTICIDE	2	005-045-0533	13-Feb-25	SELECTIVE/SYSTEMIC/CONTACT	Banana	Flower thrips	3.0 mL/ water. Inject 60-80 mL solution per bud	-	-	Do not spray within 14 days before harvest interval. For other crops, banana 3 months.
BIOSTADT PHILIPPINES INC.	BP/MC-CHLORPYRIFOS	PERFER 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	097-174-1199	19-Sep-23	-	Rice	Stemborer, armyworm, leafhopper, case-worm and planthopper	2.5-3.5 Tbsp/16L water	-	-	-
BIOSTADT PHILIPPINES INC.	BP/MC-CHLORPYRIFOS	PERFER 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	097-174-1199	19-Sep-23	-	Corn	Seeding maggot, corn earworm, cornborer and armyworm	2.5-3.5 Tbsp/16L water	-	-	-
BIOSTADT PHILIPPINES INC.	BP/MC-CHLORPYRIFOS	PERFER 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	097-174-1199	19-Sep-23	-	Tobacco	Budworm, grasshopper, aphid, cutworm and armyworm	2.5-3.5 Tbsp/16L water	-	-	-
BIOSTADT PHILIPPINES INC.	BP/MC-CHLORPYRIFOS	PERFER 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	097-174-1199	19-Sep-23	-	Cucumber	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/16L water	-	-	-
BIOSTADT PHILIPPINES INC.	BP/MC-CHLORPYRIFOS	PERFER 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	097-174-1199	19-Sep-23	-	Melon	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/16L water	-	-	-
BIOSTADT PHILIPPINES INC.	BP/MC-CHLORPYRIFOS	PERFER 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	097-174-1199	19-Sep-23	-	Watermelon	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/16L water	-	-	-
BIOSTADT PHILIPPINES INC.	BP/MC-CHLORPYRIFOS	PERFER 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	097-174-1199	19-Sep-23	-	Onion	Thrips, cutworm	2.5-3.5 Tbsp/16L water	-	-	-
BIOSTADT PHILIPPINES INC.	BP/MC-CHLORPYRIFOS	PERFER 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	097-174-1199	19-Sep-23	-	Mungo	Beanfly, armyworm, cutworm, leafminer and leafroller	2.5-3.5 Tbsp/16L water	-	-	-
BIOSTADT PHILIPPINES INC.	BP/MC-CHLORPYRIFOS	PERFER 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	097-174-1199	19-Sep-23	-	Soybeans	Beanfly, armyworm, cutworm, leafminer and leafroller	2.5-3.5 Tbsp/16L water	-	-	-
BIOSTADT PHILIPPINES INC.	BP/MC-CHLORPYRIFOS	PERFER 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	097-174-1199	19-Sep-23	-	Beans	Beanfly, armyworm, cutworm, leafminer and leafroller	2.5-3.5 Tbsp/16L water	-	-	-
CROPKING CHEMICALS INC.	AMMONIUM SALT OF GLYPHOSATE	PERA 71 SG	71 g/kg	SG	HERBICIDE	4	065-473-4301	21-Mar-21	SYSTEMIC/POST-EMERGENT	glyphosate tolerant corn	Grasses, sedges & broadleaves	1.2 to 1.8 kg product/ha (applied at 14 to 21 days after planting)	-	-	As soon as spray deposits on crops and weeds have dried.
CROPKING CHEMICALS INC.	AMMONIUM SALT OF GLYPHOSATE	PERA 71 SG	71 g/kg	SG	HERBICIDE	4	065-473-4301	21-Mar-21	SYSTEMIC/POST-EMERGENT	Corn hybrid (preplant)	Grasses, sedges & broadleaves	1.8 to 1.6 kg product/ha	-	-	As soon as spray deposits on crops and weeds have dried.
CROPKING CHEMICALS INC.	AMMONIUM SALT OF GLYPHOSATE	PERA 71 SG	71 g/kg	SG	HERBICIDE	4	065-473-4301	21-Mar-21	SYSTEMIC/POST-EMERGENT	Non-crop areas	Grasses, sedges & broadleaves	1.7 to 1.4 kg product/ha	-	-	As soon as spray deposits on crops and weeds have dried.
ASIAQUEST VENTURES CORPORATION	CHLORPYRIFOS	PENTENE IR 1203 1% BAG	10 g/kg	-	INSECTICIDE	4	635-301-4680	01-Mar-22	-	Banana	Mealybug	-	-	-	-
VERDANT LUSTERCORE CORPORATION	PROFENOFOS	PENO-PLUS 500 EC	500 g/L	EC	INSECTICIDE	2	546-070-3551	21-Sep-21	CONTACT	Mango	Thrips	1.0-2.0 Tbsp/16L water	-	-	Do not apply at less than 7 days before harvest.
VERDANT LUSTERCORE CORPORATION	PROFENOFOS	PENO-PLUS 500 EC	500 g/L	EC	INSECTICIDE	2	546-070-3551	21-Sep-21	CONTACT	Tomato	Fruitworm, armyworm, cutworm	3-5 Tbsp/16L water	-	-	Do not apply at less than 7 days before harvest.
VERDANT LUSTERCORE CORPORATION	PROFENOFOS	PENO-PLUS 500 EC	500 g/L	EC	INSECTICIDE	2	546-070-3551	21-Sep-21	CONTACT	Eggplant	Fruit-borer, aphids, leafhopper, & thrips	1.5-3.0 Tbsp/16L water	-	-	Do not apply at less than 7 days before harvest.
VERDANT LUSTERCORE CORPORATION	PROFENOFOS	PENO-PLUS 500 EC	500 g/L	EC	INSECTICIDE	2	546-070-3551	21-Sep-21	CONTACT	Cabbage	Diamond back moth, cabbage worm & aphids, thrips	3-5 Tbsp/16L water	-	-	Do not apply at less than 7 days before harvest.
VERDANT LUSTERCORE CORPORATION	PROFENOFOS	PENO-PLUS 500 EC	500 g/L	EC	INSECTICIDE	2	546-070-3551	21-Sep-21	CONTACT	Watermelon	Thrips	3-5 Tbsp/16L water	-	-	Do not apply at less than 7 days before harvest.
VERDANT LUSTERCORE CORPORATION	PROFENOFOS	PENO-PLUS 500 EC	500 g/L	EC	INSECTICIDE	2	546-070-3551	21-Sep-21	CONTACT	Potato	Thrips, army worm, cutworm, tubermoth	3-5 Tbsp/16L water	-	-	Do not apply at less than 7 days before harvest.
VERDANT LUSTERCORE CORPORATION	PROFENOFOS	PENO-PLUS 500 EC	500 g/L	EC	INSECTICIDE	2	546-070-3551	21-Sep-21	CONTACT	Soybeans	Corn earworm, leafminer	3-5 Tbsp/16L water	-	-	Do not apply at less than 7 days before harvest.
VERDANT LUSTERCORE CORPORATION	PROFENOFOS	PENO-PLUS 500 EC	500 g/L	EC	INSECTICIDE	2	546-070-3551	21-Sep-21	CONTACT	Mungbeans	Corn earworm, leafminer	3-5 Tbsp/16L water	-	-	Do not apply at less than 7 days before harvest.
VERDANT LUSTERCORE CORPORATION	PROFENOFOS	PENO-PLUS 500 EC	500 g/L	EC	INSECTICIDE	2	546-070-3551	21-Sep-21	CONTACT	Cotton	Thrips, bollworm & budworm	3-5 Tbsp/16L water	-	-	Do not apply at less than 7 days before harvest.
VERDANT LUSTERCORE CORPORATION	PROFENOFOS	PENO-PLUS 500 EC	500 g/L	EC	INSECTICIDE	2	546-070-3551	21-Sep-21	CONTACT	Sitae	Beanfly, leafroller, leafminer aphids	1.5-3.0 Tbsp/16L water	-	-	Do not apply at less than 7 days before harvest.
UPL PHILIPPINES, INC.	MANCOZEB	PENNCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	162-053-3951	23-Dec-25	-	Potato	Early and late blight	3-6 Tbsp/16 L water	-	-	As soon as spray dries
UPL PHILIPPINES, INC.	MANCOZEB	PENNCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	162-053-3951	23-Dec-25	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16L water	-	7 Days	As soon as spray dries

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
UPL PHILIPPINES, INC.	MANCOZEB	PENNCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	162-053-3951	23-Dec-25	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
UPL PHILIPPINES, INC.	MANCOZEB	PENNCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	162-053-3951	23-Dec-25	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
UPL PHILIPPINES, INC.	MANCOZEB	PENNCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	162-053-3951	23-Dec-25	-	Catery	Late blight	3-6 Tbsp/16 L water	-	14 Days	As soon as spray dries
UPL PHILIPPINES, INC.	MANCOZEB	PENNCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	162-053-3951	23-Dec-25	-	Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
UPL PHILIPPINES, INC.	MANCOZEB	PENNCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	162-053-3951	23-Dec-25	-	Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
UPL PHILIPPINES, INC.	MANCOZEB	PENNCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	162-053-3951	23-Dec-25	-	Cotton	Damping off	3-6 Tbsp/16 L water	-	-	As soon as spray dries
UPL PHILIPPINES, INC.	MANCOZEB	PENNCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	162-053-3951	23-Dec-25	-	lettuce	Downy mildew	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
UPL PHILIPPINES, INC.	MANCOZEB	PENNCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	162-053-3951	23-Dec-25	-	beans	Anthracoese, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
UPL PHILIPPINES, INC.	MANCOZEB	PENNCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	162-053-3951	23-Dec-25	-	Peas	Anthracoese, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
UPL PHILIPPINES, INC.	MANCOZEB	PENNCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	162-053-3951	23-Dec-25	-	Mungo	Anthracoese, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
UPL PHILIPPINES, INC.	MANCOZEB	PENNCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	162-053-3951	23-Dec-25	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
UPL PHILIPPINES, INC.	MANCOZEB	PENNCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	162-053-3951	23-Dec-25	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
UPL PHILIPPINES, INC.	MANCOZEB	PENNCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	162-053-3951	23-Dec-25	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
UPL PHILIPPINES, INC.	MANCOZEB	PENNCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	162-053-3951	23-Dec-25	-	Pepper	Anthracoese	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
UPL PHILIPPINES, INC.	MANCOZEB	PENNCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	162-053-3951	23-Dec-25	-	Chili	Anthracoese	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
UPL PHILIPPINES, INC.	MANCOZEB	PENNCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	162-053-3951	23-Dec-25	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
UPL PHILIPPINES, INC.	MANCOZEB	PENNCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	162-053-3951	23-Dec-25	-	Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16 L water	-	-	As soon as spray dries
UPL PHILIPPINES, INC.	MANCOZEB	PENNCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	162-053-3951	23-Dec-25	-	Grapes	Downy mildew, black rot	3-6 Tbsp/16 L water	-	60 days	As soon as spray dries
UPL PHILIPPINES, INC.	MANCOZEB	PENNCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	162-053-3951	23-Dec-25	-	Mango	Anthracoese and Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
UPL PHILIPPINES, INC.	MANCOZEB	PENNCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	162-053-3951	23-Dec-25	-	Papaya	Fruit rot	3-6 Tbsp/16 L water	-	-	As soon as spray dries
UPL PHILIPPINES, INC.	MANCOZEB	PENNCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	162-053-3951	23-Dec-25	-	Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
UPL PHILIPPINES, INC.	MANCOZEB	PENNCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	162-053-3951	23-Dec-25	-	Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
UPL PHILIPPINES, INC.	MANCOZEB	PENNCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	162-053-3951	23-Dec-25	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
UPL PHILIPPINES, INC.	MANCOZEB	PENNCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	162-053-3951	23-Dec-25	-	Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16 L water	0.02ppm	-	As soon as spray dries
UPL PHILIPPINES, INC.	MANCOZEB	PENNCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	162-053-3951	23-Dec-25	-	Peanut	Cercospora leaf spot	3-6 Tbsp/16 L water	-	14 days	As soon as spray dries
UPL PHILIPPINES, INC.	MANCOZEB	PENNCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	162-053-3951	23-Dec-25	-	Soybeans	Leaf rust	3-6 Tbsp/16 L water	-	-	As soon as spray dries
UPL PHILIPPINES, INC.	MANCOZEB	PENNCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	162-053-3951	23-Dec-25	-	Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/16 L water	-	-	As soon as spray dries
BAYER CROPSCIENCE, INC.	PHENTHOATE	PENNANT 500 EC	500 g/L	EC	INSECTICIDE	2	284-059-0199	15-Oct-25	-	Onion	Thrips	20-50 ml/16L water	-	14 days	-
BAYER CROPSCIENCE, INC.	PHENTHOATE	PENNANT 500 EC	500 g/L	EC	INSECTICIDE	2	284-059-0199	15-Oct-25	-	Rice	Green leafhopper, brown planthopper, stemborer, whorl maggot, cutworm	20-50 ml/16L water	0.05 ppm	7 days	-
BAYER CROPSCIENCE, INC.	PHENTHOATE	PENNANT 500 EC	500 g/L	EC	INSECTICIDE	2	284-059-0199	15-Oct-25	-	Corn	Corn borer, earworm, cutworm	20-50 ml/16L water	-	14 days	-
BAYER CROPSCIENCE, INC.	PHENTHOATE	PENNANT 500 EC	500 g/L	EC	INSECTICIDE	2	284-059-0199	15-Oct-25	-	Cabbage & other crucifers	Diamond-back moth, cabbage worm, aphids, cutworm	20-50 ml/16L water	-	7 days	-
BAYER CROPSCIENCE, INC.	PHENTHOATE	PENNANT 500 EC	500 g/L	EC	INSECTICIDE	2	284-059-0199	15-Oct-25	-	Eggplant	Flieabeetle, mealybug	20-50 ml/16L water	-	3 days	-
BAYER CROPSCIENCE, INC.	PHENTHOATE	PENNANT 500 EC	500 g/L	EC	INSECTICIDE	2	284-059-0199	15-Oct-25	-	Tomato	Fruitworm, lady beetle	20-50 ml/16L water	-	3 days	-
BAYER CROPSCIENCE, INC.	PHENTHOATE	PENNANT 500 EC	500 g/L	EC	INSECTICIDE	2	284-059-0199	15-Oct-25	-	Mango	Mango hopper, tip borer, twig borer	20-50 ml/16L water	-	14 days	-
BAYER CROPSCIENCE, INC.	PHENTHOATE	PENNANT 500 EC	500 g/L	EC	INSECTICIDE	2	284-059-0199	15-Oct-25	-	Soybeans & other beans	Pod borer, aphids, semi-looper, leafroller	20-50 ml/16L water	-	7 days	-
BAYER CROPSCIENCE, INC.	PHENTHOATE	PENNANT 500 EC	500 g/L	EC	INSECTICIDE	2	284-059-0199	15-Oct-25	-	Cucumber and other cucurbits	Aphids	20-50 ml/16L water	-	3 days	-
BAYER CROPSCIENCE, INC.	PHENTHOATE	PENNANT 500 EC	500 g/L	EC	INSECTICIDE	2	284-059-0199	15-Oct-25	-	White potato	Aphids, cutworm	20-50 ml/16L water	-	7 days	-
BAYER CROPSCIENCE, INC.	PHENTHOATE	PENNANT 500 EC	500 g/L	EC	INSECTICIDE	2	284-059-0199	15-Oct-25	-	Tobacco	Budworm, cutworm, aphids, armyworm, thrips, leafworm	20-50 ml/16L water	-	-	-
BAYER CROPSCIENCE, INC.	PHENTHOATE	PENNANT 500 EC	500 g/L	EC	INSECTICIDE	2	284-059-0199	15-Oct-25	-	Citrus	Scale insect, aphids, mealybug, whiteflies	20-50 ml/16L water	-	14 days	-
BAYER CROPSCIENCE, INC.	PHENTHOATE	PENNANT 500 EC	500 g/L	EC	INSECTICIDE	2	284-059-0199	15-Oct-25	-	Sorghum	Webworm, armyworm	20-50 ml/16L water	-	14 days	-
BAYER CROPSCIENCE, INC.	PHENTHOATE	PENNANT 500 EC	500 g/L	EC	INSECTICIDE	2	284-059-0199	15-Oct-25	-	Cotton	Leafhopper, bollworm, flower weevil, boll weevil, cotton stainer, leafworm, aphids	20-50 ml/16L water	-	14 days	-
ZAGRO CORPORATION	PHENTHOATE	PENHOPP 50 EC	500 g/L	EC	INSECTICIDE	2	043-059-3114	08-Feb-19	-	Onion	Thrips	20-50 ml/16L water	-	-	-
ZAGRO CORPORATION	PHENTHOATE	PENHOPP 50 EC	500 g/L	EC	INSECTICIDE	2	043-059-3114	08-Feb-19	-	Rice	Green leafhopper, brown planthopper, stemborer, whorl maggot, cutworm	20-50 ml/16L water	-	-	-
ZAGRO CORPORATION	PHENTHOATE	PENHOPP 50 EC	500 g/L	EC	INSECTICIDE	2	043-059-3114	08-Feb-19	-	Corn	Corn borer, earworm, cutworm	20-50 ml/16L water	-	-	-
ZAGRO CORPORATION	PHENTHOATE	PENHOPP 50 EC	500 g/L	EC	INSECTICIDE	2	043-059-3114	08-Feb-19	-	Cabbage & other crucifers	Diamond-back moth, cabbage worm, aphids, cutworm	20-50 ml/16L water	-	-	-
ZAGRO CORPORATION	PHENTHOATE	PENHOPP 50 EC	500 g/L	EC	INSECTICIDE	2	043-059-3114	08-Feb-19	-	Eggplant	Flieabeetle, mealybug	20-50 ml/16L water	-	-	-
ZAGRO CORPORATION	PHENTHOATE	PENHOPP 50 EC	500 g/L	EC	INSECTICIDE	2	043-059-3114	08-Feb-19	-	Tomato	Fruitworm, lady beetle	20-50 ml/16L water	-	-	-
ZAGRO CORPORATION	PHENTHOATE	PENHOPP 50 EC	500 g/L	EC	INSECTICIDE	2	043-059-3114	08-Feb-19	-	Mango	Mango hopper, tip borer, twig borer	20-50 ml/16L water	-	-	-
ZAGRO CORPORATION	PHENTHOATE	PENHOPP 50 EC	500 g/L	EC	INSECTICIDE	2	043-059-3114	08-Feb-19	-	Soybeans & other beans	Pod borer, aphids, semi-looper, leafroller	20-50 ml/16L water	-	-	-
ZAGRO CORPORATION	PHENTHOATE	PENHOPP 50 EC	500 g/L	EC	INSECTICIDE	2	043-059-3114	08-Feb-19	-	Cucumber and other cucurbits	Aphids	20-50 ml/16L water	-	-	-
ZAGRO CORPORATION	PHENTHOATE	PENHOPP 50 EC	500 g/L	EC	INSECTICIDE	2	043-059-3114	08-Feb-19	-	White potato	Aphids, cutworm	20-50 ml/16L water	-	-	-
ZAGRO CORPORATION	PHENTHOATE	PENHOPP 50 EC	500 g/L	EC	INSECTICIDE	2	043-059-3114	08-Feb-19	-	Tobacco	Budworm, cutworm, aphids, armyworm, thrips, leafworm	20-50 ml/16L water	-	-	-
ZAGRO CORPORATION	PHENTHOATE	PENHOPP 50 EC	500 g/L	EC	INSECTICIDE	2	043-059-3114	08-Feb-19	-	Citrus	Scale insect, aphids, mealybug, whiteflies	20-50 ml/16L water	-	-	-
ZAGRO CORPORATION	PHENTHOATE	PENHOPP 50 EC	500 g/L	EC	INSECTICIDE	2	043-059-3114	08-Feb-19	-	Sorghum	Webworm, armyworm	20-50 ml/16L water	-	-	-
ZAGRO CORPORATION	PHENTHOATE	PENHOPP 50 EC	500 g/L	EC	INSECTICIDE	2	043-059-3114	08-Feb-19	-	Cotton	Leafhopper, bollworm, flower weevil, boll weevil, cotton stainer, leafworm, aphids	20-50 ml/16L water	-	-	-
ORACLE CHEM CORPORATION	PHENTHOATE	PENDANT 50 EC	500 g/L	EC	INSECTICIDE	2	417-059-2707	22-Oct-19	-	Onion	Thrips	20-50 ml/16L water	-	-	-

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
ORACLE CHEM CORPORATION	PHENTHOATE	PENDANT 50 EC	500 g/L	EC	INSECTICIDE	2	417-059-2707	22-Oct-19	-	Rice	Green leafhopper, brown planthopper, stemborer, whorl maggot, cutworm	20-50 ml/36L water	-	-	-
ORACLE CHEM CORPORATION	PHENTHOATE	PENDANT 50 EC	500 g/L	EC	INSECTICIDE	2	417-059-2707	22-Oct-19	-	Corn	Corn borer, earworm, cutworm	20-50 ml/36L water	-	-	-
ORACLE CHEM CORPORATION	PHENTHOATE	PENDANT 50 EC	500 g/L	EC	INSECTICIDE	2	417-059-2707	22-Oct-19	-	Cabbage & other crucifers	Diamond-back moth, cabbage worm, aphids, cutworm	20-50 ml/36L water	-	-	-
ORACLE CHEM CORPORATION	PHENTHOATE	PENDANT 50 EC	500 g/L	EC	INSECTICIDE	2	417-059-2707	22-Oct-19	-	Eggplant	Firebeetle, mealybug	20-50 ml/36L water	-	-	-
ORACLE CHEM CORPORATION	PHENTHOATE	PENDANT 50 EC	500 g/L	EC	INSECTICIDE	2	417-059-2707	22-Oct-19	-	Tomato	Fruitworm, lady beetle	20-50 ml/36L water	-	-	-
ORACLE CHEM CORPORATION	PHENTHOATE	PENDANT 50 EC	500 g/L	EC	INSECTICIDE	2	417-059-2707	22-Oct-19	-	Mango	Mango hopper, tip borer, twig borer	20-50 ml/36L water	-	-	-
ORACLE CHEM CORPORATION	PHENTHOATE	PENDANT 50 EC	500 g/L	EC	INSECTICIDE	2	417-059-2707	22-Oct-19	-	Soybeans & other beans	Pod borer, aphids, semi-looper, leafroller	20-50 ml/36L water	-	-	-
ORACLE CHEM CORPORATION	PHENTHOATE	PENDANT 50 EC	500 g/L	EC	INSECTICIDE	2	417-059-2707	22-Oct-19	-	Cucumber and other cucurbits	Aphids	20-50 ml/36L water	-	-	-
ORACLE CHEM CORPORATION	PHENTHOATE	PENDANT 50 EC	500 g/L	EC	INSECTICIDE	2	417-059-2707	22-Oct-19	-	White potato	Aphids, cutworm	20-50 ml/36L water	-	-	-
ORACLE CHEM CORPORATION	PHENTHOATE	PENDANT 50 EC	500 g/L	EC	INSECTICIDE	2	417-059-2707	22-Oct-19	-	Tobacco	Budworm, cutworm, aphids, armyworm, thrips, leafworm	20-50 ml/36L water	-	-	-
ORACLE CHEM CORPORATION	PHENTHOATE	PENDANT 50 EC	500 g/L	EC	INSECTICIDE	2	417-059-2707	22-Oct-19	-	Citrus	Scale insect, aphids, mealybug, whiteflies	20-50 ml/36L water	-	-	-
ORACLE CHEM CORPORATION	PHENTHOATE	PENDANT 50 EC	500 g/L	EC	INSECTICIDE	2	417-059-2707	22-Oct-19	-	Sorghum	Webworm, armyworm	20-50 ml/36L water	-	-	-
ORACLE CHEM CORPORATION	PHENTHOATE	PENDANT 50 EC	500 g/L	EC	INSECTICIDE	2	417-059-2707	22-Oct-19	-	Cotton	Leafhopper, bollworm, flower weevil, boll weevil, cotton stainer, leafworm, aphids	20-50 ml/36L water	-	-	-
LIOMPHIL INTERNATIONAL INC.	DODINE	PENALTY 400 SC	400 g/L	SC	FUNGICIDE	2	590-418-5599	12-Nov-24	-	Banana	Black Sigatoka	One (1) Liter per hectare	-	0 Day	No ground workers are allowed during the spray operation. Works can enter the treated area only after 12 hours of application to avoid exposure to small droplets
SYNGENTA PHILIPPINES INC.	DAIFENTHURON	PIGASUL 900 SC	500 g/L	SC	INSECTICIDE	2	011-305-4309	28-Jan-24	CONTACT	Cabbage	Diamondback moth	2.0-2.6 Tbsp/36L knapsack sprayer	-	14 Days	Do not enter areas for 24 hours after treatment
SYNGENTA PHILIPPINES INC.	DAIFENTHURON	PIGASUL 250 SC	250 g/L	SC	INSECTICIDE	2	011-305-0818	13-Mar-20	CONTACT	Cabbage	Diamondback moth	2.0-2.6 Tbsp/36L knapsack sprayer	-	14 Days	Do not enter areas for 24 hours after treatment
PHIL DREAM AGRO VENTURES INC.	PHENTHOATE-IPMC	PEDAV 350 EC	250 g/L+100 g/L	EC	INSECTICIDE	2	726-193-6209	5-Sep-25	-	Rice	Whorl maggot, green leafhopper, brown planthopper, armyworm, rice bug	24-40 ml/36L water	-	-	Do not spray 7 days before harvest on rice and crucifers, 10 days before spraying on tobacco and 14 days before
PHIL DREAM AGRO VENTURES INC.	PHENTHOATE-IPMC	PEDAV 350 EC	250 g/L+100 g/L	EC	INSECTICIDE	2	726-193-6209	5-Sep-25	-	Corn	Corn borer, corn earworm, seedling maggot	24-40 ml/36L water	-	-	Do not spray 7 days before harvest on rice and crucifers, 10 days before spraying on tobacco and 14 days before
PHIL DREAM AGRO VENTURES INC.	PHENTHOATE-IPMC	PEDAV 350 EC	250 g/L+100 g/L	EC	INSECTICIDE	2	726-193-6209	5-Sep-25	-	Sorghum	Webworm	24-40 ml/36L water	-	-	Do not spray 7 days before harvest on rice and crucifers, 10 days before spraying on tobacco and 14 days before
PHIL DREAM AGRO VENTURES INC.	PHENTHOATE-IPMC	PEDAV 350 EC	250 g/L+100 g/L	EC	INSECTICIDE	2	726-193-6209	5-Sep-25	-	Tobacco	Budworm, cutworm	24-40 ml/36L water	-	-	Do not spray 7 days before harvest on rice and crucifers, 10 days before spraying on tobacco and 14 days before
PHIL DREAM AGRO VENTURES INC.	PHENTHOATE-IPMC	PEDAV 350 EC	250 g/L+100 g/L	EC	INSECTICIDE	2	726-193-6209	5-Sep-25	-	Crucifers	Diamond backed moth, cabbage worm, aphids	24-40 ml/36L water	-	-	Do not spray 7 days before harvest on rice and crucifers, 10 days before spraying on tobacco and 14 days before
PHIL DREAM AGRO VENTURES INC.	PHENTHOATE-IPMC	PEDAV 350 EC	250 g/L+100 g/L	EC	INSECTICIDE	2	726-193-6209	5-Sep-25	-	Citrus	Scale insects, mealy bugs, aphids, white flies	24-40 ml/36L water	-	-	Do not spray 7 days before harvest on rice and crucifers, 10 days before spraying on tobacco and 14 days before
MONARCH AGRICULTURAL PRODUCTS, INC.	PHENTHOATE	PEASANT 50 EC	500 g/L	EC	INSECTICIDE	2	096-059-3127	19-Mar-25	-	Onion	Thrips	20-50 ml/36L water	-	-	Do not spray within 14 days before harvest
MONARCH AGRICULTURAL PRODUCTS, INC.	PHENTHOATE	PEASANT 50 EC	500 g/L	EC	INSECTICIDE	2	096-059-3127	19-Mar-25	-	Rice	Green leafhopper, brown planthopper, stemborer, whorl maggot, cutworm	20-50 ml/36L water	-	7 Days	Re-entry into treated areas may be done at least 2 days after application
MONARCH AGRICULTURAL PRODUCTS, INC.	PHENTHOATE	PEASANT 50 EC	500 g/L	EC	INSECTICIDE	2	096-059-3127	19-Mar-25	-	Corn	Corn borer, earworm, cutworm	20-50 ml/36L water	-	-	Do not spray within 14 days before harvest
MONARCH AGRICULTURAL PRODUCTS, INC.	PHENTHOATE	PEASANT 50 EC	500 g/L	EC	INSECTICIDE	2	096-059-3127	19-Mar-25	-	Cabbage & other crucifers	Diamond-back moth, cabbage worm, aphids, cutworm	20-50 ml/36L water	-	7 Days	Re-entry into treated areas may be done at least 2 days after application
MONARCH AGRICULTURAL PRODUCTS, INC.	PHENTHOATE	PEASANT 50 EC	500 g/L	EC	INSECTICIDE	2	096-059-3127	19-Mar-25	-	Eggplant	Firebeetle, mealybug	20-50 ml/36L water	-	3 Days	Re-entry into treated areas may be done at least 2 days after application
MONARCH AGRICULTURAL PRODUCTS, INC.	PHENTHOATE	PEASANT 50 EC	500 g/L	EC	INSECTICIDE	2	096-059-3127	19-Mar-25	-	Tomato	Fruitworm, lady beetle	20-50 ml/36L water	-	3 Days	Re-entry into treated areas may be done at least 2 days after application
MONARCH AGRICULTURAL PRODUCTS, INC.	PHENTHOATE	PEASANT 50 EC	500 g/L	EC	INSECTICIDE	2	096-059-3127	19-Mar-25	-	Mango	Mango hopper, tip borer, twig borer	20-50 ml/36L water	-	-	Do not spray within 14 days before harvest
MONARCH AGRICULTURAL PRODUCTS, INC.	PHENTHOATE	PEASANT 50 EC	500 g/L	EC	INSECTICIDE	2	096-059-3127	19-Mar-25	-	Soybeans & other beans	Pod borer, aphids, semi-looper, leafroller	20-50 ml/36L water	-	7 Days	Re-entry into treated areas may be done at least 2 days after application
MONARCH AGRICULTURAL PRODUCTS, INC.	PHENTHOATE	PEASANT 50 EC	500 g/L	EC	INSECTICIDE	2	096-059-3127	19-Mar-25	-	Cucumber and other cucurbits	Aphids	20-50 ml/36L water	-	3 Days	Re-entry into treated areas may be done at least 2 days after application
MONARCH AGRICULTURAL PRODUCTS, INC.	PHENTHOATE	PEASANT 50 EC	500 g/L	EC	INSECTICIDE	2	096-059-3127	19-Mar-25	-	White potato	Aphids, cutworm	20-50 ml/36L water	-	7 Days	Re-entry into treated areas may be done at least 2 days after application
MONARCH AGRICULTURAL PRODUCTS, INC.	PHENTHOATE	PEASANT 50 EC	500 g/L	EC	INSECTICIDE	2	096-059-3127	19-Mar-25	-	Tobacco	Budworm, cutworm, aphids, armyworm, thrips, leafworm	20-50 ml/36L water	-	-	Re-entry into treated areas may be done at least 2 days after application
MONARCH AGRICULTURAL PRODUCTS, INC.	PHENTHOATE	PEASANT 50 EC	500 g/L	EC	INSECTICIDE	2	096-059-3127	19-Mar-25	-	Citrus	Scale insect, aphids, mealybug, whiteflies	20-50 ml/36L water	-	-	Do not spray within 14 days before harvest
MONARCH AGRICULTURAL PRODUCTS, INC.	PHENTHOATE	PEASANT 50 EC	500 g/L	EC	INSECTICIDE	2	096-059-3127	19-Mar-25	-	Sorghum	Webworm, armyworm	20-50 ml/36L water	-	-	Do not spray within 14 days before harvest
MONARCH AGRICULTURAL PRODUCTS, INC.	PHENTHOATE	PEASANT 50 EC	500 g/L	EC	INSECTICIDE	2	096-059-3127	19-Mar-25	-	Cotton	Leafhopper, bollworm, flower weevil, boll weevil, cotton stainer, leafworm, aphids	20-50 ml/36L water	-	-	Do not spray within 14 days before harvest
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	PIRACLOSTROBIN	PEAK 250 EC	250 g/L	EC	FUNGICIDE	2	667-396-5139	01-Jul-26	-	Corn	Leafspot	0.4 L/ha	-	4 days	After drying of spray
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	PIRACLOSTROBIN	PEAK 250 EC	250 g/L	EC	FUNGICIDE	2	667-396-5139	01-Jul-26	-	Banana	Sigatoka freckles	0.4 L/ha	-	4 days	After drying of spray
PERFECT BREEDING AND AQUATIC CORPORATION	GLUTARALDEHYDE-4-ALYLODMETHYLBENZYLAMMONIUM CHLORIDE	PBAC MICROBUL	150g/L+100g/L	-	OTHERS	2	722-593-5784	31-Dec-24	-	-	Routine sanitation and disinfection of farm buildings, hatcheries and equipment	-	-	-	-
PERFECT BREEDING AND AQUATIC CORPORATION	GLUTARALDEHYDE-4-ALYLODMETHYLBENZYLAMMONIUM CHLORIDE-DOCTYLBENZYLDMETHYLAMMONIUM	PBAC F4+	-	-	OTHERS	2	722-593-5783	31-Dec-24	-	-	Disinfection and sanitation of farm buildings, poultry houses, hatcheries, animal transport vehicles and equipment	-	-	-	-
JEELS MASAGANA FARM SUPPLY, INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	PATYA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	487-395-5227	22-Sep-22	CONTACT/SYSTEMIC	Potato	Whiteflies, aphids, thrips	100-200ml product/ha, 4-6 ml/36 L	-	-	Do not enter treated fields at least 1 Day after application
JEELS MASAGANA FARM SUPPLY, INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	PATYA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	487-395-5227	22-Sep-22	CONTACT/SYSTEMIC	Stringbeans	Green leafhopper, aphids, mites	100-200ml product/ha, 4-6 ml/36 L	-	-	Do not enter treated fields at least 1 Day after application
JEELS MASAGANA FARM SUPPLY, INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	PATYA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	487-395-5227	22-Sep-22	CONTACT/SYSTEMIC	Eggplant	Whiteflies, green leafhopper, aphids	100-200ml product/ha, 4-6 ml/36 L	-	-	Do not enter treated fields at least 1 Day after application
JEELS MASAGANA FARM SUPPLY, INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	PATYA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	487-395-5227	22-Sep-22	CONTACT/SYSTEMIC	Bittergourd	Leafhoppers, thrips, aphids, fruitfly, cutworm	100-200ml product/ha, 4-13 ml/36L	-	-	Do not enter treated fields at least 1 Day after application
JEELS MASAGANA FARM SUPPLY, INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	PATYA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	487-395-5227	22-Sep-22	CONTACT/SYSTEMIC	Mango	Leafhoppers, tipborers, capsid bug, fruitfly, cecid fly	12-26ml/200L	-	-	Do not enter treated fields at least 1 Day after application
JEELS MASAGANA FARM SUPPLY, INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	PATYA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	487-395-5227	22-Sep-22	CONTACT/SYSTEMIC	Corn	Asiatic corn borer, cutworm, leafhopper, aphids, earworm	250-400ml product/ha, 10.0-16.0 ml product/36L	-	-	Do not enter treated fields at least 1 Day after application
JEELS MASAGANA FARM SUPPLY, INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	PATYA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	487-395-5227	22-Sep-22	CONTACT/SYSTEMIC	Banana	Flower thrips	1-3 ml/L	-	-	Do not enter treated fields at least 1 Day after application
JEELS MASAGANA FARM SUPPLY, INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	PATYA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	487-395-5227	22-Sep-22	CONTACT/SYSTEMIC	Rice	Stemborer, leafhopper, rice bugs	10-30 Tbsp prod/36L	-	-	Do not enter treated fields at least 1 Day after application
MISCHA AGRO INDUSTRIAL CORPORATION	INCLOSAMIDE ETHANGLAMINE SALT	PATTON 70 WP	700 g/kg	WP	MOLLUSCICIDE	4	620-229-4492	24-Apr-36	CONTACT	Rice	Golden Apple Snail (kukol)	35 gm/36 L water	-	-	At least 48 hours after application
AGWAY CHEMICALS CORPORATION	DELTAMETHRIN	PATROL 2.5 EC	25g/L	EC	INSECTICIDE	4	075-085-4159	13-Dec-30	-	Mango	Hopper, Tip borer, twig borer	0.75-1.0 Tbsp/36L water	-	-	Enter treated area 24 hours after each spray
AGWAY CHEMICALS CORPORATION	DELTAMETHRIN	PATROL 2.5 EC	25g/L	EC	INSECTICIDE	4	075-085-4159	13-Dec-30	-	Cabbage & other crucifers	Diamond-back moth, cabbage moth, cabbage worm	1.0 Tbsp/36L water	-	-	Enter treated area 24 hours after each spray
AGWAY CHEMICALS CORPORATION	DELTAMETHRIN	PATROL 2.5 EC	25g/L	EC	INSECTICIDE	4	075-085-4159	13-Dec-30	-	Tobacco	Budworm, armyworm, cutworm	0.75-1.0 Tbsp/36L water	-	-	Enter treated area 24 hours after each spray
AGWAY CHEMICALS CORPORATION	DELTAMETHRIN	PATROL 2.5 EC	25g/L	EC	INSECTICIDE	4	075-085-4159	13-Dec-30	-	Beans	Flea beetle, beanfly, bugs, thrips, cutworm, armyworm	0.75-1.0 Tbsp/36L water	-	-	Enter treated area 24 hours after each spray
AGWAY CHEMICALS CORPORATION	DELTAMETHRIN	PATROL 2.5 EC	25g/L	EC	INSECTICIDE	4	075-085-4159	13-Dec-30	-	Soybeans	Flea beetle, beanfly, bugs, thrips, cutworm, armyworm	0.75-1.0 Tbsp/36L water	-	-	Enter treated area 24 hours after each spray
AGWAY CHEMICALS CORPORATION	DELTAMETHRIN	PATROL 2.5 EC	25g/L	EC	INSECTICIDE	4	075-085-4159	13-Dec-30	-	Tomato	Fruitworm (heliothis)	0.75-1.0 Tbsp/36L water	-	-	Enter treated area 24 hours after each spray
AGWAY CHEMICALS CORPORATION	DELTAMETHRIN	PATROL 2.5 EC	25g/L	EC	INSECTICIDE	4	075-085-4159	13-Dec-30	-	Corn	Corn borer, corn earworm, seedling maggots	1.0 Tbsp/36L water	-	-	Enter treated area 24 hours after each spray

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD	
AGWAY CHEMICALS CORPORATION	DELTAMETHRIN	PATRIOT 2.5 EC	25g/L	EC	INSECTICIDE	4	075-085-4159	13-Dec-20	-	Eggplant	Thrips, flea beetle, fruitworm	1.0 Tbsp/36L water	-	-	Enter treated area 24 hours after each spray	
AGWAY CHEMICALS CORPORATION	DELTAMETHRIN	PATRIOT 2.5 EC	25g/L	EC	INSECTICIDE	4	075-085-4159	13-Dec-20	-	Cotton	leafhopper, bollworm, weevil	0.75-1.0 Tbsp/36L water	-	-	Enter treated area 24 hours after each spray	
AGWAY CHEMICALS CORPORATION	DELTAMETHRIN	PATRIOT 2.5 EC	25g/L	EC	INSECTICIDE	4	075-085-4159	13-Dec-20	-	Agricultural crops	locusts-nymphs/ locusts adult	1.0-1.5* 3.0 Tbsp/ 36L water	-	-	Enter treated area 24 hours after each spray	
AGWAY CHEMICALS CORPORATION	DELTAMETHRIN	PATRIOT 2.5 EC	25g/L	EC	INSECTICIDE	4	075-085-4159	13-Dec-20	-	Cacao	Podborer, aphids	1.0 Tbsp/36L water	-	-	Enter treated area 24 hours after each spray	
GMA AGRIVENTURES INC.	MANCOZEB	PATRIOT 80 WP	800 g/Kg	WP	FUNGICIDE	4	577-053-3759	01-Jul-22	-	Potato	Early and late blight	3-6 Tbsp/36 L water	-	-	As soon as spray dries	
GMA AGRIVENTURES INC.	MANCOZEB	PATRIOT 80 WP	800 g/Kg	WP	FUNGICIDE	4	577-053-3759	03-Jul-22	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries	
GMA AGRIVENTURES INC.	MANCOZEB	PATRIOT 80 WP	800 g/Kg	WP	FUNGICIDE	4	577-053-3759	01-Jul-22	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries	
GMA AGRIVENTURES INC.	MANCOZEB	PATRIOT 80 WP	800 g/Kg	WP	FUNGICIDE	4	577-053-3759	03-Jul-22	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries	
GMA AGRIVENTURES INC.	MANCOZEB	PATRIOT 80 WP	800 g/Kg	WP	FUNGICIDE	4	577-053-3759	01-Jul-22	-	Celery	Late blight	3-6 Tbsp/36 L water	-	14 Days	As soon as spray dries	
GMA AGRIVENTURES INC.	MANCOZEB	PATRIOT 80 WP	800 g/Kg	WP	FUNGICIDE	4	577-053-3759	01-Jul-22	-	Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries	
GMA AGRIVENTURES INC.	MANCOZEB	PATRIOT 80 WP	800 g/Kg	WP	FUNGICIDE	4	577-053-3759	01-Jul-22	-	Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries	
GMA AGRIVENTURES INC.	MANCOZEB	PATRIOT 80 WP	800 g/Kg	WP	FUNGICIDE	4	577-053-3759	01-Jul-22	-	Cotton	Damping off	3-6 Tbsp/36 L water	-	-	As soon as spray dries	
GMA AGRIVENTURES INC.	MANCOZEB	PATRIOT 80 WP	800 g/Kg	WP	FUNGICIDE	4	577-053-3759	01-Jul-22	-	lettuce	Downy mildew	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries	
GMA AGRIVENTURES INC.	MANCOZEB	PATRIOT 80 WP	800 g/Kg	WP	FUNGICIDE	4	577-053-3759	03-Jul-22	-	Beans	Anthracoese, Downy mildew, Rust	3-6 Tbsp/36 L water	-	5 days	As soon asy spray dries	
GMA AGRIVENTURES INC.	MANCOZEB	PATRIOT 80 WP	800 g/Kg	WP	FUNGICIDE	4	577-053-3759	01-Jul-22	-	Peas	Anthracoese, Downy mildew, Rust	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries	
GMA AGRIVENTURES INC.	MANCOZEB	PATRIOT 80 WP	800 g/Kg	WP	FUNGICIDE	4	577-053-3759	03-Jul-22	-	Mungo	Anthracoese, Downy mildew, Rust	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries	
GMA AGRIVENTURES INC.	MANCOZEB	PATRIOT 80 WP	800 g/Kg	WP	FUNGICIDE	4	577-053-3759	03-Jul-22	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries	
GMA AGRIVENTURES INC.	MANCOZEB	PATRIOT 80 WP	800 g/Kg	WP	FUNGICIDE	4	577-053-3759	01-Jul-22	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries	
GMA AGRIVENTURES INC.	MANCOZEB	PATRIOT 80 WP	800 g/Kg	WP	FUNGICIDE	4	577-052-3759	03-Jul-22	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries	
GMA AGRIVENTURES INC.	MANCOZEB	PATRIOT 80 WP	800 g/Kg	WP	FUNGICIDE	4	577-053-3759	01-Jul-22	-	Pepper	Anthracoese	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries	
GMA AGRIVENTURES INC.	MANCOZEB	PATRIOT 80 WP	800 g/Kg	WP	FUNGICIDE	4	577-053-3759	01-Jul-22	-	Chili	Anthracoese	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries	
GMA AGRIVENTURES INC.	MANCOZEB	PATRIOT 80 WP	800 g/Kg	WP	FUNGICIDE	4	577-053-3759	03-Jul-22	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries	
GMA AGRIVENTURES INC.	MANCOZEB	PATRIOT 80 WP	800 g/Kg	WP	FUNGICIDE	4	577-053-3759	01-Jul-22	-	Banana	Sigatoka, Black leaf streak	3-6 Tbsp/36 L water	-	-	As soon as spray dries	
GMA AGRIVENTURES INC.	MANCOZEB	PATRIOT 80 WP	800 g/Kg	WP	FUNGICIDE	4	577-053-3759	03-Jul-22	-	Grapes	Downy mildew, black rot	3-6 Tbsp/36 L water	-	60 days	As soon as spray dries	
GMA AGRIVENTURES INC.	MANCOZEB	PATRIOT 80 WP	800 g/Kg	WP	FUNGICIDE	4	577-053-3759	01-Jul-22	-	Mango	Anthracoese and Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries	
GMA AGRIVENTURES INC.	MANCOZEB	PATRIOT 80 WP	800 g/Kg	WP	FUNGICIDE	4	577-053-3759	01-Jul-22	-	Papaya	Fruit rot	3-6 Tbsp/36 L water	-	-	As soon as spray dries	
GMA AGRIVENTURES INC.	MANCOZEB	PATRIOT 80 WP	800 g/Kg	WP	FUNGICIDE	4	577-053-3759	01-Jul-22	-	Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries	
GMA AGRIVENTURES INC.	MANCOZEB	PATRIOT 80 WP	800 g/Kg	WP	FUNGICIDE	4	577-053-3759	01-Jul-22	-	Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries	
GMA AGRIVENTURES INC.	MANCOZEB	PATRIOT 80 WP	800 g/Kg	WP	FUNGICIDE	4	577-053-3759	03-Jul-22	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries	
GMA AGRIVENTURES INC.	MANCOZEB	PATRIOT 80 WP	800 g/Kg	WP	FUNGICIDE	4	577-053-3759	03-Jul-22	-	Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/36 L water	0.02ppm	-	As soon as spray dries	
GMA AGRIVENTURES INC.	MANCOZEB	PATRIOT 80 WP	800 g/Kg	WP	FUNGICIDE	4	577-053-3759	01-Jul-22	-	Peanut	Cercospora leaf spot	3-6 Tbsp/36 L water	-	14 Days	As soon as spray dries	
GMA AGRIVENTURES INC.	MANCOZEB	PATRIOT 80 WP	800 g/Kg	WP	FUNGICIDE	4	577-053-3759	03-Jul-22	-	Soybeans	Leaf rust	3-6 Tbsp/36 L water	-	-	As soon as spray dries	
GMA AGRIVENTURES INC.	MANCOZEB	PATRIOT 80 WP	800 g/Kg	WP	FUNGICIDE	4	577-053-3759	01-Jul-22	-	Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/36 L water	-	-	As soon as spray dries	
KEMSTAR CORPORATION	CARTAP HYDROCHLORIDE	PATRAK 50 SP	500 g/Kg	SP	INSECTICIDE	3	239-106-1240	26-Jun-26	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	1.0-5.0Tbsp/36 L water	0.2ppm	-	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
KEMSTAR CORPORATION	CARTAP HYDROCHLORIDE	PATRAK 50 SP	500 g/Kg	SP	INSECTICIDE	3	239-106-1240	26-Jun-26	SYSTEMIC	Wongkok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/36 L water	-	-	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
KEMSTAR CORPORATION	CARTAP HYDROCHLORIDE	PATRAK 50 SP	500 g/Kg	SP	INSECTICIDE	3	239-106-1240	26-Jun-26	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/36 L water	-	-	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
KEMSTAR CORPORATION	CARTAP HYDROCHLORIDE	PATRAK 50 SP	500 g/Kg	SP	INSECTICIDE	3	239-106-1240	26-Jun-26	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/36 L water	-	-	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
KEMSTAR CORPORATION	CARTAP HYDROCHLORIDE	PATRAK 50 SP	500 g/Kg	SP	INSECTICIDE	3	239-106-1240	26-Jun-26	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/36 L water	-	-	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
KEMSTAR CORPORATION	CARTAP HYDROCHLORIDE	PATRAK 50 SP	500 g/Kg	SP	INSECTICIDE	3	239-106-1240	26-Jun-26	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/36 L water	-	-	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
KEMSTAR CORPORATION	CARTAP HYDROCHLORIDE	PATRAK 50 SP	500 g/Kg	SP	INSECTICIDE	3	239-106-1240	26-Jun-26	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/36 L water	-	-	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
KEMSTAR CORPORATION	CARTAP HYDROCHLORIDE	PATRAK 50 SP	500 g/Kg	SP	INSECTICIDE	3	239-106-1240	26-Jun-26	SYSTEMIC	Mango	leafhoppers	1.5-2.0Tbsp/36 L water	-	-	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
KEMSTAR CORPORATION	CARTAP HYDROCHLORIDE	PATRAK 50 SP	500 g/Kg	SP	INSECTICIDE	3	239-106-1240	26-Jun-26	SYSTEMIC	Peachay	looper, cutworm, aphids	1.5-3.0Tbsp/36 L water	-	-	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
KEMSTAR CORPORATION	CARTAP HYDROCHLORIDE	PATRAK 4G	40 g/Kg	G	INSECTICIDE	4	239-106-5509	30-Jul-24	-	Rice	Stemborer and leafroller	-	-	-	In rice, last application of PATRAK 4G should be made not later than 30 days before harvest	Re-entry on the treated field can be done 2 days after application.
GOLDEN FARMERS AGRIC PRODUCT CORPORATION	METRIBULZIN	PATHFINDER 70 WG	700 g/Kg	WG	HERBICIDE	4	603-022-5743	25-Jun-25	SELECTIVE	Potato	Annual grasses and broadleaves	15-22.5 grams/36 L water	-	60 days	-	Re-entry to treated areas is allowed as soon as spray dried up
GOLDEN FARMERS AGRIC PRODUCT CORPORATION	METRIBULZIN	PATHFINDER 70 WG	700 g/Kg	WG	HERBICIDE	4	603-022-5744	25-Jun-25	SELECTIVE	Soybeans	Annual grasses and broadleaves	15-22.5 grams/36 L water	-	60 days	-	Re-entry to treated areas is allowed as soon as spray dried up
GOLDEN FARMERS AGRIC PRODUCT CORPORATION	METRIBULZIN	PATHFINDER 70 WG	700 g/Kg	WG	HERBICIDE	4	603-022-5745	25-Jun-25	SELECTIVE	Sugarcane	Annual grasses and broadleaves	35-50 grams/36 L water	-	60 days	-	Re-entry to treated areas is allowed as soon as spray dried up
GOLDEN FARMERS AGRIC PRODUCT CORPORATION	METRIBULZIN	PATHFINDER 70 WG	700 g/Kg	WG	HERBICIDE	4	603-022-5746	25-Jun-25	SELECTIVE	Tomato	Annual grasses and broadleaves	15-22.5 grams/36 L water	-	60 days	-	Re-entry to treated areas is allowed as soon as spray dried up
AGRO IRIS PHILIPPINES, INC.	BUTACHLOR-PROPANIL	PATALOR 70 EC	350 g/L+350 g/L	EC	HERBICIDE	3	752-238-6065	19-Dec-26	POST-EMERGENT	Rice (Transplanted)	Grasses sedges and Broadleaves	8-12 Tbsp/36 L water	-	-	-	-
AGRO IRIS PHILIPPINES, INC.	BUTACHLOR-PROPANIL	PATALOR 70 EC	350 g/L+350 g/L	EC	HERBICIDE	3	752-238-6065	19-Dec-26	POST-EMERGENT	Rice (Direct-seeded)	Grasses sedges and Broadleaves	8-12 Tbsp/36 L water	-	-	-	-
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	ACEPHATE	PASTIAT 750 SP	750 g/Kg	SP	INSECTICIDE	3	667-242-5122	25-Jun-26	-	Tobacco	Budworm, aphids	2-3 Tbsp/ 36L water	-	-	Crop sprayed with PASTIAT 750 SP can be harvested 2 weeks after treatment	Entry to fields and crops treated with PASTIAT 750 SP can be done as soon as spray deposits have dried
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	ACEPHATE	PASTIAT 750 SP	750 g/Kg	SP	INSECTICIDE	3	667-242-5122	25-Jun-26	-	Eggplant	Fruitborer	2-3 Tbsp/ 36L water	-	-	Crop sprayed with PASTIAT 750 SP can be harvested 2 weeks after treatment	Entry to fields and crops treated with PASTIAT 750 SP can be done as soon as spray deposits have dried
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	ACEPHATE	PASTIAT 750 SP	750 g/Kg	SP	INSECTICIDE	3	667-242-5122	25-Jun-26	-	Stringbeans	Aphids	2-3 Tbsp/ 36L water	-	-	Crop sprayed with PASTIAT 750 SP can be harvested 2 weeks after treatment	Entry to fields and crops treated with PASTIAT 750 SP can be done as soon as spray deposits have dried
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	ACEPHATE	PASTIAT 750 SP	750 g/Kg	SP	INSECTICIDE	3	667-242-5122	25-Jun-26	-	Tomato	Fruitworm	2-3 Tbsp/ 36L water	-	-	Crop sprayed with PASTIAT 750 SP can be harvested 2 weeks after treatment	Entry to fields and crops treated with PASTIAT 750 SP can be done as soon as spray deposits have dried
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	ACEPHATE	PASTIAT 750 SP	750 g/Kg	SP	INSECTICIDE	3	667-242-5122	25-Jun-26	-	Watermelon	Aphids, thrips	2-3 Tbsp/ 36L water	-	-	Crop sprayed with PASTIAT 750 SP can be harvested 2 weeks after treatment	Entry to fields and crops treated with PASTIAT 750 SP can be done as soon as spray deposits have dried
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	ACEPHATE	PASTIAT 750 SP	750 g/Kg	SP	INSECTICIDE	3	667-242-5122	25-Jun-26	-	Rice	Whorl maggots, Green leafhopper, brown planthopper, stemborer, leafroller, rice bugs	2-3 Tbsp/ 36L water	-	-	Crop sprayed with PASTIAT 750 SP can be harvested 2 weeks after treatment	Entry to fields and crops treated with PASTIAT 750 SP can be done as soon as spray deposits have dried
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	ACEPHATE	PASTIAT 750 SP	750 g/Kg	SP	INSECTICIDE	3	667-242-5122	25-Jun-26	-	Banana	leafhopper, tipborer	1.5-2 Tbsp/ 36L water	-	-	Crop sprayed with PASTIAT 750 SP can be harvested 2 weeks after treatment	Entry to fields and crops treated with PASTIAT 750 SP can be done as soon as spray deposits have dried

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	ACEPHATE	PASTRAT 750 SP	750g/kg	SP	INSECTICIDE	3	467-242-5122	25-Jun-26	-	Mango	leafhopper, tipborer	1.5-2 Tbsp/36 L water	-	Crop sprayed with PASTRAT 750 SP can be harvested 3 weeks after treatment	Entry to fields and crops treated with PASTRAT 750 SP can be done as soon as spray deposits have dried
NS NORTHERN ORGANIC FERTILIZER INC.	CARTAP HYDROCHLORIDE	PASPAS	500g/kg	SP	INSECTICIDE	3	470-106-3552	21-Sep-24	SYSTEMIC	Rice	Whorl maggot, stemborer, green leafhopper, brown planthopper	3.0-5.0Tbsp/36 L water	0.2ppm	Do not spray within 10 days before harvest	Do not enter the field within two days after spraying
NS NORTHERN ORGANIC FERTILIZER INC.	CARTAP HYDROCHLORIDE	PASPAS	500g/kg	SP	INSECTICIDE	3	470-106-3552	21-Sep-24	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2 Tbsp/36 L water	-	Do not spray within 10 days before harvest	Do not enter the field within two days after spraying
NS NORTHERN ORGANIC FERTILIZER INC.	CARTAP HYDROCHLORIDE	PASPAS	500g/kg	SP	INSECTICIDE	3	470-106-3552	21-Sep-24	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2 Tbsp/36 L water	-	Do not spray within 10 days before harvest	Do not enter the field within two days after spraying
NS NORTHERN ORGANIC FERTILIZER INC.	CARTAP HYDROCHLORIDE	PASPAS	500g/kg	SP	INSECTICIDE	3	470-106-3552	21-Sep-24	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2 Tbsp/36 L water	-	Do not spray within 10 days before harvest	Do not enter the field within two days after spraying
NS NORTHERN ORGANIC FERTILIZER INC.	CARTAP HYDROCHLORIDE	PASPAS	500g/kg	SP	INSECTICIDE	3	470-106-3552	21-Sep-24	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2 Tbsp/36 L water	-	Do not spray within 10 days before harvest	Do not enter the field within two days after spraying
NS NORTHERN ORGANIC FERTILIZER INC.	CARTAP HYDROCHLORIDE	PASPAS	500g/kg	SP	INSECTICIDE	3	470-106-3552	21-Sep-24	SYSTEMIC	Onion	Thrips, cutworm	1.5-2 Tbsp/36 L water	-	Do not spray within 10 days before harvest	Do not enter the field within two days after spraying
NS NORTHERN ORGANIC FERTILIZER INC.	CARTAP HYDROCHLORIDE	PASPAS	500g/kg	SP	INSECTICIDE	3	470-106-3552	21-Sep-24	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2 Tbsp/36 L water	-	Do not spray within 10 days before harvest	Do not enter the field within two days after spraying
NS NORTHERN ORGANIC FERTILIZER INC.	CARTAP HYDROCHLORIDE	PASPAS	500g/kg	SP	INSECTICIDE	3	470-106-3552	21-Sep-24	SYSTEMIC	Mango	leafhoppers	1.5-2 Tbsp/36 L water	-	Do not spray within 10 days before harvest	Do not enter the field within two days after spraying
NS NORTHERN ORGANIC FERTILIZER INC.	CARTAP HYDROCHLORIDE	PASPAS	500g/kg	SP	INSECTICIDE	3	470-106-3552	21-Sep-24	SYSTEMIC	Pechay	Looper, cutworm, aphids	1.5-3 Tbsp/36 L water	-	Do not spray within 10 days before harvest	Do not enter the field within two days after spraying
NS NORTHERN ORGANIC FERTILIZER INC.	CARTAP HYDROCHLORIDE	PASPAS	500g/kg	SP	INSECTICIDE	3	470-106-3552	21-Sep-24	SYSTEMIC	Okra	Ants, leaf miner, leafhopper, aphids	1.5-3 Tbsp/36 L water	-	Do not spray within 10 days before harvest	Do not enter the field within two days after spraying
FMC AGRO PHILIPPINES INC.	CARFENTHAZONE-ETHYL	PARTNER 40 DF	400 g/kg	DF	HERBICIDE	4	598-296-4173	30-Oct-26	POST-EMERGENT	Rice	Broadleaves and sedges	10-12 tank/cad/ ha	-	-	-
LIHEMPHIL INTERNATIONAL INC.	PACLOBUTRAZOL	PARLO 25 SC	250 g/L	SC	OTHERS	3	590-237-5607	29-Nov-24	-	Mango	Plant growth regulator	1-2 Tbsp./3-5 L water	-	-	-
LIHEMPHIL INTERNATIONAL INC.	PACLOBUTRAZOL	PARLO 25 SC	250 g/L	SC	OTHERS	3	590-237-5607	29-Nov-24	-	durian	Plant growth regulator	0.5-1.5 Tbsp./3-5 L water	-	-	-
LIHEMPHIL INTERNATIONAL INC.	PACLOBUTRAZOL	PARLO 25 SC	250 g/L	SC	OTHERS	3	590-237-5607	29-Nov-24	-	Calamansi	Plant growth regulator	1-2 Tbsp./3-5 L water	-	-	-
LIHEMPHIL INTERNATIONAL INC.	PACLOBUTRAZOL	PARLO 25 SC	250 g/L	SC	OTHERS	3	590-237-5607	29-Nov-24	-	Cacao	Plant growth regulator	9 Tbsp./3-5 L water	-	-	-
UNITED AGRO TRADE CORPORATION	CHLOPYRIFOS	PARALUDO 300 EC	300 g/L	EC	INSECTICIDE	2	264-101-1182	25-Nov-24	-	Rice	Stemborer, armyworm, leafhopper, caseworm, planthopper, cutworm	2.5-3.5 Tbsp/36 L water	-	-	-
UNITED AGRO TRADE CORPORATION	CHLOPYRIFOS	PARALUDO 300 EC	300 g/L	EC	INSECTICIDE	2	264-101-1182	25-Nov-24	-	Potato	Tubermoth, leafhopper, cutworm, aphids	2.5-3.5 Tbsp/36 L water	-	-	-
UNITED AGRO TRADE CORPORATION	CHLOPYRIFOS	PARALUDO 300 EC	300 g/L	EC	INSECTICIDE	2	264-101-1182	25-Nov-24	-	Corn	Armyworm, cornborer, earworm, seeding maggots	2.5-3.5 Tbsp/36 L water	-	-	-
UNITED AGRO TRADE CORPORATION	CHLOPYRIFOS	PARALUDO 300 EC	300 g/L	EC	INSECTICIDE	2	264-101-1182	25-Nov-24	-	beans	Beanfly, leaffolder, podborer, cutworm, armyworm	2.5-3.5 Tbsp/36 L water	-	-	-
UNAHCO, INC.	BUTACHLOR-PROPAZOL	PARATROOPER 70 EC	350 g/L+350 g/L	EC	HERBICIDE	3	612-238-6020	3-Feb-26	POST-EMERGENT	Rice (Direct seeded)	Grasses sedges and broadleaves	9-12 Tbsp/36 L water	-	-	-
UNAHCO, INC.	BUTACHLOR-PROPAZOL	PARATROOPER 70 EC	350 g/L+350 g/L	EC	HERBICIDE	3	612-238-6020	3-Feb-26	POST-EMERGENT	Rice (Transplanted)	Grasses sedges and broadleaves	9-12 Tbsp/36 L water	-	-	-
PLANTERS PRODUCTS INC.	DAZINON	PARAPEST-D 400 EC	400 g/L	EC	INSECTICIDE	2	031-034-0537	21-Jun-25	CONTACT	Rice	Whorl maggot, stemborer, leaffolder, planthopper, rice bug	4.0-6.0 Tbsp/36 L	14 Days	Do not enter treated field for at least 1 day after application	-
PLANTERS PRODUCTS INC.	DAZINON	PARAPEST-D 400 EC	400 g/L	EC	INSECTICIDE	2	031-034-0537	21-Jun-25	CONTACT	Corn	Cornborer, earworm, aphids, silk beetle	4.0-6.0 Tbsp/36 L	14 Days	Do not enter treated field for at least 1 day after application	-
PLANTERS PRODUCTS INC.	DAZINON	PARAPEST-D 400 EC	400 g/L	EC	INSECTICIDE	2	031-034-0537	21-Jun-25	CONTACT	beans	Cutworm, podborer, aphids, flea beetle	4.0-6.0 Tbsp/36 L	14 Days	Do not enter treated field for at least 1 day after application	-
PLANTERS PRODUCTS INC.	DAZINON	PARAPEST-D 400 EC	400 g/L	EC	INSECTICIDE	2	031-034-0537	21-Jun-25	CONTACT	Cowpea	Aphids, cutworm, grasshopper	4.0-6.0 Tbsp/36 L	14 Days	Do not enter treated field for at least 1 day after application	-
PLANTERS PRODUCTS INC.	DAZINON	PARAPEST-D 400 EC	400 g/L	EC	INSECTICIDE	2	031-034-0537	21-Jun-25	CONTACT	Soybeans	Cutworm, aphids, stink bug, grasshopper	4.0-6.0 Tbsp/36 L	14 Days	Do not enter treated field for at least 1 day after application	-
PLANTERS PRODUCTS INC.	DAZINON	PARAPEST-D 400 EC	400 g/L	EC	INSECTICIDE	2	031-034-0537	21-Jun-25	CONTACT	Pineapple	Mealybug	4.0-6.0 Tbsp/36 L	14 Days	Do not enter treated field for at least 1 day after application	-
PLANTERS PRODUCTS INC.	DAZINON	PARAPEST-D 400 EC	400 g/L	EC	INSECTICIDE	2	031-034-0537	21-Jun-25	CONTACT	Cotton	Katydid, grasshopper, cutworm, mites	4.0-6.0 Tbsp/36 L	14 Days	Do not enter treated field for at least 1 day after application	-
PLANTERS PRODUCTS INC.	DAZINON	PARAPEST-D 400 EC	400 g/L	EC	INSECTICIDE	2	031-034-0537	21-Jun-25	CONTACT	White potato	Aphids, leafhopper, Cutworm	4.0-6.0 Tbsp/36 L	14 Days	Do not enter treated field for at least 1 day after application	-
PLANTERS PRODUCTS INC.	DAZINON	PARAPEST-D 400 EC	400 g/L	EC	INSECTICIDE	2	031-034-0537	21-Jun-25	CONTACT	Citrus	Mites, aphids, stink bug	4.0-6.0 Tbsp/36 L	14 Days	Do not enter treated field for at least 1 day after application	-
PLANTERS PRODUCTS INC.	DAZINON	PARAPEST-D 400 EC	400 g/L	EC	INSECTICIDE	2	031-034-0537	21-Jun-25	CONTACT	Banana	Thrips, mealybug, leaffolder	4.0-6.0 Tbsp/36 L	14 Days	Do not enter treated field for at least 1 day after application	-
PLANTERS PRODUCTS INC.	DAZINON	PARAPEST-D 400 EC	400 g/L	EC	INSECTICIDE	2	031-034-0537	21-Jun-25	CONTACT	Mango	Hopper, tip borer	4.0-6.0 Tbsp/36 L	14 Days	Do not enter treated field for at least 1 day after application	-
PLANTERS PRODUCTS INC.	DAZINON	PARAPEST-D 600 EC	600 g/L	EC	INSECTICIDE	2	031-034-1440	27-Apr-24	CONTACT	Rice	Whorl maggot, stemborer, leafhopper, planthopper, rice bug	2.5-4.0 Tbsp/36 L Water	-	14 days	Do not enter treated field for at least 1 day after application
PLANTERS PRODUCTS INC.	DAZINON	PARAPEST-D 600 EC	600 g/L	EC	INSECTICIDE	2	031-034-1440	27-Apr-24	CONTACT	Corn	Cornborer, earworm, aphids, silk beetle	2.5-4.0 Tbsp/36 L Water	-	14 days	Do not enter treated field for at least 1 day after application
PLANTERS PRODUCTS INC.	DAZINON	PARAPEST-D 600 EC	600 g/L	EC	INSECTICIDE	2	031-034-1440	27-Apr-24	CONTACT	Beans	Cutworm, podborer, aphids, flea beetle	2.5-4.0 Tbsp/36 L Water	-	14 days	Do not enter treated field for at least 1 day after application
PLANTERS PRODUCTS INC.	DAZINON	PARAPEST-D 600 EC	600 g/L	EC	INSECTICIDE	2	031-034-1440	27-Apr-24	CONTACT	Cowpea	Aphids, cutworm, grasshopper	2.5-4.0 Tbsp/36 L Water	-	14 days	Do not enter treated field for at least 1 day after application
PLANTERS PRODUCTS INC.	DAZINON	PARAPEST-D 600 EC	600 g/L	EC	INSECTICIDE	2	031-034-1440	27-Apr-24	CONTACT	Soybeans	Cutworm, aphids, stink bug, grasshopper	2.5-4.0 Tbsp/36 L Water	-	14 days	Do not enter treated field for at least 1 day after application
PLANTERS PRODUCTS INC.	DAZINON	PARAPEST-D 600 EC	600 g/L	EC	INSECTICIDE	2	031-034-1440	27-Apr-24	CONTACT	Pineapple	Mealybug	2.5-4.0 Tbsp/36 L Water	-	1 Day	Do not enter treated field for at least 1 day after application
PLANTERS PRODUCTS INC.	DAZINON	PARAPEST-D 600 EC	600 g/L	EC	INSECTICIDE	2	031-034-1440	27-Apr-24	CONTACT	Cotton	Katydid, grasshopper, cutworm, mites	2.5-4.0 Tbsp/36 L Water	-	14 days	Do not enter treated field for at least 1 day after application
PLANTERS PRODUCTS INC.	DAZINON	PARAPEST-D 600 EC	600 g/L	EC	INSECTICIDE	2	031-034-1440	27-Apr-24	CONTACT	Tobacco	Budworm aphids, flea beetle, armyworm	2.5-4.0 Tbsp/36 L Water	-	14 days	Do not enter treated field for at least 1 day after application
PLANTERS PRODUCTS INC.	DAZINON	PARAPEST-D 600 EC	600 g/L	EC	INSECTICIDE	2	031-034-1440	27-Apr-24	CONTACT	White potato	Aphids, leaffolder, cutworm	2.5-4.0 Tbsp/36 L Water	-	14 days	Do not enter treated field for at least 1 day after application
PLANTERS PRODUCTS INC.	DAZINON	PARAPEST-D 600 EC	600 g/L	EC	INSECTICIDE	2	031-034-1440	27-Apr-24	CONTACT	Citrus	Mites, aphids, stink bug	2.5-4.0 Tbsp/36 L Water	-	14 days	Do not enter treated field for at least 1 day after application
PLANTERS PRODUCTS INC.	DAZINON	PARAPEST-D 600 EC	600 g/L	EC	INSECTICIDE	2	031-034-1440	27-Apr-24	CONTACT	Banana	Thrips, mealybug, leaffolder	2.5-4.0 Tbsp/36 L Water	-	14 days, Stem and Mat - 0 day	Do not enter treated field for at least 1 day after application
PLANTERS PRODUCTS INC.	DAZINON	PARAPEST-D 600 EC	600 g/L	EC	INSECTICIDE	2	031-034-1440	27-Apr-24	CONTACT	Mango	Hopper, tip borer	2.5-4.0 Tbsp/36 L Water	-	14 days	Do not enter treated field for at least 1 day after application
UNITED AGRO TRADE CORPORATION	NICLOXAMIDE ETHANOLAMINE SALT	PARAKHOL 70 WP	700g/kg	WP	MOLLUSCICIDE	4	264-229-1219	10-Jul-24	CONTACT	Rice	Golden Apple Snail (Kuhol)	35 gm/36 L water	-	-	At least 48 hours after application
UNITED AGRO TRADE CORPORATION	NICLOXAMIDE	PARAKHOL 250 EC	250 g/L	EC	MOLLUSCICIDE	4	210-229-1166	13-Jan-22	-	Rice	Golden apple snail	7-10 Tbsp/36 L water	-	-	Do not re-enter the field within 2 days after spraying.
JEELS MASAGANA FARM SUPPLY, INC.	BENDIML	PARAKAGAW 50 WP	500g/kg	WP	FUNGICIDE	4	487-167-4539	16-Oct-24	SYSTEMIC	Mungbeans	Powdery mildew, cercospora leaf spot	1-2 Tbsp/36 L water	-	14 days	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray deposits
JEELS MASAGANA FARM SUPPLY, INC.	BENDIML	PARAKAGAW 50 WP	500g/kg	WP	FUNGICIDE	4	487-167-4539	16-Oct-24	SYSTEMIC	beans	Powdery mildew, cercospora leaf spot	1-2 Tbsp/36 L water	-	7 days	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray deposits
JEELS MASAGANA FARM SUPPLY, INC.	BENDIML	PARAKAGAW 50 WP	500g/kg	WP	FUNGICIDE	4	487-167-4539	16-Oct-24	SYSTEMIC	Cabbage	Cercospora leaf spot	1-2 Tbsp/36 L water	-	7 days	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray deposits
JEELS MASAGANA FARM SUPPLY, INC.	BENDIML	PARAKAGAW 50 WP	500g/kg	WP	FUNGICIDE	4	487-167-4539	16-Oct-24	SYSTEMIC	Calamansi	Scab	1-2 Tbsp/36 L water	-	14 days	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray deposits
JEELS MASAGANA FARM SUPPLY, INC.	BENDIML	PARAKAGAW 50 WP	500g/kg	WP	FUNGICIDE	4	487-167-4539	16-Oct-24	SYSTEMIC	Cucumber	Powdery mildew	1-2 Tbsp/36 L water	-	14 days	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray deposits
JEELS MASAGANA FARM SUPPLY, INC.	BENDIML	PARAKAGAW 50 WP	500g/kg	WP	FUNGICIDE	4	487-167-4539	16-Oct-24	SYSTEMIC	Ginger	Cercospora leaf spot	1-2 Tbsp/36 L water	-	7 days	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray deposits
JEELS MASAGANA FARM SUPPLY, INC.	BENDIML	PARAKAGAW 50 WP	500g/kg	WP	FUNGICIDE	4	487-167-4539	16-Oct-24	SYSTEMIC	Grapes	Powdery mildew	1-2 Tbsp/36 L water	-	14 days	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray deposits
JEELS MASAGANA FARM SUPPLY, INC.	BENDIML	PARAKAGAW 50 WP	500g/kg	WP	FUNGICIDE	4	487-167-4539	16-Oct-24	SYSTEMIC	Mandarin	Scab	1-2 Tbsp/36 L water	-	14 days	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray deposits
JEELS MASAGANA FARM SUPPLY, INC.	BENDIML	PARAKAGAW 50 WP	500g/kg	WP	FUNGICIDE	4	487-167-4539	16-Oct-24	SYSTEMIC	Mango	Anthracoose, powdery mildew	1-2 Tbsp/36 L water	-	14 days	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray deposits

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
JEELS MASAGANA FARM SUPPLY, INC.	BENDIML	PARAKAGAW 50 WP	500 g/kg	WP	FUNGICIDE	4	487-167-4339	18-Oct-24	SYSTEMIC	Melon	Powdery mildew	1-2 Tbsp/16L water		14 days	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray deposits
JEELS MASAGANA FARM SUPPLY, INC.	BENDIML	PARAKAGAW 50 WP	500 g/kg	WP	FUNGICIDE	4	487-167-4339	16-Oct-24	SYSTEMIC	Orange	Scab	1-2 Tbsp/16L water		14 days	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray deposits
JEELS MASAGANA FARM SUPPLY, INC.	BENDIML	PARAKAGAW 50 WP	500 g/kg	WP	FUNGICIDE	4	487-167-4339	18-Oct-24	SYSTEMIC	Papaya	Powdery mildew	1-2 Tbsp/16L water		14 days	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray deposits
JEELS MASAGANA FARM SUPPLY, INC.	BENDIML	PARAKAGAW 50 WP	500 g/kg	WP	FUNGICIDE	4	487-167-4339	16-Oct-24	SYSTEMIC	Pepper	Cercospora leaf spot	1-4 Tbsp/16L water		7 days	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray deposits
JEELS MASAGANA FARM SUPPLY, INC.	BENDIML	PARAKAGAW 50 WP	500 g/kg	WP	FUNGICIDE	4	487-167-4339	16-Oct-24	SYSTEMIC	Rice	Blast, sheath blight	1-4 Tbsp/16L water	1.0 ppm	7 days	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray deposits
JEELS MASAGANA FARM SUPPLY, INC.	BENDIML	PARAKAGAW 50 WP	500 g/kg	WP	FUNGICIDE	4	487-167-4339	18-Oct-24	SYSTEMIC	Strawberry	Cercospora leaf spot	1-2 Tbsp/16L water		7 days	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray deposits
JEELS MASAGANA FARM SUPPLY, INC.	BENDIML	PARAKAGAW 50 WP	500 g/kg	WP	FUNGICIDE	4	487-167-4339	16-Oct-24	SYSTEMIC	Tobacco	Leaf mold, frog eye	1-2 Tbsp/16L water		7 days	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray deposits
JEELS MASAGANA FARM SUPPLY, INC.	BENDIML	PARAKAGAW 50 WP	500 g/kg	WP	FUNGICIDE	4	487-167-4339	16-Oct-24	SYSTEMIC	Banana	Black Sigatoka	380 g/ha		7 days	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray deposits
TEXICON AGR VENTURES CORPORATION	CYHALOFOF BUTYL-BISPYRIBAC SODIUM	PARAGON 200 OD	-	OD	HERBICIDE	4	242-504-5797	29-Jul-24	-	Rice (Transplanted)	Grasses, annual broad-leaved weeds, and graminae weeds	375 mL/ha		-	-
PLANTERS PRODUCTS INC.	MANCOZEB	PARAFUNGUS 80 WP	800 g/kg	WP	FUNGICIDE	4	031-053-0455	25-Oct-19		Potato	Early and late blight	3-6 Tbsp/16 L water		-	As soon as spray dries
PLANTERS PRODUCTS INC.	MANCOZEB	PARAFUNGUS 80 WP	800 g/kg	WP	FUNGICIDE	4	031-053-0455	25-Oct-19		Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 days	As soon as spray dries
PLANTERS PRODUCTS INC.	MANCOZEB	PARAFUNGUS 80 WP	800 g/kg	WP	FUNGICIDE	4	031-053-0455	25-Oct-19		Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 days	As soon as spray dries
PLANTERS PRODUCTS INC.	MANCOZEB	PARAFUNGUS 80 WP	800 g/kg	WP	FUNGICIDE	4	031-053-0455	25-Oct-19		Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 days	As soon as spray dries
PLANTERS PRODUCTS INC.	MANCOZEB	PARAFUNGUS 80 WP	800 g/kg	WP	FUNGICIDE	4	031-053-0455	25-Oct-19		Celery	Late blight	3-6 Tbsp/16 L water		14 days	As soon as spray dries
PLANTERS PRODUCTS INC.	MANCOZEB	PARAFUNGUS 80 WP	800 g/kg	WP	FUNGICIDE	4	031-053-0455	25-Oct-19		Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
PLANTERS PRODUCTS INC.	MANCOZEB	PARAFUNGUS 80 WP	800 g/kg	WP	FUNGICIDE	4	031-053-0455	25-Oct-19		Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
PLANTERS PRODUCTS INC.	MANCOZEB	PARAFUNGUS 80 WP	800 g/kg	WP	FUNGICIDE	4	031-053-0455	25-Oct-19		Cotton	Damping off	3-6 Tbsp/16 L water		-	As soon as spray dries
PLANTERS PRODUCTS INC.	MANCOZEB	PARAFUNGUS 80 WP	800 g/kg	WP	FUNGICIDE	4	031-053-0455	25-Oct-19		Lettuce	Downy mildew	3-6 Tbsp/16 L water		7 days	As soon as spray dries
PLANTERS PRODUCTS INC.	MANCOZEB	PARAFUNGUS 80 WP	800 g/kg	WP	FUNGICIDE	4	031-053-0455	25-Oct-19		Beans	Anthracoese, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray dries
PLANTERS PRODUCTS INC.	MANCOZEB	PARAFUNGUS 80 WP	800 g/kg	WP	FUNGICIDE	4	031-053-0455	25-Oct-19		Peas	Anthracoese, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray dries
PLANTERS PRODUCTS INC.	MANCOZEB	PARAFUNGUS 80 WP	800 g/kg	WP	FUNGICIDE	4	031-053-0455	25-Oct-19		Mungo	Anthracoese, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray dries
PLANTERS PRODUCTS INC.	MANCOZEB	PARAFUNGUS 80 WP	800 g/kg	WP	FUNGICIDE	4	031-053-0455	25-Oct-19		Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16 L water		5 days	As soon as spray dries
PLANTERS PRODUCTS INC.	MANCOZEB	PARAFUNGUS 80 WP	800 g/kg	WP	FUNGICIDE	4	031-053-0455	25-Oct-19		Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water		7 days	As soon as spray dries
PLANTERS PRODUCTS INC.	MANCOZEB	PARAFUNGUS 80 WP	800 g/kg	WP	FUNGICIDE	4	031-053-0455	25-Oct-19		Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water		7 days	As soon as spray dries
PLANTERS PRODUCTS INC.	MANCOZEB	PARAFUNGUS 80 WP	800 g/kg	WP	FUNGICIDE	4	031-053-0455	25-Oct-19		Pepper	Anthracoese	3-6 Tbsp/16 L water		7 days	As soon as spray dries
PLANTERS PRODUCTS INC.	MANCOZEB	PARAFUNGUS 80 WP	800 g/kg	WP	FUNGICIDE	4	031-053-0455	25-Oct-19		Chili	Anthracoese	3-6 Tbsp/16 L water		7 days	As soon as spray dries
PLANTERS PRODUCTS INC.	MANCOZEB	PARAFUNGUS 80 WP	800 g/kg	WP	FUNGICIDE	4	031-053-0455	25-Oct-19		Eggplant	Blight, Anthracnose	3-6 Tbsp/16 L water		7 days	As soon as spray dries
PLANTERS PRODUCTS INC.	MANCOZEB	PARAFUNGUS 80 WP	800 g/kg	WP	FUNGICIDE	4	031-053-0455	25-Oct-19		Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16 L water		-	As soon as spray dries
PLANTERS PRODUCTS INC.	MANCOZEB	PARAFUNGUS 80 WP	800 g/kg	WP	FUNGICIDE	4	031-053-0455	25-Oct-19		Grapes	Downy mildew, black rot	3-6 Tbsp/16 L water		60 days	As soon as spray dries
PLANTERS PRODUCTS INC.	MANCOZEB	PARAFUNGUS 80 WP	800 g/kg	WP	FUNGICIDE	4	031-053-0455	25-Oct-19		Mango	Anthracoese and Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
PLANTERS PRODUCTS INC.	MANCOZEB	PARAFUNGUS 80 WP	800 g/kg	WP	FUNGICIDE	4	031-053-0455	25-Oct-19		Papaya	Fruit rot	3-6 Tbsp/16 L water		-	As soon as spray dries
PLANTERS PRODUCTS INC.	MANCOZEB	PARAFUNGUS 80 WP	800 g/kg	WP	FUNGICIDE	4	031-053-0455	25-Oct-19		Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
PLANTERS PRODUCTS INC.	MANCOZEB	PARAFUNGUS 80 WP	800 g/kg	WP	FUNGICIDE	4	031-053-0455	25-Oct-19		Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
PLANTERS PRODUCTS INC.	MANCOZEB	PARAFUNGUS 80 WP	800 g/kg	WP	FUNGICIDE	4	031-053-0455	25-Oct-19		Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16 L water		7 days	As soon as spray dries
PLANTERS PRODUCTS INC.	MANCOZEB	PARAFUNGUS 80 WP	800 g/kg	WP	FUNGICIDE	4	031-053-0455	25-Oct-19		Rice	Blast, sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16 L water	0.02ppm	-	As soon as spray dries
PLANTERS PRODUCTS INC.	MANCOZEB	PARAFUNGUS 80 WP	800 g/kg	WP	FUNGICIDE	4	031-053-0455	25-Oct-19		Peanut	Cercospora leaf spot	3-6 Tbsp/16 L water		14 days	As soon as spray dries
PLANTERS PRODUCTS INC.	MANCOZEB	PARAFUNGUS 80 WP	800 g/kg	WP	FUNGICIDE	4	031-053-0455	25-Oct-19		Soybeans	Leaf rust	3-6 Tbsp/16 L water		-	As soon as spray dries
PLANTERS PRODUCTS INC.	MANCOZEB	PARAFUNGUS 80 WP	800 g/kg	WP	FUNGICIDE	4	031-053-0455	25-Oct-19		Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/16 L water		-	As soon as spray dries
GALDIV AGRI TRADING CORPORATION	GLYPHOSATE IPA	PARA SAGBOT 480 SL	480 g/L	SL	HERBICIDE	4	641-151-4732	01-Apr-25	SYSTEMIC	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/ha			
GALDIV AGRI TRADING CORPORATION	GLYPHOSATE IPA	PARA SAGBOT 480 SL	480 g/L	SL	HERBICIDE	4	641-151-4732	01-Apr-25	SYSTEMIC	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha			
GALDIV AGRI TRADING CORPORATION	GLYPHOSATE IPA	PARA SAGBOT 480 SL	480 g/L	SL	HERBICIDE	4	641-151-4732	01-Apr-25	SYSTEMIC	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha			
GALDIV AGRI TRADING CORPORATION	GLYPHOSATE IPA	PARA SAGBOT 480 SL	480 g/L	SL	HERBICIDE	4	641-151-4732	01-Apr-25	SYSTEMIC	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha			
GALDIV AGRI TRADING CORPORATION	GLYPHOSATE IPA	PARA SAGBOT 480 SL	480 g/L	SL	HERBICIDE	4	641-151-4732	01-Apr-25	SYSTEMIC	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha			
GALDIV AGRI TRADING CORPORATION	GLYPHOSATE IPA	PARA SAGBOT 480 SL	480 g/L	SL	HERBICIDE	4	641-151-4732	01-Apr-25	SYSTEMIC	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha			
GALDIV AGRI TRADING CORPORATION	GLYPHOSATE IPA	PARA SAGBOT 480 SL	480 g/L	SL	HERBICIDE	4	641-151-4732	01-Apr-25	SYSTEMIC	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha			
GALDIV AGRI TRADING CORPORATION	GLYPHOSATE IPA	PARA SAGBOT 480 SL	480 g/L	SL	HERBICIDE	4	641-151-4732	01-Apr-25	SYSTEMIC	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha			
GALDIV AGRI TRADING CORPORATION	GLYPHOSATE IPA	PARA SAGBOT 480 SL	480 g/L	SL	HERBICIDE	4	641-151-4732	01-Apr-25	SYSTEMIC	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/ha			
GALDIV AGRI TRADING CORPORATION	GLYPHOSATE IPA	PARA SAGBOT 480 SL	480 g/L	SL	HERBICIDE	4	641-151-4732	01-Apr-25	SYSTEMIC	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha			
GALDIV AGRI TRADING CORPORATION	GLYPHOSATE IPA	PARA SAGBOT 480 SL	480 g/L	SL	HERBICIDE	4	641-151-4732	01-Apr-25	SYSTEMIC	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha			
GALDIV AGRI TRADING CORPORATION	GLYPHOSATE IPA	PARA SAGBOT 480 SL	480 g/L	SL	HERBICIDE	4	641-151-4732	01-Apr-25	SYSTEMIC	non-crop	Annual & perennial grasses, broadleaf weeds & sedges				
FULL GREEN AGRO CORPORATION	CYPERMETHRIN	PANTHER 5 EC	50 g/L	EC	INSECTICIDE	4	475-037-2630	27-Oct-17	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
FULL GREEN AGRO CORPORATION	CYPERMETHRIN	PANTHER 5 EC	50 g/L	EC	INSECTICIDE	4	475-037-2630	27-Oct-17	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaf folder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
FULL GREEN AGRO CORPORATION	CYPERMETHRIN	PANTHER 5 EC	50 g/L	EC	INSECTICIDE	4	475-037-2630	27-Oct-17	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
FULL GREEN AGRO CORPORATION	CYPERMETHRIN	PANTHER 5 EC	50 g/L	EC	INSECTICIDE	4	475-037-2630	27-Oct-17	CONTACT	beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
FULL GREEN AGRO CORPORATION	CYPERMETHRIN	PANTHER 5 EC	50 g/L	EC	INSECTICIDE	4	475-037-2630	27-Oct-17	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
FULL GREEN AGRO CORPORATION	CYPERMETHRIN	PANTHER 5 EC	50 g/L	EC	INSECTICIDE	4	475-037-2630	27-Oct-17	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
FULL GREEN AGRO CORPORATION	CYPERMETHRIN	PANTHER 5 EC	50g/L	EC	INSECTICIDE	4	475-037-2600	27-Oct-17	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dries
FULL GREEN AGRO CORPORATION	CYPERMETHRIN	PANTHER 5 EC	50g/L	EC	INSECTICIDE	4	475-037-2600	27-Oct-17	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dries
FULL GREEN AGRO CORPORATION	CYPERMETHRIN	PANTHER 5 EC	50g/L	EC	INSECTICIDE	4	475-037-2600	27-Oct-17	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dries
FULL GREEN AGRO CORPORATION	CYPERMETHRIN	PANTHER 5 EC	50g/L	EC	INSECTICIDE	4	475-037-2600	27-Oct-17	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dries
FULL GREEN AGRO CORPORATION	CYPERMETHRIN	PANTHER 5 EC	50g/L	EC	INSECTICIDE	4	475-037-2600	27-Oct-17	CONTACT	Corn	Comborer, earworm	1.0-4.5 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dries
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	ABAMECTIN	PANTAS 1.8 EC	18g/L	EC	INSECTICIDE	2	376-234-4767	02-May-22	CONTACT	Banana	Blossom thrips	0.5/ L water	-	0 day	Re-enter treated area only after spray has dried
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	ABAMECTIN	PANTAS 1.8 EC	18g/L	EC	INSECTICIDE	2	376-234-4767	02-May-22	CONTACT	Cabbage	Diamond back moth	3000 ml prod/ha	-	-	Re-enter treated area only after spray has dried
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	ABAMECTIN	PANTAS 1.8 EC	18g/L	EC	INSECTICIDE	2	376-234-4767	02-May-22	CONTACT	Ornamentals	Mites	1.0-1.5Tbsp/16 L of water	-	-	Re-enter treated area only after spray has dried
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	ABAMECTIN	PANTAS 1.8 EC	18g/L	EC	INSECTICIDE	2	376-234-4767	02-May-22	CONTACT	Pineapple	Mites	3000-4000ml prod/ha	-	-	Re-enter treated area only after spray has dried
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	ABAMECTIN	PANTAS 1.8 EC	18g/L	EC	INSECTICIDE	2	376-234-4767	02-May-22	CONTACT	Onion	leafminer, thrips	2.0-3.0 Tbsp/16 L of water	-	-	Re-enter treated area only after spray has dried
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	ABAMECTIN	PANTAS 1.8 EC	18g/L	EC	INSECTICIDE	2	376-234-4767	02-May-22	CONTACT	Potato	leafminer, thrips	2.0-3.0 Tbsp/16 L of water	-	-	Re-enter treated area only after spray has dried
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	ABAMECTIN	PANTAS 1.8 EC	18g/L	EC	INSECTICIDE	2	376-234-4767	02-May-22	CONTACT	Tomato	leafminer, thrips, aphids	2.0-3.0 Tbsp/16 L of water	-	-	Re-enter treated area only after spray has dried
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	ABAMECTIN	PANTAS 1.8 EC	18g/L	EC	INSECTICIDE	2	376-234-4767	02-May-22	CONTACT	Watermelon	leafminer, thrips, melonworm	2.0-3.0 Tbsp/16 L of water	-	-	Re-enter treated area only after spray has dried
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	ABAMECTIN	PANTAS 1.8 EC	18g/L	EC	INSECTICIDE	2	376-234-4767	02-May-22	CONTACT	Papaya	Mites	0.5-1.0 Tbsp/16 L of water	-	-	Re-enter treated area only after spray has dried
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	ABAMECTIN	PANTAS 1.8 EC	18g/L	EC	INSECTICIDE	2	376-234-4767	02-May-22	CONTACT	Strawberry	Mites	2.0-4.0 Tbsp/16 L of water	-	-	Re-enter treated area only after spray has dried
RAINBOW AGROSCIENCES PHILIPPINES INC.	PROFAMOCARB HCL	PANOL 722 SL	722 g/L	SL	FUNGICIDE	4	539-119-5338	16-Sep-24	SYSTEMIC	Cabbage (as seed treatment)	Late blight	2-4 mL/kg seed	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	PROFAMOCARB HCL	PANOL 722 SL	722 g/L	SL	FUNGICIDE	4	539-119-5338	16-Sep-24	SYSTEMIC	Lettuce and other crucifers	Late blight	2-4 mL/kg seed	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	PROFAMOCARB HCL	PANOL 722 SL	722 g/L	SL	FUNGICIDE	4	539-119-5338	16-Sep-24	SYSTEMIC	Tobacco	Late blight	30 mL/kg seed	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	PROFAMOCARB HCL	PANOL 722 SL	722 g/L	SL	FUNGICIDE	4	539-119-5338	16-Sep-24	SYSTEMIC	Tomato and other solanaceous crops	Late blight	20 mL/kg seed	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	PROFAMOCARB HCL	PANOL 722 SL	722 g/L	SL	FUNGICIDE	4	539-119-5338	16-Sep-24	SYSTEMIC	Potato	Late blight	20-40mL/16L water	-	-	-
AGREXPLORE CORPORATION	CYPERMETHRIN	PANLABAN 5 EC	50g/L	EC	INSECTICIDE	4	528-037-4122	25-Sep-20	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dries
AGREXPLORE CORPORATION	CYPERMETHRIN	PANLABAN 5 EC	50g/L	EC	INSECTICIDE	4	528-037-4122	25-Sep-20	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leafhoppers, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dries
AGREXPLORE CORPORATION	CYPERMETHRIN	PANLABAN 5 EC	50g/L	EC	INSECTICIDE	4	528-037-4122	25-Sep-20	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dries
AGREXPLORE CORPORATION	CYPERMETHRIN	PANLABAN 5 EC	50g/L	EC	INSECTICIDE	4	528-037-4122	25-Sep-20	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dries
AGREXPLORE CORPORATION	CYPERMETHRIN	PANLABAN 5 EC	50g/L	EC	INSECTICIDE	4	528-037-4122	25-Sep-20	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dries
AGREXPLORE CORPORATION	CYPERMETHRIN	PANLABAN 5 EC	50g/L	EC	INSECTICIDE	4	528-037-4122	25-Sep-20	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dries
AGREXPLORE CORPORATION	CYPERMETHRIN	PANLABAN 5 EC	50g/L	EC	INSECTICIDE	4	528-037-4122	25-Sep-20	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dries
AGREXPLORE CORPORATION	CYPERMETHRIN	PANLABAN 5 EC	50g/L	EC	INSECTICIDE	4	528-037-4122	25-Sep-20	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dries
AGREXPLORE CORPORATION	CYPERMETHRIN	PANLABAN 5 EC	50g/L	EC	INSECTICIDE	4	528-037-4122	25-Sep-20	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dries
AGREXPLORE CORPORATION	CYPERMETHRIN	PANLABAN 5 EC	50g/L	EC	INSECTICIDE	4	528-037-4122	25-Sep-20	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dries
AGREXPLORE CORPORATION	CYPERMETHRIN	PANLABAN 5 EC	50g/L	EC	INSECTICIDE	4	528-037-4122	25-Sep-20	CONTACT	Corn	Comborer, earworm	1.0-4.5 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dries
ARIES RINE CHEMICAL CORPORATION	BUTACHLOR	PANDAY 60 EC	600 g/L	EC	HERBICIDE	4	478-150-3108	18-Jan-25	PRE-EMERGENT	Rice (Direct-seeded)	Grasses and sedges	90bsp (2-4 DAT) 70bsp (0-4 DAT) 30bsp 70bsp	0.1 ppm	-	-
ARIES RINE CHEMICAL CORPORATION	BUTACHLOR	PANDAY 60 EC	600 g/L	EC	HERBICIDE	4	478-150-3108	18-Jan-25	PRE-EMERGENT	Rice (Transplanted)	Grasses and sedges	40bsp (2-40 DAS), 70bsp (2-40 DAS), 110bsp (30 DAS)	0.1 ppm	-	-
CROP PROTECTION AGRIVENTURES INC.	MALATHION	PAMATYON 57 EC	570 g/L	EC	INSECTICIDE	4	616-038-6054	29-Jul-24	-	Fruit trees	Aphids, mealy bug scale insect	1.5-3 Tbsp/ 16L water	-	One (1) day after each spraying.	One (1) day after each spraying.
CROP PROTECTION AGRIVENTURES INC.	MALATHION	PAMATYON 57 EC	570 g/L	EC	INSECTICIDE	4	616-038-6054	29-Jul-24	-	Rice	Armyworm, cutworm, leafhopper, bugs	2-5 Tbsp/ 16L water	-	One (1) day after each spraying.	One (1) day after each spraying.
CROP PROTECTION AGRIVENTURES INC.	MALATHION	PAMATYON 57 EC	570 g/L	EC	INSECTICIDE	4	616-038-6054	29-Jul-24	-	Corn	Earworm, silkworm, aphids, grasshopper	3-5 Tbsp/ 16L water	-	One (1) day after each spraying.	One (1) day after each spraying.
CROP PROTECTION AGRIVENTURES INC.	MALATHION	PAMATYON 57 EC	570 g/L	EC	INSECTICIDE	4	616-038-6054	29-Jul-24	-	Crucifers	Cabbage worm, loopers, diamond back moth	2-5 Tbsp/ 16L water	-	One (1) day after each spraying.	One (1) day after each spraying.
CROP PROTECTION AGRIVENTURES INC.	MALATHION	PAMATYON 57 EC	570 g/L	EC	INSECTICIDE	4	616-038-6054	29-Jul-24	-	Cabbage	Cabbage worm, loopers, diamond back moth	2-5 Tbsp/ 16L water	-	One (1) day after each spraying.	One (1) day after each spraying.
CROP PROTECTION AGRIVENTURES INC.	MALATHION	PAMATYON 57 EC	570 g/L	EC	INSECTICIDE	4	616-038-6054	29-Jul-24	-	Legumes	Aphids, beanfly, cutworm, flea beetles, leafminer, maggots, mealybug, podborer, thrips	2-5 Tbsp/ 16L water	-	One (1) day after each spraying.	One (1) day after each spraying.
CROP PROTECTION AGRIVENTURES INC.	MALATHION	PAMATYON 57 EC	570 g/L	EC	INSECTICIDE	4	616-038-6054	29-Jul-24	-	Grapes	Beetles, cutworm, leafhopper, mealybug, scale, insect, spider mites	3 Tbsp/ 16L water	-	One (1) day after each spraying.	One (1) day after each spraying.
CROP PROTECTION AGRIVENTURES INC.	MALATHION	PAMATYON 57 EC	570 g/L	EC	INSECTICIDE	4	616-038-6054	29-Jul-24	-	Pineapple	Mealy bug	3 Tbsp/ 16L water	-	One (1) day after each spraying.	One (1) day after each spraying.
CROP PROTECTION AGRIVENTURES INC.	MALATHION	PAMATYON 57 EC	570 g/L	EC	INSECTICIDE	4	616-038-6054	29-Jul-24	-	Pepper	Aphids, cutworm, fruitworm	3 Tbsp/ 16L water	-	One (1) day after each spraying.	One (1) day after each spraying.
CROP PROTECTION AGRIVENTURES INC.	MALATHION	PAMATYON 57 EC	570 g/L	EC	INSECTICIDE	4	616-038-6054	29-Jul-24	-	Garlic	Cutworm	3 Tbsp/ 16L water	-	One (1) day after each spraying.	One (1) day after each spraying.
CROP PROTECTION AGRIVENTURES INC.	MALATHION	PAMATYON 57 EC	570 g/L	EC	INSECTICIDE	4	616-038-6054	29-Jul-24	-	Onion	Cutworm	3 Tbsp/ 16L water	-	One (1) day after each spraying.	One (1) day after each spraying.
CROP PROTECTION AGRIVENTURES INC.	MALATHION	PAMATYON 57 EC	570 g/L	EC	INSECTICIDE	4	616-038-6054	29-Jul-24	-	Tobacco	Aphids, katydid	3-6 Tbsp/16 L water	-	One (1) day after each spraying.	One (1) day after each spraying.
CROP PROTECTION AGRIVENTURES INC.	MALATHION	PAMATYON 57 EC	570 g/L	EC	INSECTICIDE	4	616-038-6054	29-Jul-24	-	Ornamentals	Aphids, cutworm, mealybug, scale insect, spider mites	3-5 Tbsp/ 16L water	-	One (1) day after each spraying.	One (1) day after each spraying.
CROP PROTECTION AGRIVENTURES INC.	MALATHION	PAMATYON 57 EC	570 g/L	EC	INSECTICIDE	4	616-038-6054	29-Jul-24	-	Tomato	Lady beetle	3-5 Tbsp/ 16L water	-	One (1) day after each spraying.	One (1) day after each spraying.
CROP PROTECTION AGRIVENTURES INC.	MALATHION	PAMATYON 57 EC	570 g/L	EC	INSECTICIDE	4	616-038-6054	29-Jul-24	-	Eggplant	Aphids, fruitworm	3-5 Tbsp/ 16L water	-	One (1) day after each spraying.	One (1) day after each spraying.
CROP PROTECTION AGRIVENTURES INC.	MALATHION	PAMATYON 57 EC	570 g/L	EC	INSECTICIDE	4	616-038-6054	29-Jul-24	-	Sorghum	Web worm	3 Tbsp/ 16L water	-	One (1) day after each spraying.	One (1) day after each spraying.
AGRO RISE PHILIPPINES, INC.	BUPROFEZIN	PALORIDE 260 SC	260 g/L	SC	INSECTICIDE	3	762-224-6133	29-Dec-25	-	Mango	Leafhopper	60-80 mL/ 200L water	-	Do not spray 15 days before harvest.	Re-entry to treated field is allowed as soon as spray dries up.
PALMATRE CORPORATION	CYPERMETHRIN	PALMETRIN 5 EC	50g/L	EC	INSECTICIDE	4	504-037-2854	20-Mar-21	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dries
PALMATRE CORPORATION	CYPERMETHRIN	PALMETRIN 5 EC	50g/L	EC	INSECTICIDE	4	504-037-2854	20-Mar-21	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leafhoppers, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dries
PALMATRE CORPORATION	CYPERMETHRIN	PALMETRIN 5 EC	50g/L	EC	INSECTICIDE	4	504-037-2854	20-Mar-21	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dries
PALMATRE CORPORATION	CYPERMETHRIN	PALMETRIN 5 EC	50g/L	EC	INSECTICIDE	4	504-037-2854	20-Mar-21	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dries
PALMATRE CORPORATION	CYPERMETHRIN	PALMETRIN 5 EC	50g/L	EC	INSECTICIDE	4	504-037-2854	20-Mar-21	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dries
PALMATRE CORPORATION	CYPERMETHRIN	PALMETRIN 5 EC	50g/L	EC	INSECTICIDE	4	504-037-2854	20-Mar-21	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dries

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
PALMTRIE CORPORATION	CYPERMETHRIN	PALMETRIN 5 EC	50g/L	EC	INSECTICIDE	4	504-037-2854	20-Mar-21	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
PALMTRIE CORPORATION	CYPERMETHRIN	PALMETRIN 5 EC	50g/L	EC	INSECTICIDE	4	504-037-2854	20-Mar-21	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
PALMTRIE CORPORATION	CYPERMETHRIN	PALMETRIN 5 EC	50g/L	EC	INSECTICIDE	4	504-037-2854	20-Mar-21	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
PALMTRIE CORPORATION	CYPERMETHRIN	PALMETRIN 5 EC	50g/L	EC	INSECTICIDE	4	504-037-2854	20-Mar-21	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
PALMTRIE CORPORATION	CYPERMETHRIN	PALMETRIN 5 EC	50g/L	EC	INSECTICIDE	4	504-037-2854	20-Mar-21	CONTACT	Corn	Comborer, earworm	1.0-4.5 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
BIOSTADT PHILIPPINES INC.	THIOPHANATE METHYL	PALIZADE 70 WP	700g/Kg	WP	FUNGICIDE	4	097-107-3503	14-Aug-18	SYSTEMIC	Rice	Blast, neck rot, black spot	1.5-2.0 Tbsp/16L Water	1.0ppm	14 days	
BIOSTADT PHILIPPINES INC.	THIOPHANATE METHYL	PALIZADE 70 WP	700g/Kg	WP	FUNGICIDE	4	097-107-3503	14-Aug-18	SYSTEMIC	Mango	Anthraxnose	0.5-1.0 Tbsp/16L Water	-	-	
BIOSTADT PHILIPPINES INC.	THIOPHANATE METHYL	PALIZADE 70 WP	700g/Kg	WP	FUNGICIDE	4	097-107-3503	14-Aug-18	SYSTEMIC	Tobacco	Frog eye leaf spot	0.5-1.0 Tbsp/16L Water	-	-	
BIOSTADT PHILIPPINES INC.	THIOPHANATE METHYL	PALIZADE 70 WP	700g/Kg	WP	FUNGICIDE	4	097-107-3503	14-Aug-18	SYSTEMIC	Tomato	Powdery mildew	0.5-1.0 Tbsp/16L Water	-	-	
BIOSTADT PHILIPPINES INC.	THIOPHANATE METHYL	PALIZADE 70 WP	700g/Kg	WP	FUNGICIDE	4	097-107-3503	14-Aug-18	SYSTEMIC	Legumes	Cercospora leaf spot, Anthracnose, botrytis leaf spot, fusarium wilt, powdery mildew	0.5-1.0 Tbsp/16L Water	-	-	
BIOSTADT PHILIPPINES INC.	THIOPHANATE METHYL	PALIZADE 70 WP	700g/Kg	WP	FUNGICIDE	4	097-107-3503	14-Aug-18	SYSTEMIC	Beans	Cercospora leaf spot, Anthracnose, botrytis leaf spot, fusarium wilt, powdery mildew	0.5-1.0 Tbsp/16L Water	-	-	
BIOSTADT PHILIPPINES INC.	THIOPHANATE METHYL	PALIZADE 70 WP	700g/Kg	WP	FUNGICIDE	4	097-107-3503	14-Aug-18	SYSTEMIC	Cucumber	Powdery mildew, Gummy Stem blight, leaf and fruit spots	0.5-1.0 Tbsp/16L Water	-	-	
BIOSTADT PHILIPPINES INC.	THIOPHANATE METHYL	PALIZADE 70 WP	700g/Kg	WP	FUNGICIDE	4	097-107-3503	14-Aug-18	SYSTEMIC	Melon	Powdery mildew, Gummy Stem blight, leaf and fruit spots	0.5-1.0 Tbsp/16L Water	-	-	
BIOSTADT PHILIPPINES INC.	THIOPHANATE METHYL	PALIZADE 70 WP	700g/Kg	WP	FUNGICIDE	4	097-107-3503	14-Aug-18	SYSTEMIC	Ornamentals	Powdery mildew, black spots	0.5-1.0 Tbsp/16L Water	-	-	
BIOSTADT PHILIPPINES INC.	THIOPHANATE METHYL	PALIZADE 70 WP	700g/Kg	WP	FUNGICIDE	4	097-107-3503	14-Aug-18	SYSTEMIC	Orchids	Powdery mildew, black spots	0.5-1.0 Tbsp/16L Water	-	-	
BIOSTADT PHILIPPINES INC.	THIOPHANATE METHYL	PALIZADE 70 WP	700g/Kg	WP	FUNGICIDE	4	097-107-3503	14-Aug-18	SYSTEMIC	Cabbage	Shot hole disease, cercospora leaf spot	0.5-1.0 Tbsp/16L Water	-	-	
BIOSTADT PHILIPPINES INC.	THIOPHANATE METHYL	PALIZADE 70 WP	700g/Kg	WP	FUNGICIDE	4	097-107-3503	14-Aug-18	SYSTEMIC	Cauliflower	Shot hole disease, cercospora leaf spot	0.5-1.0 Tbsp/16L Water	-	-	
BIOSTADT PHILIPPINES INC.	THIOPHANATE METHYL	PALIZADE 70 WP	700g/Kg	WP	FUNGICIDE	4	097-107-3503	14-Aug-18	SYSTEMIC	Lettuce	Shot hole disease, cercospora leaf spot	0.5-1.0 Tbsp/16L Water	-	-	
BIOSTADT PHILIPPINES INC.	THIOPHANATE METHYL	PALIZADE 70 WP	700g/Kg	WP	FUNGICIDE	4	097-107-3503	14-Aug-18	SYSTEMIC	Strawberry	Powdery mildew	0.5-1.0 Tbsp/16L Water	-	-	
BIOSTADT PHILIPPINES INC.	THIOPHANATE METHYL	PALIZADE 70 WP	700g/Kg	WP	FUNGICIDE	4	097-107-3503	14-Aug-18	SYSTEMIC	Grapes	Fruit rot, Powdery mildew, anthracnose	0.5-1.0 Tbsp/16L Water	-	-	
BIOSTADT PHILIPPINES INC.	THIOPHANATE METHYL	PALIZADE 70 WP	700g/Kg	WP	FUNGICIDE	4	097-107-3503	14-Aug-18	SYSTEMIC	Orange	Scabs	0.5-1.0 Tbsp/16L Water	-	-	
BIOSTADT PHILIPPINES INC.	THIOPHANATE METHYL	PALIZADE 70 WP	700g/Kg	WP	FUNGICIDE	4	097-107-3503	14-Aug-18	SYSTEMIC	Citrus	Scabs	0.5-1.0 Tbsp/16L Water	-	-	
BIOSTADT PHILIPPINES INC.	THIOPHANATE METHYL	PALIZADE 70 WP	700g/Kg	WP	FUNGICIDE	4	097-107-3503	14-Aug-18	SYSTEMIC	Calamansi	Scabs	0.5-1.0 Tbsp/16L Water	-	-	
BIOSTADT PHILIPPINES INC.	THIOPHANATE METHYL	PALIZADE 70 WP	700g/Kg	WP	FUNGICIDE	4	097-107-3503	14-Aug-18	SYSTEMIC	Banana	Sigatoka disease	1.5-2.0 Tbsp/16L Water	-	-	
BIOSTADT PHILIPPINES INC.	THIOPHANATE METHYL	PALIZADE 70 WP	700g/Kg	WP	FUNGICIDE	4	097-107-3503	14-Aug-18	SYSTEMIC	Papaya	Powdery mildew	0.5-1.0 Tbsp/16L Water	-	-	
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	CARBARYL	PALADIN 85 WP	850 g/Kg	WP	INSECTICIDE	2	376-035-3653	04-Feb-26	-	Tobacco	Budworm, cutworm, aphids	4-6 tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	CARBARYL	PALADIN 85 WP	850 g/Kg	WP	INSECTICIDE	2	376-035-3653	04-Feb-26	-	Sorghum	Webworm, armyworm, cutworm, headworm	4-6 tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	CARBARYL	PALADIN 85 WP	850 g/Kg	WP	INSECTICIDE	2	376-035-3653	04-Feb-26	-	Ornamentals	Aphids, scale insect, mealy bug, cutworm	4-6 tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	CARBARYL	PALADIN 85 WP	850 g/Kg	WP	INSECTICIDE	2	376-035-3653	04-Feb-26	-	Mango	Mango hopper, tip borer, twig borer, fruit fly, mealy bug	4-8 tbsp/16 L water	-	1 day	Do not enter treatment areas until spray deposit have dried
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	CARBARYL	PALADIN 85 WP	850 g/Kg	WP	INSECTICIDE	2	376-035-3653	04-Feb-26	-	Coffee	Berry borer	4-6 tbsp/16 L water	-	1 day	Do not enter treatment areas until spray deposit have dried
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	CARBARYL	PALADIN 85 WP	850 g/Kg	WP	INSECTICIDE	2	376-035-3653	04-Feb-26	-	Cacao	Podborer, aphids, capsid bug	4-6 tbsp/16 L water	-	1 day	Do not enter treatment areas until spray deposit have dried
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	CARBARYL	PALADIN 85 WP	850 g/Kg	WP	INSECTICIDE	2	376-035-3653	04-Feb-26	-	Citrus	Rind borer	4-6 tbsp/16 L water	-	1 day	Do not enter treatment areas until spray deposit have dried
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	CARBARYL	PALADIN 85 WP	850 g/Kg	WP	INSECTICIDE	2	376-035-3653	04-Feb-26	-	Soybeans	Podborer, beanfly, leafminer, aphids	4-6 tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	CARBARYL	PALADIN 85 WP	850 g/Kg	WP	INSECTICIDE	2	376-035-3653	04-Feb-26	-	Rice	Green leafhopper, caseworm, aphids	4-6 tbsp/16 L water	1ppm	14 Days	Do not enter treatment areas until spray deposit have dried
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	CARBARYL	PALADIN 85 WP	850 g/Kg	WP	INSECTICIDE	2	376-035-3653	04-Feb-26	-	Cowpea and other beans	Podborer, beanfly, leafminer, cutworm, aphids	4-6 tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	CARBARYL	PALADIN 85 WP	850 g/Kg	WP	INSECTICIDE	2	376-035-3653	04-Feb-26	-	Cotton seed	Bollworm, cutworm	4-6 tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	CARBARYL	PALADIN 85 WP	850 g/Kg	WP	INSECTICIDE	2	376-035-3653	04-Feb-26	-	Corn	Corn borer, corn earworm, army worm	4-6 tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	CARBARYL	PALADIN 85 WP	850 g/Kg	WP	INSECTICIDE	2	376-035-3653	04-Feb-26	-	Tomato	Fruitworm, leafy beetle	4-6 tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	CARBARYL	PALADIN 85 WP	850 g/Kg	WP	INSECTICIDE	2	376-035-3653	04-Feb-26	-	Cucurbits	Squash beetle, leafy beetle	4-6 tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
NS NORTHERN ORGANIC FERTILIZER INC.	NICLOSAMIDE ETHANOLAMINE SALT	PARSIAT 70 WP	700g/Kg	WP	MOLLUSCIDICIDE	4	470-229-3724	01-Dec-23	CONTACT	Rice	Golden Apple Snail (Kuhai)	30 gm or 1 sachet/per 16L of water	-	-	Do not re-enter the field within two (2) days after spraying
MEGA BOOSTER AGRI TRADING CO.	CYPERMETHRIN	PAKAT 5 EC	50g/L	EC	INSECTICIDE	4	531-037-3144	27-Mar-24	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water	-	7 Days	Entry to field and crops treated with PAKAT 5 EC is allowed as soon as spray deposit dry
MEGA BOOSTER AGRI TRADING CO.	CYPERMETHRIN	PAKAT 5 EC	50g/L	EC	INSECTICIDE	4	531-037-3144	27-Mar-24	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leafhoppers, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water	-	7 Days	Entry to field and crops treated with PAKAT 5 EC is allowed as soon as spray deposit dry
MEGA BOOSTER AGRI TRADING CO.	CYPERMETHRIN	PAKAT 5 EC	50g/L	EC	INSECTICIDE	4	531-037-3144	27-Mar-24	CONTACT	Cabbage	Diamond back moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	-	7 Days	Entry to field and crops treated with PAKAT 5 EC is allowed as soon as spray deposit dry
MEGA BOOSTER AGRI TRADING CO.	CYPERMETHRIN	PAKAT 5 EC	50g/L	EC	INSECTICIDE	4	531-037-3144	27-Mar-24	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Entry to field and crops treated with PAKAT 5 EC is allowed as soon as spray deposit dry
MEGA BOOSTER AGRI TRADING CO.	CYPERMETHRIN	PAKAT 5 EC	50g/L	EC	INSECTICIDE	4	531-037-3144	27-Mar-24	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Entry to field and crops treated with PAKAT 5 EC is allowed as soon as spray deposit dry
MEGA BOOSTER AGRI TRADING CO.	CYPERMETHRIN	PAKAT 5 EC	50g/L	EC	INSECTICIDE	4	531-037-3144	27-Mar-24	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Entry to field and crops treated with PAKAT 5 EC is allowed as soon as spray deposit dry
MEGA BOOSTER AGRI TRADING CO.	CYPERMETHRIN	PAKAT 5 EC	50g/L	EC	INSECTICIDE	4	531-037-3144	27-Mar-24	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Entry to field and crops treated with PAKAT 5 EC is allowed as soon as spray deposit dry
MEGA BOOSTER AGRI TRADING CO.	CYPERMETHRIN	PAKAT 5 EC	50g/L	EC	INSECTICIDE	4	531-037-3144	27-Mar-24	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Entry to field and crops treated with PAKAT 5 EC is allowed as soon as spray deposit dry
MEGA BOOSTER AGRI TRADING CO.	CYPERMETHRIN	PAKAT 5 EC	50g/L	EC	INSECTICIDE	4	531-037-3144	27-Mar-24	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	7 Days	Entry to field and crops treated with PAKAT 5 EC is allowed as soon as spray deposit dry
MEGA BOOSTER AGRI TRADING CO.	CYPERMETHRIN	PAKAT 5 EC	50g/L	EC	INSECTICIDE	4	531-037-3144	27-Mar-24	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-	7 Days	Entry to field and crops treated with PAKAT 5 EC is allowed as soon as spray deposit dry
MEGA BOOSTER AGRI TRADING CO.	CYPERMETHRIN	PAKAT 5 EC	50g/L	EC	INSECTICIDE	4	531-037-3144	27-Mar-24	CONTACT	Corn	Comborer, earworm	1.0-4.5 Tbsp/16 L water	-	7 Days	Entry to field and crops treated with PAKAT 5 EC is allowed as soon as spray deposit dry
JEELS MASAGANA FARM SUPPLY, INC.	BUTACHLOR+2,4-D IBE	PAKAMOT 60 EC	360-240 g/L	EC	HERBICIDE	3	467-152-2797	20-Dec-25	PRE-EMERGENT	Rice (Direct-seeded)	Broadleaf weeds, grasses & sedges	8-20Tbsp/16 L sprayload	Butachlor 0.1ppm 2,4-D IBE 0.1ppm	-	-
JEELS MASAGANA FARM SUPPLY, INC.	BUTACHLOR+2,4-D IBE	PAKAMOT 60 EC	360-240 g/L	EC	HERBICIDE	3	467-152-2797	20-Dec-25	PRE-EMERGENT	Rice (Transplanted)	Broadleaf weeds, grasses & sedges	8-20Tbsp/16 L sprayload	Butachlor 0.1ppm 2,4-D IBE 0.1ppm	-	-
JEELS MASAGANA FARM SUPPLY, INC.	PROFENB	PAHAMIS 70 WP	700 g/Kg	WP	FUNGICIDE	4	467-001-5228	12-Feb-24	-	Lettuce	Early and late blight, Neck rot	-	-	7 Days	Immediately after spray deposits have dried
JEELS MASAGANA FARM SUPPLY, INC.	PROFENB	PAHAMIS 70 WP	700 g/Kg	WP	FUNGICIDE	4	467-001-5228	12-Feb-24	-	Onion	Downy mildew, anthracnose, purple blotch	-	-	7 Days	Immediately after spray deposits have dried
JEELS MASAGANA FARM SUPPLY, INC.	PROFENB	PAHAMIS 70 WP	700 g/Kg	WP	FUNGICIDE	4	467-001-5228	12-Feb-24	-	Cucurbits	Downy mildew, late blight	-	-	7 Days	Immediately after spray deposits have dried

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
JEELS MASAGANA FARM SUPPLY, INC.	PROFIBEB	PAHAMIS 70 WP	700g/kg	WP	FUNGICIDE	4	487-001-5228	12-Feb-24	-	Celery	Early and late blight	-	-	7 Days	Immediately after spray deposits have dried
JEELS MASAGANA FARM SUPPLY, INC.	PROFIBEB	PAHAMIS 70 WP	700g/kg	WP	FUNGICIDE	4	487-001-5228	12-Feb-24	-	Beans	Rust	-	-	7 Days	Immediately after spray deposits have dried
JEELS MASAGANA FARM SUPPLY, INC.	PROFIBEB	PAHAMIS 70 WP	700g/kg	WP	FUNGICIDE	4	487-001-5228	12-Feb-24	-	Potato	Early and late blight	-	-	7 Days	Immediately after spray deposits have dried
JEELS MASAGANA FARM SUPPLY, INC.	PROFIBEB	PAHAMIS 70 WP	700g/kg	WP	FUNGICIDE	4	487-001-5228	12-Feb-24	-	Tomato	Early and late blight	-	-	3 days	Immediately after spray deposits have dried
JEELS MASAGANA FARM SUPPLY, INC.	PROFIBEB	PAHAMIS 70 WP	700g/kg	WP	FUNGICIDE	4	487-001-5228	12-Feb-24	-	Tobacco	Brown leaf spot	-	-	7 Days	Immediately after spray deposits have dried
JEELS MASAGANA FARM SUPPLY, INC.	PROFIBEB	PAHAMIS 70 WP	700g/kg	WP	FUNGICIDE	4	487-001-5228	12-Feb-24	-	Coffee	Brown eye spot	-	-	7 Days	Immediately after spray deposits have dried
JEELS MASAGANA FARM SUPPLY, INC.	PROFIBEB	PAHAMIS 70 WP	700g/kg	WP	FUNGICIDE	4	487-001-5228	12-Feb-24	-	Citrus	Black spot	-	-	7 Days	Immediately after spray deposits have dried
JEELS MASAGANA FARM SUPPLY, INC.	PROFIBEB	PAHAMIS 70 WP	700g/kg	WP	FUNGICIDE	4	487-001-5228	12-Feb-24	-	Melon	Downy mildew	-	-	7 Days	Immediately after spray deposits have dried
JEELS MASAGANA FARM SUPPLY, INC.	PROFIBEB	PAHAMIS 70 WP	700g/kg	WP	FUNGICIDE	4	487-001-5228	12-Feb-24	-	Watermelon	Downy mildew	-	-	7 Days	Immediately after spray deposits have dried
JEELS MASAGANA FARM SUPPLY, INC.	PROFIBEB	PAHAMIS 70 WP	700g/kg	WP	FUNGICIDE	4	487-001-5228	12-Feb-24	-	Ornamentals	Black spot, rust	-	-	7 Days	Immediately after spray deposits have dried
JEELS MASAGANA FARM SUPPLY, INC.	PROFIBEB	PAHAMIS 70 WP	700g/kg	WP	FUNGICIDE	4	487-001-5228	12-Feb-24	-	Mango	Anthraxnose	-	-	7 Days	Immediately after spray deposits have dried
JEELS MASAGANA FARM SUPPLY, INC.	PROFIBEB	PAHAMIS 70 WP	700g/kg	WP	FUNGICIDE	4	487-001-5228	12-Feb-24	-	Rice	Dirty panicle, brown leaf spot	-	-	18 days	Immediately after spray deposits have dried
JEELS MASAGANA FARM SUPPLY, INC.	PROFIBEB	PAHAMIS 70 WP	700g/kg	WP	FUNGICIDE	4	487-001-5228	12-Feb-24	-	Banana	Sigatoka, freckle disease	-	-	0 day	Immediately after spray deposits have dried
JEELS MASAGANA FARM SUPPLY, INC.	PROFIBEB	PAHAMIS 70 WP	700g/kg	WP	FUNGICIDE	4	487-001-5228	12-Feb-24	-	Asparagus	Cercospora Leaf Blight	-	-	7 days	Immediately after spray deposits have dried
NORTHERN PRIME TRADING CORPORATION	GLYPHOSATE IPA	PAGANI 480 SL	480 g/L	SL	HERBICIDE	4	728-151-5860	25-Jun-26	POST-EMERGENT	Glyphosate tolerant corn under minimum or reduced banana	Annual broadleaves and certain annual grasses	2-4 L/ha	-	-	-
NORTHERN PRIME TRADING CORPORATION	GLYPHOSATE IPA	PAGANI 480 SL	480 g/L	SL	HERBICIDE	4	728-151-5860	25-Jun-26	POST-EMERGENT	banana	Annual broadleaves and certain annual grasses	3.0-4.5 L/ha	-	-	-
NORTHERN PRIME TRADING CORPORATION	GLYPHOSATE IPA	PAGANI 480 SL	480 g/L	SL	HERBICIDE	4	728-151-5860	25-Jun-26	POST-EMERGENT	Coffee	Annual broadleaves and certain annual grasses	3.0-4.5 L/ha	-	-	-
NORTHERN PRIME TRADING CORPORATION	GLYPHOSATE IPA	PAGANI 480 SL	480 g/L	SL	HERBICIDE	4	728-151-5860	25-Jun-26	POST-EMERGENT	Cacao	Annual broadleaves and certain annual grasses	3.0-4.5 L/ha	-	-	-
NORTHERN PRIME TRADING CORPORATION	GLYPHOSATE IPA	PAGANI 480 SL	480 g/L	SL	HERBICIDE	4	728-151-5860	25-Jun-26	POST-EMERGENT	Palm oil	Annual broadleaves and certain annual grasses	2.0 L/ha	-	-	-
NORTHERN PRIME TRADING CORPORATION	GLYPHOSATE IPA	PAGANI 480 SL	480 g/L	SL	HERBICIDE	4	728-151-5860	25-Jun-26	POST-EMERGENT	Coconut	Annual broadleaves and certain annual grasses	4.5 L/ha	-	-	-
NORTHERN PRIME TRADING CORPORATION	GLYPHOSATE IPA	PAGANI 480 SL	480 g/L	SL	HERBICIDE	4	728-151-5860	25-Jun-26	POST-EMERGENT	Citrus	Annual broadleaves and certain annual grasses	2.0 L/ha	-	-	-
NORTHERN PRIME TRADING CORPORATION	GLYPHOSATE IPA	PAGANI 480 SL	480 g/L	SL	HERBICIDE	4	728-151-5860	25-Jun-26	POST-EMERGENT	Mango	Annual broadleaves and certain annual grasses	3.0-4.5 L/ha	-	-	-
NORTHERN PRIME TRADING CORPORATION	GLYPHOSATE IPA	PAGANI 480 SL	480 g/L	SL	HERBICIDE	4	728-151-5860	25-Jun-26	POST-EMERGENT	Hubber	Annual broadleaves and certain annual grasses	2.0 L/ha	-	-	-
NORTHERN PRIME TRADING CORPORATION	GLYPHOSATE IPA	PAGANI 480 SL	480 g/L	SL	HERBICIDE	4	728-151-5860	25-Jun-26	POST-EMERGENT	Vegetables	Annual broadleaves and certain annual grasses	2.0 L/ha	-	-	-
NORTHERN PRIME TRADING CORPORATION	GLYPHOSATE IPA	PAGANI 480 SL	480 g/L	SL	HERBICIDE	4	728-151-5860	25-Jun-26	POST-EMERGENT	Sugarcane	Annual broadleaves and certain annual grasses	2.0 L/ha	-	-	-
DCOM MARKETING INCORPORATED	LAMBDA-CHALOTHRIN+THIAMETHOXAM	PAG ASA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	467-395-6214	4-Jan-25	-	Potato	Whiteflies, aphids, thrips	300-200 mL/ha; 4-6 mL / 16L	-	7 Days	-
DCOM MARKETING INCORPORATED	LAMBDA-CHALOTHRIN+THIAMETHOXAM	PAG ASA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	467-395-6214	4-Jan-25	-	Stringbeans	Green leafhopper, aphids, mites	100-200 mL/ha; 4-6 mL / 16L	-	7 days	-
DCOM MARKETING INCORPORATED	LAMBDA-CHALOTHRIN+THIAMETHOXAM	PAG ASA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	467-395-6214	4-Jan-25	-	Eggplant	Whiteflies, green leafhopper, aphids	300-200 mL/ha; 4-6 mL / 16L	-	7 Days	-
DCOM MARKETING INCORPORATED	LAMBDA-CHALOTHRIN+THIAMETHOXAM	PAG ASA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	467-395-6214	4-Jan-25	-	Bittergourd	Leafhoppers, thrips, aphids	300-200 mL/ha; 4-13 mL / 36L	-	7 Days	-
DCOM MARKETING INCORPORATED	LAMBDA-CHALOTHRIN+THIAMETHOXAM	PAG ASA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	467-395-6214	4-Jan-25	-	Mango	Leafhoppers, tipborers	10-24 mL/200L	-	3 Days	-
DCOM MARKETING INCORPORATED	LAMBDA-CHALOTHRIN+THIAMETHOXAM	PAG ASA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	467-395-6214	4-Jan-25	-	Corn	Asian corn borer, cutworm, leafhoppers, aphids	260-400 mL/ha; 10-18 mL/16L	-	3 days	-
DCOM MARKETING INCORPORATED	LAMBDA-CHALOTHRIN+THIAMETHOXAM	PAG ASA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	467-395-6214	4-Jan-25	-	Banana	Flower thrips	1-3 mL/L	-	10 days	-
DCOM MARKETING INCORPORATED	LAMBDA-CHALOTHRIN+THIAMETHOXAM	PAG ASA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	467-395-6214	4-Jan-25	-	Rice	Stemborer, leafhopper, rice bugs	300-300 mL/ha; 10-30 mL/16L	-	14 days	-
BERRIS AGRICULTURAL CO., INC.	CARTAP HYDROCHLORIDE	PADAM 50 SP	500 g/kg	SP	INSECTICIDE	3	213-106-1515	12-May-25	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.0-5.0fbsp/36 L water	0.2ppm	Stop spraying 10 days before harvest	Do not enter the field within 2 days after spraying
BERRIS AGRICULTURAL CO., INC.	CARTAP HYDROCHLORIDE	PADAM 50 SP	500 g/kg	SP	INSECTICIDE	3	213-106-1515	12-May-25	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0fbsp/36 L water	-	Do not harvest within 10 days before harvest.	Do not enter the field within 2 days after spraying
BERRIS AGRICULTURAL CO., INC.	CARTAP HYDROCHLORIDE	PADAM 50 SP	500 g/kg	SP	INSECTICIDE	3	213-106-1515	12-May-25	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0fbsp/36 L water	-	Do not harvest within 10 days before harvest.	Do not enter the field within 2 days after spraying
BERRIS AGRICULTURAL CO., INC.	CARTAP HYDROCHLORIDE	PADAM 50 SP	500 g/kg	SP	INSECTICIDE	3	213-106-1515	12-May-25	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphid, flea beetle	1.5-2.0fbsp/36 L water	-	Do not harvest within 10 days before harvest.	Do not enter the field within 2 days after spraying
BERRIS AGRICULTURAL CO., INC.	CARTAP HYDROCHLORIDE	PADAM 50 SP	500 g/kg	SP	INSECTICIDE	3	213-106-1515	12-May-25	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0fbsp/36 L water	-	Do not harvest within 10 days before harvest.	Do not enter the field within 2 days after spraying
BERRIS AGRICULTURAL CO., INC.	CARTAP HYDROCHLORIDE	PADAM 50 SP	500 g/kg	SP	INSECTICIDE	3	213-106-1515	12-May-25	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0fbsp/36 L water	-	Do not harvest within 10 days before harvest.	Do not enter the field within 2 days after spraying
BERRIS AGRICULTURAL CO., INC.	CARTAP HYDROCHLORIDE	PADAM 50 SP	500 g/kg	SP	INSECTICIDE	3	213-106-1515	12-May-25	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0fbsp/36 L water	-	Do not harvest within 10 days before harvest.	Do not enter the field within 2 days after spraying
BERRIS AGRICULTURAL CO., INC.	CARTAP HYDROCHLORIDE	PADAM 50 SP	500 g/kg	SP	INSECTICIDE	3	213-106-1515	12-May-25	SYSTEMIC	leafhoppers	leafhoppers	1.5-2.0fbsp/36 L water	-	Do not harvest within 10 days before harvest.	Do not enter the field within 2 days after spraying
BERRIS AGRICULTURAL CO., INC.	CARTAP HYDROCHLORIDE	PADAM 50 SP	500 g/kg	SP	INSECTICIDE	3	213-106-1515	12-May-25	SYSTEMIC	Pechay	looper, cutworm, aphids	1.5-3.0fbsp/36 L water	-	Do not harvest within 10 days before harvest.	Do not enter the field within 2 days after spraying
JARDINE DISTRIBUTION, INC.	CARTAP HYDROCHLORIDE	PADAN 50 SP	500 g/kg	SP	INSECTICIDE	3	367-106-1106	30-Oct-26	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.0-5.0fbsp/36 L water	0.20 ppm	Stop spraying 10 days before harvest	-
JARDINE DISTRIBUTION, INC.	CARTAP HYDROCHLORIDE	PADAN 50 SP	500 g/kg	SP	INSECTICIDE	3	367-106-1106	30-Oct-26	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0fbsp/36 L water	-	-	-
JARDINE DISTRIBUTION, INC.	CARTAP HYDROCHLORIDE	PADAN 50 SP	500 g/kg	SP	INSECTICIDE	3	367-106-1106	30-Oct-26	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0fbsp/36 L water	3.00 ppm	10 days	-
JARDINE DISTRIBUTION, INC.	CARTAP HYDROCHLORIDE	PADAN 50 SP	500 g/kg	SP	INSECTICIDE	3	367-106-1106	30-Oct-26	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0fbsp/36 L water	-	-	-
JARDINE DISTRIBUTION, INC.	CARTAP HYDROCHLORIDE	PADAN 50 SP	500 g/kg	SP	INSECTICIDE	3	367-106-1106	30-Oct-26	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0fbsp/36 L water	-	-	-
JARDINE DISTRIBUTION, INC.	CARTAP HYDROCHLORIDE	PADAN 50 SP	500 g/kg	SP	INSECTICIDE	3	367-106-1106	30-Oct-26	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0fbsp/36 L water	3.00 ppm	-	-
JARDINE DISTRIBUTION, INC.	CARTAP HYDROCHLORIDE	PADAN 50 SP	500 g/kg	SP	INSECTICIDE	3	367-106-1106	30-Oct-26	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0fbsp/36 L water	0.10 ppm	-	-
JARDINE DISTRIBUTION, INC.	CARTAP HYDROCHLORIDE	PADAN 50 SP	500 g/kg	SP	INSECTICIDE	3	367-106-1106	30-Oct-26	SYSTEMIC	Mango	leafhoppers	1.5-2.0fbsp/36 L water	3.00 ppm	-	-
JARDINE DISTRIBUTION, INC.	CARTAP HYDROCHLORIDE	PADAN 50 SP	500 g/kg	SP	INSECTICIDE	3	367-106-1106	30-Oct-26	SYSTEMIC	Pechay	looper, cutworm, aphids	1.5-3.0fbsp/36 L water	-	-	-
SUMITOMO CHEMICAL PHILIPPINES INC.	CARTAP HYDROCHLORIDE	PADAN 50 SP	500 g/kg	SP	INSECTICIDE	3	472-106-2389	18-May-25	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.0-5.0fbsp/36 L water	0.2ppm	Stop spraying 10 days before harvest	Entry to PADAN 50 SP treated fields can be made 2 day after application
SUMITOMO CHEMICAL PHILIPPINES INC.	CARTAP HYDROCHLORIDE	PADAN 50 SP	500 g/kg	SP	INSECTICIDE	3	472-106-2389	18-May-25	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0fbsp/36 L water	-	10 day before harvest	Entry to PADAN 50 SP treated fields can be made 2 day after application
SUMITOMO CHEMICAL PHILIPPINES INC.	CARTAP HYDROCHLORIDE	PADAN 50 SP	500 g/kg	SP	INSECTICIDE	3	472-106-2389	18-May-25	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0fbsp/36 L water	-	10 day before harvest	Entry to PADAN 50 SP treated fields can be made 2 day after application
SUMITOMO CHEMICAL PHILIPPINES INC.	CARTAP HYDROCHLORIDE	PADAN 50 SP	500 g/kg	SP	INSECTICIDE	3	472-106-2389	18-May-25	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0fbsp/36 L water	-	10 day before harvest	Entry to PADAN 50 SP treated fields can be made 3 day after application
SUMITOMO CHEMICAL PHILIPPINES INC.	CARTAP HYDROCHLORIDE	PADAN 50 SP	500 g/kg	SP	INSECTICIDE	3	472-106-2389	18-May-25	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0fbsp/36 L water	-	10 day before harvest	Entry to PADAN 50 SP treated fields can be made 2 day after application

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
SUMTOMO CHEMICAL PHILIPPINES INC.	CARTAP HYDROCHLORIDE	PADAN 50 SP	500 g/kg	SP	INSECTICIDE	3	472-106-2589	18 May-25	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0tbsp/36 l water		10 day before harvest	Entry to PADAN 50 SP treated fields can be made 2 day after application
SUMTOMO CHEMICAL PHILIPPINES INC.	CARTAP HYDROCHLORIDE	PADAN 50 SP	500 g/kg	SP	INSECTICIDE	3	472-106-2589	18 May-25	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0tbsp/36 l water		10 day before harvest	Entry to PADAN 50 SP treated fields can be made 2 day after application
SUMTOMO CHEMICAL PHILIPPINES INC.	CARTAP HYDROCHLORIDE	PADAN 50 SP	500 g/kg	SP	INSECTICIDE	3	472-106-2589	18 May-25	SYSTEMIC	Mango	leafhoppers	1.5-2.0tbsp/36 l water		10 day before harvest	Entry to PADAN 50 SP treated fields can be made 2 day after application
SUMTOMO CHEMICAL PHILIPPINES INC.	CARTAP HYDROCHLORIDE	PADAN 50 SP	500 g/kg	SP	INSECTICIDE	3	472-106-2589	18 May-25	SYSTEMIC	peachy	looper, cutworm, aphids	1.5-3.0tbsp/36 l water		10 day before harvest	Entry to PADAN 50 SP treated fields can be made 2 day after application
SUMTOMO CHEMICAL PHILIPPINES INC.	CARTAP HYDROCHLORIDE	PADAN 4G	400 g/kg	G	INSECTICIDE	4	472-106-2588	18 May-25	SYSTEMIC	Rice	Stem borer and leaf folder	(15 to 22.5 kg PADAN 4G/ha) into 3 to 5 cm puddly water depth at 5 to 15 days	0.2ppm	In rice, last application of PADAN 4G should be made not later than 30 days before harvest	Entry to PADAN 4G treated fields can be made 2 days after application
KEMSTAR CORPORATION	PACLOBUTRAZOL	PACZOL 25 SC	250 g/L	SC	OTHERS	3	239-237-1755	12-Sep-26	-	Mango	Plant growth regulator	1-2 tbsp./3-5 l water	-	-	-
KEMSTAR CORPORATION	PACLOBUTRAZOL	PACZOL 25 SC	250 g/L	SC	OTHERS	3	239-237-1755	12-Sep-26	-	Durian	Plant growth regulator	0.5-1.5 tbsp./3-5 l water	-	-	-
KEMSTAR CORPORATION	PACLOBUTRAZOL	PACZOL 25 SC	250 g/L	SC	OTHERS	3	239-237-1755	12-Sep-26	-	Calamansi	Plant growth regulator	1-2 tbsp./3-5 l water	-	-	-
KEMSTAR CORPORATION	PACLOBUTRAZOL	PACZOL 25 SC	250 g/L	SC	OTHERS	3	239-237-1755	12-Sep-26	-	Cocoa	Plant growth regulator	1 tbsp./3-5 l water	-	-	-
ENASIA IMPORT/EXPORT CORPORATION	GLYPHOSATE IPA	PACYAWAN 480 SL	480g/L	SL	HERBICIDE	4	690-151-5506	21-Jul-24	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges				
ENASIA IMPORT/EXPORT CORPORATION	GLYPHOSATE IPA	PACYAWAN 480 SL	480g/L	SL	HERBICIDE	4	690-151-5506	21-Jul-24	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges				
ENASIA IMPORT/EXPORT CORPORATION	GLYPHOSATE IPA	PACYAWAN 480 SL	480g/L	SL	HERBICIDE	4	690-151-5506	21-Jul-24	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges				
ENASIA IMPORT/EXPORT CORPORATION	GLYPHOSATE IPA	PACYAWAN 480 SL	480g/L	SL	HERBICIDE	4	690-151-5506	21-Jul-24	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges				
ENASIA IMPORT/EXPORT CORPORATION	GLYPHOSATE IPA	PACYAWAN 480 SL	480g/L	SL	HERBICIDE	4	690-151-5506	21-Jul-24	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges				
ENASIA IMPORT/EXPORT CORPORATION	GLYPHOSATE IPA	PACYAWAN 480 SL	480g/L	SL	HERBICIDE	4	690-151-5506	21-Jul-24	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges				
ENASIA IMPORT/EXPORT CORPORATION	GLYPHOSATE IPA	PACYAWAN 480 SL	480g/L	SL	HERBICIDE	4	690-151-5506	21-Jul-24	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges				
ENASIA IMPORT/EXPORT CORPORATION	GLYPHOSATE IPA	PACYAWAN 480 SL	480g/L	SL	HERBICIDE	4	690-151-5506	21-Jul-24	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges				
ENASIA IMPORT/EXPORT CORPORATION	GLYPHOSATE IPA	PACYAWAN 480 SL	480g/L	SL	HERBICIDE	4	690-151-5506	21-Jul-24	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges				
ENASIA IMPORT/EXPORT CORPORATION	GLYPHOSATE IPA	PACYAWAN 480 SL	480g/L	SL	HERBICIDE	4	690-151-5506	21-Jul-24	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges				
ENASIA IMPORT/EXPORT CORPORATION	GLYPHOSATE IPA	PACYAWAN 480 SL	480g/L	SL	HERBICIDE	4	690-151-5506	21-Jul-24	POST-EMERGENT	non-onp	Annual & perennial grasses, broadleaf weeds & sedges				
ENASIA IMPORT/EXPORT CORPORATION	GLYPHOSATE IPA	PACYAWAN 480 SL	480g/L	SL	HERBICIDE	4	690-151-5506	21-Jul-24	POST-EMERGENT						
ORACLE CHEM CORPORATION	CYPERMETHRIN	PACTO 5 EC	50 g/L	EC	INSECTICIDE	4	417-037-2338	17-Mar-26	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/36 l water		7Days	Re-entry to treated field is allowed as soon as spray deposit dry
ORACLE CHEM CORPORATION	CYPERMETHRIN	PACTO 5 EC	50 g/L	EC	INSECTICIDE	4	417-037-2338	17-Mar-26	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaf folder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/36 l water		7Days	Re-entry to treated field is allowed as soon as spray deposit dry
ORACLE CHEM CORPORATION	CYPERMETHRIN	PACTO 5 EC	50 g/L	EC	INSECTICIDE	4	417-037-2338	17-Mar-26	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/36 l water		7Days	Re-entry to treated field is allowed as soon as spray deposit dry
ORACLE CHEM CORPORATION	CYPERMETHRIN	PACTO 5 EC	50 g/L	EC	INSECTICIDE	4	417-037-2338	17-Mar-26	CONTACT	beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/36 l water		7Days	Re-entry to treated field is allowed as soon as spray deposit dry
ORACLE CHEM CORPORATION	CYPERMETHRIN	PACTO 5 EC	50 g/L	EC	INSECTICIDE	4	417-037-2338	17-Mar-26	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/36 l water		7Days	Re-entry to treated field is allowed as soon as spray deposit dry
ORACLE CHEM CORPORATION	CYPERMETHRIN	PACTO 5 EC	50 g/L	EC	INSECTICIDE	4	417-037-2338	17-Mar-26	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/36 l water		7Days	Re-entry to treated field is allowed as soon as spray deposit dry
ORACLE CHEM CORPORATION	CYPERMETHRIN	PACTO 5 EC	50 g/L	EC	INSECTICIDE	4	417-037-2338	17-Mar-26	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/36 l water		7Days	Re-entry to treated field is allowed as soon as spray deposit dry
ORACLE CHEM CORPORATION	CYPERMETHRIN	PACTO 5 EC	50 g/L	EC	INSECTICIDE	4	417-037-2338	17-Mar-26	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/36 l water		7Days	Re-entry to treated field is allowed as soon as spray deposit dry
ORACLE CHEM CORPORATION	CYPERMETHRIN	PACTO 5 EC	50 g/L	EC	INSECTICIDE	4	417-037-2338	17-Mar-26	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/36 l water		7Days	Re-entry to treated field is allowed as soon as spray deposit dry
ORACLE CHEM CORPORATION	CYPERMETHRIN	PACTO 5 EC	50 g/L	EC	INSECTICIDE	4	417-037-2338	17-Mar-26	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/36 l water		7Days	Re-entry to treated field is allowed as soon as spray deposit dry
ORACLE CHEM CORPORATION	CYPERMETHRIN	PACTO 5 EC	50 g/L	EC	INSECTICIDE	4	417-037-2338	17-Mar-26	CONTACT	Corn	Comborer, earworm	1.0-4.5 Tbsp/36 l water		7Days	Re-entry to treated field is allowed as soon as spray deposit dry
MONARCH AGRICULTURAL PRODUCTS, INC.	CARTAP HYDROCHLORIDE	PACMAN 50 SP	500 g/kg	SP	INSECTICIDE	3	096-106-5546	24-Sep-24	SYSTEMIC	Rice	Whorl maggot, stem borer, green leafhopper, brown planthopper	1.5-2.0tbsp/36 l water		Stop spraying 10 days before harvest	Do not enter the field within two(2) days after spraying.
MONARCH AGRICULTURAL PRODUCTS, INC.	CARTAP HYDROCHLORIDE	PACMAN 50 SP	500 g/kg	SP	INSECTICIDE	3	096-106-5546	24-Sep-24	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0tbsp/36 l water		Stop spraying 10 days before harvest	Do not enter the field within two(2) days after spraying.
MONARCH AGRICULTURAL PRODUCTS, INC.	CARTAP HYDROCHLORIDE	PACMAN 50 SP	500 g/kg	SP	INSECTICIDE	3	096-106-5546	24-Sep-24	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0tbsp/36 l water		Stop spraying 10 days before harvest	Do not enter the field within two(2) days after spraying.
MONARCH AGRICULTURAL PRODUCTS, INC.	CARTAP HYDROCHLORIDE	PACMAN 50 SP	500 g/kg	SP	INSECTICIDE	3	096-106-5546	24-Sep-24	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0tbsp/36 l water		Stop spraying 10 days before harvest	Do not enter the field within two(2) days after spraying.
MONARCH AGRICULTURAL PRODUCTS, INC.	CARTAP HYDROCHLORIDE	PACMAN 50 SP	500 g/kg	SP	INSECTICIDE	3	096-106-5546	24-Sep-24	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0tbsp/36 l water		Stop spraying 10 days before harvest	Do not enter the field within two(2) days after spraying.
MONARCH AGRICULTURAL PRODUCTS, INC.	CARTAP HYDROCHLORIDE	PACMAN 50 SP	500 g/kg	SP	INSECTICIDE	3	096-106-5546	24-Sep-24	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0tbsp/36 l water		Stop spraying 10 days before harvest	Do not enter the field within two(2) days after spraying.
MONARCH AGRICULTURAL PRODUCTS, INC.	CARTAP HYDROCHLORIDE	PACMAN 50 SP	500 g/kg	SP	INSECTICIDE	3	096-106-5546	24-Sep-24	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0tbsp/36 l water		Stop spraying 10 days before harvest	Do not enter the field within two(2) days after spraying.
MONARCH AGRICULTURAL PRODUCTS, INC.	CARTAP HYDROCHLORIDE	PACMAN 50 SP	500 g/kg	SP	INSECTICIDE	3	096-106-5546	24-Sep-24	SYSTEMIC	Mango	leafhoppers	1.5-2.0tbsp/36 l water		Stop spraying 10 days before harvest	Do not enter the field within two(2) days after spraying.
MONARCH AGRICULTURAL PRODUCTS, INC.	CARTAP HYDROCHLORIDE	PACMAN 50 SP	500 g/kg	SP	INSECTICIDE	3	096-106-5546	24-Sep-24	SYSTEMIC	Peachy	looper, cutworm, aphids	1.5-2.0tbsp/36 l water		Stop spraying 10 days before harvest	Do not enter the field within two(2) days after spraying.
JARDINE DISTRIBUTION, INC.	PACLOBUTRAZOL	PACLO 25 SC	250g/L	SC	OTHERS	3	367-237-1832	07-Mar-24	-	Mango	Plant growth regulator	1-2 tbsp./3-5 l water	-	-	-
JARDINE DISTRIBUTION, INC.	PACLOBUTRAZOL	PACLO 25 SC	250g/L	SC	OTHERS	3	367-237-1832	07-Mar-24	-	Durian	Plant growth regulator	0.5-1.5 tbsp./3-5 l water	-	-	-
JARDINE DISTRIBUTION, INC.	PACLOBUTRAZOL	PACLO 25 SC	250g/L	SC	OTHERS	3	367-237-1832	07-Mar-24	-	Calamansi	Plant growth regulator	1-2 tbsp./3-5 l water	-	-	-
JARDINE DISTRIBUTION, INC.	PACLOBUTRAZOL	PACLO 25 SC	250g/L	SC	OTHERS	3	367-237-1832	07-Mar-24	-	Cocoa	Plant growth regulator	1 tbsp./3-5 l water	-	-	-
AGWAY CHEMICALS CORPORATION	BUTACHLOR	PACKER	600 g/L	EC	HERBICIDE	4	075-150-4074	29-Apr-23	PRE-EMERGENT	Rice (Direct Seeded)	Grasses and Sedges	9tbsp (2.4 DATS) 7tbsp (0-4 DATS) 8tbsp (7tbsp	0.1 ppm		
AGWAY CHEMICALS CORPORATION	BUTACHLOR	PACKER	600 g/L	EC	HERBICIDE	4	075-150-4074	29-Apr-23	PRE-EMERGENT	Rice (Transplanted)	Grasses and Sedges	9tbsp (2.40RS), 7tbsp (2-4CRS), 11tbsp (30 DAS)	0.1 ppm		
TEAMAGRO TRADING CORPORATION	MANCOZEB	PACAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	248-053-2454	22-Oct-24		Potato	Early and late blight	3-6 Tbsp/36 L water			At least 48 hours after application
TEAMAGRO TRADING CORPORATION	MANCOZEB	PACAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	248-053-2454	22-Oct-24		Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water		7 Days	At least 48 hours after application
TEAMAGRO TRADING CORPORATION	MANCOZEB	PACAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	248-053-2454	22-Oct-24		Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water		7 Days	At least 48 hours after application
TEAMAGRO TRADING CORPORATION	MANCOZEB	PACAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	248-053-2454	22-Oct-24		Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water		7 Days	At least 48 hours after application
TEAMAGRO TRADING CORPORATION	MANCOZEB	PACAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	248-053-2454	22-Oct-24		Celery	Late blight	3-6 Tbsp/36 L water		14 Days	At least 48 hours after application
TEAMAGRO TRADING CORPORATION	MANCOZEB	PACAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	248-053-2454	22-Oct-24		Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water		5 days	At least 48 hours after application
TEAMAGRO TRADING CORPORATION	MANCOZEB	PACAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	248-053-2454	22-Oct-24		Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water		5 days	At least 48 hours after application
TEAMAGRO TRADING CORPORATION	MANCOZEB	PACAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	248-053-2454	22-Oct-24		Cotton	Damping off	3-6 Tbsp/36 L water			At least 48 hours after application
TEAMAGRO TRADING CORPORATION	MANCOZEB	PACAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	248-053-2454	22-Oct-24		lettuce	Downy mildew	3-6 Tbsp/36 L water		7 Days	At least 48 hours after application

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)		PHI	RE-ENTRY PERIOD
TEAMAGRO TRADING CORPORATION	MANCOZEB	PACAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	248-053-2454	22-Oct-24		beans	Anthracoese, Downy mildew, Rust	3-6 Tbsp/36 L water		5 days		At least 48 hours after application
TEAMAGRO TRADING CORPORATION	MANCOZEB	PACAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	248-053-2454	22-Oct-24		Peas	Anthracoese, Downy mildew, Rust	3-6 Tbsp/36 L water		5 days		At least 48 hours after application
TEAMAGRO TRADING CORPORATION	MANCOZEB	PACAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	248-053-2454	22-Oct-24		Mungo	Anthracoese, Downy mildew, Rust	3-6 Tbsp/36 L water		5 days		At least 48 hours after application
TEAMAGRO TRADING CORPORATION	MANCOZEB	PACAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	248-053-2454	22-Oct-24		Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/36 L water		5 days		At least 48 hours after application
TEAMAGRO TRADING CORPORATION	MANCOZEB	PACAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	248-053-2454	22-Oct-24		Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36 L water		7 Days		At least 48 hours after application
TEAMAGRO TRADING CORPORATION	MANCOZEB	PACAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	248-053-2454	22-Oct-24		Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36 L water		7 Days		At least 48 hours after application
TEAMAGRO TRADING CORPORATION	MANCOZEB	PACAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	248-053-2454	22-Oct-24		Pepper	Anthracoese	3-6 Tbsp/36 L water		7 days		At least 48 hours after application
TEAMAGRO TRADING CORPORATION	MANCOZEB	PACAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	248-053-2454	22-Oct-24		Chili	Anthracoese	3-6 Tbsp/36 L water		7 Days		At least 48 hours after application
TEAMAGRO TRADING CORPORATION	MANCOZEB	PACAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	248-053-2454	22-Oct-24		Eggplant	Blight, Anthracnose	3-6 Tbsp/36 L water		7 Days		At least 48 hours after application
TEAMAGRO TRADING CORPORATION	MANCOZEB	PACAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	248-053-2454	22-Oct-24		Banana	Sigatoka, Black leaf streak	3-6 Tbsp/36 L water		-		At least 48 hours after application
TEAMAGRO TRADING CORPORATION	MANCOZEB	PACAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	248-053-2454	22-Oct-24		Grapes	Downy mildew, black rot	3-6 Tbsp/36 L water		60 days		At least 48 hours after application
TEAMAGRO TRADING CORPORATION	MANCOZEB	PACAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	248-053-2454	22-Oct-24		Mango	Anthracoese and Scab	3-6 Tbsp/36 L water		5 days		At least 48 hours after application
TEAMAGRO TRADING CORPORATION	MANCOZEB	PACAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	248-053-2454	22-Oct-24		Papaya	Fruit rot	3-6 Tbsp/36 L water		-		At least 48 hours after application
TEAMAGRO TRADING CORPORATION	MANCOZEB	PACAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	248-053-2454	22-Oct-24		Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water		5 days		At least 48 hours after application
TEAMAGRO TRADING CORPORATION	MANCOZEB	PACAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	248-053-2454	22-Oct-24		Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water		5 days		At least 48 hours after application
TEAMAGRO TRADING CORPORATION	MANCOZEB	PACAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	248-053-2454	22-Oct-24		Cam (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/36 L water		7 Days		At least 48 hours after application
TEAMAGRO TRADING CORPORATION	MANCOZEB	PACAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	248-053-2454	22-Oct-24		Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/36 L water	0.02ppm	-		At least 48 hours after application
TEAMAGRO TRADING CORPORATION	MANCOZEB	PACAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	248-053-2454	22-Oct-24		Peanut	Cercospora leaf spot	3-6 Tbsp/36 L water		14 Days		At least 48 hours after application
TEAMAGRO TRADING CORPORATION	MANCOZEB	PACAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	248-053-2454	22-Oct-24		Soybeans	Leaf rust	3-6 Tbsp/36 L water		-		At least 48 hours after application
TEAMAGRO TRADING CORPORATION	MANCOZEB	PACAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	248-053-2454	22-Oct-24		Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/36 L water		-		At least 48 hours after application
CULTIVA INCORPORATED	OXYFLUORFEN	OXYPRIME 24 EC	-	EC	HERBICIDE	4	201-123-5727	31-May-25	-	Onion	Broadleaves, sedges and grasses	4-8 Tbsp/36 L water; 2-4lbsp/36 L water		-		Entry to treated field is allowed as soon as spray deposits on crops and weeds have dried.
BIOTEST PHILLIPINES INC.	OXYFLUORFEN	OXYGOLD 24 EC	240 g/L	EC	HERBICIDE	4	097-123-4008	38-Sep-22	SELECTIVE (PRE / POST EMERGENCE)	Onion (Transplanted)	Broadleaves, sedges & grasses	4-8 Tbsp/36 L of water		-		Immediately after spray deposits have dried
BIOLIFE SCIENCES SOLUTIONS COMPANY	SODIUM PERCARBONATE	OXYGARD POWDER	85g/kg	-	OTHERS	3	161-493-3888	14-Feb-20	-	Banana	use as tool disinfectant, foot & wheel bath /dip for the control of moka disease(Ralstonia solanacearum) & fusarium wilt(fusarium	10-30 gm prod/L water		-		
BIOLIFE SCIENCES SOLUTIONS COMPANY	HYDROGEN PEROXIDE-ACETIC ACID	OXYGARD-PAA	50 g/L+220 g/L+100 g/L	-	OTHERS	2	581-493-4575	19-Nov-25	-	Banana	As disinfectant for the control of crown rot and crown mold	-	-	0 day		After spray deposits have dried
BIOLIFE SCIENCES SOLUTIONS COMPANY	HYDROGEN PEROXIDE-ACETIC ACID	OXYGARD-PAA	50 g/L+220 g/L+100 g/L	-	OTHERS	2	161-493-4575	19-Nov-25	-	Pineapple	Crown and butt molds, bacterial heart rot and fruit/leaf core rot	-	-	-		
BIOLIFE SCIENCES SOLUTIONS COMPANY	HYDROGEN PEROXIDE	OXYGARD-LIQUID	350g/L	-	OTHERS	2	581-464-4089	14-Aug-23	-	Cavendish Banana	Moka disease or Fusarium wilt	20-30 ml oxygard liquid/L of water		-		
BERRIS AGRICULTURAL CO., INC.	OXYFLUORFEN	OXYBULB 24 EC	240 g/L	EC	HERBICIDE	4	233-123-2090	31-May-25	SELECTIVE (PRE / POST EMERGENCE)	Onion (Transplanted)	Broadleaves, sedges & grasses	4-8 Tbsp/36 L of water		-		Entry to treated field is allowed as soon as spray deposits have dried
BERRIS AGRICULTURAL CO., INC.	OXADIAZON	OXSTAR 25 EC	250 g/L	EC	HERBICIDE	4	233-124-1819	23-Feb-24	-	Onion (Transplanted)	Annual Grasses Sedges Broad-leaf Weeds	60-100 gm/36L water		-		
BERRIS AGRICULTURAL CO., INC.	OXADIAZON	OXSTAR 25 EC	250 g/L	EC	HERBICIDE	4	233-124-1819	23-Feb-24	-	Rice (Transplanted)	Annual Grasses Sedges Broad-leaf Weeds	50-60 gm /36 L water		-		
BERRIS AGRICULTURAL CO., INC.	OXADIAZON	OXSTAR 25 EC	250 g/L	EC	HERBICIDE	4	233-124-1819	23-Feb-24	-	Rice (Dry-Seeded)	Annual Grasses Sedges Broad-leaf Weeds	60-100 gm/36 L water		-		
BERRIS AGRICULTURAL CO., INC.	OXADIAZON	OXSTAR 25 EC	250 g/L	EC	HERBICIDE	4	233-124-1819	23-Feb-24	-	Rice (Direct Seeded Pre-germinated)	Annual Grasses Sedges Broad-leaf Weeds	40-50 gm/36 L water		-		
TRANS WORLD TRADING CO., INC.	OXYFLUORFEN	OXGOLD 24 EC	240 g/L	EC	HERBICIDE	4	098-123-4060	31-May-25	SELECTIVE (PRE / POST EMERGENCE)	Onion (Transplanted)	Broadleaves, sedges & grasses	4-8 Tbsp/36 L of water		-		Entry to treated field is allowed as soon as spray deposits
TEXICON AGR VENTURES CORPORATION	OXADIAZON	OXATEX 25 EC	250 g/L	EC	HERBICIDE	4	242-124-1925	22-Jun-24	-	Onion (Transplanted)	Grasses, Sedges & Broadleaves	60-100 gm/36 L water		-		
TEXICON AGR VENTURES CORPORATION	OXADIAZON	OXATEX 25 EC	250 g/L	EC	HERBICIDE	4	242-124-1925	22-Jun-24	-	Rice (Transplanted)	Grasses, Sedges & Broadleaves	50-60 gm/36 L water		-		
TEXICON AGR VENTURES CORPORATION	OXADIAZON	OXATEX 25 EC	250 g/L	EC	HERBICIDE	4	242-124-1925	22-Jun-24	-	Rice (Dry-Seeded)	Grasses, Sedges & Broadleaves	60-100 gm/36 L water		-		
TEXICON AGR VENTURES CORPORATION	OXADIAZON	OXATEX 25 EC	250 g/L	EC	HERBICIDE	4	242-124-1925	22-Jun-24	-	Rice (Direct Seeded Pre-germinated)	Grasses, Sedges & Broadleaves	40-50 gm/36 L water		-		
AGSMART CORPORATION	OXADIAZON	OXAKEL 250 EC	250 g/L	EC	HERBICIDE	4	680-124-5823	15-Aug-25	SELECTIVE	(Direct-seeded) (Pre-germinated) rice	Grasses, sedges and broadleaves	1-1.5 L product/ha	-	-		Re-entry can be done after the spray droplets have dried up.It is recommended to keep from disturbing the soil even by treading on the sprayed soil surfaces, to
AGSMART CORPORATION	OXADIAZON	OXAKEL 250 EC	250 g/L	EC	HERBICIDE	4	680-124-5823	15-Aug-25	SELECTIVE	Transplanted rice	Grasses, sedges and broadleaves	1-1.5 L product/ha	-	-		Re-entry can be done after the spray droplets have dried up.It is recommended to keep from disturbing the soil even by treading on the sprayed soil surfaces, to
AGSMART CORPORATION	OXADIAZON	OXAKEL 250 EC	250 g/L	EC	HERBICIDE	4	680-124-5823	15-Aug-25	SELECTIVE	(Dry-seeded) (Unplanted) rice	Grasses, sedges and broadleaves	2-3 L product/ha	-	-		Re-entry can be done after the spray droplets have dried up.It is recommended to keep from disturbing the soil even by treading on the sprayed soil surfaces, to
AGSMART CORPORATION	OXADIAZON	OXAKEL 250 EC	250 g/L	EC	HERBICIDE	4	680-124-5823	15-Aug-25	SELECTIVE	Transplanted onion	Grasses, sedges and broadleaves	2-3 L product/ha	-	-		Re-entry can be done after the spray droplets have dried up.It is recommended to keep from disturbing the soil even by treading on the sprayed soil surfaces, to
INTERNATIONAL VETERINARY & AGRICHEMICAL (INDIA), INC.	OXAMMIL	OX 240 SL	240 g/L	SL	INSECTICIDE	1	089-172-4054	15-Aug-19	SYSTEMIC	Banana	Nematodes	10 mL/mut		-		Apply as long as pest threatens
METRO AGR TRADING AND GENERAL MERCHANDISE INCORPORATED	PROFENOFOS	OVIPEL 50 EC	500 g/L	EC	INSECTICIDE	2	634-070-6395	19-Dec-26	-	Cabbage	Diamondback moth, cabbage worm, looper, and aphids	3-5 Tbsp/36 L water		-		Do not apply at less than 7 days before harvest
METRO AGR TRADING AND GENERAL MERCHANDISE INCORPORATED	PROFENOFOS	OVIPEL 50 EC	500 g/L	EC	INSECTICIDE	2	634-070-6395	19-Dec-26	-	Crucifers	Diamondback moth, cabbage worm, looper, and aphids	3-5 Tbsp/36 L water		-		Do not apply at less than 7 days before harvest
METRO AGR TRADING AND GENERAL MERCHANDISE INCORPORATED	PROFENOFOS	OVIPEL 50 EC	500 g/L	EC	INSECTICIDE	2	634-070-6395	19-Dec-26	-	Cotton	Thrips, bollworm & budworm	3-5 Tbsp/36 L water		-		Do not apply at less than 7 days before harvest
METRO AGR TRADING AND GENERAL MERCHANDISE INCORPORATED	PROFENOFOS	OVIPEL 50 EC	500 g/L	EC	INSECTICIDE	2	634-070-6395	19-Dec-26	-	Eggplant	Fruitbots, aphids, leafhopper, & thrips	1-5-3.0 Tbsp/36 L water		-		Do not enter treated fields for at least 1 day after application
METRO AGR TRADING AND GENERAL MERCHANDISE INCORPORATED	PROFENOFOS	OVIPEL 50 EC	500 g/L	EC	INSECTICIDE	2	634-070-6395	19-Dec-26	-	Mango	Blossom thrips	1.0-2.0 Tbsp/36 water		-		Do not apply at less than 7 days before harvest
METRO AGR TRADING AND GENERAL MERCHANDISE INCORPORATED	PROFENOFOS	OVIPEL 50 EC	500 g/L	EC	INSECTICIDE	2	634-070-6395	19-Dec-26	-	Mungbeans	Com earworm, leafminer	3-5 Tbsp/36 L water		-		Do not apply at less than 7 days before harvest
METRO AGR TRADING AND GENERAL MERCHANDISE INCORPORATED	PROFENOFOS	OVIPEL 50 EC	500 g/L	EC	INSECTICIDE	2	634-070-6395	19-Dec-26	-	Potato	Thrips, army worm, cutworm, tuber moth	3-5 Tbsp/36 L water		-		Do not apply at less than 7 days before harvest
METRO AGR TRADING AND GENERAL MERCHANDISE INCORPORATED	PROFENOFOS	OVIPEL 50 EC	500 g/L	EC	INSECTICIDE	2	634-070-6395	19-Dec-26	-	Soybeans	Com earworm, leafminer	3-5 Tbsp/36 L water		-		Do not enter treated fields for at least 1 day after application
METRO AGR TRADING AND GENERAL MERCHANDISE INCORPORATED	PROFENOFOS	OVIPEL 50 EC	500 g/L	EC	INSECTICIDE	2	634-070-6395	19-Dec-26	-	Brinjalbeans	Beanyfly, leafhopper, aphids, podborer	1.5-3.0 Tbsp/36 L water		-		Do not apply at less than 7 days before harvest
METRO AGR TRADING AND GENERAL MERCHANDISE INCORPORATED	PROFENOFOS	OVIPEL 50 EC	500 g/L	EC	INSECTICIDE	2	634-070-6395	19-Dec-26	-	Tomato	Fruitworm, armyworm, cutworm	1.5-3.0 Tbsp/36 L water		-		Do not apply at less than 7 days before harvest
METRO AGR TRADING AND GENERAL MERCHANDISE INCORPORATED	PROFENOFOS	OVIPEL 50 EC	500 g/L	EC	INSECTICIDE	2	634-070-6395	19-Dec-26	-	Watermelon	Blossom thrips	3-5 Tbsp/36 L water		-		Do not enter treated fields for at least 1 day after application
JOHAFAB AGRICHEM CORPORATION	METHOMIL	OVERTHROW 40 SP	400 g/kg	SP	INSECTICIDE	2	538-164-3786	04-Jan-25	CONTACT	Banana	Thrips	1.5-4.5 Tbsp/36 L water		-		Do not enter fields treated with OVERTHROW 40 SP within 12 hours after application.
JOHAFAB AGRICHEM CORPORATION	METHOMIL	OVERTHROW 40 SP	400 g/kg	SP	INSECTICIDE	2	538-164-3786	04-Jan-25	CONTACT	beans	leafroller, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/36 L water		-		Do not enter fields treated with OVERTHROW 40 SP within 12 hours after application.
JOHAFAB AGRICHEM CORPORATION	METHOMIL	OVERTHROW 40 SP	400 g/kg	SP	INSECTICIDE	2	538-164-3786	04-Jan-25	CONTACT	Mungbeans	leafroller, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/36 L water		-		Do not enter fields treated with OVERTHROW 40 SP within 12 hours after application.
JOHAFAB AGRICHEM CORPORATION	METHOMIL	OVERTHROW 40 SP	400 g/kg	SP	INSECTICIDE	2	538-164-3786	04-Jan-25	CONTACT	Soybeans	leafroller, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/36 L water		-		Do not enter fields treated with OVERTHROW 40 SP within 12 hours after application.

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)		PHI	RE-ENTRY PERIOD	
JOEFABS AGRICHEM CORPORATION	METHOMYL	OVERTHROW 40 SP	400 g/Kg	SP	INSECTICIDE	2	530-164-3786	04-Jan-25	CONTACT	Itaas	Leafhopper, flea beetle , beanyfly, podborer,aphids	2.0-3.5 Tbsp/36 L water				Do not enter fields treated with OVERTHROW 40 SP within 12 hours after application.	
JOEFABS AGRICHEM CORPORATION	METHOMYL	OVERTHROW 40 SP	400 g/Kg	SP	INSECTICIDE	2	530-164-3786	04-Jan-25	CONTACT	Corn	Comborer, earworm	2.0-3.5 Tbsp/36 L water				Do not enter fields treated with OVERTHROW 40 SP within 12 hours after application.	
JOEFABS AGRICHEM CORPORATION	METHOMYL	OVERTHROW 40 SP	400 g/Kg	SP	INSECTICIDE	2	530-164-3786	04-Jan-25	CONTACT	Sorghum	Comborer,earworm	2.0-3.5 Tbsp/36 L water				Do not enter fields treated with OVERTHROW 40 SP within 12 hours after application.	
JOEFABS AGRICHEM CORPORATION	METHOMYL	OVERTHROW 40 SP	400 g/Kg	SP	INSECTICIDE	2	530-164-3786	04-Jan-25	CONTACT	Eggplant	Aphids, flea beetle, fruitworm, lady beetle	2.0-3.5 Tbsp/36 L water				Do not enter fields treated with OVERTHROW 40 SP within 12 hours after application.	
JOEFABS AGRICHEM CORPORATION	METHOMYL	OVERTHROW 40 SP	400 g/Kg	SP	INSECTICIDE	2	530-164-3786	04-Jan-25	CONTACT	Melon	Aphids, Squash beetle , leaf folder	2.0-3.5 Tbsp/36 L water				Do not enter fields treated with OVERTHROW 40 SP within 12 hours after application.	
JOEFABS AGRICHEM CORPORATION	METHOMYL	OVERTHROW 40 SP	400 g/Kg	SP	INSECTICIDE	2	530-164-3786	04-Jan-25	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leaf folder	2.0-3.5 Tbsp/36 L water	0.05ppm	3 Days		Do not enter fields treated with OVERTHROW 40 SP within 12 hours after application.	
JOEFABS AGRICHEM CORPORATION	METHOMYL	OVERTHROW 40 SP	400 g/Kg	SP	INSECTICIDE	2	530-164-3786	04-Jan-25	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	2.0-3.5 Tbsp/36 L water				Do not enter fields treated with OVERTHROW 40 SP within 12 hours after application.	
JOEFABS AGRICHEM CORPORATION	METHOMYL	OVERTHROW 40 SP	400 g/Kg	SP	INSECTICIDE	2	530-164-3786	04-Jan-25	CONTACT	Tomato	Tomato fruitworm, aphids	2.0-3.5 Tbsp/36 L water				Do not enter fields treated with OVERTHROW 40 SP within 12 hours after application.	
AGRI-SPROUT PHILIPPINES, INC.	CARTAP HYDROCHLORIDE	OVER-ALL 50 SP	500 g/Kg	SP	INSECTICIDE	3	668-106-5294	26-May-24	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	1.5-5.0Tbsp/36 L water		0.2ppm		Application of OVER-ALL 50 SP should be stopped 10 days before harvest	
AGRI-SPROUT PHILIPPINES, INC.	CARTAP HYDROCHLORIDE	OVER-ALL 50 SP	500 g/Kg	SP	INSECTICIDE	3	668-106-5294	26-May-24	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/36 L water				Application of OVER-ALL 50 SP should be stopped 10 days before harvest	
AGRI-SPROUT PHILIPPINES, INC.	CARTAP HYDROCHLORIDE	OVER-ALL 50 SP	500 g/Kg	SP	INSECTICIDE	3	668-106-5294	26-May-24	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/36 L water				Application of OVER-ALL 50 SP should be stopped 10 days before harvest	
AGRI-SPROUT PHILIPPINES, INC.	CARTAP HYDROCHLORIDE	OVER-ALL 50 SP	500 g/Kg	SP	INSECTICIDE	3	668-106-5294	26-May-24	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/36 L water				Application of OVER-ALL 50 SP should be stopped 10 days before harvest	
AGRI-SPROUT PHILIPPINES, INC.	CARTAP HYDROCHLORIDE	OVER-ALL 50 SP	500 g/Kg	SP	INSECTICIDE	3	668-106-5294	26-May-24	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/36 L water				Application of OVER-ALL 50 SP should be stopped 10 days before harvest	
AGRI-SPROUT PHILIPPINES, INC.	CARTAP HYDROCHLORIDE	OVER-ALL 50 SP	500 g/Kg	SP	INSECTICIDE	3	668-106-5294	26-May-24	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/36 L water				Application of OVER-ALL 50 SP should be stopped 10 days before harvest	
AGRI-SPROUT PHILIPPINES, INC.	CARTAP HYDROCHLORIDE	OVER-ALL 50 SP	500 g/Kg	SP	INSECTICIDE	3	668-106-5294	26-May-24	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/36 L water				Application of OVER-ALL 50 SP should be stopped 10 days before harvest	
AGRI-SPROUT PHILIPPINES, INC.	CARTAP HYDROCHLORIDE	OVER-ALL 50 SP	500 g/Kg	SP	INSECTICIDE	3	668-106-5294	26-May-24	SYSTEMIC	Mango	leafhoppers	1.5-2.0Tbsp/36 L water				Application of OVER-ALL 50 SP should be stopped 10 days before harvest	
AGRI-SPROUT PHILIPPINES, INC.	CARTAP HYDROCHLORIDE	OVER-ALL 50 SP	500 g/Kg	SP	INSECTICIDE	3	668-106-5294	26-May-24	SYSTEMIC	Peachay	looper, cutworm, aphids	1.5-3.0Tbsp/36 L water				Application of OVER-ALL 50 SP should be stopped 10 days before harvest	
BERRIS AGRICULTURAL CO., INC.	BUPROFEZIN	OVATION 10 WP	100 g/Kg	WP	INSECTICIDE	4	233-224-3332	15-Oct-26	SYSTEMIC	Rice	Brown planthopper & Green Leafhopper	3-2 Tbsp/36L		0.5 ppm		Do not spray before harvest at 7 days for rice, 15 days for mango and 7days for pineapple	
BERRIS AGRICULTURAL CO., INC.	BUPROFEZIN	OVATION 10 WP	100 g/Kg	WP	INSECTICIDE	4	233-224-3332	15-Oct-26	SYSTEMIC	Mango	Hopper	1-2 sachet/1 drum,1 drum=200 L				Do not spray before harvest at 7 days for rice, 15 days for mango and 7days for pineapple	
BERRIS AGRICULTURAL CO., INC.	BUPROFEZIN	OVATION 10 WP	100 g/Kg	WP	INSECTICIDE	4	233-224-3332	15-Oct-26	SYSTEMIC	Pineapple	Mealybugs	4.08kg/ha				Do not spray before harvest at 7 days for rice, 15 days for mango and 7days for pineapple	
JARDINE DISTRIBUTION, INC.	DIURON	OUTWEEDER 80 WP	800 g/Kg	WP	HERBICIDE	4	367-021-2912	22-Jul-24	SYSTEMIC	Citrus	Annual and Perennial broadleaves and grasses	11.0-19.0Tbsp/36 L water				After spray deposits have dried up	
JARDINE DISTRIBUTION, INC.	DIURON	OUTWEEDER 80 WP	800 g/Kg	WP	HERBICIDE	4	367-021-2912	22-Jul-24	SYSTEMIC	Coffee	Annual and Perennial broadleaves and grasses	11-13.0Tbsp/36 L water				After spray deposits have dried up	
JARDINE DISTRIBUTION, INC.	DIURON	OUTWEEDER 80 WP	800 g/Kg	WP	HERBICIDE	4	367-021-2912	22-Jul-24	SYSTEMIC	Cotton	Annual and Perennial broadleaves and grasses	8.0Tbsp/36 L water				After spray deposits have dried up	
JARDINE DISTRIBUTION, INC.	DIURON	OUTWEEDER 80 WP	800 g/Kg	WP	HERBICIDE	4	367-021-2912	22-Jul-24	SYSTEMIC	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0Tbsp/36 L water				After spray deposits have dried up	
JARDINE DISTRIBUTION, INC.	DIURON	OUTWEEDER 80 WP	800 g/Kg	WP	HERBICIDE	4	367-021-2912	22-Jul-24	SYSTEMIC	Pineapple	Annual and Perennial broadleaves and grasses	11.0Tbsp/36 L water		0.80 ppm		After spray deposits have dried up	
JARDINE DISTRIBUTION, INC.	DIURON	OUTWEEDER 80 WP	800 g/Kg	WP	HERBICIDE	4	367-021-2912	22-Jul-24	SYSTEMIC	Non-crop land	Annual and Perennial broadleaves and grasses	20.0-28.0Tbsp/36 L water				After spray deposits have dried up	
SURE CROP SCIENCE AGRIVENTURES, INC.	BUTACHLOR-PROPANIL	OUTRAGE 70 EC	350-350 g/L	EC	HERBICIDE	3	640-238-4719	19-Mar-25	POST-EMERGENT	Rice (Direct-Seeded)	Grasses, Sedges and Broadleaves	9-12Tbsp/36 L water				Butachlor 0.1ppm Propanil 0.1ppm	
SURE CROP SCIENCE AGRIVENTURES, INC.	BUTACHLOR-PROPANIL	OUTRAGE 70 EC	350-350 g/L	EC	HERBICIDE	3	640-238-4719	19-Mar-25	POST-EMERGENT	Rice (Transplanted)	Grasses, Sedges and Broadleaves	9-12Tbsp/36 L water				Butachlor 0.1ppm Propanil 0.1ppm	
ORACLE CHEM CORPORATION	METALDEHIDE	OUAT 6N PELLETS	60 g/Kg	P	MOLLUSCICIDE	4	417-075-4653	07-Feb-24	CONTACT	Rice (Transplanted)	Golden apple snail	2-4 kg/ product per hectare				Do not enter treated field within 48 hours after application.	
ORACLE CHEM CORPORATION	METALDEHIDE	OUAT 6N PELLETS	60 g/Kg	P	MOLLUSCICIDE	4	417-075-4653	07-Feb-24	CONTACT	Rice (Direct-Seeded)	Golden apple snail	4-8 kg/product per hectare				Do not enter treated field within 48 hours after application.	
ORACLE CHEM CORPORATION	METALDEHIDE	OUAT 6N PELLETS	60 g/Kg	P	MOLLUSCICIDE	4	417-075-4653	07-Feb-24	CONTACT	Potted and driftwood-attached plants such as	Bush, snails, giant african snail and slugs	1-2 kg/product per hectare				Do not enter treated field within 48 hours after application.	
ORACLE CHEM CORPORATION	METALDEHIDE	OUAT 6N PELLETS	60 g/Kg	P	MOLLUSCICIDE	4	417-075-4653	07-Feb-24	CONTACT	Crucifers(Chinese Cabbage)	Slug, snails	4-8 kg/product per hectare				Do not enter treated field within 48 hours after application.	
ORACLE CHEM CORPORATION	METALDEHIDE	OUAT 6N PELLETS	60 g/Kg	P	MOLLUSCICIDE	4	417-075-4653	07-Feb-24	CONTACT	Strawberry	Slug, snails	4-8 kg/product per hectare				Do not enter treated field within 48 hours after application.	
MIGHTY AGRICULTURAL TRADING CORPORATION	OXITETRACYCLINE HCI	UTC 30 WP	-	WP	OTHERS	4	713-470-5880	4-Mar-25		Cavendish banana	Fruit rot and control of Erwinia carotovora				30 days	After spray deposits have dried	
MIGHTY AGRICULTURAL TRADING CORPORATION	OXITETRACYCLINE HCI	UTC 30 WP	-	WP	OTHERS	4	713-470-5880	4-Mar-25		Pineapple	Bacterial heart rot				30 days	After spray deposits have dried	
BIOSTADT PHILIPPINES INC.	OSHN 20 SG	OSHN 20 SG	200 g/Kg	SG	INSECTICIDE	4	097-373-1590	13-Oct-25	SYSTEMIC	Watermelon	Aphids, whiteflies	2.5-5.0 g/36 water				16 days after the last spray	As soon as the spray solution has dried on the foliage.
BIOSTADT PHILIPPINES INC.	OSHN 20 SG	OSHN 20 SG	200 g/Kg	SG	INSECTICIDE	4	097-373-1590	13-Oct-25	SYSTEMIC	Tomato	Whiteflies, hoppers,cutworm	2.5-5.0 g/36 water				-	As soon as the spray solution has dried on the foliage.
BIOSTADT PHILIPPINES INC.	OSHN 20 SG	OSHN 20 SG	200 g/Kg	SG	INSECTICIDE	4	097-373-1590	13-Oct-25	SYSTEMIC	Eggplant	Hoppers, whiteflies,fruit borer	2.5-5.0 g/36 water				-	As soon as the spray solution has dried on the foliage.
BIOSTADT PHILIPPINES INC.	OSHN 20 SG	OSHN 20 SG	200 g/Kg	SG	INSECTICIDE	4	097-373-1590	13-Oct-25	SYSTEMIC	Rice	Green leafhopper, brown planthopper, rice	2.5-5.0 g/36 water				2 mg/kg	As soon as the spray solution has dried on the foliage.
BIOSTADT PHILIPPINES INC.	OSHN 20 SG	OSHN 20 SG	200 g/Kg	SG	INSECTICIDE	4	097-373-1590	13-Oct-25	SYSTEMIC	Coconut	Scale insects	5g/Tree (Trunk injection)				1.0ppm	0day after injection
BIOSTADT PHILIPPINES INC.	OSHN 20 SG	OSHN 20 SG	200 g/Kg	SG	INSECTICIDE	4	097-373-1590	13-Oct-25	SYSTEMIC	Mango	Mango leaf hopper	1.0-2.0 L 36L spray water				1ppm	As soon as the spray solution has dried on the foliage.
LEADS ANIMAL HEALTH AND NATURAL SOLUTIONS CORP.	NOVALURON	OSCAR 100 EC	-	EC	INSECTICIDE	4	076-349-3237	07-Mar-25	N/A		Hourlyly maggots in animal farms	16 ml prod/ 36 L water at spray volume of 200-300 ml per m2 area				-	-
MONARCH AGRICULTURAL PRODUCTS, INC.	BUPYRIBAC SODIUM	OSCAR 10 SC	100 g/L	SC	HERBICIDE	2	096-276-3474	01-Apr-22	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Rice (Direct-Seeded lowland)	Grasses, sedges & broadleaves	10m/36 L water, 20 spray load/hectare				0.1 ppm	As soon as spray deposits have dried
ISIDORE AGRICHEMICALS, INC.	BUPYRIBAC SODIUM	ORVZA 10 SC	105.5 g/L	SC	HERBICIDE	4	576-276-4685	21-May-24	POST-EMERGENCE	Rice (Direct-seeded)	Grasses, sedges & broadleaves	10spray/load,25-30m/36water, 10spray/load, 20-25m/36water,				0.1 ppm	As soon as the spray droplets have dried.
ISIDORE AGRICHEMICALS, INC.	BUPYRIBAC SODIUM	ORVZA 10 SC	105.5 g/L	SC	HERBICIDE	4	576-276-4685	21-May-24	POST-EMERGENCE	Rice (Transplanted)	Grasses, sedges & broadleaves	10spray/load,25-30m/36water, 10spray/load, 20-25m/36water,				0.1 ppm	As soon as the spray droplets have dried.
TRANS WORLD TRADING CO., INC.	FENPYRIMIDATE	ORTUS 5 SC	50 g/L	SC	MITECIDE	4	038-359-1235	26-Mar-24		Pineapple	Pineapple Mites	1.6-2.4 Tbsp/36L water				1.0 ppm	Do not spray within 30 days before harvest
SYNGENTA PHILIPPINES INC.	AZOXYSTROBIN+OXYFLOQUASOL	ORTIVA TOP 325 SC	200 g/L+125 g/L	SC	FUNGICIDE	3	011-486-4489	21-Nov-25		Corn	Northern corn leaf blight white spot gray leaf spot brown spot	5.0-7.5 Tbsp/36L water				28 days	Do not enter or allow worker to enter treated areas until spray deposits have dried up or unless a protective clothing is worn
SYNGENTA PHILIPPINES INC.	AZOXYSTROBIN+OXYFLOQUASOL	ORTIVA TOP 325 SC	200 g/L+125 g/L	SC	FUNGICIDE	3	011-486-4489	21-Nov-25		Mango	Anthracnose scab stem and rot	300-200ml/200L				14 days	Do not enter or allow worker to enter treated areas until spray deposits have dried up or unless a protective clothing is worn
SYNGENTA PHILIPPINES INC.	AZOXYSTROBIN+OXYFLOQUASOL	ORTIVA TOP 325 SC	200 g/L+125 g/L	SC	FUNGICIDE	3	011-486-4489	21-Nov-25		Onion	Anthracnose	2.0-3.5 Tbsp/36L water				12 days	Do not enter or allow worker to enter treated areas until spray deposits have dried up or unless a protective clothing is worn
SYNGENTA PHILIPPINES INC.	AZOXYSTROBIN+OXYFLOQUASOL	ORTIVA TOP 325 SC	200 g/L+125 g/L	SC	FUNGICIDE	3	011-486-4489	21-Nov-25		Potato	Late blight	2.0-2.5 Tbsp/36L water				14 days	Do not enter or allow worker to enter treated areas until spray deposits have dried up or unless a protective clothing is worn
SYNGENTA PHILIPPINES INC.	AZOXYSTROBIN+OXYFLOQUASOL	ORTIVA TOP 325 SC	200 g/L+125 g/L	SC	FUNGICIDE	3	011-486-4489	21-Nov-25		Rice	Rice blast sheath blight	2.5-5.0 Tbsp/36L water				30 days	Do not enter or allow worker to enter treated areas until spray deposits have dried up or unless a protective clothing is worn
SYNGENTA PHILIPPINES INC.	AZOXYSTROBIN+OXYFLOQUASOL	ORTIVA TOP 325 SC	200 g/L+125 g/L	SC	FUNGICIDE	3	011-486-4489	21-Nov-25		Tomato	Early blight and late blight	400-500 ml product per hectare				0 day	Do not enter or allow worker to enter treated areas until spray deposits have dried up or unless a protective clothing is worn
SYNGENTA PHILIPPINES INC.	AZOXYSTROBIN+OXYFLOQUASOL	ORTIVA TOP 325 SC	200 g/L+125 g/L	SC	FUNGICIDE	3	011-486-4489	21-Nov-25		Cabbage	Leaf spots	300-500 ml product per hectare				14 days	Do not enter or allow worker to enter treated areas until spray deposits have dried up or unless a protective clothing is worn
TAIPAN BRAND FARM INC.	ACEPHATE	ORTHENE 75 SP	750 g/Kg	SP	INSECTICIDE	3	529-242-3534	07-Sep-24		Tobacco	Budworm, aphids	2-3 Tbsp/36L water				-	Crop sprayed with ORTHENE 75 SP can be harvested 2 weeks after treatment
TAIPAN BRAND FARM INC.	ACEPHATE	ORTHENE 75 SP	750 g/Kg	SP	INSECTICIDE	3	529-242-3534	07-Sep-24		Eggplant	Fruitborer	2-3 Tbsp/36L water				-	Crop sprayed with ORTHENE 75 SP can be harvested 2 weeks after treatment
TAIPAN BRAND FARM INC.	ACEPHATE	ORTHENE 75 SP	750 g/Kg	SP	INSECTICIDE	3	529-242-3534	07-Sep-24		Stringbeans	Aphids	2-3 Tbsp/36L water				-	Crop sprayed with ORTHENE 75 SP can be harvested 2 weeks after treatment

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
TAIPAN BRAND FARM INC.	ACEPHATE	ORTHENE 75 SP	750g/kg	SP	INSECTICIDE	3	529-242-3534	07-Sep-24	-	Tomato	Fruitworm	2-3 Tbsp/36 L water	-	Crop sprayed with ORTHENE 75 SP can be harvested 2 weeks after treatment	Entry to field and crops treated with ORTHENE 75 SP can be soon as spray deposits have dried
TAIPAN BRAND FARM INC.	ACEPHATE	ORTHENE 75 SP	750g/kg	SP	INSECTICIDE	3	529-242-3534	07-Sep-24	-	Banana	Thrips	1.5-2 Tbsp/36L water	-	Crop sprayed with ORTHENE 75 SP can be harvested 2 weeks after treatment	Entry to field and crops treated with ORTHENE 75 SP can be soon as spray deposits have dried
TAIPAN BRAND FARM INC.	ACEPHATE	ORTHENE 75 SP	750g/kg	SP	INSECTICIDE	3	529-242-3534	07-Sep-24	-	Watermelon	Aphids, thrips	2-3 Tbsp/36L water	-	Crop sprayed with ORTHENE 75 SP can be harvested 2 weeks after treatment	Entry to field and crops treated with ORTHENE 75 SP can be soon as spray deposits have dried
TAIPAN BRAND FARM INC.	ACEPHATE	ORTHENE 75 SP	750g/kg	SP	INSECTICIDE	3	529-242-3534	07-Sep-24	-	Rice	Whorl maggot, green leafhopper, brown planthopper, stemborer, leafroller, rice bug	2-3 Tbsp/36L water	0.02 ppm	Crop sprayed with ORTHENE 75 SP can be harvested 2 weeks after treatment	Entry to field and crops treated with ORTHENE 75 SP can be soon as spray deposits have dried
TAIPAN BRAND FARM INC.	ACEPHATE	ORTHENE 75 SP	750g/kg	SP	INSECTICIDE	3	529-242-3534	07-Sep-24	-	Mango	Hopper, Tipborers	1.5-2 Tbsp/36L water	-	Crop sprayed with ORTHENE 75 SP can be harvested 2 weeks after treatment	Entry to field and crops treated with ORTHENE 75 SP can be soon as spray deposits have dried
SABERO ORGANICS PHILIPPINES ASIA INC.	ACEPHATE	ORTAIN 75 SP	750g/kg	SP	INSECTICIDE	3	466-242-4134	09-Oct-26	-	Tobacco	Budworm, aphids	2-3 Tbsp/36 L water	-	Crops sprayed with ORTAIN 75 SP can be harvested 2 weeks after treatment	Entry to fields and crops treated with ORTAIN 75 SP can be done as soon
SABERO ORGANICS PHILIPPINES ASIA INC.	ACEPHATE	ORTAIN 75 SP	750g/kg	SP	INSECTICIDE	3	466-242-4134	09-Oct-26	-	Eggplant	Fruitborer	2-3 Tbsp/36 L water	-	Crops sprayed with ORTAIN 75 SP can be harvested 2 weeks after treatment	Entry to fields and crops treated with ORTAIN 75 SP can be done as soon
SABERO ORGANICS PHILIPPINES ASIA INC.	ACEPHATE	ORTAIN 75 SP	750g/kg	SP	INSECTICIDE	3	466-242-4134	09-Oct-26	-	Stringbeans	Aphids	Crops sprayed with ORTAIN 75 SP can be harvested 2 weeks after treatment	-	Entry to fields and crops treated with ORTAIN 75 SP can be done as soon	
SABERO ORGANICS PHILIPPINES ASIA INC.	ACEPHATE	ORTAIN 75 SP	750g/kg	SP	INSECTICIDE	3	466-242-4134	09-Oct-26	-	Tomato	Fruitworm	2-3 Tbsp/36 L water	-	Crop sprayed with ORTAIN 75 SP can be harvested 2 weeks after treatment	Entry to fields and crops treated with ORTAIN 75 SP can be done as soon
SABERO ORGANICS PHILIPPINES ASIA INC.	ACEPHATE	ORTAIN 75 SP	750g/kg	SP	INSECTICIDE	3	466-242-4134	09-Oct-26	-	Banana	Leafhopper, Tipborer	1.5-2 Tbsp/36L water	-	Crops sprayed with ORTAIN 75 SP can be harvested 2 weeks after treatment	Entry to fields and crops treated with ORTAIN 75 SP can be done as soon
SABERO ORGANICS PHILIPPINES ASIA INC.	ACEPHATE	ORTAIN 75 SP	750g/kg	SP	INSECTICIDE	3	466-242-4134	09-Oct-26	-	Watermelon	Aphids, thrips	Crops sprayed with ORTAIN 75 SP can be harvested 2 weeks after treatment	-	Entry to fields and crops treated with ORTAIN 75 SP can be done as soon	
SABERO ORGANICS PHILIPPINES ASIA INC.	ACEPHATE	ORTAIN 75 SP	750g/kg	SP	INSECTICIDE	3	466-242-4134	09-Oct-26	-	Rice	Whorl maggot, green leafhopper, brown planthopper, stemborer, leafroller, rice bug	2-3 Tbsp/36 L water	0.02 ppm	Crops sprayed with ORTAIN 75 SP can be harvested 2 weeks after treatment	Entry to fields and crops treated with ORTAIN 75 SP can be done as soon
SABERO ORGANICS PHILIPPINES ASIA INC.	ACEPHATE	ORTAIN 75 SP	750g/kg	SP	INSECTICIDE	3	466-242-4134	09-Oct-26	-	Mango	Hoppers, tipborers	15-2 Tbsp/36 L water	-	Crops sprayed with ORTAIN 75 SP can be harvested 2 weeks after treatment	Entry to fields and crops treated with ORTAIN 75 SP can be done as soon
SABERO ORGANICS PHILIPPINES ASIA INC.	ACEPHATE	ORTAIN 40 SL	400 g/L	SL	INSECTICIDE	3	466-242-4502	05-Sep-24	-	Tobacco	Budworm, aphids	2-3 Tbsp/36 L water	-	Crop sprayed with ORTAIN 40 SL can be harvested two weeks after treatment	Re-entry to treated field is allowed as soon as solution dries up
SABERO ORGANICS PHILIPPINES ASIA INC.	ACEPHATE	ORTAIN 40 SL	400 g/L	SL	INSECTICIDE	3	466-242-4502	05-Sep-24	-	Eggplant	Fruitborer	2-3 Tbsp/36 L water	-	Crop sprayed with ORTAIN 40 SL can be harvested two weeks after treatment	Re-entry to treated field is allowed as soon as solution dries up
SABERO ORGANICS PHILIPPINES ASIA INC.	ACEPHATE	ORTAIN 40 SL	400 g/L	SL	INSECTICIDE	3	466-242-4502	05-Sep-24	-	Stringbeans	Aphids	2-3 Tbsp/36 L water	-	Crop sprayed with ORTAIN 40 SL can be harvested two weeks after treatment	Re-entry to treated field is allowed as soon as solution dries up
SABERO ORGANICS PHILIPPINES ASIA INC.	ACEPHATE	ORTAIN 40 SL	400 g/L	SL	INSECTICIDE	3	466-242-4502	05-Sep-24	-	Tomato	Fruitworm	2-3 Tbsp/36 L water	-	Crop sprayed with ORTAIN 40 SL can be harvested two weeks after treatment	Re-entry to treated field is allowed as soon as solution dries up
SABERO ORGANICS PHILIPPINES ASIA INC.	ACEPHATE	ORTAIN 40 SL	400 g/L	SL	INSECTICIDE	3	466-242-4502	05-Sep-24	-	Banana	Leafhopper, Tipborer	1.5-2 Tbsp/36L water	-	Crop sprayed with ORTAIN 40 SL can be harvested two weeks after treatment	Re-entry to treated field is allowed as soon as solution dries up
SABERO ORGANICS PHILIPPINES ASIA INC.	ACEPHATE	ORTAIN 40 SL	400 g/L	SL	INSECTICIDE	3	466-242-4502	05-Sep-24	-	Watermelon	Aphids, thrips	2-3 Tbsp/36 L water	-	Crop sprayed with ORTAIN 40 SL can be harvested two weeks after treatment	Re-entry to treated field is allowed as soon as solution dries up
SABERO ORGANICS PHILIPPINES ASIA INC.	ACEPHATE	ORTAIN 40 SL	400 g/L	SL	INSECTICIDE	3	466-242-4502	05-Sep-24	-	Rice	Whorl maggot, green leafhopper, brown planthopper, stemborer, leafroller, rice bug	2-3 Tbsp/36 L water	0.02 ppm	Crop sprayed with ORTAIN 40 SL can be harvested two weeks after treatment	Re-entry to treated field is allowed as soon as solution dries up
SABERO ORGANICS PHILIPPINES ASIA INC.	ACEPHATE	ORTAIN 40 SL	400 g/L	SL	INSECTICIDE	3	466-242-4502	05-Sep-24	-	Mango	Leafhopper and tip borer	1.5-2 Tbsp/36L water	-	Crop sprayed with ORTAIN 40 SL can be harvested two weeks after treatment	Re-entry to treated field is allowed as soon as solution dries up
MARS AGRI VENTURES AND COMMODITIES INC.	CHLOROTHALONIL	OROTHALONIL 720 SC	720 g/L	SC	FUNGICIDE	4	609-118-5251	29-Dec-23	-	Ornamentals	Black spot, black rot, powdery mildew	4.5-6.0 Tbsp/36L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
MARS AGRI VENTURES AND COMMODITIES INC.	CHLOROTHALONIL	OROTHALONIL 720 SC	720 g/L	SC	FUNGICIDE	4	609-118-5251	29-Dec-23	-	Pepper	Early and late blight, bulb rot, neck rot	4.5-6.0 Tbsp/36L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
MARS AGRI VENTURES AND COMMODITIES INC.	CHLOROTHALONIL	OROTHALONIL 720 SC	720 g/L	SC	FUNGICIDE	4	609-118-5251	29-Dec-23	-	Onion	Purple blotch, bulb rot, neck rot	4.5-6.0 Tbsp/36L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
MARS AGRI VENTURES AND COMMODITIES INC.	CHLOROTHALONIL	OROTHALONIL 720 SC	720 g/L	SC	FUNGICIDE	4	609-118-5251	29-Dec-23	-	Mango	Antracnose, diploidi rot	4.5-6.0 Tbsp/36L water	0.5 mg/kg	7-14 days	Do not enter treatment areas until spray deposit have dried
MARS AGRI VENTURES AND COMMODITIES INC.	CHLOROTHALONIL	OROTHALONIL 720 SC	720 g/L	SC	FUNGICIDE	4	609-118-5251	29-Dec-23	-	Grapes	Downy mildew, powdery mildew, fruit rot	4.5-6.0 Tbsp/36L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
MARS AGRI VENTURES AND COMMODITIES INC.	CHLOROTHALONIL	OROTHALONIL 720 SC	720 g/L	SC	FUNGICIDE	4	609-118-5251	29-Dec-23	-	Eggplant	Early and late blight, cercospora, anthracnose	4.5-6.0 Tbsp/36L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
MARS AGRI VENTURES AND COMMODITIES INC.	CHLOROTHALONIL	OROTHALONIL 720 SC	720 g/L	SC	FUNGICIDE	4	609-118-5251	29-Dec-23	-	Celery	Early and late blight	4.5-6.0 Tbsp/36L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
MARS AGRI VENTURES AND COMMODITIES INC.	CHLOROTHALONIL	OROTHALONIL 720 SC	720 g/L	SC	FUNGICIDE	4	609-118-5251	29-Dec-23	-	Cucurbits	Powdery mildew, downy mildew, cercospora, anthracnose, septoria, fruit rot, early and late blight	4.5-6.0 Tbsp/36L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
MARS AGRI VENTURES AND COMMODITIES INC.	CHLOROTHALONIL	OROTHALONIL 720 SC	720 g/L	SC	FUNGICIDE	4	609-118-5251	29-Dec-23	-	Cucifers	Powdery mildew	4.5-6.0 Tbsp/36L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
MARS AGRI VENTURES AND COMMODITIES INC.	CHLOROTHALONIL	OROTHALONIL 720 SC	720 g/L	SC	FUNGICIDE	4	609-118-5251	29-Dec-23	-	Carrot	Alternaria, cercospora, helminthosporium	4.5-6.0 Tbsp/36L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
MARS AGRI VENTURES AND COMMODITIES INC.	CHLOROTHALONIL	OROTHALONIL 720 SC	720 g/L	SC	FUNGICIDE	4	609-118-5251	29-Dec-23	-	Beans	Rust, anthracnose	4.5-6.0 Tbsp/36L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
MARS AGRI VENTURES AND COMMODITIES INC.	CHLOROTHALONIL	OROTHALONIL 720 SC	720 g/L	SC	FUNGICIDE	4	609-118-5251	29-Dec-23	-	Tomato	Early blight, blight, vine rot	4.5-6.0 Tbsp/36L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
MARS AGRI VENTURES AND COMMODITIES INC.	CHLOROTHALONIL	OROTHALONIL 720 SC	720 g/L	SC	FUNGICIDE	4	609-118-5251	29-Dec-23	-	Potato	Early and late blight, vine rot	4.5-6.0 Tbsp/36L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
MARS AGRI VENTURES AND COMMODITIES INC.	CHLOROTHALONIL	OROTHALONIL 720 SC	720 g/L	SC	FUNGICIDE	4	609-118-5251	29-Dec-23	-	Asparagus	Stem and leaf blight	1.8L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
MARS AGRI VENTURES AND COMMODITIES INC.	CHLOROTHALONIL	OROTHALONIL 720 SC	720 g/L	SC	FUNGICIDE	4	609-118-5251	29-Dec-23	-	Banana	Black sigatoka	1.38L/ha	2.0 mg/kg	0 day	Do not enter treatment areas until spray deposit have dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	TEBUCONAZOLE	ORUS 430 SC	430 g/L	SC	FUNGICIDE	4	099-259-2050-A	30-Jul-26	SYSTEMIC	Banana	Sigatoka	0.23L/ha	-	0 day	Do not enter fields until spray has completely dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	TEBUCONAZOLE	ORUS 430 SC	430 g/L	SC	FUNGICIDE	4	099-259-2050-A	30-Jul-26	SYSTEMIC	Corn	Rust	26-38mL/36 L water	-	-	Do not enter fields until spray has completely dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	TEBUCONAZOLE	ORUS 430 SC	430 g/L	SC	FUNGICIDE	4	099-259-2050-A	30-Jul-26	SYSTEMIC	Mango	Anthrancnose	39-45mL/300 L water	-	22 days	Do not enter fields until spray has completely dried
ORACLE CHEM CORPORATION	CHLOROTHALONIL	ORANIL 500 SC	500 g/L	SC	FUNGICIDE	4	417-118-2706	22-Oct-19	-	Melon	Anthrancnose, cercospora leafspot, downy mildew, leaf blight	6.0-8.5 Tbsp/36 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ORACLE CHEM CORPORATION	CHLOROTHALONIL	ORANIL 500 SC	500 g/L	SC	FUNGICIDE	4	417-118-2706	22-Oct-19	-	Corn	Heminthosporium leaf spot, cercospora leafspot	6.0-8.5 Tbsp/36 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ORACLE CHEM CORPORATION	CHLOROTHALONIL	ORANIL 500 SC	500 g/L	SC	FUNGICIDE	4	417-118-2706	22-Oct-19	-	Eggplant	Anthrancnose, cercospora leafspot, early and late blight	6.0-8.5 Tbsp/36 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ORACLE CHEM CORPORATION	CHLOROTHALONIL	ORANIL 500 SC	500 g/L	SC	FUNGICIDE	4	417-118-2706	22-Oct-19	-	Peanut	Cercospora leaf spot, rust	6.0-8.5 Tbsp/36 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ORACLE CHEM CORPORATION	CHLOROTHALONIL	ORANIL 500 SC	500 g/L	SC	FUNGICIDE	4	417-118-2706	22-Oct-19	-	Potato	Early and late blight, vine rot	6.0-8.5 Tbsp/36 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ORACLE CHEM CORPORATION	CHLOROTHALONIL	ORANIL 500 SC	500 g/L	SC	FUNGICIDE	4	417-118-2706	22-Oct-19	-	Tomato	Early and late blight, vine rot	6.0-8.5 Tbsp/36 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ORACLE CHEM CORPORATION	CHLOROTHALONIL	ORANIL 500 SC	500 g/L	SC	FUNGICIDE	4	417-118-2706	22-Oct-19	-	Carrot	Alternaria, cercospora leaf spot, heminthosporium leaf spot	6.0-8.5 Tbsp/36 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ORACLE CHEM CORPORATION	CHLOROTHALONIL	ORANIL 500 SC	500 g/L	SC	FUNGICIDE	4	417-118-2706	22-Oct-19	-	Banana	Sigatoka, rust, freckles, heminthosporium leaf spot	2L/ha	2.0 mg/kg	-	Do not enter treatment areas until spray deposit have dried
ORACLE CHEM CORPORATION	CHLOROTHALONIL	ORANIL 500 SC	500 g/L	SC	FUNGICIDE	4	417-118-2706	22-Oct-19	-	Mango	Anthrancnose, diploidi rot	6.0-8.5 Tbsp/36 L	0.5 mg/kg	7-14 days	Do not enter treatment areas until spray deposit have dried
ORACLE CHEM CORPORATION	CHLOROTHALONIL	ORANIL 500 SC	500 g/L	SC	FUNGICIDE	4	417-118-2706	22-Oct-19	-	Beans	Rust, anthracnose	6.0-8.5 Tbsp/36 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ORACLE CHEM CORPORATION	CHLOROTHALONIL	ORANIL 500 SC	500 g/L	SC	FUNGICIDE	4	417-118-2706	22-Oct-19	-	Cucifers	Powdery mildew	6.0-8.5 Tbsp/36 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ORACLE CHEM CORPORATION	CHLOROTHALONIL	ORANIL 500 SC	500 g/L	SC	FUNGICIDE	4	417-118-2706	22-Oct-19	-	Onion	Purple blotch, bulb rot, neck rot	6.0-8.5 Tbsp/36 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ORACLE CHEM CORPORATION	CHLOROTHALONIL	ORANIL 500 SC	500 g/L	SC	FUNGICIDE	4	417-118-2706	22-Oct-19	-	Garlic	Purple blotch, bulb rot, neck rot	6.0-8.5 Tbsp/36 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ORACLE CHEM CORPORATION	CHLOROTHALONIL	ORANIL 500 SC	500 g/L	SC	FUNGICIDE	4	417-118-2706	22-Oct-19	-	Ornamentals	Black spot, black rot, powdery mildew	6.0-8.5 Tbsp/36 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ORACLE CHEM CORPORATION	CHLOROTHALONIL	ORANIL 500 SC	500 g/L	SC	FUNGICIDE	4	417-118-2706	22-Oct-19	-	Grapes	Downy mildew, powdery mildew, fruit rot	6.0-8.5 Tbsp/36 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ORACLE CHEM CORPORATION	CHLOROTHALONIL	ORANIL 500 SC	500 g/L	SC	FUNGICIDE	4	417-118-2706	22-Oct-19	-	Pepper	Anthrancnose, cercospora leaf spot, early blight	6.0-8.5 Tbsp/36 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ORACLE CHEM CORPORATION	CHLOROTHALONIL	ORANIL 500 SC	500 g/L	SC	FUNGICIDE	4	417-118-2706	22-Oct-19	-	Melon	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/36 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
ORACLE CHEM CORPORATION	CHLOROTHALONIL	ORANIL 900 SC	900 g/L	SC	FUNGICIDE	4	417-118-2706	22-Oct-19	-	Cucumber	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ORACLE CHEM CORPORATION	CHLOROTHALONIL	ORANIL 900 SC	900 g/L	SC	FUNGICIDE	4	417-118-2706	22-Oct-19	-	Squash	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ORACLE CHEM CORPORATION	CHLOROTHALONIL	ORANIL 900 SC	900 g/L	SC	FUNGICIDE	4	417-118-2706	22-Oct-19	-	Watermelon	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ORACLE CHEM CORPORATION	CHLOROTHALONIL	ORANIL 900 SC	900 g/L	SC	FUNGICIDE	4	417-118-2706	22-Oct-19	-	Salery	Early and late blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
BASF PHILIPPINES, INC.	EPORCONAZOLE	OPUS 12.5 SC	125 g/L	SC	FUNGICIDE	3	005-369-4703	15-Dec-24	SYSTEMIC	Banana	Black sigatoka	0.3-0.8 L prod. / ha.; 30 L/ hectare volume rate	-	0 day	As soon as spray droplets dries
MIGHTY AGRICULTURAL TRADING CORPORATION	MULBEMECTIN	OPTIMATE 1% EC	10 g/L	EC	INSECTICIDE	2	733-482-6126	27-Apr-24	-	Pineapple	Mites	3-3 L prod. / hectare	-	7 days	After spray deposits have dried
MIGHTY AGRICULTURAL TRADING CORPORATION	MULBEMECTIN	OPTIMATE 1% EC	10 g/L	EC	INSECTICIDE	2	733-482-6126	6-Jul-24	-	Papaya	Mites	1.0-3.0 L prod/ ha	-	0 day	After spray deposits have dried
BASF PHILIPPINES, INC.	EPORCONAZOLE	OPAL 7.5 EC	75 g/L	EC	FUNGICIDE	2	005-369-1499	04-Jan-27	SYSTEMIC	Banana	Sigatoka	1.0-1.3 L/HA	-	0 Day	24 hours after spraying
BASF PHILIPPINES, INC.	EPORCONAZOLE	OPAL 7.5 EC	75 g/L	EC	FUNGICIDE	2	005-369-1499	04-Jan-27	SYSTEMIC	Rice	Sheath blight caused by Rhizoctonia solani	0.5 L/ha product/ha at volume rate of 200 liters/ha	-	0 Day	24 hours after spraying
ONEGRAIN MARKETING CORPORATION	MALATHION	ONEGRAIN MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	723-038-5815	29-Jul-24	-	Fruit trees	Aphids, mealy bugs, scale insects	1.5-3.0 Tbsp 16L water	-	One (1) day after each spraying	One (1) day after each spraying
ONEGRAIN MARKETING CORPORATION	MALATHION	ONEGRAIN MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	723-038-5815	29-Jul-24	-	Rice	Amyrmworm, caseworm, leafhopper, bugs	2.0-5.0 Tbsp 16L water	-	One (1) day after each spraying	One (1) day after each spraying
ONEGRAIN MARKETING CORPORATION	MALATHION	ONEGRAIN MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	723-038-5815	29-Jul-24	-	Corn	Earthworm, silkworm, aphids, grasshopper	3.0-5.0 Tbsp 16L water	-	One (1) day after each spraying	One (1) day after each spraying
ONEGRAIN MARKETING CORPORATION	MALATHION	ONEGRAIN MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	723-038-5815	29-Jul-24	-	Crucifers	Cabbage worm, looper, diamond-back moth	2.0-5.0 Tbsp 16L water	-	One (1) day after each spraying	One (1) day after each spraying
ONEGRAIN MARKETING CORPORATION	MALATHION	ONEGRAIN MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	723-038-5815	29-Jul-24	-	Cabbage	Cabbage worm, looper, diamond-back moth	2.0-5.0 Tbsp 16L water	-	One (1) day after each spraying	One (1) day after each spraying
ONEGRAIN MARKETING CORPORATION	MALATHION	ONEGRAIN MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	723-038-5815	29-Jul-24	-	Legumes	Aphids, beanfly, cutworm, flea beetles, leafminer, maggots, mealy bug, pod borer, thrips	2.0-5.0 Tbsp 16L water	-	One (1) day after each spraying	One (1) day after each spraying
ONEGRAIN MARKETING CORPORATION	MALATHION	ONEGRAIN MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	723-038-5815	29-Jul-24	-	grapes	Beetles, cut worm, leafhopper, mealybug, scale insects, spider mites	3.0 Tbsp 16L water	-	One (1) day after each spraying	One (1) day after each spraying
ONEGRAIN MARKETING CORPORATION	MALATHION	ONEGRAIN MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	723-038-5815	29-Jul-24	-	Pineapple	Mealybug	3.0 Tbsp 16L water	-	One (1) day after each spraying	One (1) day after each spraying
ONEGRAIN MARKETING CORPORATION	MALATHION	ONEGRAIN MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	723-038-5815	29-Jul-24	-	Pepper	Aphids, cutworm, fruitworm	3.0 Tbsp 16L water	-	One (1) day after each spraying	One (1) day after each spraying
ONEGRAIN MARKETING CORPORATION	MALATHION	ONEGRAIN MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	723-038-5815	29-Jul-24	-	Garlic	Cutworm	3.0 Tbsp 16L water	-	One (1) day after each spraying	One (1) day after each spraying
ONEGRAIN MARKETING CORPORATION	MALATHION	ONEGRAIN MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	723-038-5815	29-Jul-24	-	Onion	Cutworm	3.0 Tbsp 16L water	-	One (1) day after each spraying	One (1) day after each spraying
ONEGRAIN MARKETING CORPORATION	MALATHION	ONEGRAIN MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	723-038-5815	29-Jul-24	-	Tobacco	Aphids, halytid	2.0-6.0 Tbsp 16L water	-	One (1) day after each spraying	One (1) day after each spraying
ONEGRAIN MARKETING CORPORATION	MALATHION	ONEGRAIN MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	723-038-5815	29-Jul-24	-	Ornamentals	Aphids, cutworm, mealy bug, scale insects, spider mites	3.0-5.0 Tbsp 16L water	-	One (1) day after each spraying	One (1) day after each spraying
ONEGRAIN MARKETING CORPORATION	MALATHION	ONEGRAIN MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	723-038-5815	29-Jul-24	-	Tomato	Lady beetle	3.0-5.0 Tbsp 16L water	-	One (1) day after each spraying	One (1) day after each spraying
ONEGRAIN MARKETING CORPORATION	MALATHION	ONEGRAIN MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	723-038-5815	29-Jul-24	-	Eggplant	Aphids, fruitworm	3.0-5.0 Tbsp 16L water	-	One (1) day after each spraying	One (1) day after each spraying
ONEGRAIN MARKETING CORPORATION	MALATHION	ONEGRAIN MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	723-038-5815	29-Jul-24	-	Sorghum	Web worm	3.0 Tbsp 16L water	-	One (1) day after each spraying	One (1) day after each spraying
ONEGRAIN MARKETING CORPORATION	BUTACHLOR-PROPANIL	ONEGRAIN COMBINE 700EC	350 g/L+350 g/L	EC	HERBICIDE	3	723-236-6438	26-Jun-24	POST-EMERGENT	Rice (Direct seeded)	Grasses sedges and Broadleaves	8-12 Tbsp/16 L water	-	-	As soon as the spray mist dries up
ONEGRAIN MARKETING CORPORATION	BUTACHLOR-PROPANIL	ONEGRAIN COMBINE 700EC	350 g/L+350 g/L	EC	HERBICIDE	3	723-236-6438	26-Jun-24	POST-EMERGENT	Rice (Transplanted)	Grasses sedges and Broadleaves	8-12 Tbsp/16 L water	-	-	As soon as the spray mist dries up
ONEGRAIN MARKETING CORPORATION	ATRAZINE	ONEGRAIN ATRAZINE ROWP	800 g/kg	WP	HERBICIDE	4	723-005-6429	20-Aug-24	SELECTIVE (PRE-EMERGENCE)	Corn	Annual grasses and broadleaves	8-12 Tbsp/16 L water	-	-	Do not enter treated fields within 5 days after application
ONEGRAIN MARKETING CORPORATION	ATRAZINE	ONEGRAIN ATRAZINE ROWP	800 g/kg	WP	HERBICIDE	4	723-005-6429	20-Aug-24	SELECTIVE (PRE-EMERGENCE)	Sorghum	Annual grasses and broadleaves	8-12 Tbsp/16 L water	-	-	Do not enter treated fields within 5 days after application
ONEGRAIN MARKETING CORPORATION	ATRAZINE	ONEGRAIN ATRAZINE ROWP	800 g/kg	WP	HERBICIDE	4	723-005-6429	20-Aug-24	SELECTIVE (PRE-EMERGENCE)	Sugarcane	Annual grasses and broadleaves	8-12 Tbsp/16 L water	-	-	Do not enter treated fields within 5 days after application
ONEGRAIN MARKETING CORPORATION	2,4-D-BE	ONEGRAIN 2,4-D ESTER	400g/L	EC	HERBICIDE	2	723-049-5814	31-Dec-23	POST-EMERGENCE	Rice (Transplanted)	Broadleaves & sedges	5.0-6.50Tbsp/16 L water	-	Do not spray within two days before harvest	Entry to fields and crops treated with ONEGRAIN 2,4-D ESTER can be done one 11days after spraying
ONEGRAIN MARKETING CORPORATION	2,4-D-BE	ONEGRAIN 2,4-D ESTER	400g/L	EC	HERBICIDE	2	723-049-5814	31-Dec-23	POST-EMERGENCE	Corn	Broadleaves & sedges	5.0-6.50Tbsp/16 L water	-	Do not spray within two days before harvest	Entry to fields and crops treated with ONEGRAIN 2,4-D ESTER can be done one 11days after spraying
ONEGRAIN MARKETING CORPORATION	2,4-D-BE	ONEGRAIN 2,4-D ESTER	400g/L	EC	HERBICIDE	2	723-049-5814	31-Dec-23	POST-EMERGENCE	Sugarcane	Broadleaves & sedges	5.0-6.50Tbsp/16 L water	-	Do not spray within two days before harvest	Entry to fields and crops treated with ONEGRAIN 2,4-D ESTER can be done one 11days after spraying
ONEGRAIN MARKETING CORPORATION	2,4-D-AMINE	ONEGRAIN 2,4-D AMINE	400g/L	SL	HERBICIDE	2	723-031-5813	31-Dec-23	POST-EMERGENT	Rice (Transplanted)	Annual broadleaves and sedges	5-6.5 Tbsp/16 L water	-	-	Entry to fields and crops treated with ONEGRAIN 2,4-D AMINE can be done one day after spraying
ONEGRAIN MARKETING CORPORATION	2,4-D-AMINE	ONEGRAIN 2,4-D AMINE	400g/L	SL	HERBICIDE	2	723-031-5813	31-Dec-23	POST-EMERGENT	Sugarcane	Annual broadleaves and sedges	15-25 Tbsp/16 L water	-	-	Entry to fields and crops treated with ONEGRAIN 2,4-D AMINE can be done one day after spraying
ONEGRAIN MARKETING CORPORATION	2,4-D-AMINE	ONEGRAIN 2,4-D AMINE	400g/L	SL	HERBICIDE	2	723-031-5813	31-Dec-23	POST-EMERGENT	Corn	Annual broadleaves and sedges	5-6.5 Tbsp/16 L water	-	-	Entry to fields and crops treated with ONEGRAIN 2,4-D AMINE can be done one day after spraying
AVC CHEMICAL CORPORATION	FLUAZIFOP-P-BUTYL	ONECIDE 15 EC	150 g/L	EC	HERBICIDE	4	060-212-0412	31-Dec-25	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Banana	Grasses, itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grass & crowfoot grass	30-50ml/16 L sprayload	-	-	Enter the field as soon as the spray dries up
AVC CHEMICAL CORPORATION	FLUAZIFOP-P-BUTYL	ONECIDE 15 EC	150 g/L	EC	HERBICIDE	4	060-212-0412	31-Dec-25	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Cacao	Grasses, itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grass & crowfoot grass	30-50ml/16 L sprayload	-	-	Enter the field as soon as the spray dries up
AVC CHEMICAL CORPORATION	FLUAZIFOP-P-BUTYL	ONECIDE 15 EC	150 g/L	EC	HERBICIDE	4	060-212-0412	31-Dec-25	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Citrus	Grasses, itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grass & crowfoot grass	30-50ml/16 L sprayload	-	-	Enter the field as soon as the spray dries up
AVC CHEMICAL CORPORATION	FLUAZIFOP-P-BUTYL	ONECIDE 15 EC	150 g/L	EC	HERBICIDE	4	060-212-0412	31-Dec-25	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Cotton	Grasses, itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grass & crowfoot grass	30-50ml/16 L sprayload	-	-	Enter the field as soon as the spray dries up
AVC CHEMICAL CORPORATION	FLUAZIFOP-P-BUTYL	ONECIDE 15 EC	150 g/L	EC	HERBICIDE	4	060-212-0412	31-Dec-25	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Oil palm	Grasses, itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grass & crowfoot grass	30-50ml/16 L sprayload	-	-	Enter the field as soon as the spray dries up
AVC CHEMICAL CORPORATION	FLUAZIFOP-P-BUTYL	ONECIDE 15 EC	150 g/L	EC	HERBICIDE	4	060-212-0412	31-Dec-25	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Onion	Grasses, itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grass & crowfoot grass	30-50ml/16 L sprayload	-	-	Enter the field as soon as the spray dries up
AVC CHEMICAL CORPORATION	FLUAZIFOP-P-BUTYL	ONECIDE 15 EC	150 g/L	EC	HERBICIDE	4	060-212-0412	31-Dec-25	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Pineapple	Grasses, itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grass & crowfoot grass	30-50ml/16 L sprayload	-	-	Enter the field as soon as the spray dries up
AVC CHEMICAL CORPORATION	FLUAZIFOP-P-BUTYL	ONECIDE 15 EC	150 g/L	EC	HERBICIDE	4	060-212-0412	31-Dec-25	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Ramie	Grasses, itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grass & crowfoot grass	30-50ml/16 L sprayload	-	-	Enter the field as soon as the spray dries up
AVC CHEMICAL CORPORATION	FLUAZIFOP-P-BUTYL	ONECIDE 15 EC	150 g/L	EC	HERBICIDE	4	060-212-0412	31-Dec-25	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Rubber	Grasses, itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grass & crowfoot grass	30-50ml/16 L sprayload	-	-	Enter the field as soon as the spray dries up
AVC CHEMICAL CORPORATION	FLUAZIFOP-P-BUTYL	ONECIDE 15 EC	150 g/L	EC	HERBICIDE	4	060-212-0412	31-Dec-25	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Soybeans	Grasses, itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grass & crowfoot grass	30-50ml/16 L sprayload	-	-	Enter the field as soon as the spray dries up
AVC CHEMICAL CORPORATION	FLUAZIFOP-P-BUTYL	ONECIDE 15 EC	150 g/L	EC	HERBICIDE	4	060-212-0412	31-Dec-25	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Tomato	Grasses, itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grass & crowfoot grass	30-50ml/16 L sprayload	-	-	Enter the field as soon as the spray dries up
AVC CHEMICAL CORPORATION	FLUAZIFOP-P-BUTYL	ONECIDE 15 EC	150 g/L	EC	HERBICIDE	4	060-212-0412	31-Dec-25	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Cassava	Annual & Perennial grass weeds	30-50ml/16 L sprayload	-	-	Enter the field as soon as the spray dries up
PLANTCARE TRADING CORPORATION	FLUAZIFOP-P-BUTYL	ONE TIME 15 EC	150 g/L	EC	HERBICIDE	4	495-212-4845	17-Sep-24	SYSTEMIC/SELECTIVE(POST-EMERGENT)	Banana	Grasses; itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-
PLANTCARE TRADING CORPORATION	FLUAZIFOP-P-BUTYL	ONE TIME 15 EC	150 g/L	EC	HERBICIDE	4	495-212-4845	17-Sep-24	SYSTEMIC/SELECTIVE(POST-EMERGENT)	Cacao	Grasses; itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-
PLANTCARE TRADING CORPORATION	FLUAZIFOP-P-BUTYL	ONE TIME 15 EC	150 g/L	EC	HERBICIDE	4	495-212-4845	17-Sep-24	SYSTEMIC/SELECTIVE(POST-EMERGENT)	Citrus	Grasses; itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-
PLANTCARE TRADING CORPORATION	FLUAZIFOP-P-BUTYL	ONE TIME 15 EC	150 g/L	EC	HERBICIDE	4	495-212-4845	17-Sep-24	SYSTEMIC/SELECTIVE(POST-EMERGENT)	Cotton	Grasses; itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-
PLANTCARE TRADING CORPORATION	FLUAZIFOP-P-BUTYL	ONE TIME 15 EC	150 g/L	EC	HERBICIDE	4	495-212-4845	17-Sep-24	SYSTEMIC/SELECTIVE(POST-EMERGENT)	Coffee	Grasses; itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-
PLANTCARE TRADING CORPORATION	FLUAZIFOP-P-BUTYL	ONE TIME 15 EC	150 g/L	EC	HERBICIDE	4	495-212-4845	17-Sep-24	SYSTEMIC/SELECTIVE(POST-EMERGENT)	Oil palm	Grasses; itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-
PLANTCARE TRADING CORPORATION	FLUAZIFOP-P-BUTYL	ONE TIME 15 EC	150 g/L	EC	HERBICIDE	4	495-212-4845	17-Sep-24	SYSTEMIC/SELECTIVE(POST-EMERGENT)	Ramie	Grasses; itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-
PLANTCARE TRADING CORPORATION	FLUAZIFOP-P-BUTYL	ONE TIME 15 EC	150 g/L	EC	HERBICIDE	4	495-212-4845	17-Sep-24	SYSTEMIC/SELECTIVE(POST-EMERGENT)	Rubber	Grasses; itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
PLANTCARE TRADING CORPORATION	FLUAZOP-P-BUTYL	ONE TIME 15 EC	150 g/L	EC	HERBICIDE	4	495-212-4845	17-Sep-24	SYSTEMIC/SELECTIVE/POST-EMERGENT	Onion	Grasses; Ichgrasses, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfoot grass	80-10mL/16 L sprayload	-	-	-
PLANTCARE TRADING CORPORATION	FLUAZOP-P-BUTYL	ONE TIME 15 EC	150 g/L	EC	HERBICIDE	4	495-212-4845	17-Sep-24	SYSTEMIC/SELECTIVE/POST-EMERGENT	Pineapple	Grasses; Ichgrasses, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfoot grass	80-10mL/16 L sprayload	-	-	-
PLANTCARE TRADING CORPORATION	FLUAZOP-P-BUTYL	ONE TIME 15 EC	150 g/L	EC	HERBICIDE	4	495-212-4845	17-Sep-24	SYSTEMIC/SELECTIVE/POST-EMERGENT	Soybeans	Grasses; Ichgrasses, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfoot grass	80-10mL/16 L sprayload	-	-	-
PLANTCARE TRADING CORPORATION	FLUAZOP-P-BUTYL	ONE TIME 15 EC	150 g/L	EC	HERBICIDE	4	495-212-4845	17-Sep-24	SYSTEMIC/SELECTIVE/POST-EMERGENT	Tomato	Grasses; Ichgrasses, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfoot grass	80-10mL/16 L sprayload	-	-	-
S&P ENTERPRISES, INC.	CHLORFENAPYR	ONE SHOT 100 SC	100 g/L	SC	INSECTICIDE	3	566-283-5104	02-Sep-25	-	Cabbage	Diamond back moth, aphids and cabbage moth	1.5-3.0 Tbsp/16 L water	-	Do not spray within 14 days before harvest	Do not enter treated fields within two days after spraying
S&P ENTERPRISES, INC.	CHLORFENAPYR	ONE SHOT 100 SC	100 g/L	SC	INSECTICIDE	3	566-283-5104	02-Sep-25	-	Potato	Thrips	0.5-1.5 Tbsp/16L water	-	Do not spray within 14 days before harvest	Do not enter treated fields within two days after spraying
S&P ENTERPRISES, INC.	CHLORFENAPYR	ONE SHOT 100 SC	100 g/L	SC	INSECTICIDE	3	566-283-5104	02-Sep-25	-	Banana	Flower thrips	2.3 mL / L water	-	Do not spray within 14 days before harvest	Do not enter treated fields within two days after spraying
CROPEVO PHILIPPINES, INC.	GLYPHOSATE IPA	ONE PUNCH 48 SL	480g/L	SL	HERBICIDE	4	593-151-4086	29-Aug-20	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/ha	-	-	-
CROPEVO PHILIPPINES, INC.	GLYPHOSATE IPA	ONE PUNCH 48 SL	480g/L	SL	HERBICIDE	4	593-151-4086	29-Aug-20	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
CROPEVO PHILIPPINES, INC.	GLYPHOSATE IPA	ONE PUNCH 48 SL	480g/L	SL	HERBICIDE	4	593-151-4086	29-Aug-20	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
CROPEVO PHILIPPINES, INC.	GLYPHOSATE IPA	ONE PUNCH 48 SL	480g/L	SL	HERBICIDE	4	593-151-4086	29-Aug-20	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
CROPEVO PHILIPPINES, INC.	GLYPHOSATE IPA	ONE PUNCH 48 SL	480g/L	SL	HERBICIDE	4	593-151-4086	29-Aug-20	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
CROPEVO PHILIPPINES, INC.	GLYPHOSATE IPA	ONE PUNCH 48 SL	480g/L	SL	HERBICIDE	4	593-151-4086	29-Aug-20	POST-EMERGENT	Hubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
CROPEVO PHILIPPINES, INC.	GLYPHOSATE IPA	ONE PUNCH 48 SL	480g/L	SL	HERBICIDE	4	593-151-4086	29-Aug-20	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
CROPEVO PHILIPPINES, INC.	GLYPHOSATE IPA	ONE PUNCH 48 SL	480g/L	SL	HERBICIDE	4	593-151-4086	29-Aug-20	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
CROPEVO PHILIPPINES, INC.	GLYPHOSATE IPA	ONE PUNCH 48 SL	480g/L	SL	HERBICIDE	4	593-151-4086	29-Aug-20	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/ha	-	-	-
CROPEVO PHILIPPINES, INC.	GLYPHOSATE IPA	ONE PUNCH 48 SL	480g/L	SL	HERBICIDE	4	593-151-4086	29-Aug-20	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
CROPEVO PHILIPPINES, INC.	GLYPHOSATE IPA	ONE PUNCH 48 SL	480g/L	SL	HERBICIDE	4	593-151-4086	29-Aug-20	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
CROPEVO PHILIPPINES, INC.	GLYPHOSATE IPA	ONE PUNCH 48 SL	480g/L	SL	HERBICIDE	4	593-151-4086	29-Aug-20	POST-EMERGENT	non-crop	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
PALMITRE CORPORATION	LAMBDA-CYHALOTHRIN	ONE CLICK 2.5 EC	25 g/L	EC	INSECTICIDE	2	504-204-2856	20-Mar-21	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leafhopper, black bug	1.0-1.5Tbsp/16L of water	0.05ppm	1Days	Re-entry to treated fields is allowed as soon as spray deposits dry
PALMITRE CORPORATION	LAMBDA-CYHALOTHRIN	ONE CLICK 2.5 EC	25 g/L	EC	INSECTICIDE	2	504-204-2856	20-Mar-21	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/16 L of water	-	3Days	Re-entry to treated fields is allowed as soon as spray deposits dry
PALMITRE CORPORATION	LAMBDA-CYHALOTHRIN	ONE CLICK 2.5 EC	25 g/L	EC	INSECTICIDE	2	504-204-2856	20-Mar-21	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/16L of water	-	3Days	Re-entry to treated fields is allowed as soon as spray deposits dry
PALMITRE CORPORATION	LAMBDA-CYHALOTHRIN	ONE CLICK 2.5 EC	25 g/L	EC	INSECTICIDE	2	504-204-2856	20-Mar-21	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/16 L of water	-	3Days	Re-entry to treated fields is allowed as soon as spray deposits dry
PALMITRE CORPORATION	LAMBDA-CYHALOTHRIN	ONE CLICK 2.5 EC	25 g/L	EC	INSECTICIDE	2	504-204-2856	20-Mar-21	SYSTEMIC	Mungbeans	Beanyfly, flea beetle, leafhopper, aphids, mites, podborer	1.0Tbsp/16L of water	-	3Days	Re-entry to treated fields is allowed as soon as spray deposits dry
PALMITRE CORPORATION	LAMBDA-CYHALOTHRIN	ONE CLICK 2.5 EC	25 g/L	EC	INSECTICIDE	2	504-204-2856	20-Mar-21	SYSTEMIC	Corn	Comborer, aphids, seedling maggots	1.0-1.5Tbsp/16 L of water	-	3Days	Re-entry to treated fields is allowed as soon as spray deposits dry
PALMITRE CORPORATION	LAMBDA-CYHALOTHRIN	ONE CLICK 2.5 EC	25 g/L	EC	INSECTICIDE	2	504-204-2856	20-Mar-21	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5Tbsp/16L of water	-	3Days	Re-entry to treated fields is allowed as soon as spray deposits dry
PALMITRE CORPORATION	LAMBDA-CYHALOTHRIN	ONE CLICK 2.5 EC	25 g/L	EC	INSECTICIDE	2	504-204-2856	20-Mar-21	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/16 L of water	-	3Days	Re-entry to treated fields is allowed as soon as spray deposits dry
PALMITRE CORPORATION	LAMBDA-CYHALOTHRIN	ONE CLICK 2.5 EC	25 g/L	EC	INSECTICIDE	2	504-204-2856	20-Mar-21	SYSTEMIC	Cocoa	Podborer	1.0-2.0Tbsp/16 L of water	-	3Days	Re-entry to treated fields is allowed as soon as spray deposits dry
PALMITRE CORPORATION	LAMBDA-CYHALOTHRIN	ONE CLICK 2.5 EC	25 g/L	EC	INSECTICIDE	2	504-204-2856	20-Mar-21	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/16L of water	-	3Days	Re-entry to treated fields is allowed as soon as spray deposits dry
AGSMART CORPORATION	CHLOROTHALONIL	ON-DUTY 500 SC	500 g/L	SC	FUNGICIDE	4	680-118-5566	18-Oct-24	-	Melon	Anthracoose, cercospora leafspot, downy mildew, leaf blight	6.0-8.5 Tbsp/16 L	-	Harvesting may be done on the day of application.	Re-entry into trated areas may be done as soon as spray solution has died on the foliage
AGSMART CORPORATION	CHLOROTHALONIL	ON-DUTY 500 SC	500 g/L	SC	FUNGICIDE	4	680-118-5566	18-Oct-24	-	Corn	Heminthosporium leaf spot, cercospora leafspot	6.0-8.5 Tbsp/16 L	-	Harvesting may be done on the day of application.	Re-entry into trated areas may be done as soon as spray solution has died on the foliage
AGSMART CORPORATION	CHLOROTHALONIL	ON-DUTY 500 SC	500 g/L	SC	FUNGICIDE	4	680-118-5566	18-Oct-24	-	Eggplant	Anthracoose, cercospora leafspot, early and late blight	6.0-8.5 Tbsp/16 L	-	Harvesting may be done on the day of application.	Re-entry into trated areas may be done as soon as spray solution has died on the foliage
AGSMART CORPORATION	CHLOROTHALONIL	ON-DUTY 500 SC	500 g/L	SC	FUNGICIDE	4	680-118-5566	18-Oct-24	-	Peanut	Cercospora leaf spot, rust	6.0-8.5 Tbsp/16 L	-	Harvesting may be done on the day of application.	Re-entry into trated areas may be done as soon as spray solution has died on the foliage
AGSMART CORPORATION	CHLOROTHALONIL	ON-DUTY 500 SC	500 g/L	SC	FUNGICIDE	4	680-118-5566	18-Oct-24	-	Potato	Early and late blight, vine rot	6.0-8.5 Tbsp/16 L	-	Harvesting may be done on the day of application.	Re-entry into trated areas may be done as soon as spray solution has died on the foliage
AGSMART CORPORATION	CHLOROTHALONIL	ON-DUTY 500 SC	500 g/L	SC	FUNGICIDE	4	680-118-5566	18-Oct-24	-	Tomato	Early and late blight, vine rot	6.0-8.5 Tbsp/16 L	-	Harvesting may be done on the day of application.	Re-entry into trated areas may be done as soon as spray solution has died on the foliage
AGSMART CORPORATION	CHLOROTHALONIL	ON-DUTY 500 SC	500 g/L	SC	FUNGICIDE	4	680-118-5566	18-Oct-24	-	Carrot	Alternaria, cercospora leaf spot, heminthosporium leaf spot	6.0-8.5 Tbsp/16 L	-	Harvesting may be done on the day of application.	Re-entry into trated areas may be done as soon as spray solution has died on the foliage
AGSMART CORPORATION	CHLOROTHALONIL	ON-DUTY 500 SC	500 g/L	SC	FUNGICIDE	4	680-118-5566	18-Oct-24	-	Banana	Sigatoka, rust, freckles, heminthosporium leaf spot	2 L/ha	-	Harvesting may be done on the day of application.	Re-entry into trated areas may be done as soon as spray solution has died on the foliage
AGSMART CORPORATION	CHLOROTHALONIL	ON-DUTY 500 SC	500 g/L	SC	FUNGICIDE	4	680-118-5566	18-Oct-24	-	Mango	Anthracoose, diploida rot	6.0-8.5 Tbsp/16 L	-	Harvesting may be done on the day of application.	Re-entry into trated areas may be done as soon as spray solution has died on the foliage
AGSMART CORPORATION	CHLOROTHALONIL	ON-DUTY 500 SC	500 g/L	SC	FUNGICIDE	4	680-118-5566	18-Oct-24	-	Beans	Rust, anthracnose	6.0-8.5 Tbsp/16 L	-	Harvesting may be done on the day of application.	Re-entry into trated areas may be done as soon as spray solution has died on the foliage
AGSMART CORPORATION	CHLOROTHALONIL	ON-DUTY 500 SC	500 g/L	SC	FUNGICIDE	4	680-118-5566	18-Oct-24	-	Crucifers	Powdery mildew	6.0-8.5 Tbsp/16 L	-	Harvesting may be done on the day of application.	Re-entry into trated areas may be done as soon as spray solution has died on the foliage
AGSMART CORPORATION	CHLOROTHALONIL	ON-DUTY 500 SC	500 g/L	SC	FUNGICIDE	4	680-118-5566	18-Oct-24	-	Onion	Purple blotch, bulb rot, neck rot	6.0-8.5 Tbsp/16 L	-	Harvesting may be done on the day of application.	Re-entry into trated areas may be done as soon as spray solution has died on the foliage
AGSMART CORPORATION	CHLOROTHALONIL	ON-DUTY 500 SC	500 g/L	SC	FUNGICIDE	4	680-118-5566	18-Oct-24	-	Garlic	Purple blotch, bulb rot, neck rot	6.0-8.5 Tbsp/16 L	-	Harvesting may be done on the day of application.	Re-entry into trated areas may be done as soon as spray solution has died on the foliage
AGSMART CORPORATION	CHLOROTHALONIL	ON-DUTY 500 SC	500 g/L	SC	FUNGICIDE	4	680-118-5566	18-Oct-24	-	Ornamentals	Black spot, black rot, powdery mildew	6.0-8.5 Tbsp/16 L	-	Harvesting may be done on the day of application.	Re-entry into trated areas may be done as soon as spray solution has died on the foliage
AGSMART CORPORATION	CHLOROTHALONIL	ON-DUTY 500 SC	500 g/L	SC	FUNGICIDE	4	680-118-5566	18-Oct-24	-	Grapes	Downy mildew, powdery mildew, fruit rot	6.0-8.5 Tbsp/16 L	-	Harvesting may be done on the day of application.	Re-entry into trated areas may be done as soon as spray solution has died on the foliage
AGSMART CORPORATION	CHLOROTHALONIL	ON-DUTY 500 SC	500 g/L	SC	FUNGICIDE	4	680-118-5566	18-Oct-24	-	Pepper	Anthracoose, cercospora leaf spot, early blight	6.0-8.5 Tbsp/16 L	-	Harvesting may be done on the day of application.	Re-entry into trated areas may be done as soon as spray solution has died on the foliage
AGSMART CORPORATION	CHLOROTHALONIL	ON-DUTY 500 SC	500 g/L	SC	FUNGICIDE	4	680-118-5566	18-Oct-24	-	Cucumber	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16 L	-	Harvesting may be done on the day of application.	Re-entry into trated areas may be done as soon as spray solution has died on the foliage
AGSMART CORPORATION	CHLOROTHALONIL	ON-DUTY 500 SC	500 g/L	SC	FUNGICIDE	4	680-118-5566	18-Oct-24	-	Squash	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16 L	-	Harvesting may be done on the day of application.	Re-entry into trated areas may be done as soon as spray solution has died on the foliage
AGSMART CORPORATION	CHLOROTHALONIL	ON-DUTY 500 SC	500 g/L	SC	FUNGICIDE	4	680-118-5566	18-Oct-24	-	Watermelon	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16 L	-	Harvesting may be done on the day of application.	Re-entry into trated areas may be done as soon as spray solution has died on the foliage
AGSMART CORPORATION	CHLOROTHALONIL	ON-DUTY 500 SC	500 g/L	SC	FUNGICIDE	4	680-118-5566	18-Oct-24	-	Celery	Early and late blight	6.0-8.5 Tbsp/16 L	-	Harvesting may be done on the day of application.	Re-entry into trated areas may be done as soon as spray solution has died on the foliage
M&D ANIMAL HEALTH (PHILS.), INC.	GLUTARALDIHYDE-BENZYL-C12-18-ALKYLDIMETHYL CHLORIDE	DMANICIDE	-	-	OTHERS	2	706-569-5560	22-Mar-25	-	-	Disinfection of surfaces, water systems and in all animal housing for poultry, swine and ruminants	-	-	-	-
EVERLAND AGRI CORPORATION	GLUFOSINATE AMMONIUM	DMG OH MY GLUFOSINATE 15 SL	150 g/L	SL	HERBICIDE	4	261-182-4059 (90)	07-Jul-26	NON-SELECTIVE/POST-EMERGENT	hubber	Annual grasses,perennial grasses & broadleaf weeds	21L,270,135mL/16 L water	-	-	After spray deposits have dried
EVERLAND AGRI CORPORATION	GLUFOSINATE AMMONIUM	DMG OH MY GLUFOSINATE 15 SL	150 g/L	SL	HERBICIDE	4	261-182-4059 (90)	07-Jul-26	NON-SELECTIVE/POST-EMERGENT	oil palm	Annual grasses,perennial grasses & broadleaf weeds	360, 135mL/16 L water	-	-	After spray deposits have dried
EVERLAND AGRI CORPORATION	GLUFOSINATE AMMONIUM	DMG OH MY GLUFOSINATE 15 SL	150 g/L	SL	HERBICIDE	4	261-182-4059 (90)	07-Jul-26	NON-SELECTIVE/POST-EMERGENT	non-crop agricultural areas	Annual grasses,perennial grasses & broadleaf weeds	360, 215mL/16 L water	-	-	After spray deposits have dried
EVERLAND AGRI CORPORATION	GLUFOSINATE AMMONIUM	DMG OH MY GLUFOSINATE 15 SL	150 g/L	SL	HERBICIDE	4	261-182-4059 (90)	07-Jul-26	NON-SELECTIVE/POST-EMERGENT	Cavendish Banana	Annual grasses,perennial grasses & broadleaf weeds	360,135-200mL/16L water	0.2 mg/kg	-	After spray deposits have dried
FMC AGRO PHILIPPINES INC.	PROXOFLORAZ	DMEGA EW 45	450 g/L	EW	FUNGICIDE	3	598-300-4189	30-Oct-26	-	Banana	Fungal crown rot,crown rot, Anthracnose, pitmark, and smoky fruit	2.0mL/g or/L	5.0 mg/kg	0 day	-

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
FMC AGRO PHILIPPINES INC.	PROCHLORAZ	OMEGA EW 45	450 g/L	EW	FUNGICIDE	3	599-300-4169	30-Oct-26	-	Pineapple	Butt & crown mold, Fruit core rot	20-400 ppm ai, 5L product /ha	2.0 mg/kg	0 day	-
FMC AGRO PHILIPPINES INC.	PROCHLORAZ	OMEGA EW 45	450 g/L	EW	FUNGICIDE	3	599-300-4169	30-Oct-26	-	Mango	Anthracoise, scab	90 ml prod./ 200 L water; Spray volume 20-30 l per tree	7 mg/kg	0 day	-
FMC AGRO PHILIPPINES INC.	PROCHLORAZ	OMEGA EW 45	450 g/L	EW	FUNGICIDE	3	599-300-4169	18-Apr-24	-	Pineapple	Heart rot	2-4 L prod/ hectare 2000-4000 L / ha	-	-	-
FMC AGRO PHILIPPINES INC.	PROCHLORAZ	OMEGA 45 EC	450 g/L	EC	FUNGICIDE	2	599-300-4168	30-Oct-26	-	Banana	Fungal crown/crown rot	-	5.0 mg/kg	-	-
ASIA GOLD TRADING CORPORATION	MANCOZEB	DMANCO	800g/kg	WP	FUNGICIDE	4	266-053-4467	06-Aug-21	-	Potato	Early and late blight	3-6 Tbsp/16 L water	-	-	At least 48 hours after application
ASIA GOLD TRADING CORPORATION	MANCOZEB	DMANCO	800g/kg	WP	FUNGICIDE	4	266-053-4467	06-Aug-21	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 days	At least 48 hours after application
ASIA GOLD TRADING CORPORATION	MANCOZEB	DMANCO	800g/kg	WP	FUNGICIDE	4	266-053-4467	06-Aug-21	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 days	At least 48 hours after application
ASIA GOLD TRADING CORPORATION	MANCOZEB	DMANCO	800g/kg	WP	FUNGICIDE	4	266-053-4467	06-Aug-21	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 days	At least 48 hours after application
ASIA GOLD TRADING CORPORATION	MANCOZEB	DMANCO	800g/kg	WP	FUNGICIDE	4	266-053-4467	06-Aug-21	-	Celery	Late blight	3-6 Tbsp/16 L water	-	14 days	At least 48 hours after application
ASIA GOLD TRADING CORPORATION	MANCOZEB	DMANCO	800g/kg	WP	FUNGICIDE	4	266-053-4467	06-Aug-21	-	Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	At least 48 hours after application
ASIA GOLD TRADING CORPORATION	MANCOZEB	DMANCO	800g/kg	WP	FUNGICIDE	4	266-053-4467	06-Aug-21	-	Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	At least 48 hours after application
ASIA GOLD TRADING CORPORATION	MANCOZEB	DMANCO	800g/kg	WP	FUNGICIDE	4	266-053-4467	06-Aug-21	-	Cotton	Damping off	3-6 Tbsp/16 L water	-	-	At least 48 hours after application
ASIA GOLD TRADING CORPORATION	MANCOZEB	DMANCO	800g/kg	WP	FUNGICIDE	4	266-053-4467	06-Aug-21	-	Lettuce	Downy mildew	3-6 Tbsp/16 L water	-	7 days	At least 48 hours after application
ASIA GOLD TRADING CORPORATION	MANCOZEB	DMANCO	800g/kg	WP	FUNGICIDE	4	266-053-4467	06-Aug-21	-	Beans	Anthracoise, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days	At least 48 hours after application
ASIA GOLD TRADING CORPORATION	MANCOZEB	DMANCO	800g/kg	WP	FUNGICIDE	4	266-053-4467	06-Aug-21	-	Peas	Anthracoise, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days	At least 48 hours after application
ASIA GOLD TRADING CORPORATION	MANCOZEB	DMANCO	800g/kg	WP	FUNGICIDE	4	266-053-4467	06-Aug-21	-	Mungo	Anthracoise, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days	At least 48 hours after application
ASIA GOLD TRADING CORPORATION	MANCOZEB	DMANCO	800g/kg	WP	FUNGICIDE	4	266-053-4467	06-Aug-21	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16 L water	-	5 days	At least 48 hours after application
ASIA GOLD TRADING CORPORATION	MANCOZEB	DMANCO	800g/kg	WP	FUNGICIDE	4	266-053-4467	06-Aug-21	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	-	7 days	At least 48 hours after application
ASIA GOLD TRADING CORPORATION	MANCOZEB	DMANCO	800g/kg	WP	FUNGICIDE	4	266-053-4467	06-Aug-21	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	-	7 days	At least 48 hours after application
ASIA GOLD TRADING CORPORATION	MANCOZEB	DMANCO	800g/kg	WP	FUNGICIDE	4	266-053-4467	06-Aug-21	-	Pepper	Anthracoise	3-6 Tbsp/16 L water	-	7 days	At least 48 hours after application
ASIA GOLD TRADING CORPORATION	MANCOZEB	DMANCO	800g/kg	WP	FUNGICIDE	4	266-053-4467	06-Aug-21	-	Chili	Anthracoise	3-6 Tbsp/16 L water	-	7 days	At least 48 hours after application
ASIA GOLD TRADING CORPORATION	MANCOZEB	DMANCO	800g/kg	WP	FUNGICIDE	4	266-053-4467	06-Aug-21	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/16 L water	-	7 days	At least 48 hours after application
ASIA GOLD TRADING CORPORATION	MANCOZEB	DMANCO	800g/kg	WP	FUNGICIDE	4	266-053-4467	06-Aug-21	-	Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16 L water	-	-	At least 48 hours after application
ASIA GOLD TRADING CORPORATION	MANCOZEB	DMANCO	800g/kg	WP	FUNGICIDE	4	266-053-4467	06-Aug-21	-	Grapes	Downy mildew, black rot	3-6 Tbsp/16 L water	-	60 days	At least 48 hours after application
ASIA GOLD TRADING CORPORATION	MANCOZEB	DMANCO	800g/kg	WP	FUNGICIDE	4	266-053-4467	06-Aug-21	-	Mango	Anthracoise and Scab	3-6 Tbsp/16 L water	-	5 days	At least 48 hours after application
ASIA GOLD TRADING CORPORATION	MANCOZEB	DMANCO	800g/kg	WP	FUNGICIDE	4	266-053-4467	06-Aug-21	-	Papaya	Fruit rot	3-6 Tbsp/16 L water	-	-	At least 48 hours after application
ASIA GOLD TRADING CORPORATION	MANCOZEB	DMANCO	800g/kg	WP	FUNGICIDE	4	266-053-4467	06-Aug-21	-	Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	At least 48 hours after application
ASIA GOLD TRADING CORPORATION	MANCOZEB	DMANCO	800g/kg	WP	FUNGICIDE	4	266-053-4467	06-Aug-21	-	Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	At least 48 hours after application
ASIA GOLD TRADING CORPORATION	MANCOZEB	DMANCO	800g/kg	WP	FUNGICIDE	4	266-053-4467	06-Aug-21	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16 L water	-	7 days	At least 48 hours after application
ASIA GOLD TRADING CORPORATION	MANCOZEB	DMANCO	800g/kg	WP	FUNGICIDE	4	266-053-4467	06-Aug-21	-	Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16 L water	0.03ppm	-	At least 48 hours after application
ASIA GOLD TRADING CORPORATION	MANCOZEB	DMANCO	800g/kg	WP	FUNGICIDE	4	266-053-4467	06-Aug-21	-	Peanut	Cercospora leaf spot	3-6 Tbsp/16 L water	-	14 days	At least 48 hours after application
ASIA GOLD TRADING CORPORATION	MANCOZEB	DMANCO	800g/kg	WP	FUNGICIDE	4	266-053-4467	06-Aug-21	-	Soybeans	Leaf rust	3-6 Tbsp/16 L water	-	-	At least 48 hours after application
ASIA GOLD TRADING CORPORATION	MANCOZEB	DMANCO	800g/kg	WP	FUNGICIDE	4	266-053-4467	06-Aug-21	-	Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/16 L water	-	-	At least 48 hours after application
JARDINE DISTRIBUTION, INC.	CAPTAP HYDROCHLORIDE	OFFENZA 4% GRANULES	40 g/ kg	-	INSECTICIDE	4	367-106-5694	30-Jul-24	-	Rice	Stemborer and leaf folder	-	-	-	For rice, last application of OFFENZA 4% GRANULES should be made n ot later than 30 days before harvest
ONEGRAIN MARKETING CORPORATION	FLUAZIFOP-P-BUTYL	OFFICIDE 15 EC	150 g/L	-	HERBICIDE	4	723-212-5809	17-Sep-24	SYSTEMIC/SELECTIVE/POST-EMERGENT	Banana	Grasses; itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L water	-	-	Re-entry on the treated field can be done 2 days after application
ONEGRAIN MARKETING CORPORATION	FLUAZIFOP-P-BUTYL	OFFICIDE 15 EC	150 g/L	-	HERBICIDE	4	723-212-5809	17-Sep-24	SYSTEMIC/SELECTIVE/POST-EMERGENT	Cacao	Grasses; itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L water	-	-	-
ONEGRAIN MARKETING CORPORATION	FLUAZIFOP-P-BUTYL	OFFICIDE 15 EC	150 g/L	-	HERBICIDE	4	723-212-5809	17-Sep-24	SYSTEMIC/SELECTIVE/POST-EMERGENT	Citrus	Grasses; itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L water	-	-	-
ONEGRAIN MARKETING CORPORATION	FLUAZIFOP-P-BUTYL	OFFICIDE 15 EC	150 g/L	-	HERBICIDE	4	723-212-5809	17-Sep-24	SYSTEMIC/SELECTIVE/POST-EMERGENT	Cotton	Grasses; itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L water	-	-	-
ONEGRAIN MARKETING CORPORATION	FLUAZIFOP-P-BUTYL	OFFICIDE 15 EC	150 g/L	-	HERBICIDE	4	723-212-5809	17-Sep-24	SYSTEMIC/SELECTIVE/POST-EMERGENT	Coffee	Grasses; itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L water	-	-	-
ONEGRAIN MARKETING CORPORATION	FLUAZIFOP-P-BUTYL	OFFICIDE 15 EC	150 g/L	-	HERBICIDE	4	723-212-5809	17-Sep-24	SYSTEMIC/SELECTIVE/POST-EMERGENT	Oil palm	Grasses; itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L water	-	-	-
ONEGRAIN MARKETING CORPORATION	FLUAZIFOP-P-BUTYL	OFFICIDE 15 EC	150 g/L	-	HERBICIDE	4	723-212-5809	17-Sep-24	SYSTEMIC/SELECTIVE/POST-EMERGENT	Jamie	Grasses; itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L water	-	-	-
ONEGRAIN MARKETING CORPORATION	FLUAZIFOP-P-BUTYL	OFFICIDE 15 EC	150 g/L	-	HERBICIDE	4	723-212-5809	17-Sep-24	SYSTEMIC/SELECTIVE/POST-EMERGENT	Rubber	Grasses; itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L water	-	-	-
ONEGRAIN MARKETING CORPORATION	FLUAZIFOP-P-BUTYL	OFFICIDE 15 EC	150 g/L	-	HERBICIDE	4	723-212-5809	17-Sep-24	SYSTEMIC/SELECTIVE/POST-EMERGENT	Onion	Grasses; itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L water	-	-	-
ONEGRAIN MARKETING CORPORATION	FLUAZIFOP-P-BUTYL	OFFICIDE 15 EC	150 g/L	-	HERBICIDE	4	723-212-5809	17-Sep-24	SYSTEMIC/SELECTIVE/POST-EMERGENT	Pineapple	Grasses; itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L water	-	-	-
ONEGRAIN MARKETING CORPORATION	FLUAZIFOP-P-BUTYL	OFFICIDE 15 EC	150 g/L	-	HERBICIDE	4	723-212-5809	17-Sep-24	SYSTEMIC/SELECTIVE/POST-EMERGENT	Soybeans	Grasses; itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L water	-	-	-
ONEGRAIN MARKETING CORPORATION	FLUAZIFOP-P-BUTYL	OFFICIDE 15 EC	150 g/L	-	HERBICIDE	4	723-212-5809	17-Sep-24	SYSTEMIC/SELECTIVE/POST-EMERGENT	Tomato	Grasses; itchgrass, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L water	-	-	-
ASIA GOLD TRADING CORPORATION	BP/MC-CHLORPYRIFOS	DOIN PRO 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	236-174-5467	27-Dec-24	-	Rice	Stemborer, armyworm, leafhopper, cutworm and planthopper	2.5-3.5 Tbsp/16L water	-	-	Stop spraying 15 days before harvest
ASIA GOLD TRADING CORPORATION	BP/MC-CHLORPYRIFOS	DOIN PRO 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	236-174-5467	27-Dec-24	-	Corn	Seedling maggot, corn earworm, cornborer and armyworm	2.5-3.5 Tbsp/16L water	-	-	Do not enter the field within 2 days after spraying
ASIA GOLD TRADING CORPORATION	BP/MC-CHLORPYRIFOS	DOIN PRO 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	236-174-5467	27-Dec-24	-	Tobacco	Budworm, grasshopper, aphid, cutworm and armyworm	2.5-3.5 Tbsp/16L water	-	-	Stop spraying 15 days before harvest
ASIA GOLD TRADING CORPORATION	BP/MC-CHLORPYRIFOS	DOIN PRO 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	236-174-5467	27-Dec-24	-	Cucurbits	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/16L water	-	-	Do not enter the field within 2 days after spraying
ASIA GOLD TRADING CORPORATION	BP/MC-CHLORPYRIFOS	DOIN PRO 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	236-174-5467	27-Dec-24	-	Onion	Thrips, cutworm	2.5-3.5 Tbsp/16L water	-	-	Stop spraying 15 days before harvest
ASIA GOLD TRADING CORPORATION	BP/MC-CHLORPYRIFOS	DOIN PRO 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	236-174-5467	27-Dec-24	-	Legumes	Bean, podborer, aphids, beanfly, armyworm, cutworm, leafminer, leaf folder	2.5-3.5 Tbsp/16L water	-	-	Do not enter the field within 2 days after spraying
LEADS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	DOIRON 720 SC	720 g/L	SC	FUNGICIDE	4	099-118-1760-B	30-Jul-26	-	Potato	Early blight, late blight, vine rot	1.00-1.80 L/ha or 4.9-5.5 Tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD	
LEADS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	ODEON 720 SC	720 g/L	SC	FUNGICIDE	4	099-118-1760-B	30-Jul-26		Tomato	Early blight, late blight, vine rot	1.13-1.90/L/ha or 4.5-6.0tbsp/36L		7-14 days	Do not enter treatment areas until spray deposit have dried	
LEADS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	ODEON 720 SC	720 g/L	SC	FUNGICIDE	4	099-118-1760-B	30-Jul-26		Beans	Rust, anthracnose	1.13-1.90/L/ha or 4.5-6.0tbsp/36L		7-14 days	Do not enter treatment areas until spray deposit have dried	
LEADS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	ODEON 720 SC	720 g/L	SC	FUNGICIDE	4	099-118-1760-B	30-Jul-26		Carrot	Alternaria leaf spot, cercospora leaf spot, helminthosporium leaf spot	1.13-1.90/L/ha or 4.5-6.0tbsp/36L		7-14 days	Do not enter treatment areas until spray deposit have dried	
LEADS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	ODEON 720 SC	720 g/L	SC	FUNGICIDE	4	099-118-1760-B	30-Jul-26		Crucifers	Powdery mildew	1.13-1.90/L/ha or 4.5-6.0tbsp/36L		7-14 days	Do not enter treatment areas until spray deposit have dried	
LEADS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	ODEON 720 SC	720 g/L	SC	FUNGICIDE	4	099-118-1760-B	30-Jul-26		Melon	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90/L/ha or 4.5-6.0tbsp/36L		7-14 days	Do not enter treatment areas until spray deposit have dried	
LEADS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	ODEON 720 SC	720 g/L	SC	FUNGICIDE	4	099-118-1760-B	30-Jul-26		Cucumber	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90/L/ha or 4.5-6.0tbsp/36L		7-14 days	Do not enter treatment areas until spray deposit have dried	
LEADS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	ODEON 720 SC	720 g/L	SC	FUNGICIDE	4	099-118-1760-B	30-Jul-26		Squash	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90/L/ha or 4.5-6.0tbsp/36L		7-14 days	Do not enter treatment areas until spray deposit have dried	
LEADS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	ODEON 720 SC	720 g/L	SC	FUNGICIDE	4	099-118-1760-B	30-Jul-26		Watermelon	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90/L/ha or 4.5-6.0tbsp/36L		7-14 days	Do not enter treatment areas until spray deposit have dried	
LEADS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	ODEON 720 SC	720 g/L	SC	FUNGICIDE	4	099-118-1760-B	30-Jul-26		Celery	Early blight, late blight	1.13-1.90/L/ha or 4.5-6.0tbsp/36L		7-14 days	Do not enter treatment areas until spray deposit have dried	
LEADS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	ODEON 720 SC	720 g/L	SC	FUNGICIDE	4	099-118-1760-B	30-Jul-26		Eggplant	Early blight, late blight, cercospora leafspot, anthracnose	1.13-1.90/L/ha or 4.5-6.0tbsp/36L		7-14 days	Do not enter treatment areas until spray deposit have dried	
LEADS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	ODEON 720 SC	720 g/L	SC	FUNGICIDE	4	099-118-1760-B	30-Jul-26		Onion	Purple blotch, bulb rot, neck rot	1.13-1.90/L/ha or 4.5-6.0tbsp/36L		7-14 days	Do not enter treatment areas until spray deposit have dried	
LEADS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	ODEON 720 SC	720 g/L	SC	FUNGICIDE	4	099-118-1760-B	30-Jul-26		Pepper	Early blight, cercospora leaf spot, anthracnose	1.13-1.90/L/ha or 4.5-6.0tbsp/36L		7-14 days	Do not enter treatment areas until spray deposit have dried	
LEADS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	ODEON 720 SC	720 g/L	SC	FUNGICIDE	4	099-118-1760-B	30-Jul-26		Grapes	Downy mildew, powdery mildew, fruit rot	1.13-1.90/L/ha or 4.5-6.0tbsp/36L		7-14 days	Do not enter treatment areas until spray deposit have dried	
LEADS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	ODEON 720 SC	720 g/L	SC	FUNGICIDE	4	099-118-1760-B	30-Jul-26		Mango	Anthraxnose, diploid rot	3.75-5.80/L/ha or 4.5-6.0tbsp/36L	0.5 mg/kg	7-14 days	Do not enter treatment areas until spray deposit have dried	
LEADS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	ODEON 720 SC	720 g/L	SC	FUNGICIDE	4	099-118-1760-B	30-Jul-26		Ornamentals	Black spot, powdery mildew, black rot	1.13-1.90/L/ha or 4.5-6.0tbsp/36L		7-14 days	Do not enter treatment areas until spray deposit have dried	
LEADS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	ODEON 720 SC	720 g/L	SC	FUNGICIDE	4	099-118-1760-B	30-Jul-26		Asparagus	Stem and leaf blight	1.80/L/ha		7-14 days	Do not enter treatment areas until spray deposit have dried	
LEADS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	ODEON 720 SC	720 g/L	SC	FUNGICIDE	4	099-118-1760-B	30-Jul-26		Banana	Black sigatoka	1.38/L/ha	2.0 mg/kg	0 day	Do not enter treatment areas until spray deposit have dried	
PHILIPPINE FARMIX SOLUTIONS INC.	LAMBDA-CHALOTHRIN	OCTANE 2.5 EC	25 g/L	EC	INSECTICIDE	2	535-204-3176	22-May-25	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leafhopper, black bug	1.0-1.5tbsp/36L of water	0.0tsp/m	3 days	Re-entry to treated fields is allowed as soon as spray deposits dry	
PHILIPPINE FARMIX SOLUTIONS INC.	LAMBDA-CHALOTHRIN	OCTANE 2.5 EC	25 g/L	EC	INSECTICIDE	2	535-204-3176	22-May-25	SYSTEMIC	Mango	Hoppers	0.75-1.5tbsp/36L of water		3 days	Re-entry to treated fields is allowed as soon as spray deposits dry	
PHILIPPINE FARMIX SOLUTIONS INC.	LAMBDA-CHALOTHRIN	OCTANE 2.5 EC	25 g/L	EC	INSECTICIDE	2	535-204-3176	22-May-25	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5tbsp/36L of water		3 days	Re-entry to treated fields is allowed as soon as spray deposits dry	
PHILIPPINE FARMIX SOLUTIONS INC.	LAMBDA-CHALOTHRIN	OCTANE 2.5 EC	25 g/L	EC	INSECTICIDE	2	535-204-3176	22-May-25	SYSTEMIC	Onion	Thrips, cutworm	1.0tbsp/36L of water		3 days	Re-entry to treated fields is allowed as soon as spray deposits dry	
PHILIPPINE FARMIX SOLUTIONS INC.	LAMBDA-CHALOTHRIN	OCTANE 2.5 EC	25 g/L	EC	INSECTICIDE	2	535-204-3176	22-May-25	SYSTEMIC	Mungbeans	Beanyfly, flea beetle, leafhopper, aphids, mites, podborer	1.0tbsp/36L of water		3 days	Re-entry to treated fields is allowed as soon as spray deposits dry	
PHILIPPINE FARMIX SOLUTIONS INC.	LAMBDA-CHALOTHRIN	OCTANE 2.5 EC	25 g/L	EC	INSECTICIDE	2	535-204-3176	22-May-25	SYSTEMIC	Corn	Com-borer, aphids, seedling maggots	1.0-1.5tbsp/36L of water		3 days	Re-entry to treated fields is allowed as soon as spray deposits dry	
PHILIPPINE FARMIX SOLUTIONS INC.	LAMBDA-CHALOTHRIN	OCTANE 2.5 EC	25 g/L	EC	INSECTICIDE	2	535-204-3176	22-May-25	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5tbsp/36L of water		3 days	Re-entry to treated fields is allowed as soon as spray deposits dry	
PHILIPPINE FARMIX SOLUTIONS INC.	LAMBDA-CHALOTHRIN	OCTANE 2.5 EC	25 g/L	EC	INSECTICIDE	2	535-204-3176	22-May-25	SYSTEMIC	Cotton	Bollworm	1.0-1.5tbsp/36L of water		3 days	Re-entry to treated fields is allowed as soon as spray deposits dry	
PHILIPPINE FARMIX SOLUTIONS INC.	LAMBDA-CHALOTHRIN	OCTANE 2.5 EC	25 g/L	EC	INSECTICIDE	2	535-204-3176	22-May-25	SYSTEMIC	Cocoa	Podborer	1.0-2.0tbsp/36L of water		3 days	Re-entry to treated fields is allowed as soon as spray deposits dry	
PHILIPPINE FARMIX SOLUTIONS INC.	LAMBDA-CHALOTHRIN	OCTANE 2.5 EC	25 g/L	EC	INSECTICIDE	2	535-204-3176	22-May-25	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0tbsp/36L of water		3 days	Re-entry to treated fields is allowed as soon as spray deposits dry	
ELITE AGROCHEMICALS INC.	CARBARYL	OCHO 85 WP	850 g/kg	WP	INSECTICIDE	2	719-035-6220	3-Feb-24		Tobacco	Budworm, cutworm, aphids	4-6tbsp/36L water			Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango	Enter treated areas immediately after spray has dried
ELITE AGROCHEMICALS INC.	CARBARYL	OCHO 85 WP	850 g/kg	WP	INSECTICIDE	2	719-035-6220	3-Feb-24		Sorghum	Webworm, armyworm, cutworm, headworm	4-6tbsp/36L water			Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango	Enter treated areas immediately after spray has dried
ELITE AGROCHEMICALS INC.	CARBARYL	OCHO 85 WP	850 g/kg	WP	INSECTICIDE	2	719-035-6220	3-Feb-24		Ornamentals	Aphids, scale insect, mealy bug, cutworm	4-6tbsp/36L water			Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango	Enter treated areas immediately after spray has dried
ELITE AGROCHEMICALS INC.	CARBARYL	OCHO 85 WP	850 g/kg	WP	INSECTICIDE	2	719-035-6220	3-Feb-24		Mango	Mango hopper, tip borer, twig borer, fruit fly, mealy bug	4-8tbsp/36L water			Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango	Enter treated areas immediately after spray has dried
ELITE AGROCHEMICALS INC.	CARBARYL	OCHO 85 WP	850 g/kg	WP	INSECTICIDE	2	719-035-6220	3-Feb-24		Coffee	Berry borer	4-6tbsp/36L water			Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango	Enter treated areas immediately after spray has dried
ELITE AGROCHEMICALS INC.	CARBARYL	OCHO 85 WP	850 g/kg	WP	INSECTICIDE	2	719-035-6220	3-Feb-24		Cacao	Pod borer, aphids, capsid bug	4-6tbsp/36L water			Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango	Enter treated areas immediately after spray has dried
ELITE AGROCHEMICALS INC.	CARBARYL	OCHO 85 WP	850 g/kg	WP	INSECTICIDE	2	719-035-6220	3-Feb-24		Citrus	Rind borer	4-6tbsp/36L water			Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango	Enter treated areas immediately after spray has dried
ELITE AGROCHEMICALS INC.	CARBARYL	OCHO 85 WP	850 g/kg	WP	INSECTICIDE	2	719-035-6220	3-Feb-24		Soybeans	Pod borer, beanfly, leaf miner, aphids	4-6tbsp/36L water			Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango	Enter treated areas immediately after spray has dried
ELITE AGROCHEMICALS INC.	CARBARYL	OCHO 85 WP	850 g/kg	WP	INSECTICIDE	2	719-035-6220	3-Feb-24		Rice	Green leafhopper, caseworm, aphids	4-6tbsp/36L water			Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango	Enter treated areas immediately after spray has dried
ELITE AGROCHEMICALS INC.	CARBARYL	OCHO 85 WP	850 g/kg	WP	INSECTICIDE	2	719-035-6220	3-Feb-24		Cowpea	Pod borer, bean fly, leaf miner, aphids, cutworm	4-6tbsp/36L water			Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango	Enter treated areas immediately after spray has dried
ELITE AGROCHEMICALS INC.	CARBARYL	OCHO 85 WP	850 g/kg	WP	INSECTICIDE	2	719-035-6220	3-Feb-24		Cotton seed	Bollworm, cutworm	4-6tbsp/36L water			Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango	Enter treated areas immediately after spray has dried
ELITE AGROCHEMICALS INC.	CARBARYL	OCHO 85 WP	850 g/kg	WP	INSECTICIDE	2	719-035-6220	3-Feb-24		Corn	Corn borer, corn earworm, armyworm	4-6tbsp/36L water			Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango	Enter treated areas immediately after spray has dried
ELITE AGROCHEMICALS INC.	CARBARYL	OCHO 85 WP	850 g/kg	WP	INSECTICIDE	2	719-035-6220	3-Feb-24		Tomato	Fruitworm, lady beetle	4-6tbsp/36L water			Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango	Enter treated areas immediately after spray has dried
ELITE AGROCHEMICALS INC.	CARBARYL	OCHO 85 WP	850 g/kg	WP	INSECTICIDE	2	719-035-6220	3-Feb-24		Cucurbits	Squash beetle, lady beetle, aphids	4-6tbsp/36L water			Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango	Enter treated areas immediately after spray has dried
ORACLE CHEM CORPORATION	MALATHION	OCC-MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	417-038-2765	15-Dec-23	NON-SYSTEMIC	Fruit trees	Aphids, mealy bug, scale insect	1.5-3.0tbsp/36L water		One (1) day after each spraying.	One (1) day after each spraying.	
ORACLE CHEM CORPORATION	MALATHION	OCC-MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	417-038-2765	15-Dec-23	NON-SYSTEMIC	Rice	Armyworm, caseworm, leafhopper, bugs	2.0-3.0tbsp/36L water		One (1) day after each spraying.	One (1) day after each spraying.	
ORACLE CHEM CORPORATION	MALATHION	OCC-MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	417-038-2765	15-Dec-23	NON-SYSTEMIC	Corn	Earworm, silkworm, aphids, grasshopper	3.0-5.0tbsp/36L water		One (1) day after each spraying.	One (1) day after each spraying.	
ORACLE CHEM CORPORATION	MALATHION	OCC-MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	417-038-2765	15-Dec-23	NON-SYSTEMIC	Cabbage	Cabbage worm, looper, diamond-back moth	2.0-5.0tbsp/36L water		One (1) day after each spraying.	One (1) day after each spraying.	
ORACLE CHEM CORPORATION	MALATHION	OCC-MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	417-038-2765	15-Dec-23	NON-SYSTEMIC	Legumes	Aphids, beanfly, cutworm, flea beetles, leafminer, maggots, mealybug, podborer, thrips	2.0-5.0tbsp/36L water		One (1) day after each spraying.	One (1) day after each spraying.	
ORACLE CHEM CORPORATION	MALATHION	OCC-MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	417-038-2765	15-Dec-23	NON-SYSTEMIC	Grapes	Beetles, cutworm, leafhopper, mealybug, scale, insect, spider mites	3.0tbsp/36L water		One (1) day after each spraying.	One (1) day after each spraying.	
ORACLE CHEM CORPORATION	MALATHION	OCC-MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	417-038-2765	15-Dec-23	NON-SYSTEMIC	Pineapple	Mealy bug	3.0tbsp/36L water		One (1) day after each spraying.	One (1) day after each spraying.	
ORACLE CHEM CORPORATION	MALATHION	OCC-MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	417-038-2765	15-Dec-23	NON-SYSTEMIC	Pepper	Aphid, cutworm, fruitworm	3.0tbsp/36L water		One (1) day after each spraying.	One (1) day after each spraying.	
ORACLE CHEM CORPORATION	MALATHION	OCC-MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	417-038-2765	15-Dec-23	NON-SYSTEMIC	Garlic	Cutworm	3.0tbsp/36L water		One (1) day after each spraying.	One (1) day after each spraying.	
ORACLE CHEM CORPORATION	MALATHION	OCC-MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	417-038-2765	15-Dec-23	NON-SYSTEMIC	Onion	Cutworm	3.0tbsp/36L water		One (1) day after each spraying.	One (1) day after each spraying.	
ORACLE CHEM CORPORATION	MALATHION	OCC-MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	417-038-2765	15-Dec-23	NON-SYSTEMIC	Tobacco	Aphids, katydid	3.0-6.0tbsp/36L water		One (1) day after each spraying.	One (1) day after each spraying.	
ORACLE CHEM CORPORATION	MALATHION	OCC-MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	417-038-2765	15-Dec-23	NON-SYSTEMIC	Ornamentals	Aphids, cutworm, mealybug, scale insect, spider mites	3.0-5.0tbsp/36L water		One (1) day after each spraying.	One (1) day after each spraying.	
ORACLE CHEM CORPORATION	MALATHION	OCC-MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	417-038-2765	15-Dec-23	NON-SYSTEMIC	Tomato	Lady beetle	3.0-5.0tbsp/36L water		One (1) day after each spraying.	One (1) day after each spraying.	
ORACLE CHEM CORPORATION	MALATHION	OCC-MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	417-038-2765	15-Dec-23	NON-SYSTEMIC	Eggplant	Aphids, fruitworm	3.0-5.0tbsp/36L water		One (1) day after each spraying.	One (1) day after each spraying.	
ORACLE CHEM CORPORATION	MALATHION	OCC-MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	417-038-2765	15-Dec-23	NON-SYSTEMIC	Sorghum	Web worm	3.0tbsp/36L water		One (1) day after each spraying.	One (1) day after each spraying.	

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
ORACLE CHEM CORPORATION	DIURON	OCC DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	417-021-4545	12-Sep-26	SYSTEMIC	Citrus	Annual and Perennial broadleaves and grasses	11.0-15.0Tbsp/16 L water	-	-	Enter treated field 24 hours after application
ORACLE CHEM CORPORATION	DIURON	OCC DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	417-021-4545	12-Sep-26	SYSTEMIC	Coffee	Annual and Perennial broadleaves and grasses	11.0-15.0Tbsp/16 L water	-	-	Enter treated field 24 hours after application
ORACLE CHEM CORPORATION	DIURON	OCC DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	417-021-4545	12-Sep-26	SYSTEMIC	Cotton	Annual and Perennial broadleaves and grasses	8.0Tbsp/16 L water	-	-	Enter treated field 24 hours after application
ORACLE CHEM CORPORATION	DIURON	OCC DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	417-021-4545	12-Sep-26	SYSTEMIC	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0Tbsp/16 L water	-	-	Enter treated field 24 hours after application
ORACLE CHEM CORPORATION	DIURON	OCC DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	417-021-4545	12-Sep-26	SYSTEMIC	Pineapple	Annual and Perennial broadleaves and grasses	11.0Tbsp/16 L water	-	-	Enter treated field 24 hours after application
ORACLE CHEM CORPORATION	DIURON	OCC DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	417-021-4545	12-Sep-26	SYSTEMIC	Non-crop agricultural areas	Annual and Perennial broadleaves and grasses	20.0-28.0Tbsp/16 L water	-	-	Enter treated field 24 hours after application
ORACLE CHEM CORPORATION	DIAZINON	OCC DIAZINON 600EC	600 g/L	EC	INSECTICIDE	2	417-034-6268 (590)	12-Sep-26	-	Banana	Thrips, mealybug, and leaf folder	25-35 mL prod. / 16L water	-	-	Do not spray within 14 days before harvest
ORACLE CHEM CORPORATION	DIAZINON	OCC DIAZINON 600EC	600 g/L	EC	INSECTICIDE	2	417-034-6268 (590)	12-Sep-26	-	Beans	Cutworm, pod borer, aphids, and flea beetle	25-35 mL prod. / 16L water	-	-	Do not spray within 14 days before harvest
ORACLE CHEM CORPORATION	DIAZINON	OCC DIAZINON 600EC	600 g/L	EC	INSECTICIDE	2	417-034-6268 (590)	12-Sep-26	-	Citrus	Mites, aphids, stink bug	25-35 mL prod. / 16L water	-	-	Do not spray within 14 days before harvest
ORACLE CHEM CORPORATION	DIAZINON	OCC DIAZINON 600EC	600 g/L	EC	INSECTICIDE	2	417-034-6268 (590)	12-Sep-26	-	Corn	Corn borer, earworm, aphids, and silk beetle	25-35 mL prod. / 16L water	-	-	Do not spray within 14 days before harvest
ORACLE CHEM CORPORATION	DIAZINON	OCC DIAZINON 600EC	600 g/L	EC	INSECTICIDE	2	417-034-6268 (590)	12-Sep-26	-	Cotton	Katydid, grasshopper, cutworm, mites	25-35 mL prod. / 16L water	-	-	Do not spray within 14 days before harvest
ORACLE CHEM CORPORATION	DIAZINON	OCC DIAZINON 600EC	600 g/L	EC	INSECTICIDE	2	417-034-6268 (590)	12-Sep-26	-	Cowpea	Aphids, cutworm, and grasshopper	25-35 mL prod. / 16L water	-	-	Do not spray within 14 days before harvest
ORACLE CHEM CORPORATION	DIAZINON	OCC DIAZINON 600EC	600 g/L	EC	INSECTICIDE	2	417-034-6268 (590)	12-Sep-26	-	Mango	Mopier and tip borer	25-35 mL prod. / 16L water	-	-	Do not spray within 14 days before harvest
ORACLE CHEM CORPORATION	DIAZINON	OCC DIAZINON 600EC	600 g/L	EC	INSECTICIDE	2	417-034-6268 (590)	12-Sep-26	-	Pineapple	Mealybug	25-35 mL prod. / 16L water	-	-	Do not spray within 14 days before harvest
ORACLE CHEM CORPORATION	DIAZINON	OCC DIAZINON 600EC	600 g/L	EC	INSECTICIDE	2	417-034-6268 (590)	12-Sep-26	-	Rice	Planthopper, rice bug, stem borer, leafhopper, and whorl maggot	25-35 mL prod. / 16L water	-	-	Do not spray within 14 days before harvest
ORACLE CHEM CORPORATION	DIAZINON	OCC DIAZINON 600EC	600 g/L	EC	INSECTICIDE	2	417-034-6268 (590)	12-Sep-26	-	Soybeans	Cutworm, aphids, stink bug, grasshopper	25-35 mL prod. / 16L water	-	-	Do not spray within 14 days before harvest
ORACLE CHEM CORPORATION	DIAZINON	OCC DIAZINON 600EC	600 g/L	EC	INSECTICIDE	2	417-034-6268 (590)	12-Sep-26	-	Tobacco	Budworm, aphids, armyworm, and flea beetle	25-35 mL prod. / 16L water	-	-	Do not spray within 14 days before harvest
ORACLE CHEM CORPORATION	DIAZINON	OCC DIAZINON 600EC	600 g/L	EC	INSECTICIDE	2	417-034-6268 (590)	12-Sep-26	-	White potato	Aphids, leafhopper, cutworm	25-35 mL prod. / 16L water	-	-	Do not spray within 14 days before harvest
ORACLE CHEM CORPORATION	CARTAP HYDROCHLORIDE	OCC CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	417-106-2603-A	02-Jul-25	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.0-5.0Tbsp/16 L water	0.2ppm	-	Stop spraying 10 days before harvest
ORACLE CHEM CORPORATION	CARTAP HYDROCHLORIDE	OCC CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	417-106-2603-A	02-Jul-25	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	-	-	Stop spraying 10 days before harvest
ORACLE CHEM CORPORATION	CARTAP HYDROCHLORIDE	OCC CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	417-106-2603-A	02-Jul-25	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	-	-	Stop spraying 10 days before harvest
ORACLE CHEM CORPORATION	CARTAP HYDROCHLORIDE	OCC CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	417-106-2603-A	02-Jul-25	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/16 L water	-	-	Stop spraying 10 days before harvest
ORACLE CHEM CORPORATION	CARTAP HYDROCHLORIDE	OCC CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	417-106-2603-A	02-Jul-25	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	-	Stop spraying 10 days before harvest
ORACLE CHEM CORPORATION	CARTAP HYDROCHLORIDE	OCC CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	417-106-2603-A	02-Jul-25	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	-	Stop spraying 10 days before harvest
ORACLE CHEM CORPORATION	CARTAP HYDROCHLORIDE	OCC CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	417-106-2603-A	02-Jul-25	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/16 L water	-	-	Stop spraying 10 days before harvest
ORACLE CHEM CORPORATION	CARTAP HYDROCHLORIDE	OCC CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	417-106-2603-A	02-Jul-25	SYSTEMIC	Mango	Leafhoppers	1.5-2.0Tbsp/16 L water	-	-	Stop spraying 10 days before harvest
ORACLE CHEM CORPORATION	CARTAP HYDROCHLORIDE	OCC CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	417-106-2603-A	02-Jul-25	SYSTEMIC	Peach	Looper, cutworm, aphids	1.5-3.0Tbsp/16 L water	-	-	Stop spraying 10 days before harvest
ORACLE CHEM CORPORATION	ABAMECTIN	OCC ABAMECTIN 1.8 EC	18 g/L	EC	INSECTICIDE	2	417-234-6098 (590)	28-Mar-26	-	Banana	Blossom thrips	4-5 per L water 0.5 per L water	-	-	Is allowed as soon as spray deposits had dried up
ORACLE CHEM CORPORATION	ABAMECTIN	OCC ABAMECTIN 1.8 EC	18 g/L	EC	INSECTICIDE	2	417-234-6098 (590)	28-Mar-26	-	Cabbage	Diamondback moth	4000 mL prod/ha 2.0-3.0 Tbsp/16 L water	-	7 days	Is allowed as soon as spray deposits had dried up
ORACLE CHEM CORPORATION	ABAMECTIN	OCC ABAMECTIN 1.8 EC	18 g/L	EC	INSECTICIDE	2	417-234-6098 (590)	28-Mar-26	-	Ornamentals	Mites	10-15 mL/16 L water 1.0-1.5 Tbsp/16 L water	-	-	Is allowed as soon as spray deposits had dried up
ORACLE CHEM CORPORATION	ABAMECTIN	OCC ABAMECTIN 1.8 EC	18 g/L	EC	INSECTICIDE	2	417-234-6098 (590)	28-Mar-26	-	Pineapple	Mites	4000-4300 mL prod/ha 2.0-3.0 Tbsp/16 L water	-	-	Is allowed as soon as spray deposits had dried up
ORACLE CHEM CORPORATION	ABAMECTIN	OCC ABAMECTIN 1.8 EC	18 g/L	EC	INSECTICIDE	2	417-234-6098 (590)	28-Mar-26	-	Eggplant	Thrips, leaf hopper, fruit and shoot borer	500-1500 mL / prod/ha 2.0-5.0 Tbsp/16 L water	-	3 days	Is allowed as soon as spray deposits had dried up
ORACLE CHEM CORPORATION	ABAMECTIN	OCC ABAMECTIN 1.8 EC	18 g/L	EC	INSECTICIDE	2	417-234-6098 (590)	28-Mar-26	-	Onion	Leafminer and thrips	600-1000 mL / prod/ha 2.0-3.0 Tbsp/16 L water	-	3 days	Is allowed as soon as spray deposits had dried up
ORACLE CHEM CORPORATION	ABAMECTIN	OCC ABAMECTIN 1.8 EC	18 g/L	EC	INSECTICIDE	2	417-234-6098 (590)	28-Mar-26	-	Potato	Leafminer and thrips	500-1000 mL / prod/ha 2.0-3.0 Tbsp/16 L water	-	14 days	Is allowed as soon as spray deposits had dried up
ORACLE CHEM CORPORATION	ABAMECTIN	OCC ABAMECTIN 1.8 EC	18 g/L	EC	INSECTICIDE	2	417-234-6098 (590)	28-Mar-26	-	Tomato	Leafminer, thrips and aphids	500-1000 mL / prod/ha 2.0-3.0 Tbsp/16 L water	-	3 days	Is allowed as soon as spray deposits had dried up
ORACLE CHEM CORPORATION	ABAMECTIN	OCC ABAMECTIN 1.8 EC	18 g/L	EC	INSECTICIDE	2	417-234-6098 (590)	28-Mar-26	-	Watermelon	Leafminer, thrips and melon worm	500-1000 mL prod/ha;500-1000 mL prod/ha	-	3 days	Is allowed as soon as spray deposits had dried up
ORACLE CHEM CORPORATION	ABAMECTIN	OCC ABAMECTIN 1.8 EC	18 g/L	EC	INSECTICIDE	2	417-234-6098 (590)	28-Mar-26	-	Papaya	Mites	100-600 mL prod/ha 2.0-5.0 Tbsp/16 L water	-	14 days	Is allowed as soon as spray deposits had dried up
ORACLE CHEM CORPORATION	ABAMECTIN	OCC ABAMECTIN 1.8 EC	18 g/L	EC	INSECTICIDE	2	417-234-6098 (590)	28-Mar-26	-	Strawberry	Mites	600-1200 mL prod/ha 2.0-4.0 Tbsp/16 L water	-	3 days	Is allowed as soon as spray deposits had dried up
ORACLE CHEM CORPORATION	2,4-D IBE	OCC 2,4-D ESTER	400g/L	EC	HERBICIDE	2	417-040-4547	23-Oct-21	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual Broadleaves & sedges	1.5-6.5 Tbsp/16 L water	0.1 ppm	-	Entry to fields and crops treated with OCC 2,4-D ESTER can be done one (1)day after spraying.
ORACLE CHEM CORPORATION	2,4-D IBE	OCC 2,4-D ESTER	400g/L	EC	HERBICIDE	2	417-040-4547	23-Oct-21	SELECTIVE (POST-EMERGENT)	Corn	Annual Broadleaves & sedges	5.0-6.5 Tbsp/16 L water	-	-	Entry to fields and crops treated with OCC 2,4-D ESTER can be done one (1)day after spraying.
ORACLE CHEM CORPORATION	2,4-D IBE	OCC 2,4-D ESTER	400g/L	EC	HERBICIDE	2	417-040-4547	23-Oct-21	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual Broadleaves & sedges	11.0-26.0 Tbsp/16 L water	-	-	Entry to fields and crops treated with OCC 2,4-D ESTER can be done one (1)day after spraying.
ORACLE CHEM CORPORATION	2,4-D AMINE	OCC 2,4-D AMINE	400g/L	SL	HERBICIDE	2	417-013-4546	23-Oct-21	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual broadleaves and sedges	5-6.5 Tbsp/16 L water	0.1 ppm	-	Entry to fields and crops treated with OCC 2,4-D AMINE can be done one day after spraying.
ORACLE CHEM CORPORATION	2,4-D AMINE	OCC 2,4-D AMINE	400g/L	SL	HERBICIDE	2	417-013-4546	23-Oct-21	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual broadleaves and sedges	13-25 Tbsp/16 L water	-	-	Entry to fields and crops treated with OCC 2,4-D AMINE can be done one day after spraying.
ORACLE CHEM CORPORATION	2,4-D AMINE	OCC 2,4-D AMINE	400g/L	SL	HERBICIDE	2	417-013-4546	23-Oct-21	SELECTIVE (POST-EMERGENT)	Corn	Annual broadleaves and sedges	9-6.5 Tbsp/16 L water	-	-	Entry to fields and crops treated with OCC 2,4-D AMINE can be done one day after spraying.
BAYER CROPSCIENCE, INC.	ABAMECTIN+SPIROMESIFEN	OBIRON SPEED SC 240	11.4 g/L+228.6 g/L	SC	INSECTICIDE	2	284-599-5865	22-Sep-25	-	Mango	Cecid fly	750-1000 mL/ha	-	15 days	After spray deposits have dried.
BAYER CROPSCIENCE, INC.	ABAMECTIN+SPIROMESIFEN	OBIRON SPEED SC 240	11.4 g/L+228.6 g/L	SC	INSECTICIDE	2	284-599-5865	22-Sep-25	-	Onion	Leaf miner, thrips	500-700 mL/ha 20-30 mL/16L water	-	7 days	After spray deposits have dried.
BAYER CROPSCIENCE, INC.	ABAMECTIN+SPIROMESIFEN	OBIRON SPEED SC 240	11.4 g/L+228.6 g/L	SC	INSECTICIDE	2	284-599-5865	22-Sep-25	-	Potato	Whitefly, aphids, leafminer	500-700 mL/ha 20-30 mL/16L water	-	7 days	After spray deposits have dried.
BAYER CROPSCIENCE, INC.	ABAMECTIN+SPIROMESIFEN	OBIRON SPEED SC 240	11.4 g/L+228.6 g/L	SC	INSECTICIDE	2	284-599-5865	22-Sep-25	-	Tomato	Leaf miner, whitefly, mites, thrips	500-700 mL/ha 20-30 mL/16L water	-	14 days	After spray deposits have dried.
BAYER CROPSCIENCE, INC.	ABAMECTIN+SPIROMESIFEN	OBIRON SPEED SC 240	11.4 g/L+228.6 g/L	SC	INSECTICIDE	2	284-599-5865	22-Sep-25	-	Watermelon	Whitefly, aphids, leafminer	500-700 mL/ha 20-30 mL/16L water	-	7 days	After spray deposits have dried.
BAYER CROPSCIENCE, INC.	ABAMECTIN+SPIROMESIFEN	OBIRON SPEED SC 240	11.4 g/L+228.6 g/L	SC	INSECTICIDE	2	284-599-5865	22-Sep-25	-	Eggplant	Whitefly, leaf miner, mites	500-700 mL/ha 20-30 mL/16L water	-	3 days	After spray deposits have dried.
THAPHIL ADVANCE AGRI TECH CORP.	GLYPHOSATE IPA	OBILEYSK 480 SL	480g/L	SL	HERBICIDE	4	657-151-4932	23-Sep-21	-	Glyphosate tolerant corn	Broadleaf weeds & sedges	-	-	-	-
THAPHIL ADVANCE AGRI TECH CORP.	GLYPHOSATE IPA	OBILEYSK 480 SL	480g/L	SL	HERBICIDE	4	657-151-4932	23-Sep-21	-	Mango	Broadleaf weeds & sedges	-	-	-	-
THAPHIL ADVANCE AGRI TECH CORP.	GLYPHOSATE IPA	OBILEYSK 480 SL	480g/L	SL	HERBICIDE	4	657-151-4932	23-Sep-21	-	Banana	Broadleaf weeds & sedges	-	-	-	-
THAPHIL ADVANCE AGRI TECH CORP.	GLYPHOSATE IPA	OBILEYSK 480 SL	480g/L	SL	HERBICIDE	4	657-151-4932	23-Sep-21	-	Coffee	Broadleaf weeds & sedges	-	-	-	-
THAPHIL ADVANCE AGRI TECH CORP.	GLYPHOSATE IPA	OBILEYSK 480 SL	480g/L	SL	HERBICIDE	4	657-151-4932	23-Sep-21	-	Cacao	Broadleaf weeds & sedges	-	-	-	-
THAPHIL ADVANCE AGRI TECH CORP.	GLYPHOSATE IPA	OBILEYSK 480 SL	480g/L	SL	HERBICIDE	4	657-151-4932	23-Sep-21	-	Rubber	Broadleaf weeds & sedges	-	-	-	-

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD	
THAIPHIL ADVANCE AGRITECH CORP.	GLYPHOSATE IPA	OBELYSK 480 SL	480g/L	SL	HERBICIDE	4	657-151-4932	23-Sep-21	-	Oil palm	Broadleaf weeds & sedges	-	-	-	-	
THAIPHIL ADVANCE AGRITECH CORP.	GLYPHOSATE IPA	OBELYSK 480 SL	480g/L	SL	HERBICIDE	4	657-151-4932	23-Sep-21	-	Citrus	Broadleaf weeds & sedges	-	-	-	-	
THAIPHIL ADVANCE AGRITECH CORP.	GLYPHOSATE IPA	OBELYSK 480 SL	480g/L	SL	HERBICIDE	4	657-151-4932	23-Sep-21	-	Coconut	Broadleaf weeds & sedges	-	-	-	-	
THAIPHIL ADVANCE AGRITECH CORP.	GLYPHOSATE IPA	OBELYSK 480 SL	480g/L	SL	HERBICIDE	4	657-151-4932	23-Sep-21	-	Sugarcane	Broadleaf weeds & sedges	-	-	-	-	
THAIPHIL ADVANCE AGRITECH CORP.	GLYPHOSATE IPA	OBELYSK 480 SL	480g/L	SL	HERBICIDE	4	657-151-4932	23-Sep-21	-	Vegetables	Broadleaf weeds & sedges	-	-	-	-	
THAIPHIL ADVANCE AGRITECH CORP.	GLYPHOSATE IPA	OBELYSK 480 SL	480g/L	SL	HERBICIDE	4	657-151-4932	23-Sep-21	-	non-crop	Broadleaf weeds & sedges	-	-	-	-	
FARM EDGE AGRO TRADING CORPORATION	HYDROTREATED LIGHT, HEAVY PARAFFINIC AND NAUPTENIC OIL	NYFLEX 3013	-	-	FUNGICIDE	3	618-546-5465	17-Jun-22	-	Banana	Black Sigatoka	5 L prod. / ha.	-	-	Follow the label recommendation of the fungicides to be used.	Enter the treated field when the spray deposits have dried up.
NOBLE MERCANTILE & DEVELOPMENT CORPORATION	ETHEPHON	NYOREL 480	480 g/L	-	OTHERS	4	084-061-0932	19-Jul-18	-	Pineapple	Pineapple flowering & ripening	100-150ml/1000 trees	-	-	Fruits that are already ripe on the day of treatment can be harvested without any harmful residue.Generally,	Re-entry into treated areas may be done as soon as spray has dried
NOBLE MERCANTILE & DEVELOPMENT CORPORATION	ETHEPHON	NYOREL 480	480 g/L	-	OTHERS	4	084-061-0932	19-Jul-18	-	Banana	Banana ripening	100-150ml/1000 trees	-	-	Fruits that are already ripe on the day of treatment can be harvested without any harmful residue.Generally,	Re-entry into treated areas may be done as soon as spray has dried
NOBLE MERCANTILE & DEVELOPMENT CORPORATION	ETHEPHON	NYOREL 480	480 g/L	-	OTHERS	4	084-061-0932	19-Jul-18	-	Mango	Mango ripening	100-150ml/1000 trees	-	-	Fruits that are already ripe on the day of treatment can be harvested without any harmful residue.Generally,	Re-entry into treated areas may be done as soon as spray has dried
NOBLE MERCANTILE & DEVELOPMENT CORPORATION	ETHEPHON	NYOREL 480	480 g/L	-	OTHERS	4	084-061-0932	19-Jul-18	-	Coffee	Coffee ripening	100-150ml/1000 trees	-	-	Fruits that are already ripe on the day of treatment can be harvested without any harmful residue.Generally,	Re-entry into treated areas may be done as soon as spray has dried
EZERTECH CORPORATION	LAMBDA-CHYALOTHIRIN	N-VADE 2.5 EC	25 g/L	EC	INSECTICIDE	2	648-204-5265	27-Oct-26	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leafroller, black bug	1.0-1.5tbsp/16 L of water	-	3 Days	-	-
EZERTECH CORPORATION	LAMBDA-CHYALOTHIRIN	N-VADE 2.5 EC	25 g/L	EC	INSECTICIDE	2	648-204-5265	27-Oct-26	SYSTEMIC	Mango	Hoppers	0.75-1.5tbsp/16 L of water	-	3 Days	-	-
EZERTECH CORPORATION	LAMBDA-CHYALOTHIRIN	N-VADE 2.5 EC	25 g/L	EC	INSECTICIDE	2	648-204-5265	27-Oct-26	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5tbsp/16 L of water	-	3 Days	-	-
EZERTECH CORPORATION	LAMBDA-CHYALOTHIRIN	N-VADE 2.5 EC	25 g/L	EC	INSECTICIDE	2	648-204-5265	27-Oct-26	SYSTEMIC	Onion	Thrips,cutworm	1.0tbsp/16 L of water	-	3 Days	-	-
EZERTECH CORPORATION	LAMBDA-CHYALOTHIRIN	N-VADE 2.5 EC	25 g/L	EC	INSECTICIDE	2	648-204-5265	27-Oct-26	SYSTEMIC	Mungbeans	Beanfly, flea beetle,leafhopper,aphids, mites, podborer	1.0tbsp/16 L of water	-	3 Days	-	-
EZERTECH CORPORATION	LAMBDA-CHYALOTHIRIN	N-VADE 2.5 EC	25 g/L	EC	INSECTICIDE	2	648-204-5265	27-Oct-26	SYSTEMIC	Corn	Comborer, aphids, seedling maggots	1.0-1.5tbsp/16 L of water	-	3 Days	-	-
EZERTECH CORPORATION	LAMBDA-CHYALOTHIRIN	N-VADE 2.5 EC	25 g/L	EC	INSECTICIDE	2	648-204-5265	27-Oct-26	SYSTEMIC	Tobacco	Budworm, cutworm, aphids,katyids	1.0-1.5tbsp/16 L of water	-	3 Days	-	-
EZERTECH CORPORATION	LAMBDA-CHYALOTHIRIN	N-VADE 2.5 EC	25 g/L	EC	INSECTICIDE	2	648-204-5265	27-Oct-26	SYSTEMIC	Cotton	Bollworm	1.0-1.5tbsp/16 L of water	-	3 Days	-	-
EZERTECH CORPORATION	LAMBDA-CHYALOTHIRIN	N-VADE 2.5 EC	25 g/L	EC	INSECTICIDE	2	648-204-5265	27-Oct-26	SYSTEMIC	Cocoa	Pod borer	1.0-2.0tbsp/16 L of water	-	3 Days	-	-
EZERTECH CORPORATION	LAMBDA-CHYALOTHIRIN	N-VADE 2.5 EC	25 g/L	EC	INSECTICIDE	2	648-204-5265	27-Oct-26	SYSTEMIC	Watermelon	Squash beetle,melon worm	1.0tbsp/16 L of water	-	3 Days	-	-
R & A AGROFARM PRODUCTS, INC.	CARTAP HYDROCHLORIDE	NUFAP 50 SP	500 g/kg	SP	INSECTICIDE	3	450-106-2438	03-Sep-20	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	1.0-5.0tbsp/16 L water	0.2ppm	Stop spraying 10 days before harvest	-	-
R & A AGROFARM PRODUCTS, INC.	CARTAP HYDROCHLORIDE	NUFAP 50 SP	500 g/kg	SP	INSECTICIDE	3	450-106-2438	03-Sep-20	SYSTEMIC	Wongbok	Diamond back moth, aphids, cabbage moth, cabbage worm	1.5-2.0tbsp/16 L water	-	Stop spraying 10 days before harvest	-	-
R & A AGROFARM PRODUCTS, INC.	CARTAP HYDROCHLORIDE	NUFAP 50 SP	500 g/kg	SP	INSECTICIDE	3	450-106-2438	03-Sep-20	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0tbsp/16 L water	-	Stop spraying 10 days before harvest	-	-
R & A AGROFARM PRODUCTS, INC.	CARTAP HYDROCHLORIDE	NUFAP 50 SP	500 g/kg	SP	INSECTICIDE	3	450-106-2438	03-Sep-20	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0tbsp/16 L water	-	Stop spraying 10 days before harvest	-	-
R & A AGROFARM PRODUCTS, INC.	CARTAP HYDROCHLORIDE	NUFAP 50 SP	500 g/kg	SP	INSECTICIDE	3	450-106-2438	03-Sep-20	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0tbsp/16 L water	-	Stop spraying 10 days before harvest	-	-
R & A AGROFARM PRODUCTS, INC.	CARTAP HYDROCHLORIDE	NUFAP 50 SP	500 g/kg	SP	INSECTICIDE	3	450-106-2438	03-Sep-20	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0tbsp/16 L water	-	Stop spraying 10 days before harvest	-	-
R & A AGROFARM PRODUCTS, INC.	CARTAP HYDROCHLORIDE	NUFAP 50 SP	500 g/kg	SP	INSECTICIDE	3	450-106-2438	03-Sep-20	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0tbsp/16 L water	-	Stop spraying 10 days before harvest	-	-
R & A AGROFARM PRODUCTS, INC.	CARTAP HYDROCHLORIDE	NUFAP 50 SP	500 g/kg	SP	INSECTICIDE	3	450-106-2438	03-Sep-20	SYSTEMIC	Mango	leafhoppers	1.5-2.0tbsp/16 L water	-	Stop spraying 10 days before harvest	-	-
R & A AGROFARM PRODUCTS, INC.	CARTAP HYDROCHLORIDE	NUFAP 50 SP	500 g/kg	SP	INSECTICIDE	3	450-106-2438	03-Sep-20	SYSTEMIC	Peachy	looper, cutworm, aphids	1.5-3.0tbsp/16 L water	-	Stop spraying 10 days before harvest	-	-
ORACLE CHEM CORPORATION	AZIOXYSTROBIN	NUSTAR 25 SC	250 g/L	SC	FUNGICIDE	4	417-309-4445	24-Jul-21	SYSTEMIC	Mango	Anthracoise, scab, stem-end rot	6-9/100L water	-	Do not spray 3-7 days before harvest	-	Re-entry treated field is allowed as soon as spray dries up
ORACLE CHEM CORPORATION	AZIOXYSTROBIN	NUSTAR 25 SC	250 g/L	SC	FUNGICIDE	4	417-309-4445	24-Jul-21	SYSTEMIC	Watermelon	Damping off, leaf spot, anthracnose, downy, mildew, powdery mildew	1-2tbsp/16 L water	-	Do not spray 3-7 days before harvest	-	Re-entry treated field is allowed as soon as spray dries up
ORACLE CHEM CORPORATION	AZIOXYSTROBIN	NUSTAR 25 SC	250 g/L	SC	FUNGICIDE	4	417-309-4445	24-Jul-21	SYSTEMIC	Onion	Basil/bulb rot	1-2tbsp/16 L water	-	Do not spray 3-7 days before harvest	-	Re-entry treated field is allowed as soon as spray dries up
ORACLE CHEM CORPORATION	AZIOXYSTROBIN	NUSTAR 25 SC	250 g/L	SC	FUNGICIDE	4	417-309-4445	24-Jul-21	SYSTEMIC	Tomato	Late/early blight, powdery mildew	0.5-1tbsp/16 L water	-	Do not spray 3-7 days before harvest	-	Re-entry treated field is allowed as soon as spray dries up
ORACLE CHEM CORPORATION	AZIOXYSTROBIN	NUSTAR 25 SC	250 g/L	SC	FUNGICIDE	4	417-309-4445	24-Jul-21	SYSTEMIC	Corn	Sheath blight, leaf spot, leaf rust, ear rot	2-4tbsp/16 L water	-	Do not spray 3-7 days before harvest	-	Re-entry treated field is allowed as soon as spray dries up
ORACLE CHEM CORPORATION	AZIOXYSTROBIN	NUSTAR 25 SC	250 g/L	SC	FUNGICIDE	4	417-309-4445	24-Jul-21	SYSTEMIC	Asparagus	Stem blight, leaf blight, fusarium wilt	1-3tbsp/16 L water	-	Do not spray 3-7 days before harvest	-	Re-entry treated field is allowed as soon as spray dries up
DOU PONT FAR EAST, INC.	CHLORPYRIFOS-CYPERMETHRIN	NURELLÉ	250-25g/L	EC	INSECTICIDE	2	014-239-4294	19-Mar-21	-	Rice	Whorl maggot, green leafhopper, brown planthopper, stemborer	20-30 ml (2-3tbsp)/16L water	-	-	-	-
DOU PONT FAR EAST, INC.	CHLORPYRIFOS-CYPERMETHRIN	NURELLÉ	250-25g/L	EC	INSECTICIDE	2	014-239-4294	19-Mar-21	-	Mango	Mango hopper	25-40 ml (2-5-4tbsp)/16L water	-	-	-	-
DOW AGRO SCIENCES B.V.	CHLORPYRIFOS-CYPERMETHRIN	NURELLÉ	250-25 g/L	EC	INSECTICIDE	2	013-239-0517	31-Dec-21	-	Rice	Whorl maggot, green leafhopper, brown planthopper, stemborer	20-30 ml (2-3tbsp)/16L water	-	-	-	-
DOW AGRO SCIENCES B.V.	CHLORPYRIFOS-CYPERMETHRIN	NURELLÉ	250-25 g/L	EC	INSECTICIDE	2	013-239-0517	31-Dec-21	-	Mango	Mango hopper	25-40 ml (2.5-4tbsp)/16L water	-	-	-	-
JARDINE DISTRIBUTION, INC.	CHLORPYRIFOS-CYPERMETHRIN	NURELLÉ	250-25 g/L	EC	INSECTICIDE	2	367-239-1467	24-Oct-20	-	Rice	Whorl maggot, green leafhopper, brown planthopper, stemborer	20-30 ml (2-3tbsp)/16L water	-	-	-	-
JARDINE DISTRIBUTION, INC.	CHLORPYRIFOS-CYPERMETHRIN	NURELLÉ	250-25 g/L	EC	INSECTICIDE	2	367-239-1467	24-Oct-20	-	Mango	Mango hopper	25-40 ml (2.5-4tbsp)/16L water	-	-	-	-
FULL GREEN AGRO CORPORATION	NICLOSMIDE ETHANOLAMINE SALT	NUCHICKS 70 WP	700 g/kg	WP	MOLLUSCICIDE	4	475-229-3558	21-Sep-18	CONTACT	Rice	Golden Apple Snail (Tuhol)	8 gm/16 L water	-	-	-	up to normal pesticide cut-off time as sticker/spreader. Do not use the extender rate within 30 days before
LEADS AGRICULTURAL PRODUCTS CORPORATION	DI-1-P-MENTHENE	NUFUM-P	904 g/L	EC	OTHERS	4	699-365-2399	18-Jun-24	-	Banana	Black sigatoka	400-600ml/ha	-	-	-	-
ENASIA AGRO VENTURES, INC.	CYHALOPROBUTYL-BISPYRIBAC SODIUM	NULEVO 200 OD	150 g/L+50 g/L	OD	HERBICIDE	4	770-504-6246	20-Oct-25	POST-EMERGENT	Rice (Direct-Seeded)	Grasses (Echinochloa sp., Urochloa chinensis, and Ischaemum rugosum), broadleaves (Sphenoclea zeylanica, Ludwigia octovalvis)	500ml to 1L prod. / hectare using a spray volume of 150 to 192 L water/	-	-	-	Re-entry to treated field is allowed as soon as spray deposits dry up.
PHILIPPINE FARMFIS SOLUTIONS INC.	IMIDACLOPRID	NUDOR 20 SL	200g/L	SL	INSECTICIDE	4	535-240-4372	23-May-21	-	Mango	Hoppers	20-25ml/100 L water	-	20 days	-	No re-entry within 48 hours after spray. Appropriate warning signs should be in place before and after spraying.
PHILIPPINE FARMFIS SOLUTIONS INC.	IMIDACLOPRID	NUDOR 20 SL	200g/L	SL	INSECTICIDE	4	535-240-4372	23-May-21	-	Banana	Flower thrips, aphids, mealy bugs	0.5ml prod/liter water,0.5 L 1 ml prod/liter water	-	-	-	No re-entry within 48 hours after spray. Appropriate warning signs should be in place before and after spraying.
PHILIPPINE FARMFIS SOLUTIONS INC.	IMIDACLOPRID	NUDOR 20 SL	200g/L	SL	INSECTICIDE	4	535-240-4372	23-May-21	-	Watermelon	Thrips, aphids	3-4 ml/16 L water	-	-	-	No re-entry within 48 hours after spray. Appropriate warning signs should be in place before and after spraying.
PHILIPPINE FARMFIS SOLUTIONS INC.	IMIDACLOPRID	NUDOR 20 SL	200g/L	SL	INSECTICIDE	4	535-240-4372	23-May-21	-	Citrus	Rindborer, mealybug, scale insects	1.25-2.50ml/16 L water	-	-	-	No re-entry within 48 hours after spray. Appropriate warning signs should be in place before and after spraying.
PHILIPPINE FARMFIS SOLUTIONS INC.	IMIDACLOPRID	NUDOR 20 SL	200g/L	SL	INSECTICIDE	4	535-240-4372	23-May-21	-	Cabbage	OBM, Flea beetle	2-0.2 5ml/16 L water	-	-	-	No re-entry within 48 hours after spray. Appropriate warning signs should be in place before and after spraying.
PHILIPPINE FARMFIS SOLUTIONS INC.	IMIDACLOPRID	NUDOR 20 SL	200g/L	SL	INSECTICIDE	4	535-240-4372	23-May-21	-	Sugarcane	Termites	1.5-2.5ml/16 L water	-	-	-	No re-entry within 48 hours after spray. Appropriate warning signs should be in place before and after spraying.
PHILIPPINE FARMFIS SOLUTIONS INC.	IMIDACLOPRID	NUDOR 20 SL	200g/L	SL	INSECTICIDE	4	535-240-4372	23-May-21	-	Asparagus	Thrips	3 ml/16 L water	-	-	-	No re-entry within 48 hours after spray. Appropriate warning signs should be in place before and after spraying.
PHILIPPINE FARMFIS SOLUTIONS INC.	IMIDACLOPRID	NUDOR 20 SL	200g/L	SL	INSECTICIDE	4	535-240-4372	23-May-21	-	Okra	Leafhopper	0.62-1.25ml/16 L water	-	-	-	No re-entry within 48 hours after spray. Appropriate warning signs should be in place before and after spraying.
PHILIPPINE FARMFIS SOLUTIONS INC.	IMIDACLOPRID	NUDOR 20 SL	200g/L	SL	INSECTICIDE	4	535-240-4372	23-May-21	-	Pineapple	Mealybug	before planting at the rate of 0.85 liter prod in 568 liters of water,2-3 months	-	20 days	-	No re-entry within 48 hours after spray. Appropriate warning signs should be in place before and after spraying.
AVC CHEMICAL CORPORATION	PRETILACHLOR	NUDAMU 500 EC	500 g/L	EC	HERBICIDE	4	060-061-5325	25-Jan-24	PRE-EMERGENCE	Rice (Transplanted)	Grasses, sedges, and broadleaves weeds	1.0-1.5L product/ha	0.05ppm	-	-	-
NS NORTHERN ORGANIC FERTILIZER INC.	GLYPHOSATE IPA	NS WASHOUT	480g/L	SL	HERBICIDE	4	470-151-1880	09-Feb-26	POST-EMERGENT	Glyphosate tolerant corn	Annual & Perennial grasses,broadleaf weeds & sedges	2.0-4.0 liters/ha	-	-	-	-

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
NS NORTHERN ORGANIC FERTILIZER INC.	GLYPHOSATE IPA	NS WASHOUT	480g/L	SL	HERBICIDE	4	470-151-1880	09-Feb-26	POST-EMERGENT	Mango	Annual & Perennial grasses,broadleaf weeds & sedges	10-4.5 Liters/ha	-	-	-
NS NORTHERN ORGANIC FERTILIZER INC.	GLYPHOSATE IPA	NS WASHOUT	480g/L	SL	HERBICIDE	4	470-151-1880	09-Feb-26	POST-EMERGENT	Cacao	Annual & Perennial grasses,broadleaf weeds & sedges	10-4.5 Liters/ha	-	-	-
NS NORTHERN ORGANIC FERTILIZER INC.	GLYPHOSATE IPA	NS WASHOUT	480g/L	SL	HERBICIDE	4	470-151-1880	09-Feb-26	POST-EMERGENT	Banana	Annual & Perennial grasses,broadleaf weeds & sedges	10-4.5 Liters/ha	-	-	-
NS NORTHERN ORGANIC FERTILIZER INC.	GLYPHOSATE IPA	NS WASHOUT	480g/L	SL	HERBICIDE	4	470-151-1880	09-Feb-26	POST-EMERGENT	Coffee	Annual & Perennial grasses,broadleaf weeds & sedges	10-4.5 Liters/ha	-	-	-
NS NORTHERN ORGANIC FERTILIZER INC.	GLYPHOSATE IPA	NS WASHOUT	480g/L	SL	HERBICIDE	4	470-151-1880	09-Feb-26	POST-EMERGENT	Rubber	Annual & Perennial grasses,broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
NS NORTHERN ORGANIC FERTILIZER INC.	GLYPHOSATE IPA	NS WASHOUT	480g/L	SL	HERBICIDE	4	470-151-1880	09-Feb-26	POST-EMERGENT	Oil palm	Annual & Perennial grasses,broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
NS NORTHERN ORGANIC FERTILIZER INC.	GLYPHOSATE IPA	NS WASHOUT	480g/L	SL	HERBICIDE	4	470-151-1880	09-Feb-26	POST-EMERGENT	Citrus	Annual & Perennial grasses,broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
NS NORTHERN ORGANIC FERTILIZER INC.	GLYPHOSATE IPA	NS WASHOUT	480g/L	SL	HERBICIDE	4	470-151-1880	09-Feb-26	POST-EMERGENT	Coconut	Annual & Perennial grasses,broadleaf weeds & sedges	4.5 Liters/ha	-	-	-
NS NORTHERN ORGANIC FERTILIZER INC.	GLYPHOSATE IPA	NS WASHOUT	480g/L	SL	HERBICIDE	4	470-151-1880	09-Feb-26	POST-EMERGENT	Sugarcane	Annual & Perennial grasses,broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
NS NORTHERN ORGANIC FERTILIZER INC.	GLYPHOSATE IPA	NS WASHOUT	480g/L	SL	HERBICIDE	4	470-151-1880	09-Feb-26	POST-EMERGENT	Vegetables under minimum or reduced tillage system	Annual & Perennial grasses,broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
NS NORTHERN ORGANIC FERTILIZER INC.	GLYPHOSATE IPA	NS WASHOUT	480g/L	SL	HERBICIDE	4	470-151-1880	09-Feb-26	POST-EMERGENT	Non-crop areas	Annual & Perennial grasses,broadleaf weeds & sedges	-	-	-	-
NS NORTHERN ORGANIC FERTILIZER INC.	MALATHION	NS MALATHION	570 g/L	EC	INSECTICIDE	4	470-038-3042	04-Jul-21	NON-SYSTEMIC	Fruit trees	Aphids, mealy bug scale insect	1.5-3.0Tbsp/36 L water	-	-	-
NS NORTHERN ORGANIC FERTILIZER INC.	MALATHION	NS MALATHION	570 g/L	EC	INSECTICIDE	4	470-038-3042	04-Jul-21	NON-SYSTEMIC	Rice	Armyworm, caseworm, leafhopper, bugs	2.0-3.0Tbsp/36 L water	-	-	-
NS NORTHERN ORGANIC FERTILIZER INC.	MALATHION	NS MALATHION	570 g/L	EC	INSECTICIDE	4	470-038-3042	04-Jul-21	NON-SYSTEMIC	Corn	Earworm, silkworm, aphids, grasshopper	1.0-5.0Tbsp/36 L water	-	-	-
NS NORTHERN ORGANIC FERTILIZER INC.	MALATHION	NS MALATHION	570 g/L	EC	INSECTICIDE	4	470-038-3042	04-Jul-21	NON-SYSTEMIC	Cabbage	Cabbage worm, loopers, diamond-back moth	2.0-5.0Tbsp/36 L water	-	-	-
NS NORTHERN ORGANIC FERTILIZER INC.	MALATHION	NS MALATHION	570 g/L	EC	INSECTICIDE	4	470-038-3042	04-Jul-21	NON-SYSTEMIC	Legumes	Aphids, beanfly, cutworm, flea beetles, leafminers, maggots, mealybug, podborer, thrips	2.0-5.0Tbsp/36 L water	-	-	-
NS NORTHERN ORGANIC FERTILIZER INC.	MALATHION	NS MALATHION	570 g/L	EC	INSECTICIDE	4	470-038-3042	04-Jul-21	NON-SYSTEMIC	Grapes	Beetles, cutworm, leafhopper, mealybug, scale, insect, spider mites	1.0Tbsp/36 L water	-	-	-
NS NORTHERN ORGANIC FERTILIZER INC.	MALATHION	NS MALATHION	570 g/L	EC	INSECTICIDE	4	470-038-3042	04-Jul-21	NON-SYSTEMIC	Pineapple	Mealy bug	1.0Tbsp/36 L water	-	-	-
NS NORTHERN ORGANIC FERTILIZER INC.	MALATHION	NS MALATHION	570 g/L	EC	INSECTICIDE	4	470-038-3042	04-Jul-21	NON-SYSTEMIC	Pepper	Aphid, cutworm, fruitworm	1.0Tbsp/36 L water	-	-	-
NS NORTHERN ORGANIC FERTILIZER INC.	MALATHION	NS MALATHION	570 g/L	EC	INSECTICIDE	4	470-038-3042	04-Jul-21	NON-SYSTEMIC	Garlic	Cutworm	1.0Tbsp/36 L water	-	-	-
NS NORTHERN ORGANIC FERTILIZER INC.	MALATHION	NS MALATHION	570 g/L	EC	INSECTICIDE	4	470-038-3042	04-Jul-21	NON-SYSTEMIC	Onion	Cutworm	1.0Tbsp/36 L water	-	-	-
NS NORTHERN ORGANIC FERTILIZER INC.	MALATHION	NS MALATHION	570 g/L	EC	INSECTICIDE	4	470-038-3042	04-Jul-21	NON-SYSTEMIC	Tobacco	Aphids, katydid	1.0-6.0Tbsp/36 L water	-	-	-
NS NORTHERN ORGANIC FERTILIZER INC.	MALATHION	NS MALATHION	570 g/L	EC	INSECTICIDE	4	470-038-3042	04-Jul-21	NON-SYSTEMIC	Ornamentals	Aphids, cutworm, mealybug, scale insect, spider mites	1.0-5.0Tbsp/36 L water	-	-	-
NS NORTHERN ORGANIC FERTILIZER INC.	MALATHION	NS MALATHION	570 g/L	EC	INSECTICIDE	4	470-038-3042	04-Jul-21	NON-SYSTEMIC	Tomato	Lady beetle	1.0-5.0Tbsp/36 L water	-	-	-
NS NORTHERN ORGANIC FERTILIZER INC.	MALATHION	NS MALATHION	570 g/L	EC	INSECTICIDE	4	470-038-3042	04-Jul-21	NON-SYSTEMIC	Eggplant	Aphids, fruitworm	1.0-5.0Tbsp/36 L water	-	-	-
NS NORTHERN ORGANIC FERTILIZER INC.	MALATHION	NS MALATHION	570 g/L	EC	INSECTICIDE	4	470-038-3042	04-Jul-21	NON-SYSTEMIC	Sorghum	Web worm	1.0Tbsp/36 L water	-	-	-
NS NORTHERN ORGANIC FERTILIZER INC.	LAMBDA-CHYALOTHIRIN	NS LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	470-204-3041	04-Jul-24	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leafroller, black bug	1.0-1.5Tbsp/36 L of water	0.05ppm	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
NS NORTHERN ORGANIC FERTILIZER INC.	LAMBDA-CHYALOTHIRIN	NS LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	470-204-3041	04-Jul-24	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/36 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
NS NORTHERN ORGANIC FERTILIZER INC.	LAMBDA-CHYALOTHIRIN	NS LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	470-204-3041	04-Jul-24	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/36 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
NS NORTHERN ORGANIC FERTILIZER INC.	LAMBDA-CHYALOTHIRIN	NS LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	470-204-3041	04-Jul-24	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/36 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
NS NORTHERN ORGANIC FERTILIZER INC.	LAMBDA-CHYALOTHIRIN	NS LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	470-204-3041	04-Jul-24	SYSTEMIC	Mungbeans	Beanfly, flea beetle, leafhopper, aphids, mites, podborer	1.0Tbsp/36 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
NS NORTHERN ORGANIC FERTILIZER INC.	LAMBDA-CHYALOTHIRIN	NS LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	470-204-3041	04-Jul-24	SYSTEMIC	Corn	Comborer, aphids, seedling maggots	1.0-1.5Tbsp/36 L of water	-	1 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
NS NORTHERN ORGANIC FERTILIZER INC.	LAMBDA-CHYALOTHIRIN	NS LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	470-204-3041	04-Jul-24	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katyids	1.0-1.5Tbsp/36 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
NS NORTHERN ORGANIC FERTILIZER INC.	LAMBDA-CHYALOTHIRIN	NS LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	470-204-3041	04-Jul-24	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/36 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
NS NORTHERN ORGANIC FERTILIZER INC.	LAMBDA-CHYALOTHIRIN	NS LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	470-204-3041	04-Jul-24	SYSTEMIC	Cocoa	Podborer	1.0-2.0Tbsp/36 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
NS NORTHERN ORGANIC FERTILIZER INC.	LAMBDA-CHYALOTHIRIN	NS LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	470-204-3041	04-Jul-24	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/36 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
NS NORTHERN ORGANIC FERTILIZER INC.	GLYPHOSATE IPA	NS GLYPHOSATE 160	160 g/L	SC	HERBICIDE	4	470-151-3045	04-Jul-24	POST-EMERGENT	Non-crop areas	Common grassy fields	24-48 Tbsp/36L	-	-	-
NS NORTHERN ORGANIC FERTILIZER INC.	MANCOZEB	NS DOUBLE DEFENSE TECHNOLOGY 80 WP	800 g/Kg	WP	FUNGICIDE	4	470-051-3628-A	22-Jan-26	-	Potato	Early and late blight	3-6 Tbsp/36 L water	-	-	As soon as spray dries
NS NORTHERN ORGANIC FERTILIZER INC.	MANCOZEB	NS DOUBLE DEFENSE TECHNOLOGY 80 WP	800 g/Kg	WP	FUNGICIDE	4	470-051-3628-A	22-Jan-26	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
NS NORTHERN ORGANIC FERTILIZER INC.	MANCOZEB	NS DOUBLE DEFENSE TECHNOLOGY 80 WP	800 g/Kg	WP	FUNGICIDE	4	470-051-3628-A	22-Jan-26	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
NS NORTHERN ORGANIC FERTILIZER INC.	MANCOZEB	NS DOUBLE DEFENSE TECHNOLOGY 80 WP	800 g/Kg	WP	FUNGICIDE	4	470-051-3628-A	22-Jan-26	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
NS NORTHERN ORGANIC FERTILIZER INC.	MANCOZEB	NS DOUBLE DEFENSE TECHNOLOGY 80 WP	800 g/Kg	WP	FUNGICIDE	4	470-051-3628-A	22-Jan-26	-	Celery	Late Blight	3-6 Tbsp/36 L water	-	14 Days	As soon as spray dries
NS NORTHERN ORGANIC FERTILIZER INC.	MANCOZEB	NS DOUBLE DEFENSE TECHNOLOGY 80 WP	800 g/Kg	WP	FUNGICIDE	4	470-051-3628-A	22-Jan-26	-	Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
NS NORTHERN ORGANIC FERTILIZER INC.	MANCOZEB	NS DOUBLE DEFENSE TECHNOLOGY 80 WP	800 g/Kg	WP	FUNGICIDE	4	470-051-3628-A	22-Jan-26	-	Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
NS NORTHERN ORGANIC FERTILIZER INC.	MANCOZEB	NS DOUBLE DEFENSE TECHNOLOGY 80 WP	800 g/Kg	WP	FUNGICIDE	4	470-051-3628-A	22-Jan-26	-	Cotton	Damping off	3-6 Tbsp/36 L water	-	-	As soon as spray dries
NS NORTHERN ORGANIC FERTILIZER INC.	MANCOZEB	NS DOUBLE DEFENSE TECHNOLOGY 80 WP	800 g/Kg	WP	FUNGICIDE	4	470-051-3628-A	22-Jan-26	-	Lettuce	Downy mildew	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
NS NORTHERN ORGANIC FERTILIZER INC.	MANCOZEB	NS DOUBLE DEFENSE TECHNOLOGY 80 WP	800 g/Kg	WP	FUNGICIDE	4	470-051-3628-A	22-Jan-26	-	Beans	Anthracoese, Downy mildew, Rust	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
NS NORTHERN ORGANIC FERTILIZER INC.	MANCOZEB	NS DOUBLE DEFENSE TECHNOLOGY 80 WP	800 g/Kg	WP	FUNGICIDE	4	470-051-3628-A	22-Jan-26	-	Peas	Anthracoese, Downy mildew, Rust	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
NS NORTHERN ORGANIC FERTILIZER INC.	MANCOZEB	NS DOUBLE DEFENSE TECHNOLOGY 80 WP	800 g/Kg	WP	FUNGICIDE	4	470-051-3628-A	22-Jan-26	-	Mungo	Anthracoese, Downy mildew, Rust	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
NS NORTHERN ORGANIC FERTILIZER INC.	MANCOZEB	NS DOUBLE DEFENSE TECHNOLOGY 80 WP	800 g/Kg	WP	FUNGICIDE	4	470-051-3628-A	22-Jan-26	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
NS NORTHERN ORGANIC FERTILIZER INC.	MANCOZEB	NS DOUBLE DEFENSE TECHNOLOGY 80 WP	800 g/Kg	WP	FUNGICIDE	4	470-051-3628-A	22-Jan-26	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
NS NORTHERN ORGANIC FERTILIZER INC.	MANCOZEB	NS DOUBLE DEFENSE TECHNOLOGY 80 WP	800 g/Kg	WP	FUNGICIDE	4	470-051-3628-A	22-Jan-26	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
NS NORTHERN ORGANIC FERTILIZER INC.	MANCOZEB	NS DOUBLE DEFENSE TECHNOLOGY 80 WP	800 g/Kg	WP	FUNGICIDE	4	470-051-3628-A	22-Jan-26	-	Pepper	Anthracoese	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
NS NORTHERN ORGANIC FERTILIZER INC.	MANCOZEB	NS DOUBLE DEFENSE TECHNOLOGY 80 WP	800 g/Kg	WP	FUNGICIDE	4	470-051-3628-A	22-Jan-26	-	Chili	Anthracoese	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
NS NORTHERN ORGANIC FERTILIZER INC.	MANCOZEB	NS DOUBLE DEFENSE TECHNOLOGY 80 WP	800 g/Kg	WP	FUNGICIDE	4	470-051-3628-A	22-Jan-26	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
NS NORTHERN ORGANIC FERTILIZER INC.	MANCOZEB	NS DOUBLE DEFENSE TECHNOLOGY 80 WP	800 g/Kg	WP	FUNGICIDE	4	470-051-3628-A	22-Jan-26	-	Banana	Sigatoka, Black leaf streak	3-6 Tbsp/36 L water	-	-	As soon as spray dries

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
NS NORTHERN ORGANIC FERTILIZER INC.	MANCOZEB	NS DOUBLE DEFENSE TECHNOLOGY 80 WP	800 g/kg	WP	FUNGICIDE	4	470-053-3628-A	22-Jan-26	-	Grapes	Downy mildew, black rot	3-6 Tbsp/36 L water	-	60 days	As soon as spray dries
NS NORTHERN ORGANIC FERTILIZER INC.	MANCOZEB	NS DOUBLE DEFENSE TECHNOLOGY 80 WP	800 g/kg	WP	FUNGICIDE	4	470-053-3628-A	22-Jan-26	-	Mango	Anthracoise and Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
NS NORTHERN ORGANIC FERTILIZER INC.	MANCOZEB	NS DOUBLE DEFENSE TECHNOLOGY 80 WP	800 g/kg	WP	FUNGICIDE	4	470-053-3628-A	22-Jan-26	-	Papaya	Fruit rot	3-6 Tbsp/36 L water	-	-	As soon as spray dries
NS NORTHERN ORGANIC FERTILIZER INC.	MANCOZEB	NS DOUBLE DEFENSE TECHNOLOGY 80 WP	800 g/kg	WP	FUNGICIDE	4	470-053-3628-A	22-Jan-26	-	Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
NS NORTHERN ORGANIC FERTILIZER INC.	MANCOZEB	NS DOUBLE DEFENSE TECHNOLOGY 80 WP	800 g/kg	WP	FUNGICIDE	4	470-053-3628-A	22-Jan-26	-	Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
NS NORTHERN ORGANIC FERTILIZER INC.	MANCOZEB	NS DOUBLE DEFENSE TECHNOLOGY 80 WP	800 g/kg	WP	FUNGICIDE	4	470-053-3628-A	22-Jan-26	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
NS NORTHERN ORGANIC FERTILIZER INC.	MANCOZEB	NS DOUBLE DEFENSE TECHNOLOGY 80 WP	800 g/kg	WP	FUNGICIDE	4	470-053-3628-A	22-Jan-26	-	Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/36 L water	-	-	As soon as spray dries
NS NORTHERN ORGANIC FERTILIZER INC.	MANCOZEB	NS DOUBLE DEFENSE TECHNOLOGY 80 WP	800 g/kg	WP	FUNGICIDE	4	470-053-3628-A	22-Jan-26	-	Peanut	Cercospora leaf spot	3-6 Tbsp/36 L water	-	14 days	As soon as spray dries
NS NORTHERN ORGANIC FERTILIZER INC.	MANCOZEB	NS DOUBLE DEFENSE TECHNOLOGY 80 WP	800 g/kg	WP	FUNGICIDE	4	470-053-3628-A	22-Jan-26	-	Soybeans	Leaf rust	3-6 Tbsp/36 L water	-	-	As soon as spray dries
NS NORTHERN ORGANIC FERTILIZER INC.	MANCOZEB	NS DOUBLE DEFENSE TECHNOLOGY 80 WP	800 g/kg	WP	FUNGICIDE	4	470-053-3628-A	22-Jan-26	-	Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/36 L water	-	-	As soon as spray dries
NORTHERN PRIME TRADING CORPORATION	2,4-D IBE	NPTC 2,4-D ESTER	491 g/L	EC	HERBICIDE	2	728-049-5832	14-Dec-23	-	Rice (Transplanted)	Annual broadleaves and sedges	5.0-6.50 Tbsp/ 36L water	-	-	Do not spray within 2 days before harvest
NORTHERN PRIME TRADING CORPORATION	2,4-D IBE	NPTC 2,4-D ESTER	491 g/L	EC	HERBICIDE	2	728-049-5832	14-Dec-23	-	Corn	Annual broadleaves and sedges	5.0-6.50 Tbsp/ 36L water	-	-	Do not spray within 2 days before harvest
NORTHERN PRIME TRADING CORPORATION	2,4-D IBE	NPTC 2,4-D ESTER	491 g/L	EC	HERBICIDE	2	728-049-5832	14-Dec-23	-	Sugarcane	Annual broadleaves and sedges	5.0-6.50 Tbsp/ 36L water	-	-	Do not spray within 2 days before harvest
NORTHERN PRIME TRADING CORPORATION	2,4-D AMINE	NPTC 2,4-D AMINE	482 g/L	SL	HERBICIDE	2	728-031-5838	8-Oct-25	POST-EMERGENT	Rice (Transplanted)	Broadleaves and sedges	3.5-6.5 Tbsp / 36L water	-	-	Entry to field and crops treated with NPTC 2,4-D AMINE 400 SL can be done 1 day after spraying
NORTHERN PRIME TRADING CORPORATION	2,4-D AMINE	NPTC 2,4-D AMINE	482 g/L	SL	HERBICIDE	2	728-031-5838	8-Oct-25	POST-EMERGENT	Corn	Broadleaves and sedges	5.0-6.50 Tbsp / 36L water	-	-	Entry to field and crops treated with NPTC 2,4-D AMINE 400 SL can be done 1 day after spraying
NORTHERN PRIME TRADING CORPORATION	2,4-D AMINE	NPTC 2,4-D AMINE	482 g/L	SL	HERBICIDE	2	728-031-5838	8-Oct-25	POST-EMERGENT	Sugarcane	Broadleaves and sedges	18-25 Tbsp / 36L water	-	-	Entry to field and crops treated with NPTC 2,4-D AMINE 400 SL can be done 1 day after spraying
PHILIPPINE FARMER SOLUTIONS INC.	QUALAZOPH-P-ETHYL	NOWED 100 EC	100 g/L	EC	HERBICIDE	4	535-317-4628	21-Jan-22	SYSTEMIC/SELECTIVE (POST-EMERGENT)	Pineapple	Grasses	9-18 Tbsp/36 L water	-	-	As soon as the spray mist dries up.
ARMORY AGRO CHEMICALS COMPANY	FLUAZOPH-P-BUTYL	NOVUS 15 EC	150 g/L	EC	HERBICIDE	4	671-212-5142	25-Jan-22	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Banana	Grasses; Icthygrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/36 L sprayload	-	-	-
ARMORY AGRO CHEMICALS COMPANY	FLUAZOPH-P-BUTYL	NOVUS 15 EC	150 g/L	EC	HERBICIDE	4	671-212-5142	25-Jan-22	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Cacao	Grasses; Icthygrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/36 L sprayload	-	-	-
ARMORY AGRO CHEMICALS COMPANY	FLUAZOPH-P-BUTYL	NOVUS 15 EC	150 g/L	EC	HERBICIDE	4	671-212-5142	25-Jan-22	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Citrus	Grasses; Icthygrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/36 L sprayload	-	-	-
ARMORY AGRO CHEMICALS COMPANY	FLUAZOPH-P-BUTYL	NOVUS 15 EC	150 g/L	EC	HERBICIDE	4	671-212-5142	25-Jan-22	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Cotton	Grasses; Icthygrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/36 L sprayload	-	-	-
ARMORY AGRO CHEMICALS COMPANY	FLUAZOPH-P-BUTYL	NOVUS 15 EC	150 g/L	EC	HERBICIDE	4	671-212-5142	25-Jan-22	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Coffee	Grasses; Icthygrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/36 L sprayload	-	-	-
ARMORY AGRO CHEMICALS COMPANY	FLUAZOPH-P-BUTYL	NOVUS 15 EC	150 g/L	EC	HERBICIDE	4	671-212-5142	25-Jan-22	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Oil palm	Grasses; Icthygrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/36 L sprayload	-	-	-
ARMORY AGRO CHEMICALS COMPANY	FLUAZOPH-P-BUTYL	NOVUS 15 EC	150 g/L	EC	HERBICIDE	4	671-212-5142	25-Jan-22	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Ramie	Grasses; Icthygrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/36 L sprayload	-	-	-
ARMORY AGRO CHEMICALS COMPANY	FLUAZOPH-P-BUTYL	NOVUS 15 EC	150 g/L	EC	HERBICIDE	4	671-212-5142	25-Jan-22	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Rubber	Grasses; Icthygrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/36 L sprayload	-	-	-
ARMORY AGRO CHEMICALS COMPANY	FLUAZOPH-P-BUTYL	NOVUS 15 EC	150 g/L	EC	HERBICIDE	4	671-212-5142	25-Jan-22	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Shrimp	Grasses; Icthygrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/36 L sprayload	-	-	-
ARMORY AGRO CHEMICALS COMPANY	FLUAZOPH-P-BUTYL	NOVUS 15 EC	150 g/L	EC	HERBICIDE	4	671-212-5142	25-Jan-22	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Pineapple	Grasses; Icthygrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/36 L sprayload	-	-	-
ARMORY AGRO CHEMICALS COMPANY	FLUAZOPH-P-BUTYL	NOVUS 15 EC	150 g/L	EC	HERBICIDE	4	671-212-5142	25-Jan-22	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Soybeans	Grasses; Icthygrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/36 L sprayload	-	-	-
ARMORY AGRO CHEMICALS COMPANY	FLUAZOPH-P-BUTYL	NOVUS 15 EC	150 g/L	EC	HERBICIDE	4	671-212-5142	25-Jan-22	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Tomato	Grasses; Icthygrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/36 L sprayload	-	-	-
CORTEVA AGRISCIENCE PHILIPPINES, INC.	CHLOROPH-BUTYL-HYDROXYRAUFRUFEN BENZYL	NOVLECT 120 Neo EC	300 g/L +20 g/L	EC	FUNGICIDE	4	737-547-5493	25-Mar-27	POST-EMERGENT	Rice (Direct Seeded)	Grass sedges and broadleaf weeds	80-105 ml prod / 36 L tank load; 12 No. of tank loads / ha.	-	-	-
CORTEVA AGRISCIENCE PHILIPPINES, INC.	CHLOROPH-BUTYL-HYDROXYRAUFRUFEN BENZYL	NOVLECT 120 Neo EC	100 g/L +20 g/L	EC	FUNGICIDE	4	737-547-5493	25-Mar-27	POST-EMERGENT	Rice (Transplanted)	Grass sedges and broadleaf weeds	115 ml prod / 36 L tank load; 12 No. of tank loads / ha.	-	-	-
SUPELTO FARM EAST, INC.	CHLOROPH-BUTYL-HYDROXYRAUFRUFEN BENZYL	NOVLECT 120 Neo EC	30-100 g/L	EC	HERBICIDE	4	014-547-5682	01-Apr-25	-	Rice (Direct-seeded)	Grasses, sedges, Broad-leaf Weeds	80-105 ml prod / 36 L tank load; 12 No. of tank loads / ha.	-	-	-
DU PONT FARM EAST, INC.	CHLOROPH-BUTYL-HYDROXYRAUFRUFEN BENZYL	NOVLECT 120 Neo EC	20-100 g/L	EC	HERBICIDE	4	014-547-5682	01-Apr-25	-	Rice (Transplanted)	Grasses, sedges, Broad-leaf Weeds	115 ml prod / 36 L tank load; 12 No. of tank loads / ha.	-	-	-
ALLIED BOTANICAL CORPORATION	CUPROUS OXIDE	NORDOX 75 WG	400 g/kg	WG	FUNGICIDE	4	087-249-3232	30-Nov-25	-	Rice	Bacterial Leaf Streak, Bacterial Leaf Blight, Cercospora Leaf Spot	2-3 Scoops/36 L of water	-	-	Do not enter treated area without protective clothing until spray have dried. The area to be treated must be vacated by unprotected persons.
ALLIED BOTANICAL CORPORATION	CUPROUS OXIDE	NORDOX 75 WG	400 g/kg	WG	FUNGICIDE	4	087-249-3232	30-Nov-25	-	Cabbage	Black Rot, Leaf Spot, Downy Mildew	1.5-2 Scoops/36 L of water	-	-	Do not enter treated area without protective clothing until spray have dried. The area to be treated must be vacated by unprotected persons.
ALLIED BOTANICAL CORPORATION	CUPROUS OXIDE	NORDOX 75 WG	400 g/kg	WG	FUNGICIDE	4	087-249-3232	30-Nov-25	-	Cacao	Pod Rot	2.0 Scoops/36 L of water	-	-	Do not enter treated area without protective clothing until spray have dried. The area to be treated must be vacated by unprotected persons.
ALLIED BOTANICAL CORPORATION	CUPROUS OXIDE	NORDOX 75 WG	400 g/kg	WG	FUNGICIDE	4	087-249-3232	30-Nov-25	-	Carrot	Leaf Blight	1.5-2.0 Scoops/36 L of water	-	-	Do not enter treated area without protective clothing until spray have dried. The area to be treated must be vacated by unprotected persons.
ALLIED BOTANICAL CORPORATION	CUPROUS OXIDE	NORDOX 75 WG	400 g/kg	WG	FUNGICIDE	4	087-249-3232	30-Nov-25	-	Gelery	Leaf Spot, Leaf Blight	1.5-2.0 Scoops/36 L of water	-	-	Do not enter treated area without protective clothing until spray have dried. The area to be treated must be vacated by unprotected persons.
ALLIED BOTANICAL CORPORATION	CUPROUS OXIDE	NORDOX 75 WG	400 g/kg	WG	FUNGICIDE	4	087-249-3232	30-Nov-25	-	Citrus	Canker, Scab	2.0 Scoops/36 L of water	-	-	Do not enter treated area without protective clothing until spray have dried. The area to be treated must be vacated by unprotected persons.
ALLIED BOTANICAL CORPORATION	CUPROUS OXIDE	NORDOX 75 WG	400 g/kg	WG	FUNGICIDE	4	087-249-3232	30-Nov-25	-	Coffee	Coffee Rust, Berry Diseases	2.0 Scoops/36 L of water	-	-	Do not enter treated area without protective clothing until spray have dried. The area to be treated must be vacated by unprotected persons.
ALLIED BOTANICAL CORPORATION	CUPROUS OXIDE	NORDOX 75 WG	400 g/kg	WG	FUNGICIDE	4	087-249-3232	30-Nov-25	-	Cucumber	Downy mildew	1.5-2.0 Scoops/36 L of water	-	-	Do not enter treated area without protective clothing until spray have dried. The area to be treated must be vacated by unprotected persons.
ALLIED BOTANICAL CORPORATION	CUPROUS OXIDE	NORDOX 75 WG	400 g/kg	WG	FUNGICIDE	4	087-249-3232	30-Nov-25	-	Mango	Anthracoise	1.0-1.5 Scoops/36 L of water	-	-	Do not enter treated area without protective clothing until spray have dried. The area to be treated must be vacated by unprotected persons.
ALLIED BOTANICAL CORPORATION	CUPROUS OXIDE	NORDOX 75 WG	400 g/kg	WG	FUNGICIDE	4	087-249-3232	30-Nov-25	-	Shrimp	Purple Blotch	1.5 Scoops/36 L of water	-	-	Do not enter treated area without protective clothing until spray have dried. The area to be treated must be vacated by unprotected persons.
ALLIED BOTANICAL CORPORATION	CUPROUS OXIDE	NORDOX 75 WG	400 g/kg	WG	FUNGICIDE	4	087-249-3232	30-Nov-25	-	Potato	Late Blight	1.5-2.0 Scoops/36 L of water	-	-	Do not enter treated area without protective clothing until spray have dried. The area to be treated must be vacated by unprotected persons.
ALLIED BOTANICAL CORPORATION	CUPROUS OXIDE	NORDOX 75 WG	400 g/kg	WG	FUNGICIDE	4	087-249-3232	30-Nov-25	-	Soy Beans	Anthracoise, Rust	1.5-2.0 Scoops/36 L of water	-	-	Do not enter treated area without protective clothing until spray have dried. The area to be treated must be vacated by unprotected persons.
ALLIED BOTANICAL CORPORATION	CUPROUS OXIDE	NORDOX 75 WG	400 g/kg	WG	FUNGICIDE	4	087-249-3232	30-Nov-25	-	Tomato	Early Blight	1.5-2.0 Scoops/36 L of water	-	-	Do not enter treated area without protective clothing until spray have dried. The area to be treated must be vacated by unprotected persons.
ALLIED BOTANICAL CORPORATION	CUPROUS OXIDE	NORDOX 75 WG	400 g/kg	WG	FUNGICIDE	4	087-249-3232	30-Nov-25	-	Banana	Black Sigatoka	1.0-3.0 Scoops/36 L of water	-	-	Do not enter treated area without protective clothing until spray have dried. The area to be treated must be vacated by unprotected persons.
ALLIED BOTANICAL CORPORATION	CUPROUS OXIDE	NORDOX 50 WP	575 g/kg	WP	FUNGICIDE	3	087-249-0582	25-Jun-25	-	Rice	Bacterial Leaf Streak, Bacterial Leaf Blight, Cercospora Leaf Spot	2-3 Tbsp/36 L of water	-	No pre-harvest interval needed	Do not enter treated area without protective clothing until sprays have dried. The area to be treated must be vacated by unprotected persons.
ALLIED BOTANICAL CORPORATION	CUPROUS OXIDE	NORDOX 50 WP	575 g/kg	WP	FUNGICIDE	3	087-249-0582	25-Jun-25	-	Cabbage	Black Rot, Leaf Spot, Downy Mildew	2-3 Tbsp/36 L of water	-	No pre-harvest interval needed	Do not enter treated area without protective clothing until sprays have dried. The area to be treated must be vacated by unprotected persons.
ALLIED BOTANICAL CORPORATION	CUPROUS OXIDE	NORDOX 50 WP	575 g/kg	WP	FUNGICIDE	3	087-249-0582	25-Jun-25	-	Cacao	Pod Rot	2-3 Tbsp/36 L of water	-	No pre-harvest interval needed	Do not enter treated area without protective clothing until sprays have dried. The area to be treated must be vacated by unprotected persons.
ALLIED BOTANICAL CORPORATION	CUPROUS OXIDE	NORDOX 50 WP	575 g/kg	WP	FUNGICIDE	3	087-249-0582	25-Jun-25	-	Carrot	Leaf Blight	2-3 Tbsp/36 L of water	-	No pre-harvest interval needed	Do not enter treated area without protective clothing until sprays have dried. The area to be treated must be vacated by unprotected persons.
ALLIED BOTANICAL CORPORATION	CUPROUS OXIDE	NORDOX 50 WP	575 g/kg	WP	FUNGICIDE	3	087-249-0582	25-Jun-25	-	Gelery	Leaf Spot, Leaf Blight	2-3 Tbsp/36 L of water	-	No pre-harvest interval needed	Do not enter treated area without protective clothing until sprays have dried. The area to be treated must be vacated by unprotected persons.
ALLIED BOTANICAL CORPORATION	CUPROUS OXIDE	NORDOX 50 WP	575 g/kg	WP	FUNGICIDE	3	087-249-0582	25-Jun-25	-	Citrus	Canker, Scab	1-2 Tbsp/36 L of water	-	No pre-harvest interval needed	Do not enter treated area without protective clothing until sprays have dried. The area to be treated must be vacated by unprotected persons.
ALLIED BOTANICAL CORPORATION	CUPROUS OXIDE	NORDOX 50 WP	575 g/kg	WP	FUNGICIDE	3	087-249-0582	25-Jun-25	-	Coffee	Coffee Rust, Berry Disease	1-2 Tbsp/36 L of water	-	No pre-harvest interval needed	Do not enter treated area without protective clothing until sprays have dried. The area to be treated must be vacated by unprotected persons.
ALLIED BOTANICAL CORPORATION	CUPROUS OXIDE	NORDOX 50 WP	575 g/kg	WP	FUNGICIDE	3	087-249-0582	25-Jun-25	-	Cucumber	Downy mildew	2-3 Tbsp/36 L of water	-	No pre-harvest interval needed	Do not enter treated area without protective clothing until sprays have dried. The area to be treated must be vacated by unprotected persons.
ALLIED BOTANICAL CORPORATION	CUPROUS OXIDE	NORDOX 50 WP	575 g/kg	WP	FUNGICIDE	3	087-249-0582	25-Jun-25	-	Mango	Anthracoise	1-1.5 Tbsp/36 L of water	-	No pre-harvest interval needed	Do not enter treated area without protective clothing until sprays have dried. The area to be treated must be vacated by unprotected persons.

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
ALLIED BOTANICAL CORPORATION	CUPRIOUS OXIDE	NORDOX 50 WP	575 g/kg	WP	FUNGICIDE	3	087-249-0582	25-Jun-25	-	Onion	Purple Blotch	1-2 Tbsp/36 L of water	-	No pre-harvest interval needed	Do not enter treated area without protective clothing until sprays have dried. The area to be treated must be vacated by unprotected persons
ALLIED BOTANICAL CORPORATION	CUPRIOUS OXIDE	NORDOX 50 WP	575 g/kg	WP	FUNGICIDE	3	087-249-0582	25-Jun-25	-	Potato	Late Blight	2-3 Tbsp/36 L of water	-	No pre-harvest interval needed	Do not enter treated area without protective clothing until sprays have dried. The area to be treated must be vacated by unprotected persons
ALLIED BOTANICAL CORPORATION	CUPRIOUS OXIDE	NORDOX 50 WP	575 g/kg	WP	FUNGICIDE	3	087-249-0582	25-Jun-25	-	Snap Beans	Anthracoise, Rust	2-3 Tbsp/36 L of water	-	No pre-harvest interval needed	Do not enter treated area without protective clothing until sprays have dried. The area to be treated must be vacated by unprotected persons
ALLIED BOTANICAL CORPORATION	CUPRIOUS OXIDE	NORDOX 50 WP	575 g/kg	WP	FUNGICIDE	3	087-249-0582	25-Jun-25	-	Tomato	Early Blight	2-3 Tbsp/36 L of water	-	No pre-harvest interval needed	Do not enter treated area without protective clothing until sprays have dried. The area to be treated must be vacated by unprotected persons
EZTECH CORPORATION	FOSPHATE	NO NEMA 10 GR	100 g/kg	GR	NEMATOCIDE	2	648-347-6243	8-Aug-26	-	Banana	Burrowing nematode (<i>Radopholus similis</i>)	10 g prod/ mat 10 g prod/ 1A	-	0 day	-
BAYER CROSCIENCE, INC.	BISPYRIBAC SODIUM	NOMINEE ONE	100 g/L	OP	HERBICIDE	2	284-276-2053	20-Nov-26	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Rice (Direct-Seeded lowland)	Grasses, sedges, and broadleaves	10m/36 L water, 20 spray load/ hectare	0.1 ppm	-	Entry to treated field is allowed as soon as spray deposits on crops and weeds have dried
BAYER CROSCIENCE, INC.	BISPYRIBAC SODIUM	NOMINEE 100 SC	105.1 g/L	SC	HERBICIDE	4	284-276-0755	28-Oct-26	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Rice (Direct-Seeded lowland)	Grasses, sedges and broadleaves	10m/36 L water, 20 spray load/ hectare 20 ml/36L water, 15 spray load/	0.1 ppm	-	As soon as spray deposits have dried
TAIPAN BRAND FARM INC.	BISPYRIBAC SODIUM	NOMINEE 100 SC	105.1 g/L	SC	HERBICIDE	4	229-278-6106	28-Oct-26	-	Rice (Direct-Seeded lowland)	Grasses, sedges and broadleaves	10m/36 L water, 20 spray load/ hectare 20 ml/36L water, 15 spray load/	0.1 ppm	-	As soon as spray deposits have dried
BAYER CROSCIENCE, INC.	DIURON	NOMINATE WP 80	800 g/kg	WP	HERBICIDE	4	284-085-0221	28-Oct-23	SYSTEMIC	Citrus	Annual and Perennial broadleaves and grasses	11.0-15.0Tbsp/36 L water	-	-	Re-entry into treated areas may be done as soon as spray solution dries on foliage
BAYER CROSCIENCE, INC.	DIURON	NOMINATE WP 80	800 g/kg	WP	HERBICIDE	4	284-085-0221	28-Oct-23	SYSTEMIC	Coffee	Annual and Perennial broadleaves and grasses	11.0-15.0Tbsp/36 L water	-	-	Re-entry into treated areas may be done as soon as spray solution dries on foliage
BAYER CROSCIENCE, INC.	DIURON	NOMINATE WP 80	800 g/kg	WP	HERBICIDE	4	284-085-0221	28-Oct-23	SYSTEMIC	Cotton	Annual and Perennial broadleaves and grasses	8.0Tbsp/36 L water	-	-	Re-entry into treated areas may be done as soon as spray solution dries on foliage
BAYER CROSCIENCE, INC.	DIURON	NOMINATE WP 80	800 g/kg	WP	HERBICIDE	4	284-085-0221	28-Oct-23	SYSTEMIC	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0Tbsp/36 L water	-	-	Re-entry into treated areas may be done as soon as spray solution dries on foliage
BAYER CROSCIENCE, INC.	DIURON	NOMINATE WP 80	800 g/kg	WP	HERBICIDE	4	284-085-0221	28-Oct-23	SYSTEMIC	Pineapple	Annual and Perennial broadleaves and grasses	13.0Tbsp/36 L water	-	-	Re-entry into treated areas may be done as soon as spray solution dries on foliage
BAYER CROSCIENCE, INC.	DIURON	NOMINATE WP 80	800 g/kg	WP	HERBICIDE	4	284-085-0221	28-Oct-20	SYSTEMIC	Non-crop land	Annual and Perennial broadleaves and grasses	10.0-28.0Tbsp/36 L water	-	-	Re-entry into treated areas may be done as soon as spray solution dries on foliage
EVERLAND AGRI CORPORATION	BISPYRIBAC SODIUM	NOMESS SC 100	105.1 g/L	SC	HERBICIDE	4	261-276-2273	02-Jun-18	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Rice (Direct-Seeded lowland)	Grasses, sedges & broadleaves	10m/36 L water, 20 spray load/ hectare	0.1 ppm	-	-
EVERLAND AGRI CORPORATION	CHLADOPOP BUTYL-BISPYRIBAC SODIUM	NOMESS PLUS 200 OD	150 g/L+100 g/L	OD	HERBICIDE	4	261-504-6208	20-Oct-25	POST-EMERGENT	Rice (Direct-Seeded)	Grasses (Echinochloa sp., Lysichloa chinensis, and Ischaemum rugosum), broadleaves (Sphenodes zeylanica, Ludwigia octovalvis)	500 ml + 11 prod/ hectare using a spray volume of 180-192 L water per hectare	-	-	Re-entry to treated field is allowed as soon as spray deposits dry up.
JYNSONS PHILIPPINES, INC.	NICLOSMANIC ETHANOLAMINE SALT	NOMAD 70 WP	700 g/L	WP	MOLLUSCICIDE	4	551-229-4007	23-Apr-24	CONTACT	Rice	Golden Apple Snail (Kuhol)	35 gm/36 L water	-	-	-
LTC MORITA CORPORATION	BUTACHLOR-PROPANIL	NOLANA 70 EC	350-350 g/L	EC	HERBICIDE	3	679-238-5688	23-Aug-24	POST-EMERGENT	Rice (Direct-Seeded)	Grasses, sedges and broadleaf weeds	9-14 Tbsp. / 36L water	-	-	-
LTC MORITA CORPORATION	BUTACHLOR-PROPANIL	NOLANA 70 EC	350-350 g/L	EC	HERBICIDE	3	679-238-5688	23-Aug-24	POST-EMERGENT	Rice (Transplanted)	Grasses, sedges and broad leaf weeds	9-14 Tbsp. / 36L water	-	-	-
LEB LEGACY AGRI CORP.	GLYPHOSATE IPA	NOGRASS 48 SL	480 g/L	SL	HERBICIDE	4	666-151-5172	09-Mar-25	NON-SELECTIVE	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/ha	-	-	-
LEB LEGACY AGRI CORP.	GLYPHOSATE IPA	NOGRASS 48 SL	480 g/L	SL	HERBICIDE	4	666-151-5172	09-Mar-25	NON-SELECTIVE	Mango	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.5 Liters/ha	-	-	-
LEB LEGACY AGRI CORP.	GLYPHOSATE IPA	NOGRASS 48 SL	480 g/L	SL	HERBICIDE	4	666-151-5172	09-Mar-25	NON-SELECTIVE	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
LEB LEGACY AGRI CORP.	GLYPHOSATE IPA	NOGRASS 48 SL	480 g/L	SL	HERBICIDE	4	666-151-5172	09-Mar-25	NON-SELECTIVE	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
LEB LEGACY AGRI CORP.	GLYPHOSATE IPA	NOGRASS 48 SL	480 g/L	SL	HERBICIDE	4	666-151-5172	09-Mar-25	NON-SELECTIVE	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
LEB LEGACY AGRI CORP.	GLYPHOSATE IPA	NOGRASS 48 SL	480 g/L	SL	HERBICIDE	4	666-151-5172	09-Mar-25	NON-SELECTIVE	rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0Liters/ha	-	-	-
LEB LEGACY AGRI CORP.	GLYPHOSATE IPA	NOGRASS 48 SL	480 g/L	SL	HERBICIDE	4	666-151-5172	09-Mar-25	NON-SELECTIVE	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0Liters/ha	-	-	-
LEB LEGACY AGRI CORP.	GLYPHOSATE IPA	NOGRASS 48 SL	480 g/L	SL	HERBICIDE	4	666-151-5172	09-Mar-25	NON-SELECTIVE	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0Liters/ha	-	-	-
LEB LEGACY AGRI CORP.	GLYPHOSATE IPA	NOGRASS 48 SL	480 g/L	SL	HERBICIDE	4	666-151-5172	09-Mar-25	NON-SELECTIVE	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/ha	-	-	-
LEB LEGACY AGRI CORP.	GLYPHOSATE IPA	NOGRASS 48 SL	480 g/L	SL	HERBICIDE	4	666-151-5172	09-Mar-25	NON-SELECTIVE	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
LEB LEGACY AGRI CORP.	GLYPHOSATE IPA	NOGRASS 48 SL	480 g/L	SL	HERBICIDE	4	666-151-5172	09-Mar-25	NON-SELECTIVE	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0Liters/ha	-	-	-
LEB LEGACY AGRI CORP.	GLYPHOSATE IPA	NOGRASS 48 SL	480 g/L	SL	HERBICIDE	4	666-151-5172	09-Mar-25	NON-SELECTIVE	non-crop	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
FLAGLEAF AGRI PHILIPPINES, INC.	BUTACHLOR+2,4-D BB	NOMIE 60 EC	360+240 g/L	EC	HERBICIDE	3	564-152-3678	31-Mar-22	PRE-EMERGENT	Rice (Direct-seeded)	Broadleaf weeds,grasses & sedges	9-20Tbsp/36 L spray/load	Butachlor 0.1ppm 2,4-D BB 0.1ppm	-	-
FLAGLEAF AGRI PHILIPPINES, INC.	BUTACHLOR+2,4-D BB	NOMIE 60 EC	360+240 g/L	EC	HERBICIDE	3	564-152-3678	31-Mar-22	PRE-EMERGENT	Rice (Transplanted)	Broadleaf weeds,grasses & sedges	9-20Tbsp/36 L spray/load	Butachlor 0.1ppm 2,4-D BB 0.1ppm	-	-
ONEGRAIN MARKETING CORPORATION	CHLOROTHALONIL	NIZUKO 72 SC	720 g/L	SC	FUNGICIDE	4	723-118-5820	20-Apr-24	-	Ornamentals	Blackspot, black rot, powdery	4.5-6.0 Tbsp	-	7-14 days, except in banana (0 day)	Do not enter treatment areas until spray deposit have dried
ONEGRAIN MARKETING CORPORATION	CHLOROTHALONIL	NIZUKO 72 SC	720 g/L	SC	FUNGICIDE	4	723-118-5820	20-Apr-24	-	Pepper	Early and late blight, bulb rot, neck rot	4.5-6.0 Tbsp	-	7-14 days, except in banana (0 day)	Do not enter treatment areas until spray deposit have dried
ONEGRAIN MARKETING CORPORATION	CHLOROTHALONIL	NIZUKO 72 SC	720 g/L	SC	FUNGICIDE	4	723-118-5820	20-Apr-24	-	Onion	Purple blotch, bulb rot, neck rot	4.5-6.0 Tbsp	-	7-14 days, except in banana (0 day)	Do not enter treatment areas until spray deposit have dried
ONEGRAIN MARKETING CORPORATION	CHLOROTHALONIL	NIZUKO 72 SC	720 g/L	SC	FUNGICIDE	4	723-118-5820	20-Apr-24	-	Mango	Anthracoise, diploida rot	4.5-6.0 Tbsp	-	7-14 days, except in banana (0 day)	Do not enter treatment areas until spray deposit have dried
ONEGRAIN MARKETING CORPORATION	CHLOROTHALONIL	NIZUKO 72 SC	720 g/L	SC	FUNGICIDE	4	723-118-5820	20-Apr-24	-	Grapes	Downy mildew, powdery mildew, fruit rot	4.5-6.0 Tbsp	-	7-14 days, except in banana (0 day)	Do not enter treatment areas until spray deposit have dried
ONEGRAIN MARKETING CORPORATION	CHLOROTHALONIL	NIZUKO 72 SC	720 g/L	SC	FUNGICIDE	4	723-118-5820	20-Apr-24	-	Eggplant	Early and late blight, Cercospora leaf spot, anthracnose	4.5-6.0 Tbsp	-	7-14 days, except in banana (0 day)	Do not enter treatment areas until spray deposit have dried
ONEGRAIN MARKETING CORPORATION	CHLOROTHALONIL	NIZUKO 72 SC	720 g/L	SC	FUNGICIDE	4	723-118-5820	20-Apr-24	-	Celery	Early and late blight	4.5-6.0 Tbsp	-	7-14 days, except in banana (0 day)	Do not enter treatment areas until spray deposit have dried
ONEGRAIN MARKETING CORPORATION	CHLOROTHALONIL	NIZUKO 72 SC	720 g/L	SC	FUNGICIDE	4	723-118-5820	20-Apr-24	-	Cucurbits	Powdery mildew, downy mildew, cercospora, anthracnose, septoria, fruit rot, early and late blight	4.5-6.0 Tbsp	-	7-14 days, except in banana (0 day)	Do not enter treatment areas until spray deposit have dried
ONEGRAIN MARKETING CORPORATION	CHLOROTHALONIL	NIZUKO 72 SC	720 g/L	SC	FUNGICIDE	4	723-118-5820	20-Apr-24	-	Citrus	Powdery m	4.5-6.0 Tbsp	-	7-14 days, except in banana (0 day)	Do not enter treatment areas until spray deposit have dried
ONEGRAIN MARKETING CORPORATION	CHLOROTHALONIL	NIZUKO 72 SC	720 g/L	SC	FUNGICIDE	4	723-118-5820	20-Apr-24	-	Carrot	Alternative, cercospora, helminthosporium	4.5-6.0 Tbsp	-	7-14 days, except in banana (0 day)	Do not enter treatment areas until spray deposit have dried
ONEGRAIN MARKETING CORPORATION	CHLOROTHALONIL	NIZUKO 72 SC	720 g/L	SC	FUNGICIDE	4	723-118-5820	20-Apr-24	-	Beans	Rust, anthracnose	4.5-6.0 Tbsp	-	7-14 days, except in banana (0 day)	Do not enter treatment areas until spray deposit have dried
ONEGRAIN MARKETING CORPORATION	CHLOROTHALONIL	NIZUKO 72 SC	720 g/L	SC	FUNGICIDE	4	723-118-5820	20-Apr-24	-	Tomato	Early and late blight, vine rot	4.5-6.0 Tbsp	-	7-14 days, except in banana (0 day)	Do not enter treatment areas until spray deposit have dried
ONEGRAIN MARKETING CORPORATION	CHLOROTHALONIL	NIZUKO 72 SC	720 g/L	SC	FUNGICIDE	4	723-118-5820	20-Apr-24	-	Potato	Early and late blight, vine rot	4.5-6.0 Tbsp	-	7-14 days, except in banana (0 day)	Do not enter treatment areas until spray deposit have dried
ONEGRAIN MARKETING CORPORATION	CHLOROTHALONIL	NIZUKO 72 SC	720 g/L	SC	FUNGICIDE	4	723-118-5820	20-Apr-24	-	Banana	Black sigatoka	1.0-2.0 L/ha	-	7-14 days, except in banana (0 day)	Do not enter treatment areas until spray deposit have dried
ONEGRAIN MARKETING CORPORATION	CHLOROTHALONIL	NIZUKO 72 SC	720 g/L	SC	FUNGICIDE	4	723-118-5820	20-Apr-24	-	Asparagus	Stem and leaf blight	1.0 L/ha	-	7-14 days, except in banana (0 day)	Do not enter treatment areas until spray deposit have dried
EVERLAND AGRI CORPORATION	TRISENOMPH	NIXIN 80 DL	880 g/L	DL	FUNGICIDE	2	261-097-2139	14-Jun-20	SYSTEMIC/CONTACT	Banana	Sigatoka	0.5 L/ha Trisenomorph + 5.0 L/ha Oil	-	-	-
CULTIVA INCORPORATED	NICLOSMANIC ETHANOLAMINE SALT	NIX 70 WP	700 g/kg	WP	MOLLUSCICIDE	4	261-229-2044	16-Jun-25	CONTACT	Rice	Golden Apple Snail (Kuhol)	35 gm/36 L water	-	-	48 hours after spraying.
TRANS WORLD TRADING CO., INC.	HEXYTHAZOX	NISORLIN 5 EC	50 g/L	EC	MITECIDE	3	038-271-0667	31-Dec-25	-	Papaya	Spider Mites	3-5.5 Tbsp/36L water	-	-	-
AGRI CHEMICAL CORPORATION	NICLOSMANIC ETHANOLAMINE SALT	NIGLO 70 WP	700 g/kg	WP	MOLLUSCICIDE	4	344-229-3327	07-Oct-17	CONTACT	Rice	Golden Apple Snail (Kuhol)	35 gm/36 L water	-	-	-
SABRO ORGANICS PHILIPPINES ASIA INC.	BUPROFEZIN	NINIA 25 SC	250 g/L	SC	INSECTICIDE	3	466-224-5018	20-Jan-26	-	Mango	Leafhoppers	40.80 Ml/200 L water	-	Do not spray 15 days before harvest	Re-entry to treated fields is allowed as soon as spray dries.
SABRO ORGANICS PHILIPPINES ASIA INC.	BUPROFEZIN	NINIA 25 SC	250 g/L	SC	INSECTICIDE	3	466-224-5018	20-Jan-26	-	Cavendish Banana	Scale insects, mealybugs and aphids	1.5-2.5 ml prod/ L water	-	Do not spray 15 days before harvest	Re-entry to treated fields is allowed as soon as spray dries.
SAVWELL AGRI-MARKETING CO.	SULPHUR	NIMBUS DF	800 g/kg	DF	FUNGICIDE	4	425-083-3381	23-Feb-18	-	Beans	Downly mildew, powdery mil dew	3-5-7.0 Tbsp/36 L water	-	-	-
SAVWELL AGRI-MARKETING CO.	SULPHUR	NIMBUS DF	800 g/kg	DF	FUNGICIDE	4	425-083-3381	23-Feb-18	-	Citrus	Downly mildew, powdery mildew	5.0-6.0 Tbsp/36 L water	-	-	-

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
SAVEWELL AGR-MARKETING CO.	SULPHUR	NIMBUS DF	800 g/kg	DF	FUNGICIDE	4	425-083-3381	23-Feb-18	-	Vegetables	Powdery mildew	5.0-6.0 Tbsp/16 L water	-	-	-
SAVEWELL AGR-MARKETING CO.	SULPHUR	NIMBUS DF	800 g/kg	DF	FUNGICIDE	4	425-083-3381	23-Feb-18	-	Ornamentals	Downy mildew, powdery mildew	5.0-6.0 Tbsp/16 L water	-	-	-
SAVEWELL AGR-MARKETING CO.	SULPHUR	NIMBUS DF	800 g/kg	DF	FUNGICIDE	4	425-083-3381	23-Feb-18	-	Papaya	Powdery mildew	5.0-6.0 Tbsp/16 L water	-	-	-
SAVEWELL AGR-MARKETING CO.	SULPHUR	NIMBUS DF	800 g/kg	DF	FUNGICIDE	4	425-083-3381	23-Feb-18	-	Pepper	Downy mildew, powdery mildew	6.0-7.0 Tbsp/16 L water	-	-	-
SAVEWELL AGR-MARKETING CO.	SULPHUR	NIMBUS DF	800 g/kg	DF	FUNGICIDE	4	425-083-3381	23-Feb-18	-	Potato	Downy mildew, powdery mildew	5.0-6.0 Tbsp/16 L water	-	-	-
SAVEWELL AGR-MARKETING CO.	SULPHUR	NIMBUS DF	800 g/kg	DF	FUNGICIDE	4	425-083-3381	23-Feb-18	-	Tomato	Downy mildew, powdery mildew	5.0-6.0 Tbsp/16 L water	-	-	-
SAVEWELL AGR-MARKETING CO.	SULPHUR	NIMBUS DF	800 g/kg	DF	FUNGICIDE	4	425-083-3381	23-Feb-18	-	Eggplant	Downy mildew, powdery mildew	5.0-6.0 Tbsp/16 L water	-	-	-
SAVEWELL AGR-MARKETING CO.	SULPHUR	NIMBUS DF	800 g/kg	DF	FUNGICIDE	4	425-083-3381	23-Feb-18	-	Grapes	Powdery mildew	5.0-6.0 Tbsp/16 L water	-	-	-
SAVEWELL AGR-MARKETING CO.	SULPHUR	NIMBUS DF	800 g/kg	DF	FUNGICIDE	4	425-083-3381	23-Feb-18	-	Cotton	Downy mildew, powdery mildew	5.0-6.0 Tbsp/16 L water	-	-	-
BERRIS AGRICULTURAL CO., INC.	AZADIRACTIN	NIMBICIDONE 0.03 EC	3 g/L	EC	INSECTICIDE	4	233-513-4835	08-Mar-24	-	Rice	Black bugs, leaf hoppers	2.5 L product/ha	-	-	-
BERRIS AGRICULTURAL CO., INC.	AZADIRACTIN	NIMBICIDONE 0.03 EC	3 g/L	EC	INSECTICIDE	4	233-513-4835	08-Mar-24	-	Mango	Mango Hopper	2.5 L product/ha	-	-	-
BERRIS AGRICULTURAL CO., INC.	AZADIRACTIN	NIMBICIDONE 0.03 EC	3 g/L	EC	INSECTICIDE	4	233-513-4835	02-Feb-22	-	Corn	Fall armyworm	3 Liters product per hectare	-	-	-
BERRIS AGRICULTURAL CO., INC.	AZADIRACTIN	NIMBICIDONE 0.03 EC	3 g/L	EC	INSECTICIDE	4	233-513-4835	29-Nov-24	-	Cabbage	Diamondback moth, cabbage worm and aphids	40-80 ml prod. / 16 L water	-	-	-
BERRIS AGRICULTURAL CO., INC.	AZADIRACTIN	NIMBICIDONE 0.03 EC	3 g/L	EC	INSECTICIDE	4	233-513-4835	29-Nov-24	-	Eggplant	Fruit and shoot borer, aphids, leafhopper, thrips	40-80 ml prod. / 16 L water	-	-	-
BERRIS AGRICULTURAL CO., INC.	AZADIRACTIN	NIMBICIDONE 0.03 EC	3 g/L	EC	INSECTICIDE	4	233-513-4835	25-Apr-24	-	Banana	Mealy bug	100 ml prod. / 16 L	-	-	-
LIJCHENPHIL INTERNATIONAL INC.	NICLOSAMIDE ETHANOLAMINE SALT	NICLOSTOP 70 WP	700g/kg	WP	MOLLUSCIDE	4	590-229-4342	23-Apr-24	CONTACT	Rice	Golden apple snail	30 g/L product/16 L water	-	-	-
TOTAL FARM CARE AGR PRODUCTS INC.	NICLOSAMIDE ETHANOLAMINE SALT	NICLOSTAR 70 WP	700 g/kg	WP	MOLLUSCIDE	4	533-229-3486	17-Jun-22	CONTACT	Rice	Golden Apple Snail (Kuhol)	1 sachet (16 gm)/Tankload (16 liters)	-	-	At least 48 hours after application
NEXCHEM CORPORATION	NICLOSAMIDE ETHANOLAMINE SALT	NICLOSANEX 70 WP	700g/kg	WP	MOLLUSCIDE	4	702-229-5671	05-May-26	CONTACT	Rice	Golden Apple Snail (Kuhol)	20 grams or 1 sachet / 30 sprayer load / hectare	-	-	Do not enter the treated field with 48 hours after application
LEADS AGRICULTURAL PRODUCTS CORPORATION	NICLOSAMIDE ETHANOLAMINE SALT	NICLOS M PLUS 70 WP	700g/kg	WP	MOLLUSCIDE	4	099-229-4097 (B)	17-Sep-25	CONTACT	Rice	Golden apple snail	20gm (one sachet) per 16 liters water	-	-	At least 48 hours after application
LEADS AGRICULTURAL PRODUCTS CORPORATION	NICLOSAMIDE ETHANOLAMINE SALT	NICLOS M	500 g/kg	WP	MOLLUSCIDE	4	099-229-0893	20-Jan-20	CONTACT	Rice	Golden Snail	50gm (One Sachet) /16L water	-	-	48 hours
VAST AGRO SOLUTIONS, INC.	NICLOSAMIDE ETHANOLAMINE SALT	NICLOMAX 70 WP	700g/kg	WP	MOLLUSCIDE	4	385-229-2808-A	17-Sep-25	CONTACT	Rice	Golden Apple Snail (Kuhol)	30 gm/16 L water	-	-	At least 48 hours after application
PHILAGROW INC.	NICLOSAMIDE ETHANOLAMINE SALT	NICLODEX 70 WP	700g/kg	WP	MOLLUSCIDE	4	372-229-1806	02-Feb-24	CONTACT	Rice	Golden apple snail	30g or 1 sachet	-	-	-
TWIN BAMBOO CORPORATION	GLYPHOSATE IPA	NFSS GLYPHOSATE 480 SL	480g/L	SL	HERBICIDE	4	526-151-4245	31-Jan-24	POST-EMERGENT	glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/ha	-	-	-
TWIN BAMBOO CORPORATION	GLYPHOSATE IPA	NFSS GLYPHOSATE 480 SL	480g/L	SL	HERBICIDE	4	526-151-4245	31-Jan-24	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
TWIN BAMBOO CORPORATION	GLYPHOSATE IPA	NFSS GLYPHOSATE 480 SL	480g/L	SL	HERBICIDE	4	526-151-4245	31-Jan-24	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
TWIN BAMBOO CORPORATION	GLYPHOSATE IPA	NFSS GLYPHOSATE 480 SL	480g/L	SL	HERBICIDE	4	526-151-4245	31-Jan-24	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
TWIN BAMBOO CORPORATION	GLYPHOSATE IPA	NFSS GLYPHOSATE 480 SL	480g/L	SL	HERBICIDE	4	526-151-4245	31-Jan-24	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
TWIN BAMBOO CORPORATION	GLYPHOSATE IPA	NFSS GLYPHOSATE 480 SL	480g/L	SL	HERBICIDE	4	526-151-4245	31-Jan-24	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
TWIN BAMBOO CORPORATION	GLYPHOSATE IPA	NFSS GLYPHOSATE 480 SL	480g/L	SL	HERBICIDE	4	526-151-4245	31-Jan-24	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
TWIN BAMBOO CORPORATION	GLYPHOSATE IPA	NFSS GLYPHOSATE 480 SL	480g/L	SL	HERBICIDE	4	526-151-4245	31-Jan-24	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
TWIN BAMBOO CORPORATION	GLYPHOSATE IPA	NFSS GLYPHOSATE 480 SL	480g/L	SL	HERBICIDE	4	526-151-4245	31-Jan-24	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/ha	-	-	-
TWIN BAMBOO CORPORATION	GLYPHOSATE IPA	NFSS GLYPHOSATE 480 SL	480g/L	SL	HERBICIDE	4	526-151-4245	31-Jan-24	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	3.0 Liters/ha	-	-	-
TWIN BAMBOO CORPORATION	GLYPHOSATE IPA	NFSS GLYPHOSATE 480 SL	480g/L	SL	HERBICIDE	4	526-151-4245	31-Jan-24	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
TWIN BAMBOO CORPORATION	GLYPHOSATE IPA	NFSS GLYPHOSATE 480 SL	480g/L	SL	HERBICIDE	4	526-151-4245	31-Jan-24	POST-EMERGENT	Non-crop	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
OMRELL FARM SYSTEMS, INC.	CYPERMETHRIN	NEXUS S EC	50 g/L	EC	INSECTICIDE	4	565-037-3630	25-Jan-19	CONTACT	Mango	Leafhopper, twig borer, tip borer, Fruit fly	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
OMRELL FARM SYSTEMS, INC.	CYPERMETHRIN	NEXUS S EC	50 g/L	EC	INSECTICIDE	4	565-037-3630	25-Jan-19	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leafhopper, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
OMRELL FARM SYSTEMS, INC.	CYPERMETHRIN	NEXUS S EC	50 g/L	EC	INSECTICIDE	4	565-037-3630	25-Jan-19	CONTACT	Cabbage	Diamond back moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
OMRELL FARM SYSTEMS, INC.	CYPERMETHRIN	NEXUS S EC	50 g/L	EC	INSECTICIDE	4	565-037-3630	25-Jan-19	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
OMRELL FARM SYSTEMS, INC.	CYPERMETHRIN	NEXUS S EC	50 g/L	EC	INSECTICIDE	4	565-037-3630	25-Jan-19	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
OMRELL FARM SYSTEMS, INC.	CYPERMETHRIN	NEXUS S EC	50 g/L	EC	INSECTICIDE	4	565-037-3630	25-Jan-19	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
OMRELL FARM SYSTEMS, INC.	CYPERMETHRIN	NEXUS S EC	50 g/L	EC	INSECTICIDE	4	565-037-3630	25-Jan-19	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
OMRELL FARM SYSTEMS, INC.	CYPERMETHRIN	NEXUS S EC	50 g/L	EC	INSECTICIDE	4	565-037-3630	25-Jan-19	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
OMRELL FARM SYSTEMS, INC.	CYPERMETHRIN	NEXUS S EC	50 g/L	EC	INSECTICIDE	4	565-037-3630	25-Jan-19	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
OMRELL FARM SYSTEMS, INC.	CYPERMETHRIN	NEXUS S EC	50 g/L	EC	INSECTICIDE	4	565-037-3630	25-Jan-19	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
OMRELL FARM SYSTEMS, INC.	CYPERMETHRIN	NEXUS S EC	50 g/L	EC	INSECTICIDE	4	565-037-3630	25-Jan-19	CONTACT	Corn	Combsore, earworm	1.0-4.5 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
NEXCHEM CORPORATION	OXADIAZON	NEXSTAR 25 EC	250 g/L	EC	HERBICIDE	4	702-124-5975	22-Apr-26	SELECTIVE (PRE-EMERGENT)	Rice (Direct Seeded Pre-germinated)	Grasses and broadleaves	1-1.5 L prod. / hectare	-	-	Re-entry can be done after the spray droplets have dried up. It is recommended to keep from disturbing the soil, even by treading on the sprayed soil surfaces.
NEXCHEM CORPORATION	OXADIAZON	NEXSTAR 25 EC	250 g/L	EC	HERBICIDE	4	702-124-5975	22-Apr-26	SELECTIVE (PRE-EMERGENT)	Rice (Dry Seeded)	Grasses and broadleaves	2-3 L prod. / hectare	-	-	Re-entry can be done after the spray droplets have dried up. It is recommended to keep from disturbing the soil, even by treading on the sprayed soil surfaces.
NEXCHEM CORPORATION	OXADIAZON	NEXSTAR 25 EC	250 g/L	EC	HERBICIDE	4	702-124-5975	22-Apr-26	SELECTIVE (PRE-EMERGENT)	Rice (Transplanted)	Grasses and broadleaves	1-1.5 L prod. / hectare	-	-	Re-entry can be done after the spray droplets have dried up. It is recommended to keep from disturbing the soil, even by treading on the sprayed soil surfaces.
NEXCHEM CORPORATION	OXADIAZON	NEXSTAR 25 EC	250 g/L	EC	HERBICIDE	4	702-124-5975	22-Apr-26	SELECTIVE (PRE-EMERGENT)	Onion (Transplanted)	Grasses and broadleaves	2-3 L prod. / hectare	-	-	Re-entry can be done after the spray droplets have dried up. It is recommended to keep from disturbing the soil, even by treading on the sprayed soil surfaces.
NEXCHEM CORPORATION	OXADIAZON	NEXSTAR 25 EC	250 g/L	EC	HERBICIDE	4	702-124-5975	22-Apr-26	SELECTIVE (PRE-EMERGENT)	Cabbage and other crucifers	Grasses and broadleaves	0-4 L prod. / hectare	-	-	Re-entry can be done after the spray droplets have dried up. It is recommended to keep from disturbing the soil, even by treading on the sprayed soil surfaces.
NEXCHEM CORPORATION	FLUAZIFOP-P-BUTYL	NEXCIDE 15 EC	150 g/L	EC	HERBICIDE	4	702-212-5622	17-Sep-24	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Banana	Grasses; itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-
NEXCHEM CORPORATION	FLUAZIFOP-P-BUTYL	NEXCIDE 15 EC	150 g/L	EC	HERBICIDE	4	702-212-5622	17-Sep-24	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Cacao	Grasses; itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-
NEXCHEM CORPORATION	FLUAZIFOP-P-BUTYL	NEXCIDE 15 EC	150 g/L	EC	HERBICIDE	4	702-212-5622	17-Sep-24	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Citrus	Grasses; itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-
NEXCHEM CORPORATION	FLUAZIFOP-P-BUTYL	NEXCIDE 15 EC	150 g/L	EC	HERBICIDE	4	702-212-5622	17-Sep-24	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Cotton	Grasses; itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-
NEXCHEM CORPORATION	FLUAZIFOP-P-BUTYL	NEXCIDE 15 EC	150 g/L	EC	HERBICIDE	4	702-212-5622	17-Sep-24	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Coffee	Grasses; itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-
NEXCHEM CORPORATION	FLUAZIFOP-P-BUTYL	NEXCIDE 15 EC	150 g/L	EC	HERBICIDE	4	702-212-5622	17-Sep-24	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Oil palm	Grasses; itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
NEXCHEM CORPORATION	FLUAZIFOP-P-BUTYL	NEXCHEM 15 EC	150 g/L	EC	HERBICIDE	4	702-212-5622	17-Sep-24	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Ramie	Grasses; Ichgrasses, goosegrasses, sour paspalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16L sprayload	-	-	-
NEXCHEM CORPORATION	FLUAZIFOP-P-BUTYL	NEXCHEM 15 EC	150 g/L	EC	HERBICIDE	4	702-212-5622	17-Sep-24	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Rubber	Grasses; Ichgrasses, goosegrasses, sour paspalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-
NEXCHEM CORPORATION	FLUAZIFOP-P-BUTYL	NEXCHEM 15 EC	150 g/L	EC	HERBICIDE	4	702-212-5622	17-Sep-24	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Onion	Grasses; Ichgrasses, goosegrasses, sour paspalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16L sprayload	-	-	-
NEXCHEM CORPORATION	FLUAZIFOP-P-BUTYL	NEXCHEM 15 EC	150 g/L	EC	HERBICIDE	4	702-212-5622	17-Sep-24	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Pineapple	Grasses; Ichgrasses, goosegrasses, sour paspalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-
NEXCHEM CORPORATION	FLUAZIFOP-P-BUTYL	NEXCHEM 15 EC	150 g/L	EC	HERBICIDE	4	702-212-5622	17-Sep-24	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Soybeans	Grasses; Ichgrasses, goosegrasses, sour paspalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-
NEXCHEM CORPORATION	FLUAZIFOP-P-BUTYL	NEXCHEM 15 EC	150 g/L	EC	HERBICIDE	4	702-212-5622	17-Sep-24	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Tomato	Grasses; Ichgrasses, goosegrasses, sour paspalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16L sprayload	-	-	-
NEXCHEM CORPORATION	ZINC PHOSPHIDE	NEXCHEM ZINC PHOSPHIDE	800 g/kg	-	RODENTICIDE	2	702-173-5639	27-Jun-25	-	Agricultural field	Rodents	-	-	-	-
NEXCHEM CORPORATION	MALATHION	NEXCHEM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	702-038-5613	01-Dec-24	-	Fruit trees	Aphids, mealy bugs, scale insects	2.0-5.0Tbsp/16L water	-	One day after final spraying	One (1) day after each spraying
NEXCHEM CORPORATION	MALATHION	NEXCHEM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	702-038-5613	01-Dec-24	-	Rice	Armyworm, caseworm, leafhopper, bugs	2.0-5.0Tbsp/16 L water	-	One day after final spraying	One (1) day after each spraying
NEXCHEM CORPORATION	MALATHION	NEXCHEM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	702-038-5613	01-Dec-24	-	Corn	Earthworm, silkworm, aphids, grasshoppers	3.0-5.0Tbsp/16 L water	-	One day after final spraying	One (1) day after each spraying
NEXCHEM CORPORATION	MALATHION	NEXCHEM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	702-038-5613	01-Dec-24	-	Cucifers	Cabbage worm, loopers, diamond-back moth	2.0-5.0Tbsp/16 L water	-	One day after final spraying	One (1) day after each spraying
NEXCHEM CORPORATION	MALATHION	NEXCHEM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	702-038-5613	01-Dec-24	-	Cabbage	Cabbage worm, loopers, diamond-back moth	2.0-5.0Tbsp/16 L water	-	One day after final spraying	One (1) day after each spraying
NEXCHEM CORPORATION	MALATHION	NEXCHEM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	702-038-5613	01-Dec-24	-	Legumes	Aphids, beanfly, cutworm, flea beetles, leafminer, maggots, mealy bug, podborer, thrips	2.0-5.0Tbsp/16 L water	-	One day after final spraying	One (1) day after each spraying
NEXCHEM CORPORATION	MALATHION	NEXCHEM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	702-038-5613	01-Dec-24	-	Grapes	Beetles, cutworm, leafhopper, mealybug, scale insect, spider mites	3.0Tbsp/16 L water	-	One day after final spraying	One (1) day after each spraying
NEXCHEM CORPORATION	MALATHION	NEXCHEM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	702-038-5613	01-Dec-24	-	Pineapple	Mealy bug	3.0Tbsp/16 L water	-	One day after final spraying	One (1) day after each spraying
NEXCHEM CORPORATION	MALATHION	NEXCHEM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	702-038-5613	01-Dec-24	-	Pepper	Aphids, cutworm, fruitworm	3.0Tbsp/16 L water	-	One day after final spraying	One (1) day after each spraying
NEXCHEM CORPORATION	MALATHION	NEXCHEM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	702-038-5613	01-Dec-24	-	Garlic	Cutworm	3.0Tbsp/16 L water	-	One day after final spraying	One (1) day after each spraying
NEXCHEM CORPORATION	MALATHION	NEXCHEM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	702-038-5613	01-Dec-24	-	Onion	Cutworm	3.0Tbsp/16 L water	-	One day after final spraying	One (1) day after each spraying
NEXCHEM CORPORATION	MALATHION	NEXCHEM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	702-038-5613	01-Dec-24	-	Tobacco	Aphids, katydid	3.0-6.0Tbsp/16 L water	-	One day after final spraying	One (1) day after each spraying
NEXCHEM CORPORATION	MALATHION	NEXCHEM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	702-038-5613	01-Dec-24	-	Ornamentals	Aphids, cutworm, mealybug, scale insect, spider mites	3.0-6.0Tbsp/16 L water	-	One day after final spraying	One (1) day after each spraying
NEXCHEM CORPORATION	MALATHION	NEXCHEM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	702-038-5613	01-Dec-24	-	Tomato	Lady beetle	3.0-5.0Tbsp/16 L water	-	One day after final spraying	One (1) day after each spraying
NEXCHEM CORPORATION	MALATHION	NEXCHEM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	702-038-5613	01-Dec-24	-	Eggplant	Aphids, fruitworm	3.0-5.0Tbsp/16 L water	-	One day after final spraying	One (1) day after each spraying
NEXCHEM CORPORATION	MALATHION	NEXCHEM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	702-038-5613	01-Dec-24	-	orghum	Web worm	3.0Tbsp/16 L water	-	One day after final spraying	One (1) day after each spraying
NEXCHEM CORPORATION	DIFENOCANAZOLE+PROPICONAZOLE	NEXCHEM FIESTA 300 EC	150 g/L+150 g/L	EC	FUNGICIDE	3	702-325-6373	7-Jun-26	SYSTEMIC	Rice	Sheath blight	ml prod./ha= 250 ml prod / 16L+25 mL	-	-	-
NEXCHEM CORPORATION	CLOTHIANIDIN	NEXCHEM BINGO 20 SC	200 g/L	SC	INSECTICIDE	4	702-379-6346	8-Jun-26	-	Rice	Rice black bug	40-50 mL / sprayload	-	-	-
NEXCHEM CORPORATION	2,4-D IBE	NEXCHEM 2,4-D ESTER	400 g/L	EC	HERBICIDE	2	702-049-5638	21-Feb-27	POST-EMERGENT	Rice (Transplanted)	Annual Broadleaves & sedges	5.0-6.50Tbsp/16L water	0.1 ppm	Do not spray within two days before harvest	Entry to fields and crops treated with NEXCHEM 2,4-D ESTER can be done one day after spraying
NEXCHEM CORPORATION	2,4-D IBE	NEXCHEM 2,4-D ESTER	400 g/L	EC	HERBICIDE	2	702-049-5638	21-Feb-27	POST-EMERGENT	Corn	Annual Broadleaves & sedges	5.0-6.50Tbsp/16L water	-	Do not spray within two days before harvest	Entry to fields and crops treated with NEXCHEM 2,4-D ESTER can be done one day after spraying
NEXCHEM CORPORATION	2,4-D AMINE	NEXCHEM 2,4-D AMINE	400 g/L	EC	HERBICIDE	2	702-049-5638	21-Feb-27	POST-EMERGENT	Sugarcane	Annual Broadleaves & sedges	5.0-6.50Tbsp/16L water	-	Do not spray within two days before harvest	Entry to fields and crops treated with NEXCHEM 2,4-D ESTER can be done one day after spraying
NEXCHEM CORPORATION	2,4-D AMINE	NEXCHEM 2,4-D AMINE	400 g/L	-	HERBICIDE	2	702-033-5674	24-Sep-24	-	Rice (Transplanted)	Post-emergent broadleaves and cyperaceous weeds	3.5-6.5 Tbsp/16L water	-	Do not spray within two days before harvest.	Entry to fields and crop treated with NEXCHEM 2,4-D AMINE can be done one day after spraying
NEXCHEM CORPORATION	2,4-D AMINE	NEXCHEM 2,4-D AMINE	400 g/L	-	HERBICIDE	2	702-033-5674	24-Sep-24	-	Corn	Post-emergent broadleaves and cyperaceous weeds	5.0-8.5 Tbsp/16L water	-	Do not spray within two days before harvest.	Entry to fields and crop treated with NEXCHEM 2,4-D AMINE can be done one day after spraying
NEXCHEM CORPORATION	2,4-D AMINE	NEXCHEM 2,4-D AMINE	400 g/L	-	HERBICIDE	2	702-033-5674	24-Sep-24	-	Sugarcane	Post-emergent broadleaves and cyperaceous weeds	10.0-25.0 Tbsp/16L water	-	Do not spray within two days before harvest.	Entry to fields and crop treated with NEXCHEM 2,4-D AMINE can be done one day after spraying
INDOFIL PHILIPPINES INC.	DIFENOCANAZOLE	NEXA 250 EC	250 g/L	EC	FUNGICIDE	4	604-272-4463-A	27-May-25	SYSTEMIC	Manana	Black Sigatoka	0.30-0.40L prod/ha	-	-	-
INDOFIL PHILIPPINES INC.	DIFENOCANAZOLE	NEXA 250 EC	250 g/L	EC	FUNGICIDE	4	604-272-4463-A	27-May-25	SYSTEMIC	Mango	Anthraxnose	0.128-0.88 L/ha	-	14 Days	-
INDOFIL PHILIPPINES INC.	DIFENOCANAZOLE	NEXA 250 EC	250 g/L	EC	FUNGICIDE	4	604-272-4463-A	27-May-25	SYSTEMIC	Rice	Sheath Blight	0.25-0.30 L/ha	-	-	-
INDOFIL PHILIPPINES INC.	DIFENOCANAZOLE	NEXA 250 EC	250 g/L	EC	FUNGICIDE	4	604-272-4463-A	27-May-25	SYSTEMIC	Stringbeans	Leaf spot	0.30-0.30 L/ha	-	7 Days	-
INDOFIL PHILIPPINES INC.	DIFENOCANAZOLE	NEXA 250 EC	250 g/L	EC	FUNGICIDE	4	604-272-4463-A	27-May-25	SYSTEMIC	Eggplant	Leaf Spot	0.20-0.30 L/ha	-	7 Days	-
INDOFIL PHILIPPINES INC.	DIFENOCANAZOLE	NEXA 250 EC	250 g/L	EC	FUNGICIDE	4	604-272-4463-A	27-May-25	SYSTEMIC	Tomato	Alternaria leaf spot, cercospora leafmold,powdery mildew	0.20-0.30 L/ha	-	7 Days	-
INDOFIL PHILIPPINES INC.	DIFENOCANAZOLE	NEXA 250 EC	250 g/L	EC	FUNGICIDE	4	604-272-4463-A	27-May-25	SYSTEMIC	Cabbage	Ringspot,alternaria	0.30-0 L/ha	-	7 Days	-
INDOFIL PHILIPPINES INC.	DIFENOCANAZOLE	NEXA 250 EC	250 g/L	EC	FUNGICIDE	4	604-272-4463-A	27-May-25	SYSTEMIC	Onion	Purple blotch	0.40-0.50 L/ha	-	7 Days	-
INDOFIL PHILIPPINES INC.	DIFENOCANAZOLE	NEXA 250 EC	250 g/L	EC	FUNGICIDE	4	604-272-4463-A	27-May-25	SYSTEMIC	Asparagus	Stem and leaf blight	0.36L/ha	-	7Days	-
BERRIS AGRICULTURAL CO., INC.	UNURON	NEURON 50 SC	500 g/kg	SC	HERBICIDE	4	233-171-4851	22-Jul-25	SELECTIVE (PRE / POST EMERGENCE)	Soybeans	Annual weeds	3.0-4.0 Tbsp/16L water	-	No restriction - product as applied only once at planting time	Do not enter treated field within 24 hours after spray application
BERRIS AGRICULTURAL CO., INC.	UNURON	NEURON 50 SC	500 g/kg	SC	HERBICIDE	4	233-171-4851	22-Jul-25	SELECTIVE (PRE / POST EMERGENCE)	Annual weeds	Annual weeds	3.0-4.0 Tbsp/16L water	-	No restriction - product as applied only once at planting time	Do not enter treated field within 24 hours after spray application
BERRIS AGRICULTURAL CO., INC.	UNURON	NEURON 50 SC	500 g/kg	SC	HERBICIDE	4	233-171-4851	22-Jul-25	SELECTIVE (PRE / POST EMERGENCE)	Peanut	Annual weeds	3.0-4.0 Tbsp/16L water	-	No restriction - product as applied only once at planting time	Do not enter treated field within 24 hours after spray application
BERRIS AGRICULTURAL CO., INC.	UNURON	NEURON 50 SC	500 g/kg	SC	HERBICIDE	4	233-171-4851	22-Jul-25	SELECTIVE (PRE / POST EMERGENCE)	Sweet peas	Annual weeds	3.0-4.0 Tbsp/16L water	-	No restriction - product as applied only once at planting time	Do not enter treated field within 24 hours after spray application
BERRIS AGRICULTURAL CO., INC.	UNURON	NEURON 50 SC	500 g/kg	SC	HERBICIDE	4	233-171-4851	22-Jul-25	SELECTIVE (PRE / POST EMERGENCE)	Carrot	Annual weeds	3.0-4.0 Tbsp/16L water	-	No restriction - product as applied only once at planting time	Do not enter treated field within 24 hours after spray application
BERRIS AGRICULTURAL CO., INC.	UNURON	NEURON 50 SC	500 g/kg	SC	HERBICIDE	4	233-171-4851	22-Jul-25	SELECTIVE (PRE / POST EMERGENCE)	Galery	Annual weeds	3.0-4.0 Tbsp/16L water	-	No restriction - product as applied only once at planting time	Do not enter treated field within 24 hours after spray application
BERRIS AGRICULTURAL CO., INC.	UNURON	NEURON 50 SC	500 g/kg	SC	HERBICIDE	4	233-171-4851	22-Jul-25	SELECTIVE (PRE / POST EMERGENCE)	Corn	Annual weeds	3.5-4.0 Tbsp/16L water	-	No restriction - product as applied only once at planting time	Do not enter treated field within 24 hours after spray application
BERRIS AGRICULTURAL CO., INC.	UNURON	NEURON 50 SC	500 g/kg	SC	HERBICIDE	4	233-171-4851	22-Jul-25	SELECTIVE (PRE / POST EMERGENCE)	Onion	Annual weeds	3.0-4.0 Tbsp/16L water	-	No restriction - product as applied only once at planting time	Do not enter treated field within 24 hours after spray application
BERRIS AGRICULTURAL CO., INC.	UNURON	NEURON 50 SC	500 g/kg	SC	HERBICIDE	4	233-171-4851	22-Jul-25	SELECTIVE (PRE / POST EMERGENCE)	Garlic	Annual weeds	3.0-4.0 Tbsp/16L water	-	No restriction - product as applied only once at planting time	Do not enter treated field within 24 hours after spray application
BERRIS AGRICULTURAL CO., INC.	UNURON	NEURON 50 SC	500 g/kg	SC	HERBICIDE	4	233-171-4851	22-Jul-25	SELECTIVE (PRE / POST EMERGENCE)	Potato	Annual weeds	3.0-7.0 Tbsp/16L water	-	No restriction - product as applied only once at planting time	Do not enter treated field within 24 hours after spray application
BERRIS AGRICULTURAL CO., INC.	UNURON	NEURON 50 SC	500 g/kg	SC	HERBICIDE	4	233-171-4851	22-Jul-25	SELECTIVE (PRE / POST EMERGENCE)	Sugarcane	Annual weeds	3.0-5.0 Tbsp/16L water	-	No restriction - product as applied only once at planting time	Do not enter treated field within 24 hours after spray application
BERRIS AGRICULTURAL CO., INC.	UNURON	NEURON 50 SC	500 g/kg	SC	HERBICIDE	4	233-171-4851	22-Jul-25	SELECTIVE (PRE / POST EMERGENCE)	Tobacco	Annual weeds	3.0-7.0Tbsp/16L water	-	No restriction - product as applied only once at planting time	Do not enter treated field within 24 hours after spray application
BERRIS AGRICULTURAL CO., INC.	UNURON	NEURON 50 SC	500 g/kg	SC	HERBICIDE	4	233-171-4851	22-Jul-25	SELECTIVE (PRE / POST EMERGENCE)	Pineapple	Annual weeds	7.0-10.5 Tbsp/16L water	0.2 mg/kg	No restriction - product as applied only once at planting time	Do not enter treated field within 24 hours after spray application
BERRIS AGRICULTURAL CO., INC.	GLIFOSINATE AMMONIUM	NEURHERB 150 SL	150 g/L	SL	HERBICIDE	4	233-182-3715	01-Jun-25	NON-SELECTIVE(POST-EMERGENT)	Rubber	Weeds	25L,270,135ml/16 L water	-	-	-
BERRIS AGRICULTURAL CO., INC.	GLIFOSINATE AMMONIUM	NEURHERB 150 SL	150 g/L	SL	HERBICIDE	4	233-182-3715	01-Jun-25	NON-SELECTIVE(POST-EMERGENT)	Oil palm	Weeds	160, 135ml/16 L water	-	-	-
BERRIS AGRICULTURAL CO., INC.	GLIFOSINATE AMMONIUM	NEURHERB 150 SL	150 g/L	SL	HERBICIDE	4	233-182-3715	01-Jun-25	NON-SELECTIVE(POST-EMERGENT)	Non-crop agricultural areas	Weeds	180-210ml/16 L water	-	-	-

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
BERRIS AGRICULTURAL CO., INC.	GULFOSINATE AMMONIUM	NEUSHERB 150 SL	150 g/L	SL	HERBICIDE	4	233-182-3715	01-Jun-25	NON-SELECTIVE/POST-EMERGENT	Cavendish Banana	Weeds	16L/15-2000ml/16L water	0.2 mg/kg	-	-
ASIA GOLD TRADING CORPORATION	NICLOSMAMIDE ETHANOLAMINE SALT	NET 70 WP	700g/kg	WP	MOLLUSCICIDE	4	266-229-1270	21-Feb-25	CONTACT	Rice	Golden apple snail	8gm (one sachet) per 16 liters water	-	-	Do not enter the treated field within 48 hours after application
ASIA GOLD TRADING CORPORATION	NICLOSMAMIDE	NET 25 EC	250 g/L	EC	MOLLUSCICIDE	4	266-229-1271	10-Feb-24	-	Rice	Golden apple snail	7-10, 10-14 Tbsp/16L Water	-	-	Entry to field and crops treated with NET 250 EC can be done 48 hours after spraying
G CHEMTRADING CORPORATION	LAMBDA-CYHALOTHIRIN+THIAMETHOXAM	NEOXAM 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	701-395-5587	26-Mar-22	CONTACT/SYSTEMIC	Potato	Whiteflies, aphids, thrips	300-320ml product/ha, 4-6 ml/16L	-	7 Days	Do not enter treated fields at least 1 Day after application
G CHEMTRADING CORPORATION	LAMBDA-CYHALOTHIRIN+THIAMETHOXAM	NEOXAM 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	701-395-5587	26-Mar-22	CONTACT/SYSTEMIC	Stringbeans	Green Leafhopper, aphids, mites	100-200ml product/ha, 4-6 ml/16L	-	7 Days	Do not enter treated fields at least 1 Day after application
G CHEMTRADING CORPORATION	LAMBDA-CYHALOTHIRIN+THIAMETHOXAM	NEOXAM 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	701-395-5587	26-Mar-22	CONTACT/SYSTEMIC	Eggplant	Whiteflies, green leafhopper, aphids	300-200ml product/ha, 4-6 ml/16L	-	7 Days	Do not enter treated fields at least 1 Day after application
G CHEMTRADING CORPORATION	LAMBDA-CYHALOTHIRIN+THIAMETHOXAM	NEOXAM 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	701-395-5587	26-Mar-22	CONTACT/SYSTEMIC	Bittergourd	Leafhoppers, thrips, aphid, fruitfly, cutworm	300-200ml product/ha, 4-13 ml/16L	-	7 Days	Do not enter treated fields at least 1 Day after application
G CHEMTRADING CORPORATION	LAMBDA-CYHALOTHIRIN+THIAMETHOXAM	NEOXAM 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	701-395-5587	26-Mar-22	CONTACT/SYSTEMIC	Mango	Leafhoppers, tipboners, capsid bug, fruitfly, cecid fly	10-24ml/200L	-	3 Days	Do not enter treated fields at least 1 Day after application
G CHEMTRADING CORPORATION	LAMBDA-CYHALOTHIRIN+THIAMETHOXAM	NEOXAM 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	701-395-5587	26-Mar-22	CONTACT/SYSTEMIC	Com	Asiatic corn borer, cutworm, leafhopper, aphids, earworm	250-400ml product/ha, 10-20-35.0 ml product/16L	-	3 Days	Do not enter treated fields at least 1 Day after application
G CHEMTRADING CORPORATION	LAMBDA-CYHALOTHIRIN+THIAMETHOXAM	NEOXAM 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	701-395-5587	26-Mar-22	CONTACT/SYSTEMIC	Banana	Flowerthrips	1-3 ml/L	-	90 days	Do not enter treated fields at least 1 Day after application
G CHEMTRADING CORPORATION	LAMBDA-CYHALOTHIRIN+THIAMETHOXAM	NEOXAM 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	701-395-5587	26-Mar-22	CONTACT/SYSTEMIC	Rice	Stemborer, leafhopper, rice bugs	30-30 Tbsp prod/16L	-	14 Days	Do not enter treated fields at least 1 Day after application
EZERTECH CORPORATION	CHLOROTHALONIL	NEONIL 720 SC	720 g/L	SC	FUNGICIDE	4	648-118-5118	24-Jun-26	-	Potato	Early blight, late blight, vine rot	4.5-6.0 Tbsp/16L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
EZERTECH CORPORATION	CHLOROTHALONIL	NEONIL 720 SC	720 g/L	SC	FUNGICIDE	4	648-118-5118	24-Jun-26	-	Tomato	Early blight, late blight, vine rot	4.5-6.0 Tbsp/16L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
EZERTECH CORPORATION	CHLOROTHALONIL	NEONIL 720 SC	720 g/L	SC	FUNGICIDE	4	648-118-5118	24-Jun-26	-	Beans	Rust, anthracnose	4.5-6.0 Tbsp/16L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
EZERTECH CORPORATION	CHLOROTHALONIL	NEONIL 720 SC	720 g/L	SC	FUNGICIDE	4	648-118-5118	24-Jun-26	-	Carrot	Alternaria leaf spot, cercospora leaf spot, heminthosporium leaf spot	4.5-6.0 Tbsp/16L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
EZERTECH CORPORATION	CHLOROTHALONIL	NEONIL 720 SC	720 g/L	SC	FUNGICIDE	4	648-118-5118	24-Jun-26	-	Cruifers	Powdery mildew	4.5-6.0 Tbsp/16L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
EZERTECH CORPORATION	CHLOROTHALONIL	NEONIL 720 SC	720 g/L	SC	FUNGICIDE	4	648-118-5118	24-Jun-26	-	Cucurbits	Powdery mildew, downy mildew, cercospora, anthracnose, septoria, fruit rot, early and late blight	4.5-6.0 Tbsp/16L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
EZERTECH CORPORATION	CHLOROTHALONIL	NEONIL 720 SC	720 g/L	SC	FUNGICIDE	4	648-118-5118	24-Jun-26	-	Celery	Early blight, late blight	4.5-6.0 Tbsp/16L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
EZERTECH CORPORATION	CHLOROTHALONIL	NEONIL 720 SC	720 g/L	SC	FUNGICIDE	4	648-118-5118	24-Jun-26	-	Eggplant	Early blight, late blight, cercospora, anthracnose	4.5-6.0 Tbsp/16L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
EZERTECH CORPORATION	CHLOROTHALONIL	NEONIL 720 SC	720 g/L	SC	FUNGICIDE	4	648-118-5118	24-Jun-26	-	Onion	Purple blotch, bulb rot, neck rot	4.5-6.0 Tbsp/16L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
EZERTECH CORPORATION	CHLOROTHALONIL	NEONIL 720 SC	720 g/L	SC	FUNGICIDE	4	648-118-5118	24-Jun-26	-	Pepper	Early & Late blight, Bulb rot, Neck rot	4.5-6.0 Tbsp/16L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
EZERTECH CORPORATION	CHLOROTHALONIL	NEONIL 720 SC	720 g/L	SC	FUNGICIDE	4	648-118-5118	24-Jun-26	-	Grapes	Downy mildew, powdery mildew, fruit rot	4.5-6.0 Tbsp/16L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
EZERTECH CORPORATION	CHLOROTHALONIL	NEONIL 720 SC	720 g/L	SC	FUNGICIDE	4	648-118-5118	24-Jun-26	-	Mango	Anthracoese, diploidia rot	4.5-6.0 Tbsp/16L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
EZERTECH CORPORATION	CHLOROTHALONIL	NEONIL 720 SC	720 g/L	SC	FUNGICIDE	4	648-118-5118	24-Jun-26	-	Ornammentals	Black spot, powdery mildew, black rot	4.5-6.0 Tbsp/16L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
EZERTECH CORPORATION	CHLOROTHALONIL	NEONIL 720 SC	720 g/L	SC	FUNGICIDE	4	648-118-5118	24-Jun-26	-	Asparagus	Stem and leaf blight	1.8L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
EZERTECH CORPORATION	CHLOROTHALONIL	NEONIL 720 SC	720 g/L	SC	FUNGICIDE	4	648-118-5118	24-Jun-26	-	Banana	Black Sigatoka	1.38L/ha	-	0 day	Do not enter treatment areas until spray deposit have dried
EZERTECH CORPORATION	CHLOROTHALONIL	NEONIL 500 SC	500 g/L	SC	FUNGICIDE	4	648-118-5119	24-Jun-26	-	Melon	Anthracoese, cercospora leafspot, downy mildew, leaf blight	6.0-8.5 Tbsp/16L	-	-	Harvest can be done on the application day
EZERTECH CORPORATION	CHLOROTHALONIL	NEONIL 500 SC	500 g/L	SC	FUNGICIDE	4	648-118-5119	24-Jun-26	-	Com	Hemithosporium leaf spot, cercospora leafspot	6.0-8.5 Tbsp/16L	-	-	As soon as sprayed leaves/plant parts dries up
EZERTECH CORPORATION	CHLOROTHALONIL	NEONIL 500 SC	500 g/L	SC	FUNGICIDE	4	648-118-5119	24-Jun-26	-	Eggplant	Anthracoese, cercospora leafspot, early and late blight	6.0-8.5 Tbsp/16L	-	-	Harvest can be done on the application day
EZERTECH CORPORATION	CHLOROTHALONIL	NEONIL 500 SC	500 g/L	SC	FUNGICIDE	4	648-118-5119	24-Jun-26	-	Peanut	Cercospora leaf spot, rust	6.0-8.5 Tbsp/16L	-	-	Harvest can be done on the application day
EZERTECH CORPORATION	CHLOROTHALONIL	NEONIL 500 SC	500 g/L	SC	FUNGICIDE	4	648-118-5119	24-Jun-26	-	Potato	Early and late blight, vine rot	6.0-8.5 Tbsp/16L	-	-	Harvest can be done on the application day
EZERTECH CORPORATION	CHLOROTHALONIL	NEONIL 500 SC	500 g/L	SC	FUNGICIDE	4	648-118-5119	24-Jun-26	-	Tomato	Early and late blight, vine rot	6.0-8.5 Tbsp/16L	-	-	Harvest can be done on the application day
EZERTECH CORPORATION	CHLOROTHALONIL	NEONIL 500 SC	500 g/L	SC	FUNGICIDE	4	648-118-5119	24-Jun-26	-	Carrot	Alternaria, cercospora leaf spot, heminthosporium leaf spot	6.0-8.5 Tbsp/16L	-	-	Harvest can be done on the application day
EZERTECH CORPORATION	CHLOROTHALONIL	NEONIL 500 SC	500 g/L	SC	FUNGICIDE	4	648-118-5119	24-Jun-26	-	Banana	Sigatoka, rust, freckles, heminthosporium leaf spot	6.0-8.5 Tbsp/16L	-	-	Harvest can be done on the application day
EZERTECH CORPORATION	CHLOROTHALONIL	NEONIL 500 SC	500 g/L	SC	FUNGICIDE	4	648-118-5119	24-Jun-26	-	Mango	Anthracoese, diploidia rot	6.0-8.5 Tbsp/16L	-	-	Harvest can be done on the application day
EZERTECH CORPORATION	CHLOROTHALONIL	NEONIL 500 SC	500 g/L	SC	FUNGICIDE	4	648-118-5119	24-Jun-26	-	Beans	Rust, anthracnose	6.0-8.5 Tbsp/16L	-	-	Harvest can be done on the application day
EZERTECH CORPORATION	CHLOROTHALONIL	NEONIL 500 SC	500 g/L	SC	FUNGICIDE	4	648-118-5119	24-Jun-26	-	Cruifers	Powdery mildew	6.0-8.5 Tbsp/16L	-	-	Harvest can be done on the application day
EZERTECH CORPORATION	CHLOROTHALONIL	NEONIL 500 SC	500 g/L	SC	FUNGICIDE	4	648-118-5119	24-Jun-26	-	Onion	Purple blotch, bulb rot, neck rot	6.0-8.5 Tbsp/16L	-	-	Harvest can be done on the application day
EZERTECH CORPORATION	CHLOROTHALONIL	NEONIL 500 SC	500 g/L	SC	FUNGICIDE	4	648-118-5119	24-Jun-26	-	Garlic	Purple blotch, bulb rot, neck rot	6.0-8.5 Tbsp/16L	-	-	Harvest can be done on the application day
EZERTECH CORPORATION	CHLOROTHALONIL	NEONIL 500 SC	500 g/L	SC	FUNGICIDE	4	648-118-5119	24-Jun-26	-	Ornammentals	Black spot, black rot, powdery mildew	6.0-8.5 Tbsp/16L	-	-	Harvest can be done on the application day
EZERTECH CORPORATION	CHLOROTHALONIL	NEONIL 500 SC	500 g/L	SC	FUNGICIDE	4	648-118-5119	24-Jun-26	-	Grapes	Downy mildew, powdery mildew, fruit rot	6.0-8.5 Tbsp/16L	-	-	Harvest can be done on the application day
EZERTECH CORPORATION	CHLOROTHALONIL	NEONIL 500 SC	500 g/L	SC	FUNGICIDE	4	648-118-5119	24-Jun-26	-	Pepper	Anthracoese, cercospora leaf spot, early blight	6.0-8.5 Tbsp/16L	-	-	Harvest can be done on the application day
EZERTECH CORPORATION	CHLOROTHALONIL	NEONIL 500 SC	500 g/L	SC	FUNGICIDE	4	648-118-5119	24-Jun-26	-	Melon	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16L	-	-	Harvest can be done on the application day
EZERTECH CORPORATION	CHLOROTHALONIL	NEONIL 500 SC	500 g/L	SC	FUNGICIDE	4	648-118-5119	24-Jun-26	-	Cucumber	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16L	-	-	Harvest can be done on the application day
EZERTECH CORPORATION	CHLOROTHALONIL	NEONIL 500 SC	500 g/L	SC	FUNGICIDE	4	648-118-5119	24-Jun-26	-	Squash	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16L	-	-	Harvest can be done on the application day
EZERTECH CORPORATION	CHLOROTHALONIL	NEONIL 500 SC	500 g/L	SC	FUNGICIDE	4	648-118-5119	24-Jun-26	-	Watermelon	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16L	-	-	Harvest can be done on the application day
EZERTECH CORPORATION	CHLOROTHALONIL	NEONIL 500 SC	500 g/L	SC	FUNGICIDE	4	648-118-5119	24-Jun-26	-	Celery	Early and late blight	6.0-8.5 Tbsp/16L	-	-	Harvest can be done on the application day
ORACLE CHEM CORPORATION	BUSPIRIBAC SODIUM	NEMESIS 10 G	100 g/L	SC	HERBICIDE	2	417-276-5192	08-Nov-24	SELECTIVE (POST-EMERGENT)	Rice (Direct-Seeded Outland)	Grasses, sedges & broadleaves	30ml/26 L water, 20 spray load/ hectare	0.1 ppm	-	As soon as spray deposits dry up
AVC CHEMICAL CORPORATION	FOSPHAZATE	NEMATHORIN 10G	107.5 g/kg	G	NEMATOCIDE	2	560-347-1120	15-Feb-25	-	Banana	Burrowing of nematode (Radopholus Similis)	10g per mat or 20 kg per ha.	-	-	-
AVC CHEMICAL CORPORATION	FOSPHAZATE	NEMATHORIN 10G	107.5 g/kg	G	NEMATOCIDE	2	560-347-1120	15-Feb-25	-	Potato	Cyst nematode (Globodera spp.)	26kg per hectare	0.03 ppm	-	-
AGWAY CHEMICALS CORPORATION	NETAM SODIUM	NEMASOL 510 SL	-	SL	OTHERS	-	075-561-5600	12-Nov-22	-	Banana	Fusarium oxysporum f.sp.cubense	1,500-1,000 L prod / ha.	-	-	-
JOCANIMA CORPORATION	FENAMIPHOS	NEMACUR 400 EC	400 g/L	EC	INSECTICIDE	1	241-017-2878	14-Oct-23	SYSTEMIC	Pineapple	Nematodes	7.0 Liters/ha	-	-	-
JOCANIMA CORPORATION	FENAMIPHOS	NEMACUR 10 G	100 g/kg	G	OTHERS	1	241-017-2877	11-Jan-22	SYSTEMIC	Banana	Nematodes	25-30g nemacur 10 G/mat	-	0 day	7 days
BIOTADT PHILIPPINES INC.	FUSILAFAMIDE	NEMUIN 0.3 DP	3 g/kg	DP	FUNGICIDE	4	097-440-3275	24-Mar-26	-	Cabbage	Clubroot caused by Plasmodiophora brassicae	200-300 kg product/ha	0.05ppm	-	-
EZERTECH CORPORATION	INDOXACARB	N-DOX 150 EC	150 g/L	EC	INSECTICIDE	2	648-353-5269	09-Nov-26	CONTACT	Cabbage	Diamond-back moth	8-13 ml product/16 U	-	1 day	Do not enter treated field 12 hours after spraying
EZERTECH CORPORATION	INDOXACARB	N-DOX 150 EC	150 g/L	EC	INSECTICIDE	2	648-353-5269	09-Nov-26	CONTACT	Bittergourd	Leaf folder/cutworm	8-10 ml product/16 U	-	1 day	Do not enter treated field 12 hours after spraying

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
EZERTECH CORPORATION	INDOXACARB	N-DOX 150 EC	150 g/L	EC	INSECTICIDE	2	648-353-5269	09-Nov-26	CONTACT	Stringbeans	Podborer	6-10 ml product/16 U	-	1 day	Do not enter treated field 12 hours after spraying
EZERTECH CORPORATION	INDOXACARB	N-DOX 150 EC	150 g/L	EC	INSECTICIDE	2	648-353-5269	09-Nov-26	CONTACT	Eggplant	Fruit and Shoot borer	8-13 ml product/16 U	-	1 day	Do not enter treated field 12 hours after spraying
PLUTOUS NUTRITION SOLUTIONS COMPANY, INC.	AZADIRACTIN	NATURE'S DEFENSE NEEM OIL CONCENTRATE	-	-	INSECTICIDE/FUNGICIDE	-	086-513-5428	05-May-34	-	Banana	Scale insects, mealybugs, aphids, sigatoka	3-5 mL prod./L water, 0.6-1 L prod./ha, 2-4 U/ha	-	-	-
BAYER CROPSCIENCE, INC.	TEBUCONAZOLE+TRIFLOXYSTROBIN	NATIVO WG 75	500-250 g/kg	WG	FUNGICIDE	4	284-438-3181	29-Nov-25	SYSTEMIC	Mango	Anthraxnose	40-80 g prod./100 L water	-	30 days	As soon as spray deposits have dried
BAYER CROPSCIENCE, INC.	TEBUCONAZOLE+TRIFLOXYSTROBIN	NATIVO WG 75	500-250 g/kg	WG	FUNGICIDE	4	284-438-3181	29-Nov-25	SYSTEMIC	Bitterguard	Powdery mildew and downy mildew	6-8 g/16 L water	0.008 Tebuconazole 0.01 Trifloxystrobin	5 days	As soon as spray deposits have dried
BAYER CROPSCIENCE, INC.	TEBUCONAZOLE+TRIFLOXYSTROBIN	NATIVO WG 75	500-250 g/kg	WG	FUNGICIDE	4	284-438-3181	29-Nov-25	SYSTEMIC	Tomato	Early blight	6-8 g/16 L water	0.008 Tebuconazole 0.01 Trifloxystrobin	3 days	As soon as spray deposits have dried
BAYER CROPSCIENCE, INC.	TEBUCONAZOLE+TRIFLOXYSTROBIN	NATIVO WG 75	500-250 g/kg	WG	FUNGICIDE	4	284-438-3181	29-Nov-25	SYSTEMIC	Eggplant	Cercospora leaf spot	6-8 g/16 L water	0.008 Tebuconazole 0.01 Trifloxystrobin	3 days	As soon as spray deposits have dried
BAYER CROPSCIENCE, INC.	TEBUCONAZOLE+TRIFLOXYSTROBIN	NATIVO WG 75	500-250 g/kg	WG	FUNGICIDE	4	284-438-3181	29-Nov-25	SYSTEMIC	Watermelon	Leaf spot, powdery mildew	6-8 g/16 L water	0.008 Tebuconazole 0.01 Trifloxystrobin	5 days	As soon as spray deposits have dried
BAYER CROPSCIENCE, INC.	TEBUCONAZOLE+TRIFLOXYSTROBIN	NATIVO WG 75	500-250 g/kg	WG	FUNGICIDE	4	284-438-3181	29-Nov-25	SYSTEMIC	Corn	Corn rust, Helminthosporium leaf spot	4-8 g/16L water	Tebuconazole 0.008 Trifloxystrobin	5 days	As soon as spray deposits have dried
BAYER CROPSCIENCE, INC.	TEBUCONAZOLE+TRIFLOXYSTROBIN	NATIVO WG 75	500-250 g/kg	WG	FUNGICIDE	4	284-438-3181	29-Nov-25	SYSTEMIC	Onion	Purple blotch	4-8 g/16L water	Tebuconazole-0.008 Trifloxystrobin	5 days	As soon as spray deposits have dried
BAYER CROPSCIENCE, INC.	TEBUCONAZOLE+TRIFLOXYSTROBIN	NATIVO WG 75	500-250 g/kg	WG	FUNGICIDE	4	284-438-3181	29-Nov-25	SYSTEMIC	Potato	Early and late blight	100-200 gms product/ha	Tebuconazole-1.01 mg/kg	3 days	As soon as spray deposits have dried
BAYER CROPSCIENCE, INC.	TEBUCONAZOLE+TRIFLOXYSTROBIN	NATIVO WG 75	500-250 g/kg	WG	FUNGICIDE	4	284-438-3181	29-Nov-25	SYSTEMIC	Cabbage	Alternaria leaf spot	100-200 gms product/ha	Tebuconazole-0.01 mg/kg	3 days	As soon as spray deposits dries up.
BAYER CROPSCIENCE, INC.	TEBUCONAZOLE+TRIFLOXYSTROBIN	NATIVO WG 75	500-250 g/kg	WG	FUNGICIDE	4	284-438-3181	29-Nov-25	SYSTEMIC	Chili (pepper)	Cercospora leaf spot	100-200 gms prod./ha	-	7 days	As soon as spray deposits have dried. Store in a cool, dry place away from foods and feeds, and reach of children.
BAYER CROPSCIENCE, INC.	TEBUCONAZOLE+TRIFLOXYSTROBIN	NATIVO WG 75	500-250 g/kg	WG	FUNGICIDE	4	284-438-3181	29-Nov-25	SYSTEMIC	Rice (knapsack)	Rice blast, sheath blight and brown leafspot (drone application)	250 g prod./hectare through drone application; 200 L prod./ha	-	-	-
BAYER CROPSCIENCE, INC.	TEBUCONAZOLE+TRIFLOXYSTROBIN	NATIVO WG 75	500-250 g/kg	WG	FUNGICIDE	4	284-438-3181	29-Nov-25	SYSTEMIC	Rice (drone application)	Sheath blight	100 gms prod./hectare through drone application applied at 30-50 and 60 days	-	-	-
MANAGRA TRADING CORPORATION	LAMBDA-CHYALOTHIN	NATARAKE 2.5 EC	25 g/L	EC	INSECTICIDE	2	476-204-3382	28-Apr-24	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leafroller, black bug	1.0-1.5Tbsp/16 L of water	0.05ppm	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
MANAGRA TRADING CORPORATION	LAMBDA-CHYALOTHIN	NATARAKE 2.5 EC	25 g/L	EC	INSECTICIDE	2	476-204-3382	28-Apr-24	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
MANAGRA TRADING CORPORATION	LAMBDA-CHYALOTHIN	NATARAKE 2.5 EC	25 g/L	EC	INSECTICIDE	2	476-204-3382	28-Apr-24	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
MANAGRA TRADING CORPORATION	LAMBDA-CHYALOTHIN	NATARAKE 2.5 EC	25 g/L	EC	INSECTICIDE	2	476-204-3382	28-Apr-24	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
MANAGRA TRADING CORPORATION	LAMBDA-CHYALOTHIN	NATARAKE 2.5 EC	25 g/L	EC	INSECTICIDE	2	476-204-3382	28-Apr-24	SYSTEMIC	Mungbeans	Beanfly, flea beetle, leafhopper, aphids, mites, podborer	1.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
MANAGRA TRADING CORPORATION	LAMBDA-CHYALOTHIN	NATARAKE 2.5 EC	25 g/L	EC	INSECTICIDE	2	476-204-3382	28-Apr-24	SYSTEMIC	Corn	Comborer, aphids, seedling maggots	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
MANAGRA TRADING CORPORATION	LAMBDA-CHYALOTHIN	NATARAKE 2.5 EC	25 g/L	EC	INSECTICIDE	2	476-204-3382	28-Apr-24	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
MANAGRA TRADING CORPORATION	LAMBDA-CHYALOTHIN	NATARAKE 2.5 EC	25 g/L	EC	INSECTICIDE	2	476-204-3382	28-Apr-24	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
MANAGRA TRADING CORPORATION	LAMBDA-CHYALOTHIN	NATARAKE 2.5 EC	25 g/L	EC	INSECTICIDE	2	476-204-3382	28-Apr-24	SYSTEMIC	Cocoa	Podborer	1.0-2.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
MANAGRA TRADING CORPORATION	LAMBDA-CHYALOTHIN	NATARAKE 2.5 EC	25 g/L	EC	INSECTICIDE	2	476-204-3382	28-Apr-24	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
MAGAN AGRO PHILS., ENTERPRISE, INC.	BUSPIRIBAC SODIUM	NARKIS 10 SC	100 g/L	SC	HERBICIDE	4	461-276-3996	09-Mar-26	POST-EMERGENT	Rice (Direct Seeded (swath))	Grasses, sedges & broadleaves	20ml/16L water, 30 spray load/ hectare	0.1 ppm	-	As soon as spray deposits have dried
UPLI PHILIPPINES, INC.	DIFENCONAZOLE	NARITA 250 EC	250g/L	EC	FUNGICIDE	4	562-272-4789	15-Jun-24	SYSTEMIC	Banana	Black Sigatoka	75-100g ai/ha (0.3-0.4 Liters of product/ha) as an oil-water emulsion	-	-	-
INTERSORORA INC.	PHYACLOSTROBIN	NANDRO 25 EC	250 g/L	EC	FUNGICIDE	2	664-396-5849	9-Sep-25	SYSTEMIC	Corn	Leafspot	0-4 L prod./ha	-	4 days	After drying of spray or 24 hours after spraying
INTERSORORA INC.	PHYACLOSTROBIN	NANDRO 25 EC	250 g/L	EC	FUNGICIDE	2	664-396-5849	9-Sep-25	SYSTEMIC	Banana	Sigatoka freckles	0.4 L prod./ha	-	4 days	After drying of spray or 24 hours after spraying
11B AGRICULTURAL CORPORATION	CLOTHIANIDIN	HAKSU 20SC	200 g/L	SC	INSECTICIDE	4	776-379-6339	31-May-25	-	Rice	Rice black bug	4-5Tbsp/16L	-	-	-
GREEN DRAGON RESOURCES CORPORATION	LAMBDA-CHYALOTHIN	NAC 2.5 EC	25g/L	EC	INSECTICIDE	2	652-204-4868	16-May-21	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leafroller, black bug	1.0-1.5Tbsp/16 L of water	0.05ppm	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
GREEN DRAGON RESOURCES CORPORATION	LAMBDA-CHYALOTHIN	NAC 2.5 EC	25g/L	EC	INSECTICIDE	2	652-204-4868	16-May-21	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/16 L of water	-	-	Re-entry to treated fields is allowed as soon as spray deposits dry
GREEN DRAGON RESOURCES CORPORATION	LAMBDA-CHYALOTHIN	NAC 2.5 EC	25g/L	EC	INSECTICIDE	2	652-204-4868	16-May-21	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
GREEN DRAGON RESOURCES CORPORATION	LAMBDA-CHYALOTHIN	NAC 2.5 EC	25g/L	EC	INSECTICIDE	2	652-204-4868	16-May-21	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
GREEN DRAGON RESOURCES CORPORATION	LAMBDA-CHYALOTHIN	NAC 2.5 EC	25g/L	EC	INSECTICIDE	2	652-204-4868	16-May-21	SYSTEMIC	Mungbeans	Beanfly, flea beetle, leafhopper, aphids, mites, podborer	1.0Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
GREEN DRAGON RESOURCES CORPORATION	LAMBDA-CHYALOTHIN	NAC 2.5 EC	25g/L	EC	INSECTICIDE	2	652-204-4868	16-May-21	SYSTEMIC	Corn	Comborer, aphids, seedling maggots	1.0-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
GREEN DRAGON RESOURCES CORPORATION	LAMBDA-CHYALOTHIN	NAC 2.5 EC	25g/L	EC	INSECTICIDE	2	652-204-4868	16-May-21	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
GREEN DRAGON RESOURCES CORPORATION	LAMBDA-CHYALOTHIN	NAC 2.5 EC	25g/L	EC	INSECTICIDE	2	652-204-4868	16-May-21	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
GREEN DRAGON RESOURCES CORPORATION	LAMBDA-CHYALOTHIN	NAC 2.5 EC	25g/L	EC	INSECTICIDE	2	652-204-4868	16-May-21	SYSTEMIC	Cocoa	Podborer	1.0-2.0Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
GREEN DRAGON RESOURCES CORPORATION	LAMBDA-CHYALOTHIN	NAC 2.5 EC	25g/L	EC	INSECTICIDE	2	652-204-4868	16-May-21	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
TRANS WORLD TRADING CO., INC.	BETHOTYOM	NABU 5 11.1 EC	111 g/L	EC	HERBICIDE	4	018-277-0681	31-Dec-25	-	Onion	Volunteer rice, barnyard grass, jungle rice, crowfoot grass, goose grass, goose grass & red crangrassop	4-5 Tbsp/16L water	-	-	Entry to treated field is allowed as soon as spray deposits have dried
TRANS WORLD TRADING CO., INC.	BETHOTYOM	NABU 5 11.1 EC	111 g/L	EC	HERBICIDE	4	018-277-0681	31-Dec-25	-	Rice	Barnyard rice & Jungle rice	7-35.5 Tbsp/16L water	0.2 ppm	-	Entry to treated field is allowed as soon as spray deposits have dried
JOCANIMA CORPORATION	BEAUVIERIA BASSIANA STRAIN GHA	MYCOTROL ES	113 g/L	ES	INSECTICIDE	4	241-380-1670	23-May-25	-	Banana	Aphids and Mealybugs	3-3 and 6-8 mL / L water	-	-	-
GRASOL AGRICHEM INC.	BENZALKONIUM CHLORIDE+GLUTARALDEHYDE	MYCOCARE	100g/L-1200g/L	-	OTHERS	2	665-508-5028	27-Jan-23	-	Banana	As tool disinfectant, foot bath or wheel bath for the control of Moko disease/Bacterial wilt (Fusarium solanaceum) & Fusarium wilt	10-30 mL/L water	-	-	-
EDEL AGRIC AND CHEMICAL CORP.	NICLOSAMIDE ETHANOLAMINE SALT	MUSTLER 70 WP	700 g/kg	WP	MOLLUSCIDE	4	597-229-5295	31-Mar-26	CONTACT	Rice	Golden Apple Snail (Kuhai)	25 gm/16L water	-	-	Re-entry fields at least 48 hours after application
R & A AGROFARM PRODUCTS, INC.	BUTACHLOR+PROPANIL	MUSTANG 70 EC	350-350 g/L	EC	HERBICIDE	3	450-238-2611	02-Jul-16	POST-EMERGENT	Rice (Direct Seeded)	Grasses, Sedges and Broadleaves	8-12Tbsp/16 L water	Butachlor 0.1ppm Propanil 0.1ppm	-	-
R & A AGROFARM PRODUCTS, INC.	BUTACHLOR+PROPANIL	MUSTANG 70 EC	350-350 g/L	EC	HERBICIDE	3	450-238-2611	02-Jul-16	POST-EMERGENT	Rice (Transplanted)	Grasses, Sedges and Broadleaves	8-12Tbsp/16 L water	Butachlor 0.1ppm Propanil 0.1ppm	-	-
BLANCO SCIENCES SOLUTIONS COMPANY	BENZALKONIUM CHLORIDE+GLUTARALDEHYDE	MUSAGARD-FORTE	100g/L-1200 g/L	-	OTHERS	2	581-508-4781	14-May-25	-	Banana	As tool disinfectant, foot bath or wheel bath for the control of Moko disease/Bacterial wilt (Fusarium solanaceum) & Fusarium wilt	-	-	-	-
BLANCO PHILIPPINES, INC.	POTASSIUM PERKYMMONOSULPHATE+SODIUM OCHLOROSULFANATE	MUSAFIX	500g/kg-500g/kg	-	OTHERS	4	678-487-5277	18-Nov-23	-	Banana	Farm operation as a tool disinfectant to control Moko and Panama disease	Moko(20grams of product/L of water) Panama(1.0-7.5 grams of product/L of water)	-	-	-
BLANCO SCIENCES SOLUTIONS COMPANY	DMETHOMORPH	MUSACURE 80 WP	800 g/kg	WP	FUNGICIDE	2	581-264-5365	08-Mar-22	SYSTEMIC	Banana	Leaf spot and leaf speckle	0.5-1.5 L/ha	-	-	-
CHEM-SOURCE UNLIMITED CORPORATION	DMETHOMORPH	MUSACURE 84 SC	480 g/L	SC	FUNGICIDE	2	674-254-5386	19-Oct-22	SYSTEMIC	Banana	Leaf spot and leaf speckle	0.5-1.5 L/ha	-	-	After drying of spray or 24 hours after spraying
CROPKING CHEMICALS INC.	CARBENDAZIM	MULTIZIM 500 SC	500 g/L	SC	FUNGICIDE	4	065-267-3307	06-Sep-25	SYSTEMIC	Mango	Anthraxnose	3-2Tbsp/16 L water	-	-	As soon as the spray dries
CROPKING CHEMICALS INC.	CARBENDAZIM	MULTIZIM 500 SC	500 g/L	SC	FUNGICIDE	4	065-267-3307	06-Sep-25	SYSTEMIC	Cucurbits	Downy mildew	1-2Tbsp/16 L water	-	-	As soon as the spray dries
CROPKING CHEMICALS INC.	CARBENDAZIM	MULTIZIM 500 SC	500 g/L	SC	FUNGICIDE	4	065-267-3307	06-Sep-25	SYSTEMIC	Garden Peas (Legumes)	Powdery mildew	1-2Tbsp/16 L water	-	-	As soon as the spray dries
CROPKING CHEMICALS INC.	CARBENDAZIM	MULTIZIM 500 SC	500 g/L	SC	FUNGICIDE	4	065-267-3307	06-Sep-25	SYSTEMIC	Sugarcane	Pineapple disease	5-10/200L water cane dipping	-	-	As soon as the spray dries
CROPKING CHEMICALS INC.	CARBENDAZIM	MULTIZIM 500 SC	500 g/L	SC	FUNGICIDE	4	065-267-3307	06-Sep-25	SYSTEMIC	Banana	Diamond fruit spot, anthracnose	0.5-1.0 mL/L water	-	-	As soon as the spray dries

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
PLANTCARE TRADING CORPORATION	CARTAP HYDROCHLORIDE	M-TAP 50 SP	500 g/kg	SP	INSECTICIDE	3	495-106-2823	26-May-24	SYSTEMIC	Rice	Whorl maggot, stemborer, green leafhopper, brown planthopper	1.0-5.0Tbsp/36 L water	0.2µm	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
PLANTCARE TRADING CORPORATION	CARTAP HYDROCHLORIDE	M-TAP 50 SP	500 g/kg	SP	INSECTICIDE	3	495-106-2823	26-May-24	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/36 L water	-	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
PLANTCARE TRADING CORPORATION	CARTAP HYDROCHLORIDE	M-TAP 50 SP	500 g/kg	SP	INSECTICIDE	3	495-106-2823	26-May-24	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/36 L water	-	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
PLANTCARE TRADING CORPORATION	CARTAP HYDROCHLORIDE	M-TAP 50 SP	500 g/kg	SP	INSECTICIDE	3	495-106-2823	26-May-24	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/36 L water	-	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
PLANTCARE TRADING CORPORATION	CARTAP HYDROCHLORIDE	M-TAP 50 SP	500 g/kg	SP	INSECTICIDE	3	495-106-2823	26-May-24	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/36 L water	-	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
PLANTCARE TRADING CORPORATION	CARTAP HYDROCHLORIDE	M-TAP 50 SP	500 g/kg	SP	INSECTICIDE	3	495-106-2823	26-May-24	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/36 L water	-	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
PLANTCARE TRADING CORPORATION	CARTAP HYDROCHLORIDE	M-TAP 50 SP	500 g/kg	SP	INSECTICIDE	3	495-106-2823	26-May-24	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/36 L water	-	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
PLANTCARE TRADING CORPORATION	CARTAP HYDROCHLORIDE	M-TAP 50 SP	500 g/kg	SP	INSECTICIDE	3	495-106-2823	26-May-24	SYSTEMIC	Mango	leafhoppers	1.5-2.0Tbsp/36 L water	-	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
PLANTCARE TRADING CORPORATION	CARTAP HYDROCHLORIDE	M-TAP 50 SP	500 g/kg	SP	INSECTICIDE	3	495-106-2823	26-May-24	SYSTEMIC	Pechay	looper, cutworm, aphids	1.5-3.0Tbsp/36 L water	-	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
DCOM MARKETING INCORPORATED	PROFENOFOS	M-SPINNER 50 EC	500 g/L	EC	INSECTICIDE	2	467-070-2763	21-May-24	CONTACT	Mango	Thrips	2.0-2.0 Tbsp/36 water	-	14 Days	Do not enter treated field 1 day after application
DCOM MARKETING INCORPORATED	PROFENOFOS	M-SPINNER 50 EC	500 g/L	EC	INSECTICIDE	2	467-070-2763	21-May-24	CONTACT	Tomato	Fruitworm, armyworm, cutworm	3-5 Tbsp/36L water	-	14 Days	Do not enter treated field 1 day after application
DCOM MARKETING INCORPORATED	PROFENOFOS	M-SPINNER 50 EC	500 g/L	EC	INSECTICIDE	2	467-070-2763	21-May-24	CONTACT	Eggplant	Fruitborer, aphids, leafhopper, & thrips	1.5-3.0 Tbsp/36 water	-	14 Days	Do not enter treated field 1 day after application
DCOM MARKETING INCORPORATED	PROFENOFOS	M-SPINNER 50 EC	500 g/L	EC	INSECTICIDE	2	467-070-2763	21-May-24	CONTACT	Cabbage	Diamond back moth, cabbage worm & aphids, thrips	3-5 Tbsp/36L water	-	14 Days	Do not enter treated field 1 day after application
DCOM MARKETING INCORPORATED	PROFENOFOS	M-SPINNER 50 EC	500 g/L	EC	INSECTICIDE	2	467-070-2763	21-May-24	CONTACT	Watermelon	Thrips	3-5 Tbsp/36L water	-	14 Days	Do not enter treated field 1 day after application
DCOM MARKETING INCORPORATED	PROFENOFOS	M-SPINNER 50 EC	500 g/L	EC	INSECTICIDE	2	467-070-2763	21-May-24	CONTACT	Potato	Thrips, army worm, cutworm, tuber moth	3-5 Tbsp/36L water	-	14 Days	Do not enter treated field 1 day after application
DCOM MARKETING INCORPORATED	PROFENOFOS	M-SPINNER 50 EC	500 g/L	EC	INSECTICIDE	2	467-070-2763	21-May-24	CONTACT	Soybeans	Corn earworm, leafminer	3-5 Tbsp/36L water	-	14 Days	Do not enter treated field 1 day after application
DCOM MARKETING INCORPORATED	PROFENOFOS	M-SPINNER 50 EC	500 g/L	EC	INSECTICIDE	2	467-070-2763	21-May-24	CONTACT	Mungbeans	Corn earworm, leafminer	3-5 Tbsp/36L water	-	14 Days	Do not enter treated field 1 day after application
DCOM MARKETING INCORPORATED	PROFENOFOS	M-SPINNER 50 EC	500 g/L	EC	INSECTICIDE	2	467-070-2763	21-May-24	CONTACT	Cotton	Thrips, bollworm & budworm	3-5 Tbsp/36L water	-	14 Days	Do not enter treated field 1 day after application
DCOM MARKETING INCORPORATED	PROFENOFOS	M-SPINNER 50 EC	500 g/L	EC	INSECTICIDE	2	467-070-2763	21-May-24	CONTACT	Sitao	Beanyfly, leaf folder & aphids	1.5-3.0 Tbsp/36 water	-	14 Days	Do not enter treated field 1 day after application
INDOFIL PHILIPPINES INC.	CYMKOANIL-AMANOZEB	MOXIMATE 50S WP	40-466g/kg	WP	FUNGICIDE	4	604-163-4241	05-Feb-27	-	Potato	Late Blight	5Tbsp/36L sprayer	-	7 Days	Do not enter fields treated within 24 Hours after application
INDOFIL PHILIPPINES INC.	CYMKOANIL-AMANOZEB	MOXIMATE 50S WP	40-466g/kg	WP	FUNGICIDE	4	604-163-4241	05-Feb-27	-	Tomato	Late Blight	5Tbsp/36 L sprayer	-	7 Days	Do not enter fields treated within 24 Hours after application
INDOFIL PHILIPPINES INC.	CYMKOANIL-AMANOZEB	MOXIMATE 50S WP	40-466g/kg	WP	FUNGICIDE	4	604-163-4241	05-Feb-27	-	Grapes	Downy mildew	5Tbsp/36 L sprayer	-	7 Days	Do not enter fields treated within 24 Hours after application
LEADS AGRICULTURAL PRODUCTS CORPORATION	GLYPHOSATE IPA+2,4-D AMINE	MOVER ULTRA 514 SL	485.3g/L+28.70g/L	SL	HERBICIDE	4	099-505-4759	24-Jun-26	POST-EMERGENT	Glyphosate tolerant corn	Perennial grasses, broadleaves and sedges	2.0-4.0 L prod. /Ha	-	-	Entry to fields and crops treated with MOVER ULTRA can be done one day after spraying
LEADS AGRICULTURAL PRODUCTS CORPORATION	GLYPHOSATE IPA	MOVER 48 SL	480 g/L	SL	HERBICIDE	4	099-151-1363-D (242)	04-Feb-25	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/ha	-	-	-
LEADS AGRICULTURAL PRODUCTS CORPORATION	GLYPHOSATE IPA	MOVER 48 SL	480 g/L	SL	HERBICIDE	4	099-151-1363-D (242)	04-Feb-25	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /ha	-	-	-
LEADS AGRICULTURAL PRODUCTS CORPORATION	GLYPHOSATE IPA	MOVER 48 SL	480 g/L	SL	HERBICIDE	4	099-151-1363-D (242)	04-Feb-25	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
LEADS AGRICULTURAL PRODUCTS CORPORATION	GLYPHOSATE IPA	MOVER 48 SL	480 g/L	SL	HERBICIDE	4	099-151-1363-D (242)	04-Feb-25	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
LEADS AGRICULTURAL PRODUCTS CORPORATION	GLYPHOSATE IPA	MOVER 48 SL	480 g/L	SL	HERBICIDE	4	099-151-1363-D (242)	04-Feb-25	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
LEADS AGRICULTURAL PRODUCTS CORPORATION	GLYPHOSATE IPA	MOVER 48 SL	480 g/L	SL	HERBICIDE	4	099-151-1363-D (242)	04-Feb-25	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
LEADS AGRICULTURAL PRODUCTS CORPORATION	GLYPHOSATE IPA	MOVER 48 SL	480 g/L	SL	HERBICIDE	4	099-151-1363-D (242)	04-Feb-25	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
LEADS AGRICULTURAL PRODUCTS CORPORATION	GLYPHOSATE IPA	MOVER 48 SL	480 g/L	SL	HERBICIDE	4	099-151-1363-D (242)	04-Feb-25	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
LEADS AGRICULTURAL PRODUCTS CORPORATION	GLYPHOSATE IPA	MOVER 48 SL	480 g/L	SL	HERBICIDE	4	099-151-1363-D (242)	04-Feb-25	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/ha	-	-	-
LEADS AGRICULTURAL PRODUCTS CORPORATION	GLYPHOSATE IPA	MOVER 48 SL	480 g/L	SL	HERBICIDE	4	099-151-1363-D (242)	04-Feb-25	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
LEADS AGRICULTURAL PRODUCTS CORPORATION	GLYPHOSATE IPA	MOVER 48 SL	480 g/L	SL	HERBICIDE	4	099-151-1363-D (242)	04-Feb-25	POST-EMERGENT	Vegetables (under minimum or reduced tillage system)	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
LEADS AGRICULTURAL PRODUCTS CORPORATION	GLYPHOSATE IPA	MOVER 48 SL	480 g/L	SL	HERBICIDE	4	099-151-1363(0)	04-Feb-25	POST-EMERGENT	Non-crop	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
BAYER CROSCIENCE, INC.	SPINOTETRAMAT	MOVENTO 240 SC	240 g/L	SC	INSECTICIDE / NEMATOCIDE	4	284-419-2801	28-Dec-25	-	Banana	Flower thrips	3.3-4.3 mL prod. / Liter of water (80% solution) (20g)	0.3 µm	77 days	Treated areas may be re-entered immediately after bud injection
BAYER CROSCIENCE, INC.	SPINOTETRAMAT	MOVENTO 240 SC	240 g/L	SC	INSECTICIDE / NEMATOCIDE	4	284-419-2801	27-Sep-24	-	Banana	Mealy bugs, scale insects, aphids, corn weevil (stem and root spray)	2-3 mL prod. / L water	-	77 days	Treated areas may be re-entered immediately after bud injection
BAYER CROSCIENCE, INC.	SPINOTETRAMAT	MOVENTO 240 SC	240 g/L	SC	INSECTICIDE / NEMATOCIDE	4	284-419-2801	28-Dec-25	-	Pineapple	Mealybugs, scale insects, white grubs, mites and nematodes	0.45-1.20Liters product/ha	0.3 µm	120 days	Treated areas may be re-entered immediately after bud injection
PLANTMEDS AGRISOLUTIONS CORP.	PROFENOFOS	MOTYL 500 EC	500 g/L	EC	INSECTICIDE	2	683-070-5398	08-Jul-24	STOMACH/CONTACT	Tomato	Fruitworm, armyworm, cutworm	3-5 Tbsp/36L water	-	14 days	Do not enter treated field 1 day after application.
PLANTMEDS AGRISOLUTIONS CORP.	PROFENOFOS	MOTYL 500 EC	500 g/L	EC	INSECTICIDE	2	683-070-5398	08-Jul-24	STOMACH/CONTACT	Eggplant	Fruitborer, aphids, leafhopper, & thrips	1.5-3 Tbsp/ 36L water	-	14 days	Do not enter treated field 1 day after application.
PLANTMEDS AGRISOLUTIONS CORP.	PROFENOFOS	MOTYL 500 EC	500 g/L	EC	INSECTICIDE	2	683-070-5398	08-Jul-24	STOMACH/CONTACT	Cabbage	Diamond-back moth, cabbage worms, aphids & thrips	3-5 Tbsp/36L water	-	14 days	Do not enter treated field 1 day after application.
PLANTMEDS AGRISOLUTIONS CORP.	PROFENOFOS	MOTYL 500 EC	500 g/L	EC	INSECTICIDE	2	683-070-5398	08-Jul-24	STOMACH/CONTACT	Watermelon	Thrips	3-5 Tbsp/36L water	-	14 days	Do not enter treated field 1 day after application.
PLANTMEDS AGRISOLUTIONS CORP.	PROFENOFOS	MOTYL 500 EC	500 g/L	EC	INSECTICIDE	2	683-070-5398	08-Jul-24	STOMACH/CONTACT	Potato	Thrips, armyworm, cutworm, tuber moth	3-5 Tbsp/36L water	-	14 days	Do not enter treated field 1 day after application.
PLANTMEDS AGRISOLUTIONS CORP.	PROFENOFOS	MOTYL 500 EC	500 g/L	EC	INSECTICIDE	2	683-070-5398	08-Jul-24	STOMACH/CONTACT	Soybeans/Mungbeans	Corn earworm, leafminer	3-5 Tbsp/36L water	-	14 days	Do not enter treated field 1 day after application.
PLANTMEDS AGRISOLUTIONS CORP.	PROFENOFOS	MOTYL 500 EC	500 g/L	EC	INSECTICIDE	2	683-070-5398	08-Jul-24	STOMACH/CONTACT	Cotton	Thrips, bollworms, budworms	3-5 Tbsp/36L water	-	14 days	Do not enter treated field 1 day after application.
PLANTMEDS AGRISOLUTIONS CORP.	PROFENOFOS	MOTYL 500 EC	500 g/L	EC	INSECTICIDE	2	683-070-5398	08-Jul-24	STOMACH/CONTACT	Sitao	Beanyfly, leaf folder, aphids	1.5-3 Tbsp/ 36L water	-	14 days	Do not enter treated field 1 day after application.
TRANS WORLD TRADING CO., INC.	ACETAAMPHID	MODPLAN 3 EC	30 g/L	EC	INSECTICIDE	3	038-329-0973	23-Nov-24	-	Mango	Mango Hopper	1.5-2.0 Tbsp. / 36 L	1 mg/kg	Do not spray within 14 days of harvest	Do not enter the field within 2 days after spraying
TRANS WORLD TRADING CO., INC.	ACETAAMPHID	MODPLAN 3 EC	30 g/L	EC	INSECTICIDE	3	038-329-0973	23-Nov-24	-	Eggplant	leafhoppers & fruit /shoot borer	2.0Tbsp./36 L	5 µm	Do not spray within 14 days of harvest	Do not enter the field within 2 days after spraying
AGSMART CORPORATION	DMETHOMORPH	MORPHUS 50 WP	500 g/kg	WP	FUNGICIDE	3	680-264-6466	19-Feb-27	-	White potato	Late blight	5-10 g/ 36L water	-	Do not spray on tomatoes 7 days, on potatoes and pineapple at 14 days and on papaya at 1 days before	Entry to crops and fields sprayed with MORPHUS 50 WP may be done 1 day after spraying
AGSMART CORPORATION	DMETHOMORPH	MORPHUS 50 WP	500 g/kg	WP	FUNGICIDE	3	680-264-6466	19-Feb-27	-	Tomato	Late blight	40 g/ 36L water	-	Do not spray on tomatoes 7 days, on potatoes and pineapple at 14 days and on papaya at 1 days before	Entry to crops and fields sprayed with MORPHUS 50 WP may be done 1 day after spraying
AGSMART CORPORATION	DMETHOMORPH	MORPHUS 50 WP	500 g/kg	WP	FUNGICIDE	3	680-264-6466	19-Feb-27	-	Pineapple	Root rot and heart rot	80 g/ 36L water	-	Do not spray on tomatoes 7 days, on potatoes and pineapple at 14 days and on papaya at 1 days before	Entry to crops and fields sprayed with MORPHUS 50 WP may be done 1 day after spraying
AGSMART CORPORATION	DMETHOMORPH	MORPHUS 50 WP	500 g/kg	WP	FUNGICIDE	3	680-264-6466	19-Feb-27	-	Papaya	Phytophthora rot	4.8 g/L	-	Do not spray on tomatoes 7 days, on potatoes and pineapple at 14 days and on papaya at 1 days before	Entry to crops and fields sprayed with MORPHUS 50 WP may be done 1 day after spraying
GREAT HARVEST AGROCHEMICALS CORPORATION	TRIDENMORPH	MORPHOLUX OL	860 g/L	OL	FUNGICIDE	2	543-097-4560	15-Nov-21	SYSTEMIC/CONTACT	Banana	Black sigatoka	0.5 L/ha Tridemorph + 5.0 L/ha Oil	-	0 day	Until the spray deposit has dried
ENVIRO CROPPET PRODUCTS INC.	TRIDENMORPH	MORPHOLUX 86 OL	860 g/L	OL	FUNGICIDE	2	282-097-6199	13-Aug-24	CONTACT (SYSTEMIC)	Banana	Black sigatoka	0.5 L/ha MORPHOLUX 86 OL + 5.0 L/ha	-	0 day	Until the spray deposit has dried
RAVISON AGROCHEMICAL CORPORATION	BPAC-CHLORPYRIFOS	MOREDAN 31.5 EC	210-205 g/L	EC	INSECTICIDE	2	234-174-1471-A	03-Nov-26	-	Rice	Stemborer, armyworm, leafhopper, caseworm and planthopper	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest	Do not enter treated field within 2 days after spraying.
RAVISON AGROCHEMICAL CORPORATION	BPAC-CHLORPYRIFOS	MOREDAN 31.5 EC	210-205 g/L	EC	INSECTICIDE	2	234-174-1471-A	03-Nov-26	-	Corn	Seedling maggot, corn earworm, cornborer and armyworm	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest	Do not enter treated field within 2 days after spraying.

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
RADISSON AGROCHEMICAL CORPORATION	BPAC-CHLORPYRIFOS	MOREDAN 31.5 EC	210-305 g/L	EC	INSECTICIDE	2	234-174-1471-A	03-Nov-26	-	Tobacco	Budworm, grasshopper, aphid, cutworm and armyworm	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest	Do not enter treated field within 2 days after spraying
RADISSON AGROCHEMICAL CORPORATION	BPAC-CHLORPYRIFOS	MOREDAN 31.5 EC	210-305 g/L	EC	INSECTICIDE	2	234-174-1471-A	03-Nov-26	-	Cucumber	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest	Do not enter treated field within 2 days after spraying
RADISSON AGROCHEMICAL CORPORATION	BPAC-CHLORPYRIFOS	MOREDAN 31.5 EC	210-305 g/L	EC	INSECTICIDE	2	234-174-1471-A	03-Nov-26	-	Melon	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest	Do not enter treated field within 2 days after spraying
RADISSON AGROCHEMICAL CORPORATION	BPAC-CHLORPYRIFOS	MOREDAN 31.5 EC	210-305 g/L	EC	INSECTICIDE	2	234-174-1471-A	03-Nov-26	-	Watermelon	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest	Do not enter treated field within 2 days after spraying
RADISSON AGROCHEMICAL CORPORATION	BPAC-CHLORPYRIFOS	MOREDAN 31.5 EC	210-305 g/L	EC	INSECTICIDE	2	234-174-1471-A	03-Nov-26	-	Onion	Thrips, cutworm	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest	Do not enter treated field within 2 days after spraying
RADISSON AGROCHEMICAL CORPORATION	BPAC-CHLORPYRIFOS	MOREDAN 31.5 EC	210-305 g/L	EC	INSECTICIDE	2	234-174-1471-A	03-Nov-26	-	Mungbeans	Beetfly, armyworm, cutworm, leafminer and leafroller	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest	Do not enter treated field within 2 days after spraying
RADISSON AGROCHEMICAL CORPORATION	BPAC-CHLORPYRIFOS	MOREDAN 31.5 EC	210-305 g/L	EC	INSECTICIDE	2	234-174-1471-A	03-Nov-26	-	Soybeans	Beetfly, armyworm, cutworm, leafminer and leafroller	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest	Do not enter treated field within 2 days after spraying
RADISSON AGROCHEMICAL CORPORATION	BPAC-CHLORPYRIFOS	MOREDAN 31.5 EC	210-305 g/L	EC	INSECTICIDE	2	234-174-1471-A	03-Nov-26	-	Beans	Beetfly, armyworm, cutworm, leafminer and leafroller	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest	Do not enter treated field within 2 days after spraying
PLUTOS NUTRITION SOLUTIONS COMPANY INC.	BENDAZOLONIUM CHLORIDE	MORBU-SHIELD	80 g/L	-	OTHERS	2	685-097-4709	18-Mar-22	-	Banana	As tool disinfectant, foot bath, tire bath, or wheel bath for the control of Moko disease or bacterial wilt (Ralstonia solanacearum)	10-30 mL/4L water	-	-	-
ALDIZ INCORPORATED	DIFENOCONAZOLE	MONTANA 250 EC	250 g/L	EC	FUNGICIDE	4	002-272-2942	23-Feb-26	SYSTEMIC	Banana	Black Sigatoka	0.30-0.40 L prod/ha	-	7 days	As soon as the last spray has dried
ALDIZ INCORPORATED	DIFENOCONAZOLE	MONTANA 250 EC	250 g/L	EC	FUNGICIDE	4	002-272-2942	23-Feb-26	SYSTEMIC	Mango	Anthraxnose	0.528-0.88 L/ha	-	14 days	As soon as the last spray has dried
ALDIZ INCORPORATED	DIFENOCONAZOLE	MONTANA 250 EC	250 g/L	EC	FUNGICIDE	4	002-272-2942	23-Feb-26	SYSTEMIC	Rice	Sheath Blight	0.25-0.30 L/ha	-	7 days	As soon as the last spray has dried
ALDIZ INCORPORATED	DIFENOCONAZOLE	MONTANA 250 EC	250 g/L	EC	FUNGICIDE	4	002-272-2942	23-Feb-26	SYSTEMIC	Stringbeans	Leaf spot	0.20-0.30 L/ha	-	7 days	As soon as the last spray has dried
ALDIZ INCORPORATED	DIFENOCONAZOLE	MONTANA 250 EC	250 g/L	EC	FUNGICIDE	4	002-272-2942	23-Feb-26	SYSTEMIC	Eggplant	Leaf spot	0.20-0.30 L/ha	-	7 days	As soon as the last spray has dried
ALDIZ INCORPORATED	DIFENOCONAZOLE	MONTANA 250 EC	250 g/L	EC	FUNGICIDE	4	002-272-2942	23-Feb-26	SYSTEMIC	Tomato	Alternaria leaf spot, cercospora leaf mold, powdery mildew	0.30-0.30 L/ha	-	7 days	As soon as the last spray has dried
ALDIZ INCORPORATED	DIFENOCONAZOLE	MONTANA 250 EC	250 g/L	EC	FUNGICIDE	4	002-272-2942	23-Feb-26	SYSTEMIC	Cabbage	Ringspot, alternaria	0.20-0.30 L/ha	-	7 days	As soon as the last spray has dried
ALDIZ INCORPORATED	DIFENOCONAZOLE	MONTANA 250 EC	250 g/L	EC	FUNGICIDE	4	002-272-2942	23-Feb-26	SYSTEMIC	Onion	Purple blotch	0.40-0.50 L/ha	-	7 days	As soon as the last spray has dried
ALDIZ INCORPORATED	DIFENOCONAZOLE	MONTANA 250 EC	250 g/L	EC	FUNGICIDE	4	002-272-2942	23-Feb-26	SYSTEMIC	Asparagus	Stem and leaf blight	0.36 L/ha	-	7 days	As soon as the last spray has dried
CAVILLA AGR VENTURES, INC.	NICLOXAMIDE ETHANOLAMINE SALT	MONSTER 70 WP	700g/kg	WP	MOLLUSCICIDE	4	636-229-4690	06-Mar-22	CONTACT	Rice	Golden apple snail	16 grams or 1 sachet product/ sprayload (16 liters)	-	-	Do not enter the treated field within 48 hours after application
ARIES RINE CHEMICAL CORPORATION	FLUAZIFOP-P-BUTYL	MONOCIDE 15 EC	150 g/L	EC	HERBICIDE	4	478-212-4405	22-Jun-24	SYSTEMIC/SELECTIVE/POST-EMERGENT	Banana	Grasses; hchgrasses, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L water	-	-	-
ARIES RINE CHEMICAL CORPORATION	FLUAZIFOP-P-BUTYL	MONOCIDE 15 EC	150 g/L	EC	HERBICIDE	4	478-212-4405	22-Jun-24	SYSTEMIC/SELECTIVE/POST-EMERGENT	Cacao	Grasses; hchgrasses, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L water	-	-	-
ARIES RINE CHEMICAL CORPORATION	FLUAZIFOP-P-BUTYL	MONOCIDE 15 EC	150 g/L	EC	HERBICIDE	4	478-212-4405	22-Jun-24	SYSTEMIC/SELECTIVE/POST-EMERGENT	Citrus	Grasses; hchgrasses, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L water	-	-	-
ARIES RINE CHEMICAL CORPORATION	FLUAZIFOP-P-BUTYL	MONOCIDE 15 EC	150 g/L	EC	HERBICIDE	4	478-212-4405	22-Jun-24	SYSTEMIC/SELECTIVE/POST-EMERGENT	Cotton	Grasses; hchgrasses, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L water	-	-	-
ARIES RINE CHEMICAL CORPORATION	FLUAZIFOP-P-BUTYL	MONOCIDE 15 EC	150 g/L	EC	HERBICIDE	4	478-212-4405	22-Jun-24	SYSTEMIC/SELECTIVE/POST-EMERGENT	Coffee	Grasses; hchgrasses, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L water	-	-	-
ARIES RINE CHEMICAL CORPORATION	FLUAZIFOP-P-BUTYL	MONOCIDE 15 EC	150 g/L	EC	HERBICIDE	4	478-212-4405	22-Jun-24	SYSTEMIC/SELECTIVE/POST-EMERGENT	Oil palm	Grasses; hchgrasses, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L water	-	-	-
ARIES RINE CHEMICAL CORPORATION	FLUAZIFOP-P-BUTYL	MONOCIDE 15 EC	150 g/L	EC	HERBICIDE	4	478-212-4405	22-Jun-24	SYSTEMIC/SELECTIVE/POST-EMERGENT	Ramie	Grasses; hchgrasses, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L water	-	-	-
ARIES RINE CHEMICAL CORPORATION	FLUAZIFOP-P-BUTYL	MONOCIDE 15 EC	150 g/L	EC	HERBICIDE	4	478-212-4405	22-Jun-24	SYSTEMIC/SELECTIVE/POST-EMERGENT	Rubber	Grasses; hchgrasses, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L water	-	-	-
ARIES RINE CHEMICAL CORPORATION	FLUAZIFOP-P-BUTYL	MONOCIDE 15 EC	150 g/L	EC	HERBICIDE	4	478-212-4405	22-Jun-24	SYSTEMIC/SELECTIVE/POST-EMERGENT	Onion	Grasses; hchgrasses, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L water	-	-	-
ARIES RINE CHEMICAL CORPORATION	FLUAZIFOP-P-BUTYL	MONOCIDE 15 EC	150 g/L	EC	HERBICIDE	4	478-212-4405	22-Jun-24	SYSTEMIC/SELECTIVE/POST-EMERGENT	Pineapple	Grasses; hchgrasses, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L water	-	-	-
ARIES RINE CHEMICAL CORPORATION	FLUAZIFOP-P-BUTYL	MONOCIDE 15 EC	150 g/L	EC	HERBICIDE	4	478-212-4405	22-Jun-24	SYSTEMIC/SELECTIVE/POST-EMERGENT	Soybeans	Grasses; hchgrasses, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L water	-	-	-
ARIES RINE CHEMICAL CORPORATION	FLUAZIFOP-P-BUTYL	MONOCIDE 15 EC	150 g/L	EC	HERBICIDE	4	478-212-4405	22-Jun-24	SYSTEMIC/SELECTIVE/POST-EMERGENT	Tomato	Grasses; hchgrasses, goosegrass, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L water	-	-	-
MONARC CROP SOLUTIONS PROVIDER CORPORATION	MANCOZEB	MONAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	550-053-3947	03/17/2020	-	Potato	Early and late blight	3-6 Tbsp/36L water	-	-	As soon as spray dries
MONARC CROP SOLUTIONS PROVIDER CORPORATION	MANCOZEB	MONAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	550-053-3947	03/17/2020	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/36L water	-	7 days	As soon as spray dries
MONARC CROP SOLUTIONS PROVIDER CORPORATION	MANCOZEB	MONAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	550-053-3947	03/17/2020	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/36L water	-	7 days	As soon as spray dries
MONARC CROP SOLUTIONS PROVIDER CORPORATION	MANCOZEB	MONAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	550-053-3947	03/17/2020	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/36L water	-	7 days	As soon as spray dries
MONARC CROP SOLUTIONS PROVIDER CORPORATION	MANCOZEB	MONAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	550-053-3947	03/17/2020	-	Celery	Late blight	3-6 Tbsp/36L water	-	14 days	As soon as spray dries
MONARC CROP SOLUTIONS PROVIDER CORPORATION	MANCOZEB	MONAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	550-053-3947	03/17/2020	-	Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36L water	-	5 days	As soon as spray dries
MONARC CROP SOLUTIONS PROVIDER CORPORATION	MANCOZEB	MONAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	550-053-3947	03/17/2020	-	Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36L water	-	5 days	As soon as spray dries
MONARC CROP SOLUTIONS PROVIDER CORPORATION	MANCOZEB	MONAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	550-053-3947	03/17/2020	-	Cotton	Damping off	3-6 Tbsp/36L water	-	-	As soon as spray dries
MONARC CROP SOLUTIONS PROVIDER CORPORATION	MANCOZEB	MONAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	550-053-3947	03/17/2020	-	Lettuce	Downy mildew	3-6 Tbsp/36L water	-	7 days	As soon as spray dries
MONARC CROP SOLUTIONS PROVIDER CORPORATION	MANCOZEB	MONAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	550-053-3947	03/17/2020	-	Beans	Anthraxnose, Downy mildew, Rust	3-6 Tbsp/36L water	-	5 days	As soon as spray dries
MONARC CROP SOLUTIONS PROVIDER CORPORATION	MANCOZEB	MONAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	550-053-3947	03/17/2020	-	Peas	Anthraxnose, Downy mildew, Rust	3-6 Tbsp/36L water	-	5 days	As soon as spray dries
MONARC CROP SOLUTIONS PROVIDER CORPORATION	MANCOZEB	MONAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	550-053-3947	03/17/2020	-	Mungo	Anthraxnose, Downy mildew, Rust	3-6 Tbsp/36L water	-	5 days	As soon as spray dries
MONARC CROP SOLUTIONS PROVIDER CORPORATION	MANCOZEB	MONAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	550-053-3947	03/17/2020	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/36L water	-	5 days	As soon as spray dries
MONARC CROP SOLUTIONS PROVIDER CORPORATION	MANCOZEB	MONAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	550-053-3947	03/17/2020	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36L water	-	7 days	As soon as spray dries
MONARC CROP SOLUTIONS PROVIDER CORPORATION	MANCOZEB	MONAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	550-053-3947	03/17/2020	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36L water	-	7 days	As soon as spray dries
MONARC CROP SOLUTIONS PROVIDER CORPORATION	MANCOZEB	MONAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	550-053-3947	03/17/2020	-	Pepper	Anthraxnose	3-6 Tbsp/36L water	-	7 days	As soon as spray dries
MONARC CROP SOLUTIONS PROVIDER CORPORATION	MANCOZEB	MONAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	550-053-3947	03/17/2020	-	Chili	Anthraxnose	3-6 Tbsp/36L water	-	7 days	As soon as spray dries
MONARC CROP SOLUTIONS PROVIDER CORPORATION	MANCOZEB	MONAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	550-053-3947	03/17/2020	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/36L water	-	7 days	As soon as spray dries
MONARC CROP SOLUTIONS PROVIDER CORPORATION	MANCOZEB	MONAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	550-053-3947	03/17/2020	-	Banana	Sigatoka, Black leaf streak	3-6 Tbsp/36L water	-	-	As soon as spray dries
MONARC CROP SOLUTIONS PROVIDER CORPORATION	MANCOZEB	MONAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	550-053-3947	03/17/2020	-	Grapes	Downy mildew, black rot	3-6 Tbsp/36L water	-	60 days	As soon as spray dries
MONARC CROP SOLUTIONS PROVIDER CORPORATION	MANCOZEB	MONAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	550-053-3947	03/17/2020	-	Mango	Anthraxnose and Scab	3-6 Tbsp/36L water	-	5 days	As soon as spray dries
MONARC CROP SOLUTIONS PROVIDER CORPORATION	MANCOZEB	MONAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	550-053-3947	03/17/2020	-	Papaya	Fruit rot	3-6 Tbsp/36L water	-	-	As soon as spray dries
MONARC CROP SOLUTIONS PROVIDER CORPORATION	MANCOZEB	MONAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	550-053-3947	03/17/2020	-	Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36L water	-	5 days	As soon as spray dries
MONARC CROP SOLUTIONS PROVIDER CORPORATION	MANCOZEB	MONAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	550-053-3947	03/17/2020	-	Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36L water	-	5 days	As soon as spray dries
MONARC CROP SOLUTIONS PROVIDER CORPORATION	MANCOZEB	MONAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	550-053-3947	03/17/2020	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/36L water	-	7 days	As soon as spray dries
MONARC CROP SOLUTIONS PROVIDER CORPORATION	MANCOZEB	MONAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	550-053-3947	03/17/2020	-	Rice	Blat, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/36L water	0.02ppm	-	As soon as spray dries

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
MONARCH CROP SOLUTIONS PROVIDER CORPORATION	MANCOZEB	MONAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	550-053-3947	03/17/2020	-	Peanut	Cercospora leaf spot	3-6 Tbsp/36L water	-	14 Days	As soon as spray dries
MONARCH CROP SOLUTIONS PROVIDER CORPORATION	MANCOZEB	MONAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	550-053-3947	03/17/2020	-	Soybeans	Leaf rust	3-6 Tbsp/36L water	-	-	As soon as spray dries
MONARCH CROP SOLUTIONS PROVIDER CORPORATION	MANCOZEB	MONAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	550-053-3947	03/17/2020	-	Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/36L water	-	-	As soon as spray dries
MONARCH AGRICULTURAL PRODUCTS, INC.	MALATHION	MONARCH MALATHION 57% EC	570 g/L	EC	INSECTICIDE	4	096-038-1669	10-Nov-22	NON-SYSTEMIC	Fruit trees	Aphids, mealy bug scale insect	1.5-3.0Tbsp/36 L water	-	-	Do not spray 14 days before harvest
MONARCH AGRICULTURAL PRODUCTS, INC.	MALATHION	MONARCH MALATHION 57% EC	570 g/L	EC	INSECTICIDE	4	096-038-1669	10-Nov-22	NON-SYSTEMIC	Rice	Armyworm, cutworm, leafhopper, bugs	2.0-3.0Tbsp/36 L water	-	-	Do not enter the field within two (2) days after spraying
MONARCH AGRICULTURAL PRODUCTS, INC.	MALATHION	MONARCH MALATHION 57% EC	570 g/L	EC	INSECTICIDE	4	096-038-1669	10-Nov-22	NON-SYSTEMIC	Corn	Earworm, silkworm, aphids, grasshopper	3.0-5.0Tbsp/36 L water	-	-	Do not enter the field within two (2) days after spraying
MONARCH AGRICULTURAL PRODUCTS, INC.	MALATHION	MONARCH MALATHION 57% EC	570 g/L	EC	INSECTICIDE	4	096-038-1669	10-Nov-22	NON-SYSTEMIC	Cabbage	Cabbage worm, loopers, diamond-back moth	2.0-5.0Tbsp/36 L water	-	-	Do not enter the field within two (2) days after spraying
MONARCH AGRICULTURAL PRODUCTS, INC.	MALATHION	MONARCH MALATHION 57% EC	570 g/L	EC	INSECTICIDE	4	096-038-1669	10-Nov-22	NON-SYSTEMIC	Crucifers	Cabbage worm, loopers, diamond-back moth	2.0-5.0Tbsp/36 L water	-	-	Do not enter the field within two (2) days after spraying
MONARCH AGRICULTURAL PRODUCTS, INC.	MALATHION	MONARCH MALATHION 57% EC	570 g/L	EC	INSECTICIDE	4	096-038-1669	10-Nov-22	NON-SYSTEMIC	Legumes	Aphids, beanfly, cutworm, flea beetles, leafminer, maggots, mealybug, podborer, thrips	2.0-5.0Tbsp/36 L water	-	-	Do not enter the field within two (2) days after spraying
MONARCH AGRICULTURAL PRODUCTS, INC.	MALATHION	MONARCH MALATHION 57% EC	570 g/L	EC	INSECTICIDE	4	096-038-1669	10-Nov-22	NON-SYSTEMIC	Grapes	Beetles, cutworm, leafhopper, mealybug, scale, insect, spider mites	3.0Tbsp/36 L water	-	-	Do not enter the field within two (2) days after spraying
MONARCH AGRICULTURAL PRODUCTS, INC.	MALATHION	MONARCH MALATHION 57% EC	570 g/L	EC	INSECTICIDE	4	096-038-1669	10-Nov-22	NON-SYSTEMIC	Pineapple	Mealy bug	3.0Tbsp/36 L water	-	-	Do not enter the field within two (2) days after spraying
MONARCH AGRICULTURAL PRODUCTS, INC.	MALATHION	MONARCH MALATHION 57% EC	570 g/L	EC	INSECTICIDE	4	096-038-1669	10-Nov-22	NON-SYSTEMIC	Pepper	Aphid, cutworm, fruitworm	3.0Tbsp/36 L water	-	-	Do not enter the field within two (2) days after spraying
MONARCH AGRICULTURAL PRODUCTS, INC.	MALATHION	MONARCH MALATHION 57% EC	570 g/L	EC	INSECTICIDE	4	096-038-1669	10-Nov-22	NON-SYSTEMIC	Garlic	Cutworm	3.0Tbsp/36 L water	-	-	Do not enter the field within two (2) days after spraying
MONARCH AGRICULTURAL PRODUCTS, INC.	MALATHION	MONARCH MALATHION 57% EC	570 g/L	EC	INSECTICIDE	4	096-038-1669	10-Nov-22	NON-SYSTEMIC	Onion	Cutworm	3.0Tbsp/36 L water	-	-	Do not enter the field within two (2) days after spraying
MONARCH AGRICULTURAL PRODUCTS, INC.	MALATHION	MONARCH MALATHION 57% EC	570 g/L	EC	INSECTICIDE	4	096-038-1669	10-Nov-22	NON-SYSTEMIC	Tobacco	Aphids, katydid	3.0-6.0Tbsp/36 L water	-	-	Do not enter the field within two (2) days after spraying
MONARCH AGRICULTURAL PRODUCTS, INC.	MALATHION	MONARCH MALATHION 57% EC	570 g/L	EC	INSECTICIDE	4	096-038-1669	10-Nov-22	NON-SYSTEMIC	Ornamentals	Aphids, cutworm, mealybug, scale insect, spider mites	3.0-5.0Tbsp/36 L water	-	-	Do not enter the field within two (2) days after spraying
MONARCH AGRICULTURAL PRODUCTS, INC.	MALATHION	MONARCH MALATHION 57% EC	570 g/L	EC	INSECTICIDE	4	096-038-1669	10-Nov-22	NON-SYSTEMIC	Tomato	Lady beetle	3.0-5.0Tbsp/36 L water	-	-	Do not enter the field within two (2) days after spraying
MONARCH AGRICULTURAL PRODUCTS, INC.	MALATHION	MONARCH MALATHION 57% EC	570 g/L	EC	INSECTICIDE	4	096-038-1669	10-Nov-22	NON-SYSTEMIC	Eggplant	Aphids, fruitworm	3.0-5.0Tbsp/36 L water	-	-	Do not enter the field within two (2) days after spraying
MONARCH AGRICULTURAL PRODUCTS, INC.	MALATHION	MONARCH MALATHION 57% EC	570 g/L	EC	INSECTICIDE	4	096-038-1669	10-Nov-22	NON-SYSTEMIC	Sorghum	Web worm	3.0Tbsp/36 L water	-	-	Do not enter the field within two (2) days after spraying
MONARCH AGRICULTURAL PRODUCTS, INC.	DIURON	MONARCH DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	096-021-1880	05-May-27	SELECTIVE	Citrus	Annual and Perennial broadleaves and grasses	11.0-18.0Tbsp/36 L water	-	-	A day after application or after the spray has dried, do not enter the treated fields without protective clothing
MONARCH AGRICULTURAL PRODUCTS, INC.	DIURON	MONARCH DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	096-021-1880	05-May-27	SELECTIVE	Coffee	Annual and Perennial broadleaves and grasses	11.0-18.0Tbsp/36 L water	-	-	A day after application or after the spray has dried, do not enter the treated fields without protective clothing
MONARCH AGRICULTURAL PRODUCTS, INC.	DIURON	MONARCH DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	096-021-1880	05-May-27	SELECTIVE	Cotton	Annual and Perennial broadleaves and grasses	8.0Tbsp/36 L water	-	-	A day after application or after the spray has dried, do not enter the treated fields without protective clothing
MONARCH AGRICULTURAL PRODUCTS, INC.	DIURON	MONARCH DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	096-021-1880	05-May-27	SELECTIVE	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0Tbsp/36 L water	-	-	A day after application or after the spray has dried, do not enter the treated fields without protective clothing
MONARCH AGRICULTURAL PRODUCTS, INC.	DIURON	MONARCH DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	096-021-1880	05-May-27	SELECTIVE	Pineapple	Annual and Perennial broadleaves and grasses	11.0Tbsp/36 L water	-	-	A day after application or after the spray has dried, do not enter the treated fields without protective clothing
MONARCH AGRICULTURAL PRODUCTS, INC.	DIURON	MONARCH DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	096-021-1880	05-May-27	SELECTIVE	Non-crop land	Annual and Perennial broadleaves and grasses	20.0-28.0Tbsp/36 L water	-	-	A day after application or after the spray has dried, do not enter the treated fields without protective clothing
MONARCH AGRICULTURAL PRODUCTS, INC.	DAZINON	MONARCH DAZINON	600 g/L	EC	INSECTICIDE	2	096-034-2631	29-Jul-25	-	Rice	Rice bug, stemborer, leafroller, whorl maggot	2.5-3.5 tbsp/36L water	-	-	-
MONARCH AGRICULTURAL PRODUCTS, INC.	DAZINON	MONARCH DAZINON	600 g/L	EC	INSECTICIDE	2	096-034-2631	29-Jul-25	-	Corn	Comborer, earworm, aphids, silk beetle	2.5-3.5 tbsp/36L water	-	-	-
MONARCH AGRICULTURAL PRODUCTS, INC.	DAZINON	MONARCH DAZINON	600 g/L	EC	INSECTICIDE	2	096-034-2631	29-Jul-25	-	Beans	Cutworm, podborer, aphids, flea beetle	2.5-3.5 tbsp/36L water	-	-	-
MONARCH AGRICULTURAL PRODUCTS, INC.	DAZINON	MONARCH DAZINON	600 g/L	EC	INSECTICIDE	2	096-034-2631	29-Jul-25	-	Cowpea	Aphids, cutworm, grasshopper	2.5-3.5 tbsp/36L water	-	-	-
MONARCH AGRICULTURAL PRODUCTS, INC.	DAZINON	MONARCH DAZINON	600 g/L	EC	INSECTICIDE	2	096-034-2631	29-Jul-25	-	Soybeans	Cutworm, aphids, stink bug, grasshopper	2.5-3.5 tbsp/36L water	-	-	-
MONARCH AGRICULTURAL PRODUCTS, INC.	DAZINON	MONARCH DAZINON	600 g/L	EC	INSECTICIDE	2	096-034-2631	29-Jul-25	-	Pineapple	Mealybug	2.5-3.5 tbsp/36L water	-	-	-
MONARCH AGRICULTURAL PRODUCTS, INC.	DAZINON	MONARCH DAZINON	600 g/L	EC	INSECTICIDE	2	096-034-2631	29-Jul-25	-	Cotton	Katydid, grasshopper, cutworm, mites	2.5-3.5 tbsp/36L water	-	-	-
MONARCH AGRICULTURAL PRODUCTS, INC.	DAZINON	MONARCH DAZINON	600 g/L	EC	INSECTICIDE	2	096-034-2631	29-Jul-25	-	Tobacco	Budworm, aphids, armyworm, flea beetle	2.5-3.5 tbsp/36L water	-	-	-
MONARCH AGRICULTURAL PRODUCTS, INC.	DAZINON	MONARCH DAZINON	600 g/L	EC	INSECTICIDE	2	096-034-2631	29-Jul-25	-	White potato	Aphids, leafroller, cutworm	2.5-3.5 tbsp/36L water	-	-	-
MONARCH AGRICULTURAL PRODUCTS, INC.	DAZINON	MONARCH DAZINON	600 g/L	EC	INSECTICIDE	2	096-034-2631	29-Jul-25	-	Citrus	Mites, aphids, stink bug	2.5-3.5 tbsp/36L water	-	-	-
MONARCH AGRICULTURAL PRODUCTS, INC.	DAZINON	MONARCH DAZINON	600 g/L	EC	INSECTICIDE	2	096-034-2631	29-Jul-25	-	Banana	Thrips, mealybug, leafroller	2.5-3.5 tbsp/36L water	-	-	-
MONARCH AGRICULTURAL PRODUCTS, INC.	DAZINON	MONARCH DAZINON	600 g/L	EC	INSECTICIDE	2	096-034-2631	29-Jul-25	-	Mango	Hopper, Tipborer	2.5-3.5 tbsp/36L water	-	-	-
MONSANTO PHILIPPINES INC.	CRYIA-105 AND CRY2A82	MON 89034 (YIELD GARD 2)	-	-	INSECTICIDE	-	PP-02-03-04	25-Oct-21	-	Corn	Asian Corn borer (<i>Ditrema Funnicole Guene</i>), Common cutworm (<i>Spodoptera litura</i>), Earworm (<i>Helicoverpa armigera</i>)	-	-	-	-
MONSANTO PHILIPPINES INC.	CRYIA-105 AND CRY2A82	MON 89034 (YIELD GARD 2)	-	-	INSECTICIDE	-	PP-02-03-04	25-Oct-21	-	Corn as Plant-Incorporated protectant (PIP) insecticide	Fall armyworm (<i>Spodoptera frugiperda</i>)	-	-	-	-
TRANS WORLD TRADING CO., INC.	METALDEHYDE	MOLLUXIDE PELLETS	600 g/kg	P	MOLLUSCICIDE	4	038-075-2335	30-Oct-17	CONTACT	Rice (Transplanted)	Golden apple snail	2-4 kg/ product per hectare	-	-	-
TRANS WORLD TRADING CO., INC.	METALDEHYDE	MOLLUXIDE PELLETS	600 g/kg	P	MOLLUSCICIDE	4	038-075-2335	30-Oct-17	CONTACT	Rice (Direct Seeded)	Golden apple snail	4-8 kg/product per hectare	-	-	-
TRANS WORLD TRADING CO., INC.	METALDEHYDE	MOLLUXIDE PELLETS	600 g/kg	P	MOLLUSCICIDE	4	038-075-2335	30-Oct-17	CONTACT	Potted and driftwood-attached plants such as	Blush, snails, giant african snail and slugs	1-2 kg/product per hectare	-	-	-
TRANS WORLD TRADING CO., INC.	METALDEHYDE	MOLLUXIDE PELLETS	600 g/kg	P	MOLLUSCICIDE	4	038-075-2335	30-Oct-17	CONTACT	Chinese Cabbage	Slug, snails	6-8 kg/product per hectare	-	-	-
TRANS WORLD TRADING CO., INC.	METALDEHYDE	MOLLUXIDE PELLETS	600 g/kg	P	MOLLUSCICIDE	4	038-075-2335	30-Oct-17	CONTACT	Strawberry	Slug, snails	6-8 kg/product per hectare	-	-	-
TRANS WORLD TRADING CO., INC.	NICLOSMIDE ETHANOLAMINE SALT	MOLLUXIDE 70 WP*	700 g/kg	WP	MOLLUSCICIDE	4	038-229-1455-A	23-Dec-26	CONTACT	Rice	Golden Apple Snail (Kuhol)	35 gm or 1 sachet/36 L water	-	-	Do not enter the treated field within 48 hours after application
KEMSTAR CORPORATION	NICLOSMIDE ETHANOLAMINE SALT	MOLLUXIDE 70 WP	700 g/kg	WP	MOLLUSCICIDE	4	239-229-3853	02-Dec-19	CONTACT	Rice	Golden Apple Snail (Kuhol)	35 gm/36 L water	-	-	Do not enter the treated field within 48 hours after application
TRANS WORLD TRADING CO., INC.	NICLOSMIDE	MOLLUXIDE 250 EC	250 g/L	EC	MOLLUSCICIDE	4	038-229-0864	15-Mar-19	-	Rice	Golden apple snail	7-10Tbsp/36L water	-	-	-
GOLDENMAN MARKETING CORPORATION	BUPIRIBAC SODIUM	MOLTOV 10 SC	100 g/L	SC	HERBICIDE	2	400-276-5252	08-Nov-24	SELECTIVE (POST-EMERGENT)	Rice (Direct-Seeded (outland))	Grasses, sedges & broadleaves	15ml/36 L water, 20 spray load/ hectare	0.1 ppm	-	As soon as spray deposits dry up
INTERSORORA INC.	DIFENOCONAZOLE	MOLDC 250 EC	250 g/L	EC	FUNGICIDE	4	664-272-5279	26-Nov-26	SYSTEMIC	Banana	Black Sigatoka	0.30-0.40 L prod/ha	-	-	-
INTERSORORA INC.	DIFENOCONAZOLE	MOLDC 250 EC	250 g/L	EC	FUNGICIDE	4	664-272-5279	26-Nov-26	SYSTEMIC	Mango	Anthracnose	0.528-0.88 L/ha	-	14 Days	-
INTERSORORA INC.	DIFENOCONAZOLE	MOLDC 250 EC	250 g/L	EC	FUNGICIDE	4	664-272-5279	26-Nov-26	SYSTEMIC	Rice	Sheath Blight	0.25-0.30 L/ha	-	-	-
INTERSORORA INC.	DIFENOCONAZOLE	MOLDC 250 EC	250 g/L	EC	FUNGICIDE	4	664-272-5279	26-Nov-26	SYSTEMIC	Stringbeans	Leaf spot	0.20-0.30 L/ha	-	7 Days	-
INTERSORORA INC.	DIFENOCONAZOLE	MOLDC 250 EC	250 g/L	EC	FUNGICIDE	4	664-272-5279	26-Nov-26	SYSTEMIC	Eggplant	Leaf Spot	0.20-0.30 L/ha	-	7 Days	-
INTERSORORA INC.	DIFENOCONAZOLE	MOLDC 250 EC	250 g/L	EC	FUNGICIDE	4	664-272-5279	26-Nov-26	SYSTEMIC	Tomato	Alternaria leaf spot, cercospora leafmold,powdery mildew	0.20-0.30 L/ha	-	7 Days	-
INTERSORORA INC.	DIFENOCONAZOLE	MOLDC 250 EC	250 g/L	EC	FUNGICIDE	4	664-272-5279	26-Nov-26	SYSTEMIC	Cabbage	Ringspot,alternaria	0.20-0.30 L/ha	-	7 Days	-
INTERSORORA INC.	DIFENOCONAZOLE	MOLDC 250 EC	250 g/L	EC	FUNGICIDE	4	664-272-5279	26-Nov-26	SYSTEMIC	Onion	Purple blotch	0.40-0.50 L/ha	-	7 Days	-

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
INTERORDRA INC.	DIFENOCONAZOLE	MOLDO 250 EC	250 g/L	EC	FUNGICIDE	4	464-272-5279	26-Nov-26	SYSTEMIC	Asparagus	Stem and leaf blight	0.36/L/ha	-	7 Days	-
UPL PHILIPPINES, INC.	DAZINON	MOLDER 600 EC	600 g/L	EC	INSECTICIDE	2	562-034-5048	12-Nov-25	-	Rice	Planthopper, rice bug, stemborer, leafhopper, whorl maggot	2.5-3.5 Tbsp/ 36 L	-	14 Days	Soon as spray has dried
UPL PHILIPPINES, INC.	DAZINON	MOLDER 600 EC	600 g/L	EC	INSECTICIDE	2	562-034-5048	12-Nov-25	-	Beans	Cutworm, Podborer, aphids, flea beetle	2.5-3.5 Tbsp/ 36 L	-	14 Days	Soon as spray has dried
UPL PHILIPPINES, INC.	DAZINON	MOLDER 600 EC	600 g/L	EC	INSECTICIDE	2	562-034-5048	12-Nov-25	-	Cowpea	Aphids, cutworm, grasshopper	2.5-3.5 Tbsp/ 36 L	-	14 Days	Soon as spray has dried
UPL PHILIPPINES, INC.	DAZINON	MOLDER 600 EC	600 g/L	EC	INSECTICIDE	2	562-034-5048	12-Nov-25	-	Soybeans	Cutworm, aphids, stink bug, grasshopper	2.5-3.5 Tbsp/ 36 L	-	14 Days	Soon as spray has dried
UPL PHILIPPINES, INC.	DAZINON	MOLDER 600 EC	600 g/L	EC	INSECTICIDE	2	562-034-5048	12-Nov-25	-	Pineapple	Mealy bug	2.5-3.5 Tbsp/ 36 L	-	14 Days	Soon as spray has dried
UPL PHILIPPINES, INC.	DAZINON	MOLDER 600 EC	600 g/L	EC	INSECTICIDE	2	562-034-5048	12-Nov-25	-	Cotton	Katydid, grasshopper, cutworm, mites	2.5-3.5 Tbsp/ 36 L	-	14 Days	Soon as spray has dried
UPL PHILIPPINES, INC.	DAZINON	MOLDER 600 EC	600 g/L	EC	INSECTICIDE	2	562-034-5048	12-Nov-25	-	Tobacco	Budworm, aphids, armyworm, flea beetle	2.5-3.5 Tbsp/ 36 L	-	14 Days	Soon as spray has dried
UPL PHILIPPINES, INC.	DAZINON	MOLDER 600 EC	600 g/L	EC	INSECTICIDE	2	562-034-5048	12-Nov-25	-	White potato	Aphids, leafhopper, cutworm	2.5-3.5 Tbsp/ 36 L	-	14 Days	Soon as spray has dried
UPL PHILIPPINES, INC.	DAZINON	MOLDER 600 EC	600 g/L	EC	INSECTICIDE	2	562-034-5048	12-Nov-25	-	Citrus	Mites, aphids, stink bug	2.5-3.5 Tbsp/ 36 L	-	14 Days	Soon as spray has dried
UPL PHILIPPINES, INC.	DAZINON	MOLDER 600 EC	600 g/L	EC	INSECTICIDE	2	562-034-5048	12-Nov-25	-	Banana	Thrips, mealy bug, leaf roller	2.5-3.5 Tbsp/ 36 L	-	14 Days	Soon as spray has dried
UPL PHILIPPINES, INC.	DAZINON	MOLDER 600 EC	600 g/L	EC	INSECTICIDE	2	562-034-5048	12-Nov-25	-	Corn	Corn borer, earworm, aphids, silk beetle	2.5-3.5 Tbsp/ 36 L	-	14 Days	Soon as spray has dried
UPL PHILIPPINES, INC.	DAZINON	MOLDER 600 EC	600 g/L	EC	INSECTICIDE	2	562-034-5048	12-Nov-25	-	Mango	Mango hopper, tip borer, aphids, stemborer, podermite, thrips	2.5-3.5 Tbsp/ 36 L	-	14 Days	Soon as spray has dried
DCOM MARKETING INCORPORATED	BUTACHLOR-PROPANIL	MODELSTAR 70 EC	300-350 g/L	EC	HERBICIDE	3	467-238-2539	26-Jun-24	POST-EMERGENT	Rice (Direct-Seeded)	Grasses, Sedges and Broadleaves	8-12Tbsp/36 L water	Butachlor 0.1ppm Propanil 0.1ppm	-	As soon as the spray mist dries up
DCOM MARKETING INCORPORATED	BUTACHLOR-PROPANIL	MODELSTAR 70 EC	300-350 g/L	EC	HERBICIDE	3	467-238-2539	26-Jun-24	POST-EMERGENT	Rice (Transplanted)	Grasses, Sedges and Broadleaves	8-12Tbsp/36 L water	Butachlor 0.1ppm Propanil 0.1ppm	-	As soon as the spray mist dries up
DCOM MARKETING INCORPORATED	CYPERMETHRIN	MODEL S EC	50 g/L	EC	INSECTICIDE	4	467-037-2524	12-Jan-25	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-1.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
DCOM MARKETING INCORPORATED	CYPERMETHRIN	MODEL S EC	50 g/L	EC	INSECTICIDE	4	467-037-2524	12-Jan-25	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leafhoppers, stem borer, armyworm, rice bug	1.0-1.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
DCOM MARKETING INCORPORATED	CYPERMETHRIN	MODEL S EC	50 g/L	EC	INSECTICIDE	4	467-037-2524	12-Jan-25	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-1.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
DCOM MARKETING INCORPORATED	CYPERMETHRIN	MODEL S EC	50 g/L	EC	INSECTICIDE	4	467-037-2524	12-Jan-25	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-1.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
DCOM MARKETING INCORPORATED	CYPERMETHRIN	MODEL S EC	50 g/L	EC	INSECTICIDE	4	467-037-2524	12-Jan-25	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-1.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
DCOM MARKETING INCORPORATED	CYPERMETHRIN	MODEL S EC	50 g/L	EC	INSECTICIDE	4	467-037-2524	12-Jan-25	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-1.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
DCOM MARKETING INCORPORATED	CYPERMETHRIN	MODEL S EC	50 g/L	EC	INSECTICIDE	4	467-037-2524	12-Jan-25	CONTACT	Onion	Thrips, cutworm	1.0-1.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
DCOM MARKETING INCORPORATED	CYPERMETHRIN	MODEL S EC	50 g/L	EC	INSECTICIDE	4	467-037-2524	12-Jan-25	CONTACT	Banana	Thrips, scarring beetle	1.0-1.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
DCOM MARKETING INCORPORATED	CYPERMETHRIN	MODEL S EC	50 g/L	EC	INSECTICIDE	4	467-037-2524	12-Jan-25	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-1.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
DCOM MARKETING INCORPORATED	CYPERMETHRIN	MODEL S EC	50 g/L	EC	INSECTICIDE	4	467-037-2524	12-Jan-25	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-1.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
DCOM MARKETING INCORPORATED	CYPERMETHRIN	MODEL S EC	50 g/L	EC	INSECTICIDE	4	467-037-2524	12-Jan-25	CONTACT	Corn	Comborer, earworm	1.0-4.5 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
MT. KALATUNGAN AGR. VENTURES, INC.	CHLOROTHALONIL	MKAV12 dazomil 720 SC	-	SC	FUNGICIDE	4	746-138-5985	9-Jan-26	-	Banana	Black Sigatoka	-	-	-	-
MT. KITANGLAD AGR. VENTURES, INC.	CHLOROTHALONIL	MKAV11 dazomil 720 SC	-	SC	FUNGICIDE	4	744-138-5983	9-Jan-26	-	Banana	Black Sigatoka	-	-	-	-
MITRAS TECHNOLOGY ENTERPRISES	CHLORPYRIFOS	MITRAS TREATED BAGS	-	-	INSECTICIDE	2	601-101-4802	24-Nov-20	-	Banana	Mealybugs	-	-	-	-
MISCHA AGRO INDUSTRIAL CORPORATION	2,4-D IBE	MISCHA 2,4-D ESTER	400 g/L	EC	HERBICIDE	2	620-049-5213	07-Jul-23	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual Broadleaves & sedges	5.0-6.50Tbsp/36 L water	0.1 ppm	Do not spray within two days before harvest	Entry to fields and crops treated with MISCHA 2,4-D ESTER can be done one (1) day after spraying
MISCHA AGRO INDUSTRIAL CORPORATION	2,4-D IBE	MISCHA 2,4-D ESTER	400 g/L	EC	HERBICIDE	2	620-049-5213	07-Jul-23	SELECTIVE (POST-EMERGENT)	Corn	Annual Broadleaves & sedges	5.0-6.50Tbsp/36 L water	-	Do not spray within two days before harvest	Entry to fields and crops treated with MISCHA 2,4-D ESTER can be done one (1) day after spraying
MISCHA AGRO INDUSTRIAL CORPORATION	2,4-D IBE	MISCHA 2,4-D ESTER	400 g/L	EC	HERBICIDE	2	620-049-5213	07-Jul-23	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual Broadleaves & sedges	5.0-6.50Tbsp/36 L water	-	Do not spray within two days before harvest	Entry to fields and crops treated with MISCHA 2,4-D ESTER can be done one (1) day after spraying
MISCHA AGRO INDUSTRIAL CORPORATION	2,4-D AMINE	MISCHA 2,4-D AMINE	400 g/L	EC	HERBICIDE	2	620-033-5214	07-Jul-23	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual broadleaves and sedges	5.5-6.5Tbsp/36 L water	0.1 ppm	Do not spray within two days before harvest	Entry to fields and crops treated with MISCHA 2,4-D AMINE can be done one (1) day after spraying
MISCHA AGRO INDUSTRIAL CORPORATION	2,4-D AMINE	MISCHA 2,4-D AMINE	400 g/L	EC	HERBICIDE	2	620-033-5214	07-Jul-23	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual broadleaves and sedges	10-25 Tbsp/36 L water	-	Do not spray within two days before harvest	Entry to fields and crops treated with MISCHA 2,4-D AMINE can be done one (1) day after spraying
MISCHA AGRO INDUSTRIAL CORPORATION	2,4-D AMINE	MISCHA 2,4-D AMINE	400 g/L	EC	HERBICIDE	2	620-033-5214	07-Jul-23	SELECTIVE (POST-EMERGENT)	Corn	Annual broadleaves and sedges	5-6.5 Tbsp/36 L water	-	Do not spray within two days before harvest	Entry to fields and crops treated with MISCHA 2,4-D AMINE can be done one (1) day after spraying
MISCHA AGRO PHILS., ENTERPRISE, INC.	PROCHLORAZ	MIRAGE 45 EC	450 g/L	EC	FUNGICIDE	2	461-300-4800	27-May-22	-	Banana	Fungal crown/crown rot	2 ml/L	5.0 mg/kg	-	-
MAGAN AGRO PHILS., ENTERPRISE, INC.	AZIOXYSTROBIN	MIRADOR 25 SC	250 g/L	SC	FUNGICIDE	4	461-309-3296	28-Jul-23	SYSTEMIC	Mango	Anthracoese, scab, stem-end rot	6-8/200L water	-	-	-
MAGAN AGRO PHILS., ENTERPRISE, INC.	AZIOXYSTROBIN	MIRADOR 25 SC	250 g/L	SC	FUNGICIDE	4	461-309-3296	28-Jul-23	SYSTEMIC	Watermelon	Damping off, leaf spot, anthracnose, downy, mildew, powdery mildew	1-2Tbsp/36 L water	-	-	-
MAGAN AGRO PHILS., ENTERPRISE, INC.	AZIOXYSTROBIN	MIRADOR 25 SC	250 g/L	SC	FUNGICIDE	4	461-309-3296	28-Jul-23	SYSTEMIC	Onion	Basal/bulb rot	1-2Tbsp/36 L water	-	-	-
MAGAN AGRO PHILS., ENTERPRISE, INC.	AZIOXYSTROBIN	MIRADOR 25 SC	250 g/L	SC	FUNGICIDE	4	461-309-3296	28-Jul-23	SYSTEMIC	Tomato	Late/early blight, powdery mildew	0.5-1Tbsp/36 L water	-	-	-
MAGAN AGRO PHILS., ENTERPRISE, INC.	AZIOXYSTROBIN	MIRADOR 25 SC	250 g/L	SC	FUNGICIDE	4	461-309-3296	28-Jul-23	SYSTEMIC	Corn	Sheath blight, leaf spot, leaf rust, ear rot	2-4Tbsp/36 L water	-	-	-
MAGAN AGRO PHILS., ENTERPRISE, INC.	AZIOXYSTROBIN	MIRADOR 25 SC	250 g/L	SC	FUNGICIDE	4	461-309-3296	28-Jul-23	SYSTEMIC	Asparagus	Stem blight, leaf blight, fusarium wilt	1-3Tbsp/36 L water	-	-	-
UNITED AGROSCIENCE PHILS., INC.	DIFENOCONAZOLE	MIRACLE 250 EC	250 g/L	EC	FUNGICIDE	4	602-272-4214	11-Jul-25	SYSTEMIC	Banana	Black Sigatoka	0.30-0.40 L prod/ha	-	-	-
UNITED AGROSCIENCE PHILS., INC.	DIFENOCONAZOLE	MIRACLE 250 EC	250 g/L	EC	FUNGICIDE	4	602-272-4214	11-Jul-25	SYSTEMIC	Mango	Anthracoese	0.528-0.88 L/ha	-	-	-
UNITED AGROSCIENCE PHILS., INC.	DIFENOCONAZOLE	MIRACLE 250 EC	250 g/L	EC	FUNGICIDE	4	602-272-4214	11-Jul-25	SYSTEMIC	Rice	Sheath Blight	0.25-0.30 L/ha	-	-	-
UNITED AGROSCIENCE PHILS., INC.	DIFENOCONAZOLE	MIRACLE 250 EC	250 g/L	EC	FUNGICIDE	4	602-272-4214	11-Jul-25	SYSTEMIC	Stringbeans	Leaf spot	0.20-0.30 L/ha	-	-	-
UNITED AGROSCIENCE PHILS., INC.	DIFENOCONAZOLE	MIRACLE 250 EC	250 g/L	EC	FUNGICIDE	4	602-272-4214	11-Jul-25	SYSTEMIC	Eggplant	Leaf Spot	0.20-0.30 L/ha	-	-	-
UNITED AGROSCIENCE PHILS., INC.	DIFENOCONAZOLE	MIRACLE 250 EC	250 g/L	EC	FUNGICIDE	4	602-272-4214	11-Jul-25	SYSTEMIC	Tomato	Alternaria leaf spot, cercospora leafmold, powdery mildew	0.20-0.30 L/ha	-	-	-
UNITED AGROSCIENCE PHILS., INC.	DIFENOCONAZOLE	MIRACLE 250 EC	250 g/L	EC	FUNGICIDE	4	602-272-4214	11-Jul-25	SYSTEMIC	Cabbage	Ringspot, alternaria	0.20-0.30 L/ha	-	-	-
UNITED AGROSCIENCE PHILS., INC.	DIFENOCONAZOLE	MIRACLE 250 EC	250 g/L	EC	FUNGICIDE	4	602-272-4214	11-Jul-25	SYSTEMIC	Onion	Purple blotch	0.40-0.50 L/ha	-	-	-
UNITED AGROSCIENCE PHILS., INC.	DIFENOCONAZOLE	MIRACLE 250 EC	250 g/L	EC	FUNGICIDE	4	602-272-4214	11-Jul-25	SYSTEMIC	Asparagus	Stem and leaf blight	0.36 L/ha	-	-	-
SYNGENTA PHILIPPINES INC.	Vipha20	MIR162	-	-	OTHERS	-	PIP-01-01-01	25-Oct-24	-	Corn	Fall armyworm (PIF)	-	-	-	-
TRANS WORLD TRADING CO., INC.	MPICIN 50 WP	MPICIN 50 WP	500 g/kg	WP	INSECTICIDE	3	038-009-0586	27-Feb-25	-	Rice	Leafhopper, planthopper, caseworm	1.5-3.5 Tbsp/36L water	0.5ppm	Stop spraying 10-14 days before harvest	Do not enter the field within 2 days after spraying
TRANS WORLD TRADING CO., INC.	MPICIN 50 WP	MPICIN 50 WP	500 g/kg	WP	INSECTICIDE	3	038-009-0586	27-Feb-25	-	Cowpea	Leafhopper, stinkbug, beanfly, squash bug	1.5-3.5 Tbsp/36L water	-	Stop spraying 10-14 days before harvest	Do not enter the field within 2 days after spraying
TRANS WORLD TRADING CO., INC.	MPICIN 50 WP	MPICIN 50 WP	500 g/kg	WP	INSECTICIDE	3	038-009-0586	27-Feb-25	-	Mungbeans	Leafhopper, stinkbug, beanfly, squash bug	1.5-3.5 Tbsp/36L water	-	Stop spraying 10-14 days before harvest	Do not enter the field within 2 days after spraying
TRANS WORLD TRADING CO., INC.	MPICIN 50 WP	MPICIN 50 WP	500 g/kg	WP	INSECTICIDE	3	038-009-0586	27-Feb-25	-	Soybeans	Leafhopper, stinkbug, beanfly, squash bug	1.5-3.5 Tbsp/36L water	-	Stop spraying 10-14 days before harvest	Do not enter the field within 2 days after spraying

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
TRANS WORLD TRADING CO., INC.	MPICN	MPICN 50 WP	500 g/kg	WP	INSECTICIDE	3	038-029-0386	27-Feb-25		Tobacco	Budworm, aphids	1.5-4 Tbsp/56L water		Stop spraying 10-14 days before harvest	Do not enter the field within 2 days after spraying
TRANS WORLD TRADING CO., INC.	MPICN	MPICN 50 WP	500 g/kg	WP	INSECTICIDE	3	038-009-0586	27-Feb-25		Cotton	Leafhopper	4-7 Tbsp/56L water		Stop spraying 10-14 days before harvest	Do not enter the field within 2 days after spraying
TRANS WORLD TRADING CO., INC.	MPICN	MPICN 50 WP	500 g/kg	WP	INSECTICIDE	3	038-029-0386	27-Feb-25		Melon	Diamond back moth, cutworm, aphids	1.5-3.5 Tbsp/56L water		Spray spraying 10-14 days before harvest	Do not enter the field within 2 days after spraying
TRANS WORLD TRADING CO., INC.	MPICN	MPICN 50 WP	500 g/kg	WP	INSECTICIDE	3	038-009-0386	27-Feb-25		Cabbage	Cabbage worm	1.5-3.5 Tbsp/56L water		Stop spraying 10-14 days before harvest	Do not enter the field within 2 days after spraying
TEXCON AGR VENTURES CORPORATION	DIFENCONAZOLE+PROPICONAZOLE	MINX 300 EC	150 g/L+150 g/L	EC	FUNGICIDE	3	242-325-4635	25-Jan-25	SYSTEMIC	Rice	Sheath Blight	2.5-3.5 Tbsp/56 L water	0.05ppm	-	As soon as the spray solution has dried on the foliage.
TEXCON AGR VENTURES CORPORATION	DIFENCONAZOLE+PROPICONAZOLE	MINX 300 EC	150 g/L+150 g/L	EC	FUNGICIDE	3	242-325-4635	25-Jan-25	SYSTEMIC	Corn	Banded leaf,sheath blight,ear rot,leaf blight & rust	1-2 Tbsp/56 L water	-	-	As soon as the spray solution has dried on the foliage
TWIN BAMBOO CORPORATION	METRIBUZIN	MINTOR 70 WP	700 g/kg	WP	HERBICIDE	4	526-022-5540	30-Jul-24	SELECTIVE	Potato	Annual grasses and broadleaves	15-22.5 grams/56 L water	-	60 days	Do not re-enter sprayed areas until spray deposits have dried.
TWIN BAMBOO CORPORATION	METRIBUZIN	MINTOR 70 WP	700 g/kg	WP	HERBICIDE	4	526-022-5540	30-Jul-24	SELECTIVE	Soybeans	Annual grasses and broadleaves	15-22.5 grams/56 L water	-	60 days	Do not re-enter sprayed areas until spray deposits have dried.
TWIN BAMBOO CORPORATION	METRIBUZIN	MINTOR 70 WP	700 g/kg	WP	HERBICIDE	4	526-022-5540	30-Jul-24	SELECTIVE	Sugarcane	Annual grasses and broadleaves	30-50 grams/56 L water	-	60 days	Do not re-enter sprayed areas until spray deposits have dried.
TWIN BAMBOO CORPORATION	METRIBUZIN	MINTOR 70 WP	700 g/kg	WP	HERBICIDE	4	526-022-5540	30-Jul-24	SELECTIVE	Tomato	Annual grasses and broadleaves	15-22.5 grams/56 L water	-	60 days	Do not re-enter sprayed areas until spray deposits have dried.
NXN 800, INC.	LAMBDA-CHALOTHRIN	MINTA 2.5 EC	25g/L	EC	INSECTICIDE	2	653-204-4867	16-May-21	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leafroller, black bug	1.0-1.5Tbsp/56 L of water	0.05ppm	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
NXN 800, INC.	LAMBDA-CHALOTHRIN	MINTA 2.5 EC	25g/L	EC	INSECTICIDE	2	653-204-4867	16-May-21	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/56 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
NXN 800, INC.	LAMBDA-CHALOTHRIN	MINTA 2.5 EC	25g/L	EC	INSECTICIDE	2	653-204-4867	16-May-21	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/56 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
NXN 800, INC.	LAMBDA-CHALOTHRIN	MINTA 2.5 EC	25g/L	EC	INSECTICIDE	2	653-204-4867	16-May-21	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/56 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
NXN 800, INC.	LAMBDA-CHALOTHRIN	MINTA 2.5 EC	25g/L	EC	INSECTICIDE	2	653-204-4867	16-May-21	SYSTEMIC	Mungbeans	Beetfly, flea beetle, leafhopper, aphids, mites, podborer	1.0Tbsp/56 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
NXN 800, INC.	LAMBDA-CHALOTHRIN	MINTA 2.5 EC	25g/L	EC	INSECTICIDE	2	653-204-4867	16-May-21	SYSTEMIC	Corn	Combers, aphids, seedling maggots	1.0-1.5Tbsp/56 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
NXN 800, INC.	LAMBDA-CHALOTHRIN	MINTA 2.5 EC	25g/L	EC	INSECTICIDE	2	653-204-4867	16-May-21	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5Tbsp/56 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
NXN 800, INC.	LAMBDA-CHALOTHRIN	MINTA 2.5 EC	25g/L	EC	INSECTICIDE	2	653-204-4867	16-May-21	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/56 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
NXN 800, INC.	LAMBDA-CHALOTHRIN	MINTA 2.5 EC	25g/L	EC	INSECTICIDE	2	653-204-4867	16-May-21	SYSTEMIC	Cocoa	Podborer	1.0-2.0Tbsp/56 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
NXN 800, INC.	LAMBDA-CHALOTHRIN	MINTA 2.5 EC	25g/L	EC	INSECTICIDE	2	653-204-4867	16-May-21	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/56 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
AGSMART CORPORATION	DIAZINON	MINOKAWA 60 EC	600 g/L	EC	INSECTICIDE	2	680-034-6278	26-Sep-26	-	Banana	Thrips, mealybug and leaf folder	25-35 mL prod. / 56L water	-	14 days	As soon as spray has dried up
AGSMART CORPORATION	DIAZINON	MINOKAWA 60 EC	600 g/L	EC	INSECTICIDE	2	680-034-6278	26-Sep-26	-	Beans	Cutworm, pod borer, aphids, and flea beetle	25-35 mL prod. / 56L water	-	14 days	As soon as spray has dried up
AGSMART CORPORATION	DIAZINON	MINOKAWA 60 EC	600 g/L	EC	INSECTICIDE	2	680-034-6278	26-Sep-26	-	Citrus	Mites, aphids, stink bug	25-35 mL prod. / 56L water	-	14 days	As soon as spray has dried up
AGSMART CORPORATION	DIAZINON	MINOKAWA 60 EC	600 g/L	EC	INSECTICIDE	2	680-034-6278	26-Sep-26	-	Corn	Corn borer, earworm, aphids, and silk beetle	25-35 mL prod. / 56L water	-	14 days	As soon as spray has dried up
AGSMART CORPORATION	DIAZINON	MINOKAWA 60 EC	600 g/L	EC	INSECTICIDE	2	680-034-6278	26-Sep-26	-	Cotton	Katydid, grasshopper, cutworm, mites	25-35 mL prod. / 56L water	-	14 days	As soon as spray has dried up
AGSMART CORPORATION	DIAZINON	MINOKAWA 60 EC	600 g/L	EC	INSECTICIDE	2	680-034-6278	26-Sep-26	-	Cowpea	Aphids, cutworm, and grasshopper	25-35 mL prod. / 56L water	-	14 days	As soon as spray has dried up
AGSMART CORPORATION	DIAZINON	MINOKAWA 60 EC	600 g/L	EC	INSECTICIDE	2	680-034-6278	26-Sep-26	-	Mango	Hopper and tip borer	25-35 mL prod. / 56L water	-	14 days	As soon as spray has dried up
AGSMART CORPORATION	DIAZINON	MINOKAWA 60 EC	600 g/L	EC	INSECTICIDE	2	680-034-6278	26-Sep-26	-	Pineapple	Mealybug	25-35 mL prod. / 56L water	-	14 days	As soon as spray has dried up
AGSMART CORPORATION	DIAZINON	MINOKAWA 60 EC	600 g/L	EC	INSECTICIDE	2	680-034-6278	26-Sep-26	-	Rice	Planthopper, rice bug, stem borer, leafroller, and whorl maggot	25-35 mL prod. / 56L water	-	14 days	As soon as spray has dried up
AGSMART CORPORATION	DIAZINON	MINOKAWA 60 EC	600 g/L	EC	INSECTICIDE	2	680-034-6278	26-Sep-26	-	Soybeans	Cutworm, aphids, stink bug, grasshopper	25-35 mL prod. / 56L water	-	14 days	As soon as spray has dried up
AGSMART CORPORATION	DIAZINON	MINOKAWA 60 EC	600 g/L	EC	INSECTICIDE	2	680-034-6278	26-Sep-26	-	Tobacco	Budworm, aphids, armyworm, and flea beetle	25-35 mL prod. / 56L water	-	14 days	As soon as spray has dried up
AGSMART CORPORATION	DIAZINON	MINOKAWA 60 EC	600 g/L	EC	INSECTICIDE	2	680-034-6278	26-Sep-26	-	White potato	Aphids, leafroller, cutworm	25-35 mL prod. / 56L water	-	14 days	As soon as spray has dried up
SYNGENTA PHILIPPINES INC.	LUFENPROL+CYANTHRANILPROLE	MINECTO XTRA 400 SC	200 g/L+200 g/L	SC	INSECTICIDE	3	011-610-5957	9-Dec-23	-	Rice	Leafroller	50 mL prod. / hectare (5.0L kg Lufenprole+0.01 kg Cyantranilprole) /	-	40 days	Treated areas should not be entered before spray deposits on the leaf surface have dried, unless protective clothing is worn.
SYNGENTA PHILIPPINES INC.	CYANTHRANILPROLE+PYMETROZINE	MINECTO STAR 60 WG	100 g/kg+500 g/kg	WG	INSECTICIDE	4	011-498-4638	31-Jan-25	SYSTEMIC/CONTACT	Mango	Mango hopper	40g product per 200L water at maximum spray volume of 2,500L/ha	Cyantranilprole 40g/kg	No PHI needed	Treated areas should not be entered before spray deposits on the leaf surface have dried.
TAIPAN BRAND FARM INC.	PACLOBUTRAZOL	MINOSET 25 SC	250 g/L	SC	OTHERS	3	529-237-3123	28-Feb-22		Mango	Plant growth regulator	3-2 Tbsp./3-5 L water	-	-	-
TAIPAN BRAND FARM INC.	PACLOBUTRAZOL	MINOSET 25 SC	250 g/L	SC	OTHERS	3	529-237-3123	28-Feb-22		Durian	Plant growth regulator	0.5-1.5 Tbsp./3-5 L water	-	-	-
TAIPAN BRAND FARM INC.	PACLOBUTRAZOL	MINOSET 25 SC	250 g/L	SC	OTHERS	3	529-237-3123	28-Feb-22		Calamansi	Plant growth regulator	3-2 Tbsp./3-5 L water	-	-	-
TAIPAN BRAND FARM INC.	PACLOBUTRAZOL	MINOSET 25 SC	250 g/L	SC	OTHERS	3	529-237-3123	28-Feb-22		Cocoa	Plant growth regulator	4 Tbsp./3-5 L water	-	-	-
TRANS WORLD TRADING CO., INC.	TEBUFENOSIDE	MINIC 20F	200 g/L	F	INSECTICIDE	4	038-250-3428	29-Jun-24		Rice	Stemborer, leafroller,caseworm & armyworm	1.5-3 Tbsp/56 L water	0.05ppm	Do not apply MINIC 20F 14 days before crop harvest	Do not enter treated field without protective clothing (long sleeved shirt and long pants) until sprays have dried.
TRANS WORLD TRADING CO., INC.	TEBUFENOSIDE	MINIC 20F	200 g/L	F	INSECTICIDE	4	038-250-3428	29-Jun-24		Eggplant	Fruitborer, shootborer	3.0-4.0 Tbsp/	-	Do not apply MINIC 20F 14 days before crop harvest	Do not enter treated field without protective clothing (long sleeved shirt and long pants) until sprays have dried.
JOCANIMA CORPORATION	THIOPHANATE METHYL	MILTOP 70 WP	700 g/kg	WP	FUNGICIDE	4	241-107-1795	18-Feb-24	SYSTEMIC	Rice	Blast, neck rot, black spot	1.5-2.0 Tbsp/56L Water	1.0ppm	Do not spray within 14 days of harvest	Do not enter the field within 2 days after spraying
JOCANIMA CORPORATION	THIOPHANATE METHYL	MILTOP 70 WP	700 g/kg	WP	FUNGICIDE	4	241-107-1795	18-Feb-24	SYSTEMIC	Mango	Anthracoze	0.5-1.0 Tbsp/56L Water	-	Do not spray within 14 days of harvest	Do not enter the field within 2 days after spraying
JOCANIMA CORPORATION	THIOPHANATE METHYL	MILTOP 70 WP	700 g/kg	WP	FUNGICIDE	4	241-107-1795	18-Feb-24	SYSTEMIC	Tobacco	Frog eye leaf spot	0.5-1.0 Tbsp/56L Water	-	Do not spray within 14 days of harvest	Do not enter the field within 2 days after spraying
JOCANIMA CORPORATION	THIOPHANATE METHYL	MILTOP 70 WP	700 g/kg	WP	FUNGICIDE	4	241-107-1795	18-Feb-24	SYSTEMIC	Tomato	Powdery mildew	0.5-1.0 Tbsp/56L Water	-	Do not spray within 14 days of harvest	Do not enter the field within 2 days after spraying
JOCANIMA CORPORATION	THIOPHANATE METHYL	MILTOP 70 WP	700 g/kg	WP	FUNGICIDE	4	241-107-1795	18-Feb-24	SYSTEMIC	Legumes	Cercospora leaf spot, Anthracnose, botrytis leaf spot, fusarium wilt, powdery mildew	0.5-1.0 Tbsp/56L Water	-	Do not spray within 14 days of harvest	Do not enter the field within 2 days after spraying
JOCANIMA CORPORATION	THIOPHANATE METHYL	MILTOP 70 WP	700 g/kg	WP	FUNGICIDE	4	241-107-1795	18-Feb-24	SYSTEMIC	Beans	Cercospora leaf spot, Anthracnose, botrytis leaf spot, fusarium wilt, powdery mildew	0.5-1.0 Tbsp/56L Water	-	Do not spray within 14 days of harvest	Do not enter the field within 2 days after spraying
JOCANIMA CORPORATION	THIOPHANATE METHYL	MILTOP 70 WP	700 g/kg	WP	FUNGICIDE	4	241-107-1795	18-Feb-24	SYSTEMIC	Cucumber	Powdery mildew, Gummy Stem blight, leaf and fruit spots	0.5-1.0 Tbsp/56L Water	-	Do not spray within 14 days of harvest	Do not enter the field within 2 days after spraying
JOCANIMA CORPORATION	THIOPHANATE METHYL	MILTOP 70 WP	700 g/kg	WP	FUNGICIDE	4	241-107-1795	18-Feb-24	SYSTEMIC	Melon	Powdery mildew, Gummy Stem blight, leaf and fruit spots	0.5-1.0 Tbsp/56L Water	-	Do not spray within 14 days of harvest	Do not enter the field within 2 days after spraying
JOCANIMA CORPORATION	THIOPHANATE METHYL	MILTOP 70 WP	700 g/kg	WP	FUNGICIDE	4	241-107-1795	18-Feb-24	SYSTEMIC	Ornamentals	Powdery mildew, black spots	0.5-1.0 Tbsp/56L Water	-	Do not spray within 14 days of harvest	Do not enter the field within 2 days after spraying
JOCANIMA CORPORATION	THIOPHANATE METHYL	MILTOP 70 WP	700 g/kg	WP	FUNGICIDE	4	241-107-1795	18-Feb-24	SYSTEMIC	Decidus	Powdery mildew, black spots	0.5-1.0 Tbsp/56L Water	-	Do not spray within 14 days of harvest	Do not enter the field within 2 days after spraying
JOCANIMA CORPORATION	THIOPHANATE METHYL	MILTOP 70 WP	700 g/kg	WP	FUNGICIDE	4	241-107-1795	18-Feb-24	SYSTEMIC	Cabbage	Shot hole disease, cercospora leaf spot	0.5-1.0 Tbsp/56L Water	-	Do not spray within 14 days of harvest	Do not enter the field within 2 days after spraying
JOCANIMA CORPORATION	THIOPHANATE METHYL	MILTOP 70 WP	700 g/kg	WP	FUNGICIDE	4	241-107-1795	18-Feb-24	SYSTEMIC	Cauliflower	Shot hole disease, cercospora leaf spot	0.5-1.0 Tbsp/56L Water	-	Do not spray within 14 days of harvest	Do not enter the field within 2 days after spraying
JOCANIMA CORPORATION	THIOPHANATE METHYL	MILTOP 70 WP	700 g/kg	WP	FUNGICIDE	4	241-107-1795	18-Feb-24	SYSTEMIC	Lettuce	Shot hole disease, cercospora leaf spot	0.5-1.0 Tbsp/56L Water	-	Do not spray within 14 days of harvest	Do not enter the field within 2 days after spraying
JOCANIMA CORPORATION	THIOPHANATE METHYL	MILTOP 70 WP	700 g/kg	WP	FUNGICIDE	4	241-107-1795	18-Feb-24	SYSTEMIC	Strawberry	Powdery mildew	0.5-1.0 Tbsp/56L Water	-	Do not spray within 14 days of harvest	Do not enter the field within 2 days after spraying
JOCANIMA CORPORATION	THIOPHANATE METHYL	MILTOP 70 WP	700 g/kg	WP	FUNGICIDE	4	241-107-1795	18-Feb-24	SYSTEMIC	Grapes	Fruit rot, Powdery mildew, anthracnose	0.5-1.0 Tbsp/56L Water	-	Do not spray within 14 days of harvest	Do not enter the field within 2 days after spraying
JOCANIMA CORPORATION	THIOPHANATE METHYL	MILTOP 70 WP	700 g/kg	WP	FUNGICIDE	4	241-107-1795	18-Feb-24	SYSTEMIC	Orange	Scab	0.5-1.0 Tbsp/56L Water	-	Do not spray within 14 days of harvest	Do not enter the field within 2 days after spraying

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
JOCANIMA CORPORATION	THIOPHANATE METHYL	MILTOP 70 WP	700 g/kg	WP	FUNGICIDE	4	241-107-1795	18-Feb-24	SYSTEMIC	Citrus	Scabs	0.5-1.0 Tbsp/16L Water	-	Do not spray within 14 days of harvest	Do not enter the field within 2 days after spraying
JOCANIMA CORPORATION	THIOPHANATE METHYL	MILTOP 70 WP	700 g/kg	WP	FUNGICIDE	4	241-107-1795	18-Feb-24	SYSTEMIC	Calamansi	Scabs	0.5-1.0 Tbsp/16L Water	-	Do not spray within 14 days of harvest	Do not enter the field within 2 days after spraying
JOCANIMA CORPORATION	THIOPHANATE METHYL	MILTOP 70 WP	700 g/kg	WP	FUNGICIDE	4	241-107-1795	18-Feb-24	SYSTEMIC	Banana	Sigatoka disease	1.5-2.0 Tbsp/16L Water	-	Do not spray within 14 days of harvest	Do not enter the field within 2 days after spraying
JOCANIMA CORPORATION	THIOPHANATE METHYL	MILTOP 70 WP	700 g/kg	WP	FUNGICIDE	4	241-107-1795	18-Feb-24	SYSTEMIC	Papaya	Powdery mildew	0.5-1.0 Tbsp/16L Water	-	Do not spray within 14 days of harvest	Do not enter the field within 2 days after spraying
BIOTAST PHILIPPINES INC.	MILBEMECTIN	MILBEMOCK 1 EC	10 g/L	EC	MITICIDE	2	007-482-4488	16-Nov-24	-	Pineapple	Mites	10-20 g/134L, 62.5-125 mL/100L	-	Do not harvest fruits 14 days after application	The spray should be allowed to dry on the plants before re-entry into the field
BERRIS AGRICULTURAL CO., INC.	ACETAMIPRID	MILAN 3 EC	30 g/L	EC	INSECTICIDE	3	233-329-2394	10-Jun-26	-	Mango	Mango Hopper	1.5-2.0 tbsp./16 L	1 mg/kg	Do not spray within 14 days before harvest	Do not enter the field within 2 days after spraying
BERRIS AGRICULTURAL CO., INC.	ACETAMIPRID	MILAN 3 EC	30 g/L	EC	INSECTICIDE	3	233-329-2394	10-Jun-23	-	Eggplant	leafhoppers & fruit /shoot borer	2.0 tbsp./16 L	-	Do not spray within 14 days before harvest	Do not enter the field within 2 days after spraying
MIGHTY AGRICULTURAL TRADING CORPORATION	POTASSIUM SULFATE	MIGHTYSL 200	800 g/L	-	FUNGICIDE	4	733-492-6005 (S&S)	29-Jan-26	-	Cavendish banana	Diamond spot, fruit spot, maturity stain, finger rot, anthracnose, pitmark and black sigatoka	-	-	-	-
MEGA BOOSTER AGRI TRADING CO.	GLYPHOSATE IPA	MIGHTY UNO 480 SL	480 g/L	SL	HERBICIDE	4	531-151-3540	10-Sep-18	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.0 Liters/ha	-	-	-
MEGA BOOSTER AGRI TRADING CO.	GLYPHOSATE IPA	MIGHTY UNO 480 SL	480 g/L	SL	HERBICIDE	4	531-151-3540	10-Sep-18	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
MEGA BOOSTER AGRI TRADING CO.	GLYPHOSATE IPA	MIGHTY UNO 480 SL	480 g/L	SL	HERBICIDE	4	531-151-3540	10-Sep-18	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
MEGA BOOSTER AGRI TRADING CO.	GLYPHOSATE IPA	MIGHTY UNO 480 SL	480 g/L	SL	HERBICIDE	4	531-151-3540	10-Sep-18	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
MEGA BOOSTER AGRI TRADING CO.	GLYPHOSATE IPA	MIGHTY UNO 480 SL	480 g/L	SL	HERBICIDE	4	531-151-3540	10-Sep-18	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
MEGA BOOSTER AGRI TRADING CO.	GLYPHOSATE IPA	MIGHTY UNO 480 SL	480 g/L	SL	HERBICIDE	4	531-151-3540	10-Sep-18	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
MEGA BOOSTER AGRI TRADING CO.	GLYPHOSATE IPA	MIGHTY UNO 480 SL	480 g/L	SL	HERBICIDE	4	531-151-3540	10-Sep-18	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
MEGA BOOSTER AGRI TRADING CO.	GLYPHOSATE IPA	MIGHTY UNO 480 SL	480 g/L	SL	HERBICIDE	4	531-151-3540	10-Sep-18	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
MEGA BOOSTER AGRI TRADING CO.	GLYPHOSATE IPA	MIGHTY UNO 480 SL	480 g/L	SL	HERBICIDE	4	531-151-3540	10-Sep-18	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/ha	-	-	-
MEGA BOOSTER AGRI TRADING CO.	GLYPHOSATE IPA	MIGHTY UNO 480 SL	480 g/L	SL	HERBICIDE	4	531-151-3540	10-Sep-18	POST-EMERGENT	Jacuarane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
MEGA BOOSTER AGRI TRADING CO.	GLYPHOSATE IPA	MIGHTY UNO 480 SL	480 g/L	SL	HERBICIDE	4	531-151-3540	10-Sep-18	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
MEGA BOOSTER AGRI TRADING CO.	GLYPHOSATE IPA	MIGHTY UNO 480 SL	480 g/L	SL	HERBICIDE	4	531-151-3540	10-Sep-18	POST-EMERGENT	Non-crop	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
MIGHTY AGRICULTURAL TRADING CORPORATION	AZADIRACTIN	MIGHTY NEEM OIL 400	400 ppm	-	INSECTICIDE/FUNGICIDE	4	733-513-5878	5-May-25	-	Banana	Scale insects, mealybugs, aphids, sigatoka	-	-	0 day	0 day
PRIMSTOCKS CHEMICAL CORPORATION	METHOMYL	MIGHTY M 40 SP	400 g/kg	SP	INSECTICIDE	2	623-164-4939-A	21-Feb-25	CONTACT	Avocado	Armyworm, cutworm	2-3.5 Tbsp/ 16 L water	-	-	Do not enter field treated with Mighly M 40 SP within 12 hours after application.
PRIMSTOCKS CHEMICAL CORPORATION	METHOMYL	MIGHTY M 40 SP	400 g/kg	SP	INSECTICIDE	2	623-164-4939-A	21-Feb-25	CONTACT	Banana	Thrips	2-3.5 Tbsp/ 16 L water	-	-	Do not enter field treated with Mighly M 40 SP within 12 hours after application.
PRIMSTOCKS CHEMICAL CORPORATION	METHOMYL	MIGHTY M 40 SP	400 g/kg	SP	INSECTICIDE	2	623-164-4939-A	21-Feb-25	CONTACT	Beans	Leafroller, flea beetle , beanfly, podborer,aphids	2-3.5 Tbsp/ 16 L water	-	-	Do not enter field treated with Mighly M 40 SP within 12 hours after application.
PRIMSTOCKS CHEMICAL CORPORATION	METHOMYL	MIGHTY M 40 SP	400 g/kg	SP	INSECTICIDE	2	623-164-4939-A	21-Feb-25	CONTACT	Mungbeans	Leafroller, flea beetle , beanfly, podborer,aphids	2-3.5 Tbsp/ 16 L water	-	-	Do not enter field treated with Mighly M 40 SP within 12 hours after application.
PRIMSTOCKS CHEMICAL CORPORATION	METHOMYL	MIGHTY M 40 SP	400 g/kg	SP	INSECTICIDE	2	623-164-4939-A	21-Feb-25	CONTACT	Soybeans	Leafroller, flea beetle , beanfly, podborer,aphids	2-3.5 Tbsp/ 16 L water	-	-	Do not enter field treated with Mighly M 40 SP within 12 hours after application.
PRIMSTOCKS CHEMICAL CORPORATION	METHOMYL	MIGHTY M 40 SP	400 g/kg	SP	INSECTICIDE	2	623-164-4939-A	21-Feb-25	CONTACT	Sitao	Leafroller, flea beetle , beanfly, podborer,aphids	2-3.5 Tbsp/ 16 L water	-	-	Do not enter field treated with Mighly M 40 SP within 12 hours after application.
PRIMSTOCKS CHEMICAL CORPORATION	METHOMYL	MIGHTY M 40 SP	400 g/kg	SP	INSECTICIDE	2	623-164-4939-A	21-Feb-25	CONTACT	Corn	Comborer, earworm	2-3.5 Tbsp/ 16 L water	-	-	Do not enter field treated with Mighly M 40 SP within 12 hours after application.
PRIMSTOCKS CHEMICAL CORPORATION	METHOMYL	MIGHTY M 40 SP	400 g/kg	SP	INSECTICIDE	2	623-164-4939-A	21-Feb-25	CONTACT	Sorghum	Comborer,earworm	2-3.5 Tbsp/ 16 L water	-	-	Do not enter field treated with Mighly M 40 SP within 12 hours after application.
PRIMSTOCKS CHEMICAL CORPORATION	METHOMYL	MIGHTY M 40 SP	400 g/kg	SP	INSECTICIDE	2	623-164-4939-A	21-Feb-25	CONTACT	Eggplant	Aphids, flea beetle, fruitworm, lady beetle	2-3.5 Tbsp/ 16 L water	-	-	Do not enter field treated with Mighly M 40 SP within 12 hours after application.
PRIMSTOCKS CHEMICAL CORPORATION	METHOMYL	MIGHTY M 40 SP	400 g/kg	SP	INSECTICIDE	2	623-164-4939-A	21-Feb-25	CONTACT	Melon	Aphids, Squash beetle , leafroller	2-3.5 Tbsp/ 16 L water	-	-	Do not enter field treated with Mighly M 40 SP within 12 hours after application.
PRIMSTOCKS CHEMICAL CORPORATION	METHOMYL	MIGHTY M 40 SP	400 g/kg	SP	INSECTICIDE	2	623-164-4939-A	21-Feb-25	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leafroller	2-3.5 Tbsp/ 16 L water	0.03ppm	3 days	Do not enter field treated with Mighly M 40 SP within 12 hours after application.
PRIMSTOCKS CHEMICAL CORPORATION	METHOMYL	MIGHTY M 40 SP	400 g/kg	SP	INSECTICIDE	2	623-164-4939-A	21-Feb-25	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	2-3.5 Tbsp/ 16 L water	-	-	Do not enter field treated with Mighly M 40 SP within 12 hours after application.
PRIMSTOCKS CHEMICAL CORPORATION	METHOMYL	MIGHTY M 40 SP	400 g/kg	SP	INSECTICIDE	2	623-164-4939-A	21-Feb-25	CONTACT	Tomato	Tomato fruitworm, aphids	2-3.5 Tbsp/ 16 L water	-	-	Do not enter field treated with Mighly M 40 SP within 12 hours after application.
MIGHTY AGRICULTURAL TRADING CORPORATION	SPINOTETRAMAT	MIGHTY INSPIRE 240 SC	240 g/L	SC	INSECTICIDE	3	733-419-6128	28-Apr-24	-	Banana	Flower thrips	3.3-4.37 ml prod/ L water 80 ml diluted prod/ bud	0.3 ppm	84 days	After spray deposits have dried.
MIGHTY AGRICULTURAL TRADING CORPORATION	SPINOTETRAMAT	MIGHTY INSPIRE 240 SC	240 g/L	SC	INSECTICIDE	3	733-419-6128	28-Apr-24	-	Pineapple	Mealy bugs, scale insects, white grubs, mites and nematodes	0.40-1.20 L prod/ ha Nematode- 4.17 L prod/ ha	0.03 ppm 0.03 ppm	120 days 15-days	After spray deposits have dried.
MIGHTY AGRICULTURAL TRADING CORPORATION	2-(2-CHLOROPHENYL)	MIGHTY CPA	-	-	OTHERS	4	733-214-6276	26-Sep-26	-	Pineapple	Plant growth regulator	-	-	21 days	Re-entry into treated areas may be done as soon as spray dries on the foliage
MIGHTY AGRICULTURAL TRADING CORPORATION	BUPROFEZIN	MIGHTY -BUPROFEZIN 25 SC	250 g/L	SC	INSECTICIDE	3	733-224-6117	21-Jul-24	-	Cavendish Banana	Scale insects, aphids, mealybugs	1.5-2.0 mL water	-	0 day	After spray deposits have dried.
UPL PHILIPPINES, INC.	SULPHUR	MICROTHIOL DF	800 g/kg	DF	FUNGICIDE	4	562-083-3059	23-Sep-24	-	Beans	Downy mildew, powdery mil dew	3.5-7.0 Tbsp/16 L water	-	Do not spray within 7 days before harvest	Do not enter treated area until spray has dried up
UPL PHILIPPINES, INC.	SULPHUR	MICROTHIOL DF	800 g/kg	DF	FUNGICIDE	4	562-083-3059	23-Sep-24	-	Citrus	Downy mildew, powdery mil dew	5.0-6.0 Tbsp/16 L water	-	Do not spray within 7 days before harvest	Do not enter treated area until spray has dried up
UPL PHILIPPINES, INC.	SULPHUR	MICROTHIOL DF	800 g/kg	DF	FUNGICIDE	4	562-083-3059	23-Sep-24	-	Vegetables	Powdery mildew	5.0-6.0 Tbsp/16 L water	-	Do not spray within 7 days before harvest	Do not enter treated area until spray has dried up
UPL PHILIPPINES, INC.	SULPHUR	MICROTHIOL DF	800 g/kg	DF	FUNGICIDE	4	562-083-3059	23-Sep-24	-	Ornamentals	Downy mildew, powdery mil dew	5.0-6.0 Tbsp/16 L water	-	Do not spray within 7 days before harvest	Do not enter treated area until spray has dried up
UPL PHILIPPINES, INC.	SULPHUR	MICROTHIOL DF	800 g/kg	DF	FUNGICIDE	4	562-083-3059	23-Sep-24	-	Papaya	Powdery mildew	5.0-6.0 Tbsp/16 L water	-	Do not spray within 7 days before harvest	Do not enter treated area until spray has dried up
UPL PHILIPPINES, INC.	SULPHUR	MICROTHIOL DF	800 g/kg	DF	FUNGICIDE	4	562-083-3059	23-Sep-24	-	Pepper	Downy mildew, powdery mil dew	6.0-7.0 Tbsp/16 L water	-	Do not spray within 7 days before harvest	Do not enter treated area until spray has dried up
UPL PHILIPPINES, INC.	SULPHUR	MICROTHIOL DF	800 g/kg	DF	FUNGICIDE	4	562-083-3059	23-Sep-24	-	Potato	Downy mildew, powdery mil dew	5.0-6.0 Tbsp/16 L water	-	Do not spray within 7 days before harvest	Do not enter treated area until spray has dried up
UPL PHILIPPINES, INC.	SULPHUR	MICROTHIOL DF	800 g/kg	DF	FUNGICIDE	4	562-083-3059	23-Sep-24	-	Tomato	Downy mildew, powdery mil dew	5.0-6.0 Tbsp/16 L water	-	Do not spray within 7 days before harvest	Do not enter treated area until spray has dried up
UPL PHILIPPINES, INC.	SULPHUR	MICROTHIOL DF	800 g/kg	DF	FUNGICIDE	4	562-083-3059	23-Sep-24	-	Eggplant	Downy mildew, powdery mil dew	5.0-6.0 Tbsp/16 L water	-	Do not spray within 7 days before harvest	Do not enter treated area until spray has dried up
UPL PHILIPPINES, INC.	SULPHUR	MICROTHIOL DF	800 g/kg	DF	FUNGICIDE	4	562-083-3059	23-Sep-24	-	Grapes	Powdery mildew	5.0-6.0 Tbsp/16 L water	-	Do not spray within 7 days before harvest	Do not enter treated area until spray has dried up
UPL PHILIPPINES, INC.	SULPHUR	MICROTHIOL DF	800 g/kg	DF	FUNGICIDE	4	562-083-3059	23-Sep-24	-	Cotton	Downy mildew, powdery mildew	5.0-6.0 Tbsp/16 L water	-	Do not spray within 7 days before harvest	Do not enter treated area until spray has dried up
UPL PHILIPPINES, INC.	SULPHUR	MICROTHIOL DF	800 g/kg	DF	FUNGICIDE	4	562-083-3059	23-Sep-24	-	Pineapple	Mites, heart rot	5.0-6.0 Tbsp/16 L water	-	Do not spray within 7 days before harvest	Do not enter treated area until spray has dried up
C.B. ANDREW ASIA, INC.	METOMNOSTROBIN	MICROS 20 SC	200 g/L	SC	FUNGICIDE	2	460-424-4539	14-Nov-21	SYSTEMIC	Mango	Anthracoese	0.8-1.2 tbsp prod/16L water	-	7 days	Do not enter treated fields until spray deposit have completely dried
C.B. ANDREW ASIA, INC.	METOMNOSTROBIN	MICROS 20 SC	200 g/L	SC	FUNGICIDE	2	460-424-4539	14-Nov-21	SYSTEMIC	Onion	Anthracoese/rotter bulb rot	0.8-2.0 tbsp prod/16L water	-	14 days	Do not enter treated fields until spray deposit have completely dried
ALDIX INCORPORATED	MANCOZEB	MICRON 80 WP	800 g/kg	WP	FUNGICIDE	4	002-053-2052	06-Mar-24	-	Potato	Early and late blight	3-6 Tbsp/16 L water	-	-	As soon as spray dries
ALDIX INCORPORATED	MANCOZEB	MICRON 80 WP	800 g/kg	WP	FUNGICIDE	4	002-053-2052	06-Mar-24	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
ALDIX INCORPORATED	MANCOZEB	MICRON 80 WP	800 g/kg	WP	FUNGICIDE	4	002-053-2052	06-Mar-24	-	Caullflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7Days	As soon as spray dries
ALDIX INCORPORATED	MANCOZEB	MICRON 80 WP	800 g/kg	WP	FUNGICIDE	4	002-053-2052	06-Mar-24	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
ALDIZ INCORPORATED	MANCOZEB	MICRON 80 WP	800 g/kg	WP	FUNGICIDE	4	002-053-2052	06-Mar-24		Celery	Late blight	3-6 Tbsp/36 L water	-	14 days	As soon as spray dries
ALDIZ INCORPORATED	MANCOZEB	MICRON 80 WP	800 g/kg	WP	FUNGICIDE	4	002-053-2052	06-Mar-24		Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
ALDIZ INCORPORATED	MANCOZEB	MICRON 80 WP	800 g/kg	WP	FUNGICIDE	4	002-053-2052	06-Mar-24		Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
ALDIZ INCORPORATED	MANCOZEB	MICRON 80 WP	800 g/kg	WP	FUNGICIDE	4	002-053-2052	06-Mar-24		Cotton	Damping off	3-6 Tbsp/36 L water	-	-	As soon as spray dries
ALDIZ INCORPORATED	MANCOZEB	MICRON 80 WP	800 g/kg	WP	FUNGICIDE	4	002-053-2052	06-Mar-24		Lettuce	Downy mildew	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries
ALDIZ INCORPORATED	MANCOZEB	MICRON 80 WP	800 g/kg	WP	FUNGICIDE	4	002-053-2052	06-Mar-24		Beans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
ALDIZ INCORPORATED	MANCOZEB	MICRON 80 WP	800 g/kg	WP	FUNGICIDE	4	002-053-2052	06-Mar-24		Peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
ALDIZ INCORPORATED	MANCOZEB	MICRON 80 WP	800 g/kg	WP	FUNGICIDE	4	002-053-2052	06-Mar-24		Mungo	Anthracnose, Downy mildew, Rust	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
ALDIZ INCORPORATED	MANCOZEB	MICRON 80 WP	800 g/kg	WP	FUNGICIDE	4	002-053-2052	06-Mar-24		Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
ALDIZ INCORPORATED	MANCOZEB	MICRON 80 WP	800 g/kg	WP	FUNGICIDE	4	002-053-2052	06-Mar-24		Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries
ALDIZ INCORPORATED	MANCOZEB	MICRON 80 WP	800 g/kg	WP	FUNGICIDE	4	002-053-2052	06-Mar-24		Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries
ALDIZ INCORPORATED	MANCOZEB	MICRON 80 WP	800 g/kg	WP	FUNGICIDE	4	002-053-2052	06-Mar-24		Pepper	Anthracnose	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries
ALDIZ INCORPORATED	MANCOZEB	MICRON 80 WP	800 g/kg	WP	FUNGICIDE	4	002-053-2052	06-Mar-24		Chili	Anthracnose	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries
ALDIZ INCORPORATED	MANCOZEB	MICRON 80 WP	800 g/kg	WP	FUNGICIDE	4	002-053-2052	06-Mar-24		Eggplant	Blight, Anthracnose	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries
ALDIZ INCORPORATED	MANCOZEB	MICRON 80 WP	800 g/kg	WP	FUNGICIDE	4	002-053-2052	06-Mar-24		Banana	Sigatoka, Black leaf streak	3-6 Tbsp/36 L water	-	-	As soon as spray dries
ALDIZ INCORPORATED	MANCOZEB	MICRON 80 WP	800 g/kg	WP	FUNGICIDE	4	002-053-2052	06-Mar-24		Grapes	Downy mildew, black rot	3-6 Tbsp/36 L water	-	60 days	As soon as spray dries
ALDIZ INCORPORATED	MANCOZEB	MICRON 80 WP	800 g/kg	WP	FUNGICIDE	4	002-053-2052	06-Mar-24		Mango	Anthracnose and Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
ALDIZ INCORPORATED	MANCOZEB	MICRON 80 WP	800 g/kg	WP	FUNGICIDE	4	002-053-2052	06-Mar-24		Papaya	Fruit rot	3-6 Tbsp/36 L water	-	-	As soon as spray dries
ALDIZ INCORPORATED	MANCOZEB	MICRON 80 WP	800 g/kg	WP	FUNGICIDE	4	002-053-2052	06-Mar-24		Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
ALDIZ INCORPORATED	MANCOZEB	MICRON 80 WP	800 g/kg	WP	FUNGICIDE	4	002-053-2052	06-Mar-24		Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
ALDIZ INCORPORATED	MANCOZEB	MICRON 80 WP	800 g/kg	WP	FUNGICIDE	4	002-053-2052	06-Mar-24		Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries
ALDIZ INCORPORATED	MANCOZEB	MICRON 80 WP	800 g/kg	WP	FUNGICIDE	4	002-053-2052	06-Mar-24		Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/36 L water	0.02ppm	-	As soon as spray dries
ALDIZ INCORPORATED	MANCOZEB	MICRON 80 WP	800 g/kg	WP	FUNGICIDE	4	002-053-2052	06-Mar-24		Peanut	Cercospora leaf spot	3-6 Tbsp/36 L water	-	14 days	As soon as spray dries
ALDIZ INCORPORATED	MANCOZEB	MICRON 80 WP	800 g/kg	WP	FUNGICIDE	4	002-053-2052	06-Mar-24		Soybeans	Leaf rust	3-6 Tbsp/36 L water	-	-	As soon as spray dries
ALDIZ INCORPORATED	MANCOZEB	MICRON 80 WP	800 g/kg	WP	FUNGICIDE	4	002-053-2052	06-Mar-24		Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/36 L water	-	-	As soon as spray dries
MIRITY AGRICULTURAL TRADING CORPORATION	BENZALKONIUM CHLORIDE-GLUTARALDEHYDE	MICROKLEEN	100 g/L +200 g/L	-	OTHERS	2	783-508-5996	14-May-25	-	Banana	As tool disinfectant, foot bath or wheel bath for the control of Moko disease/bacterial wilt (Fusarium solanorum) & fusarium wilt	-	-	-	-
CYBERTH PHILIPPINES, INC.	CARBOFURAN	MICRO-GRAN 3G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	216-104-2680	17-Sep-22		Corn	Borer, earworm, grubs, seedling maggot	16-7.33.4 kg prod/ha	-	-	Do not apply MICRO-GRAN 3G within 30 days before harvest
CYBERTH PHILIPPINES, INC.	CARBOFURAN	MICRO-GRAN 3G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	216-104-2680	17-Sep-22		Cotton	Nematodes, grubs	16-7.33.4 kg prod/ha	-	-	Do not apply MICRO-GRAN 3G within 30 days before harvest
CYBERTH PHILIPPINES, INC.	CARBOFURAN	MICRO-GRAN 3G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	216-104-2680	17-Sep-22		Eggplant	Fruitborer	16-7.33.4 kg prod/ha	-	-	Do not apply MICRO-GRAN 3G within 30 days before harvest
CYBERTH PHILIPPINES, INC.	CARBOFURAN	MICRO-GRAN 3G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	216-104-2680	17-Sep-22		Field legumes	Beetflies, grubs, nematodes	16-7.33.4 kg prod/ha	-	-	Do not apply MICRO-GRAN 3G within 30 days before harvest
CYBERTH PHILIPPINES, INC.	CARBOFURAN	MICRO-GRAN 3G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	216-104-2680	17-Sep-22		Rice	Stem borer, whorl maggot, leafhopper, leafroller, caseworm, planthopper	16-7.33.4 kg prod/ha	0.2ppm	-	Do not apply MICRO-GRAN 3G within 30 days before harvest
CYBERTH PHILIPPINES, INC.	CARBOFURAN	MICRO-GRAN 3G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	216-104-2680	17-Sep-22		Soybeans	Beetfly, grubs, nematodes, other soil insects	16-7.33.4 kg prod/ha	-	-	Do not apply MICRO-GRAN 3G within 30 days before harvest
CYBERTH PHILIPPINES, INC.	CARBOFURAN	MICRO-GRAN 3G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	216-104-2680	17-Sep-22		Sugarcane	Borer, leafhopper, mealy bug, nematodes, scale insects	16.3-66.8 kg prod/ha	-	-	Do not apply MICRO-GRAN 3G within 30 days before harvest
CYBERTH PHILIPPINES, INC.	CARBOFURAN	MICRO-GRAN 3G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	216-104-2680	17-Sep-22		Tobacco	Nematode, budworm	16-7.33.4 kg prod/ha	-	-	Do not apply MICRO-GRAN 3G within 30 days before harvest
CYBERTH PHILIPPINES, INC.	CARBOFURAN	MICRO-GRAN 3G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	216-104-2680	17-Sep-22		White potato	Nematodes, grubs	16-7.33.4 kg prod/ha	-	-	Do not apply MICRO-GRAN 3G within 30 days before harvest
CYBERTH PHILIPPINES, INC.	CARBOFURAN	MICRO-GRAN 3G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	216-104-2680	17-Sep-22		Cowpea	Beetfly, grubs, nematodes, other soil insects	16-7.33.4 kg prod/ha	-	-	Do not apply MICRO-GRAN 3G within 30 days before harvest
CYBERTH PHILIPPINES, INC.	CARBOFURAN	MICRO-GRAN 3G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	216-104-2680	17-Sep-22		Ornamentals	Scale insect, aphids, mealy bug	16-7.33.4 kg prod/ha	-	-	Do not apply MICRO-GRAN 3G within 30 days before harvest
GOLDEN PRIMESTOCKS CHEMICAL INC.	TETRACONAZOLE-CARBENDAZIM	METTLE PRO	125 g/L +150 g/L	SE	FUNGICIDE	4	573-423-3718	27-Sep-25	SYSTEMIC	Mango	Anthracnose & Stem-end rot	40-80ml/120 L water	-	-	Do not spray 14 days before harvest.
METROAGRI TRADING AND GENERAL MERCHANDISE INC.	ATRAZINE	METROZEB 80 WP	800g/kg	WP	HERBICIDE	4	634-063-4726	25-Mar-21	SELECTIVE (PRE-EMERGENT)	Corn	Annual broadleaf weeds and annual grasses	8-12Tbsp/36 L water	-	-	Do not enter treated fields within 5 days after application
METROAGRI TRADING AND GENERAL MERCHANDISE INC.	ATRAZINE	METROZEB 80 WP	800g/kg	WP	HERBICIDE	4	634-063-4726	25-Mar-21	SELECTIVE (PRE-EMERGENT)	Sorghum	Annual broadleaf weeds and annual grasses	8-12Tbsp/36 L water	-	-	Do not enter treated fields within 5 days after application
METROAGRI TRADING AND GENERAL MERCHANDISE INC.	ATRAZINE	METROZEB 80 WP	800g/kg	WP	HERBICIDE	4	634-063-4726	25-Mar-21	SELECTIVE (PRE-EMERGENT)	Sugarcane	Annual broadleaf weeds and annual grasses	8-12Tbsp/36 L water	-	-	Do not enter treated fields within 5 days after application
METROAGRI TRADING AND GENERAL MERCHANDISE INC.	MANCOZEB	METROZEB 80 WP	800g/kg	WP	FUNGICIDE	4	634-053-4678	25-Mar-21		Potato	Early and late blight	3-6 Tbsp/36 L water	-	-	Do not enter the field within 7 days before harvest
METROAGRI TRADING AND GENERAL MERCHANDISE INC.	MANCOZEB	METROZEB 80 WP	800g/kg	WP	FUNGICIDE	4	634-053-4678	25-Mar-21		Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	-	Do not enter the field within 2 days after spraying
METROAGRI TRADING AND GENERAL MERCHANDISE INC.	MANCOZEB	METROZEB 80 WP	800g/kg	WP	FUNGICIDE	4	634-053-4678	25-Mar-21		Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	-	Do not enter the field within 2 days after spraying
METROAGRI TRADING AND GENERAL MERCHANDISE INC.	MANCOZEB	METROZEB 80 WP	800g/kg	WP	FUNGICIDE	4	634-053-4678	25-Mar-21		Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	-	Do not enter the field within 2 days after spraying
METROAGRI TRADING AND GENERAL MERCHANDISE INC.	MANCOZEB	METROZEB 80 WP	800g/kg	WP	FUNGICIDE	4	634-053-4678	25-Mar-21		Celery	Late blight	3-6 Tbsp/36 L water	-	-	Do not enter the field within 2 days after spraying
METROAGRI TRADING AND GENERAL MERCHANDISE INC.	MANCOZEB	METROZEB 80 WP	800g/kg	WP	FUNGICIDE	4	634-053-4678	25-Mar-21		Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	-	Do not enter the field within 2 days after spraying
METROAGRI TRADING AND GENERAL MERCHANDISE INC.	MANCOZEB	METROZEB 80 WP	800g/kg	WP	FUNGICIDE	4	634-053-4678	25-Mar-21		Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	-	Do not enter the field within 2 days after spraying
METROAGRI TRADING AND GENERAL MERCHANDISE INC.	MANCOZEB	METROZEB 80 WP	800g/kg	WP	FUNGICIDE	4	634-053-4678	25-Mar-21		Cotton	Damping off	3-6 Tbsp/36 L water	-	-	Do not enter the field within 2 days after spraying
METROAGRI TRADING AND GENERAL MERCHANDISE INC.	MANCOZEB	METROZEB 80 WP	800g/kg	WP	FUNGICIDE	4	634-053-4678	25-Mar-21		Lettuce	Downy mildew	3-6 Tbsp/36 L water	-	-	Do not enter the field within 2 days after spraying
METROAGRI TRADING AND GENERAL MERCHANDISE INC.	MANCOZEB	METROZEB 80 WP	800g/kg	WP	FUNGICIDE	4	634-053-4678	25-Mar-21		Beans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/36 L water	-	-	Do not enter the field within 2 days after spraying
METROAGRI TRADING AND GENERAL MERCHANDISE INC.	MANCOZEB	METROZEB 80 WP	800g/kg	WP	FUNGICIDE	4	634-053-4678	25-Mar-21		Peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/36 L water	-	-	Do not enter the field within 2 days after spraying
METROAGRI TRADING AND GENERAL MERCHANDISE INC.	MANCOZEB	METROZEB 80 WP	800g/kg	WP	FUNGICIDE	4	634-053-4678	25-Mar-21		Mungo	Anthracnose, Downy mildew, Rust	3-6 Tbsp/36 L water	-	-	Do not enter the field within 2 days after spraying
METROAGRI TRADING AND GENERAL MERCHANDISE INC.	MANCOZEB	METROZEB 80 WP	800g/kg	WP	FUNGICIDE	4	634-053-4678	25-Mar-21		Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/36 L water	-	-	Do not enter the field within 2 days after spraying
METROAGRI TRADING AND GENERAL MERCHANDISE INC.	MANCOZEB	METROZEB 80 WP	800g/kg	WP	FUNGICIDE	4	634-053-4678	25-Mar-21		Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36 L water	-	-	Do not enter the field within 2 days after spraying
METROAGRI TRADING AND GENERAL MERCHANDISE INC.	MANCOZEB	METROZEB 80 WP	800g/kg	WP	FUNGICIDE	4	634-053-4678	25-Mar-21		Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36 L water	-	-	Do not enter the field within 2 days after spraying

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
METROGRI TRADING AND GENERAL MERCHANDISE INC	MANCOZEB	METROZEB 80 WP	800g/kg	WP	FUNGICIDE	4	634-053-4678	25-Mar-21		Pepper	Anthracoise	3-6 Tbsp/36 L water	-	Do not enter the field within 2 days after spraying	Do not spray within 7 days before harvest
METROGRI TRADING AND GENERAL MERCHANDISE INC	MANCOZEB	METROZEB 80 WP	800g/kg	WP	FUNGICIDE	4	634-053-4678	25-Mar-21		Chili	Anthracoise	3-6 Tbsp/36 L water	-	Do not enter the field within 2 days after spraying	Do not spray within 7 days before harvest
METROGRI TRADING AND GENERAL MERCHANDISE INC	MANCOZEB	METROZEB 80 WP	800g/kg	WP	FUNGICIDE	4	634-053-4678	25-Mar-21		Eggplant	Blight, Anthracnose	3-6 Tbsp/36 L water	-	Do not enter the field within 2 days after spraying	Do not spray within 7 days before harvest
METROGRI TRADING AND GENERAL MERCHANDISE INC	MANCOZEB	METROZEB 80 WP	800g/kg	WP	FUNGICIDE	4	634-053-4678	25-Mar-21		Banana	Sigatoka, Black leaf streak	3-6 Tbsp/36 L water	-	Do not enter the field within 2 days after spraying	Do not spray within 7 days before harvest
METROGRI TRADING AND GENERAL MERCHANDISE INC	MANCOZEB	METROZEB 80 WP	800g/kg	WP	FUNGICIDE	4	634-053-4678	25-Mar-21		Grapes	Downy mildew, black rot	3-6 Tbsp/36 L water	-	Do not enter the field within 2 days after spraying	Do not spray within 7 days before harvest
METROGRI TRADING AND GENERAL MERCHANDISE INC	MANCOZEB	METROZEB 80 WP	800g/kg	WP	FUNGICIDE	4	634-053-4678	25-Mar-21		Mango	Anthracoise and Scab	3-6 Tbsp/36 L water	-	Do not enter the field within 2 days after spraying	Do not spray within 7 days before harvest
METROGRI TRADING AND GENERAL MERCHANDISE INC	MANCOZEB	METROZEB 80 WP	800g/kg	WP	FUNGICIDE	4	634-053-4678	25-Mar-21		Papaya	Fruit rot	3-6 Tbsp/36 L water	-	Do not enter the field within 2 days after spraying	Do not spray within 7 days before harvest
METROGRI TRADING AND GENERAL MERCHANDISE INC	MANCOZEB	METROZEB 80 WP	800g/kg	WP	FUNGICIDE	4	634-053-4678	25-Mar-21		Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	Do not enter the field within 2 days after spraying	Do not spray within 7 days before harvest
METROGRI TRADING AND GENERAL MERCHANDISE INC	MANCOZEB	METROZEB 80 WP	800g/kg	WP	FUNGICIDE	4	634-053-4678	25-Mar-21		Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	Do not enter the field within 2 days after spraying	Do not spray within 7 days before harvest
METROGRI TRADING AND GENERAL MERCHANDISE INC	MANCOZEB	METROZEB 80 WP	800g/kg	WP	FUNGICIDE	4	634-053-4678	25-Mar-21		Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/36 L water	-	Do not enter the field within 2 days after spraying	Do not spray within 7 days before harvest
METROGRI TRADING AND GENERAL MERCHANDISE INC	MANCOZEB	METROZEB 80 WP	800g/kg	WP	FUNGICIDE	4	634-053-4678	25-Mar-21		Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/36 L water	0.02ppm	Do not enter the field within 2 days after spraying	Do not spray within 7 days before harvest
METROGRI TRADING AND GENERAL MERCHANDISE INC	MANCOZEB	METROZEB 80 WP	800g/kg	WP	FUNGICIDE	4	634-053-4678	25-Mar-21		Peanut	Cercospora leaf spot	3-6 Tbsp/36 L water	-	Do not enter the field within 2 days after spraying	Do not spray within 7 days before harvest
METROGRI TRADING AND GENERAL MERCHANDISE INC	MANCOZEB	METROZEB 80 WP	800g/kg	WP	FUNGICIDE	4	634-053-4678	25-Mar-21		Soybeans	Leaf rust	3-6 Tbsp/36 L water	-	Do not enter the field within 2 days after spraying	Do not spray within 7 days before harvest
METROGRI TRADING AND GENERAL MERCHANDISE INC	MANCOZEB	METROZEB 80 WP	800g/kg	WP	FUNGICIDE	4	634-053-4678	25-Mar-21		Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/36 L water	-	Do not enter the field within 2 days after spraying	Do not spray within 7 days before harvest
C.B. ANDREW ASIA, INC.	PYMETROZINE	METROZ 50 WS	500 g/kg	WG	INSECTICIDE	4	460-307-4534	20-Apr-24		Mango	Mango leafhopper	1 sachet/7200L	-	Do not enter treated fields until spray deposit have completely dried	
C.B. ANDREW ASIA, INC.	PYMETROZINE	METROZ 50 WG	500 g/kg	WG	INSECTICIDE	4	460-307-4534	20-Apr-24		Corn	Leafhopper, planthopper, aphid	7-16 g prod / 36 liter; 100-250 g prod / ha	0.02	5 days	Do not enter treated fields until spray deposit have completely dried
C.B. ANDREW ASIA, INC.	PYMETROZINE	METROZ 50 WG	500 g/kg	WG	INSECTICIDE	4	460-307-4534	20-Apr-24		Rice	Brown planthopper, green planthopper	25-30 g prod/36L water	0.02	36 days	Do not enter treated fields until spray deposit have completely dried
METROGRI TRADING AND GENERAL MERCHANDISE INC	GLYPHOSATE IPA	METROSATE 480 SL	480 g/L	SL	HERBICIDE	4	634-151-4727	25-Apr-21	SYSTEMIC (NON SELECTIVE)		Annual and perennial grasses, broadleaf weeds & sedges	2-4.0 Liters/ha	-		
METROGRI TRADING AND GENERAL MERCHANDISE INC	GLYPHOSATE IPA	METROSATE 480 SL	480 g/L	SL	HERBICIDE	4	634-151-4727	25-Apr-21	SYSTEMIC (NON SELECTIVE)	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3-0.4.5 Liters/ha	-		
METROGRI TRADING AND GENERAL MERCHANDISE INC	GLYPHOSATE IPA	METROSATE 480 SL	480 g/L	SL	HERBICIDE	4	634-151-4727	25-Apr-21	SYSTEMIC (NON SELECTIVE)	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3-0.4.5 Liters/ha	-		
METROGRI TRADING AND GENERAL MERCHANDISE INC	GLYPHOSATE IPA	METROSATE 480 SL	480 g/L	SL	HERBICIDE	4	634-151-4727	25-Apr-21	SYSTEMIC (NON SELECTIVE)	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3-0.4.5 Liters/ha	-		
METROGRI TRADING AND GENERAL MERCHANDISE INC	GLYPHOSATE IPA	METROSATE 480 SL	480 g/L	SL	HERBICIDE	4	634-151-4727	25-Apr-21	SYSTEMIC (NON SELECTIVE)	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3-0.4.5 Liters/ha	-		
METROGRI TRADING AND GENERAL MERCHANDISE INC	GLYPHOSATE IPA	METROSATE 480 SL	480 g/L	SL	HERBICIDE	4	634-151-4727	25-Apr-21	SYSTEMIC (NON SELECTIVE)	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-		
METROGRI TRADING AND GENERAL MERCHANDISE INC	GLYPHOSATE IPA	METROSATE 480 SL	480 g/L	SL	HERBICIDE	4	634-151-4727	25-Apr-21	SYSTEMIC (NON SELECTIVE)	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-		
METROGRI TRADING AND GENERAL MERCHANDISE INC	GLYPHOSATE IPA	METROSATE 480 SL	480 g/L	SL	HERBICIDE	4	634-151-4727	25-Apr-21	SYSTEMIC (NON SELECTIVE)	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-		
METROGRI TRADING AND GENERAL MERCHANDISE INC	GLYPHOSATE IPA	METROSATE 480 SL	480 g/L	SL	HERBICIDE	4	634-151-4727	25-Apr-21	SYSTEMIC (NON SELECTIVE)	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/ha	-		
METROGRI TRADING AND GENERAL MERCHANDISE INC	GLYPHOSATE IPA	METROSATE 480 SL	480 g/L	SL	HERBICIDE	4	634-151-4727	25-Apr-21	SYSTEMIC (NON SELECTIVE)	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-		
METROGRI TRADING AND GENERAL MERCHANDISE INC	GLYPHOSATE IPA	METROSATE 480 SL	480 g/L	SL	HERBICIDE	4	634-151-4727	25-Apr-21	SYSTEMIC (NON SELECTIVE)	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-		
METROGRI TRADING AND GENERAL MERCHANDISE INC	GLYPHOSATE IPA	METROSATE 480 SL	480 g/L	SL	HERBICIDE	4	634-151-4727	25-Apr-21	SYSTEMIC (NON SELECTIVE)	Non-crop	Annual & perennial grasses, broadleaf weeds & sedges	-	-		
METROGRI TRADING AND GENERAL MERCHANDISE INC	THIOPHANATE METHYL	METROPHANATE 70 WP	700 g/kg	WP	FUNGICIDE	4	634-107-4724	01-Apr-22	SYSTEMIC	Rice	Black spot, neckrot, rice blast	1.5-2.0 Tbsp/36L Water	1.0ppm	Do not spray within fourteen(14) days of harvest	Do not enter the field within five(5) days after spraying
METROGRI TRADING AND GENERAL MERCHANDISE INC	THIOPHANATE METHYL	METROPHANATE 70 WP	700 g/kg	WP	FUNGICIDE	4	634-107-4724	01-Apr-22	SYSTEMIC	Mango	Anthracoise	0.5-1.0 Tbsp/36L Water	-	Do not spray within fourteen(14) days of harvest	Do not enter the field within five(5) days after spraying
METROGRI TRADING AND GENERAL MERCHANDISE INC	THIOPHANATE METHYL	METROPHANATE 70 WP	700 g/kg	WP	FUNGICIDE	4	634-107-4724	01-Apr-22	SYSTEMIC	Tobacco	Frog eye leaf spot	0.5-1.0 Tbsp/36L Water	-	Do not spray within fourteen(14) days of harvest	Do not enter the field within five(5) days after spraying
METROGRI TRADING AND GENERAL MERCHANDISE INC	THIOPHANATE METHYL	METROPHANATE 70 WP	700 g/kg	WP	FUNGICIDE	4	634-107-4724	01-Apr-22	SYSTEMIC	Tomato	Powdery mildew, leaf mold	0.5-1.0 Tbsp/36L Water	-	Do not spray within fourteen(14) days of harvest	Do not enter the field within five(5) days after spraying
METROGRI TRADING AND GENERAL MERCHANDISE INC	THIOPHANATE METHYL	METROPHANATE 70 WP	700 g/kg	WP	FUNGICIDE	4	634-107-4724	01-Apr-22	SYSTEMIC	Legumes	Cercospora leaf spot, Anthracnose, botrytis rot, fusarium wilt, powdery mildew	0.5-1.0 Tbsp/36L Water	-	Do not spray within fourteen(14) days of harvest	Do not enter the field within five(5) days after spraying
METROGRI TRADING AND GENERAL MERCHANDISE INC	THIOPHANATE METHYL	METROPHANATE 70 WP	700 g/kg	WP	FUNGICIDE	4	634-107-4724	01-Apr-22	SYSTEMIC	Beans	Cercospora leaf spot, Anthracnose, botrytis rot, fusarium wilt, powdery mildew	0.5-1.0 Tbsp/36L Water	-	Do not spray within fourteen(14) days of harvest	Do not enter the field within five(5) days after spraying
METROGRI TRADING AND GENERAL MERCHANDISE INC	THIOPHANATE METHYL	METROPHANATE 70 WP	700 g/kg	WP	FUNGICIDE	4	634-107-4724	01-Apr-22	SYSTEMIC	Cucumber	Powdery mildew, Gummy Stem blight, leaf and fruit spots, scab	0.5-1.0 Tbsp/36L Water	-	Do not spray within fourteen(14) days of harvest	Do not enter the field within five(5) days after spraying
METROGRI TRADING AND GENERAL MERCHANDISE INC	THIOPHANATE METHYL	METROPHANATE 70 WP	700 g/kg	WP	FUNGICIDE	4	634-107-4724	01-Apr-22	SYSTEMIC	Melon	Powdery mildew, Gummy Stem blight, leaf and fruit spots, scab	0.5-1.0 Tbsp/36L Water	-	Do not spray within fourteen(14) days of harvest	Do not enter the field within five(5) days after spraying
METROGRI TRADING AND GENERAL MERCHANDISE INC	THIOPHANATE METHYL	METROPHANATE 70 WP	700 g/kg	WP	FUNGICIDE	4	634-107-4724	01-Apr-22	SYSTEMIC	Ornamentals	Powdery mildew, black spots	0.5-1.0 Tbsp/36L Water	-	Do not spray within fourteen(14) days of harvest	Do not enter the field within five(5) days after spraying
METROGRI TRADING AND GENERAL MERCHANDISE INC	THIOPHANATE METHYL	METROPHANATE 70 WP	700 g/kg	WP	FUNGICIDE	4	634-107-4724	01-Apr-22	SYSTEMIC	Orchids	Powdery mildew, black spots	0.5-1.0 Tbsp/36L Water	-	Do not spray within fourteen(14) days of harvest	Do not enter the field within five(5) days after spraying
METROGRI TRADING AND GENERAL MERCHANDISE INC	THIOPHANATE METHYL	METROPHANATE 70 WP	700 g/kg	WP	FUNGICIDE	4	634-107-4724	01-Apr-22	SYSTEMIC	Cabbage	Shot hole disease, cercospora leaf spot	0.5-1.0 Tbsp/36L Water	-	Do not spray within fourteen(14) days of harvest	Do not enter the field within five(5) days after spraying
METROGRI TRADING AND GENERAL MERCHANDISE INC	THIOPHANATE METHYL	METROPHANATE 70 WP	700 g/kg	WP	FUNGICIDE	4	634-107-4724	01-Apr-22	SYSTEMIC	Cauliflower	Shot hole disease, cercospora leaf spot	0.5-1.0 Tbsp/36L Water	-	Do not spray within fourteen(14) days of harvest	Do not enter the field within five(5) days after spraying
METROGRI TRADING AND GENERAL MERCHANDISE INC	THIOPHANATE METHYL	METROPHANATE 70 WP	700 g/kg	WP	FUNGICIDE	4	634-107-4724	01-Apr-22	SYSTEMIC	Lettuce	Shot hole disease, cercospora leaf spot	0.5-1.0 Tbsp/36L Water	-	Do not spray within fourteen(14) days of harvest	Do not enter the field within five(5) days after spraying
METROGRI TRADING AND GENERAL MERCHANDISE INC	THIOPHANATE METHYL	METROPHANATE 70 WP	700 g/kg	WP	FUNGICIDE	4	634-107-4724	01-Apr-22	SYSTEMIC	Strawberry	Powdery mildew, cercospora leaf spot, gray molds	0.5-1.0 Tbsp/36L Water	-	Do not spray within fourteen(14) days of harvest	Do not enter the field within five(5) days after spraying
METROGRI TRADING AND GENERAL MERCHANDISE INC	THIOPHANATE METHYL	METROPHANATE 70 WP	700 g/kg	WP	FUNGICIDE	4	634-107-4724	01-Apr-22	SYSTEMIC	Grapes	Fruit rot, Powdery mildew, anthracnose	0.5-1.0 Tbsp/36L Water	-	Do not spray within fourteen(14) days of harvest	Do not enter the field within five(5) days after spraying
METROGRI TRADING AND GENERAL MERCHANDISE INC	THIOPHANATE METHYL	METROPHANATE 70 WP	700 g/kg	WP	FUNGICIDE	4	634-107-4724	01-Apr-22	SYSTEMIC	Orange	Scabs	0.5-1.0 Tbsp/36L Water	-	Do not spray within fourteen(14) days of harvest	Do not enter the field within five(5) days after spraying
METROGRI TRADING AND GENERAL MERCHANDISE INC	THIOPHANATE METHYL	METROPHANATE 70 WP	700 g/kg	WP	FUNGICIDE	4	634-107-4724	01-Apr-22	SYSTEMIC	Citrus	Scabs	0.5-1.0 Tbsp/36L Water	-	Do not spray within fourteen(14) days of harvest	Do not enter the field within five(5) days after spraying
METROGRI TRADING AND GENERAL MERCHANDISE INC	THIOPHANATE METHYL	METROPHANATE 70 WP	700 g/kg	WP	FUNGICIDE	4	634-107-4724	01-Apr-22	SYSTEMIC	Calamansi	Scabs	0.5-1.0 Tbsp/36L Water	-	Do not spray within fourteen(14) days of harvest	Do not enter the field within five(5) days after spraying
METROGRI TRADING AND GENERAL MERCHANDISE INC	THIOPHANATE METHYL	METROPHANATE 70 WP	700 g/kg	WP	FUNGICIDE	4	634-107-4724	01-Apr-22	SYSTEMIC	Banana	Sigatoka disease	1.5-2.0 Tbsp/36L Water	-	Do not spray within fourteen(14) days of harvest	Do not enter the field within five(5) days after spraying
METROGRI TRADING AND GENERAL MERCHANDISE INC	THIOPHANATE METHYL	METROPHANATE 70 WP	700 g/kg	WP	FUNGICIDE	4	634-107-4724	01-Apr-22	SYSTEMIC	Papaya	Powdery mildew	0.5-1.0 Tbsp/36L Water	-	Do not spray within fourteen(14) days of harvest	Do not enter the field within five(5) days after spraying
METROGRI TRADING AND GENERAL MERCHANDISE INC	CHLOROTHALONIL	METRONIL 720 SC	720 g/L	SC	FUNGICIDE	4	634-118-4725	25-Apr-21		Potato	Early blight, late blight, vine rot	4.5-6.0 Tbsp/36L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
METROGRI TRADING AND GENERAL MERCHANDISE INC	CHLOROTHALONIL	METRONIL 720 SC	720 g/L	SC	FUNGICIDE	4	634-118-4725	25-Apr-21		Tomato	Early blight, late blight, vine rot	4.5-6.0 Tbsp/36L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
METROGRI TRADING AND GENERAL MERCHANDISE INC	CHLOROTHALONIL	METRONIL 720 SC	720 g/L	SC	FUNGICIDE	4	634-118-4725	25-Apr-21		Beans	Rust, anthracnose	4.5-6.0 Tbsp/36L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
METROGRI TRADING AND GENERAL MERCHANDISE INC	CHLOROTHALONIL	METRONIL 720 SC	720 g/L	SC	FUNGICIDE	4	634-118-4725	25-Apr-21		Carrot	Alternaria leaf spot, cercospora leaf spot, helminthosporium leaf spot	4.5-6.0 Tbsp/36L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
METROGRI TRADING AND GENERAL MERCHANDISE INC	CHLOROTHALONIL	METRONIL 720 SC	720 g/L	SC	FUNGICIDE	4	634-118-4725	25-Apr-21		Cruifers	Powdery mildew	4.5-6.0 Tbsp/36L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
METROGRI TRADING AND GENERAL MERCHANDISE INC	CHLOROTHALONIL	METRONIL 720 SC	720 g/L	SC	FUNGICIDE	4	634-118-4725	25-Apr-21		Cucurbits	Powdery mildew, downy mildew, cercospora, anthracnose, septoria, fruit rot, early and late blight	4.5-6.0 Tbsp/36L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
METROGRI TRADING AND GENERAL MERCHANDISE INC	CHLOROTHALONIL	METRONIL 720 SC	720 g/L	SC	FUNGICIDE	4	634-118-4725	25-Apr-21		Galery	Early blight, late blight	4.5-6.0 Tbsp/36L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
METROAGRI TRADING AND GENERAL MERCHANDISE INC.	CHLOROTHALONIL	METRONIL 720 SC	720 g/L	SC	FUNGICIDE	4	634-118-4725	25-Apr-21		Eggplant	Early blight, late blight, cercospora, anthracnose	4.5-6.0 Tbsp/36L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
METROAGRI TRADING AND GENERAL MERCHANDISE INC.	CHLOROTHALONIL	METRONIL 720 SC	720 g/L	SC	FUNGICIDE	4	634-118-4725	25-Apr-21		Onion	Purple blotch, bulb rot, neck rot	4.5-6.0 Tbsp/36L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
METROAGRI TRADING AND GENERAL MERCHANDISE INC.	CHLOROTHALONIL	METRONIL 720 SC	720 g/L	SC	FUNGICIDE	4	634-118-4725	25-Apr-21		Pepper	Early & Late blight, Bulb rot, Neck rot	4.5-6.0 Tbsp/36L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
METROAGRI TRADING AND GENERAL MERCHANDISE INC.	CHLOROTHALONIL	METRONIL 720 SC	720 g/L	SC	FUNGICIDE	4	634-118-4725	25-Apr-21		Citrus	Downy mildew, powdery mildew, fruit rot	4.5-6.0 Tbsp/36L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
METROAGRI TRADING AND GENERAL MERCHANDISE INC.	CHLOROTHALONIL	METRONIL 720 SC	720 g/L	SC	FUNGICIDE	4	634-118-4725	25-Apr-21		Mango	Anthraxnose, diploidia rot	4.5-6.0 Tbsp/36L water	0.5 mg/kg	7-14 days	Do not enter treatment areas until spray deposit have dried
METROAGRI TRADING AND GENERAL MERCHANDISE INC.	CHLOROTHALONIL	METRONIL 720 SC	720 g/L	SC	FUNGICIDE	4	634-118-4725	25-Apr-21		Ornamentals	Black spot, powdery mildew, black rot	4.5-6.0 Tbsp/36L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
METROAGRI TRADING AND GENERAL MERCHANDISE INC.	CHLOROTHALONIL	METRONIL 720 SC	720 g/L	SC	FUNGICIDE	4	634-118-4725	25-Apr-21		Asparagus	Stem and leaf blight	1.8L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
METROAGRI TRADING AND GENERAL MERCHANDISE INC.	CHLOROTHALONIL	METRONIL 720 SC	720 g/L	SC	FUNGICIDE	4	634-118-4725	25-Apr-21		Banana	Black sigatoka	1.38L/ha	2.0 mg/kg	0 day	Do not enter treatment areas until spray deposit have dried
METROAGRI TRADING AND GENERAL MERCHANDISE INC.	GLUFOSINATE AMMONIUM	METRONATE 15 SL	150 g/L	SL	HERBICIDE	4	634-182-4728	25-Mar-21	NON-SELECTIVE/POST-EMERGENT	Rubber	Annual & Perennial grasses, sedges & broadleaf weeds	215, 270, 135ml/36L water	-	-	-
METROAGRI TRADING AND GENERAL MERCHANDISE INC.	GLUFOSINATE AMMONIUM	METRONATE 15 SL	150 g/L	SL	HERBICIDE	4	634-182-4728	25-Mar-21	NON-SELECTIVE/POST-EMERGENT	Oil palm	Annual & Perennial grasses, sedges & broadleaf weeds	160, 135ml/36L water	-	-	-
METROAGRI TRADING AND GENERAL MERCHANDISE INC.	GLUFOSINATE AMMONIUM	METRONATE 15 SL	150 g/L	SL	HERBICIDE	4	634-182-4728	25-Mar-21	NON-SELECTIVE/POST-EMERGENT	Non-crop areas	Weeds	360-225 ml/36L water	-	-	-
METROAGRI TRADING AND GENERAL MERCHANDISE INC.	GLUFOSINATE AMMONIUM	METRONATE 15 SL	150 g/L	SL	HERBICIDE	4	634-182-4728	25-Mar-21	NON-SELECTIVE/POST-EMERGENT	Coffee	Annual & Perennial grasses, sedges & broadleaf weeds	160, 135ml/36L water	-	-	-
METROAGRI TRADING AND GENERAL MERCHANDISE INC.	GLUFOSINATE AMMONIUM	METRONATE 15 SL	150 g/L	SL	HERBICIDE	4	634-182-4728	25-Mar-21	NON-SELECTIVE/POST-EMERGENT	Citrus	Annual & Perennial grasses, sedges & broadleaf weeds	160, 135ml/36L water	-	-	-
METROAGRI TRADING AND GENERAL MERCHANDISE INC.	GLUFOSINATE AMMONIUM	METRONATE 15 SL	150 g/L	SL	HERBICIDE	4	634-182-4728	25-Mar-21	NON-SELECTIVE/POST-EMERGENT	Cavendish Banana	Annual & Perennial grasses, sedges & broadleaf weeds	160, 135-200 ml/36L water	0.2 mg/kg	-	-
METROAGRI TRADING AND GENERAL MERCHANDISE INC.	GLUFOSINATE AMMONIUM	METRONATE 15 SL	150 g/L	SL	HERBICIDE	4	634-182-4728	25-Mar-21	NON-SELECTIVE/POST-EMERGENT	Cacao	Annual & Perennial grasses, sedges & broadleaf weeds	160, 135ml/36L water	-	-	-
BIOSTADT PHILIPPINES INC.	METRILIZON	METRIL 700 WP	700 g/kg	WP	HERBICIDE	4	097-022-4710	18-Mar-25	SELECTIVE	Potato	Annual grasses and broadleaves	15-22.5 grams/36 L water	-	60 days	Do not re-enter sprayed areas until deposits have dried
BIOSTADT PHILIPPINES INC.	METRILIZON	METRIL 700 WP	700 g/kg	WP	HERBICIDE	4	097-022-4710	18-Mar-25	SELECTIVE	Soybeans	Annual grasses and broadleaves	15-22.5 grams/36 L water	-	60 days	Do not re-enter sprayed areas until deposits have dried
BIOSTADT PHILIPPINES INC.	METRILIZON	METRIL 700 WP	700 g/kg	WP	HERBICIDE	4	097-022-4710	18-Mar-25	SELECTIVE	Sugarcane	Annual grasses and broadleaves	15-30 grams/36 L water	-	60 days	Do not re-enter sprayed areas until deposits have dried
BIOSTADT PHILIPPINES INC.	METRILIZON	METRIL 700 WP	700 g/kg	WP	HERBICIDE	4	097-022-4710	18-Mar-25	SELECTIVE	Tomato	Annual grasses and broadleaves	15-22.5 grams/36 L water	-	60 days	Do not re-enter sprayed areas until deposits have dried
VANN HAWK AGRO CHEMICALS, INC.	METHOMYL	METOMIL 40 SP	400 g/kg	SP	INSECTICIDE	2	295-164-2495	28-Oct-26	CONTACT	Asparagus	Armyworm, cutworm	1 Sachet/36L Sprayer	-	-	-
VANN HAWK AGRO CHEMICALS, INC.	METHOMYL	METOMIL 40 SP	400 g/kg	SP	INSECTICIDE	2	295-164-2495	28-Oct-26	CONTACT	Banana	Thrips	1.5-2 Sachet/36L Sprayer	-	-	-
VANN HAWK AGRO CHEMICALS, INC.	METHOMYL	METOMIL 40 SP	400 g/kg	SP	INSECTICIDE	2	295-164-2495	28-Oct-26	CONTACT	Beans	Leafroller, flea beetle , beanfly, podborer,aphids	1 Sachet/36L Sprayer	-	-	-
VANN HAWK AGRO CHEMICALS, INC.	METHOMYL	METOMIL 40 SP	400 g/kg	SP	INSECTICIDE	2	295-164-2495	28-Oct-26	CONTACT	Mungbeans	Leafroller, flea beetle , beanfly, podborer,aphids	1 Sachet/36L Sprayer	-	-	-
VANN HAWK AGRO CHEMICALS, INC.	METHOMYL	METOMIL 40 SP	400 g/kg	SP	INSECTICIDE	2	295-164-2495	28-Oct-26	CONTACT	Soybeans	Leafroller, flea beetle , beanfly, podborer,aphids	1 Sachet/36L Sprayer	-	-	-
VANN HAWK AGRO CHEMICALS, INC.	METHOMYL	METOMIL 40 SP	400 g/kg	SP	INSECTICIDE	2	295-164-2495	28-Oct-26	CONTACT	Sitao	Leafroller, flea beetle , beanfly, podborer,aphids	1 Sachet/36L Sprayer	-	-	-
VANN HAWK AGRO CHEMICALS, INC.	METHOMYL	METOMIL 40 SP	400 g/kg	SP	INSECTICIDE	2	295-164-2495	28-Oct-26	CONTACT	Corn	Comborer, earworm	1 Sachet/36L Sprayer	-	-	-
VANN HAWK AGRO CHEMICALS, INC.	METHOMYL	METOMIL 40 SP	400 g/kg	SP	INSECTICIDE	2	295-164-2495	28-Oct-26	CONTACT	Sorghum	Comborer, earworm	1 Sachet/36L Sprayer	-	-	-
VANN HAWK AGRO CHEMICALS, INC.	METHOMYL	METOMIL 40 SP	400 g/kg	SP	INSECTICIDE	2	295-164-2495	28-Oct-26	CONTACT	Eggplant	Aphids, flea beetle , fruitworm, lady beetle	1 Sachet/36L Sprayer	-	-	-
VANN HAWK AGRO CHEMICALS, INC.	METHOMYL	METOMIL 40 SP	400 g/kg	SP	INSECTICIDE	2	295-164-2495	28-Oct-26	CONTACT	Melon	Aphids, Squash beetle , leafroller	1 Sachet/36L Sprayer	-	-	-
VANN HAWK AGRO CHEMICALS, INC.	METHOMYL	METOMIL 40 SP	400 g/kg	SP	INSECTICIDE	2	295-164-2495	28-Oct-26	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leafroller	1 Sachet/36L Sprayer	0.05ppm	-	-
VANN HAWK AGRO CHEMICALS, INC.	METHOMYL	METOMIL 40 SP	400 g/kg	SP	INSECTICIDE	2	295-164-2495	28-Oct-26	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	1 Sachet/36L Sprayer	-	-	-
VANN HAWK AGRO CHEMICALS, INC.	METHOMYL	METOMIL 40 SP	400 g/kg	SP	INSECTICIDE	2	295-164-2495	28-Oct-26	CONTACT	Tomato	Tomato fruitworm, aphids	1 Sachet/36L Sprayer	-	-	-
JARDINE DISTRIBUTION, INC.	METHOMYL	METO MIGHT 40 SP	400 g/kg	SP	INSECTICIDE	2	367-164-4024-A	02-Sep-25	CONTACT	Asparagus	Armyworm, cutworm	2.0-3.5 Tbsp/36L water	-	-	Do not enter fields treated with METO MIGHT 40 SP within 12 hours after application.
JARDINE DISTRIBUTION, INC.	METHOMYL	METO MIGHT 40 SP	400 g/kg	SP	INSECTICIDE	2	367-164-4024-A	02-Sep-25	CONTACT	Banana	Thrips	3.5-4.5 Tbsp/36L water	-	-	Do not enter fields treated with METO MIGHT 40 SP within 12 hours after application.
JARDINE DISTRIBUTION, INC.	METHOMYL	METO MIGHT 40 SP	400 g/kg	SP	INSECTICIDE	2	367-164-4024-A	02-Sep-25	CONTACT	Beans	Leafroller, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/36L water	-	-	Do not enter fields treated with METO MIGHT 40 SP within 12 hours after application.
JARDINE DISTRIBUTION, INC.	METHOMYL	METO MIGHT 40 SP	400 g/kg	SP	INSECTICIDE	2	367-164-4024-A	02-Sep-25	CONTACT	Mungbeans	Leafroller, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/36L water	-	-	Do not enter fields treated with METO MIGHT 40 SP within 12 hours after application.
JARDINE DISTRIBUTION, INC.	METHOMYL	METO MIGHT 40 SP	400 g/kg	SP	INSECTICIDE	2	367-164-4024-A	02-Sep-25	CONTACT	Soybeans	Leafroller, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/36L water	-	-	Do not enter fields treated with METO MIGHT 40 SP within 12 hours after application.
JARDINE DISTRIBUTION, INC.	METHOMYL	METO MIGHT 40 SP	400 g/kg	SP	INSECTICIDE	2	367-164-4024-A	02-Sep-25	CONTACT	Sitao	Leafroller, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/36L water	-	-	Do not enter fields treated with METO MIGHT 40 SP within 12 hours after application.
JARDINE DISTRIBUTION, INC.	METHOMYL	METO MIGHT 40 SP	400 g/kg	SP	INSECTICIDE	2	367-164-4024-A	02-Sep-25	CONTACT	Corn	Comborer, earworm	2.0-3.5 Tbsp/36L water	-	-	Do not enter fields treated with METO MIGHT 40 SP within 12 hours after application.
JARDINE DISTRIBUTION, INC.	METHOMYL	METO MIGHT 40 SP	400 g/kg	SP	INSECTICIDE	2	367-164-4024-A	02-Sep-25	CONTACT	Sorghum	Comborer, earworm	2.0-3.5 Tbsp/36L water	-	-	Do not enter fields treated with METO MIGHT 40 SP within 12 hours after application.
JARDINE DISTRIBUTION, INC.	METHOMYL	METO MIGHT 40 SP	400 g/kg	SP	INSECTICIDE	2	367-164-4024-A	02-Sep-25	CONTACT	Eggplant	Aphids, flea beetle , fruitworm, lady beetle	2.0-3.5 Tbsp/36L water	-	-	Do not enter fields treated with METO MIGHT 40 SP within 12 hours after application.
JARDINE DISTRIBUTION, INC.	METHOMYL	METO MIGHT 40 SP	400 g/kg	SP	INSECTICIDE	2	367-164-4024-A	02-Sep-25	CONTACT	Melon	Aphids, Squash beetle , leafroller	2.0-3.5 Tbsp/36L water	-	-	Do not enter fields treated with METO MIGHT 40 SP within 12 hours after application.
JARDINE DISTRIBUTION, INC.	METHOMYL	METO MIGHT 40 SP	400 g/kg	SP	INSECTICIDE	2	367-164-4024-A	02-Sep-25	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leafroller	2.0-3.5 Tbsp/36L water	0.05ppm	3 Days	Do not enter fields treated with METO MIGHT 40 SP within 12 hours after application.
JARDINE DISTRIBUTION, INC.	METHOMYL	METO MIGHT 40 SP	400 g/kg	SP	INSECTICIDE	2	367-164-4024-A	02-Sep-25	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	2.0-3.5 Tbsp/36L water	-	-	Do not enter fields treated with METO MIGHT 40 SP within 12 hours after application.
JARDINE DISTRIBUTION, INC.	METHOMYL	METO MIGHT 40 SP	400 g/kg	SP	INSECTICIDE	2	367-164-4024-A	02-Sep-25	CONTACT	Tomato	Tomato fruitworm, aphids	2.0-3.5 Tbsp/36L water	-	-	Do not enter fields treated with METO MIGHT 40 SP within 12 hours after application.
KEMKA FILIPINAS, INC.	METHOMYL	METINDO 40 SP	400 g/kg	SP	INSECTICIDE	2	670-164-5098	08-Jun-26	CONTACT	Asparagus	Armyworm, cutworm	2.0-2.5 Tbsp/36 L water	-	-	Do not enter treated field within 12 hours after spraying.
KEMKA FILIPINAS, INC.	METHOMYL	METINDO 40 SP	400 g/kg	SP	INSECTICIDE	2	670-164-5098	08-Jun-26	CONTACT	Banana	Thrips	3.5-4.5 Tbsp/36L water	-	-	Do not enter treated field within 12 hours after spraying.
KEMKA FILIPINAS, INC.	METHOMYL	METINDO 40 SP	400 g/kg	SP	INSECTICIDE	2	670-164-5098	08-Jun-26	CONTACT	Beans	Leafroller, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/36 L water	-	-	Do not enter treated field within 12 hours after spraying.
KEMKA FILIPINAS, INC.	METHOMYL	METINDO 40 SP	400 g/kg	SP	INSECTICIDE	2	670-164-5098	08-Jun-26	CONTACT	Mungbeans	Leafroller, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/36 L water	-	-	Do not enter treated field within 12 hours after spraying.
KEMKA FILIPINAS, INC.	METHOMYL	METINDO 40 SP	400 g/kg	SP	INSECTICIDE	2	670-164-5098	08-Jun-26	CONTACT	Soybeans	Leafroller, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/36 L water	-	-	Do not enter treated field within 12 hours after spraying.
KEMKA FILIPINAS, INC.	METHOMYL	METINDO 40 SP	400 g/kg	SP	INSECTICIDE	2	670-164-5098	08-Jun-26	CONTACT	Sitao	Leafroller, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/36 L water	-	-	Do not enter treated field within 12 hours after spraying.
KEMKA FILIPINAS, INC.	METHOMYL	METINDO 40 SP	400 g/kg	SP	INSECTICIDE	2	670-164-5098	08-Jun-26	CONTACT	Corn	Comborer, earworm	2.0-3.5 Tbsp/36 L water	-	-	Do not enter treated field within 12 hours after spraying.
KEMKA FILIPINAS, INC.	METHOMYL	METINDO 40 SP	400 g/kg	SP	INSECTICIDE	2	670-164-5098	08-Jun-26	CONTACT	Sorghum	Comborer, earworm	2.0-3.5 Tbsp/36 L water	-	-	Do not enter treated field within 12 hours after spraying.
KEMKA FILIPINAS, INC.	METHOMYL	METINDO 40 SP	400 g/kg	SP	INSECTICIDE	2	670-164-5098	08-Jun-26	CONTACT	Eggplant	Aphids, flea beetle , fruitworm, lady beetle	2.0-3.5 Tbsp/36 L water	-	-	Do not enter treated field within 12 hours after spraying.
KEMKA FILIPINAS, INC.	METHOMYL	METINDO 40 SP	400 g/kg	SP	INSECTICIDE	2	670-164-5098	08-Jun-26	CONTACT	Melon	Aphids, Squash beetle , leafroller	2.0-3.5 Tbsp/36 L water	-	-	Do not enter treated field within 12 hours after spraying.
KEMKA FILIPINAS, INC.	METHOMYL	METINDO 40 SP	400 g/kg	SP	INSECTICIDE	2	670-164-5098	08-Jun-26	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leafroller	2.0-3.5 Tbsp/36 L water	-	-	Do not enter treated field within 12 hours after spraying.

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
KEMKA FILIPINAS, INC.	METHOMYL	METINDO 40 SP	400 g/kg	SP	INSECTICIDE	2	670-164-5098	08-Jun-26	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	2.0-3.5 Tbsp/16L water	-	-	Do not enter treated field within 12 hours after spraying.
KEMKA FILIPINAS, INC.	METHOMYL	METINDO 40 SP	400 g/kg	SP	INSECTICIDE	2	670-164-5098	08-Jun-26	CONTACT	Tomato	Tomato fruitworm, aphids	2.0-3.5 Tbsp/16L water	-	-	Do not enter treated field within 12 hours after spraying.
MISCHA AGRO INDUSTRIAL CORPORATION	THIOPHANATE METHYL	METHYLTON 70 WP	700 g/kg	WP	FUNGICIDE	4	620-107-5285	20-Oct-26	SYSTEMIC	Rice	Blast, neck rot, black spot	1.5-2.0 Tbsp/16L Water	-	-	Do not enter the field within five (5) days after spraying.
MISCHA AGRO INDUSTRIAL CORPORATION	THIOPHANATE METHYL	METHYLTON 70 WP	700 g/kg	WP	FUNGICIDE	4	620-107-5285	20-Oct-26	SYSTEMIC	Mango	Anthraxnose	0.5-1.0 Tbsp/16L Water	-	-	Do not enter the field within five (5) days after spraying.
MISCHA AGRO INDUSTRIAL CORPORATION	THIOPHANATE METHYL	METHYLTON 70 WP	700 g/kg	WP	FUNGICIDE	4	620-107-5285	20-Oct-26	SYSTEMIC	Tobacco	Frog eye leaf spot	0.5-1.0 Tbsp/16L Water	-	-	Do not enter the field within five (5) days after spraying.
MISCHA AGRO INDUSTRIAL CORPORATION	THIOPHANATE METHYL	METHYLTON 70 WP	700 g/kg	WP	FUNGICIDE	4	620-107-5285	20-Oct-26	SYSTEMIC	Tomato	Powdery mildew	0.5-1.0 Tbsp/16L Water	-	-	Do not enter the field within five (5) days after spraying.
MISCHA AGRO INDUSTRIAL CORPORATION	THIOPHANATE METHYL	METHYLTON 70 WP	700 g/kg	WP	FUNGICIDE	4	620-107-5285	20-Oct-26	SYSTEMIC	Legumes	Cercospora leaf spot, Anthracnose, botrytis leaf spot, fusarium wilt, powdery mildew	0.5-1.0 Tbsp/16L Water	-	-	Do not enter the field within five (5) days after spraying.
MISCHA AGRO INDUSTRIAL CORPORATION	THIOPHANATE METHYL	METHYLTON 70 WP	700 g/kg	WP	FUNGICIDE	4	620-107-5285	20-Oct-26	SYSTEMIC	Beans	Cercospora leaf spot, Anthracnose, botrytis leaf spot, fusarium wilt, powdery mildew	0.5-1.0 Tbsp/16L Water	-	-	Do not enter the field within five (5) days after spraying.
MISCHA AGRO INDUSTRIAL CORPORATION	THIOPHANATE METHYL	METHYLTON 70 WP	700 g/kg	WP	FUNGICIDE	4	620-107-5285	20-Oct-26	SYSTEMIC	Cucumber	Powdery mildew, Gummy Stem blight, leaf and fruit spots	0.5-1.0 Tbsp/16L Water	-	-	Do not enter the field within five (5) days after spraying.
MISCHA AGRO INDUSTRIAL CORPORATION	THIOPHANATE METHYL	METHYLTON 70 WP	700 g/kg	WP	FUNGICIDE	4	620-107-5285	20-Oct-26	SYSTEMIC	Melon	Powdery mildew, Gummy Stem blight, leaf and fruit spots	0.5-1.0 Tbsp/16L Water	-	-	Do not enter the field within five (5) days after spraying.
MISCHA AGRO INDUSTRIAL CORPORATION	THIOPHANATE METHYL	METHYLTON 70 WP	700 g/kg	WP	FUNGICIDE	4	620-107-5285	20-Oct-26	SYSTEMIC	Ornamentals	Powdery mildew, black spots	0.5-1.0 Tbsp/16L Water	-	-	Do not enter the field within five (5) days after spraying.
MISCHA AGRO INDUSTRIAL CORPORATION	THIOPHANATE METHYL	METHYLTON 70 WP	700 g/kg	WP	FUNGICIDE	4	620-107-5285	20-Oct-26	SYSTEMIC	Orchids	Powdery mildew, black spots	0.5-1.0 Tbsp/16L Water	-	-	Do not enter the field within five (5) days after spraying.
MISCHA AGRO INDUSTRIAL CORPORATION	THIOPHANATE METHYL	METHYLTON 70 WP	700 g/kg	WP	FUNGICIDE	4	620-107-5285	20-Oct-26	SYSTEMIC	Cabbage	Shot hole disease, cercospora leaf spot	0.5-1.0 Tbsp/16L Water	-	-	Do not enter the field within five (5) days after spraying.
MISCHA AGRO INDUSTRIAL CORPORATION	THIOPHANATE METHYL	METHYLTON 70 WP	700 g/kg	WP	FUNGICIDE	4	620-107-5285	20-Oct-26	SYSTEMIC	Cauliflower	Shot hole disease, cercospora leaf spot	0.5-1.0 Tbsp/16L Water	-	-	Do not enter the field within five (5) days after spraying.
MISCHA AGRO INDUSTRIAL CORPORATION	THIOPHANATE METHYL	METHYLTON 70 WP	700 g/kg	WP	FUNGICIDE	4	620-107-5285	20-Oct-26	SYSTEMIC	Lettuce	Shot hole disease, cercospora leaf spot	0.5-1.0 Tbsp/16L Water	-	-	Do not enter the field within five (5) days after spraying.
MISCHA AGRO INDUSTRIAL CORPORATION	THIOPHANATE METHYL	METHYLTON 70 WP	700 g/kg	WP	FUNGICIDE	4	620-107-5285	20-Oct-26	SYSTEMIC	Strawberry	Powdery mildew	0.5-1.0 Tbsp/16L Water	-	-	Do not enter the field within five (5) days after spraying.
MISCHA AGRO INDUSTRIAL CORPORATION	THIOPHANATE METHYL	METHYLTON 70 WP	700 g/kg	WP	FUNGICIDE	4	620-107-5285	20-Oct-26	SYSTEMIC	Grapes	Fruit rot, Powdery mildew, anthracnose	0.5-1.0 Tbsp/16L Water	-	-	Do not enter the field within five (5) days after spraying.
MISCHA AGRO INDUSTRIAL CORPORATION	THIOPHANATE METHYL	METHYLTON 70 WP	700 g/kg	WP	FUNGICIDE	4	620-107-5285	20-Oct-26	SYSTEMIC	Orange	Scabs	0.5-1.0 Tbsp/16L Water	-	-	Do not enter the field within five (5) days after spraying.
MISCHA AGRO INDUSTRIAL CORPORATION	THIOPHANATE METHYL	METHYLTON 70 WP	700 g/kg	WP	FUNGICIDE	4	620-107-5285	20-Oct-26	SYSTEMIC	Citrus	Scabs	0.5-1.0 Tbsp/16L Water	-	-	Do not enter the field within five (5) days after spraying.
MISCHA AGRO INDUSTRIAL CORPORATION	THIOPHANATE METHYL	METHYLTON 70 WP	700 g/kg	WP	FUNGICIDE	4	620-107-5285	20-Oct-26	SYSTEMIC	Calamansi	Scabs	0.5-1.0 Tbsp/16L Water	-	-	Do not enter the field within five (5) days after spraying.
MISCHA AGRO INDUSTRIAL CORPORATION	THIOPHANATE METHYL	METHYLTON 70 WP	700 g/kg	WP	FUNGICIDE	4	620-107-5285	20-Oct-26	SYSTEMIC	Banana	Sigatoka disease	1.0-2.0 Tbsp/16L Water	-	-	Do not enter the field within five (5) days after spraying.
MISCHA AGRO INDUSTRIAL CORPORATION	THIOPHANATE METHYL	METHYLTON 70 WP	700 g/kg	WP	FUNGICIDE	4	620-107-5285	20-Oct-26	SYSTEMIC	Papaya	Powdery mildew	0.5-1.0 Tbsp/16L Water	-	-	Do not enter the field within five (5) days after spraying.
JEELS MASAGANA FARM SUPPLY, INC.	METHOMYL	METHOX 40 SP	400 g/kg	SP	INSECTICIDE	2	487-164-4329	11-Apr-24	CONTACT	Asparagus	Armyworm, cutworm	1 Sachet/18L Sprayer	-	-	Do not enter fields treated with Methox 40 SP within 12 hours after application.
JEELS MASAGANA FARM SUPPLY, INC.	METHOMYL	METHOX 40 SP	400 g/kg	SP	INSECTICIDE	2	487-164-4329	11-Apr-24	CONTACT	Banana	Thrips	1.5-2 Sachet/18L Sprayer	-	-	Do not enter fields treated with Methox 40 SP within 12 hours after application.
JEELS MASAGANA FARM SUPPLY, INC.	METHOMYL	METHOX 40 SP	400 g/kg	SP	INSECTICIDE	2	487-164-4329	11-Apr-24	CONTACT	Beans	Leafroller, flea beetle, beanfly, podborer, aphids	1 Sachet/18L Sprayer	-	-	Do not enter fields treated with Methox 40 SP within 12 hours after application.
JEELS MASAGANA FARM SUPPLY, INC.	METHOMYL	METHOX 40 SP	400 g/kg	SP	INSECTICIDE	2	487-164-4329	11-Apr-24	CONTACT	Corn	Comborer, earworm	1 Sachet/18L Sprayer	-	-	Do not enter fields treated with Methox 40 SP within 12 hours after application.
JEELS MASAGANA FARM SUPPLY, INC.	METHOMYL	METHOX 40 SP	400 g/kg	SP	INSECTICIDE	2	487-164-4329	11-Apr-24	CONTACT	Sorghum	Comborer, earworm	1 Sachet/18L Sprayer	-	-	Do not enter fields treated with Methox 40 SP within 12 hours after application.
JEELS MASAGANA FARM SUPPLY, INC.	METHOMYL	METHOX 40 SP	400 g/kg	SP	INSECTICIDE	2	487-164-4329	11-Apr-24	CONTACT	Eggplant	Aphids, flea beetle, fruitworm, lady beetle	1 Sachet/18L Sprayer	-	-	Do not enter fields treated with Methox 40 SP within 12 hours after application.
JEELS MASAGANA FARM SUPPLY, INC.	METHOMYL	METHOX 40 SP	400 g/kg	SP	INSECTICIDE	2	487-164-4329	11-Apr-24	CONTACT	Melon	Aphids, Squash beetle, leafroller	1 Sachet/18L Sprayer	-	-	Do not enter fields treated with Methox 40 SP within 12 hours after application.
JEELS MASAGANA FARM SUPPLY, INC.	METHOMYL	METHOX 40 SP	400 g/kg	SP	INSECTICIDE	2	487-164-4329	11-Apr-24	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leafroller	1 Sachet/18L Sprayer	0.05ppm	3 Days	Do not enter fields treated with Methox 40 SP within 12 hours after application.
JEELS MASAGANA FARM SUPPLY, INC.	METHOMYL	METHOX 40 SP	400 g/kg	SP	INSECTICIDE	2	487-164-4329	11-Apr-24	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	1 Sachet/18L Sprayer	-	-	Do not enter fields treated with Methox 40 SP within 12 hours after application.
JEELS MASAGANA FARM SUPPLY, INC.	METHOMYL	METHOX 40 SP	400 g/kg	SP	INSECTICIDE	2	487-164-4329	11-Apr-24	CONTACT	Tomato	Tomato fruitworm, aphids	1 Sachet/18L Sprayer	-	-	Do not enter fields treated with Methox 40 SP within 12 hours after application.
NEXCHEM CORPORATION	METHOMYL	METHONEX 40 SP	400 g/kg	SP	INSECTICIDE	2	702-164-5623	07-Apr-25	CONTACT	Asparagus	Armyworm, cutworm	2.0-3.5 Tbsp/ 16L water	-	-	Do not enter treated fields within 12 hours after application
NEXCHEM CORPORATION	METHOMYL	METHONEX 40 SP	400 g/kg	SP	INSECTICIDE	2	702-164-5623	07-Apr-25	CONTACT	Banana	Thrips	3.5-4.5 Tbsp/ 16L water	-	-	Do not enter treated fields within 12 hours after application
NEXCHEM CORPORATION	METHOMYL	METHONEX 40 SP	400 g/kg	SP	INSECTICIDE	2	702-164-5623	07-Apr-25	CONTACT	Beans	Leafroller, flea beetle, beanfly, podborer, aphids	2.0-3.5 Tbsp/ 16L water	-	-	Do not enter treated fields within 12 hours after application
NEXCHEM CORPORATION	METHOMYL	METHONEX 40 SP	400 g/kg	SP	INSECTICIDE	2	702-164-5623	07-Apr-25	CONTACT	Mungbeans	Leafroller, flea beetle, beanfly, podborer, aphids	2.0-3.5 Tbsp/ 16L water	-	-	Do not enter treated fields within 12 hours after application
NEXCHEM CORPORATION	METHOMYL	METHONEX 40 SP	400 g/kg	SP	INSECTICIDE	2	702-164-5623	07-Apr-25	CONTACT	Soybeans	Leafroller, flea beetle, beanfly, podborer, aphids	2.0-3.5 Tbsp/ 16L water	-	-	Do not enter treated fields within 12 hours after application
NEXCHEM CORPORATION	METHOMYL	METHONEX 40 SP	400 g/kg	SP	INSECTICIDE	2	702-164-5623	07-Apr-25	CONTACT	Sitao	Leafroller, flea beetle, beanfly, podborer, aphids	2.0-3.5 Tbsp/ 16L water	-	-	Do not enter treated fields within 12 hours after application
NEXCHEM CORPORATION	METHOMYL	METHONEX 40 SP	400 g/kg	SP	INSECTICIDE	2	702-164-5623	07-Apr-25	CONTACT	Corn	Comborer, earworm	2.0-3.5 Tbsp/16L sprayer	-	-	Do not enter treated fields within 12 hours after application
NEXCHEM CORPORATION	METHOMYL	METHONEX 40 SP	400 g/kg	SP	INSECTICIDE	2	702-164-5623	07-Apr-25	CONTACT	Sorghum	Comborer, earworm	2.0-3.5 Tbsp/16L sprayer	-	-	Do not enter treated fields within 12 hours after application
NEXCHEM CORPORATION	METHOMYL	METHONEX 40 SP	400 g/kg	SP	INSECTICIDE	2	702-164-5623	07-Apr-25	CONTACT	Eggplant	Aphids, flea beetle, fruitworm, lady beetle	2.0-3.5 Tbsp/16L sprayer	-	-	Do not enter treated fields within 12 hours after application
NEXCHEM CORPORATION	METHOMYL	METHONEX 40 SP	400 g/kg	SP	INSECTICIDE	2	702-164-5623	07-Apr-25	CONTACT	Melon	Aphids, Squash beetle, leafroller	2.0-3.5 Tbsp/16L sprayer	-	-	Do not enter treated fields within 12 hours after application
NEXCHEM CORPORATION	METHOMYL	METHONEX 40 SP	400 g/kg	SP	INSECTICIDE	2	702-164-5623	07-Apr-25	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leafroller	2.0-3.5 Tbsp/16L sprayer	-	-	Do not enter treated fields within 12 hours after application
NEXCHEM CORPORATION	METHOMYL	METHONEX 40 SP	400 g/kg	SP	INSECTICIDE	2	702-164-5623	07-Apr-25	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	2.0-3.5 Tbsp/16L sprayer	-	-	Do not enter treated fields within 12 hours after application
NEXCHEM CORPORATION	METHOMYL	METHONEX 40 SP	400 g/kg	SP	INSECTICIDE	2	702-164-5623	07-Apr-25	CONTACT	Tomato	Tomato fruitworm, aphids	2.0-3.5 Tbsp/16L sprayer	-	-	Do not enter treated fields within 12 hours after application
ANGELX AGRITRADE CORPORATION	METHOMYL	METHONATE 40 SP	400 g/kg	SP	INSECTICIDE	2	491-164-3650	19-Feb-19	CONTACT	Asparagus	Armyworm, cutworm	1 Sachet/18L Sprayer	-	-	
ANGELX AGRITRADE CORPORATION	METHOMYL	METHONATE 40 SP	400 g/kg	SP	INSECTICIDE	2	491-164-3650	19-Feb-19	CONTACT	Banana	Thrips	1.5-2 Sachet/18L Sprayer	-	-	
ANGELX AGRITRADE CORPORATION	METHOMYL	METHONATE 40 SP	400 g/kg	SP	INSECTICIDE	2	491-164-3650	19-Feb-19	CONTACT	Beans	Leafroller, flea beetle, beanfly, podborer, aphids	1 Sachet/18L Sprayer	-	-	
ANGELX AGRITRADE CORPORATION	METHOMYL	METHONATE 40 SP	400 g/kg	SP	INSECTICIDE	2	491-164-3650	19-Feb-19	CONTACT	Mungbeans	Leafroller, flea beetle, beanfly, podborer, aphids	1 Sachet/18L Sprayer	-	-	
ANGELX AGRITRADE CORPORATION	METHOMYL	METHONATE 40 SP	400 g/kg	SP	INSECTICIDE	2	491-164-3650	19-Feb-19	CONTACT	Soybeans	Leafroller, flea beetle, beanfly, podborer, aphids	1 Sachet/18L Sprayer	-	-	
ANGELX AGRITRADE CORPORATION	METHOMYL	METHONATE 40 SP	400 g/kg	SP	INSECTICIDE	2	491-164-3650	19-Feb-19	CONTACT	Sitao	Leafroller, flea beetle, beanfly, podborer, aphids	1 Sachet/18L Sprayer	-	-	
ANGELX AGRITRADE CORPORATION	METHOMYL	METHONATE 40 SP	400 g/kg	SP	INSECTICIDE	2	491-164-3650	19-Feb-19	CONTACT	Corn	Comborer, earworm	1 Sachet/18L Sprayer	-	-	
ANGELX AGRITRADE CORPORATION	METHOMYL	METHONATE 40 SP	400 g/kg	SP	INSECTICIDE	2	491-164-3650	19-Feb-19	CONTACT	Sorghum	Comborer, earworm	1 Sachet/18L Sprayer	-	-	
ANGELX AGRITRADE CORPORATION	METHOMYL	METHONATE 40 SP	400 g/kg	SP	INSECTICIDE	2	491-164-3650	19-Feb-19	CONTACT	Eggplant	Aphids, flea beetle, fruitworm, lady beetle	1 Sachet/18L Sprayer	-	-	
ANGELX AGRITRADE CORPORATION	METHOMYL	METHONATE 40 SP	400 g/kg	SP	INSECTICIDE	2	491-164-3650	19-Feb-19	CONTACT	Melon	Aphids, Squash beetle, leafroller	1 Sachet/18L Sprayer	-	-	
ANGELX AGRITRADE CORPORATION	METHOMYL	METHONATE 40 SP	400 g/kg	SP	INSECTICIDE	2	491-164-3650	19-Feb-19	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leafroller	1 Sachet/18L Sprayer	0.05ppm	3 Days	

List of Registered Pesticide Products as of May 2, 2024

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
AGCHEM MANUFACTURING CORPORATION	METALDEHYDE	META BAIT 6% PELLETS	60 g/kg	P	MOLLUSCICIDE	4	001-075-0543	31-Dec-23	CONTACT	Strawberry	Slug, snails	6-8 kg/product per hectare	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	DIAZINON	MERQIAM 600 EC	600 g/L	EC	INSECTICIDE	2	539-034-6354	9-Nov-26	-	Banana	Thrips, mealybug, leaf folder	25-35 mL prod. / 50L water	-	-	Re-entry into treated areas may be done at least 2 days after application
RAINBOW AGROSCIENCES PHILIPPINES INC.	DIAZINON	MERQIAM 600 EC	600 g/L	EC	INSECTICIDE	2	539-034-6354	9-Nov-26	-	Beans	Cutworm, pod borer, aphids, flea beetle	25-35 mL prod. / 50L water	-	-	Re-entry into treated areas may be done at least 2 days after application
RAINBOW AGROSCIENCES PHILIPPINES INC.	DIAZINON	MERQIAM 600 EC	600 g/L	EC	INSECTICIDE	2	539-034-6354	9-Nov-26	-	Citrus	Mites, aphids, stink bug	25-35 mL prod. / 50L water	-	-	Re-entry into treated areas may be done at least 2 days after application
RAINBOW AGROSCIENCES PHILIPPINES INC.	DIAZINON	MERQIAM 600 EC	600 g/L	EC	INSECTICIDE	2	539-034-6354	9-Nov-26	-	Corn	Corn borer, earworm, aphids, silk beetle	25-35 mL prod. / 50L water	-	-	Re-entry into treated areas may be done at least 2 days after application
RAINBOW AGROSCIENCES PHILIPPINES INC.	DIAZINON	MERQIAM 600 EC	600 g/L	EC	INSECTICIDE	2	539-034-6354	9-Nov-26	-	Cotton	Kalydidi, grasshopper, cutworm, mites	25-35 mL prod. / 50L water	-	-	Re-entry into treated areas may be done at least 2 days after application
RAINBOW AGROSCIENCES PHILIPPINES INC.	DIAZINON	MERQIAM 600 EC	600 g/L	EC	INSECTICIDE	2	539-034-6354	9-Nov-26	-	Cowpea	Aphids, cutworm, grasshopper	25-35 mL prod. / 50L water	-	-	Re-entry into treated areas may be done at least 2 days after application
RAINBOW AGROSCIENCES PHILIPPINES INC.	DIAZINON	MERQIAM 600 EC	600 g/L	EC	INSECTICIDE	2	539-034-6354	9-Nov-26	-	Mango	Hopper, tip borer	25-35 mL prod. / 50L water	-	-	Re-entry into treated areas may be done at least 2 days after application
RAINBOW AGROSCIENCES PHILIPPINES INC.	DIAZINON	MERQIAM 600 EC	600 g/L	EC	INSECTICIDE	2	539-034-6354	9-Nov-26	-	Pineapple	Mealybugs	25-35 mL prod. / 50L water	-	-	Re-entry into treated areas may be done at least 2 days after application
RAINBOW AGROSCIENCES PHILIPPINES INC.	DIAZINON	MERQIAM 600 EC	600 g/L	EC	INSECTICIDE	2	539-034-6354	9-Nov-26	-	Rice	Rice bug, stem borer, leaf folder, whorl maggot, planthopper	25-35 mL prod. / 50L water	-	-	Re-entry into treated areas may be done at least 2 days after application
RAINBOW AGROSCIENCES PHILIPPINES INC.	DIAZINON	MERQIAM 600 EC	600 g/L	EC	INSECTICIDE	2	539-034-6354	9-Nov-26	-	Soybeans	Cutworm, aphids, stink bug, grasshopper	25-35 mL prod. / 50L water	-	-	Re-entry into treated areas may be done at least 2 days after application
RAINBOW AGROSCIENCES PHILIPPINES INC.	DIAZINON	MERQIAM 600 EC	600 g/L	EC	INSECTICIDE	2	539-034-6354	9-Nov-26	-	Tobacco	Budworm, aphids, armyworm, flea beetle	25-35 mL prod. / 50L water	-	-	Re-entry into treated areas may be done at least 2 days after application
RAINBOW AGROSCIENCES PHILIPPINES INC.	DIAZINON	MERQIAM 600 EC	600 g/L	EC	INSECTICIDE	2	539-034-6354	9-Nov-26	-	White Potato	Aphids, leaf folder, cutworm	25-35 mL prod. / 50L water	-	-	Re-entry into treated areas may be done at least 2 days after application
AGSMART CORPORATION	PROPIWEB	MENTOLEB 70 WP	700 g/kg	WP	FUNGICIDE	4	680-001-6251	15-Aug-26	-	Lettuce	Early blight, neck rot	50-65 g prod. / 50L water	-	7 Days	Immediately after spray deposits have dried
AGSMART CORPORATION	PROPIWEB	MENTOLEB 70 WP	700 g/kg	WP	FUNGICIDE	4	680-001-6251	15-Aug-26	-	Onion	Downy mildew, anthracnose, purple blotch	50-65 g prod. / 50L water	-	7 Days	Immediately after spray deposits have dried
AGSMART CORPORATION	PROPIWEB	MENTOLEB 70 WP	700 g/kg	WP	FUNGICIDE	4	680-001-6251	15-Aug-26	-	Cucurbits	Downy mildew, late blight	50-65 g prod. / 50L water	-	7 Days	Immediately after spray deposits have dried
AGSMART CORPORATION	PROPIWEB	MENTOLEB 70 WP	700 g/kg	WP	FUNGICIDE	4	680-001-6251	15-Aug-26	-	Celery	Early and late blight	50-65 g prod. / 50L water	-	7 Days	Immediately after spray deposits have dried
AGSMART CORPORATION	PROPIWEB	MENTOLEB 70 WP	700 g/kg	WP	FUNGICIDE	4	680-001-6251	15-Aug-26	-	Beans	Rust	50-65 g prod. / 50L water	-	7 Days	Immediately after spray deposits have dried
AGSMART CORPORATION	PROPIWEB	MENTOLEB 70 WP	700 g/kg	WP	FUNGICIDE	4	680-001-6251	15-Aug-26	-	Potato	Early and late blight	50-65 g prod. / 50L water	-	7 Days	Immediately after spray deposits have dried
AGSMART CORPORATION	PROPIWEB	MENTOLEB 70 WP	700 g/kg	WP	FUNGICIDE	4	680-001-6251	15-Aug-26	-	Tomato	Early and late blight	50-65 g prod. / 50L water	-	1 Days	Immediately after spray deposits have dried
AGSMART CORPORATION	PROPIWEB	MENTOLEB 70 WP	700 g/kg	WP	FUNGICIDE	4	680-001-6251	15-Aug-26	-	Tobacco	Brown leaf spot	50-65 g prod. / 50L water	-	7 Days	Immediately after spray deposits have dried
AGSMART CORPORATION	PROPIWEB	MENTOLEB 70 WP	700 g/kg	WP	FUNGICIDE	4	680-001-6251	15-Aug-26	-	Coffee	Brown eye spot	50-65 g prod. / 50L water	-	7 Days	Immediately after spray deposits have dried
AGSMART CORPORATION	PROPIWEB	MENTOLEB 70 WP	700 g/kg	WP	FUNGICIDE	4	680-001-6251	15-Aug-26	-	Citrus	Black spot	65 g prod. / 50L water	-	7 Days	Immediately after spray deposits have dried
AGSMART CORPORATION	PROPIWEB	MENTOLEB 70 WP	700 g/kg	WP	FUNGICIDE	4	680-001-6251	15-Aug-26	-	Melon	Downy mildew	50-65 g prod. / 50L water	-	7 Days	Immediately after spray deposits have dried
AGSMART CORPORATION	PROPIWEB	MENTOLEB 70 WP	700 g/kg	WP	FUNGICIDE	4	680-001-6251	15-Aug-26	-	Watermelon	Downy mildew	50-65 g prod. / 50L water	-	7 Days	Immediately after spray deposits have dried
AGSMART CORPORATION	PROPIWEB	MENTOLEB 70 WP	700 g/kg	WP	FUNGICIDE	4	680-001-6251	15-Aug-26	-	Ornamentals	Black spot rust	50-50 g prod. / 50L water	-	7 Days	Immediately after spray deposits have dried
AGSMART CORPORATION	PROPIWEB	MENTOLEB 70 WP	700 g/kg	WP	FUNGICIDE	4	680-001-6251	15-Aug-26	-	Mango	Anthracoese	50-65 g prod. / 50L water	-	7 Days	Immediately after spray deposits have dried
AGSMART CORPORATION	PROPIWEB	MENTOLEB 70 WP	700 g/kg	WP	FUNGICIDE	4	680-001-6251	15-Aug-26	-	Rice	Orty panicle, brown leaf spot	50-100 g prod. / 50L water 500-1000 g prod. / ha	-	18 days	Immediately after spray deposits have dried
AGSMART CORPORATION	PROPIWEB	MENTOLEB 70 WP	700 g/kg	WP	FUNGICIDE	4	680-001-6251	15-Aug-26	-	Banana	Sigatoka, freckle disease	2.5 kg / ha	-	7 Days	Immediately after spray deposits have dried
AGSMART CORPORATION	PROPIWEB	MENTOLEB 70 WP	700 g/kg	WP	FUNGICIDE	4	680-001-6251	15-Aug-26	-	Asparagus	Stem and leaf blight	2.5 kg / ha	-	7 Days	Immediately after spray deposits have dried
AGSMART CORPORATION	MANCOZEB	MENTHOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	680-053-6267	11-Sep-26	-	Potato	Early and late blight	-	-	-	-
AGSMART CORPORATION	MANCOZEB	MENTHOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	680-053-6267	11-Sep-26	-	Cabbage	Downy mildew and alternaria leaf spot	-	-	-	-
AGSMART CORPORATION	MANCOZEB	MENTHOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	680-053-6267	11-Sep-26	-	Caiflower	Downy mildew and alternaria leaf spot	-	-	-	-
AGSMART CORPORATION	MANCOZEB	MENTHOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	680-053-6267	11-Sep-26	-	Broccoli	Downy mildew and alternaria leaf spot	-	-	-	-
AGSMART CORPORATION	MANCOZEB	MENTHOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	680-053-6267	11-Sep-26	-	Celery	Late blight	-	-	-	-
AGSMART CORPORATION	MANCOZEB	MENTHOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	680-053-6267	11-Sep-26	-	Cucumber	Downy mildew, anthracnose, and scab	-	-	-	-
AGSMART CORPORATION	MANCOZEB	MENTHOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	680-053-6267	11-Sep-26	-	Squash	Downy mildew, anthracnose, and scab	-	-	-	-
AGSMART CORPORATION	MANCOZEB	MENTHOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	680-053-6267	11-Sep-26	-	Cotton	Damping off	-	-	-	-
AGSMART CORPORATION	MANCOZEB	MENTHOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	680-053-6267	11-Sep-26	-	Lettuce	Downy mildew	-	-	-	-
AGSMART CORPORATION	MANCOZEB	MENTHOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	680-053-6267	11-Sep-26	-	Beans	Anthracoese, downy mildew, and rust	-	-	-	-
AGSMART CORPORATION	MANCOZEB	MENTHOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	680-053-6267	11-Sep-26	-	Mungo	Anthracoese, downy mildew, and rust	-	-	-	-
AGSMART CORPORATION	MANCOZEB	MENTHOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	680-053-6267	11-Sep-26	-	Peas	Anthracoese, downy mildew, and rust	-	-	-	-
AGSMART CORPORATION	MANCOZEB	MENTHOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	680-053-6267	11-Sep-26	-	Tomato	Early and late blight, anthracnose, and septoria leaf spot	-	-	-	-
AGSMART CORPORATION	MANCOZEB	MENTHOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	680-053-6267	11-Sep-26	-	Garlic	Purple blotch, downy mildew, and botrytis leaf blight	-	-	-	-
AGSMART CORPORATION	MANCOZEB	MENTHOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	680-053-6267	11-Sep-26	-	Onion	Purple blotch, downy mildew, and botrytis leaf blight	-	-	-	-
AGSMART CORPORATION	MANCOZEB	MENTHOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	680-053-6267	11-Sep-26	-	Chili	Anthracoese	-	-	-	-
AGSMART CORPORATION	MANCOZEB	MENTHOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	680-053-6267	11-Sep-26	-	Pepper	Anthracoese	-	-	-	-
AGSMART CORPORATION	MANCOZEB	MENTHOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	680-053-6267	11-Sep-26	-	Eggplant	Blight, Anthracnose	-	-	-	-
AGSMART CORPORATION	MANCOZEB	MENTHOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	680-053-6267	11-Sep-26	-	Banana	Sigatoka and black leaf streak	-	-	-	-
AGSMART CORPORATION	MANCOZEB	MENTHOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	680-053-6267	11-Sep-26	-	Grapes	Downy mildew, black rot	-	-	-	-
AGSMART CORPORATION	MANCOZEB	MENTHOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	680-053-6267	11-Sep-26	-	Mango	Anthracoese and scab	-	-	-	-
AGSMART CORPORATION	MANCOZEB	MENTHOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	680-053-6267	11-Sep-26	-	Papaya	Fruit rot	-	-	-	-
AGSMART CORPORATION	MANCOZEB	MENTHOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	680-053-6267	11-Sep-26	-	Melon	Downy mildew, anthracnose, and scab	-	-	-	-
AGSMART CORPORATION	MANCOZEB	MENTHOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	680-053-6267	11-Sep-26	-	Watermelon	Downy mildew, anthracnose, and scab	-	-	-	-
AGSMART CORPORATION	MANCOZEB	MENTHOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	680-053-6267	11-Sep-26	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	-	-	-	-
AGSMART CORPORATION	MANCOZEB	MENTHOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	680-053-6267	11-Sep-26	-	Rice	Blast, sheath blight, cercospora leaf spot, and helminthosporium leaf spot	-	-	-	-

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
AGSAMART CORPORATION	MANCOZEB	MENTHOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	MD-053-6267	11-Sep-26	-	Peanut	Cercospora leaf spot	-	-	-	-
AGSAMART CORPORATION	MANCOZEB	MENTHOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	680-051-6267	11-Sep-26	-	Soybeans	Leaf rust	-	-	-	-
AGSAMART CORPORATION	MANCOZEB	MENTHOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	680-053-6267	12-Sep-26	-	Ornamentals	Black spot, blight, and anthracnose	-	-	-	-
MONARC CROP SOLUTIONS PROVIDER CORPORATION	DIFENCONAZOLE+PROPICONAZOLE	MENDER 300 EC	150 g/L+150 g/L	EC	FUNGICIDE	3	150-325-4967	20-Feb-21	SYSTEMIC	Rice	Sheath Blight	2.5-3.5 tbsp/36L water	0.5ppm	45-60 days after transplanting	-
MONARC CROP SOLUTIONS PROVIDER CORPORATION	DIFENCONAZOLE+PROPICONAZOLE	MENDER 300 EC	150 g/L+150 g/L	EC	FUNGICIDE	3	330-325-4967	20-Feb-21	SYSTEMIC	Corn	Banded leaf, sheath blight, Leaf roll, leaf blight & rust	1-2 Tbsp/36 L water	-	45 days	-
FAMOUS AGRICARE MARKETING COMPANY	MANCOZEB	MEGAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	721-053-5772	3-Dec-26	-	Potato	Early and late blight	3-6 tbsp/ 36L water	-	-	As soon as spray residues is dry
FAMOUS AGRICARE MARKETING COMPANY	MANCOZEB	MEGAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	721-053-5772	3-Dec-26	-	Cabbage	Downy mildew, Alternaria leaf spot	3-6 tbsp/ 36L water	-	-	As soon as spray residues is dry
FAMOUS AGRICARE MARKETING COMPANY	MANCOZEB	MEGAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	721-053-5772	3-Dec-26	-	Cauliflower	Downy mildew, Alternaria leaf spot	3-6 tbsp/ 36L water	-	-	As soon as spray residues is dry
FAMOUS AGRICARE MARKETING COMPANY	MANCOZEB	MEGAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	721-053-5772	3-Dec-26	-	Broccoli	Downy mildew, Alternaria leaf spot	3-6 tbsp/ 36L water	-	-	As soon as spray residues is dry
FAMOUS AGRICARE MARKETING COMPANY	MANCOZEB	MEGAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	721-053-5772	3-Dec-26	-	Celery	Late blight	3-6 tbsp/ 36L water	-	-	As soon as spray residues is dry
FAMOUS AGRICARE MARKETING COMPANY	MANCOZEB	MEGAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	721-053-5772	3-Dec-26	-	Cucumber	Downy mildew, Anthracnose, scab	3-6 tbsp/ 36L water	-	-	As soon as spray residues is dry
FAMOUS AGRICARE MARKETING COMPANY	MANCOZEB	MEGAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	721-053-5772	3-Dec-26	-	Squash	Downy mildew, Anthracnose, scab	3-6 tbsp/ 36L water	-	-	As soon as spray residues is dry
FAMOUS AGRICARE MARKETING COMPANY	MANCOZEB	MEGAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	721-053-5772	3-Dec-26	-	Cotton	Damping off	3-6 tbsp/ 36L water	-	-	As soon as spray residues is dry
FAMOUS AGRICARE MARKETING COMPANY	MANCOZEB	MEGAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	721-053-5772	3-Dec-26	-	Lettuce	Downy mildew	3-6 tbsp/ 36L water	-	-	As soon as spray residues is dry
FAMOUS AGRICARE MARKETING COMPANY	MANCOZEB	MEGAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	721-053-5772	3-Dec-26	-	Beans	Anthracnose, Downy Mildew, Rust	3-6 tbsp/ 36L water	-	-	As soon as spray residues is dry
FAMOUS AGRICARE MARKETING COMPANY	MANCOZEB	MEGAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	721-053-5772	3-Dec-26	-	Peas	Anthracnose, Downy Mildew, Rust	3-6 tbsp/ 36L water	-	-	As soon as spray residues is dry
FAMOUS AGRICARE MARKETING COMPANY	MANCOZEB	MEGAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	721-053-5772	3-Dec-26	-	Mungo	Anthracnose, Downy Mildew, Rust	3-6 tbsp/ 36L water	-	-	As soon as spray residues is dry
FAMOUS AGRICARE MARKETING COMPANY	MANCOZEB	MEGAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	721-053-5772	3-Dec-26	-	Tomato	Early and late blight, anthracnose, septorial leaf spot	9 tbsp/ 36L of water	-	-	As soon as spray residues is dry
FAMOUS AGRICARE MARKETING COMPANY	MANCOZEB	MEGAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	721-053-5772	3-Dec-26	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 tbsp/ 36L water	-	-	As soon as spray residues is dry
FAMOUS AGRICARE MARKETING COMPANY	MANCOZEB	MEGAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	721-053-5772	3-Dec-26	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 tbsp/ 36L water	-	-	As soon as spray residues is dry
FAMOUS AGRICARE MARKETING COMPANY	MANCOZEB	MEGAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	721-053-5772	3-Dec-26	-	Pepper	Anthracnose	3-6 tbsp/ 36L water	-	-	As soon as spray residues is dry
FAMOUS AGRICARE MARKETING COMPANY	MANCOZEB	MEGAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	721-053-5772	3-Dec-26	-	Chili	Anthracnose	3-6 tbsp/ 36L water	-	-	As soon as spray residues is dry
FAMOUS AGRICARE MARKETING COMPANY	MANCOZEB	MEGAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	721-053-5772	3-Dec-26	-	Eggplant	Blight, Anthracnose	3-6 tbsp/ 36L water	-	-	As soon as spray residues is dry
FAMOUS AGRICARE MARKETING COMPANY	MANCOZEB	MEGAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	721-053-5772	3-Dec-26	-	Banana	Sigatoka, black leaf streak	3-6 tbsp/ 36L water	-	-	As soon as spray residues is dry
FAMOUS AGRICARE MARKETING COMPANY	MANCOZEB	MEGAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	721-053-5772	3-Dec-26	-	Grapes	Downy mildew, black rot	3-6 tbsp/ 36L water	-	-	As soon as spray residues is dry
FAMOUS AGRICARE MARKETING COMPANY	MANCOZEB	MEGAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	721-053-5772	3-Dec-26	-	Mango	Anthracnose and Scab	3-6 tbsp/ 36L water	-	-	As soon as spray residues is dry
FAMOUS AGRICARE MARKETING COMPANY	MANCOZEB	MEGAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	721-053-5772	3-Dec-26	-	Papaya	Fruit rot	3-6 tbsp/ 36L water	-	-	As soon as spray residues is dry
FAMOUS AGRICARE MARKETING COMPANY	MANCOZEB	MEGAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	721-053-5772	3-Dec-26	-	Melon	Downy mildew, anthracnose, scab	3-6 tbsp/ 36L water	-	-	As soon as spray residues is dry
FAMOUS AGRICARE MARKETING COMPANY	MANCOZEB	MEGAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	721-053-5772	3-Dec-26	-	Watermelon	Downy mildew, anthracnose, scab	3-6 tbsp/ 36L water	-	-	As soon as spray residues is dry
FAMOUS AGRICARE MARKETING COMPANY	MANCOZEB	MEGAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	721-053-5772	3-Dec-26	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 tbsp/ 36L water	-	-	As soon as spray residues is dry
FAMOUS AGRICARE MARKETING COMPANY	MANCOZEB	MEGAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	721-053-5772	3-Dec-26	-	Rice	Blast, sheat blight, cercospora leaf spot, helminthosporium leaf spot	3-6 tbsp/ 36L water	-	-	As soon as spray residues is dry
FAMOUS AGRICARE MARKETING COMPANY	MANCOZEB	MEGAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	721-053-5772	3-Dec-26	-	Peanut	Cercospora leaf spot	3-6 tbsp/ 36L water	-	-	As soon as spray residues is dry
FAMOUS AGRICARE MARKETING COMPANY	MANCOZEB	MEGAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	721-053-5772	3-Dec-26	-	Soybeans	Leaf rust	3-6 tbsp/ 36L water	-	-	As soon as spray residues is dry
FAMOUS AGRICARE MARKETING COMPANY	MANCOZEB	MEGAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	721-053-5772	3-Dec-26	-	Ornamentals	Black spot, blight, anthracnose	3-6 tbsp/ 36L water	-	-	As soon as spray residues is dry
ZAGRO CORPORATION	CARTAP HYDROCHLORIDE	MEGATAP 50 SP	500 g/kg	SP	INSECTICIDE	3	043-106-1308	09-Jun-24	SYSTEMIC	Rice	Wheat maggot, stemborer, green leafhopper, brown planthopper	3.0-5.0 tbsp/36 L water	0.2ppm	Stop spraying 10 days before harvest	-
ZAGRO CORPORATION	CARTAP HYDROCHLORIDE	MEGATAP 50 SP	500 g/kg	SP	INSECTICIDE	3	043-106-1308	09-Jun-24	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0 tbsp/36 L water	-	-	-
ZAGRO CORPORATION	CARTAP HYDROCHLORIDE	MEGATAP 50 SP	500 g/kg	SP	INSECTICIDE	3	043-106-1308	09-Jun-24	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0 tbsp/36 L water	-	-	-
ZAGRO CORPORATION	CARTAP HYDROCHLORIDE	MEGATAP 50 SP	500 g/kg	SP	INSECTICIDE	3	043-106-1308	09-Jun-24	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0 tbsp/36 L water	-	-	-
ZAGRO CORPORATION	CARTAP HYDROCHLORIDE	MEGATAP 50 SP	500 g/kg	SP	INSECTICIDE	3	043-106-1308	09-Jun-24	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0 tbsp/36 L water	-	-	-
ZAGRO CORPORATION	CARTAP HYDROCHLORIDE	MEGATAP 50 SP	500 g/kg	SP	INSECTICIDE	3	043-106-1308	09-Jun-24	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0 tbsp/36 L water	-	-	-
ZAGRO CORPORATION	CARTAP HYDROCHLORIDE	MEGATAP 50 SP	500 g/kg	SP	INSECTICIDE	3	043-106-1308	09-Jun-24	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0 tbsp/36 L water	-	-	-
ZAGRO CORPORATION	CARTAP HYDROCHLORIDE	MEGATAP 50 SP	500 g/kg	SP	INSECTICIDE	3	043-106-1308	09-Jun-24	SYSTEMIC	Mango	leafhoppers	1.5-2.0 tbsp/36 L water	-	-	-
ZAGRO CORPORATION	CARTAP HYDROCHLORIDE	MEGATAP 50 SP	500 g/kg	SP	INSECTICIDE	3	043-106-1308	09-Jun-24	SYSTEMIC	Pechay	Looper, cutworm, aphids	1.5-3.0 tbsp/36 L water	-	-	-
MEGA BOOSTER AGRIC TRADING CO.	PACLOBUTRAZOL	MEGAPACLO 25 SC	250 g/L	SC	PGR	3	331-237-5471	12-Sep-23	-	Mango	Plant growth regulator	-	-	-	-
MEGA BOOSTER AGRIC TRADING CO.	PACLOBUTRAZOL	MEGAPACLO 25 SC	250 g/L	SC	PGR	3	331-237-5471	12-Sep-23	-	Durian	Plant growth regulator	-	-	-	-
MEGA BOOSTER AGRIC TRADING CO.	PACLOBUTRAZOL	MEGAPACLO 25 SC	250 g/L	SC	PGR	3	331-237-5471	12-Sep-23	-	Calamansi	Plant growth regulator	-	-	-	-
MEGA BOOSTER AGRIC TRADING CO.	PACLOBUTRAZOL	MEGAPACLO 25 SC	250 g/L	SC	PGR	3	331-237-5471	12-Sep-23	-	Cocoa	Plant growth regulator	-	-	-	-
FAMOUS AGRICARE MARKETING COMPANY	CHLOROTHALONIL	MEGANIL 500 SC	500 g/L	SC	FUNGICIDE	4	721-118-5770	26-Feb-25	-	Eggplant	Anthracnose, cercospora leaf spot, early and late blight	4.5-6.0 Tbsp/ 36L	-	7-14 days. Banana 0 day	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
FAMOUS AGRICARE MARKETING COMPANY	CHLOROTHALONIL	MEGANIL 500 SC	500 g/L	SC	FUNGICIDE	4	721-118-5770	26-Feb-25	-	Peanut	Cercospora leafspot, rust	1.8L/ha	-	7-14 days. Banana 0 day	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
FAMOUS AGRICARE MARKETING COMPANY	CHLOROTHALONIL	MEGANIL 500 SC	500 g/L	SC	FUNGICIDE	4	721-118-5770	26-Feb-25	-	Potato	Early and late blight, vine rot	4.5-6.0 Tbsp/ 36L	-	7-14 days. Banana 0 day	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
FAMOUS AGRICARE MARKETING COMPANY	CHLOROTHALONIL	MEGANIL 500 SC	500 g/L	SC	FUNGICIDE	4	721-118-5770	26-Feb-25	-	Tomato	Early and late blight, vine rot	4.5-6.0 Tbsp/ 36L	-	7-14 days. Banana 0 day	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
FAMOUS AGRICARE MARKETING COMPANY	CHLOROTHALONIL	MEGANIL 500 SC	500 g/L	SC	FUNGICIDE	4	721-118-5770	26-Feb-25	-	Carrot	Alternaria, cercospora leafspot, helminthosporium leaf spot	4.5-6.0 Tbsp/ 36L	-	7-14 days. Banana 0 day	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
FAMOUS AGRICARE MARKETING COMPANY	CHLOROTHALONIL	MEGANIL 500 SC	500 g/L	SC	FUNGICIDE	4	721-118-5770	26-Feb-25	-	Banana	Sigatoka, rust, freckles, helminthosporium leaf spot	1.8L/ha	-	7-14 days. Banana 0 day	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
FAMOUS AGRICARE MARKETING COMPANY	CHLOROTHALONIL	MEGANIL 500 SC	500 g/L	SC	FUNGICIDE	4	721-118-5770	26-Feb-25	-	Mango	Anthracnose, diploida rot	4.5-6.0 Tbsp/ 36L	-	7-14 days. Banana 0 day	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
FAMOUS AGRICARE MARKETING COMPANY	CHLOROTHALONIL	MEGANIL 500 SC	500 g/L	SC	FUNGICIDE	4	721-118-5770	26-Feb-25	-	Beans	Rust, anthracnose	4.5-6.0 Tbsp/ 36L	-	7-14 days. Banana 0 day	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
FAMOUS AGRICARE MARKETING COMPANY	CHLOROTHALONIL	MEGANIL 500 SC	500 g/L	SC	FUNGICIDE	4	721-118-5770	26-Feb-25	-	Crucifers	Powdery mildew	4.5-6.0 Tbsp/ 36L	-	7-14 days. Banana 0 day	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
FAMOUS AGRICARE MARKETING COMPANY	CHLOROTHALONIL	MEGANIL 500 SC	500 g/L	SC	FUNGICIDE	4	721-118-5770	26-Feb-25	-	Onion	Purple blotch, bulb rot, neck rot	4.5-6.0 Tbsp/16L	-	7-14 days. Banana 0 day	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
FAMOUS AGRICARE MARKETING COMPANY	CHLOROTHALONIL	MEGANIL 500 SC	500 g/L	SC	FUNGICIDE	4	721-118-5770	26-Feb-25	-	Garlic	Purple blotch, bulb rot, neck rot	4.5-6.0 Tbsp/16L	-	7-14 days. Banana 0 day	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
FAMOUS AGRICARE MARKETING COMPANY	CHLOROTHALONIL	MEGANIL 500 SC	500 g/L	SC	FUNGICIDE	4	721-118-5770	26-Feb-25	-	Ornamentals	Black spot, black rot, powdery mildew	4.5-6.0 Tbsp/16L	-	7-14 days. Banana 0 day	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
FAMOUS AGRICARE MARKETING COMPANY	CHLOROTHALONIL	MEGANIL 500 SC	500 g/L	SC	FUNGICIDE	4	721-118-5770	26-Feb-25	-	Grapes	Downy mildew, powdery mildew, fruit rot	4.5-6.0 Tbsp/16L	-	7-14 days. Banana 0 day	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
FAMOUS AGRICARE MARKETING COMPANY	CHLOROTHALONIL	MEGANIL 500 SC	500 g/L	SC	FUNGICIDE	4	721-118-5770	26-Feb-25	-	Pepper	Anthraxnose, cercospora leaf spot, early blight	4.5-6.0 Tbsp/16L	-	7-14 days. Banana 0 day	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
FAMOUS AGRICARE MARKETING COMPANY	CHLOROTHALONIL	MEGANIL 500 SC	500 g/L	SC	FUNGICIDE	4	721-118-5770	26-Feb-25	-	Cucurbits	Powdery mildew, cercospora, anthracnose, septoria, fruit rot, early and late blight	4.5-6.0 Tbsp/16L	-	7-14 days. Banana 0 day	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
FAMOUS AGRICARE MARKETING COMPANY	CHLOROTHALONIL	MEGANIL 500 SC	500 g/L	SC	FUNGICIDE	4	721-118-5770	26-Feb-25	-	Melon	Powdery mildew, cercospora, anthracnose, septoria, fruit rot, early and late blight	4.5-6.0 Tbsp/16L	-	7-14 days. Banana 0 day	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
FAMOUS AGRICARE MARKETING COMPANY	CHLOROTHALONIL	MEGANIL 500 SC	500 g/L	SC	FUNGICIDE	4	721-118-5770	26-Feb-25	-	Cucumber	Powdery mildew, cercospora, anthracnose, septoria, fruit rot, early and late blight	4.5-6.0 Tbsp/16L	-	7-14 days. Banana 0 day	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
FAMOUS AGRICARE MARKETING COMPANY	CHLOROTHALONIL	MEGANIL 500 SC	500 g/L	SC	FUNGICIDE	4	721-118-5770	26-Feb-25	-	Squash	Powdery mildew, cercospora, anthracnose, septoria, fruit rot, early and late blight	4.5-6.0 Tbsp/16L	-	7-14 days. Banana 0 day	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
FAMOUS AGRICARE MARKETING COMPANY	CHLOROTHALONIL	MEGANIL 500 SC	500 g/L	SC	FUNGICIDE	4	721-118-5770	26-Feb-25	-	Watermelon	Powdery mildew, cercospora, anthracnose, septoria, fruit rot, early and late blight	4.5-6.0 Tbsp/16L	-	7-14 days. Banana 0 day	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
FAMOUS AGRICARE MARKETING COMPANY	CHLOROTHALONIL	MEGANIL 500 SC	500 g/L	SC	FUNGICIDE	4	721-118-5770	26-Feb-25	-	Celery	Early and late blight	4.5-6.0 Tbsp/16L	-	7-14 days. Banana 0 day	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
TEAMAGRO TRADING CORPORATION	BP/MC-CHLORPYRIFOS	MEGAKILL 31.5 EC	105+210 g/L	EC	INSECTICIDE	2	248-174-4931	27-Dec-24	-	Rice	Stemborer, armyworm, leafhopper, caseworm and planthopper	25-35 Tbsp/16 L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
TEAMAGRO TRADING CORPORATION	BP/MC-CHLORPYRIFOS	MEGAKILL 31.5 EC	105+210 g/L	EC	INSECTICIDE	2	248-174-4931	27-Dec-24	-	Corn	Seedling maggot, corn earworm, combor, armyworm	25-35 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
TEAMAGRO TRADING CORPORATION	BP/MC-CHLORPYRIFOS	MEGAKILL 31.5 EC	105+210 g/L	EC	INSECTICIDE	2	248-174-4931	27-Dec-24	-	Tobacco	Budworm, grasshopper, aphid, cutworm and armyworm	25-35 Tbsp/16 L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
TEAMAGRO TRADING CORPORATION	BP/MC-CHLORPYRIFOS	MEGAKILL 31.5 EC	105+210 g/L	EC	INSECTICIDE	2	248-174-4931	27-Dec-24	-	Cucumber	Leafworm, squash bug, 28- spotted beetles	25-35 Tbsp/16 L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
TEAMAGRO TRADING CORPORATION	BP/MC-CHLORPYRIFOS	MEGAKILL 31.5 EC	105+210 g/L	EC	INSECTICIDE	2	248-174-4931	27-Dec-24	-	Melon	Leafworm, squash bug, 28- spotted beetles	25-35 Tbsp/16 L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
TEAMAGRO TRADING CORPORATION	BP/MC-CHLORPYRIFOS	MEGAKILL 31.5 EC	105+210 g/L	EC	INSECTICIDE	2	248-174-4931	27-Dec-24	-	Watermelon	Leafworm, squash bug, 28- spotted beetles	25-35 Tbsp/16 L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
TEAMAGRO TRADING CORPORATION	BP/MC-CHLORPYRIFOS	MEGAKILL 31.5 EC	105+210 g/L	EC	INSECTICIDE	2	248-174-4931	27-Dec-24	-	Onion	Thrips, cutworm	25-35 Tbsp/16 L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
TEAMAGRO TRADING CORPORATION	BP/MC-CHLORPYRIFOS	MEGAKILL 31.5 EC	105+210 g/L	EC	INSECTICIDE	2	248-174-4931	27-Dec-24	-	Mungo	Bean podborer, aphid, beanfly, armyworm, cutworm, leafminer, leafhopper	25-35 Tbsp/16 L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
TEAMAGRO TRADING CORPORATION	BP/MC-CHLORPYRIFOS	MEGAKILL 31.5 EC	105+210 g/L	EC	INSECTICIDE	2	248-174-4931	27-Dec-24	-	Soybeans	Bean podborer, aphid, beanfly, armyworm, cutworm, leafminer, leafhopper	25-35 Tbsp/16 L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
TEAMAGRO TRADING CORPORATION	BP/MC-CHLORPYRIFOS	MEGAKILL 31.5 EC	105+210 g/L	EC	INSECTICIDE	2	248-174-4931	27-Dec-24	-	Beans	Bean podborer, aphid, beanfly, armyworm, cutworm, leafminer, leafhopper	25-35 Tbsp/16 L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
FAMOUS AGRICARE MARKETING COMPANY	PROFENOFOS	MEGAFOS 500 EC	500 g/L	EC	INSECTICIDE	2	721-070-5936	31-Mar-25	-	Tomato	Fruitworm, armyworm, cutworm	3.0-5.0 Tbsp/16L water	-	Do not apply at less than 7 days before harvest	Do not enter treated fields for at least 1 day after application
FAMOUS AGRICARE MARKETING COMPANY	PROFENOFOS	MEGAFOS 500 EC	500 g/L	EC	INSECTICIDE	2	721-070-5936	31-Mar-25	-	Eggplant	Fruit borer, aphids, leafhopper, thrips	3.0-5.0 Tbsp/16 L water	-	Do not apply at less than 7 days before harvest	Do not enter treated fields for at least 1 day after application
FAMOUS AGRICARE MARKETING COMPANY	PROFENOFOS	MEGAFOS 500 EC	500 g/L	EC	INSECTICIDE	2	721-070-5936	31-Mar-25	-	Cabbage/Crucifers	Diamond back moth, cabbage worms and aphids, thrips	3.0-5.0 Tbsp/16L water	-	Do not apply at less than 7 days before harvest	Do not enter treated fields for at least 1 day after application
FAMOUS AGRICARE MARKETING COMPANY	PROFENOFOS	MEGAFOS 500 EC	500 g/L	EC	INSECTICIDE	2	721-070-5936	31-Mar-25	-	White potato	Thrips, armyworms, cutworm, tuberworm	3.0-5.0 Tbsp/16L water	-	Do not apply at less than 7 days before harvest	Do not enter treated fields for at least 1 day after application
FAMOUS AGRICARE MARKETING COMPANY	PROFENOFOS	MEGAFOS 500 EC	500 g/L	EC	INSECTICIDE	2	721-070-5936	31-Mar-25	-	Beans	Beanflies, aphids	-	-	Do not apply at less than 7 days before harvest	Do not enter treated fields for at least 1 day after application
FAMOUS AGRICARE MARKETING COMPANY	PROFENOFOS	MEGAFOS 500 EC	500 g/L	EC	INSECTICIDE	2	721-070-5936	31-Mar-25	-	Soybeans/Mungbeans	Corn earworm, leafminers	3.0-5.0 Tbsp/16L water	-	Do not apply at less than 7 days before harvest	Do not enter treated fields for at least 1 day after application
FAMOUS AGRICARE MARKETING COMPANY	PROFENOFOS	MEGAFOS 500 EC	500 g/L	EC	INSECTICIDE	2	721-070-5936	31-Mar-25	-	Cotton	Thrips, bollworms, budworms	3.0-5.0 Tbsp/16L water	-	Do not apply at less than 7 days before harvest	Do not enter treated fields for at least 1 day after application
FAMOUS AGRICARE MARKETING COMPANY	PROFENOFOS	MEGAFOS 500 EC	500 g/L	EC	INSECTICIDE	2	721-070-5936	31-Mar-25	-	Sitao	Bean fly, leaffolder, aphids	3.0-5.0 Tbsp/16L water	-	Do not apply at less than 7 days before harvest	Do not enter treated fields for at least 1 day after application
FAMOUS AGRICARE MARKETING COMPANY	PROFENOFOS	MEGAFOS 500 EC	500 g/L	EC	INSECTICIDE	2	721-070-5936	31-Mar-25	-	Watermelon	Thrips	3.0-5.0 Tbsp/16L water	-	Do not apply at less than 7 days before harvest	Do not enter treated fields for at least 1 day after application
FAMOUS AGRICARE MARKETING COMPANY	PROFENOFOS	MEGAFOS 500 EC	500 g/L	EC	INSECTICIDE	2	721-070-5936	31-Mar-25	-	Mango	Thrips	-	-	Do not apply at less than 7 days before harvest	Do not enter treated fields for at least 1 day after application
FAMOUS AGRICARE MARKETING COMPANY	CHLOROTHALONIL	MEGACHLOR 720 SC	720 g/L	SC	FUNGICIDE	4	721-118-5935	3-Sep-24	-	Crucifers	Powdery mildew	1.25-1.9 L/ha, 4.5-6.0 Tbsp/16L	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
FAMOUS AGRICARE MARKETING COMPANY	CHLOROTHALONIL	MEGACHLOR 720 SC	720 g/L	SC	FUNGICIDE	4	721-118-5935	3-Sep-24	-	Potato	Early and late blight, vine rot	1.0-1.8 L/ha, 4.5-6.0 Tbsp/16L	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
FAMOUS AGRICARE MARKETING COMPANY	CHLOROTHALONIL	MEGACHLOR 720 SC	720 g/L	SC	FUNGICIDE	4	721-118-5935	3-Sep-24	-	Carrot	Alternaria, cercospora, helminthosporium	1.25-1.9 L/ha, 4.5-6.0 Tbsp/16L	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
FAMOUS AGRICARE MARKETING COMPANY	CHLOROTHALONIL	MEGACHLOR 720 SC	720 g/L	SC	FUNGICIDE	4	721-118-5935	3-Sep-24	-	Tomato	Early and late blight, vine rot	1.25-1.9 L/ha, 4.5-6.0 Tbsp/16L	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
FAMOUS AGRICARE MARKETING COMPANY	CHLOROTHALONIL	MEGACHLOR 720 SC	720 g/L	SC	FUNGICIDE	4	721-118-5935	3-Sep-24	-	Beans	Rust, anthracnose	1.25-1.9 L/ha, 4.5-6.0 Tbsp/16L	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
FAMOUS AGRICARE MARKETING COMPANY	CHLOROTHALONIL	MEGACHLOR 720 SC	720 g/L	SC	FUNGICIDE	4	721-118-5935	3-Sep-24	-	Ornamentals	Black spot, black rot, powdery mildew	1.25-1.9 L/ha, 4.5-6.0 Tbsp/16L	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
FAMOUS AGRICARE MARKETING COMPANY	CHLOROTHALONIL	MEGACHLOR 720 SC	720 g/L	SC	FUNGICIDE	4	721-118-5935	3-Sep-24	-	Asparagus	Stem and leaf blight	1.0-1.8 L/ha, 1.8 L/ha	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
FAMOUS AGRICARE MARKETING COMPANY	CHLOROTHALONIL	MEGACHLOR 720 SC	720 g/L	SC	FUNGICIDE	4	721-118-5935	3-Sep-24	-	Pepper	Early and late blight, bulb rot, neck rot	1.25-1.9 L/ha, 4.5-6.0 Tbsp/16L	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
FAMOUS AGRICARE MARKETING COMPANY	CHLOROTHALONIL	MEGACHLOR 720 SC	720 g/L	SC	FUNGICIDE	4	721-118-5935	3-Sep-24	-	Mango	Anthraxnose, diploelia rot	3.75-5.40 L/ha, 4.5-6.0 Tbsp/16L	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
FAMOUS AGRICARE MARKETING COMPANY	CHLOROTHALONIL	MEGACHLOR 720 SC	720 g/L	SC	FUNGICIDE	4	721-118-5935	3-Sep-24	-	Cucurbits	Powdery mildew, downy mildew, cercospora, anthracnose, septoria, fruit rot, early and late blight	1.25-1.9 L/ha, 4.5-6.0 Tbsp/16L	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
FAMOUS AGRICARE MARKETING COMPANY	CHLOROTHALONIL	MEGACHLOR 720 SC	720 g/L	SC	FUNGICIDE	4	721-118-5935	3-Sep-24	-	Eggplant	Early and late blight, cercospora, anthracnose	1.25-1.9 L/ha, 4.5-6.0 Tbsp/16L	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
FAMOUS AGRICARE MARKETING COMPANY	CHLOROTHALONIL	MEGACHLOR 720 SC	720 g/L	SC	FUNGICIDE	4	721-118-5935	3-Sep-24	-	Celery	Early and late blight	1.25-1.9 L/ha, 4.5-6.0 Tbsp/16L	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
FAMOUS AGRICARE MARKETING COMPANY	CHLOROTHALONIL	MEGACHLOR 720 SC	720 g/L	SC	FUNGICIDE	4	721-118-5935	3-Sep-24	-	Onion	Purple blotch, bulb rot, neck rot	1.25-1.9 L/ha, 4.5-6.0 Tbsp/16L	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
FAMOUS AGRICARE MARKETING COMPANY	CHLOROTHALONIL	MEGACHLOR 720 SC	720 g/L	SC	FUNGICIDE	4	721-118-5935	3-Sep-24	-	Grapes	Downy mildew, powdery mildew, fruit rot	1.25-1.9 L/ha, 4.5-6.0 Tbsp/16L	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
FAMOUS AGRICARE MARKETING COMPANY	CHLOROTHALONIL	MEGACHLOR 720 SC	720 g/L	SC	FUNGICIDE	4	721-118-5935	3-Sep-24	-	Banana	Black sigatoka	1.25-1.9 L/ha, 1.38 L/ha	-	0 day	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
MEGA BOOSTER AGRIC TRADING CO.	MANCOZEB	MEGA BOOSTER MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	531-053-3145	21-Oct-24	-	Potato	Early and late blight	3-6 Tbsp/16 L water	-	-	As soon as spray dries
MEGA BOOSTER AGRIC TRADING CO.	MANCOZEB	MEGA BOOSTER MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	531-053-3145	21-Oct-24	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 days	As soon as spray dries
MEGA BOOSTER AGRIC TRADING CO.	MANCOZEB	MEGA BOOSTER MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	531-053-3145	21-Oct-24	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 days	As soon as spray dries
MEGA BOOSTER AGRIC TRADING CO.	MANCOZEB	MEGA BOOSTER MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	531-053-3145	21-Oct-24	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 days	As soon as spray dries
MEGA BOOSTER AGRIC TRADING CO.	MANCOZEB	MEGA BOOSTER MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	531-053-3145	21-Oct-24	-	Celery	Late blight	3-6 Tbsp/16 L water	-	14 days	As soon as spray dries
MEGA BOOSTER AGRIC TRADING CO.	MANCOZEB	MEGA BOOSTER MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	531-053-3145	21-Oct-24	-	Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
MEGA BOOSTER AGRIC TRADING CO.	MANCOZEB	MEGA BOOSTER MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	531-053-3145	21-Oct-24	-	Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
MEGA BOOSTER AGRIC TRADING CO.	MANCOZEB	MEGA BOOSTER MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	531-053-3145	21-Oct-24	-	Cotton	Damping off	3-6 Tbsp/16 L water	-	-	As soon as spray dries
MEGA BOOSTER AGRIC TRADING CO.	MANCOZEB	MEGA BOOSTER MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	531-053-3145	21-Oct-24	-	lettuce	Downy mildew	3-6 Tbsp/16 L water	-	7 days	As soon as spray dries
MEGA BOOSTER AGRIC TRADING CO.	MANCOZEB	MEGA BOOSTER MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	531-053-3145	21-Oct-24	-	Beans	Anthraxnose, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
MEGA BOOSTER AGRI TRADING CO.	MANCOZEB	MEGA BOOSTER MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	531-053-3145	21-Oct-24	-	Peas	Anthracoese, Downy mildew, Rust	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
MEGA BOOSTER AGRI TRADING CO.	MANCOZEB	MEGA BOOSTER MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	531-053-3145	21-Oct-24	-	Mungo	Anthracoese, Downy mildew, Rust	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
MEGA BOOSTER AGRI TRADING CO.	MANCOZEB	MEGA BOOSTER MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	531-053-3145	21-Oct-24	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
MEGA BOOSTER AGRI TRADING CO.	MANCOZEB	MEGA BOOSTER MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	531-053-3145	21-Oct-24	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries
MEGA BOOSTER AGRI TRADING CO.	MANCOZEB	MEGA BOOSTER MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	531-053-3145	21-Oct-24	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries
MEGA BOOSTER AGRI TRADING CO.	MANCOZEB	MEGA BOOSTER MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	531-053-3145	21-Oct-24	-	Pepper	Anthracoese	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries
MEGA BOOSTER AGRI TRADING CO.	MANCOZEB	MEGA BOOSTER MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	531-053-3145	21-Oct-24	-	Chili	Anthracoese	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries
MEGA BOOSTER AGRI TRADING CO.	MANCOZEB	MEGA BOOSTER MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	531-053-3145	21-Oct-24	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries
MEGA BOOSTER AGRI TRADING CO.	MANCOZEB	MEGA BOOSTER MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	531-053-3145	21-Oct-24	-	Banana	Sigatoka, Black leaf streak	3-6 Tbsp/36 L water	-	-	As soon as spray dries
MEGA BOOSTER AGRI TRADING CO.	MANCOZEB	MEGA BOOSTER MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	531-053-3145	21-Oct-24	-	Grapes	Downy mildew, black rot	3-6 Tbsp/36 L water	-	60 days	As soon as spray dries
MEGA BOOSTER AGRI TRADING CO.	MANCOZEB	MEGA BOOSTER MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	531-053-3145	21-Oct-24	-	Mango	Anthracoese and Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
MEGA BOOSTER AGRI TRADING CO.	MANCOZEB	MEGA BOOSTER MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	531-053-3145	21-Oct-24	-	Papaya	Fruit rot	3-6 Tbsp/36 L water	-	-	As soon as spray dries
MEGA BOOSTER AGRI TRADING CO.	MANCOZEB	MEGA BOOSTER MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	531-053-3145	21-Oct-24	-	Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
MEGA BOOSTER AGRI TRADING CO.	MANCOZEB	MEGA BOOSTER MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	531-053-3145	21-Oct-24	-	Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
MEGA BOOSTER AGRI TRADING CO.	MANCOZEB	MEGA BOOSTER MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	531-053-3145	21-Oct-24	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries
MEGA BOOSTER AGRI TRADING CO.	MANCOZEB	MEGA BOOSTER MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	531-053-3145	21-Oct-24	-	Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/36 L water	0.02ppm	-	As soon as spray dries
MEGA BOOSTER AGRI TRADING CO.	MANCOZEB	MEGA BOOSTER MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	531-053-3145	21-Oct-24	-	Peanut	Cercospora leaf spot	3-6 Tbsp/36 L water	-	14 days	As soon as spray dries
MEGA BOOSTER AGRI TRADING CO.	MANCOZEB	MEGA BOOSTER MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	531-053-3145	21-Oct-24	-	Soybeans	Leaf rust	3-6 Tbsp/36 L water	-	-	As soon as spray dries
MEGA BOOSTER AGRI TRADING CO.	MANCOZEB	MEGA BOOSTER MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	531-053-3145	21-Oct-24	-	Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/36 L water	-	-	As soon as spray dries
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	MANCOZEB	MEDOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	596-053-5046	02-Jul-25	-	Potato	Early and late blight	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	MANCOZEB	MEDOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	596-053-5046	02-Jul-25	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	MANCOZEB	MEDOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	596-053-5046	02-Jul-25	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	MANCOZEB	MEDOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	596-053-5046	02-Jul-25	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	MANCOZEB	MEDOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	596-053-5046	02-Jul-25	-	Galery	Late blight	3-6 Tbsp/36 L water	-	14 days	As soon as spray dries
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	MANCOZEB	MEDOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	596-053-5046	02-Jul-25	-	Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	MANCOZEB	MEDOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	596-053-5046	02-Jul-25	-	Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	MANCOZEB	MEDOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	596-053-5046	02-Jul-25	-	Cotton	Damping off	3-6 Tbsp/36 L water	-	-	As soon as spray dries
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	MANCOZEB	MEDOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	596-053-5046	02-Jul-25	-	Lettuce	Downy mildew	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	MANCOZEB	MEDOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	596-053-5046	02-Jul-25	-	Beans	Anthracoese, Downy mildew, Rust	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	MANCOZEB	MEDOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	596-053-5046	02-Jul-25	-	Peas	Anthracoese, Downy mildew, Rust	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	MANCOZEB	MEDOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	596-053-5046	02-Jul-25	-	Mungo	Anthracoese, Downy mildew, Rust	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	MANCOZEB	MEDOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	596-053-5046	02-Jul-25	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	MANCOZEB	MEDOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	596-053-5046	02-Jul-25	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	MANCOZEB	MEDOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	596-053-5046	02-Jul-25	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	MANCOZEB	MEDOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	596-053-5046	02-Jul-25	-	Pepper	Anthracoese	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	MANCOZEB	MEDOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	596-053-5046	02-Jul-25	-	Chili	Anthracoese	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	MANCOZEB	MEDOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	596-053-5046	02-Jul-25	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	MANCOZEB	MEDOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	596-053-5046	02-Jul-25	-	Banana	Sigatoka, Black leaf streak	3-6 Tbsp/36 L water	-	-	As soon as spray dries
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	MANCOZEB	MEDOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	596-053-5046	02-Jul-25	-	Grapes	Downy mildew, black rot	3-6 Tbsp/36 L water	-	60 days	As soon as spray dries
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	MANCOZEB	MEDOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	596-053-5046	02-Jul-25	-	Mango	Anthracoese and Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	MANCOZEB	MEDOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	596-053-5046	02-Jul-25	-	Papaya	Fruit rot	3-6 Tbsp/36 L water	-	-	As soon as spray dries
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	MANCOZEB	MEDOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	596-053-5046	02-Jul-25	-	Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	MANCOZEB	MEDOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	596-053-5046	02-Jul-25	-	Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	MANCOZEB	MEDOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	596-053-5046	02-Jul-25	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	MANCOZEB	MEDOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	596-053-5046	02-Jul-25	-	Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/36 L water	-	-	As soon as spray dries
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	MANCOZEB	MEDOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	596-053-5046	02-Jul-25	-	Peanut	Cercospora leaf spot	3-6 Tbsp/36 L water	-	14 days	As soon as spray dries
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	MANCOZEB	MEDOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	596-053-5046	02-Jul-25	-	Soybeans	Leaf rust	3-6 Tbsp/36 L water	-	-	As soon as spray dries
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	MANCOZEB	MEDOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	596-053-5046	02-Jul-25	-	Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/36 L water	-	-	As soon as spray dries
LEADS ANIMAL HEALTH AND NATURAL SOLUTIONS CORPORATION	CETYL PYRIDINIUM CHLORIDE+CETYL TRIMETHYL AMMONIUM CHLORIDE+ BENZALCONIUM CHLORIDE	MEDOSP	10g/L+20g/L+20g/L	-	OTHERS	2	876-578-5685	31-Dec-24	-	-	Disinfection of animal facilities and equipment, and animal paw scabs and wound	-	-	-	-
FARMON AGRI-COMMUNITY CORPORATION	CARBENDAZIM+TEBUCONAZOLE	VIDENS-250 EC	125 g/L+125 g/L	EC	FUNGICIDE	4	621-405-4555	26-Oct-21	SYSTEMIC	Mango	Anthracoese	16-24ml/36L Sprayer	-	55 days after last application	When spray deposits have dried
GRANDIA AGRO MARKETING CORPORATION	NICLOXAMIDE+ETHANOLAMINE SALT	MEDER 70 WP	700 g/kg	WP	MOLLUSCIDE	4	445-229-3023	26-Jun-24	CONTACT	Rice	Golden Apple Snail (Kuhol)	85 gm/36 L water	-	-	At least 48 hours after application
GRANDIA AGRO MARKETING CORPORATION	NICLOXAMIDE	MEDER 25 EC	250 g/L	EC	MOLLUSCIDE	4	445-229-3346	28-Oct-20	-	Rice	Golden apple snail	7-10 Tbsp/36L water	-	-	Do not re-enter the field within two days after spraying
PACIFIC FUMIGATION CO., INC.	METHYL BROMIDE+CHLOROPICRIN	MEBROM	980+20 g/L	-	FUMIGANT	1	255-111-1065	18-Feb-26	-	Soil and space fumigant	Weeds,Nematodes, Fungal and Insect pests	500 kg/ha	-	-	-
NEXCHEM CORPORATION	METALDEHYDE	MEATANEX 6% PELLET	60 g/kg	P	MOLLUSCIDE	4	702-075-5972	20-Sep-24	-	Rice (Transplanted)	Golden apple snail	2.0-4.0 kg/ha	-	-	Do not enter treated field within 48 hours after application
NEXCHEM CORPORATION	METALDEHYDE	MEATANEX 6% PELLET	60 g/kg	P	MOLLUSCIDE	4	702-075-5972	20-Sep-24	-	Rice (Direct seeded)	Golden apple snail	4.0-8.0 kg/ha	-	-	Do not enter treated field within 48 hours after application
NEXCHEM CORPORATION	METALDEHYDE	MEATANEX 6% PELLET	60 g/kg	P	MOLLUSCIDE	4	702-075-5972	20-Sep-24	-	Potted and driftwood-attached plants such as	Bush, snails, giant african snail and slugs	1.0-2.0 kg/ha	-	-	Do not enter treated field within 48 hours after application

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
NEXCHEM CORPORATION	METALDEHYDE	METANEX 6% PELLET	60 g/kg	P	MOLLUSCIDE	4	702-075-5972	20-Sep-24	-	Strawberry	Slug, snails	6.0-8.0 kg/ha	-	-	Do not enter treated field within 48 hours after application
NEXCHEM CORPORATION	METALDEHYDE	METANEX 6% PELLET	60 g/kg	P	MOLLUSCIDE	4	702-075-5972	20-Sep-24	-	Chinese cabbage	Slug, snails	6.0-8.0 kg/ha	-	-	Do not enter treated field within 48 hours after application
ALTACROP PROTECTION CORPORATION	BUTACHLOR-2,4-D BE	MCSHELL	360-240 g/L	EC	HERBICIDE	3	351-152-2467	24-Sep-24	PRE-EMERGENT	Rice (Direct-seeded)	Broadleaf weeds,grasses & sedges	8-20tbsp/36 L sprayload	Butachlor 0.1ppm 2,4-D BE 0.1ppm	-	-
ALTACROP PROTECTION CORPORATION	BUTACHLOR-2,4-D BE	MCSHELL	360-240 g/L	EC	HERBICIDE	3	351-152-2467	24-Sep-24	PRE-EMERGENT	Rice (Transplanted)	Broadleaf weeds,grasses & sedges	8-20tbsp/36 L sprayload	Butachlor 0.1ppm 2,4-D BE 0.1ppm	-	-
KARRAT MARKETING CORPORATION	CHLOROTHALONIL	MCFUNGIE	720 g/L	SC	FUNGICIDE	4	446-118-5761	07-Mar-26	-	Potato	Early blight, late blight, vine rot	4.5-6.0 Tbsp	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
KARRAT MARKETING CORPORATION	CHLOROTHALONIL	MCFUNGIE	720 g/L	SC	FUNGICIDE	4	446-118-5761	07-Mar-26	-	Tomato	Early blight, late blight, vine rot	4.5-6.0 Tbsp	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
KARRAT MARKETING CORPORATION	CHLOROTHALONIL	MCFUNGIE	720 g/L	SC	FUNGICIDE	4	446-118-5761	07-Mar-26	-	Beans	Rust, anthracnose	4.5-6.0 Tbsp	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
KARRAT MARKETING CORPORATION	CHLOROTHALONIL	MCFUNGIE	720 g/L	SC	FUNGICIDE	4	446-118-5761	07-Mar-26	-	Carrot	Alternaria leaf spot, cercospora leaf spot, helminthosporium leaf spot	4.5-6.0 Tbsp	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
KARRAT MARKETING CORPORATION	CHLOROTHALONIL	MCFUNGIE	720 g/L	SC	FUNGICIDE	4	446-118-5761	07-Mar-26	-	Cucubers	Powdery mildew	4.5-6.0 Tbsp	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
KARRAT MARKETING CORPORATION	CHLOROTHALONIL	MCFUNGIE	720 g/L	SC	FUNGICIDE	4	446-118-5761	07-Mar-26	-	Cucurbits	Powdery mildew, downy mildew,cercospora, septoria, fruit rot, anthracnose, early and late blight	4.5-6.0 Tbsp	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
KARRAT MARKETING CORPORATION	CHLOROTHALONIL	MCFUNGIE	720 g/L	SC	FUNGICIDE	4	446-118-5761	07-Mar-26	-	Celery	Early blight, late blight	4.5-6.0 Tbsp	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
KARRAT MARKETING CORPORATION	CHLOROTHALONIL	MCFUNGIE	720 g/L	SC	FUNGICIDE	4	446-118-5761	07-Mar-26	-	Eggplant	Early blight, late blight, cercospora leafspot, anthracnose	4.5-6.0 Tbsp	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
KARRAT MARKETING CORPORATION	CHLOROTHALONIL	MCFUNGIE	720 g/L	SC	FUNGICIDE	4	446-118-5761	07-Mar-26	-	Onion	Purple blotch, bulb rot, neck rot	4.5-6.0 Tbsp	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
KARRAT MARKETING CORPORATION	CHLOROTHALONIL	MCFUNGIE	720 g/L	SC	FUNGICIDE	4	446-118-5761	07-Mar-26	-	Pepper	Early and late blight, bulb rot, neck rot	4.5-6.0 Tbsp	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
KARRAT MARKETING CORPORATION	CHLOROTHALONIL	MCFUNGIE	720 g/L	SC	FUNGICIDE	4	446-118-5761	07-Mar-26	-	Grapes	Downy mildew, powdery mildew, fruit rot	4.5-6.0 Tbsp	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
KARRAT MARKETING CORPORATION	CHLOROTHALONIL	MCFUNGIE	720 g/L	SC	FUNGICIDE	4	446-118-5761	07-Mar-26	-	Mango	Anthraxnose, diploia rot	4.5-6.0 Tbsp	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
KARRAT MARKETING CORPORATION	CHLOROTHALONIL	MCFUNGIE	720 g/L	SC	FUNGICIDE	4	446-118-5761	07-Mar-26	-	Ornamentals	Black spot, powdery mildew, black rot	4.5-6.0 Tbsp	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
KARRAT MARKETING CORPORATION	CHLOROTHALONIL	MCFUNGIE	720 g/L	SC	FUNGICIDE	4	446-118-5761	07-Mar-26	-	Asparagus	Stem and leaf blight	1.80 L/ha	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
KARRAT MARKETING CORPORATION	CHLOROTHALONIL	MCFUNGIE	720 g/L	SC	FUNGICIDE	4	446-118-5761	07-Mar-26	-	Banana	Black sigatoka	2.0-2.0 L/ha	-	-	No pre-harvest interval necessary from last spray until harvest
VENTUROSA AGRITRADING	NICLOXAMIDE ETHANOLAMINE SALT	MAXTIO 70 WP	700 g/L	WP	MOLLUSCIDE	4	725-229-5738	20-Sep-24	-	Rice	Golden Apple Snail (Kuhol)	10 Tank load/ha	-	-	-
LIJCHENPHIL INTERNATIONAL INC.	DIFENCLOZADOLE-PROPICONAZOLE	MAXKOLE 300 EC	150 g/L+150 g/L	EC	FUNGICIDE	3	590-325-4003	25-Jul-21	SYSTEMIC	Rice	Sheath Blight	1.5-3.5 Tbsp/36L water	0.1ppm	-	-
LIJCHENPHIL INTERNATIONAL INC.	DIFENCLOZADOLE-PROPICONAZOLE	MAXKOLE 300 EC	150 g/L+150 g/L	EC	FUNGICIDE	3	590-325-4003	25-Jul-24	SYSTEMIC	Corn	Banded leaf, sheath blight, ear rot, leaf blight & rust	1.0-2.0 Tbsp/36L water	0.1ppm	45 Days	-
BERRIS AGRICULTURAL CO., INC.	DIURON	MAXTROL 80 SC	800 g/L	SC	HERBICIDE	4	233-021-4093	23-Aug-26	SYSTEMIC	Citrus	Annual and Perennial broadleaves and grasses	11.0-15.0Tbsp/36 L water	-	-	Twenty four (24) hours after application.
BERRIS AGRICULTURAL CO., INC.	DIURON	MAXTROL 80 SC	800 g/L	SC	HERBICIDE	4	233-021-4093	23-Aug-26	SYSTEMIC	Coffee	Annual and Perennial broadleaves and grasses	11.0-15.0Tbsp/36 L water	-	-	Twenty four (24) hours after application.
BERRIS AGRICULTURAL CO., INC.	DIURON	MAXTROL 80 SC	800 g/L	SC	HERBICIDE	4	233-021-4093	23-Aug-26	SYSTEMIC	Cotton	Annual and Perennial broadleaves and grasses	8.0Tbsp/36 L water	-	-	Twenty four (24) hours after application.
BERRIS AGRICULTURAL CO., INC.	DIURON	MAXTROL 80 SC	800 g/L	SC	HERBICIDE	4	233-021-4093	23-Aug-26	SYSTEMIC	Sugarcane	Annual and Perennial broadleaves and grasses	6-5.13Tbsp/36 L water	-	-	Twenty four (24) hours after application.
BERRIS AGRICULTURAL CO., INC.	DIURON	MAXTROL 80 SC	800 g/L	SC	HERBICIDE	4	233-021-4093	23-Aug-26	SYSTEMIC	Pineapple	Annual and Perennial broadleaves and grasses	11.0Tbsp/36 L water	-	-	Twenty four (24) hours after application.
BERRIS AGRICULTURAL CO., INC.	DIURON	MAXTROL 80 SC	800 g/L	SC	HERBICIDE	4	233-021-4093	23-Aug-26	SYSTEMIC	Non-crop land	Annual and Perennial broadleaves and grasses	20.0-25.0Tbsp/36 L water	-	-	Twenty four (24) hours after application.
AGRO IRIS PHILIPPINES, INC.	FLONICAMID	MAXXIMO 50 WG	500 g/kg	WG	INSECTICIDE	4	752-442-6008	29-Apr-25	SYSTEMIC	Eggplant	Aphids and leafhopper	5.6-7.2 g/36 L water (based on spray volume of 600L/ha)	-	-	-
S&P ENTERPRISES, INC.	CLOTHIANIDIN	MAXXILL 20 SC	200 g/L	SC	INSECTICIDE	4	366-379-6040	8-Jun-26	-	Rice	Black bug	4.5 tbsp/36L	-	-	Allowed as soon as spray deposits dry up
C.B. ANDREW ASIA, INC.	GLUFOSINATE AMMONIUM	MAXIMUS 15 SL	150 g/L	SL	HERBICIDE	4	460-182-2881-E	31-Aug-26	POST-EMERGENT	Rubber	Annual Grasses, Perennial grasses and broadleaf weeds	25,270,135ml/36 L water	-	-	-
C.B. ANDREW ASIA, INC.	GLUFOSINATE AMMONIUM	MAXIMUS 15 SL	150 g/L	SL	HERBICIDE	4	460-182-2881-E	31-Aug-26	POST-EMERGENT	Oil Palm	Annual Grasses, Perennial grasses and broadleaf weeds	360,135ml/36 L water	-	-	-
C.B. ANDREW ASIA, INC.	GLUFOSINATE AMMONIUM	MAXIMUS 15 SL	150 g/L	SL	HERBICIDE	4	460-182-2881-E	31-Aug-26	POST-EMERGENT	Non-Crop Areas	Weeds	360-225ml/36 L water	-	-	-
C.B. ANDREW ASIA, INC.	GLUFOSINATE AMMONIUM	MAXIMUS 15 SL	150 g/L	SL	HERBICIDE	4	460-182-2881-E	31-Aug-26	POST-EMERGENT	Cavendish Banana	Annual Grasses, Perennial grasses and broadleaf weeds	360,135-200ml/36L water	0.2 mg/kg	-	-
AKTV MULTI TRADING CO. PHILS, INC.	PHYRMETHALIL	MAXISA 600 SC	600 g/L	SC	FUNGICIDE	4	340-945-5817	12-Aug-25	CONTACT	Banana	Black sigatoka	0.5 L product/ha	-	0 day	Do not allow entry into treated areas until spray deposits have dried. When prior entry is necessary, wear cotton coveralls and PVC gloves. Wash thoroughly all
ARIES RNL CHEMICAL CORPORATION	PRETILACHLOR-BUTACHLOR	MAXICHLOR 55 EC	150 g/L	EC	HERBICIDE	4	478-591-5928	15-Jul-25	-	Rice (Direct-Seeded)	Grasses, sedge and broadleaves	10 Tbsp/36L	-	-	-
PAIMTIRE CORPORATION	CHLOROTHALONIL	MAXEL 72 SC	720 g/L	SC	FUNGICIDE	4	504-118-3161	23-Apr-19	-	Potato	Early blight, late blight, vine rot	1.00-1.80 L/ha or 4.5-5.5Tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
PAIMTIRE CORPORATION	CHLOROTHALONIL	MAXEL 72 SC	720 g/L	SC	FUNGICIDE	4	504-118-3161	23-Apr-19	-	Tomato	Early blight, late blight, vine rot	1.13-1.90 L/ha or 4.5-6.0Tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
PAIMTIRE CORPORATION	CHLOROTHALONIL	MAXEL 72 SC	720 g/L	SC	FUNGICIDE	4	504-118-3161	23-Apr-19	-	Beans	Rust, anthracnose	1.13-1.90 L/ha or 4.5-6.0Tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
PAIMTIRE CORPORATION	CHLOROTHALONIL	MAXEL 72 SC	720 g/L	SC	FUNGICIDE	4	504-118-3161	23-Apr-19	-	Carrot	Alternaria leaf spot, cercospora leaf spot, helminthosporium leaf spot	1.13-1.90 L/ha or 4.5-6.0Tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
PAIMTIRE CORPORATION	CHLOROTHALONIL	MAXEL 72 SC	720 g/L	SC	FUNGICIDE	4	504-118-3161	23-Apr-19	-	Cucubers	Powdery mildew	1.13-1.90 L/ha or 4.5-6.0Tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
PAIMTIRE CORPORATION	CHLOROTHALONIL	MAXEL 72 SC	720 g/L	SC	FUNGICIDE	4	504-118-3161	23-Apr-19	-	Meion	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0Tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
PAIMTIRE CORPORATION	CHLOROTHALONIL	MAXEL 72 SC	720 g/L	SC	FUNGICIDE	4	504-118-3161	23-Apr-19	-	Cucumber	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0Tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
PAIMTIRE CORPORATION	CHLOROTHALONIL	MAXEL 72 SC	720 g/L	SC	FUNGICIDE	4	504-118-3161	23-Apr-19	-	Squash	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0Tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
PAIMTIRE CORPORATION	CHLOROTHALONIL	MAXEL 72 SC	720 g/L	SC	FUNGICIDE	4	504-118-3161	23-Apr-19	-	Watermelon	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0Tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
PAIMTIRE CORPORATION	CHLOROTHALONIL	MAXEL 72 SC	720 g/L	SC	FUNGICIDE	4	504-118-3161	23-Apr-19	-	Celery	Early blight, late blight	1.13-1.90 L/ha or 4.5-6.0Tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
PAIMTIRE CORPORATION	CHLOROTHALONIL	MAXEL 72 SC	720 g/L	SC	FUNGICIDE	4	504-118-3161	23-Apr-19	-	Eggplant	Early blight, late blight, cercospora leafspot, anthracnose	1.13-1.90 L/ha or 4.5-6.0Tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
PAIMTIRE CORPORATION	CHLOROTHALONIL	MAXEL 72 SC	720 g/L	SC	FUNGICIDE	4	504-118-3161	23-Apr-19	-	Onion	Purple blotch, bulb rot, neck rot	1.13-1.90 L/ha or 4.5-6.0Tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
PAIMTIRE CORPORATION	CHLOROTHALONIL	MAXEL 72 SC	720 g/L	SC	FUNGICIDE	4	504-118-3161	23-Apr-19	-	Pepper	Early blight, cercospora leaf spot, anthracnose	1.13-1.90 L/ha or 4.5-6.0Tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
PAIMTIRE CORPORATION	CHLOROTHALONIL	MAXEL 72 SC	720 g/L	SC	FUNGICIDE	4	504-118-3161	23-Apr-19	-	Grapes	Downy mildew, powdery mildew, fruit rot	1.13-1.90 L/ha or 4.5-6.0Tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
PAIMTIRE CORPORATION	CHLOROTHALONIL	MAXEL 72 SC	720 g/L	SC	FUNGICIDE	4	504-118-3161	23-Apr-19	-	Mango	Anthraxnose, diploia rot	3.75-5.60 L/ha or 4.5-6.0Tbsp/36 L	0.5 mg/kg	7-14 days	Do not enter treatment areas until spray deposit have dried
PAIMTIRE CORPORATION	CHLOROTHALONIL	MAXEL 72 SC	720 g/L	SC	FUNGICIDE	4	504-118-3161	23-Apr-19	-	Ornamentals	Black spot, powdery mildew, black rot	1.13-1.90 L/ha or 4.5-6.0Tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
PAIMTIRE CORPORATION	CHLOROTHALONIL	MAXEL 72 SC	720 g/L	SC	FUNGICIDE	4	504-118-3161	23-Apr-19	-	Asparagus	Stem and leaf blight	1.80 L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
PAIMTIRE CORPORATION	CHLOROTHALONIL	MAXEL 72 SC	720 g/L	SC	FUNGICIDE	4	504-118-3161	23-Apr-19	-	Banana	Black sigatoka	1.38 L/ha	2.0 mg/kg	0 day	Do not enter treatment areas until spray deposit have dried
EVERLAND AGRICORPORATION	PACLOBUTRAZOL	MATURE 25 SC	250 g/L	SC	OTHERS	3	261-237-6207	29-Nov-24	-	Mango	Plant growth regulator	-	-	-	-
EVERLAND AGRICORPORATION	PACLOBUTRAZOL	MATURE 25 SC	250 g/L	SC	OTHERS	3	261-237-6207	29-Nov-24	-	durian	Plant growth regulator	5-10 mL, 15-20 mL, 20-40 mL 0.5-1.0Tbsp, 1.5-2.0Tbsp, 2.0-4.0Tbsp	-	-	-

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
EVERLAND AGRICORPORATION	PACLOBUTRAZOL	MATURE 25 SC	250 g/L	SC	OTHERS	3	261-237-6207	29-Nov-24	-	Calamansi	Plant growth regulator	30-20 mL; 1.0-2.0 tbsp	-	-	-
EVERLAND AGRICORPORATION	PACLOBUTRAZOL	MATURE 25 SC	250 g/L	SC	OTHERS	3	261-237-6207	29-Nov-24	-	Cocoa	Plant growth regulator	2-3 mL; 1/4 tbsp	-	-	-
UNITED AGRO TRADE CORPORATION	PRETILACHLOH-HUTACHLOH	MATSO 50 EC	150g/L+400 g/L	EC	HERBICIDE	4	210-091-6263	15-Jul-25	PRE-EMERGENT	Rice (Direct-seeded)	Grasses, sedges, broadleaves	10 tbsp / 36L; 1L prod. / ha	-	-	-
ASIA GOLD TRADING CORPORATION	METHOMYL	MATRIX 40 SP	400 g/kg	SP	INSECTICIDE	2	266-164-3972	01-Oct-24	CONTACT	Asparagus	Armyworm, cutworm	1 Sachet/36L Sprayer	-	-	Do not enter fields treated with MATRIX 40 SP within 12 hours after application
ASIA GOLD TRADING CORPORATION	METHOMYL	MATRIX 40 SP	400 g/kg	SP	INSECTICIDE	2	266-164-3972	01-Oct-24	CONTACT	Banana	Thrips	1.5-2 Sachet/36L Sprayer	-	-	Do not enter fields treated with MATRIX 40 SP within 12 hours after application
ASIA GOLD TRADING CORPORATION	METHOMYL	MATRIX 40 SP	400 g/kg	SP	INSECTICIDE	2	266-164-3972	01-Oct-24	CONTACT	Beans	Leafroller, flea beetle , beanfly, podborer,aphids	1 Sachet/36L Sprayer	-	-	Do not enter fields treated with MATRIX 40 SP within 12 hours after application
ASIA GOLD TRADING CORPORATION	METHOMYL	MATRIX 40 SP	400 g/kg	SP	INSECTICIDE	2	266-164-3972	01-Oct-24	CONTACT	Mungbeans	Leafroller, flea beetle , beanfly, podborer,aphids	1 Sachet/36L Sprayer	-	-	Do not enter fields treated with MATRIX 40 SP within 12 hours after application
ASIA GOLD TRADING CORPORATION	METHOMYL	MATRIX 40 SP	400 g/kg	SP	INSECTICIDE	2	266-164-3972	01-Oct-24	CONTACT	Soybeans	Leafroller, flea beetle , beanfly, podborer,aphids	1 Sachet/36L Sprayer	-	-	Do not enter fields treated with MATRIX 40 SP within 12 hours after application
ASIA GOLD TRADING CORPORATION	METHOMYL	MATRIX 40 SP	400 g/kg	SP	INSECTICIDE	2	266-164-3972	01-Oct-24	CONTACT	Sitas	Leafroller, flea beetle , beanfly, podborer,aphids	1 Sachet/36L Sprayer	-	-	Do not enter fields treated with MATRIX 40 SP within 12 hours after application
ASIA GOLD TRADING CORPORATION	METHOMYL	MATRIX 40 SP	400 g/kg	SP	INSECTICIDE	2	266-164-3972	01-Oct-24	CONTACT	Corn	Comborer, earworm	1 Sachet/36L Sprayer	-	-	Do not enter fields treated with MATRIX 40 SP within 12 hours after application
ASIA GOLD TRADING CORPORATION	METHOMYL	MATRIX 40 SP	400 g/kg	SP	INSECTICIDE	2	266-164-3972	01-Oct-24	CONTACT	Sorghum	Comborer, earworm	1 Sachet/36L Sprayer	-	-	Do not enter fields treated with MATRIX 40 SP within 12 hours after application
ASIA GOLD TRADING CORPORATION	METHOMYL	MATRIX 40 SP	400 g/kg	SP	INSECTICIDE	2	266-164-3972	01-Oct-24	CONTACT	Eggplant	Aphids, flea beetle , fruitworm, lady beetle	1 Sachet/36L Sprayer	-	-	Do not enter fields treated with MATRIX 40 SP within 12 hours after application
ASIA GOLD TRADING CORPORATION	METHOMYL	MATRIX 40 SP	400 g/kg	SP	INSECTICIDE	2	266-164-3972	01-Oct-24	CONTACT	Melon	Aphids, Squash beetle , leafroller	1 Sachet/36L Sprayer	-	-	Do not enter fields treated with MATRIX 40 SP within 12 hours after application
ASIA GOLD TRADING CORPORATION	METHOMYL	MATRIX 40 SP	400 g/kg	SP	INSECTICIDE	2	266-164-3972	01-Oct-24	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leafroller	1 Sachet/36L Sprayer	-	-	Do not enter fields treated with MATRIX 40 SP within 12 hours after application
ASIA GOLD TRADING CORPORATION	METHOMYL	MATRIX 40 SP	400 g/kg	SP	INSECTICIDE	2	266-164-3972	01-Oct-24	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	1 Sachet/36L Sprayer	-	-	Do not enter fields treated with MATRIX 40 SP within 12 hours after application
ASIA GOLD TRADING CORPORATION	METHOMYL	MATRIX 40 SP	400 g/kg	SP	INSECTICIDE	2	266-164-3972	01-Oct-24	CONTACT	Tomato	Tomato fruitworm, aphids	1 Sachet/36L Sprayer	-	-	Do not enter fields treated with MATRIX 40 SP within 12 hours after application
PLANTMEDS AGRISOLUTIONS CORP.	PRETILACHLOH	MATIC 300 EC	300 g/L	EC	HERBICIDE	4	683-003-5399	24-Sep-25	PRE-EMERGENCE	Rice (Direct-Seeded)	Grasses, sedges, and broadleaves weeds	30-15 tbsp per tankload of 36-L capacity sprayer	0.05ppm	-	-
MONARC CROP SOLUTIONS PROVIDER CORPORATION	GLYPHOSATE IPA	MATE 48 SL	480 g/L	SL	HERBICIDE	4	550-151-3949	02-Dec-22	POST-EMERGENT	Annual and perennial grasses, broadleaf weeds & sedges	Glyphosate tolerant corn	2.0-4.0 Liters/ha	-	-	-
MONARC CROP SOLUTIONS PROVIDER CORPORATION	GLYPHOSATE IPA	MATE 48 SL	480 g/L	SL	HERBICIDE	4	550-151-3949	02-Dec-22	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
MONARC CROP SOLUTIONS PROVIDER CORPORATION	GLYPHOSATE IPA	MATE 48 SL	480 g/L	SL	HERBICIDE	4	550-151-3949	02-Dec-22	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
MONARC CROP SOLUTIONS PROVIDER CORPORATION	GLYPHOSATE IPA	MATE 48 SL	480 g/L	SL	HERBICIDE	4	550-151-3949	02-Dec-22	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
MONARC CROP SOLUTIONS PROVIDER CORPORATION	GLYPHOSATE IPA	MATE 48 SL	480 g/L	SL	HERBICIDE	4	550-151-3949	02-Dec-22	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
MONARC CROP SOLUTIONS PROVIDER CORPORATION	GLYPHOSATE IPA	MATE 48 SL	480 g/L	SL	HERBICIDE	4	550-151-3949	02-Dec-22	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
MONARC CROP SOLUTIONS PROVIDER CORPORATION	GLYPHOSATE IPA	MATE 48 SL	480 g/L	SL	HERBICIDE	4	550-151-3949	02-Dec-22	POST-EMERGENT	Gili palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
MONARC CROP SOLUTIONS PROVIDER CORPORATION	GLYPHOSATE IPA	MATE 48 SL	480 g/L	SL	HERBICIDE	4	550-151-3949	02-Dec-22	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
MONARC CROP SOLUTIONS PROVIDER CORPORATION	GLYPHOSATE IPA	MATE 48 SL	480 g/L	SL	HERBICIDE	4	550-151-3949	02-Dec-22	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/ha	-	-	-
MONARC CROP SOLUTIONS PROVIDER CORPORATION	GLYPHOSATE IPA	MATE 48 SL	480 g/L	SL	HERBICIDE	4	550-151-3949	02-Dec-22	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
MONARC CROP SOLUTIONS PROVIDER CORPORATION	GLYPHOSATE IPA	MATE 48 SL	480 g/L	SL	HERBICIDE	4	550-151-3949	02-Dec-22	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
MONARC CROP SOLUTIONS PROVIDER CORPORATION	GLYPHOSATE IPA	MATE 48 SL	480 g/L	SL	HERBICIDE	4	550-151-3949	02-Dec-22	POST-EMERGENT	non-crop	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
INDOFL PHILIPPINES INC.	MANCOZEB-METALAXYL	MATCO 720 WP	640+80 g/kg	WP	FUNGICIDE	4	604-035-4810-A	27-May-25	SYSTEMIC	Pineapple	Heart Rot	30-14 kg/ha	-	21 days	Do not enter treated field until spray deposits have dried up.
INDOFL PHILIPPINES INC.	MANCOZEB-METALAXYL	MATCO 720 WP	640+80 g/kg	WP	FUNGICIDE	4	604-035-4810-A	27-May-25	SYSTEMIC	Potato	Late blight	8-10 Tbsp (50-100g)/ 36L water	-	14 days	Do not enter treated field until spray deposits have dried up.
INDOFL PHILIPPINES INC.	MANCOZEB-METALAXYL	MATCO 720 WP	640+80 g/kg	WP	FUNGICIDE	4	604-035-4810-A	27-May-25	SYSTEMIC	Tomato	Late blight	8-10 Tbsp (50-100g)/ 36L water	-	3 days	Do not enter treated field until spray deposits have dried up.
INDOFL PHILIPPINES INC.	MANCOZEB-METALAXYL	MATCO 720 WP	640+80 g/kg	WP	FUNGICIDE	4	604-035-4810-A	27-May-25	SYSTEMIC	Onchids	Black Rot	2-5 Tbsp (25g)/36L water	-	-	Do not enter treated field until spray deposits have dried up.
INDOFL PHILIPPINES INC.	MANCOZEB-METALAXYL	MATCO 720 WP	640+80 g/kg	WP	FUNGICIDE	4	604-035-4810-A	27-May-25	SYSTEMIC	Asparagus	Spear Rot	2 kg product/ha	-	1 day	Do not enter treated field until spray deposits have dried up.
SYNGENTA PHILIPPINES INC.	EUFENJURON	MATCH 050 EC	50g/L	EC	INSECTICIDE	-	011-321-0918	20-Oct-24	-	Tomato	Fruitworm, and cutworm	2.0-5.0 Tbsp/36 L water	-	-	-
SYNGENTA PHILIPPINES INC.	EUFENJURON	MATCH 050 EC	50g/L	EC	INSECTICIDE	-	011-321-0918	27-Apr-22	-	Corn	Fall armyworm (Drone spray application)	400 mL prod. / ha; Spray Volume 18.75 L / ha.	-	-	-
SYNGENTA PHILIPPINES INC.	EUFENJURON	MATCH 050 EC	50g/L	EC	INSECTICIDE	-	011-321-0918	15-Jun-24	-	Corn	Fall armyworm (Knapsack spraying)	40-800 mL prod. / ha.	-	-	-
SUMTOMO CHEMICAL PHILIPPINES INC.	DIURON	MASTRA DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	472-021-2930	06-Jul-24	SYSTEMIC	Citrus	Annual and Perennial broadleaves and grasses	11.0-15.0Tbsp/36 L water	-	-	As soon as spray solution dries on the foliage
SUMTOMO CHEMICAL PHILIPPINES INC.	DIURON	MASTRA DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	472-021-2930	06-Jul-24	SYSTEMIC	Coffee	Annual and Perennial broadleaves and grasses	11.0-18.0Tbsp/36 L water	-	-	As soon as spray solution dries on the foliage
SUMTOMO CHEMICAL PHILIPPINES INC.	DIURON	MASTRA DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	472-021-2930	06-Jul-24	SYSTEMIC	Cotton	Annual and Perennial broadleaves and grasses	8.0Tbsp/36 L water	-	-	As soon as spray solution dries on the foliage
SUMTOMO CHEMICAL PHILIPPINES INC.	DIURON	MASTRA DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	472-021-2930	06-Jul-24	SYSTEMIC	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0Tbsp/36 L water	-	-	As soon as spray solution dries on the foliage
SUMTOMO CHEMICAL PHILIPPINES INC.	DIURON	MASTRA DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	472-021-2930	06-Jul-24	SYSTEMIC	Pineapple	Annual and Perennial broadleaves and grasses	11.0Tbsp/36 L water	-	-	As soon as spray solution dries on the foliage
SUMTOMO CHEMICAL PHILIPPINES INC.	DIURON	MASTRA DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	472-021-2930	06-Jul-24	SYSTEMIC	Non-crop land	Annual and Perennial broadleaves and grasses	30.0-28.0Tbsp/36 L water	-	0	As soon as spray solution dries on the foliage
TAIPAN BRAND FARM INC.	LAMBDA-CHYALOTHIRIN	MASTER 2.5 EC	25 g/L	EC	INSECTICIDE	2	529-204-3339	27-Oct-30	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leafroller, black bug	1.0-1.5Tbsp/36 L of water	0.05ppm	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
TAIPAN BRAND FARM INC.	LAMBDA-CHYALOTHIRIN	MASTER 2.5 EC	25 g/L	EC	INSECTICIDE	2	529-204-3339	27-Oct-30	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/36L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
TAIPAN BRAND FARM INC.	LAMBDA-CHYALOTHIRIN	MASTER 2.5 EC	25 g/L	EC	INSECTICIDE	2	529-204-3339	27-Oct-30	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/36 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
TAIPAN BRAND FARM INC.	LAMBDA-CHYALOTHIRIN	MASTER 2.5 EC	25 g/L	EC	INSECTICIDE	2	529-204-3339	27-Oct-30	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/36 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
TAIPAN BRAND FARM INC.	LAMBDA-CHYALOTHIRIN	MASTER 2.5 EC	25 g/L	EC	INSECTICIDE	2	529-204-3339	27-Oct-30	SYSTEMIC	Mungbeans	Beanfly, flea beetle, leafhopper, aphids, mites, podborer	1.0Tbsp/36 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
TAIPAN BRAND FARM INC.	LAMBDA-CHYALOTHIRIN	MASTER 2.5 EC	25 g/L	EC	INSECTICIDE	2	529-204-3339	27-Oct-30	SYSTEMIC	Corn	Comborer, aphids, seedling maggots	1.0-1.5Tbsp/36 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
TAIPAN BRAND FARM INC.	LAMBDA-CHYALOTHIRIN	MASTER 2.5 EC	25 g/L	EC	INSECTICIDE	2	529-204-3339	27-Oct-30	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katyids	1.0-1.5Tbsp/36 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
TAIPAN BRAND FARM INC.	LAMBDA-CHYALOTHIRIN	MASTER 2.5 EC	25 g/L	EC	INSECTICIDE	2	529-204-3339	27-Oct-30	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/36 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
TAIPAN BRAND FARM INC.	LAMBDA-CHYALOTHIRIN	MASTER 2.5 EC	25 g/L	EC	INSECTICIDE	2	529-204-3339	27-Oct-30	SYSTEMIC	Cocoa	Podborer	1.0-2.0Tbsp/36 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
TAIPAN BRAND FARM INC.	LAMBDA-CHYALOTHIRIN	MASTER 2.5 EC	25 g/L	EC	INSECTICIDE	2	529-204-3339	27-Oct-30	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/36 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
UPL PHILIPPINES, INC.	METHOMYL	MASTA 40 SP	400g/kg	SP	INSECTICIDE	2	162-164-4815	24-Jun-24	CONTACT	Asparagus	Armyworm, cutworm	2.0-2.5 Tbsp/36L water	-	-	Do not enter fields treated with MASTA 40 SP within 12 hours after application
UPL PHILIPPINES, INC.	METHOMYL	MASTA 40 SP	400g/kg	SP	INSECTICIDE	2	162-164-4815	24-Jun-24	CONTACT	Banana	Thrips	3.5-4.5 Tbsp/36L water	-	-	Do not enter fields treated with MASTA 40 SP within 12 hours after application
UPL PHILIPPINES, INC.	METHOMYL	MASTA 40 SP	400g/kg	SP	INSECTICIDE	2	162-164-4815	24-Jun-24	CONTACT	Beans	Leafroller, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/36L water	-	-	Do not enter fields treated with MASTA 40 SP within 12 hours after application

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
UPL PHILIPPINES, INC.	METHOMYL	MASTA 40 SP	400g/kg	SP	INSECTICIDE	2	562-164-4815	26-Jun-24	CONTACT	Mungbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/36L water	-	-	Do not enter fields treated with MASTA 40 SP within 12 hours after application
UPL PHILIPPINES, INC.	METHOMYL	MASTA 40 SP	400g/kg	SP	INSECTICIDE	2	562-164-4815	26-Jun-24	CONTACT	Soybeans	Leaffolder, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/36L water	-	-	Do not enter fields treated with MASTA 40 SP within 12 hours after application
UPL PHILIPPINES, INC.	METHOMYL	MASTA 40 SP	400g/kg	SP	INSECTICIDE	2	562-164-4815	26-Jun-24	CONTACT	Sitaa	leaffolder, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/36L water	-	-	Do not enter fields treated with MASTA 40 SP within 12 hours after application
UPL PHILIPPINES, INC.	METHOMYL	MASTA 40 SP	400g/kg	SP	INSECTICIDE	2	562-164-4815	26-Jun-24	CONTACT	Corn	Comborer, earworm	2.0-3.5 Tbsp/36L water	-	-	Do not enter fields treated with MASTA 40 SP within 12 hours after application
UPL PHILIPPINES, INC.	METHOMYL	MASTA 40 SP	400g/kg	SP	INSECTICIDE	2	562-164-4815	26-Jun-24	CONTACT	Eggplant	Aphids, flea beetle, fruitworm, lady beetle	2.0-3.5 Tbsp/36L water	-	-	Do not enter fields treated with MASTA 40 SP within 12 hours after application
UPL PHILIPPINES, INC.	METHOMYL	MASTA 40 SP	400g/kg	SP	INSECTICIDE	2	562-164-4815	26-Jun-24	CONTACT	Merlon	Aphids, squash beetle , leaf folder	2.0-3.5 Tbsp/36L water	-	-	Do not enter fields treated with MASTA 40 SP within 12 hours after application
UPL PHILIPPINES, INC.	METHOMYL	MASTA 40 SP	400g/kg	SP	INSECTICIDE	2	562-164-4815	26-Jun-24	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leaf folder	2.0-3.5 Tbsp/36L water	0.0tpgm	3 Days	Do not enter fields treated with MASTA 40 SP within 12 hours after application
UPL PHILIPPINES, INC.	METHOMYL	MASTA 40 SP	400g/kg	SP	INSECTICIDE	2	562-164-4815	26-Jun-24	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	2.0-3.5 Tbsp/36L water	-	-	Do not enter fields treated with MASTA 40 SP within 12 hours after application
UPL PHILIPPINES, INC.	METHOMYL	MASTA 40 SP	400g/kg	SP	INSECTICIDE	2	562-164-4815	26-Jun-24	CONTACT	Tomato	Tomato fruitworm, aphids	2.0-3.5 Tbsp/36L water	-	-	Do not enter fields treated with MASTA 40 SP within 12 hours after application
INTEGRATED CROP TRADING CORPORATION	GLYPHOSATE IPA	MASSIVE 160 SL	160 g/L	SL	HERBICIDE	4	274-151-5731	09-Mar-25	NON-SELECTIVE	Non-crop areas	Common grassy fields	24-48 Tbsp/36L water	-	-	
GEM AGRLOGIC, INC.	NICLOSAMIDE ETHANOLAMINE SALT	MASO 70 WP	700 g/kg	WP	MOLLUSCICIDE	4	238-229-1018	07-Mar-24	CONTACT	Rice	Golden Apple Snail (Kuhol)	35 gm/36L water	-	-	48 hours after spraying
JEELS MASAGANA FARM SUPPLY, INC.	NICLOSAMIDE ETHANOLAMINE SALT	MASKADA 70 WP	700 g/kg	WP	MOLLUSCICIDE	4	487-229-3459	23-Jul-24	CONTACT	Rice	Golden Apple Snail (Kuhol)	35 gm/36 L water	-	-	At least 48 hours after application
PHILAGROW INC.	PROFENOFOS	MASCO 900 EC	900 g/L	EC	INSECTICIDE	2	372-070-2428	27-Aug-24	CONTACT	Mango	Blossom Thrips	1.0-2.0 Tbsp/36L water	-	14 days	Do not enter treated field 1 day after application
PHILAGROW INC.	PROFENOFOS	MASCO 900 EC	900 g/L	EC	INSECTICIDE	2	372-070-2428	27-Aug-24	CONTACT	Tomato	Fruitworm, armyworm, cutworm	3-5 Tbsp/36L water	-	14 days	Do not enter treated field 1 day after application
PHILAGROW INC.	PROFENOFOS	MASCO 900 EC	900 g/L	EC	INSECTICIDE	2	372-070-2428	27-Aug-24	CONTACT	Eggplant	Fruitborer, aphids, leafhopper, & thrips	1.5-1.0 Tbsp/36L water	-	14 days	Do not enter treated field 1 day after application
PHILAGROW INC.	PROFENOFOS	MASCO 900 EC	900 g/L	EC	INSECTICIDE	2	372-070-2428	27-Aug-24	CONTACT	Cabbage	Diamond back moth, cabbage worm & aphids	3-5 Tbsp/36L water	-	14 days	Do not enter treated field 1 day after application
PHILAGROW INC.	PROFENOFOS	MASCO 900 EC	900 g/L	EC	INSECTICIDE	2	372-070-2428	27-Aug-24	CONTACT	Watermelon	Thrips	3-5 Tbsp/36L water	-	14 days	Do not enter treated field 1 day after application
PHILAGROW INC.	PROFENOFOS	MASCO 900 EC	900 g/L	EC	INSECTICIDE	2	372-070-2428	27-Aug-24	CONTACT	Potato	Thrips, army worm, cutworm, tuber moth	3-5 Tbsp/36L water	-	14 days	Do not enter treated field 1 day after application
PHILAGROW INC.	PROFENOFOS	MASCO 900 EC	900 g/L	EC	INSECTICIDE	2	372-070-2428	27-Aug-24	CONTACT	Soybeans	Corn, earworm, leafminer	3-5 Tbsp/36L water	-	14 days	Do not enter treated field 1 day after application
PHILAGROW INC.	PROFENOFOS	MASCO 900 EC	900 g/L	EC	INSECTICIDE	2	372-070-2428	27-Aug-24	CONTACT	Mungbeans	Corn, earworm, leafminer	3-5 Tbsp/36L water	-	14 days	Do not enter treated field 1 day after application
PHILAGROW INC.	PROFENOFOS	MASCO 900 EC	900 g/L	EC	INSECTICIDE	2	372-070-2428	27-Aug-24	CONTACT	Cotton	Thrips, bollworm & budworm	3-5 Tbsp/36L water	-	14 days	Do not enter treated field 1 day after application
PHILAGROW INC.	PROFENOFOS	MASCO 900 EC	900 g/L	EC	INSECTICIDE	2	372-070-2428	27-Aug-24	CONTACT	Sitaa	Beanfly, leaf folder & aphids	1.5-3.0 Tbsp/36L water	-	14 days	Do not enter treated field 1 day after application
ALBERT JOSEPH AGRO TRADING CORPORATION	MALATHION	MAS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	456-038-3385	20-Mar-18	NON-SYSTEMIC	Fruit trees	Aphids, mealy bug scale insect	1.5-3.0Tbsp/36L water	-	-	
ALBERT JOSEPH AGRO TRADING CORPORATION	MALATHION	MAS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	456-038-3385	20-Mar-18	NON-SYSTEMIC	Rice	Armyworm, caseworm, leafhopper, bugs	2.0-3.0Tbsp/36 L water	-	-	
ALBERT JOSEPH AGRO TRADING CORPORATION	MALATHION	MAS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	456-038-3385	20-Mar-18	NON-SYSTEMIC	Corn	Earworm, silkworm, aphids, grasshopper	3.0-5.0Tbsp/36L water	-	-	
ALBERT JOSEPH AGRO TRADING CORPORATION	MALATHION	MAS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	456-038-3385	20-Mar-18	NON-SYSTEMIC	Cabbage	Cabbage worm, looper, diamond back moth	2.0-5.0Tbsp/36L water	-	-	
ALBERT JOSEPH AGRO TRADING CORPORATION	MALATHION	MAS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	456-038-3385	20-Mar-18	NON-SYSTEMIC	Legumes	Aphids, beanfly, cutworm, flea beetles, leafminer, maggots, mealybug, podborer, thrips	2.0-5.0Tbsp/36 L water	-	-	
ALBERT JOSEPH AGRO TRADING CORPORATION	MALATHION	MAS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	456-038-3385	20-Mar-18	NON-SYSTEMIC	Okra	Beetles, cutworm, leafhopper, mealybug, scale, insect, spider mites	3.0Tbsp/36L water	-	-	
ALBERT JOSEPH AGRO TRADING CORPORATION	MALATHION	MAS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	456-038-3385	20-Mar-18	NON-SYSTEMIC	Pineapple	Mealy bug	3.0Tbsp/36 L water	-	-	
ALBERT JOSEPH AGRO TRADING CORPORATION	MALATHION	MAS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	456-038-3385	20-Mar-18	NON-SYSTEMIC	Pepper	Aphid, cutworm, fruitworm	3.0Tbsp/36L water	-	-	
ALBERT JOSEPH AGRO TRADING CORPORATION	MALATHION	MAS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	456-038-3385	20-Mar-18	NON-SYSTEMIC	Garlic	Cutworm	3.0Tbsp/36 L water	-	-	
ALBERT JOSEPH AGRO TRADING CORPORATION	MALATHION	MAS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	456-038-3385	20-Mar-18	NON-SYSTEMIC	Onion	Cutworm	3.0Tbsp/36 L water	-	-	
ALBERT JOSEPH AGRO TRADING CORPORATION	MALATHION	MAS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	456-038-3385	20-Mar-18	NON-SYSTEMIC	Tobacco	Aphids, katydid	3.0-6.0Tbsp/36 L water	-	-	
ALBERT JOSEPH AGRO TRADING CORPORATION	MALATHION	MAS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	456-038-3385	20-Mar-18	NON-SYSTEMIC	Ornamentals	Aphids, cutworm, mealybug, scale insect, spider mites	3.0-5.0Tbsp/36 L water	-	-	
ALBERT JOSEPH AGRO TRADING CORPORATION	MALATHION	MAS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	456-038-3385	20-Mar-18	NON-SYSTEMIC	Tomato	Lady beetle	3.0-5.0Tbsp/36L water	-	-	
ALBERT JOSEPH AGRO TRADING CORPORATION	MALATHION	MAS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	456-038-3385	20-Mar-18	NON-SYSTEMIC	Eggplant	Aphids, fruitworm	3.0-5.0Tbsp/36 L water	-	-	
ALBERT JOSEPH AGRO TRADING CORPORATION	MALATHION	MAS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	456-038-3385	20-Mar-18	NON-SYSTEMIC	Sorghum	Web worm	3.0Tbsp/36L water	-	-	
ALBERT JOSEPH AGRO TRADING CORPORATION	2,4-D IBE	MAS 2,4-D ESTER	400 g/L	-	HERBICIDE	2	456-049-6291	21-Feb-24	POST-EMERGENCE	Rice	Sedges and broadleaf weeds	1.5-6.5 Tbsp/ 36L water	-	-	One day after spraying
ALBERT JOSEPH AGRO TRADING CORPORATION	2,4-D IBE	MAS 2,4-D ESTER	400 g/L	-	HERBICIDE	2	456-049-6291	21-Feb-24	POST-EMERGENCE	Corn	Sedges and broadleaf weeds	5.0-6.5 Tbsp/ 36L water	-	-	One day after spraying
ALBERT JOSEPH AGRO TRADING CORPORATION	2,4-D IBE	MAS 2,4-D ESTER	400 g/L	-	HERBICIDE	2	456-049-6291	21-Feb-24	POST-EMERGENCE	Sugarcane	Sedges and broadleaf weeds	11.0-24.0Tbsp/ 36L water	-	-	One day after spraying
MARTHAVE CO., LTD.	MANCOZEB	MARTHSEB 80 WP	800 g/kg	WP	FUNGICIDE	4	409-053-2265	23-Jun-17		Potato	Early and late blight	3-6 Tbsp/36 L water	-	-	As soon as spray dries
MARTHAVE CO., LTD.	MANCOZEB	MARTHSEB 80 WP	800 g/kg	WP	FUNGICIDE	4	409-053-2265	23-Jun-17		Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
MARTHAVE CO., LTD.	MANCOZEB	MARTHSEB 80 WP	800 g/kg	WP	FUNGICIDE	4	409-053-2265	23-Jun-17		Caiflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
MARTHAVE CO., LTD.	MANCOZEB	MARTHSEB 80 WP	800 g/kg	WP	FUNGICIDE	4	409-053-2265	23-Jun-17		Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
MARTHAVE CO., LTD.	MANCOZEB	MARTHSEB 80 WP	800 g/kg	WP	FUNGICIDE	4	409-053-2265	23-Jun-17		Celery	Late blight	3-6 Tbsp/36 L water	-	14 Days	As soon as spray dries
MARTHAVE CO., LTD.	MANCOZEB	MARTHSEB 80 WP	800 g/kg	WP	FUNGICIDE	4	409-053-2265	23-Jun-17		Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
MARTHAVE CO., LTD.	MANCOZEB	MARTHSEB 80 WP	800 g/kg	WP	FUNGICIDE	4	409-053-2265	23-Jun-17		Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
MARTHAVE CO., LTD.	MANCOZEB	MARTHSEB 80 WP	800 g/kg	WP	FUNGICIDE	4	409-053-2265	23-Jun-17		Cotton	Damping off	3-6 Tbsp/36 L water	-	-	As soon as spray dries
MARTHAVE CO., LTD.	MANCOZEB	MARTHSEB 80 WP	800 g/kg	WP	FUNGICIDE	4	409-053-2265	23-Jun-17		lettuce	Downy mildew	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
MARTHAVE CO., LTD.	MANCOZEB	MARTHSEB 80 WP	800 g/kg	WP	FUNGICIDE	4	409-053-2265	23-Jun-17		beans	Anthracoese, Downy mildew, Rust	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
MARTHAVE CO., LTD.	MANCOZEB	MARTHSEB 80 WP	800 g/kg	WP	FUNGICIDE	4	409-053-2265	23-Jun-17		Peas	Anthracoese, Downy mildew, Rust	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
MARTHAVE CO., LTD.	MANCOZEB	MARTHSEB 80 WP	800 g/kg	WP	FUNGICIDE	4	409-053-2265	23-Jun-17		Mungo	Anthracoese, Downy mildew, Rust	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
MARTHAVE CO., LTD.	MANCOZEB	MARTHSEB 80 WP	800 g/kg	WP	FUNGICIDE	4	409-053-2265	23-Jun-17		Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
MARTHAVE CO., LTD.	MANCOZEB	MARTHSEB 80 WP	800 g/kg	WP	FUNGICIDE	4	409-053-2265	23-Jun-17		Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
MARTHAVE CO., LTD.	MANCOZEB	MARTHSEB 80 WP	800 g/kg	WP	FUNGICIDE	4	409-053-2265	23-Jun-17		Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
MARTHAVE CO., LTD.	MANCOZEB	MARTHSEB 80 WP	800 g/kg	WP	FUNGICIDE	4	409-053-2265	23-Jun-17		Pepper	Anthracoese	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
MARTHDAVE CO., LTD.	MANCOZEB	MARTHSEB 80 WP	800 g/kg	WP	FUNGICIDE	4	409-053-2265	23-Jun-17	-	Chili	Anthracoise	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
MARTHDAVE CO., LTD.	MANCOZEB	MARTHSEB 80 WP	800 g/kg	WP	FUNGICIDE	4	409-053-2265	23-Jun-17	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
MARTHDAVE CO., LTD.	MANCOZEB	MARTHSEB 80 WP	800 g/kg	WP	FUNGICIDE	4	409-053-2265	23-Jun-17	-	Banana	Sigatoka, Black leaf streak	3-6 Tbsp/36 L water	-	-	As soon as spray dries
MARTHDAVE CO., LTD.	MANCOZEB	MARTHSEB 80 WP	800 g/kg	WP	FUNGICIDE	4	409-053-2265	23-Jun-17	-	Grapes	Downy mildew, black rot	3-6 Tbsp/36 L water	-	60 days	As soon as spray dries
MARTHDAVE CO., LTD.	MANCOZEB	MARTHSEB 80 WP	800 g/kg	WP	FUNGICIDE	4	409-053-2265	23-Jun-17	-	Mango	Anthracoise and Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
MARTHDAVE CO., LTD.	MANCOZEB	MARTHSEB 80 WP	800 g/kg	WP	FUNGICIDE	4	409-053-2265	23-Jun-17	-	Papaya	Fruit rot	3-6 Tbsp/36 L water	-	-	As soon as spray dries
MARTHDAVE CO., LTD.	MANCOZEB	MARTHSEB 80 WP	800 g/kg	WP	FUNGICIDE	4	409-053-2265	23-Jun-17	-	Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
MARTHDAVE CO., LTD.	MANCOZEB	MARTHSEB 80 WP	800 g/kg	WP	FUNGICIDE	4	409-053-2265	23-Jun-17	-	Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
MARTHDAVE CO., LTD.	MANCOZEB	MARTHSEB 80 WP	800 g/kg	WP	FUNGICIDE	4	409-053-2265	23-Jun-17	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
MARTHDAVE CO., LTD.	MANCOZEB	MARTHSEB 80 WP	800 g/kg	WP	FUNGICIDE	4	409-053-2265	23-Jun-17	-	Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/36 L water	0.02ppm	-	As soon as spray dries
MARTHDAVE CO., LTD.	MANCOZEB	MARTHSEB 80 WP	800 g/kg	WP	FUNGICIDE	4	409-053-2265	23-Jun-17	-	Peanut	Cercospora leaf spot	3-6 Tbsp/36 L water	-	14 days	As soon as spray dries
MARTHDAVE CO., LTD.	MANCOZEB	MARTHSEB 80 WP	800 g/kg	WP	FUNGICIDE	4	409-053-2265	23-Jun-17	-	Soybeans	Leaf rust	3-6 Tbsp/36 L water	-	-	As soon as spray dries
MARTHDAVE CO., LTD.	MANCOZEB	MARTHSEB 80 WP	800 g/kg	WP	FUNGICIDE	4	409-053-2265	23-Jun-17	-	Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/36 L water	-	-	As soon as spray dries
MARSMAN ESTATE PLANTATION INC.	CHLORDHALONIL	MARSMAN DACONIL	720 g/L	SC	FUNGICIDE	4	759-118-6090 (088)	24-Apr-26	-	Banana	Black Sigatoka	1-20 kg a 1.7 ha 1.38 L prod. / ha	-	-	-
FMC AGRO PHILIPPINES INC.	CARBOSULFAN	MARSHAL 25 ST	250g/kg	ST	INSECTICIDE	2	598-223-4186	30-Oct-26	-	Corn (as seed treatment)	Seedling maggots & corn borer	20-25g/ kg corn seeds	-	0 day	-
FMC AGRO PHILIPPINES INC.	CARBOSULFAN	MARSHAL 200 SC	200g/L	SC	INSECTICIDE	2	598-223-4184	30-Oct-26	-	Tomato	Fruitworm	2-6 Tbsp/36 L water	-	14 days	1 day
FMC AGRO PHILIPPINES INC.	CARBOSULFAN	MARSHAL 200 SC	200g/L	SC	INSECTICIDE	2	598-223-4184	30-Oct-26	-	Potato	leafminer	4-6 Tbsp/36 L water	-	14 days	1 day
FMC AGRO PHILIPPINES INC.	CARBOSULFAN	MARSHAL 200 SC	200g/L	SC	INSECTICIDE	2	598-223-4184	30-Oct-26	-	Mango	Cecid, black borer, leafhopper, fruitfly, thrips, scale insects, weev borer	30-40 Tbsp/100 L water	-	14 days	1 day
FMC AGRO PHILIPPINES INC.	CARBOSULFAN	MARSHAL 200 SC	200g/L	SC	INSECTICIDE	2	598-223-4184	30-Oct-26	-	Rice	Green leafhopper, whorl maggot, brown planthopper, stemborer and ricebug	3-4 Tbsp/36 L water	0.2ppm	14 days	1 day
FMC AGRO PHILIPPINES INC.	CARBOSULFAN	MARSHAL 200 SC	200g/L	SC	INSECTICIDE	2	598-223-4184	30-Oct-26	-	Watermelon	Thrips, leaf folder	4-6 Tbsp/36 L water	-	14 days	1 day
FMC AGRO PHILIPPINES INC.	CARBOSULFAN	MARSHAL 200 SC	200g/L	SC	INSECTICIDE	2	598-223-4184	30-Oct-21	-	Corn	Fall armyworm	283.3 200 ml	-	-	-
PLANTMEDS AGRISOLUTIONS CORP.	LAMBDA-CHYALOTHIRIN	MARLIN 2.5 EC	25g/L	EC	INSECTICIDE	2	683-204-5397	05-Jul-26	SYSTEMIC	Rice	Green leafhopper,armyworm,ice bug,leaffolders,black bug	1.0-1.5Tbsp/36 L of water	0.05ppm	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray deposits dry
PLANTMEDS AGRISOLUTIONS CORP.	LAMBDA-CHYALOTHIRIN	MARLIN 2.5 EC	25g/L	EC	INSECTICIDE	2	683-204-5397	05-Jul-26	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/36L of water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray deposits dry
PLANTMEDS AGRISOLUTIONS CORP.	LAMBDA-CHYALOTHIRIN	MARLIN 2.5 EC	25g/L	EC	INSECTICIDE	2	683-204-5397	05-Jul-26	SYSTEMIC	Tomato	Fruitworm,cutworm,aphids	1.0-1.5Tbsp/36 L of water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray deposits dry
PLANTMEDS AGRISOLUTIONS CORP.	LAMBDA-CHYALOTHIRIN	MARLIN 2.5 EC	25g/L	EC	INSECTICIDE	2	683-204-5397	05-Jul-26	SYSTEMIC	Onion	Thrips,cutworm	1.0Tbsp/36 L of water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray deposits dry
PLANTMEDS AGRISOLUTIONS CORP.	LAMBDA-CHYALOTHIRIN	MARLIN 2.5 EC	25g/L	EC	INSECTICIDE	2	683-204-5397	05-Jul-26	SYSTEMIC	Mungbeans	Beanfly,leaf beetle,leafhopper,aphids,mites,podborer	1.0Tbsp/36 L of water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray deposits dry
PLANTMEDS AGRISOLUTIONS CORP.	LAMBDA-CHYALOTHIRIN	MARLIN 2.5 EC	25g/L	EC	INSECTICIDE	2	683-204-5397	05-Jul-26	SYSTEMIC	Corn	Comborer, aphids, seedling maggots	1.0-1.5Tbsp/36 L of water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray deposits dry
PLANTMEDS AGRISOLUTIONS CORP.	LAMBDA-CHYALOTHIRIN	MARLIN 2.5 EC	25g/L	EC	INSECTICIDE	2	683-204-5397	05-Jul-26	SYSTEMIC	Tobacco	Budworm,cutworm,aphids,larydids	1.0-1.5Tbsp/36 L of water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray deposits dry
PLANTMEDS AGRISOLUTIONS CORP.	LAMBDA-CHYALOTHIRIN	MARLIN 2.5 EC	25g/L	EC	INSECTICIDE	2	683-204-5397	05-Jul-26	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/36 L of water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray deposits dry
PLANTMEDS AGRISOLUTIONS CORP.	LAMBDA-CHYALOTHIRIN	MARLIN 2.5 EC	25g/L	EC	INSECTICIDE	2	683-204-5397	05-Jul-26	SYSTEMIC	Cocoa	Pod borer	1.0-2.0Tbsp/36 L of water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray deposits dry
PLANTMEDS AGRISOLUTIONS CORP.	LAMBDA-CHYALOTHIRIN	MARLIN 2.5 EC	25g/L	EC	INSECTICIDE	2	683-204-5397	05-Jul-26	SYSTEMIC	Watermelon	Squash beetle,melon worm	1.0Tbsp/36 L of water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray deposits dry
UNIAHCO, INC.	MANCOZEB	MARKSMAN 80 WP	800 g/kg	WP	FUNGICIDE	4	662-053-5001	23-Dec-25	-	Potato	Early and late blight	3-6 Tbsp/36 L water	-	-	As soon as spray dries
UNIAHCO, INC.	MANCOZEB	MARKSMAN 80 WP	800 g/kg	WP	FUNGICIDE	4	662-053-5001	23-Dec-25	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
UNIAHCO, INC.	MANCOZEB	MARKSMAN 80 WP	800 g/kg	WP	FUNGICIDE	4	662-053-5001	23-Dec-25	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
UNIAHCO, INC.	MANCOZEB	MARKSMAN 80 WP	800 g/kg	WP	FUNGICIDE	4	662-053-5001	23-Dec-25	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
UNIAHCO, INC.	MANCOZEB	MARKSMAN 80 WP	800 g/kg	WP	FUNGICIDE	4	662-053-5001	23-Dec-25	-	Celery	Late blight	3-6 Tbsp/36 L water	-	14 Days	As soon as spray dries
UNIAHCO, INC.	MANCOZEB	MARKSMAN 80 WP	800 g/kg	WP	FUNGICIDE	4	662-053-5001	23-Dec-25	-	Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
UNIAHCO, INC.	MANCOZEB	MARKSMAN 80 WP	800 g/kg	WP	FUNGICIDE	4	662-053-5001	23-Dec-25	-	Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
UNIAHCO, INC.	MANCOZEB	MARKSMAN 80 WP	800 g/kg	WP	FUNGICIDE	4	662-053-5001	23-Dec-25	-	Cotton	Damping off	3-6 Tbsp/36 L water	-	-	As soon as spray dries
UNIAHCO, INC.	MANCOZEB	MARKSMAN 80 WP	800 g/kg	WP	FUNGICIDE	4	662-053-5001	23-Dec-25	-	Herbuce	Downy mildew	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
UNIAHCO, INC.	MANCOZEB	MARKSMAN 80 WP	800 g/kg	WP	FUNGICIDE	4	662-053-5001	23-Dec-25	-	Beans	Anthracoise, Downy mildew, Rust	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
UNIAHCO, INC.	MANCOZEB	MARKSMAN 80 WP	800 g/kg	WP	FUNGICIDE	4	662-053-5001	23-Dec-25	-	Peas	Anthracoise, Downy mildew, Rust	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
UNIAHCO, INC.	MANCOZEB	MARKSMAN 80 WP	800 g/kg	WP	FUNGICIDE	4	662-053-5001	23-Dec-25	-	Mungo	Anthracoise, Downy mildew, Rust	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
UNIAHCO, INC.	MANCOZEB	MARKSMAN 80 WP	800 g/kg	WP	FUNGICIDE	4	662-053-5001	23-Dec-25	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
UNIAHCO, INC.	MANCOZEB	MARKSMAN 80 WP	800 g/kg	WP	FUNGICIDE	4	662-053-5001	23-Dec-25	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
UNIAHCO, INC.	MANCOZEB	MARKSMAN 80 WP	800 g/kg	WP	FUNGICIDE	4	662-053-5001	23-Dec-25	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
UNIAHCO, INC.	MANCOZEB	MARKSMAN 80 WP	800 g/kg	WP	FUNGICIDE	4	662-053-5001	23-Dec-25	-	Pepper	Anthracoise	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
UNIAHCO, INC.	MANCOZEB	MARKSMAN 80 WP	800 g/kg	WP	FUNGICIDE	4	662-053-5001	23-Dec-25	-	Chili	Anthracoise	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
UNIAHCO, INC.	MANCOZEB	MARKSMAN 80 WP	800 g/kg	WP	FUNGICIDE	4	662-053-5001	23-Dec-25	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
UNIAHCO, INC.	MANCOZEB	MARKSMAN 80 WP	800 g/kg	WP	FUNGICIDE	4	662-053-5001	23-Dec-25	-	Banana	Sigatoka, Black leaf streak	3-6 Tbsp/36 L water	-	-	As soon as spray dries
UNIAHCO, INC.	MANCOZEB	MARKSMAN 80 WP	800 g/kg	WP	FUNGICIDE	4	662-053-5001	23-Dec-25	-	Grapes	Downy mildew, black rot	3-6 Tbsp/36 L water	-	60 days	As soon as spray dries
UNIAHCO, INC.	MANCOZEB	MARKSMAN 80 WP	800 g/kg	WP	FUNGICIDE	4	662-053-5001	23-Dec-25	-	Mango	Anthracoise and Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
UNIAHCO, INC.	MANCOZEB	MARKSMAN 80 WP	800 g/kg	WP	FUNGICIDE	4	662-053-5001	23-Dec-25	-	Papaya	Fruit rot	3-6 Tbsp/36 L water	-	-	As soon as spray dries
UNIAHCO, INC.	MANCOZEB	MARKSMAN 80 WP	800 g/kg	WP	FUNGICIDE	4	662-053-5001	23-Dec-25	-	Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
UNIAHCO, INC.	MANCOZEB	MARKSMAN 80 WP	800 g/kg	WP	FUNGICIDE	4	662-053-5001	23-Dec-25	-	Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
UNIAHCO, INC.	MANCOZEB	MARKSMAN 80 WP	800 g/kg	WP	FUNGICIDE	4	662-053-5001	23-Dec-25	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
UNAHCO, INC.	MANCOZEB	MARKSMAN 80 WP	800 g/Kg	WP	FUNGICIDE	4	462-053-5001	23-Dec-25		Rice	Blatt, Sheath blight, cercospora leaf spot, heminthosporium leaf spot	3-6 Tbsp/36 L water			As soon as spray dries
UNAHCO, INC.	MANCOZEB	MARKSMAN 80 WP	800 g/Kg	WP	FUNGICIDE	4	462-053-5001	23-Dec-25		Peanut	Cercospora leaf spot	3-6 Tbsp/36 L water		14 days	As soon as spray dries
UNAHCO, INC.	MANCOZEB	MARKSMAN 80 WP	800 g/Kg	WP	FUNGICIDE	4	462-053-5001	23-Dec-25		Soybeans	Leaf rust	3-6 Tbsp/36 L water			As soon as spray dries
UNAHCO, INC.	MANCOZEB	MARKSMAN 80 WP	800 g/Kg	WP	FUNGICIDE	4	462-053-5001	23-Dec-25		Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/36 L water			As soon as spray dries
PALMITRE CORPORATION	CHLOROTHALONIL	MARKER 500 SC	500 g/L	SC	FUNGICIDE	4	504-118-2950	11-Aug-17		Melon	Anthracoese, cercospora leafspot, downy mildew, leaf blight	6.0-8.5 Tbsp/36 L		7-14 days	Do not enter treatment areas until spray deposit have dried
PALMITRE CORPORATION	CHLOROTHALONIL	MARKER 500 SC	500 g/L	SC	FUNGICIDE	4	504-118-2950	11-Aug-17		Corn	Heminthosporium leaf spot, cercospora leafspot	6.0-8.5 Tbsp/36 L		7-14 days	Do not enter treatment areas until spray deposit have dried
PALMITRE CORPORATION	CHLOROTHALONIL	MARKER 500 SC	500 g/L	SC	FUNGICIDE	4	504-118-2950	11-Aug-17		Eggplant	Anthracoese, cercospora leafspot, early and late blight	6.0-8.5 Tbsp/36 L		7-14 days	Do not enter treatment areas until spray deposit have dried
PALMITRE CORPORATION	CHLOROTHALONIL	MARKER 500 SC	500 g/L	SC	FUNGICIDE	4	504-118-2950	11-Aug-17		Peanut	Cercospora leaf spot, rust	6.0-8.5 Tbsp/36 L		7-14 days	Do not enter treatment areas until spray deposit have dried
PALMITRE CORPORATION	CHLOROTHALONIL	MARKER 500 SC	500 g/L	SC	FUNGICIDE	4	504-118-2950	11-Aug-17		Potato	Early and late blight, vine rot	6.0-8.5 Tbsp/36 L		7-14 days	Do not enter treatment areas until spray deposit have dried
PALMITRE CORPORATION	CHLOROTHALONIL	MARKER 500 SC	500 g/L	SC	FUNGICIDE	4	504-118-2950	11-Aug-17		Tomato	Early and late blight, vine rot	6.0-8.5 Tbsp/36 L		7-14 days	Do not enter treatment areas until spray deposit have dried
PALMITRE CORPORATION	CHLOROTHALONIL	MARKER 500 SC	500 g/L	SC	FUNGICIDE	4	504-118-2950	11-Aug-17		Carrot	Alternaria, cercospora leaf spot, heminthosporium leaf spot	6.0-8.5 Tbsp/36 L		7-14 days	Do not enter treatment areas until spray deposit have dried
PALMITRE CORPORATION	CHLOROTHALONIL	MARKER 500 SC	500 g/L	SC	FUNGICIDE	4	504-118-2950	11-Aug-17		Banana	Sigatoka, rust, freckles, heminthosporium leaf spot	2 L/ha	2.0 mg/kg		Do not enter treatment areas until spray deposit have dried
PALMITRE CORPORATION	CHLOROTHALONIL	MARKER 500 SC	500 g/L	SC	FUNGICIDE	4	504-118-2950	11-Aug-17		Mango	Anthracoese, diplodia rot	6.0-8.5 Tbsp/36 L	0.5 mg/kg	7-14 days	Do not enter treatment areas until spray deposit have dried
PALMITRE CORPORATION	CHLOROTHALONIL	MARKER 500 SC	500 g/L	SC	FUNGICIDE	4	504-118-2950	11-Aug-17		Beans	Rust, anthracnose	6.0-8.5 Tbsp/36 L		7-14 days	Do not enter treatment areas until spray deposit have dried
PALMITRE CORPORATION	CHLOROTHALONIL	MARKER 500 SC	500 g/L	SC	FUNGICIDE	4	504-118-2950	11-Aug-17		Crucifers	Powdery mildew	6.0-8.5 Tbsp/36 L		7-14 days	Do not enter treatment areas until spray deposit have dried
PALMITRE CORPORATION	CHLOROTHALONIL	MARKER 500 SC	500 g/L	SC	FUNGICIDE	4	504-118-2950	11-Aug-17		Onion	Purple blotch, bulb rot, neck rot	6.0-8.5 Tbsp/36 L		7-14 days	Do not enter treatment areas until spray deposit have dried
PALMITRE CORPORATION	CHLOROTHALONIL	MARKER 500 SC	500 g/L	SC	FUNGICIDE	4	504-118-2950	11-Aug-17		Garlic	Purple blotch, bulb rot, neck rot	6.0-8.5 Tbsp/36 L		7-14 days	Do not enter treatment areas until spray deposit have dried
PALMITRE CORPORATION	CHLOROTHALONIL	MARKER 500 SC	500 g/L	SC	FUNGICIDE	4	504-118-2950	11-Aug-17		Ornamentals	Black spot, black rot, powdery mildew	6.0-8.5 Tbsp/36 L		7-14 days	Do not enter treatment areas until spray deposit have dried
PALMITRE CORPORATION	CHLOROTHALONIL	MARKER 500 SC	500 g/L	SC	FUNGICIDE	4	504-118-2950	11-Aug-17		Grapes	Downy mildew, powdery mildew, fruit rot	6.0-8.5 Tbsp/36 L		7-14 days	Do not enter treatment areas until spray deposit have dried
PALMITRE CORPORATION	CHLOROTHALONIL	MARKER 500 SC	500 g/L	SC	FUNGICIDE	4	504-118-2950	11-Aug-17		Pepper	Anthracoese, cercospora leaf spot, early blight	6.0-8.5 Tbsp/36 L		7-14 days	Do not enter treatment areas until spray deposit have dried
PALMITRE CORPORATION	CHLOROTHALONIL	MARKER 500 SC	500 g/L	SC	FUNGICIDE	4	504-118-2950	11-Aug-17		Melon	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/36 L		7-14 days	Do not enter treatment areas until spray deposit have dried
PALMITRE CORPORATION	CHLOROTHALONIL	MARKER 500 SC	500 g/L	SC	FUNGICIDE	4	504-118-2950	11-Aug-17		Cucumber	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/36 L		7-14 days	Do not enter treatment areas until spray deposit have dried
PALMITRE CORPORATION	CHLOROTHALONIL	MARKER 500 SC	500 g/L	SC	FUNGICIDE	4	504-118-2950	11-Aug-17		Squash	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/36 L		7-14 days	Do not enter treatment areas until spray deposit have dried
PALMITRE CORPORATION	CHLOROTHALONIL	MARKER 500 SC	500 g/L	SC	FUNGICIDE	4	504-118-2950	11-Aug-17		Watermelon	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/36 L		7-14 days	Do not enter treatment areas until spray deposit have dried
PALMITRE CORPORATION	CHLOROTHALONIL	MARKER 500 SC	500 g/L	SC	FUNGICIDE	4	504-118-2950	11-Aug-17		Celery	Early and late blight	6.0-8.5 Tbsp/36 L		7-14 days	Do not enter treatment areas until spray deposit have dried
EZERTech CORPORATION	MALATHION	MARATHON 57 EC	570 g/L	EC	INSECTICIDE	4	648-038-5340	08-Feb-24		Fruit trees	Aphids, mealy bug scale insect	1.5-3.0Tbsp/36 L water		One (1) day after each spraying.	One (1) day after each spraying.
EZERTech CORPORATION	MALATHION	MARATHON 57 EC	570 g/L	EC	INSECTICIDE	4	648-038-5340	08-Feb-24		Rice	Armyworm, caseworm, leafhopper, bugs	2.0-3.0Tbsp/36 L water		One (1) day after each spraying.	One (1) day after each spraying.
EZERTech CORPORATION	MALATHION	MARATHON 57 EC	570 g/L	EC	INSECTICIDE	4	648-038-5340	08-Feb-24		Corn	Earworm, silkworm, aphids, grasshopper	3.0-5.0Tbsp/36 L water		One (1) day after each spraying.	One (1) day after each spraying.
EZERTech CORPORATION	MALATHION	MARATHON 57 EC	570 g/L	EC	INSECTICIDE	4	648-038-5340	08-Feb-24		Cabbage	Cabbage worm, loopers, diamond-back moth	2.0-5.0Tbsp/36 L water		One (1) day after each spraying.	One (1) day after each spraying.
EZERTech CORPORATION	MALATHION	MARATHON 57 EC	570 g/L	EC	INSECTICIDE	4	648-038-5340	08-Feb-24		Legumes	Aphids, beanfly, cutworm, flea beetles, leafminer, maggots, mealybug, podborer, thrips	2.0-5.0Tbsp/36 L water		One (1) day after each spraying.	One (1) day after each spraying.
EZERTech CORPORATION	MALATHION	MARATHON 57 EC	570 g/L	EC	INSECTICIDE	4	648-038-5340	08-Feb-24		Grapes	Beetles, cutworm, leafhopper, mealybug, scale, insect, spider mites	3.0Tbsp/36 L water		One (1) day after each spraying.	One (1) day after each spraying.
EZERTech CORPORATION	MALATHION	MARATHON 57 EC	570 g/L	EC	INSECTICIDE	4	648-038-5340	08-Feb-24		Pineapple	Mealy bug	3.0Tbsp/36 L water		One (1) day after each spraying.	One (1) day after each spraying.
EZERTech CORPORATION	MALATHION	MARATHON 57 EC	570 g/L	EC	INSECTICIDE	4	648-038-5340	08-Feb-24		Pepper	Aphid, cutworm, fruitworm	3.0Tbsp/36 L water		One (1) day after each spraying.	One (1) day after each spraying.
EZERTech CORPORATION	MALATHION	MARATHON 57 EC	570 g/L	EC	INSECTICIDE	4	648-038-5340	08-Feb-24		Garlic	Cutworm	3.0Tbsp/36 L water		One (1) day after each spraying.	One (1) day after each spraying.
EZERTech CORPORATION	MALATHION	MARATHON 57 EC	570 g/L	EC	INSECTICIDE	4	648-038-5340	08-Feb-24		Onion	Cutworm	3.0Tbsp/36 L water		One (1) day after each spraying.	One (1) day after each spraying.
EZERTech CORPORATION	MALATHION	MARATHON 57 EC	570 g/L	EC	INSECTICIDE	4	648-038-5340	08-Feb-24		Tobacco	Aphids, katydid	3.0-6.0Tbsp/36 L water		One (1) day after each spraying.	One (1) day after each spraying.
EZERTech CORPORATION	MALATHION	MARATHON 57 EC	570 g/L	EC	INSECTICIDE	4	648-038-5340	08-Feb-24		Ornamentals	Aphids, cutworm, mealybug, scale insect, spider mites	3.0-5.0Tbsp/36 L water		One (1) day after each spraying.	One (1) day after each spraying.
EZERTech CORPORATION	MALATHION	MARATHON 57 EC	570 g/L	EC	INSECTICIDE	4	648-038-5340	08-Feb-24		Tomato	Lady beetle	3.0-5.0Tbsp/36 L water		One (1) day after each spraying.	One (1) day after each spraying.
EZERTech CORPORATION	MALATHION	MARATHON 57 EC	570 g/L	EC	INSECTICIDE	4	648-038-5340	08-Feb-24		Eggplant	Aphids, fruitworm	3.0-5.0Tbsp/36 L water		One (1) day after each spraying.	One (1) day after each spraying.
EZERTech CORPORATION	MALATHION	MARATHON 57 EC	570 g/L	EC	INSECTICIDE	4	648-038-5340	08-Feb-24		Sorghum	Web worm	3.0Tbsp/36 L water		One (1) day after each spraying.	One (1) day after each spraying.
RAINBOW AGROSCIENCES PHILIPPINES INC.	MALATHION	MARASO 570 EC	570 g/L	EC	INSECTICIDE	4	539-038-6300	13-Oct-26		Fruit trees	Aphids, mealy bug scale insect	1.5-3.0 Tbsp/ 36L water		One (1) day after each spraying.	One (1) day after each spraying.
RAINBOW AGROSCIENCES PHILIPPINES INC.	MALATHION	MARASO 570 EC	570 g/L	EC	INSECTICIDE	4	539-038-6300	13-Oct-26		Rice	Army worm, caseworm, leafhopper, bugs	2.0-5.0 Tbsp/ 36 L water		One (1) day after each spraying.	One (1) day after each spraying.
RAINBOW AGROSCIENCES PHILIPPINES INC.	MALATHION	MARASO 570 EC	570 g/L	EC	INSECTICIDE	4	539-038-6300	13-Oct-26		Corn	Earworm, silkworm, aphids, grasshopper	3.0-5.0 Tbsp/36L water		One (1) day after each spraying.	One (1) day after each spraying.
RAINBOW AGROSCIENCES PHILIPPINES INC.	MALATHION	MARASO 570 EC	570 g/L	EC	INSECTICIDE	4	539-038-6300	13-Oct-26		Crucifers	Cabbage worm, loopers, diamond-back moth	2.0-5.0 Tbsp/ 36 L water		One (1) day after each spraying.	One (1) day after each spraying.
RAINBOW AGROSCIENCES PHILIPPINES INC.	MALATHION	MARASO 570 EC	570 g/L	EC	INSECTICIDE	4	539-038-6300	13-Oct-26		Cabbage	Cabbage worm, loopers, diamond-back moth	2.0-5.0 Tbsp/ 36 L water		One (1) day after each spraying.	One (1) day after each spraying.
RAINBOW AGROSCIENCES PHILIPPINES INC.	MALATHION	MARASO 570 EC	570 g/L	EC	INSECTICIDE	4	539-038-6300	13-Oct-26		Legumes	Aphids, beanfly, cutworm, flea beetles, leafminer, maggots, mealy bug, pod borer, thrips	2.0-5.0 Tbsp/ 36 L water		One (1) day after each spraying.	One (1) day after each spraying.
RAINBOW AGROSCIENCES PHILIPPINES INC.	MALATHION	MARASO 570 EC	570 g/L	EC	INSECTICIDE	4	539-038-6300	13-Oct-26		Grapes	Beetles, cutworm, leafhopper, mealybug, scale, insect, spider mites	3.0Tbsp/ 36 L water		One (1) day after each spraying.	One (1) day after each spraying.
RAINBOW AGROSCIENCES PHILIPPINES INC.	MALATHION	MARASO 570 EC	570 g/L	EC	INSECTICIDE	4	539-038-6300	13-Oct-26		Pineapple	Mealybug	3.0 Tbsp/ 36 L water		One (1) day after each spraying.	One (1) day after each spraying.
RAINBOW AGROSCIENCES PHILIPPINES INC.	MALATHION	MARASO 570 EC	570 g/L	EC	INSECTICIDE	4	539-038-6300	13-Oct-26		Pepper	Aphids, cutworm, fruitworm	3.0 Tbsp/ 36 L water		One (1) day after each spraying.	One (1) day after each spraying.
RAINBOW AGROSCIENCES PHILIPPINES INC.	MALATHION	MARASO 570 EC	570 g/L	EC	INSECTICIDE	4	539-038-6300	13-Oct-26		Garlic	Cutworm	3.0 Tbsp/ 36 L water		One (1) day after each spraying.	One (1) day after each spraying.
RAINBOW AGROSCIENCES PHILIPPINES INC.	MALATHION	MARASO 570 EC	570 g/L	EC	INSECTICIDE	4	539-038-6300	13-Oct-26		Onion	Cutworm	3.0 Tbsp/ 36 L water		One (1) day after each spraying.	One (1) day after each spraying.
RAINBOW AGROSCIENCES PHILIPPINES INC.	MALATHION	MARASO 570 EC	570 g/L	EC	INSECTICIDE	4	539-038-6300	13-Oct-26		Tobacco	Aphids, katydid	3.0-6.0 Tbsp/36L Water		One (1) day after each spraying.	One (1) day after each spraying.
RAINBOW AGROSCIENCES PHILIPPINES INC.	MALATHION	MARASO 570 EC	570 g/L	EC	INSECTICIDE	4	539-038-6300	13-Oct-26		Ornamentals	Aphids, cutworm, mealy bug, scale insects, spider mites	3.0-5.0 Tbsp/36L water		One (1) day after each spraying.	One (1) day after each spraying.
RAINBOW AGROSCIENCES PHILIPPINES INC.	MALATHION	MARASO 570 EC	570 g/L	EC	INSECTICIDE	4	539-038-6300	13-Oct-26		Tomato	Lady beetle	3.0-5.0 Tbsp/36L water		One (1) day after each spraying.	One (1) day after each spraying.
RAINBOW AGROSCIENCES PHILIPPINES INC.	MALATHION	MARASO 570 EC	570 g/L	EC	INSECTICIDE	4	539-038-6300	13-Oct-26		Eggplant	Aphids, fruitworm	3.0-5.0 Tbsp/36L water		One (1) day after each spraying.	One (1) day after each spraying.
RAINBOW AGROSCIENCES PHILIPPINES INC.	MALATHION	MARASO 570 EC	570 g/L	EC	INSECTICIDE	4	539-038-6300	13-Oct-26		Sorghum	Web worm	3.0 Tbsp/ 36 L water		One (1) day after each spraying.	One (1) day after each spraying.

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
ZEAL ECOLOGICAL NATURE (ZECONOR) CORPORATION	CYHALOPOF-BUTYL-BISPYRIBAC SODIUM	MARAGI 200 OD	150 g/L+150 g/L	OD	HERBICIDE	4	375-904-6253	20-Oct-25	POST-EMERGENT	Rice (Direct-seeded)	Grasses (Echinochloa sp., Lysichloa chinensis, and Ischaemum rugosum), broadleaves (Sphenodes zylaticus, Ludwigia octovalvis)	500 ml to 1L prod./ hectare using a spray volume of 140 to 190 L water/	-	-	Re-entry to treated field is allowed as soon as spray deposits dry up.
C.B. ANDREW ASIA, INC.	MANCOZEB	MANZIN 80 WP	800g/kg	WP	FUNGICIDE	4	460-051-4837	22-Jan-26		Potato	Early and late blight	3-6 Tbsp/36 L water	-	-	As soon as spray dries
C.B. ANDREW ASIA, INC.	MANCOZEB	MANZIN 80 WP	800g/kg	WP	FUNGICIDE	4	460-051-4837	22-Jan-26		Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries
C.B. ANDREW ASIA, INC.	MANCOZEB	MANZIN 80 WP	800g/kg	WP	FUNGICIDE	4	460-051-4837	22-Jan-26		Caiflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries
C.B. ANDREW ASIA, INC.	MANCOZEB	MANZIN 80 WP	800g/kg	WP	FUNGICIDE	4	460-051-4837	22-Jan-26		Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries
C.B. ANDREW ASIA, INC.	MANCOZEB	MANZIN 80 WP	800g/kg	WP	FUNGICIDE	4	460-051-4837	22-Jan-26		Celery	Late blight	3-6 Tbsp/36 L water	-	14 days	As soon as spray dries
C.B. ANDREW ASIA, INC.	MANCOZEB	MANZIN 80 WP	800g/kg	WP	FUNGICIDE	4	460-051-4837	22-Jan-26		Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
C.B. ANDREW ASIA, INC.	MANCOZEB	MANZIN 80 WP	800g/kg	WP	FUNGICIDE	4	460-051-4837	22-Jan-26		Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
C.B. ANDREW ASIA, INC.	MANCOZEB	MANZIN 80 WP	800g/kg	WP	FUNGICIDE	4	460-051-4837	22-Jan-26		Cotton	Damping off	3-6 Tbsp/36 L water	-	-	As soon as spray dries
C.B. ANDREW ASIA, INC.	MANCOZEB	MANZIN 80 WP	800g/kg	WP	FUNGICIDE	4	460-051-4837	22-Jan-26		Lettuce	Downy mildew	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries
C.B. ANDREW ASIA, INC.	MANCOZEB	MANZIN 80 WP	800g/kg	WP	FUNGICIDE	4	460-051-4837	22-Jan-26		Beans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
C.B. ANDREW ASIA, INC.	MANCOZEB	MANZIN 80 WP	800g/kg	WP	FUNGICIDE	4	460-051-4837	22-Jan-26		Peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
C.B. ANDREW ASIA, INC.	MANCOZEB	MANZIN 80 WP	800g/kg	WP	FUNGICIDE	4	460-051-4837	22-Jan-26		Mungo	Anthracnose, Downy mildew, Rust	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
C.B. ANDREW ASIA, INC.	MANCOZEB	MANZIN 80 WP	800g/kg	WP	FUNGICIDE	4	460-051-4837	22-Jan-26		Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
C.B. ANDREW ASIA, INC.	MANCOZEB	MANZIN 80 WP	800g/kg	WP	FUNGICIDE	4	460-051-4837	22-Jan-26		Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries
C.B. ANDREW ASIA, INC.	MANCOZEB	MANZIN 80 WP	800g/kg	WP	FUNGICIDE	4	460-051-4837	22-Jan-26		Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries
C.B. ANDREW ASIA, INC.	MANCOZEB	MANZIN 80 WP	800g/kg	WP	FUNGICIDE	4	460-051-4837	22-Jan-26		Pepper	Anthracnose	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries
C.B. ANDREW ASIA, INC.	MANCOZEB	MANZIN 80 WP	800g/kg	WP	FUNGICIDE	4	460-051-4837	22-Jan-26		Chili	Anthracnose	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries
C.B. ANDREW ASIA, INC.	MANCOZEB	MANZIN 80 WP	800g/kg	WP	FUNGICIDE	4	460-051-4837	22-Jan-26		Eggplant	Blight, Anthracnose	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries
C.B. ANDREW ASIA, INC.	MANCOZEB	MANZIN 80 WP	800g/kg	WP	FUNGICIDE	4	460-051-4837	22-Jan-26		Banana	Sigatoka, Black leaf streak	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries
C.B. ANDREW ASIA, INC.	MANCOZEB	MANZIN 80 WP	800g/kg	WP	FUNGICIDE	4	460-051-4837	22-Jan-26		Grapes	Downy mildew, black rot	3-6 Tbsp/36 L water	-	40 days	As soon as spray dries
C.B. ANDREW ASIA, INC.	MANCOZEB	MANZIN 80 WP	800g/kg	WP	FUNGICIDE	4	460-051-4837	22-Jan-26		Mango	Anthracnose and Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
C.B. ANDREW ASIA, INC.	MANCOZEB	MANZIN 80 WP	800g/kg	WP	FUNGICIDE	4	460-051-4837	22-Jan-26		Papaya	Fruit rot	3-6 Tbsp/36 L water	-	-	As soon as spray dries
C.B. ANDREW ASIA, INC.	MANCOZEB	MANZIN 80 WP	800g/kg	WP	FUNGICIDE	4	460-051-4837	22-Jan-26		Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
C.B. ANDREW ASIA, INC.	MANCOZEB	MANZIN 80 WP	800g/kg	WP	FUNGICIDE	4	460-051-4837	22-Jan-26		Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
C.B. ANDREW ASIA, INC.	MANCOZEB	MANZIN 80 WP	800g/kg	WP	FUNGICIDE	4	460-051-4837	22-Jan-26		Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries
C.B. ANDREW ASIA, INC.	MANCOZEB	MANZIN 80 WP	800g/kg	WP	FUNGICIDE	4	460-051-4837	22-Jan-26		Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/36 L water	0.02ppm	-	As soon as spray dries
C.B. ANDREW ASIA, INC.	MANCOZEB	MANZIN 80 WP	800g/kg	WP	FUNGICIDE	4	460-051-4837	22-Jan-26		Peanut	Cercospora leaf spot	3-6 Tbsp/36 L water	-	14 days	As soon as spray dries
C.B. ANDREW ASIA, INC.	MANCOZEB	MANZIN 80 WP	800g/kg	WP	FUNGICIDE	4	460-051-4837	22-Jan-26		Soybeans	Leaf rust	3-6 Tbsp/36 L water	-	-	As soon as spray dries
C.B. ANDREW ASIA, INC.	MANCOZEB	MANZIN 80 WP	800g/kg	WP	FUNGICIDE	4	460-051-4837	22-Jan-26		Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/36 L water	-	-	As soon as spray dries
ZAGRO CORPORATION	MANCOZEB	MANZER 80 WP	800 g/kg	WP	FUNGICIDE	4	043-051-0473	12-Jan-25		Potato	Early and late blight	3-6 Tbsp/36 L water	-	Do not spray within 7 days of harvest	Do not enter the field within 2 days after spraying
ZAGRO CORPORATION	MANCOZEB	MANZER 80 WP	800 g/kg	WP	FUNGICIDE	4	043-051-0473	12-Jan-25		Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	Do not spray within 7 days of harvest	Do not enter the field within 2 days after spraying
ZAGRO CORPORATION	MANCOZEB	MANZER 80 WP	800 g/kg	WP	FUNGICIDE	4	043-051-0473	12-Jan-25		Caiflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	Do not spray within 7 days of harvest	Do not enter the field within 2 days after spraying
ZAGRO CORPORATION	MANCOZEB	MANZER 80 WP	800 g/kg	WP	FUNGICIDE	4	043-051-0473	12-Jan-25		Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	Do not spray within 7 days of harvest	Do not enter the field within 2 days after spraying
ZAGRO CORPORATION	MANCOZEB	MANZER 80 WP	800 g/kg	WP	FUNGICIDE	4	043-051-0473	12-Jan-25		Celery	Late blight	3-6 Tbsp/36 L water	-	Do not spray within 7 days of harvest	Do not enter the field within 2 days after spraying
ZAGRO CORPORATION	MANCOZEB	MANZER 80 WP	800 g/kg	WP	FUNGICIDE	4	043-051-0473	12-Jan-25		Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	Do not spray within 7 days of harvest	Do not enter the field within 2 days after spraying
ZAGRO CORPORATION	MANCOZEB	MANZER 80 WP	800 g/kg	WP	FUNGICIDE	4	043-051-0473	12-Jan-25		Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	Do not spray within 7 days of harvest	Do not enter the field within 2 days after spraying
ZAGRO CORPORATION	MANCOZEB	MANZER 80 WP	800 g/kg	WP	FUNGICIDE	4	043-051-0473	12-Jan-25		Cotton	Damping off	3-6 Tbsp/36 L water	-	Do not spray within 7 days of harvest	Do not enter the field within 2 days after spraying
ZAGRO CORPORATION	MANCOZEB	MANZER 80 WP	800 g/kg	WP	FUNGICIDE	4	043-051-0473	12-Jan-25		Lettuce	Downy mildew	3-6 Tbsp/36 L water	-	Do not spray within 7 days of harvest	Do not enter the field within 2 days after spraying
ZAGRO CORPORATION	MANCOZEB	MANZER 80 WP	800 g/kg	WP	FUNGICIDE	4	043-051-0473	12-Jan-25		Beans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/36 L water	-	Do not spray within 7 days of harvest	Do not enter the field within 2 days after spraying
ZAGRO CORPORATION	MANCOZEB	MANZER 80 WP	800 g/kg	WP	FUNGICIDE	4	043-051-0473	12-Jan-25		Peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/36 L water	-	Do not spray within 7 days of harvest	Do not enter the field within 2 days after spraying
ZAGRO CORPORATION	MANCOZEB	MANZER 80 WP	800 g/kg	WP	FUNGICIDE	4	043-051-0473	12-Jan-25		Mungbeans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/36 L water	-	Do not spray within 7 days of harvest	Do not enter the field within 2 days after spraying
ZAGRO CORPORATION	MANCOZEB	MANZER 80 WP	800 g/kg	WP	FUNGICIDE	4	043-051-0473	12-Jan-25		Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/36 L water	-	Do not spray within 7 days of harvest	Do not enter the field within 2 days after spraying
ZAGRO CORPORATION	MANCOZEB	MANZER 80 WP	800 g/kg	WP	FUNGICIDE	4	043-051-0473	12-Jan-25		Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36 L water	-	Do not spray within 7 days of harvest	Do not enter the field within 2 days after spraying
ZAGRO CORPORATION	MANCOZEB	MANZER 80 WP	800 g/kg	WP	FUNGICIDE	4	043-051-0473	12-Jan-25		Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36 L water	-	Do not spray within 7 days of harvest	Do not enter the field within 2 days after spraying
ZAGRO CORPORATION	MANCOZEB	MANZER 80 WP	800 g/kg	WP	FUNGICIDE	4	043-051-0473	12-Jan-25		Pepper	Anthracnose	3-6 Tbsp/36 L water	-	Do not spray within 7 days of harvest	Do not enter the field within 2 days after spraying
ZAGRO CORPORATION	MANCOZEB	MANZER 80 WP	800 g/kg	WP	FUNGICIDE	4	043-051-0473	12-Jan-25		Chili	Anthracnose	3-6 Tbsp/36 L water	-	Do not spray within 7 days of harvest	Do not enter the field within 2 days after spraying
ZAGRO CORPORATION	MANCOZEB	MANZER 80 WP	800 g/kg	WP	FUNGICIDE	4	043-051-0473	12-Jan-25		Eggplant	Blight, Anthracnose	3-6 Tbsp/36 L water	-	Do not spray within 7 days of harvest	Do not enter the field within 2 days after spraying
ZAGRO CORPORATION	MANCOZEB	MANZER 80 WP	800 g/kg	WP	FUNGICIDE	4	043-051-0473	12-Jan-25		Banana	Sigatoka, Black leaf streak	3-6 Tbsp/36 L water	-	Do not spray within 7 days of harvest	Do not enter the field within 2 days after spraying
ZAGRO CORPORATION	MANCOZEB	MANZER 80 WP	800 g/kg	WP	FUNGICIDE	4	043-051-0473	12-Jan-25		Grapes	Downy mildew, black rot	3-6 Tbsp/36 L water	-	Do not spray within 7 days of harvest	Do not enter the field within 2 days after spraying
ZAGRO CORPORATION	MANCOZEB	MANZER 80 WP	800 g/kg	WP	FUNGICIDE	4	043-051-0473	12-Jan-25		Mango	Anthracnose and Scab	3-6 Tbsp/36 L water	-	Do not spray within 7 days of harvest	Do not enter the field within 2 days after spraying
ZAGRO CORPORATION	MANCOZEB	MANZER 80 WP	800 g/kg	WP	FUNGICIDE	4	043-051-0473	12-Jan-25		Papaya	Fruit rot	3-6 Tbsp/36 L water	-	Do not spray within 7 days of harvest	Do not enter the field within 2 days after spraying
ZAGRO CORPORATION	MANCOZEB	MANZER 80 WP	800 g/kg	WP	FUNGICIDE	4	043-051-0473	12-Jan-25		Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	Do not spray within 7 days of harvest	Do not enter the field within 2 days after spraying
ZAGRO CORPORATION	MANCOZEB	MANZER 80 WP	800 g/kg	WP	FUNGICIDE	4	043-051-0473	12-Jan-25		Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	Do not spray within 7 days of harvest	Do not enter the field within 2 days after spraying
ZAGRO CORPORATION	MANCOZEB	MANZER 80 WP	800 g/kg	WP	FUNGICIDE	4	043-051-0473	12-Jan-25		Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/36 L water	-	Do not spray within 7 days of harvest	Do not enter the field within 2 days after spraying
ZAGRO CORPORATION	MANCOZEB	MANZER 80 WP	800 g/kg	WP	FUNGICIDE	4	043-051-0473	12-Jan-25		Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/36 L water	0.02ppm	Do not spray within 7 days of harvest	Do not enter the field within 2 days after spraying

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
ZAGRO CORPORATION	MANCOZEB	MANZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	043-053-0473	12-Jan-25	-	Peanut	Cercospora leaf spot	3-6 Tbsp/36 L water	-	Do not spray within 7 days of harvest	Do not enter the field within 2 days after spraying
ZAGRO CORPORATION	MANCOZEB	MANZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	043-053-0473	12-Jan-25	-	Soybeans	Leaf rust	3-6 Tbsp/36 L water	-	Do not spray within 7 days of harvest	Do not enter the field within 2 days after spraying
ZAGRO CORPORATION	MANCOZEB	MANZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	043-053-0473	12-Jan-25	-	Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/36 L water	-	Do not spray within 7 days of harvest	Do not enter the field within 2 days after spraying
JARDINE DISTRIBUTION, INC.	MANCOZEB	MANZATE OPTIMA 42 SC	420 g/L	SC	FUNGICIDE	4	367-053-2810	05-Aug-24	-	Banana	Black Sigatoka	4-5 L/ha	2 ppm	7 days	After spray deposits have dried up.
JARDINE DISTRIBUTION, INC.	MANCOZEB	MANZATE OPTIMA 42 SC	420 g/L	SC	FUNGICIDE	4	367-053-2810	05-Aug-24	-	Potato	Late blight	5-6 1/2 Tbsp/18L	0.2 ppm	7 days	After spray deposits have dried up.
JARDINE DISTRIBUTION, INC.	MANCOZEB	MANZATE OPTIMA 42 SC	420 g/L	SC	FUNGICIDE	4	367-053-2810	05-Aug-24	-	Tomato	Early blight, late blight, cercospora leaf blight	7-10 Tbsp/36L	5 ppm	7 days	After spray deposits have dried up.
JARDINE DISTRIBUTION, INC.	MANCOZEB	MANZATE DF	750 g/kg	DF	FUNGICIDE	4	367-053-2811	17-Feb-24	-	Potato	Early and late blight	3-6 Tbsp/36 L water	0.20 ppm	-	As soon as spray dries
JARDINE DISTRIBUTION, INC.	MANCOZEB	MANZATE DF	750 g/kg	DF	FUNGICIDE	4	367-053-2811	17-Feb-24	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	5.00 ppm	7 days	As soon as spray dries
JARDINE DISTRIBUTION, INC.	MANCOZEB	MANZATE DF	750 g/kg	DF	FUNGICIDE	4	367-053-2811	17-Feb-24	-	Celery	Late blight	3-6 Tbsp/36 L water	0.20 ppm	7 days	As soon as spray dries
JARDINE DISTRIBUTION, INC.	MANCOZEB	MANZATE DF	750 g/kg	DF	FUNGICIDE	4	367-053-2811	17-Feb-24	-	Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	2.0 ppm	5 days	As soon as spray dries
JARDINE DISTRIBUTION, INC.	MANCOZEB	MANZATE DF	750 g/kg	DF	FUNGICIDE	4	367-053-2811	17-Feb-24	-	Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	0.20 ppm	5 days	As soon as spray dries
JARDINE DISTRIBUTION, INC.	MANCOZEB	MANZATE DF	750 g/kg	DF	FUNGICIDE	4	367-053-2811	17-Feb-24	-	Lettuce	Downy mildew	3-6 Tbsp/36 L water	-	10 days	As soon as spray dries
JARDINE DISTRIBUTION, INC.	MANCOZEB	MANZATE DF	750 g/kg	DF	FUNGICIDE	4	367-053-2811	17-Feb-24	-	Stringbeans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/36 L water	3.00 ppm	4 days	As soon as spray dries
JARDINE DISTRIBUTION, INC.	MANCOZEB	MANZATE DF	750 g/kg	DF	FUNGICIDE	4	367-053-2811	17-Feb-24	-	Mungbeans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/36 L water	3.00 ppm	4 days	As soon as spray dries
JARDINE DISTRIBUTION, INC.	MANCOZEB	MANZATE DF	750 g/kg	DF	FUNGICIDE	4	367-053-2811	17-Feb-24	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/36 L water	5.00 ppm	5 days	As soon as spray dries
JARDINE DISTRIBUTION, INC.	MANCOZEB	MANZATE DF	750 g/kg	DF	FUNGICIDE	4	367-053-2811	17-Feb-24	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries
JARDINE DISTRIBUTION, INC.	MANCOZEB	MANZATE DF	750 g/kg	DF	FUNGICIDE	4	367-053-2811	17-Feb-24	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36 L water	0.50 ppm	7 days	As soon as spray dries
JARDINE DISTRIBUTION, INC.	MANCOZEB	MANZATE DF	750 g/kg	DF	FUNGICIDE	4	367-053-2811	17-Feb-24	-	Banana	Sigatoka, Black leaf streak	2-3 kg/ha	2.00 ppm	-	As soon as spray dries
JARDINE DISTRIBUTION, INC.	MANCOZEB	MANZATE DF	750 g/kg	DF	FUNGICIDE	4	367-053-2811	17-Feb-24	-	Grapes	Downy mildew, black rot	3-6 Tbsp/36 L water	-	60 days	As soon as spray dries
JARDINE DISTRIBUTION, INC.	MANCOZEB	MANZATE DF	750 g/kg	DF	FUNGICIDE	4	367-053-2811	17-Feb-24	-	Mango	Anthracnose and Scab	3-6 Tbsp/36 L water	-	-	As soon as spray dries
JARDINE DISTRIBUTION, INC.	MANCOZEB	MANZATE DF	750 g/kg	DF	FUNGICIDE	4	367-053-2811	17-Feb-24	-	Papaya	Fruit rot	3-6 Tbsp/36 L water	5.00 ppm	7 days	As soon as spray dries
JARDINE DISTRIBUTION, INC.	MANCOZEB	MANZATE DF	750 g/kg	DF	FUNGICIDE	4	367-053-2811	17-Feb-24	-	Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	0.60 ppm	5 days	As soon as spray dries
JARDINE DISTRIBUTION, INC.	MANCOZEB	MANZATE 200	800 g/kg	WP	FUNGICIDE	4	367-053-1868	05-Aug-24	-	Potato	Early and late blight	3-6 Tbsp/36 L water	-	-	As soon as spray dries
JARDINE DISTRIBUTION, INC.	MANCOZEB	MANZATE 200	800 g/kg	WP	FUNGICIDE	4	367-053-1868	05-Aug-24	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries
JARDINE DISTRIBUTION, INC.	MANCOZEB	MANZATE 200	800 g/kg	WP	FUNGICIDE	4	367-053-1868	05-Aug-24	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries
JARDINE DISTRIBUTION, INC.	MANCOZEB	MANZATE 200	800 g/kg	WP	FUNGICIDE	4	367-053-1868	05-Aug-24	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries
JARDINE DISTRIBUTION, INC.	MANCOZEB	MANZATE 200	800 g/kg	WP	FUNGICIDE	4	367-053-1868	05-Aug-24	-	Celery	Late blight	3-6 Tbsp/36 L water	-	14 days	As soon as spray dries
JARDINE DISTRIBUTION, INC.	MANCOZEB	MANZATE 200	800 g/kg	WP	FUNGICIDE	4	367-053-1868	05-Aug-24	-	Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
JARDINE DISTRIBUTION, INC.	MANCOZEB	MANZATE 200	800 g/kg	WP	FUNGICIDE	4	367-053-1868	05-Aug-24	-	Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
JARDINE DISTRIBUTION, INC.	MANCOZEB	MANZATE 200	800 g/kg	WP	FUNGICIDE	4	367-053-1868	05-Aug-24	-	Cotton	Damping off	3-6 Tbsp/36 L water	-	-	As soon as spray dries
JARDINE DISTRIBUTION, INC.	MANCOZEB	MANZATE 200	800 g/kg	WP	FUNGICIDE	4	367-053-1868	05-Aug-24	-	Lettuce	Downy mildew	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries
JARDINE DISTRIBUTION, INC.	MANCOZEB	MANZATE 200	800 g/kg	WP	FUNGICIDE	4	367-053-1868	05-Aug-24	-	Beans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
JARDINE DISTRIBUTION, INC.	MANCOZEB	MANZATE 200	800 g/kg	WP	FUNGICIDE	4	367-053-1868	05-Aug-24	-	Peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
JARDINE DISTRIBUTION, INC.	MANCOZEB	MANZATE 200	800 g/kg	WP	FUNGICIDE	4	367-053-1868	05-Aug-24	-	Mungo	Anthracnose, Downy mildew, Rust	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
JARDINE DISTRIBUTION, INC.	MANCOZEB	MANZATE 200	800 g/kg	WP	FUNGICIDE	4	367-053-1868	05-Aug-24	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
JARDINE DISTRIBUTION, INC.	MANCOZEB	MANZATE 200	800 g/kg	WP	FUNGICIDE	4	367-053-1868	05-Aug-24	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries
JARDINE DISTRIBUTION, INC.	MANCOZEB	MANZATE 200	800 g/kg	WP	FUNGICIDE	4	367-053-1868	05-Aug-24	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries
JARDINE DISTRIBUTION, INC.	MANCOZEB	MANZATE 200	800 g/kg	WP	FUNGICIDE	4	367-053-1868	05-Aug-24	-	Pepper	Anthracnose	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries
JARDINE DISTRIBUTION, INC.	MANCOZEB	MANZATE 200	800 g/kg	WP	FUNGICIDE	4	367-053-1868	05-Aug-24	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries
JARDINE DISTRIBUTION, INC.	MANCOZEB	MANZATE 200	800 g/kg	WP	FUNGICIDE	4	367-053-1868	05-Aug-24	-	Banana	Sigatoka, Black leaf streak	3-6 Tbsp/36 L water	-	-	As soon as spray dries
JARDINE DISTRIBUTION, INC.	MANCOZEB	MANZATE 200	800 g/kg	WP	FUNGICIDE	4	367-053-1868	05-Aug-24	-	Grapes	Downy mildew, black rot	3-6 Tbsp/36 L water	-	60 days	As soon as spray dries
JARDINE DISTRIBUTION, INC.	MANCOZEB	MANZATE 200	800 g/kg	WP	FUNGICIDE	4	367-053-1868	05-Aug-24	-	Mango	Anthracnose and Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
JARDINE DISTRIBUTION, INC.	MANCOZEB	MANZATE 200	800 g/kg	WP	FUNGICIDE	4	367-053-1868	05-Aug-24	-	Papaya	Fruit rot	3-6 Tbsp/36 L water	-	-	As soon as spray dries
JARDINE DISTRIBUTION, INC.	MANCOZEB	MANZATE 200	800 g/kg	WP	FUNGICIDE	4	367-053-1868	05-Aug-24	-	Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
JARDINE DISTRIBUTION, INC.	MANCOZEB	MANZATE 200	800 g/kg	WP	FUNGICIDE	4	367-053-1868	05-Aug-24	-	Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
JARDINE DISTRIBUTION, INC.	MANCOZEB	MANZATE 200	800 g/kg	WP	FUNGICIDE	4	367-053-1868	05-Aug-24	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries
JARDINE DISTRIBUTION, INC.	MANCOZEB	MANZATE 200	800 g/kg	WP	FUNGICIDE	4	367-053-1868	05-Aug-24	-	Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/36 L water	0.02ppm	-	As soon as spray dries
JARDINE DISTRIBUTION, INC.	MANCOZEB	MANZATE 200	800 g/kg	WP	FUNGICIDE	4	367-053-1868	05-Aug-24	-	Peanut	Cercospora leaf spot	3-6 Tbsp/36 L water	-	14 days	As soon as spray dries
JARDINE DISTRIBUTION, INC.	MANCOZEB	MANZATE 200	800 g/kg	WP	FUNGICIDE	4	367-053-1868	05-Aug-24	-	Soybeans	Leaf rust	3-6 Tbsp/36 L water	-	-	As soon as spray dries
JARDINE DISTRIBUTION, INC.	MANCOZEB	MANZATE 200	800 g/kg	WP	FUNGICIDE	4	367-053-1868	05-Aug-24	-	Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/36 L water	-	-	As soon as spray dries
GOLDENMAN MARKETING CORPORATION	CARTAP HYDROCHLORIDE	MANTRA 50 SP	500 g/kg	SP	INSECTICIDE	3	400-106-3672	31-Mar-25	SYSTEMIC	Rice	Whorl maggot, stemborer, green leafhopper, brown planthopper	3.0-5.0Tbsp/36 L water	0.2ppm	Stop spraying 10 days before harvest	Do not enter the field within two days after spraying.
GOLDENMAN MARKETING CORPORATION	CARTAP HYDROCHLORIDE	MANTRA 50 SP	500 g/kg	SP	INSECTICIDE	3	400-106-3672	31-Mar-25	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/36 L water	-	Stop spraying 10 days before harvest	Do not enter the field within two days after spraying.
GOLDENMAN MARKETING CORPORATION	CARTAP HYDROCHLORIDE	MANTRA 50 SP	500 g/kg	SP	INSECTICIDE	3	400-106-3672	31-Mar-25	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/36 L water	-	Stop spraying 10 days before harvest	Do not enter the field within two days after spraying.
GOLDENMAN MARKETING CORPORATION	CARTAP HYDROCHLORIDE	MANTRA 50 SP	500 g/kg	SP	INSECTICIDE	3	400-106-3672	31-Mar-25	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphid, flea beetle	1.5-2.0Tbsp/36 L water	-	Stop spraying 10 days before harvest	Do not enter the field within two days after spraying.
GOLDENMAN MARKETING CORPORATION	CARTAP HYDROCHLORIDE	MANTRA 50 SP	500 g/kg	SP	INSECTICIDE	3	400-106-3672	31-Mar-25	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/36 L water	-	Stop spraying 10 days before harvest	Do not enter the field within two days after spraying.
GOLDENMAN MARKETING CORPORATION	CARTAP HYDROCHLORIDE	MANTRA 50 SP	500 g/kg	SP	INSECTICIDE	3	400-106-3672	31-Mar-25	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/36 L water	-	Stop spraying 10 days before harvest	Do not enter the field within two days after spraying.

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
GOLDENMAN MARKETING CORPORATION	CARTAP HYDROCHLORIDE	MANTRA 30 SP	300 g/kg	SP	INSECTICIDE	3	400-106-3672	31-Mar-25	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0flbsp/36L water	-	Stop spraying 10 days before harvest	Do not enter the field within two days after spraying.
GOLDENMAN MARKETING CORPORATION	CARTAP HYDROCHLORIDE	MANTRA 50 SP	500 g/kg	SP	INSECTICIDE	3	400-106-3672	31-Mar-25	SYSTEMIC	Mango	leafhoppers	1.5-2.0flbsp/36L water	-	Stop spraying 10 days before harvest	Do not enter the field within two days after spraying.
GOLDENMAN MARKETING CORPORATION	CARTAP HYDROCHLORIDE	MANTRA 30 SP	300 g/kg	SP	INSECTICIDE	3	400-106-3672	31-Mar-25	SYSTEMIC	Peachay	looper, cutworm, aphids	1.5-3.0flbsp/36L water	-	Stop spraying 10 days before harvest	Do not enter the field within two days after spraying.
GRANDIA AGRO MARKETING CORPORATION	METHOMYL	MANTIS 40 SP	400 g/kg	SP	INSECTICIDE	2	445-164-3657	19-Feb-22	CONTACT	Asparagus	Armyworm, cutworm	1 Sachet/18L Sprayer	-	-	-
GRANDIA AGRO MARKETING CORPORATION	METHOMYL	MANTIS 40 SP	400 g/kg	SP	INSECTICIDE	2	445-164-3657	19-Feb-22	CONTACT	Banana	Thrips	1.9-2 Sachet/18L Sprayer	-	-	-
GRANDIA AGRO MARKETING CORPORATION	METHOMYL	MANTIS 40 SP	400 g/kg	SP	INSECTICIDE	2	445-164-3657	19-Feb-22	CONTACT	Beans	Leaffolder, flea beetle , beanfly, podborer,aphids	1 Sachet/18L Sprayer	-	-	-
GRANDIA AGRO MARKETING CORPORATION	METHOMYL	MANTIS 40 SP	400 g/kg	SP	INSECTICIDE	2	445-164-3657	19-Feb-22	CONTACT	Mungbeans	Leaffolder, flea beetle , beanfly, podborer,aphids	1 Sachet/18L Sprayer	-	-	-
GRANDIA AGRO MARKETING CORPORATION	METHOMYL	MANTIS 40 SP	400 g/kg	SP	INSECTICIDE	2	445-164-3657	19-Feb-22	CONTACT	Soybeans	Leaffolder, flea beetle , beanfly, podborer,aphids	1 Sachet/18L Sprayer	-	-	-
GRANDIA AGRO MARKETING CORPORATION	METHOMYL	MANTIS 40 SP	400 g/kg	SP	INSECTICIDE	2	445-164-3657	19-Feb-22	CONTACT	Sitas	Leaffolder, flea beetle , beanfly, podborer,aphids	1 Sachet/18L Sprayer	-	-	-
GRANDIA AGRO MARKETING CORPORATION	METHOMYL	MANTIS 40 SP	400 g/kg	SP	INSECTICIDE	2	445-164-3657	19-Feb-22	CONTACT	Corn	Comborer, earworm	1 Sachet/18L Sprayer	-	-	-
GRANDIA AGRO MARKETING CORPORATION	METHOMYL	MANTIS 40 SP	400 g/kg	SP	INSECTICIDE	2	445-164-3657	19-Feb-22	CONTACT	Sorghum	Comborer,earworm	1 Sachet/18L Sprayer	-	-	-
GRANDIA AGRO MARKETING CORPORATION	METHOMYL	MANTIS 40 SP	400 g/kg	SP	INSECTICIDE	2	445-164-3657	19-Feb-22	CONTACT	Eggplant	Aphids, flea beetle , fruitworm, lady beetle	1 Sachet/18L Sprayer	-	-	-
GRANDIA AGRO MARKETING CORPORATION	METHOMYL	MANTIS 40 SP	400 g/kg	SP	INSECTICIDE	2	445-164-3657	19-Feb-22	CONTACT	Melon	Aphids, Squash beetle , leaffolder	1 Sachet/18L Sprayer	-	-	-
GRANDIA AGRO MARKETING CORPORATION	METHOMYL	MANTIS 40 SP	400 g/kg	SP	INSECTICIDE	2	445-164-3657	19-Feb-22	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leaffolder	1 Sachet/18L Sprayer	0.03ppm	3 days	-
GRANDIA AGRO MARKETING CORPORATION	METHOMYL	MANTIS 40 SP	400 g/kg	SP	INSECTICIDE	2	445-164-3657	19-Feb-22	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	1 Sachet/18L Sprayer	-	-	-
GRANDIA AGRO MARKETING CORPORATION	METHOMYL	MANTIS 40 SP	400 g/kg	SP	INSECTICIDE	2	445-164-3657	19-Feb-22	CONTACT	Tomato	Tomato fruitworm, aphids	1 Sachet/18L Sprayer	-	-	-
PHILIPPINE FARMFIX SOLUTIONS INC.	MANCOZEB+METALAXYL	MANTEL 72 WP	640/80 g/kg	WP	FUNGICIDE	4	535-035-3398	06-May-24	SYSTEMIC	Potato	Late blight	2.5-3.5 Kg/ha	-	14 days	Do not enter treated field until spray deposi have dried up.
PHILIPPINE FARMFIX SOLUTIONS INC.	MANCOZEB+METALAXYL	MANTEL 72 WP	640/80 g/kg	WP	FUNGICIDE	4	535-035-3398	06-May-24	SYSTEMIC	Tomato	Late blight	2.5-3.5 Kg/ha	-	3 days	Do not enter treated field until spray deposi have dried up.
PHILIPPINE FARMFIX SOLUTIONS INC.	MANCOZEB+METALAXYL	MANTEL 72 WP	640/80 g/kg	WP	FUNGICIDE	4	535-035-3398	06-May-24	SYSTEMIC	Pineapple	Heart rot	30-34 kg/ha	-	21 days	Do not enter treated field until spray deposi have dried up.
PHILIPPINE FARMFIX SOLUTIONS INC.	MANCOZEB+METALAXYL	MANTEL 72 WP	640/80 g/kg	WP	FUNGICIDE	4	535-035-3398	06-May-24	SYSTEMIC	Asparagus	Spear rot	2 kg product/ha	-	1 day	Do not enter treated field until spray deposi have dried up.
PHILIPPINE FARMFIX SOLUTIONS INC.	MANCOZEB+METALAXYL	MANTEL 72 WP	640/80 g/kg	WP	FUNGICIDE	4	535-035-3398	06-May-24	SYSTEMIC	Dichuie	Black rot	26 kg prod./ha	-	-	Do not enter treated field until spray deposi have dried up.
MANNA AGROLOGY AGRI VENTURES OPC	MANNAZEB BWP	MANNAZEB BWP	800 g/kg	WP	FUNGICIDE	4	778-051-6418	2-Jul-25	-	Potato	Early and late blight	-	-	-	As soon as spray dries
MANNA AGROLOGY AGRI VENTURES OPC	MANNAZEB BWP	MANNAZEB BWP	800 g/kg	WP	FUNGICIDE	4	778-051-6418	2-Jul-25	-	Cabbage	Downy mildew, Alternaria Leaf Spot	-	-	7 days	As soon as spray dries
MANNA AGROLOGY AGRI VENTURES OPC	MANNAZEB BWP	MANNAZEB BWP	800 g/kg	WP	FUNGICIDE	4	778-051-6418	2-Jul-25	-	Cauliflower	Downy mildew, Alternaria Leaf Spot	-	-	7 days	As soon as spray dries
MANNA AGROLOGY AGRI VENTURES OPC	MANNAZEB BWP	MANNAZEB BWP	800 g/kg	WP	FUNGICIDE	4	778-051-6418	2-Jul-25	-	Broccoli	Downy mildew, Alternaria Leaf Spot	-	-	7 days	As soon as spray dries
MANNA AGROLOGY AGRI VENTURES OPC	MANNAZEB BWP	MANNAZEB BWP	800 g/kg	WP	FUNGICIDE	4	778-051-6418	2-Jul-25	-	Celery	Late blight	-	-	14 days	As soon as spray dries
MANNA AGROLOGY AGRI VENTURES OPC	MANNAZEB BWP	MANNAZEB BWP	800 g/kg	WP	FUNGICIDE	4	778-051-6418	2-Jul-25	-	Cucumber	Downy mildew, Anthracnose, scab	-	-	5 days	As soon as spray dries
MANNA AGROLOGY AGRI VENTURES OPC	MANNAZEB BWP	MANNAZEB BWP	800 g/kg	WP	FUNGICIDE	4	778-051-6418	2-Jul-25	-	Squash	Downy mildew, Anthracnose, scab	-	-	5 days	As soon as spray dries
MANNA AGROLOGY AGRI VENTURES OPC	MANNAZEB BWP	MANNAZEB BWP	800 g/kg	WP	FUNGICIDE	4	778-051-6418	2-Jul-25	-	Cotton	Damping off	-	-	-	As soon as spray dries
MANNA AGROLOGY AGRI VENTURES OPC	MANNAZEB BWP	MANNAZEB BWP	800 g/kg	WP	FUNGICIDE	4	778-051-6418	2-Jul-25	-	Lettuce	Downy mildew	-	-	7 days	As soon as spray dries
MANNA AGROLOGY AGRI VENTURES OPC	MANNAZEB BWP	MANNAZEB BWP	800 g/kg	WP	FUNGICIDE	4	778-051-6418	2-Jul-25	-	Beans	Anthracoese, Downy Mildew, Rust	-	-	5 days	As soon as spray dries
MANNA AGROLOGY AGRI VENTURES OPC	MANNAZEB BWP	MANNAZEB BWP	800 g/kg	WP	FUNGICIDE	4	778-051-6418	2-Jul-25	-	Peas	Anthracoese, Downy Mildew, Rust	-	-	5 days	As soon as spray dries
MANNA AGROLOGY AGRI VENTURES OPC	MANNAZEB BWP	MANNAZEB BWP	800 g/kg	WP	FUNGICIDE	4	778-051-6418	2-Jul-25	-	Mungbeans	Anthracoese, Downy Mildew, Rust	-	-	5 days	As soon as spray dries
MANNA AGROLOGY AGRI VENTURES OPC	MANNAZEB BWP	MANNAZEB BWP	800 g/kg	WP	FUNGICIDE	4	778-051-6418	2-Jul-25	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	-	-	5 days	As soon as spray dries
MANNA AGROLOGY AGRI VENTURES OPC	MANNAZEB BWP	MANNAZEB BWP	800 g/kg	WP	FUNGICIDE	4	778-051-6418	2-Jul-25	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	-	-	7 days	As soon as spray dries
MANNA AGROLOGY AGRI VENTURES OPC	MANNAZEB BWP	MANNAZEB BWP	800 g/kg	WP	FUNGICIDE	4	778-051-6418	2-Jul-25	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	-	-	7 days	As soon as spray dries
MANNA AGROLOGY AGRI VENTURES OPC	MANNAZEB BWP	MANNAZEB BWP	800 g/kg	WP	FUNGICIDE	4	778-051-6418	2-Jul-25	-	Pepper	Anthracoese	-	-	7 days	As soon as spray dries
MANNA AGROLOGY AGRI VENTURES OPC	MANNAZEB BWP	MANNAZEB BWP	800 g/kg	WP	FUNGICIDE	4	778-051-6418	2-Jul-25	-	Chili	Anthracoese	-	-	7 days	As soon as spray dries
MANNA AGROLOGY AGRI VENTURES OPC	MANNAZEB BWP	MANNAZEB BWP	800 g/kg	WP	FUNGICIDE	4	778-051-6418	2-Jul-25	-	Eggplant	Blight, Anthracnose	-	-	7 days	As soon as spray dries
MANNA AGROLOGY AGRI VENTURES OPC	MANNAZEB BWP	MANNAZEB BWP	800 g/kg	WP	FUNGICIDE	4	778-051-6418	2-Jul-25	-	Banana	Sigatoka, Black leaf streak	-	-	-	As soon as spray dries
MANNA AGROLOGY AGRI VENTURES OPC	MANNAZEB BWP	MANNAZEB BWP	800 g/kg	WP	FUNGICIDE	4	778-051-6418	2-Jul-25	-	Grapes	Downy mildew, black rot	-	-	60 days	As soon as spray dries
MANNA AGROLOGY AGRI VENTURES OPC	MANNAZEB BWP	MANNAZEB BWP	800 g/kg	WP	FUNGICIDE	4	778-051-6418	2-Jul-25	-	Mango	Anthracoese and scab	-	-	5 days	As soon as spray dries
MANNA AGROLOGY AGRI VENTURES OPC	MANNAZEB BWP	MANNAZEB BWP	800 g/kg	WP	FUNGICIDE	4	778-051-6418	2-Jul-25	-	Papaya	Fruit rot	-	-	-	As soon as spray dries
MANNA AGROLOGY AGRI VENTURES OPC	MANNAZEB BWP	MANNAZEB BWP	800 g/kg	WP	FUNGICIDE	4	778-051-6418	2-Jul-25	-	Melon	Downy mildew, anthracnose, scab	-	-	5 days	As soon as spray dries
MANNA AGROLOGY AGRI VENTURES OPC	MANNAZEB BWP	MANNAZEB BWP	800 g/kg	WP	FUNGICIDE	4	778-051-6418	2-Jul-25	-	Watermelon	Downy mildew, anthracnose, scab	-	-	5 days	As soon as spray dries
MANNA AGROLOGY AGRI VENTURES OPC	MANNAZEB BWP	MANNAZEB BWP	800 g/kg	WP	FUNGICIDE	4	778-051-6418	2-Jul-25	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	-	-	7 days	As soon as spray dries
MANNA AGROLOGY AGRI VENTURES OPC	MANNAZEB BWP	MANNAZEB BWP	800 g/kg	WP	FUNGICIDE	4	778-051-6418	2-Jul-25	-	Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	-	-	-	As soon as spray dries
MANNA AGROLOGY AGRI VENTURES OPC	MANNAZEB BWP	MANNAZEB BWP	800 g/kg	WP	FUNGICIDE	4	778-051-6418	2-Jul-25	-	Peanut	Cercospora leaf spot	-	-	14 days	As soon as spray dries
MANNA AGROLOGY AGRI VENTURES OPC	MANNAZEB BWP	MANNAZEB BWP	800 g/kg	WP	FUNGICIDE	4	778-051-6418	2-Jul-25	-	Soybeans	leaf rust	-	-	-	As soon as spray dries
MANNA AGROLOGY AGRI VENTURES OPC	MANNAZEB BWP	MANNAZEB BWP	800 g/kg	WP	FUNGICIDE	4	778-051-6418	2-Jul-25	-	Ornamentals	Black spot, blight, anthracnose	-	-	-	As soon as spray dries
MANNA AGROLOGY AGRI VENTURES OPC	GLYPHOSATE IPA	MANNA GLYPHO 480SL	480 g/L	SL	HERBICIDE	4	778-151-6416	15-Dec-26	-	Glyphosate tolerant corn	Annual and perennial grasses, broadleaf weeds and sedges	-	-	-	-
MANNA AGROLOGY AGRI VENTURES OPC	GLYPHOSATE IPA	MANNA GLYPHO 480SL	480 g/L	SL	HERBICIDE	4	778-151-6416	15-Dec-26	-	Mango	Annual and perennial grasses, broadleaf weeds and sedges	-	-	-	-
MANNA AGROLOGY AGRI VENTURES OPC	GLYPHOSATE IPA	MANNA GLYPHO 480SL	480 g/L	SL	HERBICIDE	4	778-151-6416	15-Dec-26	-	Banana	Annual and perennial grasses, broadleaf weeds and sedges	-	-	-	-
MANNA AGROLOGY AGRI VENTURES OPC	GLYPHOSATE IPA	MANNA GLYPHO 480SL	480 g/L	SL	HERBICIDE	4	778-151-6416	15-Dec-26	-	Coffee	Annual and perennial grasses, broadleaf weeds and sedges	-	-	-	-
MANNA AGROLOGY AGRI VENTURES OPC	GLYPHOSATE IPA	MANNA GLYPHO 480SL	480 g/L	SL	HERBICIDE	4	778-151-6416	15-Dec-26	-	Cacao	Annual and perennial grasses, broadleaf weeds and sedges	-	-	-	-
MANNA AGROLOGY AGRI VENTURES OPC	GLYPHOSATE IPA	MANNA GLYPHO 480SL	480 g/L	SL	HERBICIDE	4	778-151-6416	15-Dec-26	-	Rubber	Annual and perennial grasses, broadleaf weeds and sedges	-	-	-	-

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
MANNA AGROLOGY AGR VENTURES OPC	GLYPHOSATE IPA	MANNA GLYPHO 480SL	480 g/L	SL	HERBICIDE	4	779-151-6416	15-Dec-26	-	Oil palm	Annual and perennial grasses, broadleaf weeds and sedges	-	-	-	-
MANNA AGROLOGY AGR VENTURES OPC	GLYPHOSATE IPA	MANNA GLYPHO 480SL	480 g/L	SL	HERBICIDE	4	779-151-6416	15-Dec-26	-	Citrus	Annual and perennial grasses, broadleaf weeds and sedges	-	-	-	-
MANNA AGROLOGY AGR VENTURES OPC	GLYPHOSATE IPA	MANNA GLYPHO 480SL	480 g/L	SL	HERBICIDE	4	779-151-6416	15-Dec-26	-	Coconut	Annual and perennial grasses, broadleaf weeds and sedges	-	-	-	-
MANNA AGROLOGY AGR VENTURES OPC	GLYPHOSATE IPA	MANNA GLYPHO 480SL	480 g/L	SL	HERBICIDE	4	779-151-6416	15-Dec-26	-	Sugarcane	Annual and perennial grasses, broadleaf weeds and sedges	-	-	-	-
MANNA AGROLOGY AGR VENTURES OPC	GLYPHOSATE IPA	MANNA GLYPHO 480SL	480 g/L	SL	HERBICIDE	4	779-151-6416	15-Dec-26	-	Vegetables	Annual and perennial grasses, broadleaf weeds and sedges	-	-	-	-
MANNA AGROLOGY AGR VENTURES OPC	GLYPHOSATE IPA	MANNA GLYPHO 480SL	480 g/L	SL	HERBICIDE	4	779-151-6416	15-Dec-26	-	Non-crop areas & minimum or reduced tillage system	Annual and perennial grasses, broadleaf weeds and sedges	-	-	-	-
VAST AGRO SOLUTIONS, INC.	IMIDACLOPRID+BETA-CYFLUTHRIN	MANGUARD 300 OD	210+90 g/L	OD	INSECTICIDE	2	385-386-5218	27-Aug-25	SYSTEMIC/CONTACT	Mango	Mango leafhopper	20-40mL product/100liters water 50-80mL /prod/200L water	-	28 Days	No re-entry within 48 hours after spray. Appropriate warning signs should be placed before and after spraying.
HEXTAR VENTURE PHILIPPINES INC.	MANCOZEB	MANDATE 80 WP	800 g/kg	WP	FUNGICIDE	4	477-053-3061	02-Feb-22	-	Potato	Early and late blight	-	-	-	-
HEXTAR VENTURE PHILIPPINES INC.	MANCOZEB	MANDATE 80 WP	800 g/kg	WP	FUNGICIDE	4	477-053-3061	02-Feb-22	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7Days	12 hours
HEXTAR VENTURE PHILIPPINES INC.	MANCOZEB	MANDATE 80 WP	800 g/kg	WP	FUNGICIDE	4	477-053-3061	02-Feb-22	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7Days	12 hours
HEXTAR VENTURE PHILIPPINES INC.	MANCOZEB	MANDATE 80 WP	800 g/kg	WP	FUNGICIDE	4	477-053-3061	02-Feb-22	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7Days	12 hours
HEXTAR VENTURE PHILIPPINES INC.	MANCOZEB	MANDATE 80 WP	800 g/kg	WP	FUNGICIDE	4	477-053-3061	02-Feb-22	-	Celery	Late blight	3-6 Tbsp/16 L water	-	14 Days	12 hours
HEXTAR VENTURE PHILIPPINES INC.	MANCOZEB	MANDATE 80 WP	800 g/kg	WP	FUNGICIDE	4	477-053-3061	02-Feb-22	-	Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	12 hours
HEXTAR VENTURE PHILIPPINES INC.	MANCOZEB	MANDATE 80 WP	800 g/kg	WP	FUNGICIDE	4	477-053-3061	02-Feb-22	-	Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	12 hours
HEXTAR VENTURE PHILIPPINES INC.	MANCOZEB	MANDATE 80 WP	800 g/kg	WP	FUNGICIDE	4	477-053-3061	02-Feb-22	-	Cotton	Damping off	3-6 Tbsp/16 L water	-	-	12 hours
HEXTAR VENTURE PHILIPPINES INC.	MANCOZEB	MANDATE 80 WP	800 g/kg	WP	FUNGICIDE	4	477-053-3061	02-Feb-22	-	lettuce	Downy mildew	3-6 Tbsp/16 L water	-	7 Days	12 hours
HEXTAR VENTURE PHILIPPINES INC.	MANCOZEB	MANDATE 80 WP	800 g/kg	WP	FUNGICIDE	4	477-053-3061	02-Feb-22	-	Beans	Anthracoese, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days	12 hours
HEXTAR VENTURE PHILIPPINES INC.	MANCOZEB	MANDATE 80 WP	800 g/kg	WP	FUNGICIDE	4	477-053-3061	02-Feb-22	-	Peas	Anthracoese, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days	12 hours
HEXTAR VENTURE PHILIPPINES INC.	MANCOZEB	MANDATE 80 WP	800 g/kg	WP	FUNGICIDE	4	477-053-3061	02-Feb-22	-	Mungo	Anthracoese, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days	12 hours
HEXTAR VENTURE PHILIPPINES INC.	MANCOZEB	MANDATE 80 WP	800 g/kg	WP	FUNGICIDE	4	477-053-3061	02-Feb-22	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16 L water	-	5 days	12 hours
HEXTAR VENTURE PHILIPPINES INC.	MANCOZEB	MANDATE 80 WP	800 g/kg	WP	FUNGICIDE	4	477-053-3061	02-Feb-22	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	-	7Days	12 hours
HEXTAR VENTURE PHILIPPINES INC.	MANCOZEB	MANDATE 80 WP	800 g/kg	WP	FUNGICIDE	4	477-053-3061	02-Feb-22	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	-	7 Days	12 hours
HEXTAR VENTURE PHILIPPINES INC.	MANCOZEB	MANDATE 80 WP	800 g/kg	WP	FUNGICIDE	4	477-053-3061	02-Feb-22	-	Pepper	Anthracoese	3-6 Tbsp/16 L water	-	7Days	12 hours
HEXTAR VENTURE PHILIPPINES INC.	MANCOZEB	MANDATE 80 WP	800 g/kg	WP	FUNGICIDE	4	477-053-3061	02-Feb-22	-	Chili	Anthracoese	3-6 Tbsp/16 L water	-	7 Days	12 hours
HEXTAR VENTURE PHILIPPINES INC.	MANCOZEB	MANDATE 80 WP	800 g/kg	WP	FUNGICIDE	4	477-053-3061	02-Feb-22	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/16 L water	-	7 Days	12 hours
HEXTAR VENTURE PHILIPPINES INC.	MANCOZEB	MANDATE 80 WP	800 g/kg	WP	FUNGICIDE	4	477-053-3061	02-Feb-22	-	Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16 L water	-	-	12 hours
HEXTAR VENTURE PHILIPPINES INC.	MANCOZEB	MANDATE 80 WP	800 g/kg	WP	FUNGICIDE	4	477-053-3061	02-Feb-22	-	Grapes	Downy mildew, black rot	3-6 Tbsp/16 L water	-	60 days	12 hours
HEXTAR VENTURE PHILIPPINES INC.	MANCOZEB	MANDATE 80 WP	800 g/kg	WP	FUNGICIDE	4	477-053-3061	02-Feb-22	-	Mango	Anthracoese and Scab	3-6 Tbsp/16 L water	-	5 days	12 hours
HEXTAR VENTURE PHILIPPINES INC.	MANCOZEB	MANDATE 80 WP	800 g/kg	WP	FUNGICIDE	4	477-053-3061	02-Feb-22	-	Papaya	Fruit rot	3-6 Tbsp/16 L water	-	-	12 hours
HEXTAR VENTURE PHILIPPINES INC.	MANCOZEB	MANDATE 80 WP	800 g/kg	WP	FUNGICIDE	4	477-053-3061	02-Feb-22	-	Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	12 hours
HEXTAR VENTURE PHILIPPINES INC.	MANCOZEB	MANDATE 80 WP	800 g/kg	WP	FUNGICIDE	4	477-053-3061	02-Feb-22	-	Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	12 hours
HEXTAR VENTURE PHILIPPINES INC.	MANCOZEB	MANDATE 80 WP	800 g/kg	WP	FUNGICIDE	4	477-053-3061	02-Feb-22	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16 L water	-	7 Days	12 hours
HEXTAR VENTURE PHILIPPINES INC.	MANCOZEB	MANDATE 80 WP	800 g/kg	WP	FUNGICIDE	4	477-053-3061	02-Feb-22	-	Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16 L water	0.02ppm	-	12 hours
HEXTAR VENTURE PHILIPPINES INC.	MANCOZEB	MANDATE 80 WP	800 g/kg	WP	FUNGICIDE	4	477-053-3061	02-Feb-22	-	Peanut	Cercospora leaf spot	3-6 Tbsp/16 L water	-	14 Days	12 hours
HEXTAR VENTURE PHILIPPINES INC.	MANCOZEB	MANDATE 80 WP	800 g/kg	WP	FUNGICIDE	4	477-053-3061	02-Feb-22	-	Soybeans	leaf rust	3-6 Tbsp/16 L water	-	-	12 hours
HEXTAR VENTURE PHILIPPINES INC.	MANCOZEB	MANDATE 80 WP	800 g/kg	WP	FUNGICIDE	4	477-053-3061	02-Feb-22	-	Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/16 L water	-	-	12 hours
HEXTAR VENTURE PHILIPPINES INC.	MANCOZEB	MANDATE 75 WDG/DF	750 g/L	WDG	FUNGICIDE	4	477-053-3076	02-Feb-22	NON-SYSTEMIC	beans	Anthracoese, downy mildew	22g/10L of water: 2.2kg/ha	-	-	12 hours
HEXTAR VENTURE PHILIPPINES INC.	MANCOZEB	MANDATE 75 WDG/DF	750 g/L	WDG	FUNGICIDE	4	477-053-3076	02-Feb-22	NON-SYSTEMIC	Cabbage	Alternaria leaf spot, downy mildew	-	-	-	12 hours
HEXTAR VENTURE PHILIPPINES INC.	MANCOZEB	MANDATE 75 WDG/DF	750 g/L	WDG	FUNGICIDE	4	477-053-3076	02-Feb-22	NON-SYSTEMIC	Cauliflower	Alternaria leaf spot, downy mildew	-	-	-	12 hours
HEXTAR VENTURE PHILIPPINES INC.	MANCOZEB	MANDATE 75 WDG/DF	750 g/L	WDG	FUNGICIDE	4	477-053-3076	02-Feb-22	NON-SYSTEMIC	Citrus	Black spot	-	-	-	12 hours
HEXTAR VENTURE PHILIPPINES INC.	MANCOZEB	MANDATE 75 WDG/DF	750 g/L	WDG	FUNGICIDE	4	477-053-3076	02-Feb-22	NON-SYSTEMIC	Corn	Helminthosporium leaf spot	22g/10L of water: 2.2kg/ha	-	-	12 hours
HEXTAR VENTURE PHILIPPINES INC.	MANCOZEB	MANDATE 75 WDG/DF	750 g/L	WDG	FUNGICIDE	4	477-053-3076	02-Feb-22	NON-SYSTEMIC	Cucumber	Downy mildew	22g/10L of water: 2.2kg/ha	-	-	12 hours
HEXTAR VENTURE PHILIPPINES INC.	MANCOZEB	MANDATE 75 WDG/DF	750 g/L	WDG	FUNGICIDE	4	477-053-3076	02-Feb-22	NON-SYSTEMIC	Melon	Downy mildew	22g/10L of water: 2.2kg/ha	-	-	12 hours
HEXTAR VENTURE PHILIPPINES INC.	MANCOZEB	MANDATE 75 WDG/DF	750 g/L	WDG	FUNGICIDE	4	477-053-3076	02-Feb-22	NON-SYSTEMIC	Watermelon	Downy mildew	22g/10L of water: 2.2kg/ha	-	-	12 hours
HEXTAR VENTURE PHILIPPINES INC.	MANCOZEB	MANDATE 75 WDG/DF	750 g/L	WDG	FUNGICIDE	4	477-053-3076	02-Feb-22	NON-SYSTEMIC	Mango	Anthracoese, Scab	22g/10L of water: 2.2kg/ha	-	-	12 hours
HEXTAR VENTURE PHILIPPINES INC.	MANCOZEB	MANDATE 75 WDG/DF	750 g/L	WDG	FUNGICIDE	4	477-053-3076	02-Feb-22	NON-SYSTEMIC	Ornamentals	Black spot	22g/10L of water: 2.2kg/ha	-	-	12 hours
HEXTAR VENTURE PHILIPPINES INC.	MANCOZEB	MANDATE 75 WDG/DF	750 g/L	WDG	FUNGICIDE	4	477-053-3076	02-Feb-22	NON-SYSTEMIC	Onion	Downy mildew, purple blotch	22g/10L of water: 2.2kg/ha	-	-	12 hours
HEXTAR VENTURE PHILIPPINES INC.	MANCOZEB	MANDATE 75 WDG/DF	750 g/L	WDG	FUNGICIDE	4	477-053-3076	02-Feb-22	NON-SYSTEMIC	Garlic	Downy mildew, purple blotch	22g/10L of water: 2.2kg/ha	-	-	12 hours
HEXTAR VENTURE PHILIPPINES INC.	MANCOZEB	MANDATE 75 WDG/DF	750 g/L	WDG	FUNGICIDE	4	477-053-3076	02-Feb-22	NON-SYSTEMIC	Peanut	Cercospora leaf spot	22g/10L of water: 2.2kg/ha	-	-	12 hours
HEXTAR VENTURE PHILIPPINES INC.	MANCOZEB	MANDATE 75 WDG/DF	750 g/L	WDG	FUNGICIDE	4	477-053-3076	02-Feb-22	NON-SYSTEMIC	Potato	Early and late blight	22g/10L of water: 2.2kg/ha	-	-	12 hours
HEXTAR VENTURE PHILIPPINES INC.	MANCOZEB	MANDATE 75 WDG/DF	750 g/L	WDG	FUNGICIDE	4	477-053-3076	02-Feb-22	NON-SYSTEMIC	Rice	Anthracoese, blast, sheath blight	22g/10L of water: 2.2kg/ha	0.02ppm	-	12 hours
HEXTAR VENTURE PHILIPPINES INC.	MANCOZEB	MANDATE 75 WDG/DF	750 g/L	WDG	FUNGICIDE	4	477-053-3076	02-Feb-22	NON-SYSTEMIC	Tobacco	Anthracoese, blue mold	22g/10L of water: 2.2kg/ha	-	-	12 hours
HEXTAR VENTURE PHILIPPINES INC.	MANCOZEB	MANDATE 75 WDG/DF	750 g/L	WDG	FUNGICIDE	4	477-053-3076	02-Feb-22	NON-SYSTEMIC	Tomato	Anthracoese, early blight, late blight	22g/10L of water: 2.2kg/ha	-	-	12 hours
HEXTAR VENTURE PHILIPPINES INC.	MANCOZEB	MANDATE 420 SC	420 g/kg	SC	FUNGICIDE	4	477-053-3075	02-Feb-22	NON-SYSTEMIC	Banana	Black Sigatoka	40mL/10L of water: 4L/ha	-	-	12 hours
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	CHLORFENAPYR	MANDAL 100 SC	100 g/L	SC	INSECTICIDE	3	575-283-5735	02-Sep-25	-	Cabbage	DBM, aphids, cabbage moth	1.5-3.0 Tbsp/ 16L water	-	-	Do not spray within 14 days before harvest
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	CHLORFENAPYR	MANDAL 100 SC	100 g/L	SC	INSECTICIDE	3	575-283-5735	02-Sep-25	-	Potato	Thrips	0.5-1.5 Tbsp/ 16L water	-	-	Do not enter treated fields within two days after spraying

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	CHLORFENAPIR	MANDAL 100 SC	100 g/L	SC	INSECTICIDE	3	375-283-9785	02-Sep-25	-	Banana	Flower Thrips	2-3 ml / L water		-	Do not spray within 14 days before harvest Do not enter treated fields within two days after spraying
THAPHIL ADVANCE AGRITECH CORP.	MANCOZEB	MANCOZEB BLITZ 80 WP	800 g/L	WP	FUNGICIDE	4	657-053-4939	23-Dec-22	-	Potato	Early and late blight	3-6 Tbsp/38L		-	As soon as spray dries
THAPHIL ADVANCE AGRITECH CORP.	MANCOZEB	MANCOZEB BLITZ 80 WP	800 g/L	WP	FUNGICIDE	4	657-053-4939	23-Dec-22	-	Cabbage	Downy mildew, Alternaria leaf spot	3-6 Tbsp/38L		7 days	As soon as spray dries
THAPHIL ADVANCE AGRITECH CORP.	MANCOZEB	MANCOZEB BLITZ 80 WP	800 g/L	WP	FUNGICIDE	4	657-053-4939	23-Dec-22	-	Celery	Late blight	3-6 Tbsp/38L		34 days	As soon as spray dries
THAPHIL ADVANCE AGRITECH CORP.	MANCOZEB	MANCOZEB BLITZ 80 WP	800 g/L	WP	FUNGICIDE	4	657-053-4939	23-Dec-22	-	Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/38L		5 days	As soon as spray dries
THAPHIL ADVANCE AGRITECH CORP.	MANCOZEB	MANCOZEB BLITZ 80 WP	800 g/L	WP	FUNGICIDE	4	657-053-4939	23-Dec-22	-	Cotton	Damping off	3-6 Tbsp/38L		-	As soon as spray dries
THAPHIL ADVANCE AGRITECH CORP.	MANCOZEB	MANCOZEB BLITZ 80 WP	800 g/L	WP	FUNGICIDE	4	657-053-4939	23-Dec-22	-	Lettuce	Downy mildew	3-6 Tbsp/38L		7 days	As soon as spray dries
THAPHIL ADVANCE AGRITECH CORP.	MANCOZEB	MANCOZEB BLITZ 80 WP	800 g/L	WP	FUNGICIDE	4	657-053-4939	23-Dec-22	-	Beans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/38L		5 days	As soon as spray dries
THAPHIL ADVANCE AGRITECH CORP.	MANCOZEB	MANCOZEB BLITZ 80 WP	800 g/L	WP	FUNGICIDE	4	657-053-4939	23-Dec-22	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/38L		5 days	As soon as spray dries
THAPHIL ADVANCE AGRITECH CORP.	MANCOZEB	MANCOZEB BLITZ 80 WP	800 g/L	WP	FUNGICIDE	4	657-053-4939	23-Dec-22	-	Onion	Purple blotch, Downy mildew, Botrytis leaf blight	3-6 Tbsp/38L		7 days	As soon as spray dries
THAPHIL ADVANCE AGRITECH CORP.	MANCOZEB	MANCOZEB BLITZ 80 WP	800 g/L	WP	FUNGICIDE	4	657-053-4939	23-Dec-22	-	Pepper	Anthracnose	3-6 Tbsp/38L		7 days	As soon as spray dries
THAPHIL ADVANCE AGRITECH CORP.	MANCOZEB	MANCOZEB BLITZ 80 WP	800 g/L	WP	FUNGICIDE	4	657-053-4939	23-Dec-22	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/38L		7 days	As soon as spray dries
THAPHIL ADVANCE AGRITECH CORP.	MANCOZEB	MANCOZEB BLITZ 80 WP	800 g/L	WP	FUNGICIDE	4	657-053-4939	23-Dec-22	-	Banana	Sigatoka, Black leaf streak	3-6 Tbsp/38L		-	As soon as spray dries
THAPHIL ADVANCE AGRITECH CORP.	MANCOZEB	MANCOZEB BLITZ 80 WP	800 g/L	WP	FUNGICIDE	4	657-053-4939	23-Dec-22	-	Grapes	Downy mildew, Black Rot	3-6 Tbsp/38L		60 days	As soon as spray dries
THAPHIL ADVANCE AGRITECH CORP.	MANCOZEB	MANCOZEB BLITZ 80 WP	800 g/L	WP	FUNGICIDE	4	657-053-4939	23-Dec-22	-	Mango	Anthracnose and Scab	3-6 Tbsp/38L		5 days	As soon as spray dries
THAPHIL ADVANCE AGRITECH CORP.	MANCOZEB	MANCOZEB BLITZ 80 WP	800 g/L	WP	FUNGICIDE	4	657-053-4939	23-Dec-22	-	Papaya	Fruit rot	3-6 Tbsp/38L		-	As soon as spray dries
THAPHIL ADVANCE AGRITECH CORP.	MANCOZEB	MANCOZEB BLITZ 80 WP	800 g/L	WP	FUNGICIDE	4	657-053-4939	23-Dec-22	-	Melon	Downy mildew, Anthracnose Scab	3-6 Tbsp/38L		5 days	As soon as spray dries
THAPHIL ADVANCE AGRITECH CORP.	MANCOZEB	MANCOZEB BLITZ 80 WP	800 g/L	WP	FUNGICIDE	4	657-053-4939	23-Dec-22	-	Corn (sweet & popcorn)	Helminthosporium leaf spot	3-6 Tbsp/38L		7 days	As soon as spray dries
THAPHIL ADVANCE AGRITECH CORP.	MANCOZEB	MANCOZEB BLITZ 80 WP	800 g/L	WP	FUNGICIDE	4	657-053-4939	23-Dec-22	-	Watermelon	Downy mildew, Anthracnose Scab	3-6 Tbsp/38L		5 days	As soon as spray dries
THAPHIL ADVANCE AGRITECH CORP.	MANCOZEB	MANCOZEB BLITZ 80 WP	800 g/L	WP	FUNGICIDE	4	657-053-4939	23-Dec-22	-	Chili	Anthracnose	3-6 Tbsp/38L		7 days	As soon as spray dries
THAPHIL ADVANCE AGRITECH CORP.	MANCOZEB	MANCOZEB BLITZ 80 WP	800 g/L	WP	FUNGICIDE	4	657-053-4939	23-Dec-22	-	Garlic	Purple blotch, Downy mildew, Botrytis leaf blight	3-6 Tbsp/38L		7 days	As soon as spray dries
THAPHIL ADVANCE AGRITECH CORP.	MANCOZEB	MANCOZEB BLITZ 80 WP	800 g/L	WP	FUNGICIDE	4	657-053-4939	23-Dec-22	-	Peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/38L		5 days	As soon as spray dries
THAPHIL ADVANCE AGRITECH CORP.	MANCOZEB	MANCOZEB BLITZ 80 WP	800 g/L	WP	FUNGICIDE	4	657-053-4939	23-Dec-22	-	Mungo	Anthracnose, Downy mildew, Rust	3-6 Tbsp/38L		5 days	As soon as spray dries
THAPHIL ADVANCE AGRITECH CORP.	MANCOZEB	MANCOZEB BLITZ 80 WP	800 g/L	WP	FUNGICIDE	4	657-053-4939	23-Dec-22	-	Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/38L		5 days	As soon as spray dries
THAPHIL ADVANCE AGRITECH CORP.	MANCOZEB	MANCOZEB BLITZ 80 WP	800 g/L	WP	FUNGICIDE	4	657-053-4939	23-Dec-22	-	Broccoli	Downy mildew, Alternaria leaf spot	3-6 Tbsp/38L		7 days	As soon as spray dries
THAPHIL ADVANCE AGRITECH CORP.	MANCOZEB	MANCOZEB BLITZ 80 WP	800 g/L	WP	FUNGICIDE	4	657-053-4939	23-Dec-22	-	Cauliflower	Downy mildew, Alternaria leaf spot	3-6 Tbsp/38L		7 days	As soon as spray dries
THAPHIL ADVANCE AGRITECH CORP.	MANCOZEB	MANCOZEB BLITZ 80 WP	800 g/L	WP	FUNGICIDE	4	657-053-4939	23-Dec-22	-	Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/38L		-	As soon as spray dries
THAPHIL ADVANCE AGRITECH CORP.	MANCOZEB	MANCOZEB BLITZ 80 WP	800 g/L	WP	FUNGICIDE	4	657-053-4939	23-Dec-22	-	Peanut	Cercospora leaf spot	3-6 Tbsp/38L		34 days	As soon as spray dries
THAPHIL ADVANCE AGRITECH CORP.	MANCOZEB	MANCOZEB BLITZ 80 WP	800 g/L	WP	FUNGICIDE	4	657-053-4939	23-Dec-22	-	Soybeans	Leaf rust	3-6 Tbsp/38L		-	As soon as spray dries
THAPHIL ADVANCE AGRITECH CORP.	MANCOZEB	MANCOZEB BLITZ 80 WP	800 g/L	WP	FUNGICIDE	4	657-053-4939	23-Dec-22	-	Ornamentals	Black spot, Blight, Anthracnose	3-6 Tbsp/38L		-	As soon as spray dries
THAPHIL ADVANCE AGRITECH CORP.	MANCOZEB	MANCOZEB BLITZ 80 WP	800 g/L	WP	FUNGICIDE	4	657-053-4939	23-Dec-22	-	Leeks	Purple blotch, Downy mildew, Botrytis leaf blight	3-6 Tbsp/38L		7 days	As soon as spray dries
THAPHIL ADVANCE AGRITECH CORP.	MANCOZEB	MANCOZEB BLITZ 80 WP	800 g/L	WP	FUNGICIDE	4	657-053-4939	23-Dec-22	-	Shallots	Purple blotch, Downy mildew, Botrytis leaf blight	3-6 Tbsp/38L		7 days	As soon as spray dries
THAPHIL ADVANCE AGRITECH CORP.	MANCOZEB	MANCOZEB BLITZ 80 WP	800 g/L	WP	FUNGICIDE	4	657-053-4939	23-Dec-22	-	Cantaloupes	Downy mildew, Anthracnose Scab	3-6 Tbsp/38L		5 days	As soon as spray dries
TEXICON AGR VENTURES CORPORATION	MANCOTEX	MANCOTEX 80 WP	800 g/kg	WP	FUNGICIDE	4	242-053-1899	23-May-24	-	Potato	Early and late blight	3-6 Tbsp/38 L water		-	As soon as spray dries
TEXICON AGR VENTURES CORPORATION	MANCOTEX	MANCOTEX 80 WP	800 g/kg	WP	FUNGICIDE	4	242-053-1899	23-May-24	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/38 L water		7 Days	As soon as spray dries
TEXICON AGR VENTURES CORPORATION	MANCOTEX	MANCOTEX 80 WP	800 g/kg	WP	FUNGICIDE	4	242-053-1899	23-May-24	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/38 L water		7 Days	As soon as spray dries
TEXICON AGR VENTURES CORPORATION	MANCOTEX	MANCOTEX 80 WP	800 g/kg	WP	FUNGICIDE	4	242-053-1899	23-May-24	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/38 L water		7 Days	As soon as spray dries
TEXICON AGR VENTURES CORPORATION	MANCOTEX	MANCOTEX 80 WP	800 g/kg	WP	FUNGICIDE	4	242-053-1899	23-May-24	-	Celery	Late blight	3-6 Tbsp/38 L water		34 Days	As soon as spray dries
TEXICON AGR VENTURES CORPORATION	MANCOTEX	MANCOTEX 80 WP	800 g/kg	WP	FUNGICIDE	4	242-053-1899	23-May-24	-	Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/38 L water		5 days	As soon as spray dries
TEXICON AGR VENTURES CORPORATION	MANCOTEX	MANCOTEX 80 WP	800 g/kg	WP	FUNGICIDE	4	242-053-1899	23-May-24	-	Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/38 L water		5 days	As soon as spray dries
TEXICON AGR VENTURES CORPORATION	MANCOTEX	MANCOTEX 80 WP	800 g/kg	WP	FUNGICIDE	4	242-053-1899	23-May-24	-	Cotton	Damping off	3-6 Tbsp/38 L water		-	As soon as spray dries
TEXICON AGR VENTURES CORPORATION	MANCOTEX	MANCOTEX 80 WP	800 g/kg	WP	FUNGICIDE	4	242-053-1899	23-May-24	-	Lettuce	Downy mildew	3-6 Tbsp/38 L water		7 Days	As soon as spray dries
TEXICON AGR VENTURES CORPORATION	MANCOTEX	MANCOTEX 80 WP	800 g/kg	WP	FUNGICIDE	4	242-053-1899	23-May-24	-	Beans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/38 L water		5 days	As soon as spray dries
TEXICON AGR VENTURES CORPORATION	MANCOTEX	MANCOTEX 80 WP	800 g/kg	WP	FUNGICIDE	4	242-053-1899	23-May-24	-	Peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/38 L water		5 days	As soon as spray dries
TEXICON AGR VENTURES CORPORATION	MANCOTEX	MANCOTEX 80 WP	800 g/kg	WP	FUNGICIDE	4	242-053-1899	23-May-24	-	Mungo	Anthracnose, Downy mildew, Rust	3-6 Tbsp/38 L water		5 days	As soon as spray dries
TEXICON AGR VENTURES CORPORATION	MANCOTEX	MANCOTEX 80 WP	800 g/kg	WP	FUNGICIDE	4	242-053-1899	23-May-24	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/38 L water		5 days	As soon as spray dries
TEXICON AGR VENTURES CORPORATION	MANCOTEX	MANCOTEX 80 WP	800 g/kg	WP	FUNGICIDE	4	242-053-1899	23-May-24	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/38 L water		7 Days	As soon as spray dries
TEXICON AGR VENTURES CORPORATION	MANCOTEX	MANCOTEX 80 WP	800 g/kg	WP	FUNGICIDE	4	242-053-1899	23-May-24	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/38 L water		7 Days	As soon as spray dries
TEXICON AGR VENTURES CORPORATION	MANCOTEX	MANCOTEX 80 WP	800 g/kg	WP	FUNGICIDE	4	242-053-1899	23-May-24	-	Pepper	Anthracnose	3-6 Tbsp/38 L water		7 Days	As soon as spray dries
TEXICON AGR VENTURES CORPORATION	MANCOTEX	MANCOTEX 80 WP	800 g/kg	WP	FUNGICIDE	4	242-053-1899	23-May-24	-	Chili	Anthracnose	3-6 Tbsp/38 L water		7 Days	As soon as spray dries
TEXICON AGR VENTURES CORPORATION	MANCOTEX	MANCOTEX 80 WP	800 g/kg	WP	FUNGICIDE	4	242-053-1899	23-May-24	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/38 L water		7 Days	As soon as spray dries
TEXICON AGR VENTURES CORPORATION	MANCOTEX	MANCOTEX 80 WP	800 g/kg	WP	FUNGICIDE	4	242-053-1899	23-May-24	-	Banana	Sigatoka, Black leaf streak	3-6 Tbsp/38 L water		-	As soon as spray dries
TEXICON AGR VENTURES CORPORATION	MANCOTEX	MANCOTEX 80 WP	800 g/kg	WP	FUNGICIDE	4	242-053-1899	23-May-24	-	Grapes	Downy mildew, black rot	3-6 Tbsp/38 L water		60 days	As soon as spray dries
TEXICON AGR VENTURES CORPORATION	MANCOTEX	MANCOTEX 80 WP	800 g/kg	WP	FUNGICIDE	4	242-053-1899	23-May-24	-	Mango	Anthracnose and Scab	3-6 Tbsp/38 L water		5 days	As soon as spray dries
TEXICON AGR VENTURES CORPORATION	MANCOTEX	MANCOTEX 80 WP	800 g/kg	WP	FUNGICIDE	4	242-053-1899	23-May-24	-	Papaya	Fruit rot	3-6 Tbsp/38 L water		-	As soon as spray dries
TEXICON AGR VENTURES CORPORATION	MANCOTEX	MANCOTEX 80 WP	800 g/kg	WP	FUNGICIDE	4	242-053-1899	23-May-24	-	Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/38 L water		5 days	As soon as spray dries

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD	
TEIXON AGR VENTURES CORPORATION	MANCOZEB	MANCOTEX 80 WP	800 g/kg	WP	FUNGICIDE	4	242-053-1899	23-May-24	-	Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries	
TEIXON AGR VENTURES CORPORATION	MANCOZEB	MANCOTEX 80 WP	800 g/kg	WP	FUNGICIDE	4	242-053-1899	23-May-24	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries	
TEIXON AGR VENTURES CORPORATION	MANCOZEB	MANCOTEX 80 WP	800 g/kg	WP	FUNGICIDE	4	242-053-1899	23-May-24	-	Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/36 L water	0.03ppm	-	As soon as spray dries	
TEIXON AGR VENTURES CORPORATION	MANCOZEB	MANCOTEX 80 WP	800 g/kg	WP	FUNGICIDE	4	242-053-1899	23-May-24	-	Peanut	Cercospora leaf spot	3-6 Tbsp/36 L water	-	14 days	As soon as spray dries	
TEIXON AGR VENTURES CORPORATION	MANCOZEB	MANCOTEX 80 WP	800 g/kg	WP	FUNGICIDE	4	242-053-1899	23-May-24	-	Soybeans	Leaf rust	3-6 Tbsp/36 L water	-	-	As soon as spray dries	
TEIXON AGR VENTURES CORPORATION	MANCOZEB	MANCOTEX 80 WP	800 g/kg	WP	FUNGICIDE	4	242-053-1899	23-May-24	-	Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/36 L water	-	-	As soon as spray dries	
TEIXON AGR VENTURES CORPORATION	MANCOZEB	MANCOTEX 60 OS	550 g/L	OS	FUNGICIDE	4	242-053-2253	11-Apr-26	-	Banana	Black Sigatoka	1.75-2.9 Liters/ha	-	-	Do not re-enter the field within 2 days after spraying	
TEIXON AGR VENTURES CORPORATION	MANCOZEB	MANCOTEX 45 F	455 g/L	F	FUNGICIDE	4	242-053-5487	05-Feb-27	-	Banana	Sigatoka/ black leaf	4.5L per hectare	-	-	Do not enter the field within 2 days after spraying	
TEIXON AGR VENTURES CORPORATION	MANCOZEB	MANCOTEX 42 SC	420 g/L	SC	FUNGICIDE	4	242-053-2117	21-Jul-23	-	Banana	Black Sigatoka	120 ml/26L water	-	0 days	Do not enter field area until spray deposits have dried	
TEIXON AGR VENTURES CORPORATION	MANCOZEB	MANCOTEX 42 SC	420 g/L	SC	FUNGICIDE	4	242-053-2117	21-Jul-23	-	Potato	Late blight	50-65 mL/34L water	-	0 days	Do not enter field area until spray deposits have dried	
TEIXON AGR VENTURES CORPORATION	MANCOZEB	MANCOTEX 42 SC	420 g/L	SC	FUNGICIDE	4	242-053-2117	21-Jul-23	-	Tomato	Early blight, late blight, cercospora leaf blight	70-100 mL/36L water	-	0 days	Do not enter field area until spray deposits have dried	
TEIXON AGR VENTURES CORPORATION	MANCOZEB	MANCOTEX 42 SC	420 g/L	SC	FUNGICIDE	4	242-053-2117	21-Jul-23	-	Mango	Anthracoese	60-100ml/36L water	-	0 days	Do not enter field area until spray deposits have dried	
SAVWELL AGRISCIENCE VENTURES CORPORATION	MANCOZEB	MANCOSAVE (BLUE) 80 WP	800 g/kg	WP	FUNGICIDE	4	681-053-5446	18-May-24	-	Cotton	Damping off	3-6 Tbsp/36 L water	-	Allow 7 days from last spray till harvest	Do not enter field within 2 days after spraying	
SAVWELL AGRISCIENCE VENTURES CORPORATION	MANCOZEB	MANCOSAVE (BLUE) 80 WP	800 g/kg	WP	FUNGICIDE	4	681-053-5446	18-May-24	-	Potato	Early and late blight	3-6 Tbsp/36 L water	-	Allow 7 days from last spray till harvest	Do not enter field within 2 days after spraying	
SAVWELL AGRISCIENCE VENTURES CORPORATION	MANCOZEB	MANCOSAVE (BLUE) 80 WP	800 g/kg	WP	FUNGICIDE	4	681-053-5446	18-May-24	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	Allow 7 days from last spray till harvest	Do not enter field within 2 days after spraying	
SAVWELL AGRISCIENCE VENTURES CORPORATION	MANCOZEB	MANCOSAVE (BLUE) 80 WP	800 g/kg	WP	FUNGICIDE	4	681-053-5446	18-May-24	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	Allow 7 days from last spray till harvest	Do not enter field within 2 days after spraying	
SAVWELL AGRISCIENCE VENTURES CORPORATION	MANCOZEB	MANCOSAVE (BLUE) 80 WP	800 g/kg	WP	FUNGICIDE	4	681-053-5446	18-May-24	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	Allow 7 days from last spray till harvest	Do not enter field within 2 days after spraying	
SAVWELL AGRISCIENCE VENTURES CORPORATION	MANCOZEB	MANCOSAVE (BLUE) 80 WP	800 g/kg	WP	FUNGICIDE	4	681-053-5446	18-May-24	-	Celery	Late blight	3-6 Tbsp/36 L water	-	Allow 7 days from last spray till harvest	Do not enter field within 2 days after spraying	
SAVWELL AGRISCIENCE VENTURES CORPORATION	MANCOZEB	MANCOSAVE (BLUE) 80 WP	800 g/kg	WP	FUNGICIDE	4	681-053-5446	18-May-24	-	Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	Allow 7 days from last spray till harvest	Do not enter field within 2 days after spraying	
SAVWELL AGRISCIENCE VENTURES CORPORATION	MANCOZEB	MANCOSAVE (BLUE) 80 WP	800 g/kg	WP	FUNGICIDE	4	681-053-5446	18-May-24	-	Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	Allow 7 days from last spray till harvest	Do not enter field within 2 days after spraying	
SAVWELL AGRISCIENCE VENTURES CORPORATION	MANCOZEB	MANCOSAVE (BLUE) 80 WP	800 g/kg	WP	FUNGICIDE	4	681-053-5446	18-May-24	-	lettuce	Downy mildew	3-6 Tbsp/36 L water	-	Allow 7 days from last spray till harvest	Do not enter field within 2 days after spraying	
SAVWELL AGRISCIENCE VENTURES CORPORATION	MANCOZEB	MANCOSAVE (BLUE) 80 WP	800 g/kg	WP	FUNGICIDE	4	681-053-5446	18-May-24	-	Beans	Anthracoese, Downy mildew, Rust	3-6 Tbsp/36 L water	-	Allow 7 days from last spray till harvest	Do not enter field within 2 days after spraying	
SAVWELL AGRISCIENCE VENTURES CORPORATION	MANCOZEB	MANCOSAVE (BLUE) 80 WP	800 g/kg	WP	FUNGICIDE	4	681-053-5446	18-May-24	-	Peas	Anthracoese, Downy mildew, Rust	3-6 Tbsp/36 L water	-	Allow 7 days from last spray till harvest	Do not enter field within 2 days after spraying	
SAVWELL AGRISCIENCE VENTURES CORPORATION	MANCOZEB	MANCOSAVE (BLUE) 80 WP	800 g/kg	WP	FUNGICIDE	4	681-053-5446	18-May-24	-	Mungo	Anthracoese, Downy mildew, Rust	3-6 Tbsp/36 L water	-	Allow 7 days from last spray till harvest	Do not enter field within 2 days after spraying	
SAVWELL AGRISCIENCE VENTURES CORPORATION	MANCOZEB	MANCOSAVE (BLUE) 80 WP	800 g/kg	WP	FUNGICIDE	4	681-053-5446	18-May-24	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/36 L water	-	Allow 7 days from last spray till harvest	Do not enter field within 2 days after spraying	
SAVWELL AGRISCIENCE VENTURES CORPORATION	MANCOZEB	MANCOSAVE (BLUE) 80 WP	800 g/kg	WP	FUNGICIDE	4	681-053-5446	18-May-24	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36 L water	-	Allow 7 days from last spray till harvest	Do not enter field within 2 days after spraying	
SAVWELL AGRISCIENCE VENTURES CORPORATION	MANCOZEB	MANCOSAVE (BLUE) 80 WP	800 g/kg	WP	FUNGICIDE	4	681-053-5446	18-May-24	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36 L water	-	Allow 7 days from last spray till harvest	Do not enter field within 2 days after spraying	
SAVWELL AGRISCIENCE VENTURES CORPORATION	MANCOZEB	MANCOSAVE (BLUE) 80 WP	800 g/kg	WP	FUNGICIDE	4	681-053-5446	18-May-24	-	Pepper	Anthracoese	3-6 Tbsp/36 L water	-	Allow 7 days from last spray till harvest	Do not enter field within 2 days after spraying	
SAVWELL AGRISCIENCE VENTURES CORPORATION	MANCOZEB	MANCOSAVE (BLUE) 80 WP	800 g/kg	WP	FUNGICIDE	4	681-053-5446	18-May-24	-	Chili	Anthracoese	3-6 Tbsp/36 L water	-	Allow 7 days from last spray till harvest	Do not enter field within 2 days after spraying	
SAVWELL AGRISCIENCE VENTURES CORPORATION	MANCOZEB	MANCOSAVE (BLUE) 80 WP	800 g/kg	WP	FUNGICIDE	4	681-053-5446	18-May-24	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/36 L water	-	Allow 7 days from last spray till harvest	Do not enter field within 2 days after spraying	
SAVWELL AGRISCIENCE VENTURES CORPORATION	MANCOZEB	MANCOSAVE (BLUE) 80 WP	800 g/kg	WP	FUNGICIDE	4	681-053-5446	18-May-24	-	Banana	Sigatoka, Black leaf streak	3-6 Tbsp/36 L water	-	Allow 7 days from last spray till harvest	Do not enter field within 2 days after spraying	
SAVWELL AGRISCIENCE VENTURES CORPORATION	MANCOZEB	MANCOSAVE (BLUE) 80 WP	800 g/kg	WP	FUNGICIDE	4	681-053-5446	18-May-24	-	Grapes	Downy mildew, black rot	3-6 Tbsp/36 L water	-	Allow 7 days from last spray till harvest	Do not enter field within 2 days after spraying	
SAVWELL AGRISCIENCE VENTURES CORPORATION	MANCOZEB	MANCOSAVE (BLUE) 80 WP	800 g/kg	WP	FUNGICIDE	4	681-053-5446	18-May-24	-	Mango	Anthracoese and Scab	3-6 Tbsp/36 L water	-	Allow 7 days from last spray till harvest	Do not enter field within 2 days after spraying	
SAVWELL AGRISCIENCE VENTURES CORPORATION	MANCOZEB	MANCOSAVE (BLUE) 80 WP	800 g/kg	WP	FUNGICIDE	4	681-053-5446	18-May-24	-	Papaya	Fruit rot	3-6 Tbsp/36 L water	-	Allow 7 days from last spray till harvest	Do not enter field within 2 days after spraying	
SAVWELL AGRISCIENCE VENTURES CORPORATION	MANCOZEB	MANCOSAVE (BLUE) 80 WP	800 g/kg	WP	FUNGICIDE	4	681-053-5446	18-May-24	-	Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	Allow 7 days from last spray till harvest	Do not enter field within 2 days after spraying	
SAVWELL AGRISCIENCE VENTURES CORPORATION	MANCOZEB	MANCOSAVE (BLUE) 80 WP	800 g/kg	WP	FUNGICIDE	4	681-053-5446	18-May-24	-	Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	Allow 7 days from last spray till harvest	Do not enter field within 2 days after spraying	
SAVWELL AGRISCIENCE VENTURES CORPORATION	MANCOZEB	MANCOSAVE (BLUE) 80 WP	800 g/kg	WP	FUNGICIDE	4	681-053-5446	18-May-24	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/36 L water	-	Allow 7 days from last spray till harvest	Do not enter field within 2 days after spraying	
SAVWELL AGRISCIENCE VENTURES CORPORATION	MANCOZEB	MANCOSAVE (BLUE) 80 WP	800 g/kg	WP	FUNGICIDE	4	681-053-5446	18-May-24	-	Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/36 L water	0.03ppm	-	Allow 7 days from last spray till harvest	Do not enter field within 2 days after spraying
SAVWELL AGRISCIENCE VENTURES CORPORATION	MANCOZEB	MANCOSAVE (BLUE) 80 WP	800 g/kg	WP	FUNGICIDE	4	681-053-5446	18-May-24	-	Peanut	Cercospora leaf spot	3-6 Tbsp/36 L water	-	Allow 7 days from last spray till harvest	Do not enter field within 2 days after spraying	
SAVWELL AGRISCIENCE VENTURES CORPORATION	MANCOZEB	MANCOSAVE (BLUE) 80 WP	800 g/kg	WP	FUNGICIDE	4	681-053-5446	18-May-24	-	Soybeans	Leaf rust	3-6 Tbsp/36 L water	-	Allow 7 days from last spray till harvest	Do not enter field within 2 days after spraying	
SAVWELL AGRISCIENCE VENTURES CORPORATION	MANCOZEB	MANCOSAVE (BLUE) 80 WP	800 g/kg	WP	FUNGICIDE	4	681-053-5446	18-May-24	-	Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/36 L water	-	Allow 7 days from last spray till harvest	Do not enter field within 2 days after spraying	
FKA AGR CHEMICAL CORPORATION	MANCOZEB	MANCO PRIME 80 WP	800 g/kg	WP	FUNGICIDE	4	399-053-3331	22-May-24	-	Potato	Early and late blight	3-6 Tbsp/36 L water	-	-	As soon as spray dries	
FKA AGR CHEMICAL CORPORATION	MANCOZEB	MANCO PRIME 80 WP	800 g/kg	WP	FUNGICIDE	4	399-053-3331	22-May-24	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries	
FKA AGR CHEMICAL CORPORATION	MANCOZEB	MANCO PRIME 80 WP	800 g/kg	WP	FUNGICIDE	4	399-053-3331	22-May-24	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries	
FKA AGR CHEMICAL CORPORATION	MANCOZEB	MANCO PRIME 80 WP	800 g/kg	WP	FUNGICIDE	4	399-053-3331	22-May-24	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries	
FKA AGR CHEMICAL CORPORATION	MANCOZEB	MANCO PRIME 80 WP	800 g/kg	WP	FUNGICIDE	4	399-053-3331	22-May-24	-	Celery	Late blight	3-6 Tbsp/36 L water	-	14 days	As soon as spray dries	
FKA AGR CHEMICAL CORPORATION	MANCOZEB	MANCO PRIME 80 WP	800 g/kg	WP	FUNGICIDE	4	399-053-3331	22-May-24	-	Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries	
FKA AGR CHEMICAL CORPORATION	MANCOZEB	MANCO PRIME 80 WP	800 g/kg	WP	FUNGICIDE	4	399-053-3331	22-May-24	-	Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries	
FKA AGR CHEMICAL CORPORATION	MANCOZEB	MANCO PRIME 80 WP	800 g/kg	WP	FUNGICIDE	4	399-053-3331	22-May-24	-	Cotton	Damping off	3-6 Tbsp/36 L water	-	-	As soon as spray dries	
FKA AGR CHEMICAL CORPORATION	MANCOZEB	MANCO PRIME 80 WP	800 g/kg	WP	FUNGICIDE	4	399-053-3331	22-May-24	-	lettuce	Downy mildew	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries	
FKA AGR CHEMICAL CORPORATION	MANCOZEB	MANCO PRIME 80 WP	800 g/kg	WP	FUNGICIDE	4	399-053-3331	22-May-24	-	Beans	Anthracoese, Downy mildew, Rust	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries	
FKA AGR CHEMICAL CORPORATION	MANCOZEB	MANCO PRIME 80 WP	800 g/kg	WP	FUNGICIDE	4	399-053-3331	22-May-24	-	Peas	Anthracoese, Downy mildew, Rust	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries	
FKA AGR CHEMICAL CORPORATION	MANCOZEB	MANCO PRIME 80 WP	800 g/kg	WP	FUNGICIDE	4	399-053-3331	22-May-24	-	Mungo	Anthracoese, Downy mildew, Rust	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries	
FKA AGR CHEMICAL CORPORATION	MANCOZEB	MANCO PRIME 80 WP	800 g/kg	WP	FUNGICIDE	4	399-053-3331	22-May-24	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries	
FKA AGR CHEMICAL CORPORATION	MANCOZEB	MANCO PRIME 80 WP	800 g/kg	WP	FUNGICIDE	4	399-053-3331	22-May-24	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries	
FKA AGR CHEMICAL CORPORATION	MANCOZEB	MANCO PRIME 80 WP	800 g/kg	WP	FUNGICIDE	4	399-053-3331	22-May-24	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries	

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
FKA AGR CHEMICAL CORPORATION	MANCOZEB	MANCO-PRIME 80 WP	800 g/kg	WP	FUNGICIDE	4	399-053-3531	22-May-24	-	Pepper	Anthracoese	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
FKA AGR CHEMICAL CORPORATION	MANCOZEB	MANCO-PRIME 80 WP	800 g/kg	WP	FUNGICIDE	4	399-053-3531	22-May-24	-	Chili	Anthracoese	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
FKA AGR CHEMICAL CORPORATION	MANCOZEB	MANCO-PRIME 80 WP	800 g/kg	WP	FUNGICIDE	4	399-053-3531	22-May-24	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
FKA AGR CHEMICAL CORPORATION	MANCOZEB	MANCO-PRIME 80 WP	800 g/kg	WP	FUNGICIDE	4	399-053-3531	22-May-24	-	Banana	Sigatoka, Black leaf streak	3-6 Tbsp/36 L water	-	-	As soon as spray dries
FKA AGR CHEMICAL CORPORATION	MANCOZEB	MANCO-PRIME 80 WP	800 g/kg	WP	FUNGICIDE	4	399-053-3531	22-May-24	-	Grapes	Downy mildew, black rot	3-6 Tbsp/36 L water	-	60 days	As soon as spray dries
FKA AGR CHEMICAL CORPORATION	MANCOZEB	MANCO-PRIME 80 WP	800 g/kg	WP	FUNGICIDE	4	399-053-3531	22-May-24	-	Mango	Anthracoese and Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
FKA AGR CHEMICAL CORPORATION	MANCOZEB	MANCO-PRIME 80 WP	800 g/kg	WP	FUNGICIDE	4	399-053-3531	22-May-24	-	Papaya	Fruit rot	3-6 Tbsp/36 L water	-	-	As soon as spray dries
FKA AGR CHEMICAL CORPORATION	MANCOZEB	MANCO-PRIME 80 WP	800 g/kg	WP	FUNGICIDE	4	399-053-3531	22-May-24	-	Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
FKA AGR CHEMICAL CORPORATION	MANCOZEB	MANCO-PRIME 80 WP	800 g/kg	WP	FUNGICIDE	4	399-053-3531	22-May-24	-	Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
FKA AGR CHEMICAL CORPORATION	MANCOZEB	MANCO-PRIME 80 WP	800 g/kg	WP	FUNGICIDE	4	399-053-3531	22-May-24	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
FKA AGR CHEMICAL CORPORATION	MANCOZEB	MANCO-PRIME 80 WP	800 g/kg	WP	FUNGICIDE	4	399-053-3531	22-May-24	-	Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/36 L water	0.02ppm	-	As soon as spray dries
FKA AGR CHEMICAL CORPORATION	MANCOZEB	MANCO-PRIME 80 WP	800 g/kg	WP	FUNGICIDE	4	399-053-3531	22-May-24	-	Peanut	Cercospora leaf spot	3-6 Tbsp/36 L water	-	14 Days	As soon as spray dries
FKA AGR CHEMICAL CORPORATION	MANCOZEB	MANCO-PRIME 80 WP	800 g/kg	WP	FUNGICIDE	4	399-053-3531	22-May-24	-	Soybeans	Leaf rust	3-6 Tbsp/36 L water	-	-	As soon as spray dries
FKA AGR CHEMICAL CORPORATION	MANCOZEB	MANCO-PRIME 80 WP	800 g/kg	WP	FUNGICIDE	4	399-053-3531	22-May-24	-	Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/36 L water	-	-	As soon as spray dries
NEXCHEM CORPORATION	MANCONEX	MANCONEX 80 WP	800 g/kg	WP	FUNGICIDE	4	702-053-5611	01-Dec-24	-	Potato	Early and late blight	3.0-6.0 Tbsp/36L Water	-	-	As soon as spray dries
NEXCHEM CORPORATION	MANCONEX	MANCONEX 80 WP	800 g/kg	WP	FUNGICIDE	4	702-053-5611	01-Dec-24	-	Cabbage	Downy mildew, alternaria leaf spot	3.0-6.0 Tbsp/36L Water	-	-	As soon as spray dries
NEXCHEM CORPORATION	MANCONEX	MANCONEX 80 WP	800 g/kg	WP	FUNGICIDE	4	702-053-5611	01-Dec-24	-	Cauliflower	Downy mildew, alternaria leaf spot	3.0-6.0 Tbsp/36L Water	-	-	As soon as spray dries
NEXCHEM CORPORATION	MANCONEX	MANCONEX 80 WP	800 g/kg	WP	FUNGICIDE	4	702-053-5611	01-Dec-24	-	Broccoli	Downy mildew, alternaria leaf spot	3.0-6.0 Tbsp/36L Water	-	-	As soon as spray dries
NEXCHEM CORPORATION	MANCONEX	MANCONEX 80 WP	800 g/kg	WP	FUNGICIDE	4	702-053-5611	01-Dec-24	-	Celery	Late blight	3.0-6.0 Tbsp/36L Water	-	-	As soon as spray dries
NEXCHEM CORPORATION	MANCONEX	MANCONEX 80 WP	800 g/kg	WP	FUNGICIDE	4	702-053-5611	01-Dec-24	-	Cucumber	Downy mildew, anthracnose, scab	3.0-6.0 Tbsp/36L Water	-	-	As soon as spray dries
NEXCHEM CORPORATION	MANCONEX	MANCONEX 80 WP	800 g/kg	WP	FUNGICIDE	4	702-053-5611	01-Dec-24	-	Squash	Downy mildew, anthracnose, scab	3.0-6.0 Tbsp/36L Water	-	-	As soon as spray dries
NEXCHEM CORPORATION	MANCONEX	MANCONEX 80 WP	800 g/kg	WP	FUNGICIDE	4	702-053-5611	01-Dec-24	-	Cotton	Damping off	3.0-6.0 Tbsp/36L Water	-	-	As soon as spray dries
NEXCHEM CORPORATION	MANCONEX	MANCONEX 80 WP	800 g/kg	WP	FUNGICIDE	4	702-053-5611	01-Dec-24	-	Artichoke	Downy mildew	3.0-6.0 Tbsp/36L Water	-	-	As soon as spray dries
NEXCHEM CORPORATION	MANCONEX	MANCONEX 80 WP	800 g/kg	WP	FUNGICIDE	4	702-053-5611	01-Dec-24	-	Beans	Anthracoese, Downy mildew, Rust	3.0-6.0 Tbsp/36L Water	-	-	As soon as spray dries
NEXCHEM CORPORATION	MANCONEX	MANCONEX 80 WP	800 g/kg	WP	FUNGICIDE	4	702-053-5611	01-Dec-24	-	Peas	Anthracoese, Downy mildew, Rust	3.0-6.0 Tbsp/36L Water	-	-	As soon as spray dries
NEXCHEM CORPORATION	MANCONEX	MANCONEX 80 WP	800 g/kg	WP	FUNGICIDE	4	702-053-5611	01-Dec-24	-	Mungbeans	Anthracoese, Downy mildew, Rust	3.0-6.0 Tbsp/36L Water	-	-	As soon as spray dries
NEXCHEM CORPORATION	MANCONEX	MANCONEX 80 WP	800 g/kg	WP	FUNGICIDE	4	702-053-5611	01-Dec-24	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3.0-6.0 Tbsp/36L Water	-	-	As soon as spray dries
NEXCHEM CORPORATION	MANCONEX	MANCONEX 80 WP	800 g/kg	WP	FUNGICIDE	4	702-053-5611	01-Dec-24	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3.0-6.0 Tbsp/36L Water	-	-	As soon as spray dries
NEXCHEM CORPORATION	MANCONEX	MANCONEX 80 WP	800 g/kg	WP	FUNGICIDE	4	702-053-5611	01-Dec-24	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3.0-6.0 Tbsp/36L Water	-	-	As soon as spray dries
NEXCHEM CORPORATION	MANCONEX	MANCONEX 80 WP	800 g/kg	WP	FUNGICIDE	4	702-053-5611	01-Dec-24	-	Pepper	Anthracoese	3.0-6.0 Tbsp/36L Water	-	-	As soon as spray dries
NEXCHEM CORPORATION	MANCONEX	MANCONEX 80 WP	800 g/kg	WP	FUNGICIDE	4	702-053-5611	01-Dec-24	-	Chili	Anthracoese	3.0-6.0 Tbsp/36L Water	-	-	As soon as spray dries
NEXCHEM CORPORATION	MANCONEX	MANCONEX 80 WP	800 g/kg	WP	FUNGICIDE	4	702-053-5611	01-Dec-24	-	Eggplant	Blight, Anthracnose	3.0-6.0 Tbsp/36L Water	-	-	As soon as spray dries
NEXCHEM CORPORATION	MANCONEX	MANCONEX 80 WP	800 g/kg	WP	FUNGICIDE	4	702-053-5611	01-Dec-24	-	Banana	Sigatoka, Black leaf streak	3.0-6.0 Tbsp/36L Water	-	-	As soon as spray dries
NEXCHEM CORPORATION	MANCONEX	MANCONEX 80 WP	800 g/kg	WP	FUNGICIDE	4	702-053-5611	01-Dec-24	-	Grape	Downy mildew, black rot	3.0-6.0 Tbsp/36L Water	-	-	As soon as spray dries
NEXCHEM CORPORATION	MANCONEX	MANCONEX 80 WP	800 g/kg	WP	FUNGICIDE	4	702-053-5611	01-Dec-24	-	Mango	Anthracoese and Scab	3.0-6.0 Tbsp/36L Water	-	-	As soon as spray dries
NEXCHEM CORPORATION	MANCONEX	MANCONEX 80 WP	800 g/kg	WP	FUNGICIDE	4	702-053-5611	01-Dec-24	-	Papaya	Fruit rot	3.0-6.0 Tbsp/36L Water	-	-	As soon as spray dries
NEXCHEM CORPORATION	MANCONEX	MANCONEX 80 WP	800 g/kg	WP	FUNGICIDE	4	702-053-5611	01-Dec-24	-	Melon	Downy mildew, anthracnose, scab	3.0-6.0 Tbsp/36L Water	-	-	As soon as spray dries
NEXCHEM CORPORATION	MANCONEX	MANCONEX 80 WP	800 g/kg	WP	FUNGICIDE	4	702-053-5611	01-Dec-24	-	Watermelon	Downy mildew, anthracnose, scab	3.0-6.0 Tbsp/36L Water	-	-	As soon as spray dries
NEXCHEM CORPORATION	MANCONEX	MANCONEX 80 WP	800 g/kg	WP	FUNGICIDE	4	702-053-5611	01-Dec-24	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3.0-6.0 Tbsp/36L Water	-	-	As soon as spray dries
NEXCHEM CORPORATION	MANCONEX	MANCONEX 80 WP	800 g/kg	WP	FUNGICIDE	4	702-053-5611	01-Dec-24	-	Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3.0-6.0 Tbsp/36L Water	-	-	As soon as spray dries
NEXCHEM CORPORATION	MANCONEX	MANCONEX 80 WP	800 g/kg	WP	FUNGICIDE	4	702-053-5611	01-Dec-24	-	Peanut	Cercospora leaf spot	3.0-6.0 Tbsp/36L Water	-	-	As soon as spray dries
NEXCHEM CORPORATION	MANCONEX	MANCONEX 80 WP	800 g/kg	WP	FUNGICIDE	4	702-053-5611	01-Dec-24	-	Soybeans	Leaf rust	3.0-6.0 Tbsp/36L Water	-	-	As soon as spray dries
NEXCHEM CORPORATION	MANCONEX	MANCONEX 80 WP	800 g/kg	WP	FUNGICIDE	4	702-053-5611	01-Dec-24	-	Ornamentals	Black spot, blight anthracnose	3.0-6.0 Tbsp/36L Water	-	-	As soon as spray dries
SABERO ORGANICS PHILIPPINES ASIA INC.	CYMOXANI-MANCOZEB	MANCOCYM 50S WP	40-46g/kg	WP	FUNGICIDE	4	466-163-4730	25-Mar-25	-	Potato	Late Blight	50 (gram product/16 L)	-	-	Do not entry fields treated with MANCOCYM 50S WP 24 hours after application
SABERO ORGANICS PHILIPPINES ASIA INC.	CYMOXANI-MANCOZEB	MANCOCYM 50S WP	40-46g/kg	WP	FUNGICIDE	4	466-163-4730	25-Mar-25	-	Tomato	Late Blight	50 (gram product/16 L)	-	-	Do not entry fields treated with MANCOCYM 50S WP 24 hours after application
SABERO ORGANICS PHILIPPINES ASIA INC.	CYMOXANI-MANCOZEB	MANCOCYM 50S WP	40-46g/kg	WP	FUNGICIDE	4	466-163-4730	25-Mar-25	-	Grapes	Downy mildew	50 (gram product/16 L)	-	-	Do not entry fields treated with MANCOCYM 50S WP 24 hours after application
LEADS AGRICULTURAL PRODUCTS CORPORATION	MANCOZEB	MANAGER 80 WP	800 g/kg	WP	FUNGICIDE	4	099-053-0836	14-May-25	-	Potato	Early and late blight	3-6 Tbsp/36 L water	-	-	As soon as spray dries
LEADS AGRICULTURAL PRODUCTS CORPORATION	MANCOZEB	MANAGER 80 WP	800 g/kg	WP	FUNGICIDE	4	099-053-0836	14-May-25	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
LEADS AGRICULTURAL PRODUCTS CORPORATION	MANCOZEB	MANAGER 80 WP	800 g/kg	WP	FUNGICIDE	4	099-053-0836	14-May-25	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
LEADS AGRICULTURAL PRODUCTS CORPORATION	MANCOZEB	MANAGER 80 WP	800 g/kg	WP	FUNGICIDE	4	099-053-0836	14-May-25	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
LEADS AGRICULTURAL PRODUCTS CORPORATION	MANCOZEB	MANAGER 80 WP	800 g/kg	WP	FUNGICIDE	4	099-053-0836	14-May-25	-	Celery	Late blight	3-6 Tbsp/36 L water	-	14 Days	As soon as spray dries
LEADS AGRICULTURAL PRODUCTS CORPORATION	MANCOZEB	MANAGER 80 WP	800 g/kg	WP	FUNGICIDE	4	099-053-0836	14-May-25	-	Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
LEADS AGRICULTURAL PRODUCTS CORPORATION	MANCOZEB	MANAGER 80 WP	800 g/kg	WP	FUNGICIDE	4	099-053-0836	14-May-25	-	Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
LEADS AGRICULTURAL PRODUCTS CORPORATION	MANCOZEB	MANAGER 80 WP	800 g/kg	WP	FUNGICIDE	4	099-053-0836	14-May-25	-	Cotton	Damping off	3-6 Tbsp/36 L water	-	-	As soon as spray dries
LEADS AGRICULTURAL PRODUCTS CORPORATION	MANCOZEB	MANAGER 80 WP	800 g/kg	WP	FUNGICIDE	4	099-053-0836	14-May-25	-	Artichoke	Downy mildew	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
LEADS AGRICULTURAL PRODUCTS CORPORATION	MANCOZEB	MANAGER 80 WP	800 g/kg	WP	FUNGICIDE	4	099-053-0836	14-May-25	-	Beans	Anthracoese, Downy mildew, Rust	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
LEADS AGRICULTURAL PRODUCTS CORPORATION	MANCOZEB	MANAGER 80 WP	800 g/kg	WP	FUNGICIDE	4	099-051-0836	14-May-25	-	Peas	Anthracoese, Downy mildew, Rust	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
LEADS AGRICULTURAL PRODUCTS CORPORATION	MANCOZEB	MANAGER 80 WP	800 g/kg	WP	FUNGICIDE	4	099-051-0836	14-May-25	-	Mungo	Anthracoese, Downy mildew, Rust	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
LEADS AGRICULTURAL PRODUCTS CORPORATION	MANCOZEB	MANAGER 80 WP	800 g/kg	WP	FUNGICIDE	4	099-051-0836	14-May-25	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
LEADS AGRICULTURAL PRODUCTS CORPORATION	MANCOZEB	MANAGER 80 WP	800 g/kg	WP	FUNGICIDE	4	099-051-0836	14-May-25	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries
LEADS AGRICULTURAL PRODUCTS CORPORATION	MANCOZEB	MANAGER 80 WP	800 g/kg	WP	FUNGICIDE	4	099-051-0836	14-May-25	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
LEADS AGRICULTURAL PRODUCTS CORPORATION	MANCOZEB	MANAGER 80 WP	800 g/kg	WP	FUNGICIDE	4	099-051-0836	14-May-25	-	Pepper	Anthracoese	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
LEADS AGRICULTURAL PRODUCTS CORPORATION	MANCOZEB	MANAGER 80 WP	800 g/kg	WP	FUNGICIDE	4	099-051-0836	14-May-25	-	Chili	Anthracoese	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
LEADS AGRICULTURAL PRODUCTS CORPORATION	MANCOZEB	MANAGER 80 WP	800 g/kg	WP	FUNGICIDE	4	099-051-0836	14-May-25	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
LEADS AGRICULTURAL PRODUCTS CORPORATION	MANCOZEB	MANAGER 80 WP	800 g/kg	WP	FUNGICIDE	4	099-051-0836	14-May-25	-	Banana	Sigatoka, Black leaf streak	3-6 Tbsp/36 L water	-	-	As soon as spray dries
LEADS AGRICULTURAL PRODUCTS CORPORATION	MANCOZEB	MANAGER 80 WP	800 g/kg	WP	FUNGICIDE	4	099-051-0836	14-May-25	-	Grapes	Downy mildew, black rot	3-6 Tbsp/36 L water	-	60 days	As soon as spray dries
LEADS AGRICULTURAL PRODUCTS CORPORATION	MANCOZEB	MANAGER 80 WP	800 g/kg	WP	FUNGICIDE	4	099-051-0836	14-May-25	-	Mango	Anthracoese and Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
LEADS AGRICULTURAL PRODUCTS CORPORATION	MANCOZEB	MANAGER 80 WP	800 g/kg	WP	FUNGICIDE	4	099-051-0836	14-May-25	-	Papaya	Fruit rot	3-6 Tbsp/36 L water	-	-	As soon as spray dries
LEADS AGRICULTURAL PRODUCTS CORPORATION	MANCOZEB	MANAGER 80 WP	800 g/kg	WP	FUNGICIDE	4	099-051-0836	14-May-25	-	Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
LEADS AGRICULTURAL PRODUCTS CORPORATION	MANCOZEB	MANAGER 80 WP	800 g/kg	WP	FUNGICIDE	4	099-051-0836	14-May-25	-	Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
LEADS AGRICULTURAL PRODUCTS CORPORATION	MANCOZEB	MANAGER 80 WP	800 g/kg	WP	FUNGICIDE	4	099-051-0836	14-May-25	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
LEADS AGRICULTURAL PRODUCTS CORPORATION	MANCOZEB	MANAGER 80 WP	800 g/kg	WP	FUNGICIDE	4	099-051-0836	14-May-25	-	Rice	Blast, Sheath blight, cereospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/36 L water	0.02ppm	-	As soon as spray dries
LEADS AGRICULTURAL PRODUCTS CORPORATION	MANCOZEB	MANAGER 80 WP	800 g/kg	WP	FUNGICIDE	4	099-051-0836	14-May-25	-	Peanut	Cercospora leaf spot	3-6 Tbsp/36 L water	-	14 Days	As soon as spray dries
LEADS AGRICULTURAL PRODUCTS CORPORATION	MANCOZEB	MANAGER 80 WP	800 g/kg	WP	FUNGICIDE	4	099-051-0836	14-May-25	-	Soybeans	Leaf rust	3-6 Tbsp/36 L water	-	-	As soon as spray dries
LEADS AGRICULTURAL PRODUCTS CORPORATION	MANCOZEB	MANAGER 80 WP	800 g/kg	WP	FUNGICIDE	4	099-051-0836	14-May-25	-	Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/36 L water	-	-	As soon as spray dries
LIChemPHIL INTERNATIONAL INC.	MALATHION	MALATE 57 EC	570 g/L	EC	INSECTICIDE	4	590-038-5598	12-Nov-24	-	Fruit trees	Aphids, mealy bug scale insect	1.5-3.0Tbsp/36 L water	-	A day after spraying	A day after each spraying
LIChemPHIL INTERNATIONAL INC.	MALATHION	MALATE 57 EC	570 g/L	EC	INSECTICIDE	4	590-038-5598	12-Nov-24	-	Rice	Armyworm, caseworm, leafhopper, bugs	2.0-3.0Tbsp/36 L water	-	A day after spraying	A day after each spraying
LIChemPHIL INTERNATIONAL INC.	MALATHION	MALATE 57 EC	570 g/L	EC	INSECTICIDE	4	590-038-5598	12-Nov-24	-	Corn	Earworm, silkworm, aphids, grasshopper	3.0-5.0Tbsp/36 L water	-	A day after spraying	A day after each spraying
LIChemPHIL INTERNATIONAL INC.	MALATHION	MALATE 57 EC	570 g/L	EC	INSECTICIDE	4	590-038-5598	12-Nov-24	-	Cabbage	Cabbage worm, loopers, diamond-back moth	2.0-5.0Tbsp/36 L water	-	A day after spraying	A day after each spraying
LIChemPHIL INTERNATIONAL INC.	MALATHION	MALATE 57 EC	570 g/L	EC	INSECTICIDE	4	590-038-5598	12-Nov-24	-	Legumes	Aphids, beanfly, cutworm, flea beetles, leafminer, maggots, mealybug, podborer, thrips	2.0-5.0Tbsp/36 L water	-	A day after spraying	A day after each spraying
LIChemPHIL INTERNATIONAL INC.	MALATHION	MALATE 57 EC	570 g/L	EC	INSECTICIDE	4	590-038-5598	12-Nov-24	-	Grapes	Beetles, cutworm, leafhopper, mealybug, scale, insect, spider mites	3.0Tbsp/36 L water	-	A day after spraying	A day after each spraying
LIChemPHIL INTERNATIONAL INC.	MALATHION	MALATE 57 EC	570 g/L	EC	INSECTICIDE	4	590-038-5598	12-Nov-24	-	Pineapple	Mealy bug	3.0Tbsp/36 L water	-	A day after spraying	A day after each spraying
LIChemPHIL INTERNATIONAL INC.	MALATHION	MALATE 57 EC	570 g/L	EC	INSECTICIDE	4	590-038-5598	12-Nov-24	-	Pepper	Aphid, cutworm, fruitworm	3.0Tbsp/36 L water	-	A day after spraying	A day after each spraying
LIChemPHIL INTERNATIONAL INC.	MALATHION	MALATE 57 EC	570 g/L	EC	INSECTICIDE	4	590-038-5598	12-Nov-24	-	Garlic	Cutworm	3.0Tbsp/36 L water	-	A day after spraying	A day after each spraying
LIChemPHIL INTERNATIONAL INC.	MALATHION	MALATE 57 EC	570 g/L	EC	INSECTICIDE	4	590-038-5598	12-Nov-24	-	Onion	Cutworm	3.0Tbsp/36 L water	-	A day after spraying	A day after each spraying
LIChemPHIL INTERNATIONAL INC.	MALATHION	MALATE 57 EC	570 g/L	EC	INSECTICIDE	4	590-038-5598	12-Nov-24	-	Tobacco	Aphids, katydid	3.0-6.0Tbsp/36 L water	-	A day after spraying	A day after each spraying
LIChemPHIL INTERNATIONAL INC.	MALATHION	MALATE 57 EC	570 g/L	EC	INSECTICIDE	4	590-038-5598	12-Nov-24	-	Ornamentals	Aphids, cutworm, mealybug, scale insect, spider mites	3.0-5.0Tbsp/36 L water	-	A day after spraying	A day after each spraying
LIChemPHIL INTERNATIONAL INC.	MALATHION	MALATE 57 EC	570 g/L	EC	INSECTICIDE	4	590-038-5598	12-Nov-24	-	Tomato	Lady beetle	3.0-5.0Tbsp/36 L water	-	A day after spraying	A day after each spraying
LIChemPHIL INTERNATIONAL INC.	MALATHION	MALATE 57 EC	570 g/L	EC	INSECTICIDE	4	590-038-5598	12-Nov-24	-	Eggplant	Aphids, fruitworm	3.0-5.0Tbsp/36 L water	-	A day after spraying	A day after each spraying
LIChemPHIL INTERNATIONAL INC.	MALATHION	MALATE 57 EC	570 g/L	EC	INSECTICIDE	4	590-038-5598	12-Nov-24	-	Sorghum	Web worm	3.0Tbsp/36 L water	-	A day after spraying	A day after each spraying
VETMATE FARMA CORP.	MALATHION	MALATANIC 57 EC	570 g/L	EC	INSECTICIDE	4	658-038-5328	20-Jan-24	-	Fruit trees	Aphids, mealy bug scale insect	1.5-3.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying
VETMATE FARMA CORP.	MALATHION	MALATANIC 57 EC	570 g/L	EC	INSECTICIDE	4	658-038-5328	20-Jan-24	-	Rice	Armyworm, caseworm, leafhopper, bugs	2.0-3.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying
VETMATE FARMA CORP.	MALATHION	MALATANIC 57 EC	570 g/L	EC	INSECTICIDE	4	658-038-5328	20-Jan-24	-	Corn	Earworm, silkworm, aphids, grasshopper	3.0-5.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying
VETMATE FARMA CORP.	MALATHION	MALATANIC 57 EC	570 g/L	EC	INSECTICIDE	4	658-038-5328	20-Jan-24	-	Cabbage	Cabbage worm, loopers, diamond-back moth	2.0-5.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying
VETMATE FARMA CORP.	MALATHION	MALATANIC 57 EC	570 g/L	EC	INSECTICIDE	4	658-038-5328	20-Jan-24	-	Legumes	Aphids, beanfly, cutworm, flea beetles, leafminer, maggots, mealybug, podborer, thrips	2.0-5.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying
VETMATE FARMA CORP.	MALATHION	MALATANIC 57 EC	570 g/L	EC	INSECTICIDE	4	658-038-5328	20-Jan-24	-	Grapes	Beetles, cutworm, leafhopper, mealybug, scale, insect, spider mites	3.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying
VETMATE FARMA CORP.	MALATHION	MALATANIC 57 EC	570 g/L	EC	INSECTICIDE	4	658-038-5328	20-Jan-24	-	Pineapple	Mealy bug	3.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying
VETMATE FARMA CORP.	MALATHION	MALATANIC 57 EC	570 g/L	EC	INSECTICIDE	4	658-038-5328	20-Jan-24	-	Pepper	Aphid, cutworm, fruitworm	3.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying
VETMATE FARMA CORP.	MALATHION	MALATANIC 57 EC	570 g/L	EC	INSECTICIDE	4	658-038-5328	20-Jan-24	-	Garlic	Cutworm	3.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying
VETMATE FARMA CORP.	MALATHION	MALATANIC 57 EC	570 g/L	EC	INSECTICIDE	4	658-038-5328	20-Jan-24	-	Onion	Cutworm	3.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying
VETMATE FARMA CORP.	MALATHION	MALATANIC 57 EC	570 g/L	EC	INSECTICIDE	4	658-038-5328	20-Jan-24	-	Tobacco	Aphids, katydid	3.0-6.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying
VETMATE FARMA CORP.	MALATHION	MALATANIC 57 EC	570 g/L	EC	INSECTICIDE	4	658-038-5328	20-Jan-24	-	Ornamentals	Aphids, cutworm, mealybug, scale insect, spider mites	3.0-5.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying
VETMATE FARMA CORP.	MALATHION	MALATANIC 57 EC	570 g/L	EC	INSECTICIDE	4	658-038-5328	20-Jan-24	-	Tomato	Lady beetle	3.0-5.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying
VETMATE FARMA CORP.	MALATHION	MALATANIC 57 EC	570 g/L	EC	INSECTICIDE	4	658-038-5328	20-Jan-24	-	Eggplant	Aphids, fruitworm	3.0-5.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying
VETMATE FARMA CORP.	MALATHION	MALATANIC 57 EC	570 g/L	EC	INSECTICIDE	4	658-038-5328	20-Jan-24	-	Sorghum	Web worm	3.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying
SABERO ORGANICS PHILIPPINES ASIA INC.	MALATHION	MALAMAR 57 EC	570 g/L	EC	INSECTICIDE	4	466-038-4133	09-Oct-26	NON-SYSTEMIC	Fruit trees	Aphids, mealy bug scale insect	1.5-3.0Tbsp/36 L water	-	-	-
SABERO ORGANICS PHILIPPINES ASIA INC.	MALATHION	MALAMAR 57 EC	570 g/L	EC	INSECTICIDE	4	466-038-4133	09-Oct-26	NON-SYSTEMIC	Rice	Armyworm, caseworm, leafhopper, bugs	2.0-5.0Tbsp/36 L water	-	-	-
SABERO ORGANICS PHILIPPINES ASIA INC.	MALATHION	MALAMAR 57 EC	570 g/L	EC	INSECTICIDE	4	466-038-4133	09-Oct-26	NON-SYSTEMIC	Corn	Earworm, silkworm, aphids, grasshopper	3.0-5.0Tbsp/36 L water	-	-	-
SABERO ORGANICS PHILIPPINES ASIA INC.	MALATHION	MALAMAR 57 EC	570 g/L	EC	INSECTICIDE	4	466-038-4133	09-Oct-26	NON-SYSTEMIC	Crucifers (Cabbage)	Cabbage worm, loopers, diamond-back moth	2.0-5.0Tbsp/36 L water	-	-	-
SABERO ORGANICS PHILIPPINES ASIA INC.	MALATHION	MALAMAR 57 EC	570 g/L	EC	INSECTICIDE	4	466-038-4133	09-Oct-26	NON-SYSTEMIC	Legumes	Aphids, beanfly, cutworm, flea beetles, leafminer, maggots, mealybug, podborer, thrips	2.0-5.0Tbsp/36 L water	-	-	-
SABERO ORGANICS PHILIPPINES ASIA INC.	MALATHION	MALAMAR 57 EC	570 g/L	EC	INSECTICIDE	4	466-038-4133	09-Oct-26	NON-SYSTEMIC	Grapes	Beetles, cutworm, leafhopper, mealybug, scale, insect, spider mites	3.0Tbsp/36 L water	-	-	-
SABERO ORGANICS PHILIPPINES ASIA INC.	MALATHION	MALAMAR 57 EC	570 g/L	EC	INSECTICIDE	4	466-038-4133	09-Oct-26	NON-SYSTEMIC	Pineapple	Mealy bug	3.0Tbsp/36 L water	-	-	-

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
SABERO ORGANICS PHILIPPINES ASIA INC.	MALATHION	MALAMAR 57 EC	570 g/L	EC	INSECTICIDE	4	466-038-4133	09-Oct-26	NON-SYSTEMIC	Pepper	Aphid, cutworm, fruitworm	3.0Tbsp/36 L water	-	-	-
SABERO ORGANICS PHILIPPINES ASIA INC.	MALATHION	MALAMAR 57 EC	570 g/L	EC	INSECTICIDE	4	466-038-4133	09-Oct-26	NON-SYSTEMIC	Garlic	Cutworm	3.0Tbsp/36 L water	-	-	-
SABERO ORGANICS PHILIPPINES ASIA INC.	MALATHION	MALAMAR 57 EC	570 g/L	EC	INSECTICIDE	4	466-038-4133	09-Oct-26	NON-SYSTEMIC	Onion	Cutworm	3.0Tbsp/36 L water	-	-	-
SABERO ORGANICS PHILIPPINES ASIA INC.	MALATHION	MALAMAR 57 EC	570 g/L	EC	INSECTICIDE	4	466-038-4133	09-Oct-26	NON-SYSTEMIC	Tobacco	Aphids, ladyd d	3.0-6.0Tbsp/36 L water	-	-	-
SABERO ORGANICS PHILIPPINES ASIA INC.	MALATHION	MALAMAR 57 EC	570 g/L	EC	INSECTICIDE	4	466-038-4133	09-Oct-26	NON-SYSTEMIC	Ornamentals	Aphids, cutworm, mealybug, scale insect, spider mites	3.0-6.0Tbsp/36 L water	-	-	-
SABERO ORGANICS PHILIPPINES ASIA INC.	MALATHION	MALAMAR 57 EC	570 g/L	EC	INSECTICIDE	4	466-038-4133	09-Oct-26	NON-SYSTEMIC	Tomato	Lady beetle	3.0-5.0Tbsp/36 L water	-	-	-
SABERO ORGANICS PHILIPPINES ASIA INC.	MALATHION	MALAMAR 57 EC	570 g/L	EC	INSECTICIDE	4	466-038-4133	09-Oct-26	NON-SYSTEMIC	Eggplant	Aphids, fruitworm	3.0-5.0Tbsp/36 L water	-	-	-
SABERO ORGANICS PHILIPPINES ASIA INC.	MALATHION	MALAMAR 57 EC	570 g/L	EC	INSECTICIDE	4	466-038-4133	09-Oct-26	NON-SYSTEMIC	Sorghum	Web worm	3.0Tbsp/36 L water	-	-	-
METRO AGRY TRADING AND GENERAL MERCHANDISE INCORPORATED	PROPICONAZOLE	MAKALU 25 EC	250 g/L	EC	FUNGICIDE	3	634-178-6396	19-Dec-26	SYSTEMIC	Banana	Black Sigatoka	0.41 gprod / ha	-	-	-
METRO AGRY TRADING AND GENERAL MERCHANDISE INCORPORATED	PROPICONAZOLE	MAKALU 25 EC	250 g/L	EC	FUNGICIDE	3	634-178-6396	19-Dec-26	SYSTEMIC	Pineapple	Butt rot	Dip seed in 8 mL/ 200L water solution	-	-	-
KEMSTAR CORPORATION	BP/MC	MAJESTY 50 EC	500 g/L	EC	INSECTICIDE	2	239-002-4119	18-Sep-26	-	Rice	Green leafhopper, brown plant hopper & leafhopper	3-5 Tbsp/36 L water	-	Do not spray 10 days before harvest	24 hours after each spray
KEMSTAR CORPORATION	BP/MC	MAJESTY 50 EC	500 g/L	EC	INSECTICIDE	2	239-002-4119	18-Sep-26	-	Cotton	leafhopper, thrips & aphids	3-5 Tbsp/36 L water	-	Do not spray 10 days before harvest	24 hours after each spray
KEMSTAR CORPORATION	BP/MC	MAJESTY 50 EC	500 g/L	EC	INSECTICIDE	2	239-002-4119	18-Sep-26	-	Citrus	Scale insects, aphids, mealy bug, aphids, & cutworm	3-4 Tbsp/36 L water	-	Do not spray 10 days before harvest	24 hours after each spray
KEMSTAR CORPORATION	BP/MC	MAJESTY 50 EC	500 g/L	EC	INSECTICIDE	2	239-002-4119	18-Sep-26	-	Crucifers	Diamond-back moth, cabbage worms, aphids & cutworms	3-5 Tbsp/36 L water	-	Do not spray 10 days before harvest	24 hours after each spray
KEMSTAR CORPORATION	BP/MC	MAJESTY 50 EC	500 g/L	EC	INSECTICIDE	2	239-002-4119	18-Sep-26	-	Mango	hopper & tip borer	3-5 Tbsp/36 L water	-	Do not spray 10 days before harvest	24 hours after each spray
AVC CHEMICAL CORPORATION	FLONICAMID	MAINMAN 30 WG	500 g/kg	WG	INSECTICIDE	4	060-443-3229	07-Nov-24	SYSTEMIC	Eggplant	Aphids & Leafhoppers	5-6-7.2 g/36 L water	-	3 days	-
NORTHERN PRIME TRADING CORPORATION	METALDEHYDE	MAHINDRA 6%	-	-	MOLLUSCIDE	4	728-075-5858	22-Apr-25	-	Rice (Transplanted)	Golden apple snail	2.4 kg/ha	-	-	Do not enter treated field within 48 hours after application.
NORTHERN PRIME TRADING CORPORATION	METALDEHYDE	MAHINDRA 6%	-	-	MOLLUSCIDE	4	728-075-5858	22-Apr-25	-	Rice (Direct Seeded)	Golden apple snail	4.8 kg/ha	-	-	Do not enter treated field within 48 hours after application.
NORTHERN PRIME TRADING CORPORATION	METALDEHYDE	MAHINDRA 6%	-	-	MOLLUSCIDE	4	728-075-5858	22-Apr-25	-	Potted and driftwood attached plants such as	Brush snails, giant african snail and slugs	3-2 kg/ha	-	-	Do not enter treated field within 48 hours after application.
ALDIZ INCORPORATED	CYPERMETHRIN	MAGNUM 5 EC	50 g/L	EC	INSECTICIDE	4	002-037-0583	23-Feb-26	CONTACT	Mango	leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ALDIZ INCORPORATED	CYPERMETHRIN	MAGNUM 5 EC	50 g/L	EC	INSECTICIDE	4	002-037-0583	23-Feb-26	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leafhopper, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ALDIZ INCORPORATED	CYPERMETHRIN	MAGNUM 5 EC	50 g/L	EC	INSECTICIDE	4	002-037-0583	23-Feb-26	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ALDIZ INCORPORATED	CYPERMETHRIN	MAGNUM 5 EC	50 g/L	EC	INSECTICIDE	4	002-037-0583	23-Feb-26	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ALDIZ INCORPORATED	CYPERMETHRIN	MAGNUM 5 EC	50 g/L	EC	INSECTICIDE	4	002-037-0583	23-Feb-26	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ALDIZ INCORPORATED	CYPERMETHRIN	MAGNUM 5 EC	50 g/L	EC	INSECTICIDE	4	002-037-0583	23-Feb-26	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ALDIZ INCORPORATED	CYPERMETHRIN	MAGNUM 5 EC	50 g/L	EC	INSECTICIDE	4	002-037-0583	23-Feb-26	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ALDIZ INCORPORATED	CYPERMETHRIN	MAGNUM 5 EC	50 g/L	EC	INSECTICIDE	4	002-037-0583	23-Feb-26	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ALDIZ INCORPORATED	CYPERMETHRIN	MAGNUM 5 EC	50 g/L	EC	INSECTICIDE	4	002-037-0583	23-Feb-26	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ALDIZ INCORPORATED	CYPERMETHRIN	MAGNUM 5 EC	50 g/L	EC	INSECTICIDE	4	002-037-0583	23-Feb-26	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ALDIZ INCORPORATED	CYPERMETHRIN	MAGNUM 5 EC	50 g/L	EC	INSECTICIDE	4	002-037-0583	23-Feb-26	CONTACT	Corn	Comborer, earworm	1.0-4.5 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
VERDANT LUSTERCORE CORPORATION	ALCOHOL C13 100, ETHOXYLATED	MAGNIFY	800g/L	-	OTHERS	4	546-460-4129	09-Mar-22	POST-EMERGENT	-	As surfactant of DRUMLIN 100 SC	25-30mL/36 L of water	-	-	Re-entry to treated field is allowed as soon as spray have deposits
MARS AGRI VENTURES AND COMMODITIES INC.	CYPERMETHRIN	MAGNET 5 EC	50 g/L	EC	INSECTICIDE	4	609-037-5288	27-Jun-22	CONTACT	Mango	leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
MARS AGRI VENTURES AND COMMODITIES INC.	CYPERMETHRIN	MAGNET 5 EC	50 g/L	EC	INSECTICIDE	4	609-037-5288	27-Jun-22	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leafhopper, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
MARS AGRI VENTURES AND COMMODITIES INC.	CYPERMETHRIN	MAGNET 5 EC	50 g/L	EC	INSECTICIDE	4	609-037-5288	27-Jun-22	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
MARS AGRI VENTURES AND COMMODITIES INC.	CYPERMETHRIN	MAGNET 5 EC	50 g/L	EC	INSECTICIDE	4	609-037-5288	27-Jun-22	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
MARS AGRI VENTURES AND COMMODITIES INC.	CYPERMETHRIN	MAGNET 5 EC	50 g/L	EC	INSECTICIDE	4	609-037-5288	27-Jun-22	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
MARS AGRI VENTURES AND COMMODITIES INC.	CYPERMETHRIN	MAGNET 5 EC	50 g/L	EC	INSECTICIDE	4	609-037-5288	27-Jun-22	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
MARS AGRI VENTURES AND COMMODITIES INC.	CYPERMETHRIN	MAGNET 5 EC	50 g/L	EC	INSECTICIDE	4	609-037-5288	27-Jun-22	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
MARS AGRI VENTURES AND COMMODITIES INC.	CYPERMETHRIN	MAGNET 5 EC	50 g/L	EC	INSECTICIDE	4	609-037-5288	27-Jun-22	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
MARS AGRI VENTURES AND COMMODITIES INC.	CYPERMETHRIN	MAGNET 5 EC	50 g/L	EC	INSECTICIDE	4	609-037-5288	27-Jun-22	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
MARS AGRI VENTURES AND COMMODITIES INC.	CYPERMETHRIN	MAGNET 5 EC	50 g/L	EC	INSECTICIDE	4	609-037-5288	27-Jun-22	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
MARS AGRI VENTURES AND COMMODITIES INC.	CYPERMETHRIN	MAGNET 5 EC	50 g/L	EC	INSECTICIDE	4	609-037-5288	27-Jun-22	CONTACT	Corn	Comborer, earworm	1.0-4.5 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
UPL PHILIPPINES, INC.	MAGNESIUM PHOSPHIDE	MAGNAPHOS 56 P	560g/kg	TAB	FUMIGANT	1	562-294-4124	25-Sep-26	-	-	Stored commodities & processed foods	Grain and rice weevil, saw toothed grain beetle, confused flourbeetle, lesser grain beetle, rust-red grain beetle, cadelle, khapra	-	-	-
SURE CROP SCIENCE AGRIVENTURES, INC.	CHLOROTHALONIL	MAGMA 72 SC	720 g/L	SC	FUNGICIDE	4	640-118-5169	12-Aug-26	-	Ornamentals	Black spot, Black rot, powdery mildew	-	-	Do not apply at least seven (7 days) before harvest	Do not enter treated fields for at least one (1) day after application.
SURE CROP SCIENCE AGRIVENTURES, INC.	CHLOROTHALONIL	MAGMA 72 SC	720 g/L	SC	FUNGICIDE	4	640-118-5169	12-Aug-26	-	Pepper	Early and late blight, bulb rot, neck rot	-	-	Do not apply at least seven (7 days) before harvest	Do not enter treated fields for at least one (1) day after application.
SURE CROP SCIENCE AGRIVENTURES, INC.	CHLOROTHALONIL	MAGMA 72 SC	720 g/L	SC	FUNGICIDE	4	640-118-5169	12-Aug-26	-	Onion	Purple blotch, bulb rot, neck rot	4.5-6.0 Tbsp/ 36L	-	Do not apply at least seven (7 days) before harvest	Do not enter treated fields for at least one (1) day after application.
SURE CROP SCIENCE AGRIVENTURES, INC.	CHLOROTHALONIL	MAGMA 72 SC	720 g/L	SC	FUNGICIDE	4	640-118-5169	12-Aug-26	-	Mango	Antracnose, Diplodia rot	4.5-6.0 Tbsp/ 36L	-	Do not apply at least seven (7 days) before harvest	Do not enter treated fields for at least one (1) day after application.
SURE CROP SCIENCE AGRIVENTURES, INC.	CHLOROTHALONIL	MAGMA 72 SC	720 g/L	SC	FUNGICIDE	4	640-118-5169	12-Aug-26	-	Grapes	Downy mildew, powdery mildew, fruit rot	4.5-6.0 Tbsp/ 36L	-	Do not apply at least seven (7 days) before harvest	Do not enter treated fields for at least one (1) day after application.
SURE CROP SCIENCE AGRIVENTURES, INC.	CHLOROTHALONIL	MAGMA 72 SC	720 g/L	SC	FUNGICIDE	4	640-118-5169	12-Aug-26	-	Eggplant	Early and late blight, cercospora leaf spot, anthracnose	4.5-6.0 Tbsp/ 36L	-	Do not apply at least seven (7 days) before harvest	Do not enter treated fields for at least one (1) day after application.
SURE CROP SCIENCE AGRIVENTURES, INC.	CHLOROTHALONIL	MAGMA 72 SC	720 g/L	SC	FUNGICIDE	4	640-118-5169	12-Aug-26	-	Celery	Early and late blight	-	-	Do not apply at least seven (7 days) before harvest	Do not enter treated fields for at least one (1) day after application.
SURE CROP SCIENCE AGRIVENTURES, INC.	CHLOROTHALONIL	MAGMA 72 SC	720 g/L	SC	FUNGICIDE	4	640-118-5169	12-Aug-26	-	Cucurbits	Powdery mildew, downy mildew, cercospora, anthracnose, Septoria, fruit rot, early and late blight	4.5-6.0 Tbsp/ 36L	-	Do not apply at least seven (7 days) before harvest	Do not enter treated fields for at least one (1) day after application.
SURE CROP SCIENCE AGRIVENTURES, INC.	CHLOROTHALONIL	MAGMA 72 SC	720 g/L	SC	FUNGICIDE	4	640-118-5169	12-Aug-26	-	Crucifers	Powdery mildew	Do not apply at least seven (7 days) before harvest	-	Do not enter treated fields for at least one (1) day after application.	Do not enter treated fields for at least one (1) day after application.
SURE CROP SCIENCE AGRIVENTURES, INC.	CHLOROTHALONIL	MAGMA 72 SC	720 g/L	SC	FUNGICIDE	4	640-118-5169	12-Aug-26	-	Carrot	Alternaria leaf spot, Cercospora leaf spot, Helminthosporium leaf spot	4.5-6.0 Tbsp/ 36L	-	Do not apply at least seven (7 days) before harvest	Do not enter treated fields for at least one (1) day after application.
SURE CROP SCIENCE AGRIVENTURES, INC.	CHLOROTHALONIL	MAGMA 72 SC	720 g/L	SC	FUNGICIDE	4	640-118-5169	12-Aug-26	-	Beans	Rust, anthracnose	4.5-6.0 Tbsp/ 36L	-	Do not apply at least seven (7 days) before harvest	Do not enter treated fields for at least one (1) day after application.
SURE CROP SCIENCE AGRIVENTURES, INC.	CHLOROTHALONIL	MAGMA 72 SC	720 g/L	SC	FUNGICIDE	4	640-118-5169	12-Aug-26	-	Tomato	Early and late blight, vine rot	4.5-6.0 Tbsp/ 36L	-	Do not apply at least seven (7 days) before harvest	Do not enter treated fields for at least one (1) day after application.
SURE CROP SCIENCE AGRIVENTURES, INC.	CHLOROTHALONIL	MAGMA 72 SC	720 g/L	SC	FUNGICIDE	4	640-118-5169	12-Aug-26	-	Potato	Early and late blight, vine rot	4.5-6.0 Tbsp/ 36L	-	Do not apply at least seven (7 days) before harvest	Do not enter treated fields for at least one (1) day after application.

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD	
SURE CROP SCIENCE AGRIVENTURES, INC.	CHLOROTHALONIL	MAGMA 72 SC	720 g/L	SC	FUNGICIDE	4	640-118-5169	12-Aug-26	-	Asparagus	Stem and late blight	-	-	-	Do not apply at least seven (7 days) before harvest	Do not enter treated fields for at least one (1) day after application.
SURE CROP SCIENCE AGRIVENTURES, INC.	CHLOROTHALONIL	MAGMA 72 SC	720 g/L	SC	FUNGICIDE	4	640-118-5169	12-Aug-26	-	Banana	Black sigatoka	1.0-2.0 L/ ha	-	-	Do not apply at least seven (7 days) before harvest	Do not enter treated fields for at least one (1) day after application.
AGSPREC PHILIPPINES CORPORATION	FENAZACQUIN	MAGISTER 20 SC	200 g/L	SC	MITICIDE	2	108-382-2046	09-Jul-25	-	Pineapple	Mites	2.3-4.3 Tbsp/36L water	-	-	14-28 days	1 day
AGSPREC PHILIPPINES CORPORATION	FENAZACQUIN	MAGISTER 10 EC	100 g/L	EC	MITICIDE	2	108-382-2026	23-Sep-25	-	Pineapple	Mites	4.5-8.5 Tbsp/ 36 L water	-	-	14 Days	1 day
MAGAN AGRO PHILS., ENTERPRISE, INC.	AMETRYNE	MAGAN AMETREX 80 WP	800 g/kg	WP	HERBICIDE	3	461-068-2557	28-Jul-26	SELECTIVE (POST/PRE-EMERGENCE)	Banana	Annual broadleaves and grasses	9-15 tbsp/36L water	-	-	-	Enter treated area one day after spraying
MAGAN AGRO PHILS., ENTERPRISE, INC.	AMETRYNE	MAGAN AMETREX 80 WP	800 g/kg	WP	HERBICIDE	3	461-068-2557	28-Jul-26	SELECTIVE (POST/PRE-EMERGENCE)	Coffee	Annual broadleaves and grasses	9-15 tbsp/36L water	-	-	-	Enter treated area one day after spraying
MAGAN AGRO PHILS., ENTERPRISE, INC.	AMETRYNE	MAGAN AMETREX 80 WP	800 g/kg	WP	HERBICIDE	3	461-068-2557	28-Jul-26	SELECTIVE (POST/PRE-EMERGENCE)	Cacao	Annual broadleaves and grasses	9-15 tbsp/36L water	-	-	-	Enter treated area one day after spraying
MAGAN AGRO PHILS., ENTERPRISE, INC.	AMETRYNE	MAGAN AMETREX 80 WP	800 g/kg	WP	HERBICIDE	3	461-068-2557	28-Jul-26	SELECTIVE (POST/PRE-EMERGENCE)	Oil palm	Annual broadleaves and grasses	9-15 tbsp/36L water	-	-	-	Enter treated area one day after spraying
MAGAN AGRO PHILS., ENTERPRISE, INC.	AMETRYNE	MAGAN AMETREX 80 WP	800 g/kg	WP	HERBICIDE	3	461-068-2557	28-Jul-26	SELECTIVE (POST/PRE-EMERGENCE)	Citrus	Annual broadleaves and grasses	9-15 tbsp/36L water	-	-	-	Enter treated area one day after spraying
MAGAN AGRO PHILS., ENTERPRISE, INC.	AMETRYNE	MAGAN AMETREX 80 WP	800 g/kg	WP	HERBICIDE	3	461-068-2557	28-Jul-26	SELECTIVE (POST/PRE-EMERGENCE)	Pineapple	Annual broadleaves and grasses	9-15 tbsp/36L water	-	-	-	Enter treated area one day after spraying
MAGAN AGRO PHILS., ENTERPRISE, INC.	AMETRYNE	MAGAN AMETREX 80 WP	800 g/kg	WP	HERBICIDE	3	461-068-2557	28-Jul-26	SELECTIVE (POST/PRE-EMERGENCE)	Corn	Annual broadleaves and grasses	9-15 tbsp/36L water	-	-	-	Enter treated area one day after spraying
MAGAN AGRO PHILS., ENTERPRISE, INC.	AMETRYNE	MAGAN AMETREX 80 WP	800 g/kg	WP	HERBICIDE	3	461-068-2557	28-Jul-26	SELECTIVE (POST/PRE-EMERGENCE)	Sugarcane	Annual broadleaves and grasses	9-15 tbsp/36L water	-	-	-	Enter treated area one day after spraying
ZEAL ECOLOGICAL NATURE (ZINCOR) CORPORATION	CARBOFURAN	MADZEN 3 G	30 g/kg	G	INSECTICIDE	2	575-104-5844	1-Feb-24	-	Corn	Borer, earworm, grubs, seedling maggot	16-7-33.3 kg prod/ha	-	-	-	Two (2) days
ZEAL ECOLOGICAL NATURE (ZINCOR) CORPORATION	CARBOFURAN	MADZEN 3 G	30 g/kg	G	INSECTICIDE	2	575-104-5844	1-Feb-24	-	Cotton	Nematodes, grubs	16-7-33.3 kg prod/ha	-	-	-	Two (2) days
ZEAL ECOLOGICAL NATURE (ZINCOR) CORPORATION	CARBOFURAN	MADZEN 3 G	30 g/kg	G	INSECTICIDE	2	575-104-5844	1-Feb-24	-	Eggplant	Fruit borer	16-7-33.3 kg prod/ha	-	-	-	Two (2) days
ZEAL ECOLOGICAL NATURE (ZINCOR) CORPORATION	CARBOFURAN	MADZEN 3 G	30 g/kg	G	INSECTICIDE	2	575-104-5844	1-Feb-24	-	Field legumes	Grubs	16-7-33.3 kg prod/ha	-	-	-	Two (2) days
ZEAL ECOLOGICAL NATURE (ZINCOR) CORPORATION	CARBOFURAN	MADZEN 3 G	30 g/kg	G	INSECTICIDE	2	575-104-5844	1-Feb-24	-	Ornamentals	Scale insect, aphids, mealy bug	16-7-33.3 kg prod/ha	-	-	-	Two (2) days
ZEAL ECOLOGICAL NATURE (ZINCOR) CORPORATION	CARBOFURAN	MADZEN 3 G	30 g/kg	G	INSECTICIDE	2	575-104-5844	1-Feb-24	-	Rice	Stem borer, whorl maggot, leafhopper, leaf folder, caseworm, planthopper	16-7-33.3 kg prod/ha	-	-	-	Two (2) days
ZEAL ECOLOGICAL NATURE (ZINCOR) CORPORATION	CARBOFURAN	MADZEN 3 G	30 g/kg	G	INSECTICIDE	2	575-104-5844	1-Feb-24	-	Soybeans	Bean fly, grubs, nematodes, other soil insects	16-7-33.3 kg prod/ha	-	-	-	Two (2) days
ZEAL ECOLOGICAL NATURE (ZINCOR) CORPORATION	CARBOFURAN	MADZEN 3 G	30 g/kg	G	INSECTICIDE	2	575-104-5844	1-Feb-24	-	Sugarcane	Borer, leafhopper, mealy bug, scale insects	16-7-33.3 kg prod/ha	-	-	-	Two (2) days
ZEAL ECOLOGICAL NATURE (ZINCOR) CORPORATION	CARBOFURAN	MADZEN 3 G	30 g/kg	G	INSECTICIDE	2	575-104-5844	1-Feb-24	-	Tobacco	Nematodes, budworm	16-7-33.3 kg prod/ha	-	-	-	Two (2) days
ZEAL ECOLOGICAL NATURE (ZINCOR) CORPORATION	CARBOFURAN	MADZEN 3 G	30 g/kg	G	INSECTICIDE	2	575-104-5844	1-Feb-24	-	White Potato	Nematode, grubs	16-7-33.3 kg prod/ha	-	-	-	Two (2) days
ZEAL ECOLOGICAL NATURE (ZINCOR) CORPORATION	CARBOFURAN	MADZEN 3 G	30 g/kg	G	INSECTICIDE	2	575-104-5844	1-Feb-24	-	Cowpea	Bean fly, grubs, nematodes, other soil insects	16-7-33.3 kg prod/ha	-	-	-	Two (2) days
MANUPAL AGRIL DEVELOPMENT CORPORATION	CHLOROTHALONIL	MADC decon 720 SC	-	SC	FUNGICIDE	4	740-118-5984	9-Jan-26	-	Banana	Black sigatoka	-	-	-	-	-
AGRI-SPROUT PHILIPPINES, INC.	CARBARYL	MACRO 85 WP	850 g/kg	WP	INSECTICIDE	2	668-035-5290	04-Feb-26	-	Tobacco	Budworm, cutworm, aphids	4-6 tbsp/36 L water	-	-	-	Do not enter treatment areas until spray deposit have dried
AGRI-SPROUT PHILIPPINES, INC.	CARBARYL	MACRO 85 WP	850 g/kg	WP	INSECTICIDE	2	668-035-5290	04-Feb-26	-	Sorghum	Webworm, armyworm, cutworm, headworm	4-6 tbsp/36 L water	-	-	-	Do not enter treatment areas until spray deposit have dried
AGRI-SPROUT PHILIPPINES, INC.	CARBARYL	MACRO 85 WP	850 g/kg	WP	INSECTICIDE	2	668-035-5290	04-Feb-26	-	Ornamentals	Aphids, scale insect, mealy bug, cutworm	4-6 tbsp/36 L water	-	-	-	Do not enter treatment areas until spray deposit have dried
AGRI-SPROUT PHILIPPINES, INC.	CARBARYL	MACRO 85 WP	850 g/kg	WP	INSECTICIDE	2	668-035-5290	04-Feb-26	-	Mango	Mango hopper, tip borer, twig borer, fruit fly, mealy bug	4-6 tbsp/36 L water	-	-	1 Day	Do not enter treatment areas until spray deposit have dried
AGRI-SPROUT PHILIPPINES, INC.	CARBARYL	MACRO 85 WP	850 g/kg	WP	INSECTICIDE	2	668-035-5290	04-Feb-26	-	Coffee	Berry borer	4-6 tbsp/36 L water	-	-	1 Day	Do not enter treatment areas until spray deposit have dried
AGRI-SPROUT PHILIPPINES, INC.	CARBARYL	MACRO 85 WP	850 g/kg	WP	INSECTICIDE	2	668-035-5290	04-Feb-26	-	Cacao	Podborer, aphids, capsid bug	4-6 tbsp/36 L water	-	-	1 Day	Do not enter treatment areas until spray deposit have dried
AGRI-SPROUT PHILIPPINES, INC.	CARBARYL	MACRO 85 WP	850 g/kg	WP	INSECTICIDE	2	668-035-5290	04-Feb-26	-	Citrus	Rind borer	4-6 tbsp/36 L water	-	-	5 days	Do not enter treatment areas until spray deposit have dried
AGRI-SPROUT PHILIPPINES, INC.	CARBARYL	MACRO 85 WP	850 g/kg	WP	INSECTICIDE	2	668-035-5290	04-Feb-26	-	Soybeans	Podborer, beanfly, leafminer, aphids	4-6 tbsp/36 L water	-	-	-	Do not enter treatment areas until spray deposit have dried
AGRI-SPROUT PHILIPPINES, INC.	CARBARYL	MACRO 85 WP	850 g/kg	WP	INSECTICIDE	2	668-035-5290	04-Feb-26	-	Rice	Green leafhopper, caseworm, aphids	4-6 tbsp/36 L water	1ppm	-	14 Days	Do not enter treatment areas until spray deposit have dried
AGRI-SPROUT PHILIPPINES, INC.	CARBARYL	MACRO 85 WP	850 g/kg	WP	INSECTICIDE	2	668-035-5290	04-Feb-26	-	Cowpea and other beans	Podborer, beanfly, leafminer, cutworm, aphids	4-6 tbsp/36 L water	-	-	-	Do not enter treatment areas until spray deposit have dried
AGRI-SPROUT PHILIPPINES, INC.	CARBARYL	MACRO 85 WP	850 g/kg	WP	INSECTICIDE	2	668-035-5290	04-Feb-26	-	Cotton seed	Bollworm, cutworm	4-6 tbsp/36 L water	-	-	-	Do not enter treatment areas until spray deposit have dried
AGRI-SPROUT PHILIPPINES, INC.	CARBARYL	MACRO 85 WP	850 g/kg	WP	INSECTICIDE	2	668-035-5290	04-Feb-26	-	Corn	Corn borer, corn earworm, army worm	4-6 tbsp/36 L water	-	-	-	Do not enter treatment areas until spray deposit have dried
AGRI-SPROUT PHILIPPINES, INC.	CARBARYL	MACRO 85 WP	850 g/kg	WP	INSECTICIDE	2	668-035-5290	04-Feb-26	-	Tomato	Fruitworm, leafy beetle	4-6 tbsp/36 L water	-	-	-	Do not enter treatment areas until spray deposit have dried
AGRI-SPROUT PHILIPPINES, INC.	CARBARYL	MACRO 85 WP	850 g/kg	WP	INSECTICIDE	2	668-035-5290	04-Feb-26	-	Cucurbits	Squash beetle, leafy beetle	4-6 tbsp/36 L water	-	-	-	Do not enter treatment areas until spray deposit have dried
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	BUTACHLOR	MACHISMO 60 EC	600 g/L	EC	HERBICIDE	4	376-150-2092-8	14-Dec-26	PRE-EMERGENT	Rice (Direct-seeded)	Grasses and sedges	9tbsp (2-4 DAT)9Tbsp(0-4 DAT), 9Tbsp-7Tbsp	0.1 ppm	-	-	-
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	BUTACHLOR	MACHISMO 60 EC	600 g/L	EC	HERBICIDE	4	376-150-2092-8	14-Dec-26	PRE-EMERGENT	Rice (Transplanted)	Grasses and sedges	9tbsp(2-4 DAT), 7Tbsp(2-4 DAT), 11Tbsp (30 DAT)	0.1 ppm	-	-	-
SINOCHEM CROP PROTECTION (PHILS.) INC.	BUTACHLOR-SAFENER	MACHETE PLUS	600g/L	EC	HERBICIDE	4	432-150-4041	20-Mar-25	PRE-EMERGENT	Rice (Direct-Seeded)	Grasses, Sedges, & broadleaf weeds	5.0-7.5 Tbsp/36 L spray/load	-	-	-	-
SYNGENTA PHILIPPINES INC.	BUTACHLOR-SAFENER	MACHETE PLUS	600-60 g/L	-	HERBICIDE	4	011-150-4041	20-Mar-25	PRE-EMERGENT	Rice (Direct-Seeded)	Grasses, Sedges, & broadleaf weeds	5.0-7.5 Tbsp/36 L spray/load	-	-	-	-
SINOCHEM CROP PROTECTION (PHILS.) INC.	BUTACHLOR	MACHETE 60 EC	600 g/L	EC	HERBICIDE	4	432-150-2300	20-Mar-25	PRE-EMERGENT	Rice (Direct-seeded)	Grasses and sedges	9tbsp (2-4 DAT)9Tbsp(0-4 DAT), 9Tbsp-7Tbsp	0.1 ppm	-	-	-
SINOCHEM CROP PROTECTION (PHILS.) INC.	BUTACHLOR	MACHETE 60 EC	600 g/L	EC	HERBICIDE	4	432-150-2300	20-Mar-25	PRE-EMERGENT	Rice (Transplanted)	Grasses and sedges	9tbsp(2-4 DAT), 7Tbsp(2-4 DAT), 11Tbsp (30 DAT)	0.1 ppm	-	-	-
SYNGENTA PHILIPPINES INC.	BUTACHLOR	MACHETE 60 EC	600 g/L	EC	HERBICIDE	4	011-150-2300	20-Mar-25	PRE-EMERGENT	Rice (Direct-seeded)	Grasses and sedges	9tbsp (2-4 DAT)9Tbsp(0-4 DAT), 9Tbsp-7Tbsp	0.1 ppm	-	-	-
SYNGENTA PHILIPPINES INC.	BUTACHLOR	MACHETE 60 EC	600 g/L	EC	HERBICIDE	4	011-150-2300	20-Mar-25	PRE-EMERGENT	Rice (Transplanted)	Grasses and sedges	9tbsp(2-4 DAT), 7Tbsp(2-4 DAT), 11Tbsp (30 DAT)	0.1 ppm	-	-	-
VANN HAWK AGRO CHEMICALS, INC.	BUTACHLOR	MACH 750 EC	600 g/L	EC	HERBICIDE	4	295-150-2776	05-Mar-24	PRE-EMERGENT	Rice (Direct-seeded)	Grasses and sedges	9tbsp (2-4 DAT)9Tbsp(0-4 DAT), 9Tbsp-7Tbsp	0.1 ppm	-	-	-
VANN HAWK AGRO CHEMICALS, INC.	BUTACHLOR	MACH 750 EC	600 g/L	EC	HERBICIDE	4	295-150-2776	05-Mar-24	PRE-EMERGENT	Rice (Transplanted)	Grasses and sedges	9tbsp(2-4 DAT), 7Tbsp(2-4 DAT), 11Tbsp (30 DAT)	0.1 ppm	-	-	-
RADISSON AGROCHEMICAL CORPORATION	CHLORPYRIFOS	LYNTOX 300 EC	300 g/L	EC	INSECTICIDE	2	234-101-1380	19-Feb-26	-	Rice	Stemborer, armyworm, leafhopper, caseworm, planthopper, cutworm	2.5-3.5 tbsp/36L water	-	-	-	-
RADISSON AGROCHEMICAL CORPORATION	CHLORPYRIFOS	LYNTOX 300 EC	300 g/L	EC	INSECTICIDE	2	234-101-1380	19-Feb-26	-	Potato	Tubermoth, leafhopper, cutworm, aphids	2.5-3.5 tbsp/36L water	-	-	-	-
RADISSON AGROCHEMICAL CORPORATION	CHLORPYRIFOS	LYNTOX 300 EC	300 g/L	EC	INSECTICIDE	2	234-101-1380	19-Feb-26	-	Corn	Armyworm, cornborer, earworm, seedling maggots	2.5-3.5 tbsp/36L water	-	-	-	-
RADISSON AGROCHEMICAL CORPORATION	CHLORPYRIFOS	LYNTOX 300 EC	300 g/L	EC	INSECTICIDE	2	234-101-1380	19-Feb-26	-	Beans	Beanfly, leafroller, podborer, cutworm, armyworm	2.5-3.5 tbsp/36L water	-	-	-	-
GRANS GRANTED AGRO-CHEMICAL CORPORATION	BUTACHLOR-PROPANIL	LYXA 700 EC	300-300 g/L	EC	HERBICIDE	3	596-236-5685	23-Aug-24	POST-EMERGENT	Rice (Direct-Seeded)	Grasses, sedges and brodifol weeds	9-14 Tbsp / 36L water	-	-	-	-
GRANS GRANTED AGRO-CHEMICAL CORPORATION	BUTACHLOR-PROPANIL	LYXA 700 EC	350-300 g/L	EC	HERBICIDE	3	596-236-5685	23-Aug-24	POST-EMERGENT	Rice (Transplanted)	Grasses, sedges and brodifol weeds	9-14 Tbsp / 36L water	-	-	-	-
BASF PHILIPPINES, INC.	ALKYL POLYETHYLENE GLYCOL MONOALKYL ETHER	LUTENSOL AB	-	-	OTHERS	4	005-100-0151	31-Dec-25	-	Banana	Sigatoka & Freckles	-	-	-	0 day	As long as spray deposit has dried up
KCC AGRO CHEM. CORPORATION	ALKYL POLYETHYLENE GLYCOL MONOALKYL ETHER	LUTENSOL AB	-	-	OTHERS	4	448-100-2427	30-Sep-18	-	Banana	Sigatoka & Freckles	-	-	-	-	-

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
QIMAGRAGRIENTURES INC.	PRELACHLOR	LUPIT 30 EC	300 g/L	EC	HERBICIDE	4	577-003-4731	01-Apr-22	PRE-EMERGENCE	Rice (Direct-Seeded)	Grasses, sedges, and broadleaves weeds	10-15 t/ha per tankload of 36L capacity sprayer	0.05ppm	-	-
PRIMSTOCKS CHEMICAL CORPORATION	CHLOROTHALONIL	LUPIN 720 SC	720 g/L	SC	FUNGICIDE	4	623-118-4589-A	04-Jan-25	-	Potato	Early blight, late blight, vine rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L	-	7-14 days	Do not enter treated areas until spray deposit have dried
PRIMSTOCKS CHEMICAL CORPORATION	CHLOROTHALONIL	LUPIN 720 SC	720 g/L	SC	FUNGICIDE	4	623-118-4589-A	04-Jan-25	-	Tomato	Early blight, late blight, vine rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L	-	7-14 days	Do not enter treated areas until spray deposit have dried
PRIMSTOCKS CHEMICAL CORPORATION	CHLOROTHALONIL	LUPIN 720 SC	720 g/L	SC	FUNGICIDE	4	623-118-4589-A	04-Jan-25	-	Beans	Rust, anthracnose	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L	-	7-14 days	Do not enter treated areas until spray deposit have dried
PRIMSTOCKS CHEMICAL CORPORATION	CHLOROTHALONIL	LUPIN 720 SC	720 g/L	SC	FUNGICIDE	4	623-118-4589-A	04-Jan-25	-	Carrot	Alternaria leaf spot, cercospora leaf spot, helminthosporium leaf spot	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L	-	7-14 days	Do not enter treated areas until spray deposit have dried
PRIMSTOCKS CHEMICAL CORPORATION	CHLOROTHALONIL	LUPIN 720 SC	720 g/L	SC	FUNGICIDE	4	623-118-4589-A	04-Jan-25	-	Cucifers	Powdery mildew	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L	-	7-14 days	Do not enter treated areas until spray deposit have dried
PRIMSTOCKS CHEMICAL CORPORATION	CHLOROTHALONIL	LUPIN 720 SC	720 g/L	SC	FUNGICIDE	4	623-118-4589-A	04-Jan-25	-	Melon	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L	-	7-14 days	Do not enter treated areas until spray deposit have dried
PRIMSTOCKS CHEMICAL CORPORATION	CHLOROTHALONIL	LUPIN 720 SC	720 g/L	SC	FUNGICIDE	4	623-118-4589-A	04-Jan-25	-	Cucumber	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L	-	7-14 days	Do not enter treated areas until spray deposit have dried
PRIMSTOCKS CHEMICAL CORPORATION	CHLOROTHALONIL	LUPIN 720 SC	720 g/L	SC	FUNGICIDE	4	623-118-4589-A	04-Jan-25	-	Squash	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L	-	7-14 days	Do not enter treated areas until spray deposit have dried
PRIMSTOCKS CHEMICAL CORPORATION	CHLOROTHALONIL	LUPIN 720 SC	720 g/L	SC	FUNGICIDE	4	623-118-4589-A	04-Jan-25	-	Watermelon	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L	-	7-14 days	Do not enter treated areas until spray deposit have dried
PRIMSTOCKS CHEMICAL CORPORATION	CHLOROTHALONIL	LUPIN 720 SC	720 g/L	SC	FUNGICIDE	4	623-118-4589-A	04-Jan-25	-	Celery	Early blight, late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L	-	7-14 days	Do not enter treated areas until spray deposit have dried
PRIMSTOCKS CHEMICAL CORPORATION	CHLOROTHALONIL	LUPIN 720 SC	720 g/L	SC	FUNGICIDE	4	623-118-4589-A	04-Jan-25	-	Eggplant	Early blight, late blight, cercospora leafspot, anthracnose	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L	-	7-14 days	Do not enter treated areas until spray deposit have dried
PRIMSTOCKS CHEMICAL CORPORATION	CHLOROTHALONIL	LUPIN 720 SC	720 g/L	SC	FUNGICIDE	4	623-118-4589-A	04-Jan-25	-	Onion	Purple blotch, bulb rot, neck rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L	-	7-14 days	Do not enter treated areas until spray deposit have dried
PRIMSTOCKS CHEMICAL CORPORATION	CHLOROTHALONIL	LUPIN 720 SC	720 g/L	SC	FUNGICIDE	4	623-118-4589-A	04-Jan-25	-	Pepper	Early and Late Blight, Bulb rot, Neck rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L	-	7-14 days	Do not enter treated areas until spray deposit have dried
PRIMSTOCKS CHEMICAL CORPORATION	CHLOROTHALONIL	LUPIN 720 SC	720 g/L	SC	FUNGICIDE	4	623-118-4589-A	04-Jan-25	-	Grapes	Downy mildew, powdery mildew, fruit rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L	-	7-14 days	Do not enter treated areas until spray deposit have dried
PRIMSTOCKS CHEMICAL CORPORATION	CHLOROTHALONIL	LUPIN 720 SC	720 g/L	SC	FUNGICIDE	4	623-118-4589-A	04-Jan-25	-	Mango	Anthraxnose, diploila rot	1.75-5.40 L/ha or 4.5-6.0 tbsp/36L	0.5 mg/kg	7-14 days	Do not enter treated areas until spray deposit have dried
PRIMSTOCKS CHEMICAL CORPORATION	CHLOROTHALONIL	LUPIN 720 SC	720 g/L	SC	FUNGICIDE	4	623-118-4589-A	04-Jan-25	-	Ornamentals	Black spot, powdery mildew, black rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L	-	7-14 days	Do not enter treated areas until spray deposit have dried
PRIMSTOCKS CHEMICAL CORPORATION	CHLOROTHALONIL	LUPIN 720 SC	720 g/L	SC	FUNGICIDE	4	623-118-4589-A	04-Jan-25	-	Asparagus	Stem and leaf blight	1.80 L/ha	-	7-14 days	Do not enter treated areas until spray deposit have dried
PRIMSTOCKS CHEMICAL CORPORATION	CHLOROTHALONIL	LUPIN 720 SC	720 g/L	SC	FUNGICIDE	4	623-118-4589-A	04-Jan-25	-	Banana	Black Sigatoka	1.0-2.0 L/ha	2.0 mg/kg	0 day	Do not enter treated areas until spray deposit have dried
BAYER CROSCIENCE, INC.	FLOUPYRAM-PRIMETHANIL	LUNA TRANQUILITY SC 500	125 g/L+375 g/L	SC	FUNGICIDE	3	264-512-4822	12-Feb-27	-	Banana	Black sigatoka	400 mL product/ha at ground spray volume of 80-100 L/ha twice at 7 days	-	0 day	After spray deposits have dried
BAYER CROSCIENCE, INC.	FLOUPYRAM-TRIFLOXYSTROBIN	LUNA SENSATION SC 500	250 g/L+250 g/L	SC	FUNGICIDE	2	264-530-5135	30-Jun-26	-	Cabbage	Alternaria leaf spot	400-500 mL prod. / ha	1.0 mg/kg Fluopyram 1.5	7Days	Do n ot enter treated area before the spray deposits has dried completely (for atleast 12 hours of application)
BAYER CROSCIENCE, INC.	FLOUPYRAM-TRIFLOXYSTROBIN	LUNA SENSATION SC 500	250 g/L+250 g/L	SC	FUNGICIDE	2	264-530-5135	30-Jun-26	-	Chili/Pepper	Cercospora leaf spot	400-500 mL prod. / ha	3.0 mg/kg Fluopyram 0.1	7Days	Do n ot enter treated area before the spray deposits has dried completely (for atleast 12 hours of application)
BAYER CROSCIENCE, INC.	FLOUPYRAM-TRIFLOXYSTROBIN	LUNA SENSATION SC 500	250 g/L+250 g/L	SC	FUNGICIDE	2	264-530-5135	30-Jun-26	-	Eggplant	Early blight	400-500 mL prod. / ha	0.5 mg/kg Fluopyram 1.0	7Days	Do n ot enter treated area before the spray deposits has dried completely (for atleast 12 hours of application)
BAYER CROSCIENCE, INC.	FLOUPYRAM-TRIFLOXYSTROBIN	LUNA SENSATION SC 500	250 g/L+250 g/L	SC	FUNGICIDE	2	264-530-5135	30-Jun-26	-	Mango	Anthraxnose	400-1000 mL prod. / ha	1.0 mg/kg Fluopyram 0.7	14Days	Do n ot enter treated area before the spray deposits has dried completely (for atleast 12 hours of application)
BAYER CROSCIENCE, INC.	FLOUPYRAM-TRIFLOXYSTROBIN	LUNA SENSATION SC 500	250 g/L+250 g/L	SC	FUNGICIDE	2	264-530-5135	30-Jun-26	-	Watermelon	Powdery mildew, cercospora leafspot	400-500 mL prod. / ha	0.5 mg/kg Fluopyram 0.1	7Days	Do n ot enter treated area before the spray deposits has dried completely (for atleast 12 hours of application)
BAYER CROSCIENCE, INC.	FLOUPYRAM-TRIFLOXYSTROBIN	LUNA SENSATION SC 500	250 g/L+250 g/L	SC	FUNGICIDE	2	264-530-5135	30-Jun-26	-	Tomato	Early blight	400-500 mL prod. / ha	3.0 mg/kg Fluopyram 0.1	7Days	Do n ot enter treated area before the spray deposits has dried completely (for atleast 12 hours of application)
BAYER CROSCIENCE, INC.	FLOUPYRAM-TRIFLOXYSTROBIN	LUNA SENSATION SC 500	250 g/L+250 g/L	SC	FUNGICIDE	2	264-530-5135	30-Jun-26	-	Onion	Purple blotch	16-20 mL prod. / 36 L water; 400-500 mL prod. / ha at spray volume of 400 L/ha	0.07 mg/kg Fluopyram 0.08	14Days	-
BAYER CROSCIENCE, INC.	FLOUPYRAM-TRIFLOXYSTROBIN	LUNA SENSATION SC 500	250 g/L+250 g/L	SC	FUNGICIDE	2	264-530-5135	30-Jun-26	-	Strawberry	Cercospora leaf spot, and gray molds	16-20 mL prod. / 36 L water; Spray volume: 400 L/ha	0.40 mg/kg Fluopyram, 1.00	7Days	-
BAYER CROSCIENCE, INC.	FLOUPYRAM-TRIFLOXYSTROBIN	LUNA SENSATION SC 500	250 g/L+250 g/L	SC	FUNGICIDE	2	264-530-5135	30-Jun-26	-	Watermelon	Leaf spot and Anthracnose	16-20 mL prod. / 36 L water; Spray volume: 400 L/ha	0.02 mg/kg Fluopyram 0.08	7Days	-
BAYER CROSCIENCE, INC.	FLOUPYRAM-TRIFLOXYSTROBIN	LUNA SENSATION SC 500	250 g/L+250 g/L	SC	FUNGICIDE	2	264-530-5135	30-Jun-26	-	Potato	Early blight	16-20 mL prod. / 36 L water; Spray volume: 400 L/ha	0.15 mg/kg Fluopyram 0.02	14Days	-
CORTEVA ASIA PACIFIC INC. PHILIPPINE BRANCH	CHLORANTHRANILIPROLE	LUMVIA 625 FS	625 g/L	FS	INSECTICIDE	4	014-393-5163	20-Jul-26	-	Corn	Cutworm and fall armyworm	26-84 mL PP/ha; 3.2-5.5 mL PP/ kg seed	-	-	-
CORTEVA ASIA PACIFIC INC. PHILIPPINE BRANCH	CHLORANTHRANILIPROLE	LUMVIA 625 FS	625 g/L	FS	INSECTICIDE	4	014-393-5163	20-Jul-26	-	Rice	Stemborer	4.8-8 mL PP/ kg seed	-	-	-
PIONEER TRADING & SUPPLY CO., INC.	FATTY ALCOHOL POLYGLYCOL ETHER AND CALCIUM ALKYL BENZENE SULFONATE	LUCROP BAN	-	-	OTHERS	-	617-472-4290	06-Mar-19	-	Banana	Black Sigatoka	5L product per hectare	-	-	-
CHIBAN GREENCROP CORPORATION	CYPERMETHRIN	LUCKY 5 EC	50 g/L	EC	INSECTICIDE	4	513-037-4747	03-May-22	CONTACT	Mango	Leafhopper, twig borer, tip borer, Fruit fly	1.0-3.0 Tbsp/36 L water	-	For all crops, do not spray 7 days before harvest	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage
CHIBAN GREENCROP CORPORATION	CYPERMETHRIN	LUCKY 5 EC	50 g/L	EC	INSECTICIDE	4	513-037-4747	03-May-22	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leafhopper, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/36 L water	-	For all crops, do not spray 7 days before harvest	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage
CHIBAN GREENCROP CORPORATION	CYPERMETHRIN	LUCKY 5 EC	50 g/L	EC	INSECTICIDE	4	513-037-4747	03-May-22	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/36 L water	-	For all crops, do not spray 7 days before harvest	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage
CHIBAN GREENCROP CORPORATION	CYPERMETHRIN	LUCKY 5 EC	50 g/L	EC	INSECTICIDE	4	513-037-4747	03-May-22	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/36 L water	-	For all crops, do not spray 7 days before harvest	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage
CHIBAN GREENCROP CORPORATION	CYPERMETHRIN	LUCKY 5 EC	50 g/L	EC	INSECTICIDE	4	513-037-4747	03-May-22	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/36 L water	-	For all crops, do not spray 7 days before harvest	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage
CHIBAN GREENCROP CORPORATION	CYPERMETHRIN	LUCKY 5 EC	50 g/L	EC	INSECTICIDE	4	513-037-4747	03-May-22	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/36 L water	-	For all crops, do not spray 7 days before harvest	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage
CHIBAN GREENCROP CORPORATION	CYPERMETHRIN	LUCKY 5 EC	50 g/L	EC	INSECTICIDE	4	513-037-4747	03-May-22	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/36 L water	-	For all crops, do not spray 7 days before harvest	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage
CHIBAN GREENCROP CORPORATION	CYPERMETHRIN	LUCKY 5 EC	50 g/L	EC	INSECTICIDE	4	513-037-4747	03-May-22	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/36 L water	-	For all crops, do not spray 7 days before harvest	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage
CHIBAN GREENCROP CORPORATION	CYPERMETHRIN	LUCKY 5 EC	50 g/L	EC	INSECTICIDE	4	513-037-4747	03-May-22	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/36 L water	-	For all crops, do not spray 7 days before harvest	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage
CHIBAN GREENCROP CORPORATION	CYPERMETHRIN	LUCKY 5 EC	50 g/L	EC	INSECTICIDE	4	513-037-4747	03-May-22	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/36 L water	-	For all crops, do not spray 7 days before harvest	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage
CHIBAN GREENCROP CORPORATION	CYPERMETHRIN	LUCKY 5 EC	50 g/L	EC	INSECTICIDE	4	513-037-4747	03-May-22	CONTACT	Corn	Comborer, earworm	1.0-4.5 Tbsp/36 L water	-	For all crops, do not spray 7 days before harvest	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage
AGRO ADVANCED INTERNATIONAL PHRS. INC.	NICLOSAMIDE ETHANOLAMINE SALT	LUCID 70 WP	700 g/kg	WP	MOLLUSCICIDE	4	473-229-2656	17-Sep-25	CONTACT	Rice	Golden-Apple Snail (Kuhol)	25 gm/36L water	-	-	As soon as solution has dried up
AGRO ADVANCED INTERNATIONAL PHRS. INC.	NICLOSAMIDE ETHANOLAMINE SALT	LUCID 50 WP	500 g/kg	WP	MOLLUSCICIDE	4	473-229-2658	17-Sep-25	CONTACT	Rice	Golden Snail	50gm (One Sachet) /36L water	-	-	As soon as solution has dried up
AGRO ADVANCED INTERNATIONAL PHRS. INC.	NICLOSAMIDE	LUCID 250 EC	250 g/L	EC	MOLLUSCICIDE	4	473-229-2657	17-Sep-25	-	Rice	Golden apple snail	7-10 Tbsp/36L water	-	-	As soon as solution has dried up
LTC MORITA CORPORATION	METHOMYL	LTC METHOMYL 40 SP	400g/kg	SP	INSECTICIDE	2	679-164-5840	25-Nov-26	-	Asparagus	Armyworm, cutworm	1 sachet per 36L sprayer	-	-	-
LTC MORITA CORPORATION	METHOMYL	LTC METHOMYL 40 SP	400g/kg	SP	INSECTICIDE	2	679-164-5840	25-Nov-26	-	Tobacco	Budworm, cutworm, aphids, hornworm	1 sachet per 36L sprayer	-	-	-
LTC MORITA CORPORATION	METHOMYL	LTC METHOMYL 40 SP	400g/kg	SP	INSECTICIDE	2	679-164-5840	25-Nov-26	-	Rice	Green leafhopper, armyworm, caseworm, leafroller	1 sachet per 36L sprayer	-	-	-
LTC MORITA CORPORATION	METHOMYL	LTC METHOMYL 40 SP	400g/kg	SP	INSECTICIDE	2	679-164-5840	25-Nov-26	-	Melon	Aphids, Squash beetle , leafroller	1 sachet per 36L sprayer	-	-	-
LTC MORITA CORPORATION	METHOMYL	LTC METHOMYL 40 SP	400g/kg	SP	INSECTICIDE	2	679-164-5840	25-Nov-26	-	Tomato	Tomato fruitworm, aphids	1 sachet per 36L sprayer	-	-	-
LTC MORITA CORPORATION	METHOMYL	LTC METHOMYL 40 SP	400g/kg	SP	INSECTICIDE	2	679-164-5840	25-Nov-26	-	Corn	Corn borer, earworm	1 sachet per 36L sprayer	-	-	-
LTC MORITA CORPORATION	METHOMYL	LTC METHOMYL 40 SP	400g/kg	SP	INSECTICIDE	2	679-164-5840	25-Nov-26	-	Sorghum	Corn borer, earworm	1 sachet per 36L sprayer	-	-	-
LTC MORITA CORPORATION	METHOMYL	LTC METHOMYL 40 SP	400g/kg	SP	INSECTICIDE	2	679-164-5840	25-Nov-26	-	Beans	Leafroller, flea beetle, beanfly, podborer, aphids	1 sachet per 36L sprayer	-	-	-
LTC MORITA CORPORATION	METHOMYL	LTC METHOMYL 40 SP	400g/kg	SP	INSECTICIDE	2	679-164-5840	25-Nov-26	-	Mungbeans	Leafroller, flea beetle, beanfly, podborer, aphids	1 sachet per 36L sprayer	-	-	-

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
LTC MORITA CORPORATION	METHOMYL	LTC METHOMYL 40 SP	400g/kg	SP	INSECTICIDE	2	679-164-5840	25-Nov-26	-	Soybeans	Leafhopper, flea beetle, beanfly, podborer, aphids	1 sachet per 36L sprayer	-	-	-
LTC MORITA CORPORATION	METHOMYL	LTC METHOMYL 40 SP	400g/kg	SP	INSECTICIDE	2	679-164-5840	25-Nov-26	-	Sitao	Leafhopper, flea beetle, beanfly, podborer, aphids	1 sachet per 36L sprayer	-	-	-
LTC MORITA CORPORATION	METHOMYL	LTC METHOMYL 40 SP	400g/kg	SP	INSECTICIDE	2	679-164-5840	25-Nov-26	-	Eggplant	Aphids, flea beetle, fruitworm, lady beetle	1 sachet per 36L sprayer	-	-	-
LTC MORITA CORPORATION	METHOMYL	LTC METHOMYL 40 SP	400g/kg	SP	INSECTICIDE	2	679-164-5840	25-Nov-26	-	Banana	Thrips	1.5-2 sachet per 36L sprayer	-	-	-
LTC MORITA CORPORATION	BENDOMYL	LTC BENDOMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	679-167-5404	15-Nov-25	SYSTEMIC	Mungbeans	Powdery mildew, cercospora leaf spot	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray deposits
LTC MORITA CORPORATION	BENDOMYL	LTC BENDOMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	679-167-5404	15-Nov-25	SYSTEMIC	Beans	Powdery mildew, cercospora leaf spot	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray deposits
LTC MORITA CORPORATION	BENDOMYL	LTC BENDOMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	679-167-5404	15-Nov-25	SYSTEMIC	Cabbage	Cercospora leaf spot	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray deposits
LTC MORITA CORPORATION	BENDOMYL	LTC BENDOMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	679-167-5404	15-Nov-25	SYSTEMIC	Calamansi	Scab	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray deposits
LTC MORITA CORPORATION	BENDOMYL	LTC BENDOMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	679-167-5404	15-Nov-25	SYSTEMIC	Cucumber	Powdery mildew	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray deposits
LTC MORITA CORPORATION	BENDOMYL	LTC BENDOMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	679-167-5404	15-Nov-25	SYSTEMIC	Ginger	Cercospora leaf spot	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray deposits
LTC MORITA CORPORATION	BENDOMYL	LTC BENDOMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	679-167-5404	15-Nov-25	SYSTEMIC	Grapes	Powdery mildew	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray deposits
LTC MORITA CORPORATION	BENDOMYL	LTC BENDOMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	679-167-5404	15-Nov-25	SYSTEMIC	Mandarin	Scab	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray deposits
LTC MORITA CORPORATION	BENDOMYL	LTC BENDOMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	679-167-5404	15-Nov-25	SYSTEMIC	Mango	Anthracoose, powdery mildew	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray deposits
LTC MORITA CORPORATION	BENDOMYL	LTC BENDOMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	679-167-5404	15-Nov-25	SYSTEMIC	Melon	Powdery mildew	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray deposits
LTC MORITA CORPORATION	BENDOMYL	LTC BENDOMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	679-167-5404	15-Nov-25	SYSTEMIC	Orange	Scab	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray deposits
LTC MORITA CORPORATION	BENDOMYL	LTC BENDOMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	679-167-5404	15-Nov-25	SYSTEMIC	Papaya	Powdery mildew	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray deposits
LTC MORITA CORPORATION	BENDOMYL	LTC BENDOMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	679-167-5404	15-Nov-25	SYSTEMIC	Pepper	Cercospora leaf spot	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray deposits
LTC MORITA CORPORATION	BENDOMYL	LTC BENDOMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	679-167-5404	15-Nov-25	SYSTEMIC	Rice	Blast, sheath blight	1-4 Tbsp/36L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray deposits
LTC MORITA CORPORATION	BENDOMYL	LTC BENDOMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	679-167-5404	15-Nov-25	SYSTEMIC	Strawberry	Cercospora leaf spot	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray deposits
LTC MORITA CORPORATION	BENDOMYL	LTC BENDOMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	679-167-5404	15-Nov-25	SYSTEMIC	Tobacco	Leaf mold, frog eye	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray deposits
LTC MORITA CORPORATION	BENDOMYL	LTC BENDOMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	679-167-5404	15-Nov-25	SYSTEMIC	Banana	Black Sigatoka	200g/ha	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray deposits
R & A AGROFARM PRODUCTS, INC.	NICLOXAMIDE ETHANOLAMINE SALT	LOXON 70 WP	700g/kg	WP	MOLLUSCIDE	4	400-229-2545	04-Feb-22	CONTACT	Rice	Golden Apple Snail (Kuhol)	30gm (3sachet) product/Load	-	-	At least 48 hours after application
DU PONT FAR EAST, INC.	CHLOPYRIFOS	LOHSBAN 40 EC	400g/L	EC	INSECTICIDE	2	014-101-4279	06-Mar-21	-	Banana	Thrips, scarring beetle & aphids	30-30 ml per 36L water	-	-	-
DU PONT FAR EAST, INC.	CHLOPYRIFOS	LOHSBAN 40 EC	400g/L	EC	INSECTICIDE	2	014-101-4279	06-Mar-21	-	Sugarcane	whitegrubs	80-100 ml per 36L water	-	-	-
DU PONT FAR EAST, INC.	CHLOPYRIFOS	LOHSBAN 40 EC	400g/L	EC	INSECTICIDE	2	014-101-4279	06-Mar-21	-	Pineapple	Ants & Mealybugs	1-4 L per hectare	-	-	-
DOW AGRO SCIENCES B.V.	CHLOPYRIFOS	LOHSBAN 40 EC	400 g/L	EC	INSECTICIDE	2	013-101-0309	31-Dec-21	-	Banana	Thrips, scarring beetle & aphids	20-30 ml (2-3 Tbsp) per 36L water	-	-	-
DOW AGRO SCIENCES B.V.	CHLOPYRIFOS	LOHSBAN 40 EC	400 g/L	EC	INSECTICIDE	2	013-101-0309	31-Dec-21	-	Sugarcane	whitegrubs	80-100 ml (8-10 Tbsp) per 36L water	-	-	-
DOW AGRO SCIENCES B.V.	CHLOPYRIFOS	LOHSBAN 40 EC	400 g/L	EC	INSECTICIDE	2	013-101-0309	31-Dec-21	-	Pineapple	Ants & Mealybugs	1-4 L per hectare using boom sprayer	-	-	-
JARDINE DISTRIBUTION, INC.	CHLOPYRIFOS	LOHSBAN 40 EC	400 g/L	EC	INSECTICIDE	2	367-101-1466	24-Oct-20	-	Banana	Thrips, scarring beetle & aphids	20-30 ml per 36L water	-	-	-
JARDINE DISTRIBUTION, INC.	CHLOPYRIFOS	LOHSBAN 40 EC	400 g/L	EC	INSECTICIDE	2	367-101-1466	24-Oct-20	-	Sugarcane	whitegrubs	80-100 ml per 36L water	-	-	-
JARDINE DISTRIBUTION, INC.	CHLOPYRIFOS	LOHSBAN 40 EC	400 g/L	EC	INSECTICIDE	2	367-101-1466	24-Oct-20	-	Pineapple	Ants & Mealybugs	1-4 L per hectare	-	-	-
DOW AGRO SCIENCES B.V.	CHLOPYRIFOS	LOHSBAN 3E	300 g/L	EC	INSECTICIDE	2	013-101-0460	31-Dec-21	-	Rice	Stemborer, armyworm, leafhopper, caseworm, planthopper, cutworm, rice bug	2.5-3.5 tbsp/36L water	-	-	-
DOW AGRO SCIENCES B.V.	CHLOPYRIFOS	LOHSBAN 3E	300 g/L	EC	INSECTICIDE	2	013-101-0460	31-Dec-21	-	Potato	Tubermoth, leafhopper, cutworm, aphids	2.5-3.5 tbsp/36L water	-	-	-
DOW AGRO SCIENCES B.V.	CHLOPYRIFOS	LOHSBAN 3E	300 g/L	EC	INSECTICIDE	2	013-101-0460	31-Dec-21	-	Corn	Armyworm, cornborer, earworm, seedling maggots	2.5-3.5 tbsp/36L water	-	-	-
DOW AGRO SCIENCES B.V.	CHLOPYRIFOS	LOHSBAN 3E	300 g/L	EC	INSECTICIDE	2	013-101-0460	31-Dec-21	-	Beans	Beanfly, leafroller, podborer, cutworm, armyworm	2.5-3.5 tbsp/36L water	-	-	-
DU PONT FAR EAST, INC.	CHLOPYRIFOS	LOHSBAN 3E	300g/L	EC	INSECTICIDE	2	014-101-4293	19-Mar-21	-	Rice	Stemborer, armyworm, leafhopper, caseworm, planthopper, cutworm	2.5-3.5 tbsp/36L water	-	-	-
DU PONT FAR EAST, INC.	CHLOPYRIFOS	LOHSBAN 3E	300g/L	EC	INSECTICIDE	2	014-101-4293	19-Mar-21	-	Potato	Tubermoth, leafhopper, cutworm, aphids	2.5-3.5 tbsp/36L water	-	-	-
DU PONT FAR EAST, INC.	CHLOPYRIFOS	LOHSBAN 3E	300g/L	EC	INSECTICIDE	2	014-101-4293	19-Mar-21	-	Corn	Armyworm, cornborer, earworm, seedling maggots	2.5-3.5 tbsp/36L water	-	-	-
DU PONT FAR EAST, INC.	CHLOPYRIFOS	LOHSBAN 3E	300g/L	EC	INSECTICIDE	2	014-101-4293	19-Mar-21	-	Beans	Beanfly, leafroller, podborer, cutworm, armyworm	2.5-3.5 tbsp/36L water	-	-	-
JARDINE DISTRIBUTION, INC.	CHLOPYRIFOS	LOHSBAN 3E	300 g/L	EC	INSECTICIDE	2	367-101-1469	24-Oct-20	-	Rice	Stemborer, armyworm, leafhopper, caseworm, planthopper, cutworm	2.5-3.5 tbsp/36L water	-	-	-
JARDINE DISTRIBUTION, INC.	CHLOPYRIFOS	LOHSBAN 3E	300 g/L	EC	INSECTICIDE	2	367-101-1469	24-Oct-20	-	Potato	Tubermoth, leafhopper, cutworm, aphids	2.5-3.5 tbsp/36L water	-	-	-
JARDINE DISTRIBUTION, INC.	CHLOPYRIFOS	LOHSBAN 3E	300 g/L	EC	INSECTICIDE	2	367-101-1469	24-Oct-20	-	Corn	Armyworm, cornborer, earworm, seedling maggots	2.5-3.5 tbsp/36L water	-	-	-
JARDINE DISTRIBUTION, INC.	CHLOPYRIFOS	LOHSBAN 3E	300 g/L	EC	INSECTICIDE	2	367-101-1469	24-Oct-20	-	Beans	Beanfly, leafroller, podborer, cutworm, armyworm	2.5-3.5 tbsp/36L water	-	-	-
BASF PHILIPPINES, INC.	FLUXAPYROXAD	LONGSCOR 300 SC	-	SC	FUNGICIDE	3	005-523-4992	15-Dec-26	SYSTEMIC	Banana	Black Sigatoka	0.4-0.5 L per cropping period	-	0 day	As soon as spray droplets dry up
JOANIMA CORPORATION	GLYPHOSATE IPA	LONGSCORE PLUS	480 g/L	SL	HERBICIDE	4	241-151-2341	25-Nov-20	POST-EMERGENT	Glyphosate tolerant corn	Annual grasses, broadleaf weeds & sedges	2.0-4.0 Liters/ha	-	-	-
JOANIMA CORPORATION	GLYPHOSATE IPA	LONGSCORE PLUS	480 g/L	SL	HERBICIDE	4	241-151-2341	25-Nov-20	POST-EMERGENT	Mango	Annual grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
JOANIMA CORPORATION	GLYPHOSATE IPA	LONGSCORE PLUS	480 g/L	SL	HERBICIDE	4	241-151-2341	25-Nov-20	POST-EMERGENT	Banana	Annual grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
JOANIMA CORPORATION	GLYPHOSATE IPA	LONGSCORE PLUS	480 g/L	SL	HERBICIDE	4	241-151-2341	25-Nov-20	POST-EMERGENT	Coffee	Annual grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
JOANIMA CORPORATION	GLYPHOSATE IPA	LONGSCORE PLUS	480 g/L	SL	HERBICIDE	4	241-151-2341	25-Nov-20	POST-EMERGENT	Cacao	Annual grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
JOANIMA CORPORATION	GLYPHOSATE IPA	LONGSCORE PLUS	480 g/L	SL	HERBICIDE	4	241-151-2341	25-Nov-20	POST-EMERGENT	Rubber	Annual grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
JOANIMA CORPORATION	GLYPHOSATE IPA	LONGSCORE PLUS	480 g/L	SL	HERBICIDE	4	241-151-2341	25-Nov-20	POST-EMERGENT	Oil palm	Annual grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
JOANIMA CORPORATION	GLYPHOSATE IPA	LONGSCORE PLUS	480 g/L	SL	HERBICIDE	4	241-151-2341	25-Nov-20	POST-EMERGENT	Citrus	Annual grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
JOANIMA CORPORATION	GLYPHOSATE IPA	LONGSCORE PLUS	480 g/L	SL	HERBICIDE	4	241-151-2341	25-Nov-20	POST-EMERGENT	Coconut	Annual grasses, broadleaf weeds & sedges	4.5 Liters/ha	-	-	-
JOANIMA CORPORATION	GLYPHOSATE IPA	LONGSCORE PLUS	480 g/L	SL	HERBICIDE	4	241-151-2341	25-Nov-20	POST-EMERGENT	Sugarcane	Annual grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
JOANIMA CORPORATION	GLYPHOSATE IPA	LONGSCORE PLUS	480 g/L	SL	HERBICIDE	4	241-151-2341	25-Nov-20	POST-EMERGENT	Vegetables	Annual grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
JOANIMA CORPORATION	GLYPHOSATE IPA	LONGSCORE PLUS	480 g/L	SL	HERBICIDE	4	241-151-2341	25-Nov-20	POST-EMERGENT	Non-crop	Annual grasses, broadleaf weeds & sedges	-	-	-	-

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
EDSILAGRI AND CHEMICAL CORP.	CYHALOPOF-BUTYL-BISPYRIBAC SODIUM	LONG RANGE 2000D	150g/L+50g/L	GD	HERBICIDE	4	597-904-6440	24-Oct-26	POST-EMERGENT	Rice (Direct-Seeded)	Grasses (Echinochloa sp., Lysichloa chinensis, and Ischaemum rugosum), broadleaves (Sphenodesia zeylanica, Ludwigia octovalvis)	500 mL to 1 prod./ hectare using a spray volume of 160 to 190 L water/ha	-	-	Re-entry to treated field is allowed as soon as spray deposits dry up.
DU PONT F&R EAST, INC.	BENGISUFURON METHYL	LONDEX 30 WP	100g/kg	WP	HERBICIDE	4	014-179-0373	31-Dec-24	-	Rice	Weeds	500-700 grams/ha	0.1 ppm	-	-
CYBIRTH PHILIPPINES, INC.	BISPYRIBAC SODIUM	LOCK-OUT 100 SC	100 g/L	SC	HERBICIDE	2	216-276-4113	12-Sep-20	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Rice (Direct-Seeded lowland)	Grasses, sedges, & broadleaves	15mL/36 L water, 20 spray load/ hectare	0.1 ppm	-	Re-entry to the treated fields is allowed as soon as spray deposits have dried.
ONEGRAH MARKETING CORPORATION	CYHALOPOF BUTYL-BISPYRIBAC SODIUM	LOCKDOWN 13 SE	80g/L+50g/L	SE	HERBICIDE	4	723-904-5812	24-May-26	POST-EMERGENT	Rice (Direct-seeded)	Grasses sedges, and broadleaves	30.0 L tank load/ ha 36L 12-25 tank load/ ha 36L	-	-	-
ALBERT JOSEPH AGRO TRADING CORPORATION	NICLOSAMIDE ETHANOLAMINE SALT	LLAMADO 70 WP	700g/kg	WP	MOLLUSCICIDE	4	406-229-2491	03-Nov-24	CONTACT	Rice	Golden Apple Snail (Kuhol)	30 g/m ² /36 L water	-	-	Do not enter the treated field within 48 hours after application
LIHEMPHIL INTERNATIONAL INC.	DIURON	LI-RON 800 SC	800 g/kg	SC	HERBICIDE	4	590-021-5009	02-Oct-25	-	Citrus	Annual and Perennial broadleaves and grasses	11.0-15.0 Tbsp/ 36L water	-	-	24 hours, After application
LIHEMPHIL INTERNATIONAL INC.	DIURON	LI-RON 800 SC	800 g/kg	SC	HERBICIDE	4	590-021-5009	02-Oct-25	-	Coffee	Annual and Perennial broadleaves and grasses	11.0-15.0 Tbsp/ 36L water	-	-	24 hours, After application
LIHEMPHIL INTERNATIONAL INC.	DIURON	LI-RON 800 SC	800 g/kg	SC	HERBICIDE	4	590-021-5009	02-Oct-25	-	Cotton	Annual and Perennial broadleaves and grasses	8.0 Tbsp/ 36L Water	-	-	24 hours, After application
LIHEMPHIL INTERNATIONAL INC.	DIURON	LI-RON 800 SC	800 g/kg	SC	HERBICIDE	4	590-021-5009	02-Oct-25	-	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0 Tbsp/ 36L Water	-	-	24 hours, After application
LIHEMPHIL INTERNATIONAL INC.	DIURON	LI-RON 800 SC	800 g/kg	SC	HERBICIDE	4	590-021-5009	02-Oct-25	-	Pineapple	Annual and Perennial broadleaves and grasses	11.0 Tbsp/ 36L water	-	-	24 hours, After application
LIHEMPHIL INTERNATIONAL INC.	DIURON	LI-RON 800 SC	800 g/kg	SC	HERBICIDE	4	590-021-5009	02-Oct-25	-	Non-crop agricultural land	Annual and Perennial broadleaves and grasses	-	-	-	24 hours, After application
LIHEMPHIL INTERNATIONAL INC.	DIURON	LI-RON 80 WP	800 g/kg	WP	HERBICIDE	4	590-021-4925	02-Oct-25	SYSTEMIC	Citrus	Grasses, annual & perennial broadleaves	11.0-15.0Tbsp/36 L water	-	-	Twenty four (24) hours after application.
LIHEMPHIL INTERNATIONAL INC.	DIURON	LI-RON 80 WP	800 g/kg	WP	HERBICIDE	4	590-021-4925	02-Oct-25	SYSTEMIC	Coffee	Grasses, annual & perennial broadleaves	11.0-15.0Tbsp/36 L water	-	-	Twenty four (24) hours after application.
LIHEMPHIL INTERNATIONAL INC.	DIURON	LI-RON 80 WP	800 g/kg	WP	HERBICIDE	4	590-021-4925	02-Oct-25	SYSTEMIC	Cotton	Grasses, annual & perennial broadleaves	8.0Tbsp/36 L water	-	-	Twenty four (24) hours after application.
LIHEMPHIL INTERNATIONAL INC.	DIURON	LI-RON 80 WP	800 g/kg	WP	HERBICIDE	4	590-021-4925	02-Oct-25	SYSTEMIC	Sugarcane	Grasses, annual & perennial broadleaves	6.5-13.0Tbsp/36 L water	-	-	Twenty four (24) hours after application.
LIHEMPHIL INTERNATIONAL INC.	DIURON	LI-RON 80 WP	800 g/kg	WP	HERBICIDE	4	590-021-4925	02-Oct-25	SYSTEMIC	Pineapple	Grasses, annual & perennial broadleaves	11.0Tbsp/36 L water	-	-	Twenty four (24) hours after application.
LIHEMPHIL INTERNATIONAL INC.	DIURON	LI-RON 80 WP	800 g/kg	WP	HERBICIDE	4	590-021-4925	02-Oct-25	SYSTEMIC	Non-crop agricultural land	Grasses, annual & perennial broadleaves	20.0-28.0Tbsp/36 L water	-	-	Twenty four (24) hours after application.
PHILIPPINE FARMFIX SOLUTIONS INC.	DIURON	LI-RON 80 WG	800 g/kg	WG	HERBICIDE	4	590-021-6052	27-Feb-26	-	Citrus	Annual and perennial broadleaf weeds	11.0-15.0 Tbsp/36 L water	-	-	24 hours after application
PHILIPPINE FARMFIX SOLUTIONS INC.	DIURON	LI-RON 80 WG	800 g/kg	WG	HERBICIDE	4	590-021-6052	27-Feb-26	-	Coffee	Annual and perennial broadleaf weeds	11.0-15.0 Tbsp/36 L water	-	-	24 hours after application
PHILIPPINE FARMFIX SOLUTIONS INC.	DIURON	LI-RON 80 WG	800 g/kg	WG	HERBICIDE	4	590-021-6052	27-Feb-26	-	Cotton	Annual and perennial broadleaf weeds	8.0 Tbsp/36 L water	-	-	24 hours after application
PHILIPPINE FARMFIX SOLUTIONS INC.	DIURON	LI-RON 80 WG	800 g/kg	WG	HERBICIDE	4	590-021-6052	27-Feb-26	-	Sugarcane	Annual and perennial broadleaf weeds	6.5-13.0 Tbsp/36L water	-	-	24 hours after application
PHILIPPINE FARMFIX SOLUTIONS INC.	DIURON	LI-RON 80 WG	800 g/kg	WG	HERBICIDE	4	590-021-6052	27-Feb-26	-	Pineapple	Annual and perennial broadleaf weeds	11.0 Tbsp/36L water	-	-	24 hours after application
PHILIPPINE FARMFIX SOLUTIONS INC.	DIURON	LI-RON 80 WG	800 g/kg	WG	HERBICIDE	4	590-021-6052	27-Feb-26	-	Non-crop agricultural areas	Annual and perennial broadleaf weeds	20.0-28.0Tbsp/36L water	-	-	24 hours after application
HAUIR PHILIPPINES AGROSERVICE INC.	PROFENOCALIDE	URAZOLE 250 EC	250 g/L	EC	FUNGICIDE	3	672-178-5899	21-Oct-25	SYSTEMIC	Banana	Black Sigatoka	0.4 L product/ha	0 day	-	Do not enter treated fields until spray has completely dried
HAUIR PHILIPPINES AGROSERVICE INC.	PROFENOCALIDE	URAZOLE 250 EC	250 g/L	EC	FUNGICIDE	3	672-178-5899	21-Oct-25	SYSTEMIC	Pineapple	Butt rot	Dip seed in 8-mL/ 300 L water solution	No PHI as applied as seed piece dip before planting	-	No PHI as applied as seed piece dip before planting
FKA AGRI CHEMICAL CORPORATION	DIURON	LIQUIRON 80 SC	800 g/L	SC	HERBICIDE	4	399-027-6398	24-Sep-24	-	Citrus	Annual and perennial grasses and broadleaves	11.0-15.0 Tbsp/36 L water	-	-	A day after application
FKA AGRI CHEMICAL CORPORATION	DIURON	LIQUIRON 80 SC	800 g/L	SC	HERBICIDE	4	399-027-6398	24-Sep-24	-	Coffee	Annual and perennial grasses and broadleaves	11.0-15.0 Tbsp/36 L water	-	-	A day after application
FKA AGRI CHEMICAL CORPORATION	DIURON	LIQUIRON 80 SC	800 g/L	SC	HERBICIDE	4	399-027-6398	24-Sep-24	-	Cotton	Annual and perennial grasses and broadleaves	8 Tbsp/36L water	-	-	A day after application
FKA AGRI CHEMICAL CORPORATION	DIURON	LIQUIRON 80 SC	800 g/L	SC	HERBICIDE	4	399-027-6398	24-Sep-24	-	Sugarcane	Annual and perennial grasses and broadleaves	6.5-13.0 Tbsp L water	-	-	A day after application
FKA AGRI CHEMICAL CORPORATION	DIURON	LIQUIRON 80 SC	800 g/L	SC	HERBICIDE	4	399-027-6398	24-Sep-24	-	Pineapple	Annual and perennial grasses and broadleaves	11 Tbsp/36L water	-	-	A day after application
FKA AGRI CHEMICAL CORPORATION	DIURON	LIQUIRON 80 SC	800 g/L	SC	HERBICIDE	4	399-027-6398	24-Sep-24	-	Non-crop land	Annual and perennial grasses and broadleaves	20.0-28.0 Tbsp/ 36L water	-	-	A day after application
CROP PROTECTION ADVENTURES INC.	CYHALOPOF BUTYL-BISPYRIBAC SODIUM	LUPHA 200 OD	150 g/L+50 g/L	GD	HERBICIDE	4	616-904-6055	29-Nov-25	POST-EMERGENT	Rice (Direct-seeded)	Grasses broadleaves and sedges	50-100 mL / 36L	-	-	As soon as spray dries up.
LIHEMPHIL INTERNATIONAL INC.	PYRIBENZOSIM-CYHALOPOF-BUTYL	UNCHOR ULTRA 8.5 EC	25+50g/L	EC	HERBICIDE	3	590-461-4676	22-Jan-26	-	Rice (Direct-Seeded)	Grasses, sedges & broadleaves	1.0-1.5L product/ha	-	-	As soon as spray deposit have dried.
LIHEMPHIL INTERNATIONAL INC.	PYRIBENZOSIM	UNCHOR 5 EC	50 g/L	EC	HERBICIDE	4	497-387-4037	31-Jan-25	-	Rice (Direct-Seeded)	Grasses, sedges & broadleaves	5-6 Tbsp/36L	-	-	As soon as spray deposit have dried.
LIHEMPHIL INTERNATIONAL INC.	BISPYRIBAC SODIUM	UMNEE 10 SC	100 g/L	SC	HERBICIDE	2	590-276-4556	08-Nov-24	SELECTIVE (POST-EMERGENT)	Rice (Direct-Seeded lowland)	Grasses, sedges & broadleaves	15mL/36 L water, 20 spray load/ hectare	0.1 ppm	-	As soon as spray deposits dry up.
EDSEL AGRI AND CHEMICAL CORP.	ABAMECTIN	UGER 1.8 EC	18 g/L	EC	INSECTICIDE	2	597-234-6262	28-Mar-26	-	Banana	Blossom thrips	4.5 per L water; 0.5 per L water	-	-	It is allowed as soon as spray deposits had dried up
EDSELAGRI AND CHEMICAL CORP.	ABAMECTIN	UGER 1.8 EC	18 g/L	EC	INSECTICIDE	2	597-234-6262	28-Mar-26	-	Cabbage	Diamond back moth	3000 mL prod./ ha; 2.0 Tbsp/ 36L water	7 Days	-	It is allowed as soon as spray deposits had dried up
EDSEL AGRI AND CHEMICAL CORP.	ABAMECTIN	UGER 1.8 EC	18 g/L	EC	INSECTICIDE	2	597-234-6262	28-Mar-26	-	Ornamentals	Mites	30-15 mL/ 36L water; 1.0-1.5 Tbsp/ 36L water	-	-	It is allowed as soon as spray deposits had dried up
EDSEL AGRI AND CHEMICAL CORP.	ABAMECTIN	UGER 1.8 EC	18 g/L	EC	INSECTICIDE	2	597-234-6262	28-Mar-26	-	Pineapple	Mites	3000-4000 mL prod./ ha	-	-	It is allowed as soon as spray deposits had dried up
EDSEL AGRI AND CHEMICAL CORP.	ABAMECTIN	UGER 1.8 EC	18 g/L	EC	INSECTICIDE	2	597-234-6262	28-Mar-26	-	Aggplant	Thrips, Leafhopper, fruit and shoot borer	900-1000 mL prod./ ha; 2.0-5.0 Tbsp/ 36L water	3 Days	-	It is allowed as soon as spray deposits had dried up
EDSEL AGRI AND CHEMICAL CORP.	ABAMECTIN	UGER 1.8 EC	18 g/L	EC	INSECTICIDE	2	597-234-6262	28-Mar-26	-	Onion	Leafminer, thrips	900-1000 mL prod./ ha; 2.0-3.0 Tbsp/ 36L water	3 Days	-	It is allowed as soon as spray deposits had dried up
EDSEL AGRI AND CHEMICAL CORP.	ABAMECTIN	UGER 1.8 EC	18 g/L	EC	INSECTICIDE	2	597-234-6262	28-Mar-26	-	Potato	Leafminer, thrips	900-1000 mL prod./ ha; 2.0-3.0 Tbsp/ 36L water	14 Days	-	It is allowed as soon as spray deposits had dried up
EDSEL AGRI AND CHEMICAL CORP.	ABAMECTIN	UGER 1.8 EC	18 g/L	EC	INSECTICIDE	2	597-234-6262	28-Mar-26	-	Tomato	leafminer, thrips, aphids	900-1000 mL prod./ ha; 2.0-3.0 Tbsp/ 36L water	3 Days	-	It is allowed as soon as spray deposits had dried up
EDSEL AGRI AND CHEMICAL CORP.	ABAMECTIN	UGER 1.8 EC	18 g/L	EC	INSECTICIDE	2	597-234-6262	28-Mar-26	-	Watermelon	Leafminer, thrips, melonworm	900-1000 mL prod./ ha; 2.0-3.0 Tbsp/ 36L water	3 Days	-	It is allowed as soon as spray deposits had dried up
EDSEL AGRI AND CHEMICAL CORP.	ABAMECTIN	UGER 1.8 EC	18 g/L	EC	INSECTICIDE	2	597-234-6262	28-Mar-26	-	Papaya	Mites	900-800 mL prod./ ha; 2.0-3.0 Tbsp/ 36L water	14 Days	-	It is allowed as soon as spray deposits had dried up
EDSEL AGRI AND CHEMICAL CORP.	ABAMECTIN	UGER 1.8 EC	18 g/L	EC	INSECTICIDE	2	597-234-6262	28-Mar-26	-	Strawberry	Mites	900-1200 mL prod./ ha; 2.0-4.0 Tbsp/ 36L water	3 Days	-	It is allowed as soon as spray deposits had dried up
JARDINE DISTRIBUTION, INC.	GLUFOSINATE AMMONIUM	UPLINE 150 SL	150 g/L	SL	HERBICIDE	4	367-182-3818	02-Nov-24	NON-SELECTIVE(POST-EMERGENT)	Rubber	Annual & Perennial grasses, sedges & broadleaf weeds	135-270 mL/36L	-	-	After spray deposits have dried up
JARDINE DISTRIBUTION, INC.	GLUFOSINATE AMMONIUM	UPLINE 150 SL	150 g/L	SL	HERBICIDE	4	367-182-3818	02-Nov-24	NON-SELECTIVE(POST-EMERGENT)	Oil palm	Annual & Perennial grasses, sedges & broadleaf weeds	160 mL/36 L (shaded) 135 mL/36 L (open)	-	-	After spray deposits have dried up
JARDINE DISTRIBUTION, INC.	GLUFOSINATE AMMONIUM	UPLINE 150 SL	150 g/L	SL	HERBICIDE	4	367-182-3818	02-Nov-24	NON-SELECTIVE(POST-EMERGENT)	Non-crop land	Annual & Perennial grasses, sedges & broadleaf weeds	-	-	-	After spray deposits have dried up
JARDINE DISTRIBUTION, INC.	GLUFOSINATE AMMONIUM	UPLINE 150 SL	150 g/L	SL	HERBICIDE	4	367-182-3818	02-Nov-24	NON-SELECTIVE(POST-EMERGENT)	Coffee	Annual & Perennial grasses, sedges & broadleaf weeds	160 mL/36 L (shaded) 135 mL/36 L (open)	-	-	After spray deposits have dried up
JARDINE DISTRIBUTION, INC.	GLUFOSINATE AMMONIUM	UPLINE 150 SL	150 g/L	SL	HERBICIDE	4	367-182-3818	02-Nov-24	NON-SELECTIVE(POST-EMERGENT)	Citrus	Annual & Perennial grasses, sedges & broadleaf weeds	160 mL/36 L (shaded) 135 mL/36 L (open)	-	-	After spray deposits have dried up
JARDINE DISTRIBUTION, INC.	GLUFOSINATE AMMONIUM	UPLINE 150 SL	150 g/L	SL	HERBICIDE	4	367-182-3818	02-Nov-24	NON-SELECTIVE(POST-EMERGENT)	Cavendish Banana	Annual & Perennial grasses, sedges & broadleaf weeds	160 mL/36 L (shaded) 135-200 mL/36 L (open)	0.7 mg/kg	-	After spray deposits have dried up
JARDINE DISTRIBUTION, INC.	GLUFOSINATE AMMONIUM	UPLINE 150 SL	150 g/L	SL	HERBICIDE	4	367-182-3818	02-Nov-24	NON-SELECTIVE(POST-EMERGENT)	Cacao	Annual & Perennial grasses, sedges & broadleaf weeds	160 mL/36 L (shaded) 135 mL/36 L (open)	-	-	After spray deposits have dried up
LIHEMPHIL INTERNATIONAL INC.	CARTAP HYDROCHLORIDE	UDAN 50 SP	500 g/kg	SP	INSECTICIDE	3	590-106-4806	27-May-25	SYSTEMIC	Rice	Worm maggot, stemborer, green leafhopper, brown planthopper	1.0-5.0Tbsp/36 L water	0.2ppm	Do not spray within 10 days before harvest	Do not enter treated fields within 2 days after application
LIHEMPHIL INTERNATIONAL INC.	CARTAP HYDROCHLORIDE	UDAN 50 SP	500 g/kg	SP	INSECTICIDE	3	590-106-4806	27-May-25	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/36 L water	-	Do not spray within 10 days before harvest	Do not enter treated fields within 2 days after application
LIHEMPHIL INTERNATIONAL INC.	CARTAP HYDROCHLORIDE	UDAN 50 SP	500 g/kg	SP	INSECTICIDE	3	590-106-4806	27-May-25	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/36 L water	-	Do not spray within 10 days before harvest	Do not enter treated fields within 2 days after application

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
UCHEMPHIL INTERNATIONAL INC.	CARTAP HYDROCHLORIDE	UDAN 50 SP	500 g/kg	SP	INSECTICIDE	3	590-106-4806	27-May-25	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0tbsp/36l water	-	Do not spray within 10 days before harvest	Do not enter treated fields within 2 days after application
UCHEMPHIL INTERNATIONAL INC.	CARTAP HYDROCHLORIDE	UDAN 50 SP	500 g/kg	SP	INSECTICIDE	3	590-106-4806	27-May-25	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0tbsp/36l water	-	Do not spray within 10 days before harvest	Do not enter treated fields within 2 days after application
UCHEMPHIL INTERNATIONAL INC.	CARTAP HYDROCHLORIDE	UDAN 50 SP	500 g/kg	SP	INSECTICIDE	3	590-106-4806	27-May-25	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0tbsp/36l water	-	Do not spray within 10 days before harvest	Do not enter treated fields within 2 days after application
UCHEMPHIL INTERNATIONAL INC.	CARTAP HYDROCHLORIDE	UDAN 50 SP	500 g/kg	SP	INSECTICIDE	3	590-106-4806	27-May-25	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0tbsp/36l water	-	Do not spray within 10 days before harvest	Do not enter treated fields within 2 days after application
UCHEMPHIL INTERNATIONAL INC.	CARTAP HYDROCHLORIDE	UDAN 50 SP	500 g/kg	SP	INSECTICIDE	3	590-106-4806	27-May-25	SYSTEMIC	Mango	leafhoppers	1.5-2.0tbsp/36l water	-	Do not spray within 10 days before harvest	Do not enter treated fields within 2 days after application
UCHEMPHIL INTERNATIONAL INC.	CARTAP HYDROCHLORIDE	UDAN 50 SP	500 g/kg	SP	INSECTICIDE	3	590-106-4806	27-May-25	SYSTEMIC	Peachay	looper, cutworm, aphids	1.5-3.0tbsp/36l water	-	Do not spray within 10 days before harvest	Do not enter treated fields within 2 days after application
UCHEMPHIL INTERNATIONAL INC.	CHLOROTHALONIL	UCONIL 720 SC	720g/l	SC	FUNGICIDE	4	590-118-4561	15-Nov-24	-	Potato	Early blight, late blight, vine rot	1.00-1.80L/ha or 4.5-5.5tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
UCHEMPHIL INTERNATIONAL INC.	CHLOROTHALONIL	UCONIL 720 SC	720g/l	SC	FUNGICIDE	4	590-118-4561	15-Nov-24	-	Tomato	Early blight, late blight, vine rot	1.13-1.90L/ha or 4.5-6.0tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
UCHEMPHIL INTERNATIONAL INC.	CHLOROTHALONIL	UCONIL 720 SC	720g/l	SC	FUNGICIDE	4	590-118-4561	15-Nov-24	-	Beans	Rust, anthracnose	1.13-1.90L/ha or 4.5-6.0tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
UCHEMPHIL INTERNATIONAL INC.	CHLOROTHALONIL	UCONIL 720 SC	720g/l	SC	FUNGICIDE	4	590-118-4561	15-Nov-24	-	Carrot	Alternaria leaf spot, cercospora leaf spot, helminthosporium leaf spot	1.13-1.90L/ha or 4.5-6.0tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
UCHEMPHIL INTERNATIONAL INC.	CHLOROTHALONIL	UCONIL 720 SC	720g/l	SC	FUNGICIDE	4	590-118-4561	15-Nov-24	-	Cucufers	Powdery mildew	1.13-1.90L/ha or 4.5-6.0tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
UCHEMPHIL INTERNATIONAL INC.	CHLOROTHALONIL	UCONIL 720 SC	720g/l	SC	FUNGICIDE	4	590-118-4561	15-Nov-24	-	Melon	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90L/ha or 4.5-6.0tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
UCHEMPHIL INTERNATIONAL INC.	CHLOROTHALONIL	UCONIL 720 SC	720g/l	SC	FUNGICIDE	4	590-118-4561	15-Nov-24	-	Cucumber	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90L/ha or 4.5-6.0tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
UCHEMPHIL INTERNATIONAL INC.	CHLOROTHALONIL	UCONIL 720 SC	720g/l	SC	FUNGICIDE	4	590-118-4561	15-Nov-24	-	Squash	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90L/ha or 4.5-6.0tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
UCHEMPHIL INTERNATIONAL INC.	CHLOROTHALONIL	UCONIL 720 SC	720g/l	SC	FUNGICIDE	4	590-118-4561	15-Nov-24	-	Watermelon	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90L/ha or 4.5-6.0tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
UCHEMPHIL INTERNATIONAL INC.	CHLOROTHALONIL	UCONIL 720 SC	720g/l	SC	FUNGICIDE	4	590-118-4561	15-Nov-24	-	Celery	Early blight, late blight	1.13-1.90L/ha or 4.5-6.0tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
UCHEMPHIL INTERNATIONAL INC.	CHLOROTHALONIL	UCONIL 720 SC	720g/l	SC	FUNGICIDE	4	590-118-4561	15-Nov-24	-	Eggplant	Early blight, late blight, cercospora leafspot, anthracnose	1.13-1.90L/ha or 4.5-6.0tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
UCHEMPHIL INTERNATIONAL INC.	CHLOROTHALONIL	UCONIL 720 SC	720g/l	SC	FUNGICIDE	4	590-118-4561	15-Nov-24	-	Onion	Purple blotch, bulb rot, neck rot	1.13-1.90L/ha or 4.5-6.0tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
UCHEMPHIL INTERNATIONAL INC.	CHLOROTHALONIL	UCONIL 720 SC	720g/l	SC	FUNGICIDE	4	590-118-4561	15-Nov-24	-	Pepper	Early & Late blight, Bulb rot, Neck rot	1.13-1.90L/ha or 4.5-6.0tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
UCHEMPHIL INTERNATIONAL INC.	CHLOROTHALONIL	UCONIL 720 SC	720g/l	SC	FUNGICIDE	4	590-118-4561	15-Nov-24	-	Grapes	Downy mildew, powdery mildew, fruit rot	1.13-1.90L/ha or 4.5-6.0tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
UCHEMPHIL INTERNATIONAL INC.	CHLOROTHALONIL	UCONIL 720 SC	720g/l	SC	FUNGICIDE	4	590-118-4561	15-Nov-24	-	Mango	Anthracnose, diploids rot	1.75-5.60L/ha or 4.5-6.0tbsp/36L	0.5 mg/kg	7-14 days	Do not enter treatment areas until spray deposit have dried
UCHEMPHIL INTERNATIONAL INC.	CHLOROTHALONIL	UCONIL 720 SC	720g/l	SC	FUNGICIDE	4	590-118-4561	15-Nov-24	-	Ornamentals	Black spot, powdery mildew, black rot	1.13-1.90L/ha or 4.5-6.0tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
UCHEMPHIL INTERNATIONAL INC.	CHLOROTHALONIL	UCONIL 720 SC	720g/l	SC	FUNGICIDE	4	590-118-4561	15-Nov-24	-	Asparagus	Stem and leaf blight	1.80L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
UCHEMPHIL INTERNATIONAL INC.	CHLOROTHALONIL	UCONIL 720 SC	720g/l	SC	FUNGICIDE	4	590-118-4561	15-Nov-24	-	Banana	Black sigatoka	1.38 L/ha	2.0 mg/kg	0 day	Do not enter treatment areas until spray deposit have dried
UCHEMPHIL INTERNATIONAL INC.	CHLORANTHRANILIPROLE	UCHEMPROLE 5 SC	50 g/L	SC	INSECTICIDE	4	590-393-6264	31-Aug-26	-	Bitter gourd	Cutworm, leafhopper	20 mL prod. / 36L water; 400L/ha	-	3 days	-
UCHEMPHIL INTERNATIONAL INC.	CHLORANTHRANILIPROLE	UCHEMPROLE 5 SC	50 g/L	SC	INSECTICIDE	4	590-393-6264	31-Aug-26	-	Cabbage	Cabbage worm, cutworm, diamondback moth	40-15 mL prod. / 36L water; 600L/ha	4 ppm	1 day	-
UCHEMPHIL INTERNATIONAL INC.	CHLORANTHRANILIPROLE	UCHEMPROLE 5 SC	50 g/L	SC	INSECTICIDE	4	590-393-6264	31-Aug-26	-	Corn	Corn borer, corn earworm	25-30 mL prod. / 36L water; 240L/ha	0.02 ppm	7 days	-
UCHEMPHIL INTERNATIONAL INC.	CHLORANTHRANILIPROLE	UCHEMPROLE 5 SC	50 g/L	SC	INSECTICIDE	4	590-393-6264	31-Aug-26	-	Eggplant	Fruit and shoot, borer cutworm	10-15 mL prod. / 36L water; 800L/ha	0.3 ppm	1 day	-
UCHEMPHIL INTERNATIONAL INC.	CHLORANTHRANILIPROLE	UCHEMPROLE 5 SC	50 g/L	SC	INSECTICIDE	4	590-393-6264	31-Aug-26	-	Rice	Stem borer, leaf folder	20-25 mL prod. / 36L water; 300L/ha	2 ppm	-	-
UCHEMPHIL INTERNATIONAL INC.	CHLORANTHRANILIPROLE	UCHEMPROLE 5 SC	50 g/L	SC	INSECTICIDE	4	590-393-6264	31-Aug-26	-	Stringbeans	Cutworm, pod borer	10-15 mL prod. / 36L water; 600L/ha	0.2 ppm	-	-
UCHEMPHIL INTERNATIONAL INC.	CHLORANTHRANILIPROLE	UCHEMPROLE 5 SC	50 g/L	SC	INSECTICIDE	4	590-393-6264	31-Aug-26	-	Sugarcane	Sugarcane borer	80L/ha (27-40 mL prod. / ha)	-	255 days	-
UCHEMPHIL INTERNATIONAL INC.	CHLORANTHRANILIPROLE	UCHEMPROLE 5 SC	50 g/L	SC	INSECTICIDE	4	590-393-6264	31-Aug-26	-	Tobacco	Budworm, cutworm	25-30 mL prod. / 36L water; 240L/ha	3 ppm	7 days	-
UCHEMPHIL INTERNATIONAL INC.	CHLORANTHRANILIPROLE	UCHEMPROLE 5 SC	50 g/L	SC	INSECTICIDE	4	590-393-6264	31-Aug-26	-	Tomato	Cutworm, fruitworm	27-40 mL prod. / prod. / 36L water; 100L/ha	0.60 ppm	3 days	-
UCHEMPHIL INTERNATIONAL INC.	TRIDEMORPH	UCHEMPORPH 86 OL	860 g/L	OL	FUNGICIDE	2	590-097-4478	13-Aug-24	SYSTEMIC/CONTACT	Banana	Sigatoka	0.5 L/ha Tridemorph + 5.0 L/ha Oil	-	Allow 7 days between last application and harvest	Do not enter treated field within day unless wearing protective clothing
UCHEMPHIL INTERNATIONAL INC.	PROFENOFOS	UCHEMP OS 500 EC	500 g/L	EC	INSECTICIDE	2	590-070-6314	18-Oct-26	-	Cabbage and other crucifers	Diamond back moth, cabbage worm, looper, and aphids	3-5tbsp/36L water	-	Do not spray less than 7 days before harvest	Do not enter treated fields for at least a day after application
UCHEMPHIL INTERNATIONAL INC.	PROFENOFOS	UCHEMP OS 500 EC	500 g/L	EC	INSECTICIDE	2	590-070-6314	18-Oct-26	-	Cotton	Thrips and bollworm	3-5tbsp/36L water	-	Do not spray less than 7 days before harvest	Do not enter treated fields for at least a day after application
UCHEMPHIL INTERNATIONAL INC.	PROFENOFOS	UCHEMP OS 500 EC	500 g/L	EC	INSECTICIDE	2	590-070-6314	18-Oct-26	-	Eggplant	Fruit borer, aphids, leafhopper, and thrips	1.5-3tbsp/36L water	-	Do not spray less than 7 days before harvest	Do not enter treated fields for at least a day after application
UCHEMPHIL INTERNATIONAL INC.	PROFENOFOS	UCHEMP OS 500 EC	500 g/L	EC	INSECTICIDE	2	590-070-6314	18-Oct-26	-	Mungbeans	Corn earworm, leafminer	3-5tbsp/36L water	-	Do not spray less than 7 days before harvest	Do not enter treated fields for at least a day after application
UCHEMPHIL INTERNATIONAL INC.	PROFENOFOS	UCHEMP OS 500 EC	500 g/L	EC	INSECTICIDE	2	590-070-6314	18-Oct-26	-	Potato	Thrips, armyworm, cutworm, tubemoth	3-5tbsp/36L water	-	Do not spray less than 7 days before harvest	Do not enter treated fields for at least a day after application
UCHEMPHIL INTERNATIONAL INC.	PROFENOFOS	UCHEMP OS 500 EC	500 g/L	EC	INSECTICIDE	2	590-070-6314	18-Oct-26	-	Soybean	Corn earworm, leafminer	3-5tbsp/36L water	-	Do not spray less than 7 days before harvest	Do not enter treated fields for at least a day after application
UCHEMPHIL INTERNATIONAL INC.	PROFENOFOS	UCHEMP OS 500 EC	500 g/L	EC	INSECTICIDE	2	590-070-6314	18-Oct-26	-	Stringbean	Bean fly, leaf folder, aphids, and pod borer	3-5tbsp/36L water	-	Do not spray less than 7 days before harvest	Do not enter treated fields for at least a day after application
UCHEMPHIL INTERNATIONAL INC.	PROFENOFOS	UCHEMP OS 500 EC	500 g/L	EC	INSECTICIDE	2	590-070-6314	18-Oct-26	-	Tomato	Fruitworm, armyworm, cutworm	1.5-3tbsp/36L water	-	Do not spray less than 7 days before harvest	Do not enter treated fields for at least a day after application
UCHEMPHIL INTERNATIONAL INC.	PROFENOFOS	UCHEMP OS 500 EC	500 g/L	EC	INSECTICIDE	2	590-070-6314	18-Oct-26	-	Watermelon	Blossom Thrips	3-5tbsp/36L water	-	Do not spray less than 7 days before harvest	Do not enter treated fields for at least a day after application
UCHEMPHIL INTERNATIONAL INC.	AZIXYSTROBIN	UCHEM MISSION 250 SC	250 g/L	SC	FUNGICIDE	4	590-309-6184	8-Jun-26	-	Mango	Anthracnose, scab, stem-end rot	40-80 mL / 300L 2.4 L prod/ha	-	Do not spray 7 days before harvest of corn. For other crops, do not spray 3-7 days before harvest	Re-entry to treated field is allowed as soon as spray deposits dry up.
UCHEMPHIL INTERNATIONAL INC.	AZIXYSTROBIN	UCHEM MISSION 250 SC	250 g/L	SC	FUNGICIDE	4	590-309-6184	8-Jun-26	-	Watermelon	Damping-off, leaf spot, anthracnose, downy mildew, powdery mildew	10-20 mL / 36L 0.2-0.4 L prod / ha	-	Do not spray 7 days before harvest of corn. For other crops, do not spray 3-7 days before harvest	Re-entry to treated field is allowed as soon as spray deposits dry up.
UCHEMPHIL INTERNATIONAL INC.	AZIXYSTROBIN	UCHEM MISSION 250 SC	250 g/L	SC	FUNGICIDE	4	590-309-6184	8-Jun-26	-	Onion	Basal/bulb rot	40-20 mL / 36L 0.2-0.4 L prod / ha	-	Do not spray 7 days before harvest of corn. For other crops, do not spray 3-7 days before harvest	Re-entry to treated field is allowed as soon as spray deposits dry up.
UCHEMPHIL INTERNATIONAL INC.	AZIXYSTROBIN	UCHEM MISSION 250 SC	250 g/L	SC	FUNGICIDE	4	590-309-6184	8-Jun-26	-	Tomato	Late/early blight, powdery mildew	5-30 mL / 36L	-	Do not spray 7 days before harvest of corn. For other crops, do not spray 3-7 days before harvest	Re-entry to treated field is allowed as soon as spray deposits dry up.
UCHEMPHIL INTERNATIONAL INC.	AZIXYSTROBIN	UCHEM MISSION 250 SC	250 g/L	SC	FUNGICIDE	4	590-309-6184	8-Jun-26	-	Asparagus	Stem blight (Phoma asparagi), leaf blight (Cercospora asparagi), wilt (Fusarium)	20-30 mL / 36L (at spray volume of 400 L/ha)	-	Do not spray 7 days before harvest of corn. For other crops, do not spray 3-7 days before harvest	Re-entry to treated field is allowed as soon as spray deposits dry up.
UCHEMPHIL INTERNATIONAL INC.	AZIXYSTROBIN	UCHEM MISSION 250 SC	250 g/L	SC	FUNGICIDE	4	590-309-6184	8-Jun-26	-	Corn	Rhizoctonia sheath blight, helminthosporium leaf spot, leaf rust, ear rot	20-40 mL prod. / L water	-	Do not spray 7 days before harvest of corn. For other crops, do not spray 3-7 days before harvest	Re-entry to treated field is allowed as soon as spray deposits dry up.
UCHEMPHIL INTERNATIONAL INC.	CLOTHIANIDIN	UCHEM LINDEEN 200 SC	200 g/L	SC	INSECTICIDE	4	590-379-6136	12-May-26	-	Rice	Rice black bug	4-0.5 t/ha / 36L water (40-50 mL)	-	-	Allowed as soon as spray deposits dry up
UCHEMPHIL INTERNATIONAL INC.	DIMETHOATE	UCHEM DIMETHOATE 400 EC	400 g/L	EC	INSECTICIDE	2	590-045-5905	27-Oct-25	-	Rice	Leafhopper, planthopper, bugs, stem borer	2-3 Tbsp/36L water	-	Do not spray within 14 days before harvest. For banana 3 months	Do not enter the treated fields within two days after spraying
UCHEMPHIL INTERNATIONAL INC.	DIMETHOATE	UCHEM DIMETHOATE 400 EC	400 g/L	EC	INSECTICIDE	2	590-045-5905	27-Oct-25	-	Tobacco	Aphids, thrips	2-3 Tbsp/36L water	-	Do not enter the treated fields within two days after spraying	-
UCHEMPHIL INTERNATIONAL INC.	DIMETHOATE	UCHEM DIMETHOATE 400 EC	400 g/L	EC	INSECTICIDE	2	590-045-5905	27-Oct-25	-	Mango	Leafhoppers	2-3 Tbsp/36L water	-	Do not spray within 14 days before harvest. For banana 3 months	Do not enter the treated fields within two days after spraying
UCHEMPHIL INTERNATIONAL INC.	DIMETHOATE	UCHEM DIMETHOATE 400 EC	400 g/L	EC	INSECTICIDE	2	590-045-5905	27-Oct-25	-	beans	Aphids, thrips, beanflies, leaf folder	3-5tbsp/36L water	-	Do not spray within 14 days before harvest. For banana 3 months	Do not enter the treated fields within two days after spraying
UCHEMPHIL INTERNATIONAL INC.	DIMETHOATE	UCHEM DIMETHOATE 400 EC	400 g/L	EC	INSECTICIDE	2	590-045-5905	27-Oct-25	-	Eggplant	Aphids, thrips	2-3 Tbsp/36L water	-	Do not spray within 14 days before harvest. For banana 3 months	Do not enter the treated fields within two days after spraying
UCHEMPHIL INTERNATIONAL INC.	DIMETHOATE	UCHEM DIMETHOATE 400 EC	400 g/L	EC	INSECTICIDE	2	590-045-5905	27-Oct-25	-	Cucurbits	Aphids, thrips	2-3 Tbsp/36L water	-	Do not spray within 14 days before harvest. For banana 3 months	Do not enter the treated fields within two days after spraying

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
LIChemPHIL INTERNATIONAL INC.	DIMETHOATE	LIChem DIMETHOATE 400 EC	400 g/L	EC	INSECTICIDE	2	590-045-5905	27-Oct-25	-	Pineapple	Mealybugs	2-3 Tbsp/36L water	-	Do not spray within 14 days before harvest. For banana 3 months	Do not enter the treated fields within two days after spraying
LIChemPHIL INTERNATIONAL INC.	DIMETHOATE	LIChem DIMETHOATE 400 EC	400 g/L	EC	INSECTICIDE	2	590-045-5905	27-Oct-25	-	Coffee	Berry borers, leafrollers, mealybugs	2-3 Tbsp/36L water	-	Do not spray within 14 days before harvest. For banana 3 months	Do not enter the treated fields within two days after spraying
LIChemPHIL INTERNATIONAL INC.	DIMETHOATE	LIChem DIMETHOATE 400 EC	400 g/L	EC	INSECTICIDE	2	590-045-5905	27-Oct-25	-	Cacao	Aphids, capcid bugs	3.0-6.4 Tbsp/36L water	-	Do not spray within 14 days before harvest. For banana 3 months	Do not enter the treated fields within two days after spraying
LIChemPHIL INTERNATIONAL INC.	DIMETHOATE	LIChem DIMETHOATE 400 EC	400 g/L	EC	INSECTICIDE	2	590-045-5905	27-Oct-25	-	Citrus	Aphids, mealybugs, rindborers, scale insects	2-3 Tbsp/36L water	-	Do not spray within 14 days before harvest. For banana 3 months	Do not enter the treated fields within two days after spraying
LIChemPHIL INTERNATIONAL INC.	DIMETHOATE	LIChem DIMETHOATE 400 EC	400 g/L	EC	INSECTICIDE	2	590-045-5905	27-Oct-25	-	Cotton	Aphids, leafrollers, white flies, mites	2-3 Tbsp/36L water	-	Do not spray within 14 days before harvest. For banana 3 months	Do not enter the treated fields within two days after spraying
LIChemPHIL INTERNATIONAL INC.	DIMETHOATE	LIChem DIMETHOATE 400 EC	400 g/L	EC	INSECTICIDE	2	590-045-5905	27-Oct-25	-	Banana	Flower thrips	3 mL/L water insect 60-80 mL solution per bud	-	Do not spray within 14 days before harvest. For banana 3 months	Do not enter the treated fields within two days after spraying
LIChemPHIL INTERNATIONAL INC.	CYHALOPOF-BUTYL-BISPYRIBAC SODIUM	LIChem BISPIRO 200 OD	150 g/L +50 g/L	OD	HERBICIDE	4	590-504-5893	20-Oct-25	POST-EMERGENT	Rice (Direct-Seeded)	Grasses, broadleaves, sedges	900ml - 1.1 prod/ / ha.	-	-	Re-entry to treated field is allowed as soon as spray deposits dry up.
LIChemPHIL INTERNATIONAL INC.	ATRAZINE	LIChem ATRAZINE 800 WP	800 g/kg	WP	HERBICIDE	4	590-065-5879	3-Oct-25	SELECTIVE (PRE-EMERGENT)	Corn	Broadleaf weeds & annual grasses	8-12 Tbsp/36 L water (Based on 1 Tbsp=20g)	-	-	Do not enter treated fields within 5 days after application
LIChemPHIL INTERNATIONAL INC.	ATRAZINE	LIChem ATRAZINE 800 WP	800 g/kg	WP	HERBICIDE	4	590-065-5879	3-Oct-25	SELECTIVE (PRE-EMERGENT)	Sorghum	Broadleaf weeds & annual grasses	8-12 Tbsp/36 L water (Based on 1 Tbsp=20g)	-	-	Do not enter treated fields within 5 days after application
LIChemPHIL INTERNATIONAL INC.	ATRAZINE	LIChem ATRAZINE 800 WP	800 g/kg	WP	HERBICIDE	4	590-065-5879	3-Oct-25	SELECTIVE (PRE-EMERGENT)	Sugarcane	Broadleaf weeds & annual grasses	8-12 Tbsp/36 L water (Based on 1 Tbsp=20g)	-	-	Do not enter treated fields within 5 days after application
LIChemPHIL INTERNATIONAL INC.	AMETRYNE	LIChem AMET 80 WP	800 g/kg	WP	HERBICIDE	3	590-068-6048	15-Feb-26	-	Banana	Annual broadleaves and certain annual grasses	8-15 Tbsp 36L water 25 tonkloads/ ha	-	-	Enter treated field one day after spraying
LIChemPHIL INTERNATIONAL INC.	AMETRYNE	LIChem AMET 80 WP	800 g/kg	WP	HERBICIDE	3	590-068-6048	15-Feb-26	-	Coffee	Annual broadleaves and certain annual grasses	9-15 Tbsp 36L water 25 tonkloads/ ha	-	-	Enter treated field one day after spraying
LIChemPHIL INTERNATIONAL INC.	AMETRYNE	LIChem AMET 80 WP	800 g/kg	WP	HERBICIDE	3	590-068-6048	15-Feb-26	-	Cacao	Annual broadleaves and certain annual grasses	9-15 Tbsp 36L water 25 tonkloads/ ha	-	-	Enter treated field one day after spraying
LIChemPHIL INTERNATIONAL INC.	AMETRYNE	LIChem AMET 80 WP	800 g/kg	WP	HERBICIDE	3	590-068-6048	15-Feb-26	-	Oil palm	Annual broadleaves and certain annual grasses	9-15 Tbsp 36L water 25 tonkloads/ ha	-	-	Enter treated field one day after spraying
LIChemPHIL INTERNATIONAL INC.	AMETRYNE	LIChem AMET 80 WP	800 g/kg	WP	HERBICIDE	3	590-068-6048	15-Feb-26	-	Citrus	Annual broadleaves and certain annual grasses	9-15 Tbsp 36L water 25 tonkloads/ ha	-	-	Enter treated field one day after spraying
LIChemPHIL INTERNATIONAL INC.	AMETRYNE	LIChem AMET 80 WP	800 g/kg	WP	HERBICIDE	3	590-068-6048	15-Feb-26	-	Pineapple	Annual broadleaves and certain annual grasses	9-15 Tbsp 36L water 25 tonkloads/ ha	-	-	Enter treated field one day after spraying
LIChemPHIL INTERNATIONAL INC.	AMETRYNE	LIChem AMET 80 WP	800 g/kg	WP	HERBICIDE	3	590-068-6048	15-Feb-26	-	Corn	Annual broadleaves and certain annual grasses	9-15 Tbsp 36L water 25 tonkloads/ ha	-	-	Enter treated field one day after spraying
LIChemPHIL INTERNATIONAL INC.	AMETRYNE	LIChem AMET 80 WP	800 g/kg	WP	HERBICIDE	3	590-068-6048	15-Feb-26	-	Sugarcane	Annual broadleaves and certain annual grasses	9-15 Tbsp 36L water 25 tonkloads/ ha	-	-	Enter treated field one day after spraying
LIChemPHIL INTERNATIONAL INC.	2,4-D IBE	LIChem 2,4-D IBE	490g/L	EC	HERBICIDE	2	590-040-4263	21-Feb-27	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual Broadleaves & sedges	5-6.6.50Tbsp/36L water	0.1 ppm	-	One day after spraying
LIChemPHIL INTERNATIONAL INC.	2,4-D IBE	LIChem 2,4-D IBE	490g/L	EC	HERBICIDE	2	590-040-4263	21-Feb-27	SELECTIVE (POST-EMERGENT)	Corn	Annual Broadleaves & sedges	5-6.6.50Tbsp/36L water	-	-	One day after spraying
LIChemPHIL INTERNATIONAL INC.	2,4-D IBE	LIChem 2,4-D IBE	490g/L	EC	HERBICIDE	2	590-040-4263	21-Feb-27	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual Broadleaves & sedges	5-6.6.50Tbsp/36L water	-	-	One day after spraying
LIChemPHIL INTERNATIONAL INC.	2,4-D AMINE	LIChem 2,4-D AMINE	400 g/L	-	HERBICIDE	2	590-033-5435	10-May-24	-	Rice (Transplanted)	Annual broadleaves and sedges	3.5-6.5Tbsp/36 L water	0.1 ppm	-	1 Day
LIChemPHIL INTERNATIONAL INC.	2,4-D AMINE	LIChem 2,4-D AMINE	400 g/L	-	HERBICIDE	2	590-033-5435	10-May-24	-	Sugarcane	Annual broadleaves and sedges	35-25 Tbsp/36 L water	-	-	1 Day
LIChemPHIL INTERNATIONAL INC.	2,4-D AMINE	LIChem 2,4-D AMINE	400 g/L	-	HERBICIDE	2	590-033-5435	10-May-24	-	Corn	Annual broadleaves and sedges	5-6.5 Tbsp/36 L water	-	-	1 Day
TRIGREEN TRADING CORPORATION	CYPERMETHRIN	LIBRA 5 EC	50 g/L	EC	INSECTICIDE	4	356-037-1701	31-May-24	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
TRIGREEN TRADING CORPORATION	CYPERMETHRIN	LIBRA 5 EC	50 g/L	EC	INSECTICIDE	4	356-037-1701	31-May-24	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leafroller, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
TRIGREEN TRADING CORPORATION	CYPERMETHRIN	LIBRA 5 EC	50 g/L	EC	INSECTICIDE	4	356-037-1701	31-May-24	CONTACT	Cabbage	Diamond back moth, cabbage moth, worm	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
TRIGREEN TRADING CORPORATION	CYPERMETHRIN	LIBRA 5 EC	50 g/L	EC	INSECTICIDE	4	356-037-1701	31-May-24	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
TRIGREEN TRADING CORPORATION	CYPERMETHRIN	LIBRA 5 EC	50 g/L	EC	INSECTICIDE	4	356-037-1701	31-May-24	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
TRIGREEN TRADING CORPORATION	CYPERMETHRIN	LIBRA 5 EC	50 g/L	EC	INSECTICIDE	4	356-037-1701	31-May-24	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
TRIGREEN TRADING CORPORATION	CYPERMETHRIN	LIBRA 5 EC	50 g/L	EC	INSECTICIDE	4	356-037-1701	31-May-24	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
TRIGREEN TRADING CORPORATION	CYPERMETHRIN	LIBRA 5 EC	50 g/L	EC	INSECTICIDE	4	356-037-1701	31-May-24	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
TRIGREEN TRADING CORPORATION	CYPERMETHRIN	LIBRA 5 EC	50 g/L	EC	INSECTICIDE	4	356-037-1701	31-May-24	CONTACT	Cotton	Ballworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
TRIGREEN TRADING CORPORATION	CYPERMETHRIN	LIBRA 5 EC	50 g/L	EC	INSECTICIDE	4	356-037-1701	31-May-24	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
TRIGREEN TRADING CORPORATION	CYPERMETHRIN	LIBRA 5 EC	50 g/L	EC	INSECTICIDE	4	356-037-1701	31-May-24	CONTACT	Corn	Comborer, earworm	1.0-4.5 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
TAIPAN BRAND FARM INC.	CYHALOPOF- BUTYL	LIBERTY 100 EC	100 g/L	EC	HERBICIDE	4	529-257-4354	11-May-24	SYSTEMIC	Rice (Direct-Seeded)	Grasses	12-15, 10 tank/oad/ha	-	-	-
LTC MORITA CORPORATION	MALATHION	LGCT MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	679-038-5405	15-Dec-23	NON-SYSTEMIC	Fruit trees	Aphids, mealy bug scale insect	1.5-3.0Tbsp/36 L water	-	One (1) day after each spraying.	One (1) day after each spraying.
LTC MORITA CORPORATION	MALATHION	LGCT MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	679-038-5405	15-Dec-23	NON-SYSTEMIC	Rice	Armyworm, cutworm, leafhopper, bugs	2-3.0 Tbsp/36 L water	-	One (1) day after each spraying.	One (1) day after each spraying.
LTC MORITA CORPORATION	MALATHION	LGCT MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	679-038-5405	15-Dec-23	NON-SYSTEMIC	Corn	Earworm, silkworm, aphids, grasshopper	3.0-5.0Tbsp/36 L water	-	One (1) day after each spraying.	One (1) day after each spraying.
LTC MORITA CORPORATION	MALATHION	LGCT MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	679-038-5405	15-Dec-23	NON-SYSTEMIC	Cabbage	Cabbage worm, looper, diamond back moth	2.0-5.0Tbsp/36 L water	-	One (1) day after each spraying.	One (1) day after each spraying.
LTC MORITA CORPORATION	MALATHION	LGCT MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	679-038-5405	15-Dec-23	NON-SYSTEMIC	Legumes	Aphids, beanfly, cutworm, flea beetles, leafminer, maggots, mealybug, podborer, thrips	2.0-5.0Tbsp/36 L water	-	One (1) day after each spraying.	One (1) day after each spraying.
LTC MORITA CORPORATION	MALATHION	LGCT MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	679-038-5405	15-Dec-23	NON-SYSTEMIC	Grapes	Beetles, cutworm, leafhopper, mealybug, scale, insect, spider mites	3.0Tbsp/36 L water	-	One (1) day after each spraying.	One (1) day after each spraying.
LTC MORITA CORPORATION	MALATHION	LGCT MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	679-038-5405	15-Dec-23	NON-SYSTEMIC	Pineapple	Mitraly bug	3.0Tbsp/36 L water	-	One (1) day after each spraying.	One (1) day after each spraying.
LTC MORITA CORPORATION	MALATHION	LGCT MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	679-038-5405	15-Dec-23	NON-SYSTEMIC	Pepper	Aphid, cutworm, fruitworm	3.0Tbsp/36 L water	-	One (1) day after each spraying.	One (1) day after each spraying.
LTC MORITA CORPORATION	MALATHION	LGCT MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	679-038-5405	15-Dec-23	NON-SYSTEMIC	Garlic	Cutworm	3.0Tbsp/36 L water	-	One (1) day after each spraying.	One (1) day after each spraying.
LTC MORITA CORPORATION	MALATHION	LGCT MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	679-038-5405	15-Dec-23	NON-SYSTEMIC	Onion	Cutworm	3.0Tbsp/36 L water	-	One (1) day after each spraying.	One (1) day after each spraying.
LTC MORITA CORPORATION	MALATHION	LGCT MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	679-038-5405	15-Dec-23	NON-SYSTEMIC	Tobacco	Aphids, katydid	3.0-6.0Tbsp/36 L water	-	One (1) day after each spraying.	One (1) day after each spraying.
LTC MORITA CORPORATION	MALATHION	LGCT MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	679-038-5405	15-Dec-23	NON-SYSTEMIC	Ornamentals	Aphids, cutworm, mealybug, scale insect, spider mites	3.0-5.0Tbsp/36 L water	-	One (1) day after each spraying.	One (1) day after each spraying.
LTC MORITA CORPORATION	MALATHION	LGCT MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	679-038-5405	15-Dec-23	NON-SYSTEMIC	Tomato	Lady beetle	3.0-5.0Tbsp/36 L water	-	One (1) day after each spraying.	One (1) day after each spraying.
LTC MORITA CORPORATION	MALATHION	LGCT MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	679-038-5405	15-Dec-23	NON-SYSTEMIC	Eggplant	Aphids, fruitworm	3.0-5.0Tbsp/36 L water	-	One (1) day after each spraying.	One (1) day after each spraying.
LTC MORITA CORPORATION	MALATHION	LGCT MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	679-038-5405	15-Dec-23	NON-SYSTEMIC	Sorghum	Web worm	3.0Tbsp/36 L water	-	One (1) day after each spraying.	One (1) day after each spraying.
LTC MORITA CORPORATION	CYPERMETHRIN	LGCT CYPER 5 EC	50 g/L	EC	INSECTICIDE	4	679-037-5320	06-Jul-24	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
LTC MORITA CORPORATION	CYPERMETHRIN	LGCT CYPER 5 EC	50 g/L	EC	INSECTICIDE	4	679-037-5320	06-Jul-24	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leafrollers, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
LTC MORITA CORPORATION	CYPERMETHRIN	LGCT CYPER 5 EC	50 g/L	EC	INSECTICIDE	4	679-037-5320	06-Jul-24	CONTACT	Cabbage	Diamond back moth, cabbage moth, worm	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
LTC MORITA CORPORATION	CYPERMETHRIN	LGCT CYPER 5 EC	50 g/L	EC	INSECTICIDE	4	679-037-5320	06-Jul-24	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
LTC MORITA CORPORATION	CYPERMETHRIN	LGCT CYPER 5 EC	50 g/L	EC	INSECTICIDE	4	679-037-5320	06-Jul-24	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
LTC MORITA CORPORATION	CYPERMETHRIN	USCT CYPER S EC	50 g/L	EC	INSECTICIDE	4	679-037-5320	06-Jul-24	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/36 l water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
LTC MORITA CORPORATION	CYPERMETHRIN	USCT CYPER S EC	50 g/L	EC	INSECTICIDE	4	679-037-5320	06-Jul-24	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/36 l water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
LTC MORITA CORPORATION	CYPERMETHRIN	USCT CYPER S EC	50 g/L	EC	INSECTICIDE	4	679-037-5320	06-Jul-24	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/36 l water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
LTC MORITA CORPORATION	CYPERMETHRIN	USCT CYPER S EC	50 g/L	EC	INSECTICIDE	4	679-037-5320	06-Jul-24	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/36 l water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
LTC MORITA CORPORATION	CYPERMETHRIN	USCT CYPER S EC	50 g/L	EC	INSECTICIDE	4	679-037-5320	06-Jul-24	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/36 l water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
LTC MORITA CORPORATION	CYPERMETHRIN	USCT CYPER S EC	50 g/L	EC	INSECTICIDE	4	679-037-5320	06-Jul-24	CONTACT	Corn	Comborer, earworm	1.0-4.5 Tbsp/36 l water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
LTC MORITA CORPORATION	CARTAP HYDROCHLORIDE	USCT CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	679-106-5403	02-Jul-22	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.0-5.0 Tbsp/36 l water	-	Stop spraying 10 days before harvest	Do not enter the field within two days after spraying
LTC MORITA CORPORATION	CARTAP HYDROCHLORIDE	USCT CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	679-106-5403	02-Jul-22	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/36 l water	-	Stop spraying 10 days before harvest	Do not enter the field within two days after spraying
LTC MORITA CORPORATION	CARTAP HYDROCHLORIDE	USCT CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	679-106-5403	02-Jul-22	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/36 l water	-	Stop spraying 10 days before harvest	Do not enter the field within two days after spraying
LTC MORITA CORPORATION	CARTAP HYDROCHLORIDE	USCT CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	679-106-5403	02-Jul-22	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/36 l water	-	Stop spraying 10 days before harvest	Do not enter the field within two days after spraying
LTC MORITA CORPORATION	CARTAP HYDROCHLORIDE	USCT CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	679-106-5403	02-Jul-22	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/36 l water	-	Stop spraying 10 days before harvest	Do not enter the field within two days after spraying
LTC MORITA CORPORATION	CARTAP HYDROCHLORIDE	USCT CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	679-106-5403	02-Jul-22	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/36 l water	-	Stop spraying 10 days before harvest	Do not enter the field within two days after spraying
LTC MORITA CORPORATION	CARTAP HYDROCHLORIDE	USCT CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	679-106-5403	02-Jul-22	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/36 l water	-	Stop spraying 10 days before harvest	Do not enter the field within two days after spraying
LTC MORITA CORPORATION	CARTAP HYDROCHLORIDE	USCT CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	679-106-5403	02-Jul-22	SYSTEMIC	Mango	leafhoppers	1.5-2.0Tbsp/36 l water	-	Stop spraying 10 days before harvest	Do not enter the field within two days after spraying
LTC MORITA CORPORATION	CARTAP HYDROCHLORIDE	USCT CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	679-106-5403	02-Jul-22	SYSTEMIC	Pechay	looper, cutworm, aphids	1.5-3.0Tbsp/36 l water	-	Stop spraying 10 days before harvest	Do not enter the field within two days after spraying
LAPANDAY FOODS CORPORATION	CHLOROTHALONIL	UFC DACONIL 720SC	-	SC	FUNGICIDE	4	749-118-5993	16-Jan-26	-	Banana	Black sigatoka	1.00 kg A.i. / ha or 1.38 L prod. / ha	-	-	-
LAPANDAY FOODS CORPORATION	CHLOROTHALONIL	UFC DACONIL 720 SC	-	SC	FUNGICIDE	4	749-118-5993	16-Jan-26	-	Banana	Black sigatoka	-	-	-	-
AGWAY CHEMICALS CORPORATION	PIRIBENZOXIM-CHALDOP-BUTYL	LEXOR ULTRA 8.5 EC	25+60 g/L	EC	HERBICIDE	3	075-451-4780	22-Jan-26	-	Rice (Direct-Seeded)	Grasses, sedges & broadleaves	-	-	-	As soon as spray deposits dry up.
APEX S GOLD CROP	CYPERMETHRIN	LEVEL UP S EC	50 g/L	EC	INSECTICIDE	4	514-037-2969	13-Apr-21	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/36 l water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
APEX S GOLD CROP	CYPERMETHRIN	LEVEL UP S EC	50 g/L	EC	INSECTICIDE	4	514-037-2969	13-Apr-21	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leafroller, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/36 l water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
APEX S GOLD CROP	CYPERMETHRIN	LEVEL UP S EC	50 g/L	EC	INSECTICIDE	4	514-037-2969	13-Apr-21	CONTACT	Cabbage	Diamond-back-moth, cabbage moth, worm	1.0-3.0 Tbsp/36 l water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
APEX S GOLD CROP	CYPERMETHRIN	LEVEL UP S EC	50 g/L	EC	INSECTICIDE	4	514-037-2969	13-Apr-21	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/36 l water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
APEX S GOLD CROP	CYPERMETHRIN	LEVEL UP S EC	50 g/L	EC	INSECTICIDE	4	514-037-2969	13-Apr-21	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/36 l water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
APEX S GOLD CROP	CYPERMETHRIN	LEVEL UP S EC	50 g/L	EC	INSECTICIDE	4	514-037-2969	13-Apr-21	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/36 l water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
APEX S GOLD CROP	CYPERMETHRIN	LEVEL UP S EC	50 g/L	EC	INSECTICIDE	4	514-037-2969	13-Apr-21	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/36 l water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
APEX S GOLD CROP	CYPERMETHRIN	LEVEL UP S EC	50 g/L	EC	INSECTICIDE	4	514-037-2969	13-Apr-21	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/36 l water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
APEX S GOLD CROP	CYPERMETHRIN	LEVEL UP S EC	50 g/L	EC	INSECTICIDE	4	514-037-2969	13-Apr-21	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/36 l water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
APEX S GOLD CROP	CYPERMETHRIN	LEVEL UP S EC	50 g/L	EC	INSECTICIDE	4	514-037-2969	13-Apr-21	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/36 l water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
APEX S GOLD CROP	CYPERMETHRIN	LEVEL UP S EC	50 g/L	EC	INSECTICIDE	4	514-037-2969	13-Apr-21	CONTACT	Corn	Comborer, earworm	1.0-4.5 Tbsp/36 l water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
EZERTECH CORPORATION	LAMBDA-CHYALOTHRIN+THIAMETHOXAM	LETHAL 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	648-395-5301	27-Oct-26	CONTACT/SYSTEMIC	Potato	Whiteflies, aphids, thrips	4.0-6.0 Tbsp/36l	-	7 Days	-
EZERTECH CORPORATION	LAMBDA-CHYALOTHRIN+THIAMETHOXAM	LETHAL 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	648-395-5301	27-Oct-26	CONTACT/SYSTEMIC	Stringbeans	Green Leafhopper, aphids, mites	4.0-6.0 Tbsp/36l	-	7 Days	-
EZERTECH CORPORATION	LAMBDA-CHYALOTHRIN+THIAMETHOXAM	LETHAL 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	648-395-5301	27-Oct-26	CONTACT/SYSTEMIC	figplant	Whiteflies, green leafhopper, aphids	4.0-6.0 Tbsp/36l	-	7 Days	-
EZERTECH CORPORATION	LAMBDA-CHYALOTHRIN+THIAMETHOXAM	LETHAL 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	648-395-5301	27-Oct-26	CONTACT/SYSTEMIC	Watergourd	leafhoppers, thrips, aphids, fruitfly, cutworm	4.0-13.0 Tbsp/36l	-	7 Days	-
EZERTECH CORPORATION	LAMBDA-CHYALOTHRIN+THIAMETHOXAM	LETHAL 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	648-395-5301	27-Oct-26	CONTACT/SYSTEMIC	Mango	Leafhoppers, tipborers, capsid bug, fruitfly, cecid fly	4.0-6.0 Tbsp/36l	-	3 Days	-
EZERTECH CORPORATION	LAMBDA-CHYALOTHRIN+THIAMETHOXAM	LETHAL 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	648-395-5301	27-Oct-26	CONTACT/SYSTEMIC	Corn	Asiatic corn borer, cutworm, leafhopper, aphids, earworm	30.16 Tbsp/36l	-	3 Days	-
EZERTECH CORPORATION	LAMBDA-CHYALOTHRIN+THIAMETHOXAM	LETHAL 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	648-395-5301	27-Oct-26	CONTACT/SYSTEMIC	Banana	Flower thrips	5-3 mL	-	90 days	-
EZERTECH CORPORATION	LAMBDA-CHYALOTHRIN+THIAMETHOXAM	LETHAL 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	648-395-5301	27-Oct-26	CONTACT/SYSTEMIC	Rice	Stemborer, leafhopper, rice bugs	10-30 Tbsp prod/36l	-	14 Days	-
LEADS AGRICULTURAL PRODUCTS CORPORATION	QUICALDOP-P-ETHYL	LEOPARD 10 EC	100 g/L	EC	HERBICIDE	4	099-317-2790	30-Jul-26	SYSTEMIC/SELECTIVE (POST-EMERGENCE)	Pineapple	Grasses	9-18 Tbsp/36 L water	-	360 days after last application	As soon as the spray mist dries up
NS NORTHERN ORGANIC FERTILIZER INC.	METRIBULIN	LEGLES 70 WP	700 g/kg	WP	HERBICIDE	4	470-022-5548	30-Jul-24	SELECTIVE	Potato	Annual grasses and broadleaves	15-22.5 grams/36 L water	-	-	Do not re-enter sprayed areas until spray deposits have dried.
NS NORTHERN ORGANIC FERTILIZER INC.	METRIBULIN	LEGLES 70 WP	700 g/kg	WP	HERBICIDE	4	470-022-5548	30-Jul-24	SELECTIVE	Soybeans	Annual grasses and broadleaves	15-22.5 grams/36 L water	-	60 days	Do not re-enter sprayed areas until spray deposits have dried.
NS NORTHERN ORGANIC FERTILIZER INC.	METRIBULIN	LEGLES 70 WP	700 g/kg	WP	HERBICIDE	4	470-022-5548	30-Jul-24	SELECTIVE	Sugarcane	Annual grasses and broadleaves	25-50 grams/36 l water	-	60 days	Do not re-enter sprayed areas until spray deposits have dried.
NS NORTHERN ORGANIC FERTILIZER INC.	METRIBULIN	LEGLES 70 WP	700 g/kg	WP	HERBICIDE	4	470-022-5548	30-Jul-24	SELECTIVE	Tomato	Annual grasses and broadleaves	15-22.5 grams/36 l water	-	60 days	Do not re-enter sprayed areas until spray deposits have dried.
INTEGRATED CROP TRADING CORPORATION	CLOTHIANIDIN	LEGAT 200C	200 g/L	SC	INSECTICIDE	4	274-379-6172	31-May-25	-	Rice	Black bug	4-5 Tbsp/36l	-	-	-
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	LAMBDA-CHYALOTHRIN	LEGION 2.5 EC	25 g/L	EC	INSECTICIDE	2	376-204-2406	14-Mar-22	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leafroller, black bug	1.0-1.5Tbsp/36 l of water	0.05ppm	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	LAMBDA-CHYALOTHRIN	LEGION 2.5 EC	25 g/L	EC	INSECTICIDE	2	376-204-2406	14-Mar-22	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/36L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	LAMBDA-CHYALOTHRIN	LEGION 2.5 EC	25 g/L	EC	INSECTICIDE	2	376-204-2406	14-Mar-22	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/36 l of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	LAMBDA-CHYALOTHRIN	LEGION 2.5 EC	25 g/L	EC	INSECTICIDE	2	376-204-2406	14-Mar-22	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/36L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	LAMBDA-CHYALOTHRIN	LEGION 2.5 EC	25 g/L	EC	INSECTICIDE	2	376-204-2406	14-Mar-22	SYSTEMIC	Mungbeans	Beanfly, flea beetle, leafhopper, aphids, mites, podborer	1.0Tbsp/36 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	LAMBDA-CHYALOTHRIN	LEGION 2.5 EC	25 g/L	EC	INSECTICIDE	2	376-204-2406	14-Mar-22	SYSTEMIC	Corn	Comborer, aphids, seedling maggots	1.0-1.5Tbsp/36 l of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	LAMBDA-CHYALOTHRIN	LEGION 2.5 EC	25 g/L	EC	INSECTICIDE	2	376-204-2406	14-Mar-22	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katyids	1.0-1.5Tbsp/36 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	LAMBDA-CHYALOTHRIN	LEGION 2.5 EC	25 g/L	EC	INSECTICIDE	2	376-204-2406	14-Mar-22	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/36 l of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	LAMBDA-CHYALOTHRIN	LEGION 2.5 EC	25 g/L	EC	INSECTICIDE	2	376-204-2406	14-Mar-22	SYSTEMIC	Cocoa	Podborer	1.0-2.0Tbsp/36 l of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	LAMBDA-CHYALOTHRIN	LEGION 2.5 EC	25 g/L	EC	INSECTICIDE	2	376-204-2406	14-Mar-22	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/36 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	LAMBDA-CHYALOTHRIN	LEGION 2.5 EC	25 g/L	EC	INSECTICIDE	2	376-204-2406	16-May-24	-	Rice	Green leafhopper, armyworm, rice bug, leafroller, black bug	1.0-1.5Tbsp/36 l of water	0.05ppm	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	LAMBDA-CHYALOTHRIN	LEGION 2.5 EC	25 g/L	EC	INSECTICIDE	2	376-204-2406	16-May-24	-	Mango	Hoppers	0.75-1.5Tbsp/36 l of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	LAMBDA-CHYALOTHRIN	LEGION 2.5 EC	25 g/L	EC	INSECTICIDE	2	376-204-2406	16-May-24	-	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/36 l of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	LAMBDA-CHYALOTHRIN	LEGION 2.5 EC	25 g/L	EC	INSECTICIDE	2	376-204-2406	16-May-24	-	Onion	Thrips, cutworm	1.0Tbsp/36 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	LAMBDA-CHYALOTHRIN	LEGION 2.5 EC	25 g/L	EC	INSECTICIDE	2	376-204-2406	16-May-24	-	Mungbeans	Beanfly, flea beetle, leafhopper, aphids, mites, podborer	1.0Tbsp/36 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	LAMBDA-CHYALOTHRIN	LEGION 2.5 EC	25 g/L	EC	INSECTICIDE	2	376-204-2406	16-May-24	-	Corn	Comborer, aphids, seedling maggots	1.0-1.5Tbsp/36 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	LAMBDA-CHYALOTHRIN	LEGION 2.5 EC	25 g/L	EC	INSECTICIDE	2	376-204-2406	16-May-24	-	Tobacco	Budworm, Cutworm, aphids, katyids	1.0-1.5Tbsp/36 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	LAMBDA-CHYALOTHRIN	LEGION 2.5 EC	25 g/L	EC	INSECTICIDE	2	376-204-2406	16-May-24	-	Cotton	Bollworm	1.0-1.5Tbsp/36 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	LAMBDA-CHYALOTHRIN	LEGION 2.5 EC	25 g/L	EC	INSECTICIDE	2	376-204-2406	16-May-24	-	Cacao	Podborer	1.0-2.0Tbsp/36 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	LAMBDA-CHYALOTHRIN	LEGION 2.5 EC	25 g/L	EC	INSECTICIDE	2	376-204-2406	16-May-24	-	Watermelon	Squash beetle, melon worm	1.0Tbsp/36 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
JARDINE DISTRIBUTION, INC.	ESFENVALERATE	LEGEND 2.5 EC	25 g/L	EC	INSECTICIDE	2	367-275-1054	18-May-25	CONTACT	Rice	Stemborer, black bug, rice bug, whorl maggots, leafhopper brown plant hopper	1.5-2.0 Tbsp/36L water	2.00 ppm	21 days	Do not enter fields without protective clothing and until spray deposits have dried up (usually within 24 hours)
JARDINE DISTRIBUTION, INC.	ESFENVALERATE	LEGEND 2.5 EC	25 g/L	EC	INSECTICIDE	2	367-275-1054	18-May-25	CONTACT	Mango	Mango hopper, twig borer, tip borer	1.5-2.0 Tbsp/36L water	1.00 ppm	3 Days	Do not enter fields without protective clothing and until spray deposits have dried up (usually within 24 hours)
JARDINE DISTRIBUTION, INC.	ESFENVALERATE	LEGEND 2.5 EC	25 g/L	EC	INSECTICIDE	2	367-275-1054	18-May-25	CONTACT	Corn	Corn borer	1.5-2.0 Tbsp/36L water	-	21 days	Do not enter fields without protective clothing and until spray deposits have dried up (usually within 24 hours)
JARDINE DISTRIBUTION, INC.	ESFENVALERATE	LEGEND 2.5 EC	25 g/L	EC	INSECTICIDE	2	367-275-1054	18-May-25	CONTACT	Stringbeans	Podborer, aphids	1.5-2.0 Tbsp/36L water	-	3 Days	Do not enter fields without protective clothing and until spray deposits have dried up (usually within 24 hours)
JARDINE DISTRIBUTION, INC.	ESFENVALERATE	LEGEND 2.5 EC	25 g/L	EC	INSECTICIDE	2	367-275-1054	18-May-25	CONTACT	Eggplant	Shoot/fruit borer, leafhopper	1.5-2.0 Tbsp/36L water	1.00 ppm	7 Days	Do not enter fields without protective clothing and until spray deposits have dried up (usually within 24 hours)
SEM AGROLOGIC, INC.	BIPHOSGATE IPA	LEBRON 360 SL	360 g/L	SL	HERBICIDE	4	238-553-1536	14-Jul-22	POST-EMERGENT	Non-crop areas	common grassy fields	3-6L/ha	-	-	-
LEB LEGACY AGRI CORP.	MALATHION	LEBLECORP MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	666-038-5179	10-Nov-22	NON-SYSTEMIC	Fruit trees	Aphids, mealy bug scale insect	1.5-3.0Tbsp/36 L water	-	Discontinue spraying at least 2-7 days before harvest	Entry to sprayed areas is not allowed within one day after application
LEB LEGACY AGRI CORP.	MALATHION	LEBLECORP MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	666-038-5179	10-Nov-22	NON-SYSTEMIC	Rice	Armyworm, caseworm, leafhopper, bugs	2.0-3.0Tbsp/36 L water	-	Discontinue spraying at least 2-7 days before harvest	Entry to sprayed areas is not allowed within one day after application
LEB LEGACY AGRI CORP.	MALATHION	LEBLECORP MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	666-038-5179	10-Nov-22	NON-SYSTEMIC	Corn	Earworm, silkworm, aphids, grasshopper	3.0-5.0Tbsp/36 L water	-	Discontinue spraying at least 2-7 days before harvest	Entry to sprayed areas is not allowed within one day after application
LEB LEGACY AGRI CORP.	MALATHION	LEBLECORP MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	666-038-5179	10-Nov-22	NON-SYSTEMIC	Cabbage	Cabbage worm, looper, diamond-back moth	2.0-5.0Tbsp/36 L water	-	Discontinue spraying at least 2-7 days before harvest	Entry to sprayed areas is not allowed within one day after application
LEB LEGACY AGRI CORP.	MALATHION	LEBLECORP MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	666-038-5179	10-Nov-22	NON-SYSTEMIC	Cucurlers	Cabbage worm, looper, diamond-back moth	2.0-5.0Tbsp/36 L water	-	Discontinue spraying at least 2-7 days before harvest	Entry to sprayed areas is not allowed within one day after application
LEB LEGACY AGRI CORP.	MALATHION	LEBLECORP MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	666-038-5179	10-Nov-22	NON-SYSTEMIC	Legumes	Aphids, beanfly, cutworm, flea beetles, leafminer, maggots, mealybug, podborer, thrips	2.0-5.0Tbsp/36 L water	-	Discontinue spraying at least 2-7 days before harvest	Entry to sprayed areas is not allowed within one day after application
LEB LEGACY AGRI CORP.	MALATHION	LEBLECORP MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	666-038-5179	10-Nov-22	NON-SYSTEMIC	Grapes	Beetles, cutworm, leafhopper, mealybug, scale, insect, spider mites	3.0Tbsp/36 L water	-	Discontinue spraying at least 2-7 days before harvest	Entry to sprayed areas is not allowed within one day after application
LEB LEGACY AGRI CORP.	MALATHION	LEBLECORP MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	666-038-5179	10-Nov-22	NON-SYSTEMIC	Pineapple	Mealy bug	3.0Tbsp/36 L water	-	Discontinue spraying at least 2-7 days before harvest	Entry to sprayed areas is not allowed within one day after application
LEB LEGACY AGRI CORP.	MALATHION	LEBLECORP MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	666-038-5179	10-Nov-22	NON-SYSTEMIC	Pepper	Aphid, cutworm, fruitworm	3.0Tbsp/36 L water	-	Discontinue spraying at least 2-7 days before harvest	Entry to sprayed areas is not allowed within one day after application
LEB LEGACY AGRI CORP.	MALATHION	LEBLECORP MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	666-038-5179	10-Nov-22	NON-SYSTEMIC	Garlic	Cutworm	3.0Tbsp/36 L water	-	Discontinue spraying at least 2-7 days before harvest	Entry to sprayed areas is not allowed within one day after application
LEB LEGACY AGRI CORP.	MALATHION	LEBLECORP MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	666-038-5179	10-Nov-22	NON-SYSTEMIC	Onion	Cutworm	3.0Tbsp/36 L water	-	Discontinue spraying at least 2-7 days before harvest	Entry to sprayed areas is not allowed within one day after application
LEB LEGACY AGRI CORP.	MALATHION	LEBLECORP MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	666-038-5179	10-Nov-22	NON-SYSTEMIC	Tobacco	Aphids, katydid	3.0-6.0Tbsp/36 L water	-	Discontinue spraying at least 2-7 days before harvest	Entry to sprayed areas is not allowed within one day after application
LEB LEGACY AGRI CORP.	MALATHION	LEBLECORP MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	666-038-5179	10-Nov-22	NON-SYSTEMIC	Ornamentals	Aphids, cutworm, mealybug, scale insect, spider mites	3.0-5.0Tbsp/36 L water	-	Discontinue spraying at least 2-7 days before harvest	Entry to sprayed areas is not allowed within one day after application
LEB LEGACY AGRI CORP.	MALATHION	LEBLECORP MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	666-038-5179	10-Nov-22	NON-SYSTEMIC	Tomato	Lady beetle	3.0-5.0Tbsp/36 L water	-	Discontinue spraying at least 2-7 days before harvest	Entry to sprayed areas is not allowed within one day after application
LEB LEGACY AGRI CORP.	MALATHION	LEBLECORP MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	666-038-5179	10-Nov-22	NON-SYSTEMIC	Eggplant	Aphids, fruitworm	3.0-5.0Tbsp/36 L water	-	Discontinue spraying at least 2-7 days before harvest	Entry to sprayed areas is not allowed within one day after application
LEB LEGACY AGRI CORP.	MALATHION	LEBLECORP MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	666-038-5179	10-Nov-22	NON-SYSTEMIC	Sorghum	Web worm	3.0Tbsp/36 L water	-	Discontinue spraying at least 2-7 days before harvest	Entry to sprayed areas is not allowed within one day after application
LEB LEGACY AGRI CORP.	2,4-D IBE	LEBLECORP 2,4-D ESTER	400 g/L	EC	HERBICIDE	2	666-040-5171	31-Dec-26	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual Broadleaves & sedges	5.0-6.50Tbsp/36 L water	0.1 ppm	Do not spray within two days before harvest	Entry to fields and crops treated with LBLECORP 2,4-D ESTER can be done one (1) day after spraying
LEB LEGACY AGRI CORP.	2,4-D IBE	LEBLECORP 2,4-D ESTER	400 g/L	EC	HERBICIDE	2	666-040-5171	31-Dec-26	SELECTIVE (POST-EMERGENT)	Corn	Annual Broadleaves & sedges	5.0-6.50Tbsp/36 L water	-	Do not spray within two days before harvest	Entry to fields and crops treated with LBLECORP 2,4-D ESTER can be done one (1) day after spraying
LEB LEGACY AGRI CORP.	2,4-D IBE	LEBLECORP 2,4-D ESTER	400 g/L	EC	HERBICIDE	2	666-040-5171	31-Dec-26	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual Broadleaves & sedges	5.0-6.50Tbsp/36 L water	-	Do not spray within two days before harvest	Entry to fields and crops treated with LBLECORP 2,4-D ESTER can be done one (1) day after spraying
LEB LEGACY AGRI CORP.	2,4-D AMINE	LEBLECORP 2,4-D AMINE 40 SC	400 g/L	SC	HERBICIDE	2	666-013-5647	31-Dec-26	POST-EMERGENT	Rice	Sedges & Broadleaf weeds	5.5-6.5Tbsp/36 L water	-	Entry to fields and crops treated with LBLECORP 2,4-D AMINE can be done after spraying	Entry to fields and crops treated with LBLECORP 2,4-D AMINE can be done after spraying
LEB LEGACY AGRI CORP.	2,4-D AMINE	LEBLECORP 2,4-D AMINE 40 SC	400 g/L	SC	HERBICIDE	2	666-013-5647	31-Dec-26	POST-EMERGENT	Sugarcane	Sedges & Broadleaf weeds	11-25 Tbsp/36 L water	-	Entry to fields and crops treated with LBLECORP 2,4-D AMINE can be done after spraying	Entry to fields and crops treated with LBLECORP 2,4-D AMINE can be done after spraying
LEB LEGACY AGRI CORP.	2,4-D AMINE	LEBLECORP 2,4-D AMINE 40 SC	400 g/L	SC	HERBICIDE	2	666-013-5647	31-Dec-26	POST-EMERGENT	Corn	Sedges & Broadleaf weeds	9-6.5 Tbsp/36 L water	-	Entry to fields and crops treated with LBLECORP 2,4-D AMINE can be done after spraying	Entry to fields and crops treated with LBLECORP 2,4-D AMINE can be done after spraying
VETMATE FARMA CORP.	DIURON	LEAFY GREEN DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	658-021-5557	11-Oct-24	SYSTEMIC	Citrus	Grasses, annual & perennial broadleaves	11.0-19.0Tbsp/36 L water	-	As soon as spray dries up.	As soon as spray dries up.
VETMATE FARMA CORP.	DIURON	LEAFY GREEN DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	658-021-5557	11-Oct-24	SYSTEMIC	Coffee	Grasses, annual & perennial broadleaves	11.0-19.0Tbsp/36 L water	-	As soon as spray dries up.	As soon as spray dries up.
VETMATE FARMA CORP.	DIURON	LEAFY GREEN DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	658-021-5557	11-Oct-24	SYSTEMIC	Cotton	Grasses, annual & perennial broadleaves	8.0Tbsp/36 L water	-	As soon as spray dries up.	As soon as spray dries up.
VETMATE FARMA CORP.	DIURON	LEAFY GREEN DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	658-021-5557	11-Oct-24	SYSTEMIC	Sugarcane	Grasses, annual & perennial broadleaves	6.5-13.0Tbsp/36 L water	-	As soon as spray dries up.	As soon as spray dries up.
VETMATE FARMA CORP.	DIURON	LEAFY GREEN DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	658-021-5557	11-Oct-24	SYSTEMIC	Pineapple	Grasses, annual & perennial broadleaves	11.0Tbsp/36 L water	-	As soon as spray dries up.	As soon as spray dries up.
VETMATE FARMA CORP.	DIURON	LEAFY GREEN DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	658-021-5557	11-Oct-24	SYSTEMIC	Non-crop land	Grasses, annual & perennial broadleaves	20-28.0Tbsp/36 L water	-	As soon as spray dries up.	As soon as spray dries up.
FLAGLEAF AGRI PHILIPPINES, INC.	ATRAZINE	LEAFTRAZINE 80 WP	800 g/kg	WP	HERBICIDE	4	564-065-4058	19-Jul-23	SELECTIVE (PRE-EMERGENT)	Corn	Broadleaf weeds & annual grasses	8-12Tbsp/36 L water	-	-	-
FLAGLEAF AGRI PHILIPPINES, INC.	ATRAZINE	LEAFTRAZINE 80 WP	800 g/kg	WP	HERBICIDE	4	564-065-4058	19-Jul-23	SELECTIVE (PRE-EMERGENT)	Sorghum	Broadleaf weeds & annual grasses	8-12Tbsp/36 L water	-	-	-
FLAGLEAF AGRI PHILIPPINES, INC.	ATRAZINE	LEAFTRAZINE 80 WP	800 g/kg	WP	HERBICIDE	4	564-065-4058	19-Jul-23	SELECTIVE (PRE-EMERGENT)	Sugarcane	Broadleaf weeds & annual grasses	8-12Tbsp/36 L water	-	-	-
LEADS AGRICULTURAL PRODUCTS CORPORATION	ETHEPHON	LEADTHREL 480 SL	480 g/L	SL	OTHERS	4	099-061-0933	20-Jul-24	-	Pineapple	Plant growth for regulator	100-150ml/1000 trees	-	Fruits that are already ripe on the day of treatment can be harvested without any harmful residue. Generally,	Re-entry into treated areas may be done as soon as spray has dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	ETHEPHON	LEADTHREL 480 SL	480 g/L	SL	OTHERS	4	099-061-0933	20-Jul-24	-	Banana	Plant growth for regulator	100-150ml/1000 trees	-	Fruits that are already ripe on the day of treatment can be harvested without any harmful residue. Generally,	Re-entry into treated areas may be done as soon as spray has dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	ETHEPHON	LEADTHREL 480 SL	480 g/L	SL	OTHERS	4	099-061-0933	20-Jul-24	-	Mango	Plant growth for regulator	100-150ml/1000 trees	-	Fruits that are already ripe on the day of treatment can be harvested without any harmful residue. Generally,	Re-entry into treated areas may be done as soon as spray has dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	ETHEPHON	LEADTHREL 480 SL	480 g/L	SL	OTHERS	4	099-061-0933	20-Jul-24	-	Coffee	Plant growth for regulator	100-150ml/1000 trees	-	Fruits that are already ripe on the day of treatment can be harvested without any harmful residue. Generally,	Re-entry into treated areas may be done as soon as spray has dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	ZINC PHOSPHIDE	LEADS ZINC PHOSPHIDE	800 g/kg	P	RODENTICIDE	2	099-173-2406	19-Dec-28	-	Field	Rats and mice	-	-	-	-
LEADS AGRICULTURAL PRODUCTS CORPORATION	MALATHION	LEADS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	099-038-0724	06-Jun-24	NON-SYSTEMIC	Fruit trees	Aphids, mealy bug scale insect	1.5-3.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying
LEADS AGRICULTURAL PRODUCTS CORPORATION	MALATHION	LEADS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	099-038-0724	06-Jun-24	NON-SYSTEMIC	Rice	Armyworm, caseworm, leafhopper, bugs	2.0-3.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying
LEADS AGRICULTURAL PRODUCTS CORPORATION	MALATHION	LEADS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	099-038-0724	06-Jun-24	NON-SYSTEMIC	Corn	Earworm, silkworm, aphids, grasshopper	3.0-5.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying
LEADS AGRICULTURAL PRODUCTS CORPORATION	MALATHION	LEADS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	099-038-0724	06-Jun-24	NON-SYSTEMIC	Cabbage	Cabbage worm, looper, diamond-back moth	2.0-5.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying
LEADS AGRICULTURAL PRODUCTS CORPORATION	MALATHION	LEADS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	099-038-0724	06-Jun-24	NON-SYSTEMIC	Legumes	Aphids, beanfly, cutworm, flea beetles, leafminer, maggots, mealybug, podborer, thrips	2.0-5.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying
LEADS AGRICULTURAL PRODUCTS CORPORATION	MALATHION	LEADS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	099-038-0724	06-Jun-24	NON-SYSTEMIC	Cucurlers	Cabbage worm, looper, diamond-back moth	2.0-5.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying
LEADS AGRICULTURAL PRODUCTS CORPORATION	MALATHION	LEADS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	099-038-0724	06-Jun-24	NON-SYSTEMIC	Grapes	Beetles, cutworm, leafhopper, mealybug, scale, insect, spider mites	3.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
LEADS AGRICULTURAL PRODUCTS CORPORATION	MALATHION	LEADS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	099-038-0724	06-Jun-24	NON-SYSTEMIC	Pineapple	Mealy bug	3.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying
LEADS AGRICULTURAL PRODUCTS CORPORATION	MALATHION	LEADS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	099-038-0724	06-Jun-24	NON-SYSTEMIC	Pepper	Aphid, cutworm, fruitworm	3.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying
LEADS AGRICULTURAL PRODUCTS CORPORATION	MALATHION	LEADS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	099-038-0724	06-Jun-24	NON-SYSTEMIC	Garlic	Cutworm	3.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying
LEADS AGRICULTURAL PRODUCTS CORPORATION	MALATHION	LEADS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	099-038-0724	06-Jun-24	NON-SYSTEMIC	Onion	Cutworm	3.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying
LEADS AGRICULTURAL PRODUCTS CORPORATION	MALATHION	LEADS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	099-038-0724	06-Jun-24	NON-SYSTEMIC	Tobacco	Aphids, katydid	3.0-6.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying
LEADS AGRICULTURAL PRODUCTS CORPORATION	MALATHION	LEADS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	099-038-0724	06-Jun-24	NON-SYSTEMIC	Ornamentals	Aphids, cutworm, mealybug, scale insect, spider mites	3.0-5.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying
LEADS AGRICULTURAL PRODUCTS CORPORATION	MALATHION	LEADS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	099-038-0724	06-Jun-24	NON-SYSTEMIC	Tomato	Lady beetle	3.0-5.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying
LEADS AGRICULTURAL PRODUCTS CORPORATION	MALATHION	LEADS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	099-038-0724	06-Jun-24	NON-SYSTEMIC	Eggplant	Aphids, fruitworm	3.0-5.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying
LEADS AGRICULTURAL PRODUCTS CORPORATION	MALATHION	LEADS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	099-038-0724	06-Jun-24	NON-SYSTEMIC	Sorghum	Web worm	3.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying
LEADS AGRICULTURAL PRODUCTS CORPORATION	CANOLA OIL METHYL ESTER	LEADS EXT	819 g/L	-	OTHERS	4	099-411-2654	27-Feb-25	-	Banana (an adjuvant for use in spreading & wetting agricultural fields)	Sigatoka	200ml to 1.0/ha	-	-	-
LEADS AGRICULTURAL PRODUCTS CORPORATION	ZINC PHOSPHIDE	LEADS EH ZINCPHOS 80 P	-	P	RODENTICIDE	2	645-375-5300	27-Jan-25	-	Agricultural fields	Rodents	-	-	-	-
LEADS AGRICULTURAL PRODUCTS CORPORATION	DIURON	LEADS DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	099-021-2872	30-Jul-26	SYSTEMIC	Citrus	Annual and Perennial broadleaves and grasses	13.0-15.0Tbsp/36 L water	-	-	24 hours after application
LEADS AGRICULTURAL PRODUCTS CORPORATION	DIURON	LEADS DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	099-021-2872	30-Jul-26	SYSTEMIC	Coffee	Annual and Perennial broadleaves and grasses	13.0-15.0Tbsp/36 L water	-	-	24 hours after application
LEADS AGRICULTURAL PRODUCTS CORPORATION	DIURON	LEADS DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	099-021-2872	30-Jul-26	SYSTEMIC	Cotton	Annual and Perennial broadleaves and grasses	6.0Tbsp/36 L water	-	-	24 hours after application
LEADS AGRICULTURAL PRODUCTS CORPORATION	DIURON	LEADS DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	099-021-2872	30-Jul-26	SYSTEMIC	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0Tbsp/36 L water	-	-	24 hours after application
LEADS AGRICULTURAL PRODUCTS CORPORATION	DIURON	LEADS DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	099-021-2872	30-Jul-26	SYSTEMIC	Pineapple	Annual and Perennial broadleaves and grasses	14.0Tbsp/36 L water	-	-	24 hours after application
LEADS AGRICULTURAL PRODUCTS CORPORATION	DIURON	LEADS DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	099-021-2872	30-Sep-24	SYSTEMIC	Non-crop land	Annual and Perennial broadleaves and grasses	20-28.0Tbsp/36 L water	-	-	24 hours after application
LEADS AGRICULTURAL PRODUCTS CORPORATION	THIOPHANATE METHYL	LEADS ARMOR 70 WP	700 g/kg	WP	FUNGICIDE	4	099-107-0717	24-Sep-24	SYSTEMIC	Rice	Blast, neck rot, black spot	1.5-2.0 Tbsp/36L Water	1.0ppm	Do not spray fourteen (14) days before harvest.	Do not enter the treated field within five (5) days after spraying.
LEADS AGRICULTURAL PRODUCTS CORPORATION	THIOPHANATE METHYL	LEADS ARMOR 70 WP	700 g/kg	WP	FUNGICIDE	4	099-107-0717	24-Sep-24	SYSTEMIC	Mango	Anthraxnose	0.5-1.0 Tbsp/36L Water	-	Do not spray fourteen (14) days before harvest.	Do not enter the treated field within five (5) days after spraying.
LEADS AGRICULTURAL PRODUCTS CORPORATION	THIOPHANATE METHYL	LEADS ARMOR 70 WP	700 g/kg	WP	FUNGICIDE	4	099-107-0717	24-Sep-24	SYSTEMIC	Tobacco	Frog eye leaf spot	0.5-1.0 Tbsp/36L Water	-	Do not spray fourteen (14) days before harvest.	Do not enter the treated field within five (5) days after spraying.
LEADS AGRICULTURAL PRODUCTS CORPORATION	THIOPHANATE METHYL	LEADS ARMOR 70 WP	700 g/kg	WP	FUNGICIDE	4	099-107-0717	24-Sep-24	SYSTEMIC	Tomato	Powdery mildew	0.5-1.0 Tbsp/36L Water	-	Do not spray fourteen (14) days before harvest.	Do not enter the treated field within five (5) days after spraying.
LEADS AGRICULTURAL PRODUCTS CORPORATION	THIOPHANATE METHYL	LEADS ARMOR 70 WP	700 g/kg	WP	FUNGICIDE	4	099-107-0717	24-Sep-24	SYSTEMIC	Legumes	Cercospora leaf spot, Anthracnose, botrytis leaf spot, fusarium wilt, powdery mildew	0.5-1.0 Tbsp/36L Water	-	Do not spray fourteen (14) days before harvest.	Do not enter the treated field within five (5) days after spraying.
LEADS AGRICULTURAL PRODUCTS CORPORATION	THIOPHANATE METHYL	LEADS ARMOR 70 WP	700 g/kg	WP	FUNGICIDE	4	099-107-0717	24-Sep-24	SYSTEMIC	Beans	Cercospora leaf spot, Anthracnose, botrytis leaf spot, fusarium wilt, powdery mildew	0.5-1.0 Tbsp/36L Water	-	Do not spray fourteen (14) days before harvest.	Do not enter the treated field within five (5) days after spraying.
LEADS AGRICULTURAL PRODUCTS CORPORATION	THIOPHANATE METHYL	LEADS ARMOR 70 WP	700 g/kg	WP	FUNGICIDE	4	099-107-0717	24-Sep-24	SYSTEMIC	Cucumber	Powdery mildew, Gummy Stem blight, leaf and fruit spots	0.5-1.0 Tbsp/36L Water	-	Do not spray fourteen (14) days before harvest.	Do not enter the treated field within five (5) days after spraying.
LEADS AGRICULTURAL PRODUCTS CORPORATION	THIOPHANATE METHYL	LEADS ARMOR 70 WP	700 g/kg	WP	FUNGICIDE	4	099-107-0717	24-Sep-24	SYSTEMIC	Melon	Powdery mildew, Gummy Stem blight, leaf and fruit spots	0.5-1.0 Tbsp/36L Water	-	Do not spray fourteen (14) days before harvest.	Do not enter the treated field within five (5) days after spraying.
LEADS AGRICULTURAL PRODUCTS CORPORATION	THIOPHANATE METHYL	LEADS ARMOR 70 WP	700 g/kg	WP	FUNGICIDE	4	099-107-0717	24-Sep-24	SYSTEMIC	Ornamentals	Powdery mildew, black spots	0.5-1.0 Tbsp/36L Water	-	Do not spray fourteen (14) days before harvest.	Do not enter the treated field within five (5) days after spraying.
LEADS AGRICULTURAL PRODUCTS CORPORATION	THIOPHANATE METHYL	LEADS ARMOR 70 WP	700 g/kg	WP	FUNGICIDE	4	099-107-0717	24-Sep-24	SYSTEMIC	Orchids	Powdery mildew, black spots	0.5-1.0 Tbsp/36L Water	-	Do not spray fourteen (14) days before harvest.	Do not enter the treated field within five (5) days after spraying.
LEADS AGRICULTURAL PRODUCTS CORPORATION	THIOPHANATE METHYL	LEADS ARMOR 70 WP	700 g/kg	WP	FUNGICIDE	4	099-107-0717	24-Sep-24	SYSTEMIC	Cabbage	Shot hole disease, cercospora leaf spot	0.5-1.0 Tbsp/36L Water	-	Do not spray fourteen (14) days before harvest.	Do not enter the treated field within five (5) days after spraying.
LEADS AGRICULTURAL PRODUCTS CORPORATION	THIOPHANATE METHYL	LEADS ARMOR 70 WP	700 g/kg	WP	FUNGICIDE	4	099-107-0717	24-Sep-24	SYSTEMIC	Cauliflower	Shot hole disease, cercospora leaf spot	0.5-1.0 Tbsp/36L Water	-	Do not spray fourteen (14) days before harvest.	Do not enter the treated field within five (5) days after spraying.
LEADS AGRICULTURAL PRODUCTS CORPORATION	THIOPHANATE METHYL	LEADS ARMOR 70 WP	700 g/kg	WP	FUNGICIDE	4	099-107-0717	24-Sep-24	SYSTEMIC	Lettuce	Shot hole disease, cercospora leaf spot	0.5-1.0 Tbsp/36L Water	-	Do not spray fourteen (14) days before harvest.	Do not enter the treated field within five (5) days after spraying.
LEADS AGRICULTURAL PRODUCTS CORPORATION	THIOPHANATE METHYL	LEADS ARMOR 70 WP	700 g/kg	WP	FUNGICIDE	4	099-107-0717	24-Sep-24	SYSTEMIC	Strawberry	Powdery mildew	0.5-1.0 Tbsp/36L Water	-	Do not spray fourteen (14) days before harvest.	Do not enter the treated field within five (5) days after spraying.
LEADS AGRICULTURAL PRODUCTS CORPORATION	THIOPHANATE METHYL	LEADS ARMOR 70 WP	700 g/kg	WP	FUNGICIDE	4	099-107-0717	24-Sep-24	SYSTEMIC	Grapes	Fruit rot, Powdery mildew, anthracnose	0.5-1.0 Tbsp/36L Water	-	Do not spray fourteen (14) days before harvest.	Do not enter the treated field within five (5) days after spraying.
LEADS AGRICULTURAL PRODUCTS CORPORATION	THIOPHANATE METHYL	LEADS ARMOR 70 WP	700 g/kg	WP	FUNGICIDE	4	099-107-0717	24-Sep-24	SYSTEMIC	Orange	Scabs	0.5-1.0 Tbsp/36L Water	-	Do not spray fourteen (14) days before harvest.	Do not enter the treated field within five (5) days after spraying.
LEADS AGRICULTURAL PRODUCTS CORPORATION	THIOPHANATE METHYL	LEADS ARMOR 70 WP	700 g/kg	WP	FUNGICIDE	4	099-107-0717	24-Sep-24	SYSTEMIC	Citrus	Scabs	0.5-1.0 Tbsp/36L Water	-	Do not spray fourteen (14) days before harvest.	Do not enter the treated field within five (5) days after spraying.
LEADS AGRICULTURAL PRODUCTS CORPORATION	THIOPHANATE METHYL	LEADS ARMOR 70 WP	700 g/kg	WP	FUNGICIDE	4	099-107-0717	24-Sep-24	SYSTEMIC	Calamansi	Scabs	0.5-1.0 Tbsp/36L Water	-	Do not spray fourteen (14) days before harvest.	Do not enter the treated field within five (5) days after spraying.
LEADS AGRICULTURAL PRODUCTS CORPORATION	THIOPHANATE METHYL	LEADS ARMOR 70 WP	700 g/kg	WP	FUNGICIDE	4	099-107-0717	24-Sep-24	SYSTEMIC	Banana	Sigatoka disease	1.5-2.0 Tbsp/36L Water	-	Do not spray fourteen (14) days before harvest.	Do not enter the treated field within five (5) days after spraying.
LEADS AGRICULTURAL PRODUCTS CORPORATION	THIOPHANATE METHYL	LEADS ARMOR 70 WP	700 g/kg	WP	FUNGICIDE	4	099-107-0717	24-Sep-24	SYSTEMIC	Papaya	Powdery mildew	0.5-1.0 Tbsp/36L Water	-	Do not spray fourteen (14) days before harvest.	Do not enter the treated field within five (5) days after spraying.
LEADS AGRICULTURAL PRODUCTS CORPORATION	2,4-D IBE	LEADS 2,4-D IESTER	490 g/L	EC	HERBICIDE	2	099-040-0709	18-Sep-24	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual Broadleaves & sedges	5.0-6.50Tbsp/36 L water	0.1 ppm	-	Entry to fields and crops treated with Leads 2,4-D ester can be done one day after spraying.
LEADS AGRICULTURAL PRODUCTS CORPORATION	2,4-D IBE	LEADS 2,4-D IESTER	490 g/L	EC	HERBICIDE	2	099-040-0709	18-Sep-24	SELECTIVE (POST-EMERGENT)	Tom	Annual Broadleaves & sedges	5.0-6.50Tbsp/36 L water	-	-	Entry to fields and crops treated with Leads 2,4-D ester can be done one day after spraying.
LEADS AGRICULTURAL PRODUCTS CORPORATION	2,4-D AMINE	LEADS 2,4-D AMINE	400 g/L	SC	HERBICIDE	2	099-013-0712	10-May-27	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual broadleaves and sedges	3.5-6.5Tbsp/36 L water	0.1 ppm	-	Entry to fields and crops treated with Leads 2,4-D AMINE can be done one day after spraying.
LEADS AGRICULTURAL PRODUCTS CORPORATION	2,4-D AMINE	LEADS 2,4-D AMINE	400 g/L	SC	HERBICIDE	2	099-013-0712	10-May-27	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual broadleaves and sedges	18-25 Tbsp/36 L water	-	-	Entry to fields and crops treated with LEADS 2,4-D AMINE can be done one day after spraying.
LEADS AGRICULTURAL PRODUCTS CORPORATION	2,4-D AMINE	LEADS 2,4-D AMINE	400 g/L	SC	HERBICIDE	2	099-013-0712	10-May-27	SELECTIVE (POST-EMERGENT)	Tom	Annual broadleaves and sedges	9-6.5 Tbsp/36 L water	-	-	Entry to fields and crops treated with LEADS 2,4-D AMINE can be done one day after spraying.
LEADS ENVIRONMENTAL HEALTH PRODUCTS CORPORATION	CHLORPYRIFOS	LEADREX PLUS 40 EC	400 g/L	EC	INSECTICIDE	2	645-101-5364	08-Mar-24	-	Sugarcane	White Grubs	80-100 ml per 36L water	-	30 days from last application	As soon as spray deposits have dried or after bud injection in banana.
LEADS ENVIRONMENTAL HEALTH PRODUCTS CORPORATION	CHLORPYRIFOS	LEADREX PLUS 40 EC	400 g/L	EC	INSECTICIDE	2	645-101-5364	08-Mar-24	-	Banana	Thrips,Aphids,Scaring Beetles	20-30 ml per 36L water	-	30 days from last application	As soon as spray deposits have dried or after bud injection in banana.
LEADS ENVIRONMENTAL HEALTH PRODUCTS CORPORATION	CHLORPYRIFOS	LEADREX PLUS 40 EC	400 g/L	EC	INSECTICIDE	2	645-101-5364	08-Mar-24	-	Pineapple	Ants and meal worms	-	-	30 days from last application	As soon as spray deposits have dried or after bud injection in banana.
LEADS ENVIRONMENTAL HEALTH PRODUCTS CORPORATION	FFPRONIL	LEADSPD 50 SC	50g/L	SC	INSECTICIDE	3	645-244-4764	15-Feb-25	CONTACT	Rice	Stemborer, brown planthopper, leafhopper, rice bug	19-20, 20-30, 27-40 mL/36L	0.05ppm	Do not apply 7 days before harvest	One day after application.
LEADS ENVIRONMENTAL HEALTH PRODUCTS CORPORATION	FFPRONIL	LEADSPD 50 SC	50g/L	SC	INSECTICIDE	3	645-244-4764	15-Feb-25	CONTACT	Cabbage	Diamond backed moth	19-25, 25-37.5, 30-50 mL/36L	-	Do not apply 7 days before harvest	One day after application.
LEADS ENVIRONMENTAL HEALTH PRODUCTS CORPORATION	FFPRONIL	LEADSPD 50 SC	50g/L	SC	INSECTICIDE	3	645-244-4764	15-Feb-25	CONTACT	Watermelon	Thrips, leaf beetles	26-30 mL/36L	-	Do not apply 7 days before harvest	One day after application.
LEADS ENVIRONMENTAL HEALTH PRODUCTS CORPORATION	FFPRONIL	LEADSPD 50 SC	50g/L	SC	INSECTICIDE	3	645-244-4764	15-Feb-25	CONTACT	Onion	Cutworm	54.3 mL/36L	-	Do not apply 7 days before harvest	One day after application.
LEADS ENVIRONMENTAL HEALTH PRODUCTS CORPORATION	FFPRONIL	LEADSPD 50 SC	50g/L	SC	INSECTICIDE	3	645-244-4764	15-Feb-25	CONTACT	Eggplant	Shoot borer	80-40 mL/36L	-	Do not apply 7 days before harvest	One day after application.
LEADS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	LEADONIL 500 SC	500 g/L	SC	FUNGICIDE	4	099-118-0854	15-Jan-26	-	Melon	Anthraxnose, cercospora leafspot, downy mildew, leaf blight	6.0-8.5 Tbsp/36 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	LEADONIL 500 SC	500 g/L	SC	FUNGICIDE	4	099-118-0854	15-Jan-26	-	Corn	Heminthosphorium leaf spot, cercospora leafspot	6.0-8.5 Tbsp/36 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	LEADONIL 500 SC	500 g/L	SC	FUNGICIDE	4	099-118-0854	15-Jan-26	-	Eggplant	Anthraxnose, cercospora leafspot, early and late blight	6.0-8.5 Tbsp/36 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	LEADONIL 500 SC	500 g/L	SC	FUNGICIDE	4	099-118-0854	15-Jan-26	-	Peanut	Cercospora leaf spot, rust	6.0-8.5 Tbsp/36 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	LEADONIL 500 SC	500 g/L	SC	FUNGICIDE	4	099-118-0854	15-Jan-26	-	Potato	Early and late blight, vine rot	6.0-8.5 Tbsp/36 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
LEADS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	LEADONIL 500 SC	500 g/L	SC	FUNGICIDE	4	099-118-0854	15-Jan-26	-	Tomato	Early and late blight, vine rot	6.0-8.5 Tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	LEADONIL 500 SC	500 g/L	SC	FUNGICIDE	4	099-118-0854	15-Jan-26	-	Carrot	Alternaria, cercospora leaf spot, heminthosphorium leaf spot	6.0-8.5 Tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	LEADONIL 500 SC	500 g/L	SC	FUNGICIDE	4	099-118-0854	15-Jan-26	-	Banana	Sigatoka, rust, freckles, heminthosphorium leaf spot	2 L/ha	2.0 mg/kg	-	Do not enter treatment areas until spray deposit have dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	LEADONIL 500 SC	500 g/L	SC	FUNGICIDE	4	099-118-0854	15-Jan-26	-	Mango	Anthraxnose, diploida rot	6.0-8.5 Tbsp/16L	0.5 mg/kg	7-14 days	Do not enter treatment areas until spray deposit have dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	LEADONIL 500 SC	500 g/L	SC	FUNGICIDE	4	099-118-0854	15-Jan-26	-	Beans	Rust, anthracnose	6.0-8.5 Tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	LEADONIL 500 SC	500 g/L	SC	FUNGICIDE	4	099-118-0854	15-Jan-26	-	Crucifers	Powdery mildew	6.0-8.5 Tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	LEADONIL 500 SC	500 g/L	SC	FUNGICIDE	4	099-118-0854	15-Jan-26	-	Onion	Purple blotch, bulb rot, neck rot	6.0-8.5 Tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	LEADONIL 500 SC	500 g/L	SC	FUNGICIDE	4	099-118-0854	15-Jan-26	-	Garlic	Purple blotch, bulb rot, neck rot	6.0-8.5 Tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	LEADONIL 500 SC	500 g/L	SC	FUNGICIDE	4	099-118-0854	15-Jan-26	-	Ornamentals	Black spot, black rot, powdery mildew	6.0-8.5 Tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	LEADONIL 500 SC	500 g/L	SC	FUNGICIDE	4	099-118-0854	15-Jan-26	-	Grapes	Downy mildew, powdery mildew, fruit rot	6.0-8.5 Tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	LEADONIL 500 SC	500 g/L	SC	FUNGICIDE	4	099-118-0854	15-Jan-26	-	Pepper	Anthraxnose, cercospora leaf spot, early blight	6.0-8.5 Tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	LEADONIL 500 SC	500 g/L	SC	FUNGICIDE	4	099-118-0854	15-Jan-26	-	Melon	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	LEADONIL 500 SC	500 g/L	SC	FUNGICIDE	4	099-118-0854	15-Jan-26	-	Cucumber	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	LEADONIL 500 SC	500 g/L	SC	FUNGICIDE	4	099-118-0854	15-Jan-26	-	Squash	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	LEADONIL 500 SC	500 g/L	SC	FUNGICIDE	4	099-118-0854	15-Jan-26	-	Watermelon	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	LEADONIL 500 SC	500 g/L	SC	FUNGICIDE	4	099-118-0854	15-Jan-26	-	Celery	Early and late blight	6.0-8.5 Tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	FENVALERATE	LEADMARK 3 EC	30 g/L	EC	INSECTICIDE	4	099-031-0741	08-Jul-24	-	Mango	Mango hopper, Tip borer, twig borer	5-8 Tbsp/16L water	-	2 days	1 day
LEADS AGRICULTURAL PRODUCTS CORPORATION	FENVALERATE	LEADMARK 3 EC	30 g/L	EC	INSECTICIDE	4	099-031-0741	08-Jul-24	-	Crucifers	Diamondback moth, cabbage worm	5-8 Tbsp/16L water	-	2 days	1 day
LEADS AGRICULTURAL PRODUCTS CORPORATION	FENVALERATE	LEADMARK 3 EC	30 g/L	EC	INSECTICIDE	4	099-031-0741	08-Jul-24	-	Beans	Aphids, leafminer, bean lycamid	5-8 Tbsp/16L water	-	2 days	1 day
LEADS AGRICULTURAL PRODUCTS CORPORATION	FENVALERATE	LEADMARK 3 EC	30 g/L	EC	INSECTICIDE	4	099-031-0741	08-Jul-24	-	Cucurbits	Squash beetle	5-8 Tbsp/16L water	-	2 days	1 day
LEADS AGRICULTURAL PRODUCTS CORPORATION	FENVALERATE	LEADMARK 3 EC	30 g/L	EC	INSECTICIDE	4	099-031-0741	08-Jul-24	-	Tobacco	Aphids, budworm	5-8 Tbsp/16L water	-	2 days	1 day
LEADS AGRICULTURAL PRODUCTS CORPORATION	FENVALERATE	LEADMARK 3 EC	30 g/L	EC	INSECTICIDE	4	099-031-0741	08-Jul-24	-	Cotton	Aphids, budworm	5-8 Tbsp/16L water	-	2 days	1 day
LEADS AGRICULTURAL PRODUCTS CORPORATION	CARBOFURAN	LEADFORCE ULTRA 3G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	099-104-2941	02-Dec-26	-	Corn	Borer, earworm, grubs, seedling maggot	16-7.33.3 kg prod/ha	-	2 days	2 days
LEADS AGRICULTURAL PRODUCTS CORPORATION	CARBOFURAN	LEADFORCE ULTRA 3G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	099-104-2941	02-Dec-26	-	Cotton	Nematodes, grubs	16-7.33.3 kg prod/ha	-	2 days	2 days
LEADS AGRICULTURAL PRODUCTS CORPORATION	CARBOFURAN	LEADFORCE ULTRA 3G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	099-104-2941	02-Dec-26	-	Eggplant	Fruitborer	16-7.33.3 kg prod/ha	-	2 days	2 days
LEADS AGRICULTURAL PRODUCTS CORPORATION	CARBOFURAN	LEADFORCE ULTRA 3G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	099-104-2941	02-Dec-26	-	Field legumes	Beanflies, grubs, nematodes	16-7.33.3 kg prod/ha	-	2 days	2 days
LEADS AGRICULTURAL PRODUCTS CORPORATION	CARBOFURAN	LEADFORCE ULTRA 3G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	099-104-2941	02-Dec-26	-	Rice	Stem borer, whorl maggot, leafhopper, leafroller, caseworm, glanlhopper	16-7.33.3 kg prod/ha	0.2ppm	28 days	2 days
LEADS AGRICULTURAL PRODUCTS CORPORATION	CARBOFURAN	LEADFORCE ULTRA 3G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	099-104-2941	02-Dec-26	-	Soybeans	Beanfly, grubs, nematodes, other soil insects	16-7.33.3 kg prod/ha	-	2 days	2 days
LEADS AGRICULTURAL PRODUCTS CORPORATION	CARBOFURAN	LEADFORCE ULTRA 3G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	099-104-2941	02-Dec-26	-	Sugarcane	Borer, leafhopper, mealy bug, nematodes, scale insects	16-7.33.3 kg prod/ha	-	2 days	2 days
LEADS AGRICULTURAL PRODUCTS CORPORATION	CARBOFURAN	LEADFORCE ULTRA 3G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	099-104-2941	02-Dec-26	-	Tobacco	Nematode, budworm	16-7.33.3 kg prod/ha	-	2 days	2 days
LEADS AGRICULTURAL PRODUCTS CORPORATION	CARBOFURAN	LEADFORCE ULTRA 3G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	099-104-2941	02-Dec-26	-	White potato	Nematodes, grubs	16-7.33.3 kg prod/ha	-	2 days	2 days
LEADS AGRICULTURAL PRODUCTS CORPORATION	CARBOFURAN	LEADFORCE ULTRA 3G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	099-104-2941	02-Dec-26	-	Cowpeas	Beanfly, grubs, nematodes, other soil insects	16-7.33.3 kg prod/ha	-	2 days	2 days
LEADS AGRICULTURAL PRODUCTS CORPORATION	CARBOFURAN	LEADFORCE ULTRA 3G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	099-104-2941	02-Dec-26	-	Ornamentals	Scale insect, aphids, mealy bug	16-7.33.3 kg prod/ha	-	2 days	2 days
GOLDEN FARMERS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	LEADER 500 SC	500 g/L	SC	FUNGICIDE	4	603-118-5342	24-Sep-21	-	Melon	Anthraxnose, cercospora leafspot, downy mildew, leaf blight	6.0-8.5 Tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GOLDEN FARMERS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	LEADER 500 SC	500 g/L	SC	FUNGICIDE	4	603-118-5342	24-Sep-21	-	Corn	Heminthosphorium leaf spot, cercospora leafspot	6.0-8.5 Tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GOLDEN FARMERS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	LEADER 500 SC	500 g/L	SC	FUNGICIDE	4	603-118-5342	24-Sep-21	-	Eggplant	Anthraxnose, cercospora leafspot, early and late blight	6.0-8.5 Tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GOLDEN FARMERS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	LEADER 500 SC	500 g/L	SC	FUNGICIDE	4	603-118-5342	24-Sep-21	-	Peanut	Cercospora leaf spot, rust	6.0-8.5 Tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GOLDEN FARMERS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	LEADER 500 SC	500 g/L	SC	FUNGICIDE	4	603-118-5342	24-Sep-21	-	Potato	Early and late blight, vine rot	6.0-8.5 Tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GOLDEN FARMERS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	LEADER 500 SC	500 g/L	SC	FUNGICIDE	4	603-118-5342	24-Sep-21	-	Tomato	Early and late blight, vine rot	6.0-8.5 Tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GOLDEN FARMERS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	LEADER 500 SC	500 g/L	SC	FUNGICIDE	4	603-118-5342	24-Sep-21	-	Carrot	Alternaria, cercospora leaf spot, heminthosphorium leaf spot	6.0-8.5 Tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GOLDEN FARMERS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	LEADER 500 SC	500 g/L	SC	FUNGICIDE	4	603-118-5342	24-Sep-21	-	Banana	Sigatoka, rust, freckles, heminthosphorium leaf spot	2 L/ha	2.0 mg/kg	7-14 days	Do not enter treatment areas until spray deposit have dried
GOLDEN FARMERS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	LEADER 500 SC	500 g/L	SC	FUNGICIDE	4	603-118-5342	24-Sep-21	-	Mango	Anthraxnose, diploida rot	6.0-8.5 Tbsp/16L	0.5 mg/kg	7-14 days	Do not enter treatment areas until spray deposit have dried
GOLDEN FARMERS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	LEADER 500 SC	500 g/L	SC	FUNGICIDE	4	603-118-5342	24-Sep-21	-	Beans	Rust, anthracnose	6.0-8.5 Tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GOLDEN FARMERS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	LEADER 500 SC	500 g/L	SC	FUNGICIDE	4	603-118-5342	24-Sep-21	-	Crucifers	Powdery mildew	6.0-8.5 Tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GOLDEN FARMERS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	LEADER 500 SC	500 g/L	SC	FUNGICIDE	4	603-118-5342	24-Sep-21	-	Onion	Purple blotch, bulb rot, neck rot	6.0-8.5 Tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GOLDEN FARMERS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	LEADER 500 SC	500 g/L	SC	FUNGICIDE	4	603-118-5342	24-Sep-21	-	Garlic	Purple blotch, bulb rot, neck rot	6.0-8.5 Tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GOLDEN FARMERS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	LEADER 500 SC	500 g/L	SC	FUNGICIDE	4	603-118-5342	24-Sep-21	-	Ornamentals	Black spot, black rot, powdery mildew	6.0-8.5 Tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GOLDEN FARMERS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	LEADER 500 SC	500 g/L	SC	FUNGICIDE	4	603-118-5342	24-Sep-21	-	Grapes	Downy mildew, powdery mildew, fruit rot	6.0-8.5 Tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GOLDEN FARMERS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	LEADER 500 SC	500 g/L	SC	FUNGICIDE	4	603-118-5342	24-Sep-21	-	Pepper	Anthraxnose, cercospora leaf spot, early blight	6.0-8.5 Tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GOLDEN FARMERS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	LEADER 500 SC	500 g/L	SC	FUNGICIDE	4	603-118-5342	24-Sep-21	-	Melon	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GOLDEN FARMERS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	LEADER 500 SC	500 g/L	SC	FUNGICIDE	4	603-118-5342	24-Sep-21	-	Cucumber	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GOLDEN FARMERS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	LEADER 500 SC	500 g/L	SC	FUNGICIDE	4	603-118-5342	24-Sep-21	-	Squash	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GOLDEN FARMERS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	LEADER 500 SC	500 g/L	SC	FUNGICIDE	4	603-118-5342	24-Sep-21	-	Watermelon	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GOLDEN FARMERS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	LEADER 500 SC	500 g/L	SC	FUNGICIDE	4	603-118-5342	24-Sep-21	-	Celery	Early and late blight	6.0-8.5 Tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ONCEBRAIN MARKETING CORPORATION	CLOTHIANIDIN	LAZERKILL 20 SC	200 g/L	SC	INSECTICIDE	4	723-379-5787	31-May-25	-	Rice	Rice black bug	4-5 Tbsp/16L	-	-	-
KCCF AGRO CHEM. CORPORATION	LALURY ALCOHOL POLYGLYCOL ETHER	LALURY EDB	90 g/L	-	OTHERS	4	448-471-4289	16-Jun-26	-	Cavendish banana	Black sigatoka (as an emulsifier in combination with an FPA registered fungicide)	-	-	-	-

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
AGWAY CHEMICALS CORPORATION	BUPROFEZIN	LAUDA 250 SC	250g/L	SC	INSECTICIDE	3	075-224-4439	05-Jul-24	SYSTEMIC	Mango	Leafhopper	60-80mL/200L water	-	Do not spray 15 days before harvest	Re-entry into treated field is allowed as soon as spray dries up
CORTEVA AGRISCIENCE PHILIPPINES, INC.	PTHAIC GLYCEROL ALKYD	LATRON B 1956	77.0 g/L	L	OTHERS	4	737-360-0237	26-Mar-27	-	-	As spreader sticker surfactant for insecticides, miticides, fungicides, defoliants, and herbicides	30-5-21, 21-42, 42-84 mL/100 Liters	-	-	-
CYMEB CORPORATION	LAMBDA-CHALOTHIRIN	LATOZ 2.5 EC	25g/L	EC	INSECTICIDE	2	537-204-3500	14-Aug-24	SYSTEMIC	Rice	Green leafhopper,armyworm,rice bug,leafhoppers,black bug	1.0-1.5Tbsp/16L of water	0.05ppm	1 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
CYMEB CORPORATION	LAMBDA-CHALOTHIRIN	LATOZ 2.5 EC	25g/L	EC	INSECTICIDE	2	537-204-3500	14-Aug-24	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/16L of water	-	1 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
CYMEB CORPORATION	LAMBDA-CHALOTHIRIN	LATOZ 2.5 EC	25g/L	EC	INSECTICIDE	2	537-204-3500	14-Aug-24	SYSTEMIC	Tomato	Fruitworm,cutworm,aphids	1.0-1.5Tbsp/16L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
CYMEB CORPORATION	LAMBDA-CHALOTHIRIN	LATOZ 2.5 EC	25g/L	EC	INSECTICIDE	2	537-204-3500	14-Aug-24	SYSTEMIC	Onion	Thrips,cutworm	1.0Tbsp/16L of water	-	1 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
CYMEB CORPORATION	LAMBDA-CHALOTHIRIN	LATOZ 2.5 EC	25g/L	EC	INSECTICIDE	2	537-204-3500	14-Aug-24	SYSTEMIC	Mungbeans	Beanflies, flea beetle, leafhopper, aphids, mites, podborer	1.0Tbsp/16L of water	-	1 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
CYMEB CORPORATION	LAMBDA-CHALOTHIRIN	LATOZ 2.5 EC	25g/L	EC	INSECTICIDE	2	537-204-3500	14-Aug-24	SYSTEMIC	Corn	Comborer, aphids, seedling maggots	1.0-1.5Tbsp/16L of water	-	1 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
CYMEB CORPORATION	LAMBDA-CHALOTHIRIN	LATOZ 2.5 EC	25g/L	EC	INSECTICIDE	2	537-204-3500	14-Aug-24	SYSTEMIC	Tobacco	Budworm, cutworm, aphids, katydids	1.0-1.5Tbsp/16L of water	-	1 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
CYMEB CORPORATION	LAMBDA-CHALOTHIRIN	LATOZ 2.5 EC	25g/L	EC	INSECTICIDE	2	537-204-3500	14-Aug-24	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/16L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
CYMEB CORPORATION	LAMBDA-CHALOTHIRIN	LATOZ 2.5 EC	25g/L	EC	INSECTICIDE	2	537-204-3500	14-Aug-24	SYSTEMIC	Cocoa	Pod borer	1.0-2.0Tbsp/16L of water	-	1 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
CYMEB CORPORATION	LAMBDA-CHALOTHIRIN	LATOZ 2.5 EC	25g/L	EC	INSECTICIDE	2	537-204-3500	14-Aug-24	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/16L of water	-	1 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
RAINBOW AGROSCIENCES PHILIPPINES INC.	LAMBDA-CHALOTHIRIN	LASTING 25 EC	25 g/L	EC	INSECTICIDE	2	539-204-5481-A (OTS)	28-Jun-24	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leafhopper, black bug	1.0Tbsp/16L of water	0.05ppm	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	LAMBDA-CHALOTHIRIN	LASTING 25 EC	25 g/L	EC	INSECTICIDE	2	539-204-5481-A (OTS)	28-Jun-24	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/16L of water	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	LAMBDA-CHALOTHIRIN	LASTING 25 EC	25 g/L	EC	INSECTICIDE	2	539-204-5481-A (OTS)	28-Jun-24	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/16L of water	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	LAMBDA-CHALOTHIRIN	LASTING 25 EC	25 g/L	EC	INSECTICIDE	2	539-204-5481-A (OTS)	28-Jun-24	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/16L of water	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	LAMBDA-CHALOTHIRIN	LASTING 25 EC	25 g/L	EC	INSECTICIDE	2	539-204-5481-A (OTS)	28-Jun-24	SYSTEMIC	Mungbeans	Beanfly, flea beetle, leafhopper, aphids, mites, podborer	1.0Tbsp/16L of water	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	LAMBDA-CHALOTHIRIN	LASTING 25 EC	25 g/L	EC	INSECTICIDE	2	539-204-5481-A (OTS)	28-Jun-24	SYSTEMIC	Corn	Comborer, aphids, seedling maggots	1.0-1.5Tbsp/16L of water	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	LAMBDA-CHALOTHIRIN	LASTING 25 EC	25 g/L	EC	INSECTICIDE	2	539-204-5481-A (OTS)	28-Jun-24	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5Tbsp/16L of water	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	LAMBDA-CHALOTHIRIN	LASTING 25 EC	25 g/L	EC	INSECTICIDE	2	539-204-5481-A (OTS)	28-Jun-24	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/16L of water	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	LAMBDA-CHALOTHIRIN	LASTING 25 EC	25 g/L	EC	INSECTICIDE	2	539-204-5481-A (OTS)	28-Jun-24	SYSTEMIC	Cocoa	Podborer	1.0-2.0Tbsp/16L of water	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	LAMBDA-CHALOTHIRIN	LASTING 25 EC	25 g/L	EC	INSECTICIDE	2	539-204-5481-A (OTS)	28-Jun-24	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/16L of water	-	-	-
TEAMAGRO TRADING CORPORATION	CHALOPROP-BUTYL	LASTCARD 10 EC	100 g/L	EC	HERBICIDE	4	248-257-5174	15-Apr-25	SYSTEMIC	Rice (Direct Seeded)	Grasses	7-9 Tbsp./Bank load; 12 of tank load/ba (16L capacity)	-	-	-
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	NICLOSMIDE ETHANOLAMINE SALT	LASER 70 WP	700 g/kg	WP	MOLLUSCICIDE	4	376-229-2045	22-Feb-24	CONTACT	Rice	Golden Apple Snail (Kuhol)	35 gm/16L water	-	-	-
BAYER CROSCIENCE, INC.	THIODICARB	LARVIN 350 FS	350 g/L	FS	INSECTICIDE	2	264-117-0658	18-May-23	SYSTEMIC	Corn	Seed treatment	220ml LARVIN FS 1 bag (18-20kgs. 1 of hybrid seeds)	-	-	-
BAYER CROSCIENCE, INC.	THIODICARB	LARVIN 350 FS	350 g/L	FS	INSECTICIDE	2	264-117-0658	18-May-23	SYSTEMIC	Corn	Fall armyworm	50-70 mL product per 16 liters at spray volume of 500liters/hectare	-	18 days	-
P&D MEDIVET DISTRIBUTION INC.	CYROMAZINE	LARVA-GONE	-	-	INSECTICIDE	-	709-331-5665	9-Feb-24	-	Housing facilities	Housefly (Musca domestica) larvae in animal	1 kg prod. / 49 kg lime applied at 10 grams/meter/ square meter	-	-	-
R & A AGROFARM PRODUCTS, INC.	LAMBDA-CHALOTHIRIN	LARIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	450-204-2526	19-Sep-20	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leafhopper, black bug	1.0-1.5Tbsp/16L of water	0.05ppm	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray dries up
R & A AGROFARM PRODUCTS, INC.	LAMBDA-CHALOTHIRIN	LARIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	450-204-2526	19-Sep-20	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/16L of water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray dries up
R & A AGROFARM PRODUCTS, INC.	LAMBDA-CHALOTHIRIN	LARIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	450-204-2526	19-Sep-20	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/16L of water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray dries up
R & A AGROFARM PRODUCTS, INC.	LAMBDA-CHALOTHIRIN	LARIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	450-204-2526	19-Sep-20	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/16L of water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray dries up
R & A AGROFARM PRODUCTS, INC.	LAMBDA-CHALOTHIRIN	LARIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	450-204-2526	19-Sep-20	SYSTEMIC	Mungbeans	Beanfly, flea beetle, leafhopper, aphids, mites, podborer	1.0Tbsp/16L of water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray dries up
R & A AGROFARM PRODUCTS, INC.	LAMBDA-CHALOTHIRIN	LARIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	450-204-2526	19-Sep-20	SYSTEMIC	Corn	Comborer, aphids, seedling maggots	1.0-1.5Tbsp/16L of water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray dries up
R & A AGROFARM PRODUCTS, INC.	LAMBDA-CHALOTHIRIN	LARIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	450-204-2526	19-Sep-20	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5Tbsp/16L of water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray dries up
R & A AGROFARM PRODUCTS, INC.	LAMBDA-CHALOTHIRIN	LARIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	450-204-2526	19-Sep-20	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/16L of water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray dries up
R & A AGROFARM PRODUCTS, INC.	LAMBDA-CHALOTHIRIN	LARIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	450-204-2526	19-Sep-20	SYSTEMIC	Cocoa	Podborer	1.0-2.0Tbsp/16L of water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray dries up
R & A AGROFARM PRODUCTS, INC.	LAMBDA-CHALOTHIRIN	LARIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	450-204-2526	19-Sep-20	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/16L of water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray dries up
LTC MORITA CORPORATION	NICLOSMIDE ETHANOLAMINE SALT	LARA 70 WP	700 g/kg	WP	MOLLUSCICIDE	4	679-229-5319	31-Mar-26	CONTACT	Rice	Golden Apple Snail (Kuhol)	1 sachet (35 gm) /bankload (16Liters)	-	-	Re-enter fields at least 48 hours after application
CROP PROTECTION AGRIVENTURES INC.	NICLOSMIDE ETHANOLAMINE SALT	LAPWA 70 WP	700 g/kg	WP	MOLLUSCICIDE	4	636-229-5189	17-Nov-26	-	Rice	Golden Apple Snail (Kuhol)	35 gm/16L water	-	-	At least 48 hours after application
MARTHADAVE CO., LTD.	METHOMYL	LANUS 40 SP	400 g/kg	SP	INSECTICIDE	2	409-164-2364	04-Aug-20	CONTACT	Asparagus	Armyworm, cutworm	1 Sachet/16Ll Sprayer	-	-	-
MARTHADAVE CO., LTD.	METHOMYL	LANUS 40 SP	400 g/kg	SP	INSECTICIDE	2	409-164-2364	04-Aug-20	CONTACT	Banana	Thrips	1.5-2 Sachet/16Ll Sprayer	-	-	-
MARTHADAVE CO., LTD.	METHOMYL	LANUS 40 SP	400 g/kg	SP	INSECTICIDE	2	409-164-2364	04-Aug-20	CONTACT	Beans	leafhopper, flea beetle , beanfly, podborer,aphids	1 Sachet/16Ll Sprayer	-	-	-
MARTHADAVE CO., LTD.	METHOMYL	LANUS 40 SP	400 g/kg	SP	INSECTICIDE	2	409-164-2364	04-Aug-20	CONTACT	Mungbeans	leafhopper, flea beetle , beanfly, podborer,aphids	1 Sachet/16Ll Sprayer	-	-	-
MARTHADAVE CO., LTD.	METHOMYL	LANUS 40 SP	400 g/kg	SP	INSECTICIDE	2	409-164-2364	04-Aug-20	CONTACT	Soybeans	leafhopper, flea beetle , beanfly, podborer,aphids	1 Sachet/16Ll Sprayer	-	-	-
MARTHADAVE CO., LTD.	METHOMYL	LANUS 40 SP	400 g/kg	SP	INSECTICIDE	2	409-164-2364	04-Aug-20	CONTACT	Sitao	leafhopper, flea beetle , beanfly, podborer,aphids	1 Sachet/16Ll Sprayer	-	-	-
MARTHADAVE CO., LTD.	METHOMYL	LANUS 40 SP	400 g/kg	SP	INSECTICIDE	2	409-164-2364	04-Aug-20	CONTACT	Corn	Comborer, earworm	1 Sachet/16Ll Sprayer	-	-	-
MARTHADAVE CO., LTD.	METHOMYL	LANUS 40 SP	400 g/kg	SP	INSECTICIDE	2	409-164-2364	04-Aug-20	CONTACT	Sorghum	Comborer,earworm	1 Sachet/16Ll Sprayer	-	-	-
MARTHADAVE CO., LTD.	METHOMYL	LANUS 40 SP	400 g/kg	SP	INSECTICIDE	2	409-164-2364	04-Aug-20	CONTACT	Eggplant	Aphids, flea beetle , fruitworm, lady beetle	1 Sachet/16Ll Sprayer	-	-	-
MARTHADAVE CO., LTD.	METHOMYL	LANUS 40 SP	400 g/kg	SP	INSECTICIDE	2	409-164-2364	04-Aug-20	CONTACT	Melon	Aphids, Squash beetle , leafhopper	1 Sachet/16Ll Sprayer	-	-	-
MARTHADAVE CO., LTD.	METHOMYL	LANUS 40 SP	400 g/kg	SP	INSECTICIDE	2	409-164-2364	04-Aug-20	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leafhopper	1 Sachet/16Ll Sprayer	0.05ppm	1 Days	-
MARTHADAVE CO., LTD.	METHOMYL	LANUS 40 SP	400 g/kg	SP	INSECTICIDE	2	409-164-2364	04-Aug-20	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	1 Sachet/16Ll Sprayer	-	-	-
MARTHADAVE CO., LTD.	METHOMYL	LANUS 40 SP	400 g/kg	SP	INSECTICIDE	2	409-164-2364	04-Aug-20	CONTACT	Tomato	Tomato fruitworm, aphids	1 Sachet/16Ll Sprayer	-	-	-
ORACLE CHEM CORPORATION	METHOMYL	LANSTAR 40 SP	400 g/kg	SP	INSECTICIDE	2	417-164-2343	25-Nov-26	CONTACT	Asparagus	Armyworm, cutworm	1 Sachet/16Ll Sprayer	-	-	-
ORACLE CHEM CORPORATION	METHOMYL	LANSTAR 40 SP	400 g/kg	SP	INSECTICIDE	2	417-164-2343	25-Nov-26	CONTACT	Banana	Thrips	1.5-2 Sachet/16Ll Sprayer	-	-	-
ORACLE CHEM CORPORATION	METHOMYL	LANSTAR 40 SP	400 g/kg	SP	INSECTICIDE	2	417-164-2343	25-Nov-26	CONTACT	Beans	leafhopper, flea beetle , beanfly, podborer,aphids	2-3.5 Tbsp/16Ll sprayer	-	-	-
ORACLE CHEM CORPORATION	METHOMYL	LANSTAR 40 SP	400 g/kg	SP	INSECTICIDE	2	417-164-2343	25-Nov-26	CONTACT	Mungbeans	leafhopper, flea beetle , beanfly, podborer,aphids	2-3.5 Tbsp/16Ll sprayer	-	-	-

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
ORACLE CHEM CORPORATION	METHOMYL	LANSTAR 40 SP	400 g/kg	SP	INSECTICIDE	2	417-164-2343	25-Nov-26	CONTACT	Soybeans	Leaffolder, flea beetle , beanfly, podborer,aphids	2-3.5 Tbsp/56 L sprayer	-	-	-
ORACLE CHEM CORPORATION	METHOMYL	LANSTAR 40 SP	400 g/kg	SP	INSECTICIDE	2	417-164-2343	25-Nov-26	CONTACT	Sitao	Leaffolder, flea beetle , beanfly, podborer,aphids	2-3.5 Tbsp/56 L sprayer	-	-	-
ORACLE CHEM CORPORATION	METHOMYL	LANSTAR 40 SP	400 g/kg	SP	INSECTICIDE	2	417-164-2343	25-Nov-26	CONTACT	Corn	Comborer, earworm	2-3.5 Tbsp/56 L sprayer	-	-	-
ORACLE CHEM CORPORATION	METHOMYL	LANSTAR 40 SP	400 g/kg	SP	INSECTICIDE	2	417-164-2343	25-Nov-26	CONTACT	Sorghum	Comborer, earworm	2-3.5 Tbsp/56 L sprayer	-	-	-
ORACLE CHEM CORPORATION	METHOMYL	LANSTAR 40 SP	400 g/kg	SP	INSECTICIDE	2	417-164-2343	25-Nov-26	CONTACT	Eggplant	Aphids, flea beetle , fruitworm, lady beetle	2-3.5 Tbsp/56 L sprayer	-	-	-
ORACLE CHEM CORPORATION	METHOMYL	LANSTAR 40 SP	400 g/kg	SP	INSECTICIDE	2	417-164-2343	25-Nov-26	CONTACT	Melon	Aphids, Squash beetle , leaf folder	2-3.5 Tbsp/56 L sprayer	-	-	-
ORACLE CHEM CORPORATION	METHOMYL	LANSTAR 40 SP	400 g/kg	SP	INSECTICIDE	2	417-164-2343	25-Nov-26	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leaf folder	2-3.5 Tbsp/56 L sprayer	0.01ppm	3 Days	-
ORACLE CHEM CORPORATION	METHOMYL	LANSTAR 40 SP	400 g/kg	SP	INSECTICIDE	2	417-164-2343	25-Nov-26	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	2-3.5 Tbsp/56 L sprayer	-	-	-
ORACLE CHEM CORPORATION	METHOMYL	LANSTAR 40 SP	400 g/kg	SP	INSECTICIDE	2	417-164-2343	25-Nov-26	CONTACT	Tomato	Tomato fruitworm, aphids	2-3.5 Tbsp/56 L sprayer	-	-	-
TESSENDERLO KERLEY PHILIPPINES, INCORPORATED	METHOMYL	LANNATE 40 SP	400 g/kg	SP	INSECTICIDE	2	751-164-0555	8-Jun-26	CONTACT	Asparagus	Armyworm, cutworm	20-35 gram prod./16L	-	1 day	Twelve (12) hours after spraying
TESSENDERLO KERLEY PHILIPPINES, INCORPORATED	METHOMYL	LANNATE 40 SP	400 g/kg	SP	INSECTICIDE	2	751-164-0555	8-Jun-26	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	20-35 gram prod./16L	-	-	Twelve (12) hours after spraying
TESSENDERLO KERLEY PHILIPPINES, INCORPORATED	METHOMYL	LANNATE 40 SP	400 g/kg	SP	INSECTICIDE	2	751-164-0555	8-Jun-26	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leaf folder	20-35 gram prod./16L	-	3 Days	Twelve (12) hours after spraying
TESSENDERLO KERLEY PHILIPPINES, INCORPORATED	METHOMYL	LANNATE 40 SP	400 g/kg	SP	INSECTICIDE	2	751-164-0555	8-Jun-26	CONTACT	Melon	Aphids, Squash beetle , leaf folder	20-35 gram prod./16L	-	1 day	Twelve (12) hours after spraying
TESSENDERLO KERLEY PHILIPPINES, INCORPORATED	METHOMYL	LANNATE 40 SP	400 g/kg	SP	INSECTICIDE	2	751-164-0555	8-Jun-26	CONTACT	Tomato	Tomato fruitworm, aphids	20-35 gram prod./16L	-	1 day	Twelve (12) hours after spraying
TESSENDERLO KERLEY PHILIPPINES, INCORPORATED	METHOMYL	LANNATE 40 SP	400 g/kg	SP	INSECTICIDE	2	751-164-0555	8-Jun-26	CONTACT	Corn	Corn borer, earworm	20-35 gram prod./16L	-	14 days	Twelve (12) hours after spraying
TESSENDERLO KERLEY PHILIPPINES, INCORPORATED	METHOMYL	LANNATE 40 SP	400 g/kg	SP	INSECTICIDE	2	751-164-0555	8-Jun-26	CONTACT	Sorghum	Corn borer, earworm	20-35 gram prod./16L	-	14 days	Twelve (12) hours after spraying
TESSENDERLO KERLEY PHILIPPINES, INCORPORATED	METHOMYL	LANNATE 40 SP	400 g/kg	SP	INSECTICIDE	2	751-164-0555	8-Jun-26	CONTACT	Beans	Leaf folder, flea beetle , beanfly, podborer,aphids	20-35 gram prod./16L	-	3 Days	Twelve (12) hours after spraying
TESSENDERLO KERLEY PHILIPPINES, INCORPORATED	METHOMYL	LANNATE 40 SP	400 g/kg	SP	INSECTICIDE	2	751-164-0555	8-Jun-26	CONTACT	Mungbeans	Leaf folder, flea beetle , beanfly, podborer,aphids	20-35 gram prod./16L	-	3 Days	Twelve (12) hours after spraying
TESSENDERLO KERLEY PHILIPPINES, INCORPORATED	METHOMYL	LANNATE 40 SP	400 g/kg	SP	INSECTICIDE	2	751-164-0555	8-Jun-26	CONTACT	Soybeans	Leaf folder, flea beetle , beanfly, podborer,aphids	20-35 gram prod./16L	-	3 Days	Twelve (12) hours after spraying
TESSENDERLO KERLEY PHILIPPINES, INCORPORATED	METHOMYL	LANNATE 40 SP	400 g/kg	SP	INSECTICIDE	2	751-164-0555	8-Jun-26	CONTACT	Sitao	Leaf folder, flea beetle , beanfly, podborer,aphids	20-35 gram prod./16L	-	1 Days	Twelve (12) hours after spraying
TESSENDERLO KERLEY PHILIPPINES, INCORPORATED	METHOMYL	LANNATE 40 SP	400 g/kg	SP	INSECTICIDE	2	751-164-0555	8-Jun-26	CONTACT	Eggplant	Aphids, flea beetle, fruitworm, lady beetle	20-35 gram prod./16L	-	1 day	Twelve (12) hours after spraying
TESSENDERLO KERLEY PHILIPPINES, INCORPORATED	METHOMYL	LANNATE 40 SP	400 g/kg	SP	INSECTICIDE	2	751-164-0555	8-Jun-26	CONTACT	Banana	Thrips	35-45 gram prod./16L	-	0 day	Twelve (12) hours after spraying
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	METHOMYL	LANEX 40 SP	400 g/kg	SP	INSECTICIDE	2	575-164-5406	25-Nov-26	CONTACT	Asparagus	Armyworm, cutworm	1 Sachet/16Ll Sprayer	-	-	-
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	METHOMYL	LANEX 40 SP	400 g/kg	SP	INSECTICIDE	2	575-164-5406	25-Nov-26	CONTACT	Banana	Thrips	1.5-2 Sachet/16Ll Sprayer	-	-	-
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	METHOMYL	LANEX 40 SP	400 g/kg	SP	INSECTICIDE	2	575-164-5406	25-Nov-26	CONTACT	Beans	Leaf folder, flea beetle , beanfly, podborer,aphids	1 Sachet/16Ll Sprayer	-	-	-
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	METHOMYL	LANEX 40 SP	400 g/kg	SP	INSECTICIDE	2	575-164-5406	25-Nov-26	CONTACT	Mungbeans	Leaf folder, flea beetle , beanfly, podborer,aphids	1 Sachet/16Ll Sprayer	-	-	-
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	METHOMYL	LANEX 40 SP	400 g/kg	SP	INSECTICIDE	2	575-164-5406	25-Nov-26	CONTACT	Soybeans	Leaf folder, flea beetle , beanfly, podborer,aphids	1 Sachet/16Ll Sprayer	-	-	-
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	METHOMYL	LANEX 40 SP	400 g/kg	SP	INSECTICIDE	2	575-164-5406	25-Nov-26	CONTACT	Sitao	Leaf folder, flea beetle , beanfly, podborer,aphids	1 Sachet/16Ll Sprayer	-	-	-
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	METHOMYL	LANEX 40 SP	400 g/kg	SP	INSECTICIDE	2	575-164-5406	25-Nov-26	CONTACT	Corn	Comborer, earworm	1 Sachet/16Ll Sprayer	-	-	-
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	METHOMYL	LANEX 40 SP	400 g/kg	SP	INSECTICIDE	2	575-164-5406	25-Nov-26	CONTACT	Sorghum	Comborer, earworm	1 Sachet/16Ll Sprayer	-	-	-
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	METHOMYL	LANEX 40 SP	400 g/kg	SP	INSECTICIDE	2	575-164-5406	25-Nov-26	CONTACT	Eggplant	Aphids, flea beetle , fruitworm, lady beetle	1 Sachet/16Ll Sprayer	-	-	-
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	METHOMYL	LANEX 40 SP	400 g/kg	SP	INSECTICIDE	2	575-164-5406	25-Nov-26	CONTACT	Melon	Aphids, Squash beetle , leaf folder	1 Sachet/16Ll Sprayer	-	-	-
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	METHOMYL	LANEX 40 SP	400 g/kg	SP	INSECTICIDE	2	575-164-5406	25-Nov-26	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leaf folder	1 Sachet/16Ll Sprayer	-	-	-
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	METHOMYL	LANEX 40 SP	400 g/kg	SP	INSECTICIDE	2	575-164-5406	25-Nov-26	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	1 Sachet/16Ll Sprayer	-	-	-
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	METHOMYL	LANEX 40 SP	400 g/kg	SP	INSECTICIDE	2	575-164-5406	25-Nov-26	CONTACT	Tomato	Tomato fruitworm, aphids	1 Sachet/16Ll Sprayer	-	-	-
LIChemPHIL INTERNATIONAL INC.	GLYPHOSATE IPA	LAND-UP 480 SL	480 g/L	SL	HERBICIDE	4	590-151-3068	01-Aug-26	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges				
LIChemPHIL INTERNATIONAL INC.	GLYPHOSATE IPA	LAND-UP 480 SL	480 g/L	SL	HERBICIDE	4	590-151-3061	01-Aug-26	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges				
LIChemPHIL INTERNATIONAL INC.	GLYPHOSATE IPA	LAND-UP 480 SL	480 g/L	SL	HERBICIDE	4	590-151-3061	01-Aug-26	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges				
LIChemPHIL INTERNATIONAL INC.	GLYPHOSATE IPA	LAND-UP 480 SL	480 g/L	SL	HERBICIDE	4	590-151-3061	01-Aug-26	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges				
LIChemPHIL INTERNATIONAL INC.	GLYPHOSATE IPA	LAND-UP 480 SL	480 g/L	SL	HERBICIDE	4	590-151-3061	01-Aug-26	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges				
LIChemPHIL INTERNATIONAL INC.	GLYPHOSATE IPA	LAND-UP 480 SL	480 g/L	SL	HERBICIDE	4	590-151-3061	01-Aug-26	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges				
LIChemPHIL INTERNATIONAL INC.	GLYPHOSATE IPA	LAND-UP 480 SL	480 g/L	SL	HERBICIDE	4	590-151-3061	01-Aug-26	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges				
LIChemPHIL INTERNATIONAL INC.	GLYPHOSATE IPA	LAND-UP 480 SL	480 g/L	SL	HERBICIDE	4	590-151-3061	01-Aug-26	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges				
LIChemPHIL INTERNATIONAL INC.	GLYPHOSATE IPA	LAND-UP 480 SL	480 g/L	SL	HERBICIDE	4	590-151-3061	01-Aug-26	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges				
LIChemPHIL INTERNATIONAL INC.	GLYPHOSATE IPA	LAND-UP 480 SL	480 g/L	SL	HERBICIDE	4	590-151-3061	01-Aug-26	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges				
LIChemPHIL INTERNATIONAL INC.	GLYPHOSATE IPA	LAND-UP 480 SL	480 g/L	SL	HERBICIDE	4	590-151-3061	01-Aug-26	POST-EMERGENT	Vegetables under minimum or reduced tillage	Annual & perennial grasses, broadleaf weeds & sedges				
LIChemPHIL INTERNATIONAL INC.	GLYPHOSATE IPA	LAND-UP 480 SL	480 g/L	SL	HERBICIDE	4	590-151-3061	01-Aug-26	POST-EMERGENT	Non-crop areas	Annual & perennial grasses, broadleaf weeds & sedges				
SHELLHOMES CHEMICALS, INCORPORATED	GLYPHOSATE IPA	LANOLINE 480 SL	480 g/L	SL	HERBICIDE	4	481-151-3068	02-Oct-24	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/ha			
SHELLHOMES CHEMICALS, INCORPORATED	GLYPHOSATE IPA	LANOLINE 480 SL	480 g/L	SL	HERBICIDE	4	481-151-3068	02-Oct-24	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha			
SHELLHOMES CHEMICALS, INCORPORATED	GLYPHOSATE IPA	LANOLINE 480 SL	480 g/L	SL	HERBICIDE	4	481-151-3068	02-Oct-24	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha			
SHELLHOMES CHEMICALS, INCORPORATED	GLYPHOSATE IPA	LANOLINE 480 SL	480 g/L	SL	HERBICIDE	4	481-151-3068	02-Oct-24	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha			
SHELLHOMES CHEMICALS, INCORPORATED	GLYPHOSATE IPA	LANOLINE 480 SL	480 g/L	SL	HERBICIDE	4	481-151-3068	02-Oct-24	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha			
SHELLHOMES CHEMICALS, INCORPORATED	GLYPHOSATE IPA	LANOLINE 480 SL	480 g/L	SL	HERBICIDE	4	481-151-3068	02-Oct-24	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha			
SHELLHOMES CHEMICALS, INCORPORATED	GLYPHOSATE IPA	LANOLINE 480 SL	480 g/L	SL	HERBICIDE	4	481-151-3068	02-Oct-24	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha			
SHELLHOMES CHEMICALS, INCORPORATED	GLYPHOSATE IPA	LANOLINE 480 SL	480 g/L	SL	HERBICIDE	4	481-151-3068	02-Oct-24	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha			
SHELLHOMES CHEMICALS, INCORPORATED	GLYPHOSATE IPA	LANOLINE 480 SL	480 g/L	SL	HERBICIDE	4	481-151-3068	02-Oct-24	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/ha			

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD	
SHELLHOMES CHEMICALS, INCORPORATED	GLYPHOSATE IPA	LANDLINE 480 SL	480 g/L	SL	HERBICIDE	4	481-151-3068	02-Oct-24	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0liters/ha				
SHELLHOMES CHEMICALS, INCORPORATED	GLYPHOSATE IPA	LANDLINE 480 SL	480 g/L	SL	HERBICIDE	4	481-151-3068	02-Oct-24	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha				
SHELLHOMES CHEMICALS, INCORPORATED	GLYPHOSATE IPA	LANDLINE 480 SL	480 g/L	SL	HERBICIDE	4	481-151-3068	02-Oct-24	POST-EMERGENT	non-crop	Annual & perennial grasses, broadleaf weeds & sedges					
GOLDENMAN MARKETING CORPORATION	METHOMYL	LANDER 40 SP	400 g/Kg	SP	INSECTICIDE	2	400-164-3673	31-Mar-25	CONTACT	Asparagus	Armyworm, cutworm	1 Sachet/36L Sprayer		-	-	
GOLDENMAN MARKETING CORPORATION	METHOMYL	LANDER 40 SP	400 g/Kg	SP	INSECTICIDE	2	400-164-3673	31-Mar-25	CONTACT	Banana	Thrips	1.5-2 Sachet/36L Sprayer		-	-	
GOLDENMAN MARKETING CORPORATION	METHOMYL	LANDER 40 SP	400 g/Kg	SP	INSECTICIDE	2	400-164-3673	31-Mar-25	CONTACT	Beans	Leafroller, flea beetle , beanfly, podborer,aphids	1 Sachet/36L Sprayer		-	-	
GOLDENMAN MARKETING CORPORATION	METHOMYL	LANDER 40 SP	400 g/Kg	SP	INSECTICIDE	2	400-164-3673	31-Mar-25	CONTACT	Mungbeans	Leafroller, flea beetle , beanfly, podborer,aphids	1 Sachet/36L Sprayer		-	-	
GOLDENMAN MARKETING CORPORATION	METHOMYL	LANDER 40 SP	400 g/Kg	SP	INSECTICIDE	2	400-164-3673	31-Mar-25	CONTACT	Soybeans	Leafroller, flea beetle , beanfly, podborer,aphids	1 Sachet/36L Sprayer		-	-	
GOLDENMAN MARKETING CORPORATION	METHOMYL	LANDER 40 SP	400 g/Kg	SP	INSECTICIDE	2	400-164-3673	31-Mar-25	CONTACT	Sitao	Leafroller, flea beetle , beanfly, podborer,aphids	1 Sachet/36L Sprayer		-	-	
GOLDENMAN MARKETING CORPORATION	METHOMYL	LANDER 40 SP	400 g/Kg	SP	INSECTICIDE	2	400-164-3673	31-Mar-25	CONTACT	Corn	Comborer, earworm	1 Sachet/36L Sprayer		-	-	
GOLDENMAN MARKETING CORPORATION	METHOMYL	LANDER 40 SP	400 g/Kg	SP	INSECTICIDE	2	400-164-3673	31-Mar-25	CONTACT	Eggplant	Aphids, flea beetle , fruitworm, lady beetle	1 Sachet/36L Sprayer		-	-	
GOLDENMAN MARKETING CORPORATION	METHOMYL	LANDER 40 SP	400 g/Kg	SP	INSECTICIDE	2	400-164-3673	31-Mar-25	CONTACT	Melon	Aphids, Squash beetle , leafroller	1 Sachet/36L Sprayer		-	-	
GOLDENMAN MARKETING CORPORATION	METHOMYL	LANDER 40 SP	400 g/Kg	SP	INSECTICIDE	2	400-164-3673	31-Mar-25	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leafroller	1 Sachet/36L Sprayer	0.02ppm	3 Days		
GOLDENMAN MARKETING CORPORATION	METHOMYL	LANDER 40 SP	400 g/Kg	SP	INSECTICIDE	2	400-164-3673	31-Mar-25	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	1 Sachet/36L Sprayer		-	-	
GOLDENMAN MARKETING CORPORATION	METHOMYL	LANDER 40 SP	400 g/Kg	SP	INSECTICIDE	2	400-164-3673	31-Mar-25	CONTACT	Tomato	Tomato fruitworm, aphids	1 Sachet/36L Sprayer		-	-	
ARIES RNE CHEMICAL CORPORATION	METHOMYL	LANCET 40 SP	400 g/Kg	SP	INSECTICIDE	2	478-164-2726-A	07-Apr-25	CONTACT	Asparagus	Armyworm, cutworm	2.0-2.5 Thsp/36L spray		-	-	Do not enter fields with LANCET 40 SP with 12 hours after application
ARIES RNE CHEMICAL CORPORATION	METHOMYL	LANCET 40 SP	400 g/Kg	SP	INSECTICIDE	2	478-164-2726-A	07-Apr-25	CONTACT	Banana	Thrips	3.5-4.5 Thsp/36L spray		-	-	Do not enter fields with LANCET 40 SP with 12 hours after application
ARIES RNE CHEMICAL CORPORATION	METHOMYL	LANCET 40 SP	400 g/Kg	SP	INSECTICIDE	2	478-164-2726-A	07-Apr-25	CONTACT	Beans	Leafroller, flea beetle , beanfly, podborer,aphids	2.0-3.5 Thsp/36L spray		-	-	Do not enter fields with LANCET 40 SP with 12 hours after application
ARIES RNE CHEMICAL CORPORATION	METHOMYL	LANCET 40 SP	400 g/Kg	SP	INSECTICIDE	2	478-164-2726-A	07-Apr-25	CONTACT	Mungbeans	Leafroller, flea beetle , beanfly, podborer,aphids	2.0-3.5 Thsp/36L spray		-	-	Do not enter fields with LANCET 40 SP with 12 hours after application
ARIES RNE CHEMICAL CORPORATION	METHOMYL	LANCET 40 SP	400 g/Kg	SP	INSECTICIDE	2	478-164-2726-A	07-Apr-25	CONTACT	Soybeans	Leafroller, flea beetle , beanfly, podborer,aphids	2.0-3.5 Thsp/36L spray		-	-	Do not enter fields with LANCET 40 SP with 12 hours after application
ARIES RNE CHEMICAL CORPORATION	METHOMYL	LANCET 40 SP	400 g/Kg	SP	INSECTICIDE	2	478-164-2726-A	07-Apr-25	CONTACT	Sitao	Leafroller, flea beetle , beanfly, podborer,aphids	2.0-3.5 Thsp/36L spray		-	-	Do not enter fields with LANCET 40 SP with 12 hours after application
ARIES RNE CHEMICAL CORPORATION	METHOMYL	LANCET 40 SP	400 g/Kg	SP	INSECTICIDE	2	478-164-2726-A	07-Apr-25	CONTACT	Corn	Comborer, earworm	2.0-3.5 Thsp/36L spray		-	-	Do not enter fields with LANCET 40 SP with 12 hours after application
ARIES RNE CHEMICAL CORPORATION	METHOMYL	LANCET 40 SP	400 g/Kg	SP	INSECTICIDE	2	478-164-2726-A	07-Apr-25	CONTACT	Sorghum	Comborer, earworm	2.0-3.5 Thsp/36L spray		-	-	Do not enter fields treated with LANCET 40 SP within 12 hours after application
ARIES RNE CHEMICAL CORPORATION	METHOMYL	LANCET 40 SP	400 g/Kg	SP	INSECTICIDE	2	478-164-2726-A	07-Apr-25	CONTACT	Eggplant	Aphids, flea beetle , fruitworm, lady beetle	2.0-3.5 Thsp/36L spray		-	-	Do not enter fields with LANCET 40 SP with 12 hours after application
ARIES RNE CHEMICAL CORPORATION	METHOMYL	LANCET 40 SP	400 g/Kg	SP	INSECTICIDE	2	478-164-2726-A	07-Apr-25	CONTACT	Melon	Aphids, Squash beetle , leafroller	2.0-3.5 Thsp/36L spray		-	-	Do not enter fields with LANCET 40 SP with 12 hours after application
ARIES RNE CHEMICAL CORPORATION	METHOMYL	LANCET 40 SP	400 g/Kg	SP	INSECTICIDE	2	478-164-2726-A	07-Apr-25	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leafroller	2.0-3.5 Thsp/36L spray	0.02ppm	3 Days		Do not enter fields with LANCET 40 SP with 12 hours after application
ARIES RNE CHEMICAL CORPORATION	METHOMYL	LANCET 40 SP	400 g/Kg	SP	INSECTICIDE	2	478-164-2726-A	07-Apr-25	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	2.0-3.5 Thsp/36L spray		-	-	Do not enter fields with LANCET 40 SP with 12 hours after application
ARIES RNE CHEMICAL CORPORATION	METHOMYL	LANCET 40 SP	400 g/Kg	SP	INSECTICIDE	2	478-164-2726-A	07-Apr-25	CONTACT	Tomato	Tomato fruitworm, aphids	2.0-3.5 Thsp/36L spray		-	-	Do not enter fields with LANCET 40 SP with 12 hours after application
LEADS AGRICULTURAL PRODUCTS CORPORATION	ACEPHATE+IMIDACLOPRID	LANCER GOLD 55WG	500 g/kg+50 g/kg	WG	INSECTICIDE	3	099-589-6306	30-Jun-25		Mango	Leafhopper	100g-200g/2000L drum		-	-	Mangoes can be harvest 14 days after treatment
UPL PHILIPPINES, INC.	ACEPHATE+IMIDACLOPRID	LANCER GOLD 55 WG	500 g/kg+50 g/kg	WG	INSECTICIDE	3	562-589-5750	30-Jun-25		Mango	Leafhopper	0.30-1.00 kg/ha 400 L/ha spray volume		-	-	Entry to fields and crops treated with LANCER GOLD 55 WG can be done as soon as spray deposits have dried
UPL PHILIPPINES, INC.	ACEPHATE	LANCER 75 SP	750 g/Kg	SP	INSECTICIDE	4	562-242-4413	28-Jun-24		Tobacco	Budworm, aphids	2-3 Thsp/36L water		-	-	Crop sprayed with LANCER 75 SP can be done as soon as spray deposits have dried
UPL PHILIPPINES, INC.	ACEPHATE	LANCER 75 SP	750 g/Kg	SP	INSECTICIDE	4	562-242-4413	28-Jun-24		Eggplant	Fruitborer	2-3 Thsp/36L water		-	-	Entry to fields and crops treated with LANCER 75 SP can be done as soon as spray deposits have dried
UPL PHILIPPINES, INC.	ACEPHATE	LANCER 75 SP	750 g/Kg	SP	INSECTICIDE	4	562-242-4413	28-Jun-24		Stringbeans	Aphids	2-3 Thsp/36L water		-	-	Crop sprayed with LANCER 75 SP can be done as soon as spray deposits have dried
UPL PHILIPPINES, INC.	ACEPHATE	LANCER 75 SP	750 g/Kg	SP	INSECTICIDE	4	562-242-4413	28-Jun-24		Tomato	Fruitworm	2-3 Thsp/36L water		-	-	Entry to fields and crops treated with LANCER 75 SP can be done as soon as spray deposits have dried
UPL PHILIPPINES, INC.	ACEPHATE	LANCER 75 SP	750 g/Kg	SP	INSECTICIDE	4	562-242-4413	28-Jun-24		Banana	Thrips	1.5-2 Thsp/36L water		-	-	Crop sprayed with LANCER 75 SP can be done as soon as spray deposits have dried
UPL PHILIPPINES, INC.	ACEPHATE	LANCER 75 SP	750 g/Kg	SP	INSECTICIDE	4	562-242-4413	28-Jun-24		Watermelon	Aphids, thrips	2-3 Thsp/36L water		-	-	Crop sprayed with LANCER 75 SP can be done as soon as spray deposits have dried
UPL PHILIPPINES, INC.	ACEPHATE	LANCER 75 SP	750 g/Kg	SP	INSECTICIDE	4	562-242-4413	28-Jun-24		Rice	Whorl maggot, green leafhopper, brown planthopper, stemborer, leafroller, rice bug	2-3 Thsp/36L water	0.02 ppm	-	-	Crop sprayed with LANCER 75 SP can be done as soon as spray deposits have dried
UPL PHILIPPINES, INC.	ACEPHATE	LANCER 75 SP	750 g/Kg	SP	INSECTICIDE	4	562-242-4413	28-Jun-24		Mango	Hopper, Tipborders	1.5-2 Thsp/36L water		-	-	Crop sprayed with LANCER 75 SP can be done as soon as spray deposits have dried
UPL PHILIPPINES, INC.	ACEPHATE	LANCER 75 SP	750 g/Kg	SP	INSECTICIDE	3	562-242-5670	09-Feb-25		Tobacco	Budworm, aphids	Crops sprayed with ORTHENE 75 SP can be harvested 2 weeks after treated		-	-	Entry to fields and crops treated with ORTHENE 75 SP can be done as soon as spray deposits have dried
UPL PHILIPPINES, INC.	ACEPHATE	LANCER 75 SP	750 g/Kg	SP	INSECTICIDE	3	562-242-5670	09-Feb-25		Eggplant	Fruitborer	Crops sprayed with ORTHENE 75 SP can be harvested 2 weeks after treated		-	-	Entry to fields and crops treated with ORTHENE 75 SP can be done as soon as spray deposits have dried
UPL PHILIPPINES, INC.	ACEPHATE	LANCER 75 SP	750 g/Kg	SP	INSECTICIDE	3	562-242-5670	09-Feb-25		Stringbeans	Aphids	Crops sprayed with ORTHENE 75 SP can be harvested 2 weeks after treated		-	-	Entry to fields and crops treated with ORTHENE 75 SP can be done as soon as spray deposits have dried
UPL PHILIPPINES, INC.	ACEPHATE	LANCER 75 SP	750 g/Kg	SP	INSECTICIDE	3	562-242-5670	09-Feb-25		Tomato	Fruitworm	Crops sprayed with ORTHENE 75 SP can be harvested 2 weeks after treated		-	-	Entry to fields and crops treated with ORTHENE 75 SP can be done as soon as spray deposits have dried
UPL PHILIPPINES, INC.	ACEPHATE	LANCER 75 SP	750 g/Kg	SP	INSECTICIDE	3	562-242-5670	09-Feb-25		Banana	Thrips	Crops sprayed with ORTHENE 75 SP can be harvested 2 weeks after treated		-	-	Entry to fields and crops treated with ORTHENE 75 SP can be done as soon as spray deposits have dried
UPL PHILIPPINES, INC.	ACEPHATE	LANCER 75 SP	750 g/Kg	SP	INSECTICIDE	3	562-242-5670	09-Feb-25		Watermelon	Aphids, thrips	Crops sprayed with ORTHENE 75 SP can be harvested 2 weeks after treated		-	-	Entry to fields and crops treated with ORTHENE 75 SP can be done as soon as spray deposits have dried
UPL PHILIPPINES, INC.	ACEPHATE	LANCER 75 SP	750 g/Kg	SP	INSECTICIDE	3	562-242-5670	09-Feb-25		Rice	Whorl maggot, green leafhopper, brown planthopper, stemborer, leafroller, rice bug	Crops sprayed with ORTHENE 75 SP can be harvested 2 weeks after treated	0.02 ppm	-	-	Entry to fields and crops treated with ORTHENE 75 SP can be done as soon as spray deposits have dried
UPL PHILIPPINES, INC.	ACEPHATE	LANCER 75 SP	750 g/Kg	SP	INSECTICIDE	3	562-242-5670	09-Feb-25		Mango	Hopper, Tipborders	Crops sprayed with ORTHENE 75 SP can be harvested 2 weeks after treated		-	-	Entry to fields and crops treated with ORTHENE 75 SP can be done as soon as spray deposits have dried
HQ AGRICARE TRADING, INC.	METHOMYL	LANB PLUS	400g/kg	SP	INSECTICIDE	2	505-164-4250	05-Feb-24	CONTACT	Asparagus	Armyworm, cutworm	1 Sachet/36L Sprayer				
HQ AGRICARE TRADING, INC.	METHOMYL	LANB PLUS	400g/kg	SP	INSECTICIDE	2	505-164-4250	05-Feb-24	CONTACT	Banana	Thrips	1.5-2 Sachet/36L Sprayer				
HQ AGRICARE TRADING, INC.	METHOMYL	LANB PLUS	400g/kg	SP	INSECTICIDE	2	505-164-4250	05-Feb-24	CONTACT	Beans	Leafroller, flea beetle , beanfly, podborer,aphids	1 Sachet/36L Sprayer				
HQ AGRICARE TRADING, INC.	METHOMYL	LANB PLUS	400g/kg	SP	INSECTICIDE	2	505-164-4250	05-Feb-24	CONTACT	Mungbeans	Leafroller, flea beetle , beanfly, podborer,aphids	1 Sachet/36L Sprayer				
HQ AGRICARE TRADING, INC.	METHOMYL	LANB PLUS	400g/kg	SP	INSECTICIDE	2	505-164-4250	05-Feb-24	CONTACT	Soybeans	Leafroller, flea beetle , beanfly, podborer,aphids	1 Sachet/36L Sprayer				
HQ AGRICARE TRADING, INC.	METHOMYL	LANB PLUS	400g/kg	SP	INSECTICIDE	2	505-164-4250	05-Feb-24	CONTACT	Sitao	Leafroller, flea beetle , beanfly, podborer,aphids	1 Sachet/36L Sprayer				
HQ AGRICARE TRADING, INC.	METHOMYL	LANB PLUS	400g/kg	SP	INSECTICIDE	2	505-164-4250	05-Feb-24	CONTACT	Corn	Comborer, earworm	1 Sachet/36L Sprayer				
HQ AGRICARE TRADING, INC.	METHOMYL	LANB PLUS	400g/kg	SP	INSECTICIDE	2	505-164-4250	05-Feb-24	CONTACT	Eggplant	Aphids, flea beetle , fruitworm, lady beetle	1 Sachet/36L Sprayer				
HQ AGRICARE TRADING, INC.	METHOMYL	LANB PLUS	400g/kg	SP	INSECTICIDE	2	505-164-4250	05-Feb-24	CONTACT	Melon	Aphids, Squash beetle , leafroller	1 Sachet/36L Sprayer				
HQ AGRICARE TRADING, INC.	METHOMYL	LANB PLUS	400g/kg	SP	INSECTICIDE	2	505-164-4250	05-Feb-24	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leafroller	1 Sachet/36L Sprayer	0.02ppm	3 Days		

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD	
HQ AGRICARE TRADING, INC.	METHOMYL	LAMB PLUS	400g/kg	SP	INSECTICIDE	2	505-164-4250	05-Feb-24	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	1 Sachet/36L Sprayer				
HQ AGRICARE TRADING, INC.	METHOMYL	LAMB PLUS	400g/kg	SP	INSECTICIDE	2	505-164-4250	05-Feb-24	CONTACT	Tomato	Tomato fruitworm, aphids	1 Sachet/36L Sprayer				
CHEMREZ TECHNOLOGIES, INC.	LAMBDA-CYHALOTHRIN	LAMIDE 2.5 EC	25g/L	EC	INSECTICIDE	2	529-204-4765	19-Mar-24	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leafroller, black bug	1.0-1.5Tbsp/36L of water	0.05ppm	Do not spray 3 days before harvested	Re-entry to treated fields is allowed as soon as spray deposits dry	
CHEMREZ TECHNOLOGIES, INC.	LAMBDA-CYHALOTHRIN	LAMIDE 2.5 EC	25g/L	EC	INSECTICIDE	2	529-204-4765	19-Mar-24	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/36L of water		Do not spray 3 days before harvested	Re-entry to treated fields is allowed as soon as spray deposits dry	
CHEMREZ TECHNOLOGIES, INC.	LAMBDA-CYHALOTHRIN	LAMIDE 2.5 EC	25g/L	EC	INSECTICIDE	2	529-204-4765	19-Mar-24	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/36L of water		Do not spray 3 days before harvested	Re-entry to treated fields is allowed as soon as spray deposits dry	
CHEMREZ TECHNOLOGIES, INC.	LAMBDA-CYHALOTHRIN	LAMIDE 2.5 EC	25g/L	EC	INSECTICIDE	2	529-204-4765	19-Mar-24	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/36L of water		Do not spray 3 days before harvested	Re-entry to treated fields is allowed as soon as spray deposits dry	
CHEMREZ TECHNOLOGIES, INC.	LAMBDA-CYHALOTHRIN	LAMIDE 2.5 EC	25g/L	EC	INSECTICIDE	2	529-204-4765	19-Mar-24	SYSTEMIC	Mungbeans	Beanfly, flea beetle, leafhopper, aphids, mites, podborer	1.0Tbsp/36L of water		Do not spray 3 days before harvested	Re-entry to treated fields is allowed as soon as spray deposits dry	
CHEMREZ TECHNOLOGIES, INC.	LAMBDA-CYHALOTHRIN	LAMIDE 2.5 EC	25g/L	EC	INSECTICIDE	2	529-204-4765	19-Mar-24	SYSTEMIC	Corn	Comborer, aphids, seedling maggots	1.0-1.5Tbsp/36L of water		Do not spray 3 days before harvested	Re-entry to treated fields is allowed as soon as spray deposits dry	
CHEMREZ TECHNOLOGIES, INC.	LAMBDA-CYHALOTHRIN	LAMIDE 2.5 EC	25g/L	EC	INSECTICIDE	2	529-204-4765	19-Mar-24	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5Tbsp/36L of water		Do not spray 3 days before harvested	Re-entry to treated fields is allowed as soon as spray deposits dry	
CHEMREZ TECHNOLOGIES, INC.	LAMBDA-CYHALOTHRIN	LAMIDE 2.5 EC	25g/L	EC	INSECTICIDE	2	529-204-4765	19-Mar-24	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/36L of water		Do not spray 3 days before harvested	Re-entry to treated fields is allowed as soon as spray deposits dry	
CHEMREZ TECHNOLOGIES, INC.	LAMBDA-CYHALOTHRIN	LAMIDE 2.5 EC	25g/L	EC	INSECTICIDE	2	529-204-4765	19-Mar-24	SYSTEMIC	Cocoa	Podborer	1.0-2.0Tbsp/36L of water		Do not spray 3 days before harvested	Re-entry to treated fields is allowed as soon as spray deposits dry	
CHEMREZ TECHNOLOGIES, INC.	LAMBDA-CYHALOTHRIN	LAMIDE 2.5 EC	25g/L	EC	INSECTICIDE	2	529-204-4765	19-Mar-24	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/36L of water		Do not spray 3 days before harvested	Re-entry to treated fields is allowed as soon as spray deposits dry	
KEMARGO CORPORATION	GLYPHOSATE IPA	LAMPORNAS 480 SL	480 g/L	SL	HERBICIDE	4	553-151-3434	29-Jun-18	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/ha				
KEMARGO CORPORATION	GLYPHOSATE IPA	LAMPORNAS 480 SL	480 g/L	SL	HERBICIDE	4	553-151-3434	29-Jun-18	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha				
KEMARGO CORPORATION	GLYPHOSATE IPA	LAMPORNAS 480 SL	480 g/L	SL	HERBICIDE	4	553-151-3434	29-Jun-18	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha				
KEMARGO CORPORATION	GLYPHOSATE IPA	LAMPORNAS 480 SL	480 g/L	SL	HERBICIDE	4	553-151-3434	29-Jun-18	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha				
KEMARGO CORPORATION	GLYPHOSATE IPA	LAMPORNAS 480 SL	480 g/L	SL	HERBICIDE	4	553-151-3434	29-Jun-18	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha				
KEMARGO CORPORATION	GLYPHOSATE IPA	LAMPORNAS 480 SL	480 g/L	SL	HERBICIDE	4	553-151-3434	29-Jun-18	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha				
KEMARGO CORPORATION	GLYPHOSATE IPA	LAMPORNAS 480 SL	480 g/L	SL	HERBICIDE	4	553-151-3434	29-Jun-18	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha				
KEMARGO CORPORATION	GLYPHOSATE IPA	LAMPORNAS 480 SL	480 g/L	SL	HERBICIDE	4	553-151-3434	29-Jun-18	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha				
KEMARGO CORPORATION	GLYPHOSATE IPA	LAMPORNAS 480 SL	480 g/L	SL	HERBICIDE	4	553-151-3434	29-Jun-18	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/ha				
KEMARGO CORPORATION	GLYPHOSATE IPA	LAMPORNAS 480 SL	480 g/L	SL	HERBICIDE	4	553-151-3434	29-Jun-18	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha				
KEMARGO CORPORATION	GLYPHOSATE IPA	LAMPORNAS 480 SL	480 g/L	SL	HERBICIDE	4	553-151-3434	29-Jun-18	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha				
KEMARGO CORPORATION	GLYPHOSATE IPA	LAMPORNAS 480 SL	480 g/L	SL	HERBICIDE	4	553-151-3434	29-Jun-18	POST-EMERGENT	non-crop	Annual & perennial grasses, broadleaf weeds & sedges					
JEELS MASAGANA FARM SUPPLY, INC.	BISPYRIBAC SODIUM	LAMPAS	300 g/L	SC	HERBICIDE	4	487-276-3634	04-Feb-25	SELECTIVE (POST-EMERGENCE)	Rice (Direct Seeded)	Grasses, sedges & broadleaves	10ml/36L water, 20 spray load/ hectare	0.1 ppm		As soon as spray deposits have dried	
JEELS MASAGANA FARM SUPPLY, INC.	BISPYRIBAC SODIUM	LAMPAS	300 g/L	SC	HERBICIDE	4	487-276-3634	04-Feb-25	SELECTIVE (POST-EMERGENCE)	Rice (Transplanted)	Grasses, sedges & broadleaves	10ml/36L water, 20 spray load/ hectare	0.1 ppm		As soon as spray deposits have dried	
RAISSON AGROCHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	LAMTHOX 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	234-395-5513	18-Feb-25	CONTACT/SYSTEMIC	Potato	Whiteflies, aphids, thrips	100-200ml product/ha, 4-6 ml/36L		7 Days	Do not enter treated fields at least 1 Day after application	
RAISSON AGROCHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	LAMTHOX 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	234-395-5513	18-Feb-25	CONTACT/SYSTEMIC	Stringbeans	Green leafhopper, aphids, mites	100-200ml product/ha, 4-6 ml/36L		7 Days	Do not enter treated fields at least 1 Day after application	
RAISSON AGROCHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	LAMTHOX 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	234-395-5513	18-Feb-25	CONTACT/SYSTEMIC	Eggplant	Whiteflies, green leafhopper, aphids	100-200ml product/ha, 4-6 ml/36L		7 Days	Do not enter treated fields at least 1 Day after application	
RAISSON AGROCHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	LAMTHOX 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	234-395-5513	18-Feb-25	CONTACT/SYSTEMIC	Bitterngourd	Leafhoppers, thrips, aphids, fruitfly, cutworm	100-200ml product/ha, 4-13 ml/36L		7 Days	Do not enter treated fields at least 1 Day after application	
RAISSON AGROCHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	LAMTHOX 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	234-395-5513	18-Feb-25	CONTACT/SYSTEMIC	Mango	Leafhoppers, typhobers, capsid bug, fruitfly, ceoid fly	12-24ml/200L		3 Days	Do not enter treated fields at least 1 Day after application	
RAISSON AGROCHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	LAMTHOX 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	234-395-5513	18-Feb-25	CONTACT/SYSTEMIC	Corn	Asiatic corn borer, cutworm, leafhopper, aphids, earworm	100-400ml product/ha, 10.0-16.0 ml product/36L		1 Days	Do not enter treated fields at least 1 Day after application	
RAISSON AGROCHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	LAMTHOX 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	234-395-5513	18-Feb-25	CONTACT/SYSTEMIC	Banana	Flower thrips	5-1 ml/L		90 days	Do not enter treated fields at least 1 Day after application	
RAISSON AGROCHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	LAMTHOX 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	234-395-5513	18-Feb-25	CONTACT/SYSTEMIC	Rice	Stemborer, leafhopper, rice bugs	10-30 Tbsp prod/36L		14 Days	Do not enter treated fields at least 1 Day after application	
THAPHIL ADVANCE AGRITECH CORP.	LAMBDA-CYHALOTHRIN	LAMDAXIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	657-204-4937	27-Jun-22		Rice	Green leafhopper, armyworm, rice bug, leafroller, black bug	1-1.5Tbsp/36L of water		Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray deposits dry	
THAPHIL ADVANCE AGRITECH CORP.	LAMBDA-CYHALOTHRIN	LAMDAXIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	657-204-4937	27-Jun-22		Mango	Hoppers	0.75-1.5 Tbsp / L of water		Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray deposits dry	
THAPHIL ADVANCE AGRITECH CORP.	LAMBDA-CYHALOTHRIN	LAMDAXIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	657-204-4937	27-Jun-22		Tomato	Fruitworm, cutworm, aphids	1-1.5Tbsp/L of water		Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray deposits dry	
THAPHIL ADVANCE AGRITECH CORP.	LAMBDA-CYHALOTHRIN	LAMDAXIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	657-204-4937	27-Jun-22		Onion	Thrips, cutworm	1 Tbsp/L of water		Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray deposits dry	
THAPHIL ADVANCE AGRITECH CORP.	LAMBDA-CYHALOTHRIN	LAMDAXIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	657-204-4937	27-Jun-22		Mungbeans	Beanfly, flea beetle, leafhopper, aphids, mites, podborer	1 Tbsp/L of water		Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray deposits dry	
THAPHIL ADVANCE AGRITECH CORP.	LAMBDA-CYHALOTHRIN	LAMDAXIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	657-204-4937	27-Jun-22		Corn	Comborer, aphids, seedling maggots	1-1.5 Tbsp/36L of water		Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray deposits dry	
THAPHIL ADVANCE AGRITECH CORP.	LAMBDA-CYHALOTHRIN	LAMDAXIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	657-204-4937	27-Jun-22		Tobacco	Budworm, Cutworm, Aphids,katydid	1-1.5Tbsp/36L of water		Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray deposits dry	
THAPHIL ADVANCE AGRITECH CORP.	LAMBDA-CYHALOTHRIN	LAMDAXIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	657-204-4937	27-Jun-22		Cotton	Bollworm	1-1.5 Tbsp/36L of water		Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray deposits dry	
THAPHIL ADVANCE AGRITECH CORP.	LAMBDA-CYHALOTHRIN	LAMDAXIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	657-204-4937	27-Jun-22		Cocoa	Pod borer	3-2 Tbsp/36L water		Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray deposits dry	
THAPHIL ADVANCE AGRITECH CORP.	LAMBDA-CYHALOTHRIN	LAMDAXIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	657-204-4937	27-Jun-22		Watermelon	Squash beetle, melon worm	1 Tbsp/L of water		Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray deposits dry	
SIGAT INC.	LAMBDA-CYHALOTHRIN	LAMBIO 2.5 EC	25g/L	EC	INSECTICIDE	2	549-204-4750	03-Feb-24	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leafroller, black bug	1.0-1.5Tbsp/36L of water	0.05ppm		Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray dries up.
SIGAT INC.	LAMBDA-CYHALOTHRIN	LAMBIO 2.5 EC	25g/L	EC	INSECTICIDE	2	549-204-4750	03-Feb-24	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/36L of water		Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray dries up.	
SIGAT INC.	LAMBDA-CYHALOTHRIN	LAMBIO 2.5 EC	25g/L	EC	INSECTICIDE	2	549-204-4750	03-Feb-24	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/36L of water		Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray dries up.	
SIGAT INC.	LAMBDA-CYHALOTHRIN	LAMBIO 2.5 EC	25g/L	EC	INSECTICIDE	2	549-204-4750	03-Feb-24	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/36 L of water		Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray dries up.	
SIGAT INC.	LAMBDA-CYHALOTHRIN	LAMBIO 2.5 EC	25g/L	EC	INSECTICIDE	2	549-204-4750	03-Feb-24	SYSTEMIC	Mungbeans	Beanfly, flea beetle, leafhopper, aphids, mites, podborer	1.0Tbsp/36L of water		Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray dries up.	
SIGAT INC.	LAMBDA-CYHALOTHRIN	LAMBIO 2.5 EC	25g/L	EC	INSECTICIDE	2	549-204-4750	03-Feb-24	SYSTEMIC	Corn	Comborer, aphids, seedling maggots	1.0-1.5Tbsp/36L of water		Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray dries up.	
SIGAT INC.	LAMBDA-CYHALOTHRIN	LAMBIO 2.5 EC	25g/L	EC	INSECTICIDE	2	549-204-4750	03-Feb-24	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5Tbsp/36L of water		Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray dries up.	
SIGAT INC.	LAMBDA-CYHALOTHRIN	LAMBIO 2.5 EC	25g/L	EC	INSECTICIDE	2	549-204-4750	03-Feb-24	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/36L of water		Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray dries up.	
SIGAT INC.	LAMBDA-CYHALOTHRIN	LAMBIO 2.5 EC	25g/L	EC	INSECTICIDE	2	549-204-4750	03-Feb-24	SYSTEMIC	Cocoa	Podborer	1.0-2.0Tbsp/36L of water		Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray dries up.	
SIGAT INC.	LAMBDA-CYHALOTHRIN	LAMBIO 2.5 EC	25g/L	EC	INSECTICIDE	2	549-204-4750	03-Feb-24	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/36L of water		Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray dries up.	
PLANTCARE TRADING CORPORATION	LAMBDA-CYHALOTHRIN	LAMBIDEX 2.5 EC	25 g/L	EC	INSECTICIDE	2	405-204-3312	16-May-24	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leafroller, black bug	1.0-1.5Tbsp/36L of water	0.05ppm		3Days	Re-entry to treated fields is allowed as soon as spray deposits dry
PLANTCARE TRADING CORPORATION	LAMBDA-CYHALOTHRIN	LAMBIDEX 2.5 EC	25 g/L	EC	INSECTICIDE	2	405-204-3312	16-May-24	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/36L of water			3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)		PHI	RE-ENTRY PERIOD
PLANTCARE TRADING CORPORATION	LAMBDA-CHYALOTHIRIN	LAMBDEX 2.5 EC	25 g/L	EC	INSECTICIDE	2	495-204-3312	16-May-24	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/36 L of water	-	3 Days		Re-entry to treated fields is allowed as soon as spray deposits dry
PLANTCARE TRADING CORPORATION	LAMBDA-CHYALOTHIRIN	LAMBDEX 2.5 EC	25 g/L	EC	INSECTICIDE	2	495-204-3312	16-May-24	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/36 L of water	-	3 Days		Re-entry to treated fields is allowed as soon as spray deposits dry
PLANTCARE TRADING CORPORATION	LAMBDA-CHYALOTHIRIN	LAMBDEX 2.5 EC	25 g/L	EC	INSECTICIDE	2	495-204-3312	16-May-24	SYSTEMIC	Mungbeans	Beanfly, flea beetle, leafhopper, aphids, mites, podborer	1.0Tbsp/36 L of water	-	3 Days		Re-entry to treated fields is allowed as soon as spray deposits dry
PLANTCARE TRADING CORPORATION	LAMBDA-CHYALOTHIRIN	LAMBDEX 2.5 EC	25 g/L	EC	INSECTICIDE	2	495-204-3312	16-May-24	SYSTEMIC	Corn	Comborer, aphids, seedling maggots	1.0-1.5Tbsp/36 L of water	-	3 Days		Re-entry to treated fields is allowed as soon as spray deposits dry
PLANTCARE TRADING CORPORATION	LAMBDA-CHYALOTHIRIN	LAMBDEX 2.5 EC	25 g/L	EC	INSECTICIDE	2	495-204-3312	16-May-24	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5Tbsp/36 L of water	-	3 Days		Re-entry to treated fields is allowed as soon as spray deposits dry
PLANTCARE TRADING CORPORATION	LAMBDA-CHYALOTHIRIN	LAMBDEX 2.5 EC	25 g/L	EC	INSECTICIDE	2	495-204-3312	16-May-24	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/36 L of water	-	3 Days		Re-entry to treated fields is allowed as soon as spray deposits dry
PLANTCARE TRADING CORPORATION	LAMBDA-CHYALOTHIRIN	LAMBDEX 2.5 EC	25 g/L	EC	INSECTICIDE	2	495-204-3312	16-May-24	SYSTEMIC	Cocoa	Podborer	1.0-2.0Tbsp/36 L of water	-	3 Days		Re-entry to treated fields is allowed as soon as spray deposits dry
PLANTCARE TRADING CORPORATION	LAMBDA-CHYALOTHIRIN	LAMBDEX 2.5 EC	25 g/L	EC	INSECTICIDE	2	495-204-3312	16-May-24	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/36 L of water	-	3 Days		Re-entry to treated fields is allowed as soon as spray deposits dry
NEKHEM CORPORATION	LAMBDA-CHYALOTHIRIN	LAMBDEX 2.5 EC	25 g/L	EC	INSECTICIDE	2	702-204-5704	06-Nov-26	-	Rice	Green leafhopper, armyworm, rice bug, leafroller, black bug	1.0-1.5Tbsp/36 L of water	-	Do not spray 3 days before harvest		Re-entry to treated fields is allowed as soon as spray deposits dry
NEKHEM CORPORATION	LAMBDA-CHYALOTHIRIN	LAMBDEX 2.5 EC	25 g/L	EC	INSECTICIDE	2	702-204-5704	06-Nov-26	-	Mango	Hoppers	0.75-1.5Tbsp/36 L of water	-	Do not spray 3 days before harvest		Re-entry to treated fields is allowed as soon as spray deposits dry
NEKHEM CORPORATION	LAMBDA-CHYALOTHIRIN	LAMBDEX 2.5 EC	25 g/L	EC	INSECTICIDE	2	702-204-5704	06-Nov-26	-	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/36 L of water	-	Do not spray 3 days before harvest		Re-entry to treated fields is allowed as soon as spray deposits dry
NEKHEM CORPORATION	LAMBDA-CHYALOTHIRIN	LAMBDEX 2.5 EC	25 g/L	EC	INSECTICIDE	2	702-204-5704	06-Nov-26	-	Onion	Thrips, cutworm	1.0Tbsp/36 L of water	-	Do not spray 3 days before harvest		Re-entry to treated fields is allowed as soon as spray deposits dry
NEKHEM CORPORATION	LAMBDA-CHYALOTHIRIN	LAMBDEX 2.5 EC	25 g/L	EC	INSECTICIDE	2	702-204-5704	06-Nov-26	-	Mungbeans	Beanfly, flea beetle, leafhopper, aphids, mites, podborer	1.0Tbsp/36 L of water	-	Do not spray 3 days before harvest		Re-entry to treated fields is allowed as soon as spray deposits dry
NEKHEM CORPORATION	LAMBDA-CHYALOTHIRIN	LAMBDEX 2.5 EC	25 g/L	EC	INSECTICIDE	2	702-204-5704	06-Nov-26	-	Corn	Comborer, aphids, seedling maggots	1.0-1.5Tbsp/36 L of water	-	Do not spray 3 days before harvest		Re-entry to treated fields is allowed as soon as spray deposits dry
NEKHEM CORPORATION	LAMBDA-CHYALOTHIRIN	LAMBDEX 2.5 EC	25 g/L	EC	INSECTICIDE	2	702-204-5704	06-Nov-26	-	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5Tbsp/36 L of water	-	Do not spray 3 days before harvest		Re-entry to treated fields is allowed as soon as spray deposits dry
NEKHEM CORPORATION	LAMBDA-CHYALOTHIRIN	LAMBDEX 2.5 EC	25 g/L	EC	INSECTICIDE	2	702-204-5704	06-Nov-26	-	Cotton	Bollworm	1.0-1.5Tbsp/36 L of water	-	Do not spray 3 days before harvest		Re-entry to treated fields is allowed as soon as spray deposits dry
NEKHEM CORPORATION	LAMBDA-CHYALOTHIRIN	LAMBDEX 2.5 EC	25 g/L	EC	INSECTICIDE	2	702-204-5704	06-Nov-26	-	Cacao	Podborer	1.0-2.0Tbsp/36 L of water	-	Do not spray 3 days before harvest		Re-entry to treated fields is allowed as soon as spray deposits dry
NEKHEM CORPORATION	LAMBDA-CHYALOTHIRIN	LAMBDEX 2.5 EC	25 g/L	EC	INSECTICIDE	2	702-204-5704	06-Nov-26	-	Watermelon	Squash beetle, melon worm	1.0Tbsp/36 L of water	-	Do not spray 3 days before harvest		Re-entry to treated fields is allowed as soon as spray deposits dry
TWIN BAMBOO CORPORATION	LAMBDA-CHYALOTHIRIN	LAMBDA MAX 2.5 EC	25 g/L	EC	INSECTICIDE	2	526-204-5043	22-May-25	-	Rice	Green leafhopper, armyworm, rice bug, leafroller, black bug	1.0-1.5 Tbsp/36 L water	-	Do not spray 3 days before harvest		Re-entry to treated fields is allowed as soon as spray dries up.
TWIN BAMBOO CORPORATION	LAMBDA-CHYALOTHIRIN	LAMBDA MAX 2.5 EC	25 g/L	EC	INSECTICIDE	2	526-204-5043	22-May-25	-	Mango	Hoppers	0.75-1.5 Tbsp/36 L water	-	Do not spray 3 days before harvest		Re-entry to treated fields is allowed as soon as spray dries up.
TWIN BAMBOO CORPORATION	LAMBDA-CHYALOTHIRIN	LAMBDA MAX 2.5 EC	25 g/L	EC	INSECTICIDE	2	526-204-5043	22-May-25	-	Tomato	Fruitworm, cutworm, aphids	1.0-1.5 Tbsp/36 L water	-	Do not spray 3 days before harvest		Re-entry to treated fields is allowed as soon as spray dries up.
TWIN BAMBOO CORPORATION	LAMBDA-CHYALOTHIRIN	LAMBDA MAX 2.5 EC	25 g/L	EC	INSECTICIDE	2	526-204-5043	22-May-25	-	Onion	Thrips, cutworm	1.0 Tbsp/36 L water	-	Do not spray 3 days before harvest		Re-entry to treated fields is allowed as soon as spray dries up.
TWIN BAMBOO CORPORATION	LAMBDA-CHYALOTHIRIN	LAMBDA MAX 2.5 EC	25 g/L	EC	INSECTICIDE	2	526-204-5043	22-May-25	-	Mungbeans	Bean fly, flea beetle, leafhopper, aphids, mites, pod borer	1.0 Tbsp/36 L water	-	Do not spray 3 days before harvest		Re-entry to treated fields is allowed as soon as spray dries up.
TWIN BAMBOO CORPORATION	LAMBDA-CHYALOTHIRIN	LAMBDA MAX 2.5 EC	25 g/L	EC	INSECTICIDE	2	526-204-5043	22-May-25	-	Corn	Corn borer, aphids, seedling maggots	1.0-1.5 Tbsp/36 L water	-	Do not spray 3 days before harvest		Re-entry to treated fields is allowed as soon as spray dries up.
TWIN BAMBOO CORPORATION	LAMBDA-CHYALOTHIRIN	LAMBDA MAX 2.5 EC	25 g/L	EC	INSECTICIDE	2	526-204-5043	22-May-25	-	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5 Tbsp/36 L water	-	Do not spray 3 days before harvest		Re-entry to treated fields is allowed as soon as spray dries up.
TWIN BAMBOO CORPORATION	LAMBDA-CHYALOTHIRIN	LAMBDA MAX 2.5 EC	25 g/L	EC	INSECTICIDE	2	526-204-5043	22-May-25	-	Cotton	Bollworm	1.0-1.5 Tbsp/36 L water	-	Do not spray 3 days before harvest		Re-entry to treated fields is allowed as soon as spray dries up.
TWIN BAMBOO CORPORATION	LAMBDA-CHYALOTHIRIN	LAMBDA MAX 2.5 EC	25 g/L	EC	INSECTICIDE	2	526-204-5043	22-May-25	-	Cocoa	Pod borer	1.0-2.0 Tbsp/36 L water	-	Do not spray 3 days before harvest		Re-entry to treated fields is allowed as soon as spray dries up.
TWIN BAMBOO CORPORATION	LAMBDA-CHYALOTHIRIN	LAMBDA MAX 2.5 EC	25 g/L	EC	INSECTICIDE	2	526-204-5043	22-May-25	-	Watermelon	Squash beetle, melon worm	1.0 Tbsp/36 L water	-	Do not spray 3 days before harvest		Re-entry to treated fields is allowed as soon as spray dries up.
AGRI BIZ CO. OF GS, INC.	LAMBDA-CHYALOTHIRIN	LAMBDA BEST 2.5 EC	25 g/L	EC	INSECTICIDE	2	580-204-6332	16-May-24	-	Rice	Green leafhopper, armyworm, rice bug, leafroller, black bug	1.0-1.5 Tbsp/36 L water	-	Do not spray 3 days before harvest		Re-entry to treated fields is allowed as soon as spray deposits dry
AGRI BIZ CO. OF GS, INC.	LAMBDA-CHYALOTHIRIN	LAMBDA BEST 2.5 EC	25 g/L	EC	INSECTICIDE	2	580-204-6332	16-May-24	-	Mango	Hoppers	0.75-1.5 Tbsp/36 L water	-	Do not spray 3 days before harvest		Re-entry to treated fields is allowed as soon as spray deposits dry
AGRI BIZ CO. OF GS, INC.	LAMBDA-CHYALOTHIRIN	LAMBDA BEST 2.5 EC	25 g/L	EC	INSECTICIDE	2	580-204-6332	16-May-24	-	Tomato	Fruitworm, cutworm, aphids	1.0-1.5 Tbsp/36 L water	-	Do not spray 3 days before harvest		Re-entry to treated fields is allowed as soon as spray deposits dry
AGRI BIZ CO. OF GS, INC.	LAMBDA-CHYALOTHIRIN	LAMBDA BEST 2.5 EC	25 g/L	EC	INSECTICIDE	2	580-204-6332	16-May-24	-	Onion	Thrips, cutworm	1.0 Tbsp/36 L water	-	Do not spray 3 days before harvest		Re-entry to treated fields is allowed as soon as spray deposits dry
AGRI BIZ CO. OF GS, INC.	LAMBDA-CHYALOTHIRIN	LAMBDA BEST 2.5 EC	25 g/L	EC	INSECTICIDE	2	580-204-6332	16-May-24	-	Mungbeans	Beanfly, flea beetle, leafhopper, aphids, mites, podborer	1.0 Tbsp/36 L water	-	Do not spray 3 days before harvest		Re-entry to treated fields is allowed as soon as spray deposits dry
AGRI BIZ CO. OF GS, INC.	LAMBDA-CHYALOTHIRIN	LAMBDA BEST 2.5 EC	25 g/L	EC	INSECTICIDE	2	580-204-6332	16-May-24	-	Corn	Comborer, aphids, seedling maggots	1.0-1.5 Tbsp/36 L water	-	Do not spray 3 days before harvest		Re-entry to treated fields is allowed as soon as spray deposits dry
AGRI BIZ CO. OF GS, INC.	LAMBDA-CHYALOTHIRIN	LAMBDA BEST 2.5 EC	25 g/L	EC	INSECTICIDE	2	580-204-6332	16-May-24	-	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5 Tbsp/36 L water	-	Do not spray 3 days before harvest		Re-entry to treated fields is allowed as soon as spray deposits dry
AGRI BIZ CO. OF GS, INC.	LAMBDA-CHYALOTHIRIN	LAMBDA BEST 2.5 EC	25 g/L	EC	INSECTICIDE	2	580-204-6332	16-May-24	-	Cotton	Bollworm	1.0-1.5 Tbsp/36 L water	-	Do not spray 3 days before harvest		Re-entry to treated fields is allowed as soon as spray deposits dry
AGRI BIZ CO. OF GS, INC.	LAMBDA-CHYALOTHIRIN	LAMBDA BEST 2.5 EC	25 g/L	EC	INSECTICIDE	2	580-204-6332	16-May-24	-	Cocoa	Pod borer	1.0-2.0 Tbsp/36 L water	-	Do not spray 3 days before harvest		Re-entry to treated fields is allowed as soon as spray deposits dry
AGRI BIZ CO. OF GS, INC.	LAMBDA-CHYALOTHIRIN	LAMBDA BEST 2.5 EC	25 g/L	EC	INSECTICIDE	2	580-204-6332	16-May-24	-	Watermelon	Squash beetle, melon worm	1.0 Tbsp/36 L water	-	Do not spray 3 days before harvest		Re-entry to treated fields is allowed as soon as spray deposits dry
ANGELUX AGRI TRADE CORPORATION	LAMBDA-CHYALOTHIRIN	LAMBADA 2.5 EC	25 g/L	EC	INSECTICIDE	2	491-204-3426	29-Jun-24	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leafroller, black bug	1.0-1.5Tbsp/36 L of water	0.05ppm	3 Days		Re-entry to treated fields is allowed as soon as spray deposits dry
ANGELUX AGRI TRADE CORPORATION	LAMBDA-CHYALOTHIRIN	LAMBADA 2.5 EC	25 g/L	EC	INSECTICIDE	2	491-204-3426	29-Jun-24	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/36 L of water	-	3 Days		Re-entry to treated fields is allowed as soon as spray deposits dry
ANGELUX AGRI TRADE CORPORATION	LAMBDA-CHYALOTHIRIN	LAMBADA 2.5 EC	25 g/L	EC	INSECTICIDE	2	491-204-3426	29-Jun-24	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/36 L of water	-	3 Days		Re-entry to treated fields is allowed as soon as spray deposits dry
ANGELUX AGRI TRADE CORPORATION	LAMBDA-CHYALOTHIRIN	LAMBADA 2.5 EC	25 g/L	EC	INSECTICIDE	2	491-204-3426	29-Jun-24	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/36 L of water	-	3 Days		Re-entry to treated fields is allowed as soon as spray deposits dry
ANGELUX AGRI TRADE CORPORATION	LAMBDA-CHYALOTHIRIN	LAMBADA 2.5 EC	25 g/L	EC	INSECTICIDE	2	491-204-3426	29-Jun-24	SYSTEMIC	Mungbeans	Beanfly, flea beetle, leafhopper, aphids, mites, podborer	1.0Tbsp/36 L of water	-	3 Days		Re-entry to treated fields is allowed as soon as spray deposits dry
ANGELUX AGRI TRADE CORPORATION	LAMBDA-CHYALOTHIRIN	LAMBADA 2.5 EC	25 g/L	EC	INSECTICIDE	2	491-204-3426	29-Jun-24	SYSTEMIC	Corn	Comborer, aphids, seedling maggots	1.0-1.5Tbsp/36 L of water	-	3 Days		Re-entry to treated fields is allowed as soon as spray deposits dry
ANGELUX AGRI TRADE CORPORATION	LAMBDA-CHYALOTHIRIN	LAMBADA 2.5 EC	25 g/L	EC	INSECTICIDE	2	491-204-3426	29-Jun-24	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5Tbsp/36 L of water	-	3 Days		Re-entry to treated fields is allowed as soon as spray deposits dry
ANGELUX AGRI TRADE CORPORATION	LAMBDA-CHYALOTHIRIN	LAMBADA 2.5 EC	25 g/L	EC	INSECTICIDE	2	491-204-3426	29-Jun-24	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/36 L of water	-	3 Days		Re-entry to treated fields is allowed as soon as spray deposits dry
ANGELUX AGRI TRADE CORPORATION	LAMBDA-CHYALOTHIRIN	LAMBADA 2.5 EC	25 g/L	EC	INSECTICIDE	2	491-204-3426	29-Jun-24	SYSTEMIC	Cacao	Podborer	1.0-2.0Tbsp/36 L of water	-	3 Days		Re-entry to treated fields is allowed as soon as spray deposits dry
ANGELUX AGRI TRADE CORPORATION	LAMBDA-CHYALOTHIRIN	LAMBADA 2.5 EC	25 g/L	EC	INSECTICIDE	2	491-204-3426	29-Jun-24	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/36 L of water	-	3 Days		Re-entry to treated fields is allowed as soon as spray deposits dry
AGS MATT CORPORATION	BUPROFEZIN	LAGUNDS 25 SC	250 g/L	SC	INSECTICIDE	3	680-224-6376	28-Nov-26	-	Mango	Leafhopper	60-80 mL/200L water	-	Do not spray 15 days before harvest.		Re-entry to field is allowed as soon as spray dries up
JEELS MASAGANA FARM SUPPLY, INC.	BUTACHLOR-PROPANIL	LAGARAW 70 EC	300-300 g/L	EC	HERBICIDE	3	487-238-2698	05-Sep-25	POST-EMERGENT	Rice (Direct Seeded)	Grasses, Sedges and Broadleaves	8-12Tbsp/36 L water	Butachlor 0.1ppm Propanil 0.1ppm	-	-	-
JEELS MASAGANA FARM SUPPLY, INC.	BUTACHLOR-PROPANIL	LAGARAW 70 EC	300-300 g/L	EC	HERBICIDE	3	487-238-2698	05-Sep-25	POST-EMERGENT	Rice (Transplanted)	Grasses, Sedges and Broadleaves	8-12Tbsp/36 L water	Butachlor 0.1ppm Propanil 0.1ppm	-	-	-
LAPANDAY AGRICULTURAL & DEVELOPMENT CORPORATION	CHLOROTHALONIL	LAJOC-DA CONIL 720SC	-	SC	FUNGICIDE	4	748-118-5992	18-Jan-26	-	Banana	Black sigatoka	1.00kg A / ha or 1.38 L prod / ha	-	-	-	-
LAPANDAY FOODS CORPORATION	CHLOROTHALONIL	LAJOC-DA CONIL 720 SC	-	SC	FUNGICIDE	4	748-118-5992	18-Jan-26	-	Banana	Black sigatoka	-	-	-	-	-
AVC CHEMICAL CORPORATION	LAMBDA-CHYALOTHIRIN	LARRY'S 2.5 EC	25 g/L	EC	INSECTICIDE	2	060-204-5199	25-Sep-26	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leafroller, black bug	1.0-1.5 Tbsp/36 L water	-	3 Days		Re-entry to treated fields is allowed as soon as spray deposits dry
AVC CHEMICAL CORPORATION	LAMBDA-CHYALOTHIRIN	LARRY'S 2.5 EC	25 g/L	EC	INSECTICIDE	2	060-204-5199	25-Sep-26	SYSTEMIC	Mango	Hoppers	0.75-1.5 Tbsp/36 L water	-	3 Days		Re-entry to treated fields is allowed as soon as spray deposits dry
AVC CHEMICAL CORPORATION	LAMBDA-CHYALOTHIRIN	LARRY'S 2.5 EC	25 g/L	EC	INSECTICIDE	2	060-204-5199	25-Sep-26	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5 Tbsp/36 L water	-	3 Days		Re-entry to treated fields is allowed as soon as spray deposits dry

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
AVC CHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN	LARRYS 2.5 EC	25 g/L	EC	INSECTICIDE	2	060-204-5199	25-Sep-26	SYSTEMIC	Onion	Thrips, cutworm	1.0 Tbsp/16 L water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
AVC CHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN	LARRYS 2.5 EC	25 g/L	EC	INSECTICIDE	2	060-204-5199	25-Sep-26	SYSTEMIC	Mungbeans	Beanfly, flea beetle, leafhopper, aphids, mites, podborer	1.0 Tbsp/16 L water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
AVC CHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN	LARRYS 2.5 EC	25 g/L	EC	INSECTICIDE	2	060-204-5199	25-Sep-26	SYSTEMIC	Corn	Comborer, aphids, seedling maggots	1.0-1.5 Tbsp/16 L water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
AVC CHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN	LARRYS 2.5 EC	25 g/L	EC	INSECTICIDE	2	060-204-5199	25-Sep-26	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5 Tbsp/16 L water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
AVC CHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN	LARRYS 2.5 EC	25 g/L	EC	INSECTICIDE	2	060-204-5199	25-Sep-26	SYSTEMIC	Cotton	Bollworm	1.0-1.5 Tbsp/16 L water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
AVC CHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN	LARRYS 2.5 EC	25 g/L	EC	INSECTICIDE	2	060-204-5199	25-Sep-26	SYSTEMIC	Cacao	Podborer	1.0-2.0 Tbsp/16 L water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
AVC CHEMICAL CORPORATION	LAMBDA-CYHALOTHRIN	LARRYS 2.5 EC	25 g/L	EC	INSECTICIDE	2	060-204-5199	25-Sep-26	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0 Tbsp/16 L water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
VANN HAWK AGRO CHEMICALS, INC.	CYPERMETHRIN	LARAN 5 EC	50 g/L	EC	INSECTICIDE	4	295-037-1893	20-Apr-25	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated fields is allowed as soon as spray deposit dry
VANN HAWK AGRO CHEMICALS, INC.	CYPERMETHRIN	LARAN 5 EC	50 g/L	EC	INSECTICIDE	4	295-037-1893	20-Apr-25	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leafroller, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated fields is allowed as soon as spray deposit dry
VANN HAWK AGRO CHEMICALS, INC.	CYPERMETHRIN	LARAN 5 EC	50 g/L	EC	INSECTICIDE	4	295-037-1893	20-Apr-25	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated fields is allowed as soon as spray deposit dry
VANN HAWK AGRO CHEMICALS, INC.	CYPERMETHRIN	LARAN 5 EC	50 g/L	EC	INSECTICIDE	4	295-037-1893	20-Apr-25	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated fields is allowed as soon as spray deposit dry
VANN HAWK AGRO CHEMICALS, INC.	CYPERMETHRIN	LARAN 5 EC	50 g/L	EC	INSECTICIDE	4	295-037-1893	20-Apr-25	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated fields is allowed as soon as spray deposit dry
VANN HAWK AGRO CHEMICALS, INC.	CYPERMETHRIN	LARAN 5 EC	50 g/L	EC	INSECTICIDE	4	295-037-1893	20-Apr-25	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated fields is allowed as soon as spray deposit dry
VANN HAWK AGRO CHEMICALS, INC.	CYPERMETHRIN	LARAN 5 EC	50 g/L	EC	INSECTICIDE	4	295-037-1893	20-Apr-25	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated fields is allowed as soon as spray deposit dry
VANN HAWK AGRO CHEMICALS, INC.	CYPERMETHRIN	LARAN 5 EC	50 g/L	EC	INSECTICIDE	4	295-037-1893	20-Apr-25	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated fields is allowed as soon as spray deposit dry
VANN HAWK AGRO CHEMICALS, INC.	CYPERMETHRIN	LARAN 5 EC	50 g/L	EC	INSECTICIDE	4	295-037-1893	20-Apr-25	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated fields is allowed as soon as spray deposit dry
VANN HAWK AGRO CHEMICALS, INC.	CYPERMETHRIN	LARAN 5 EC	50 g/L	EC	INSECTICIDE	4	295-037-1893	20-Apr-25	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated fields is allowed as soon as spray deposit dry
VANN HAWK AGRO CHEMICALS, INC.	CYPERMETHRIN	LARAN 5 EC	50 g/L	EC	INSECTICIDE	4	295-037-1893	20-Apr-22	CONTACT	Corn	Comborer, earworm	1.0-4.5 Tbsp/16 L water	-	7 Days	Re-entry to treated fields is allowed as soon as spray deposit dry
CROP PROTECTION AGRIVENTURES INC.	GLYPHOSATE IPA	LABAH 480 SL	480 g/L	SL	HERBICIDE	4	616-151-5236	23-Jun-24	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/ha	-	-	-
CROP PROTECTION AGRIVENTURES INC.	GLYPHOSATE IPA	LABAH 480 SL	480 g/L	SL	HERBICIDE	4	616-151-5236	23-Jun-24	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
CROP PROTECTION AGRIVENTURES INC.	GLYPHOSATE IPA	LABAH 480 SL	480 g/L	SL	HERBICIDE	4	616-151-5236	23-Jun-24	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
CROP PROTECTION AGRIVENTURES INC.	GLYPHOSATE IPA	LABAH 480 SL	480 g/L	SL	HERBICIDE	4	616-151-5236	23-Jun-24	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
CROP PROTECTION AGRIVENTURES INC.	GLYPHOSATE IPA	LABAH 480 SL	480 g/L	SL	HERBICIDE	4	616-151-5236	23-Jun-24	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
CROP PROTECTION AGRIVENTURES INC.	GLYPHOSATE IPA	LABAH 480 SL	480 g/L	SL	HERBICIDE	4	616-151-5236	23-Jun-24	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
CROP PROTECTION AGRIVENTURES INC.	GLYPHOSATE IPA	LABAH 480 SL	480 g/L	SL	HERBICIDE	4	616-151-5236	23-Jun-24	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
CROP PROTECTION AGRIVENTURES INC.	GLYPHOSATE IPA	LABAH 480 SL	480 g/L	SL	HERBICIDE	4	616-151-5236	23-Jun-24	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
CROP PROTECTION AGRIVENTURES INC.	GLYPHOSATE IPA	LABAH 480 SL	480 g/L	SL	HERBICIDE	4	616-151-5236	23-Jun-24	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/ha	-	-	-
CROP PROTECTION AGRIVENTURES INC.	GLYPHOSATE IPA	LABAH 480 SL	480 g/L	SL	HERBICIDE	4	616-151-5236	23-Jun-24	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
CROP PROTECTION AGRIVENTURES INC.	GLYPHOSATE IPA	LABAH 480 SL	480 g/L	SL	HERBICIDE	4	616-151-5236	23-Jun-24	POST-EMERGENT	Vegetables under minimum or reduced tillage	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
CROP PROTECTION AGRIVENTURES INC.	GLYPHOSATE IPA	LABAH 480 SL	480 g/L	SL	HERBICIDE	4	616-151-5236	23-Jun-24	POST-EMERGENT	Non-crop agricultural areas	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
TAIPAN BRAND FARM INC.	LAL2 EC	360-240 g/L	EC	HERBICIDE	3	529-152-3247	09-Dec-19	PRE-EMERGENT	Rice (Direct-seeded)	Broadleaf weeds, grasses & sedges	8-20 tps/16 L sprayload	Butachlor 0.1 ppm 2,4-D HEC 0.1 ppm	-	-	-
TAIPAN BRAND FARM INC.	LAL2 EC	360-240 g/L	EC	HERBICIDE	3	529-152-3247	09-Dec-19	PRE-EMERGENT	Rice (Transplanted)	Broadleaf weeds, grasses & sedges	8-20 tps/16 L sprayload	Butachlor 0.1 ppm 2,4-D HEC 0.1 ppm	-	-	-
LAGUNA AGRITECHNOLOGY CHEMICAL PRODUCTS TRADING	NICLOXAMIDE ETHANOLAMINE SALT	700 g/Kg	WP	MOLLUSCIDE	4	735-229-6026	13-Feb-26	-	Rice	Golden apple snails	30 gms or 1 sachet 10 tank load/ hectare	-	-	-	At least 48 hours after application
LAGUNA AGRITECHNOLOGY CHEMICAL PRODUCTS TRADING	GLYPHOSATE IPA	LA GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	735-151-5887	17-Oct-25	POST-EMERGENT	Glyphosate tolerant corn	Rich grass, morning glory, dayflower, syndrella, button weed, springle top, cogon grass, hairy beggarticks, tropic agaveum	2-3 L Prod./ha	-	-	-
LAGUNA AGRITECHNOLOGY CHEMICAL PRODUCTS TRADING	GLYPHOSATE IPA	LA GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	735-151-5887	17-Oct-25	POST-EMERGENT	Mango	Cogon (Shade Condition)	3.0 L Prod./ha	-	-	-
LAGUNA AGRITECHNOLOGY CHEMICAL PRODUCTS TRADING	GLYPHOSATE IPA	LA GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	735-151-5887	17-Oct-25	POST-EMERGENT	Banana	Cogon (Shade Condition)	3.0 L Prod./ha	-	-	-
LAGUNA AGRITECHNOLOGY CHEMICAL PRODUCTS TRADING	GLYPHOSATE IPA	LA GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	735-151-5887	17-Oct-25	POST-EMERGENT	Coffee	Cogon (Open Condition)	4.5 L Prod./ha	-	-	-
LAGUNA AGRITECHNOLOGY CHEMICAL PRODUCTS TRADING	GLYPHOSATE IPA	LA GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	735-151-5887	17-Oct-25	POST-EMERGENT	Cacao	Cogon (Open Condition)	4.5 L Prod./ha	-	-	-
LAGUNA AGRITECHNOLOGY CHEMICAL PRODUCTS TRADING	GLYPHOSATE IPA	LA GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	735-151-5887	17-Oct-25	POST-EMERGENT	Rubber	Muhia	2.0 L Prod./ha	-	-	-
LAGUNA AGRITECHNOLOGY CHEMICAL PRODUCTS TRADING	GLYPHOSATE IPA	LA GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	735-151-5887	17-Oct-25	POST-EMERGENT	Oil palm	Paragrass	2.0 L Prod./ha	-	-	-
LAGUNA AGRITECHNOLOGY CHEMICAL PRODUCTS TRADING	GLYPHOSATE IPA	LA GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	735-151-5887	17-Oct-25	POST-EMERGENT	Citrus	Talahib	4.5 L Prod./ha	-	-	-
LAGUNA AGRITECHNOLOGY CHEMICAL PRODUCTS TRADING	GLYPHOSATE IPA	LA GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	735-151-5887	17-Oct-25	POST-EMERGENT	Coconut	Fern (Shade Condition)	2.0 L Prod./ha	-	-	-
LAGUNA AGRITECHNOLOGY CHEMICAL PRODUCTS TRADING	GLYPHOSATE IPA	LA GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	735-151-5887	17-Oct-25	POST-EMERGENT	Sugarcane	Other annual weeds	3.0 L Prod./ha	-	-	-
LAGUNA AGRITECHNOLOGY CHEMICAL PRODUCTS TRADING	GLYPHOSATE IPA	LA GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	735-151-5887	17-Oct-25	POST-EMERGENT	Vegetables	Other annual weeds	2.0 L Prod./ha	-	-	-
LAGUNA AGRITECHNOLOGY CHEMICAL PRODUCTS TRADING	GLUFOSINATE AMMONIUM	LA GLUFOSINATE 150 SL	150 g/L	SL	HERBICIDE	4	735-182-5872	28-Sep-25	NON-SELECTIVE (POST-EMERGENT)	Cavendish banana	In-field, shaded condition: mixed weeds (grasses, sedges and broadleaves)	2 L/ha and 180 mL/16L of water 1.67- 20 L/ha and 135- 200 mL/16L of water	-	-	After spray deposits have dried
LAGUNA AGRITECHNOLOGY CHEMICAL PRODUCTS TRADING	GLUFOSINATE AMMONIUM	LA GLUFOSINATE 150 SL	150 g/L	SL	HERBICIDE	4	735-182-5872	28-Sep-25	NON-SELECTIVE (POST-EMERGENT)	Rubber	Mature, shaded conditions: cogon, immature, open conditions: cogon	25 mL/16 L water, 270 mL/16 L water; 135 mL/16 L water	-	-	After spray deposits have dried
LAGUNA AGRITECHNOLOGY CHEMICAL PRODUCTS TRADING	GLUFOSINATE AMMONIUM	LA GLUFOSINATE 150 SL	150 g/L	SL	HERBICIDE	4	735-182-5872	28-Sep-25	NON-SELECTIVE (POST-EMERGENT)	Non-crop areas	Mixed weeds (grasses, sedges and broadleaves)	360- 215 mL/16 L water	-	-	After spray deposits have dried
LAGUNA AGRITECHNOLOGY CHEMICAL PRODUCTS TRADING	AZOXYSTROBIN	LA AZOXY 250 SC	250g/L	SC	FUNGICIDE	4	735-309-5968	19-Dec-25	-	Mango	Antracnose, scab, stem-end rot	6-8 tbsps/200L, 2-4 L product/ha	-	-	Do not spray 3-7 days before harvest
LAGUNA AGRITECHNOLOGY CHEMICAL PRODUCTS TRADING	AZOXYSTROBIN	LA AZOXY 250 SC	250g/L	SC	FUNGICIDE	4	735-309-5968	19-Dec-25	-	Watermelon	Damping off, leaf spot, antracnose, downy mildew, powdery mildew	1-2 tbsps/16L, 0.2-0.4 L prod./ha	-	-	Do not spray 3-7 days before harvest
LAGUNA AGRITECHNOLOGY CHEMICAL PRODUCTS TRADING	AZOXYSTROBIN	LA AZOXY 250 SC	250g/L	SC	FUNGICIDE	4	735-309-5968	19-Dec-25	-	Onion	Basal/bulb rot, purple blotch	5 tbsps/16L, 0.2-0.4 L prod./ha	-	-	Re-entry to treated field is allowed as soon as spray dries up
LAGUNA AGRITECHNOLOGY CHEMICAL PRODUCTS TRADING	AZOXYSTROBIN	LA AZOXY 250 SC	250g/L	SC	FUNGICIDE	4	735-309-5968	19-Dec-25	-	Tomato	Late/ early blight, powdery mildew	0.5-1 tbsps/16L, 0.156-0.312 L prod/ha	-	-	Re-entry to treated field is allowed as soon as spray dries up
LAGUNA AGRITECHNOLOGY CHEMICAL PRODUCTS TRADING	AZOXYSTROBIN	LA AZOXY 250 SC	250g/L	SC	FUNGICIDE	4	735-309-5968	19-Dec-25	-	Asparagus	Stem blight (Phoma asparagi) leaf blight (Cercospora asparagi), wilt (Fusarium)	3 tbsps/16L (at spray volume of 400 L/ha)	-	-	Re-entry to treated field is allowed as soon as spray dries up
LAGUNA AGRITECHNOLOGY CHEMICAL PRODUCTS TRADING	AZOXYSTROBIN	LA AZOXY 250 SC	250g/L	SC	FUNGICIDE	4	735-309-5968	19-Dec-25	-	Banana	Black sigatoka, freckle disease	0.4 L product/ha	-	-	Re-entry to treated field is allowed as soon as spray dries up
HANELER SCIENCE PHILIPPINES, INC.	CYMOXANIL-AMANCORB	K-27PSY 30S WP	43g+460g/Kg	WP	FUNGICIDE	4	659-161-4971	05-Feb-21	-	Potato	Late blight	5 tbsps/76L sprayer	-	-	7 Days
HANELER SCIENCE PHILIPPINES, INC.	CYMOXANIL-AMANCORB	K-27PSY 30S WP	43g+460g/Kg	WP	FUNGICIDE	4	659-161-4971	05-Feb-21	-	Tomato	Late Blight	5 tbsps/16 L sprayer	-	-	7 Days

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
HANEARL SCIENCE PHILIPPINES, INC.	CYMKOXANIL-HANCOZEB	K-ZIPPY 300 WP	40g+400g/kg	WP	FUNGICIDE	4	609-163-4971	05-Feb-21	-	grapes	Downy mildew	5 tbsp./16 L sprayer	-	7 Days	Do not enter fields treated within 24 hours after application
CORTEVA AGRISCIENCE PHILIPPINES, INC.	FENPICOXAMID	KYVENTIQ 13 SC	130 g/L	SC	FUNGICIDE	4	737-611-5963	15-Dec-25	-	Banana	Sigatoka	0.385 L prod. / ha (50 g Fenpicoxamid / ha.)	-	0 day	4 hours after application
CORTEVA ASIA PACIFIC INC.	FENPICOXAMID	KYVENTIQ 13 SC	130 g/L	SC	FUNGICIDE	4	034-631-6305	15-Dec-25	-	Banana	Sigatoka	50 g a.i./ ha, 0.385 L PP/ ha	-	0 day	4 hours after application
OLD TOWN AGRICULTURAL KINGS CORP.	GLYPHOSATE IPA	KYODAN 480 SL	480 g/L	SL	HERBICIDE	4	499-151-5588	28-Oct-24	POST-EMERGENT	glyphosate tolerant corn	Annual grasses, broadleaf weeds & sedges	-	-	-	Do not enter treated area until spray deposit has dried
OLD TOWN AGRICULTURAL KINGS CORP.	GLYPHOSATE IPA	KYODAN 480 SL	480 g/L	SL	HERBICIDE	4	499-151-5588	28-Oct-24	POST-EMERGENT	Mango	Annual grasses, broadleaf weeds & sedges	-	-	-	Do not enter treated area until spray deposit has dried
OLD TOWN AGRICULTURAL KINGS CORP.	GLYPHOSATE IPA	KYODAN 480 SL	480 g/L	SL	HERBICIDE	4	499-151-5588	28-Oct-24	POST-EMERGENT	Banana	Annual grasses, broadleaf weeds & sedges	-	-	-	Do not enter treated area until spray deposit has dried
OLD TOWN AGRICULTURAL KINGS CORP.	GLYPHOSATE IPA	KYODAN 480 SL	480 g/L	SL	HERBICIDE	4	499-151-5588	28-Oct-24	POST-EMERGENT	Coffee	Annual grasses, broadleaf weeds & sedges	-	-	-	Do not enter treated area until spray deposit has dried
OLD TOWN AGRICULTURAL KINGS CORP.	GLYPHOSATE IPA	KYODAN 480 SL	480 g/L	SL	HERBICIDE	4	499-151-5588	28-Oct-24	POST-EMERGENT	Cacao	Annual grasses, broadleaf weeds & sedges	-	-	-	Do not enter treated area until spray deposit has dried
OLD TOWN AGRICULTURAL KINGS CORP.	GLYPHOSATE IPA	KYODAN 480 SL	480 g/L	SL	HERBICIDE	4	499-151-5588	28-Oct-24	POST-EMERGENT	Rubber	Annual grasses, broadleaf weeds & sedges	-	-	-	Do not enter treated area until spray deposit has dried
OLD TOWN AGRICULTURAL KINGS CORP.	GLYPHOSATE IPA	KYODAN 480 SL	480 g/L	SL	HERBICIDE	4	499-151-5588	28-Oct-24	POST-EMERGENT	Oil palm	Annual grasses, broadleaf weeds & sedges	-	-	-	Do not enter treated area until spray deposit has dried
OLD TOWN AGRICULTURAL KINGS CORP.	GLYPHOSATE IPA	KYODAN 480 SL	480 g/L	SL	HERBICIDE	4	499-151-5588	28-Oct-24	POST-EMERGENT	Citrus	Annual grasses, broadleaf weeds & sedges	-	-	-	Do not enter treated area until spray deposit has dried
OLD TOWN AGRICULTURAL KINGS CORP.	GLYPHOSATE IPA	KYODAN 480 SL	480 g/L	SL	HERBICIDE	4	499-151-5588	28-Oct-24	POST-EMERGENT	Coconut	Annual grasses, broadleaf weeds & sedges	-	-	-	Do not enter treated area until spray deposit has dried
OLD TOWN AGRICULTURAL KINGS CORP.	GLYPHOSATE IPA	KYODAN 480 SL	480 g/L	SL	HERBICIDE	4	499-151-5588	28-Oct-24	POST-EMERGENT	Sugarcane	Annual grasses, broadleaf weeds & sedges	-	-	-	Do not enter treated area until spray deposit has dried
OLD TOWN AGRICULTURAL KINGS CORP.	GLYPHOSATE IPA	KYODAN 480 SL	480 g/L	SL	HERBICIDE	4	499-151-5588	28-Oct-24	POST-EMERGENT	Vegetables	Annual grasses, broadleaf weeds & sedges	-	-	-	Do not enter treated area until spray deposit has dried
OLD TOWN AGRICULTURAL KINGS CORP.	GLYPHOSATE IPA	KYODAN 480 SL	480 g/L	SL	HERBICIDE	4	499-151-5588	28-Oct-24	POST-EMERGENT	Okra	Annual grasses, broadleaf weeds & sedges	-	-	-	Do not enter treated area until spray deposit has dried
INTEGRATED CROP TRADING CORPORATION	METHOMYL	KWIK CURE 40 SP	400 g/kg	SP	INSECTICIDE	2	274-164-1955	01-Sep-24	CONTACT	Asparagus	Armyworm, cutworm	2.0-2.5 Tbsp/16 L sprayer	-	-	Do not enter fields treated with KWIK CURE 40 SP with 12 hours after application
INTEGRATED CROP TRADING CORPORATION	METHOMYL	KWIK CURE 40 SP	400 g/kg	SP	INSECTICIDE	2	274-164-1955	01-Sep-24	CONTACT	Banana	Thrips	3.5-4.5 Tbsp/16 L sprayer	-	-	Do not enter fields treated with KWIK CURE 40 SP with 12 hours after application
INTEGRATED CROP TRADING CORPORATION	METHOMYL	KWIK CURE 40 SP	400 g/kg	SP	INSECTICIDE	2	274-164-1955	01-Sep-24	CONTACT	beans	Leafroller, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/16 L sprayer	-	-	Do not enter fields treated with KWIK CURE 40 SP with 12 hours after application
INTEGRATED CROP TRADING CORPORATION	METHOMYL	KWIK CURE 40 SP	400 g/kg	SP	INSECTICIDE	2	274-164-1955	01-Sep-24	CONTACT	Mungbeans	Leafroller, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/16 L sprayer	-	-	Do not enter fields treated with KWIK CURE 40 SP with 12 hours after application
INTEGRATED CROP TRADING CORPORATION	METHOMYL	KWIK CURE 40 SP	400 g/kg	SP	INSECTICIDE	2	274-164-1955	01-Sep-24	CONTACT	Soybeans	Leafroller, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/16 L sprayer	-	-	Do not enter fields treated with KWIK CURE 40 SP with 12 hours after application
INTEGRATED CROP TRADING CORPORATION	METHOMYL	KWIK CURE 40 SP	400 g/kg	SP	INSECTICIDE	2	274-164-1955	01-Sep-24	CONTACT	Sitao	Leafroller, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/16 L sprayer	-	-	Do not enter fields treated with KWIK CURE 40 SP with 12 hours after application
INTEGRATED CROP TRADING CORPORATION	METHOMYL	KWIK CURE 40 SP	400 g/kg	SP	INSECTICIDE	2	274-164-1955	01-Sep-24	CONTACT	Corn	Comborer, earworm	2.0-3.5 Tbsp/16 L sprayer	-	-	Do not enter fields treated with KWIK CURE 40 SP with 12 hours after application
INTEGRATED CROP TRADING CORPORATION	METHOMYL	KWIK CURE 40 SP	400 g/kg	SP	INSECTICIDE	2	274-164-1955	01-Sep-24	CONTACT	Sorghum	Comborer, earworm	2.0-3.5 Tbsp/16 L sprayer	-	-	Do not enter fields treated with KWIK CURE 40 SP with 12 hours after application
INTEGRATED CROP TRADING CORPORATION	METHOMYL	KWIK CURE 40 SP	400 g/kg	SP	INSECTICIDE	2	274-164-1955	01-Sep-24	CONTACT	Eggplant	Aphids, flea beetle , fruitworm, lady beetle	2.0-3.5 Tbsp/16 L sprayer	-	-	Do not enter fields treated with KWIK CURE 40 SP with 12 hours after application
INTEGRATED CROP TRADING CORPORATION	METHOMYL	KWIK CURE 40 SP	400 g/kg	SP	INSECTICIDE	2	274-164-1955	01-Sep-24	CONTACT	Melon	Aphids, Squash beetle , leafroller	2.0-3.5 Tbsp/16 L sprayer	-	-	Do not enter fields treated with KWIK CURE 40 SP with 12 hours after application
INTEGRATED CROP TRADING CORPORATION	METHOMYL	KWIK CURE 40 SP	400 g/kg	SP	INSECTICIDE	2	274-164-1955	01-Sep-24	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leafroller	2.0-3.5 Tbsp/16 L sprayer	0.0ppm	3 Days	Do not enter fields treated with KWIK CURE 40 SP with 12 hours after application
INTEGRATED CROP TRADING CORPORATION	METHOMYL	KWIK CURE 40 SP	400 g/kg	SP	INSECTICIDE	2	274-164-1955	01-Sep-24	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	2.0-3.5 Tbsp/16 L sprayer	-	-	Do not enter fields treated with KWIK CURE 40 SP with 12 hours after application
INTEGRATED CROP TRADING CORPORATION	METHOMYL	KWIK CURE 40 SP	400 g/kg	SP	INSECTICIDE	2	274-164-1955	01-Sep-24	CONTACT	Tomato	Tomato fruitworm, aphids	2.0-3.5 Tbsp/16 L sprayer	-	-	Do not enter fields treated with KWIK CURE 40 SP with 12 hours after application
CULTIVA INCORPORATED	CARBARYL	KWEGGER 85 WP	850 g/kg	WP	INSECTICIDE	2	201-035-1576	15-Oct-25	-	Tobacco	Budworm, cutworm, aphids	4-6 tbsp/16 L water	-	-	Treated areas maybe re-entered immediately after spray has dried
CULTIVA INCORPORATED	CARBARYL	KWEGGER 85 WP	850 g/kg	WP	INSECTICIDE	2	201-035-1576	15-Oct-25	-	Sorghum	Webworm, armyworm, cutworm, headworm	4-6 tbsp/16 L water	-	-	Treated areas maybe re-entered immediately after spray has dried
CULTIVA INCORPORATED	CARBARYL	KWEGGER 85 WP	850 g/kg	WP	INSECTICIDE	2	201-035-1576	15-Oct-25	-	Ornamentals	Aphids, scale insect, mealy bug, cutworm	4-6 tbsp/16 L water	-	-	Treated areas maybe re-entered immediately after spray has dried
CULTIVA INCORPORATED	CARBARYL	KWEGGER 85 WP	850 g/kg	WP	INSECTICIDE	2	201-035-1576	15-Oct-25	-	Mango	Mango hopper, tip borer, twig borer, fruit fly, mealy bug	4-6 tbsp/16 L water	-	1 Day	Treated areas maybe re-entered immediately after spray has dried
CULTIVA INCORPORATED	CARBARYL	KWEGGER 85 WP	850 g/kg	WP	INSECTICIDE	2	201-035-1576	15-Oct-25	-	Coffee	Berry borer	4-6 tbsp/16 L water	-	1 Day	Treated areas maybe re-entered immediately after spray has dried
CULTIVA INCORPORATED	CARBARYL	KWEGGER 85 WP	850 g/kg	WP	INSECTICIDE	2	201-035-1576	15-Oct-25	-	Cacao	Podborer, aphids, capsid bug	4-6 tbsp/16 L water	-	1 Day	Treated areas maybe re-entered immediately after spray has dried
CULTIVA INCORPORATED	CARBARYL	KWEGGER 85 WP	850 g/kg	WP	INSECTICIDE	2	201-035-1576	15-Oct-25	-	Citrus	Rind borer	4-6 tbsp/16 L water	-	5 days	Treated areas maybe re-entered immediately after spray has dried
CULTIVA INCORPORATED	CARBARYL	KWEGGER 85 WP	850 g/kg	WP	INSECTICIDE	2	201-035-1576	15-Oct-25	-	Soybeans	Podborer, beanfly, leafminer, aphids	4-6 tbsp/16 L water	-	-	Treated areas maybe re-entered immediately after spray has dried
CULTIVA INCORPORATED	CARBARYL	KWEGGER 85 WP	850 g/kg	WP	INSECTICIDE	2	201-035-1576	15-Oct-25	-	Rice	Green leafhopper, caseworm, aphids	4-6 tbsp/16 L water	1ppm	14 Days	Treated areas maybe re-entered immediately after spray has dried
CULTIVA INCORPORATED	CARBARYL	KWEGGER 85 WP	850 g/kg	WP	INSECTICIDE	2	201-035-1576	15-Oct-25	-	Cowpea and other beans	Podborer, beanfly, leafminer, cutworm, aphids	4-6 tbsp/16 L water	-	-	Treated areas maybe re-entered immediately after spray has dried
CULTIVA INCORPORATED	CARBARYL	KWEGGER 85 WP	850 g/kg	WP	INSECTICIDE	2	201-035-1576	15-Oct-25	-	Cotton	Bollworm, cutworm	4-6 tbsp/16 L water	-	-	Treated areas maybe re-entered immediately after spray has dried
CULTIVA INCORPORATED	CARBARYL	KWEGGER 85 WP	850 g/kg	WP	INSECTICIDE	2	201-035-1576	15-Oct-25	-	Corn	Corn borer, corn earworm, army worm	4-6 tbsp/16 L water	-	-	Treated areas maybe re-entered immediately after spray has dried
CULTIVA INCORPORATED	CARBARYL	KWEGGER 85 WP	850 g/kg	WP	INSECTICIDE	2	201-035-1576	15-Oct-25	-	Tomato	Fruitworm, lady beetle	4-6 tbsp/16 L water	-	-	Treated areas maybe re-entered immediately after spray has dried
CULTIVA INCORPORATED	CARBARYL	KWEGGER 85 WP	850 g/kg	WP	INSECTICIDE	2	201-035-1576	15-Oct-25	-	Cucurbits	Squash beetle, lady beetle	4-6 tbsp/16 L water	-	-	Treated areas maybe re-entered immediately after spray has dried
HANEARL SCIENCE PHILIPPINES, INC.	METHOMYL	K-VESTER 40 SP	400g/kg	SP	INSECTICIDE	2	609-164-4979	02-Dec-25	-	Asparagus	Armyworm,cutworm	3-3.5 Tbsp/ L water	-	-	
HANEARL SCIENCE PHILIPPINES, INC.	METHOMYL	K-VESTER 40 SP	400g/kg	SP	INSECTICIDE	2	609-164-4979	02-Dec-25	-	Tobacco	Budworm,cutworm,aphids,hornworm	2-3.5 Tbsp/ L water	-	-	
HANEARL SCIENCE PHILIPPINES, INC.	METHOMYL	K-VESTER 40 SP	400g/kg	SP	INSECTICIDE	2	609-164-4979	02-Dec-25	-	Rice	Green leafhopper,armyworm,caseworm,leafroller	2-3.5 Tbsp/ L water	0.0ppm	3 days	
HANEARL SCIENCE PHILIPPINES, INC.	METHOMYL	K-VESTER 40 SP	400g/kg	SP	INSECTICIDE	2	609-164-4979	02-Dec-25	-	Melon	Aphids,squash beetle,leafroller	2-3.5 Tbsp/ L water	-	-	
HANEARL SCIENCE PHILIPPINES, INC.	METHOMYL	K-VESTER 40 SP	400g/kg	SP	INSECTICIDE	2	609-164-4979	02-Dec-25	-	Tomato	Tomato fruitworm, aphids	2-3.5 Tbsp/ L water	-	-	
HANEARL SCIENCE PHILIPPINES, INC.	METHOMYL	K-VESTER 40 SP	400g/kg	SP	INSECTICIDE	2	609-164-4979	02-Dec-25	-	Corn	Comborer, earworm	2-3.5 Tbsp/ L water	-	-	
HANEARL SCIENCE PHILIPPINES, INC.	METHOMYL	K-VESTER 40 SP	400g/kg	SP	INSECTICIDE	2	609-164-4979	02-Dec-25	-	Sorghum	Comborer, earworm	2-3.5 Tbsp/ L water	-	-	
HANEARL SCIENCE PHILIPPINES, INC.	METHOMYL	K-VESTER 40 SP	400g/kg	SP	INSECTICIDE	2	609-164-4979	02-Dec-25	-	beans	Leafroller, flea beetle , beanfly, podborer,aphids	2-3.5 Tbsp/ L water	-	-	
HANEARL SCIENCE PHILIPPINES, INC.	METHOMYL	K-VESTER 40 SP	400g/kg	SP	INSECTICIDE	2	609-164-4979	02-Dec-25	-	Mungbeans	Leafroller, flea beetle , beanfly, podborer,aphids	2-3.5 Tbsp/ L water	-	-	
HANEARL SCIENCE PHILIPPINES, INC.	METHOMYL	K-VESTER 40 SP	400g/kg	SP	INSECTICIDE	2	609-164-4979	02-Dec-25	-	Soybeans	Leafroller, flea beetle , beanfly, podborer,aphids	2-3.5 Tbsp/ L water	-	-	
HANEARL SCIENCE PHILIPPINES, INC.	METHOMYL	K-VESTER 40 SP	400g/kg	SP	INSECTICIDE	2	609-164-4979	02-Dec-25	-	Sitao	Leafroller, flea beetle , beanfly, podborer,aphids	2-3.5 Tbsp/ L water	-	-	
HANEARL SCIENCE PHILIPPINES, INC.	METHOMYL	K-VESTER 40 SP	400g/kg	SP	INSECTICIDE	2	609-164-4979	02-Dec-25	-	Eggplant	Aphids,flea beetle,fruitworm,lady beetle	2-3.5 Tbsp/ L water	-	-	
HANEARL SCIENCE PHILIPPINES, INC.	METHOMYL	K-VESTER 40 SP	400g/kg	SP	INSECTICIDE	2	609-164-4979	02-Dec-25	-	Banana	Thrips	2-3.5 Tbsp/ L water	-	-	

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
KEMSTAR CORPORATION	GLYPHOSATE IPA	KUTTER 160 SL	160 g/L	SL	HERBICIDE	4	239-151-1767	02-Aug-18	POST-EMERGENT	Non-crop areas	common grassy fields				
HANEARL SCIENCE PHILIPPINES, INC.	THIOPHANATE METHYL	K-UPTOP 70 WP	700 g/L	WP	FUNGICIDE	4	659-107-6194	16-Jun-26	-	Rice	Rice blast, neck rot, black spot	1.5-2 Tbsp/ 16L water	-	Do not spray within 14 days of harvest	Re-entry is swallowed once sprayed solution has dried up
HANEARL SCIENCE PHILIPPINES, INC.	THIOPHANATE METHYL	K-UPTOP 70 WP	700 g/L	WP	FUNGICIDE	4	659-107-6194	16-Jun-26	-	Banana	Sigatoka	1.5-2 Tbsp/ 16L water	-	Do not spray within 14 days of harvest	Re-entry is swallowed once sprayed solution has dried up
HANEARL SCIENCE PHILIPPINES, INC.	THIOPHANATE METHYL	K-UPTOP 70 WP	700 g/L	WP	FUNGICIDE	4	659-107-6194	16-Jun-26	-	Mango	Anthraxnose	0.5-1 Tbsp/ 16L water	-	Do not spray within 14 days of harvest	Re-entry is swallowed once sprayed solution has dried up
HANEARL SCIENCE PHILIPPINES, INC.	THIOPHANATE METHYL	K-UPTOP 70 WP	700 g/L	WP	FUNGICIDE	4	659-107-6194	16-Jun-26	-	Tomato	Powdery mildew	0.5-1 Tbsp/ 16L water	-	Do not spray within 14 days of harvest	Re-entry is swallowed once sprayed solution has dried up
HANEARL SCIENCE PHILIPPINES, INC.	THIOPHANATE METHYL	K-UPTOP 70 WP	700 g/L	WP	FUNGICIDE	4	659-107-6194	16-Jun-26	-	Tobacco	Frog eye leaf spot	0.5-1 Tbsp/ 16L water	-	Do not spray within 14 days of harvest	Re-entry is swallowed once sprayed solution has dried up
HANEARL SCIENCE PHILIPPINES, INC.	THIOPHANATE METHYL	K-UPTOP 70 WP	700 g/L	WP	FUNGICIDE	4	659-107-6194	16-Jun-26	-	Orange	Scab	0.5-1 Tbsp/ 16L water	-	Do not spray within 14 days of harvest	Re-entry is swallowed once sprayed solution has dried up
HANEARL SCIENCE PHILIPPINES, INC.	THIOPHANATE METHYL	K-UPTOP 70 WP	700 g/L	WP	FUNGICIDE	4	659-107-6194	16-Jun-26	-	Calamansi	Scab	0.5-1 Tbsp/ 16L water	-	Do not spray within 14 days of harvest	Re-entry is swallowed once sprayed solution has dried up
HANEARL SCIENCE PHILIPPINES, INC.	THIOPHANATE METHYL	K-UPTOP 70 WP	700 g/L	WP	FUNGICIDE	4	659-107-6194	16-Jun-26	-	Citrus	Scab	0.5-1 Tbsp/ 16L water	-	Do not spray within 14 days of harvest	Re-entry is swallowed once sprayed solution has dried up
HANEARL SCIENCE PHILIPPINES, INC.	THIOPHANATE METHYL	K-UPTOP 70 WP	700 g/L	WP	FUNGICIDE	4	659-107-6194	16-Jun-26	-	Beans	Powdery mildew, cercospora leaf spot, anthracnose, botrytis rot, fusarium wilt	0.5-1 Tbsp/ 16L water	-	Do not spray within 14 days of harvest	Re-entry is swallowed once sprayed solution has dried up
HANEARL SCIENCE PHILIPPINES, INC.	THIOPHANATE METHYL	K-UPTOP 70 WP	700 g/L	WP	FUNGICIDE	4	659-107-6194	16-Jun-26	-	Legumes	Powdery mildew, cercospora leaf spot, anthracnose, botrytis rot, fusarium wilt	0.5-1 Tbsp/ 16L water	-	Do not spray within 14 days of harvest	Re-entry is swallowed once sprayed solution has dried up
HANEARL SCIENCE PHILIPPINES, INC.	THIOPHANATE METHYL	K-UPTOP 70 WP	700 g/L	WP	FUNGICIDE	4	659-107-6194	16-Jun-26	-	Cucumber	Powdery mildew, Gummy Stem blight, leaf and fruit spots	0.5-1 Tbsp/ 16L water	-	Do not spray within 14 days of harvest	Re-entry is swallowed once sprayed solution has dried up
HANEARL SCIENCE PHILIPPINES, INC.	THIOPHANATE METHYL	K-UPTOP 70 WP	700 g/L	WP	FUNGICIDE	4	659-107-6194	16-Jun-26	-	Melon	Powdery mildew, Gummy Stem blight, leaf and fruit spots	0.5-1 Tbsp/ 16L water	-	Do not spray within 14 days of harvest	Re-entry is swallowed once sprayed solution has dried up
HANEARL SCIENCE PHILIPPINES, INC.	THIOPHANATE METHYL	K-UPTOP 70 WP	700 g/L	WP	FUNGICIDE	4	659-107-6194	16-Jun-26	-	Cabbage	Shot hole disease, cercospora leaf spot	0.5-1 Tbsp/ 16L water	-	Do not spray within 14 days of harvest	Re-entry is swallowed once sprayed solution has dried up
HANEARL SCIENCE PHILIPPINES, INC.	THIOPHANATE METHYL	K-UPTOP 70 WP	700 g/L	WP	FUNGICIDE	4	659-107-6194	16-Jun-26	-	Cauliflower	Shot hole disease, cercospora leaf spot	0.5-1 Tbsp/ 16L water	-	Do not spray within 14 days of harvest	Re-entry is swallowed once sprayed solution has dried up
HANEARL SCIENCE PHILIPPINES, INC.	THIOPHANATE METHYL	K-UPTOP 70 WP	700 g/L	WP	FUNGICIDE	4	659-107-6194	16-Jun-26	-	Lettuce	Shot hole disease, cercospora leaf spot	0.5-1 Tbsp/ 16L water	-	Do not spray within 14 days of harvest	Re-entry is swallowed once sprayed solution has dried up
HANEARL SCIENCE PHILIPPINES, INC.	THIOPHANATE METHYL	K-UPTOP 70 WP	700 g/L	WP	FUNGICIDE	4	659-107-6194	16-Jun-26	-	Strawberry	Powdery mildew, gray molds, cercospora leaf spot	0.5-1 Tbsp/ 16L water	-	Do not spray within 14 days of harvest	Re-entry is swallowed once sprayed solution has dried up
HANEARL SCIENCE PHILIPPINES, INC.	THIOPHANATE METHYL	K-UPTOP 70 WP	700 g/L	WP	FUNGICIDE	4	659-107-6194	16-Jun-26	-	Papaya	Powdery mildew	1.0-4 Tbsp/ 16L water	-	Do not spray within 14 days of harvest	Re-entry is swallowed once sprayed solution has dried up
HANEARL SCIENCE PHILIPPINES, INC.	THIOPHANATE METHYL	K-UPTOP 70 WP	700 g/L	WP	FUNGICIDE	4	659-107-6194	16-Jun-26	-	Grapes	Fruit rot, Powdery mildew, anthracnose	0.5-1 Tbsp/ 16L water	-	Do not spray within 14 days of harvest	Re-entry is swallowed once sprayed solution has dried up
HANEARL SCIENCE PHILIPPINES, INC.	THIOPHANATE METHYL	K-UPTOP 70 WP	700 g/L	WP	FUNGICIDE	4	659-107-6194	16-Jun-26	-	Orchids	Powdery mildew, black spots	0.5-1 Tbsp/ 16L water	-	Do not spray within 14 days of harvest	Re-entry is swallowed once sprayed solution has dried up
HANEARL SCIENCE PHILIPPINES, INC.	THIOPHANATE METHYL	K-UPTOP 70 WP	700 g/L	WP	FUNGICIDE	4	659-107-6194	16-Jun-26	-	Ornamentals	Powdery mildew, black spots	0.5-1 Tbsp/ 16L water	-	Do not spray within 14 days of harvest	Re-entry is swallowed once sprayed solution has dried up
HANEARL SCIENCE PHILIPPINES, INC.	BFUPRIBAC SODIUM	K-SUNNOR 10 SC	104.6 g/L	SC	HERBICIDE	2	659-276-5629	21-Sep-24	-	Rice (Direct-Seeded broadcast)	Grasses, sedges and broadleaves	30ml/16 L water, 20 spray load/ hectare	0.1 ppm	-	Entry to treated field is allowed as soon as deposit on crops and weeds have dried
FKA AGR CHEMICAL CORPORATION	DIFENCONAZOLE	KUNAZ 25 EC	250 g/L	EC	FUNGICIDE	4	399-272-6057	15-Aug-25	SYSTEMIC	Asparagus	Stem and leaf blight	0.36 L prod/ha	-	7 Days	-
FKA AGR CHEMICAL CORPORATION	DIFENCONAZOLE	KUNAZ 25 EC	250 g/L	EC	FUNGICIDE	4	399-272-6057	15-Aug-25	SYSTEMIC	Banana	Black Sigatoka	0.30-0.40 L prod/ha	-	-	-
FKA AGR CHEMICAL CORPORATION	DIFENCONAZOLE	KUNAZ 25 EC	250 g/L	EC	FUNGICIDE	4	399-272-6057	15-Aug-25	SYSTEMIC	Cabbage	Alternaria leaf spot and ring spot	0.20-0.25 L prod/ha	-	7 Days	-
FKA AGR CHEMICAL CORPORATION	DIFENCONAZOLE	KUNAZ 25 EC	250 g/L	EC	FUNGICIDE	4	399-272-6057	15-Aug-25	SYSTEMIC	Eggplant	Leaf spot	0.20-0.25 L prod/ha	-	7 Days	-
FKA AGR CHEMICAL CORPORATION	DIFENCONAZOLE	KUNAZ 25 EC	250 g/L	EC	FUNGICIDE	4	399-272-6057	15-Aug-25	SYSTEMIC	Mango	Anthraxnose	0.528-0.88 L prod/ha	-	14 days	-
FKA AGR CHEMICAL CORPORATION	DIFENCONAZOLE	KUNAZ 25 EC	250 g/L	EC	FUNGICIDE	4	399-272-6057	15-Aug-25	SYSTEMIC	Onion	Purple blotch	0.40-0.50 L prod/ha	-	7 days	-
FKA AGR CHEMICAL CORPORATION	DIFENCONAZOLE	KUNAZ 25 EC	250 g/L	EC	FUNGICIDE	4	399-272-6057	15-Aug-25	SYSTEMIC	Rice	Sheath blight	0.25-0.30 L prod/ha	-	-	-
FKA AGR CHEMICAL CORPORATION	DIFENCONAZOLE	KUNAZ 25 EC	250 g/L	EC	FUNGICIDE	4	399-272-6057	15-Aug-25	SYSTEMIC	String beans	Leaf spot	0.20-0.25 L prod/ha	-	7 Days	-
FKA AGR CHEMICAL CORPORATION	DIFENCONAZOLE	KUNAZ 25 EC	250 g/L	EC	FUNGICIDE	4	399-272-6057	15-Aug-25	SYSTEMIC	Tomato	Alternaria leaf spot, cercospora leaf mold, and powdery mildew	0.40 L prod/ha	-	7 days	-
BASF PHILIPPINES, INC.	ELEMENTAL SULPHUR	KUMULUS DF	800 g/kg	DF	FUNGICIDE	4	005-083-0645	13-Feb-25	-	Beans	Downy mildew, powdery mildew	3.5-7 Tbsp/16L water	-	Do not spray within seven (7) days before harvest	After spray deposit has dried up
BASF PHILIPPINES, INC.	ELEMENTAL SULPHUR	KUMULUS DF	800 g/kg	DF	FUNGICIDE	4	005-083-0645	13-Feb-25	-	Citrus	Downy mildew, powdery mildew	5-6 Tbsp/16L water	-	Do not spray within seven (7) days before harvest	After spray deposit has dried up
BASF PHILIPPINES, INC.	ELEMENTAL SULPHUR	KUMULUS DF	800 g/kg	DF	FUNGICIDE	4	005-083-0645	13-Feb-25	-	Cotton	Downy mildew, powdery mildew	-	-	Do not spray within seven (7) days before harvest	After spray deposit has dried up
BASF PHILIPPINES, INC.	ELEMENTAL SULPHUR	KUMULUS DF	800 g/kg	DF	FUNGICIDE	4	005-083-0645	13-Feb-25	-	Grapes	Powdery mildew	-	-	Do not spray within seven (7) days before harvest	After spray deposit has dried up
BASF PHILIPPINES, INC.	ELEMENTAL SULPHUR	KUMULUS DF	800 g/kg	DF	FUNGICIDE	4	005-083-0645	13-Feb-25	-	Leafy Vegetables	Powdery mildew	5-6 Tbsp/16L water	-	Do not spray within seven (7) days before harvest	After spray deposit has dried up
BASF PHILIPPINES, INC.	ELEMENTAL SULPHUR	KUMULUS DF	800 g/kg	DF	FUNGICIDE	4	005-083-0645	13-Feb-25	-	Ornamentals	Downy mildew, powdery mildew	5-6 Tbsp/16L water	-	Do not spray within seven (7) days before harvest	After spray deposit has dried up
BASF PHILIPPINES, INC.	ELEMENTAL SULPHUR	KUMULUS DF	800 g/kg	DF	FUNGICIDE	4	005-083-0645	13-Feb-25	-	Papaya	Mites	5-6 Tbsp/16L water	-	Do not spray within seven (7) days before harvest	After spray deposit has dried up
BASF PHILIPPINES, INC.	ELEMENTAL SULPHUR	KUMULUS DF	800 g/kg	DF	FUNGICIDE	4	005-083-0645	13-Feb-25	-	Pepper	Downy mildew, powdery mildew	6-7 Tbsp/ 16L water	-	Do not spray within seven (7) days before harvest	After spray deposit has dried up
BASF PHILIPPINES, INC.	ELEMENTAL SULPHUR	KUMULUS DF	800 g/kg	DF	FUNGICIDE	4	005-083-0645	13-Feb-25	-	Solanaceous crops	Downy mildew, powdery mildew	5-6 Tbsp/16L water	-	Do not spray within seven (7) days before harvest	After spray deposit has dried up
BASF PHILIPPINES, INC.	ELEMENTAL SULPHUR	KUMULUS DF	800 g/kg	DF	FUNGICIDE	4	005-083-0645	13-Feb-25	-	Pineapple	Mites, heart rot	4-4.5 kg/ha	-	Do not spray within seven (7) days before harvest	After spray deposit has dried up
JOCANIMA CORPORATION	METHOMYL	KUK 40 SP	400 g/kg	SP	INSECTICIDE	2	241-164-1234	23-Jan-27	CONTACT	Asparagus	Armyworm, cutworm	2.0-2.5 Tbsp/16 L water	-	-	Do not enter fields treated with KUK 40 SP within 12 hours after application
JOCANIMA CORPORATION	METHOMYL	KUK 40 SP	400 g/kg	SP	INSECTICIDE	2	241-164-1234	23-Jan-27	CONTACT	Banana	Thrips	3.5-4.5 Tbsp/16 L water	-	-	Do not enter fields treated with KUK 40 SP within 12 hours after application
JOCANIMA CORPORATION	METHOMYL	KUK 40 SP	400 g/kg	SP	INSECTICIDE	2	241-164-1234	23-Jan-27	CONTACT	Beans	Leafroller, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/16L water	-	-	Do not enter fields treated with KUK 40 SP within 12 hours after application
JOCANIMA CORPORATION	METHOMYL	KUK 40 SP	400 g/kg	SP	INSECTICIDE	2	241-164-1234	23-Jan-27	CONTACT	Mungbeans	Leafroller, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/16L water	-	-	Do not enter fields treated with KUK 40 SP within 12 hours after application
JOCANIMA CORPORATION	METHOMYL	KUK 40 SP	400 g/kg	SP	INSECTICIDE	2	241-164-1234	23-Jan-27	CONTACT	Soybeans	Leafroller, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/16L water	-	-	Do not enter fields treated with KUK 40 SP within 12 hours after application
JOCANIMA CORPORATION	METHOMYL	KUK 40 SP	400 g/kg	SP	INSECTICIDE	2	241-164-1234	23-Jan-27	CONTACT	Sitao	Leafroller, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/16L water	-	-	Do not enter fields treated with KUK 40 SP within 12 hours after application
JOCANIMA CORPORATION	METHOMYL	KUK 40 SP	400 g/kg	SP	INSECTICIDE	2	241-164-1234	23-Jan-27	CONTACT	Corn	Comborer, earworm	2.0-3.5 Tbsp/16L water	-	-	Do not enter fields treated with KUK 40 SP within 12 hours after application
JOCANIMA CORPORATION	METHOMYL	KUK 40 SP	400 g/kg	SP	INSECTICIDE	2	241-164-1234	23-Jan-27	CONTACT	Sorghum	Comborer, earworm	2.0-3.5 Tbsp/16L water	-	-	Do not enter fields treated with KUK 40 SP within 12 hours after application
JOCANIMA CORPORATION	METHOMYL	KUK 40 SP	400 g/kg	SP	INSECTICIDE	2	241-164-1234	23-Jan-27	CONTACT	Eggplant	Aphids, flea beetle, fruitworm, lady beetle	2.0-3.5 Tbsp/16L water	-	-	Do not enter fields treated with KUK 40 SP within 12 hours after application
JOCANIMA CORPORATION	METHOMYL	KUK 40 SP	400 g/kg	SP	INSECTICIDE	2	241-164-1234	23-Jan-27	CONTACT	Melon	Aphids, Squash beetle , leafroller	2.0-3.5 Tbsp/16L water	-	-	Do not enter fields treated with KUK 40 SP within 12 hours after application
JOCANIMA CORPORATION	METHOMYL	KUK 40 SP	400 g/kg	SP	INSECTICIDE	2	241-164-1234	23-Jan-27	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leafroller	2.0-3.5 Tbsp/16L water	0.03ppm	3 Days	Do not enter fields treated with KUK 40 SP within 12 hours after application
JOCANIMA CORPORATION	METHOMYL	KUK 40 SP	400 g/kg	SP	INSECTICIDE	2	241-164-1234	23-Jan-27	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	2.0-3.5 Tbsp/16L water	-	-	Do not enter fields treated with KUK 40 SP within 12 hours after application
JOCANIMA CORPORATION	METHOMYL	KUK 40 SP	400 g/kg	SP	INSECTICIDE	2	241-164-1234	23-Jan-27	CONTACT	Tomato	Tomato fruitworm, aphids	2.0-3.5 Tbsp/16L water	-	-	Do not enter fields treated with KUK 40 SP within 12 hours after application
RBAY HARVEST TRADING CORPORATION	NICLOSAMIDE ETHANOLAMINE SALT	KUNOXIDE 70 WP	700 g/kg	WP	MOLLUSCIDE	4	772-229-6374	20-Sep-24	-	Rice	Golden apple snail	35 grams or 1 sachet	-	-	-

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
INTEGRATED CROP TRADING CORPORATION	METALDEHYDE	KUNOLKUL 6N PELLET	60 g/kg	P	MOLLUSCIDE	4	274-075-1682	31-Dec-23	CONTACT	Rice (Transplanted)	Golden apple snail	2-4 kg/ product per hectare	-	-	Do not enter treated field within 48 hours after application
INTEGRATED CROP TRADING CORPORATION	METALDEHYDE	KUNOLKUL 6N PELLET	60 g/kg	P	MOLLUSCIDE	4	274-075-1682	31-Dec-23	CONTACT	Rice (Direct-Seeded)	Golden apple snail	4-8 kg/ product per hectare	-	-	Do not enter treated field within 48 hours after application
INTEGRATED CROP TRADING CORPORATION	METALDEHYDE	KUNOLKUL 6N PELLET	60 g/kg	P	MOLLUSCIDE	4	274-075-1682	31-Dec-23	CONTACT	Potted and driftwood-attached plants such as	Bush, snails, giant african snail and slugs	1-2 kg/ product per hectare	-	-	Do not enter treated field within 48 hours after application
INTEGRATED CROP TRADING CORPORATION	METALDEHYDE	KUNOLKUL 6N PELLET	60 g/kg	P	MOLLUSCIDE	4	274-075-1682	31-Dec-23	CONTACT	Chinese Cabbage	Slug, snails	6-8 kg/ product per hectare	-	-	Do not enter treated field within 48 hours after application
INTEGRATED CROP TRADING CORPORATION	METALDEHYDE	KUNOLKUL 6N PELLET	60 g/kg	P	MOLLUSCIDE	4	274-075-1682	31-Dec-23	CONTACT	Strawberry	Slug, snails	6-8 kg/ product per hectare	-	-	Do not enter treated field within 48 hours after application
KEMSTAR CORPORATION	METALDEHYDE	KUNOLKUL 6N PELLET	60 g/kg	P	MOLLUSCIDE	4	239-075-1613-A	23-Dec-25	CONTACT	Rice (Transplanted)	Golden apple snail	2-4 kg/ product per hectare	-	-	Do not enter treated field within 48 hours after application
KEMSTAR CORPORATION	METALDEHYDE	KUNOLKUL 6N PELLET	60 g/kg	P	MOLLUSCIDE	4	239-075-1613-A	23-Dec-25	CONTACT	Rice (Direct-Seeded)	Golden apple snail	4-8 kg/ product per hectare	-	-	Do not enter treated field within 48 hours after application
KEMSTAR CORPORATION	METALDEHYDE	KUNOLKUL 6N PELLET	60 g/kg	P	MOLLUSCIDE	4	239-075-1613-A	23-Dec-25	CONTACT	Potted and driftwood-attached plants such as	Bush, snails, giant african snail and slugs	1-2 kg/ product per hectare	-	-	Do not enter treated field within 48 hours after application
KEMSTAR CORPORATION	METALDEHYDE	KUNOLKUL 6N PELLET	60 g/kg	P	MOLLUSCIDE	4	239-075-1613-A	23-Dec-25	CONTACT	Chinese Cabbage	Slug, snails	6-8 kg/ product per hectare	-	-	Do not enter treated field within 48 hours after application
KEMSTAR CORPORATION	METALDEHYDE	KUNOLKUL 6N PELLET	60 g/kg	P	MOLLUSCIDE	4	239-075-1613-A	23-Dec-25	CONTACT	Strawberry	Slug, snails	6-8 kg/ product per hectare	-	-	Do not enter treated field within 48 hours after application
GREENTHUMB VENTURES CORP.	METALDEHYDE	KUNOL TRAP 6N P	60 g/kg	P	MOLLUSCIDE	4	596-075-5762	07-Feb-24	-	Rice (Transplanted)	Golden apple snail	2-4 kg/ product per hectare	-	-	Do not enter treated field within 48 hours after application
GREENTHUMB VENTURES CORP.	METALDEHYDE	KUNOL TRAP 6N P	60 g/kg	P	MOLLUSCIDE	4	596-075-5762	07-Feb-24	-	Rice (Direct-Seeded)	Golden apple snail	4-8 kg/ product per hectare	-	-	Do not enter treated field within 48 hours after application
GREENTHUMB VENTURES CORP.	METALDEHYDE	KUNOL TRAP 6N P	60 g/kg	P	MOLLUSCIDE	4	596-075-5762	07-Feb-24	-	Potted and driftwood-attached plants such as	Bush, snails, giant african snail and slugs	1-2 kg/ product per hectare	-	-	Do not enter treated field within 48 hours after application
GREENTHUMB VENTURES CORP.	METALDEHYDE	KUNOL TRAP 6N P	60 g/kg	P	MOLLUSCIDE	4	596-075-5762	07-Feb-24	-	Crucifers (Chinese Cabbage)	Slug, snails	6-8 kg/ product per hectare	-	-	Do not enter treated field within 48 hours after application
GREENTHUMB VENTURES CORP.	METALDEHYDE	KUNOL TRAP 6N P	60 g/kg	P	MOLLUSCIDE	4	596-075-5762	07-Feb-24	-	Strawberry	Slug, snails	6-8 kg/ product per hectare	-	-	Do not enter treated field within 48 hours after application
ARIES RINE CHEMICAL CORPORATION	METALDEHYDE	KUNOL BUSTER 6P	60 g/kg	P	MOLLUSCIDE	4	478-075-3110	18-Jan-25	CONTACT	Rice (Transplanted)	Golden apple snail	2-4 kg/ product per hectare	-	-	Do not enter treated field within 48 hours after application
ARIES RINE CHEMICAL CORPORATION	METALDEHYDE	KUNOL BUSTER 6P	60 g/kg	P	MOLLUSCIDE	4	478-075-3110	18-Jan-25	CONTACT	Rice (Direct-Seeded)	Golden apple snail	4-8 kg/ product per hectare	-	-	Do not enter treated field within 48 hours after application
ARIES RINE CHEMICAL CORPORATION	METALDEHYDE	KUNOL BUSTER 6P	60 g/kg	P	MOLLUSCIDE	4	478-075-3110	18-Jan-25	CONTACT	Potted and driftwood-attached plants such as	Bush, snails, giant african snail and slugs	1-2 kg/ product per hectare	-	-	Do not enter treated field within 48 hours after application
KUDZU SEEDS TRADING	ETHYL 4-METHYLOCTANOATE	KUDZU RIB LURE	-	-	INSECTICIDE	-	675-536-5256	28-Oct-26	-	Coconut	Rhinoceros beetles	-	-	-	-
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	BP/MC-CHLORPYRIFOS	KUDOS 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	376-174-2489	23-Feb-24	-	Rice	Stemborer, armyworm, leafhopper, cutworm and planthopper	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest	Do not enter treated field within 2 days after spraying
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	BP/MC-CHLORPYRIFOS	KUDOS 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	376-174-2489	23-Feb-24	-	Corn	Seedling maggot, corn earworm, cornborer and armyworm	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest	Do not enter treated field within 2 days after spraying
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	BP/MC-CHLORPYRIFOS	KUDOS 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	376-174-2489	23-Feb-24	-	Tobacco	Budworm, grasshopper, aphid, cutworm and armyworm	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest	Do not enter treated field within 2 days after spraying
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	BP/MC-CHLORPYRIFOS	KUDOS 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	376-174-2489	23-Feb-24	-	Cucumber	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest	Do not enter treated field within 2 days after spraying
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	BP/MC-CHLORPYRIFOS	KUDOS 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	376-174-2489	23-Feb-24	-	Melon	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest	Do not enter treated field within 2 days after spraying
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	BP/MC-CHLORPYRIFOS	KUDOS 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	376-174-2489	23-Feb-24	-	Watermelon	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest	Do not enter treated field within 2 days after spraying
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	BP/MC-CHLORPYRIFOS	KUDOS 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	376-174-2489	23-Feb-24	-	Onion	Thrips, cutworm	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest	Do not enter treated field within 2 days after spraying
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	BP/MC-CHLORPYRIFOS	KUDOS 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	376-174-2489	23-Feb-24	-	Mungo	Beanfly, armyworm, cutworm, leafminer and leaf folder	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest	Do not enter treated field within 2 days after spraying
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	BP/MC-CHLORPYRIFOS	KUDOS 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	376-174-2489	23-Feb-24	-	Soybeans	Beanfly, armyworm, cutworm, leafminer and leaf folder	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest	Do not enter treated field within 2 days after spraying
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	BP/MC-CHLORPYRIFOS	KUDOS 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	376-174-2489	23-Feb-24	-	Beans	Beanfly, armyworm, cutworm, leafminer and leaf folder	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest	Do not enter treated field within 2 days after spraying
HANEARL SCIENCE PHILIPPINES, INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	K-THALAM 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	659-395-5496	30-Mar-26	-	Potato	Whiteflies, aphids, thrips	100-200 mL prod./ha,4.0-6.0 mL prod./36L	-	7 days	Do not enter treated fields for atleast 1 day after application
HANEARL SCIENCE PHILIPPINES, INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	K-THALAM 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	659-395-5496	30-Mar-26	-	Stringbean	Green Leafhopper, aphids, mites	100-200 mL prod./ha,4.0-6.0 mL prod./36L	-	7 days	Do not enter treated fields for atleast 1 day after application
HANEARL SCIENCE PHILIPPINES, INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	K-THALAM 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	659-395-5496	30-Mar-26	-	Eggplant	Whiteflies, green leafhopper, aphids	100-200 mL prod./ha,4.0-6.0 mL prod./36L	-	7 days	Do not enter treated fields for atleast 1 day after application
HANEARL SCIENCE PHILIPPINES, INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	K-THALAM 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	659-395-5496	30-Mar-26	-	Watermelon	Leafhoppers, thrips, aphids, fruitfly, cutworm	100-200 mL prod./ha,4.0-6.0 mL prod./36L	-	7 days	Do not enter treated fields for atleast 1 day after application
HANEARL SCIENCE PHILIPPINES, INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	K-THALAM 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	659-395-5496	30-Mar-26	-	Mango	Leafhoppers, tip borers, capsid bug, fruitfly, cecid fly	20-30 mL/100L	-	3 days	Do not enter treated fields for atleast 1 day after application
HANEARL SCIENCE PHILIPPINES, INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	K-THALAM 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	659-395-5496	30-Mar-26	-	Corn	Asiatic corn borer, cutworm, leafhoppers, aphids, earworm	200-400 mL prod./ha,10.0-16.0 mL prod./36L	-	3 days	Do not enter treated fields for atleast 1 day after application
HANEARL SCIENCE PHILIPPINES, INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	K-THALAM 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	659-395-5496	30-Mar-26	-	Banana	Flower thrips	1-3 mL/L	-	90 days	Do not enter treated fields for atleast 1 day after application
HANEARL SCIENCE PHILIPPINES, INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	K-THALAM 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	659-395-5496	30-Mar-26	-	Rice	Stemborer, leafhoppers, rice bugs	100-200 mL prod./ha,10.0-30.0 mL prod./36L	-	14 days	Do not enter treated fields for atleast 1 day after application
HANEARL SCIENCE PHILIPPINES, INC.	PIRACLOSTROBIN	K-TANZENT 25 EC	250 g/L	EC	FUNGICIDE	2	659-396-6397 (672)	19-Dec-26	-	Banana	Black Sigatoka, freckles	0-4 L prod./ha	-	4 days	After drying of spray
HANEARL SCIENCE PHILIPPINES, INC.	PIRACLOSTROBIN	K-TANZENT 25 EC	250 g/L	EC	FUNGICIDE	2	659-396-6397 (672)	19-Dec-26	-	Corn	Leaf spot	0-4 L prod./ha	-	4 days	After drying of spray
HANEARL SCIENCE PHILIPPINES, INC.	GLUFOSIFAMIC AC	K-SUPERION 80 SC	800 g/L	SC	HERBICIDE	4	659-021-6333	24-Oct-26	-	Citrus	Annual and perennial broadleaf weeds and grasses	130-190 mL prod./36L water	-	-	-
HANEARL SCIENCE PHILIPPINES, INC.	GLUFOSIFAMIC AC	K-SUPERION 80 SC	800 g/L	SC	HERBICIDE	4	659-021-6333	24-Oct-26	-	Coffee	Annual and perennial broadleaf weeds and grasses	130-190 mL prod./36L water	-	-	-
HANEARL SCIENCE PHILIPPINES, INC.	GLUFOSIFAMIC AC	K-SUPERION 80 SC	800 g/L	SC	HERBICIDE	4	659-021-6333	24-Oct-26	-	Cotton	Annual and perennial broadleaf weeds and grasses	80 mL prod./36L water	-	-	-
HANEARL SCIENCE PHILIPPINES, INC.	GLUFOSIFAMIC AC	K-SUPERION 80 SC	800 g/L	SC	HERBICIDE	4	659-021-6333	24-Oct-26	-	Sugarcane	Annual and perennial broadleaf weeds and grasses	60-130 mL prod./36L water	-	-	-
HANEARL SCIENCE PHILIPPINES, INC.	GLUFOSIFAMIC AC	K-SUPERION 80 SC	800 g/L	SC	HERBICIDE	4	659-021-6333	24-Oct-26	-	Pineapple	Annual and perennial broadleaf weeds and grasses	130 mL prod./36L water	-	-	-
HANEARL SCIENCE PHILIPPINES, INC.	GLUFOSIFAMIC AC	K-SUPERION 80 SC	800 g/L	SC	HERBICIDE	4	659-021-6333	24-Oct-26	-	Non-crop agricultural areas	Annual and perennial broadleaf weeds and grasses	200-280 mL prod./36L water	-	-	-
HANEARL SCIENCE PHILIPPINES, INC.	ACEPHATE	K-STARMIN 40 SL	400g/L	SL	INSECTICIDE	3	659-242-4974	05-Sep-21	-	Tobacco	Budworm, aphids	2-3 Tbsp/36 L water	-	-	Crop sprayed with K-STARMIN 40 SL can be harvested two weeks after treatment
HANEARL SCIENCE PHILIPPINES, INC.	ACEPHATE	K-STARMIN 40 SL	400g/L	SL	INSECTICIDE	3	659-242-4974	05-Sep-21	-	Eggplant	Fruitborer	2-3 Tbsp/36 L water	-	-	Crop sprayed with K-STARMIN 40 SL can be harvested two weeks after treatment
HANEARL SCIENCE PHILIPPINES, INC.	ACEPHATE	K-STARMIN 40 SL	400g/L	SL	INSECTICIDE	3	659-242-4974	05-Sep-21	-	Stringbeans	Aphids	2-3 Tbsp/36 L water	-	-	Crop sprayed with K-STARMIN 40 SL can be harvested two weeks after treatment
HANEARL SCIENCE PHILIPPINES, INC.	ACEPHATE	K-STARMIN 40 SL	400g/L	SL	INSECTICIDE	3	659-242-4974	05-Sep-21	-	Tomato	Fruitworm	2-3 Tbsp/36 L water	-	-	Crop sprayed with K-STARMIN 40 SL can be harvested two weeks after treatment
HANEARL SCIENCE PHILIPPINES, INC.	ACEPHATE	K-STARMIN 40 SL	400g/L	SL	INSECTICIDE	3	659-242-4974	05-Sep-21	-	Banana	Leafhopper, Tipborer	1-5 Tbsp/36L water	-	-	Crop sprayed with K-STARMIN 40 SL can be harvested two weeks after treatment
HANEARL SCIENCE PHILIPPINES, INC.	ACEPHATE	K-STARMIN 40 SL	400g/L	SL	INSECTICIDE	3	659-242-4974	05-Sep-21	-	Watermelon	Aphids, thrips	2-3 Tbsp/36 L water	-	-	Crop sprayed with K-STARMIN 40 SL can be harvested two weeks after treatment
HANEARL SCIENCE PHILIPPINES, INC.	ACEPHATE	K-STARMIN 40 SL	400g/L	SL	INSECTICIDE	3	659-242-4974	05-Sep-21	-	Rice	Whorl maggot, green leafhopper, brown planthopper, stemborer, leaf folder, rice bug	2-3 Tbsp/36 L water	0.02 ppm	-	Crop sprayed with K-STARMIN 40 SL can be harvested two weeks after treatment
HANEARL SCIENCE PHILIPPINES, INC.	ACEPHATE	K-STARMIN 40 SL	400g/L	SL	INSECTICIDE	3	659-242-4974	05-Sep-21	-	Mango	Leafhopper and tip borer	1.5-2 Tbsp/36L water	-	-	Crop sprayed with K-STARMIN 40 SL can be harvested two weeks after treatment
MARS AGR VENTURES AND COMMODITIES INC.	LAMBDA-CYHALOTHRIN	ERYPTON 2.5 EC	25 g/L	EC	INSECTICIDE	2	609-204-5287	27-Jun-22	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leaf folder, black bug	1.0-1.5Tbsp/36L of water	-	1 days	Re-entry to treated fields is allowed as soon as spray deposits dry.
MARS AGR VENTURES AND COMMODITIES INC.	LAMBDA-CYHALOTHRIN	ERYPTON 2.5 EC	25 g/L	EC	INSECTICIDE	2	609-204-5287	27-Jun-22	SYSTEMIC	Mango	Neppers	0.75-1.5Tbsp/36L of water	-	3 days	Re-entry to treated fields is allowed as soon as spray deposits dry.
MARS AGR VENTURES AND COMMODITIES INC.	LAMBDA-CYHALOTHRIN	ERYPTON 2.5 EC	25 g/L	EC	INSECTICIDE	2	609-204-5287	27-Jun-22	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/36L of water	-	3 days	Re-entry to treated fields is allowed as soon as spray deposits dry.

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
MARS AGR VENTURES AND COMMODITIES INC.	LAMBDA-CYHALOTHRIN	KRYPTON 2.5 EC	25 g/L	EC	INSECTICIDE	2	609-204-5287	27-Jun-22	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry.
MARS AGR VENTURES AND COMMODITIES INC.	LAMBDA-CYHALOTHRIN	KRYPTON 2.5 EC	25 g/L	EC	INSECTICIDE	2	609-204-5287	27-Jun-22	SYSTEMIC	Mungbeans	Beanfly, flea beetle, leafhopper, aphids, mites, podborer	1.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry.
MARS AGR VENTURES AND COMMODITIES INC.	LAMBDA-CYHALOTHRIN	KRYPTON 2.5 EC	25 g/L	EC	INSECTICIDE	2	609-204-5287	27-Jun-22	SYSTEMIC	Corn	Comborer, aphids, seedling maggots	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry.
MARS AGR VENTURES AND COMMODITIES INC.	LAMBDA-CYHALOTHRIN	KRYPTON 2.5 EC	25 g/L	EC	INSECTICIDE	2	609-204-5287	27-Jun-22	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katyids	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry.
MARS AGR VENTURES AND COMMODITIES INC.	LAMBDA-CYHALOTHRIN	KRYPTON 2.5 EC	25 g/L	EC	INSECTICIDE	2	609-204-5287	27-Jun-22	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry.
MARS AGR VENTURES AND COMMODITIES INC.	LAMBDA-CYHALOTHRIN	KRYPTON 2.5 EC	25 g/L	EC	INSECTICIDE	2	609-204-5287	27-Jun-22	SYSTEMIC	Cacao	Podborer	1.0-2.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry.
MARS AGR VENTURES AND COMMODITIES INC.	LAMBDA-CYHALOTHRIN	KRYPTON 2.5 EC	25 g/L	EC	INSECTICIDE	2	609-204-5287	27-Jun-22	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry.
AGCHEM MANUFACTURING CORPORATION	GLYPHOSATE IPA	KROSS OUT 480 SL	480g/L	SL	HERBICIDE	4	001-151-2084	09-Mar-25	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/ha	-	-	-
AGCHEM MANUFACTURING CORPORATION	GLYPHOSATE IPA	KROSS OUT 480 SL	480g/L	SL	HERBICIDE	4	001-151-2084	09-Mar-25	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
AGCHEM MANUFACTURING CORPORATION	GLYPHOSATE IPA	KROSS OUT 480 SL	480g/L	SL	HERBICIDE	4	001-151-2084	09-Mar-25	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
AGCHEM MANUFACTURING CORPORATION	GLYPHOSATE IPA	KROSS OUT 480 SL	480g/L	SL	HERBICIDE	4	001-151-2084	09-Mar-25	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
AGCHEM MANUFACTURING CORPORATION	GLYPHOSATE IPA	KROSS OUT 480 SL	480g/L	SL	HERBICIDE	4	001-151-2084	09-Mar-25	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
AGCHEM MANUFACTURING CORPORATION	GLYPHOSATE IPA	KROSS OUT 480 SL	480g/L	SL	HERBICIDE	4	001-151-2084	09-Mar-25	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0Liters/ha	-	-	-
AGCHEM MANUFACTURING CORPORATION	GLYPHOSATE IPA	KROSS OUT 480 SL	480g/L	SL	HERBICIDE	4	001-151-2084	09-Mar-25	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
AGCHEM MANUFACTURING CORPORATION	GLYPHOSATE IPA	KROSS OUT 480 SL	480g/L	SL	HERBICIDE	4	001-151-2084	09-Mar-25	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
AGCHEM MANUFACTURING CORPORATION	GLYPHOSATE IPA	KROSS OUT 480 SL	480g/L	SL	HERBICIDE	4	001-151-2084	09-Mar-25	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/ha	-	-	-
AGCHEM MANUFACTURING CORPORATION	GLYPHOSATE IPA	KROSS OUT 480 SL	480g/L	SL	HERBICIDE	4	001-151-2084	09-Mar-25	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
AGCHEM MANUFACTURING CORPORATION	GLYPHOSATE IPA	KROSS OUT 480 SL	480g/L	SL	HERBICIDE	4	001-151-2084	09-Mar-25	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
AGCHEM MANUFACTURING CORPORATION	GLYPHOSATE IPA	KROSS OUT 480 SL	480g/L	SL	HERBICIDE	4	001-151-2084	09-Mar-25	POST-EMERGENT	non-crop	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
VETMATE FARMA CORP.	METHOMYL	KROPKO 40SP	400 g/kg	SP	INSECTICIDE	2	658-164-6139	25-Nov-26	CONTACT	Asparagus	Armyworm, cutworm	1/ 16L sprayer	-	-	-
VETMATE FARMA CORP.	METHOMYL	KROPKO 40SP	400 g/kg	SP	INSECTICIDE	2	658-164-6139	25-Nov-26	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	1/ 16L sprayer	-	-	-
VETMATE FARMA CORP.	METHOMYL	KROPKO 40SP	400 g/kg	SP	INSECTICIDE	2	658-164-6139	25-Nov-26	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leaf folder	1/ 16L sprayer	-	-	-
VETMATE FARMA CORP.	METHOMYL	KROPKO 40SP	400 g/kg	SP	INSECTICIDE	2	658-164-6139	25-Nov-26	CONTACT	Melon	Aphids, Squash beetle, / leaf folder	1/ 16L sprayer	-	-	-
VETMATE FARMA CORP.	METHOMYL	KROPKO 40SP	400 g/kg	SP	INSECTICIDE	2	658-164-6139	25-Nov-26	CONTACT	Tomato	Tomato fruitworm, aphids	1/ 16L sprayer	-	-	-
VETMATE FARMA CORP.	METHOMYL	KROPKO 40SP	400 g/kg	SP	INSECTICIDE	2	658-164-6139	25-Nov-26	CONTACT	Corn	Comborer, earworm	1/ 16L sprayer	-	-	-
VETMATE FARMA CORP.	METHOMYL	KROPKO 40SP	400 g/kg	SP	INSECTICIDE	2	658-164-6139	25-Nov-26	CONTACT	Sorghum	Comborer, earworm	1/ 16L sprayer	-	-	-
VETMATE FARMA CORP.	METHOMYL	KROPKO 40SP	400 g/kg	SP	INSECTICIDE	2	658-164-6139	25-Nov-26	CONTACT	Beans	Leaf folder, flea beetle, / beanfly, podborer,aphids	1/ 16L sprayer	-	-	-
VETMATE FARMA CORP.	METHOMYL	KROPKO 40SP	400 g/kg	SP	INSECTICIDE	2	658-164-6139	25-Nov-26	CONTACT	Mungbeans	Leaf folder, flea beetle, / beanfly, podborer,aphids	1/ 16L sprayer	-	-	-
VETMATE FARMA CORP.	METHOMYL	KROPKO 40SP	400 g/kg	SP	INSECTICIDE	2	658-164-6139	25-Nov-26	CONTACT	Soybeans	Leaf folder, flea beetle, / beanfly, podborer,aphids	1/ 16L sprayer	-	-	-
VETMATE FARMA CORP.	METHOMYL	KROPKO 40SP	400 g/kg	SP	INSECTICIDE	2	658-164-6139	25-Nov-26	CONTACT	Sitao	Leaf folder, flea beetle, / beanfly, podborer,aphids	1/ 16L sprayer	-	-	-
VETMATE FARMA CORP.	METHOMYL	KROPKO 40SP	400 g/kg	SP	INSECTICIDE	2	658-164-6139	25-Nov-26	CONTACT	Eggplant	Aphids, flea beetle, fruitworm, lady beetle	1/ 16L sprayer	-	-	-
VETMATE FARMA CORP.	METHOMYL	KROPKO 40SP	400 g/kg	SP	INSECTICIDE	2	658-164-6139	25-Nov-26	CONTACT	Banana	Thrips	1.5-2/ 16L sprayer	-	-	-
AGRO IRIIS PHILIPPINES, INC.	TEBUCONAZOLE+TRIFLOXYSTROBIN	KROPAX 75 WG	500 g/kg+250 g/kg	WG	FUNGICIDE	4	752-438-6011	20-Oct-26	SYSTEMIC	Mango	Anthraxnose	40-80 grams prod./ 100 L water 2000 L/ ha	-	30 days	As soon as spray deposits dries up.
AGRO IRIIS PHILIPPINES, INC.	TEBUCONAZOLE+TRIFLOXYSTROBIN	KROPAX 75 WG	500 g/kg+250 g/kg	WG	FUNGICIDE	4	752-438-6011	20-Oct-26	SYSTEMIC	Rice	Rice blast, sheath blight, brown leaf spot and dirty panicle	12-16 grams prod./ 16 L water 160 L/ ha	-	-	As soon as spray deposits dries up.
AGRO IRIIS PHILIPPINES, INC.	TEBUCONAZOLE+TRIFLOXYSTROBIN	KROPAX 75 WG	500 g/kg+250 g/kg	WG	FUNGICIDE	4	752-438-6011	20-Oct-26	SYSTEMIC	Bittergourd	Powdery mildew, cercospora leaf spot and anthracnose	6-8 grams/ 16L water	-	-	As soon as spray deposits dries up.
AGRO IRIIS PHILIPPINES, INC.	TEBUCONAZOLE+TRIFLOXYSTROBIN	KROPAX 75 WG	500 g/kg+250 g/kg	WG	FUNGICIDE	4	752-438-6011	20-Oct-26	SYSTEMIC	Tomato	Early blight	6-8 g/16 L water	-	-	As soon as spray deposits dries up.
AGRO IRIIS PHILIPPINES, INC.	TEBUCONAZOLE+TRIFLOXYSTROBIN	KROPAX 75 WG	500 g/kg+250 g/kg	WG	FUNGICIDE	4	752-438-6011	20-Oct-26	SYSTEMIC	Eggplant	Cercospora leaf spot, early blight	6-8 g/16 L water	-	-	As soon as spray deposits dries up.
AGRO IRIIS PHILIPPINES, INC.	TEBUCONAZOLE+TRIFLOXYSTROBIN	KROPAX 75 WG	500 g/kg+250 g/kg	WG	FUNGICIDE	4	752-438-6011	20-Oct-26	SYSTEMIC	Onion	Purple blotch	4-8 g/ 16L water	-	-	As soon as spray deposits dries up.
AGRO IRIIS PHILIPPINES, INC.	TEBUCONAZOLE+TRIFLOXYSTROBIN	KROPAX 75 WG	500 g/kg+250 g/kg	WG	FUNGICIDE	4	752-438-6011	20-Oct-26	SYSTEMIC	Corn	Helminthosporium leaf spot, corn rust	4-8 g/ 16L water	-	-	As soon as spray deposits dries up.
AGRO IRIIS PHILIPPINES, INC.	TEBUCONAZOLE+TRIFLOXYSTROBIN	KROPAX 75 WG	500 g/kg+250 g/kg	WG	FUNGICIDE	4	752-438-6011	20-Oct-26	SYSTEMIC	Watermelon	Leafspot, powdery mildew	6-8 g/16 L water	-	-	As soon as spray deposits dries up.
AGRO IRIIS PHILIPPINES, INC.	TEBUCONAZOLE+TRIFLOXYSTROBIN	KROPAX 75 WG	500 g/kg+250 g/kg	WG	FUNGICIDE	4	752-438-6011	20-Oct-26	SYSTEMIC	Potato	Early and late blight	100-200 gms product/ha	-	-	As soon as spray deposits dries up.
AGRO IRIIS PHILIPPINES, INC.	TEBUCONAZOLE+TRIFLOXYSTROBIN	KROPAX 75 WG	500 g/kg+250 g/kg	WG	FUNGICIDE	4	752-438-6011	20-Oct-26	SYSTEMIC	Cabbage	Leaf spot	100-200 gms product/ha	-	-	As soon as spray deposits dries up.
LINK AGRITECH SOLUTIONS PHILIPPINES INC.	METHOMYL	KRONOS 400 SP	400g/kg	SP	INSECTICIDE	2	615-164-4581	02-Sep-25	CONTACT	Asparagus	Armyworm, cutworm	2-3.5 Tbsp/ 16 L water	-	-	Do not enter fields treated within 12 hours application
LINK AGRITECH SOLUTIONS PHILIPPINES INC.	METHOMYL	KRONOS 400 SP	400g/kg	SP	INSECTICIDE	2	615-164-4581	02-Sep-25	CONTACT	Banana	Thrips	2-3.5 Tbsp/ 16 L water	-	-	Do not enter fields treated within 12 hours application
LINK AGRITECH SOLUTIONS PHILIPPINES INC.	METHOMYL	KRONOS 400 SP	400g/kg	SP	INSECTICIDE	2	615-164-4581	02-Sep-25	CONTACT	Beans	Leaf folder, flea beetle, / beanfly, podborer,aphids	2-3.5 Tbsp/ 16 L water	-	-	Do not enter fields treated within 12 hours application
LINK AGRITECH SOLUTIONS PHILIPPINES INC.	METHOMYL	KRONOS 400 SP	400g/kg	SP	INSECTICIDE	2	615-164-4581	02-Sep-25	CONTACT	Mungbeans	Leaf folder, flea beetle, / beanfly, podborer,aphids	2-3.5 Tbsp/ 16 L water	-	-	Do not enter fields treated within 12 hours application
LINK AGRITECH SOLUTIONS PHILIPPINES INC.	METHOMYL	KRONOS 400 SP	400g/kg	SP	INSECTICIDE	2	615-164-4581	02-Sep-25	CONTACT	Soybeans	Leaf folder, flea beetle, / beanfly, podborer,aphids	2-3.5 Tbsp/ 16 L water	-	-	Do not enter fields treated within 12 hours application
LINK AGRITECH SOLUTIONS PHILIPPINES INC.	METHOMYL	KRONOS 400 SP	400g/kg	SP	INSECTICIDE	2	615-164-4581	02-Sep-25	CONTACT	Sitao	Leaf folder, flea beetle, / beanfly, podborer,aphids	2-3.5 Tbsp/ 16 L water	-	-	Do not enter fields treated within 12 hours application
LINK AGRITECH SOLUTIONS PHILIPPINES INC.	METHOMYL	KRONOS 400 SP	400g/kg	SP	INSECTICIDE	2	615-164-4581	02-Sep-25	CONTACT	Corn	Comborer, earworm	2-3.5 Tbsp/ 16 L water	-	-	Do not enter fields treated within 12 hours application
LINK AGRITECH SOLUTIONS PHILIPPINES INC.	METHOMYL	KRONOS 400 SP	400g/kg	SP	INSECTICIDE	2	615-164-4581	02-Sep-25	CONTACT	Eggplant	Aphids, flea beetle, fruitworm, lady beetle	2-3.5 Tbsp/ 16 L water	-	-	Do not enter fields treated within 12 hours application
LINK AGRITECH SOLUTIONS PHILIPPINES INC.	METHOMYL	KRONOS 400 SP	400g/kg	SP	INSECTICIDE	2	615-164-4581	02-Sep-25	CONTACT	Melon	Aphids, Squash beetle, / leaf folder	2-3.5 Tbsp/ 16 L water	-	-	Do not enter fields treated within 12 hours application
LINK AGRITECH SOLUTIONS PHILIPPINES INC.	METHOMYL	KRONOS 400 SP	400g/kg	SP	INSECTICIDE	2	615-164-4581	02-Sep-25	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leaf folder	2-3.5 Tbsp/ 16 L water	0.01ppm	3 Days	Do not enter fields treated within 12 hours application
LINK AGRITECH SOLUTIONS PHILIPPINES INC.	METHOMYL	KRONOS 400 SP	400g/kg	SP	INSECTICIDE	2	615-164-4581	02-Sep-25	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	2-3.5 Tbsp/ 16 L water	-	-	Do not enter fields treated within 12 hours application
LINK AGRITECH SOLUTIONS PHILIPPINES INC.	METHOMYL	KRONOS 400 SP	400g/kg	SP	INSECTICIDE	2	615-164-4581	02-Sep-25	CONTACT	Tomato	Tomato fruitworm, aphids	2-3.5 Tbsp/ 16 L water	-	-	Do not enter fields treated within 12 hours application
CROPKINS CHEMICALS INC.	LAMBDA-CYHALOTHRIN	KRIS 2.5 EC	25 g/L	EC	INSECTICIDE	2	065-204-1067	13-Jul-24	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leaf folder, black bug	1.0-1.5Tbsp/16 L of water	0.05ppm	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
CROPKINS CHEMICALS INC.	LAMBDA-CYHALOTHRIN	KRIS 2.5 EC	25 g/L	EC	INSECTICIDE	2	065-204-1067	13-Jul-24	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
CROPKING CHEMICALS INC.	LAMBDA-CYHALOTHRIN	KRIS5 2.5 EC	25 g/L	EC	INSECTICIDE	2	065-204-1067	13-Jul-24	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/36 l of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
CROPKING CHEMICALS INC.	LAMBDA-CYHALOTHRIN	KRIS5 2.5 EC	25 g/L	EC	INSECTICIDE	2	065-204-1067	13-Jul-24	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/36 l of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
CROPKING CHEMICALS INC.	LAMBDA-CYHALOTHRIN	KRIS5 2.5 EC	25 g/L	EC	INSECTICIDE	2	065-204-1067	13-Jul-24	SYSTEMIC	Mungbeans	Beanyfly, flea beetle, leafhopper, aphids, mites, podborer	1.0Tbsp/36 l of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
CROPKING CHEMICALS INC.	LAMBDA-CYHALOTHRIN	KRIS5 2.5 EC	25 g/L	EC	INSECTICIDE	2	065-204-1067	13-Jul-24	SYSTEMIC	Corn	Comborer, aphids, seedling maggots	1.0-1.5Tbsp/36 l of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
CROPKING CHEMICALS INC.	LAMBDA-CYHALOTHRIN	KRIS5 2.5 EC	25 g/L	EC	INSECTICIDE	2	065-204-1067	13-Jul-24	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5Tbsp/36 l of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
CROPKING CHEMICALS INC.	LAMBDA-CYHALOTHRIN	KRIS5 2.5 EC	25 g/L	EC	INSECTICIDE	2	065-204-1067	13-Jul-24	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/36 l of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
CROPKING CHEMICALS INC.	LAMBDA-CYHALOTHRIN	KRIS5 2.5 EC	25 g/L	EC	INSECTICIDE	2	065-204-1067	13-Jul-24	SYSTEMIC	Cocoa	Podborer	1.0-2.0Tbsp/36 l of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
CROPKING CHEMICALS INC.	LAMBDA-CYHALOTHRIN	KRIS5 2.5 EC	25 g/L	EC	INSECTICIDE	2	065-204-1067	13-Jul-24	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/36 l of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
BIOUFE SCIENCES SOLUTIONS COMPANY	KRESOXIM METHYL	KREMET 300 SC	-	SC	FUNGICIDE	4	581-573-5671	14-Feb-23	-	Banana	Black Sigatoka	0.4-0.5 l/ha.		0 day	After spray deposits have dried
CYMEJB CORPORATION	CARTAP HYDROCHLORIDE	KBAFTAP	500 g/kg	SP	INSECTICIDE	3	537-106-3259	24-Jan-23	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.0-5.0Tbsp/36 l water	0.2ppm	Stop spraying 10 days before harvest	
CYMEJB CORPORATION	CARTAP HYDROCHLORIDE	KBAFTAP	500 g/kg	SP	INSECTICIDE	3	537-106-3259	24-Jan-23	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/36 l water			
CYMEJB CORPORATION	CARTAP HYDROCHLORIDE	KBAFTAP	500 g/kg	SP	INSECTICIDE	3	537-106-3259	24-Jan-23	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/36 l water			
CYMEJB CORPORATION	CARTAP HYDROCHLORIDE	KBAFTAP	500 g/kg	SP	INSECTICIDE	3	537-106-3259	24-Jan-23	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/36 l water			
CYMEJB CORPORATION	CARTAP HYDROCHLORIDE	KBAFTAP	500 g/kg	SP	INSECTICIDE	3	537-106-3259	24-Jan-23	SYSTEMIC	Sarlic	Thrips, cutworm	1.5-2.0Tbsp/36 l water			
CYMEJB CORPORATION	CARTAP HYDROCHLORIDE	KBAFTAP	500 g/kg	SP	INSECTICIDE	3	537-106-3259	24-Jan-23	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/36 l water			
CYMEJB CORPORATION	CARTAP HYDROCHLORIDE	KBAFTAP	500 g/kg	SP	INSECTICIDE	3	537-106-3259	24-Jan-23	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/36 l water			
CYMEJB CORPORATION	CARTAP HYDROCHLORIDE	KBAFTAP	500 g/kg	SP	INSECTICIDE	3	537-106-3259	24-Jan-23	SYSTEMIC	Mango	leafhoppers	1.5-2.0Tbsp/36 l water			
CYMEJB CORPORATION	CARTAP HYDROCHLORIDE	KBAFTAP	500 g/kg	SP	INSECTICIDE	3	537-106-3259	24-Jan-23	SYSTEMIC	Pechay	looper, cutworm, aphids	1.5-3.0Tbsp/36 l water			
HANEARL SCIENCE PHILIPPINES, INC.	K-QUINAL 250 SC	K-QUINAL 250 SC	125+125 g/L	SC	FUNGICIDE	4	659-401-4980	26-Jul-24	-	Mango	Anthracoze (Colletotrichum gloeosporioides	200ml-300ml/200L drum	-	50 Days after last application	When spray deposits have dried
HANEARL SCIENCE PHILIPPINES, INC.	K-PROKOL 70 WP	K-PROKOL 70 WP	700g/kg	WP	FUNGICIDE	4	659-001-4981	09-Oct-26	-	Lettuce	Early blight, neck rot	50-65 g/36L water	-	-	Immediately after spray deposits have dried
HANEARL SCIENCE PHILIPPINES, INC.	K-PROKOL 70 WP	K-PROKOL 70 WP	700g/kg	WP	FUNGICIDE	4	659-001-4981	09-Oct-26	-	Onion	Downy mildew, anthracnose, purple blach	50-65 g/36L water	-	-	Immediately after spray deposits have dried
HANEARL SCIENCE PHILIPPINES, INC.	K-PROKOL 70 WP	K-PROKOL 70 WP	700g/kg	WP	FUNGICIDE	4	659-001-4981	09-Oct-26	-	Cucurbits	Downy mildew, late blight	50-65 g/36L water	-	-	Immediately after spray deposits have dried
HANEARL SCIENCE PHILIPPINES, INC.	K-PROKOL 70 WP	K-PROKOL 70 WP	700g/kg	WP	FUNGICIDE	4	659-001-4981	09-Oct-26	-	Galery	Early and late blight	50-65 g/36L water	-	-	Immediately after spray deposits have dried
HANEARL SCIENCE PHILIPPINES, INC.	K-PROKOL 70 WP	K-PROKOL 70 WP	700g/kg	WP	FUNGICIDE	4	659-001-4981	09-Oct-26	-	Beans	Rust	50-65 g/36L water	-	-	Immediately after spray deposits have dried
HANEARL SCIENCE PHILIPPINES, INC.	K-PROKOL 70 WP	K-PROKOL 70 WP	700g/kg	WP	FUNGICIDE	4	659-001-4981	09-Oct-26	-	Potato	Early and late blight	50-65 g/36L water	-	-	Immediately after spray deposits have dried
HANEARL SCIENCE PHILIPPINES, INC.	K-PROKOL 70 WP	K-PROKOL 70 WP	700g/kg	WP	FUNGICIDE	4	659-001-4981	09-Oct-26	-	Tomato	Early and late blight	50-65 g/36L water	-	-	Immediately after spray deposits have dried
HANEARL SCIENCE PHILIPPINES, INC.	K-PROKOL 70 WP	K-PROKOL 70 WP	700g/kg	WP	FUNGICIDE	4	659-001-4981	09-Oct-26	-	Tobacco	Brown leaf spot	50-65 g/36L water	-	-	Immediately after spray deposits have dried
HANEARL SCIENCE PHILIPPINES, INC.	K-PROKOL 70 WP	K-PROKOL 70 WP	700g/kg	WP	FUNGICIDE	4	659-001-4981	09-Oct-26	-	Coffee	Brown eye spot	65 g/36L water	-	-	Immediately after spray deposits have dried
HANEARL SCIENCE PHILIPPINES, INC.	K-PROKOL 70 WP	K-PROKOL 70 WP	700g/kg	WP	FUNGICIDE	4	659-001-4981	09-Oct-26	-	Citrus	Black spot	50-65 g/36L water	-	-	Immediately after spray deposits have dried
HANEARL SCIENCE PHILIPPINES, INC.	K-PROKOL 70 WP	K-PROKOL 70 WP	700g/kg	WP	FUNGICIDE	4	659-001-4981	09-Oct-26	-	Melon	Downy mildew	50-65 g/36L water	-	-	Immediately after spray deposits have dried
HANEARL SCIENCE PHILIPPINES, INC.	K-PROKOL 70 WP	K-PROKOL 70 WP	700g/kg	WP	FUNGICIDE	4	659-001-4981	09-Oct-26	-	Watermelon	Downy mildew	50-65 g/36L water	-	-	Immediately after spray deposits have dried
HANEARL SCIENCE PHILIPPINES, INC.	K-PROKOL 70 WP	K-PROKOL 70 WP	700g/kg	WP	FUNGICIDE	4	659-001-4981	09-Oct-26	-	Asparagus	Cercospora Leaf Blight	2.5-kg/ha	-	-	Immediately after spray deposits have dried
HANEARL SCIENCE PHILIPPINES, INC.	K-PROKOL 70 WP	K-PROKOL 70 WP	700g/kg	WP	FUNGICIDE	4	659-001-4981	09-Oct-26	-	Ornamentals	Black spot, rust	35-50 g/36L water	-	-	Immediately after spray deposits have dried
HANEARL SCIENCE PHILIPPINES, INC.	K-PROKOL 70 WP	K-PROKOL 70 WP	700g/kg	WP	FUNGICIDE	4	659-001-4981	09-Oct-26	-	Mango	Anthracoze	50-65 g/36L water	-	-	Immediately after spray deposits have dried
HANEARL SCIENCE PHILIPPINES, INC.	K-PROKOL 70 WP	K-PROKOL 70 WP	700g/kg	WP	FUNGICIDE	4	659-001-4981	09-Oct-26	-	Rice	Graty panicle, brown leaf spot	90-100 (100-1,000 g product/ha)	-	-	Immediately after spray deposits have dried
HANEARL SCIENCE PHILIPPINES, INC.	K-PROKOL 70 WP	K-PROKOL 70 WP	700g/kg	WP	FUNGICIDE	4	659-001-4981	09-Oct-26	-	Banana	Sigatoka, freckle disease	2.5-kg/ha	-	-	Immediately after spray deposits have dried
HANEARL SCIENCE PHILIPPINES, INC.	K-PATRIOS 50 EC	K-PATRIOS 50 EC	500 g/L	EC	INSECTICIDE	2	659-070-5158	09-Oct-26	CONTACT	Mango	Thrips	1.0-2.0 Tbsp/36L water	-	Do not apply less than 7 days before harvest.	Do not enter treated fields for atleast 1 day after application.
HANEARL SCIENCE PHILIPPINES, INC.	K-PATRIOS 50 EC	K-PATRIOS 50 EC	500 g/L	EC	INSECTICIDE	2	659-070-5158	09-Oct-26	CONTACT	Tomato	Fruitworm, armyworm, cutworm	3-5 Tbsp/36L water	-	Do not apply less than 7 days before harvest.	Do not enter treated fields for atleast 1 day after application.
HANEARL SCIENCE PHILIPPINES, INC.	K-PATRIOS 50 EC	K-PATRIOS 50 EC	500 g/L	EC	INSECTICIDE	2	659-070-5158	09-Oct-26	CONTACT	Eggplant	Fruitborer, aphids, leafhopper, & thrips	1.5-3.0 Tbsp/36L water	-	Do not apply less than 7 days before harvest.	Do not enter treated fields for atleast 1 day after application.
HANEARL SCIENCE PHILIPPINES, INC.	K-PATRIOS 50 EC	K-PATRIOS 50 EC	500 g/L	EC	INSECTICIDE	2	659-070-5158	09-Oct-26	CONTACT	Cabbage	Diamond back moth, cabbage worm & aphids, thrips	3-5 Tbsp/36L water	-	Do not apply less than 7 days before harvest.	Do not enter treated fields for atleast 1 day after application.
HANEARL SCIENCE PHILIPPINES, INC.	K-PATRIOS 50 EC	K-PATRIOS 50 EC	500 g/L	EC	INSECTICIDE	2	659-070-5158	09-Oct-26	CONTACT	Watermelon	Thrips	3-5 Tbsp/36L water	-	Do not apply less than 7 days before harvest.	Do not enter treated fields for atleast 1 day after application.
HANEARL SCIENCE PHILIPPINES, INC.	K-PATRIOS 50 EC	K-PATRIOS 50 EC	500 g/L	EC	INSECTICIDE	2	659-070-5158	09-Oct-26	CONTACT	Potato	Thrips, army worm, cutworm, tuber moth	3-5 Tbsp/36L water	-	Do not apply less than 7 days before harvest.	Do not enter treated fields for atleast 1 day after application.
HANEARL SCIENCE PHILIPPINES, INC.	K-PATRIOS 50 EC	K-PATRIOS 50 EC	500 g/L	EC	INSECTICIDE	2	659-070-5158	09-Oct-26	CONTACT	soybeans	Corn earworm, leafminer	3-5 Tbsp/36L water	-	Do not apply less than 7 days before harvest.	Do not enter treated fields for atleast 1 day after application.
HANEARL SCIENCE PHILIPPINES, INC.	K-PATRIOS 50 EC	K-PATRIOS 50 EC	500 g/L	EC	INSECTICIDE	2	659-070-5158	09-Oct-26	CONTACT	Mungbeans	Corn earworm, leafminer	3-5 Tbsp/36L water	-	Do not apply less than 7 days before harvest.	Do not enter treated fields for atleast 1 day after application.
HANEARL SCIENCE PHILIPPINES, INC.	K-PATRIOS 50 EC	K-PATRIOS 50 EC	500 g/L	EC	INSECTICIDE	2	659-070-5158	09-Oct-26	CONTACT	Cotton	Thrips, bollworm & budworm	3-5 Tbsp/36L water	-	Do not apply less than 7 days before harvest.	Do not enter treated fields for atleast 1 day after application.
HANEARL SCIENCE PHILIPPINES, INC.	K-PATRIOS 50 EC	K-PATRIOS 50 EC	500 g/L	EC	INSECTICIDE	2	659-070-5158	09-Oct-26	CONTACT	Sitao	Beanyfly, leaf folder & aphids	1.5-3.0 Tbsp/36L water	-	Do not apply less than 7 days before harvest.	Do not enter treated fields for atleast 1 day after application.
VAST AGRO SOLUTIONS, INC.	LAMBDA-CYHALOTHRIN	KOZO 247 ZC	105 g/L+141 g/L	ZC	INSECTICIDE	2	385-395-6035	29-Dec-24	-	Potato	Whiteflies, aphids, thrips	100-200 mL/ha		7 days	Do not enter treated field for at least 1 day after application
VAST AGRO SOLUTIONS, INC.	LAMBDA-CYHALOTHRIN	KOZO 247 ZC	105 g/L+141 g/L	ZC	INSECTICIDE	2	385-395-6035	29-Dec-24	-	Stringbeans	Green leafhopper, aphids, mites	100-200 mL/ha		7 days	Do not enter treated field for at least 1 day after application
VAST AGRO SOLUTIONS, INC.	LAMBDA-CYHALOTHRIN	KOZO 247 ZC	105 g/L+141 g/L	ZC	INSECTICIDE	2	385-395-6035	29-Dec-24	-	Eggplant	Whiteflies, green leafhopper, aphids	100-200 mL/ha		7 days	Do not enter treated field for at least 1 day after application
VAST AGRO SOLUTIONS, INC.	LAMBDA-CYHALOTHRIN	KOZO 247 ZC	105 g/L+141 g/L	ZC	INSECTICIDE	2	385-395-6035	29-Dec-24	-	Mango	Capid bug, cecid fly, fruitfly, leafhoppers, tip borers	60 mL/200L		3 days	Do not enter treated field for at least 1 day after application
VAST AGRO SOLUTIONS, INC.	LAMBDA-CYHALOTHRIN	KOZO 247 ZC	105 g/L+141 g/L	ZC	INSECTICIDE	2	385-395-6035	29-Dec-24	-	Bittergourd	Leafhoppers, thrips, aphids, fruitfly, cutworm	100-400 mL/ha.		7 days	Do not enter treated field for at least 1 day after application
VAST AGRO SOLUTIONS, INC.	LAMBDA-CYHALOTHRIN	KOZO 247 ZC	105 g/L+141 g/L	ZC	INSECTICIDE	2	385-395-6035	29-Dec-24	-	Corn	Asian corn borer, cutworm, leafhoppers, aphids, earworm	250-400 mL/ha		3 days	Do not enter treated field for at least 1 day after application
VAST AGRO SOLUTIONS, INC.	LAMBDA-CYHALOTHRIN	KOZO 247 ZC	105 g/L+141 g/L	ZC	INSECTICIDE	2	385-395-6035	29-Dec-24	-	Banana	Flower Thrips	3-3 mL/L		90 days	Do not enter treated field for at least 1 day after application
VAST AGRO SOLUTIONS, INC.	LAMBDA-CYHALOTHRIN	KOZO 247 ZC	105 g/L+141 g/L	ZC	INSECTICIDE	2	385-395-6035	29-Dec-24	-	Rice	Stemborer, leafhopper, rice bugs	100-200 mL/ha		14 days	Do not enter treated field for at least 1 day after application
BASF PHILIPPINES, INC.	CHLORFENAPYR	KOTETSU 10 SC	100 g/L	SC	INSECTICIDE	3	005-283-3763	22-Aug-25	-	Cabbage	Diamond back moth, aphids and cabbage moth	10-30 mL/36 L water	0.2 ppm	34 days before harvest	Do not enter the field within 2 days after spraying
BASF PHILIPPINES, INC.	CHLORFENAPYR	KOTETSU 10 SC	100 g/L	SC	INSECTICIDE	3	005-283-3763	22-Aug-25	-	Potato	Thrips	5-15 mL/36L water, 1.5-3.0 Tbsp/36L	0.01 ppm	14 days before harvest	Do not enter the field within 2 days after spraying

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
BASF PHILIPPINES, INC.	CHLORFENAPIR	KOTETSU 10 SC	100 g/L	SC	INSECTICIDE	3	005-283-9763	22-Aug-25		Banana	Flower thrips	2.3 ml / 1 L water	0.01 ppm	14 days before harvest	Do not enter the field within 2 days after spraying
ANGELX AGRITRADE CORPORATION	BUTACHLOR-PROPANIL	KORVANCE 70 EC	300-100 g/L	EC	HERBICIDE	3	491-238-2928	05-Jun-25	POST-EMERGENT	Rice (Direct-Seeded)	Grasses, Sedges and Broadleaves	8-12tbsp/16 L water	Butachlor 0.1ppm Propanil 0.1ppm	-	-
ANGELX AGRITRADE CORPORATION	BUTACHLOR-PROPANIL	KORVANCE 70 EC	350-100 g/L	EC	HERBICIDE	3	491-238-2928	05-Jun-25	POST-EMERGENT	Rice (Transplanted)	Grasses, Sedges and Broadleaves	8-12tbsp/16 L water	Butachlor 0.1ppm Propanil 0.1ppm	-	-
ANGELX AGRITRADE CORPORATION	CARTAP HYDROCHLORIDE	KORDAN 50 SP	500 g/kg	SP	INSECTICIDE	3	491-106-3425	29-Jun-24	SYSTEMIC	Rice	Whorl maggot, stemborer, green leafhopper, brown planthopper	1.0-1.0Tbsp/16 L water	0.1ppm	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
ANGELX AGRITRADE CORPORATION	CARTAP HYDROCHLORIDE	KORDAN 50 SP	500 g/kg	SP	INSECTICIDE	3	491-106-3425	29-Jun-24	SYSTEMIC	Wangbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
ANGELX AGRITRADE CORPORATION	CARTAP HYDROCHLORIDE	KORDAN 50 SP	500 g/kg	SP	INSECTICIDE	3	491-106-3425	29-Jun-24	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
ANGELX AGRITRADE CORPORATION	CARTAP HYDROCHLORIDE	KORDAN 50 SP	500 g/kg	SP	INSECTICIDE	3	491-106-3425	29-Jun-24	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
ANGELX AGRITRADE CORPORATION	CARTAP HYDROCHLORIDE	KORDAN 50 SP	500 g/kg	SP	INSECTICIDE	3	491-106-3425	29-Jun-24	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
ANGELX AGRITRADE CORPORATION	CARTAP HYDROCHLORIDE	KORDAN 50 SP	500 g/kg	SP	INSECTICIDE	3	491-106-3425	29-Jun-24	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
ANGELX AGRITRADE CORPORATION	CARTAP HYDROCHLORIDE	KORDAN 50 SP	500 g/kg	SP	INSECTICIDE	3	491-106-3425	29-Jun-24	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
ANGELX AGRITRADE CORPORATION	CARTAP HYDROCHLORIDE	KORDAN 50 SP	500 g/kg	SP	INSECTICIDE	3	491-106-3425	29-Jun-24	SYSTEMIC	Mango	leafhoppers	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
ANGELX AGRITRADE CORPORATION	CARTAP HYDROCHLORIDE	KORDAN 50 SP	500 g/kg	SP	INSECTICIDE	3	491-106-3425	29-Jun-24	SYSTEMIC	Pechay	looper, cutworm, aphids	1.5-3.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
ANGELX AGRITRADE CORPORATION	CYPERMETHRIN	KORBUSH 5 EC	50 g/L	EC	INSECTICIDE	4	491-037-2744	27-Mar-24	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dries
ANGELX AGRITRADE CORPORATION	CYPERMETHRIN	KORBUSH 5 EC	50 g/L	EC	INSECTICIDE	4	491-037-2744	27-Mar-24	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leafroller, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dries
ANGELX AGRITRADE CORPORATION	CYPERMETHRIN	KORBUSH 5 EC	50 g/L	EC	INSECTICIDE	4	491-037-2744	27-Mar-24	CONTACT	Cabbage	Diamond-back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dries
ANGELX AGRITRADE CORPORATION	CYPERMETHRIN	KORBUSH 5 EC	50 g/L	EC	INSECTICIDE	4	491-037-2744	27-Mar-24	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dries
ANGELX AGRITRADE CORPORATION	CYPERMETHRIN	KORBUSH 5 EC	50 g/L	EC	INSECTICIDE	4	491-037-2744	27-Mar-24	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dries
ANGELX AGRITRADE CORPORATION	CYPERMETHRIN	KORBUSH 5 EC	50 g/L	EC	INSECTICIDE	4	491-037-2744	27-Mar-24	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dries
ANGELX AGRITRADE CORPORATION	CYPERMETHRIN	KORBUSH 5 EC	50 g/L	EC	INSECTICIDE	4	491-037-2744	27-Mar-24	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dries
ANGELX AGRITRADE CORPORATION	CYPERMETHRIN	KORBUSH 5 EC	50 g/L	EC	INSECTICIDE	4	491-037-2744	27-Mar-24	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dries
ANGELX AGRITRADE CORPORATION	CYPERMETHRIN	KORBUSH 5 EC	50 g/L	EC	INSECTICIDE	4	491-037-2744	27-Mar-24	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dries
ANGELX AGRITRADE CORPORATION	CYPERMETHRIN	KORBUSH 5 EC	50 g/L	EC	INSECTICIDE	4	491-037-2744	27-Mar-24	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dries
ANGELX AGRITRADE CORPORATION	CYPERMETHRIN	KORBUSH 5 EC	50 g/L	EC	INSECTICIDE	4	491-037-2744	27-Mar-24	CONTACT	Corn	Comborer, earworm	1.0-4.5 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dries
CULTIVA INCORPORATED	COPPER HYDROXIDE	KOP-HYDROXIDE 770 WP	770 g/kg	WP	FUNGICIDE	3	201-006-0910	04-May-24		Banana	Sigatoka	2.6-6.0 Tbsp/16L water	-	Allow 7 days from last spray until harvest	Do not enter treated area until spray has dried
CULTIVA INCORPORATED	COPPER HYDROXIDE	KOP-HYDROXIDE 770 WP	770 g/kg	WP	FUNGICIDE	3	201-006-0910	04-May-24		Beans	Bacterial blight, rust	2.6-6.0 Tbsp/16L water	-	Allow 7 days from last spray until harvest	Do not enter treated area until spray has dried
CULTIVA INCORPORATED	COPPER HYDROXIDE	KOP-HYDROXIDE 770 WP	770 g/kg	WP	FUNGICIDE	3	201-006-0910	04-May-24		Cabbage	Black rot, black leaf spot	2.6-6.0 Tbsp/16L water	-	Allow 7 days from last spray until harvest	Do not enter treated area until spray has dried
CULTIVA INCORPORATED	COPPER HYDROXIDE	KOP-HYDROXIDE 770 WP	770 g/kg	WP	FUNGICIDE	3	201-006-0910	04-May-24		Cacao	Black pod	2.6-6.0 Tbsp/16L water	-	Allow 7 days from last spray until harvest	Do not enter treated area until spray has dried
CULTIVA INCORPORATED	COPPER HYDROXIDE	KOP-HYDROXIDE 770 WP	770 g/kg	WP	FUNGICIDE	3	201-006-0910	04-May-24		Carrot	Cercospora	2.6-6.0 Tbsp/16L water	-	Allow 7 days from last spray until harvest	Do not enter treated area until spray has dried
CULTIVA INCORPORATED	COPPER HYDROXIDE	KOP-HYDROXIDE 770 WP	770 g/kg	WP	FUNGICIDE	3	201-006-0910	04-May-24		Cauliflower	Downy mildew, alternaria leaf spot	2.6-6.0 Tbsp/16L water	-	Allow 7 days from last spray until harvest	Do not enter treated area until spray has dried
CULTIVA INCORPORATED	COPPER HYDROXIDE	KOP-HYDROXIDE 770 WP	770 g/kg	WP	FUNGICIDE	3	201-006-0910	04-May-24		Celery	Early blight	2.6-6.0 Tbsp/16L water	-	Allow 7 days from last spray until harvest	Do not enter treated area until spray has dried
CULTIVA INCORPORATED	COPPER HYDROXIDE	KOP-HYDROXIDE 770 WP	770 g/kg	WP	FUNGICIDE	3	201-006-0910	04-May-24		Citrus	Black spot, scab, Melanose	2.6-6.0 Tbsp/16L water	-	Allow 7 days from last spray until harvest	Do not enter treated area until spray has dried
CULTIVA INCORPORATED	COPPER HYDROXIDE	KOP-HYDROXIDE 770 WP	770 g/kg	WP	FUNGICIDE	3	201-006-0910	04-May-24		Coffee	Leaf rust, coffee berry disease	2.6-6.0 Tbsp/16L water	-	Allow 7 days from last spray until harvest	Do not enter treated area until spray has dried
CULTIVA INCORPORATED	COPPER HYDROXIDE	KOP-HYDROXIDE 770 WP	770 g/kg	WP	FUNGICIDE	3	201-006-0910	04-May-24		Cucumber	Anthraxnose, septoria, cercospora, fruit rot, downy mildew	2.6-6.0 Tbsp/16L water	-	Allow 7 days from last spray until harvest	Do not enter treated area until spray has dried
CULTIVA INCORPORATED	COPPER HYDROXIDE	KOP-HYDROXIDE 770 WP	770 g/kg	WP	FUNGICIDE	3	201-006-0910	04-May-24		Grapes	Anthraxnose, mildew, black rot	2.6-6.0 Tbsp/16L water	-	Allow 7 days from last spray until harvest	Do not enter treated area until spray has dried
CULTIVA INCORPORATED	COPPER HYDROXIDE	KOP-HYDROXIDE 770 WP	770 g/kg	WP	FUNGICIDE	3	201-006-0910	04-May-24		Mango	Anthraxnose	2.6-6.0 Tbsp/16L water	-	Allow 7 days from last spray until harvest	Do not enter treated area until spray has dried
CULTIVA INCORPORATED	COPPER HYDROXIDE	KOP-HYDROXIDE 770 WP	770 g/kg	WP	FUNGICIDE	3	201-006-0910	04-May-24		Onion	Purple blotch, downy mildew	2.6-6.0 Tbsp/16L water	-	Allow 7 days from last spray until harvest	Do not enter treated area until spray has dried
CULTIVA INCORPORATED	COPPER HYDROXIDE	KOP-HYDROXIDE 770 WP	770 g/kg	WP	FUNGICIDE	3	201-006-0910	04-May-24		Peanut	Cercospora leaf spot	2.6-6.0 Tbsp/16L water	-	Allow 7 days from last spray until harvest	Do not enter treated area until spray has dried
CULTIVA INCORPORATED	COPPER HYDROXIDE	KOP-HYDROXIDE 770 WP	770 g/kg	WP	FUNGICIDE	3	201-006-0910	04-May-24		Pepper	Bacterial blight, rust	2.6-6.0 Tbsp/16L water	-	Allow 7 days from last spray until harvest	Do not enter treated area until spray has dried
CULTIVA INCORPORATED	COPPER HYDROXIDE	KOP-HYDROXIDE 770 WP	770 g/kg	WP	FUNGICIDE	3	201-006-0910	04-May-24		Potato	Early blight, late blight	2.6-6.0 Tbsp/16L water	-	Allow 7 days from last spray until harvest	Do not enter treated area until spray has dried
CULTIVA INCORPORATED	COPPER HYDROXIDE	KOP-HYDROXIDE 770 WP	770 g/kg	WP	FUNGICIDE	3	201-006-0910	04-May-24		Rice	Blast, sheath blight, bacterial leaf streak	2.6-6.0 Tbsp/16L water	-	Allow 7 days from last spray until harvest	Do not enter treated area until spray has dried
CULTIVA INCORPORATED	COPPER HYDROXIDE	KOP-HYDROXIDE 770 WP	770 g/kg	WP	FUNGICIDE	3	201-006-0910	04-May-24		Tomato	Early blight, late blight, fruitly rot, septoria alternaria	2.6-6.0 Tbsp/16L water	-	Allow 7 days from last spray until harvest	Do not enter treated area until spray has dried
CULTIVA INCORPORATED	COPPER HYDROXIDE	KOP-HYDROXIDE 770 WP	770 g/kg	WP	FUNGICIDE	3	201-006-0910	04-May-24		Watermelon	Anthraxnose, fruit rot, downy mildew	2.6-6.0 Tbsp/16L water	-	Allow 7 days from last spray until harvest	Do not enter treated area until spray has dried
CULTIVA INCORPORATED	COPPER HYDROXIDE	KOP-HYDROXIDE 770 WP	770 g/kg	WP	FUNGICIDE	3	201-006-0910	04-May-24		Papaya	Bacterial crown rot	4.5-7.0Lg/ha	-	Allow 7 days from last spray until harvest	Do not enter treated area until spray has dried
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CYMOXANIL-HYDROCOZEB	KOOLZET 50S WP	40-465g/kg	WP	FUNGICIDE	4	459-163-5590	25-Mar-25		Potato	Late Blight	50 (gram product/16 L)	-	Do not enter fields treated with KOOLZET 50S WP within 24 hours after application	-
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CYMOXANIL-HYDROCOZEB	KOOLZET 50S WP	40-465g/kg	WP	FUNGICIDE	4	459-163-5590	25-Mar-25		Tomato	Late Blight	50 (gram product/16 L)	-	Do not enter fields treated with KOOLZET 50S WP within 24 hours after application	-
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CYMOXANIL-HYDROCOZEB	KOOLZET 50S WP	40-465g/kg	WP	FUNGICIDE	4	459-163-5590	25-Mar-25		Grapes	Downy mildew	50 (gram product/16 L)	-	Do not enter fields treated with KOOLZET 50S WP within 24 hours after application	-
PLANTMEDS AGRISOLUTIONS CORP.	GLYPHOSATE IPA	KORNYK 480 SL	480 g/L	SL	HERBICIDE	4	683-151-5400	15-Dec-23	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/ha	-	-	-
PLANTMEDS AGRISOLUTIONS CORP.	GLYPHOSATE IPA	KORNYK 480 SL	480 g/L	SL	HERBICIDE	4	683-151-5400	15-Dec-23	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /ha	-	-	-
PLANTMEDS AGRISOLUTIONS CORP.	GLYPHOSATE IPA	KORNYK 480 SL	480 g/L	SL	HERBICIDE	4	683-151-5400	15-Dec-23	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /ha	-	-	-
PLANTMEDS AGRISOLUTIONS CORP.	GLYPHOSATE IPA	KORNYK 480 SL	480 g/L	SL	HERBICIDE	4	683-151-5400	15-Dec-23	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /ha	-	-	-
PLANTMEDS AGRISOLUTIONS CORP.	GLYPHOSATE IPA	KORNYK 480 SL	480 g/L	SL	HERBICIDE	4	683-151-5400	15-Dec-23	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /ha	-	-	-
PLANTMEDS AGRISOLUTIONS CORP.	GLYPHOSATE IPA	KORNYK 480 SL	480 g/L	SL	HERBICIDE	4	683-151-5400	15-Dec-23	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
PLANTMEDS AGRISOLUTIONS CORP.	GLYPHOSATE IPA	KORNYK 480 SL	480 g/L	SL	HERBICIDE	4	683-151-5400	15-Dec-23	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
PLANTMEDS AGRISOLUTIONS CORP.	GLYPHOSATE IPA	KORNYK 480 SL	480 g/L	SL	HERBICIDE	4	683-151-5400	15-Dec-23	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
PLANTMEDS AGRISOLUTIONS CORP.	GLYPHOSATE IPA	KORNYK 480 SL	480 g/L	SL	HERBICIDE	4	683-151-5400	15-Dec-23	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/ha	-	-	-
PLANTMEDS AGRISOLUTIONS CORP.	GLYPHOSATE IPA	KORNYK 480 SL	480 g/L	SL	HERBICIDE	4	683-151-5400	15-Dec-23	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
PLANTMED AGRISOLUTIONS CORP.	GLYPHOSATE IPA	KONK 480 SL	480 g/L	SL	HERBICIDE	4	489-151-9400	15-Dec-23	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
PLANTMED AGRISOLUTIONS CORP.	GLYPHOSATE IPA	KONK 480 SL	480 g/L	SL	HERBICIDE	4	489-151-9400	15-Dec-23	POST-EMERGENT	non-crop	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
AGCHEM MANUFACTURING CORPORATION	CHLOROTHALONIL	KONTRA 75 WP	750 g/kg	WP	FUNGICIDE	4	001-118-1254	11-Aug-23	-	Mango	Anthracoise, diploidia rot	3.2-4.8 Tbsp/ 16 L water	-	-	Do not enter treatment areas until spray deposit have dried
AGCHEM MANUFACTURING CORPORATION	CHLOROTHALONIL	KONTRA 75 WP	750 g/kg	WP	FUNGICIDE	4	001-118-1254	11-Aug-23	-	Banana	Sigatoka, leaf fleckles, rust	3.2-4.8 Tbsp/ 16 L water	-	-	Do not enter treatment areas until spray deposit have dried
AGCHEM MANUFACTURING CORPORATION	CHLOROTHALONIL	KONTRA 75 WP	750 g/kg	WP	FUNGICIDE	4	001-118-1254	11-Aug-23	-	Potato	Early and late blight, vine rot	3.2-4.8 Tbsp/ 16 L water	-	-	Do not enter treatment areas until spray deposit have dried
AGCHEM MANUFACTURING CORPORATION	CHLOROTHALONIL	KONTRA 75 WP	750 g/kg	WP	FUNGICIDE	4	001-118-1254	11-Aug-23	-	Tomato	Early and late blight, Powdery mildew	3.2-4.8 Tbsp/ 16 L water	-	-	Do not enter treatment areas until spray deposit have dried
AGCHEM MANUFACTURING CORPORATION	CHLOROTHALONIL	KONTRA 75 WP	750 g/kg	WP	FUNGICIDE	4	001-118-1254	11-Aug-23	-	Eggplant	Early and late blight, cercospora leaf spot	3.2-4.8 Tbsp/ 16 L water	-	-	Do not enter treatment areas until spray deposit have dried
AGCHEM MANUFACTURING CORPORATION	CHLOROTHALONIL	KONTRA 75 WP	750 g/kg	WP	FUNGICIDE	4	001-118-1254	11-Aug-23	-	Pepper	Early and late blight, cercospora leaf spot	3.2-4.8 Tbsp/ 16 L water	-	-	Do not enter treatment areas until spray deposit have dried
AGCHEM MANUFACTURING CORPORATION	CHLOROTHALONIL	KONTRA 75 WP	750 g/kg	WP	FUNGICIDE	4	001-118-1254	11-Aug-23	-	Corn	Helminthosporium leaf spot, rust, downy mildew	3.2-4.8 Tbsp/ 16 L water	-	14 days	Do not enter treatment areas until spray deposit have dried
AGCHEM MANUFACTURING CORPORATION	CHLOROTHALONIL	KONTRA 75 WP	750 g/kg	WP	FUNGICIDE	4	001-118-1254	11-Aug-23	-	Onion	Purple blotch, bulb rot, neck rot	3.2-4.8 Tbsp/ 16 L water	-	7 days	Do not enter treatment areas until spray deposit have dried
AGCHEM MANUFACTURING CORPORATION	CHLOROTHALONIL	KONTRA 75 WP	750 g/kg	WP	FUNGICIDE	4	001-118-1254	11-Aug-23	-	Garlic	Purple blotch, bulb rot, neck rot	3.2-4.8 Tbsp/ 16 L water	-	7 days	Do not enter treatment areas until spray deposit have dried
AGCHEM MANUFACTURING CORPORATION	CHLOROTHALONIL	KONTRA 75 WP	750 g/kg	WP	FUNGICIDE	4	001-118-1254	11-Aug-23	-	Beans	Rust, anthracnose	3.2-4.8 Tbsp/ 16 L water	-	7 days	Do not enter treatment areas until spray deposit have dried
AGCHEM MANUFACTURING CORPORATION	CHLOROTHALONIL	KONTRA 75 WP	750 g/kg	WP	FUNGICIDE	4	001-118-1254	11-Aug-23	-	Peas	Rust, anthracnose	3.2-4.8 Tbsp/ 16 L water	-	7 days	Do not enter treatment areas until spray deposit have dried
AGCHEM MANUFACTURING CORPORATION	CHLOROTHALONIL	KONTRA 75 WP	750 g/kg	WP	FUNGICIDE	4	001-118-1254	11-Aug-23	-	Celery	Late blight	3.2-4.8 Tbsp/ 16 L water	-	7 days	Do not enter treatment areas until spray deposit have dried
AGCHEM MANUFACTURING CORPORATION	CHLOROTHALONIL	KONTRA 75 WP	750 g/kg	WP	FUNGICIDE	4	001-118-1254	11-Aug-23	-	Carrot	Alternaria leaf spot, cercospora leafspot	3.2-4.8 Tbsp/ 16 L water	-	-	Do not enter treatment areas until spray deposit have dried
AGCHEM MANUFACTURING CORPORATION	CHLOROTHALONIL	KONTRA 75 WP	750 g/kg	WP	FUNGICIDE	4	001-118-1254	11-Aug-23	-	lettuce	Downy mildew	3.2-4.8 Tbsp/ 16 L water	-	-	Do not enter treatment areas until spray deposit have dried
AGCHEM MANUFACTURING CORPORATION	CHLOROTHALONIL	KONTRA 75 WP	750 g/kg	WP	FUNGICIDE	4	001-118-1254	11-Aug-23	-	Cabbage	Powdery mildew	3.2-4.8 Tbsp/ 16 L water	-	-	Do not enter treatment areas until spray deposit have dried
AGCHEM MANUFACTURING CORPORATION	CHLOROTHALONIL	KONTRA 75 WP	750 g/kg	WP	FUNGICIDE	4	001-118-1254	11-Aug-23	-	Cauliflower	Powdery mildew	3.2-4.8 Tbsp/ 16 L water	-	-	Do not enter treatment areas until spray deposit have dried
AGCHEM MANUFACTURING CORPORATION	CHLOROTHALONIL	KONTRA 75 WP	750 g/kg	WP	FUNGICIDE	4	001-118-1254	11-Aug-23	-	Broccoli	Powdery mildew	3.2-4.8 Tbsp/ 16 L water	-	-	Do not enter treatment areas until spray deposit have dried
AGCHEM MANUFACTURING CORPORATION	CHLOROTHALONIL	KONTRA 75 WP	750 g/kg	WP	FUNGICIDE	4	001-118-1254	11-Aug-23	-	Watermelon	Anthracoise, powdery mildew, early and late blight, cercospora leafspot	3.2-4.8 Tbsp/ 16 L water	-	-	Do not enter treatment areas until spray deposit have dried
AGCHEM MANUFACTURING CORPORATION	CHLOROTHALONIL	KONTRA 75 WP	750 g/kg	WP	FUNGICIDE	4	001-118-1254	11-Aug-23	-	Melon	Anthracoise, powdery mildew, early and late blight, cercospora leafspot	3.2-4.8 Tbsp/ 16 L water	-	-	Do not enter treatment areas until spray deposit have dried
AGCHEM MANUFACTURING CORPORATION	CHLOROTHALONIL	KONTRA 75 WP	750 g/kg	WP	FUNGICIDE	4	001-118-1254	11-Aug-23	-	Squash	Anthracoise, powdery mildew, early and late blight, cercospora leafspot	3.2-4.8 Tbsp/ 16 L water	-	-	Do not enter treatment areas until spray deposit have dried
AGCHEM MANUFACTURING CORPORATION	CHLOROTHALONIL	KONTRA 75 WP	750 g/kg	WP	FUNGICIDE	4	001-118-1254	11-Aug-23	-	Grapes	Downy mildew, powdery mildew, fruit rot	3.2-4.8 Tbsp/ 16 L water	-	-	Do not enter treatment areas until spray deposit have dried
AGCHEM MANUFACTURING CORPORATION	CHLOROTHALONIL	KONTRA 75 WP	750 g/kg	WP	FUNGICIDE	4	001-118-1254	11-Aug-23	-	Peanut	Cercospora leafspot	3.2-4.8 Tbsp/ 16 L water	-	14 days	Do not enter treatment areas until spray deposit have dried
AGCHEM MANUFACTURING CORPORATION	CHLOROTHALONIL	KONTRA 75 WP	750 g/kg	WP	FUNGICIDE	4	001-118-1254	11-Aug-23	-	Rice	Rice blast, stem rot, helminthosporium leaf spot, cercospora leaf spot, sheath blight	3.2-4.8 Tbsp/ 16 L water	-	14 days	Do not enter treatment areas until spray deposit have dried
AGCHEM MANUFACTURING CORPORATION	CHLOROTHALONIL	KONTRA 75 WP	750 g/kg	WP	FUNGICIDE	4	001-118-1254	11-Aug-23	-	Citrus	Melanose, scab	3.2-4.8 Tbsp/ 16 L water	-	-	Do not enter treatment areas until spray deposit have dried
AGCHEM MANUFACTURING CORPORATION	CHLOROTHALONIL	KONTRA 75 WP	750 g/kg	WP	FUNGICIDE	4	001-118-1254	11-Aug-23	-	Ornamentals	Black spot, powdery mildew, black rot	3.2-4.8 Tbsp/ 16 L water	-	-	Do not enter treatment areas until spray deposit have dried
TRADETON CORPORATION	ALPHA-CYPERMETHRIN	KOMET 250 SC	250 g/L	SC	INSECTICIDE	4	439-274-2807	30-Jun-20	-	Rice	Whorl magots, stemborer, rice bug, leafhopper, brown planthopper, leafroller	4-5mL/16 water	-	-	Can be harvested 3 days after spraying
TRADETON CORPORATION	ALPHA-CYPERMETHRIN	KOMET 250 SC	250 g/L	SC	INSECTICIDE	4	439-274-2807	30-Jun-20	-	Corn	Magots, borer, earworm	2-3mL/16 water	-	-	Can be harvested 3 days after spraying
TRADETON CORPORATION	ALPHA-CYPERMETHRIN	KOMET 250 SC	250 g/L	SC	INSECTICIDE	4	439-274-2807	30-Jun-20	-	Watermelon	Armyworm, leafroller, leafroller, aphids, squash beetle	2-3mL/16 water	-	-	Can be harvested 3 days after spraying
TRADETON CORPORATION	ALPHA-CYPERMETHRIN	KOMET 250 SC	250 g/L	SC	INSECTICIDE	4	439-274-2807	30-Jun-20	-	Stringbeans	Podborer, aphids, cutworm	2-3mL/16 water	-	-	Can be harvested 3 days after spraying
TRADETON CORPORATION	ALPHA-CYPERMETHRIN	KOMET 250 SC	250 g/L	SC	INSECTICIDE	4	439-274-2807	30-Jun-20	-	eggplant	Leafhopper, mites, podborer	2-3mL/16 water	-	-	Can be harvested 3 days after spraying
TRADETON CORPORATION	ALPHA-CYPERMETHRIN	KOMET 250 SC	250 g/L	SC	INSECTICIDE	4	439-274-2807	30-Jun-20	-	Tomato	Fruitworm	2-5- 3.5mL/16 water	-	-	Can be harvested 3 days after spraying
TRADETON CORPORATION	ALPHA-CYPERMETHRIN	KOMET 250 SC	250 g/L	SC	INSECTICIDE	4	439-274-2807	30-Jun-20	-	tobacco	Budworm. Cutworm, aphids	2-3mL/16 water	-	-	Can be harvested 3 days after spraying
UNIVERSAL HARVESTER INC.	AZOXYSTROBIN	KOMANDER 25 SC	250 g/L	SC	FUNGICIDE	4	466-309-4269	05-Mar-21	SYSTEMIC	Mango	Anthracoise, scab, stem-end rot	8-8/100L water	-	-	Do not spray 3-7 days before harvest
UNIVERSAL HARVESTER INC.	AZOXYSTROBIN	KOMANDER 25 SC	250 g/L	SC	FUNGICIDE	4	466-309-4269	05-Mar-21	SYSTEMIC	Watermelon	Damping off, leaf spot, anthracnose, downy, mildew, powdery mildew	1-2Tbsp/16 L water	-	-	Do not spray 3-7 days before harvest
UNIVERSAL HARVESTER INC.	AZOXYSTROBIN	KOMANDER 25 SC	250 g/L	SC	FUNGICIDE	4	466-309-4269	05-Mar-21	SYSTEMIC	Onion	Basal/bulb rot	1-2Tbsp/16 L water	-	-	Do not spray 3-7 days before harvest
UNIVERSAL HARVESTER INC.	AZOXYSTROBIN	KOMANDER 25 SC	250 g/L	SC	FUNGICIDE	4	466-309-4269	05-Mar-21	SYSTEMIC	Tomato	Late/early blight, powdery mildew	0.5-1Tbsp/16 L water	-	-	Do not spray 3-7 days before harvest
UNIVERSAL HARVESTER INC.	AZOXYSTROBIN	KOMANDER 25 SC	250 g/L	SC	FUNGICIDE	4	466-309-4269	05-Mar-21	SYSTEMIC	Corn	Sheath blight, leaf spot, leaf rust, ear rot	2-4Tbsp/16 L water	-	-	Do not spray 3-7 days before harvest
UNIVERSAL HARVESTER INC.	AZOXYSTROBIN	KOMANDER 25 SC	250 g/L	SC	FUNGICIDE	4	466-309-4269	05-Mar-21	SYSTEMIC	Asparagus	Stem blight, leaf blight, fusarium wilt	1-1Tbsp/16 L water	-	-	Do not spray 3-7 days before harvest
ALDIZ INCORPORATED	GLUFOSINATE AMMONIUM	KOJAC 150 SL	150 g/L	SL	HERBICIDE	4	002-182-4582	22-Jul-25	POST-EMERGENT	Rubber	Annual grasses,sedges and broadleaves	-	-	-	-
ALDIZ INCORPORATED	GLUFOSINATE AMMONIUM	KOJAC 150 SL	150 g/L	SL	HERBICIDE	4	002-182-4582	22-Jul-25	POST-EMERGENT	Oil palm	Annual grasses,sedges and broadleaves	-	-	-	-
ALDIZ INCORPORATED	GLUFOSINATE AMMONIUM	KOJAC 150 SL	150 g/L	SL	HERBICIDE	4	002-182-4582	22-Jul-25	POST-EMERGENT	Non-crop areas	Annual grasses,sedges and broadleaves	-	-	-	-
ALDIZ INCORPORATED	GLUFOSINATE AMMONIUM	KOJAC 150 SL	150 g/L	SL	HERBICIDE	4	002-182-4582	22-Jul-25	POST-EMERGENT	Cavendish Banana	Annual grasses,sedges and broadleaves	-	0.2 mg/kg	-	-
CORTEVA ASIA PACIFIC INC. PHILIPPINE BRANCH	COPPER HYDROXIDE	KOOCIDE 200 DF	538 g/kg	DF	FUNGICIDE	3	014-180-1718	20-Nov-26	-	Tomato	Early blight, fruit rot septoria, downy mildew	2.0-6.0 Tbsp/16L	-	7 days	Do not enter treated areas until spray has dried
CORTEVA ASIA PACIFIC INC. PHILIPPINE BRANCH	COPPER HYDROXIDE	KOOCIDE 200 DF	538 g/kg	DF	FUNGICIDE	3	014-180-1718	20-Nov-26	-	Mango	Anthracoise	2.0-6.0 Tbsp/16L	-	7 days	Do not enter treated areas until spray has dried
CORTEVA ASIA PACIFIC INC. PHILIPPINE BRANCH	COPPER HYDROXIDE	KOOCIDE 200 DF	538 g/kg	DF	FUNGICIDE	3	014-180-1718	20-Nov-26	-	Rice (hybrid)	Bacterial leaf blight	4.0-6.0 Tbsp/16L	-	7 days	Do not enter treated areas until spray has dried
CORTEVA ASIA PACIFIC INC. PHILIPPINE BRANCH	COPPER HYDROXIDE	KOOCIDE 200 DF	538 g/kg	DF	FUNGICIDE	3	014-180-1718	20-Nov-26	-	Cacao	Black pod	2.0-6.0 Tbsp/16L	-	7 days	Do not enter treated areas until spray has dried
CORTEVA ASIA PACIFIC INC. PHILIPPINE BRANCH	COPPER HYDROXIDE	KOOCIDE 200 DF	538 g/kg	DF	FUNGICIDE	3	014-180-1718	20-Nov-26	-	Coffee	Leaf rust, coffee berry disease	2.0-6.0 Tbsp/16L	-	7 days	Do not enter treated areas until spray has dried
CORTEVA ASIA PACIFIC INC. PHILIPPINE BRANCH	COPPER HYDROXIDE	KOOCIDE 200 DF	538 g/kg	DF	FUNGICIDE	3	014-180-1718	20-Nov-26	-	Citrus	Melanose, scab, canker, fruit rot, brown and black spot	2.0-6.0 Tbsp/16L	-	7 days	Do not enter treated areas until spray has dried
CORTEVA ASIA PACIFIC INC. PHILIPPINE BRANCH	COPPER HYDROXIDE	KOOCIDE 200 DF	538 g/kg	DF	FUNGICIDE	3	014-180-1718	20-Nov-26	-	Onion	Purple blotch, downy mildew	2.0-6.0 Tbsp/16L	-	7 days	Do not enter treated areas until spray has dried
CORTEVA ASIA PACIFIC INC. PHILIPPINE BRANCH	COPPER HYDROXIDE	KOOCIDE 200 DF	538 g/kg	DF	FUNGICIDE	3	014-180-1718	20-Nov-26	-	Potato	Early and late blight	2.0-6.0 Tbsp/16L	-	7 days	Do not enter treated areas until spray has dried
CORTEVA ASIA PACIFIC INC. PHILIPPINE BRANCH	COPPER HYDROXIDE	KOOCIDE 200 DF	538 g/kg	DF	FUNGICIDE	3	014-180-1718	20-Nov-26	-	Cabbage	Black rot, black leaf spot	2.0-6.0 Tbsp/16L	-	7 days	Do not enter treated areas until spray has dried
CORTEVA ASIA PACIFIC INC. PHILIPPINE BRANCH	COPPER HYDROXIDE	KOOCIDE 200 DF	538 g/kg	DF	FUNGICIDE	3	014-180-1718	20-Nov-26	-	Carrot	Carrot blight, alternia	2.0-6.0 Tbsp/16L	-	7 days	Do not enter treated areas until spray has dried
CORTEVA ASIA PACIFIC INC. PHILIPPINE BRANCH	COPPER HYDROXIDE	KOOCIDE 200 DF	538 g/kg	DF	FUNGICIDE	3	014-180-1718	20-Nov-26	-	Pepper	Bacterial spot	2.0-6.0 Tbsp/16L	-	7 days	Do not enter treated areas until spray has dried
CORTEVA ASIA PACIFIC INC. PHILIPPINE BRANCH	COPPER HYDROXIDE	KOOCIDE 200 DF	538 g/kg	DF	FUNGICIDE	3	014-180-1718	20-Nov-26	-	Beans	Rust, bacterial blight	2.0-6.0 Tbsp/16L	-	7 days	Do not enter treated areas until spray has dried

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)		PHI	RE-ENTRY PERIOD
CORTEVA ASIA PACIFIC INC. PHILIPPINE BRANCH	COPPER HYDROXIDE	KOCIDE 200 DF	538 g/kg	DF	FUNGICIDE	3	034-180-1718	20-Nov-26	-	Watermelon	Anthracoise, fruit rot	2.0-6.0 Tbsp/36L	-	7 days	-	Do not enter treated areas until spray has dried
CORTEVA ASIA PACIFIC INC. PHILIPPINE BRANCH	COPPER HYDROXIDE	KOCIDE 200 DF	538 g/kg	DF	FUNGICIDE	3	034-180-1718	20-Nov-26	-	Cucumber	Anthracoise, septoria, cercospora, fruit rot, downy mildew	2.0-6.0 Tbsp/36L	-	7 days	-	Do not enter treated areas until spray has dried
CORTEVA ASIA PACIFIC INC. PHILIPPINE BRANCH	COPPER HYDROXIDE	KOCIDE 200 DF	538 g/kg	DF	FUNGICIDE	3	034-180-1718	20-Nov-26	-	Grapes	Black rot, downy and powdery mildew	2.0-6.0 Tbsp/36L	-	7 days	-	Do not enter treated areas until spray has dried
CORTEVA ASIA PACIFIC INC. PHILIPPINE BRANCH	COPPER HYDROXIDE	KOCIDE 200 DF	538 g/kg	DF	FUNGICIDE	3	034-180-1718	20-Nov-26	-	Celery	Early and late blight	2.0-6.0 Tbsp/36L	-	7 days	-	Do not enter treated areas until spray has dried
CORTEVA ASIA PACIFIC INC. PHILIPPINE BRANCH	COPPER HYDROXIDE	KOCIDE 200 DF	538 g/kg	DF	FUNGICIDE	3	034-180-1718	20-Nov-26	-	Banana	Sigatoka, bacterial fruit rot, finger rot, corn rot	2.0-6.0 Tbsp/36L	-	7 days	-	Do not enter treated areas until spray has dried
CORTEVA ASIA PACIFIC INC. PHILIPPINE BRANCH	COPPER HYDROXIDE	KOCIDE 200 DF	538 g/kg	DF	FUNGICIDE	3	034-180-1718	20-Nov-26	-	Cauliflower	Downy mildew, alternaria, leaf spot	2.0-6.0 Tbsp/36L	-	7 days	-	Do not enter treated areas until spray has dried
AGRI-SPOUT PHILIPPINES, INC.	CYPERMETHRIN	KNOCK OUT S EC	50 g/L	EC	INSECTICIDE	4	668-037-5292	07-May-24	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/36 L water	-	7 days	-	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage
AGRI-SPOUT PHILIPPINES, INC.	CYPERMETHRIN	KNOCK OUT S EC	50 g/L	EC	INSECTICIDE	4	668-037-5292	07-May-24	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leafhopper, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/36 L water	-	7 days	-	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage
AGRI-SPOUT PHILIPPINES, INC.	CYPERMETHRIN	KNOCK OUT S EC	50 g/L	EC	INSECTICIDE	4	668-037-5292	07-May-24	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/36 L water	-	7 days	-	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage
AGRI-SPOUT PHILIPPINES, INC.	CYPERMETHRIN	KNOCK OUT S EC	50 g/L	EC	INSECTICIDE	4	668-037-5292	07-May-24	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/36 L water	-	7 days	-	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage
AGRI-SPOUT PHILIPPINES, INC.	CYPERMETHRIN	KNOCK OUT S EC	50 g/L	EC	INSECTICIDE	4	668-037-5292	07-May-24	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/36 L water	-	7 days	-	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage
AGRI-SPOUT PHILIPPINES, INC.	CYPERMETHRIN	KNOCK OUT S EC	50 g/L	EC	INSECTICIDE	4	668-037-5292	07-May-24	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/36 L water	-	7 days	-	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage
AGRI-SPOUT PHILIPPINES, INC.	CYPERMETHRIN	KNOCK OUT S EC	50 g/L	EC	INSECTICIDE	4	668-037-5292	07-May-24	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/36 L water	-	7 days	-	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage
AGRI-SPOUT PHILIPPINES, INC.	CYPERMETHRIN	KNOCK OUT S EC	50 g/L	EC	INSECTICIDE	4	668-037-5292	07-May-24	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/36 L water	-	7 days	-	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage
AGRI-SPOUT PHILIPPINES, INC.	CYPERMETHRIN	KNOCK OUT S EC	50 g/L	EC	INSECTICIDE	4	668-037-5292	07-May-24	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/36 L water	-	7 days	-	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage
AGRI-SPOUT PHILIPPINES, INC.	CYPERMETHRIN	KNOCK OUT S EC	50 g/L	EC	INSECTICIDE	4	668-037-5292	07-May-24	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/36 L water	-	7 days	-	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage
AGRI-SPOUT PHILIPPINES, INC.	CYPERMETHRIN	KNOCK OUT S EC	50 g/L	EC	INSECTICIDE	4	668-037-5292	07-May-24	CONTACT	Corn	Comborer, earworm	1.0-4.5 Tbsp/36 L water	-	7 days	-	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage
MEGA BOOSTER AGRI TRADING CO.	CARTAP HYDROCHLORIDE	KNIGHT 50 SP	500 g/kg	SP	INSECTICIDE	3	531-106-3147	26-Jun-23	SYSTEMIC	Rice	Whorl maggot, stemborer, green leafhopper, brown planthopper	1.0-5.0Tbsp/36 L water	0.2ppm	Spraying should be done 10 days before harvest	-	Enter the treated field 48 hours after spraying
MEGA BOOSTER AGRI TRADING CO.	CARTAP HYDROCHLORIDE	KNIGHT 50 SP	500 g/kg	SP	INSECTICIDE	3	531-106-3147	26-Jun-23	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/36 L water	-	Spraying should be done 10 days before harvest	-	Enter the treated field 48 hours after spraying
MEGA BOOSTER AGRI TRADING CO.	CARTAP HYDROCHLORIDE	KNIGHT 50 SP	500 g/kg	SP	INSECTICIDE	3	531-106-3147	26-Jun-23	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/36 L water	-	Spraying should be done 10 days before harvest	-	Enter the treated field 48 hours after spraying
MEGA BOOSTER AGRI TRADING CO.	CARTAP HYDROCHLORIDE	KNIGHT 50 SP	500 g/kg	SP	INSECTICIDE	3	531-106-3147	26-Jun-23	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/36 L water	-	Spraying should be done 10 days before harvest	-	Enter the treated field 48 hours after spraying
MEGA BOOSTER AGRI TRADING CO.	CARTAP HYDROCHLORIDE	KNIGHT 50 SP	500 g/kg	SP	INSECTICIDE	3	531-106-3147	26-Jun-23	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/36 L water	-	Spraying should be done 10 days before harvest	-	Enter the treated field 48 hours after spraying
MEGA BOOSTER AGRI TRADING CO.	CARTAP HYDROCHLORIDE	KNIGHT 50 SP	500 g/kg	SP	INSECTICIDE	3	531-106-3147	26-Jun-23	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/36 L water	-	Spraying should be done 10 days before harvest	-	Enter the treated field 48 hours after spraying
MEGA BOOSTER AGRI TRADING CO.	CARTAP HYDROCHLORIDE	KNIGHT 50 SP	500 g/kg	SP	INSECTICIDE	3	531-106-3147	26-Jun-23	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/36 L water	-	Spraying should be done 10 days before harvest	-	Enter the treated field 48 hours after spraying
MEGA BOOSTER AGRI TRADING CO.	CARTAP HYDROCHLORIDE	KNIGHT 50 SP	500 g/kg	SP	INSECTICIDE	3	531-106-3147	26-Jun-23	SYSTEMIC	Mango	leafhoppers	1.5-2.0Tbsp/36 L water	-	Spraying should be done 10 days before harvest	-	Enter the treated field 48 hours after spraying
MEGA BOOSTER AGRI TRADING CO.	CARTAP HYDROCHLORIDE	KNIGHT 50 SP	500 g/kg	SP	INSECTICIDE	3	531-106-3147	26-Jun-23	SYSTEMIC	Pechay	looper, cutworm, aphids	1.5-3.0Tbsp/36 L water	-	Spraying should be done 10 days before harvest	-	Enter the treated field 48 hours after spraying
HANEARL SCIENCE PHILIPPINES, INC.	NICLOXAMIDE ETHANOLAMINE SALT	K-MIMOSA 70 WP	700 g/g/kg	WP	MOLLUSCICIDE	4	659-035-4959-A (672)	30-Dec-24	CONTACT	Rice	Golden Apple Snail	30 gm/36 L water	-	-	-	48 hours after spraying
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB-METALAXYL	K-MIMOSA 72 WP	640+80 g/kg	WP	FUNGICIDE	4	659-035-4969	27-May-25	SYSTEMIC	Pineapple	Hearn Rot	20-24 kg/ha	-	21 days	-	Do not enter treated field until spray deposits have dried up.
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB-METALAXYL	K-MIMOSA 72 WP	640+80 g/kg	WP	FUNGICIDE	4	659-035-4969	27-May-25	SYSTEMIC	Potato	Late blight	9-30 Tbsp (50-100g)/36 L water	-	14 days	-	Do not enter treated field until spray deposits have dried up.
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB-METALAXYL	K-MIMOSA 72 WP	640+80 g/kg	WP	FUNGICIDE	4	659-035-4969	27-May-25	SYSTEMIC	Tomato	Late blight	8-10 Tbsp (50-100g)/36 L water	-	3 days	-	Do not enter treated field until spray deposits have dried up.
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB-METALAXYL	K-MIMOSA 72 WP	640+80 g/kg	WP	FUNGICIDE	4	659-035-4969	27-May-25	SYSTEMIC	Grchids	Black Rot	2.5 Tbsp (25g)/36L water	-	-	-	Do not enter treated field until spray deposits have dried up.
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB-METALAXYL	K-MIMOSA 72 WP	640+80 g/kg	WP	FUNGICIDE	4	659-035-4969	27-May-25	SYSTEMIC	Asparagus	Spear Rot	2 kg product/ha	-	1 day	-	Do not enter treated field until spray deposits have dried up.
HANEARL SCIENCE PHILIPPINES, INC.	METALDEHIDE	K-METAMAX 6N P	60 g/kg	P	MOLLUSCICIDE	4	659-075-5111	07-Mar-23	CONTACT	Rice (Transplanted)	Golden apple snail	3-4 kg/ product per hectare	-	-	-	-
HANEARL SCIENCE PHILIPPINES, INC.	METALDEHIDE	K-METAMAX 6N P	60 g/kg	P	MOLLUSCICIDE	4	659-075-5111	07-Mar-23	CONTACT	Rice (Direct-Seeded)	Golden apple snail	4-8 kg/product per hectare	-	-	-	-
HANEARL SCIENCE PHILIPPINES, INC.	METALDEHIDE	K-METAMAX 6N P	60 g/kg	P	MOLLUSCICIDE	4	659-075-5111	07-Mar-23	CONTACT	Plotted and driftwood-attached plants such as	Bush, snails, giant african snail and slugs	3-2 kg/product per hectare	-	-	-	-
HANEARL SCIENCE PHILIPPINES, INC.	METALDEHIDE	K-METAMAX 6N P	60 g/kg	P	MOLLUSCICIDE	4	659-075-5111	07-Mar-23	CONTACT	Chinese Cabbage	Slug, snails	6-8 kg/product per hectare	-	-	-	-
HANEARL SCIENCE PHILIPPINES, INC.	METALDEHIDE	K-METAMAX 6N P	60 g/kg	P	MOLLUSCICIDE	4	659-075-5111	07-Mar-23	CONTACT	Strawberry	Slug, snails	6-8 kg/product per hectare	-	-	-	-
HANEARL SCIENCE PHILIPPINES, INC.	CYPERMETHRIN	K-MARVEL S EC	50 g/L	EC	INSECTICIDE	4	659-037-5521-A	06-Dec-26	CONTACT	Mango	Leafhopper, twig borer, tip borer, Fruit fly	1.0-3.0 Tbsp/36 L water	-	7 days	-	Re-entry to treated field is allowed as soon as spray deposit dry
HANEARL SCIENCE PHILIPPINES, INC.	CYPERMETHRIN	K-MARVEL S EC	50 g/L	EC	INSECTICIDE	4	659-037-5521-A	06-Dec-26	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leafhopper, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/36 L water	-	7 days	-	Re-entry to treated field is allowed as soon as spray deposit dry
HANEARL SCIENCE PHILIPPINES, INC.	CYPERMETHRIN	K-MARVEL S EC	50 g/L	EC	INSECTICIDE	4	659-037-5521-A	06-Dec-26	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/36 L water	-	7 days	-	Re-entry to treated field is allowed as soon as spray deposit dry
HANEARL SCIENCE PHILIPPINES, INC.	CYPERMETHRIN	K-MARVEL S EC	50 g/L	EC	INSECTICIDE	4	659-037-5521-A	06-Dec-26	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/36 L water	-	7 days	-	Re-entry to treated field is allowed as soon as spray deposit dry
HANEARL SCIENCE PHILIPPINES, INC.	CYPERMETHRIN	K-MARVEL S EC	50 g/L	EC	INSECTICIDE	4	659-037-5521-A	06-Dec-26	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/36 L water	-	7 days	-	Re-entry to treated field is allowed as soon as spray deposit dry
HANEARL SCIENCE PHILIPPINES, INC.	CYPERMETHRIN	K-MARVEL S EC	50 g/L	EC	INSECTICIDE	4	659-037-5521-A	06-Dec-26	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/36 L water	-	7 days	-	Re-entry to treated field is allowed as soon as spray deposit dry
HANEARL SCIENCE PHILIPPINES, INC.	CYPERMETHRIN	K-MARVEL S EC	50 g/L	EC	INSECTICIDE	4	659-037-5521-A	06-Dec-26	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/36 L water	-	7 days	-	Re-entry to treated field is allowed as soon as spray deposit dry
HANEARL SCIENCE PHILIPPINES, INC.	CYPERMETHRIN	K-MARVEL S EC	50 g/L	EC	INSECTICIDE	4	659-037-5521-A	06-Dec-26	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/36 L water	-	7 days	-	Re-entry to treated field is allowed as soon as spray deposit dry
HANEARL SCIENCE PHILIPPINES, INC.	CYPERMETHRIN	K-MARVEL S EC	50 g/L	EC	INSECTICIDE	4	659-037-5521-A	06-Dec-26	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/36 L water	-	7 days	-	Re-entry to treated field is allowed as soon as spray deposit dry
HANEARL SCIENCE PHILIPPINES, INC.	CYPERMETHRIN	K-MARVEL S EC	50 g/L	EC	INSECTICIDE	4	659-037-5521-A	06-Dec-26	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/36 L water	-	7 days	-	Re-entry to treated field is allowed as soon as spray deposit dry
HANEARL SCIENCE PHILIPPINES, INC.	CYPERMETHRIN	K-MARVEL S EC	50 g/L	EC	INSECTICIDE	4	659-037-5521-A	06-Dec-26	CONTACT	Corn	Comborer, earworm	1.0-4.5 Tbsp/36 L water	-	7 days	-	Re-entry to treated field is allowed as soon as spray deposit dry
HANEARL SCIENCE PHILIPPINES, INC.	CYMOXANIL-MANCOZEB	K-MANCY 50S WP	40+46g/kg	WP	FUNGICIDE	4	659-163-5155	25-Mar-25	-	Potato	Late Blight	50 (gram product)/36 L	-	-	-	Do not enter fields treated with K-MANCY 50S WP within 24 hours after application.
HANEARL SCIENCE PHILIPPINES, INC.	CYMOXANIL-MANCOZEB	K-MANCY 50S WP	40+46g/kg	WP	FUNGICIDE	4	659-163-5155	25-Mar-25	-	Tomato	Late Blight	50 (gram product)/36 L	-	-	-	Do not enter fields treated with K-MANCY 50S WP within 24 hours after application.
HANEARL SCIENCE PHILIPPINES, INC.	CYMOXANIL-MANCOZEB	K-MANCY 50S WP	40+46g/kg	WP	FUNGICIDE	4	659-163-5155	25-Mar-25	-	Grapes	Downy mildew	50 (gram product)/36 L	-	-	-	Do not enter fields treated with K-MANCY 50S WP within 24 hours after application.
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-5078/5649	22-Jan-26	-	Potato	Early and late blight	3-6 Tbsp/36 L water	-	-	-	As soon as spray dries
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-5078/5649	22-Jan-26	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	7 days	-	As soon as spray dries
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-5078/5649	22-Jan-26	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	7 days	-	As soon as spray dries
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-5078/5649	22-Jan-26	-	broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	7 days	-	As soon as spray dries
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-5078/5649	22-Jan-26	-	Celery	Late blight	3-6 Tbsp/36 L water	-	14 days	-	As soon as spray dries

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-5078/5649	22-Jan-26	-	Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-5078/5649	22-Jan-26	-	Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-5078/5649	22-Jan-26	-	Cotton	Damping off	3-6 Tbsp/36 L water	-	-	As soon as spray dries
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-5078/5649	22-Jan-26	-	lettuce	Downy mildew	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-5078/5649	22-Jan-26	-	beans	Anthracoese, Downy mildew, Rust	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-5078/5649	22-Jan-26	-	Peas	Anthracoese, Downy mildew, Rust	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-5078/5649	22-Jan-26	-	Mungbeans	Anthracoese, Downy mildew, Rust	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-5078/5649	22-Jan-26	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-5078/5649	22-Jan-26	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-5078/5649	22-Jan-26	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-5078/5649	22-Jan-26	-	Pepper	Anthracoese	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-5078/5649	22-Jan-26	-	Chili	Anthracoese	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-5078/5649	22-Jan-26	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-5078/5649	22-Jan-26	-	Banana	Sigatoka, Black leaf streak	3-6 Tbsp/36 L water	-	-	As soon as spray dries
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-5078/5649	22-Jan-26	-	Grapes	Downy mildew, black rot	3-6 Tbsp/36 L water	-	60 days	As soon as spray dries
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-5078/5649	22-Jan-26	-	Mango	Anthracoese and Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-5078/5649	22-Jan-26	-	Papaya	Fruit rot	3-6 Tbsp/36 L water	-	-	As soon as spray dries
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-5078/5649	22-Jan-26	-	Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-5078/5649	22-Jan-26	-	Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-5078/5649	22-Jan-26	-	Corn(sweet & popcorn)	Helminthosporium leaf spot	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-5078/5649	22-Jan-26	-	Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/36 L water	-	-	As soon as spray dries
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-5078/5649	22-Jan-26	-	Peanut	Cercospora leaf spot	3-6 Tbsp/36 L water	-	14 days	As soon as spray dries
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-5078/5649	22-Jan-26	-	Soybeans	leaf rust	3-6 Tbsp/36 L water	-	-	As soon as spray dries
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-5078/5649	22-Jan-26	-	Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/36 L water	-	-	As soon as spray dries
HANEARL SCIENCE PHILIPPINES, INC.	MALATHION	K-MALTH 57 EC	570 g/L	EC	INSECTICIDE	4	659-038-4982	09-Oct-26	NON-SYSTEMIC	Fruit trees	Aphids, mealy bug scale insect	1.5-3.0Tbsp/36 L water	-	-	Discontinue spraying at least 2-7 days before harvest Entry to sprayed areas is not allowed within one day after application
HANEARL SCIENCE PHILIPPINES, INC.	MALATHION	K-MALTH 57 EC	570 g/L	EC	INSECTICIDE	4	659-038-4982	09-Oct-26	NON-SYSTEMIC	Rice	Armyworm, caseworm, leafhopper, bugs	2.0-3.0Tbsp/36 L water	-	-	Discontinue spraying at least 2-7 days before harvest Entry to sprayed areas is not allowed within one day after application
HANEARL SCIENCE PHILIPPINES, INC.	MALATHION	K-MALTH 57 EC	570 g/L	EC	INSECTICIDE	4	659-038-4982	09-Oct-26	NON-SYSTEMIC	Corn	Earworm, silkworm, aphids, grasshopper	3.0-5.0Tbsp/36 L water	-	-	Discontinue spraying at least 2-7 days before harvest Entry to sprayed areas is not allowed within one day after application
HANEARL SCIENCE PHILIPPINES, INC.	MALATHION	K-MALTH 57 EC	570 g/L	EC	INSECTICIDE	4	659-038-4982	09-Oct-26	NON-SYSTEMIC	Cabbage	Cabbage worm, loopers, diamond-back moth	2.0-5.0Tbsp/36 L water	-	-	Discontinue spraying at least 2-7 days before harvest Entry to sprayed areas is not allowed within one day after application
HANEARL SCIENCE PHILIPPINES, INC.	MALATHION	K-MALTH 57 EC	570 g/L	EC	INSECTICIDE	4	659-038-4982	09-Oct-26	NON-SYSTEMIC	Legumes	Aphids, beanfly, cutworm, flea beetles, leafminer, maggots, mealybug, podborer, thrips	2.0-5.0Tbsp/36 L water	-	-	Discontinue spraying at least 2-7 days before harvest Entry to sprayed areas is not allowed within one day after application
HANEARL SCIENCE PHILIPPINES, INC.	MALATHION	K-MALTH 57 EC	570 g/L	EC	INSECTICIDE	4	659-038-4982	09-Oct-26	NON-SYSTEMIC	Grapes	Beetles, cutworm, leafhopper, mealybug, scale, insect, spider mites	3.0Tbsp/36 L water	-	-	Discontinue spraying at least 2-7 days before harvest Entry to sprayed areas is not allowed within one day after application
HANEARL SCIENCE PHILIPPINES, INC.	MALATHION	K-MALTH 57 EC	570 g/L	EC	INSECTICIDE	4	659-038-4982	09-Oct-26	NON-SYSTEMIC	Pineapple	Mealy bug	3.0Tbsp/36 L water	-	-	Discontinue spraying at least 2-7 days before harvest Entry to sprayed areas is not allowed within one day after application
HANEARL SCIENCE PHILIPPINES, INC.	MALATHION	K-MALTH 57 EC	570 g/L	EC	INSECTICIDE	4	659-038-4982	09-Oct-26	NON-SYSTEMIC	Pepper	Aphid, cutworm, fruitworm	3.0Tbsp/36 L water	-	-	Discontinue spraying at least 2-7 days before harvest Entry to sprayed areas is not allowed within one day after application
HANEARL SCIENCE PHILIPPINES, INC.	MALATHION	K-MALTH 57 EC	570 g/L	EC	INSECTICIDE	4	659-038-4982	09-Oct-26	NON-SYSTEMIC	Garlic	Cutworm	3.0Tbsp/36 L water	-	-	Discontinue spraying at least 2-7 days before harvest Entry to sprayed areas is not allowed within one day after application
HANEARL SCIENCE PHILIPPINES, INC.	MALATHION	K-MALTH 57 EC	570 g/L	EC	INSECTICIDE	4	659-038-4982	09-Oct-26	NON-SYSTEMIC	Onion	Cutworm	3.0Tbsp/36 L water	-	-	Discontinue spraying at least 2-7 days before harvest Entry to sprayed areas is not allowed within one day after application
HANEARL SCIENCE PHILIPPINES, INC.	MALATHION	K-MALTH 57 EC	570 g/L	EC	INSECTICIDE	4	659-038-4982	09-Oct-26	NON-SYSTEMIC	Tobacco	Aphids, ladybird	3.0-6.0Tbsp/36 L water	-	-	Discontinue spraying at least 2-7 days before harvest Entry to sprayed areas is not allowed within one day after application
HANEARL SCIENCE PHILIPPINES, INC.	MALATHION	K-MALTH 57 EC	570 g/L	EC	INSECTICIDE	4	659-038-4982	09-Oct-26	NON-SYSTEMIC	Ornamentals	Aphids, cutworm, mealybug, scale insect, spider mites	3.0-5.0Tbsp/36 L water	-	-	Discontinue spraying at least 2-7 days before harvest Entry to sprayed areas is not allowed within one day after application
HANEARL SCIENCE PHILIPPINES, INC.	MALATHION	K-MALTH 57 EC	570 g/L	EC	INSECTICIDE	4	659-038-4982	09-Oct-26	NON-SYSTEMIC	Tomato	Lady beetle	3.0-5.0Tbsp/36 L water	-	-	Discontinue spraying at least 2-7 days before harvest Entry to sprayed areas is not allowed within one day after application
HANEARL SCIENCE PHILIPPINES, INC.	MALATHION	K-MALTH 57 EC	570 g/L	EC	INSECTICIDE	4	659-038-4982	09-Oct-26	NON-SYSTEMIC	Eggplant	Aphids, fruitworm	3.0-5.0Tbsp/36 L water	-	-	Discontinue spraying at least 2-7 days before harvest Entry to sprayed areas is not allowed within one day after application
HANEARL SCIENCE PHILIPPINES, INC.	MALATHION	K-MALTH 57 EC	570 g/L	EC	INSECTICIDE	4	659-038-4982	09-Oct-26	NON-SYSTEMIC	Sorghum	Web worm	3.0Tbsp/36 L water	-	-	Discontinue spraying at least 2-7 days before harvest Entry to sprayed areas is not allowed within one day after application
TRANS WORLD TRADING CO., INC.	CHLORFENAPIR	KLORFEN 240 SC	240 g/L	SC	INSECTICIDE	3	038-283-4612	08-Jan-25	-	Cabbage	Diamond back moth, aphids & cabbage moth	4.30-12.50 g 30-12.30, 30-40-12.30 ml/36 L water	-	-	-
TRANS WORLD TRADING CO., INC.	CHLORFENAPIR	KLORFEN 240 SC	240 g/L	SC	INSECTICIDE	3	038-283-4612	08-Jan-25	-	Potato	Thrips	2.10-6.30 g 30-12.30 ml/36 L water	-	-	-
TRANS WORLD TRADING CO., INC.	CHLORFENAPIR	KLORFEN 240 SC	240 g/L	SC	INSECTICIDE	3	038-283-4612	08-Jan-25	-	Banana	Flower thrips	8.30-12.50 ml / 36 L water	-	-	-
EZERTech CORPORATION	PROCHLORAZ	KLORAZ 45 EW	450 g/L	EW	FUNGICIDE	3	649-300-5305	22-Dec-26	PRE-HARVEST/POST-HARVEST	Banana	Fungal crown mold/crown rot	2mL/L water	-	-	-
EZERTech CORPORATION	PROCHLORAZ	KLORAZ 45 EW	450 g/L	EW	FUNGICIDE	3	649-300-5305	22-Dec-26	PRE-HARVEST/POST-HARVEST	Pineapple	Butt and crown mold	0.5-1mL/L water	-	-	-
CROPKING CHEMICALS INC.	BUTACHLOR+PROPANIL	KUK 700 EC	350-350 g/L	EC	HERBICIDE	3	065-238-1012	26-Jun-24	POST-EMERGENT	Rice (Direct Seeded)	Grasses, Sedges and Broadleaves	8-12Tbsp/36 L water	-	-	Butachlor 0.1ppm Propanil 0.1ppm
CROPKING CHEMICALS INC.	BUTACHLOR+PROPANIL	KUK 700 EC	350-350 g/L	EC	HERBICIDE	3	065-238-1012	26-Jun-24	POST-EMERGENT	Rice (Transplanted)	Grasses, Sedges and Broadleaves	8-12Tbsp/36 L water	-	-	Butachlor 0.1ppm Propanil 0.1ppm
SYNGENTA PHILIPPINES INC.	BRODIFACUM	KLERAT WAX BLOCKS	0.05 g/kg	-	RODENTICIDE	2	011-228-0789	12-Jan-26	-	Pineapple and banana plantations	Rodents	-	-	-	-
ALTRADE INCORPORATED	GLYPHOSATE IPA	KLEEN UP 480 AS	480 g/L	AS	HERBICIDE	4	079-151-4921	26-Sep-25	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/ha	-	-	-
ALTRADE INCORPORATED	GLYPHOSATE IPA	KLEEN UP 480 AS	480 g/L	AS	HERBICIDE	4	079-151-4921	26-Sep-25	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
ALTRADE INCORPORATED	GLYPHOSATE IPA	KLEEN UP 480 AS	480 g/L	AS	HERBICIDE	4	079-151-4921	26-Sep-25	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
ALTRADE INCORPORATED	GLYPHOSATE IPA	KLEEN UP 480 AS	480 g/L	AS	HERBICIDE	4	079-151-4921	26-Sep-25	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
ALTRADE INCORPORATED	GLYPHOSATE IPA	KLEEN UP 480 AS	480 g/L	AS	HERBICIDE	4	079-151-4921	26-Sep-25	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
ALTRADE INCORPORATED	GLYPHOSATE IPA	KLEEN UP 480 AS	480 g/L	AS	HERBICIDE	4	079-151-4921	26-Sep-25	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
ALTRADE INCORPORATED	GLYPHOSATE IPA	KLEEN UP 480 AS	480 g/L	AS	HERBICIDE	4	079-151-4921	26-Sep-25	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
ALTRADE INCORPORATED	GLYPHOSATE IPA	KLEEN UP 480 AS	480 g/L	AS	HERBICIDE	4	079-151-4921	26-Sep-25	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
ALTRADE INCORPORATED	GLYPHOSATE IPA	KLEEN UP 480 AS	480 g/L	AS	HERBICIDE	4	079-151-4921	26-Sep-25	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/ha	-	-	-

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD	
ALTRADE INCORPORATED	GLYPHOSATE IPA	KLEEN UP 480 AS	480 g/L	AS	HERBICIDE	4	079-151-4921	26-Sep-25	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0liters/ha				
ALTRADE INCORPORATED	GLYPHOSATE IPA	KLEEN UP 480 AS	480 g/L	AS	HERBICIDE	4	079-151-4921	26-Sep-25	POST-EMERGENT	Vegetables under minimum/reduced tillage	Annual & perennial grasses, broadleaf weeds & sedges	2.0liters/ha				
ALTRADE INCORPORATED	GLYPHOSATE IPA	KLEEN UP 480 AS	480 g/L	AS	HERBICIDE	4	079-151-4921	26-Sep-25	POST-EMERGENT	non-crop areas	Annual & perennial grasses, broadleaf weeds & sedges					
VANN HAWK AGRO CHEMICALS, INC.	GLYPHOSATE IPA	KLEARWEED 480 SL	480 g/L	SL	HERBICIDE	4	295-151-2211-B	11-Sep-25	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0liters/ha				
VANN HAWK AGRO CHEMICALS, INC.	GLYPHOSATE IPA	KLEARWEED 480 SL	480 g/L	SL	HERBICIDE	4	295-151-2211-B	11-Sep-25	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha				
VANN HAWK AGRO CHEMICALS, INC.	GLYPHOSATE IPA	KLEARWEED 480 SL	480 g/L	SL	HERBICIDE	4	295-151-2211-B	11-Sep-25	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha				
VANN HAWK AGRO CHEMICALS, INC.	GLYPHOSATE IPA	KLEARWEED 480 SL	480 g/L	SL	HERBICIDE	4	295-151-2211-B	11-Sep-25	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha				
VANN HAWK AGRO CHEMICALS, INC.	GLYPHOSATE IPA	KLEARWEED 480 SL	480 g/L	SL	HERBICIDE	4	295-151-2211-B	11-Sep-25	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha				
VANN HAWK AGRO CHEMICALS, INC.	GLYPHOSATE IPA	KLEARWEED 480 SL	480 g/L	SL	HERBICIDE	4	295-151-2211-B	11-Sep-25	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0liters/ha				
VANN HAWK AGRO CHEMICALS, INC.	GLYPHOSATE IPA	KLEARWEED 480 SL	480 g/L	SL	HERBICIDE	4	295-151-2211-B	11-Sep-25	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha				
VANN HAWK AGRO CHEMICALS, INC.	GLYPHOSATE IPA	KLEARWEED 480 SL	480 g/L	SL	HERBICIDE	4	295-151-2211-B	11-Sep-25	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0liters/ha				
VANN HAWK AGRO CHEMICALS, INC.	GLYPHOSATE IPA	KLEARWEED 480 SL	480 g/L	SL	HERBICIDE	4	295-151-2211-B	11-Sep-25	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/ha				
VANN HAWK AGRO CHEMICALS, INC.	GLYPHOSATE IPA	KLEARWEED 480 SL	480 g/L	SL	HERBICIDE	4	295-151-2211-B	11-Sep-25	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0liters/ha				
VANN HAWK AGRO CHEMICALS, INC.	GLYPHOSATE IPA	KLEARWEED 480 SL	480 g/L	SL	HERBICIDE	4	295-151-2211-B	11-Sep-25	POST-EMERGENT	Vegetables under minimum or reduced tillage system	Annual & perennial grasses, broadleaf weeds & sedges	2.0liters/ha				
VANN HAWK AGRO CHEMICALS, INC.	GLYPHOSATE IPA	KLEARWEED 480 SL	480 g/L	SL	HERBICIDE	4	295-151-2211-B	11-Sep-25	POST-EMERGENT	non-crop agricultural areas	Annual & perennial grasses, broadleaf weeds & sedges					
CROP PROTECTION ADVENTURES INC.	LAMBDA-CHYALOTHIRIN	KLAVERA 2.5 EC	25 g/L	EC	INSECTICIDE	2	616-204-5188	03-Feb-24	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leafroller, black bug	1.0-1.5tbsp/36 L of water		Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray dries up	
CROP PROTECTION ADVENTURES INC.	LAMBDA-CHYALOTHIRIN	KLAVERA 2.5 EC	25 g/L	EC	INSECTICIDE	2	616-204-5188	03-Feb-24	SYSTEMIC	Mango	Hoppers	0.75-1.5tbsp/36 L of water		Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray dries up	
CROP PROTECTION ADVENTURES INC.	LAMBDA-CHYALOTHIRIN	KLAVERA 2.5 EC	25 g/L	EC	INSECTICIDE	2	616-204-5188	03-Feb-24	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5tbsp/36 L of water		Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray dries up	
CROP PROTECTION ADVENTURES INC.	LAMBDA-CHYALOTHIRIN	KLAVERA 2.5 EC	25 g/L	EC	INSECTICIDE	2	616-204-5188	03-Feb-24	SYSTEMIC	Onion	Thrips, cutworm	1.0tbsp/36 L of water		Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray dries up	
CROP PROTECTION ADVENTURES INC.	LAMBDA-CHYALOTHIRIN	KLAVERA 2.5 EC	25 g/L	EC	INSECTICIDE	2	616-204-5188	03-Feb-24	SYSTEMIC	Mungbeans	Beanfly, flea beetle, leafhopper, aphids, mites, podborer	1.0tbsp/36 L of water		Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray dries up	
CROP PROTECTION ADVENTURES INC.	LAMBDA-CHYALOTHIRIN	KLAVERA 2.5 EC	25 g/L	EC	INSECTICIDE	2	616-204-5188	03-Feb-24	SYSTEMIC	Corn	Comborer, aphids, seedling maggots	1.0-1.5tbsp/36 L of water		Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray dries up	
CROP PROTECTION ADVENTURES INC.	LAMBDA-CHYALOTHIRIN	KLAVERA 2.5 EC	25 g/L	EC	INSECTICIDE	2	616-204-5188	03-Feb-24	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5tbsp/36 L of water		Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray dries up	
CROP PROTECTION ADVENTURES INC.	LAMBDA-CHYALOTHIRIN	KLAVERA 2.5 EC	25 g/L	EC	INSECTICIDE	2	616-204-5188	03-Feb-24	SYSTEMIC	Cotton	Bollworm	1.0-1.5tbsp/36 L of water		Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray dries up	
CROP PROTECTION ADVENTURES INC.	LAMBDA-CHYALOTHIRIN	KLAVERA 2.5 EC	25 g/L	EC	INSECTICIDE	2	616-204-5188	03-Feb-24	SYSTEMIC	Cocoa	Podborer	1.0-2.0tbsp/36 L of water		Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray dries up	
CROP PROTECTION ADVENTURES INC.	LAMBDA-CHYALOTHIRIN	KLAVERA 2.5 EC	25 g/L	EC	INSECTICIDE	2	616-204-5188	03-Feb-24	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0tbsp/36 L of water		Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray dries up	
BERRIS AGRICULTURAL CO., INC.	AMMONIUM SALT OF GLYPHOSATE	KLARO 74.7 SG	74.7 g/kg	SG	HERBICIDE	4	233-473-5209	29-Sep-26	SYSTEMIC(POST-EMERGENT)	Glyphosate tolerant corn	Grasses, sedges & broadleaves	1.1-1.7kg/ha			As soon as spray deposits on crops and weeds have dried.	
BERRIS AGRICULTURAL CO., INC.	AMMONIUM SALT OF GLYPHOSATE	KLARO 74.7 SG	74.7 g/kg	SG	HERBICIDE	4	233-473-5209	29-Sep-26	SYSTEMIC(POST-EMERGENT)	Corn hybrid (preplant)	Grasses, sedges & broadleaves	1.7kg/ha			As soon as spray deposits on crops and weeds have dried.	
BERRIS AGRICULTURAL CO., INC.	AMMONIUM SALT OF GLYPHOSATE	KLARO 74.7 SG	74.7 g/kg	SG	HERBICIDE	4	233-473-5209	29-Sep-26	SYSTEMIC(POST-EMERGENT)	Non-crop areas	Grasses, sedges & broadleaves	2.6kg/ha			As soon as spray deposits on crops and weeds have dried.	
BERRIS AGRICULTURAL CO., INC.	GLYPHOSATE IPA	KLARO 480 SL	480 g/L	SL	HERBICIDE	4	233-151-1952	20-Nov-24	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0liters/ha				
BERRIS AGRICULTURAL CO., INC.	GLYPHOSATE IPA	KLARO 480 SL	480 g/L	SL	HERBICIDE	4	233-151-1952	20-Nov-24	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5liters/ha				
BERRIS AGRICULTURAL CO., INC.	GLYPHOSATE IPA	KLARO 480 SL	480 g/L	SL	HERBICIDE	4	233-151-1952	20-Nov-24	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha				
BERRIS AGRICULTURAL CO., INC.	GLYPHOSATE IPA	KLARO 480 SL	480 g/L	SL	HERBICIDE	4	233-151-1952	20-Nov-24	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha				
BERRIS AGRICULTURAL CO., INC.	GLYPHOSATE IPA	KLARO 480 SL	480 g/L	SL	HERBICIDE	4	233-151-1952	20-Nov-24	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha				
BERRIS AGRICULTURAL CO., INC.	GLYPHOSATE IPA	KLARO 480 SL	480 g/L	SL	HERBICIDE	4	233-151-1952	20-Nov-24	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0liters/ha				
BERRIS AGRICULTURAL CO., INC.	GLYPHOSATE IPA	KLARO 480 SL	480 g/L	SL	HERBICIDE	4	233-151-1952	20-Nov-24	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0liters/ha				
BERRIS AGRICULTURAL CO., INC.	GLYPHOSATE IPA	KLARO 480 SL	480 g/L	SL	HERBICIDE	4	233-151-1952	20-Nov-24	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha				
BERRIS AGRICULTURAL CO., INC.	GLYPHOSATE IPA	KLARO 480 SL	480 g/L	SL	HERBICIDE	4	233-151-1952	20-Nov-24	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5liters/ha				
BERRIS AGRICULTURAL CO., INC.	GLYPHOSATE IPA	KLARO 480 SL	480 g/L	SL	HERBICIDE	4	233-151-1952	20-Nov-24	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0liters/ha				
BERRIS AGRICULTURAL CO., INC.	GLYPHOSATE IPA	KLARO 480 SL	480 g/L	SL	HERBICIDE	4	233-151-1952	20-Nov-24	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0liters/ha				
BERRIS AGRICULTURAL CO., INC.	GLYPHOSATE IPA	KLARO 480 SL	480 g/L	SL	HERBICIDE	4	233-151-1952	20-Nov-24	POST-EMERGENT	non-crop	Annual & perennial grasses, broadleaf weeds & sedges					
BERRIS AGRICULTURAL CO., INC.	GLYPHOSATE IPA	KLARO 160 SL	160 g/L	SL	HERBICIDE	4	233-151-2007	20-Nov-24	POST-EMERGENT	non-crop areas	common grassy fields	9.4 L/ha, 34-48tbsp/36 L water (200 L/ha), 12-24 tbsp/36 L water (400 L/ha)				
INDOFIL PHILIPPINES INC.	ACETAAMPRID	KLAREX 3 EC	30g/L	EC	INSECTICIDE	3	604-329-4387	04-Jun-24		Mango	Mango Hopper	1.5-2.0tbsp/36 L water	1 mg/kg	Do not spray within 14 days of harvest	Do not enter the field within 2 days after spraying	
INDOFIL PHILIPPINES INC.	ACETAAMPRID	KLAREX 3 EC	30g/L	EC	INSECTICIDE	3	604-329-4387	04-Jun-24		Eggplant	leafhoppers & fruit/shoot borer	1.0-2.0tbsp/36 L water		Do not spray within 14 days of harvest	Do not enter the field within 2 days after spraying	
HANEARL SCIENCE PHILIPPINES, INC.	LAMBDA-CHYALOTHIRIN	K-LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	609-204-5110	10-May-22	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leafroller, black bug	1.0-1.5tbsp/36 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry	
HANEARL SCIENCE PHILIPPINES, INC.	LAMBDA-CHYALOTHIRIN	K-LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	609-204-5110	10-May-22	SYSTEMIC	Mango	Hoppers	0.75-1.5tbsp/36 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry	
HANEARL SCIENCE PHILIPPINES, INC.	LAMBDA-CHYALOTHIRIN	K-LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	609-204-5110	10-May-22	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5tbsp/36 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry	
HANEARL SCIENCE PHILIPPINES, INC.	LAMBDA-CHYALOTHIRIN	K-LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	609-204-5110	10-May-22	SYSTEMIC	Onion	Thrips, cutworm	1.0tbsp/36 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry	
HANEARL SCIENCE PHILIPPINES, INC.	LAMBDA-CHYALOTHIRIN	K-LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	609-204-5110	10-May-22	SYSTEMIC	Mungbeans	Beanfly, flea beetle, leafhopper, aphids, mites, podborer	1.0tbsp/36 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry	
HANEARL SCIENCE PHILIPPINES, INC.	LAMBDA-CHYALOTHIRIN	K-LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	609-204-5110	10-May-22	SYSTEMIC	Corn	Comborer, aphids, seedling maggots	1.0-1.5tbsp/36 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry	
HANEARL SCIENCE PHILIPPINES, INC.	LAMBDA-CHYALOTHIRIN	K-LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	609-204-5110	10-May-22	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5tbsp/36 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry	
HANEARL SCIENCE PHILIPPINES, INC.	LAMBDA-CHYALOTHIRIN	K-LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	609-204-5110	10-May-22	SYSTEMIC	Cotton	Bollworm	1.0-1.5tbsp/36 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry	
HANEARL SCIENCE PHILIPPINES, INC.	LAMBDA-CHYALOTHIRIN	K-LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	609-204-5110	10-May-22	SYSTEMIC	Cocoa	Podborer	1.0-2.0tbsp/36 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry	
HANEARL SCIENCE PHILIPPINES, INC.	LAMBDA-CHYALOTHIRIN	K-LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	609-204-5110	10-May-22	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0tbsp/36 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry	
HANEARL SCIENCE PHILIPPINES, INC.	LAMBDA-CHYALOTHIRIN	K-LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	609-204-5495	22-May-25		Rice	Green leafhopper, armyworm, rice bug, leafroller, black bug	1.0-1.5tbsp/36 L of water		Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray dries up	
HANEARL SCIENCE PHILIPPINES, INC.	LAMBDA-CHYALOTHIRIN	K-LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	609-204-5495	22-May-25		Mango	Hoppers	0.75-1.5tbsp/36 L of water		Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray dries up	
HANEARL SCIENCE PHILIPPINES, INC.	LAMBDA-CHYALOTHIRIN	K-LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	609-204-5495	22-May-25		Tomato	Fruitworm, cutworm, aphids	1.0-1.5tbsp/36 L of water		Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray dries up	

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
HANEARL SCIENCE PHILIPPINES, INC.	LAMBDA-CYHALOTHIN	K-LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	659-204-5495	22-May-25	-	Onion	Thrips, cutworm	1.0Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray dries up
HANEARL SCIENCE PHILIPPINES, INC.	LAMBDA-CYHALOTHIN	K-LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	659-204-5495	22-May-25	-	Mungbeans	Beanfly, flea beetle, leafhopper, aphids, mites, podborer	1.0Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray dries up
HANEARL SCIENCE PHILIPPINES, INC.	LAMBDA-CYHALOTHIN	K-LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	659-204-5495	22-May-25	-	Corn	Comborer, aphids, seedling maggots	1.0-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray dries up
HANEARL SCIENCE PHILIPPINES, INC.	LAMBDA-CYHALOTHIN	K-LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	659-204-5495	22-May-25	-	Tobacco	Budworm, Cutworm, aphids, katyids	1.0-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray dries up
HANEARL SCIENCE PHILIPPINES, INC.	LAMBDA-CYHALOTHIN	K-LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	659-204-5495	22-May-25	-	Cotton	Bollworm	1.0-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray dries up
HANEARL SCIENCE PHILIPPINES, INC.	LAMBDA-CYHALOTHIN	K-LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	659-204-5495	22-May-25	-	Watermelon	Squash beetle, melon worm	1.0Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray dries up
HANEARL SCIENCE PHILIPPINES, INC.	LAMBDA-CYHALOTHIN	K-LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	659-204-5495	22-May-25	-	Cocoa	Podborer	1.0-2.0Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray dries up
GREAT HARVEST AGROCHEMICALS CORPORATION	NICOSAMIDE ETHANOLAMINE SALT	KIX 70 WP	700 g/kg	WP	MOLLUSCICIDE	4	241-229-3799	09-Jul-23	CONTACT	Rice	Golden Apple Snail (Kuhol)	35 gm/16L water	-	-	-
TAIPAN BRAND FARM INC.	DIMETHOMORPH	KIRAL 50 WP	500 g/kg	WP	FUNGICIDE	4	529-264-3537	07-Sep-24	SYSTEMIC	Potato	Late blight	5-10g/16L water	0.00 ppm	14 days	24 hours after application
TAIPAN BRAND FARM INC.	DIMETHOMORPH	KIRAL 50 WP	500 g/kg	WP	FUNGICIDE	4	529-264-3537	07-Sep-24	SYSTEMIC	Tomato	Late blight	5-10g/16L water	2.00 ppm	7 days	24 hours after application
TAIPAN BRAND FARM INC.	DIMETHOMORPH	KIRAL 50 WP	500 g/kg	WP	FUNGICIDE	4	529-264-3537	07-Sep-24	SYSTEMIC	Pineapple	Root rot, heart rot	6L 30g/16L water	-	14 days	24 hours after application
TAIPAN BRAND FARM INC.	DIMETHOMORPH	KIRAL 50 WP	500 g/kg	WP	FUNGICIDE	4	529-264-3537	07-Sep-24	SYSTEMIC	Papaya	Phytophthora root and basal rot	4 g/L	-	3 days	24 hours after application
TAIPAN BRAND FARM INC.	DIMETHOMORPH	KIRAL 50 WP	500 g/kg	WP	FUNGICIDE	4	529-264-3537	07-Sep-24	SYSTEMIC	Corn	Downy mildew	5-6g/kg seeds	-	-	24 hours after application
AGRO IRS PHILIPPINES, INC.	PENDOLISAM-CHALODOP- BUTYL	KIFERINA 60 OD	10 g/L+10 g/L	OD	HERBICIDE	4	752-383-6069	6-Jun-24	POST-EMERGENCE	Rice (Transplanted)	<i>Echinochloa crusgalli</i> , <i>E. glabrescens</i> , <i>C. diforma</i> , <i>rugosum</i> , <i>L. chinensis</i> , <i>M. vaginatis</i> , <i>F. mollis</i> , <i>C. iria</i> , <i>S. zeylanica</i> and <i>Echinochloa crusgalli</i> , <i>E. glabrescens</i> , <i>C. diforma</i> , <i>rugosum</i> , <i>L. chinensis</i> , <i>M. vaginatis</i> , <i>F. mollis</i> , <i>C. iria</i> , <i>S. zeylanica</i> and	-	-	-	After spray deposit has dried up
AGRO IRS PHILIPPINES, INC.	PENDOLISAM-CHALODOP- BUTYL	KIFERINA 60 OD	10 g/L+10 g/L	OD	HERBICIDE	4	752-383-6069	6-Jun-24	POST-EMERGENCE	Rice (Direct-seeded)	-	-	-	-	After spray deposit has dried up
HANEARL SCIENCE PHILIPPINES, INC.	PHENTHOATE	K-INSPPECT 50 EC	500 g/L	EC	INSECTICIDE	2	659-059-5156	09-Oct-26	-	Onion	Thrips	20-50 ml/16L water	-	14 days	Re-entry into treated areas may be done at least 2 days after application.
HANEARL SCIENCE PHILIPPINES, INC.	PHENTHOATE	K-INSPPECT 50 EC	500 g/L	EC	INSECTICIDE	2	659-059-5156	09-Oct-26	-	Rice	Green leafhopper, brown planthopper, stemborer, whorl maggot, culicidom	20-50 ml/16L water	-	7 days	Re-entry into treated areas may be done at least 2 days after application.
HANEARL SCIENCE PHILIPPINES, INC.	PHENTHOATE	K-INSPPECT 50 EC	500 g/L	EC	INSECTICIDE	2	659-059-5156	09-Oct-26	-	Corn	Corn borer, earworm, cutworm	20-50 ml/16L water	-	14 days	Re-entry into treated areas may be done at least 2 days after application.
HANEARL SCIENCE PHILIPPINES, INC.	PHENTHOATE	K-INSPPECT 50 EC	500 g/L	EC	INSECTICIDE	2	659-059-5156	09-Oct-26	-	Cabbage & other crucifers	Diamond-back moth, cabbage worm, aphids, cutworm	20-50 ml/16L water	-	7 days	Re-entry into treated areas may be done at least 2 days after application.
HANEARL SCIENCE PHILIPPINES, INC.	PHENTHOATE	K-INSPPECT 50 EC	500 g/L	EC	INSECTICIDE	2	659-059-5156	09-Oct-26	-	eggplant	Flea beetle, mealybug	20-50 ml/16L water	-	3 days	Re-entry into treated areas may be done at least 2 days after application.
HANEARL SCIENCE PHILIPPINES, INC.	PHENTHOATE	K-INSPPECT 50 EC	500 g/L	EC	INSECTICIDE	2	659-059-5156	09-Oct-26	-	Tomato	Fruitworm, lady beetle	20-50 ml/16L water	-	14 days	Re-entry into treated areas may be done at least 2 days after application.
HANEARL SCIENCE PHILIPPINES, INC.	PHENTHOATE	K-INSPPECT 50 EC	500 g/L	EC	INSECTICIDE	2	659-059-5156	09-Oct-26	-	Mango	Mango hopper, tip borer, twig borer	20-50 ml/16L water	-	14 days	Re-entry into treated areas may be done at least 2 days after application.
HANEARL SCIENCE PHILIPPINES, INC.	PHENTHOATE	K-INSPPECT 50 EC	500 g/L	EC	INSECTICIDE	2	659-059-5156	09-Oct-26	-	Soybeans & other beans	Pod borer, aphids, semi-looper, leafroller	20-50 ml/16L water	-	7 days	Re-entry into treated areas may be done at least 2 days after application.
HANEARL SCIENCE PHILIPPINES, INC.	PHENTHOATE	K-INSPPECT 50 EC	500 g/L	EC	INSECTICIDE	2	659-059-5156	09-Oct-26	-	Cucumber and other cucurbits	Aphids	20-50 ml/16L water	-	3 days	Re-entry into treated areas may be done at least 2 days after application.
HANEARL SCIENCE PHILIPPINES, INC.	PHENTHOATE	K-INSPPECT 50 EC	500 g/L	EC	INSECTICIDE	2	659-059-5156	09-Oct-26	-	White potato	Aphids, cutworm	20-50 ml/16L water	-	7 days	Re-entry into treated areas may be done at least 2 days after application.
HANEARL SCIENCE PHILIPPINES, INC.	PHENTHOATE	K-INSPPECT 50 EC	500 g/L	EC	INSECTICIDE	2	659-059-5156	09-Oct-26	-	Tobacco	Budworm, cutworm, aphids, armyworm, thrips, leafworm	20-50 ml/16L water	-	-	Re-entry into treated areas may be done at least 2 days after application.
HANEARL SCIENCE PHILIPPINES, INC.	PHENTHOATE	K-INSPPECT 50 EC	500 g/L	EC	INSECTICIDE	2	659-059-5156	09-Oct-26	-	Citrus	Scale insect, aphids, mealybug, whiteflies	20-50 ml/16L water	-	14 days	Re-entry into treated areas may be done at least 2 days after application.
HANEARL SCIENCE PHILIPPINES, INC.	PHENTHOATE	K-INSPPECT 50 EC	500 g/L	EC	INSECTICIDE	2	659-059-5156	09-Oct-26	-	Sorghum	Webworm, armyworm	20-50 ml/16L water	-	14 days	Re-entry into treated areas may be done at least 2 days after application.
HANEARL SCIENCE PHILIPPINES, INC.	PHENTHOATE	K-INSPPECT 50 EC	500 g/L	EC	INSECTICIDE	2	659-059-5156	09-Oct-26	-	Cotton	Leafhopper, bollworm, flower weevil, boll weevil, cotton stainer, leafworm, aphids	20-50 ml/16L water	-	14 days	Re-entry into treated areas may be done at least 2 days after application.
FARMERS AGR SCIENCE MARKETING CORPORATION	CYPERMETHRIN	KINGSTAR 5 EC	50 g/L	EC	INSECTICIDE	4	494-037-2771	04-Jan-17	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
FARMERS AGR SCIENCE MARKETING CORPORATION	CYPERMETHRIN	KINGSTAR 5 EC	50 g/L	EC	INSECTICIDE	4	494-037-2771	04-Jan-17	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leafroller, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
FARMERS AGR SCIENCE MARKETING CORPORATION	CYPERMETHRIN	KINGSTAR 5 EC	50 g/L	EC	INSECTICIDE	4	494-037-2771	04-Jan-17	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
FARMERS AGR SCIENCE MARKETING CORPORATION	CYPERMETHRIN	KINGSTAR 5 EC	50 g/L	EC	INSECTICIDE	4	494-037-2771	04-Jan-17	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
FARMERS AGR SCIENCE MARKETING CORPORATION	CYPERMETHRIN	KINGSTAR 5 EC	50 g/L	EC	INSECTICIDE	4	494-037-2771	04-Jan-17	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
FARMERS AGR SCIENCE MARKETING CORPORATION	CYPERMETHRIN	KINGSTAR 5 EC	50 g/L	EC	INSECTICIDE	4	494-037-2771	04-Jan-17	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
FARMERS AGR SCIENCE MARKETING CORPORATION	CYPERMETHRIN	KINGSTAR 5 EC	50 g/L	EC	INSECTICIDE	4	494-037-2771	04-Jan-17	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
FARMERS AGR SCIENCE MARKETING CORPORATION	CYPERMETHRIN	KINGSTAR 5 EC	50 g/L	EC	INSECTICIDE	4	494-037-2771	04-Jan-17	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
FARMERS AGR SCIENCE MARKETING CORPORATION	CYPERMETHRIN	KINGSTAR 5 EC	50 g/L	EC	INSECTICIDE	4	494-037-2771	04-Jan-17	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
FARMERS AGR SCIENCE MARKETING CORPORATION	CYPERMETHRIN	KINGSTAR 5 EC	50 g/L	EC	INSECTICIDE	4	494-037-2771	04-Jan-17	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
FARMERS AGR SCIENCE MARKETING CORPORATION	CYPERMETHRIN	KINGSTAR 5 EC	50 g/L	EC	INSECTICIDE	4	494-037-2771	04-Jan-17	CONTACT	Corn	Comborer, earworm	1.0-4.5 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
JYNOSONS PHILIPPINES, INC.	CYPERMETHRIN	KINGPIN 5 EC	50 g/L	EC	INSECTICIDE	4	551-037-3768	16-May-24	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
JYNOSONS PHILIPPINES, INC.	CYPERMETHRIN	KINGPIN 5 EC	50 g/L	EC	INSECTICIDE	4	551-037-3768	16-May-24	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leafroller, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
JYNOSONS PHILIPPINES, INC.	CYPERMETHRIN	KINGPIN 5 EC	50 g/L	EC	INSECTICIDE	4	551-037-3768	16-May-24	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
JYNOSONS PHILIPPINES, INC.	CYPERMETHRIN	KINGPIN 5 EC	50 g/L	EC	INSECTICIDE	4	551-037-3768	16-May-24	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
JYNOSONS PHILIPPINES, INC.	CYPERMETHRIN	KINGPIN 5 EC	50 g/L	EC	INSECTICIDE	4	551-037-3768	16-May-24	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
JYNOSONS PHILIPPINES, INC.	CYPERMETHRIN	KINGPIN 5 EC	50 g/L	EC	INSECTICIDE	4	551-037-3768	16-May-24	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
JYNOSONS PHILIPPINES, INC.	CYPERMETHRIN	KINGPIN 5 EC	50 g/L	EC	INSECTICIDE	4	551-037-3768	16-May-24	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
JYNOSONS PHILIPPINES, INC.	CYPERMETHRIN	KINGPIN 5 EC	50 g/L	EC	INSECTICIDE	4	551-037-3768	16-May-24	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
JYNOSONS PHILIPPINES, INC.	CYPERMETHRIN	KINGPIN 5 EC	50 g/L	EC	INSECTICIDE	4	551-037-3768	16-May-24	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
JYNOSONS PHILIPPINES, INC.	CYPERMETHRIN	KINGPIN 5 EC	50 g/L	EC	INSECTICIDE	4	551-037-3768	16-May-24	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
JYNOSONS PHILIPPINES, INC.	CYPERMETHRIN	KINGPIN 5 EC	50 g/L	EC	INSECTICIDE	4	551-037-3768	16-May-24	CONTACT	Corn	Comborer, earworm	1.0-4.5 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
EDSEL AGRI AND CHEMICAL CORP.	CYPERMETHRIN	KINGMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	597-037-4151	06-Jul-24	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
EDSEL AGRI AND CHEMICAL CORP.	CYPERMETHRIN	KINGMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	597-037-4151	06-Jul-24	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leafroller, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
EDSEL AGRI AND CHEMICAL CORP.	CYPERMETHRIN	KINGMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	597-037-4151	06-Jul-24	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
EDSEL AGRI AND CHEMICAL CORP.	CYPERMETHRIN	KINGMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	597-037-4151	06-Jul-24	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
EDSEL AGRI AND CHEMICAL CORP.	CYPERMETHRIN	KINGMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	597-037-4151	06-Jul-24	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
EDSLAGRI AND CHEMICAL CORP.	CYPERMETHRIN	KINGMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	597-037-4151	06-Jul-24	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
EDSLAGRI AND CHEMICAL CORP.	CYPERMETHRIN	KINGMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	597-037-4151	06-Jul-24	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
EDSLAGRI AND CHEMICAL CORP.	CYPERMETHRIN	KINGMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	597-037-4151	06-Jul-24	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
EDSLAGRI AND CHEMICAL CORP.	CYPERMETHRIN	KINGMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	597-037-4151	06-Jul-24	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
EDSLAGRI AND CHEMICAL CORP.	CYPERMETHRIN	KINGMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	597-037-4151	06-Jul-24	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
EDSLAGRI AND CHEMICAL CORP.	CYPERMETHRIN	KINGMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	597-037-4151	06-Jul-24	CONTACT	Corn	Comborer, earworm	1.0-4.5 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GEM AGROLOGIC, INC.	GLYPHOSATE IPA	KING JAMES LEBRON 480 SL	480 g/L	SL	HERBICIDE	4	238-151-2385	27-Apr-24	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/ha	-		
GEM AGROLOGIC, INC.	GLYPHOSATE IPA	KING JAMES LEBRON 480 SL	480 g/L	SL	HERBICIDE	4	238-151-2385	27-Apr-24	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-		
GEM AGROLOGIC, INC.	GLYPHOSATE IPA	KING JAMES LEBRON 480 SL	480 g/L	SL	HERBICIDE	4	238-151-2385	27-Apr-24	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-		
GEM AGROLOGIC, INC.	GLYPHOSATE IPA	KING JAMES LEBRON 480 SL	480 g/L	SL	HERBICIDE	4	238-151-2385	27-Apr-24	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-		
GEM AGROLOGIC, INC.	GLYPHOSATE IPA	KING JAMES LEBRON 480 SL	480 g/L	SL	HERBICIDE	4	238-151-2385	27-Apr-24	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-		
GEM AGROLOGIC, INC.	GLYPHOSATE IPA	KING JAMES LEBRON 480 SL	480 g/L	SL	HERBICIDE	4	238-151-2385	27-Apr-24	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-		
GEM AGROLOGIC, INC.	GLYPHOSATE IPA	KING JAMES LEBRON 480 SL	480 g/L	SL	HERBICIDE	4	238-151-2385	27-Apr-24	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-		
GEM AGROLOGIC, INC.	GLYPHOSATE IPA	KING JAMES LEBRON 480 SL	480 g/L	SL	HERBICIDE	4	238-151-2385	27-Apr-24	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-		
GEM AGROLOGIC, INC.	GLYPHOSATE IPA	KING JAMES LEBRON 480 SL	480 g/L	SL	HERBICIDE	4	238-151-2385	27-Apr-24	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/ha	-		
GEM AGROLOGIC, INC.	GLYPHOSATE IPA	KING JAMES LEBRON 480 SL	480 g/L	SL	HERBICIDE	4	238-151-2385	27-Apr-24	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-		
GEM AGROLOGIC, INC.	GLYPHOSATE IPA	KING JAMES LEBRON 480 SL	480 g/L	SL	HERBICIDE	4	238-151-2385	27-Apr-24	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-		
GEM AGROLOGIC, INC.	GLYPHOSATE IPA	KING JAMES LEBRON 480 SL	480 g/L	SL	HERBICIDE	4	238-151-2385	27-Apr-24	POST-EMERGENT	Non-crop	Annual & perennial grasses, broadleaf weeds & sedges	-	-		
INTERNATIONAL VETERINARY & AGRICHEMICAL (INDIA), INC.	IMIDACLOPRID-BETA-CYFLUTHRIN	KING DAVID 300 OD	210+90 g/L	OD	INSECTICIDE	2	088-393-5644	27-Aug-25	SYSTEMIC	Mango	Mango leafhopper	30-40mL product/200liters water 50-80mL spray/2000 water	-	-	No re-entry within 48 hours after spray. Appropriate warning signs should be placed before and after spraying.
TAGCHEM DRAGON DISTRIBUTION INC.	LAMBDA-CHYALOTHIRIN	KING ARTHUR 2.5 EC	25 g/L	EC	INSECTICIDE	2	517-204-3354	22-Apr-25	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leafroller, black bug	1.0-1.5Tbsp/16L of water	0.05ppm	1 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
TAGCHEM DRAGON DISTRIBUTION INC.	LAMBDA-CHYALOTHIRIN	KING ARTHUR 2.5 EC	25 g/L	EC	INSECTICIDE	2	517-204-3354	22-Apr-25	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/16L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
TAGCHEM DRAGON DISTRIBUTION INC.	LAMBDA-CHYALOTHIRIN	KING ARTHUR 2.5 EC	25 g/L	EC	INSECTICIDE	2	517-204-3354	22-Apr-25	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated field is allowed as soon as spray deposits dry
TAGCHEM DRAGON DISTRIBUTION INC.	LAMBDA-CHYALOTHIRIN	KING ARTHUR 2.5 EC	25 g/L	EC	INSECTICIDE	2	517-204-3354	22-Apr-25	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/16L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
TAGCHEM DRAGON DISTRIBUTION INC.	LAMBDA-CHYALOTHIRIN	KING ARTHUR 2.5 EC	25 g/L	EC	INSECTICIDE	2	517-204-3354	22-Apr-25	SYSTEMIC	Mungbeans	Beanfly, flea beetle, leafhopper, aphids, mites, podborer	1.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
TAGCHEM DRAGON DISTRIBUTION INC.	LAMBDA-CHYALOTHIRIN	KING ARTHUR 2.5 EC	25 g/L	EC	INSECTICIDE	2	517-204-3354	22-Apr-25	SYSTEMIC	Corn	Comborer, aphids, seedling maggots	1.0-1.5Tbsp/16L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
TAGCHEM DRAGON DISTRIBUTION INC.	LAMBDA-CHYALOTHIRIN	KING ARTHUR 2.5 EC	25 g/L	EC	INSECTICIDE	2	517-204-3354	22-Apr-25	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katyids	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
TAGCHEM DRAGON DISTRIBUTION INC.	LAMBDA-CHYALOTHIRIN	KING ARTHUR 2.5 EC	25 g/L	EC	INSECTICIDE	2	517-204-3354	22-Apr-25	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
TAGCHEM DRAGON DISTRIBUTION INC.	LAMBDA-CHYALOTHIRIN	KING ARTHUR 2.5 EC	25 g/L	EC	INSECTICIDE	2	517-204-3354	22-Apr-25	SYSTEMIC	Cocoa	Podborer	1.0-2.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
TAGCHEM DRAGON DISTRIBUTION INC.	LAMBDA-CHYALOTHIRIN	KING ARTHUR 2.5 EC	25 g/L	EC	INSECTICIDE	2	517-204-3354	22-Apr-25	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
TEAMAGRO TRADING CORPORATION	CYPERMETHRIN	KING 5 EC	50g/L	EC	INSECTICIDE	4	248-037-1047	31-May-24	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
TEAMAGRO TRADING CORPORATION	CYPERMETHRIN	KING 5 EC	50g/L	EC	INSECTICIDE	4	248-037-1047	31-May-24	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leafhopper, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
TEAMAGRO TRADING CORPORATION	CYPERMETHRIN	KING 5 EC	50g/L	EC	INSECTICIDE	4	248-037-1047	31-May-24	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
TEAMAGRO TRADING CORPORATION	CYPERMETHRIN	KING 5 EC	50g/L	EC	INSECTICIDE	4	248-037-1047	31-May-24	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
TEAMAGRO TRADING CORPORATION	CYPERMETHRIN	KING 5 EC	50g/L	EC	INSECTICIDE	4	248-037-1047	31-May-24	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
TEAMAGRO TRADING CORPORATION	CYPERMETHRIN	KING 5 EC	50g/L	EC	INSECTICIDE	4	248-037-1047	31-May-24	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
TEAMAGRO TRADING CORPORATION	CYPERMETHRIN	KING 5 EC	50g/L	EC	INSECTICIDE	4	248-037-1047	31-May-24	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
TEAMAGRO TRADING CORPORATION	CYPERMETHRIN	KING 5 EC	50g/L	EC	INSECTICIDE	4	248-037-1047	31-May-24	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
TEAMAGRO TRADING CORPORATION	CYPERMETHRIN	KING 5 EC	50g/L	EC	INSECTICIDE	4	248-037-1047	31-May-24	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
TEAMAGRO TRADING CORPORATION	CYPERMETHRIN	KING 5 EC	50g/L	EC	INSECTICIDE	4	248-037-1047	31-May-24	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
TEAMAGRO TRADING CORPORATION	CYPERMETHRIN	KING 5 EC	50g/L	EC	INSECTICIDE	4	248-037-1047	31-May-24	CONTACT	Corn	Comborer, earworm	1.0-4.5 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
UPL PHILIPPINES, INC.	CLETHODIUM	KINETIK 24 EC	240 g/L	EC	HERBICIDE	4	562-334-4946	16-Jun-24	SYSTEMIC	Onion	Grasses for the control of E.colona, Eleusine indica, D. aegyptium & D. citrullus	35.00mL/16 L water	-	7 days	Entry to crops and fields sprayed with KINETIK 24 EC may be done 1 day after spraying.
BERRIS AGRICULTURAL CO., INC.	CYMOXANIL-AMAZOCEB	KIN KIN 50S WP	465 +40 g/kg	WP	FUNGICIDE	4	233-163-5221	06-Oct-26	SYSTEMIC/CONTACT	Potato	Late Blight	5 Tbsp/16 L water	-	7 days	Do not enter fields treated with KIN KIN 50S WP 24 hours after application
BERRIS AGRICULTURAL CO., INC.	CYMOXANIL-AMAZOCEB	KIN KIN 50S WP	465 +40 g/kg	WP	FUNGICIDE	4	233-163-5221	06-Oct-26	SYSTEMIC/CONTACT	Tomato	Late Blight	5 Tbsp/16 L water	-	7 days	Do not enter fields treated with KIN KIN 50S WP 24 hours after application
BERRIS AGRICULTURAL CO., INC.	CYMOXANIL-AMAZOCEB	KIN KIN 50S WP	465 +40 g/kg	WP	FUNGICIDE	4	233-163-5221	06-Oct-26	SYSTEMIC/CONTACT	Grapes	Downy Mildew	5 Tbsp/16 L water	-	7 days	Do not enter fields treated with KIN KIN 50S WP 24 hours after application
ORACLE CHEM CORPORATION	PROFENOFOS	KILTER 500 EC	500 g/L	EC	INSECTICIDE	2	417-070-2415	08-Jul-24	CONTACT	Mango	Thrips	1.0-2.0 Tbsp/16L water	-	14 days	Do not enter treated field 1 day after application
ORACLE CHEM CORPORATION	PROFENOFOS	KILTER 500 EC	500 g/L	EC	INSECTICIDE	2	417-070-2415	08-Jul-24	CONTACT	Tomato	Fruitworm, armyworm, cutworm	3-5 Tbsp/16L water	-	14 days	Do not enter treated field 1 day after application
ORACLE CHEM CORPORATION	PROFENOFOS	KILTER 500 EC	500 g/L	EC	INSECTICIDE	2	417-070-2415	08-Jul-24	CONTACT	Eggplant	Fruitborer, aphids, leafhopper, & thrips	1.5-3.0 Tbsp/16L water	-	14 days	Do not enter treated field 1 day after application
ORACLE CHEM CORPORATION	PROFENOFOS	KILTER 500 EC	500 g/L	EC	INSECTICIDE	2	417-070-2415	08-Jul-24	CONTACT	Cabbage	Diamond back moth, cabbage worm & aphids	3-5 Tbsp/16L water	-	14 days	Do not enter treated field 1 day after application
ORACLE CHEM CORPORATION	PROFENOFOS	KILTER 500 EC	500 g/L	EC	INSECTICIDE	2	417-070-2415	08-Jul-24	CONTACT	Watermelon	Thrips	3-5 Tbsp/16L water	-	14 days	Do not enter treated field 1 day after application
ORACLE CHEM CORPORATION	PROFENOFOS	KILTER 500 EC	500 g/L	EC	INSECTICIDE	2	417-070-2415	08-Jul-24	CONTACT	Potato	Thrips, army worm, cutworm, tuberworm	3-5 Tbsp/16L water	-	14 days	Do not enter treated field 1 day after application
ORACLE CHEM CORPORATION	PROFENOFOS	KILTER 500 EC	500 g/L	EC	INSECTICIDE	2	417-070-2415	08-Jul-24	CONTACT	Soybeans	Corn earworm, leafminer	3-5 Tbsp/16L water	-	14 days	Do not enter treated field 1 day after application
ORACLE CHEM CORPORATION	PROFENOFOS	KILTER 500 EC	500 g/L	EC	INSECTICIDE	2	417-070-2415	08-Jul-24	CONTACT	Mungbeans	Corn earworm, leafminer	3-5 Tbsp/16L water	-	14 days	Do not enter treated field 1 day after application
ORACLE CHEM CORPORATION	PROFENOFOS	KILTER 500 EC	500 g/L	EC	INSECTICIDE	2	417-070-2415	08-Jul-24	CONTACT	Cotton	Thrips, bollworm & budworm	3-5 Tbsp/16L water	-	14 days	Do not enter treated field 1 day after application
ORACLE CHEM CORPORATION	PROFENOFOS	KILTER 500 EC	500 g/L	EC	INSECTICIDE	2	417-070-2415	08-Jul-24	CONTACT	Sitao	Beanfly, leafroller & aphids	1.5-3.0 Tbsp/16L water	-	14 days	Do not enter treated field 1 day after application
ZAGRO CORPORATION	FENVALERATE	KILPES 3 EC	30 g/L	EC	INSECTICIDE	4	043-031-0729	30-Jun-18		Mango	Mango hopper, Tip borer, twig borer	5-8 Tbsp/16L water	-		
ZAGRO CORPORATION	FENVALERATE	KILPES 3 EC	30 g/L	EC	INSECTICIDE	4	043-031-0729	30-Jun-18		Crucifers	Diamondback moth, cabbage worm	5-8 Tbsp/16L water	-		

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
ZAGRO CORPORATION	FENVALERATE	KILPES 3 EC	30 g/L	EC	INSECTICIDE	4	043-031-0729	30-Jan-18	-	Beans	Aphids, leafminer, bean lycanid	5-8 Tbsp/36L water	-	-	-
ZAGRO CORPORATION	FENVALERATE	KILPES 3 EC	30 g/L	EC	INSECTICIDE	4	043-031-0729	30-Jan-18	-	Cucurbits	Squash beetle	5-8 Tbsp/36L water	-	-	-
ZAGRO CORPORATION	FENVALERATE	KILPES 3 EC	30 g/L	EC	INSECTICIDE	4	043-031-0729	30-Jan-18	-	Tobacco	Aphids, budworm	5-8 Tbsp/36L water	-	-	-
ZAGRO CORPORATION	FENVALERATE	KILPES 3 EC	30 g/L	EC	INSECTICIDE	4	043-031-0729	30-Jan-18	-	Cotton	Aphids, budworm	5-8 Tbsp/36L water	-	-	-
MONARCH AGRICULTURAL PRODUCTS, INC.	CYPERMETHRIN	KILLER 5 EC	50 g/L	EC	INSECTICIDE	4	096-037-0809-B	06-May-27	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dries
MONARCH AGRICULTURAL PRODUCTS, INC.	CYPERMETHRIN	KILLER 5 EC	50 g/L	EC	INSECTICIDE	4	096-037-0809-B	06-May-27	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leafhopper, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dries
MONARCH AGRICULTURAL PRODUCTS, INC.	CYPERMETHRIN	KILLER 5 EC	50 g/L	EC	INSECTICIDE	4	096-037-0809-B	06-May-27	CONTACT	Cabbage	Cabbage diamond-back moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dries
MONARCH AGRICULTURAL PRODUCTS, INC.	CYPERMETHRIN	KILLER 5 EC	50 g/L	EC	INSECTICIDE	4	096-037-0809-B	06-May-27	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dries
MONARCH AGRICULTURAL PRODUCTS, INC.	CYPERMETHRIN	KILLER 5 EC	50 g/L	EC	INSECTICIDE	4	096-037-0809-B	06-May-27	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dries
MONARCH AGRICULTURAL PRODUCTS, INC.	CYPERMETHRIN	KILLER 5 EC	50 g/L	EC	INSECTICIDE	4	096-037-0809-B	06-May-27	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dries
MONARCH AGRICULTURAL PRODUCTS, INC.	CYPERMETHRIN	KILLER 5 EC	50 g/L	EC	INSECTICIDE	4	096-037-0809-B	06-May-27	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dries
MONARCH AGRICULTURAL PRODUCTS, INC.	CYPERMETHRIN	KILLER 5 EC	50 g/L	EC	INSECTICIDE	4	096-037-0809-B	06-May-27	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dries
MONARCH AGRICULTURAL PRODUCTS, INC.	CYPERMETHRIN	KILLER 5 EC	50 g/L	EC	INSECTICIDE	4	096-037-0809-B	06-May-27	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dries
MONARCH AGRICULTURAL PRODUCTS, INC.	CYPERMETHRIN	KILLER 5 EC	50 g/L	EC	INSECTICIDE	4	096-037-0809-B	06-May-27	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dries
MONARCH AGRICULTURAL PRODUCTS, INC.	CYPERMETHRIN	KILLER 5 EC	50 g/L	EC	INSECTICIDE	4	096-037-0809-B	06-May-27	CONTACT	Corn	Comborer, earworm	1.0-4.5 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dries
PI&A AGRICULTURAL TRADING INC.	FORMALDEHYDE+GLUTARALDEHYDE+BENZALKONIUM CHLORIDE	KILCOVINGUARD	28g/L+12g/L+10g/L	-	OTHERS	2	736-572-5877	31-Dec-24	-	-	Disinfection in farm animal facilities and in wheel on foot dips	-	-	-	-
VANN HAWK AGRO CHEMICALS, INC.	PROFENOFOS	KILABOT 500 EC	500 g/L	EC	INSECTICIDE	2	295-070-1532	20-Apr-25	CONTACT	Tomato	Fruitworm, armyworm, cutworm	3-5 Tbsp/36L water	-	14 days	Do not enter treated field 1 day after application
VANN HAWK AGRO CHEMICALS, INC.	PROFENOFOS	KILABOT 500 EC	500 g/L	EC	INSECTICIDE	2	295-070-1532	20-Apr-25	CONTACT	Eggplant	Fruitborer, aphids, leafhopper, & thrips	1.5-3.0 Tbsp/36L water	-	14 days	Do not enter treated field 1 day after application
VANN HAWK AGRO CHEMICALS, INC.	PROFENOFOS	KILABOT 500 EC	500 g/L	EC	INSECTICIDE	2	295-070-1532	20-Apr-25	CONTACT	Cabbage	Diamond back moth, cabbage worm & aphids, thrips	3-5 Tbsp/36L water	-	14 days	Do not enter treated field 1 day after application
VANN HAWK AGRO CHEMICALS, INC.	PROFENOFOS	KILABOT 500 EC	500 g/L	EC	INSECTICIDE	2	295-070-1532	20-Apr-25	CONTACT	Watermelon	Thrips	3-5 Tbsp/36L water	-	14 days	Do not enter treated field 1 day after application
VANN HAWK AGRO CHEMICALS, INC.	PROFENOFOS	KILABOT 500 EC	500 g/L	EC	INSECTICIDE	2	295-070-1532	20-Apr-25	CONTACT	Potato	Thrips, army worm, cutworm, tuber moth	3-5 Tbsp/36L water	-	14 days	Do not enter treated field 1 day after application
VANN HAWK AGRO CHEMICALS, INC.	PROFENOFOS	KILABOT 500 EC	500 g/L	EC	INSECTICIDE	2	295-070-1532	20-Apr-25	CONTACT	Soybeans	Corn earworm, leafminer	3-5 Tbsp/36L water	-	14 days	Do not enter treated field 1 day after application
VANN HAWK AGRO CHEMICALS, INC.	PROFENOFOS	KILABOT 500 EC	500 g/L	EC	INSECTICIDE	2	295-070-1532	20-Apr-25	CONTACT	Mungbeans	Corn earworm, leafminer	3-5 Tbsp/36L water	-	14 days	Do not enter treated field 1 day after application
VANN HAWK AGRO CHEMICALS, INC.	PROFENOFOS	KILABOT 500 EC	500 g/L	EC	INSECTICIDE	2	295-070-1532	20-Apr-25	CONTACT	Cotton	Thrips, bollworm & budworm	3-5 Tbsp/36L water	-	14 days	Do not enter treated field 1 day after application
VANN HAWK AGRO CHEMICALS, INC.	PROFENOFOS	KILABOT 500 EC	500 g/L	EC	INSECTICIDE	2	295-070-1532	20-Apr-25	CONTACT	Sitao	Beetfly, leafhopper & aphids	1.5-3.0 Tbsp/36L water	-	14 days	Do not enter treated field 1 day after application
GOLDENMAN MARKETING CORPORATION	PROFENOFOS	KILA 500 EC	500 g/L	EC	INSECTICIDE	2	400-070-3671	08-Jul-24	CONTACT	Tomato	Fruitworm, armyworm, cutworm	3-5 Tbsp/36L water	-	14 days	Do not enter treated field 1 day after application.
GOLDENMAN MARKETING CORPORATION	PROFENOFOS	KILA 500 EC	500g/L	EC	INSECTICIDE	2	400-070-3671	08-Jul-24	CONTACT	Eggplant	Fruitborer, aphids, leafhopper, & thrips	1.5-3.0 Tbsp/36L water	-	14 days	Do not enter treated field 1 day after application.
GOLDENMAN MARKETING CORPORATION	PROFENOFOS	KILA 500 EC	500 g/L	EC	INSECTICIDE	2	400-070-3671	08-Jul-24	CONTACT	Cabbage	Diamond back moth, cabbage worm & aphids, thrips	3-5 Tbsp/36L water	-	14 days	Do not enter treated field 1 day after application.
GOLDENMAN MARKETING CORPORATION	PROFENOFOS	KILA 500 EC	500 g/L	EC	INSECTICIDE	2	400-070-3671	08-Jul-24	CONTACT	Watermelon	Thrips	3-5 Tbsp/36L water	-	14 days	Do not enter treated field 1 day after application.
GOLDENMAN MARKETING CORPORATION	PROFENOFOS	KILA 500 EC	500g/L	EC	INSECTICIDE	2	400-070-3671	08-Jul-24	CONTACT	Potato	Thrips, army worm, cutworm, tuber moth	3-5 Tbsp/36L water	-	14 days	Do not enter treated field 1 day after application.
GOLDENMAN MARKETING CORPORATION	PROFENOFOS	KILA 500 EC	500 g/L	EC	INSECTICIDE	2	400-070-3671	08-Jul-24	CONTACT	Soybeans	Corn earworm, leafminer	3-5 Tbsp/36L water	-	14 days	Do not enter treated field 1 day after application.
GOLDENMAN MARKETING CORPORATION	PROFENOFOS	KILA 500 EC	500 g/L	EC	INSECTICIDE	2	400-070-3671	08-Jul-24	CONTACT	Mungbeans	Corn earworm, leafminer	3-5 Tbsp/36L water	-	14 days	Do not enter treated field 1 day after application.
GOLDENMAN MARKETING CORPORATION	PROFENOFOS	KILA 500 EC	500 g/L	EC	INSECTICIDE	2	400-070-3671	08-Jul-24	CONTACT	Cotton	Thrips, bollworm & budworm	3-5 Tbsp/36L water	-	14 days	Do not enter treated field 1 day after application.
GOLDENMAN MARKETING CORPORATION	PROFENOFOS	KILA 500 EC	500 g/L	EC	INSECTICIDE	2	400-070-3671	08-Jul-24	CONTACT	Sitao	Beetfly, leafhopper & aphids	1.5-3.0 Tbsp/36L water	-	14 days	Do not enter treated field 1 day after application.
CHEMREZ TECHNOLOGIES, INC.	GLYPHOSATE IPA	KIK-OUT 480 SL	480g/L	SL	HERBICIDE	4	529-151-5216	03-Sep-24	POST-EMERGENT	glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/ha	-	-	Do not enter fields treated with KICKBACK 505 WP within 24 hours after application.
CHEMREZ TECHNOLOGIES, INC.	GLYPHOSATE IPA	KIK-OUT 480 SL	480g/L	SL	HERBICIDE	4	529-151-5216	03-Sep-24	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	Do not enter fields treated with KICKBACK 505 WP within 24 hours after application.
CHEMREZ TECHNOLOGIES, INC.	GLYPHOSATE IPA	KIK-OUT 480 SL	480g/L	SL	HERBICIDE	4	529-151-5216	03-Sep-24	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	Do not enter fields treated with KICKBACK 505 WP within 24 hours after application.
CHEMREZ TECHNOLOGIES, INC.	GLYPHOSATE IPA	KIK-OUT 480 SL	480g/L	SL	HERBICIDE	4	529-151-5216	03-Sep-24	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	Do not enter fields treated with KICKBACK 505 WP within 24 hours after application.
CHEMREZ TECHNOLOGIES, INC.	GLYPHOSATE IPA	KIK-OUT 480 SL	480g/L	SL	HERBICIDE	4	529-151-5216	03-Sep-24	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	Do not enter fields treated with KICKBACK 505 WP within 24 hours after application.
CHEMREZ TECHNOLOGIES, INC.	GLYPHOSATE IPA	KIK-OUT 480 SL	480g/L	SL	HERBICIDE	4	529-151-5216	03-Sep-24	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	Do not enter fields treated with KICKBACK 505 WP within 24 hours after application.
CHEMREZ TECHNOLOGIES, INC.	GLYPHOSATE IPA	KIK-OUT 480 SL	480g/L	SL	HERBICIDE	4	529-151-5216	03-Sep-24	POST-EMERGENT	Gili palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	Do not enter fields treated with KICKBACK 505 WP within 24 hours after application.
CHEMREZ TECHNOLOGIES, INC.	GLYPHOSATE IPA	KIK-OUT 480 SL	480g/L	SL	HERBICIDE	4	529-151-5216	03-Sep-24	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	Do not enter fields treated with KICKBACK 505 WP within 24 hours after application.
CHEMREZ TECHNOLOGIES, INC.	GLYPHOSATE IPA	KIK-OUT 480 SL	480g/L	SL	HERBICIDE	4	529-151-5216	03-Sep-24	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/ha	-	-	Do not enter fields treated with KICKBACK 505 WP within 24 hours after application.
CHEMREZ TECHNOLOGIES, INC.	GLYPHOSATE IPA	KIK-OUT 480 SL	480g/L	SL	HERBICIDE	4	529-151-5216	03-Sep-24	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	Do not enter fields treated with KICKBACK 505 WP within 24 hours after application.
CHEMREZ TECHNOLOGIES, INC.	GLYPHOSATE IPA	KIK-OUT 480 SL	480g/L	SL	HERBICIDE	4	529-151-5216	03-Sep-24	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	Do not enter fields treated with KICKBACK 505 WP within 24 hours after application.
CHEMREZ TECHNOLOGIES, INC.	GLYPHOSATE IPA	KIK-OUT 480 SL	480g/L	SL	HERBICIDE	4	529-151-5216	03-Sep-24	POST-EMERGENT	non-crop	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	Do not enter fields treated with KICKBACK 505 WP within 24 hours after application.
PRIMSTOCKS CHEMICAL CORPORATION	CYMKOANIL+MANCOZEB	KICKBACK 505 WP	40 g/kg+465 g/kg	WP	FUNGICIDE	4	623-161-6421	5-Feb-27	-	Potato	Late blight	5 Tbsp/ 36L water	-	-	Do not enter fields treated with KICKBACK 505 WP within 24 hours after application.
PRIMSTOCKS CHEMICAL CORPORATION	CYMKOANIL+MANCOZEB	KICKBACK 505 WP	40 g/kg+465 g/kg	WP	FUNGICIDE	4	623-161-6421	5-Feb-27	-	Tomato	Late blight	5 Tbsp/ 36L water	-	-	Do not enter fields treated with KICKBACK 505 WP within 24 hours after application.
PRIMSTOCKS CHEMICAL CORPORATION	CYMKOANIL+MANCOZEB	KICKBACK 505 WP	40 g/kg+465 g/kg	WP	FUNGICIDE	4	623-161-6421	5-Feb-27	-	Grapes	Downy mildew	5 Tbsp/ 36L water	-	-	Do not enter fields treated with KICKBACK 505 WP within 24 hours after application.
2201 REN CORPORATION	GLYPHOSATE IPA	KICK OFF 480 SL	480 g/L	SL	HERBICIDE	4	536-151-3254	24-Jan-17	POST-EMERGENT	glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/ha	-	-	Do not enter fields treated with KICKBACK 505 WP within 24 hours after application.
2201 REN CORPORATION	GLYPHOSATE IPA	KICK OFF 480 SL	480 g/L	SL	HERBICIDE	4	536-151-3254	24-Jan-17	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	Do not enter fields treated with KICKBACK 505 WP within 24 hours after application.
2201 REN CORPORATION	GLYPHOSATE IPA	KICK OFF 480 SL	480 g/L	SL	HERBICIDE	4	536-151-3254	24-Jan-17	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	Do not enter fields treated with KICKBACK 505 WP within 24 hours after application.
2201 REN CORPORATION	GLYPHOSATE IPA	KICK OFF 480 SL	480 g/L	SL	HERBICIDE	4	536-151-3254	24-Jan-17	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	Do not enter fields treated with KICKBACK 505 WP within 24 hours after application.
2201 REN CORPORATION	GLYPHOSATE IPA	KICK OFF 480 SL	480 g/L	SL	HERBICIDE	4	536-151-3254	24-Jan-17	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	Do not enter fields treated with KICKBACK 505 WP within 24 hours after application.
2201 REN CORPORATION	GLYPHOSATE IPA	KICK OFF 480 SL	480 g/L	SL	HERBICIDE	4	536-151-3254	24-Jan-17	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	Do not enter fields treated with KICKBACK 505 WP within 24 hours after application.
2201 REN CORPORATION	GLYPHOSATE IPA	KICK OFF 480 SL	480 g/L	SL	HERBICIDE	4	536-151-3254	24-Jan-17	POST-EMERGENT	Gili palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	Do not enter fields treated with KICKBACK 505 WP within 24 hours after application.

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
2201 REN CORPORATION	GLYPHOSATE IPA	KICK OFF 480 SL	480 g/L	SL	HERBICIDE	4	536-151-3254	26-Jan-17	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liter/ha			
2201 REN CORPORATION	GLYPHOSATE IPA	KICK OFF 480 SL	480 g/L	SL	HERBICIDE	4	536-151-3254	26-Jan-17	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liter/ha			
2201 REN CORPORATION	GLYPHOSATE IPA	KICK OFF 480 SL	480 g/L	SL	HERBICIDE	4	536-151-3254	26-Jan-17	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liter/ha			
2201 REN CORPORATION	GLYPHOSATE IPA	KICK OFF 480 SL	480 g/L	SL	HERBICIDE	4	536-151-3254	26-Jan-17	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liter/ha			
2201 REN CORPORATION	GLYPHOSATE IPA	KICK OFF 480 SL	480 g/L	SL	HERBICIDE	4	536-151-3254	26-Jan-17	POST-EMERGENT	Non-crop	Annual & perennial grasses, broadleaf weeds & sedges				
INTERSORDA INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	KIAMBDA 247 SC	106 g/L+141 g/L	SC	INSECTICIDE	2	664-395-5019	25-Apr-26	-	Mango	Leafhopper and cicid fly	30 ml 100L water; 0.37/ha	3 Days		Do not enter treated fields for at least 1 day after application
HANEARL SCIENCE PHILIPPINES, INC.	CARTAP HYDROCHLORIDE	K-HESTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	659-106-5520	19-Jun-24	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.0-5.0tbsp/36 L water	-	Spraying should be done 10 days before harvest	Do not enter the field within 2 days after spraying
HANEARL SCIENCE PHILIPPINES, INC.	CARTAP HYDROCHLORIDE	K-HESTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	659-106-5520	19-Jun-24	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0tbsp/36 L water	-	Spraying should be done 10 days before harvest	Do not enter the field within 2 days after spraying
HANEARL SCIENCE PHILIPPINES, INC.	CARTAP HYDROCHLORIDE	K-HESTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	659-106-5520	19-Jun-24	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0tbsp/36 L water	-	Spraying should be done 10 days before harvest	Do not enter the field within 2 days after spraying
HANEARL SCIENCE PHILIPPINES, INC.	CARTAP HYDROCHLORIDE	K-HESTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	659-106-5520	19-Jun-24	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0tbsp/36 L water	-	Spraying should be done 10 days before harvest	Do not enter the field within 2 days after spraying
HANEARL SCIENCE PHILIPPINES, INC.	CARTAP HYDROCHLORIDE	K-HESTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	659-106-5520	19-Jun-24	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0tbsp/36 L water	-	Spraying should be done 10 days before harvest	Do not enter the field within 2 days after spraying
HANEARL SCIENCE PHILIPPINES, INC.	CARTAP HYDROCHLORIDE	K-HESTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	659-106-5520	19-Jun-24	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0tbsp/36 L water	-	Spraying should be done 10 days before harvest	Do not enter the field within 2 days after spraying
HANEARL SCIENCE PHILIPPINES, INC.	CARTAP HYDROCHLORIDE	K-HESTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	659-106-5520	19-Jun-24	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0tbsp/36 L water	-	Spraying should be done 10 days before harvest	Do not enter the field within 2 days after spraying
HANEARL SCIENCE PHILIPPINES, INC.	CARTAP HYDROCHLORIDE	K-HESTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	659-106-5520	19-Jun-24	SYSTEMIC	Mango	leafhoppers	1.5-2.0tbsp/36 L water	-	Spraying should be done 10 days before harvest	Do not enter the field within 2 days after spraying
HANEARL SCIENCE PHILIPPINES, INC.	CARTAP HYDROCHLORIDE	K-HESTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	659-106-5520	19-Jun-24	SYSTEMIC	Pechay	Looper, cutworm, aphids	1.5-3.0tbsp/36 L water	-	Spraying should be done 10 days before harvest	Do not enter the field within 2 days after spraying
HANEARL SCIENCE PHILIPPINES, INC.	PHMETROZINE	K-HEMP 50 WG	500 g/kg	WG	INSECTICIDE	4	659-307-6415	11-Oct-25	-	Mango	Leafhopper	80g/ 200L water		No PHI proposed as the product will be applied at least 20 to 40 days before harvest	Do not enter treated fields until spray deposits have completely dried
HANEARL SCIENCE PHILIPPINES, INC.	PHMETROZINE	K-HEMP 50 WG	500 g/kg	WG	INSECTICIDE	4	659-307-6415	11-Oct-25	-	Corn	Leafhopper, planthopper and aphids	7.18g/ 36L water		No PHI proposed as the product will be applied at least 20 to 40 days before harvest	Do not enter treated fields until spray deposits have completely dried
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-HANCOZEB 75 WDG	750 g/kg	WDG	FUNGICIDE	4	659-053-5630	05-Feb-24	-	Potato	Early and late blight	3-6 Tbsp/36 L		0 day	Do not enter the field within 2 days after spraying.
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-HANCOZEB 75 WDG	750 g/kg	WDG	FUNGICIDE	4	659-053-5630	05-Feb-24	-	Cabbage	Downy mildew, Alternaria leaf spot	3-6 Tbsp/36 L		0 day	Do not enter the field within 2 days after spraying.
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-HANCOZEB 75 WDG	750 g/kg	WDG	FUNGICIDE	4	659-053-5630	05-Feb-24	-	Cauliflower	Downy mildew, Alternaria leaf spot	3-6 Tbsp/36 L		0 day	Do not enter the field within 2 days after spraying.
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-HANCOZEB 75 WDG	750 g/kg	WDG	FUNGICIDE	4	659-053-5630	05-Feb-24	-	Broccoli	Downy mildew, Alternaria leaf spot	3-6 Tbsp/36 L		0 day	Do not enter the field within 2 days after spraying.
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-HANCOZEB 75 WDG	750 g/kg	WDG	FUNGICIDE	4	659-053-5630	05-Feb-24	-	Celery	Late Blight	3-6 Tbsp/36 L		0 day	Do not enter the field within 2 days after spraying.
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-HANCOZEB 75 WDG	750 g/kg	WDG	FUNGICIDE	4	659-053-5630	05-Feb-24	-	Cucumber	Downy Mildew, Anthracnose, Scab	3-6 Tbsp/36 L		0 day	Do not enter the field within 2 days after spraying.
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-HANCOZEB 75 WDG	750 g/kg	WDG	FUNGICIDE	4	659-053-5630	05-Feb-24	-	Squash	Downy Mildew, Anthracnose, Scab	3-6 Tbsp/36 L		0 day	Do not enter the field within 2 days after spraying.
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-HANCOZEB 75 WDG	750 g/kg	WDG	FUNGICIDE	4	659-053-5630	05-Feb-24	-	Cotton	Damping off	3-6 Tbsp/36 L		0 day	Do not enter the field within 2 days after spraying.
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-HANCOZEB 75 WDG	750 g/kg	WDG	FUNGICIDE	4	659-053-5630	05-Feb-24	-	Lettuce	Downy Mildew	3-6 Tbsp/36 L		0 day	Do not enter the field within 2 days after spraying.
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-HANCOZEB 75 WDG	750 g/kg	WDG	FUNGICIDE	4	659-053-5630	05-Feb-24	-	Beans	Anthracoese, Downy Mildew, Rust	3-6 Tbsp/36 L		0 day	Do not enter the field within 2 days after spraying.
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-HANCOZEB 75 WDG	750 g/kg	WDG	FUNGICIDE	4	659-053-5630	05-Feb-24	-	Peas	Anthracoese, Downy Mildew, Rust	3-6 Tbsp/36 L		0 day	Do not enter the field within 2 days after spraying.
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-HANCOZEB 75 WDG	750 g/kg	WDG	FUNGICIDE	4	659-053-5630	05-Feb-24	-	Mungo	Anthracoese, Downy Mildew, Rust	3-6 Tbsp/36 L		0 day	Do not enter the field within 2 days after spraying.
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-HANCOZEB 75 WDG	750 g/kg	WDG	FUNGICIDE	4	659-053-5630	05-Feb-24	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/36 L		0 day	Do not enter the field within 2 days after spraying.
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-HANCOZEB 75 WDG	750 g/kg	WDG	FUNGICIDE	4	659-053-5630	05-Feb-24	-	Onion	Purple blotch, Downy mildew, Botrytis leaf blight	3-6 Tbsp/36 L		0 day	Do not enter the field within 2 days after spraying.
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-HANCOZEB 75 WDG	750 g/kg	WDG	FUNGICIDE	4	659-053-5630	05-Feb-24	-	Garlic	Purple blotch, Downy mildew, Botrytis leaf blight	3-6 Tbsp/36 L		0 day	Do not enter the field within 2 days after spraying.
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-HANCOZEB 75 WDG	750 g/kg	WDG	FUNGICIDE	4	659-053-5630	05-Feb-24	-	Pepper	Anthracoese	3-6 Tbsp/36 L		0 day	Do not enter the field within 2 days after spraying.
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-HANCOZEB 75 WDG	750 g/kg	WDG	FUNGICIDE	4	659-053-5630	05-Feb-24	-	Chili	Anthracoese	3-6 Tbsp/36 L		0 day	Do not enter the field within 2 days after spraying.
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-HANCOZEB 75 WDG	750 g/kg	WDG	FUNGICIDE	4	659-053-5630	05-Feb-24	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/36 L		0 day	Do not enter the field within 2 days after spraying.
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-HANCOZEB 75 WDG	750 g/kg	WDG	FUNGICIDE	4	659-053-5630	05-Feb-24	-	Banana	Sigatoka, Black leaf streak	2-3 kg/ha		0 day	Do not enter the field within 2 days after spraying.
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-HANCOZEB 75 WDG	750 g/kg	WDG	FUNGICIDE	4	659-053-5630	05-Feb-24	-	Grapes	Downy Mildew, Black rot	3-6 Tbsp/36 L		0 day	Do not enter the field within 2 days after spraying.
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-HANCOZEB 75 WDG	750 g/kg	WDG	FUNGICIDE	4	659-053-5630	05-Feb-24	-	Mango	Anthracoese, and scab	3-6 Tbsp/36 L		0 day	Do not enter the field within 2 days after spraying.
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-HANCOZEB 75 WDG	750 g/kg	WDG	FUNGICIDE	4	659-053-5630	05-Feb-24	-	Papaya	Fruit rot	3-6 Tbsp/36 L		0 day	Do not enter the field within 2 days after spraying.
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-HANCOZEB 75 WDG	750 g/kg	WDG	FUNGICIDE	4	659-053-5630	05-Feb-24	-	Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L		0 day	Do not enter the field within 2 days after spraying.
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-HANCOZEB 75 WDG	750 g/kg	WDG	FUNGICIDE	4	659-053-5630	05-Feb-24	-	Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L		0 day	Do not enter the field within 2 days after spraying.
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-HANCOZEB 75 WDG	750 g/kg	WDG	FUNGICIDE	4	659-053-5630	05-Feb-24	-	Corn (sweet and popcorn)	Helminthosporium leaf spot	3-6 Tbsp/36 L		0 day	Do not enter the field within 2 days after spraying.
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-HANCOZEB 75 WDG	750 g/kg	WDG	FUNGICIDE	4	659-053-5630	05-Feb-24	-	Rice	Blast, Sheath blight, Cercospora leaf spot, Helminthosporium leaf spot	3-6 Tbsp/36 L		0 day	Do not enter the field within 2 days after spraying.
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-HANCOZEB 75 WDG	750 g/kg	WDG	FUNGICIDE	4	659-053-5630	05-Feb-24	-	Peanut	Cercospora leaf spot	3-6 Tbsp/36 L		0 day	Do not enter the field within 2 days after spraying.
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-HANCOZEB 75 WDG	750 g/kg	WDG	FUNGICIDE	4	659-053-5630	05-Feb-24	-	Soybeans	leaf rust	3-6 Tbsp/36 L		0 day	Do not enter the field within 2 days after spraying.
HANEARL SCIENCE PHILIPPINES, INC.	MANCOZEB	K-HANCOZEB 75 WDG	750 g/kg	WDG	FUNGICIDE	4	659-053-5630	05-Feb-24	-	Ornamentals	Black spot, Blight, Anthracnose	3-6 Tbsp/36 L		0 day	Do not enter the field within 2 days after spraying.
HANEARL SCIENCE PHILIPPINES, INC.	CHLOROTHALONIL	K-GURGA 720 SC	720 g/L	SC	FUNGICIDE	4	659-118-5392	09-Jan-26	-	Potato	Early blight, late blight, wine rot	1.00-1.80 L/ha or 4.5-9.5 tbsp/36L		7-14 days	Do not enter treatment areas until spray deposit have dried
HANEARL SCIENCE PHILIPPINES, INC.	CHLOROTHALONIL	K-GURGA 720 SC	720 g/L	SC	FUNGICIDE	4	659-118-5392	09-Jan-26	-	Tomato	Early blight, late blight, wine rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L		7-14 days	Do not enter treatment areas until spray deposit have dried
HANEARL SCIENCE PHILIPPINES, INC.	CHLOROTHALONIL	K-GURGA 720 SC	720 g/L	SC	FUNGICIDE	4	659-118-5392	09-Jan-26	-	Beans	Rust, anthracnose	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L		7-14 days	Do not enter treatment areas until spray deposit have dried
HANEARL SCIENCE PHILIPPINES, INC.	CHLOROTHALONIL	K-GURGA 720 SC	720 g/L	SC	FUNGICIDE	4	659-118-5392	09-Jan-26	-	Carrot	Alternaria leaf spot, cercospora leaf spot, helminthosporium leaf spot	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L		7-14 days	Do not enter treatment areas until spray deposit have dried
HANEARL SCIENCE PHILIPPINES, INC.	CHLOROTHALONIL	K-GURGA 720 SC	720 g/L	SC	FUNGICIDE	4	659-118-5392	09-Jan-26	-	Crucifers	Powdery mildew	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L		7-14 days	Do not enter treatment areas until spray deposit have dried
HANEARL SCIENCE PHILIPPINES, INC.	CHLOROTHALONIL	K-GURGA 720 SC	720 g/L	SC	FUNGICIDE	4	659-118-5392	09-Jan-26	-	Cucurbits	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L		7-14 days	Do not enter treatment areas until spray deposit have dried
HANEARL SCIENCE PHILIPPINES, INC.	CHLOROTHALONIL	K-GURGA 720 SC	720 g/L	SC	FUNGICIDE	4	659-118-5392	09-Jan-26	-	Celery	Early blight, late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L		7-14 days	Do not enter treatment areas until spray deposit have dried
HANEARL SCIENCE PHILIPPINES, INC.	CHLOROTHALONIL	K-GURGA 720 SC	720 g/L	SC	FUNGICIDE	4	659-118-5392	09-Jan-26	-	Eggplant	Early blight, late blight, cercospora leafspot, anthracnose	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L		7-14 days	Do not enter treatment areas until spray deposit have dried
HANEARL SCIENCE PHILIPPINES, INC.	CHLOROTHALONIL	K-GURGA 720 SC	720 g/L	SC	FUNGICIDE	4	659-118-5392	09-Jan-26	-	Onion	Purple blotch, bulb rot, neck rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L		7-14 days	Do not enter treatment areas until spray deposit have dried
HANEARL SCIENCE PHILIPPINES, INC.	CHLOROTHALONIL	K-GURGA 720 SC	720 g/L	SC	FUNGICIDE	4	659-118-5392	09-Jan-26	-	Pepper	Early blight, cercospora leaf spot, anthracnose	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L		7-14 days	Do not enter treatment areas until spray deposit have dried

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
HANEARL SCIENCE PHILIPPINES, INC.	CHLOROTHALONIL	K-GURGA 720 SC	720 g/L	SC	FUNGICIDE	4	609-118-5392	09-Jan-26	-	Grapes	Downy mildew, powdery mildew, fruit rot	1.13-1.90L/ha or 4.5-6.0tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
HANEARL SCIENCE PHILIPPINES, INC.	CHLOROTHALONIL	K-GURGA 720 SC	720 g/L	SC	FUNGICIDE	4	609-118-5392	09-Jan-26	-	Mango	Anthracoise, d'plodia rot	3.75-5.80 L/ha or 4.5-6.0 tbsp/36 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
HANEARL SCIENCE PHILIPPINES, INC.	CHLOROTHALONIL	K-GURGA 720 SC	720 g/L	SC	FUNGICIDE	4	609-118-5392	09-Jan-26	-	Ornamentals	Black spot, powdery mildew, black rot	1.13-1.90L/ha or 4.5-6.0tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
HANEARL SCIENCE PHILIPPINES, INC.	CHLOROTHALONIL	K-GURGA 720 SC	720 g/L	SC	FUNGICIDE	4	609-118-5392	09-Jan-26	-	Asparagus	Stem and leaf blight	1.80L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
HANEARL SCIENCE PHILIPPINES, INC.	CHLOROTHALONIL	K-GURGA 720 SC	720 g/L	SC	FUNGICIDE	4	609-118-5392	09-Jan-26	-	Banana	Black sigatoka	1.38 L/ha	-	0 day	Do not enter treatment areas until spray deposit have dried
HANEARL SCIENCE PHILIPPINES, INC.	GLUFOSINATE AMMONIUM	K-GLUFOSINATE 150 SL	150g/L	SL	HERBICIDE	4	609-182-5798-C	15-Sep-25	NON-SELECTIVE (POST-EMERGENT)	Cavendish banana	Grasses sedges and broadleaves	-	-	-	After spray deposits have dried
HANEARL SCIENCE PHILIPPINES, INC.	GLUFOSINATE AMMONIUM	K-GLUFOSINATE 150 SL	150g/L	SL	HERBICIDE	4	609-182-5798-C	15-Sep-25	NON-SELECTIVE (POST-EMERGENT)	Rubber	Grasses sedges and broadleaves	-	-	-	After spray deposits have dried
HANEARL SCIENCE PHILIPPINES, INC.	GLUFOSINATE AMMONIUM	K-GLUFOSINATE 150 SL	150g/L	SL	HERBICIDE	4	609-182-5798-C	15-Sep-25	NON-SELECTIVE (POST-EMERGENT)	Oil palm	Grasses sedges and broadleaves	-	-	-	After spray deposits have dried
HANEARL SCIENCE PHILIPPINES, INC.	GLUFOSINATE AMMONIUM	K-GLUFOSINATE 150 SL	150g/L	SL	HERBICIDE	4	609-182-5798-C	15-Sep-25	NON-SELECTIVE (POST-EMERGENT)	Non-agricultural crop areas	Grasses sedges and broadleaves	-	-	-	After spray deposits have dried
HANEARL SCIENCE PHILIPPINES, INC.	GLYPHOSATE IPA	K-GLIFO 480 SL	480g/L	SL	HERBICIDE	4	609-151-4977-A	09-Jan-27	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/ha	-	-	-
HANEARL SCIENCE PHILIPPINES, INC.	GLYPHOSATE IPA	K-GLIFO 480 SL	480g/L	SL	HERBICIDE	4	609-151-4977-A	09-Jan-27	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
HANEARL SCIENCE PHILIPPINES, INC.	GLYPHOSATE IPA	K-GLIFO 480 SL	480g/L	SL	HERBICIDE	4	609-151-4977-A	09-Jan-27	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
HANEARL SCIENCE PHILIPPINES, INC.	GLYPHOSATE IPA	K-GLIFO 480 SL	480g/L	SL	HERBICIDE	4	609-151-4977-A	09-Jan-27	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
HANEARL SCIENCE PHILIPPINES, INC.	GLYPHOSATE IPA	K-GLIFO 480 SL	480g/L	SL	HERBICIDE	4	609-151-4977-A	09-Jan-27	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
HANEARL SCIENCE PHILIPPINES, INC.	GLYPHOSATE IPA	K-GLIFO 480 SL	480g/L	SL	HERBICIDE	4	609-151-4977-A	09-Jan-27	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
HANEARL SCIENCE PHILIPPINES, INC.	GLYPHOSATE IPA	K-GLIFO 480 SL	480g/L	SL	HERBICIDE	4	609-151-4977-A	09-Jan-27	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
HANEARL SCIENCE PHILIPPINES, INC.	GLYPHOSATE IPA	K-GLIFO 480 SL	480g/L	SL	HERBICIDE	4	609-151-4977-A	09-Jan-27	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
HANEARL SCIENCE PHILIPPINES, INC.	GLYPHOSATE IPA	K-GLIFO 480 SL	480g/L	SL	HERBICIDE	4	609-151-4977-A	09-Jan-27	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/ha	-	-	-
HANEARL SCIENCE PHILIPPINES, INC.	GLYPHOSATE IPA	K-GLIFO 480 SL	480g/L	SL	HERBICIDE	4	609-151-4977-A	09-Jan-27	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
HANEARL SCIENCE PHILIPPINES, INC.	GLYPHOSATE IPA	K-GLIFO 480 SL	480g/L	SL	HERBICIDE	4	609-151-4977-A	09-Jan-27	POST-EMERGENT	Vegetables under minimum or reduced tillage system	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
HANEARL SCIENCE PHILIPPINES, INC.	GLYPHOSATE IPA	K-GLIFO 480 SL	480g/L	SL	HERBICIDE	4	609-151-4977-A	09-Jan-27	POST-EMERGENT	Non-crop agricultural areas	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
HANEARL SCIENCE PHILIPPINES, INC.	FLUAZOPOP-P-BUTYL	K-FLOPY 15 EC	150g/L	EC	HERBICIDE	4	609-212-4983	27-Dec-24	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Banana	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-
HANEARL SCIENCE PHILIPPINES, INC.	FLUAZOPOP-P-BUTYL	K-FLOPY 15 EC	150g/L	EC	HERBICIDE	4	609-212-4983	27-Dec-24	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Cacao	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-
HANEARL SCIENCE PHILIPPINES, INC.	FLUAZOPOP-P-BUTYL	K-FLOPY 15 EC	150g/L	EC	HERBICIDE	4	609-212-4983	27-Dec-24	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Citrus	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-
HANEARL SCIENCE PHILIPPINES, INC.	FLUAZOPOP-P-BUTYL	K-FLOPY 15 EC	150g/L	EC	HERBICIDE	4	609-212-4983	27-Dec-24	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Cotton	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-
HANEARL SCIENCE PHILIPPINES, INC.	FLUAZOPOP-P-BUTYL	K-FLOPY 15 EC	150g/L	EC	HERBICIDE	4	609-212-4983	27-Dec-24	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Coffee	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-
HANEARL SCIENCE PHILIPPINES, INC.	FLUAZOPOP-P-BUTYL	K-FLOPY 15 EC	150g/L	EC	HERBICIDE	4	609-212-4983	27-Dec-24	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Oil palm	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-
HANEARL SCIENCE PHILIPPINES, INC.	FLUAZOPOP-P-BUTYL	K-FLOPY 15 EC	150g/L	EC	HERBICIDE	4	609-212-4983	27-Dec-24	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Ramie	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-
HANEARL SCIENCE PHILIPPINES, INC.	FLUAZOPOP-P-BUTYL	K-FLOPY 15 EC	150g/L	EC	HERBICIDE	4	609-212-4983	27-Dec-24	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Rubber	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-
HANEARL SCIENCE PHILIPPINES, INC.	FLUAZOPOP-P-BUTYL	K-FLOPY 15 EC	150g/L	EC	HERBICIDE	4	609-212-4983	27-Dec-24	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Onion	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-
HANEARL SCIENCE PHILIPPINES, INC.	FLUAZOPOP-P-BUTYL	K-FLOPY 15 EC	150g/L	EC	HERBICIDE	4	609-212-4983	27-Dec-24	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Pineapple	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-
HANEARL SCIENCE PHILIPPINES, INC.	FLUAZOPOP-P-BUTYL	K-FLOPY 15 EC	150g/L	EC	HERBICIDE	4	609-212-4983	27-Dec-24	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Soybeans	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-
HANEARL SCIENCE PHILIPPINES, INC.	FLUAZOPOP-P-BUTYL	K-FLOPY 15 EC	150g/L	EC	HERBICIDE	4	609-212-4983	27-Dec-24	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Tomato	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-
HANEARL SCIENCE PHILIPPINES, INC.	FFIPRONIL	K-FIPRON 5 SC	50g/L	SC	FUNGICIDE	3	609-244-4973	06-Oct-26	-	Cabbage	Diamondback moth	15-25, 25-25, 30-50 mL/16 L water	-	-	One day after application
HANEARL SCIENCE PHILIPPINES, INC.	FFIPRONIL	K-FIPRON 5 SC	50g/L	SC	FUNGICIDE	3	609-244-4973	06-Oct-26	-	Eggplant	Shoot borer	30-40 mL/16 L water	-	-	One day after application
HANEARL SCIENCE PHILIPPINES, INC.	FFIPRONIL	K-FIPRON 5 SC	50g/L	SC	FUNGICIDE	3	609-244-4973	06-Oct-26	-	Onion	Cutworm	50-30 mL/16 L water	-	-	One day after application
HANEARL SCIENCE PHILIPPINES, INC.	FFIPRONIL	K-FIPRON 5 SC	50g/L	SC	FUNGICIDE	3	609-244-4973	06-Oct-26	-	Rice	Stemborer, brown planthopper, leaf folder, rice bug	27-40, 34-52, 40-63 mL/16 L water	0.05 ppm	-	One day after application
HANEARL SCIENCE PHILIPPINES, INC.	FFIPRONIL	K-FIPRON 5 SC	50g/L	SC	FUNGICIDE	3	609-244-4973	06-Oct-26	-	Watermelon	Thrips, leaf beetles	26-30 mL/16 L water	-	-	One day after application
S&P ENTERPRISES, INC.	AZOXYSTROBIN-DIFENOCONAZOLE	REVULAR TOP 325SC	250 g/L+125 g/L	SC	FUNGICIDE	4	566-486-6174	22-May-26	-	Corn	Northern corn leaf blight white spot gray leaf spot brown spot	5.0-7.5 tbsps/16L water	-	-	-
S&P ENTERPRISES, INC.	AZOXYSTROBIN-DIFENOCONAZOLE	REVULAR TOP 325SC	250 g/L+125 g/L	SC	FUNGICIDE	4	566-486-6174	22-May-26	-	Mango	Anthracoise, scab, stem-end rot	150-200 mL/200 L drum	-	-	-
S&P ENTERPRISES, INC.	AZOXYSTROBIN-DIFENOCONAZOLE	REVULAR TOP 325SC	250 g/L+125 g/L	SC	FUNGICIDE	4	566-486-6174	22-May-26	-	Onion	Anthracoise	2.0-3.5 tbsps/16L water	-	-	-
S&P ENTERPRISES, INC.	AZOXYSTROBIN-DIFENOCONAZOLE	REVULAR TOP 325SC	250 g/L+125 g/L	SC	FUNGICIDE	4	566-486-6174	22-May-26	-	Potato	Late blight	2.0-2.5 Tbsp/36L water	-	-	-
S&P ENTERPRISES, INC.	AZOXYSTROBIN-DIFENOCONAZOLE	REVULAR TOP 325SC	250 g/L+125 g/L	SC	FUNGICIDE	4	566-486-6174	22-May-26	-	Rice	Rice blast, sheath blight	4-6.0 tbsps/16L water 2.5-5.0 tbsps/16L water	-	-	-
S&P ENTERPRISES, INC.	DIFENOCONAZOLE	REVULAR 250 EC	250 g/L	EC	FUNGICIDE	4	566-272-3780	23-Dec-24	SYSTEMIC	Banana	Black Sigatoka	0.30-0.40 L prod/ha	-	-	-
S&P ENTERPRISES, INC.	DIFENOCONAZOLE	REVULAR 250 EC	250 g/L	EC	FUNGICIDE	4	566-272-3780	23-Dec-24	SYSTEMIC	Mango	Anthracoise	0.028-0.88 L/ha	-	14 days	-
S&P ENTERPRISES, INC.	DIFENOCONAZOLE	REVULAR 250 EC	250 g/L	EC	FUNGICIDE	4	566-272-3780	23-Dec-24	SYSTEMIC	Rice	Sheath Blight	0.25-0.30 L/ha	-	-	-
S&P ENTERPRISES, INC.	DIFENOCONAZOLE	REVULAR 250 EC	250 g/L	EC	FUNGICIDE	4	566-272-3780	23-Dec-24	SYSTEMIC	Stringbeans	Leaf spot	0.20-0.30 L/ha	-	7 days	-
S&P ENTERPRISES, INC.	DIFENOCONAZOLE	REVULAR 250 EC	250 g/L	EC	FUNGICIDE	4	566-272-3780	23-Dec-24	SYSTEMIC	Eggplant	Leaf Spot	0.20-0.30 L/ha	-	7 days	-
S&P ENTERPRISES, INC.	DIFENOCONAZOLE	REVULAR 250 EC	250 g/L	EC	FUNGICIDE	4	566-272-3780	23-Dec-24	SYSTEMIC	Tomato	Alternaria leaf spot, cercospora leaf mold, powdery mildew	0.20-0.30 L/ha	-	7 days	-
S&P ENTERPRISES, INC.	DIFENOCONAZOLE	REVULAR 250 EC	250 g/L	EC	FUNGICIDE	4	566-272-3780	23-Dec-24	SYSTEMIC	Cabbage	Ringspot, alternaria	0.20-0.30 L/ha	-	7 days	-
S&P ENTERPRISES, INC.	DIFENOCONAZOLE	REVULAR 250 EC	250 g/L	EC	FUNGICIDE	4	566-272-3780	23-Dec-24	SYSTEMIC	Onion	Purple blotch	0.40-0.50 L/ha	-	7 days	-
S&P ENTERPRISES, INC.	DIFENOCONAZOLE	REVULAR 250 EC	250 g/L	EC	FUNGICIDE	4	566-272-3780	23-Dec-24	SYSTEMIC	Asparagus	Stem and leaf blight	0.36 L/ha	-	7 days	-
KEMSTAR CORPORATION	TRIDEMORPH	KEMSTAR TRIDEMORPH 86 OL	860 g/L	OL	FUNGICIDE	2	239-097-2056	20-Dec-24	SYSTEMIC/CONTACT	Banana	Sigatoka	0.5 L/ha Tridemorph + 5.0 L/ha Oil	-	-	-
KEMSTAR CORPORATION	GLYPHOSATE IPA	KEMSTAR SUGARCANE RIPENER	-	-	OTHERS	-	239-151-1776	02-Feb-24	-	Sugarcane	Ripener	2-3 L prod./30 L water / ha	-	-	-
KEMSTAR CORPORATION	MANCOZEB	KEMSTAR MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	239-053-2398	21-Oct-24	-	Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
KEMSTAR CORPORATION	MANCOZEB	KEMSTAR MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	239-053-2398	21-Oct-24	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)		PHI	RE-ENTRY PERIOD
KEMSTAR CORPORATION	MANCOZEB	KEMSTAR MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	239-053-2398	21-Oct-24		Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days		As soon as spray dries
KEMSTAR CORPORATION	MANCOZEB	KEMSTAR MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	239-061-2398	21-Oct-24		Soybeans	Leaf rust	3-6 Tbsp/36 L water	-	-		As soon as spray dries
KEMSTAR CORPORATION	MANCOZEB	KEMSTAR MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	239-053-2398	21-Oct-24		Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/36 L water	0.03ppm	-		As soon as spray dries
KEMSTAR CORPORATION	MANCOZEB	KEMSTAR MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	239-061-2398	21-Oct-24		Potato	Early and late blight	3-6 Tbsp/36 L water	-	-		As soon as spray dries
KEMSTAR CORPORATION	MANCOZEB	KEMSTAR MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	239-053-2398	21-Oct-24		Pepper	Anthracoese	3-6 Tbsp/36 L water	-	7 Days		As soon as spray dries
KEMSTAR CORPORATION	MANCOZEB	KEMSTAR MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	239-053-2398	21-Oct-24		Peas	Anthracoese, Downy mildew, Rust	3-6 Tbsp/36 L water	-	5 days		As soon as spray dries
KEMSTAR CORPORATION	MANCOZEB	KEMSTAR MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	239-061-2398	21-Oct-24		Peanut	Cercospora leaf spot	3-6 Tbsp/36 L water	-	14 days		As soon as spray dries
KEMSTAR CORPORATION	MANCOZEB	KEMSTAR MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	239-053-2398	21-Oct-24		Papaya	Fruit rot	3-6 Tbsp/36 L water	-	-		As soon as spray dries
KEMSTAR CORPORATION	MANCOZEB	KEMSTAR MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	239-053-2398	21-Oct-24		Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/36 L water	-	-		As soon as spray dries
KEMSTAR CORPORATION	MANCOZEB	KEMSTAR MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	239-053-2398	21-Oct-24		Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36 L water	-	7 days		As soon as spray dries
KEMSTAR CORPORATION	MANCOZEB	KEMSTAR MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	239-053-2398	21-Oct-24		Mungo	Anthracoese, Downy mildew, Rust	3-6 Tbsp/36 L water	-	5 days		As soon as spray dries
KEMSTAR CORPORATION	MANCOZEB	KEMSTAR MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	239-061-2398	21-Oct-24		Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days		As soon as spray dries
KEMSTAR CORPORATION	MANCOZEB	KEMSTAR MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	239-053-2398	21-Oct-24		Mango	Anthracoese and Scab	3-6 Tbsp/36 L water	-	5 days		As soon as spray dries
KEMSTAR CORPORATION	MANCOZEB	KEMSTAR MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	239-061-2398	21-Oct-24		lettuce	Downy mildew	3-6 Tbsp/36 L water	-	7 days		As soon as spray dries
KEMSTAR CORPORATION	MANCOZEB	KEMSTAR MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	239-053-2398	21-Oct-24		Grapes	Downy mildew, black rot	3-6 Tbsp/36 L water	-	60 days		As soon as spray dries
KEMSTAR CORPORATION	MANCOZEB	KEMSTAR MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	239-061-2398	21-Oct-24		Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36 L water	-	7 days		As soon as spray dries
KEMSTAR CORPORATION	MANCOZEB	KEMSTAR MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	239-053-2398	21-Oct-24		Eggplant	Blight, Anthracnose	3-6 Tbsp/36 L water	-	7 days		As soon as spray dries
KEMSTAR CORPORATION	MANCOZEB	KEMSTAR MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	239-053-2398	21-Oct-24		Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days		As soon as spray dries
KEMSTAR CORPORATION	MANCOZEB	KEMSTAR MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	239-053-2398	21-Oct-24		Cotton	Damping off	3-6 Tbsp/36 L water	-	-		As soon as spray dries
KEMSTAR CORPORATION	MANCOZEB	KEMSTAR MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	239-053-2398	21-Oct-24		Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/36 L water	-	7 days		As soon as spray dries
KEMSTAR CORPORATION	MANCOZEB	KEMSTAR MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	239-061-2398	21-Oct-24		Chili	Anthracoese	3-6 Tbsp/36 L water	-	7 days		As soon as spray dries
KEMSTAR CORPORATION	MANCOZEB	KEMSTAR MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	239-053-2398	21-Oct-24		Galery	Late blight	3-6 Tbsp/36 L water	-	14 Days		As soon as spray dries
KEMSTAR CORPORATION	MANCOZEB	KEMSTAR MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	239-053-2398	21-Oct-24		Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	7 days		As soon as spray dries
KEMSTAR CORPORATION	MANCOZEB	KEMSTAR MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	239-061-2398	21-Oct-24		Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	7 days		As soon as spray dries
KEMSTAR CORPORATION	MANCOZEB	KEMSTAR MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	239-053-2398	21-Oct-24		Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	7 days		As soon as spray dries
KEMSTAR CORPORATION	MANCOZEB	KEMSTAR MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	239-053-2398	21-Oct-24		Beans	Anthracoese, Downy mildew, Rust	3-6 Tbsp/36 L water	-	5 days		As soon as spray dries
KEMSTAR CORPORATION	MANCOZEB	KEMSTAR MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	239-053-2398	21-Oct-24		Banana	Sigatoka, Black leaf streak	3-6 Tbsp/36 L water	-	-		As soon as spray dries
KEMSTAR CORPORATION	GLYPHOSATE IPA	KEMSTAR GLYPHO 480 SL	480 g/L	SL	HERBICIDE	4	239-151-1776-A	23-Dec-25	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/ha	-	-		-
KEMSTAR CORPORATION	GLYPHOSATE IPA	KEMSTAR GLYPHO 480 SL	480 g/L	SL	HERBICIDE	4	239-151-1776-A	23-Dec-25	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-		-
KEMSTAR CORPORATION	GLYPHOSATE IPA	KEMSTAR GLYPHO 480 SL	480 g/L	SL	HERBICIDE	4	239-151-1776-A	23-Dec-25	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-		-
KEMSTAR CORPORATION	GLYPHOSATE IPA	KEMSTAR GLYPHO 480 SL	480 g/L	SL	HERBICIDE	4	239-151-1776-A	23-Dec-25	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-		-
KEMSTAR CORPORATION	GLYPHOSATE IPA	KEMSTAR GLYPHO 480 SL	480 g/L	SL	HERBICIDE	4	239-151-1776-A	23-Dec-25	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-		-
KEMSTAR CORPORATION	GLYPHOSATE IPA	KEMSTAR GLYPHO 480 SL	480 g/L	SL	HERBICIDE	4	239-151-1776-A	23-Dec-25	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-		-
KEMSTAR CORPORATION	GLYPHOSATE IPA	KEMSTAR GLYPHO 480 SL	480 g/L	SL	HERBICIDE	4	239-151-1776-A	23-Dec-25	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-		-
KEMSTAR CORPORATION	GLYPHOSATE IPA	KEMSTAR GLYPHO 480 SL	480 g/L	SL	HERBICIDE	4	239-151-1776-A	23-Dec-25	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-		-
KEMSTAR CORPORATION	GLYPHOSATE IPA	KEMSTAR GLYPHO 480 SL	480 g/L	SL	HERBICIDE	4	239-151-1776-A	23-Dec-25	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/ha	-	-		-
KEMSTAR CORPORATION	GLYPHOSATE IPA	KEMSTAR GLYPHO 480 SL	480 g/L	SL	HERBICIDE	4	239-151-1776-A	23-Dec-25	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-		-
KEMSTAR CORPORATION	GLYPHOSATE IPA	KEMSTAR GLYPHO 480 SL	480 g/L	SL	HERBICIDE	4	239-151-1776-A	23-Dec-25	POST-EMERGENT	Vegetables under minimum or reduced tillage system	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-		-
KEMSTAR CORPORATION	GLYPHOSATE IPA	KEMSTAR GLYPHO 480 SL	480 g/L	SL	HERBICIDE	4	239-151-1776-A	23-Dec-25	POST-EMERGENT	Non-crop	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/ha	-	-		-
KEMSTAR CORPORATION	DIURON	KEMSTAR DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	239-021-2445-A	22-Jul-24	SYSTEMIC	Citrus	Annual and Perennial broadleaves and grasses	11.0-19.0Tbsp/36 L water	-	-		A day after application
KEMSTAR CORPORATION	DIURON	KEMSTAR DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	239-021-2445-A	22-Jul-24	SYSTEMIC	Coffee	Annual and Perennial broadleaves and grasses	11.0-19.0Tbsp/36 L water	-	-		A day after application
KEMSTAR CORPORATION	DIURON	KEMSTAR DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	239-021-2445-A	22-Jul-24	SYSTEMIC	Cotton	Annual and Perennial broadleaves and grasses	8.0Tbsp/36 L water	-	-		A day after application
KEMSTAR CORPORATION	DIURON	KEMSTAR DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	239-021-2445-A	22-Jul-24	SYSTEMIC	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0Tbsp/36 L water	-	-		A day after application
KEMSTAR CORPORATION	DIURON	KEMSTAR DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	239-021-2445-A	22-Jul-24	SYSTEMIC	Pineapple	Annual and Perennial broadleaves and grasses	11.0Tbsp/36 L water	-	-		A day after application
KEMSTAR CORPORATION	DIURON	KEMSTAR DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	239-021-2445-A	22-Jul-24	SYSTEMIC	Non-crop agricultural land	Annual and Perennial broadleaves and grasses	20.0-28.0Tbsp/36 L water	-	-		A day after application
SANHEM CORPORATION	PROFENOFOS	KEMICRON 50 EC	500 g/kg	EC	INSECTICIDE	2	515-070-3755	07-Jul-19	CONTACT	Mango	Thrips	1.0-2.0 Tbsp/36 L water	-	-		-
SANHEM CORPORATION	PROFENOFOS	KEMICRON 50 EC	500 g/kg	EC	INSECTICIDE	2	515-070-3755	07-Jul-19	CONTACT	tomato	Fruitworm, armyworm, cutworm	3-5 Tbsp/36 L water	-	-		-
SANHEM CORPORATION	PROFENOFOS	KEMICRON 50 EC	500 g/kg	EC	INSECTICIDE	2	515-070-3755	07-Jul-19	CONTACT	Eggplant	Fruitborer, aphids, leafhopper, & thrips	1.5-3.0 Tbsp/36 L water	-	-		-
SANHEM CORPORATION	PROFENOFOS	KEMICRON 50 EC	500 g/kg	EC	INSECTICIDE	2	515-070-3755	07-Jul-19	CONTACT	Cabbage	Diamond back moth, cabbage worm & aphids, thrips	3-5 Tbsp/36 L water	-	-		-
SANHEM CORPORATION	PROFENOFOS	KEMICRON 50 EC	500 g/kg	EC	INSECTICIDE	2	515-070-3755	07-Jul-19	CONTACT	Watermelon	Thrips	3-5 Tbsp/36 L water	-	-		-
SANHEM CORPORATION	PROFENOFOS	KEMICRON 50 EC	500 g/kg	EC	INSECTICIDE	2	515-070-3755	07-Jul-19	CONTACT	Potato	Thrips, army worm, cutworm, tuber moth	3-5 Tbsp/36 L water	-	-		-
SANHEM CORPORATION	PROFENOFOS	KEMICRON 50 EC	500 g/kg	EC	INSECTICIDE	2	515-070-3755	07-Jul-19	CONTACT	Soybeans	Corn earworm, leafminer	3-5 Tbsp/36 L water	-	-		-
SANHEM CORPORATION	PROFENOFOS	KEMICRON 50 EC	500 g/kg	EC	INSECTICIDE	2	515-070-3755	07-Jul-19	CONTACT	Mungbeans	Corn earworm, leafminer	3-5 Tbsp/36 L water	-	-		-
SANHEM CORPORATION	PROFENOFOS	KEMICRON 50 EC	500 g/kg	EC	INSECTICIDE	2	515-070-3755	07-Jul-19	CONTACT	Cotton	Thrips, bollworm & budworm	3-5 Tbsp/36 L water	-	-		-
SANHEM CORPORATION	PROFENOFOS	KEMICRON 50 EC	500 g/kg	EC	INSECTICIDE	2	515-070-3755	07-Jul-19	CONTACT	litas	Beanyfly, leafhopper & aphids	1.5-3.0 Tbsp/36 L water	-	-		-
RAINBOW AGROSCIENCES PHILIPPINES INC.	FENPROPHAMORPH	KEENOR 880 OL	880 g/L	OL	FUNGICIDE	2	400-511-5880	9-Sep-25	SYSTEMIC	Banana	Black sigatoka	0.5-0.7 L prod. / ha.	-	0 day		As soon as spray droplets dries

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
HANEARL SCIENCE PHILIPPINES, INC.	DIURON	K-DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	659-021-6232	23-Jul-26	-	Citrus	Annual and perennial broadleaf weeds and grasses	11.0-15.0 Tbsp/36 L water	-	-	Entry to fields treated with K-DIURON 80 WP can be done one day after the application
HANEARL SCIENCE PHILIPPINES, INC.	DIURON	K-DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	659-021-6232	23-Jul-26	-	Coffee	Annual and perennial broadleaf weeds and grasses	11.0-15.0 Tbsp/36 L water	-	-	Entry to fields treated with K-DIURON 80 WP can be done one day after the application
HANEARL SCIENCE PHILIPPINES, INC.	DIURON	K-DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	659-021-6232	23-Jul-26	-	Cotton	Annual and perennial broadleaf weeds and grasses	8.0 Tbsp/36 L water	-	-	Entry to fields treated with K-DIURON 80 WP can be done one day after the application
HANEARL SCIENCE PHILIPPINES, INC.	DIURON	K-DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	659-021-6232	23-Jul-26	-	Sugarcane	Annual and perennial broadleaf weeds and grasses	4-5-13.0 Tbsp/36 L water	-	-	Entry to fields treated with K-DIURON 80 WP can be done one day after the application
HANEARL SCIENCE PHILIPPINES, INC.	DIURON	K-DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	659-021-6232	23-Jul-26	-	Pineapple	Annual and perennial broadleaf weeds and grasses	11.0 Tbsp/36 L water	-	-	Entry to fields treated with K-DIURON 80 WP can be done one day after the application
HANEARL SCIENCE PHILIPPINES, INC.	DIURON	K-DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	659-021-6232	23-Jul-26	-	Non-crop agricultural areas	Annual and perennial broadleaf weeds and grasses	20.0-28.0 Tbsp/36 L water	-	-	Entry to fields treated with K-DIURON 80 WP can be done one day after the application
HANEARL SCIENCE PHILIPPINES, INC.	DIFENOCANAZOLE	K-DIFENO 250 EC	250g/L	EC	FUNGICIDE	4	659-272-4972-B	22-Nov-24	SYSTEMIC	Rice	Sheath Blight	0.25-0.30 L prod/ha	-	-	
HANEARL SCIENCE PHILIPPINES, INC.	DIFENOCANAZOLE	K-DIFENO 250 EC	250g/L	EC	FUNGICIDE	4	659-272-4972-B	22-Nov-24	SYSTEMIC	Mango	Anthraxnose	0.528-0.88 L prod/ha	-	-	
HANEARL SCIENCE PHILIPPINES, INC.	DIFENOCANAZOLE	K-DIFENO 250 EC	250g/L	EC	FUNGICIDE	4	659-272-4972-B	22-Nov-24	SYSTEMIC	Stringbeans	Leafspot	0.30-0.30 L prod/ha	-	-	
HANEARL SCIENCE PHILIPPINES, INC.	DIFENOCANAZOLE	K-DIFENO 250 EC	250g/L	EC	FUNGICIDE	4	659-272-4972-B	22-Nov-24	SYSTEMIC	Tomato	Alternaria leaf spot, cercospora leaf mold, powdery mildew	0.20-0.30 L prod/ha	-	-	
HANEARL SCIENCE PHILIPPINES, INC.	DIFENOCANAZOLE	K-DIFENO 250 EC	250g/L	EC	FUNGICIDE	4	659-272-4972-B	22-Nov-24	SYSTEMIC	Eggplant	Leaf spot	0.20-0.30 L prod/ha	-	-	
HANEARL SCIENCE PHILIPPINES, INC.	DIFENOCANAZOLE	K-DIFENO 250 EC	250g/L	EC	FUNGICIDE	4	659-272-4972-B	22-Nov-24	SYSTEMIC	Cabbage	Ringspot, alternaria	0.20-0.30 L prod/ha	-	-	
HANEARL SCIENCE PHILIPPINES, INC.	DIFENOCANAZOLE	K-DIFENO 250 EC	250g/L	EC	FUNGICIDE	4	659-272-4972-B	22-Nov-24	SYSTEMIC	Asparagus	Stem and leaf blight	0.36 L prod/ha	-	-	
HANEARL SCIENCE PHILIPPINES, INC.	DIFENOCANAZOLE	K-DIFENO 250 EC	250g/L	EC	FUNGICIDE	4	659-272-4972-B	22-Nov-24	SYSTEMIC	Onion	Purple blotch	0.40-0.50 L prod/ha	-	-	
HANEARL SCIENCE PHILIPPINES, INC.	DIFENOCANAZOLE	K-DIFENO 250 EC	250g/L	EC	FUNGICIDE	4	659-272-4972-B	22-Nov-24	SYSTEMIC	Banana	Black sigatoka	0.30-0.40 L prod/ha	-	-	
HANEARL SCIENCE PHILIPPINES, INC.	CHLOPYRIFOS	K-DEXTER 40 EC	400g/L	EC	INSECTICIDE	2	659-101-4978	07-Jun-26	-	Banana	Thrips, scarlet beetle, aphids	20-30 mL/2.5 Tbsp/pe 36 L water	-	-	
HANEARL SCIENCE PHILIPPINES, INC.	CHLOPYRIFOS	K-DEXTER 40 EC	400g/L	EC	INSECTICIDE	2	659-101-4978	07-Jun-26	-	Pineapple	Mealy bugs ant	1-4 L per hectare using boom sprayer	-	-	
HANEARL SCIENCE PHILIPPINES, INC.	CHLOPYRIFOS	K-DEXTER 40 EC	400g/L	EC	INSECTICIDE	2	659-101-4978	07-Jun-26	-	Sugarcane	White grub	80-100 mL per 36 L water	-	-	
HANEARL SCIENCE PHILIPPINES, INC.	DELICIA	K-DELICIA 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-4970	05-Feb-21	-	Potato	Early and late blight	3-6 Tbsp/36 L water	-	Allow 7 days from last spray until harvest	Soon as the spray has dried.
HANEARL SCIENCE PHILIPPINES, INC.	DELICIA	K-DELICIA 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-4970	05-Feb-21	-	Cabbage	Downy mildew, Alternaria leaf spot	3-6 Tbsp/36 L water	-	Allow 7 days from last spray until harvest	Soon as the spray has dried.
HANEARL SCIENCE PHILIPPINES, INC.	DELICIA	K-DELICIA 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-4970	05-Feb-21	-	Cauliflower	Downy mildew, Alternaria leaf spot	3-6 Tbsp/36 L water	-	Allow 7 days from last spray until harvest	Soon as the spray has dried.
HANEARL SCIENCE PHILIPPINES, INC.	DELICIA	K-DELICIA 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-4970	05-Feb-21	-	Broccoli	Downy mildew, Alternaria leaf spot	3-6 Tbsp/36 L water	-	Allow 7 days from last spray until harvest	Soon as the spray has dried.
HANEARL SCIENCE PHILIPPINES, INC.	DELICIA	K-DELICIA 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-4970	05-Feb-21	-	Celery	Late blight	3-6 Tbsp/36 L water	-	Allow 7 days from last spray until harvest	Soon as the spray has dried.
HANEARL SCIENCE PHILIPPINES, INC.	DELICIA	K-DELICIA 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-4970	05-Feb-21	-	Cucumber	Downy mildew, anthracnose, scab	3-6 Tbsp/36 L water	-	Allow 7 days from last spray until harvest	Soon as the spray has dried.
HANEARL SCIENCE PHILIPPINES, INC.	DELICIA	K-DELICIA 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-4970	05-Feb-21	-	Squash	Downy mildew, anthracnose, scab	3-6 Tbsp/36 L water	-	Allow 7 days from last spray until harvest	Soon as the spray has dried.
HANEARL SCIENCE PHILIPPINES, INC.	DELICIA	K-DELICIA 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-4970	05-Feb-21	-	Cotton	Damping off	3-6 Tbsp/36 L water	-	Allow 7 days from last spray until harvest	Soon as the spray has dried.
HANEARL SCIENCE PHILIPPINES, INC.	DELICIA	K-DELICIA 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-4970	05-Feb-21	-	Lettuce	Downy mildew	3-6 Tbsp/36 L water	-	Allow 7 days from last spray until harvest	Soon as the spray has dried.
HANEARL SCIENCE PHILIPPINES, INC.	DELICIA	K-DELICIA 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-4970	05-Feb-21	-	Beans	Anthraxnose, downy mildew, rust	3-6 Tbsp/36 L water	-	Allow 7 days from last spray until harvest	Soon as the spray has dried.
HANEARL SCIENCE PHILIPPINES, INC.	DELICIA	K-DELICIA 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-4970	05-Feb-21	-	Peas	Anthraxnose, downy mildew, rust	3-6 Tbsp/36 L water	-	Allow 7 days from last spray until harvest	Soon as the spray has dried.
HANEARL SCIENCE PHILIPPINES, INC.	DELICIA	K-DELICIA 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-4970	05-Feb-21	-	Mungbeans	Anthraxnose, downy mildew, rust	3-6 Tbsp/36 L water	-	Allow 7 days from last spray until harvest	Soon as the spray has dried.
HANEARL SCIENCE PHILIPPINES, INC.	DELICIA	K-DELICIA 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-4970	05-Feb-21	-	Tomato	Early and late blight, anthracnose, septoria leaf spot	3-6 Tbsp/36 L water	-	Allow 7 days from last spray until harvest	Soon as the spray has dried.
HANEARL SCIENCE PHILIPPINES, INC.	DELICIA	K-DELICIA 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-4970	05-Feb-21	-	Onion	Purple blotch, downy ml dew, Botrytis leaf blight	3-6 Tbsp/36 L water	-	Allow 7 days from last spray until harvest	Soon as the spray has dried.
HANEARL SCIENCE PHILIPPINES, INC.	DELICIA	K-DELICIA 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-4970	05-Feb-21	-	Garlic	Purple blotch, downy ml dew, Botrytis leaf blight	3-6 Tbsp/36 L water	-	Allow 7 days from last spray until harvest	Soon as the spray has dried.
HANEARL SCIENCE PHILIPPINES, INC.	DELICIA	K-DELICIA 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-4970	05-Feb-21	-	Pepper	Anthraxnose	3-6 Tbsp/36 L water	-	Allow 7 days from last spray until harvest	Soon as the spray has dried.
HANEARL SCIENCE PHILIPPINES, INC.	DELICIA	K-DELICIA 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-4970	05-Feb-21	-	Chili	Anthraxnose	3-6 Tbsp/36 L water	-	Allow 7 days from last spray until harvest	Soon as the spray has dried.
HANEARL SCIENCE PHILIPPINES, INC.	DELICIA	K-DELICIA 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-4970	05-Feb-21	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/36 L water	-	Allow 7 days from last spray until harvest	Soon as the spray has dried.
HANEARL SCIENCE PHILIPPINES, INC.	DELICIA	K-DELICIA 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-4970	05-Feb-21	-	Banana	Sigatoka, Black leaf streak	3-6 Tbsp/36 L water	-	Allow 7 days from last spray until harvest	Soon as the spray has dried.
HANEARL SCIENCE PHILIPPINES, INC.	DELICIA	K-DELICIA 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-4970	05-Feb-21	-	Grapes	Downy mildew, black rot	3-6 Tbsp/36 L water	-	Allow 7 days from last spray until harvest	Soon as the spray has dried.
HANEARL SCIENCE PHILIPPINES, INC.	DELICIA	K-DELICIA 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-4970	05-Feb-21	-	Mango	Anthraxnose and Scab	3-6 Tbsp/36 L water	-	Allow 7 days from last spray until harvest	Soon as the spray has dried.
HANEARL SCIENCE PHILIPPINES, INC.	DELICIA	K-DELICIA 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-4970	05-Feb-21	-	Papaya	Fruit rot	3-6 Tbsp/36 L water	-	Allow 7 days from last spray until harvest	Soon as the spray has dried.
HANEARL SCIENCE PHILIPPINES, INC.	DELICIA	K-DELICIA 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-4970	05-Feb-21	-	Melon	Downy mildew, anthracnose, scab	3-6 Tbsp/36 L water	-	Allow 7 days from last spray until harvest	Soon as the spray has dried.
HANEARL SCIENCE PHILIPPINES, INC.	DELICIA	K-DELICIA 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-4970	05-Feb-21	-	Watermelon	Downy mildew, anthracnose, scab	3-6 Tbsp/36 L water	-	Allow 7 days from last spray until harvest	Soon as the spray has dried.
HANEARL SCIENCE PHILIPPINES, INC.	DELICIA	K-DELICIA 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-4970	05-Feb-21	-	Com(sweet & popcorn)	Helminthosporium leaf spot	3-6 Tbsp/36 L water	-	Allow 7 days from last spray until harvest	Soon as the spray has dried.
HANEARL SCIENCE PHILIPPINES, INC.	DELICIA	K-DELICIA 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-4970	05-Feb-21	-	Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/36 L water	-	Allow 7 days from last spray until harvest	Soon as the spray has dried.
HANEARL SCIENCE PHILIPPINES, INC.	DELICIA	K-DELICIA 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-4970	05-Feb-21	-	Peanut	Cercospora leaf spot	3-6 Tbsp/36 L water	-	Allow 7 days from last spray until harvest	Soon as the spray has dried.
HANEARL SCIENCE PHILIPPINES, INC.	DELICIA	K-DELICIA 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-4970	05-Feb-21	-	Soybeans	Leaf rust	3-6 Tbsp/36 L water	-	Allow 7 days from last spray until harvest	Soon as the spray has dried.
HANEARL SCIENCE PHILIPPINES, INC.	DELICIA	K-DELICIA 80 WP	800g/kg	WP	FUNGICIDE	4	659-053-4970	05-Feb-21	-	Ornamentals	Black spot, blight, anthracnose	3-6 Tbsp/36 L water	-	Allow 7 days from last spray until harvest	Soon as the spray has dried.
KARPOS CHEMICALS SOLUTIONS CO.	ERYTHROSINE B	K-COLORANT	-	-	OTHERS	4	741-606-5914	25-Oct-25	-	Banana	Marker for use in plantations	-	-	-	-
KARPOS CHEMICALS SOLUTIONS CO.	ERYTHROSINE B	K-COLORANT	-	-	OTHERS	4	741-606-5914	25-Oct-25	-	Pineapple	Marker for use in plantations	-	-	-	-
HANEARL SCIENCE PHILIPPINES, INC.	DIFENOCANAZOLE+PROPICONAZOLE	K-BICONAZOLE 300 EC	150 g/L+150 g/L	EC	FUNGICIDE	3	659-325-5101-A (672)	28-Dec-25	SYSTEMIC	Rice	Sheath blight	200-300 mL product	-	45 days	-
HANEARL SCIENCE PHILIPPINES, INC.	DIFENOCANAZOLE+PROPICONAZOLE	K-BICONAZOLE 300 EC	150 g/L+150 g/L	EC	FUNGICIDE	3	659-325-5101-A (672)	28-Dec-25	SYSTEMIC	Corn	Banded leaf, sheath blight, ear rot, leaf blight & rust	200-500 mL product	-	45 days	-
JYNSONS PHILIPPINES, INC.	PHYMETROZINE	KAZAM 50 WG	500 g/kg	WG	INSECTICIDE	4	351-807-4382	31-May-24	-	Mango	Mango leafhopper	1 sachet/7200 L	-	-	Do not enter the treated fields for at least 24 hours after application
UNIVERSAL HARVESTER INC.	CHIAZINON	KAVAZINON 60 EC	600 g/L	EC	INSECTICIDE	2	606-034-4448	30-Jul-21	CONTACT	Rice	Whorl maggot, stemborer, leaf folder, planthopper, rice bug	2.5-4.0 Tbsp/36L Water	-	14 Days	Treated area may be entered 1 day after application
UNIVERSAL HARVESTER INC.	CHIAZINON	KAVAZINON 60 EC	600 g/L	EC	INSECTICIDE	2	606-034-4448	30-Jul-21	CONTACT	Corn	Comborer, earworm, aphids, silk beetle	2.5-4.0 Tbsp/36L Water	-	14 Days	Treated area may be entered 1 day after application
UNIVERSAL HARVESTER INC.	CHIAZINON	KAVAZINON 60 EC	600 g/L	EC	INSECTICIDE	2	606-034-4448	30-Jul-21	CONTACT	Beans	Cutworm, pod borer, aphids, flea beetle	2.5-4.0 Tbsp/36L Water	-	14 Days	Treated area may be entered 1 day after application
UNIVERSAL HARVESTER INC.	CHIAZINON	KAVAZINON 60 EC	600 g/L	EC	INSECTICIDE	2	606-034-4448	30-Jul-21	CONTACT	Cowpea	Aphids, cutworm, grasshopper	2.5-4.0 Tbsp/36L Water	-	14 Days	Treated area may be entered 1 day after application

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD	
UNIVERSAL HARVESTER INC.	DIAZINON	KAVAZINON 60 EC	600 g/L	EC	INSECTICIDE	2	606-034-4448	30-Jul-21	CONTACT	Soybeans	Cutworm, aphids, stink bug, grasshopper	2.5-4.0 Tbsp/36L Water	-	14 Days	Treated area may be entered 1 day after application	
UNIVERSAL HARVESTER INC.	DIAZINON	KAVAZINON 60 EC	600 g/L	EC	INSECTICIDE	2	606-034-4448	30-Jul-21	CONTACT	Pineapple	Mealy bug	2.5-4.0 Tbsp/36L Water	-	14 Days	Treated area may be entered 1 day after application	
UNIVERSAL HARVESTER INC.	DIAZINON	KAVAZINON 60 EC	600 g/L	EC	INSECTICIDE	2	606-034-4448	30-Jul-21	CONTACT	Cotton	Katydid, grasshopper, cutworm, mites	2.5-4.0 Tbsp/36L Water	-	14 Days	Treated area may be entered 1 day after application	
UNIVERSAL HARVESTER INC.	DIAZINON	KAVAZINON 60 EC	600 g/L	EC	INSECTICIDE	2	606-034-4448	30-Jul-21	CONTACT	Tobacco	Budworm, aphids, flea beetle, armyworm	2.5-4.0 Tbsp/36L Water	-	14 Days	Treated area may be entered 1 day after application	
UNIVERSAL HARVESTER INC.	DIAZINON	KAVAZINON 60 EC	600 g/L	EC	INSECTICIDE	2	606-034-4448	30-Jul-21	CONTACT	White potato	Aphids, leaf folder, cutworm	2.5-4.0 Tbsp/36L Water	-	14 Days	Treated area may be entered 1 day after application	
UNIVERSAL HARVESTER INC.	DIAZINON	KAVAZINON 60 EC	600 g/L	EC	INSECTICIDE	2	606-034-4448	30-Jul-21	CONTACT	Citrus	Mites, aphids, stink bug	2.5-4.0 Tbsp/36L Water	-	14 Days	Treated area may be entered 1 day after application	
UNIVERSAL HARVESTER INC.	DIAZINON	KAVAZINON 60 EC	600 g/L	EC	INSECTICIDE	2	606-034-4448	30-Jul-21	CONTACT	Banana	Thrips, mealy bug, leaf folder	2.5-4.0 Tbsp/36L Water	-	14 Days	Treated area may be entered 1 day after application	
UNIVERSAL HARVESTER INC.	DIAZINON	KAVAZINON 60 EC	600 g/L	EC	INSECTICIDE	2	606-034-4448	30-Jul-21	CONTACT	Mango	Hopper, tip borer	2.5-4.0 Tbsp/36L Water	-	14 Days	Treated area may be entered 1 day after application	
HANEARL SCIENCE PHILIPPINES, INC.	AZIOXYSTROBIN	K-AUDIT 25 SC	250g/L	SC	FUNGICIDE	4	659-309-5157-A	04-May-24	SYSTEMIC	Mango	Anthracnose, scab, stem-end rot	6-8/100L water	-	-	Do not spray 3-7 days before harvest	Re-entry to treated field is allowed as soon as spray dries up.
HANEARL SCIENCE PHILIPPINES, INC.	AZIOXYSTROBIN	K-AUDIT 25 SC	250g/L	SC	FUNGICIDE	4	659-309-5157-A	04-May-24	SYSTEMIC	Watermelon	Damping off, leaf spot, anthracnose, downy, mildew, powdery mildew	1-2Tbsp/36 L water	-	-	Do not spray 3-7 days before harvest	Re-entry to treated field is allowed as soon as spray dries up.
HANEARL SCIENCE PHILIPPINES, INC.	AZIOXYSTROBIN	K-AUDIT 25 SC	250g/L	SC	FUNGICIDE	4	659-309-5157-A	04-May-24	SYSTEMIC	Onion	Basal/bulb rot	1-2Tbsp/36L water	-	-	Do not spray 3-7 days before harvest	Re-entry to treated field is allowed as soon as spray dries up.
HANEARL SCIENCE PHILIPPINES, INC.	AZIOXYSTROBIN	K-AUDIT 25 SC	250g/L	SC	FUNGICIDE	4	659-309-5157-A	04-May-24	SYSTEMIC	Tomato	Late/early blight, powdery mildew	0.5-1Tbsp/36L water	-	-	Do not spray 3-7 days before harvest	Re-entry to treated field is allowed as soon as spray dries up.
HANEARL SCIENCE PHILIPPINES, INC.	AZIOXYSTROBIN	K-AUDIT 25 SC	250g/L	SC	FUNGICIDE	4	659-309-5157-A	04-May-24	SYSTEMIC	Corn	Sheath blight, leaf blight, leaf rust, ear rot	3-4Tbsp/36 L water	-	-	Do not spray 3-7 days before harvest	Re-entry to treated field is allowed as soon as spray dries up.
HANEARL SCIENCE PHILIPPINES, INC.	AZIOXYSTROBIN	K-AUDIT 25 SC	250g/L	SC	FUNGICIDE	4	659-309-5157-A	04-May-24	SYSTEMIC	Asparagus	Stem blight, leaf blight, fusarium wilt	1-2Tbsp/36 L water	-	-	Do not spray 3-7 days before harvest	Re-entry to treated field is allowed as soon as spray dries up.
ZHIL DEVELOPMENT CORPORATION	GLYPHOSATE IPA	KATHARI 480 SL	480 g/L	SL	HERBICIDE	4	651-151-4863	11-Aug-23	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha	-	-	-	-
ZHIL DEVELOPMENT CORPORATION	GLYPHOSATE IPA	KATHARI 480 SL	480 g/L	SL	HERBICIDE	4	651-151-4863	11-Aug-23	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/Ha	-	-	-	-
ZHIL DEVELOPMENT CORPORATION	GLYPHOSATE IPA	KATHARI 480 SL	480 g/L	SL	HERBICIDE	4	651-151-4863	11-Aug-23	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/Ha	-	-	-	-
ZHIL DEVELOPMENT CORPORATION	GLYPHOSATE IPA	KATHARI 480 SL	480 g/L	SL	HERBICIDE	4	651-151-4863	11-Aug-23	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/Ha	-	-	-	-
ZHIL DEVELOPMENT CORPORATION	GLYPHOSATE IPA	KATHARI 480 SL	480 g/L	SL	HERBICIDE	4	651-151-4863	11-Aug-23	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/Ha	-	-	-	-
ZHIL DEVELOPMENT CORPORATION	GLYPHOSATE IPA	KATHARI 480 SL	480 g/L	SL	HERBICIDE	4	651-151-4863	11-Aug-23	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.5 Liters/Ha	-	-	-	-
ZHIL DEVELOPMENT CORPORATION	GLYPHOSATE IPA	KATHARI 480 SL	480 g/L	SL	HERBICIDE	4	651-151-4863	11-Aug-23	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.5 Liters/Ha	-	-	-	-
ZHIL DEVELOPMENT CORPORATION	GLYPHOSATE IPA	KATHARI 480 SL	480 g/L	SL	HERBICIDE	4	651-151-4863	11-Aug-23	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.5 Liters/Ha	-	-	-	-
ZHIL DEVELOPMENT CORPORATION	GLYPHOSATE IPA	KATHARI 480 SL	480 g/L	SL	HERBICIDE	4	651-151-4863	11-Aug-23	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.5 Liters/Ha	-	-	-	-
ZHIL DEVELOPMENT CORPORATION	GLYPHOSATE IPA	KATHARI 480 SL	480 g/L	SL	HERBICIDE	4	651-151-4863	11-Aug-23	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-	-
ZHIL DEVELOPMENT CORPORATION	GLYPHOSATE IPA	KATHARI 480 SL	480 g/L	SL	HERBICIDE	4	651-151-4863	11-Aug-23	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-	-
ZHIL DEVELOPMENT CORPORATION	GLYPHOSATE IPA	KATHARI 480 SL	480 g/L	SL	HERBICIDE	4	651-151-4863	11-Aug-23	POST-EMERGENT	non-crop	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-	-
AGRI-SPROUT PHILIPPINES, INC.	BUTACHLOR	KATANA 60 EC	600 g/L	EC	HERBICIDE	4	668-150-5099	18-Sep-21	PRE-EMERGENT	Rice (Direct-seeded)	Grasses and sedges	9Tbsp (2-4DAT)9Tbsp(0-4 DAT) 9Tbsp/77bsp	0.1 ppm	-	-	In view of the low toxicity of the product, there is no restriction on re-entry between last application and harvest as no harmful residue of the product is
AGRI-SPROUT PHILIPPINES, INC.	BUTACHLOR	KATANA 60 EC	600 g/L	EC	HERBICIDE	4	668-150-5099	18-Sep-21	PRE-EMERGENT	Rice (Transplanted)	Grasses and sedges	9Tbsp(2-4DS) 7Tbsp(2-4DS) 11Tbsp (3D-0AS)	0.1 ppm	-	-	In view of the low toxicity of the product, there is no restriction on re-entry between last application and harvest as no harmful residue of the product is
GREENTHUMB AGRISOLUTIONS,INC.	LAMBDA-CHYALOTHIRIN	KASANGGA 2.5 EC	25g/L	EC	INSECTICIDE	2	584-021-4337	26-Apr-21	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leafroller, black bug	1.0-1.5Tbsp/36L of water	0.05ppm	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray dries up.
GREENTHUMB AGRISOLUTIONS,INC.	LAMBDA-CHYALOTHIRIN	KASANGGA 2.5 EC	25g/L	EC	INSECTICIDE	2	584-021-4337	26-Apr-21	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/36 L of water	-	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray dries up.
GREENTHUMB AGRISOLUTIONS,INC.	LAMBDA-CHYALOTHIRIN	KASANGGA 2.5 EC	25g/L	EC	INSECTICIDE	2	584-021-4337	26-Apr-21	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/36 L of water	-	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray dries up.
GREENTHUMB AGRISOLUTIONS,INC.	LAMBDA-CHYALOTHIRIN	KASANGGA 2.5 EC	25g/L	EC	INSECTICIDE	2	584-021-4337	26-Apr-21	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/36 L of water	-	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray dries up.
GREENTHUMB AGRISOLUTIONS,INC.	LAMBDA-CHYALOTHIRIN	KASANGGA 2.5 EC	25g/L	EC	INSECTICIDE	2	584-021-4337	26-Apr-21	SYSTEMIC	Mungbeans	Beanfly, flea beetle, leafhopper, aphids, mites, podborer	1.0Tbsp/36 L of water	-	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray dries up.
GREENTHUMB AGRISOLUTIONS,INC.	LAMBDA-CHYALOTHIRIN	KASANGGA 2.5 EC	25g/L	EC	INSECTICIDE	2	584-021-4337	26-Apr-21	SYSTEMIC	Corn	Comborer, aphids, seedling maggots	1.0-1.5Tbsp/36 L of water	-	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray dries up.
GREENTHUMB AGRISOLUTIONS,INC.	LAMBDA-CHYALOTHIRIN	KASANGGA 2.5 EC	25g/L	EC	INSECTICIDE	2	584-021-4337	26-Apr-21	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katyids	1.0-1.5Tbsp/36 L of water	-	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray dries up.
GREENTHUMB AGRISOLUTIONS,INC.	LAMBDA-CHYALOTHIRIN	KASANGGA 2.5 EC	25g/L	EC	INSECTICIDE	2	584-021-4337	26-Apr-21	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/36 L of water	-	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray dries up.
GREENTHUMB AGRISOLUTIONS,INC.	LAMBDA-CHYALOTHIRIN	KASANGGA 2.5 EC	25g/L	EC	INSECTICIDE	2	584-021-4337	26-Apr-21	SYSTEMIC	Cocoa	Podborer	1.0-2.0Tbsp/36L of water	-	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray dries up.
GREENTHUMB AGRISOLUTIONS,INC.	LAMBDA-CHYALOTHIRIN	KASANGGA 2.5 EC	25g/L	EC	INSECTICIDE	2	584-021-4337	26-Apr-21	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/36 L of water	-	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray dries up.
KARRAT MARKETING CORPORATION	MANCOZEB	KARRAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	446-051-4424	22-May-24	-	Potato	Early and late blight	3-6 Tbsp/36 L water	-	-	-	As soon as spray dries
KARRAT MARKETING CORPORATION	MANCOZEB	KARRAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	446-051-4424	22-May-24	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	-	7 Days	As soon as spray dries
KARRAT MARKETING CORPORATION	MANCOZEB	KARRAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	446-051-4424	22-May-24	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	-	7 Days	As soon as spray dries
KARRAT MARKETING CORPORATION	MANCOZEB	KARRAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	446-051-4424	22-May-24	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	-	7 Days	As soon as spray dries
KARRAT MARKETING CORPORATION	MANCOZEB	KARRAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	446-051-4424	22-May-24	-	Celery	Late blight	3-6 Tbsp/36 L water	-	-	14 Days	As soon as spray dries
KARRAT MARKETING CORPORATION	MANCOZEB	KARRAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	446-051-4424	22-May-24	-	Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	-	5 days	As soon as spray dries
KARRAT MARKETING CORPORATION	MANCOZEB	KARRAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	446-051-4424	22-May-24	-	Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	-	5 days	As soon as spray dries
KARRAT MARKETING CORPORATION	MANCOZEB	KARRAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	446-051-4424	22-May-24	-	Cotton	Damping off	3-6 Tbsp/36 L water	-	-	-	As soon as spray dries
KARRAT MARKETING CORPORATION	MANCOZEB	KARRAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	446-051-4424	22-May-24	-	Lettuce	Downy mildew	3-6 Tbsp/36 L water	-	-	7 Days	As soon as spray dries
KARRAT MARKETING CORPORATION	MANCOZEB	KARRAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	446-051-4424	22-May-24	-	Beans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/36 L water	-	-	5 days	As soon as spray dries
KARRAT MARKETING CORPORATION	MANCOZEB	KARRAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	446-051-4424	22-May-24	-	Peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/36 L water	-	-	5 days	As soon as spray dries
KARRAT MARKETING CORPORATION	MANCOZEB	KARRAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	446-051-4424	22-May-24	-	Mungo	Anthracnose, Downy mildew, Rust	3-6 Tbsp/36 L water	-	-	5 days	As soon as spray dries
KARRAT MARKETING CORPORATION	MANCOZEB	KARRAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	446-051-4424	22-May-24	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/36 L water	-	-	5 days	As soon as spray dries
KARRAT MARKETING CORPORATION	MANCOZEB	KARRAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	446-051-4424	22-May-24	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36 L water	-	-	7 Days	As soon as spray dries
KARRAT MARKETING CORPORATION	MANCOZEB	KARRAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	446-051-4424	22-May-24	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36 L water	-	-	7 Days	As soon as spray dries
KARRAT MARKETING CORPORATION	MANCOZEB	KARRAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	446-051-4424	22-May-24	-	Pepper	Anthracnose	3-6 Tbsp/36 L water	-	-	7 Days	As soon as spray dries
KARRAT MARKETING CORPORATION	MANCOZEB	KARRAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	446-051-4424	22-May-24	-	Chili	Anthracnose	3-6 Tbsp/36 L water	-	-	7 Days	As soon as spray dries
KARRAT MARKETING CORPORATION	MANCOZEB	KARRAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	446-051-4424	22-May-24	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/36 L water	-	-	7 Days	As soon as spray dries

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
KARRAT MARKETING CORPORATION	MANCOZEB	KARRAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	446-053-4424	22-May-24	-	Banana	Sigatoka, Black leaf streak	3-6 Tbsp/36 L water	-	-	As soon as spray dries
KARRAT MARKETING CORPORATION	MANCOZEB	KARRAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	446-053-4424	22-May-24	-	Grapes	Downy mildew, black rot	3-6 Tbsp/36 L water	-	60 days	As soon as spray dries
KARRAT MARKETING CORPORATION	MANCOZEB	KARRAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	446-053-4424	22-May-24	-	Mango	Anthraxnose and Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
KARRAT MARKETING CORPORATION	MANCOZEB	KARRAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	446-053-4424	22-May-24	-	Papaya	Fruit rot	3-6 Tbsp/36 L water	-	-	As soon as spray dries
KARRAT MARKETING CORPORATION	MANCOZEB	KARRAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	446-053-4424	22-May-24	-	Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
KARRAT MARKETING CORPORATION	MANCOZEB	KARRAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	446-053-4424	22-May-24	-	Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
KARRAT MARKETING CORPORATION	MANCOZEB	KARRAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	446-053-4424	22-May-24	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
KARRAT MARKETING CORPORATION	MANCOZEB	KARRAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	446-053-4424	22-May-24	-	Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/36 L water	0.02ppm	-	As soon as spray dries
KARRAT MARKETING CORPORATION	MANCOZEB	KARRAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	446-053-4424	22-May-24	-	Peanut	Cercospora leaf spot	3-6 Tbsp/36 L water	-	58 days	As soon as spray dries
KARRAT MARKETING CORPORATION	MANCOZEB	KARRAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	446-053-4424	22-May-24	-	Soybeans	Leaf rust	3-6 Tbsp/36 L water	-	-	As soon as spray dries
KARRAT MARKETING CORPORATION	MANCOZEB	KARRAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	446-053-4424	22-May-24	-	Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/36 L water	-	-	As soon as spray dries
KARRAT MARKETING CORPORATION	METHOMYL	KARRAT METHOMYL 40 SP	400g/kg	SP	INSECTICIDE	2	446-164-4583	03-Jan-22	CONTACT	Asparagus	Armyworm, cutworm	1 Tbsp/36 L water	-	-	Do not enter fields treated within 12 hours application
KARRAT MARKETING CORPORATION	METHOMYL	KARRAT METHOMYL 40 SP	400g/kg	SP	INSECTICIDE	2	446-164-4583	03-Jan-22	CONTACT	Banana	Thrips	1.5-2 Tbsp/36 L water	-	-	Do not enter fields treated within 12 hours application
KARRAT MARKETING CORPORATION	METHOMYL	KARRAT METHOMYL 40 SP	400g/kg	SP	INSECTICIDE	2	446-164-4583	03-Jan-22	CONTACT	Beans	Leafroller, flea beetle , beanfly, podborer,aphids	1 Tbsp/36 L water	-	-	Do not enter fields treated within 12 hours application
KARRAT MARKETING CORPORATION	METHOMYL	KARRAT METHOMYL 40 SP	400g/kg	SP	INSECTICIDE	2	446-164-4583	03-Jan-22	CONTACT	Mungbeans	Leafroller, flea beetle , beanfly, podborer,aphids	1 Tbsp/36 L water	-	-	Do not enter fields treated within 12 hours application
KARRAT MARKETING CORPORATION	METHOMYL	KARRAT METHOMYL 40 SP	400g/kg	SP	INSECTICIDE	2	446-164-4583	03-Jan-22	CONTACT	Soybeans	Leafroller, flea beetle , beanfly, podborer,aphids	1 Tbsp/36 L water	-	-	Do not enter fields treated within 12 hours application
KARRAT MARKETING CORPORATION	METHOMYL	KARRAT METHOMYL 40 SP	400g/kg	SP	INSECTICIDE	2	446-164-4583	03-Jan-22	CONTACT	Sitao	Leafroller, flea beetle , beanfly, podborer,aphids	1 Tbsp/36 L water	-	-	Do not enter fields treated within 12 hours application
KARRAT MARKETING CORPORATION	METHOMYL	KARRAT METHOMYL 40 SP	400g/kg	SP	INSECTICIDE	2	446-164-4583	03-Jan-22	CONTACT	Corn	Comborer , earworm	1 Tbsp/36 L water	-	-	Do not enter fields treated within 12 hours application
KARRAT MARKETING CORPORATION	METHOMYL	KARRAT METHOMYL 40 SP	400g/kg	SP	INSECTICIDE	2	446-164-4583	03-Jan-22	CONTACT	Eggplant	Aphids, flea beetle , fruitworm, lady beetle	1 Tbsp/36 L water	-	-	Do not enter fields treated within 12 hours application
KARRAT MARKETING CORPORATION	METHOMYL	KARRAT METHOMYL 40 SP	400g/kg	SP	INSECTICIDE	2	446-164-4583	03-Jan-22	CONTACT	Melon	Aphids, Squash beetle , leafroller	1 Tbsp/36 L water	-	-	Do not enter fields treated within 12 hours application
KARRAT MARKETING CORPORATION	METHOMYL	KARRAT METHOMYL 40 SP	400g/kg	SP	INSECTICIDE	2	446-164-4583	03-Jan-22	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leafroller	1 Tbsp/36 L water	0.05ppm	3 Days	Do not enter fields treated within 12 hours application
KARRAT MARKETING CORPORATION	METHOMYL	KARRAT METHOMYL 40 SP	400g/kg	SP	INSECTICIDE	2	446-164-4583	03-Jan-22	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	1 Tbsp/36 L water	-	-	Do not enter fields treated within 12 hours application
KARRAT MARKETING CORPORATION	METHOMYL	KARRAT METHOMYL 40 SP	400g/kg	SP	INSECTICIDE	2	446-164-4583	03-Jan-22	CONTACT	Tomato	Tomato fruitworm, aphids	1 Tbsp/36 L water	-	-	Do not enter fields treated within 12 hours application
KARRAT MARKETING CORPORATION	BUTACHLOR-PROPANIL	KARRAT BUTACHLOR-PROPANIL 70 EC	300-300 g/L	EC	HERBICIDE	3	446-238-4155	19-Oct-30	POST-EMERGENT	Rice (Direct-Seeded)	Grasses, Sedges and Broadleaves	8-12 Tbsp/36 L water	-	-	Butachlor 0.1ppm Propanil 0.1ppm
KARRAT MARKETING CORPORATION	BUTACHLOR-PROPANIL	KARRAT BUTACHLOR-PROPANIL 70 EC	300-300 g/L	EC	HERBICIDE	3	446-238-4155	19-Oct-30	POST-EMERGENT	Rice (Transplanted)	Grasses, Sedges and Broadleaves	8-12 Tbsp/36 L water	-	-	Butachlor 0.1ppm Propanil 0.1ppm
KARRAT MARKETING CORPORATION	2,4-D IBE	KARRAT 2,4-D ESTER 400 EC	490 g/L	EC	HERBICIDE	2	446-049-4128	27-Sep-23	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual Broadleaves & sedges	5-6.6.50Tbsp/36 L water	-	-	0.1 ppm
KARRAT MARKETING CORPORATION	2,4-D IBE	KARRAT 2,4-D ESTER 400 EC	490 g/L	EC	HERBICIDE	2	446-049-4128	27-Sep-23	SELECTIVE (POST-EMERGENT)	Corn	Annual Broadleaves & sedges	5.0-6.50Tbsp/36 L water	-	-	
KARRAT MARKETING CORPORATION	2,4-D IBE	KARRAT 2,4-D ESTER 400 EC	490 g/L	EC	HERBICIDE	2	446-049-4128	27-Sep-23	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual Broadleaves & sedges	5.0-6.50Tbsp/36 L water	-	-	
KARPOS CHEMICALS SOLUTIONS CO.	PIVETROZINE	KARPOS PIVETROZINE 25 SC	250 g/L	SC	INSECTICIDE	4	684-307-5950	29-Nov-23	-	Banana	Aphids, mealy bug scale insect	0.5-2.5 mL product/ L water	-	-	-
LEADS AGRICULTURAL PRODUCTS CORPORATION	DIURON	KARMAX GOLD	800 g/kg	WP	HERBICIDE	4	099-021-3236	30-Jul-26	SYSTEMIC	Citrus	Annual and Perennial broadleaves and grasses	10.0-15.0Tbsp/36 L water	-	-	24 hours after application
LEADS AGRICULTURAL PRODUCTS CORPORATION	DIURON	KARMAX GOLD	800 g/kg	WP	HERBICIDE	4	099-021-3236	30-Jul-26	SYSTEMIC	Coffee	Annual and Perennial broadleaves and grasses	10.0-15.0Tbsp/36 L water	-	-	24 hours after application
LEADS AGRICULTURAL PRODUCTS CORPORATION	DIURON	KARMAX GOLD	800 g/kg	WP	HERBICIDE	4	099-021-3236	30-Jul-26	SYSTEMIC	Cotton	Annual and Perennial broadleaves and grasses	8.0Tbsp/36 L water	-	-	24 hours after application
LEADS AGRICULTURAL PRODUCTS CORPORATION	DIURON	KARMAX GOLD	800 g/kg	WP	HERBICIDE	4	099-021-3236	30-Jul-26	SYSTEMIC	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0Tbsp/36 L water	-	-	24 hours after application
LEADS AGRICULTURAL PRODUCTS CORPORATION	DIURON	KARMAX GOLD	800 g/kg	WP	HERBICIDE	4	099-021-3236	30-Jul-26	SYSTEMIC	Pineapple	Annual and Perennial broadleaves and grasses	11.0Tbsp/36 L water	-	-	24 hours after application
LEADS AGRICULTURAL PRODUCTS CORPORATION	DIURON	KARMAX GOLD	800 g/kg	WP	HERBICIDE	4	099-021-3236	30-Jul-26	SYSTEMIC	Non-crop land	Annual and Perennial broadleaves and grasses	20.0-28.0Tbsp/36 L water	-	-	24 hours after application
AGCHEM MANUFACTURING CORPORATION	POTASSIUM SALT MCPA	KARET 40 SL	400 g/L	SL	HERBICIDE	2	001-130-0079	31-Dec-26	PRE/POST-EMERGENCE	Rice	Annual grasses, broadleaves and sedges	3-6 Tbsp/36 water	-	-	Re-entry to field is allowed as soon as spray dries
AGCHEM MANUFACTURING CORPORATION	POTASSIUM SALT MCPA	KARET 40 SL	400 g/L	SL	HERBICIDE	2	001-130-0079	31-Dec-26	PRE/POST-EMERGENCE	Sugarcane	Annual grasses, broadleaves and sedges	5-6 Tbsp/36 water	-	-	Re-entry to field is allowed as soon as spray dries
AGCHEM MANUFACTURING CORPORATION	POTASSIUM SALT MCPA	KARET 40 SL	400 g/L	SL	HERBICIDE	2	001-130-0079	31-Dec-26	PRE/POST-EMERGENCE	Corn	Annual grasses, broadleaves and sedges	5-6 Tbsp/36 water	-	-	Re-entry to field is allowed as soon as spray dries
AGCHEM MANUFACTURING CORPORATION	POTASSIUM SALT MCPA	KARET 40 SL	400 g/L	SL	HERBICIDE	2	001-130-0079	31-Dec-26	PRE/POST-EMERGENCE	Lawns	Annual grasses, broadleaves and sedges	2 Tbsp/36 water	-	-	Re-entry to field is allowed as soon as spray dries
AGCHEM MANUFACTURING CORPORATION	POTASSIUM SALT MCPA	KARET 40 SL	400 g/L	SL	HERBICIDE	2	001-130-0079	31-Dec-26	PRE/POST-EMERGENCE	Grassland	Annual grasses, broadleaves and sedges	2 Tbsp/36 water	-	-	Re-entry to field is allowed as soon as spray dries
KEMSTAR CORPORATION	BETA-CYPERMETHRIN	KARDO 2.5 EC	25 g/L	EC	INSECTICIDE	3	239-332-5020	27-Jan-26	-	Rice	Green leafhopper, whorl maggot, brown planthopper, stemborer, rice bugs, rice black bug, leafhopper	36-32 mL/36 L water	0.90 ppm	28 days	After spray deposits have dried up.
KEMSTAR CORPORATION	BETA-CYPERMETHRIN	KARDO 2.5 EC	25 g/L	EC	INSECTICIDE	3	239-332-5020	27-Jan-26	-	Mango	Hoppers, twig/tip borer	32-48 mL/36 L water	0.03 ppm	40 days	After spray deposits have dried up.
KEMSTAR CORPORATION	BETA-CYPERMETHRIN	KARDO 2.5 EC	25 g/L	EC	INSECTICIDE	3	239-332-5020	27-Jan-26	-	Corn	Seedling maggot, corn borer, earworm	36-32 mL/36 L water	-	-	After spray deposits have dried up.
KEMSTAR CORPORATION	BETA-CYPERMETHRIN	KARDO 2.5 EC	25 g/L	EC	INSECTICIDE	3	239-332-5020	27-Jan-26	-	Tomato	Fruitworm	32 mL/36 L water	2.00 ppm	-	After spray deposits have dried up.
KEMSTAR CORPORATION	BETA-CYPERMETHRIN	KARDO 2.5 EC	25 g/L	EC	INSECTICIDE	3	239-332-5020	27-Jan-26	-	Eggplant	Shoot/fruit borer, leafhopper	36-32 mL/36 L water	0.50 ppm	-	After spray deposits have dried up.
KEMSTAR CORPORATION	BETA-CYPERMETHRIN	KARDO 2.5 EC	25 g/L	EC	INSECTICIDE	3	239-332-5020	27-Jan-26	-	Mungbean	Pod borers, leafhopper	36-32 mL/36 L water	-	-	After spray deposits have dried up.
SYNGENTA PHILIPPINES INC.	LAMBDA-CHYALOTHIRIN	KARATE 2.5 EC	25 g/L	EC	INSECTICIDE	2	011-204-0396	13-Dec-26	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leafroller, black bug	1.0-1.5Tbsp/36 L of water	0.05ppm	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
SYNGENTA PHILIPPINES INC.	LAMBDA-CHYALOTHIRIN	KARATE 2.5 EC	25 g/L	EC	INSECTICIDE	2	011-204-0396	13-Dec-26	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/36 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
SYNGENTA PHILIPPINES INC.	LAMBDA-CHYALOTHIRIN	KARATE 2.5 EC	25 g/L	EC	INSECTICIDE	2	011-204-0396	13-Dec-26	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/36 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
SYNGENTA PHILIPPINES INC.	LAMBDA-CHYALOTHIRIN	KARATE 2.5 EC	25 g/L	EC	INSECTICIDE	2	011-204-0396	13-Dec-26	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/36 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
SYNGENTA PHILIPPINES INC.	LAMBDA-CHYALOTHIRIN	KARATE 2.5 EC	25 g/L	EC	INSECTICIDE	2	011-204-0396	13-Dec-26	SYSTEMIC	Mungbeans	Beanfly, flea beetle, leafhopper, aphids, mites, podborer	1.0Tbsp/36 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
SYNGENTA PHILIPPINES INC.	LAMBDA-CHYALOTHIRIN	KARATE 2.5 EC	25 g/L	EC	INSECTICIDE	2	011-204-0396	13-Dec-26	SYSTEMIC	Corn	Comborer, aphids, seedling maggots	1.0-1.5Tbsp/36 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
SYNGENTA PHILIPPINES INC.	LAMBDA-CHYALOTHIRIN	KARATE 2.5 EC	25 g/L	EC	INSECTICIDE	2	011-204-0396	13-Dec-26	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5Tbsp/36 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
SYNGENTA PHILIPPINES INC.	LAMBDA-CHYALOTHIRIN	KARATE 2.5 EC	25 g/L	EC	INSECTICIDE	2	011-204-0396	13-Dec-26	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/36 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
SYNGENTA PHILIPPINES INC.	LAMBDA-CHYALOTHIRIN	KARATE 2.5 EC	25 g/L	EC	INSECTICIDE	2	011-204-0396	13-Dec-26	SYSTEMIC	Cacao	Podborer	1.0-2.0Tbsp/36 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
SYNGENTA PHILIPPINES INC.	LAMBDA-CHYALOTHIRIN	KARATE 2.5 EC	25 g/L	EC	INSECTICIDE	2	011-204-0396	13-Dec-26	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/36 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
SYNGENTA PHILIPPINES INC.	LAMBDA-CYHALOTHRIN	KARATE 2.5 EC	25 g/L	EC	INSECTICIDE	2	011-204-0396	03-Jul-21	SYSTEMIC	Banana	Aphids	1-2 ml/ 100 ml solution/m ² , 1.9-3.1 prod/ha, 4.5 L/ha	-	0 day	
LIUCHEMPHIL INTERNATIONAL INC.	ISOPROTHIOLANE	KARA ONE 41.2 EC	412 g/L	EC	FUNGICIDE	4	590-248-5431	10-May-24	SYSTEMIC	Rice	Rice blast	4.0-6.0 Tbsp prod/16L water	10ppm	14 Days	Do not enter the field within 48 hours after spraying.
DARL AGRICULTURAL ENTERPRISES INC.	LAMBDA-CYHALOTHRIN	KARA 2.5 EC	25 g/L	EC	INSECTICIDE	2	489-204-3665	14-Mar-19	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leafroller, black bug	1.0-1.5Tbsp/16L of water	0.05ppm	1Days	Re-entry to treated fields is allowed as soon as spray deposits dry
DARL AGRICULTURAL ENTERPRISES INC.	LAMBDA-CYHALOTHRIN	KARA 2.5 EC	25 g/L	EC	INSECTICIDE	2	489-204-3665	14-Mar-19	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/16L of water	-	1Days	Re-entry to treated fields is allowed as soon as spray deposits dry
DARL AGRICULTURAL ENTERPRISES INC.	LAMBDA-CYHALOTHRIN	KARA 2.5 EC	25 g/L	EC	INSECTICIDE	2	489-204-3665	14-Mar-19	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/16L of water	-	1Days	Re-entry to treated fields is allowed as soon as spray deposits dry
DARL AGRICULTURAL ENTERPRISES INC.	LAMBDA-CYHALOTHRIN	KARA 2.5 EC	25 g/L	EC	INSECTICIDE	2	489-204-3665	14-Mar-19	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/16L of water	-	1Days	Re-entry to treated fields is allowed as soon as spray deposits dry
DARL AGRICULTURAL ENTERPRISES INC.	LAMBDA-CYHALOTHRIN	KARA 2.5 EC	25 g/L	EC	INSECTICIDE	2	489-204-3665	14-Mar-19	SYSTEMIC	Mungbeans	Beanfly, flea beetle, leafhopper, aphids, mites, podborer	1.0Tbsp/16L of water	-	1Days	Re-entry to treated fields is allowed as soon as spray deposits dry
DARL AGRICULTURAL ENTERPRISES INC.	LAMBDA-CYHALOTHRIN	KARA 2.5 EC	25 g/L	EC	INSECTICIDE	2	489-204-3665	14-Mar-19	SYSTEMIC	Corn	Comborer, aphids, seedling maggots	1.0-1.5Tbsp/16L of water	-	1Days	Re-entry to treated fields is allowed as soon as spray deposits dry
DARL AGRICULTURAL ENTERPRISES INC.	LAMBDA-CYHALOTHRIN	KARA 2.5 EC	25 g/L	EC	INSECTICIDE	2	489-204-3665	14-Mar-19	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katyids	1.0-1.5Tbsp/16L of water	-	1Days	Re-entry to treated fields is allowed as soon as spray deposits dry
DARL AGRICULTURAL ENTERPRISES INC.	LAMBDA-CYHALOTHRIN	KARA 2.5 EC	25 g/L	EC	INSECTICIDE	2	489-204-3665	14-Mar-19	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/16L of water	-	1Days	Re-entry to treated fields is allowed as soon as spray deposits dry
DARL AGRICULTURAL ENTERPRISES INC.	LAMBDA-CYHALOTHRIN	KARA 2.5 EC	25 g/L	EC	INSECTICIDE	2	489-204-3665	14-Mar-19	SYSTEMIC	Cocoa	Podborer	1.0-2.0Tbsp/16L of water	-	1Days	Re-entry to treated fields is allowed as soon as spray deposits dry
DARL AGRICULTURAL ENTERPRISES INC.	LAMBDA-CYHALOTHRIN	KARA 2.5 EC	25 g/L	EC	INSECTICIDE	2	489-204-3665	14-Mar-19	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/16L of water	-	1Days	Re-entry to treated fields is allowed as soon as spray deposits dry
NS NORTHERN ORGANIC FERTILIZER INC.	METHOMYL	KANABIS 40 SP	400 g/kg	SP	INSECTICIDE	2	470-164-2768	09-Mar-25	CONTACT	Asparagus	Armyworm, cutworm	1 Sachet/18L Sprayer	-	-	Do not enter fields treated with KANABIS 40 SP within 12 hours after application
NS NORTHERN ORGANIC FERTILIZER INC.	METHOMYL	KANABIS 40 SP	400 g/kg	SP	INSECTICIDE	2	470-164-2768	09-Mar-25	CONTACT	Banana	Thrips	1.5-2 Sachet/18L Sprayer	-	-	Do not enter fields treated with KANABIS 40 SP within 12 hours after application
NS NORTHERN ORGANIC FERTILIZER INC.	METHOMYL	KANABIS 40 SP	400 g/kg	SP	INSECTICIDE	2	470-164-2768	09-Mar-25	CONTACT	Beans	Leafroller, flea beetle , beanfly, podborer,aphids	1 Sachet/18L Sprayer	-	-	Do not enter fields treated with KANABIS 40 SP within 12 hours after application
NS NORTHERN ORGANIC FERTILIZER INC.	METHOMYL	KANABIS 40 SP	400 g/kg	SP	INSECTICIDE	2	470-164-2768	09-Mar-25	CONTACT	Mungbeans	Leafroller, flea beetle , beanfly, podborer,aphids	1 Sachet/18L Sprayer	-	-	Do not enter fields treated with KANABIS 40 SP within 12 hours after application
NS NORTHERN ORGANIC FERTILIZER INC.	METHOMYL	KANABIS 40 SP	400 g/kg	SP	INSECTICIDE	2	470-164-2768	09-Mar-25	CONTACT	Soybeans	Leafroller, flea beetle , beanfly, podborer,aphids	1 Sachet/18L Sprayer	-	-	Do not enter fields treated with KANABIS 40 SP within 12 hours after application
NS NORTHERN ORGANIC FERTILIZER INC.	METHOMYL	KANABIS 40 SP	400 g/kg	SP	INSECTICIDE	2	470-164-2768	09-Mar-25	CONTACT	Maize	Leafroller, flea beetle , beanfly, podborer,aphids	1 Sachet/18L Sprayer	-	-	Do not enter fields treated with KANABIS 40 SP within 12 hours after application
NS NORTHERN ORGANIC FERTILIZER INC.	METHOMYL	KANABIS 40 SP	400 g/kg	SP	INSECTICIDE	2	470-164-2768	09-Mar-25	CONTACT	Corn	Comborer, earworm	1 Sachet/18L Sprayer	-	-	Do not enter fields treated with KANABIS 40 SP within 12 hours after application
NS NORTHERN ORGANIC FERTILIZER INC.	METHOMYL	KANABIS 40 SP	400 g/kg	SP	INSECTICIDE	2	470-164-2768	09-Mar-25	CONTACT	Sorghum	Comborer, earworm	1 Sachet/18L Sprayer	-	-	Do not enter fields treated with KANABIS 40 SP within 12 hours after application
NS NORTHERN ORGANIC FERTILIZER INC.	METHOMYL	KANABIS 40 SP	400 g/kg	SP	INSECTICIDE	2	470-164-2768	09-Mar-25	CONTACT	Eggplant	Aphids, flea beetle , fruitworm, lady beetle	1 Sachet/18L Sprayer	-	-	Do not enter fields treated with KANABIS 40 SP within 12 hours after application
NS NORTHERN ORGANIC FERTILIZER INC.	METHOMYL	KANABIS 40 SP	400 g/kg	SP	INSECTICIDE	2	470-164-2768	09-Mar-25	CONTACT	Melon	Aphids, Squash beetle , leafroller	1 Sachet/18L Sprayer	-	-	Do not enter fields treated with KANABIS 40 SP within 12 hours after application
NS NORTHERN ORGANIC FERTILIZER INC.	METHOMYL	KANABIS 40 SP	400 g/kg	SP	INSECTICIDE	2	470-164-2768	09-Mar-25	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leafroller	1 Sachet/18L Sprayer	-	1Days	Do not enter fields treated with KANABIS 40 SP within 12 hours after application
NS NORTHERN ORGANIC FERTILIZER INC.	METHOMYL	KANABIS 40 SP	400 g/kg	SP	INSECTICIDE	2	470-164-2768	09-Mar-25	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	1 Sachet/18L Sprayer	-	-	Do not enter fields treated with KANABIS 40 SP within 12 hours after application
NS NORTHERN ORGANIC FERTILIZER INC.	METHOMYL	KANABIS 40 SP	400 g/kg	SP	INSECTICIDE	2	470-164-2768	09-Mar-25	CONTACT	Tomato	Tomato fruitworm, aphids	1 Sachet/18L Sprayer	-	-	Do not enter fields treated with KANABIS 40 SP within 12 hours after application
EZERTECH CORPORATION	CARBARYL	KAMPO 85 WP	850 g/kg	WP	INSECTICIDE	2	648-035-6451	12-Oct-24	CONTACT	Tobacco	Budworm, cutworm, aphids	4-6 tbsp/ 16L (10 CC/78SP)	-	-	Do not spray within 14 days mature harvest on rice, 5 days on citrus and 1 day on cacao, and mango
EZERTECH CORPORATION	CARBARYL	KAMPO 85 WP	850 g/kg	WP	INSECTICIDE	2	648-035-6451	12-Oct-24	CONTACT	Sorghum	Webworm, armyworm, cutworm, headworm	4-6 tbsp/ 16L (10 CC/78SP)	-	-	Do not spray within 14 days mature harvest on rice, 5 days on citrus and 1 day on cacao, and mango
EZERTECH CORPORATION	CARBARYL	KAMPO 85 WP	850 g/kg	WP	INSECTICIDE	2	648-035-6451	12-Oct-24	CONTACT	Ornamentals	Aphids, scale insects, mealy bug, cutworm	4-6 tbsp/ 16L (10 CC/78SP)	-	-	Do not spray within 14 days mature harvest on rice, 5 days on citrus and 1 day on cacao, and mango
EZERTECH CORPORATION	CARBARYL	KAMPO 85 WP	850 g/kg	WP	INSECTICIDE	2	648-035-6451	12-Oct-24	CONTACT	Mango	Mango hopper, tip borer, twig borer, fruit fly, mealy bug	4-6 tbsp/ 16L (10 CC/78SP)	-	-	Do not spray within 14 days mature harvest on rice, 5 days on citrus and 1 day on cacao, and mango
EZERTECH CORPORATION	CARBARYL	KAMPO 85 WP	850 g/kg	WP	INSECTICIDE	2	648-035-6451	12-Oct-24	CONTACT	Coffee	Berry borer	4-6 tbsp/ 16L (10 CC/78SP)	-	-	Do not spray within 14 days mature harvest on rice, 5 days on citrus and 1 day on cacao, and mango
EZERTECH CORPORATION	CARBARYL	KAMPO 85 WP	850 g/kg	WP	INSECTICIDE	2	648-035-6451	12-Oct-24	CONTACT	Cacao	Pod borer, aphids, capsid bug	4-6 tbsp/ 16L (10 CC/78SP)	-	-	Do not spray within 14 days mature harvest on rice, 5 days on citrus and 1 day on cacao, and mango
EZERTECH CORPORATION	CARBARYL	KAMPO 85 WP	850 g/kg	WP	INSECTICIDE	2	648-035-6451	12-Oct-24	CONTACT	Citrus	Rind borer	4-6 tbsp/ 16L (10 CC/78SP)	-	-	Do not spray within 14 days mature harvest on rice, 5 days on citrus and 1 day on cacao, and mango
EZERTECH CORPORATION	CARBARYL	KAMPO 85 WP	850 g/kg	WP	INSECTICIDE	2	648-035-6451	12-Oct-24	CONTACT	Soybeans	Pod borer, beanfly, leafminer, aphids	4-6 tbsp/ 16L (10 CC/78SP)	-	-	Do not spray within 14 days mature harvest on rice, 5 days on citrus and 1 day on cacao, and mango
EZERTECH CORPORATION	CARBARYL	KAMPO 85 WP	850 g/kg	WP	INSECTICIDE	2	648-035-6451	12-Oct-24	CONTACT	Rice	Green leafhopper, caseworm, aphids	4-6 tbsp/ 16L (10 CC/78SP)	-	-	Do not spray within 14 days mature harvest on rice, 5 days on citrus and 1 day on cacao, and mango
EZERTECH CORPORATION	CARBARYL	KAMPO 85 WP	850 g/kg	WP	INSECTICIDE	2	648-035-6451	12-Oct-24	CONTACT	Cowpea	Pod borer, beanfly, leafminer, aphids, cutworm	4-6 tbsp/ 16L (10 CC/78SP)	-	-	Do not spray within 14 days mature harvest on rice, 5 days on citrus and 1 day on cacao, and mango
EZERTECH CORPORATION	CARBARYL	KAMPO 85 WP	850 g/kg	WP	INSECTICIDE	2	648-035-6451	12-Oct-24	CONTACT	Cotton seeds	Bollworm, cutworm	4-6 tbsp/ 16L (10 CC/78SP)	-	-	Do not spray within 14 days mature harvest on rice, 5 days on citrus and 1 day on cacao, and mango
EZERTECH CORPORATION	CARBARYL	KAMPO 85 WP	850 g/kg	WP	INSECTICIDE	2	648-035-6451	12-Oct-24	CONTACT	Corn	Corn borer, corn earworm, army worm	4-6 tbsp/ 16L (10 CC/78SP)	-	-	Do not spray within 14 days mature harvest on rice, 5 days on citrus and 1 day on cacao, and mango
EZERTECH CORPORATION	CARBARYL	KAMPO 85 WP	850 g/kg	WP	INSECTICIDE	2	648-035-6451	12-Oct-24	CONTACT	Tomato	Fruitworm, lady beetle	4-6 tbsp/ 16L (10 CC/78SP)	-	-	Do not spray within 14 days mature harvest on rice, 5 days on citrus and 1 day on cacao, and mango
EZERTECH CORPORATION	CARBARYL	KAMPO 85 WP	850 g/kg	WP	INSECTICIDE	2	648-035-6451	12-Oct-24	CONTACT	Cucurbits	Squash beetle, lady beetle, aphids	4-6 tbsp/ 16L (10 CC/78SP)	-	-	Do not spray within 14 days mature harvest on rice, 5 days on citrus and 1 day on cacao, and mango
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	METHOMYL	KAMKAZE 40 SP	400 g/kg	SP	INSECTICIDE	2	596-164-4106	25-Nov-26	CONTACT	Asparagus	Armyworm, cutworm	1 Sachet/18L Sprayer	-	-	
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	METHOMYL	KAMKAZE 40 SP	400 g/kg	SP	INSECTICIDE	2	596-164-4106	25-Nov-26	CONTACT	Banana	Thrips	1.5-2 Sachet/18L Sprayer	-	-	
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	METHOMYL	KAMKAZE 40 SP	400 g/kg	SP	INSECTICIDE	2	596-164-4106	25-Nov-26	CONTACT	Beans	Leafroller, flea beetle , beanfly, podborer,aphids	1 Sachet/18L Sprayer	-	-	
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	METHOMYL	KAMKAZE 40 SP	400 g/kg	SP	INSECTICIDE	2	596-164-4106	25-Nov-26	CONTACT	Mungbeans	Leafroller, flea beetle , beanfly, podborer,aphids	1 Sachet/18L Sprayer	-	-	
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	METHOMYL	KAMKAZE 40 SP	400 g/kg	SP	INSECTICIDE	2	596-164-4106	25-Nov-26	CONTACT	Soybeans	Leafroller, flea beetle , beanfly, podborer,aphids	1 Sachet/18L Sprayer	-	-	
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	METHOMYL	KAMKAZE 40 SP	400 g/kg	SP	INSECTICIDE	2	596-164-4106	25-Nov-26	CONTACT	Maize	Leafroller, flea beetle , beanfly, podborer,aphids	1 Sachet/18L Sprayer	-	-	
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	METHOMYL	KAMKAZE 40 SP	400 g/kg	SP	INSECTICIDE	2	596-164-4106	25-Nov-26	CONTACT	Corn	Comborer, earworm	1 Sachet/18L Sprayer	-	-	
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	METHOMYL	KAMKAZE 40 SP	400 g/kg	SP	INSECTICIDE	2	596-164-4106	25-Nov-26	CONTACT	Sorghum	Comborer, earworm	1 Sachet/18L Sprayer	-	-	
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	METHOMYL	KAMKAZE 40 SP	400 g/kg	SP	INSECTICIDE	2	596-164-4106	25-Nov-26	CONTACT	Eggplant	Aphids, flea beetle , fruitworm, lady beetle	1 Sachet/18L Sprayer	-	-	
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	METHOMYL	KAMKAZE 40 SP	400 g/kg	SP	INSECTICIDE	2	596-164-4106	25-Nov-26	CONTACT	Melon	Aphids, Squash beetle , leafroller	1 Sachet/18L Sprayer	-	-	
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	METHOMYL	KAMKAZE 40 SP	400 g/kg	SP	INSECTICIDE	2	596-164-4106	25-Nov-26	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leafroller	1 Sachet/18L Sprayer	0.05ppm	3 Days	
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	METHOMYL	KAMKAZE 40 SP	400 g/kg	SP	INSECTICIDE	2	596-164-4106	25-Nov-26	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	1 Sachet/18L Sprayer	-	-	
GRAINS GRANTED AGRO-CHEMICAL CORPORATION	METHOMYL	KAMKAZE 40 SP	400 g/kg	SP	INSECTICIDE	2	596-164-4106	25-Nov-26	CONTACT	Tomato	Tomato fruitworm, aphids	1 Sachet/18L Sprayer	-	-	
HANEARL SCIENCE PHILIPPINES, INC.	K-AMEZ 1.8 EC	18g/L	18g/L	EC	INSECTICIDE	2	659-234-4976	26-Jul-24	-	Banana	Blossom Thrips	0.5/L water	-	-	Re-enter treated area only after spray has dried.
HANEARL SCIENCE PHILIPPINES, INC.	K-AMEZ 1.8 EC	18g/L	18g/L	EC	INSECTICIDE	2	659-234-4976	26-Jul-24	-	Cabbage	Diamond back moth	1000 ml prod/ha	-	7 days	Re-enter treated area only after spray has dried.
HANEARL SCIENCE PHILIPPINES, INC.	K-AMEZ 1.8 EC	18g/L	18g/L	EC	INSECTICIDE	2	659-234-4976	26-Jul-24	-	Ornamentals	Mites	1.0-1.5 Tbsp/16L water	-	-	Re-enter treated area only after spray has dried.
HANEARL SCIENCE PHILIPPINES, INC.	K-AMEZ 1.8 EC	18g/L	18g/L	EC	INSECTICIDE	2	659-234-4976	26-Jul-24	-	Pineapple	Mites	1000-4000 ml. prod./ha	-	-	Re-enter treated area only after spray has dried.

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
HANEARL SCIENCE PHILIPPINES, INC.	ABAMECTIN	K-AMEZ 1.8 EC	18g/L	EC	INSECTICIDE	2	659-234-4976	26 Jul-24		Eggplant	Thrips, leafhopper, fruit and borer	2.0-5.0 Tbsp/16L water	-	3 days	Re-enter treated area only after spray has dried.
HANEARL SCIENCE PHILIPPINES, INC.	ABAMECTIN	K-AMEZ 1.8 EC	18g/L	EC	INSECTICIDE	2	659-234-4976	26 Jul-24		Onion	Leafminer, thrips	2.0-3.0 Tbsp/16L water	-	3 days	Re-enter treated area only after spray has dried.
HANEARL SCIENCE PHILIPPINES, INC.	ABAMECTIN	K-AMEZ 1.8 EC	18g/L	EC	INSECTICIDE	2	659-234-4976	26 Jul-24		Potato	Leafminer, thrips	2.0-3.0 Tbsp/16L water	-	14 days	Re-enter treated area only after spray has dried.
HANEARL SCIENCE PHILIPPINES, INC.	ABAMECTIN	K-AMEZ 1.8 EC	18g/L	EC	INSECTICIDE	2	659-234-4976	26 Jul-24		Tomato	Leafminer, thrips, aphids	2.0-3.0 Tbsp/16L water	-	3 days	Re-enter treated area only after spray has dried.
HANEARL SCIENCE PHILIPPINES, INC.	ABAMECTIN	K-AMEZ 1.8 EC	18g/L	EC	INSECTICIDE	2	659-234-4976	26 Jul-24		Watermelon	Leafminer, thrips, melonworm	2.0-3.0 Tbsp/16L water	-	3 days	Re-enter treated area only after spray has dried.
HANEARL SCIENCE PHILIPPINES, INC.	ABAMECTIN	K-AMEZ 1.8 EC	18g/L	EC	INSECTICIDE	2	659-234-4976	26 Jul-24		Papaya	Mites	0.5-1.0 Tbsp/16L water	-	14 days	Re-enter treated area only after spray has dried.
HANEARL SCIENCE PHILIPPINES, INC.	ABAMECTIN	K-AMEZ 1.8 EC	18g/L	EC	INSECTICIDE	2	659-234-4976	26 Jul-24		Strawberry	Mites	2.0-4.0 Tbsp/16L water	-	3 days	Re-enter treated area only after spray has dried.
HANEARL SCIENCE PHILIPPINES, INC.	CHYFLUORFEN	K-AMARY 24 EC	240 g/L	EC	HERBICIDE	4	659-123-6344	30 May-25		Onion (Transplanted)	Pre-emergence and early Post-emergence: Broadleaves, sedges and grasses	4.8 tbsp/16L water (before transplanting), 2-4 tbsp/16L water	-	-	Entry to treated field is allowed as soon as spray deposits have dried
AGRIBASE CHEMICALS, INC.	BPIMC-CHLORPYRIFOS	KAMANDAG 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	457-174-3264	27 Dec-24	-	Rice	Stemborer, armyworm, leafhopper, caseworm and planthopper	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
AGRIBASE CHEMICALS, INC.	BPIMC-CHLORPYRIFOS	KAMANDAG 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	457-174-3264	27 Dec-24	-	Corn	Seeding maggot, corn earworm, cornborer and armyworm	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
AGRIBASE CHEMICALS, INC.	BPIMC-CHLORPYRIFOS	KAMANDAG 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	457-174-3264	27 Dec-24	-	Tobacco	Budworm, grasshopper, aphid, cutworm and armyworm	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
AGRIBASE CHEMICALS, INC.	BPIMC-CHLORPYRIFOS	KAMANDAG 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	457-174-3264	27 Dec-24	-	Cucumber	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
AGRIBASE CHEMICALS, INC.	BPIMC-CHLORPYRIFOS	KAMANDAG 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	457-174-3264	27 Dec-24	-	Melon	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
AGRIBASE CHEMICALS, INC.	BPIMC-CHLORPYRIFOS	KAMANDAG 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	457-174-3264	27 Dec-24	-	Watermelon	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
AGRIBASE CHEMICALS, INC.	BPIMC-CHLORPYRIFOS	KAMANDAG 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	457-174-3264	27 Dec-24	-	Onion	Thrips, cutworm	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
AGRIBASE CHEMICALS, INC.	BPIMC-CHLORPYRIFOS	KAMANDAG 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	457-174-3264	27 Dec-24	-	Munbean	Beanyfly, armyworm, cutworm, leafminer and leaf folder	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
AGRIBASE CHEMICALS, INC.	BPIMC-CHLORPYRIFOS	KAMANDAG 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	457-174-3264	27 Dec-24	-	Soybeans	Beanyfly, armyworm, cutworm, leafminer and leaf folder	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
AGRIBASE CHEMICALS, INC.	BPIMC-CHLORPYRIFOS	KAMANDAG 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	457-174-3264	27 Dec-24	-	Beans	Beanyfly, armyworm, cutworm, leafminer and leaf folder	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
AGRIBASE CHEMICALS, INC.	BPIMC-CHLORPYRIFOS	KAMANDAG 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	457-174-3264	27 Dec-24	-	Beans	Beanyfly, armyworm, cutworm, leafminer and leaf folder	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
BIOQUE SCIENCES SOLUTIONS COMPANY	ALUMINUM POTASSIUM SULFATE	K-ALLUM	990g/L	-	OTHERS	4	581-465-4098	23 Aug-26	-	Cavendish banana	Processed water coagulant and dewatering agent	0.08-1.50g/L water	-	-	-
HANEARL SCIENCE PHILIPPINES, INC.	BURBORGLIN	K-AALUR 25 SC	250 g/L	SC	INSECTICIDE	3	659-226-5393	20 Jan-26		Mango	Leafhoppers	40-80 ML/200L water	-	Do not spray before harvest	Re-entry to treated fields is allowed as soon as spray dries.
LEADS AGRICULTURAL PRODUCTS CORPORATION	POTASSIUM HYDROGENERATED CARBONATE	KALIGREEN 82 SP	820 g/kg	SP	FUNGICIDE	4	499-397-3776	15 Jul-25	CONTACT	Banana	Black sigatoka	4.8-9.6 Tbsp/16L	-	Can be applied 1 day before harvest	-
LEADS AGRICULTURAL PRODUCTS CORPORATION	POTASSIUM HYDROGENERATED CARBONATE	KALIGREEN 82 SP	820 g/kg	SP	FUNGICIDE	4	499-397-3776	15 Jul-25	CONTACT	Beans	Bean rust	1.6-4.8 Tbsp/16L	-	Can be applied 1 day before harvest	-
OLD TOWN AGRICULTURAL KINDS CORP.	POTASSIUM HYDROGENERATED CARBONATE	KALIGREEN 82 SP	820 g/kg	SP	FUNGICIDE	4	499-397-5333	27 Oct-23	CONTACT	Banana	Black sigatoka	4.8-9.6 Tbsp/16L	-	-	-
OLD TOWN AGRICULTURAL KINDS CORP.	POTASSIUM HYDROGENERATED CARBONATE	KALIGREEN 82 SP	820 g/kg	SP	FUNGICIDE	4	499-397-5333	27 Oct-23	CONTACT	Beans	Rust	1.6-4.8 Tbsp/16L	-	-	-
NNN 800, INC.	GLYPHOSATE IPA	KALBO 480 SL	480 g/L	SL	HERBICIDE	4	653-151-4865	09-Mar-22	POST-EMERGENT	Glyophosphate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/ha	-	-	-
NNN 800, INC.	GLYPHOSATE IPA	KALBO 480 SL	480 g/L	SL	HERBICIDE	4	653-151-4865	09-Mar-22	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
NNN 800, INC.	GLYPHOSATE IPA	KALBO 480 SL	480 g/L	SL	HERBICIDE	4	653-151-4865	09-Mar-22	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
NNN 800, INC.	GLYPHOSATE IPA	KALBO 480 SL	480 g/L	SL	HERBICIDE	4	653-151-4865	09-Mar-22	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
NNN 800, INC.	GLYPHOSATE IPA	KALBO 480 SL	480 g/L	SL	HERBICIDE	4	653-151-4865	09-Mar-22	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
NNN 800, INC.	GLYPHOSATE IPA	KALBO 480 SL	480 g/L	SL	HERBICIDE	4	653-151-4865	09-Mar-22	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.5 Liters/ha	-	-	-
NNN 800, INC.	GLYPHOSATE IPA	KALBO 480 SL	480 g/L	SL	HERBICIDE	4	653-151-4865	09-Mar-22	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.5 Liters/ha	-	-	-
NNN 800, INC.	GLYPHOSATE IPA	KALBO 480 SL	480 g/L	SL	HERBICIDE	4	653-151-4865	09-Mar-22	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.5 Liters/ha	-	-	-
NNN 800, INC.	GLYPHOSATE IPA	KALBO 480 SL	480 g/L	SL	HERBICIDE	4	653-151-4865	09-Mar-22	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.5 Liters/ha	-	-	-
NNN 800, INC.	GLYPHOSATE IPA	KALBO 480 SL	480 g/L	SL	HERBICIDE	4	653-151-4865	09-Mar-22	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
NNN 800, INC.	GLYPHOSATE IPA	KALBO 480 SL	480 g/L	SL	HERBICIDE	4	653-151-4865	09-Mar-22	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
NNN 800, INC.	GLYPHOSATE IPA	KALBO 480 SL	480 g/L	SL	HERBICIDE	4	653-151-4865	09-Mar-22	POST-EMERGENT	non-crop	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
GREENTHUMB AGRISOLUTIONS, INC.	PROFENOFOS	KALASAG 500 EC	500g/L	EC	INSECTICIDE	2	584-070-4674	05-Mar-22	CONTACT	Tomato	Fruitworm, armyworm, cutworm	3-5 Tbsp/16L water	-	14 days	Do not enter treated field one (1) day after application
GREENTHUMB AGRISOLUTIONS, INC.	PROFENOFOS	KALASAG 500 EC	500g/L	EC	INSECTICIDE	2	584-070-4674	05-Mar-22	CONTACT	Eggplant	Fruitborer, aphids, leafhopper, & thrips	1.5-3.0 Tbsp/16L water	-	14 days	Do not enter treated field one (1) day after application
GREENTHUMB AGRISOLUTIONS, INC.	PROFENOFOS	KALASAG 500 EC	500g/L	EC	INSECTICIDE	2	584-070-4674	05-Mar-22	CONTACT	Cabbage	Diamond back moth, cabbage worm & aphids	3-5 Tbsp/16L water	-	14 days	Do not enter treated field one (1) day after application
GREENTHUMB AGRISOLUTIONS, INC.	PROFENOFOS	KALASAG 500 EC	500g/L	EC	INSECTICIDE	2	584-070-4674	05-Mar-22	CONTACT	Watermelon	Thrips	3-5 Tbsp/16L water	-	14 days	Do not enter treated field one (1) day after application
GREENTHUMB AGRISOLUTIONS, INC.	PROFENOFOS	KALASAG 500 EC	500g/L	EC	INSECTICIDE	2	584-070-4674	05-Mar-22	CONTACT	Potato	Thrips, army worm, cutworm, tuber moth	3-5 Tbsp/16L water	-	14 days	Do not enter treated field one (1) day after application
GREENTHUMB AGRISOLUTIONS, INC.	PROFENOFOS	KALASAG 500 EC	500g/L	EC	INSECTICIDE	2	584-070-4674	05-Mar-22	CONTACT	Soybeans	Corn earworm, leafminer	3-5 Tbsp/16L water	-	14 days	Do not enter treated field one (1) day after application
GREENTHUMB AGRISOLUTIONS, INC.	PROFENOFOS	KALASAG 500 EC	500g/L	EC	INSECTICIDE	2	584-070-4674	05-Mar-22	CONTACT	Mungbeans	Corn earworm, leafminer	3-5 Tbsp/16L water	-	14 days	Do not enter treated field one (1) day after application
GREENTHUMB AGRISOLUTIONS, INC.	PROFENOFOS	KALASAG 500 EC	500g/L	EC	INSECTICIDE	2	584-070-4674	05-Mar-22	CONTACT	Cotton	Thrips, bollworm & budworm	3-5 Tbsp/16L water	-	14 days	Do not enter treated field one (1) day after application
GREENTHUMB AGRISOLUTIONS, INC.	PROFENOFOS	KALASAG 500 EC	500g/L	EC	INSECTICIDE	2	584-070-4674	05-Mar-22	CONTACT	Sitao	Beanyfly, leaf folder & aphids	3-5 Tbsp/16L water	-	14 days	Do not enter treated field one (1) day after application
R & A AGROFARM PRODUCTS, INC.	GLYPHOSATE IPA	KALAS BRUS	480 g/L	SL	HERBICIDE	4	400-151-2437	25-Jan-22	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/ha	-	-	-
R & A AGROFARM PRODUCTS, INC.	GLYPHOSATE IPA	KALAS BRUS	480 g/L	SL	HERBICIDE	4	400-151-2437	25-Jan-22	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
R & A AGROFARM PRODUCTS, INC.	GLYPHOSATE IPA	KALAS BRUS	480 g/L	SL	HERBICIDE	4	400-151-2437	25-Jan-22	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
R & A AGROFARM PRODUCTS, INC.	GLYPHOSATE IPA	KALAS BRUS	480 g/L	SL	HERBICIDE	4	400-151-2437	25-Jan-22	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
R & A AGROFARM PRODUCTS, INC.	GLYPHOSATE IPA	KALAS BRUS	480 g/L	SL	HERBICIDE	4	400-151-2437	25-Jan-22	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
R & A AGROFARM PRODUCTS, INC.	GLYPHOSATE IPA	KALAS BRUS	480 g/L	SL	HERBICIDE	4	400-151-2437	25-Jan-22	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
R & A AGROFARM PRODUCTS, INC.	GLYPHOSATE IPA	KALAS BRUS	480 g/L	SL	HERBICIDE	4	400-151-2437	25-Jan-22	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
R & A AGROFARM PRODUCTS, INC.	GLYPHOSATE IPA	KALAS BRUS	480 g/L	SL	HERBICIDE	4	400-151-2437	25-Jan-22	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
R & A AGROFARM PRODUCTS, INC.	GLYPHOSATE IPA	KALAS BRUS	480 g/L	SL	HERBICIDE	4	400-151-2437	25-Jan-22	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/ha	-	-	-
R & A AGROFARM PRODUCTS, INC.	GLYPHOSATE IPA	KALAS BRUS	480 g/L	SL	HERBICIDE	4	400-151-2437	25-Jan-22	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
R & A AGROFARM PRODUCTS, INC.	GLYPHOSATE IPA	KALAS BRUS	480 g/L	SL	HERBICIDE	4	400-151-2437	25-Jan-22	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
R & A AGRIFARM PRODUCTS, INC.	GLYPHOSATE IPA	KALAS BILIS	480 g/L	SL	HERBICIDE	4	400-151-2437	29-Jan-22	POST-EMERGENT	non-crop	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
CROP PROTECTION AGRIVENTURES INC.	CHLORPYRIFOS	KALAMPIROS 30 EC	300 g/L	EC	INSECTICIDE	2	616-101-5476	27-Dec-24	-	Rice	Stemborer, armyworm, leafhopper, caseworm, planthopper, cutworm	2.5-3.5 tbsp/36L water	-	-	-
CROP PROTECTION AGRIVENTURES INC.	CHLORPYRIFOS	KALAMPIROS 30 EC	300 g/L	EC	INSECTICIDE	2	616-101-5476	27-Dec-24	-	Potato	Tubermoth, leafhopper, cutworm, aphids	2.5-3.5 tbsp/36L water	-	-	-
CROP PROTECTION AGRIVENTURES INC.	CHLORPYRIFOS	KALAMPIROS 30 EC	300 g/L	EC	INSECTICIDE	2	616-101-5476	27-Dec-24	-	Corn	Armyworm, cornborer, earworm, seedling maggots	2.5-3.5 tbsp/36L water	-	-	-
CROP PROTECTION AGRIVENTURES INC.	CHLORPYRIFOS	KALAMPIROS 30 EC	300 g/L	EC	INSECTICIDE	2	616-101-5476	27-Dec-24	-	Beans	Beanfly, leafroller, podborer, cutworm, armyworm	2.5-3.5 tbsp/36L water	-	-	-
RED BUFFALO AGRIVENTURES CORPORATION	CYPERMETHRIN	KALABAN 5 EC	50g/L	EC	INSECTICIDE	4	501-037-4744	05-Apr-22	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/36 L water	7 days	-	Re-entry to treated field is allowed as soon as spray deposits dry.
RED BUFFALO AGRIVENTURES CORPORATION	CYPERMETHRIN	KALABAN 5 EC	50g/L	EC	INSECTICIDE	4	501-037-4744	05-Apr-22	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leafhoppers, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/36 L water	7 days	-	Re-entry to treated field is allowed as soon as spray deposits dry.
RED BUFFALO AGRIVENTURES CORPORATION	CYPERMETHRIN	KALABAN 5 EC	50g/L	EC	INSECTICIDE	4	501-037-4744	05-Apr-22	CONTACT	Cabbage	Diamond-back moth, cabbage moth, worm	1.0-3.0 Tbsp/36 L water	7 days	-	Re-entry to treated field is allowed as soon as spray deposits dry.
RED BUFFALO AGRIVENTURES CORPORATION	CYPERMETHRIN	KALABAN 5 EC	50g/L	EC	INSECTICIDE	4	501-037-4744	05-Apr-22	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/36 L water	7 days	-	Re-entry to treated field is allowed as soon as spray deposits dry.
RED BUFFALO AGRIVENTURES CORPORATION	CYPERMETHRIN	KALABAN 5 EC	50g/L	EC	INSECTICIDE	4	501-037-4744	05-Apr-22	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/36 L water	7 days	-	Re-entry to treated field is allowed as soon as spray deposits dry.
RED BUFFALO AGRIVENTURES CORPORATION	CYPERMETHRIN	KALABAN 5 EC	50g/L	EC	INSECTICIDE	4	501-037-4744	05-Apr-22	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/36 L water	7 days	-	Re-entry to treated field is allowed as soon as spray deposits dry.
RED BUFFALO AGRIVENTURES CORPORATION	CYPERMETHRIN	KALABAN 5 EC	50g/L	EC	INSECTICIDE	4	501-037-4744	05-Apr-22	CONTACT	Ghion	Thrips, cutworm	1.0-3.0 Tbsp/36 L water	7 days	-	Re-entry to treated field is allowed as soon as spray deposits dry.
RED BUFFALO AGRIVENTURES CORPORATION	CYPERMETHRIN	KALABAN 5 EC	50g/L	EC	INSECTICIDE	4	501-037-4744	05-Apr-22	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/36 L water	7 days	-	Re-entry to treated field is allowed as soon as spray deposits dry.
RED BUFFALO AGRIVENTURES CORPORATION	CYPERMETHRIN	KALABAN 5 EC	50g/L	EC	INSECTICIDE	4	501-037-4744	05-Apr-22	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/36 L water	7 days	-	Re-entry to treated field is allowed as soon as spray deposits dry.
RED BUFFALO AGRIVENTURES CORPORATION	CYPERMETHRIN	KALABAN 5 EC	50g/L	EC	INSECTICIDE	4	501-037-4744	05-Apr-22	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/36 L water	7 days	-	Re-entry to treated field is allowed as soon as spray deposits dry.
RED BUFFALO AGRIVENTURES CORPORATION	CYPERMETHRIN	KALABAN 5 EC	50g/L	EC	INSECTICIDE	4	501-037-4744	05-Apr-22	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/36 L water	7 days	-	Re-entry to treated field is allowed as soon as spray deposits dry.
VETMATE FARMA CORP.	DIFENOCONAZOLE	KAIZEN 250EC	250 g/L	EC	FUNGICIDE	4	658-272-6141	3-Oct-24	SYSTEMIC	Rice	Sheath blight	0.25-0.30 L/ha	-	-	-
VETMATE FARMA CORP.	DIFENOCONAZOLE	KAIZEN 250EC	250 g/L	EC	FUNGICIDE	4	658-272-6141	3-Oct-24	SYSTEMIC	Mango	Anthraxnose	0.125-0.88 L/ha; 30-50 ml prod./ 100L	14 days	-	-
VETMATE FARMA CORP.	DIFENOCONAZOLE	KAIZEN 250EC	250 g/L	EC	FUNGICIDE	4	658-272-6141	3-Oct-24	SYSTEMIC	Stringbeans	Leaf spot	0.20-0.30 L/ha	7 days	-	-
VETMATE FARMA CORP.	DIFENOCONAZOLE	KAIZEN 250EC	250 g/L	EC	FUNGICIDE	4	658-272-6141	3-Oct-24	SYSTEMIC	Tomato	Alternaria leaf spot, cercospora leaf mold, powdery mildew	0.20-0.30 L/ha	7 days	-	-
VETMATE FARMA CORP.	DIFENOCONAZOLE	KAIZEN 250EC	250 g/L	EC	FUNGICIDE	4	658-272-6141	3-Oct-24	SYSTEMIC	Eggplant	Leaf spot	0.20-0.30 L/ha	7 days	-	-
VETMATE FARMA CORP.	DIFENOCONAZOLE	KAIZEN 250EC	250 g/L	EC	FUNGICIDE	4	658-272-6141	3-Oct-24	SYSTEMIC	Cabbage	Ringspot, alternaria	0.20-0.30 L/ha	7 days	-	-
VETMATE FARMA CORP.	DIFENOCONAZOLE	KAIZEN 250EC	250 g/L	EC	FUNGICIDE	4	658-272-6141	3-Oct-24	SYSTEMIC	Asparagus	Stem and leaf blight	0.36 L/ha; 8 g/L	-	-	-
VETMATE FARMA CORP.	DIFENOCONAZOLE	KAIZEN 250EC	250 g/L	EC	FUNGICIDE	4	658-272-6141	3-Oct-24	SYSTEMIC	Ghion	Purple blotch	0.40-0.50 L/ha	7 days	-	-
VETMATE FARMA CORP.	DIFENOCONAZOLE	KAIZEN 250EC	250 g/L	EC	FUNGICIDE	4	658-272-6141	3-Oct-24	SYSTEMIC	Banana	Black sigatoka	0.30-0.40 L/ha	-	-	-
JEELS MASAGANA FARM SUPPLY, INC.	GLYPHOSATE IPA	KAINING 160	160 g/L	SL	HERBICIDE	4	487-151-2695	23-Jan-24	POST-EMERGENT	non-crop areas	common grassy fields	3-6 L/area/ha	-	-	-
HANEARL SCIENCE PHILIPPINES, INC.	ACEPHATE	K-ACEMIN 75 SP	750g/kg	SP	INSECTICIDE	4	659-242-4984	09-Oct-26	-	Banana	Leafhopper, Tip borer	15-2 Tbsp/36L water	Crop sprayed with K-ACEMIN 75 SP can be harvested 2 weeks after treatment	-	Entry to fields and crops treated with K-ACEMIN 75 SP can be done as soon as spray deposits have dried
HANEARL SCIENCE PHILIPPINES, INC.	ACEPHATE	K-ACEMIN 75 SP	750g/kg	SP	INSECTICIDE	4	659-242-4984	09-Oct-26	-	Eggplant	Fruit borer	2-3 Tbsp/36L water	Crop sprayed with K-ACEMIN 75 SP can be harvested 2 weeks after treatment	-	Entry to fields and crops treated with K-ACEMIN 75 SP can be done as soon as spray deposits have dried
HANEARL SCIENCE PHILIPPINES, INC.	ACEPHATE	K-ACEMIN 75 SP	750g/kg	SP	INSECTICIDE	4	659-242-4984	09-Oct-26	-	Mango	Leafhopper, Tip borer	15-20 Tbsp/36L water	Crop sprayed with K-ACEMIN 75 SP can be harvested 2 weeks after treatment	-	Entry to fields and crops treated with K-ACEMIN 75 SP can be done as soon as spray deposits have dried
HANEARL SCIENCE PHILIPPINES, INC.	ACEPHATE	K-ACEMIN 75 SP	750g/kg	SP	INSECTICIDE	4	659-242-4984	09-Oct-26	-	Rice	Leafhopper, Tip borer	2-3 Tbsp/36L water	Crop sprayed with K-ACEMIN 75 SP can be harvested 2 weeks after treatment	-	Entry to fields and crops treated with K-ACEMIN 75 SP can be done as soon as spray deposits have dried
HANEARL SCIENCE PHILIPPINES, INC.	ACEPHATE	K-ACEMIN 75 SP	750g/kg	SP	INSECTICIDE	4	659-242-4984	09-Oct-26	-	Stringbeans	Aphids	2-3 Tbsp/36L water	Crop sprayed with K-ACEMIN 75 SP can be harvested 2 weeks after treatment	-	Entry to fields and crops treated with K-ACEMIN 75 SP can be done as soon as spray deposits have dried
HANEARL SCIENCE PHILIPPINES, INC.	ACEPHATE	K-ACEMIN 75 SP	750g/kg	SP	INSECTICIDE	4	659-242-4984	09-Oct-26	-	Tobacco	Budworm, Aphids	2-3 Tbsp/36L water	Crop sprayed with K-ACEMIN 75 SP can be harvested 2 weeks after treatment	-	Entry to fields and crops treated with K-ACEMIN 75 SP can be done as soon as spray deposits have dried
HANEARL SCIENCE PHILIPPINES, INC.	ACEPHATE	K-ACEMIN 75 SP	750g/kg	SP	INSECTICIDE	4	659-242-4984	09-Oct-26	-	Tomato	Fruitworm	2-3 Tbsp/36L water	Crop sprayed with K-ACEMIN 75 SP can be harvested 2 weeks after treatment	-	Entry to fields and crops treated with K-ACEMIN 75 SP can be done as soon as spray deposits have dried
HANEARL SCIENCE PHILIPPINES, INC.	ACEPHATE	K-ACEMIN 75 SP	750g/kg	SP	INSECTICIDE	4	659-242-4984	09-Oct-26	-	Watermelon	Whorl maggot, Green leafhopper, Brown planthopper, Stemborer, leafroller, Rice bug	2-3 Tbsp/36L water	Crop sprayed with K-ACEMIN 75 SP can be harvested 2 weeks after treatment	-	Entry to fields and crops treated with K-ACEMIN 75 SP can be done as soon as spray deposits have dried
HANEARL SCIENCE PHILIPPINES, INC.	ACEPHATE	K-ACEMIN 75 SP	750g/kg	SP	INSECTICIDE	4	659-242-4984	09-Oct-26	-	Thrips		1.0-2.0 Tbsp/36L water	14 days	-	Do not enter treated field 1 day after application
IAGRI CHEMICAL CORPORATION	PROFENOFOS	KARBON 500 EC	500 g/L	EC	INSECTICIDE	2	534-070-3167	27-Jun-19	CONTACT	Mango		3-5 Tbsp/36L water	14 days	-	Do not enter treated field 1 day after application
IAGRI CHEMICAL CORPORATION	PROFENOFOS	KARBON 500 EC	500 g/L	EC	INSECTICIDE	2	534-070-3167	27-Jun-19	CONTACT	Tomato	Fruitworm, armyworm, cutworm	3-5 Tbsp/36L water	14 days	-	Do not enter treated field 1 day after application
IAGRI CHEMICAL CORPORATION	PROFENOFOS	KARBON 500 EC	500 g/L	EC	INSECTICIDE	2	534-070-3167	27-Jun-19	CONTACT	Eggplant	Fruitborer, aphids, leafhopper, & thrips	1.5-3.0 Tbsp/36L water	14 days	-	Do not enter treated field 1 day after application
IAGRI CHEMICAL CORPORATION	PROFENOFOS	KARBON 500 EC	500 g/L	EC	INSECTICIDE	2	534-070-3167	27-Jun-19	CONTACT	Cabbage	Diamond-back moth, cabbage worm & aphids, thrips	3-5 Tbsp/36L water	14 days	-	Do not enter treated field 1 day after application
IAGRI CHEMICAL CORPORATION	PROFENOFOS	KARBON 500 EC	500 g/L	EC	INSECTICIDE	2	534-070-3167	27-Jun-19	CONTACT	Watermelon	Thrips	3-5 Tbsp/36L water	14 days	-	Do not enter treated field 1 day after application
IAGRI CHEMICAL CORPORATION	PROFENOFOS	KARBON 500 EC	500 g/L	EC	INSECTICIDE	2	534-070-3167	27-Jun-19	CONTACT	Potato	Thrips, army worm, cutworm, tubermoth	3-5 Tbsp/36L water	14 days	-	Do not enter treated field 1 day after application
IAGRI CHEMICAL CORPORATION	PROFENOFOS	KARBON 500 EC	500 g/L	EC	INSECTICIDE	2	534-070-3167	27-Jun-19	CONTACT	Soybeans	Corn earworm, leafminer	3-5 Tbsp/36L water	14 days	-	Do not enter treated field 1 day after application
IAGRI CHEMICAL CORPORATION	PROFENOFOS	KARBON 500 EC	500 g/L	EC	INSECTICIDE	2	534-070-3167	27-Jun-19	CONTACT	Mungbeans	Corn earworm, leafminer	3-5 Tbsp/36L water	14 days	-	Do not enter treated field 1 day after application
IAGRI CHEMICAL CORPORATION	PROFENOFOS	KARBON 500 EC	500 g/L	EC	INSECTICIDE	2	534-070-3167	27-Jun-19	CONTACT	Cotton	Thrips, bollworm & budworm	3-5 Tbsp/36L water	14 days	-	Do not enter treated field 1 day after application
IAGRI CHEMICAL CORPORATION	PROFENOFOS	KARBON 500 EC	500 g/L	EC	INSECTICIDE	2	534-070-3167	27-Jun-19	CONTACT	Sitao	Beanfly, leafroller & aphids	1.5-3.0 Tbsp/36L water	14 days	-	Do not enter treated field 1 day after application
IAGRI CHEMICAL CORPORATION	CARTAP HYDROCHLORIDE	KARBON 50 SP	500 g/kg	SP	INSECTICIDE	3	534-106-3288	07-May-20	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.0-5.0Tbsp/36L water	0.2ppm	-	Stop spraying 10 days before harvest
IAGRI CHEMICAL CORPORATION	CARTAP HYDROCHLORIDE	KARBON 50 SP	500 g/kg	SP	INSECTICIDE	3	534-106-3288	07-May-20	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/36L water	-	-	-
IAGRI CHEMICAL CORPORATION	CARTAP HYDROCHLORIDE	KARBON 50 SP	500 g/kg	SP	INSECTICIDE	3	534-106-3288	07-May-20	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/36L water	-	-	-
IAGRI CHEMICAL CORPORATION	CARTAP HYDROCHLORIDE	KARBON 50 SP	500 g/kg	SP	INSECTICIDE	3	534-106-3288	07-May-20	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/36L water	-	-	-
IAGRI CHEMICAL CORPORATION	CARTAP HYDROCHLORIDE	KARBON 50 SP	500 g/kg	SP	INSECTICIDE	3	534-106-3288	07-May-20	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/36L water	-	-	-
IAGRI CHEMICAL CORPORATION	CARTAP HYDROCHLORIDE	KARBON 50 SP	500 g/kg	SP	INSECTICIDE	3	534-106-3288	07-May-20	SYSTEMIC	Ghion	Thrips, cutworm	1.5-2.0Tbsp/36L water	-	-	-
IAGRI CHEMICAL CORPORATION	CARTAP HYDROCHLORIDE	KARBON 50 SP	500 g/kg	SP	INSECTICIDE	3	534-106-3288	07-May-20	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/36L water	-	-	-
IAGRI CHEMICAL CORPORATION	CARTAP HYDROCHLORIDE	KARBON 50 SP	500 g/kg	SP	INSECTICIDE	3	534-106-3288	07-May-20	SYSTEMIC	Mango	leafhoppers	1.5-2.0Tbsp/36L water	-	-	-
IAGRI CHEMICAL CORPORATION	CARTAP HYDROCHLORIDE	KARBON 50 SP	500 g/kg	SP	INSECTICIDE	3	534-106-3288	07-May-20	SYSTEMIC	Pechay	looper, cutworm, aphids	1.5-3.0Tbsp/36L water	-	-	-
EZTECH CORPORATION	METAMFOP	KAMESA 100 EC	100 g/L	EC	HERBICIDE	4	448-429-6056	29-Apr-26	POST-EMERGENCE	Rice (Direct-seeded)	Grasses (Echinochloa sp., Lysitochloa chinensis, and Ischaemum vagosum)	700 ml to 1L 75-10 Tbsp/36L	-	-	-
GOLDEN FARMERS AGRICULTURAL PRODUCT CORPORATION	CLOTHIANIDIN	LUSTICE 20 SC	200 g/L	SC	INSECTICIDE	4	409-379-5757	31-May-25	-	Rice	Black bug	4-5 Tbsp/36L	-	-	-
EZTECH CORPORATION	DURON	DURON WP	800 g/kg	WP	HERBICIDE	4	648-021-5038	12-Jul-26	POST-EMERGENCE	Citrus	Blanket application on broadleaves and annual grasses	10-19 Tbsp/36 L water	-	-	Re-enter 1 day after application

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
EZERTECH CORPORATION	DIURON	JURON 80 WP	800 g/kg	WP	HERBICIDE	4	648-021-5038	12-Jul-26	POST-EMERGENCE	Coffee	Direct spray on broadleaves and annual grasses	15-19 Tbsp/36 L water	-	-	Re-enter 1 day after application
EZERTECH CORPORATION	DIURON	JURON 80 WP	800 g/kg	WP	HERBICIDE	4	648-021-5038	12-Jul-26	POST-EMERGENCE	Sugarcane	Blanket application on broadleaves and annual grasses	6.5-13 Tbsp/ 36 L water	-	-	Re-enter 1 day after application
EZERTECH CORPORATION	DIURON	JURON 80 WP	800 g/kg	WP	HERBICIDE	4	648-021-5038	12-Jul-26	POST-EMERGENCE	Cotton	Blanket application on broadleaves and annual grasses	8 Tbsp / 36 L water	-	-	Re-enter 1 day after application
EZERTECH CORPORATION	DIURON	JURON 80 WP	800 g/kg	WP	HERBICIDE	4	648-021-5038	12-Jul-26	POST-EMERGENCE	Pineapple	Blanket application on broadleaves and annual grasses	18 Tbsp/ 36 L water	-	-	Re-enter 1 day after application
EZERTECH CORPORATION	DIURON	JURON 80 WP	800 g/kg	WP	HERBICIDE	4	648-021-5038	12-Jul-26	POST-EMERGENCE	Non-crop land	Direct spray on broadleaves and annual grasses	20-28 Tbsp / 36 L water	-	-	Re-enter 1 day after application
EZERTECH CORPORATION	DIURON	JURON 80 WG	800 g/kg	WG	HERBICIDE	4	648-021-5264	27-Oct-26	SYSTEMIC/POST-EMERGENCE	Citrus	Annual and Perennial broadleaves and grasses	11.0-15.0Tbsp/36 L water	-	14 Days	24 hours after application
EZERTECH CORPORATION	DIURON	JURON 80 WG	800 g/kg	WG	HERBICIDE	4	648-021-5264	27-Oct-26	SYSTEMIC/POST-EMERGENCE	Coffee	Annual and Perennial broadleaves and grasses	11.0-15.0Tbsp/36 L water	-	14 Days	24 hours after application
EZERTECH CORPORATION	DIURON	JURON 80 WG	800 g/kg	WG	HERBICIDE	4	648-021-5264	27-Oct-26	SYSTEMIC/POST-EMERGENCE	Cotton	Annual and Perennial broadleaves and grasses	8.0Tbsp/36 L water	-	14 Days	24 hours after application
EZERTECH CORPORATION	DIURON	JURON 80 WG	800 g/kg	WG	HERBICIDE	4	648-021-5264	27-Oct-26	SYSTEMIC/POST-EMERGENCE	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0Tbsp/36 L water	-	14 Days	24 hours after application
EZERTECH CORPORATION	DIURON	JURON 80 WG	800 g/kg	WG	HERBICIDE	4	648-021-5264	27-Oct-26	SYSTEMIC/POST-EMERGENCE	Pineapple	Annual and Perennial broadleaves and grasses	11.0Tbsp/36 L water	-	14 Days	24 hours after application
EZERTECH CORPORATION	DIURON	JURON 80 WG	800 g/kg	WG	HERBICIDE	4	648-021-5264	27-Oct-26	SYSTEMIC/POST-EMERGENCE	Non-crop land	Annual and Perennial broadleaves and grasses	20.0-28.0Tbsp/36 L water	-	14 Days	24 hours after application
EZERTECH CORPORATION	DIURON	JURON 80 SC	800 g/L	SC	HERBICIDE	4	648-021-5040	18-Feb-26	SYSTEMIC	Citrus	Blanket application on broadleaves and annual grasses	15-19 Tbsp/36 L water	-	-	Re-enter 1 day after application
EZERTECH CORPORATION	DIURON	JURON 80 SC	800 g/L	SC	HERBICIDE	4	648-021-5040	18-Feb-26	SYSTEMIC	Coffee	Direct spray on broadleaves and annual grasses	15-19 Tbsp/36 L water	-	-	Re-enter 1 day after application
EZERTECH CORPORATION	DIURON	JURON 80 SC	800 g/L	SC	HERBICIDE	4	648-021-5040	18-Feb-26	SYSTEMIC	Cotton	Blanket application on broadleaves and annual grasses	8 Tbsp/ 36 L water	-	-	Re-enter 1 day after application
EZERTECH CORPORATION	DIURON	JURON 80 SC	800 g/L	SC	HERBICIDE	4	648-021-5040	18-Feb-26	SYSTEMIC	Sugarcane	Blanket application on broadleaves and annual grasses	6.5-13 Tbsp/ 36 L water	-	-	Re-enter 1 day after application
EZERTECH CORPORATION	DIURON	JURON 80 SC	800 g/L	SC	HERBICIDE	4	648-021-5040	18-Feb-26	SYSTEMIC	Pineapple	Blanket application on broadleaves and annual grasses	18 Tbsp/ 36 L water	-	-	Re-enter 1 day after application
EZERTECH CORPORATION	DIURON	JURON 80 SC	800 g/L	SC	HERBICIDE	4	648-021-5040	18-Feb-26	SYSTEMIC	Non-crop land	Direct spray on broadleaves and annual grasses	20-28 Tbsp/ 36 L water	-	-	Re-enter 1 day after application
TRIPLE DIAMONDS AGRICULTURE	BUTACHLOR	IUD0 60 EC	600g/L	EC	HERBICIDE	4	605-150-4231	11-Jan-21	PRE-EMERGENT	Rice (Direct-Seeded)	Grasses and Sedges	Rbsp 12-4 DAT/9Tbsp(0-4 DAT) 0Tbsp-7Tbsp	0.1 ppm	-	-
TRIPLE DIAMONDS AGRICULTURE	BUTACHLOR	IUD0 60 EC	600g/L	EC	HERBICIDE	4	605-150-4231	11-Jan-21	PRE-EMERGENT	Rice (Transplanted)	Grasses and Sedges	Rbsp(2-4DAS), 7Tbsp(2-4DAS) 1.1Tbsp (10-14DAS)	0.1 ppm	-	-
GREEN DRAGON RESOURCES CORPORATION	GLYPHOSATE IPA	J-PLUS 480 SL	480 g/L	SL	HERBICIDE	4	652-151-4823	09-Mar-22	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/ha	-	-	-
GREEN DRAGON RESOURCES CORPORATION	GLYPHOSATE IPA	J-PLUS 480 SL	480 g/L	SL	HERBICIDE	4	652-151-4823	09-Mar-22	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
GREEN DRAGON RESOURCES CORPORATION	GLYPHOSATE IPA	J-PLUS 480 SL	480 g/L	SL	HERBICIDE	4	652-151-4823	09-Mar-22	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
GREEN DRAGON RESOURCES CORPORATION	GLYPHOSATE IPA	J-PLUS 480 SL	480 g/L	SL	HERBICIDE	4	652-151-4823	09-Mar-22	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
GREEN DRAGON RESOURCES CORPORATION	GLYPHOSATE IPA	J-PLUS 480 SL	480 g/L	SL	HERBICIDE	4	652-151-4823	09-Mar-22	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
GREEN DRAGON RESOURCES CORPORATION	GLYPHOSATE IPA	J-PLUS 480 SL	480 g/L	SL	HERBICIDE	4	652-151-4823	09-Mar-22	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.5 Liters/ha	-	-	-
GREEN DRAGON RESOURCES CORPORATION	GLYPHOSATE IPA	J-PLUS 480 SL	480 g/L	SL	HERBICIDE	4	652-151-4823	09-Mar-22	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.5 Liters/ha	-	-	-
GREEN DRAGON RESOURCES CORPORATION	GLYPHOSATE IPA	J-PLUS 480 SL	480 g/L	SL	HERBICIDE	4	652-151-4823	09-Mar-22	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.5 Liters/ha	-	-	-
GREEN DRAGON RESOURCES CORPORATION	GLYPHOSATE IPA	J-PLUS 480 SL	480 g/L	SL	HERBICIDE	4	652-151-4823	09-Mar-22	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.5 Liters/ha	-	-	-
GREEN DRAGON RESOURCES CORPORATION	GLYPHOSATE IPA	J-PLUS 480 SL	480 g/L	SL	HERBICIDE	4	652-151-4823	09-Mar-22	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
GREEN DRAGON RESOURCES CORPORATION	GLYPHOSATE IPA	J-PLUS 480 SL	480 g/L	SL	HERBICIDE	4	652-151-4823	09-Mar-22	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
GREEN DRAGON RESOURCES CORPORATION	GLYPHOSATE IPA	J-PLUS 480 SL	480 g/L	SL	HERBICIDE	4	652-151-4823	09-Mar-22	POST-EMERGENT	non-crop	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
JYNNSONS PHILIPPINES, INC.	MALATHION	JPI MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	551-038-3954	29-Jul-24	NON-SYSTEMIC	Fruit trees	Aphids, mealy bug scale insect	1.5-3.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying
JYNNSONS PHILIPPINES, INC.	MALATHION	JPI MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	551-038-3954	29-Jul-24	NON-SYSTEMIC	Rice	Amyrworm, caseworm, leafhopper, bugs	2.0-3.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying
JYNNSONS PHILIPPINES, INC.	MALATHION	JPI MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	551-038-3954	29-Jul-24	NON-SYSTEMIC	Corn	Earworm, silkworm, aphids, grasshopper	3.0-5.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying
JYNNSONS PHILIPPINES, INC.	MALATHION	JPI MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	551-038-3954	29-Jul-24	NON-SYSTEMIC	Cabbage	Cabbage worm, looper, diamond-back moth	2.0-5.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying
JYNNSONS PHILIPPINES, INC.	MALATHION	JPI MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	551-038-3954	29-Jul-24	NON-SYSTEMIC	Legumes	Aphids, beanfly, cutworm, flea beetles, leafminer, maggots, mealybug, posibone, thrips	2.0-5.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying
JYNNSONS PHILIPPINES, INC.	MALATHION	JPI MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	551-038-3954	29-Jul-24	NON-SYSTEMIC	Grapes	Beetles, cutworm, leafhopper, mealybug, scale, insect, spider mites	3.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying
JYNNSONS PHILIPPINES, INC.	MALATHION	JPI MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	551-038-3954	29-Jul-24	NON-SYSTEMIC	Pineapple	Mealy bug	3.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying
JYNNSONS PHILIPPINES, INC.	MALATHION	JPI MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	551-038-3954	29-Jul-24	NON-SYSTEMIC	Pepper	Aphid, cutworm, fruitworm	3.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying
JYNNSONS PHILIPPINES, INC.	MALATHION	JPI MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	551-038-3954	29-Jul-24	NON-SYSTEMIC	Garlic	Cutworm	3.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying
JYNNSONS PHILIPPINES, INC.	MALATHION	JPI MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	551-038-3954	29-Jul-24	NON-SYSTEMIC	Onion	Cutworm	3.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying
JYNNSONS PHILIPPINES, INC.	MALATHION	JPI MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	551-038-3954	29-Jul-24	NON-SYSTEMIC	Tobacco	Aphids, katydid	3.0-6.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying
JYNNSONS PHILIPPINES, INC.	MALATHION	JPI MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	551-038-3954	29-Jul-24	NON-SYSTEMIC	Ornamentals	Aphids, cutworm, mealybug, scale insect, spider mites	3.0-5.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying
JYNNSONS PHILIPPINES, INC.	MALATHION	JPI MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	551-038-3954	29-Jul-24	NON-SYSTEMIC	Tomato	Lady beetle	3.0-5.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying
JYNNSONS PHILIPPINES, INC.	MALATHION	JPI MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	551-038-3954	29-Jul-24	NON-SYSTEMIC	Eggplant	Aphids, fruitworm	3.0-5.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying
JYNNSONS PHILIPPINES, INC.	MALATHION	JPI MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	551-038-3954	29-Jul-24	NON-SYSTEMIC	Sorghum	Web worm	3.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying
JYNNSONS PHILIPPINES, INC.	AMETRYN+ATRAZINE	JPI LUSH	400 g/kg-400 g/kg	-	HERBICIDE	4	551-079-6248	26-Jan-25	SELECTIVE (PRE/POST-EMERGENT)	Pineapple	Annual broadleaves and grasses	1.5-2.0 kg prod/ ha, 5.0-6.5 Tbsp/ 36L water	-	21 days	Immediately after spray deposits has dried up.
JYNNSONS PHILIPPINES, INC.	AMETRYN+ATRAZINE	JPI LUSH	400 g/kg-400 g/kg	-	HERBICIDE	4	551-079-6248	16-Jun-26	SELECTIVE (PRE/POST-EMERGENT)	Sugarcane	Annual broadleaves and grasses	2.0-5.0 kg prod/ ha, 6.5-10.0 Tbsp/ 36L water	-	21 days	Immediately after spray deposits has dried up.
JYNNSONS PHILIPPINES, INC.	LAMBDA-CHALOTHRIN+THIAMETHOXAM	JPI GRAND	106 g/L+141 g/L	-	INSECTICIDE	2	548-395-6170	4-Jan-25	-	Potato	Whiteflies, aphids, thrips	100-200ml product/ha, 4-6 ml/36 L	-	7 Days	Do not enter treated fields at least 1 Day after application
JYNNSONS PHILIPPINES, INC.	LAMBDA-CHALOTHRIN+THIAMETHOXAM	JPI GRAND	106 g/L+141 g/L	-	INSECTICIDE	2	548-395-6170	4-Jan-25	-	Stringbeans	Green leafhopper, aphids, mites	100-200ml product/ha, 4-6 ml/36 L	-	7 Days	Do not enter treated fields at least 1 Day after application
JYNNSONS PHILIPPINES, INC.	LAMBDA-CHALOTHRIN+THIAMETHOXAM	JPI GRAND	106 g/L+141 g/L	-	INSECTICIDE	2	548-395-6170	4-Jan-25	-	Eggplant	Whiteflies, green leafhopper, aphids	100-200ml product/ha, 4-6 ml/36 L	-	7 Days	Do not enter treated fields at least 1 Day after application
JYNNSONS PHILIPPINES, INC.	LAMBDA-CHALOTHRIN+THIAMETHOXAM	JPI GRAND	106 g/L+141 g/L	-	INSECTICIDE	2	548-395-6170	4-Jan-25	-	Intergrowd	Leafhoppers, thrips, aphid, fruitfly, cutworm	100-200ml product/ha, 4-13 ml/36L	-	7 Days	Do not enter treated fields at least 1 Day after application
JYNNSONS PHILIPPINES, INC.	LAMBDA-CHALOTHRIN+THIAMETHOXAM	JPI GRAND	106 g/L+141 g/L	-	INSECTICIDE	2	548-395-6170	4-Jan-25	-	Mango	Leafhoppers, tip borers, capsid bug, fruitfly, cecid fly	12-24ml/200L	-	3 Days	Do not enter treated fields at least 1 Day after application
JYNNSONS PHILIPPINES, INC.	LAMBDA-CHALOTHRIN+THIAMETHOXAM	JPI GRAND	106 g/L+141 g/L	-	INSECTICIDE	2	548-395-6170	4-Jan-25	-	Corn	Asiatic corn borer, cutworm, leafhoppers, aphids, earworm	200-400ml product/ha, 10.0-16.0 mL product/36L	-	1 Days	Do not enter treated fields at least 1 Day after application
JYNNSONS PHILIPPINES, INC.	LAMBDA-CHALOTHRIN+THIAMETHOXAM	JPI GRAND	106 g/L+141 g/L	-	INSECTICIDE	2	548-395-6170	4-Jan-25	-	Banana	Flower thrips	5-8 ml/L	-	90 days	Do not enter treated fields at least 1 Day after application
JYNNSONS PHILIPPINES, INC.	LAMBDA-CHALOTHRIN+THIAMETHOXAM	JPI GRAND	106 g/L+141 g/L	-	INSECTICIDE	2	548-395-6170	4-Jan-25	-	Rice	Stemborer, leafhopper, rice bugs	10-30 Tbsp prod/36L	-	14 Days	Do not enter treated fields at least 1 Day after application

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
JYNNSONS PHILIPPINES, INC.	COPPER OXYCHLORIDE	JPI BLUESHIELD 58 WP	580 g/kg	WP	FUNGICIDE	4	551-021-6079	7-Apr-26	-	Rice	Rice blast, <i>heleniothecium</i> , cercospora leaf spot	50-60 gram/ 16L water	-	24 hours after the last spray	24 hours after each spray
JYNNSONS PHILIPPINES, INC.	COPPER OXYCHLORIDE	JPI BLUESHIELD 58 WP	580 g/kg	WP	FUNGICIDE	4	551-021-6079	7-Apr-26	-	Coffee	Brown eye spot, rust, anthracnose, pink disease	55-80 grams/ 16L water	-	24 hours after the last spray	24 hours after each spray
JYNNSONS PHILIPPINES, INC.	COPPER OXYCHLORIDE	JPI BLUESHIELD 58 WP	580 g/kg	WP	FUNGICIDE	4	551-021-6079	7-Apr-26	-	Cacao	Pod rot, brown bark rot, black pod	55-80 gram/ 16L water	-	24 hours after the last spray	24 hours after each spray
JYNNSONS PHILIPPINES, INC.	COPPER OXYCHLORIDE	JPI BLUESHIELD 58 WP	580 g/kg	WP	FUNGICIDE	4	551-021-6079	7-Apr-26	-	Mango	Anthracoese, sooty mold	55-80 gram/ 16L water	-	24 hours after the last spray	24 hours after each spray
JYNNSONS PHILIPPINES, INC.	COPPER OXYCHLORIDE	JPI BLUESHIELD 58 WP	580 g/kg	WP	FUNGICIDE	4	551-021-6079	7-Apr-26	-	Tomato	Early and late blight, fruit rot, septoria leaf spot	55-80 gram/ 16L water	-	24 hours after the last spray	24 hours after each spray
JYNNSONS PHILIPPINES, INC.	COPPER OXYCHLORIDE	JPI BLUESHIELD 58 WP	580 g/kg	WP	FUNGICIDE	4	551-021-6079	7-Apr-26	-	Tobacco	Blue mold fusarium, alternaria leafspot, froggye disease	55-80 gram/ 16L water	-	24 hours after the last spray	24 hours after each spray
JYNNSONS PHILIPPINES, INC.	COPPER OXYCHLORIDE	JPI BLUESHIELD 58 WP	580 g/kg	WP	FUNGICIDE	4	551-021-6079	7-Apr-26	-	Citrus	Black spot, anthracnose, scab, rust, fruit rot	55-80 gram/ 16L water	-	24 hours after the last spray	24 hours after each spray
JYNNSONS PHILIPPINES, INC.	COPPER OXYCHLORIDE	JPI BLUESHIELD 58 WP	580 g/kg	WP	FUNGICIDE	4	551-021-6079	7-Apr-26	-	Banana	Sigatoka	55-80 gram/ 16L water	-	24 hours after the last spray	24 hours after each spray
JYNNSONS PHILIPPINES, INC.	COPPER OXYCHLORIDE	JPI BLUESHIELD 58 WP	580 g/kg	WP	FUNGICIDE	4	551-021-6079	7-Apr-26	-	Pepper	Anthracoese, mildews, blight, fruit rot	55-80 gram/ 16L water	-	24 hours after the last spray	24 hours after each spray
JYNNSONS PHILIPPINES, INC.	COPPER OXYCHLORIDE	JPI BLUESHIELD 58 WP	580 g/kg	WP	FUNGICIDE	4	551-021-6079	7-Apr-26	-	Potato	Early and late blight	55-80 gram/ 16L water	-	24 hours after the last spray	24 hours after each spray
JYNNSONS PHILIPPINES, INC.	COPPER OXYCHLORIDE	JPI BLUESHIELD 58 WP	580 g/kg	WP	FUNGICIDE	4	551-021-6079	7-Apr-26	-	Watermelon	Anthracoese, mildews, othomers, fruit rot	55-80 gram/ 16L water	-	24 hours after the last spray	24 hours after each spray
JYNNSONS PHILIPPINES, INC.	COPPER OXYCHLORIDE	JPI BLUESHIELD 58 WP	580 g/kg	WP	FUNGICIDE	4	551-021-6079	7-Apr-26	-	Celery	Mildews, early and late blight	55-80 gram/ 16L water	-	24 hours after the last spray	24 hours after each spray
JYNNSONS PHILIPPINES, INC.	COPPER OXYCHLORIDE	JPI BLUESHIELD 58 WP	580 g/kg	WP	FUNGICIDE	4	551-021-6079	7-Apr-26	-	Crucifers	Mildews, cercospora alternaria	55-80 gram/ 16L water	-	24 hours after the last spray	24 hours after each spray
JYNNSONS PHILIPPINES, INC.	COPPER OXYCHLORIDE	JPI BLUESHIELD 58 WP	580 g/kg	WP	FUNGICIDE	4	551-021-6079	7-Apr-26	-	Carrot	Alternaria and cercospora	55-80 gram/ 16L water	-	24 hours after the last spray	24 hours after each spray
JYNNSONS PHILIPPINES, INC.	COPPER OXYCHLORIDE	JPI BLUESHIELD 58 WP	580 g/kg	WP	FUNGICIDE	4	551-021-6079	7-Apr-26	-	Melon	Mildews, cercospora, alternaria, anthracnose	55-80 gram/ 16L water	-	24 hours after the last spray	24 hours after each spray
JYNNSONS PHILIPPINES, INC.	ATRAZINE	JPI ATRAZINE 80 WP	800g/kg	WP	HERBICIDE	4	551-005-4377	03-Oct-25	SELECTIVE (PRE-EMERGENT)	Corn	Broadleaf weeds & annual grasses	8-12tbsp/16 L water	-	-	Do not enter treated field within 5 days after application
JYNNSONS PHILIPPINES, INC.	ATRAZINE	JPI ATRAZINE 80 WP	800g/kg	WP	HERBICIDE	4	551-005-4377	03-Oct-25	SELECTIVE (PRE-EMERGENT)	Sorghum	Broadleaf weeds & annual grasses	8-12tbsp/16 L water	-	-	Do not enter treated field within 5 days after application
JYNNSONS PHILIPPINES, INC.	ATRAZINE	JPI ATRAZINE 80 WP	800g/kg	WP	HERBICIDE	4	551-005-4377	03-Oct-25	SELECTIVE (PRE-EMERGENT)	Sugarcane	Broadleaf weeds & annual grasses	8-12tbsp/16 L water	-	-	Do not enter treated field within 5 days after application
JYNNSONS PHILIPPINES, INC.	2,4-D IBE	JPI 2,4-D ISTER	400 g/L	EC	HERBICIDE	2	551-040-4011	31-Dec-26	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual Broadleaves & sedges	5.0-6.50tbsp/16 L water	0.1 ppm	Do not spray within two days before harvest	Entry to fields and crops treated with JPI 2,4-D ISTER can be done one day after spraying
JYNNSONS PHILIPPINES, INC.	2,4-D IBE	JPI 2,4-D ISTER	400 g/L	EC	HERBICIDE	2	551-040-4011	31-Dec-26	SELECTIVE (POST-EMERGENT)	Corn	Annual Broadleaves & sedges	5.0-6.50tbsp/16 L water	-	Do not spray within two days before harvest	Entry to fields and crops treated with JPI 2,4-D ISTER can be done one day after spraying
JYNNSONS PHILIPPINES, INC.	2,4-D IBE	JPI 2,4-D ISTER	400 g/L	EC	HERBICIDE	2	551-040-4011	31-Dec-26	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual Broadleaves & sedges	5.0-6.50tbsp/16 L water	-	Do not spray within two days before harvest	Entry to fields and crops treated with JPI 2,4-D ISTER can be done one day after spraying
JYNNSONS PHILIPPINES, INC.	2,4-D AMINE	JPI 2,4-D AMINE	400 g/L	EC	HERBICIDE	2	551-013-3999	31-Dec-26	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual broadleaves and sedges	3.5-6.5Tbsp/16 L water	0.1 ppm	-	One day after spraying
JYNNSONS PHILIPPINES, INC.	2,4-D AMINE	JPI 2,4-D AMINE	400 g/L	EC	HERBICIDE	2	551-013-3999	31-Dec-26	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual broadleaves and sedges	3.5-6.5Tbsp/16 L water	-	-	One day after spraying
JYNNSONS PHILIPPINES, INC.	2,4-D AMINE	JPI 2,4-D AMINE	400 g/L	EC	HERBICIDE	2	551-013-3999	31-Dec-26	SELECTIVE (POST-EMERGENT)	Corn	Annual broadleaves and sedges	5-6.5Tbsp/16 L water	-	-	One day after spraying
UCHEMPHIL INTERNATIONAL INC.	CARBOFURAN	JORDAN 3G	30 g/kg	G	INSECTICIDE	2	590-104-5332	01-Feb-24	-	Corn	Borer, earworm, grubs, seedling maggot	16-7.33.3 kg prod/ha	-	-	2 Days
UCHEMPHIL INTERNATIONAL INC.	CARBOFURAN	JORDAN 3G	30 g/kg	G	INSECTICIDE	2	590-104-5332	01-Feb-24	-	Cotton	Nematodes, grubs	16-7.33.3 kg prod/ha	-	-	2 Days
UCHEMPHIL INTERNATIONAL INC.	CARBOFURAN	JORDAN 3G	30 g/kg	G	INSECTICIDE	2	590-104-5332	01-Feb-24	-	Eggplant	Fruitborer	16-7.33.3 kg prod/ha	-	-	2 Days
UCHEMPHIL INTERNATIONAL INC.	CARBOFURAN	JORDAN 3G	30 g/kg	G	INSECTICIDE	2	590-104-5332	01-Feb-24	-	Rice	Field legumes	16-7.33.3 kg prod/ha	-	-	2 Days
UCHEMPHIL INTERNATIONAL INC.	CARBOFURAN	JORDAN 3G	30 g/kg	G	INSECTICIDE	2	590-104-5332	01-Feb-24	-	Rice	Stem borer, whorl maggot, leafhopper, leaf folder, case worm, planthopper	16-7.33.3 kg prod/ha	0.2ppm	-	2 Days
UCHEMPHIL INTERNATIONAL INC.	CARBOFURAN	JORDAN 3G	30 g/kg	G	INSECTICIDE	2	590-104-5332	01-Feb-24	-	Soybeans	Bean fly, grubs, nematodes, other soil insects	16-7.33.3 kg prod/ha	-	-	2 Days
UCHEMPHIL INTERNATIONAL INC.	CARBOFURAN	JORDAN 3G	30 g/kg	G	INSECTICIDE	2	590-104-5332	01-Feb-24	-	Sugarcane	Borer, leafhopper, mealy bug, scale insects	16-7.33.3 kg prod/ha	-	-	2 Days
UCHEMPHIL INTERNATIONAL INC.	CARBOFURAN	JORDAN 3G	30 g/kg	G	INSECTICIDE	2	590-104-5332	01-Feb-24	-	Tobacco	Nematodes, budworm	16-7.33.3 kg prod/ha	-	-	2 Days
UCHEMPHIL INTERNATIONAL INC.	CARBOFURAN	JORDAN 3G	30 g/kg	G	INSECTICIDE	2	590-104-5332	01-Feb-24	-	White potato	Nematodes, grubs	16-7.33.3 kg prod/ha	-	-	2 Days
UCHEMPHIL INTERNATIONAL INC.	CARBOFURAN	JORDAN 3G	30 g/kg	G	INSECTICIDE	2	590-104-5332	01-Feb-24	-	Cowpea	Bean fly, grubs, nematode, other soil insects	16-7.33.3 kg prod/ha	-	-	2 Days
UCHEMPHIL INTERNATIONAL INC.	CARBOFURAN	JORDAN 3G	30 g/kg	G	INSECTICIDE	2	590-104-5332	01-Feb-24	-	Ornamentals	Scale insects, aphids, mealy bug	16-7.33.3 kg prod/ha	-	-	2 Days
SL BIOTECH CORPORATION	LAMBDA-CYHALOTHRIN	JOLINA 2.5 EC	25 g/L	EC	INSECTICIDE	2	488-204-2736	16-May-24	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leaf folder, black bug	1.0-1.5Tbsp/16 L of water	0.05ppm	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
SL BIOTECH CORPORATION	LAMBDA-CYHALOTHRIN	JOLINA 2.5 EC	25 g/L	EC	INSECTICIDE	2	488-204-2736	16-May-24	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/16 L of water	-	1 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
SL BIOTECH CORPORATION	LAMBDA-CYHALOTHRIN	JOLINA 2.5 EC	25 g/L	EC	INSECTICIDE	2	488-204-2736	16-May-24	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
SL BIOTECH CORPORATION	LAMBDA-CYHALOTHRIN	JOLINA 2.5 EC	25 g/L	EC	INSECTICIDE	2	488-204-2736	16-May-24	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
SL BIOTECH CORPORATION	LAMBDA-CYHALOTHRIN	JOLINA 2.5 EC	25 g/L	EC	INSECTICIDE	2	488-204-2736	16-May-24	SYSTEMIC	Mungbeans	Beanfly, flea beetle, leafhopper, aphids, mites, podborer	1.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
SL BIOTECH CORPORATION	LAMBDA-CYHALOTHRIN	JOLINA 2.5 EC	25 g/L	EC	INSECTICIDE	2	488-204-2736	16-May-24	SYSTEMIC	Corn	Comborer, aphids, seedling maggots	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
SL BIOTECH CORPORATION	LAMBDA-CYHALOTHRIN	JOLINA 2.5 EC	25 g/L	EC	INSECTICIDE	2	488-204-2736	16-May-24	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
SL BIOTECH CORPORATION	LAMBDA-CYHALOTHRIN	JOLINA 2.5 EC	25 g/L	EC	INSECTICIDE	2	488-204-2736	16-May-24	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
SL BIOTECH CORPORATION	LAMBDA-CYHALOTHRIN	JOLINA 2.5 EC	25 g/L	EC	INSECTICIDE	2	488-204-2736	16-May-24	SYSTEMIC	Cocoa	Podborer	1.0-2.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
SL BIOTECH CORPORATION	LAMBDA-CYHALOTHRIN	JOLINA 2.5 EC	25 g/L	EC	INSECTICIDE	2	488-204-2736	16-May-24	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
JOEPABS AGRICHEM CORPORATION	MANCOZEB	JOEPABS MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	538-053-3571	15-Apr-25	SYSTEMIC	Potato	Early and late blight	3-6Tbsp/16 L water	-	-	As soon as spray dries
JOEPABS AGRICHEM CORPORATION	MANCOZEB	JOEPABS MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	538-053-3571	15-Apr-25	SYSTEMIC	Cabbage	Downy mildew, alternaria leaf spot	3-6Tbsp/16 L water	-	7 Days	As soon as spray dries
JOEPABS AGRICHEM CORPORATION	MANCOZEB	JOEPABS MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	538-053-3571	15-Apr-25	SYSTEMIC	Cauliflower	Downy mildew, alternaria leaf spot	3-6Tbsp/16 L water	-	7 Days	As soon as spray dries
JOEPABS AGRICHEM CORPORATION	MANCOZEB	JOEPABS MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	538-053-3571	15-Apr-25	SYSTEMIC	Broccoli	Downy mildew, alternaria leaf spot	3-6Tbsp/16 L water	-	7 Days	As soon as spray dries
JOEPABS AGRICHEM CORPORATION	MANCOZEB	JOEPABS MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	538-053-3571	15-Apr-25	SYSTEMIC	Celery	Late blight	3-6Tbsp/16 L water	-	14 Days	As soon as spray dries
JOEPABS AGRICHEM CORPORATION	MANCOZEB	JOEPABS MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	538-053-3571	15-Apr-25	SYSTEMIC	Cucumber	Downy mildew, Anthracnose, Scab	3-6Tbsp/16 L water	-	5 days	As soon as spray dries
JOEPABS AGRICHEM CORPORATION	MANCOZEB	JOEPABS MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	538-053-3571	15-Apr-25	SYSTEMIC	Squash	Downy mildew, Anthracnose, Scab	3-6Tbsp/16 L water	-	5 days	As soon as spray dries
JOEPABS AGRICHEM CORPORATION	MANCOZEB	JOEPABS MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	538-053-3571	15-Apr-25	SYSTEMIC	Cotton	Damping off	3-6Tbsp/16 L water	-	-	As soon as spray dries
JOEPABS AGRICHEM CORPORATION	MANCOZEB	JOEPABS MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	538-053-3571	15-Apr-25	SYSTEMIC	Lettuce	Downy mildew	3-6Tbsp/16 L water	-	7 Days	As soon as spray dries
JOEPABS AGRICHEM CORPORATION	MANCOZEB	JOEPABS MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	538-053-3571	15-Apr-25	SYSTEMIC	Beans	Anthracoese, Downy mildew, Rust	3-6Tbsp/16 L water	-	5 days	As soon as spray dries
JOEPABS AGRICHEM CORPORATION	MANCOZEB	JOEPABS MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	538-053-3571	15-Apr-25	SYSTEMIC	Peas	Anthracoese, Downy mildew, Rust	3-6Tbsp/16 L water	-	5 days	As soon as spray dries

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
JOEPABS AGRICHEM CORPORATION	MANCOZEB	JOEPABS MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	538-053-3571	15-Apr-25	-	Mango	Anthracoese, Downy mildew, Rust	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
JOEPABS AGRICHEM CORPORATION	MANCOZEB	JOEPABS MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	538-053-3571	15-Apr-25	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
JOEPABS AGRICHEM CORPORATION	MANCOZEB	JOEPABS MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	538-053-3571	15-Apr-25	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries
JOEPABS AGRICHEM CORPORATION	MANCOZEB	JOEPABS MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	538-053-3571	15-Apr-25	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries
JOEPABS AGRICHEM CORPORATION	MANCOZEB	JOEPABS MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	538-053-3571	15-Apr-25	-	Pepper	Anthracoese	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries
JOEPABS AGRICHEM CORPORATION	MANCOZEB	JOEPABS MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	538-053-3571	15-Apr-25	-	Chili	Anthracoese	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries
JOEPABS AGRICHEM CORPORATION	MANCOZEB	JOEPABS MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	538-053-3571	15-Apr-25	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries
JOEPABS AGRICHEM CORPORATION	MANCOZEB	JOEPABS MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	538-053-3571	15-Apr-25	-	Banana	Sigatoka, Black leaf streak	3-6 Tbsp/36 L water	-	-	As soon as spray dries
JOEPABS AGRICHEM CORPORATION	MANCOZEB	JOEPABS MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	538-053-3571	15-Apr-25	-	Grapes	Downy mildew, black rot	3-6 Tbsp/36 L water	-	60 days	As soon as spray dries
JOEPABS AGRICHEM CORPORATION	MANCOZEB	JOEPABS MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	538-053-3571	15-Apr-25	-	Mango	Anthracoese and Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
JOEPABS AGRICHEM CORPORATION	MANCOZEB	JOEPABS MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	538-053-3571	15-Apr-25	-	Papaya	Fruit rot	3-6 Tbsp/36 L water	-	-	As soon as spray dries
JOEPABS AGRICHEM CORPORATION	MANCOZEB	JOEPABS MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	538-053-3571	15-Apr-25	-	Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
JOEPABS AGRICHEM CORPORATION	MANCOZEB	JOEPABS MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	538-053-3571	15-Apr-25	-	Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
JOEPABS AGRICHEM CORPORATION	MANCOZEB	JOEPABS MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	538-053-3571	15-Apr-25	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries
JOEPABS AGRICHEM CORPORATION	MANCOZEB	JOEPABS MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	538-053-3571	15-Apr-25	-	Rice	Blast, sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/36 L water	0.03ppm	-	As soon as spray dries
JOEPABS AGRICHEM CORPORATION	MANCOZEB	JOEPABS MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	538-053-3571	15-Apr-25	-	Peanut	Cercospora leaf spot	3-6 Tbsp/36 L water	-	14 Days	As soon as spray dries
JOEPABS AGRICHEM CORPORATION	MANCOZEB	JOEPABS MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	538-053-3571	15-Apr-25	-	Soybeans	Leaf rust	3-6 Tbsp/36 L water	-	-	As soon as spray dries
JOEPABS AGRICHEM CORPORATION	MANCOZEB	JOEPABS MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	538-053-3571	15-Apr-25	-	Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/36 L water	-	-	As soon as spray dries
JOEPABS AGRICHEM CORPORATION	MANCOZEB	JOEPABS MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	538-053-3571	15-Apr-25	-	Rice (Direct-Seeded)	Grasses, Sedges and Broadleaves	8-12 Tbsp/36 L water	Butachlor 0.1ppm Propanil 0.1ppm	-	-
JOEPABS AGRICHEM CORPORATION	BUTACHLOR-PROPANIL	JOEPABS BUTACHLOR PROPANIL	300-100 g/L	EC	HERBICIDE	3	538-238-3570	05-Oct-24	POST-EMERGENT	Rice (Transplanted)	Grasses, Sedges and Broadleaves	8-12 Tbsp/36 L water	Butachlor 0.1ppm Propanil 0.1ppm	-	-
JOEPABS AGRICHEM CORPORATION	BUTACHLOR-PROPANIL	JOEPABS BUTACHLOR PROPANIL	350-100 g/L	EC	HERBICIDE	3	538-238-3570	05-Oct-24	POST-EMERGENT	Rice (Transplanted)	Grasses, Sedges and Broadleaves	8-12 Tbsp/36 L water	Butachlor 0.1ppm Propanil 0.1ppm	-	-
HEELS MASAGANA FARM SUPPLY, INC.	POLYETHYLENE SORBIMAN GLYATS-POLYKXETHYLENE DODECYL ETHER	JM CPA	250-450 mL/L	-	OTHERS	4	487-348-3638	06-Feb-25	SELECTIVE (POST-EMERGENT)	-	As a surfactant on lamps	20-30ml/76 L water	-	-	-
PRIMESTOCKS CHEMICAL CORPORATION	METALDEHYDE	JGSAW 6 GR	60 g/kg	GR	MOLLUSCICIDE	4	623-075-6201	4-Jul-26	-	Rice (Transplanted)	Golden Apple Snail (Kuhol)	2.0-4.0 kg prod/ ha	-	-	Do not enter treated field within 48 hours after application.
PRIMESTOCKS CHEMICAL CORPORATION	METALDEHYDE	JGSAW 6 GR	60 g/kg	GR	MOLLUSCICIDE	4	623-075-6201	4-Jul-26	-	Rice (Direct-seeded)	Golden Apple Snail (Kuhol)	4.0-8.0 kg prod/ ha	-	-	Do not enter treated field within 48 hours after application.
PRIMESTOCKS CHEMICAL CORPORATION	METALDEHYDE	JGSAW 6 GR	60 g/kg	GR	MOLLUSCICIDE	4	623-075-6201	4-Jul-26	-	Plotted and driftwood	Bush snails, giant african snails and slugs	1.0-2.0 kg prod/ ha	-	-	Do not enter treated field within 48 hours after application.
DCOM MARKETING INCORPORATED	THIAMETHOXAM	JEWEL 25 WG	250g/kg	WG	INSECTICIDE	4	467-312-4827	26-Jun-25	SYSTEMIC	Pineapple	Mealy bug	100-200 g/ha	0.01 mg/kg	No PHI proposed as last application of JEWEL 25 WG will be 48 days before harvest	Do not enter unless spray deposits have dried
DCOM MARKETING INCORPORATED	THIAMETHOXAM	JEWEL 25 WG	250g/kg	WG	INSECTICIDE	4	467-312-4827	26-Jun-25	SYSTEMIC	Mango	Leafhopper	16.6-125.3g prod/ha	0.20 mg/kg	No PHI proposed as the product will be applied at least 20 to 40 days before harvest	Do not enter unless spray deposits have dried
DCOM MARKETING INCORPORATED	THIAMETHOXAM	JEWEL 25 WG	250g/kg	WG	INSECTICIDE	4	467-312-4827	26-Jun-25	SYSTEMIC	Rice	Green leafhopper, brown plant hopper, white backed planthopper, rice bug, black bug	4.0-5.0 Tbsp/36 water; For black bug 7.0-10.0 Tbsp/36 water	-	28 days	Do not enter unless spray deposits have dried
DCOM MARKETING INCORPORATED	THIAMETHOXAM	JEWEL 25 WG	250g/kg	WG	INSECTICIDE	4	467-312-4827	26-Jun-25	SYSTEMIC	Stringbeans	Aphids, leafhopper	0.5-2.0 Drench, Foliar spray 2.0-5.0 Tbsp/76L water	-	7 days	Do not enter unless spray deposits have dried
DCOM MARKETING INCORPORATED	THIAMETHOXAM	JEWEL 25 WG	250g/kg	WG	INSECTICIDE	4	467-312-4827	26-Jun-25	SYSTEMIC	Eggplant	Aphids, leafhopper	0.5-2.0 Drench, Foliar spray 2.0-5.0 Tbsp/76L water	-	3 days	Do not enter unless spray deposits have dried
DCOM MARKETING INCORPORATED	THIAMETHOXAM	JEWEL 25 WG	250g/kg	WG	INSECTICIDE	4	467-312-4827	26-Jun-25	SYSTEMIC	Banana	Flower Thrips	4 g/L	0.02 mg/kg	No PHI proposed as JEWEL 25 WG will be applied as bud rejection	Do not enter unless spray deposits have dried
SHOULOMES CHEMICALS, INCORPORATED	NICLOXAMIDE	JETKIL 250 EC	250 g/L	EC	MOLLUSCICIDE	4	481-229-2653	06-Sep-22	-	Rice	Golden apple snail	7-10 Tbsp/36L water	-	-	At least 48 hours after application
DELO PHILS., INC. (STAMP/LED DIVISION)	KENOXENE	BT A-1	99.9	EC	OTHERS	4	369-474-4311	02-Apr-19	-	Cavendish banana as disinfectant	Moko and Panama disease	1000 products/rucker	-	-	-
HEELS MASAGANA FARM SUPPLY, INC.	CARBOFURAN	HEELS CARBOFURAN 3G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	487-104-2896	28-Sep-17	-	Corn	Borer, earworm, grubs, seedling maggot	16.7-33.3 kg prod/ha	-	-	-
HEELS MASAGANA FARM SUPPLY, INC.	CARBOFURAN	HEELS CARBOFURAN 3G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	487-104-2896	28-Sep-17	-	Cotton	Nematodes, grubs	16.7-33.3 kg prod/ha	-	-	-
HEELS MASAGANA FARM SUPPLY, INC.	CARBOFURAN	HEELS CARBOFURAN 3G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	487-104-2896	28-Sep-17	-	Eggplant	Fruitborer	16.7-33.3 kg prod/ha	-	-	-
HEELS MASAGANA FARM SUPPLY, INC.	CARBOFURAN	HEELS CARBOFURAN 3G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	487-104-2896	28-Sep-17	-	Field legumes	Beanflies, grubs, nematodes	16.7-33.3 kg prod/ha	-	-	-
HEELS MASAGANA FARM SUPPLY, INC.	CARBOFURAN	HEELS CARBOFURAN 3G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	487-104-2896	28-Sep-17	-	Rice	Stem borer, whorl maggot, leafhopper, leafroller, caseworm, planthopper	16.7-33.3 kg prod/ha	0.2ppm	28 days	-
HEELS MASAGANA FARM SUPPLY, INC.	CARBOFURAN	HEELS CARBOFURAN 3G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	487-104-2896	28-Sep-17	-	Soybeans	Beanfly, grubs, nematodes, other soil insects	16.7-33.3 kg prod/ha	-	-	-
HEELS MASAGANA FARM SUPPLY, INC.	CARBOFURAN	HEELS CARBOFURAN 3G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	487-104-2896	28-Sep-17	-	Sugarcane	Borer, leafhopper, mealy bug, nematodes, scale insects	16.7-33.3 kg prod/ha	-	-	-
HEELS MASAGANA FARM SUPPLY, INC.	CARBOFURAN	HEELS CARBOFURAN 3G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	487-104-2896	28-Sep-17	-	Tobacco	Nematode, budworm	16.7-33.3 kg prod/ha	-	-	-
HEELS MASAGANA FARM SUPPLY, INC.	CARBOFURAN	HEELS CARBOFURAN 3G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	487-104-2896	28-Sep-17	-	White potato	Nematodes, grubs	16.7-33.3 kg prod/ha	-	-	-
HEELS MASAGANA FARM SUPPLY, INC.	CARBOFURAN	HEELS CARBOFURAN 3G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	487-104-2896	28-Sep-17	-	Cowpea	Beanfly, grubs, nematodes, other soil insects	16.7-33.3 kg prod/ha	-	-	-
HEELS MASAGANA FARM SUPPLY, INC.	CARBOFURAN	HEELS CARBOFURAN 3G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	487-104-2896	28-Sep-17	-	Ornamentals	Scale insect, aphids, mealy bug	16.7-33.3 kg prod/ha	-	-	-
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CHLORPYRIFOS	JEI CHLORPYRIFOS 40 EC	400 g/L	EC	INSECTICIDE	2	459-101-3585	22-Oct-18	SELECTIVE (PRE-EMERGENT)	Banana	Thrips, scarring beetle & aphids	20-30 ml per 36L water	-	-	-
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CHLORPYRIFOS	JEI CHLORPYRIFOS 40 EC	400 g/L	EC	INSECTICIDE	2	459-101-3585	22-Oct-18	SELECTIVE (PRE-EMERGENT)	Sugarcane	whitegrubs	80-100 ml per 36L water	-	-	-
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CHLORPYRIFOS	JEI CHLORPYRIFOS 40 EC	400 g/L	EC	INSECTICIDE	2	459-101-3585	22-Oct-18	SELECTIVE (PRE-EMERGENT)	Pineapple	Ants & Mealybugs	1-4 L per hectare	-	-	-
CULTIVA INCORPORATED	ATRAZINE	JARSON 80 WP	800 g/kg	WP	HERBICIDE	4	201-065-1797	19-Jan-27	SELECTIVE (PRE-EMERGENT)	Corn	Broadleaf weeds & annual grasses	8-12Tbsp/36 L water	-	-	Do not enter the treated area within 5 days after application
CULTIVA INCORPORATED	ATRAZINE	JARSON 80 WP	800 g/kg	WP	HERBICIDE	4	201-065-1797	19-Jan-27	SELECTIVE (PRE-EMERGENT)	Sorghum	Broadleaf weeds & annual grasses	8-12Tbsp/36 L water	-	-	Do not enter the treated area within 5 days after application
CULTIVA INCORPORATED	ATRAZINE	JARSON 80 WP	800 g/kg	WP	HERBICIDE	4	201-065-1797	19-Jan-27	SELECTIVE (PRE-EMERGENT)	Sugarcane	Broadleaf weeds & annual grasses	8-12Tbsp/36 L water	-	-	Do not enter the treated area within 5 days after application
DIVINE AGRICULTURAL OPC	GLYPHOSATE IPA	JANITOR 480 SL	480 g/L	SL	HERBICIDE	4	753-151-6034	15-Dec-23	-	glyphosate tolerant corn	Annual and perennial grasses, broadleaf weeds and sedges	2.0-4.0 Liters/ha	-	-	-
DIVINE AGRICULTURAL OPC	GLYPHOSATE IPA	JANITOR 480 SL	480 g/L	SL	HERBICIDE	4	753-151-6034	15-Dec-23	-	Mango	Annual and perennial grasses, broadleaf weeds and sedges	4.5 Liters/ha	-	-	-
DIVINE AGRICULTURAL OPC	GLYPHOSATE IPA	JANITOR 480 SL	480 g/L	SL	HERBICIDE	4	753-151-6034	15-Dec-23	-	Banana	Annual and perennial grasses, broadleaf weeds and sedges	4.5 Liters/ha	-	-	-
DIVINE AGRICULTURAL OPC	GLYPHOSATE IPA	JANITOR 480 SL	480 g/L	SL	HERBICIDE	4	753-151-6034	15-Dec-23	-	Coffee	Annual and perennial grasses, broadleaf weeds and sedges	3.0 Liters/ha	-	-	-
DIVINE AGRICULTURAL OPC	GLYPHOSATE IPA	JANITOR 480 SL	480 g/L	SL	HERBICIDE	4	753-151-6034	15-Dec-23	-	Cacao	Annual and perennial grasses, broadleaf weeds and sedges	3.0 Liters/ha	-	-	-
DIVINE AGRICULTURAL OPC	GLYPHOSATE IPA	JANITOR 480 SL	480 g/L	SL	HERBICIDE	4	753-151-6034	15-Dec-23	-	Rubber	Annual and perennial grasses, broadleaf weeds and sedges	2.0 Liters/ha	-	-	-
DIVINE AGRICULTURAL OPC	GLYPHOSATE IPA	JANITOR 480 SL	480 g/L	SL	HERBICIDE	4	753-151-6034	15-Dec-23	-	Oil palm	Annual and perennial grasses, broadleaf weeds and sedges	2.0 Liters/ha	-	-	-

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
DIVINE AGRICULTURAL OPC	GLYPHOSATE IPA	JANITOR 480 SL	480 g/L	SL	HERBICIDE	4	759-151-6034	15-Dec-23	-	Citrus	Annual and perennial grasses, broadleaf weeds and sedges	4.5 Liters/ha	-	-	-
DIVINE AGRICULTURAL OPC	GLYPHOSATE IPA	JANITOR 480 SL	480 g/L	SL	HERBICIDE	4	759-151-6034	15-Dec-23	-	Coconut	Annual and perennial grasses, broadleaf weeds and sedges	2.0 Liters/ha	-	-	-
DIVINE AGRICULTURAL OPC	GLYPHOSATE IPA	JANITOR 480 SL	480 g/L	SL	HERBICIDE	4	759-151-6034	15-Dec-23	-	Vegetables	Annual and perennial grasses, broadleaf weeds and sedges	2.0 Liters/ha	-	-	-
DIVINE AGRICULTURAL OPC	GLYPHOSATE IPA	JANITOR 480 SL	480 g/L	SL	HERBICIDE	4	759-151-6034	15-Dec-23	-	Sugarcane	Annual and perennial grasses, broadleaf weeds and sedges	2.0 Liters/ha	-	-	-
DIVINE AGRICULTURAL OPC	GLYPHOSATE IPA	JANITOR 480 SL	480 g/L	SL	HERBICIDE	4	759-151-6034	15-Dec-23	-	Non-crop and minimum of reduced tillage system	Annual and perennial grasses, broadleaf weeds and sedges	-	-	-	-
TEAMAGRO TRADING CORPORATION	LAMBDA-CHYALOTHIRIN	JAKPOT 2.5 EC	25 g/L	EC	INSECTICIDE	2	248-204-1557	03-Feb-27	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leafroller, black bug	1.0-1.5Tbsp/36 L of water	0.05ppm	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
TEAMAGRO TRADING CORPORATION	LAMBDA-CHYALOTHIRIN	JAKPOT 2.5 EC	25 g/L	EC	INSECTICIDE	2	248-204-1557	03-Feb-27	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/36 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
TEAMAGRO TRADING CORPORATION	LAMBDA-CHYALOTHIRIN	JAKPOT 2.5 EC	25 g/L	EC	INSECTICIDE	2	248-204-1557	03-Feb-27	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/36 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
TEAMAGRO TRADING CORPORATION	LAMBDA-CHYALOTHIRIN	JAKPOT 2.5 EC	25 g/L	EC	INSECTICIDE	2	248-204-1557	03-Feb-27	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/36 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
TEAMAGRO TRADING CORPORATION	LAMBDA-CHYALOTHIRIN	JAKPOT 2.5 EC	25 g/L	EC	INSECTICIDE	2	248-204-1557	03-Feb-27	SYSTEMIC	Mungbeans	Beanfly, flea beetle, leafhopper, aphids, mites, podborer	1.0Tbsp/36 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
TEAMAGRO TRADING CORPORATION	LAMBDA-CHYALOTHIRIN	JAKPOT 2.5 EC	25 g/L	EC	INSECTICIDE	2	248-204-1557	03-Feb-27	SYSTEMIC	Corn	Comborer, aphids, seedling maggots	1.0-1.5Tbsp/36 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
TEAMAGRO TRADING CORPORATION	LAMBDA-CHYALOTHIRIN	JAKPOT 2.5 EC	25 g/L	EC	INSECTICIDE	2	248-204-1557	03-Feb-27	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5Tbsp/36 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
TEAMAGRO TRADING CORPORATION	LAMBDA-CHYALOTHIRIN	JAKPOT 2.5 EC	25 g/L	EC	INSECTICIDE	2	248-204-1557	03-Feb-27	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/36 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
TEAMAGRO TRADING CORPORATION	LAMBDA-CHYALOTHIRIN	JAKPOT 2.5 EC	25 g/L	EC	INSECTICIDE	2	248-204-1557	03-Feb-27	SYSTEMIC	Cacao	Podborer	1.0-2.0Tbsp/36 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
TEAMAGRO TRADING CORPORATION	LAMBDA-CHYALOTHIRIN	JAKPOT 2.5 EC	25 g/L	EC	INSECTICIDE	2	248-204-1557	03-Feb-27	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/36 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
INTERNATIONAL VETERINARY & AGROCHEMICAL (VA), INC.	CLOTHIANIDIN	JADE 200 SC	200 g/L	SC	INSECTICIDE	4	088-379-5243	28-Apr-26	-	Rice	Rice black bug	40-50 ml prod/ 16 water 400-500 ml prod/ ha	-	-	-
INTERNATIONAL VETERINARY & AGROCHEMICAL (VA), INC.	CLOTHIANIDIN	JADE 160 WSG	160 g/kg	WSG	INSECTICIDE	4	088-379-5243	14-Oct-23	SYSTEMIC/CONTACT	Mango	Hoppers, tip borers, thrips, cercid fly, capsid bug	2.0-2.5 g prod./36L water	-	30 days	Enter treated fields only after spray deposits have dried.
INTERNATIONAL VETERINARY & AGROCHEMICAL (VA), INC.	CLOTHIANIDIN	JADE 160 WSG	160 g/kg	WSG	INSECTICIDE	4	088-379-5243	14-Oct-23	SYSTEMIC/CONTACT	Rice	Green leafhopper, brown planthopper, leafroller, brown/white backed planthopper, stemborer, black bug, rice bug	1.0-3.5 g prod./36L water	0.5 ppm	28 days	Enter treated fields only after spray deposits have dried.
INTERNATIONAL VETERINARY & AGROCHEMICAL (VA), INC.	CLOTHIANIDIN	JADE 160 WSG	160 g/kg	WSG	INSECTICIDE	4	088-379-5243	14-Oct-23	SYSTEMIC/CONTACT	Eggplant	leafhopper, aphids	3.0 g prod/36 water	-	3 days	Enter treated fields only after spray deposits have dried.
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	NICLOXAMIDE ETHANOLAMINE SALT	JAMBA 70 WP	700 g/kg	WP	MOLLUSCIDE	4	419-229-2331	22-Feb-25	CONTACT	Rice	Golden Apple Snail (Kuhol)	1 sack (35 gm) /hankload (16liters)	-	-	At least 48 hours after application
INTERNATIONAL VETERINARY & AGROCHEMICAL (VA), INC.	MANCOZEB	VAZE8 80 WP	800 g/kg	WP	FUNGICIDE	4	088-053-1096	30-Mar-25	-	Potato	Early and late blight	3-6 Tbsp/36 L water	-	-	As soon as spray dries
INTERNATIONAL VETERINARY & AGROCHEMICAL (VA), INC.	MANCOZEB	VAZE8 80 WP	800 g/kg	WP	FUNGICIDE	4	088-053-1096	30-Mar-25	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
INTERNATIONAL VETERINARY & AGROCHEMICAL (VA), INC.	MANCOZEB	VAZE8 80 WP	800 g/kg	WP	FUNGICIDE	4	088-053-1096	30-Mar-25	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
INTERNATIONAL VETERINARY & AGROCHEMICAL (VA), INC.	MANCOZEB	VAZE8 80 WP	800 g/kg	WP	FUNGICIDE	4	088-053-1096	30-Mar-25	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
INTERNATIONAL VETERINARY & AGROCHEMICAL (VA), INC.	MANCOZEB	VAZE8 80 WP	800 g/kg	WP	FUNGICIDE	4	088-053-1096	30-Mar-25	-	Celery	Late blight	3-6 Tbsp/36 L water	-	14 Days	As soon as spray dries
INTERNATIONAL VETERINARY & AGROCHEMICAL (VA), INC.	MANCOZEB	VAZE8 80 WP	800 g/kg	WP	FUNGICIDE	4	088-053-1096	30-Mar-25	-	Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
INTERNATIONAL VETERINARY & AGROCHEMICAL (VA), INC.	MANCOZEB	VAZE8 80 WP	800 g/kg	WP	FUNGICIDE	4	088-053-1096	30-Mar-25	-	Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
INTERNATIONAL VETERINARY & AGROCHEMICAL (VA), INC.	MANCOZEB	VAZE8 80 WP	800 g/kg	WP	FUNGICIDE	4	088-053-1096	30-Mar-25	-	Cotton	Damping off	3-6 Tbsp/36 L water	-	-	As soon as spray dries
INTERNATIONAL VETERINARY & AGROCHEMICAL (VA), INC.	MANCOZEB	VAZE8 80 WP	800 g/kg	WP	FUNGICIDE	4	088-053-1096	30-Mar-25	-	lettuce	Downy mildew	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
INTERNATIONAL VETERINARY & AGROCHEMICAL (VA), INC.	MANCOZEB	VAZE8 80 WP	800 g/kg	WP	FUNGICIDE	4	088-053-1096	30-Mar-25	-	beans	Anthracoese, Downy mildew, Rust	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
INTERNATIONAL VETERINARY & AGROCHEMICAL (VA), INC.	MANCOZEB	VAZE8 80 WP	800 g/kg	WP	FUNGICIDE	4	088-053-1096	30-Mar-25	-	Peas	Anthracoese, Downy mildew, Rust	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
INTERNATIONAL VETERINARY & AGROCHEMICAL (VA), INC.	MANCOZEB	VAZE8 80 WP	800 g/kg	WP	FUNGICIDE	4	088-053-1096	30-Mar-25	-	Mungo	Anthracoese, Downy mildew, Rust	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
INTERNATIONAL VETERINARY & AGROCHEMICAL (VA), INC.	MANCOZEB	VAZE8 80 WP	800 g/kg	WP	FUNGICIDE	4	088-053-1096	30-Mar-25	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
INTERNATIONAL VETERINARY & AGROCHEMICAL (VA), INC.	MANCOZEB	VAZE8 80 WP	800 g/kg	WP	FUNGICIDE	4	088-053-1096	30-Mar-25	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
INTERNATIONAL VETERINARY & AGROCHEMICAL (VA), INC.	MANCOZEB	VAZE8 80 WP	800 g/kg	WP	FUNGICIDE	4	088-053-1096	30-Mar-25	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
INTERNATIONAL VETERINARY & AGROCHEMICAL (VA), INC.	MANCOZEB	VAZE8 80 WP	800 g/kg	WP	FUNGICIDE	4	088-053-1096	30-Mar-25	-	Pepper	Anthracoese	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
INTERNATIONAL VETERINARY & AGROCHEMICAL (VA), INC.	MANCOZEB	VAZE8 80 WP	800 g/kg	WP	FUNGICIDE	4	088-053-1096	30-Mar-25	-	Chili	Anthracoese	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
INTERNATIONAL VETERINARY & AGROCHEMICAL (VA), INC.	MANCOZEB	VAZE8 80 WP	800 g/kg	WP	FUNGICIDE	4	088-053-1096	30-Mar-25	-	eggplant	Blight, Anthracnose	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries
INTERNATIONAL VETERINARY & AGROCHEMICAL (VA), INC.	MANCOZEB	VAZE8 80 WP	800 g/kg	WP	FUNGICIDE	4	088-053-1096	30-Mar-25	-	Banana	Sigatoka, Black leaf streak	3-6 Tbsp/36 L water	-	-	As soon as spray dries
INTERNATIONAL VETERINARY & AGROCHEMICAL (VA), INC.	MANCOZEB	VAZE8 80 WP	800 g/kg	WP	FUNGICIDE	4	088-053-1096	30-Mar-25	-	Grapes	Downy mildew, black rot	3-6 Tbsp/36 L water	-	60 days	As soon as spray dries
INTERNATIONAL VETERINARY & AGROCHEMICAL (VA), INC.	MANCOZEB	VAZE8 80 WP	800 g/kg	WP	FUNGICIDE	4	088-053-1096	30-Mar-25	-	Mango	Anthracoese and Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
INTERNATIONAL VETERINARY & AGROCHEMICAL (VA), INC.	MANCOZEB	VAZE8 80 WP	800 g/kg	WP	FUNGICIDE	4	088-053-1096	30-Mar-25	-	Papaya	Fruit rot	3-6 Tbsp/36 L water	-	-	As soon as spray dries
INTERNATIONAL VETERINARY & AGROCHEMICAL (VA), INC.	MANCOZEB	VAZE8 80 WP	800 g/kg	WP	FUNGICIDE	4	088-053-1096	30-Mar-25	-	Melron	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
INTERNATIONAL VETERINARY & AGROCHEMICAL (VA), INC.	MANCOZEB	VAZE8 80 WP	800 g/kg	WP	FUNGICIDE	4	088-053-1096	30-Mar-25	-	Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
INTERNATIONAL VETERINARY & AGROCHEMICAL (VA), INC.	MANCOZEB	VAZE8 80 WP	800 g/kg	WP	FUNGICIDE	4	088-053-1096	30-Mar-25	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
INTERNATIONAL VETERINARY & AGROCHEMICAL (VA), INC.	MANCOZEB	VAZE8 80 WP	800 g/kg	WP	FUNGICIDE	4	088-053-1096	30-Mar-25	-	Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/36 L water	0.02ppm	-	As soon as spray dries
INTERNATIONAL VETERINARY & AGROCHEMICAL (VA), INC.	MANCOZEB	VAZE8 80 WP	800 g/kg	WP	FUNGICIDE	4	088-053-1096	30-Mar-25	-	Peanut	Cercospora leaf spot	3-6 Tbsp/36 L water	-	14 Days	As soon as spray dries
INTERNATIONAL VETERINARY & AGROCHEMICAL (VA), INC.	MANCOZEB	VAZE8 80 WP	800 g/kg	WP	FUNGICIDE	4	088-053-1096	30-Mar-25	-	soybeans	Leaf rust	3-6 Tbsp/36 L water	-	-	As soon as spray dries
INTERNATIONAL VETERINARY & AGROCHEMICAL (VA), INC.	MANCOZEB	VAZE8 80 WP	800 g/kg	WP	FUNGICIDE	4	088-053-1096	30-Mar-25	-	Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/36 L water	-	-	As soon as spray dries
INTERNATIONAL VETERINARY & AGROCHEMICAL (VA), INC.	THIOPHANATE METHYL	VATOP 500 SC	500 g/L	SC	FUNGICIDE	4	088-107-4367	25-Oct-26	SYSTEMIC	Banana	Anthracoese , pitmark & smoky fruit	1 mL / L of water	-	14 days	Re-entry is allowed as soon as the spray
INTERNATIONAL VETERINARY & AGROCHEMICAL (VA), INC.	FENOXAPROP P-ETHYL-ETHOXYSUFLURON	VASTAR 90 SC	69-21 g/L	SC	HERBICIDE	3	088-357-5643	28-Jun-24	SYSTEMIC/CONTACT	Rice (Transplanted)	Annual grasses, sedges and broadleaf weeds	600 mL Dosage Prod./Ha(mL)	-	-	After spray deposits have dried.
INTERNATIONAL VETERINARY & AGROCHEMICAL (VA), INC.	FENOXAPROP P-ETHYL-ETHOXYSUFLURON	VASTAR 90 SC	69-21 g/L	SC	HERBICIDE	3	088-357-5643	28-Jun-24	SYSTEMIC/CONTACT	Rice (Direct seeded Wet Sown)	Annual grasses, sedges and broadleaf weeds	600 mL Dosage Prod./Ha(mL)	-	-	After spray deposits have dried.
INTERNATIONAL VETERINARY & AGROCHEMICAL (VA), INC.	DAKUXI, DIMETHYL AMMONIUM CHLORIDE+XALXI, DIMETHYL BENZYL AMMONIUM CHLORIDE	VIAGARD 800 SL	480-120 g/L	SL	OTHERS	2	088-436-3132	26-Mar-25	-	Cavendish banana	As toll disfectant for the control of Moko disease caused by Ralstonia solanaceorum	6-8 mL /3L water	-	-	-
INTERNATIONAL VETERINARY & AGROCHEMICAL (VA), INC.	DAKUXI, DIMETHYL AMMONIUM CHLORIDE+XALXI, DIMETHYL BENZYL AMMONIUM CHLORIDE	VIAGARD 800 SL	480-120 g/L	SL	OTHERS	2	088-436-3132	26-Mar-25	-	banana	Fusarium oxysporum f.sp. Cubense (Panama disease)	8-40 mL Prod. / L	-	-	-
INTERNATIONAL VETERINARY & AGROCHEMICAL (VA), INC.	AZOXYSTROBIN	VIACURE 250 SC	250 g/L	SC	FUNGICIDE	4	088-309-3795	23-Aug-25	SYSTEMIC	Cavendish Banana (Post-harvest treatment)	Anthracoese,crown rot,crown mild	2000-4000ppm	-	3-7 days	-
INTERNATIONAL VETERINARY & AGROCHEMICAL (VA), INC.	AZOXYSTROBIN	VIACURE 250 SC	250 g/L	SC	FUNGICIDE	4	088-309-3795	23-Aug-25	SYSTEMIC	Banana	Black sigatoka and freckle	-	-	3-7 days	-

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	AZDXYSTROBIN	IVACURE 250 SC	250 g/L	SC	FUNGICIDE	4	088-809-3795	23-Aug-25	SYSTEMIC	Pineapple	Butt mold	20-300ppm	-	-	3-7 days
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	THIOCARB	IVACARB 350 FS	350 g/L	FS	INSECTICIDE	4	088-117-2964	21-Feb-21	SYSTEMIC	Corn	Seed treatment	200ml IVACARB 350 FS 1 bag (18-20kgs.) of hybrid seeds	-	-	-
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	DIURON	IVA DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	088-021-0095-B (043)	30-Dec-25	SYSTEMIC	Citrus	Annual and Perennial broadleaves and grasses	11.0-15.0Tbsp/36 L water	-	-	Entry to fields treated with IVA DIURON 80 WP can be done one day after the application.
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	DIURON	IVA DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	088-021-0095-B (043)	24-May-24	SYSTEMIC	Coffee	Annual and Perennial broadleaves and grasses	11.0-15.0Tbsp/36 L water	-	-	Entry to fields treated with IVA DIURON 80 WP can be done one day after the application.
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	DIURON	IVA DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	088-021-0095-B (043)	24-May-24	SYSTEMIC	Cotton	Annual and Perennial broadleaves and grasses	8.0Tbsp/36 L water	-	-	Entry to fields treated with IVA DIURON 80 WP can be done one day after the application.
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	DIURON	IVA DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	088-021-0095-B (043)	24-May-24	SYSTEMIC	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0Tbsp/36 L water	-	-	Entry to fields treated with IVA DIURON 80 WP can be done one day after the application.
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	DIURON	IVA DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	088-021-0095-B (043)	24-May-24	SYSTEMIC	Pineapple	Annual and Perennial broadleaves and grasses	13.0Tbsp/36 L water	-	-	Entry to fields treated with IVA DIURON 80 WP can be done one day after the application.
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	DIURON	IVA DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	088-021-0095-B (043)	24-May-24	SYSTEMIC	Non-crop land	Annual and Perennial broadleaves and grasses	20.0-28.0Tbsp/36 L water	-	-	Entry to fields treated with IVA DIURON 80 WP can be done one day after the application.
IAGRI CHEMICAL CORPORATION	METALDEHYDE	ISCATTER 6P	60 g/kg	P	MOLLUSCICIDE	4	534-075-3545	10-Sep-18	CONTACT	Rice (Transplanted)	Golden apple snail	2-4kg/ product per hectare	-	-	-
IAGRI CHEMICAL CORPORATION	METALDEHYDE	ISCATTER 6P	60 g/kg	P	MOLLUSCICIDE	4	534-075-3545	10-Sep-18	CONTACT	Rice (Direct-Seeded)	Golden apple snail	4-8 kg/product per hectare	-	-	-
IAGRI CHEMICAL CORPORATION	METALDEHYDE	ISCATTER 6P	60 g/kg	P	MOLLUSCICIDE	4	534-075-3545	10-Sep-18	CONTACT	Potted and driftwood-attached plants such as	Slug, snails	3-2 kg/product per hectare	-	-	-
IAGRI CHEMICAL CORPORATION	METALDEHYDE	ISCATTER 6P	60 g/kg	P	MOLLUSCICIDE	4	534-075-3545	10-Sep-18	CONTACT	Chinese Cabbage	Slug, snails	6-8 kg/product per hectare	-	-	-
IAGRI CHEMICAL CORPORATION	METALDEHYDE	ISCATTER 6P	60 g/kg	P	MOLLUSCICIDE	4	534-075-3545	10-Sep-18	CONTACT	Strawberry	Slug, snails	6-8 kg/product per hectare	-	-	-
RANBOW AGRSCIENCES PHILIPPINES, INC.	IPRODIONE	IPRONO 500 SC	500 g/L	SC	FUNGICIDE	3	539-155-6409	21-Dec-26	-	Turf grass	Fairy ring	6.0-12.0 L prod / ha	-	-	-
ENVIREAU PACIFIC, INC.	COPPER SULFATE PENTAHYDRATE	IONIC COPPER CONCENTRATE	50g/L	-	FUNGICIDE	4	503-422-2848	11-Jun-24	CONTACT	Banana	Black sigatoka, diamond spot, finger rot & freckle	125-150ml/ha, 1-2 mL/L water	-	-	As soon as spray droplets dry up
ENVIREAU PACIFIC, INC.	COPPER SULFATE PENTAHYDRATE	IONIC COPPER CONCENTRATE	50g/L	-	FUNGICIDE	4	503-422-2848	11-Jun-24	CONTACT	Tomato	Early blight, bacterial spots, bacterial specks & bacterial wilt	300-350, 250-300 ml/ha, 20-30 mL/L water	-	-	As soon as spray droplets dry up
ENVIREAU PACIFIC, INC.	COPPER SULFATE PENTAHYDRATE	IONIC COPPER CONCENTRATE	50g/L	-	FUNGICIDE	4	503-422-2848	11-Jun-24	CONTACT	Corn	Ear rot	300-400ml/ha, 1.5-2 mL/L water	-	-	As soon as spray droplets dry up
ENVIREAU PACIFIC, INC.	COPPER SULFATE PENTAHYDRATE	IONIC COPPER CONCENTRATE	50g/L	-	FUNGICIDE	4	503-422-2848	11-Jun-24	CONTACT	Pineapple	Bacterial heart rot	2-0.2 mL/L water, 4.8-6.0 L/ha	-	-	As soon as spray droplets dry up
ENVIREAU PACIFIC, INC.	COPPER SULFATE PENTAHYDRATE	IONIC COPPER CONCENTRATE	50g/L	-	FUNGICIDE	4	503-422-2848	11-Jun-24	CONTACT	Rice	Bacterial leaf blight	2-3 mL product/L water	-	-	As soon as spray droplets dry up
ZAGRO CORPORATION	IONONE	ESGUARD 300	34 g/L	-	OTHERS	2	043-449-5946	30-Dec-24	-	-	Disinfection in livestock houses and equipment	-	-	-	-
CORTEVA AGRISCIENCE PHILIPPINES, INC.	Ory3F, Cry3Ab and Cry2Aa2	INTREASECT (TC1307 x MON810 x NK603)	-	-	INSECTICIDE	-	PH-04-09-11	25-Oct-24	-	Corn	Fall armyworm (FPP)	-	-	-	-
INTERSORORA, INC.	DIURON	INTERSORORA DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	664-021-6454	14-Feb-27	SELECTIVE	Citrus	Annual and perennial broadleaf weeds and grasses	11.0-15.0 Tbsp/36 L water	-	-	A day after the application or after the spray has dried, do not enter the treated fields without protective clothing.
INTERSORORA, INC.	DIURON	INTERSORORA DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	664-021-6454	14-Feb-27	SELECTIVE	Coffee	Annual and perennial broadleaf weeds and grasses	11.0-15.0 Tbsp/36 L water	-	-	A day after the application or after the spray has dried, do not enter the treated fields without protective clothing.
INTERSORORA, INC.	DIURON	INTERSORORA DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	664-021-6454	14-Feb-27	SELECTIVE	Sugarcane	Annual and perennial broadleaf weeds and grasses	6.5-13.0 Tbsp/ L water	-	-	A day after the application or after the spray has dried, do not enter the treated fields without protective clothing.
INTERSORORA, INC.	DIURON	INTERSORORA DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	664-021-6454	14-Feb-27	SELECTIVE	Pineapple	Annual and perennial broadleaf weeds and grasses	11.0Tbsp/ 36 L water	-	-	A day after the application or after the spray has dried, do not enter the treated fields without protective clothing.
INTERSORORA, INC.	DIURON	INTERSORORA DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	664-021-6454	14-Feb-27	SELECTIVE	Non-crop agricultural areas	Annual and perennial broadleaf weeds and grasses	20.0-28.0Tbsp/ 36 L water	-	-	A day after the application or after the spray has dried, do not enter the treated fields without protective clothing.
NNN 800, INC.	CYPERMETHRIN	INTERPOL 5 EC	50g/L	EC	INSECTICIDE	4	653-037-4866	17-Mar-20	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/36 L water	-	-	Re-entry to treated field is allowed as soon as spray deposits dry.
NNN 800, INC.	CYPERMETHRIN	INTERPOL 5 EC	50g/L	EC	INSECTICIDE	4	653-037-4866	17-Mar-20	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leafhopper, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/36 L water	-	-	Re-entry to treated field is allowed as soon as spray deposits dry.
NNN 800, INC.	CYPERMETHRIN	INTERPOL 5 EC	50g/L	EC	INSECTICIDE	4	653-037-4866	17-Mar-20	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/36 L water	-	-	Re-entry to treated field is allowed as soon as spray deposits dry.
NNN 800, INC.	CYPERMETHRIN	INTERPOL 5 EC	50g/L	EC	INSECTICIDE	4	653-037-4866	17-Mar-20	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/36 L water	-	-	Re-entry to treated field is allowed as soon as spray deposits dry.
NNN 800, INC.	CYPERMETHRIN	INTERPOL 5 EC	50g/L	EC	INSECTICIDE	4	653-037-4866	17-Mar-20	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/36 L water	-	-	Re-entry to treated field is allowed as soon as spray deposits dry.
NNN 800, INC.	CYPERMETHRIN	INTERPOL 5 EC	50g/L	EC	INSECTICIDE	4	653-037-4866	17-Mar-20	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/36 L water	-	-	Re-entry to treated field is allowed as soon as spray deposits dry.
NNN 800, INC.	CYPERMETHRIN	INTERPOL 5 EC	50g/L	EC	INSECTICIDE	4	653-037-4866	17-Mar-20	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/36 L water	-	-	Re-entry to treated field is allowed as soon as spray deposits dry.
NNN 800, INC.	CYPERMETHRIN	INTERPOL 5 EC	50g/L	EC	INSECTICIDE	4	653-037-4866	17-Mar-20	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/36 L water	-	-	Re-entry to treated field is allowed as soon as spray deposits dry.
NNN 800, INC.	CYPERMETHRIN	INTERPOL 5 EC	50g/L	EC	INSECTICIDE	4	653-037-4866	17-Mar-20	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/36 L water	-	-	Re-entry to treated field is allowed as soon as spray deposits dry.
NNN 800, INC.	CYPERMETHRIN	INTERPOL 5 EC	50g/L	EC	INSECTICIDE	4	653-037-4866	17-Mar-20	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/36 L water	-	-	Re-entry to treated field is allowed as soon as spray deposits dry.
NNN 800, INC.	CYPERMETHRIN	INTERPOL 5 EC	50g/L	EC	INSECTICIDE	4	653-037-4866	17-Mar-20	CONTACT	Corn	Comborer, earworm	1.0-4.5 Tbsp/36 L water	-	-	Re-entry to treated field is allowed as soon as spray deposits dry.
UPL PHILIPPINES, INC.	GLUFOSINATE AMMONIUM	INTERLINE 280 SL	280g/L	SL	HERBICIDE	4	562-182-4669	14-Feb-25	NON-SELECTIVE/POST-EMERGENT	Rubber	Annual & Perennial grasses, sedges & broadleaf weeds	115, 145, 72mL/36 water	-	-	After spray deposits have dried
UPL PHILIPPINES, INC.	GLUFOSINATE AMMONIUM	INTERLINE 280 SL	280g/L	SL	HERBICIDE	4	562-182-4669	14-Feb-25	NON-SELECTIVE/POST-EMERGENT	Oil palm	Annual & Perennial grasses, sedges & broadleaf weeds	86, 72mL/36L water	-	-	After spray deposits have dried
UPL PHILIPPINES, INC.	GLUFOSINATE AMMONIUM	INTERLINE 280 SL	280g/L	SL	HERBICIDE	4	562-182-4669	14-Feb-25	NON-SELECTIVE/POST-EMERGENT	Non-crop agricultural areas	Annual & Perennial grasses, sedges & broadleaf weeds	86-115mL/36L water	-	-	After spray deposits have dried
UPL PHILIPPINES, INC.	GLUFOSINATE AMMONIUM	INTERLINE 280 SL	280g/L	SL	HERBICIDE	4	562-182-4669	14-Feb-25	NON-SELECTIVE/POST-EMERGENT	Coffee	Annual & Perennial grasses, sedges & broadleaf weeds	86, 72mL/36L water	-	-	After spray deposits have dried
UPL PHILIPPINES, INC.	GLUFOSINATE AMMONIUM	INTERLINE 280 SL	280g/L	SL	HERBICIDE	4	562-182-4669	14-Feb-25	NON-SELECTIVE/POST-EMERGENT	Citrus	Annual & Perennial grasses, sedges & broadleaf weeds	86, 72mL/36L water	-	-	After spray deposits have dried
UPL PHILIPPINES, INC.	GLUFOSINATE AMMONIUM	INTERLINE 280 SL	280g/L	SL	HERBICIDE	4	562-182-4669	14-Feb-25	NON-SELECTIVE/POST-EMERGENT	Cavendish Banana	Annual & Perennial grasses, sedges & broadleaf weeds	86, 72-107mL/36L water	0.2 mg/kg	-	After spray deposits have dried
UPL PHILIPPINES, INC.	GLUFOSINATE AMMONIUM	INTERLINE 280 SL	280g/L	SL	HERBICIDE	4	562-182-4669	14-Feb-25	NON-SELECTIVE/POST-EMERGENT	Cacao	Annual & Perennial grasses, sedges & broadleaf weeds	86, 72mL/36L water	-	-	After spray deposits have dried
INTERSORORA, INC.	HEXAZINONE-DIURON	INTER HD 600 WG	120g/kg-650g/kg	WG	HERBICIDE	4	664-435-6456	28-Feb-27	-	Sugarcane	Annual grasses, broadleaf weeds and sedges	400-L prod./ ha	-	-	Do not enter treated fields within 12 hours after spraying or until the spray has dried.
INTERSORORA, INC.	CLOTHIANIDIN	INTERCADO 20 SC	200 mL/L	SC	INSECTICIDE	4	664-379-6191	15-Jun-26	-	Rice	Rice black bug	0.08-0.1 kg A.L./ ha 45-50 mL prod./36 L water	-	-	-
AGRI SPROUT PHILIPPINES, INC.	GLYPHOSATE IPA	INTENSE 360 SL	360 g/L	SL	HERBICIDE	4	668-151-5293	09-Mar-25	POST-EMERGENT	Non-crop areas	Common grassy fields	24-48 Tbsp/36L water	-	-	-
JARDINE DISTRIBUTION, INC.	ETHABOXAM	INTENDO 10 SC	100 g/L	SC	FUNGICIDE	4	367-410-3944	03-Dec-25	SYSTEMIC	Potato	Late blight	4-6 tbsp. prod/36 L water	0.05 ppm	-	7 days
JARDINE DISTRIBUTION, INC.	ETHABOXAM	INTENDO 10 SC	100 g/L	SC	FUNGICIDE	4	367-410-3944	03-Dec-25	SYSTEMIC	Tomato	Late blight	4-6 tbsp. prod/36 L water	1.00 ppm	-	1 day
SUMITOMO CHEMICAL PHILIPPINES INC.	ETHABOXAM	INTENDO 10 SC	100 g/L	SC	FUNGICIDE	4	472-410-3624	25-Jan-25	SYSTEMIC	Potato	Late blight	4-6 tbsp. prod/36 L water	-	-	7 days
SUMITOMO CHEMICAL PHILIPPINES INC.	ETHABOXAM	INTENDO 10 SC	100 g/L	SC	FUNGICIDE	4	472-410-3624	25-Jan-25	SYSTEMIC	Tomato	Late blight	4-6 tbsp. prod/36 L water	-	-	1 day
PHILIPPINE FARMFV SOLUTIONS INC.	DIMETHOATE	INTERGR 40 EC	400 g/L	EC	INSECTICIDE	2	535-045-4881	15-Aug-22	SELECTIVE/SYSTEMIC/CONTACT	Rice	Leafhopper, planthoppers, bugs, stemborer	2-3 Tbsp/36L water	0.1 ppm	-	Do not spray within 14 days before harvest interval. For other crop, banana 3 months
PHILIPPINE FARMFV SOLUTIONS INC.	DIMETHOATE	INTERGR 40 EC	400 g/L	EC	INSECTICIDE	2	535-045-4881	15-Aug-22	SELECTIVE/SYSTEMIC/CONTACT	Tobacco	Aphids, thrips	2-3 Tbsp/36L water	-	-	Do not spray within 14 days before harvest interval. For other crop, banana 3 months
PHILIPPINE FARMFV SOLUTIONS INC.	DIMETHOATE	INTERGR 40 EC	400 g/L	EC	INSECTICIDE	2	535-045-4881	15-Aug-22	SELECTIVE/SYSTEMIC/CONTACT	Mango	Leafhoppers	2-3 Tbsp/36L water	-	-	Do not spray within 14 days before harvest interval. For other crop, banana 3 months
PHILIPPINE FARMFV SOLUTIONS INC.	DIMETHOATE	INTERGR 40 EC	400 g/L	EC	INSECTICIDE	2	535-045-4881	15-Aug-22	SELECTIVE/SYSTEMIC/CONTACT	Beans	Aphids, thrips, beanflies, leafhoppers	3-5 Tbsp/36L water	-	-	Do not spray within 14 days before harvest interval. For other crop, banana 3 months
PHILIPPINE FARMFV SOLUTIONS INC.	DIMETHOATE	INTERGR 40 EC	400 g/L	EC	INSECTICIDE	2	535-045-4881	15-Aug-22	SELECTIVE/SYSTEMIC/CONTACT	Eggplant	Aphids, thrips	2-3 Tbsp/36L water	-	-	Do not spray within 14 days before harvest interval. For other crop, banana 3 months

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
PHILIPPINE FARMIX SOLUTIONS INC.	DMETHOATE	INTEGR 40 EC	400 g/L	EC	INSECTICIDE	2	535-045-4881	15-Aug-22	SELECTIVE/SYSTEMIC/CONTACT	Cucurbits	Aphids, thrips	2-3 Tbsp/36L water	-	Do not spray within 14 days before harvest interval. For other crop, banana 3 months	Do not enter the fields within 2 days after spraying
PHILIPPINE FARMIX SOLUTIONS INC.	DMETHOATE	INTEGR 40 EC	400 g/L	EC	INSECTICIDE	2	535-045-4881	15-Aug-22	SELECTIVE/SYSTEMIC/CONTACT	Pineapple	Mealybug	2-3 Tbsp/36L water	-	Do not spray within 14 days before harvest interval. For other crop, banana 3 months	Do not enter the fields within 2 days after spraying
PHILIPPINE FARMIX SOLUTIONS INC.	DMETHOATE	INTEGR 40 EC	400 g/L	EC	INSECTICIDE	2	535-045-4881	15-Aug-22	SELECTIVE/SYSTEMIC/CONTACT	Coffee	Berryborers, leafroller, mealybugs	2-3 Tbsp/36L water	-	Do not spray within 14 days before harvest interval. For other crop, banana 3 months	Do not enter the fields within 2 days after spraying
PHILIPPINE FARMIX SOLUTIONS INC.	DMETHOATE	INTEGR 40 EC	400 g/L	EC	INSECTICIDE	2	535-045-4881	15-Aug-22	SELECTIVE/SYSTEMIC/CONTACT	Cacao	Aphids, capid bugs	2-3 Tbsp/36L water	-	Do not spray within 14 days before harvest interval. For other crop, banana 3 months	Do not enter the fields within 2 days after spraying
PHILIPPINE FARMIX SOLUTIONS INC.	DMETHOATE	INTEGR 40 EC	400 g/L	EC	INSECTICIDE	2	535-045-4881	15-Aug-22	SELECTIVE/SYSTEMIC/CONTACT	Citrus	Aphids, mealybugs, rindborers, scale insects	2-3 Tbsp/36L water	-	Do not spray within 14 days before harvest interval. For other crop, banana 3 months	Do not enter the fields within 2 days after spraying
PHILIPPINE FARMIX SOLUTIONS INC.	DMETHOATE	INTEGR 40 EC	400 g/L	EC	INSECTICIDE	2	535-045-4881	15-Aug-22	SELECTIVE/SYSTEMIC/CONTACT	Cotton	Aphids, leafroller, whiteflies, mites	2-3 Tbsp/36L water	-	Do not spray within 14 days before harvest interval. For other crop, banana 3 months	Do not enter the fields within 2 days after spraying
PHILIPPINE FARMIX SOLUTIONS INC.	DMETHOATE	INTEGR 40 EC	400 g/L	EC	INSECTICIDE	2	535-045-4881	15-Aug-22	SELECTIVE/SYSTEMIC/CONTACT	Banana	Flower thrips	3.0 mL/L water. inject 60-80 mL solution per bud	-	Do not spray within 14 days before harvest interval. For other crop, banana 3 months	Do not enter the fields within 2 days after spraying
ATTV ALTI TRADING CO., PHILS. INC.	WHITE MINERAL OIL	HT 850	-	-	OTHERS	4	140-488-4739	24-Jan-25	-	Banana	As adjuvant for the control of black sigatoka	Concentrate of 0.50 %L, i.e 4 to 50mL of product per liter water	-	-	-
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	GLUFOSINATE AMMONIUM	INSTAKILL 150 SL	150 g/L	SL	HERBICIDE	4	667-182-5082	09-Feb-26	NON-SELECTIVE	Cavendish Banana	Annual grasses, perennial grasses and broadleaf weeds	360-135-200mL/L water	-	-	After spray deposits have dried.
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	GLUFOSINATE AMMONIUM	INSTAKILL 150 SL	150 g/L	SL	HERBICIDE	4	667-182-5082	09-Feb-26	NON-SELECTIVE/POST-EMERGENT	Rubber	Annual grasses, perennial grasses and broadleaf weeds	215-270mL/36L water	-	-	After spray deposits have dried.
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	GLUFOSINATE AMMONIUM	INSTAKILL 150 SL	150 g/L	SL	HERBICIDE	4	667-182-5082	09-Feb-26	NON-SELECTIVE/POST-EMERGENT	Oil palm	Annual grasses, perennial grasses and broadleaf weeds	360-135mL/36L water	-	-	After spray deposits have dried.
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	GLUFOSINATE AMMONIUM	INSTAKILL 150 SL	150 g/L	SL	HERBICIDE	4	667-182-5082	09-Feb-26	NON-SELECTIVE/POST-EMERGENT	Non-crop areas	Annual grasses, perennial grasses and broadleaf weeds	360-215mL/36 L water	-	-	After spray deposits have dried.
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	GLUFOSINATE AMMONIUM	INSTAKILL 150 SL	150 g/L	SL	HERBICIDE	4	667-182-5082	9-Feb-23	NON-SELECTIVE	Cavendish banana	Weeds	150 mL/36L water; 136-200 mL/36L water	-	-	After spray deposits have dried
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	GLUFOSINATE AMMONIUM	INSTAKILL 150 SL	150 g/L	SL	HERBICIDE	4	667-182-5082	9-Feb-23	NON-SELECTIVE	Rubber	Weeds	215, 270, 135 mL/36L water	-	-	After spray deposits have dried
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	GLUFOSINATE AMMONIUM	INSTAKILL 150 SL	150 g/L	SL	HERBICIDE	4	667-182-5082	9-Feb-23	NON-SELECTIVE	Oil palm	Weeds	360,135 mL/36L water	-	-	After spray deposits have dried
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	GLUFOSINATE AMMONIUM	INSTAKILL 150 SL	150 g/L	SL	HERBICIDE	4	667-182-5082	9-Feb-23	NON-SELECTIVE	Non-agricultural crop areas	Weeds	360-215 mL/36L water	-	-	After spray deposits have dried
SINO-MONSANTO OIL CORPORATION	MANCOZEB	INSPIROZEB 80 WP	800g/kg	WP	FUNGICIDE	4	624-053-5541	21-Sep-24	-	Potato	Early and late blight	3-6 Tbsp/36 L water	-	-	Do not enter the field within 2 days after spraying.
SINO-MONSANTO OIL CORPORATION	MANCOZEB	INSPIROZEB 80 WP	800g/kg	WP	FUNGICIDE	4	624-053-5541	21-Sep-24	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	7 days	Do not enter the field within 2 days after spraying.
SINO-MONSANTO OIL CORPORATION	MANCOZEB	INSPIROZEB 80 WP	800g/kg	WP	FUNGICIDE	4	624-053-5541	21-Sep-24	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	7 days	Do not enter the field within 2 days after spraying.
SINO-MONSANTO OIL CORPORATION	MANCOZEB	INSPIROZEB 80 WP	800g/kg	WP	FUNGICIDE	4	624-053-5541	21-Sep-24	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	7 days	Do not enter the field within 2 days after spraying.
SINO-MONSANTO OIL CORPORATION	MANCOZEB	INSPIROZEB 80 WP	800g/kg	WP	FUNGICIDE	4	624-053-5541	21-Sep-24	-	Salery	Late blight	3-6 Tbsp/36 L water	-	14 days	Do not enter the field within 2 days after spraying.
SINO-MONSANTO OIL CORPORATION	MANCOZEB	INSPIROZEB 80 WP	800g/kg	WP	FUNGICIDE	4	624-053-5541	21-Sep-24	-	Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	Do not enter the field within 2 days after spraying.
SINO-MONSANTO OIL CORPORATION	MANCOZEB	INSPIROZEB 80 WP	800g/kg	WP	FUNGICIDE	4	624-053-5541	21-Sep-24	-	Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	Do not enter the field within 2 days after spraying.
SINO-MONSANTO OIL CORPORATION	MANCOZEB	INSPIROZEB 80 WP	800g/kg	WP	FUNGICIDE	4	624-053-5541	21-Sep-24	-	Cotton	Damping off	3-6 Tbsp/36 L water	-	-	Do not enter the field within 2 days after spraying.
SINO-MONSANTO OIL CORPORATION	MANCOZEB	INSPIROZEB 80 WP	800g/kg	WP	FUNGICIDE	4	624-053-5541	21-Sep-24	-	Lettuce	Downy mildew	3-6 Tbsp/36 L water	-	7 days	Do not enter the field within 2 days after spraying.
SINO-MONSANTO OIL CORPORATION	MANCOZEB	INSPIROZEB 80 WP	800g/kg	WP	FUNGICIDE	4	624-053-5541	21-Sep-24	-	Beans	Anthracoese, Downy mildew, Rust	3-6 Tbsp/36 L water	-	5 days	Do not enter the field within 2 days after spraying.
SINO-MONSANTO OIL CORPORATION	MANCOZEB	INSPIROZEB 80 WP	800g/kg	WP	FUNGICIDE	4	624-053-5541	21-Sep-24	-	Peas	Anthracoese, Downy mildew, Rust	3-6 Tbsp/36 L water	-	5 days	Do not enter the field within 2 days after spraying.
SINO-MONSANTO OIL CORPORATION	MANCOZEB	INSPIROZEB 80 WP	800g/kg	WP	FUNGICIDE	4	624-053-5541	21-Sep-24	-	Mungo	Anthracoese, Downy mildew, Rust	3-6 Tbsp/36 L water	-	5 days	Do not enter the field within 2 days after spraying.
SINO-MONSANTO OIL CORPORATION	MANCOZEB	INSPIROZEB 80 WP	800g/kg	WP	FUNGICIDE	4	624-053-5541	21-Sep-24	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/36 L water	-	5 days	Do not enter the field within 2 days after spraying.
SINO-MONSANTO OIL CORPORATION	MANCOZEB	INSPIROZEB 80 WP	800g/kg	WP	FUNGICIDE	4	624-053-5541	21-Sep-24	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36 L water	-	7 days	Do not enter the field within 2 days after spraying.
SINO-MONSANTO OIL CORPORATION	MANCOZEB	INSPIROZEB 80 WP	800g/kg	WP	FUNGICIDE	4	624-053-5541	21-Sep-24	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36 L water	-	7 days	Do not enter the field within 2 days after spraying.
SINO-MONSANTO OIL CORPORATION	MANCOZEB	INSPIROZEB 80 WP	800g/kg	WP	FUNGICIDE	4	624-053-5541	21-Sep-24	-	Pepper	Anthracoese	3-6 Tbsp/36 L water	-	7 days	Do not enter the field within 2 days after spraying.
SINO-MONSANTO OIL CORPORATION	MANCOZEB	INSPIROZEB 80 WP	800g/kg	WP	FUNGICIDE	4	624-053-5541	21-Sep-24	-	Chili	Anthracoese	3-6 Tbsp/36 L water	-	7 days	Do not enter the field within 2 days after spraying.
SINO-MONSANTO OIL CORPORATION	MANCOZEB	INSPIROZEB 80 WP	800g/kg	WP	FUNGICIDE	4	624-053-5541	21-Sep-24	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/36 L water	-	7 days	Do not enter the field within 2 days after spraying.
SINO-MONSANTO OIL CORPORATION	MANCOZEB	INSPIROZEB 80 WP	800g/kg	WP	FUNGICIDE	4	624-053-5541	21-Sep-24	-	Banana	Sigatoka, Black leaf streak	3-6 Tbsp/36 L water	-	-	Do not enter the field within 2 days after spraying.
SINO-MONSANTO OIL CORPORATION	MANCOZEB	INSPIROZEB 80 WP	800g/kg	WP	FUNGICIDE	4	624-053-5541	21-Sep-24	-	Grapes	Downy mildew, black rot	3-6 Tbsp/36 L water	-	40 days	Do not enter the field within 2 days after spraying.
SINO-MONSANTO OIL CORPORATION	MANCOZEB	INSPIROZEB 80 WP	800g/kg	WP	FUNGICIDE	4	624-053-5541	21-Sep-24	-	Mango	Anthracoese and Scab	3-6 Tbsp/36 L water	-	5 days	Do not enter the field within 2 days after spraying.
SINO-MONSANTO OIL CORPORATION	MANCOZEB	INSPIROZEB 80 WP	800g/kg	WP	FUNGICIDE	4	624-053-5541	21-Sep-24	-	Papaya	Fruit rot	3-6 Tbsp/36 L water	-	-	Do not enter the field within 2 days after spraying.
SINO-MONSANTO OIL CORPORATION	MANCOZEB	INSPIROZEB 80 WP	800g/kg	WP	FUNGICIDE	4	624-053-5541	21-Sep-24	-	Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	Do not enter the field within 2 days after spraying.
SINO-MONSANTO OIL CORPORATION	MANCOZEB	INSPIROZEB 80 WP	800g/kg	WP	FUNGICIDE	4	624-053-5541	21-Sep-24	-	Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	Do not enter the field within 2 days after spraying.
SINO-MONSANTO OIL CORPORATION	MANCOZEB	INSPIROZEB 80 WP	800g/kg	WP	FUNGICIDE	4	624-053-5541	21-Sep-24	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/36 L water	-	7 days	Do not enter the field within 2 days after spraying.
SINO-MONSANTO OIL CORPORATION	MANCOZEB	INSPIROZEB 80 WP	800g/kg	WP	FUNGICIDE	4	624-053-5541	21-Sep-24	-	Rice	Blatt, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/36 L water	0.02ppm	-	Do not enter the field within 2 days after spraying.
SINO-MONSANTO OIL CORPORATION	MANCOZEB	INSPIROZEB 80 WP	800g/kg	WP	FUNGICIDE	4	624-053-5541	21-Sep-24	-	Peanut	Cercospora leaf spot	3-6 Tbsp/36 L water	-	14 days	Do not enter the field within 2 days after spraying.
SINO-MONSANTO OIL CORPORATION	MANCOZEB	INSPIROZEB 80 WP	800g/kg	WP	FUNGICIDE	4	624-053-5541	21-Sep-24	-	Soybeans	Leaf rust	3-6 Tbsp/36 L water	-	-	Do not enter the field within 2 days after spraying.
SINO-MONSANTO OIL CORPORATION	MANCOZEB	INSPIROZEB 80 WP	800g/kg	WP	FUNGICIDE	4	624-053-5541	21-Sep-24	-	Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/36 L water	-	-	Do not enter the field within 2 days after spraying.
INSPIRO AGRI PRODUCTS INC.	CHLOROTHALONIL	INSPIRONIL 500 SC	500 g/L	SC	FUNGICIDE	4	613-118-4522	24-Sep-21	-	Corn	Helminthosporium leaf spot, cercospora leafspot	6.0-8.5 Tbsp/36 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
INSPIRO AGRI PRODUCTS INC.	CHLOROTHALONIL	INSPIRONIL 500 SC	500 g/L	SC	FUNGICIDE	4	613-118-4522	24-Sep-21	-	Eggplant	Anthracoese, cercospora leafspot, early and late blight	6.0-8.5 Tbsp/36 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
INSPIRO AGRI PRODUCTS INC.	CHLOROTHALONIL	INSPIRONIL 500 SC	500 g/L	SC	FUNGICIDE	4	613-118-4522	24-Sep-21	-	Peanut	Cercospora leaf spot, rust	6.0-8.5 Tbsp/36 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
INSPIRO AGRI PRODUCTS INC.	CHLOROTHALONIL	INSPIRONIL 500 SC	500 g/L	SC	FUNGICIDE	4	613-118-4522	24-Sep-21	-	Potato	Early and late blight, vine rot	6.0-8.5 Tbsp/36 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
INSPIRO AGRI PRODUCTS INC.	CHLOROTHALONIL	INSPIRONIL 500 SC	500 g/L	SC	FUNGICIDE	4	613-118-4522	24-Sep-21	-	Tomato	Early and late blight, vine rot	6.0-8.5 Tbsp/36 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
INSPIRO AGRI PRODUCTS INC.	CHLOROTHALONIL	INSPIRONIL 500 SC	500 g/L	SC	FUNGICIDE	4	613-118-4522	24-Sep-21	-	Carrot	Alternaria, cercospora leaf spot, helminthosporium leaf spot	6.0-8.5 Tbsp/36 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
INSPIRO AGRI PRODUCTS INC.	CHLOROTHALONIL	INSPIRONIL 500 SC	500 g/L	SC	FUNGICIDE	4	613-118-4522	24-Sep-21	-	Banana	Sigatoka, rust, freckles, helminthosporium leaf spot	2 L/ha	2.0 mg/kg	-	Do not enter treatment areas until spray deposit have dried
INSPIRO AGRI PRODUCTS INC.	CHLOROTHALONIL	INSPIRONIL 500 SC	500 g/L	SC	FUNGICIDE	4	613-118-4522	24-Sep-21	-	Mango	Anthracoese, diplodira	6.0-8.5 Tbsp/36 L	0.5 mg/kg	7-14 days	Do not enter treatment areas until spray deposit have dried
INSPIRO AGRI PRODUCTS INC.	CHLOROTHALONIL	INSPIRONIL 500 SC	500 g/L	SC	FUNGICIDE	4	613-118-4522	24-Sep-21	-	Beans	Rust, anthracnose	6.0-8.5 Tbsp/36 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
INSPIRO AGRI PRODUCTS INC.	CHLOROTHALONIL	INSPIRONIL 500 SC	500 g/L	SC	FUNGICIDE	4	613-118-4522	24-Sep-21	-	Crucifers	Powdery mildew	6.0-8.5 Tbsp/36 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
INSPIRO AGRI PRODUCTS INC.	CHLOROTHALONIL	INSPIRONIL 500 SC	500 g/L	SC	FUNGICIDE	4	613-118-4522	24-Sep-21		Onion	Purple blotch, bulb rot, neck rot	6.0-8.5 Tbsp/16 L		7-14 days	Do not enter treatment areas until spray deposit have dried
INSPIRO AGRI PRODUCTS INC.	CHLOROTHALONIL	INSPIRONIL 500 SC	500 g/L	SC	FUNGICIDE	4	613-118-4522	24-Sep-21		Garlic	Purple blotch, bulb rot, neck rot	6.0-8.5 Tbsp/16 L		7-14 days	Do not enter treatment areas until spray deposit have dried
INSPIRO AGRI PRODUCTS INC.	CHLOROTHALONIL	INSPIRONIL 500 SC	500 g/L	SC	FUNGICIDE	4	613-118-4522	24-Sep-21		Ornamentals	Black spot, black rot, powdery mildew	6.0-8.5 Tbsp/16 L		7-14 days	Do not enter treatment areas until spray deposit have dried
INSPIRO AGRI PRODUCTS INC.	CHLOROTHALONIL	INSPIRONIL 500 SC	500 g/L	SC	FUNGICIDE	4	613-118-4522	24-Sep-21		Grapes	Downy mildew, powdery mildew, fruit rot	6.0-8.5 Tbsp/16 L		7-14 days	Do not enter treatment areas until spray deposit have dried
INSPIRO AGRI PRODUCTS INC.	CHLOROTHALONIL	INSPIRONIL 500 SC	500 g/L	SC	FUNGICIDE	4	613-118-4522	24-Sep-21		Pepper	Anthracoise, cercospora leaf spot, early blight	6.0-8.5 Tbsp/16 L		7-14 days	Do not enter treatment areas until spray deposit have dried
INSPIRO AGRI PRODUCTS INC.	CHLOROTHALONIL	INSPIRONIL 500 SC	500 g/L	SC	FUNGICIDE	4	613-118-4522	24-Sep-21		Melon	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16 L		7-14 days	Do not enter treatment areas until spray deposit have dried
INSPIRO AGRI PRODUCTS INC.	CHLOROTHALONIL	INSPIRONIL 500 SC	500 g/L	SC	FUNGICIDE	4	613-118-4522	24-Sep-21		Cucumber	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16 L		7-14 days	Do not enter treatment areas until spray deposit have dried
INSPIRO AGRI PRODUCTS INC.	CHLOROTHALONIL	INSPIRONIL 500 SC	500 g/L	SC	FUNGICIDE	4	613-118-4522	24-Sep-21		Squash	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16 L		7-14 days	Do not enter treatment areas until spray deposit have dried
INSPIRO AGRI PRODUCTS INC.	CHLOROTHALONIL	INSPIRONIL 500 SC	500 g/L	SC	FUNGICIDE	4	613-118-4522	24-Sep-21		Watermelon	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16 L		7-14 days	Do not enter treatment areas until spray deposit have dried
INSPIRO AGRI PRODUCTS INC.	CHLOROTHALONIL	INSPIRONIL 500 SC	500 g/L	SC	FUNGICIDE	4	613-118-4522	24-Sep-21		Celery	Early and late blight	6.0-8.5 Tbsp/16 L		7-14 days	Do not enter treatment areas until spray deposit have dried
INSPIRO AGRI PRODUCTS INC.	CHLOROTHALONIL	INSPIRONIL 500 SC	500 g/L	SC	FUNGICIDE	4	613-118-4522	24-Sep-21		Okra	Damping off, stem rot, powdery mildew, late blight, cercospora leafspot, downy mildew	6.0-8.5 Tbsp/16 L		7-14 days	Do not enter treatment areas until spray deposit have dried
ARISTA LIFESCIENCE PHILIPPINES INC.	MANCOZEB	INSPIRE 80 WP	800 g/kg	WP	FUNGICIDE	4	083-053-3262	22-Jul-21		Potato	Early and late blight	3-6 Tbsp/16 L water		-	As soon as spray dries
ARISTA LIFESCIENCE PHILIPPINES INC.	MANCOZEB	INSPIRE 80 WP	800 g/kg	WP	FUNGICIDE	4	083-053-3262	22-Jul-21		Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
ARISTA LIFESCIENCE PHILIPPINES INC.	MANCOZEB	INSPIRE 80 WP	800 g/kg	WP	FUNGICIDE	4	083-053-3262	22-Jul-21		Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
ARISTA LIFESCIENCE PHILIPPINES INC.	MANCOZEB	INSPIRE 80 WP	800 g/kg	WP	FUNGICIDE	4	083-053-3262	22-Jul-21		Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
ARISTA LIFESCIENCE PHILIPPINES INC.	MANCOZEB	INSPIRE 80 WP	800 g/kg	WP	FUNGICIDE	4	083-053-3262	22-Jul-21		Celery	Late blight	3-6 Tbsp/16 L water		14 Days	As soon as spray dries
ARISTA LIFESCIENCE PHILIPPINES INC.	MANCOZEB	INSPIRE 80 WP	800 g/kg	WP	FUNGICIDE	4	083-053-3262	22-Jul-21		Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
ARISTA LIFESCIENCE PHILIPPINES INC.	MANCOZEB	INSPIRE 80 WP	800 g/kg	WP	FUNGICIDE	4	083-053-3262	22-Jul-21		Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
ARISTA LIFESCIENCE PHILIPPINES INC.	MANCOZEB	INSPIRE 80 WP	800 g/kg	WP	FUNGICIDE	4	083-053-3262	22-Jul-21		Cotton	Damping off	3-6 Tbsp/16 L water		-	As soon as spray dries
ARISTA LIFESCIENCE PHILIPPINES INC.	MANCOZEB	INSPIRE 80 WP	800 g/kg	WP	FUNGICIDE	4	083-053-3262	22-Jul-21		Lettuce	Downy mildew	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
ARISTA LIFESCIENCE PHILIPPINES INC.	MANCOZEB	INSPIRE 80 WP	800 g/kg	WP	FUNGICIDE	4	083-053-3262	22-Jul-21		Beans	Anthracoise, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray dries
ARISTA LIFESCIENCE PHILIPPINES INC.	MANCOZEB	INSPIRE 80 WP	800 g/kg	WP	FUNGICIDE	4	083-053-3262	22-Jul-21		Peas	Anthracoise, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray dries
ARISTA LIFESCIENCE PHILIPPINES INC.	MANCOZEB	INSPIRE 80 WP	800 g/kg	WP	FUNGICIDE	4	083-053-3262	22-Jul-21		Mungo	Anthracoise, Downy mildew, Rust	3-6 Tbsp/16 L water		5 days	As soon as spray dries
ARISTA LIFESCIENCE PHILIPPINES INC.	MANCOZEB	INSPIRE 80 WP	800 g/kg	WP	FUNGICIDE	4	083-053-3262	22-Jul-21		Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16 L water		5 days	As soon as spray dries
ARISTA LIFESCIENCE PHILIPPINES INC.	MANCOZEB	INSPIRE 80 WP	800 g/kg	WP	FUNGICIDE	4	083-053-3262	22-Jul-21		Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water		7 days	As soon as spray dries
ARISTA LIFESCIENCE PHILIPPINES INC.	MANCOZEB	INSPIRE 80 WP	800 g/kg	WP	FUNGICIDE	4	083-053-3262	22-Jul-21		Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
ARISTA LIFESCIENCE PHILIPPINES INC.	MANCOZEB	INSPIRE 80 WP	800 g/kg	WP	FUNGICIDE	4	083-053-3262	22-Jul-21		Pepper	Anthracoise	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
ARISTA LIFESCIENCE PHILIPPINES INC.	MANCOZEB	INSPIRE 80 WP	800 g/kg	WP	FUNGICIDE	4	083-053-3262	22-Jul-21		Chili	Anthracoise	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
ARISTA LIFESCIENCE PHILIPPINES INC.	MANCOZEB	INSPIRE 80 WP	800 g/kg	WP	FUNGICIDE	4	083-053-3262	22-Jul-21		Eggplant	Blight, Anthracnose	3-6 Tbsp/16 L water		7 days	As soon as spray dries
ARISTA LIFESCIENCE PHILIPPINES INC.	MANCOZEB	INSPIRE 80 WP	800 g/kg	WP	FUNGICIDE	4	083-053-3262	22-Jul-21		Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16 L water		-	As soon as spray dries
ARISTA LIFESCIENCE PHILIPPINES INC.	MANCOZEB	INSPIRE 80 WP	800 g/kg	WP	FUNGICIDE	4	083-053-3262	22-Jul-21		Grapes	Downy mildew, black rot	3-6 Tbsp/16 L water		60 days	As soon as spray dries
ARISTA LIFESCIENCE PHILIPPINES INC.	MANCOZEB	INSPIRE 80 WP	800 g/kg	WP	FUNGICIDE	4	083-053-3262	22-Jul-21		Mango	Anthracoise and Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
ARISTA LIFESCIENCE PHILIPPINES INC.	MANCOZEB	INSPIRE 80 WP	800 g/kg	WP	FUNGICIDE	4	083-053-3262	22-Jul-21		Papaya	Fruit rot	3-6 Tbsp/16 L water		-	As soon as spray dries
ARISTA LIFESCIENCE PHILIPPINES INC.	MANCOZEB	INSPIRE 80 WP	800 g/kg	WP	FUNGICIDE	4	083-053-3262	22-Jul-21		Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
ARISTA LIFESCIENCE PHILIPPINES INC.	MANCOZEB	INSPIRE 80 WP	800 g/kg	WP	FUNGICIDE	4	083-053-3262	22-Jul-21		Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water		5 days	As soon as spray dries
ARISTA LIFESCIENCE PHILIPPINES INC.	MANCOZEB	INSPIRE 80 WP	800 g/kg	WP	FUNGICIDE	4	083-053-3262	22-Jul-21		Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16 L water		7 Days	As soon as spray dries
ARISTA LIFESCIENCE PHILIPPINES INC.	MANCOZEB	INSPIRE 80 WP	800 g/kg	WP	FUNGICIDE	4	083-053-3262	22-Jul-21		Rice	Blas, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16 L water	0.02ppm	-	As soon as spray dries
ARISTA LIFESCIENCE PHILIPPINES INC.	MANCOZEB	INSPIRE 80 WP	800 g/kg	WP	FUNGICIDE	4	083-053-3262	22-Jul-21		Peanut	Cercospora leaf spot	3-6 Tbsp/16 L water		14 Days	As soon as spray dries
ARISTA LIFESCIENCE PHILIPPINES INC.	MANCOZEB	INSPIRE 80 WP	800 g/kg	WP	FUNGICIDE	4	083-053-3262	22-Jul-21		Soybeans	Leaf rust	3-6 Tbsp/16 L water		-	As soon as spray dries
ARISTA LIFESCIENCE PHILIPPINES INC.	MANCOZEB	INSPIRE 80 WP	800 g/kg	WP	FUNGICIDE	4	083-053-3262	22-Jul-21		Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/16 L water		-	As soon as spray dries
GREENTHUMB VENTURES CORP.	CYPERMETHRIN	INSEKTOKIL 5 EC	50 g/L	EC	INSECTICIDE	4	596-137-5497	06-Jul-24	-	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GREENTHUMB VENTURES CORP.	CYPERMETHRIN	INSEKTOKIL 5 EC	50 g/L	EC	INSECTICIDE	4	596-137-5497	06-Jul-24	-	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leafhopper, stem borer, armyworm, rice bug	1.0-2.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GREENTHUMB VENTURES CORP.	CYPERMETHRIN	INSEKTOKIL 5 EC	50 g/L	EC	INSECTICIDE	4	596-137-5497	06-Jul-24	-	Cabbage	Diamond back moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GREENTHUMB VENTURES CORP.	CYPERMETHRIN	INSEKTOKIL 5 EC	50 g/L	EC	INSECTICIDE	4	596-137-5497	06-Jul-24	-	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GREENTHUMB VENTURES CORP.	CYPERMETHRIN	INSEKTOKIL 5 EC	50 g/L	EC	INSECTICIDE	4	596-137-5497	06-Jul-24	-	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GREENTHUMB VENTURES CORP.	CYPERMETHRIN	INSEKTOKIL 5 EC	50 g/L	EC	INSECTICIDE	4	596-137-5497	06-Jul-24	-	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GREENTHUMB VENTURES CORP.	CYPERMETHRIN	INSEKTOKIL 5 EC	50 g/L	EC	INSECTICIDE	4	596-137-5497	06-Jul-24	-	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GREENTHUMB VENTURES CORP.	CYPERMETHRIN	INSEKTOKIL 5 EC	50 g/L	EC	INSECTICIDE	4	596-137-5497	06-Jul-24	-	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GREENTHUMB VENTURES CORP.	CYPERMETHRIN	INSEKTOKIL 5 EC	50 g/L	EC	INSECTICIDE	4	596-137-5497	06-Jul-24	-	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GREENTHUMB VENTURES CORP.	CYPERMETHRIN	INSEKTOKIL 5 EC	50 g/L	EC	INSECTICIDE	4	596-137-5497	06-Jul-24	-	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GREENTHUMB VENTURES CORP.	CYPERMETHRIN	INSEKTOKIL 5 EC	50 g/L	EC	INSECTICIDE	4	596-137-5497	06-Jul-24	-	Corn	Comborer, earworm	1.0-4.5 Tbsp/16 L water		7 days	Re-entry to treated field is allowed as soon as spray deposit dry
PHILIPPINE FARMFIX SOLUTIONS INC.	METHOMYL	INNATE 40 SP	400 g/kg	SP	INSECTICIDE	2	535-164-3837	02-Dec-25	CONTACT	Asparagus	Armyworm, cutworm	2-3.5 Tbsp/56L water		-	Do not enter fields with INNATE 40 SP within 12 hours after application
PHILIPPINE FARMFIX SOLUTIONS INC.	METHOMYL	INNATE 40 SP	400 g/kg	SP	INSECTICIDE	2	535-164-3837	02-Dec-25	CONTACT	Banana	Thrips	-		-	Do not enter fields with INNATE 40 SP within 12 hours after application

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
PHILIPPINE FARMIX SOLUTIONS INC.	METHOMYL	INNATE 40 SP	400 g/kg	SP	INSECTICIDE	2	535-164-3837	02-Dec-25	CONTACT	Mango	Leafhopper, flea beetle , beanfly, podborer,aphids	2-3.5 tbsp/36L water	-	-	Do not enter fields with INNATE 40 SP within 12 hours after application
PHILIPPINE FARMIX SOLUTIONS INC.	METHOMYL	INNATE 40 SP	400 g/kg	SP	INSECTICIDE	2	535-164-3837	02-Dec-25	CONTACT	Mungbeans	Leafhopper, flea beetle , beanfly, podborer,aphids	2-3.5 tbsp/36L water	-	-	Do not enter fields with INNATE 40 SP within 12 hours after application
PHILIPPINE FARMIX SOLUTIONS INC.	METHOMYL	INNATE 40 SP	400 g/kg	SP	INSECTICIDE	2	535-164-3837	02-Dec-25	CONTACT	Soybeans	Leafhopper, flea beetle , beanfly, podborer,aphids	2-3.5 tbsp/36L water	-	-	Do not enter fields with INNATE 40 SP within 12 hours after application
PHILIPPINE FARMIX SOLUTIONS INC.	METHOMYL	INNATE 40 SP	400 g/kg	SP	INSECTICIDE	2	535-164-3837	02-Dec-25	CONTACT	Pinto	Leafhopper, flea beetle , beanfly, podborer,aphids	2-3.5 tbsp/36L water	-	-	Do not enter fields with INNATE 40 SP within 12 hours after application
PHILIPPINE FARMIX SOLUTIONS INC.	METHOMYL	INNATE 40 SP	400 g/kg	SP	INSECTICIDE	2	535-164-3837	02-Dec-25	CONTACT	Corn	Comborer, earworm	2-3.5 tbsp/36L water	-	-	Do not enter fields with INNATE 40 SP within 12 hours after application
PHILIPPINE FARMIX SOLUTIONS INC.	METHOMYL	INNATE 40 SP	400 g/kg	SP	INSECTICIDE	2	535-164-3837	02-Dec-25	CONTACT	Sorghum	Comborer, earworm	2-3.5 tbsp/36L water	-	-	Do not enter fields with INNATE 40 SP within 12 hours after application
PHILIPPINE FARMIX SOLUTIONS INC.	METHOMYL	INNATE 40 SP	400 g/kg	SP	INSECTICIDE	2	535-164-3837	02-Dec-25	CONTACT	Eggplant	Aphids, flea beetle, fruitworm, lady beetle	2-3.5 tbsp/36L water	-	-	Do not enter fields with INNATE 40 SP within 12 hours after application
PHILIPPINE FARMIX SOLUTIONS INC.	METHOMYL	INNATE 40 SP	400 g/kg	SP	INSECTICIDE	2	535-164-3837	02-Dec-25	CONTACT	Melon	Aphids, Squash beetle , leafhopper	2-3.5 tbsp/36L water	-	-	Do not enter fields with INNATE 40 SP within 12 hours after application
PHILIPPINE FARMIX SOLUTIONS INC.	METHOMYL	INNATE 40 SP	400 g/kg	SP	INSECTICIDE	2	535-164-3837	02-Dec-25	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leafhopper	2-3.5 tbsp/36L water	0.05ppm	3 Days	Do not enter fields with INNATE 40 SP within 12 hours after application
PHILIPPINE FARMIX SOLUTIONS INC.	METHOMYL	INNATE 40 SP	400 g/kg	SP	INSECTICIDE	2	535-164-3837	02-Dec-25	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	2-3.5 tbsp/36L water	-	-	Do not enter fields with INNATE 40 SP within 12 hours after application
PHILIPPINE FARMIX SOLUTIONS INC.	METHOMYL	INNATE 40 SP	400 g/kg	SP	INSECTICIDE	2	535-164-3837	02-Dec-25	CONTACT	Tomato	Tomato fruitworm, aphids	2-3.5 tbsp/36L water	-	-	Do not enter fields with INNATE 40 SP within 12 hours after application
ALDIZ INCORPORATED	CARTAP HYDROCHLORIDE	INGRAM 50 SP	500 g/kg	SP	INSECTICIDE	3	002-106-1489	12-Mar-25	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3-0.5 tbsp/36L water	0.2ppm	Allow 10 days between last spraying and harvest	Allow 2 days between spraying and entry into the treated field
ALDIZ INCORPORATED	CARTAP HYDROCHLORIDE	INGRAM 50 SP	500 g/kg	SP	INSECTICIDE	3	002-106-1489	12-Mar-25	SYSTEMIC	Wongbok	Diamond back moth, aphids, cabbage moth, cabbage worm	1.5-2 tbsp/36L water	-	Allow 10 days between last spraying and harvest	Allow 2 days between spraying and entry into the treated field
ALDIZ INCORPORATED	CARTAP HYDROCHLORIDE	INGRAM 50 SP	500 g/kg	SP	INSECTICIDE	3	002-106-1489	12-Mar-25	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2 tbsp/36L water	-	Allow 10 days between last spraying and harvest	Allow 2 days between spraying and entry into the treated field
ALDIZ INCORPORATED	CARTAP HYDROCHLORIDE	INGRAM 50 SP	500 g/kg	SP	INSECTICIDE	3	002-106-1489	12-Mar-25	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2 tbsp/36L water	-	Allow 10 days between last spraying and harvest	Allow 2 days between spraying and entry into the treated field
ALDIZ INCORPORATED	CARTAP HYDROCHLORIDE	INGRAM 50 SP	500 g/kg	SP	INSECTICIDE	3	002-106-1489	12-Mar-25	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2 tbsp/36L water	-	Allow 10 days between last spraying and harvest	Allow 2 days between spraying and entry into the treated field
ALDIZ INCORPORATED	CARTAP HYDROCHLORIDE	INGRAM 50 SP	500 g/kg	SP	INSECTICIDE	3	002-106-1489	12-Mar-25	SYSTEMIC	Onion	Thrips, cutworm	1.5-2 tbsp/36L water	-	Allow 10 days between last spraying and harvest	Allow 2 days between spraying and entry into the treated field
ALDIZ INCORPORATED	CARTAP HYDROCHLORIDE	INGRAM 50 SP	500 g/kg	SP	INSECTICIDE	3	002-106-1489	12-Mar-25	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2 tbsp/36L water	-	Allow 10 days between last spraying and harvest	Allow 2 days between spraying and entry into the treated field
ALDIZ INCORPORATED	CARTAP HYDROCHLORIDE	INGRAM 50 SP	500 g/kg	SP	INSECTICIDE	3	002-106-1489	12-Mar-25	SYSTEMIC	Mango	leafhoppers	1.5-2 tbsp/36L water	-	Allow 10 days between last spraying and harvest	Allow 2 days between spraying and entry into the treated field
ALDIZ INCORPORATED	CARTAP HYDROCHLORIDE	INGRAM 50 SP	500 g/kg	SP	INSECTICIDE	3	002-106-1489	12-Mar-25	SYSTEMIC	Peachay	looper, cutworm, aphids	1.5-3 tbsp/36L water	-	Allow 10 days between last spraying and harvest	Allow 2 days between spraying and entry into the treated field
SYNGENTA PHILIPPINES INC.	FLUDIOXINIL-METHALAXYL-M	INFILUX XL 035 FS	25+50g/L	FS	FUNGICIDE	4	011-454-3670	19-Oct-26	-	Corn	Damping-off (Pythium aphanizomenes) & seedling blight (Fusarium verticillioides)	20-40ml/20 kg seed	-	-	-
BAYER CROPSCIENCE, INC.	FLUPICLOLIDE-PROPAMOCARB HCl	INFINITO SC 687.5	62.5 g/L+425 g/L	SC	FUNGICIDE	3	284-527-5016	17-Jan-26	-	Watermelon	Downey mildew	1.2-1.6 kg product per hectare at spray volume of 400-600 L/ha	5 mg/kg	14 days	Do not enter treated area before the spray deposits has dried completely (for at least 12 hours after application)
BAYER CROPSCIENCE, INC.	FLUPICLOLIDE-PROPAMOCARB HCl	INFINITO SC 687.5	62.5 g/L+425 g/L	SC	FUNGICIDE	3	284-527-5016	17-Jan-26	-	Potato	Late blight	50-60 ml product per 36L of water at spray volume of 400-600 L/ha	0.05 mg/kg	7 days	Do not enter treated area before the spray deposits has dried completely (for at least 12 hours after application)
BAYER CROPSCIENCE, INC.	FLUPICLOLIDE-PROPAMOCARB HCl	INFINITO SC 687.5	62.5 g/L+425 g/L	SC	FUNGICIDE	3	284-527-5016	17-Jan-26	-	Tomato	Late blight (Phytophthora infestans)	40-60 ml product per 36L of spray volume of 400-600 L/ha	0.05 mg/kg	14 days	Do not enter treated area before the spray deposits has dried completely (for at least 12 hours after application)
JOANIMA CORPORATION	FFPRONIL	INFILTRATE 5 SC	50 g/L	SC	INSECTICIDE	3	241-244-3281	02-Apr-26	CONTACT	Rice	Stemborer, brown planthopper, leafhopper, rice bug	1.3-2.0, 2.0-3.0, 2.7-4.0 tbsp./36L	0.02ppm	Do not apply 7 days before harvest	One day after application
JOANIMA CORPORATION	FFPRONIL	INFILTRATE 5 SC	50 g/L	SC	INSECTICIDE	3	241-244-3281	02-Apr-26	CONTACT	Cabbage	Diamond backed moth	1.3-2.0, 2.0-3.0, 2.7-4.0 tbsp./36L	-	Do not apply 7 days before harvest	One day after application
JOANIMA CORPORATION	FFPRONIL	INFILTRATE 5 SC	50 g/L	SC	INSECTICIDE	3	241-244-3281	02-Apr-26	CONTACT	Watermelon	Thrips, leaf beetles	2.5-3.0 tbsp./36L	-	Do not apply 7 days before harvest	One day after application
JOANIMA CORPORATION	FFPRONIL	INFILTRATE 5 SC	50 g/L	SC	INSECTICIDE	3	241-244-3281	02-Apr-26	CONTACT	Onion	Cutworm	5.33 tbsp./36L	-	Do not apply 7 days before harvest	One day after application
JOANIMA CORPORATION	FFPRONIL	INFILTRATE 5 SC	50 g/L	SC	INSECTICIDE	3	241-244-3281	02-Apr-26	CONTACT	Eggplant	Shoot borer	3.0-4.0 tbsp./36L	-	Do not apply 7 days before harvest	One day after application
JOANIMA CORPORATION	FFPRONIL	INFILTRATE 5 SC	50 g/L	SC	INSECTICIDE	3	241-244-3281	02-Apr-26	CONTACT	Banana	Flower thrips	Dilute 6.0 ml prod./L of water. Inject 30 ml suspension mix per bud	-	Do not apply 7 days before harvest	One day after application
JOANIMA CORPORATION	FFPRONIL	INFILTRATE 5 SC	50 g/L	SC	INSECTICIDE	3	241-244-3281	02-Apr-26	CONTACT	Corn	Seedling maggot	Dilute 10-12 ml prod./kg of seed or 200-260 ml prod./20 kg of seeds	-	Do not apply 7 days before harvest	One day after application
JOANIMA CORPORATION	FFPRONIL	INFILTRATE 0.3 GR	3 g/kg	GR	INSECTICIDE	3	241-244-3280	02-Apr-20	CONTACT	Rice (transplanted)	Stemborer	10-17 kg prod./ha	0.02ppm	10 days	-
JOANIMA CORPORATION	FFPRONIL	INFILTRATE 0.3 GR	3 g/kg	GR	INSECTICIDE	3	241-244-3280	02-Apr-20	CONTACT	Rice (Direct seeded)	Brown planthopper	10-17 kg prod./ha	0.02ppm	10 days	-
JOANIMA CORPORATION	FFPRONIL	INFILTRATE 0.3 GR	3 g/kg	GR	INSECTICIDE	3	241-244-3280	02-Apr-20	CONTACT	Corn	Asiatic corn borer, earworm & aphids	10-13 kg prod./ha	-	-	-
JOANIMA CORPORATION	FFPRONIL	INFILTRATE 0.3 GR	3 g/kg	GR	INSECTICIDE	3	241-244-3280	02-Apr-20	CONTACT	Sugarcane (plant canes) & ratoon	White grubs	20-30 kg prod./ha	-	-	-
JEELS MASAGANA FARM SUPPLY, INC.	LAMBDA-CHYALOTHIRIN	INFERNO 2.5 EC	25 g/L	EC	INSECTICIDE	2	487-204-2697	03-Feb-27	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leafhopper, black bug	1.0-1.5 tbsp/36L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
JEELS MASAGANA FARM SUPPLY, INC.	LAMBDA-CHYALOTHIRIN	INFERNO 2.5 EC	25 g/L	EC	INSECTICIDE	2	487-204-2697	03-Feb-27	SYSTEMIC	Mango	Hoppers	0.75-1.5 tbsp/36L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
JEELS MASAGANA FARM SUPPLY, INC.	LAMBDA-CHYALOTHIRIN	INFERNO 2.5 EC	25 g/L	EC	INSECTICIDE	2	487-204-2697	03-Feb-27	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5 tbsp/36L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
JEELS MASAGANA FARM SUPPLY, INC.	LAMBDA-CHYALOTHIRIN	INFERNO 2.5 EC	25 g/L	EC	INSECTICIDE	2	487-204-2697	03-Feb-27	SYSTEMIC	Onion	Thrips, cutworm	1.0 tbsp/36L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
JEELS MASAGANA FARM SUPPLY, INC.	LAMBDA-CHYALOTHIRIN	INFERNO 2.5 EC	25 g/L	EC	INSECTICIDE	2	487-204-2697	03-Feb-27	SYSTEMIC	Mungbeans	Beanfly, flea beetle, leafhopper, aphids, mites, podborer	1.0 tbsp/36L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
JEELS MASAGANA FARM SUPPLY, INC.	LAMBDA-CHYALOTHIRIN	INFERNO 2.5 EC	25 g/L	EC	INSECTICIDE	2	487-204-2697	03-Feb-27	SYSTEMIC	Corn	Comborer, aphids, seedling maggots	1.0-1.5 tbsp/36L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
JEELS MASAGANA FARM SUPPLY, INC.	LAMBDA-CHYALOTHIRIN	INFERNO 2.5 EC	25 g/L	EC	INSECTICIDE	2	487-204-2697	03-Feb-27	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5 tbsp/36L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
JEELS MASAGANA FARM SUPPLY, INC.	LAMBDA-CHYALOTHIRIN	INFERNO 2.5 EC	25 g/L	EC	INSECTICIDE	2	487-204-2697	03-Feb-27	SYSTEMIC	Cotton	Bollworm	1.0-1.5 tbsp/36L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
JEELS MASAGANA FARM SUPPLY, INC.	LAMBDA-CHYALOTHIRIN	INFERNO 2.5 EC	25 g/L	EC	INSECTICIDE	2	487-204-2697	03-Feb-27	SYSTEMIC	Cacao	Podborer	1.0-2.0 tbsp/36L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
JEELS MASAGANA FARM SUPPLY, INC.	LAMBDA-CHYALOTHIRIN	INFERNO 2.5 EC	25 g/L	EC	INSECTICIDE	2	487-204-2697	03-Feb-27	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0 tbsp/36L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
AGSMART CORPORATION	INDOXACARB	INDOX 30 WDG	300 g/kg	WDG	INSECTICIDE	3	680-353-5676	21-Feb-25	CONTACT	Cabbage	Diamond back moth	3-0.5 grams prod. / 36L sprayer	-	1 day	As soon as the spray has dried
AGSMART CORPORATION	INDOXACARB	INDOX 30 WDG	300 g/kg	WDG	INSECTICIDE	3	680-353-5676	21-Feb-25	CONTACT	Eggplant	Shoot/ fruit borer	4-0.5 g prod. / 36L sprayer	-	3 days	As soon as the spray has dried
AGSMART CORPORATION	INDOXACARB	INDOX 30 WDG	300 g/kg	WDG	INSECTICIDE	3	680-353-5676	21-Feb-25	CONTACT	Bittergourd	Cutworm	4-0.5 g prod. / 36L sprayer	-	1 day	As soon as the spray has dried
AGSMART CORPORATION	INDOXACARB	INDOX 30 WDG	300 g/kg	WDG	INSECTICIDE	3	680-353-5676	21-Feb-25	CONTACT	Stringbeans	Podborer	4-0 g prod. / 36L sprayer	-	3 days	As soon as the spray has dried
AGSMART CORPORATION	INDOXACARB	INDOX 30 WDG	300 g/kg	WDG	INSECTICIDE	3	680-353-5676	21-Feb-25	CONTACT	Rice	Leafhopper	2-0 g prod. / 36L sprayer	-	3 days	As soon as the spray has dried
AGSMART CORPORATION	INDOXACARB	INDOX 30 WDG	300 g/kg	WDG	INSECTICIDE	3	680-353-5676	21-Feb-25	CONTACT	Tobacco	Cutworm/budworm	4-0 g prod. / 36L sprayer	-	1 day	As soon as the spray has dried
INDOFIL PHILIPPINES INC.	SULFENTRAZONE	CANEVIDA 480 SC	480 g/L	SC	HERBICIDE	3	404-392-6102	3-Apr-26	SELECTIVE (PRE-POST-EMERGENT)	Sugarcane	Grasses , broadleaf weeds and sedges	1-0.1 prod./ha, 400L/ha	0.2 ppm	-	Do not enter treated area within one day after treatment unless wearing protective clothing
INDOFIL PHILIPPINES INC.	SULFENTRAZONE	CANEVIDA 480 SC	480 g/L	SC	HERBICIDE	3	404-392-6102	3-Apr-26	SELECTIVE (PRE-POST-EMERGENT)	Pineapple	Grasses , broadleaf weeds and sedges	1-0.2-0.8 L prod. / ha	-	-	Do not enter treated area within one day after treatment unless wearing protective clothing
INDOFIL PHILIPPINES INC.	MANCOZEB	INDOFIL 800 WP	800g/kg	WP	FUNGICIDE	4	404-053-4246	05-Feb-27	-	Potato	Early and late blight	3-6 tbsp/36 L water	-	-	Do not spray within 7 days before harvest

List of Registered Pesticide Products as of May 2, 2024

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
INDOFIL PHILIPPINES INC.	MANCOZEB	INDOFIL 750 WDG	750g/kg	WDG	FUNGICIDE	4	404-031-4242-A	05-Feb-27	-	Ornamentals	Black spot, Blight, Anthracnose	3-6 Tbsp/36 L	-	0 day	Do not enter the field within 2 days after spraying.
INDOFIL PHILIPPINES INC.	MANCOZEB	INDOFIL 600 OS	600 g/L	OS	FUNGICIDE	4	604-061-4505	11-Sep-24	-	Banana	Black Sigatoka	-	-	-	-
INDOFIL PHILIPPINES INC.	MANCOZEB	INDOFIL 455 F	455g/L	F	FUNGICIDE	4	094-031-4340-A	05-Sep-27	-	Banana	Sigatoka/black leaf	4-5 Liters/ha	-	Do not spray within 7 days before harvest.	Do not enter the field within 2 days after spraying.
JYNNSONS PHILIPPINES, INC.	CARBARYL	INDEX 85 WP	850 g/kg	WP	INSECTICIDE	2	551-035-5504	04-Feb-26	-	Tobacco	Bluetworm, cutworm, aphids	4-6 Tbsp/16 L water	-	Do not spray within 14 days on rice, 5days on citrus and 1 day on cacao, coffee and mango.	Treated areas may be re-entered immediately after spray has dried on foliage
JYNNSONS PHILIPPINES, INC.	CARBARYL	INDEX 85 WP	850 g/kg	WP	INSECTICIDE	2	551-035-5504	04-Feb-26	-	Sorghum	Webworm, armyworm, cutworm, headworm	4-6 Tbsp/16 L water	-	Do not spray within 14 days on rice, 5days on citrus and 1 day on cacao, coffee and mango.	Treated areas may be re-entered immediately after spray has dried on foliage
JYNNSONS PHILIPPINES, INC.	CARBARYL	INDEX 85 WP	850 g/kg	WP	INSECTICIDE	2	551-035-5504	04-Feb-26	-	Mango	Mango hopper, tip borer, twig borer, fruit fly, mealy bug	4-8 Tbsp/16 L water	-	Do not spray within 14 days on rice, 5days on citrus and 1 day on cacao, coffee and mango.	Treated areas may be re-entered immediately after spray has dried on foliage
JYNNSONS PHILIPPINES, INC.	CARBARYL	INDEX 85 WP	850 g/kg	WP	INSECTICIDE	2	551-035-5504	04-Feb-26	-	Coffee	Berry borer	4-6 Tbsp/16 L water	-	Do not spray within 14 days on rice, 5days on citrus and 1 day on cacao, coffee and mango.	Treated areas may be re-entered immediately after spray has dried on foliage
JYNNSONS PHILIPPINES, INC.	CARBARYL	INDEX 85 WP	850 g/kg	WP	INSECTICIDE	2	551-035-5504	04-Feb-26	-	Cacao	Podborer, aphids, capsid bug	4-6 Tbsp/16 L water	-	Do not spray within 14 days on rice, 5days on citrus and 1 day on cacao, coffee and mango.	Treated areas may be re-entered immediately after spray has dried on foliage
JYNNSONS PHILIPPINES, INC.	CARBARYL	INDEX 85 WP	850 g/kg	WP	INSECTICIDE	2	551-035-5504	04-Feb-26	-	Citrus	Rind borer	4-6 Tbsp/16 L water	-	Do not spray within 14 days on rice, 5days on citrus and 1 day on cacao, coffee and mango.	Treated areas may be re-entered immediately after spray has dried on foliage
JYNNSONS PHILIPPINES, INC.	CARBARYL	INDEX 85 WP	850 g/kg	WP	INSECTICIDE	2	551-035-5504	04-Feb-26	-	Soybeans	Podborer, beanfly, leafminer, aphids	4-6 Tbsp/16 L water	-	Do not spray within 14 days on rice, 5days on citrus and 1 day on cacao, coffee and mango.	Treated areas may be re-entered immediately after spray has dried on foliage
JYNNSONS PHILIPPINES, INC.	CARBARYL	INDEX 85 WP	850 g/kg	WP	INSECTICIDE	2	551-035-5504	04-Feb-26	-	Rice	Green leafhopper, caseworm, aphids	4-6 Tbsp/16 L water	-	Do not spray within 14 days on rice, 5days on citrus and 1 day on cacao, coffee and mango.	Treated areas may be re-entered immediately after spray has dried on foliage
JYNNSONS PHILIPPINES, INC.	CARBARYL	INDEX 85 WP	850 g/kg	WP	INSECTICIDE	2	551-035-5504	04-Feb-26	-	Cowpea and other beans	Podborer, beanfly, leafminer, cutworm, aphids	4-8 Tbsp/16 L water	-	Do not spray within 14 days on rice, 5days on citrus and 1 day on cacao, coffee and mango.	Treated areas may be re-entered immediately after spray has dried on foliage
JYNNSONS PHILIPPINES, INC.	CARBARYL	INDEX 85 WP	850 g/kg	WP	INSECTICIDE	2	551-035-5504	04-Feb-26	-	Cotton seed	Bollworm, cutworm	4-6 Tbsp/16 L water	-	Do not spray within 14 days on rice, 5days on citrus and 1 day on cacao, coffee and mango.	Treated areas may be re-entered immediately after spray has dried on foliage
JYNNSONS PHILIPPINES, INC.	CARBARYL	INDEX 85 WP	850 g/kg	WP	INSECTICIDE	2	551-035-5504	04-Feb-26	-	Corn	Corn borer, corn earworm, army worm	4-6 Tbsp/16 L water	-	Do not spray within 14 days on rice, 5days on citrus and 1 day on cacao, coffee and mango.	Treated areas may be re-entered immediately after spray has dried on foliage
JYNNSONS PHILIPPINES, INC.	CARBARYL	INDEX 85 WP	850 g/kg	WP	INSECTICIDE	2	551-035-5504	04-Feb-26	-	Tomato	Fruitworm, leafy beetle	4-6 Tbsp/16 L water	-	Do not spray within 14 days on rice, 5days on citrus and 1 day on cacao, coffee and mango.	Treated areas may be re-entered immediately after spray has dried on foliage
JYNNSONS PHILIPPINES, INC.	CARBARYL	INDEX 85 WP	850 g/kg	WP	INSECTICIDE	2	551-035-5504	04-Feb-26	-	Cucurbits	Squash beetle, leafy beetle	4-6 Tbsp/16 L water	-	Do not spray within 14 days on rice, 5days on citrus and 1 day on cacao, coffee and mango.	Treated areas may be re-entered immediately after spray has dried on foliage
NS NORTHERN ORGANIC FERTILIZER INC.	LAMBDA-CHYALOTHIN	INDEPENDENT 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	470-395-5998	18-Feb-25	-	Potato	Whiteflies, aphids, thrips	100-200 mL/ha; 4-6 mL/16L	-	7 days	Do not enter treated fields at least 1 day after application.
NS NORTHERN ORGANIC FERTILIZER INC.	LAMBDA-CHYALOTHIN	INDEPENDENT 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	470-395-5998	18-Feb-25	-	Stringbeans	Green leafhopper, aphids, mites	100-200 mL/ha; 4-6 mL/16L	-	7 days	Do not enter treated fields at least 1 day after application.
NS NORTHERN ORGANIC FERTILIZER INC.	LAMBDA-CHYALOTHIN	INDEPENDENT 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	470-395-5998	18-Feb-25	-	Eggplant	Whiteflies, aphids, green leafhopper, aphids	100-200 mL/ha; 4-6 mL/16L	-	7 days	Do not enter treated fields at least 1 day after application.
NS NORTHERN ORGANIC FERTILIZER INC.	LAMBDA-CHYALOTHIN	INDEPENDENT 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	470-395-5998	18-Feb-25	-	Lettinground	Leafhoppers, thrips, aphids, fruitfly, cutworm	100-200 mL/ha; 4-13 mL/16L	-	7 days	Do not enter treated fields at least 1 day after application.
NS NORTHERN ORGANIC FERTILIZER INC.	LAMBDA-CHYALOTHIN	INDEPENDENT 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	470-395-5998	18-Feb-25	-	Mango	Leafhoppers, tip borers, capsid bug, fruitfly, cecid fly	20-30mL/100L	-	3 days	Do not enter treated fields at least 1 day after application.
NS NORTHERN ORGANIC FERTILIZER INC.	LAMBDA-CHYALOTHIN	INDEPENDENT 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	470-395-5998	18-Feb-25	-	Corn	Australian corn borer, cutworm, leafhoppers, aphids, earworm	20-400 mL/ha; 10-16 mL/16L	-	3 days	Do not enter treated fields at least 1 day after application.
NS NORTHERN ORGANIC FERTILIZER INC.	LAMBDA-CHYALOTHIN	INDEPENDENT 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	470-395-5998	18-Feb-25	-	Banana	Flower thrips	3 mL/L	-	30 days	Do not enter treated fields at least 1 day after application.
NS NORTHERN ORGANIC FERTILIZER INC.	LAMBDA-CHYALOTHIN	INDEPENDENT 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	470-395-5998	18-Feb-25	-	Rice	Stem borer, leafhopper, rice bugs	100-300 mL/ha; 10-30.0 mL/16L	-	14 days	Do not enter treated fields at least 1 day after application.
SYNGENTA PHILIPPINES INC.	ISOXYFLUBERAM	INCPID 200 SC	200 g/L	SC	INSECTICIDE	4	011-625-6236	4-Sep-24	-	Rice	Leaf folder	100 mL prod / hectare; 100 L/ha	0.8 mg/kg	36 days	Do not enter treated areas until the spray deposits have dried
DETREX INDUSTRIES INC.	METHYL BROMIDE-CHLOROPICRIN	INBROM	980+20 g/L	-	FUMIGANT	1	525-111-3088	19-Dec-24	-	Soil and space fumigant	Weeds, nematodes, fungal & insect pests	500 kg/ha	-	-	-
BAYER CROSCIENCE, INC.	SPINRAME	INPUSE EC 500	500 g/L	EC	FUNGICIDE	2	284-385-1851	28-Dec-25	SYSTEMIC	Banana	Black Sigatoka	0.64 L prod/ha	4 ppm	0 day	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	IMIDACLOPRID	IMPRIDE 350 FS	350 g/L	FS	INSECTICIDE	3	539-240-5076	20-May-26	-	Corn (as seed treatment)	Seedling maggot, ants, field crickets & mole crickets	75-100 mL prod / 38-20 kg Seed	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	IMIDACLOPRID	IMPRIDE 350 FS	350 g/L	FS	INSECTICIDE	3	539-240-5076	20-May-26	-	Rice (as seed treatment)	Rice whorl maggot & green leafhopper	5-10 mL prod / 1 kg seed	-	-	-
AGRI CHEMICAL CORPORATION	ABAMECTIN	IMEX 1.8 EC	18 g/L	EC	INSECTICIDE	2	534-234-3550	21-Sep-18	-	Banana	Blossom thrips	0.5/ L water	-	-	-
AGRI CHEMICAL CORPORATION	ABAMECTIN	IMEX 1.8 EC	18 g/L	EC	INSECTICIDE	2	534-234-3550	21-Sep-18	-	Cabbage	Diamond back moth	3000 mL prod/ha	-	-	-
AGRI CHEMICAL CORPORATION	ABAMECTIN	IMEX 1.8 EC	18 g/L	EC	INSECTICIDE	2	534-234-3550	21-Sep-18	-	Ornamentals	Mites	1.0-1.5 Tbsp/16 L of water	-	-	-
AGRI CHEMICAL CORPORATION	ABAMECTIN	IMEX 1.8 EC	18 g/L	EC	INSECTICIDE	2	534-234-3550	21-Sep-18	-	Pineapple	Mites	1000-4000mL prod/ha	-	-	-
AGRI CHEMICAL CORPORATION	ABAMECTIN	IMEX 1.8 EC	18 g/L	EC	INSECTICIDE	2	534-234-3550	21-Sep-18	-	Eggplant	Thrips, leafhopper, fruit and shoot borer	2.0-5.0 Tbsp/16 L of water	-	-	-
AGRI CHEMICAL CORPORATION	ABAMECTIN	IMEX 1.8 EC	18 g/L	EC	INSECTICIDE	2	534-234-3550	21-Sep-18	-	Onion	leafminer, thrips	2.0-3.0 Tbsp/16 L of water	-	-	-
AGRI CHEMICAL CORPORATION	ABAMECTIN	IMEX 1.8 EC	18 g/L	EC	INSECTICIDE	2	534-234-3550	21-Sep-18	-	Potato	leafminer, thrips	2.0-3.0 Tbsp/16 L of water	-	-	-
AGRI CHEMICAL CORPORATION	ABAMECTIN	IMEX 1.8 EC	18 g/L	EC	INSECTICIDE	2	534-234-3550	21-Sep-18	-	Tomato	leafminer, thrips, aphids	2.0-3.0 Tbsp/16 L of water	-	-	-
AGRI CHEMICAL CORPORATION	ABAMECTIN	IMEX 1.8 EC	18 g/L	EC	INSECTICIDE	2	534-234-3550	21-Sep-18	-	Watermelon	leafminer, thrips, melonworm	2.0-3.0 Tbsp/16 L of water	-	-	-
AGRI CHEMICAL CORPORATION	ABAMECTIN	IMEX 1.8 EC	18 g/L	EC	INSECTICIDE	2	534-234-3550	21-Sep-18	-	Papaya	Mites	0.5-1.0 Tbsp/16 L of water	-	-	-
AGRI CHEMICAL CORPORATION	ABAMECTIN	IMEX 1.8 EC	18 g/L	EC	INSECTICIDE	2	534-234-3550	21-Sep-18	-	Strawberry	Mites	2.0-4.0 Tbsp/16 L of water	-	-	-
AGRI CHEMICAL CORPORATION	CYPERMETHRIN	IMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	534-037-3168	27-Jun-19	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposit dry
AGRI CHEMICAL CORPORATION	CYPERMETHRIN	IMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	534-037-3168	27-Jun-19	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leafhopper, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposit dry
AGRI CHEMICAL CORPORATION	CYPERMETHRIN	IMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	534-037-3168	27-Jun-19	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposit dry
AGRI CHEMICAL CORPORATION	CYPERMETHRIN	IMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	534-037-3168	27-Jun-19	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposit dry
AGRI CHEMICAL CORPORATION	CYPERMETHRIN	IMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	534-037-3168	27-Jun-19	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposit dry
AGRI CHEMICAL CORPORATION	CYPERMETHRIN	IMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	534-037-3168	27-Jun-19	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposit dry
AGRI CHEMICAL CORPORATION	CYPERMETHRIN	IMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	534-037-3168	27-Jun-19	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposit dry
AGRI CHEMICAL CORPORATION	CYPERMETHRIN	IMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	534-037-3168	27-Jun-19	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposit dry
AGRI CHEMICAL CORPORATION	CYPERMETHRIN	IMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	534-037-3168	27-Jun-19	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposit dry
AGRI CHEMICAL CORPORATION	CYPERMETHRIN	IMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	534-037-3168	27-Jun-19	CONTACT	Tobacco	Bluetworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposit dry
AGRI CHEMICAL CORPORATION	CYPERMETHRIN	IMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	534-037-3168	27-Jun-19	CONTACT	Corn	Comborer, earworm	1.0-4.5 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposit dry
TEXICON AGR VENTURES CORPORATION	IMIDACLOPRID	IMARION 20 SL	200g/L	SL	INSECTICIDE	3	242-240-4096	22-Mar-25	-	Mango	Hoppers	20-25mL/100L water	-	20 days	In banana(bud injection),enter the treated area immediately after bud injection in other crops (including banana as foliar application),enter treated
TEXICON AGR VENTURES CORPORATION	IMIDACLOPRID	IMARION 20 SL	200g/L	SL	INSECTICIDE	3	242-240-4096	22-Mar-25	-	Banana	Flower thrips, aphids, mealy bugs	0.5mL prod/liter water,0.5-1.5 mL prod/liter water	-	(Foliar application) 0 day	In banana(bud injection),enter the treated area immediately after bud injection in other crops (including banana as foliar application),enter treated
TEXICON AGR VENTURES CORPORATION	IMIDACLOPRID	IMARION 20 SL	200g/L	SL	INSECTICIDE	3	242-240-4096	22-Mar-25	-	Watermelon	Thrips, aphids	3-4 mL/16 L water	-	-	In banana(bud injection),enter the treated area immediately after bud injection in other crops (including banana as foliar application),enter treated
TEXICON AGR VENTURES CORPORATION	IMIDACLOPRID	IMARION 20 SL	200g/L	SL	INSECTICIDE	3	242-240-4096	22-Mar-25	-	Citrus	Windborer, mealybug, scale insects	1.25-2.50mL/16 L water	-	34 days	In banana(bud injection),enter the treated area immediately after bud injection in other crops (including banana as foliar application),enter treated
TEXICON AGR VENTURES CORPORATION	IMIDACLOPRID	IMARION 20 SL	200g/L	SL	INSECTICIDE	3	242-240-4096	22-Mar-25	-	Cabbage	DBM, Flea beetle	2.0-2.5mL/16 L water	-	28 days	In banana(bud injection),enter the treated area immediately after bud injection in other crops (including banana as foliar application),enter treated

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
TEXICON AGR VENTURES CORPORATION	IMIDACLOPRID	IMARON 20 SL	200g/L	SL	INSECTICIDE	3	242-240-4096	22-Mar-25	-	Sugarcane	Termites	1.5-2.5ml/36 L water	-	-	In banana(bud injection),enter the treated area immediately after bud injection in other crops (including banana as foliar application) enter treated
TEXICON AGR VENTURES CORPORATION	IMIDACLOPRID	IMARON 20 SL	200g/L	SL	INSECTICIDE	3	242-240-4096	22-Mar-25	-	Asparagus	Thrips	3 ml/36 L water	-	(Foliar application) 0 day	In banana(bud injection),enter the treated area immed ately after bud injection in other crops (including banana as foliar application) enter treated
TEXICON AGR VENTURES CORPORATION	IMIDACLOPRID	IMARON 20 SL	200g/L	SL	INSECTICIDE	3	242-240-4096	22-Mar-25	-	Okra	Leafhopper	0.62-1.25ml/36 L water	-	(Foliar application) 0 day	In banana(bud injection),enter the treated area immed ately after bud injection in other crops (including banana as foliar application) enter treated
TEXICON AGR VENTURES CORPORATION	IMIDACLOPRID	IMARON 20 SL	200g/L	SL	INSECTICIDE	3	242-240-4096	22-Mar-25	-	Pineapple	Mealybug	On planting materials (seed) in IMARON solution before planting at	-	30 days	In banana(bud injection),enter the treated area immed ately after bud injection in other crops (including banana as foliar application) enter treated
LEADS AGRICULTURAL PRODUCTS CORPORATION	GLUFOSINATE AMMONIUM	IGNITE 15 SL	150 g/L	SL	HERBICIDE	4	099-182-3607	27-Nov-24	NON-SELECTIVE/POST-EMERGENT	Rubber	Annual & Perennial grasses, sedges and & Broadleaf weeds	21.5,27,13.5 Tbsp/36 L water	-	0 day	After spraying deposits have dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	GLUFOSINATE AMMONIUM	IGNITE 15 SL	150 g/L	SL	HERBICIDE	4	099-182-3607	27-Nov-24	NON-SELECTIVE/POST-EMERGENT	Oil palm	Annual & Perennial grasses, sedges and & Broadleaf weeds	16,13.5 Tbsp/36 L water	-	0 day	After spraying deposits have dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	GLUFOSINATE AMMONIUM	IGNITE 15 SL	150 g/L	SL	HERBICIDE	4	099-182-3607	27-Nov-24	NON-SELECTIVE/POST-EMERGENT	Non-Agricultural Crop Areas	Weeds	36-21.5 Tbsp/36 L water	-	0 day	After spraying deposits have dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	GLUFOSINATE AMMONIUM	IGNITE 15 SL	150 g/L	SL	HERBICIDE	4	099-182-3607	27-Nov-24	NON-SELECTIVE/POST-EMERGENT	Cavendish Banana	Annual & Perennial grasses, sedges and & Broadleaf weeds	16,13.5-20.0Tbsp/36 L water	0.2 mg/kg	0 day	After spraying deposits have dried
CFS AGR VENTURES, INC.	BPiMC-CHLORPYRIFOS	IDOL 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	631-174-4649	06-Feb-22	-	Rice	Stemborer, armyworm, leafhopper, caseworm and planthopper	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
CFS AGR VENTURES, INC.	BPiMC-CHLORPYRIFOS	IDOL 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	631-174-4649	06-Feb-22	-	Corn	Seeding maggot, corn earworm, cornborer and armyworm	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
CFS AGR VENTURES, INC.	BPiMC-CHLORPYRIFOS	IDOL 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	631-174-4649	06-Feb-22	-	Tobacco	Budworm, grasshopper, aphid, cutworm and armyworm	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
CFS AGR VENTURES, INC.	BPiMC-CHLORPYRIFOS	IDOL 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	631-174-4649	06-Feb-22	-	Cucumber	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
CFS AGR VENTURES, INC.	BPiMC-CHLORPYRIFOS	IDOL 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	631-174-4649	06-Feb-22	-	Melon	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
CFS AGR VENTURES, INC.	BPiMC-CHLORPYRIFOS	IDOL 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	631-174-4649	06-Feb-22	-	Watermelon	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
CFS AGR VENTURES, INC.	BPiMC-CHLORPYRIFOS	IDOL 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	631-174-4649	06-Feb-22	-	Onion	Thrips, cutworm	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
CFS AGR VENTURES, INC.	BPiMC-CHLORPYRIFOS	IDOL 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	631-174-4649	06-Feb-22	-	Mungo	Bean podborer, aphids, Beanfly, armyworm, cutworm, leafminer and leafroller	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
CFS AGR VENTURES, INC.	BPiMC-CHLORPYRIFOS	IDOL 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	631-174-4649	06-Feb-22	-	Soybeans	Bean podborer, aphids, Beanfly, armyworm, cutworm, leafminer and leafroller	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
CFS AGR VENTURES, INC.	BPiMC-CHLORPYRIFOS	IDOL 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	631-174-4649	06-Feb-22	-	Beans	Bean podborer, aphids, Beanfly, armyworm, cutworm, leafminer and leafroller	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
INTERNATIONAL VETERINARY & AGRICHEMICAL (INDIA), INC.	PARAFFINIC MINERAL OIL	IDEMTSU SPRAY AS	99 g/L	AS	OTHERS	4	088-282-4277	05-Mar-19	CONTACT	Banana	Black Sigatoka	4-5 L/ha	-	0 day	-
AGRI CHEMICAL CORPORATION	DIFENOCANAZOLE	ECURE 250 EC	250 g/L	EC	FUNGICIDE	4	534-272-3330	07-Oct-17	SYSTEMIC	Banana	Black Sigatoka	0.30-0.40 L prod/ha	-	-	-
AGRI CHEMICAL CORPORATION	DIFENOCANAZOLE	ECURE 250 EC	250 g/L	EC	FUNGICIDE	4	534-272-3330	07-Oct-17	SYSTEMIC	Mango	Anthracoise	0.529-0.88 L/ha	-	-	-
AGRI CHEMICAL CORPORATION	DIFENOCANAZOLE	ECURE 250 EC	250 g/L	EC	FUNGICIDE	4	534-272-3330	07-Oct-17	SYSTEMIC	Rice	Sheath Blight	0.25-0.30 L/ha	-	-	-
AGRI CHEMICAL CORPORATION	DIFENOCANAZOLE	ECURE 250 EC	250 g/L	EC	FUNGICIDE	4	534-272-3330	07-Oct-17	SYSTEMIC	Stringbeans	Leaf spot	0.20-0.30 L/ha	-	-	-
AGRI CHEMICAL CORPORATION	DIFENOCANAZOLE	ECURE 250 EC	250 g/L	EC	FUNGICIDE	4	534-272-3330	07-Oct-17	SYSTEMIC	Eggplant	Leaf spot	0.20-0.30 L/ha	-	-	-
AGRI CHEMICAL CORPORATION	DIFENOCANAZOLE	ECURE 250 EC	250 g/L	EC	FUNGICIDE	4	534-272-3330	07-Oct-17	SYSTEMIC	Tomato	Alternaria leaf spot, cercospora leafmold,powdery mildew	0.20-0.30 L/ha	-	-	-
AGRI CHEMICAL CORPORATION	DIFENOCANAZOLE	ECURE 250 EC	250 g/L	EC	FUNGICIDE	4	534-272-3330	07-Oct-17	SYSTEMIC	Cabbage	Ringspot,alternaria	0.20-0.30 L/ha	-	-	-
AGRI CHEMICAL CORPORATION	DIFENOCANAZOLE	ECURE 250 EC	250 g/L	EC	FUNGICIDE	4	534-272-3330	07-Oct-17	SYSTEMIC	Onion	Purple blotch	0.40-0.50 L/ha	-	-	-
AGRI CHEMICAL CORPORATION	DIFENOCANAZOLE	ECURE 250 EC	250 g/L	EC	FUNGICIDE	4	534-272-3330	07-Oct-17	SYSTEMIC	Asparagus	Stem and leaf blight	0.36 L/ha	-	-	-
INTEGRATED CROP TRADING CORPORATION	MANCOZEB	ICTC MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	274-053-1836	07-Feb-24	-	Potato	Early and late blight	3-6 Tbsp/36 L water	-	-	As soon as spray dries
INTEGRATED CROP TRADING CORPORATION	MANCOZEB	ICTC MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	274-053-1836	07-Feb-24	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
INTEGRATED CROP TRADING CORPORATION	MANCOZEB	ICTC MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	274-053-1836	07-Feb-24	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
INTEGRATED CROP TRADING CORPORATION	MANCOZEB	ICTC MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	274-053-1836	07-Feb-24	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
INTEGRATED CROP TRADING CORPORATION	MANCOZEB	ICTC MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	274-053-1836	07-Feb-24	-	Celery	Late blight	3-6 Tbsp/36 L water	-	14 Days	As soon as spray dries
INTEGRATED CROP TRADING CORPORATION	MANCOZEB	ICTC MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	274-053-1836	07-Feb-24	-	Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
INTEGRATED CROP TRADING CORPORATION	MANCOZEB	ICTC MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	274-053-1836	07-Feb-24	-	Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
INTEGRATED CROP TRADING CORPORATION	MANCOZEB	ICTC MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	274-053-1836	07-Feb-24	-	Cotton	Damping off	3-6 Tbsp/36 L water	-	-	As soon as spray dries
INTEGRATED CROP TRADING CORPORATION	MANCOZEB	ICTC MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	274-053-1836	07-Feb-24	-	Lettuce	Downy mildew	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
INTEGRATED CROP TRADING CORPORATION	MANCOZEB	ICTC MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	274-053-1836	07-Feb-24	-	Beans	Anthracoise, Downy mildew, Rust	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
INTEGRATED CROP TRADING CORPORATION	MANCOZEB	ICTC MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	274-053-1836	07-Feb-24	-	Peas	Anthracoise, Downy mildew, Rust	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
INTEGRATED CROP TRADING CORPORATION	MANCOZEB	ICTC MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	274-053-1836	07-Feb-24	-	Mungo	Anthracoise, Downy mildew, Rust	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
INTEGRATED CROP TRADING CORPORATION	MANCOZEB	ICTC MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	274-053-1836	07-Feb-24	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
INTEGRATED CROP TRADING CORPORATION	MANCOZEB	ICTC MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	274-053-1836	07-Feb-24	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
INTEGRATED CROP TRADING CORPORATION	MANCOZEB	ICTC MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	274-053-1836	07-Feb-24	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
INTEGRATED CROP TRADING CORPORATION	MANCOZEB	ICTC MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	274-053-1836	07-Feb-24	-	Pepper	Anthracoise	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
INTEGRATED CROP TRADING CORPORATION	MANCOZEB	ICTC MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	274-053-1836	07-Feb-24	-	Chili	Anthracoise	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
INTEGRATED CROP TRADING CORPORATION	MANCOZEB	ICTC MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	274-053-1836	07-Feb-24	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
INTEGRATED CROP TRADING CORPORATION	MANCOZEB	ICTC MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	274-053-1836	07-Feb-24	-	Banana	Sigatoka,Black leaf streak	3-6 Tbsp/36 L water	-	-	As soon as spray dries
INTEGRATED CROP TRADING CORPORATION	MANCOZEB	ICTC MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	274-053-1836	07-Feb-24	-	Grapes	Downy mildew, black rot	3-6 Tbsp/36 L water	-	40 days	As soon as spray dries
INTEGRATED CROP TRADING CORPORATION	MANCOZEB	ICTC MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	274-053-1836	07-Feb-24	-	Mango	Anthracoise and Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
INTEGRATED CROP TRADING CORPORATION	MANCOZEB	ICTC MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	274-053-1836	07-Feb-24	-	Papaya	Fruit rot	3-6 Tbsp/36 L water	-	-	As soon as spray dries
INTEGRATED CROP TRADING CORPORATION	MANCOZEB	ICTC MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	274-053-1836	07-Feb-24	-	Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
INTEGRATED CROP TRADING CORPORATION	MANCOZEB	ICTC MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	274-053-1836	07-Feb-24	-	Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
INTEGRATED CROP TRADING CORPORATION	MANCOZEB	ICTC MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	274-053-1836	07-Feb-24	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
INTEGRATED CROP TRADING CORPORATION	MANCOZEB	ICTC MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	274-053-1836	07-Feb-24	-	Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/36 L water	0.02ppm	-	As soon as spray dries
INTEGRATED CROP TRADING CORPORATION	MANCOZEB	ICTC MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	274-053-1836	07-Feb-24	-	Peanut	Cercospora leaf spot	3-6 Tbsp/36 L water	-	14 Days	As soon as spray dries
INTEGRATED CROP TRADING CORPORATION	MANCOZEB	ICTC MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	274-053-1836	07-Feb-24	-	Soybeans	Leaf rust	3-6 Tbsp/36 L water	-	-	As soon as spray dries

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
INTEGRATED CROP TRADING CORPORATION	MANCOZEB	ITC MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	274-023-1886	07-Feb-24	-	Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/36 L water	-	-	As soon as spray dries
INTEGRATED CROP TRADING CORPORATION	MALATHION	ITC MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	274-038-1813	03-Feb-24	NON-SYSTEMIC	Fruit trees	Aphids, mealy bug scale insect	1.5-3.0Tbsp/36 L water	-	One (1) day after each spraying.	One (1) day after each spraying.
INTEGRATED CROP TRADING CORPORATION	MALATHION	ITC MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	274-038-1813	03-Feb-24	NON-SYSTEMIC	Rice	Armyworm, caseworm, leafhopper, bugs	2.0-3.0Tbsp/36 L water	-	One (1) day after each spraying.	One (1) day after each spraying.
INTEGRATED CROP TRADING CORPORATION	MALATHION	ITC MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	274-038-1813	03-Feb-24	NON-SYSTEMIC	Corn	Earworm, silkworm, aphids, grasshopper	3.0-5.0Tbsp/36 L water	-	One (1) day after each spraying.	One (1) day after each spraying.
INTEGRATED CROP TRADING CORPORATION	MALATHION	ITC MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	274-038-1813	03-Feb-24	NON-SYSTEMIC	Crucifers	Cabbage worm, loopers, diamond-back moth	2.0-5.0Tbsp/36 L water	-	One (1) day after each spraying.	One (1) day after each spraying.
INTEGRATED CROP TRADING CORPORATION	MALATHION	ITC MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	274-038-1813	03-Feb-24	NON-SYSTEMIC	Cabbage	Cabbage worm, loopers, diamond-back moth	2.0-5.0Tbsp/36 L water	-	One (1) day after each spraying.	One (1) day after each spraying.
INTEGRATED CROP TRADING CORPORATION	MALATHION	ITC MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	274-038-1813	03-Feb-24	NON-SYSTEMIC	Legumes	Aphids, beanfly, cutworm, flea beetles, leafminer, maggots, mealybug, podborer, thrips	2.0-5.0Tbsp/36 L water	-	One (1) day after each spraying.	One (1) day after each spraying.
INTEGRATED CROP TRADING CORPORATION	MALATHION	ITC MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	274-038-1813	03-Feb-24	NON-SYSTEMIC	Grapes	Beetles, cutworm, leafhopper, mealybug, scale, insect, spider mites	3.0Tbsp/36 L water	-	One (1) day after each spraying.	One (1) day after each spraying.
INTEGRATED CROP TRADING CORPORATION	MALATHION	ITC MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	274-038-1813	03-Feb-24	NON-SYSTEMIC	Pineapple	Mealy bug	3.0Tbsp/36 L water	-	One (1) day after each spraying.	One (1) day after each spraying.
INTEGRATED CROP TRADING CORPORATION	MALATHION	ITC MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	274-038-1813	03-Feb-24	NON-SYSTEMIC	Pepper	Aphid, cutworm, fruitworm	3.0Tbsp/36 L water	-	One (1) day after each spraying.	One (1) day after each spraying.
INTEGRATED CROP TRADING CORPORATION	MALATHION	ITC MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	274-038-1813	03-Feb-24	NON-SYSTEMIC	Garlic	Cutworm	3.0Tbsp/36 L water	-	One (1) day after each spraying.	One (1) day after each spraying.
INTEGRATED CROP TRADING CORPORATION	MALATHION	ITC MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	274-038-1813	03-Feb-24	NON-SYSTEMIC	Onion	Cutworm	3.0Tbsp/36 L water	-	One (1) day after each spraying.	One (1) day after each spraying.
INTEGRATED CROP TRADING CORPORATION	MALATHION	ITC MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	274-038-1813	03-Feb-24	NON-SYSTEMIC	Tobacco	Aphids, katydid	3.0-6.0Tbsp/36 L water	-	One (1) day after each spraying.	One (1) day after each spraying.
INTEGRATED CROP TRADING CORPORATION	MALATHION	ITC MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	274-038-1813	03-Feb-24	NON-SYSTEMIC	Ornamentals	Aphids, cutworm, mealybug, scale insect, spider mites	3.0-5.0Tbsp/36 L water	-	One (1) day after each spraying.	One (1) day after each spraying.
INTEGRATED CROP TRADING CORPORATION	MALATHION	ITC MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	274-038-1813	03-Feb-24	NON-SYSTEMIC	Tomato	Lady beetle	3.0-5.0Tbsp/36 L water	-	One (1) day after each spraying.	One (1) day after each spraying.
INTEGRATED CROP TRADING CORPORATION	MALATHION	ITC MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	274-038-1813	03-Feb-24	NON-SYSTEMIC	Eggplant	Aphids, fruitworm	3.0-5.0Tbsp/36 L water	-	One (1) day after each spraying.	One (1) day after each spraying.
INTEGRATED CROP TRADING CORPORATION	MALATHION	ITC MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	274-038-1813	03-Feb-24	NON-SYSTEMIC	Sorghum	Web worm	3.0Tbsp/36 L water	-	One (1) day after each spraying.	One (1) day after each spraying.
INTEGRATED CROP TRADING CORPORATION	LAMBDA-CHYALOTHIRIN	ITC LAMBDA CHYALOTHIRIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	274-204-2347	03-Feb-24	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leafroller, black bug	1.0-1.5Tbsp/36 L of water	0.05ppm	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
INTEGRATED CROP TRADING CORPORATION	LAMBDA-CHYALOTHIRIN	ITC LAMBDA CHYALOTHIRIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	274-204-2347	03-Feb-24	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/36 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
INTEGRATED CROP TRADING CORPORATION	LAMBDA-CHYALOTHIRIN	ITC LAMBDA CHYALOTHIRIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	274-204-2347	03-Feb-24	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/36 L of water	-	1 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
INTEGRATED CROP TRADING CORPORATION	LAMBDA-CHYALOTHIRIN	ITC LAMBDA CHYALOTHIRIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	274-204-2347	03-Feb-24	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/36 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
INTEGRATED CROP TRADING CORPORATION	LAMBDA-CHYALOTHIRIN	ITC LAMBDA CHYALOTHIRIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	274-204-2347	03-Feb-24	SYSTEMIC	Mungbeans	Beanfly, flea beetle, leafhopper, aphids, mites, podborer	1.0Tbsp/36 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
INTEGRATED CROP TRADING CORPORATION	LAMBDA-CHYALOTHIRIN	ITC LAMBDA CHYALOTHIRIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	274-204-2347	03-Feb-24	SYSTEMIC	Corn	Comborer, aphids, seedling maggots	3.0-1.5Tbsp/36 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
INTEGRATED CROP TRADING CORPORATION	LAMBDA-CHYALOTHIRIN	ITC LAMBDA CHYALOTHIRIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	274-204-2347	03-Feb-24	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5Tbsp/36 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
INTEGRATED CROP TRADING CORPORATION	LAMBDA-CHYALOTHIRIN	ITC LAMBDA CHYALOTHIRIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	274-204-2347	03-Feb-24	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/36 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
INTEGRATED CROP TRADING CORPORATION	LAMBDA-CHYALOTHIRIN	ITC LAMBDA CHYALOTHIRIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	274-204-2347	03-Feb-24	SYSTEMIC	Cocoa	Podborer	1.0-2.0Tbsp/36 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
INTEGRATED CROP TRADING CORPORATION	LAMBDA-CHYALOTHIRIN	ITC LAMBDA CHYALOTHIRIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	274-204-2347	03-Feb-24	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/36 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
INTEGRATED CROP TRADING CORPORATION	GLUFOSINATE AMMONIUM	ITC GLUFOSINATE 15SL	150 g/L	SL	HERBICIDE	4	274-182-4652	15-Nov-24	-	Cardenish banana	Weeds	35 Tbsp/ 36L water; 13.5-20 Tbsp/ 36L water	-	-	Do not enter the treated fields until the spray has dried. When prior entry is necessary, wear protective clothing and chemical resistant gloves
INTEGRATED CROP TRADING CORPORATION	GLUFOSINATE AMMONIUM	ITC GLUFOSINATE 15SL	150 g/L	SL	HERBICIDE	4	274-182-4652	15-Nov-24	-	Rubber	Weeds	21.5 Tbsp/ 36L water; 27 Tbsp/ 36L water; 13.5Tbsp/ 36L water	-	-	Do not enter the treated fields until the spray has dried. When prior entry is necessary, wear protective clothing and chemical resistant gloves
INTEGRATED CROP TRADING CORPORATION	GLUFOSINATE AMMONIUM	ITC GLUFOSINATE 15SL	150 g/L	SL	HERBICIDE	4	274-182-4652	15-Nov-24	-	Oil palm	Weeds	35 Tbsp/ 36L water; 13.5 Tbsp/ 36L water	-	-	Do not enter the treated fields until the spray has dried. When prior entry is necessary, wear protective clothing and chemical resistant gloves
INTEGRATED CROP TRADING CORPORATION	GLUFOSINATE AMMONIUM	ITC GLUFOSINATE 15SL	150 g/L	SL	HERBICIDE	4	274-182-4652	15-Nov-24	-	Non-crop areas	Weeds	35-21.5 Tbsp/ 36L water	-	-	Do not enter the treated fields until the spray has dried. When prior entry is necessary, wear protective clothing and chemical resistant gloves
INTEGRATED CROP TRADING CORPORATION	DIURON	ITC DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	274-021-2688	09-Jul-24	SYSTEMIC	Citrus	Annual and Perennial broadleaves and grasses	11.0-19.0Tbsp/36 L water	-	-	Entry to fields treated with ITC DIURON 80 WP can be done one day after the application
INTEGRATED CROP TRADING CORPORATION	DIURON	ITC DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	274-021-2688	09-Jul-24	SYSTEMIC	Coffee	Annual and Perennial broadleaves and grasses	11.0-19.0Tbsp/36 L water	-	-	Entry to fields treated with ITC DIURON 80 WP can be done one day after the application
INTEGRATED CROP TRADING CORPORATION	DIURON	ITC DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	274-021-2688	09-Jul-24	SYSTEMIC	Cotton	Annual and Perennial broadleaves and grasses	8.0Tbsp/36 L water	-	-	Entry to fields treated with ITC DIURON 80 WP can be done one day after the application
INTEGRATED CROP TRADING CORPORATION	DIURON	ITC DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	274-021-2688	09-Jul-24	SYSTEMIC	Sugarcane	Annual and Perennial broadleaves and grasses	8.5-13.0Tbsp/36 L water	-	-	Entry to fields treated with ITC DIURON 80 WP can be done one day after the application
INTEGRATED CROP TRADING CORPORATION	DIURON	ITC DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	274-021-2688	09-Jul-24	SYSTEMIC	Pineapple	Annual and Perennial broadleaves and grasses	11.0Tbsp/36 L water	-	-	Entry to fields treated with ITC DIURON 80 WP can be done one day after the application
INTEGRATED CROP TRADING CORPORATION	DIURON	ITC DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	274-021-2688	09-Jul-24	SYSTEMIC	Non-crop land	Annual and Perennial broadleaves and grasses	20.0-28.0Tbsp/36 L water	-	-	Entry to fields treated with ITC DIURON 80 WP can be done one day after the application
INTEGRATED CROP TRADING CORPORATION	CARBOFURAN	ITC CARBOFURAN 3G	30g/kg	G	INSECTICIDE	2	274-104-1957	01-Sep-24	-	Corn	Borer, earworm, grubs, seedling maggot	36.7-33.3 kg prod/ha	-	-	2 days
INTEGRATED CROP TRADING CORPORATION	CARBOFURAN	ITC CARBOFURAN 3G	30g/kg	G	INSECTICIDE	2	274-104-1957	01-Sep-24	-	Cotton	Nematodes, grubs	36.7-33.3 kg prod/ha	-	-	2 days
INTEGRATED CROP TRADING CORPORATION	CARBOFURAN	ITC CARBOFURAN 3G	30g/kg	G	INSECTICIDE	2	274-104-1957	01-Sep-24	-	Eggplant	Fruitborer	36.7-33.3 kg prod/ha	-	-	2 days
INTEGRATED CROP TRADING CORPORATION	CARBOFURAN	ITC CARBOFURAN 3G	30g/kg	G	INSECTICIDE	2	274-104-1957	01-Sep-24	-	Field legumes	Beetflies, grubs, nematodes	36.7-33.3 kg prod/ha	-	-	2 days
INTEGRATED CROP TRADING CORPORATION	CARBOFURAN	ITC CARBOFURAN 3G	30g/kg	G	INSECTICIDE	2	274-104-1957	01-Sep-24	-	Rice	Stem borer, whorl maggot, leafhopper, leafroller, caseworm, planthopper	36.7-33.3 kg prod/ha	0.2ppm	28 Days	2 days
INTEGRATED CROP TRADING CORPORATION	CARBOFURAN	ITC CARBOFURAN 3G	30g/kg	G	INSECTICIDE	2	274-104-1957	01-Sep-24	-	soybeans	Beetfly, grubs, nematodes, other soil insects	36.7-33.3 kg prod/ha	-	-	2 days
INTEGRATED CROP TRADING CORPORATION	CARBOFURAN	ITC CARBOFURAN 3G	30g/kg	G	INSECTICIDE	2	274-104-1957	01-Sep-24	-	Sugarcane	Borer, leafhopper, mealy bug, nematodes, scale insects	36.7-33.3 kg prod/ha	-	-	2 days
INTEGRATED CROP TRADING CORPORATION	CARBOFURAN	ITC CARBOFURAN 3G	30g/kg	G	INSECTICIDE	2	274-104-1957	01-Sep-24	-	Tobacco	Nematode, budworm	36.7-33.3 kg prod/ha	-	-	2 days
INTEGRATED CROP TRADING CORPORATION	CARBOFURAN	ITC CARBOFURAN 3G	30g/kg	G	INSECTICIDE	2	274-104-1957	01-Sep-24	-	White potato	Nematodes, grubs	36.7-33.3 kg prod/ha	-	-	2 days
INTEGRATED CROP TRADING CORPORATION	CARBOFURAN	ITC CARBOFURAN 3G	30g/kg	G	INSECTICIDE	2	274-104-1957	01-Sep-24	-	Cowpea	Beetfly, grubs, nematodes, other soil insects	36.7-33.3 kg prod/ha	-	-	2 days
INTEGRATED CROP TRADING CORPORATION	CARBOFURAN	ITC CARBOFURAN 3G	30g/kg	G	INSECTICIDE	2	274-104-1957	01-Sep-24	-	Ornamentals	Scale insect, aphids, mealy bug	36.7-33.3 kg prod/ha	-	-	2 days
INTEGRATED CROP TRADING CORPORATION	BENOMYL	ITC BENOMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	274-167-1909	09-Aug-24	SYSTEMIC	Mungbeans	Powdery mildew, cercospora leaf spot	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spraying
INTEGRATED CROP TRADING CORPORATION	BENOMYL	ITC BENOMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	274-167-1909	09-Aug-24	SYSTEMIC	beans	Powdery mildew, cercospora leaf spot	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spraying
INTEGRATED CROP TRADING CORPORATION	BENOMYL	ITC BENOMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	274-167-1909	09-Aug-24	SYSTEMIC	Cabbage/Wingbook	Cercospora leaf spot	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spraying
INTEGRATED CROP TRADING CORPORATION	BENOMYL	ITC BENOMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	274-167-1909	09-Aug-24	SYSTEMIC	Calamansi	Scab	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spraying
INTEGRATED CROP TRADING CORPORATION	BENOMYL	ITC BENOMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	274-167-1909	09-Aug-24	SYSTEMIC	Cucumber	Powdery mildew	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spraying
INTEGRATED CROP TRADING CORPORATION	BENOMYL	ITC BENOMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	274-167-1909	09-Aug-24	SYSTEMIC	ginger	Cercospora leaf spot	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spraying
INTEGRATED CROP TRADING CORPORATION	BENOMYL	ITC BENOMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	274-167-1909	09-Aug-24	SYSTEMIC	Grapes	Powdery mildew	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spraying
INTEGRATED CROP TRADING CORPORATION	BENOMYL	ITC BENOMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	274-167-1909	09-Aug-24	SYSTEMIC	Mandarin	Scab	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spraying

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)		PHI	RE-ENTRY PERIOD
INTEGRATED CROP TRADING CORPORATION	BENOMYL	ITC BENOMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	274-167-1909	09-Aug-24	SYSTEMIC	Mango	Anthracoose, powdery mildew	1-2 Tbsp/36L water				Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spraying
INTEGRATED CROP TRADING CORPORATION	BENOMYL	ITC BENOMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	274-167-1909	09-Aug-24	SYSTEMIC	Melon	Powdery mildew	1-2 Tbsp/36L water				Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spraying
INTEGRATED CROP TRADING CORPORATION	BENOMYL	ITC BENOMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	274-167-1909	09-Aug-24	SYSTEMIC	Orange	Scab	1-2 Tbsp/36L water				Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spraying
INTEGRATED CROP TRADING CORPORATION	BENOMYL	ITC BENOMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	274-167-1909	09-Aug-24	SYSTEMIC	Papaya	Powdery mildew	1-2 Tbsp/36L water				Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spraying
INTEGRATED CROP TRADING CORPORATION	BENOMYL	ITC BENOMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	274-167-1909	09-Aug-24	SYSTEMIC	Pepper	Cercospora leaf spot	1-2 Tbsp/36L water				Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spraying
INTEGRATED CROP TRADING CORPORATION	BENOMYL	ITC BENOMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	274-167-1909	09-Aug-24	SYSTEMIC	Rice	Blast, sheath blight	3-4 Tbsp/36L water	1.0 ppm	7 days		Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spraying
INTEGRATED CROP TRADING CORPORATION	BENOMYL	ITC BENOMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	274-167-1909	09-Aug-24	SYSTEMIC	Strawberry	Cercospora leaf spot	1-2 Tbsp/36L water				Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spraying
INTEGRATED CROP TRADING CORPORATION	BENOMYL	ITC BENOMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	274-167-1909	09-Aug-24	SYSTEMIC	Tobacco	Leaf mold, frog eye	1-2 Tbsp/36L water				Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spraying
INTEGRATED CROP TRADING CORPORATION	BENOMYL	ITC BENOMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	274-167-1909	09-Aug-24	SYSTEMIC	Banana	Black Sigatoka	280g/ha				Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spraying
INTEGRATED CROP TRADING CORPORATION	ATRAZINE	ITC ATRAZINE 80 WP	800 g/kg	WP	HERBICIDE	4	274-005-1645 (A)	26-Mar-25	SELECTIVE (PRE-EMERGENT)	Corn	Broadleaf weeds & annual grasses	8-12Tbsp/36 L water	-	-		Do not enter treated fields within 5 days after application
INTEGRATED CROP TRADING CORPORATION	ATRAZINE	ITC ATRAZINE 80 WP	800 g/kg	WP	HERBICIDE	4	274-005-1645 (A)	26-Mar-25	SELECTIVE (PRE-EMERGENT)	Sorghum	Broadleaf weeds & annual grasses	8-12Tbsp/36 L water	-	-		Do not enter treated fields within 5 days after application
INTEGRATED CROP TRADING CORPORATION	ATRAZINE	ITC ATRAZINE 80 WP	800 g/kg	WP	HERBICIDE	4	274-005-1645 (A)	26-Mar-25	SELECTIVE (PRE-EMERGENT)	Sugarcane	Broadleaf weeds & annual grasses	8-12Tbsp/36 L water	-	-		Do not enter treated fields within 5 days after application
INTEGRATED CROP TRADING CORPORATION	2,4-D IBE	ITC 2,4-D ESTER EC	400 g/L	EC	HERBICIDE	2	274-049-1916	13-May-24	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual Broadleaves & sedges	5.0-6.50Tbsp/36 L water	0.1 ppm	-	Do not spray within two days before harvest	Entry to fields and crops treated with ITC 2,4-D ESTER can be done one day after spraying
INTEGRATED CROP TRADING CORPORATION	2,4-D IBE	ITC 2,4-D ESTER EC	400 g/L	EC	HERBICIDE	2	274-049-1916	13-May-24	SELECTIVE (POST-EMERGENT)	Corn	Annual Broadleaves & sedges	5.0-6.50Tbsp/36 L water	-	-	Do not spray within two days before harvest	Entry to fields and crops treated with ITC 2,4-D ESTER can be done one day after spraying
INTEGRATED CROP TRADING CORPORATION	2,4-D IBE	ITC 2,4-D ESTER EC	400 g/L	EC	HERBICIDE	2	274-049-1916	13-May-24	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual Broadleaves & sedges	5.0-6.50Tbsp/36 L water	-	-	Do not spray within two days before harvest	Entry to fields and crops treated with ITC 2,4-D ESTER can be done one day after spraying
INTEGRATED CROP TRADING CORPORATION	2,4-D AMINE	ITC 2,4-D AMINE	400 g/L	EC	HERBICIDE	2	274-013-1978	06-Oct-24	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual broadleaves and sedges	3-5-6.5Tbsp/36 L water	0.1 ppm	-	-	Entry to fields and crops treated with ITC 2,4-D AMINE can be done one day after spraying
INTEGRATED CROP TRADING CORPORATION	2,4-D AMINE	ITC 2,4-D AMINE	400 g/L	EC	HERBICIDE	2	274-013-1978	06-Oct-24	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual broadleaves and sedges	13-25 Tbsp/36 L water	-	-	-	Entry to fields and crops treated with ITC 2,4-D AMINE can be done one day after spraying
INTEGRATED CROP TRADING CORPORATION	2,4-D AMINE	ITC 2,4-D AMINE	400 g/L	EC	HERBICIDE	2	274-013-1978	06-Oct-24	SELECTIVE (POST-EMERGENT)	Corn	Annual broadleaves and sedges	9-6.5 Tbsp/36 L water	-	-	-	Entry to fields and crops treated with ITC 2,4-D AMINE can be done one day after spraying
TEXICON AGR VENTURES CORPORATION	2,4-D IBE	ITC 2,4-D AMINE	400 g/L	EC	HERBICIDE	2	274-013-1978	06-Oct-24	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual Broadleaves & sedges	5.0-6.50Tbsp/36 L water	0.1 ppm	-	Do not spray within two days before harvest	Entry to fields and crops treated with IBE 400 EC can be one day after spraying
TEXICON AGR VENTURES CORPORATION	2,4-D IBE	IBEX	400 g/L	EC	HERBICIDE	2	242-049-3456	19-Feb-25	SELECTIVE (POST-EMERGENT)	Corn	Annual Broadleaves & sedges	5.0-6.50Tbsp/36 L water	-	-	Do not spray within two days before harvest	Entry to fields and crops treated with IBE 400 EC can be one day after spraying
TEXICON AGR VENTURES CORPORATION	2,4-D IBE	IBEX	400 g/L	EC	HERBICIDE	2	242-049-3456	19-Feb-25	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual Broadleaves & sedges	5.0-6.50Tbsp/36 L water	-	-	Do not spray within two days before harvest	Entry to fields and crops treated with IBE 400 EC can be one day after spraying
TEXICON AGR VENTURES CORPORATION	2,4-D IBE	IBEX	400 g/L	EC	HERBICIDE	2	242-049-3456	19-Feb-25	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual Broadleaves & sedges	5.0-6.50Tbsp/36 L water	-	-	Do not spray within two days before harvest	Entry to fields and crops treated with IBE 400 EC can be one day after spraying
JAGRI CHEMICAL CORPORATION	MALATHION	JAGRI MALATHION	570 g/L	EC	INSECTICIDE	4	534-038-3565	05-Oct-18	NON-SYSTEMIC	Fruit trees	Aphids, mealy bug scale insect	1.5-3.0Tbsp/36 L water				
JAGRI CHEMICAL CORPORATION	MALATHION	JAGRI MALATHION	570 g/L	EC	INSECTICIDE	4	534-038-3565	05-Oct-18	NON-SYSTEMIC	Rice	Armyworm, caterworm, leafhopper, bugs	2.0-3.0Tbsp/36 L water				
JAGRI CHEMICAL CORPORATION	MALATHION	JAGRI MALATHION	570 g/L	EC	INSECTICIDE	4	534-038-3565	05-Oct-18	NON-SYSTEMIC	Corn	Earworm, silkworm, aphids, grasshopper	3.0-5.0Tbsp/36 L water				
JAGRI CHEMICAL CORPORATION	MALATHION	JAGRI MALATHION	570 g/L	EC	INSECTICIDE	4	534-038-3565	05-Oct-18	NON-SYSTEMIC	Cabbage	Cabbage worm, loopers, diamond-back moth	2.0-5.0Tbsp/36 L water				
JAGRI CHEMICAL CORPORATION	MALATHION	JAGRI MALATHION	570 g/L	EC	INSECTICIDE	4	534-038-3565	05-Oct-18	NON-SYSTEMIC	Legumes	Aphids, beanfly, cutworm, flea beetles, leafminer, maggot, mealybug, podborer, thrips	2.0-5.0Tbsp/36 L water				
JAGRI CHEMICAL CORPORATION	MALATHION	JAGRI MALATHION	570 g/L	EC	INSECTICIDE	4	534-038-3565	05-Oct-18	NON-SYSTEMIC	Grapes	Beetles, cutworm, leafhopper, mealybug, scale, insect, spider mites	3.0Tbsp/36 L water				
JAGRI CHEMICAL CORPORATION	MALATHION	JAGRI MALATHION	570 g/L	EC	INSECTICIDE	4	534-038-3565	05-Oct-18	NON-SYSTEMIC	Pineapple	Mealy bug	3.0Tbsp/36 L water				
JAGRI CHEMICAL CORPORATION	MALATHION	JAGRI MALATHION	570 g/L	EC	INSECTICIDE	4	534-038-3565	05-Oct-18	NON-SYSTEMIC	Pepper	Aphid, cutworm, fruitworm	3.0Tbsp/36 L water				
JAGRI CHEMICAL CORPORATION	MALATHION	JAGRI MALATHION	570 g/L	EC	INSECTICIDE	4	534-038-3565	05-Oct-18	NON-SYSTEMIC	Garlic	Cutworm	3.0Tbsp/36 L water				
JAGRI CHEMICAL CORPORATION	MALATHION	JAGRI MALATHION	570 g/L	EC	INSECTICIDE	4	534-038-3565	05-Oct-18	NON-SYSTEMIC	Onion	Cutworm	3.0Tbsp/36 L water				
JAGRI CHEMICAL CORPORATION	MALATHION	JAGRI MALATHION	570 g/L	EC	INSECTICIDE	4	534-038-3565	05-Oct-18	NON-SYSTEMIC	Tobacco	Aphids, katydid	3.0-6.0Tbsp/36 L water				
JAGRI CHEMICAL CORPORATION	MALATHION	JAGRI MALATHION	570 g/L	EC	INSECTICIDE	4	534-038-3565	05-Oct-18	NON-SYSTEMIC	Ornamentals	Aphids, cutworm, mealybug, scale insect, spider mites	3.0-5.0Tbsp/36 L water				
JAGRI CHEMICAL CORPORATION	MALATHION	JAGRI MALATHION	570 g/L	EC	INSECTICIDE	4	534-038-3565	05-Oct-18	NON-SYSTEMIC	Tomato	Lady beetle	3.0-5.0Tbsp/36 L water				
JAGRI CHEMICAL CORPORATION	MALATHION	JAGRI MALATHION	570 g/L	EC	INSECTICIDE	4	534-038-3565	05-Oct-18	NON-SYSTEMIC	Eggplant	Aphids, fruitworm	3.0-5.0Tbsp/36 L water				
JAGRI CHEMICAL CORPORATION	MALATHION	JAGRI MALATHION	570 g/L	EC	INSECTICIDE	4	534-038-3565	05-Oct-18	NON-SYSTEMIC	Sorghum	Web worm	3.0Tbsp/36 L water				
JAGRI CHEMICAL CORPORATION	GLYPHOSATE IPA	JAGRI GLYPHOX 480 SL	480 g/L	SL	HERBICIDE	4	534-151-3420	29-Jun-18	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/ha				
JAGRI CHEMICAL CORPORATION	GLYPHOSATE IPA	JAGRI GLYPHOX 480 SL	480 g/L	SL	HERBICIDE	4	534-151-3420	29-Jun-18	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha				
JAGRI CHEMICAL CORPORATION	GLYPHOSATE IPA	JAGRI GLYPHOX 480 SL	480 g/L	SL	HERBICIDE	4	534-151-3420	29-Jun-18	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha				
JAGRI CHEMICAL CORPORATION	GLYPHOSATE IPA	JAGRI GLYPHOX 480 SL	480 g/L	SL	HERBICIDE	4	534-151-3420	29-Jun-18	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha				
JAGRI CHEMICAL CORPORATION	GLYPHOSATE IPA	JAGRI GLYPHOX 480 SL	480 g/L	SL	HERBICIDE	4	534-151-3420	29-Jun-18	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha				
JAGRI CHEMICAL CORPORATION	GLYPHOSATE IPA	JAGRI GLYPHOX 480 SL	480 g/L	SL	HERBICIDE	4	534-151-3420	29-Jun-18	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0Liters/ha				
JAGRI CHEMICAL CORPORATION	GLYPHOSATE IPA	JAGRI GLYPHOX 480 SL	480 g/L	SL	HERBICIDE	4	534-151-3420	29-Jun-18	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0Liters/ha				
JAGRI CHEMICAL CORPORATION	GLYPHOSATE IPA	JAGRI GLYPHOX 480 SL	480 g/L	SL	HERBICIDE	4	534-151-3420	29-Jun-18	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0Liters/ha				
JAGRI CHEMICAL CORPORATION	GLYPHOSATE IPA	JAGRI GLYPHOX 480 SL	480 g/L	SL	HERBICIDE	4	534-151-3420	29-Jun-18	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/ha				
JAGRI CHEMICAL CORPORATION	GLYPHOSATE IPA	JAGRI GLYPHOX 480 SL	480 g/L	SL	HERBICIDE	4	534-151-3420	29-Jun-18	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha				
JAGRI CHEMICAL CORPORATION	GLYPHOSATE IPA	JAGRI GLYPHOX 480 SL	480 g/L	SL	HERBICIDE	4	534-151-3420	29-Jun-18	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0Liters/ha				
JAGRI CHEMICAL CORPORATION	GLYPHOSATE IPA	JAGRI GLYPHOX 480 SL	480 g/L	SL	HERBICIDE	4	534-151-3420	29-Jun-18	POST-EMERGENT	non-crop	Annual & perennial grasses, broadleaf weeds & sedges					
JAGRI CHEMICAL CORPORATION	2,4-D IBE	JAGRI 2,4-D ESTER	400 g/L	EC	HERBICIDE	2	534-049-3567	05-Oct-18	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual Broadleaves & sedges	5.0-6.50Tbsp/36 L water	0.1 ppm	-	-	
JAGRI CHEMICAL CORPORATION	2,4-D IBE	JAGRI 2,4-D ESTER	400 g/L	EC	HERBICIDE	2	534-049-3567	05-Oct-18	SELECTIVE (POST-EMERGENT)	Corn	Annual Broadleaves & sedges	5.0-6.50Tbsp/36 L water	-	-	-	
JAGRI CHEMICAL CORPORATION	2,4-D IBE	JAGRI 2,4-D ESTER	400 g/L	EC	HERBICIDE	2	534-049-3567	05-Oct-18	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual Broadleaves & sedges	5.0-6.50Tbsp/36 L water	-	-	-	
JAGRI CHEMICAL CORPORATION	2,4-D AMINE	Jagri 2,4-D AMINE	400 g/L	SL	HERBICIDE	2	534-013-3566	05-Oct-18	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual broadleaves and sedges	3-5-6.5Tbsp/36 L water	0.1 ppm	-	-	
JAGRI CHEMICAL CORPORATION	2,4-D AMINE	Jagri 2,4-D AMINE	400 g/L	SL	HERBICIDE	2	534-013-3566	05-Oct-18	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual broadleaves and sedges	13-25 Tbsp/36 L water	-	-	-	
JAGRI CHEMICAL CORPORATION	2,4-D AMINE	Jagri 2,4-D AMINE	400 g/L	SL	HERBICIDE	2	534-013-3566	05-Oct-18	SELECTIVE (POST-EMERGENT)	Corn	Annual broadleaves and sedges	5-6.5 Tbsp/36 L water	-	-	-	
DU PONT F&R EAST, INC.	BROMACIL	HYVAX X WEEDEKILLER	800 g/kg	WP	HERBICIDE	4	014-169-0355	26-Mar-18	NON-SELECTIVE	Pineapple	Annual grasses & broadleaves	4.9g/ha, 14 Tbsp/36 L water				
AGWAY CHEMICALS CORPORATION	BROMACIL	HYVAX X 80 WP	800 g/kg	WP	HERBICIDE	4	075-169-3695	05-Jul-24	NON-SELECTIVE	Pineapple	Annual grasses & broadleaves	4.9g/ha, 14 Tbsp/36 L water	-	-	-	

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
PLANTERS PRODUCTS INC.	MPC	HYTOX 50 WP	500 g/kg	WP	INSECTICIDE	3	031-009-0175	31-Dec-24	-	Rice	Leafhopper, planthopper, caseworm	1.5-3.5 Tbsp/36L water	0.5ppm	Stop spraying 10-14 days before harvest	Do not enter the field within 2 days after spraying
PLANTERS PRODUCTS INC.	MPC	HYTOX 50 WP	500 g/kg	WP	INSECTICIDE	3	031-009-0175	31-Dec-24	-	Field Legumes	Leafhopper, stinkbug, beanfly, squash bug	1.5-3.5 Tbsp/36L water	-	Stop spraying 10-14 days before harvest	Do not enter the field within 2 days after spraying
PLANTERS PRODUCTS INC.	MPC	HYTOX 50 WP	500 g/kg	WP	INSECTICIDE	3	031-009-0175	31-Dec-24	-	Cowpeas	Leafhopper, stinkbug, beanfly, squash bug	1.5-3.5 Tbsp/36L water	-	Stop spraying 10-14 days before harvest	Do not enter the field within 2 days after spraying
PLANTERS PRODUCTS INC.	MPC	HYTOX 50 WP	500 g/kg	WP	INSECTICIDE	3	031-009-0175	31-Dec-24	-	Mungbeans	Leafhopper, stinkbug, beanfly, squash bug	1.5-3.5 Tbsp/36L water	-	Stop spraying 10-14 days before harvest	Do not enter the field within 2 days after spraying
PLANTERS PRODUCTS INC.	MPC	HYTOX 50 WP	500 g/kg	WP	INSECTICIDE	3	031-009-0175	31-Dec-24	-	Soybeans	Leafhopper, stinkbug, beanfly, squash bug	1.5-3.5 Tbsp/36L water	-	Stop spraying 10-14 days before harvest	Do not enter the field within 2 days after spraying
PLANTERS PRODUCTS INC.	MPC	HYTOX 50 WP	500 g/kg	WP	INSECTICIDE	3	031-009-0175	31-Dec-24	-	Tobacco	Rudeworm, aphids	1.5-4 Tbsp/36L water	-	Stop spraying 10-14 days before harvest	Do not enter the field within 2 days after spraying
PLANTERS PRODUCTS INC.	MPC	HYTOX 50 WP	500 g/kg	WP	INSECTICIDE	3	031-009-0175	31-Dec-24	-	Cotton	Leafhopper	4-7 Tbsp/36L water	-	Stop spraying 10-14 days before harvest	Do not enter the field within 2 days after spraying
PLANTERS PRODUCTS INC.	MPC	HYTOX 50 WP	500 g/kg	WP	INSECTICIDE	3	031-009-0175	31-Dec-24	-	Melon	Diamond back moth, cutworm, aphids	1.5-3.5 Tbsp/36L water	-	Stop spraying 10-14 days before harvest	Do not enter the field within 2 days after spraying
PLANTERS PRODUCTS INC.	MPC	HYTOX 50 WP	500 g/kg	WP	INSECTICIDE	3	031-009-0175	31-Dec-24	-	Cabbage	Cabbage worm	1.5-3.5 Tbsp/36L water	-	Stop spraying 10-14 days before harvest	Do not enter the field within 2 days after spraying
RADISSON AGROCHEMICAL CORPORATION	ALUMINUM PHOSPHIDE	HYPHOS FUMIGATION TABLETS	560 g/kg	TAB	FUMIGANT	1	234-084-2929	17-Nov-25	CONTACT	-	Rust-red beetle, cadelle, khapra beetle, grain moth, indian-meal moth, grain and rice weevil, saw toothed grain beetle, confused flour	1 bag/7.5m	-	-	-
PRIMSTOCKS CHEMICAL CORPORATION	ETHEPHON	HYPERION 480 SL	480g/L	SL	OTHERS	4	623-061-4509	20-Jul-24	-	Pineapple	Plant growth regulator for flowering	100-150m/1000 trees	-	Fruits that are already ripe on the day of treatment can be harvested without any harmful residue. Generally,	Re-entry into treated areas may be done as soon as spray has dried
PRIMSTOCKS CHEMICAL CORPORATION	ETHEPHON	HYPERION 480 SL	480g/L	SL	OTHERS	4	623-061-4509	20-Jul-24	-	Banana	Ripener	100-150m/1000 trees	-	Fruits that are already ripe on the day of treatment can be harvested without any harmful residue. Generally,	Re-entry into treated areas may be done as soon as spray has dried
PRIMSTOCKS CHEMICAL CORPORATION	ETHEPHON	HYPERION 480 SL	480g/L	SL	OTHERS	4	623-061-4509	20-Jul-24	-	Mango	Ripener	100-150m/1000 trees	-	Fruits that are already ripe on the day of treatment can be harvested without any harmful residue. Generally,	Re-entry into treated areas may be done as soon as spray has dried
PRIMSTOCKS CHEMICAL CORPORATION	ETHEPHON	HYPERION 480 SL	480g/L	SL	OTHERS	4	623-061-4509	20-Jul-24	-	Coffee	Ripener	100-150m/1000 trees	-	Fruits that are already ripe on the day of treatment can be harvested without any harmful residue. Generally,	Re-entry into treated areas may be done as soon as spray has dried
AGRI-SPROUT PHILIPPINES, INC.	BENDIML	HYPER 50 WP	500 g/kg	WP	FUNGICIDE	4	668-167-5705	08-Sep-24	SYSTEMIC	Mungbeans	Cercospora leaf spot	1-2 Tbsp/36L water	-	Do not enter treated fields within 24 hours after application. Be sure that spray deposits have dried up before entering the treated fields.	-
AGRI-SPROUT PHILIPPINES, INC.	BENDIML	HYPER 50 WP	500 g/kg	WP	FUNGICIDE	4	668-167-5705	08-Sep-24	SYSTEMIC	beans	Powdery mildew	1-2 Tbsp/36L water	-	Do not enter treated fields within 24 hours after application. Be sure that spray deposits have dried up before entering the treated fields.	-
AGRI-SPROUT PHILIPPINES, INC.	BENDIML	HYPER 50 WP	500 g/kg	WP	FUNGICIDE	4	668-167-5705	08-Sep-24	SYSTEMIC	Cabbage	Cercospora leaf spot	1-2 Tbsp/36L water	-	Do not enter treated fields within 24 hours after application. Be sure that spray deposits have dried up before entering the treated fields.	-
AGRI-SPROUT PHILIPPINES, INC.	BENDIML	HYPER 50 WP	500 g/kg	WP	FUNGICIDE	4	668-167-5705	08-Sep-24	SYSTEMIC	Calamansi	Scab	1-2 Tbsp/36L water	-	Do not enter treated fields within 24 hours after application. Be sure that spray deposits have dried up before entering the treated fields.	-
AGRI-SPROUT PHILIPPINES, INC.	BENDIML	HYPER 50 WP	500 g/kg	WP	FUNGICIDE	4	668-167-5705	08-Sep-24	SYSTEMIC	Cucumber	Powdery mildew	1-2 Tbsp/36L water	-	Do not enter treated fields within 24 hours after application. Be sure that spray deposits have dried up before entering the treated fields.	-
AGRI-SPROUT PHILIPPINES, INC.	BENDIML	HYPER 50 WP	500 g/kg	WP	FUNGICIDE	4	668-167-5705	08-Sep-24	SYSTEMIC	Ginger	Cercospora leaf spot	1-2 Tbsp/36L water	-	Do not enter treated fields within 24 hours after application. Be sure that spray deposits have dried up before entering the treated fields.	-
AGRI-SPROUT PHILIPPINES, INC.	BENDIML	HYPER 50 WP	500 g/kg	WP	FUNGICIDE	4	668-167-5705	08-Sep-24	SYSTEMIC	Grapes	Powdery mildew	1-2 Tbsp/36L water	-	Do not enter treated fields within 24 hours after application. Be sure that spray deposits have dried up before entering the treated fields.	-
AGRI-SPROUT PHILIPPINES, INC.	BENDIML	HYPER 50 WP	500 g/kg	WP	FUNGICIDE	4	668-167-5705	08-Sep-24	SYSTEMIC	Mandarin	Scab	1-2 Tbsp/36L water	-	Do not enter treated fields within 24 hours after application. Be sure that spray deposits have dried up before entering the treated fields.	-
AGRI-SPROUT PHILIPPINES, INC.	BENDIML	HYPER 50 WP	500 g/kg	WP	FUNGICIDE	4	668-167-5705	08-Sep-24	SYSTEMIC	Mango	Anthracoese, powdery mildew	1-2 Tbsp/36L water	-	Do not enter treated fields within 24 hours after application. Be sure that spray deposits have dried up before entering the treated fields.	-
AGRI-SPROUT PHILIPPINES, INC.	BENDIML	HYPER 50 WP	500 g/kg	WP	FUNGICIDE	4	668-167-5705	08-Sep-24	SYSTEMIC	Melon	Powdery mildew	1-2 Tbsp/36L water	-	Do not enter treated fields within 24 hours after application. Be sure that spray deposits have dried up before entering the treated fields.	-
AGRI-SPROUT PHILIPPINES, INC.	BENDIML	HYPER 50 WP	500 g/kg	WP	FUNGICIDE	4	668-167-5705	08-Sep-24	SYSTEMIC	Orange	Scab	1-2 Tbsp/36L water	-	Do not enter treated fields within 24 hours after application. Be sure that spray deposits have dried up before entering the treated fields.	-
AGRI-SPROUT PHILIPPINES, INC.	BENDIML	HYPER 50 WP	500 g/kg	WP	FUNGICIDE	4	668-167-5705	08-Sep-24	SYSTEMIC	Papaya	Powdery mildew	1-2 Tbsp/36L water	-	Do not enter treated fields within 24 hours after application. Be sure that spray deposits have dried up before entering the treated fields.	-
AGRI-SPROUT PHILIPPINES, INC.	BENDIML	HYPER 50 WP	500 g/kg	WP	FUNGICIDE	4	668-167-5705	08-Sep-24	SYSTEMIC	Pepper	Cercospora leaf spot	1-2 Tbsp/36L water	-	Do not enter treated fields within 24 hours after application. Be sure that spray deposits have dried up before entering the treated fields.	-
AGRI-SPROUT PHILIPPINES, INC.	BENDIML	HYPER 50 WP	500 g/kg	WP	FUNGICIDE	4	668-167-5705	08-Sep-24	SYSTEMIC	Rice	Blast, sheath blight	3-4 Tbsp/36L water	1.0 ppm	7 days	-
AGRI-SPROUT PHILIPPINES, INC.	BENDIML	HYPER 50 WP	500 g/kg	WP	FUNGICIDE	4	668-167-5705	08-Sep-24	SYSTEMIC	Strawberry	Cercospora leaf spot	1-2 Tbsp/36L water	-	Do not enter treated fields within 24 hours after application. Be sure that spray deposits have dried up before entering the treated fields.	-
AGRI-SPROUT PHILIPPINES, INC.	BENDIML	HYPER 50 WP	500 g/kg	WP	FUNGICIDE	4	668-167-5705	08-Sep-24	SYSTEMIC	Tobacco	Leaf mold, frog eye	1-2 Tbsp/36L water	-	Do not enter treated fields within 24 hours after application. Be sure that spray deposits have dried up before entering the treated fields.	-
AGRI-SPROUT PHILIPPINES, INC.	BENDIML	HYPER 50 WP	500 g/kg	WP	FUNGICIDE	4	668-167-5705	08-Sep-24	SYSTEMIC	Banana	Black sigatoka	280 g/ha	-	Do not enter treated fields within 24 hours after application. Be sure that spray deposits have dried up before entering the treated fields.	-
JOCANIMA CORPORATION	COPPER HYDROXIDE	HYDROXIDE SUPER 77 WP	770 g/kg	WP	FUNGICIDE	3	241-006-1111	03-Dec-25	-	Banana	Sigatoka	2.6-6.0 Tbsp/36L water	-	Do not enter without protective clothing until spray has dried.	-
JOCANIMA CORPORATION	COPPER HYDROXIDE	HYDROXIDE SUPER 77 WP	770 g/kg	WP	FUNGICIDE	3	241-006-1111	03-Dec-25	-	beans	Bacterial blight, rust	2.6-6.0 Tbsp/36L water	-	Do not enter without protective clothing until spray has dried.	-
JOCANIMA CORPORATION	COPPER HYDROXIDE	HYDROXIDE SUPER 77 WP	770 g/kg	WP	FUNGICIDE	3	241-006-1111	03-Dec-25	-	Cabbage	Black rot, black leaf spot	2.6-6.0 Tbsp/36L water	-	Do not enter without protective clothing until spray has dried.	-
JOCANIMA CORPORATION	COPPER HYDROXIDE	HYDROXIDE SUPER 77 WP	770 g/kg	WP	FUNGICIDE	3	241-006-1111	03-Dec-25	-	Cacao	Black pod	2.6-6.0 Tbsp/36L water	-	Do not enter without protective clothing until spray has dried.	-
JOCANIMA CORPORATION	COPPER HYDROXIDE	HYDROXIDE SUPER 77 WP	770 g/kg	WP	FUNGICIDE	3	241-006-1111	03-Dec-25	-	Carrot	Cercospora	2.6-6.0 Tbsp/36L water	-	Do not enter without protective clothing until spray has dried.	-
JOCANIMA CORPORATION	COPPER HYDROXIDE	HYDROXIDE SUPER 77 WP	770 g/kg	WP	FUNGICIDE	3	241-006-1111	03-Dec-25	-	Cauliflower	Downy mildew, alternaria leaf spot	2.6-6.0 Tbsp/36L water	-	Do not enter without protective clothing until spray has dried.	-
JOCANIMA CORPORATION	COPPER HYDROXIDE	HYDROXIDE SUPER 77 WP	770 g/kg	WP	FUNGICIDE	3	241-006-1111	03-Dec-25	-	Celery	Early blight	2.6-6.0 Tbsp/36L water	-	Do not enter without protective clothing until spray has dried.	-
JOCANIMA CORPORATION	COPPER HYDROXIDE	HYDROXIDE SUPER 77 WP	770 g/kg	WP	FUNGICIDE	3	241-006-1111	03-Dec-25	-	Citrus	Black spot, scab, Melanose	2.6-6.0 Tbsp/36L water	-	Do not enter without protective clothing until spray has dried.	-
JOCANIMA CORPORATION	COPPER HYDROXIDE	HYDROXIDE SUPER 77 WP	770 g/kg	WP	FUNGICIDE	3	241-006-1111	03-Dec-25	-	Coffee	Leaf rust, coffee berry disease	2.6-6.0 Tbsp/36L water	-	Do not enter without protective clothing until spray has dried.	-
JOCANIMA CORPORATION	COPPER HYDROXIDE	HYDROXIDE SUPER 77 WP	770 g/kg	WP	FUNGICIDE	3	241-006-1111	03-Dec-25	-	Cucumber	Anthracoese, septoria, cercospora, fruit rot, downy mildew	2.6-6.0 Tbsp/36L water	-	Do not enter without protective clothing until spray has dried.	-
JOCANIMA CORPORATION	COPPER HYDROXIDE	HYDROXIDE SUPER 77 WP	770 g/kg	WP	FUNGICIDE	3	241-006-1111	03-Dec-25	-	Grapes	Anthracoese, mildew, black rot	2.6-6.0 Tbsp/36L water	-	Do not enter without protective clothing until spray has dried.	-
JOCANIMA CORPORATION	COPPER HYDROXIDE	HYDROXIDE SUPER 77 WP	770 g/kg	WP	FUNGICIDE	3	241-006-1111	03-Dec-25	-	Mango	Anthracoese	2.6-6.0 Tbsp/36L water	-	Do not enter without protective clothing until spray has dried.	-
JOCANIMA CORPORATION	COPPER HYDROXIDE	HYDROXIDE SUPER 77 WP	770 g/kg	WP	FUNGICIDE	3	241-006-1111	03-Dec-25	-	Onion	Purple blotch, downy mildew	2.6-6.0 Tbsp/36L water	-	Do not enter without protective clothing until spray has dried.	-
JOCANIMA CORPORATION	COPPER HYDROXIDE	HYDROXIDE SUPER 77 WP	770 g/kg	WP	FUNGICIDE	3	241-006-1111	03-Dec-25	-	Peas	Powdery mildew	2.6-6.0 Tbsp/36L water	-	Do not enter without protective clothing until spray has dried.	-
JOCANIMA CORPORATION	COPPER HYDROXIDE	HYDROXIDE SUPER 77 WP	770 g/kg	WP	FUNGICIDE	3	241-006-1111	03-Dec-25	-	Peanut	Cercospora leaf spot	2.6-6.0 Tbsp/36L water	-	Do not enter without protective clothing until spray has dried.	-
JOCANIMA CORPORATION	COPPER HYDROXIDE	HYDROXIDE SUPER 77 WP	770 g/kg	WP	FUNGICIDE	3	241-006-1111	03-Dec-25	-	Pepper	Bacterial blight, rust	2.6-6.0 Tbsp/36L water	-	Do not enter without protective clothing until spray has dried.	-
JOCANIMA CORPORATION	COPPER HYDROXIDE	HYDROXIDE SUPER 77 WP	770 g/kg	WP	FUNGICIDE	3	241-006-1111	03-Dec-25	-	Potato	Early blight, late blight	2.6-6.0 Tbsp/36L water	-	Do not enter without protective clothing until spray has dried.	-
JOCANIMA CORPORATION	COPPER HYDROXIDE	HYDROXIDE SUPER 77 WP	770 g/kg	WP	FUNGICIDE	3	241-006-1111	03-Dec-25	-	Rice	Blast, sheath blight, bacterial leaf streak	2.6-6.0 Tbsp/36L water	-	Do not enter without protective clothing until spray has dried.	-
JOCANIMA CORPORATION	COPPER HYDROXIDE	HYDROXIDE SUPER 77 WP	770 g/kg	WP	FUNGICIDE	3	241-006-1111	03-Dec-25	-	Tomato	Early blight, late blight, fruit rot, septoria alternaria	2.6-6.0 Tbsp/36L water	-	Do not enter without protective clothing until spray has dried.	-
JOCANIMA CORPORATION	COPPER HYDROXIDE	HYDROXIDE SUPER 77 WP	770 g/kg	WP	FUNGICIDE	3	241-006-1111	03-Dec-25	-	Watermelon	Anthracoese, fruit rot, downy mildew	2.6-6.0 Tbsp/36L water	-	Do not enter without protective clothing until spray has dried.	-
JOCANIMA CORPORATION	COPPER HYDROXIDE	HYDROXIDE SUPER 77 WP	770 g/kg	WP	FUNGICIDE	3	241-006-1111	03-Dec-25	-	Papaya	Bacterial crown rot	4.5-7.0 kg/ha	-	Do not enter without protective clothing until spray has dried.	-
MAGAN AGRO PHILS., ENTERPRISE, INC.	COPPER HYDROXIDE	HYDROMAX 77 WP	770 g/kg	WP	FUNGICIDE	3	461-006-3661	14-Mar-25	-	Banana	Sigatoka	2.6-6.0 Tbsp/36L water	-	-	-
MAGAN AGRO PHILS., ENTERPRISE, INC.	COPPER HYDROXIDE	HYDROMAX 77 WP	770 g/kg	WP	FUNGICIDE	3	461-006-3661	14-Mar-25	-	beans	Bacterial blight, rust	2.6-6.0 Tbsp/36L water	-	-	-
MAGAN AGRO PHILS., ENTERPRISE, INC.	COPPER HYDROXIDE	HYDROMAX 77 WP	770 g/kg	WP	FUNGICIDE	3	461-006-3661	14-Mar-25	-	Cabbage	Black rot, black leaf spot	2.6-6.0 Tbsp/36L water	-	-	-
MAGAN AGRO PHILS., ENTERPRISE, INC.	COPPER HYDROXIDE	HYDROMAX 77 WP	770 g/kg	WP	FUNGICIDE	3	461-006-3661	14-Mar-25	-	Cacao	Black pod	2.6-6.0 Tbsp/36L water	-	-	-

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
MAGAN AGRO PHILS., ENTERPRISE, INC.	COPPER HYDROXIDE	HYDROMAX 77 WP	770 g/kg	WP	FUNGICIDE	3	461-006-3661	14-Mar-25		Carrot	Cercospora	2.6-6.0 Tbsp/36L water	-	-	
MAGAN AGRO PHILS., ENTERPRISE, INC.	COPPER HYDROXIDE	HYDROMAX 77 WP	770 g/kg	WP	FUNGICIDE	3	461-006-3661	14-Mar-25		Cauliflower	Downy mildew, alternaria leaf spot	2.6-6.0 Tbsp/36L water	-	-	
MAGAN AGRO PHILS., ENTERPRISE, INC.	COPPER HYDROXIDE	HYDROMAX 77 WP	770 g/kg	WP	FUNGICIDE	3	461-006-3661	14-Mar-25		Catery	Early blight	2.6-6.0 Tbsp/36L water	-	-	
MAGAN AGRO PHILS., ENTERPRISE, INC.	COPPER HYDROXIDE	HYDROMAX 77 WP	770 g/kg	WP	FUNGICIDE	3	461-006-3661	14-Mar-25		Citrus	Black spot, scab, Melanose	2.6-6.0 Tbsp/36L water	-	-	
MAGAN AGRO PHILS., ENTERPRISE, INC.	COPPER HYDROXIDE	HYDROMAX 77 WP	770 g/kg	WP	FUNGICIDE	3	461-006-3661	14-Mar-25		Coffee	Leaf rust, coffee berry disease	2.6-6.0 Tbsp/36L water	-	-	
MAGAN AGRO PHILS., ENTERPRISE, INC.	COPPER HYDROXIDE	HYDROMAX 77 WP	770 g/kg	WP	FUNGICIDE	3	461-006-3661	14-Mar-25		Cucumber	Anthraxnose, septoria, cercospora, fruit rot, downy mildew	2.6-6.0 Tbsp/36L water	-	-	
MAGAN AGRO PHILS., ENTERPRISE, INC.	COPPER HYDROXIDE	HYDROMAX 77 WP	770 g/kg	WP	FUNGICIDE	3	461-006-3661	14-Mar-25		Grapes	Anthraxnose, mildew, black rot	2.6-6.0 Tbsp/36L water	-	-	
MAGAN AGRO PHILS., ENTERPRISE, INC.	COPPER HYDROXIDE	HYDROMAX 77 WP	770 g/kg	WP	FUNGICIDE	3	461-006-3661	14-Mar-25		Mango	Anthraxnose	2.6-6.0 Tbsp/36L water	-	-	
MAGAN AGRO PHILS., ENTERPRISE, INC.	COPPER HYDROXIDE	HYDROMAX 77 WP	770 g/kg	WP	FUNGICIDE	3	461-006-3661	14-Mar-25		Onion	Purple blotch, downy mildew	2.6-6.0 Tbsp/36L water	-	-	
MAGAN AGRO PHILS., ENTERPRISE, INC.	COPPER HYDROXIDE	HYDROMAX 77 WP	770 g/kg	WP	FUNGICIDE	3	461-006-3661	14-Mar-25		Peas	Powdery mildew	2.6-6.0 Tbsp/36L water	-	-	
MAGAN AGRO PHILS., ENTERPRISE, INC.	COPPER HYDROXIDE	HYDROMAX 77 WP	770 g/kg	WP	FUNGICIDE	3	461-006-3661	14-Mar-25		Peanut	Cercospora leaf spot	2.6-6.0 Tbsp/36L water	-	-	
MAGAN AGRO PHILS., ENTERPRISE, INC.	COPPER HYDROXIDE	HYDROMAX 77 WP	770 g/kg	WP	FUNGICIDE	3	461-006-3661	14-Mar-25		Pepper	Bacterial blight, rust	2.6-6.0 Tbsp/36L water	-	-	
MAGAN AGRO PHILS., ENTERPRISE, INC.	COPPER HYDROXIDE	HYDROMAX 77 WP	770 g/kg	WP	FUNGICIDE	3	461-006-3661	14-Mar-25		Potato	Early blight, late blight	2.6-6.0 Tbsp/36L water	-	-	
MAGAN AGRO PHILS., ENTERPRISE, INC.	COPPER HYDROXIDE	HYDROMAX 77 WP	770 g/kg	WP	FUNGICIDE	3	461-006-3661	14-Mar-25		Rice	Blas, sheath blight, bacterial leaf streak	2.6-6.0 Tbsp/36L water	-	-	
MAGAN AGRO PHILS., ENTERPRISE, INC.	COPPER HYDROXIDE	HYDROMAX 77 WP	770 g/kg	WP	FUNGICIDE	3	461-006-3661	14-Mar-25		Tomato	Early blight, late blight, fruitley rot, septoria alternaria	2.6-6.0 Tbsp/36L water	-	-	
MAGAN AGRO PHILS., ENTERPRISE, INC.	COPPER HYDROXIDE	HYDROMAX 77 WP	770 g/kg	WP	FUNGICIDE	3	461-006-3661	14-Mar-25		Watermelon	Anthraxnose, fruit rot, downy mildew	2.6-6.0 Tbsp/36L water	-	-	
GRANDIA AGRO MARKETING CORPORATION	GLYPHOSATE IPA	HUSTLER 480 SL	480 g/L	SL	HERBICIDE	4	445-151-2752	28-Dec-25	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	
GRANDIA AGRO MARKETING CORPORATION	GLYPHOSATE IPA	HUSTLER 480 SL	480 g/L	SL	HERBICIDE	4	445-151-2752	28-Dec-25	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	
GRANDIA AGRO MARKETING CORPORATION	GLYPHOSATE IPA	HUSTLER 480 SL	480 g/L	SL	HERBICIDE	4	445-151-2752	28-Dec-25	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	
GRANDIA AGRO MARKETING CORPORATION	GLYPHOSATE IPA	HUSTLER 480 SL	480 g/L	SL	HERBICIDE	4	445-151-2752	28-Dec-25	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	
GRANDIA AGRO MARKETING CORPORATION	GLYPHOSATE IPA	HUSTLER 480 SL	480 g/L	SL	HERBICIDE	4	445-151-2752	28-Dec-25	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	
GRANDIA AGRO MARKETING CORPORATION	GLYPHOSATE IPA	HUSTLER 480 SL	480 g/L	SL	HERBICIDE	4	445-151-2752	28-Dec-25	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	
GRANDIA AGRO MARKETING CORPORATION	GLYPHOSATE IPA	HUSTLER 480 SL	480 g/L	SL	HERBICIDE	4	445-151-2752	28-Dec-25	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	
GRANDIA AGRO MARKETING CORPORATION	GLYPHOSATE IPA	HUSTLER 480 SL	480 g/L	SL	HERBICIDE	4	445-151-2752	28-Dec-25	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	
GRANDIA AGRO MARKETING CORPORATION	GLYPHOSATE IPA	HUSTLER 480 SL	480 g/L	SL	HERBICIDE	4	445-151-2752	28-Dec-25	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	
GRANDIA AGRO MARKETING CORPORATION	GLYPHOSATE IPA	HUSTLER 480 SL	480 g/L	SL	HERBICIDE	4	445-151-2752	28-Dec-25	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	
GRANDIA AGRO MARKETING CORPORATION	GLYPHOSATE IPA	HUSTLER 480 SL	480 g/L	SL	HERBICIDE	4	445-151-2752	28-Dec-25	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	
GRANDIA AGRO MARKETING CORPORATION	GLYPHOSATE IPA	HUSTLER 480 SL	480 g/L	SL	HERBICIDE	4	445-151-2752	28-Dec-25	POST-EMERGENT	Non-crop	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	
GRANDIA AGRO MARKETING CORPORATION	GLYPHOSATE IPA	HUSTLER 480 SL	480 g/L	SL	HERBICIDE	4	445-151-2752	28-Dec-25	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	
GRANDIA AGRO MARKETING CORPORATION	GLYPHOSATE IPA	HUSTLER 480 SL	480 g/L	SL	HERBICIDE	4	445-151-2752	28-Dec-25	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	
GRANDIA AGRO MARKETING CORPORATION	GLYPHOSATE IPA	HUSTLER 480 SL	480 g/L	SL	HERBICIDE	4	445-151-2752	28-Dec-25	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	
GRANDIA AGRO MARKETING CORPORATION	GLYPHOSATE IPA	HUSTLER 480 SL	480 g/L	SL	HERBICIDE	4	445-151-2752	28-Dec-25	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	
GRANDIA AGRO MARKETING CORPORATION	GLYPHOSATE IPA	HUSTLER 480 SL	480 g/L	SL	HERBICIDE	4	445-151-2752	28-Dec-25	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	
GRANDIA AGRO MARKETING CORPORATION	GLYPHOSATE IPA	HUSTLER 480 SL	480 g/L	SL	HERBICIDE	4	445-151-2752	28-Dec-25	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	
GRANDIA AGRO MARKETING CORPORATION	GLYPHOSATE IPA	HUSTLER 480 SL	480 g/L	SL	HERBICIDE	4	445-151-2752	28-Dec-25	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	
GRANDIA AGRO MARKETING CORPORATION	GLYPHOSATE IPA	HUSTLER 480 SL	480 g/L	SL	HERBICIDE	4	445-151-2752	28-Dec-25	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	
GRANDIA AGRO MARKETING CORPORATION	GLYPHOSATE IPA	HUSTLER 480 SL	480 g/L	SL	HERBICIDE	4	445-151-2752	28-Dec-25	POST-EMERGENT	Non-crop	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	
KEMISTAR CORPORATION	CYHALOPOF BUTYL	HUSAY 100 EC	100 g/L	EC	HERBICIDE	4	429-257-5578	21-Oct-24		Rice (Direct seeded)	Grasses	7-9 tbsp./tank load, 12 of tank load/ha (16L capacity)	-	-	
MANAGRA TRADING CORPORATION	GLYPHOSATE IPA	HU- ROOT 480 PLUS	480 g/L	SL	HERBICIDE	4	476-151-2839	28-Apr-24	POST-EMERGENCE/NON-SELECTIVE (SYSTEMIC)	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	
MANAGRA TRADING CORPORATION	GLYPHOSATE IPA	HU- ROOT 480 PLUS	480 g/L	SL	HERBICIDE	4	476-151-2839	28-Apr-24	POST-EMERGENCE/NON-SELECTIVE (SYSTEMIC)	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	
MANAGRA TRADING CORPORATION	GLYPHOSATE IPA	HU- ROOT 480 PLUS	480 g/L	SL	HERBICIDE	4	476-151-2839	28-Apr-24	POST-EMERGENCE/NON-SELECTIVE (SYSTEMIC)	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	
MANAGRA TRADING CORPORATION	GLYPHOSATE IPA	HU- ROOT 480 PLUS	480 g/L	SL	HERBICIDE	4	476-151-2839	28-Apr-24	POST-EMERGENCE/NON-SELECTIVE (SYSTEMIC)	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	
MANAGRA TRADING CORPORATION	GLYPHOSATE IPA	HU- ROOT 480 PLUS	480 g/L	SL	HERBICIDE	4	476-151-2839	28-Apr-24	POST-EMERGENCE/NON-SELECTIVE (SYSTEMIC)	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	3.0 Liters/ha	-	-	
MANAGRA TRADING CORPORATION	GLYPHOSATE IPA	HU- ROOT 480 PLUS	480 g/L	SL	HERBICIDE	4	476-151-2839	28-Apr-24	POST-EMERGENCE/NON-SELECTIVE (SYSTEMIC)	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	
MANAGRA TRADING CORPORATION	GLYPHOSATE IPA	HU- ROOT 480 PLUS	480 g/L	SL	HERBICIDE	4	476-151-2839	28-Apr-24	POST-EMERGENCE/NON-SELECTIVE (SYSTEMIC)	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	
MANAGRA TRADING CORPORATION	GLYPHOSATE IPA	HU- ROOT 480 PLUS	480 g/L	SL	HERBICIDE	4	476-151-2839	28-Apr-24	POST-EMERGENCE/NON-SELECTIVE (SYSTEMIC)	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/ha	-	-	
MANAGRA TRADING CORPORATION	GLYPHOSATE IPA	HU- ROOT 480 PLUS	480 g/L	SL	HERBICIDE	4	476-151-2839	28-Apr-24	POST-EMERGENCE/NON-SELECTIVE (SYSTEMIC)	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	
MANAGRA TRADING CORPORATION	GLYPHOSATE IPA	HU- ROOT 480 PLUS	480 g/L	SL	HERBICIDE	4	476-151-2839	28-Apr-24	POST-EMERGENCE/NON-SELECTIVE (SYSTEMIC)	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	
MANAGRA TRADING CORPORATION	GLYPHOSATE IPA	HU- ROOT 480 PLUS	480 g/L	SL	HERBICIDE	4	476-151-2839	28-Apr-24	POST-EMERGENCE/NON-SELECTIVE (SYSTEMIC)	Non-crop	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	
LEADS AGRICULTURAL PRODUCTS CORPORATION	TERBUFOS	HUNTER 10 G	100 g/kg	G	INSECTICIDE/ NEMATOCIDE	1	099-181-1251	17-Mar-21		Banana	Burrowing nematodes, aphids & corn weevils	8 gram a/mut/year	-	-	
CAVILLA AGR VENTURES, INC.	CARTAP HYDROCHLORIDE	HUAX 50 SP	500 g/kg	SP	INSECTICIDE	3	636-106-4093	06-Mar-22	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.0-5.0Tbsp/36L water	0.2ppm	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
CAVILLA AGR VENTURES, INC.	CARTAP HYDROCHLORIDE	HUAX 50 SP	500 g/kg	SP	INSECTICIDE	3	636-106-4093	06-Mar-22	SYSTEMIC	Wongbok	O diamond back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/36L water	-	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
CAVILLA AGR VENTURES, INC.	CARTAP HYDROCHLORIDE	HUAX 50 SP	500 g/kg	SP	INSECTICIDE	3	636-106-4093	06-Mar-22	SYSTEMIC	Cabbage	Diamond-back moth aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/36L water	-	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
CAVILLA AGR VENTURES, INC.	CARTAP HYDROCHLORIDE	HUAX 50 SP	500 g/kg	SP	INSECTICIDE	3	636-106-4093	06-Mar-22	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphid, flea beetle	1.5-2.0Tbsp/36L water	-	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
CAVILLA AGR VENTURES, INC.	CARTAP HYDROCHLORIDE	HUAX 50 SP	500 g/kg	SP	INSECTICIDE	3	636-106-4093	06-Mar-22	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/36L water	-	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
CAVILLA AGR VENTURES, INC.	CARTAP HYDROCHLORIDE	HUAX 50 SP	500 g/kg	SP	INSECTICIDE	3	636-106-4093	06-Mar-22	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/36L water	-	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
CAVILLA AGR VENTURES, INC.	CARTAP HYDROCHLORIDE	HUAK 50 SP	500g/kg	SP	INSECTICIDE	3	636-106-4093	06-Mar-22	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/36 L water	-	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
CAVILLA AGR VENTURES, INC.	CARTAP HYDROCHLORIDE	HUAK 50 SP	500g/kg	SP	INSECTICIDE	3	636-106-4093	06-Mar-22	SYSTEMIC	Mango	leafhoppers	1.5-2.0Tbsp/36 L water	-	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
CAVILLA AGR VENTURES, INC.	CARTAP HYDROCHLORIDE	HUAK 50 SP	500g/kg	SP	INSECTICIDE	3	636-106-4093	06-Mar-22	SYSTEMIC	Peclay	looper, cutworm, aphids	1.5-3.0Tbsp/36 L water	-	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
RAINBOW AGROSCIENCES PHILIPPINES INC.	METAMOP	HURIC 100 EC	300 g/L	EC	HERBICIDE	4	539-409-5709	29-Apr-25	POST-EMERGENT	Rice (direct-seeded)	Grasses, echinocloa sp., Leptochloa chinensis, Ischaemum rugosum	700 ml / 1 liter product/ha	-	-	-
KEMISTAR CORPORATION	METALDEHYDE	HOTSHOT 6% PELLET	60 g/kg	P	MOLLUSCICIDE	4	239-075-1613	20-Feb-24	CONTACT	Rice (Transplanted)	Golden apple snail	2-4 kg/ product per hectare	-	-	Do not enter treated field within 48 hours after application.
KEMISTAR CORPORATION	METALDEHYDE	HOTSHOT 6% PELLET	60 g/kg	P	MOLLUSCICIDE	4	239-075-1613	20-Feb-24	CONTACT	Rice (Direct Seeded)	Golden apple snail	4-8 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application.
KEMISTAR CORPORATION	METALDEHYDE	HOTSHOT 6% PELLET	60 g/kg	P	MOLLUSCICIDE	4	239-075-1613	20-Feb-24	CONTACT	Potted and driftwood-attached giants such as	Bush, snails, giant african snail and slugs	3-2 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application.
KEMISTAR CORPORATION	METALDEHYDE	HOTSHOT 6% PELLET	60 g/kg	P	MOLLUSCICIDE	4	239-075-1613	20-Feb-24	CONTACT	Crucifers (chinese Cabbage)	Slugs, snails	6-8 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application.
KEMISTAR CORPORATION	METALDEHYDE	HOTSHOT 6% PELLET	60 g/kg	P	MOLLUSCICIDE	4	239-075-1613	20-Feb-24	CONTACT	Strawberry	Slugs, snails	6-8 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application.
KEMISTAR CORPORATION	NICLOSAMIDE ETHANOLAMINE SALT	HOT SHOT 70 WP	700g/kg	WP	MOLLUSCICIDE	4	239-229-0999	23-Dec-23	CONTACT	Rice	Golden Apple Snail (Kuhol)	35 gm/ 36 L water	-	-	Do not enter the treated field within 48 hours after application
ORACLE CHEM CORPORATION	NICLOSAMIDE ETHANOLAMINE SALT	HORNET 70 WP	700g/kg	WP	MOLLUSCICIDE	4	417-229-2190-A (548)	20-Jul-26	CONTACT	Rice	Golden Apple Snail (Kuhol)	30 tankload/ha 1 sachet (30gms)/Tankload (16L)	-	-	Re-enter fields at least 48 hours after application
RAINBOW AGROSCIENCES PHILIPPINES INC.	INDOXACARB	HOPROLE 30 WG	300 g/L kg	WG	INSECTICIDE	3	539-353-5200	28-Sep-23	-	Cabbage	Diamond-back moth	4.0 Grams/ 36L	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	INDOXACARB	HOPROLE 30 WG	300 g/L kg	WG	INSECTICIDE	3	539-353-5200	28-Sep-23	-	Eggplant	shoot and fruit borer	4.0 Grams/ 36L	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	INDOXACARB	HOPROLE 30 WG	300 g/L kg	WG	INSECTICIDE	3	539-353-5200	28-Sep-23	-	Corn	Comborer and earworm	4.0 Grams/ 36L	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	INDOXACARB	HOPROLE 30 WG	300 g/L kg	WG	INSECTICIDE	3	539-353-5200	28-Sep-23	-	Tobacco	Budworm and cutworm	4.0 Grams/ 36L	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	INDOXACARB	HOPROLE 30 WG	300 g/L kg	WG	INSECTICIDE	3	539-353-5200	28-Sep-23	-	Stringbeans	Pod borer	4.0 Grams/ 36L	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	INDOXACARB	HOPROLE 30 WG	300 g/L kg	WG	INSECTICIDE	3	539-353-5200	28-Sep-23	-	Bittergourd	Cutworm	4.0 Grams/ 36L	-	-	-
TAIPAN BRAND FARM INC.	BURPROFEZIN	HOPPEX	100g/kg	WP	INSECTICIDE	4	529-224-3433	29-Jun-24	SYSTEMIC	Rice	Brown planthopper & Green Leafhopper	1-2 Tbsp/36 L	0.5 ppm	7 days	After spray deposits have dried up.
TAIPAN BRAND FARM INC.	BURPROFEZIN	HOPPEX	100g/kg	WP	INSECTICIDE	4	529-224-3433	29-Jun-24	SYSTEMIC	Mango	Hopper	3-2 sachet/drum, 1 drum=200 L	-	15 days	After spray deposits have dried up.
TAIPAN BRAND FARM INC.	BURPROFEZIN	HOPPEX	100g/kg	WP	INSECTICIDE	4	529-224-3433	29-Jun-24	SYSTEMIC	Pineapple	Mealybugs	4.68 kg/ha or 26.7 g/36 L water	-	7 days	After spray deposits have dried up.
ZAGRO CORPORATION	BP/MC	HOPPERBURN 50 EC	500 g/L	EC	INSECTICIDE	2	043-002-4899	30-Apr-25	-	Rice	Green leafhopper, brown plant hopper & leaf folder	3-5 Tbsp/36 L water	-	-	Re-entry into treated areas may be done at least 2 days after treatment
ZAGRO CORPORATION	BP/MC	HOPPERBURN 50 EC	500 g/L	EC	INSECTICIDE	2	043-002-4899	30-Apr-25	-	Cotton	leafhopper,thrips & aphids	3-5 Tbsp/36 L water	-	-	Re-entry into treated areas may be done at least 2 days after treatment
ZAGRO CORPORATION	BP/MC	HOPPERBURN 50 EC	500 g/L	EC	INSECTICIDE	2	043-002-4899	30-Apr-25	-	Citrus	Scale insects, aphids, mealy bug, aphids, & cutworm	3-4 Tbsp/36 L water	-	-	Re-entry into treated areas may be done at least 2 days after treatment
ZAGRO CORPORATION	BP/MC	HOPPERBURN 50 EC	500 g/L	EC	INSECTICIDE	2	043-002-4899	30-Apr-25	-	Crucifers	Diamond-back moth, cabbage worms, aphids & cutworms	3-5 Tbsp/36 L water	-	-	Re-entry into treated areas may be done at least 2 days after treatment
ZAGRO CORPORATION	BP/MC	HOPPERBURN 50 EC	500 g/L	EC	INSECTICIDE	2	043-002-4899	30-Apr-25	-	Mango	hopper & tip borer	3-3.5 Tbsp/36 L water	-	-	Re-entry into treated areas may be done at least 2 days after treatment
RAINBOW AGROSCIENCES PHILIPPINES INC.	BURPROFEZIN	HOPOVER 250 SC	250g/L	SC	INSECTICIDE	3	539-224-3965	23-Dec-25	SYSTEMIC	Mango	Leafhopper	40-80mL/200L water	-	15 days	Re-entry to field is as soon as spray dries.
VAST AGRO SOLUTIONS, INC.	PYMETROZINE	HOPEST 500 WG	500g/kg	WG	INSECTICIDE	4	389-063-4523	25-Sep-21	-	Mango	Mango Leafhopper	1 sachet*/200L	-	-	Do not enter the treated fields for at least 24 hours after application
BIOSTADT PHILIPPINES INC.	BP/MC	HOPICIDE 50 EC	500 g/L	EC	INSECTICIDE	2	097-002-0946	23-Nov-18	-	Rice	Green leafhopper, brown plant hopper & leaf folder	3-5 Tbsp/36L water	-	-	-
BIOSTADT PHILIPPINES INC.	BP/MC	HOPICIDE 50 EC	500 g/L	EC	INSECTICIDE	2	097-002-0946	23-Nov-18	-	Cotton	leafhopper,thrips & aphids	3-5 Tbsp/36L water	-	-	-
BIOSTADT PHILIPPINES INC.	BP/MC	HOPICIDE 50 EC	500 g/L	EC	INSECTICIDE	2	097-002-0946	23-Nov-18	-	Citrus	Scale insects, aphids, mealy bug, aphids, & cutworm	3-4 Tbsp/36L water	-	-	-
BIOSTADT PHILIPPINES INC.	BP/MC	HOPICIDE 50 EC	500 g/L	EC	INSECTICIDE	2	097-002-0946	23-Nov-18	-	Crucifers	Diamond-back moth, cabbage worms, aphids & cutworms	3-5 Tbsp/36L water	-	-	-
BIOSTADT PHILIPPINES INC.	BP/MC	HOPICIDE 50 EC	500 g/L	EC	INSECTICIDE	2	097-002-0946	23-Nov-18	-	Mango	hopper & tip borer	3-3.5 Tbsp/36L water	-	-	-
ZHENGBANG CROP PROTECTION (PHILIPPINE) INC.	PYMETROZINE	HOPMAN 50 WG	500g/kg	WG	INSECTICIDE	4	467-307-9309	27-Jan-26	-	Mango	Leafhopper	1 sachets / 200L	-	No PHI proposed as the product will be applied at least 20 to 40 days before harvest	Do not enter treated fields until spray deposits have completely dried.
JARDINE DISTRIBUTION, INC.	DIFENOCONAZOLE	HOMERUN 250 EC	250 g/L	EC	FUNGICIDE	4	367-272-3417	02-Dec-25	SYSTEMIC	Banana	Black Sigatoka	0.30-0.40 L prod/ha	0.50 ppm	-	-
JARDINE DISTRIBUTION, INC.	DIFENOCONAZOLE	HOMERUN 250 EC	250 g/L	EC	FUNGICIDE	4	367-272-3417	02-Dec-25	SYSTEMIC	Mango	Anthraxnose	0.528-0.88 L/ha	0.07 ppm	14 days	-
JARDINE DISTRIBUTION, INC.	DIFENOCONAZOLE	HOMERUN 250 EC	250 g/L	EC	FUNGICIDE	4	367-272-3417	02-Dec-25	SYSTEMIC	Rice	Sheath Blight	0.25-0.30 L/ha	0.2 ppm	-	-
JARDINE DISTRIBUTION, INC.	DIFENOCONAZOLE	HOMERUN 250 EC	250 g/L	EC	FUNGICIDE	4	367-272-3417	02-Dec-25	SYSTEMIC	Stringbeans	leaf spot	0.20-0.30 L/ha	-	7 days	-
JARDINE DISTRIBUTION, INC.	DIFENOCONAZOLE	HOMERUN 250 EC	250 g/L	EC	FUNGICIDE	4	367-272-3417	02-Dec-25	SYSTEMIC	Eggplant	leaf spot	0.20-0.30 L/ha	0.60 ppm	7 days	-
JARDINE DISTRIBUTION, INC.	DIFENOCONAZOLE	HOMERUN 250 EC	250 g/L	EC	FUNGICIDE	4	367-272-3417	02-Dec-25	SYSTEMIC	Tomato	Alternaria leaf spot, cercospora leafmold,powdery mildew	0.20-0.30 L/ha	0.6 ppm	7 days	-
JARDINE DISTRIBUTION, INC.	DIFENOCONAZOLE	HOMERUN 250 EC	250 g/L	EC	FUNGICIDE	4	367-272-3417	02-Dec-25	SYSTEMIC	Cabbage	Ringspot,alternaria	0.20-0.30 L/ha	2.00 ppm	7 days	-
JARDINE DISTRIBUTION, INC.	DIFENOCONAZOLE	HOMERUN 250 EC	250 g/L	EC	FUNGICIDE	4	367-272-3417	02-Dec-25	SYSTEMIC	Onion	Purple blotch	0.40-0.50 L/ha	0.20 ppm	7 days	-
JARDINE DISTRIBUTION, INC.	DIFENOCONAZOLE	HOMERUN 250 EC	250 g/L	EC	FUNGICIDE	4	367-272-3417	02-Dec-25	SYSTEMIC	Asparagus	Stem and leaf blight	0.36 L/ha	0.02 ppm	7 days	-
NUTRIBACCS CORPORATION	CYROMAZINE	HOKDEX	20g/kg	-	INSECTICIDE	4	695-331-5551	31-Dec-24	-	-	Flies and fly larvae in intensive livestock units, manure heaps and landfill sites	-	-	-	-
BAYER CROSCIENCE, INC.	TRIFLUTHIENOL-POLYCYCLOTHEN-NONPENOL-POLYCYCLOTHEN	HOESTICK	500 g/L	L	OTHERS	4	284-076-0622	28-Dec-25	-	-	Spreader/Sticker	25 mL - 50 mL of Hoestick to be added to 100 water- 5-10 mL/25 L (4 gal/long)	-	-	-
TAIPAN BRAND FARM INC.	TRIFLUTHIENOL-POLYCYCLOTHEN-NONPENOL-POLYCYCLOTHEN	HOESTICK	500 g/L	L	OTHERS	4	529-076-9153	28-Dec-25	-	-	Spreader/Sticker	25 mL - 50 mL of Hoestick to be added to 100L water- 5-10 mL/25 L (4 gal/long)	-	-	-
NUTRIBACCS CORPORATION	PIRETHRINS+PIPERONYL BUTOXIDE	HOCKLEY PY-PRO SUPER	-	-	OTHERS	4	695-553-5550	31-Dec-24	-	-	Housetflies, mosquitoes, rice weevil and cockroaches in animal facilities	-	-	-	-
HUNTER MARKETING AND DEVELOPMENT CORPORATION	GLYPHOSATE IPA	HMDC GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	712-151-5692	05-Mar-24	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/ha	-	-	-
HUNTER MARKETING AND DEVELOPMENT CORPORATION	GLYPHOSATE IPA	HMDC GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	712-151-5692	05-Mar-24	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /ha	-	-	-
HUNTER MARKETING AND DEVELOPMENT CORPORATION	GLYPHOSATE IPA	HMDC GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	712-151-5692	05-Mar-24	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /ha	-	-	-
HUNTER MARKETING AND DEVELOPMENT CORPORATION	GLYPHOSATE IPA	HMDC GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	712-151-5692	05-Mar-24	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /ha	-	-	-
HUNTER MARKETING AND DEVELOPMENT CORPORATION	GLYPHOSATE IPA	HMDC GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	712-151-5692	05-Mar-24	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters /ha	-	-	-
HUNTER MARKETING AND DEVELOPMENT CORPORATION	GLYPHOSATE IPA	HMDC GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	712-151-5692	05-Mar-24	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
HUNTER MARKETING AND DEVELOPMENT CORPORATION	GLYPHOSATE IPA	HMDC GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	712-151-5692	05-Mar-24	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
HUNTER MARKETING AND DEVELOPMENT CORPORATION	GLYPHOSATE IPA	HMDC GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	712-151-5692	05-Mar-24	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
HUNTER MARKETING AND DEVELOPMENT CORPORATION	GLYPHOSATE IPA	HMDC GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	712-151-5692	05-Mar-24	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/ha	-	-	-
HUNTER MARKETING AND DEVELOPMENT CORPORATION	GLYPHOSATE IPA	HMDC GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	712-151-5692	05-Mar-24	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
HUNTER MARKETING AND DEVELOPMENT CORPORATION	GLYPHOSATE IPA	HMDC GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	712-151-5692	05-Mar-24	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0liters/ha	-	-	-
HUNTER MARKETING AND DEVELOPMENT CORPORATION	GLYPHOSATE IPA	HMDC GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	712-151-5692	05-Mar-24	POST-EMERGENT	non-crop	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	GLYPHOSATE IPA	HTWEED 480 SL	480 g/L	SL	HERBICIDE	4	667-151-5120	25-Jun-26	SYSTEMIC (NON-SELECTIVE)	Glyphosate tolerant corn	Annual & Perennial grasses, sedges and & Broadleaf weeds	2.0-4.0 Liters/ha	-	-	-
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	GLYPHOSATE IPA	HTWEED 480 SL	480 g/L	SL	HERBICIDE	4	667-151-5120	25-Jun-26	SYSTEMIC (NON-SELECTIVE)	Mango	Annual & Perennial grasses, sedges and & Broadleaf weeds	3.0-4.5 Liters/ha	-	-	-
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	GLYPHOSATE IPA	HTWEED 480 SL	480 g/L	SL	HERBICIDE	4	667-151-5120	25-Jun-26	SYSTEMIC (NON-SELECTIVE)	Banana	Annual & Perennial grasses, sedges and & Broadleaf weeds	3.0-4.5 Liters/ha	-	-	-
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	GLYPHOSATE IPA	HTWEED 480 SL	480 g/L	SL	HERBICIDE	4	667-151-5120	25-Jun-26	SYSTEMIC (NON-SELECTIVE)	Coffee	Annual & Perennial grasses, sedges and & Broadleaf weeds	3.0-4.5 Liters/ha	-	-	-
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	GLYPHOSATE IPA	HTWEED 480 SL	480 g/L	SL	HERBICIDE	4	667-151-5120	25-Jun-26	SYSTEMIC (NON-SELECTIVE)	Cacao	Annual & Perennial grasses, sedges and & Broadleaf weeds	3.0-4.5 Liters/ha	-	-	-
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	GLYPHOSATE IPA	HTWEED 480 SL	480 g/L	SL	HERBICIDE	4	667-151-5120	25-Jun-26	SYSTEMIC (NON-SELECTIVE)	Rubber	Annual & Perennial grasses, sedges and & Broadleaf weeds	2.0-4.5 Liters/ha	-	-	-
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	GLYPHOSATE IPA	HTWEED 480 SL	480 g/L	SL	HERBICIDE	4	667-151-5120	25-Jun-26	SYSTEMIC (NON-SELECTIVE)	Oil palm	Annual & Perennial grasses, sedges and & Broadleaf weeds	2.0-4.5 Liters/ha	-	-	-
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	GLYPHOSATE IPA	HTWEED 480 SL	480 g/L	SL	HERBICIDE	4	667-151-5120	25-Jun-26	SYSTEMIC (NON-SELECTIVE)	Citrus	Annual & Perennial grasses, sedges and & Broadleaf weeds	2.0-4.5 Liters/ha	-	-	-
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	GLYPHOSATE IPA	HTWEED 480 SL	480 g/L	SL	HERBICIDE	4	667-151-5120	25-Jun-26	SYSTEMIC (NON-SELECTIVE)	Coconut	Annual & Perennial grasses, sedges and & Broadleaf weeds	2.0-4.5 Liters/ha	-	-	-
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	GLYPHOSATE IPA	HTWEED 480 SL	480 g/L	SL	HERBICIDE	4	667-151-5120	25-Jun-26	SYSTEMIC (NON-SELECTIVE)	Sugarcane	Annual & Perennial grasses, sedges and & Broadleaf weeds	2.0 Liters/ha	-	-	-
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	GLYPHOSATE IPA	HTWEED 480 SL	480 g/L	SL	HERBICIDE	4	667-151-5120	25-Jun-26	SYSTEMIC (NON-SELECTIVE)	Vegetables under minimum or reduced tillage system	Annual & Perennial grasses, sedges and & Broadleaf weeds	2.0 Liters/ha	-	-	-
THE GREEN PLANET CORPORATION	GLYPHOSATE IPA	H- TOP GLYPHO	480 g/L	SL	HERBICIDE	4	781-151-6472	11-Sep-25	-	Glyphosate tolerant corn	Annual and perennial grasses, broadleaf weeds and sedges	-	-	-	-
THE GREEN PLANET CORPORATION	GLYPHOSATE IPA	H- TOP GLYPHO	480 g/L	SL	HERBICIDE	4	781-151-6472	11-Sep-25	-	Mango	Annual and perennial grasses, broadleaf weeds and sedges	-	-	-	-
THE GREEN PLANET CORPORATION	GLYPHOSATE IPA	H- TOP GLYPHO	480 g/L	SL	HERBICIDE	4	781-151-6472	11-Sep-25	-	Banana	Annual and perennial grasses, broadleaf weeds and sedges	-	-	-	-
THE GREEN PLANET CORPORATION	GLYPHOSATE IPA	H- TOP GLYPHO	480 g/L	SL	HERBICIDE	4	781-151-6472	11-Sep-25	-	Coffee	Annual and perennial grasses, broadleaf weeds and sedges	-	-	-	-
THE GREEN PLANET CORPORATION	GLYPHOSATE IPA	H- TOP GLYPHO	480 g/L	SL	HERBICIDE	4	781-151-6472	11-Sep-25	-	Cacao	Annual and perennial grasses, broadleaf weeds and sedges	-	-	-	-
THE GREEN PLANET CORPORATION	GLYPHOSATE IPA	H- TOP GLYPHO	480 g/L	SL	HERBICIDE	4	781-151-6472	11-Sep-25	-	Rubber	Annual and perennial grasses, broadleaf weeds and sedges	-	-	-	-
THE GREEN PLANET CORPORATION	GLYPHOSATE IPA	H- TOP GLYPHO	480 g/L	SL	HERBICIDE	4	781-151-6472	11-Sep-25	-	Oil palm	Annual and perennial grasses, broadleaf weeds and sedges	-	-	-	-
THE GREEN PLANET CORPORATION	GLYPHOSATE IPA	H- TOP GLYPHO	480 g/L	SL	HERBICIDE	4	781-151-6472	11-Sep-25	-	Coconut	Annual and perennial grasses, broadleaf weeds and sedges	-	-	-	-
THE GREEN PLANET CORPORATION	GLYPHOSATE IPA	H- TOP GLYPHO	480 g/L	SL	HERBICIDE	4	781-151-6472	11-Sep-25	-	Citrus	Annual and perennial grasses, broadleaf weeds and sedges	-	-	-	-
THE GREEN PLANET CORPORATION	GLYPHOSATE IPA	H- TOP GLYPHO	480 g/L	SL	HERBICIDE	4	781-151-6472	11-Sep-25	-	Sugarcane	Annual and perennial grasses, broadleaf weeds and sedges	-	-	-	-
THE GREEN PLANET CORPORATION	GLYPHOSATE IPA	H- TOP GLYPHO	480 g/L	SL	HERBICIDE	4	781-151-6472	11-Sep-25	-	Vegetables under minimum or reduced tillage system	Annual and perennial grasses, broadleaf weeds and sedges	-	-	-	-
THE GREEN PLANET CORPORATION	GLYPHOSATE IPA	H- TOP GLYPHO	480 g/L	SL	HERBICIDE	4	781-151-6472	11-Sep-25	-	Non-crop areas	Annual and perennial grasses, broadleaf weeds and sedges	-	-	-	-
PRIMSTOCKS CHEMICAL CORPORATION	GLUFOSINATE AMMONIUM	HTMAN 150 SL	150 g/L	SL	HERBICIDE	4	623-182-4599-A	04-Jan-25	NON-SELECTIVE/POST-EMERGENT	Cavendish Banana	Annual and perennial grasses, sedges and broadleaf weeds	Shaded: 16 Tbsp/16L water, Open field: 13.5-2.0 Tbsp/16 L water	0.2 mg/kg	0 Day	After spraying deposits have dried
PRIMSTOCKS CHEMICAL CORPORATION	GLUFOSINATE AMMONIUM	HTMAN 150 SL	150 g/L	SL	HERBICIDE	4	623-182-4599-A	04-Jan-25	NON-SELECTIVE/POST-EMERGENT	Rubber	Annual and perennial grasses, sedges and broadleaf weeds	Shaded:21.5 Tbsp/16L water, Open condition: 27 Tbsp/16L water, Open field: 13.5 Tbsp/16L water	Mixed	0 Day	After spraying deposits have dried
PRIMSTOCKS CHEMICAL CORPORATION	GLUFOSINATE AMMONIUM	HTMAN 150 SL	150 g/L	SL	HERBICIDE	4	623-182-4599-A	04-Jan-25	NON-SELECTIVE/POST-EMERGENT	Oil palm	Annual and perennial grasses, sedges and broadleaf weeds	Shaded: 16 Tbsp/16L water, Open field: 13.5 Tbsp/16 L water	Mixed	0 Day	After spraying deposits have dried
PRIMSTOCKS CHEMICAL CORPORATION	GLUFOSINATE AMMONIUM	HTMAN 150 SL	150 g/L	SL	HERBICIDE	4	623-182-4599-A	04-Jan-25	NON-SELECTIVE/POST-EMERGENT	Non-crop agricultural areas	Annual and perennial grasses, sedges and broadleaf weeds	Mixed weeds: 16-21.5 Tbsp/16L water	-	0 Day	After spraying deposits have dried
CROPKING CHEMICALS INC.	METALDEHYDE	HT METALDEHYDE 6N PELLETS	60 g/kg	P	MOLLUSCICIDE	4	065-075-1293	10-Apr-24	CONTACT	Rice (Transplanted)	Golden apple snail	2-4 kg/ product per hectare	-	-	Do not enter treated field within 48 hours after last application
CROPKING CHEMICALS INC.	METALDEHYDE	HT METALDEHYDE 6N PELLETS	60 g/kg	P	MOLLUSCICIDE	4	065-075-1293	10-Apr-24	CONTACT	Rice (Direct-Seeded)	Golden apple snail	4-8 kg/product per hectare	-	-	Do not enter treated field within 48 hours after last application
CROPKING CHEMICALS INC.	METALDEHYDE	HT METALDEHYDE 6N PELLETS	60 g/kg	P	MOLLUSCICIDE	4	065-075-1293	10-Apr-24	CONTACT	Potted and driftwood-attached plants such as Chinese Cabbage	Slug, snails	6-8 kg/product per hectare	-	-	Do not enter treated field within 48 hours after last application
CROPKING CHEMICALS INC.	METALDEHYDE	HT METALDEHYDE 6N PELLETS	60 g/kg	P	MOLLUSCICIDE	4	065-075-1293	10-Apr-24	CONTACT	Strawberry	Slug, snails	6-8 kg/product per hectare	-	-	Do not enter treated field within 48 hours after last application
CROPKING CHEMICALS INC.	METALDEHYDE	HT METALDEHYDE 6N PELLETS	60 g/kg	P	MOLLUSCICIDE	4	065-075-1293	10-Apr-24	CONTACT	Rice	Golden Apple Snail (Kuhol)	36 gm/16L water	-	-	48 hours after spraying
CROPKING CHEMICALS INC.	METALDEHYDE	HT 250 EC	250 g/L	EC	MOLLUSCICIDE	4	065-229-0866	13-Mar-24	CONTACT	Rice	Golden apple snail	7-10 Tbsp/16L water	-	-	Do not re-enter the field within 2 days after spraying. Do not re-enter fishpond within 24 hours
GREEN THUMB EXPERT VENTURES, INC.	CARTAP HYDROCHLORIDE	HINDER 50 SP	500 g/kg	SP	INSECTICIDE	3	596-106-4114	02-Jul-25	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.0-5.0Tbsp/16L water	0.2ppm	Stop spraying 10 days before harvest	Do not enter the field within two days after spraying
GREEN THUMB EXPERT VENTURES, INC.	CARTAP HYDROCHLORIDE	HINDER 50 SP	500 g/kg	SP	INSECTICIDE	3	596-106-4114	02-Jul-25	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16L water	-	Stop spraying 10 days before harvest	Do not enter the field within two days after spraying
GREEN THUMB EXPERT VENTURES, INC.	CARTAP HYDROCHLORIDE	HINDER 50 SP	500 g/kg	SP	INSECTICIDE	3	596-106-4114	02-Jul-25	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16L water	-	Stop spraying 10 days before harvest	Do not enter the field within two days after spraying
GREEN THUMB EXPERT VENTURES, INC.	CARTAP HYDROCHLORIDE	HINDER 50 SP	500 g/kg	SP	INSECTICIDE	3	596-106-4114	02-Jul-25	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/16L water	-	Stop spraying 10 days before harvest	Do not enter the field within two days after spraying
GREEN THUMB EXPERT VENTURES, INC.	CARTAP HYDROCHLORIDE	HINDER 50 SP	500 g/kg	SP	INSECTICIDE	3	596-106-4114	02-Jul-25	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/16L water	-	Stop spraying 10 days before harvest	Do not enter the field within two days after spraying
GREEN THUMB EXPERT VENTURES, INC.	CARTAP HYDROCHLORIDE	HINDER 50 SP	500 g/kg	SP	INSECTICIDE	3	596-106-4114	02-Jul-25	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/16L water	-	Stop spraying 10 days before harvest	Do not enter the field within two days after spraying
GREEN THUMB EXPERT VENTURES, INC.	CARTAP HYDROCHLORIDE	HINDER 50 SP	500 g/kg	SP	INSECTICIDE	3	596-106-4114	02-Jul-25	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/16L water	-	Stop spraying 10 days before harvest	Do not enter the field within two days after spraying
GREEN THUMB EXPERT VENTURES, INC.	CARTAP HYDROCHLORIDE	HINDER 50 SP	500 g/kg	SP	INSECTICIDE	3	596-106-4114	02-Jul-25	SYSTEMIC	Mango	leafhoppers	1.5-2.0Tbsp/16L water	-	Stop spraying 10 days before harvest	Do not enter the field within two days after spraying
GREEN THUMB EXPERT VENTURES, INC.	CARTAP HYDROCHLORIDE	HINDER 50 SP	500 g/kg	SP	INSECTICIDE	3	596-106-4114	02-Jul-25	SYSTEMIC	Peachay	Looper, cutworm, aphids	1.5-3.0Tbsp/16L water	-	Stop spraying 10 days before harvest	Do not enter the field within two days after spraying
JYNNSONS PHILIPPINES, INC.	CHLALOPOR BUTYL	HIGH POINT 10 EC	100 g/L	EC	HERBICIDE	4	551-257-4661	15-Apr-25	-	Rice (Direct-Seeded)	Grasses	7-9 Tbsp./tank load; 12 of tank load/ha (15L acoo/ha)	-	-	-
CFS AGRV VENTURES, INC.	LAMBDA-CHALOTHRIN	HIGANTE 2.5 EC	25g/L	EC	INSECTICIDE	2	631-204-4051	16-May-24	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leaf folder, black bug	1.0-1% Tbsp/16L of water	0.05ppm	Do not spray 3 days before harvest	-
CFS AGRV VENTURES, INC.	LAMBDA-CHALOTHRIN	HIGANTE 2.5 EC	25g/L	EC	INSECTICIDE	2	631-204-4051	16-May-24	SYSTEMIC	Mango	Hoppers	4-1%Tbsp/16 L of water	-	Do not spray 3 days before harvest	-
CFS AGRV VENTURES, INC.	LAMBDA-CHALOTHRIN	HIGANTE 2.5 EC	25g/L	EC	INSECTICIDE	2	631-204-4051	16-May-24	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1% Tbsp/16L of water	-	Do not spray 3 days before harvest	-
CFS AGRV VENTURES, INC.	LAMBDA-CHALOTHRIN	HIGANTE 2.5 EC	25g/L	EC	INSECTICIDE	2	631-204-4051	16-May-24	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/16L of water	-	Do not spray 3 days before harvest	-
CFS AGRV VENTURES, INC.	LAMBDA-CHALOTHRIN	HIGANTE 2.5 EC	25g/L	EC	INSECTICIDE	2	631-204-4051	16-May-24	SYSTEMIC	Mungbeans	Beanyfly, flea beetle, leafhopper, aphids, mites, podborer	1.0Tbsp/16L of water	-	Do not spray 3 days before harvest	-
CFS AGRV VENTURES, INC.	LAMBDA-CHALOTHRIN	HIGANTE 2.5 EC	25g/L	EC	INSECTICIDE	2	631-204-4051	16-May-24	SYSTEMIC	Corn	Comborer, aphids, seedling maggots	1.0-1% Tbsp/16L of water	-	Do not spray 3 days before harvest	-
CFS AGRV VENTURES, INC.	LAMBDA-CHALOTHRIN	HIGANTE 2.5 EC	25g/L	EC	INSECTICIDE	2	631-204-4051	16-May-24	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1% Tbsp/16L of water	-	Do not spray 3 days before harvest	-
CFS AGRV VENTURES, INC.	LAMBDA-CHALOTHRIN	HIGANTE 2.5 EC	25g/L	EC	INSECTICIDE	2	631-204-4051	16-May-24	SYSTEMIC	Cotton	Bollworm	1.0-1% Tbsp/16L of water	-	Do not spray 3 days before harvest	-
CFS AGRV VENTURES, INC.	LAMBDA-CHALOTHRIN	HIGANTE 2.5 EC	25g/L	EC	INSECTICIDE	2	631-204-4051	16-May-24	SYSTEMIC	Cocoa	Podborer	1.0-2.0Tbsp/16L of water	-	Do not spray 3 days before harvest	-
CFS AGRV VENTURES, INC.	LAMBDA-CHALOTHRIN	HIGANTE 2.5 EC	25g/L	EC	INSECTICIDE	2	631-204-4051	16-May-24	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/16L of water	-	Do not spray 3 days before harvest	-

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
ZAGRO CORPORATION	COPPER HYDROXIDE	HEROCOB 77 WP	770 g/kg	WP	FUNGICIDE	3	043-006-0602	31-Dec-21		Banana	Sigatoka, finger rot, com rot	2.6-6.0 Tbsp/16L water	-	7 Days	Do not enter treated area without protective clothing until spray dries
ZAGRO CORPORATION	COPPER HYDROXIDE	HEROCOB 77 WP	770 g/kg	WP	FUNGICIDE	3	043-006-0602	31-Dec-21		Beans	Rust, bacterial blight	2.6-6.0 Tbsp/16L water	-	7 Days	Do not enter treated area without protective clothing until spray dries
ZAGRO CORPORATION	COPPER HYDROXIDE	HEROCOB 77 WP	770 g/kg	WP	FUNGICIDE	3	043-006-0602	31-Dec-21		Cabbage	Black rot, black leaf spot	2.6-6.0 Tbsp/16L water	-	7 Days	Do not enter treated area without protective clothing until spray dries
ZAGRO CORPORATION	COPPER HYDROXIDE	HEROCOB 77 WP	770 g/kg	WP	FUNGICIDE	3	043-006-0602	31-Dec-21		Cacao	Black pod	2.6-6.0 Tbsp/16L water	-	7 Days	Do not enter treated area without protective clothing until spray dries
ZAGRO CORPORATION	COPPER HYDROXIDE	HEROCOB 77 WP	770 g/kg	WP	FUNGICIDE	3	043-006-0602	31-Dec-21		Carrot	Carrot blight, Alternaria	2.6-6.0 Tbsp/16L water	-	7 Days	Do not enter treated area without protective clothing until spray dries
ZAGRO CORPORATION	COPPER HYDROXIDE	HEROCOB 77 WP	770 g/kg	WP	FUNGICIDE	3	043-006-0602	31-Dec-21		Celery	Early and late blight	2.6-6.0 Tbsp/16L water	-	7 Days	Do not enter treated area without protective clothing until spray dries
ZAGRO CORPORATION	COPPER HYDROXIDE	HEROCOB 77 WP	770 g/kg	WP	FUNGICIDE	3	043-006-0602	31-Dec-21		Citrus	Melanose, scab, canker, fruit rot, brown and black spot	2.6-6.0 Tbsp/16L water	-	7 Days	Do not enter treated area without protective clothing until spray dries
ZAGRO CORPORATION	COPPER HYDROXIDE	HEROCOB 77 WP	770 g/kg	WP	FUNGICIDE	3	043-006-0602	31-Dec-21		Coffee	Leaf rust, coffee berry disease	2.6-6.0 Tbsp/16L water	-	7 Days	Do not enter treated area without protective clothing until spray dries
ZAGRO CORPORATION	COPPER HYDROXIDE	HEROCOB 77 WP	770 g/kg	WP	FUNGICIDE	3	043-006-0602	31-Dec-21		Cucumber	Anthracoise, septoria, cercospora, fruit rot, downy mildew	2.6-6.0 Tbsp/16L water	-	7 Days	Do not enter treated area without protective clothing until spray dries
ZAGRO CORPORATION	COPPER HYDROXIDE	HEROCOB 77 WP	770 g/kg	WP	FUNGICIDE	3	043-006-0602	31-Dec-21		Grapes	Black rot, downy and powdery mildew	2.6-6.0 Tbsp/16L water	-	7 Days	Do not enter treated area without protective clothing until spray dries
ZAGRO CORPORATION	COPPER HYDROXIDE	HEROCOB 77 WP	770 g/kg	WP	FUNGICIDE	3	043-006-0602	31-Dec-21		Mango	Anthracoise	2.6-6.0 Tbsp/16L water	-	7 Days	Do not enter treated area without protective clothing until spray dries
ZAGRO CORPORATION	COPPER HYDROXIDE	HEROCOB 77 WP	770 g/kg	WP	FUNGICIDE	3	043-006-0602	31-Dec-21		Onion	Purple blotch, downy mildew	2.6-6.0 Tbsp/16L water	-	7 Days	Do not enter treated area without protective clothing until spray dries
ZAGRO CORPORATION	COPPER HYDROXIDE	HEROCOB 77 WP	770 g/kg	WP	FUNGICIDE	3	043-006-0602	31-Dec-21		Garlic	Purple blotch, downy mildew	2.6-6.0 Tbsp/16L water	-	7 Days	Do not enter treated area without protective clothing until spray dries
ZAGRO CORPORATION	COPPER HYDROXIDE	HEROCOB 77 WP	770 g/kg	WP	FUNGICIDE	3	043-006-0602	31-Dec-21		Pepper	Bacterial spot	2.6-6.0 Tbsp/16L water	-	7 Days	Do not enter treated area without protective clothing until spray dries
ZAGRO CORPORATION	COPPER HYDROXIDE	HEROCOB 77 WP	770 g/kg	WP	FUNGICIDE	3	043-006-0602	31-Dec-21		Potato	Early and late blight	2.6-6.0 Tbsp/16L water	-	7 Days	Do not enter treated area without protective clothing until spray dries
ZAGRO CORPORATION	COPPER HYDROXIDE	HEROCOB 77 WP	770 g/kg	WP	FUNGICIDE	3	043-006-0602	31-Dec-21		Rice	Bacterial blight, rice blast, sheath blight, bacterial leaf streak	2.6-6.0 Tbsp/16L water	-	7 Days	Do not enter treated area without protective clothing until spray dries
ZAGRO CORPORATION	COPPER HYDROXIDE	HEROCOB 77 WP	770 g/kg	WP	FUNGICIDE	3	043-006-0602	31-Dec-21		Tomato	Early blight, fruit rot septoria, downy mildew	2.6-6.0 Tbsp/16L water	-	7 Days	Do not enter treated area without protective clothing until spray dries
ZAGRO CORPORATION	COPPER HYDROXIDE	HEROCOB 77 WP	770 g/kg	WP	FUNGICIDE	3	043-006-0602	31-Dec-21		Watermelon	Anthracoise, fruit rot	2.6-6.0 Tbsp/16L water	-	7 Days	Do not enter treated area without protective clothing until spray dries
ZAGRO CORPORATION	COPPER HYDROXIDE	HEROCOB 77 WP	770 g/kg	WP	FUNGICIDE	3	043-006-0602	31-Dec-21		Papaya	Bacterial crown rot	4.5-7.0 kg/ha	-	7 Days	Do not enter treated area without protective clothing until spray dries
FIRST FIL-BIO IMPORT EXPORT CORPORATION	TRIPLE SALT (POTASSIUM MONOPERSULFATE)-MALIC ACID-SULPHAMIC ACID	HI-COP	500 g/kg+120 g/kg+100 g/kg+100 g/kg	-	OTHERS	3	747-613-6889	11-Jan-25		Banana	Routine disinfection for surfaces and equipment in farm animal facilities	-	-	-	-
SANHEM CORPORATION	FLUAZIFOP-P-BUTYL	HI-CIDE 15 EC	150 g/L	EC	HERBICIDE	4	515-212-3794	25-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Banana	Grasses; Icthygrasses, goosegrasses, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-
SANHEM CORPORATION	FLUAZIFOP-P-BUTYL	HI-CIDE 15 EC	150 g/L	EC	HERBICIDE	4	515-212-3794	25-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Cacao	Grasses; Icthygrasses, goosegrasses, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-
SANHEM CORPORATION	FLUAZIFOP-P-BUTYL	HI-CIDE 15 EC	150 g/L	EC	HERBICIDE	4	515-212-3794	25-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Citrus	Grasses; Icthygrasses, goosegrasses, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-
SANHEM CORPORATION	FLUAZIFOP-P-BUTYL	HI-CIDE 15 EC	150 g/L	EC	HERBICIDE	4	515-212-3794	25-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Cotton	Grasses; Icthygrasses, goosegrasses, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-
SANHEM CORPORATION	FLUAZIFOP-P-BUTYL	HI-CIDE 15 EC	150 g/L	EC	HERBICIDE	4	515-212-3794	25-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Coffee	Grasses; Icthygrasses, goosegrasses, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-
SANHEM CORPORATION	FLUAZIFOP-P-BUTYL	HI-CIDE 15 EC	150 g/L	EC	HERBICIDE	4	515-212-3794	25-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Oil palm	Grasses; Icthygrasses, goosegrasses, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-
SANHEM CORPORATION	FLUAZIFOP-P-BUTYL	HI-CIDE 15 EC	150 g/L	EC	HERBICIDE	4	515-212-3794	25-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Ramie	Grasses; Icthygrasses, goosegrasses, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-
SANHEM CORPORATION	FLUAZIFOP-P-BUTYL	HI-CIDE 15 EC	150 g/L	EC	HERBICIDE	4	515-212-3794	25-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Rubber	Grasses; Icthygrasses, goosegrasses, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-
SANHEM CORPORATION	FLUAZIFOP-P-BUTYL	HI-CIDE 15 EC	150 g/L	EC	HERBICIDE	4	515-212-3794	25-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Onion	Grasses; Icthygrasses, goosegrasses, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-
SANHEM CORPORATION	FLUAZIFOP-P-BUTYL	HI-CIDE 15 EC	150 g/L	EC	HERBICIDE	4	515-212-3794	25-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Pineapple	Grasses; Icthygrasses, goosegrasses, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-
SANHEM CORPORATION	FLUAZIFOP-P-BUTYL	HI-CIDE 15 EC	150 g/L	EC	HERBICIDE	4	515-212-3794	25-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Soybeans	Grasses; Icthygrasses, goosegrasses, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-
SANHEM CORPORATION	FLUAZIFOP-P-BUTYL	HI-CIDE 15 EC	150 g/L	EC	HERBICIDE	4	515-212-3794	25-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Tomato	Grasses; Icthygrasses, goosegrasses, sour paspalum, jungle rice, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-
HEXTAR VENTURE PHILIPPINES INC.	MALATHION	HEXTAR MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	477-038-2617	05-Aug-25	NON-SYSTEMIC	Fruit trees	Aphids, mealy bug, scale insect	1.5-3.0Tbsp/16 L water	-	1 day	1 day after each spraying
HEXTAR VENTURE PHILIPPINES INC.	MALATHION	HEXTAR MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	477-038-2617	05-Aug-25	NON-SYSTEMIC	Rice	Armyworm, caseworm, leafhopper, bugs	2.0-3.0Tbsp/16 L water	-	1 day	1 day after each spraying
HEXTAR VENTURE PHILIPPINES INC.	MALATHION	HEXTAR MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	477-038-2617	05-Aug-25	NON-SYSTEMIC	Corn	Earworm, silkworm, aphids, grasshopper	3.0-5.0Tbsp/16 L water	-	1 day	1 day after each spraying
HEXTAR VENTURE PHILIPPINES INC.	MALATHION	HEXTAR MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	477-038-2617	05-Aug-25	NON-SYSTEMIC	Cabbage	Cabbage worm, loopers, diamond-back moth	2.0-5.0Tbsp/16 L water	-	1 day	1 day after each spraying
HEXTAR VENTURE PHILIPPINES INC.	MALATHION	HEXTAR MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	477-038-2617	05-Aug-25	NON-SYSTEMIC	Legumes	Aphids, beanfly, cutworm, flea beetles, leafminer, maggots, mealybug, podborer, thrips	2.0-5.0Tbsp/16 L water	-	1 day	1 day after each spraying
HEXTAR VENTURE PHILIPPINES INC.	MALATHION	HEXTAR MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	477-038-2617	05-Aug-25	NON-SYSTEMIC	Grapes	Beetles, cutworm, leafhopper, mealybug, scale, insect, spider mites	3.0Tbsp/16 L water	-	1 day	1 day after each spraying
HEXTAR VENTURE PHILIPPINES INC.	MALATHION	HEXTAR MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	477-038-2617	05-Aug-25	NON-SYSTEMIC	Pineapple	Mealy bug	3.0Tbsp/16 L water	-	1 day	1 day after each spraying
HEXTAR VENTURE PHILIPPINES INC.	MALATHION	HEXTAR MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	477-038-2617	05-Aug-25	NON-SYSTEMIC	Pepper	Aphid, cutworm, fruitworm	3.0Tbsp/16 L water	-	1 day	1 day after each spraying
HEXTAR VENTURE PHILIPPINES INC.	MALATHION	HEXTAR MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	477-038-2617	05-Aug-25	NON-SYSTEMIC	Garlic	Cutworm	3.0Tbsp/16 L water	-	1 day	1 day after each spraying
HEXTAR VENTURE PHILIPPINES INC.	MALATHION	HEXTAR MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	477-038-2617	05-Aug-25	NON-SYSTEMIC	Onion	Cutworm	3.0Tbsp/16 L water	-	1 day	1 day after each spraying
HEXTAR VENTURE PHILIPPINES INC.	MALATHION	HEXTAR MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	477-038-2617	05-Aug-25	NON-SYSTEMIC	Tobacco	Aphids, katydid	3.0-6.0Tbsp/16 L water	-	1 day	1 day after each spraying
HEXTAR VENTURE PHILIPPINES INC.	MALATHION	HEXTAR MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	477-038-2617	05-Aug-25	NON-SYSTEMIC	Ornamentals	Aphids, cutworm, mealybug, scale insect, spider mites	3.0-5.0Tbsp/16 L water	-	1 day	1 day after each spraying
HEXTAR VENTURE PHILIPPINES INC.	MALATHION	HEXTAR MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	477-038-2617	05-Aug-25	NON-SYSTEMIC	Tomato	Lady beetle	3.0-5.0Tbsp/16 L water	-	1 day	1 day after each spraying
HEXTAR VENTURE PHILIPPINES INC.	MALATHION	HEXTAR MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	477-038-2617	05-Aug-25	NON-SYSTEMIC	Eggplant	Aphids, fruitworm	3.0-5.0Tbsp/16 L water	-	1 day	1 day after each spraying
HEXTAR VENTURE PHILIPPINES INC.	MALATHION	HEXTAR MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	477-038-2617	05-Aug-25	NON-SYSTEMIC	Sorghum	Web worm	3.0Tbsp/16 L water	-	1 day	1 day after each spraying
HEXTAR VENTURE PHILIPPINES INC.	MALATHION	HEXTAR MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	477-038-2617	05-Aug-25	NON-SYSTEMIC	Cruisers	Cabbage worm, loopers, diamond-back moth	2.0-5.0Tbsp/16 L water	-	1 day	-
SABERO ORGANICS PHILIPPINES ASIA INC.	FFPHONIL	HEXANIL 50 SC	50g/L	SC	INSECTICIDE	3	466-244-4137	06-Oct-26	CONTACT	Rice	Stemborer, APH, Leaf folder, Rice bug	1.3-2.0, 2.0-3.0, 2.7-4.0 Tbsp/16L	0.03ppm	Do not apply 7 days before harvest	One day after application
SABERO ORGANICS PHILIPPINES ASIA INC.	FFPHONIL	HEXANIL 50 SC	50g/L	SC	INSECTICIDE	3	466-244-4137	06-Oct-26	CONTACT	Cabbage	Diamond-back moth	1.3-2.0, 2.0-3.0, 2.7-4.0 Tbsp/16L	-	Do not apply 7 days before harvest	One day after application
SABERO ORGANICS PHILIPPINES ASIA INC.	FFPHONIL	HEXANIL 50 SC	50g/L	SC	INSECTICIDE	3	466-244-4137	06-Oct-26	CONTACT	Watermelon	Thrips, Leaf beetles	2.5-3.0 Tbsp/16L	-	Do not apply 7 days before harvest	One day after application
SABERO ORGANICS PHILIPPINES ASIA INC.	FFPHONIL	HEXANIL 50 SC	50g/L	SC	INSECTICIDE	3	466-244-4137	06-Oct-26	CONTACT	Onion	Cutworm	5.33 Tbsp/16L	-	Do not apply 7 days before harvest	One day after application
SABERO ORGANICS PHILIPPINES ASIA INC.	FFPHONIL	HEXANIL 50 SC	50g/L	SC	INSECTICIDE	3	466-244-4137	06-Oct-26	CONTACT	Eggplant	Shoot borer	3.0-4.0 Tbsp/16L	-	Do not apply 7 days before harvest	One day after application
SABERO ORGANICS PHILIPPINES ASIA INC.	FFPHONIL	HEXANIL 50 SC	50g/L	SC	INSECTICIDE	3	466-244-4137	06-Oct-26	CONTACT	Corn	Seeding maggot	200-500 mL/20 kg seed	-	Do not apply 7 days before harvest	One day after application
ZAGRO CORPORATION	HEXACONAZOLE	HEXACON 5 SC	50 g/L	SC	FUNGICIDE	4	043-243-1303	25-May-24	-	Rice	Sheath blight	8 Tbsp/16L water per 300 Spray Volume	0.03ppm	44 days	-
AGRI-SPROUT PHILIPPINES, INC.	BUTACHLOR-PROPANIL	HERO 70 EC	300-350 g/L	EC	HERBICIDE	3	668-238-5004	26-Jul-24	POST-EMERGENT	Rice (Direct-Seeded)	Grasses, sedges and Broadleaves	8-12Tbsp/16 L water	Butachlor 0.1ppm Propanil 0.1ppm	-	As soon as the spray mist dries up

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
AGRI-SPROUT PHILIPPINES, INC.	BUTACHLOR-PROPANIL	HERO 70 EC	800-900 g/L	EC	HERBICIDE	3	468-288-5084	26-Jun-24	POST-EMERGENT	Rice (Transplanted)	Grasses, Sedges and Broadleaves	8-12tbsp/36 L water	Butachlor 0.1ppm Propanil 0.1ppm	-	As soon as the spray mist dries up
SHELLHOMES CHEMICALS, INCORPORATED	DIURON	HERMEX DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	481-021-3200	17-Dec-24	SYSTEMIC	Citrus	Annual and Perennial broadleaves and grasses	11.0-15.0 Tbsp/36 L water	-	-	Entry to fields treated with HERMEX DIURON 80WP can be done one day after application
SHELLHOMES CHEMICALS, INCORPORATED	DIURON	HERMEX DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	481-021-3200	17-Dec-24	SYSTEMIC	Coffee	Annual and Perennial broadleaves and grasses	11.0-15.0 Tbsp/36 L water	-	-	Entry to fields treated with HERMEX DIURON 80WP can be done one day after application
SHELLHOMES CHEMICALS, INCORPORATED	DIURON	HERMEX DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	481-021-3200	17-Dec-24	SYSTEMIC	Cotton	Annual and Perennial broadleaves and grasses	8.0 Tbsp/36 L water	-	-	Entry to fields treated with HERMEX DIURON 80WP can be done one day after application
SHELLHOMES CHEMICALS, INCORPORATED	DIURON	HERMEX DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	481-021-3200	17-Dec-24	SYSTEMIC	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0Tbsp/36 L water	-	-	Entry to fields treated with HERMEX DIURON 80WP can be done one day after application
SHELLHOMES CHEMICALS, INCORPORATED	DIURON	HERMEX DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	481-021-3200	17-Dec-24	SYSTEMIC	Pineapple	Annual and Perennial broadleaves and grasses	11.0Tbsp/36 L water	-	-	Entry to fields treated with HERMEX DIURON 80WP can be done one day after application
SHELLHOMES CHEMICALS, INCORPORATED	DIURON	HERMEX DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	481-021-3200	17-Dec-24	SYSTEMIC	Non-crop land	Annual and Perennial broadleaves and grasses	20.0-28.0Tbsp/36 L water	-	-	Entry to fields treated with HERMEX DIURON 80WP can be done one day after application
RAINBOW AGROSCIENCES PHILIPPINES INC.	ATRAZINE	HERBIZNA 80 WP	800 g/kg	WP	HERBICIDE	4	539-065-3279	29-Apr-26	SELECTIVE (PRE-EMERGENCE)	Corn	Broadleaf weeds & annual grasses	8-12Tbsp/36 L water	-	-	Do not enter the field within 5 days after application
RAINBOW AGROSCIENCES PHILIPPINES INC.	ATRAZINE	HERBIZNA 80 WP	800 g/kg	WP	HERBICIDE	4	539-065-3279	29-Apr-26	SELECTIVE (PRE-EMERGENCE)	Burghum	Broadleaf weeds & annual grasses	8-12Tbsp/36 L water	-	-	Do not enter the field within 5 days after application
RAINBOW AGROSCIENCES PHILIPPINES INC.	ATRAZINE	HERBIZNA 80 WP	800 g/kg	WP	HERBICIDE	4	539-065-3279	29-Apr-26	SELECTIVE (PRE-EMERGENCE)	Sugarcane	Broadleaf weeds & annual grasses	8-12Tbsp/36 L water	-	-	Do not enter the field within 5 days after application
JEELS MASAGANA FARM SUPPLY, INC.	BUTACHLOR	HERB-X 60 EC	600 g/L	EC	HERBICIDE	4	487-150-2847	19-Jul-23	PRE-EMERGENT	Rice (Direct-seeded)	Grasses and sedges	-	0.1 ppm	-	-
JEELS MASAGANA FARM SUPPLY, INC.	BUTACHLOR	HERB-X 60 EC	600 g/L	EC	HERBICIDE	4	487-150-2847	19-Jul-23	PRE-EMERGENT	Rice (Transplanted)	Grasses and sedges	-	0.1 ppm	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	AMETRYNE	HERISTRYN 80 WP	800 g/kg	WP	HERBICIDE	3	539-088-3277	29-Apr-26	SELECTIVE (POST/PRE-EMERGENCE)	Banana	Annual broadleaves and grasses	9-15 Tbsp/36 L water	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	AMETRYNE	HERISTRYN 80 WP	800 g/kg	WP	HERBICIDE	3	539-088-3277	29-Apr-26	SELECTIVE (POST/PRE-EMERGENCE)	Coffee	Annual broadleaves and grasses	9-15 Tbsp/36 L water	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	AMETRYNE	HERISTRYN 80 WP	800 g/kg	WP	HERBICIDE	3	539-088-3277	29-Apr-26	SELECTIVE (POST/PRE-EMERGENCE)	Cacao	Annual broadleaves and grasses	9-15 Tbsp/36 L water	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	AMETRYNE	HERISTRYN 80 WP	800 g/kg	WP	HERBICIDE	3	539-088-3277	29-Apr-26	SELECTIVE (POST/PRE-EMERGENCE)	Oil palm	Annual broadleaves and grasses	9-15 Tbsp/36 L water	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	AMETRYNE	HERISTRYN 80 WP	800 g/kg	WP	HERBICIDE	3	539-088-3277	29-Apr-26	SELECTIVE (POST/PRE-EMERGENCE)	Citrus	Annual broadleaves and grasses	9-15 Tbsp/36 L water	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	AMETRYNE	HERISTRYN 80 WP	800 g/kg	WP	HERBICIDE	3	539-088-3277	29-Apr-26	SELECTIVE (POST/PRE-EMERGENCE)	Pineapple	Annual broadleaves and grasses	9-15 Tbsp/36 L water	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	AMETRYNE	HERISTRYN 80 WP	800 g/kg	WP	HERBICIDE	3	539-088-3277	29-Apr-26	SELECTIVE (POST/PRE-EMERGENCE)	Rubber	Annual broadleaves and grasses	9-15 Tbsp/36 L water	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	AMETRYNE	HERISTRYN 80 WP	800 g/kg	WP	HERBICIDE	3	539-088-3277	29-Apr-26	SELECTIVE (POST/PRE-EMERGENCE)	Corn	Annual broadleaves and grasses	9-15 Tbsp/36 L water	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	AMETRYNE	HERISTRYN 80 WP	800 g/kg	WP	HERBICIDE	3	539-088-3277	29-Apr-26	SELECTIVE (POST/PRE-EMERGENCE)	Sugarcane	Annual broadleaves and grasses	9-15 Tbsp/36 L water	-	-	-
G CHEMTRADING CORPORATION	GLYPHOSATE IPA	HERIQUEL 480 SL	480 g/L	SL	HERBICIDE	4	701-151-5581	25-Sep-24	POST-EMERGENT	Glyphosate tolerant corn	Cogon, Mutha, Paragrass, Talahib, Fern and other annual weeds	-	-	-	-
G CHEMTRADING CORPORATION	GLYPHOSATE IPA	HERIQUEL 480 SL	480 g/L	SL	HERBICIDE	4	701-151-5581	25-Sep-24	POST-EMERGENT	Mango	Cogon, Mutha, Paragrass, Talahib, Fern and other annual weeds	-	-	-	-
G CHEMTRADING CORPORATION	GLYPHOSATE IPA	HERIQUEL 480 SL	480 g/L	SL	HERBICIDE	4	701-151-5581	25-Sep-24	POST-EMERGENT	Banana	Cogon, Mutha, Paragrass, Talahib, Fern and other annual weeds	-	-	-	-
G CHEMTRADING CORPORATION	GLYPHOSATE IPA	HERIQUEL 480 SL	480 g/L	SL	HERBICIDE	4	701-151-5581	25-Sep-24	POST-EMERGENT	Coffee	Cogon, Mutha, Paragrass, Talahib, Fern and other annual weeds	-	-	-	-
G CHEMTRADING CORPORATION	GLYPHOSATE IPA	HERIQUEL 480 SL	480 g/L	SL	HERBICIDE	4	701-151-5581	25-Sep-24	POST-EMERGENT	Cacao	Cogon, Mutha, Paragrass, Talahib, Fern and other annual weeds	-	-	-	-
G CHEMTRADING CORPORATION	GLYPHOSATE IPA	HERIQUEL 480 SL	480 g/L	SL	HERBICIDE	4	701-151-5581	25-Sep-24	POST-EMERGENT	Rubber	Cogon, Mutha, Paragrass, Talahib, Fern and other annual weeds	-	-	-	-
G CHEMTRADING CORPORATION	GLYPHOSATE IPA	HERIQUEL 480 SL	480 g/L	SL	HERBICIDE	4	701-151-5581	25-Sep-24	POST-EMERGENT	Oil palm	Cogon, Mutha, Paragrass, Talahib, Fern and other annual weeds	-	-	-	-
G CHEMTRADING CORPORATION	GLYPHOSATE IPA	HERIQUEL 480 SL	480 g/L	SL	HERBICIDE	4	701-151-5581	25-Sep-24	POST-EMERGENT	Citrus	Cogon, Mutha, Paragrass, Talahib, Fern and other annual weeds	-	-	-	-
G CHEMTRADING CORPORATION	GLYPHOSATE IPA	HERIQUEL 480 SL	480 g/L	SL	HERBICIDE	4	701-151-5581	25-Sep-24	POST-EMERGENT	Coconut	Cogon, Mutha, Paragrass, Talahib, Fern and other annual weeds	-	-	-	-
G CHEMTRADING CORPORATION	GLYPHOSATE IPA	HERIQUEL 480 SL	480 g/L	SL	HERBICIDE	4	701-151-5581	25-Sep-24	POST-EMERGENT	Sugarcane	Cogon, Mutha, Paragrass, Talahib, Fern and other annual weeds	-	-	-	-
G CHEMTRADING CORPORATION	GLYPHOSATE IPA	HERIQUEL 480 SL	480 g/L	SL	HERBICIDE	4	701-151-5581	25-Sep-24	POST-EMERGENT	Vegetables	Cogon, Mutha, Paragrass, Talahib, Fern and other annual weeds	-	-	-	-
JEELS MASAGANA FARM SUPPLY, INC.	2,4-D AMINE	HERBITOX	400 g/L	SL	HERBICIDE	2	487-013-2799	31-Dec-23	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual broadleaves and sedges	3-5-6.5Tbsp/36 L water	0.1 ppm	-	Entry to fields and crops treated with HERBITOX 2,4-D AMINE can be done one day after spraying
JEELS MASAGANA FARM SUPPLY, INC.	2,4-D AMINE	HERBITOX	400 g/L	SL	HERBICIDE	2	487-013-2799	31-Dec-23	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual broadleaves and sedges	10-25 Tbsp/36 L water	-	-	Entry to fields and crops treated with HERBITOX 2,4-D AMINE can be done one day after spraying
JEELS MASAGANA FARM SUPPLY, INC.	2,4-D AMINE	HERBITOX	400 g/L	SL	HERBICIDE	2	487-013-2799	31-Dec-23	SELECTIVE (POST-EMERGENT)	Corn	Annual broadleaves and sedges	9-6.5 Tbsp/36 L water	-	-	Entry to fields and crops treated with HERBITOX 2,4-D AMINE can be done one day after spraying
CROPKING CHEMICALS INC.	BUTACHLOR	HERBISTAR 60 EC	600 g/L	EC	HERBICIDE	4	065-150-1313	13-Jul-24	PRE-EMERGENT	Rice (Direct-seeded)	Grasses and sedges	90bp (2-4 DAT)/9Tbsp(0-4 DAT), 17Tbsp-77Tbsp	0.1 ppm	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	PRETILACHLOR	HERBISHIELD 300 EC	300 g/L	EC	HERBICIDE	4	539-061-6408	21-Dec-26	PRE-EMERGENCE	Rice (Transplanted)	Grasses and sedges	8Tbsp(2-4085), 7Tbsp(2-4085), 11Tbsp-180 DATs)	0.1 ppm	-	-
NEXCHEM CORPORATION	GLYPHOSATE IPA	HERBINEX 480 SL	480 g/L	SL	HERBICIDE	4	702-151-5723	01-Aug-26	POST-EMERGENT	Glyphosate tolerant corn	Rich grass, morning glory, synedrella, buttonweed, spindletop, <i>zygocarpium</i> , <i>hain fragrantids</i> , <i>logia spartium</i>	1.0-1.5 L prod / ha	-	-	-
NEXCHEM CORPORATION	GLYPHOSATE IPA	HERBINEX 480 SL	480 g/L	SL	HERBICIDE	4	702-151-5723	01-Aug-26	POST-EMERGENT	Mango	Cogon shade conditions, open conditions	2.0-4.0 L/ha	-	-	-
NEXCHEM CORPORATION	GLYPHOSATE IPA	HERBINEX 480 SL	480 g/L	SL	HERBICIDE	4	702-151-5723	01-Aug-26	POST-EMERGENT	Banana	Cogon shade conditions, open conditions	3.0-4.5 L/ha	-	-	-
NEXCHEM CORPORATION	GLYPHOSATE IPA	HERBINEX 480 SL	480 g/L	SL	HERBICIDE	4	702-151-5723	01-Aug-26	POST-EMERGENT	Coffee	Cogon shade conditions, open conditions	3.0-4.5 L/ha	-	-	-
NEXCHEM CORPORATION	GLYPHOSATE IPA	HERBINEX 480 SL	480 g/L	SL	HERBICIDE	4	702-151-5723	01-Aug-26	POST-EMERGENT	Cacao	Cogon shade conditions, open conditions	3.0-4.5 L/ha	-	-	-
NEXCHEM CORPORATION	GLYPHOSATE IPA	HERBINEX 480 SL	480 g/L	SL	HERBICIDE	4	702-151-5723	01-Aug-26	POST-EMERGENT	Rubber	Mutha, paragrass, talahib, fern, shade conditions	2.0,2.0,4.5,2.0 L/ha	-	-	-
NEXCHEM CORPORATION	GLYPHOSATE IPA	HERBINEX 480 SL	480 g/L	SL	HERBICIDE	4	702-151-5723	01-Aug-26	POST-EMERGENT	Oil palm	Mutha, paragrass, talahib, fern, shade conditions	2.0,2.0,4.5,2.0 L/ha	-	-	-
NEXCHEM CORPORATION	GLYPHOSATE IPA	HERBINEX 480 SL	480 g/L	SL	HERBICIDE	4	702-151-5723	01-Aug-26	POST-EMERGENT	Citrus	Mutha, paragrass, talahib, fern, shade conditions	2.0,2.0,4.5,2.0 L/ha	-	-	-
NEXCHEM CORPORATION	GLYPHOSATE IPA	HERBINEX 480 SL	480 g/L	SL	HERBICIDE	4	702-151-5723	01-Aug-26	POST-EMERGENT	Coconut	Mutha, paragrass, talahib, fern, shade conditions	2.0,2.0,4.5,2.0 L/ha	-	-	-
NEXCHEM CORPORATION	GLYPHOSATE IPA	HERBINEX 480 SL	480 g/L	SL	HERBICIDE	4	702-151-5723	01-Aug-26	POST-EMERGENT	Sugarcane	Other annual weeds	2.0 L/ha	-	-	-
NEXCHEM CORPORATION	GLYPHOSATE IPA	HERBINEX 480 SL	480 g/L	SL	HERBICIDE	4	702-151-5723	01-Aug-26	POST-EMERGENT	Vegetables under minimum or reduced tillage systems	Other annual weeds	2.0 L/ha	-	-	-
NEXCHEM CORPORATION	GLYPHOSATE IPA	HERBINEX 480 SL	480 g/L	SL	HERBICIDE	4	702-151-5723	01-Aug-26	POST-EMERGENT	Non-crop areas			-	-	-
SINO-MONSANTO OIL CORPORATION	GLYPHOSATE IPA	HERBICUT 480 SL	480g/L	SL	HERBICIDE	4	624-151-4563	01-Aug-23	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/ha	-	-	-
SINO-MONSANTO OIL CORPORATION	GLYPHOSATE IPA	HERBICUT 480 SL	480g/L	SL	HERBICIDE	4	624-151-4563	01-Aug-23	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
SINO-MONSANTO OIL CORPORATION	GLYPHOSATE IPA	HERBICUT 480 SL	480g/L	SL	HERBICIDE	4	624-151-4563	01-Aug-23	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
SINO-MONSANTO OIL CORPORATION	GLYPHOSATE IPA	HERBICUT 480 SL	480g/L	SL	HERBICIDE	4	624-151-4563	01-Aug-23	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
SINO-MONSANTO OIL CORPORATION	GLYPHOSATE IPA	HERBICUT 480 SL	480g/L	SL	HERBICIDE	4	624-151-4563	01-Aug-23	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
SINO-MONSANTO OIL CORPORATION	GLYPHOSATE IPA	HERBICUT 480 SL	480g/L	SL	HERBICIDE	4	624-151-4563	01-Aug-23	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
SINO-MONSANTO OIL CORPORATION	GLYPHOSATE IPA	HERBICUT 480 SL	480g/L	SL	HERBICIDE	4	624-151-4563	01-Aug-23	POST-EMERGENT	oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liter/ha			
SINO-MONSANTO OIL CORPORATION	GLYPHOSATE IPA	HERBICUT 480 SL	480g/L	SL	HERBICIDE	4	624-151-4563	01-Aug-23	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liter/ha			
SINO-MONSANTO OIL CORPORATION	GLYPHOSATE IPA	HERBICUT 480 SL	480g/L	SL	HERBICIDE	4	624-151-4563	01-Aug-23	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liter/ha			
SINO-MONSANTO OIL CORPORATION	GLYPHOSATE IPA	HERBICUT 480 SL	480g/L	SL	HERBICIDE	4	624-151-4563	01-Aug-23	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liter/ha			
SINO-MONSANTO OIL CORPORATION	GLYPHOSATE IPA	HERBICUT 480 SL	480g/L	SL	HERBICIDE	4	624-151-4563	01-Aug-23	POST-EMERGENT	Vegetables under minimum or reduced tillage system Non-crop agricultural areas	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liter/ha			
SINO-MONSANTO OIL CORPORATION	GLYPHOSATE IPA	HERBICUT 480 SL	480g/L	SL	HERBICIDE	4	624-151-4563	01-Aug-23	POST-EMERGENT		Annual & perennial grasses, broadleaf weeds & sedges				
MEGA BOOSTER AGRU TRADING CO.	BUTACHLOR	HERBARUM 60 EC	600 g/L	EC	HERBICIDE	4	531-150-3437	07-Jul-21	PRE-EMERGENT	Rice (Direct-seeded)	Grasses and sedges	90bp (2-4 DAT)†70bp(0-4 DAT), 80bp(70bp)	0.1 ppm		
MEGA BOOSTER AGRU TRADING CO.	BUTACHLOR	HERBARUM 60 EC	600 g/L	EC	HERBICIDE	4	531-150-3437	07-Jul-21	PRE-EMERGENT	Rice (Transplanted)	Grasses and sedges	80bp(2-40MS), 70bp(2-40MS) (17bp(30 DAS)	0.1 ppm		
BASF PHILIPPINES, INC.	PENDIMETHALIN	HERBADOX 330 EC	330 g/L	EC	HERBICIDE	4	005-142-1706	09-Aug-25	SELECTIVE	Corn	Grasses	15-22.5 Tbsp/36L water			Entry to treated fields and crops can be done one day after spraying
BASF PHILIPPINES, INC.	PENDIMETHALIN	HERBADOX 330 EC	330 g/L	EC	HERBICIDE	4	005-142-1706	09-Aug-25	SELECTIVE	Rice (Transplanted)	Grasses & Broadleaf weeds	7.5-22.5 Tbsp/36L water	0.2ppm	-	Entry to treated fields and crops can be done one day after spraying
BASF PHILIPPINES, INC.	PENDIMETHALIN	HERBADOX 330 EC	330 g/L	EC	HERBICIDE	4	005-142-1706	09-Aug-25	SELECTIVE	Rice (Direct-Seeded)	Grasses & Broadleaf weeds	15-22.5 Tbsp/36L water	0.2ppm	-	Entry to treated fields and crops can be done one day after spraying
BASF PHILIPPINES, INC.	PENDIMETHALIN	HERBADOX 330 EC	330 g/L	EC	HERBICIDE	4	005-142-1706	09-Aug-25	SELECTIVE	Rice (lowland)	Grasses & Broadleaf weeds	15-22.5 Tbsp/36L water	0.2ppm	-	Entry to treated fields and crops can be done one day after spraying
BASF PHILIPPINES, INC.	PENDIMETHALIN	HERBADOX 330 EC	330 g/L	EC	HERBICIDE	4	005-142-1706	09-Aug-25	SELECTIVE	Rice (Upland)	Grasses & Broadleaf weeds	15-22.5 Tbsp/36L water	0.2ppm	-	Entry to treated fields and crops can be done one day after spraying
BASF PHILIPPINES, INC.	PENDIMETHALIN	HERBADOX 330 EC	330 g/L	EC	HERBICIDE	4	005-142-1706	09-Aug-25	SELECTIVE	Cotton	Grasses & Broadleaf weeds	15-30 Tbsp/36L water		-	Entry to treated fields and crops can be done one day after spraying
BASF PHILIPPINES, INC.	PENDIMETHALIN	HERBADOX 330 EC	330 g/L	EC	HERBICIDE	4	005-142-1706	09-Aug-25	SELECTIVE	Onion (Transplanted)	Grasses & Broadleaf weeds	11.5-15.0 Tbsp/36L water		-	Entry to treated fields and crops can be done one day after spraying
BASF PHILIPPINES, INC.	PENDIMETHALIN	HERBADOX 330 EC	330 g/L	EC	HERBICIDE	4	005-142-1706	09-Aug-25	SELECTIVE	Sugarcane	Grasses & Broadleaf weeds	21.5-30 Tbsp/36L water		-	Entry to treated fields and crops can be done one day after spraying
BASF PHILIPPINES, INC.	PENDIMETHALIN	HERBADOX 330 EC	330 g/L	EC	HERBICIDE	4	005-142-1706	09-Aug-25	SELECTIVE	Tobacco	Grasses & Broadleaf weeds	5.0-10.0 Tbsp/36L water		-	Entry to treated fields and crops can be done one day after spraying
PHILIPPINE FARMIX SOLUTIONS INC.	UNIFLURON	HERA 45 SC	450 g/L	SC	HERBICIDE	4	535-171-4066	07-Aug-26	SELECTIVE (PRE / POST EMERGENCE)	Soybeans	Annual weeds	3.0-4.0 Tbsp/36L water		-	No restriction product is applied only once at planting time
PHILIPPINE FARMIX SOLUTIONS INC.	UNIFLURON	HERA 45 SC	450 g/L	SC	HERBICIDE	4	535-171-4066	07-Aug-26	SELECTIVE (PRE / POST EMERGENCE)	Peanut	Annual weeds	3.0-4.0 Tbsp/36L water		-	No restriction product is applied only once at planting time
PHILIPPINE FARMIX SOLUTIONS INC.	UNIFLURON	HERA 45 SC	450 g/L	SC	HERBICIDE	4	535-171-4066	07-Aug-26	SELECTIVE (PRE / POST EMERGENCE)	Sweet peas	Annual weeds	3.0-4.0 Tbsp/36L water		-	No restriction product is applied only once at planting time
PHILIPPINE FARMIX SOLUTIONS INC.	UNIFLURON	HERA 45 SC	450 g/L	SC	HERBICIDE	4	535-171-4066	07-Aug-26	SELECTIVE (PRE / POST EMERGENCE)	Carrot	Annual weeds	3.5-4.0 Tbsp/36L water		-	No restriction product is applied only once at planting time
PHILIPPINE FARMIX SOLUTIONS INC.	UNIFLURON	HERA 45 SC	450 g/L	SC	HERBICIDE	4	535-171-4066	07-Aug-26	SELECTIVE (PRE / POST EMERGENCE)	Garley	Annual weeds	3.5-4.0 Tbsp/36L water		-	No restriction product is applied only once at planting time
PHILIPPINE FARMIX SOLUTIONS INC.	UNIFLURON	HERA 45 SC	450 g/L	SC	HERBICIDE	4	535-171-4066	07-Aug-26	SELECTIVE (PRE / POST EMERGENCE)	Corn	Annual weeds	3.5-4.0 Tbsp/36L water		-	No restriction product is applied only once at planting time
PHILIPPINE FARMIX SOLUTIONS INC.	UNIFLURON	HERA 45 SC	450 g/L	SC	HERBICIDE	4	535-171-4066	07-Aug-26	SELECTIVE (PRE / POST EMERGENCE)	Onion	Annual weeds	3.0-4.0 Tbsp/36L water		-	No restriction product is applied only once at planting time
PHILIPPINE FARMIX SOLUTIONS INC.	UNIFLURON	HERA 45 SC	450 g/L	SC	HERBICIDE	4	535-171-4066	07-Aug-26	SELECTIVE (PRE / POST EMERGENCE)	Garlic	Annual weeds	3.0-4.0 Tbsp/36L water		-	No restriction product is applied only once at planting time
PHILIPPINE FARMIX SOLUTIONS INC.	UNIFLURON	HERA 45 SC	450 g/L	SC	HERBICIDE	4	535-171-4066	07-Aug-26	SELECTIVE (PRE / POST EMERGENCE)	Potato	Annual weeds	3.0-7.0 Tbsp/36L water		-	No restriction product is applied only once at planting time
PHILIPPINE FARMIX SOLUTIONS INC.	UNIFLURON	HERA 45 SC	450 g/L	SC	HERBICIDE	4	535-171-4066	07-Aug-26	SELECTIVE (PRE / POST EMERGENCE)	Sugarcane	Annual weeds	3.0-5.0 Tbsp/36L water		-	No restriction product is applied only once at planting time
PHILIPPINE FARMIX SOLUTIONS INC.	UNIFLURON	HERA 45 SC	450 g/L	SC	HERBICIDE	4	535-171-4066	07-Aug-26	SELECTIVE (PRE / POST EMERGENCE)	Tobacco	Annual weeds	3.0 Tbsp/36L water		-	No restriction product is applied only once at planting time
PHILIPPINE FARMIX SOLUTIONS INC.	UNIFLURON	HERA 45 SC	450 g/L	SC	HERBICIDE	4	535-171-4066	07-Aug-26	SELECTIVE (PRE / POST EMERGENCE)	Pineapple	Annual weeds	7.0-10.5 Tbsp/36L water	0.2 mg/kg	-	No restriction product is applied only once at planting time
KEMSTAR CORPORATION	BP/MC-CHLORPYRIFOS	HERNAR 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	239-174-4120	18-Sep-26	-	Rice	Stemborer, armyworm, leafhopper, caseworm and planthopper	2.5-3.5 Tbsp/36L water			Stop spraying 15 days before harvest
KEMSTAR CORPORATION	BP/MC-CHLORPYRIFOS	HERNAR 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	239-174-4120	18-Sep-26	-	Corn	Seeding maggot, corn earworm, cornborer and armyworm	2.5-3.5 Tbsp/36L water			Stop spraying 15 days before harvest
KEMSTAR CORPORATION	BP/MC-CHLORPYRIFOS	HERNAR 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	239-174-4120	18-Sep-26	-	Tobacco	Budworm, grasshopper, aphid, cutworm and armyworm	2.5-3.5 Tbsp/36L water			Stop spraying 15 days before harvest
KEMSTAR CORPORATION	BP/MC-CHLORPYRIFOS	HERNAR 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	239-174-4120	18-Sep-26	-	Cucumber	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/36L water			Stop spraying 15 days before harvest
KEMSTAR CORPORATION	BP/MC-CHLORPYRIFOS	HERNAR 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	239-174-4120	18-Sep-26	-	Melon	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/36L water			Stop spraying 15 days before harvest
KEMSTAR CORPORATION	BP/MC-CHLORPYRIFOS	HERNAR 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	239-174-4120	18-Sep-26	-	Watermelon	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/36L water			Stop spraying 15 days before harvest
KEMSTAR CORPORATION	BP/MC-CHLORPYRIFOS	HERNAR 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	239-174-4120	18-Sep-26	-	Onion	Thrips, cutworm	2.5-3.5 Tbsp/36L water			Stop spraying 15 days before harvest
KEMSTAR CORPORATION	BP/MC-CHLORPYRIFOS	HERNAR 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	239-174-4120	18-Sep-26	-	Mungo	Beanfly, armyworm, cutworm, leafminer and leaf folder	2.5-3.5 Tbsp/36L water			Stop spraying 15 days before harvest
KEMSTAR CORPORATION	BP/MC-CHLORPYRIFOS	HERNAR 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	239-174-4120	18-Sep-26	-	Soybeans	Beanfly, armyworm, cutworm, leafminer and leaf folder	2.5-3.5 Tbsp/36L water			Stop spraying 15 days before harvest
KEMSTAR CORPORATION	BP/MC-CHLORPYRIFOS	HERNAR 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	239-174-4120	18-Sep-26	-	Beans	Beanfly, armyworm, cutworm, leafminer and leaf folder	2.5-3.5 Tbsp/36L water			Stop spraying 15 days before harvest
ARELA MARKETING COMPANY INCORPORATED	GLUTARALDEHYDE-BENZALXONIUM CHLORIDE	HEMEXOL LIQUID G PLUS	150g/L+100g/L	-	OTHERS	2	714-908-5945	31-Dec-24	-		Disinfection for poultry hatcheries, livestock buildings and equipment				
UCHEMPHIL INTERNATIONAL INC.	CARBARYL	HELP 85 WP	850 g/kg	WP	INSECTICIDE	2	590-035-5562	12-Oct-24	-	Tobacco	Budworm, cutworm, aphids	4-6 tbsp/16 L water			Do not spray within 14 days before harvest on rice, 5 days on citrus, and 1 day on cacao, coffee and mango
UCHEMPHIL INTERNATIONAL INC.	CARBARYL	HELP 85 WP	850 g/kg	WP	INSECTICIDE	2	590-035-5562	12-Oct-24	-	Sorghum	Webworm, armyworm, cutworm, headworm	4-6 tbsp/16 L water			Do not spray within 14 days before harvest on rice, 5 days on citrus, and 1 day on cacao, coffee and mango
UCHEMPHIL INTERNATIONAL INC.	CARBARYL	HELP 85 WP	850 g/kg	WP	INSECTICIDE	2	590-035-5562	12-Oct-24	-	Ornamentals	Aphids, scale insect, mealy bug, cutworm	4-6 tbsp/16 L water			Do not spray within 14 days before harvest on rice, 5 days on citrus, and 1 day on cacao, coffee and mango
UCHEMPHIL INTERNATIONAL INC.	CARBARYL	HELP 85 WP	850 g/kg	WP	INSECTICIDE	2	590-035-5562	12-Oct-24	-	Mango	Mango hopper, tip borer, twig borer, fruit fly, mealy bug	4-6 tbsp/16 L water			Do not spray within 14 days before harvest on rice, 5 days on citrus, and 1 day on cacao, coffee and mango
UCHEMPHIL INTERNATIONAL INC.	CARBARYL	HELP 85 WP	850 g/kg	WP	INSECTICIDE	2	590-035-5562	12-Oct-24	-	Coffee	Berry borer	4-6 tbsp/16 L water			Do not spray within 14 days before harvest on rice, 5 days on citrus, and 1 day on cacao, coffee and mango
UCHEMPHIL INTERNATIONAL INC.	CARBARYL	HELP 85 WP	850 g/kg	WP	INSECTICIDE	2	590-035-5562	12-Oct-24	-	Cacao	Podborer, aphids, caprid bug	4-6 tbsp/16 L water			Do not spray within 14 days before harvest on rice, 5 days on citrus, and 1 day on cacao, coffee and mango
UCHEMPHIL INTERNATIONAL INC.	CARBARYL	HELP 85 WP	850 g/kg	WP	INSECTICIDE	2	590-035-5562	12-Oct-24	-	Citrus	Bind borer	4-6 tbsp/16 L water			Do not spray within 14 days before harvest on rice, 5 days on citrus, and 1 day on cacao, coffee and mango
UCHEMPHIL INTERNATIONAL INC.	CARBARYL	HELP 85 WP	850 g/kg	WP	INSECTICIDE	2	590-035-5562	12-Oct-24	-	Soybeans	Podborer, beanfly, leafminer, aphids	4-6 tbsp/16 L water			Do not spray within 14 days before harvest on rice, 5 days on citrus, and 1 day on cacao, coffee and mango
UCHEMPHIL INTERNATIONAL INC.	CARBARYL	HELP 85 WP	850 g/kg	WP	INSECTICIDE	2	590-035-5562	12-Oct-24	-	Rice	Green leafhopper, caseworm, aphids	4-6 tbsp/16 L water			Do not spray within 14 days before harvest on rice, 5 days on citrus, and 1 day on cacao, coffee and mango
UCHEMPHIL INTERNATIONAL INC.	CARBARYL	HELP 85 WP	850 g/kg	WP	INSECTICIDE	2	590-035-5562	12-Oct-24	-	Cowpeas and other beans	Podborer, beanfly, leafminer, cutworm, aphids	4-6 tbsp/16 L water			Do not spray within 14 days before harvest on rice, 5 days on citrus, and 1 day on cacao, coffee and mango
UCHEMPHIL INTERNATIONAL INC.	CARBARYL	HELP 85 WP	850 g/kg	WP	INSECTICIDE	2	590-035-5562	12-Oct-24	-	Cotton seed	Bollworm, cutworm	4-6 tbsp/16 L water			Do not spray within 14 days before harvest on rice, 5 days on citrus, and 1 day on cacao, coffee and mango
UCHEMPHIL INTERNATIONAL INC.	CARBARYL	HELP 85 WP	850 g/kg	WP	INSECTICIDE	2	590-035-5562	12-Oct-24	-	Corn	Corn borer, corn earworm, army worm	4-6 tbsp/16 L water			Do not spray within 14 days before harvest on rice, 5 days on citrus, and 1 day on cacao, coffee and mango
UCHEMPHIL INTERNATIONAL INC.	CARBARYL	HELP 85 WP	850 g/kg	WP	INSECTICIDE	2	590-035-5562	12-Oct-24	-	Tomato	Fruitworm, leafy beetle	4-6 tbsp/16 L water			Do not spray within 14 days before harvest on rice, 5 days on citrus, and 1 day on cacao, coffee and mango
UCHEMPHIL INTERNATIONAL INC.	CARBARYL	HELP 85 WP	850 g/kg	WP	INSECTICIDE	2	590-035-5562	12-Oct-24	-	Cucurbits	Squash beetle, leafy beetle	4-6 tbsp/16 L water			Do not spray within 14 days before harvest on rice, 5 days on citrus, and 1 day on cacao, coffee and mango
S&P ENTERPRISES, INC.	CHLORPYRIFOS-CYPERMETHRIN	HELMET ULTRA 275 EC	250 g/L+25 g/L	EC	INSECTICIDE	2	566-239-6215	27-Jan-26	-	Rice	Whorl maggot, green leafhopper, brown planthopper and stemborer	20-30 mL (2-3 tbsp)			
S&P ENTERPRISES, INC.	CHLORPYRIFOS-CYPERMETHRIN	HELMET ULTRA 275 EC	250 g/L+25 g/L	EC	INSECTICIDE	2	566-239-6215	27-Jan-26	-	Mango	Mango hopper	25-40 mL (2.5-4 tbsp)			

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
S&P ENTERPRISES, INC.	CYPERMETHRIN	HELMET 5 EC	50 g/L	EC	INSECTICIDE	4	566-037-3635-A	27-Jun-25	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposit dry
S&P ENTERPRISES, INC.	CYPERMETHRIN	HELMET 5 EC	50 g/L	EC	INSECTICIDE	4	566-037-3635-A	27-Jun-25	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leafhopper, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposit dry
S&P ENTERPRISES, INC.	CYPERMETHRIN	HELMET 5 EC	50 g/L	EC	INSECTICIDE	4	566-037-3635-A	27-Jun-25	CONTACT	Cabbage	Diamond back moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposit dry
S&P ENTERPRISES, INC.	CYPERMETHRIN	HELMET 5 EC	50 g/L	EC	INSECTICIDE	4	566-037-3635-A	27-Jun-25	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposit dry
S&P ENTERPRISES, INC.	CYPERMETHRIN	HELMET 5 EC	50 g/L	EC	INSECTICIDE	4	566-037-3635-A	27-Jun-25	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposit dry
S&P ENTERPRISES, INC.	CYPERMETHRIN	HELMET 5 EC	50 g/L	EC	INSECTICIDE	4	566-037-3635-A	27-Jun-25	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposit dry
S&P ENTERPRISES, INC.	CYPERMETHRIN	HELMET 5 EC	50 g/L	EC	INSECTICIDE	4	566-037-3635-A	27-Jun-25	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposit dry
S&P ENTERPRISES, INC.	CYPERMETHRIN	HELMET 5 EC	50 g/L	EC	INSECTICIDE	4	566-037-3635-A	27-Jun-25	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposit dry
S&P ENTERPRISES, INC.	CYPERMETHRIN	HELMET 5 EC	50 g/L	EC	INSECTICIDE	4	566-037-3635-A	27-Jun-25	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposit dry
S&P ENTERPRISES, INC.	CYPERMETHRIN	HELMET 5 EC	50 g/L	EC	INSECTICIDE	4	566-037-3635-A	27-Jun-25	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposit dry
S&P ENTERPRISES, INC.	CYPERMETHRIN	HELMET 5 EC	50 g/L	EC	INSECTICIDE	4	566-037-3635-A	27-Jun-25	CONTACT	Corn	Comborer, earworm	1.0-4.5 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposit dry
TEXCON AGR VENTURES CORPORATION	BROMACIL	HELIK 80 WP	800 g/kg	WP	HERBICIDE	4	242-169-4236	11-Jan-27	NON-SELECTIVE	Pineapple	Perennial and annual weeds	4.9g/ha, 14 Tbsp/16 L water	-	-	-
BAVER CROPSCIENCE, INC.	2,4-D AMINE	HEDONAL 5 400 SL	400 g/L	SL	HERBICIDE	2	284-013-0015	31-Dec-26	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual broadleaves and sedges	3.5-6.5Tbsp/16 L water	0.1 ppm	-	1 day
BAVER CROPSCIENCE, INC.	2,4-D AMINE	HEDONAL 5 400 SL	400 g/L	SL	HERBICIDE	2	284-013-0015	31-Dec-26	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual broadleaves and sedges	19-25 Tbsp/16 L water	-	-	1 day
BAVER CROPSCIENCE, INC.	2,4-D AMINE	HEDONAL 5 400 SL	400 g/L	SL	HERBICIDE	2	284-013-0015	31-Dec-26	SELECTIVE (POST-EMERGENT)	Corn	Annual broadleaves and sedges	9-6.5 Tbsp/16 L water	-	-	1 day
JARDINE DISTRIBUTION, INC.	2,4-D AMINE	HEDONAL 400 SL	400 g/L	SL	HERBICIDE	2	367-013-5162	28-Oct-26	-	Rice (Transplanted)	Annual broadleaves and sedges	3.5-6.5Tbsp/16 L water	-	-	1 day
JARDINE DISTRIBUTION, INC.	2,4-D AMINE	HEDONAL 400 SL	400 g/L	SL	HERBICIDE	2	367-013-5162	28-Oct-26	-	Sugarcane	Annual broadleaves and sedges	19-25 Tbsp/16 L water	-	-	1 day
JARDINE DISTRIBUTION, INC.	2,4-D AMINE	HEDONAL 400 SL	400 g/L	SL	HERBICIDE	2	367-013-5162	28-Oct-26	-	Corn	Annual broadleaves and sedges	9-6.5 Tbsp/16 L water	-	-	1 day
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	DIURON	HEADSTART 800 SC	800 g/L	SC	HERBICIDE	4	667-027-5908	24-Sep-24	-	Citrus	Annual and perennial broadleaves and grasses	11.0-19.0 Tbsp/16 water	-	-	A day after application
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	DIURON	HEADSTART 800 SC	800 g/L	SC	HERBICIDE	4	667-027-5908	24-Sep-24	-	Coffee	Annual and perennial broadleaves and grasses	11.0-19.0 Tbsp/16 water	-	-	A day after application
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	DIURON	HEADSTART 800 SC	800 g/L	SC	HERBICIDE	4	667-027-5908	24-Sep-24	-	Cotton	Annual and perennial broadleaves and grasses	8 Tbsp/16 water	-	-	A day after application
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	DIURON	HEADSTART 800 SC	800 g/L	SC	HERBICIDE	4	667-027-5908	24-Sep-24	-	Sugarcane	Annual and perennial broadleaves and grasses	6.5-13.0 Tbsp/16 water	-	-	A day after application
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	DIURON	HEADSTART 800 SC	800 g/L	SC	HERBICIDE	4	667-027-5908	24-Sep-24	-	Pineapple	Annual and perennial broadleaves and grasses	13 Tbsp/16 water	-	-	A day after application
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	DIURON	HEADSTART 800 SC	800 g/L	SC	HERBICIDE	4	667-027-5908	24-Sep-24	-	Non-crop land	Annual and perennial broadleaves and grasses	20.0-28.0 Tbsp/16 water	-	-	A day after application
LUCHEMPLI INTERNATIONAL INC.	PYRACLOSTROBIN	HEADLINE 25 EC	250 g/L	EC	FUNGICIDE	2	590-396-5268	29-Oct-26	-	Banana	Sigatoka freckles	0.4 L/ha	-	4 days	As soon as spray deposits have dried or at 24 hours after spraying.
LUCHEMPLI INTERNATIONAL INC.	PYRACLOSTROBIN	HEADLINE 25 EC	250 g/L	EC	FUNGICIDE	2	590-396-5268	29-Oct-26	-	Corn	Leaf Spot	0.4 L prod / ha	-	4 days	As soon as spray deposits have dried or at 24 hours after spraying.
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	PROFENOFOS	HAVOC 50 EC	500 g/L	EC	INSECTICIDE	2	376-070-2403	22-Jun-24	CONTACT	Mango	Thrips	1.0-2.0 Tbsp/16 water	-	-	-
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	PROFENOFOS	HAVOC 50 EC	500 g/L	EC	INSECTICIDE	2	376-070-2403	22-Jun-24	CONTACT	Tomato	Fruitworm, armyworm, cutworm	3-5 Tbsp/16L water	-	-	-
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	PROFENOFOS	HAVOC 50 EC	500 g/L	EC	INSECTICIDE	2	376-070-2403	22-Jun-24	CONTACT	Eggplant	Fruitborer, aphids, leafhopper, & thrips	1.5-3.0 Tbsp/16 water	-	-	-
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	PROFENOFOS	HAVOC 50 EC	500 g/L	EC	INSECTICIDE	2	376-070-2403	22-Jun-24	CONTACT	Cabbage	Diamond back moth, cabbage worm & aphids, thrips	3-5 Tbsp/16L water	-	-	-
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	PROFENOFOS	HAVOC 50 EC	500 g/L	EC	INSECTICIDE	2	376-070-2403	22-Jun-24	CONTACT	Watermelon	Thrips	3-5 Tbsp/16L water	-	-	-
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	PROFENOFOS	HAVOC 50 EC	500 g/L	EC	INSECTICIDE	2	376-070-2403	22-Jun-24	CONTACT	Potato	Thrips, army worm, cutworm, tubermoth	3-5 Tbsp/16L water	-	-	-
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	PROFENOFOS	HAVOC 50 EC	500 g/L	EC	INSECTICIDE	2	376-070-2403	22-Jun-24	CONTACT	Soybeans	Corn earworm, leafminer	3-5 Tbsp/16L water	-	-	-
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	PROFENOFOS	HAVOC 50 EC	500 g/L	EC	INSECTICIDE	2	376-070-2403	22-Jun-24	CONTACT	Mungbeans	Corn earworm, leafminer	3-5 Tbsp/16L water	-	-	-
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	PROFENOFOS	HAVOC 50 EC	500 g/L	EC	INSECTICIDE	2	376-070-2403	22-Jun-24	CONTACT	Cotton	Thrips, bollworm & budworm	3-5 Tbsp/16L water	-	-	-
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	PROFENOFOS	HAVOC 50 EC	500 g/L	EC	INSECTICIDE	2	376-070-2403	22-Jun-24	CONTACT	Sitao	Beanfly, leafroller & aphids	1.5-3.0 Tbsp/16 water	-	-	-
SANKHEM CORPORATION	PACLOBUTRAZOL	HARVESTER 25 SC	250 g/L	SC	OTHERS	3	515-237-2973	20-Mar-24	-	Mango	Plant growth regulator	1-2 Tbsp./3-5 L water	-	-	-
SANKHEM CORPORATION	PACLOBUTRAZOL	HARVESTER 25 SC	250 g/L	SC	OTHERS	3	515-237-2973	20-Mar-24	-	Durian	Plant growth regulator	0.5-1.5 Tbsp./3-5 L water	-	-	-
SANKHEM CORPORATION	PACLOBUTRAZOL	HARVESTER 25 SC	250 g/L	SC	OTHERS	3	515-237-2973	20-Mar-24	-	Calamansi	Plant growth regulator	1-2 Tbsp./3-5 L water	-	-	-
SANKHEM CORPORATION	PACLOBUTRAZOL	HARVESTER 25 SC	250 g/L	SC	OTHERS	3	515-237-2973	20-Mar-24	-	Cocoa	Plant growth regulator	4 Tbsp./3-5 L water	-	-	-
MARPAD RHEKEMHER ENTERPRISES CORPORATION	CYPERMETHRIN	HARRIER SEC	50 g/L	EC	INSECTICIDE	4	766-037-6158	6-Jul-24	-	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated fields is allowed as soon as spray deposits dry
MARPAD RHEKEMHER ENTERPRISES CORPORATION	CYPERMETHRIN	HARRIER SEC	50 g/L	EC	INSECTICIDE	4	766-037-6158	6-Jul-24	-	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leafhopper, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated fields is allowed as soon as spray deposits dry
MARPAD RHEKEMHER ENTERPRISES CORPORATION	CYPERMETHRIN	HARRIER SEC	50 g/L	EC	INSECTICIDE	4	766-037-6158	6-Jul-24	-	Cabbage	Diamond-back moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated fields is allowed as soon as spray deposits dry
MARPAD RHEKEMHER ENTERPRISES CORPORATION	CYPERMETHRIN	HARRIER SEC	50 g/L	EC	INSECTICIDE	4	766-037-6158	6-Jul-24	-	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated fields is allowed as soon as spray deposits dry
MARPAD RHEKEMHER ENTERPRISES CORPORATION	CYPERMETHRIN	HARRIER SEC	50 g/L	EC	INSECTICIDE	4	766-037-6158	6-Jul-24	-	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated fields is allowed as soon as spray deposits dry
MARPAD RHEKEMHER ENTERPRISES CORPORATION	CYPERMETHRIN	HARRIER SEC	50 g/L	EC	INSECTICIDE	4	766-037-6158	6-Jul-24	-	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated fields is allowed as soon as spray deposits dry
MARPAD RHEKEMHER ENTERPRISES CORPORATION	CYPERMETHRIN	HARRIER SEC	50 g/L	EC	INSECTICIDE	4	766-037-6158	6-Jul-24	-	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated fields is allowed as soon as spray deposits dry
MARPAD RHEKEMHER ENTERPRISES CORPORATION	CYPERMETHRIN	HARRIER SEC	50 g/L	EC	INSECTICIDE	4	766-037-6158	6-Jul-24	-	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated fields is allowed as soon as spray deposits dry
MARPAD RHEKEMHER ENTERPRISES CORPORATION	CYPERMETHRIN	HARRIER SEC	50 g/L	EC	INSECTICIDE	4	766-037-6158	6-Jul-24	-	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated fields is allowed as soon as spray deposits dry
MARPAD RHEKEMHER ENTERPRISES CORPORATION	CYPERMETHRIN	HARRIER SEC	50 g/L	EC	INSECTICIDE	4	766-037-6158	6-Jul-24	-	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated fields is allowed as soon as spray deposits dry
MARPAD RHEKEMHER ENTERPRISES CORPORATION	CYPERMETHRIN	HARRIER SEC	50 g/L	EC	INSECTICIDE	4	766-037-6158	6-Jul-24	-	Corn	Corn borer, earworm	1.0-4.5 Tbsp/16 L water	-	7 days	Re-entry to treated fields is allowed as soon as spray deposits dry
MARPAD RHEKEMHER ENTERPRISES CORPORATION	METHOMYL	HARRY 45SP	400 g/kg	SP	INSECTICIDE	2	766-164-6160	25-Nov-26	CONTACT	Asparagus	Armyworm, cutworm	1 Sachet / 36L sprayer	-	-	-
MARPAD RHEKEMHER ENTERPRISES CORPORATION	METHOMYL	HARRY 45SP	400 g/kg	SP	INSECTICIDE	2	766-164-6160	25-Nov-26	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	1 Sachet / 36L sprayer	-	-	-
MARPAD RHEKEMHER ENTERPRISES CORPORATION	METHOMYL	HARRY 45SP	400 g/kg	SP	INSECTICIDE	2	766-164-6160	25-Nov-26	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leafroller	1 Sachet / 36L sprayer	-	-	-
MARPAD RHEKEMHER ENTERPRISES CORPORATION	METHOMYL	HARRY 45SP	400 g/kg	SP	INSECTICIDE	2	766-164-6160	25-Nov-26	CONTACT	Melon	Aphids, squash beetle, leafroller	1 Sachet / 36L sprayer	-	-	-
MARPAD RHEKEMHER ENTERPRISES CORPORATION	METHOMYL	HARRY 45SP	400 g/kg	SP	INSECTICIDE	2	766-164-6160	25-Nov-26	CONTACT	Tomato	Tomato fruitworm, aphids	1 Sachet / 36L sprayer	-	-	-

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
MARPAD RHEKEMMER ENTERPRISES CORPORATION	METHOMYL	HARPY 40SP	400 g/kg	SP	INSECTICIDE	2	766-164-6160	25-Nov-26	CONTACT	Corn	Comborer, earworm	1 Sachet / 36L sprayer	-	-	-
MARPAD RHEKEMMER ENTERPRISES CORPORATION	METHOMYL	HARPY 40SP	400 g/kg	SP	INSECTICIDE	2	766-164-6160	25-Nov-26	CONTACT	Sorghum	Comborer, earworm	1 Sachet / 36L sprayer	-	-	-
MARPAD RHEKEMMER ENTERPRISES CORPORATION	METHOMYL	HARPY 40SP	400 g/kg	SP	INSECTICIDE	2	766-164-6160	25-Nov-26	CONTACT	beans	leaf folder, flea beetle , beanfly, podborer,aphids	1 Sachet / 36L sprayer	-	-	-
MARPAD RHEKEMMER ENTERPRISES CORPORATION	METHOMYL	HARPY 40SP	400 g/kg	SP	INSECTICIDE	2	766-164-6160	25-Nov-26	CONTACT	Mungbeans	leaf folder, flea beetle , beanfly, podborer,aphids	1 Sachet / 36L sprayer	-	-	-
MARPAD RHEKEMMER ENTERPRISES CORPORATION	METHOMYL	HARPY 40SP	400 g/kg	SP	INSECTICIDE	2	766-164-6160	25-Nov-26	CONTACT	Soybeans	leaf folder, flea beetle , beanfly, podborer,aphids	1 Sachet / 36L sprayer	-	-	-
MARPAD RHEKEMMER ENTERPRISES CORPORATION	METHOMYL	HARPY 40SP	400 g/kg	SP	INSECTICIDE	2	766-164-6160	25-Nov-26	CONTACT	Itias	leaf folder, flea beetle , beanfly, podborer,aphids	1 Sachet / 36L sprayer	-	-	-
MARPAD RHEKEMMER ENTERPRISES CORPORATION	METHOMYL	HARPY 40SP	400 g/kg	SP	INSECTICIDE	2	766-164-6160	25-Nov-26	CONTACT	Eggplant	Aphids, flea beetle , fruitworm, lady beetle	1 Sachet / 36L sprayer	-	-	-
MARPAD RHEKEMMER ENTERPRISES CORPORATION	METHOMYL	HARPY 40SP	400 g/kg	SP	INSECTICIDE	2	766-164-6160	25-Nov-26	CONTACT	Banana	Thrips	1.5-2 Sachet/36L Sprayer	-	-	-
JOCANIMA CORPORATION	GLYPHOSATE IPA	HARDHT 160 SL	160 g/L	SL	HERBICIDE	4	241-151-2833	08-Jul-20	POST-EMERGENT	non-crop areas	common grassy fields		-	-	-
ORACLE CHEM CORPORATION	LAMBDA-CYHALOTHRIN	HARDEN 2.5 EC	25g/L	EC	INSECTICIDE	2	417-204-4042-A(075/590)	05-Jul-26	SYSTEMIC	Rice	Green leafhopper,armyworm,rice bug,leaf folder,black bug	1.0-1.5Tbsp/36 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
ORACLE CHEM CORPORATION	LAMBDA-CYHALOTHRIN	HARDEN 2.5 EC	25g/L	EC	INSECTICIDE	2	417-204-4042-A(075/590)	05-Jul-26	SYSTEMIC	Mango	Hoppers	0.75-1.2Tbsp/36L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
ORACLE CHEM CORPORATION	LAMBDA-CYHALOTHRIN	HARDEN 2.5 EC	25g/L	EC	INSECTICIDE	2	417-204-4042-A(075/590)	05-Jul-26	SYSTEMIC	Tomato	Fruitworm,cutworm,aphids	1.0-1.5Tbsp/36 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
ORACLE CHEM CORPORATION	LAMBDA-CYHALOTHRIN	HARDEN 2.5 EC	25g/L	EC	INSECTICIDE	2	417-204-4042-A(075/590)	05-Jul-26	SYSTEMIC	Onion	Thrips,cutworm	1.0Tbsp/36L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
ORACLE CHEM CORPORATION	LAMBDA-CYHALOTHRIN	HARDEN 2.5 EC	25g/L	EC	INSECTICIDE	2	417-204-4042-A(075/590)	05-Jul-26	SYSTEMIC	Mungbeans	Beanfly,lea beetle,leafhopper,aphids,mite, podborer	1.0Tbsp/36 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
ORACLE CHEM CORPORATION	LAMBDA-CYHALOTHRIN	HARDEN 2.5 EC	25g/L	EC	INSECTICIDE	2	417-204-4042-A(075/590)	05-Jul-26	SYSTEMIC	Corn	Comborer, aphids, seedling maggots	1.0-1.5Tbsp/36 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
ORACLE CHEM CORPORATION	LAMBDA-CYHALOTHRIN	HARDEN 2.5 EC	25g/L	EC	INSECTICIDE	2	417-204-4042-A(075/590)	05-Jul-26	SYSTEMIC	Tobacco	Budworm,cutworm, aphids,ladybirds	1.0-1.5Tbsp/36 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
ORACLE CHEM CORPORATION	LAMBDA-CYHALOTHRIN	HARDEN 2.5 EC	25g/L	EC	INSECTICIDE	2	417-204-4042-A(075/590)	05-Jul-26	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/36 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
ORACLE CHEM CORPORATION	LAMBDA-CYHALOTHRIN	HARDEN 2.5 EC	25g/L	EC	INSECTICIDE	2	417-204-4042-A(075/590)	05-Jul-26	SYSTEMIC	Cocoa	Pod borer	1.0-2.0Tbsp/36 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
ORACLE CHEM CORPORATION	LAMBDA-CYHALOTHRIN	HARDEN 2.5 EC	25g/L	EC	INSECTICIDE	2	417-204-4042-A(075/590)	05-Jul-26	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/36 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
VETMATE FARMA CORP.	MANCOZEB	HARABAS 80 WP	800 g/kg	WP	FUNGICIDE	4	658-053-6107	02-Jul-25	-	Potato	Early and late blight	3-6 Tbsp/36 L water	-	-	As soon as spray dries
VETMATE FARMA CORP.	MANCOZEB	HARABAS 80 WP	800 g/kg	WP	FUNGICIDE	4	658-053-6107	02-Jul-25	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
VETMATE FARMA CORP.	MANCOZEB	HARABAS 80 WP	800 g/kg	WP	FUNGICIDE	4	658-053-6107	02-Jul-25	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
VETMATE FARMA CORP.	MANCOZEB	HARABAS 80 WP	800 g/kg	WP	FUNGICIDE	4	658-053-6107	02-Jul-25	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
VETMATE FARMA CORP.	MANCOZEB	HARABAS 80 WP	800 g/kg	WP	FUNGICIDE	4	658-053-6107	02-Jul-25	-	Galery	Late blight	3-6 Tbsp/36 L water	-	14 Days	As soon as spray dries
VETMATE FARMA CORP.	MANCOZEB	HARABAS 80 WP	800 g/kg	WP	FUNGICIDE	4	658-053-6107	02-Jul-25	-	Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
VETMATE FARMA CORP.	MANCOZEB	HARABAS 80 WP	800 g/kg	WP	FUNGICIDE	4	658-053-6107	02-Jul-25	-	Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
VETMATE FARMA CORP.	MANCOZEB	HARABAS 80 WP	800 g/kg	WP	FUNGICIDE	4	658-053-6107	02-Jul-25	-	Cotton	Damping off	3-6 Tbsp/36 L water	-	-	As soon as spray dries
VETMATE FARMA CORP.	MANCOZEB	HARABAS 80 WP	800 g/kg	WP	FUNGICIDE	4	658-053-6107	02-Jul-25	-	Lettuce	Downy mildew	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries
VETMATE FARMA CORP.	MANCOZEB	HARABAS 80 WP	800 g/kg	WP	FUNGICIDE	4	658-053-6107	02-Jul-25	-	Beans	Anthracoese, Downy mildew, Rust	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
VETMATE FARMA CORP.	MANCOZEB	HARABAS 80 WP	800 g/kg	WP	FUNGICIDE	4	658-053-6107	02-Jul-25	-	Peas	Anthracoese, Downy mildew, Rust	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
VETMATE FARMA CORP.	MANCOZEB	HARABAS 80 WP	800 g/kg	WP	FUNGICIDE	4	658-053-6107	02-Jul-25	-	Mungo	Anthracoese, Downy mildew, Rust	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
VETMATE FARMA CORP.	MANCOZEB	HARABAS 80 WP	800 g/kg	WP	FUNGICIDE	4	658-053-6107	02-Jul-25	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
VETMATE FARMA CORP.	MANCOZEB	HARABAS 80 WP	800 g/kg	WP	FUNGICIDE	4	658-053-6107	02-Jul-25	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
VETMATE FARMA CORP.	MANCOZEB	HARABAS 80 WP	800 g/kg	WP	FUNGICIDE	4	658-053-6107	02-Jul-25	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
VETMATE FARMA CORP.	MANCOZEB	HARABAS 80 WP	800 g/kg	WP	FUNGICIDE	4	658-053-6107	02-Jul-25	-	Pepper	Anthracoese	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
VETMATE FARMA CORP.	MANCOZEB	HARABAS 80 WP	800 g/kg	WP	FUNGICIDE	4	658-053-6107	02-Jul-25	-	Chili	Anthracoese	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
VETMATE FARMA CORP.	MANCOZEB	HARABAS 80 WP	800 g/kg	WP	FUNGICIDE	4	658-053-6107	02-Jul-25	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
VETMATE FARMA CORP.	MANCOZEB	HARABAS 80 WP	800 g/kg	WP	FUNGICIDE	4	658-053-6107	02-Jul-25	-	Banana	Sigatoka, Black leaf streak	3-6 Tbsp/36 L water	-	-	As soon as spray dries
VETMATE FARMA CORP.	MANCOZEB	HARABAS 80 WP	800 g/kg	WP	FUNGICIDE	4	658-053-6107	02-Jul-25	-	Grapes	Downy mildew, black rot	3-6 Tbsp/36 L water	-	60 days	As soon as spray dries
VETMATE FARMA CORP.	MANCOZEB	HARABAS 80 WP	800 g/kg	WP	FUNGICIDE	4	658-053-6107	02-Jul-25	-	Mango	Anthracoese and Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
VETMATE FARMA CORP.	MANCOZEB	HARABAS 80 WP	800 g/kg	WP	FUNGICIDE	4	658-053-6107	02-Jul-25	-	Papaya	Fruit rot	3-6 Tbsp/36 L water	-	-	As soon as spray dries
VETMATE FARMA CORP.	MANCOZEB	HARABAS 80 WP	800 g/kg	WP	FUNGICIDE	4	658-053-6107	02-Jul-25	-	Meiron	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
VETMATE FARMA CORP.	MANCOZEB	HARABAS 80 WP	800 g/kg	WP	FUNGICIDE	4	658-053-6107	02-Jul-25	-	Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
VETMATE FARMA CORP.	MANCOZEB	HARABAS 80 WP	800 g/kg	WP	FUNGICIDE	4	658-053-6107	02-Jul-25	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
VETMATE FARMA CORP.	MANCOZEB	HARABAS 80 WP	800 g/kg	WP	FUNGICIDE	4	658-053-6107	02-Jul-25	-	Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/36 L water	0.02ppm	-	As soon as spray dries
VETMATE FARMA CORP.	MANCOZEB	HARABAS 80 WP	800 g/kg	WP	FUNGICIDE	4	658-053-6107	02-Jul-25	-	Peanut	Cercospora leaf spot	3-6 Tbsp/36 L water	-	14 Days	As soon as spray dries
VETMATE FARMA CORP.	MANCOZEB	HARABAS 80 WP	800 g/kg	WP	FUNGICIDE	4	658-053-6107	02-Jul-25	-	Soybeans	Leaf rust	3-6 Tbsp/36 L water	-	-	As soon as spray dries
VETMATE FARMA CORP.	MANCOZEB	HARABAS 80 WP	800 g/kg	WP	FUNGICIDE	4	658-053-6107	02-Jul-25	-	Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/36 L water	-	-	As soon as spray dries
LEB LEGACY AGRICORP.	NICLOXAMIDE ETHANOLAMINE SALT	HAMMER 70 WP	700 g/kg	WP	MOLLUSCIDE	4	666-229-5047	22-Feb-24	CONTACT	Rice	Golden Apple Snail (Kuhol)	36 gm/36L water	-	-	Do not enter the treated field within 48 hours after application
BIOSTADT PHILIPPINES INC.	BACILLUS THURINGENSIS	HALT	50g/kg	WP	INSECTICIDE	4	097-094-0734	08-Aug-24	-	Cabbage	Cutworm, Diamond-back moth,cabbage worm,cabbage looper	2-4Tbsp/36 L water	-	-	Leaves no harmful residues and can be harvested twenty four hours after the last spray Workers can return to the field as soon as the spray has dried up
BIOSTADT PHILIPPINES INC.	BACILLUS THURINGENSIS	HALT	50g/kg	WP	INSECTICIDE	4	097-094-0734	08-Aug-24	-	Pechay	Cutworm, Diamond-back moth,cabbage worm,cabbage looper	2-4Tbsp/36 L water	-	-	Leaves no harmful residues and can be harvested twenty four hours after the last spray Workers can return to the field as soon as the spray has dried up
BIOSTADT PHILIPPINES INC.	BACILLUS THURINGENSIS	HALT	50g/kg	WP	INSECTICIDE	4	097-094-0734	08-Aug-24	-	Cauliflower	Cutworm, Diamond-back moth,cabbage worm,cabbage looper	2-4Tbsp/36 L water	-	-	Leaves no harmful residues and can be harvested twenty four hours after the last spray Workers can return to the field as soon as the spray has dried up
BIOSTADT PHILIPPINES INC.	BACILLUS THURINGENSIS	HALT	50g/kg	WP	INSECTICIDE	4	097-094-0734	08-Aug-24	-	Mustard	Cutworm, Diamond-back moth,cabbage worm,cabbage looper	2-4Tbsp/36 L water	-	-	Leaves no harmful residues and can be harvested twenty four hours after the last spray Workers can return to the field as soon as the spray has dried up
BIOSTADT PHILIPPINES INC.	BACILLUS THURINGENSIS	HALT	50g/kg	WP	INSECTICIDE	4	097-094-0734	08-Aug-24	-	Cotton	Bollworms	2-4Tbsp/36 L water	-	-	Leaves no harmful residues and can be harvested twenty four hours after the last spray Workers can return to the field as soon as the spray has dried up
BIOSTADT PHILIPPINES INC.	BACILLUS THURINGENSIS	HALT	50g/kg	WP	INSECTICIDE	4	097-094-0734	08-Aug-24	-	Tomato	Tomato fruitworm,cutworm	2-4Tbsp/36 L water	-	-	Leaves no harmful residues and can be harvested twenty four hours after the last spray Workers can return to the field as soon as the spray has dried up
BIOSTADT PHILIPPINES INC.	BACILLUS THURINGENSIS	HALT	50g/kg	WP	INSECTICIDE	4	097-094-0734	08-Aug-24	-	Tobacco	Tobacco budworm	2-4Tbsp/36 L water	-	-	Leaves no harmful residues and can be harvested twenty four hours after the last spray Workers can return to the field as soon as the spray has dried up

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
BIOSTADT PHILIPPINES INC.	BACILLUS THURINGENSIS	HALT	50g/kg	WP	INSECTICIDE	4	097-094-0734	08-Aug-24	-	Asparagus	Asparagus worms	2-4tbsp/36 L water	-	Leaves no harmful residues and can be harvested twenty four hours after the last spray	Workers can return to the field as soon as the spray has dried up
BIOSTADT PHILIPPINES INC.	BACILLUS THURINGENSIS	HALT	50g/kg	WP	INSECTICIDE	4	097-094-0734	08-Aug-24	-	Banana	Slug caterpillars	1.25-2.5 g prod. / L water (0.375 g prod./ pint)	-	Leaves no harmful residues and can be harvested twenty four hours after the last spray	Workers can return to the field as soon as the spray has dried up
AGCHEM MANUFACTURING CORPORATION	CYHALOPOF-BUTYL-BISPYRIBAC SODIUM	HALOSPYR PRIME 200 OD	150g/L+50g/L	OD	HERBICIDE	4	050-504-5949	29-Nov-25	POST-EMERGENT	Rice (Direct-Seeded)	Grasses, broadleaves and sedges	500-ml to 1 L product/ ha (Using spray volume of 340-550 L water/ha.)	-	As soon as spray dries up	-
AGCHEM MANUFACTURING CORPORATION	CYHALOPOF-BUTYL-BISPYRIBAC SODIUM	HALOSPYR 13 SE	80 g/L+100 g/L	SE	HERBICIDE	4	050-504-5072	26-Mar-26	POST-EMERGENT	Rice (Direct-seeded)	Grasses, sedges and broadleaves	200-300 ml prod./ha to 36L 11.5 tsak (oz)/ha to 36L	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	PYRIBENZOXIM-CYHALOPOF-BUTYL	HALORICE PLUS 85 EC	250g/L	EC	HERBICIDE	3	539-453-4888	27-Jan-26	-	Rice (Direct-Seeded)	Grasses, sedges & broadleaves	8.0-10 Tbsp/36L water	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	PYRIBENZOXIM	HALORICE 50 EC	50 g/L	EC	HERBICIDE	4	497-387-4640	03-Feb-25	SELECTIVE (POST-EMERGENCE)	Rice (Direct-Seeded)	Grasses, sedges & broadleaves	1.0-6.0 Apply @ 16 DAT	-	-	-
AGSAMAT CORPORATION	CYHALOPOF-BUTYL-BISPYRIBAC SODIUM	HALOBAC 200 OD	150 g/L+100 g/L	OD	HERBICIDE	4	680-504-6043	16-Feb-26	POST-EMERGENT	Rice (Direct-Seeded)	Grasses broadleaves and sedges	500 ml. to 1 L Prod./ha 360-550 L/ha	-	-	As soon as spray dries up.
KEMSTAR CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	HAUNA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	239-395-4704	26-Mar-25	CONTACT/SYSTEMIC	Potato	Whiteflies, aphids, thrips	100-200ml product/ha, 4-6 ml/36L	0.1 Thiamethoxam; 0.1	7 Days	Do not enter treated fields at least 1 Day after application
KEMSTAR CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	HAUNA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	239-395-4704	26-Mar-25	CONTACT/SYSTEMIC	Stringbeans	Green Leafhopper, aphids, mites	100-200ml product/ha, 4-6 ml/36L	0.1 Thiamethoxam; 0.2 (with pod)	7 Days	Do not enter treated fields at least 1 Day after application
KEMSTAR CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	HAUNA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	239-395-4704	26-Mar-25	CONTACT/SYSTEMIC	Eggplant	Whiteflies, green leafhopper, aphids	100-200ml product/ha, 4-6 ml/36L	0.2 Thiamethoxam; 0.2	7 Days	Do not enter treated fields at least 1 Day after application
KEMSTAR CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	HAUNA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	239-395-4704	26-Mar-25	CONTACT/SYSTEMIC	Bittergourd	Leafhoppers, thrips, aphids, fruitfly, cutworm	100-200ml product/ha, 4-13 ml/36L	0.2 Thiamethoxam; 0.2	7 Days	Do not enter treated fields at least 1 Day after application
KEMSTAR CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	HAUNA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	239-395-4704	26-Mar-25	CONTACT/SYSTEMIC	Mango	Leafhoppers, tipborders, capsid bug, fruitfly, cecid fly	12-24ml/200L	0.1 Thiamethoxam; 0.2	3 Days	Do not enter treated fields at least 1 Day after application
KEMSTAR CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	HAUNA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	239-395-4704	26-Mar-25	CONTACT/SYSTEMIC	Corn	Asiatic corn borer, cutworm, leafhopper, aphids, earworm	200-400ml product/ha, 10.0-16.0 ml. product/36L	0.05ppm Thiamethoxam;	3 Days	Do not enter treated fields at least 1 Day after application
KEMSTAR CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	HAUNA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	239-395-4704	26-Mar-25	CONTACT/SYSTEMIC	Banana	Flower thrips	3-5 ml/L	0.0ppm Thiamethoxam;	30 days	Do not enter treated fields at least 1 Day after application
KEMSTAR CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	HAUNA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	239-395-4704	26-Mar-25	CONTACT/SYSTEMIC	Rice	Stem borer, leafhopper, rice bugs	10-30 Tbsp prod/36L	0.0ppm Thiamethoxam;	14 Days	Do not enter treated fields at least 1 Day after application
SYNGENTA PHILIPPINES INC.	MESOTRIONE, GLYPHOSATE, 5-METACHLOR	HALEX GT 125 ZC	25g/L+250g/L+250g/L	ZC	HERBICIDE	4	011-475-4321	04-Apr-24	POST-EMERGENCE	Glyphosate tolerant corn	Grass weeds, sedges and broadleaves	4 products/ha applied at about 30 days after planting (can be used with 0.25% ppm/Mesotrione)	-	-	-
HAULR PHILIPPINES AGROSERVICE INC.	GLUFOSINATE AMMONIUM	HAISINATE 15 SL	150 g/L	SL	HERBICIDE	4	672-182-5630	19-Nov-24	NON-SELECTIVE(POST-EMERGENT)	Rubber	Annual grasses, perennial grasses & broadleaf weeds	-	-	-	After spray deposits have dried
HAULR PHILIPPINES AGROSERVICE INC.	GLUFOSINATE AMMONIUM	HAISINATE 15 SL	150 g/L	SL	HERBICIDE	4	672-182-5630	19-Nov-24	NON-SELECTIVE(POST-EMERGENT)	Oil palm	Annual grasses, perennial grasses & broadleaf weeds	-	-	-	After spray deposits have dried
HAULR PHILIPPINES AGROSERVICE INC.	GLUFOSINATE AMMONIUM	HAISINATE 15 SL	150 g/L	SL	HERBICIDE	4	672-182-5630	19-Nov-24	NON-SELECTIVE(POST-EMERGENT)	Non-crop areas	Mixed weeds, perennial grasses & broadleaf weeds	-	-	-	After spray deposits have dried
HAULR PHILIPPINES AGROSERVICE INC.	GLUFOSINATE AMMONIUM	HAISINATE 15 SL	150 g/L	SL	HERBICIDE	4	672-182-5630	19-Nov-24	NON-SELECTIVE(POST-EMERGENT)	Cavendish Banana	Annual grasses, perennial grasses & broadleaf weeds	-	-	-	After spray deposits have dried
HAULR PHILIPPINES AGROSERVICE INC.	FFIPRONIL	HAISEN 50SC	50 g/L	SC	INSECTICIDE	3	672-244-6130	12-Apr-26	STOMACH/CONTACT	Rice	Stem borer, brown planthopper (BPH) leafhopper, rice bug	500-900 ml. prod/ ha	-	Do not apply 7 days before harvest	One day after application
HAULR PHILIPPINES AGROSERVICE INC.	FFIPRONIL	HAISEN 50SC	50 g/L	SC	INSECTICIDE	3	672-244-6130	12-Apr-26	STOMACH/CONTACT	Cabbage	Diamondback moth (DBM)	500-1000 ml. prod/ ha	-	Do not apply 7 days before harvest	One day after application
HAULR PHILIPPINES AGROSERVICE INC.	FFIPRONIL	HAISEN 50SC	50 g/L	SC	INSECTICIDE	3	672-244-6130	12-Apr-26	STOMACH/CONTACT	Watermelon	Thrips, leaf beetles	500-1000 L. prod/ ha	-	Do not apply 7 days before harvest	One day after application
HAULR PHILIPPINES AGROSERVICE INC.	FFIPRONIL	HAISEN 50SC	50 g/L	SC	INSECTICIDE	3	672-244-6130	12-Apr-26	STOMACH/CONTACT	Ghioncs	Cutworm	1000 ml. prod/ha	-	Do not apply 7 days before harvest	One day after application
HAULR PHILIPPINES AGROSERVICE INC.	FFIPRONIL	HAISEN 50SC	50 g/L	SC	INSECTICIDE	3	672-244-6130	12-Apr-26	STOMACH/CONTACT	Eggplant	Fruit borer	700-1000 ml. prod/ ha	-	Do not apply 7 days before harvest	One day after application
HAULR PHILIPPINES AGROSERVICE INC.	DIFENCONAZOLE+PROPICONAZOLE	HAIMURE 300 EC	150 g/L+150 g/L	EC	FUNGICIDE	3	672-325-5323	20-Jan-24	SYSTEMIC	Rice	Sheath Blight	2.5-3.5 Tbsp/36 L water	Ante-harvest; 0.5ppm	-	-
HAULR PHILIPPINES AGROSERVICE INC.	DIFENCONAZOLE+PROPICONAZOLE	HAIMURE 300 EC	150 g/L+150 g/L	EC	FUNGICIDE	3	672-325-5323	20-Jan-24	SYSTEMIC	Corn	Banded leaf, sheath blight, ear rot, leaf blight & rust	1-2 Tbsp/36 L water	-	45 days	-
HAULR PHILIPPINES AGROSERVICE INC.	NICLOSMETHANE ETHANOLAMINE SALT	HAILUSCIDE 70 WP	700g/kg	WP	MOLLUSCICIDE	4	672-229-5324	26-Jan-24	CONTACT	Rice	Golden Apple Snail	25 grams (1 sachet)	-	-	At least 48 hours after application
HAULR PHILIPPINES AGROSERVICE INC.	HAIDERON 80WP	HAIDERON 80WP	800 g/kg	WP	HERBICIDE	4	672-021-6287	5-Oct-26	SYSTEMIC	Citrus	Annual and perennial broadleaf weeds and grasses	130-190 g prod. / 36L water	-	-	Twenty four (24) hours after application
HAULR PHILIPPINES AGROSERVICE INC.	HAIDERON 80WP	HAIDERON 80WP	800 g/kg	WP	HERBICIDE	4	672-021-6287	5-Oct-26	SYSTEMIC	Coffee	Annual and perennial broadleaf weeds and grasses	130-190 g prod. / 36L water	-	-	Twenty four (24) hours after application
HAULR PHILIPPINES AGROSERVICE INC.	HAIDERON 80WP	HAIDERON 80WP	800 g/kg	WP	HERBICIDE	4	672-021-6287	5-Oct-26	SYSTEMIC	Cotton	Annual and perennial broadleaf weeds and grasses	80 g prod. / 36L water	-	-	Twenty four (24) hours after application
HAULR PHILIPPINES AGROSERVICE INC.	HAIDERON 80WP	HAIDERON 80WP	800 g/kg	WP	HERBICIDE	4	672-021-6287	5-Oct-26	SYSTEMIC	Sugarcane	Annual and perennial broadleaf weeds and grasses	60-130 g prod. / 36L water	-	-	Twenty four (24) hours after application
HAULR PHILIPPINES AGROSERVICE INC.	HAIDERON 80WP	HAIDERON 80WP	800 g/kg	WP	HERBICIDE	4	672-021-6287	5-Oct-26	SYSTEMIC	Pineapple	Annual and perennial broadleaf weeds and grasses	140 g prod. / 36L water	-	-	Twenty four (24) hours after application
HAULR PHILIPPINES AGROSERVICE INC.	HAIDERON 80WP	HAIDERON 80WP	800 g/kg	WP	HERBICIDE	4	672-021-6287	5-Oct-26	SYSTEMIC	Non-crop agricultural areas	Annual and perennial broadleaf weeds and grasses	200-280 g prod. / 36L water	-	-	Twenty four (24) hours after application
HAULR PHILIPPINES AGROSERVICE INC.	HAIDERON 800 SC	HAIDERON 800 SC	800 g/L	SC	HERBICIDE	4	672-021-6455	14-Feb-27	-	Citrus	Annual and perennial broadleaf weeds and grasses	11.0-19.0 Tbsp/36 L water	-	-	One day after application
HAULR PHILIPPINES AGROSERVICE INC.	HAIDERON 800 SC	HAIDERON 800 SC	800 g/L	SC	HERBICIDE	4	672-021-6455	14-Feb-27	-	Coffee	Annual and perennial broadleaf weeds and grasses	11.0-19.0 Tbsp/36 L water	-	-	One day after application
HAULR PHILIPPINES AGROSERVICE INC.	HAIDERON 800 SC	HAIDERON 800 SC	800 g/L	SC	HERBICIDE	4	672-021-6455	14-Feb-27	-	Cotton	Annual and perennial broadleaf weeds and grasses	8.0 Tbsp/36 L water	-	-	One day after application
HAULR PHILIPPINES AGROSERVICE INC.	HAIDERON 800 SC	HAIDERON 800 SC	800 g/L	SC	HERBICIDE	4	672-021-6455	14-Feb-27	-	Sugarcane	Annual and perennial broadleaf weeds and grasses	4.5-13.0 Tbsp/ 36L water	-	-	One day after application
HAULR PHILIPPINES AGROSERVICE INC.	HAIDERON 800 SC	HAIDERON 800 SC	800 g/L	SC	HERBICIDE	4	672-021-6455	14-Feb-27	-	Pineapple	Annual and perennial broadleaf weeds and grasses	11.0 Tbsp/ 36L water	-	-	One day after application
HAULR PHILIPPINES AGROSERVICE INC.	HAIDERON 800 SC	HAIDERON 800 SC	800 g/L	SC	HERBICIDE	4	672-021-6455	14-Feb-27	-	Non-crop agricultural areas	Annual and perennial broadleaf weeds and grasses	20.0-28.0 Tbsp/ 36L water	-	-	One day after application
HAULR PHILIPPINES AGROSERVICE INC.	HAIBRI 250 EC	HAIBRI 250 EC	250 g/L	EC	FUNGICIDE	2	672-396-5978	4-Jan-26	-	Banana	Black sigatoka and frekies	0.40 L prod. ha	-	4 days	After drying of spray or 24 hours after spraying
HAULR PHILIPPINES AGROSERVICE INC.	HAIBRI 250 EC	HAIBRI 250 EC	250 g/L	EC	FUNGICIDE	2	672-396-5978	4-Jan-26	-	Corn	Leafspot	0.40 L prod. ha	-	4 days	After drying of spray or 24 hours after spraying
HERMUSA AGRIVEN CORP.	HAAC dactinil 720 SC	-	-	SC	FUNGICIDE	4	749-118-5981	9-Jan-26	-	Banana	Black Sigatoka	-	-	-	-
GRANDIA AGRO MARKETING CORPORATION	MANCOZEB	G-ZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	445-053-3100	17-Jan-25	-	Potato	Early and late blight	3-6 Tbsp/36 L water	-	-	As soon as spray dries
GRANDIA AGRO MARKETING CORPORATION	MANCOZEB	G-ZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	445-053-3100	17-Jan-25	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
GRANDIA AGRO MARKETING CORPORATION	MANCOZEB	G-ZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	445-053-3100	17-Jan-25	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
GRANDIA AGRO MARKETING CORPORATION	MANCOZEB	G-ZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	445-053-3100	17-Jan-25	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
GRANDIA AGRO MARKETING CORPORATION	MANCOZEB	G-ZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	445-053-3100	17-Jan-25	-	Celery	Late blight	3-6 Tbsp/36 L water	-	14 Days	As soon as spray dries
GRANDIA AGRO MARKETING CORPORATION	MANCOZEB	G-ZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	445-053-3100	17-Jan-25	-	Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
GRANDIA AGRO MARKETING CORPORATION	MANCOZEB	G-ZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	445-053-3100	17-Jan-25	-	Cotton	Damping off	3-6 Tbsp/36 L water	-	-	As soon as spray dries
GRANDIA AGRO MARKETING CORPORATION	MANCOZEB	G-ZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	445-053-3100	17-Jan-25	-	Lettuce	Downy mildew	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
GRANDIA AGRO MARKETING CORPORATION	MANCOZEB	G-ZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	445-053-3100	17-Jan-25	-	Beans	Anthracoise, Downy mildew, Rust	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
GRANDIA AGRO MARKETING CORPORATION	MANCOZEB	G-ZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	445-053-3100	17-Jan-25	-	Peas	Anthracoise, Downy mildew, Rust	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
GRANDIA AGRO MARKETING CORPORATION	MANCOZEB	G-ZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	445-053-3100	17-Jan-25	-	Mungo	Anthracoise, Downy mildew, Rust	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
GRANDIA AGRO MARKETING CORPORATION	MANCOZEB	G-ZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	445-053-3100	17-Jan-25	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
GRANDIA AGRO MARKETING CORPORATION	MANCOZEB	G-ZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	445-053-3100	17-Jan-25	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD	
GRANDIA AGRO MARKETING CORPORATION	MANCOZEB	G-ZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	445-053-3100	17-Jan-25	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries	
GRANDIA AGRO MARKETING CORPORATION	MANCOZEB	G-ZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	445-053-3100	17-Jan-25	-	Pepper	Anthracoese	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries	
GRANDIA AGRO MARKETING CORPORATION	MANCOZEB	G-ZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	445-053-3100	17-Jan-25	-	Chili	Anthracoese	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries	
GRANDIA AGRO MARKETING CORPORATION	MANCOZEB	G-ZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	445-053-3100	17-Jan-25	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries	
GRANDIA AGRO MARKETING CORPORATION	MANCOZEB	G-ZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	445-053-3100	17-Jan-25	-	Banana	Sigatoka, Black leaf streak	3-6 Tbsp/36 L water	-	-	As soon as spray dries	
GRANDIA AGRO MARKETING CORPORATION	MANCOZEB	G-ZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	445-053-3100	17-Jan-25	-	Grapes	Downy mildew, black rot	3-6 Tbsp/36 L water	-	60 days	As soon as spray dries	
GRANDIA AGRO MARKETING CORPORATION	MANCOZEB	G-ZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	445-053-3100	17-Jan-25	-	Mango	Anthracoese and Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries	
GRANDIA AGRO MARKETING CORPORATION	MANCOZEB	G-ZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	445-053-3100	17-Jan-25	-	Papaya	Fruit rot	3-6 Tbsp/36 L water	-	-	As soon as spray dries	
GRANDIA AGRO MARKETING CORPORATION	MANCOZEB	G-ZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	445-053-3100	17-Jan-25	-	Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries	
GRANDIA AGRO MARKETING CORPORATION	MANCOZEB	G-ZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	445-053-3100	17-Jan-25	-	Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries	
GRANDIA AGRO MARKETING CORPORATION	MANCOZEB	G-ZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	445-053-3100	17-Jan-25	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries	
GRANDIA AGRO MARKETING CORPORATION	MANCOZEB	G-ZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	445-053-3100	17-Jan-25	-	Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/36 L water	0.02ppm	-	-	As soon as spray dries
GRANDIA AGRO MARKETING CORPORATION	MANCOZEB	G-ZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	445-053-3100	17-Jan-25	-	Peanut	Cercospora leaf spot	3-6 Tbsp/36 L water	-	14 Days	As soon as spray dries	
GRANDIA AGRO MARKETING CORPORATION	MANCOZEB	G-ZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	445-053-3100	17-Jan-25	-	Soybeans	Leaf rust	3-6 Tbsp/36 L water	-	-	As soon as spray dries	
GRANDIA AGRO MARKETING CORPORATION	MANCOZEB	G-ZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	445-053-3100	17-Jan-25	-	Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/36 L water	-	-	As soon as spray dries	
GRANDIA AGRO MARKETING CORPORATION	MANCOZEB	G-ZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	445-053-3100	17-Jan-22	-	Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries	
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	PROFENOFOS	GUATO 300 EC	500 g/L	EC	INSECTICIDE	2	575-070-3942	08-Jul-24	CONTACT	Mango	Thrips	1.0-2.0 Tbsp/36 water	-	14 days	Do not enter treated field 1 day after application	
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	PROFENOFOS	GUATO 300 EC	500 g/L	EC	INSECTICIDE	2	575-070-3942	08-Jul-24	CONTACT	Tomato	Fruitworm, armyworm, cutworm	3-5 Tbsp/36L water	-	14 days	Do not enter treated field 1 day after application	
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	PROFENOFOS	GUATO 300 EC	500 g/L	EC	INSECTICIDE	2	575-070-3942	08-Jul-24	CONTACT	Eggplant	Fruitborer, aphids, leafhopper, & thrips	1.5-3.0 Tbsp/36 water	-	14 days	Do not enter treated field 1 day after application	
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	PROFENOFOS	GUATO 300 EC	500 g/L	EC	INSECTICIDE	2	575-070-3942	08-Jul-24	CONTACT	Cabbage	Diamond back moth, cabbage worm & aphids, thrips	3-5 Tbsp/36L water	-	14 days	Do not enter treated field 1 day after application	
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	PROFENOFOS	GUATO 300 EC	500 g/L	EC	INSECTICIDE	2	575-070-3942	08-Jul-24	CONTACT	Watermelon	Thrips	3-5 Tbsp/36L water	-	14 days	Do not enter treated field 1 day after application	
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	PROFENOFOS	GUATO 300 EC	500 g/L	EC	INSECTICIDE	2	575-070-3942	08-Jul-24	CONTACT	Potato	Thrips, army worm, cutworm, tuber moth	3-5 Tbsp/36L water	-	14 days	Do not enter treated field 1 day after application	
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	PROFENOFOS	GUATO 300 EC	500 g/L	EC	INSECTICIDE	2	575-070-3942	08-Jul-24	CONTACT	Soybeans	Corn earworm, leafminer	3-5 Tbsp/36L water	-	14 days	Do not enter treated field 1 day after application	
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	PROFENOFOS	GUATO 300 EC	500 g/L	EC	INSECTICIDE	2	575-070-3942	08-Jul-24	CONTACT	Mungbeans	Corn earworm, leafminer	3-5 Tbsp/36L water	-	14 days	Do not enter treated field 1 day after application	
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	PROFENOFOS	GUATO 300 EC	500 g/L	EC	INSECTICIDE	2	575-070-3942	08-Jul-24	CONTACT	beans	Beanflies, aphids	-	-	14 days	Do not enter treated field 1 day after application	
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	PROFENOFOS	GUATO 300 EC	500 g/L	EC	INSECTICIDE	2	575-070-3942	08-Jul-24	CONTACT	Cotton	Thrips, bollworm & budworm	3-5 Tbsp/36L water	-	14 days	Do not enter treated field 1 day after application	
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	PROFENOFOS	GUATO 300 EC	500 g/L	EC	INSECTICIDE	2	575-070-3942	08-Jul-24	CONTACT	Sitao	Beanfly, leafhopper & aphids	1.5-3.0 Tbsp/36 water	-	14 days	Do not enter treated field 1 day after application	
UNAHCO, INC.	CARTAP HYDROCHLORIDE	GUNNER 50 SP	500 g/kg	SP	INSECTICIDE	3	662-106-5258	27-May-25	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.0-5.0Tbsp/36 L water	-	-	Do not spray within 10 days before harvest	Do not enter treated fields within 2 days after application
UNAHCO, INC.	CARTAP HYDROCHLORIDE	GUNNER 50 SP	500 g/kg	SP	INSECTICIDE	3	662-106-5258	27-May-25	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/36 L water	-	-	Do not spray within 10 days before harvest	Do not enter treated fields within 2 days after application
UNAHCO, INC.	CARTAP HYDROCHLORIDE	GUNNER 50 SP	500 g/kg	SP	INSECTICIDE	3	662-106-5258	27-May-25	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/36 L water	-	-	Do not spray within 10 days before harvest	Do not enter treated fields within 2 days after application
UNAHCO, INC.	CARTAP HYDROCHLORIDE	GUNNER 50 SP	500 g/kg	SP	INSECTICIDE	3	662-106-5258	27-May-25	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/36 L water	-	-	Do not spray within 10 days before harvest	Do not enter treated fields within 2 days after application
UNAHCO, INC.	CARTAP HYDROCHLORIDE	GUNNER 50 SP	500 g/kg	SP	INSECTICIDE	3	662-106-5258	27-May-25	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/36 L water	-	-	Do not spray within 10 days before harvest	Do not enter treated fields within 2 days after application
UNAHCO, INC.	CARTAP HYDROCHLORIDE	GUNNER 50 SP	500 g/kg	SP	INSECTICIDE	3	662-106-5258	27-May-25	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/36 L water	-	-	Do not spray within 10 days before harvest	Do not enter treated fields within 2 days after application
UNAHCO, INC.	CARTAP HYDROCHLORIDE	GUNNER 50 SP	500 g/kg	SP	INSECTICIDE	3	662-106-5258	27-May-25	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/36 L water	-	-	Do not spray within 10 days before harvest	Do not enter treated fields within 2 days after application
UNAHCO, INC.	CARTAP HYDROCHLORIDE	GUNNER 50 SP	500 g/kg	SP	INSECTICIDE	3	662-106-5258	27-May-25	SYSTEMIC	Mango	leafhoppers	1.5-2.0Tbsp/36 L water	-	-	Do not spray within 10 days before harvest	Do not enter treated fields within 2 days after application
UNAHCO, INC.	CARTAP HYDROCHLORIDE	GUNNER 50 SP	500 g/kg	SP	INSECTICIDE	3	662-106-5258	27-May-25	SYSTEMIC	Pechay	looper, cutworm, aphids	1.5-3.0Tbsp/36 L water	-	-	Do not spray within 10 days before harvest	Do not enter treated fields within 2 days after application
UNAHCO, INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	GUERRILLA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	612-395-6097	29-Dec-24	-	Potato	Whiteflies, aphids, thrips	100-200 mL / ha 4-6 mL / 36L water	-	7 days	Do not enter treated field for at least 1 day after application	
UNAHCO, INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	GUERRILLA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	612-395-6097	29-Dec-24	-	Stringbeans	Green leafhopper, aphids, mites	100-200 mL / ha 4-6 mL / 36L water	-	7 days	Do not enter treated field for at least 1 day after application	
UNAHCO, INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	GUERRILLA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	612-395-6097	29-Dec-24	-	Eggplant	Whiteflies, green leafhopper, aphids	100-200 mL / ha 4-6 mL / 36L water	-	7 days	Do not enter treated field for at least 1 day after application	
UNAHCO, INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	GUERRILLA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	612-395-6097	29-Dec-24	-	Bitter gourd	Leafhoppers, thrips, aphids, fruitfly, cutworm	100-400 mL / ha 4-13 mL / 36L water	-	7 days	Do not enter treated field for at least 1 day after application	
UNAHCO, INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	GUERRILLA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	612-395-6097	29-Dec-24	-	Corn	Asian corn borer, cutworm, leafhoppers, aphids, earworm	200-400 mL / ha 10-16 mL / 36L water	-	3 days	Do not enter treated field for at least 1 day after application	
UNAHCO, INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	GUERRILLA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	612-395-6097	29-Dec-24	-	Banana	Flower thrips	1-3 mL/L	-	90 days	Do not enter treated field for at least 1 day after application	
UNAHCO, INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	GUERRILLA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	612-395-6097	29-Dec-24	-	Rice	Stemborer, leafhopper, rice bugs	100-200 mL / ha 10-30 mL / 36L water	-	14 days	Do not enter treated field for at least 1 day after application	
UNAHCO, INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	GUERRILLA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	612-395-6097	29-Dec-24	-	Mango	Capid bug, cecid fly, fruitfly, leafhoppers, tip borers	20-30 mL / 100L	-	3 days	Do not enter treated field for at least 1 day after application	
S&P ENTERPRISES, INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	GUARDMAX 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	566-395-5136	03-Mar-26	-	Potato	Whiteflies, aphids, thrips	100-200 mL prod./ha,3.0-6.0 mLprod./36L	-	7 days	Do not enter treated fields for at least 1 day after application	
S&P ENTERPRISES, INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	GUARDMAX 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	566-395-5136	03-Mar-26	-	Stringbean	Green Leafhopper, aphids, mites	100-200 mL prod./ha,4.0-6.0 mLprod./36L	-	7 days	Do not enter treated fields for at least 1 day after application	
S&P ENTERPRISES, INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	GUARDMAX 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	566-395-5136	03-Mar-26	-	Eggplant	Whiteflies, green leafhopper, aphids	100-200 mL prod./ha,4.0-6.0 mLprod./36L	-	7 days	Do not enter treated fields for at least 1 day after application	
S&P ENTERPRISES, INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	GUARDMAX 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	566-395-5136	03-Mar-26	-	Bittergourd	Leafhoppers, thrips, aphids, fruitfly, cutworm	100-400 mL prod./ha,4.0-13.0 mL prod./36L	-	7 days	Do not enter treated fields for at least 1 day after application	
S&P ENTERPRISES, INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	GUARDMAX 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	566-395-5136	03-Mar-26	-	Mango	leafhoppers, tip borers, capid bug, fruitfly, cecid fly	20-30 mL/100L	-	3 days	Do not enter treated fields for at least 1 day after application	
S&P ENTERPRISES, INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	GUARDMAX 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	566-395-5136	03-Mar-26	-	Corn	Asiatic corn borer, cutworm, leafhoppers, aphids, earworm	20-400 mL prod./ha,10.0-30.0 mL prod./36L	-	3 days	Do not enter treated fields for at least 1 day after application	
S&P ENTERPRISES, INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	GUARDMAX 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	566-395-5136	03-Mar-26	-	Banana	Flower thrips	1-3 mL/L	-	90 days	Do not enter treated fields for at least 1 day after application	
S&P ENTERPRISES, INC.	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	GUARDMAX 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	566-395-5136	03-Mar-26	-	Rice	Stemborer, leafhoppers, rice bugs	100-200 mL prod./ha,10.0-30.0 mL prod./36L	-	14 days	Do not enter treated fields for at least 1 day after application	
UNIVERSAL HARVESTER INC.	DIFENOCANAZOLE	GUARDKING 250 EC	250 g/L	EC	FUNGICIDE	4	406-272-4268	05-Mar-21	SYSTEMIC	Banana	Black Sigatoka	0.3-0.4 L prod/ha	-	-	-	
UNIVERSAL HARVESTER INC.	DIFENOCANAZOLE	GUARDKING 250 EC	250 g/L	EC	FUNGICIDE	4	406-272-4268	05-Mar-21	SYSTEMIC	Mango	Anthracoese	0.129-0.88 L/ha	-	14 Days	-	
UNIVERSAL HARVESTER INC.	DIFENOCANAZOLE	GUARDKING 250 EC	250 g/L	EC	FUNGICIDE	4	406-272-4268	05-Mar-21	SYSTEMIC	Rice	Sheath Blight	0.26-0.30 L/ha	-	-	-	
UNIVERSAL HARVESTER INC.	DIFENOCANAZOLE	GUARDKING 250 EC	250 g/L	EC	FUNGICIDE	4	406-272-4268	05-Mar-21	SYSTEMIC	Stringbeans	Leaf spot	0.20-0.30 L/ha	-	7 Days	-	

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
UNIVERSAL HARVESTER INC.	DIFENOCANAZOLE	GUARDKING 250 EC	250 g/L	EC	FUNGICIDE	4	406-272-4268	05-Mar-21	SYSTEMIC	Eggplant	Leaf Spot	0.20-0.30 L/ha	-	7 Days	-
UNIVERSAL HARVESTER INC.	DIFENOCANAZOLE	GUARDKING 250 EC	250 g/L	EC	FUNGICIDE	4	406-272-4268	05-Mar-21	SYSTEMIC	Tomato	Alternaria leaf spot, cercospora leafmold, powdery mildew	0.20-0.30 L/ha	-	7 Days	-
UNIVERSAL HARVESTER INC.	DIFENOCANAZOLE	GUARDKING 250 EC	250 g/L	EC	FUNGICIDE	4	406-272-4268	05-Mar-21	SYSTEMIC	Cabbage	Ringspot, alternaria	0.20-0.30 L/ha	-	7 Days	-
UNIVERSAL HARVESTER INC.	DIFENOCANAZOLE	GUARDKING 250 EC	250 g/L	EC	FUNGICIDE	4	406-272-4268	05-Mar-21	SYSTEMIC	Onion	Purple blotch	0.40-0.50 L/ha	-	7 Days	-
UNIVERSAL HARVESTER INC.	DIFENOCANAZOLE	GUARDKING 250 EC	250 g/L	EC	FUNGICIDE	4	406-272-4268	05-Mar-21	SYSTEMIC	Asparagus	Stem and leaf blight	0.36 L/ha	-	-	-
GOLDENMAN MARKETING CORPORATION	CYPERMETHRIN	GUARDIAN 5 EC	50 g/L	EC	INSECTICIDE	4	400-037-2315	06-Jul-24	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dries
GOLDENMAN MARKETING CORPORATION	CYPERMETHRIN	GUARDIAN 5 EC	50 g/L	EC	INSECTICIDE	4	400-037-2315	06-Jul-24	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leafhoppers, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dries
GOLDENMAN MARKETING CORPORATION	CYPERMETHRIN	GUARDIAN 5 EC	50 g/L	EC	INSECTICIDE	4	400-037-2315	06-Jul-24	CONTACT	Cabbage	Diamond back moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dries
GOLDENMAN MARKETING CORPORATION	CYPERMETHRIN	GUARDIAN 5 EC	50 g/L	EC	INSECTICIDE	4	400-037-2315	06-Jul-24	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dries
GOLDENMAN MARKETING CORPORATION	CYPERMETHRIN	GUARDIAN 5 EC	50 g/L	EC	INSECTICIDE	4	400-037-2315	06-Jul-24	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dries
GOLDENMAN MARKETING CORPORATION	CYPERMETHRIN	GUARDIAN 5 EC	50 g/L	EC	INSECTICIDE	4	400-037-2315	06-Jul-24	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dries
GOLDENMAN MARKETING CORPORATION	CYPERMETHRIN	GUARDIAN 5 EC	50 g/L	EC	INSECTICIDE	4	400-037-2315	06-Jul-24	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dries
GOLDENMAN MARKETING CORPORATION	CYPERMETHRIN	GUARDIAN 5 EC	50 g/L	EC	INSECTICIDE	4	400-037-2315	06-Jul-24	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dries
GOLDENMAN MARKETING CORPORATION	CYPERMETHRIN	GUARDIAN 5 EC	50 g/L	EC	INSECTICIDE	4	400-037-2315	06-Jul-24	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dries
GOLDENMAN MARKETING CORPORATION	CYPERMETHRIN	GUARDIAN 5 EC	50 g/L	EC	INSECTICIDE	4	400-037-2315	06-Jul-24	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dries
GOLDENMAN MARKETING CORPORATION	CYPERMETHRIN	GUARDIAN 5 EC	50 g/L	EC	INSECTICIDE	4	400-037-2315	06-Jul-24	CONTACT	Corn	Comborer, earworm	1.0-4.5 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dries
C.B. ANDREW ASIA, INC.	BISPYRIBAC SODIUM	GUARANTEE 30 SC	100 g/L	SC	HERBICIDE	4	400-276-2756	21-May-24	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Rice (Direct Seeded landrace)	Grasses, sedges & broadleaves	10ml/16 L water, 20 spray load/ hectare	0.1 ppm	-	As soon as the spray droplets have dried.
C.B. ANDREW ASIA, INC.	BISPYRIBAC SODIUM	GUARANTEE 30 SC	100 g/L	SC	HERBICIDE	4	400-276-2756	21-May-24	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Rice (Transplanted)	Grasses, sedges & broadleaves	-	-	-	As soon as the spray droplets have dried.
PHILAGROW INC.	AZOXYSTROBIN	GROWSTAR 25 SC	250 g/L	SC	FUNGICIDE	4	372-309-2979	18-Jun-24	SYSTEMIC	Mango	Anthracoise, scab, stem-end rot	6-8/100L water	-	Do not spray 3-7 days before harvest.	Re-entry treated field is allowed as soon as spray dries up
PHILAGROW INC.	AZOXYSTROBIN	GROWSTAR 25 SC	250 g/L	SC	FUNGICIDE	4	372-309-2979	18-Jun-24	SYSTEMIC	Watermelon	Damping off, leaf spot, anthracnose, downy, mildew, powdery mildew	1-2Tbsp/16 L water	-	Do not spray 3-7 days before harvest.	Re-entry treated field is allowed as soon as spray dries up
PHILAGROW INC.	AZOXYSTROBIN	GROWSTAR 25 SC	250 g/L	SC	FUNGICIDE	4	372-309-2979	18-Jun-24	SYSTEMIC	Onion	Basal/bulb rot	1-2Tbsp/16 L water	-	Do not spray 3-7 days before harvest.	Re-entry treated field is allowed as soon as spray dries up
PHILAGROW INC.	AZOXYSTROBIN	GROWSTAR 25 SC	250 g/L	SC	FUNGICIDE	4	372-309-2979	18-Jun-24	SYSTEMIC	Tomato	Late/early blight, powdery mildew	0.5-1Tbsp/16 L water	-	Do not spray 3-7 days before harvest.	Re-entry treated field is allowed as soon as spray dries up
PHILAGROW INC.	AZOXYSTROBIN	GROWSTAR 25 SC	250 g/L	SC	FUNGICIDE	4	372-309-2979	18-Jun-24	SYSTEMIC	Corn	Sheath blight, leaf spot, leaf rust, ear rot	2-4Tbsp/16 L water	-	Do not spray 3-7 days before harvest.	Re-entry treated field is allowed as soon as spray dries up
PHILAGROW INC.	AZOXYSTROBIN	GROWSTAR 25 SC	250 g/L	SC	FUNGICIDE	4	372-309-2979	18-Jun-24	SYSTEMIC	Asparagus	Stem blight, leaf blight, fusarium wilt	1 Tbsp/16 L water	-	Do not spray 3-7 days before harvest.	Re-entry treated field is allowed as soon as spray dries up
AGRIBASE CHEMICALS, INC.	BUTACHLOR	GROUND ZERO 60 EC	600 g/L	EC	HERBICIDE	4	457-150-3266	23-Oct-24	PRE-EMERGENT	Rice (Direct-seeded)	Grasses and sedges	8Tbsp (2-4 DAT)/Tbsp(0-4 DAT) 8Tbsp/77Tbsp	0.1 ppm	-	-
AGRIBASE CHEMICALS, INC.	BUTACHLOR	GROUND ZERO 60 EC	600 g/L	EC	HERBICIDE	4	457-150-3266	23-Oct-24	PRE-EMERGENT	Rice (Transplanted)	Grasses and sedges	8Tbsp(4-40SL)/Tbsp(3-40SL) 11Tbsp (30-0AS)	0.1 ppm	-	-
UNITED AGRO TRADE CORPORATION	GLYPHOSATE IPA	GROUND PLUS 480 SL	480 g/L	SL	HERBICIDE	4	264-151-1569	23-Jun-24	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/ha	-	-	-
UNITED AGRO TRADE CORPORATION	GLYPHOSATE IPA	GROUND PLUS 480 SL	480 g/L	SL	HERBICIDE	4	264-151-1569	23-Jun-24	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
UNITED AGRO TRADE CORPORATION	GLYPHOSATE IPA	GROUND PLUS 480 SL	480 g/L	SL	HERBICIDE	4	264-151-1569	23-Jun-24	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
UNITED AGRO TRADE CORPORATION	GLYPHOSATE IPA	GROUND PLUS 480 SL	480 g/L	SL	HERBICIDE	4	264-151-1569	23-Jun-24	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
UNITED AGRO TRADE CORPORATION	GLYPHOSATE IPA	GROUND PLUS 480 SL	480 g/L	SL	HERBICIDE	4	264-151-1569	23-Jun-24	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
UNITED AGRO TRADE CORPORATION	GLYPHOSATE IPA	GROUND PLUS 480 SL	480 g/L	SL	HERBICIDE	4	264-151-1569	23-Jun-24	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
UNITED AGRO TRADE CORPORATION	GLYPHOSATE IPA	GROUND PLUS 480 SL	480 g/L	SL	HERBICIDE	4	264-151-1569	23-Jun-24	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
UNITED AGRO TRADE CORPORATION	GLYPHOSATE IPA	GROUND PLUS 480 SL	480 g/L	SL	HERBICIDE	4	264-151-1569	23-Jun-24	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
UNITED AGRO TRADE CORPORATION	GLYPHOSATE IPA	GROUND PLUS 480 SL	480 g/L	SL	HERBICIDE	4	264-151-1569	23-Jun-24	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/ha	-	-	-
UNITED AGRO TRADE CORPORATION	GLYPHOSATE IPA	GROUND PLUS 480 SL	480 g/L	SL	HERBICIDE	4	264-151-1569	23-Jun-24	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
UNITED AGRO TRADE CORPORATION	GLYPHOSATE IPA	GROUND PLUS 480 SL	480 g/L	SL	HERBICIDE	4	264-151-1569	23-Jun-24	POST-EMERGENT	Vegetables under minimum or reduced tillage systems	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
UNITED AGRO TRADE CORPORATION	GLYPHOSATE IPA	GROUND PLUS 480 SL	480 g/L	SL	HERBICIDE	4	264-151-1569	23-Jun-24	POST-EMERGENT	Non-crop areas	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
JYNNSONS PHILIPPINES, INC.	METALDEHYDE	GRIP 6% PELLET	60 g/kg	P	MOLLUSCICIDE	4	551-075-4778	20-Sep-24	CONTACT	Rice (Transplanted)	Golden apple snail	2-4 kg/ product per hectare	-	-	Do not enter treated field within 48 hours after application
JYNNSONS PHILIPPINES, INC.	METALDEHYDE	GRIP 6% PELLET	60 g/kg	P	MOLLUSCICIDE	4	551-075-4778	20-Sep-24	CONTACT	Rice (Direct-Seeded)	Golden apple snail	4-8 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application
JYNNSONS PHILIPPINES, INC.	METALDEHYDE	GRIP 6% PELLET	60 g/kg	P	MOLLUSCICIDE	4	551-075-4778	20-Sep-24	CONTACT	Potted and driftwood-attached plants (such as)	Bush, snails, giant african snail and slugs	5-2 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application
JYNNSONS PHILIPPINES, INC.	METALDEHYDE	GRIP 6% PELLET	60 g/kg	P	MOLLUSCICIDE	4	551-075-4778	20-Sep-24	CONTACT	Cruifers (Chinese Cabbage)	Slugs, snails	6-8 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application
JYNNSONS PHILIPPINES, INC.	METALDEHYDE	GRIP 6% PELLET	60 g/kg	P	MOLLUSCICIDE	4	551-075-4778	20-Sep-24	CONTACT	Strawberry	Slugs, snails	6-8 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application
ESSEL AGRI AND CHEMICAL CORP.	BUTACHLOR+PROPANIL	GRIND 700 EC	350-350 g/L	EC	HERBICIDE	3	597-238-5686	23-Aug-24	POST-EMERGENT	Rice (Direct-Seeded)	Grasses, sedges and brodiaef weeds	9-14 Tbsp / 16L water	-	-	-
ESSEL AGRI AND CHEMICAL CORP.	BUTACHLOR+PROPANIL	GRIND 700 EC	350-350 g/L	EC	HERBICIDE	3	597-238-5686	23-Aug-24	POST-EMERGENT	Rice (Transplanted)	Grasses, sedges and brodiaef weeds	9-14 Tbsp / 16L water	-	-	-
INDOFL PHILIPPINES INC.	COPPER OXYCHLORIDE-COPPER HYDROXIDE	GRIFON SC	223 g/L+239 g/L	SC	FUNGICIDE	3	604-427-4515	18-Sep-24	-	Cavendish Banana	Diamond fruit spot, finger rot & freckle	30-11 mL/liter water mixe with 0.7 phosphoric methyl 20 up	-	7 days from last spray until harvest	Do not enter treated area until spray has dried
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	CHLOROTHALONIL	GREENIL 500 SC	500 g/L	SC	FUNGICIDE	4	376-118-2766	14-Mar-19	-	Melon	Anthracoise, cercospora leafspot, downy mildew, leaf blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	CHLOROTHALONIL	GREENIL 500 SC	500 g/L	SC	FUNGICIDE	4	376-118-2766	14-Mar-19	-	Corn	Heminthosphorium leaf spot, cercospora leafspot	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	CHLOROTHALONIL	GREENIL 500 SC	500 g/L	SC	FUNGICIDE	4	376-118-2766	14-Mar-19	-	Eggplant	Anthracoise, cercospora leafspot, early and late blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	CHLOROTHALONIL	GREENIL 500 SC	500 g/L	SC	FUNGICIDE	4	376-118-2766	14-Mar-19	-	Peanut	Cercospora leaf spot, rust	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	CHLOROTHALONIL	GREENIL 500 SC	500 g/L	SC	FUNGICIDE	4	376-118-2766	14-Mar-19	-	Potato	Early and late blight, vine rot	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	CHLOROTHALONIL	GREENIL 500 SC	500 g/L	SC	FUNGICIDE	4	376-118-2766	14-Mar-19	-	Tomato	Early and late blight, vine rot	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	CHLOROTHALONIL	GREENIL 500 SC	500 g/L	SC	FUNGICIDE	4	376-118-2766	14-Mar-19	-	Carrot	Alternaria, cercospora leaf spot, heminthosphorium leaf spot	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	CHLOROTHALONIL	GREENIL 500 SC	500 g/L	SC	FUNGICIDE	4	376-118-2766	14-Mar-19	-	Banana	Sigatoka, rust, freckles, heminthosphorium leaf spot	2 L/ha	2.0 mg/kg	-	Do not enter treatment areas until spray deposit have dried
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	CHLOROTHALONIL	GREENIL 500 SC	500 g/L	SC	FUNGICIDE	4	376-118-2766	14-Mar-19	-	Mango	Anthracoise, diploida rot	6.0-8.5 Tbsp/16 L	0.5 mg/kg	7-14 days	Do not enter treatment areas until spray deposit have dried
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	CHLOROTHALONIL	GREENIL 500 SC	500 g/L	SC	FUNGICIDE	4	376-118-2766	14-Mar-19	-	Beans	Rust, anthracnose	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD	
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	CHLOROTHALONIL	GREENIL 500 SC	500 g/L	SC	FUNGICIDE	4	376-118-2766	18-Mar-19	-	Crucifers	Powdery mildew	6.0-8.5 Tbsp/36 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried	
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	CHLOROTHALONIL	GREENIL 500 SC	500 g/L	SC	FUNGICIDE	4	376-118-2766	14-Mar-19	-	Onion	Purple blotch, bulb rot, neck rot	6.0-8.5 Tbsp/36 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried	
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	CHLOROTHALONIL	GREENIL 500 SC	500 g/L	SC	FUNGICIDE	4	376-118-2766	14-Mar-19	-	Garlic	Purple blotch, bulb rot, neck rot	6.0-8.5 Tbsp/36 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried	
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	CHLOROTHALONIL	GREENIL 500 SC	500 g/L	SC	FUNGICIDE	4	376-118-2766	14-Mar-19	-	Ornamentals	Black spot, black rot, powdery mildew	6.0-8.5 Tbsp/36 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried	
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	CHLOROTHALONIL	GREENIL 500 SC	500 g/L	SC	FUNGICIDE	4	376-118-2766	14-Mar-19	-	Grapes	Downy mildew, powdery mildew, fruit rot	6.0-8.5 Tbsp/36 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried	
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	CHLOROTHALONIL	GREENIL 500 SC	500 g/L	SC	FUNGICIDE	4	376-118-2766	14-Mar-19	-	Pepper	Anthracoese, cercospora leaf spot, early blight	6.0-8.5 Tbsp/36 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried	
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	CHLOROTHALONIL	GREENIL 500 SC	500 g/L	SC	FUNGICIDE	4	376-118-2766	14-Mar-19	-	Melon	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/36 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried	
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	CHLOROTHALONIL	GREENIL 500 SC	500 g/L	SC	FUNGICIDE	4	376-118-2766	14-Mar-19	-	Cucumber	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/36 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried	
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	CHLOROTHALONIL	GREENIL 500 SC	500 g/L	SC	FUNGICIDE	4	376-118-2766	14-Mar-19	-	Squash	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/36 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried	
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	CHLOROTHALONIL	GREENIL 500 SC	500 g/L	SC	FUNGICIDE	4	376-118-2766	14-Mar-19	-	Watermelon	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/36 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried	
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	CHLOROTHALONIL	GREENIL 500 SC	500 g/L	SC	FUNGICIDE	4	376-118-2766	14-Mar-19	-	Celery	Early and late blight	6.0-8.5 Tbsp/36 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried	
GREENHUMB AGRISOLUTIONS,INC.	MANCOZEB	GREEN THUMB MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	584-051-4358	11-May-24	-	Potato	Early and late blight	3-6 Tbsp/36 L water	-	-	As soon as spray dries	
GREENHUMB AGRISOLUTIONS,INC.	MANCOZEB	GREEN THUMB MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	584-051-4358	11-May-24	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries	
GREENHUMB AGRISOLUTIONS,INC.	MANCOZEB	GREEN THUMB MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	584-051-4358	11-May-24	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries	
GREENHUMB AGRISOLUTIONS,INC.	MANCOZEB	GREEN THUMB MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	584-051-4358	11-May-24	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries	
GREENHUMB AGRISOLUTIONS,INC.	MANCOZEB	GREEN THUMB MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	584-051-4358	11-May-24	-	Celery	Late blight	3-6 Tbsp/36 L water	-	14 days	As soon as spray dries	
GREENHUMB AGRISOLUTIONS,INC.	MANCOZEB	GREEN THUMB MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	584-051-4358	11-May-24	-	Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries	
GREENHUMB AGRISOLUTIONS,INC.	MANCOZEB	GREEN THUMB MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	584-051-4358	11-May-24	-	Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries	
GREENHUMB AGRISOLUTIONS,INC.	MANCOZEB	GREEN THUMB MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	584-051-4358	11-May-24	-	Cotton	Damping off	3-6 Tbsp/36 L water	-	-	As soon as spray dries	
GREENHUMB AGRISOLUTIONS,INC.	MANCOZEB	GREEN THUMB MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	584-051-4358	11-May-24	-	lettuce	Downy mildew	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries	
GREENHUMB AGRISOLUTIONS,INC.	MANCOZEB	GREEN THUMB MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	584-051-4358	11-May-24	-	Beans	Anthracoese, Downy mildew, Rust	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries	
GREENHUMB AGRISOLUTIONS,INC.	MANCOZEB	GREEN THUMB MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	584-051-4358	11-May-24	-	Peas	Anthracoese, Downy mildew, Rust	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries	
GREENHUMB AGRISOLUTIONS,INC.	MANCOZEB	GREEN THUMB MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	584-051-4358	11-May-24	-	Mungbeans	Anthracoese, Downy mildew, Rust	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries	
GREENHUMB AGRISOLUTIONS,INC.	MANCOZEB	GREEN THUMB MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	584-051-4358	11-May-24	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries	
GREENHUMB AGRISOLUTIONS,INC.	MANCOZEB	GREEN THUMB MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	584-051-4358	11-May-24	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries	
GREENHUMB AGRISOLUTIONS,INC.	MANCOZEB	GREEN THUMB MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	584-051-4358	11-May-24	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries	
GREENHUMB AGRISOLUTIONS,INC.	MANCOZEB	GREEN THUMB MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	584-051-4358	11-May-24	-	Pepper	Anthracoese	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries	
GREENHUMB AGRISOLUTIONS,INC.	MANCOZEB	GREEN THUMB MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	584-051-4358	11-May-24	-	Chili	Anthracoese	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries	
GREENHUMB AGRISOLUTIONS,INC.	MANCOZEB	GREEN THUMB MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	584-051-4358	11-May-24	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries	
GREENHUMB AGRISOLUTIONS,INC.	MANCOZEB	GREEN THUMB MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	584-051-4358	11-May-24	-	Banana	Sigatoka, Black leaf streak	3-6 Tbsp/36 L water	-	-	As soon as spray dries	
GREENHUMB AGRISOLUTIONS,INC.	MANCOZEB	GREEN THUMB MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	584-051-4358	11-May-24	-	Grapes	Downy mildew, black rot	3-6 Tbsp/36 L water	-	60 days	As soon as spray dries	
GREENHUMB AGRISOLUTIONS,INC.	MANCOZEB	GREEN THUMB MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	584-051-4358	11-May-24	-	Mango	Anthracoese and Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries	
GREENHUMB AGRISOLUTIONS,INC.	MANCOZEB	GREEN THUMB MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	584-051-4358	11-May-24	-	Papaya	Fruit rot	3-6 Tbsp/36 L water	-	-	As soon as spray dries	
GREENHUMB AGRISOLUTIONS,INC.	MANCOZEB	GREEN THUMB MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	584-051-4358	11-May-24	-	Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries	
GREENHUMB AGRISOLUTIONS,INC.	MANCOZEB	GREEN THUMB MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	584-051-4358	11-May-24	-	Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries	
GREENHUMB AGRISOLUTIONS,INC.	MANCOZEB	GREEN THUMB MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	584-051-4358	11-May-24	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries	
GREENHUMB AGRISOLUTIONS,INC.	MANCOZEB	GREEN THUMB MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	584-051-4358	11-May-24	-	Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/36 L water	0.02ppm	-	As soon as spray dries	
GREENHUMB AGRISOLUTIONS,INC.	MANCOZEB	GREEN THUMB MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	584-051-4358	11-May-24	-	Peanut	Cercospora leaf spot	3-6 Tbsp/36 L water	-	14 days	As soon as spray dries	
GREENHUMB AGRISOLUTIONS,INC.	MANCOZEB	GREEN THUMB MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	584-051-4358	11-May-24	-	Soybeans	Leaf rust	3-6 Tbsp/36 L water	-	-	As soon as spray dries	
GREENHUMB AGRISOLUTIONS,INC.	MANCOZEB	GREEN THUMB MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	584-051-4358	11-May-24	-	Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/36 L water	-	-	As soon as spray dries	
GREENHUMB AGRISOLUTIONS,INC.	CARTAP HYDROCHLORIDE	GREEN THUMB CARTAP HCL 50 SP	500 g/kg	SP	INSECTICIDE	3	584-106-4642	04-Feb-22	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.0-5.0Tbsp/36 L water	0.2ppm	-	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
GREENHUMB AGRISOLUTIONS,INC.	CARTAP HYDROCHLORIDE	GREEN THUMB CARTAP HCL 50 SP	500 g/kg	SP	INSECTICIDE	3	584-106-4642	04-Feb-22	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/36 L water	-	-	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
GREENHUMB AGRISOLUTIONS,INC.	CARTAP HYDROCHLORIDE	GREEN THUMB CARTAP HCL 50 SP	500 g/kg	SP	INSECTICIDE	3	584-106-4642	04-Feb-22	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/36 L water	-	-	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
GREENHUMB AGRISOLUTIONS,INC.	CARTAP HYDROCHLORIDE	GREEN THUMB CARTAP HCL 50 SP	500 g/kg	SP	INSECTICIDE	3	584-106-4642	04-Feb-22	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/36 L water	-	-	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
GREENHUMB AGRISOLUTIONS,INC.	CARTAP HYDROCHLORIDE	GREEN THUMB CARTAP HCL 50 SP	500 g/kg	SP	INSECTICIDE	3	584-106-4642	04-Feb-22	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/36 L water	-	-	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
GREENHUMB AGRISOLUTIONS,INC.	CARTAP HYDROCHLORIDE	GREEN THUMB CARTAP HCL 50 SP	500 g/kg	SP	INSECTICIDE	3	584-106-4642	04-Feb-22	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/36 L water	-	-	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
GREENHUMB AGRISOLUTIONS,INC.	CARTAP HYDROCHLORIDE	GREEN THUMB CARTAP HCL 50 SP	500 g/kg	SP	INSECTICIDE	3	584-106-4642	04-Feb-22	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/36 L water	-	-	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
GREENHUMB AGRISOLUTIONS,INC.	CARTAP HYDROCHLORIDE	GREEN THUMB CARTAP HCL 50 SP	500 g/kg	SP	INSECTICIDE	3	584-106-4642	04-Feb-22	SYSTEMIC	Mango	leafhoppers	1.5-2.0Tbsp/36 L water	-	-	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
GREENHUMB AGRISOLUTIONS,INC.	CARTAP HYDROCHLORIDE	GREEN THUMB CARTAP HCL 50 SP	500 g/kg	SP	INSECTICIDE	3	584-106-4642	04-Feb-22	SYSTEMIC	Pechay	loopor, cutworm, aphids	1.5-3.0Tbsp/36 L water	-	-	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
GREENHUMB AGRISOLUTIONS,INC.	2,4-D IBE	GREEN THUMB 2,4-D ESTER	400g/L	-	HERBICIDE	2	584-049-4339	26-Apr-21	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual Broadleaves & sedges	5.0-6.50Tbsp/36 L water	0.1 ppm	-	Do not spray within two days before harvest	Entry to fields and crops treated with GREEN THUMB 2,4-D ESTER can be done one(1)day after spraying.
GREENHUMB AGRISOLUTIONS,INC.	2,4-D IBE	GREEN THUMB 2,4-D ESTER	400g/L	-	HERBICIDE	2	584-049-4339	26-Apr-21	SELECTIVE (POST-EMERGENT)	Corn	Annual Broadleaves & sedges	5.0-6.50Tbsp/36 L water	-	-	Do not spray within two days before harvest	Entry to fields and crops treated with GREEN THUMB 2,4-D ESTER can be done one(1)day after spraying.
GREENHUMB AGRISOLUTIONS,INC.	2,4-D IBE	GREEN THUMB 2,4-D ESTER	400g/L	-	HERBICIDE	2	584-049-4339	26-Apr-21	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual Broadleaves & sedges	5.0-6.50Tbsp/36 L water	-	-	Do not spray within two days before harvest	Entry to fields and crops treated with GREEN THUMB 2,4-D ESTER can be done one(1)day after spraying.
GREENHUMB AGRISOLUTIONS,INC.	2,4-D AMINE	GREEN THUMB 2,4-D AMINE	400g/L	-	HERBICIDE	2	584-013-4336	26-Apr-21	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual broadleaves and sedges	3.5-6.5Tbsp/36 L water	0.1 ppm	-	-	Entry to fields and crops treated with GREEN THUMB 2,4-D AMINE can be done one(1) day after spraying.
GREENHUMB AGRISOLUTIONS,INC.	2,4-D AMINE	GREEN THUMB 2,4-D AMINE	400g/L	-	HERBICIDE	2	584-013-4336	26-Apr-21	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual broadleaves and sedges	10-25 Tbsp/36 L water	-	-	-	Entry to fields and crops treated with GREEN THUMB 2,4-D AMINE can be done one(1) day after spraying.
GREENHUMB AGRISOLUTIONS,INC.	2,4-D AMINE	GREEN THUMB 2,4-D AMINE	400g/L	-	HERBICIDE	2	584-013-4336	26-Apr-21	SELECTIVE (POST-EMERGENT)	Corn	Annual broadleaves and sedges	6-8.5 Tbsp/36 L water	-	-	-	Entry to fields and crops treated with GREEN THUMB 2,4-D AMINE can be done one(1) day after spraying.
NVN IND. INC.	2,4-D IBE	GREEN GEMS 2,4-D ESTER	491 g/L	EC	HERBICIDE	2	653-049-5219	31-Dec-23	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual Broadleaves & sedges	5.0-6.50Tbsp/36 L water	0.1 ppm	-	Do not spray within two days before harvest	Entry to fields and crops treated with GREEN GEMS 2,4-D ESTER can be done one day after spraying.

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
NXN BDL, INC.	2,4-D IBE	GREEN GEMS 2,4-D ESTER	491 g/L	EC	HERBICIDE	2	653-049-5219	31-Dec-23	SELECTIVE (POST-EMERGENT)	corn	Annual Broadleaves & sedges	5.0-6.50tbsp/36 L water	-	Do not spray within two days before harvest	Entry to fields and crops treated with GREEN GEMS 2,4-D ESTER can be done one day after spraying
NXN BDL, INC.	2,4-D IBE	GREEN GEMS 2,4-D ESTER	491 g/L	EC	HERBICIDE	2	653-049-5219	31-Dec-23	SELECTIVE (POST-EMERGENT)	sugarcane	Annual Broadleaves & sedges	5.0-6.50tbsp/36 L water	-	Do not spray within two days before harvest	Entry to fields and crops treated with GREEN GEMS 2,4-D ESTER can be done one day after spraying
NXN BDL, INC.	2,4-D AMINE	GREEN GEMS 2,4-D AMINE	400 g/L	SL	HERBICIDE	2	653-033-5220	31-Dec-23	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual broadleaves and sedges	3.5-6.57tbsp/36 L water	0.1 ppm	-	Entry to fields and crops treated with GREEN GEMS 2,4-D AMINE can be done one day after spraying
NXN BDL, INC.	2,4-D AMINE	GREEN GEMS 2,4-D AMINE	400 g/L	SL	HERBICIDE	2	653-033-5220	31-Dec-23	SELECTIVE (POST-EMERGENT)	sugarcane	Annual broadleaves and sedges	18-25 7tbsp/36 L water	-	-	Entry to fields and crops treated with GREEN GEMS 2,4-D AMINE can be done one day after spraying
NXN BDL, INC.	2,4-D AMINE	GREEN GEMS 2,4-D AMINE	400 g/L	SL	HERBICIDE	2	653-033-5220	31-Dec-23	SELECTIVE (POST-EMERGENT)	corn	Annual broadleaves and sedges	5-6.5 7tbsp/36 L water	-	-	Entry to fields and crops treated with GREEN GEMS 2,4-D AMINE can be done one day after spraying
MAU MARKETING CORPORATION	GLYPHOSATE IPA	GREEN CUT 480 SL	480 g/L	SL	HERBICIDE	4	558-151-3470	28-Jul-18	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha	-	-	-
MAU MARKETING CORPORATION	GLYPHOSATE IPA	GREEN CUT 480 SL	480 g/L	SL	HERBICIDE	4	558-151-3470	28-Jul-18	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/Ha	-	-	-
MAU MARKETING CORPORATION	GLYPHOSATE IPA	GREEN CUT 480 SL	480 g/L	SL	HERBICIDE	4	558-151-3470	28-Jul-18	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/Ha	-	-	-
MAU MARKETING CORPORATION	GLYPHOSATE IPA	GREEN CUT 480 SL	480 g/L	SL	HERBICIDE	4	558-151-3470	28-Jul-18	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/Ha	-	-	-
MAU MARKETING CORPORATION	GLYPHOSATE IPA	GREEN CUT 480 SL	480 g/L	SL	HERBICIDE	4	558-151-3470	28-Jul-18	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/Ha	-	-	-
MAU MARKETING CORPORATION	GLYPHOSATE IPA	GREEN CUT 480 SL	480 g/L	SL	HERBICIDE	4	558-151-3470	28-Jul-18	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
MAU MARKETING CORPORATION	GLYPHOSATE IPA	GREEN CUT 480 SL	480 g/L	SL	HERBICIDE	4	558-151-3470	28-Jul-18	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
MAU MARKETING CORPORATION	GLYPHOSATE IPA	GREEN CUT 480 SL	480 g/L	SL	HERBICIDE	4	558-151-3470	28-Jul-18	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
MAU MARKETING CORPORATION	GLYPHOSATE IPA	GREEN CUT 480 SL	480 g/L	SL	HERBICIDE	4	558-151-3470	28-Jul-18	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha	-	-	-
MAU MARKETING CORPORATION	GLYPHOSATE IPA	GREEN CUT 480 SL	480 g/L	SL	HERBICIDE	4	558-151-3470	28-Jul-18	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
MAU MARKETING CORPORATION	GLYPHOSATE IPA	GREEN CUT 480 SL	480 g/L	SL	HERBICIDE	4	558-151-3470	28-Jul-18	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
MAU MARKETING CORPORATION	GLYPHOSATE IPA	GREEN CUT 480 SL	480 g/L	SL	HERBICIDE	4	558-151-3470	28-Jul-18	POST-EMERGENT	non-crop	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
VAST AGRO SOLUTIONS, INC.	BUTACHLOR-PROPANIL	GRASSTOP 70 EC	350-350 g/L	EC	HERBICIDE	3	385-238-1975	03-Feb-26	POST-EMERGENT	Rice (Direct-Seeded)	Grasses, Sedges and Broadleaves	8-12tbsp/36 L water	Butachlor 0.1ppm Propanil 0.1ppm	-	As soon as the spray mist dries up
VAST AGRO SOLUTIONS, INC.	BUTACHLOR-PROPANIL	GRASSTOP 70 EC	350-350 g/L	EC	HERBICIDE	3	385-238-1975	03-Feb-26	POST-EMERGENT	Rice (Transplanted)	Grasses, Sedges and Broadleaves	8-12tbsp/36 L water	Butachlor 0.1ppm Propanil 0.1ppm	-	As soon as the spray mist dries up
AGWAY CHEMICALS CORPORATION	GLYPHOSATE IPA	GRASSCUT 360 SL	360 g/L	SL	HERBICIDE	4	175-151-1934	13-Jul-24	POST-EMERGENT	non-crop areas	(common grassy fields) for the control of weeds	3-6 Liters/Ha	-	-	-
GREEN THUMB EXPERT VENTURES, INC.	GLYPHOSATE IPA	GRASSFIRE 480 SL	480 g/L	SL	HERBICIDE	4	596-151-4115	15-Dec-26	POST-EMERGENT	Glyphosate tolerant corn under minimum tillage	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha	-	-	-
GREEN THUMB EXPERT VENTURES, INC.	GLYPHOSATE IPA	GRASSFIRE 480 SL	480 g/L	SL	HERBICIDE	4	596-151-4115	15-Dec-26	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/Ha	-	-	-
GREEN THUMB EXPERT VENTURES, INC.	GLYPHOSATE IPA	GRASSFIRE 480 SL	480 g/L	SL	HERBICIDE	4	596-151-4115	15-Dec-26	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/Ha	-	-	-
GREEN THUMB EXPERT VENTURES, INC.	GLYPHOSATE IPA	GRASSFIRE 480 SL	480 g/L	SL	HERBICIDE	4	596-151-4115	15-Dec-26	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/Ha	-	-	-
GREEN THUMB EXPERT VENTURES, INC.	GLYPHOSATE IPA	GRASSFIRE 480 SL	480 g/L	SL	HERBICIDE	4	596-151-4115	15-Dec-26	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/Ha	-	-	-
GREEN THUMB EXPERT VENTURES, INC.	GLYPHOSATE IPA	GRASSFIRE 480 SL	480 g/L	SL	HERBICIDE	4	596-151-4115	15-Dec-26	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
GREEN THUMB EXPERT VENTURES, INC.	GLYPHOSATE IPA	GRASSFIRE 480 SL	480 g/L	SL	HERBICIDE	4	596-151-4115	15-Dec-26	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
GREEN THUMB EXPERT VENTURES, INC.	GLYPHOSATE IPA	GRASSFIRE 480 SL	480 g/L	SL	HERBICIDE	4	596-151-4115	15-Dec-26	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
GREEN THUMB EXPERT VENTURES, INC.	GLYPHOSATE IPA	GRASSFIRE 480 SL	480 g/L	SL	HERBICIDE	4	596-151-4115	15-Dec-26	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha	-	-	-
GREEN THUMB EXPERT VENTURES, INC.	GLYPHOSATE IPA	GRASSFIRE 480 SL	480 g/L	SL	HERBICIDE	4	596-151-4115	15-Dec-26	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
GREEN THUMB EXPERT VENTURES, INC.	GLYPHOSATE IPA	GRASSFIRE 480 SL	480 g/L	SL	HERBICIDE	4	596-151-4115	15-Dec-26	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
GREEN THUMB EXPERT VENTURES, INC.	GLYPHOSATE IPA	GRASSFIRE 480 SL	480 g/L	SL	HERBICIDE	4	596-151-4115	15-Dec-26	POST-EMERGENT	non-crop areas	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
BIOSTADT PHILIPPINES INC.	THIOBENCARB+2,4-D IBE	GRASSEDGE 400 EC	600-200 g/L	EC	HERBICIDE	2	087-194-0919	13-Nov-24	-	Rice (Transplanted)	Grasses, sedges & broadleaves	16.8-5.6-5.5 7tbsp/spray/ad	-	-	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
FARMON AGRI-COMMUNITY CORPORATION	GLYPHOSATE IPA	GRASSDOWN+ 480 SL	480g/L	SL	HERBICIDE	4	621-151-4331	03-Oct-21	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha	-	-	-
FARMON AGRI-COMMUNITY CORPORATION	GLYPHOSATE IPA	GRASSDOWN+ 480 SL	480g/L	SL	HERBICIDE	4	621-151-4331	03-Oct-21	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/Ha	-	-	-
FARMON AGRI-COMMUNITY CORPORATION	GLYPHOSATE IPA	GRASSDOWN+ 480 SL	480g/L	SL	HERBICIDE	4	621-151-4331	03-Oct-21	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/Ha	-	-	-
FARMON AGRI-COMMUNITY CORPORATION	GLYPHOSATE IPA	GRASSDOWN+ 480 SL	480g/L	SL	HERBICIDE	4	621-151-4331	03-Oct-21	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/Ha	-	-	-
FARMON AGRI-COMMUNITY CORPORATION	GLYPHOSATE IPA	GRASSDOWN+ 480 SL	480g/L	SL	HERBICIDE	4	621-151-4331	03-Oct-21	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/Ha	-	-	-
FARMON AGRI-COMMUNITY CORPORATION	GLYPHOSATE IPA	GRASSDOWN+ 480 SL	480g/L	SL	HERBICIDE	4	621-151-4331	03-Oct-21	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
FARMON AGRI-COMMUNITY CORPORATION	GLYPHOSATE IPA	GRASSDOWN+ 480 SL	480g/L	SL	HERBICIDE	4	621-151-4331	03-Oct-21	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
FARMON AGRI-COMMUNITY CORPORATION	GLYPHOSATE IPA	GRASSDOWN+ 480 SL	480g/L	SL	HERBICIDE	4	621-151-4331	03-Oct-21	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
FARMON AGRI-COMMUNITY CORPORATION	GLYPHOSATE IPA	GRASSDOWN+ 480 SL	480g/L	SL	HERBICIDE	4	621-151-4331	03-Oct-21	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha	-	-	-
FARMON AGRI-COMMUNITY CORPORATION	GLYPHOSATE IPA	GRASSDOWN+ 480 SL	480g/L	SL	HERBICIDE	4	621-151-4331	03-Oct-21	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	3.0 Liters/Ha	-	-	-
FARMON AGRI-COMMUNITY CORPORATION	GLYPHOSATE IPA	GRASSDOWN+ 480 SL	480g/L	SL	HERBICIDE	4	621-151-4331	03-Oct-21	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
FARMON AGRI-COMMUNITY CORPORATION	GLYPHOSATE IPA	GRASSDOWN+ 480 SL	480g/L	SL	HERBICIDE	4	621-151-4331	03-Oct-21	POST-EMERGENT	non-crop	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
AGRIBASE CHEMICALS, INC.	BUTACHLOR-PROPANIL	GRASSCUTTER 70 EC	350-350 g/L	EC	HERBICIDE	3	457-238-2587	06-Jun-24	POST-EMERGENT	Rice (Direct-Seeded)	Grasses, Sedges and Broadleaves	8-12tbsp/36 L water	Butachlor 0.1ppm Propanil 0.1ppm	-	As soon as the spray mist dries up
AGRIBASE CHEMICALS, INC.	BUTACHLOR-PROPANIL	GRASSCUTTER 70 EC	350-350 g/L	EC	HERBICIDE	3	457-238-2587	06-Jan-24	POST-EMERGENT	Rice (Transplanted)	Grasses, Sedges and Broadleaves	8-12tbsp/36 L water	Butachlor 0.1ppm Propanil 0.1ppm	-	As soon as the spray mist dries up
MINDORO SAGANA MERCHANDISING, INC.	GLYPHOSATE IPA	GRASSBURN 480 SL	480 g/L	SL	HERBICIDE	4	571-151-3699	27-Oct-23	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/Ha	-	-	-
MINDORO SAGANA MERCHANDISING, INC.	GLYPHOSATE IPA	GRASSBURN 480 SL	480 g/L	SL	HERBICIDE	4	571-151-3699	27-Oct-23	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/Ha	-	-	-
MINDORO SAGANA MERCHANDISING, INC.	GLYPHOSATE IPA	GRASSBURN 480 SL	480 g/L	SL	HERBICIDE	4	571-151-3699	27-Oct-23	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/Ha	-	-	-
MINDORO SAGANA MERCHANDISING, INC.	GLYPHOSATE IPA	GRASSBURN 480 SL	480 g/L	SL	HERBICIDE	4	571-151-3699	27-Oct-23	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/Ha	-	-	-
MINDORO SAGANA MERCHANDISING, INC.	GLYPHOSATE IPA	GRASSBURN 480 SL	480 g/L	SL	HERBICIDE	4	571-151-3699	27-Oct-23	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/Ha	-	-	-
MINDORO SAGANA MERCHANDISING, INC.	GLYPHOSATE IPA	GRASSBURN 480 SL	480 g/L	SL	HERBICIDE	4	571-151-3699	27-Oct-23	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
MINDORO SAGANA MERCHANDISING, INC.	GLYPHOSATE IPA	GRASSBURN 480 SL	480 g/L	SL	HERBICIDE	4	571-151-3699	27-Oct-23	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
MINDORO SAGANA MERCHANDISING, INC.	GLYPHOSATE IPA	GRASSBURN 480 SL	480 g/L	SL	HERBICIDE	4	571-151-3699	27-Oct-23	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
MINDORO SAGANA MERCHANDISING, INC.	GLYPHOSATE IPA	GRASSBURN 480 SL	480 g/L	SL	HERBICIDE	4	571-151-3699	27-Oct-23	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha	-	-	-

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
MINDORO SAGANA MERCHANDISING, INC.	GLYPHOSATE IPA	GRASSBURN 480 SL	480 g/L	SL	HERBICIDE	4	571-151-3699	27-Oct-23	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
MINDORO SAGANA MERCHANDISING, INC.	GLYPHOSATE IPA	GRASSBURN 480 SL	480 g/L	SL	HERBICIDE	4	571-151-3699	27-Oct-23	POST-EMERGENT	Vegetables under minimum/ reduced tillage	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
MINDORO SAGANA MERCHANDISING, INC.	GLYPHOSATE IPA	GRASSBURN 480 SL	480 g/L	SL	HERBICIDE	4	571-151-3699	27-Oct-23	POST-EMERGENT	Non-crop agricultural areas	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
ARIES RINE CHEMICAL CORPORATION	GLYPHOSATE IPA	GRASS ZERO 480 SL	480 g/L	SL	HERBICIDE	4	478-151-3106	29-Apr-26	POST-EMERGENT	Phosphate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/ha	-	-	-
ARIES RINE CHEMICAL CORPORATION	GLYPHOSATE IPA	GRASS ZERO 480 SL	480 g/L	SL	HERBICIDE	4	478-151-3106	29-Apr-26	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
ARIES RINE CHEMICAL CORPORATION	GLYPHOSATE IPA	GRASS ZERO 480 SL	480 g/L	SL	HERBICIDE	4	478-151-3106	29-Apr-26	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
ARIES RINE CHEMICAL CORPORATION	GLYPHOSATE IPA	GRASS ZERO 480 SL	480 g/L	SL	HERBICIDE	4	478-151-3106	29-Apr-26	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
ARIES RINE CHEMICAL CORPORATION	GLYPHOSATE IPA	GRASS ZERO 480 SL	480 g/L	SL	HERBICIDE	4	478-151-3106	29-Apr-26	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
ARIES RINE CHEMICAL CORPORATION	GLYPHOSATE IPA	GRASS ZERO 480 SL	480 g/L	SL	HERBICIDE	4	478-151-3106	29-Apr-26	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
ARIES RINE CHEMICAL CORPORATION	GLYPHOSATE IPA	GRASS ZERO 480 SL	480 g/L	SL	HERBICIDE	4	478-151-3106	29-Apr-26	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
ARIES RINE CHEMICAL CORPORATION	GLYPHOSATE IPA	GRASS ZERO 480 SL	480 g/L	SL	HERBICIDE	4	478-151-3106	29-Apr-26	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
ARIES RINE CHEMICAL CORPORATION	GLYPHOSATE IPA	GRASS ZERO 480 SL	480 g/L	SL	HERBICIDE	4	478-151-3106	29-Apr-26	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/ha	-	-	-
ARIES RINE CHEMICAL CORPORATION	GLYPHOSATE IPA	GRASS ZERO 480 SL	480 g/L	SL	HERBICIDE	4	478-151-3106	29-Apr-26	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
ARIES RINE CHEMICAL CORPORATION	GLYPHOSATE IPA	GRASS ZERO 480 SL	480 g/L	SL	HERBICIDE	4	478-151-3106	29-Apr-26	POST-EMERGENT	Vegetables under minimum/ reduced tillage	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
ARIES RINE CHEMICAL CORPORATION	GLYPHOSATE IPA	GRASS ZERO 480 SL	480 g/L	SL	HERBICIDE	4	478-151-3106	18-Jan-25	POST-EMERGENT	Non-crop	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
SUNRISE DRAGON JADE AGRIC TRADING	GLYPHOSATE IPA	GRASS SHOOTER 48 SL	480g/L	SL	HERBICIDE	4	619-151-4466	07-Aug-25	POST-EMERGENT	Phosphate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/ha	-	-	-
SUNRISE DRAGON JADE AGRIC TRADING	GLYPHOSATE IPA	GRASS SHOOTER 48 SL	480g/L	SL	HERBICIDE	4	619-151-4466	07-Aug-25	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
SUNRISE DRAGON JADE AGRIC TRADING	GLYPHOSATE IPA	GRASS SHOOTER 48 SL	480g/L	SL	HERBICIDE	4	619-151-4466	07-Aug-25	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
SUNRISE DRAGON JADE AGRIC TRADING	GLYPHOSATE IPA	GRASS SHOOTER 48 SL	480g/L	SL	HERBICIDE	4	619-151-4466	07-Aug-25	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
SUNRISE DRAGON JADE AGRIC TRADING	GLYPHOSATE IPA	GRASS SHOOTER 48 SL	480g/L	SL	HERBICIDE	4	619-151-4466	07-Aug-25	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
SUNRISE DRAGON JADE AGRIC TRADING	GLYPHOSATE IPA	GRASS SHOOTER 48 SL	480g/L	SL	HERBICIDE	4	619-151-4466	07-Aug-25	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
SUNRISE DRAGON JADE AGRIC TRADING	GLYPHOSATE IPA	GRASS SHOOTER 48 SL	480g/L	SL	HERBICIDE	4	619-151-4466	07-Aug-25	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
SUNRISE DRAGON JADE AGRIC TRADING	GLYPHOSATE IPA	GRASS SHOOTER 48 SL	480g/L	SL	HERBICIDE	4	619-151-4466	07-Aug-25	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
SUNRISE DRAGON JADE AGRIC TRADING	GLYPHOSATE IPA	GRASS SHOOTER 48 SL	480g/L	SL	HERBICIDE	4	619-151-4466	07-Aug-25	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/ha	-	-	-
SUNRISE DRAGON JADE AGRIC TRADING	GLYPHOSATE IPA	GRASS SHOOTER 48 SL	480g/L	SL	HERBICIDE	4	619-151-4466	07-Aug-25	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
SUNRISE DRAGON JADE AGRIC TRADING	GLYPHOSATE IPA	GRASS SHOOTER 48 SL	480g/L	SL	HERBICIDE	4	619-151-4466	07-Aug-25	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
ARIES RINE CHEMICAL CORPORATION	GLUFOSINATE AMMONIUM	GRASS PLAINER 15SL	150 g/L	SL	HERBICIDE	4	478-182-5185	30-Nov-25	NON-SELECTIVE/POST-EMERGENT	Rubber	Weeds	11.5- 21.5/ 27 Tbsp/36L water	-	-	Do not enter the treated fields until the spray has dried. When prior entry is necessary, wear protective clothing and chemical resistant gloves
ARIES RINE CHEMICAL CORPORATION	GLUFOSINATE AMMONIUM	GRASS PLAINER 15SL	150 g/L	SL	HERBICIDE	4	478-182-5185	30-Nov-25	NON-SELECTIVE/POST-EMERGENT	Oil palm	Weeds	11.5- 36 Tbsp/36L water	-	-	Do not enter the treated fields until the spray has dried. When prior entry is necessary, wear protective clothing and chemical resistant gloves
ARIES RINE CHEMICAL CORPORATION	GLUFOSINATE AMMONIUM	GRASS PLAINER 15SL	150 g/L	SL	HERBICIDE	4	478-182-5185	30-Nov-25	NON-SELECTIVE/POST-EMERGENT	Non-agricultural crop areas	Weeds	36-21.5 Tbsp/36 L water	-	-	Do not enter the treated fields until the spray has dried. When prior entry is necessary, wear protective clothing and chemical resistant gloves
ARIES RINE CHEMICAL CORPORATION	GLUFOSINATE AMMONIUM	GRASS PLAINER 15SL	150 g/L	SL	HERBICIDE	4	478-182-5185	30-Nov-25	NON-SELECTIVE/POST-EMERGENT	Cavendish Banana	Weeds	36, 11.5-20 Tbsp/36L water	-	-	Do not enter the treated fields until the spray has dried. When prior entry is necessary, wear protective clothing and chemical resistant gloves
RAINBOW AGRSCIENCES PHILIPPINES INC.	GLIFLOTHIOM	GRASIDOM	240 g/L	EC	HERBICIDE	4	539-334-5739	06-Jun-25	-	Onion	Grasses (E.colona, Eleusine indica, D. angustatum and D. olerans)	0.5 L/ha	-	-	-
JOEPABS AGRICHEM CORPORATION	CARTAP HYDROCHLORIDE	GRAPPLER 50 SP	500 g/kg	SP	INSECTICIDE	3	538-106-3273	06-Oct-26	SYSTEMIC	Rice	Whorl maggot, stemborer, green leafhopper, brown planthopper	3.0-5.0Tbsp/36L water	0.2ppm	Stop spraying 10 days before harvest	Do not enter the field within two days after spraying
JOEPABS AGRICHEM CORPORATION	CARTAP HYDROCHLORIDE	GRAPPLER 50 SP	500 g/kg	SP	INSECTICIDE	3	538-106-3273	06-Oct-26	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/36 L water	-	Stop spraying 10 days before harvest	Do not enter the field within two days after spraying
JOEPABS AGRICHEM CORPORATION	CARTAP HYDROCHLORIDE	GRAPPLER 50 SP	500 g/kg	SP	INSECTICIDE	3	538-106-3273	06-Oct-26	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/36 L water	-	Stop spraying 10 days before harvest	Do not enter the field within two days after spraying
JOEPABS AGRICHEM CORPORATION	CARTAP HYDROCHLORIDE	GRAPPLER 50 SP	500 g/kg	SP	INSECTICIDE	3	538-106-3273	06-Oct-26	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/36 L water	-	Stop spraying 10 days before harvest	Do not enter the field within two days after spraying
JOEPABS AGRICHEM CORPORATION	CARTAP HYDROCHLORIDE	GRAPPLER 50 SP	500 g/kg	SP	INSECTICIDE	3	538-106-3273	06-Oct-26	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/36 L water	-	Stop spraying 10 days before harvest	Do not enter the field within two days after spraying
JOEPABS AGRICHEM CORPORATION	CARTAP HYDROCHLORIDE	GRAPPLER 50 SP	500 g/kg	SP	INSECTICIDE	3	538-106-3273	06-Oct-26	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/36 L water	-	Stop spraying 10 days before harvest	Do not enter the field within two days after spraying
JOEPABS AGRICHEM CORPORATION	CARTAP HYDROCHLORIDE	GRAPPLER 50 SP	500 g/kg	SP	INSECTICIDE	3	538-106-3273	06-Oct-26	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/36 L water	-	Stop spraying 10 days before harvest	Do not enter the field within two days after spraying
JOEPABS AGRICHEM CORPORATION	CARTAP HYDROCHLORIDE	GRAPPLER 50 SP	500 g/kg	SP	INSECTICIDE	3	538-106-3273	06-Oct-26	SYSTEMIC	Mango	leafhoppers	1.5-2.0Tbsp/36 L water	-	Stop spraying 10 days before harvest	Do not enter the field within two days after spraying
JOEPABS AGRICHEM CORPORATION	CARTAP HYDROCHLORIDE	GRAPPLER 50 SP	500 g/kg	SP	INSECTICIDE	3	538-106-3273	06-Oct-26	SYSTEMIC	Peccay	looper, cutworm, aphids	1.5-3.0Tbsp/36 L water	-	Stop spraying 10 days before harvest	Do not enter the field within two days after spraying
GRANS GRANTED AGRO-CHEMICAL CORPORATION	NICLOSAMIDE ETHANOLAMINE SALT	GRANTICIDE 70 WP	700 g/kg	WP	MOLLUSCIDIC	4	596-079-5045	31-Mar-26	CONTACT	Rice	Golden Apple Snail (Kuhol)	1 sachet (35 gm) /ankload (16liters)	-	-	Re-enter fields at least 48 hours after application
GRANS GRANTED AGRO-CHEMICAL CORPORATION	METALDENE	GRANTICIDE 6N P	60 g/kg	P	MOLLUSCIDIC	4	596-075-5684	07-Feb-24	-	Rice (Transplanted)	Golden apple snail	2-4 kg/ product per hectare	-	-	Do not enter treated field within 48 hours after application.
GRANS GRANTED AGRO-CHEMICAL CORPORATION	METALDENE	GRANTICIDE 6N P	60 g/kg	P	MOLLUSCIDIC	4	596-075-5684	07-Feb-24	-	Rice (Direct-Seeded)	Golden apple snail	4-8 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application.
GRANS GRANTED AGRO-CHEMICAL CORPORATION	METALDENE	GRANTICIDE 6N P	60 g/kg	P	MOLLUSCIDIC	4	596-075-5684	07-Feb-24	-	Potted and driftwood-attached plants such as Strawberry	Bush, snails, giant african snail and slugs	1-1 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application.
GRANS GRANTED AGRO-CHEMICAL CORPORATION	METALDENE	GRANTICIDE 6N P	60 g/kg	P	MOLLUSCIDIC	4	596-075-5684	07-Feb-24	-	Crucifers	Slug, snails	6-8 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application.
GRANS GRANTED AGRO-CHEMICAL CORPORATION	METALDENE	GRANTICIDE 6N P	60 g/kg	P	MOLLUSCIDIC	4	596-075-5684	07-Feb-24	-	-	Slug, snails	6-8 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application.
AGRIBASE CHEMICALS, INC.	CARTAP HYDROCHLORIDE	GRANTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	457-106-3270	26-May-24	SYSTEMIC	Rice	Whorl maggot, stemborer, green leafhopper, brown planthopper	3.0-5.0Tbsp/36 L water	0.2ppm	Stop spraying 10 days before harvest	-
AGRIBASE CHEMICALS, INC.	CARTAP HYDROCHLORIDE	GRANTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	457-106-3270	26-May-24	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/36 L water	-	-	Do not enter the field within 2 days after spraying
AGRIBASE CHEMICALS, INC.	CARTAP HYDROCHLORIDE	GRANTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	457-106-3270	26-May-24	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/36 L water	-	-	Do not enter the field within 2 days after spraying
AGRIBASE CHEMICALS, INC.	CARTAP HYDROCHLORIDE	GRANTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	457-106-3270	26-May-24	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/36 L water	-	-	Do not enter the field within 2 days after spraying
AGRIBASE CHEMICALS, INC.	CARTAP HYDROCHLORIDE	GRANTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	457-106-3270	26-May-24	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/36 L water	-	-	Do not enter the field within 2 days after spraying
AGRIBASE CHEMICALS, INC.	CARTAP HYDROCHLORIDE	GRANTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	457-106-3270	26-May-24	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/36 L water	-	-	Do not enter the field within 2 days after spraying
AGRIBASE CHEMICALS, INC.	CARTAP HYDROCHLORIDE	GRANTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	457-106-3270	26-May-24	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/36 L water	-	-	Do not enter the field within 2 days after spraying
AGRIBASE CHEMICALS, INC.	CARTAP HYDROCHLORIDE	GRANTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	457-106-3270	26-May-24	SYSTEMIC	Mango	leafhoppers	1.5-2.0Tbsp/36 L water	-	-	Do not enter the field within 2 days after spraying
AGRIBASE CHEMICALS, INC.	CARTAP HYDROCHLORIDE	GRANTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	457-106-3270	26-May-24	SYSTEMIC	Peccay	looper, cutworm, aphids	1.5-3.0Tbsp/36 L water	-	-	Do not enter the field within 2 days after spraying
LEADS AGRICULTURAL PRODUCTS CORPORATION	MANCOCZB	GRANMAN 75 DF	750 g/kg	DF	FUNGICIDE	4	099-053-2546	17-Mar-21	-	Banana	Black sigatoka, black leaf streak, yellow sigatoka	3.0-6.0 Tbsp/36L	-	10-12 days	As soon as spray dries

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
LEADS AGRICULTURAL PRODUCTS CORPORATION	MANCOZEB	GRANMAN 75 DF	750 g/kg	DF	FUNGICIDE	4	099-053-2546	17-Mar-21		beans	Downy mildew, anthracnose	3.0-6.0 Tbsp/36L		7-10 days	As soon as spray dries
LEADS AGRICULTURAL PRODUCTS CORPORATION	MANCOZEB	GRANMAN 75 DF	750 g/kg	DF	FUNGICIDE	4	099-053-2546	17-Mar-21		Cabbage	Alternaria leaf spot, downy mildew	3.0-6.0 Tbsp/36L		7-10 days	As soon as spray dries
LEADS AGRICULTURAL PRODUCTS CORPORATION	MANCOZEB	GRANMAN 75 DF	750 g/kg	DF	FUNGICIDE	4	099-053-2546	17-Mar-21		Cauliflower	Alternaria leaf spot, downy mildew	3.0-6.0 Tbsp/36L		7-10 days	As soon as spray dries
LEADS AGRICULTURAL PRODUCTS CORPORATION	MANCOZEB	GRANMAN 75 DF	750 g/kg	DF	FUNGICIDE	4	099-053-2546	17-Mar-21		Citrus	Rueting, greyy spot, black spot	3.0-6.0 Tbsp/36L		7-10 days	As soon as spray dries
LEADS AGRICULTURAL PRODUCTS CORPORATION	MANCOZEB	GRANMAN 75 DF	750 g/kg	DF	FUNGICIDE	4	099-053-2546	17-Mar-21		Corn	Helminthosporium leaf spot	3.0-6.0 Tbsp/36L		7-10 days	As soon as spray dries
LEADS AGRICULTURAL PRODUCTS CORPORATION	MANCOZEB	GRANMAN 75 DF	750 g/kg	DF	FUNGICIDE	4	099-053-2546	17-Mar-21		Cucumber	Downy mildew	3.0-6.0 Tbsp/36L		7-10 days	As soon as spray dries
LEADS AGRICULTURAL PRODUCTS CORPORATION	MANCOZEB	GRANMAN 75 DF	750 g/kg	DF	FUNGICIDE	4	099-053-2546	17-Mar-21		Garlic	Downy mildew, purple blotch	3.0-6.0 Tbsp/36L		7-10 days	As soon as spray dries
LEADS AGRICULTURAL PRODUCTS CORPORATION	MANCOZEB	GRANMAN 75 DF	750 g/kg	DF	FUNGICIDE	4	099-053-2546	17-Mar-21		Mango	Anthracoese, scab	3.0-6.0 Tbsp/36L		7-10 days	As soon as spray dries
LEADS AGRICULTURAL PRODUCTS CORPORATION	MANCOZEB	GRANMAN 75 DF	750 g/kg	DF	FUNGICIDE	4	099-053-2546	17-Mar-21		Melon	Downy mildew	3.0-6.0 Tbsp/36L		7-10 days	As soon as spray dries
LEADS AGRICULTURAL PRODUCTS CORPORATION	MANCOZEB	GRANMAN 75 DF	750 g/kg	DF	FUNGICIDE	4	099-053-2546	17-Mar-21		Onion	Downy mildew, purple blotch	3.0-6.0 Tbsp/36L		7-10 days	As soon as spray dries
LEADS AGRICULTURAL PRODUCTS CORPORATION	MANCOZEB	GRANMAN 75 DF	750 g/kg	DF	FUNGICIDE	4	099-053-2546	17-Mar-21		Ornamentals	Black spot	3.0-6.0 Tbsp/36L		7-10 days	As soon as spray dries
LEADS AGRICULTURAL PRODUCTS CORPORATION	MANCOZEB	GRANMAN 75 DF	750 g/kg	DF	FUNGICIDE	4	099-053-2546	17-Mar-21		Peanut	Cercospora leaf spot	3.0-6.0 Tbsp/36L		7-10 days	As soon as spray dries
LEADS AGRICULTURAL PRODUCTS CORPORATION	MANCOZEB	GRANMAN 75 DF	750 g/kg	DF	FUNGICIDE	4	099-053-2546	17-Mar-21		Potato	Early & Late blight	3.0-6.0 Tbsp/36L		7-10 days	As soon as spray dries
LEADS AGRICULTURAL PRODUCTS CORPORATION	MANCOZEB	GRANMAN 75 DF	750 g/kg	DF	FUNGICIDE	4	099-053-2546	17-Mar-21		Rice	Blas, Sheath blight, anthracnose	3.0-6.0 Tbsp/36L	0.05ppm	7-10 days	As soon as spray dries
LEADS AGRICULTURAL PRODUCTS CORPORATION	MANCOZEB	GRANMAN 75 DF	750 g/kg	DF	FUNGICIDE	4	099-053-2546	17-Mar-21		Tobacco	Blue mold, anthracnose	3.0-6.0 Tbsp/36L		7-10 days	As soon as spray dries
LEADS AGRICULTURAL PRODUCTS CORPORATION	MANCOZEB	GRANMAN 75 DF	750 g/kg	DF	FUNGICIDE	4	099-053-2546	17-Mar-21		Watermelon	Downy mildew	3.0-6.0 Tbsp/36L		7-10 days	As soon as spray dries
AGRI- SPROUT PHILIPPINES, INC.	BUTACHLOR+2,4-D IBE	GRANDSLAM 600 EC	360-240 g/L	EC	HERBICIDE	3	660-152-5066	20-Dec-25	PRE-EMERGENT	Rice (Direct-seeded)	Broadleaf weeds,grasses & sedges	8-20Tbsp/36 L sprayload	Butachlor 0.1ppm 2,4-D IBE 0.1ppm	-	Entry to the fields sprayed with the product is allowed after the mists have dried up.
AGRI- SPROUT PHILIPPINES, INC.	BUTACHLOR+2,4-D IBE	GRANDSLAM 600 EC	360-240 g/L	EC	HERBICIDE	3	660-152-5066	20-Dec-25	PRE-EMERGENT	Nice (Transplanted)	Broadleaf weeds,grasses & sedges	8-20Tbsp/36 L sprayload	Butachlor 0.1ppm 2,4-D IBE 0.1ppm	-	Entry to the fields sprayed with the product is allowed after the mists have dried up.
INTERNATIONAL VETERINARY & AGROCHEMICAL (I.V.A), INC.	PYMETROZINE	GRANDMASTER 500 WG	500 g/kg	WDG	INSECTICIDE	4	088-307-4144	10-Oct-26	-	Mango	leafhopper	1 sachet/200L	-	-	Enter the field when spray deposits have dried
INTERNATIONAL VETERINARY & AGROCHEMICAL (I.V.A), INC.	PYMETROZINE	GRANDMASTER 500 WG	500 g/kg	WDG	INSECTICIDE	4	088-307-4144	10-Oct-26	-	Corn	Leafhopper, planthopper & aphids	7-16 g prod/36L, 100-250 g/ha	-	5 days	Enter the field when spray deposits have dried
INTERNATIONAL VETERINARY & AGROCHEMICAL (I.V.A), INC.	PYMETROZINE	GRANDMASTER 500 WG	500 g/kg	WDG	INSECTICIDE	4	088-307-4144	10-Oct-26	-	Rice	leafhopper and green leafhopper	25 g/36L	-	-	Enter the field when spray deposits have dried
GRANDIA AGRO MARKETING CORPORATION	MALATHION	GRANDIA MALATHION	570 g/L	EC	INSECTICIDE	4	445-038-3318	08-Sep-17	NON-SYSTEMIC	Fruit trees	Aphids, mealy bug scale insect	1.5-3.0Tbsp/36 L water			
GRANDIA AGRO MARKETING CORPORATION	MALATHION	GRANDIA MALATHION	570 g/L	EC	INSECTICIDE	4	445-038-3318	08-Sep-17	NON-SYSTEMIC	Rice	Armyworm, cutworm, leafhopper, bugs	2.0-3.0Tbsp/36 L water			
GRANDIA AGRO MARKETING CORPORATION	MALATHION	GRANDIA MALATHION	570 g/L	EC	INSECTICIDE	4	445-038-3318	08-Sep-17	NON-SYSTEMIC	Corn	Earworm, silk-worm, aphids, grasshopper	3.0-5.0Tbsp/36 L water			
GRANDIA AGRO MARKETING CORPORATION	MALATHION	GRANDIA MALATHION	570 g/L	EC	INSECTICIDE	4	445-038-3318	08-Sep-17	NON-SYSTEMIC	Cabbage	Cabbage worm, loopers, diamond-back moth	2.0-5.0Tbsp/36 L water			
GRANDIA AGRO MARKETING CORPORATION	MALATHION	GRANDIA MALATHION	570 g/L	EC	INSECTICIDE	4	445-038-3318	08-Sep-17	NON-SYSTEMIC	Legumes	Aphids, beanfly, cutworm, flea beetles, leafminer, maggots, mealybug, podborer, thrips	2.0-5.0Tbsp/36 L water			
GRANDIA AGRO MARKETING CORPORATION	MALATHION	GRANDIA MALATHION	570 g/L	EC	INSECTICIDE	4	445-038-3318	08-Sep-17	NON-SYSTEMIC	Grapes	Beetles, cutworm, leafhopper, mealybug, scale, insect, spider mites	3.0Tbsp/36 L water			
GRANDIA AGRO MARKETING CORPORATION	MALATHION	GRANDIA MALATHION	570 g/L	EC	INSECTICIDE	4	445-038-3318	08-Sep-17	NON-SYSTEMIC	Pineapple	Mealy bug	3.0Tbsp/36 L water			
GRANDIA AGRO MARKETING CORPORATION	MALATHION	GRANDIA MALATHION	570 g/L	EC	INSECTICIDE	4	445-038-3318	08-Sep-17	NON-SYSTEMIC	Pepper	Aphid, cutworm, fruitworm	3.0Tbsp/36 L water			
GRANDIA AGRO MARKETING CORPORATION	MALATHION	GRANDIA MALATHION	570 g/L	EC	INSECTICIDE	4	445-038-3318	08-Sep-17	NON-SYSTEMIC	Garlic	Cutworm	3.0Tbsp/36 L water			
GRANDIA AGRO MARKETING CORPORATION	MALATHION	GRANDIA MALATHION	570 g/L	EC	INSECTICIDE	4	445-038-3318	08-Sep-17	NON-SYSTEMIC	Onion	Cutworm	3.0Tbsp/36 L water			
GRANDIA AGRO MARKETING CORPORATION	MALATHION	GRANDIA MALATHION	570 g/L	EC	INSECTICIDE	4	445-038-3318	08-Sep-17	NON-SYSTEMIC	Tobacco	Aphids, katydid	3.0-6.0Tbsp/36 L water			
GRANDIA AGRO MARKETING CORPORATION	MALATHION	GRANDIA MALATHION	570 g/L	EC	INSECTICIDE	4	445-038-3318	08-Sep-17	NON-SYSTEMIC	Ornamentals	Aphids, cutworm, mealybug, scale insect, spider mites	3.0-5.0Tbsp/36 L water			
GRANDIA AGRO MARKETING CORPORATION	MALATHION	GRANDIA MALATHION	570 g/L	EC	INSECTICIDE	4	445-038-3318	08-Sep-17	NON-SYSTEMIC	Tomato	Lady beetle	3.0-5.0Tbsp/36 L water			
GRANDIA AGRO MARKETING CORPORATION	MALATHION	GRANDIA MALATHION	570 g/L	EC	INSECTICIDE	4	445-038-3318	08-Sep-17	NON-SYSTEMIC	Eggplant	Aphids, fruitworm	3.0-5.0Tbsp/36 L water			
GRANDIA AGRO MARKETING CORPORATION	MALATHION	GRANDIA MALATHION	570 g/L	EC	INSECTICIDE	4	445-038-3318	08-Sep-17	NON-SYSTEMIC	Sorghum	Web worm	3.0Tbsp/36 L water			
GRANDIA AGRO MARKETING CORPORATION	LAMBDA-CYHALOTHRIN	GRANDIA LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	445-204-2995	16-Apr-24	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leafroller, black bug	1.0-1.5Tbsp/36 L of water	0.05ppm	3Days	Re-entry to treated fields is allowed as soon as spray dries
GRANDIA AGRO MARKETING CORPORATION	LAMBDA-CYHALOTHRIN	GRANDIA LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	445-204-2995	16-Apr-24	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/36 L of water		3Days	Re-entry to treated fields is allowed as soon as spray dries
GRANDIA AGRO MARKETING CORPORATION	LAMBDA-CYHALOTHRIN	GRANDIA LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	445-204-2995	16-Apr-24	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/36 L of water		3Days	Re-entry to treated fields is allowed as soon as spray dries
GRANDIA AGRO MARKETING CORPORATION	LAMBDA-CYHALOTHRIN	GRANDIA LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	445-204-2995	16-Apr-24	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/36 L of water		3Days	Re-entry to treated fields is allowed as soon as spray dries
GRANDIA AGRO MARKETING CORPORATION	LAMBDA-CYHALOTHRIN	GRANDIA LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	445-204-2995	16-Apr-24	SYSTEMIC	Mungbeans	Beanfly, flea beetle, leafhopper, aphids, mites, podborer	1.0Tbsp/36 L of water		3Days	Re-entry to treated fields is allowed as soon as spray dries
GRANDIA AGRO MARKETING CORPORATION	LAMBDA-CYHALOTHRIN	GRANDIA LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	445-204-2995	16-Apr-24	SYSTEMIC	Corn	Comborer, aphids, seedling maggots	1.0-1.5Tbsp/36 L of water		3Days	Re-entry to treated fields is allowed as soon as spray dries
GRANDIA AGRO MARKETING CORPORATION	LAMBDA-CYHALOTHRIN	GRANDIA LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	445-204-2995	16-Apr-24	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydid	1.0-1.5Tbsp/36 L of water		3Days	Re-entry to treated fields is allowed as soon as spray dries
GRANDIA AGRO MARKETING CORPORATION	LAMBDA-CYHALOTHRIN	GRANDIA LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	445-204-2995	16-Apr-24	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/36 L of water		3Days	Re-entry to treated fields is allowed as soon as spray dries
GRANDIA AGRO MARKETING CORPORATION	LAMBDA-CYHALOTHRIN	GRANDIA LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	445-204-2995	16-Apr-24	SYSTEMIC	Cocoa	Podborer	1.0-2.0Tbsp/36 L of water		3Days	Re-entry to treated fields is allowed as soon as spray dries
GRANDIA AGRO MARKETING CORPORATION	LAMBDA-CYHALOTHRIN	GRANDIA LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	445-204-2995	16-Apr-24	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/36 L of water		3Days	Re-entry to treated fields is allowed as soon as spray dries
GRANDIA AGRO MARKETING CORPORATION	CARTAP HYDROCHLORIDE	GRANDIA CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	445-106-2970	20-Mar-24	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.0-5.0Tbsp/36 L water	0.2ppm	Stop spraying 10 days before harvest	
GRANDIA AGRO MARKETING CORPORATION	CARTAP HYDROCHLORIDE	GRANDIA CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	445-106-2970	20-Mar-24	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1-5.2 Tbsp/36 L water			
GRANDIA AGRO MARKETING CORPORATION	CARTAP HYDROCHLORIDE	GRANDIA CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	445-106-2970	20-Mar-24	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/36 L water			
GRANDIA AGRO MARKETING CORPORATION	CARTAP HYDROCHLORIDE	GRANDIA CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	445-106-2970	20-Mar-24	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/36 L water			
GRANDIA AGRO MARKETING CORPORATION	CARTAP HYDROCHLORIDE	GRANDIA CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	445-106-2970	20-Mar-24	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/36 L water			
GRANDIA AGRO MARKETING CORPORATION	CARTAP HYDROCHLORIDE	GRANDIA CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	445-106-2970	20-Mar-24	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/36 L water			
GRANDIA AGRO MARKETING CORPORATION	CARTAP HYDROCHLORIDE	GRANDIA CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	445-106-2970	20-Mar-24	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/36 L water			
GRANDIA AGRO MARKETING CORPORATION	CARTAP HYDROCHLORIDE	GRANDIA CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	445-106-2970	20-Mar-24	SYSTEMIC	Mango	leafhoppers	1.5-2.0Tbsp/36 L water			
GRANDIA AGRO MARKETING CORPORATION	CARTAP HYDROCHLORIDE	GRANDIA CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	445-106-2970	20-Mar-24	SYSTEMIC	Peachy	looper, cutworm, aphids	1.5-3.0Tbsp/36 L water			
GRANDIA AGRO MARKETING CORPORATION	2,4-D IBE	GRANDIA 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	445-040-3351	09-Nov-17	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual Broadleaves & sedges	5.0-6.50Tbsp/36 L water	0.1 ppm		

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
GRANDIA AGRO MARKETING CORPORATION	2,4-D IBE	GRANDIA 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	445-049-3351	09-Nov-17	SELECTIVE (POST-EMERGENT)	corn	Annual Broadleaves & sedges	5.0-6.50Tbsp/36 L water	-	-	-
GRANDIA AGRO MARKETING CORPORATION	2,4-D IBE	GRANDIA 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	445-049-3351	09-Nov-17	SELECTIVE (POST-EMERGENT)	sugarcane	Annual Broadleaves & sedges	5.0-6.50Tbsp/36 L water	-	-	-
GRANDIA AGRO MARKETING CORPORATION	2,4-D AMINE	GRANDIA 2,4-D AMINE	400 g/L	EC	HERBICIDE	2	445-013-3350	09-Nov-17	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual broadleaves and sedges	3.5-6.5Tbsp/36 L water	0.1 ppm	-	-
GRANDIA AGRO MARKETING CORPORATION	2,4-D AMINE	GRANDIA 2,4-D AMINE	400 g/L	EC	HERBICIDE	2	445-013-3350	09-Nov-17	SELECTIVE (POST-EMERGENT)	sugarcane	Annual broadleaves and sedges	18-25 Tbsp/36 L water	-	-	-
GRANDIA AGRO MARKETING CORPORATION	2,4-D AMINE	GRANDIA 2,4-D AMINE	400 g/L	EC	HERBICIDE	2	445-013-3350	09-Nov-17	SELECTIVE (POST-EMERGENT)	corn	Annual broadleaves and sedges	5-6.5 Tbsp/36 L water	-	-	-
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CARBOFURAN	GRANDE CARBOFURAN 10G	100g/kg	G	INSECTICIDE/ NEMATOCIDE	2	459-104-5008	30-Jul-22	-	Banana	Nematodes, corn weevil, scarab weevil	-	-	Do not apply within thirty (30) days of harvest	Two (2) days
CROP PROTECTION AGRIVENTURES INC.	MANCOZEB	GRANDBLUE INDIA 80 WP	800 g/kg	WP	FUNGICIDE	4	616-053-1187	27-Feb-26	-	Potato	Early and late blight	3-6 Tbsp/36 L water	-	-	As soon as spray dries
CROP PROTECTION AGRIVENTURES INC.	MANCOZEB	GRANDBLUE INDIA 80 WP	800 g/kg	WP	FUNGICIDE	4	616-053-1187	27-Feb-26	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
CROP PROTECTION AGRIVENTURES INC.	MANCOZEB	GRANDBLUE INDIA 80 WP	800 g/kg	WP	FUNGICIDE	4	616-053-1187	27-Feb-26	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
CROP PROTECTION AGRIVENTURES INC.	MANCOZEB	GRANDBLUE INDIA 80 WP	800 g/kg	WP	FUNGICIDE	4	616-053-1187	27-Feb-26	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
CROP PROTECTION AGRIVENTURES INC.	MANCOZEB	GRANDBLUE INDIA 80 WP	800 g/kg	WP	FUNGICIDE	4	616-053-1187	27-Feb-26	-	Celery	Late blight	3-6 Tbsp/36 L water	-	14 Days	As soon as spray dries
CROP PROTECTION AGRIVENTURES INC.	MANCOZEB	GRANDBLUE INDIA 80 WP	800 g/kg	WP	FUNGICIDE	4	616-053-1187	27-Feb-26	-	Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
CROP PROTECTION AGRIVENTURES INC.	MANCOZEB	GRANDBLUE INDIA 80 WP	800 g/kg	WP	FUNGICIDE	4	616-053-1187	27-Feb-26	-	Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
CROP PROTECTION AGRIVENTURES INC.	MANCOZEB	GRANDBLUE INDIA 80 WP	800 g/kg	WP	FUNGICIDE	4	616-053-1187	27-Feb-26	-	Cotton	Damping off	3-6 Tbsp/36 L water	-	-	As soon as spray dries
CROP PROTECTION AGRIVENTURES INC.	MANCOZEB	GRANDBLUE INDIA 80 WP	800 g/kg	WP	FUNGICIDE	4	616-053-1187	27-Feb-26	-	Lettuce	Downy mildew	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
CROP PROTECTION AGRIVENTURES INC.	MANCOZEB	GRANDBLUE INDIA 80 WP	800 g/kg	WP	FUNGICIDE	4	616-053-1187	27-Feb-26	-	Peas	Anthracoese, Downy mildew, Rust	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
CROP PROTECTION AGRIVENTURES INC.	MANCOZEB	GRANDBLUE INDIA 80 WP	800 g/kg	WP	FUNGICIDE	4	616-053-1187	27-Feb-26	-	Peas	Anthracoese, Downy mildew, Rust	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
CROP PROTECTION AGRIVENTURES INC.	MANCOZEB	GRANDBLUE INDIA 80 WP	800 g/kg	WP	FUNGICIDE	4	616-053-1187	27-Feb-26	-	Mungo	Anthracoese, Downy mildew, Rust	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
CROP PROTECTION AGRIVENTURES INC.	MANCOZEB	GRANDBLUE INDIA 80 WP	800 g/kg	WP	FUNGICIDE	4	616-053-1187	27-Feb-26	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
CROP PROTECTION AGRIVENTURES INC.	MANCOZEB	GRANDBLUE INDIA 80 WP	800 g/kg	WP	FUNGICIDE	4	616-053-1187	27-Feb-26	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
CROP PROTECTION AGRIVENTURES INC.	MANCOZEB	GRANDBLUE INDIA 80 WP	800 g/kg	WP	FUNGICIDE	4	616-053-1187	27-Feb-26	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
CROP PROTECTION AGRIVENTURES INC.	MANCOZEB	GRANDBLUE INDIA 80 WP	800 g/kg	WP	FUNGICIDE	4	616-053-1187	27-Feb-26	-	Pepper	Anthracoese	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
CROP PROTECTION AGRIVENTURES INC.	MANCOZEB	GRANDBLUE INDIA 80 WP	800 g/kg	WP	FUNGICIDE	4	616-053-1187	27-Feb-26	-	Chili	Anthracoese	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
CROP PROTECTION AGRIVENTURES INC.	MANCOZEB	GRANDBLUE INDIA 80 WP	800 g/kg	WP	FUNGICIDE	4	616-053-1187	27-Feb-26	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
CROP PROTECTION AGRIVENTURES INC.	MANCOZEB	GRANDBLUE INDIA 80 WP	800 g/kg	WP	FUNGICIDE	4	616-053-1187	27-Feb-26	-	Banana	Sigatoka, Black leaf streak	3-6 Tbsp/36 L water	-	-	As soon as spray dries
CROP PROTECTION AGRIVENTURES INC.	MANCOZEB	GRANDBLUE INDIA 80 WP	800 g/kg	WP	FUNGICIDE	4	616-053-1187	27-Feb-26	-	Grapes	Downy mildew, black rot	3-6 Tbsp/36 L water	-	60 days	As soon as spray dries
CROP PROTECTION AGRIVENTURES INC.	MANCOZEB	GRANDBLUE INDIA 80 WP	800 g/kg	WP	FUNGICIDE	4	616-053-1187	27-Feb-26	-	Mango	Anthracoese and Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
CROP PROTECTION AGRIVENTURES INC.	MANCOZEB	GRANDBLUE INDIA 80 WP	800 g/kg	WP	FUNGICIDE	4	616-053-1187	27-Feb-26	-	Papaya	Fruit rot	3-6 Tbsp/36 L water	-	-	As soon as spray dries
CROP PROTECTION AGRIVENTURES INC.	MANCOZEB	GRANDBLUE INDIA 80 WP	800 g/kg	WP	FUNGICIDE	4	616-053-1187	27-Feb-26	-	Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
CROP PROTECTION AGRIVENTURES INC.	MANCOZEB	GRANDBLUE INDIA 80 WP	800 g/kg	WP	FUNGICIDE	4	616-053-1187	27-Feb-26	-	Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
CROP PROTECTION AGRIVENTURES INC.	MANCOZEB	GRANDBLUE INDIA 80 WP	800 g/kg	WP	FUNGICIDE	4	616-053-1187	27-Feb-26	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
CROP PROTECTION AGRIVENTURES INC.	MANCOZEB	GRANDBLUE INDIA 80 WP	800 g/kg	WP	FUNGICIDE	4	616-053-1187	27-Feb-26	-	Rice	Blast, sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/36 L water	0.03ppm	-	As soon as spray dries
CROP PROTECTION AGRIVENTURES INC.	MANCOZEB	GRANDBLUE INDIA 80 WP	800 g/kg	WP	FUNGICIDE	4	616-053-1187	27-Feb-26	-	Peanut	Cercospora leaf spot	3-6 Tbsp/36 L water	-	14 Days	As soon as spray dries
CROP PROTECTION AGRIVENTURES INC.	MANCOZEB	GRANDBLUE INDIA 80 WP	800 g/kg	WP	FUNGICIDE	4	616-053-1187	27-Feb-26	-	Soybeans	Leaf rust	3-6 Tbsp/36 L water	-	-	As soon as spray dries
CROP PROTECTION AGRIVENTURES INC.	MANCOZEB	GRANDBLUE INDIA 80 WP	800 g/kg	WP	FUNGICIDE	4	616-053-1187	27-Feb-26	-	Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/36 L water	-	-	As soon as spray dries
KEMSTAR CORPORATION	THIOPHANATE METHYL	GRANADA 70 WP	700 g/kg	WP	FUNGICIDE	4	239-107-5253	20-Oct-26	SYSTEMIC	Rice	Blast, neck rot, black spot	1.5-2.0 TBSP/36L Water	-	-	Do not enter the field within five (5) days after spraying.
KEMSTAR CORPORATION	THIOPHANATE METHYL	GRANADA 70 WP	700 g/kg	WP	FUNGICIDE	4	239-107-5253	20-Oct-26	SYSTEMIC	Mango	Anthracoese	0.5-1.0 TBSP/36L Water	-	-	Do not enter the field within five (5) days after spraying.
KEMSTAR CORPORATION	THIOPHANATE METHYL	GRANADA 70 WP	700 g/kg	WP	FUNGICIDE	4	239-107-5253	20-Oct-26	SYSTEMIC	Tobacco	Frog eye leaf spot	0.5-1.0 TBSP/36L Water	-	-	Do not enter the field within five (5) days after spraying.
KEMSTAR CORPORATION	THIOPHANATE METHYL	GRANADA 70 WP	700 g/kg	WP	FUNGICIDE	4	239-107-5253	20-Oct-26	SYSTEMIC	Tomato	Powdery mildew	0.5-1.0 TBSP/36L Water	-	-	Do not enter the field within five (5) days after spraying.
KEMSTAR CORPORATION	THIOPHANATE METHYL	GRANADA 70 WP	700 g/kg	WP	FUNGICIDE	4	239-107-5253	20-Oct-26	SYSTEMIC	Legumes	Cercospora leaf spot, Anthracnose, botrytis leaf spot, fusarium wilt, powdery mildew	0.5-1.0 TBSP/36L Water	-	-	Do not enter the field within five (5) days after spraying.
KEMSTAR CORPORATION	THIOPHANATE METHYL	GRANADA 70 WP	700 g/kg	WP	FUNGICIDE	4	239-107-5253	20-Oct-26	SYSTEMIC	Beans	Cercospora leaf spot, Anthracnose, botrytis leaf spot, fusarium wilt, powdery mildew	0.5-1.0 TBSP/36L Water	-	-	Do not enter the field within five (5) days after spraying.
KEMSTAR CORPORATION	THIOPHANATE METHYL	GRANADA 70 WP	700 g/kg	WP	FUNGICIDE	4	239-107-5253	20-Oct-26	SYSTEMIC	Cucumber	Powdery mildew, Gummy Stem blight, leaf and fruit spots	0.5-1.0 TBSP/36L Water	-	-	Do not enter the field within five (5) days after spraying.
KEMSTAR CORPORATION	THIOPHANATE METHYL	GRANADA 70 WP	700 g/kg	WP	FUNGICIDE	4	239-107-5253	20-Oct-26	SYSTEMIC	Melon	Powdery mildew, Gummy Stem blight, leaf and fruit spots	0.5-1.0 TBSP/36L Water	-	-	Do not enter the field within five (5) days after spraying.
KEMSTAR CORPORATION	THIOPHANATE METHYL	GRANADA 70 WP	700 g/kg	WP	FUNGICIDE	4	239-107-5253	20-Oct-26	SYSTEMIC	Ornamentals	Powdery mildew, black spots	0.5-1.0 TBSP/36L Water	-	-	Do not enter the field within five (5) days after spraying.
KEMSTAR CORPORATION	THIOPHANATE METHYL	GRANADA 70 WP	700 g/kg	WP	FUNGICIDE	4	239-107-5253	20-Oct-26	SYSTEMIC	Orchids	Powdery mildew, black spots	0.5-1.0 TBSP/36L Water	-	-	Do not enter the field within five (5) days after spraying.
KEMSTAR CORPORATION	THIOPHANATE METHYL	GRANADA 70 WP	700 g/kg	WP	FUNGICIDE	4	239-107-5253	20-Oct-26	SYSTEMIC	Cabbage	Shot hole disease, cercospora leaf spot	0.5-1.0 TBSP/36L Water	-	-	Do not enter the field within five (5) days after spraying.
KEMSTAR CORPORATION	THIOPHANATE METHYL	GRANADA 70 WP	700 g/kg	WP	FUNGICIDE	4	239-107-5253	20-Oct-26	SYSTEMIC	Cauliflower	Shot hole disease, cercospora leaf spot	0.5-1.0 TBSP/36L Water	-	-	Do not enter the field within five (5) days after spraying.
KEMSTAR CORPORATION	THIOPHANATE METHYL	GRANADA 70 WP	700 g/kg	WP	FUNGICIDE	4	239-107-5253	20-Oct-26	SYSTEMIC	Lettuce	Shot hole disease, cercospora leaf spot	0.5-1.0 TBSP/36L Water	-	-	Do not enter the field within five (5) days after spraying.
KEMSTAR CORPORATION	THIOPHANATE METHYL	GRANADA 70 WP	700 g/kg	WP	FUNGICIDE	4	239-107-5253	20-Oct-26	SYSTEMIC	Strawberry	Powdery mildew	0.5-1.0 TBSP/36L Water	-	-	Do not enter the field within five (5) days after spraying.
KEMSTAR CORPORATION	THIOPHANATE METHYL	GRANADA 70 WP	700 g/kg	WP	FUNGICIDE	4	239-107-5253	20-Oct-26	SYSTEMIC	Grapes	Fruit rot, Powdery mildew, anthracnose	0.5-1.0 TBSP/36L Water	-	-	Do not enter the field within five (5) days after spraying.
KEMSTAR CORPORATION	THIOPHANATE METHYL	GRANADA 70 WP	700 g/kg	WP	FUNGICIDE	4	239-107-5253	20-Oct-26	SYSTEMIC	Orange	Scabs	0.5-1.0 TBSP/36L Water	-	-	Do not enter the field within five (5) days after spraying.
KEMSTAR CORPORATION	THIOPHANATE METHYL	GRANADA 70 WP	700 g/kg	WP	FUNGICIDE	4	239-107-5253	20-Oct-26	SYSTEMIC	Citrus	Scabs	0.5-1.0 TBSP/36L Water	-	-	Do not enter the field within five (5) days after spraying.
KEMSTAR CORPORATION	THIOPHANATE METHYL	GRANADA 70 WP	700 g/kg	WP	FUNGICIDE	4	239-107-5253	20-Oct-26	SYSTEMIC	Calamansi	Scabs	0.5-1.0 TBSP/36L Water	-	-	Do not enter the field within five (5) days after spraying.
KEMSTAR CORPORATION	THIOPHANATE METHYL	GRANADA 70 WP	700 g/kg	WP	FUNGICIDE	4	239-107-5253	20-Oct-26	SYSTEMIC	Banana	Sigatoka disease	1.5-2.0 TBSP/36L Water	-	-	Do not enter the field within five (5) days after spraying.
KEMSTAR CORPORATION	THIOPHANATE METHYL	GRANADA 70 WP	700 g/kg	WP	FUNGICIDE	4	239-107-5253	20-Oct-26	SYSTEMIC	Papaya	Powdery mildew	0.5-1.0 TBSP/36L Water	-	-	Do not enter the field within five (5) days after spraying.
CHEMBIZ TECHNOLOGIES, INC.	DIFENCONAZOLE-PROPICONAZOLE	GRANICARE 300 EC	150 g/L+150 g/L	EC	FUNGICIDE	3	329-325-5421	25-Jan-25	SYSTEMIC	Rice	Sheath blight	25 ml prod/36 L water	-	-	-

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
CHEMIEZ TECHNOLOGIES, INC.	DIFENCONAZOLE+PROPICONAZOLE	GRAINCARE 300 EC	150 g/L+150 g/L	EC	FUNGICIDE	3	329-825-5421	25-Jan-25	SYSTEMIC	corn	Banded leaf sheath blight, ear rot, leaf blight & rust	1.0-2.0 Tbsp/50 water	-	-	-
AGRIBASE CHEMICALS, INC.	GLYPHOSATE IPA	GRADER 480 SL	480 g/L	SL	HERBICIDE	4	457-151-3268	09-Mar-25	NON-SELECTIVE	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/ha	-	-	-
AGRIBASE CHEMICALS, INC.	GLYPHOSATE IPA	GRADER 480 SL	480 g/L	SL	HERBICIDE	4	457-151-3268	09-Mar-25	NON-SELECTIVE	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
AGRIBASE CHEMICALS, INC.	GLYPHOSATE IPA	GRADER 480 SL	480 g/L	SL	HERBICIDE	4	457-151-3268	09-Mar-25	NON-SELECTIVE	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
AGRIBASE CHEMICALS, INC.	GLYPHOSATE IPA	GRADER 480 SL	480 g/L	SL	HERBICIDE	4	457-151-3268	09-Mar-25	NON-SELECTIVE	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
AGRIBASE CHEMICALS, INC.	GLYPHOSATE IPA	GRADER 480 SL	480 g/L	SL	HERBICIDE	4	457-151-3268	09-Mar-25	NON-SELECTIVE	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
AGRIBASE CHEMICALS, INC.	GLYPHOSATE IPA	GRADER 480 SL	480 g/L	SL	HERBICIDE	4	457-151-3268	09-Mar-25	NON-SELECTIVE	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
AGRIBASE CHEMICALS, INC.	GLYPHOSATE IPA	GRADER 480 SL	480 g/L	SL	HERBICIDE	4	457-151-3268	09-Mar-25	NON-SELECTIVE	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
AGRIBASE CHEMICALS, INC.	GLYPHOSATE IPA	GRADER 480 SL	480 g/L	SL	HERBICIDE	4	457-151-3268	09-Mar-25	NON-SELECTIVE	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
AGRIBASE CHEMICALS, INC.	GLYPHOSATE IPA	GRADER 480 SL	480 g/L	SL	HERBICIDE	4	457-151-3268	09-Mar-25	NON-SELECTIVE	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/ha	-	-	-
AGRIBASE CHEMICALS, INC.	GLYPHOSATE IPA	GRADER 480 SL	480 g/L	SL	HERBICIDE	4	457-151-3268	09-Mar-25	NON-SELECTIVE	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
AGRIBASE CHEMICALS, INC.	GLYPHOSATE IPA	GRADER 480 SL	480 g/L	SL	HERBICIDE	4	457-151-3268	09-Mar-25	NON-SELECTIVE	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
AGRIBASE CHEMICALS, INC.	GLYPHOSATE IPA	GRADER 480 SL	480 g/L	SL	HERBICIDE	4	457-151-3268	09-Mar-25	NON-SELECTIVE	non-crop	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
FARIMATECH AGRILAND CORPORATION	FLUAZIFOP-P-BUTYL	GBA-CIDE 15 EC	150 g/L	EC	HERBICIDE	4	382-212-3946	02-Dec-19	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Banana	Grasses; itchgrass, goosegrass, sour papalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-
FARIMATECH AGRILAND CORPORATION	FLUAZIFOP-P-BUTYL	GBA-CIDE 15 EC	150 g/L	EC	HERBICIDE	4	382-212-3946	02-Dec-19	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Cacao	Grasses; itchgrass, goosegrass, sour papalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-
FARIMATECH AGRILAND CORPORATION	FLUAZIFOP-P-BUTYL	GBA-CIDE 15 EC	150 g/L	EC	HERBICIDE	4	382-212-3946	02-Dec-19	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Citrus	Grasses; itchgrass, goosegrass, sour papalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-
FARIMATECH AGRILAND CORPORATION	FLUAZIFOP-P-BUTYL	GBA-CIDE 15 EC	150 g/L	EC	HERBICIDE	4	382-212-3946	02-Dec-19	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Cotton	Grasses; itchgrass, goosegrass, sour papalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-
FARIMATECH AGRILAND CORPORATION	FLUAZIFOP-P-BUTYL	GBA-CIDE 15 EC	150 g/L	EC	HERBICIDE	4	382-212-3946	02-Dec-19	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Coffee	Grasses; itchgrass, goosegrass, sour papalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-
FARIMATECH AGRILAND CORPORATION	FLUAZIFOP-P-BUTYL	GBA-CIDE 15 EC	150 g/L	EC	HERBICIDE	4	382-212-3946	02-Dec-19	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Oil palm	Grasses; itchgrass, goosegrass, sour papalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-
FARIMATECH AGRILAND CORPORATION	FLUAZIFOP-P-BUTYL	GBA-CIDE 15 EC	150 g/L	EC	HERBICIDE	4	382-212-3946	02-Dec-19	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Kamie	Grasses; itchgrass, goosegrass, sour papalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-
FARIMATECH AGRILAND CORPORATION	FLUAZIFOP-P-BUTYL	GBA-CIDE 15 EC	150 g/L	EC	HERBICIDE	4	382-212-3946	02-Dec-19	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Rubber	Grasses; itchgrass, goosegrass, sour papalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-
FARIMATECH AGRILAND CORPORATION	FLUAZIFOP-P-BUTYL	GBA-CIDE 15 EC	150 g/L	EC	HERBICIDE	4	382-212-3946	02-Dec-19	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Onion	Grasses; itchgrass, goosegrass, sour papalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-
FARIMATECH AGRILAND CORPORATION	FLUAZIFOP-P-BUTYL	GBA-CIDE 15 EC	150 g/L	EC	HERBICIDE	4	382-212-3946	02-Dec-19	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Pineapple	Grasses; itchgrass, goosegrass, sour papalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-
FARIMATECH AGRILAND CORPORATION	FLUAZIFOP-P-BUTYL	GBA-CIDE 15 EC	150 g/L	EC	HERBICIDE	4	382-212-3946	02-Dec-19	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Soybeans	Grasses; itchgrass, goosegrass, sour papalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-
FARIMATECH AGRILAND CORPORATION	FLUAZIFOP-P-BUTYL	GBA-CIDE 15 EC	150 g/L	EC	HERBICIDE	4	382-212-3946	02-Dec-19	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Tomato	Grasses; itchgrass, goosegrass, sour papalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-
AP-JAMEG	CYPERMETHRIN	GRABBS 5 EC	50 g/L	EC	INSECTICIDE	4	547-037-3389	24-Mar-18	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water	7 Days	-	Re-entry to treated field is allowed as soon as spray deposit dries
AP-JAMEG	CYPERMETHRIN	GRABBS 5 EC	50 g/L	EC	INSECTICIDE	4	547-037-3389	24-Mar-18	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leafhopper, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water	7 Days	-	Re-entry to treated field is allowed as soon as spray deposit dries
AP-JAMEG	CYPERMETHRIN	GRABBS 5 EC	50 g/L	EC	INSECTICIDE	4	547-037-3389	24-Mar-18	CONTACT	Cabbage	Diamond-back moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	7 Days	-	Re-entry to treated field is allowed as soon as spray deposit dries
AP-JAMEG	CYPERMETHRIN	GRABBS 5 EC	50 g/L	EC	INSECTICIDE	4	547-037-3389	24-Mar-18	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	7 Days	-	Re-entry to treated field is allowed as soon as spray deposit dries
AP-JAMEG	CYPERMETHRIN	GRABBS 5 EC	50 g/L	EC	INSECTICIDE	4	547-037-3389	24-Mar-18	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	7 Days	-	Re-entry to treated field is allowed as soon as spray deposit dries
AP-JAMEG	CYPERMETHRIN	GRABBS 5 EC	50 g/L	EC	INSECTICIDE	4	547-037-3389	24-Mar-18	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	7 Days	-	Re-entry to treated field is allowed as soon as spray deposit dries
AP-JAMEG	CYPERMETHRIN	GRABBS 5 EC	50 g/L	EC	INSECTICIDE	4	547-037-3389	24-Mar-18	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	7 Days	-	Re-entry to treated field is allowed as soon as spray deposit dries
AP-JAMEG	CYPERMETHRIN	GRABBS 5 EC	50 g/L	EC	INSECTICIDE	4	547-037-3389	24-Mar-18	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	7 Days	-	Re-entry to treated field is allowed as soon as spray deposit dries
AP-JAMEG	CYPERMETHRIN	GRABBS 5 EC	50 g/L	EC	INSECTICIDE	4	547-037-3389	24-Mar-18	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	7 Days	-	Re-entry to treated field is allowed as soon as spray deposit dries
AP-JAMEG	CYPERMETHRIN	GRABBS 5 EC	50 g/L	EC	INSECTICIDE	4	547-037-3389	24-Mar-18	CONTACT	Yabaco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	7 Days	-	Re-entry to treated field is allowed as soon as spray deposit dries
AP-JAMEG	CYPERMETHRIN	GRABBS 5 EC	50 g/L	EC	INSECTICIDE	4	547-037-3389	24-Mar-18	CONTACT	Corn	Comborer, earworm	1.0-4.5 Tbsp/16 L water	7 Days	-	Re-entry to treated field is allowed as soon as spray deposit dries
AGRI-MATE, INC.	SODIUM HYPOCHLORITE/CHLORINE/CHLORINE DIOXIDE/ CHLORINE TRIOXIDE/AMMONIUM	G2 PLUS	45-5g/L+45-5g/L+100-4g/L	-	OTHERS	4	727-596-5822	02-Dec-24	-	-	Sanitation and disinfection in poultry and swine premises	-	-	-	-
EVERLAND AGRI CORPORATION	GLYPHOSATE IPA	GPI4 480 SL	480 g/L	SL	HERBICIDE	4	261-151-2334-A	01-Aug-26	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-3.0 Liters/ha	-	-	-
EVERLAND AGRI CORPORATION	GLYPHOSATE IPA	GPI4 480 SL	480 g/L	SL	HERBICIDE	4	261-151-2334-A	01-Aug-26	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0 Liters/ha	-	-	-
EVERLAND AGRI CORPORATION	GLYPHOSATE IPA	GPI4 480 SL	480 g/L	SL	HERBICIDE	4	261-151-2334-A	01-Aug-26	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0 Liters/ha	-	-	-
EVERLAND AGRI CORPORATION	GLYPHOSATE IPA	GPI4 480 SL	480 g/L	SL	HERBICIDE	4	261-151-2334-A	01-Aug-26	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0 Liters/ha	-	-	-
EVERLAND AGRI CORPORATION	GLYPHOSATE IPA	GPI4 480 SL	480 g/L	SL	HERBICIDE	4	261-151-2334-A	01-Aug-26	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0 Liters/ha	-	-	-
EVERLAND AGRI CORPORATION	GLYPHOSATE IPA	GPI4 480 SL	480 g/L	SL	HERBICIDE	4	261-151-2334-A	01-Aug-26	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	3.5-4.5 Liters/ha	-	-	-
EVERLAND AGRI CORPORATION	GLYPHOSATE IPA	GPI4 480 SL	480 g/L	SL	HERBICIDE	4	261-151-2334-A	01-Aug-26	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	3.5-4.5 Liters/ha	-	-	-
EVERLAND AGRI CORPORATION	GLYPHOSATE IPA	GPI4 480 SL	480 g/L	SL	HERBICIDE	4	261-151-2334-A	01-Aug-26	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	3.5-4.5 Liters/ha	-	-	-
EVERLAND AGRI CORPORATION	GLYPHOSATE IPA	GPI4 480 SL	480 g/L	SL	HERBICIDE	4	261-151-2334-A	01-Aug-26	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	3.5-4.5 Liters/ha	-	-	-
EVERLAND AGRI CORPORATION	GLYPHOSATE IPA	GPI4 480 SL	480 g/L	SL	HERBICIDE	4	261-151-2334-A	01-Aug-26	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
EVERLAND AGRI CORPORATION	GLYPHOSATE IPA	GPI4 480 SL	480 g/L	SL	HERBICIDE	4	261-151-2334-A	01-Aug-26	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
EVERLAND AGRI CORPORATION	GLYPHOSATE IPA	GPI4 480 SL	480 g/L	SL	HERBICIDE	4	261-151-2334-A	01-Aug-26	POST-EMERGENT	non-crop	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
SINOCHEM CROP PROTECTION (PHLS.) INC.	GLUFOSINATE AMMONIUM	G-PROX 150 SL	150 g/L	SL	HERBICIDE	4	432-182-4160-C	08-Feb-27	NON-SELECTIVE(POST-EMERGENT)	Rubber	Annual & Perennial grasses, sedges & broadleaf weeds	215, 270, 135 ml/16 L water	-	-	-
SINOCHEM CROP PROTECTION (PHLS.) INC.	GLUFOSINATE AMMONIUM	G-PROX 150 SL	150 g/L	SL	HERBICIDE	4	432-182-4160-C	08-Feb-27	NON-SELECTIVE(POST-EMERGENT)	Oil palm	Annual & Perennial grasses, sedges & broadleaf weeds	160, 135 ml/16 L water	-	-	-
SINOCHEM CROP PROTECTION (PHLS.) INC.	GLUFOSINATE AMMONIUM	G-PROX 150 SL	150 g/L	SL	HERBICIDE	4	432-182-4160-C	08-Feb-27	NON-SELECTIVE(POST-EMERGENT)	Non-crop agricultural areas	Annual & Perennial grasses, sedges & broadleaf weeds	160-215 ml/16 L water	-	-	-
SINOCHEM CROP PROTECTION (PHLS.) INC.	GLUFOSINATE AMMONIUM	G-PROX 150 SL	150 g/L	SL	HERBICIDE	4	432-182-4160-C	07-Nov-26	NON-SELECTIVE(POST-EMERGENT)	Coffee	Annual & Perennial grasses, sedges & broadleaf weeds	160, 135 ml/16 L water	-	-	-
SINOCHEM CROP PROTECTION (PHLS.) INC.	GLUFOSINATE AMMONIUM	G-PROX 150 SL	150 g/L	SL	HERBICIDE	4	432-182-4160-C	07-Nov-26	NON-SELECTIVE(POST-EMERGENT)	Citrus	Annual & Perennial grasses, sedges & broadleaf weeds	160, 135 ml/16 L water	-	-	-
SINOCHEM CROP PROTECTION (PHLS.) INC.	GLUFOSINATE AMMONIUM	G-PROX 150 SL	150 g/L	SL	HERBICIDE	4	432-182-4160-C	08-Feb-27	NON-SELECTIVE(POST-EMERGENT)	Cavendish Banana	Annual & Perennial grasses, sedges & broadleaf weeds	160, 135-200 ml/16L water	0.2 mg/kg	-	-
SINOCHEM CROP PROTECTION (PHLS.) INC.	GLUFOSINATE AMMONIUM	G-PROX 150 SL	150 g/L	SL	HERBICIDE	4	432-182-4160-C	07-Nov-26	NON-SELECTIVE(POST-EMERGENT)	Cacao	Annual & Perennial grasses, sedges & broadleaf weeds	160, 135 ml/16 L water	-	-	-

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
SYNGENTA PHILIPPINES INC.	GLUFOSINATE AMMONIUM	G-PROX 130 SL	150 g/L	SL	HERBICIDE	4	432-182-4160	08-Feb-24	NON-SELECTIVE/POST-EMERGENT	Oil palm	Annual & Perennial grasses, sedges & broadleaf weeds	160, 135 ml/16 L water	-	-	-
SYNGENTA PHILIPPINES INC.	GLUFOSINATE AMMONIUM	G-PROX 150 SL	150 g/L	SL	HERBICIDE	4	432-182-4160	08-Feb-24	NON-SELECTIVE/POST-EMERGENT	Non-crop	Annual & Perennial grasses, sedges & broadleaf weeds	160-215 ml/16 L water	-	-	-
SYNGENTA PHILIPPINES INC.	GLUFOSINATE AMMONIUM	G-PROX 150 SL	150 g/L	SL	HERBICIDE	4	432-182-4160	08-Feb-24	NON-SELECTIVE/POST-EMERGENT	Coffee	Annual & Perennial grasses, sedges & broadleaf weeds	160, 135 ml/16 L water	-	-	-
SYNGENTA PHILIPPINES INC.	GLUFOSINATE AMMONIUM	G-PROX 130 SL	150 g/L	SL	HERBICIDE	4	432-182-4160	08-Feb-24	NON-SELECTIVE/POST-EMERGENT	Citrus	Annual & Perennial grasses, sedges & broadleaf weeds	160, 135 ml/16 L water	-	-	-
SYNGENTA PHILIPPINES INC.	GLUFOSINATE AMMONIUM	G-PROX 130 SL	150 g/L	SL	HERBICIDE	4	432-182-4160	08-Feb-24	NON-SELECTIVE/POST-EMERGENT	Cavendish Banana	Annual & Perennial grasses, sedges & broadleaf weeds	160, 135-200 ml/16L water	-	-	-
SYNGENTA PHILIPPINES INC.	GLUFOSINATE AMMONIUM	G-PROX 130 SL	150 g/L	SL	HERBICIDE	4	432-182-4160	08-Feb-24	NON-SELECTIVE/POST-EMERGENT	Cacao	Annual & Perennial grasses, sedges & broadleaf weeds	160, 135 ml/16 L water	-	-	-
SYNGENTA PHILIPPINES INC.	GLUFOSINATE AMMONIUM	GPROX 15 SL	150 g/L	SL	HERBICIDE	4	432-182-4160	08-Feb-24	NON-SELECTIVE/POST-EMERGENT	Rubber	Annual & Perennial grasses, sedges & broadleaf weeds	215, 270, 135 ml/16 L water	-	-	-
SYNGENTA PHILIPPINES INC.	GLUFOSINATE AMMONIUM	GPROX 15 SL	150 g/L	SL	HERBICIDE	4	432-182-4160	13-Oct-24	NON-SELECTIVE/POST-EMERGENT	Rubber	Annual & Perennial grasses, sedges & broadleaf weeds	215, 270, 135 ml/16 L water	-	-	-
SYNGENTA PHILIPPINES INC.	GLUFOSINATE AMMONIUM	GPROX 15 SL	150 g/L	SL	HERBICIDE	4	432-182-4160	14-Oct-24	NON-SELECTIVE/POST-EMERGENT	Oil palm	Annual & Perennial grasses, sedges & broadleaf weeds	160, 135 ml/16 L water	-	-	-
SYNGENTA PHILIPPINES INC.	GLUFOSINATE AMMONIUM	GPROX 15 SL	150 g/L	SL	HERBICIDE	4	432-182-4160	15-Oct-24	NON-SELECTIVE/POST-EMERGENT	Non-crop	Annual & Perennial grasses, sedges & broadleaf weeds	160-215 ml/16 L water	-	-	-
SYNGENTA PHILIPPINES INC.	GLUFOSINATE AMMONIUM	GPROX 15 SL	150 g/L	SL	HERBICIDE	4	432-182-4160	16-Oct-24	NON-SELECTIVE/POST-EMERGENT	Coffee	Annual & Perennial grasses, sedges & broadleaf weeds	160, 135 ml/16 L water	-	-	-
SYNGENTA PHILIPPINES INC.	GLUFOSINATE AMMONIUM	GPROX 15 SL	150 g/L	SL	HERBICIDE	4	432-182-4160	17-Oct-24	NON-SELECTIVE/POST-EMERGENT	Citrus	Annual & Perennial grasses, sedges & broadleaf weeds	160, 135 ml/16 L water	-	-	-
SYNGENTA PHILIPPINES INC.	GLUFOSINATE AMMONIUM	GPROX 15 SL	150 g/L	SL	HERBICIDE	4	432-182-4160	08-Oct-24	NON-SELECTIVE/POST-EMERGENT	Cavendish Banana	Annual & Perennial grasses, sedges & broadleaf weeds	160, 135-200 ml/16L water	-	-	-
SYNGENTA PHILIPPINES INC.	GLUFOSINATE AMMONIUM	GPROX 15 SL	150 g/L	SL	HERBICIDE	4	432-182-4160	19-Oct-24	NON-SELECTIVE/POST-EMERGENT	Cacao	Annual & Perennial grasses, sedges & broadleaf weeds	160, 135 ml/16 L water	-	-	-
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	FLUAZOP-F-BUTYL	GOZEN 15 EC	150 g/L	EC	HERBICIDE	4	376-212-4574	23-Nov-24	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Banana	Grasses; Itchgrass, goosegrass, sour papalum, jungle rice, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	FLUAZOP-F-BUTYL	GOZEN 15 EC	150 g/L	EC	HERBICIDE	4	376-212-4574	23-Nov-24	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Cacao	Grasses; Itchgrass, goosegrass, sour papalum, jungle rice, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	FLUAZOP-F-BUTYL	GOZEN 15 EC	150 g/L	EC	HERBICIDE	4	376-212-4574	23-Nov-24	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Citrus	Grasses; Itchgrass, goosegrass, sour papalum, jungle rice, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	FLUAZOP-F-BUTYL	GOZEN 15 EC	150 g/L	EC	HERBICIDE	4	376-212-4574	23-Nov-24	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Cotton	Grasses; Itchgrass, goosegrass, sour papalum, jungle rice, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	FLUAZOP-F-BUTYL	GOZEN 15 EC	150 g/L	EC	HERBICIDE	4	376-212-4574	23-Nov-24	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Coffee	Grasses; Itchgrass, goosegrass, sour papalum, jungle rice, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	FLUAZOP-F-BUTYL	GOZEN 15 EC	150 g/L	EC	HERBICIDE	4	376-212-4574	23-Nov-24	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Oil palm	Grasses; Itchgrass, goosegrass, sour papalum, jungle rice, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	FLUAZOP-F-BUTYL	GOZEN 15 EC	150 g/L	EC	HERBICIDE	4	376-212-4574	23-Nov-24	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Ramie	Grasses; Itchgrass, goosegrass, sour papalum, jungle rice, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	FLUAZOP-F-BUTYL	GOZEN 15 EC	150 g/L	EC	HERBICIDE	4	376-212-4574	23-Nov-24	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Rubber	Grasses; Itchgrass, goosegrass, sour papalum, jungle rice, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	FLUAZOP-F-BUTYL	GOZEN 15 EC	150 g/L	EC	HERBICIDE	4	376-212-4574	23-Nov-24	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Onion	Grasses; Itchgrass, goosegrass, sour papalum, jungle rice, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	FLUAZOP-F-BUTYL	GOZEN 15 EC	150 g/L	EC	HERBICIDE	4	376-212-4574	23-Nov-24	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Pineapple	Grasses; Itchgrass, goosegrass, sour papalum, jungle rice, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	FLUAZOP-F-BUTYL	GOZEN 15 EC	150 g/L	EC	HERBICIDE	4	376-212-4574	23-Nov-24	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Soybeans	Grasses; Itchgrass, goosegrass, sour papalum, jungle rice, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	FLUAZOP-F-BUTYL	GOZEN 15 EC	150 g/L	EC	HERBICIDE	4	376-212-4574	23-Nov-24	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Tomato	Grasses; Itchgrass, goosegrass, sour papalum, jungle rice, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-
VETMATE FARMA CORP.	IMIDACLOPRID-BETA-CYFLUTHRIN	GOLIATH	-	-	INSECTICIDE	2	658-398-5168	10-Aug-22	-	Mango	Mango leafhopper	-	-	-	-
C.B. ANDREW ASIA, INC.	BIFENTHRIN-CLOTHIANIDIN	GOLDRISE 370 SC	247 g/L+123 g/L	SC	INSECTICIDE	2	460-609-9951	1-Dec-24	SYSTEMIC	Rice	Green leaf hopper, brown plant hopper, white-backed plant hopper, rice black bug, rice leaf folder, rice semborer	250-750 ml prod. / hectare 180 L / hectare	-	-	-
GOLDEN FARMERS AGRI PRODUCT CORPORATION	CARTAP HYDROCHLORIDE	GOLDENTAP 50 SP	500g/kg	SP	INSECTICIDE	3	603-106-4222	26-May-24	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	1.0-5.0lbsp/16 L water	0.2ppm	Do not spray 10 days before harvest	Do not enter treated field within 2 days before harvest
GOLDEN FARMERS AGRI PRODUCT CORPORATION	CARTAP HYDROCHLORIDE	GOLDENTAP 50 SP	500g/kg	SP	INSECTICIDE	3	603-106-4222	26-May-24	SYSTEMIC	Wingbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0lbsp/16 L water	-	Do not spray 10 days before harvest	Do not enter treated field within 2 days before harvest
GOLDEN FARMERS AGRI PRODUCT CORPORATION	CARTAP HYDROCHLORIDE	GOLDENTAP 50 SP	500g/kg	SP	INSECTICIDE	3	603-106-4222	26-May-24	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0lbsp/16 L water	-	Do not spray 10 days before harvest	Do not enter treated field within 2 days before harvest
GOLDEN FARMERS AGRI PRODUCT CORPORATION	CARTAP HYDROCHLORIDE	GOLDENTAP 50 SP	500g/kg	SP	INSECTICIDE	3	603-106-4222	26-May-24	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0lbsp/16 L water	-	Do not spray 10 days before harvest	Do not enter treated field within 2 days before harvest
GOLDEN FARMERS AGRI PRODUCT CORPORATION	CARTAP HYDROCHLORIDE	GOLDENTAP 50 SP	500g/kg	SP	INSECTICIDE	3	603-106-4222	26-May-24	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0lbsp/16 L water	-	Do not spray 10 days before harvest	Do not enter treated field within 2 days before harvest
GOLDEN FARMERS AGRI PRODUCT CORPORATION	CARTAP HYDROCHLORIDE	GOLDENTAP 50 SP	500g/kg	SP	INSECTICIDE	3	603-106-4222	26-May-24	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0lbsp/16 L water	-	Do not spray 10 days before harvest	Do not enter treated field within 2 days before harvest
GOLDEN FARMERS AGRI PRODUCT CORPORATION	CARTAP HYDROCHLORIDE	GOLDENTAP 50 SP	500g/kg	SP	INSECTICIDE	3	603-106-4222	26-May-24	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0lbsp/16 L water	-	Do not spray 10 days before harvest	Do not enter treated field within 2 days before harvest
GOLDEN FARMERS AGRI PRODUCT CORPORATION	CARTAP HYDROCHLORIDE	GOLDENTAP 50 SP	500g/kg	SP	INSECTICIDE	3	603-106-4222	26-May-24	SYSTEMIC	Mango	Leafhoppers	1.5-2.0lbsp/16 L water	-	Do not spray 10 days before harvest	Do not enter treated field within 2 days before harvest
GOLDEN FARMERS AGRI PRODUCT CORPORATION	CARTAP HYDROCHLORIDE	GOLDENTAP 50SP	500g/kg	SP	INSECTICIDE	3	603-106-4222	26-May-24	SYSTEMIC	Peachay	Copper, cutworm, aphids	1.5-3.0lbsp/16 L water	-	Do not spray 10 days before harvest	Do not enter treated field within 2 days before harvest
AGRIBASE CHEMICALS, INC.	NICLOXAMIDE ETHANOLAMINE SALT	GOLDEN K 70 WP	700 g/kg	WP	MOLLUSCIDE	4	457-229-2586	22-Feb-24	CONTACT	Rice	Golden Apple Snail (Ruhel)	20 gm/16 L water	-	-	Do not enter the treated field within 48 hours after application
GOLDEN FARMERS AGRI PRODUCT CORPORATION	GLYPHOSATE IPA	GOLDENFIRE 48 SL	480g/L	SL	HERBICIDE	4	603-151-4220	04-Feb-25	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/ha	-	-	-
GOLDEN FARMERS AGRI PRODUCT CORPORATION	GLYPHOSATE IPA	GOLDENFIRE 48 SL	480g/L	SL	HERBICIDE	4	603-151-4220	04-Feb-25	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
GOLDEN FARMERS AGRI PRODUCT CORPORATION	GLYPHOSATE IPA	GOLDENFIRE 48 SL	480g/L	SL	HERBICIDE	4	603-151-4220	04-Feb-25	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
GOLDEN FARMERS AGRI PRODUCT CORPORATION	GLYPHOSATE IPA	GOLDENFIRE 48 SL	480g/L	SL	HERBICIDE	4	603-151-4220	04-Feb-25	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
GOLDEN FARMERS AGRI PRODUCT CORPORATION	GLYPHOSATE IPA	GOLDENFIRE 48 SL	480g/L	SL	HERBICIDE	4	603-151-4220	04-Feb-25	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
GOLDEN FARMERS AGRI PRODUCT CORPORATION	GLYPHOSATE IPA	GOLDENFIRE 48 SL	480g/L	SL	HERBICIDE	4	603-151-4220	04-Feb-25	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
GOLDEN FARMERS AGRI PRODUCT CORPORATION	GLYPHOSATE IPA	GOLDENFIRE 48 SL	480g/L	SL	HERBICIDE	4	603-151-4220	04-Feb-25	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
GOLDEN FARMERS AGRI PRODUCT CORPORATION	GLYPHOSATE IPA	GOLDENFIRE 48 SL	480g/L	SL	HERBICIDE	4	603-151-4220	04-Feb-25	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/ha	-	-	-
GOLDEN FARMERS AGRI PRODUCT CORPORATION	GLYPHOSATE IPA	GOLDENFIRE 48 SL	480g/L	SL	HERBICIDE	4	603-151-4220	04-Feb-25	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
GOLDEN FARMERS AGRI PRODUCT CORPORATION	GLYPHOSATE IPA	GOLDENFIRE 48 SL	480g/L	SL	HERBICIDE	4	603-151-4220	04-Feb-25	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
GOLDEN FARMERS AGRI PRODUCT CORPORATION	CYHALOP-OP BUTYL-BISPIRIBAC SODIUM	GOLDEN CLEAN PLUS 200 OD	150 g/L+100 g/L	OD	HERBICIDE	4	603-504-6093	20-Oct-25	POST-EMERGENT	Rice (Direct seeded)	Grasses (Echinochloa sp, Lypochloa chinensis, and Ischaemum rugosum), broadleaves (Sphenoclea zeylanica, Ludwigia octovalvis)	600 ml to 15 prod / hectare using a spray volume of 180 to 192 L water/	-	-	Re-entry to treated field is allowed as soon as spray deposits dry up.
GOLDEN FARMERS AGRI PRODUCT CORPORATION	BISPIRIBAC SODIUM	GOLDEN CLEAN 100C	100 g/L	SC	HERBICIDE	2	603-276-4484	20-Aug-21	-	Rice (Direct seeded lowland)	Grasses, sedges & broadleaves	2.5-3.0 lbsp/16 L water	0.1 ppm	-	-
GOLDEN FARMERS AGRI PRODUCT CORPORATION	METALDHYDE	GOLDEN STRIKER 0N	60 g/kg	P	MOLLUSCIDE	4	603-075-5242	22-Apr-25	CONTACT	Rice (Transplanted)	Golden apple snail	2-4 kg/ product per hectare	-	-	Do not enter treated field within 48 hours after application.
GOLDEN FARMERS AGRI PRODUCT CORPORATION	METALDHYDE	GOLDEN STRIKER 0N	60 g/kg	P	MOLLUSCIDE	4	603-075-5242	22-Apr-25	CONTACT	Rice (Direct-Seeded)	Golden apple snail	4-8 kg/ product per hectare	-	-	Do not enter treated field within 48 hours after application.
GOLDEN FARMERS AGRI PRODUCT CORPORATION	METALDHYDE	GOLDEN STRIKER 0N	60 g/kg	P	MOLLUSCIDE	4	603-075-5242	22-Apr-25	CONTACT	Potted and driftwood-attached plants such as	Bush, snails, giant african snail and slugs	1-2 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application.
AGRIBASE CHEMICALS, INC.	METALDHYDE	GOLDEN ROCKET 0NP	60 g/kg	P	MOLLUSCIDE	4	457-075-6217	31-Dec-23	-	Rice (Transplanted)	Golden apple snail	2-4 kg/ha	-	-	Do not enter treated field within 48 hours after application
AGRIBASE CHEMICALS, INC.	METALDHYDE	GOLDEN ROCKET 0NP	60 g/kg	P	MOLLUSCIDE	4	457-075-6217	31-Dec-23	-	Rice (Direct-seeded)	Golden apple snail	4-8 kg/ ha	-	-	Do not enter treated field within 48 hours after application

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
AGRIBASE CHEMICALS, INC.	METALDEHYDE	GOLDEN ROCKET 6WP	60 g/kg	p	MOLLUSCICIDE	4	457-075-6217	31-Dec-23	-	Potted and driftwood-attached plants such as	Bush, snails, giant african snail and slugs	1-2 kg/a/ha	-	-	Do not enter treated field within 48 hours after application
AGRIBASE CHEMICALS, INC.	METALDEHYDE	GOLDEN ROCKET 6WP	60 g/kg	p	MOLLUSCICIDE	4	457-075-6217	31-Dec-23	-	Strawberry	Slug, snails	6-8 kg/a/ha	-	-	Do not enter treated field within 48 hours after application
AGRIBASE CHEMICALS, INC.	METALDEHYDE	GOLDEN ROCKET 6WP	60 g/kg	p	MOLLUSCICIDE	4	457-075-6217	31-Dec-23	-	Cruisers (Chinese Cabbage)	Slug, snails	6-8 kg/a/ha	-	-	Do not enter treated field within 48 hours after application
FLAGLEAF AGR PHILIPPINES, INC.	ETHEPHON	GOLDEN RIPE 480 SL	480g/L	SL	OTHERS	4	164-061-4481	21-Jan-25	-	Pineapple	Pineapple flowering & ripening	100-150ml/1000 trees	-	-	Fruits that are already ripe on the day of treatment can be harvested without any harmful residue. Generally,
FLAGLEAF AGR PHILIPPINES, INC.	ETHEPHON	GOLDEN RIPE 480 SL	480g/L	SL	OTHERS	4	164-061-4481	21-Jan-25	-	Banana	Banana ripening	100-150ml/1000 trees	-	-	Re-entry into treated areas may be done as soon as spray has dried
FLAGLEAF AGR PHILIPPINES, INC.	ETHEPHON	GOLDEN RIPE 480 SL	480g/L	SL	OTHERS	4	164-061-4481	21-Jan-25	-	Mango	Mango ripening	100-150ml/1000 trees	-	-	Re-entry into treated areas may be done as soon as spray has dried
FLAGLEAF AGR PHILIPPINES, INC.	ETHEPHON	GOLDEN RIPE 480 SL	480g/L	SL	OTHERS	4	164-061-4481	21-Jan-25	-	Coffee	Coffee ripening	100-150ml/1000 trees	-	-	Re-entry into treated areas may be done as soon as spray has dried
STOLLER PHILIPPINES, INC.	SOYBEAN OIL	GOLDEN NATURAL SPRAY OIL	-	-	OTHERS	4	347-376-1631	24-Mar-24	-	Papaya	Scale insects	5-30ml/L water	-	-	Fruits that are already ripe on the day of treatment can be harvested without any harmful residue. Generally,
GOLDEN FARMERS AGR PRODUCT CORPORATION	MALATHION	GOLDEN MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	603-038-5074	06-Jun-21	NON-SYSTEMIC	Fruit trees	Aphids, mealy bug scale insect	1.5-3.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying
GOLDEN FARMERS AGR PRODUCT CORPORATION	MALATHION	GOLDEN MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	603-038-5074	06-Jun-21	NON-SYSTEMIC	Rice	Armyworm, caseworm, leafhopper, bugs	2.0-3.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying
GOLDEN FARMERS AGR PRODUCT CORPORATION	MALATHION	GOLDEN MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	603-038-5074	06-Jun-21	NON-SYSTEMIC	Corn	Earworm, silkworm, aphids, grasshopper	3.0-5.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying
GOLDEN FARMERS AGR PRODUCT CORPORATION	MALATHION	GOLDEN MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	603-038-5074	06-Jun-21	NON-SYSTEMIC	Cabbage	Cabbage worm, loopers, diamond back moth	2.0-5.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying
GOLDEN FARMERS AGR PRODUCT CORPORATION	MALATHION	GOLDEN MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	603-038-5074	06-Jun-21	NON-SYSTEMIC	Legumes	Aphids, beanfly, cutworm, flea beetles, leafminer, maggot, mealybug, podborer, thrips	2.0-5.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying
GOLDEN FARMERS AGR PRODUCT CORPORATION	MALATHION	GOLDEN MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	603-038-5074	06-Jun-21	NON-SYSTEMIC	Cucuciers	Cabbage worm, loopers, diamond back moth	2.0-5.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying
GOLDEN FARMERS AGR PRODUCT CORPORATION	MALATHION	GOLDEN MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	603-038-5074	06-Jun-21	NON-SYSTEMIC	Grapes	Beetles, cutworm, leafhopper, mealybug, scale, insect, spider mites	3.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying
GOLDEN FARMERS AGR PRODUCT CORPORATION	MALATHION	GOLDEN MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	603-038-5074	06-Jun-21	NON-SYSTEMIC	Pineapple	Mealy bug	3.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying
GOLDEN FARMERS AGR PRODUCT CORPORATION	MALATHION	GOLDEN MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	603-038-5074	06-Jun-21	NON-SYSTEMIC	Pepper	Aphid, cutworm, fruitworm	3.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying
GOLDEN FARMERS AGR PRODUCT CORPORATION	MALATHION	GOLDEN MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	603-038-5074	06-Jun-21	NON-SYSTEMIC	Garlic	Cutworm	3.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying
GOLDEN FARMERS AGR PRODUCT CORPORATION	MALATHION	GOLDEN MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	603-038-5074	06-Jun-21	NON-SYSTEMIC	Onion	Cutworm	3.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying
GOLDEN FARMERS AGR PRODUCT CORPORATION	MALATHION	GOLDEN MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	603-038-5074	06-Jun-21	NON-SYSTEMIC	Tobacco	Aphids, katydid	3.0-6.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying
GOLDEN FARMERS AGR PRODUCT CORPORATION	MALATHION	GOLDEN MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	603-038-5074	06-Jun-21	NON-SYSTEMIC	Ornamentals	Aphids, cutworm, mealybug, scale insect, spider mites	3.0-5.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying
GOLDEN FARMERS AGR PRODUCT CORPORATION	MALATHION	GOLDEN MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	603-038-5074	06-Jun-21	NON-SYSTEMIC	Tomato	Lady beetle	3.0-5.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying
GOLDEN FARMERS AGR PRODUCT CORPORATION	MALATHION	GOLDEN MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	603-038-5074	06-Jun-21	NON-SYSTEMIC	Eggplant	Aphids, fruitworm	3.0-5.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying
GOLDEN FARMERS AGR PRODUCT CORPORATION	MALATHION	GOLDEN MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	603-038-5074	06-Jun-21	NON-SYSTEMIC	Sorghum	Web worm	3.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying
GOLDEN FARMERS AGR PRODUCT CORPORATION	MANCOZEB	GOLDEN M 80 WP	800g/kg	WP	FUNGICIDE	4	603-053-4224	09-Jan-24	-	Potato	Early and late blight	3-6 Tbsp/36 L water	-	-	As soon as spray dries
GOLDEN FARMERS AGR PRODUCT CORPORATION	MANCOZEB	GOLDEN M 80 WP	800g/kg	WP	FUNGICIDE	4	603-053-4224	09-Jan-24	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries
GOLDEN FARMERS AGR PRODUCT CORPORATION	MANCOZEB	GOLDEN M 80 WP	800g/kg	WP	FUNGICIDE	4	603-053-4224	09-Jan-24	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries
GOLDEN FARMERS AGR PRODUCT CORPORATION	MANCOZEB	GOLDEN M 80 WP	800g/kg	WP	FUNGICIDE	4	603-053-4224	09-Jan-24	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries
GOLDEN FARMERS AGR PRODUCT CORPORATION	MANCOZEB	GOLDEN M 80 WP	800g/kg	WP	FUNGICIDE	4	603-053-4224	09-Jan-24	-	Celery	Late blight	3-6 Tbsp/36 L water	-	14 days	As soon as spray dries
GOLDEN FARMERS AGR PRODUCT CORPORATION	MANCOZEB	GOLDEN M 80 WP	800g/kg	WP	FUNGICIDE	4	603-053-4224	09-Jan-24	-	Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
GOLDEN FARMERS AGR PRODUCT CORPORATION	MANCOZEB	GOLDEN M 80 WP	800g/kg	WP	FUNGICIDE	4	603-053-4224	09-Jan-24	-	Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
GOLDEN FARMERS AGR PRODUCT CORPORATION	MANCOZEB	GOLDEN M 80 WP	800g/kg	WP	FUNGICIDE	4	603-053-4224	09-Jan-24	-	Cotton	Damping off	3-6 Tbsp/36 L water	-	-	As soon as spray dries
GOLDEN FARMERS AGR PRODUCT CORPORATION	MANCOZEB	GOLDEN M 80 WP	800g/kg	WP	FUNGICIDE	4	603-053-4224	09-Jan-24	-	Lettuce	Downy mildew	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries
GOLDEN FARMERS AGR PRODUCT CORPORATION	MANCOZEB	GOLDEN M 80 WP	800g/kg	WP	FUNGICIDE	4	603-053-4224	09-Jan-24	-	Beans	Anthracoese, Downy mildew, Rust	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
GOLDEN FARMERS AGR PRODUCT CORPORATION	MANCOZEB	GOLDEN M 80 WP	800g/kg	WP	FUNGICIDE	4	603-053-4224	09-Jan-24	-	Peas	Anthracoese, Downy mildew, Rust	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
GOLDEN FARMERS AGR PRODUCT CORPORATION	MANCOZEB	GOLDEN M 80 WP	800g/kg	WP	FUNGICIDE	4	603-053-4224	09-Jan-24	-	Mungo	Anthracoese, Downy mildew, Rust	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
GOLDEN FARMERS AGR PRODUCT CORPORATION	MANCOZEB	GOLDEN M 80 WP	800g/kg	WP	FUNGICIDE	4	603-053-4224	09-Jan-24	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
GOLDEN FARMERS AGR PRODUCT CORPORATION	MANCOZEB	GOLDEN M 80 WP	800g/kg	WP	FUNGICIDE	4	603-053-4224	09-Jan-24	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries
GOLDEN FARMERS AGR PRODUCT CORPORATION	MANCOZEB	GOLDEN M 80 WP	800g/kg	WP	FUNGICIDE	4	603-053-4224	09-Jan-24	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries
GOLDEN FARMERS AGR PRODUCT CORPORATION	MANCOZEB	GOLDEN M 80 WP	800g/kg	WP	FUNGICIDE	4	603-053-4224	09-Jan-24	-	Pepper	Anthracoese	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries
GOLDEN FARMERS AGR PRODUCT CORPORATION	MANCOZEB	GOLDEN M 80 WP	800g/kg	WP	FUNGICIDE	4	603-053-4224	09-Jan-24	-	Chili	Anthracoese	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries
GOLDEN FARMERS AGR PRODUCT CORPORATION	MANCOZEB	GOLDEN M 80 WP	800g/kg	WP	FUNGICIDE	4	603-053-4224	09-Jan-24	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries
GOLDEN FARMERS AGR PRODUCT CORPORATION	MANCOZEB	GOLDEN M 80 WP	800g/kg	WP	FUNGICIDE	4	603-053-4224	09-Jan-24	-	Banana	Sigatoka, Black leaf streak	3-6 Tbsp/36 L water	-	-	As soon as spray dries
GOLDEN FARMERS AGR PRODUCT CORPORATION	MANCOZEB	GOLDEN M 80 WP	800g/kg	WP	FUNGICIDE	4	603-053-4224	09-Jan-24	-	Grapes	Downy mildew, black rot	3-6 Tbsp/36 L water	-	60 days	As soon as spray dries
GOLDEN FARMERS AGR PRODUCT CORPORATION	MANCOZEB	GOLDEN M 80 WP	800g/kg	WP	FUNGICIDE	4	603-053-4224	09-Jan-24	-	Mango	Anthracoese and Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
GOLDEN FARMERS AGR PRODUCT CORPORATION	MANCOZEB	GOLDEN M 80 WP	800g/kg	WP	FUNGICIDE	4	603-053-4224	09-Jan-24	-	Papaya	Fruit rot	3-6 Tbsp/36 L water	-	-	As soon as spray dries
GOLDEN FARMERS AGR PRODUCT CORPORATION	MANCOZEB	GOLDEN M 80 WP	800g/kg	WP	FUNGICIDE	4	603-053-4224	09-Jan-24	-	Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
GOLDEN FARMERS AGR PRODUCT CORPORATION	MANCOZEB	GOLDEN M 80 WP	800g/kg	WP	FUNGICIDE	4	603-053-4224	09-Jan-24	-	Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
GOLDEN FARMERS AGR PRODUCT CORPORATION	MANCOZEB	GOLDEN M 80 WP	800g/kg	WP	FUNGICIDE	4	603-053-4224	09-Jan-24	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries
GOLDEN FARMERS AGR PRODUCT CORPORATION	MANCOZEB	GOLDEN M 80 WP	800g/kg	WP	FUNGICIDE	4	603-053-4224	09-Jan-24	-	Rice	Blast, Sheath blight, Cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/36 L water	0.03ppm	-	As soon as spray dries
GOLDEN FARMERS AGR PRODUCT CORPORATION	MANCOZEB	GOLDEN M 80 WP	800g/kg	WP	FUNGICIDE	4	603-053-4224	09-Jan-24	-	Peanut	Cercospora leaf spot	3-6 Tbsp/36 L water	-	14 days	As soon as spray dries
GOLDEN FARMERS AGR PRODUCT CORPORATION	MANCOZEB	GOLDEN M 80 WP	800g/kg	WP	FUNGICIDE	4	603-053-4224	09-Jan-24	-	Soybeans	Leaf rust	3-6 Tbsp/36 L water	-	-	As soon as spray dries
GOLDEN FARMERS AGR PRODUCT CORPORATION	MANCOZEB	GOLDEN M 80 WP	800g/kg	WP	FUNGICIDE	4	603-053-4224	09-Jan-24	-	Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/36 L water	-	-	As soon as spray dries
GOLDEN PRIMESTOCKS CHEMICAL INC.	LAMBDA-CHYALOTHRIN	GOLDEN LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	373-204-3717	06-Jul-24	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leafroller, black bug	1.0-1.5Tbsp/36 L of water	0.05ppm	1 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
GOLDEN PRIMESTOCKS CHEMICAL INC.	LAMBDA-CHYALOTHRIN	GOLDEN LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	373-204-3717	06-Jul-24	SYSTEMIC	Mango	Hoppers	0.7%-1.3Tbsp/36 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
GOLDEN PRIMESTOCKS CHEMICAL INC.	LAMBDA-CHYALOTHRIN	GOLDEN LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	373-204-3717	06-Jul-24	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/36 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
GOLDEN PRIMESTOCKS CHEMICAL INC.	LAMBDA-CHYALOTHIRIN	GOLDEN LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	573-204-3717	06-Jul-24	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/16L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
GOLDEN PRIMESTOCKS CHEMICAL INC.	LAMBDA-CHYALOTHIRIN	GOLDEN LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	573-204-3717	06-Jul-24	SYSTEMIC	Mungbeans	Beanyfly, flea beetle, leafhopper, aphids, mites, podborer	1.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
GOLDEN PRIMESTOCKS CHEMICAL INC.	LAMBDA-CHYALOTHIRIN	GOLDEN LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	573-204-3717	06-Jul-24	SYSTEMIC	Corn	Comborer, aphids, seedling maggots	1.0-1.5Tbsp/16L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
GOLDEN PRIMESTOCKS CHEMICAL INC.	LAMBDA-CHYALOTHIRIN	GOLDEN LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	573-204-3717	06-Jul-24	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katyids	1.0-1.5Tbsp/16L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
GOLDEN PRIMESTOCKS CHEMICAL INC.	LAMBDA-CHYALOTHIRIN	GOLDEN LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	573-204-3717	06-Jul-24	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
GOLDEN PRIMESTOCKS CHEMICAL INC.	LAMBDA-CHYALOTHIRIN	GOLDEN LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	573-204-3717	06-Jul-24	SYSTEMIC	Cocoa	Podborer	1.0-2.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
GOLDEN PRIMESTOCKS CHEMICAL INC.	LAMBDA-CHYALOTHIRIN	GOLDEN LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	573-204-3717	06-Jul-24	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
GOLDEN FARMERS AGRI PRODUCT CORPORATION	NICLOSAMIDE	GOLDEN KILL 250 EC	250g/L	EC	MOLLUSCICIDE	4	603-229-4319	03-Apr-21	POST-EMERGENT	Rice	Golden apple snail	7-10/10-14Tbsp/16 L water	-	-	At least 48 hours after application
GOLDEN FARMERS AGRI PRODUCT CORPORATION	BUTACHLOR-PROPANIL	GOLDEN BLADE 70 EC	350-350g/L	EC	HERBICIDE	3	603-238-4314	03-Apr-24	POST-EMERGENT	Rice (Direct Seeded)	Grasses, Sedges and Broadleaves	8-12Tbsp/16 L water	Butachlor 0.1ppm Propanil 0.1ppm	-	As soon as the spray mist dries up
GOLDEN FARMERS AGRI PRODUCT CORPORATION	BUTACHLOR-PROPANIL	GOLDEN BLADE 70 EC	350-350g/L	EC	HERBICIDE	3	603-238-4314	03-Apr-21	POST-EMERGENT	Rice (Transplanted)	Grasses, Sedges and Broadleaves	8-12Tbsp/16 L water	Butachlor 0.1ppm Propanil 0.1ppm	-	As soon as the spray mist dries up
GOLDEN FARMERS AGRI PRODUCT CORPORATION	2,4-D IBE	GOLDEN 2,4-D ESTER	490g/L	EC	HERBICIDE	2	603-049-4311	16-Oct-24	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual Broadleaves & sedges	5.0-6.50Tbsp/16L water	0.1 ppm	-	Do not spray within two days before harvest. Entry to fields and crops treated with GOLDEN 2,4-D ESTER can be done one day after spraying.
GOLDEN FARMERS AGRI PRODUCT CORPORATION	2,4-D IBE	GOLDEN 2,4-D ESTER	490g/L	EC	HERBICIDE	2	603-049-4311	16-Oct-24	SELECTIVE (POST-EMERGENT)	Corn	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	-	-	Do not spray within two days before harvest. Entry to fields and crops treated with GOLDEN 2,4-D ESTER can be done one day after spraying.
GOLDEN FARMERS AGRI PRODUCT CORPORATION	2,4-D IBE	GOLDEN 2,4-D ESTER	490g/L	EC	HERBICIDE	2	603-049-4311	16-Oct-24	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual Broadleaves & sedges	5.0-6.50Tbsp/16L water	-	-	Do not spray within two days before harvest. Entry to fields and crops treated with GOLDEN 2,4-D ESTER can be done one day after spraying.
GOLDEN FARMERS AGRI PRODUCT CORPORATION	2,4-D AMINE	GOLDEN 2,4-D AMINE	400g/L	SC	HERBICIDE	2	603-031-4312	16-Oct-24	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual broadleaves and sedges	3.5-6.5Tbsp/16 L water	0.1 ppm	-	Entry to fields and crops treated with GOLDEN 2,4-D AMINE can be done one day after spraying.
GOLDEN FARMERS AGRI PRODUCT CORPORATION	2,4-D AMINE	GOLDEN 2,4-D AMINE	400g/L	SC	HERBICIDE	2	603-031-4312	16-Oct-24	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual broadleaves and sedges	18-25 Tbsp/16 L water	-	-	Entry to fields and crops treated with GOLDEN 2,4-D AMINE can be done one day after spraying.
GOLDEN FARMERS AGRI PRODUCT CORPORATION	2,4-D AMINE	GOLDEN 2,4-D AMINE	400g/L	SC	HERBICIDE	2	603-031-4312	16-Oct-24	SELECTIVE (POST-EMERGENT)	Corn	Annual broadleaves and sedges	4-6.5 Tbsp/16 L water	-	-	Entry to fields and crops treated with GOLDEN 2,4-D AMINE can be done one day after spraying.
GOLDEN FARMERS AGRI PRODUCT CORPORATION	NICLOSAMIDE ETHANOLAMINE SALT	GOLDEN KILL 70 WP	700g/kg	WP	MOLLUSCICIDE	4	603-229-4318	03-Apr-24	CONTACT	Rice	Golden apple snail	39 grams or 1 sachet	-	-	Do not enter the treated field within 48 hours after application
ENVIRO CROPVET PRODUCTS INC.	CARBENDAZIM	GOLDAZIM 300 SC	300 g/L	SC	FUNGICIDE	4	282-267-1495	20-Oct-23	SYSTEMIC	Mango	Anthraxnose	1-2Tbsp/16 L water	-	-	Re-entry is allowed as soon as the spray deposits dry up
ENVIRO CROPVET PRODUCTS INC.	CARBENDAZIM	GOLDAZIM 300 SC	300 g/L	SC	FUNGICIDE	4	282-267-1495	20-Oct-23	SYSTEMIC	Cucurbits	Downy mildew	1-2Tbsp/16 L water	-	-	Re-entry is allowed as soon as the spray deposits dry up
ENVIRO CROPVET PRODUCTS INC.	CARBENDAZIM	GOLDAZIM 300 SC	300 g/L	SC	FUNGICIDE	4	282-267-1495	20-Oct-23	SYSTEMIC	Garden Peas (Legumes)	Powdery mildew	1-2Tbsp/16 L water	-	-	Re-entry is allowed as soon as the spray deposits dry up
ENVIRO CROPVET PRODUCTS INC.	CARBENDAZIM	GOLDAZIM 300 SC	300 g/L	SC	FUNGICIDE	4	282-267-1495	20-Oct-23	SYSTEMIC	Sugarcane	Pineapple disease	9-10/200L water cane dipping	-	-	Re-entry is allowed as soon as the spray deposits dry up
ENVIRO CROPVET PRODUCTS INC.	CARBENDAZIM	GOLDAZIM 300 SC	300 g/L	SC	FUNGICIDE	4	282-267-1495	20-Oct-23	SYSTEMIC	Banana	Diamond fruit spot, anthracnose	0.5-1.0 mL / water	-	7 Days	Re-entry is allowed as soon as the spray deposits dry up
INTERNATIONAL VETERINARY & AGROCHEMICAL (IV&A) INC.	CARBENDAZIM	GOLDAZIM 300 SC	300 g/L	SC	FUNGICIDE	4	088-267-5407	12-Feb-25	SYSTEMIC	Mango	Anthraxnose	1-2Tbsp/16L water	-	-	Re-entry is allowed as soon as the spray deposits dry up.
INTERNATIONAL VETERINARY & AGROCHEMICAL (IV&A) INC.	CARBENDAZIM	GOLDAZIM 300 SC	300 g/L	SC	FUNGICIDE	4	088-267-5407	12-Feb-25	SYSTEMIC	Cucurbits	Downy mildew	1-2Tbsp/16 L water	-	-	Re-entry is allowed as soon as the spray deposits dry up.
INTERNATIONAL VETERINARY & AGROCHEMICAL (IV&A) INC.	CARBENDAZIM	GOLDAZIM 300 SC	300 g/L	SC	FUNGICIDE	4	088-267-5407	12-Feb-25	SYSTEMIC	Garden Peas (Legumes)	Powdery mildew	1-2Tbsp/16 L water	-	-	Re-entry is allowed as soon as the spray deposits dry up.
INTERNATIONAL VETERINARY & AGROCHEMICAL (IV&A) INC.	CARBENDAZIM	GOLDAZIM 300 SC	300 g/L	SC	FUNGICIDE	4	088-267-5407	12-Feb-25	SYSTEMIC	Sugarcane	Pineapple disease	9-10/200L water cane dipping	-	-	Re-entry is allowed as soon as the spray deposits dry up.
INTERNATIONAL VETERINARY & AGROCHEMICAL (IV&A) INC.	CARBENDAZIM	GOLDAZIM 300 SC	300 g/L	SC	FUNGICIDE	4	088-267-5407	12-Feb-25	SYSTEMIC	Banana	Diamond fruit spot, anthracnose	0.5-1.0 mL / water (80-100 mL spray volume)	-	-	Re-entry is allowed as soon as the spray deposits dry up.
DCOM MARKETING INCORPORATED	METHOMYL	GOLD PRIZE 40 SP	400 g/kg	SP	INSECTICIDE	2	467-164-3412	18-May-24	CONTACT	Asparagus	Armyworm, cutworm	1-Sachet/16L Sprayer	-	-	
DCOM MARKETING INCORPORATED	METHOMYL	GOLD PRIZE 40 SP	400 g/kg	SP	INSECTICIDE	2	467-164-3412	18-May-24	CONTACT	Banana	Thrips	1.5-2 Sachet/16L Sprayer	-	-	
DCOM MARKETING INCORPORATED	METHOMYL	GOLD PRIZE 40 SP	400 g/kg	SP	INSECTICIDE	2	467-164-3412	18-May-24	CONTACT	Beans	Leafroller, flea beetle , beanyfly, podborer,aphids	1-Sachet/16L Sprayer	-	-	
DCOM MARKETING INCORPORATED	METHOMYL	GOLD PRIZE 40 SP	400 g/kg	SP	INSECTICIDE	2	467-164-3412	18-May-24	CONTACT	Mungbeans	Leafroller, flea beetle , beanyfly, podborer,aphids	1-Sachet/16L Sprayer	-	-	
DCOM MARKETING INCORPORATED	METHOMYL	GOLD PRIZE 40 SP	400 g/kg	SP	INSECTICIDE	2	467-164-3412	18-May-24	CONTACT	Soybeans	Leafroller, flea beetle , beanyfly, podborer,aphids	1-Sachet/16L Sprayer	-	-	
DCOM MARKETING INCORPORATED	METHOMYL	GOLD PRIZE 40 SP	400 g/kg	SP	INSECTICIDE	2	467-164-3412	18-May-24	CONTACT	Peas	Leafroller, flea beetle , beanyfly, podborer,aphids	1-Sachet/16L Sprayer	-	-	
DCOM MARKETING INCORPORATED	METHOMYL	GOLD PRIZE 40 SP	400 g/kg	SP	INSECTICIDE	2	467-164-3412	18-May-24	CONTACT	Corn	Comborer, earworm	1-Sachet/16L Sprayer	-	-	
DCOM MARKETING INCORPORATED	METHOMYL	GOLD PRIZE 40 SP	400 g/kg	SP	INSECTICIDE	2	467-164-3412	18-May-24	CONTACT	Eggplant	Aphids, flea beetle, fruitworm, lady beetle	1-Sachet/16L Sprayer	-	-	
DCOM MARKETING INCORPORATED	METHOMYL	GOLD PRIZE 40 SP	400 g/kg	SP	INSECTICIDE	2	467-164-3412	18-May-24	CONTACT	Melon	Aphids, Squash beetle , leafroller	1-Sachet/16L Sprayer	-	-	
DCOM MARKETING INCORPORATED	METHOMYL	GOLD PRIZE 40 SP	400 g/kg	SP	INSECTICIDE	2	467-164-3412	18-May-24	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leafroller	1-Sachet/16L Sprayer	0.05ppm	3 Days	
DCOM MARKETING INCORPORATED	METHOMYL	GOLD PRIZE 40 SP	400 g/kg	SP	INSECTICIDE	2	467-164-3412	18-May-24	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	1-Sachet/16L Sprayer	-	-	
DCOM MARKETING INCORPORATED	METHOMYL	GOLD PRIZE 40 SP	400 g/kg	SP	INSECTICIDE	2	467-164-3412	18-May-24	CONTACT	Tomato	Tomato fruitworm, aphids	1-Sachet/16L Sprayer	-	-	
GOLDEN FARMERS AGRI PRODUCT CORPORATION	DIURON	GOLD CUTTER 80 SC	800 g/L	SC	HERBICIDE	4	603-021-4351	08-May-21	SYSTEMIC	Citrus	Annual and Perennial broadleaves and grasses	11.0-15.0Tbsp/16 L water	-	-	24 hours after application
GOLDEN FARMERS AGRI PRODUCT CORPORATION	DIURON	GOLD CUTTER 80 SC	800 g/L	SC	HERBICIDE	4	603-021-4351	08-May-21	SYSTEMIC	Coffee	Annual and Perennial broadleaves and grasses	11.0-15.0Tbsp/16 L water	-	-	24 hours after application
GOLDEN FARMERS AGRI PRODUCT CORPORATION	DIURON	GOLD CUTTER 80 SC	800 g/L	SC	HERBICIDE	4	603-021-4351	08-May-21	SYSTEMIC	Cotton	Annual and Perennial broadleaves and grasses	8.0Tbsp/16 L water	-	-	24 hours after application
GOLDEN FARMERS AGRI PRODUCT CORPORATION	DIURON	GOLD CUTTER 80 SC	800 g/L	SC	HERBICIDE	4	603-021-4351	08-May-21	SYSTEMIC	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0Tbsp/16 L water	-	-	24 hours after application
GOLDEN FARMERS AGRI PRODUCT CORPORATION	DIURON	GOLD CUTTER 80 SC	800 g/L	SC	HERBICIDE	4	603-021-4351	08-May-21	SYSTEMIC	Pineapple	Annual and Perennial broadleaves and grasses	11.0Tbsp/16 L water	-	-	24 hours after application
GOLDEN FARMERS AGRI PRODUCT CORPORATION	DIURON	GOLD CUTTER 80 SC	800 g/L	SC	HERBICIDE	4	603-021-4351	08-May-21	SYSTEMIC	Non-crop land	Annual and Perennial broadleaves and grasses	10.0-13.0Tbsp/16 L water	-	-	24 hours after application
MEGA BOOSTER AGRI TRADING CO.	LAMBDA-CHYALOTHIRIN	GOLD CROPS 2.5 EC	25 g/L	EC	INSECTICIDE	2	531-204-3539	10-Sep-24	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leafroller, black bug	1.0-1.1/2Tbsp/16 L of water	-	-	Do not spray 3 days before harvest Re-entry to treated fields is allowed as soon as spray deposits dry
MEGA BOOSTER AGRI TRADING CO.	LAMBDA-CHYALOTHIRIN	GOLD CROPS 2.5 EC	25 g/L	EC	INSECTICIDE	2	531-204-3539	10-Sep-24	SYSTEMIC	Mango	Hoppers	3/4-1 1/2Tbsp/16 L of water	-	-	Do not spray 3 days before harvest Re-entry to treated fields is allowed as soon as spray deposits dry
MEGA BOOSTER AGRI TRADING CO.	LAMBDA-CHYALOTHIRIN	GOLD CROPS 2.5 EC	25 g/L	EC	INSECTICIDE	2	531-204-3539	10-Sep-24	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.1/2Tbsp/16 L of water	-	-	Do not spray 3 days before harvest Re-entry to treated fields is allowed as soon as spray deposits dry
MEGA BOOSTER AGRI TRADING CO.	LAMBDA-CHYALOTHIRIN	GOLD CROPS 2.5 EC	25 g/L	EC	INSECTICIDE	2	531-204-3539	10-Sep-24	SYSTEMIC	Onion	Thrips, cutworm	1Tbsp/16 L of water	-	-	Do not spray 3 days before harvest Re-entry to treated fields is allowed as soon as spray deposits dry
MEGA BOOSTER AGRI TRADING CO.	LAMBDA-CHYALOTHIRIN	GOLD CROPS 2.5 EC	25 g/L	EC	INSECTICIDE	2	531-204-3539	10-Sep-24	SYSTEMIC	Mungbeans	Beanyfly, flea beetle, leafhopper, aphids, mites, podborer	2Tbsp/16 L of water	-	-	Do not spray 3 days before harvest Re-entry to treated fields is allowed as soon as spray deposits dry
MEGA BOOSTER AGRI TRADING CO.	LAMBDA-CHYALOTHIRIN	GOLD CROPS 2.5 EC	25 g/L	EC	INSECTICIDE	2	531-204-3539	10-Sep-24	SYSTEMIC	Corn	Comborer, aphids, seedling maggots	1.0-1.1/2Tbsp/16 L of water	-	-	Do not spray 3 days before harvest Re-entry to treated fields is allowed as soon as spray deposits dry
MEGA BOOSTER AGRI TRADING CO.	LAMBDA-CHYALOTHIRIN	GOLD CROPS 2.5 EC	25 g/L	EC	INSECTICIDE	2	531-204-3539	10-Sep-24	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katyids	1.0-1.1/2Tbsp/16 L of water	-	-	Do not spray 3 days before harvest Re-entry to treated fields is allowed as soon as spray deposits dry
MEGA BOOSTER AGRI TRADING CO.	LAMBDA-CHYALOTHIRIN	GOLD CROPS 2.5 EC	25 g/L	EC	INSECTICIDE	2	531-204-3539	10-Sep-24	SYSTEMIC	Cotton	Bollworm	1.0-1.1/2Tbsp/16 L of water	-	-	Do not spray 3 days before harvest Re-entry to treated fields is allowed as soon as spray deposits dry
MEGA BOOSTER AGRI TRADING CO.	LAMBDA-CHYALOTHIRIN	GOLD CROPS 2.5 EC	25 g/L	EC	INSECTICIDE	2	531-204-3539	10-Sep-24	SYSTEMIC	Cocoa	Podborer	1-2Tbsp/16 L of water	-	-	Do not spray 3 days before harvest Re-entry to treated fields is allowed as soon as spray deposits dry
MEGA BOOSTER AGRI TRADING CO.	LAMBDA-CHYALOTHIRIN	GOLD CROPS 2.5 EC	25 g/L	EC	INSECTICIDE	2	531-204-3539	10-Sep-24	SYSTEMIC	Watermelon	Squash beetle, melon worm	2Tbsp/16 L of water	-	-	Do not spray 3 days before harvest Re-entry to treated fields is allowed as soon as spray deposits dry
C.B. ANDREW ASIA, INC.	CLOTHIANIDIN	GOLD 20 SC	200ml/L	SC	INSECTICIDE	4	460-379-4682-B	15-Sep-24	SYSTEMIC	Rice	Rice black bug	600ml/ha	0.5 ppm	-	Pre-harvest interval must consider at least 6 and 10 weeks from application on open bud lots for banana cv

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
C.B. ANDREW ASIA, INC.	CLOTHIANIDIN	GOLD 20 SC	200mg/L	SC	INSECTICIDE	4	460-379-4082	15-Sep-24	SYSTEMIC	Banana	Aphids, mealy bugs, flower thrips	0.5-1.0ml prod./L of water	-	-	Pre-harvest interval must consider at least 6 and 30 weeks from application on a per-basis for banana cv.
C.B. ANDREW ASIA, INC.	CLOTHIANIDIN	GOLD 20 SC	200mg/L	SC	INSECTICIDE	4	460-379-4082	14-Feb-24	SYSTEMIC	Mango	Cecid fly	90-200 ml prod./200L	-	-	Pre-harvest interval must consider at least 6 and 30 weeks from application on a per-basis for banana cv.
PRIMSTOCKS CHEMICAL CORPORATION	CHLOROTHALONIL	GOBLIN 500 SC	500 g/L	SC	FUNGICIDE	4	623-118-4508	13-Sep-21		Corn	Heminthosphorium leaf spot, cercospora leafspot	6.0-8.5 Tbsp/16L		7-14 days	Do not enter treatment areas until spray deposit have dried
PRIMSTOCKS CHEMICAL CORPORATION	CHLOROTHALONIL	GOBLIN 500 SC	500 g/L	SC	FUNGICIDE	4	623-118-4508	13-Sep-21		Eggplant	Anthracoese, cercospora leafspot, early and late blight	6.0-8.5 Tbsp/16L		7-14 days	Do not enter treatment areas until spray deposit have dried
PRIMSTOCKS CHEMICAL CORPORATION	CHLOROTHALONIL	GOBLIN 500 SC	500 g/L	SC	FUNGICIDE	4	623-118-4508	13-Sep-21		Peanut	Cercospora leaf spot, rust	6.0-8.5 Tbsp/16L		7-14 days	Do not enter treatment areas until spray deposit have dried
PRIMSTOCKS CHEMICAL CORPORATION	CHLOROTHALONIL	GOBLIN 500 SC	500 g/L	SC	FUNGICIDE	4	623-118-4508	13-Sep-21		Potato	Early and late blight, vine rot	6.0-8.5 Tbsp/16L		7-14 days	Do not enter treatment areas until spray deposit have dried
PRIMSTOCKS CHEMICAL CORPORATION	CHLOROTHALONIL	GOBLIN 500 SC	500 g/L	SC	FUNGICIDE	4	623-118-4508	13-Sep-21		Tomato	Early and late blight, vine rot	6.0-8.5 Tbsp/16L		7-14 days	Do not enter treatment areas until spray deposit have dried
PRIMSTOCKS CHEMICAL CORPORATION	CHLOROTHALONIL	GOBLIN 500 SC	500 g/L	SC	FUNGICIDE	4	623-118-4508	13-Sep-21		Carrot	Alternaria, cercospora leaf spot, heminthosphorium leaf spot	6.0-8.5 Tbsp/16L		7-14 days	Do not enter treatment areas until spray deposit have dried
PRIMSTOCKS CHEMICAL CORPORATION	CHLOROTHALONIL	GOBLIN 500 SC	500 g/L	SC	FUNGICIDE	4	623-118-4508	13-Sep-21		Banana	Sigatoka, rust, freckles, heminthosphorium leaf spot	2 L/ha	2.0 mg/kg	-	Do not enter treatment areas until spray deposit have dried
PRIMSTOCKS CHEMICAL CORPORATION	CHLOROTHALONIL	GOBLIN 500 SC	500 g/L	SC	FUNGICIDE	4	623-118-4508	13-Sep-21		Mango	Anthracoese, diploida rot	6.0-8.5 Tbsp/16L	0.5 mg/kg	7-14 days	Do not enter treatment areas until spray deposit have dried
PRIMSTOCKS CHEMICAL CORPORATION	CHLOROTHALONIL	GOBLIN 500 SC	500 g/L	SC	FUNGICIDE	4	623-118-4508	13-Sep-21		Beans	Rust, anthracnose	6.0-8.5 Tbsp/16L		7-14 days	Do not enter treatment areas until spray deposit have dried
PRIMSTOCKS CHEMICAL CORPORATION	CHLOROTHALONIL	GOBLIN 500 SC	500 g/L	SC	FUNGICIDE	4	623-118-4508	13-Sep-21		Crucifers	Powdery mildew	6.0-8.5 Tbsp/16L		7-14 days	Do not enter treatment areas until spray deposit have dried
PRIMSTOCKS CHEMICAL CORPORATION	CHLOROTHALONIL	GOBLIN 500 SC	500 g/L	SC	FUNGICIDE	4	623-118-4508	13-Sep-21		Onion	Purple blotch, bulb rot, neck rot	6.0-8.5 Tbsp/16L		7-14 days	Do not enter treatment areas until spray deposit have dried
PRIMSTOCKS CHEMICAL CORPORATION	CHLOROTHALONIL	GOBLIN 500 SC	500 g/L	SC	FUNGICIDE	4	623-118-4508	13-Sep-21		Garlic	Purple blotch, bulb rot, neck rot	6.0-8.5 Tbsp/16L		7-14 days	Do not enter treatment areas until spray deposit have dried
PRIMSTOCKS CHEMICAL CORPORATION	CHLOROTHALONIL	GOBLIN 500 SC	500 g/L	SC	FUNGICIDE	4	623-118-4508	13-Sep-21		Ornamentals	Black spot, block rot, powdery mildew	6.0-8.5 Tbsp/16L		7-14 days	Do not enter treatment areas until spray deposit have dried
PRIMSTOCKS CHEMICAL CORPORATION	CHLOROTHALONIL	GOBLIN 500 SC	500 g/L	SC	FUNGICIDE	4	623-118-4508	13-Sep-21		Grapes	Downy mildew, powdery mildew, fruit rot	6.0-8.5 Tbsp/16L		7-14 days	Do not enter treatment areas until spray deposit have dried
PRIMSTOCKS CHEMICAL CORPORATION	CHLOROTHALONIL	GOBLIN 500 SC	500 g/L	SC	FUNGICIDE	4	623-118-4508	13-Sep-21		Pepper	Anthracoese, cercospora leaf spot, early blight	6.0-8.5 Tbsp/16L		7-14 days	Do not enter treatment areas until spray deposit have dried
PRIMSTOCKS CHEMICAL CORPORATION	CHLOROTHALONIL	GOBLIN 500 SC	500 g/L	SC	FUNGICIDE	4	623-118-4508	13-Sep-21		Melon	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16L		7-14 days	Do not enter treatment areas until spray deposit have dried
PRIMSTOCKS CHEMICAL CORPORATION	CHLOROTHALONIL	GOBLIN 500 SC	500 g/L	SC	FUNGICIDE	4	623-118-4508	13-Sep-21		Cucumber	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16L		7-14 days	Do not enter treatment areas until spray deposit have dried
PRIMSTOCKS CHEMICAL CORPORATION	CHLOROTHALONIL	GOBLIN 500 SC	500 g/L	SC	FUNGICIDE	4	623-118-4508	13-Sep-21		Squash	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16L		7-14 days	Do not enter treatment areas until spray deposit have dried
PRIMSTOCKS CHEMICAL CORPORATION	CHLOROTHALONIL	GOBLIN 500 SC	500 g/L	SC	FUNGICIDE	4	623-118-4508	13-Sep-21		Watermelon	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16L		7-14 days	Do not enter treatment areas until spray deposit have dried
PRIMSTOCKS CHEMICAL CORPORATION	CHLOROTHALONIL	GOBLIN 500 SC	500 g/L	SC	FUNGICIDE	4	623-118-4508	13-Sep-21		Celery	Early and late blight	6.0-8.5 Tbsp/16L		7-14 days	Do not enter treatment areas until spray deposit have dried
PRIMSTOCKS CHEMICAL CORPORATION	CHLOROTHALONIL	GOBLIN 500 SC	500 g/L	SC	FUNGICIDE	4	623-118-4508	13-Sep-21		Okra	Damping off, stem rot, powdery mildew, late blight, cercospora leafspot, downy mildew	6.0-8.5 Tbsp/16L		7-14 days	Do not enter treatment areas until spray deposit have dried
PRIMSTOCKS CHEMICAL CORPORATION	CHLOROTHALONIL	GOBLIN 500 SC	500 g/L	SC	FUNGICIDE	4	623-118-4508	13-Sep-24		Corn	Heminthosphorium leaf spot, cercospora leafspot	6.0-8.5 Tbsp/16L		7-14 days	Enter treated fields until spray deposit have dried
PRIMSTOCKS CHEMICAL CORPORATION	CHLOROTHALONIL	GOBLIN 500 SC	500 g/L	SC	FUNGICIDE	4	623-118-4508	13-Sep-24		Eggplant	Anthracoese, cercospora leafspot, early and late blight	6.0-8.5 Tbsp/16L		7-14 days	Enter treated fields until spray deposit have dried
PRIMSTOCKS CHEMICAL CORPORATION	CHLOROTHALONIL	GOBLIN 500 SC	500 g/L	SC	FUNGICIDE	4	623-118-4508	13-Sep-24		Peanut	Cercospora leaf spot, rust	6.0-8.5 Tbsp/16L		7-14 days	Enter treated fields until spray deposit have dried
PRIMSTOCKS CHEMICAL CORPORATION	CHLOROTHALONIL	GOBLIN 500 SC	500 g/L	SC	FUNGICIDE	4	623-118-4508	13-Sep-24		Potato	Early and late blight, vine rot	6.0-8.5 Tbsp/16L		7-14 days	Enter treated fields until spray deposit have dried
PRIMSTOCKS CHEMICAL CORPORATION	CHLOROTHALONIL	GOBLIN 500 SC	500 g/L	SC	FUNGICIDE	4	623-118-4508	13-Sep-24		Tomato	Early and late blight, vine rot	6.0-8.5 Tbsp/16L		7-14 days	Enter treated fields until spray deposit have dried
PRIMSTOCKS CHEMICAL CORPORATION	CHLOROTHALONIL	GOBLIN 500 SC	500 g/L	SC	FUNGICIDE	4	623-118-4508	13-Sep-24		Carrot	Alternaria, cercospora leaf spot, heminthosphorium leaf spot	6.0-8.5 Tbsp/16L		7-14 days	Enter treated fields until spray deposit have dried
PRIMSTOCKS CHEMICAL CORPORATION	CHLOROTHALONIL	GOBLIN 500 SC	500 g/L	SC	FUNGICIDE	4	623-118-4508	13-Sep-24		Banana	Sigatoka, rust, freckles, heminthosphorium leaf spot	2 L/ha	2.0 mg/kg	-	Enter treated fields until spray deposit have dried
PRIMSTOCKS CHEMICAL CORPORATION	CHLOROTHALONIL	GOBLIN 500 SC	500 g/L	SC	FUNGICIDE	4	623-118-4508	13-Sep-24		Mango	Anthracoese, diploida rot	6.0-8.5 Tbsp/16L	0.5 mg/kg	7-14 days	Enter treated fields until spray deposit have dried
PRIMSTOCKS CHEMICAL CORPORATION	CHLOROTHALONIL	GOBLIN 500 SC	500 g/L	SC	FUNGICIDE	4	623-118-4508	13-Sep-24		Beans	Rust, anthracnose	6.0-8.5 Tbsp/16L		7-14 days	Enter treated fields until spray deposit have dried
PRIMSTOCKS CHEMICAL CORPORATION	CHLOROTHALONIL	GOBLIN 500 SC	500 g/L	SC	FUNGICIDE	4	623-118-4508	13-Sep-24		Crucifers	Powdery mildew	6.0-8.5 Tbsp/16L		7-14 days	Enter treated fields until spray deposit have dried
PRIMSTOCKS CHEMICAL CORPORATION	CHLOROTHALONIL	GOBLIN 500 SC	500 g/L	SC	FUNGICIDE	4	623-118-4508	13-Sep-24		Onion	Purple blotch, bulb rot, neck rot	6.0-8.5 Tbsp/16L		7-14 days	Enter treated fields until spray deposit have dried
PRIMSTOCKS CHEMICAL CORPORATION	CHLOROTHALONIL	GOBLIN 500 SC	500 g/L	SC	FUNGICIDE	4	623-118-4508	13-Sep-24		Garlic	Purple blotch, bulb rot, neck rot	6.0-8.5 Tbsp/16L		7-14 days	Enter treated fields until spray deposit have dried
PRIMSTOCKS CHEMICAL CORPORATION	CHLOROTHALONIL	GOBLIN 500 SC	500 g/L	SC	FUNGICIDE	4	623-118-4508	13-Sep-24		Ornamentals	Black spot, block rot, powdery mildew	6.0-8.5 Tbsp/16L		7-14 days	Enter treated fields until spray deposit have dried
PRIMSTOCKS CHEMICAL CORPORATION	CHLOROTHALONIL	GOBLIN 500 SC	500 g/L	SC	FUNGICIDE	4	623-118-4508	13-Sep-24		Grapes	Downy mildew, powdery mildew, fruit rot	6.0-8.5 Tbsp/16L		7-14 days	Enter treated fields until spray deposit have dried
PRIMSTOCKS CHEMICAL CORPORATION	CHLOROTHALONIL	GOBLIN 500 SC	500 g/L	SC	FUNGICIDE	4	623-118-4508	13-Sep-24		Pepper	Anthracoese, cercospora leaf spot, early blight	6.0-8.5 Tbsp/16L		7-14 days	Enter treated fields until spray deposit have dried
PRIMSTOCKS CHEMICAL CORPORATION	CHLOROTHALONIL	GOBLIN 500 SC	500 g/L	SC	FUNGICIDE	4	623-118-4508	13-Sep-24		Melon	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16L		7-14 days	Enter treated fields until spray deposit have dried
PRIMSTOCKS CHEMICAL CORPORATION	CHLOROTHALONIL	GOBLIN 500 SC	500 g/L	SC	FUNGICIDE	4	623-118-4508	13-Sep-24		Cucumber	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16L		7-14 days	Enter treated fields until spray deposit have dried
PRIMSTOCKS CHEMICAL CORPORATION	CHLOROTHALONIL	GOBLIN 500 SC	500 g/L	SC	FUNGICIDE	4	623-118-4508	13-Sep-24		Squash	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16L		7-14 days	Enter treated fields until spray deposit have dried
PRIMSTOCKS CHEMICAL CORPORATION	CHLOROTHALONIL	GOBLIN 500 SC	500 g/L	SC	FUNGICIDE	4	623-118-4508	13-Sep-24		Watermelon	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16L		7-14 days	Enter treated fields until spray deposit have dried
PRIMSTOCKS CHEMICAL CORPORATION	CHLOROTHALONIL	GOBLIN 500 SC	500 g/L	SC	FUNGICIDE	4	623-118-4508	13-Sep-24		Celery	Early and late blight	6.0-8.5 Tbsp/16L		7-14 days	Enter treated fields until spray deposit have dried
PRIMSTOCKS CHEMICAL CORPORATION	CHLOROTHALONIL	GOBLIN 500 SC	500 g/L	SC	FUNGICIDE	4	623-118-4508	13-Sep-24		Okra	Damping off, stem rot, powdery mildew, late blight, cercospora leafspot, downy mildew	-		7-14 days	Enter treated fields until spray deposit have dried
CRIPKING CHEMICALS INC.	OMYFLUORFEN	GOAL 24 EC	240 g/L	EC	HERBICIDE	4	865-125-0624	07-Oct-22	SELECTIVE (PRE / POST EMERGENCE)	Onion (Transplanted)	Broadleaves, sedges & grasses	4-8 Tbsp/16L of water	-	-	Immediately after spray deposits have dried
OLD TOWN AGRICULTURAL KINDS CORP.	OMYFLUORFEN	GOAL 24 EC	240 g/L	EC	HERBICIDE	4	499-123-5438	14-May-24	SELECTIVE (PRE / POST EMERGENCE)	Onion (Transplanted)	Broadleaves, sedges & grasses	4-8 Tbsp/16 L of water	-	-	Immediately after spray deposits have dried
S&P ENTERPRISES, INC.	OMYFLUORFEN	GOAL 24 EC	240 g/L	EC	HERBICIDE	4	866-125-5097	14-May-24	SELECTIVE (PRE / POST EMERGENCE)	Onion	Broadleaves, sedges & grasses	4-8 Tbsp/16 L of water	-	-	Do not enter treated areas until spray deposits has dried
RAMGO INTERNATIONAL CORPORATION	GLYPHOSATE IPA	GLYZONE 480 SL	480 g/L	SL	HERBICIDE	4	570-151-3696	20-Apr-25	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/ha			
RAMGO INTERNATIONAL CORPORATION	GLYPHOSATE IPA	GLYZONE 480 SL	480 g/L	SL	HERBICIDE	4	570-151-3696	20-Apr-25	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha			
RAMGO INTERNATIONAL CORPORATION	GLYPHOSATE IPA	GLYZONE 480 SL	480 g/L	SL	HERBICIDE	4	570-151-3696	20-Apr-25	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha			
RAMGO INTERNATIONAL CORPORATION	GLYPHOSATE IPA	GLYZONE 480 SL	480 g/L	SL	HERBICIDE	4	570-151-3696	20-Apr-25	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha			
RAMGO INTERNATIONAL CORPORATION	GLYPHOSATE IPA	GLYZONE 480 SL	480 g/L	SL	HERBICIDE	4	570-151-3696	20-Apr-25	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha			
RAMGO INTERNATIONAL CORPORATION	GLYPHOSATE IPA	GLYZONE 480 SL	480 g/L	SL	HERBICIDE	4	570-151-3696	20-Apr-25	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha			
RAMGO INTERNATIONAL CORPORATION	GLYPHOSATE IPA	GLYZONE 480 SL	480 g/L	SL	HERBICIDE	4	570-151-3696	20-Apr-25	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha			
RAMGO INTERNATIONAL CORPORATION	GLYPHOSATE IPA	GLYZONE 480 SL	480 g/L	SL	HERBICIDE	4	570-151-3696	20-Apr-25	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha			
RAMGO INTERNATIONAL CORPORATION	GLYPHOSATE IPA	GLYZONE 480 SL	480 g/L	SL	HERBICIDE	4	570-151-3696	20-Apr-25	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/ha			

List of Registered Pesticide Products as of May 2, 2024

List of Registered Pesticide Products as of May 2, 2024

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
BULWANG TECHNOLOGIES, INCORPORATED	GLYPHOSATE IPA	GLVMAX 480 SL	480g/L	SL	HERBICIDE	4	515-151-4069	08/29/2020	POST-EMERGENT	Coffee	Annual & Perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
BULWANG TECHNOLOGIES, INCORPORATED	GLYPHOSATE IPA	GLVMAX 480 SL	480g/L	SL	HERBICIDE	4	515-151-4069	08/29/2020	POST-EMERGENT	Rubber	Annual & Perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
BULWANG TECHNOLOGIES, INCORPORATED	GLYPHOSATE IPA	GLVMAX 480 SL	480g/L	SL	HERBICIDE	4	515-151-4069	08/29/2020	POST-EMERGENT	Oil palm	Annual & Perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
BULWANG TECHNOLOGIES, INCORPORATED	GLYPHOSATE IPA	GLVMAX 480 SL	480g/L	SL	HERBICIDE	4	515-151-4069	08/29/2020	POST-EMERGENT	Citrus	Annual & Perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
BULWANG TECHNOLOGIES, INCORPORATED	GLYPHOSATE IPA	GLVMAX 480 SL	480g/L	SL	HERBICIDE	4	515-151-4069	08/29/2020	POST-EMERGENT	Coconut	Annual & Perennial grasses, broadleaf weeds & sedges	4.5 Liters/ha	-	-	-
BULWANG TECHNOLOGIES, INCORPORATED	GLYPHOSATE IPA	GLVMAX 480 SL	480g/L	SL	HERBICIDE	4	515-151-4069	08/29/2020	POST-EMERGENT	Sugarcane	Annual & Perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
BULWANG TECHNOLOGIES, INCORPORATED	GLYPHOSATE IPA	GLVMAX 480 SL	480g/L	SL	HERBICIDE	4	515-151-4069	08/29/2020	POST-EMERGENT	Vegetables	Annual & Perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
BULWANG TECHNOLOGIES, INCORPORATED	GLYPHOSATE IPA	GLVMAX 480 SL	480g/L	SL	HERBICIDE	4	515-151-4069	08/29/2020	POST-EMERGENT	Non-crop	Annual & Perennial grasses, broadleaf weeds & sedges	-	-	-	-
ASCHEM MANUFACTURING CORPORATION	GLYPHOSATE IPA	GLVXIL 160 SL	160 g/L	SL	HERBICIDE	4	001-151-2055-A (480M)	09-Mar-25	NON-SELECTIVE	Non-crop agricultural areas	Common grassy fields	24-48 Tbsp/58L water	-	-	-
GRANDIA AGRO MARKETING CORPORATION	GLYPHOSATE IPA	GLVFORCE 160 SL	160 g/L	SL	HERBICIDE	4	445-151-2971	20-Mar-24	POST-EMERGENT	non-crop areas	common grassy fields	-	-	-	-
FKA AGRI CHEMICAL CORPORATION	GLYPHOSATE IPA	GLV FLOMAX 48 SL	480 g/L	SL	HERBICIDE	4	399-151-2121-A	01-Aug-26	POST-EMERGENT	glyphosate tolerant corn under minimum crop reduced	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/ha	-	-	-
FKA AGRI CHEMICAL CORPORATION	GLYPHOSATE IPA	GLV FLOMAX 48 SL	480 g/L	SL	HERBICIDE	4	399-151-2121-A	01-Aug-26	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
FKA AGRI CHEMICAL CORPORATION	GLYPHOSATE IPA	GLV FLOMAX 48 SL	480 g/L	SL	HERBICIDE	4	399-151-2121-A	01-Aug-26	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
FKA AGRI CHEMICAL CORPORATION	GLYPHOSATE IPA	GLV FLOMAX 48 SL	480 g/L	SL	HERBICIDE	4	399-151-2121-A	01-Aug-26	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
FKA AGRI CHEMICAL CORPORATION	GLYPHOSATE IPA	GLV FLOMAX 48 SL	480 g/L	SL	HERBICIDE	4	399-151-2121-A	01-Aug-26	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
FKA AGRI CHEMICAL CORPORATION	GLYPHOSATE IPA	GLV FLOMAX 48 SL	480 g/L	SL	HERBICIDE	4	399-151-2121-A	01-Aug-26	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
FKA AGRI CHEMICAL CORPORATION	GLYPHOSATE IPA	GLV FLOMAX 48 SL	480 g/L	SL	HERBICIDE	4	399-151-2121-A	01-Aug-26	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
FKA AGRI CHEMICAL CORPORATION	GLYPHOSATE IPA	GLV FLOMAX 48 SL	480 g/L	SL	HERBICIDE	4	399-151-2121-A	01-Aug-26	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
FKA AGRI CHEMICAL CORPORATION	GLYPHOSATE IPA	GLV FLOMAX 48 SL	480 g/L	SL	HERBICIDE	4	399-151-2121-A	01-Aug-26	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/ha	-	-	-
FKA AGRI CHEMICAL CORPORATION	GLYPHOSATE IPA	GLV FLOMAX 48 SL	480 g/L	SL	HERBICIDE	4	399-151-2121-A	01-Aug-26	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
FKA AGRI CHEMICAL CORPORATION	GLYPHOSATE IPA	GLV FLOMAX 48 SL	480 g/L	SL	HERBICIDE	4	399-151-2121-A	01-Aug-26	POST-EMERGENT	Vegetables under minimum or reduced tillage system	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
PACIFIC FUMIGATION CO., INC.	GLYPHOSATE IPA	GLVREC	480g/L	SL	HERBICIDE	4	255-151-4127	09/27/2020	POST-EMERGENT	glyphosate tolerant corn	Annual & Perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/ha	-	-	-
PACIFIC FUMIGATION CO., INC.	GLYPHOSATE IPA	GLVREC	480g/L	SL	HERBICIDE	4	255-151-4127	09/27/2020	POST-EMERGENT	Mango	Annual & Perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
PACIFIC FUMIGATION CO., INC.	GLYPHOSATE IPA	GLVREC	480g/L	SL	HERBICIDE	4	255-151-4127	09/27/2020	POST-EMERGENT	Cacao	Annual & Perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
PACIFIC FUMIGATION CO., INC.	GLYPHOSATE IPA	GLVREC	480g/L	SL	HERBICIDE	4	255-151-4127	09/27/2020	POST-EMERGENT	Banana	Annual & Perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
PACIFIC FUMIGATION CO., INC.	GLYPHOSATE IPA	GLVREC	480g/L	SL	HERBICIDE	4	255-151-4127	09/27/2020	POST-EMERGENT	Coffee	Annual & Perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
PACIFIC FUMIGATION CO., INC.	GLYPHOSATE IPA	GLVREC	480g/L	SL	HERBICIDE	4	255-151-4127	09/27/2020	POST-EMERGENT	Rubber	Annual & Perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
PACIFIC FUMIGATION CO., INC.	GLYPHOSATE IPA	GLVREC	480g/L	SL	HERBICIDE	4	255-151-4127	09/27/2020	POST-EMERGENT	Oil palm	Annual & Perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
PACIFIC FUMIGATION CO., INC.	GLYPHOSATE IPA	GLVREC	480g/L	SL	HERBICIDE	4	255-151-4127	09/27/2020	POST-EMERGENT	Citrus	Annual & Perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
PACIFIC FUMIGATION CO., INC.	GLYPHOSATE IPA	GLVREC	480g/L	SL	HERBICIDE	4	255-151-4127	09/27/2020	POST-EMERGENT	Coconut	Annual & Perennial grasses, broadleaf weeds & sedges	4.5 Liters/ha	-	-	-
PACIFIC FUMIGATION CO., INC.	GLYPHOSATE IPA	GLVREC	480g/L	SL	HERBICIDE	4	255-151-4127	09/27/2020	POST-EMERGENT	Sugarcane	Annual & Perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
PACIFIC FUMIGATION CO., INC.	GLYPHOSATE IPA	GLVREC	480g/L	SL	HERBICIDE	4	255-151-4127	09/27/2020	POST-EMERGENT	Vegetables	Annual & Perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
PACIFIC FUMIGATION CO., INC.	GLYPHOSATE IPA	GLVREC	480g/L	SL	HERBICIDE	4	255-151-4127	09/27/2020	POST-EMERGENT	Non-crop	Annual & Perennial grasses, broadleaf weeds & sedges	-	-	-	-
EZERTECH CORPORATION	GLUFOSINATE AMMONIUM	GLUFO 2 200 SL	200 g/L	SL	HERBICIDE	4	648-182-5602	23-Nov-24	NON-SELECTIVE/POST-EMERGENT	Rubber	Annual & Perennial grasses, sedges & broadleaf weeds	-	-	-	Workers can re-enter the field after spray deposits have dried.
EZERTECH CORPORATION	GLUFOSINATE AMMONIUM	GLUFO 2 200 SL	200 g/L	SL	HERBICIDE	4	648-182-5602	23-Nov-24	NON-SELECTIVE/POST-EMERGENT	Oil palm	Annual & Perennial grasses, sedges & broadleaf weeds	-	-	-	Workers can re-enter the field after spray deposits have dried.
EZERTECH CORPORATION	GLUFOSINATE AMMONIUM	GLUFO 2 200 SL	200 g/L	SL	HERBICIDE	4	648-182-5602	23-Nov-24	NON-SELECTIVE/POST-EMERGENT	Non-crop areas	Annual & Perennial grasses, sedges & broadleaf weeds	-	-	-	Workers can re-enter the field after spray deposits have dried.
EZERTECH CORPORATION	GLUFOSINATE AMMONIUM	GLUFO 2 200 SL	200 g/L	SL	HERBICIDE	4	648-182-5602	23-Nov-24	NON-SELECTIVE/POST-EMERGENT	Coffee	Annual & Perennial grasses, sedges & broadleaf weeds	-	-	-	Workers can re-enter the field after spray deposits have dried.
EZERTECH CORPORATION	GLUFOSINATE AMMONIUM	GLUFO 2 200 SL	200 g/L	SL	HERBICIDE	4	648-182-5602	23-Nov-24	NON-SELECTIVE/POST-EMERGENT	Citrus	Annual & Perennial grasses, sedges & broadleaf weeds	-	-	-	Workers can re-enter the field after spray deposits have dried.
EZERTECH CORPORATION	GLUFOSINATE AMMONIUM	GLUFO 2 200 SL	200 g/L	SL	HERBICIDE	4	648-182-5602	23-Nov-24	NON-SELECTIVE/POST-EMERGENT	Cavendish Banana	Annual & Perennial grasses, sedges & broadleaf weeds	-	-	-	Workers can re-enter the field after spray deposits have dried.
EZERTECH CORPORATION	GLUFOSINATE AMMONIUM	GLUFO 2 200 SL	200 g/L	SL	HERBICIDE	4	648-182-5602	23-Nov-24	NON-SELECTIVE/POST-EMERGENT	Cacao	Annual & Perennial grasses, sedges & broadleaf weeds	-	-	-	Workers can re-enter the field after spray deposits have dried.
NEXCHEM CORPORATION	GLUFOSINATE AMMONIUM	GLUFOSINEX 15 SL	150 g/L	SL	HERBICIDE	4	702-182-5614	10-Dec-25	NON-SELECTIVE/POST-EMERGENT	Cavendish Banana	Annual and perennial, grass and broad-leaved weeds	-	-	-	-
NEXCHEM CORPORATION	GLUFOSINATE AMMONIUM	GLUFOSINEX 15 SL	150 g/L	SL	HERBICIDE	4	702-182-5614	10-Dec-25	NON-SELECTIVE/POST-EMERGENT	Rubber	Annual and perennial, grass and broad-leaved weeds	-	-	-	-
NEXCHEM CORPORATION	GLUFOSINATE AMMONIUM	GLUFOSINEX 15 SL	150 g/L	SL	HERBICIDE	4	702-182-5614	10-Dec-25	NON-SELECTIVE/POST-EMERGENT	Oil palm	Annual and perennial, grass and broad-leaved weeds	-	-	-	-
NEXCHEM CORPORATION	GLUFOSINATE AMMONIUM	GLUFOSINEX 15 SL	150 g/L	SL	HERBICIDE	4	702-182-5614	10-Dec-25	NON-SELECTIVE/POST-EMERGENT	Citrus	Annual and perennial, grass and broad-leaved weeds	-	-	-	-
NEXCHEM CORPORATION	GLUFOSINATE AMMONIUM	GLUFOSINEX 15 SL	150 g/L	SL	HERBICIDE	4	702-182-5614	10-Dec-25	NON-SELECTIVE/POST-EMERGENT	Coffee	Annual and perennial, grass and broad-leaved weeds	-	-	-	-
NEXCHEM CORPORATION	GLUFOSINATE AMMONIUM	GLUFOSINEX 15 SL	150 g/L	SL	HERBICIDE	4	702-182-5614	10-Dec-25	NON-SELECTIVE/POST-EMERGENT	Cacao	Annual and perennial, grass and broad-leaved weeds	-	-	-	-
NEXCHEM CORPORATION	GLUFOSINATE AMMONIUM	GLUFOSINEX 15 SL	150 g/L	SL	HERBICIDE	4	702-182-5614	10-Dec-25	NON-SELECTIVE/POST-EMERGENT	Non-crop areas	Annual and perennial, grass and broad-leaved weeds	-	-	-	-
TWIR BAMBOO CORPORATION	GLUFOSINATE AMMONIUM	GLUFOSMAX 150 SL	150 g/L	SL	HERBICIDE	4	526-182-3675	31-Mar-25	NON-SELECTIVE/POST-EMERGENT	Rubber	Annual grasses, perennial grasses and broadleaf weeds	225ml/16L water, 270ml/16L water, 135ml/16L water	-	-	After spray deposits have dried
TWIR BAMBOO CORPORATION	GLUFOSINATE AMMONIUM	GLUFOSMAX 150 SL	150 g/L	SL	HERBICIDE	4	526-182-3675	31-Mar-25	NON-SELECTIVE/POST-EMERGENT	Oil palm	Annual grasses, perennial grasses and broadleaf weeds	160ml/16L water, 135ml/16L water	-	-	After spray deposits have dried
TWIR BAMBOO CORPORATION	GLUFOSINATE AMMONIUM	GLUFOSMAX 150 SL	150 g/L	SL	HERBICIDE	4	526-182-3675	31-Mar-25	NON-SELECTIVE/POST-EMERGENT	Non-crop agricultural areas	Weeds	160-225ml/16L water	-	-	After spray deposits have dried
TWIR BAMBOO CORPORATION	GLUFOSINATE AMMONIUM	GLUFOSMAX 150 SL	150 g/L	SL	HERBICIDE	4	526-182-3675	31-Mar-25	NON-SELECTIVE/POST-EMERGENT	Cavendish Banana	Annual grasses, perennial grasses and broadleaf weeds	160ml/16L water, 135-200ml/16L water	0.2 mg/kg	-	After spray deposits have dried
TEAMAGRO TRADING CORPORATION	GLUFOSINATE AMMONIUM	GLUFOSAM 15 SL	150 g/L	SL	HERBICIDE	4	248-182-5173	06-Feb-26	NON-SELECTIVE/POST-EMERGENT	Rubber	Weeds	-	-	-	-
TEAMAGRO TRADING CORPORATION	GLUFOSINATE AMMONIUM	GLUFOSAM 15 SL	150 g/L	SL	HERBICIDE	4	248-182-5173	06-Feb-26	NON-SELECTIVE/POST-EMERGENT	Oil palm	Weeds	-	-	-	-
TEAMAGRO TRADING CORPORATION	GLUFOSINATE AMMONIUM	GLUFOSAM 15 SL	150 g/L	SL	HERBICIDE	4	248-182-5173	06-Feb-26	NON-SELECTIVE/POST-EMERGENT	Non-crop areas	Weeds	-	-	-	-
TEAMAGRO TRADING CORPORATION	GLUFOSINATE AMMONIUM	GLUFOSAM 15 SL	150 g/L	SL	HERBICIDE	4	248-182-5173	06-Feb-26	NON-SELECTIVE/POST-EMERGENT	Cavendish Banana	Weeds	-	0.2 mg/kg	-	-
TEXCON AGRI VENTURES CORPORATION	GLUFOSINATE AMMONIUM	GLUFOS 150 SL	150 g/L	SL	HERBICIDE	4	242-182-3716	10-May-25	NON-SELECTIVE/POST-EMERGENT	Rubber	Annual & Perennial grasses, sedges and broadleaf weeds	225ml/16L water, 270ml/16L water, 135ml/16L water	-	-	-

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
TEXICON AGR VENTURES CORPORATION	GLUFOSINATE AMMONIUM	GLUFOS 150 SL	150 g/L	SL	HERBICIDE	4	242-182-3716	30-May-25	NON-SELECTIVE/POST-EMERGENT	Oil palm	Annual & Perennial grasses, sedges and Broadleaf weeds	100ml/16L water, 135ml/16 L water	-	-	-
TEXICON AGR VENTURES CORPORATION	GLUFOSINATE AMMONIUM	GLUFOS 150 SL	150 g/L	SL	HERBICIDE	4	242-182-3716	30-May-25	NON-SELECTIVE/POST-EMERGENT	Non-crop agricultural areas	Annual & Perennial grasses, sedges and Broadleaf weeds	160-215ml/16 L water	-	-	-
TEXICON AGR VENTURES CORPORATION	GLUFOSINATE AMMONIUM	GLUFOS 150 SL	150 g/L	SL	HERBICIDE	4	242-182-3716	30-May-25	NON-SELECTIVE/POST-EMERGENT	Cavendish Banana	Annual & Perennial grasses, sedges and Broadleaf weeds	100ml/16L water, 135-200ml/16 L water	0.2 mg/kg	-	-
AGSMART CORPORATION	GLUFOSINATE AMMONIUM	GLUFORT 150 SL	150g/L	SL	HERBICIDE	4	680-182-5864	22-Sep-25	NON-SELECTIVE (POST-EMERGENT)	Rubber	Grasses sedges and broadleaves	-	-	-	-
AGSMART CORPORATION	GLUFOSINATE AMMONIUM	GLUFORT 150 SL	150g/L	SL	HERBICIDE	4	680-182-5864	22-Sep-25	NON-SELECTIVE (POST-EMERGENT)	Rubber	Grasses sedges and broadleaves	-	-	-	-
AGSMART CORPORATION	GLUFOSINATE AMMONIUM	GLUFORT 150 SL	150g/L	SL	HERBICIDE	4	680-182-5864	22-Sep-25	NON-SELECTIVE (POST-EMERGENT)	Oil palm	Grasses sedges and broadleaves	-	-	-	-
AGSMART CORPORATION	GLUFOSINATE AMMONIUM	GLUFORT 150 SL	150g/L	SL	HERBICIDE	4	680-182-5864	22-Sep-25	NON-SELECTIVE (POST-EMERGENT)	Non-agricultural crop areas	Grasses sedges and broadleaves	-	-	-	-
KARRAT MARKETING CORPORATION	GLUFOSINATE AMMONIUM	GLUFOOSIN 8 150 SL	150 g/L	SI	HERBICIDE	4	446-182-3835	30-Nov-25	NON-SELECTIVE/POST-EMERGENT	Rubber	Weeds	-	-	-	-
KARRAT MARKETING CORPORATION	GLUFOSINATE AMMONIUM	GLUFOOSIN 8 150 SL	150 g/L	SI	HERBICIDE	4	446-182-3835	30-Nov-25	NON-SELECTIVE/POST-EMERGENT	Oil palm	Weeds	-	-	-	-
KARRAT MARKETING CORPORATION	GLUFOSINATE AMMONIUM	GLUFOOSIN 8 150 SL	150 g/L	SI	HERBICIDE	4	446-182-3835	30-Nov-25	NON-SELECTIVE/POST-EMERGENT	Non-Agricultural Crop Areas	Weeds	-	-	-	-
KARRAT MARKETING CORPORATION	GLUFOSINATE AMMONIUM	GLUFOOSIN 8 150 SL	150 g/L	SI	HERBICIDE	4	446-182-3835	30-Nov-25	NON-SELECTIVE/POST-EMERGENT	Cavendish Banana	Weeds	-	0.2 mg/kg	-	-
RBAY HARVEST TRADING CORPORATION	GLUFOSINATE AMMONIUM	GLUFFASATE 15 SL	150 g/L	SI	HERBICIDE	4	772-182-6367	22-Oct-26	NON-SELECTIVE/POST-EMERGENT	Cavendish Banana	Weeds	150 mL / 16L water; 135-200 mL / 16L water	-	-	-
RBAY HARVEST TRADING CORPORATION	GLUFOSINATE AMMONIUM	GLUFFASATE 15 SL	150 g/L	SI	HERBICIDE	4	772-182-6367	22-Oct-26	NON-SELECTIVE/POST-EMERGENT	Rubber	Weeds	215 mL / 16L water; 270 mL 16L water; 135 mL / 16L water	-	-	-
RBAY HARVEST TRADING CORPORATION	GLUFOSINATE AMMONIUM	GLUFFASATE 15 SL	150 g/L	SI	HERBICIDE	4	772-182-6367	22-Oct-26	NON-SELECTIVE/POST-EMERGENT	Oil palm	Weeds	160 mL / 16L water; 135 mL / 16L water*	-	-	-
RBAY HARVEST TRADING CORPORATION	GLUFOSINATE AMMONIUM	GLUFFASATE 15 SL	150 g/L	SI	HERBICIDE	4	772-182-6367	22-Oct-26	NON-SELECTIVE/POST-EMERGENT	Non-crop areas	Weeds	160-215 mL/16L water	-	-	-
INDOFIL PHILIPPINES INC.	GLUFOSINATE AMMONIUM	GLOWSTAR 150 SL	150 g/L	SL	HERBICIDE	4	604-182-4660	12-Feb-25	POST-EMERGENT/PRE-EMERGENT	Rubber	Annual & Perennial grasses, sedges & broadleaf weeds	215, 270, 135ml/16L water	-	-	After spraying deposits have dried
INDOFIL PHILIPPINES INC.	GLUFOSINATE AMMONIUM	GLOWSTAR 150 SL	150 g/L	SL	HERBICIDE	4	604-182-4660	12-Feb-25	POST-EMERGENT/PRE-EMERGENT	Oil palm	Annual & Perennial grasses, sedges & broadleaf weeds	16L, 135ml/16L water	-	-	After spraying deposits have dried
INDOFIL PHILIPPINES INC.	GLUFOSINATE AMMONIUM	GLOWSTAR 150 SL	150 g/L	SL	HERBICIDE	4	604-182-4660	12-Feb-25	POST-EMERGENT/PRE-EMERGENT	Non-crop areas	Annual & Perennial grasses, sedges & broadleaf weeds	160-215 mL/16L water	-	-	After spraying deposits have dried
INDOFIL PHILIPPINES INC.	GLUFOSINATE AMMONIUM	GLOWSTAR 150 SL	150 g/L	SL	HERBICIDE	4	604-182-4660	12-Feb-25	POST-EMERGENT/PRE-EMERGENT	Coffee	Annual & Perennial grasses, sedges & broadleaf weeds	16L, 135ml/16L water	-	-	After spraying deposits have dried
INDOFIL PHILIPPINES INC.	GLUFOSINATE AMMONIUM	GLOWSTAR 150 SL	150 g/L	SL	HERBICIDE	4	604-182-4660	12-Feb-25	POST-EMERGENT/PRE-EMERGENT	Citrus	Annual & Perennial grasses, sedges & broadleaf weeds	16L, 135ml/16L water	-	-	After spraying deposits have dried
INDOFIL PHILIPPINES INC.	GLUFOSINATE AMMONIUM	GLOWSTAR 150 SL	150 g/L	SL	HERBICIDE	4	604-182-4660	12-Feb-25	POST-EMERGENT/PRE-EMERGENT	Cavendish Banana	Annual & Perennial grasses, sedges & broadleaf weeds	16L, 135-200 mL/16L water	0.2 mg/kg	-	After spraying deposits have dried
INDOFIL PHILIPPINES INC.	GLUFOSINATE AMMONIUM	GLOWSTAR 150 SL	150 g/L	SL	HERBICIDE	4	604-182-4660	12-Feb-25	POST-EMERGENT/PRE-EMERGENT	Cacao	Annual & Perennial grasses, sedges & broadleaf weeds	16L, 135ml/16L water	-	-	After spraying deposits have dried
GENTRADEPHI INC.	LAMBDA-CYHALOTHIRIN+THIAMETHOXAM	GLOCK 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	660-395-6189	29-Dec-24	-	Potato	Whiteflies, aphids, thrips	100-200 mL / ha; 4-6 mL / 16L water	7 Days	-	Do not enter treated field for at least 1 day after application
GENTRADEPHI INC.	LAMBDA-CYHALOTHIRIN+THIAMETHOXAM	GLOCK 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	660-395-6189	29-Dec-24	-	Stringbeans	Green leafhopper, aphids, mites	100-200 mL / ha; 4-6 mL / 16L water	7 Days	-	Do not enter treated field for at least 1 day after application
GENTRADEPHI INC.	LAMBDA-CYHALOTHIRIN+THIAMETHOXAM	GLOCK 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	660-395-6189	29-Dec-24	-	Eggplant	Whiteflies, green leafhopper, aphids	100-200 mL / ha; 4-6 mL / 16L water	7 Days	-	Do not enter treated field for at least 1 day after application
GENTRADEPHI INC.	LAMBDA-CYHALOTHIRIN+THIAMETHOXAM	GLOCK 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	660-395-6189	29-Dec-24	-	Bittergourd	Leafhoppers, thrips, aphids	100-400 mL / ha; 4-13 mL / 16L water	7 Days	-	Do not enter treated field for at least 1 day after application
GENTRADEPHI INC.	LAMBDA-CYHALOTHIRIN+THIAMETHOXAM	GLOCK 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	660-395-6189	29-Dec-24	-	Mango	Leafhoppers, tip borers	20-30 mL / 100L	3 Days	-	Do not enter treated field for at least 1 day after application
GENTRADEPHI INC.	LAMBDA-CYHALOTHIRIN+THIAMETHOXAM	GLOCK 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	660-395-6189	29-Dec-24	-	Corn	Asian corn borer, cutworm, leafhoppers, aphids	250-400 mL/ha; 10-15 mL/16L	3 Days	-	Do not enter treated field for at least 1 day after application
GENTRADEPHI INC.	LAMBDA-CYHALOTHIRIN+THIAMETHOXAM	GLOCK 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	660-395-6189	29-Dec-24	-	Banana	Flower thrips	1-3 mL/L	90 days	-	Do not enter treated field for at least 1 day after application
GENTRADEPHI INC.	LAMBDA-CYHALOTHIRIN+THIAMETHOXAM	GLOCK 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	660-395-6189	29-Dec-24	-	Rice	Stem borer, leafhopper, rice bug	100-200 mL / ha; 10-30 mL / 16L water	14 days	-	Do not enter treated field for at least 1 day after application
VETAMIE FARMA CORP.	NICLOXAMIDE ETHANOLAMINE SALT	GLIBONO 70WP	700 g/kg	WP	MOLUSCICIDE	4	658-229-6146	20-Jul-26	CONTACT	Rice	Golden apple snail	80 tankload/ha, 1 sachet (80gms)/tankload (18L)	-	-	Re-enter fields at least 48 hours after application
GLOBAL PRIME AGRICHEM, INC.	CYPERMETHRIN	GLOBAL 5 EC	50 g/L	EC	INSECTICIDE	4	425-037-2235	24-Mar-17	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-1.0 Tbsp/16 L water	7 Days	-	Re-entry to treated field is allowed as soon as spray deposit dry
GLOBAL PRIME AGRICHEM, INC.	CYPERMETHRIN	GLOBAL 5 EC	50 g/L	EC	INSECTICIDE	4	425-037-2235	24-Mar-17	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaf folder, stem borer, armyworm, rice bug	1.0-1.0 Tbsp/16 L water	7 Days	-	Re-entry to treated field is allowed as soon as spray deposit dry
GLOBAL PRIME AGRICHEM, INC.	CYPERMETHRIN	GLOBAL 5 EC	50 g/L	EC	INSECTICIDE	4	425-037-2235	24-Mar-17	CONTACT	Cabbage	Diamond back moth, cabbage moth, worm	1.0-1.0 Tbsp/16 L water	7 Days	-	Re-entry to treated field is allowed as soon as spray deposit dry
GLOBAL PRIME AGRICHEM, INC.	CYPERMETHRIN	GLOBAL 5 EC	50 g/L	EC	INSECTICIDE	4	425-037-2235	24-Mar-17	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-1.0 Tbsp/16 L water	7 Days	-	Re-entry to treated field is allowed as soon as spray deposit dry
GLOBAL PRIME AGRICHEM, INC.	CYPERMETHRIN	GLOBAL 5 EC	50 g/L	EC	INSECTICIDE	4	425-037-2235	24-Mar-17	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-1.0 Tbsp/16 L water	7 Days	-	Re-entry to treated field is allowed as soon as spray deposit dry
GLOBAL PRIME AGRICHEM, INC.	CYPERMETHRIN	GLOBAL 5 EC	50 g/L	EC	INSECTICIDE	4	425-037-2235	24-Mar-17	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-1.0 Tbsp/16 L water	7 Days	-	Re-entry to treated field is allowed as soon as spray deposit dry
GLOBAL PRIME AGRICHEM, INC.	CYPERMETHRIN	GLOBAL 5 EC	50 g/L	EC	INSECTICIDE	4	425-037-2235	24-Mar-17	CONTACT	Onion	Thrips, cutworm	1.0-1.0 Tbsp/16 L water	7 Days	-	Re-entry to treated field is allowed as soon as spray deposit dry
GLOBAL PRIME AGRICHEM, INC.	CYPERMETHRIN	GLOBAL 5 EC	50 g/L	EC	INSECTICIDE	4	425-037-2235	24-Mar-17	CONTACT	Banana	Thrips, scarring beetle	1.0-1.0 Tbsp/16 L water	7 Days	-	Re-entry to treated field is allowed as soon as spray deposit dry
GLOBAL PRIME AGRICHEM, INC.	CYPERMETHRIN	GLOBAL 5 EC	50 g/L	EC	INSECTICIDE	4	425-037-2235	24-Mar-17	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-1.0 Tbsp/16 L water	7 Days	-	Re-entry to treated field is allowed as soon as spray deposit dry
GLOBAL PRIME AGRICHEM, INC.	CYPERMETHRIN	GLOBAL 5 EC	50 g/L	EC	INSECTICIDE	4	425-037-2235	24-Mar-17	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-1.0 Tbsp/16 L water	7 Days	-	Re-entry to treated field is allowed as soon as spray deposit dry
GLOBAL PRIME AGRICHEM, INC.	CYPERMETHRIN	GLOBAL 5 EC	50 g/L	EC	INSECTICIDE	4	425-037-2235	24-Mar-17	CONTACT	Corn	Comborer, earworm	1.0-4.5 Tbsp/16 L water	7 Days	-	Re-entry to treated field is allowed as soon as spray deposit dry
SHELLHOMES CHEMICALS, INCORPORATED	MALATHION	GUTTER MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	481-038-2783	21-Feb-20	NON-SYSTEMIC	Fruit trees	Aphids, mealy bug scale insect	1.5-3.0Tbsp/16 L water	-	-	-
SHELLHOMES CHEMICALS, INCORPORATED	MALATHION	GUTTER MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	481-038-2783	21-Feb-20	NON-SYSTEMIC	Rice	Armyworm, caseworm, leafhopper, bugs	2.0-3.0Tbsp/16 L water	-	-	-
SHELLHOMES CHEMICALS, INCORPORATED	MALATHION	GUTTER MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	481-038-2783	21-Feb-20	NON-SYSTEMIC	Corn	Earworm, silkworm, aphids, grasshopper	3.0-5.0Tbsp/16 L water	-	-	-
SHELLHOMES CHEMICALS, INCORPORATED	MALATHION	GUTTER MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	481-038-2783	21-Feb-20	NON-SYSTEMIC	Cabbage	Cabbage worm, loopers, diamond-back moth	2.0-5.0Tbsp/16 L water	-	-	-
SHELLHOMES CHEMICALS, INCORPORATED	MALATHION	GUTTER MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	481-038-2783	21-Feb-20	NON-SYSTEMIC	Legumes	Aphids, beanfly, cutworm, flea beetles, leafminer, maggots, mealybug, podborer, thrips	2.0-5.0Tbsp/16 L water	-	-	-
SHELLHOMES CHEMICALS, INCORPORATED	MALATHION	GUTTER MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	481-038-2783	21-Feb-20	NON-SYSTEMIC	Grapes	Beetles, cutworm, leafhopper, mealybug, scale, insect, spider mites	3.0Tbsp/16 L water	-	-	-
SHELLHOMES CHEMICALS, INCORPORATED	MALATHION	GUTTER MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	481-038-2783	21-Feb-20	NON-SYSTEMIC	Pineapple	Mealy bug	3.0Tbsp/16 L water	-	-	-
SHELLHOMES CHEMICALS, INCORPORATED	MALATHION	GUTTER MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	481-038-2783	21-Feb-20	NON-SYSTEMIC	Pepper	Aphid, cutworm, fruitworm	3.0Tbsp/16 L water	-	-	-
SHELLHOMES CHEMICALS, INCORPORATED	MALATHION	GUTTER MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	481-038-2783	21-Feb-20	NON-SYSTEMIC	Garlic	Cutworm	3.0Tbsp/16 L water	-	-	-
SHELLHOMES CHEMICALS, INCORPORATED	MALATHION	GUTTER MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	481-038-2783	21-Feb-20	NON-SYSTEMIC	Onion	Cutworm	3.0Tbsp/16 L water	-	-	-
SHELLHOMES CHEMICALS, INCORPORATED	MALATHION	GUTTER MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	481-038-2783	21-Feb-20	NON-SYSTEMIC	Tobacco	Aphids, katydid	3.0-6.0Tbsp/16 L water	-	-	-
SHELLHOMES CHEMICALS, INCORPORATED	MALATHION	GUTTER MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	481-038-2783	21-Feb-20	NON-SYSTEMIC	Ornamentals	Aphids, cutworm, mealybug, scale insect, spider mites	3.0-5.0Tbsp/16 L water	-	-	-
SHELLHOMES CHEMICALS, INCORPORATED	MALATHION	GUTTER MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	481-038-2783	21-Feb-20	NON-SYSTEMIC	Tomato	Lady beetle	3.0-5.0Tbsp/16 L water	-	-	-
SHELLHOMES CHEMICALS, INCORPORATED	MALATHION	GUTTER MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	481-038-2783	21-Feb-20	NON-SYSTEMIC	Eggplant	Aphids, fruitworm	3.0-5.0Tbsp/16 L water	-	-	-

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
SHELLHOMES CHEMICALS, INCORPORATED	MALATHION	GUTTER MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	461-038-2763	23-Feb-20	NON-SYSTEMIC	Jorghum	Web worm	1.07bsp/16L water	-	-	-
AGSMART CORPORATION	GLYPHOSATE IPA	GLIFOTRON 480 SL	480g/L	SL	HERBICIDE	4	680-151-5894	21-Oct-25	-	Glyphosate tolerant corn	Rich grass, morning glory, dayflower, syndrella, button weed, spindles top, al-alopogonium, hairy beggarticks, tropic-acetarium	2-3 L Prod./ha	-	-	-
AGSMART CORPORATION	GLYPHOSATE IPA	GLIFOTRON 480 SL	480g/L	SL	HERBICIDE	4	680-151-5894	21-Oct-25	-	Mango	Cogon (Shade Condition)	3.0 L Prod./ha	-	-	-
AGSMART CORPORATION	GLYPHOSATE IPA	GLIFOTRON 480 SL	480g/L	SL	HERBICIDE	4	680-151-5894	21-Oct-25	-	Banana	Cogon (Shade Condition)	3.0 L Prod./ha	-	-	-
AGSMART CORPORATION	GLYPHOSATE IPA	GLIFOTRON 480 SL	480g/L	SL	HERBICIDE	4	680-151-5894	21-Oct-25	-	Coffee	Cogon (Open Condition)	4.5 L Prod./ha	-	-	-
AGSMART CORPORATION	GLYPHOSATE IPA	GLIFOTRON 480 SL	480g/L	SL	HERBICIDE	4	680-151-5894	21-Oct-25	-	Cacao	Cogon (Open Condition)	4.5 L Prod./ha	-	-	-
AGSMART CORPORATION	GLYPHOSATE IPA	GLIFOTRON 480 SL	480g/L	SL	HERBICIDE	4	680-151-5894	21-Oct-25	-	Rubber	Mutha	2.0 L Prod./ha	-	-	-
AGSMART CORPORATION	GLYPHOSATE IPA	GLIFOTRON 480 SL	480g/L	SL	HERBICIDE	4	680-151-5894	21-Oct-25	-	Oil palm	Paragrass	2.0 L Prod./ha	-	-	-
AGSMART CORPORATION	GLYPHOSATE IPA	GLIFOTRON 480 SL	480g/L	SL	HERBICIDE	4	680-151-5894	21-Oct-25	-	Citrus	Talahib	4.5 L Prod./ha	-	-	-
AGSMART CORPORATION	GLYPHOSATE IPA	GLIFOTRON 480 SL	480g/L	SL	HERBICIDE	4	680-151-5894	21-Oct-25	-	Coconut	Fern (Shade Condition)	2.0 L Prod./ha	-	-	-
AGSMART CORPORATION	GLYPHOSATE IPA	GLIFOTRON 480 SL	480g/L	SL	HERBICIDE	4	680-151-5894	21-Oct-25	-	Sugarcane	Other annual weeds	2.0 L Prod./ha	-	-	-
AGSMART CORPORATION	GLYPHOSATE IPA	GLIFOTRON 480 SL	480g/L	SL	HERBICIDE	4	680-151-5894	21-Oct-25	-	Vegetables	Other annual weeds	2.0 L Prod./ha	-	-	-
PLANTCARE TRADING CORPORATION	PRELACHLOR	ELC 30 EC	300 g/L	EC	HERBICIDE	4	495-060-4884	05-Sep-24	PRE-EMERGENCE	Rice (Direct-seeded)	Grasses, sedges, and broadleaves weeds	10-15 tbsp per tankload of 16 L capacity sprayer	0.05gpm	-	-
SURE CROP SCIENCE AGRIVENTURES, INC.	LAMBDA-CHYALOTHIRIN+THIAMETHOXAM	GLADIUS 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	640-395-5261	01-Feb-26	CONTACT/SYSTEMIC	Potato	Whiteflies, aphids, thrips	4-6 mL/16L water	-	-	Do not apply at least seven (7) days before harvest.
SURE CROP SCIENCE AGRIVENTURES, INC.	LAMBDA-CHYALOTHIRIN+THIAMETHOXAM	GLADIUS 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	640-395-5261	01-Feb-26	CONTACT/SYSTEMIC	Stringbeans	Green leafhopper, aphids, mites	4-6 mL/16L water	-	-	Do not apply at least seven (7) days before harvest.
SURE CROP SCIENCE AGRIVENTURES, INC.	LAMBDA-CHYALOTHIRIN+THIAMETHOXAM	GLADIUS 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	640-395-5261	01-Feb-26	CONTACT/SYSTEMIC	Eggplant	Whiteflies, green leafhopper, aphids	4-6 mL/16L water	-	-	Do not apply at least seven (7) days before harvest.
SURE CROP SCIENCE AGRIVENTURES, INC.	LAMBDA-CHYALOTHIRIN+THIAMETHOXAM	GLADIUS 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	640-395-5261	01-Feb-26	CONTACT/SYSTEMIC	Bittergourd	Leafhoppers, thrips, aphids, fruitfly, cutworm	4-13 mL/16L water	-	-	Do not apply at least seven (7) days before harvest.
SURE CROP SCIENCE AGRIVENTURES, INC.	LAMBDA-CHYALOTHIRIN+THIAMETHOXAM	GLADIUS 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	640-395-5261	01-Feb-26	CONTACT/SYSTEMIC	Mango	Leafhoppers, tobacco, capsid bug, fruitfly, cecid fly	20-30/300	-	-	Do not enter treated fields at least 1 Day after application
SURE CROP SCIENCE AGRIVENTURES, INC.	LAMBDA-CHYALOTHIRIN+THIAMETHOXAM	GLADIUS 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	640-395-5261	01-Feb-26	CONTACT/SYSTEMIC	Corn	Asiatic corn borer, cutworm, leafhopper, aphids, earworm	30-36 mL/16L water	-	-	Do not apply at least seven (7) days before harvest.
SURE CROP SCIENCE AGRIVENTURES, INC.	LAMBDA-CHYALOTHIRIN+THIAMETHOXAM	GLADIUS 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	640-395-5261	01-Feb-26	CONTACT/SYSTEMIC	Banana	Flower thrips	1-3/L	-	-	Do not apply at least seven (7) days before harvest.
SURE CROP SCIENCE AGRIVENTURES, INC.	LAMBDA-CHYALOTHIRIN+THIAMETHOXAM	GLADIUS 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	640-395-5261	01-Feb-26	CONTACT/SYSTEMIC	Rice	Stemborer, leafhopper, rice bugs	20-30 mL/16L water	-	-	Do not apply at least seven (7) days before harvest.
JYNNSONS PHILIPPINES, INC.	METHOMYL	GIZMO 40 SP	400 g/kg	SP	INSECTICIDE	2	551-164-3414	07-Apr-25	CONTACT	Asparagus	Armyworm, cutworm	1 Sachet/16L Sprayer	-	-	Do not enter fields treated with GIZMO 40SP within twelve hours after application
JYNNSONS PHILIPPINES, INC.	METHOMYL	GIZMO 40 SP	400 g/kg	SP	INSECTICIDE	2	551-164-3414	07-Apr-25	CONTACT	Banana	Thrips	1.5-2 Sachet/16L Sprayer	-	-	Do not enter fields treated with GIZMO 40SP within twelve hours after application
JYNNSONS PHILIPPINES, INC.	METHOMYL	GIZMO 40 SP	400 g/kg	SP	INSECTICIDE	2	551-164-3414	07-Apr-25	CONTACT	Beans	Leafroller, flea beetle, beanfly, podborer, aphids	1 Sachet/16L Sprayer	-	-	Do not enter fields treated with GIZMO 40SP within twelve hours after application
JYNNSONS PHILIPPINES, INC.	METHOMYL	GIZMO 40 SP	400 g/kg	SP	INSECTICIDE	2	551-164-3414	07-Apr-25	CONTACT	Mungbeans	Leafroller, flea beetle, beanfly, podborer, aphids	1 Sachet/16L Sprayer	-	-	Do not enter fields treated with GIZMO 40SP within twelve hours after application
JYNNSONS PHILIPPINES, INC.	METHOMYL	GIZMO 40 SP	400 g/kg	SP	INSECTICIDE	2	551-164-3414	07-Apr-25	CONTACT	Soybeans	Leafroller, flea beetle, beanfly, podborer, aphids	1 Sachet/16L Sprayer	-	-	Do not enter fields treated with GIZMO 40SP within twelve hours after application
JYNNSONS PHILIPPINES, INC.	METHOMYL	GIZMO 40 SP	400 g/kg	SP	INSECTICIDE	2	551-164-3414	07-Apr-25	CONTACT	Sitao	Leafroller, flea beetle, beanfly, podborer, aphids	1 Sachet/16L Sprayer	-	-	Do not enter fields treated with GIZMO 40SP within twelve hours after application
JYNNSONS PHILIPPINES, INC.	METHOMYL	GIZMO 40 SP	400 g/kg	SP	INSECTICIDE	2	551-164-3414	07-Apr-25	CONTACT	Corn	Combsone, earworm	1 Sachet/16L Sprayer	-	-	Do not enter fields treated with GIZMO 40SP within twelve hours after application
JYNNSONS PHILIPPINES, INC.	METHOMYL	GIZMO 40 SP	400 g/kg	SP	INSECTICIDE	2	551-164-3414	07-Apr-25	CONTACT	Eggplant	Aphids, flea beetle, fruitworm, lady beetle	1 Sachet/16L Sprayer	-	-	Do not enter fields treated with GIZMO 40SP within twelve hours after application
JYNNSONS PHILIPPINES, INC.	METHOMYL	GIZMO 40 SP	400 g/kg	SP	INSECTICIDE	2	551-164-3414	07-Apr-25	CONTACT	Melon	Aphids, Squash beetle, leafroller	1 Sachet/16L Sprayer	-	-	Do not enter fields treated with GIZMO 40SP within twelve hours after application
JYNNSONS PHILIPPINES, INC.	METHOMYL	GIZMO 40 SP	400 g/kg	SP	INSECTICIDE	2	551-164-3414	07-Apr-25	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leafroller	1 Sachet/16L Sprayer	-	-	Do not enter fields treated with GIZMO 40SP within twelve hours after application
JYNNSONS PHILIPPINES, INC.	METHOMYL	GIZMO 40 SP	400 g/kg	SP	INSECTICIDE	2	551-164-3414	07-Apr-25	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	1 Sachet/16L Sprayer	-	-	Do not enter fields treated with GIZMO 40SP within twelve hours after application
JYNNSONS PHILIPPINES, INC.	METHOMYL	GIZMO 40 SP	400 g/kg	SP	INSECTICIDE	2	551-164-3414	07-Apr-25	CONTACT	Tomato	Tomato fruitworm, aphids	1 Sachet/16L Sprayer	-	-	Do not enter fields treated with GIZMO 40SP within twelve hours after application
GRASOL AGRICHEM INC.	POTASSIUM SILICATE	GRASIL FORTE	200-100 g/L	-	FUNGICIDE	4	665-492-5027	27-Jan-23	-	Banana	Diamond spot, fruit spot, maturity stain, finger rot, anthracnose, pinworm and black sigatoka	-	-	-	-
GEM AGROLOGIC, INC.	BUTACHLOR+2,4-D IBE	GLIAS 60 EC	360+240g/L	EC	HERBICIDE	3	238-152-2747	28-Dec-19	PRE-EMERGENT	Rice (Direct-seeded)	Broadleaf weeds, grasses & sedges	8-20Tbsp/16L sprayload	Butachlor 0.1ppm 2,4-D IBE 0.1ppm	-	-
GEM AGROLOGIC, INC.	BUTACHLOR+2,4-D IBE	GLIAS 60 EC	360+240g/L	EC	HERBICIDE	3	238-152-2747	28-Dec-19	PRE-EMERGENT	Rice (Transplanted)	Broadleaf weeds, grasses & sedges	8-20Tbsp/16L sprayload	Butachlor 0.1ppm 2,4-D IBE 0.1ppm	-	-
KDSI AGRI AND CHEMICAL CORP.	PRELACHLOR	GIGANTIT 300 EC	300 g/L	EC	HERBICIDE	4	597-060-5803	24-Sep-25	PRE-EMERGENCE	Rice (Direct-Seeded)	Grasses, sedges, and broadleaves	10-15, 8.5-12.5, 7.5-11 tbsp per tankload of 16 L capacity sprayer	-	-	-
CORTEVA AGRISCIENCE PHILIPPINES, INC.	SPINOSAD	GF-120 NATURALITE FRUITFLY BAIT	0.2 g/L	SC	INSECTICIDE	4	737-306-1053	19-Mar-27	-	Mango	Fruit flies	-	-	-	-
DU PONT FAR EAST, INC.	SPINOSAD	GF-120 NATURALITE FRUITFLY BAIT	0.2 g/L	-	INSECTICIDE	4	014-306-5389	15-Mar-23	-	Mango	Fruit flies	-	-	-	-
FMC AGRO PHILIPPINES INC.	TEBUCONAZOLE+TRIFLOXYSTROBIN	GEZEKO 75 WG	500+250 g/kg	WG	FUNGICIDE	4	598-438-4838	28-Nov-25	SYSTEMIC	Mango	Anthracoze	40-80 g prod/100L water	-	30 days	As soon as spray deposits have dried
FMC AGRO PHILIPPINES INC.	TEBUCONAZOLE+TRIFLOXYSTROBIN	GEZEKO 75 WG	500+250 g/kg	WG	FUNGICIDE	4	598-438-4838	28-Nov-25	SYSTEMIC	Rice	Rice blast, Sheath blight & brown leaf spot, dirty panicle	12-16 g prod/16 L water	-	35 days	As soon as spray deposits have dried
FMC AGRO PHILIPPINES INC.	TEBUCONAZOLE+TRIFLOXYSTROBIN	GEZEKO 75 WG	500+250 g/kg	WG	FUNGICIDE	4	598-438-4838	28-Nov-25	SYSTEMIC	Bittergourd	Powdery mildew, downy mildew, Cercospora leaf spot, & leaf anthracnose	6-8 g/16 L water	-	3 days	As soon as spray deposits have dried
FMC AGRO PHILIPPINES INC.	TEBUCONAZOLE+TRIFLOXYSTROBIN	GEZEKO 75 WG	500+250 g/kg	WG	FUNGICIDE	4	598-438-4838	28-Nov-25	SYSTEMIC	Tomato	Early blight	6-8 g/16 L water	-	3 days	As soon as spray deposits have dried
FMC AGRO PHILIPPINES INC.	TEBUCONAZOLE+TRIFLOXYSTROBIN	GEZEKO 75 WG	500+250 g/kg	WG	FUNGICIDE	4	598-438-4838	28-Nov-25	SYSTEMIC	Eggplant	Cercospora leaf spot	6-8 g/16 L water	-	3 days	As soon as spray deposits have dried
FMC AGRO PHILIPPINES INC.	TEBUCONAZOLE+TRIFLOXYSTROBIN	GEZEKO 75 WG	500+250 g/kg	WG	FUNGICIDE	4	598-438-4838	28-Nov-25	SYSTEMIC	Watermelon	Leaf spot, powdery mildew	6-8 g/16 L water	-	5 days	As soon as spray deposits have dried
FMC AGRO PHILIPPINES INC.	TEBUCONAZOLE+TRIFLOXYSTROBIN	GEZEKO 75 WG	500+250 g/kg	WG	FUNGICIDE	4	598-438-4838	28-Nov-25	SYSTEMIC	Corn	Helminthosporium leaf spot, rust	6-8 g/16L water	-	5 days	As soon as spray deposits have dried
FMC AGRO PHILIPPINES INC.	TEBUCONAZOLE+TRIFLOXYSTROBIN	GEZEKO 75 WG	500+250 g/kg	WG	FUNGICIDE	4	598-438-4838	28-Nov-25	SYSTEMIC	Citrus	Purple blotch	4-8 g/16L water	-	5 days	As soon as spray deposits have dried
FMC AGRO PHILIPPINES INC.	TEBUCONAZOLE+TRIFLOXYSTROBIN	GEZEKO 75 WG	500+250 g/kg	WG	FUNGICIDE	4	598-438-4838	28-Nov-25	SYSTEMIC	Potato	Early and late blight	4-8 g/16L water	-	3 days	As soon as spray deposits have dried
AGREXPORE CORPORATION	BENZALKONIUM CHLORIDE	GERMX 400 SL	400 g/L	SL	OTHERS	4	528-097-3608	25-Jan-25	-	Banana	Raisitonia coleroscurens - as tool disinfectant	10-20mL/L water	-	-	-
PLANTCARE TRADING CORPORATION	PIRIMETHROZINE	GERCON 50 WG	500 g/kg	WG	INSECTICIDE	4	495-307-4883	27-Dec-26	-	Mango	Leafhopper	80 sachet/ 200L	-	-	Do not enter the treated fields for at least 24 hours after application
PLANTCARE TRADING CORPORATION	PIRIMETHROZINE	GERCON 50 WG	500 g/kg	WG	INSECTICIDE	4	495-307-4883	27-Dec-26	-	Rice	Brown planthopper and green leafhopper	25-30 sachet/ 200L	-	-	Do not spray 36 days before harvest
PLANTCARE TRADING CORPORATION	PIRIMETHROZINE	GERCON 50 WG	500 g/kg	WG	INSECTICIDE	4	495-307-4883	27-Dec-26	-	Corn	Leafhoppers, planthoppers and aphids	7-10 sachet/ 200L	-	-	Do not enter the treated fields for at least 24 hours after application
GENTRADEPHIL INC.	GLYPHOSATE IPA	GENWIN 480 SL	480 g/L	SL	HERBICIDE	4	660-151-5469	01-Aug-26	POST-EMERGENT	Glyphosate tolerant corn under minimum or reduced	Annual & perennial grasses, broadleaf weeds & sedges	38-24 200L water/ ha; 8-12 400L water/ ha; 2.0-3.0 L/ha	-	-	-
GENTRADEPHIL INC.	GLYPHOSATE IPA	GENWIN 480 SL	480 g/L	SL	HERBICIDE	4	660-151-5469	01-Aug-26	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
GENTRADEPHIL INC.	GLYPHOSATE IPA	GENWIN 480 SL	480 g/L	SL	HERBICIDE	4	660-151-5469	01-Aug-26	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
GENTRADEPHIL INC.	GLYPHOSATE IPA	GENWIN 480 SL	480 g/L	SL	HERBICIDE	4	660-151-5469	01-Aug-26	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD	
GENTRADEPHIL INC.	GLYPHOSATE IPA	GENWIN 480 SL	480 g/L	SL	HERBICIDE	4	660-151-5469	01-Aug-26	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-	
GENTRADEPHIL INC.	GLYPHOSATE IPA	GENWIN 480 SL	480 g/L	SL	HERBICIDE	4	660-151-5469	01-Aug-26	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-	
GENTRADEPHIL INC.	GLYPHOSATE IPA	GENWIN 480 SL	480 g/L	SL	HERBICIDE	4	660-151-5469	01-Aug-26	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-	
GENTRADEPHIL INC.	GLYPHOSATE IPA	GENWIN 480 SL	480 g/L	SL	HERBICIDE	4	660-151-5469	01-Aug-26	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-	
GENTRADEPHIL INC.	GLYPHOSATE IPA	GENWIN 480 SL	480 g/L	SL	HERBICIDE	4	660-151-5469	01-Aug-26	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-	
GENTRADEPHIL INC.	GLYPHOSATE IPA	GENWIN 480 SL	480 g/L	SL	HERBICIDE	4	660-151-5469	01-Aug-26	POST-EMERGENT	Jugarcane	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-	
GENTRADEPHIL INC.	GLYPHOSATE IPA	GENWIN 480 SL	480 g/L	SL	HERBICIDE	4	660-151-5469	01-Aug-26	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-	
GENTRADEPHIL INC.	GLYPHOSATE IPA	GENWIN 480 SL	480 g/L	SL	HERBICIDE	4	660-151-5469	01-Aug-26	POST-EMERGENT	Non-crop areas	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-	
GENUFLECT CORPORATION	AZADIRACTIN	GENUFLECT-NEEM OIL	400 ppm	-	INSECTICIDE/FUNGICIDE	4	732-513-5856	5-May-23	-	Banana	Scale insects, mealybugs, aphids, sigatoka	-	-	-	-	
GENUFLECT CORPORATION	ERYTHROSINE B	GENUCOLORS-PINK	-	-	OTHERS	4	732-606-6197	25-Oct-25	-	Banana	Marker for use in plantations	-	-	-	-	
GENUFLECT CORPORATION	ERYTHROSINE B	GENUCOLORS-PINK	-	-	OTHERS	4	732-606-6197	25-Oct-25	-	Pineapple	Marker for use in plantations	-	-	-	-	
TLV AGRO SALES ORP.	BENZALKONIUM CHLORIDE	GENUTROL 400	400 g/L	SL	OTHERS	4	384-394-2210	10-Feb-24	-	Banana	Rolstonia solanaceorum - as tool disinfectant	10-20mL/l water	-	-	As soon as spray solution has dried up	
GENTRADEPHIL INC.	PHYRACLOSTROBIN	GENSHOT 25 EC	250 g/L	EC	FUNGICIDE	2	660-396-5307	29-Oct-26	-	Corn	Leaf spot	0.4 L/ha	-	4 days	As soon as spray deposits have dried or at 24 hours after spraying.	
GENTRADEPHIL INC.	PHYRACLOSTROBIN	GENSHOT 25 EC	250 g/L	EC	FUNGICIDE	2	660-396-5307	29-Oct-26	-	Banana	Sigatoka freckles	0.4 L/ha	-	4 days	As soon as spray deposits have dried or at 24 hours after spraying.	
GENTRADEPHIL INC.	PYRIBENZOXIM+CHALCOPROP-BUTYL	GENPRO 8.5 EC	60-25 g/L	EC	HERBICIDE	3	660-453-5494	22-Jan-26	-	Rice (Direct-Seeded)	Grasses, sedges and broadleaves	-	-	-	As soon as spray deposits dry up	
GENTRADEPHIL INC.	DIFENOCONAZOLE+PROPICONAZOLE	GENPLUS 300 EC	150 g/L+150 g/L	EC	FUNGICIDE	3	660-325-5309	25-Jul-24	SYSTEMIC	Rice	Sheath blight	1.5-3.5 Tbsp/36L water	-	-	-	
GENTRADEPHIL INC.	DIFENOCONAZOLE+PROPICONAZOLE	GENPLUS 300 EC	150 g/L+150 g/L	EC	FUNGICIDE	3	660-325-5309	25-Jul-24	SYSTEMIC	Corn	Banded leaf, sheath blight, ear rot, leaf blight & rust	1.0-2.0 Tbsp/36L water	-	45 Days	-	
GEM AGROLOGIC, INC.	CARTAP HYDROCHLORIDE	GENTRAK 50 SP	500 g/kg	SP	INSECTICIDE	3	238-106-1112	27-Apr-24	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.0-5.0Tbsp/36 L water	0.2ppm	-	Do not harvest within 10 days before harvest.	Do not enter treated field within 2 days after spraying.
GEM AGROLOGIC, INC.	CARTAP HYDROCHLORIDE	GENTRAK 50 SP	500 g/kg	SP	INSECTICIDE	3	238-106-1112	27-Apr-24	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/36 L water	-	-	Do not harvest within 10 days before harvest.	Do not enter treated field within 2 days after spraying.
GEM AGROLOGIC, INC.	CARTAP HYDROCHLORIDE	GENTRAK 50 SP	500 g/kg	SP	INSECTICIDE	3	238-106-1112	27-Apr-24	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/36 L water	-	-	Do not harvest within 10 days before harvest.	Do not enter treated field within 2 days after spraying.
GEM AGROLOGIC, INC.	CARTAP HYDROCHLORIDE	GENTRAK 50 SP	500 g/kg	SP	INSECTICIDE	3	238-106-1112	27-Apr-24	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/36 L water	-	-	Do not harvest within 10 days before harvest.	Do not enter treated field within 2 days after spraying.
GEM AGROLOGIC, INC.	CARTAP HYDROCHLORIDE	GENTRAK 50 SP	500 g/kg	SP	INSECTICIDE	3	238-106-1112	27-Apr-24	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/36 L water	-	-	Do not harvest within 10 days before harvest.	Do not enter treated field within 2 days after spraying.
GEM AGROLOGIC, INC.	CARTAP HYDROCHLORIDE	GENTRAK 50 SP	500 g/kg	SP	INSECTICIDE	3	238-106-1112	27-Apr-24	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/36 L water	-	-	Do not harvest within 10 days before harvest.	Do not enter treated field within 2 days after spraying.
GEM AGROLOGIC, INC.	CARTAP HYDROCHLORIDE	GENTRAK 50 SP	500 g/kg	SP	INSECTICIDE	3	238-106-1112	27-Apr-24	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/36 L water	-	-	Do not harvest within 10 days before harvest.	Do not enter treated field within 2 days after spraying.
GEM AGROLOGIC, INC.	CARTAP HYDROCHLORIDE	GENTRAK 50 SP	500 g/kg	SP	INSECTICIDE	3	238-106-1112	27-Apr-24	SYSTEMIC	Mango	leafhoppers	1.5-2.0Tbsp/36 L water	-	-	Do not harvest within 10 days before harvest.	Do not enter treated field within 2 days after spraying.
GEM AGROLOGIC, INC.	CARTAP HYDROCHLORIDE	GENTRAK 50 SP	500 g/kg	SP	INSECTICIDE	3	238-106-1112	27-Apr-24	SYSTEMIC	Pechay	looper, cutworm, aphids	1.5-3.0Tbsp/36 L water	-	-	Do not harvest within 10 days before harvest.	Do not enter treated field within 2 days after spraying.
GEM AGROLOGIC, INC.	CHLORPYRIFOS	GENMOS 300 EC	300g/L	EC	INSECTICIDE	2	238-101-4840	09-Jun-21	-	Rice	Stemborer, armyworm, leafhoppers, cutworm, planthopper, cutworm	25-35 mL/36L water	-	-	-	-
GEM AGROLOGIC, INC.	CHLORPYRIFOS	GENMOS 300 EC	300g/L	EC	INSECTICIDE	2	238-101-4840	09-Jun-21	-	Potato	Tubermoth, leafhopper, cutworm, aphids	25-35 mL/36L water	-	-	-	-
GEM AGROLOGIC, INC.	CHLORPYRIFOS	GENMOS 300 EC	300g/L	EC	INSECTICIDE	2	238-101-4840	09-Jun-21	-	Corn	Armyworm, cornborer, earworm, seedling maggots	25-35 mL/36L water	-	-	-	-
GEM AGROLOGIC, INC.	CHLORPYRIFOS	GENMOS 300 EC	300g/L	EC	INSECTICIDE	2	238-101-4840	09-Jun-21	-	Beans	Beanfly, leafroller, podborer, cutworm, armyworm	25-35 mL/36L water	-	-	-	-
GEM AGROLOGIC, INC.	PROFENOFOS	GENMERKON 50 EC	500 g/L	EC	INSECTICIDE	2	238-070-2388	08-Jul-24	CONTACT	Mango	Thrips	1.0-2.0 Tbsp/36L water	-	14 Days	-	Do not enter treated field 1 day after application
GEM AGROLOGIC, INC.	PROFENOFOS	GENMERKON 50 EC	500 g/L	EC	INSECTICIDE	2	238-070-2388	08-Jul-24	CONTACT	Tomato	Fruitworm, armyworm, cutworm	3-5 Tbsp/36L water	-	14 Days	-	Do not enter treated field 1 day after application
GEM AGROLOGIC, INC.	PROFENOFOS	GENMERKON 50 EC	500 g/L	EC	INSECTICIDE	2	238-070-2388	08-Jul-24	CONTACT	Eggplant	Fruitborer, aphids, leafhopper, & thrips	1.5-3.0 Tbsp/36L water	-	14 Days	-	Do not enter treated field 1 day after application
GEM AGROLOGIC, INC.	PROFENOFOS	GENMERKON 50 EC	500 g/L	EC	INSECTICIDE	2	238-070-2388	08-Jul-24	CONTACT	Cabbage	Diamond back moth, cabbage worm & aphids	3-5 Tbsp/36L water	-	14 Days	-	Do not enter treated field 1 day after application
GEM AGROLOGIC, INC.	PROFENOFOS	GENMERKON 50 EC	500 g/L	EC	INSECTICIDE	2	238-070-2388	08-Jul-24	CONTACT	Watermelon	Thrips	3-5 Tbsp/36L water	-	14 Days	-	Do not enter treated field 1 day after application
GEM AGROLOGIC, INC.	PROFENOFOS	GENMERKON 50 EC	500 g/L	EC	INSECTICIDE	2	238-070-2388	08-Jul-24	CONTACT	Potato	Thrips, army worm, cutworm, tubermoth	3-5 Tbsp/36L water	-	14 Days	-	Do not enter treated field 1 day after application
GEM AGROLOGIC, INC.	PROFENOFOS	GENMERKON 50 EC	500 g/L	EC	INSECTICIDE	2	238-070-2388	08-Jul-24	CONTACT	Soybeans	Corn earworm, leafminer	3-5 Tbsp/36L water	-	14 Days	-	Do not enter treated field 1 day after application
GEM AGROLOGIC, INC.	PROFENOFOS	GENMERKON 50 EC	500 g/L	EC	INSECTICIDE	2	238-070-2388	08-Jul-24	CONTACT	Mungbeans	Corn earworm, leafminer	3-5 Tbsp/36L water	-	14 Days	-	Do not enter treated field 1 day after application
GEM AGROLOGIC, INC.	PROFENOFOS	GENMERKON 50 EC	500 g/L	EC	INSECTICIDE	2	238-070-2388	08-Jul-24	CONTACT	Cotton	Thrips, bollworm & budworm	3-5 Tbsp/36L water	-	14 Days	-	Do not enter treated field 1 day after application
GEM AGROLOGIC, INC.	PROFENOFOS	GENMERKON 50 EC	500 g/L	EC	INSECTICIDE	2	238-070-2388	08-Jul-24	CONTACT	Itiao	Beanfly, leafroller & aphids	1.5-3.0 Tbsp/36L water	-	14 Days	-	Do not enter treated field 1 day after application
GEM AGROLOGIC, INC.	2,4-D IBE	GEM 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	238-040-1058	09-Jul-19	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual Broadleaves & sedges	5.0-6.50Tbsp/36 L water	0.1 ppm	-	Do not spray within 2 days before harvest	Entry to fields and crops treated with GEM 2,4-D ESTER can be done only day after spraying
GEM AGROLOGIC, INC.	2,4-D IBE	GEM 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	238-040-1058	09-Jul-19	SELECTIVE (POST-EMERGENT)	Corn	Annual Broadleaves & sedges	5.0-6.50Tbsp/36 L water	-	-	Do not spray within 2 days before harvest	Entry to fields and crops treated with GEM 2,4-D ESTER can be done only day after spraying
GEM AGROLOGIC, INC.	2,4-D IBE	GEM 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	238-040-1058	09-Jul-19	SELECTIVE (POST-EMERGENT)	Jugarcane	Annual Broadleaves & sedges	5.0-6.50Tbsp/36 L water	-	-	Do not spray within 2 days before harvest	Entry to fields and crops treated with GEM 2,4-D ESTER can be done only day after spraying
TEAMAGRO TRADING CORPORATION	CYHALOPOF-BUTYL-HISPIRIBAC SODIUM	GAVEL PLUS 300 OD	150 g/L+150 g/L	OD	HERBICIDE	4	248-504-6078	31-Apr-25	POST-EMERGENT	Rice (Direct-seeded)	Grasses (Echinochloa sp., Lypothloa chinensis, and Ischaemum rugosum), broadleaves (Sphenoclea zeylanica, Ludwigia octovalvis)	500 mL to 1 L formulated Product per hectare (using spray volumes of 160 to 250 mL/ha) (75 mL/36L spray load, 10 spray load/ha)	-	-	-	Re-entry to the rice field can be done as soon as spray dries up
TEAMAGRO TRADING CORPORATION	CYHALOPOF-BUTYL-HISPIRIBAC SODIUM	GAVEL 300 OD	160 g/L+160 g/L	OD	HERBICIDE	4	248-504-5289	01-Dec-26	POST-EMERGENT	Rice (Direct-Seeded)	Grasses and Broadleaves	-	-	-	-	As soon as spray dries up
BAAYER CROSCIENCE, INC.	IMIDACLOPRID	GAUCHO 350 FS	350 g/L	FS	INSECTICIDE	4	267-240-2367	28-Dec-25	-	Corn (as seed treatment)	Seedling maggot, ants, field crickets & mole crickets	75-100mL prod./18-20 kgs. seed	-	-	-	-
BAAYER CROSCIENCE, INC.	IMIDACLOPRID	GAUCHO 350 FS	350 g/L	FS	INSECTICIDE	4	267-240-2367	28-Dec-25	-	Rice (as seed treatment)	Rice whorl maggot & green leafhopper	5-10 mL product/1 kg. seed	-	-	-	-
JARDINE DISTRIBUTION, INC.	IMIDACLOPRID	GAUCHO 350 FS	350 g/L	FS	INSECTICIDE	2	367-240-5976	28-Dec-25	-	Corn (as seed treatment)	Seedling maggot, ants, field crickets and mole crickets	75-100 mL prod. / 18-20 kgs. Seed	-	-	-	-
JARDINE DISTRIBUTION, INC.	IMIDACLOPRID	GAUCHO 350 FS	350 g/L	FS	INSECTICIDE	2	367-240-5976	28-Dec-25	-	Rice (as seed treatment)	Rice whorl maggot and green leafhopper	5-10 mL prod. / 1 kg seed	-	-	-	-
EDSEL AGRI AND CHEMICAL CORP.	GLYPHOSATE IPA	GATTLING FIRE 480 SL	480g/L	SL	HERBICIDE	4	597-151-4147	15-Dec-26	POST-EMERGENT	glyphosate tolerant corn under minimum or reduced	Annual & Perennial grasses,broadleaf weeds & sedges	2.0-4.0Liters/ha	-	-	-	-
EDSEL AGRI AND CHEMICAL CORP.	GLYPHOSATE IPA	GATTLING FIRE 480 SL	480g/L	SL	HERBICIDE	4	597-151-4147	15-Dec-26	POST-EMERGENT	Mango	Annual & Perennial grasses,broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-	-
EDSEL AGRI AND CHEMICAL CORP.	GLYPHOSATE IPA	GATTLING FIRE 480 SL	480g/L	SL	HERBICIDE	4	597-151-4147	15-Dec-26	POST-EMERGENT	Cacao	Annual & Perennial grasses,broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-	-
EDSEL AGRI AND CHEMICAL CORP.	GLYPHOSATE IPA	GATTLING FIRE 480 SL	480g/L	SL	HERBICIDE	4	597-151-4147	15-Dec-26	POST-EMERGENT	Banana	Annual & Perennial grasses,broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-	-
EDSEL AGRI AND CHEMICAL CORP.	GLYPHOSATE IPA	GATTLING FIRE 480 SL	480g/L	SL	HERBICIDE	4	597-151-4147	15-Dec-26	POST-EMERGENT	Coffee	Annual & Perennial grasses,broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-	-
EDSEL AGRI AND CHEMICAL CORP.	GLYPHOSATE IPA	GATTLING FIRE 480 SL	480g/L	SL	HERBICIDE	4	597-151-4147	15-Dec-26	POST-EMERGENT	Rubber	Annual & Perennial grasses,broadleaf weeds & sedges	2.0Liters/ha	-	-	-	-
EDSEL AGRI AND CHEMICAL CORP.	GLYPHOSATE IPA	GATTLING FIRE 480 SL	480g/L	SL	HERBICIDE	4	597-151-4147	15-Dec-26	POST-EMERGENT	Oil palm	Annual & Perennial grasses,broadleaf weeds & sedges	2.0Liters/ha	-	-	-	-

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
EDSLAGRI AND CHEMICAL CORP.	GLYPHOSATE IPA	GATLUNG FIRE 480 SL	480g/L	SL	HERBICIDE	4	597-151-4147	15-Dec-26	POST-EMERGENT	Citrus	Annual & Perennial grasses,broadleaf weeds & sedges	2.0 Liter/ha	-	-	-
EDSLAGRI AND CHEMICAL CORP.	GLYPHOSATE IPA	GATLUNG FIRE 480 SL	480g/L	SL	HERBICIDE	4	597-151-4147	15-Dec-26	POST-EMERGENT	Coconut	Annual & Perennial grasses,broadleaf weeds & sedges	4.5 Liter/ha	-	-	-
EDSLAGRI AND CHEMICAL CORP.	GLYPHOSATE IPA	GATLUNG FIRE 480 SL	480g/L	SL	HERBICIDE	4	597-151-4147	15-Dec-26	POST-EMERGENT	Sugarcane	Annual & Perennial grasses,broadleaf weeds & sedges	2.0 Liter/ha	-	-	-
EDSLAGRI AND CHEMICAL CORP.	GLYPHOSATE IPA	GATLUNG FIRE 480 SL	480g/L	SL	HERBICIDE	4	597-151-4147	15-Dec-26	POST-EMERGENT	Vegetables	Annual & Perennial grasses,broadleaf weeds & sedges	2.0 Liter/ha	-	-	-
EDSLAGRI AND CHEMICAL CORP.	GLYPHOSATE IPA	GATLUNG FIRE 480 SL	480g/L	SL	HERBICIDE	4	597-151-4147	15-Dec-26	POST-EMERGENT	Non-crop areas	Annual & Perennial grasses,broadleaf weeds & sedges	-	-	-	-
AGRI-SPOUT PHILIPPINES, INC.	METALDEHYDE	GATILLO 6NP	60 gm/kg	P	MOLLUSCICIDE	4	668-075-6006	31-Dec-26	-	Rice (Transplanted)	Golden apple snail	2.0-4.0 kg/ha	-	-	Do not enter the treated field within 48 hours after application
AGRI-SPOUT PHILIPPINES, INC.	METALDEHYDE	GATILLO 6NP	60 gm/kg	P	MOLLUSCICIDE	4	668-075-6006	31-Dec-26	-	Rice (Direct-seeded)	Golden apple snail	4.0-8.0 kg/ha	-	-	Do not enter the treated field within 48 hours after application
AGRI-SPOUT PHILIPPINES, INC.	METALDEHYDE	GATILLO 6NP	60 gm/kg	P	MOLLUSCICIDE	4	668-075-6006	31-Dec-26	-	Potted and driftwood-attached plants such as	Bush, snails, giant african snail and slugs	1.0-2.0 kg/ha	-	-	Do not enter the treated field within 48 hours after application
AGRI-SPOUT PHILIPPINES, INC.	METALDEHYDE	GATILLO 6NP	60 gm/kg	P	MOLLUSCICIDE	4	668-075-6006	31-Dec-26	-	Strawberry	Slug, snails	6.0-8.0 kg/ha	-	-	Do not enter the treated field within 48 hours after application
AGRI-SPOUT PHILIPPINES, INC.	METALDEHYDE	GATILLO 6NP	60 gm/kg	P	MOLLUSCICIDE	4	668-075-6006	31-Dec-26	-	Chinese cabbage	Slug, snails	6.0-8.0 kg/ha	-	-	Do not enter the treated field within 48 hours after application
UNAHCO, INC.	SPINOSAD	GARRISON 25 SC	25 g/L	SC	INSECTICIDE	4	662-306-5979	10-May-24	-	Cabbage	Diamond back moth	20-50 ml (2.5-5.0 tbsp) / 16L water	-	-	Immediately after spray deposits has dried up
UNAHCO, INC.	SPINOSAD	GARRISON 25 SC	25 g/L	SC	INSECTICIDE	4	662-306-5979	10-May-24	-	Banana	Flower thrips	1.0-1.25 mL/ 16L water	-	-	Immediately after spray deposits has dried up
UNAHCO, INC.	SPINOSAD	GARRISON 25 SC	25 g/L	SC	INSECTICIDE	4	662-306-5979	10-May-24	-	Eggplant	Fruit borer	60-65 mL/ 16L water	-	-	Immediately after spray deposits has dried up
UNAHCO, INC.	SPINOSAD	GARRISON 25 SC	25 g/L	SC	INSECTICIDE	4	662-306-5979	10-May-24	-	Beans	Podborer	40-50 mL/ 16L water	-	-	Immediately after spray deposits has dried up
UNAHCO, INC.	SPINOSAD	GARRISON 25 SC	25 g/L	SC	INSECTICIDE	4	662-306-5979	10-May-24	-	Onion	Thrips and cutworm	40-100 mL/ 16L water	-	-	Immediately after spray deposits has dried up
AGCHEM MANUFACTURING CORPORATION	BP4MC-CHLORPYRIFOS	GAROTÉ EC	210-105 g/L	EC	INSECTICIDE	2	001-174-0979	27-Dec-24	-	Rice	Stemborer, armyworm, leafhopper, caseworm and planthopper	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
AGCHEM MANUFACTURING CORPORATION	BP4MC-CHLORPYRIFOS	GAROTÉ EC	210-105 g/L	EC	INSECTICIDE	2	001-174-0979	27-Dec-24	-	Corn	Seedling maggot, corn earworm, cornborer and armyworm	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
AGCHEM MANUFACTURING CORPORATION	BP4MC-CHLORPYRIFOS	GAROTÉ EC	210-105 g/L	EC	INSECTICIDE	2	001-174-0979	27-Dec-24	-	Tobacco	Budworm, grasshopper, aphid, cutworm and armyworm	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
AGCHEM MANUFACTURING CORPORATION	BP4MC-CHLORPYRIFOS	GAROTÉ EC	210-105 g/L	EC	INSECTICIDE	2	001-174-0979	27-Dec-24	-	Cucumber	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
AGCHEM MANUFACTURING CORPORATION	BP4MC-CHLORPYRIFOS	GAROTÉ EC	210-105 g/L	EC	INSECTICIDE	2	001-174-0979	27-Dec-24	-	Melon	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
AGCHEM MANUFACTURING CORPORATION	BP4MC-CHLORPYRIFOS	GAROTÉ EC	210-105 g/L	EC	INSECTICIDE	2	001-174-0979	27-Dec-24	-	Watermelon	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
AGCHEM MANUFACTURING CORPORATION	BP4MC-CHLORPYRIFOS	GAROTÉ EC	210-105 g/L	EC	INSECTICIDE	2	001-174-0979	27-Dec-24	-	Onion	Thrips, cutworm	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
AGCHEM MANUFACTURING CORPORATION	BP4MC-CHLORPYRIFOS	GAROTÉ EC	210-105 g/L	EC	INSECTICIDE	2	001-174-0979	27-Dec-24	-	Mungo	Bean, podborer, aphids, beanfly, armyworm, cutworm, leafminer, leafroller	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
AGCHEM MANUFACTURING CORPORATION	BP4MC-CHLORPYRIFOS	GAROTÉ EC	210-105 g/L	EC	INSECTICIDE	2	001-174-0979	27-Dec-24	-	Soybeans	Bean, podborer, aphids, beanfly, armyworm, cutworm, leafminer, leafroller	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
AGCHEM MANUFACTURING CORPORATION	BP4MC-CHLORPYRIFOS	GAROTÉ EC	210-105 g/L	EC	INSECTICIDE	2	001-174-0979	27-Dec-24	-	Beans	Bean, podborer, aphids, beanfly, armyworm, cutworm, leafminer, leafroller	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
CORTEVA AGRISCIENCE PHILIPPINES, INC.	TRICLOPIR	GARLON 4E	480 g/L	E	HERBICIDE	2	787-481-4442	26-Mar-27	-	Non-crop agricultural areas	Broadleaf of weeds	-	-	-	-
GEM AGROLOGIC, INC.	CHLOROTHALONIL	GARDENIL 720 SC	720 g/L	SC	FUNGICIDE	4	238-118-3722	02-Jun-22	-	Potato	Early blight, late blight, vine rot	1.00-1.80 L/ha or 4.5-5.5 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GEM AGROLOGIC, INC.	CHLOROTHALONIL	GARDENIL 720 SC	720 g/L	SC	FUNGICIDE	4	238-118-3722	02-Jun-22	-	Tomato	Early blight, late blight, vine rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GEM AGROLOGIC, INC.	CHLOROTHALONIL	GARDENIL 720 SC	720 g/L	SC	FUNGICIDE	4	238-118-3722	02-Jun-22	-	Beans	Rust, anthracnose	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GEM AGROLOGIC, INC.	CHLOROTHALONIL	GARDENIL 720 SC	720 g/L	SC	FUNGICIDE	4	238-118-3722	02-Jun-22	-	Carrot	Alternaria, cercospora, helminthosporium	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GEM AGROLOGIC, INC.	CHLOROTHALONIL	GARDENIL 720 SC	720 g/L	SC	FUNGICIDE	4	238-118-3722	02-Jun-22	-	Cuciters	Powdery mildew	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GEM AGROLOGIC, INC.	CHLOROTHALONIL	GARDENIL 720 SC	720 g/L	SC	FUNGICIDE	4	238-118-3722	02-Jun-22	-	Melon	Powdery mildew, downy mildew cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GEM AGROLOGIC, INC.	CHLOROTHALONIL	GARDENIL 720 SC	720 g/L	SC	FUNGICIDE	4	238-118-3722	02-Jun-22	-	Cucumber	Powdery mildew, downy mildew cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GEM AGROLOGIC, INC.	CHLOROTHALONIL	GARDENIL 720 SC	720 g/L	SC	FUNGICIDE	4	238-118-3722	02-Jun-22	-	Squash	Powdery mildew, downy mildew cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GEM AGROLOGIC, INC.	CHLOROTHALONIL	GARDENIL 720 SC	720 g/L	SC	FUNGICIDE	4	238-118-3722	02-Jun-22	-	Watermelon	Powdery mildew, downy mildew cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GEM AGROLOGIC, INC.	CHLOROTHALONIL	GARDENIL 720 SC	720 g/L	SC	FUNGICIDE	4	238-118-3722	02-Jun-22	-	Celery	Early blight, late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GEM AGROLOGIC, INC.	CHLOROTHALONIL	GARDENIL 720 SC	720 g/L	SC	FUNGICIDE	4	238-118-3722	02-Jun-22	-	Eggplant	Early blight, late blight, cercospora, anthracnose	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GEM AGROLOGIC, INC.	CHLOROTHALONIL	GARDENIL 720 SC	720 g/L	SC	FUNGICIDE	4	238-118-3722	02-Jun-22	-	Onion	Purple blotch, bulb rot, neck rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GEM AGROLOGIC, INC.	CHLOROTHALONIL	GARDENIL 720 SC	720 g/L	SC	FUNGICIDE	4	238-118-3722	02-Jun-22	-	Pepper	Early and late blight, bulb rot, neck rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GEM AGROLOGIC, INC.	CHLOROTHALONIL	GARDENIL 720 SC	720 g/L	SC	FUNGICIDE	4	238-118-3722	02-Jun-22	-	Grapes	Downy mildew, powdery mildew, fruit rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GEM AGROLOGIC, INC.	CHLOROTHALONIL	GARDENIL 720 SC	720 g/L	SC	FUNGICIDE	4	238-118-3722	02-Jun-22	-	Mango	Anthracoese, diploid rot	3.75-5.60 L/ha or 4.5-6.0 tbsp/16 L	0.5 mg/kg	7-14 days	Do not enter treatment areas until spray deposit have dried
GEM AGROLOGIC, INC.	CHLOROTHALONIL	GARDENIL 720 SC	720 g/L	SC	FUNGICIDE	4	238-118-3722	02-Jun-22	-	Ornamentals	Black spot, powdery mildew, black rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GEM AGROLOGIC, INC.	CHLOROTHALONIL	GARDENIL 720 SC	720 g/L	SC	FUNGICIDE	4	238-118-3722	02-Jun-22	-	Asparagus	Stem and leaf blight	1.8 L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GEM AGROLOGIC, INC.	CHLOROTHALONIL	GARDENIL 720 SC	720 g/L	SC	FUNGICIDE	4	238-118-3722	02-Jun-22	-	Banana	Black sigatoka	1.2 L/ha	2.0 mg/kg	0 day	Do not enter treatment areas until spray deposit have dried
GEM AGROLOGIC, INC.	CHLOROTHALONIL	GARDENIL 500 SC	500 g/L	SC	FUNGICIDE	4	238-118-1829	27-Feb-18	-	Melon	Anthracoese, cercospora leafspot, downy mildew, leaf blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GEM AGROLOGIC, INC.	CHLOROTHALONIL	GARDENIL 500 SC	500 g/L	SC	FUNGICIDE	4	238-118-1829	27-Feb-18	-	Corn	Heminthosporium leaf spot, cercospora leafspot	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GEM AGROLOGIC, INC.	CHLOROTHALONIL	GARDENIL 500 SC	500 g/L	SC	FUNGICIDE	4	238-118-1829	27-Feb-18	-	Eggplant	Anthracoese, cercospora leafspot, early and late blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GEM AGROLOGIC, INC.	CHLOROTHALONIL	GARDENIL 500 SC	500 g/L	SC	FUNGICIDE	4	238-118-1829	27-Feb-18	-	Peanut	Cercospora leaf spot, rust	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GEM AGROLOGIC, INC.	CHLOROTHALONIL	GARDENIL 500 SC	500 g/L	SC	FUNGICIDE	4	238-118-1829	27-Feb-18	-	Potato	Early and late blight, vine rot	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GEM AGROLOGIC, INC.	CHLOROTHALONIL	GARDENIL 500 SC	500 g/L	SC	FUNGICIDE	4	238-118-1829	27-Feb-18	-	Tomato	Early and late blight, vine rot	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GEM AGROLOGIC, INC.	CHLOROTHALONIL	GARDENIL 500 SC	500 g/L	SC	FUNGICIDE	4	238-118-1829	27-Feb-18	-	Carrot	Alternaria, cercospora leaf spot, heminthosporium leaf spot	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GEM AGROLOGIC, INC.	CHLOROTHALONIL	GARDENIL 500 SC	500 g/L	SC	FUNGICIDE	4	238-118-1829	27-Feb-18	-	Banana	Sigatoka, rust, freckles, heminthosporium leaf spot	2 L/ha	2.0 mg/kg	-	Do not enter treatment areas until spray deposit have dried
GEM AGROLOGIC, INC.	CHLOROTHALONIL	GARDENIL 500 SC	500 g/L	SC	FUNGICIDE	4	238-118-1829	27-Feb-18	-	Mango	Anthracoese, diploid rot	6.0-8.5 Tbsp/16 L	0.5 mg/kg	7-14 days	Do not enter treatment areas until spray deposit have dried
GEM AGROLOGIC, INC.	CHLOROTHALONIL	GARDENIL 500 SC	500 g/L	SC	FUNGICIDE	4	238-118-1829	27-Feb-18	-	Beans	Rust, anthracnose	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GEM AGROLOGIC, INC.	CHLOROTHALONIL	GARDENIL 500 SC	500 g/L	SC	FUNGICIDE	4	238-118-1829	27-Feb-18	-	Cuciters	Powdery mildew	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GEM AGROLOGIC, INC.	CHLOROTHALONIL	GARDENIL 500 SC	500 g/L	SC	FUNGICIDE	4	238-118-1829	27-Feb-18	-	Onion	Purple blotch, bulb rot, neck rot	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
GEM AGROLOGIC, INC.	CHLOROTHALONIL	GARDENIL 900 SC	900 g/L	SC	FUNGICIDE	4	238-118-1829	27-Feb-18	-	Garlic	Purple blotch, bulb rot, neck rot	6.0-8.5 Tbsp/36 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GEM AGROLOGIC, INC.	CHLOROTHALONIL	GARDENIL 900 SC	900 g/L	SC	FUNGICIDE	4	238-118-1829	27-Feb-18	-	Ornamentals	Black spot, black rot, powdery mildew	6.0-8.5 Tbsp/36 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GEM AGROLOGIC, INC.	CHLOROTHALONIL	GARDENIL 900 SC	900 g/L	SC	FUNGICIDE	4	238-118-1829	27-Feb-18	-	Grapes	Downy mildew, powdery mildew, fruit rot	6.0-8.5 Tbsp/36 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GEM AGROLOGIC, INC.	CHLOROTHALONIL	GARDENIL 900 SC	900 g/L	SC	FUNGICIDE	4	238-118-1829	27-Feb-18	-	Pepper	Anthraxnose, cercospora leaf spot, early blight	6.0-8.5 Tbsp/36 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GEM AGROLOGIC, INC.	CHLOROTHALONIL	GARDENIL 900 SC	900 g/L	SC	FUNGICIDE	4	238-118-1829	27-Feb-18	-	Melon	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/36 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GEM AGROLOGIC, INC.	CHLOROTHALONIL	GARDENIL 900 SC	900 g/L	SC	FUNGICIDE	4	238-118-1829	27-Feb-18	-	Cucumber	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/36 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GEM AGROLOGIC, INC.	CHLOROTHALONIL	GARDENIL 900 SC	900 g/L	SC	FUNGICIDE	4	238-118-1829	27-Feb-18	-	Squash	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/36 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GEM AGROLOGIC, INC.	CHLOROTHALONIL	GARDENIL 900 SC	900 g/L	SC	FUNGICIDE	4	238-118-1829	27-Feb-18	-	Watermelon	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/36 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
GEM AGROLOGIC, INC.	CHLOROTHALONIL	GARDENIL 900 SC	900 g/L	SC	FUNGICIDE	4	238-118-1829	27-Feb-18	-	Celery	Early and late blight	6.0-8.5 Tbsp/36 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
118 AGRICULTURAL CORPORATION	GLYPHOSATE IPA	GARAV 480 SL	480 g/L	SL	HERBICIDE	4	506-151-3219	09-Mar-25	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/ha	-	-	-
118 AGRICULTURAL CORPORATION	GLYPHOSATE IPA	GARAV 480 SL	480 g/L	SL	HERBICIDE	4	506-151-3219	09-Mar-25	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
118 AGRICULTURAL CORPORATION	GLYPHOSATE IPA	GARAV 480 SL	480 g/L	SL	HERBICIDE	4	506-151-3219	09-Mar-25	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
118 AGRICULTURAL CORPORATION	GLYPHOSATE IPA	GARAV 480 SL	480 g/L	SL	HERBICIDE	4	506-151-3219	09-Mar-25	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
118 AGRICULTURAL CORPORATION	GLYPHOSATE IPA	GARAV 480 SL	480 g/L	SL	HERBICIDE	4	506-151-3219	09-Mar-25	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
118 AGRICULTURAL CORPORATION	GLYPHOSATE IPA	GARAV 480 SL	480 g/L	SL	HERBICIDE	4	506-151-3219	09-Mar-25	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
118 AGRICULTURAL CORPORATION	GLYPHOSATE IPA	GARAV 480 SL	480 g/L	SL	HERBICIDE	4	506-151-3219	09-Mar-25	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
118 AGRICULTURAL CORPORATION	GLYPHOSATE IPA	GARAV 480 SL	480 g/L	SL	HERBICIDE	4	506-151-3219	09-Mar-25	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
118 AGRICULTURAL CORPORATION	GLYPHOSATE IPA	GARAV 480 SL	480 g/L	SL	HERBICIDE	4	506-151-3219	09-Mar-25	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/ha	-	-	-
118 AGRICULTURAL CORPORATION	GLYPHOSATE IPA	GARAV 480 SL	480 g/L	SL	HERBICIDE	4	506-151-3219	09-Mar-25	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
118 AGRICULTURAL CORPORATION	GLYPHOSATE IPA	GARAV 480 SL	480 g/L	SL	HERBICIDE	4	506-151-3219	09-Mar-25	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
118 AGRICULTURAL CORPORATION	GLYPHOSATE IPA	GARAV 480 SL	480 g/L	SL	HERBICIDE	4	506-151-3219	09-Mar-25	POST-EMERGENT	non-crop	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
GEM AGROLOGIC, INC.	BUTACHLOR	GAPASCYTHE 600 EC	600 g/L	EC	HERBICIDE	4	238-150-1987	17-Oct-24	PRE-EMERGENT	Rice (Direct seeded)	Grasses and sedges	90bsp [2-4 DAT]9Tbsp[0-4 DAT] 90bsp-7Tbsp	0.1 ppm	-	-
GEM AGROLOGIC, INC.	BUTACHLOR	GAPASCYTHE 600 EC	600 g/L	EC	HERBICIDE	4	238-150-1987	17-Oct-24	PRE-EMERGENT	Rice (Transplanted)	Grasses and sedges	70bsp[2-40BBL]7Tbsp[2-40BBL] 11Tbsp [30 DAS]	0.1 ppm	-	-
JEELS MASAGANA FARM SUPPLY, INC.	MANCOZEB	GANAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	487-053-2699	25-Sep-25	-	Potato	Early and late blight	3-6 Tbsp/36 L water	-	-	As soon as spray dries
JEELS MASAGANA FARM SUPPLY, INC.	MANCOZEB	GANAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	487-053-2699	25-Sep-25	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries
JEELS MASAGANA FARM SUPPLY, INC.	MANCOZEB	GANAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	487-053-2699	25-Sep-25	-	Caiflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries
JEELS MASAGANA FARM SUPPLY, INC.	MANCOZEB	GANAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	487-053-2699	25-Sep-25	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries
JEELS MASAGANA FARM SUPPLY, INC.	MANCOZEB	GANAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	487-053-2699	25-Sep-25	-	Celery	Late blight	3-6 Tbsp/36 L water	-	14 days	As soon as spray dries
JEELS MASAGANA FARM SUPPLY, INC.	MANCOZEB	GANAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	487-053-2699	25-Sep-25	-	Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
JEELS MASAGANA FARM SUPPLY, INC.	MANCOZEB	GANAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	487-053-2699	25-Sep-25	-	Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
JEELS MASAGANA FARM SUPPLY, INC.	MANCOZEB	GANAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	487-053-2699	25-Sep-25	-	Cotton	Damping off	3-6 Tbsp/36 L water	-	-	As soon as spray dries
JEELS MASAGANA FARM SUPPLY, INC.	MANCOZEB	GANAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	487-053-2699	25-Sep-25	-	Lettuce	Downy mildew	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries
JEELS MASAGANA FARM SUPPLY, INC.	MANCOZEB	GANAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	487-053-2699	25-Sep-25	-	Beans	Anthraxnose, Downy mildew, Rust	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
JEELS MASAGANA FARM SUPPLY, INC.	MANCOZEB	GANAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	487-053-2699	25-Sep-25	-	Peas	Anthraxnose, Downy mildew, Rust	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
JEELS MASAGANA FARM SUPPLY, INC.	MANCOZEB	GANAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	487-053-2699	25-Sep-25	-	Mungo	Anthraxnose, Downy mildew, Rust	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
JEELS MASAGANA FARM SUPPLY, INC.	MANCOZEB	GANAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	487-053-2699	25-Sep-25	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
JEELS MASAGANA FARM SUPPLY, INC.	MANCOZEB	GANAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	487-053-2699	25-Sep-25	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries
JEELS MASAGANA FARM SUPPLY, INC.	MANCOZEB	GANAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	487-053-2699	25-Sep-25	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries
JEELS MASAGANA FARM SUPPLY, INC.	MANCOZEB	GANAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	487-053-2699	25-Sep-25	-	Pepper	Anthraxnose	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries
JEELS MASAGANA FARM SUPPLY, INC.	MANCOZEB	GANAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	487-053-2699	25-Sep-25	-	Chili	Anthraxnose	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries
JEELS MASAGANA FARM SUPPLY, INC.	MANCOZEB	GANAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	487-053-2699	25-Sep-25	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries
JEELS MASAGANA FARM SUPPLY, INC.	MANCOZEB	GANAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	487-053-2699	25-Sep-25	-	Banana	Sigatoka, Black leaf streak	3-6 Tbsp/36 L water	-	-	As soon as spray dries
JEELS MASAGANA FARM SUPPLY, INC.	MANCOZEB	GANAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	487-053-2699	25-Sep-25	-	Grapes	Downy mildew, black rot	3-6 Tbsp/36 L water	-	80 days	As soon as spray dries
JEELS MASAGANA FARM SUPPLY, INC.	MANCOZEB	GANAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	487-053-2699	25-Sep-25	-	Mango	Anthraxnose and Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
JEELS MASAGANA FARM SUPPLY, INC.	MANCOZEB	GANAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	487-053-2699	25-Sep-25	-	Papaya	Fruit rot	3-6 Tbsp/36 L water	-	-	As soon as spray dries
JEELS MASAGANA FARM SUPPLY, INC.	MANCOZEB	GANAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	487-053-2699	25-Sep-25	-	Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
JEELS MASAGANA FARM SUPPLY, INC.	MANCOZEB	GANAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	487-053-2699	25-Sep-25	-	Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
JEELS MASAGANA FARM SUPPLY, INC.	MANCOZEB	GANAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	487-053-2699	25-Sep-25	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries
JEELS MASAGANA FARM SUPPLY, INC.	MANCOZEB	GANAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	487-053-2699	25-Sep-25	-	Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/36 L water	-	-	As soon as spray dries
JEELS MASAGANA FARM SUPPLY, INC.	MANCOZEB	GANAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	487-053-2699	25-Sep-25	-	Peanut	Cercospora leaf spot	3-6 Tbsp/36 L water	-	14 days	As soon as spray dries
JEELS MASAGANA FARM SUPPLY, INC.	MANCOZEB	GANAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	487-053-2699	25-Sep-25	-	Soybeans	Leaf rust	3-6 Tbsp/36 L water	-	-	As soon as spray dries
JEELS MASAGANA FARM SUPPLY, INC.	MANCOZEB	GANAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	487-053-2699	25-Sep-25	-	Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/36 L water	-	-	As soon as spray dries
CROP PROTECTION AGRIVENTURES INC.	CHLOROTHALONIL	GANANIL 720 SC	720 g/L	SC	FUNGICIDE	4	616-118-5190	03-Sep-24	-	Potato	Early blight, late blight, vine rot	4.5-6.0 Tbsp/36L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
CROP PROTECTION AGRIVENTURES INC.	CHLOROTHALONIL	GANANIL 720 SC	720 g/L	SC	FUNGICIDE	4	616-118-5190	03-Sep-24	-	Tomato	Early blight, late blight, vine rot	4.5-6.0 Tbsp/36L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
CROP PROTECTION AGRIVENTURES INC.	CHLOROTHALONIL	GANANIL 720 SC	720 g/L	SC	FUNGICIDE	4	616-118-5190	03-Sep-24	-	Beans	Rust, anthracnose	4.5-6.0 Tbsp/36L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
CROP PROTECTION AGRIVENTURES INC.	CHLOROTHALONIL	GANANIL 720 SC	720 g/L	SC	FUNGICIDE	4	616-118-5190	03-Sep-24	-	Carrot	Alternaria leaf spot, cercospora leaf spot, helminthosporium leaf spot	4.5-6.0 Tbsp/36L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
CROP PROTECTION AGRVENTURES INC.	CHLOROTHALONIL	GANANIL 720 SC	720 g/L	SC	FUNGICIDE	4	616-118-5190	03-Sep-24	-	Crucifers	Powdery mildew	4.5-6.0 Tbsp/36L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
CROP PROTECTION AGRVENTURES INC.	CHLOROTHALONIL	GANANIL 720 SC	720 g/L	SC	FUNGICIDE	4	616-118-5190	03-Sep-24	-	Cucurbits	Powdery mildew, downy mildew, cercospora, anthracnose, septoria, fruit rot, early and late blight	4.5-6.0 Tbsp/36L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
CROP PROTECTION AGRVENTURES INC.	CHLOROTHALONIL	GANANIL 720 SC	720 g/L	SC	FUNGICIDE	4	616-118-5190	03-Sep-24	-	Celery	Early blight, late blight	4.5-6.0 Tbsp/36L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
CROP PROTECTION AGRVENTURES INC.	CHLOROTHALONIL	GANANIL 720 SC	720 g/L	SC	FUNGICIDE	4	616-118-5190	03-Sep-24	-	Eggplant	Early blight, late blight, cercospora, anthracnose	4.5-6.0 Tbsp/36L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
CROP PROTECTION AGRVENTURES INC.	CHLOROTHALONIL	GANANIL 720 SC	720 g/L	SC	FUNGICIDE	4	616-118-5190	03-Sep-24	-	Onion	Purple blotch, bulb rot, neck rot	4.5-6.0 Tbsp/36L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
CROP PROTECTION AGRVENTURES INC.	CHLOROTHALONIL	GANANIL 720 SC	720 g/L	SC	FUNGICIDE	4	616-118-5190	03-Sep-24	-	Pepper	Early & Late blight, Bulb rot, Neck rot	4.5-6.0 Tbsp/36L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
CROP PROTECTION AGRVENTURES INC.	CHLOROTHALONIL	GANANIL 720 SC	720 g/L	SC	FUNGICIDE	4	616-118-5190	03-Sep-24	-	Grapes	Downy mildew, powdery mildew, fruit rot	4.5-6.0 Tbsp/36L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
CROP PROTECTION AGRVENTURES INC.	CHLOROTHALONIL	GANANIL 720 SC	720 g/L	SC	FUNGICIDE	4	616-118-5190	03-Sep-24	-	Mango	Anthracoese, diploida rot	4.5-6.0 Tbsp/36L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
CROP PROTECTION AGRVENTURES INC.	CHLOROTHALONIL	GANANIL 720 SC	720 g/L	SC	FUNGICIDE	4	616-118-5190	03-Sep-24	-	Ornamentals	Black spot, powdery mildew, black rot	4.5-6.0 Tbsp/36L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
CROP PROTECTION AGRVENTURES INC.	CHLOROTHALONIL	GANANIL 720 SC	720 g/L	SC	FUNGICIDE	4	616-118-5190	03-Sep-24	-	Asparagus	Stem and leaf blight	1.8L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
CROP PROTECTION AGRVENTURES INC.	CHLOROTHALONIL	GANANIL 720 SC	720 g/L	SC	FUNGICIDE	4	616-118-5190	03-Sep-24	-	Banana	Black sigatoka	1.38L/ha	-	0 day	Do not enter treatment areas until spray deposit have dried
JEELS MASAGANA FARM SUPPLY, INC.	CARBARYL	GANADREN 85 WP	850 g/kg	WP	INSECTICIDE	2	487-035-2700	03-Feb-24	-	Tobacco	Budworm, cutworm, aphids	4-6 Tbsp/36 L water	-	-	Do not spray within 14 days before harvest on rice, 5 days on citrus, and 1 day on cacao, coffee and mango
JEELS MASAGANA FARM SUPPLY, INC.	CARBARYL	GANADREN 85 WP	850 g/kg	WP	INSECTICIDE	2	487-035-2700	03-Feb-24	-	Sorghum	Webworm, armyworm, cutworm, headworm	4-6 Tbsp/36 L water	-	-	Do not spray within 14 days before harvest on rice, 5 days on citrus, and 1 day on cacao, coffee and mango
JEELS MASAGANA FARM SUPPLY, INC.	CARBARYL	GANADREN 85 WP	850 g/kg	WP	INSECTICIDE	2	487-035-2700	03-Feb-24	-	Ornamentals	Aphids, scale insect, mealy bug, cutworm	4-6 Tbsp/36 L water	-	-	Do not spray within 14 days before harvest on rice, 5 days on citrus, and 1 day on cacao, coffee and mango
JEELS MASAGANA FARM SUPPLY, INC.	CARBARYL	GANADREN 85 WP	850 g/kg	WP	INSECTICIDE	2	487-035-2700	03-Feb-24	-	Mango	Mango hopper, tip borer, twig borer, fruit fly, mealy bug	4-8 Tbsp/36 L water	-	-	Do not spray within 14 days before harvest on rice, 5 days on citrus, and 1 day on cacao, coffee and mango
JEELS MASAGANA FARM SUPPLY, INC.	CARBARYL	GANADREN 85 WP	850 g/kg	WP	INSECTICIDE	2	487-035-2700	03-Feb-24	-	Coffee	Berry borer	4-6 Tbsp/36 L water	-	-	Do not spray within 14 days before harvest on rice, 5 days on citrus, and 1 day on cacao, coffee and mango
JEELS MASAGANA FARM SUPPLY, INC.	CARBARYL	GANADREN 85 WP	850 g/kg	WP	INSECTICIDE	2	487-035-2700	03-Feb-24	-	Cacao	Podborer, aphids, capsid bug	4-6 Tbsp/36 L water	-	-	Do not spray within 14 days before harvest on rice, 5 days on citrus, and 1 day on cacao, coffee and mango
JEELS MASAGANA FARM SUPPLY, INC.	CARBARYL	GANADREN 85 WP	850 g/kg	WP	INSECTICIDE	2	487-035-2700	03-Feb-24	-	Citrus	Rind borer	4-6 Tbsp/36 L water	-	-	Do not spray within 14 days before harvest on rice, 5 days on citrus, and 1 day on cacao, coffee and mango
JEELS MASAGANA FARM SUPPLY, INC.	CARBARYL	GANADREN 85 WP	850 g/kg	WP	INSECTICIDE	2	487-035-2700	03-Feb-24	-	Soybeans	Podborer, beanfly, leafminer, aphids	4-6 Tbsp/36 L water	-	-	Do not spray within 14 days before harvest on rice, 5 days on citrus, and 1 day on cacao, coffee and mango
JEELS MASAGANA FARM SUPPLY, INC.	CARBARYL	GANADREN 85 WP	850 g/kg	WP	INSECTICIDE	2	487-035-2700	03-Feb-24	-	Rice	Green leafhopper, caseworm, aphids	4-6 Tbsp/36 L water	1ppm	-	Do not spray within 14 days before harvest on rice, 5 days on citrus, and 1 day on cacao, coffee and mango
JEELS MASAGANA FARM SUPPLY, INC.	CARBARYL	GANADREN 85 WP	850 g/kg	WP	INSECTICIDE	2	487-035-2700	03-Feb-24	-	Cowpea and other beans	Podborer, beanfly, leafminer, cutworm, aphids	4-6 Tbsp/36 L water	-	-	Do not spray within 14 days before harvest on rice, 5 days on citrus, and 1 day on cacao, coffee and mango
JEELS MASAGANA FARM SUPPLY, INC.	CARBARYL	GANADREN 85 WP	850 g/kg	WP	INSECTICIDE	2	487-035-2700	03-Feb-24	-	Cotton	Bollworm, cutworm	4-6 Tbsp/36 L water	-	-	Do not spray within 14 days before harvest on rice, 5 days on citrus, and 1 day on cacao, coffee and mango
JEELS MASAGANA FARM SUPPLY, INC.	CARBARYL	GANADREN 85 WP	850 g/kg	WP	INSECTICIDE	2	487-035-2700	03-Feb-24	-	Corn	Corn borer, corn earworm, army worm	4-6 Tbsp/36 L water	-	-	Do not spray within 14 days before harvest on rice, 5 days on citrus, and 1 day on cacao, coffee and mango
JEELS MASAGANA FARM SUPPLY, INC.	CARBARYL	GANADREN 85 WP	850 g/kg	WP	INSECTICIDE	2	487-035-2700	03-Feb-24	-	Tomato	Fruitworm, leafy beetle	4-6 Tbsp/36 L water	-	-	Do not spray within 14 days before harvest on rice, 5 days on citrus, and 1 day on cacao, coffee and mango
JEELS MASAGANA FARM SUPPLY, INC.	CARBARYL	GANADREN 85 WP	850 g/kg	WP	INSECTICIDE	2	487-035-2700	03-Feb-24	-	Cucurbits	Squash beetle, leafy beetle	4-6 Tbsp/36 L water	-	-	Do not spray within 14 days before harvest on rice, 5 days on citrus, and 1 day on cacao, coffee and mango
AKTY MULTI TRADING CO. PHILS. INC.	BUTACHLOR+2,4-D BE	GAMBIT 60 EC	360+240 g/L	EC	HERBICIDE	3	540-152-3813	15-Nov-24	-	Rice (Direct-seeded)	Broadleaf weeds,grasses & sedges	9-20Tbsp/36 L spray/load	Butachlor 0.1ppm 2,4-D IBE 0.1ppm	-	-
AKTY MULTI TRADING CO. PHILS. INC.	BUTACHLOR+2,4-D BE	GAMBIT 60 EC	360+240 g/L	EC	HERBICIDE	3	540-152-3813	15-Nov-24	-	Rice (Transplanted)	Broadleaf weeds,grasses & sedges	9-20Tbsp/36 L spray/load	Butachlor 0.1ppm 2,4-D IBE 0.1ppm	-	-
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	DIFENCONAZOLE+PROPICONAZOLE	GALTERO 300 EC	150 g/L+150 g/L	EC	FUNGICIDE	3	376-325-4203	07-Jun-26	-	Rice	Sheath blight	25 ml prod/ 36L water	0.5ppm	-	-
UPH PHILIPPINES, INC.	NICLOXAMIDE ETHANOLAMINE SALT	GALLEON 70 WP	700 g/kg	WP	MOLLUSCICIDE	4	562-229-4874	16-Jun-24	-	Rice	Golden Apple Snail	1 sachet/tank/load, 10 Tank/load/ha	-	-	At least 48 hours after application
CORTEVA AGRISCIENCE PHILIPPINES, INC.	HALDIFOP-R METHYL ESTER	GALLANT SUPER	308 g/L	EC	HERBICIDE	2	737-353-1139	26-Mar-27	-	Onion	Annual and Perennial grasses	5 Tbsp/ 36L water 100 ml prod / ha	-	-	Once spray droplets have dried out.
KEMISTAR CORPORATION	CYHALOPOF-BUTYL-BISPYRIBAC SODIUM	GAUNG 300 OD	160 g/L+40 g/L	OD	HERBICIDE	4	239-504-5102	02-Dec-26	-	Rice (Direct-Seeded)	Grasses sedges and Broadleaves	900-750 ml prod per hec. At spray volume of 360-350L water per hectare	-	-	As soon as spray dries up.
PRIMESTOCKS CHEMICAL CORPORATION	TETRACONAZOLE+CARBENDAZIM	GALLILO	125g/L+150g/L	SC	FUNGICIDE	4	623-423-4603	04-Jan-25	-	Mango	Anthracoese & stem-end rot	16-40ml/100 L water	-	-	As soon as spray solution dries up.
PRIMESTOCKS CHEMICAL CORPORATION	TETRACONAZOLE+CARBENDAZIM	GALLILO	125g/L+150g/L	SC	FUNGICIDE	4	623-423-4603	04-Jan-25	-	Rice	Sheath blight	25 ml/36L	-	-	Do not spray 14 days before harvest.
MAGAN AGRO PHILS., ENTERPRISE, INC.	BIFENTHRIN+MDACLOPRID	GAUL 300 SC	250 g/L + 50 g/L	SC	INSECTICIDE	2	461-489-4526	01-Oct-24	-	Potato	Leafminer, thrips	6.0-12.0 ml/36L water	-	5 days	Is allowed as soon as spray deposits had dried up
MAGAN AGRO PHILS., ENTERPRISE, INC.	BIFENTHRIN+MDACLOPRID	GAUL 300 SC	250 g/L + 50 g/L	SC	INSECTICIDE	2	461-489-4526	01-Oct-24	-	Rice	Stemborer, Whorl Manggot, leafhopper, Green leafhopper	15.0-25.0 ml/36L water	-	21 days	Is allowed as soon as spray deposits had dried up
MAGAN AGRO PHILS., ENTERPRISE, INC.	BIFENTHRIN+MDACLOPRID	GAUL 300 SC	250 g/L + 50 g/L	SC	INSECTICIDE	2	461-489-4526	01-Oct-24	-	Mango	Mango hoppers, thrips, and cecid fly	40-50 ml prod. / 100 L water	0.2 mg/kg	-	Is allowed as soon as spray deposits had dried up
GALDIV AGRI TRADING CORPORATION	MANCOZEB	GALDIV MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	641-053-5237	19-Jul-24	-	Potato	Early and late blight	3-6 Tbsp/36 L water	-	-	As soon as spray has dried
GALDIV AGRI TRADING CORPORATION	MANCOZEB	GALDIV MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	641-053-5237	19-Jul-24	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	7 Days	As soon as spray has dried
GALDIV AGRI TRADING CORPORATION	MANCOZEB	GALDIV MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	641-053-5237	19-Jul-24	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	7 Days	As soon as spray has dried
GALDIV AGRI TRADING CORPORATION	MANCOZEB	GALDIV MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	641-053-5237	19-Jul-24	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	7 Days	As soon as spray has dried
GALDIV AGRI TRADING CORPORATION	MANCOZEB	GALDIV MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	641-053-5237	19-Jul-24	-	Celery	Late blight	3-6 Tbsp/36 L water	-	14 Days	As soon as spray has dried
GALDIV AGRI TRADING CORPORATION	MANCOZEB	GALDIV MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	641-053-5237	19-Jul-24	-	Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray has dried
GALDIV AGRI TRADING CORPORATION	MANCOZEB	GALDIV MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	641-053-5237	19-Jul-24	-	Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray has dried
GALDIV AGRI TRADING CORPORATION	MANCOZEB	GALDIV MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	641-053-5237	19-Jul-24	-	Cotton	Damping off	3-6 Tbsp/36 L water	-	-	As soon as spray has dried
GALDIV AGRI TRADING CORPORATION	MANCOZEB	GALDIV MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	641-053-5237	19-Jul-24	-	Lettuce	Downy mildew	3-6 Tbsp/36 L water	-	7 Days	As soon as spray has dried
GALDIV AGRI TRADING CORPORATION	MANCOZEB	GALDIV MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	641-053-5237	19-Jul-24	-	Beans	Anthracoese, Downy mildew, Rust	3-6 Tbsp/36 L water	-	5 days	As soon as spray has dried
GALDIV AGRI TRADING CORPORATION	MANCOZEB	GALDIV MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	641-053-5237	19-Jul-24	-	Peas	Anthracoese, Downy mildew, Rust	3-6 Tbsp/36 L water	-	5 days	As soon as spray has dried
GALDIV AGRI TRADING CORPORATION	MANCOZEB	GALDIV MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	641-053-5237	19-Jul-24	-	Mungo	Anthracoese, Downy mildew, Rust	3-6 Tbsp/36 L water	-	5 days	As soon as spray has dried
GALDIV AGRI TRADING CORPORATION	MANCOZEB	GALDIV MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	641-053-5237	19-Jul-24	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/36 L water	-	5 days	As soon as spray has dried
GALDIV AGRI TRADING CORPORATION	MANCOZEB	GALDIV MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	641-053-5237	19-Jul-24	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36 L water	-	7 days	As soon as spray has dried
GALDIV AGRI TRADING CORPORATION	MANCOZEB	GALDIV MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	641-053-5237	19-Jul-24	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36 L water	-	7 days	As soon as spray has dried
GALDIV AGRI TRADING CORPORATION	MANCOZEB	GALDIV MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	641-053-5237	19-Jul-24	-	Pepper	Anthracoese	3-6 Tbsp/36 L water	-	7 days	As soon as spray has dried
GALDIV AGRI TRADING CORPORATION	MANCOZEB	GALDIV MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	641-053-5237	19-Jul-24	-	Chili	Anthracoese	3-6 Tbsp/36 L water	-	7 days	As soon as spray has dried
GALDIV AGRI TRADING CORPORATION	MANCOZEB	GALDIV MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	641-053-5237	19-Jul-24	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/36 L water	-	7 days	As soon as spray has dried
GALDIV AGRI TRADING CORPORATION	MANCOZEB	GALDIV MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	641-053-5237	19-Jul-24	-	Banana	Sigatoka, Black leaf streak	3-6 Tbsp/36 L water	-	-	As soon as spray has dried
GALDIV AGRI TRADING CORPORATION	MANCOZEB	GALDIV MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	641-053-5237	19-Jul-24	-	Grapes	Downy mildew, black rot	3-6 Tbsp/36 L water	-	60 days	As soon as spray has dried

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
GALDIV AGRI TRADING CORPORATION	MANCOZEB	GALDIV MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	641-053-5237	19-Jul-24	-	Mango	Anthracoise and Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray has dried
GALDIV AGRI TRADING CORPORATION	MANCOZEB	GALDIV MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	641-053-5237	19-Jul-24	-	Papaya	Fruit rot	3-6 Tbsp/36 L water	-	-	As soon as spray has dried
GALDIV AGRI TRADING CORPORATION	MANCOZEB	GALDIV MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	641-053-5237	19-Jul-24	-	Meiion	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray has dried
GALDIV AGRI TRADING CORPORATION	MANCOZEB	GALDIV MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	641-053-5237	19-Jul-24	-	Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray has dried
GALDIV AGRI TRADING CORPORATION	MANCOZEB	GALDIV MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	641-053-5237	19-Jul-24	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/36 L water	-	7 Days	As soon as spray has dried
GALDIV AGRI TRADING CORPORATION	MANCOZEB	GALDIV MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	641-053-5237	19-Jul-24	-	Rice	Blatt, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/36 L water	-	-	As soon as spray has dried
GALDIV AGRI TRADING CORPORATION	MANCOZEB	GALDIV MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	641-053-5237	19-Jul-24	-	Peanut	Cercospora leaf spot	3-6 Tbsp/36 L water	-	14 Days	As soon as spray has dried
GALDIV AGRI TRADING CORPORATION	MANCOZEB	GALDIV MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	641-053-5237	19-Jul-24	-	Soybeans	Leaf rust	3-6 Tbsp/36 L water	-	-	As soon as spray has dried
GALDIV AGRI TRADING CORPORATION	MANCOZEB	GALDIV MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	641-053-5237	19-Jul-24	-	Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/36 L water	-	-	As soon as spray has dried
FMC AGRO PHILIPPINES INC.	GLYPHOSATE IPA	GALAXY 48 SL	480 g/L	SL	HERBICIDE	4	598-151-4191	02-Nov-20	POST-EMERGENT	Glyphosate tolerant corn	Annual and perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/ha	-	-	-
FMC AGRO PHILIPPINES INC.	GLYPHOSATE IPA	GALAXY 48 SL	480 g/L	SL	HERBICIDE	4	598-151-4191	02-Nov-20	POST-EMERGENT	Mango	Annual and perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
FMC AGRO PHILIPPINES INC.	GLYPHOSATE IPA	GALAXY 48 SL	480 g/L	SL	HERBICIDE	4	598-151-4191	02-Nov-20	POST-EMERGENT	Banana	Annual and perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
FMC AGRO PHILIPPINES INC.	GLYPHOSATE IPA	GALAXY 48 SL	480 g/L	SL	HERBICIDE	4	598-151-4191	02-Nov-20	POST-EMERGENT	Coffee	Annual and perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
FMC AGRO PHILIPPINES INC.	GLYPHOSATE IPA	GALAXY 48 SL	480 g/L	SL	HERBICIDE	4	598-151-4191	02-Nov-20	POST-EMERGENT	Cacao	Annual and perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
FMC AGRO PHILIPPINES INC.	GLYPHOSATE IPA	GALAXY 48 SL	480 g/L	SL	HERBICIDE	4	598-151-4191	02-Nov-20	POST-EMERGENT	Rubber	Annual and perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
FMC AGRO PHILIPPINES INC.	GLYPHOSATE IPA	GALAXY 48 SL	480 g/L	SL	HERBICIDE	4	598-151-4191	02-Nov-20	POST-EMERGENT	Oil palm	Annual and perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
FMC AGRO PHILIPPINES INC.	GLYPHOSATE IPA	GALAXY 48 SL	480 g/L	SL	HERBICIDE	4	598-151-4191	02-Nov-20	POST-EMERGENT	Citrus	Annual and perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
FMC AGRO PHILIPPINES INC.	GLYPHOSATE IPA	GALAXY 48 SL	480 g/L	SL	HERBICIDE	4	598-151-4191	02-Nov-20	POST-EMERGENT	Coconut	Annual and perennial grasses, broadleaf weeds & sedges	4.5 Liters/ha	-	-	-
FMC AGRO PHILIPPINES INC.	GLYPHOSATE IPA	GALAXY 48 SL	480 g/L	SL	HERBICIDE	4	598-151-4191	02-Nov-20	POST-EMERGENT	Sugarcane	Annual and perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
FMC AGRO PHILIPPINES INC.	GLYPHOSATE IPA	GALAXY 48 SL	480 g/L	SL	HERBICIDE	4	598-151-4191	02-Nov-20	POST-EMERGENT	Vegetables	Annual and perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
FMC AGRO PHILIPPINES INC.	GLYPHOSATE IPA	GALAXY 48 SL	480 g/L	SL	HERBICIDE	4	598-151-4191	02-Nov-20	POST-EMERGENT	non-crop	Annual and perennial grasses, broadleaf weeds & sedges	-	-	-	-
TRANS WORLD TRADING CO., INC.	BUTACHLOR	GALA8 60 EC	600g/L	EC	HERBICIDE	4	038-150-4498	30-Aug-24	PRE-EMERGENT	Rice (Direct Seeded)	Grasses and Sedges	90bsp [2-4 DAT]/9Tbsp[0-4 DAT], 90bsp/77bsp	0.1 ppm	-	-
TRANS WORLD TRADING CO., INC.	BUTACHLOR	GALA8 60 EC	600g/L	EC	HERBICIDE	4	038-150-4498	30-Aug-24	PRE-EMERGENT	Rice (Transplanted)	Grasses and Sedges	90bsp[2-40BSP], 7Tbsp[2-40BSP], 11Tbsp [30 DAS]	0.1 ppm	-	-
JEELS MASAGANA FARM SUPPLY, INC.	CARTAP HYDROCHLORIDE	GADAN 50 SP	500 g/kg	SP	INSECTICIDE	3	487-106-3286	29-Jun-24	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.0-5.0Tbsp/36 L water	0.2ppm	Stop spraying 10 days before harvest	Do not enter the field within 2 days after spraying
JEELS MASAGANA FARM SUPPLY, INC.	CARTAP HYDROCHLORIDE	GADAN 50 SP	500 g/kg	SP	INSECTICIDE	3	487-106-3286	29-Jun-24	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/36 L water	-	Stop spraying 10 days before harvest	Do not enter the field within 2 days after spraying
JEELS MASAGANA FARM SUPPLY, INC.	CARTAP HYDROCHLORIDE	GADAN 50 SP	500 g/kg	SP	INSECTICIDE	3	487-106-3286	29-Jun-24	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/36 L water	-	Stop spraying 10 days before harvest	Do not enter the field within 2 days after spraying
JEELS MASAGANA FARM SUPPLY, INC.	CARTAP HYDROCHLORIDE	GADAN 50 SP	500 g/kg	SP	INSECTICIDE	3	487-106-3286	29-Jun-24	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/36 L water	-	Stop spraying 10 days before harvest	Do not enter the field within 2 days after spraying
JEELS MASAGANA FARM SUPPLY, INC.	CARTAP HYDROCHLORIDE	GADAN 50 SP	500 g/kg	SP	INSECTICIDE	3	487-106-3286	29-Jun-24	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/36 L water	-	Stop spraying 10 days before harvest	Do not enter the field within 2 days after spraying
JEELS MASAGANA FARM SUPPLY, INC.	CARTAP HYDROCHLORIDE	GADAN 50 SP	500 g/kg	SP	INSECTICIDE	3	487-106-3286	29-Jun-24	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/36 L water	-	Stop spraying 10 days before harvest	Do not enter the field within 2 days after spraying
JEELS MASAGANA FARM SUPPLY, INC.	CARTAP HYDROCHLORIDE	GADAN 50 SP	500 g/kg	SP	INSECTICIDE	3	487-106-3286	29-Jun-24	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/36 L water	-	Stop spraying 10 days before harvest	Do not enter the field within 2 days after spraying
JEELS MASAGANA FARM SUPPLY, INC.	CARTAP HYDROCHLORIDE	GADAN 50 SP	500 g/kg	SP	INSECTICIDE	3	487-106-3286	29-Jun-24	SYSTEMIC	Mango	leafhoppers	1.5-2.0Tbsp/36 L water	-	Stop spraying 10 days before harvest	Do not enter the field within 2 days after spraying
JEELS MASAGANA FARM SUPPLY, INC.	CARTAP HYDROCHLORIDE	GADAN 50 SP	500 g/kg	SP	INSECTICIDE	3	487-106-3286	29-Jun-24	SYSTEMIC	Pechay	Looper, cutworm, aphids	1.5-3.0Tbsp/36 L water	-	Stop spraying 10 days before harvest	Do not enter the field within 2 days after spraying
KABUKIRAN AGRI-BUSINESS INC.	GLYPHOSATE IPA	G8RD PLUS SL	480 g/L	SL	HERBICIDE	4	629-151-4622	16-Jan-22	POST-EMERGENT	glyphosate tolerant corn	Annual and perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/ha	-	-	-
KABUKIRAN AGRI-BUSINESS INC.	GLYPHOSATE IPA	G8RD PLUS SL	480 g/L	SL	HERBICIDE	4	629-151-4622	16-Jan-22	POST-EMERGENT	Mango	Annual and perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
KABUKIRAN AGRI-BUSINESS INC.	GLYPHOSATE IPA	G8RD PLUS SL	480 g/L	SL	HERBICIDE	4	629-151-4622	16-Jan-22	POST-EMERGENT	Banana	Annual and perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
KABUKIRAN AGRI-BUSINESS INC.	GLYPHOSATE IPA	G8RD PLUS SL	480 g/L	SL	HERBICIDE	4	629-151-4622	16-Jan-22	POST-EMERGENT	Coffee	Annual and perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
KABUKIRAN AGRI-BUSINESS INC.	GLYPHOSATE IPA	G8RD PLUS SL	480 g/L	SL	HERBICIDE	4	629-151-4622	16-Jan-22	POST-EMERGENT	Cacao	Annual and perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
KABUKIRAN AGRI-BUSINESS INC.	GLYPHOSATE IPA	G8RD PLUS SL	480 g/L	SL	HERBICIDE	4	629-151-4622	16-Jan-22	POST-EMERGENT	Rubber	Annual and perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
KABUKIRAN AGRI-BUSINESS INC.	GLYPHOSATE IPA	G8RD PLUS SL	480 g/L	SL	HERBICIDE	4	629-151-4622	16-Jan-22	POST-EMERGENT	Oil palm	Annual and perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
KABUKIRAN AGRI-BUSINESS INC.	GLYPHOSATE IPA	G8RD PLUS SL	480 g/L	SL	HERBICIDE	4	629-151-4622	16-Jan-22	POST-EMERGENT	Citrus	Annual and perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
KABUKIRAN AGRI-BUSINESS INC.	GLYPHOSATE IPA	G8RD PLUS SL	480 g/L	SL	HERBICIDE	4	629-151-4622	16-Jan-22	POST-EMERGENT	Coconut	Annual and perennial grasses, broadleaf weeds & sedges	4.5 Liters/ha	-	-	-
KABUKIRAN AGRI-BUSINESS INC.	GLYPHOSATE IPA	G8RD PLUS SL	480 g/L	SL	HERBICIDE	4	629-151-4622	16-Jan-22	POST-EMERGENT	Sugarcane	Annual and perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
KABUKIRAN AGRI-BUSINESS INC.	GLYPHOSATE IPA	G8RD PLUS SL	480 g/L	SL	HERBICIDE	4	629-151-4622	16-Jan-22	POST-EMERGENT	Vegetables	Annual and perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
KABUKIRAN AGRI-BUSINESS INC.	GLYPHOSATE IPA	G8RD PLUS SL	480 g/L	SL	HERBICIDE	4	629-151-4622	16-Jan-22	POST-EMERGENT	Non-crop land	Annual and perennial grasses, broadleaf weeds & sedges	-	-	-	-
KABUKIRAN AGRI-BUSINESS INC.	GLYPHOSATE IPA	G8RD PLUS SL	480 g/L	SL	HERBICIDE	4	629-151-4622	16-Jan-22	POST-EMERGENT	Glyphosate tolerant corn	Annual and Perennial grasses,broadleaf weeds & sedges	2.0-4.0 Liters/ha	-	-	-
SOUTHLAND CONSUMERS COOPERATIVE	GLYPHOSATE IPA	G SHOT 480 SL	480g/L	SL	HERBICIDE	4	599-151-4200	07/30/2021	POST-EMERGENT	Mango	Annual and Perennial grasses,broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
SOUTHLAND CONSUMERS COOPERATIVE	GLYPHOSATE IPA	G SHOT 480 SL	480g/L	SL	HERBICIDE	4	599-151-4200	07/30/2021	POST-EMERGENT	Cacao	Annual and Perennial grasses,broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
SOUTHLAND CONSUMERS COOPERATIVE	GLYPHOSATE IPA	G SHOT 480 SL	480g/L	SL	HERBICIDE	4	599-151-4200	07/30/2021	POST-EMERGENT	Banana	Annual and Perennial grasses,broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
SOUTHLAND CONSUMERS COOPERATIVE	GLYPHOSATE IPA	G SHOT 480 SL	480g/L	SL	HERBICIDE	4	599-151-4200	07/30/2021	POST-EMERGENT	Coffee	Annual and Perennial grasses,broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
SOUTHLAND CONSUMERS COOPERATIVE	GLYPHOSATE IPA	G SHOT 480 SL	480g/L	SL	HERBICIDE	4	599-151-4200	07/30/2021	POST-EMERGENT	Rubber	Annual and Perennial grasses,broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
SOUTHLAND CONSUMERS COOPERATIVE	GLYPHOSATE IPA	G SHOT 480 SL	480g/L	SL	HERBICIDE	4	599-151-4200	07/30/2021	POST-EMERGENT	Oil palm	Annual and Perennial grasses,broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
SOUTHLAND CONSUMERS COOPERATIVE	GLYPHOSATE IPA	G SHOT 480 SL	480g/L	SL	HERBICIDE	4	599-151-4200	07/30/2021	POST-EMERGENT	Citrus	Annual and Perennial grasses,broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
SOUTHLAND CONSUMERS COOPERATIVE	GLYPHOSATE IPA	G SHOT 480 SL	480g/L	SL	HERBICIDE	4	599-151-4200	07/30/2021	POST-EMERGENT	Coconut	Annual and Perennial grasses,broadleaf weeds & sedges	4.5 Liters/ha	-	-	-
SOUTHLAND CONSUMERS COOPERATIVE	GLYPHOSATE IPA	G SHOT 480 SL	480g/L	SL	HERBICIDE	4	599-151-4200	07/30/2021	POST-EMERGENT	Sugarcane	Annual and Perennial grasses,broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
SOUTHLAND CONSUMERS COOPERATIVE	GLYPHOSATE IPA	G SHOT 480 SL	480g/L	SL	HERBICIDE	4	599-151-4200	07/30/2021	POST-EMERGENT	Vegetables	Annual and Perennial grasses,broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
SOUTHLAND CONSUMERS COOPERATIVE	GLYPHOSATE IPA	G SHOT 480 SL	480g/L	SL	HERBICIDE	4	599-151-4200	07/30/2021	POST-EMERGENT	Non-crop	Annual and Perennial grasses,broadleaf weeds & sedges	-	-	-	-

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
ORACLE CHEM CORPORATION	CARBOFURAN	OCC CARBOFURAN 3G	30 g/kg	G	INSECTICIDE	2	417-104-2269-A (239)	31-Oct-24	SYSTEMIC	Corn	Borer, earworm, grubs, seedling maggot	16.7-33.3 kg prod/ha	-	-	2 days
ORACLE CHEM CORPORATION	CARBOFURAN	OCC CARBOFURAN 3G	30 g/kg	G	INSECTICIDE	2	417-104-2269-A (239)	31-Oct-24	SYSTEMIC	Cotton	Nematodes, grubs	16.7-33.3 kg prod/ha	-	-	2 days
ORACLE CHEM CORPORATION	CARBOFURAN	OCC CARBOFURAN 3G	30 g/kg	G	INSECTICIDE	2	417-104-2269-A (239)	31-Oct-24	SYSTEMIC	Cowpea	Beanfly, grubs, nematodes, other soil insects	16.7-33.3 kg prod/ha	-	-	2 days
ORACLE CHEM CORPORATION	CARBOFURAN	OCC CARBOFURAN 3G	30 g/kg	G	INSECTICIDE	2	417-104-2269-A (239)	31-Oct-24	SYSTEMIC	Eggplant	Fruitborer	16.7-33.3 kg prod/ha	-	-	2 days
ORACLE CHEM CORPORATION	CARBOFURAN	OCC CARBOFURAN 3G	30 g/kg	G	INSECTICIDE	2	417-104-2269-A (239)	31-Oct-24	SYSTEMIC	Field legumes	Grubs	16.7-33.3 kg prod/ha	-	-	2 days
ORACLE CHEM CORPORATION	CARBOFURAN	OCC CARBOFURAN 3G	30 g/kg	G	INSECTICIDE	2	417-104-2269-A (239)	31-Oct-24	SYSTEMIC	Ornamentals	Scale insects, aphids, mealy bug	16.7-33.3 kg prod/ha	-	-	2 days
ORACLE CHEM CORPORATION	CARBOFURAN	OCC CARBOFURAN 3G	30 g/kg	G	INSECTICIDE	2	417-104-2269-A (239)	31-Oct-24	SYSTEMIC	Rice	Stem borer, whorl maggot, leafhopper, leafroller, caseworm, planthopper	16.7-33.3 kg prod/ha	-	-	2 days
ORACLE CHEM CORPORATION	CARBOFURAN	OCC CARBOFURAN 3G	30 g/kg	G	INSECTICIDE	2	417-104-2269-A (239)	31-Oct-24	SYSTEMIC	Soybeans	Beanfly, grubs, nematodes, other soil insects	16.7-33.3 kg prod/ha	-	-	2 days
ORACLE CHEM CORPORATION	CARBOFURAN	OCC CARBOFURAN 3G	30 g/kg	G	INSECTICIDE	2	417-104-2269-A (239)	31-Oct-24	SYSTEMIC	Sugarcane	Borer, leafhopper, mealybug, scale insects	33.3-66.7 kg prod/ha	-	-	2 days
ORACLE CHEM CORPORATION	CARBOFURAN	OCC CARBOFURAN 3G	30 g/kg	G	INSECTICIDE	2	417-104-2269-A (239)	31-Oct-24	SYSTEMIC	Tobacco	Nematodes, budworm	16.7-33.3 kg prod/ha	-	-	2 days
ORACLE CHEM CORPORATION	CARBOFURAN	OCC CARBOFURAN 3G	30 g/kg	G	INSECTICIDE	2	417-104-2269-A (239)	31-Oct-24	SYSTEMIC	Potato	Nematodes, grubs	16.7-33.3 kg prod/ha	-	-	2 days
S&P ENTERPRISES, INC.	CARBOFURAN	FUTURA 3G	30 g/kg	G	INSECTICIDE	2	566-104-6306	31-Oct-24	-	Corn	Borer, earworm, grubs, seedling maggot	16.7-33.4 prod / ha (kg/ha)	-	Do not apply within thirty (30) days of harvest	Two (2) days
S&P ENTERPRISES, INC.	CARBOFURAN	FUTURA 3G	30 g/kg	G	INSECTICIDE	2	566-104-6306	31-Oct-24	-	Cotton	Nematodes, grubs	16.7-33.4 prod / ha (kg/ha)	-	Do not apply within thirty (30) days of harvest	Two (2) days
S&P ENTERPRISES, INC.	CARBOFURAN	FUTURA 3G	30 g/kg	G	INSECTICIDE	2	566-104-6306	31-Oct-24	-	Eggplant	Fruit borer	16.7-33.4 prod / ha (kg/ha)	-	Do not apply within thirty (30) days of harvest	Two (2) days
S&P ENTERPRISES, INC.	CARBOFURAN	FUTURA 3G	30 g/kg	G	INSECTICIDE	2	566-104-6306	31-Oct-24	-	Field legumes	Grubs	16.7-33.4 prod / ha (kg/ha)	-	Do not apply within thirty (30) days of harvest	Two (2) days
S&P ENTERPRISES, INC.	CARBOFURAN	FUTURA 3G	30 g/kg	G	INSECTICIDE	2	566-104-6306	31-Oct-24	-	Ornamentals	Scale insects, aphids, mealybugs	16.7-33.4 prod / ha (kg/ha)	-	Do not apply within thirty (30) days of harvest	Two (2) days
S&P ENTERPRISES, INC.	CARBOFURAN	FUTURA 3G	30 g/kg	G	INSECTICIDE	2	566-104-6306	31-Oct-24	-	Rice	Stem borer, whorl maggot, leafhopper, leafroller, caseworm, planthopper	16.7-33.4 prod / ha (kg/ha)	-	Do not apply within thirty (30) days of harvest	Two (2) days
S&P ENTERPRISES, INC.	CARBOFURAN	FUTURA 3G	30 g/kg	G	INSECTICIDE	2	566-104-6306	31-Oct-24	-	Soybeans	Bean fly, grubs, nematodes, other soil insects	16.7-33.4 prod / ha (kg/ha)	-	Do not apply within thirty (30) days of harvest	Two (2) days
S&P ENTERPRISES, INC.	CARBOFURAN	FUTURA 3G	30 g/kg	G	INSECTICIDE	2	566-104-6306	31-Oct-24	-	Sugarcane	Borer, leafhopper, mealy bug, scale insects	33.4-66.8 prod / ha (kg/ha)	-	Do not apply within thirty (30) days of harvest	Two (2) days
S&P ENTERPRISES, INC.	CARBOFURAN	FUTURA 3G	30 g/kg	G	INSECTICIDE	2	566-104-6306	31-Oct-24	-	Tobacco	Nematodes, budworm	16.7-33.4 prod / ha (kg/ha)	-	Do not apply within thirty (30) days of harvest	Two (2) days
S&P ENTERPRISES, INC.	CARBOFURAN	FUTURA 3G	30 g/kg	G	INSECTICIDE	2	566-104-6306	31-Oct-24	-	White potato	Nematodes, grubs	16.7-33.4 prod / ha (kg/ha)	-	Do not apply within thirty (30) days of harvest	Two (2) days
S&P ENTERPRISES, INC.	CARBOFURAN	FUTURA 3G	30 g/kg	G	INSECTICIDE	2	566-104-6306	31-Oct-24	-	Cowpea	Bean fly, grubs, nematodes, other soil insects	16.7-33.4 prod / ha (kg/ha)	-	Do not apply within thirty (30) days of harvest	Two (2) days
PRIMSTOCKS CHEMICAL CORPORATION	LAMBDA-CHALOTHRIN+THIAMETHOXAM	FUSION ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	623-395-4998-A	26-Sep-26	CONTACT/SYSTEMIC	Potato	Whiteflies, aphids, thrips	100-200ml product/ha, 4-6 ml/56 L	0.1 Thiamethoxam, 0.3	7 Days	Do not enter treated fields at least 1 Day after application
PRIMSTOCKS CHEMICAL CORPORATION	LAMBDA-CHALOTHRIN+THIAMETHOXAM	FUSION ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	623-395-4998-A	26-Sep-26	CONTACT/SYSTEMIC	Stringbeans	Green Leafhopper, aphids, mites	100-200ml product/ha, 4-6 ml/56 L	0.5 Thiamethoxam, 0.2 with pod	7 Days	Do not enter treated fields at least 1 Day after application
PRIMSTOCKS CHEMICAL CORPORATION	LAMBDA-CHALOTHRIN+THIAMETHOXAM	FUSION ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	623-395-4998-A	26-Sep-26	CONTACT/SYSTEMIC	Eggplant	Whiteflies, green leafhopper, aphids	100-200ml product/ha, 4-6 ml/56 L	0.2 Thiamethoxam, 0.2	7 Days	Do not enter treated fields at least 1 Day after application
PRIMSTOCKS CHEMICAL CORPORATION	LAMBDA-CHALOTHRIN+THIAMETHOXAM	FUSION ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	623-395-4998-A	26-Sep-26	CONTACT/SYSTEMIC	Bittergourd	Leafhoppers, thrips, aphids, fruitfly, cutworm	100-200ml product/ha, 4-13 ml/56L	0.2 Thiamethoxam, 0.2	7 Days	Do not enter treated fields at least 1 Day after application
PRIMSTOCKS CHEMICAL CORPORATION	LAMBDA-CHALOTHRIN+THIAMETHOXAM	FUSION ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	623-395-4998-A	26-Sep-26	CONTACT/SYSTEMIC	Mango	Leafhoppers, tipborers, capsid bug, fruitfly, cecid fly	11-24ml/200L	0.1 Thiamethoxam, 0.2	3 Days	Do not enter treated fields at least 1 Day after application
PRIMSTOCKS CHEMICAL CORPORATION	LAMBDA-CHALOTHRIN+THIAMETHOXAM	FUSION ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	623-395-4998-A	26-Sep-26	CONTACT/SYSTEMIC	Corn	Asiatic corn borer, cutworm, leafhopper, aphid, earworm	250-400ml product/ha, 10.0-16.0 ml product/56L	0.2 Thiamethoxam, 1.0 ppm Thiamethoxam	30 days	Do not enter treated fields at least 1 Day after application
PRIMSTOCKS CHEMICAL CORPORATION	LAMBDA-CHALOTHRIN+THIAMETHOXAM	FUSION ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	623-395-4998-A	26-Sep-26	CONTACT/SYSTEMIC	Banana	Flower thrips	1-3 ml/L	0.5 ppm Thiamethoxam	30 days	Do not enter treated fields at least 1 Day after application
PRIMSTOCKS CHEMICAL CORPORATION	LAMBDA-CHALOTHRIN+THIAMETHOXAM	FUSION ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	623-395-4998-A	26-Sep-26	CONTACT/SYSTEMIC	Rice	Stemborer, leafhopper, rice bugs	10-30 Tbsp prod/56L	0.5 ppm Thiamethoxam	14 Days	Do not enter treated fields at least 1 Day after application
PHILIPPINE FARMIX SOLUTIONS INC.	FURIAZOP-P-BUTYL	FURIELAGE 15 EC	150 g/L	EC	HERBICIDE	4	535-212-3611	07-Dec-24	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Banana	Grasses; hchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-
PHILIPPINE FARMIX SOLUTIONS INC.	FURIAZOP-P-BUTYL	FURIELAGE 15 EC	150 g/L	EC	HERBICIDE	4	535-212-3611	07-Dec-24	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Cacao	Grasses; hchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-
PHILIPPINE FARMIX SOLUTIONS INC.	FURIAZOP-P-BUTYL	FURIELAGE 15 EC	150 g/L	EC	HERBICIDE	4	535-212-3611	07-Dec-24	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Citrus	Grasses; hchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-
PHILIPPINE FARMIX SOLUTIONS INC.	FURIAZOP-P-BUTYL	FURIELAGE 15 EC	150 g/L	EC	HERBICIDE	4	535-212-3611	07-Dec-24	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Cotton	Grasses; hchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-
PHILIPPINE FARMIX SOLUTIONS INC.	FURIAZOP-P-BUTYL	FURIELAGE 15 EC	150 g/L	EC	HERBICIDE	4	535-212-3611	07-Dec-24	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Coffee	Grasses; hchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-
PHILIPPINE FARMIX SOLUTIONS INC.	FURIAZOP-P-BUTYL	FURIELAGE 15 EC	150 g/L	EC	HERBICIDE	4	535-212-3611	07-Dec-24	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Oil palm	Grasses; hchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-
PHILIPPINE FARMIX SOLUTIONS INC.	FURIAZOP-P-BUTYL	FURIELAGE 15 EC	150 g/L	EC	HERBICIDE	4	535-212-3611	07-Dec-24	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Rubber	Grasses; hchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-
PHILIPPINE FARMIX SOLUTIONS INC.	FURIAZOP-P-BUTYL	FURIELAGE 15 EC	150 g/L	EC	HERBICIDE	4	535-212-3611	07-Dec-24	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Onion	Grasses; hchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-
PHILIPPINE FARMIX SOLUTIONS INC.	FURIAZOP-P-BUTYL	FURIELAGE 15 EC	150 g/L	EC	HERBICIDE	4	535-212-3611	07-Dec-24	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Pineapple	Grasses; hchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-
PHILIPPINE FARMIX SOLUTIONS INC.	FURIAZOP-P-BUTYL	FURIELAGE 15 EC	150 g/L	EC	HERBICIDE	4	535-212-3611	07-Dec-24	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Soybeans	Grasses; hchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-
PHILIPPINE FARMIX SOLUTIONS INC.	FURIAZOP-P-BUTYL	FURIELAGE 15 EC	150 g/L	EC	HERBICIDE	4	535-212-3611	07-Dec-24	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Tomato	Grasses; hchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-
ELITE AGROCHEMICALS INC.	FURICIDE 3 G	FURICIDE 3 G	30 g/kg	G	INSECTICIDE/NEMATOCIDE	2	719-104-6227	4-Mar-25	-	Corn	Borer, earworm, grubs, seedling maggot	16.7-33.3 kg prod/ha	-	-	2 days
ELITE AGROCHEMICALS INC.	CARBOFURAN	FURICIDE 3 G	30 g/kg	G	INSECTICIDE/NEMATOCIDE	2	719-104-6227	4-Mar-25	-	Cotton	Nematodes, grubs	16.7-33.3 kg prod/ha	-	-	2 days
ELITE AGROCHEMICALS INC.	CARBOFURAN	FURICIDE 3 G	30 g/kg	G	INSECTICIDE/NEMATOCIDE	2	719-104-6227	4-Mar-25	-	Eggplant	Fruitbone	16.7-33.3 kg prod/ha	-	-	2 days
ELITE AGROCHEMICALS INC.	CARBOFURAN	FURICIDE 3 G	30 g/kg	G	INSECTICIDE/NEMATOCIDE	2	719-104-6227	4-Mar-25	-	Field legumes	Grubs	16.7-33.3 kg prod/ha	-	-	2 days
ELITE AGROCHEMICALS INC.	CARBOFURAN	FURICIDE 3 G	30 g/kg	G	INSECTICIDE/NEMATOCIDE	2	719-104-6227	4-Mar-25	-	Ornamentals	Scale insects, aphids, mealybugs	16.7-33.3 kg prod/ha	-	-	2 days
ELITE AGROCHEMICALS INC.	CARBOFURAN	FURICIDE 3 G	30 g/kg	G	INSECTICIDE/NEMATOCIDE	2	719-104-6227	4-Mar-25	-	Rice	Stemborer, whorl maggots, leafhopper, leafroller, caseworm, planthopper	16.7-33.3 kg prod/ha	-	-	2 days
ELITE AGROCHEMICALS INC.	CARBOFURAN	FURICIDE 3 G	30 g/kg	G	INSECTICIDE/NEMATOCIDE	2	719-104-6227	4-Mar-25	-	Soybeans	Beanfly, grubs, nematodes, other soil insects	16.7-33.3 kg prod/ha	-	-	2 days
ELITE AGROCHEMICALS INC.	CARBOFURAN	FURICIDE 3 G	30 g/kg	G	INSECTICIDE/NEMATOCIDE	2	719-104-6227	4-Mar-25	-	Sugarcane	Borer, leafhopper, mealybug, scale insects	33.3-66.7 kg prod / ha	-	-	2 days
ELITE AGROCHEMICALS INC.	CARBOFURAN	FURICIDE 3 G	30 g/kg	G	INSECTICIDE/NEMATOCIDE	2	719-104-6227	4-Mar-25	-	Tobacco	Nematodes, budworm	16.7-33.3 kg prod/ha	-	-	2 days
ELITE AGROCHEMICALS INC.	CARBOFURAN	FURICIDE 3 G	30 g/kg	G	INSECTICIDE/NEMATOCIDE	2	719-104-6227	4-Mar-25	-	White potato	Nematodes, grubs	16.7-33.3 kg prod/ha	-	-	2 days
ELITE AGROCHEMICALS INC.	CARBOFURAN	FURICIDE 3 G	30 g/kg	G	INSECTICIDE/NEMATOCIDE	2	719-104-6227	4-Mar-25	-	Cowpea	Beanfly, grubs, neamatodes, other soil insects	16.7-33.3 kg prod/ha	-	-	2 days
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	DIURON	FURION 80 WP	800 g/kg	WP	HERBICIDE	4	376-021-3688	17-Dec-24	SYSTEMIC	Citrus	Annual and Perennial broadleaves and grasses	11.0-19.0Tbsp/76 L water	-	-	Entry to fields treated with FURION 80 WP can be done one day after application
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	DIURON	FURION 80 WP	800 g/kg	WP	HERBICIDE	4	376-021-3688	17-Dec-24	SYSTEMIC	Coffee	Annual and Perennial broadleaves and grasses	11.0-19.0Tbsp/76 L water	-	-	Entry to fields treated with FURION 80 WP can be done one day after application
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	DIURON	FURION 80 WP	800 g/kg	WP	HERBICIDE	4	376-021-3688	17-Dec-24	SYSTEMIC	Cotton	Annual and Perennial broadleaves and grasses	8.0Tbsp/76 L water	-	-	Entry to fields treated with FURION 80 WP can be done one day after application

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	DIURON	FURION 80 WP	800 g/kg	WP	HERBICIDE	4	376-021-3688	17-Dec-24	SYSTEMIC	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0tbsp/16L water	-	-	Entry to fields treated with FURION 80 WP can be done one day after application
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	DIURON	FURION 80 WP	800 g/kg	WP	HERBICIDE	4	376-021-3688	17-Dec-24	SYSTEMIC	Pineapple	Annual and Perennial broadleaves and grasses	11.0tbsp/16L water	-	-	Entry to fields treated with FURION 80 WP can be done one day after application
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	DIURON	FURION 80 WP	800 g/kg	WP	HERBICIDE	4	376-021-3688	17-Dec-24	SYSTEMIC	Non-crop land	Annual and Perennial broadleaves and grasses	20.0-28.0tbsp/16L water	-	-	Entry to fields treated with FURION 80 WP can be done one day after application
VANN HAWK AGRO CHEMICALS, INC.	CARBOFURAN	FURAMAX 3G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	295-104-2458	31-Oct-24	-	Corn	Borer, earworm, grubs, seedling maggot	16.7-33.3 kg prod/ha	-	Do not apply within thirty (30) days of harvest	Two (2) days
VANN HAWK AGRO CHEMICALS, INC.	CARBOFURAN	FURAMAX 3G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	295-104-2458	31-Oct-24	-	Cotton	Nematodes, grubs	16.7-33.3 kg prod/ha	-	Do not apply within thirty (30) days of harvest	Two (2) days
VANN HAWK AGRO CHEMICALS, INC.	CARBOFURAN	FURAMAX 3G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	295-104-2458	31-Oct-24	-	Eggplant	Fruitborer	16.7-33.3 kg prod/ha	-	Do not apply within thirty (30) days of harvest	Two (2) days
VANN HAWK AGRO CHEMICALS, INC.	CARBOFURAN	FURAMAX 3G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	295-104-2458	31-Oct-24	-	Field legumes	Beanflys, grubs, nematodes	16.7-33.3 kg prod/ha	-	Do not apply within thirty (30) days of harvest	Two (2) days
VANN HAWK AGRO CHEMICALS, INC.	CARBOFURAN	FURAMAX 3G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	295-104-2458	31-Oct-24	-	Rice	Stem borer, whorl maggot, leafhopper, leafroller, caseworm, planthopper	16.7-33.3 kg prod/ha	0.2ppm	Do not apply within thirty (30) days of harvest	Two (2) days
VANN HAWK AGRO CHEMICALS, INC.	CARBOFURAN	FURAMAX 3G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	295-104-2458	31-Oct-24	-	Soybeans	Beanfly, grubs, nematodes, other soil insects	16.7-33.3 kg prod/ha	-	Do not apply within thirty (30) days of harvest	Two (2) days
VANN HAWK AGRO CHEMICALS, INC.	CARBOFURAN	FURAMAX 3G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	295-104-2458	31-Oct-24	-	Sugarcane	Borer, leafhopper, mealy bug, nematodes, scale insects	16.7-33.3 kg prod/ha	-	Do not apply within thirty (30) days of harvest	Two (2) days
VANN HAWK AGRO CHEMICALS, INC.	CARBOFURAN	FURAMAX 3G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	295-104-2458	31-Oct-24	-	Tobacco	Nematode, budworm	16.7-33.3 kg prod/ha	-	Do not apply within thirty (30) days of harvest	Two (2) days
VANN HAWK AGRO CHEMICALS, INC.	CARBOFURAN	FURAMAX 3G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	295-104-2458	31-Oct-24	-	White potato	Nematodes, grubs	16.7-33.3 kg prod/ha	-	Do not apply within thirty (30) days of harvest	Two (2) days
VANN HAWK AGRO CHEMICALS, INC.	CARBOFURAN	FURAMAX 3G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	295-104-2458	31-Oct-24	-	Cowpea	Beanfly, grubs, nematodes, other soil insects	16.7-33.3 kg prod/ha	-	Do not apply within thirty (30) days of harvest	Two (2) days
VANN HAWK AGRO CHEMICALS, INC.	CARBOFURAN	FURAMAX 3G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	295-104-2458	31-Oct-24	-	Ornamentals	Scale insect, aphids, mealy bug	16.7-33.3 kg prod/ha	-	Do not apply within thirty (30) days of harvest	Two (2) days
SURE CROP SCIENCE AGRIVENTURES, INC.	CARBOFURAN	FURADOX 3G	30 g/kg	G	INSECTICIDE	2	640-104-6386 (239)	4-Dec-26	-	Corn	Borer, earworm, grubs, seedling maggot	16.7-33.3 prod. / ha kg	-	-	-
SURE CROP SCIENCE AGRIVENTURES, INC.	CARBOFURAN	FURADOX 3G	30 g/kg	G	INSECTICIDE	2	640-104-6386 (239)	4-Dec-26	-	Cotton	Nematodes, grubs	16.7-33.3 prod. / ha kg	-	-	-
SURE CROP SCIENCE AGRIVENTURES, INC.	CARBOFURAN	FURADOX 3G	30 g/kg	G	INSECTICIDE	2	640-104-6386 (239)	4-Dec-26	-	Cowpea	Beanfly, grubs, neamatodes, other soil insects	16.7-33.3 prod. / ha kg	-	-	-
SURE CROP SCIENCE AGRIVENTURES, INC.	CARBOFURAN	FURADOX 3G	30 g/kg	G	INSECTICIDE	2	640-104-6386 (239)	4-Dec-26	-	Eggplant	Fruit borer	16.7-33.3 prod. / ha kg	-	-	-
SURE CROP SCIENCE AGRIVENTURES, INC.	CARBOFURAN	FURADOX 3G	30 g/kg	G	INSECTICIDE	2	640-104-6386 (239)	4-Dec-26	-	Field legumes	Grubs	16.7-33.3 prod. / ha kg	-	-	-
SURE CROP SCIENCE AGRIVENTURES, INC.	CARBOFURAN	FURADOX 3G	30 g/kg	G	INSECTICIDE	2	640-104-6386 (239)	4-Dec-26	-	Ornamentals	Scale insects, aphids, mealybugs	16.7-33.3 prod. / ha kg	-	-	-
SURE CROP SCIENCE AGRIVENTURES, INC.	CARBOFURAN	FURADOX 3G	30 g/kg	G	INSECTICIDE	2	640-104-6386 (239)	4-Dec-26	-	Rice	Stem borer, whorl maggot, leafhopper, leafroller, caseworm, planthopper	16.7-33.3 prod. / ha kg	-	-	-
SURE CROP SCIENCE AGRIVENTURES, INC.	CARBOFURAN	FURADOX 3G	30 g/kg	G	INSECTICIDE	2	640-104-6386 (239)	4-Dec-26	-	Soybeans	Beanfly, grubs, neamatodes, other soil insects	16.7-33.3 prod. / ha kg	-	-	-
SURE CROP SCIENCE AGRIVENTURES, INC.	CARBOFURAN	FURADOX 3G	30 g/kg	G	INSECTICIDE	2	640-104-6386 (239)	4-Dec-26	-	Sugarcane	Borer, leafhopper, mealy bug, scale insects	16.3-66.7 gm./ha kg	-	-	-
SURE CROP SCIENCE AGRIVENTURES, INC.	CARBOFURAN	FURADOX 3G	30 g/kg	G	INSECTICIDE	2	640-104-6386 (239)	4-Dec-26	-	Tobacco	Nematodes, budworm	16.7-33.3 prod. / ha kg	-	-	-
SURE CROP SCIENCE AGRIVENTURES, INC.	CARBOFURAN	FURADOX 3G	30 g/kg	G	INSECTICIDE	2	640-104-6386 (239)	4-Dec-26	-	White potato	Nematodes, grubs	16.7-33.3 prod. / ha kg	-	-	-
FMC AGRO PHILIPPINES INC.	CARBOFURAN	FURADAN 5 G	50 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	598-104-4193	02-Nov-20	-	Sugarcane	Borer, leafhopper, mealy bug, scale insects, nematodes, white grubs, crickets & root flies	20-40 kg/ha	-	0 day	-
FMC AGRO PHILIPPINES INC.	CARBOFURAN	FURADAN 5 G	50 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	598-104-4193	02-Nov-20	-	Banana	Nematodes, corn weevil and scarring weevil	25-30 kg/ha	-	0 day	-
FMC AGRO PHILIPPINES INC.	CARBOFURAN	FURADAN 3 G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	598-104-4194	02-Nov-20	-	Corn	Borer, earworm, grubs, seedling maggot	16.7-33.3 kg prod/ha	-	-	-
FMC AGRO PHILIPPINES INC.	CARBOFURAN	FURADAN 3 G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	598-104-4194	02-Nov-20	-	Cotton	Nematodes, grubs	16.7-33.3 kg prod/ha	-	-	-
FMC AGRO PHILIPPINES INC.	CARBOFURAN	FURADAN 3 G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	598-104-4194	02-Nov-20	-	Eggplant	Fruitborer	16.7-33.3 kg prod/ha	-	-	-
FMC AGRO PHILIPPINES INC.	CARBOFURAN	FURADAN 3 G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	598-104-4194	02-Nov-20	-	Field legumes	Beanflys, grubs, nematodes	16.7-33.3 kg prod/ha	-	-	-
FMC AGRO PHILIPPINES INC.	CARBOFURAN	FURADAN 3 G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	598-104-4194	02-Nov-20	-	Rice	Stem borer, whorl maggot, leafhopper, leafroller, caseworm, planthopper	16.7-33.3 kg prod/ha	0.2ppm	28 days	-
FMC AGRO PHILIPPINES INC.	CARBOFURAN	FURADAN 3 G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	598-104-4194	02-Nov-20	-	Soybeans	Beanfly, grubs, nematodes, other soil insects	16.7-33.3 kg prod/ha	-	-	-
FMC AGRO PHILIPPINES INC.	CARBOFURAN	FURADAN 3 G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	598-104-4194	02-Nov-20	-	Sugarcane	Borer, leafhopper, mealy bug, nematodes, scale insects	16.7-33.3 kg prod/ha	-	-	-
FMC AGRO PHILIPPINES INC.	CARBOFURAN	FURADAN 3 G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	598-104-4194	02-Nov-20	-	Tobacco	Nematode, budworm	16.7-33.3 kg prod/ha	-	-	-
FMC AGRO PHILIPPINES INC.	CARBOFURAN	FURADAN 3 G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	598-104-4194	02-Nov-20	-	White potato	Nematodes, grubs	16.7-33.3 kg prod/ha	-	-	-
FMC AGRO PHILIPPINES INC.	CARBOFURAN	FURADAN 3 G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	598-104-4194	02-Nov-20	-	Ornamentals	Scale insect, aphids, mealy bug	16.7-33.3 kg prod/ha	-	-	-
FMC AGRO PHILIPPINES INC.	CARBOFURAN	FURADAN 10 G	100 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	598-104-4192	02-Nov-20	-	Banana	Nematodes, corn weevil and scarring weevil	20-25 kg/ha	-	-	-
AGSICHEM MANUFACTURING CORPORATION	DIINOTEFURAN	FURACHEM 20 SG	200g/kg	SG	INSECTICIDE	4	001-373-6072	20-Mar-26	SYSTEMIC	Tomato	Whiteflies, hoppers, cutworm	2.5-5.0 g prod. / 16 L water	2 ppm	7 days	As soon as the spray solution has dried on the foliage
AGSICHEM MANUFACTURING CORPORATION	DIINOTEFURAN	FURACHEM 20 SG	200g/kg	SG	INSECTICIDE	4	001-373-6072	20-Mar-26	SYSTEMIC	Eggplant	Hoppers, whiteflies, fruit borer	2.5-5.0 g prod. / 16 L water	2 ppm	7 days	As soon as the spray solution has dried on the foliage
AGSICHEM MANUFACTURING CORPORATION	DIINOTEFURAN	FURACHEM 20 SG	200g/kg	SG	INSECTICIDE	4	001-373-6072	20-Mar-26	SYSTEMIC	Rice	Green leafhopper, brown planthopper, rice bug	2.5-5.0 g prod. / 16 L water	1 ppm	24 days	As soon as the spray solution has dried on the foliage
AGSICHEM MANUFACTURING CORPORATION	DIINOTEFURAN	FURACHEM 20 SG	200g/kg	SG	INSECTICIDE	4	001-373-6072	20-Mar-26	SYSTEMIC	Watermelon	Aphids, whiteflies	2.5-5.0 g prod. / 16 L water	0.5 ppm	16 days	As soon as the spray solution has dried on the foliage
AGSICHEM MANUFACTURING CORPORATION	DIINOTEFURAN	FURACHEM 20 SG	200g/kg	SG	INSECTICIDE	4	001-373-6072	20-Mar-26	SYSTEMIC	Mango	Hopper	1.0-2.0 g prod/ 16L water	-	7 days	As soon as the spray solution has dried on the foliage
AGSICHEM MANUFACTURING CORPORATION	DIINOTEFURAN	FURACHEM 20 SG	200g/kg	SG	INSECTICIDE	4	001-373-6072	20-Mar-26	SYSTEMIC	Coconut	Scale insects	-	-	-	As soon as the spray solution has dried on the foliage
VAST AGRO SOLUTIONS, INC.	CHLOROTHALONIL	FUNGITEK 720 SC	720 g/L	SC	FUNGICIDE	4	385-118-3515	07-Mar-26	-	Potato	Early blight, late blight, vine rot	1.00-1.80L/ha or 4.5-5.5 tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
VAST AGRO SOLUTIONS, INC.	CHLOROTHALONIL	FUNGITEK 720 SC	720 g/L	SC	FUNGICIDE	4	385-118-3515	07-Mar-26	-	Tomato	Early blight, late blight, vine rot	1.13-1.90L/ha or 4.5-6.0 tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
VAST AGRO SOLUTIONS, INC.	CHLOROTHALONIL	FUNGITEK 720 SC	720 g/L	SC	FUNGICIDE	4	385-118-3515	07-Mar-26	-	Beans	Rust, anthracnose	1.13-1.90L/ha or 4.5-6.0 tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
VAST AGRO SOLUTIONS, INC.	CHLOROTHALONIL	FUNGITEK 720 SC	720 g/L	SC	FUNGICIDE	4	385-118-3515	07-Mar-26	-	Carrot	Alternaria leaf spot, cercospora leaf spot, helminthosporium leaf spot	1.13-1.90L/ha or 4.5-6.0 tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
VAST AGRO SOLUTIONS, INC.	CHLOROTHALONIL	FUNGITEK 720 SC	720 g/L	SC	FUNGICIDE	4	385-118-3515	07-Mar-26	-	Crucifers	Powdery mildew	1.13-1.90L/ha or 4.5-6.0 tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
VAST AGRO SOLUTIONS, INC.	CHLOROTHALONIL	FUNGITEK 720 SC	720 g/L	SC	FUNGICIDE	4	385-118-3515	07-Mar-26	-	Melon	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90L/ha or 4.5-6.0 tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
VAST AGRO SOLUTIONS, INC.	CHLOROTHALONIL	FUNGITEK 720 SC	720 g/L	SC	FUNGICIDE	4	385-118-3515	07-Mar-26	-	Cucumber	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90L/ha or 4.5-6.0 tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
VAST AGRO SOLUTIONS, INC.	CHLOROTHALONIL	FUNGITEK 720 SC	720 g/L	SC	FUNGICIDE	4	385-118-3515	07-Mar-26	-	Squash	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90L/ha or 4.5-6.0 tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
VAST AGRO SOLUTIONS, INC.	CHLOROTHALONIL	FUNGITEK 720 SC	720 g/L	SC	FUNGICIDE	4	385-118-3515	07-Mar-26	-	Watermelon	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90L/ha or 4.5-6.0 tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
VAST AGRO SOLUTIONS, INC.	CHLOROTHALONIL	FUNGITEK 720 SC	720 g/L	SC	FUNGICIDE	4	385-118-3515	07-Mar-26	-	Celery	Early blight, late blight	1.13-1.90L/ha or 4.5-6.0 tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
VAST AGRO SOLUTIONS, INC.	CHLOROTHALONIL	FUNGITEK 720 SC	720 g/L	SC	FUNGICIDE	4	385-118-3515	07-Mar-26	-	Eggplant	Early blight, late blight, cercospora leafspot, anthracnose	1.13-1.90L/ha or 4.5-6.0 tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
VAST AGRO SOLUTIONS, INC.	CHLOROTHALONIL	FUNGITEK 720 SC	720 g/L	SC	FUNGICIDE	4	385-118-3515	07-Mar-26	-	Onion	Purple blotch, bulb rot, neck rot	1.13-1.90L/ha or 4.5-6.0 tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
VAST AGRO SOLUTIONS, INC.	CHLOROTHALONIL	FUNGITEK 720 SC	720 g/L	SC	FUNGICIDE	4	385-118-3515	07-Mar-26	-	Pepper	Early blight, cercospora leaf spot, anthracnose	1.13-1.90L/ha or 4.5-6.0tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
VAST AGRO SOLUTIONS, INC.	CHLOROTHALONIL	FUNGITEK 720 SC	720 g/L	SC	FUNGICIDE	4	385-118-3515	07-Mar-26	-	Grapes	Downy mildew, powdery mildew, fruit rot	1.13-1.90L/ha or 4.5-6.0tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
VAST AGRO SOLUTIONS, INC.	CHLOROTHALONIL	FUNGITEK 720 SC	720 g/L	SC	FUNGICIDE	4	385-118-3515	07-Mar-26	-	Mango	Anthracoese, diploida rot	3.75-5.80L/ha or 4.5-6.0tbsp/36L	0.5 mg/kg	7-14 days	Do not enter treatment areas until spray deposit have dried
VAST AGRO SOLUTIONS, INC.	CHLOROTHALONIL	FUNGITEK 720 SC	720 g/L	SC	FUNGICIDE	4	385-118-3515	07-Mar-26	-	Ornamentals	Black spot, powdery mildew, black rot	1.13-1.90L/ha or 4.5-6.0tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
VAST AGRO SOLUTIONS, INC.	CHLOROTHALONIL	FUNGITEK 720 SC	720 g/L	SC	FUNGICIDE	4	385-118-3515	07-Mar-26	-	Asparagus	Stem and leaf blight	1.80L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
VAST AGRO SOLUTIONS, INC.	CHLOROTHALONIL	FUNGITEK 720 SC	720 g/L	SC	FUNGICIDE	4	385-118-3515	07-Mar-26	-	Banana	Black sigatoka	1.38L/ha	2.0 mg/kg	0 day	Do not enter treatment areas until spray deposit have dried
VAST AGRO SOLUTIONS, INC.	CHLOROTHALONIL	FUNGITEK 500 SC	500 g/L	SC	FUNGICIDE	4	385-118-3252-A	17-Sep-25	-	Corn	Heminthosporium leaf spot, cercospora leafspot	6.0-8.5 Tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
VAST AGRO SOLUTIONS, INC.	CHLOROTHALONIL	FUNGITEK 500 SC	500 g/L	SC	FUNGICIDE	4	385-118-3252-A	17-Sep-25	-	Eggplant	Anthracoese, cercospora leafspot, early and late blight	6.0-8.5 Tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
VAST AGRO SOLUTIONS, INC.	CHLOROTHALONIL	FUNGITEK 500 SC	500 g/L	SC	FUNGICIDE	4	385-118-3252-A	17-Sep-25	-	Peanut	Cercospora leaf spot, rust	6.0-8.5 Tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
VAST AGRO SOLUTIONS, INC.	CHLOROTHALONIL	FUNGITEK 500 SC	500 g/L	SC	FUNGICIDE	4	385-118-3252-A	17-Sep-25	-	Potato	Early and late blight, vine rot	6.0-8.5 Tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
VAST AGRO SOLUTIONS, INC.	CHLOROTHALONIL	FUNGITEK 500 SC	500 g/L	SC	FUNGICIDE	4	385-118-3252-A	17-Sep-25	-	Tomato	Early and late blight, vine rot	6.0-8.5 Tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
VAST AGRO SOLUTIONS, INC.	CHLOROTHALONIL	FUNGITEK 500 SC	500 g/L	SC	FUNGICIDE	4	385-118-3252-A	17-Sep-25	-	Carrot	Alternaria, cercospora leaf spot, heminthosporium leaf spot	6.0-8.5 Tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
VAST AGRO SOLUTIONS, INC.	CHLOROTHALONIL	FUNGITEK 500 SC	500 g/L	SC	FUNGICIDE	4	385-118-3252-A	17-Sep-25	-	Banana	Sigatoka, rust, freckles, heminthosporium leaf spot	2L/ha	2.0 mg/kg	-	Do not enter treatment areas until spray deposit have dried
VAST AGRO SOLUTIONS, INC.	CHLOROTHALONIL	FUNGITEK 500 SC	500 g/L	SC	FUNGICIDE	4	385-118-3252-A	17-Sep-25	-	Mango	Anthracoese, diploida rot	6.0-8.5 Tbsp/36L	0.5 mg/kg	7-14 days	Do not enter treatment areas until spray deposit have dried
VAST AGRO SOLUTIONS, INC.	CHLOROTHALONIL	FUNGITEK 500 SC	500 g/L	SC	FUNGICIDE	4	385-118-3252-A	17-Sep-25	-	Beans	Rust, anthracnose	6.0-8.5 Tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
VAST AGRO SOLUTIONS, INC.	CHLOROTHALONIL	FUNGITEK 500 SC	500 g/L	SC	FUNGICIDE	4	385-118-3252-A	17-Sep-25	-	Crucifers	Powdery mildew	6.0-8.5 Tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
VAST AGRO SOLUTIONS, INC.	CHLOROTHALONIL	FUNGITEK 500 SC	500 g/L	SC	FUNGICIDE	4	385-118-3252-A	17-Sep-25	-	Onion	Purple blotch, bulb rot, neck rot	6.0-8.5 Tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
VAST AGRO SOLUTIONS, INC.	CHLOROTHALONIL	FUNGITEK 500 SC	500 g/L	SC	FUNGICIDE	4	385-118-3252-A	17-Sep-25	-	Garlic	Purple blotch, bulb rot, neck rot	6.0-8.5 Tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
VAST AGRO SOLUTIONS, INC.	CHLOROTHALONIL	FUNGITEK 500 SC	500 g/L	SC	FUNGICIDE	4	385-118-3252-A	17-Sep-25	-	Ornamentals	Black spot, black rot, powdery mildew	6.0-8.5 Tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
VAST AGRO SOLUTIONS, INC.	CHLOROTHALONIL	FUNGITEK 500 SC	500 g/L	SC	FUNGICIDE	4	385-118-3252-A	17-Sep-25	-	Grapes	Downy mildew, powdery mildew, fruit rot	6.0-8.5 Tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
VAST AGRO SOLUTIONS, INC.	CHLOROTHALONIL	FUNGITEK 500 SC	500 g/L	SC	FUNGICIDE	4	385-118-3252-A	17-Sep-25	-	Pepper	Anthracoese, cercospora leaf spot, early blight	6.0-8.5 Tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
VAST AGRO SOLUTIONS, INC.	CHLOROTHALONIL	FUNGITEK 500 SC	500 g/L	SC	FUNGICIDE	4	385-118-3252-A	17-Sep-25	-	Melon	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
VAST AGRO SOLUTIONS, INC.	CHLOROTHALONIL	FUNGITEK 500 SC	500 g/L	SC	FUNGICIDE	4	385-118-3252-A	17-Sep-25	-	Cucumber	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
VAST AGRO SOLUTIONS, INC.	CHLOROTHALONIL	FUNGITEK 500 SC	500 g/L	SC	FUNGICIDE	4	385-118-3252-A	17-Sep-25	-	Squash	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
VAST AGRO SOLUTIONS, INC.	CHLOROTHALONIL	FUNGITEK 500 SC	500 g/L	SC	FUNGICIDE	4	385-118-3252-A	17-Sep-25	-	Watermelon	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
VAST AGRO SOLUTIONS, INC.	CHLOROTHALONIL	FUNGITEK 500 SC	500 g/L	SC	FUNGICIDE	4	385-118-3252-A	17-Sep-25	-	Celery	Early and late blight	6.0-8.5 Tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ALDIZ INCORPORATED	COPPER HYDROXIDE	FUNGURAN-OH	770 g/kg	WP	FUNGICIDE	3	002-006-0554	31-Dec-26	-	Banana	Sigatoka	-	-	Allow 7 days from last spray until harvest	Do not enter treated areas until spray has dried
ALDIZ INCORPORATED	COPPER HYDROXIDE	FUNGURAN-OH	770 g/kg	WP	FUNGICIDE	3	002-006-0554	31-Dec-26	-	Beans	Bacterial blight, rust	20-60 grams/36L	-	Allow 7 days from last spray until harvest	Do not enter treated areas until spray has dried
ALDIZ INCORPORATED	COPPER HYDROXIDE	FUNGURAN-OH	770 g/kg	WP	FUNGICIDE	3	002-006-0554	31-Dec-26	-	Cabbage	Black rot, black leaf spot	20-60 grams/36L	-	Allow 7 days from last spray until harvest	Do not enter treated areas until spray has dried
ALDIZ INCORPORATED	COPPER HYDROXIDE	FUNGURAN-OH	770 g/kg	WP	FUNGICIDE	3	002-006-0554	31-Dec-26	-	Cacao	Black pod	20-60 grams/36L	-	Allow 7 days from last spray until harvest	Do not enter treated areas until spray has dried
ALDIZ INCORPORATED	COPPER HYDROXIDE	FUNGURAN-OH	770 g/kg	WP	FUNGICIDE	3	002-006-0554	31-Dec-26	-	Carrot	Carrot blight, alternaria	20-60 grams/36L	-	Allow 7 days from last spray until harvest	Do not enter treated areas until spray has dried
ALDIZ INCORPORATED	COPPER HYDROXIDE	FUNGURAN-OH	770 g/kg	WP	FUNGICIDE	3	002-006-0554	31-Dec-26	-	Cauliflower	Downy mildew, alternaria leaf spot	-	-	Allow 7 days from last spray until harvest	Do not enter treated areas until spray has dried
ALDIZ INCORPORATED	COPPER HYDROXIDE	FUNGURAN-OH	770 g/kg	WP	FUNGICIDE	3	002-006-0554	31-Dec-26	-	Celery	Early and late blight	-	-	Allow 7 days from last spray until harvest	Do not enter treated areas until spray has dried
ALDIZ INCORPORATED	COPPER HYDROXIDE	FUNGURAN-OH	770 g/kg	WP	FUNGICIDE	3	002-006-0554	31-Dec-26	-	Citrus	Black spot, scab, Melanose, canker, fruit rot and brown	20-60 grams/36L	-	Allow 7 days from last spray until harvest	Do not enter treated areas until spray has dried
ALDIZ INCORPORATED	COPPER HYDROXIDE	FUNGURAN-OH	770 g/kg	WP	FUNGICIDE	3	002-006-0554	31-Dec-26	-	Coffee	Leaf rust, coffee berry disease	-	-	Allow 7 days from last spray until harvest	Do not enter treated areas until spray has dried
ALDIZ INCORPORATED	COPPER HYDROXIDE	FUNGURAN-OH	770 g/kg	WP	FUNGICIDE	3	002-006-0554	31-Dec-26	-	Cucumber	Anthracoese, septoria, cercospora, fruit rot, downy mildew	-	-	Allow 7 days from last spray until harvest	Do not enter treated areas until spray has dried
ALDIZ INCORPORATED	COPPER HYDROXIDE	FUNGURAN-OH	770 g/kg	WP	FUNGICIDE	3	002-006-0554	31-Dec-26	-	Grapes	powdery mildew, black rot, downy	-	-	Allow 7 days from last spray until harvest	Do not enter treated areas until spray has dried
ALDIZ INCORPORATED	COPPER HYDROXIDE	FUNGURAN-OH	770 g/kg	WP	FUNGICIDE	3	002-006-0554	31-Dec-26	-	Mango	Anthracoese	20-60 grams/36L	-	Allow 7 days from last spray until harvest	Do not enter treated areas until spray has dried
ALDIZ INCORPORATED	COPPER HYDROXIDE	FUNGURAN-OH	770 g/kg	WP	FUNGICIDE	3	002-006-0554	31-Dec-26	-	Onion	Purple blotch, downy mildew	20-60 grams/36L	-	Allow 7 days from last spray until harvest	Do not enter treated areas until spray has dried
ALDIZ INCORPORATED	COPPER HYDROXIDE	FUNGURAN-OH	770 g/kg	WP	FUNGICIDE	3	002-006-0554	31-Dec-26	-	Pepper	Bacterial spot	-	-	Allow 7 days from last spray until harvest	Do not enter treated areas until spray has dried
ALDIZ INCORPORATED	COPPER HYDROXIDE	FUNGURAN-OH	770 g/kg	WP	FUNGICIDE	3	002-006-0554	31-Dec-26	-	Potato	Early blight, late blight	-	-	Allow 7 days from last spray until harvest	Do not enter treated areas until spray has dried
ALDIZ INCORPORATED	COPPER HYDROXIDE	FUNGURAN-OH	770 g/kg	WP	FUNGICIDE	3	002-006-0554	31-Dec-26	-	Rice	Rice blast, sheath blight, bacterial leaf streak, bacterial leaf blight	30-90 grams/36L	-	Allow 7 days from last spray until harvest	Do not enter treated areas until spray has dried
ALDIZ INCORPORATED	COPPER HYDROXIDE	FUNGURAN-OH	770 g/kg	WP	FUNGICIDE	3	002-006-0554	31-Dec-26	-	Tomato	Early blight, fruit rot septoria, downy mildew, anthracnose	20-60 grams/36L	-	Allow 7 days from last spray until harvest	Do not enter treated areas until spray has dried
ALDIZ INCORPORATED	COPPER HYDROXIDE	FUNGURAN-OH	770 g/kg	WP	FUNGICIDE	3	002-006-0554	31-Dec-26	-	Watermelon	Anthracoese, fruit rot	-	-	Allow 7 days from last spray until harvest	Do not enter treated areas until spray has dried
ARIES RINE CHEMICAL CORPORATION	CHLOROTHALONIL	FUNGUNIL 720 SC	720 g/L	SC	FUNGICIDE	4	478-118-3107	18-Jan-25	-	Potato	Early blight, late blight, vine rot	4.5-6.0 tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ARIES RINE CHEMICAL CORPORATION	CHLOROTHALONIL	FUNGUNIL 720 SC	720 g/L	SC	FUNGICIDE	4	478-118-3107	18-Jan-25	-	Tomato	Early blight, late blight, vine rot	4.5-6.0 tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ARIES RINE CHEMICAL CORPORATION	CHLOROTHALONIL	FUNGUNIL 720 SC	720 g/L	SC	FUNGICIDE	4	478-118-3107	18-Jan-25	-	Beans	Rust, anthracnose	4.5-6.0 tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ARIES RINE CHEMICAL CORPORATION	CHLOROTHALONIL	FUNGUNIL 720 SC	720 g/L	SC	FUNGICIDE	4	478-118-3107	18-Jan-25	-	Carrot	Alternaria leaf spot, cercospora leaf spot, heminthosporium leaf spot	4.5-6.0 tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ARIES RINE CHEMICAL CORPORATION	CHLOROTHALONIL	FUNGUNIL 720 SC	720 g/L	SC	FUNGICIDE	4	478-118-3107	18-Jan-25	-	Crucifers	Powdery mildew	4.5-6.0 tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ARIES RINE CHEMICAL CORPORATION	CHLOROTHALONIL	FUNGUNIL 720 SC	720 g/L	SC	FUNGICIDE	4	478-118-3107	18-Jan-25	-	Melon	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	4.5-6.0 tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ARIES RINE CHEMICAL CORPORATION	CHLOROTHALONIL	FUNGUNIL 720 SC	720 g/L	SC	FUNGICIDE	4	478-118-3107	18-Jan-25	-	Cucumber	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	4.5-6.0 tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ARIES RINE CHEMICAL CORPORATION	CHLOROTHALONIL	FUNGUNIL 720 SC	720 g/L	SC	FUNGICIDE	4	478-118-3107	18-Jan-25	-	Squash	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	4.5-6.0 tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ARIES RINE CHEMICAL CORPORATION	CHLOROTHALONIL	FUNGUNIL 720 SC	720 g/L	SC	FUNGICIDE	4	478-118-3107	18-Jan-25	-	Watermelon	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	4.5-6.0 tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ARIES RINE CHEMICAL CORPORATION	CHLOROTHALONIL	FUNGUNIL 720 SC	720 g/L	SC	FUNGICIDE	4	478-118-3107	18-Jan-25	-	Celery	Early blight, late blight	4.5-6.0 tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ARIES RINE CHEMICAL CORPORATION	CHLOROTHALONIL	FUNGUNIL 720 SC	720 g/L	SC	FUNGICIDE	4	478-118-3107	18-Jan-25	-	Eggplant	Early blight, late blight, cercospora leafspot, anthracnose	4.5-6.0 tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ARIES RINE CHEMICAL CORPORATION	CHLOROTHALONIL	FUNGUNIL 720 SC	720 g/L	SC	FUNGICIDE	4	478-118-3107	18-Jan-25	-	Onion	Purple blotch, bulb rot, neck rot	4.5-6.0 tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
ARIES RINE CHEMICAL CORPORATION	CHLOROTHALONIL	FUNGUNIL 720 SC	720 g/L	SC	FUNGICIDE	4	478-118-3107	18-Jan-25	-	Pepper	Early blight, cercospora leaf spot, anthracnose	4.5-6.0 tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ARIES RINE CHEMICAL CORPORATION	CHLOROTHALONIL	FUNGUNIL 720 SC	720 g/L	SC	FUNGICIDE	4	478-118-3107	18-Jan-25	-	Grapes	Downy mildew, powdery mildew, fruit rot	4.5-6.0 tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ARIES RINE CHEMICAL CORPORATION	CHLOROTHALONIL	FUNGUNIL 720 SC	720 g/L	SC	FUNGICIDE	4	478-118-3107	18-Jan-25	-	Mango	Anthracoese, diploida rot	4.5-6.0 tbsp/36L	0.5 mg/kg	7-14 days	Do not enter treatment areas until spray deposit have dried
ARIES RINE CHEMICAL CORPORATION	CHLOROTHALONIL	FUNGUNIL 720 SC	720 g/L	SC	FUNGICIDE	4	478-118-3107	18-Jan-25	-	Ornamentals	Black spot, powdery mildew, black rot	4.5-6.0 tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ARIES RINE CHEMICAL CORPORATION	CHLOROTHALONIL	FUNGUNIL 720 SC	720 g/L	SC	FUNGICIDE	4	478-118-3107	18-Jan-25	-	Asparagus	Stem and leaf blight	1.8 L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ARIES RINE CHEMICAL CORPORATION	CHLOROTHALONIL	FUNGUNIL 720 SC	720 g/L	SC	FUNGICIDE	4	478-118-3107	18-Jan-25	-	Banana	Black sigatoka	1.8 L/ha	2.0 mg/kg	0 day	Do not enter treatment areas until spray deposit have dried
VAST AGRO SOLUTIONS, INC.	BENOMYL	FUNGURFREE PLUS 50 WP	500 g/kg	WP	FUNGICIDE	4	385-167-2097	09-Aug-25	SYSTEMIC	Mungbeans	Powdery mildew, cercospora leaf spot	1.2 Tbsp/36L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
VAST AGRO SOLUTIONS, INC.	BENOMYL	FUNGURFREE PLUS 50 WP	500 g/kg	WP	FUNGICIDE	4	385-167-2097	09-Aug-25	SYSTEMIC	Beans	Powdery mildew, cercospora leaf spot	1.2 Tbsp/36L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
VAST AGRO SOLUTIONS, INC.	BENOMYL	FUNGURFREE PLUS 50 WP	500 g/kg	WP	FUNGICIDE	4	385-167-2097	09-Aug-25	SYSTEMIC	Wingbok	Cercospora leaf spot	1.2 Tbsp/36L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
VAST AGRO SOLUTIONS, INC.	BENOMYL	FUNGURFREE PLUS 50 WP	500 g/kg	WP	FUNGICIDE	4	385-167-2097	09-Aug-25	SYSTEMIC	Cabbage	Cercospora leaf spot	1.2 Tbsp/36L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
VAST AGRO SOLUTIONS, INC.	BENOMYL	FUNGURFREE PLUS 50 WP	500 g/kg	WP	FUNGICIDE	4	385-167-2097	09-Aug-25	SYSTEMIC	Calamansi	Scab	1.2 Tbsp/36L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
VAST AGRO SOLUTIONS, INC.	BENOMYL	FUNGURFREE PLUS 50 WP	500 g/kg	WP	FUNGICIDE	4	385-167-2097	09-Aug-25	SYSTEMIC	Cucumber	Powdery mildew	1.2 Tbsp/36L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
VAST AGRO SOLUTIONS, INC.	BENOMYL	FUNGURFREE PLUS 50 WP	500 g/kg	WP	FUNGICIDE	4	385-167-2097	09-Aug-25	SYSTEMIC	Ginger	Cercospora leaf spot	1.2 Tbsp/36L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
VAST AGRO SOLUTIONS, INC.	BENOMYL	FUNGURFREE PLUS 50 WP	500 g/kg	WP	FUNGICIDE	4	385-167-2097	09-Aug-25	SYSTEMIC	Grapes	Powdery mildew	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
VAST AGRO SOLUTIONS, INC.	BENOMYL	FUNGURFREE PLUS 50 WP	500 g/kg	WP	FUNGICIDE	4	385-167-2097	09-Aug-25	SYSTEMIC	Mandarin	Scab	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
VAST AGRO SOLUTIONS, INC.	BENOMYL	FUNGURFREE PLUS 50 WP	500 g/kg	WP	FUNGICIDE	4	385-167-2097	09-Aug-25	SYSTEMIC	Mango	Anthracoese, powdery mildew	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
VAST AGRO SOLUTIONS, INC.	BENOMYL	FUNGURFREE PLUS 50 WP	500 g/kg	WP	FUNGICIDE	4	385-167-2097	09-Aug-25	SYSTEMIC	Melon	Powdery mildew	1.2 Tbsp/36L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
VAST AGRO SOLUTIONS, INC.	BENOMYL	FUNGURFREE PLUS 50 WP	500 g/kg	WP	FUNGICIDE	4	385-167-2097	09-Aug-25	SYSTEMIC	Orange	Scab	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
VAST AGRO SOLUTIONS, INC.	BENOMYL	FUNGURFREE PLUS 50 WP	500 g/kg	WP	FUNGICIDE	4	385-167-2097	09-Aug-25	SYSTEMIC	Papaya	Powdery mildew	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
VAST AGRO SOLUTIONS, INC.	BENOMYL	FUNGURFREE PLUS 50 WP	500 g/kg	WP	FUNGICIDE	4	385-167-2097	09-Aug-25	SYSTEMIC	Pepper	Cercospora leaf spot	1.2 Tbsp/36L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
VAST AGRO SOLUTIONS, INC.	BENOMYL	FUNGURFREE PLUS 50 WP	500 g/kg	WP	FUNGICIDE	4	385-167-2097	09-Aug-25	SYSTEMIC	Rice	Blas, sheath blight	1-4 Tbsp/36L water	1.0 ppm	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
VAST AGRO SOLUTIONS, INC.	BENOMYL	FUNGURFREE PLUS 50 WP	500 g/kg	WP	FUNGICIDE	4	385-167-2097	09-Aug-25	SYSTEMIC	Strawberry	Cercospora leaf spot	1.2 Tbsp/36L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
VAST AGRO SOLUTIONS, INC.	BENOMYL	FUNGURFREE PLUS 50 WP	500 g/kg	WP	FUNGICIDE	4	385-167-2097	09-Aug-25	SYSTEMIC	Tobacco	Leaf mold, frog eye	1.2 Tbsp/36L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
VAST AGRO SOLUTIONS, INC.	BENOMYL	FUNGURFREE PLUS 50 WP	500 g/kg	WP	FUNGICIDE	4	385-167-2097	09-Aug-25	SYSTEMIC	Banana	Black sigatoka	280 g/ha	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
VAST AGRO SOLUTIONS, INC.	MANCOZEB	FUNGURFREE 80 WP	800 g/kg	WP	FUNGICIDE	4	385-053-2014	23-Dec-25	-	Potato	Early and late blight	3-6 Tbsp/36 L water	-	-	As soon as spray dries
VAST AGRO SOLUTIONS, INC.	MANCOZEB	FUNGURFREE 80 WP	800 g/kg	WP	FUNGICIDE	4	385-053-2014	23-Dec-25	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
VAST AGRO SOLUTIONS, INC.	MANCOZEB	FUNGURFREE 80 WP	800 g/kg	WP	FUNGICIDE	4	385-053-2014	23-Dec-25	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
VAST AGRO SOLUTIONS, INC.	MANCOZEB	FUNGURFREE 80 WP	800 g/kg	WP	FUNGICIDE	4	385-053-2014	23-Dec-25	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
VAST AGRO SOLUTIONS, INC.	MANCOZEB	FUNGURFREE 80 WP	800 g/kg	WP	FUNGICIDE	4	385-053-2014	23-Dec-25	-	Galery	Late blight	3-6 Tbsp/36 L water	-	14 Days	As soon as spray dries
VAST AGRO SOLUTIONS, INC.	MANCOZEB	FUNGURFREE 80 WP	800 g/kg	WP	FUNGICIDE	4	385-053-2014	23-Dec-25	-	Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
VAST AGRO SOLUTIONS, INC.	MANCOZEB	FUNGURFREE 80 WP	800 g/kg	WP	FUNGICIDE	4	385-053-2014	23-Dec-25	-	Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
VAST AGRO SOLUTIONS, INC.	MANCOZEB	FUNGURFREE 80 WP	800 g/kg	WP	FUNGICIDE	4	385-053-2014	23-Dec-25	-	Cotton	Damping off	3-6 Tbsp/36 L water	-	-	As soon as spray dries
VAST AGRO SOLUTIONS, INC.	MANCOZEB	FUNGURFREE 80 WP	800 g/kg	WP	FUNGICIDE	4	385-053-2014	23-Dec-25	-	Artichue	Downy mildew	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
VAST AGRO SOLUTIONS, INC.	MANCOZEB	FUNGURFREE 80 WP	800 g/kg	WP	FUNGICIDE	4	385-053-2014	23-Dec-25	-	Beans	Anthracoese, Downy mildew, Rust	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
VAST AGRO SOLUTIONS, INC.	MANCOZEB	FUNGURFREE 80 WP	800 g/kg	WP	FUNGICIDE	4	385-053-2014	23-Dec-25	-	Peas	Anthracoese, Downy mildew, Rust	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
VAST AGRO SOLUTIONS, INC.	MANCOZEB	FUNGURFREE 80 WP	800 g/kg	WP	FUNGICIDE	4	385-053-2014	23-Dec-25	-	Mungo	Anthracoese, Downy mildew, Rust	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
VAST AGRO SOLUTIONS, INC.	MANCOZEB	FUNGURFREE 80 WP	800 g/kg	WP	FUNGICIDE	4	385-053-2014	23-Dec-25	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
VAST AGRO SOLUTIONS, INC.	MANCOZEB	FUNGURFREE 80 WP	800 g/kg	WP	FUNGICIDE	4	385-053-2014	23-Dec-25	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
VAST AGRO SOLUTIONS, INC.	MANCOZEB	FUNGURFREE 80 WP	800 g/kg	WP	FUNGICIDE	4	385-053-2014	23-Dec-25	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
VAST AGRO SOLUTIONS, INC.	MANCOZEB	FUNGURFREE 80 WP	800 g/kg	WP	FUNGICIDE	4	385-053-2014	23-Dec-25	-	Pepper	Anthracoese	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
VAST AGRO SOLUTIONS, INC.	MANCOZEB	FUNGURFREE 80 WP	800 g/kg	WP	FUNGICIDE	4	385-053-2014	23-Dec-25	-	Chili	Anthracoese	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
VAST AGRO SOLUTIONS, INC.	MANCOZEB	FUNGURFREE 80 WP	800 g/kg	WP	FUNGICIDE	4	385-053-2014	23-Dec-25	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
VAST AGRO SOLUTIONS, INC.	MANCOZEB	FUNGURFREE 80 WP	800 g/kg	WP	FUNGICIDE	4	385-053-2014	23-Dec-25	-	Banana	Sigatoka, Black leaf streak	3-6 Tbsp/36 L water	-	-	As soon as spray dries
VAST AGRO SOLUTIONS, INC.	MANCOZEB	FUNGURFREE 80 WP	800 g/kg	WP	FUNGICIDE	4	385-053-2014	23-Dec-25	-	Grapes	Downy mildew, black rot	3-6 Tbsp/36 L water	-	60 days	As soon as spray dries
VAST AGRO SOLUTIONS, INC.	MANCOZEB	FUNGURFREE 80 WP	800 g/kg	WP	FUNGICIDE	4	385-053-2014	23-Dec-25	-	Mango	Anthracoese and Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
VAST AGRO SOLUTIONS, INC.	MANCOZEB	FUNGURFREE 80 WP	800 g/kg	WP	FUNGICIDE	4	385-053-2014	23-Dec-25	-	Papaya	Fruit rot	3-6 Tbsp/36 L water	-	-	As soon as spray dries
VAST AGRO SOLUTIONS, INC.	MANCOZEB	FUNGURFREE 80 WP	800 g/kg	WP	FUNGICIDE	4	385-053-2014	23-Dec-25	-	Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
VAST AGRO SOLUTIONS, INC.	MANCOZEB	FUNGURFREE 80 WP	800 g/kg	WP	FUNGICIDE	4	385-053-2014	23-Dec-25	-	Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
VAST AGRO SOLUTIONS, INC.	MANCOZEB	FUNGURFREE 80 WP	800 g/kg	WP	FUNGICIDE	4	385-053-2014	23-Dec-25	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
VAST AGRO SOLUTIONS, INC.	MANCOZEB	FUNGURFREE 80 WP	800 g/kg	WP	FUNGICIDE	4	385-053-2014	23-Dec-25	-	Rice	Blas, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/36 L water	0.03ppm	-	As soon as spray dries
VAST AGRO SOLUTIONS, INC.	MANCOZEB	FUNGURFREE 80 WP	800 g/kg	WP	FUNGICIDE	4	385-053-2014	23-Dec-25	-	Peanut	Cercospora leaf spot	3-6 Tbsp/36 L water	-	14 Days	As soon as spray dries
VAST AGRO SOLUTIONS, INC.	MANCOZEB	FUNGURFREE 80 WP	800 g/kg	WP	FUNGICIDE	4	385-053-2014	23-Dec-25	-	Soybeans	Leaf rust	3-6 Tbsp/36 L water	-	-	As soon as spray dries
VAST AGRO SOLUTIONS, INC.	MANCOZEB	FUNGURFREE 80 WP	800 g/kg	WP	FUNGICIDE	4	385-053-2014	23-Dec-25	-	Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/36 L water	-	-	As soon as spray dries
VAST AGRO SOLUTIONS, INC.	MANCOZEB	FUNGURFREE 800 DS	600 g/L	DS	FUNGICIDE	4	385-053-3547	10-Sep-22	-	Banana	Black sigatoka	0.5-0.8 L/ha + 10-15 L/ha water + 0.7 L/ha Oil	-	-	As soon as spray dries
VAST AGRO SOLUTIONS, INC.	MANCOZEB	FUNGURFREE 412 F	412 g/kg	F	FUNGICIDE	4	385-053-3548	10-Sep-22	-	Banana	Sigatoka	3-4 Litres	-	-	Do not enter the spray area with 2 days after spraying
118 AGRICULTURAL CORPORATION	MANCOZEB	FUNGOCZEB 80 WP	800g/kg	WP	FUNGICIDE	4	506-053-4389	04-Jun-24	-	Potato	Early and late blight	3-6 Tbsp/36 L water	-	-	As soon as spray dries.

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
118 AGRICULTURAL CORPORATION	MANCOZEB	FUNGOSER 80 WP	800g/kg	WP	FUNGICIDE	4	506-053-4389	04-Jun-24	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries.
118 AGRICULTURAL CORPORATION	MANCOZEB	FUNGOSER 80 WP	800g/kg	WP	FUNGICIDE	4	506-053-4389	04-Jun-24	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries.
118 AGRICULTURAL CORPORATION	MANCOZEB	FUNGOSER 80 WP	800g/kg	WP	FUNGICIDE	4	506-053-4389	04-Jun-24	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries.
118 AGRICULTURAL CORPORATION	MANCOZEB	FUNGOSER 80 WP	800g/kg	WP	FUNGICIDE	4	506-053-4389	04-Jun-24	-	Celery	Late blight	3-6 Tbsp/36 L water	-	14 days	As soon as spray dries.
118 AGRICULTURAL CORPORATION	MANCOZEB	FUNGOSER 80 WP	800g/kg	WP	FUNGICIDE	4	506-053-4389	04-Jun-24	-	Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries.
118 AGRICULTURAL CORPORATION	MANCOZEB	FUNGOSER 80 WP	800g/kg	WP	FUNGICIDE	4	506-053-4389	04-Jun-24	-	Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries.
118 AGRICULTURAL CORPORATION	MANCOZEB	FUNGOSER 80 WP	800g/kg	WP	FUNGICIDE	4	506-053-4389	04-Jun-24	-	Cotton	Damping off	3-6 Tbsp/36 L water	-	-	As soon as spray dries.
118 AGRICULTURAL CORPORATION	MANCOZEB	FUNGOSER 80 WP	800g/kg	WP	FUNGICIDE	4	506-053-4389	04-Jun-24	-	Lettuce	Downy mildew	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries.
118 AGRICULTURAL CORPORATION	MANCOZEB	FUNGOSER 80 WP	800g/kg	WP	FUNGICIDE	4	506-053-4389	04-Jun-24	-	Beans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries.
118 AGRICULTURAL CORPORATION	MANCOZEB	FUNGOSER 80 WP	800g/kg	WP	FUNGICIDE	4	506-053-4389	04-Jun-24	-	Peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries.
118 AGRICULTURAL CORPORATION	MANCOZEB	FUNGOSER 80 WP	800g/kg	WP	FUNGICIDE	4	506-053-4389	04-Jun-24	-	Mungo	Anthracnose, Downy mildew, Rust	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries.
118 AGRICULTURAL CORPORATION	MANCOZEB	FUNGOSER 80 WP	800g/kg	WP	FUNGICIDE	4	506-053-4389	04-Jun-24	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries.
118 AGRICULTURAL CORPORATION	MANCOZEB	FUNGOSER 80 WP	800g/kg	WP	FUNGICIDE	4	506-053-4389	04-Jun-24	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries.
118 AGRICULTURAL CORPORATION	MANCOZEB	FUNGOSER 80 WP	800g/kg	WP	FUNGICIDE	4	506-053-4389	04-Jun-24	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries.
118 AGRICULTURAL CORPORATION	MANCOZEB	FUNGOSER 80 WP	800g/kg	WP	FUNGICIDE	4	506-053-4389	04-Jun-24	-	Pepper	Anthracnose	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries.
118 AGRICULTURAL CORPORATION	MANCOZEB	FUNGOSER 80 WP	800g/kg	WP	FUNGICIDE	4	506-053-4389	04-Jun-24	-	Chili	Anthracnose	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries.
118 AGRICULTURAL CORPORATION	MANCOZEB	FUNGOSER 80 WP	800g/kg	WP	FUNGICIDE	4	506-053-4389	04-Jun-24	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries.
118 AGRICULTURAL CORPORATION	MANCOZEB	FUNGOSER 80 WP	800g/kg	WP	FUNGICIDE	4	506-053-4389	04-Jun-24	-	Banana	Sigatoka, Black leaf streak	3-6 Tbsp/36 L water	-	-	As soon as spray dries.
118 AGRICULTURAL CORPORATION	MANCOZEB	FUNGOSER 80 WP	800g/kg	WP	FUNGICIDE	4	506-053-4389	04-Jun-24	-	Grapes	Downy mildew, black rot	3-6 Tbsp/36 L water	-	60 days	As soon as spray dries.
118 AGRICULTURAL CORPORATION	MANCOZEB	FUNGOSER 80 WP	800g/kg	WP	FUNGICIDE	4	506-053-4389	04-Jun-24	-	Mango	Anthracnose and Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries.
118 AGRICULTURAL CORPORATION	MANCOZEB	FUNGOSER 80 WP	800g/kg	WP	FUNGICIDE	4	506-053-4389	04-Jun-24	-	Papaya	Fruit rot	3-6 Tbsp/36 L water	-	-	As soon as spray dries.
118 AGRICULTURAL CORPORATION	MANCOZEB	FUNGOSER 80 WP	800g/kg	WP	FUNGICIDE	4	506-053-4389	04-Jun-24	-	Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries.
118 AGRICULTURAL CORPORATION	MANCOZEB	FUNGOSER 80 WP	800g/kg	WP	FUNGICIDE	4	506-053-4389	04-Jun-24	-	Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries.
118 AGRICULTURAL CORPORATION	MANCOZEB	FUNGOSER 80 WP	800g/kg	WP	FUNGICIDE	4	506-053-4389	04-Jun-24	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries.
118 AGRICULTURAL CORPORATION	MANCOZEB	FUNGOSER 80 WP	800g/kg	WP	FUNGICIDE	4	506-053-4389	04-Jun-24	-	Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/36 L water	0.02gpm	-	As soon as spray dries.
118 AGRICULTURAL CORPORATION	MANCOZEB	FUNGOSER 80 WP	800g/kg	WP	FUNGICIDE	4	506-053-4389	04-Jun-24	-	Peanut	Cercospora leaf spot	3-6 Tbsp/36 L water	-	14 days	As soon as spray dries.
118 AGRICULTURAL CORPORATION	MANCOZEB	FUNGOSER 80 WP	800g/kg	WP	FUNGICIDE	4	506-053-4389	04-Jun-24	-	Soybeans	Leaf rust	3-6 Tbsp/36 L water	-	-	As soon as spray dries.
118 AGRICULTURAL CORPORATION	MANCOZEB	FUNGOSER 80 WP	800g/kg	WP	FUNGICIDE	4	506-053-4389	04-Jun-24	-	Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/36 L water	-	-	As soon as spray dries.
PLANTERS PRODUCTS INC.	THIOPHANATE METHYL	FUNGITOX 70 WP	700 g/kg	WP	FUNGICIDE	4	031-107-0179	27-Feb-24	-	Rice	Blast, neck rot, black spot	1.5-2.0 Tbsp/36L Water	-	-	Do not spray fourteen (14) days before harvest. Do not enter the treated field within five (5) days after spraying.
PLANTERS PRODUCTS INC.	THIOPHANATE METHYL	FUNGITOX 70 WP	700 g/kg	WP	FUNGICIDE	4	031-107-0179	27-Feb-24	-	Mango	Anthracnose	0.5-1.0 Tbsp/36L Water	-	-	Do not spray fourteen (14) days before harvest. Do not enter the treated field within five (5) days after spraying.
PLANTERS PRODUCTS INC.	THIOPHANATE METHYL	FUNGITOX 70 WP	700 g/kg	WP	FUNGICIDE	4	031-107-0179	27-Feb-24	-	Tobacco	Frog eye leaf spot	0.5-1.0 Tbsp/36L Water	-	-	Do not spray fourteen (14) days before harvest. Do not enter the treated field within five (5) days after spraying.
PLANTERS PRODUCTS INC.	THIOPHANATE METHYL	FUNGITOX 70 WP	700 g/kg	WP	FUNGICIDE	4	031-107-0179	27-Feb-24	-	Tomato	Powdery mildew	0.5-1.0 Tbsp/36L Water	-	-	Do not spray fourteen (14) days before harvest. Do not enter the treated field within five (5) days after spraying.
PLANTERS PRODUCTS INC.	THIOPHANATE METHYL	FUNGITOX 70 WP	700 g/kg	WP	FUNGICIDE	4	031-107-0179	27-Feb-24	-	Legumes	Powdery mildew, cercospora leaf spot, anthracnose, botrytis rot, fusarium wilt	0.5-1.0 Tbsp/36L Water	-	-	Do not spray fourteen (14) days before harvest. Do not enter the treated field within five (5) days after spraying.
PLANTERS PRODUCTS INC.	THIOPHANATE METHYL	FUNGITOX 70 WP	700 g/kg	WP	FUNGICIDE	4	031-107-0179	27-Feb-24	-	Beans	Powdery mildew, cercospora leaf spot, anthracnose, botrytis rot, fusarium wilt	0.5-1.0 Tbsp/36L Water	-	-	Do not spray fourteen (14) days before harvest. Do not enter the treated field within five (5) days after spraying.
PLANTERS PRODUCTS INC.	THIOPHANATE METHYL	FUNGITOX 70 WP	700 g/kg	WP	FUNGICIDE	4	031-107-0179	27-Feb-24	-	Cucumber	Powdery mildew, Gummy Stem blight, leaf and fruit spots, scab	0.5-1.0 Tbsp/36L Water	-	-	Do not spray fourteen (14) days before harvest. Do not enter the treated field within five (5) days after spraying.
PLANTERS PRODUCTS INC.	THIOPHANATE METHYL	FUNGITOX 70 WP	700 g/kg	WP	FUNGICIDE	4	031-107-0179	27-Feb-24	-	Melon	Powdery mildew, Gummy Stem blight, leaf and fruit spots, scab	0.5-1.0 Tbsp/36L Water	-	-	Do not spray fourteen (14) days before harvest. Do not enter the treated field within five (5) days after spraying.
PLANTERS PRODUCTS INC.	THIOPHANATE METHYL	FUNGITOX 70 WP	700 g/kg	WP	FUNGICIDE	4	031-107-0179	27-Feb-24	-	Ornamentals	Powdery mildew, black spots	0.5-1.0 Tbsp/36L Water	-	-	Do not spray fourteen (14) days before harvest. Do not enter the treated field within five (5) days after spraying.
PLANTERS PRODUCTS INC.	THIOPHANATE METHYL	FUNGITOX 70 WP	700 g/kg	WP	FUNGICIDE	4	031-107-0179	27-Feb-24	-	Dichide	Powdery mildew, black spots	0.5-1.0 Tbsp/36L Water	-	-	Do not spray fourteen (14) days before harvest. Do not enter the treated field within five (5) days after spraying.
PLANTERS PRODUCTS INC.	THIOPHANATE METHYL	FUNGITOX 70 WP	700 g/kg	WP	FUNGICIDE	4	031-107-0179	27-Feb-24	-	Cabbage	Shot hole disease, cercospora leaf spot	0.5-1.0 Tbsp/36L Water	-	-	Do not spray fourteen (14) days before harvest. Do not enter the treated field within five (5) days after spraying.
PLANTERS PRODUCTS INC.	THIOPHANATE METHYL	FUNGITOX 70 WP	700 g/kg	WP	FUNGICIDE	4	031-107-0179	27-Feb-24	-	Cauliflower	Shot hole disease, cercospora leaf spot	0.5-1.0 Tbsp/36L Water	-	-	Do not spray fourteen (14) days before harvest. Do not enter the treated field within five (5) days after spraying.
PLANTERS PRODUCTS INC.	THIOPHANATE METHYL	FUNGITOX 70 WP	700 g/kg	WP	FUNGICIDE	4	031-107-0179	27-Feb-24	-	Lettuce	Shot hole disease, cercospora leaf spot	0.5-1.0 Tbsp/36L Water	-	-	Do not spray fourteen (14) days before harvest. Do not enter the treated field within five (5) days after spraying.
PLANTERS PRODUCTS INC.	THIOPHANATE METHYL	FUNGITOX 70 WP	700 g/kg	WP	FUNGICIDE	4	031-107-0179	27-Feb-24	-	Strawberry	Powdery mildew, gray molds, cercospora leaf spot	0.5-1.0 Tbsp/36L Water	-	-	Do not spray fourteen (14) days before harvest. Do not enter the treated field within five (5) days after spraying.
PLANTERS PRODUCTS INC.	THIOPHANATE METHYL	FUNGITOX 70 WP	700 g/kg	WP	FUNGICIDE	4	031-107-0179	27-Feb-24	-	Grapes	Fruit rot, Powdery mildew, anthracnose	0.5-1.0 Tbsp/36L Water	-	-	Do not spray fourteen (14) days before harvest. Do not enter the treated field within five (5) days after spraying.
PLANTERS PRODUCTS INC.	THIOPHANATE METHYL	FUNGITOX 70 WP	700 g/kg	WP	FUNGICIDE	4	031-107-0179	27-Feb-24	-	Orange	Scabs	0.5-1.0 Tbsp/36L Water	-	-	Do not spray fourteen (14) days before harvest. Do not enter the treated field within five (5) days after spraying.
PLANTERS PRODUCTS INC.	THIOPHANATE METHYL	FUNGITOX 70 WP	700 g/kg	WP	FUNGICIDE	4	031-107-0179	27-Feb-24	-	Citrus	Scabs	0.5-1.0 Tbsp/36L Water	-	-	Do not spray fourteen (14) days before harvest. Do not enter the treated field within five (5) days after spraying.
PLANTERS PRODUCTS INC.	THIOPHANATE METHYL	FUNGITOX 70 WP	700 g/kg	WP	FUNGICIDE	4	031-107-0179	27-Feb-24	-	Calamansi	Scabs	0.5-1.0 Tbsp/36L Water	-	-	Do not spray fourteen (14) days before harvest. Do not enter the treated field within five (5) days after spraying.
PLANTERS PRODUCTS INC.	THIOPHANATE METHYL	FUNGITOX 70 WP	700 g/kg	WP	FUNGICIDE	4	031-107-0179	27-Feb-24	-	Banana	Sigatoka	1.5-2.0 Tbsp/36L Water; 0.7 g product/L water	-	-	Do not spray fourteen (14) days before harvest. Do not enter the treated field within five (5) days after spraying.
PLANTERS PRODUCTS INC.	THIOPHANATE METHYL	FUNGITOX 70 WP	700 g/kg	WP	FUNGICIDE	4	031-107-0179	27-Feb-24	-	Papaya	Powdery mildew	0.5-1.0 Tbsp/36L Water	-	-	Do not spray fourteen (14) days before harvest. Do not enter the treated field within five (5) days after spraying.
SAVERS ALLIANCE TRADING CORPORATION	DIFENOCONAZOLE	FUNGISAVE 250 EC	250 g/L	EC	FUNGICIDE	4	655-272-5780	03-Oct-24	SYSTEMIC	Banana	Black Sigatoka	0.30-0.40 L prod/ha	-	-	-
SAVERS ALLIANCE TRADING CORPORATION	DIFENOCONAZOLE	FUNGISAVE 250 EC	250 g/L	EC	FUNGICIDE	4	655-272-5780	03-Oct-24	SYSTEMIC	Mango	Anthracnose	0.528-0.88 L/ha	-	14 days	-
SAVERS ALLIANCE TRADING CORPORATION	DIFENOCONAZOLE	FUNGISAVE 250 EC	250 g/L	EC	FUNGICIDE	4	655-272-5780	03-Oct-24	SYSTEMIC	Rice	Sheath Blight	0.25-0.30 L/ha	-	-	-
SAVERS ALLIANCE TRADING CORPORATION	DIFENOCONAZOLE	FUNGISAVE 250 EC	250 g/L	EC	FUNGICIDE	4	655-272-5780	03-Oct-24	SYSTEMIC	Stringbeans	Leaf spot	0.20-0.30 L/ha	-	7 days	-
SAVERS ALLIANCE TRADING CORPORATION	DIFENOCONAZOLE	FUNGISAVE 250 EC	250 g/L	EC	FUNGICIDE	4	655-272-5780	03-Oct-24	SYSTEMIC	Eggplant	Leaf Spot	0.20-0.30 L/ha	-	7 days	-
SAVERS ALLIANCE TRADING CORPORATION	DIFENOCONAZOLE	FUNGISAVE 250 EC	250 g/L	EC	FUNGICIDE	4	655-272-5780	03-Oct-24	SYSTEMIC	Tomato	Alternaria leaf spot, cercospora leaf mold, powdery mildew	0.20-0.30 L/ha	-	7 days	-
SAVERS ALLIANCE TRADING CORPORATION	DIFENOCONAZOLE	FUNGISAVE 250 EC	250 g/L	EC	FUNGICIDE	4	655-272-5780	03-Oct-24	SYSTEMIC	Cabbage	Ringspot, alternaria	0.30-0.30 L/ha	-	7 days	-
SAVERS ALLIANCE TRADING CORPORATION	DIFENOCONAZOLE	FUNGISAVE 250 EC	250 g/L	EC	FUNGICIDE	4	655-272-5780	03-Oct-24	SYSTEMIC	Onion	Purple blotch	0.40-0.50 L/ha	-	7 days	-

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
SAVERS ALLIANCE TRADING CORPORATION	DIFENOCONAZOLE	FUNGASAVE 250 EC	250 g/L	EC	FUNGICIDE	4	405-272-9780	09-Oct-24	SYSTEMIC	Asparagus	Stem and leaf blight	0.36/L/ha	-	-	-
ROM ROEM CHEMICAL CORPORATION	THIOPHANATE METHYL	FUNGROEM 70 WP	700 g/kg	WP	FUNGICIDE	4	561-107-3546	10-Sep-18	SYSTEMIC	Rice	Blast, neck rot, black spot	1.5-2.0 Tbsp/16L Water	1.0ppm	14 days	-
ROM ROEM CHEMICAL CORPORATION	THIOPHANATE METHYL	FUNGROEM 70 WP	700 g/kg	WP	FUNGICIDE	4	561-107-3546	10-Sep-18	SYSTEMIC	Mango	Anthraxnose	0.5-1.0 Tbsp/16L Water	-	-	-
ROM ROEM CHEMICAL CORPORATION	THIOPHANATE METHYL	FUNGROEM 70 WP	700 g/kg	WP	FUNGICIDE	4	561-107-3546	10-Sep-18	SYSTEMIC	Tobacco	Frog eye leaf spot	0.5-1.0 Tbsp/16L Water	-	-	-
ROM ROEM CHEMICAL CORPORATION	THIOPHANATE METHYL	FUNGROEM 70 WP	700 g/kg	WP	FUNGICIDE	4	561-107-3546	10-Sep-18	SYSTEMIC	Tomato	Powdery mildew	0.5-1.0 Tbsp/16L Water	-	-	-
ROM ROEM CHEMICAL CORPORATION	THIOPHANATE METHYL	FUNGROEM 70 WP	700 g/kg	WP	FUNGICIDE	4	561-107-3546	10-Sep-18	SYSTEMIC	Legumes	Cercospora leaf spot, Anthracnose, botrytis leaf spot, fusarium wilt, powdery mildew	0.5-1.0 Tbsp/16L Water	-	-	-
ROM ROEM CHEMICAL CORPORATION	THIOPHANATE METHYL	FUNGROEM 70 WP	700 g/kg	WP	FUNGICIDE	4	561-107-3546	10-Sep-18	SYSTEMIC	Beans	Cercospora leaf spot, Anthracnose, botrytis leaf spot, fusarium wilt, powdery mildew	0.5-1.0 Tbsp/16L Water	-	-	-
ROM ROEM CHEMICAL CORPORATION	THIOPHANATE METHYL	FUNGROEM 70 WP	700 g/kg	WP	FUNGICIDE	4	561-107-3546	10-Sep-18	SYSTEMIC	Cucumber	Powdery mildew, Gummy Stem blight, leaf and fruit spots	0.5-1.0 Tbsp/16L Water	-	-	-
ROM ROEM CHEMICAL CORPORATION	THIOPHANATE METHYL	FUNGROEM 70 WP	700 g/kg	WP	FUNGICIDE	4	561-107-3546	10-Sep-18	SYSTEMIC	Melon	Powdery mildew, Gummy Stem blight, leaf and fruit spots	0.5-1.0 Tbsp/16L Water	-	-	-
ROM ROEM CHEMICAL CORPORATION	THIOPHANATE METHYL	FUNGROEM 70 WP	700 g/kg	WP	FUNGICIDE	4	561-107-3546	10-Sep-18	SYSTEMIC	Ornamentals	Powdery mildew, black spots	0.5-1.0 Tbsp/16L Water	-	-	-
ROM ROEM CHEMICAL CORPORATION	THIOPHANATE METHYL	FUNGROEM 70 WP	700 g/kg	WP	FUNGICIDE	4	561-107-3546	10-Sep-18	SYSTEMIC	Dichids	Powdery mildew, black spots	0.5-1.0 Tbsp/16L Water	-	-	-
ROM ROEM CHEMICAL CORPORATION	THIOPHANATE METHYL	FUNGROEM 70 WP	700 g/kg	WP	FUNGICIDE	4	561-107-3546	10-Sep-18	SYSTEMIC	Cabbage	Shot hole disease, cercospora leaf spot	0.5-1.0 Tbsp/16L Water	-	-	-
ROM ROEM CHEMICAL CORPORATION	THIOPHANATE METHYL	FUNGROEM 70 WP	700 g/kg	WP	FUNGICIDE	4	561-107-3546	10-Sep-18	SYSTEMIC	Cauliflower	Shot hole disease, cercospora leaf spot	0.5-1.0 Tbsp/16L Water	-	-	-
ROM ROEM CHEMICAL CORPORATION	THIOPHANATE METHYL	FUNGROEM 70 WP	700 g/kg	WP	FUNGICIDE	4	561-107-3546	10-Sep-18	SYSTEMIC	Lettuce	Shot hole disease, cercospora leaf spot	0.5-1.0 Tbsp/16L Water	-	-	-
ROM ROEM CHEMICAL CORPORATION	THIOPHANATE METHYL	FUNGROEM 70 WP	700 g/kg	WP	FUNGICIDE	4	561-107-3546	10-Sep-18	SYSTEMIC	Strawberry	Powdery mildew	0.5-1.0 Tbsp/16L Water	-	-	-
ROM ROEM CHEMICAL CORPORATION	THIOPHANATE METHYL	FUNGROEM 70 WP	700 g/kg	WP	FUNGICIDE	4	561-107-3546	10-Sep-18	SYSTEMIC	Grapes	Fruit rot, Powdery mildew, anthracnose	0.5-1.0 Tbsp/16L Water	-	-	-
ROM ROEM CHEMICAL CORPORATION	THIOPHANATE METHYL	FUNGROEM 70 WP	700 g/kg	WP	FUNGICIDE	4	561-107-3546	10-Sep-18	SYSTEMIC	Orange	Scabs	0.5-1.0 Tbsp/16L Water	-	-	-
ROM ROEM CHEMICAL CORPORATION	THIOPHANATE METHYL	FUNGROEM 70 WP	700 g/kg	WP	FUNGICIDE	4	561-107-3546	10-Sep-18	SYSTEMIC	Citrus	Scabs	0.5-1.0 Tbsp/16L Water	-	-	-
ROM ROEM CHEMICAL CORPORATION	THIOPHANATE METHYL	FUNGROEM 70 WP	700 g/kg	WP	FUNGICIDE	4	561-107-3546	10-Sep-18	SYSTEMIC	Calamansi	Scabs	0.5-1.0 Tbsp/16L Water	-	-	-
ROM ROEM CHEMICAL CORPORATION	THIOPHANATE METHYL	FUNGROEM 70 WP	700 g/kg	WP	FUNGICIDE	4	561-107-3546	10-Sep-18	SYSTEMIC	Banana	Sigatoka disease	1.5-2.0 Tbsp/16L Water	-	-	-
ROM ROEM CHEMICAL CORPORATION	THIOPHANATE METHYL	FUNGROEM 70 WP	700 g/kg	WP	FUNGICIDE	4	561-107-3546	10-Sep-18	SYSTEMIC	Papaya	Powdery mildew	0.5-1.0 Tbsp/16L Water	-	-	-
ALDIZ INCORPORATED	IMAZAIL	FUNGAFLOR 75 SP	750 g/kg	SP	FUNGICIDE	2	002-203-0395	31-Dec-25	POST-HARVEST	Banana	Crown rot pathogens	40-70 g/100L water	-	-	-
ALDIZ INCORPORATED	IMAZAIL	FUNGAFLOR 50L	500 g/L	L	FUNGICIDE	2	002-203-0394	31-Dec-19	-	Banana	Black Sigatoka /black leaf streak	200-400 mL/ha	-	-	Do not enter treated areas without protective clothing until sprays have dried
INTERNATIONAL VETERINARY & AGROCHEMICAL (IV&A) INC.	BENDIML	FUNDAZOL 50 WP	500 g/kg	WP	FUNGICIDE	4	088-167-1639	21-May-24	SYSTEMIC	Mungbeans	Powdery mildew, cercospora leaf spot	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spraying
INTERNATIONAL VETERINARY & AGROCHEMICAL (IV&A) INC.	BENDIML	FUNDAZOL 50 WP	500 g/kg	WP	FUNGICIDE	4	088-167-1639	21-May-24	SYSTEMIC	Beans	Powdery mildew, cercospora leaf spot	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spraying
INTERNATIONAL VETERINARY & AGROCHEMICAL (IV&A) INC.	BENDIML	FUNDAZOL 50 WP	500 g/kg	WP	FUNGICIDE	4	088-167-1639	21-May-24	SYSTEMIC	Cabbage	Cercospora leaf spot	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spraying
INTERNATIONAL VETERINARY & AGROCHEMICAL (IV&A) INC.	BENDIML	FUNDAZOL 50 WP	500 g/kg	WP	FUNGICIDE	4	088-167-1639	21-May-24	SYSTEMIC	Calamansi	Scab	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spraying
INTERNATIONAL VETERINARY & AGROCHEMICAL (IV&A) INC.	BENDIML	FUNDAZOL 50 WP	500 g/kg	WP	FUNGICIDE	4	088-167-1639	21-May-24	SYSTEMIC	Cucumber	Powdery mildew	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spraying
INTERNATIONAL VETERINARY & AGROCHEMICAL (IV&A) INC.	BENDIML	FUNDAZOL 50 WP	500 g/kg	WP	FUNGICIDE	4	088-167-1639	21-May-24	SYSTEMIC	Ginger	Cercospora leaf spot	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spraying
INTERNATIONAL VETERINARY & AGROCHEMICAL (IV&A) INC.	BENDIML	FUNDAZOL 50 WP	500 g/kg	WP	FUNGICIDE	4	088-167-1639	21-May-24	SYSTEMIC	Grapes	Powdery mildew	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spraying
INTERNATIONAL VETERINARY & AGROCHEMICAL (IV&A) INC.	BENDIML	FUNDAZOL 50 WP	500 g/kg	WP	FUNGICIDE	4	088-167-1639	21-May-24	SYSTEMIC	Mandarin	Scab	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spraying
INTERNATIONAL VETERINARY & AGROCHEMICAL (IV&A) INC.	BENDIML	FUNDAZOL 50 WP	500 g/kg	WP	FUNGICIDE	4	088-167-1639	21-May-24	SYSTEMIC	Mango	Anthraxnose, powdery mildew	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spraying
INTERNATIONAL VETERINARY & AGROCHEMICAL (IV&A) INC.	BENDIML	FUNDAZOL 50 WP	500 g/kg	WP	FUNGICIDE	4	088-167-1639	21-May-24	SYSTEMIC	Melon	Powdery mildew	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spraying
INTERNATIONAL VETERINARY & AGROCHEMICAL (IV&A) INC.	BENDIML	FUNDAZOL 50 WP	500 g/kg	WP	FUNGICIDE	4	088-167-1639	21-May-24	SYSTEMIC	Orange	Scab	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spraying
INTERNATIONAL VETERINARY & AGROCHEMICAL (IV&A) INC.	BENDIML	FUNDAZOL 50 WP	500 g/kg	WP	FUNGICIDE	4	088-167-1639	21-May-24	SYSTEMIC	Papaya	Powdery mildew	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spraying
INTERNATIONAL VETERINARY & AGROCHEMICAL (IV&A) INC.	BENDIML	FUNDAZOL 50 WP	500 g/kg	WP	FUNGICIDE	4	088-167-1639	21-May-24	SYSTEMIC	Pepper	Cercospora leaf spot	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spraying
INTERNATIONAL VETERINARY & AGROCHEMICAL (IV&A) INC.	BENDIML	FUNDAZOL 50 WP	500 g/kg	WP	FUNGICIDE	4	088-167-1639	21-May-24	SYSTEMIC	Nice	Blast, sheath blight	3-4 Tbsp/16L water	1.0 ppm	7 days	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spraying
INTERNATIONAL VETERINARY & AGROCHEMICAL (IV&A) INC.	BENDIML	FUNDAZOL 50 WP	500 g/kg	WP	FUNGICIDE	4	088-167-1639	21-May-24	SYSTEMIC	Strawberry	Cercospora leaf spot	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spraying
INTERNATIONAL VETERINARY & AGROCHEMICAL (IV&A) INC.	BENDIML	FUNDAZOL 50 WP	500 g/kg	WP	FUNGICIDE	4	088-167-1639	21-May-24	SYSTEMIC	Tobacco	Leaf mold, frog eye	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spraying
INTERNATIONAL VETERINARY & AGROCHEMICAL (IV&A) INC.	BENDIML	FUNDAZOL 50 WP	500 g/kg	WP	FUNGICIDE	4	088-167-1639	21-May-24	SYSTEMIC	Banana	Black sigatoka	280 g/ha	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spraying
GRANITE CHEMICAL CO., INC.	ALUMINUM PHOSPHIDE	FLAMITOXIN	560 g/kg	TAB	FUMIGANT	1	073-084-0483	31-Dec-23	CONTACT	-	Stored product pest	1 bag/7.5m	-	-	-
UPL PHILIPPINES, INC.	ALUMINUM PHOSPHIDE	FUMINO TABLET	560 g/kg	TAB	FUMIGANT	1	562-084-4031	17-Jan-25	CONTACT	-	As fumigant for the control of Stored product pest	2-3 tablets per 1000 kilos; 20 tablet per 30 m	-	-	-
UPL PHILIPPINES, INC.	ALUMINUM PHOSPHIDE	FUMINO POWDER	560 g/kg	TAB	FUMIGANT	1	562-084-4054	13-Feb-25	CONTACT	-	As fumigant for the control of Stored product pest	1 bag/7.5m	-	-	-
SINOCHEM CROP PROTECTION (PHLS.) INC.	LAMBDA-CHALOTHRIN+THIAMETHOXAM	FLALSTOP 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	432-395-4917	02-Sep-24	CONTACT/SYSTEMIC	Potato	Whiteflies, aphids, thrips	100-200mL product/ha; 4-6 ml/16L	0.1 Thiamethoxam; 0.2	7 days	Do not enter treated fields at least 1 Day after application
SINOCHEM CROP PROTECTION (PHLS.) INC.	LAMBDA-CHALOTHRIN+THIAMETHOXAM	FLALSTOP 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	432-395-4917	02-Sep-24	CONTACT/SYSTEMIC	Soybeans	Green Leafhopper, aphids, mites	100-200mL product/ha; 4-6 ml/16L	0.1 Thiamethoxam; 0.2 (with pod)	7 days	Do not enter treated fields at least 1 Day after application
SINOCHEM CROP PROTECTION (PHLS.) INC.	LAMBDA-CHALOTHRIN+THIAMETHOXAM	FLALSTOP 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	432-395-4917	02-Sep-24	CONTACT/SYSTEMIC	Eggplant	Whiteflies, green leafhopper, aphids	100-200mL product/ha; 4-6 ml/16L	0.2 Thiamethoxam; 0.2	7 days	Do not enter treated fields at least 1 Day after application
SINOCHEM CROP PROTECTION (PHLS.) INC.	LAMBDA-CHALOTHRIN+THIAMETHOXAM	FLALSTOP 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	432-395-4917	02-Sep-24	CONTACT/SYSTEMIC	Watermelon	Leafhoppers, thrips, aphids, fruitfly, cutworm	100-200mL product/ha; 4-13 ml/16L	0.2 Thiamethoxam; 0.2	7 days	Do not enter treated fields at least 1 Day after application
SINOCHEM CROP PROTECTION (PHLS.) INC.	LAMBDA-CHALOTHRIN+THIAMETHOXAM	FLALSTOP 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	432-395-4917	02-Sep-24	CONTACT/SYSTEMIC	Mango	Leafhoppers, typhlocyba, capsid bug, fruitfly, cecid fly	12-24mL/200L	0.1 Thiamethoxam; 0.2	3 days	Do not enter treated fields at least 1 Day after application
SINOCHEM CROP PROTECTION (PHLS.) INC.	LAMBDA-CHALOTHRIN+THIAMETHOXAM	FLALSTOP 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	432-395-4917	02-Sep-24	CONTACT/SYSTEMIC	Corn	Asian corn borer, cutworm, leafhopper, aphids, earworm	200-400mL product/ha; 10.0-16.0 mL product/16L	1.0ppm Thiamethoxam; 0.2	3 days	Do not enter treated fields at least 1 Day after application
SINOCHEM CROP PROTECTION (PHLS.) INC.	LAMBDA-CHALOTHRIN+THIAMETHOXAM	FLALSTOP 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	432-395-4917	02-Sep-24	CONTACT/SYSTEMIC	Banana	Flower thrips	1-3 mL	1.0ppm Thiamethoxam; 0.2	90 days	Do not enter treated fields at least 1 Day after application
SINOCHEM CROP PROTECTION (PHLS.) INC.	LAMBDA-CHALOTHRIN+THIAMETHOXAM	FLALSTOP 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	432-395-4917	02-Sep-24	CONTACT/SYSTEMIC	Rice	Stem borer, leafhopper, rice bugs	10-30 Tbsp prod/16L	0.5ppm Thiamethoxam; 0.2	14 days	Do not enter treated fields at least 1 Day after application
FULL GREEN AGRO CORPORATION	PROPICONAZOLE	FULLGREEN PROPICONAZOLE	256 g/L	EC	FUNGICIDE	3	475-178-2859	29-Jul-17	SYSTEMIC	Banana	Black sigatoka	400mL/ha	-	-	-
FULL GREEN AGRO CORPORATION	PROPICONAZOLE	FULLGREEN PROPICONAZOLE	256 g/L	EC	FUNGICIDE	3	475-178-2859	29-Jul-17	SYSTEMIC	Pineapple	Butt rot	8 ml / 100L	-	-	-
FULL GREEN AGRO CORPORATION	DURON	FULLGREEN DURON 80 SC	800 g/L	SC	HERBICIDE	4	475-027-3464	24-Jul-18	SYSTEMIC	Citrus	Annual and Perennial broadleaves and grasses	11.0-19.0Tbsp/16L water	-	-	-
FULL GREEN AGRO CORPORATION	DURON	FULLGREEN DURON 80 SC	800 g/L	SC	HERBICIDE	4	475-027-3464	24-Jul-18	SYSTEMIC	Coffee	Annual and Perennial broadleaves and grasses	11.0-19.0Tbsp/16 L water	-	-	-
FULL GREEN AGRO CORPORATION	DURON	FULLGREEN DURON 80 SC	800 g/L	SC	HERBICIDE	4	475-027-3464	24-Jul-18	SYSTEMIC	Cotton	Annual and Perennial broadleaves and grasses	8.0Tbsp/16L water	-	-	-

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
FULL GREEN AGRO CORPORATION	DURON	FULLGREEN DURON 80 SC	800 g/L	SC	HERBICIDE	4	475-027-3464	24-Jul-18	SYSTEMIC	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0Tbsp/36L water			
FULL GREEN AGRO CORPORATION	DURON	FULLGREEN DURON 80 SC	800 g/L	SC	HERBICIDE	4	475-027-3464	24-Jul-18	SYSTEMIC	Pineapple	Annual and Perennial broadleaves and grasses	11.0Tbsp/36 L water			
FULL GREEN AGRO CORPORATION	DURON	FULLGREEN DURON 80 SC	800 g/L	SC	HERBICIDE	4	475-027-3464	24-Jul-18	SYSTEMIC	Non-crop land	Annual and Perennial broadleaves and grasses	20.0-28.0Tbsp/36 L water			
FULL GREEN AGRO CORPORATION	MANCOZEB	FULLCLEAN 80 WP	800 g/kg	WP	FUNGICIDE	4	475-053-2870	27-Jul-17		Potato	Early and late blight	3-6 Tbsp/36 L water			As soon as spray dries
FULL GREEN AGRO CORPORATION	MANCOZEB	FULLCLEAN 80 WP	800 g/kg	WP	FUNGICIDE	4	475-053-2870	27-Jul-17		Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water		7 Days	As soon as spray dries
FULL GREEN AGRO CORPORATION	MANCOZEB	FULLCLEAN 80 WP	800 g/kg	WP	FUNGICIDE	4	475-053-2870	27-Jul-17		Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water		7 Days	As soon as spray dries
FULL GREEN AGRO CORPORATION	MANCOZEB	FULLCLEAN 80 WP	800 g/kg	WP	FUNGICIDE	4	475-053-2870	27-Jul-17		Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water		7 Days	As soon as spray dries
FULL GREEN AGRO CORPORATION	MANCOZEB	FULLCLEAN 80 WP	800 g/kg	WP	FUNGICIDE	4	475-053-2870	27-Jul-17		Celery	Late blight	3-6 Tbsp/36 L water		14 Days	As soon as spray dries
FULL GREEN AGRO CORPORATION	MANCOZEB	FULLCLEAN 80 WP	800 g/kg	WP	FUNGICIDE	4	475-053-2870	27-Jul-17		Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water		5 days	As soon as spray dries
FULL GREEN AGRO CORPORATION	MANCOZEB	FULLCLEAN 80 WP	800 g/kg	WP	FUNGICIDE	4	475-053-2870	27-Jul-17		Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water			As soon as spray dries
FULL GREEN AGRO CORPORATION	MANCOZEB	FULLCLEAN 80 WP	800 g/kg	WP	FUNGICIDE	4	475-053-2870	27-Jul-17		Cotton	Damping off	3-6 Tbsp/36 L water			As soon as spray dries
FULL GREEN AGRO CORPORATION	MANCOZEB	FULLCLEAN 80 WP	800 g/kg	WP	FUNGICIDE	4	475-053-2870	27-Jul-17		Lettuce	Downy mildew	3-6 Tbsp/36 L water		7 Days	As soon as spray dries
FULL GREEN AGRO CORPORATION	MANCOZEB	FULLCLEAN 80 WP	800 g/kg	WP	FUNGICIDE	4	475-053-2870	27-Jul-17		Beans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/36 L water		5 days	As soon as spray dries
FULL GREEN AGRO CORPORATION	MANCOZEB	FULLCLEAN 80 WP	800 g/kg	WP	FUNGICIDE	4	475-053-2870	27-Jul-17		Peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/36 L water		5 days	As soon as spray dries
FULL GREEN AGRO CORPORATION	MANCOZEB	FULLCLEAN 80 WP	800 g/kg	WP	FUNGICIDE	4	475-053-2870	27-Jul-17		Mungo	Anthracnose, Downy mildew, Rust	3-6 Tbsp/36 L water		5 days	As soon as spray dries
FULL GREEN AGRO CORPORATION	MANCOZEB	FULLCLEAN 80 WP	800 g/kg	WP	FUNGICIDE	4	475-053-2870	27-Jul-17		Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/36 L water		5 days	As soon as spray dries
FULL GREEN AGRO CORPORATION	MANCOZEB	FULLCLEAN 80 WP	800 g/kg	WP	FUNGICIDE	4	475-053-2870	27-Jul-17		Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36 L water		7 Days	As soon as spray dries
FULL GREEN AGRO CORPORATION	MANCOZEB	FULLCLEAN 80 WP	800 g/kg	WP	FUNGICIDE	4	475-053-2870	27-Jul-17		Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36 L water		7 Days	As soon as spray dries
FULL GREEN AGRO CORPORATION	MANCOZEB	FULLCLEAN 80 WP	800 g/kg	WP	FUNGICIDE	4	475-053-2870	27-Jul-17		Pepper	Anthracnose	3-6 Tbsp/36 L water		7 Days	As soon as spray dries
FULL GREEN AGRO CORPORATION	MANCOZEB	FULLCLEAN 80 WP	800 g/kg	WP	FUNGICIDE	4	475-053-2870	27-Jul-17		Chili	Anthracnose	3-6 Tbsp/36 L water		7 Days	As soon as spray dries
FULL GREEN AGRO CORPORATION	MANCOZEB	FULLCLEAN 80 WP	800 g/kg	WP	FUNGICIDE	4	475-053-2870	27-Jul-17		Eggplant	Blight, Anthracnose	3-6 Tbsp/36 L water		7 Days	As soon as spray dries
FULL GREEN AGRO CORPORATION	MANCOZEB	FULLCLEAN 80 WP	800 g/kg	WP	FUNGICIDE	4	475-053-2870	27-Jul-17		Banana	Sigatoka, Black leaf streak	3-6 Tbsp/36 L water			As soon as spray dries
FULL GREEN AGRO CORPORATION	MANCOZEB	FULLCLEAN 80 WP	800 g/kg	WP	FUNGICIDE	4	475-053-2870	27-Jul-17		Grapes	Downy mildew, black rot	3-6 Tbsp/36 L water		60 days	As soon as spray dries
FULL GREEN AGRO CORPORATION	MANCOZEB	FULLCLEAN 80 WP	800 g/kg	WP	FUNGICIDE	4	475-053-2870	27-Jul-17		Mango	Anthracnose and Scab	3-6 Tbsp/36 L water		5 days	As soon as spray dries
FULL GREEN AGRO CORPORATION	MANCOZEB	FULLCLEAN 80 WP	800 g/kg	WP	FUNGICIDE	4	475-053-2870	27-Jul-17		Papaya	Fruit rot	3-6 Tbsp/36 L water			As soon as spray dries
FULL GREEN AGRO CORPORATION	MANCOZEB	FULLCLEAN 80 WP	800 g/kg	WP	FUNGICIDE	4	475-053-2870	27-Jul-17		Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water		5 days	As soon as spray dries
FULL GREEN AGRO CORPORATION	MANCOZEB	FULLCLEAN 80 WP	800 g/kg	WP	FUNGICIDE	4	475-053-2870	27-Jul-17		Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water		5 days	As soon as spray dries
FULL GREEN AGRO CORPORATION	MANCOZEB	FULLCLEAN 80 WP	800 g/kg	WP	FUNGICIDE	4	475-053-2870	27-Jul-17		Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/36 L water		7 Days	As soon as spray dries
FULL GREEN AGRO CORPORATION	MANCOZEB	FULLCLEAN 80 WP	800 g/kg	WP	FUNGICIDE	4	475-053-2870	27-Jul-17		Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/36 L water	0.02ppm		As soon as spray dries
FULL GREEN AGRO CORPORATION	MANCOZEB	FULLCLEAN 80 WP	800 g/kg	WP	FUNGICIDE	4	475-053-2870	27-Jul-17		Peanut	Cercospora leaf spot	3-6 Tbsp/36 L water		14 Days	As soon as spray dries
FULL GREEN AGRO CORPORATION	MANCOZEB	FULLCLEAN 80 WP	800 g/kg	WP	FUNGICIDE	4	475-053-2870	27-Jul-17		Soybeans	Leaf rust	3-6 Tbsp/36 L water			As soon as spray dries
FULL GREEN AGRO CORPORATION	MANCOZEB	FULLCLEAN 80 WP	800 g/kg	WP	FUNGICIDE	4	475-053-2870	27-Jul-17		Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/36 L water			As soon as spray dries
ACE CROP SOLUTIONS INC.	BUTACHLOR-PROPANIL	FULL HOUSE 70 EC	300-300 g/L	EC	HERBICIDE	3	530-238-3149	22-Apr-25	POST-EMERGENT	Rice (Direct seeded)	Grasses, Sedges and Broadleaves	6-12Tbsp/36 L water	Butachlor 0.1ppm Propanil 0.1ppm		Entry to the field sprayed with the product is allowed after the mist has dried up
ACE CROP SOLUTIONS INC.	BUTACHLOR-PROPANIL	FULL HOUSE 70 EC	300-300 g/L	EC	HERBICIDE	3	530-238-3149	22-Apr-25	POST-EMERGENT	Rice (Transplanted)	Grasses, Sedges and Broadleaves	6-12Tbsp/36 L water	Butachlor 0.1ppm Propanil 0.1ppm		Entry to the field sprayed with the product is allowed after the mist has dried up
FULL GREEN AGRO CORPORATION	2,4-D IBE	FULL GREEN 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	475-049-3463	24-Jul-18	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual Broadleaves & sedges	5.0-6.50Tbsp/36L water	0.1 ppm		
FULL GREEN AGRO CORPORATION	2,4-D IBE	FULL GREEN 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	475-049-3463	24-Jul-18	SELECTIVE (POST-EMERGENT)	Corn	Annual Broadleaves & sedges	5.0-6.50Tbsp/36 L water			
FULL GREEN AGRO CORPORATION	2,4-D IBE	FULL GREEN 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	475-049-3463	24-Jul-18	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual Broadleaves & sedges	5.0-6.50Tbsp/36L water			
FULL GREEN AGRO CORPORATION	2,4-D AMINE	FULL GREEN 2,4-D AMINE	400 g/L	SL	HERBICIDE	2	475-033-3462	24-Jul-18	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual broadleaves and sedges	1-5-6.5Tbsp/36 L water	0.1 ppm		
FULL GREEN AGRO CORPORATION	2,4-D AMINE	FULL GREEN 2,4-D AMINE	400 g/L	SL	HERBICIDE	2	475-033-3462	24-Jul-18	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual broadleaves and sedges	10-25 Tbsp/36 L water			
FULL GREEN AGRO CORPORATION	2,4-D AMINE	FULL GREEN 2,4-D AMINE	400 g/L	SL	HERBICIDE	2	475-033-3462	24-Jul-18	SELECTIVE (POST-EMERGENT)	Corn	Annual broadleaves and sedges	5-6.5 Tbsp/36 L water			
FULL GREEN AGRO CORPORATION	CARTAP HYDROCHLORIDE	FULL CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	475-106-3559	21-Sep-18	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.0-5.0Tbsp/36 L water	0.2ppm	Stop spraying 10 days before harvest	
FULL GREEN AGRO CORPORATION	CARTAP HYDROCHLORIDE	FULL CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	475-106-3559	21-Sep-18	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/36 L water			
FULL GREEN AGRO CORPORATION	CARTAP HYDROCHLORIDE	FULL CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	475-106-3559	21-Sep-18	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/36 L water			
FULL GREEN AGRO CORPORATION	CARTAP HYDROCHLORIDE	FULL CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	475-106-3559	21-Sep-18	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/36 L water			
FULL GREEN AGRO CORPORATION	CARTAP HYDROCHLORIDE	FULL CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	475-106-3559	21-Sep-18	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/36 L water			
FULL GREEN AGRO CORPORATION	CARTAP HYDROCHLORIDE	FULL CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	475-106-3559	21-Sep-18	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/36 L water			
FULL GREEN AGRO CORPORATION	CARTAP HYDROCHLORIDE	FULL CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	475-106-3559	21-Sep-18	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/36 L water			
FULL GREEN AGRO CORPORATION	CARTAP HYDROCHLORIDE	FULL CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	475-106-3559	21-Sep-18	SYSTEMIC	Mango	leafhoppers	1.5-2.0Tbsp/36 L water			
FULL GREEN AGRO CORPORATION	CARTAP HYDROCHLORIDE	FULL CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	475-106-3559	21-Sep-18	SYSTEMIC	Pechay	looper, cutworm, aphids	1.5-3.0Tbsp/36 L water			
FULL GREEN AGRO CORPORATION	BUTACHLOR	FULL BUTACHLOR 60 EC	600 g/L	EC	HERBICIDE	4	475-150-3575	05-Oct-18	PRE-EMERGENT	Rice (Direct seeded)	Grasses and sedges	8Tbsp (3-4 DAT)/9Tbsp(0-4 DAT), 9Tbsp/7Tbsp	0.1 ppm		
FULL GREEN AGRO CORPORATION	BUTACHLOR	FULL BUTACHLOR 60 EC	600 g/L	EC	HERBICIDE	4	475-150-3575	05-Oct-18	PRE-EMERGENT	Rice (Transplanted)	Grasses and sedges	8Tbsp(2-4Dbs), 7Tbsp(2-6Dbs), 11Tbsp (10-24d)	0.1 ppm		
AGSMART CORPORATION	THIAMETHOXAM	FULCRUM 250 WG	250 g/kg	WG	INSECTICIDE	4	680-312-6462	19-Feb-27	-	Mango	Leafhoppers	6-7 g prod / 300L water; 0.56-1.12 g prod / 36L water		No PHI proposed as the product will be applied at least 20 to 40 days before harvest	Do not enter unless spray deposits have dried
AGSMART CORPORATION	THIAMETHOXAM	FULCRUM 250 WG	250 g/kg	WG	INSECTICIDE	4	680-312-6462	19-Feb-27	-	Rice	Green leafhopper, brown planthopper, white-backed planthopper, rice bug, black bug	0.94-1.41 (0.2-0.3 Tbsp prod.) 6-10T prod / 36L water		28 days	Do not enter unless spray deposits have dried
AGSMART CORPORATION	THIAMETHOXAM	FULCRUM 250 WG	250 g/kg	WG	INSECTICIDE	4	680-312-6462	19-Feb-27	-	Stringbeans	Aphids and leafhoppers	10-30 g prod / 36L water		7 days	Do not enter unless spray deposits have dried
AGSMART CORPORATION	THIAMETHOXAM	FULCRUM 250 WG	250 g/kg	WG	INSECTICIDE	4	680-312-6462	19-Feb-27	-	Eggplant	Aphids and leafhoppers	10-30 g prod / 36L water		3 days	Do not enter unless spray deposits have dried
AGSMART CORPORATION	THIAMETHOXAM	FULCRUM 250 WG	250 g/kg	WG	INSECTICIDE	4	680-312-6462	19-Feb-27	-	Banana	Flower thrips	1.6-4.8 g prod / 36L water			
												4-6 g prod / 1L water (60-80 mL solution/bud)		No PHI as FULCRUM 250 WG will be applied as bud injection	Do not enter unless spray deposits have dried

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
AGSAMRT CORPORATION	THIAMETHORAM	FULCRUM 250 WG	250g/kg	WG	INSECTICIDE	4	480-312-4462	29-Feb-27	-	Pineapple	Mealy bugs	100-200 g prod / ha	-	No PHI proposed at last application of FULCRUM 250 WG will be 436 days before harvest	Do not enter unless spray deposits have dried
CHEMREZ TECHNOLOGIES, INC.	FFPNRIL	FULBULM 50 SC	50 g/L	SC	INSECTICIDE	3	529-244-5426	30-Jul-24	CONTACT	Cabbage	Diamond backed moth	1.3-2.0, 2.0-3.0, 2.7-4.0 tbsp./36L	-	Do not apply 7 days before harvest	One day after application
CHEMREZ TECHNOLOGIES, INC.	FFPNRIL	FULBULM 50 SC	50 g/L	SC	INSECTICIDE	3	529-244-5426	30-Jul-24	CONTACT	Watermelon	Thrips, leaf beetles	2.5-3.0 tbsp./36L	-	Do not apply 7 days before harvest	One day after application
CHEMREZ TECHNOLOGIES, INC.	FFPNRIL	FULBULM 50 SC	50 g/L	SC	INSECTICIDE	3	529-244-5426	30-Jul-24	CONTACT	Onion	Curworm	1.38 tbsp./36L	-	Do not apply 7 days before harvest	One day after application
CHEMREZ TECHNOLOGIES, INC.	FFPNRIL	FULBULM 50 SC	50 g/L	SC	INSECTICIDE	3	529-244-5426	30-Jul-24	CONTACT	Eggplant	Shoot borer	3.0-4.0 tbsp./36L	-	Do not apply 7 days before harvest	One day after application
CHEMREZ TECHNOLOGIES, INC.	FFPNRIL	FULBULM 50 SC	50 g/L	SC	INSECTICIDE	3	529-244-5426	30-Jul-24	CONTACT	Rice	Stemborer, brown planthopper, leafroller, rice bug	1.3-2.0, 2.0-3.0, 2.7-4.0 tbsp./36L	0.05ppm	10 days	-
LEADS AGRICULTURAL PRODUCTS CORPORATION	ISOPROTHIOLANE	FUII-ONE 41.2 EC	400 g/L	EC	FUNGICIDE	4	099-248-3333	14-Dec-24	-	Rice	Rice blast	4.0-6.0 Tbsp prod/36L water	10ppm	Do not spray 14 days before harvest	Do not enter the field within 48 hours after spraying
LEADS AGRICULTURAL PRODUCTS CORPORATION	ISOPROTHIOLANE	FUII-ONE 41.2 EC	400 g/L	EC	FUNGICIDE	4	099-248-3333	14-Dec-24	-	Banana	Black Sigatoka	8.0-16.0 Tbsp prod/36L water	-	Do not spray 14 days before harvest	Do not enter the field within 48 hours after spraying
ABG TRADING CORPORATION	GLYPHOSATE IPA	FUEGO 480 SL	480 g/L	SL	HERBICIDE	4	679-151-5225	01-Aug-26	POST-EMERGENT	Glyphosate tolerant corn under minimum or reduced	Annual & perennial grasses, broadleaf weeds & sedges	36-24 200L water/ha; 8-12 400 L water/ha; 2.0-3.0 L/ha	-	-	-
ABG TRADING CORPORATION	GLYPHOSATE IPA	FUEGO 480 SL	480 g/L	SL	HERBICIDE	4	679-151-5225	01-Aug-26	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
ABG TRADING CORPORATION	GLYPHOSATE IPA	FUEGO 480 SL	480 g/L	SL	HERBICIDE	4	679-151-5225	01-Aug-26	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	36 (200L water/ha); 8 (400L water/ha); 2.0 L/ha	-	-	-
ABG TRADING CORPORATION	GLYPHOSATE IPA	FUEGO 480 SL	480 g/L	SL	HERBICIDE	4	679-151-5225	01-Aug-26	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
ABG TRADING CORPORATION	GLYPHOSATE IPA	FUEGO 480 SL	480 g/L	SL	HERBICIDE	4	679-151-5225	01-Aug-26	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	36 (200L water/ha); 18 (400L water/ha); 4.3 L/ha	-	-	-
ABG TRADING CORPORATION	GLYPHOSATE IPA	FUEGO 480 SL	480 g/L	SL	HERBICIDE	4	679-151-5225	01-Aug-26	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	36 (200L water/ha); 12 (400L water/ha); 3.0 L/ha	-	-	-
ABG TRADING CORPORATION	GLYPHOSATE IPA	FUEGO 480 SL	480 g/L	SL	HERBICIDE	4	679-151-5225	01-Aug-26	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
ABG TRADING CORPORATION	GLYPHOSATE IPA	FUEGO 480 SL	480 g/L	SL	HERBICIDE	4	679-151-5225	01-Aug-26	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	36 (200L water/ha); 18 (400L water/ha); 4.3 L/ha	-	-	-
ABG TRADING CORPORATION	GLYPHOSATE IPA	FUEGO 480 SL	480 g/L	SL	HERBICIDE	4	679-151-5225	01-Aug-26	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	36 (200L water/ha); 8 (400L water/ha); 2.0 L/ha	-	-	-
ABG TRADING CORPORATION	GLYPHOSATE IPA	FUEGO 480 SL	480 g/L	SL	HERBICIDE	4	679-151-5225	01-Aug-26	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	36 (200L water/ha); 8 (400L water/ha); 2.0 L/ha	-	-	-
ABG TRADING CORPORATION	GLYPHOSATE IPA	FUEGO 480 SL	480 g/L	SL	HERBICIDE	4	679-151-5225	01-Aug-26	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	36 (200L water/ha); 8 (400L water/ha); 2.0 L/ha	-	-	-
ABG TRADING CORPORATION	GLYPHOSATE IPA	FUEGO 480 SL	480 g/L	SL	HERBICIDE	4	679-151-5225	01-Aug-26	POST-EMERGENT	Non-crop areas	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
MIGHTY AGRICULTURAL TRADING CORPORATION	PROCKORAZ	FRUTEK 45 EW	450 g/L	EW	FUNGICIDE	3	733-300-5863	5-May-24	-	Banana	Fungal crown mold/crown rot, anthracnose, pitmark and smoky fruit	2-4 mL/L water	-	0 day	After spray deposits have dried
MIGHTY AGRICULTURAL TRADING CORPORATION	PROCKORAZ	FRUTEK 45 EW	450 g/L	EW	FUNGICIDE	3	733-300-5863	5-May-24	-	Pineapple	Butt and crown mold and fruit core rot	0.5-1.0 mL/L water; 1.0-3.0 L/ha; 0.5-1.0 mL/L water	-	0 day	After spray deposits have dried
THAPHIL ADVANCE AGRITECH CORP.	PROFENOFOS	FROXENPOS 500 EC	500 g/L	EC	INSECTICIDE	2	657-070-4944	28-Apr-21	-	Tomato	Fruitworm,Armyworm,cutworm	30-50-50 ml/36L water	-	5 days after the last spray	As soon as the spray solution has dried on the foliage
THAPHIL ADVANCE AGRITECH CORP.	PROFENOFOS	FROXENPOS 500 EC	500 g/L	EC	INSECTICIDE	2	657-070-4944	28-Apr-21	-	Eggplant	Fruitborer, aphids, leafhopper, & thrips	15-0-30.0 ml/36 L water	-	5 days after the last spray	As soon as the spray solution has dried on the foliage
THAPHIL ADVANCE AGRITECH CORP.	PROFENOFOS	FROXENPOS 500 EC	500 g/L	EC	INSECTICIDE	2	657-070-4944	28-Apr-21	-	Cabbage	Diamond Backmoth,cabbage worm,aphids	30-0-50.0 ml/36 L water	-	5 days after the last spray	As soon as the spray solution has dried on the foliage
THAPHIL ADVANCE AGRITECH CORP.	PROFENOFOS	FROXENPOS 500 EC	500 g/L	EC	INSECTICIDE	2	657-070-4944	28-Apr-21	-	Watermelon	Thrips	30-0-50.0 ml/36 L water	-	5 days after the last spray	As soon as the spray solution has dried on the foliage
THAPHIL ADVANCE AGRITECH CORP.	PROFENOFOS	FROXENPOS 500 EC	500 g/L	EC	INSECTICIDE	2	657-070-4944	28-Apr-21	-	Potato	Thrips,army worm,cutworm,tubermoth	30-0-50.0 ml/36 L water	-	5 days after the last spray	As soon as the spray solution has dried on the foliage
THAPHIL ADVANCE AGRITECH CORP.	PROFENOFOS	FROXENPOS 500 EC	500 g/L	EC	INSECTICIDE	2	657-070-4944	28-Apr-21	-	Soybeans	Corn earworm, leafminer	30-0-50.0 ml/36 L water	-	5 days after the last spray	As soon as the spray solution has dried on the foliage
THAPHIL ADVANCE AGRITECH CORP.	PROFENOFOS	FROXENPOS 500 EC	500 g/L	EC	INSECTICIDE	2	657-070-4944	28-Apr-21	-	Mungbeans	Corn earworm, leafminer	30-0-50.0 ml/36 L water	-	5 days after the last spray	As soon as the spray solution has dried on the foliage
THAPHIL ADVANCE AGRITECH CORP.	PROFENOFOS	FROXENPOS 500 EC	500 g/L	EC	INSECTICIDE	2	657-070-4944	28-Apr-21	-	Cotton	Thrips,bollworms,budworms	30-0-50.0 ml/36 L water	-	5 days after the last spray	As soon as the spray solution has dried on the foliage
THAPHIL ADVANCE AGRITECH CORP.	PROFENOFOS	FROXENPOS 500 EC	500 g/L	EC	INSECTICIDE	2	657-070-4944	28-Apr-21	-	Sitao	Beanyfly,leafroller,aphids	30-0-50.0 ml/36 L water	-	5 days after the last spray	As soon as the spray solution has dried on the foliage
THAPHIL ADVANCE AGRITECH CORP.	PROFENOFOS	FROXENPOS 500 EC	500 g/L	EC	INSECTICIDE	2	657-070-4944	28-Apr-21	-	Mango	Blossom Thrips	10-0-20.0 ml/L water	-	5 days after the last spray	As soon as the spray solution has dried on the foliage
AVC CHEMICAL CORPORATION	FLUAZINAM	FROWNOCIDE 50 SC	500 g/L	SC	FUNGICIDE	4	060-301-0801	10-Sep-25	-	Potato	Late Blight	1.5-2.0 Tbsp/ 36L water	-	14 Days	Enter the field as soon as the spray dries up.
AVC CHEMICAL CORPORATION	FLUAZINAM	FROWNOCIDE 50 SC	500 g/L	SC	FUNGICIDE	4	060-301-0801	10-Sep-25	-	Onion	Purple Blotch	1.5-2.0 Tbsp/ 36L water	-	7 Days	Enter the field as soon as the spray dries up.
AVC CHEMICAL CORPORATION	FLUAZINAM	FROWNOCIDE 50 SC	500 g/L	SC	FUNGICIDE	4	060-301-0801	10-Sep-25	-	Rice	Sheath-blight	2.0-4.0 Tbsp/ 36L water	-	90 days	Enter the field as soon as the spray dries up
RAISSON AGROCHEMICAL CORPORATION	CYHALOPOF BUTYL-BISPYRIBAC SODIUM	FRONTLINER 200 OD	150+50 g/L	OD	HERBICIDE	4	214-504-5700	24-Apr-25	POST-EMERGENT	Rice (Direct-Seeded)	Grasses, broad leaves and sedges	500 ml to 1 L prod. Hz; 140-192 L/ha	-	-	Re-entry to the rice field can be done as soon as spray dries up.
LEADS AGRICULTURAL PRODUCTS CORPORATION	CYHALOPOF BUTYL-BISPYRIBAC SODIUM	FRONTIER 200 OD	150 g/L+50 g/L	OD	HERBICIDE	4	099-504-4758	25-Sep-23	POST-EMERGENT	Rice (Direct-Seeded)	Grasses (Echinochloa spp., Leptochloa chinensis, ischaemum rugosum sedges (C. sps, C. difformis), broadleaves (L. octovalvis, S. zeylanica)	500 ml to 1000 ml product per hectare	-	-	As soon as spray dries up.
LEADS AGRICULTURAL PRODUCTS CORPORATION	CYHALOPOF BUTYL-BISPYRIBAC SODIUM	FRONTIER 200 OD	150 g/L+50 g/L	OD	HERBICIDE	4	099-504-4758	28-Sep-24	POST-EMERGENT	Rice	Grasses, sedges and broadleaves	500-1000 ml prod. / ha - Spray volume 160-192 L/ha	-	-	As soon as spray dries up.
PLANTCARE TRADING CORPORATION	CYHALOPOF BUTYL-BISPYRIBAC SODIUM	FRONTAGE 200 OD	150 g/L+50 g/L	OD	HERBICIDE	4	405-504-6045	29-Nov-25	POST-EMERGENT	Rice (Direct-seeded)	Grasses broadleaves and sedges	50-100 ml / 15L	-	-	As soon as spray dries up.
PHILIPPINE FARMFAX SOLUTIONS INC.	THIAMETHORAM	FRISK 25 WG	250g/kg	WG	INSECTICIDE	4	535-312-4152	13-Oct-26	SYSTEMIC	Pineapple	Mealy bug	100-200 g/kg	0.01 mg/kg	No PHI proposed at last application of FRISK 25 WG will be 436 days before harvest	Do not enter unless spray deposits have dried
PHILIPPINE FARMFAX SOLUTIONS INC.	THIAMETHORAM	FRISK 25 WG	250 g/kg	WG	INSECTICIDE	4	535-312-4152	13-Oct-26	SYSTEMIC	Mango	Leafhopper	105.6-123.2g prod/ha	0.20 mg/kg	No PHI proposed as the product will be applied at least 20 to 40 day before harvest	Do not enter unless spray deposits have dried
PHILIPPINE FARMFAX SOLUTIONS INC.	THIAMETHORAM	FRISK 25 WG	250 g/kg	WG	INSECTICIDE	4	535-312-4152	13-Oct-26	SYSTEMIC	Rice	Green leafhopper, brown plant hopper, white backed planthopper, rice bug, black bug	4.0-5.0 Tbsp/36L water; for black bug 2.0-3.0 Tbsp/36L water	-	28 days	Do not enter unless spray deposits have dried
PHILIPPINE FARMFAX SOLUTIONS INC.	THIAMETHORAM	FRISK 25 WG	250 g/kg	WG	INSECTICIDE	4	535-312-4152	13-Oct-26	SYSTEMIC	Stringbeans	Aphids, leafhopper	0.5-2.0 Drench, foliar spray 2.0-5.0 Tbsp/36L water	-	7 days	Do not enter unless spray deposits have dried
PHILIPPINE FARMFAX SOLUTIONS INC.	THIAMETHORAM	FRISK 25 WG	250 g/kg	WG	INSECTICIDE	4	535-312-4152	13-Oct-26	SYSTEMIC	Eggplant	Aphids, leafhopper	0.5-2.0 Drench, foliar spray 2.0-5.0 Tbsp/36L water	-	3 days	Do not enter unless spray deposits have dried
PHILIPPINE FARMFAX SOLUTIONS INC.	THIAMETHORAM	FRISK 25 WG	250 g/kg	WG	INSECTICIDE	4	535-312-4152	13-Oct-26	SYSTEMIC	Banana	Flower thrips	4-6 g/L	0.02 mg/kg	No PHI proposed as FRISK 25 WG will be applied as bud injection	Do not enter unless spray deposits have dried
RAINBOW AGROSCIENCES PHILIPPINES INC.	FLONICAMID	FRIENBEE 50 WG	500g/kg	WG	INSECTICIDE	4	539-442-5708	29-Apr-25	SYSTEMIC	Eggplant	Aphids and Leafhoppers	5.6-7.2 grams/36L water (based on spray volume of 800 L/ha)	-	-	-
JYNNSONS PHILIPPINES, INC.	MANCOZEB	FRENZY 80 WP	800 g/kg	WP	FUNGICIDE	4	551-053-3771-A	23-Dec-25	-	Potato	Early and late blight	3-6 Tbsp/36 L water	-	-	As soon as spray dries
JYNNSONS PHILIPPINES, INC.	MANCOZEB	FRENZY 80 WP	800 g/kg	WP	FUNGICIDE	4	551-053-3771-A	23-Dec-25	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries
JYNNSONS PHILIPPINES, INC.	MANCOZEB	FRENZY 80 WP	800 g/kg	WP	FUNGICIDE	4	551-053-3771-A	23-Dec-25	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
JYNNSONS PHILIPPINES, INC.	MANCOZEB	FRENZY 80 WP	800 g/kg	WP	FUNGICIDE	4	551-053-3771-A	23-Dec-25	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
JYNNSONS PHILIPPINES, INC.	MANCOZEB	FRENZY 80 WP	800 g/kg	WP	FUNGICIDE	4	551-053-3771-A	23-Dec-25	-	Galery	Late blight	3-6 Tbsp/36 L water	-	14 Days	As soon as spray dries
JYNNSONS PHILIPPINES, INC.	MANCOZEB	FRENZY 80 WP	800 g/kg	WP	FUNGICIDE	4	551-053-3771-A	23-Dec-25	-	Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
JYNNSONS PHILIPPINES, INC.	MANCOZEB	FRENZY 80 WP	800 g/kg	WP	FUNGICIDE	4	551-053-3771-A	23-Dec-25	-	Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
JYNNSONS PHILIPPINES, INC.	MANCOZEB	FRENZY 80 WP	800 g/kg	WP	FUNGICIDE	4	551-053-3771-A	23-Dec-25	-	Cotton	Damping off	3-6 Tbsp/36 L water	-	-	As soon as spray dries
JYNNSONS PHILIPPINES, INC.	MANCOZEB	FRENZY 80 WP	800 g/kg	WP	FUNGICIDE	4	551-053-3771-A	23-Dec-25	-	lettuce	Downy mildew	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
JYNNSONS PHILIPPINES, INC.	MANCOZEB	FRENZY 80 WP	800 g/kg	WP	FUNGICIDE	4	551-053-3771-A	23-Dec-25	-	Beans	Anthracoese, Downy mildew, Rust	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD	
JYNNSONS PHILIPPINES, INC.	MANCOZEB	FRENZY 80 WP	800 g/Kg	WP	FUNGICIDE	4	551-053-3771-A	23-Dec-25	-	Peas	Anthracoese, Downy mildew, Rust	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries	
JYNNSONS PHILIPPINES, INC.	MANCOZEB	FRENZY 80 WP	800 g/Kg	WP	FUNGICIDE	4	551-053-3771-A	23-Dec-25	-	Mungo	Anthracoese, Downy mildew, Rust	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries	
JYNNSONS PHILIPPINES, INC.	MANCOZEB	FRENZY 80 WP	800 g/Kg	WP	FUNGICIDE	4	551-053-3771-A	23-Dec-25	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries	
JYNNSONS PHILIPPINES, INC.	MANCOZEB	FRENZY 80 WP	800 g/Kg	WP	FUNGICIDE	4	551-053-3771-A	23-Dec-25	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries	
JYNNSONS PHILIPPINES, INC.	MANCOZEB	FRENZY 80 WP	800 g/Kg	WP	FUNGICIDE	4	551-053-3771-A	23-Dec-25	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries	
JYNNSONS PHILIPPINES, INC.	MANCOZEB	FRENZY 80 WP	800 g/Kg	WP	FUNGICIDE	4	551-053-3771-A	23-Dec-25	-	Pepper	Anthracoese	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries	
JYNNSONS PHILIPPINES, INC.	MANCOZEB	FRENZY 80 WP	800 g/Kg	WP	FUNGICIDE	4	551-053-3771-A	23-Dec-25	-	Chili	Anthracoese	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries	
JYNNSONS PHILIPPINES, INC.	MANCOZEB	FRENZY 80 WP	800 g/Kg	WP	FUNGICIDE	4	551-053-3771-A	23-Dec-25	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries	
JYNNSONS PHILIPPINES, INC.	MANCOZEB	FRENZY 80 WP	800 g/Kg	WP	FUNGICIDE	4	551-053-3771-A	23-Dec-25	-	Banana	Sigatoka, Black leaf streak	3-6 Tbsp/36 L water	-	-	As soon as spray dries	
JYNNSONS PHILIPPINES, INC.	MANCOZEB	FRENZY 80 WP	800 g/Kg	WP	FUNGICIDE	4	551-053-3771-A	23-Dec-25	-	Grapes	Downy mildew, black rot	3-6 Tbsp/36 L water	-	60 days	As soon as spray dries	
JYNNSONS PHILIPPINES, INC.	MANCOZEB	FRENZY 80 WP	800 g/Kg	WP	FUNGICIDE	4	551-053-3771-A	23-Dec-25	-	Mango	Anthracoese and Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries	
JYNNSONS PHILIPPINES, INC.	MANCOZEB	FRENZY 80 WP	800 g/Kg	WP	FUNGICIDE	4	551-053-3771-A	23-Dec-25	-	Papaya	Fruit rot	3-6 Tbsp/36 L water	-	-	As soon as spray dries	
JYNNSONS PHILIPPINES, INC.	MANCOZEB	FRENZY 80 WP	800 g/Kg	WP	FUNGICIDE	4	551-053-3771-A	23-Dec-25	-	Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries	
JYNNSONS PHILIPPINES, INC.	MANCOZEB	FRENZY 80 WP	800 g/Kg	WP	FUNGICIDE	4	551-053-3771-A	23-Dec-25	-	Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries	
JYNNSONS PHILIPPINES, INC.	MANCOZEB	FRENZY 80 WP	800 g/Kg	WP	FUNGICIDE	4	551-053-3771-A	23-Dec-25	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries	
JYNNSONS PHILIPPINES, INC.	MANCOZEB	FRENZY 80 WP	800 g/Kg	WP	FUNGICIDE	4	551-053-3771-A	23-Dec-25	-	Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/36 L water	-	-	As soon as spray dries	
JYNNSONS PHILIPPINES, INC.	MANCOZEB	FRENZY 80 WP	800 g/Kg	WP	FUNGICIDE	4	551-053-3771-A	23-Dec-25	-	Peanut	Cercospora leaf spot	3-6 Tbsp/36 L water	-	14 Days	As soon as spray dries	
JYNNSONS PHILIPPINES, INC.	MANCOZEB	FRENZY 80 WP	800 g/Kg	WP	FUNGICIDE	4	551-053-3771-A	23-Dec-25	-	Soybeans	Leaf rust	3-6 Tbsp/36 L water	-	-	As soon as spray dries	
JYNNSONS PHILIPPINES, INC.	MANCOZEB	FRENZY 80 WP	800 g/Kg	WP	FUNGICIDE	4	551-053-3771-A	23-Dec-25	-	Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/36 L water	-	-	As soon as spray dries	
ROTAM PHILIPPINES, INC.	GLYPHOSATE IPA	FREMONT 480 SL	480 g/L	SL	FUNGICIDE	4	569-151-6325	17-Oct-25	POST-EMERGENT	Glyphosate tolerant corn	Annual and perennial grasses, broadleaf weeds and sedges					
ROTAM PHILIPPINES, INC.	GLYPHOSATE IPA	FREMONT 480 SL	480 g/L	SL	FUNGICIDE	4	569-151-6325	17-Oct-25	POST-EMERGENT	Mango	Annual and perennial grasses, broadleaf weeds and sedges					
ROTAM PHILIPPINES, INC.	GLYPHOSATE IPA	FREMONT 480 SL	480 g/L	SL	FUNGICIDE	4	569-151-6325	17-Oct-25	POST-EMERGENT	Banana	Annual and perennial grasses, broadleaf weeds and sedges					
ROTAM PHILIPPINES, INC.	GLYPHOSATE IPA	FREMONT 480 SL	480 g/L	SL	FUNGICIDE	4	569-151-6325	17-Oct-25	POST-EMERGENT	Coffee	Annual and perennial grasses, broadleaf weeds and sedges					
ROTAM PHILIPPINES, INC.	GLYPHOSATE IPA	FREMONT 480 SL	480 g/L	SL	FUNGICIDE	4	569-151-6325	17-Oct-25	POST-EMERGENT	Cacao	Annual and perennial grasses, broadleaf weeds and sedges					
ROTAM PHILIPPINES, INC.	GLYPHOSATE IPA	FREMONT 480 SL	480 g/L	SL	FUNGICIDE	4	569-151-6325	17-Oct-25	POST-EMERGENT	Rubber	Annual and perennial grasses, broadleaf weeds and sedges					
ROTAM PHILIPPINES, INC.	GLYPHOSATE IPA	FREMONT 480 SL	480 g/L	SL	FUNGICIDE	4	569-151-6325	17-Oct-25	POST-EMERGENT	Oil palm	Annual and perennial grasses, broadleaf weeds and sedges					
ROTAM PHILIPPINES, INC.	GLYPHOSATE IPA	FREMONT 480 SL	480 g/L	SL	FUNGICIDE	4	569-151-6325	17-Oct-25	POST-EMERGENT	Citrus	Annual and perennial grasses, broadleaf weeds and sedges					
ROTAM PHILIPPINES, INC.	GLYPHOSATE IPA	FREMONT 480 SL	480 g/L	SL	FUNGICIDE	4	569-151-6325	17-Oct-25	POST-EMERGENT	Coconut	Annual and perennial grasses, broadleaf weeds and sedges					
ROTAM PHILIPPINES, INC.	GLYPHOSATE IPA	FREMONT 480 SL	480 g/L	SL	FUNGICIDE	4	569-151-6325	17-Oct-25	POST-EMERGENT	Sugarcane	Annual and perennial grasses, broadleaf weeds and sedges					
ROTAM PHILIPPINES, INC.	GLYPHOSATE IPA	FREMONT 480 SL	480 g/L	SL	FUNGICIDE	4	569-151-6325	17-Oct-25	POST-EMERGENT	Vegetables under minimum or reduced tillage system	Annual and perennial grasses, broadleaf weeds and sedges					
ROTAM PHILIPPINES, INC.	GLYPHOSATE IPA	FREMONT 480 SL	480 g/L	SL	FUNGICIDE	4	569-151-6325	17-Oct-25	POST-EMERGENT	Non-crop areas	Annual and perennial grasses, broadleaf weeds and sedges					
AGWAY CHEMICALS CORPORATION	CHLOROTHALONIL	FREE 75 WP	750 g/kg	WP	FUNGICIDE	4	075-118-1688	26-May-17	-	Grapes	Downy mildew, powdery mildew, fruit rot	3.2-4.8 Tbsp/36L water	-	-	Do not enter treatment areas until spray deposit have dried	
AGWAY CHEMICALS CORPORATION	CHLOROTHALONIL	FREE 75 WP	750 g/kg	WP	FUNGICIDE	4	075-118-1688	26-May-17	-	Potato	Early and late blight, vine rot	3.2-4.8 Tbsp/36L water	-	-	Do not enter treatment areas until spray deposit have dried	
AGWAY CHEMICALS CORPORATION	CHLOROTHALONIL	FREE 75 WP	750 g/kg	WP	FUNGICIDE	4	075-118-1688	26-May-17	-	Tomato	Early and late blight, vine rot	3.2-4.8 Tbsp/36L water	-	-	Do not enter treatment areas until spray deposit have dried	
AGWAY CHEMICALS CORPORATION	CHLOROTHALONIL	FREE 75 WP	750 g/kg	WP	FUNGICIDE	4	075-118-1688	26-May-17	-	Banana	Sigatoka, rust, freckles	3.2-4.8 Tbsp/36L water	2.0 mg/kg	-	-	Do not enter treatment areas until spray deposit have dried
AGWAY CHEMICALS CORPORATION	CHLOROTHALONIL	FREE 75 WP	750 g/kg	WP	FUNGICIDE	4	075-118-1688	26-May-17	-	Peas	Rust, anthracnose	3.2-4.8 Tbsp/36L water	-	7 days	Do not enter treatment areas until spray deposit have dried	
AGWAY CHEMICALS CORPORATION	CHLOROTHALONIL	FREE 75 WP	750 g/kg	WP	FUNGICIDE	4	075-118-1688	26-May-17	-	Beans	Rust, anthracnose	3.2-4.8 Tbsp/36L water	-	7 days	Do not enter treatment areas until spray deposit have dried	
AGWAY CHEMICALS CORPORATION	CHLOROTHALONIL	FREE 75 WP	750 g/kg	WP	FUNGICIDE	4	075-118-1688	26-May-17	-	Citrus	Scab, melanose	3.2-4.8 Tbsp/36L water	-	-	Do not enter treatment areas until spray deposit have dried	
AGWAY CHEMICALS CORPORATION	CHLOROTHALONIL	FREE 75 WP	750 g/kg	WP	FUNGICIDE	4	075-118-1688	26-May-17	-	Watermelon	Powdery mildew, anthracnose, early and late blight, cercospora leaf spot	3.2-4.8 Tbsp/36L water	-	-	Do not enter treatment areas until spray deposit have dried	
AGWAY CHEMICALS CORPORATION	CHLOROTHALONIL	FREE 75 WP	750 g/kg	WP	FUNGICIDE	4	075-118-1688	26-May-17	-	Garlic	Purple blotch, bulb rot, neck rot	3.2-4.8 Tbsp/36L water	-	7 days	Do not enter treatment areas until spray deposit have dried	
AGWAY CHEMICALS CORPORATION	CHLOROTHALONIL	FREE 75 WP	750 g/kg	WP	FUNGICIDE	4	075-118-1688	26-May-17	-	Onion	Purple blotch, bulb rot, neck rot	3.2-4.8 Tbsp/36L water	-	7 days	Do not enter treatment areas until spray deposit have dried	
AGWAY CHEMICALS CORPORATION	CHLOROTHALONIL	FREE 75 WP	750 g/kg	WP	FUNGICIDE	4	075-118-1688	26-May-17	-	Rice	Rice blast, stem rot, helminthosporium leaf spot, cercospora leaf spot, sheath blight	3.2-4.8 Tbsp/36L water	0.1ppm	14 days	Do not enter treatment areas until spray deposit have dried	
AGWAY CHEMICALS CORPORATION	CHLOROTHALONIL	FREE 75 WP	750 g/kg	WP	FUNGICIDE	4	075-118-1688	26-May-17	-	Corn	Helminthosporium leafspot, rust, downy mildew	3.2-4.8 Tbsp/36L water	-	14 Days	Do not enter treatment areas until spray deposit have dried	
AGWAY CHEMICALS CORPORATION	CHLOROTHALONIL	FREE 75 WP	750 g/kg	WP	FUNGICIDE	4	075-118-1688	26-May-17	-	Celery	late blight	3.2-4.8 Tbsp/36L water	-	7 days	Do not enter treatment areas until spray deposit have dried	
AGWAY CHEMICALS CORPORATION	CHLOROTHALONIL	FREE 75 WP	750 g/kg	WP	FUNGICIDE	4	075-118-1688	26-May-17	-	Eggplant	Early and late blight, cercospora, leaf spot	3.2-4.8 Tbsp/36L water	-	-	Do not enter treatment areas until spray deposit have dried	
AGWAY CHEMICALS CORPORATION	CHLOROTHALONIL	FREE 75 WP	750 g/kg	WP	FUNGICIDE	4	075-118-1688	26-May-17	-	Pepper	Early and late blight, cercospora, leaf spot	3.2-4.8 Tbsp/36L water	-	-	Do not enter treatment areas until spray deposit have dried	
AGWAY CHEMICALS CORPORATION	CHLOROTHALONIL	FREE 75 WP	750 g/kg	WP	FUNGICIDE	4	075-118-1688	26-May-17	-	Melon	Anthracoese, powdery mildew, early and late blight, cercospora leaf spot	3.2-4.8 Tbsp/36L water	-	-	Do not enter treatment areas until spray deposit have dried	
AGWAY CHEMICALS CORPORATION	CHLOROTHALONIL	FREE 75 WP	750 g/kg	WP	FUNGICIDE	4	075-118-1688	26-May-17	-	Mango	Anthracoese, d'plodia rot	3.2-4.8 Tbsp/36L water	0.5 mg/kg	-	-	Do not enter treatment areas until spray deposit have dried
AGWAY CHEMICALS CORPORATION	CHLOROTHALONIL	FREE 75 WP	750 g/kg	WP	FUNGICIDE	4	075-118-1688	26-May-17	-	Ornamentals	Black spot, black rot, powdery mildew	3.2-4.8 Tbsp/36L water	-	-	Do not enter treatment areas until spray deposit have dried	
AGWAY CHEMICALS CORPORATION	CHLOROTHALONIL	FREE 75 WP	750 g/kg	WP	FUNGICIDE	4	075-118-1688	26-May-17	-	Peanut	Cercospora leaf spot	3.2-4.8 Tbsp/36L water	-	14 Days	Do not enter treatment areas until spray deposit have dried	
AGWAY CHEMICALS CORPORATION	CHLOROTHALONIL	FREE 75 WP	750 g/kg	WP	FUNGICIDE	4	075-118-1688	26-May-17	-	Lettuce	Downy mildew	3.2-4.8 Tbsp/36L water	-	-	Do not enter treatment areas until spray deposit have dried	
AGWAY CHEMICALS CORPORATION	CHLOROTHALONIL	FREE 75 WP	750 g/kg	WP	FUNGICIDE	4	075-118-1688	26-May-17	-	Cabbage	Powdery mildew	3.2-4.8 Tbsp/36L water	-	-	Do not enter treatment areas until spray deposit have dried	
AGWAY CHEMICALS CORPORATION	CHLOROTHALONIL	FREE 75 WP	750 g/kg	WP	FUNGICIDE	4	075-118-1688	26-May-17	-	Cauliflower	Powdery mildew	3.2-4.8 Tbsp/36L water	-	-	Do not enter treatment areas until spray deposit have dried	
AGWAY CHEMICALS CORPORATION	CHLOROTHALONIL	FREE 75 WP	750 g/kg	WP	FUNGICIDE	4	075-118-1688	26-May-17	-	Broccoli	Powdery mildew	3.2-4.8 Tbsp/36L water	-	-	Do not enter treatment areas until spray deposit have dried	
AGWAY CHEMICALS CORPORATION	CHLOROTHALONIL	FREE 75 WP	750 g/kg	WP	FUNGICIDE	4	075-118-1688	26-May-17	-	Carrot	Alternaria leaf spot, cercospora leaf spot	3.2-4.8 Tbsp/36L water	-	-	Do not enter treatment areas until spray deposit have dried	
AGWAY CHEMICALS CORPORATION	CHLOROTHALONIL	FREE 75 WP	750 g/kg	WP	FUNGICIDE	4	075-118-1688	26-May-17	-	Squash	Anthracoese, powdery mildew, early and late blight, cercospora leaf spot	3.2-4.8 Tbsp/36L water	-	-	Do not enter treatment areas until spray deposit have dried	

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
G CHEMTRADING CORPORATION	CARTAP HYDROCHLORIDE	FRANTRAP 50 SP	500 g/kg	SP	INSECTICIDE	3	701-106-5583	26-Jun-26	SYSTEMIC	Rice	Wheat maggot, stemborer, green leafhopper, brown planthopper	1.0-5.0Tbsp/36 l water	-	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
G CHEMTRADING CORPORATION	CARTAP HYDROCHLORIDE	FRANTRAP 50 SP	500 g/kg	SP	INSECTICIDE	3	701-106-5583	26-Jun-26	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/36 l water	-	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
G CHEMTRADING CORPORATION	CARTAP HYDROCHLORIDE	FRANTRAP 50 SP	500 g/kg	SP	INSECTICIDE	3	701-106-5583	26-Jun-26	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/36 l water	-	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
G CHEMTRADING CORPORATION	CARTAP HYDROCHLORIDE	FRANTRAP 50 SP	500 g/kg	SP	INSECTICIDE	3	701-106-5583	26-Jun-26	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/36 l water	-	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
G CHEMTRADING CORPORATION	CARTAP HYDROCHLORIDE	FRANTRAP 50 SP	500 g/kg	SP	INSECTICIDE	3	701-106-5583	26-Jun-26	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/36 l water	-	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
G CHEMTRADING CORPORATION	CARTAP HYDROCHLORIDE	FRANTRAP 50 SP	500 g/kg	SP	INSECTICIDE	3	701-106-5583	26-Jun-26	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/36 l water	-	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
G CHEMTRADING CORPORATION	CARTAP HYDROCHLORIDE	FRANTRAP 50 SP	500 g/kg	SP	INSECTICIDE	3	701-106-5583	26-Jun-26	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/36 l water	-	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
G CHEMTRADING CORPORATION	CARTAP HYDROCHLORIDE	FRANTRAP 50 SP	500 g/kg	SP	INSECTICIDE	3	701-106-5583	26-Jun-26	SYSTEMIC	Mango	leafhoppers	1.5-2.0Tbsp/36 l water	-	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
G CHEMTRADING CORPORATION	CARTAP HYDROCHLORIDE	FRANTRAP 50 SP	500 g/kg	SP	INSECTICIDE	3	701-106-5583	26-Jun-26	SYSTEMIC	Pechay	looper, cutworm, aphids	1.5-3.0Tbsp/36 l water	-	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
JOCANIMA CORPORATION	FOSETYL-ALUMINUM	FOSTONIC 80 WP	800 g/kg	WP	FUNGICIDE	4	241-154-1329	07-Jun-23	SYSTEMIC	Pineapple	Heart rot	6-12 Tbsp/36l	-	90 days	12-24 hours
JOCANIMA CORPORATION	FOSETYL-ALUMINUM	FOSTONIC 80 WP	800 g/kg	WP	FUNGICIDE	4	241-154-1329	07-Jun-23	SYSTEMIC	Coconut	Wet-bud rot, nut rot	36 Tbsp/36l	-	90 days	12-24 hours
JOCANIMA CORPORATION	FOSETYL-ALUMINUM	FOSTONIC 80 WP	800 g/kg	WP	FUNGICIDE	4	241-154-1329	07-Jun-23	SYSTEMIC	Rubber	Black stripe	3-6 Tbsp/36l	-	90 days	12-24 hours
JOCANIMA CORPORATION	FOSETYL-ALUMINUM	FOSTONIC 80 WP	800 g/kg	WP	FUNGICIDE	4	241-154-1329	07-Jun-23	SYSTEMIC	Cacao	Black pod	6-12 Tbsp/36l	-	90 days	12-24 hours
JOCANIMA CORPORATION	FOSETYL-ALUMINUM	FOSTONIC 80 WP	800 g/kg	WP	FUNGICIDE	4	241-154-1329	07-Jun-23	SYSTEMIC	Orchids	Black rot	6-12 Tbsp/36l	-	90 days	12-24 hours
UPL PHILIPPINES, INC.	FOSETYL-ALUMINUM	FOSTONIC 80 WP	800 g/kg	WP	FUNGICIDE	4	562-154-4836	16-Jun-24	SYSTEMIC	Coconut	Wet-bud rot	6-12 Tbsp/36l	-	90 days	12-24 hours
UPL PHILIPPINES, INC.	FOSETYL-ALUMINUM	FOSTONIC 80 WP	800 g/kg	WP	FUNGICIDE	4	562-154-4836	16-Jun-24	SYSTEMIC	Rubber	Black stripe	24 Tbsp/36l	-	90 days	12-24 hours
UPL PHILIPPINES, INC.	FOSETYL-ALUMINUM	FOSTONIC 80 WP	800 g/kg	WP	FUNGICIDE	4	562-154-4836	16-Jun-24	SYSTEMIC	Cacao	Black pod	6 Tbsp/36l	-	90 days	12-24 hours
UPL PHILIPPINES, INC.	FOSETYL-ALUMINUM	FOSTONIC 80 WP	800 g/kg	WP	FUNGICIDE	4	562-154-4836	16-Jun-24	SYSTEMIC	Orchids	Black rot	6 Tbsp/36l	-	90 days	12-24 hours
EZERTECH CORPORATION	PROFENOFOS	FOSTEK 50 EC	500 g/L	EC	INSECTICIDE	2	648-070-5026	27-Jan-26	CONTACT	Tomato	Fruitworm, armyworm, cutworm	1.5-3.0 Tbsp/36l water	-	14 Days	Do not enter Treated field 24 hours after spraying.
EZERTECH CORPORATION	PROFENOFOS	FOSTEK 50 EC	500 g/L	EC	INSECTICIDE	2	648-070-5026	27-Jan-26	CONTACT	Eggplant	Fruitborer, aphids, leafhopper, & thrips	3.0-5.0 Tbsp/36l water	-	14 Days	Do not enter Treated field 24 hours after spraying.
EZERTECH CORPORATION	PROFENOFOS	FOSTEK 50 EC	500 g/L	EC	INSECTICIDE	2	648-070-5026	27-Jan-26	CONTACT	Cabbage	Diamond-back moth, Cabbage worm, aphids	3.0-5.0 Tbsp/36l water	-	14 Days	Do not enter Treated field 24 hours after spraying.
EZERTECH CORPORATION	PROFENOFOS	FOSTEK 50 EC	500 g/L	EC	INSECTICIDE	2	648-070-5026	27-Jan-26	CONTACT	Potato	Thrips, army worm, cutworm, tuber moth	3.0-5.0 Tbsp/36l water	-	14 Days	Do not enter Treated field 24 hours after spraying.
EZERTECH CORPORATION	PROFENOFOS	FOSTEK 50 EC	500 g/L	EC	INSECTICIDE	2	648-070-5026	27-Jan-26	CONTACT	Soybeans	Corn earworm, leafminer	3.0-5.0 Tbsp/36l water	-	14 Days	Do not enter Treated field 24 hours after spraying.
EZERTECH CORPORATION	PROFENOFOS	FOSTEK 50 EC	500 g/L	EC	INSECTICIDE	2	648-070-5026	27-Jan-26	CONTACT	Mungbeans	Corn earworm, leafminer	3.0-5.0 Tbsp/36l water	-	14 Days	Do not enter Treated field 24 hours after spraying.
EZERTECH CORPORATION	PROFENOFOS	FOSTEK 50 EC	500 g/L	EC	INSECTICIDE	2	648-070-5026	27-Jan-26	CONTACT	Cotton	Thrips, bollworm & budworm	3.0-5.0 Tbsp/36l water	-	14 Days	Do not enter Treated field 24 hours after spraying.
EZERTECH CORPORATION	PROFENOFOS	FOSTEK 50 EC	500 g/L	EC	INSECTICIDE	2	648-070-5026	27-Jan-26	CONTACT	Sitao	Stenfly, leafroller & aphids	1.5-3.0 Tbsp/36l water	-	14 Days	Do not enter Treated field 24 hours after spraying.
EZERTECH CORPORATION	PROFENOFOS	FOSTEK 50 EC	500 g/L	EC	INSECTICIDE	2	648-070-5026	27-Jan-26	CONTACT	Mango	Thrips	10-20 Tbsp/36l water	-	14 Days	Do not enter Treated field 24 hours after spraying.
EZERTECH CORPORATION	PROFENOFOS	FOSTEK 50 EC	500 g/L	EC	INSECTICIDE	2	648-070-5026	27-Jan-26	CONTACT	Watermelon	Thrips	3.0-5.0 Tbsp/36l water	-	14 Days	Do not enter Treated field 24 hours after spraying.
UPL PHILIPPINES, INC.	FOSETYL-ALUMINUM	FOST-AL 80 WP	800 g/kg	WP	FUNGICIDE	4	562-154-4836	16-Jun-24	SYSTEMIC	Pineapple	Heart rot	6-12 Tbsp/36l	-	90 days	12-24 hours
TRANS WORLD TRADING CO., INC.	FOSETYL-ALUMINUM	FOSET 80 WG	800 g/kg	WG	FUNGICIDE	4	038-154-5073	11-May-26	SYSTEMIC	Pineapple	Heart rot	50.5 g/36L water	-	Do not harvest for 7 days after application	-
TRANS WORLD TRADING CO., INC.	FOSETYL-ALUMINUM	FOSET 80 WG	800 g/kg	WG	FUNGICIDE	4	038-154-5073	11-May-26	SYSTEMIC	Coconut	Wet bud	36g/36L water	-	Do not harvest for 7 days after application	-
TRANS WORLD TRADING CO., INC.	FOSETYL-ALUMINUM	FOSET 80 WG	800 g/kg	WG	FUNGICIDE	4	038-154-5073	11-May-26	SYSTEMIC	Orchids	Black rot	50 kg/36L water	-	Do not harvest for 7 days after application	-
TRANS WORLD TRADING CO., INC.	FOSETYL-ALUMINUM	FOSET 80 WG	800 g/kg	WG	FUNGICIDE	4	038-154-5073	11-May-26	SYSTEMIC	Cacao	Black pod	50.5g/36L water	-	Do not harvest for 7 days after application	-
TRANS WORLD TRADING CO., INC.	FOSETYL-ALUMINUM	FOSET 80 WG	800 g/kg	WG	FUNGICIDE	4	038-154-5073	11-May-26	SYSTEMIC	Rubber	Black stripe	220.5g/36L water	-	Do not harvest for 7 days after application	-
GEM AGROLOGIC, INC.	BUTACHLOR-PROPANIL	FORWARD 70 EC	300-350 g/L	EC	HERBICIDE	3	238-238-1191	16-Aug-23	POST-EMERGENT	Rice (Direct-Seeded)	Grasses, Sedges and Broadleaves	8-12Tbsp/36 l water	Butachlor 0.1ppm Propanil 0.1ppm	-	As soon as the spray mist dries
GEM AGROLOGIC, INC.	BUTACHLOR-PROPANIL	FORWARD 70 EC	300-350 g/L	EC	HERBICIDE	3	238-238-1191	16-Aug-23	POST-EMERGENT	Rice (Transplanted)	Grasses, Sedges and Broadleaves	8-12Tbsp/36 l water	Butachlor 0.1ppm Propanil 0.1ppm	-	As soon as the spray mist dries up
NS NORTHERN ORGANIC FERTILIZER INC.	CYHALOPIR BUTH-BISPYRIBAC SODIUM	FORTUNER 300 OD	150 g/L+50 g/L	OD	HERBICIDE	4	470-504-5997	24-Apr-25	POST-EMERGENT	Rice (Direct-seeded)	Grasses, broadleaves and sedges	500 ml. to 1 Liter Formulated Prod. Per hectare	-	-	-
BERRIS AGRICULTURAL CO., INC.	MANCOZEB	FORTUNA BLUE 80 WP	800 g/kg	WP	FUNGICIDE	4	233-053-4205	06-Dec-26	-	Banana	Black Sigatoka	2-3-3.5 L/ha	-	-	-
BERRIS AGRICULTURAL CO., INC.	MANCOZEB	FORTUNA BLUE 80 WP	800 g/kg	WP	FUNGICIDE	4	233-053-4205	06-Dec-26	-	Potato	Early and late blight	3-6 Tbsp/36L water	-	-	As soon as spray dries
BERRIS AGRICULTURAL CO., INC.	MANCOZEB	FORTUNA BLUE 80 WP	800 g/kg	WP	FUNGICIDE	4	233-053-4205	06-Dec-26	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/36L water	-	7 Days	As soon as spray dries
BERRIS AGRICULTURAL CO., INC.	MANCOZEB	FORTUNA BLUE 80 WP	800 g/kg	WP	FUNGICIDE	4	233-053-4205	06-Dec-26	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/36L water	-	7 Days	As soon as spray dries
BERRIS AGRICULTURAL CO., INC.	MANCOZEB	FORTUNA BLUE 80 WP	800 g/kg	WP	FUNGICIDE	4	233-053-4205	06-Dec-26	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/36L water	-	7 Days	As soon as spray dries
BERRIS AGRICULTURAL CO., INC.	MANCOZEB	FORTUNA BLUE 80 WP	800 g/kg	WP	FUNGICIDE	4	233-053-4205	06-Dec-26	-	Celery	Late blight	3-6 Tbsp/36L water	-	14 Days	As soon as spray dries
BERRIS AGRICULTURAL CO., INC.	MANCOZEB	FORTUNA BLUE 80 WP	800 g/kg	WP	FUNGICIDE	4	233-053-4205	06-Dec-26	-	Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36L water	-	5 days	As soon as spray dries
BERRIS AGRICULTURAL CO., INC.	MANCOZEB	FORTUNA BLUE 80 WP	800 g/kg	WP	FUNGICIDE	4	233-053-4205	06-Dec-26	-	Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36L water	-	5 days	As soon as spray dries
BERRIS AGRICULTURAL CO., INC.	MANCOZEB	FORTUNA BLUE 80 WP	800 g/kg	WP	FUNGICIDE	4	233-053-4205	06-Dec-26	-	Cotton	Damping off	3-6 Tbsp/36L water	-	-	As soon as spray dries
BERRIS AGRICULTURAL CO., INC.	MANCOZEB	FORTUNA BLUE 80 WP	800 g/kg	WP	FUNGICIDE	4	233-053-4205	06-Dec-26	-	Lettuce	Downy mildew	3-6 Tbsp/36L water	-	7 Days	As soon as spray dries
BERRIS AGRICULTURAL CO., INC.	MANCOZEB	FORTUNA BLUE 80 WP	800 g/kg	WP	FUNGICIDE	4	233-053-4205	06-Dec-26	-	Beans	Anthracoese, Downy mildew, Rust	3-6 Tbsp/36L water	-	5 days	As soon as spray dries
BERRIS AGRICULTURAL CO., INC.	MANCOZEB	FORTUNA BLUE 80 WP	800 g/kg	WP	FUNGICIDE	4	233-053-4205	06-Dec-26	-	Peas	Anthracoese, Downy mildew, Rust	3-6 Tbsp/36L water	-	5 days	As soon as spray dries
BERRIS AGRICULTURAL CO., INC.	MANCOZEB	FORTUNA BLUE 80 WP	800 g/kg	WP	FUNGICIDE	4	233-053-4205	06-Dec-26	-	Mungo	Anthracoese, Downy mildew, Rust	3-6 Tbsp/36L water	-	5 days	As soon as spray dries
BERRIS AGRICULTURAL CO., INC.	MANCOZEB	FORTUNA BLUE 80 WP	800 g/kg	WP	FUNGICIDE	4	233-053-4205	06-Dec-26	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/36L water	-	5 days	As soon as spray dries
BERRIS AGRICULTURAL CO., INC.	MANCOZEB	FORTUNA BLUE 80 WP	800 g/kg	WP	FUNGICIDE	4	233-053-4205	06-Dec-26	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36L water	-	7 Days	As soon as spray dries
BERRIS AGRICULTURAL CO., INC.	MANCOZEB	FORTUNA BLUE 80 WP	800 g/kg	WP	FUNGICIDE	4	233-053-4205	06-Dec-26	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36L water	-	7 Days	As soon as spray dries
BERRIS AGRICULTURAL CO., INC.	MANCOZEB	FORTUNA BLUE 80 WP	800 g/kg	WP	FUNGICIDE	4	233-053-4205	06-Dec-26	-	Pepper	Anthracoese	3-6 Tbsp/36L water	-	7 Days	As soon as spray dries
BERRIS AGRICULTURAL CO., INC.	MANCOZEB	FORTUNA BLUE 80 WP	800 g/kg	WP	FUNGICIDE	4	233-053-4205	06-Dec-26	-	Chili	Anthracoese	3-6 Tbsp/36L water	-	7 Days	As soon as spray dries
BERRIS AGRICULTURAL CO., INC.	MANCOZEB	FORTUNA BLUE 80 WP	800 g/kg	WP	FUNGICIDE	4	233-053-4205	06-Dec-26	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/36L water	-	7 Days	As soon as spray dries

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
BERRIS AGRICULTURAL CO., INC.	MANCOZEB	FORTUNA BLUE 80 WP	800 g/kg	WP	FUNGICIDE	4	233-053-4205	06-Dec-26	-	Banana	Sigatoka, Black leaf streak	3-6 Tbsp/36L water	-	-	As soon as spray dries
BERRIS AGRICULTURAL CO., INC.	MANCOZEB	FORTUNA BLUE 80 WP	800 g/kg	WP	FUNGICIDE	4	233-053-4205	06-Dec-26	-	Grapes	Downy mildew, black rot	3-6 Tbsp/36L water	-	60 days	As soon as spray dries
BERRIS AGRICULTURAL CO., INC.	MANCOZEB	FORTUNA BLUE 80 WP	800 g/kg	WP	FUNGICIDE	4	233-053-4205	06-Dec-26	-	Mango	Anthraxnose and Scab	3-6 Tbsp/36L water	-	5 days	As soon as spray dries
BERRIS AGRICULTURAL CO., INC.	MANCOZEB	FORTUNA BLUE 80 WP	800 g/kg	WP	FUNGICIDE	4	233-053-4205	06-Dec-26	-	Papaya	Fruit rot	3-6 Tbsp/36L water	-	-	As soon as spray dries
BERRIS AGRICULTURAL CO., INC.	MANCOZEB	FORTUNA BLUE 80 WP	800 g/kg	WP	FUNGICIDE	4	233-053-4205	06-Dec-26	-	Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36L water	-	5 days	As soon as spray dries
BERRIS AGRICULTURAL CO., INC.	MANCOZEB	FORTUNA BLUE 80 WP	800 g/kg	WP	FUNGICIDE	4	233-053-4205	06-Dec-26	-	Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36L water	-	5 days	As soon as spray dries
BERRIS AGRICULTURAL CO., INC.	MANCOZEB	FORTUNA BLUE 80 WP	800 g/kg	WP	FUNGICIDE	4	233-053-4205	06-Dec-26	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/36L water	-	7 days	As soon as spray dries
BERRIS AGRICULTURAL CO., INC.	MANCOZEB	FORTUNA BLUE 80 WP	800 g/kg	WP	FUNGICIDE	4	233-053-4205	06-Dec-26	-	Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/36L water	-	-	As soon as spray dries
BERRIS AGRICULTURAL CO., INC.	MANCOZEB	FORTUNA BLUE 80 WP	800 g/kg	WP	FUNGICIDE	4	233-053-4205	06-Dec-26	-	Peanut	Cercospora leaf spot	3-6 Tbsp/36L water	-	30 days	As soon as spray dries
BERRIS AGRICULTURAL CO., INC.	MANCOZEB	FORTUNA BLUE 80 WP	800 g/kg	WP	FUNGICIDE	4	233-053-4205	06-Dec-26	-	Soybeans	Leaf rust	3-6 Tbsp/36L water	-	-	As soon as spray dries
BERRIS AGRICULTURAL CO., INC.	MANCOZEB	FORTUNA BLUE 80 WP	800 g/kg	WP	FUNGICIDE	4	233-053-4205	06-Dec-26	-	Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/36L water	-	-	As soon as spray dries
JOCANIMA CORPORATION	2,4-D IBE	FORTRESS 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	241-049-3170	02-May-19	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual Broadleaves & sedges	5.0-6.50Tbsp/36 L water	0.1 ppm	-	-
JOCANIMA CORPORATION	2,4-D IBE	FORTRESS 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	241-049-3170	02-May-19	SELECTIVE (POST-EMERGENT)	Corn	Annual Broadleaves & sedges	5.0-6.50Tbsp/36 L water	-	-	-
JOCANIMA CORPORATION	2,4-D IBE	FORTRESS 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	241-049-3170	02-May-19	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual Broadleaves & sedges	5.0-6.50Tbsp/36 L water	-	-	-
UPL PHILIPPINES, INC.	DOSONE	FORTIS 600 SC	400 g/L	SC	FUNGICIDE	2	562-438-5063	15-Jun-24	-	Banana	Black Sigatoka	0.8-1.2 L product/ha	0.05ppm	0 Day	No ground workers allowed during spraying operation. Workers can enter area only after 1-2 hours of application to avoid small droplet drift
PHILIPPINE FARMIX SOLUTIONS INC.	FFRONIL	FORTIFY 5 SC	50 g/L	SC	INSECTICIDE	3	535-244-3805	08-Sep-22	CONTACT	Rice	Stemborer, brown planthopper, leafhopper, rice bug	1.3-2.0, 2.0-3.0, 2.7-4.0 Tbsp./36L	0.03ppm	10 days	One day after application
PHILIPPINE FARMIX SOLUTIONS INC.	FFRONIL	FORTIFY 5 SC	50 g/L	SC	INSECTICIDE	3	535-244-3805	08-Sep-22	CONTACT	Cabbage	Diamond backed moth	1.3-2.0, 2.0-3.0, 2.7-4.0 Tbsp./36L	-	-	Do not apply 7 days before harvest One day after application
PHILIPPINE FARMIX SOLUTIONS INC.	FFRONIL	FORTIFY 5 SC	50 g/L	SC	INSECTICIDE	3	535-244-3805	08-Sep-22	CONTACT	Watermelon	Thrips, leaf beetles	2.5-3.0 Tbsp./36L	-	-	Do not apply 7 days before harvest One day after application
PHILIPPINE FARMIX SOLUTIONS INC.	FFRONIL	FORTIFY 5 SC	50 g/L	SC	INSECTICIDE	3	535-244-3805	08-Sep-22	CONTACT	Onion	Cutworm	5.33 Tbsp./36L	-	-	Do not apply 7 days before harvest One day after application
PHILIPPINE FARMIX SOLUTIONS INC.	FFRONIL	FORTIFY 5 SC	50 g/L	SC	INSECTICIDE	3	535-244-3805	08-Sep-22	CONTACT	Eggplant	Shoot borer	3.0-4.0 Tbsp./36L	-	-	Do not apply 7 days before harvest One day after application
SYNGENTA PHILIPPINES INC.	CYANTHRANILPROLE	FORTENZA 600 FS	-	FS	INSECTICIDE	4	001-485-5386	23-Mar-24	-	Corn	Fall armyworm	275-250 ml prod. / 300 kg seeds	0.05 mg/kg	-	-
SYNGENTA PHILIPPINES INC.	CYANTHRANILPROLE	FORTENZA 600 FS	-	FS	INSECTICIDE	-	011-485-5051	23-Mar-24	-	Corn	Fall armyworm	-	-	-	-
PLANTERS PRODUCTS INC.	CARBARYL	FORTEN 85 WP	850 g/kg	WP	INSECTICIDE	2	031-035-0177	17-May-16	-	Tobacco	Budworm, cutworm, aphids	4-6 Tbsp/36 L water	-	-	Do not enter treatment areas until spray deposit have dried
PLANTERS PRODUCTS INC.	CARBARYL	FORTEN 85 WP	850 g/kg	WP	INSECTICIDE	2	031-035-0177	17-May-16	-	Sorghum	Webworm, armyworm, cutworm, headworm	4-6 Tbsp/36 L water	-	-	Do not enter treatment areas until spray deposit have dried
PLANTERS PRODUCTS INC.	CARBARYL	FORTEN 85 WP	850 g/kg	WP	INSECTICIDE	2	031-035-0177	17-May-16	-	Ornamentals	Aphids, scale insect, mealy bug, cutworm	4-6 Tbsp/36 L water	-	-	Do not enter treatment areas until spray deposit have dried
PLANTERS PRODUCTS INC.	CARBARYL	FORTEN 85 WP	850 g/kg	WP	INSECTICIDE	2	031-035-0177	17-May-16	-	Mango	Mango hopper, tip borer, twig borer, fruit fly, mealy bug	4-8 Tbsp/36 L water	-	1 Day	Do not enter treatment areas until spray deposit have dried
PLANTERS PRODUCTS INC.	CARBARYL	FORTEN 85 WP	850 g/kg	WP	INSECTICIDE	2	031-035-0177	17-May-16	-	Coffee	Berry borer	4-6 Tbsp/36 L water	-	1 Day	Do not enter treatment areas until spray deposit have dried
PLANTERS PRODUCTS INC.	CARBARYL	FORTEN 85 WP	850 g/kg	WP	INSECTICIDE	2	031-035-0177	17-May-16	-	Cacao	Podborer, aphids, capsid bug	4-6 Tbsp/36 L water	-	1 Day	Do not enter treatment areas until spray deposit have dried
PLANTERS PRODUCTS INC.	CARBARYL	FORTEN 85 WP	850 g/kg	WP	INSECTICIDE	2	031-035-0177	17-May-16	-	Citrus	Rind borer	4-6 Tbsp/36 L water	-	5 days	Do not enter treatment areas until spray deposit have dried
PLANTERS PRODUCTS INC.	CARBARYL	FORTEN 85 WP	850 g/kg	WP	INSECTICIDE	2	031-035-0177	17-May-16	-	Soybeans	Podborer, beanfly, leafminer, aphids	4-6 Tbsp/36 L water	-	-	Do not enter treatment areas until spray deposit have dried
PLANTERS PRODUCTS INC.	CARBARYL	FORTEN 85 WP	850 g/kg	WP	INSECTICIDE	2	031-035-0177	17-May-16	-	Rice	Green leafhopper, caseworm, aphids	4-6 Tbsp/36 L water	1ppm	14 days	Do not enter treatment areas until spray deposit have dried
PLANTERS PRODUCTS INC.	CARBARYL	FORTEN 85 WP	850 g/kg	WP	INSECTICIDE	2	031-035-0177	17-May-16	-	Cowpea and other beans	Podborer, beanfly, leafminer, cutworm, aphids	4-6 Tbsp/36 L water	-	-	Do not enter treatment areas until spray deposit have dried
PLANTERS PRODUCTS INC.	CARBARYL	FORTEN 85 WP	850 g/kg	WP	INSECTICIDE	2	031-035-0177	17-May-16	-	Cotton seed	Bollworm, cutworm	4-6 Tbsp/36 L water	-	-	Do not enter treatment areas until spray deposit have dried
PLANTERS PRODUCTS INC.	CARBARYL	FORTEN 85 WP	850 g/kg	WP	INSECTICIDE	2	031-035-0177	17-May-16	-	Corn	Corn borer, corn earworm, army worm	4-6 Tbsp/36 L water	-	-	Do not enter treatment areas until spray deposit have dried
PLANTERS PRODUCTS INC.	CARBARYL	FORTEN 85 WP	850 g/kg	WP	INSECTICIDE	2	031-035-0177	17-May-16	-	Tomato	Fruitworm, leafy beetle	4-6 Tbsp/36 L water	-	-	Do not enter treatment areas until spray deposit have dried
PLANTERS PRODUCTS INC.	CARBARYL	FORTEN 85 WP	850 g/kg	WP	INSECTICIDE	2	031-035-0177	17-May-16	-	Cucurbits	Squash beetle, leafy beetle	4-6 Tbsp/36 L water	-	-	Do not enter treatment areas until spray deposit have dried
JOCANIMA CORPORATION	CYPERMETHRIN+PETERMETHRIN+PIPERONYL BUTOXIDE	FORTIFY 32 EC	-	EC	INSECTICIDE	2	343-532-6090	20-Sep-25	-	Swine and poultry farms	Adult flies	-	-	-	48 hours after the last treatment
INDOFIL PHILIPPINES INC.	FOSETYL-ALUMINUM	FORSER 800 WP	800 g/L	WP	FUNGICIDE	4	604-154-6312	7-Dec-25	SYSTEMIC	Pineapple	Heart rot	2-5.5 g/L, 6-12 Tbsp/ 36L	-	-	-
INDOFIL PHILIPPINES INC.	FOSETYL-ALUMINUM	FORSER 800 WP	800 g/L	WP	FUNGICIDE	4	604-154-6312	7-Dec-25	SYSTEMIC	Coconut	Wet-bud rot, nut rot	7 g/L/ 6-12 Tbsp/ 36L	-	-	-
INDOFIL PHILIPPINES INC.	FOSETYL-ALUMINUM	FORSER 800 WP	800 g/L	WP	FUNGICIDE	4	604-154-6312	7-Dec-25	SYSTEMIC	Rubber	Black stripe (panel disease)	6-12 Tbsp/ 36L	-	-	-
INDOFIL PHILIPPINES INC.	FOSETYL-ALUMINUM	FORSER 800 WP	800 g/L	WP	FUNGICIDE	4	604-154-6312	7-Dec-25	SYSTEMIC	Cacao	Black pod	2.5 g/L, 6-12 Tbsp/ 36L	-	-	-
INDOFIL PHILIPPINES INC.	FOSETYL-ALUMINUM	FORSER 800 WP	800 g/L	WP	FUNGICIDE	4	604-154-6312	7-Dec-25	SYSTEMIC	Orchids	Black rot	2.5 g/L, 6-12 Tbsp/ 36L	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	BOIMACIL	FORPINE 80 WP	800 g/kg	WP	HERBICIDE	4	539-169-4525	25-Sep-24	NON-SELECTIVE	Pineapple	Annual grasses & broadleaves	4.5kg/ha, 14 Tbsp/36 L water	-	-	-
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	DIURON	FORMOSA 80 WP	800 g/kg	WP	HERBICIDE	4	376-021-3666	14-Mar-19	SYSTEMIC	Citrus	Annual and Perennial broadleaves and grasses	11.0-15.0Tbsp/36 L water	-	-	-
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	DIURON	FORMOSA 80 WP	800 g/kg	WP	HERBICIDE	4	376-021-3666	14-Mar-19	SYSTEMIC	Coffee	Annual and Perennial broadleaves and grasses	11.0-15.0Tbsp/36 L water	-	-	-
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	DIURON	FORMOSA 80 WP	800 g/kg	WP	HERBICIDE	4	376-021-3666	14-Mar-19	SYSTEMIC	Cotton	Annual and Perennial broadleaves and grasses	8.0Tbsp/36 L water	-	-	-
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	DIURON	FORMOSA 80 WP	800 g/kg	WP	HERBICIDE	4	376-021-3666	14-Mar-19	SYSTEMIC	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0Tbsp/36 L water	-	-	-
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	DIURON	FORMOSA 80 WP	800 g/kg	WP	HERBICIDE	4	376-021-3666	14-Mar-19	SYSTEMIC	Pineapple	Annual and Perennial broadleaves and grasses	11.0Tbsp/36 L water	-	-	-
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	DIURON	FORMOSA 80 WP	800 g/kg	WP	HERBICIDE	4	376-021-3666	14-Mar-19	SYSTEMIC	Non-crop land	Annual and Perennial broadleaves and grasses	20.0-28.0Tbsp/36 L water	-	-	-
TEXICOM AGR VENTURES CORPORATION	DIBROMO 3-NITROPROPIONAMIDE	FORMO	250 g/L	AS	OTHERS	2	242-415-2655	09-Sep-25	-	Banana	As tool disinfectant for the control of Fusarium wilt & bacterial wilt	30-40 ml/L	-	-	-
LEADS ANIMAL HEALTH AND NATURAL SOLUTIONS CORPORATION	FORMALIN+GLUTARALDEHYDE+BENZALKONIUM CHLORIDE	FORMADES	240g/L +40g/L +10g/L	-	OTHERS	2	676-578-5693	31-Dec-24	-	-	Disinfection of animal house of preventing diseases transmission by virus, bacteria, fungi and oospores	-	-	-	-
PHILIPPINE FARMIX SOLUTIONS INC.	THIAMETHOXAM	FORGED 350 FS	350g/L	FS	INSECTICIDE	4	535-312-4287	09-Mar-21	SYSTEMIC	Corn (as seed treatment)	-	-	-	-	-
PHILIPPINE FARMIX SOLUTIONS INC.	THIAMETHOXAM	FORGED 350 FS	350g/L	FS	INSECTICIDE	4	535-312-4287	09-Mar-21	SYSTEMIC	Rice	Green leafhopper, brown planthopper & whitebacked planthopper	-	-	-	-
VANN HAWK AGRO CHEMICALS, INC.	DIFENOCONAZOLE	FOREX 250 EC	250 g/L	EC	FUNGICIDE	4	295-272-3765	15-Feb-25	SYSTEMIC	Banana	Black Sigatoka	0.30-0.40 L prod/ha	-	-	-
VANN HAWK AGRO CHEMICALS, INC.	DIFENOCONAZOLE	FOREX 250 EC	250 g/L	EC	FUNGICIDE	4	295-272-3765	15-Feb-25	SYSTEMIC	Mango	Anthraxnose	0.528-0.88 L/ha	-	34 days	-
VANN HAWK AGRO CHEMICALS, INC.	DIFENOCONAZOLE	FOREX 250 EC	250 g/L	EC	FUNGICIDE	4	295-272-3765	15-Feb-25	SYSTEMIC	Rice	Sheath Blight	0.25-0.30 L/ha	-	-	-

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
VANN HAWK AGRO CHEMICALS, INC.	DIFENOCONAZOLE	FOREX 250 EC	250 g/L	EC	FUNGICIDE	4	295-272-3765	15-Feb-25	SYSTEMIC	Stringbeans	Leaf spot	0.30-0.30/L/ha	-	7 days	-
VANN HAWK AGRO CHEMICALS, INC.	DIFENOCONAZOLE	FOREX 250 EC	250 g/L	EC	FUNGICIDE	4	295-272-3765	15-Feb-25	SYSTEMIC	Eggplant	Leaf Spot	0.30-0.30/L/ha	-	7 days	-
VANN HAWK AGRO CHEMICALS, INC.	DIFENOCONAZOLE	FOREX 250 EC	250 g/L	EC	FUNGICIDE	4	295-272-3765	15-Feb-25	SYSTEMIC	Tomato	Alternaria leaf spot, cercospora leafmld,powdery mildew	0.30-0.30/L/ha	-	7 days	-
VANN HAWK AGRO CHEMICALS, INC.	DIFENOCONAZOLE	FOREX 250 EC	250 g/L	EC	FUNGICIDE	4	295-272-3765	15-Feb-25	SYSTEMIC	Cabbage	Ringspot,alternaria	0.30-0.30/L/ha	-	7 days	-
VANN HAWK AGRO CHEMICALS, INC.	DIFENOCONAZOLE	FOREX 250 EC	250 g/L	EC	FUNGICIDE	4	295-272-3765	15-Feb-25	SYSTEMIC	Onion	Purple blotch	0.40-0.50/L/ha	-	7 days	-
VANN HAWK AGRO CHEMICALS, INC.	DIFENOCONAZOLE	FOREX 250 EC	250 g/L	EC	FUNGICIDE	4	295-272-3765	15-Feb-25	SYSTEMIC	Asparagus	Stem and leaf blight	0.36/L/ha	-	-	-
ACE CROP SOLUTIONS INC.	CHLOROTHALONIL	FORCE FIELD 720 SC	720 g/L	SC	FUNGICIDE	4	530-118-4734	01-Apr-22	-	Potato	Early blight, late blight, vine rot	0.0-1.8 L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ACE CROP SOLUTIONS INC.	CHLOROTHALONIL	FORCE FIELD 720 SC	720 g/L	SC	FUNGICIDE	4	530-118-4734	01-Apr-22	-	Tomato	Early blight, late blight, vine rot	1.25-1.9 L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ACE CROP SOLUTIONS INC.	CHLOROTHALONIL	FORCE FIELD 720 SC	720 g/L	SC	FUNGICIDE	4	530-118-4734	01-Apr-22	-	Beans	Rust, anthracnose	1.25-1.9 L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ACE CROP SOLUTIONS INC.	CHLOROTHALONIL	FORCE FIELD 720 SC	720 g/L	SC	FUNGICIDE	4	530-118-4734	01-Apr-22	-	Carrot	Alternaria leaf spot, cercospora leaf spot, helminthosporium leaf spot	1.25-1.9 L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ACE CROP SOLUTIONS INC.	CHLOROTHALONIL	FORCE FIELD 720 SC	720 g/L	SC	FUNGICIDE	4	530-118-4734	01-Apr-22	-	Cucifers	Powdery mildew	1.25-1.9 L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ACE CROP SOLUTIONS INC.	CHLOROTHALONIL	FORCE FIELD 720 SC	720 g/L	SC	FUNGICIDE	4	530-118-4734	01-Apr-22	-	Cucurbits	Powdery mildew, downy mildew, cercospora, anthracnose, septoria, fruit rot, early and late blight	1.25-1.9 L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ACE CROP SOLUTIONS INC.	CHLOROTHALONIL	FORCE FIELD 720 SC	720 g/L	SC	FUNGICIDE	4	530-118-4734	01-Apr-22	-	Celery	Early blight, late blight	1.25-1.9 L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ACE CROP SOLUTIONS INC.	CHLOROTHALONIL	FORCE FIELD 720 SC	720 g/L	SC	FUNGICIDE	4	530-118-4734	01-Apr-22	-	Eggplant	Early blight, late blight, cercospora, anthracnose	1.25-1.9 L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ACE CROP SOLUTIONS INC.	CHLOROTHALONIL	FORCE FIELD 720 SC	720 g/L	SC	FUNGICIDE	4	530-118-4734	01-Apr-22	-	Onion	Purple blotch, bulb rot, neck rot	1.25-1.9 L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ACE CROP SOLUTIONS INC.	CHLOROTHALONIL	FORCE FIELD 720 SC	720 g/L	SC	FUNGICIDE	4	530-118-4734	01-Apr-22	-	Pepper	Early & Late blight, bulb rot, neck rot	1.25-1.9 L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ACE CROP SOLUTIONS INC.	CHLOROTHALONIL	FORCE FIELD 720 SC	720 g/L	SC	FUNGICIDE	4	530-118-4734	01-Apr-22	-	Grapes	Downy mildew, powdery mildew, fruit rot	1.25-1.9 L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ACE CROP SOLUTIONS INC.	CHLOROTHALONIL	FORCE FIELD 720 SC	720 g/L	SC	FUNGICIDE	4	530-118-4734	01-Apr-22	-	Mango	Anthracoese, diploida rot	1.75-5.40/L/ha	0.5 mg/kg	7-14 days	Do not enter treatment areas until spray deposit have dried
ACE CROP SOLUTIONS INC.	CHLOROTHALONIL	FORCE FIELD 720 SC	720 g/L	SC	FUNGICIDE	4	530-118-4734	01-Apr-22	-	Ornamentals	Black spot, powdery mildew, black rot	1.25-1.9 L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ACE CROP SOLUTIONS INC.	CHLOROTHALONIL	FORCE FIELD 720 SC	720 g/L	SC	FUNGICIDE	4	530-118-4734	01-Apr-22	-	Asparagus	Stem and leaf blight	2.8 L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ACE CROP SOLUTIONS INC.	CHLOROTHALONIL	FORCE FIELD 720 SC	720 g/L	SC	FUNGICIDE	4	530-118-4734	01-Apr-22	-	Banana	Black sigatoka	2.0-2.0 L/ha	2.0 mg/kg	0 day	Do not enter treatment areas until spray deposit have dried
BERRIS AGRICULTURAL CO., INC.	METHOMYL	FORCE 40 SP	400 g/kg	SP	INSECTICIDE	2	233-164-1826-A	20-Jan-26	CONTACT	Asparagus	Armyworm, cutworm	2.0-2.5 Tbsp/16 L sprayer	-	-	Do not enter fields treated with FORCE 40SP within 12 hours after application
BERRIS AGRICULTURAL CO., INC.	METHOMYL	FORCE 40 SP	400 g/kg	SP	INSECTICIDE	2	233-164-1826-A	20-Jan-26	CONTACT	Banana	Thrips	3.5-4.5 Tbsp/16 L sprayer	-	-	Do not enter fields treated with FORCE 40SP within 12 hours after application
BERRIS AGRICULTURAL CO., INC.	METHOMYL	FORCE 40 SP	400 g/kg	SP	INSECTICIDE	2	233-164-1826-A	20-Jan-26	CONTACT	Beans	Leafroller, flea beetle, beanfly, podborer,aphids	2.0-3.5 Tbsp/16 L sprayer	-	-	Do not enter fields treated with FORCE 40SP within 12 hours after application
BERRIS AGRICULTURAL CO., INC.	METHOMYL	FORCE 40 SP	400 g/kg	SP	INSECTICIDE	2	233-164-1826-A	20-Jan-26	CONTACT	Mungbeans	Leafroller, flea beetle, beanfly, podborer,aphids	2.0-3.5 Tbsp/16 L sprayer	-	-	Do not enter fields treated with FORCE 40SP within 12 hours after application
BERRIS AGRICULTURAL CO., INC.	METHOMYL	FORCE 40 SP	400 g/kg	SP	INSECTICIDE	2	233-164-1826-A	20-Jan-26	CONTACT	Soybeans	Leafroller, flea beetle, beanfly, podborer,aphids	2.0-3.5 Tbsp/16 L sprayer	-	-	Do not enter fields treated with FORCE 40SP within 12 hours after application
BERRIS AGRICULTURAL CO., INC.	METHOMYL	FORCE 40 SP	400 g/kg	SP	INSECTICIDE	2	233-164-1826-A	20-Jan-26	CONTACT	Sitao	Leafroller, flea beetle, beanfly, podborer,aphids	2.0-3.5 Tbsp/16 L sprayer	-	-	Do not enter fields treated with FORCE 40SP within 12 hours after application
BERRIS AGRICULTURAL CO., INC.	METHOMYL	FORCE 40 SP	400 g/kg	SP	INSECTICIDE	2	233-164-1826-A	20-Jan-26	CONTACT	Corn	Comboner, earworm	2.0-3.5 Tbsp/16 L sprayer	-	-	Do not enter fields treated with FORCE 40SP within 12 hours after application
BERRIS AGRICULTURAL CO., INC.	METHOMYL	FORCE 40 SP	400 g/kg	SP	INSECTICIDE	2	233-164-1826-A	20-Jan-26	CONTACT	Sorghum	Comboner,earworm	2.0-3.5 Tbsp/16 L sprayer	-	-	Do not enter fields treated with FORCE 40SP within 12 hours after application
BERRIS AGRICULTURAL CO., INC.	METHOMYL	FORCE 40 SP	400 g/kg	SP	INSECTICIDE	2	233-164-1826-A	20-Jan-26	CONTACT	Eggplant	Aphids, flea beetle, fruitworm, lady beetle	2.0-3.5 Tbsp/16 L sprayer	-	-	Do not enter fields treated with FORCE 40SP within 12 hours after application
BERRIS AGRICULTURAL CO., INC.	METHOMYL	FORCE 40 SP	400 g/kg	SP	INSECTICIDE	2	233-164-1826-A	20-Jan-26	CONTACT	Melon	Aphids, Squash beetle, leafroller	2.0-3.5 Tbsp/16 L sprayer	-	-	Do not enter fields treated with FORCE 40SP within 12 hours after application
BERRIS AGRICULTURAL CO., INC.	METHOMYL	FORCE 40 SP	400 g/kg	SP	INSECTICIDE	2	233-164-1826-A	20-Jan-26	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leafroller	2.0-3.5 Tbsp/16 L sprayer	0.05ppm	3 Days	-
BERRIS AGRICULTURAL CO., INC.	METHOMYL	FORCE 40 SP	400 g/kg	SP	INSECTICIDE	2	233-164-1826-A	20-Jan-26	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	2.0-3.5 Tbsp/16 L sprayer	-	-	Do not enter fields treated with FORCE 40SP within 12 hours after application
BERRIS AGRICULTURAL CO., INC.	METHOMYL	FORCE 40 SP	400 g/kg	SP	INSECTICIDE	2	233-164-1826-A	20-Jan-26	CONTACT	Tomato	Tomato fruitworm, aphids	2.0-3.5 Tbsp/16 L sprayer	-	-	Do not enter fields treated with FORCE 40SP within 12 hours after application
JYNNSONS PHILIPPINES, INC.	SPINOSAD	FORBIO 25 SC	250g/L	SC	INSECTICIDE	4	551-306-5726	05-Oct-24	-	Cabbage	Diamond back moth	25-30 ml (2.5-5.0 tbsp per 16 L water)	-	-	Immediately after spray deposit has dried up.
JYNNSONS PHILIPPINES, INC.	SPINOSAD	FORBIO 25 SC	250g/L	SC	INSECTICIDE	4	551-306-5726	05-Oct-24	-	Banana	Thrips	1.0-1.25ml per liter water	-	-	Immediately after spray deposit has dried up.
JYNNSONS PHILIPPINES, INC.	SPINOSAD	FORBIO 25 SC	250g/L	SC	INSECTICIDE	4	551-306-5726	05-Oct-24	-	Eggplant	Fruit and shoot borer	40-65 ml per 16L water	-	-	Immediately after spray deposit has dried up.
JYNNSONS PHILIPPINES, INC.	SPINOSAD	FORBIO 25 SC	250g/L	SC	INSECTICIDE	4	551-306-5726	05-Oct-24	-	Beans	pod borer	30-50ml per 16L water	-	-	Immediately after spray deposit has dried up.
JYNNSONS PHILIPPINES, INC.	SPINOSAD	FORBIO 25 SC	250g/L	SC	INSECTICIDE	4	551-306-5726	05-Oct-24	-	Onion	Thrips, cutworm	40-100ml per 16L water	-	-	Immediately after spray deposit has dried up.
ORACLE CHEM CORPORATION	BUTACHLOR-PROPANIL	FOR D-MO 700 EC	300-700 g/L	EC	HERBICIDE	3	417-238-5530	23-Aug-24	POST-EMERGENT	Rice (Direct-Seeded)	Grasses, Sedges and Broadleaves	9-14 Tbsp. / 16L water	-	-	-
ORACLE CHEM CORPORATION	BUTACHLOR-PROPANIL	FOR D-MO 700 EC	300-700 g/L	EC	HERBICIDE	3	417-238-5530	23-Aug-24	POST-EMERGENT	Rice (Transplanted)	Grasses, Sedges and Broadleaves	9-14 Tbsp. / 16L water	-	-	-
AGRO RIS PHILIPPINES, INC.	METAMFOP	FOPCARO 100 EC	100 g/L	EC	HERBICIDE	4	712-409-6010	29-Apr-25	POST-EMERGENT	Rice (Direct-Seeded)	Grasses (Echinochloa sp., Lysitochloa chinensis, and Ischaemum vagatum)	760 ml, 1 liter product/ ha	-	-	-
BAYER CROSCIENCE, INC.	TEBUCONAZOLE	FOLICUR SC 430	430 g/L	SC	FUNGICIDE	4	284-259-0799	09-Nov-25	SYSTEMIC	Banana	Sigatoka	0.23L prod./ha	-	0 day	After spray deposits have dried
BAYER CROSCIENCE, INC.	TEBUCONAZOLE	FOLICUR SC 430	430 g/L	SC	FUNGICIDE	4	284-259-0799	09-Nov-25	SYSTEMIC	Corn	Rust	25-30mL/16 L water	-	-	After spray deposits have dried
BAYER CROSCIENCE, INC.	TEBUCONAZOLE	FOLICUR 25 WP	250 g/L	WP	FUNGICIDE	4	284-259-1730	28-Dec-25	SYSTEMIC	Mango	Anthracoese	35-45mL/100 L water	-	22 days	After spray deposits have dried
BAYER CROSCIENCE, INC.	TEBUCONAZOLE	FOLICUR 25 WP	250 g/L	WP	FUNGICIDE	4	284-259-1730	28-Dec-25	SYSTEMIC	Mango	Anthracoese & stem-end rot	50-75 (g/100 liters water)	-	22 days	When spray deposits have dried
BAYER CROSCIENCE, INC.	TEBUCONAZOLE	FOLICUR 25 WP	250 g/L	WP	FUNGICIDE	4	284-259-1730	28-Dec-25	SYSTEMIC	Rice	Sheath-Blight	30-50g/16 liters water	0.05ppm	55 days	When spray deposits have dried
BAYER CROSCIENCE, INC.	TEBUCONAZOLE	FOLICUR 25 WP	250 g/L	WP	FUNGICIDE	4	284-259-1730	28-Dec-25	SYSTEMIC	Cabbage	Alternaria & leaf spot	25-30 g/16 liters water	-	7 days	When spray deposits have dried
BAYER CROSCIENCE, INC.	TEBUCONAZOLE	FOLICUR 25 WP	250 g/L	WP	FUNGICIDE	4	284-259-1730	28-Dec-25	SYSTEMIC	Potato	Early blight	25-30 g/16 liters water	-	30 days	When spray deposits have dried
BAYER CROSCIENCE, INC.	TEBUCONAZOLE	FOLICUR 25 WP	250 g/L	WP	FUNGICIDE	4	284-259-1730	28-Dec-25	SYSTEMIC	Tobacco	Frog-eye leaf spot	25-25 g/16 liters water	-	-	When spray deposits have dried
TEAMAGRO TRADING CORPORATION	CHLOROTHALONIL	FOGINIL 720 SC	720g/L	SC	FUNGICIDE	4	248-118-4536	20-May-24	-	Ornamentals	Black spot, Black rot, Neck rot	4.5-6.0 Tbsp	-	7-14 days	Do not enter treatment areas until spray deposit have dried
TEAMAGRO TRADING CORPORATION	CHLOROTHALONIL	FOGINIL 720 SC	720g/L	SC	FUNGICIDE	4	248-118-4536	20-May-24	-	Pepper	Early and late blight, bulb rot, neck rot	4.5-6.0 Tbsp	-	7-14 days	Do not enter treatment areas until spray deposit have dried
TEAMAGRO TRADING CORPORATION	CHLOROTHALONIL	FOGINIL 720 SC	720g/L	SC	FUNGICIDE	4	248-118-4536	20-May-24	-	Onion	Purple blotch, bulb rot, neck rot	4.5-6.0 Tbsp	-	7-14 days	Do not enter treatment areas until spray deposit have dried
TEAMAGRO TRADING CORPORATION	CHLOROTHALONIL	FOGINIL 720 SC	720g/L	SC	FUNGICIDE	4	248-118-4536	20-May-24	-	Mango	Anthracoese, diploida rot	4.5-6.0 Tbsp	-	7-14 days	Do not enter treatment areas until spray deposit have dried
TEAMAGRO TRADING CORPORATION	CHLOROTHALONIL	FOGINIL 720 SC	720g/L	SC	FUNGICIDE	4	248-118-4536	20-May-24	-	Grapes	Downy mildew, powdery mildew, fruit rot	4.5-6.0 Tbsp	-	7-14 days	Do not enter treatment areas until spray deposit have dried
TEAMAGRO TRADING CORPORATION	CHLOROTHALONIL	FOGINIL 720 SC	720g/L	SC	FUNGICIDE	4	248-118-4536	20-May-24	-	Eggplant	Early and late blight, cercospora, anthracnose	4.5-6.0 Tbsp	-	7-14 days	Do not enter treatment areas until spray deposit have dried

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD	
TEAMAGRO TRADING CORPORATION	CHLOROTHALONIL	FOGINIL 720 SC	720g/L	SC	FUNGICIDE	4	248-118-4536	20 May-24	-	Celery	Early and late blight	4.5-6.0 Tbsp	-	7-14 days	Do not enter treatment areas until spray deposit have dried	
TEAMAGRO TRADING CORPORATION	CHLOROTHALONIL	FOGINIL 720 SC	720g/L	SC	FUNGICIDE	4	248-118-4536	20 May-24	-	Cucurbits	Powdery mildew, downy mildew, cercospora, anthracnose, septoria, fruit rot, early and late blight	4.5-6.0 Tbsp	-	7-14 days	Do not enter treatment areas until spray deposit have dried	
TEAMAGRO TRADING CORPORATION	CHLOROTHALONIL	FOGINIL 720 SC	720g/L	SC	FUNGICIDE	4	248-118-4536	20 May-24	-	Cruifers	Powdery mildew	4.5-6.0 Tbsp	-	7-14 days	Do not enter treatment areas until spray deposit have dried	
TEAMAGRO TRADING CORPORATION	CHLOROTHALONIL	FOGINIL 720 SC	720g/L	SC	FUNGICIDE	4	248-118-4536	20 May-24	-	Carrot	Alternaria, cercospora, helminthosporium	4.5-6.0 Tbsp	-	7-14 days	Do not enter treatment areas until spray deposit have dried	
TEAMAGRO TRADING CORPORATION	CHLOROTHALONIL	FOGINIL 720 SC	720g/L	SC	FUNGICIDE	4	248-118-4536	20 May-24	-	Beans	Rust, anthracnose	4.5-6.0 Tbsp	-	7-14 days	Do not enter treatment areas until spray deposit have dried	
TEAMAGRO TRADING CORPORATION	CHLOROTHALONIL	FOGINIL 720 SC	720g/L	SC	FUNGICIDE	4	248-118-4536	20 May-24	-	Tomato	Early and late blight, vine rot	4.5-6.0 Tbsp	-	7-14 days	Do not enter treatment areas until spray deposit have dried	
TEAMAGRO TRADING CORPORATION	CHLOROTHALONIL	FOGINIL 720 SC	720g/L	SC	FUNGICIDE	4	248-118-4536	20 May-24	-	Potato	Early and late blight, vine rot	4.5-6.0 Tbsp	-	7-14 days	Do not enter treatment areas until spray deposit have dried	
TEAMAGRO TRADING CORPORATION	CHLOROTHALONIL	FOGINIL 720 SC	720g/L	SC	FUNGICIDE	4	248-118-4536	20 May-24	-	Asparagus	Stem and leaf blight	1.80 L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried	
TEAMAGRO TRADING CORPORATION	CHLOROTHALONIL	FOGINIL 720 SC	720g/L	SC	FUNGICIDE	4	248-118-4536	20 May-24	-	Banana	Black sigatoka	1.0-2.0 L/ha	-	0 day	Do not enter treatment areas until spray deposit have dried	
ZAGRO CORPORATION	FOSETYL-ALUMINUM	FOCUZA 80 WP	800 g/kg	WP	FUNGICIDE	4	043-154-2944	27-Aug-25	SYSTEMIC	Pineapple	Heart rot	2.5, 2.5-9 grams product/liters; 55, 56-110 product (g/16L)	-	-	-	
ZAGRO CORPORATION	FOSETYL-ALUMINUM	FOCUZA 80 WP	800 g/kg	WP	FUNGICIDE	4	043-154-2944	27-Aug-25	SYSTEMIC	Coconut	Wet-bud & nut rot	7 grams product/liters; 180 product (g/16L)	-	-	-	
ZAGRO CORPORATION	FOSETYL-ALUMINUM	FOCUZA 80 WP	800 g/kg	WP	FUNGICIDE	4	043-154-2944	27-Aug-25	SYSTEMIC	Rubber	Black stripe	Preventive treatment 10, Curative treatment 20 grams product/ liters	-	-	-	
ZAGRO CORPORATION	FOSETYL-ALUMINUM	FOCUZA 80 WP	800 g/kg	WP	FUNGICIDE	4	043-154-2944	27-Aug-25	SYSTEMIC	Cacao	Black pod	2.5 grams product/liters; 55 product (g/16L)	-	-	-	
ZAGRO CORPORATION	FOSETYL-ALUMINUM	FOCUZA 80 WP	800 g/kg	WP	FUNGICIDE	4	043-154-2944	27-Aug-25	SYSTEMIC	Orchids	Black rot	2.5 grams product/liters; 55 product (g/16L)	-	-	-	
ENVIGO CROPLET PRODUCTS INC.	CYPERMETHRIN+TETRAMETHRIN+PIPERONYL BUTOXIDE	EVKILL 32 EC	120+40+160 g/L	EC	INSECTICIDE	3	262-532-5170	20-Sep-25	-	Swine and poultry farms	Adult flies	-	-	-	-	
SULI AGROSCENCES PHILIPPINES INC.	FLUAZINAM	FLVIE 500 SC	500 g/L	SC	FUNGICIDE	4	602-301-6101	30-Mar-26	-	Potato	Late blight	15-20 ml. prod/ 16 L water	-	-	14 days before harvest for potato. 7 days before harvest for onion	Re-entry to the treated field is allowed as soon as spray dries up
SULI AGROSCENCES PHILIPPINES INC.	FLUAZINAM	FLVIE 500 SC	500 g/L	SC	FUNGICIDE	4	602-301-6101	30-Mar-26	-	Onion	Purple blotch	15-20 ml. prod/ 16 L water	-	-	14 days before harvest for potato. 7 days before harvest for onion	Re-entry to the treated field is allowed as soon as spray dries up
LEADS ENVIRONMENTAL HEALTH PRODUCTS CORPORATION	NOVALURON	FLYCON 10 EC	100 g/L	EC	INSECTICIDE	4	645-949-5912	30-Jul-26	-	Cabbage	Diamond back moth	1-2 tbsp/16L	-	-	Do not spray FLYCON 10EC at least one week before harvest	Entry to field and crops treated with FLYCON 10 EC can be done one day after spraying
LEADS ANIMAL HEALTH AND NATURAL SOLUTIONS CORPORATION	DMOTEFURAN	FLY CEEK 0.5 GB	5 g/kg	GB	INSECTICIDE	4	676-554-5553	31-Dec-24	-	-	Houseflies in animal facilities	-	-	-	-	-
ZAGRO CORPORATION	FLUAZOP-P-BUTYL	FLUA-ZAC 15 EC	150 g/L	EC	HERBICIDE	4	043-212-6448	18-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Banana	Grasses; itchgrass, goosegrass, sour pasapalum,jungle juice, crabgrasses, bermuda grasses & crowfoot grass	30-50 mL/ 16L water	-	-	-	-
ZAGRO CORPORATION	FLUAZOP-P-BUTYL	FLUA-ZAC 15 EC	150 g/L	EC	HERBICIDE	4	043-212-6448	18-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Cacao	Grasses; itchgrass, goosegrass, sour pasapalum,jungle juice, crabgrasses, bermuda grasses & crowfoot grass	30-50 mL/ 16L water	-	-	-	-
ZAGRO CORPORATION	FLUAZOP-P-BUTYL	FLUA-ZAC 15 EC	150 g/L	EC	HERBICIDE	4	043-212-6448	18-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Coffee	Grasses; itchgrass, goosegrass, sour pasapalum,jungle juice, crabgrasses, bermuda grasses & crowfoot grass	30-50 mL/ 16L water	-	-	-	-
ZAGRO CORPORATION	FLUAZOP-P-BUTYL	FLUA-ZAC 15 EC	150 g/L	EC	HERBICIDE	4	043-212-6448	18-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Citrus	Grasses; itchgrass, goosegrass, sour pasapalum,jungle juice, crabgrasses, bermuda grasses & crowfoot grass	30-50 mL/ 16L water	-	-	-	-
ZAGRO CORPORATION	FLUAZOP-P-BUTYL	FLUA-ZAC 15 EC	150 g/L	EC	HERBICIDE	4	043-212-6448	18-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Cotton	Grasses; itchgrass, goosegrass, sour pasapalum,jungle juice, crabgrasses, bermuda grasses & crowfoot grass	30-50 mL/ 16L water	-	-	-	-
ZAGRO CORPORATION	FLUAZOP-P-BUTYL	FLUA-ZAC 15 EC	150 g/L	EC	HERBICIDE	4	043-212-6448	18-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Oil palm	Grasses; itchgrass, goosegrass, sour pasapalum,jungle juice, crabgrasses, bermuda grasses & crowfoot grass	-	-	-	-	-
ZAGRO CORPORATION	FLUAZOP-P-BUTYL	FLUA-ZAC 15 EC	150 g/L	EC	HERBICIDE	4	043-212-6448	18-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Onion	Grasses; itchgrass, goosegrass, sour pasapalum,jungle juice, crabgrasses, bermuda grasses & crowfoot grass	30-50 mL/ 16L water	-	-	-	-
ZAGRO CORPORATION	FLUAZOP-P-BUTYL	FLUA-ZAC 15 EC	150 g/L	EC	HERBICIDE	4	043-212-6448	18-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Pineapple	Grasses; itchgrass, goosegrass, sour pasapalum,jungle juice, crabgrasses, bermuda grasses & crowfoot grass	30-50 mL/ 16L water	-	-	-	-
ZAGRO CORPORATION	FLUAZOP-P-BUTYL	FLUA-ZAC 15 EC	150 g/L	EC	HERBICIDE	4	043-212-6448	18-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Rubber	Grasses; itchgrass, goosegrass, sour pasapalum,jungle juice, crabgrasses, bermuda grasses & crowfoot grass	-	-	-	-	-
ZAGRO CORPORATION	FLUAZOP-P-BUTYL	FLUA-ZAC 15 EC	150 g/L	EC	HERBICIDE	4	043-212-6448	18-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Soybeans	Grasses; itchgrass, goosegrass, sour pasapalum,jungle juice, crabgrasses, bermuda grasses & crowfoot grass	30-50 mL/ 16L water	-	-	-	-
ZAGRO CORPORATION	FLUAZOP-P-BUTYL	FLUA-ZAC 15 EC	150 g/L	EC	HERBICIDE	4	043-212-6448	18-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Tomato	Grasses; itchgrass, goosegrass, sour pasapalum,jungle juice, crabgrasses, bermuda grasses & crowfoot grass	30-50 mL/ 16L water	-	-	-	-
ZAGRO CORPORATION	FLUAZOP-P-BUTYL	FLUA-ZAC 15 EC	150 g/L	EC	HERBICIDE	4	043-212-6448	18-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Cassava	Annual and perennial grass weeds	20-30 mL/ 16L water	-	-	-	-
ZAGRO CORPORATION	FLUAZOP-P-BUTYL	FLUA-ZAC 15 EC	150 g/L	EC	HERBICIDE	4	043-212-6448	18-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Rice (Direct Seeded lowland)	Grasses, sedges & broadleaves	240-300 mL/ha	-	-	As soon as spray deposits dry up	-
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	FPFONIL	FUPPER 5 SC	50 g/L	SC	INSECTICIDE	3	409-244-3615	15-Dec-21	CONTACT	Rice	Stemborer, brown planthopper, leafhopper, rice bug	1.3-2.0, 2.0-3.0, 2.7-4.0tbsp./16L	0.01ppm	10 days	-	-
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	FPFONIL	FUPPER 5 SC	50 g/L	SC	INSECTICIDE	3	409-244-3615	15-Dec-21	CONTACT	Cabbage	Diamond backed moth	1.3-2.0, 2.0-3.0, 2.7-4.0tbsp./16L	-	-	-	-
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	FPFONIL	FUPPER 5 SC	50 g/L	SC	INSECTICIDE	3	409-244-3615	15-Dec-21	CONTACT	Watermelon	Thrips, leaf beetles	2.5-3.0tbsp./16L	-	-	-	-
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	FPFONIL	FUPPER 5 SC	50 g/L	SC	INSECTICIDE	3	409-244-3615	15-Dec-21	CONTACT	Onion	Cutworm	5.33tbsp./16L	-	-	-	-
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	FPFONIL	FUPPER 5 SC	50 g/L	SC	INSECTICIDE	3	409-244-3615	15-Dec-21	CONTACT	Eggplant	Shoot borer	1.0-4.0tbsp./16L	-	-	-	-
AGSPEC PHILIPPINES CORPORATION	FPFONIL	FUPPER 5 SC	50 g/L	SC	INSECTICIDE	3	508-244-3522	24-Aug-21	CONTACT	Rice	Stemborer, brown planthopper, leafhopper, rice bug	1.3-2.0, 2.0-3.0, 2.7-4.0tbsp./16L	0.01ppm	Do not apply 7 days before harvest	-	One day after application
AGSPEC PHILIPPINES CORPORATION	FPFONIL	FUPPER 5 SC	50 g/L	SC	INSECTICIDE	3	508-244-3522	24-Aug-21	CONTACT	Cabbage	Diamond backed moth	1.5-2.5, 2.5-3.75, 3.0-5.0tbsp./16L	-	Do not apply 7 days before harvest	-	One day after application
AGSPEC PHILIPPINES CORPORATION	FPFONIL	FUPPER 5 SC	50 g/L	SC	INSECTICIDE	3	508-244-3522	24-Aug-21	CONTACT	Watermelon	Thrips, leaf beetles	2.5-3.0tbsp./16L	-	Do not apply 7 days before harvest	-	One day after application
AGSPEC PHILIPPINES CORPORATION	FPFONIL	FUPPER 5 SC	50 g/L	SC	INSECTICIDE	3	508-244-3522	24-Aug-21	CONTACT	Onion	Cutworm	5.33tbsp./16L	-	Do not apply 7 days before harvest	-	One day after application
AGSPEC PHILIPPINES CORPORATION	FPFONIL	FUPPER 5 SC	50 g/L	SC	INSECTICIDE	3	508-244-3522	24-Aug-21	CONTACT	Eggplant	Shoot borer	1.0-4.0tbsp./16L	-	Do not apply 7 days before harvest	-	One day after application
BERRIS AGRICULTURAL CO., INC.	NICLOXAMIDE ETHANOLAMINE SALT	FLIP 70 WP	500 g/kg	WP	MOLLUSCICIDE	4	233-229-0987	16-Jun-26	CONTACT	Rice	Golden apple Snail	15 grams (1 sachet) prod/ load	-	-	48 hours after spraying	-
BAYER CROSCIENCE, INC.	PROPIENB+TRIFLOXYSTROBIN	FLUNT PRO WG 64.8	613 g/kg+35 g/kg	WG	FUNGICIDE	3	264-598-5866	22-Sep-25	-	Potato	Early blight	30-100 grams prod / tankload 750-2500 grams prod / ha.	-	-	14 days	Do not enter treated area before the spray deposit has dried completely (for atleast 12 hours after application
BAYER CROSCIENCE, INC.	PROPIENB+TRIFLOXYSTROBIN	FLUNT PRO WG 64.8	613 g/kg+35 g/kg	WG	FUNGICIDE	3	264-598-5866	22-Sep-25	-	Cabbage	Alternaria leafspot	30-100 grams prod / tankload 750-2500 grams prod / ha.	-	-	14 days	Do not enter treated area before the spray deposit has dried completely (for atleast 12 hours after application
BAYER CROSCIENCE, INC.	PROPIENB+TRIFLOXYSTROBIN	FLUNT PRO WG 64.8	613 g/kg+35 g/kg	WG	FUNGICIDE	3	264-598-5866	22-Sep-25	-	Onion	Purple blotch	0.750-2.5 kg prod / ha	0.5 mg/kg Propineb	14 days	Do not enter treated area before the spray deposit has dried completely (for atleast 12 hours after application	
BIOSTADT PHILIPPINES INC.	FLUCETOSULFURON	FLEXO 10 WG	100 g/kg	WG	HERBICIDE	4	097-500-4668	23-Jul-24	-	Rice (Direct-Seeded)	Grasses, Sedges & Broadleaf weeds	140-300 g prod / ha. At 140-200 L / ha. Spray volume	0.1 ppm	71 days	-	-
BIOSTADT PHILIPPINES INC.	FLUCETOSULFURON	FLEXO 10 WG	100 g/kg	WG	HERBICIDE	4	097-500-4668	23-Jul-24	-	Rice (transplanted)	Grasses, Sedges & Broadleaf weeds	100-300g product pre hectare; 7-28 days after transplanting	0.1 ppm	71 days	-	-
RAINBOW AGROSCENCES PHILIPPINES INC.	FLUAZOP-P-BUTYL	FLEXICIDE 150 EC	150 g/L	EC	HERBICIDE	4	539-212-4027	18-Jan-25	SYSTEMIC/SELECTIVE(POST-EMERGENT)	Banana	Grasses;itchgrass,goosegrass,sour pasapalum,jungle juice,crabgrasses,bermuda grass,crowfoot grass, & cassava for the control of annual & perennial	30-50mL/16L water	-	-	-	-
RAINBOW AGROSCENCES PHILIPPINES INC.	FLUAZOP-P-BUTYL	FLEXICIDE 150 EC	150 g/L	EC	HERBICIDE	4	539-212-4027	18-Jan-25	SYSTEMIC/SELECTIVE(POST-EMERGENT)	Cacao	Grasses;itchgrass,goosegrass,sour pasapalum,jungle juice,crabgrasses,bermuda grass,crowfoot grass, & cassava for the control of annual & perennial	30-50mL/16L water	-	-	-	-
RAINBOW AGROSCENCES PHILIPPINES INC.	FLUAZOP-P-BUTYL	FLEXICIDE 150 EC	150 g/L	EC	HERBICIDE	4	539-212-4027	18-Jan-25	SYSTEMIC/SELECTIVE(POST-EMERGENT)	Citrus	Grasses;itchgrass,goosegrass,sour pasapalum,jungle juice,crabgrasses,bermuda grass,crowfoot grass, & cassava for the control of annual & perennial	30-50mL/16L water	-	-	-	-
RAINBOW AGROSCENCES PHILIPPINES INC.	FLUAZOP-P-BUTYL	FLEXICIDE 150 EC	150 g/L	EC	HERBICIDE	4	539-212-4027	18-Jan-25	SYSTEMIC/SELECTIVE(POST-EMERGENT)	Cotton	Grasses;itchgrass,goosegrass,sour pasapalum,jungle juice,crabgrasses,bermuda grass,crowfoot grass, & cassava for the control of annual & perennial	30-50mL/16L water	-	-	-	-
RAINBOW AGROSCENCES PHILIPPINES INC.	FLUAZOP-P-BUTYL	FLEXICIDE 150 EC	150 g/L	EC	HERBICIDE	4	539-212-4027	18-Jan-25	SYSTEMIC/SELECTIVE(POST-EMERGENT)	Coffee	Grasses;itchgrass,goosegrass,sour pasapalum,jungle juice,crabgrasses,bermuda grass,crowfoot grass, & cassava for the control of annual & perennial	30-50mL/16L water	-	-	-	-
RAINBOW AGROSCENCES PHILIPPINES INC.	FLUAZOP-P-BUTYL	FLEXICIDE 150 EC	150 g/L	EC	HERBICIDE	4	539-212-4027	18-Jan-25	SYSTEMIC/SELECTIVE(POST-EMERGENT)	Oil palm	Grasses;itchgrass,goosegrass,sour pasapalum,jungle juice,crabgrasses,bermuda grass,crowfoot grass, & cassava for the control of annual & perennial	30-50mL/16L water	-	-	-	-
RAINBOW AGROSCENCES PHILIPPINES INC.	FLUAZOP-P-BUTYL	FLEXICIDE 150 EC	150 g/L	EC	HERBICIDE	4	539-212-4027	18-Jan-25	SYSTEMIC/SELECTIVE(POST-EMERGENT)	Ramie	Grasses;itchgrass,goosegrass,sour pasapalum,jungle juice,crabgrasses,bermuda grass,crowfoot grass, & cassava for the control of annual & perennial	30-50mL/16L water	-	-	-	-

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD	
SYNGENTA PHILIPPINES INC.	CHLOROTHALONIL	FLEX 720 SC	720 g/L	SC	FUNGICIDE	4	432-118-3708	18-Feb-24	-	Onion	Purple blotch, bulb rot, neck rot	1.25-1.80 L/ha or 4.5-6.0 tbsp/36L	-	7-14 days for all crops	Re-entry into treated areas may be done as soon as spray solution has dried	
SYNGENTA PHILIPPINES INC.	CHLOROTHALONIL	FLEX 720 SC	720 g/L	SC	FUNGICIDE	4	432-118-3708	18-Feb-24	-	Pepper	Early and late blight, bulb rot, neck rot	1.25-1.80 L/ha or 4.5-6.0 tbsp/36L	-	7-14 days for all crops	Re-entry into treated areas may be done as soon as spray solution has dried	
SYNGENTA PHILIPPINES INC.	CHLOROTHALONIL	FLEX 720 SC	720 g/L	SC	FUNGICIDE	4	432-118-3708	18-Feb-24	-	Grapes	Downy mildew, powdery mildew, fruit rot	1.25-1.80 L/ha or 4.5-6.0 tbsp/36L	-	7-14 days for all crops	Re-entry into treated areas may be done as soon as spray solution has dried	
SYNGENTA PHILIPPINES INC.	CHLOROTHALONIL	FLEX 720 SC	720 g/L	SC	FUNGICIDE	4	432-118-3708	18-Feb-24	-	Mango	Anthraxnose, diploidi rot	1.75-5.60 L/ha or 4.5-6.0 tbsp/36 L	-	7-14 days for all crops	Re-entry into treated areas may be done as soon as spray solution has dried	
SYNGENTA PHILIPPINES INC.	CHLOROTHALONIL	FLEX 720 SC	720 g/L	SC	FUNGICIDE	4	432-118-3708	18-Feb-24	-	Ornamentals	Black spot, powdery mildew, black rot	1.25-1.80 L/ha or 4.5-6.0 tbsp/36L	-	7-14 days for all crops	Re-entry into treated areas may be done as soon as spray solution has dried	
SYNGENTA PHILIPPINES INC.	CHLOROTHALONIL	FLEX 720 SC	720 g/L	SC	FUNGICIDE	4	432-118-3708	18-Feb-24	-	Asparagus	Stem and leaf blight	1.80 L/ha or 3.2-4.8 tbsp/36	-	7-14 days for all crops	Re-entry into treated areas may be done as soon as spray solution has dried	
SYNGENTA PHILIPPINES INC.	CHLOROTHALONIL	FLEX 720 SC	720 g/L	SC	FUNGICIDE	4	432-118-3708	18-Feb-24	-	Banana	Black sigatoka	1.38 L/ha or 3.2-4.8 tbsp/36	-	7-14 days for all crops	Re-entry into treated areas may be done as soon as spray solution has dried	
UPL PHILIPPINES, INC.	PYRIMETHANIL	FLURUS 400 SC	400 g/L	SC	FUNGICIDE	4	565-345-4791	15-Jun-24	-	Cavendish Banana	Black sigatoka	700 ml/ha	-	Do not harvest for 8 days after the last spray application	Do not allow entry into treated areas until spray deposits have dried. When prior entry is necessary, wear cotton coveralls and PVC gloves. Wash thoroughly all	
WISHCROPS, INC.	BENOMYL	FLAWLESS G 50 WP	500 g/kg	WP	FUNGICIDE	4	644-167-4916	09-Aug-24	SYSTEMIC	Mungbeans	Powdery mildew, cercospora leaf spot	1-2 Tbsp/36L water	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray deposits	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray deposits	
WISHCROPS, INC.	BENOMYL	FLAWLESS G 50 WP	500 g/kg	WP	FUNGICIDE	4	644-167-4916	09-Aug-24	SYSTEMIC	Beans	Powdery mildew, cercospora leaf spot	1-2 Tbsp/36L water	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray deposits	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray deposits	
WISHCROPS, INC.	BENOMYL	FLAWLESS G 50 WP	500 g/kg	WP	FUNGICIDE	4	644-167-4916	09-Aug-24	SYSTEMIC	Cabbage	Cercospora leaf spot	1-2 Tbsp/36L water	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray deposits	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray deposits	
WISHCROPS, INC.	BENOMYL	FLAWLESS G 50 WP	500 g/kg	WP	FUNGICIDE	4	644-167-4916	09-Aug-24	SYSTEMIC	Calamansi	Scab	1-2 Tbsp/36L water	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray deposits	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray deposits	
WISHCROPS, INC.	BENOMYL	FLAWLESS G 50 WP	500 g/kg	WP	FUNGICIDE	4	644-167-4916	09-Aug-24	SYSTEMIC	Cucumber	Powdery mildew	1-2 Tbsp/36L water	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray deposits	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray deposits	
WISHCROPS, INC.	BENOMYL	FLAWLESS G 50 WP	500 g/kg	WP	FUNGICIDE	4	644-167-4916	09-Aug-24	SYSTEMIC	Singer	Cercospora leaf spot	1-2 Tbsp/36L water	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray deposits	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray deposits	
WISHCROPS, INC.	BENOMYL	FLAWLESS G 50 WP	500 g/kg	WP	FUNGICIDE	4	644-167-4916	09-Aug-24	SYSTEMIC	Grapes	Powdery mildew	1-2 Tbsp/36L water	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray deposits	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray deposits	
WISHCROPS, INC.	BENOMYL	FLAWLESS G 50 WP	500 g/kg	WP	FUNGICIDE	4	644-167-4916	09-Aug-24	SYSTEMIC	Mandarin	Scab	1-2 Tbsp/36L water	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray deposits	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray deposits	
WISHCROPS, INC.	BENOMYL	FLAWLESS G 50 WP	500 g/kg	WP	FUNGICIDE	4	644-167-4916	09-Aug-24	SYSTEMIC	Mango	Anthraxnose, powdery mildew	1-2 Tbsp/36L water	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray deposits	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray deposits	
WISHCROPS, INC.	BENOMYL	FLAWLESS G 50 WP	500 g/kg	WP	FUNGICIDE	4	644-167-4916	09-Aug-24	SYSTEMIC	Melon	Powdery mildew	1-2 Tbsp/36L water	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray deposits	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray deposits	
WISHCROPS, INC.	BENOMYL	FLAWLESS G 50 WP	500 g/kg	WP	FUNGICIDE	4	644-167-4916	09-Aug-24	SYSTEMIC	Orange	Scab	1-2 Tbsp/36L water	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray deposits	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray deposits	
WISHCROPS, INC.	BENOMYL	FLAWLESS G 50 WP	500 g/kg	WP	FUNGICIDE	4	644-167-4916	09-Aug-24	SYSTEMIC	Papaya	Powdery mildew	1-2 Tbsp/36L water	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray deposits	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray deposits	
WISHCROPS, INC.	BENOMYL	FLAWLESS G 50 WP	500 g/kg	WP	FUNGICIDE	4	644-167-4916	09-Aug-24	SYSTEMIC	Pepper	Cercospora leaf spot	1-2 Tbsp/36L water	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray deposits	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray deposits	
WISHCROPS, INC.	BENOMYL	FLAWLESS G 50 WP	500 g/kg	WP	FUNGICIDE	4	644-167-4916	09-Aug-24	SYSTEMIC	Rice	Blast, sheath blight	3-4 Tbsp/36L water	1.0 ppm	7 days	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray deposits	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray deposits
WISHCROPS, INC.	BENOMYL	FLAWLESS G 50 WP	500 g/kg	WP	FUNGICIDE	4	644-167-4916	09-Aug-24	SYSTEMIC	Strawberry	Cercospora leaf spot	1-2 Tbsp/36L water	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray deposits	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray deposits	
WISHCROPS, INC.	BENOMYL	FLAWLESS G 50 WP	500 g/kg	WP	FUNGICIDE	4	644-167-4916	09-Aug-24	SYSTEMIC	Tobacco	Leaf mold, frog eye	1-2 Tbsp/36L water	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray deposits	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray deposits	
WISHCROPS, INC.	BENOMYL	FLAWLESS G 50 WP	500 g/kg	WP	FUNGICIDE	4	644-167-4916	09-Aug-24	SYSTEMIC	Banana	Black sigatoka	380 g/ha	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray deposits	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray deposits	
CULTIVA INCORPORATED	CYPERMETHRIN	FLASH S EC	50 g/L	EC	INSECTICIDE	4	201-037-0727	21-Jul-25	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/36 L water	-	7 Days	Entry to fields and crops treated with FLASH S EC can be done as soon as spray deposits dry	
CULTIVA INCORPORATED	CYPERMETHRIN	FLASH S EC	50 g/L	EC	INSECTICIDE	4	201-037-0727	21-Jul-25	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leafhopper, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/36 L water	-	7 Days	Entry to fields and crops treated with FLASH S EC can be done as soon as spray deposits dry	
CULTIVA INCORPORATED	CYPERMETHRIN	FLASH S EC	50 g/L	EC	INSECTICIDE	4	201-037-0727	21-Jul-25	CONTACT	Cabbage	Diamond-back-moth, cabbage moth, worm	1.0-3.0 Tbsp/36 L water	-	7 Days	Entry to fields and crops treated with FLASH S EC can be done as soon as spray deposits dry	
CULTIVA INCORPORATED	CYPERMETHRIN	FLASH S EC	50 g/L	EC	INSECTICIDE	4	201-037-0727	21-Jul-25	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/36 L water	-	7 Days	Entry to fields and crops treated with FLASH S EC can be done as soon as spray deposits dry	
CULTIVA INCORPORATED	CYPERMETHRIN	FLASH S EC	50 g/L	EC	INSECTICIDE	4	201-037-0727	21-Jul-25	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/36 L water	-	7 Days	Entry to fields and crops treated with FLASH S EC can be done as soon as spray deposits dry	
CULTIVA INCORPORATED	CYPERMETHRIN	FLASH S EC	50 g/L	EC	INSECTICIDE	4	201-037-0727	21-Jul-25	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/36 L water	-	7 Days	Entry to fields and crops treated with FLASH S EC can be done as soon as spray deposits dry	
CULTIVA INCORPORATED	CYPERMETHRIN	FLASH S EC	50 g/L	EC	INSECTICIDE	4	201-037-0727	21-Jul-25	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/36 L water	-	7 Days	Entry to fields and crops treated with FLASH S EC can be done as soon as spray deposits dry	
CULTIVA INCORPORATED	CYPERMETHRIN	FLASH S EC	50 g/L	EC	INSECTICIDE	4	201-037-0727	21-Jul-25	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/36 L water	-	7 Days	Entry to fields and crops treated with FLASH S EC can be done as soon as spray deposits dry	
CULTIVA INCORPORATED	CYPERMETHRIN	FLASH S EC	50 g/L	EC	INSECTICIDE	4	201-037-0727	21-Jul-25	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/36 L water	-	7 Days	Entry to fields and crops treated with FLASH S EC can be done as soon as spray deposits dry	
CULTIVA INCORPORATED	CYPERMETHRIN	FLASH S EC	50 g/L	EC	INSECTICIDE	4	201-037-0727	21-Jul-25	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/36 L water	-	7 Days	Entry to fields and crops treated with FLASH S EC can be done as soon as spray deposits dry	
CULTIVA INCORPORATED	CYPERMETHRIN	FLASH S EC	50 g/L	EC	INSECTICIDE	4	201-037-0727	21-Jul-25	CONTACT	Corn	Comborer, earworm	1.0-4.5 Tbsp/36 L water	-	7 Days	Entry to fields and crops treated with FLASH S EC can be done as soon as spray deposits dry	
ACE CROP SOLUTIONS INC.	LAMBDA-CYHALOTHIRIN	FLARE 2.5 EC	25 g/L	EC	INSECTICIDE	2	530-204-3150	22-Apr-25	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leafhopper, black bug	1.0-1.5 Tbsp/36 L of water	0.05ppm	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray deposits dry	
ACE CROP SOLUTIONS INC.	LAMBDA-CYHALOTHIRIN	FLARE 2.5 EC	25 g/L	EC	INSECTICIDE	2	530-204-3150	22-Apr-25	SYSTEMIC	Mango	Hoppers	0.75-1.5 Tbsp/36 L of water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray deposits dry	
ACE CROP SOLUTIONS INC.	LAMBDA-CYHALOTHIRIN	FLARE 2.5 EC	25 g/L	EC	INSECTICIDE	2	530-204-3150	22-Apr-25	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5 Tbsp/36 L of water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray deposits dry	
ACE CROP SOLUTIONS INC.	LAMBDA-CYHALOTHIRIN	FLARE 2.5 EC	25 g/L	EC	INSECTICIDE	2	530-204-3150	22-Apr-25	SYSTEMIC	Onion	Thrips, cutworm	1.0 Tbsp/36 L of water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray deposits dry	
ACE CROP SOLUTIONS INC.	LAMBDA-CYHALOTHIRIN	FLARE 2.5 EC	25 g/L	EC	INSECTICIDE	2	530-204-3150	22-Apr-25	SYSTEMIC	Mungbeans	Beanfly, flea beetle, leafhopper, aphids, mites, podborer	1.0 Tbsp/36 L of water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray deposits dry	
ACE CROP SOLUTIONS INC.	LAMBDA-CYHALOTHIRIN	FLARE 2.5 EC	25 g/L	EC	INSECTICIDE	2	530-204-3150	22-Apr-25	SYSTEMIC	Corn	Comborer, aphids, seedling maggots	1.0-1.5 Tbsp/36 L of water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray deposits dry	
ACE CROP SOLUTIONS INC.	LAMBDA-CYHALOTHIRIN	FLARE 2.5 EC	25 g/L	EC	INSECTICIDE	2	530-204-3150	22-Apr-25	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5 Tbsp/36 L of water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray deposits dry	
ACE CROP SOLUTIONS INC.	LAMBDA-CYHALOTHIRIN	FLARE 2.5 EC	25 g/L	EC	INSECTICIDE	2	530-204-3150	22-Apr-25	SYSTEMIC	Cotton	Bollworm	1.0-1.5 Tbsp/36 L of water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray deposits dry	
ACE CROP SOLUTIONS INC.	LAMBDA-CYHALOTHIRIN	FLARE 2.5 EC	25 g/L	EC	INSECTICIDE	2	530-204-3150	22-Apr-25	SYSTEMIC	Cocoa	Podborer	1.0-2.0 Tbsp/36 L of water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray deposits dry	
ACE CROP SOLUTIONS INC.	LAMBDA-CYHALOTHIRIN	FLARE 2.5 EC	25 g/L	EC	INSECTICIDE	2	530-204-3150	22-Apr-25	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0 Tbsp/36 L of water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray deposits dry	
UNIVERSAL SCOPE PHILIPPINES, INC.	CARTAP HYDROCHLORIDE	FLAME 50 SP	500 g/kg	SP	INSECTICIDE	3	428-106-2640	01-Sep-19	SYSTEMIC	Rice	Whorl maggot, stemborer, green leafhopper, brown planthopper	3.0-5.0 Tbsp/36 L water	0.2ppm	Stop spraying 10 days before harvest		
UNIVERSAL SCOPE PHILIPPINES, INC.	CARTAP HYDROCHLORIDE	FLAME 50 SP	500 g/kg	SP	INSECTICIDE	3	428-106-2640	01-Sep-19	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0 Tbsp/36 L water	-			
UNIVERSAL SCOPE PHILIPPINES, INC.	CARTAP HYDROCHLORIDE	FLAME 50 SP	500 g/kg	SP	INSECTICIDE	3	428-106-2640	01-Sep-19	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0 Tbsp/36 L water	-			
UNIVERSAL SCOPE PHILIPPINES, INC.	CARTAP HYDROCHLORIDE	FLAME 50 SP	500 g/kg	SP	INSECTICIDE	3	428-106-2640	01-Sep-19	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0 Tbsp/36 L water	-			
UNIVERSAL SCOPE PHILIPPINES, INC.	CARTAP HYDROCHLORIDE	FLAME 50 SP	500 g/kg	SP	INSECTICIDE	3	428-106-2640	01-Sep-19	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0 Tbsp/36 L water	-			
UNIVERSAL SCOPE PHILIPPINES, INC.	CARTAP HYDROCHLORIDE	FLAME 50 SP	500 g/kg	SP	INSECTICIDE	3	428-106-2640	01-Sep-19	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0 Tbsp/36 L water	-			
UNIVERSAL SCOPE PHILIPPINES, INC.	CARTAP HYDROCHLORIDE	FLAME 50 SP	500 g/kg	SP	INSECTICIDE	3	428-106-2640	01-Sep-19	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0 Tbsp/36 L water	-			
UNIVERSAL SCOPE PHILIPPINES, INC.	CARTAP HYDROCHLORIDE	FLAME 50 SP	500 g/kg	SP	INSECTICIDE	3	428-106-2640	01-Sep-19	SYSTEMIC	Mango	leafhoppers	1.5-2.0 Tbsp/36 L water	-			
UNIVERSAL SCOPE PHILIPPINES, INC.	CARTAP HYDROCHLORIDE	FLAME 50 SP	500 g/kg	SP	INSECTICIDE	3	428-106-2640	01-Sep-19	SYSTEMIC	Pechay	looper, cutworm, aphids	1.5-3.0 Tbsp/36 L water	-			
FULL GREEN AGRIC CORPORATION	CHLORPYRIFOS	FLAMBOYANT 300 EC	300 g/L	EC	INSECTICIDE	2	475-101-2857	25-Jul-17	-	Rice	Stemborer, armyworm, leafhopper, caseworm, planthopper, cutworm	2.0-3.5 Tbsp/36L water	-			

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
FULL GREEN AGRO CORPORATION	CHLOPYRIFOS	FLAMBOYANT 300 EC	300 g/L	EC	INSECTICIDE	2	475-101-2857	29-Jul-17	-	Potato	Tubermoth, leafhopper, cutworm, aphids	2.5-3.5 tbsp/36L water	-	-	-
FULL GREEN AGRO CORPORATION	CHLOPYRIFOS	FLAMBOYANT 300 EC	300 g/L	EC	INSECTICIDE	2	475-101-2857	29-Jul-17	-	Corn	Armyworm, cornborer, earworm, seeding maggots	2.5-3.5 tbsp/36L water	-	-	-
FULL GREEN AGRO CORPORATION	CHLOPYRIFOS	FLAMBOYANT 300 EC	300 g/L	EC	INSECTICIDE	2	475-101-2857	29-Jul-17	-	Beans	Beanfly, leafroller, podborer, cutworm, armyworm	2.5-3.5 tbsp/36L water	-	-	-
NAC UNITED CROP SOLUTIONS CORPORATION	CHLOFENAPYR	FLAGROLE 240 SC	240 g/L	SC	INSECTICIDE	3	487-281-6241	7-Aug-26	-	Banana	Flower thrips	-	-	-	-
NAC UNITED CROP SOLUTIONS CORPORATION	CHLOFENAPYR	FLAGROLE 240 SC	240 g/L	SC	INSECTICIDE	3	487-281-6241	7-Aug-26	-	Cabbage	Diamondbacked moth, aphids, and cabbage moth	-	-	-	-
NAC UNITED CROP SOLUTIONS CORPORATION	CHLOFENAPYR	FLAGROLE 240 SC	240 g/L	SC	INSECTICIDE	3	487-281-6241	7-Aug-26	-	Potato	Thrips	-	-	-	-
FLAGLEAF AGRI PHILIPPINES, INC.	MALATHION	FLAGLEAF MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	564-038-3802	08-Sep-19	NON-SYSTEMIC	Fruit trees	Aphids, mealy bug scale insect	1.5-3.0tbsp/36 L water	-	-	-
FLAGLEAF AGRI PHILIPPINES, INC.	MALATHION	FLAGLEAF MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	564-038-3802	08-Sep-19	NON-SYSTEMIC	Rice	Armyworm, caseworm, leafhopper, bugs	2.0-3.0tbsp/36 L water	-	-	-
FLAGLEAF AGRI PHILIPPINES, INC.	MALATHION	FLAGLEAF MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	564-038-3802	08-Sep-19	NON-SYSTEMIC	Corn	Earworm, silkworm, aphids, grasshopper	3.0-5.0tbsp/36 L water	-	-	-
FLAGLEAF AGRI PHILIPPINES, INC.	MALATHION	FLAGLEAF MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	564-038-3802	08-Sep-19	NON-SYSTEMIC	Cabbage	Cabbage worm, loopers, diamond-back moth	2.0-5.0tbsp/36 L water	-	-	-
FLAGLEAF AGRI PHILIPPINES, INC.	MALATHION	FLAGLEAF MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	564-038-3802	08-Sep-19	NON-SYSTEMIC	Legumes	Aphids, beanfly, cutworm, flea beetles, leafminer, maggots, mealybug, podborer, thrips	2.0-5.0tbsp/36 L water	-	-	-
FLAGLEAF AGRI PHILIPPINES, INC.	MALATHION	FLAGLEAF MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	564-038-3802	08-Sep-19	NON-SYSTEMIC	Grapes	Beetles, cutworm, leafhopper, mealybug, scale, insect, spider mites	3.0Tbsp/36 L water	-	-	-
FLAGLEAF AGRI PHILIPPINES, INC.	MALATHION	FLAGLEAF MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	564-038-3802	08-Sep-19	NON-SYSTEMIC	Pineapple	Mealy bug	3.0Tbsp/36 L water	-	-	-
FLAGLEAF AGRI PHILIPPINES, INC.	MALATHION	FLAGLEAF MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	564-038-3802	08-Sep-19	NON-SYSTEMIC	Pepper	Aphid, cutworm, fruitworm	3.0Tbsp/36 L water	-	-	-
FLAGLEAF AGRI PHILIPPINES, INC.	MALATHION	FLAGLEAF MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	564-038-3802	08-Sep-19	NON-SYSTEMIC	Garlic	Cutworm	3.0Tbsp/36 L water	-	-	-
FLAGLEAF AGRI PHILIPPINES, INC.	MALATHION	FLAGLEAF MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	564-038-3802	08-Sep-19	NON-SYSTEMIC	Onion	Cutworm	3.0Tbsp/36 L water	-	-	-
FLAGLEAF AGRI PHILIPPINES, INC.	MALATHION	FLAGLEAF MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	564-038-3802	08-Sep-19	NON-SYSTEMIC	Tobacco	Aphids, katydid	3.0-6.0Tbsp/36 L water	-	-	-
FLAGLEAF AGRI PHILIPPINES, INC.	MALATHION	FLAGLEAF MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	564-038-3802	08-Sep-19	NON-SYSTEMIC	Ornamentals	Aphids, cutworm, mealybug, scale insect, spider mites	3.0-5.0tbsp/36 L water	-	-	-
FLAGLEAF AGRI PHILIPPINES, INC.	MALATHION	FLAGLEAF MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	564-038-3802	08-Sep-19	NON-SYSTEMIC	Tomato	Lady beetle	3.0-5.0tbsp/36 L water	-	-	-
FLAGLEAF AGRI PHILIPPINES, INC.	MALATHION	FLAGLEAF MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	564-038-3802	08-Sep-19	NON-SYSTEMIC	Legulant	Aphids, fruitworm	3.0-5.0tbsp/36 L water	-	-	-
FLAGLEAF AGRI PHILIPPINES, INC.	MALATHION	FLAGLEAF MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	564-038-3802	08-Sep-19	NON-SYSTEMIC	Sorghum	Web worm	3.0Tbsp/36 L water	-	-	-
FLAGLEAF AGRI PHILIPPINES, INC.	DIURON	FLAGLEAF DIURON 80 SC	800 g/L	SC	HERBICIDE	4	564-021-4373	21-May-21	SYSTEMIC	Citrus	Annual and Perennial broadleaves and grasses	11.0-15.0Tbsp/36 L water	-	-	A day after application
FLAGLEAF AGRI PHILIPPINES, INC.	DIURON	FLAGLEAF DIURON 80 SC	800 g/L	SC	HERBICIDE	4	564-021-4373	21-May-21	SYSTEMIC	Coffee	Annual and Perennial broadleaves and grasses	11.0-15.0Tbsp/36 L water	-	-	A day after application
FLAGLEAF AGRI PHILIPPINES, INC.	DIURON	FLAGLEAF DIURON 80 SC	800 g/L	SC	HERBICIDE	4	564-021-4373	21-May-21	SYSTEMIC	Cotton	Annual and Perennial broadleaves and grasses	8.0Tbsp/36 L water	-	-	A day after application
FLAGLEAF AGRI PHILIPPINES, INC.	DIURON	FLAGLEAF DIURON 80 SC	800 g/L	SC	HERBICIDE	4	564-021-4373	21-May-21	SYSTEMIC	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0Tbsp/36 L water	-	-	A day after application
FLAGLEAF AGRI PHILIPPINES, INC.	DIURON	FLAGLEAF DIURON 80 SC	800 g/L	SC	HERBICIDE	4	564-021-4373	21-May-21	SYSTEMIC	Pineapple	Annual and Perennial broadleaves and grasses	11.0Tbsp/36 L water	-	-	A day after application
FLAGLEAF AGRI PHILIPPINES, INC.	DIURON	FLAGLEAF DIURON 80 SC	800 g/L	SC	HERBICIDE	4	564-021-4373	21-May-21	SYSTEMIC	Non-crop land	Annual and Perennial broadleaves and grasses	20.0-28.0Tbsp/36 L water	-	-	A day after application
FLAGLEAF AGRI PHILIPPINES, INC.	DIURON	FLAGLEAF DIURON	800 g/kg	WP	HERBICIDE	4	564-021-3603	27-Nov-18	SYSTEMIC	Citrus	Annual and Perennial broadleaves and grasses	11.0-15.0Tbsp/36 L water	-	-	-
FLAGLEAF AGRI PHILIPPINES, INC.	DIURON	FLAGLEAF DIURON	800 g/kg	WP	HERBICIDE	4	564-021-3603	27-Nov-18	SYSTEMIC	Coffee	Annual and Perennial broadleaves and grasses	11.0-15.0Tbsp/36 L water	-	-	-
FLAGLEAF AGRI PHILIPPINES, INC.	DIURON	FLAGLEAF DIURON	800 g/kg	WP	HERBICIDE	4	564-021-3603	27-Nov-18	SYSTEMIC	Cotton	Annual and Perennial broadleaves and grasses	8.0Tbsp/36 L water	-	-	-
FLAGLEAF AGRI PHILIPPINES, INC.	DIURON	FLAGLEAF DIURON	800 g/kg	WP	HERBICIDE	4	564-021-3603	27-Nov-18	SYSTEMIC	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0Tbsp/36 L water	-	-	-
FLAGLEAF AGRI PHILIPPINES, INC.	DIURON	FLAGLEAF DIURON	800 g/kg	WP	HERBICIDE	4	564-021-3603	27-Nov-18	SYSTEMIC	Pineapple	Annual and Perennial broadleaves and grasses	11.0Tbsp/36 L water	-	-	-
FLAGLEAF AGRI PHILIPPINES, INC.	DIURON	FLAGLEAF DIURON	800 g/kg	WP	HERBICIDE	4	564-021-3603	27-Nov-18	SYSTEMIC	Non-crop land	Annual and Perennial broadleaves and grasses	20.0-28.0Tbsp/36 L water	-	-	-
FLAGLEAF AGRI PHILIPPINES, INC.	2,4-D IBE	FLAG LEAF 2,4-D ESTER	400g/L	EC	HERBICIDE	2	564-049-4706	12-Mar-22	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Broadleaves & sedges	5.0-6.50Tbsp/36 L water	0.1 ppm	-	-
FLAGLEAF AGRI PHILIPPINES, INC.	2,4-D IBE	FLAG LEAF 2,4-D ESTER	400g/L	EC	HERBICIDE	2	564-049-4706	12-Mar-22	SELECTIVE (POST-EMERGENT)	Corn	Broadleaves & sedges	5.0-6.50Tbsp/36 L water	-	-	-
FLAGLEAF AGRI PHILIPPINES, INC.	2,4-D IBE	FLAG LEAF 2,4-D ESTER	400g/L	EC	HERBICIDE	2	564-049-4706	12-Mar-22	SELECTIVE (POST-EMERGENT)	Sugarcane	Broadleaves & sedges	5.0-6.50Tbsp/36 L water	-	-	-
FLAGLEAF AGRI PHILIPPINES, INC.	2,4-D AMINE	FLAGLEAF 2,4-D AMINE	400 g/L	SC	HERBICIDE	2	564-013-3790	24-Sep-24	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual broadleaves and sedges	3.5-6.5Tbsp/36 L water	0.1 ppm	-	Entry to fields and crops treated with FLAGLEAF 2,4-D AMINE 400 SL can be done one day after spraying
FLAGLEAF AGRI PHILIPPINES, INC.	2,4-D AMINE	FLAG LEAF 2,4-D AMINE	400 g/L	SC	HERBICIDE	2	564-013-3790	24-Sep-24	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual broadleaves and sedges	19-25 Tbsp/36 L water	-	-	Entry to fields and crops treated with FLAGLEAF 2,4-D AMINE 400 SL can be done one day after spraying
FLAGLEAF AGRI PHILIPPINES, INC.	2,4-D AMINE	FLAG LEAF 2,4-D AMINE	400 g/L	SC	HERBICIDE	2	564-013-3790	24-Sep-24	SELECTIVE (POST-EMERGENT)	Corn	Annual broadleaves and sedges	5-6.5 Tbsp/36 L	-	-	Entry to fields and crops treated with FLAGLEAF 2,4-D AMINE 400 SL can be done one day after spraying
FKA AGRI CHEMICAL CORPORATION	DIURON	FKA DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	399-021-4952	09-Jun-26	SYSTEMIC	Citrus	Grasses, annual & perennial broadleaves	11.0-15.0Tbsp/36 L water	-	-	Twenty four (24) hours after application.
FKA AGRI CHEMICAL CORPORATION	DIURON	FKA DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	399-021-4952	09-Jun-26	SYSTEMIC	Coffee	Grasses, annual & perennial broadleaves	11.0-15.0Tbsp/36 L water	-	-	Twenty four (24) hours after application.
FKA AGRI CHEMICAL CORPORATION	DIURON	FKA DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	399-021-4952	09-Jun-26	SYSTEMIC	Cotton	Grasses, annual & perennial broadleaves	8.0Tbsp/36 L water	-	-	Twenty four (24) hours after application.
FKA AGRI CHEMICAL CORPORATION	DIURON	FKA DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	399-021-4952	09-Jun-26	SYSTEMIC	Sugarcane	Grasses, annual & perennial broadleaves	6.5-13.0Tbsp/36 L water	-	-	Twenty four (24) hours after application.
FKA AGRI CHEMICAL CORPORATION	DIURON	FKA DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	399-021-4952	09-Jun-26	SYSTEMIC	Pineapple	Grasses, annual & perennial broadleaves	11.0Tbsp/36 L water	-	-	Twenty four (24) hours after application.
FKA AGRI CHEMICAL CORPORATION	DIURON	FKA DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	399-021-4952	09-Jun-26	SYSTEMIC	Non-crop land	Grasses, annual & perennial broadleaves	20.0-28.0Tbsp/36 L water	-	-	Twenty four (24) hours after application.
FKA AGRI CHEMICAL CORPORATION	2,4-D IBE	FKA 2,4-D IBE	400g/L	EC	HERBICIDE	2	399-049-4886-B	04-Nov-26	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Broadleaves & sedges	5.0-6.50Tbsp/36 L water	0.1 ppm	-	Entry to field and crops treated with FKA 2,4-D IBE 400 EC can be done one day after spraying
FKA AGRI CHEMICAL CORPORATION	2,4-D IBE	FKA 2,4-D IBE	400g/L	EC	HERBICIDE	2	399-049-4886-B	04-Nov-26	SELECTIVE (POST-EMERGENT)	Corn	Broadleaves & sedges	5.0-6.50Tbsp/36 L water	-	-	Entry to field and crops treated with FKA 2,4-D IBE 400 EC can be done one day after spraying
FKA AGRI CHEMICAL CORPORATION	2,4-D IBE	FKA 2,4-D IBE	400g/L	EC	HERBICIDE	2	399-049-4886-B	04-Nov-26	SELECTIVE (POST-EMERGENT)	Sugarcane	Broadleaves & sedges	5.0-6.50Tbsp/36 L water	-	-	Entry to field and crops treated with FKA 2,4-D IBE 400 EC can be done one day after spraying
FKA AGRI CHEMICAL CORPORATION	2,4-D AMINE	FKA 2,4-D AMINE 400 SL	400g/L	SL	HERBICIDE	2	399-013-5683	24-Sep-24	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual broadleaves and sedges	3.5-6.5 Tbsp/36 L	-	-	Entry to fields and crops treated with FKA 2,4-D AMINE 400 SL can be done one day after spraying
FKA AGRI CHEMICAL CORPORATION	2,4-D AMINE	FKA 2,4-D AMINE 400 SL	400g/L	SL	HERBICIDE	2	399-013-5683	24-Sep-24	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual broadleaves and sedges	19-25 Tbsp/36 L	-	-	Entry to fields and crops treated with FKA 2,4-D AMINE 400 SL can be done one day after spraying
FKA AGRI CHEMICAL CORPORATION	2,4-D AMINE	FKA 2,4-D AMINE 400 SL	400g/L	SL	HERBICIDE	2	399-013-5683	24-Sep-24	SELECTIVE (POST-EMERGENT)	Corn	Annual broadleaves and sedges	5-6.5 Tbsp/36 L	-	-	Entry to fields and crops treated with FKA 2,4-D AMINE 400 SL can be done one day after spraying
C.B. ANDREW ASIA, INC.	CYHALOXYMOR	FIXE 200 SC	200 g/L	SC	INSECTICIDE	4	451-637-6412	21-Dec-24	-	Corn	Fall armyworm, corn earworm	150-350 ml prod / ha	-	-	-
C.B. ANDREW ASIA, INC.	CYHALOXYMOR	FIXE 200 SC	200 g/L	SC	INSECTICIDE	4	451-637-6412	21-Dec-24	-	Cabbage	Diamondback moth, cabbage worm	250-450 ml prod / ha	-	-	-
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	GLUFOSINATE AMMONIUM	FIRESTORM 15 SL	150 g/L	SL	HERBICIDE	4	376-182-4111	29-Nov-24	NON-SELECTIVE(POST-EMERGENT)	rubber	Annual & Perennial grasses, sedges and & Broadleaf weeds	-	-	-	-
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	GLUFOSINATE AMMONIUM	FIRESTORM 15 SL	150 g/L	SL	HERBICIDE	4	376-182-4111	29-Nov-24	NON-SELECTIVE(POST-EMERGENT)	oil palm	Annual & Perennial grasses, sedges and & Broadleaf weeds	-	-	-	-
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	GLUFOSINATE AMMONIUM	FIRESTORM 15 SL	150 g/L	SL	HERBICIDE	4	376-182-4111	29-Nov-24	NON-SELECTIVE(POST-EMERGENT)	Non-crop areas	Annual & Perennial grasses, sedges and & Broadleaf weeds	-	-	-	-

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD	
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	GLIFOSINATE AMMONIUM	FIRESTORM 15 SL	150 g/L	SL	HERBICIDE	4	376-182-4111	29-Nov-24	NON-SELECTIVE/POST-EMERGENT	Cavendish Banana	Annual & Perennial grasses, sedges and & Broadleaf weeds	-	0.2 mg/kg	-	-	
ONEGRAIN MARKETING CORPORATION	CHLORPYRIFOS-CYPERMETHRIN	FIREKILL 27.5 EC	250 g/L +25 g/L	EC	INSECTICIDE	2	723-239-5890	27-Feb-25	-	Rice	Whorl maggot, green leafhopper, brown planthopper and stemborer	20-30 mL/16L water	-	-	-	
ONEGRAIN MARKETING CORPORATION	CHLORPYRIFOS-CYPERMETHRIN	FIREKILL 27.5 EC	250 g/L +25 g/L	EC	INSECTICIDE	2	723-239-5890	27-Feb-25	-	Mango	Mango hopper	25-40 mL/16L water	-	-	-	
AGCHEM MANUFACTURING CORPORATION	CHLORPYRIFOS-CYPERMETHRIN	FIREBOLT EC	250+25 g/L	EC	INSECTICIDE	2	001-239-3118	27-Feb-25	-	Rice	Whorl maggot, green leafhopper, brown planthopper, stemborer	20-30 mL (2-3 tbsp)/16L water	-	-	-	
AGCHEM MANUFACTURING CORPORATION	CHLORPYRIFOS-CYPERMETHRIN	FIREBOLT EC	250+25 g/L	EC	INSECTICIDE	2	001-239-3118	27-Feb-25	-	Mango hopper	Mango hopper	25-40 mL (2-3 tbsp)/16L water	-	-	-	
ACE CROP SOLUTIONS INC.	GLYPHOSATE IPA	FIREBALL 480 SL	480 g/L	SL	HERBICIDE	4	530-151-3134	21-Mar-25	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/ha	-	-	-	
ACE CROP SOLUTIONS INC.	GLYPHOSATE IPA	FIREBALL 480 SL	480 g/L	SL	HERBICIDE	4	530-151-3134	21-Mar-25	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-	
ACE CROP SOLUTIONS INC.	GLYPHOSATE IPA	FIREBALL 480 SL	480 g/L	SL	HERBICIDE	4	530-151-3134	21-Mar-25	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-	
ACE CROP SOLUTIONS INC.	GLYPHOSATE IPA	FIREBALL 480 SL	480 g/L	SL	HERBICIDE	4	530-151-3134	21-Mar-25	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-	
ACE CROP SOLUTIONS INC.	GLYPHOSATE IPA	FIREBALL 480 SL	480 g/L	SL	HERBICIDE	4	530-151-3134	21-Mar-25	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-	
ACE CROP SOLUTIONS INC.	GLYPHOSATE IPA	FIREBALL 480 SL	480 g/L	SL	HERBICIDE	4	530-151-3134	21-Mar-25	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-	
ACE CROP SOLUTIONS INC.	GLYPHOSATE IPA	FIREBALL 480 SL	480 g/L	SL	HERBICIDE	4	530-151-3134	21-Mar-25	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-	
ACE CROP SOLUTIONS INC.	GLYPHOSATE IPA	FIREBALL 480 SL	480 g/L	SL	HERBICIDE	4	530-151-3134	21-Mar-25	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-	
ACE CROP SOLUTIONS INC.	GLYPHOSATE IPA	FIREBALL 480 SL	480 g/L	SL	HERBICIDE	4	530-151-3134	21-Mar-25	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/ha	-	-	-	
ACE CROP SOLUTIONS INC.	GLYPHOSATE IPA	FIREBALL 480 SL	480 g/L	SL	HERBICIDE	4	530-151-3134	21-Mar-25	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-	
ACE CROP SOLUTIONS INC.	GLYPHOSATE IPA	FIREBALL 480 SL	480 g/L	SL	HERBICIDE	4	530-151-3134	21-Mar-25	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-	
ACE CROP SOLUTIONS INC.	GLYPHOSATE IPA	FIREBALL 480 SL	480 g/L	SL	HERBICIDE	4	530-151-3134	21-Mar-25	POST-EMERGENT	non-crop	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-	
FLAGLEAF AGRI PHILIPPINES, INC.	FIFPRONIL	FIFRONIXEN 5 SC	50 g/L	SC	INSECTICIDE	3	564-244-3816	15-Nov-19	CONTACT	Rice	Stemborer, brown planthopper, leaf folder, rice bug	1.3-2.0, 2.0-3.0, 2.7-4.0 tbsp./16L	0.01ppm	10 days	-	
FLAGLEAF AGRI PHILIPPINES, INC.	FIFPRONIL	FIFRONIXEN 5 SC	50 g/L	SC	INSECTICIDE	3	564-244-3816	15-Nov-19	CONTACT	Cabbage	Diamond backed moth	1.3-2.0, 2.0-3.0, 2.7-4.0 tbsp./16L	-	-	-	
FLAGLEAF AGRI PHILIPPINES, INC.	FIFPRONIL	FIFRONIXEN 5 SC	50 g/L	SC	INSECTICIDE	3	564-244-3816	15-Nov-19	CONTACT	Watermelon	Thrips, leaf beetles	2.5-3.0 tbsp./16L	-	-	-	
FLAGLEAF AGRI PHILIPPINES, INC.	FIFPRONIL	FIFRONIXEN 5 SC	50 g/L	SC	INSECTICIDE	3	564-244-3816	15-Nov-19	CONTACT	Onion	Cutworm	5.33 tbsp./16L	-	-	-	
FLAGLEAF AGRI PHILIPPINES, INC.	FIFPRONIL	FIFRONIXEN 5 SC	50 g/L	SC	INSECTICIDE	3	564-244-3816	15-Nov-19	CONTACT	Eggplant	Shoot borer	3.0-4.0 tbsp./16L	-	-	-	
NEXCHEM CORPORATION	FIFPRONIL	FIFRONEX 5 SC	50 g/L	SC	INSECTICIDE	3	702-244-5624	15-Feb-25	CONTACT	Rice	Stemborer, brown planthopper, leaf folder, rice bug	1.3-2.0, 2.0-3.0, 2.7-4.0 tbsp./16L	-	Do not apply 7 days before harvest	One day after application	
NEXCHEM CORPORATION	FIFPRONIL	FIFRONEX 5 SC	50 g/L	SC	INSECTICIDE	3	702-244-5624	15-Feb-25	CONTACT	Cabbage	Diamond backed moth	1.3-2.0, 2.0-3.0, 2.7-4.0 tbsp./16L	-	Do not apply 7 days before harvest	One day after application	
NEXCHEM CORPORATION	FIFPRONIL	FIFRONEX 5 SC	50 g/L	SC	INSECTICIDE	3	702-244-5624	15-Feb-25	CONTACT	Watermelon	Thrips, leaf beetles	2.5-3.0 tbsp./16L	-	Do not apply 7 days before harvest	One day after application	
NEXCHEM CORPORATION	FIFPRONIL	FIFRONEX 5 SC	50 g/L	SC	INSECTICIDE	3	702-244-5624	15-Feb-25	CONTACT	Onion	Cutworm	5.33 tbsp./16L	-	Do not apply 7 days before harvest	One day after application	
NEXCHEM CORPORATION	FIFPRONIL	FIFRONEX 5 SC	50 g/L	SC	INSECTICIDE	3	702-244-5624	15-Feb-25	CONTACT	Eggplant	Shoot borer	3.0-4.0 tbsp./16L	-	Do not apply 7 days before harvest	One day after application	
LINK AGRITECH SOLUTIONS PHILIPPINES INC.	FIFPRONIL	FIFPROLINE 5 SC	50g/L	SC	INSECTICIDE	3	615-244-4443	24-Jul-21	CONTACT	Rice	Stemborer,BPH,Leaf folder, Rice bug	1.3-2.0, 2.0-3.0, 2.7-4.0 tbsp./16L	0.01ppm	-	Do not apply 7 days before harvest	One day after application
LINK AGRITECH SOLUTIONS PHILIPPINES INC.	FIFPRONIL	FIFPROLINE 5 SC	50g/L	SC	INSECTICIDE	3	615-244-4443	24-Jul-21	CONTACT	Cabbage	Diamond-back moth	1.3-2.0, 2.0-3.0, 2.7-4.0 tbsp./16L	-	Do not apply 7 days before harvest	One day after application	
LINK AGRITECH SOLUTIONS PHILIPPINES INC.	FIFPRONIL	FIFPROLINE 5 SC	50g/L	SC	INSECTICIDE	3	615-244-4443	24-Jul-21	CONTACT	Onion	Cutworm	5.33 tbsp./16L	-	Do not apply 7 days before harvest	One day after application	
LINK AGRITECH SOLUTIONS PHILIPPINES INC.	FIFPRONIL	FIFPROLINE 5 SC	50g/L	SC	INSECTICIDE	3	615-244-4443	24-Jul-21	CONTACT	Eggplant	Shoot borer	3.0-4.0 tbsp./16L	-	Do not apply 7 days before harvest	One day after application	
BIOSTADT PHILIPPINES INC.	FIFPRONIL	FIFROL 5 SC	50 g/L	SC	INSECTICIDE	3	097-244-3410	17-May-25	CONTACT	Rice	Stemborer, brown planthopper, leaf folder, rice bug	2.7-4.0, 3.5-5.0, 4.0-6.0 tbsp./16L	0.01ppm	-	Do not apply 7 days before harvest	One day after application
BIOSTADT PHILIPPINES INC.	FIFPRONIL	FIFROL 5 SC	50 g/L	SC	INSECTICIDE	3	097-244-3410	17-May-25	CONTACT	Cabbage	Diamond backed moth	1.3-2.0, 2.0-3.0, 2.7-4.0 tbsp./16L	-	Do not apply 7 days before harvest	One day after application	
BIOSTADT PHILIPPINES INC.	FIFPRONIL	FIFROL 5 SC	50 g/L	SC	INSECTICIDE	3	097-244-3410	17-May-25	CONTACT	Watermelon	Thrips, leaf beetles	2.5-3.0 tbsp./16L	-	Do not apply 7 days before harvest	One day after application	
BIOSTADT PHILIPPINES INC.	FIFPRONIL	FIFROL 5 SC	50 g/L	SC	INSECTICIDE	3	097-244-3410	17-May-25	CONTACT	Onion	Cutworm	5.33 tbsp./16L	-	Do not apply 7 days before harvest	One day after application	
BIOSTADT PHILIPPINES INC.	FIFPRONIL	FIFROL 5 SC	50 g/L	SC	INSECTICIDE	3	097-244-3410	17-May-25	CONTACT	Eggplant	Shoot borer	3.0-4.0 tbsp./16L	-	Do not apply 7 days before harvest	One day after application	
BIOSTADT PHILIPPINES INC.	FIFPRONIL	FIFROL 0.3 GR	3 g/kg	G	INSECTICIDE	3	097-244-3714	17-May-25	CONTACT	Rice (transplanted)	Stemborer	10-17 kg prod./HA	0.01ppm	10 days	One day after application	
BIOSTADT PHILIPPINES INC.	FIFPRONIL	FIFROL 0.3 GR	3 g/kg	G	INSECTICIDE	3	097-244-3714	17-May-25	CONTACT	Rice (Direct-seeded)	Brown planthopper	10-17 kg prod./HA	0.01ppm	10 days	One day after application	
BIOSTADT PHILIPPINES INC.	FIFPRONIL	FIFROL 0.3 GR	3 g/kg	G	INSECTICIDE	3	097-244-3714	17-May-25	CONTACT	Corn	Asiatic corn borer, earworm & aphids	10-13 kg prod./HA	-	Do not apply 7 days before harvest	One day after application	
BIOSTADT PHILIPPINES INC.	FIFPRONIL	FIFROL 0.3 GR	3 g/kg	G	INSECTICIDE	3	097-244-3714	17-May-25	CONTACT	Sugarcane (plant cane) & ratoon	White grubs	10-30 kg prod./HA	-	Do not apply 7 days before harvest	One day after application	
TRADETON CORPORATION	FIFPRONIL	FIFPROGREEN 50 SC	50 g/L	SC	INSECTICIDE	3	439-244-2806	21-May-24	CONTACT	Rice	Stemborer, brown planthopper, leaf folder, rice bug	1.3-2.0, 2.0-3.0, 2.7-4.0 tbsp./16L	0.01ppm	-	Do not apply 7 days before harvest	One day after application
TRADETON CORPORATION	FIFPRONIL	FIFPROGREEN 50 SC	50 g/L	SC	INSECTICIDE	3	439-244-2806	21-May-24	CONTACT	Cabbage	Diamond backed moth	1.3-2.0, 2.0-3.0, 2.7-4.0 tbsp./16L	-	Do not apply 7 days before harvest	One day after application	
TRADETON CORPORATION	FIFPRONIL	FIFPROGREEN 50 SC	50 g/L	SC	INSECTICIDE	3	439-244-2806	21-May-24	CONTACT	Watermelon	Thrips, leaf beetles	2.5-3.0 tbsp./16L	-	Do not apply 7 days before harvest	One day after application	
TRADETON CORPORATION	FIFPRONIL	FIFPROGREEN 50 SC	50 g/L	SC	INSECTICIDE	3	439-244-2806	21-May-24	CONTACT	Onion	Cutworm	5.33 tbsp./16L	-	Do not apply 7 days before harvest	One day after application	
TRADETON CORPORATION	FIFPRONIL	FIFPROGREEN 50 SC	50 g/L	SC	INSECTICIDE	3	439-244-2806	21-May-24	CONTACT	Eggplant	Shoot borer	3.0-4.0 tbsp./16L	-	Do not apply 7 days before harvest	One day after application	
ANGELUX AGRITRADE CORPORATION	CYHALOFOF-BUTYL	FINISHER 100 EC	100 g/L	EC	HERBICIDE	4	484-257-5930	21-Oct-24	-	Rice (Direct-Seeded)	Grasses	7-9 tbsp per tank load	-	-	-	
INDOFIL PHILIPPINES INC.	FIFPRONIL	FINESTA 5 SC	50g/L	SC	INSECTICIDE	3	604-244-4366	15-May-24	CONTACT	Rice	Stemborer, brown planthopper, leaf folder, rice bug	1.3-2.0, 2.0-3.0, 2.7-4.0 tbsp./16L	0.01ppm	-	Do not apply 7 days before harvest	One day after application
INDOFIL PHILIPPINES INC.	FIFPRONIL	FINESTA 5 SC	50g/L	SC	INSECTICIDE	3	604-244-4366	15-May-24	CONTACT	Cabbage	Diamond backed moth	1.3-2.0, 2.0-3.0, 2.7-4.0 tbsp./16L	-	-	Do not apply 7 days before harvest	One day after application
INDOFIL PHILIPPINES INC.	FIFPRONIL	FINESTA 5 SC	50g/L	SC	INSECTICIDE	3	604-244-4366	15-May-24	CONTACT	Watermelon	Thrips, leaf beetles	2.5-3.0 tbsp./16L	-	-	Do not apply 7 days before harvest	One day after application
INDOFIL PHILIPPINES INC.	FIFPRONIL	FINESTA 5 SC	50g/L	SC	INSECTICIDE	3	604-244-4366	15-May-24	CONTACT	Onion	Cutworm	5.33 tbsp./16L	-	-	Do not apply 7 days before harvest	One day after application
INDOFIL PHILIPPINES INC.	FIFPRONIL	FINESTA 5 SC	50g/L	SC	INSECTICIDE	3	604-244-4366	15-May-24	CONTACT	Eggplant	Shoot borer	3.0-4.0 tbsp./16L	-	-	Do not apply 7 days before harvest	One day after application
BERRIS AGRICULTURAL CO., INC.	CYHALOFOF-BUTYL	FINALE 10 EC	100 g/L	EC	HERBICIDE	4	233-257-3020	09-May-24	SYSTEMIC	Rice (Direct-Seeded)	Grasses	7-9 tbsp./tank load; 12 of tank load/ha (16L capacity)	-	-	-	
JOCANIMA CORPORATION	MANCOZEB	FILZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	241-053-2826	13-Jun-20	-	Potato	Early and late blight	9-6 Tbsp/16 L water	-	7 Days	As soon as spray dries	
JOCANIMA CORPORATION	MANCOZEB	FILZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	241-053-2826	13-Jun-20	-	Cabbage	Downy mildew, alternaria leaf spot	9-6 Tbsp/16 L water	-	7 Days	As soon as spray dries	
JOCANIMA CORPORATION	MANCOZEB	FILZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	241-053-2826	13-Jun-20	-	Cauliflower	Downy mildew, alternaria leaf spot	9-6 Tbsp/16 L water	-	7 Days	As soon as spray dries	
JOCANIMA CORPORATION	MANCOZEB	FILZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	241-053-2826	13-Jun-20	-	Broccoli	Downy mildew, alternaria leaf spot	9-6 Tbsp/16 L water	-	7 Days	As soon as spray dries	

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
JOCANIMA CORPORATION	MANCOZEB	FILZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	241-053-2826	13-Jun-20		Celery	Late blight	3-6 Tbsp/36 L water		14 days	As soon as spray dries
JOCANIMA CORPORATION	MANCOZEB	FILZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	241-053-2826	13-Jun-20		Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water		5 days	As soon as spray dries
JOCANIMA CORPORATION	MANCOZEB	FILZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	241-053-2826	13-Jun-20		Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water		5 days	As soon as spray dries
JOCANIMA CORPORATION	MANCOZEB	FILZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	241-053-2826	13-Jun-20		Cotton	Damping off	3-6 Tbsp/36 L water		-	As soon as spray dries
JOCANIMA CORPORATION	MANCOZEB	FILZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	241-053-2826	13-Jun-20		Lettuce	Downy mildew	3-6 Tbsp/36 L water		7 days	As soon as spray dries
JOCANIMA CORPORATION	MANCOZEB	FILZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	241-053-2826	13-Jun-20		Peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/36 L water		5 days	As soon as spray dries
JOCANIMA CORPORATION	MANCOZEB	FILZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	241-053-2826	13-Jun-20		Peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/36 L water		5 days	As soon as spray dries
JOCANIMA CORPORATION	MANCOZEB	FILZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	241-053-2826	13-Jun-20		Mungo	Anthracnose, Downy mildew, Rust	3-6 Tbsp/36 L water		5 days	As soon as spray dries
JOCANIMA CORPORATION	MANCOZEB	FILZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	241-053-2826	13-Jun-20		Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/36 L water		5 days	As soon as spray dries
JOCANIMA CORPORATION	MANCOZEB	FILZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	241-053-2826	13-Jun-20		Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36 L water		7 days	As soon as spray dries
JOCANIMA CORPORATION	MANCOZEB	FILZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	241-053-2826	13-Jun-20		Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36 L water		7 days	As soon as spray dries
JOCANIMA CORPORATION	MANCOZEB	FILZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	241-053-2826	13-Jun-20		Pepper	Anthracnose	3-6 Tbsp/36 L water		7 days	As soon as spray dries
JOCANIMA CORPORATION	MANCOZEB	FILZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	241-053-2826	13-Jun-20		Chili	Anthracnose	3-6 Tbsp/36 L water		7 days	As soon as spray dries
JOCANIMA CORPORATION	MANCOZEB	FILZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	241-053-2826	13-Jun-20		Eggplant	Blight, Anthracnose	3-6 Tbsp/36 L water		7 days	As soon as spray dries
JOCANIMA CORPORATION	MANCOZEB	FILZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	241-053-2826	13-Jun-20		Banana	Sigatoka, Black leaf streak	3-6 Tbsp/36 L water		-	As soon as spray dries
JOCANIMA CORPORATION	MANCOZEB	FILZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	241-053-2826	13-Jun-20		Grapes	Downy mildew, black rot	3-6 Tbsp/36 L water		60 days	As soon as spray dries
JOCANIMA CORPORATION	MANCOZEB	FILZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	241-053-2826	13-Jun-20		Mango	Anthracnose and Scab	3-6 Tbsp/36 L water		5 days	As soon as spray dries
JOCANIMA CORPORATION	MANCOZEB	FILZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	241-053-2826	13-Jun-20		Papaya	Fruit rot	3-6 Tbsp/36 L water		-	As soon as spray dries
JOCANIMA CORPORATION	MANCOZEB	FILZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	241-053-2826	13-Jun-20		Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water		5 days	As soon as spray dries
JOCANIMA CORPORATION	MANCOZEB	FILZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	241-053-2826	13-Jun-20		Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water		5 days	As soon as spray dries
JOCANIMA CORPORATION	MANCOZEB	FILZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	241-053-2826	13-Jun-20		Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/36 L water		7 days	As soon as spray dries
JOCANIMA CORPORATION	MANCOZEB	FILZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	241-053-2826	13-Jun-20		Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/36 L water	0.02ppm	-	As soon as spray dries
JOCANIMA CORPORATION	MANCOZEB	FILZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	241-053-2826	13-Jun-20		Peanut	Cercospora leaf spot	3-6 Tbsp/36 L water		14 days	As soon as spray dries
JOCANIMA CORPORATION	MANCOZEB	FILZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	241-053-2826	13-Jun-20		Soybeans	Leaf rust	3-6 Tbsp/36 L water		-	As soon as spray dries
JOCANIMA CORPORATION	MANCOZEB	FILZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	241-053-2826	13-Jun-20		Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/36 L water		-	As soon as spray dries
UPL PHILIPPINES, INC.	DIMETHOMORPH	FILDER 50 WP	500 g/kg	WP	FUNGICIDE	4	562-264-4849	15-Jun-24	SYSTEMIC	Potato	Late blight	5-10g/36L water		14 days	Entry to crops and fields sprayed with FILDER 50 WP maybe done 1 day after spraying
UPL PHILIPPINES, INC.	DIMETHOMORPH	FILDER 50 WP	500 g/kg	WP	FUNGICIDE	4	562-264-4849	15-Jun-24	SYSTEMIC	Tomato	Late blight	5-10g/36L water		7 days	Entry to crops and fields sprayed with FILDER 50 WP maybe done 1 day after spraying
UPL PHILIPPINES, INC.	DIMETHOMORPH	FILDER 50 WP	500 g/kg	WP	FUNGICIDE	4	562-264-4849	15-Jun-24	SYSTEMIC	Pineapple	Root rot, heart rot	60-30g/26L water		14 days	Entry to crops and fields sprayed with FILDER 50 WP maybe done 1 day after spraying
UPL PHILIPPINES, INC.	DIMETHOMORPH	FILDER 50 WP	500 g/kg	WP	FUNGICIDE	4	562-264-4849	15-Jun-24	SYSTEMIC	Papaya	Phytophthora root and basal rot	4 g/L		3 days	Entry to crops and fields sprayed with FILDER 50 WP maybe done 1 day after spraying
UPL PHILIPPINES, INC.	DIMETHOMORPH	FILDER 50 WP	500 g/kg	WP	FUNGICIDE	4	562-264-4849	15-Jun-24	SYSTEMIC	Corn	Downy mildew	5-6g/kg seeds		-	Entry to crops and fields sprayed with FILDER 50 WP maybe done 1 day after spraying
AGRO ADVANCED INTERNATIONAL PHLS., INC.	METHOMYL	FIGHTER 40 SP	400 g/kg	SP	INSECTICIDE	2	473-164-4131	24-Sep-24	CONTACT	Asparagus	Armyworm, cutworm	2.0-3.5 Tbsp/36L water		-	-
AGRO ADVANCED INTERNATIONAL PHLS., INC.	METHOMYL	FIGHTER 40 SP	400 g/kg	SP	INSECTICIDE	2	473-164-4131	24-Sep-24	CONTACT	Banana	Thrips	3.0-4.5 Tbsp/36L water		-	-
AGRO ADVANCED INTERNATIONAL PHLS., INC.	METHOMYL	FIGHTER 40 SP	400 g/kg	SP	INSECTICIDE	2	473-164-4131	24-Sep-24	CONTACT	Peas	Leafroller, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/36L water		-	-
AGRO ADVANCED INTERNATIONAL PHLS., INC.	METHOMYL	FIGHTER 40 SP	400 g/kg	SP	INSECTICIDE	2	473-164-4131	24-Sep-24	CONTACT	Mungbeans	Leafroller, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/36L water		-	-
AGRO ADVANCED INTERNATIONAL PHLS., INC.	METHOMYL	FIGHTER 40 SP	400 g/kg	SP	INSECTICIDE	2	473-164-4131	24-Sep-24	CONTACT	Soybeans	Leafroller, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/36L water		-	-
AGRO ADVANCED INTERNATIONAL PHLS., INC.	METHOMYL	FIGHTER 40 SP	400 g/kg	SP	INSECTICIDE	2	473-164-4131	24-Sep-24	CONTACT	Sitao	Leafroller, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/36L water		-	-
AGRO ADVANCED INTERNATIONAL PHLS., INC.	METHOMYL	FIGHTER 40 SP	400 g/kg	SP	INSECTICIDE	2	473-164-4131	24-Sep-24	CONTACT	Corn	Comborer, earworm	2.0-3.5 Tbsp/36L water		-	-
AGRO ADVANCED INTERNATIONAL PHLS., INC.	METHOMYL	FIGHTER 40 SP	400 g/kg	SP	INSECTICIDE	2	473-164-4131	24-Sep-24	CONTACT	Sorghum	Comborer,earworm	2.0-3.5 Tbsp/36L water		-	-
AGRO ADVANCED INTERNATIONAL PHLS., INC.	METHOMYL	FIGHTER 40 SP	400 g/kg	SP	INSECTICIDE	2	473-164-4131	24-Sep-24	CONTACT	Eggplant	Aphids, flea beetle , fruitworm, lady beetle	2.0-3.5 Tbsp/36L water		-	-
AGRO ADVANCED INTERNATIONAL PHLS., INC.	METHOMYL	FIGHTER 40 SP	400 g/kg	SP	INSECTICIDE	2	473-164-4131	24-Sep-24	CONTACT	Melon	Aphids, Squash beetle , leafroller	2.0-3.5 Tbsp/36L water		-	-
AGRO ADVANCED INTERNATIONAL PHLS., INC.	METHOMYL	FIGHTER 40 SP	400 g/kg	SP	INSECTICIDE	2	473-164-4131	24-Sep-24	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leafroller	2.0-3.5 Tbsp/36L water	0.01ppm	3 days	-
AGRO ADVANCED INTERNATIONAL PHLS., INC.	METHOMYL	FIGHTER 40 SP	400 g/kg	SP	INSECTICIDE	2	473-164-4131	24-Sep-24	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	2.0-3.5 Tbsp/36L water		-	-
AGRO ADVANCED INTERNATIONAL PHLS., INC.	METHOMYL	FIGHTER 40 SP	400 g/kg	SP	INSECTICIDE	2	473-164-4131	24-Sep-24	CONTACT	Tomato	Tomato fruitworm, aphids	2.0-3.5 Tbsp/36L water		-	-
UNAHCO, INC.	GLYPHOSATE IPA	FIELD GENERAL 480 SL	480g/L	SL	HERBICIDE	4	612-151-4416	29-Jun-24	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/ha	-	-	-
UNAHCO, INC.	GLYPHOSATE IPA	FIELD GENERAL 480 SL	480g/L	SL	HERBICIDE	4	612-151-4416	29-Jun-24	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
UNAHCO, INC.	GLYPHOSATE IPA	FIELD GENERAL 480 SL	480g/L	SL	HERBICIDE	4	612-151-4416	29-Jun-24	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
UNAHCO, INC.	GLYPHOSATE IPA	FIELD GENERAL 480 SL	480g/L	SL	HERBICIDE	4	612-151-4416	29-Jun-24	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
UNAHCO, INC.	GLYPHOSATE IPA	FIELD GENERAL 480 SL	480g/L	SL	HERBICIDE	4	612-151-4416	29-Jun-24	POST-EMERGENT		Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
UNAHCO, INC.	GLYPHOSATE IPA	FIELD GENERAL 480 SL	480g/L	SL	HERBICIDE	4	612-151-4416	29-Jun-24	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0Liters/ha	-	-	-
UNAHCO, INC.	GLYPHOSATE IPA	FIELD GENERAL 480 SL	480g/L	SL	HERBICIDE	4	612-151-4416	29-Jun-24	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0Liters/ha	-	-	-
UNAHCO, INC.	GLYPHOSATE IPA	FIELD GENERAL 480 SL	480g/L	SL	HERBICIDE	4	612-151-4416	29-Jun-24	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0Liters/ha	-	-	-
UNAHCO, INC.	GLYPHOSATE IPA	FIELD GENERAL 480 SL	480g/L	SL	HERBICIDE	4	612-151-4416	29-Jun-24	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/ha	-	-	-
UNAHCO, INC.	GLYPHOSATE IPA	FIELD GENERAL 480 SL	480g/L	SL	HERBICIDE	4	612-151-4416	29-Jun-24	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
UNAHCO, INC.	GLYPHOSATE IPA	FIELD GENERAL 480 SL	480g/L	SL	HERBICIDE	4	612-151-4416	29-Jun-24	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
UNAHCO, INC.	GLYPHOSATE IPA	FIELD GENERAL 480 SL	480g/L	SL	HERBICIDE	4	612-151-4416	29-Jun-24	POST-EMERGENT	non-crop	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
ZAGRO CORPORATION	AMETRIYNE	PEZPAK 80 WP	800 g/kg	WP	HERBICIDE	3	043-006-0434	09-Sep-24	SELECTIVE (POST/PRE-EMERGENCE)	Banana	Annual broadleaves and grasses	9-15 tbsp/36L water		Do not spray 21 days before harvest	Enter treated fields only when spray has completely dried

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
ZAGRO CORPORATION	AMETRYNE	FEZPAX 80 WP	800 g/kg	WP	HERBICIDE	3	043-008-0434	09-Sep-24	SELECTIVE (POST/PRE-EMERGENCE)	Coffee	Annual broadleaves and grasses	9-15 tbsp/36L water	-	Do not spray 21 days before harvest	Enter treated fields only when spray has completely dried
ZAGRO CORPORATION	AMETRYNE	FEZPAX 80 WP	800 g/kg	WP	HERBICIDE	3	043-008-0434	09-Sep-24	SELECTIVE (POST/PRE-EMERGENCE)	Cacao	Annual broadleaves and grasses	9-15 tbsp/36L water	-	Do not spray 21 days before harvest	Enter treated fields only when spray has completely dried
ZAGRO CORPORATION	AMETRYNE	FEZPAX 80 WP	800 g/kg	WP	HERBICIDE	3	043-008-0434	09-Sep-24	SELECTIVE (POST/PRE-EMERGENCE)	Oil palm	Annual broadleaves and grasses	9-15 tbsp/36L water	-	Do not spray 21 days before harvest	Enter treated fields only when spray has completely dried
ZAGRO CORPORATION	AMETRYNE	FEZPAX 80 WP	800 g/kg	WP	HERBICIDE	3	043-008-0434	09-Sep-24	SELECTIVE (POST/PRE-EMERGENCE)	Citrus	Annual broadleaves and grasses	9-15 tbsp/36L water	-	Do not spray 21 days before harvest	Enter treated fields only when spray has completely dried
ZAGRO CORPORATION	AMETRYNE	FEZPAX 80 WP	800 g/kg	WP	HERBICIDE	3	043-008-0434	09-Sep-24	SELECTIVE (POST/PRE-EMERGENCE)	Pineapple	Annual broadleaves and grasses	9-15 tbsp/36L water	-	Do not spray 21 days before harvest	Enter treated fields only when spray has completely dried
ZAGRO CORPORATION	AMETRYNE	FEZPAX 80 WP	800 g/kg	WP	HERBICIDE	3	043-008-0434	09-Sep-24	SELECTIVE (POST/PRE-EMERGENCE)	Rubber	Annual broadleaves and grasses	9-15 tbsp/36L water	-	Do not spray 21 days before harvest	Enter treated fields only when spray has completely dried
ZAGRO CORPORATION	AMETRYNE	FEZPAX 80 WP	800 g/kg	WP	HERBICIDE	3	043-008-0434	09-Sep-24	SELECTIVE (POST/PRE-EMERGENCE)	Corn	Annual broadleaves and grasses	9-15 tbsp/36L water	-	Do not spray 21 days before harvest	Enter treated fields only when spray has completely dried
ZAGRO CORPORATION	AMETRYNE	FEZPAX 80 WP	800 g/kg	WP	HERBICIDE	3	043-008-0434	09-Sep-24	SELECTIVE (POST/PRE-EMERGENCE)	Sugarcane	Annual broadleaves and grasses	9-15 tbsp/36L water	-	Do not spray 21 days before harvest	Enter treated fields only when spray has completely dried
ZAGRO CORPORATION	AMETRYNE	FEZPAX 500 FW	450 g/L	FW	HERBICIDE	3	043-008-0555	15-Apr-18	SELECTIVE (POST/PRE-EMERGENCE)	Banana	Annual broadleaves and grasses	9-15 tbsp/36L water	-	-	-
ZAGRO CORPORATION	AMETRYNE	FEZPAX 500 FW	450 g/L	FW	HERBICIDE	3	043-008-0555	15-Apr-18	SELECTIVE (POST/PRE-EMERGENCE)	Coffee	Annual broadleaves and grasses	9-15 tbsp/36L water	-	-	-
ZAGRO CORPORATION	AMETRYNE	FEZPAX 500 FW	450 g/L	FW	HERBICIDE	3	043-008-0555	15-Apr-18	SELECTIVE (POST/PRE-EMERGENCE)	Cacao	Annual broadleaves and grasses	9-15 tbsp/36L water	-	-	-
ZAGRO CORPORATION	AMETRYNE	FEZPAX 500 FW	450 g/L	FW	HERBICIDE	3	043-008-0555	15-Apr-18	SELECTIVE (POST/PRE-EMERGENCE)	Oil palm	Annual broadleaves and grasses	9-15 tbsp/36L water	-	-	-
ZAGRO CORPORATION	AMETRYNE	FEZPAX 500 FW	450 g/L	FW	HERBICIDE	3	043-008-0555	15-Apr-18	SELECTIVE (POST/PRE-EMERGENCE)	Citrus	Annual broadleaves and grasses	9-15 tbsp/36L water	-	-	-
ZAGRO CORPORATION	AMETRYNE	FEZPAX 500 FW	450 g/L	FW	HERBICIDE	3	043-008-0555	15-Apr-18	SELECTIVE (POST/PRE-EMERGENCE)	Pineapple	Annual broadleaves and grasses	9-15 tbsp/36L water	-	-	-
ZAGRO CORPORATION	AMETRYNE	FEZPAX 500 FW	450 g/L	FW	HERBICIDE	3	043-008-0555	15-Apr-18	SELECTIVE (POST/PRE-EMERGENCE)	Rubber	Annual broadleaves and grasses	9-15 tbsp/36L water	-	-	-
ZAGRO CORPORATION	AMETRYNE	FEZPAX 500 FW	450 g/L	FW	HERBICIDE	3	043-008-0555	15-Apr-18	SELECTIVE (POST/PRE-EMERGENCE)	Corn	Annual broadleaves and grasses	9-15 tbsp/36L water	-	-	-
ZAGRO CORPORATION	AMETRYNE	FEZPAX 500 FW	450 g/L	FW	HERBICIDE	3	043-008-0555	15-Apr-18	SELECTIVE (POST/PRE-EMERGENCE)	Sugarcane	Annual broadleaves and grasses	9-15 tbsp/36L water	-	-	-
ONEGRAIN MARKETING CORPORATION	METHOMYL	FETRA 40SP	400 g/kg	SP	INSECTICIDE	2	723-164-6099	7-Apr-25	-	Asparagus	Armyworm, cutworm	2.0-2.5 tbsp/36L sprayer	-	-	Do not enter fields treated with METHOMYL 40 SP within twelve hours after application
ONEGRAIN MARKETING CORPORATION	METHOMYL	FETRA 40SP	400 g/kg	SP	INSECTICIDE	2	723-164-6099	7-Apr-25	-	Banana	Thrips	3.5-4.5 tbsp/36L sprayer	-	-	Do not enter fields treated with METHOMYL 40 SP within twelve hours after application
ONEGRAIN MARKETING CORPORATION	METHOMYL	FETRA 40SP	400 g/kg	SP	INSECTICIDE	2	723-164-6099	7-Apr-25	-	beans	leafhopper, flea beetle, beanfly, podborer, aphids	2.0-3.5 tbsp/36L sprayer	-	-	Do not enter fields treated with METHOMYL 40 SP within twelve hours after application
ONEGRAIN MARKETING CORPORATION	METHOMYL	FETRA 40SP	400 g/kg	SP	INSECTICIDE	2	723-164-6099	7-Apr-25	-	Mungbeans	leafhopper, flea beetle, beanfly, podborer, aphids	2.0-3.5 tbsp/36L sprayer	-	-	Do not enter fields treated with METHOMYL 40 SP within twelve hours after application
ONEGRAIN MARKETING CORPORATION	METHOMYL	FETRA 40SP	400 g/kg	SP	INSECTICIDE	2	723-164-6099	7-Apr-25	-	Soybeans	leafhopper, flea beetle, beanfly, podborer, aphids	2.0-3.5 tbsp/36L sprayer	-	-	Do not enter fields treated with METHOMYL 40 SP within twelve hours after application
ONEGRAIN MARKETING CORPORATION	METHOMYL	FETRA 40SP	400 g/kg	SP	INSECTICIDE	2	723-164-6099	7-Apr-25	-	Peas	leafhopper, flea beetle, beanfly, podborer, aphids	2.0-3.5 tbsp/36L sprayer	-	-	Do not enter fields treated with METHOMYL 40 SP within twelve hours after application
ONEGRAIN MARKETING CORPORATION	METHOMYL	FETRA 40SP	400 g/kg	SP	INSECTICIDE	2	723-164-6099	7-Apr-25	-	Corn	Comborer, earworm	2.0-3.5 tbsp/36L sprayer	-	-	Do not enter fields treated with METHOMYL 40 SP within twelve hours after application
ONEGRAIN MARKETING CORPORATION	METHOMYL	FETRA 40SP	400 g/kg	SP	INSECTICIDE	2	723-164-6099	7-Apr-25	-	Eggplant	Aphids, flea beetle, fruitworm, lady beetle	2.0-3.5 tbsp/36L sprayer	-	-	Do not enter fields treated with METHOMYL 40 SP within twelve hours after application
ONEGRAIN MARKETING CORPORATION	METHOMYL	FETRA 40SP	400 g/kg	SP	INSECTICIDE	2	723-164-6099	7-Apr-25	-	Melon	Aphids, Squash beetle , leafhopper	2.0-3.5 tbsp/36L sprayer	-	-	Do not enter fields treated with METHOMYL 40 SP within twelve hours after application
ONEGRAIN MARKETING CORPORATION	METHOMYL	FETRA 40SP	400 g/kg	SP	INSECTICIDE	2	723-164-6099	7-Apr-25	-	Rice	Green leafhopper, armyworm, caseworm, leafhopper	2.0-3.5 tbsp/36L sprayer	-	-	Do not enter fields treated with METHOMYL 40 SP within twelve hours after application
ONEGRAIN MARKETING CORPORATION	METHOMYL	FETRA 40SP	400 g/kg	SP	INSECTICIDE	2	723-164-6099	7-Apr-25	-	Tobacco	Budworm, cutworm, aphids, hornworm	2.0-3.5 tbsp/36L sprayer	-	-	Do not enter fields treated with METHOMYL 40 SP within twelve hours after application
ONEGRAIN MARKETING CORPORATION	METHOMYL	FETRA 40SP	400 g/kg	SP	INSECTICIDE	2	723-164-6099	7-Apr-25	-	Tomato	Tomato fruitworm, aphids	2.0-3.5 tbsp/36L sprayer	-	-	Do not enter fields treated with METHOMYL 40 SP within twelve hours after application
FMC AGRO PHILIPPINES INC.	CHLORANTHRAIPIPOLE	FETERRA 0.4 G	-	G	INSECTICIDE	-	998-993-5367	23-Mar-22	-	Rice	Leafhopper and stemborer	10-12.5 kg prod / 1 ha	-	-	-
RAISSON AGROCHEMICAL CORPORATION	FENVALERATE	FENRACIDIN 30 EC	30 g/L	EC	INSECTICIDE	4	234-031-2261	16-May-20	-	Mango	Mango hopper, Tip borer, twig borer	5-8 Tbsp/36L water	-	-	-
RAISSON AGROCHEMICAL CORPORATION	FENVALERATE	FENRACIDIN 30 EC	30 g/L	EC	INSECTICIDE	4	234-031-2261	16-May-20	-	Crucifers	Diamondback moth, cabbage worm	5-8 Tbsp/36L water	-	-	-
RAISSON AGROCHEMICAL CORPORATION	FENVALERATE	FENRACIDIN 30 EC	30 g/L	EC	INSECTICIDE	4	234-031-2261	16-May-20	-	Peas	Aphids, leafminer, bean lycanid	5-8 Tbsp/36L water	-	-	-
RAISSON AGROCHEMICAL CORPORATION	FENVALERATE	FENRACIDIN 30 EC	30 g/L	EC	INSECTICIDE	4	234-031-2261	16-May-20	-	Cucurbits	Squash beetle	5-8 Tbsp/36L water	-	-	-
RAISSON AGROCHEMICAL CORPORATION	FENVALERATE	FENRACIDIN 30 EC	30 g/L	EC	INSECTICIDE	4	234-031-2261	16-May-20	-	Tobacco	Aphids, budworm	5-8 Tbsp/36L water	-	-	-
RAISSON AGROCHEMICAL CORPORATION	FENVALERATE	FENRACIDIN 30 EC	30 g/L	EC	INSECTICIDE	4	234-031-2261	16-May-20	-	Cotton	Aphids, budworm	5-8 Tbsp/36L water	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	DIPEACONAZOLE+PROPHIOAZOLE	FENPRODUE 300 EC	150 g/L-150 g/L	EC	FUNGICIDE	3	139-325-4034	07-Jun-26	SYSTEMIC	Rice	Sheath blight	25 ml prod/36 L water	0.06 mg/kg	-	-
BAYER CROSCIENCE, INC.	FLUBENDAMIDE	FENOS WG 24	240g/kg	WG	INSECTICIDE	4	284-386-3384	28-Dec-25	-	Eggplant	Tip borer and fruit borer	4-8 gm/36 L water	-	3 Days	After spray deposits have dried
BAYER CROSCIENCE, INC.	FLUBENDAMIDE	FENOS WG 24	240g/kg	WG	INSECTICIDE	4	284-386-3384	28-Dec-25	-	Tobacco	Budworm and cutworm	5-7.5 gm/36 L water	-	-	After spray deposits have dried
BAYER CROSCIENCE, INC.	FLUBENDAMIDE	FENOS WG 24	240g/kg	WG	INSECTICIDE	4	284-386-3384	28-Dec-25	-	Tomato	Cutworm, fruitworm	4-6 gm/36 L water	0.3mg/kg	3 Days	After spray deposits have dried
BAYER CROSCIENCE, INC.	FLUBENDAMIDE	FENOS WG 24	240g/kg	WG	INSECTICIDE	4	284-386-3384	28-Dec-25	-	Amplaya	Leafroller, cutworm	4-6 gm/36 L water	0.3mg/kg	3 Days	After spray deposits have dried
BAYER CROSCIENCE, INC.	FLUBENDAMIDE	FENOS WG 24	240g/kg	WG	INSECTICIDE	4	284-386-3384	28-Dec-25	-	Stringbeans	Podborer, cutworm, armyworm & semi tooper	2-4g prod/36L	0.5mg/kg	3 Days	After spray deposits have dried
BAYER CROSCIENCE, INC.	FLUBENDAMIDE	FENOS WG 24	240g/kg	WG	INSECTICIDE	4	284-386-3384	28-Dec-25	-	Watermelon	Leafhopper, fruitworm, cutworm, armyworm & rindworm	3-4 gm/36L water	0.2 mg/kg	1 day	After spray deposits have dried
BAYER CROSCIENCE, INC.	FLUBENDAMIDE	FENOS WG 24	240g/kg	WG	INSECTICIDE	4	284-386-3384	28-Dec-25	-	Onion	Cutworm & armyworm	2-4gm/36L water	0.5mg/kg	1 day	After spray deposits have dried
BAYER CROSCIENCE, INC.	FLUBENDAMIDE	FENOS WG 24	240g/kg	WG	INSECTICIDE	4	284-386-3384	28-Dec-25	-	Rice	Stemborer, leafhopper	4-8 g/36 L water	0.05 mg/kg	31 days	After spray deposits have dried
BAYER CROSCIENCE, INC.	FLUBENDAMIDE	FENOS WG 24	240g/kg	WG	INSECTICIDE	4	284-386-3384	28-Dec-25	-	Corn	Corn borer	4-8 g/36 L water	0.05 mg/kg	5 days	After spray deposits have dried
BAYER CROSCIENCE, INC.	FLUBENDAMIDE	FENOS 480 SC	480 g/L	SC	INSECTICIDE	4	284-386-1855	28-Dec-25	-	Eggplant	Tip borer and fruit borer	3-4 ml prod/36 L water	1.5 mg/kg	3 days	After spray deposits have dried
BAYER CROSCIENCE, INC.	FLUBENDAMIDE	FENOS 480 SC	480 g/L	SC	INSECTICIDE	4	284-386-1855	28-Dec-25	-	Tobacco	Budworm and cutworm	3-4 ml prod/36 L water	-	-	After spray deposits have dried
BAYER CROSCIENCE, INC.	FLUBENDAMIDE	FENOS 480 SC	480 g/L	SC	INSECTICIDE	4	284-386-1855	28-Dec-25	-	Cabbage	Diamond back moth	3-4 ml prod/36 L water	-	5 days	After spray deposits have dried
BAYER CROSCIENCE, INC.	FLUBENDAMIDE	FENOS 480 SC	480 g/L	SC	INSECTICIDE	4	284-386-1855	28-Dec-25	-	Tomato	Cutworm, fruitworm	4-5 ml prod /36 L water	0.2 mg/kg	3 days	After spray deposits have dried
BAYER CROSCIENCE, INC.	FLUBENDAMIDE	FENOS 480 SC	480 g/L	SC	INSECTICIDE	4	284-386-1855	28-Dec-25	-	Watermelon	Melon worm and cutworm	4-5 ml prod /36 L water	0.2 mg/kg	1 day	After spray deposits have dried
BAYER CROSCIENCE, INC.	FLUBENDAMIDE	FENOS 480 SC	480 g/L	SC	INSECTICIDE	4	284-386-1855	28-Dec-25	-	Onion	Cutworm	4-5 ml prod /36 L water	0.2 mg/kg	1 day	After spray deposits have dried
BAYER CROSCIENCE, INC.	FLUBENDAMIDE	FENOS 480 SC	480 g/L	SC	INSECTICIDE	4	284-386-1855	28-Dec-25	-	Amplaya	Leafroller	4-5 ml prod /36 L water	0.3 mg/kg	3 days	After spray deposits have dried
BAYER CROSCIENCE, INC.	FLUBENDAMIDE	FENOS 480 SC	480 g/L	SC	INSECTICIDE	4	284-386-1855	28-Dec-25	-	Stringbeans	Podborer, cutworm	3 ml prod/36 L water	0.5 mg/kg	3 days	After spray deposits have dried
BAYER CROSCIENCE, INC.	FLUBENDAMIDE	FENOS 480 SC	480 g/L	SC	INSECTICIDE	4	284-386-1855	28-Dec-25	-	Rice (as seed treatment)	Stem borer & leafhopper	2-1-4.2 mL PP/Kg seed, 1.0-2.2g aL/kg seed	0.05 mg/kg	87-94 days after last application	After spray deposits have dried
INDOFL PHILIPPINES INC.	FENPROFIMORPH	FENOPRO 880 OL	880 g/L	OL	FUNGICIDE	2	604-511-6307	9-Sep-25	SYSTEMIC	Banana	Black Sigatoka	0.5-0.7 L/ha	-	0 day	As soon as spray droplets dries

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)		PHI	RE-ENTRY PERIOD
PHILIPPINE FARMIX SOLUTIONS INC.	FENITROTHION	FENITRO 50 EC	500 g/L	EC	INSECTICIDE	2	535-032-4121	19-Sep-23	CONTACT	Rice	Caseworm, stemborer, ricebug	3-5 Tbsp/36L water				
PHILIPPINE FARMIX SOLUTIONS INC.	FENITROTHION	FENITRO 50 EC	500 g/L	EC	INSECTICIDE	2	535-032-4121	19-Sep-23	CONTACT	Fruit trees	Aphids, mealy bug, scale insects	3-5 Tbsp/36L water				
PHILIPPINE FARMIX SOLUTIONS INC.	FENITROTHION	FENITRO 50 EC	500 g/L	EC	INSECTICIDE	2	535-032-4121	19-Sep-23	CONTACT	Tomato	Aphids, fruit worm	3-5 Tbsp/36L water				
PHILIPPINE FARMIX SOLUTIONS INC.	FENITROTHION	FENITRO 50 EC	500 g/L	EC	INSECTICIDE	2	535-032-4121	19-Sep-23	CONTACT	Eggplant	Aphids, flea beetle, fruitworm, lady beetle	3-5 Tbsp/36L water				
PHILIPPINE FARMIX SOLUTIONS INC.	FENITROTHION	FENITRO 50 EC	500 g/L	EC	INSECTICIDE	2	535-032-4121	19-Sep-23	CONTACT	Beans	Beanfly, flea beetle, aphids, leaf folder, podborer	3-5 Tbsp/36L water				
PHILIPPINE FARMIX SOLUTIONS INC.	FENITROTHION	FENITRO 50 EC	500 g/L	EC	INSECTICIDE	2	535-032-4121	19-Sep-23	CONTACT	Citrus	Aphids, scale insects, mealy bug	3-5 Tbsp/36L water				
PHILIPPINE FARMIX SOLUTIONS INC.	FENITROTHION	FENITRO 50 EC	500 g/L	EC	INSECTICIDE	2	535-032-4121	19-Sep-23	CONTACT	Ornamentals	Aphids, scale insects, mealy bug, cutworm	3-5 Tbsp/36L water				
PHILIPPINE FARMIX SOLUTIONS INC.	FENITROTHION	FENITRO 50 EC	500 g/L	EC	INSECTICIDE	2	535-032-4121	19-Sep-23	CONTACT	Pineapple	Mealy bug, souring beetle	1.0 Tbsp/36L water				
PHILIPPINE FARMIX SOLUTIONS INC.	FENITROTHION	FENITRO 50 EC	500 g/L	EC	INSECTICIDE	2	535-032-4121	19-Sep-23	CONTACT	Banana	Flower thrips	2.0 Tbsp/36L water				
RAINBOW AGROSCIENCES PHILIPPINES INC.	PROFENOFOS	FENFOS 500 EC	500 g/L	EC	INSECTICIDE	2	539-070-5480-A (OTS)	28-Jun-24	CONTACT	Mango	Thrips	1.0-2.0 Tbsp/36L water				Do not enter treated field 1 day after application
RAINBOW AGROSCIENCES PHILIPPINES INC.	PROFENOFOS	FENFOS 500 EC	500 g/L	EC	INSECTICIDE	2	539-070-5480-A (OTS)	28-Jun-24	CONTACT	Tomato	Fruitworm, armyworm, cutworm	3-5 Tbsp/36L water				Do not enter treated field 1 day after application
RAINBOW AGROSCIENCES PHILIPPINES INC.	PROFENOFOS	FENFOS 500 EC	500 g/L	EC	INSECTICIDE	2	539-070-5480-A (OTS)	28-Jun-24	CONTACT	Eggplant	Fruitborer, aphids, leafhopper & thrips	1.5-3.0 Tbsp/36L water				Do not enter treated field 1 day after application
RAINBOW AGROSCIENCES PHILIPPINES INC.	PROFENOFOS	FENFOS 500 EC	500 g/L	EC	INSECTICIDE	2	539-070-5480-A (OTS)	28-Jun-24	CONTACT	Cabbage	Diamond back moth, cabbage worm & aphids	3-5 Tbsp/36L water				Do not enter treated field 1 day after application
RAINBOW AGROSCIENCES PHILIPPINES INC.	PROFENOFOS	FENFOS 500 EC	500 g/L	EC	INSECTICIDE	2	539-070-5480-A (OTS)	28-Jun-24	CONTACT	Watermelon	Thrips	3-5 Tbsp/36L water				Do not enter treated field 1 day after application
RAINBOW AGROSCIENCES PHILIPPINES INC.	PROFENOFOS	FENFOS 500 EC	500 g/L	EC	INSECTICIDE	2	539-070-5480-A (OTS)	28-Jun-24	CONTACT	Potato	Thrips, army worm, cutworm, tuber moth	3-5 Tbsp/36L water				Do not enter treated field 1 day after application
RAINBOW AGROSCIENCES PHILIPPINES INC.	PROFENOFOS	FENFOS 500 EC	500 g/L	EC	INSECTICIDE	2	539-070-5480-A (OTS)	28-Jun-24	CONTACT	Soybeans	Corn earworm, leafminer	3-5 Tbsp/36L water				Do not enter treated field 1 day after application
RAINBOW AGROSCIENCES PHILIPPINES INC.	PROFENOFOS	FENFOS 500 EC	500 g/L	EC	INSECTICIDE	2	539-070-5480-A (OTS)	28-Jun-24	CONTACT	Mungbeans	Corn earworm, leafminer	3-5 Tbsp/36L water				Do not enter treated field 1 day after application
RAINBOW AGROSCIENCES PHILIPPINES INC.	PROFENOFOS	FENFOS 500 EC	500 g/L	EC	INSECTICIDE	2	539-070-5480-A (OTS)	28-Jun-24	CONTACT	Cotton	Thrips, bollworm & budworm	3-5 Tbsp/36L water				Do not enter treated field 1 day after application
RAINBOW AGROSCIENCES PHILIPPINES INC.	PROFENOFOS	FENFOS 500 EC	500 g/L	EC	INSECTICIDE	2	539-070-5480-A (OTS)	28-Jun-24	CONTACT	Sitao	Beanfly, leaf folder & aphids	1.5-3.0 Tbsp/36L water				Do not enter treated field 1 day after application
RAINBOW AGROSCIENCES PHILIPPINES INC.	OMYLUMPHIN	EMVEN 240 EC	240 g/L	EC	HERBICIDE	4	539-123-5164	04-Aug-26	SELECTIVE (PRE /POST EMERGENCE)	Onion (Transplanted)	Broadleaves, sedges & grasses	2-40 mL/36L water				
ZAGRO CORPORATION	THIAMETHOAM	FEDIZOL 25 WG	250g/kg	WG	INSECTICIDE	4	043-312-4610	07-Jan-25	SYSTEMIC	Pineapple	Mealy bug	100-200 g/ha	0.01 mg/kg	-		Do not enter unless spray deposits have dried
ZAGRO CORPORATION	THIAMETHOAM	FEDIZOL 25 WG	250g/kg	WG	INSECTICIDE	4	043-312-4610	07-Jan-25	SYSTEMIC	Mango	Leafhopper	105.6-123.3g prod/ha	0.20 mg/kg	-		Do not enter unless spray deposits have dried
ZAGRO CORPORATION	THIAMETHOAM	FEDIZOL 25 WG	250g/kg	WG	INSECTICIDE	4	043-312-4610	07-Jan-25	SYSTEMIC	Rice	Green leafhopper, brown plant hopper, white backed planthopper, rice bug, black bug	4.0-5.0 Tbsp/36L water; Fat black bug 7.0-10.0 Tbsp/36L water	-	-		Do not enter unless spray deposits have dried
ZAGRO CORPORATION	THIAMETHOAM	FEDIZOL 25 WG	250g/kg	WG	INSECTICIDE	4	043-312-4610	07-Jan-25	SYSTEMIC	Stringbeans	Aphids, leafhopper	0.5-2.0 Drench, Foliar spray 2.0-5.0 Tbsp/36L water	-	-		Do not enter unless spray deposits have dried
ZAGRO CORPORATION	THIAMETHOAM	FEDIZOL 25 WG	250g/kg	WG	INSECTICIDE	4	043-312-4610	07-Jan-25	SYSTEMIC	Eggplant	Aphids, leafhopper	0.5-2.0 Drench, Foliar spray 2.0-5.0 Tbsp/36L water	-	-		Do not enter unless spray deposits have dried
ZAGRO CORPORATION	THIAMETHOAM	FEDIZOL 25 WG	250g/kg	WG	INSECTICIDE	4	043-312-4610	07-Jan-25	SYSTEMIC	Banana	Flower Thrips	4-6g/L	0.02 mg/kg	-		Do not enter unless spray deposits have dried
FARM EDGE AGRO TRADING CORPORATION	MANCOZEB	FEATZER 80 WP	800 g/kg	WP	FUNGICIDE	4	618-053-5637	20-Dec-24		Potato	Early and late blight	3.0-6.0 Tbsp/36L Water			Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
FARM EDGE AGRO TRADING CORPORATION	MANCOZEB	FEATZER 80 WP	800 g/kg	WP	FUNGICIDE	4	618-053-5637	20-Dec-24		Cabbage	Downy mildew, alternaria leaf spot	3.0-6.0 Tbsp/36L Water			Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
FARM EDGE AGRO TRADING CORPORATION	MANCOZEB	FEATZER 80 WP	800 g/kg	WP	FUNGICIDE	4	618-053-5637	20-Dec-24		Cauliflower	Downy mildew, alternaria leaf spot	3.0-6.0 Tbsp/36L Water			Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
FARM EDGE AGRO TRADING CORPORATION	MANCOZEB	FEATZER 80 WP	800 g/kg	WP	FUNGICIDE	4	618-053-5637	20-Dec-24		Broccoli	Downy mildew, alternaria leaf spot	3.0-6.0 Tbsp/36L Water			Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
FARM EDGE AGRO TRADING CORPORATION	MANCOZEB	FEATZER 80 WP	800 g/kg	WP	FUNGICIDE	4	618-053-5637	20-Dec-24		Celery	Late blight	3.0-6.0 Tbsp/36L Water			Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
FARM EDGE AGRO TRADING CORPORATION	MANCOZEB	FEATZER 80 WP	800 g/kg	WP	FUNGICIDE	4	618-053-5637	20-Dec-24		Cucumber	Downy mildew, anthracnose, scab	3.0-6.0 Tbsp/36L Water			Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
FARM EDGE AGRO TRADING CORPORATION	MANCOZEB	FEATZER 80 WP	800 g/kg	WP	FUNGICIDE	4	618-053-5637	20-Dec-24		Squash	Downy mildew, anthracnose, scab	3.0-6.0 Tbsp/36L Water			Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
FARM EDGE AGRO TRADING CORPORATION	MANCOZEB	FEATZER 80 WP	800 g/kg	WP	FUNGICIDE	4	618-053-5637	20-Dec-24		Cotton	Damping off	3.0-6.0 Tbsp/36L Water			Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
FARM EDGE AGRO TRADING CORPORATION	MANCOZEB	FEATZER 80 WP	800 g/kg	WP	FUNGICIDE	4	618-053-5637	20-Dec-24		Lettuce	Downy mildew	3.0-6.0 Tbsp/36L Water			Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
FARM EDGE AGRO TRADING CORPORATION	MANCOZEB	FEATZER 80 WP	800 g/kg	WP	FUNGICIDE	4	618-053-5637	20-Dec-24		Beans	Anthraxnose, Downy mildew, Rust	3.0-6.0 Tbsp/36L Water			Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
FARM EDGE AGRO TRADING CORPORATION	MANCOZEB	FEATZER 80 WP	800 g/kg	WP	FUNGICIDE	4	618-053-5637	20-Dec-24		Peas	Anthraxnose, Downy mildew, Rust	3.0-6.0 Tbsp/36L Water			Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
FARM EDGE AGRO TRADING CORPORATION	MANCOZEB	FEATZER 80 WP	800 g/kg	WP	FUNGICIDE	4	618-053-5637	20-Dec-24		Mungbeans	Anthraxnose, Downy mildew, Rust	3.0-6.0 Tbsp/36L Water			Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
FARM EDGE AGRO TRADING CORPORATION	MANCOZEB	FEATZER 80 WP	800 g/kg	WP	FUNGICIDE	4	618-053-5637	20-Dec-24		Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3.0-6.0 Tbsp/36L Water			Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
FARM EDGE AGRO TRADING CORPORATION	MANCOZEB	FEATZER 80 WP	800 g/kg	WP	FUNGICIDE	4	618-053-5637	20-Dec-24		Onion	Purple blotch, downy mildew, botrytis leaf blight	3.0-6.0 Tbsp/36L Water			Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
FARM EDGE AGRO TRADING CORPORATION	MANCOZEB	FEATZER 80 WP	800 g/kg	WP	FUNGICIDE	4	618-053-5637	20-Dec-24		Garlic	Purple blotch, downy mildew, botrytis leaf blight	3.0-6.0 Tbsp/36L Water			Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
FARM EDGE AGRO TRADING CORPORATION	MANCOZEB	FEATZER 80 WP	800 g/kg	WP	FUNGICIDE	4	618-053-5637	20-Dec-24		Pepper	Anthraxnose	3.0-6.0 Tbsp/36L Water			Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
FARM EDGE AGRO TRADING CORPORATION	MANCOZEB	FEATZER 80 WP	800 g/kg	WP	FUNGICIDE	4	618-053-5637	20-Dec-24		Chili	Anthraxnose	3.0-6.0 Tbsp/36L Water			Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
FARM EDGE AGRO TRADING CORPORATION	MANCOZEB	FEATZER 80 WP	800 g/kg	WP	FUNGICIDE	4	618-053-5637	20-Dec-24		Eggplant	Blight, Anthracnose	3.0-6.0 Tbsp/36L Water			Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
FARM EDGE AGRO TRADING CORPORATION	MANCOZEB	FEATZER 80 WP	800 g/kg	WP	FUNGICIDE	4	618-053-5637	20-Dec-24		Banana	Sigatoka, Black leaf streak	3.0-6.0 Tbsp/36L Water			Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
FARM EDGE AGRO TRADING CORPORATION	MANCOZEB	FEATZER 80 WP	800 g/kg	WP	FUNGICIDE	4	618-053-5637	20-Dec-24		Grape	Downy mildew, black rot	3.0-6.0 Tbsp/36L Water			Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
FARM EDGE AGRO TRADING CORPORATION	MANCOZEB	FEATZER 80 WP	800 g/kg	WP	FUNGICIDE	4	618-053-5637	20-Dec-24		Mango	Anthraxnose and Scab	3.0-6.0 Tbsp/36L Water			Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
FARM EDGE AGRO TRADING CORPORATION	MANCOZEB	FEATZER 80 WP	800 g/kg	WP	FUNGICIDE	4	618-053-5637	20-Dec-24		Papaya	Fruit rot	3.0-6.0 Tbsp/36L Water			Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
FARM EDGE AGRO TRADING CORPORATION	MANCOZEB	FEATZER 80 WP	800 g/kg	WP	FUNGICIDE	4	618-053-5637	20-Dec-24		Melon	Downy mildew, anthracnose, scab	3.0-6.0 Tbsp/36L Water			Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
FARM EDGE AGRO TRADING CORPORATION	MANCOZEB	FEATZER 80 WP	800 g/kg	WP	FUNGICIDE	4	618-053-5637	20-Dec-24		Watermelon	Downy mildew, anthracnose, scab	3.0-6.0 Tbsp/36L Water			Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
FARM EDGE AGRO TRADING CORPORATION	MANCOZEB	FEATZER 80 WP	800 g/kg	WP	FUNGICIDE	4	618-053-5637	20-Dec-24		Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3.0-6.0 Tbsp/36L Water			Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
FARM EDGE AGRO TRADING CORPORATION	MANCOZEB	FEATZER 80 WP	800 g/kg	WP	FUNGICIDE	4	618-053-5637	20-Dec-24		Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3.0-6.0 Tbsp/36L Water			Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
FARM EDGE AGRO TRADING CORPORATION	MANCOZEB	FEATZER 80 WP	800 g/kg	WP	FUNGICIDE	4	618-053-5637	20-Dec-24		Peanut	Cercospora leaf spot	3.0-6.0 Tbsp/36L Water			Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
FARM EDGE AGRO TRADING CORPORATION	MANCOZEB	FEATZER 80 WP	800 g/kg	WP	FUNGICIDE	4	618-053-5637	20-Dec-24		Soybeans	leaf rust	3.0-6.0 Tbsp/36L Water			Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
FARM EDGE AGRO TRADING CORPORATION	MANCOZEB	FEATZER 80 WP	800 g/kg	WP	FUNGICIDE	4	618-053-5637	20-Dec-24		Ornamentals	Black spot, blight anthracnose	3.0-6.0 Tbsp/36L Water			Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
FARM EDGE AGRO TRADING CORPORATION	CYPERMETHRIN	FEATHRIN 5 EC	50g/L	EC	INSECTICIDE	4	618-037-4901	17-Mar-26	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/36L water	-	7 days		Re-entry to treated field is allowed as soon as spray deposits dry.

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
FARM EDGE AGRO TRADING CORPORATION	CYPERMETHRIN	FEATHRIN 5 EC	50g/L	EC	INSECTICIDE	4	618-037-4901	17-Mar-26	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leafhopper, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
FARM EDGE AGRO TRADING CORPORATION	CYPERMETHRIN	FEATHRIN 5 EC	50g/L	EC	INSECTICIDE	4	618-037-4901	17-Mar-26	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	2.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
FARM EDGE AGRO TRADING CORPORATION	CYPERMETHRIN	FEATHRIN 5 EC	50g/L	EC	INSECTICIDE	4	618-037-4901	17-Mar-26	CONTACT	beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
FARM EDGE AGRO TRADING CORPORATION	CYPERMETHRIN	FEATHRIN 5 EC	50g/L	EC	INSECTICIDE	4	618-037-4901	17-Mar-26	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
FARM EDGE AGRO TRADING CORPORATION	CYPERMETHRIN	FEATHRIN 5 EC	50g/L	EC	INSECTICIDE	4	618-037-4901	17-Mar-26	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
FARM EDGE AGRO TRADING CORPORATION	CYPERMETHRIN	FEATHRIN 5 EC	50g/L	EC	INSECTICIDE	4	618-037-4901	17-Mar-26	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
FARM EDGE AGRO TRADING CORPORATION	CYPERMETHRIN	FEATHRIN 5 EC	50g/L	EC	INSECTICIDE	4	618-037-4901	17-Mar-26	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
FARM EDGE AGRO TRADING CORPORATION	CYPERMETHRIN	FEATHRIN 5 EC	50g/L	EC	INSECTICIDE	4	618-037-4901	17-Mar-26	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
FARM EDGE AGRO TRADING CORPORATION	CYPERMETHRIN	FEATHRIN 5 EC	50g/L	EC	INSECTICIDE	4	618-037-4901	17-Mar-26	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
FARM EDGE AGRO TRADING CORPORATION	CYPERMETHRIN	FEATHRIN 5 EC	50g/L	EC	INSECTICIDE	4	618-037-4901	17-Mar-26	CONTACT	Corn	Comborer, earworm	1.0-4.5 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
SANKHEM CORPORATION	GLYPHOSATE IPA	FEARLESS 480 SL	480 g/L	SL	HERBICIDE	4	515-151-3187	03-Sep-22	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/ha	-	-	-
SANKHEM CORPORATION	GLYPHOSATE IPA	FEARLESS 480 SL	480 g/L	SL	HERBICIDE	4	515-151-3187	03-Sep-22	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
SANKHEM CORPORATION	GLYPHOSATE IPA	FEARLESS 480 SL	480 g/L	SL	HERBICIDE	4	515-151-3187	03-Sep-22	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
SANKHEM CORPORATION	GLYPHOSATE IPA	FEARLESS 480 SL	480 g/L	SL	HERBICIDE	4	515-151-3187	03-Sep-22	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
SANKHEM CORPORATION	GLYPHOSATE IPA	FEARLESS 480 SL	480 g/L	SL	HERBICIDE	4	515-151-3187	03-Sep-22	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
SANKHEM CORPORATION	GLYPHOSATE IPA	FEARLESS 480 SL	480 g/L	SL	HERBICIDE	4	515-151-3187	03-Sep-22	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
SANKHEM CORPORATION	GLYPHOSATE IPA	FEARLESS 480 SL	480 g/L	SL	HERBICIDE	4	515-151-3187	03-Sep-22	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
SANKHEM CORPORATION	GLYPHOSATE IPA	FEARLESS 480 SL	480 g/L	SL	HERBICIDE	4	515-151-3187	03-Sep-22	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
SANKHEM CORPORATION	GLYPHOSATE IPA	FEARLESS 480 SL	480 g/L	SL	HERBICIDE	4	515-151-3187	03-Sep-22	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/ha	-	-	-
SANKHEM CORPORATION	GLYPHOSATE IPA	FEARLESS 480 SL	480 g/L	SL	HERBICIDE	4	515-151-3187	03-Sep-22	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
SANKHEM CORPORATION	GLYPHOSATE IPA	FEARLESS 480 SL	480 g/L	SL	HERBICIDE	4	515-151-3187	03-Sep-22	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
SANKHEM CORPORATION	GLYPHOSATE IPA	FEARLESS 480 SL	480 g/L	SL	HERBICIDE	4	515-151-3187	03-Sep-22	POST-EMERGENT	Non-crop	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
AGCHEM MANUFACTURING CORPORATION	PROPYLENE GLYCOL+POLYALKYLENE OXIDE BLOCK COPOLYMER	FASTER	3.0% w/v+1.5% w/v	-	OTHERS	4	001-542-5387	06-Apr-22	-	-	As surfactant intended for ZYTOD 30 SC	-	-	-	-
BASF PHILIPPINES, INC.	ALPHA-CYPERMETHRIN	FASATAC 250 SC	250 g/L	SC	INSECTICIDE	4	005-274-0675	28-Aug-24	-	Rice	Wheat maggot, stemborer, rice bug, leafhopper, brown planthopper, leafhopper	4.5ml/16L water	2 ppm	Can be harvested 3 days after spraying	Entry to field and crops treated may be done 24 Hours after spraying
BASF PHILIPPINES, INC.	ALPHA-CYPERMETHRIN	FASATAC 250 SC	250 g/L	SC	INSECTICIDE	4	005-274-0675	28-Aug-24	-	Corn	Maggots, borer, earworm	2-3ml/16L water	0.3 ppm	Can be harvested 3 days after spraying	Entry to field and crops treated may be done 24 Hours after spraying
BASF PHILIPPINES, INC.	ALPHA-CYPERMETHRIN	FASATAC 250 SC	250 g/L	SC	INSECTICIDE	4	005-274-0675	28-Aug-24	-	Watermelon	Armyworm, leafhopper, leafroller, aphids, squash beetle	2-3ml/16L water	0.2 ppm	Can be harvested 3 days after spraying	Entry to field and crops treated may be done 24 Hours after spraying
BASF PHILIPPINES, INC.	ALPHA-CYPERMETHRIN	FASATAC 250 SC	250 g/L	SC	INSECTICIDE	4	005-274-0675	28-Aug-24	-	Stringbeans	Podborer, aphids, cutworm	2-3ml/16L water	0.7 ppm	Can be harvested 3 days after spraying	Entry to field and crops treated may be done 24 Hours after spraying
BASF PHILIPPINES, INC.	ALPHA-CYPERMETHRIN	FASATAC 250 SC	250 g/L	SC	INSECTICIDE	4	005-274-0675	28-Aug-24	-	Eggplant	Leafhopper, mites, podborer	2-3ml/16L water	0.2 ppm	Can be harvested 3 days after spraying	Entry to field and crops treated may be done 24 Hours after spraying
BASF PHILIPPINES, INC.	ALPHA-CYPERMETHRIN	FASATAC 250 SC	250 g/L	SC	INSECTICIDE	4	005-274-0675	28-Aug-24	-	Tomato	Fruitworm	2.5-3.5ml/16L water	0.2 ppm	Can be harvested 3 days after spraying	Entry to field and crops treated may be done 24 Hours after spraying
BASF PHILIPPINES, INC.	ALPHA-CYPERMETHRIN	FASATAC 250 SC	250 g/L	SC	INSECTICIDE	4	005-274-0675	28-Aug-24	-	Tobacco	Budworm, Cutworm, aphids	2-3ml/16L water	-	Can be harvested 3 days after spraying	Entry to field and crops treated may be done 24 Hours after spraying
AGREXPLORE CORPORATION	GLYPHOSATE IPA	FAST BURN 480 SL	480 g/L	SL	HERBICIDE	4	528-151-3105	15-Feb-25	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/ha	-	-	-
AGREXPLORE CORPORATION	GLYPHOSATE IPA	FAST BURN 480 SL	480 g/L	SL	HERBICIDE	4	528-151-3105	15-Feb-25	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
AGREXPLORE CORPORATION	GLYPHOSATE IPA	FAST BURN 480 SL	480 g/L	SL	HERBICIDE	4	528-151-3105	15-Feb-25	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
AGREXPLORE CORPORATION	GLYPHOSATE IPA	FAST BURN 480 SL	480 g/L	SL	HERBICIDE	4	528-151-3105	15-Feb-25	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
AGREXPLORE CORPORATION	GLYPHOSATE IPA	FAST BURN 480 SL	480 g/L	SL	HERBICIDE	4	528-151-3105	15-Feb-25	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
AGREXPLORE CORPORATION	GLYPHOSATE IPA	FAST BURN 480 SL	480 g/L	SL	HERBICIDE	4	528-151-3105	15-Feb-25	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
AGREXPLORE CORPORATION	GLYPHOSATE IPA	FAST BURN 480 SL	480 g/L	SL	HERBICIDE	4	528-151-3105	15-Feb-25	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
AGREXPLORE CORPORATION	GLYPHOSATE IPA	FAST BURN 480 SL	480 g/L	SL	HERBICIDE	4	528-151-3105	15-Feb-25	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
AGREXPLORE CORPORATION	GLYPHOSATE IPA	FAST BURN 480 SL	480 g/L	SL	HERBICIDE	4	528-151-3105	15-Feb-25	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/ha	-	-	-
AGREXPLORE CORPORATION	GLYPHOSATE IPA	FAST BURN 480 SL	480 g/L	SL	HERBICIDE	4	528-151-3105	15-Feb-25	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
AGREXPLORE CORPORATION	GLYPHOSATE IPA	FAST BURN 480 SL	480 g/L	SL	HERBICIDE	4	528-151-3105	15-Feb-25	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
NAC UNITED CROP SOLUTIONS CORPORATION	INDOXACARB	FAST BEAT 300 WG	300 g/L	WG	INSECTICIDE	3	687-353-6095	24-Mar-26	CONTACT	Cabbage	Diamondback moth	3.0-3.5 grams proof/ 16L water	-	-	As soon as the spray mist dries up
NAC UNITED CROP SOLUTIONS CORPORATION	INDOXACARB	FAST BEAT 300 WG	300 g/L	WG	INSECTICIDE	3	687-353-6095	24-Mar-26	CONTACT	Eggplant	Shoot borer and fruit borer	4.0 grams proof/ 16L water	-	-	As soon as the spray mist dries up
NAC UNITED CROP SOLUTIONS CORPORATION	INDOXACARB	FAST BEAT 300 WG	300 g/L	WG	INSECTICIDE	3	687-353-6095	24-Mar-26	CONTACT	Bitterground	Pod borer	4.0 grams proof/ 16L water	-	-	As soon as the spray mist dries up
NAC UNITED CROP SOLUTIONS CORPORATION	INDOXACARB	FAST BEAT 300 WG	300 g/L	WG	INSECTICIDE	3	687-353-6095	24-Mar-26	CONTACT	String beans	Cutworm	4.0 grams proof/ 16L water	-	-	As soon as the spray mist dries up
NAC UNITED CROP SOLUTIONS CORPORATION	INDOXACARB	FAST BEAT 300 WG	300 g/L	WG	INSECTICIDE	3	687-353-6095	24-Mar-26	CONTACT	Rice	Leaf folder	2.0 grams proof/ 16L water	-	-	As soon as the spray mist dries up
NAC UNITED CROP SOLUTIONS CORPORATION	INDOXACARB	FAST BEAT 300 WG	300 g/L	WG	INSECTICIDE	3	687-353-6095	24-Mar-26	CONTACT	Tobacco	Cutworm and budworm	4.0 grams proof/ 16L water	-	-	As soon as the spray mist dries up
AKTIV MULTI TRADING CO. PHILS, INC.	PHYRACLOSTROBIN	FASCURE 25 EC	250 g/L	EC	FUNGICIDE	2	540-396-5828	29-Oct-26	-	Banana	Sigatoka and freckles	0.4 L/ha	-	4 days	As soon as spray deposits have dried or at 24 hours after spraying
GOLDEN FARMERS AGRICULTURAL PRODUCT CORPORATION	PHENTACHLOR	FASCLEAN	300 g/L	EC	HERBICIDE	4	658-080-4720	19-Mar-22	PRE-EMERGENCE	Rice (Direct Seeded)	Grasses, sedges, and broadleaves weeds	10-15 tlbop./16 L water	0.05ppm	-	-
UPL PHILIPPINES, INC.	GLUFOSINATE AMMONIUM	FASCLONATE 150 SL	150 g/L	SL	HERBICIDE	4	562-182-3589	14-Feb-25	NON-SELECTIVE(POST-EMERGENT)	Rubber	Annual & Perennial grasses, sedges and & Broadleaf weeds	255ml/16 L water, 270ml/16 L water, 135ml/16 L water	-	-	After spray deposits have dried
UPL PHILIPPINES, INC.	GLUFOSINATE AMMONIUM	FASCLONATE 150 SL	150 g/L	SL	HERBICIDE	4	562-182-3589	14-Feb-25	NON-SELECTIVE(POST-EMERGENT)	Oil palm	Annual & Perennial grasses, sedges and & Broadleaf weeds	160ml/16 L water, 135ml/16 L water	-	-	After spray deposits have dried
UPL PHILIPPINES, INC.	GLUFOSINATE AMMONIUM	FASCLONATE 150 SL	150 g/L	SL	HERBICIDE	4	562-182-3589	14-Feb-25	NON-SELECTIVE(POST-EMERGENT)	Non-crop areas	Annual & Perennial grasses, sedges and & Broadleaf weeds	160-215ml/16 L water	-	-	After spray deposits have dried
UPL PHILIPPINES, INC.	GLUFOSINATE AMMONIUM	FASCLONATE 150 SL	150 g/L	SL	HERBICIDE	4	562-182-3589	14-Feb-25	NON-SELECTIVE(POST-EMERGENT)	Coffee	Annual & Perennial grasses, sedges and & Broadleaf weeds	160ml/16 L water, 135ml/16 L water	-	-	After spray deposits have dried
UPL PHILIPPINES, INC.	GLUFOSINATE AMMONIUM	FASCLONATE 150 SL	150 g/L	SL	HERBICIDE	4	562-182-3589	14-Feb-25	NON-SELECTIVE(POST-EMERGENT)	Citrus	Annual & Perennial grasses, sedges and & Broadleaf weeds	160ml/16 L water, 135ml/16 L water	-	-	After spray deposits have dried
UPL PHILIPPINES, INC.	GLUFOSINATE AMMONIUM	FASCLONATE 150 SL	150 g/L	SL	HERBICIDE	4	562-182-3589	14-Feb-25	NON-SELECTIVE(POST-EMERGENT)	Cavendish Banana	Annual & Perennial grasses, sedges and & Broadleaf weeds	160ml/16 L water, 135-200ml/16 L water	0.2 mg/kg	-	After spray deposits have dried
UPL PHILIPPINES, INC.	GLUFOSINATE AMMONIUM	FASCLONATE 150 SL	150 g/L	SL	HERBICIDE	4	562-182-3589	14-Feb-25	NON-SELECTIVE(POST-EMERGENT)	Cacao	Annual & Perennial grasses, sedges and & Broadleaf weeds	160ml/16 L water, 135ml/16 L water	-	-	After spray deposits have dried

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
PHILIPPINE FARMFIX SOLUTIONS INC.	CHLADAZON	FARMSTAR 25 EC	250 g/L	EC	HERBICIDE	4	535-124-5339	08-Feb-24	SELECTIVE (PRE-EMERGENCE)	Onion (Transplanted)	Grasses and broadleaves	2-3 L prod / ha	-	-	Re-entry can be done after the spray droplets have dried up. It is recommended to keep from disturbing the soil, even by treading on the sprayed soil surfaces to
PHILIPPINE FARMFIX SOLUTIONS INC.	CHLADAZON	FARMSTAR 25 EC	250 g/L	EC	HERBICIDE	4	535-124-5339	08-Feb-24	SELECTIVE (PRE-EMERGENCE)	Rice (Transplanted)	Grasses and broadleaves	2-3 L prod / ha	-	-	Re-entry can be done after the spray droplets have dried up. It is recommended to keep from disturbing the soil, even by treading on the sprayed soil surfaces to
PHILIPPINE FARMFIX SOLUTIONS INC.	CHLADAZON	FARMSTAR 25 EC	250 g/L	EC	HERBICIDE	4	535-124-5339	08-Feb-24	SELECTIVE (PRE-EMERGENCE)	Rice (Dry-Seeded)	Grasses and broadleaves	2-3 L prod / ha	-	-	Re-entry can be done after the spray droplets have dried up. It is recommended to keep from disturbing the soil, even by treading on the sprayed soil surfaces to
PHILIPPINE FARMFIX SOLUTIONS INC.	CHLADAZON	FARMSTAR 25 EC	250 g/L	EC	HERBICIDE	4	535-124-5339	08-Feb-24	SELECTIVE (PRE-EMERGENCE)	Rice (Direct Seeded Pre-seminated)	Grasses and broadleaves	2-1.5 L prod / ha	-	-	Re-entry can be done after the spray droplets have dried up. It is recommended to keep from disturbing the soil, even by treading on the sprayed soil surfaces to
PHILIPPINE FARMFIX SOLUTIONS INC.	CHLADAZON	FARMSTAR 25 EC	250 g/L	EC	HERBICIDE	4	535-124-5339	08-Feb-24	SELECTIVE (PRE-EMERGENCE)	Cabbage and other crucifers	Grasses and broadleaves	3-4 L prod / ha	-	-	Re-entry can be done after the spray droplets have dried up. It is recommended to keep from disturbing the soil, even by treading on the sprayed soil surfaces to
PHILIPPINE FARMFIX SOLUTIONS INC.	METRIBUZIN	FARMFIX METRIBUZIN 70 WP	700 g/kg	WP	HERBICIDE	4	535-022-5530	30-Jul-24	SELECTIVE	Potato	Annual grasses and broadleaves	15-22.5 grams/16 L water	-	60 days	Do not re-enter sprayed areas until spray deposits have dried.
PHILIPPINE FARMFIX SOLUTIONS INC.	METRIBUZIN	FARMFIX METRIBUZIN 70 WP	700 g/kg	WP	HERBICIDE	4	535-022-5530	30-Jul-24	SELECTIVE	Soybeans	Annual grasses and broadleaves	15-22.5 grams/16 L water	-	60 days	Do not re-enter sprayed areas until spray deposits have dried.
PHILIPPINE FARMFIX SOLUTIONS INC.	METRIBUZIN	FARMFIX METRIBUZIN 70 WP	700 g/kg	WP	HERBICIDE	4	535-022-5530	30-Jul-24	SELECTIVE	Sugarcane	Annual grasses and broadleaves	35-50 grams/16 L water	-	60 days	Do not re-enter sprayed areas until spray deposits have dried.
PHILIPPINE FARMFIX SOLUTIONS INC.	METRIBUZIN	FARMFIX METRIBUZIN 70 WP	700 g/kg	WP	HERBICIDE	4	535-022-5530	30-Jul-24	SELECTIVE	Tomato	Annual grasses and broadleaves	15-22.5 grams/16 L water	-	60 days	Do not re-enter sprayed areas until spray deposits have dried.
PHILIPPINE FARMFIX SOLUTIONS INC.	MANCOZEB	FARMFIX MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	535-051-4044	23-May-24	-	Potato	Early and late blight	3-6 Tbsp/16L water	-	-	As soon as spray dries
PHILIPPINE FARMFIX SOLUTIONS INC.	MANCOZEB	FARMFIX MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	535-051-4044	23-May-24	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16L water	-	-	As soon as spray dries
PHILIPPINE FARMFIX SOLUTIONS INC.	MANCOZEB	FARMFIX MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	535-051-4044	23-May-24	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16L water	-	-	As soon as spray dries
PHILIPPINE FARMFIX SOLUTIONS INC.	MANCOZEB	FARMFIX MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	535-051-4044	23-May-24	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16L water	-	-	As soon as spray dries
PHILIPPINE FARMFIX SOLUTIONS INC.	MANCOZEB	FARMFIX MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	535-051-4044	23-May-24	-	Celery	Late blight	3-6 Tbsp/16L water	-	-	As soon as spray dries
PHILIPPINE FARMFIX SOLUTIONS INC.	MANCOZEB	FARMFIX MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	535-051-4044	23-May-24	-	Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16L water	-	-	As soon as spray dries
PHILIPPINE FARMFIX SOLUTIONS INC.	MANCOZEB	FARMFIX MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	535-051-4044	23-May-24	-	Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16L water	-	-	As soon as spray dries
PHILIPPINE FARMFIX SOLUTIONS INC.	MANCOZEB	FARMFIX MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	535-051-4044	23-May-24	-	Cotton	Damping off	3-6 Tbsp/16L water	-	-	As soon as spray dries
PHILIPPINE FARMFIX SOLUTIONS INC.	MANCOZEB	FARMFIX MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	535-051-4044	23-May-24	-	lettuce	Downy mildew	3-6 Tbsp/16L water	-	-	As soon as spray dries
PHILIPPINE FARMFIX SOLUTIONS INC.	MANCOZEB	FARMFIX MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	535-051-4044	23-May-24	-	Beans	Anthracoese, Downy mildew, Rust	3-6 Tbsp/16L water	-	-	As soon as spray dries
PHILIPPINE FARMFIX SOLUTIONS INC.	MANCOZEB	FARMFIX MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	535-051-4044	23-May-24	-	Peas	Anthracoese, Downy mildew, Rust	3-6 Tbsp/16L water	-	-	As soon as spray dries
PHILIPPINE FARMFIX SOLUTIONS INC.	MANCOZEB	FARMFIX MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	535-051-4044	23-May-24	-	Mango	Anthracoese, Downy mildew, Rust	3-6 Tbsp/16L water	-	-	As soon as spray dries
PHILIPPINE FARMFIX SOLUTIONS INC.	MANCOZEB	FARMFIX MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	535-051-4044	23-May-24	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16L water	-	-	As soon as spray dries
PHILIPPINE FARMFIX SOLUTIONS INC.	MANCOZEB	FARMFIX MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	535-051-4044	23-May-24	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16L water	-	-	As soon as spray dries
PHILIPPINE FARMFIX SOLUTIONS INC.	MANCOZEB	FARMFIX MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	535-051-4044	23-May-24	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16L water	-	-	As soon as spray dries
PHILIPPINE FARMFIX SOLUTIONS INC.	MANCOZEB	FARMFIX MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	535-051-4044	23-May-24	-	Pepper	Anthracoese	3-6 Tbsp/16L water	-	-	As soon as spray dries
PHILIPPINE FARMFIX SOLUTIONS INC.	MANCOZEB	FARMFIX MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	535-051-4044	23-May-24	-	Chili	Anthracoese	3-6 Tbsp/16L water	-	-	As soon as spray dries
PHILIPPINE FARMFIX SOLUTIONS INC.	MANCOZEB	FARMFIX MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	535-051-4044	23-May-24	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/16L water	-	-	As soon as spray dries
PHILIPPINE FARMFIX SOLUTIONS INC.	MANCOZEB	FARMFIX MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	535-051-4044	23-May-24	-	Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16L water	-	-	As soon as spray dries
PHILIPPINE FARMFIX SOLUTIONS INC.	MANCOZEB	FARMFIX MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	535-051-4044	23-May-24	-	Grapes	Downy mildew, black rot	3-6 Tbsp/16L water	-	-	As soon as spray dries
PHILIPPINE FARMFIX SOLUTIONS INC.	MANCOZEB	FARMFIX MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	535-051-4044	23-May-24	-	Mango	Anthracoese and Scab	3-6 Tbsp/16L water	-	-	As soon as spray dries
PHILIPPINE FARMFIX SOLUTIONS INC.	MANCOZEB	FARMFIX MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	535-051-4044	23-May-24	-	Papaya	Fruit rot	3-6 Tbsp/16L water	-	-	As soon as spray dries
PHILIPPINE FARMFIX SOLUTIONS INC.	MANCOZEB	FARMFIX MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	535-051-4044	23-May-24	-	Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16L water	-	-	As soon as spray dries
PHILIPPINE FARMFIX SOLUTIONS INC.	MANCOZEB	FARMFIX MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	535-051-4044	23-May-24	-	Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16L water	-	-	As soon as spray dries
PHILIPPINE FARMFIX SOLUTIONS INC.	MANCOZEB	FARMFIX MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	535-051-4044	23-May-24	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16L water	-	-	As soon as spray dries
PHILIPPINE FARMFIX SOLUTIONS INC.	MANCOZEB	FARMFIX MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	535-051-4044	23-May-24	-	Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16L water	0.02ppm	-	As soon as spray dries
PHILIPPINE FARMFIX SOLUTIONS INC.	MANCOZEB	FARMFIX MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	535-051-4044	23-May-24	-	Peanut	Cercospora leaf spot	3-6 Tbsp/16L water	-	-	As soon as spray dries
PHILIPPINE FARMFIX SOLUTIONS INC.	MANCOZEB	FARMFIX MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	535-051-4044	23-May-24	-	Soybeans	Leaf rust	3-6 Tbsp/16L water	-	-	As soon as spray dries
PHILIPPINE FARMFIX SOLUTIONS INC.	MANCOZEB	FARMFIX MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	535-051-4044	23-May-24	-	Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/16L water	-	-	As soon as spray dries
PHILIPPINE FARMFIX SOLUTIONS INC.	LINURON	FARMFIX LINURON 50 WP	500 g/kg	WP	HERBICIDE	4	535-171-5183	27-Aug-26	SELECTIVE (PRE / POST EMERGENCE)	Soybeans	Annual weeds	3.0-4.0 Tbsp/16L water	-	-	No restriction product is applied only once at planting time
PHILIPPINE FARMFIX SOLUTIONS INC.	LINURON	FARMFIX LINURON 50 WP	500 g/kg	WP	HERBICIDE	4	535-171-5183	27-Aug-26	SELECTIVE (PRE / POST EMERGENCE)	Peanut	Annual weeds	3.0-4.0 Tbsp/16L water	-	-	No restriction product is applied only once at planting time
PHILIPPINE FARMFIX SOLUTIONS INC.	LINURON	FARMFIX LINURON 50 WP	500 g/kg	WP	HERBICIDE	4	535-171-5183	27-Aug-26	SELECTIVE (PRE / POST EMERGENCE)	Sweet peas	Annual weeds	3.0-4.0 Tbsp/16L water	-	-	No restriction product is applied only once at planting time
PHILIPPINE FARMFIX SOLUTIONS INC.	LINURON	FARMFIX LINURON 50 WP	500 g/kg	WP	HERBICIDE	4	535-171-5183	27-Aug-26	SELECTIVE (PRE / POST EMERGENCE)	Carrot	Annual weeds	3.3-4.0 Tbsp/16L water	-	-	No restriction product is applied only once at planting time
PHILIPPINE FARMFIX SOLUTIONS INC.	LINURON	FARMFIX LINURON 50 WP	500 g/kg	WP	HERBICIDE	4	535-171-5183	27-Aug-26	SELECTIVE (PRE / POST EMERGENCE)	Celery	Annual weeds	3.5-4.0 Tbsp/16L water	-	-	No restriction product is applied only once at planting time
PHILIPPINE FARMFIX SOLUTIONS INC.	LINURON	FARMFIX LINURON 50 WP	500 g/kg	WP	HERBICIDE	4	535-171-5183	27-Aug-26	SELECTIVE (PRE / POST EMERGENCE)	Corn	Annual weeds	3.5-4.0 Tbsp/16L water	-	-	No restriction product is applied only once at planting time
PHILIPPINE FARMFIX SOLUTIONS INC.	LINURON	FARMFIX LINURON 50 WP	500 g/kg	WP	HERBICIDE	4	535-171-5183	27-Aug-26	SELECTIVE (PRE / POST EMERGENCE)	Onion	Annual weeds	3.0-4.0 Tbsp/16L water	-	-	No restriction product is applied only once at planting time
PHILIPPINE FARMFIX SOLUTIONS INC.	LINURON	FARMFIX LINURON 50 WP	500 g/kg	WP	HERBICIDE	4	535-171-5183	27-Aug-26	SELECTIVE (PRE / POST EMERGENCE)	Garlic	Annual weeds	3.0-4.0 Tbsp/16L water	-	-	No restriction product is applied only once at planting time
PHILIPPINE FARMFIX SOLUTIONS INC.	LINURON	FARMFIX LINURON 50 WP	500 g/kg	WP	HERBICIDE	4	535-171-5183	27-Aug-26	SELECTIVE (PRE / POST EMERGENCE)	Potato	Annual weeds	3.0-7.0 Tbsp/16L water	-	-	No restriction product is applied only once at planting time
PHILIPPINE FARMFIX SOLUTIONS INC.	LINURON	FARMFIX LINURON 50 WP	500 g/kg	WP	HERBICIDE	4	535-171-5183	27-Aug-26	SELECTIVE (PRE / POST EMERGENCE)	Sugarcane	Annual weeds	3.0-5.0 Tbsp/16L water	-	-	No restriction product is applied only once at planting time
PHILIPPINE FARMFIX SOLUTIONS INC.	LINURON	FARMFIX LINURON 50 WP	500 g/kg	WP	HERBICIDE	4	535-171-5183	27-Aug-26	SELECTIVE (PRE / POST EMERGENCE)	Tobacco	Annual weeds	3.50 Tbsp/16L water	-	-	No restriction product is applied only once at planting time
PHILIPPINE FARMFIX SOLUTIONS INC.	LINURON	FARMFIX LINURON 50 WP	500 g/kg	WP	HERBICIDE	4	535-171-5183	27-Aug-26	SELECTIVE (PRE / POST EMERGENCE)	Pineapple	Annual weeds	7.0-10.5 Tbsp/16L water	-	-	No restriction product is applied only once at planting time
PHILIPPINE FARMFIX SOLUTIONS INC.	DIURON	FARMFIX DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	535-021-3189	24-May-24	SYSTEMIC	Citrus	Annual and Perennial broadleaves and grasses	13.0-15.0Tbsp/16 L water	-	-	Entry to fields treated with FARMIX DIURON 80 WP can be done one day after the application
PHILIPPINE FARMFIX SOLUTIONS INC.	DIURON	FARMFIX DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	535-021-3189	24-May-24	SYSTEMIC	Coffee	Annual and Perennial broadleaves and grasses	13.0-15.0Tbsp/16 L water	-	-	Entry to fields treated with FARMIX DIURON 80 WP can be done one day after the application
PHILIPPINE FARMFIX SOLUTIONS INC.	DIURON	FARMFIX DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	535-021-3189	24-May-24	SYSTEMIC	Cotton	Annual and Perennial broadleaves and grasses	8.0Tbsp/16 L water	-	-	Entry to fields treated with FARMIX DIURON 80 WP can be done one day after the application
PHILIPPINE FARMFIX SOLUTIONS INC.	DIURON	FARMFIX DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	535-021-3189	24-May-24	SYSTEMIC	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0Tbsp/16 L water	-	-	Entry to fields treated with FARMIX DIURON 80 WP can be done one day after the application
PHILIPPINE FARMFIX SOLUTIONS INC.	DIURON	FARMFIX DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	535-021-3189	24-May-24	SYSTEMIC	Pineapple	Annual and Perennial broadleaves and grasses	14.0Tbsp/16 L water	-	-	Entry to fields treated with FARMIX DIURON 80 WP can be done one day after the application
PHILIPPINE FARMFIX SOLUTIONS INC.	DIURON	FARMFIX DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	535-021-3189	24-May-24	SYSTEMIC	Non-crop land	Annual and Perennial broadleaves and grasses	20.0-28.0Tbsp/16 L water	-	-	Entry to fields treated with FARMIX DIURON 80 WP can be done one day after the application

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
PHILIPPINE FARMIX SOLUTIONS INC.	CYPERMETHRIN	FARMIX CYPERMETHRIN 5 EC	50g/L	EC	INSECTICIDE	4	535-037-3751	06-Dec-26	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dries
PHILIPPINE FARMIX SOLUTIONS INC.	CYPERMETHRIN	FARMIX CYPERMETHRIN 5 EC	50g/L	EC	INSECTICIDE	4	535-037-3751	06-Dec-26	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leafhoppers, stem borer, armyworm, rice bug	2.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dries
PHILIPPINE FARMIX SOLUTIONS INC.	CYPERMETHRIN	FARMIX CYPERMETHRIN 5 EC	50g/L	EC	INSECTICIDE	4	535-037-3751	06-Dec-26	CONTACT	Cabbage	Diamond-back moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dries
PHILIPPINE FARMIX SOLUTIONS INC.	CYPERMETHRIN	FARMIX CYPERMETHRIN 5 EC	50g/L	EC	INSECTICIDE	4	535-037-3751	06-Dec-26	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	2.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dries
PHILIPPINE FARMIX SOLUTIONS INC.	CYPERMETHRIN	FARMIX CYPERMETHRIN 5 EC	50g/L	EC	INSECTICIDE	4	535-037-3751	06-Dec-26	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dries
PHILIPPINE FARMIX SOLUTIONS INC.	CYPERMETHRIN	FARMIX CYPERMETHRIN 5 EC	50g/L	EC	INSECTICIDE	4	535-037-3751	06-Dec-26	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dries
PHILIPPINE FARMIX SOLUTIONS INC.	CYPERMETHRIN	FARMIX CYPERMETHRIN 5 EC	50g/L	EC	INSECTICIDE	4	535-037-3751	06-Dec-26	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dries
PHILIPPINE FARMIX SOLUTIONS INC.	CYPERMETHRIN	FARMIX CYPERMETHRIN 5 EC	50g/L	EC	INSECTICIDE	4	535-037-3751	06-Dec-26	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dries
PHILIPPINE FARMIX SOLUTIONS INC.	CYPERMETHRIN	FARMIX CYPERMETHRIN 5 EC	50g/L	EC	INSECTICIDE	4	535-037-3751	06-Dec-26	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dries
PHILIPPINE FARMIX SOLUTIONS INC.	CYPERMETHRIN	FARMIX CYPERMETHRIN 5 EC	50g/L	EC	INSECTICIDE	4	535-037-3751	06-Dec-26	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dries
PHILIPPINE FARMIX SOLUTIONS INC.	CYPERMETHRIN	FARMIX CYPERMETHRIN 5 EC	50g/L	EC	INSECTICIDE	4	535-037-3751	06-Dec-26	CONTACT	Corn	Combsor, earworm	1.0-4.5 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dries
PHILIPPINE FARMIX SOLUTIONS INC.	CYPERMETHRIN	FARMIX CYPERMETHRIN 5 EC	50g/L	EC	INSECTICIDE	4	535-037-3751	06-Dec-26	CONTACT	Banana	Thrips, scarring beetle, Aphids	20-30 ml (2-3Tbsp) per 16 L water	-	-	-
PHILIPPINE FARMIX SOLUTIONS INC.	CHLORPYRIFOS	FARMIX CHLORPYRIFOS 40 EC	400g/L	EC	INSECTICIDE	2	535-101-4032	07-Jun-26	-	Sugarcane	White Grub	80-100 ml per 35 L water	-	-	-
PHILIPPINE FARMIX SOLUTIONS INC.	CHLORPYRIFOS	FARMIX CHLORPYRIFOS 40 EC	400g/L	EC	INSECTICIDE	2	535-101-4032	07-Jun-26	-	Pineapple	Mealy bug, Ants	3-4 L per hectare using boom sprayer	-	-	-
PHILIPPINE FARMIX SOLUTIONS INC.	CARTAP HYDROCHLORIDE	FARMIX CARTAP	500g/kg	SP	INSECTICIDE	3	535-106-3175	19-Jun-24	SYSTEMIC	Rice	Whorl maggot, stem borer, green leafhopper, brown planthopper	0.2ppm	-	Spraying should be done 10 days before harvest	Do not enter the field within 2 days after spraying
PHILIPPINE FARMIX SOLUTIONS INC.	CARTAP HYDROCHLORIDE	FARMIX CARTAP	500g/kg	SP	INSECTICIDE	3	535-106-3175	19-Jun-24	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Do not enter the field within 2 days after spraying
PHILIPPINE FARMIX SOLUTIONS INC.	CARTAP HYDROCHLORIDE	FARMIX CARTAP	500g/kg	SP	INSECTICIDE	3	535-106-3175	19-Jun-24	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Do not enter the field within 2 days after spraying
PHILIPPINE FARMIX SOLUTIONS INC.	CARTAP HYDROCHLORIDE	FARMIX CARTAP	500g/kg	SP	INSECTICIDE	3	535-106-3175	19-Jun-24	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Do not enter the field within 2 days after spraying
PHILIPPINE FARMIX SOLUTIONS INC.	CARTAP HYDROCHLORIDE	FARMIX CARTAP	500g/kg	SP	INSECTICIDE	3	535-106-3175	19-Jun-24	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Do not enter the field within 2 days after spraying
PHILIPPINE FARMIX SOLUTIONS INC.	CARTAP HYDROCHLORIDE	FARMIX CARTAP	500g/kg	SP	INSECTICIDE	3	535-106-3175	19-Jun-24	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Do not enter the field within 2 days after spraying
PHILIPPINE FARMIX SOLUTIONS INC.	CARTAP HYDROCHLORIDE	FARMIX CARTAP	500g/kg	SP	INSECTICIDE	3	535-106-3175	19-Jun-24	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Do not enter the field within 2 days after spraying
PHILIPPINE FARMIX SOLUTIONS INC.	CARTAP HYDROCHLORIDE	FARMIX CARTAP	500g/kg	SP	INSECTICIDE	3	535-106-3175	19-Jun-24	SYSTEMIC	Mango	leafhoppers	1.5-2.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Do not enter the field within 2 days after spraying
PHILIPPINE FARMIX SOLUTIONS INC.	CARTAP HYDROCHLORIDE	FARMIX CARTAP	500g/kg	SP	INSECTICIDE	3	535-106-3175	19-Jun-24	SYSTEMIC	Peachay	Looper, cutworm, aphids	1.5-3.0Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Do not enter the field within 2 days after spraying
AGRIBASE CHEMICALS, INC.	MALATHION	FARMERS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	457-038-2553	29-Jul-24	NON-SYSTEMIC	Fruit trees	Aphids, mealy bug scale insect	1.5-3.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
AGRIBASE CHEMICALS, INC.	MALATHION	FARMERS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	457-038-2553	29-Jul-24	NON-SYSTEMIC	Rice	Armyworm, caseworm, leafhopper, bugs	2.0-3.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
AGRIBASE CHEMICALS, INC.	MALATHION	FARMERS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	457-038-2553	29-Jul-24	NON-SYSTEMIC	Corn	Earworm, silkworm, aphids, grasshopper	3.0-5.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
AGRIBASE CHEMICALS, INC.	MALATHION	FARMERS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	457-038-2553	29-Jul-24	NON-SYSTEMIC	Cabbage/ Crucifers	Cabbage worm, loopers, diamond-back moth	2.0-5.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
AGRIBASE CHEMICALS, INC.	MALATHION	FARMERS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	457-038-2553	29-Jul-24	NON-SYSTEMIC	Legumes	Aphids, beanfly, cutworm, flea beetles, leafminer, maggots, mealybug, podborer, thrips	2.0-5.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
AGRIBASE CHEMICALS, INC.	MALATHION	FARMERS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	457-038-2553	29-Jul-24	NON-SYSTEMIC	Grapes	Beetles, cutworm, leafhopper, mealybug, scale, insect, spider mites	3.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
AGRIBASE CHEMICALS, INC.	MALATHION	FARMERS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	457-038-2553	29-Jul-24	NON-SYSTEMIC	Pineapple	Mealy bug	3.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
AGRIBASE CHEMICALS, INC.	MALATHION	FARMERS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	457-038-2553	29-Jul-24	NON-SYSTEMIC	Pepper	Aphid, cutworm, fruitworm	3.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
AGRIBASE CHEMICALS, INC.	MALATHION	FARMERS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	457-038-2553	29-Jul-24	NON-SYSTEMIC	Garlic	Cutworm	3.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
AGRIBASE CHEMICALS, INC.	MALATHION	FARMERS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	457-038-2553	29-Jul-24	NON-SYSTEMIC	Onion	Cutworm	3.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
AGRIBASE CHEMICALS, INC.	MALATHION	FARMERS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	457-038-2553	29-Jul-24	NON-SYSTEMIC	Tobacco	Aphids, katydid	3.0-6.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
AGRIBASE CHEMICALS, INC.	MALATHION	FARMERS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	457-038-2553	29-Jul-24	NON-SYSTEMIC	Ornamentals	Aphids, cutworm, mealybug, scale insect, spider mites	3.0-5.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
AGRIBASE CHEMICALS, INC.	MALATHION	FARMERS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	457-038-2553	29-Jul-24	NON-SYSTEMIC	Tomato	Lady beetle	3.0-5.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
AGRIBASE CHEMICALS, INC.	MALATHION	FARMERS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	457-038-2553	29-Jul-24	NON-SYSTEMIC	Legulant	Aphids, fruitworm	3.0-5.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
AGRIBASE CHEMICALS, INC.	MALATHION	FARMERS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	457-038-2553	29-Jul-24	NON-SYSTEMIC	Sorghum	Web worm	3.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
AGRIBASE CHEMICALS, INC.	DIURON	FARMERS DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	457-021-3310	17-Dec-24	SYSTEMIC	Citrus	Broadleaves and annual grasses	11.0-19.0Tbsp/16 L water	-	-	Twenty four (24) hours after application.
AGRIBASE CHEMICALS, INC.	DIURON	FARMERS DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	457-021-3310	17-Dec-24	SYSTEMIC	Coffee	Broadleaves and annual grasses	11.0-19.0Tbsp/16 L water	-	-	Twenty four (24) hours after application.
AGRIBASE CHEMICALS, INC.	DIURON	FARMERS DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	457-021-3310	17-Dec-24	SYSTEMIC	Cotton	Broadleaves and annual grasses	8.0Tbsp/16 L water	-	-	Twenty four (24) hours after application.
AGRIBASE CHEMICALS, INC.	DIURON	FARMERS DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	457-021-3310	17-Dec-24	SYSTEMIC	Sugarcane	Broadleaves and annual grasses	6.0-13.0Tbsp/16 L water	-	-	Twenty four (24) hours after application.
AGRIBASE CHEMICALS, INC.	DIURON	FARMERS DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	457-021-3310	17-Dec-24	SYSTEMIC	Pineapple	Broadleaves and annual grasses	11.0Tbsp/16 L water	-	-	Twenty four (24) hours after application.
AGRIBASE CHEMICALS, INC.	DIURON	FARMERS DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	457-021-3310	17-Dec-24	SYSTEMIC	Non-crop land	Annual and perennial grasses	20.0-28.0Tbsp/16 L water	-	-	Twenty four (24) hours after application.
AGRIBASE CHEMICALS, INC.	ATRAZINE	FARMERS ATRAZINE	800 g/kg	WP	HERBICIDE	4	457-065-2512	08-Jan-24	SELECTIVE (PRE-EMERGENT)	Corn	Broadleaf weeds & annual grasses	8-12Tbsp/16 L water	-	-	Do not enter the field within 5 days after application.
AGRIBASE CHEMICALS, INC.	ATRAZINE	FARMERS ATRAZINE	800 g/kg	WP	HERBICIDE	4	457-065-2512	08-Jan-24	SELECTIVE (PRE-EMERGENT)	Sorghum	Broadleaf weeds & annual grasses	8-12Tbsp/16 L water	-	-	Do not enter the field within 5 days after application.
AGRIBASE CHEMICALS, INC.	ATRAZINE	FARMERS ATRAZINE	800 g/kg	WP	HERBICIDE	4	457-065-2512	08-Jan-24	SELECTIVE (PRE-EMERGENT)	Sugarcane	Broadleaf weeds & annual grasses	8-12Tbsp/16 L water	-	-	Do not enter the field within 5 days after application.
PHILIPPINE FARMIX SOLUTIONS INC.	2,4-D IBE	FARM 2,4-D ESTER	400g/L	-	HERBICIDE	2	535-049-4553	26-Oct-21	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	0.1 ppm	Do not spray within two days before harvest	Entry to fields and crops treated with FARM 2,4-D ESTER can be done one (1)day after spraying.
PHILIPPINE FARMIX SOLUTIONS INC.	2,4-D IBE	FARM 2,4-D ESTER	400g/L	-	HERBICIDE	2	535-049-4553	26-Oct-21	SELECTIVE (POST-EMERGENT)	Corn	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	-	Do not spray within two days before harvest	Entry to fields and crops treated with FARM 2,4-D ESTER can be done one (1)day after spraying.
PHILIPPINE FARMIX SOLUTIONS INC.	2,4-D IBE	FARM 2,4-D ESTER	400g/L	-	HERBICIDE	2	535-049-4553	26-Oct-21	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	-	Do not spray within two days before harvest	Entry to fields and crops treated with FARM 2,4-D ESTER can be done one (1)day after spraying.
ENASIA AGRO VENTURES, INC.	NICLOXAMIDE ETHANOLAMINE SALT	FANCUROL 70 WP	700 g/kg	WP	MOLLUSCICIDE	4	770-229-6247	23-Apr-24	-	Rice	Golden apple snail	1 sachet (35g) = 36L tankload	-	-	-
FAMOUS AGRICARE MARKETING COMPANY	GLYPHOSATE IPA	FAMOUS MEGACLEAR 480 SL	480 g/L	SL	HERBICIDE	4	721-157-6453	20-Oct-26	POST-EMERGENT	-	Annual and perennial grasses, broadleaf weeds and sedges	2.0-4.0 Liters/ha	-	-	-
FAMOUS AGRICARE MARKETING COMPANY	GLYPHOSATE IPA	FAMOUS MEGACLEAR 480 SL	480 g/L	SL	HERBICIDE	4	721-157-6453	20-Oct-26	POST-EMERGENT	Mango	Annual and perennial grasses, broadleaf weeds and sedges	3.0-4.5 Liters/ha	-	-	-
FAMOUS AGRICARE MARKETING COMPANY	GLYPHOSATE IPA	FAMOUS MEGACLEAR 480 SL	480 g/L	SL	HERBICIDE	4	721-157-6453	20-Oct-26	POST-EMERGENT	Banana	Annual and perennial grasses, broadleaf weeds and sedges	3.0-4.5 Liters/ha	-	-	-
FAMOUS AGRICARE MARKETING COMPANY	GLYPHOSATE IPA	FAMOUS MEGACLEAR 480 SL	480 g/L	SL	HERBICIDE	4	721-157-6453	20-Oct-26	POST-EMERGENT	Coffee	Annual and perennial grasses, broadleaf weeds and sedges	3.0-4.5 Liters/ha	-	-	-
FAMOUS AGRICARE MARKETING COMPANY	GLYPHOSATE IPA	FAMOUS MEGACLEAR 480 SL	480 g/L	SL	HERBICIDE	4	721-157-6453	20-Oct-26	POST-EMERGENT	Cacao	Annual and perennial grasses, broadleaf weeds and sedges	3.0-4.5 Liters/ha	-	-	-

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
FAMOUS AGRICARE MARKETING COMPANY	GLYPHOSATE IPA	FAMOUS MEGACLEAR 480 SL	480 g/L	SL	HERBICIDE	4	721-157-6453	20-Oct-26	POST-EMERGENT	Rubber	Annual and perennial grasses, broadleaf weeds and sedges	2.0 Liters/ha	-	-	-
FAMOUS AGRICARE MARKETING COMPANY	GLYPHOSATE IPA	FAMOUS MEGACLEAR 480 SL	480 g/L	SL	HERBICIDE	4	721-157-6453	20-Oct-26	POST-EMERGENT	Oil palm	Annual and perennial grasses, broadleaf weeds and sedges	2.0 Liters/ha	-	-	-
FAMOUS AGRICARE MARKETING COMPANY	GLYPHOSATE IPA	FAMOUS MEGACLEAR 480 SL	480 g/L	SL	HERBICIDE	4	721-157-6453	20-Oct-26	POST-EMERGENT	Coconut	Annual and perennial grasses, broadleaf weeds and sedges	2.0 Liters/ha	-	-	-
FAMOUS AGRICARE MARKETING COMPANY	GLYPHOSATE IPA	FAMOUS MEGACLEAR 480 SL	480 g/L	SL	HERBICIDE	4	721-157-6453	20-Oct-26	POST-EMERGENT	Citrus	Annual and perennial grasses, broadleaf weeds and sedges	4.5 Liters/ha	-	-	-
FAMOUS AGRICARE MARKETING COMPANY	GLYPHOSATE IPA	FAMOUS MEGACLEAR 480 SL	480 g/L	SL	HERBICIDE	4	721-157-6453	20-Oct-26	POST-EMERGENT	Sugarcane	Annual and perennial grasses, broadleaf weeds and sedges	2.0 Liters/ha	-	-	-
FAMOUS AGRICARE MARKETING COMPANY	GLYPHOSATE IPA	FAMOUS MEGACLEAR 480 SL	480 g/L	SL	HERBICIDE	4	721-157-6453	20-Oct-26	POST-EMERGENT	Vegetables under minimum or reduced tillage system	Annual and perennial grasses, broadleaf weeds and sedges	2.0 Liters/ha	-	-	-
FAMOUS AGRICARE MARKETING COMPANY	GLYPHOSATE IPA	FAMOUS MEGACLEAR 480 SL	480 g/L	SL	HERBICIDE	4	721-157-6453	20-Oct-26	POST-EMERGENT	Non-crop	Annual and perennial grasses, broadleaf weeds and sedges	-	-	-	-
FAMOUS AGRICARE MARKETING COMPANY	MALATHION	FAMOUS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	721-038-5768	22-Mar-26	-	Fruit trees	Aphids, mealy bugs, scale insects	1.5-3.0 Tbsp /36L water	-	One (1) day after each spraying	One (1) day after each spraying
FAMOUS AGRICARE MARKETING COMPANY	MALATHION	FAMOUS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	721-038-5768	22-Mar-26	-	Rice	Armyworm, caseworm, leafhopper, bugs	2.0-5.0 Tbsp /36L water	-	One (1) day after each spraying	One (1) day after each spraying
FAMOUS AGRICARE MARKETING COMPANY	MALATHION	FAMOUS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	721-038-5768	22-Mar-26	-	Corn	Earthworm, silkworm, aphids, grasshopper	3.0-5.0 Tbsp /36L water	-	One (1) day after each spraying	One (1) day after each spraying
FAMOUS AGRICARE MARKETING COMPANY	MALATHION	FAMOUS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	721-038-5768	22-Mar-26	-	Cucifers	Cabbage worm, loopers, diamond-back moth	2.0-5.0 Tbsp /36L water	-	One (1) day after each spraying	One (1) day after each spraying
FAMOUS AGRICARE MARKETING COMPANY	MALATHION	FAMOUS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	721-038-5768	22-Mar-26	-	Cabbage	Cabbage worm, loopers, diamond-back moth	2.0-5.0 Tbsp /36L water	-	One (1) day after each spraying	One (1) day after each spraying
FAMOUS AGRICARE MARKETING COMPANY	MALATHION	FAMOUS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	721-038-5768	22-Mar-26	-	Legumes	Aphids, beanfly, cutworm, flea beetles, leafminer, maggots, mealy bug, pod borer, thrips	2.0-5.0 Tbsp /36L water	-	One (1) day after each spraying	One (1) day after each spraying
FAMOUS AGRICARE MARKETING COMPANY	MALATHION	FAMOUS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	721-038-5768	22-Mar-26	-	Grapes	Beetles, cut worm, leafhopper, mealybug, scale insect, spider mites	3.0 Tbsp /36L water	-	One (1) day after each spraying	One (1) day after each spraying
FAMOUS AGRICARE MARKETING COMPANY	MALATHION	FAMOUS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	721-038-5768	22-Mar-26	-	Pineapple	Mealybug	3.0 Tbsp /36L water	-	One (1) day after each spraying	One (1) day after each spraying
FAMOUS AGRICARE MARKETING COMPANY	MALATHION	FAMOUS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	721-038-5768	22-Mar-26	-	Pepper	Aphids, cutworm, fruitworm	3.0 Tbsp /36L water	-	One (1) day after each spraying	One (1) day after each spraying
FAMOUS AGRICARE MARKETING COMPANY	MALATHION	FAMOUS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	721-038-5768	22-Mar-26	-	Garlic	Cutworm	3.0 Tbsp /36L water	-	One (1) day after each spraying	One (1) day after each spraying
FAMOUS AGRICARE MARKETING COMPANY	MALATHION	FAMOUS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	721-038-5768	22-Mar-26	-	Onion	Cutworm	3.0 Tbsp /36L water	-	One (1) day after each spraying	One (1) day after each spraying
FAMOUS AGRICARE MARKETING COMPANY	MALATHION	FAMOUS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	721-038-5768	22-Mar-26	-	Tobacco	Aphids, katydid	3.0-6.0 Tbsp /36L water	-	One (1) day after each spraying	One (1) day after each spraying
FAMOUS AGRICARE MARKETING COMPANY	MALATHION	FAMOUS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	721-038-5768	22-Mar-26	-	Ornamentals	Aphids, cutworm, mealy bug, scale insects, spider mites	3.0-5.0 Tbsp /36L water	-	One (1) day after each spraying	One (1) day after each spraying
FAMOUS AGRICARE MARKETING COMPANY	MALATHION	FAMOUS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	721-038-5768	22-Mar-26	-	Tomato	Lady beetle	3.0-5.0 Tbsp /36L water	-	One (1) day after each spraying	One (1) day after each spraying
FAMOUS AGRICARE MARKETING COMPANY	MALATHION	FAMOUS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	721-038-5768	22-Mar-26	-	Eggplant	Aphids, fruitworm	3.0-5.0 Tbsp /36L water	-	One (1) day after each spraying	One (1) day after each spraying
FAMOUS AGRICARE MARKETING COMPANY	MALATHION	FAMOUS MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	721-038-5768	22-Mar-26	-	Sorghum	Web worm	3.0 Tbsp /36L water	-	One (1) day after each spraying	One (1) day after each spraying
FAMOUS AGRICARE MARKETING COMPANY	ATRAZINE	FAMOUS ATRAZINE 80 WP	800 g/kg	WP	HERBICIDE	4	721-065-5769	26-Mar-25	SELECTIVE PRE-EMERGENT	Corn	Annual broadleaf weeds and annual grasses	8-12 / 36 Liters water	-	-	Do not enter the field within 5 days after application
FAMOUS AGRICARE MARKETING COMPANY	ATRAZINE	FAMOUS ATRAZINE 80 WP	800 g/kg	WP	HERBICIDE	4	721-065-5769	26-Mar-25	SELECTIVE PRE-EMERGENT	Sorghum	Annual broadleaf weeds and annual grasses	8-12 / 36 Liters water	-	-	Do not enter the field within 5 days after application
FAMOUS AGRICARE MARKETING COMPANY	ATRAZINE	FAMOUS ATRAZINE 80 WP	800 g/kg	WP	HERBICIDE	4	721-065-5769	26-Mar-25	SELECTIVE PRE-EMERGENT	Sugarcane	Annual broadleaf weeds and annual grasses	8-12 / 36 Liters water	-	-	Do not enter the field within 5 days after application
FAMOUS AGRICARE MARKETING COMPANY	2,4-D IBE	FAMOUS 2,4-D ESTER 400 EC	491 g/L	EC	HERBICIDE	2	721-049-5771	6-Sep-26	POST-EMERGENCE	Rice (Transplanted)	Annual broadleaves and sedges	5.0-6.50 Tbsp /36L water	-	Do not spray within 2 days before harvest	Entry to field and crops treated with FAMOUS 2,4-D ESTER 400 EC can be done 1 day after spraying
FAMOUS AGRICARE MARKETING COMPANY	2,4-D IBE	FAMOUS 2,4-D ESTER 400 EC	491 g/L	EC	HERBICIDE	2	721-049-5771	6-Sep-26	POST-EMERGENCE	Corn	Annual broadleaves and sedges	5.0-6.50 Tbsp /36L water	-	Do not spray within 2 days before harvest	Entry to field and crops treated with FAMOUS 2,4-D ESTER 400 EC can be done 1 day after spraying
FAMOUS AGRICARE MARKETING COMPANY	2,4-D IBE	FAMOUS 2,4-D ESTER 400 EC	491 g/L	EC	HERBICIDE	2	721-049-5771	6-Sep-26	POST-EMERGENCE	Sugarcane	Annual broadleaves and sedges	5.0-6.50 Tbsp /36L water	-	Do not spray within 2 days before harvest	Entry to field and crops treated with FAMOUS 2,4-D ESTER 400 EC can be done 1 day after spraying
FAMOUS AGRICARE MARKETING COMPANY	2,4-D AMINE	FAMOUS 2,4-D AMINE 400 SL	482 g/L	SL	HERBICIDE	2	721-031-5767	6-Sep-26	POST-EMERGENCE	Rice (Transplanted)	Annual broadleaves and sedges	3.5-6.5 Tbsp / 36L water	-	-	Entry to field and crops treated with FAMOUS 2,4-D AMINE 400SL can be done 3 day after spraying
FAMOUS AGRICARE MARKETING COMPANY	2,4-D AMINE	FAMOUS 2,4-D AMINE 400 SL	482 g/L	SL	HERBICIDE	2	721-031-5767	6-Sep-26	POST-EMERGENCE	Corn	Annual broadleaves and sedges	5.0-6.50 Tbsp / 36L water	-	-	Entry to field and crops treated with FAMOUS 2,4-D AMINE 400SL can be done 3 day after spraying
FAMOUS AGRICARE MARKETING COMPANY	2,4-D AMINE	FAMOUS 2,4-D AMINE 400 SL	482 g/L	SL	HERBICIDE	2	721-031-5767	6-Sep-26	POST-EMERGENCE	Sugarcane	Annual broadleaves and sedges	18-25 Tbsp / 36L water	-	-	Entry to field and crops treated with FAMOUS 2,4-D AMINE 400SL can be done 3 day after spraying
VERCA AGRO CHEM. INC.	(2)-9-TETRADECANYL ACETATE	FALL ARMY LURE	2 mg/Lure	-	INSECTICIDE	4	687-519-4926	08-Feb-24	-	Corn (as pheromone lure)	Fall armyworm	90 mg A./J/HK or Lures/ha	-	-	-
PALMITRE CORPORATION	CHLOROTHALONIL	FALCONIL 75 WP	750 g/kg	WP	FUNGICIDE	4	504-118-3160	23-Apr-19	-	Grapes	Downy mildew, powdery mildew, fruit rot	3.2-4.8 Tbsp/36L water	-	-	Do not enter treatment areas until spray deposit have dried
PALMITRE CORPORATION	CHLOROTHALONIL	FALCONIL 75 WP	750 g/kg	WP	FUNGICIDE	4	504-118-3160	23-Apr-19	-	Potato	Early and late blight, vine rot	3.2-4.8 Tbsp/36L water	-	-	Do not enter treatment areas until spray deposit have dried
PALMITRE CORPORATION	CHLOROTHALONIL	FALCONIL 75 WP	750 g/kg	WP	FUNGICIDE	4	504-118-3160	23-Apr-19	-	Tomato	Early and late blight, vine rot	3.2-4.8 Tbsp/36L water	-	-	Do not enter treatment areas until spray deposit have dried
PALMITRE CORPORATION	CHLOROTHALONIL	FALCONIL 75 WP	750 g/kg	WP	FUNGICIDE	4	504-118-3160	23-Apr-19	-	Banana	Sigatoka, rust, freckles	3.2-4.8 Tbsp/36L water	2.0 mg/kg	-	Do not enter treatment areas until spray deposit have dried
PALMITRE CORPORATION	CHLOROTHALONIL	FALCONIL 75 WP	750 g/kg	WP	FUNGICIDE	4	504-118-3160	23-Apr-19	-	Peas	Rust, anthracnose	3.2-4.8 Tbsp/36L water	-	7 Days	Do not enter treatment areas until spray deposit have dried
PALMITRE CORPORATION	CHLOROTHALONIL	FALCONIL 75 WP	750 g/kg	WP	FUNGICIDE	4	504-118-3160	23-Apr-19	-	Beans	Rust, anthracnose	3.2-4.8 Tbsp/36L water	-	7 Days	Do not enter treatment areas until spray deposit have dried
PALMITRE CORPORATION	CHLOROTHALONIL	FALCONIL 75 WP	750 g/kg	WP	FUNGICIDE	4	504-118-3160	23-Apr-19	-	Citrus	Scab, melonase	3.2-4.8 Tbsp/36L water	-	-	Do not enter treatment areas until spray deposit have dried
PALMITRE CORPORATION	CHLOROTHALONIL	FALCONIL 75 WP	750 g/kg	WP	FUNGICIDE	4	504-118-3160	23-Apr-19	-	Watermelon	Powdery mildew, anthracnose, early and late blight, cercospora leaf spot	3.2-4.8 Tbsp/36L water	-	-	Do not enter treatment areas until spray deposit have dried
PALMITRE CORPORATION	CHLOROTHALONIL	FALCONIL 75 WP	750 g/kg	WP	FUNGICIDE	4	504-118-3160	23-Apr-19	-	Garlic	Purple blotch, bulb rot, neck rot	3.2-4.8 Tbsp/36L water	-	7 Days	Do not enter treatment areas until spray deposit have dried
PALMITRE CORPORATION	CHLOROTHALONIL	FALCONIL 75 WP	750 g/kg	WP	FUNGICIDE	4	504-118-3160	23-Apr-19	-	Onion	Purple blotch, bulb rot, neck rot	3.2-4.8 Tbsp/36L water	-	7 Days	Do not enter treatment areas until spray deposit have dried
PALMITRE CORPORATION	CHLOROTHALONIL	FALCONIL 75 WP	750 g/kg	WP	FUNGICIDE	4	504-118-3160	23-Apr-19	-	Rice	Rice blast, stem rot, helminthosporium leaf spot, cercospora leaf spot, sheath blight	3.2-4.8 Tbsp/36L water	0.1ppm	14 Days	Do not enter treatment areas until spray deposit have dried
PALMITRE CORPORATION	CHLOROTHALONIL	FALCONIL 75 WP	750 g/kg	WP	FUNGICIDE	4	504-118-3160	23-Apr-19	-	Corn	Helminthosporium leafspot, rust, downy mildew	3.2-4.8 Tbsp/36L water	-	14 Days	Do not enter treatment areas until spray deposit have dried
PALMITRE CORPORATION	CHLOROTHALONIL	FALCONIL 75 WP	750 g/kg	WP	FUNGICIDE	4	504-118-3160	23-Apr-19	-	Galery	late blight	3.2-4.8 Tbsp/36L water	-	7 Days	Do not enter treatment areas until spray deposit have dried
PALMITRE CORPORATION	CHLOROTHALONIL	FALCONIL 75 WP	750 g/kg	WP	FUNGICIDE	4	504-118-3160	23-Apr-19	-	Eggplant	Early and late blight, cercospora, leaf spot	3.2-4.8 Tbsp/36L water	-	-	Do not enter treatment areas until spray deposit have dried
PALMITRE CORPORATION	CHLOROTHALONIL	FALCONIL 75 WP	750 g/kg	WP	FUNGICIDE	4	504-118-3160	23-Apr-19	-	Pepper	Early and late blight, cercospora, leaf spot	3.2-4.8 Tbsp/36L water	-	-	Do not enter treatment areas until spray deposit have dried
PALMITRE CORPORATION	CHLOROTHALONIL	FALCONIL 75 WP	750 g/kg	WP	FUNGICIDE	4	504-118-3160	23-Apr-19	-	Melon	Anthrancnose, powdery mildew, early and late blight, cercospora leaf spot	3.2-4.8 Tbsp/36L water	-	-	Do not enter treatment areas until spray deposit have dried
PALMITRE CORPORATION	CHLOROTHALONIL	FALCONIL 75 WP	750 g/kg	WP	FUNGICIDE	4	504-118-3160	23-Apr-19	-	Mango	Anthrancnose, diploids rot	3.2-4.8 Tbsp/36L water	0.5 mg/kg	-	Do not enter treatment areas until spray deposit have dried
PALMITRE CORPORATION	CHLOROTHALONIL	FALCONIL 75 WP	750 g/kg	WP	FUNGICIDE	4	504-118-3160	23-Apr-19	-	Ornamentals	Black spot, black rot, powdery mildew	3.2-4.8 Tbsp/36L water	-	-	Do not enter treatment areas until spray deposit have dried
PALMITRE CORPORATION	CHLOROTHALONIL	FALCONIL 75 WP	750 g/kg	WP	FUNGICIDE	4	504-118-3160	23-Apr-19	-	Peanut	Cercospora leaf spot	3.2-4.8 Tbsp/36L water	-	14 Days	Do not enter treatment areas until spray deposit have dried
PALMITRE CORPORATION	CHLOROTHALONIL	FALCONIL 75 WP	750 g/kg	WP	FUNGICIDE	4	504-118-3160	23-Apr-19	-	Lettuce	Downy mildew	3.2-4.8 Tbsp/36L water	-	-	Do not enter treatment areas until spray deposit have dried
PALMITRE CORPORATION	CHLOROTHALONIL	FALCONIL 75 WP	750 g/kg	WP	FUNGICIDE	4	504-118-3160	23-Apr-19	-	Cabbage	Powdery mildew	3.2-4.8 Tbsp/36L water	-	-	Do not enter treatment areas until spray deposit have dried
PALMITRE CORPORATION	CHLOROTHALONIL	FALCONIL 75 WP	750 g/kg	WP	FUNGICIDE	4	504-118-3160	23-Apr-19	-	Cauliflower	Powdery mildew	3.2-4.8 Tbsp/36L water	-	-	Do not enter treatment areas until spray deposit have dried
PALMITRE CORPORATION	CHLOROTHALONIL	FALCONIL 75 WP	750 g/kg	WP	FUNGICIDE	4	504-118-3160	23-Apr-19	-	Broccoli	Powdery mildew	3.2-4.8 Tbsp/36L water	-	-	Do not enter treatment areas until spray deposit have dried

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
PALMITRE CORPORATION	CHLOROTHALONIL	FALCONIL 75 WP	750 g/kg	WP	FUNGICIDE	4	504-118-3160	23-Apr-19	-	Carrot	Alternaria leaf spot, cercospora leaf spot	3.2-4.8 tbsp/16L water	-	-	Do not enter treatment areas until spray deposit have dried
PALMITRE CORPORATION	CHLOROTHALONIL	FALCONIL 75 WP	750 g/kg	WP	FUNGICIDE	4	504-118-3160	23-Apr-19	-	Squash	Anthracoze, powdery mildew, early and late blight, cercospora leaf spot	3.2-4.8 tbsp/16L water	-	-	Do not enter treatment areas until spray deposit have dried
TEXCON AGR VENTURES CORPORATION	TEBUCONAZOLE	FALCON 25 WP	250 g/L	EC	FUNGICIDE	4	242-259-4483	14-Aug-24	SYSTEMIC	Mango	Anthracoze & stem-end rot	30-75 g/100 liters water	-	22 days	When spray deposits have dried
TEXCON AGR VENTURES CORPORATION	TEBUCONAZOLE	FALCON 25 WP	250 g/L	EC	FUNGICIDE	4	242-259-4483	14-Aug-24	SYSTEMIC	Rice	Sheath blight	30-50 g/16 liters water	0.05ppm	15 days	When spray deposits have dried
TEXCON AGR VENTURES CORPORATION	TEBUCONAZOLE	FALCON 25 WP	250 g/L	EC	FUNGICIDE	4	242-259-4483	14-Aug-24	SYSTEMIC	Cabbage	Alternaria & leaf spot	25-30 g/16 liters water	-	7 days	When spray deposits have dried
TEXCON AGR VENTURES CORPORATION	TEBUCONAZOLE	FALCON 25 WP	250 g/L	EC	FUNGICIDE	4	242-259-4483	14-Aug-24	SYSTEMIC	Potato	Early blight	25-30 g/16 liters water	-	30 days	When spray deposits have dried
NORTHERN PRIME TRADING CORPORATION	BUTACHLOR-PROPANIL	FACE-OFF 70 EC	350 g/L+350 g/L	EC	HERBICIDE	3	728-286-5927	22-Apr-25	-	Rice (Direct-Seeded)	Annual grasses, sedges and broadleaves	8-12 tbsp/ 16L water	-	-	-
NORTHERN PRIME TRADING CORPORATION	BUTACHLOR-PROPANIL	FACE-OFF 70 EC	350 g/L+350 g/L	EC	HERBICIDE	3	728-286-5927	22-Apr-25	-	Rice (Transplanted)	Annual grasses, sedges and broadleaves	8-12 tbsp/ 16L water	-	-	-
EZERTECH CORPORATION	FALUAZOP-P-BUTYL	F.B. HERBICIDE 15 EC	150 g/L	EC	HERBICIDE	4	648-212-5206	30-Sep-26	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Banana	Grasses; Itchgrass, goosegrass, sour papalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-
EZERTECH CORPORATION	FALUAZOP-P-BUTYL	F.B. HERBICIDE 15 EC	150 g/L	EC	HERBICIDE	4	648-212-5206	30-Sep-26	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Cacao	Grasses; Itchgrass, goosegrass, sour papalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-
EZERTECH CORPORATION	FALUAZOP-P-BUTYL	F.B. HERBICIDE 15 EC	150 g/L	EC	HERBICIDE	4	648-212-5206	30-Sep-26	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Citrus	Grasses; Itchgrass, goosegrass, sour papalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-
EZERTECH CORPORATION	FALUAZOP-P-BUTYL	F.B. HERBICIDE 15 EC	150 g/L	EC	HERBICIDE	4	648-212-5206	30-Sep-26	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Cotton	Grasses; Itchgrass, goosegrass, sour papalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-
EZERTECH CORPORATION	FALUAZOP-P-BUTYL	F.B. HERBICIDE 15 EC	150 g/L	EC	HERBICIDE	4	648-212-5206	30-Sep-26	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Coffee	Grasses; Itchgrass, goosegrass, sour papalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-
EZERTECH CORPORATION	FALUAZOP-P-BUTYL	F.B. HERBICIDE 15 EC	150 g/L	EC	HERBICIDE	4	648-212-5206	30-Sep-26	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Oil palm	Grasses; Itchgrass, goosegrass, sour papalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-
EZERTECH CORPORATION	FALUAZOP-P-BUTYL	F.B. HERBICIDE 15 EC	150 g/L	EC	HERBICIDE	4	648-212-5206	30-Sep-26	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Kamie	Grasses; Itchgrass, goosegrass, sour papalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-
EZERTECH CORPORATION	FALUAZOP-P-BUTYL	F.B. HERBICIDE 15 EC	150 g/L	EC	HERBICIDE	4	648-212-5206	30-Sep-26	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Rubber	Grasses; Itchgrass, goosegrass, sour papalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-
EZERTECH CORPORATION	FALUAZOP-P-BUTYL	F.B. HERBICIDE 15 EC	150 g/L	EC	HERBICIDE	4	648-212-5206	30-Sep-26	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Onion	Grasses; Itchgrass, goosegrass, sour papalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-
EZERTECH CORPORATION	FALUAZOP-P-BUTYL	F.B. HERBICIDE 15 EC	150 g/L	EC	HERBICIDE	4	648-212-5206	30-Sep-26	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Pineapple	Grasses; Itchgrass, goosegrass, sour papalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-
EZERTECH CORPORATION	FALUAZOP-P-BUTYL	F.B. HERBICIDE 15 EC	150 g/L	EC	HERBICIDE	4	648-212-5206	30-Sep-26	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Soybeans	Grasses; Itchgrass, goosegrass, sour papalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-
EZERTECH CORPORATION	FALUAZOP-P-BUTYL	F.B. HERBICIDE 15 EC	150 g/L	EC	HERBICIDE	4	648-212-5206	30-Sep-26	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Tomato	Grasses; Itchgrass, goosegrass, sour papalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-
ZEAL ECOLOGICAL NATURE (ZENCON) CORPORATION	GLYPHOSATE IPA	EZ-OUT 480 SL	480 g/L	SL	HERBICIDE	4	575-151-3731	01-Aug-26	POST-EMERGENT	Physotha tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/ha	-	-	-
ZEAL ECOLOGICAL NATURE (ZENCON) CORPORATION	GLYPHOSATE IPA	EZ-OUT 480 SL	480 g/L	SL	HERBICIDE	4	575-151-3731	01-Aug-26	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
ZEAL ECOLOGICAL NATURE (ZENCON) CORPORATION	GLYPHOSATE IPA	EZ-OUT 480 SL	480 g/L	SL	HERBICIDE	4	575-151-3731	01-Aug-26	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
ZEAL ECOLOGICAL NATURE (ZENCON) CORPORATION	GLYPHOSATE IPA	EZ-OUT 480 SL	480 g/L	SL	HERBICIDE	4	575-151-3731	01-Aug-26	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
ZEAL ECOLOGICAL NATURE (ZENCON) CORPORATION	GLYPHOSATE IPA	EZ-OUT 480 SL	480 g/L	SL	HERBICIDE	4	575-151-3731	01-Aug-26	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
ZEAL ECOLOGICAL NATURE (ZENCON) CORPORATION	GLYPHOSATE IPA	EZ-OUT 480 SL	480 g/L	SL	HERBICIDE	4	575-151-3731	01-Aug-26	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
ZEAL ECOLOGICAL NATURE (ZENCON) CORPORATION	GLYPHOSATE IPA	EZ-OUT 480 SL	480 g/L	SL	HERBICIDE	4	575-151-3731	01-Aug-26	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
ZEAL ECOLOGICAL NATURE (ZENCON) CORPORATION	GLYPHOSATE IPA	EZ-OUT 480 SL	480 g/L	SL	HERBICIDE	4	575-151-3731	01-Aug-26	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
ZEAL ECOLOGICAL NATURE (ZENCON) CORPORATION	GLYPHOSATE IPA	EZ-OUT 480 SL	480 g/L	SL	HERBICIDE	4	575-151-3731	01-Aug-26	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/ha	-	-	-
ZEAL ECOLOGICAL NATURE (ZENCON) CORPORATION	GLYPHOSATE IPA	EZ-OUT 480 SL	480 g/L	SL	HERBICIDE	4	575-151-3731	01-Aug-26	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
ZEAL ECOLOGICAL NATURE (ZENCON) CORPORATION	GLYPHOSATE IPA	EZ-OUT 480 SL	480 g/L	SL	HERBICIDE	4	575-151-3731	01-Aug-26	POST-EMERGENT	Vegetables under minimum or reduced tillage system	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
ZEAL ECOLOGICAL NATURE (ZENCON) CORPORATION	GLYPHOSATE IPA	EZ-OUT 480 SL	480 g/L	SL	HERBICIDE	4	575-151-3731	01-Aug-26	POST-EMERGENT	non-crop areas	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
NORTHERN PRIME TRADING CORPORATION	MANCOZEB	EXTRAZE BLUE 800 WP	800g/kg	WP	FUNGICIDE	4	728-053-5847	5-Feb-24	-	Potato	Early and Late blight	3-6 tbsp 16 L	-	-	Do not spray within 7 days before harvest
NORTHERN PRIME TRADING CORPORATION	MANCOZEB	EXTRAZE BLUE 800 WP	800g/kg	WP	FUNGICIDE	4	728-053-5847	5-Feb-24	-	Cabbage	Downy mildew, Alternaria leaf spot	3-6 tbsp 16 L	-	-	Do not spray within 7 days before harvest
NORTHERN PRIME TRADING CORPORATION	MANCOZEB	EXTRAZE BLUE 800 WP	800g/kg	WP	FUNGICIDE	4	728-053-5847	5-Feb-24	-	Cauliflower	Downy mildew, Alternaria leaf spot	3-6 tbsp 16 L	-	-	Do not spray within 7 days before harvest
NORTHERN PRIME TRADING CORPORATION	MANCOZEB	EXTRAZE BLUE 800 WP	800g/kg	WP	FUNGICIDE	4	728-053-5847	5-Feb-24	-	Broccoli	Downy mildew, Alternaria leaf spot	3-6 tbsp 16 L	-	-	Do not spray within 7 days before harvest
NORTHERN PRIME TRADING CORPORATION	MANCOZEB	EXTRAZE BLUE 800 WP	800g/kg	WP	FUNGICIDE	4	728-053-5847	5-Feb-24	-	Celery	Late blight	3-6 tbsp 16 L	-	-	Do not spray within 7 days before harvest
NORTHERN PRIME TRADING CORPORATION	MANCOZEB	EXTRAZE BLUE 800 WP	800g/kg	WP	FUNGICIDE	4	728-053-5847	5-Feb-24	-	Cucumber	Downy mildew, anthracnose, scab	3-6 tbsp 16 L	-	-	Do not enter the field within 2 days after spraying
NORTHERN PRIME TRADING CORPORATION	MANCOZEB	EXTRAZE BLUE 800 WP	800g/kg	WP	FUNGICIDE	4	728-053-5847	5-Feb-24	-	Squash	Downy mildew, anthracnose, scab	3-6 tbsp 16 L	-	-	Do not enter the field within 2 days after spraying
NORTHERN PRIME TRADING CORPORATION	MANCOZEB	EXTRAZE BLUE 800 WP	800g/kg	WP	FUNGICIDE	4	728-053-5847	5-Feb-24	-	Cotton	Damping off	3-6 tbsp 16 L	-	-	Do not enter the field within 2 days after spraying
NORTHERN PRIME TRADING CORPORATION	MANCOZEB	EXTRAZE BLUE 800 WP	800g/kg	WP	FUNGICIDE	4	728-053-5847	5-Feb-24	-	Lettuce	Downy mildew	3-6 tbsp 16 L	-	-	Do not enter the field within 2 days after spraying
NORTHERN PRIME TRADING CORPORATION	MANCOZEB	EXTRAZE BLUE 800 WP	800g/kg	WP	FUNGICIDE	4	728-053-5847	5-Feb-24	-	Beans	Anthracoze, Downy Mildew, Rust	3-6 tbsp 16 L	-	-	Do not enter the field within 2 days after spraying
NORTHERN PRIME TRADING CORPORATION	MANCOZEB	EXTRAZE BLUE 800 WP	800g/kg	WP	FUNGICIDE	4	728-053-5847	5-Feb-24	-	Peas	Anthracoze, Downy Mildew, Rust	3-6 tbsp 16 L	-	-	Do not enter the field within 2 days after spraying
NORTHERN PRIME TRADING CORPORATION	MANCOZEB	EXTRAZE BLUE 800 WP	800g/kg	WP	FUNGICIDE	4	728-053-5847	5-Feb-24	-	Mungo	Anthracoze, Downy Mildew, Rust	3-6 tbsp 16 L	-	-	Do not enter the field within 2 days after spraying
NORTHERN PRIME TRADING CORPORATION	MANCOZEB	EXTRAZE BLUE 800 WP	800g/kg	WP	FUNGICIDE	4	728-053-5847	5-Feb-24	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 tbsp 16 L	-	-	Do not enter the field within 2 days after spraying
NORTHERN PRIME TRADING CORPORATION	MANCOZEB	EXTRAZE BLUE 800 WP	800g/kg	WP	FUNGICIDE	4	728-053-5847	5-Feb-24	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 tbsp 16 L	-	-	Do not enter the field within 2 days after spraying
NORTHERN PRIME TRADING CORPORATION	MANCOZEB	EXTRAZE BLUE 800 WP	800g/kg	WP	FUNGICIDE	4	728-053-5847	5-Feb-24	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 tbsp 16 L	-	-	Do not enter the field within 2 days after spraying
NORTHERN PRIME TRADING CORPORATION	MANCOZEB	EXTRAZE BLUE 800 WP	800g/kg	WP	FUNGICIDE	4	728-053-5847	5-Feb-24	-	Pepper	Anthracoze	3-6 tbsp 16 L	-	-	Do not enter the field within 2 days after spraying
NORTHERN PRIME TRADING CORPORATION	MANCOZEB	EXTRAZE BLUE 800 WP	800g/kg	WP	FUNGICIDE	4	728-053-5847	5-Feb-24	-	Chili	Anthracoze	3-6 tbsp 16 L	-	-	Do not enter the field within 2 days after spraying
NORTHERN PRIME TRADING CORPORATION	MANCOZEB	EXTRAZE BLUE 800 WP	800g/kg	WP	FUNGICIDE	4	728-053-5847	5-Feb-24	-	Eggplant	Blight, Anthracnose	3-6 tbsp 16 L	-	-	Do not enter the field within 2 days after spraying
NORTHERN PRIME TRADING CORPORATION	MANCOZEB	EXTRAZE BLUE 800 WP	800g/kg	WP	FUNGICIDE	4	728-053-5847	5-Feb-24	-	Banana	Sigatoka, black leaf streak	3-6 tbsp 16 L	-	-	Do not enter the field within 2 days after spraying
NORTHERN PRIME TRADING CORPORATION	MANCOZEB	EXTRAZE BLUE 800 WP	800g/kg	WP	FUNGICIDE	4	728-053-5847	5-Feb-24	-	Grapes	Downy mildew, black rot	3-6 tbsp 16 L	-	-	Do not enter the field within 2 days after spraying
NORTHERN PRIME TRADING CORPORATION	MANCOZEB	EXTRAZE BLUE 800 WP	800g/kg	WP	FUNGICIDE	4	728-053-5847	5-Feb-24	-	Mango	Anthracoze and scab	3-6 tbsp 16 L	-	-	Do not enter the field within 2 days after spraying
NORTHERN PRIME TRADING CORPORATION	MANCOZEB	EXTRAZE BLUE 800 WP	800g/kg	WP	FUNGICIDE	4	728-053-5847	5-Feb-24	-	Papaya	Fruit rot	3-6 tbsp 16 L	-	-	Do not enter the field within 2 days after spraying
NORTHERN PRIME TRADING CORPORATION	MANCOZEB	EXTRAZE BLUE 800 WP	800g/kg	WP	FUNGICIDE	4	728-053-5847	5-Feb-24	-	Melon	Downy mildew, anthracnose, scab	3-6 tbsp 16 L	-	-	Do not enter the field within 2 days after spraying
NORTHERN PRIME TRADING CORPORATION	MANCOZEB	EXTRAZE BLUE 800 WP	800g/kg	WP	FUNGICIDE	4	728-053-5847	5-Feb-24	-	Watermelon	Downy mildew, anthracnose, scab	3-6 tbsp 16 L	-	-	Do not enter the field within 2 days after spraying

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
NORTHERN PRIME TRADING CORPORATION	MANCOZEB	EXTRAZEB BLUE 800 WP	800g/kg	WP	FUNGICIDE	4	728-053-5847	5-Feb-24	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp /6L	-	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
NORTHERN PRIME TRADING CORPORATION	MANCOZEB	EXTRAZEB BLUE 800 WP	800g/kg	WP	FUNGICIDE	4	728-053-5847	5-Feb-24	-	Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp /6L	-	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
NORTHERN PRIME TRADING CORPORATION	MANCOZEB	EXTRAZEB BLUE 800 WP	800g/kg	WP	FUNGICIDE	4	728-053-5847	5-Feb-24	-	Peanut	Cercospora leaf spot	3-6 Tbsp /6L	-	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
NORTHERN PRIME TRADING CORPORATION	MANCOZEB	EXTRAZEB BLUE 800 WP	800g/kg	WP	FUNGICIDE	4	728-053-5847	5-Feb-24	-	Soybeans	Leaf rust	3-6 Tbsp /6L	-	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
NORTHERN PRIME TRADING CORPORATION	MANCOZEB	EXTRAZEB BLUE 800 WP	800g/kg	WP	FUNGICIDE	4	728-053-5847	5-Feb-24	-	Ornamentals	Black spot, blight, anthracnose	3-6 Tbsp /6L	-	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
LUHEMPHIL INTERNATIONAL INC.	DNOTEFURAN	EXPLORER 20 SG	200g/kg	SG	INSECTICIDE	4	590-373-4855	29-Jul-25	SYSTEMIC/CONTACT	Mango	Mango leafhopper	1.0-2.0 g/16 water; 6.25-12.50 g/100L water	-	7 days after the last spray	As soon as spray solution has dried on the foliage
LUHEMPHIL INTERNATIONAL INC.	DNOTEFURAN	EXPLORER 20 SG	200g/kg	SG	INSECTICIDE	4	590-373-4855	29-Jul-25	SYSTEMIC/CONTACT	Watermelon	Aphids, whiteflies	2.0-5.0 g/16 water; 15.62-31.25 g/100L water	-	16 days after the last spray	As soon as spray solution has dried on the foliage
LUHEMPHIL INTERNATIONAL INC.	DNOTEFURAN	EXPLORER 20 SG	200g/kg	SG	INSECTICIDE	4	590-373-4855	29-Jul-25	SYSTEMIC/CONTACT	Tomato	Whiteflies, hoppers, cutworm	2.0-5.0 g/16 water; 15.62-31.25 g/100L water	-	7 days after the last spray	As soon as spray solution has dried on the foliage
LUHEMPHIL INTERNATIONAL INC.	DNOTEFURAN	EXPLORER 20 SG	200g/kg	SG	INSECTICIDE	4	590-373-4855	29-Jul-25	SYSTEMIC/CONTACT	Eggplant	Hoppers, whiteflies, fruit borer	2.0-5.0 g/16 water; 15.62-31.25 g/100L water	-	7 days after the last spray	As soon as spray solution has dried on the foliage
LUHEMPHIL INTERNATIONAL INC.	DNOTEFURAN	EXPLORER 20 SG	200g/kg	SG	INSECTICIDE	4	590-373-4855	29-Jul-25	SYSTEMIC/CONTACT	Rice	Green leafhopper, brown planthopper, rice bug	2.0-5.0 g/16 water; 15.62-31.25 g/100L water	-	24 days after the last spray	As soon as spray solution has dried on the foliage
LUHEMPHIL INTERNATIONAL INC.	DNOTEFURAN	EXPLORER 20 SG	200g/kg	SG	INSECTICIDE	4	590-373-4855	29-Jul-25	SYSTEMIC/CONTACT	Coconut	Scale insects	2-5 g/16L water	-	-	As soon as spray solution has dried on the foliage
UNAHCO, INC.	METALDEHYDE	EXPLORER 6N PELLET	60g/kg	P	MOLLUSCICIDE	4	612-075-4408	25-Jun-24	CONTACT	Rice (Transplanted)	Golden apple snail	2-4 kg/ product per hectare	-	-	Do not enter treated field within 48 hours after application
UNAHCO, INC.	METALDEHYDE	EXPLORER 6N PELLET	60g/kg	P	MOLLUSCICIDE	4	612-075-4408	25-Jun-24	CONTACT	Rice (Direct Seeded)	Golden apple snail	4-8 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application
UNAHCO, INC.	METALDEHYDE	EXPLORER 6N PELLET	60g/kg	P	MOLLUSCICIDE	4	612-075-4408	25-Jun-24	CONTACT	Crucifers (Chinese Cabbage)	Slug, snails	6-8 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application
UNAHCO, INC.	METALDEHYDE	EXPLORER 6N PELLET	60g/kg	P	MOLLUSCICIDE	4	612-075-4408	25-Jun-24	CONTACT	Strawberry	Slug, snails	6-8 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application
UNAHCO, INC.	METALDEHYDE	EXPLORER 6N PELLET	60g/kg	P	MOLLUSCICIDE	4	612-075-4408	25-Jun-24	CONTACT	Plotted and driftwood-attached plants such as	Bush, snails, giant african snail and slugs	1-2 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application
GREENTHUMB AGRISOLUTIONS, INC.	METALDEHYDE	EXPEL PELLET 6 %	60g/kg	P	MOLLUSCICIDE	4	584-075-4335	26-Apr-21	CONTACT	Rice (Transplanted)	Golden apple snail	2-4 kg/ product per hectare	-	-	Do not enter treated field within 48 hours after application
GREENTHUMB AGRISOLUTIONS, INC.	METALDEHYDE	EXPEL PELLET 6 %	60g/kg	P	MOLLUSCICIDE	4	584-075-4335	26-Apr-21	CONTACT	Rice (Direct Seeded)	Golden apple snail	4-8 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application
GREENTHUMB AGRISOLUTIONS, INC.	METALDEHYDE	EXPEL PELLET 6 %	60g/kg	P	MOLLUSCICIDE	4	584-075-4335	26-Apr-21	CONTACT	Potted and driftwood-attached plants such as	Bush, snails, giant african snail and slugs	1-2 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application
GREENTHUMB AGRISOLUTIONS, INC.	METALDEHYDE	EXPEL PELLET 6 %	60g/kg	P	MOLLUSCICIDE	4	584-075-4335	26-Apr-21	CONTACT	Chinese Cabbage	Slug, snails	6-8 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application
GREENTHUMB AGRISOLUTIONS, INC.	METALDEHYDE	EXPEL PELLET 6 %	60g/kg	P	MOLLUSCICIDE	4	584-075-4335	26-Apr-21	CONTACT	Strawberry	Slug, snails	6-8 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application
PLANTERS PRODUCTS INC.	METALDEHYDE	EXOS 6N PELLETS	60 g/kg	P	MOLLUSCICIDE	4	031-075-1895	04-May-24	CONTACT	Rice (Transplanted)	Golden apple snail	2-4 kg/ product per hectare	-	-	Do not enter the field within 48 hours after application
PLANTERS PRODUCTS INC.	METALDEHYDE	EXOS 6N PELLETS	60 g/kg	P	MOLLUSCICIDE	4	031-075-1895	04-May-24	CONTACT	Rice (Direct Seeded)	Golden apple snail	4-8 kg/product per hectare	-	-	Do not enter the field within 48 hours after application
PLANTERS PRODUCTS INC.	METALDEHYDE	EXOS 6N PELLETS	60 g/kg	P	MOLLUSCICIDE	4	031-075-1895	04-May-24	CONTACT	Potted and driftwood-attached plants such as	Bush, snails, giant african snail and slugs	1-2 kg/product per hectare	-	-	Do not enter the field within 48 hours after application
PLANTERS PRODUCTS INC.	METALDEHYDE	EXOS 6N PELLETS	60 g/kg	P	MOLLUSCICIDE	4	031-075-1895	04-May-24	CONTACT	Chinese Cabbage	Slug, snails	6-8 kg/product per hectare	-	-	Do not enter the field within 48 hours after application
PLANTERS PRODUCTS INC.	METALDEHYDE	EXOS 6N PELLETS	60 g/kg	P	MOLLUSCICIDE	4	031-075-1895	04-May-24	CONTACT	Strawberry	Slug, snails	6-8 kg/product per hectare	-	-	Do not enter the field within 48 hours after application
INTEGRO AGROCHEM ENTERPRISES CO.	CYPERMETHRIN	EXODUS 5 EC	50 g/L	EC	INSECTICIDE	4	661-037-4997	27-Mar-24	-	Mango	Leafhopper, twig borer, tip borer, fruit fly	1-3 Tbsp/ /36L	-	7 days	Entry to field and crops treated with EXODUS 5 EC is allowed as soon as spray deposits dry
INTEGRO AGROCHEM ENTERPRISES CO.	CYPERMETHRIN	EXODUS 5 EC	50 g/L	EC	INSECTICIDE	4	661-037-4997	27-Mar-24	-	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leafhopper, stem borer, armyworm, rice bug	1-3 Tbsp/ /36L	-	7 days	Entry to field and crops treated with EXODUS 5 EC is allowed as soon as spray deposits dry
INTEGRO AGROCHEM ENTERPRISES CO.	CYPERMETHRIN	EXODUS 5 EC	50 g/L	EC	INSECTICIDE	4	661-037-4997	27-Mar-24	-	Cabbage	Diamond back moth, cabbage moth, worm	1-3 Tbsp/ /36L	-	7 days	Entry to field and crops treated with EXODUS 5 EC is allowed as soon as spray deposits dry
INTEGRO AGROCHEM ENTERPRISES CO.	CYPERMETHRIN	EXODUS 5 EC	50 g/L	EC	INSECTICIDE	4	661-037-4997	27-Mar-24	-	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1-3 Tbsp/ /36L	-	7 days	Entry to field and crops treated with EXODUS 5 EC is allowed as soon as spray deposits dry
INTEGRO AGROCHEM ENTERPRISES CO.	CYPERMETHRIN	EXODUS 5 EC	50 g/L	EC	INSECTICIDE	4	661-037-4997	27-Mar-24	-	Tomato	Tomato, fruitworm, aphids, beetle	1-3 Tbsp/ /36L	-	7 days	Entry to field and crops treated with EXODUS 5 EC is allowed as soon as spray deposits dry
INTEGRO AGROCHEM ENTERPRISES CO.	CYPERMETHRIN	EXODUS 5 EC	50 g/L	EC	INSECTICIDE	4	661-037-4997	27-Mar-24	-	Watermelon	Aphids, thrips, beetle	1-3 Tbsp/ /36L	-	7 days	Entry to field and crops treated with EXODUS 5 EC is allowed as soon as spray deposits dry
INTEGRO AGROCHEM ENTERPRISES CO.	CYPERMETHRIN	EXODUS 5 EC	50 g/L	EC	INSECTICIDE	4	661-037-4997	27-Mar-24	-	Onion	Thrips, cutworm	1-3 Tbsp/ /36L	-	7 days	Entry to field and crops treated with EXODUS 5 EC is allowed as soon as spray deposits dry
INTEGRO AGROCHEM ENTERPRISES CO.	CYPERMETHRIN	EXODUS 5 EC	50 g/L	EC	INSECTICIDE	4	661-037-4997	27-Mar-24	-	Banana	Thrips, scarring beetle	1-3 Tbsp/ /36L	-	7 days	Entry to field and crops treated with EXODUS 5 EC is allowed as soon as spray deposits dry
INTEGRO AGROCHEM ENTERPRISES CO.	CYPERMETHRIN	EXODUS 5 EC	50 g/L	EC	INSECTICIDE	4	661-037-4997	27-Mar-24	-	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1-3 Tbsp/ /36L	-	7 days	Entry to field and crops treated with EXODUS 5 EC is allowed as soon as spray deposits dry
INTEGRO AGROCHEM ENTERPRISES CO.	CYPERMETHRIN	EXODUS 5 EC	50 g/L	EC	INSECTICIDE	4	661-037-4997	27-Mar-24	-	Tobacco	Budworm, cutworm, aphids, thrips	1-3 Tbsp/ /36L	-	7 days	Entry to field and crops treated with EXODUS 5 EC is allowed as soon as spray deposits dry
INTEGRO AGROCHEM ENTERPRISES CO.	CYPERMETHRIN	EXODUS 5 EC	50 g/L	EC	INSECTICIDE	4	661-037-4997	27-Mar-24	-	Corn	Corn borer, earworm	1-4.5 Tbsp /36L	-	7 days	Entry to field and crops treated with EXODUS 5 EC is allowed as soon as spray deposits dry
VERCA AGRO CHEM. INC.	Z-1-9,12- TETRADECADIENYL ACETATE + Z-9-12- TETRADECENOL	EXIGUA- LURE	-	-	INSECTICIDE	4	647-520-4951	03-Feb-24	-	Cotton	Armyworm (pheromone lure)	90 mg A.I. per hectare or 40 lures per hectare	-	-	-
VERCA AGRO CHEM. INC.	Z-1-9,12- TETRADECADIENYL ACETATE + Z-9-12- TETRADECENOL	EXIGUA- LURE	-	-	INSECTICIDE	4	647-520-4951	03-Feb-24	-	Onion	Armyworm (pheromone lure)	90 mg A.I. per hectare or 40 lures per hectare	-	-	-
INDOFIL PHILIPPINES INC.	THIAMETHOXAM	EXILON 25 WG	250g/kg	WG	INSECTICIDE	4	604-312-4365	02-Aug-24	SYSTEMIC	Pineapple	Mealy bug	100-200 g/ha	0.01 mg/kg	No PHI proposed as application will be 436 days before harvest	Do not enter unless spray deposits have dried
INDOFIL PHILIPPINES INC.	THIAMETHOXAM	EXILON 25 WG	250g/kg	WG	INSECTICIDE	4	604-312-4365	02-Aug-24	SYSTEMIC	Mango	Leafhopper	105.6-123.2g prod/ha	0.20 mg/kg	No PHI proposed as the product will be applied at least 20 to 40 days before harvest	Do not enter unless spray deposits have dried
INDOFIL PHILIPPINES INC.	THIAMETHOXAM	EXILON 25 WG	250g/kg	WG	INSECTICIDE	4	604-312-4365	02-Aug-24	SYSTEMIC	Rice	Green leafhopper, brown planthopper, white backed planthopper, rice bug, black bug	4.0-5.0 Tbsp/36L water; For black bug 2.0-3.0 Tbsp/36L water	-	28 days	Do not enter unless spray deposits have dried
INDOFIL PHILIPPINES INC.	THIAMETHOXAM	EXILON 25 WG	250g/kg	WG	INSECTICIDE	4	604-312-4365	02-Aug-24	SYSTEMIC	Stringbeans	Aphids, leafhopper	6-8-2.0 Drench, Foliar spray 2.0-5.0 Tbsp/36L water	-	7 days	Do not enter unless spray deposits have dried
INDOFIL PHILIPPINES INC.	THIAMETHOXAM	EXILON 25 WG	250g/kg	WG	INSECTICIDE	4	604-312-4365	02-Aug-24	SYSTEMIC	Eggplant	Aphids, leafhopper	0.5-2.0 Drench, Foliar spray 2.0-5.0 Tbsp/36L water	-	3 days	Do not enter unless spray deposits have dried
INDOFIL PHILIPPINES INC.	THIAMETHOXAM	EXILON 25 WG	250g/kg	WG	INSECTICIDE	4	604-312-4365	02-Aug-24	SYSTEMIC	Banana	Flower thrips	4-6 g/L	0.02 mg/kg	No PHI proposed as Exilon will be applied as bud injection	Do not enter unless spray deposits have dried
JARDINE DISTRIBUTION, INC.	ABAMECTIN	EXECUTE 1.8 EC	18 g/L	EC	INSECTICIDE	2	367-234-4418	05-Jul-24	-	Banana	Blossom thrips	0.5/ L water	-	-	Re-enter treated area only after spray has dried
JARDINE DISTRIBUTION, INC.	ABAMECTIN	EXECUTE 1.8 EC	18 g/L	EC	INSECTICIDE	2	367-234-4418	05-Jul-24	-	Cabbage	Diamond back moth	1000 mL prod/ha	-	7 Days	Re-enter treated area only after spray has dried
JARDINE DISTRIBUTION, INC.	ABAMECTIN	EXECUTE 1.8 EC	18 g/L	EC	INSECTICIDE	2	367-234-4418	05-Jul-24	-	Ornamentals	Mites	1.0-1.5Tbsp/36 L of water	-	-	Re-enter treated area only after spray has dried
JARDINE DISTRIBUTION, INC.	ABAMECTIN	EXECUTE 1.8 EC	18 g/L	EC	INSECTICIDE	2	367-234-4418	05-Jul-24	-	Pineapple	Mites	1000-4000mL prod/ha	-	-	Re-enter treated area only after spray has dried
JARDINE DISTRIBUTION, INC.	ABAMECTIN	EXECUTE 1.8 EC	18 g/L	EC	INSECTICIDE	2	367-234-4418	05-Jul-24	-	Eggplant	Thrips, leafhopper, fruit and shoot borer	2.0-3.0 Tbsp/36 L of water	-	3 Days	Re-enter treated area only after spray has dried
JARDINE DISTRIBUTION, INC.	ABAMECTIN	EXECUTE 1.8 EC	18 g/L	EC	INSECTICIDE	2	367-234-4418	05-Jul-24	-	Onion	leafminer, thrips	2.0-3.0 Tbsp/36 L of water	-	3 Days	Re-enter treated area only after spray has dried
JARDINE DISTRIBUTION, INC.	ABAMECTIN	EXECUTE 1.8 EC	18 g/L	EC	INSECTICIDE	2	367-234-4418	05-Jul-24	-	Potato	leafminer, thrips	2.0-3.0 Tbsp/36 L of water	-	14 Days	Re-enter treated area only after spray has dried
JARDINE DISTRIBUTION, INC.	ABAMECTIN	EXECUTE 1.8 EC	18 g/L	EC	INSECTICIDE	2	367-234-4418	05-Jul-24	-	Tomato	leafminer, thrips, aphids	2.0-3.0 Tbsp/36 L of water	-	-	Re-enter treated area only after spray has dried
JARDINE DISTRIBUTION, INC.	ABAMECTIN	EXECUTE 1.8 EC	18 g/L	EC	INSECTICIDE	2	367-234-4418	05-Jul-24	-	Watermelon	leafminer, thrips, melonworm	2.0-3.0 Tbsp/36 L of water	-	1Days	Re-enter treated area only after spray has dried
JARDINE DISTRIBUTION, INC.	ABAMECTIN	EXECUTE 1.8 EC	18 g/L	EC	INSECTICIDE	2	367-234-4418	05-Jul-24	-	Papaya	Mites	0.5-1.0 Tbsp/36 L of water	-	14 Days	Re-enter treated area only after spray has dried
JARDINE DISTRIBUTION, INC.	ABAMECTIN	EXECUTE 1.8 EC	18 g/L	EC	INSECTICIDE	2	367-234-4418	05-Jul-24	-	Strawberry	Mites	2.0-4.0 Tbsp/36 L of water	-	3Days	Re-enter treated area only after spray has dried

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
EDSEL AGRI AND CHEMICAL CORP.	MANCOZEB	EXCELZER 80 WP	800 g/kg	WP	FUNGICIDE	4	597-053-4150	02-Jul-25	-	Potato	Early and late blight	3-6 Tbsp/36L water	-	-	As soon as spray dries
EDSEL AGRI AND CHEMICAL CORP.	MANCOZEB	EXCELZER 80 WP	800 g/kg	WP	FUNGICIDE	4	597-053-4150	02-Jul-25	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/36L water	-	7 Days	As soon as spray dries
EDSEL AGRI AND CHEMICAL CORP.	MANCOZEB	EXCELZER 80 WP	800 g/kg	WP	FUNGICIDE	4	597-053-4150	02-Jul-25	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/36L water	-	7 Days	As soon as spray dries
EDSEL AGRI AND CHEMICAL CORP.	MANCOZEB	EXCELZER 80 WP	800 g/kg	WP	FUNGICIDE	4	597-053-4150	02-Jul-25	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/36L water	-	7 Days	As soon as spray dries
EDSEL AGRI AND CHEMICAL CORP.	MANCOZEB	EXCELZER 80 WP	800 g/kg	WP	FUNGICIDE	4	597-053-4150	02-Jul-25	-	Caulery	Late blight	3-6 Tbsp/36L water	-	14 Days	As soon as spray dries
EDSEL AGRI AND CHEMICAL CORP.	MANCOZEB	EXCELZER 80 WP	800 g/kg	WP	FUNGICIDE	4	597-053-4150	02-Jul-25	-	Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36L water	-	5 days	As soon as spray dries
EDSEL AGRI AND CHEMICAL CORP.	MANCOZEB	EXCELZER 80 WP	800 g/kg	WP	FUNGICIDE	4	597-053-4150	02-Jul-25	-	Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36L water	-	5 days	As soon as spray dries
EDSEL AGRI AND CHEMICAL CORP.	MANCOZEB	EXCELZER 80 WP	800 g/kg	WP	FUNGICIDE	4	597-053-4150	02-Jul-25	-	Cotton	Damping off	3-6 Tbsp/36L water	-	-	As soon as spray dries
EDSEL AGRI AND CHEMICAL CORP.	MANCOZEB	EXCELZER 80 WP	800 g/kg	WP	FUNGICIDE	4	597-053-4150	02-Jul-25	-	lettuce	Downy mildew	3-6 Tbsp/36L water	-	7 Days	As soon as spray dries
EDSEL AGRI AND CHEMICAL CORP.	MANCOZEB	EXCELZER 80 WP	800 g/kg	WP	FUNGICIDE	4	597-053-4150	02-Jul-25	-	Beans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/36L water	-	5 days	As soon as spray dries
EDSEL AGRI AND CHEMICAL CORP.	MANCOZEB	EXCELZER 80 WP	800 g/kg	WP	FUNGICIDE	4	597-053-4150	02-Jul-25	-	Peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/36L water	-	5 days	As soon as spray dries
EDSEL AGRI AND CHEMICAL CORP.	MANCOZEB	EXCELZER 80 WP	800 g/kg	WP	FUNGICIDE	4	597-053-4150	02-Jul-25	-	Mungo	Anthracnose, Downy mildew, Rust	3-6 Tbsp/36L water	-	5 days	As soon as spray dries
EDSEL AGRI AND CHEMICAL CORP.	MANCOZEB	EXCELZER 80 WP	800 g/kg	WP	FUNGICIDE	4	597-053-4150	02-Jul-25	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/36L water	-	5 days	As soon as spray dries
EDSEL AGRI AND CHEMICAL CORP.	MANCOZEB	EXCELZER 80 WP	800 g/kg	WP	FUNGICIDE	4	597-053-4150	02-Jul-25	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36L water	-	7 Days	As soon as spray dries
EDSEL AGRI AND CHEMICAL CORP.	MANCOZEB	EXCELZER 80 WP	800 g/kg	WP	FUNGICIDE	4	597-053-4150	02-Jul-25	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36L water	-	7 Days	As soon as spray dries
EDSEL AGRI AND CHEMICAL CORP.	MANCOZEB	EXCELZER 80 WP	800 g/kg	WP	FUNGICIDE	4	597-053-4150	02-Jul-25	-	Pepper	Anthracnose	3-6 Tbsp/36L water	-	7 Days	As soon as spray dries
EDSEL AGRI AND CHEMICAL CORP.	MANCOZEB	EXCELZER 80 WP	800 g/kg	WP	FUNGICIDE	4	597-053-4150	02-Jul-25	-	Chili	Anthracnose	3-6 Tbsp/36L water	-	7 Days	As soon as spray dries
EDSEL AGRI AND CHEMICAL CORP.	MANCOZEB	EXCELZER 80 WP	800 g/kg	WP	FUNGICIDE	4	597-053-4150	02-Jul-25	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/36L water	-	7 Days	As soon as spray dries
EDSEL AGRI AND CHEMICAL CORP.	MANCOZEB	EXCELZER 80 WP	800 g/kg	WP	FUNGICIDE	4	597-053-4150	02-Jul-25	-	Banana	Sigatoka, Black leaf streak	3-6 Tbsp/36L water	-	-	As soon as spray dries
EDSEL AGRI AND CHEMICAL CORP.	MANCOZEB	EXCELZER 80 WP	800 g/kg	WP	FUNGICIDE	4	597-053-4150	02-Jul-25	-	Grapes	Downy mildew, black rot	3-6 Tbsp/36L water	-	60 days	As soon as spray dries
EDSEL AGRI AND CHEMICAL CORP.	MANCOZEB	EXCELZER 80 WP	800 g/kg	WP	FUNGICIDE	4	597-053-4150	02-Jul-25	-	Mango	Anthracnose and Scab	3-6 Tbsp/36L water	-	5 days	As soon as spray dries
EDSEL AGRI AND CHEMICAL CORP.	MANCOZEB	EXCELZER 80 WP	800 g/kg	WP	FUNGICIDE	4	597-053-4150	02-Jul-25	-	Papaya	Fruit rot	3-6 Tbsp/36L water	-	-	As soon as spray dries
EDSEL AGRI AND CHEMICAL CORP.	MANCOZEB	EXCELZER 80 WP	800 g/kg	WP	FUNGICIDE	4	597-053-4150	02-Jul-25	-	Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36L water	-	5 days	As soon as spray dries
EDSEL AGRI AND CHEMICAL CORP.	MANCOZEB	EXCELZER 80 WP	800 g/kg	WP	FUNGICIDE	4	597-053-4150	02-Jul-25	-	Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36L water	-	5 days	As soon as spray dries
EDSEL AGRI AND CHEMICAL CORP.	MANCOZEB	EXCELZER 80 WP	800 g/kg	WP	FUNGICIDE	4	597-053-4150	02-Jul-25	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/36L water	-	7 Days	As soon as spray dries
EDSEL AGRI AND CHEMICAL CORP.	MANCOZEB	EXCELZER 80 WP	800 g/kg	WP	FUNGICIDE	4	597-053-4150	02-Jul-25	-	Rice	Blas, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/36L water	-	-	As soon as spray dries
EDSEL AGRI AND CHEMICAL CORP.	MANCOZEB	EXCELZER 80 WP	800 g/kg	WP	FUNGICIDE	4	597-053-4150	02-Jul-25	-	Peanut	Cercospora leaf spot	3-6 Tbsp/36L water	-	14 Days	As soon as spray dries
EDSEL AGRI AND CHEMICAL CORP.	MANCOZEB	EXCELZER 80 WP	800 g/kg	WP	FUNGICIDE	4	597-053-4150	02-Jul-25	-	Soybeans	Leaf rust	3-6 Tbsp/36L water	-	-	As soon as spray dries
EDSEL AGRI AND CHEMICAL CORP.	MANCOZEB	EXCELZER 80 WP	800 g/kg	WP	FUNGICIDE	4	597-053-4150	02-Jul-25	-	Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/36L water	-	-	As soon as spray dries
INTEGRATED CROP TRADING CORPORATION	BUTACHLOR+2,4-D IBE	EXCEL R EC	360-240 g/L	EC	HERBICIDE	3	274-152-2230	20-Dec-25	PRE-EMERGENT	Rice (Direct-seeded)	Broadleaf weeds,grasses & sedges	8-20Tbsp/36L sprayload	Butachlor 0.1ppm 2,4-D IBE 0.1ppm	-	-
INTEGRATED CROP TRADING CORPORATION	BUTACHLOR+2,4-D IBE	EXCEL R EC	360-240 g/L	EC	HERBICIDE	3	274-152-2230	20-Dec-25	PRE-EMERGENT	Rice (Transplanted)	Broadleaf weeds,grasses & sedges	8-20Tbsp/36L sprayload	Butachlor 0.1ppm 2,4-D IBE 0.1ppm	-	-
INTEGRATED CROP TRADING CORPORATION	BUTACHLOR+PROPAZOL	EXCELPRO 70 EC	350-350 g/L	EC	HERBICIDE	3	274-238-2081	26-Jun-24	POST-EMERGENT	Rice (Direct-Seeded)	Grasses, Sedges and Broadleaves	8-12Tbsp/36L water	Butachlor 0.1ppm Propanil 0.1ppm	-	As soon as the spray mist dries up
INTEGRATED CROP TRADING CORPORATION	BUTACHLOR+PROPAZOL	EXCELPRO 70 EC	350-350 g/L	EC	HERBICIDE	3	274-238-2081	26-Jun-24	POST-EMERGENT	Rice (Transplanted)	Grasses, Sedges and Broadleaves	8-12Tbsp/36L water	Butachlor 0.1ppm Propanil 0.1ppm	-	As soon as the spray mist dries up
INTEGRATED CROP TRADING CORPORATION	BUTACHLOR	EXCELLENT 60 EC	600 g/L	EC	HERBICIDE	4	274-150-1896	18-Sep-24	PRE-EMERGENT	Rice (Direct-seeded)	Grasses and sedges	6,7,7,7,11 Tbsp/36L Sprayload	-	-	-
INTEGRATED CROP TRADING CORPORATION	BUTACHLOR	EXCELLENT 60 EC	600 g/L	EC	HERBICIDE	4	274-150-1896	18-Sep-24	PRE-EMERGENT	Rice (Transplanted)	Grasses and sedges	8,7,11,12 Tbsp/36L Sprayload	-	-	-
PLANTERS PRODUCTS INC.	BUTACHLOR+PROPAZOL	EXCEED 70 EC	350-350 g/L	EC	HERBICIDE	3	031-238-1424	25-Nov-24	POST-EMERGENT	Rice (Direct-Seeded)	Grasses, Sedges and Broadleaves	8-12Tbsp/36L water	Butachlor 0.1ppm Propanil 0.1ppm	-	Entry to the fields sprayed with the product is allowed after the mist has dried
PLANTERS PRODUCTS INC.	BUTACHLOR+PROPAZOL	EXCEED 70 EC	350-350 g/L	EC	HERBICIDE	3	031-238-1424	25-Nov-24	POST-EMERGENT	Rice (Transplanted)	Grasses, Sedges and Broadleaves	8-12Tbsp/36L water	Butachlor 0.1ppm Propanil 0.1ppm	-	Entry to the fields sprayed with the product is allowed after the mist has dried
BERRIS AGRICULTURAL CO., INC.	LAMBDA-CHYALOTHIRIN	EXCALBUR 2.5 EC	25 g/L	EC	INSECTICIDE	2	233-204-1844	15-Mar-24	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leaf folder, black bug	1.0-1.5Tbsp/36L of water	0.06ppm	-	Re-entry to treated fields is allowed as soon as spray deposits dry
BERRIS AGRICULTURAL CO., INC.	LAMBDA-CHYALOTHIRIN	EXCALBUR 2.5 EC	25 g/L	EC	INSECTICIDE	2	233-204-1844	15-Mar-24	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/36L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
BERRIS AGRICULTURAL CO., INC.	LAMBDA-CHYALOTHIRIN	EXCALBUR 2.5 EC	25 g/L	EC	INSECTICIDE	2	233-204-1844	15-Mar-24	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/36L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
BERRIS AGRICULTURAL CO., INC.	LAMBDA-CHYALOTHIRIN	EXCALBUR 2.5 EC	25 g/L	EC	INSECTICIDE	2	233-204-1844	15-Mar-24	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/36L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
BERRIS AGRICULTURAL CO., INC.	LAMBDA-CHYALOTHIRIN	EXCALBUR 2.5 EC	25 g/L	EC	INSECTICIDE	2	233-204-1844	15-Mar-24	SYSTEMIC	Mungbeans	Beanfly, flea beetle, leafhopper, aphids, mites, podborer	1.0Tbsp/36L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
BERRIS AGRICULTURAL CO., INC.	LAMBDA-CHYALOTHIRIN	EXCALBUR 2.5 EC	25 g/L	EC	INSECTICIDE	2	233-204-1844	15-Mar-24	SYSTEMIC	Corn	Comborer, aphids, seedling maggots	1.0-1.5Tbsp/36L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
BERRIS AGRICULTURAL CO., INC.	LAMBDA-CHYALOTHIRIN	EXCALBUR 2.5 EC	25 g/L	EC	INSECTICIDE	2	233-204-1844	15-Mar-24	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5Tbsp/36L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
BERRIS AGRICULTURAL CO., INC.	LAMBDA-CHYALOTHIRIN	EXCALBUR 2.5 EC	25 g/L	EC	INSECTICIDE	2	233-204-1844	15-Mar-24	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/36L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
BERRIS AGRICULTURAL CO., INC.	LAMBDA-CHYALOTHIRIN	EXCALBUR 2.5 EC	25 g/L	EC	INSECTICIDE	2	233-204-1844	15-Mar-24	SYSTEMIC	Cocoa	Podborer	1.0-2.0Tbsp/36L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
BERRIS AGRICULTURAL CO., INC.	LAMBDA-CHYALOTHIRIN	EXCALBUR 2.5 EC	25 g/L	EC	INSECTICIDE	2	233-204-1844	15-Mar-24	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/36L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
DU PONT F&E EAST, INC.	SPINETORAM	EXALT 60 SC	60g/L	SC	INSECTICIDE	4	014-452-4297	27-Nov-24	-	Cabbage	Diamond back moth	3-2 Tbsp/36 L water	-	-	-
CORTEVA AGRISCIENCE PHILIPPINES, INC.	SPINETORAM	EXALT 60 SC	60 g/L	SC	INSECTICIDE	4	737-452-3600	28-Dec-25	-	Potato	Thrips and leafminer	400-500 mL prod/ hectare	-	-	-
CORTEVA AGRISCIENCE PHILIPPINES, INC.	SPINETORAM	EXALT 60 SC	60/L	SC	INSECTICIDE	4	737-452-3600	28-Dec-25	-	Onion	leafminer	600-750 mL prod/ hectare	-	-	-
CORTEVA AGRISCIENCE PHILIPPINES, INC.	SPINETORAM	EXALT 60 SC	60g/L	SC	INSECTICIDE	4	737-452-3600	27-Nov-24	-	Cabbage	Diamond back moth	1.0-2.0 Tbsp product/36L water	-	-	-
CORTEVA AGRISCIENCE PHILIPPINES, INC.	SPINETORAM	EXALT 60 SC	60g/L	SC	INSECTICIDE	4	737-452-3600	27-Nov-24	-	Corn	Fall armyworm	900 mL product/ha	-	-	-
CORTEVA AGRISCIENCE PHILIPPINES, INC.	SPINETORAM	EXALT 60 SC	60g/L	SC	INSECTICIDE	4	737-452-3600	27-Nov-24	-	Mango	Thrips and tip borer	30-40 mL prod. / 100L	-	14 days	-
DOW AGRO SCIENCES B.V.	SPINETORAM	EXALT 60 SC	60g/L	SC	INSECTICIDE	4	019-452-3600	21-Aug-21	-	Tomato	leafminer	600-750 mL prod/ Ha	-	-	-
DOW AGRO SCIENCES B.V.	SPINETORAM	EXALT 60 SC	60g/L	SC	INSECTICIDE	4	013-452-3600	21-Aug-21	-	Eggplant	Fruit and shoot borer	600-750 mL prod/ Ha	-	-	-
JARDINE DISTRIBUTION, INC.	SPINETORAM	EXALT 60 SC	60g/L	SC	INSECTICIDE	4	367-452-3639	12-Jan-19	-	Cabbage	Diamond back moth	1.0-2.0 Tbsp product/36L water	-	-	-

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
INTEGRATED CROP TRADING CORPORATION	POLY(VINYLENE SULFONATE) FATTY ACID-POLY(VINYLENE SULFONATE) ETHER	EXACTOSOL A-100K	-	LC	OTHERS	4	274-348-3206	13-Aug-19	-	-	As surfactant on EXACTO SC 100	10 - 30 ml/36 L water; 10 - 20 spray loads	-	-	-
INTEGRATED CROP TRADING CORPORATION	BISPYRIBAC SODIUM	EXACTO SC 100	105 g/L	SC	HERBICIDE	4	274-276-3205	13-Aug-19	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Rice (Direct-Seeded (landed))	Grasses, sedges & broadleaves	20ml/36 L water, 20 spray loads/ hectare	0.1 ppm	-	-
INTEGRATED CROP TRADING CORPORATION	CYALOPOL SULF-BISPYRIBAC SODIUM	EXACTO PLUS 2000D	150g/L+50g/L	OD	HERBICIDE	4	274-509-6165	29-Nov-25	POST-EMERGENT	Rice (Direct-Seeded)	Grasses (Echinochloa sp., Lysiplosis chinensis, and Ischaemum rugosum), broadleaves (Sphenoclea zeylanica, Ludwigia octovalvis)	50-100 ml / 36L	-	-	As soon as spray dries up.
TAIPAN BRAND FARM INC.	FLUXASTROBIN	EVITO 480 SC	480 g/L	SC	FUNGICIDE	4	529-479-4451	30-Jul-24	SYSTEMIC	Mango	Anthracoise & stem-end rot	75-15ml/200L	-	-	Do not spray 14 days before harvest
TAIPAN BRAND FARM INC.	FLUXASTROBIN	EVITO 480 SC	480 g/L	SC	FUNGICIDE	4	529-479-4451	30-Jul-24	SYSTEMIC	Corn	Gray leaf spot, rust & sheath blight	10-15ml (Low Disease Pressure) 15-20ml (High Disease Pressure)	-	-	Do not spray 14 days before harvest
ALTACROP PROTECTION CORPORATION	BPIMC-CHLORPYRIFOS	EVICT 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	351-174-0979	19-Mar-18	-	Rice	Stemborer, armyworm, leafhopper, caseworm and planthopper	2.5-3.5 Tbsp/36L water	-	-	Stop spraying 15 days before harvest
ALTACROP PROTECTION CORPORATION	BPIMC-CHLORPYRIFOS	EVICT 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	351-174-0979	19-Mar-18	-	Corn	Seedling maggot, corn earworm, cornborer and armyworm	2.5-3.5 Tbsp/36L water	-	-	Do not enter the field within 2 days after spraying
ALTACROP PROTECTION CORPORATION	BPIMC-CHLORPYRIFOS	EVICT 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	351-174-0979	19-Mar-18	-	Tobacco	Budworm, grasshopper, aphid, cutworm and armyworm	2.5-3.5 Tbsp/36L water	-	-	Do not enter the field within 2 days after spraying
ALTACROP PROTECTION CORPORATION	BPIMC-CHLORPYRIFOS	EVICT 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	351-174-0979	19-Mar-18	-	Cucumber	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/36L water	-	-	Do not enter the field within 2 days after spraying
ALTACROP PROTECTION CORPORATION	BPIMC-CHLORPYRIFOS	EVICT 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	351-174-0979	19-Mar-18	-	Melon	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/36L water	-	-	Do not enter the field within 2 days after spraying
ALTACROP PROTECTION CORPORATION	BPIMC-CHLORPYRIFOS	EVICT 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	351-174-0979	19-Mar-18	-	Watermelon	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/36L water	-	-	Do not enter the field within 2 days after spraying
ALTACROP PROTECTION CORPORATION	BPIMC-CHLORPYRIFOS	EVICT 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	351-174-0979	19-Mar-18	-	Onion	Thrips, cutworm	2.5-3.5 Tbsp/36L water	-	-	Do not enter the field within 2 days after spraying
ALTACROP PROTECTION CORPORATION	BPIMC-CHLORPYRIFOS	EVICT 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	351-174-0979	19-Mar-18	-	Mungo	Beanfly, armyworm, cutworm, leafminer and leaf folder	2.5-3.5 Tbsp/36L water	-	-	Do not enter the field within 2 days after spraying
ALTACROP PROTECTION CORPORATION	BPIMC-CHLORPYRIFOS	EVICT 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	351-174-0979	19-Mar-18	-	Soybeans	Beanfly, armyworm, cutworm, leafminer and leaf folder	2.5-3.5 Tbsp/36L water	-	-	Do not enter the field within 2 days after spraying
ALTACROP PROTECTION CORPORATION	BPIMC-CHLORPYRIFOS	EVICT 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	351-174-0979	19-Mar-18	-	Beans	Beanfly, armyworm, cutworm, leafminer and leaf folder	2.5-3.5 Tbsp/36L water	-	-	Do not enter the field within 2 days after spraying
BAYER CROPSCIENCE, INC.	POLY(VINYLENE SULFONATE) FATTY ACID-POLY(VINYLENE SULFONATE) ETHER	EVERSOL A-150K	285+475 mL/L	LC	OTHERS	4	284-348-3397	21-May-18	-	-	Surfactant on Nemess SC 100	0.25%/ha	-	-	-
EVERLAND AGRI CORPORATION	POLY(VINYLENE SULFONATE) FATTY ACID-POLY(VINYLENE SULFONATE) ETHER	EVERSOL A-150K	285+475 mL/L	LC	OTHERS	4	261-348-2274	21-Apr-18	-	-	Surfactant on Nemess SC 100	10 - 30 ml/36 L water; 10 - 20 spray loads	-	-	-
EVERLAND AGRI CORPORATION	CLOTHIANIDIN	EVERSUREBALL 20 SC	200 g/L	SC	INSECTICIDE	4	361-979-6323	12-May-26	-	Rice	Rice black bug	40-50 tbsp/36 L water (40-50 mL)	-	-	Allowed as soon as spray deposits dry up
EVERLAND AGRI CORPORATION	MANCOZEB	EVER MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	261-053-1243	17-Sep-25	-	Potato	Early and late blight	3-6 Tbsp/36 L water	-	-	As soon as spray dries
EVERLAND AGRI CORPORATION	MANCOZEB	EVER MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	261-053-1243	17-Sep-25	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
EVERLAND AGRI CORPORATION	MANCOZEB	EVER MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	261-053-1243	17-Sep-25	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
EVERLAND AGRI CORPORATION	MANCOZEB	EVER MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	261-053-1243	17-Sep-25	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
EVERLAND AGRI CORPORATION	MANCOZEB	EVER MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	261-053-1243	17-Sep-25	-	Celery	Late blight	3-6 Tbsp/36 L water	-	14 Days	As soon as spray dries
EVERLAND AGRI CORPORATION	MANCOZEB	EVER MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	261-053-1243	17-Sep-25	-	Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
EVERLAND AGRI CORPORATION	MANCOZEB	EVER MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	261-053-1243	17-Sep-25	-	Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
EVERLAND AGRI CORPORATION	MANCOZEB	EVER MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	261-053-1243	17-Sep-25	-	Cotton	Damping off	3-6 Tbsp/36 L water	-	-	As soon as spray dries
EVERLAND AGRI CORPORATION	MANCOZEB	EVER MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	261-053-1243	17-Sep-25	-	Lettuce	Downy mildew	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
EVERLAND AGRI CORPORATION	MANCOZEB	EVER MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	261-053-1243	17-Sep-25	-	Beans	Anthracoise, Downy mildew, Rust	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
EVERLAND AGRI CORPORATION	MANCOZEB	EVER MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	261-053-1243	17-Sep-25	-	Peas	Anthracoise, Downy mildew, Rust	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
EVERLAND AGRI CORPORATION	MANCOZEB	EVER MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	261-053-1243	17-Sep-25	-	Mungo	Anthracoise, Downy mildew, Rust	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
EVERLAND AGRI CORPORATION	MANCOZEB	EVER MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	261-053-1243	17-Sep-25	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
EVERLAND AGRI CORPORATION	MANCOZEB	EVER MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	261-053-1243	17-Sep-25	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
EVERLAND AGRI CORPORATION	MANCOZEB	EVER MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	261-053-1243	17-Sep-25	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
EVERLAND AGRI CORPORATION	MANCOZEB	EVER MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	261-053-1243	17-Sep-25	-	Pepper	Anthracoise	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
EVERLAND AGRI CORPORATION	MANCOZEB	EVER MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	261-053-1243	17-Sep-25	-	Chili	Anthracoise	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
EVERLAND AGRI CORPORATION	MANCOZEB	EVER MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	261-053-1243	17-Sep-25	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
EVERLAND AGRI CORPORATION	MANCOZEB	EVER MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	261-053-1243	17-Sep-25	-	Okra	Sigatoka, Black leaf streak	3-6 Tbsp/36 L water	-	-	As soon as spray dries
EVERLAND AGRI CORPORATION	MANCOZEB	EVER MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	261-053-1243	17-Sep-25	-	Grapes	Downy mildew, black rot	3-6 Tbsp/36 L water	-	40 days	As soon as spray dries
EVERLAND AGRI CORPORATION	MANCOZEB	EVER MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	261-053-1243	17-Sep-25	-	Mango	Anthracoise and Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
EVERLAND AGRI CORPORATION	MANCOZEB	EVER MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	261-053-1243	17-Sep-25	-	Papaya	Fruit rot	3-6 Tbsp/36 L water	-	-	As soon as spray dries
EVERLAND AGRI CORPORATION	MANCOZEB	EVER MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	261-053-1243	17-Sep-25	-	Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
EVERLAND AGRI CORPORATION	MANCOZEB	EVER MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	261-053-1243	17-Sep-25	-	Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
EVERLAND AGRI CORPORATION	MANCOZEB	EVER MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	261-053-1243	17-Sep-25	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
EVERLAND AGRI CORPORATION	MANCOZEB	EVER MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	261-053-1243	17-Sep-25	-	Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/36 L water	-	-	As soon as spray dries
EVERLAND AGRI CORPORATION	MANCOZEB	EVER MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	261-053-1243	17-Sep-25	-	Peanut	Cercospora leaf spot	3-6 Tbsp/36 L water	-	14 days	As soon as spray dries
EVERLAND AGRI CORPORATION	MANCOZEB	EVER MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	261-053-1243	17-Sep-25	-	Soybeans	Leaf rust	3-6 Tbsp/36 L water	-	-	As soon as spray dries
EVERLAND AGRI CORPORATION	MANCOZEB	EVER MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	261-053-1243	17-Sep-25	-	Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/36 L water	-	-	As soon as spray dries
EVERLAND AGRI CORPORATION	MANCOZEB	EVER MANCOZEB 75 DF	750 g/kg	DF	FUNGICIDE	4	261-053-2360	24-Jan-23	-	Banana	Black sigatoka, black leaf streak, yellow sigatoka	3.0-6.0 Tbsp/36L	-	10-12 days	As soon as spray dries
EVERLAND AGRI CORPORATION	MANCOZEB	EVER MANCOZEB 75 DF	750 g/kg	DF	FUNGICIDE	4	261-053-2360	24-Jan-23	-	Beans	Downy mildew, anthracnose	3.0-6.0 Tbsp/36L	-	7-10 days	As soon as spray dries
EVERLAND AGRI CORPORATION	MANCOZEB	EVER MANCOZEB 75 DF	750 g/kg	DF	FUNGICIDE	4	261-053-2360	24-Jan-23	-	Cabbage	Alternaria leaf spot, downy mildew	3.0-6.0 Tbsp/36L	-	7-10 days	As soon as spray dries
EVERLAND AGRI CORPORATION	MANCOZEB	EVER MANCOZEB 75 DF	750 g/kg	DF	FUNGICIDE	4	261-053-2360	24-Jan-23	-	Cauliflower	Alternaria leaf spot, downy mildew	3.0-6.0 Tbsp/36L	-	7-10 days	As soon as spray dries
EVERLAND AGRI CORPORATION	MANCOZEB	EVER MANCOZEB 75 DF	750 g/kg	DF	FUNGICIDE	4	261-053-2360	24-Jan-23	-	Citrus	Ruettling, greasy spot, black spot	3.0-6.0 Tbsp/36L	-	7-10 days	As soon as spray dries
EVERLAND AGRI CORPORATION	MANCOZEB	EVER MANCOZEB 75 DF	750 g/kg	DF	FUNGICIDE	4	261-053-2360	24-Jan-23	-	Corn	Helminthosporium leaf spot	3.0-6.0 Tbsp/36L	-	7-10 days	As soon as spray dries
EVERLAND AGRI CORPORATION	MANCOZEB	EVER MANCOZEB 75 DF	750 g/kg	DF	FUNGICIDE	4	261-053-2360	24-Jan-23	-	Cucumber	Downy mildew	3.0-6.0 Tbsp/36L	-	7-10 days	As soon as spray dries
EVERLAND AGRI CORPORATION	MANCOZEB	EVER MANCOZEB 75 DF	750 g/kg	DF	FUNGICIDE	4	261-053-2360	24-Jan-23	-	Garlic	Downy mildew, purple blotch	3.0-6.0 Tbsp/36L	-	7-10 days	As soon as spray dries
EVERLAND AGRI CORPORATION	MANCOZEB	EVER MANCOZEB 75 DF	750 g/kg	DF	FUNGICIDE	4	261-053-2360	24-Jan-23	-	Mango	Anthracoise, scab	3.0-6.0 Tbsp/36L	-	7-10 days	As soon as spray dries

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
EVERLAND AGRI CORPORATION	MANCOZEB	EVER MANCOZEB 75 DF	750g/kg	DF	FUNGICIDE	4	261-053-2360	24-Jan-23	-	Melon	Downy mildew	3.0-6.0 tbsp/36L	-	7-10 days	As soon as spray dries
EVERLAND AGRI CORPORATION	MANCOZEB	EVER MANCOZEB 75 DF	750g/kg	DF	FUNGICIDE	4	261-053-2360	24-Jan-23	-	Onion	Downy mildew, purple blotch	3.0-6.0 tbsp/36L	-	7-10 days	As soon as spray dries
EVERLAND AGRI CORPORATION	MANCOZEB	EVER MANCOZEB 75 DF	750g/kg	DF	FUNGICIDE	4	261-053-2360	24-Jan-23	-	Ornamentals	Black spot	3.0-6.0 tbsp/36L	-	7-10 days	As soon as spray dries
EVERLAND AGRI CORPORATION	MANCOZEB	EVER MANCOZEB 75 DF	750g/kg	DF	FUNGICIDE	4	261-053-2360	24-Jan-23	-	Peanut	Cercospora leaf spot	3.0-6.0 tbsp/36L	-	7-10 days	As soon as spray dries
EVERLAND AGRI CORPORATION	MANCOZEB	EVER MANCOZEB 75 DF	750g/kg	DF	FUNGICIDE	4	261-053-2360	24-Jan-23	-	Potato	Early & Late blight	3.0-6.0 tbsp/36L	-	7-10 days	As soon as spray dries
EVERLAND AGRI CORPORATION	MANCOZEB	EVER MANCOZEB 75 DF	750g/kg	DF	FUNGICIDE	4	261-053-2360	24-Jan-23	-	Rice	Blast, Sheath blight, anthracnose	3.0-6.0 tbsp/36L	0.03ppm	7-10 days	As soon as spray dries
EVERLAND AGRI CORPORATION	MANCOZEB	EVER MANCOZEB 75 DF	750g/kg	DF	FUNGICIDE	4	261-053-2360	24-Jan-23	-	Tobacco	Blue mold, anthracnose	3.0-6.0 tbsp/36L	-	7-10 days	As soon as spray dries
EVERLAND AGRI CORPORATION	MANCOZEB	EVER MANCOZEB 75 DF	750g/kg	DF	FUNGICIDE	4	261-053-2360	24-Jan-23	-	Watermelon	Downy mildew	3.0-6.0 tbsp/36L	-	7-10 days	As soon as spray dries
EVERLAND AGRI CORPORATION	MANCOZEB	EVER MANCOZEB 600 OS	600 g/L	OS	FUNGICIDE	4	261-053-2387	04-Jan-23	-	Banana	Black Sigatoka	-	-	-	-
EVERLAND AGRI CORPORATION	MANCOZEB	EVER MANCOZEB 432F	432 g/L	F	FUNGICIDE	4	261-053-2364	24-Jan-23	-	Banana	Black Sigatoka	-	-	-	-
EVERLAND AGRI CORPORATION	DIURON	EVER DIURON 800 SC	800 g/kg	SC	HERBICIDE	4	261-021-6286	02-Oct-25	SYSTEMIC	Citrus	Annual and Perennial broadleaves and grasses	13.0-15.0tbsp/36 L water	-	-	-
EVERLAND AGRI CORPORATION	DIURON	EVER DIURON 800 SC	800 g/kg	SC	HERBICIDE	4	261-021-6286	02-Oct-25	SYSTEMIC	Coffee	Annual and Perennial broadleaves and grasses	13.0-15.0tbsp/36 L water	-	-	-
EVERLAND AGRI CORPORATION	DIURON	EVER DIURON 800 SC	800 g/kg	SC	HERBICIDE	4	261-021-6286	02-Oct-25	SYSTEMIC	Cotton	Annual and Perennial broadleaves and grasses	8.0tbsp/36 L water	-	-	-
EVERLAND AGRI CORPORATION	DIURON	EVER DIURON 800 SC	800 g/kg	SC	HERBICIDE	4	261-021-6286	02-Oct-25	SYSTEMIC	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0tbsp/36 L water	-	-	-
EVERLAND AGRI CORPORATION	DIURON	EVER DIURON 800 SC	800 g/kg	SC	HERBICIDE	4	261-021-6286	02-Oct-25	SYSTEMIC	Pineapple	Annual and Perennial broadleaves and grasses	14.0tbsp/36 L water	-	-	-
EVERLAND AGRI CORPORATION	DIURON	EVER DIURON 800 SC	800 g/kg	SC	HERBICIDE	4	261-021-6286	02-Oct-25	SYSTEMIC	Non-crop land	Annual and Perennial broadleaves and grasses	26.0-28.0tbsp/36 L water	-	-	-
EVERLAND AGRI CORPORATION	DIURON	EVER DIURON	800 g/kg	WP	HERBICIDE	4	261-021-1905	2-Oct-24	-	Citrus	Grasses, annual and perennial broadleaves	-	-	-	-
EVERLAND AGRI CORPORATION	DIURON	EVER DIURON	800 g/kg	WP	HERBICIDE	4	261-021-1905	2-Oct-24	-	Coffee	Grasses, annual and perennial broadleaves	-	-	-	-
EVERLAND AGRI CORPORATION	DIURON	EVER DIURON	800 g/kg	WP	HERBICIDE	4	261-021-1905	2-Oct-24	-	Cotton	Grasses, annual and perennial broadleaves	-	-	-	-
EVERLAND AGRI CORPORATION	DIURON	EVER DIURON	800 g/kg	WP	HERBICIDE	4	261-021-1905	2-Oct-24	-	Sugarcane	Grasses, annual and perennial broadleaves	-	-	-	-
EVERLAND AGRI CORPORATION	DIURON	EVER DIURON	800 g/kg	WP	HERBICIDE	4	261-021-1905	2-Oct-24	-	Pineapple	Grasses, annual and perennial broadleaves	-	-	-	-
EVERLAND AGRI CORPORATION	DIURON	EVER DIURON	800 g/kg	WP	HERBICIDE	4	261-021-1905	2-Oct-24	-	Non-crop	Grasses, annual and perennial broadleaves	-	-	-	-
EVERLAND AGRI CORPORATION	CYPERMETHRIN	EVER BACK-OFF 5 EC	50 g/L	EC	INSECTICIDE	4	261-037-6379	29-Nov-24	-	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 tbsp/36 L water	-	Do not spray seven days before harvest	As soon as spray deposits have dried
EVERLAND AGRI CORPORATION	CYPERMETHRIN	EVER BACK-OFF 5 EC	50 g/L	EC	INSECTICIDE	4	261-037-6379	29-Nov-24	-	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leafhoppers, stem borer, armyworm, rice bug	1.0-3.0 tbsp/36 L water	-	Do not spray seven days before harvest	As soon as spray deposits have dried
EVERLAND AGRI CORPORATION	CYPERMETHRIN	EVER BACK-OFF 5 EC	50 g/L	EC	INSECTICIDE	4	261-037-6379	29-Nov-24	-	Cabbage	Diamond-back moth, cabbage moth, worm	1.0-3.0 tbsp/36 L water	-	Do not spray seven days before harvest	As soon as spray deposits have dried
EVERLAND AGRI CORPORATION	CYPERMETHRIN	EVER BACK-OFF 5 EC	50 g/L	EC	INSECTICIDE	4	261-037-6379	29-Nov-24	-	Beans	Pod borer, beanfly, leaf miner, aphids, cutworm	1.0-3.0 tbsp/36 L water	-	Do not spray seven days before harvest	As soon as spray deposits have dried
EVERLAND AGRI CORPORATION	CYPERMETHRIN	EVER BACK-OFF 5 EC	50 g/L	EC	INSECTICIDE	4	261-037-6379	29-Nov-24	-	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 tbsp/36 L water	-	Do not spray seven days before harvest	As soon as spray deposits have dried
EVERLAND AGRI CORPORATION	CYPERMETHRIN	EVER BACK-OFF 5 EC	50 g/L	EC	INSECTICIDE	4	261-037-6379	29-Nov-24	-	Watermelon	Aphids, thrips, beetle	1.0-3.0 tbsp/36 L water	-	Do not spray seven days before harvest	As soon as spray deposits have dried
EVERLAND AGRI CORPORATION	CYPERMETHRIN	EVER BACK-OFF 5 EC	50 g/L	EC	INSECTICIDE	4	261-037-6379	29-Nov-24	-	Onion	Thrips, cutworm	1.0-3.0 tbsp/36 L water	-	Do not spray seven days before harvest	As soon as spray deposits have dried
EVERLAND AGRI CORPORATION	CYPERMETHRIN	EVER BACK-OFF 5 EC	50 g/L	EC	INSECTICIDE	4	261-037-6379	29-Nov-24	-	Banana	Thrips, scarring beetle	1.0-3.0 tbsp/36 L water	-	Do not spray seven days before harvest	As soon as spray deposits have dried
EVERLAND AGRI CORPORATION	CYPERMETHRIN	EVER BACK-OFF 5 EC	50 g/L	EC	INSECTICIDE	4	261-037-6379	29-Nov-24	-	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 tbsp/36 L water	-	Do not spray seven days before harvest	As soon as spray deposits have dried
EVERLAND AGRI CORPORATION	CYPERMETHRIN	EVER BACK-OFF 5 EC	50 g/L	EC	INSECTICIDE	4	261-037-6379	29-Nov-24	-	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 tbsp/36 L water	-	Do not spray seven days before harvest	As soon as spray deposits have dried
EVERLAND AGRI CORPORATION	CYPERMETHRIN	EVER BACK-OFF 5 EC	50 g/L	EC	INSECTICIDE	4	261-037-6379	29-Nov-24	-	Corn	Corn borer, earworm	1.0-4.5 tbsp/36 L water	-	Do not spray seven days before harvest	As soon as spray deposits have dried
EVERLAND AGRI CORPORATION	2,4-D IBE	EVER 2,4-D ESTER	400 g/L	-	HERBICIDE	2	261-049-1226	21-Feb-24	POST-EMERGENCE	Rice (Transplanted)	Sedges and broadleaf weeds	3.5-6.5 tbsp/ 36L water (Apply 25-30 days after transplanting)	-	-	One day after spraying
EVERLAND AGRI CORPORATION	2,4-D IBE	EVER 2,4-D ESTER	400 g/L	-	HERBICIDE	2	261-049-1226	21-Feb-24	POST-EMERGENCE	Corn	Sedges and broadleaf weeds	3.0-6.5 tbsp/36 L water (Apply when plants are 15-25 cms. High)	-	-	One day after spraying
EVERLAND AGRI CORPORATION	2,4-D IBE	EVER 2,4-D ESTER	400 g/L	-	HERBICIDE	2	261-049-1226	21-Feb-24	POST-EMERGENCE	Sugarcane	Sedges and broadleaf weeds	11.0-26.0tbsp/ 36L water (Apply when plants are 15-25 cms high)	-	-	One day after spraying
EVERLAND AGRI CORPORATION	2,4-D AMINE	EVER 2,4-D AMINE	400 g/L	-	HERBICIDE	2	261-033-1225	10-May-24	POST-EMERGENCE	Rice (Transplanted)	Sedges and broadleaf weeds	3.5-6.5 tbsp/ 36L water	-	-	One day after spraying
EVERLAND AGRI CORPORATION	2,4-D AMINE	EVER 2,4-D AMINE	400 g/L	-	HERBICIDE	2	261-033-1225	10-May-24	POST-EMERGENCE	Corn	Sedges and broadleaf weeds	3.0-6.5 tbsp/ 36L water	-	-	One day after spraying
EVERLAND AGRI CORPORATION	2,4-D AMINE	EVER 2,4-D AMINE	400 g/L	-	HERBICIDE	2	261-033-1225	10-May-24	POST-EMERGENCE	Sugarcane	Sedges and broadleaf weeds	11.0-26.0 tbsp/ 36L water	-	-	One day after spraying
AGRO IRIS PHILIPPINES, INC.	DIFENOCONAZOLE	ELISNAZ 350 EC	250 g/L	EC	FUNGICIDE	4	752-272-6068	15-Feb-25	-	Rice	Sheath blight	30-50 mL prod/300L 0.25-0.30 L prod./ha	-	-	-
AGRO IRIS PHILIPPINES, INC.	DIFENOCONAZOLE	ELISNAZ 350 EC	250 g/L	EC	FUNGICIDE	4	752-272-6068	15-Feb-25	-	Mango	Anthracoise	30-50 mL prod/300L 0.25-0.30 L prod./ha	-	-	-
AGRO IRIS PHILIPPINES, INC.	DIFENOCONAZOLE	ELISNAZ 350 EC	250 g/L	EC	FUNGICIDE	4	752-272-6068	15-Feb-25	-	Stringbeans	Leafspot	30-50 mL prod/300L 0.25-0.30 L prod./ha	-	-	-
AGRO IRIS PHILIPPINES, INC.	DIFENOCONAZOLE	ELISNAZ 350 EC	250 g/L	EC	FUNGICIDE	4	752-272-6068	15-Feb-25	-	Tomato	Alternaria leafspot, cercospora leaf mold, powdery mildew	30-50 mL prod/300L 0.25-0.30 L prod./ha	-	-	-
AGRO IRIS PHILIPPINES, INC.	DIFENOCONAZOLE	ELISNAZ 350 EC	250 g/L	EC	FUNGICIDE	4	752-272-6068	15-Feb-25	-	Eggplant	Leafspot	30-50 mL prod/300L 0.25-0.30 L prod./ha	-	-	-
AGRO IRIS PHILIPPINES, INC.	DIFENOCONAZOLE	ELISNAZ 350 EC	250 g/L	EC	FUNGICIDE	4	752-272-6068	15-Feb-25	-	Cabbage	Ringspot, alternaria	30-50 mL prod/300L 0.25-0.30 L prod./ha	-	-	-
AGRO IRIS PHILIPPINES, INC.	DIFENOCONAZOLE	ELISNAZ 350 EC	250 g/L	EC	FUNGICIDE	4	752-272-6068	15-Feb-25	-	Asparagus	Stem and leaf blight	0.6/liter 0.36 L prod./ha	-	-	-
AGRO IRIS PHILIPPINES, INC.	DIFENOCONAZOLE	ELISNAZ 350 EC	250 g/L	EC	FUNGICIDE	4	752-272-6068	15-Feb-25	-	Onion	Purple blotch	30-50 mL prod/300L 0.40-0.50 L prod./ha	-	-	-
AGRO IRIS PHILIPPINES, INC.	DIFENOCONAZOLE	ELISNAZ 350 EC	250 g/L	EC	FUNGICIDE	4	752-272-6068	15-Feb-25	-	Banana	Black sigatoka	30-50 mL prod/300L 0.30-0.40 L prod./ha	-	-	-
FLAGLEAF AGRI PHILIPPINES, INC.	GLYPHOSATE IPA	EUKOS	480 g/L	SL	HERBICIDE	4	364-153-3006	29-Apr-26	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
FLAGLEAF AGRI PHILIPPINES, INC.	GLYPHOSATE IPA	EUKOS	480 g/L	SL	HERBICIDE	4	364-153-3006	29-Apr-26	POST-EMERGENT	glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/ha	-	-	-
FLAGLEAF AGRI PHILIPPINES, INC.	GLYPHOSATE IPA	EUKOS	480 g/L	SL	HERBICIDE	4	364-153-3006	29-Apr-26	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
FLAGLEAF AGRI PHILIPPINES, INC.	GLYPHOSATE IPA	EUKOS	480 g/L	SL	HERBICIDE	4	364-153-3006	29-Apr-26	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
FLAGLEAF AGRI PHILIPPINES, INC.	GLYPHOSATE IPA	EUKOS	480 g/L	SL	HERBICIDE	4	364-153-3006	29-Apr-26	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
FLAGLEAF AGRI PHILIPPINES, INC.	GLYPHOSATE IPA	EUKOS	480 g/L	SL	HERBICIDE	4	364-153-3006	29-Apr-26	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
FLAGLEAF AGRI PHILIPPINES, INC.	GLYPHOSATE IPA	EUKOS	480 g/L	SL	HERBICIDE	4	364-153-3006	29-Apr-26	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
FLAGLEAF AGRI PHILIPPINES, INC.	GLYPHOSATE IPA	EUKOS	480 g/L	SL	HERBICIDE	4	364-153-3006	29-Apr-26	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
FLAGLEAF AGRI PHILIPPINES, INC.	GLYPHOSATE IPA	EUROS	480 g/L	SL	HERBICIDE	4	564-151-3606	29-Apr-26	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liter/ha	-	-	-
FLAGLEAF AGRI PHILIPPINES, INC.	GLYPHOSATE IPA	EUROS	480 g/L	SL	HERBICIDE	4	564-151-3606	29-Apr-26	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liter/ha	-	-	-
FLAGLEAF AGRI PHILIPPINES, INC.	GLYPHOSATE IPA	EUROS	480 g/L	SL	HERBICIDE	4	564-151-3606	29-Apr-26	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liter/ha	-	-	-
FLAGLEAF AGRI PHILIPPINES, INC.	GLYPHOSATE IPA	EUROS	480 g/L	SL	HERBICIDE	4	564-151-3606	29-Apr-26	POST-EMERGENT	non-crop	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
BAYER CROPSCIENCE, INC.	TEBUCONAZOLE+TRIFLOXYSTROBIN	ETHAGE SC 300	200 g/L+100 g/L	SC	FUNGICIDE	3	284-438-6082	13-Nov-26	-	Corn	Banded leaf and sheath blight, rusts, northern leaf blight, southern leaf blight (through drone spraying)	500-750 mL prod/ hectare 80 L / hectare	0.09 mg/kg Tebuconazole	30 days	-
BAYER CROPSCIENCE, INC.	TEBUCONAZOLE+TRIFLOXYSTROBIN	ETHAGE SC 300	200 g/L+100 g/L	SC	FUNGICIDE	3	284-438-6082	13-Nov-26	-	Banana	Black Sigatoka	750-1250 mL prod/ hectare	0.06 mg/kg Tebuconazole	0 day	-
BAYER CROPSCIENCE, INC.	ETHEPHON	ETHREL 480 SL	480 g/L	SL	OTHERS	4	284-061-0228	28-Oct-26	-	Pineapple	Pineapple flowering & ripening	100-150ml/1000 trees	-	-	Fruits that are already ripe on the day of treatment can be harvested without any harmful residue. Generally.
BAYER CROPSCIENCE, INC.	ETHEPHON	ETHREL 480 SL	480 g/L	SL	OTHERS	4	284-061-0228	28-Oct-26	-	Banana	Banana ripening	100-150ml/1000 trees	-	-	Fruits that are already ripe on the day of treatment can be harvested without any harmful residue. Generally.
BAYER CROPSCIENCE, INC.	ETHEPHON	ETHREL 480 SL	480 g/L	SL	OTHERS	4	284-061-0228	28-Oct-26	-	Mango	Mango ripening	100-150ml/1000 trees	-	-	Fruits that are already ripe on the day of treatment can be harvested without any harmful residue. Generally.
BAYER CROPSCIENCE, INC.	ETHEPHON	ETHREL 480 SL	480 g/L	SL	OTHERS	4	284-061-0228	28-Oct-26	-	Coffee	Coffee ripening	100-150ml/1000 trees	-	-	Fruits that are already ripe on the day of treatment can be harvested without any harmful residue. Generally.
RAINBOW AGROSCIENCES PHILIPPINES INC.	PYRIMETHANIL	ETHYPRIN 600 SC	600 g/L	SC	FUNGICIDE	4	539-345-4957	26-Nov-25	-	Cavendish Banana	Black Sigatoka	900-750 mL/ha	-	-	Do not harvest for 7 days after the last spray application
INTERSORORA INC.	AZIOXYSTROBIN	ESSAGE 25 SC	250 g/L	SC	FUNGICIDE	4	664-309-5036	10-Feb-26	SYSTEMIC	Mango	Anthracoise, scab, stem-end rot	6-8/100L water	-	-	Do not spray 3-7 days before harvest
INTERSORORA INC.	AZIOXYSTROBIN	ESSAGE 25 SC	250 g/L	SC	FUNGICIDE	4	664-309-5036	10-Feb-26	SYSTEMIC	Watermelon	Damping off, leaf spot, anthracnose, downy, mildew, powdery mildew	1-2tbsp/16L water	-	-	Do not spray 3-7 days before harvest
INTERSORORA INC.	AZIOXYSTROBIN	ESSAGE 25 SC	250 g/L	SC	FUNGICIDE	4	664-309-5036	10-Feb-26	SYSTEMIC	Onion	Basil/ bulb rot	1-2tbsp/16L water	-	-	Do not spray 3-7 days before harvest
INTERSORORA INC.	AZIOXYSTROBIN	ESSAGE 25 SC	250 g/L	SC	FUNGICIDE	4	664-309-5036	10-Feb-26	SYSTEMIC	Tomato	Late/ early blight, powdery mildew	0.5-1tbsp/16L water	-	-	Do not spray 3-7 days before harvest
INTERSORORA INC.	AZIOXYSTROBIN	ESSAGE 25 SC	250 g/L	SC	FUNGICIDE	4	664-309-5036	10-Feb-26	SYSTEMIC	Corn	Sheath blight, leaf spot, leaf rust, ear rot	2-4tbsp/16L water	-	-	Do not spray 3-7 days before harvest
INTERSORORA INC.	AZIOXYSTROBIN	ESSAGE 25 SC	250 g/L	SC	FUNGICIDE	4	664-309-5036	10-Feb-26	SYSTEMIC	Asparagus	Stem blight, leaf blight, fusarium wilt	1-2tbsp/16L water	-	-	Do not spray 3-7 days before harvest
AGRO ADVANCED INTERNATIONAL PHILS., INC.	CARTAP HYDROCHLORIDE	ESPYDER 50 SP	500 g/kg	SP	INSECTICIDE	3	473-106-4037	07-Jun-20	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.0-5.0tbsp/16L water	0.2ppm	-	Stop spraying 10 days before harvest
AGRO ADVANCED INTERNATIONAL PHILS., INC.	CARTAP HYDROCHLORIDE	ESPYDER 50 SP	500 g/kg	SP	INSECTICIDE	3	473-106-4037	07-Jun-20	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0tbsp/16L water	-	-	-
AGRO ADVANCED INTERNATIONAL PHILS., INC.	CARTAP HYDROCHLORIDE	ESPYDER 50 SP	500 g/kg	SP	INSECTICIDE	3	473-106-4037	07-Jun-20	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0tbsp/16L water	-	-	-
AGRO ADVANCED INTERNATIONAL PHILS., INC.	CARTAP HYDROCHLORIDE	ESPYDER 50 SP	500 g/kg	SP	INSECTICIDE	3	473-106-4037	07-Jun-20	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0tbsp/16L water	-	-	-
AGRO ADVANCED INTERNATIONAL PHILS., INC.	CARTAP HYDROCHLORIDE	ESPYDER 50 SP	500 g/kg	SP	INSECTICIDE	3	473-106-4037	07-Jun-20	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0tbsp/16L water	-	-	-
AGRO ADVANCED INTERNATIONAL PHILS., INC.	CARTAP HYDROCHLORIDE	ESPYDER 50 SP	500 g/kg	SP	INSECTICIDE	3	473-106-4037	07-Jun-20	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0tbsp/16L water	-	-	-
AGRO ADVANCED INTERNATIONAL PHILS., INC.	CARTAP HYDROCHLORIDE	ESPYDER 50 SP	500 g/kg	SP	INSECTICIDE	3	473-106-4037	07-Jun-20	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0tbsp/16L water	-	-	-
AGRO ADVANCED INTERNATIONAL PHILS., INC.	CARTAP HYDROCHLORIDE	ESPYDER 50 SP	500 g/kg	SP	INSECTICIDE	3	473-106-4037	07-Jun-20	SYSTEMIC	Mango	leafhoppers	1.5-2.0tbsp/16L water	-	-	-
AGRO ADVANCED INTERNATIONAL PHILS., INC.	CARTAP HYDROCHLORIDE	ESPYDER 50 SP	500 g/kg	SP	INSECTICIDE	3	473-106-4037	07-Jun-20	SYSTEMIC	Pechay	Looper, cutworm, aphids	1.5-3.0tbsp/16L water	-	-	-
CYBERTH PHILIPPINES, INC.	DUROIN	ESPADA 80N SC	800 g/L	SC	HERBICIDE	4	216-021-3561	21-Sep-18	SYSTEMIC	Citrus	Annual and Perennial broadleaves and grasses	11.0-13.0tbsp/16L water	-	-	-
CYBERTH PHILIPPINES, INC.	DUROIN	ESPADA 80N SC	800 g/L	SC	HERBICIDE	4	216-021-3561	21-Sep-18	SYSTEMIC	Coffee	Annual and Perennial broadleaves and grasses	11.0-13.0tbsp/16L water	-	-	-
CYBERTH PHILIPPINES, INC.	DUROIN	ESPADA 80N SC	800 g/L	SC	HERBICIDE	4	216-021-3561	21-Sep-18	SYSTEMIC	Cotton	Annual and Perennial broadleaves and grasses	8.0tbsp/16L water	-	-	-
CYBERTH PHILIPPINES, INC.	DUROIN	ESPADA 80N SC	800 g/L	SC	HERBICIDE	4	216-021-3561	21-Sep-18	SYSTEMIC	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0tbsp/16L water	-	-	-
CYBERTH PHILIPPINES, INC.	DUROIN	ESPADA 80N SC	800 g/L	SC	HERBICIDE	4	216-021-3561	21-Sep-18	SYSTEMIC	Pineapple	Annual and Perennial broadleaves and grasses	11.0tbsp/16L water	-	-	-
CYBERTH PHILIPPINES, INC.	DUROIN	ESPADA 80N SC	800 g/L	SC	HERBICIDE	4	216-021-3561	21-Sep-18	SYSTEMIC	Non-crop land	Annual and Perennial broadleaves and grasses	20.0-28.0tbsp/16L water	-	-	-
JS UNION OILS & TRADING INC.	PARAFFINIC MINERAL OIL	ESOL 80N3	990 g/L	-	OTHERS	4	717-282-5724	18-May-23	-	Banana	Sigatoka	5.0 L / ha	-	-	-
NS NORTHERN ORGANIC FERTILIZER INC.	DIFENOCONAZOLE	ESCUDDO 250 EC	250 g/L	EC	FUNGICIDE	4	470-272-3416	30-Jul-24	SYSTEMIC	Banana	Black Sigatoka	0.30-0.40L prod/ha	-	-	-
NS NORTHERN ORGANIC FERTILIZER INC.	DIFENOCONAZOLE	ESCUDDO 250 EC	250 g/L	EC	FUNGICIDE	4	470-272-3416	30-Jul-24	SYSTEMIC	Mango	Anthracoise	0.528-0.88 L/ha	-	-	14 days
NS NORTHERN ORGANIC FERTILIZER INC.	DIFENOCONAZOLE	ESCUDDO 250 EC	250 g/L	EC	FUNGICIDE	4	470-272-3416	30-Jul-24	SYSTEMIC	Rice	Sheath Blight	0.25-0.30 L/ha	-	-	-
NS NORTHERN ORGANIC FERTILIZER INC.	DIFENOCONAZOLE	ESCUDDO 250 EC	250 g/L	EC	FUNGICIDE	4	470-272-3416	30-Jul-24	SYSTEMIC	Stringbeans	Leaf spot	0.20-0.30 L/ha	-	-	7 days
NS NORTHERN ORGANIC FERTILIZER INC.	DIFENOCONAZOLE	ESCUDDO 250 EC	250 g/L	EC	FUNGICIDE	4	470-272-3416	30-Jul-24	SYSTEMIC	Eggplant	Leaf Spot	0.20-0.30 L/ha	-	-	7 days
NS NORTHERN ORGANIC FERTILIZER INC.	DIFENOCONAZOLE	ESCUDDO 250 EC	250 g/L	EC	FUNGICIDE	4	470-272-3416	30-Jul-24	SYSTEMIC	Tomato	Alternaria leaf spot, cercospora leafmold, powdery mildew	0.20-0.30 L/ha	-	-	7 days
NS NORTHERN ORGANIC FERTILIZER INC.	DIFENOCONAZOLE	ESCUDDO 250 EC	250 g/L	EC	FUNGICIDE	4	470-272-3416	30-Jul-24	SYSTEMIC	Cabbage	Ringspot, alternaria	0.20-0.30 L/ha	-	-	7 days
NS NORTHERN ORGANIC FERTILIZER INC.	DIFENOCONAZOLE	ESCUDDO 250 EC	250 g/L	EC	FUNGICIDE	4	470-272-3416	30-Jul-24	SYSTEMIC	Onion	Purple blotch	0.40-0.50 L/ha	-	-	7 days
NS NORTHERN ORGANIC FERTILIZER INC.	DIFENOCONAZOLE	ESCUDDO 250 EC	250 g/L	EC	FUNGICIDE	4	470-272-3416	30-Jul-24	SYSTEMIC	Asparagus	Stem and leaf blight	0.36 L/ha	-	-	-
ORACLE CHEM CORPORATION	DIFENOCONAZOLE	ESCORT 250 EC	250 g/L	EC	FUNGICIDE	4	417-272-2844	29-Aug-26	SYSTEMIC	Banana	Black Sigatoka	0.30-0.40L prod/ha	-	-	-
ORACLE CHEM CORPORATION	DIFENOCONAZOLE	ESCORT 250 EC	250 g/L	EC	FUNGICIDE	4	417-272-2844	29-Aug-26	SYSTEMIC	Mango	Anthracoise	0.528-0.88 L/ha	-	-	-
ORACLE CHEM CORPORATION	DIFENOCONAZOLE	ESCORT 250 EC	250 g/L	EC	FUNGICIDE	4	417-272-2844	29-Aug-26	SYSTEMIC	Rice	Sheath Blight	0.25-0.30 L/ha	-	-	-
ORACLE CHEM CORPORATION	DIFENOCONAZOLE	ESCORT 250 EC	250 g/L	EC	FUNGICIDE	4	417-272-2844	29-Aug-26	SYSTEMIC	Stringbeans	Leaf spot	0.20-0.30 L/ha	-	-	-
ORACLE CHEM CORPORATION	DIFENOCONAZOLE	ESCORT 250 EC	250 g/L	EC	FUNGICIDE	4	417-272-2844	29-Aug-26	SYSTEMIC	Eggplant	Leaf Spot	0.20-0.30 L/ha	-	-	-
ORACLE CHEM CORPORATION	DIFENOCONAZOLE	ESCORT 250 EC	250 g/L	EC	FUNGICIDE	4	417-272-2844	29-Aug-26	SYSTEMIC	Tomato	Alternaria leaf spot, cercospora leafmold, powdery mildew	0.20-0.30 L/ha	-	-	-
ORACLE CHEM CORPORATION	DIFENOCONAZOLE	ESCORT 250 EC	250 g/L	EC	FUNGICIDE	4	417-272-2844	29-Aug-26	SYSTEMIC	Cabbage	Ringspot, alternaria	0.20-0.30 L/ha	-	-	-
ORACLE CHEM CORPORATION	DIFENOCONAZOLE	ESCORT 250 EC	250 g/L	EC	FUNGICIDE	4	417-272-2844	29-Aug-26	SYSTEMIC	Onion	Purple blotch	0.40-0.50 L/ha	-	-	-
ORACLE CHEM CORPORATION	DIFENOCONAZOLE	ESCORT 250 EC	250 g/L	EC	FUNGICIDE	4	417-272-2844	29-Aug-26	SYSTEMIC	Asparagus	Stem and leaf blight	0.36 L/ha	-	-	-
MONARCH AGRICULTURAL PRODUCTS, INC.	NILCOSAMIDE ETHANOLAMINE SALT	ESCARGO 70 WP	700 g/kg	WP	MOLLUSCIDE	4	996-229-2945	10-Jan-27	CONTACT	Rice	Golden Apple Snail (Kuhol)	30 g/ml/16L water	-	-	-
JARDINE DISTRIBUTION, INC.	CYHALOPOF-BUTYL	ESCAPE 100 EC	100 g/L	EC	HERBICIDE	4	367-257-4353	11-May-24	SYSTEMIC	Rice (Direct-seeded)	Grasses	11.15-20 tankload/ha	-	-	-
EZERTECH CORPORATION	AZIOXYSTROBIN+DIFENOCONAZOLE	ESCALERA 325 SC	200 g/L+125 g/L	SC	FUNGICIDE	2	648-486-6423	8-Jun-26	SYSTEMIC	Rice	rice blast, sheath blight	10-18L tankload/ ha, 2.5-5.0tbsp/ 16L tankload; 250-500 mL prod / ha	-	-	30 days
EZERTECH CORPORATION	AZIOXYSTROBIN+DIFENOCONAZOLE	ESCALERA 325 SC	200 g/L+125 g/L	SC	FUNGICIDE	2	648-486-6423	8-Jun-26	SYSTEMIC	Corn	Northern corn leaf blight, white spot, gray leaf spot, brown spot	10 tankload/ ha, 5.0-7.5tbsp/ 16L tankload; 750-750 mL prod / ha	-	-	25 days
EZERTECH CORPORATION	AZIOXYSTROBIN+DIFENOCONAZOLE	ESCALERA 325 SC	200 g/L+125 g/L	SC	FUNGICIDE	2	648-486-6423	8-Jun-26	SYSTEMIC	Mango	Anthracoise scab, stem and rot	200.0um; 150-200 mL/ 200L	-	-	14 days

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD	
EZERTCH CORPORATION	ADIZYSTROBIN-DFENCONAZOLE	ESCALERA 325 SC	200 g/L+125 g/L	SC	FUNGICIDE	2	648-486-6423	8-Jun-26	SYSTEMIC	Onion	Anthracoze	15-36L tankload/ ha, 2.0-3.5 tbsp/ 16L tankload, 100-100 ml prod/ ha	-	12 days	Do not enter treated areas until spray deposit has dried up or unless protective clothing is worn.	
EZERTCH CORPORATION	ADIZYSTROBIN-DFENCONAZOLE	ESCALERA 325 SC	200 g/L+125 g/L	SC	FUNGICIDE	2	648-486-6423	8-Jun-26	SYSTEMIC	Potato	Late blight	20-36L tankload, 2.0-3.5 tbsp/ 16L tankload, 400-900 ml prod/ ha	-	14 days	Do not enter treated areas until spray deposit has dried up or unless protective clothing is worn.	
JARDINE DISTRIBUTION, INC.	PYRAZOSULFURON ETHYL-PRETHLACHOR	BROS GOLD 30.75 WG	7.5 g/kg +300 g/L	WG	HERBICIDE	4	367-538-4034	02-Dec-26	-	Rice (Pre-emergent and Early post-emergent)	Grasses, sedges, broadleaves	(1-2) Kg/ha, Pre-emergent herbicide (5 DAL) and post-emergent herbicide (10 DAL)	-	-	Re-entry to field is allowed one day after treatment	
ASIA GOLD TRADING CORPORATION	BUTACHLOR-PROPANIL	ERASER 70 EC	300+300 g/L	EC	HERBICIDE	3	266-238-3322 A	18-Feb-26	POST-EMERGENT	Rice (Direct Seeded)	Grasses, Sedges and Broadleaves	8-12tbsp/16 L water	Butachlor 0.1ppm Propanil 0.1ppm	-	-	
ASIA GOLD TRADING CORPORATION	BUTACHLOR-PROPANIL	ERASER 70 EC	300+300 g/L	EC	HERBICIDE	3	266-238-3322 A	18-Feb-26	POST-EMERGENT	Rice (Transplanted)	Grasses, Sedges and Broadleaves	8-12tbsp/16 L water	Butachlor 0.1ppm Propanil 0.1ppm	-	-	
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	LAMBDA-CHYALOTHIRIN	ERA 2.5 EC	25g/L	EC	INSECTICIDE	2	575-204-3737	29-Aug-23	SYSTEMIC	Rice	Green leafhopper,armyworm,rice bug,leafhoppers,black bug	1.0-1.5tbsp/16L of water	-	3Days	Re-entry to treated fields is allowed as soon as spray deposits dry	
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	LAMBDA-CHYALOTHIRIN	ERA 2.5 EC	25g/L	EC	INSECTICIDE	2	575-204-3737	29-Aug-23	SYSTEMIC	Mango	Hoppers	0.75-1.5tbsp/16 L of water	-	3Days	Re-entry to treated fields is allowed as soon as spray deposits dry	
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	LAMBDA-CHYALOTHIRIN	ERA 2.5 EC	25g/L	EC	INSECTICIDE	2	575-204-3737	29-Aug-23	SYSTEMIC	Tomato	Fruitworm,cutworm,aphids	1.0-1.5tbsp/16L of water	-	3Days	Re-entry to treated fields is allowed as soon as spray deposits dry	
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	LAMBDA-CHYALOTHIRIN	ERA 2.5 EC	25g/L	EC	INSECTICIDE	2	575-204-3737	29-Aug-23	SYSTEMIC	Onion	Thrips,cutworm	1.0tbsp/16L of water	-	3Days	Re-entry to treated fields is allowed as soon as spray deposits dry	
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	LAMBDA-CHYALOTHIRIN	ERA 2.5 EC	25g/L	EC	INSECTICIDE	2	575-204-3737	29-Aug-23	SYSTEMIC	Mungbeans	Beanfly,flea beetle,leafhopper,aphids,mites,podborer	1.0tbsp/16L of water	-	3Days	Re-entry to treated fields is allowed as soon as spray deposits dry	
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	LAMBDA-CHYALOTHIRIN	ERA 2.5 EC	25g/L	EC	INSECTICIDE	2	575-204-3737	29-Aug-23	SYSTEMIC	Corn	Com-borer, aphids, seedling maggots	1.0-1.5tbsp/16L of water	-	3Days	Re-entry to treated fields is allowed as soon as spray deposits dry	
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	LAMBDA-CHYALOTHIRIN	ERA 2.5 EC	25g/L	EC	INSECTICIDE	2	575-204-3737	29-Aug-23	SYSTEMIC	Tobacco	Budworm,cutworm, aphids,katyids	1.0-1.5tbsp/16L of water	-	3Days	Re-entry to treated fields is allowed as soon as spray deposits dry	
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	LAMBDA-CHYALOTHIRIN	ERA 2.5 EC	25g/L	EC	INSECTICIDE	2	575-204-3737	29-Aug-23	SYSTEMIC	Cotton	Bollworm	1.0-1.5tbsp/16L of water	-	3Days	Re-entry to treated fields is allowed as soon as spray deposits dry	
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	LAMBDA-CHYALOTHIRIN	ERA 2.5 EC	25g/L	EC	INSECTICIDE	2	575-204-3737	29-Aug-23	SYSTEMIC	Cocoa	Pod borer	1.0-2.0tbsp/16L of water	-	3Days	Re-entry to treated fields is allowed as soon as spray deposits dry	
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	LAMBDA-CHYALOTHIRIN	ERA 2.5 EC	25g/L	EC	INSECTICIDE	2	575-204-3737	29-Aug-23	SYSTEMIC	Watermelon	Squash beetle,melon worm	1.0tbsp/16L of water	-	3Days	Re-entry to treated fields is allowed as soon as spray deposits dry	
AGWAY CHEMICALS CORPORATION	FFIPRONIL	EQUIP 50 SC	50 g/L	SC	INSECTICIDE	3	075-244-3376	12-Mar-25	CONTACT	Rice	Stemborer, brown planthopper, leafhopper, rice bug	1.5-2.0, 2.0-3.0, 2.7-4.0tbsp/16L	0.05ppm	10 days	-	
AGWAY CHEMICALS CORPORATION	FFIPRONIL	EQUIP 50 SC	50 g/L	SC	INSECTICIDE	3	075-244-3376	12-Mar-25	CONTACT	Cabbage	Diamond backed moth	1.3-2.0, 2.0-3.0, 2.7-4.0tbsp/16L	-	-	-	
AGWAY CHEMICALS CORPORATION	FFIPRONIL	EQUIP 50 SC	50 g/L	SC	INSECTICIDE	3	075-244-3376	12-Mar-25	CONTACT	Watermelon	Thrips, leaf beetles	2.5-3.0tbsp/16L	-	-	-	
AGWAY CHEMICALS CORPORATION	FFIPRONIL	EQUIP 50 SC	50 g/L	SC	INSECTICIDE	3	075-244-3376	12-Mar-25	CONTACT	Onion	Cutworm	5.0tbsp/16L	-	-	-	
AGWAY CHEMICALS CORPORATION	FFIPRONIL	EQUIP 50 SC	50 g/L	SC	INSECTICIDE	3	075-244-3376	12-Mar-25	CONTACT	Eggplant	Shoot borer	3.0-4.0tbsp/16L	-	-	-	
AGWAY CHEMICALS CORPORATION	FFIPRONIL	EQUIP 50 SC	50 g/L	SC	INSECTICIDE	3	075-244-3376	12-Mar-25	CONTACT	Corn	Seed treatment	-	-	-	-	
CORTOVA AGRISCIENCE PHILIPPINES, INC.	CYMOXANIL+FAMOXADONE	EQUATION PRO 52.5 DF	300+225 g/kg	DF	FUNGICIDE	4	034-352-1146	12-Apr-26	-	Tomato	Late blight	1.5-2.0tbsp/16L water	-	-	-	
CORTOVA AGRISCIENCE PHILIPPINES, INC.	CYMOXANIL+FAMOXADONE	EQUATION PRO 52.5 DF	300+225 g/kg	DF	FUNGICIDE	4	034-352-1146	12-Apr-26	-	Potato	Late blight	1.5-2.0tbsp/16L water	-	-	-	
JARDINE DISTRIBUTION, INC.	CHLOPYRIFOS	EPISILON 3 E	300 g/L	EC	INSECTICIDE	2	367-101-4420	05-Jul-24	-	Rice	Stemborer, armyworm, leafhopper, caseworm, planthopper, cutworm	2.5-3.5tbsp/16L water	0.10 ppm	25 days	After 24 hours or until spray deposits have dried up.	
JARDINE DISTRIBUTION, INC.	CHLOPYRIFOS	EPISILON 3 E	300 g/L	EC	INSECTICIDE	2	367-101-4420	05-Jul-24	-	Potato	Tubermoth, leafhopper, cutworm, aphids	2.5-3.5tbsp/16L water	0.05 ppm	-	After 24 hours or until spray deposits have dried up.	
JARDINE DISTRIBUTION, INC.	CHLOPYRIFOS	EPISILON 3 E	300 g/L	EC	INSECTICIDE	2	367-101-4420	05-Jul-24	-	Corn	Armyworm, comborer, earworm, seedling maggots	2.5-3.5tbsp/16L water	0.10 ppm	-	After 24 hours or until spray deposits have dried up.	
JARDINE DISTRIBUTION, INC.	CHLOPYRIFOS	EPISILON 3 E	300 g/L	EC	INSECTICIDE	2	367-101-4420	05-Jul-24	-	Beans	Beanfly, leafroller, podborer, cutworm, armyworm	2.5-3.5tbsp/16L water	0.05-0.10	-	After 24 hours or until spray deposits have dried up.	
VETMATE FARMA CORP.	COPPER OXYCHLORIDE	EPOLAC SRB WP	580 g/kg	WP	FUNGICIDE	4	658-007-5329	20-Jan-24	-	Rice	Rice blast, helminthosporium, oryzaenon leaf spot	5.5-8tbsp/16L water	-	24 hours after the last spray	24 hours after each spray	
VETMATE FARMA CORP.	COPPER OXYCHLORIDE	EPOLAC SRB WP	580 g/kg	WP	FUNGICIDE	4	658-007-5329	20-Jan-24	-	Coffee	Brown eye spot, rust, anthracnose, pink disease	5.5-8tbsp/16L water	-	24 hours after the last spray.	24 hours after each spray	
VETMATE FARMA CORP.	COPPER OXYCHLORIDE	EPOLAC SRB WP	580 g/kg	WP	FUNGICIDE	4	658-007-5329	20-Jan-24	-	Cacao	Pod rot, brown bark rot, black pod	5.5-8tbsp/16L water	-	24 hours after the last spray.	24 hours after each spray	
VETMATE FARMA CORP.	COPPER OXYCHLORIDE	EPOLAC SRB WP	580 g/kg	WP	FUNGICIDE	4	658-007-5329	20-Jan-24	-	Mango	Anthracoze, sooty mold	5.5-8tbsp/16L water	-	24 hours after the last spray.	24 hours after each spray	
VETMATE FARMA CORP.	COPPER OXYCHLORIDE	EPOLAC SRB WP	580 g/kg	WP	FUNGICIDE	4	658-007-5329	20-Jan-24	-	Tomato	Early blight, late blight, fruit rot, septoria leaf spot	5.5-8tbsp/16L water	-	24 hours after the last spray.	24 hours after each spray	
VETMATE FARMA CORP.	COPPER OXYCHLORIDE	EPOLAC SRB WP	580 g/kg	WP	FUNGICIDE	4	658-007-5329	20-Jan-24	-	Tobacco	Blue mold fusarium, alternaria leafspot, frog-eye disease	5.5-8tbsp/16L water	-	24 hours after the last spray.	24 hours after each spray	
VETMATE FARMA CORP.	COPPER OXYCHLORIDE	EPOLAC SRB WP	580 g/kg	WP	FUNGICIDE	4	658-007-5329	20-Jan-24	-	Citrus	Black spot, anthracnose, scab, rust, fruit rot	5.5-8tbsp/16L water	-	24 hours after the last spray.	24 hours after each spray	
VETMATE FARMA CORP.	COPPER OXYCHLORIDE	EPOLAC SRB WP	580 g/kg	WP	FUNGICIDE	4	658-007-5329	20-Jan-24	-	Banana	Sigatoka	5.5-8tbsp/16L water	-	24 hours after the last spray.	24 hours after each spray	
VETMATE FARMA CORP.	COPPER OXYCHLORIDE	EPOLAC SRB WP	580 g/kg	WP	FUNGICIDE	4	658-007-5329	20-Jan-24	-	Pepper	Anthracoze, mildews, blight, fruit rot	5.5-8tbsp/16L water	-	24 hours after the last spray.	24 hours after each spray	
VETMATE FARMA CORP.	COPPER OXYCHLORIDE	EPOLAC SRB WP	580 g/kg	WP	FUNGICIDE	4	658-007-5329	20-Jan-24	-	Potato	Early blight, late blight	5.5-8tbsp/16L water	-	24 hours after the last spray.	24 hours after each spray	
VETMATE FARMA CORP.	COPPER OXYCHLORIDE	EPOLAC SRB WP	580 g/kg	WP	FUNGICIDE	4	658-007-5329	20-Jan-24	-	Watermelon	Anthracoze, mildews, alternaria, fruit rot	5.5-8tbsp/16L water	-	24 hours after the last spray.	24 hours after each spray	
VETMATE FARMA CORP.	COPPER OXYCHLORIDE	EPOLAC SRB WP	580 g/kg	WP	FUNGICIDE	4	658-007-5329	20-Jan-24	-	Celery	Mildews, early blight, late blight	5.5-8tbsp/16L water	-	24 hours after the last spray.	24 hours after each spray	
VETMATE FARMA CORP.	COPPER OXYCHLORIDE	EPOLAC SRB WP	580 g/kg	WP	FUNGICIDE	4	658-007-5329	20-Jan-24	-	Cucubers	Mildews, cercospora alternaria	5.5-8tbsp/16L water	-	24 hours after the last spray.	24 hours after each spray	
VETMATE FARMA CORP.	COPPER OXYCHLORIDE	EPOLAC SRB WP	580 g/kg	WP	FUNGICIDE	4	658-007-5329	20-Jan-24	-	Carrot	Alternaria, cercospora	5.5-8tbsp/16L water	-	24 hours after the last spray.	24 hours after each spray	
VETMATE FARMA CORP.	COPPER OXYCHLORIDE	EPOLAC SRB WP	580 g/kg	WP	FUNGICIDE	4	658-007-5329	20-Jan-24	-	Melon	Mildew, cercospora, alternaria, anthracnose	5.5-8tbsp/16L water	-	24 hours after the last spray.	24 hours after each spray	
SUMITOMO CHEMICAL PHILIPPINES INC.	CLOTHIANIDIN+PYRIPROXYFEN	EPINGLE SE	82.80+36.20 g/L	SE	INSECTICIDE	4	472-597-5855	19-Sep-23	-	Eggplant	Whiteflies, leafhoppers (including jassids), aphids, thrips, fruit and shoot borer	30-40 ml per 16L water	-	3 days	As soon as the spray mix dries up	
SHELLHOMES CHEMICALS, INCORPORATED	2,4-D IBE	EON 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	481-049-2789	31-Dec-23	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual Broadleaves & sedges	5.0-6.50tbsp/16L water	0.1 ppm	-	Do not spray within two days before harvest	Entry to fields and crops treated with EON 2,4-D ESTER can be done one day after spraying
SHELLHOMES CHEMICALS, INCORPORATED	2,4-D IBE	EON 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	481-049-2789	31-Dec-23	SELECTIVE (POST-EMERGENT)	Corn	Annual Broadleaves & sedges	5.0-6.50tbsp/16L water	-	-	Do not spray within two days before harvest	Entry to fields and crops treated with EON 2,4-D ESTER can be done one day after spraying
SHELLHOMES CHEMICALS, INCORPORATED	2,4-D IBE	EON 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	481-049-2789	31-Dec-23	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual Broadleaves & sedges	5.0-6.50tbsp/16 L water	-	-	Do not spray within two days before harvest	Entry to fields and crops treated with EON 2,4-D ESTER can be done one day after spraying
ENVIRO SCOPE SYNERGI, INC.	(12S-9-TETRADECEN-1-yl)-(H2L6)-9,12-TETRADECADIEN-3-yl ACETATE	ENVIRO NOMATE	-	-	OTHERS	4	649-553-5545	28-Sep-24	-	Onion	Beet armyworm	5 litres per ha.	-	-	-	-
ENVIRO SCOPE SYNERGI, INC.	(12S-9-TETRADECENYL ACETATE)-(H2)-11-HEXADECAHYL ACETATE (7-7)DIOODECENYL ACETATE	ENVIRO ASTRA	-	-	OTHERS	4	649-550-5544	28-Sep-24	-	Corn	Fall armyworm	5 litres per ha.	-	-	-	-
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	CARBARYL	ENTREATS 85 WP	850 g/kg	WP	INSECTICIDE	2	575-035-5839	12-Oct-24	-	Tobacco	Budworm, cutworm, aphids	4-6tbsp/16 L water	-	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango	As soon as spray deposits have dried
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	CARBARYL	ENTREATS 85 WP	850 g/kg	WP	INSECTICIDE	2	575-035-5839	12-Oct-24	-	Sorghum	Weebworm, army worm, cutworm, headworm	4-6tbsp/16L water	-	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango	As soon as spray deposits have dried
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	CARBARYL	ENTREATS 85 WP	850 g/kg	WP	INSECTICIDE	2	575-035-5839	12-Oct-24	-	Ornamentals	Aphids, scale insect, mealy bug, cutworm	4-6tbsp/16 L water	-	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango	As soon as spray deposits have dried
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	CARBARYL	ENTREATS 85 WP	850 g/kg	WP	INSECTICIDE	2	575-035-5839	12-Oct-24	-	Mango	Mango hopper, tip borer, twig borer, fruit fly, mealy bug	4-6tbsp/16 L water	-	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango	As soon as spray deposits have dried
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	CARBARYL	ENTREATS 85 WP	850 g/kg	WP	INSECTICIDE	2	575-035-5839	12-Oct-24	-	Coffee	Berry borer	4-6tbsp/16 L water	-	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango	As soon as spray deposits have dried
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	CARBARYL	ENTREATS 85 WP	850 g/kg	WP	INSECTICIDE	2	575-035-5839	12-Oct-24	-	Cacao	Pod borer, aphids, capsid bug	4-6tbsp/16 L water	-	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango	As soon as spray deposits have dried
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	CARBARYL	ENTREATS 85 WP	850 g/kg	WP	INSECTICIDE	2	575-035-5839	12-Oct-24	-	Citrus	Rind Borer	4-6tbsp/16 L water	-	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango	As soon as spray deposits have dried
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	CARBARYL	ENTREATS 85 WP	850 g/kg	WP	INSECTICIDE	2	575-035-5839	12-Oct-24	-	Rice	Green leafhopper, caseworm, aphids	4-6tbsp/16 L water	-	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango	As soon as spray deposits have dried

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	CARBARYL	ENTREATS 85 WP	850 g/kg	WP	INSECTICIDE	2	575-035-5839	12-Oct-24	-	Cowpea	Pod borer, beanfly, leafminer, aphids, cutworm	4-6 tbsp/16 L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango	As soon as spray deposits have dried
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	CARBARYL	ENTREATS 85 WP	850 g/kg	WP	INSECTICIDE	2	575-035-5839	12-Oct-24	-	Soybeans	Pod borer, beanfly, leafminer, aphids, cutworm	4-6 tbsp/16 L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango	As soon as spray deposits have dried
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	CARBARYL	ENTREATS 85 WP	850 g/kg	WP	INSECTICIDE	2	575-035-5839	12-Oct-24	-	Cotton seed	Bollworm, cutworm	4-6 tbsp/16 L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango	As soon as spray deposits have dried
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	CARBARYL	ENTREATS 85 WP	850 g/kg	WP	INSECTICIDE	2	575-035-5839	12-Oct-24	-	Corn	Corn borer, corn earworm, army worm	4-6 tbsp/16 L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango	As soon as spray deposits have dried
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	CARBARYL	ENTREATS 85 WP	850 g/kg	WP	INSECTICIDE	2	575-035-5839	12-Oct-24	-	Tomato	Fruitworm, lady beetle	4-6 tbsp/16 L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango	As soon as spray deposits have dried
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	CARBARYL	ENTREATS 85 WP	850 g/kg	WP	INSECTICIDE	2	575-035-5839	12-Oct-24	-	Cucurbits	Squash beetle, lady beetle, aphids	4-6 tbsp/16 L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango	As soon as spray deposits have dried
BIOUHE SCIENCES SOLUTIONS COMPANY	POTASSIUM SALTS OF FATTY ACID	ENTOMGARD	-	-	INSECTICIDE	4	581-476-4330	19-Mar-25	-	Cavendish banana as insecticidal soap	Mealy bugs, scale insects and aphids through stem and mat spray	-	-	-	-
LEADS AGRICULTURAL PRODUCTS CORPORATION	PARAFFINIC MINERAL OIL	ENSPRAY N	100 g/L	-	OTHERS	4	699-262-1220	21-May-24	CONTACT	Banana	Black Sigatoka as spray adjuvant in combination with the standard fungicide	5-10 Liter/Ha, 20mL/Liter	-	-	Re-entrance results dependant on the pesticide product used. When crops were solely treated with End Spray N, re-entry could be done as soon as spray deposits have dried. If a fungicide product was used, when crops were solely treated with End Spray N, re-entry could be done as soon as spray deposits have dried. If a fungicide product was used, when crops were solely treated with End Spray N, re-entry could be done as soon as spray deposits have dried.
LEADS AGRICULTURAL PRODUCTS CORPORATION	PARAFFINIC MINERAL OIL	ENSPRAY N	100 g/L	-	OTHERS	4	699-262-1220	21-May-24	CONTACT	Banana	Scale insects mealybugs	-	-	-	Re-entrance results dependant on the pesticide product used. When crops were solely treated with End Spray N, re-entry could be done as soon as spray deposits have dried. If a fungicide product was used, when crops were solely treated with End Spray N, re-entry could be done as soon as spray deposits have dried.
LEADS AGRICULTURAL PRODUCTS CORPORATION	PARAFFINIC MINERAL OIL	ENSPRAY N	100 g/L	-	OTHERS	4	699-262-1220	21-May-24	CONTACT	Pineapple	Scale insects mealybugs	-	-	-	Re-entrance results dependant on the pesticide product used. When crops were solely treated with End Spray N, re-entry could be done as soon as spray deposits have dried. If a fungicide product was used, when crops were solely treated with End Spray N, re-entry could be done as soon as spray deposits have dried.
PHILIPPINE FARMIX SOLUTIONS INC.	SPIROXAMINE	ENIMAX 50 EC	500g/L	EC	FUNGICIDE	2	535-385-4244	31-Jan-21	SYSTEMIC	Banana	Mycopharella filijensis(Black Sigatoka)	240 Liters/Ha, 500 ml or in combination with DAKOTA 60 EC at spray volume of 640 Liters/Ha	-	0 day	After spray deposits have dried.
ZHENGBOANG CROP PROTECTION (PHILIPPINES) INC.	LAMBDA-CHALOTHRIN+THIAMETHOXAM	ENHANCE 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	667-395-5911	26-Sep-26	-	Potato	Whiteflies, aphids, thrips	300-200 mL/ha; 4-6 mL/ 16L	-	7 days	-
ZHENGBOANG CROP PROTECTION (PHILIPPINES) INC.	LAMBDA-CHALOTHRIN+THIAMETHOXAM	ENHANCE 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	667-395-5911	26-Sep-26	-	Stringbeans	Green leafhopper, aphids, mites	100-200 mL/ha; 4-6 mL/ 16L	-	7 days	-
ZHENGBOANG CROP PROTECTION (PHILIPPINES) INC.	LAMBDA-CHALOTHRIN+THIAMETHOXAM	ENHANCE 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	667-395-5911	26-Sep-26	-	Eggplant	Whiteflies, green leafhopper, aphids	300-200 mL/ha; 4-6 mL/ 16L	-	7 days	-
ZHENGBOANG CROP PROTECTION (PHILIPPINES) INC.	LAMBDA-CHALOTHRIN+THIAMETHOXAM	ENHANCE 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	667-395-5911	26-Sep-26	-	Witterground	Leafhoppers, thrips, aphids, fruitfly, cutworm	100-400 mL/ha; 4-13 mL/ 16L	-	7 days	-
ZHENGBOANG CROP PROTECTION (PHILIPPINES) INC.	LAMBDA-CHALOTHRIN+THIAMETHOXAM	ENHANCE 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	667-395-5911	26-Sep-26	-	Mango	Leafhoppers, tip borer, capsid bug, fruitfly, ocell fly	20-30 mL/200L	-	3 days	-
ZHENGBOANG CROP PROTECTION (PHILIPPINES) INC.	LAMBDA-CHALOTHRIN+THIAMETHOXAM	ENHANCE 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	667-395-5911	26-Sep-26	-	Corn	Asiatic corn borer, cutworm, leafhoppers, aphids, earworm	200-400 mL/ha; 10-16 mL/16L	-	3 days	-
ZHENGBOANG CROP PROTECTION (PHILIPPINES) INC.	LAMBDA-CHALOTHRIN+THIAMETHOXAM	ENHANCE 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	667-395-5911	26-Sep-26	-	Banana	Flower thrips	3-3 mL	-	90 days	-
ZHENGBOANG CROP PROTECTION (PHILIPPINES) INC.	LAMBDA-CHALOTHRIN+THIAMETHOXAM	ENHANCE 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	667-395-5911	26-Sep-26	-	Rice	Stem borer, leafhopper, rice bugs	300-200 mL/ha; 10-30 mL/16L	-	14 days	-
ENFARM CROP SCIENCE INC.	CHLOROTHALONIL	ENFARM FUNGUR 75 WP	750 g/kg	WP	FUNGICIDE	4	771-118-6256 (432)	16-Aug-26	-	Potato	Early and late blight, and vine rot	-	-	-	-
ENFARM CROP SCIENCE INC.	CHLOROTHALONIL	ENFARM FUNGUR 75 WP	750 g/kg	WP	FUNGICIDE	4	771-118-6256 (432)	16-Aug-26	-	Tomato	Early and late blight, and vine rot	-	-	-	-
ENFARM CROP SCIENCE INC.	CHLOROTHALONIL	ENFARM FUNGUR 75 WP	750 g/kg	WP	FUNGICIDE	4	771-118-6256 (432)	16-Aug-26	-	Eggplant	Early and late blight, and cercospora leaf spot	-	-	-	-
ENFARM CROP SCIENCE INC.	CHLOROTHALONIL	ENFARM FUNGUR 75 WP	750 g/kg	WP	FUNGICIDE	4	771-118-6256 (432)	16-Aug-26	-	Pepper	Early and late blight, and cercospora leaf spot	-	-	-	-
ENFARM CROP SCIENCE INC.	CHLOROTHALONIL	ENFARM FUNGUR 75 WP	750 g/kg	WP	FUNGICIDE	4	771-118-6256 (432)	16-Aug-26	-	Onion	Purple blotch, bulb rot, neck rot	-	-	-	-
ENFARM CROP SCIENCE INC.	CHLOROTHALONIL	ENFARM FUNGUR 75 WP	750 g/kg	WP	FUNGICIDE	4	771-118-6256 (432)	16-Aug-26	-	Garlic	Purple blotch, bulb rot, neck rot	-	-	-	-
ENFARM CROP SCIENCE INC.	CHLOROTHALONIL	ENFARM FUNGUR 75 WP	750 g/kg	WP	FUNGICIDE	4	771-118-6256 (432)	16-Aug-26	-	Beans	Rust and anthracnose	-	-	-	-
ENFARM CROP SCIENCE INC.	CHLOROTHALONIL	ENFARM FUNGUR 75 WP	750 g/kg	WP	FUNGICIDE	4	771-118-6256 (432)	16-Aug-26	-	Peas	Rust and anthracnose	-	-	-	-
ENFARM CROP SCIENCE INC.	CHLOROTHALONIL	ENFARM FUNGUR 75 WP	750 g/kg	WP	FUNGICIDE	4	771-118-6256 (432)	16-Aug-26	-	Celery	Late blight	-	-	-	-
ENFARM CROP SCIENCE INC.	CHLOROTHALONIL	ENFARM FUNGUR 75 WP	750 g/kg	WP	FUNGICIDE	4	771-118-6256 (432)	16-Aug-26	-	Carrot	Alternaria leaf spot and cercospora leaf spot	-	-	-	-
ENFARM CROP SCIENCE INC.	CHLOROTHALONIL	ENFARM FUNGUR 75 WP	750 g/kg	WP	FUNGICIDE	4	771-118-6256 (432)	16-Aug-26	-	Lettuce	Downy mildew	-	-	-	-
ENFARM CROP SCIENCE INC.	CHLOROTHALONIL	ENFARM FUNGUR 75 WP	750 g/kg	WP	FUNGICIDE	4	771-118-6256 (432)	16-Aug-26	-	Cabbage	Powdery mildew	-	-	-	-
ENFARM CROP SCIENCE INC.	CHLOROTHALONIL	ENFARM FUNGUR 75 WP	750 g/kg	WP	FUNGICIDE	4	771-118-6256 (432)	16-Aug-26	-	Cauliflower	Powdery mildew	-	-	-	-
ENFARM CROP SCIENCE INC.	CHLOROTHALONIL	ENFARM FUNGUR 75 WP	750 g/kg	WP	FUNGICIDE	4	771-118-6256 (432)	16-Aug-26	-	Broccoli	Powdery mildew	-	-	-	-
ENFARM CROP SCIENCE INC.	CHLOROTHALONIL	ENFARM FUNGUR 75 WP	750 g/kg	WP	FUNGICIDE	4	771-118-6256 (432)	16-Aug-26	-	Watermelon	Early and late blight, anthracnose, powdery mildew, and cercospora leaf spot	-	-	-	-
ENFARM CROP SCIENCE INC.	CHLOROTHALONIL	ENFARM FUNGUR 75 WP	750 g/kg	WP	FUNGICIDE	4	771-118-6256 (432)	16-Aug-26	-	Melon	Early and late blight, anthracnose, powdery mildew, and cercospora leaf spot	-	-	-	-
ENFARM CROP SCIENCE INC.	CHLOROTHALONIL	ENFARM FUNGUR 75 WP	750 g/kg	WP	FUNGICIDE	4	771-118-6256 (432)	16-Aug-26	-	Squash	Early and late blight, anthracnose, powdery mildew, and cercospora leaf spot	-	-	-	-
ENFARM CROP SCIENCE INC.	CHLOROTHALONIL	ENFARM FUNGUR 75 WP	750 g/kg	WP	FUNGICIDE	4	771-118-6256 (432)	16-Aug-26	-	Mango	Anthracoese and diplole rot	-	-	-	-
ENFARM CROP SCIENCE INC.	CHLOROTHALONIL	ENFARM FUNGUR 75 WP	750 g/kg	WP	FUNGICIDE	4	771-118-6256 (432)	16-Aug-26	-	Grapes	Downy mildew, powdery mildew, fruit rot	-	-	-	-
ENFARM CROP SCIENCE INC.	CHLOROTHALONIL	ENFARM FUNGUR 75 WP	750 g/kg	WP	FUNGICIDE	4	771-118-6256 (432)	16-Aug-26	-	Peanut	Cercospora leaf spot	-	-	-	-
ENFARM CROP SCIENCE INC.	CHLOROTHALONIL	ENFARM FUNGUR 75 WP	750 g/kg	WP	FUNGICIDE	4	771-118-6256 (432)	16-Aug-26	-	Rice	Helminthosporium leaf spot, rice blast, cercospora leaf spot, sheath blight, and stem rot	-	-	-	-
ENFARM CROP SCIENCE INC.	CHLOROTHALONIL	ENFARM FUNGUR 75 WP	750 g/kg	WP	FUNGICIDE	4	771-118-6256 (432)	16-Aug-26	-	Corn	Helminthosporium leaf spot, rust, and downy mildew	-	-	-	-
ENFARM CROP SCIENCE INC.	CHLOROTHALONIL	ENFARM FUNGUR 75 WP	750 g/kg	WP	FUNGICIDE	4	771-118-6256 (432)	16-Aug-26	-	Banana	Sigatoka, freckles and rust	-	-	-	-
ENFARM CROP SCIENCE INC.	CHLOROTHALONIL	ENFARM FUNGUR 75 WP	750 g/kg	WP	FUNGICIDE	4	771-118-6256 (432)	16-Aug-26	-	Citrus	Melanose and scab	-	-	-	-
ENFARM CROP SCIENCE INC.	CHLOROTHALONIL	ENFARM FUNGUR 75 WP	750 g/kg	WP	FUNGICIDE	4	771-118-6256 (432)	16-Aug-26	-	Ornamentals	Black spot, black rot, and powdery mildew	-	-	-	-
ENFARM CROP SCIENCE INC.	CHLOROTHALONIL	ENFARM FUNGUR 720 SC	720 g/L	SC	FUNGICIDE	4	771-118-6271 (432)	20-Sep-26	-	Asparagus	Stem and late blight	1.25-1.9 L/ ha; 4.5-6.0 tbsps/ 16L	-	-	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
ENFARM CROP SCIENCE INC.	CHLOROTHALONIL	ENFARM FUNGUR 720 SC	720 g/L	SC	FUNGICIDE	4	771-118-6271 (432)	20-Sep-26	-	Banana	Black sigatoka	1.25-1.9 L/ ha; 4.5-6.0 tbsps/ 16L	-	-	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
ENFARM CROP SCIENCE INC.	CHLOROTHALONIL	ENFARM FUNGUR 720 SC	720 g/L	SC	FUNGICIDE	4	771-118-6271 (432)	20-Sep-26	-	Beans	Anthracoese on rust	1.25-1.9 L/ ha; 4.5-6.0 tbsps/ 16L	-	-	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
ENFARM CROP SCIENCE INC.	CHLOROTHALONIL	ENFARM FUNGUR 720 SC	720 g/L	SC	FUNGICIDE	4	771-118-6271 (432)	20-Sep-26	-	Carrot	Alternaria leaf spot, cercospora leaf spot, and helminthosporium leaf spot	1.25-1.9 L/ ha; 4.5-6.0 tbsps/ 16L	-	-	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
ENFARM CROP SCIENCE INC.	CHLOROTHALONIL	ENFARM FUNGUR 720 SC	720 g/L	SC	FUNGICIDE	4	771-118-6271 (432)	20-Sep-26	-	Celery	Powdery mildew	1.25-1.9 L/ ha; 4.5-6.0 tbsps/ 16L	-	-	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
ENFARM CROP SCIENCE INC.	CHLOROTHALONIL	ENFARM FUNGUR 720 SC	720 g/L	SC	FUNGICIDE	4	771-118-6271 (432)	20-Sep-26	-	Cuciters	Powdery mildew	1.25-1.9 L/ ha; 4.5-6.0 tbsps/ 16L	-	-	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
ENFARM CROP SCIENCE INC.	CHLOROTHALONIL	ENFARM FUNGUR 720 SC	720 g/L	SC	FUNGICIDE	4	771-118-6271 (432)	20-Sep-26	-	Broccoli	Powdery mildew	1.25-1.9 L/ ha; 4.5-6.0 tbsps/ 16L	-	-	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
ENFARM CROP SCIENCE INC.	CHLOROTHALONIL	ENFARM FUNGUR 720 SC	720 g/L	SC	FUNGICIDE	4	771-118-6271 (432)	20-Sep-26	-	Cabbage	Powdery mildew	1.25-1.9 L/ ha; 4.5-6.0 tbsps/ 16L	-	-	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
ENFARM CROP SCIENCE INC.	CHLOROTHALONIL	ENFARM FUNGUR 720 SC	720 g/L	SC	FUNGICIDE	4	771-118-6271 (432)	20-Sep-26	-	Cauliflower	Powdery mildew	1.25-1.9 L/ ha; 4.5-6.0 tbsps/ 16L	-	-	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
ENFARM CROP SCIENCE INC.	CHLOROTHALONIL	ENFARM FUNGUR 720 SC	720 g/L	SC	FUNGICIDE	4	771-118-6271 (432)	20-Sep-26	-	Cucurbits	Anthracoese, early and late blights, cercospora leaf spot, downy mildew, fruit rot, powdery mildew, and septoria leaf spot	1.25-1.9 L/ ha; 4.5-6.0 tbsps/ 16L	-	-	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
ENFARM CROP SCIENCE INC.	CHLOROTHALONIL	ENFARM FUNGUR 720 SC	720 g/L	SC	FUNGICIDE	4	771-118-6271 (432)	20-Sep-26	-	Cucumber	Anthracoese, early and late blights, cercospora leaf spot, downy mildew, fruit rot, powdery mildew, and septoria leaf spot	1.25-1.9 L/ ha; 4.5-6.0 tbsps/ 16L	-	-	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
ENFARM CROP SCIENCE INC.	CHLOROTHALONIL	ENFARM FUNGUR 720 SC	720 g/L	SC	FUNGICIDE	4	771-118-6271 (432)	20-Sep-26	-	Melon	Anthracoese, early and late blights, cercospora leaf spot, downy mildew, fruit rot, powdery mildew, and septoria leaf spot	1.25-1.9 L/ ha; 4.5-6.0 tbsps/ 16L	-	-	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
ENFARM CROP SCIENCE INC.	CHLOROTHALONIL	ENFARM FUNCURB 720 SC	720 g/L	SC	FUNGICIDE	4	771-118-6271 (432)	20 Sep-26	-	Squash	Anthracoese, early and late blights, <i>coronopsis</i> leaf spot, downy mildew, fruit rot, powdery mildew, and septoria leaf spot	1.25-1.9 L/ha, 4.5-6.0 tbsp/38L	-	-	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
ENFARM CROP SCIENCE INC.	CHLOROTHALONIL	ENFARM FUNCURB 720 SC	720 g/L	SC	FUNGICIDE	4	771-118-6271 (432)	20 Sep-26	-	Watermelon	Anthracoese, early and late blights, <i>coronopsis</i> leaf spot, downy mildew, fruit rot, powdery mildew, and septoria leaf spot	1.25-1.9 L/ha, 4.5-6.0 tbsp/38L	-	-	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
ENFARM CROP SCIENCE INC.	CHLOROTHALONIL	ENFARM FUNCURB 720 SC	720 g/L	SC	FUNGICIDE	4	771-118-6271 (432)	20 Sep-26	-	Eggplant	Anthracoese, early and late blight, and <i>coronopsis</i> leaf spot	1.25-1.9 L/ha, 4.5-6.0 tbsp/38L	-	-	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
ENFARM CROP SCIENCE INC.	CHLOROTHALONIL	ENFARM FUNCURB 720 SC	720 g/L	SC	FUNGICIDE	4	771-118-6271 (432)	20 Sep-26	-	Grapes	Downy mildew, powdery mildew, fruit rot	1.25-1.9 L/ha, 4.5-6.0 tbsp/38L	-	-	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
ENFARM CROP SCIENCE INC.	CHLOROTHALONIL	ENFARM FUNCURB 720 SC	720 g/L	SC	FUNGICIDE	4	771-118-6271 (432)	20 Sep-26	-	Mango	Anthracoese and diploidi rot	1.25-1.9 L/ha, 4.5-6.0 tbsp/38L	-	-	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
ENFARM CROP SCIENCE INC.	CHLOROTHALONIL	ENFARM FUNCURB 720 SC	720 g/L	SC	FUNGICIDE	4	771-118-6271 (432)	20 Sep-26	-	Onion	Bulb rot, neck rot, and purple blotch	1.25-1.9 L/ha, 4.5-6.0 tbsp/38L	-	-	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
ENFARM CROP SCIENCE INC.	CHLOROTHALONIL	ENFARM FUNCURB 720 SC	720 g/L	SC	FUNGICIDE	4	771-118-6271 (432)	20 Sep-26	-	Ornamentals	Black rot, black spot, and powdery mildew	1.25-1.9 L/ha, 4.5-6.0 tbsp/38L	-	-	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
ENFARM CROP SCIENCE INC.	CHLOROTHALONIL	ENFARM FUNCURB 720 SC	720 g/L	SC	FUNGICIDE	4	771-118-6271 (432)	20 Sep-26	-	Pepper	Early and late blight, bulb rot, and neck rot	1.25-1.9 L/ha, 4.5-6.0 tbsp/38L	-	-	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
ENFARM CROP SCIENCE INC.	CHLOROTHALONIL	ENFARM FUNCURB 720 SC	720 g/L	SC	FUNGICIDE	4	771-118-6271 (432)	20 Sep-26	-	Potato	Early and late blight, and vine rot	1.0-1.8 L/ha, 4.5-5.5 tbsp/38L	-	-	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
ENFARM CROP SCIENCE INC.	CHLOROTHALONIL	ENFARM FUNCURB 720 SC	720 g/L	SC	FUNGICIDE	4	771-118-6271 (432)	20 Sep-26	-	Tomato	Early and late blight, and vine rot	1.25-1.9 L/ha, 4.5-6.0 tbsp/38L	-	-	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
C.B. ANDREW ASIA, INC.	HEXAZINONE-DIURON	ENERGISTIC 600 WG	132 g/kg-468 g/kg	WG	HERBICIDE	4	460-435-6242	13 Dec-25	-	Sugarcane	Annual grasses, broadleaves and sedges	400 L/ha	-	-	
PALMITRE CORPORATION	GLYPHOSATE IPA	END-UP 480 SL	480 g/L	SL	HERBICIDE	4	504-151-3159	23 Apr-19	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/ha	-	-	
PALMITRE CORPORATION	GLYPHOSATE IPA	END-UP 480 SL	480 g/L	SL	HERBICIDE	4	504-151-3159	23 Apr-19	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	
PALMITRE CORPORATION	GLYPHOSATE IPA	END-UP 480 SL	480 g/L	SL	HERBICIDE	4	504-151-3159	23 Apr-19	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	
PALMITRE CORPORATION	GLYPHOSATE IPA	END-UP 480 SL	480 g/L	SL	HERBICIDE	4	504-151-3159	23 Apr-19	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	
PALMITRE CORPORATION	GLYPHOSATE IPA	END-UP 480 SL	480 g/L	SL	HERBICIDE	4	504-151-3159	23 Apr-19	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	
PALMITRE CORPORATION	GLYPHOSATE IPA	END-UP 480 SL	480 g/L	SL	HERBICIDE	4	504-151-3159	23 Apr-19	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	
PALMITRE CORPORATION	GLYPHOSATE IPA	END-UP 480 SL	480 g/L	SL	HERBICIDE	4	504-151-3159	23 Apr-19	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	
PALMITRE CORPORATION	GLYPHOSATE IPA	END-UP 480 SL	480 g/L	SL	HERBICIDE	4	504-151-3159	23 Apr-19	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	
PALMITRE CORPORATION	GLYPHOSATE IPA	END-UP 480 SL	480 g/L	SL	HERBICIDE	4	504-151-3159	23 Apr-19	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/ha	-	-	
PALMITRE CORPORATION	GLYPHOSATE IPA	END-UP 480 SL	480 g/L	SL	HERBICIDE	4	504-151-3159	23 Apr-19	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	
PALMITRE CORPORATION	GLYPHOSATE IPA	END-UP 480 SL	480 g/L	SL	HERBICIDE	4	504-151-3159	23 Apr-19	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	
PALMITRE CORPORATION	GLYPHOSATE IPA	END-UP 480 SL	480 g/L	SL	HERBICIDE	4	504-151-3159	23 Apr-19	POST-EMERGENT	Non-crop	Annual & perennial grasses, broadleaf weeds & sedges		-	-	
DOW AGRO SCIENCES B.V.	FENBUCONAZOLE	ENABLER 2 F	235 g/L	F	FUNGICIDE	4	033-262-0641	31 Jul-19	-	Banana	Black sigatoka and black leaf streak	425ml/ha in 30-40 L water	-	-	Don't enter fields without protective clothing until spray deposits have dried
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	466-053-2516	22 Jan-26	-	Potato	Early and late blight	3-6 Tbsp/38 L water	-	-	As soon as spray dries
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	466-053-2516	22 Jan-26	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/38 L water	-	7 Days	As soon as spray dries
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	466-053-2516	22 Jan-26	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/38 L water	-	7 Days	As soon as spray dries
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	466-053-2516	22 Jan-26	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/38 L water	-	7 Days	As soon as spray dries
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	466-053-2516	22 Jan-26	-	Celery	Late blight	3-6 Tbsp/38 L water	-	14 Days	As soon as spray dries
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	466-053-2516	22 Jan-26	-	Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/38 L water	-	5 days	As soon as spray dries
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	466-053-2516	22 Jan-26	-	Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/38 L water	-	5 days	As soon as spray dries
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	466-053-2516	22 Jan-26	-	Cotton	Damping off	3-6 Tbsp/38 L water	-	-	As soon as spray dries
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	466-053-2516	22 Jan-26	-	lettuce	Downy mildew	3-6 Tbsp/38 L water	-	7 Days	As soon as spray dries
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	466-053-2516	22 Jan-26	-	Beans	Anthracoese, Downy mildew, Rust	3-6 Tbsp/38 L water	-	-	As soon as spray dries
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	466-053-2516	22 Jan-26	-	Peas	Anthracoese, Downy mildew, Rust	3-6 Tbsp/38 L water	-	5 days	As soon as spray dries
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	466-053-2516	22 Jan-26	-	Mungo	Anthracoese, Downy mildew, Rust	3-6 Tbsp/38 L water	-	5 days	As soon as spray dries
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	466-053-2516	22 Jan-26	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/38 L water	-	5 days	As soon as spray dries
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	466-053-2516	22 Jan-26	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/38 L water	-	7 Days	As soon as spray dries
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	466-053-2516	22 Jan-26	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/38 L water	-	7 Days	As soon as spray dries
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	466-053-2516	22 Jan-26	-	Pepper	Anthracoese	3-6 Tbsp/38 L water	-	7 Days	As soon as spray dries
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	466-053-2516	22 Jan-26	-	Chili	Anthracoese	3-6 Tbsp/38 L water	-	7 Days	As soon as spray dries
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	466-053-2516	22 Jan-26	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/38 L water	-	7 Days	As soon as spray dries
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	466-053-2516	22 Jan-26	-	Banana	Sigatoka, Black leaf streak	3-6 Tbsp/38 L water	-	-	As soon as spray dries
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	466-053-2516	22 Jan-26	-	Grapes	Downy mildew, black rot	3-6 Tbsp/38 L water	-	60 days	As soon as spray dries
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	466-053-2516	22 Jan-26	-	Mango	Anthracoese and Scab	3-6 Tbsp/38 L water	-	5 days	As soon as spray dries
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	466-053-2516	22 Jan-26	-	Papaya	Fruit rot	3-6 Tbsp/38 L water	-	-	As soon as spray dries
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	466-053-2516	22 Jan-26	-	Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/38 L water	-	5 days	As soon as spray dries
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	466-053-2516	22 Jan-26	-	Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/38 L water	-	5 days	As soon as spray dries
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	466-053-2516	22 Jan-26	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/38 L water	-	7 Days	As soon as spray dries
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	466-053-2516	22 Jan-26	-	Rice	Blast, Sheath blight, <i>coronopsis</i> leaf spot, <i>helminthosporium</i> leaf spot	3-6 Tbsp/38 L water	0.03gpm	-	As soon as spray dries
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	466-053-2516	22 Jan-26	-	Peanut	<i>Cercospora</i> leaf spot	3-6 Tbsp/38 L water	-	14 Days	As soon as spray dries
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	466-053-2516	22 Jan-26	-	Soybeans	leaf rust	3-6 Tbsp/38 L water	-	-	As soon as spray dries
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	466-053-2516	22 Jan-26	-	Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/38 L water	-	-	As soon as spray dries
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 75 WG	750 g/kg	WG	FUNGICIDE	4	466-053-2515	22 Jan-26	-	Tomato	Early and late blight		-	-	
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 75 WG	750 g/kg	WG	FUNGICIDE	4	466-053-2515	22 Jan-26	-	Banana	Sigatoka		-	-	
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 75 WG	750 g/kg	WG	FUNGICIDE	4	466-053-2515	22 Jan-26	-	Potato	Early and Late Blight		-	-	

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 75 WG	750g/kg	WG	FUNGICIDE	4	466-053-2515	22-Jan-26		Cabbage	Downy mildew, Alternaria leaf spot				
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 75 WG	750g/kg	WG	FUNGICIDE	4	466-053-2515	22-Jan-26		Cauliflower	Downy mildew, Alternaria leaf spot				
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 75 WG	750g/kg	WG	FUNGICIDE	4	466-053-2515	22-Jan-26		Broccoli	Downy mildew, Alternaria leaf spot				
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 75 WG	750g/kg	WG	FUNGICIDE	4	466-053-2515	22-Jan-26		Celery	Late Blight				
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 75 WG	750g/kg	WG	FUNGICIDE	4	466-053-2515	22-Jan-26		Cucumber	Downy Mildew, Anthracnose, Scab				
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 75 WG	750g/kg	WG	FUNGICIDE	4	466-053-2515	22-Jan-26		Squash	Downy Mildew, Anthracnose, Scab				
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 75 WG	750g/kg	WG	FUNGICIDE	4	466-053-2515	22-Jan-26		Cotton	Damping off				
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 75 WG	750g/kg	WG	FUNGICIDE	4	466-053-2515	22-Jan-26		Lettuce	Downy Mildew				
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 75 WG	750g/kg	WG	FUNGICIDE	4	466-053-2515	22-Jan-26		Beans	Anthracnose, Downy Mildew, Rust				
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 75 WG	750g/kg	WG	FUNGICIDE	4	466-053-2515	22-Jan-26		Peas	Anthracnose, Downy Mildew, Rust				
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 75 WG	750g/kg	WG	FUNGICIDE	4	466-053-2515	22-Jan-26		Mungo	Anthracnose, Downy Mildew, Rust				
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 75 WG	750g/kg	WG	FUNGICIDE	4	466-053-2515	22-Jan-26		Tomato	Early and late blight, Anthracnose, Septoria leaf spot				
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 75 WG	750g/kg	WG	FUNGICIDE	4	466-053-2515	22-Jan-26		Onion	Purple blotch, Downy mildew, Botrytis leaf blight				
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 75 WG	750g/kg	WG	FUNGICIDE	4	466-053-2515	22-Jan-26		Garlic	Purple blotch, Downy mildew, Botrytis leaf blight				
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 75 WG	750g/kg	WG	FUNGICIDE	4	466-053-2515	22-Jan-26		Pepper	Anthracnose				
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 75 WG	750g/kg	WG	FUNGICIDE	4	466-053-2515	22-Jan-26		Eggplant	Blight, Anthracnose				
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 75 WG	750g/kg	WG	FUNGICIDE	4	466-053-2515	22-Jan-26		Banana	Sigatoka, Black leaf streak				
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 75 WG	750g/kg	WG	FUNGICIDE	4	466-053-2515	22-Jan-26		Grapes	Downy Mildew, Black rot				
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 75 WG	750g/kg	WG	FUNGICIDE	4	466-053-2515	22-Jan-26		Mango	Anthracnose, and scab				
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 75 WG	750g/kg	WG	FUNGICIDE	4	466-053-2515	22-Jan-26		Papaya	Fruit rot				
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 75 WG	750g/kg	WG	FUNGICIDE	4	466-053-2515	22-Jan-26		Melon	Downy mildew, Anthracnose, Scab				
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 75 WG	750g/kg	WG	FUNGICIDE	4	466-053-2515	22-Jan-26		Watermelon	Downy mildew, Anthracnose, Scab				
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 75 WG	750g/kg	WG	FUNGICIDE	4	466-053-2515	22-Jan-26		Corn (sweet and popcorn)	Helminthosporium leaf spot				
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 75 WG	750g/kg	WG	FUNGICIDE	4	466-053-2515	22-Jan-26		Rice	Blast, Sheath blight, Cercospora leaf spot , Helminthosporium leaf spot	0.02ppm			
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 75 WG	750g/kg	WG	FUNGICIDE	4	466-053-2515	22-Jan-26		Peanut	Cercospora leaf spot				
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 75 WG	750g/kg	WG	FUNGICIDE	4	466-053-2515	22-Jan-26		Soybeans	Leaf rust				
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 75 WG	750g/kg	WG	FUNGICIDE	4	466-053-2515	22-Jan-26		Ornamentals	Black spot, Blight, Anthracnose				
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 600 SC	600g/L	SC	FUNGICIDE	4	466-053-4132	09-Oct-26	-	Banana	Black sigatoka	3-6 Tbsp/36 L water	-	-	-
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 600 OS	600 g/L	OS	FUNGICIDE	4	466-053-2647	30-Mar-26	-	Banana	Black sigatoka	-	-	-	-
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 455 SC	455 g/L	SC	FUNGICIDE	4	466-053-2646	30-Mar-26	-	Banana	Sigatoka	3.6-4.6 L/ha	-	Allow 7 days from last spray until harvest	As soon as spray until harvest
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 42 SC	420 g/L	SC	FUNGICIDE	4	466-053-2517	22-Jan-26	-	Banana	Black Sigatoka	4.5 L/ha or 12 Tbsp/36L	-	It is recommended to observe a 7days pre-harvest interval	Re-entry to fields is allowed as soon as spray had dried
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 42 SC	420 g/L	SC	FUNGICIDE	4	466-053-2517	22-Jan-26	-	Potato	Late blight	5-6 % Tbsp/36L	-	It is recommended to observe a 7days pre-harvest interval	Re-entry to fields is allowed as soon as spray had dried
SABERO ORGANICS PHILIPPINES ASIA INC.	MANCOZEB	EMZEB 42 SC	420 g/L	SC	FUNGICIDE	4	466-053-2517	22-Jan-26	-	Tomato	Early blight, late blight, cercospora leaf blight	7-10 Tbsp/36L	-	It is recommended to observe a 7days pre-harvest interval	Re-entry to fields is allowed as soon as spray had dried
IRPV SEMARCON SUPPLIES, INC.	ETHAN-1-PHENYL-1-HYDROXY-2-ETHYLENE	EMULSIFYING AGENT OC35	-	-	OTHERS	-	731-596-5848	8-Sep-25	-	As an emulsifier for insecticide formulation	-	-	-	-	-
JARDINE DISTRIBUTION, INC.	CHLORFIPRIFOS-CYPERMETHRIN	EMPEROR 27.5 EC	250-25 g/L	EC	INSECTICIDE	2	367-239-4421	05-Jul-24		Rice	Whorl maggot, green leafhopper, brown planthopper, stemborer	20-30 ml (2-3 Tbsp)/36L water	0.10 ppm	25 days	
JARDINE DISTRIBUTION, INC.	CHLORFIPRIFOS-CYPERMETHRIN	EMPEROR 27.5 EC	250-25 g/L	EC	INSECTICIDE	2	367-239-4421	05-Jul-24		Mango	Mango hopper	25-40 ml (2.5-4 Tbsp)/36L water	0.03 ppm	50 days	
TAIPAN BRAND FARM INC.	CHLOROTHALONIL-TETRACONAZOLE	EMNENT STAR	250+62.5 g/L	SC	FUNGICIDE	3	129-408-8535	07-Sep-18	SYSTEMIC	Mango	Anthracnose				
LEADS AGRICULTURAL PRODUCTS CORPORATION	TETRACONAZOLE	EMERALD 10 EC	100 g/L	EC	FUNGICIDE	4	099-430-3069	30-Sep-24	SYSTEMIC	Cabbage	Diamondback moth				
CROP PROTECTION AGRIVENTURES INC.	CYPERMETHRIN	EMBRIN 5 EC	50g/L	EC	INSECTICIDE	4	616-037-4447	17-Mar-26	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/36 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
CROP PROTECTION AGRIVENTURES INC.	CYPERMETHRIN	EMBRIN 5 EC	50g/L	EC	INSECTICIDE	4	616-037-4447	17-Mar-26	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leafroller, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/36 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
CROP PROTECTION AGRIVENTURES INC.	CYPERMETHRIN	EMBRIN 5 EC	50g/L	EC	INSECTICIDE	4	616-037-4447	17-Mar-26	CONTACT	Cabbage	Diamond back-moth, cabbage worm, worm	1.0-3.0 Tbsp/36 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
CROP PROTECTION AGRIVENTURES INC.	CYPERMETHRIN	EMBRIN 5 EC	50g/L	EC	INSECTICIDE	4	616-037-4447	17-Mar-26	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/36 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
CROP PROTECTION AGRIVENTURES INC.	CYPERMETHRIN	EMBRIN 5 EC	50g/L	EC	INSECTICIDE	4	616-037-4447	17-Mar-26	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/36 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
CROP PROTECTION AGRIVENTURES INC.	CYPERMETHRIN	EMBRIN 5 EC	50g/L	EC	INSECTICIDE	4	616-037-4447	17-Mar-26	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/36 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
CROP PROTECTION AGRIVENTURES INC.	CYPERMETHRIN	EMBRIN 5 EC	50g/L	EC	INSECTICIDE	4	616-037-4447	17-Mar-26	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/36 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
CROP PROTECTION AGRIVENTURES INC.	CYPERMETHRIN	EMBRIN 5 EC	50g/L	EC	INSECTICIDE	4	616-037-4447	17-Mar-26	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/36 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
CROP PROTECTION AGRIVENTURES INC.	CYPERMETHRIN	EMBRIN 5 EC	50g/L	EC	INSECTICIDE	4	616-037-4447	17-Mar-26	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/36 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
CROP PROTECTION AGRIVENTURES INC.	CYPERMETHRIN	EMBRIN 5 EC	50g/L	EC	INSECTICIDE	4	616-037-4447	17-Mar-26	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/36 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
CROP PROTECTION AGRIVENTURES INC.	CYPERMETHRIN	EMBRIN 5 EC	50g/L	EC	INSECTICIDE	4	616-037-4447	17-Mar-26	CONTACT	Corn	Comborer, earworm	1.0-4.5 Tbsp/36 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
G CHEMTRADING CORPORATION	GLYPHOSATE IPA	EMBERSATE 380 SL	380 g/L	SL	HERBICIDE	4	701-151-1582	20-Aug-24		non-crop areas	common grassy fields				
INDOFIL PHILIPPINES INC.	ETHEPHON	EMBARK 480 SL	480g/L	SL	OTHERS	4	604-061-4673	21-Feb-25		Pineapple	Plant growth for regulator	Unshaded : 100-150ml/1000 trees ; Shaded : 150-200ml/1000 trees		Fruits that are already ripe on the day of treatment can be harvested without any harmful residue.Generally,	Re-entry into treated areas may be done as soon as spray has dried
INDOFIL PHILIPPINES INC.	ETHEPHON	EMBARK 480 SL	480g/L	SL	OTHERS	4	604-061-4673	21-Feb-25		Banana	Plant growth for regulator	Unshaded : 100-150ml/1000 trees ; Shaded : 150-200ml/1000 trees		Fruits that are already ripe on the day of treatment can be harvested without any harmful residue.Generally,	Re-entry into treated areas may be done as soon as spray has dried
INDOFIL PHILIPPINES INC.	ETHEPHON	EMBARK 480 SL	480g/L	SL	OTHERS	4	604-061-4673	21-Feb-25		Mango	Plant growth for regulator	Unshaded : 100-150ml/1000 trees ; Shaded : 150-200ml/1000 trees		Fruits that are already ripe on the day of treatment can be harvested without any harmful residue.Generally,	Re-entry into treated areas may be done as soon as spray has dried
INDOFIL PHILIPPINES INC.	ETHEPHON	EMBARK 480 SL	480g/L	SL	OTHERS	4	604-061-4673	21-Feb-25		Coffee	Plant growth for regulator	Unshaded : 100-150ml/1000 trees ; Shaded : 150-200ml/1000 trees		Fruits that are already ripe on the day of treatment can be harvested without any harmful residue.Generally,	Re-entry into treated areas may be done as soon as spray has dried
GOLDEN PRIMESTOCKS CHEMICAL INC.	MANCOZEB	E-MAN 80 WP	800 g/kg	WP	FUNGICIDE	4	573-053-4648	05-Feb-24	-	Potato	Early and late blight	3-6 Tbsp/36L water	-		As soon as spray dries
GOLDEN PRIMESTOCKS CHEMICAL INC.	MANCOZEB	E-MAN 80 WP	800 g/kg	WP	FUNGICIDE	4	573-053-4648	05-Feb-24	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/36L water	-	7 Days	As soon as spray dries

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
GOLDEN PRIMESTOCKS CHEMICAL INC.	MANCOZEB	E-MAN 80 WP	800 g/kg	WP	FUNGICIDE	4	573-053-4648	05-Feb-24	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 tbsp/16L water	-	7 days	As soon as spray dries
GOLDEN PRIMESTOCKS CHEMICAL INC.	MANCOZEB	E-MAN 80 WP	800 g/kg	WP	FUNGICIDE	4	573-053-4648	05-Feb-24	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 tbsp/16L water	-	7 days	As soon as spray dries
GOLDEN PRIMESTOCKS CHEMICAL INC.	MANCOZEB	E-MAN 80 WP	800 g/kg	WP	FUNGICIDE	4	573-053-4648	05-Feb-24	-	Celery	Late blight	3-6 tbsp/16L water	-	14 days	As soon as spray dries
GOLDEN PRIMESTOCKS CHEMICAL INC.	MANCOZEB	E-MAN 80 WP	800 g/kg	WP	FUNGICIDE	4	573-053-4648	05-Feb-24	-	Cucumber	Downy mildew, Anthracnose, Scab	3-6 tbsp/16L water	-	5 days	As soon as spray dries
GOLDEN PRIMESTOCKS CHEMICAL INC.	MANCOZEB	E-MAN 80 WP	800 g/kg	WP	FUNGICIDE	4	573-053-4648	05-Feb-24	-	Squash	Downy mildew, Anthracnose, Scab	3-6 tbsp/16L water	-	5 days	As soon as spray dries
GOLDEN PRIMESTOCKS CHEMICAL INC.	MANCOZEB	E-MAN 80 WP	800 g/kg	WP	FUNGICIDE	4	573-053-4648	05-Feb-24	-	Cotton	Damping off	3-6 tbsp/16L water	-	-	As soon as spray dries
GOLDEN PRIMESTOCKS CHEMICAL INC.	MANCOZEB	E-MAN 80 WP	800 g/kg	WP	FUNGICIDE	4	573-053-4648	05-Feb-24	-	Lettuce	Downy mildew	3-6 tbsp/16L water	-	7 days	As soon as spray dries
GOLDEN PRIMESTOCKS CHEMICAL INC.	MANCOZEB	E-MAN 80 WP	800 g/kg	WP	FUNGICIDE	4	573-053-4648	05-Feb-24	-	Beans	Anthracoese, Downy mildew, Rust	3-6 tbsp/16L water	-	5 days	As soon as spray dries
GOLDEN PRIMESTOCKS CHEMICAL INC.	MANCOZEB	E-MAN 80 WP	800 g/kg	WP	FUNGICIDE	4	573-053-4648	05-Feb-24	-	Peas	Anthracoese, Downy mildew, Rust	3-6 tbsp/16L water	-	5 days	As soon as spray dries
GOLDEN PRIMESTOCKS CHEMICAL INC.	MANCOZEB	E-MAN 80 WP	800 g/kg	WP	FUNGICIDE	4	573-053-4648	05-Feb-24	-	Mungo	Anthracoese, Downy mildew, Rust	3-6 tbsp/16L water	-	5 days	As soon as spray dries
GOLDEN PRIMESTOCKS CHEMICAL INC.	MANCOZEB	E-MAN 80 WP	800 g/kg	WP	FUNGICIDE	4	573-053-4648	05-Feb-24	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 tbsp/16L water	-	5 days	As soon as spray dries
GOLDEN PRIMESTOCKS CHEMICAL INC.	MANCOZEB	E-MAN 80 WP	800 g/kg	WP	FUNGICIDE	4	573-053-4648	05-Feb-24	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 tbsp/16L water	-	7 days	As soon as spray dries
GOLDEN PRIMESTOCKS CHEMICAL INC.	MANCOZEB	E-MAN 80 WP	800 g/kg	WP	FUNGICIDE	4	573-053-4648	05-Feb-24	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 tbsp/16L water	-	7 days	As soon as spray dries
GOLDEN PRIMESTOCKS CHEMICAL INC.	MANCOZEB	E-MAN 80 WP	800 g/kg	WP	FUNGICIDE	4	573-053-4648	05-Feb-24	-	Pepper	Anthracoese	3-6 tbsp/16L water	-	7 days	As soon as spray dries
GOLDEN PRIMESTOCKS CHEMICAL INC.	MANCOZEB	E-MAN 80 WP	800 g/kg	WP	FUNGICIDE	4	573-053-4648	05-Feb-24	-	Chili	Anthracoese	3-6 tbsp/16L water	-	7 days	As soon as spray dries
GOLDEN PRIMESTOCKS CHEMICAL INC.	MANCOZEB	E-MAN 80 WP	800 g/kg	WP	FUNGICIDE	4	573-053-4648	05-Feb-24	-	Eggplant	Blight, Anthracnose	3-6 tbsp/16L water	-	7 days	As soon as spray dries
GOLDEN PRIMESTOCKS CHEMICAL INC.	MANCOZEB	E-MAN 80 WP	800 g/kg	WP	FUNGICIDE	4	573-053-4648	05-Feb-24	-	Banana	Sigatoka, Black leaf streak	3-6 tbsp/16L water	-	-	As soon as spray dries
GOLDEN PRIMESTOCKS CHEMICAL INC.	MANCOZEB	E-MAN 80 WP	800 g/kg	WP	FUNGICIDE	4	573-053-4648	05-Feb-24	-	Grapes	Downy mildew, black rot	3-6 tbsp/16L water	-	60 days	As soon as spray dries
GOLDEN PRIMESTOCKS CHEMICAL INC.	MANCOZEB	E-MAN 80 WP	800 g/kg	WP	FUNGICIDE	4	573-053-4648	05-Feb-24	-	Mango	Anthracoese and Scab	3-6 tbsp/16L water	-	5 days	As soon as spray dries
GOLDEN PRIMESTOCKS CHEMICAL INC.	MANCOZEB	E-MAN 80 WP	800 g/kg	WP	FUNGICIDE	4	573-053-4648	05-Feb-24	-	Papaya	Fruit rot	3-6 tbsp/16L water	-	-	As soon as spray dries
GOLDEN PRIMESTOCKS CHEMICAL INC.	MANCOZEB	E-MAN 80 WP	800 g/kg	WP	FUNGICIDE	4	573-053-4648	05-Feb-24	-	Melon	Downy mildew, Anthracnose, Scab	3-6 tbsp/16L water	-	5 days	As soon as spray dries
GOLDEN PRIMESTOCKS CHEMICAL INC.	MANCOZEB	E-MAN 80 WP	800 g/kg	WP	FUNGICIDE	4	573-053-4648	05-Feb-24	-	Watermelon	Downy mildew, Anthracnose, Scab	3-6 tbsp/16L water	-	5 days	As soon as spray dries
GOLDEN PRIMESTOCKS CHEMICAL INC.	MANCOZEB	E-MAN 80 WP	800 g/kg	WP	FUNGICIDE	4	573-053-4648	05-Feb-24	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 tbsp/16L water	-	7 days	As soon as spray dries
GOLDEN PRIMESTOCKS CHEMICAL INC.	MANCOZEB	E-MAN 80 WP	800 g/kg	WP	FUNGICIDE	4	573-053-4648	05-Feb-24	-	Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 tbsp/16L water	0.02ppm	-	As soon as spray dries
GOLDEN PRIMESTOCKS CHEMICAL INC.	MANCOZEB	E-MAN 80 WP	800 g/kg	WP	FUNGICIDE	4	573-053-4648	05-Feb-24	-	Peanut	Cercospora leaf spot	3-6 tbsp/16L water	-	14 days	As soon as spray dries
GOLDEN PRIMESTOCKS CHEMICAL INC.	MANCOZEB	E-MAN 80 WP	800 g/kg	WP	FUNGICIDE	4	573-053-4648	05-Feb-24	-	Soybeans	Leaf rust	3-6 tbsp/16L water	-	-	As soon as spray dries
GOLDEN PRIMESTOCKS CHEMICAL INC.	MANCOZEB	E-MAN 80 WP	800 g/kg	WP	FUNGICIDE	4	573-053-4648	05-Feb-24	-	Ornamentals	Black spot, blight, Anthracnose	3-6 tbsp/16L water	-	-	As soon as spray dries
AGRO TECHNOPRODUCTS INC.	CHLORANTHANILIPROLE	ELTOR 50 SC	50 g/L	SC	INSECTICIDE	4	370-393-6309	2-Aug-26	-	Bitter gourd	Cutworm, leafhopper	20 mL prod./ 16L water; 500 L/ha	-	3 days	12 hours after spraying
AGRO TECHNOPRODUCTS INC.	CHLORANTHANILIPROLE	ELTOR 50 SC	2-Aug-26	SC	INSECTICIDE	4	370-393-6309	2-Aug-26	-	Cabbage	Cabbage worm, cutworm, diamondback moth	10-15 mL prod./ 16L water; 600 L/ha	-	1 day	12 hours after spraying
AGRO TECHNOPRODUCTS INC.	CHLORANTHANILIPROLE	ELTOR 50 SC	50 g/L	SC	INSECTICIDE	4	370-393-6309	2-Aug-26	-	Corn	Corn borer, corn earworm	25-30 mL prod./ 16L water; 30 mL prod./ 16L water	-	7 days	12 hours after spraying
AGRO TECHNOPRODUCTS INC.	CHLORANTHANILIPROLE	ELTOR 50 SC	50 g/L	SC	INSECTICIDE	4	370-393-6309	2-Aug-26	-	Eggplant	Fruit and shoot, borer cutworm	10-15 mL prod./ 16L water; 800 L/ha	-	1 day	12 hours after spraying
AGRO TECHNOPRODUCTS INC.	CHLORANTHANILIPROLE	ELTOR 50 SC	50 g/L	SC	INSECTICIDE	4	370-393-6309	2-Aug-26	-	Rice	Stem borer, leaf folder	20-25 mL prod./ 16L water; 300 L/ha	-	-	12 hours after spraying
AGRO TECHNOPRODUCTS INC.	CHLORANTHANILIPROLE	ELTOR 50 SC	50 g/L	SC	INSECTICIDE	4	370-393-6309	2-Aug-26	-	Stringbeans	Cutworm, pod borer	10-15 mL prod./ 16L water; 600 L/ha	-	-	12 hours after spraying
AGRO TECHNOPRODUCTS INC.	CHLORANTHANILIPROLE	ELTOR 50 SC	50 g/L	SC	INSECTICIDE	4	370-393-6309	2-Aug-26	-	Sugarcane	Sugarcane borer	800 L/ha (1.5-2.0 g prod./ ha)	-	255 days	12 hours after spraying
AGRO TECHNOPRODUCTS INC.	CHLORANTHANILIPROLE	ELTOR 50 SC	50 g/L	SC	INSECTICIDE	4	370-393-6309	2-Aug-26	-	Tobacco	Budworm, cutworm	25-30 mL prod./ 16L water; 240 L/ha	-	7 days	12 hours after spraying
AGRO TECHNOPRODUCTS INC.	CHLORANTHANILIPROLE	ELTOR 50 SC	50 g/L	SC	INSECTICIDE	4	370-393-6309	2-Aug-26	-	Tomato	Cutworm, fruitworm	27-40 mL prod./ 16L water; 500 L/ha	-	3 days	12 hours after spraying
ELITE AGROCHEMICALS INC.	METALDEHYDE	ELITE THIOBAS 6% PELLETS	60 g/kg	P	MOLLUSCIDE	4	719-075-6346	12-May-25	-	Rice (Transplanted)	Golden snails	2-4 kg/ ha	-	-	Do not enter treated field within 48 hours after application
ELITE AGROCHEMICALS INC.	METALDEHYDE	ELITE THIOBAS 6% PELLETS	60 g/kg	P	MOLLUSCIDE	4	719-075-6346	12-May-25	-	Rice (Direct seeded)	Golden snails	4-8 kg/ ha	-	-	Do not enter treated field within 48 hours after application
ELITE AGROCHEMICALS INC.	METALDEHYDE	ELITE THIOBAS 6% PELLETS	60 g/kg	P	MOLLUSCIDE	4	719-075-6346	12-May-25	-	Potted and driftwood-attached plants such as rice (Direct seeded)	Bush snails, giant african snail and slugs	1-2 kg/ ha	-	-	Do not enter treated field within 48 hours after application
ELITE AGROCHEMICALS INC.	BUTACHLOR	ELITE TAKE ALL 60 EC	600 g/L	EC	HERBICIDE	4	719-150-6361	5-Mar-24	PRE-EMERGENT	Rice (Transplanted)	Annual grasses and sedges	-	-	-	-
ELITE AGROCHEMICALS INC.	BUTACHLOR	ELITE TAKE ALL 60 EC	600 g/L	EC	HERBICIDE	4	719-150-6361	5-Mar-24	PRE-EMERGENT	Rice (Transplanted)	Annual grasses and sedges	-	-	-	-
ELITE AGROCHEMICALS INC.	CARTAP HYDROCHLORIDE	ELITE REISTOXIN 50 SP	500 g/kg	SP	INSECTICIDE	3	719-106-6347	26-Feb-26	-	Cabbage/wongbok	Diamond-back moth, cabbage moth, cabbage worm, aphids	1.5-2.0 tbsp/ 16L	-	Stop spraying 10 days before harvest	Do not enter the treated field within 48 hours after spraying
ELITE AGROCHEMICALS INC.	CARTAP HYDROCHLORIDE	ELITE REISTOXIN 50 SP	500 g/kg	SP	INSECTICIDE	3	719-106-6347	26-Feb-26	-	Peachay	Looper, cutworm, aphids	1.5-3.0 tbsp/ 16L	-	Stop spraying 10 days before harvest	Do not enter the treated field within 48 hours after spraying
ELITE AGROCHEMICALS INC.	CARTAP HYDROCHLORIDE	ELITE REISTOXIN 50 SP	500 g/kg	SP	INSECTICIDE	3	719-106-6347	26-Feb-26	-	Onion	Thrips, cutworm	1.5-2.0 tbsp/ 16L	-	Stop spraying 10 days before harvest	Do not enter the treated field within 48 hours after spraying
ELITE AGROCHEMICALS INC.	CARTAP HYDROCHLORIDE	ELITE REISTOXIN 50 SP	500 g/kg	SP	INSECTICIDE	3	719-106-6347	26-Feb-26	-	Cucurbits	Thrips, leafworm, flea beetle, squash beetle	1.5-2.0 tbsp/ 16L	-	Stop spraying 10 days before harvest	Do not enter the treated field within 48 hours after spraying
ELITE AGROCHEMICALS INC.	CARTAP HYDROCHLORIDE	ELITE REISTOXIN 50 SP	500 g/kg	SP	INSECTICIDE	3	719-106-6347	26-Feb-26	-	Potato	Thrips, aphids, cutworm, tuber moth, leafhopper, leafworms	1.5-2.0 tbsp/ 16L	-	Stop spraying 10 days before harvest	Do not enter the treated field within 48 hours after spraying
ELITE AGROCHEMICALS INC.	CARTAP HYDROCHLORIDE	ELITE REISTOXIN 50 SP	500 g/kg	SP	INSECTICIDE	3	719-106-6347	26-Feb-26	-	Mango	Leafhoppers	1.5-2.0 tbsp/ 16L	-	Stop spraying 10 days before harvest	Do not enter the treated field within 48 hours after spraying
ELITE AGROCHEMICALS INC.	CARTAP HYDROCHLORIDE	ELITE REISTOXIN 50 SP	500 g/kg	SP	INSECTICIDE	3	719-106-6347	26-Feb-26	-	Rice	Green leafhopper, brown planthopper, stemborer, whorl maggot	3.0-5.0 tbsp/ 16L	-	Stop spraying 10 days before harvest	Do not enter the treated field within 48 hours after spraying
ELITE AGROCHEMICALS INC.	CARTAP HYDROCHLORIDE	ELITE REISTOXIN 50 SP	500 g/kg	SP	INSECTICIDE	3	719-106-6347	26-Feb-26	-	Garlic	Cutworm, thrips	1.5-2.0 tbsp/ 16L	-	Stop spraying 10 days before harvest	Do not enter the treated field within 48 hours after spraying
ELITE AGROCHEMICALS INC.	BUTACHLOR+PROPANIL	ELITE PROPEL 70 EC	350 g/L+350 g/L	EC	HERBICIDE	3	719-238-6223	18-Feb-26	-	Rice (Transplanted)	Grasses, sedges, and broadleaves	6-12 tbsp/16 L water	-	-	-
ELITE AGROCHEMICALS INC.	BUTACHLOR+PROPANIL	ELITE PROPEL 70 EC	350 g/L+350 g/L	EC	HERBICIDE	3	719-238-6223	18-Feb-26	-	Rice (Direct seeded)	Grasses, sedges, and broadleaves	6-12 tbsp/16 L water	-	-	-
ELITE AGROCHEMICALS INC.	MANCOZEB	ELITE MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	719-053-5939	25-Sep-25	-	Potato	Early and late blight	3-6 tbsp/ 16L water	-	5 days	At least 48 hours after application
ELITE AGROCHEMICALS INC.	MANCOZEB	ELITE MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	719-053-5939	25-Sep-25	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 tbsp/ 16L water	-	7 days	At least 48 hours after application
ELITE AGROCHEMICALS INC.	MANCOZEB	ELITE MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	719-053-5939	25-Sep-25	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 tbsp/ 16L water	-	7 days	At least 48 hours after application
ELITE AGROCHEMICALS INC.	MANCOZEB	ELITE MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	719-053-5939	25-Sep-25	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 tbsp/ 16L water	-	7 days	At least 48 hours after application
ELITE AGROCHEMICALS INC.	MANCOZEB	ELITE MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	719-053-5939	25-Sep-25	-	Celery	Late blight	3-6 tbsp/ 16L water	-	14 days	At least 48 hours after application

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
ELITE AGROCHEMICALS INC.	MANCOZEB	ELITE MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	719-053-9999	25-Sep-25	-	Cucumber	Downy mildew, anthracnose, scab	3-6 tbsp/ 16L water	-	5 days	At least 48 hours after application
ELITE AGROCHEMICALS INC.	MANCOZEB	ELITE MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	719-053-9999	25-Sep-25	-	Squash	Downy mildew, anthracnose, scab	3-6 tbsp/ 16L water	-	5 days	At least 48 hours after application
ELITE AGROCHEMICALS INC.	MANCOZEB	ELITE MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	719-053-9999	25-Sep-25	-	Cotton	Damping off	3-6 tbsp/ 16L water	-	5 days	At least 48 hours after application
ELITE AGROCHEMICALS INC.	MANCOZEB	ELITE MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	719-053-9999	25-Sep-25	-	Lettuce	Downy mildew	3-6 tbsp/ 16L water	-	7 days	At least 48 hours after application
ELITE AGROCHEMICALS INC.	MANCOZEB	ELITE MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	719-053-9999	25-Sep-25	-	Beans	Anthrachnose, downy mildew, rust	3-6 tbsp/ 16L water	-	5 days	At least 48 hours after application
ELITE AGROCHEMICALS INC.	MANCOZEB	ELITE MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	719-053-9999	25-Sep-25	-	Peas	Anthrachnose, downy mildew, rust	3-6 tbsp/ 16L water	-	5 days	At least 48 hours after application
ELITE AGROCHEMICALS INC.	MANCOZEB	ELITE MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	719-053-9999	25-Sep-25	-	Mungo	Anthrachnose, downy mildew, rust	3-6 tbsp/ 16L water	-	5 days	At least 48 hours after application
ELITE AGROCHEMICALS INC.	MANCOZEB	ELITE MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	719-053-9999	25-Sep-25	-	Tomato	Early and late blight, anthracnose, septoria leaf spot	3-6 tbsp/ 16L water	-	5 days	At least 48 hours after application
ELITE AGROCHEMICALS INC.	MANCOZEB	ELITE MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	719-053-9999	25-Sep-25	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 tbsp/ 16L water	-	7 days	At least 48 hours after application
ELITE AGROCHEMICALS INC.	MANCOZEB	ELITE MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	719-053-9999	25-Sep-25	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 tbsp/ 16L water	-	7 days	At least 48 hours after application
ELITE AGROCHEMICALS INC.	MANCOZEB	ELITE MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	719-053-9999	25-Sep-25	-	Pepper	Anthrachnose	3-6 tbsp/ 16L water	-	7 days	At least 48 hours after application
ELITE AGROCHEMICALS INC.	MANCOZEB	ELITE MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	719-053-9999	25-Sep-25	-	Chili	Anthrachnose	3-6 tbsp/ 16L water	-	7 days	At least 48 hours after application
ELITE AGROCHEMICALS INC.	MANCOZEB	ELITE MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	719-053-9999	25-Sep-25	-	Eggplant	Blight, anthracnose	3-6 tbsp/ 16L water	-	7 days	At least 48 hours after application
ELITE AGROCHEMICALS INC.	MANCOZEB	ELITE MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	719-053-9999	25-Sep-25	-	Banana	Sigatoka, black leaf streak	3-6 tbsp/ 16L water	-	-	At least 48 hours after application
ELITE AGROCHEMICALS INC.	MANCOZEB	ELITE MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	719-053-9999	25-Sep-25	-	Grapes	Downy mildew, black rot	3-6 tbsp/ 16L water	-	60 days	At least 48 hours after application
ELITE AGROCHEMICALS INC.	MANCOZEB	ELITE MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	719-053-9999	25-Sep-25	-	Mango	Anthrachnose and scab	3-6 tbsp/ 16L water	-	5 days	At least 48 hours after application
ELITE AGROCHEMICALS INC.	MANCOZEB	ELITE MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	719-053-9999	25-Sep-25	-	Papaya	Fruit rot	3-6 tbsp/ 16L water	-	-	At least 48 hours after application
ELITE AGROCHEMICALS INC.	MANCOZEB	ELITE MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	719-053-9999	25-Sep-25	-	Melon	Downy mildew, anthracnose, scab	3-6 tbsp/ 16L water	-	5 days	At least 48 hours after application
ELITE AGROCHEMICALS INC.	MANCOZEB	ELITE MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	719-053-9999	25-Sep-25	-	Watermelon	Downy mildew, anthracnose, scab	3-6 tbsp/ 16L water	-	5 days	At least 48 hours after application
ELITE AGROCHEMICALS INC.	MANCOZEB	ELITE MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	719-053-9999	25-Sep-25	-	Corn (Sweet and popcorn)	Helminthosporium leaf spot	3-6 tbsp/ 16L water	-	7 days	At least 48 hours after application
ELITE AGROCHEMICALS INC.	MANCOZEB	ELITE MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	719-053-9999	25-Sep-25	-	Rice	Blas, sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 tbsp/ 16L water	-	5 days	At least 48 hours after application
ELITE AGROCHEMICALS INC.	MANCOZEB	ELITE MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	719-053-9999	25-Sep-25	-	Peanut	Cercospora leaf spot	3-6 tbsp/ 16L water	-	14 days	At least 48 hours after application
ELITE AGROCHEMICALS INC.	MANCOZEB	ELITE MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	719-053-9999	25-Sep-25	-	Soybean	Leaf rust	3-6 tbsp/ 16L water	-	5 days	At least 48 hours after application
ELITE AGROCHEMICALS INC.	MANCOZEB	ELITE MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	719-053-9999	25-Sep-25	-	Ornamentals	Black spot, blight, anthracnose	3-6 tbsp/ 16L water	-	5 days	At least 48 hours after application
ELITE AGROCHEMICALS INC.	MALATHION	ELITE MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	719-038-9998	22-Mar-26	-	Fruit trees	Aphids, mealy bugs, scale insects	1.5-3.0 tbsp/16L water	-	One (1) day after each spraying	One (1) day after spraying.
ELITE AGROCHEMICALS INC.	MALATHION	ELITE MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	719-038-9998	22-Mar-26	-	Rice	Armyworm, caseworm, leafhopper, bugs	2.0-5.0 tbsp/16 L of water	-	One (1) day after each spraying	One (1) day after spraying.
ELITE AGROCHEMICALS INC.	MALATHION	ELITE MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	719-038-9998	22-Mar-26	-	Corn	Earthworm, silkworm, aphids, grasshopper	3.0-5.0 tbsp/16L water	-	One (1) day after each spraying	One (1) day after spraying.
ELITE AGROCHEMICALS INC.	MALATHION	ELITE MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	719-038-9998	22-Mar-26	-	Cucubers	Cabbage worm, loopers, diamond-back moth	2.0-5.0 tbsp/16 L of water	-	One (1) day after each spraying	One (1) day after spraying.
ELITE AGROCHEMICALS INC.	MALATHION	ELITE MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	719-038-9998	22-Mar-26	-	Cabbage	Cabbage worm, loopers, diamond-back moth	2.0-5.0 tbsp/16 L of water	-	One (1) day after each spraying	One (1) day after spraying.
ELITE AGROCHEMICALS INC.	MALATHION	ELITE MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	719-038-9998	22-Mar-26	-	Legumes	Aphids, beanfly, cutworm, flea beetles, leafminer, maggots, mealy bug, pod borer, thrips	2.0-5.0 tbsp/16L of water	-	One (1) day after each spraying	One (1) day after spraying.
ELITE AGROCHEMICALS INC.	MALATHION	ELITE MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	719-038-9998	22-Mar-26	-	Grapes	Beetles, cutworm, leafhopper, mealy bug, scale insects, spider mites	3.0 tbsp/16L water	-	One (1) day after each spraying	One (1) day after spraying.
ELITE AGROCHEMICALS INC.	MALATHION	ELITE MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	719-038-9998	22-Mar-26	-	Pineapple	Mealy bugs	3.0 tbsp/16L water	-	One (1) day after each spraying	One (1) day after spraying.
ELITE AGROCHEMICALS INC.	MALATHION	ELITE MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	719-038-9998	22-Mar-26	-	Pepper	Aphids, cutworm, fruitworm	3.0 tbsp/16L water	-	One (1) day after each spraying	One (1) day after spraying.
ELITE AGROCHEMICALS INC.	MALATHION	ELITE MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	719-038-9998	22-Mar-26	-	Garlic	Cutworm	3.0 tbsp/16L water	-	One (1) day after each spraying	One (1) day after spraying.
ELITE AGROCHEMICALS INC.	MALATHION	ELITE MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	719-038-9998	22-Mar-26	-	Onion	Cutworm	3.0 tbsp/16L water	-	One (1) day after each spraying	One (1) day after spraying.
ELITE AGROCHEMICALS INC.	MALATHION	ELITE MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	719-038-9998	22-Mar-26	-	Tobacco	Aphids, katydid	3.0-6.0 tbsp/16L water	-	One (1) day after each spraying	One (1) day after spraying.
ELITE AGROCHEMICALS INC.	MALATHION	ELITE MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	719-038-9998	22-Mar-26	-	Ornamentals	Aphids, cutworm, mealy bug, scale insects, spider mites	3.0-5.0 tbsp/16L water	-	One (1) day after each spraying	One (1) day after spraying.
ELITE AGROCHEMICALS INC.	MALATHION	ELITE MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	719-038-9998	22-Mar-26	-	Tomato	Lady beetle	3.0-5.0 tbsp/16L water	-	One (1) day after each spraying	One (1) day after spraying.
ELITE AGROCHEMICALS INC.	MALATHION	ELITE MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	719-038-9998	22-Mar-26	-	Eggplant	Aphids, fruitworm	3.0-5.0 tbsp/16L water	-	One (1) day after each spraying	One (1) day after spraying.
ELITE AGROCHEMICALS INC.	MALATHION	ELITE MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	719-038-9998	22-Mar-26	-	Sorghum	Web worm	3.0 tbsp/16L water	-	One (1) day after each spraying	One (1) day after spraying.
ELITE AGROCHEMICALS INC.	METHOMYL	ELITE LYNNET 40 SP	400 g/kg	SP	INSECTICIDE	2	719-164-6471	1-Oct-24	-	Asparagus	Armyworm, Cutworm	2.0-2.5 tbsp/ 16L spray application	-	-	Do not enter fields treated with ELITE LYNNET 40 SP within 12 hours after application.
ELITE AGROCHEMICALS INC.	METHOMYL	ELITE LYNNET 40 SP	400 g/kg	SP	INSECTICIDE	2	719-164-6471	1-Oct-24	-	Banana	Thrips	3.3-4.5 tbsp/ 16L spray	-	-	Do not enter fields treated with ELITE LYNNET 40 SP within 12 hours after application.
ELITE AGROCHEMICALS INC.	METHOMYL	ELITE LYNNET 40 SP	400 g/kg	SP	INSECTICIDE	2	719-164-6471	1-Oct-24	-	Beans	Leaf folder, flea beetle, fruitworm, lady beetle	2.0-3.5 tbsp/ 16L spray	-	-	Do not enter fields treated with ELITE LYNNET 40 SP within 12 hours after application.
ELITE AGROCHEMICALS INC.	METHOMYL	ELITE LYNNET 40 SP	400 g/kg	SP	INSECTICIDE	2	719-164-6471	1-Oct-24	-	Mungbeans	Leaf folder, flea beetle, fruitworm, lady beetle	2.0-3.5 tbsp/ 16L spray	-	-	Do not enter fields treated with ELITE LYNNET 40 SP within 12 hours after application.
ELITE AGROCHEMICALS INC.	METHOMYL	ELITE LYNNET 40 SP	400 g/kg	SP	INSECTICIDE	2	719-164-6471	1-Oct-24	-	Soybean	Leaf folder, flea beetle, fruitworm, lady beetle	2.0-3.5 tbsp/ 16L spray	-	-	Do not enter fields treated with ELITE LYNNET 40 SP within 12 hours after application.
ELITE AGROCHEMICALS INC.	METHOMYL	ELITE LYNNET 40 SP	400 g/kg	SP	INSECTICIDE	2	719-164-6471	1-Oct-24	-	Sitao	Leaf folder, flea beetle, fruitworm, lady beetle	2.0-3.5 tbsp/ 16L spray	-	-	Do not enter fields treated with ELITE LYNNET 40 SP within 12 hours after application.
ELITE AGROCHEMICALS INC.	METHOMYL	ELITE LYNNET 40 SP	400 g/kg	SP	INSECTICIDE	2	719-164-6471	1-Oct-24	-	Corn	Corn borer, earworm	2.0-3.5 tbsp/ 16L spray	-	-	Do not enter fields treated with ELITE LYNNET 40 SP within 12 hours after application.
ELITE AGROCHEMICALS INC.	METHOMYL	ELITE LYNNET 40 SP	400 g/kg	SP	INSECTICIDE	2	719-164-6471	1-Oct-24	-	Sorghum	Corn borer, earworm	2.0-3.5 tbsp/ 16L spray	-	-	Do not enter fields treated with ELITE LYNNET 40 SP within 12 hours after application.
ELITE AGROCHEMICALS INC.	METHOMYL	ELITE LYNNET 40 SP	400 g/kg	SP	INSECTICIDE	2	719-164-6471	1-Oct-24	-	Eggplant	Aphids, flea beetle, fruitworm, lady beetle	2.0-3.5 tbsp/ 16L spray	-	-	Do not enter fields treated with ELITE LYNNET 40 SP within 12 hours after application.
ELITE AGROCHEMICALS INC.	METHOMYL	ELITE LYNNET 40 SP	400 g/kg	SP	INSECTICIDE	2	719-164-6471	1-Oct-24	-	Melon	Aphids, squash beetle , leaf folder	2.0-3.5 tbsp/ 16L spray	-	-	Do not enter fields treated with ELITE LYNNET 40 SP within 12 hours after application.
ELITE AGROCHEMICALS INC.	METHOMYL	ELITE LYNNET 40 SP	400 g/kg	SP	INSECTICIDE	2	719-164-6471	1-Oct-24	-	Rice	Green leafhopper, armyworm, caseworm, leaf folder	2.0-3.5 tbsp/ 16L spray	-	-	Do not enter fields treated with ELITE LYNNET 40 SP within 12 hours after application.
ELITE AGROCHEMICALS INC.	METHOMYL	ELITE LYNNET 40 SP	400 g/kg	SP	INSECTICIDE	2	719-164-6471	1-Oct-24	-	Tobacco	Budworm, cutworm, aphids, hornworm	2.0-3.5 tbsp/ 16L spray	-	-	Do not enter fields treated with ELITE LYNNET 40 SP within 12 hours after application.
ELITE AGROCHEMICALS INC.	METHOMYL	ELITE LYNNET 40 SP	400 g/kg	SP	INSECTICIDE	2	719-164-6471	1-Oct-24	-	Tomato	Tomato fruit worm, aphids	2.0-3.5 tbsp/ 16L spray	-	-	Do not enter fields treated with ELITE LYNNET 40 SP within 12 hours after application.
ELITE AGROCHEMICALS INC.	LAMBDA-CHYALOTHRIN	ELITE KICKER 2.5 EC	25 g/L	EC	INSECTICIDE	2	719-204-6112	3-Feb-24	-	Rice	Green leafhopper, armyworm, rice bug, leaf folder, black bug	3-1 1/2 tbsp/16L water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray dries up
ELITE AGROCHEMICALS INC.	LAMBDA-CHYALOTHRIN	ELITE KICKER 2.5 EC	25 g/L	EC	INSECTICIDE	2	719-204-6112	3-Feb-24	-	Mango	hoppers	2 1/4-1 1/2 tbsp/16L water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray dries up
ELITE AGROCHEMICALS INC.	LAMBDA-CHYALOTHRIN	ELITE KICKER 2.5 EC	25 g/L	EC	INSECTICIDE	2	719-204-6112	3-Feb-24	-	Tomato	Fruitworm, cutworm, aphids	1-1 1/2 tbsp/16L water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray dries up

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
ELITE AGROCHEMICALS INC.	LAMBDA-CYHALOTHRIN	ELITE KICKER 2.5 EC	25 g/L	EC	INSECTICIDE	2	719-204-6112	3-Feb-24	-	Onion	Thrips, cutworm	1 tbsp/36L water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray dries up
ELITE AGROCHEMICALS INC.	LAMBDA-CYHALOTHRIN	ELITE KICKER 2.5 EC	25 g/L	EC	INSECTICIDE	2	719-204-6112	3-Feb-24	-	Mungbeans	Beanfly, flea beetle, leafhopper, aphids, mites, podborer	1 tbsp/36L water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray dries up
ELITE AGROCHEMICALS INC.	LAMBDA-CYHALOTHRIN	ELITE KICKER 2.5 EC	25 g/L	EC	INSECTICIDE	2	719-204-6112	3-Feb-24	-	Corn	Comborer, aphids, seedling maggots	1-1 1/2 tbsp/36L water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray dries up
ELITE AGROCHEMICALS INC.	LAMBDA-CYHALOTHRIN	ELITE KICKER 2.5 EC	25 g/L	EC	INSECTICIDE	2	719-204-6112	3-Feb-24	-	Tobacco	Budworm, cutworm, Aphids, katyids	1-1 1/2 tbsp/36L water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray dries up
ELITE AGROCHEMICALS INC.	LAMBDA-CYHALOTHRIN	ELITE KICKER 2.5 EC	25 g/L	EC	INSECTICIDE	2	719-204-6112	3-Feb-24	-	Cotton	Bollworm	1-1 1/2 tbsp/36L water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray dries up
ELITE AGROCHEMICALS INC.	LAMBDA-CYHALOTHRIN	ELITE KICKER 2.5 EC	25 g/L	EC	INSECTICIDE	2	719-204-6112	3-Feb-24	-	Cocoa	Pod borer	1-1 1/2 tbsp/36L water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray dries up
ELITE AGROCHEMICALS INC.	LAMBDA-CYHALOTHRIN	ELITE KICKER 2.5 EC	25 g/L	EC	INSECTICIDE	2	719-204-6112	3-Feb-24	-	Watermelon	Squash beetle, melon worm	1 tbsp/36L water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray dries up
ELITE AGROCHEMICALS INC.	NICLOSAMIDE ETHANOLAMINE SALT	ELITE K.O. KUHOL 70 WP	700 g/kg	WP	MOLLUSCIDE	4	719-229-5915	1-Dec-23	-	Rice	Golden apple snail	25 grams or 1 sachet	-	-	At least 48 hours after application
ELITE AGROCHEMICALS INC.	GLYPHOSATE IPA	ELITE GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	719-151-5751	23-Jun-24	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/ha	-	-	-
ELITE AGROCHEMICALS INC.	GLYPHOSATE IPA	ELITE GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	719-151-5751	23-Jun-24	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
ELITE AGROCHEMICALS INC.	GLYPHOSATE IPA	ELITE GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	719-151-5751	23-Jun-24	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
ELITE AGROCHEMICALS INC.	GLYPHOSATE IPA	ELITE GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	719-151-5751	23-Jun-24	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
ELITE AGROCHEMICALS INC.	GLYPHOSATE IPA	ELITE GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	719-151-5751	23-Jun-24	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
ELITE AGROCHEMICALS INC.	GLYPHOSATE IPA	ELITE GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	719-151-5751	23-Jun-24	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
ELITE AGROCHEMICALS INC.	GLYPHOSATE IPA	ELITE GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	719-151-5751	23-Jun-24	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
ELITE AGROCHEMICALS INC.	GLYPHOSATE IPA	ELITE GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	719-151-5751	23-Jun-24	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
ELITE AGROCHEMICALS INC.	GLYPHOSATE IPA	ELITE GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	719-151-5751	23-Jun-24	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/ha	-	-	-
ELITE AGROCHEMICALS INC.	GLYPHOSATE IPA	ELITE GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	719-151-5751	23-Jun-24	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
ELITE AGROCHEMICALS INC.	GLYPHOSATE IPA	ELITE GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	719-151-5751	23-Jun-24	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
ELITE AGROCHEMICALS INC.	GLYPHOSATE IPA	ELITE GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	719-151-5751	23-Jun-24	POST-EMERGENT	non-crop	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
ELITE AGROCHEMICALS INC.	DIURON	ELITE DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	719-021-6226	9-Mar-25	-	Citrus	Annual and Perennial broadleaves and grasses	11.0-15.0 Tbsp/36 L water	-	-	Entry to fields treated with AGRO DIURON 80 WP can be done one day after application
ELITE AGROCHEMICALS INC.	DIURON	ELITE DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	719-021-6226	9-Mar-25	-	Coffee	Annual and Perennial broadleaves and grasses	11.0-15.0 Tbsp/36 L water	-	-	Entry to fields treated with AGRO DIURON 80 WP can be done one day after application
ELITE AGROCHEMICALS INC.	DIURON	ELITE DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	719-021-6226	9-Mar-25	-	Sugarcane	Annual and Perennial broadleaves and grasses	6.0-11.0 Tbsp/36L water	-	-	Entry to fields treated with AGRO DIURON 80 WP can be done one day after application
ELITE AGROCHEMICALS INC.	DIURON	ELITE DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	719-021-6226	9-Mar-25	-	Cotton	Annual and Perennial broadleaves and grasses	9-5 Tbsp/36 L water	-	-	Entry to fields treated with AGRO DIURON 80 WP can be done one day after application
ELITE AGROCHEMICALS INC.	DIURON	ELITE DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	719-021-6226	9-Mar-25	-	Pineapple	Annual and Perennial broadleaves and grasses	11.0 tbsps/36L water	-	-	Entry to fields treated with AGRO DIURON 80 WP can be done one day after application
ELITE AGROCHEMICALS INC.	DIURON	ELITE DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	719-021-6226	9-Mar-25	-	Non-crop land	Annual and Perennial broadleaves and grasses	20.0-28.0 Tbsp/36L water	-	-	Entry to fields treated with AGRO DIURON 80 WP can be done one day after application
ELITE AGROCHEMICALS INC.	CHALOFOP BUTYL	ELITE CYBAC 200 OD	150 g/L	OD	HERBICIDE	4	719-504-5916	24-Apr-25	POST-EMERGENT	Rice (Direct Seeded)	Grasses, broadleaves and sedges	300ml to 1 L Formulated Product per hectare (using spray volumes of 160 to	-	-	Re-entry to the rice field can be done as soon as spray dries up
ELITE AGROCHEMICALS INC.	CHLORPYRIFOS	ELITE CHLORPYRIFOS 300 EC	300 g/L	EC	INSECTICIDE	2	719-101-6221	19-Feb-26	-	Rice	Stemborer, armyworm, leafhopper, caseworm, planthopper, cutworm	2.5-3.5 Tbsp/36L water	-	-	-
ELITE AGROCHEMICALS INC.	CHLORPYRIFOS	ELITE CHLORPYRIFOS 300 EC	300 g/L	EC	INSECTICIDE	2	719-101-6221	19-Feb-26	-	Potato	Tubermoth, leafhopper, cutworm, aphids	2-5-5.5 Tbsp/36L water	-	-	-
ELITE AGROCHEMICALS INC.	CHLORPYRIFOS	ELITE CHLORPYRIFOS 300 EC	300 g/L	EC	INSECTICIDE	2	719-101-6221	19-Feb-26	-	Corn	Armyworm, comborer, earworm, seedling maggots	2-5-3.5 Tbsp/36L water	-	-	-
ELITE AGROCHEMICALS INC.	CHLORPYRIFOS	ELITE CHLORPYRIFOS 300 EC	300 g/L	EC	INSECTICIDE	2	719-101-6221	19-Feb-26	-	Beans	Beanfly, leafroller, podborer, cutworm, armyworm	2-5-3.5 Tbsp/36L water	-	-	-
ELITE AGROCHEMICALS INC.	POLYETHYLENE SORBIFAN POLYETHYLENE SORBIFAN DIOXETHYLENE DIOXECYL ETHER	ELITE BIDASOL	250 g/L ~ 450 g/L	-	OTHERS	4	719-348-6349	5-Mar-25	-	-	As surfactant on ELITE BIDANEE 10 SC	-	-	-	-
ELITE AGROCHEMICALS INC.	BISPYRIBAC SODIUM	ELITE BIDANEE 10 SC	105.5 g/L	SC	HERBICIDE	4	719-276-6317	5-Mar-25	-	Rice (Transplanted)	Grasses, sedges, and broadleaves	-	-	-	As soon as spray deposits have dried
ELITE AGROCHEMICALS INC.	BISPYRIBAC SODIUM	ELITE BIDANEE 10 SC	105.5 g/L	SC	HERBICIDE	4	719-276-6317	5-Mar-25	-	Rice (Direct Seeded)	Grasses, sedges, and broadleaves	-	-	-	As soon as spray deposits have dried
ELITE AGROCHEMICALS INC.	CHLORPYRIFOS-SPMAC	ELITE BATAK 31.5 EC	210g/L ~ 105g/L	EC	INSECTICIDE	2	719-174-6360	16-Jun-26	-	Rice	Stemborer, armyworm, leafhopper, caseworm, planthopper	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest	Do not enter treated field within 2 days after spraying
ELITE AGROCHEMICALS INC.	CHLORPYRIFOS-SPMAC	ELITE BATAK 31.5 EC	210g/L ~ 105g/L	EC	INSECTICIDE	2	719-174-6360	16-Jun-26	-	Corn	Armyworm, corn borer, corn earworm, seedling maggots	2-5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest	Do not enter treated field within 2 days after spraying
ELITE AGROCHEMICALS INC.	CHLORPYRIFOS-SPMAC	ELITE BATAK 31.5 EC	210g/L ~ 105g/L	EC	INSECTICIDE	2	719-174-6360	16-Jun-26	-	Tobacco	Budworm, grasshopper, aphid, cutworm and armyworm	-	-	Stop spraying 15 days before harvest	Do not enter treated field within 2 days after spraying
ELITE AGROCHEMICALS INC.	CHLORPYRIFOS-SPMAC	ELITE BATAK 31.5 EC	210g/L ~ 105g/L	EC	INSECTICIDE	2	719-174-6360	16-Jun-26	-	Cucurbits	Leafworm, squash bug and 28 spotted beetle	2-5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest	Do not enter treated field within 2 days after spraying
ELITE AGROCHEMICALS INC.	CHLORPYRIFOS-SPMAC	ELITE BATAK 31.5 EC	210g/L ~ 105g/L	EC	INSECTICIDE	2	719-174-6360	16-Jun-26	-	Cucumber	Leafworm, squash bug and 28 spotted beetle	2-5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest	Do not enter treated field within 2 days after spraying
ELITE AGROCHEMICALS INC.	CHLORPYRIFOS-SPMAC	ELITE BATAK 31.5 EC	210g/L ~ 105g/L	EC	INSECTICIDE	2	719-174-6360	16-Jun-26	-	Melon	Leafworm, squash bug and 28 spotted beetle	2-5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest	Do not enter treated field within 2 days after spraying
ELITE AGROCHEMICALS INC.	CHLORPYRIFOS-SPMAC	ELITE BATAK 31.5 EC	210g/L ~ 105g/L	EC	INSECTICIDE	2	719-174-6360	16-Jun-26	-	Watermelon	Leafworm, squash bug and 28 spotted beetle	2-5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest	Do not enter treated field within 2 days after spraying
ELITE AGROCHEMICALS INC.	CHLORPYRIFOS-SPMAC	ELITE BATAK 31.5 EC	210g/L ~ 105g/L	EC	INSECTICIDE	2	719-174-6360	16-Jun-26	-	Onions	Thrips, cutworm	-	-	Stop spraying 15 days before harvest	Do not enter treated field within 2 days after spraying
ELITE AGROCHEMICALS INC.	CHLORPYRIFOS-SPMAC	ELITE BATAK 31.5 EC	210g/L ~ 105g/L	EC	INSECTICIDE	2	719-174-6360	16-Jun-26	-	Legumes	Bean pod borer, aphid, beanfly, armyworm, cutworm, leaf miner, leaf folder	2-5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest	Do not enter treated field within 2 days after spraying
ELITE AGROCHEMICALS INC.	CHLORPYRIFOS-SPMAC	ELITE BATAK 31.5 EC	210g/L ~ 105g/L	EC	INSECTICIDE	2	719-174-6360	16-Jun-26	-	Mungo	Bean pod borer, aphid, beanfly, armyworm, cutworm, leaf miner, leaf folder	2-5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest	Do not enter treated field within 2 days after spraying
ELITE AGROCHEMICALS INC.	CHLORPYRIFOS-SPMAC	ELITE BATAK 31.5 EC	210g/L ~ 105g/L	EC	INSECTICIDE	2	719-174-6360	16-Jun-26	-	Soybeans	Bean pod borer, aphid, beanfly, armyworm, cutworm, leaf miner, leaf folder	2-5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest	Do not enter treated field within 2 days after spraying
ELITE AGROCHEMICALS INC.	CHLORPYRIFOS-SPMAC	ELITE BATAK 31.5 EC	210g/L ~ 105g/L	EC	INSECTICIDE	2	719-174-6360	16-Jun-26	-	Beans	Bean pod borer, aphid, beanfly, armyworm, cutworm, leaf miner, leaf folder	2-5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest	Do not enter treated field within 2 days after spraying
ELITE AGROCHEMICALS INC.	ATRAZINE	ELITE ATRAZINE 80 WP	800 g/kg	WP	HERBICIDE	4	719-065-6225	26-Mar-25	SELECTIVE (PRE-EMERGENT)	Corn	Annual grasses and broadleaf weeds	8-12 36L water	-	-	Do not enter the field within 5 days after application
ELITE AGROCHEMICALS INC.	ATRAZINE	ELITE ATRAZINE 80 WP	800 g/kg	WP	HERBICIDE	4	719-065-6225	26-Mar-25	SELECTIVE (PRE-EMERGENT)	Sorghum	Annual grasses and broadleaf weeds	8-12 36L water	-	-	Do not enter the field within 5 days after application
ELITE AGROCHEMICALS INC.	ATRAZINE	ELITE ATRAZINE 80 WP	800 g/kg	WP	HERBICIDE	4	719-065-6225	26-Mar-25	SELECTIVE (PRE-EMERGENT)	Sugarcane	Annual grasses and broadleaf weeds	8-12 36L water	-	-	Do not enter the field within 5 days after application
ELITE AGROCHEMICALS INC.	2,4-D IBE	ELITE 2,4-D ESTER 400 EC	491 g/L	EC	HERBICIDE	2	719-049-5917	5-Feb-25	POST-EMERGENCE	Rice (Transplanted)	Annual broadleaves and sedges	5.0-6.50 Tbsp/36L water	-	Do not spray within 2 days before harvest	Entry to field and crops treated with ELITE 2,4-D ESTER 400EC can be done 1 day after spraying
ELITE AGROCHEMICALS INC.	2,4-D IBE	ELITE 2,4-D ESTER 400 EC	491 g/L	EC	HERBICIDE	2	719-049-5917	5-Feb-25	POST-EMERGENCE	Corn	Annual broadleaves and sedges	5.0-6.50 Tbsp/36L water	-	Do not spray within 2 days before harvest	Entry to field and crops treated with ELITE 2,4-D ESTER 400EC can be done 1 day after spraying
ELITE AGROCHEMICALS INC.	2,4-D IBE	ELITE 2,4-D ESTER 400 EC	491 g/L	EC	HERBICIDE	2	719-049-5917	5-Feb-25	POST-EMERGENCE	Sugarcane	Annual broadleaves and sedges	5.0-6.50 Tbsp/36L water	-	Do not spray within 2 days before harvest	Entry to field and crops treated with ELITE 2,4-D ESTER 400EC can be done 1 day after spraying
ELITE AGROCHEMICALS INC.	2,4-D AMINE	ELITE 2,4-D AMINE 40 SL	482 g/L	SL	HERBICIDE	2	719-013-5918	4-Dec-23	POST-EMERGENT	Rice (Transplanted)	Annual broadleaves and sedges	3-5-6.5 Tbsp/36L water	-	-	Entry to field and crops treated with ELITE 2,4-D AMINE 400SL can be done 1 day after spraying
ELITE AGROCHEMICALS INC.	2,4-D AMINE	ELITE 2,4-D AMINE 40 SL	482 g/L	SL	HERBICIDE	2	719-013-5918	4-Dec-23	POST-EMERGENT	Corn	Annual broadleaves and sedges	5.0-6.50 Tbsp/36L water	-	-	Entry to field and crops treated with ELITE 2,4-D AMINE 400SL can be done 1 day after spraying
ELITE AGROCHEMICALS INC.	2,4-D AMINE	ELITE 2,4-D AMINE 40 SL	482 g/L	SL	HERBICIDE	2	719-013-5918	4-Dec-23	POST-EMERGENT	Sugarcane	Annual broadleaves and sedges	10-25 Tbsp/36L water	-	-	Entry to field and crops treated with ELITE 2,4-D AMINE 400SL can be done 1 day after spraying

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
UPL PHILIPPINES, INC.	DIURON	ELIMINATE 800 WP	800 g/kg	WP	HERBICIDE	4	162-021-5049	02-Oct-22		Citrus	Grasses, annual & perennial broadleaves	11.0-15.0 Tbsp/ 16 L water	-	-	24 hours after application
UPL PHILIPPINES, INC.	DIURON	ELIMINATE 800 WP	800 g/kg	WP	HERBICIDE	4	162-021-5049	02-Oct-22		Coffee	Grasses, annual & perennial broadleaves	11.0-15.0 Tbsp/ 16 L water	-	-	24 hours after application
UPL PHILIPPINES, INC.	DIURON	ELIMINATE 800 WP	800 g/kg	WP	HERBICIDE	4	162-021-5049	02-Oct-22		Cotton	Grasses, annual & perennial broadleaves	8.0 Tbsp/ 16 L water	-	-	24 hours after application
UPL PHILIPPINES, INC.	DIURON	ELIMINATE 800 WP	800 g/kg	WP	HERBICIDE	4	162-021-5049	02-Oct-22		Sugarcane	Grasses, annual & perennial broadleaves	6.5-13.0 Tbsp/ 16 L water	-	-	24 hours after application
UPL PHILIPPINES, INC.	DIURON	ELIMINATE 800 WP	800 g/kg	WP	HERBICIDE	4	162-021-5049	02-Oct-22		Pineapple	Grasses, annual & perennial broadleaves	11.0 Tbsp/ 16 L water	-	-	24 hours after application
UPL PHILIPPINES, INC.	DIURON	ELIMINATE 800 WP	800 g/kg	WP	HERBICIDE	4	162-021-5049	02-Oct-22		Non-crop	Grasses, annual & perennial broadleaves	-	-	-	24 hours after application
AGWAY CHEMICALS CORPORATION	CHLORDANTHRANILIPROLE	ELICOR 5 SC	50 g/L	SC	INSECTICIDE	4	075-393-4877	04-Jul-24	-	Cabbage	Diamondback moth, cutworm, cabbage worm	30-15 mL prod/16L	-	1 day	-
AGWAY CHEMICALS CORPORATION	CHLORDANTHRANILIPROLE	ELICOR 5 SC	50 g/L	SC	INSECTICIDE	4	075-393-4877	04-Jul-24	-	Eggplant	shootborer/fruitborer, Cutworm	10 mL prod/16L	-	1 day	-
AGWAY CHEMICALS CORPORATION	CHLORDANTHRANILIPROLE	ELICOR 5 SC	50 g/L	SC	INSECTICIDE	4	075-393-4877	04-Jul-24	-	Stringbeans	Podborer, leaffolder	30 mL prod/16L	-	1 day	-
AGWAY CHEMICALS CORPORATION	CHLORDANTHRANILIPROLE	ELICOR 5 SC	50 g/L	SC	INSECTICIDE	4	075-393-4877	04-Jul-24	-	Rice	Stemborer, leaffolder	60 mL prod/16L water	-	45-60 days	-
AGWAY CHEMICALS CORPORATION	CHLORDANTHRANILIPROLE	ELICOR 5 SC	50 g/L	SC	INSECTICIDE	4	075-393-4877	04-Jul-24	-	Tomato	Cutworm, fruitworm	27-40 mL prod/16L	-	3 days	-
AGWAY CHEMICALS CORPORATION	CHLORDANTHRANILIPROLE	ELICOR 5 SC	50 g/L	SC	INSECTICIDE	4	075-393-4877	04-Jul-24	-	Corn	Corn borer, earworm	25-30 mL/16L	-	7 days	-
AGWAY CHEMICALS CORPORATION	CHLORDANTHRANILIPROLE	ELICOR 5 SC	50 g/L	SC	INSECTICIDE	4	075-393-4877	04-Jul-24	-	Tobacco	Budworm, cutworm	25-30 mL/16L	-	7 days	-
AGWAY CHEMICALS CORPORATION	CHLORDANTHRANILIPROLE	ELICOR 5 SC	50 g/L	SC	INSECTICIDE	4	075-393-4877	04-Jul-24	-	Sugarcane	Sugarcane borer	1.5-2.0 L prod/ha	-	240-300 days	-
AGWAY CHEMICALS CORPORATION	CHLORDANTHRANILIPROLE	ELICOR 5 SC	50 g/L	SC	INSECTICIDE	4	075-393-4877	04-Jul-24	-	Bittergourd	leafhopper, cutworm	20 mL/16L	-	3 days	-
AGWAY CHEMICALS CORPORATION	CHLORDANTHRANILIPROLE	ELICOR 5 SC	50 g/L	SC	INSECTICIDE	4	075-393-4877	20-Aug-20	-	Corn	Fall armyworm	100-400 mL product per 16 liters water	-	-	-
SHARPHIL INC.	QUAZALOPROP-P-BUTYL	ELEGANT 10 EC	100 g/L	EC	HERBICIDE	4	402-317-4491	28-Aug-21	SYSTEMIC/SELECTIVE (POST-EMERGENCE)	Pineapple	Grasses	9-18 Tbsp/16 L water	-	-	As soon as the spray mix dries up.
FLAGLEAF AGR PHILIPPINES, INC.	METALDEHYDE	ELECTRA 6N PELLETS	60 g/kg	P	MOLLUSCICIDE	4	164-075-3792	21-Jul-19	CONTACT	Rice (Transplanted)	Golden apple snail	2-4 kg/ product per hectare	-	-	Do not enter treated field within 48 hours after last application
FLAGLEAF AGR PHILIPPINES, INC.	METALDEHYDE	ELECTRA 6N PELLETS	60 g/kg	P	MOLLUSCICIDE	4	164-075-3792	21-Jul-19	CONTACT	Rice (Direct-Seeded)	Golden apple snail	4-8 kg/ product per hectare	-	-	Do not enter treated field within 48 hours after last application
FLAGLEAF AGR PHILIPPINES, INC.	METALDEHYDE	ELECTRA 6N PELLETS	60 g/kg	P	MOLLUSCICIDE	4	164-075-3792	21-Jul-19	CONTACT	Potted and driftwood-attached plants such as	Buñt, snails, giant african snail and slugs	1-2 kg/product per hectare	-	-	Do not enter treated field within 48 hours after last application
FLAGLEAF AGR PHILIPPINES, INC.	METALDEHYDE	ELECTRA 6N PELLETS	60 g/kg	P	MOLLUSCICIDE	4	164-075-3792	21-Jul-19	CONTACT	Chinese Cabbage	Slug, snails	6-8 kg/product per hectare	-	-	Do not enter treated field within 48 hours after last application
FLAGLEAF AGR PHILIPPINES, INC.	METALDEHYDE	ELECTRA 6N PELLETS	60 g/kg	P	MOLLUSCICIDE	4	164-075-3792	21-Jul-19	CONTACT	Strawberry	Slug, snails	6-8 kg/product per hectare	-	-	Do not enter treated field within 48 hours after last application
KEMSTAR CORPORATION	DIFENOCONAZOLE	ELBOW 250 EC	250 g/L	EC	FUNGICIDE	4	239-272-3349	29-Oct-26	SYSTEMIC	Banana	Black Sigatoka	0.30-0.40 L prod/ha	-	-	-
KEMSTAR CORPORATION	DIFENOCONAZOLE	ELBOW 250 EC	250 g/L	EC	FUNGICIDE	4	239-272-3349	29-Oct-26	SYSTEMIC	Mango	Anthracoise	0.128-0.88 L/ha	-	14 days	-
KEMSTAR CORPORATION	DIFENOCONAZOLE	ELBOW 250 EC	250 g/L	EC	FUNGICIDE	4	239-272-3349	29-Oct-26	SYSTEMIC	Rice	Sheath Blight	0.25-0.30 L/ha	-	-	-
KEMSTAR CORPORATION	DIFENOCONAZOLE	ELBOW 250 EC	250 g/L	EC	FUNGICIDE	4	239-272-3349	29-Oct-26	SYSTEMIC	Stringbeans	Leaf spot	0.20-0.30 L/ha	-	7 days	-
KEMSTAR CORPORATION	DIFENOCONAZOLE	ELBOW 250 EC	250 g/L	EC	FUNGICIDE	4	239-272-3349	29-Oct-26	SYSTEMIC	Eggplant	Leaf Spot	0.20-0.30 L/ha	-	7 days	-
KEMSTAR CORPORATION	DIFENOCONAZOLE	ELBOW 250 EC	250 g/L	EC	FUNGICIDE	4	239-272-3349	29-Oct-26	SYSTEMIC	Tomato	Alternaria leaf spot, cercospora leafmold, powdery mildew	0.20-0.30 L/ha	-	7 days	-
KEMSTAR CORPORATION	DIFENOCONAZOLE	ELBOW 250 EC	250 g/L	EC	FUNGICIDE	4	239-272-3349	29-Oct-26	SYSTEMIC	Cabbage	Ringspot, alternaria	0.20-0.30 L/ha	-	7 days	-
KEMSTAR CORPORATION	DIFENOCONAZOLE	ELBOW 250 EC	250 g/L	EC	FUNGICIDE	4	239-272-3349	29-Oct-26	SYSTEMIC	Onion	Purple blotch	0.40-0.50 L/ha	-	7 days	-
KEMSTAR CORPORATION	DIFENOCONAZOLE	ELBOW 250 EC	250 g/L	EC	FUNGICIDE	4	239-272-3349	29-Oct-26	SYSTEMIC	Asparagus	Stem and leaf blight	0.30 L/ha	-	7 days	-
ZAGRO CORPORATION	PROFENOFOS	ELAK 50 EC	500 g/L	EC	INSECTICIDE	2	043-070-3115	08-Feb-19	CONTACT	Mango	Thrips	1.0-2.0 Tbsp/16L water	-	-	-
ZAGRO CORPORATION	PROFENOFOS	ELAK 50 EC	500 g/L	EC	INSECTICIDE	2	043-070-3115	08-Feb-19	CONTACT	Tomato	Fruitworm, armyworm, cutworm	3-5 Tbsp/16L water	-	-	-
ZAGRO CORPORATION	PROFENOFOS	ELAK 50 EC	500 g/L	EC	INSECTICIDE	2	043-070-3115	08-Feb-19	CONTACT	Eggplant	Fruitborer, aphids, leafhopper, & thrips	1.5-3.0 Tbsp/16L water	-	-	-
ZAGRO CORPORATION	PROFENOFOS	ELAK 50 EC	500 g/L	EC	INSECTICIDE	2	043-070-3115	08-Feb-19	CONTACT	Cabbage	Diamond back moth, cabbage worm & aphids, thrips	3-5 Tbsp/16L water	-	-	-
ZAGRO CORPORATION	PROFENOFOS	ELAK 50 EC	500 g/L	EC	INSECTICIDE	2	043-070-3115	08-Feb-19	CONTACT	Watermelon	Thrips	3-5 Tbsp/16L water	-	-	-
ZAGRO CORPORATION	PROFENOFOS	ELAK 50 EC	500 g/L	EC	INSECTICIDE	2	043-070-3115	08-Feb-19	CONTACT	Potato	Thrips, army worm, cutworm, tuber moth	3-5 Tbsp/16L water	-	-	-
ZAGRO CORPORATION	PROFENOFOS	ELAK 50 EC	500 g/L	EC	INSECTICIDE	2	043-070-3115	08-Feb-19	CONTACT	Soybeans	Corn earworm, leafminer	3-5 Tbsp/16L water	-	-	-
ZAGRO CORPORATION	PROFENOFOS	ELAK 50 EC	500 g/L	EC	INSECTICIDE	2	043-070-3115	08-Feb-19	CONTACT	Mungbeans	Corn earworm, leafminer	3-5 Tbsp/16L water	-	-	-
ZAGRO CORPORATION	PROFENOFOS	ELAK 50 EC	500 g/L	EC	INSECTICIDE	2	043-070-3115	08-Feb-19	CONTACT	Cotton	Thrips, bollworm & budworm	3-5 Tbsp/16L water	-	-	-
ZAGRO CORPORATION	PROFENOFOS	ELAK 50 EC	500 g/L	EC	INSECTICIDE	2	043-070-3115	08-Feb-19	CONTACT	Sitao	Beardfly, leafroller & aphids	1.5-3.0 Tbsp/16L water	-	-	-
ARIES RINE CHEMICAL CORPORATION	THIAMETHOXAM	EL TORO 25 WG	250 g/kg	WG	INSECTICIDE	4	478-312-5207	30-Jan-25	SYSTEMIC	Pineapple	Mealy bug	100-200 g/ha	0.01 mg/kg	No PHI proposed as last application of TAYAMET 25WG will be 456 days before harvest	Do not enter unless spray deposits have dried
ARIES RINE CHEMICAL CORPORATION	THIAMETHOXAM	EL TORO 25 WG	250 g/kg	WG	INSECTICIDE	4	478-312-5207	30-Jan-25	SYSTEMIC	Mango	Leafhopper	805-6-123.3g prod/ha	0.20 mg/kg	No PHI proposed as the product will be applied at least 20-40 days before harvest	Do not enter unless spray deposits have dried
ARIES RINE CHEMICAL CORPORATION	THIAMETHOXAM	EL TORO 25 WG	250 g/kg	WG	INSECTICIDE	4	478-312-5207	30-Jan-25	SYSTEMIC	Rice	Green leafhopper, brown plant hopper, white backed planthopper, rice bug, black bug	4.0-5.0 Tbsp/16L water; For black bug 7.0-10.0 Tbsp/16L water	-	28 days	Do not enter unless spray deposits have dried
ARIES RINE CHEMICAL CORPORATION	THIAMETHOXAM	EL TORO 25 WG	250 g/kg	WG	INSECTICIDE	4	478-312-5207	30-Jan-25	SYSTEMIC	Stringbeans	Aphids, leafhopper	0.5-2.0 Drench, Foliar spray 2.0-5.0 Tbsp/16L water	-	7 days	Do not enter unless spray deposits have dried
ARIES RINE CHEMICAL CORPORATION	THIAMETHOXAM	EL TORO 25 WG	250 g/kg	WG	INSECTICIDE	4	478-312-5207	30-Jan-25	SYSTEMIC	Eggplant	Aphids, leafhopper	0.5-2.0 Drench, Foliar spray 2.0-5.0 Tbsp/16L water	-	3 days	Do not enter unless spray deposits have dried
ARIES RINE CHEMICAL CORPORATION	THIAMETHOXAM	EL TORO 25 WG	250 g/kg	WG	INSECTICIDE	4	478-312-5207	30-Jan-25	SYSTEMIC	Banana	Flower thrips	4 g/L	0.02 mg/kg	No PHI proposed as EL TORO 25WG will be applied as bud injection	Do not enter unless spray deposits have dried
KEMSTAR CORPORATION	DIURON	EL NIÑO 80 WP	800 g/kg	WP	HERBICIDE	4	239-021-3741	17-Jan-19	SYSTEMIC	Citrus	Annual and Perennial broadleaves and grasses	11.0-15.0Tbsp/16 L water	-	-	-
KEMSTAR CORPORATION	DIURON	EL NIÑO 80 WP	800 g/kg	WP	HERBICIDE	4	239-021-3741	17-Jan-19	SYSTEMIC	Coffee	Annual and Perennial broadleaves and grasses	11.0-15.0Tbsp/16 L water	-	-	-
KEMSTAR CORPORATION	DIURON	EL NIÑO 80 WP	800 g/kg	WP	HERBICIDE	4	239-021-3741	17-Jan-19	SYSTEMIC	Cotton	Annual and Perennial broadleaves and grasses	8.0Tbsp/16 L water	-	-	-
KEMSTAR CORPORATION	DIURON	EL NIÑO 80 WP	800 g/kg	WP	HERBICIDE	4	239-021-3741	17-Jan-19	SYSTEMIC	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0Tbsp/16 L water	-	-	-
KEMSTAR CORPORATION	DIURON	EL NIÑO 80 WP	800 g/kg	WP	HERBICIDE	4	239-021-3741	17-Jan-19	SYSTEMIC	Pineapple	Annual and Perennial broadleaves and grasses	11.0Tbsp/16 L water	-	-	-
KEMSTAR CORPORATION	DIURON	EL NIÑO 80 WP	800 g/kg	WP	HERBICIDE	4	239-021-3741	17-Jan-19	SYSTEMIC	Non-crop land	Annual and Perennial broadleaves and grasses	20.0-28.0Tbsp/16 L water	-	-	-
INTERSORORA INC.	GLYPHOSATE IPA	EL GRANDE 480 SL	480 g/L	SL	HERBICIDE	4	664-151-5031	28-Jan-26	POST-EMERGENT	Glyphosate tolerant corn	Annual And Perennial, grass and broad-leaved weeds	2.0-4.0 Liters/ha	-	-	-
INTERSORORA INC.	GLYPHOSATE IPA	EL GRANDE 480 SL	480 g/L	SL	HERBICIDE	4	664-151-5031	28-Jan-26	POST-EMERGENT	Mango	Annual And Perennial, grass and broad-leaved weeds	3.0-4.5 Liters/ha	-	-	-
INTERSORORA INC.	GLYPHOSATE IPA	EL GRANDE 480 SL	480 g/L	SL	HERBICIDE	4	664-151-5031	28-Jan-26	POST-EMERGENT	Banana	Annual And Perennial, grass and broad-leaved weeds	3.0-4.5 Liters/ha	-	-	-

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
INTERSORDRA INC.	GLYPHOSATE IPA	EL GRANDE 480 SL	480 g/L	SL	HERBICIDE	4	664-151-5031	28-Jan-26	POST-EMERGENT	Coffee	Annual And Perennial, grass and broad-leaved weeds	3.0-4.5 Liters/ha	-	-	-
INTERSORDRA INC.	GLYPHOSATE IPA	EL GRANDE 480 SL	480 g/L	SL	HERBICIDE	4	664-151-5031	28-Jan-26	POST-EMERGENT	Cacao	Annual And Perennial, grass and broad-leaved weeds	3.0-4.5 Liters/ha	-	-	-
INTERSORDRA INC.	GLYPHOSATE IPA	EL GRANDE 480 SL	480 g/L	SL	HERBICIDE	4	664-151-5031	28-Jan-26	POST-EMERGENT	Rubber	Annual And Perennial, grass and broad-leaved weeds	2.0 Liters/ha	-	-	-
INTERSORDRA INC.	GLYPHOSATE IPA	EL GRANDE 480 SL	480 g/L	SL	HERBICIDE	4	664-151-5031	28-Jan-26	POST-EMERGENT	Oil palm	Annual And Perennial, grass and broad-leaved weeds	2.0 Liters/ha	-	-	-
INTERSORDRA INC.	GLYPHOSATE IPA	EL GRANDE 480 SL	480 g/L	SL	HERBICIDE	4	664-151-5031	28-Jan-26	POST-EMERGENT	Citrus	Annual And Perennial, grass and broad-leaved weeds	2.0 Liters/ha	-	-	-
INTERSORDRA INC.	GLYPHOSATE IPA	EL GRANDE 480 SL	480 g/L	SL	HERBICIDE	4	664-151-5031	28-Jan-26	POST-EMERGENT	Coconut	Annual And Perennial, grass and broad-leaved weeds	4.5 Liters/ha	-	-	-
INTERSORDRA INC.	GLYPHOSATE IPA	EL GRANDE 480 SL	480 g/L	SL	HERBICIDE	4	664-151-5031	28-Jan-26	POST-EMERGENT	Sugarcane	Annual And Perennial, grass and broad-leaved weeds	2.0 Liters/ha	-	-	-
INTERSORDRA INC.	GLYPHOSATE IPA	EL GRANDE 480 SL	480 g/L	SL	HERBICIDE	4	664-151-5031	28-Jan-26	POST-EMERGENT	Vegetables under minimum or reduced tillage system	Annual And Perennial, grass and broad-leaved weeds	2.0 Liters/ha	-	-	-
INTERSORDRA INC.	GLYPHOSATE IPA	EL GRANDE 480 SL	480 g/L	SL	HERBICIDE	4	664-151-5031	28-Jan-26	POST-EMERGENT	Non-crop areas	Annual And Perennial, grass and broad-leaved weeds	-	-	-	-
JOCANIMA CORPORATION	GLUFOSINATE-P	EL GLUFO 10 SL	100 g/L	SL	HERBICIDE	4	241-616-6081	13-Mar-24	NON-SELECTIVE (POST-EMERGENT)	Banana	Grasses sedges and Broadleaves	1-2 L prod/ hectare; 2 L prod/ hectare	-	-	-
EIA AGRITECH CORPORATION	NICLOSAMIDE ETHANOLAMINE SALT	EIA NICLOSAMIDE 70 WP	700 g/kg	WP	MOLLUSCICIDE	4	465-229-2514	07-Jul-21	CONTACT	Rice	Golden-Apple Snail (Kuhol)	25 gm/36L water	-	-	At least 48 hours after application
EIA AGRITECH CORPORATION	MALATHION	EIA MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	465-038-2780	07-Jul-21	NON-SYSTEMIC	Fruit trees	Aphids, mealy bug scale insect	1.5-3.0Tbsp/36 L water	-	One (1) day after each spraying.	One (1) day after each spraying.
EIA AGRITECH CORPORATION	MALATHION	EIA MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	465-038-2780	07-Jul-21	NON-SYSTEMIC	Rice	Armyworm, caseworm, leafhopper, bugs	2.0-3.0Tbsp/36 L water	-	One (1) day after each spraying.	One (1) day after each spraying.
EIA AGRITECH CORPORATION	MALATHION	EIA MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	465-038-2780	07-Jul-21	NON-SYSTEMIC	Corn	Earworm, silk-worm, aphids, grasshopper	3.0-5.0Tbsp/36 L water	-	One (1) day after each spraying.	One (1) day after each spraying.
EIA AGRITECH CORPORATION	MALATHION	EIA MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	465-038-2780	07-Jul-21	NON-SYSTEMIC	Cabbage	Cabbage worm, loopers, diamond-back moth	3.0-5.0Tbsp/36 L water	-	One (1) day after each spraying.	One (1) day after each spraying.
EIA AGRITECH CORPORATION	MALATHION	EIA MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	465-038-2780	07-Jul-21	NON-SYSTEMIC	Legumes	Aphids, beanfly, cutworm, flea beetles, leafminer, maggots, mealybug, podborer, thrips	2.0-5.0Tbsp/36 L water	-	One (1) day after each spraying.	One (1) day after each spraying.
EIA AGRITECH CORPORATION	MALATHION	EIA MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	465-038-2780	07-Jul-21	NON-SYSTEMIC	Grapes	Beetles, cutworm, leafhopper, mealybug, scale, insect, spider mites	3.0Tbsp/36 L water	-	One (1) day after each spraying.	One (1) day after each spraying.
EIA AGRITECH CORPORATION	MALATHION	EIA MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	465-038-2780	07-Jul-21	NON-SYSTEMIC	Pineapple	Mealy bug	3.0Tbsp/36 L water	-	One (1) day after each spraying.	One (1) day after each spraying.
EIA AGRITECH CORPORATION	MALATHION	EIA MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	465-038-2780	07-Jul-21	NON-SYSTEMIC	Pepper	Aphid, cutworm, fruitworm	3.0Tbsp/36 L water	-	One (1) day after each spraying.	One (1) day after each spraying.
EIA AGRITECH CORPORATION	MALATHION	EIA MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	465-038-2780	07-Jul-21	NON-SYSTEMIC	Garlic	Cutworm	3.0Tbsp/36 L water	-	One (1) day after each spraying.	One (1) day after each spraying.
EIA AGRITECH CORPORATION	MALATHION	EIA MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	465-038-2780	07-Jul-21	NON-SYSTEMIC	Onion	Cutworm	3.0Tbsp/36 L water	-	One (1) day after each spraying.	One (1) day after each spraying.
EIA AGRITECH CORPORATION	MALATHION	EIA MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	465-038-2780	07-Jul-21	NON-SYSTEMIC	Tobacco	Aphids, katydid	3.0-6.0Tbsp/36 L water	-	One (1) day after each spraying.	One (1) day after each spraying.
EIA AGRITECH CORPORATION	MALATHION	EIA MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	465-038-2780	07-Jul-21	NON-SYSTEMIC	Ornamentals	Aphids, cutworm, mealybug, scale insect, spider mites	3.0-5.0Tbsp/36 L water	-	One (1) day after each spraying.	One (1) day after each spraying.
EIA AGRITECH CORPORATION	MALATHION	EIA MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	465-038-2780	07-Jul-21	NON-SYSTEMIC	Tomato	Lady beetle	3.0-5.0Tbsp/36 L water	-	One (1) day after each spraying.	One (1) day after each spraying.
EIA AGRITECH CORPORATION	MALATHION	EIA MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	465-038-2780	07-Jul-21	NON-SYSTEMIC	Eggplant	Aphids, fruitworm	3.0-5.0Tbsp/36 L water	-	One (1) day after each spraying.	One (1) day after each spraying.
EIA AGRITECH CORPORATION	MALATHION	EIA MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	465-038-2780	07-Jul-21	NON-SYSTEMIC	Sorghum	Web worm	3.0Tbsp/36 L water	-	One (1) day after each spraying.	One (1) day after each spraying.
EIA AGRITECH CORPORATION	LAMBDA-CYHALOTHIN	EIA LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	465-204-3704	17-May-22	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leafroller, black bug	1.0-1.5Tbsp/36 L of water	0.05ppm	Do not spray 3 days before harvest	Re-entry to treated field is allowed as soon as spray deposits dry
EIA AGRITECH CORPORATION	LAMBDA-CYHALOTHIN	EIA LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	465-204-3704	17-May-22	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/36 L of water	-	Do not spray 3 days before harvest	Re-entry to treated field is allowed as soon as spray deposits dry
EIA AGRITECH CORPORATION	LAMBDA-CYHALOTHIN	EIA LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	465-204-3704	17-May-22	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/36 L of water	-	Do not spray 3 days before harvest	Re-entry to treated field is allowed as soon as spray deposits dry
EIA AGRITECH CORPORATION	LAMBDA-CYHALOTHIN	EIA LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	465-204-3704	17-May-22	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/36 L of water	-	Do not spray 3 days before harvest	Re-entry to treated field is allowed as soon as spray deposits dry
EIA AGRITECH CORPORATION	LAMBDA-CYHALOTHIN	EIA LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	465-204-3704	17-May-22	SYSTEMIC	Mungbeans	Beanfly, flea beetle, leafhopper, aphids, mites, podborer	1.0Tbsp/36 L of water	-	Do not spray 3 days before harvest	Re-entry to treated field is allowed as soon as spray deposits dry
EIA AGRITECH CORPORATION	LAMBDA-CYHALOTHIN	EIA LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	465-204-3704	17-May-22	SYSTEMIC	Corn	Comborer, aphids, seedling maggots	1.0-1.5Tbsp/36 L of water	-	Do not spray 3 days before harvest	Re-entry to treated field is allowed as soon as spray deposits dry
EIA AGRITECH CORPORATION	LAMBDA-CYHALOTHIN	EIA LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	465-204-3704	17-May-22	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydid	1.0-1.5Tbsp/36 L of water	-	Do not spray 3 days before harvest	Re-entry to treated field is allowed as soon as spray deposits dry
EIA AGRITECH CORPORATION	LAMBDA-CYHALOTHIN	EIA LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	465-204-3704	17-May-22	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/36 L of water	-	Do not spray 3 days before harvest	Re-entry to treated field is allowed as soon as spray deposits dry
EIA AGRITECH CORPORATION	LAMBDA-CYHALOTHIN	EIA LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	465-204-3704	17-May-22	SYSTEMIC	Cocoa	Podborer	1.0-2.0Tbsp/36 L of water	-	Do not spray 3 days before harvest	Re-entry to treated field is allowed as soon as spray deposits dry
EIA AGRITECH CORPORATION	LAMBDA-CYHALOTHIN	EIA LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	465-204-3704	17-May-22	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/36 L of water	-	Do not spray 3 days before harvest	Re-entry to treated field is allowed as soon as spray deposits dry
EIA AGRITECH CORPORATION	GLYPHOSATE IPA	EIA GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	465-151-2720	07-Jul-21	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/ha	-	-	-
EIA AGRITECH CORPORATION	GLYPHOSATE IPA	EIA GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	465-151-2720	07-Jul-21	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
EIA AGRITECH CORPORATION	GLYPHOSATE IPA	EIA GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	465-151-2720	07-Jul-21	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
EIA AGRITECH CORPORATION	GLYPHOSATE IPA	EIA GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	465-151-2720	07-Jul-21	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
EIA AGRITECH CORPORATION	GLYPHOSATE IPA	EIA GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	465-151-2720	07-Jul-21	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
EIA AGRITECH CORPORATION	GLYPHOSATE IPA	EIA GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	465-151-2720	07-Jul-21	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
EIA AGRITECH CORPORATION	GLYPHOSATE IPA	EIA GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	465-151-2720	07-Jul-21	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
EIA AGRITECH CORPORATION	GLYPHOSATE IPA	EIA GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	465-151-2720	07-Jul-21	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
EIA AGRITECH CORPORATION	GLYPHOSATE IPA	EIA GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	465-151-2720	07-Jul-21	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/ha	-	-	-
EIA AGRITECH CORPORATION	GLYPHOSATE IPA	EIA GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	465-151-2720	07-Jul-21	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
EIA AGRITECH CORPORATION	GLYPHOSATE IPA	EIA GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	465-151-2720	07-Jul-21	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
EIA AGRITECH CORPORATION	GLYPHOSATE IPA	EIA GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	465-151-2720	07-Jul-21	POST-EMERGENT	non-crop	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
EIA AGRITECH CORPORATION	CYPERMETHRIN	EIA CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	465-037-2713	07-Jul-21	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
EIA AGRITECH CORPORATION	CYPERMETHRIN	EIA CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	465-037-2713	07-Jul-21	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leafroller, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
EIA AGRITECH CORPORATION	CYPERMETHRIN	EIA CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	465-037-2713	07-Jul-21	CONTACT	Cabbage	Diamond-back-moth, cabbage moth, worm	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
EIA AGRITECH CORPORATION	CYPERMETHRIN	EIA CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	465-037-2713	07-Jul-21	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
EIA AGRITECH CORPORATION	CYPERMETHRIN	EIA CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	465-037-2713	07-Jul-21	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
EIA AGRITECH CORPORATION	CYPERMETHRIN	EIA CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	465-037-2713	07-Jul-21	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
EIA AGRITECH CORPORATION	CYPERMETHRIN	EIA CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	465-037-2713	07-Jul-21	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
EIA AGRITECH CORPORATION	CYPERMETHRIN	EIA CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	465-037-2713	07-Jul-21	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
EIA AGRITECH CORPORATION	CYPERMETHRIN	EIA CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	465-037-2713	07-Jul-21	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dries
EIA AGRITECH CORPORATION	CYPERMETHRIN	EIA CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	465-037-2713	07-Jul-21	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dries
EIA AGRITECH CORPORATION	CYPERMETHRIN	EIA CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	465-037-2713	07-Jul-21	CONTACT	Corn	Comborer, earworm	1.0-4.5 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dries
AGSPEC PHILIPPINES CORPORATION	METALAXYL	ECOLAXYL 35 SD	350 g/kg	SD	FUNGICIDE	4	108-071-3234	09-Feb-26	SYSTEMIC	Corn	Downy mildew as seed treatment	184-4.48g or mL/36mL water	-	-	As soon as moisture has dried out. Do not enter or allow worker entry into treated areas during the restricted-entry interval (REI) of 48 hours
AGSPEC PHILIPPINES CORPORATION	METALAXYL	ECOLAXYL 35 SD	350 g/kg	SD	FUNGICIDE	4	108-071-3234	09-Feb-26	SYSTEMIC	Papaya (Direct seeded)	Root rot and damping off	111-244.8g or mL/36mL water	-	-	Do not apply 7 days before harvest
AGSPEC PHILIPPINES CORPORATION	METALAXYL	ECOLAXYL 35 SD	350 g/kg	SD	FUNGICIDE	4	108-071-3234	09-Feb-26	SYSTEMIC	Papaya (Solo plant)	Root rot and damping off	227-25.46g or mL/36mL water	-	-	As soon as moisture has dried out. Do not enter or allow worker entry into treated areas during the restricted-entry interval (REI) of 48 hours
STERIX INCORPORATED	PHOSPHINE	ECOLFLAME	2 g/kg	-	FUMIGANT	1	434-399-2323	27-Oct-26	-	Stored grain	Stored grain pests specially corn weevil and rice weevil, red flour beetle and lesser grain borer	-	-	-	-
UCHIPHIL INTERNATIONAL INC.	BUTACHLOR	ECNO 800 EC	800 g/L	EC	HERBICIDE	3	190-120-5433	30-May-24	PRE-EMERGENT	Rice (Direct-seeded)	Grasses, sedges and broadleaf weeds	5-7.5 Tbsp/36 water	-	-	Do not enter treated fields within two days after spraying
NORTHERN PRIME TRADING CORPORATION	LAMBDA-CHYALOTHIRIN	ECHONIA 2.5 EC	25 g/L	EC	INSECTICIDE	2	728-204-5861	22-Apr-25	-	Rice	Green leafhopper, armyworm, rice bug, leafroller, black bug	3-1/2 Tbsp/ 36L water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray dries up
NORTHERN PRIME TRADING CORPORATION	LAMBDA-CHYALOTHIRIN	ECHONIA 2.5 EC	25 g/L	EC	INSECTICIDE	2	728-204-5861	22-Apr-25	-	Mango	Hopper	3/4-1 1/2 Tbsp/ 36L water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray dries up
NORTHERN PRIME TRADING CORPORATION	LAMBDA-CHYALOTHIRIN	ECHONIA 2.5 EC	25 g/L	EC	INSECTICIDE	2	728-204-5861	22-Apr-25	-	Tomato	Fruitworm, cutworm, aphids	3-1 1/2 Tbsp/ 36L water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray dries up
NORTHERN PRIME TRADING CORPORATION	LAMBDA-CHYALOTHIRIN	ECHONIA 2.5 EC	25 g/L	EC	INSECTICIDE	2	728-204-5861	22-Apr-25	-	Onion	Thrips, cutworm	1 Tbsp/ 36L water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray dries up
NORTHERN PRIME TRADING CORPORATION	LAMBDA-CHYALOTHIRIN	ECHONIA 2.5 EC	25 g/L	EC	INSECTICIDE	2	728-204-5861	22-Apr-25	-	Mungbeans	Beanfly, flea beetle, leafhopper, aphids, mites, podborer	1 Tbsp/ 36L water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray dries up
NORTHERN PRIME TRADING CORPORATION	LAMBDA-CHYALOTHIRIN	ECHONIA 2.5 EC	25 g/L	EC	INSECTICIDE	2	728-204-5861	22-Apr-25	-	Corn	Comborer, aphids, seedling maggots	3-1 1/2 Tbsp/ 36L water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray dries up
NORTHERN PRIME TRADING CORPORATION	LAMBDA-CHYALOTHIRIN	ECHONIA 2.5 EC	25 g/L	EC	INSECTICIDE	2	728-204-5861	22-Apr-25	-	Tobacco	Budworm, cutworm, aphids, katydids	1-1 1/2 Tbsp/ 36L water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray dries up
NORTHERN PRIME TRADING CORPORATION	LAMBDA-CHYALOTHIRIN	ECHONIA 2.5 EC	25 g/L	EC	INSECTICIDE	2	728-204-5861	22-Apr-25	-	Cotton	Bollworm	3-1 1/2 Tbsp/ 36L water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray dries up
NORTHERN PRIME TRADING CORPORATION	LAMBDA-CHYALOTHIRIN	ECHONIA 2.5 EC	25 g/L	EC	INSECTICIDE	2	728-204-5861	22-Apr-25	-	Cocoa	Pod borer	2 Tbsp/ 36L water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray dries up
NORTHERN PRIME TRADING CORPORATION	LAMBDA-CHYALOTHIRIN	ECHONIA 2.5 EC	25 g/L	EC	INSECTICIDE	2	728-204-5861	22-Apr-25	-	Watermelon	Squash beetle, melon worm	1 Tbsp/ 36L water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray dries up
ECO GREENGLD AGRIVENTURES INC.	PYMETROZINE	ECO PYMETROZINE 50 WG	500 g/kg	WG	INSECTICIDE	4	614-307-4431	25-Jul-21	-	Mango	leafhopper	1 Sachet/200L	-	-	Do not enter the treated fields for at least 24 hours after application
ECO GREENGLD AGRIVENTURES INC.	PROFENOFOS	ECO PROFENOFOS 50 EC	500g/L	EC	INSECTICIDE	2	614-070-4428	25-Jul-21	CONTACT	Tomato	Fruitworm, armyworm, cutworm	3-5 Tbsp/36L water	-	Do not apply at least seven(7) days before harvest.	Do not enter treated fields for at least one(1) day after application.
ECO GREENGLD AGRIVENTURES INC.	PROFENOFOS	ECO PROFENOFOS 50 EC	500g/L	EC	INSECTICIDE	2	614-070-4428	25-Jul-21	CONTACT	Eggplant	Fruitborer, aphids, leafhopper, & thrips	1.5-3.0 Tbsp/36L water	-	Do not apply at least seven(7) days before harvest.	Do not enter treated fields for at least one(1) day after application.
ECO GREENGLD AGRIVENTURES INC.	PROFENOFOS	ECO PROFENOFOS 50 EC	500g/L	EC	INSECTICIDE	2	614-070-4428	25-Jul-21	CONTACT	Cabbage	Diamond back moth, cabbage worm & aphids, thrips	3-5 Tbsp/36L water	-	Do not apply at least seven(7) days before harvest.	Do not enter treated fields for at least one(1) day after application.
ECO GREENGLD AGRIVENTURES INC.	PROFENOFOS	ECO PROFENOFOS 50 EC	500g/L	EC	INSECTICIDE	2	614-070-4428	25-Jul-21	CONTACT	Watermelon	Thrips	3-5 Tbsp/36L water	-	Do not apply at least seven(7) days before harvest.	Do not enter treated fields for at least one(1) day after application.
ECO GREENGLD AGRIVENTURES INC.	PROFENOFOS	ECO PROFENOFOS 50 EC	500g/L	EC	INSECTICIDE	2	614-070-4428	25-Jul-21	CONTACT	Potato	Thrips, army worm, cutworm, tuber moth	3-5 Tbsp/36L water	-	Do not apply at least seven(7) days before harvest.	Do not enter treated fields for at least one(1) day after application.
ECO GREENGLD AGRIVENTURES INC.	PROFENOFOS	ECO PROFENOFOS 50 EC	500g/L	EC	INSECTICIDE	2	614-070-4428	25-Jul-21	CONTACT	Soybeans	Corn earworm, leafminer	3-5 Tbsp/36L water	-	Do not apply at least seven(7) days before harvest.	Do not enter treated fields for at least one(1) day after application.
ECO GREENGLD AGRIVENTURES INC.	PROFENOFOS	ECO PROFENOFOS 50 EC	500g/L	EC	INSECTICIDE	2	614-070-4428	25-Jul-21	CONTACT	Mungbeans	Corn earworm, leafminer	3-5 Tbsp/36L water	-	Do not apply at least seven(7) days before harvest.	Do not enter treated fields for at least one(1) day after application.
ECO GREENGLD AGRIVENTURES INC.	PROFENOFOS	ECO PROFENOFOS 50 EC	500g/L	EC	INSECTICIDE	2	614-070-4428	25-Jul-21	CONTACT	Cotton	Thrips, bollworm & budworm	3-5 Tbsp/36L water	-	Do not apply at least seven(7) days before harvest.	Do not enter treated fields for at least one(1) day after application.
ECO GREENGLD AGRIVENTURES INC.	PROFENOFOS	ECO PROFENOFOS 50 EC	500g/L	EC	INSECTICIDE	2	614-070-4428	25-Jul-21	CONTACT	Sitao	Beanfly, leafroller & aphids	1.5-3.0 Tbsp/36L water	-	Do not apply at least seven(7) days before harvest.	Do not enter treated fields for at least one(1) day after application.
ECO GREENGLD AGRIVENTURES INC.	PROFENOFOS	ECO PROFENOFOS 50 EC	500g/L	EC	INSECTICIDE	2	614-070-4428	25-Jul-21	CONTACT	Rice	Golden Apple Snail (Kuhol)	35 gm/36 L water	-	-	Do not enter the treated field within 48 hours after application
ECO GREENGLD AGRIVENTURES INC.	MANCOZEB	ECO MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	614-053-4430	25-Jul-21	-	Potato	Early and late blight	3-6 Tbsp/36 L water	-	-	As soon as spray dries
ECO GREENGLD AGRIVENTURES INC.	MANCOZEB	ECO MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	614-053-4430	25-Jul-21	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
ECO GREENGLD AGRIVENTURES INC.	MANCOZEB	ECO MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	614-053-4430	25-Jul-21	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
ECO GREENGLD AGRIVENTURES INC.	MANCOZEB	ECO MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	614-053-4430	25-Jul-21	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
ECO GREENGLD AGRIVENTURES INC.	MANCOZEB	ECO MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	614-053-4430	25-Jul-21	-	Calety	Late blight	3-6 Tbsp/36 L water	-	14 Days	As soon as spray dries
ECO GREENGLD AGRIVENTURES INC.	MANCOZEB	ECO MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	614-053-4430	25-Jul-21	-	Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
ECO GREENGLD AGRIVENTURES INC.	MANCOZEB	ECO MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	614-053-4430	25-Jul-21	-	Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
ECO GREENGLD AGRIVENTURES INC.	MANCOZEB	ECO MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	614-053-4430	25-Jul-21	-	Cotton	Damping off	3-6 Tbsp/36 L water	-	-	As soon as spray dries
ECO GREENGLD AGRIVENTURES INC.	MANCOZEB	ECO MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	614-053-4430	25-Jul-21	-	lettuce	Downy mildew	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
ECO GREENGLD AGRIVENTURES INC.	MANCOZEB	ECO MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	614-053-4430	25-Jul-21	-	Beans	Anthracoese, Downy mildew, Rust	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
ECO GREENGLD AGRIVENTURES INC.	MANCOZEB	ECO MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	614-053-4430	25-Jul-21	-	Peas	Anthracoese, Downy mildew, Rust	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
ECO GREENGLD AGRIVENTURES INC.	MANCOZEB	ECO MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	614-053-4430	25-Jul-21	-	Mungo	Anthracoese, Downy mildew, Rust	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
ECO GREENGLD AGRIVENTURES INC.	MANCOZEB	ECO MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	614-053-4430	25-Jul-21	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
ECO GREENGLD AGRIVENTURES INC.	MANCOZEB	ECO MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	614-053-4430	25-Jul-21	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
ECO GREENGLD AGRIVENTURES INC.	MANCOZEB	ECO MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	614-053-4430	25-Jul-21	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
ECO GREENGLD AGRIVENTURES INC.	MANCOZEB	ECO MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	614-053-4430	25-Jul-21	-	Pepper	Anthracoese	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
ECO GREENGLD AGRIVENTURES INC.	MANCOZEB	ECO MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	614-053-4430	25-Jul-21	-	Chili	Anthracoese	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
ECO GREENGLD AGRIVENTURES INC.	MANCOZEB	ECO MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	614-053-4430	25-Jul-21	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
ECO GREENGLD AGRIVENTURES INC.	MANCOZEB	ECO MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	614-053-4430	25-Jul-21	-	Banana	Sigatoka, Black leaf streak	3-6 Tbsp/36 L water	-	-	As soon as spray dries
ECO GREENGLD AGRIVENTURES INC.	MANCOZEB	ECO MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	614-053-4430	25-Jul-21	-	Grapes	Downy mildew, black rot	3-6 Tbsp/36 L water	-	60 days	As soon as spray dries
ECO GREENGLD AGRIVENTURES INC.	MANCOZEB	ECO MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	614-053-4430	25-Jul-21	-	Mango	Anthracoese and Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
ECO GREENGLD AGRIVENTURES INC.	MANCOZEB	ECO MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	614-053-4430	25-Jul-21	-	Papaya	Fruit rot	3-6 Tbsp/36 L water	-	-	As soon as spray dries
ECO GREENGLD AGRIVENTURES INC.	MANCOZEB	ECO MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	614-053-4430	25-Jul-21	-	Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
ECO GREENGLD AGRIVENTURES INC.	MANCOZEB	ECO MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	614-053-4430	25-Jul-21	-	Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
ECO GREENGLD AGRIVENTURES INC.	MANCOZEB	ECO MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	614-053-4430	25-Jul-21	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
ECO GREENGLD AGRIVENTURES INC.	MANCOZEB	ECO MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	614-053-4430	25-Jul-21	-	Rice	Blas, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/36 L water	0.02ppm	-	As soon as spray dries
ECO GREENGLD AGRIVENTURES INC.	MANCOZEB	ECO MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	614-053-4430	25-Jul-21	-	Peanut	Cercospora leaf spot	3-6 Tbsp/36 L water	-	14 Days	As soon as spray dries

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
ECO GREENGOLD AGRIVENTURES INC.	MANCOZEB	ECO MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	634-093-4430	29-Jul-21	-	Soybeans	Leaf rust	3-6 Tbsp/36 L water	-	-	As soon as spray dries
ECO GREENGOLD AGRIVENTURES INC.	MANCOZEB	ECO MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	634-093-4430	29-Jul-21	-	Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/36 L water	-	-	As soon as spray dries
ECO GREENGOLD AGRIVENTURES INC.	GLYPHOSATE IPA	ECO GLYPHOSATE 48 SL	480g/L	SL	HERBICIDE	4	634-151-4433	29-Jul-21	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/ha	-	-	-
ECO GREENGOLD AGRIVENTURES INC.	GLYPHOSATE IPA	ECO GLYPHOSATE 48 SL	480g/L	SL	HERBICIDE	4	634-151-4433	29-Jul-21	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.5 Liters/ha	-	-	-
ECO GREENGOLD AGRIVENTURES INC.	GLYPHOSATE IPA	ECO GLYPHOSATE 48 SL	480g/L	SL	HERBICIDE	4	634-151-4433	29-Jul-21	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
ECO GREENGOLD AGRIVENTURES INC.	GLYPHOSATE IPA	ECO GLYPHOSATE 48 SL	480g/L	SL	HERBICIDE	4	634-151-4433	29-Jul-21	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
ECO GREENGOLD AGRIVENTURES INC.	GLYPHOSATE IPA	ECO GLYPHOSATE 48 SL	480g/L	SL	HERBICIDE	4	634-151-4433	29-Jul-21	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
ECO GREENGOLD AGRIVENTURES INC.	GLYPHOSATE IPA	ECO GLYPHOSATE 48 SL	480g/L	SL	HERBICIDE	4	634-151-4433	29-Jul-21	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
ECO GREENGOLD AGRIVENTURES INC.	GLYPHOSATE IPA	ECO GLYPHOSATE 48 SL	480g/L	SL	HERBICIDE	4	634-151-4433	29-Jul-21	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
ECO GREENGOLD AGRIVENTURES INC.	GLYPHOSATE IPA	ECO GLYPHOSATE 48 SL	480g/L	SL	HERBICIDE	4	634-151-4433	29-Jul-21	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
ECO GREENGOLD AGRIVENTURES INC.	GLYPHOSATE IPA	ECO GLYPHOSATE 48 SL	480g/L	SL	HERBICIDE	4	634-151-4433	29-Jul-21	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/ha	-	-	-
ECO GREENGOLD AGRIVENTURES INC.	GLYPHOSATE IPA	ECO GLYPHOSATE 48 SL	480g/L	SL	HERBICIDE	4	634-151-4433	29-Jul-21	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
ECO GREENGOLD AGRIVENTURES INC.	GLYPHOSATE IPA	ECO GLYPHOSATE 48 SL	480g/L	SL	HERBICIDE	4	634-151-4433	29-Jul-21	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
ECO GREENGOLD AGRIVENTURES INC.	GLYPHOSATE IPA	ECO GLYPHOSATE 48 SL	480g/L	SL	HERBICIDE	4	634-151-4433	29-Jul-21	POST-EMERGENT	Non-crop	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
ECO GREENGOLD AGRIVENTURES INC.	DIURON	ECO DIURON 80 SC	800 g/L	SC	HERBICIDE	4	634-021-4429	29-Jul-21	SYSTEMIC	Citrus	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/36 L water	-	-	Twenty four (24) hours after application.
ECO GREENGOLD AGRIVENTURES INC.	DIURON	ECO DIURON 80 SC	800 g/L	SC	HERBICIDE	4	634-021-4429	29-Jul-21	SYSTEMIC	Coffee	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/36 L water	-	-	Twenty four (24) hours after application.
ECO GREENGOLD AGRIVENTURES INC.	DIURON	ECO DIURON 80 SC	800 g/L	SC	HERBICIDE	4	634-021-4429	29-Jul-21	SYSTEMIC	Cotton	Annual and Perennial broadleaves and grasses	8.0Tbsp/36 L water	-	-	Twenty four (24) hours after application.
ECO GREENGOLD AGRIVENTURES INC.	DIURON	ECO DIURON 80 SC	800 g/L	SC	HERBICIDE	4	634-021-4429	29-Jul-21	SYSTEMIC	Sugarcane	Annual and Perennial broadleaves and grasses	8.5-13.0Tbsp/36 L water	-	-	Twenty four (24) hours after application.
ECO GREENGOLD AGRIVENTURES INC.	DIURON	ECO DIURON 80 SC	800 g/L	SC	HERBICIDE	4	634-021-4429	29-Jul-21	SYSTEMIC	Pineapple	Annual and Perennial broadleaves and grasses	11.0Tbsp/36 L water	-	-	Twenty four (24) hours after application.
ECO GREENGOLD AGRIVENTURES INC.	DIURON	ECO DIURON 80 SC	800 g/L	SC	HERBICIDE	4	634-021-4429	29-Jul-21	SYSTEMIC	Non-crop land	Annual and Perennial broadleaves and grasses	20.0-28.0Tbsp/36 L water	-	-	Twenty four (24) hours after application.
ECO GREENGOLD AGRIVENTURES INC.	CARTAP HYDROCHLORIDE	ECO CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	634-106-4434	29-Jul-21	SYSTEMIC	Rice	Whorl maggot, stemborer, green leafhopper, brown planthopper	3.0-5.0Tbsp/36 L water	0.7ppm	-	Stop spraying 10 days before harvest
ECO GREENGOLD AGRIVENTURES INC.	CARTAP HYDROCHLORIDE	ECO CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	634-106-4434	29-Jul-21	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/36 L water	-	-	-
ECO GREENGOLD AGRIVENTURES INC.	CARTAP HYDROCHLORIDE	ECO CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	634-106-4434	29-Jul-21	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/36 L water	-	-	-
ECO GREENGOLD AGRIVENTURES INC.	CARTAP HYDROCHLORIDE	ECO CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	634-106-4434	29-Jul-21	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/36 L water	-	-	-
ECO GREENGOLD AGRIVENTURES INC.	CARTAP HYDROCHLORIDE	ECO CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	634-106-4434	29-Jul-21	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/36 L water	-	-	-
ECO GREENGOLD AGRIVENTURES INC.	CARTAP HYDROCHLORIDE	ECO CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	634-106-4434	29-Jul-21	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/36 L water	-	-	-
ECO GREENGOLD AGRIVENTURES INC.	CARTAP HYDROCHLORIDE	ECO CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	634-106-4434	29-Jul-21	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/36 L water	-	-	-
ECO GREENGOLD AGRIVENTURES INC.	CARTAP HYDROCHLORIDE	ECO CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	634-106-4434	29-Jul-21	SYSTEMIC	Mango	leafhoppers	1.5-2.0Tbsp/36 L water	-	-	-
ECO GREENGOLD AGRIVENTURES INC.	CARTAP HYDROCHLORIDE	ECO CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	634-106-4434	29-Jul-21	SYSTEMIC	Pechay	looper, cutworm, aphids	1.5-3.0Tbsp/36 L water	-	-	-
ECO GREENGOLD AGRIVENTURES INC.	2,4-D IBE	ECO 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	634-049-4436	29-Jul-21	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual Broadleaves & sedges	5.0-6.50Tbsp/36 L water	0.1 ppm	-	Do not spray within two days of harvest
ECO GREENGOLD AGRIVENTURES INC.	2,4-D IBE	ECO 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	634-049-4436	29-Jul-21	SELECTIVE (POST-EMERGENT)	Corn	Annual Broadleaves & sedges	5.0-6.50Tbsp/36 L water	-	-	Do not spray within two days of harvest
ECO GREENGOLD AGRIVENTURES INC.	2,4-D IBE	ECO 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	634-049-4436	29-Jul-21	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual Broadleaves & sedges	5.0-6.50Tbsp/36 L water	-	-	Do not spray within two days of harvest
ECO GREENGOLD AGRIVENTURES INC.	2,4-D AMINE	ECO 2,4-D AMINE	490 g/L	EC	HERBICIDE	2	634-031-4435	29-Jul-21	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual broadleaves and sedges	5.5-6.5Tbsp/36 L water	0.1 ppm	-	Entry to fields and crops treated with ECO 2,4-D AMINE can be done after spraying
ECO GREENGOLD AGRIVENTURES INC.	2,4-D AMINE	ECO 2,4-D AMINE	490 g/L	EC	HERBICIDE	2	634-031-4435	29-Jul-21	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual broadleaves and sedges	13-25 Tbsp/36 L water	-	-	Entry to fields and crops treated with ECO 2,4-D AMINE can be done after spraying
ECO GREENGOLD AGRIVENTURES INC.	2,4-D AMINE	ECO 2,4-D AMINE	490 g/L	EC	HERBICIDE	2	634-031-4435	29-Jul-21	SELECTIVE (POST-EMERGENT)	Corn	Annual broadleaves and sedges	9-6.5Tbsp/36 L water	-	-	Entry to fields and crops treated with ECO 2,4-D AMINE can be done after spraying
ENVIROCURE BIO RESEARCH INC.	HYDROGEN PEROXIDE	EBH 800	50 g/L	AS	OTHERS	4	630-464-4391	06-Jun-19	-	Banana	Black Sigatoka	3-5 L product/ha	-	-	-
JEELS MASAGANA FARM SUPPLY, INC.	PHENTHOATE	EARLYBIRD 50 EC	500 g/L	EC	INSECTICIDE	2	487-099-5231	12-Feb-24	-	Onion	Thrips	20-50 ml/36L water	-	14 Days	Re-entry into treated areas may be done at least 2 days after application
JEELS MASAGANA FARM SUPPLY, INC.	PHENTHOATE	EARLYBIRD 50 EC	500 g/L	EC	INSECTICIDE	2	487-099-5231	12-Feb-24	-	Rice	Green leafhopper, brown planthopper, stemborer, whorl maggot, cutworm	20-50 ml/36L water	-	7 Days	Re-entry into treated areas may be done at least 2 days after application
JEELS MASAGANA FARM SUPPLY, INC.	PHENTHOATE	EARLYBIRD 50 EC	500 g/L	EC	INSECTICIDE	2	487-099-5231	12-Feb-24	-	Corn	Corn borer, earworm, cutworm	20-50 ml/36L water	-	14 Days	Re-entry into treated areas may be done at least 2 days after application
JEELS MASAGANA FARM SUPPLY, INC.	PHENTHOATE	EARLYBIRD 50 EC	500 g/L	EC	INSECTICIDE	2	487-099-5231	12-Feb-24	-	Cabbage & other crucifers	Diamond-back moth, cabbage worm, aphids, cutworm	20-50 ml/36L water	-	7 Days	Re-entry into treated areas may be done at least 2 days after application
JEELS MASAGANA FARM SUPPLY, INC.	PHENTHOATE	EARLYBIRD 50 EC	500 g/L	EC	INSECTICIDE	2	487-099-5231	12-Feb-24	-	Eggplant	Flea beetle, mealybug	20-50 ml/36L water	-	3 Days	Re-entry into treated areas may be done at least 2 days after application
JEELS MASAGANA FARM SUPPLY, INC.	PHENTHOATE	EARLYBIRD 50 EC	500 g/L	EC	INSECTICIDE	2	487-099-5231	12-Feb-24	-	Tomato	Fruitworm, lady beetle	20-50 ml/36L water	-	3 Days	Re-entry into treated areas may be done at least 2 days after application
JEELS MASAGANA FARM SUPPLY, INC.	PHENTHOATE	EARLYBIRD 50 EC	500 g/L	EC	INSECTICIDE	2	487-099-5231	12-Feb-24	-	Mango	Mango hopper, tip borer, twig borer	20-50 ml/36L water	-	14 Days	Re-entry into treated areas may be done at least 2 days after application
JEELS MASAGANA FARM SUPPLY, INC.	PHENTHOATE	EARLYBIRD 50 EC	500 g/L	EC	INSECTICIDE	2	487-099-5231	12-Feb-24	-	Soybeans & other beans	Pod borer, aphids, semi-looper, leafroller	20-50 ml/36L water	-	7 Days	Re-entry into treated areas may be done at least 2 days after application
JEELS MASAGANA FARM SUPPLY, INC.	PHENTHOATE	EARLYBIRD 50 EC	500 g/L	EC	INSECTICIDE	2	487-099-5231	12-Feb-24	-	Cucumber and other cucurbits	Aphids	20-50 ml/36L water	-	3 Days	Re-entry into treated areas may be done at least 2 days after application
JEELS MASAGANA FARM SUPPLY, INC.	PHENTHOATE	EARLYBIRD 50 EC	500 g/L	EC	INSECTICIDE	2	487-099-5231	12-Feb-24	-	White potato	Aphids, cutworm	20-50 ml/36L water	-	7 Days	Re-entry into treated areas may be done at least 2 days after application
JEELS MASAGANA FARM SUPPLY, INC.	PHENTHOATE	EARLYBIRD 50 EC	500 g/L	EC	INSECTICIDE	2	487-099-5231	12-Feb-24	-	Tobacco	Budworm, cutworm, aphids, armyworm, thrips, leafworm	20-50 ml/36L water	-	-	Re-entry into treated areas may be done at least 2 days after application
JEELS MASAGANA FARM SUPPLY, INC.	PHENTHOATE	EARLYBIRD 50 EC	500 g/L	EC	INSECTICIDE	2	487-099-5231	12-Feb-24	-	Citrus	Scale insect, aphids, mealybug, whiteflies	20-50 ml/36L water	-	14 Days	Re-entry into treated areas may be done at least 2 days after application
JEELS MASAGANA FARM SUPPLY, INC.	PHENTHOATE	EARLYBIRD 50 EC	500 g/L	EC	INSECTICIDE	2	487-099-5231	12-Feb-24	-	Sorghum	Webworm, armyworm	20-50 ml/36L water	-	14 Days	Re-entry into treated areas may be done at least 2 days after application
JEELS MASAGANA FARM SUPPLY, INC.	PHENTHOATE	EARLYBIRD 50 EC	500 g/L	EC	INSECTICIDE	2	487-099-5231	12-Feb-24	-	Cotton	Leafhopper, bollworm, flower weevil, boll weevil, cotton stainer, leafworm, aphids	20-50 ml/36L water	-	14 Days	Re-entry into treated areas may be done at least 2 days after application
RAINBOW AGROSCIENCES PHILIPPINES INC.	FOSPHAZATE	FAMODAT 10 G	100 g/kg	G	INSECTICIDE	2	539-347-5853 (075)	16-Sep-25	-	Banana	Burrowing nematode	1.0 g a.i./mat or 10 g prod/mat; 2 kg a.i./ha or 20 kg prod/ha	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	FOSPHAZATE	FAMODAT 10 G	100 g/kg	G	INSECTICIDE	2	539-347-5853 (075)	16-Sep-25	-	Potato	Potato cyst nematode	20 kg prod/ha	-	-	-
SIGLAT INC.	CYPERMETHRIN	EAGLE PLUS	50 g/L	EC	INSECTICIDE	4	549-037-3555	21-Sep-24	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
SIGLAT INC.	CYPERMETHRIN	EAGLE PLUS	50 g/L	EC	INSECTICIDE	4	549-037-3555	21-Sep-24	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leafroller, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
SIGLAT INC.	CYPERMETHRIN	EAGLE PLUS	50 g/L	EC	INSECTICIDE	4	549-037-3555	21-Sep-24	CONTACT	Cabbage	Diamond-back-moth, cabbage moth, worm	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
SIGLAT INC.	CYPERMETHRIN	EAGLE PLUS	50 g/L	EC	INSECTICIDE	4	549-037-3555	21-Sep-24	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD	
SIGLAT INC.	CYPERMETHRIN	EAGLE PLUS	50 g/L	EC	INSECTICIDE	4	549-037-3555	25-Sep-24	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry	
SIGLAT INC.	CYPERMETHRIN	EAGLE PLUS	50 g/L	EC	INSECTICIDE	4	549-037-3555	21-Sep-24	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry	
SIGLAT INC.	CYPERMETHRIN	EAGLE PLUS	50 g/L	EC	INSECTICIDE	4	549-037-3555	21-Sep-24	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry	
SIGLAT INC.	CYPERMETHRIN	EAGLE PLUS	50 g/L	EC	INSECTICIDE	4	549-037-3555	21-Sep-24	CONTACT	Banana	Thrips, scarifying beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry	
SIGLAT INC.	CYPERMETHRIN	EAGLE PLUS	50 g/L	EC	INSECTICIDE	4	549-037-3555	21-Sep-24	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry	
SIGLAT INC.	CYPERMETHRIN	EAGLE PLUS	50 g/L	EC	INSECTICIDE	4	549-037-3555	21-Sep-24	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry	
SIGLAT INC.	CYPERMETHRIN	EAGLE PLUS	50 g/L	EC	INSECTICIDE	4	549-037-3555	21-Sep-24	CONTACT	Corn	Comborer, earworm	1.0-4.5 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry	
EDSEL AGRI AND CHEMICAL CORP.	MALATHION	EACC MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	597-038-4400	18-Jun-21	NON-SYSTEMIC	Fruit trees	Aphids, mealy bug scale insect	1.5-3.0Tbsp/16 L water	-	One (1) day after each spraying.	One (1) day after each spraying.	
EDSEL AGRI AND CHEMICAL CORP.	MALATHION	EACC MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	597-038-4400	18-Jun-21	NON-SYSTEMIC	Rice	Armyworm, caseworm, leafhopper, bugs	2.0-3.0Tbsp/16L water	-	One (1) day after each spraying.	One (1) day after each spraying.	
EDSEL AGRI AND CHEMICAL CORP.	MALATHION	EACC MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	597-038-4400	18-Jun-21	NON-SYSTEMIC	Corn	Earworm, silkworm, aphids, grasshopper	3.0-5.0Tbsp/16 L water	-	One (1) day after each spraying.	One (1) day after each spraying.	
EDSEL AGRI AND CHEMICAL CORP.	MALATHION	EACC MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	597-038-4400	18-Jun-21	NON-SYSTEMIC	Cabbage	Cabbage worm, loopers, diamond-back moth	2.0-5.0Tbsp/16 L water	-	One (1) day after each spraying.	One (1) day after each spraying.	
EDSEL AGRI AND CHEMICAL CORP.	MALATHION	EACC MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	597-038-4400	18-Jun-21	NON-SYSTEMIC	Legumes	Aphids, beanfly, cutworm, flea beetles, leafminer, maggots, mealybug, podborer, thrips	2.0-5.0Tbsp/16 L water	-	One (1) day after each spraying.	One (1) day after each spraying.	
EDSEL AGRI AND CHEMICAL CORP.	MALATHION	EACC MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	597-038-4400	18-Jun-21	NON-SYSTEMIC	Grapes	Beetles, cutworm, leafhopper, mealybug, scale, insect, spider mites	3.0Tbsp/16L water	-	One (1) day after each spraying.	One (1) day after each spraying.	
EDSEL AGRI AND CHEMICAL CORP.	MALATHION	EACC MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	597-038-4400	18-Jun-21	NON-SYSTEMIC	Pineapple	Mealy bug	3.0Tbsp/16 L water	-	One (1) day after each spraying.	One (1) day after each spraying.	
EDSEL AGRI AND CHEMICAL CORP.	MALATHION	EACC MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	597-038-4400	18-Jun-21	NON-SYSTEMIC	Pepper	Aphid, cutworm, fruitworm	3.0Tbsp/16L water	-	One (1) day after each spraying.	One (1) day after each spraying.	
EDSEL AGRI AND CHEMICAL CORP.	MALATHION	EACC MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	597-038-4400	18-Jun-21	NON-SYSTEMIC	Garlic	Cutworm	3.0Tbsp/16 L water	-	One (1) day after each spraying.	One (1) day after each spraying.	
EDSEL AGRI AND CHEMICAL CORP.	MALATHION	EACC MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	597-038-4400	18-Jun-21	NON-SYSTEMIC	Onion	Cutworm	3.0Tbsp/16 L water	-	One (1) day after each spraying.	One (1) day after each spraying.	
EDSEL AGRI AND CHEMICAL CORP.	MALATHION	EACC MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	597-038-4400	18-Jun-21	NON-SYSTEMIC	Tobacco	Aphids, katydid	3.0-6.0Tbsp/16 L water	-	One (1) day after each spraying.	One (1) day after each spraying.	
EDSEL AGRI AND CHEMICAL CORP.	MALATHION	EACC MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	597-038-4400	18-Jun-21	NON-SYSTEMIC	Ornamentals	Aphids, cutworm, mealybug, scale insect, spider mites	3.0-5.0Tbsp/16 L water	-	One (1) day after each spraying.	One (1) day after each spraying.	
EDSEL AGRI AND CHEMICAL CORP.	MALATHION	EACC MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	597-038-4400	18-Jun-21	NON-SYSTEMIC	Tomato	Lady beetle	3.0-5.0Tbsp/16 L water	-	One (1) day after each spraying.	One (1) day after each spraying.	
EDSEL AGRI AND CHEMICAL CORP.	MALATHION	EACC MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	597-038-4400	18-Jun-21	NON-SYSTEMIC	Eggplant	Aphids, fruitworm	3.0-5.0Tbsp/16 L water	-	One (1) day after each spraying.	One (1) day after each spraying.	
EDSEL AGRI AND CHEMICAL CORP.	MALATHION	EACC MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	597-038-4400	18-Jun-21	NON-SYSTEMIC	Sorghum	Web worm	3.0Tbsp/16 L water	-	One (1) day after each spraying.	One (1) day after each spraying.	
EDSEL AGRI AND CHEMICAL CORP.	DIURON	EACC DIURON 80WP	800 g/kg	WP	HERBICIDE	4	597-021-6439	12-Sep-26	-	Citrus	Annual and perennial broadleaf weeds and grasses	13.0-19.0Tbsp/16 L water	-	-	24 hours after application	
EDSEL AGRI AND CHEMICAL CORP.	DIURON	EACC DIURON 80WP	800 g/kg	WP	HERBICIDE	4	597-021-6439	12-Sep-26	-	Coffee	Annual and perennial broadleaf weeds and grasses	13.0-19.0 Tbsp/16 L water	-	-	24 hours after application	
EDSEL AGRI AND CHEMICAL CORP.	DIURON	EACC DIURON 80WP	800 g/kg	WP	HERBICIDE	4	597-021-6439	12-Sep-26	-	Cotton	Annual and perennial broadleaf weeds and grasses	8.0Tbsp/16 L water	-	-	24 hours after application	
EDSEL AGRI AND CHEMICAL CORP.	DIURON	EACC DIURON 80WP	800 g/kg	WP	HERBICIDE	4	597-021-6439	12-Sep-26	-	Sugarcane	Annual and perennial broadleaf weeds and grasses	6.5-13.0 Tbsp/ L water	-	-	24 hours after application	
EDSEL AGRI AND CHEMICAL CORP.	DIURON	EACC DIURON 80WP	800 g/kg	WP	HERBICIDE	4	597-021-6439	12-Sep-26	-	Pineapple	Annual and perennial broadleaf weeds and grasses	13.0Tbsp/ 16L water	-	-	24 hours after application	
EDSEL AGRI AND CHEMICAL CORP.	DIURON	EACC DIURON 80WP	800 g/kg	WP	HERBICIDE	4	597-021-6439	12-Sep-26	-	-	Non-crop agricultural areas	Annual and perennial broadleaf weeds and grasses	20-28 Tbsp/16L water	-	-	24 hours after application
ALBERT JOSEPH AGRO TRADING CORPORATION	METALDEHYDE	DYNAMITE	60 g/kg	P	MOLLUSCICIDE	4	456-075-4894	07-Mar-23	CONTACT	Rice (Transplanted)	Golden apple snail	2-4kg/ product per hectare	-	-	Do not enter treated field within 48 hours after application	
ALBERT JOSEPH AGRO TRADING CORPORATION	METALDEHYDE	DYNAMITE	60 g/kg	P	MOLLUSCICIDE	4	456-075-4894	07-Mar-23	CONTACT	Rice (Direct-Seeded)	Golden apple snail	4-8 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application	
ALBERT JOSEPH AGRO TRADING CORPORATION	METALDEHYDE	DYNAMITE	60 g/kg	P	MOLLUSCICIDE	4	456-075-4894	07-Mar-23	CONTACT	Potted and driftwood-attached plants such as	Bush, snails, giant african snail and slugs	3-2 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application	
ALBERT JOSEPH AGRO TRADING CORPORATION	METALDEHYDE	DYNAMITE	60 g/kg	P	MOLLUSCICIDE	4	456-075-4894	07-Mar-23	CONTACT	Crucifers (Chinese Cabbage)	Slugs, snails	6-8 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application	
ALBERT JOSEPH AGRO TRADING CORPORATION	METALDEHYDE	DYNAMITE	60 g/kg	P	MOLLUSCICIDE	4	456-075-4894	07-Mar-23	CONTACT	Strawberry	Slug, snails	6-8 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application	
AGWAY CHEMICALS CORPORATION	CHLORPYRIFOS	DURIFLEX 1% PE	-	-	INSECTICIDE	-	075-101-5239	07-Sep-23	-	Banana	mealy bug	-	-	-	-	
CHEMPLAST PHILIPPINES, INC.	CHLORPYRIFOS	DURIFLEX 1% PE	10 g/kg	EC	INSECTICIDE	2	574-933-5195	07-Sep-23	-	Banana	mealy bug	-	-	-	Not applicable	
VETMATE FARMA CORP.	PROFENOFOS	DURABAZ 500EC	500 g/L	EC	INSECTICIDE	2	658-070-6140	8-Jul-24	-	Tomato	Fruitworm, armyworm, cutworm	3.0-5.0 Tbsp/16L water	-	14 Days	Do not enter treated field one (1) day after application	
VETMATE FARMA CORP.	PROFENOFOS	DURABAZ 500EC	500 g/L	EC	INSECTICIDE	2	658-070-6140	8-Jul-24	-	Eggplant	Fruitborer, aphids, leafhopper, & thrips	1.5-3.0 Tbsp/16L water	-	14 Days	Do not enter treated field one (1) day after application	
VETMATE FARMA CORP.	PROFENOFOS	DURABAZ 500EC	500 g/L	EC	INSECTICIDE	2	658-070-6140	8-Jul-24	-	Cabbage	Diamond-back moth, cabbage worms, loopers	3.0-5.0 Tbsp/16L water	-	14 Days	Do not enter treated field one (1) day after application	
VETMATE FARMA CORP.	PROFENOFOS	DURABAZ 500EC	500 g/L	EC	INSECTICIDE	2	658-070-6140	8-Jul-24	-	Potato	Thrips, armyworm, cutworm, tuber moth	3.0-5.0 Tbsp/16L water	-	14 Days	Do not enter treated field one (1) day after application	
VETMATE FARMA CORP.	PROFENOFOS	DURABAZ 500EC	500 g/L	EC	INSECTICIDE	2	658-070-6140	8-Jul-24	-	Soybeans	Corn earworm, leafminer	3.0-5.0 Tbsp/16L water	-	14 Days	Do not enter treated field one (1) day after application	
VETMATE FARMA CORP.	PROFENOFOS	DURABAZ 500EC	500 g/L	EC	INSECTICIDE	2	658-070-6140	8-Jul-24	-	Mungbeans	Corn earworm, leafminer	3.0-5.0 Tbsp/16L water	-	14 Days	Do not enter treated field one (1) day after application	
VETMATE FARMA CORP.	PROFENOFOS	DURABAZ 500EC	500 g/L	EC	INSECTICIDE	2	658-070-6140	8-Jul-24	-	Cotton	Thrips, bollworms, budworms	3.0-5.0 Tbsp/16L water	-	14 Days	Do not enter treated field one (1) day after application	
VETMATE FARMA CORP.	PROFENOFOS	DURABAZ 500EC	500 g/L	EC	INSECTICIDE	2	658-070-6140	8-Jul-24	-	Sitao	Beanfly, leaffolder, budworms	1.5-3.0 Tbsp/ 16L water	-	14 Days	Do not enter treated field one (1) day after application	
VETMATE FARMA CORP.	PROFENOFOS	DURABAZ 500EC	500 g/L	EC	INSECTICIDE	2	658-070-6140	8-Jul-24	-	Watermelon	Beetflies, aphids	3.0-5.0 Tbsp/16L water	-	14 Days	Do not enter treated field one (1) day after application	
VAST AGRO SOLUTIONS, INC.	DIURON	DUPRON 80 WP	800 g/kg	WP	HERBICIDE	4	385-021-3379	09-Jun-26	SYSTEMIC	Citrus	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water	-	-	Entry to fields treated with DUPRON 80 WP can be done one day after application	
VAST AGRO SOLUTIONS, INC.	DIURON	DUPRON 80 WP	800 g/kg	WP	HERBICIDE	4	385-021-3379	09-Jun-26	SYSTEMIC	Coffee	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/16 L water	-	-	Entry to fields treated with DUPRON 80 WP can be done one day after application	
VAST AGRO SOLUTIONS, INC.	DIURON	DUPRON 80 WP	800 g/kg	WP	HERBICIDE	4	385-021-3379	09-Jun-26	SYSTEMIC	Cotton	Annual and Perennial broadleaves and grasses	8.0Tbsp/16 L water	-	-	Entry to fields treated with DUPRON 80 WP can be done one day after application	
VAST AGRO SOLUTIONS, INC.	DIURON	DUPRON 80 WP	800 g/kg	WP	HERBICIDE	4	385-021-3379	09-Jun-26	SYSTEMIC	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0Tbsp/16 L water	-	-	Entry to fields treated with DUPRON 80 WP can be done one day after application	
VAST AGRO SOLUTIONS, INC.	DIURON	DUPRON 80 WP	800 g/kg	WP	HERBICIDE	4	385-021-3379	09-Jun-26	SYSTEMIC	Pineapple	Annual and Perennial broadleaves and grasses	11.0Tbsp/16 L water	-	-	Entry to fields treated with DUPRON 80 WP can be done one day after application	
VAST AGRO SOLUTIONS, INC.	DIURON	DUPRON 80 WP	800 g/kg	WP	HERBICIDE	4	385-021-3379	09-Jun-26	SYSTEMIC	Non-crop land	Annual and Perennial broadleaves and grasses	20.0-28.0Tbsp/16 L water	-	-	Entry to fields treated with DUPRON 80 WP can be done one day after application	
AKTIV MULTI TRADING CO. PHILS, INC.	CARBENDAZIM+TRIFLURAZOLE	DUSTEMC 25SC	125 g/L-125 g/L	SC	FUNGICIDE	-	540-405-6136	20-Feb-26	-	Mango	Anthracoze	200 L water, 200-300 mL 36 L water; 10-24 mL	-	-	As soon as spray deposits have dried	
FARM EDGE AGRO TRADING CORPORATION	GLYPHOSATE IPA	DUMMA 480 SL	480 g/L	SL	HERBICIDE	4	618-151-5075	12-Mar-26	POST-EMERGENT	glyphosate tolerant corn	Annual grasses, broadleaf weeds & sedges	2 L/ ha	-	-	-	
FARM EDGE AGRO TRADING CORPORATION	GLYPHOSATE IPA	DUMMA 480 SL	480 g/L	SL	HERBICIDE	4	618-151-5075	12-Mar-26	POST-EMERGENT	Mango	Annual grasses, broadleaf weeds & sedges	-	-	-	-	
FARM EDGE AGRO TRADING CORPORATION	GLYPHOSATE IPA	DUMMA 480 SL	480 g/L	SL	HERBICIDE	4	618-151-5075	12-Mar-26	POST-EMERGENT	Banana	Annual grasses, broadleaf weeds & sedges	3.0 L/ ha	-	-	-	
FARM EDGE AGRO TRADING CORPORATION	GLYPHOSATE IPA	DUMMA 480 SL	480 g/L	SL	HERBICIDE	4	618-151-5075	12-Mar-26	POST-EMERGENT	Coffee	Annual grasses, broadleaf weeds & sedges	4.5 L/ ha	-	-	-	
FARM EDGE AGRO TRADING CORPORATION	GLYPHOSATE IPA	DUMMA 480 SL	480 g/L	SL	HERBICIDE	4	618-151-5075	12-Mar-26	POST-EMERGENT	Cacao	Annual grasses, broadleaf weeds & sedges	4.5 L/ ha	-	-	-	

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
FARM EDGE AGRO TRADING CORPORATION	GLYPHOSATE IPA	DUMMA 480 SL	480 g/L	SL	HERBICIDE	4	618-151-5075	12-Mar-26	POST-EMERGENT	Rubber	Annual grasses, broadleaf weeds & sedges	2.0/L/ha			
FARM EDGE AGRO TRADING CORPORATION	GLYPHOSATE IPA	DUMMA 480 SL	480 g/L	SL	HERBICIDE	4	618-151-5075	12-Mar-26	POST-EMERGENT	Oil palm	Annual grasses, broadleaf weeds & sedges	2.0/L/ha			
FARM EDGE AGRO TRADING CORPORATION	GLYPHOSATE IPA	DUMMA 480 SL	480 g/L	SL	HERBICIDE	4	618-151-5075	12-Mar-26	POST-EMERGENT	Citrus	Annual grasses, broadleaf weeds & sedges	2.0/L/ha			
FARM EDGE AGRO TRADING CORPORATION	GLYPHOSATE IPA	DUMMA 480 SL	480 g/L	SL	HERBICIDE	4	618-151-5075	12-Mar-26	POST-EMERGENT	Coconut	Annual grasses, broadleaf weeds & sedges	4.5/L/ha			
FARM EDGE AGRO TRADING CORPORATION	GLYPHOSATE IPA	DUMMA 480 SL	480 g/L	SL	HERBICIDE	4	618-151-5075	12-Mar-26	POST-EMERGENT	Sugarcane	Annual grasses, broadleaf weeds & sedges	2.0/L/ha			
FARM EDGE AGRO TRADING CORPORATION	GLYPHOSATE IPA	DUMMA 480 SL	480 g/L	SL	HERBICIDE	4	618-151-5075	12-Mar-26	POST-EMERGENT	Vegetables under minimum or reduced tillage system	Annual grasses, broadleaf weeds & sedges	2.0/L/ha			
FARM EDGE AGRO TRADING CORPORATION	GLYPHOSATE IPA	DUMMA 480 SL	480 g/L	SL	HERBICIDE	4	618-151-5075	12-Mar-26	POST-EMERGENT	non-crop agricultural areas	Annual grasses, broadleaf weeds & sedges	-			
UCHEMPHIL INTERNATIONAL INC.	METHOMYL	DUMIL 40 SP	400 g/kg	SP	INSECTICIDE	2	590-164-5478	24-May-24	CONTACT	Asparagus	Armyworm, cutworm		2		Twelve ours after spraying.
UCHEMPHIL INTERNATIONAL INC.	METHOMYL	DUMIL 40 SP	400 g/kg	SP	INSECTICIDE	2	590-164-5478	24-May-24	CONTACT	Banana	Thrips				Twelve ours after spraying.
UCHEMPHIL INTERNATIONAL INC.	METHOMYL	DUMIL 40 SP	400 g/kg	SP	INSECTICIDE	2	590-164-5478	24-May-24	CONTACT	Beans	Leafroller, flea beetle , beanfly, podborer,aphids				Twelve ours after spraying.
UCHEMPHIL INTERNATIONAL INC.	METHOMYL	DUMIL 40 SP	400 g/kg	SP	INSECTICIDE	2	590-164-5478	24-May-24	CONTACT	Mungbeans	Leafroller, flea beetle , beanfly, podborer,aphids				Twelve ours after spraying.
UCHEMPHIL INTERNATIONAL INC.	METHOMYL	DUMIL 40 SP	400 g/kg	SP	INSECTICIDE	2	590-164-5478	24-May-24	CONTACT	Soybeans	Leafroller, flea beetle , beanfly, podborer,aphids				Twelve ours after spraying.
UCHEMPHIL INTERNATIONAL INC.	METHOMYL	DUMIL 40 SP	400 g/kg	SP	INSECTICIDE	2	590-164-5478	24-May-24	CONTACT	Sitao	Leafroller, flea beetle , beanfly, podborer,aphids				Twelve ours after spraying.
UCHEMPHIL INTERNATIONAL INC.	METHOMYL	DUMIL 40 SP	400 g/kg	SP	INSECTICIDE	2	590-164-5478	24-May-24	CONTACT	Corn	Comborer, earworm				Twelve ours after spraying.
UCHEMPHIL INTERNATIONAL INC.	METHOMYL	DUMIL 40 SP	400 g/kg	SP	INSECTICIDE	2	590-164-5478	24-May-24	CONTACT	Sorghum	Comborer,earworm				Twelve ours after spraying.
UCHEMPHIL INTERNATIONAL INC.	METHOMYL	DUMIL 40 SP	400 g/kg	SP	INSECTICIDE	2	590-164-5478	24-May-24	CONTACT	Eggplant	Aphids, flea beetle, fruitworm, lady beetle				Twelve ours after spraying.
UCHEMPHIL INTERNATIONAL INC.	METHOMYL	DUMIL 40 SP	400 g/kg	SP	INSECTICIDE	2	590-164-5478	24-May-24	CONTACT	Melon	Aphids, Squash beetle , leafroller				Twelve ours after spraying.
UCHEMPHIL INTERNATIONAL INC.	METHOMYL	DUMIL 40 SP	400 g/kg	SP	INSECTICIDE	2	590-164-5478	24-May-24	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leafroller				Twelve ours after spraying.
UCHEMPHIL INTERNATIONAL INC.	METHOMYL	DUMIL 40 SP	400 g/kg	SP	INSECTICIDE	2	590-164-5478	24-May-24	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm				Twelve ours after spraying.
UCHEMPHIL INTERNATIONAL INC.	METHOMYL	DUMIL 40 SP	400 g/kg	SP	INSECTICIDE	2	590-164-5478	24-May-24	CONTACT	Tomato	Tomato fruitworm, aphids				Twelve ours after spraying.
ABG TRADING CORPORATION	DIAZINON	DUKE 600 EC	600 g/L	EC	INSECTICIDE	2	673-034-5423	12-Nov-22		Rice	Whorl maggot, stemborer, leaf folder, planthopper, rice bug	2.5-3.5 Tbsp/16L Water		14 Days	Soon as spray has dried.
ABG TRADING CORPORATION	DIAZINON	DUKE 600 EC	600 g/L	EC	INSECTICIDE	2	673-034-5423	12-Nov-22		Corn	Comborer, earworm, aphids, silk beetle	2.5-3.5 Tbsp/16L Water		14 Days	Soon as spray has dried.
ABG TRADING CORPORATION	DIAZINON	DUKE 600 EC	600 g/L	EC	INSECTICIDE	2	673-034-5423	12-Nov-22		Beans	Cutworm, pod borer, aphids, flea beetle	2.5-3.5 Tbsp/16L Water		14 Days	Soon as spray has dried.
ABG TRADING CORPORATION	DIAZINON	DUKE 600 EC	600 g/L	EC	INSECTICIDE	2	673-034-5423	12-Nov-22		Cowpea	Aphids, cutworm, grasshopper	2.5-3.5 Tbsp/16L Water		14 Days	Soon as spray has dried.
ABG TRADING CORPORATION	DIAZINON	DUKE 600 EC	600 g/L	EC	INSECTICIDE	2	673-034-5423	12-Nov-22		Soybeans	Cutworm, aphids, stink bug, grasshopper	2.5-3.5 Tbsp/16L Water		14 Days	Soon as spray has dried.
ABG TRADING CORPORATION	DIAZINON	DUKE 600 EC	600 g/L	EC	INSECTICIDE	2	673-034-5423	12-Nov-22		Pineapple	Mealy bug	2.5-3.5 Tbsp/16L Water		14 Days	Soon as spray has dried.
ABG TRADING CORPORATION	DIAZINON	DUKE 600 EC	600 g/L	EC	INSECTICIDE	2	673-034-5423	12-Nov-22		Cotton	Katydid, grasshopper, cutworm, mites	2.5-3.5 Tbsp/16L Water		14 Days	Soon as spray has dried.
ABG TRADING CORPORATION	DIAZINON	DUKE 600 EC	600 g/L	EC	INSECTICIDE	2	673-034-5423	12-Nov-22		Tobacco	Budworm, aphids, flea beetle, armyworm	2.5-3.5 Tbsp/16L Water		14 Days	Soon as spray has dried.
ABG TRADING CORPORATION	DIAZINON	DUKE 600 EC	600 g/L	EC	INSECTICIDE	2	673-034-5423	12-Nov-22		White potato	Aphids, leaf folder, cutworm	2.5-3.5 Tbsp/16L Water		14 Days	Soon as spray has dried.
ABG TRADING CORPORATION	DIAZINON	DUKE 600 EC	600 g/L	EC	INSECTICIDE	2	673-034-5423	12-Nov-22		Citrus	Mites, aphids, stink bug	2.5-3.5 Tbsp/16L Water		14 Days	Soon as spray has dried.
ABG TRADING CORPORATION	DIAZINON	DUKE 600 EC	600 g/L	EC	INSECTICIDE	2	673-034-5423	12-Nov-22		Banana	Thrips, mealy bug, leaf folder	2.5-3.5 Tbsp/16L Water		14 Days	Soon as spray has dried.
ABG TRADING CORPORATION	DIAZINON	DUKE 600 EC	600 g/L	EC	INSECTICIDE	2	673-034-5423	12-Nov-22		Mango	Hopper, tip borer	2.5-3.5 Tbsp/16L Water		14 Days	Soon as spray has dried.
DU PONT FAY EAST, INC.	HEXAZINONE-DIURON	DU PONT VELPAR K4	132 g/kg+618 g/kg	WG	HERBICIDE	4	014-031-3113	31-Dec-30		Sugarcane	Grasses, sedges & broadleaves	400/L/ha			
DU PONT FAY EAST, INC.	PENTAPOTASSIUM BIS (PEROXYMONOSULFATE) BIS (SULFATE)	DU PONT MICKOFREE	487 g/kg	P	OTHERS	4	014-031-3089	19-Mar-17		Banana	Moko Disease (Rastonia Solanacearum) and Panama Disease (Fusarium Dasygporum)	20 g/L water		0 day	
S&P ENTERPRISES, INC.	GLUFOSINATE AMMONIUM	DRYLNE 280 SL	280 g/L	SL	HERBICIDE	4	566-182-5943	14-Feb-25	NON-SELECTIVE (POST-EMERGENT)	Cavendish banana	Annual and perennial grasses, sedges and broadleaf weeds	86 mL/16L water; 72-107 mL/16L water			
S&P ENTERPRISES, INC.	GLUFOSINATE AMMONIUM	DRYLNE 280 SL	280 g/L	SL	HERBICIDE	4	566-182-5943	14-Feb-25	NON-SELECTIVE (POST-EMERGENT)	Rubber	Annual and perennial grasses, sedges and broadleaf weeds	115 mL/16L water			
S&P ENTERPRISES, INC.	GLUFOSINATE AMMONIUM	DRYLNE 280 SL	280 g/L	SL	HERBICIDE	4	566-182-5943	14-Feb-25	NON-SELECTIVE (POST-EMERGENT)	Oil palm	Annual and perennial grasses, sedges and broadleaf weeds	86 mL/16L water; 72 mL/16L water			
S&P ENTERPRISES, INC.	GLUFOSINATE AMMONIUM	DRYLNE 280 SL	280 g/L	SL	HERBICIDE	4	566-182-5943	14-Feb-25	NON-SELECTIVE (POST-EMERGENT)	non-crop areas	Annual and perennial grasses, sedges and broadleaf weeds	86-115 mL/16L water			
TRANS WORLD TRADING CO., INC.	GLYPHOSATE IPA	DRY UP 480 SL	480 g/L	SL	HERBICIDE	4	038-151-2064	09-Mar-25	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/ha			
TRANS WORLD TRADING CO., INC.	GLYPHOSATE IPA	DRY UP 480 SL	480 g/L	SL	HERBICIDE	4	038-151-2064	09-Mar-25	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha			
TRANS WORLD TRADING CO., INC.	GLYPHOSATE IPA	DRY UP 480 SL	480 g/L	SL	HERBICIDE	4	038-151-2064	09-Mar-25	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha			
TRANS WORLD TRADING CO., INC.	GLYPHOSATE IPA	DRY UP 480 SL	480 g/L	SL	HERBICIDE	4	038-151-2064	09-Mar-25	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha			
TRANS WORLD TRADING CO., INC.	GLYPHOSATE IPA	DRY UP 480 SL	480 g/L	SL	HERBICIDE	4	038-151-2064	09-Mar-25	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha			
TRANS WORLD TRADING CO., INC.	GLYPHOSATE IPA	DRY UP 480 SL	480 g/L	SL	HERBICIDE	4	038-151-2064	09-Mar-25	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha			
TRANS WORLD TRADING CO., INC.	GLYPHOSATE IPA	DRY UP 480 SL	480 g/L	SL	HERBICIDE	4	038-151-2064	09-Mar-25	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha			
TRANS WORLD TRADING CO., INC.	GLYPHOSATE IPA	DRY UP 480 SL	480 g/L	SL	HERBICIDE	4	038-151-2064	09-Mar-25	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha			
TRANS WORLD TRADING CO., INC.	GLYPHOSATE IPA	DRY UP 480 SL	480 g/L	SL	HERBICIDE	4	038-151-2064	09-Mar-25	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/ha			
TRANS WORLD TRADING CO., INC.	GLYPHOSATE IPA	DRY UP 480 SL	480 g/L	SL	HERBICIDE	4	038-151-2064	09-Mar-25	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha			
TRANS WORLD TRADING CO., INC.	GLYPHOSATE IPA	DRY UP 480 SL	480 g/L	SL	HERBICIDE	4	038-151-2064	09-Mar-25	POST-EMERGENT	Vegetables under minimum or reduced tillage system	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha			
TRANS WORLD TRADING CO., INC.	GLYPHOSATE IPA	DRY UP 480 SL	480 g/L	SL	HERBICIDE	4	038-151-2064	09-Mar-25	POST-EMERGENT	non-crop	Annual & perennial grasses, broadleaf weeds & sedges				
GRANS GRANTED AGRO-CHEMICAL CORPORATION	GLYPHOSATE IPA	DRY OUT 480 SL	480g/L	SL	HERBICIDE	4	596-151-4107	15-Dec-26	POST-EMERGENT	Glyphosate tolerant corn under minimum tillage	Annual & Perennial grasses,broadleaf weeds & sedges	2.0-4.0 Liters/ha			
GRANS GRANTED AGRO-CHEMICAL CORPORATION	GLYPHOSATE IPA	DRY OUT 480 SL	480g/L	SL	HERBICIDE	4	596-151-4107	15-Dec-26	POST-EMERGENT	Mango	Annual & Perennial grasses,broadleaf weeds & sedges	3.0-4.5 Liters/ha			
GRANS GRANTED AGRO-CHEMICAL CORPORATION	GLYPHOSATE IPA	DRY OUT 480 SL	480g/L	SL	HERBICIDE	4	596-151-4107	15-Dec-26	POST-EMERGENT	Cacao	Annual & Perennial grasses,broadleaf weeds & sedges	3.0-4.5 Liters/ha			
GRANS GRANTED AGRO-CHEMICAL CORPORATION	GLYPHOSATE IPA	DRY OUT 480 SL	480g/L	SL	HERBICIDE	4	596-151-4107	15-Dec-26	POST-EMERGENT	Banana	Annual & Perennial grasses,broadleaf weeds & sedges	3.0-4.5 Liters/ha			
GRANS GRANTED AGRO-CHEMICAL CORPORATION	GLYPHOSATE IPA	DRY OUT 480 SL	480g/L	SL	HERBICIDE	4	596-151-4107	15-Dec-26	POST-EMERGENT	Coffee	Annual & Perennial grasses,broadleaf weeds & sedges	3.0-4.5 Liters/ha			

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
GRANS GRANTED AGRO-CHEMICAL CORPORATION	GLYPHOSATE IPA	DRY OUT 480 SL	480g/L	SL	HERBICIDE	4	596-151-4107	15-Dec-26	POST-EMERGENT	Rubber	Annual & Perennial grasses,broadleaf weeds & sedges	2.0liters/ha			
GRANS GRANTED AGRO-CHEMICAL CORPORATION	GLYPHOSATE IPA	DRY OUT 480 SL	480g/L	SL	HERBICIDE	4	596-151-4107	15-Dec-26	POST-EMERGENT	Oil palm	Annual & Perennial grasses,broadleaf weeds & sedges	2.0liters/ha			
GRANS GRANTED AGRO-CHEMICAL CORPORATION	GLYPHOSATE IPA	DRY OUT 480 SL	480g/L	SL	HERBICIDE	4	596-151-4107	15-Dec-26	POST-EMERGENT	Citrus	Annual & Perennial grasses,broadleaf weeds & sedges	2.0liters/ha			
GRANS GRANTED AGRO-CHEMICAL CORPORATION	GLYPHOSATE IPA	DRY OUT 480 SL	480g/L	SL	HERBICIDE	4	596-151-4107	15-Dec-26	POST-EMERGENT	Coconut	Annual & Perennial grasses,broadleaf weeds & sedges	4.5liters/ha			
GRANS GRANTED AGRO-CHEMICAL CORPORATION	GLYPHOSATE IPA	DRY OUT 480 SL	480g/L	SL	HERBICIDE	4	596-151-4107	15-Dec-26	POST-EMERGENT	Sugarcane	Annual & Perennial grasses,broadleaf weeds & sedges	2.0liters/ha			
GRANS GRANTED AGRO-CHEMICAL CORPORATION	GLYPHOSATE IPA	DRY OUT 480 SL	480g/L	SL	HERBICIDE	4	596-151-4107	15-Dec-26	POST-EMERGENT	Vegetables	Annual & Perennial grasses,broadleaf weeds & sedges	2.0liters/ha			
GRANS GRANTED AGRO-CHEMICAL CORPORATION	GLYPHOSATE IPA	DRY OUT 480 SL	480g/L	SL	HERBICIDE	4	596-151-4107	15-Dec-26	POST-EMERGENT	non-crop areas	Annual & Perennial grasses,broadleaf weeds & sedges				
VERDANT LUSTERCORE CORPORATION	BISPHIBAC SODIUM	DRUMJUN 100 SC	100 g/L	SC	HERBICIDE	4	446-049-4128	27-Sep-30	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Rice (Direct-Seeded lowland)	Grasses, sedges & broadleaves	10ml/36 L water, 20 spray load/ hectare	0.1 ppm		
JOANIMA CORPORATION	DIURON	DRONEX 80 WP	800 g/Kg	WP	HERBICIDE	4	241-021-4003	31-Jan-24	SYSTEMIC	Citrus	Annual and Perennial broadleaves and grasses	13.0-19.0tbsp/36 L water			
JOANIMA CORPORATION	DIURON	DRONEX 80 WP	800 g/Kg	WP	HERBICIDE	4	241-021-4003	31-Jan-24	SYSTEMIC	Coffee	Annual and Perennial broadleaves and grasses	13.0-19.0tbsp/36 L water			
JOANIMA CORPORATION	DIURON	DRONEX 80 WP	800 g/Kg	WP	HERBICIDE	4	241-021-4003	31-Jan-24	SYSTEMIC	Cotton	Annual and Perennial broadleaves and grasses	8.0tbsp/36 L water			
JOANIMA CORPORATION	DIURON	DRONEX 80 WP	800 g/Kg	WP	HERBICIDE	4	241-021-4003	31-Jan-24	SYSTEMIC	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0tbsp/36 L water			
JOANIMA CORPORATION	DIURON	DRONEX 80 WP	800 g/Kg	WP	HERBICIDE	4	241-021-4003	31-Jan-24	SYSTEMIC	Pineapple	Annual and Perennial broadleaves and grasses	13.0tbsp/36 L water			
JOANIMA CORPORATION	DIURON	DRONEX 80 WP	800 g/Kg	WP	HERBICIDE	4	241-021-4003	31-Jan-24	SYSTEMIC	Non-crop land	Annual and Perennial broadleaves and grasses	20.0-28.0tbsp/36 L water			
TRANS WORLD TRADING CO., INC.	DIURON	D-RON 80 WG	800 g/kg	WG	HERBICIDE	4	038-021-5316	29-Dec-23	SYSTEMIC	Citrus	Annual and Perennial broadleaves and grasses	13.0-19.0tbsp/36 L water			
TRANS WORLD TRADING CO., INC.	DIURON	D-RON 80 WG	800 g/kg	WG	HERBICIDE	4	038-021-5316	29-Dec-23	SYSTEMIC	Coffee	Annual and Perennial broadleaves and grasses	13.0-19.0tbsp/36 L water			
TRANS WORLD TRADING CO., INC.	DIURON	D-RON 80 WG	800 g/kg	WG	HERBICIDE	4	038-021-5316	29-Dec-23	SYSTEMIC	Cotton	Annual and Perennial broadleaves and grasses	8.0tbsp/36 L water			
TRANS WORLD TRADING CO., INC.	DIURON	D-RON 80 WG	800 g/kg	WG	HERBICIDE	4	038-021-5316	29-Dec-23	SYSTEMIC	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0tbsp/36 L water			
TRANS WORLD TRADING CO., INC.	DIURON	D-RON 80 WG	800 g/kg	WG	HERBICIDE	4	038-021-5316	29-Dec-23	SYSTEMIC	Pineapple	Annual and Perennial broadleaves and grasses	13.0tbsp/36 L water			
TRANS WORLD TRADING CO., INC.	DIURON	D-RON 80 WG	800 g/kg	WG	HERBICIDE	4	038-021-5316	29-Dec-23	SYSTEMIC	Non-crop land	Annual and Perennial broadleaves and grasses	20.0-28.0tbsp/36 L water			
TRANS WORLD TRADING CO., INC.	DIURON	D-RON 80 SC	800 g/L	SC	HERBICIDE	4	038-027-3080	05-Nov-24	SYSTEMIC	Citrus	Annual and Perennial broadleaves and grasses	13.0-19.0tbsp/36 L water			4 day after application
TRANS WORLD TRADING CO., INC.	DIURON	D-RON 80 SC	800 g/L	SC	HERBICIDE	4	038-027-3080	05-Nov-24	SYSTEMIC	Coffee	Annual and Perennial broadleaves and grasses	13.0-19.0tbsp/36 L water			A day after application
TRANS WORLD TRADING CO., INC.	DIURON	D-RON 80 SC	800 g/L	SC	HERBICIDE	4	038-027-3080	05-Nov-24	SYSTEMIC	Cotton	Annual and Perennial broadleaves and grasses	8.0tbsp/36 L water			A day after application
TRANS WORLD TRADING CO., INC.	DIURON	D-RON 80 SC	800 g/L	SC	HERBICIDE	4	038-027-3080	05-Nov-24	SYSTEMIC	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0tbsp/36 L water			A day after application
TRANS WORLD TRADING CO., INC.	DIURON	D-RON 80 SC	800 g/L	SC	HERBICIDE	4	038-027-3080	05-Nov-24	SYSTEMIC	Pineapple	Annual and Perennial broadleaves and grasses	13.0tbsp/36 L water			A day after application
TRANS WORLD TRADING CO., INC.	DIURON	D-RON 80 SC	800 g/L	SC	HERBICIDE	4	038-027-3080	05-Nov-24	SYSTEMIC	Non-crop land	Annual and Perennial broadleaves and grasses	20.0-28.0tbsp/36 L water			A day after application
GREAT HARVEST AGROCHEMICALS CORPORATION	CARTAP HYDROCHLORIDE	DRILLTOP 50 SP	500 g/Kg	SP	INSECTICIDE	3	541-106-3298	01-Jul-20	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.0-5.0tbsp/36 L water	0.3ppm		Stop spraying 10 days before harvest
GREAT HARVEST AGROCHEMICALS CORPORATION	CARTAP HYDROCHLORIDE	DRILLTOP 50 SP	500 g/Kg	SP	INSECTICIDE	3	541-106-3298	01-Jul-20	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0tbsp/36 L water			
GREAT HARVEST AGROCHEMICALS CORPORATION	CARTAP HYDROCHLORIDE	DRILLTOP 50 SP	500 g/Kg	SP	INSECTICIDE	3	541-106-3298	01-Jul-20	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0tbsp/36 L water			
GREAT HARVEST AGROCHEMICALS CORPORATION	CARTAP HYDROCHLORIDE	DRILLTOP 50 SP	500 g/Kg	SP	INSECTICIDE	3	541-106-3298	01-Jul-20	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0tbsp/36 L water			
GREAT HARVEST AGROCHEMICALS CORPORATION	CARTAP HYDROCHLORIDE	DRILLTOP 50 SP	500 g/Kg	SP	INSECTICIDE	3	541-106-3298	01-Jul-20	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0tbsp/36 L water			
GREAT HARVEST AGROCHEMICALS CORPORATION	CARTAP HYDROCHLORIDE	DRILLTOP 50 SP	500 g/Kg	SP	INSECTICIDE	3	541-106-3298	01-Jul-20	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0tbsp/36 L water			
GREAT HARVEST AGROCHEMICALS CORPORATION	CARTAP HYDROCHLORIDE	DRILLTOP 50 SP	500 g/Kg	SP	INSECTICIDE	3	541-106-3298	01-Jul-20	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0tbsp/36 L water			
GREAT HARVEST AGROCHEMICALS CORPORATION	CARTAP HYDROCHLORIDE	DRILLTOP 50 SP	500 g/Kg	SP	INSECTICIDE	3	541-106-3298	01-Jul-20	SYSTEMIC	Mango	leafhoppers	1.5-2.0tbsp/36 L water			
GREAT HARVEST AGROCHEMICALS CORPORATION	CARTAP HYDROCHLORIDE	DRILLTOP 50 SP	500 g/Kg	SP	INSECTICIDE	3	541-106-3298	01-Jul-20	SYSTEMIC	Peachay	looper, cutworm, aphids	1.5-3.0tbsp/36 L water			
JOANIMA CORPORATION	DIURON	DREXEL DIURON 80 DF	800 g/kg	DF	HERBICIDE	4	241-021-1160	08-Aug-20	SYSTEMIC	Citrus	Annual and Perennial broadleaves and grasses	13.0-19.0tbsp/36 L water			24 hours after application
JOANIMA CORPORATION	DIURON	DREXEL DIURON 80 DF	800 g/kg	DF	HERBICIDE	4	241-021-1160	08-Aug-20	SYSTEMIC	Coffee	Annual and Perennial broadleaves and grasses	13.0-19.0tbsp/36 L water			24 hours after application
JOANIMA CORPORATION	DIURON	DREXEL DIURON 80 DF	800 g/kg	DF	HERBICIDE	4	241-021-1160	08-Aug-20	SYSTEMIC	Cotton	Annual and Perennial broadleaves and grasses	8.0tbsp/36 L water			24 hours after application
JOANIMA CORPORATION	DIURON	DREXEL DIURON 80 DF	800 g/kg	DF	HERBICIDE	4	241-021-1160	08-Aug-20	SYSTEMIC	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0tbsp/36 L water			24 hours after application
JOANIMA CORPORATION	DIURON	DREXEL DIURON 80 DF	800 g/kg	DF	HERBICIDE	4	241-021-1160	08-Aug-20	SYSTEMIC	Pineapple	Annual and Perennial broadleaves and grasses	13.0tbsp/36 L water			24 hours after application
JOANIMA CORPORATION	DIURON	DREXEL DIURON 80 DF	800 g/kg	DF	HERBICIDE	4	241-021-1160	08-Aug-20	SYSTEMIC	Non-crop land	Annual and Perennial broadleaves and grasses	20.0-28.0tbsp/36 L water			24 hours after application
JOANIMA CORPORATION	DIAZINON	DREXEL DIAZINON 600 EC	600 g/L	EC	INSECTICIDE	2	241-034-1131	04-Mar-26	CONTACT	Rice	Whorl maggot, stemborer, leaffolder, planthopper, rice bug	2.5-4.0 Tbsp/36L Water		14 days	Do not enter treated field for at least 1 day after application
JOANIMA CORPORATION	DIAZINON	DREXEL DIAZINON 600 EC	600 g/L	EC	INSECTICIDE	2	241-034-1131	04-Mar-26	CONTACT	Corn	Combsore, earworm, aphids, silk beetle	2.5-4.0 Tbsp/36L Water		14 days	Do not enter treated field for at least 1 day after application
JOANIMA CORPORATION	DIAZINON	DREXEL DIAZINON 600 EC	600 g/L	EC	INSECTICIDE	2	241-034-1131	04-Mar-26	CONTACT	Beans	Cutworm, podborer, aphids, flea beetle	2.5-4.0 Tbsp/36L Water		14 days	Do not enter treated field for at least 1 day after application
JOANIMA CORPORATION	DIAZINON	DREXEL DIAZINON 600 EC	600 g/L	EC	INSECTICIDE	2	241-034-1131	04-Mar-26	CONTACT	Cowpea	Aphids, cutworm, grasshopper	2.5-4.0 Tbsp/36L Water		14 days	Do not enter treated field for at least 1 day after application
JOANIMA CORPORATION	DIAZINON	DREXEL DIAZINON 600 EC	600 g/L	EC	INSECTICIDE	2	241-034-1131	04-Mar-26	CONTACT	Soybeans	Cutworm, aphids, stink bug, grasshopper	2.5-4.0 Tbsp/36L Water		14 days	Do not enter treated field for at least 1 day after application
JOANIMA CORPORATION	DIAZINON	DREXEL DIAZINON 600 EC	600 g/L	EC	INSECTICIDE	2	241-034-1131	04-Mar-26	CONTACT	Pineapple	Mealybug	2.5-4.0 Tbsp/36L Water		0 day	Do not enter treated field for at least 1 day after application
JOANIMA CORPORATION	DIAZINON	DREXEL DIAZINON 600 EC	600 g/L	EC	INSECTICIDE	2	241-034-1131	04-Mar-26	CONTACT	Cotton	Katyidids, grasshopper, cutworm, mites	2.5-4.0 Tbsp/36L Water		14 days	Do not enter treated field for at least 1 day after application
JOANIMA CORPORATION	DIAZINON	DREXEL DIAZINON 600 EC	600 g/L	EC	INSECTICIDE	2	241-034-1131	04-Mar-26	CONTACT	Tobacco	Budworm aphids, flea beetle, armyworm	2.5-4.0 Tbsp/36L Water		14 days	Do not enter treated field for at least 1 day after application
JOANIMA CORPORATION	DIAZINON	DREXEL DIAZINON 600 EC	600 g/L	EC	INSECTICIDE	2	241-034-1131	04-Mar-26	CONTACT	White potato	Aphids, leaffolder, cutworm	2.5-4.0 Tbsp/36L Water		14 days	Do not enter treated field for at least 1 day after application
JOANIMA CORPORATION	DIAZINON	DREXEL DIAZINON 600 EC	600 g/L	EC	INSECTICIDE	2	241-034-1131	04-Mar-26	CONTACT	Citrus	Mites, aphids, stink bug	2.5-4.0 Tbsp/36L Water		14 days	Do not enter treated field for at least 1 day after application
JOANIMA CORPORATION	DIAZINON	DREXEL DIAZINON 600 EC	600 g/L	EC	INSECTICIDE	2	241-034-1131	04-Mar-26	CONTACT	Banana	Thrips, mealybug, leafroller (STEM and MAT spray application of mealy bugs)	2.5-4.0 Tbsp/36L Water		14 days; Stem and Mat 0-day	Do not enter treated field for at least 1 day after application
JOANIMA CORPORATION	DIAZINON	DREXEL DIAZINON 600 EC	600 g/L	EC	INSECTICIDE	2	241-034-1131	04-Mar-26	CONTACT	Mango	Hopper, tip borer	2.5-4.0 Tbsp/36L Water		14 days	Do not enter treated field for at least 1 day after application
PHIL DREAM AGRO VENTURES INC.	NICLOSAMIDE ETHANOLAMINE SALT	DREAM KILL 70 WP	700 g/Kg	WP	MOLLUSCICIDE	4	726-229-5792	20-Sep-25		Rice	Golden Apple Snail (Kuhol)				No less than 48 hours after spraying
PRIMSTOCKS CHEMICAL CORPORATION	BUTACHLOR	DRAX 60 EC	588 g/L	EC	HERBICIDE	4	623-150-4537	16-Oct-24	PRE-EMERGENT	Rice (Direct-Seeded)	Grasses and Sedges	9tbsp (2-4 DAT)/9tbsp(0-4 DAT), 9tbsp-77tbsp	0.1 ppm		Entry to fields are crops treated with DRAX 60 EC can be done one day after spraying

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
PRIMSTOCKS CHEMICAL CORPORATION	BUTACHLOR	ORAX 60 EC	589 g/L	EC	HERBICIDE	4	629-150-6337	18-Oct-24	PRE-EMERGENT	Rice (Transplanted)	Grasses and Sedges	800sp/2-4000L/700sq/2-4000L (1170sp/100 DAS)	0.1 ppm	-	Entry to fields are crops treated with ORAX 60 EC can be done one day after spraying
TEAMAGRO TRADING CORPORATION	BUTACHLOR-2,4-D IBE	DRAW 60 EC	360-240 g/L	EC	HERBICIDE	3	249-152-2490	23-Oct-24	PRE-EMERGENT	Rice (Direct-seeded)	Broadleaf weeds,grasses & sedges	8-2070sp/36 L sprayload	Butachlor 0.1ppm 2,4-D IBE 0.1ppm	-	-
TEAMAGRO TRADING CORPORATION	BUTACHLOR-2,4-D IBE	DRAW 60 EC	360-240 g/L	EC	HERBICIDE	3	249-152-2490	23-Oct-24	PRE-EMERGENT	Rice (Transplanted)	Broadleaf weeds,grasses & sedges	8-2070sp/36 L sprayload	Butachlor 0.1ppm 2,4-D IBE 0.1ppm	-	-
TAGCHEM DRAGON DISTRIBUTION INC.	PYRIBENZOXIM-CYHALOFOF-BUTYL	DRAGON PYRA-ULTRAB 5 EC	2540g/L	EC	HERBICIDE	3	517-453-5223	22-Jan-26	-	Rice (Direct Seeded)	Grasses, sedges & broadleaves	-	-	-	As soon as spray deposits dry up.
TAGCHEM DRAGON DISTRIBUTION INC.	DNOTEFURAN	DRAGON PATRON 20 SG	200g/kg	SG	INSECTICIDE	4	517-373-5402	29-Jul-25	SYSTEMIC	Mango	Mango Leafhopper	1.0-2.0 g/36 water; 6.25-12.50 g/100L water	-	-	7 days after the last spray
TAGCHEM DRAGON DISTRIBUTION INC.	DNOTEFURAN	DRAGON PATRON 20 SG	200g/kg	SG	INSECTICIDE	4	517-373-5402	29-Jul-25	SYSTEMIC	Watermelon	Aphids, whiteflies	2.0-5.0 g/36 water; 15.62-31.25 g/100 L water	-	-	16 days after the last spray
TAGCHEM DRAGON DISTRIBUTION INC.	DNOTEFURAN	DRAGON PATRON 20 SG	200g/kg	SG	INSECTICIDE	4	517-373-5402	29-Jul-25	SYSTEMIC	Tomato	Whiteflies, hoppers,cutworm	2.0-5.0 g/36 water; 15.62-31.25 g/100 L water	-	-	7 days after the last spray
TAGCHEM DRAGON DISTRIBUTION INC.	DNOTEFURAN	DRAGON PATRON 20 SG	200g/kg	SG	INSECTICIDE	4	517-373-5402	29-Jul-25	SYSTEMIC	Eggplant	Hoppers, whiteflies,fruit borer	2.0-5.0 g/36 water; 15.62-31.25 g/100 L water	-	-	7 days after the last spray
TAGCHEM DRAGON DISTRIBUTION INC.	DNOTEFURAN	DRAGON PATRON 20 SG	200g/kg	SG	INSECTICIDE	4	517-373-5402	29-Jul-25	SYSTEMIC	Rice	Green leafhopper, brown planthopper, rice bug	2.0-5.0 g/36 water; 15.62-31.25 g/100 L water	-	-	24 days after the last spray
TAGCHEM DRAGON DISTRIBUTION INC.	DNOTEFURAN	DRAGON PATRON 20 SG	200g/kg	SG	INSECTICIDE	4	517-373-5402	29-Jul-25	SYSTEMIC	Coconut	Scale insects	2-5 g/16L water	-	-	As soon as spray solution has dried on the foliage
TAGCHEM DRAGON DISTRIBUTION INC.	METHOMYL	DRAGON METHOMYL 40 SP	400 g/kg	SP	INSECTICIDE	2	517-164-3000	09-Mar-25	CONTACT	Asparagus	Armyworm, cutworm	1 Sachet/36Ll Sprayer	-	-	-
TAGCHEM DRAGON DISTRIBUTION INC.	METHOMYL	DRAGON METHOMYL 40 SP	400 g/kg	SP	INSECTICIDE	2	517-164-3000	09-Mar-25	CONTACT	Banana	Thrips	1.5-2 Sachet/36Ll Sprayer	-	-	-
TAGCHEM DRAGON DISTRIBUTION INC.	METHOMYL	DRAGON METHOMYL 40 SP	400 g/kg	SP	INSECTICIDE	2	517-164-3000	09-Mar-25	CONTACT	beans	leafroller, flea beetle , beanfly, podborer,aphids	1 Sachet/36Ll Sprayer	-	-	-
TAGCHEM DRAGON DISTRIBUTION INC.	METHOMYL	DRAGON METHOMYL 40 SP	400 g/kg	SP	INSECTICIDE	2	517-164-3000	09-Mar-25	CONTACT	Mungbeans	leafroller, flea beetle , beanfly, podborer,aphids	1 Sachet/36Ll Sprayer	-	-	-
TAGCHEM DRAGON DISTRIBUTION INC.	METHOMYL	DRAGON METHOMYL 40 SP	400 g/kg	SP	INSECTICIDE	2	517-164-3000	09-Mar-25	CONTACT	Soybeans	leafroller, flea beetle , beanfly, podborer,aphids	1 Sachet/36Ll Sprayer	-	-	-
TAGCHEM DRAGON DISTRIBUTION INC.	METHOMYL	DRAGON METHOMYL 40 SP	400 g/kg	SP	INSECTICIDE	2	517-164-3000	09-Mar-25	CONTACT	Itiao	leafroller, flea beetle , beanfly, podborer,aphids	1 Sachet/36Ll Sprayer	-	-	-
TAGCHEM DRAGON DISTRIBUTION INC.	METHOMYL	DRAGON METHOMYL 40 SP	400 g/kg	SP	INSECTICIDE	2	517-164-3000	09-Mar-25	CONTACT	Corn	Comborer, earworm	1 Sachet/36Ll Sprayer	-	-	-
TAGCHEM DRAGON DISTRIBUTION INC.	METHOMYL	DRAGON METHOMYL 40 SP	400 g/kg	SP	INSECTICIDE	2	517-164-3000	09-Mar-25	CONTACT	Sorghum	Comborer,earworm	1 Sachet/36Ll Sprayer	-	-	-
TAGCHEM DRAGON DISTRIBUTION INC.	METHOMYL	DRAGON METHOMYL 40 SP	400 g/kg	SP	INSECTICIDE	2	517-164-3000	09-Mar-25	CONTACT	Eggplant	Aphids, flea beetle , fruitworm, lady beetle	1 Sachet/36Ll Sprayer	-	-	-
TAGCHEM DRAGON DISTRIBUTION INC.	METHOMYL	DRAGON METHOMYL 40 SP	400 g/kg	SP	INSECTICIDE	2	517-164-3000	09-Mar-25	CONTACT	Melon	Aphids, Squash beetle , leafroller	1 Sachet/36Ll Sprayer	-	-	-
TAGCHEM DRAGON DISTRIBUTION INC.	METHOMYL	DRAGON METHOMYL 40 SP	400 g/kg	SP	INSECTICIDE	2	517-164-3000	09-Mar-25	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leafroller	1 Sachet/36Ll Sprayer	0.01ppm	-	-
TAGCHEM DRAGON DISTRIBUTION INC.	METHOMYL	DRAGON METHOMYL 40 SP	400 g/kg	SP	INSECTICIDE	2	517-164-3000	09-Mar-25	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	1 Sachet/36Ll Sprayer	-	-	-
TAGCHEM DRAGON DISTRIBUTION INC.	METHOMYL	DRAGON METHOMYL 40 SP	400 g/kg	SP	INSECTICIDE	2	517-164-3000	09-Mar-25	CONTACT	Tomato	Tomato fruitworm, aphids	1 Sachet/36Ll Sprayer	-	-	-
TAGCHEM DRAGON DISTRIBUTION INC.	CARTAP HYDROCHLORIDE	DRAGON CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	517-106-3003-A	27-Oct-26	SYSTEMIC	Rice	Whorl maggot, stemborer, green leafhopper, brown planthopper	2.0-5.070sp/36 L water	-	-	Spraying should be done 10 days before harvest
TAGCHEM DRAGON DISTRIBUTION INC.	CARTAP HYDROCHLORIDE	DRAGON CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	517-106-3003-A	27-Oct-26	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.070sp/36 L water	-	-	Spraying should be done 10 days before harvest
TAGCHEM DRAGON DISTRIBUTION INC.	CARTAP HYDROCHLORIDE	DRAGON CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	517-106-3003-A	27-Oct-26	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.070sp/36 L water	-	-	Spraying should be done 10 days before harvest
TAGCHEM DRAGON DISTRIBUTION INC.	CARTAP HYDROCHLORIDE	DRAGON CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	517-106-3003-A	27-Oct-26	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.070sp/36 L water	-	-	Spraying should be done 10 days before harvest
TAGCHEM DRAGON DISTRIBUTION INC.	CARTAP HYDROCHLORIDE	DRAGON CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	517-106-3003-A	27-Oct-26	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.070sp/36 L water	-	-	Spraying should be done 10 days before harvest
TAGCHEM DRAGON DISTRIBUTION INC.	CARTAP HYDROCHLORIDE	DRAGON CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	517-106-3003-A	27-Oct-26	SYSTEMIC	Stron	Thrips, cutworm	1.5-2.070sp/36 L water	-	-	Spraying should be done 10 days before harvest
TAGCHEM DRAGON DISTRIBUTION INC.	CARTAP HYDROCHLORIDE	DRAGON CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	517-106-3003-A	27-Oct-26	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.070sp/36 L water	-	-	Spraying should be done 10 days before harvest
TAGCHEM DRAGON DISTRIBUTION INC.	CARTAP HYDROCHLORIDE	DRAGON CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	517-106-3003-A	27-Oct-26	SYSTEMIC	Mango	leafhoppers	1.5-2.070sp/36 L water	-	-	Spraying should be done 10 days before harvest
TAGCHEM DRAGON DISTRIBUTION INC.	CARTAP HYDROCHLORIDE	DRAGON CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	517-106-3003-A	27-Oct-26	SYSTEMIC	Pechay	Looper, cutworm, aphids	1.5-3.070sp/36 L water	-	-	Spraying should be done 10 days before harvest
TAGCHEM DRAGON DISTRIBUTION INC.	BUTACHLOR+PROPANIL	DRAGON BOOST 70 EC	390 g/L+350 g/L	EC	HERBICIDE	3	517-238-6088	22-Apr-25	POST-EMERGENCE	Rice (Direct-Seeded)	Grasses, Sedges and Broadleaves	8-1270sp/36 L water	-	-	-
TAGCHEM DRAGON DISTRIBUTION INC.	BUTACHLOR+PROPANIL	DRAGON BOOST 70 EC	350 g/L+350 g/L	EC	HERBICIDE	3	517-238-6088	22-Apr-25	POST-EMERGENCE	Rice (Transplanted)	Grasses, Sedges and Broadleaves	8-1270sp/36 L water	-	-	-
PHILIPPINE FARMIX SOLUTIONS INC.	CHLOROTHALONIL	DRACO 720 SC	720 g/L	SC	FUNGICIDE	4	535-118-3838	09-Jan-26	-	Potato	Early blight, late blight, vine rot	1.00-1.90 L/ha or 4.5-6.070sp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
PHILIPPINE FARMIX SOLUTIONS INC.	CHLOROTHALONIL	DRACO 720 SC	720 g/L	SC	FUNGICIDE	4	535-118-3838	09-Jan-26	-	Tomato	Early blight, late blight, vine rot	1.13-1.90 L/ha or 4.5-6.070sp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
PHILIPPINE FARMIX SOLUTIONS INC.	CHLOROTHALONIL	DRACO 720 SC	720 g/L	SC	FUNGICIDE	4	535-118-3838	09-Jan-26	-	Beans	Rust, anthracnose	1.13-1.90 L/ha or 4.5-6.070sp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
PHILIPPINE FARMIX SOLUTIONS INC.	CHLOROTHALONIL	DRACO 720 SC	720 g/L	SC	FUNGICIDE	4	535-118-3838	09-Jan-26	-	Carrot	Alternaria leaf spot, cercospora leaf spot, helminthosporium leaf spot	1.13-1.90 L/ha or 4.5-6.070sp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
PHILIPPINE FARMIX SOLUTIONS INC.	CHLOROTHALONIL	DRACO 720 SC	720 g/L	SC	FUNGICIDE	4	535-118-3838	09-Jan-26	-	Crucifers	Powdery mildew	1.13-1.90 L/ha or 4.5-6.070sp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
PHILIPPINE FARMIX SOLUTIONS INC.	CHLOROTHALONIL	DRACO 720 SC	720 g/L	SC	FUNGICIDE	4	535-118-3838	09-Jan-26	-	Cucurbits	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.070sp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
PHILIPPINE FARMIX SOLUTIONS INC.	CHLOROTHALONIL	DRACO 720 SC	720 g/L	SC	FUNGICIDE	4	535-118-3838	09-Jan-26	-	Cucumber	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.070sp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
PHILIPPINE FARMIX SOLUTIONS INC.	CHLOROTHALONIL	DRACO 720 SC	720 g/L	SC	FUNGICIDE	4	535-118-3838	09-Jan-26	-	Squash	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.070sp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
PHILIPPINE FARMIX SOLUTIONS INC.	CHLOROTHALONIL	DRACO 720 SC	720 g/L	SC	FUNGICIDE	4	535-118-3838	09-Jan-26	-	Watermelon	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.070sp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
PHILIPPINE FARMIX SOLUTIONS INC.	CHLOROTHALONIL	DRACO 720 SC	720 g/L	SC	FUNGICIDE	4	535-118-3838	09-Jan-26	-	Galeria	Early blight, late blight	1.13-1.90 L/ha or 4.5-6.070sp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
PHILIPPINE FARMIX SOLUTIONS INC.	CHLOROTHALONIL	DRACO 720 SC	720 g/L	SC	FUNGICIDE	4	535-118-3838	09-Jan-26	-	Eggplant	Early blight, late blight, cercospora leafspot, anthracnose	1.13-1.90 L/ha or 4.5-6.070sp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
PHILIPPINE FARMIX SOLUTIONS INC.	CHLOROTHALONIL	DRACO 720 SC	720 g/L	SC	FUNGICIDE	4	535-118-3838	09-Jan-26	-	Onion	Purple blotch, bulb rot, neck rot	1.13-1.90 L/ha or 4.5-6.070sp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
PHILIPPINE FARMIX SOLUTIONS INC.	CHLOROTHALONIL	DRACO 720 SC	720 g/L	SC	FUNGICIDE	4	535-118-3838	09-Jan-26	-	Pepper	Early blight, cercospora leaf spot, anthracnose	1.13-1.90 L/ha or 4.5-6.070sp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
PHILIPPINE FARMIX SOLUTIONS INC.	CHLOROTHALONIL	DRACO 720 SC	720 g/L	SC	FUNGICIDE	4	535-118-3838	09-Jan-26	-	Grapes	Downy mildew, powdery mildew, fruit rot	1.13-1.90 L/ha or 4.5-6.070sp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
PHILIPPINE FARMIX SOLUTIONS INC.	CHLOROTHALONIL	DRACO 720 SC	720 g/L	SC	FUNGICIDE	4	535-118-3838	09-Jan-26	-	Mango	Anthraxnose, diplobolia rot	0.75-5.40 L/ha or 4.5-6.070sp/36 L	0.5 mg/kg	7-14 days	Do not enter treatment areas until spray deposit have dried
PHILIPPINE FARMIX SOLUTIONS INC.	CHLOROTHALONIL	DRACO 720 SC	720 g/L	SC	FUNGICIDE	4	535-118-3838	09-Jan-26	-	Ornamentals	Black spot, powdery mildew, black rot	1.13-1.90 L/ha or 4.5-6.070sp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
PHILIPPINE FARMIX SOLUTIONS INC.	CHLOROTHALONIL	DRACO 720 SC	720 g/L	SC	FUNGICIDE	4	535-118-3838	09-Jan-26	-	Asparagus	Stem and leaf blight	1.80 L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
PHILIPPINE FARMIX SOLUTIONS INC.	CHLOROTHALONIL	DRACO 720 SC	720 g/L	SC	FUNGICIDE	4	535-118-3838	09-Jan-26	-	Banana	Black sigatoka	1.88 L/ha	2.0 mg/kg	0 day	Do not enter treatment areas until spray deposit have dried
ELITE AGROCHEMICALS INC.	CHLOROTHALONIL	DR. NEIL 500 SC	500 g/L	SC	FUNGICIDE	4	719-118-6222	21-Oct-24	-	Melon	Anthraxnose, cercospora leaf spot, downy mildew, leaf blight	1.26-1.9 L/ha; 4.5-6.070sp/36L	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
ELITE AGROCHEMICALS INC.	CHLOROTHALONIL	DR. NEIL 500 SC	500 g/L	SC	FUNGICIDE	4	719-118-6222	21-Oct-24	-	Corn	Helminthosporium leaf spot, cercospora leaf spot	-	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
ELITE AGROCHEMICALS INC.	CHLOROTHALONIL	DR. NEIL 500 SC	500 g/L	SC	FUNGICIDE	4	719-118-6222	21-Oct-24	-	Eggplant	Anthracoise, cercospora leaf spot, early and late blight	1.25-1.9 L/ha, 4.5-6.0 tbsq/ 36L	-	7-14 days, Banana-0 day	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
ELITE AGROCHEMICALS INC.	CHLOROTHALONIL	DR. NEIL 500 SC	500 g/L	SC	FUNGICIDE	4	719-118-6222	21-Oct-24	-	Peanut	Cercospora leafspot, rust	6.0-8.0 L/ha, 1.8 L/ha	-	7-14 days, Banana-0 day	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
ELITE AGROCHEMICALS INC.	CHLOROTHALONIL	DR. NEIL 500 SC	500 g/L	SC	FUNGICIDE	4	719-118-6222	21-Oct-24	-	Potato	Early and late blight, vine rot	1.0-1.8 L/ha, 4.5-6.0 tbsq/ 36L	-	7-14 days, Banana-0 day	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
ELITE AGROCHEMICALS INC.	CHLOROTHALONIL	DR. NEIL 500 SC	500 g/L	SC	FUNGICIDE	4	719-118-6222	21-Oct-24	-	Tomato	Early and late blight, vine rot	1.25-1.9 L/ha, 4.5-6.0 tbsq/ 36L	-	7-14 days, Banana-0 day	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
ELITE AGROCHEMICALS INC.	CHLOROTHALONIL	DR. NEIL 500 SC	500 g/L	SC	FUNGICIDE	4	719-118-6222	21-Oct-24	-	Carrot	Alternaria, cercospora leaf spot, heminthesporium leaf spot	1.25-1.9 L/ha, 4.5-6.0 tbsq/ 36L	-	7-14 days, Banana-0 day	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
ELITE AGROCHEMICALS INC.	CHLOROTHALONIL	DR. NEIL 500 SC	500 g/L	SC	FUNGICIDE	4	719-118-6222	21-Oct-24	-	Banana	Sigatoka, rust, freckles, heminthesporium leaf spot	1.25-1.9 L/ha, 1.8 L/ha	-	7-14 days, Banana-0 day	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
ELITE AGROCHEMICALS INC.	CHLOROTHALONIL	DR. NEIL 500 SC	500 g/L	SC	FUNGICIDE	4	719-118-6222	21-Oct-24	-	Mango	Anthracoise, diploida rot	3.75-5.00 L/ha, 4.5-6.0 tbsq/ 36L	-	7-14 days, Banana-0 day	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
ELITE AGROCHEMICALS INC.	CHLOROTHALONIL	DR. NEIL 500 SC	500 g/L	SC	FUNGICIDE	4	719-118-6222	21-Oct-24	-	beans	Rust, anthracnose	1.25-1.9 L/ha, 4.5-6.0 tbsq/ 36L	-	7-14 days, Banana-0 day	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
ELITE AGROCHEMICALS INC.	CHLOROTHALONIL	DR. NEIL 500 SC	500 g/L	SC	FUNGICIDE	4	719-118-6222	21-Oct-24	-	Crucifers	Powdery mildew	1.25-1.9 L/ha, 4.5-6.0 tbsq/ 36L	-	7-14 days, Banana-0 day	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
ELITE AGROCHEMICALS INC.	CHLOROTHALONIL	DR. NEIL 500 SC	500 g/L	SC	FUNGICIDE	4	719-118-6222	21-Oct-24	-	Onion	Purple blotch, bulb rot, neck rot	1.25-1.9 L/ha, 4.5-6.0 tbsq/ 36L	-	7-14 days, Banana-0 day	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
ELITE AGROCHEMICALS INC.	CHLOROTHALONIL	DR. NEIL 500 SC	500 g/L	SC	FUNGICIDE	4	719-118-6222	21-Oct-24	-	Ornamentals	Purple blotch, bulb rot, neck rot	1.25-1.9 L/ha, 4.5-6.0 tbsq/ 36L	-	7-14 days, Banana-0 day	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
ELITE AGROCHEMICALS INC.	CHLOROTHALONIL	DR. NEIL 500 SC	500 g/L	SC	FUNGICIDE	4	719-118-6222	21-Oct-24	-	Grapes	Downy mildew, powdery mildew, fruit rot	1.25-1.9 L/ha, 4.5-6.0 tbsq/ 36L	-	7-14 days, Banana-0 day	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
ELITE AGROCHEMICALS INC.	CHLOROTHALONIL	DR. NEIL 500 SC	500 g/L	SC	FUNGICIDE	4	719-118-6222	21-Oct-24	-	Pepper	Anthracoise, cercospora leaf spot, early blight	1.25-1.9 L/ha, 4.5-6.0 tbsq/ 36L	-	7-14 days, Banana-0 day	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
ELITE AGROCHEMICALS INC.	CHLOROTHALONIL	DR. NEIL 500 SC	500 g/L	SC	FUNGICIDE	4	719-118-6222	21-Oct-24	-	Cucurbits	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	1.25-1.9 L/ha, 4.5-6.0 tbsq/ 36L	-	7-14 days, Banana-0 day	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
ELITE AGROCHEMICALS INC.	CHLOROTHALONIL	DR. NEIL 500 SC	500 g/L	SC	FUNGICIDE	4	719-118-6222	21-Oct-24	-	Cucumber	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	1.25-1.9 L/ha, 4.5-6.0 tbsq/ 36L	-	7-14 days, Banana-0 day	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
ELITE AGROCHEMICALS INC.	CHLOROTHALONIL	DR. NEIL 500 SC	500 g/L	SC	FUNGICIDE	4	719-118-6222	21-Oct-24	-	Squash	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	1.25-1.9 L/ha, 4.5-6.0 tbsq/ 36L	-	7-14 days, Banana-0 day	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
ELITE AGROCHEMICALS INC.	CHLOROTHALONIL	DR. NEIL 500 SC	500 g/L	SC	FUNGICIDE	4	719-118-6222	21-Oct-24	-	Watermelon	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	1.25-1.9 L/ha, 4.5-6.0 tbsq/ 36L	-	7-14 days, Banana-0 day	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
ELITE AGROCHEMICALS INC.	CHLOROTHALONIL	DR. NEIL 500 SC	500 g/L	SC	FUNGICIDE	4	719-118-6222	21-Oct-24	-	Celery	Early and late blight	1.25-1.9 L/ha, 4.5-6.0 tbsq/ 36L	-	7-14 days, Banana-0 day	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
CORTEVA AGRISCIENCE PHILIPPINES, INC.	TRIFLUMAZOPYRIM	DPX-BA850 20 WG	20 g/kg	WG	INSECTICIDE	4	014-462-5691	05-Apr-23	-	Rice (Transplanted)	Brown planthopper	175 g prod/ha at spray volume of 300L/ha	-	-	-
CORTEVA AGRISCIENCE PHILIPPINES, INC.	TRIFLUMAZOPYRIM	DPX-BA850 20 WG	20 g/kg	WG	INSECTICIDE	4	014-462-5691	05-Apr-23	-	Rice (Direct Seeded)	Green leaf hopper	175 g prod/ha at spray volume of 240-320 L/ha	-	-	-
TRIPLE DIAMONDS AGRICULTURE	BISPYRIBAC SODIUM	DOZER 30 SC	105 g/L	SC	HERBICIDE	4	405-276-4234	11-Jan-21	SELECTIVE	Rice (Direct Seeded)	Grasses, sedges & broadleaves	10m/36 L water, 20 spray load/ hectare	0.1 ppm	-	As soon as spray deposits have dried
TRIPLE DIAMONDS AGRICULTURE	BISPYRIBAC SODIUM	DOZER 30 SC	105 g/L	SC	HERBICIDE	4	405-276-4234	11-Jan-21	SELECTIVE	Rice (Transplanted)	Grasses, sedges & broadleaves	10m/36 L water, 20 spray load/ hectare	0.1 ppm	-	As soon as spray deposits have dried
JEELS MASAGANA FARM SUPPLY, INC.	BUPROFEZIN	DOWNLOAD 250 SC	250g/L	SC	INSECTICIDE	3	487-224-5233	05-Jul-24	-	Mango	Leafhopper	40-80mL/200 L water	-	-	Do not spray 15 days before harvest
JYNSONS PHUPPHIES, INC.	DIFENCONAZOLE+PROPICONAZOLE	DOUBLE UP 300 EC	150 g/L+150 g/L	EC	FUNGICIDE	3	551-325-4897	19-Oct-26	SYSTEMIC	Rice	Sheath-Blight	2.5-3.5 Tbsp/36 L water	Chlorothalonil 0.1ppm	-	As soon as the spray solution has dried on the foliage.
JYNSONS PHUPPHIES, INC.	DIFENCONAZOLE+PROPICONAZOLE	DOUBLE UP 300 EC	150 g/L+150 g/L	EC	FUNGICIDE	3	551-325-4897	19-Oct-26	SYSTEMIC	Corn	Banded leaf,sheath blight,ear rot,leaf blight & rust	3-2 Tbsp/36 L water	-	-	As soon as the spray solution has dried on the foliage.
GALVAD AGRI TRADING CORPORATION	LAMBDA-CHYALOTHIRIN+THIAMETHOXAM	DOUBLEGUARD 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	641-395-5991	25-Sep-25	-	Potato	Whiteflies, aphids, thrips	100-200ml product/ha, 4-6 ml/36L	-	7 days	Do not enter treated fields at least 1 day after application
GALVAD AGRI TRADING CORPORATION	LAMBDA-CHYALOTHIRIN+THIAMETHOXAM	DOUBLEGUARD 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	641-395-5991	25-Sep-25	-	Stringbeans	Green leafhopper, aphids, mites	200-200ml product/ha, 4-6 ml/36L	-	7 days	Do not enter treated fields at least 1 day after application
GALVAD AGRI TRADING CORPORATION	LAMBDA-CHYALOTHIRIN+THIAMETHOXAM	DOUBLEGUARD 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	641-395-5991	25-Sep-25	-	Eggplant	Whiteflies, green leafhopper, aphids	100-200ml product/ha, 4-6 ml/36L	-	7 days	Do not enter treated fields at least 1 day after application
GALVAD AGRI TRADING CORPORATION	LAMBDA-CHYALOTHIRIN+THIAMETHOXAM	DOUBLEGUARD 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	641-395-5991	25-Sep-25	-	Amplaysa	Leafhoppers, trips, aphids	100-200ml product/ha, 4-13 ml/36L	-	7 days	Do not enter treated fields at least 1 day after application
GALVAD AGRI TRADING CORPORATION	LAMBDA-CHYALOTHIRIN+THIAMETHOXAM	DOUBLEGUARD 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	641-395-5991	25-Sep-25	-	Mango	Leafhoppers, tip borers	12-24mL/200L	-	3 days	Do not enter treated fields at least 1 day after application
GALVAD AGRI TRADING CORPORATION	LAMBDA-CHYALOTHIRIN+THIAMETHOXAM	DOUBLEGUARD 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	641-395-5991	25-Sep-25	-	Corn	Asian corn borer, cutworm, leafhoppers, aphids	200-400ml product/ha, 10.0-16.0 mL product/36L	-	3 days	Do not enter treated fields at least 1 day after application
GALVAD AGRI TRADING CORPORATION	LAMBDA-CHYALOTHIRIN+THIAMETHOXAM	DOUBLEGUARD 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	641-395-5991	25-Sep-25	-	Banana	Flower thrips	1-1 mL/	-	90 days	Do not enter treated fields at least 1 day after application
GALVAD AGRI TRADING CORPORATION	LAMBDA-CHYALOTHIRIN+THIAMETHOXAM	DOUBLEGUARD 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	641-395-5991	25-Sep-25	-	Rice	Stem-borer, leafhopper, rice bugs	10-30 Tbsp prod/36L	-	10 days	Do not enter treated fields at least 1 day after application
AGSMART CORPORATION	LAMBDA-CHYALOTHIRIN+THIAMETHOXAM	DOUBLE BARREL 247 ZC	141 g/L + 106 g/L	ZC	INSECTICIDE	2	680-395-5690	27-Apr-25	-	Potato	Whiteflies, aphids, thrips	4.0-6.0 ml product/36L	-	-	-
AGSMART CORPORATION	LAMBDA-CHYALOTHIRIN+THIAMETHOXAM	DOUBLE BARREL 247 ZC	141 g/L + 106 g/L	ZC	INSECTICIDE	2	680-395-5690	27-Apr-25	-	Stringbeans	Green Leafhopper, aphids, mites	4.0-6.0 ml product/36L	-	-	-
AGSMART CORPORATION	LAMBDA-CHYALOTHIRIN+THIAMETHOXAM	DOUBLE BARREL 247 ZC	141 g/L + 106 g/L	ZC	INSECTICIDE	2	680-395-5690	27-Apr-25	-	Eggplant	Green leafhopper, whiteflies, aphids	4.0-6.0 ml product/36L	-	-	-
AGSMART CORPORATION	LAMBDA-CHYALOTHIRIN+THIAMETHOXAM	DOUBLE BARREL 247 ZC	141 g/L + 106 g/L	ZC	INSECTICIDE	2	680-395-5690	27-Apr-25	-	Bitter gourd	Leafhopper, aphids, thrips, fruitfly, cutworm	4.0-13.0 ml product/36L	-	-	-
AGSMART CORPORATION	LAMBDA-CHYALOTHIRIN+THIAMETHOXAM	DOUBLE BARREL 247 ZC	141 g/L + 106 g/L	ZC	INSECTICIDE	2	680-395-5690	27-Apr-25	-	Corn	Cutworm	10.0-16.0 ml product/36L	-	-	-
AGSMART CORPORATION	LAMBDA-CHYALOTHIRIN+THIAMETHOXAM	DOUBLE BARREL 247 ZC	141 g/L + 106 g/L	ZC	INSECTICIDE	2	680-395-5690	27-Apr-25	-	Mango	Mango leafhopper	20-30mL/ 100ml product/ha	-	-	-
AGSMART CORPORATION	LAMBDA-CHYALOTHIRIN+THIAMETHOXAM	DOUBLE BARREL 247 ZC	141 g/L + 106 g/L	ZC	INSECTICIDE	2	680-395-5690	27-Apr-25	-	Banana	Flower Thrips	1-3mL/ ml product/ha	-	-	-
AGSMART CORPORATION	LAMBDA-CHYALOTHIRIN+THIAMETHOXAM	DOUBLE BARREL 247 ZC	141 g/L + 106 g/L	ZC	INSECTICIDE	2	680-395-5690	27-Apr-25	-	Rice	Stem-borer, leafhoppers	10.0-30.0 ml product/36L	-	-	-
NS NORTHERN ORGANIC FERTILIZER INC.	CARBARYL	DOUBLE SEVEN 85 WP	850 g/kg	WP	INSECTICIDE	2	470-035-4751	03-Feb-24	-	Tobacco	Budworm, cutworm, aphids	4-6 tbsq/36 L water	-	-	Do not spray within 14 days of harvest on rice, 5 days and 1 day on cacao, coffee and mango
NS NORTHERN ORGANIC FERTILIZER INC.	CARBARYL	DOUBLE SEVEN 85 WP	850 g/kg	WP	INSECTICIDE	2	470-035-4751	03-Feb-24	-	Sorghum	Weebworm, armyworm, cutworm, headworm	8-6 tbsq/36 L water	-	-	Do not spray within 14 days of harvest on rice, 5 days and 1 day on cacao, coffee and mango
NS NORTHERN ORGANIC FERTILIZER INC.	CARBARYL	DOUBLE SEVEN 85 WP	850 g/kg	WP	INSECTICIDE	2	470-035-4751	03-Feb-24	-	Ornamentals	Aphids, scale insect, mealy bug, cutworm	4-6 tbsq/36 L water	-	-	Do not spray within 14 days of harvest on rice, 5 days and 1 day on cacao, coffee and mango
NS NORTHERN ORGANIC FERTILIZER INC.	CARBARYL	DOUBLE SEVEN 85 WP	850 g/kg	WP	INSECTICIDE	2	470-035-4751	03-Feb-24	-	Mango	Mango hopper, tip borer, twig borer, fruit fly, mealy bug	4-8 tbsq/36 L water	-	-	Do not spray within 14 days of harvest on rice, 5 days and 1 day on cacao, coffee and mango
NS NORTHERN ORGANIC FERTILIZER INC.	CARBARYL	DOUBLE SEVEN 85 WP	850 g/kg	WP	INSECTICIDE	2	470-035-4751	03-Feb-24	-	Coffee	Berry borer	4-6 tbsq/36 L water	-	-	Do not spray within 14 days of harvest on rice, 5 days and 1 day on cacao, coffee and mango
NS NORTHERN ORGANIC FERTILIZER INC.	CARBARYL	DOUBLE SEVEN 85 WP	850 g/kg	WP	INSECTICIDE	2	470-035-4751	03-Feb-24	-	Cacao	Pod-borer, aphids, capsid bug	4-6 tbsq/36 L water	-	-	Do not spray within 14 days of harvest on rice, 5 days and 1 day on cacao, coffee and mango
NS NORTHERN ORGANIC FERTILIZER INC.	CARBARYL	DOUBLE SEVEN 85 WP	850 g/kg	WP	INSECTICIDE	2	470-035-4751	03-Feb-24	-	Citrus	Rind borer	4-6 tbsq/36 L water	-	-	Do not spray within 14 days of harvest on rice, 5 days and 1 day on cacao, coffee and mango
NS NORTHERN ORGANIC FERTILIZER INC.	CARBARYL	DOUBLE SEVEN 85 WP	850 g/kg	WP	INSECTICIDE	2	470-035-4751	03-Feb-24	-	Soybeans	Pod-borer, beanfly, leafminer, aphids	4-6 tbsq/36 L water	-	-	Do not spray within 14 days of harvest on rice, 5 days and 1 day on cacao, coffee and mango
NS NORTHERN ORGANIC FERTILIZER INC.	CARBARYL	DOUBLE SEVEN 85 WP	850 g/kg	WP	INSECTICIDE	2	470-035-4751	03-Feb-24	-	Rice	Green leafhopper, caseworm, aphids	4-6 tbsq/36 L water	1ppm	-	Do not spray within 14 days of harvest on rice, 5 days and 1 day on cacao, coffee and mango
NS NORTHERN ORGANIC FERTILIZER INC.	CARBARYL	DOUBLE SEVEN 85 WP	850 g/kg	WP	INSECTICIDE	2	470-035-4751	03-Feb-24	-	Cowpea and other beans	Pod-borer, beanfly, leafminer, cutworm, aphids	4-6 tbsq/36 L water	-	-	Do not spray within 14 days of harvest on rice, 5 days and 1 day on cacao, coffee and mango
NS NORTHERN ORGANIC FERTILIZER INC.	CARBARYL	DOUBLE SEVEN 85 WP	850 g/kg	WP	INSECTICIDE	2	470-035-4751	03-Feb-24	-	Cotton seed	Bollworm, cutworm	4-6 tbsq/36 L water	-	-	Do not spray within 14 days of harvest on rice, 5 days and 1 day on cacao, coffee and mango
NS NORTHERN ORGANIC FERTILIZER INC.	CARBARYL	DOUBLE SEVEN 85 WP	850 g/kg	WP	INSECTICIDE	2	470-035-4751	03-Feb-24	-	Corn	Corn borer, corn earworm, army worm	4-6 tbsq/36 L water	-	-	Do not spray within 14 days of harvest on rice, 5 days and 1 day on cacao, coffee and mango
NS NORTHERN ORGANIC FERTILIZER INC.	CARBARYL	DOUBLE SEVEN 85 WP	850 g/kg	WP	INSECTICIDE	2	470-035-4751	03-Feb-24	-	Tomato	Fruitworm, leafy beetle	4-6 tbsq/36 L water	-	-	Do not spray within 14 days of harvest on rice, 5 days and 1 day on cacao, coffee and mango
NS NORTHERN ORGANIC FERTILIZER INC.	CARBARYL	DOUBLE SEVEN 85 WP	850 g/kg	WP	INSECTICIDE	2	470-035-4751	03-Feb-24	-	Cucurbits	Squash beetle, leafy beetle	4-6 tbsq/36 L water	-	-	Do not spray within 14 days of harvest on rice, 5 days and 1 day on cacao, coffee and mango

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
INTERNATIONAL VETERINARY & AGROCHEMICAL (IYA), INC.	BACILLUS AMFLOLIQUEFACIENS D747 STRAIN	DOUBLE NICKEL 250 WG	-	WDG	FUNGICIDE	4	088-544-5417	27-Apr-24	-	Banana	Crown rot and Crown mold	1.25 g prod. / ha	-	-	Enter treated fields when spray droplets dries
INTERNATIONAL VETERINARY & AGROCHEMICAL (IYA), INC.	BACILLUS AMFLOLIQUEFACIENS D747 STRAIN	DOUBLE NICKEL 250 WG	250g/kg	WDG	FUNGICIDE	4	088-544-5417	27-Apr-24	-	Banana	Black Sigatoka	0.25-1.0 kg prod. / hectare at volume rate of 150L/hectare	-	-	Enter treated fields when spray droplets dries
TEXICON AGR VENTURES CORPORATION	2,4-D AMINE	DOUBLE KILL 2,4-D AMINE	400 g/L	EC	HERBICIDE	2	242-013-2232	13-Oct-24	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual broadleaves and sedges	3.5-6.5 tbsp/36 L water	0.1 ppm	-	Entry to fields and crops treated DOUBLE KILL 2,4-D AMINE can be done one day after spraying
TEXICON AGR VENTURES CORPORATION	2,4-D AMINE	DOUBLE KILL 2,4-D AMINE	400 g/L	EC	HERBICIDE	2	242-013-2232	13-Oct-24	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual broadleaves and sedges	13-25 Tbsp/36 L water	-	-	Entry to fields and crops treated DOUBLE KILL 2,4-D AMINE can be done one day after spraying
TEXICON AGR VENTURES CORPORATION	2,4-D AMINE	DOUBLE KILL 2,4-D AMINE	400 g/L	EC	HERBICIDE	2	242-013-2232	13-Oct-24	SELECTIVE (POST-EMERGENT)	Corn	Annual broadleaves and sedges	9-6.5 Tbsp/36 L water	-	-	Entry to fields and crops treated DOUBLE KILL 2,4-D AMINE can be done one day after spraying
GREEN DRAGON RESOURCES CORPORATION	2,4-D IBE	DOUBLE 12,4-D ESTER	491 g/L	EC	HERBICIDE	2	652-049-5353	31-Dec-23	-	Rice (Transplanted)	Annual Broadleaves & sedges	5.0-6.30Tbsp/36L water	0.1 ppm	-	Do not spray within two days before harvest
GREEN DRAGON RESOURCES CORPORATION	2,4-D IBE	DOUBLE 12,4-D ESTER	491 g/L	EC	HERBICIDE	2	652-049-5353	31-Dec-23	-	Corn	Annual Broadleaves & sedges	5.0-6.30Tbsp/36L water	-	-	Do not spray within two days before harvest
GREEN DRAGON RESOURCES CORPORATION	2,4-D AMINE	DOUBLE 12,4-D AMINE	400 g/L	SC	HERBICIDE	2	652-013-5356	31-Dec-23	POST-EMERGENT	Sugarcane	Annual Broadleaves & sedges	3.5-6.5 Tbsp/ 36L water	-	-	Entry to fields and crops treated with DOUBLE TOP 12,4-D ESTER can be done one day after application
GREEN DRAGON RESOURCES CORPORATION	2,4-D AMINE	DOUBLE 12,4-D AMINE	400 g/L	SC	HERBICIDE	2	652-013-5356	31-Dec-23	POST-EMERGENT	Rice (Transplanted)	Sedges & Broadleaf weeds	3.5-6.5 Tbsp/ 36L water	-	-	Entry to fields and crops treated with DOUBLE 12,4-D AMINE can be done one day after spraying
GREEN DRAGON RESOURCES CORPORATION	2,4-D AMINE	DOUBLE 12,4-D AMINE	400 g/L	SC	HERBICIDE	2	652-013-5356	31-Dec-23	POST-EMERGENT	Sugarcane	Sedges & Broadleaf weeds	13-25 Tbsp/36 L water	-	-	Entry to fields and crops treated with DOUBLE 12,4-D AMINE can be done one day after spraying
GREEN DRAGON RESOURCES CORPORATION	2,4-D AMINE	DOUBLE 12,4-D AMINE	400 g/L	SC	HERBICIDE	2	652-013-5356	31-Dec-23	POST-EMERGENT	Corn	Sedges & Broadleaf weeds	5.0-6.5 tbsp/ 36 L water	-	-	Entry to fields and crops treated with DOUBLE 12,4-D AMINE can be done one day after spraying
VAST AGRO SOLUTIONS, INC.	TRIDEMORPH	DORPHALAN BE OL	860 g/L	OL	FUNGICIDE	2	385-097-3514	24-Aug-24	SYSTEMIC/CONTACT	Banana	Black sigatoka	0.5-0.8 L/ha + 10-15 L/ha water + 0.7 L/ha oil	5.0 mg/kg	-	As soon as solution has dried up
PHILIPPINE FARMIX SOLUTIONS INC.	PROCHOZAZ	DOMINUS 45 EW	450 g/L	EW	FUNGICIDE	3	535-300-4888	28-Aug-25	POST-HARVEST	Banana	Fungal crown mold/crown rot	2 mL/L	5.0 mg/kg	-	-
PHILIPPINE FARMIX SOLUTIONS INC.	PROCHOZAZ	DOMINUS 45 EW	450 g/L	EW	FUNGICIDE	3	535-300-4888	28-Aug-25	POST-HARVEST	Pineapple	Butt and crown fruit/leaf core rot	0.5-1 mL/L water or 200-400 ppm a.i. L/Lha	2.0 mg/kg	-	-
ENVIRO CROPVET PRODUCTS INC.	CHLOROTHALONIL	DOMINO 720 SC	720g/L	SC	FUNGICIDE	4	282-118-3301	22-Sep-25	-	Banana	Black Sigatoka	1.0-2.0 L/ha	-	0 day	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
ENVIRO CROPVET PRODUCTS INC.	CHLOROTHALONIL	DOMINO 720 SC	720g/L	SC	FUNGICIDE	4	282-118-3301	22-Sep-25	-	Asparagus	Stem and leaf blight	1.8 L/ha	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
ENVIRO CROPVET PRODUCTS INC.	CHLOROTHALONIL	DOMINO 720 SC	720g/L	SC	FUNGICIDE	4	282-118-3301	22-Sep-25	-	Potato	Early and late blight, vine rot	1.0-1.8 L/ha	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
ENVIRO CROPVET PRODUCTS INC.	CHLOROTHALONIL	DOMINO 720 SC	720g/L	SC	FUNGICIDE	4	282-118-3301	22-Sep-25	-	Tomato	Early and late blight, vine rot	1.25-1.9 L/ha	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
ENVIRO CROPVET PRODUCTS INC.	CHLOROTHALONIL	DOMINO 720 SC	720g/L	SC	FUNGICIDE	4	282-118-3301	22-Sep-25	-	Beans	Rust, anthracnose	1.25-1.9 L/ha	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
ENVIRO CROPVET PRODUCTS INC.	CHLOROTHALONIL	DOMINO 720 SC	720g/L	SC	FUNGICIDE	4	282-118-3301	22-Sep-25	-	Carrot	Alternaria, cercospora, helminthosporium	1.25-1.9 L/ha	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
ENVIRO CROPVET PRODUCTS INC.	CHLOROTHALONIL	DOMINO 720 SC	720g/L	SC	FUNGICIDE	4	282-118-3301	22-Sep-25	-	Crucifers	Powdery mildew	1.25-1.9 L/ha	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
ENVIRO CROPVET PRODUCTS INC.	CHLOROTHALONIL	DOMINO 720 SC	720g/L	SC	FUNGICIDE	4	282-118-3301	22-Sep-25	-	Cabbage	Powdery mildew	1.25-1.9 L/ha	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
ENVIRO CROPVET PRODUCTS INC.	CHLOROTHALONIL	DOMINO 720 SC	720g/L	SC	FUNGICIDE	4	282-118-3301	22-Sep-25	-	Broccoli	Powdery mildew	1.25-1.9 L/ha	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
ENVIRO CROPVET PRODUCTS INC.	CHLOROTHALONIL	DOMINO 720 SC	720g/L	SC	FUNGICIDE	4	282-118-3301	22-Sep-25	-	Cauliflower	Powdery mildew	1.25-1.9 L/ha	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
ENVIRO CROPVET PRODUCTS INC.	CHLOROTHALONIL	DOMINO 720 SC	720g/L	SC	FUNGICIDE	4	282-118-3301	22-Sep-25	-	Cucurbits	Powdery mildew, downy mildew, cercospora, anthracnose, septoria, fruit rot, early and late blight	1.25-1.9 L/ha	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
ENVIRO CROPVET PRODUCTS INC.	CHLOROTHALONIL	DOMINO 720 SC	720g/L	SC	FUNGICIDE	4	282-118-3301	22-Sep-25	-	Cucumber	Powdery mildew, downy mildew, cercospora, anthracnose, septoria, fruit rot, early and late blight	1.25-1.9 L/ha	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
ENVIRO CROPVET PRODUCTS INC.	CHLOROTHALONIL	DOMINO 720 SC	720g/L	SC	FUNGICIDE	4	282-118-3301	22-Sep-25	-	Melon	Powdery mildew, downy mildew, cercospora, anthracnose, septoria, fruit rot, early and late blight	1.25-1.9 L/ha	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
ENVIRO CROPVET PRODUCTS INC.	CHLOROTHALONIL	DOMINO 720 SC	720g/L	SC	FUNGICIDE	4	282-118-3301	22-Sep-25	-	Squash	Powdery mildew, downy mildew, cercospora, anthracnose, septoria, fruit rot, early and late blight	1.25-1.9 L/ha	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
ENVIRO CROPVET PRODUCTS INC.	CHLOROTHALONIL	DOMINO 720 SC	720g/L	SC	FUNGICIDE	4	282-118-3301	22-Sep-25	-	Watermelon	Powdery mildew, downy mildew, cercospora, anthracnose, septoria, fruit rot, early and late blight	1.25-1.9 L/ha	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
ENVIRO CROPVET PRODUCTS INC.	CHLOROTHALONIL	DOMINO 720 SC	720g/L	SC	FUNGICIDE	4	282-118-3301	22-Sep-25	-	Celery	Early and late blight	1.25-1.9 L/ha	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
ENVIRO CROPVET PRODUCTS INC.	CHLOROTHALONIL	DOMINO 720 SC	720g/L	SC	FUNGICIDE	4	282-118-3301	22-Sep-25	-	Eggplant	Early and late blight, cercospora, anthracnose	1.25-1.9 L/ha	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
ENVIRO CROPVET PRODUCTS INC.	CHLOROTHALONIL	DOMINO 720 SC	720g/L	SC	FUNGICIDE	4	282-118-3301	22-Sep-25	-	Grapes	Downy mildew, powdery mildew, fruit rot	1.25-1.9 L/ha	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
ENVIRO CROPVET PRODUCTS INC.	CHLOROTHALONIL	DOMINO 720 SC	720g/L	SC	FUNGICIDE	4	282-118-3301	22-Sep-25	-	Mango	Anthracoze, diplodia	3.75-5.80 L/ha	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
ENVIRO CROPVET PRODUCTS INC.	CHLOROTHALONIL	DOMINO 720 SC	720g/L	SC	FUNGICIDE	4	282-118-3301	22-Sep-25	-	Onion	Purple blotch, bulb rot, neck rot	1.25-1.9 L/ha	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
ENVIRO CROPVET PRODUCTS INC.	CHLOROTHALONIL	DOMINO 720 SC	720g/L	SC	FUNGICIDE	4	282-118-3301	22-Sep-25	-	Pepper	Early and late blight, cercospora, anthracnose	1.25-1.9 L/ha	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
ENVIRO CROPVET PRODUCTS INC.	CHLOROTHALONIL	DOMINO 720 SC	720g/L	SC	FUNGICIDE	4	282-118-3301	22-Sep-25	-	Ornamentals	Black spot, black rot, powdery mildew	1.25-1.9 L/ha	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
ROTAM PHILIPPINES, INC.	CHLOROTHALONIL	DOMINO 720 SC	720 g/L	SC	FUNGICIDE	4	569-118-3687	22-Jul-25	-	Potato	Early blight, late blight, vine rot	1.00-1.80 L/ha or 4.5-5.5 tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ROTAM PHILIPPINES, INC.	CHLOROTHALONIL	DOMINO 720 SC	720 g/L	SC	FUNGICIDE	4	569-118-3687	22-Jul-25	-	Tomato	Early blight, late blight, vine rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ROTAM PHILIPPINES, INC.	CHLOROTHALONIL	DOMINO 720 SC	720 g/L	SC	FUNGICIDE	4	569-118-3687	22-Jul-25	-	Beans	Rust, anthracnose	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ROTAM PHILIPPINES, INC.	CHLOROTHALONIL	DOMINO 720 SC	720 g/L	SC	FUNGICIDE	4	569-118-3687	22-Jul-25	-	Carrot	Alternaria leaf spot, cercospora leaf spot, helminthosporium leaf spot	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ROTAM PHILIPPINES, INC.	CHLOROTHALONIL	DOMINO 720 SC	720 g/L	SC	FUNGICIDE	4	569-118-3687	22-Jul-25	-	Crucifers	Powdery mildew	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ROTAM PHILIPPINES, INC.	CHLOROTHALONIL	DOMINO 720 SC	720 g/L	SC	FUNGICIDE	4	569-118-3687	22-Jul-25	-	Melon	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ROTAM PHILIPPINES, INC.	CHLOROTHALONIL	DOMINO 720 SC	720 g/L	SC	FUNGICIDE	4	569-118-3687	22-Jul-25	-	Cucumber	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ROTAM PHILIPPINES, INC.	CHLOROTHALONIL	DOMINO 720 SC	720 g/L	SC	FUNGICIDE	4	569-118-3687	22-Jul-25	-	Squash	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ROTAM PHILIPPINES, INC.	CHLOROTHALONIL	DOMINO 720 SC	720 g/L	SC	FUNGICIDE	4	569-118-3687	22-Jul-25	-	Watermelon	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ROTAM PHILIPPINES, INC.	CHLOROTHALONIL	DOMINO 720 SC	720 g/L	SC	FUNGICIDE	4	569-118-3687	22-Jul-25	-	Celery	Early blight, late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ROTAM PHILIPPINES, INC.	CHLOROTHALONIL	DOMINO 720 SC	720 g/L	SC	FUNGICIDE	4	569-118-3687	22-Jul-25	-	Eggplant	Early blight, late blight, cercospora leafspot, anthracnose	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ROTAM PHILIPPINES, INC.	CHLOROTHALONIL	DOMINO 720 SC	720 g/L	SC	FUNGICIDE	4	569-118-3687	22-Jul-25	-	Onion	Purple blotch, bulb rot, neck rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ROTAM PHILIPPINES, INC.	CHLOROTHALONIL	DOMINO 720 SC	720 g/L	SC	FUNGICIDE	4	569-118-3687	22-Jul-25	-	Pepper	Early blight, cercospora leaf spot, anthracnose	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ROTAM PHILIPPINES, INC.	CHLOROTHALONIL	DOMINO 720 SC	720 g/L	SC	FUNGICIDE	4	569-118-3687	22-Jul-25	-	Grapes	Downy mildew, powdery mildew, fruit rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ROTAM PHILIPPINES, INC.	CHLOROTHALONIL	DOMINO 720 SC	720 g/L	SC	FUNGICIDE	4	569-118-3687	22-Jul-25	-	Mango	Anthracoze, diplodia rot	3.75-5.80 L/ha or 4.5-6.0 tbsp/36 L	0.5 mg/kg	7-14 days	Do not enter treatment areas until spray deposit have dried
ROTAM PHILIPPINES, INC.	CHLOROTHALONIL	DOMINO 720 SC	720 g/L	SC	FUNGICIDE	4	569-118-3687	22-Jul-25	-	Ornamentals	Black spot, powdery mildew, black rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ROTAM PHILIPPINES, INC.	CHLOROTHALONIL	DOMINO 720 SC	720 g/L	SC	FUNGICIDE	4	569-118-3687	22-Jul-25	-	Asparagus	Stem and leaf blight	1.80 L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
ROTAM PHILIPPINES, INC.	CHLOROTHALONIL	DOMINO 720 SC	720 g/L	SC	FUNGICIDE	4	569-118-3687	22-Jul-25	-	Banana	Black sigatoka	1.80 L/ha	2.0 mg/kg	0 day	Do not enter treatment areas until spray deposit have dried
JOANIMA CORPORATION	CHLOROTHALONIL	DOMINIL 720 SC	720 g/L	SC	FUNGICIDE	4	241-118-4059	12-Feb-24	-	Potato	Early blight, late blight, vine rot	1.0-1.8 L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
JOANIMA CORPORATION	CHLOROTHALONIL	DOMINIL 720 SC	720 g/L	SC	FUNGICIDE	4	241-118-4059	12-Feb-24	-	Tomato	Early blight, late blight, vine rot	1.25-1.9 L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
JOCANIMA CORPORATION	CHLOROTHALONIL	DOMINIL 720 SC	720 g/L	SC	FUNGICIDE	4	241-118-4609	12-Feb-24		Beans	Rust, anthracnose	1.25-1.9 L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
JOCANIMA CORPORATION	CHLOROTHALONIL	DOMINIL 720 SC	720 g/L	SC	FUNGICIDE	4	241-118-4609	12-Feb-24		Carrot	Alternaria leaf spot, cercospora leaf spot, helminthosporium leaf spot	1.25-1.9 L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
JOCANIMA CORPORATION	CHLOROTHALONIL	DOMINIL 720 SC	720 g/L	SC	FUNGICIDE	4	241-118-4609	12-Feb-24		Cruifers	Powdery mildew	1.25-1.9 L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
JOCANIMA CORPORATION	CHLOROTHALONIL	DOMINIL 720 SC	720 g/L	SC	FUNGICIDE	4	241-118-4609	12-Feb-24		Cucurbits	Powdery mildew, downy mildew, cercospora, anthracnose, septoria, fruit rot, early and late blight	1.25-1.9 L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
JOCANIMA CORPORATION	CHLOROTHALONIL	DOMINIL 720 SC	720 g/L	SC	FUNGICIDE	4	241-118-4609	12-Feb-24		Galery	Early blight, late blight	1.25-1.9 L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
JOCANIMA CORPORATION	CHLOROTHALONIL	DOMINIL 720 SC	720 g/L	SC	FUNGICIDE	4	241-118-4609	12-Feb-24		Eggplant	Early blight, late blight, cercospora, anthracnose	1.25-1.9 L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
JOCANIMA CORPORATION	CHLOROTHALONIL	DOMINIL 720 SC	720 g/L	SC	FUNGICIDE	4	241-118-4609	12-Feb-24		Onion	Purple blotch, bulb rot, neck rot	1.25-1.9 L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
JOCANIMA CORPORATION	CHLOROTHALONIL	DOMINIL 720 SC	720 g/L	SC	FUNGICIDE	4	241-118-4609	12-Feb-24		Pepper	Early & Late blight, Bulb rot, Neck rot	1.25-1.9 L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
JOCANIMA CORPORATION	CHLOROTHALONIL	DOMINIL 720 SC	720 g/L	SC	FUNGICIDE	4	241-118-4609	12-Feb-24		Grapes	Downy mildew, powdery mildew, fruit rot	1.25-1.9 L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
JOCANIMA CORPORATION	CHLOROTHALONIL	DOMINIL 720 SC	720 g/L	SC	FUNGICIDE	4	241-118-4609	12-Feb-24		Mango	Anthraxnose, diploidia rot	3.75-5.60 L/ha	0.5 mg/kg	7-14 days	Do not enter treatment areas until spray deposit have dried
JOCANIMA CORPORATION	CHLOROTHALONIL	DOMINIL 720 SC	720 g/L	SC	FUNGICIDE	4	241-118-4609	12-Feb-24		Ornamentals	Black spot, powdery mildew, black rot	1.25-1.9 L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
JOCANIMA CORPORATION	CHLOROTHALONIL	DOMINIL 720 SC	720 g/L	SC	FUNGICIDE	4	241-118-4609	12-Feb-24		Asparagus	Stem and leaf blight	2.8 L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
JOCANIMA CORPORATION	CHLOROTHALONIL	DOMINIL 720 SC	720 g/L	SC	FUNGICIDE	4	241-118-4609	12-Feb-24		Banana	Black sigatoka	1.0-2.0 L/ha	2.0 mg/kg	0 day	Do not enter treatment areas until spray deposit have dried
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	BISPIRIBAC SODIUM	DOMINATE SC 100	105.5 g/L	SC	HERBICIDE	4	376-276-2271	15-Jun-24	SELECTIVE (POST-EMERGENT)	Rice (Direct Seeded)	Grasses, sedges & broadleaves	10ml/16 L water, 20 spray load/ hectare	0.1 ppm	-	
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	BISPIRIBAC SODIUM	DOMINATE SC 100	105.5 g/L	SC	HERBICIDE	4	376-276-2271	15-Jun-24	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Grasses, sedges & broadleaves	10ml/16 L water, 20 spray load/ hectare	0.1 ppm	-	
LEADS AGRICULTURAL PRODUCTS CORPORATION	TETRACONAZOLE-CARBENDAZIM	DOMARK PRO	125 g/L+100 g/L	SE	FUNGICIDE	4	099-423-2883	27-Sep-25	SYSTEMIC	Mango	Anthraxnose, Stem-end rot	66-80ml/100 L water	-	14 days	0-1 day
LEADS AGRICULTURAL PRODUCTS CORPORATION	TETRACONAZOLE-CARBENDAZIM	DOMARK PRO	125 g/L+100 g/L	SE	FUNGICIDE	4	099-423-2883	27-Sep-25	SYSTEMIC	Rice	Sheath blight	400ml/ha	Tetraconazole - 0.5ppm	14 days	0-1 day
JOCANIMA CORPORATION	DODINE	DODINA 400 SC	400 g/L	SC	FUNGICIDE	2	241-418-5789	12-Nov-24		Banana	Black Sigatoka	One (1) liter per hectare	-	0 day	No ground workers are allowed during the spray operation. Works can enter the treated area only after 1-2 hours of application to avoid exposure to small droplets
JOCARMA PEST MANAGEMENT SOLUTIONS CORP.	BENDIMYL	DOCARMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	677-167-5563	9-Aug-24	SYSTEMIC	Beans	Powdery mildew, cercospora leaf spot	1-2 Tbsp/16L water	-	14 Days	Within 24 hours after spraying. The treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray.
JOCARMA PEST MANAGEMENT SOLUTIONS CORP.	BENDIMYL	DOCARMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	677-167-5563	9-Aug-24	SYSTEMIC	Mungbeans	Powdery mildew, cercospora leaf spot	1-2 Tbsp/16L water	-	7 days	Within 24 hours after spraying. The treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray.
JOCARMA PEST MANAGEMENT SOLUTIONS CORP.	BENDIMYL	DOCARMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	677-167-5563	9-Aug-24	SYSTEMIC	Cabbage	Cercospora leaf spot	1-2 Tbsp/16L water	-	7 days	Within 24 hours after spraying. The treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray.
JOCARMA PEST MANAGEMENT SOLUTIONS CORP.	BENDIMYL	DOCARMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	677-167-5563	9-Aug-24	SYSTEMIC	Calamansi	Scab	1-2 Tbsp/16L water	-	14 Days	Within 24 hours after spraying. The treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray.
JOCARMA PEST MANAGEMENT SOLUTIONS CORP.	BENDIMYL	DOCARMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	677-167-5563	9-Aug-24	SYSTEMIC	Cucumber	Powdery mildew	1-2 Tbsp/16L water	-	14 Days	Within 24 hours after spraying. The treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray.
JOCARMA PEST MANAGEMENT SOLUTIONS CORP.	BENDIMYL	DOCARMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	677-167-5563	9-Aug-24	SYSTEMIC	Ginger	Cercospora leaf spot	1-2 Tbsp/16L water	-	7 days	Within 24 hours after spraying. The treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray.
JOCARMA PEST MANAGEMENT SOLUTIONS CORP.	BENDIMYL	DOCARMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	677-167-5563	9-Aug-24	SYSTEMIC	Grapes	Powdery mildew	1-2 Tbsp/16L water	-	14 days	Within 24 hours after spraying. The treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray.
JOCARMA PEST MANAGEMENT SOLUTIONS CORP.	BENDIMYL	DOCARMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	677-167-5563	9-Aug-24	SYSTEMIC	Mandarin	Scab	1-2 Tbsp/16L water	-	14 days	Within 24 hours after spraying. The treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray.
JOCARMA PEST MANAGEMENT SOLUTIONS CORP.	BENDIMYL	DOCARMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	677-167-5563	9-Aug-24	SYSTEMIC	Mango	Anthraxnose, powdery mildew	1-2 Tbsp/16L water	-	14 days	Within 24 hours after spraying. The treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray.
JOCARMA PEST MANAGEMENT SOLUTIONS CORP.	BENDIMYL	DOCARMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	677-167-5563	9-Aug-24	SYSTEMIC	Melon	Powdery mildew	1-2 Tbsp/16L water	-	14 days	Within 24 hours after spraying. The treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray.
JOCARMA PEST MANAGEMENT SOLUTIONS CORP.	BENDIMYL	DOCARMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	677-167-5563	9-Aug-24	SYSTEMIC	Orange	Scab	1-2 Tbsp/16L water	-	14 days	Within 24 hours after spraying. The treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray.
JOCARMA PEST MANAGEMENT SOLUTIONS CORP.	BENDIMYL	DOCARMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	677-167-5563	9-Aug-24	SYSTEMIC	Papaya	Powdery mildew	1-2 Tbsp/16L water	-	14 days	Within 24 hours after spraying. The treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray.
JOCARMA PEST MANAGEMENT SOLUTIONS CORP.	BENDIMYL	DOCARMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	677-167-5563	9-Aug-24	SYSTEMIC	Pepper	Cercospora leaf spot	1-2 Tbsp/16L water	-	7 days	Within 24 hours after spraying. The treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray.
JOCARMA PEST MANAGEMENT SOLUTIONS CORP.	BENDIMYL	DOCARMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	677-167-5563	9-Aug-24	SYSTEMIC	Rice	Blast, sheath blight	3-4 Tbsp/16 L water	-	7 days	Within 24 hours after spraying. The treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray.
JOCARMA PEST MANAGEMENT SOLUTIONS CORP.	BENDIMYL	DOCARMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	677-167-5563	9-Aug-24	SYSTEMIC	Strawberry	Cercospora leaf spot	1-2 Tbsp/16L water	-	7 days	Within 24 hours after spraying. The treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray.
JOCARMA PEST MANAGEMENT SOLUTIONS CORP.	BENDIMYL	DOCARMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	677-167-5563	9-Aug-24	SYSTEMIC	Tobacco	Leaf mold, frog eye	1-2 Tbsp/16L water	-	7 days	Within 24 hours after spraying. The treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray.
JOCARMA PEST MANAGEMENT SOLUTIONS CORP.	BENDIMYL	DOCARMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	677-167-5563	9-Aug-24	SYSTEMIC	Banana	Black sigatoka	200 g/ha	-	7 days	Within 24 hours after spraying. The treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray.
JOCARMA PEST MANAGEMENT SOLUTIONS CORP.	CYPERMETHRIN	DOCARMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	677-037-5336	27-Mar-24	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposit dry
JOCARMA PEST MANAGEMENT SOLUTIONS CORP.	CYPERMETHRIN	DOCARMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	677-037-5336	27-Mar-24	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leafhopper, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposit dry
JOCARMA PEST MANAGEMENT SOLUTIONS CORP.	CYPERMETHRIN	DOCARMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	677-037-5336	27-Mar-24	CONTACT	Cabbage	Diamond back moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposit dry
JOCARMA PEST MANAGEMENT SOLUTIONS CORP.	CYPERMETHRIN	DOCARMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	677-037-5336	27-Mar-24	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposit dry
JOCARMA PEST MANAGEMENT SOLUTIONS CORP.	CYPERMETHRIN	DOCARMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	677-037-5336	27-Mar-24	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposit dry
JOCARMA PEST MANAGEMENT SOLUTIONS CORP.	CYPERMETHRIN	DOCARMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	677-037-5336	27-Mar-24	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposit dry
JOCARMA PEST MANAGEMENT SOLUTIONS CORP.	CYPERMETHRIN	DOCARMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	677-037-5336	27-Mar-24	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposit dry
JOCARMA PEST MANAGEMENT SOLUTIONS CORP.	CYPERMETHRIN	DOCARMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	677-037-5336	27-Mar-24	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposit dry
JOCARMA PEST MANAGEMENT SOLUTIONS CORP.	CYPERMETHRIN	DOCARMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	677-037-5336	27-Mar-24	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposit dry
JOCARMA PEST MANAGEMENT SOLUTIONS CORP.	CYPERMETHRIN	DOCARMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	677-037-5336	27-Mar-24	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposit dry
JOCARMA PEST MANAGEMENT SOLUTIONS CORP.	CYPERMETHRIN	DOCARMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	677-037-5336	27-Mar-24	CONTACT	Corn	Comborer, earworm	1.0-4.5 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposit dry
CZERTECH CORPORATION	TRISEMORPH	D-MORPH 80 DL	800 g/L	DL	FUNGICIDE	2	448-097-4798	21-May-30	SYSTEMIC/CONTACT	Banana	Black sigatoka	0.5-0.8 L/ha + 5-10 L/ha CH+Emulsifier (0.53% oil volume)/water to a total of	-	-	Harvesting may be done right after spraying
AGCHEM MANUFACTURING CORPORATION	DMA 3.34 LBS/USG	DMA 3.34 LBS/USG	400 g/L	SC	HERBICIDE	2	051-031-0083	31-Dec-36	SELECTIVE (POST-EMERGENT)	Rice	Annual broadleaves and sedges	3.5-6.5Tbsp/16 L water	0.1 ppm	-	Entry to fields and crops treated with DMA 3.3 LBS/USG can be done one day after spraying.
AGCHEM MANUFACTURING CORPORATION	DMA 3.34 LBS/USG	DMA 3.34 LBS/USG	400 g/L	SC	HERBICIDE	2	051-031-0083	31-Dec-36	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual broadleaves and sedges	15-25 Tbsp/16 L water	-	-	Entry to fields and crops treated with DMA 3.3 LBS/USG can be done one day after spraying.
AGCHEM MANUFACTURING CORPORATION	DMA 3.34 LBS/USG	DMA 3.34 LBS/USG	400 g/L	SC	HERBICIDE	2	051-031-0083	31-Dec-36	SELECTIVE (POST-EMERGENT)	Am	Annual broadleaves and sedges	5-6.5 Tbsp/16 L water	-	-	Entry to fields and crops treated with DMA 3.3 LBS/USG can be done one day after spraying.
RAINBOW AGROSCIENCES PHILIPPINES INC.	DIFENCONAZOLE	DIZOLE 250 EC	250 g/L	EC	FUNGICIDE	4	539-272-3644	15-Feb-25	SYSTEMIC	Banana	Black Sigatoka	0.30-0.40 L prod/ha	-	-	
RAINBOW AGROSCIENCES PHILIPPINES INC.	DIFENCONAZOLE	DIZOLE 250 EC	250 g/L	EC	FUNGICIDE	4	539-272-3644	15-Feb-25	SYSTEMIC	Mango	Anthraxnose	0.528-0.88 L/ha	-	-	
RAINBOW AGROSCIENCES PHILIPPINES INC.	DIFENCONAZOLE	DIZOLE 250 EC	250 g/L	EC	FUNGICIDE	4	539-272-3644	15-Feb-25	SYSTEMIC	Rice	Sheath Blight	0.25-0.30 L/ha	-	-	
RAINBOW AGROSCIENCES PHILIPPINES INC.	DIFENCONAZOLE	DIZOLE 250 EC	250 g/L	EC	FUNGICIDE	4	539-272-3644	15-Feb-25	SYSTEMIC	Stringbeans	Leaf spot	0.20-0.30 L/ha	-	-	
RAINBOW AGROSCIENCES PHILIPPINES INC.	DIFENCONAZOLE	DIZOLE 250 EC	250 g/L	EC	FUNGICIDE	4	539-272-3644	15-Feb-25	SYSTEMIC	Eggplant	Leaf Spot	0.20-0.30 L/ha	-	-	
RAINBOW AGROSCIENCES PHILIPPINES INC.	DIFENCONAZOLE	DIZOLE 250 EC	250 g/L	EC	FUNGICIDE	4	539-272-3644	15-Feb-25	SYSTEMIC	Tomato	Alternaria leaf spot, cercospora leafmold,powdery mildew	0.20-0.30 L/ha	-	-	

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
RAINBOW AGROSCIENCES PHILIPPINES INC.	DIFENOCONAZOLE	DIZOLE 250 EC	250 g/L	EC	FUNGICIDE	4	539-272-3644	15-Feb-25	SYSTEMIC	Cabbage	Ringspot,alternaria	0.30-0.30/L/ha	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	DIFENOCONAZOLE	DIZOLE 250 EC	250 g/L	EC	FUNGICIDE	4	539-272-3644	15-Feb-25	SYSTEMIC	Onion	Purple blotch	0.40-0.50 L/ha	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	DIFENOCONAZOLE	DIZOLE 250 EC	250 g/L	EC	FUNGICIDE	4	539-272-3644	15-Feb-25	SYSTEMIC	Asparagus	Stem and leaf blight	0.36 L/ha	-	-	-
MAGAN AGRO PHILS., ENTERPRISE, INC.	DIFENOCONAZOLE	DIVINO 250 EC	250 g/L	EC	FUNGICIDE	4	461-272-3636	29-Oct-26	SYSTEMIC	Banana	Black Sigatoka	0.30-0.40 L prod/ha	-	-	-
MAGAN AGRO PHILS., ENTERPRISE, INC.	DIFENOCONAZOLE	DIVINO 250 EC	250 g/L	EC	FUNGICIDE	4	461-272-3636	29-Oct-26	SYSTEMIC	Mango	Anthraxnose	0.528-0.88 L/ha	-	14 days	-
MAGAN AGRO PHILS., ENTERPRISE, INC.	DIFENOCONAZOLE	DIVINO 250 EC	250 g/L	EC	FUNGICIDE	4	461-272-3636	29-Oct-26	SYSTEMIC	Rice	Sheath Blight	0.25-0.30 L/ha	-	-	-
MAGAN AGRO PHILS., ENTERPRISE, INC.	DIFENOCONAZOLE	DIVINO 250 EC	250 g/L	EC	FUNGICIDE	4	461-272-3636	29-Oct-26	SYSTEMIC	Stringbeans	Leaf spot	0.20-0.30 L/ha	-	7 days	-
MAGAN AGRO PHILS., ENTERPRISE, INC.	DIFENOCONAZOLE	DIVINO 250 EC	250 g/L	EC	FUNGICIDE	4	461-272-3636	29-Oct-26	SYSTEMIC	Eggplant	Leaf Spot	0.20-0.30 L/ha	-	7 days	-
MAGAN AGRO PHILS., ENTERPRISE, INC.	DIFENOCONAZOLE	DIVINO 250 EC	250 g/L	EC	FUNGICIDE	4	461-272-3636	29-Oct-26	SYSTEMIC	Tomato	Alternaria leaf spot, cercospora leafmold,powdery mildew	0.30-0.30 L/ha	-	7 days	-
MAGAN AGRO PHILS., ENTERPRISE, INC.	DIFENOCONAZOLE	DIVINO 250 EC	250 g/L	EC	FUNGICIDE	4	461-272-3636	29-Oct-26	SYSTEMIC	Cabbage	Ringspot,alternaria	0.20-0.30 L/ha	-	7 days	-
MAGAN AGRO PHILS., ENTERPRISE, INC.	DIFENOCONAZOLE	DIVINO 250 EC	250 g/L	EC	FUNGICIDE	4	461-272-3636	29-Oct-26	SYSTEMIC	Onion	Purple blotch	0.40-0.50 L/ha	-	7 days	-
MAGAN AGRO PHILS., ENTERPRISE, INC.	DIFENOCONAZOLE	DIVINO 250 EC	250 g/L	EC	FUNGICIDE	4	461-272-3636	29-Oct-26	SYSTEMIC	Asparagus	Stem and leaf blight	0.36 L/ha	-	7 days	-
PHILIPPINE FARMIX SOLUTIONS INC.	DINOTEFURAN	DIVERGENT 20 SG	200g/kg	SG	INSECTICIDE	4	535-373-4831	08-Jul-25	SYSTEMIC/CONTACT	Mango	Mango leafhopper	1.0-2.0 g/36 water; 6.25-12.50 g/100L water	-	7 days after the last spray	As soon as spray solution has dried on the foliage
PHILIPPINE FARMIX SOLUTIONS INC.	DINOTEFURAN	DIVERGENT 20 SG	200g/kg	SG	INSECTICIDE	4	535-373-4831	08-Jul-25	SYSTEMIC/CONTACT	Watermelon	Aphids, whiteflies	2.5-5.0 g/36 water; 15.62-31.25 g/100L water	-	16 days after the last spray	As soon as spray solution has dried on the foliage
PHILIPPINE FARMIX SOLUTIONS INC.	DINOTEFURAN	DIVERGENT 20 SG	200g/kg	SG	INSECTICIDE	4	535-373-4831	08-Jul-25	SYSTEMIC/CONTACT	Tomato	Whiteflies, hoppers,cutworm	2.5-5.0 g/36 water; 15.62-31.25 g/100 L water	-	7 days after the last spray	As soon as spray solution has dried on the foliage
PHILIPPINE FARMIX SOLUTIONS INC.	DINOTEFURAN	DIVERGENT 20 SG	200g/kg	SG	INSECTICIDE	4	535-373-4831	08-Jul-25	SYSTEMIC/CONTACT	Eggplant	Hoppers, whiteflies,fruit borer	2.5-5.0 g/36 water; 15.62-31.25 g/100L water	-	7 days after the last spray	As soon as spray solution has dried on the foliage
PHILIPPINE FARMIX SOLUTIONS INC.	DINOTEFURAN	DIVERGENT 20 SG	200g/kg	SG	INSECTICIDE	4	535-373-4831	08-Jul-25	SYSTEMIC/CONTACT	Rice	Green leafhopper, brown planthopper, rice bug	2.5-5.0 g/36 water; 15.62-31.25 g/100 L water	-	24 days after the last spray	As soon as spray solution has dried on the foliage
PHILIPPINE FARMIX SOLUTIONS INC.	DINOTEFURAN	DIVERGENT 20 SG	200g/kg	SG	INSECTICIDE	4	535-373-4831	08-Jul-25	SYSTEMIC/CONTACT	Coconut	Scale insects	5g/tree (Trunk Injection)	-	-	As soon as spray solution has dried on the foliage
TEXICON AGR VENTURES CORPORATION	DURON	DUTEX 80 WP	800 g/kg	WP	HERBICIDE	4	242-021-3215	18-May-25	SYSTEMIC/SELECTIVE	Citrus	Annual and Perennial broadleaves and grasses	11.0-19.0Tbsp/16 L water	-	-	Entry to fields treated with DUTEX 80 WP can be done one day after application
TEXICON AGR VENTURES CORPORATION	DURON	DUTEX 80 WP	800 g/kg	WP	HERBICIDE	4	242-021-3215	18-May-25	SYSTEMIC/SELECTIVE	Coffee	Annual and Perennial broadleaves and grasses	11.0-19.0Tbsp/16 L water	-	-	Entry to fields treated with DUTEX 80 WP can be done one day after application
TEXICON AGR VENTURES CORPORATION	DURON	DUTEX 80 WP	800 g/kg	WP	HERBICIDE	4	242-021-3215	18-May-25	SYSTEMIC/SELECTIVE	Cotton	Annual and Perennial broadleaves and grasses	3-5 Tbsp/16 L water	-	-	Entry to fields treated with DUTEX 80 WP can be done one day after application
TEXICON AGR VENTURES CORPORATION	DURON	DUTEX 80 WP	800 g/kg	WP	HERBICIDE	4	242-021-3215	18-May-25	SYSTEMIC/SELECTIVE	Sugarcane	Annual and Perennial broadleaves and grasses	60-13.0Tbsp/16 L water	-	-	Entry to fields treated with DUTEX 80 WP can be done one day after application
TEXICON AGR VENTURES CORPORATION	DURON	DUTEX 80 WP	800 g/kg	WP	HERBICIDE	4	242-021-3215	18-May-25	SYSTEMIC/SELECTIVE	Pineapple	Annual and Perennial broadleaves and grasses	11.0Tbsp/16 L water	-	-	Entry to fields treated with DUTEX 80 WP can be done one day after application
TEXICON AGR VENTURES CORPORATION	DURON	DUTEX 80 WP	800 g/kg	WP	HERBICIDE	4	242-021-3215	18-May-25	SYSTEMIC/SELECTIVE	Non-crop land	Annual and Perennial broadleaves and grasses	20.0-28.0Tbsp/16 L water	-	-	Entry to fields treated with DUTEX 80 WP can be done one day after application
TEXICON AGR VENTURES CORPORATION	DURON	DUTEX 80 SC	800 g/kg	SC	HERBICIDE	4	242-027-4101	29-Aug-26	SYSTEMIC	Citrus	Annual and Perennial broadleaves and grasses	11.0-19.0 Tbsp/16 L water	-	-	Twenty four (24) hours after application.
TEXICON AGR VENTURES CORPORATION	DURON	DUTEX 80 SC	800 g/kg	SC	HERBICIDE	4	242-027-4101	29-Aug-26	SYSTEMIC	Coffee	Annual and Perennial broadleaves and grasses	11.0-19.0 Tbsp/16L water	-	-	Twenty four (24) hours after application.
TEXICON AGR VENTURES CORPORATION	DURON	DUTEX 80 SC	800 g/kg	SC	HERBICIDE	4	242-027-4101	29-Aug-26	SYSTEMIC	Cotton	Annual and Perennial broadleaves and grasses	8.0 Tbsp/16L water	-	-	Twenty four (24) hours after application.
TEXICON AGR VENTURES CORPORATION	DURON	DUTEX 80 SC	800 g/kg	SC	HERBICIDE	4	242-027-4101	29-Aug-26	SYSTEMIC	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0 Tbsp/16L water	-	-	Twenty four (24) hours after application.
TEXICON AGR VENTURES CORPORATION	DURON	DUTEX 80 SC	800 g/kg	SC	HERBICIDE	4	242-027-4101	29-Aug-26	SYSTEMIC	Pineapple	Annual and Perennial broadleaves and grasses	13.0 Tbsp/16L water	-	-	Twenty four (24) hours after application.
TEXICON AGR VENTURES CORPORATION	DURON	DUTEX 80 SC	800 g/kg	SC	HERBICIDE	4	242-027-4101	29-Aug-26	SYSTEMIC	Non-crop land	Annual and Perennial broadleaves and grasses	-	-	-	Twenty four (24) hours after application.
ZAGRO CORPORATION	DURON	DURON 80 WP	800 g/kg	WP	HERBICIDE	4	043-021-0447	03-Nov-25	SYSTEMIC	Citrus	Annual and Perennial broadleaves and grasses	11.0-19.0Tbsp/16 L water	-	-	Enter the field 1 day after application
ZAGRO CORPORATION	DURON	DURON 80 WP	800 g/kg	WP	HERBICIDE	4	043-021-0447	03-Nov-25	SYSTEMIC	Coffee	Annual and Perennial broadleaves and grasses	11.0-19.0Tbsp/16 L water	-	-	Enter the field 1 day after application
ZAGRO CORPORATION	DURON	DURON 80 WP	800 g/kg	WP	HERBICIDE	4	043-021-0447	03-Nov-25	SYSTEMIC	Cotton	Annual and Perennial broadleaves and grasses	8.0Tbsp/16 L water	-	-	Enter the field 1 day after application
ZAGRO CORPORATION	DURON	DURON 80 WP	800 g/kg	WP	HERBICIDE	4	043-021-0447	03-Nov-25	SYSTEMIC	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0Tbsp/16 L water	-	-	Enter the field 1 day after application
ZAGRO CORPORATION	DURON	DURON 80 WP	800 g/kg	WP	HERBICIDE	4	043-021-0447	03-Nov-25	SYSTEMIC	Pineapple	Annual and Perennial broadleaves and grasses	11.0Tbsp/16 L water	-	-	Enter the field 1 day after application
ZAGRO CORPORATION	DURON	DURON 80 WP	800 g/kg	WP	HERBICIDE	4	043-021-0447	03-Nov-25	SYSTEMIC	Non-crop land	Annual and Perennial broadleaves and grasses	20.0-28.0Tbsp/16 L water	-	-	Enter the field 1 day after application
MAGAN AGRO PHILS., ENTERPRISE, INC.	DUREX	DUREX 80 WP	800 g/kg	WP	HERBICIDE	4	461-021-2861	28-Jul-26	SYSTEMIC	Citrus	Annual and Perennial broadleaves and grasses	11.0-19.0Tbsp/16 L water	-	-	24 hours after application
MAGAN AGRO PHILS., ENTERPRISE, INC.	DUREX	DUREX 80 WP	800 g/kg	WP	HERBICIDE	4	461-021-2861	28-Jul-26	SYSTEMIC	Coffee	Annual and Perennial broadleaves and grasses	11.0-19.0Tbsp/16 L water	-	-	24 hours after application
MAGAN AGRO PHILS., ENTERPRISE, INC.	DUREX	DUREX 80 WP	800 g/kg	WP	HERBICIDE	4	461-021-2861	28-Jul-26	SYSTEMIC	Cotton	Annual and Perennial broadleaves and grasses	8.0Tbsp/16 L water	-	-	24 hours after application
MAGAN AGRO PHILS., ENTERPRISE, INC.	DUREX	DUREX 80 WP	800 g/kg	WP	HERBICIDE	4	461-021-2861	28-Jul-26	SYSTEMIC	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0Tbsp/16L water	-	-	24 hours after application
MAGAN AGRO PHILS., ENTERPRISE, INC.	DUREX	DUREX 80 WP	800 g/kg	WP	HERBICIDE	4	461-021-2861	28-Jul-26	SYSTEMIC	Pineapple	Annual and Perennial broadleaves and grasses	11.0Tbsp/16 L water	-	-	24 hours after application
RBAY HARVEST TRADING CORPORATION	DURED	DURED 80 WP	800 g/L	WP	HERBICIDE	4	772-021-6365	23-Feb-24	-	Citrus	Grasses, annual and perennial broadleaves	11.0-19.0 Tbsp/16 L water	-	-	A day after application
RBAY HARVEST TRADING CORPORATION	DURED	DURED 80 WP	800 g/L	WP	HERBICIDE	4	772-021-6365	23-Feb-24	-	Coffee	Grasses, annual and perennial broadleaves	11.0-19.0 Tbsp/16 L water	-	-	A day after application
RBAY HARVEST TRADING CORPORATION	DURED	DURED 80 WP	800 g/L	WP	HERBICIDE	4	772-021-6365	23-Feb-24	-	Cotton	Grasses, annual and perennial broadleaves	8.0 Tbsp/16 L water	-	-	A day after application
RBAY HARVEST TRADING CORPORATION	DURED	DURED 80 WP	800 g/L	WP	HERBICIDE	4	772-021-6365	23-Feb-24	-	Sugarcane	Grasses, annual and perennial broadleaves	6.5-13.0 Tbsp L water	-	-	A day after application
RBAY HARVEST TRADING CORPORATION	DURED	DURED 80 WP	800 g/L	WP	HERBICIDE	4	772-021-6365	23-Feb-24	-	Pineapple	Grasses, annual and perennial broadleaves	13 Tbsp/16L water	-	-	A day after application
RBAY HARVEST TRADING CORPORATION	DURED	DURED 80 WP	800 g/L	WP	HERBICIDE	4	772-021-6365	23-Feb-24	-	Non-crop	Grasses, annual and perennial broadleaves	20.0-28.0Tbsp/ 16L water	-	-	A day after application
RAINBOW AGROSCIENCES PHILIPPINES INC.	DUPAX	DUPAX 80 SC	800 g/L	SC	HERBICIDE	4	539-027-4521	24-Sep-24	SYSTEMIC	Citrus	Annual and Perennial broadleaves and grasses	11.0-19.0Tbsp/16 L water	-	-	A day after application
RAINBOW AGROSCIENCES PHILIPPINES INC.	DUPAX	DUPAX 80 SC	800 g/L	SC	HERBICIDE	4	539-027-4521	24-Sep-24	SYSTEMIC	Coffee	Annual and Perennial broadleaves and grasses	11.0-19.0Tbsp/16 L water	-	-	A day after application
RAINBOW AGROSCIENCES PHILIPPINES INC.	DUPAX	DUPAX 80 SC	800 g/L	SC	HERBICIDE	4	539-027-4521	24-Sep-24	SYSTEMIC	Cotton	Annual and Perennial broadleaves and grasses	8.0Tbsp/16 L water	-	-	A day after application
RAINBOW AGROSCIENCES PHILIPPINES INC.	DUPAX	DUPAX 80 SC	800 g/L	SC	HERBICIDE	4	539-027-4521	24-Sep-24	SYSTEMIC	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0Tbsp/16 L water	-	-	A day after application
RAINBOW AGROSCIENCES PHILIPPINES INC.	DUPAX	DUPAX 80 SC	800 g/L	SC	HERBICIDE	4	539-027-4521	24-Sep-24	SYSTEMIC	Pineapple	Annual and Perennial broadleaves and grasses	11.0Tbsp/16 L water	-	-	A day after application
RAINBOW AGROSCIENCES PHILIPPINES INC.	DUPAX	DUPAX 80 SC	800 g/L	SC	HERBICIDE	4	539-027-4521	24-Sep-24	SYSTEMIC	Non-crop land	Annual and Perennial broadleaves and grasses	20.0-28.0Tbsp/16 L water	-	-	A day after application
DCOMO MARKETING INCORPORATED	DUMEX	DUMEX 80 SC	800 g/L	SC	HERBICIDE	4	467-021-4829	26-Jun-22	SYSTEMIC	Citrus	Grasses, annual & perennial broadleaves	11.0-19.0Tbsp/16 L water	-	-	Twenty four (24) hours after application.
DCOMO MARKETING INCORPORATED	DUMEX	DUMEX 80 SC	800 g/L	SC	HERBICIDE	4	467-021-4829	26-Jun-22	SYSTEMIC	Coffee	Grasses, annual & perennial broadleaves	11.0-19.0Tbsp/16 L water	-	-	Twenty four (24) hours after application.
DCOMO MARKETING INCORPORATED	DUMEX	DUMEX 80 SC	800 g/L	SC	HERBICIDE	4	467-021-4829	26-Jun-22	SYSTEMIC	Cotton	Grasses, annual & perennial broadleaves	8.0Tbsp/16 L water	-	-	Twenty four (24) hours after application.

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
DCAM MARKETING INCORPORATED	DIURON	DIUMEX 80 SC	800 g/L	SC	HERBICIDE	4	467-021-4829	26-Jun-22	SYSTEMIC	Sugarcane	Grasses, annual & perennial broadleaves	6.5-13.0Tbsp/16L water	-	-	Twenty four (24) hours after application.
DCAM MARKETING INCORPORATED	DIURON	DIUMEX 80 SC	800 g/L	SC	HERBICIDE	4	467-021-4829	26-Jun-22	SYSTEMIC	Pineapple	Grasses, annual & perennial broadleaves	11.0Tbsp/16 L water	-	-	Twenty four (24) hours after application.
DCAM MARKETING INCORPORATED	DIURON	DIUMEX 80 SC	800 g/L	SC	HERBICIDE	4	467-021-4829	26-Jun-22	SYSTEMIC	Non-crop land	Grasses, annual & perennial broadleaves	20.0-28.0Tbsp/16 L water	-	-	Twenty four (24) hours after application.
DIURON	DIURON	DIUKILL 80 SC	800 g/L	SC	HERBICIDE	4	367-027-2980	16-Apr-24	SYSTEMIC	Citrus	Annual and Perennial broadleaves and grasses	11.0-19.0Tbsp/16 L water	-	-	24 hours after spraying
JARDINE DISTRIBUTION, INC.	DIURON	DIUKILL 80 SC	800 g/L	SC	HERBICIDE	4	367-027-2980	16-Apr-24	SYSTEMIC	Coffee	Annual and Perennial broadleaves and grasses	11.0-13.0Tbsp/16 L water	-	-	24 hours after spraying
JARDINE DISTRIBUTION, INC.	DIURON	DIUKILL 80 SC	800 g/L	SC	HERBICIDE	4	367-027-2980	16-Apr-24	SYSTEMIC	Cotton	Annual and Perennial broadleaves and grasses	8.0Tbsp/16L water	-	-	24 hours after spraying
JARDINE DISTRIBUTION, INC.	DIURON	DIUKILL 80 SC	800 g/L	SC	HERBICIDE	4	367-027-2980	16-Apr-24	SYSTEMIC	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0Tbsp/16 L water	-	-	24 hours after spraying
JARDINE DISTRIBUTION, INC.	DIURON	DIUKILL 80 SC	800 g/L	SC	HERBICIDE	4	367-027-2980	16-Apr-24	SYSTEMIC	Pineapple	Annual and Perennial broadleaves and grasses	11.0Tbsp/16 L water	0.80ppm	-	24 hours after spraying
JARDINE DISTRIBUTION, INC.	DIURON	DIUKILL 80 SC	800 g/L	SC	HERBICIDE	4	367-027-2980	16-Apr-24	SYSTEMIC	Non-crop land	Annual and Perennial broadleaves and grasses	20.0-28.0Tbsp/16 L water	-	-	24 hours after spraying
TROPICUKE, INC.	MANCOZEB	DIETHANE NEO GOLD	800 g/kg	WP	FUNGICIDE	4	091-051-0633	28-Mar-26	-	Potato	Early and late blight	3-6 Tbsp/16 L water	-	-	As soon as spray dries
TROPICUKE, INC.	MANCOZEB	DIETHANE NEO GOLD	800 g/kg	WP	FUNGICIDE	4	091-051-0633	28-Mar-26	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
TROPICUKE, INC.	MANCOZEB	DIETHANE NEO GOLD	800 g/kg	WP	FUNGICIDE	4	091-051-0633	28-Mar-26	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
TROPICUKE, INC.	MANCOZEB	DIETHANE NEO GOLD	800 g/kg	WP	FUNGICIDE	4	091-051-0633	28-Mar-26	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
TROPICUKE, INC.	MANCOZEB	DIETHANE NEO GOLD	800 g/kg	WP	FUNGICIDE	4	091-051-0633	28-Mar-26	-	Celery	Late blight	3-6 Tbsp/16 L water	-	14 Days	As soon as spray dries
TROPICUKE, INC.	MANCOZEB	DIETHANE NEO GOLD	800 g/kg	WP	FUNGICIDE	4	091-051-0633	28-Mar-26	-	Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
TROPICUKE, INC.	MANCOZEB	DIETHANE NEO GOLD	800 g/kg	WP	FUNGICIDE	4	091-051-0633	28-Mar-26	-	Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
TROPICUKE, INC.	MANCOZEB	DIETHANE NEO GOLD	800 g/kg	WP	FUNGICIDE	4	091-051-0633	28-Mar-26	-	Cotton	Damping off	3-6 Tbsp/16 L water	-	-	As soon as spray dries
TROPICUKE, INC.	MANCOZEB	DIETHANE NEO GOLD	800 g/kg	WP	FUNGICIDE	4	091-051-0633	28-Mar-26	-	Lettuce	Downy mildew	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
TROPICUKE, INC.	MANCOZEB	DIETHANE NEO GOLD	800 g/kg	WP	FUNGICIDE	4	091-051-0633	28-Mar-26	-	Beans	Anthracoese, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
TROPICUKE, INC.	MANCOZEB	DIETHANE NEO GOLD	800 g/kg	WP	FUNGICIDE	4	091-051-0633	28-Mar-26	-	Peas	Anthracoese, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
TROPICUKE, INC.	MANCOZEB	DIETHANE NEO GOLD	800 g/kg	WP	FUNGICIDE	4	091-051-0633	28-Mar-26	-	Mango	Anthracoese, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
TROPICUKE, INC.	MANCOZEB	DIETHANE NEO GOLD	800 g/kg	WP	FUNGICIDE	4	091-051-0633	28-Mar-26	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
TROPICUKE, INC.	MANCOZEB	DIETHANE NEO GOLD	800 g/kg	WP	FUNGICIDE	4	091-051-0633	28-Mar-26	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
TROPICUKE, INC.	MANCOZEB	DIETHANE NEO GOLD	800 g/kg	WP	FUNGICIDE	4	091-051-0633	28-Mar-26	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
TROPICUKE, INC.	MANCOZEB	DIETHANE NEO GOLD	800 g/kg	WP	FUNGICIDE	4	091-051-0633	28-Mar-26	-	Pepper	Anthracoese	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
TROPICUKE, INC.	MANCOZEB	DIETHANE NEO GOLD	800 g/kg	WP	FUNGICIDE	4	091-051-0633	28-Mar-26	-	Chili	Anthracoese	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
TROPICUKE, INC.	MANCOZEB	DIETHANE NEO GOLD	800 g/kg	WP	FUNGICIDE	4	091-051-0633	28-Mar-26	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
TROPICUKE, INC.	MANCOZEB	DIETHANE NEO GOLD	800 g/kg	WP	FUNGICIDE	4	091-051-0633	28-Mar-26	-	Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16 L water	-	-	As soon as spray dries
TROPICUKE, INC.	MANCOZEB	DIETHANE NEO GOLD	800 g/kg	WP	FUNGICIDE	4	091-051-0633	28-Mar-26	-	Grapes	Downy mildew, black rot	3-6 Tbsp/16 L water	-	60 days	As soon as spray dries
TROPICUKE, INC.	MANCOZEB	DIETHANE NEO GOLD	800 g/kg	WP	FUNGICIDE	4	091-051-0633	28-Mar-26	-	Mango	Anthracoese and Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
TROPICUKE, INC.	MANCOZEB	DIETHANE NEO GOLD	800 g/kg	WP	FUNGICIDE	4	091-051-0633	28-Mar-26	-	Papaya	Fruit rot	3-6 Tbsp/16 L water	-	-	As soon as spray dries
TROPICUKE, INC.	MANCOZEB	DIETHANE NEO GOLD	800 g/kg	WP	FUNGICIDE	4	091-051-0633	28-Mar-26	-	Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
TROPICUKE, INC.	MANCOZEB	DIETHANE NEO GOLD	800 g/kg	WP	FUNGICIDE	4	091-051-0633	28-Mar-26	-	Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
TROPICUKE, INC.	MANCOZEB	DIETHANE NEO GOLD	800 g/kg	WP	FUNGICIDE	4	091-051-0633	28-Mar-26	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
TROPICUKE, INC.	MANCOZEB	DIETHANE NEO GOLD	800 g/kg	WP	FUNGICIDE	4	091-051-0633	28-Mar-26	-	Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16 L water	0.02ppm	-	As soon as spray dries
TROPICUKE, INC.	MANCOZEB	DIETHANE NEO GOLD	800 g/kg	WP	FUNGICIDE	4	091-051-0633	28-Mar-26	-	Peanut	Cercospora leaf spot	3-6 Tbsp/16 L water	-	14 Days	As soon as spray dries
TROPICUKE, INC.	MANCOZEB	DIETHANE NEO GOLD	800 g/kg	WP	FUNGICIDE	4	091-051-0633	28-Mar-26	-	Soybeans	Leaf rust	3-6 Tbsp/16 L water	-	-	As soon as spray dries
TROPICUKE, INC.	MANCOZEB	DIETHANE NEO GOLD	800 g/kg	WP	FUNGICIDE	4	091-051-0633	28-Mar-26	-	Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/16 L water	-	-	As soon as spray dries
CROPKING CHEMICALS INC.	MANCOZEB	DIETHANE M-45 NEOTEC	800 g/kg	WP	FUNGICIDE	4	065-051-0433	11-Mar-25	-	Potato	Early and late blight	3-6 Tbsp/16 L water	-	-	As soon as spray dries
CROPKING CHEMICALS INC.	MANCOZEB	DIETHANE M-45 NEOTEC	800 g/kg	WP	FUNGICIDE	4	065-051-0433	11-Mar-25	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
CROPKING CHEMICALS INC.	MANCOZEB	DIETHANE M-45 NEOTEC	800 g/kg	WP	FUNGICIDE	4	065-051-0433	11-Mar-25	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
CROPKING CHEMICALS INC.	MANCOZEB	DIETHANE M-45 NEOTEC	800 g/kg	WP	FUNGICIDE	4	065-051-0433	11-Mar-25	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
CROPKING CHEMICALS INC.	MANCOZEB	DIETHANE M-45 NEOTEC	800 g/kg	WP	FUNGICIDE	4	065-051-0433	11-Mar-25	-	Celery	Late blight	3-6 Tbsp/16 L water	-	14 Days	As soon as spray dries
CROPKING CHEMICALS INC.	MANCOZEB	DIETHANE M-45 NEOTEC	800 g/kg	WP	FUNGICIDE	4	065-051-0433	11-Mar-25	-	Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
CROPKING CHEMICALS INC.	MANCOZEB	DIETHANE M-45 NEOTEC	800 g/kg	WP	FUNGICIDE	4	065-051-0433	11-Mar-25	-	Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
CROPKING CHEMICALS INC.	MANCOZEB	DIETHANE M-45 NEOTEC	800 g/kg	WP	FUNGICIDE	4	065-051-0433	11-Mar-25	-	Cotton	Damping off	3-6 Tbsp/16 L water	-	-	As soon as spray dries
CROPKING CHEMICALS INC.	MANCOZEB	DIETHANE M-45 NEOTEC	800 g/kg	WP	FUNGICIDE	4	065-051-0433	11-Mar-25	-	Lettuce	Downy mildew	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
CROPKING CHEMICALS INC.	MANCOZEB	DIETHANE M-45 NEOTEC	800 g/kg	WP	FUNGICIDE	4	065-051-0433	11-Mar-25	-	Beans	Anthracoese, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
CROPKING CHEMICALS INC.	MANCOZEB	DIETHANE M-45 NEOTEC	800 g/kg	WP	FUNGICIDE	4	065-051-0433	11-Mar-25	-	Peas	Anthracoese, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
CROPKING CHEMICALS INC.	MANCOZEB	DIETHANE M-45 NEOTEC	800 g/kg	WP	FUNGICIDE	4	065-051-0433	11-Mar-25	-	Mango	Anthracoese, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
CROPKING CHEMICALS INC.	MANCOZEB	DIETHANE M-45 NEOTEC	800 g/kg	WP	FUNGICIDE	4	065-051-0433	11-Mar-25	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
CROPKING CHEMICALS INC.	MANCOZEB	DIETHANE M-45 NEOTEC	800 g/kg	WP	FUNGICIDE	4	065-051-0433	11-Mar-25	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
CROPKING CHEMICALS INC.	MANCOZEB	DIETHANE M-45 NEOTEC	800 g/kg	WP	FUNGICIDE	4	065-051-0433	11-Mar-25	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
CROPKING CHEMICALS INC.	MANCOZEB	DIETHANE M-45 NEOTEC	800 g/kg	WP	FUNGICIDE	4	065-051-0433	11-Mar-25	-	Pepper	Anthracoese	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
CROPKING CHEMICALS INC.	MANCOZEB	DIETHANE M-45 NEOTEC	800 g/kg	WP	FUNGICIDE	4	065-051-0433	11-Mar-25	-	Chili	Anthracoese	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries
CROPKING CHEMICALS INC.	MANCOZEB	DIETHANE M-45 NEOTEC	800 g/kg	WP	FUNGICIDE	4	065-051-0433	11-Mar-25	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/16 L water	-	7 Days	As soon as spray dries

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
CROPKING CHEMICALS INC.	MANCOZEB	DIETHANE M-45 NEOTEC	800 g/kg	WP	FUNGICIDE	4	065-053-0433	11-Mar-25	-	Banana	Sigatoka, black leaf streak	3-6 tbsp/16 L water	-	-	As soon as spray dries
CROPKING CHEMICALS INC.	MANCOZEB	DIETHANE M-45 NEOTEC	800 g/kg	WP	FUNGICIDE	4	065-053-0433	11-Mar-25	-	Grapes	Downy mildew, black rot	3-6 tbsp/16 L water	-	60 days	As soon as spray dries
CROPKING CHEMICALS INC.	MANCOZEB	DIETHANE M-45 NEOTEC	800 g/kg	WP	FUNGICIDE	4	065-053-0433	12-Mar-25	-	Mango	Anthraxnose and Scab	3-6 tbsp/16 L water	-	5 days	As soon as spray dries
CROPKING CHEMICALS INC.	MANCOZEB	DIETHANE M-45 NEOTEC	800 g/kg	WP	FUNGICIDE	4	065-053-0433	11-Mar-25	-	Papaya	Fruit rot	3-6 tbsp/16 L water	-	-	As soon as spray dries
CROPKING CHEMICALS INC.	MANCOZEB	DIETHANE M-45 NEOTEC	800 g/kg	WP	FUNGICIDE	4	065-053-0433	11-Mar-25	-	Melon	Downy mildew, Anthracnose, Scab	3-6 tbsp/16 L water	-	5 days	As soon as spray dries
CROPKING CHEMICALS INC.	MANCOZEB	DIETHANE M-45 NEOTEC	800 g/kg	WP	FUNGICIDE	4	065-053-0433	11-Mar-25	-	Watermelon	Downy mildew, Anthracnose, Scab	3-6 tbsp/16 L water	-	5 days	As soon as spray dries
CROPKING CHEMICALS INC.	MANCOZEB	DIETHANE M-45 NEOTEC	800 g/kg	WP	FUNGICIDE	4	065-053-0433	11-Mar-25	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 tbsp/16 L water	-	7 days	As soon as spray dries
CROPKING CHEMICALS INC.	MANCOZEB	DIETHANE M-45 NEOTEC	800 g/kg	WP	FUNGICIDE	4	065-053-0433	12-Mar-25	-	Rice	Blast, sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 tbsp/16 L water	-	-	As soon as spray dries
CROPKING CHEMICALS INC.	MANCOZEB	DIETHANE M-45 NEOTEC	800 g/kg	WP	FUNGICIDE	4	065-053-0433	11-Mar-25	-	Peanut	Cercospora leaf spot	3-6 tbsp/16 L water	-	34 days	As soon as spray dries
CROPKING CHEMICALS INC.	MANCOZEB	DIETHANE M-45 NEOTEC	800 g/kg	WP	FUNGICIDE	4	065-053-0433	11-Mar-25	-	Soybeans	Leaf rust	3-6 tbsp/16 L water	-	-	As soon as spray dries
CROPKING CHEMICALS INC.	MANCOZEB	DIETHANE M-45 NEOTEC	800 g/kg	WP	FUNGICIDE	4	065-053-0433	11-Mar-25	-	Ornamentals	Black spot, blight, Anthracnose	3-6 tbsp/16 L water	-	-	As soon as spray dries
CORTEVA AGRISCIENCE PHILIPPINES, INC.	MANCOZEB	DIETHANE M-45 NEOTEC	800 g/kg	WP	FUNGICIDE	4	737-053-0488	17-Oct-25	-	Potato	Early and late blight	3-6 tbsp/16L water	-	-	-
CORTEVA AGRISCIENCE PHILIPPINES, INC.	MANCOZEB	DIETHANE M-45 NEOTEC	800 g/kg	WP	FUNGICIDE	4	737-053-0488	17-Oct-25	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 tbsp/16L water	-	7 Days	-
CORTEVA AGRISCIENCE PHILIPPINES, INC.	MANCOZEB	DIETHANE M-45 NEOTEC	800 g/kg	WP	FUNGICIDE	4	737-053-0488	17-Oct-25	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 tbsp/16L water	-	7 Days	-
CORTEVA AGRISCIENCE PHILIPPINES, INC.	MANCOZEB	DIETHANE M-45 NEOTEC	800 g/kg	WP	FUNGICIDE	4	737-053-0488	17-Oct-25	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 tbsp/16L water	-	7 Days	-
CORTEVA AGRISCIENCE PHILIPPINES, INC.	MANCOZEB	DIETHANE M-45 NEOTEC	800 g/kg	WP	FUNGICIDE	4	737-053-0488	17-Oct-25	-	Celery	Late blight	3-6 tbsp/16L water	-	34 Days	-
CORTEVA AGRISCIENCE PHILIPPINES, INC.	MANCOZEB	DIETHANE M-45 NEOTEC	800 g/kg	WP	FUNGICIDE	4	737-053-0488	17-Oct-25	-	Cucumber	Downy mildew, anthracnose, scab	3-6 tbsp/16L water	-	5 days	-
CORTEVA AGRISCIENCE PHILIPPINES, INC.	MANCOZEB	DIETHANE M-45 NEOTEC	800 g/kg	WP	FUNGICIDE	4	737-053-0488	17-Oct-25	-	Squash	Downy mildew, anthracnose, scab	3-6 tbsp/16L water	-	5 days	-
CORTEVA AGRISCIENCE PHILIPPINES, INC.	MANCOZEB	DIETHANE M-45 NEOTEC	800 g/kg	WP	FUNGICIDE	4	737-053-0488	17-Oct-25	-	Cotton	Damping off	3-6 tbsp/16L water	-	-	-
CORTEVA AGRISCIENCE PHILIPPINES, INC.	MANCOZEB	DIETHANE M-45 NEOTEC	800 g/kg	WP	FUNGICIDE	4	737-053-0488	17-Oct-25	-	Lettuce	Downy mildew	3-6 tbsp/16L water	-	7 days	-
CORTEVA AGRISCIENCE PHILIPPINES, INC.	MANCOZEB	DIETHANE M-45 NEOTEC	800 g/kg	WP	FUNGICIDE	4	737-053-0488	17-Oct-25	-	Beans	Anthraxnose, downy mildew, rust	3-6 tbsp/16L water	-	5 days	-
CORTEVA AGRISCIENCE PHILIPPINES, INC.	MANCOZEB	DIETHANE M-45 NEOTEC	800 g/kg	WP	FUNGICIDE	4	737-053-0488	17-Oct-25	-	Peas	Anthraxnose, downy mildew, rust	3-6 tbsp/16L water	-	5 days	-
CORTEVA AGRISCIENCE PHILIPPINES, INC.	MANCOZEB	DIETHANE M-45 NEOTEC	800 g/kg	WP	FUNGICIDE	4	737-053-0488	17-Oct-25	-	Mungo	Anthraxnose, downy mildew, rust	3-6 tbsp/16L water	-	5 days	-
CORTEVA AGRISCIENCE PHILIPPINES, INC.	MANCOZEB	DIETHANE M-45 NEOTEC	800 g/kg	WP	FUNGICIDE	4	737-053-0488	17-Oct-25	-	Tomato	Early and late blight, anthracnose, septoria leaf spot	3-6 tbsp/16L water	-	5 days	-
CORTEVA AGRISCIENCE PHILIPPINES, INC.	MANCOZEB	DIETHANE M-45 NEOTEC	800 g/kg	WP	FUNGICIDE	4	737-053-0488	17-Oct-25	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 tbsp/16L water	-	7 Days	-
CORTEVA AGRISCIENCE PHILIPPINES, INC.	MANCOZEB	DIETHANE M-45 NEOTEC	800 g/kg	WP	FUNGICIDE	4	737-053-0488	17-Oct-25	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 tbsp/16L water	-	7 Days	-
CORTEVA AGRISCIENCE PHILIPPINES, INC.	MANCOZEB	DIETHANE M-45 NEOTEC	800 g/kg	WP	FUNGICIDE	4	737-053-0488	17-Oct-25	-	Pepper	Anthraxnose	3-6 tbsp/16L water	-	7 days	-
CORTEVA AGRISCIENCE PHILIPPINES, INC.	MANCOZEB	DIETHANE M-45 NEOTEC	800 g/kg	WP	FUNGICIDE	4	737-053-0488	17-Oct-25	-	Chili	Anthraxnose	3-6 tbsp/16L water	-	7 Days	-
CORTEVA AGRISCIENCE PHILIPPINES, INC.	MANCOZEB	DIETHANE M-45 NEOTEC	800 g/kg	WP	FUNGICIDE	4	737-053-0488	17-Oct-25	-	Eggplant	Blight, anthracnose	3-6 tbsp/16L water	-	7 days	-
CORTEVA AGRISCIENCE PHILIPPINES, INC.	MANCOZEB	DIETHANE M-45 NEOTEC	800 g/kg	WP	FUNGICIDE	4	737-053-0488	17-Oct-25	-	Banana	Sigatoka, black leaf streak	3-6 tbsp/16L water	-	-	-
CORTEVA AGRISCIENCE PHILIPPINES, INC.	MANCOZEB	DIETHANE M-45 NEOTEC	800 g/kg	WP	FUNGICIDE	4	737-053-0488	17-Oct-25	-	Grape	Downy mildew, black rot	3-6 tbsp/16L water	-	60 days	-
CORTEVA AGRISCIENCE PHILIPPINES, INC.	MANCOZEB	DIETHANE M-45 NEOTEC	800 g/kg	WP	FUNGICIDE	4	737-053-0488	17-Oct-25	-	Mango	Anthraxnose and scab	3-6 tbsp/16L water	-	5 days	-
CORTEVA AGRISCIENCE PHILIPPINES, INC.	MANCOZEB	DIETHANE M-45 NEOTEC	800 g/kg	WP	FUNGICIDE	4	737-053-0488	17-Oct-25	-	Papaya	Fruit rot	3-6 tbsp/16L water	-	-	-
CORTEVA AGRISCIENCE PHILIPPINES, INC.	MANCOZEB	DIETHANE M-45 NEOTEC	800 g/kg	WP	FUNGICIDE	4	737-053-0488	17-Oct-25	-	Melon	Downy mildew, anthracnose, scab	3-6 tbsp/16L water	-	5 days	-
CORTEVA AGRISCIENCE PHILIPPINES, INC.	MANCOZEB	DIETHANE M-45 NEOTEC	800 g/kg	WP	FUNGICIDE	4	737-053-0488	17-Oct-25	-	Watermelon	Downy mildew, anthracnose, scab	3-6 tbsp/16L water	-	5 days	-
CORTEVA AGRISCIENCE PHILIPPINES, INC.	MANCOZEB	DIETHANE M-45 NEOTEC	800 g/kg	WP	FUNGICIDE	4	737-053-0488	17-Oct-25	-	Corn (Sweet and popcorn)	Helminthosporium leaf spot	3-6 tbsp/16L water	-	7 Days	-
CORTEVA AGRISCIENCE PHILIPPINES, INC.	MANCOZEB	DIETHANE M-45 NEOTEC	800 g/kg	WP	FUNGICIDE	4	737-053-0488	17-Oct-25	-	Rice	Blast, sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 tbsp/16L water	-	-	-
CORTEVA AGRISCIENCE PHILIPPINES, INC.	MANCOZEB	DIETHANE M-45 NEOTEC	800 g/kg	WP	FUNGICIDE	4	737-053-0488	17-Oct-25	-	Peanut	Cercospora leaf spot	3-6 tbsp/16L water	-	34 days	-
CORTEVA AGRISCIENCE PHILIPPINES, INC.	MANCOZEB	DIETHANE M-45 NEOTEC	800 g/kg	WP	FUNGICIDE	4	737-053-0488	17-Oct-25	-	Soybean	Leaf rust	3-6 tbsp/16L water	-	-	-
CORTEVA AGRISCIENCE PHILIPPINES, INC.	MANCOZEB	DIETHANE M-45 NEOTEC	800 g/kg	WP	FUNGICIDE	4	737-053-0488	17-Oct-25	-	Ornamentals	Black spot, blight, anthracnose	3-6 tbsp/16L water	-	-	-
CORTEVA AGRISCIENCE PHILIPPINES, INC.	MANCOZEB	DIETHANE F-448	430 g/L	F	FUNGICIDE	4	737-053-0385	19-Dec-26	-	Banana	Black sigatoka	5 L/ha in sufficient (30-38liters) water aerial application using Microspray	-	-	-
TROPIC CURE, INC.	MANCOZEB	DIETHANE F-448	430 g/L	F	FUNGICIDE	4	091-053-0934	02-Jan-22	-	Banana	Black sigatoka	5 L/ha in sufficient (30-38liters) water aerial application using Microspray	-	-	-
CORTEVA AGRISCIENCE PHILIPPINES, INC.	MANCOZEB	DIETHANE 600 OS	600 g/L	OS	FUNGICIDE	4	737-053-0936	19-Dec-26	-	Banana	Black sigatoka	-	-	-	-
DU PONT FAR EAST, INC.	MANCOZEB	DIETHANE 600 OS	-	OS	FUNGICIDE	4	014-053-5886	31-Jul-25	-	Banana	Black Sigatoka	-	-	-	-
TROPIC CURE, INC.	MANCOZEB	DIETHANE 600 OS	600 g/L	OS	FUNGICIDE	4	091-053-0971	17-Nov-24	-	Banana	Black Sigatoka	1.05-1.75kg ai or 2.90liters/ha	-	-	-
RAINBOW AGRISCIENCES PHILIPPINES INC.	ADIZOXYSTROBIN-OF ENOCONAZOLE	DISTAR 325 SC	200-125 g/L	SC	FUNGICIDE	4	539-486-5077	22-May-26	-	Rice	Rice blast, sheath blight, sheath rot	4.0-5.0 tbsp/16L water; 2.5-5.0 tbsp/16L water	-	-	-
RAINBOW AGRISCIENCES PHILIPPINES INC.	ADIZOXYSTROBIN-OF ENOCONAZOLE	DISTAR 325 SC	200-125 g/L	SC	FUNGICIDE	4	539-486-5077	22-May-26	-	Corn	Northern corn leaf blight white spot gray leaf spot brown spot	5.0-7.5 Tbsp/16L water; 500-750 mL prod/ha	-	-	-
RAINBOW AGRISCIENCES PHILIPPINES INC.	ADIZOXYSTROBIN-OF ENOCONAZOLE	DISTAR 325 SC	200-125 g/L	SC	FUNGICIDE	4	539-486-5077	22-May-26	-	Mango	Anthraxnose scab stem and rot	250-300 mL / 200 L drum	-	-	-
RAINBOW AGRISCIENCES PHILIPPINES INC.	ADIZOXYSTROBIN-OF ENOCONAZOLE	DISTAR 325 SC	200-125 g/L	SC	FUNGICIDE	4	539-486-5077	22-May-26	-	Onion	Anthraxnose	2.0-3.5 Tbsp/16L water; 300-500 mL prod/ha	-	-	-
RAINBOW AGRISCIENCES PHILIPPINES INC.	ADIZOXYSTROBIN-OF ENOCONAZOLE	DISTAR 325 SC	200-125 g/L	SC	FUNGICIDE	4	539-486-5077	22-May-26	-	Potato	Late blight	2.0-3.5 Tbsp/16L water; 400-500 mL prod/ha	-	-	-
SUMITOMO CHEMICAL PHILIPPINES INC.	HYDROMETHYLON	DISTANCE ANT BAIT	7.3 g/Kg	B	INSECTICIDE	4	472-292-4736	01-Apr-22	-	Pineapple	Ants	Moderate infestation: 1.0-1.5 kg/ha Major infestation: 1.5-3.0 kg/ha	-	Do not harvest within thirty (30) days after last application	Re-entry into treated areas is allowed after 12 hours
JYNOSONS PHILIPPINES, INC.	GLUFOSINATE AMMONIUM	DISPATCH 15 SL	150 g/L	SL	HERBICIDE	4	551-182-5933	15-Nov-24	-	Cavendish banana	In field, shaded conditions: Mixed weeds (grasses, sedges and broadleaves)	16 tbsp/16L water 15-20 tbsp/16L water	-	-	Do not enter the treated fields until the spray has dried. When prior entry is necessary, wear protective clothing and chemical resistant gloves.
JYNOSONS PHILIPPINES, INC.	GLUFOSINATE AMMONIUM	DISPATCH 15 SL	150 g/L	SL	HERBICIDE	4	551-182-5933	15-Nov-24	-	Rubber	Mature shaded condition:cogon immature, open condition cogon	21.5 tbsp/16L water 27 tbsp/16L water	-	-	Do not enter the treated fields until the spray has dried. When prior entry is necessary, wear protective clothing and chemical resistant gloves.
JYNOSONS PHILIPPINES, INC.	GLUFOSINATE AMMONIUM	DISPATCH 15 SL	150 g/L	SL	HERBICIDE	4	551-182-5933	15-Nov-24	-	Oil palm	Mature,shaded condition:Mixed weeds (grasses and broadleaves) immature, open field mixed weeds (grasses and broadleaves)	16 Tbsp/16L water 15 tbsp/16L water	-	-	Do not enter the treated fields until the spray has dried. When prior entry is necessary, wear protective clothing and chemical resistant gloves.
JYNOSONS PHILIPPINES, INC.	GLUFOSINATE AMMONIUM	DISPATCH 15 SL	150 g/L	SL	HERBICIDE	4	551-182-5933	15-Nov-24	-	Non-crop areas	Mixed weeds (grasses, sedges and broadleaves)	46-21.5 tbsp/16L water	-	-	Do not enter the treated fields until the spray has dried. When prior entry is necessary, wear protective clothing and chemical resistant gloves.
CEVA ANIMAL HEALTH (PHILIPPINES) INC.	GLUTARALDEHYDE-DEDILOYL DIMETHYL AMMONIUM CHLORIDE-FORMALDEHYDE	DISKOL-ES	100 g/L-150 g/L x150 g/L	-	OTHERS	2	714-053-5885	19-Oct-24	-	-	Disinfection in hatcher/chatter and vehicle; and final disinfection in animal house	-	-	-	-

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MOEF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
CYMER CORPORATION	CYPERMETHRIN	DISCOVERY 5 EC	50 g/L	EC	INSECTICIDE	4	537-037-3258	24-Jan-24	CONTACT	Mango	Leafhopper, twig borer, top borer, fruit fly	1.0-3.0 Tbsp/36 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
CYMER CORPORATION	CYPERMETHRIN	DISCOVERY 5 EC	50 g/L	EC	INSECTICIDE	4	537-037-3258	24-Jan-24	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaf folder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/36 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
CYMER CORPORATION	CYPERMETHRIN	DISCOVERY 5 EC	50 g/L	EC	INSECTICIDE	4	537-037-3258	24-Jan-24	CONTACT	Cabbage	Giant moth back moth, cabbage moth, worm	1.0-3.0 Tbsp/36 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
CYMER CORPORATION	CYPERMETHRIN	DISCOVERY 5 EC	50 g/L	EC	INSECTICIDE	4	537-037-3258	24-Jan-24	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/36 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
CYMER CORPORATION	CYPERMETHRIN	DISCOVERY 5 EC	50 g/L	EC	INSECTICIDE	4	537-037-3258	24-Jan-24	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/36 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
CYMER CORPORATION	CYPERMETHRIN	DISCOVERY 5 EC	50 g/L	EC	INSECTICIDE	4	537-037-3258	24-Jan-24	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/36 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
CYMER CORPORATION	CYPERMETHRIN	DISCOVERY 5 EC	50 g/L	EC	INSECTICIDE	4	537-037-3258	24-Jan-24	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/36 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
CYMER CORPORATION	CYPERMETHRIN	DISCOVERY 5 EC	50 g/L	EC	INSECTICIDE	4	537-037-3258	24-Jan-24	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/36 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
CYMER CORPORATION	CYPERMETHRIN	DISCOVERY 5 EC	50 g/L	EC	INSECTICIDE	4	537-037-3258	24-Jan-24	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/36 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
CYMER CORPORATION	CYPERMETHRIN	DISCOVERY 5 EC	50 g/L	EC	INSECTICIDE	4	537-037-3258	24-Jan-24	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/36 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
CYMER CORPORATION	CYPERMETHRIN	DISCOVERY 5 EC	50 g/L	EC	INSECTICIDE	4	537-037-3258	24-Jan-24	CONTACT	Corn	Comborer, earworm	1.0-4.5 Tbsp/36 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
UPL PHILIPPINES, INC.	FLUOXASTROBIN	DISARM 480 SC	480 g/L	SC	FUNGICIDE	4	562-479-5260	16-Jun-24	-	Mango	Anthraxnose & stem-end rot	50-200 ml/ 200L drum		Do not spray 14 days before harvest	Entry to crops and fields sprayed with EVITO 480 SC may be done 1 day after spraying
UPL PHILIPPINES, INC.	FLUOXASTROBIN	DISARM 480 SC	480 g/L	SC	FUNGICIDE	4	562-479-5260	16-Jun-24	-	Corn	Gray leaf spot, rust & sheath blight	75-150 ml/ 200L drum		Do not spray 14 days before harvest	Entry to crops and fields sprayed with EVITO 480 SC may be done 1 day after spraying
SINOCHEM CROP PROTECTION (PHILS.) INC.	BUTACHLOR	DIREX 800 EC	800 g/L	EC	HERBICIDE	3	432-150-2301	20-Mar-25	PRE-EMERGENT	Rice (Direct seeded)	Grasses, sedges and broadleaf weeds	5-7.5 Tbsp/36L spray/seed	0.1 ppm	-	-
SYNGENTA PHILIPPINES INC.	BUTACHLOR	DIREX 800 EC	800 g/L	EC	HERBICIDE	3	432-150-2301	20-Mar-25	PRE-EMERGENT	Rice (Direct seeded)	Grasses, sedges and broadleaf weeds	5-7.5 Tbsp/36L spray/seed	0.1 ppm	-	-
SINOCHEM CROP PROTECTION (PHILS.) INC.	DIFFENOCONAZOLE+PROPICONAZOLE	DIPRO 300 EC	150 g/L+150 g/L	EC	FUNGICIDE	3	432-325-3966	28-Dec-25	SYSTEMIC	Rice	Sheath blight	25 ml prod/36L water	-	0.5 ppm	-
SINOCHEM CROP PROTECTION (PHILS.) INC.	DIFFENOCONAZOLE+PROPICONAZOLE	DIPRO 300 EC	150 g/L+150 g/L	EC	FUNGICIDE	3	432-325-3966	28-Dec-25	SYSTEMIC	Corn	Banded leaf sheath blight, ear rot, leaf blight & rust	1.0-2.0 Tbsp/36 water	-	-	-
SYNGENTA PHILIPPINES INC.	DIFFENOCONAZOLE+PROPICONAZOLE	DIPRO 300 EC	150 g/L+150 g/L	EC	FUNGICIDE	3	011-325-3966	28-Dec-25	SYSTEMIC	Rice	Sheath blight	25-30 ml prod/36 L water-20-25 ml prod/36 L water-20-25 ml prod/36 L	-	-	-
SYNGENTA PHILIPPINES INC.	DIFFENOCONAZOLE+PROPICONAZOLE	DIPRO 300 EC	150 g/L+150 g/L	EC	FUNGICIDE	3	011-325-3966	28-Dec-25	SYSTEMIC	Corn	Banded leaf sheath blight, ear rot, leaf blight & rust	30-20 Tbsp/36L water	-	-	-
ABIS TRADING CORPORATION	DIFFENOCONAZOLE+PROPICONAZOLE	DIPLOMAT 300 EC	150 g/L+150 g/L	EC	FUNGICIDE	3	673-325-5425	25-Jul-21	SYSTEMIC	Rice	Sheath Blight	1.5-1.5 Tbsp/36L water	-	-	-
ABIS TRADING CORPORATION	DIFFENOCONAZOLE+PROPICONAZOLE	DIPLOMAT 300 EC	150 g/L+150 g/L	EC	FUNGICIDE	3	673-325-5425	25-Jul-21	SYSTEMIC	Corn	Banded leaf, sheath blight, ear rot, leaf blight & rust	1.0-2.0 Tbsp/36L water	-	-	45 Days
LEADS AGRICULTURAL PRODUCTS CORPORATION	BACILLUS THURINGIENSIS VAR. KURSTAKI	DIPEL WP	32 g/kg	WP	INSECTICIDE	4	099-094-2965	23-Feb-24	-	Cabbage	Giant moth back moth,cabbage worm,cabbage looper	2-4 Tbsp/36 L water	-	-	Workers can be return to the field as soon as the spray has dried up four hours after the last spray
LEADS AGRICULTURAL PRODUCTS CORPORATION	BACILLUS THURINGIENSIS VAR. KURSTAKI	DIPEL WP	32 g/kg	WP	INSECTICIDE	4	099-094-2965	23-Feb-24	-	Mustard	Giant moth back moth,cabbage worm,cabbage looper	2-4 Tbsp/36 L water	-	-	Workers can be return to the field as soon as the spray has dried up four hours after the last spray
LEADS AGRICULTURAL PRODUCTS CORPORATION	BACILLUS THURINGIENSIS VAR. KURSTAKI	DIPEL WP	32 g/kg	WP	INSECTICIDE	4	099-094-2965	23-Feb-24	-	Cauliflower	Giant moth back moth,cabbage worm,cabbage looper	2-4 Tbsp/36 L water	-	-	Workers can be return to the field as soon as the spray has dried up four hours after the last spray
LEADS AGRICULTURAL PRODUCTS CORPORATION	BACILLUS THURINGIENSIS VAR. KURSTAKI	DIPEL WP	32 g/kg	WP	INSECTICIDE	4	099-094-2965	23-Feb-24	-	Pechay	Giant moth back moth,cabbage worm,cabbage looper	2-4 Tbsp/36 L water	-	-	Workers can be return to the field as soon as the spray has dried up four hours after the last spray
LEADS AGRICULTURAL PRODUCTS CORPORATION	BACILLUS THURINGIENSIS VAR. KURSTAKI	DIPEL WP	32 g/kg	WP	INSECTICIDE	4	099-094-2965	23-Feb-24	-	Tomato	Tomato fruitworm	2-4 Tbsp/36 L water	-	-	Workers can be return to the field as soon as the spray has dried up four hours after the last spray
LEADS AGRICULTURAL PRODUCTS CORPORATION	BACILLUS THURINGIENSIS VAR. KURSTAKI	DIPEL WP	32 g/kg	WP	INSECTICIDE	4	099-094-2965	23-Feb-24	-	Tobacco	Tobacco budworm	2-4 Tbsp/36 L water	-	-	Workers can be return to the field as soon as the spray has dried up four hours after the last spray
LEADS AGRICULTURAL PRODUCTS CORPORATION	BACILLUS THURINGIENSIS VAR. KURSTAKI	DIPEL WP	32 g/kg	WP	INSECTICIDE	4	099-094-2965	23-Feb-24	-	Cotton	Cotton bollworm	2-4 Tbsp/36 L water	-	-	Workers can be return to the field as soon as the spray has dried up four hours after the last spray
LEADS AGRICULTURAL PRODUCTS CORPORATION	BACILLUS THURINGIENSIS VAR. KURSTAKI	DIPEL WP	32 g/kg	WP	INSECTICIDE	4	099-094-2965	23-Feb-24	-	Asparagus	Asparagus worm	2-4 Tbsp/36 L water	-	-	Workers can be return to the field as soon as the spray has dried up four hours after the last spray
LEADS AGRICULTURAL PRODUCTS CORPORATION	BACILLUS THURINGIENSIS VAR. KURSTAKI	DIPEL WP	32 g/kg	WP	INSECTICIDE	4	099-094-2965	23-Feb-24	-	Corn	Fall army worm	1250 grams prod./ha.	-	-	-
SUMITOMO CHEMICAL PHILIPPINES INC.	BACILLUS THURINGIENSIS VAR. KURSTAKI	DIPEL WP	32 g/kg	WP	INSECTICIDE	4	472-094-2702	20-Dec-26	-	Cabbage	Giant moth back moth,cabbage worm,cabbage looper	2-4 Tbsp/36 L water	-	-	Workers can return to the field as soon as the spray has dried up twenty four hours after the last spray
SUMITOMO CHEMICAL PHILIPPINES INC.	BACILLUS THURINGIENSIS VAR. KURSTAKI	DIPEL WP	32 g/kg	WP	INSECTICIDE	4	472-094-2702	20-Dec-26	-	Mustard	Giant moth back moth,cabbage worm,cabbage looper	2-4 Tbsp/36 L water	-	-	Workers can return to the field as soon as the spray has dried up twenty four hours after the last spray
SUMITOMO CHEMICAL PHILIPPINES INC.	BACILLUS THURINGIENSIS VAR. KURSTAKI	DIPEL WP	32 g/kg	WP	INSECTICIDE	4	472-094-2702	20-Dec-26	-	Cauliflower	Giant moth back moth,cabbage worm,cabbage looper	2-4 Tbsp/36 L water	-	-	Workers can return to the field as soon as the spray has dried up twenty four hours after the last spray
SUMITOMO CHEMICAL PHILIPPINES INC.	BACILLUS THURINGIENSIS VAR. KURSTAKI	DIPEL WP	32 g/kg	WP	INSECTICIDE	4	472-094-2702	20-Dec-26	-	Pechay	Giant moth back moth,cabbage worm,cabbage looper	2-4 Tbsp/36 L water	-	-	Workers can return to the field as soon as the spray has dried up twenty four hours after the last spray
SUMITOMO CHEMICAL PHILIPPINES INC.	BACILLUS THURINGIENSIS VAR. KURSTAKI	DIPEL WP	32 g/kg	WP	INSECTICIDE	4	472-094-2702	20-Dec-26	-	Tomato	Tomato Fruitworm	2-4 Tbsp/36 L water	-	-	Workers can return to the field as soon as the spray has dried up twenty four hours after the last spray
SUMITOMO CHEMICAL PHILIPPINES INC.	BACILLUS THURINGIENSIS VAR. KURSTAKI	DIPEL WP	32 g/kg	WP	INSECTICIDE	4	472-094-2702	20-Dec-26	-	Tobacco	Tobacco budworm	2-4 Tbsp/36 L water	-	-	Workers can return to the field as soon as the spray has dried up twenty four hours after the last spray
SUMITOMO CHEMICAL PHILIPPINES INC.	BACILLUS THURINGIENSIS VAR. KURSTAKI	DIPEL WP	32 g/kg	WP	INSECTICIDE	4	472-094-2702	20-Dec-26	-	Cotton	Cotton bollworm	2-4 Tbsp/36 L water	-	-	Workers can return to the field as soon as the spray has dried up twenty four hours after the last spray
SUMITOMAD CHEMICAL PHILIPPINES INC.	BACILLUS THURINGIENSIS VAR. KURSTAKI	DIPEL WP	32 g/kg	WP	INSECTICIDE	4	472-094-2702	20-Dec-26	-	Asparagus	Asparagus worm	2-4 Tbsp/36 L water	-	-	Workers can return to the field as soon as the spray has dried up twenty four hours after the last spray
SUMITOMO CHEMICAL PHILIPPINES INC.	BACILLUS THURINGIENSIS VAR. KURSTAKI	DIPEL WP	32 g/kg	WP	INSECTICIDE	4	472-094-2702	20-Dec-26	-	Corn	Fall armyworm	10 grams of 5 Tbsp prod./ha.	-	-	-
LEADS AGRICULTURAL PRODUCTS CORPORATION	BACILLUS THURINGIENSIS VAR. KURSTAKI	DIPEL WG	540.0 g/kg	WG	INSECTICIDE	4	099-094-4458	19-Nov-25	-	Cabbage	Giant moth back moth, cabbage worm	0.6-1.2 gram/36L water	-	-	DIPEL WG leaves no harmful residues and can be harvested twenty four hours after the last spray.
LEADS AGRICULTURAL PRODUCTS CORPORATION	BACILLUS THURINGIENSIS VAR. KURSTAKI	DIPEL WG	540.0 g/kg	WG	INSECTICIDE	4	099-094-4458	19-Nov-25	-	Mustard	Giant moth back moth, cabbage worm	0.6-1.2 gram/36L water	-	-	DIPEL WG leaves no harmful residues and can be harvested twenty four hours after the last spray.
LEADS AGRICULTURAL PRODUCTS CORPORATION	BACILLUS THURINGIENSIS VAR. KURSTAKI	DIPEL WG	540.0 g/kg	WG	INSECTICIDE	4	099-094-4458	19-Nov-25	-	Cauliflower	cabbage looper	0.6-1.2 gram/36L water	-	-	DIPEL WG leaves no harmful residues and can be harvested twenty four hours after the last spray.
LEADS AGRICULTURAL PRODUCTS CORPORATION	BACILLUS THURINGIENSIS VAR. KURSTAKI	DIPEL WG	540.0 g/kg	WG	INSECTICIDE	4	099-094-4458	19-Nov-25	-	Pechay	cabbage looper	0.6-1.2 gram/36L water	-	-	DIPEL WG leaves no harmful residues and can be harvested twenty four hours after the last spray.
LEADS AGRICULTURAL PRODUCTS CORPORATION	BACILLUS THURINGIENSIS VAR. KURSTAKI	DIPEL WG	540.0 g/kg	WG	INSECTICIDE	4	099-094-4458	19-Nov-25	-	Tomato	Tomato Fruitworm	0.6-1.2 gram/36L water	-	-	DIPEL WG leaves no harmful residues and can be harvested twenty four hours after the last spray.
LEADS AGRICULTURAL PRODUCTS CORPORATION	BACILLUS THURINGIENSIS VAR. KURSTAKI	DIPEL WG	540.0 g/kg	WG	INSECTICIDE	4	099-094-4458	19-Nov-25	-	Tobacco	Tobacco budworm	0.6-1.2 gram/36L water	-	-	DIPEL WG leaves no harmful residues and can be harvested twenty four hours after the last spray.
LEADS AGRICULTURAL PRODUCTS CORPORATION	BACILLUS THURINGIENSIS VAR. KURSTAKI	DIPEL WG	540.0 g/kg	WG	INSECTICIDE	4	099-094-4458	19-Nov-25	-	Cotton	Cotton bollworm	0.6-1.2 gram/36L water	-	-	DIPEL WG leaves no harmful residues and can be harvested twenty four hours after the last spray.
LEADS AGRICULTURAL PRODUCTS CORPORATION	BACILLUS THURINGIENSIS VAR. KURSTAKI	DIPEL WG	540.0 g/kg	WG	INSECTICIDE	4	099-094-4458	19-Nov-25	-	Asparagus	Asparagus worms	0.6-1.2 gram/36L water	-	-	DIPEL WG leaves no harmful residues and can be harvested twenty four hours after the last spray.
SUMITOMO CHEMICAL PHILIPPINES INC.	BACILLUS THURINGIENSIS VAR. KURSTAKI	DIPEL WG	32 g/kg	WG	INSECTICIDE	4	472-094-4564	19-Nov-25	-	Cabbage	Giant moth back moth,cabbage worm	1-2 Tbsp/36 L water	-	-	Workers can be return to the field as soon as the spray has dried up four hours after the last spray
SUMITOMO CHEMICAL PHILIPPINES INC.	BACILLUS THURINGIENSIS VAR. KURSTAKI	DIPEL WG	32 g/kg	WG	INSECTICIDE	4	472-094-4564	19-Nov-25	-	Mustard	Giant moth back moth,cabbage worm	1-2 Tbsp/36 L water	-	-	Workers can be return to the field as soon as the spray has dried up four hours after the last spray
SUMITOMO CHEMICAL PHILIPPINES INC.	BACILLUS THURINGIENSIS VAR. KURSTAKI	DIPEL WG	32 g/kg	WG	INSECTICIDE	4	472-094-4564	19-Nov-25	-	Cauliflower	cabbage looper	1-2 Tbsp/36 L water	-	-	Workers can be return to the field as soon as the spray has dried up four hours after the last spray
SUMITOMO CHEMICAL PHILIPPINES INC.	BACILLUS THURINGIENSIS VAR. KURSTAKI	DIPEL WG	32 g/kg	WG	INSECTICIDE	4	472-094-4564	19-Nov-25	-	Pechay	cabbage looper	1-2 Tbsp/36 L water	-	-	Workers can be return to the field as soon as the spray has dried up four hours after the last spray
SUMITOMO CHEMICAL PHILIPPINES INC.	BACILLUS THURINGIENSIS VAR. KURSTAKI	DIPEL WG	32 g/kg	WG	INSECTICIDE	4	472-094-4564	19-Nov-25	-	Tomato	Tomato Fruitworm	1-2 Tbsp/36 L water	-	-	Workers can be return to the field as soon as the spray has dried up four hours after the last spray
SUMITOMO CHEMICAL PHILIPPINES INC.	BACILLUS THURINGIENSIS VAR. KURSTAKI	DIPEL WG	32 g/kg	WG	INSECTICIDE	4	472-094-4564	19-Nov-25	-	Tobacco	Tobacco budworm	1-2 Tbsp/36 L water	-	-	Workers can be return to the field as soon as the spray has dried up four hours after the last spray
SUMITOMO CHEMICAL PHILIPPINES INC.	BACILLUS THURINGIENSIS VAR. KURSTAKI	DIPEL WG	32 g/kg	WG	INSECTICIDE	4	472-094-4564	19-Nov-25	-	Cotton	Cotton bollworm	1-2 Tbsp/36 L water	-	-	Workers can be return to the field as soon as the spray has dried up four hours after the last spray
SUMITOMO CHEMICAL PHILIPPINES INC.	BACILLUS THURINGIENSIS VAR. KURSTAKI	DIPEL WG	32 g/kg	WG	INSECTICIDE	4	472-094-4564	19-Nov-25	-	Asparagus	Asparagus worm	1-2 Tbsp/36 L water	-	-	Workers can be return to the field as soon as the spray has dried up four hours after the last spray
SUMITOMO CHEMICAL PHILIPPINES INC.	BACILLUS THURINGIENSIS VAR. KURSTAKI STRAIN	DIPEL ES-NT	-	-	INSECTICIDE	4	472-094-5854	15-Sep-23	-	Cavendish banana	Slug Caterpillar	300-600 ml prod./ hectare	-	-	Not required when using DiPel ES-NT alone. It is exempt from MRL establishment; it can be applied 1 day before harvest.

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
RAINBOW AGROSCIENCES PHILIPPINES INC.	DINOTEFURAN	DINORA 20 SG	200g/kg	SG	INSECTICIDE	4	539-373-6407 (385)	21-Dec-26	SYSTEMIC	Eggplant	hoppers, whiteflies, fruit borer	2.5-5.0 g prod / 16L water	2 ppm	7 days	As soon as the spray solution has dried on the foliage
RAINBOW AGROSCIENCES PHILIPPINES INC.	DINOTEFURAN	DINORA 20 SG	200g/kg	SG	INSECTICIDE	4	539-373-6407 (385)	21-Dec-26	SYSTEMIC	Rice	Green leafhopper, brown plant hopper, rice bug	2.5-5.0 g prod / 16L water	1 ppm	28 days	As soon as the spray solution has dried on the foliage
RAINBOW AGROSCIENCES PHILIPPINES INC.	DINOTEFURAN	DINORA 20 SG	200g/kg	SG	INSECTICIDE	4	539-373-6407 (385)	21-Dec-26	SYSTEMIC	Tomato	Whiteflies, hoppers, cutworm	2.5-5.0 g prod / 16L water	2 ppm	7 days	As soon as the spray solution has dried on the foliage
RAINBOW AGROSCIENCES PHILIPPINES INC.	DINOTEFURAN	DINORA 20 SG	200g/kg	SG	INSECTICIDE	4	539-373-6407 (385)	21-Dec-26	SYSTEMIC	Watermelon	Aphids, whiteflies	2.5-5.0 g prod / 16L water	0.5 ppm	18 days	As soon as the spray solution has dried on the foliage
RAINBOW AGROSCIENCES PHILIPPINES INC.	DINOTEFURAN	DINORA 20 SG	200g/kg	SG	INSECTICIDE	4	539-373-6407 (385)	21-Dec-26	SYSTEMIC	Mango	Hopper	1.0-2.0 g prod / 16L water	-	7 days	As soon as the spray solution has dried on the foliage
AGCHEM MANUFACTURING CORPORATION	DIFENOCONAZOLE	DINAZOL 25 EC	250 g/L	EC	FUNGICIDE	4	001-272-5238	11-Aug-24	SYSTEMIC	Rice	Sheath Blight	0.25-0.30L prod/ ha	-	-	As soon as the spray solution has dried on the foliage
AGCHEM MANUFACTURING CORPORATION	DIFENOCONAZOLE	DINAZOL 25 EC	250 g/L	EC	FUNGICIDE	4	001-272-5238	11-Aug-24	SYSTEMIC	Mango	Anthraxnose	0.528-0.88 L prod/ Ha	-	14 days	
AGCHEM MANUFACTURING CORPORATION	DIFENOCONAZOLE	DINAZOL 25 EC	250 g/L	EC	FUNGICIDE	4	001-272-5238	11-Aug-24	SYSTEMIC	Stringbeans	Leafspot	0.25-0.30L prod/ Ha	-	7 days	
AGCHEM MANUFACTURING CORPORATION	DIFENOCONAZOLE	DINAZOL 25 EC	250 g/L	EC	FUNGICIDE	4	001-272-5238	11-Aug-24	SYSTEMIC	Tomato	Alternaria leaf spot, cercospora leafmold,powdery mildew	0.25-0.30L prod/ Ha	-	7 days	
AGCHEM MANUFACTURING CORPORATION	DIFENOCONAZOLE	DINAZOL 25 EC	250 g/L	EC	FUNGICIDE	4	001-272-5238	11-Aug-24	SYSTEMIC	Eggplant	Leaf spot	0.25-0.30L prod/ Ha	-	7 days	
AGCHEM MANUFACTURING CORPORATION	DIFENOCONAZOLE	DINAZOL 25 EC	250 g/L	EC	FUNGICIDE	4	001-272-5238	11-Aug-24	SYSTEMIC	Cabbage	Ringspot,alternaria	0.25-0.30L prod/ Ha	-	7 days	
AGCHEM MANUFACTURING CORPORATION	DIFENOCONAZOLE	DINAZOL 25 EC	250 g/L	EC	FUNGICIDE	4	001-272-5238	11-Aug-24	SYSTEMIC	Asparagus	Stem and leaf blight	0.36 L prod/ Ha	-	-	
AGCHEM MANUFACTURING CORPORATION	DIFENOCONAZOLE	DINAZOL 25 EC	250 g/L	EC	FUNGICIDE	4	001-272-5238	11-Aug-24	SYSTEMIC	Onion	Purple blotch	0.40-0.50L prod/ Ha	-	7 days	
AGCHEM MANUFACTURING CORPORATION	DIFENOCONAZOLE	DINAZOL 25 EC	250 g/L	EC	FUNGICIDE	4	001-272-5238	11-Aug-24	SYSTEMIC	Banana	Black sigatoka	0.30-0.40L prod/ha	-	-	
JOCANIMA CORPORATION	MANCOZEB-METALAXYL	DILUGENT 720 WP	640-80 g/kg	WP	FUNGICIDE	4	241-035-2564	12-Mar-22	SYSTEMIC	Potato	Late blight	9-10 Tbsp (80-100g)/16L water	-	14 days	Do not enter treated field until spray deposits have dried
JOCANIMA CORPORATION	MANCOZEB-METALAXYL	DILUGENT 720 WP	640-80 g/kg	WP	FUNGICIDE	4	241-035-2564	12-Mar-22	SYSTEMIC	Tomato	Late blight	9-10 Tbsp (80-100g)/16L water	-	3 days	Do not enter treated field until spray deposits have dried
JOCANIMA CORPORATION	MANCOZEB-METALAXYL	DILUGENT 720 WP	640-80 g/kg	WP	FUNGICIDE	4	241-035-2564	12-Mar-22	SYSTEMIC	Pineapple	Heart rot	10-14 kg/ha	-	21 days	Do not enter treated field until spray deposits have dried
JOCANIMA CORPORATION	MANCOZEB-METALAXYL	DILUGENT 720 WP	640-80 g/kg	WP	FUNGICIDE	4	241-035-2564	12-Mar-22	SYSTEMIC	Asparagus	Spear rot	2 kg product/ha	-	-	Do not enter treated field until spray deposits have dried
JOCANIMA CORPORATION	MANCOZEB-METALAXYL	DILUGENT 720 WP	640-80 g/kg	WP	FUNGICIDE	4	241-035-2564	12-Mar-22	SYSTEMIC	Orchids	Black rot	2.5 Tbsp (25g)/16L water	-	-	Do not enter treated field until spray deposits have dried
ROTAM PHILIPPINES, INC.	MANCOZEB-METALAXYL	DILUGENT 720 WP	640-80 g/kg	WP	FUNGICIDE	4	569-035-3693	22-Jul-25	SYSTEMIC	Potato	Late blight	1 Sachet/16L	-	14 days	Do not enter treated field until spray deposits have dried
ROTAM PHILIPPINES, INC.	MANCOZEB-METALAXYL	DILUGENT 720 WP	640-80 g/kg	WP	FUNGICIDE	4	569-035-3693	22-Jul-25	SYSTEMIC	Tomato	Late blight	1 Sachet/16L	-	3 days	Do not enter treated field until spray deposits have dried
ROTAM PHILIPPINES, INC.	MANCOZEB-METALAXYL	DILUGENT 720 WP	640-80 g/kg	WP	FUNGICIDE	4	569-035-3693	22-Jul-25	SYSTEMIC	Pineapple	Heart rot	2 kg prod./ha	-	21 days	Do not enter treated field until spray deposits have dried
ROTAM PHILIPPINES, INC.	MANCOZEB-METALAXYL	DILUGENT 720 WP	640-80 g/kg	WP	FUNGICIDE	4	569-035-3693	22-Jul-25	SYSTEMIC	Asparagus	Spear rot	10-14 kg prod./ha	-	-	Do not enter treated field until spray deposits have dried
ROTAM PHILIPPINES, INC.	MANCOZEB-METALAXYL	DILUGENT 720 WP	640-80 g/kg	WP	FUNGICIDE	4	569-035-3693	22-Jul-25	SYSTEMIC	Orchids	Black rot	25 kg prod./ha	-	-	Do not enter treated field until spray deposits have dried
AGWAY CHEMICALS CORPORATION	DIFENOCONAZOLE+PROPICONAZOLE	DIFURE PRO	150 g/L+150 g/L	EC	FUNGICIDE	3	075-325-5411	20-Apr-24	SYSTEMIC	Rice	Sheath Blight	2.5-3.5 Tbsp/16L water	-	-	
AGWAY CHEMICALS CORPORATION	DIFENOCONAZOLE+PROPICONAZOLE	DIFURE PRO	150 g/L+150 g/L	EC	FUNGICIDE	3	075-325-5411	20-Apr-24	SYSTEMIC	Corn	Banded leaf, sheath blight, ear rot, leaf blight & rust	3-7 Tbsp/16 L water	-	-	
NUTRIBASICS CORPORATION	DIFLUBENZURON	DIFLOX FLOW 48% SC	480 g/L	SC	INSECTICIDE	4	656-549-5533	3-Dec-23	-	Animal facilities (such as poultry deep pit houses,	Houseflies (Musca domestica) at larval stage	Few number of adults flies inside the building (0-30 adults flies attached on	-	-	
AGWAY CHEMICALS CORPORATION	DIFENOCONAZOLE	DIFFERENCE 250 EC	250 g/L	EC	FUNGICIDE	4	075-272-5042	24-Feb-26	-	Rice	Sheath Blight	0.25-0.30L prod/ ha	-	-	
AGWAY CHEMICALS CORPORATION	DIFENOCONAZOLE	DIFFERENCE 250 EC	250 g/L	EC	FUNGICIDE	4	075-272-5042	24-Feb-26	-	Mango	Anthraxnose	0.528-0.88 L prod / ha	-	-	
AGWAY CHEMICALS CORPORATION	DIFENOCONAZOLE	DIFFERENCE 250 EC	250 g/L	EC	FUNGICIDE	4	075-272-5042	24-Feb-26	-	Stringbeans	Leaf spot	0.20-0.30L prod/ ha	-	-	
AGWAY CHEMICALS CORPORATION	DIFENOCONAZOLE	DIFFERENCE 250 EC	250 g/L	EC	FUNGICIDE	4	075-272-5042	24-Feb-26	-	Tomato	Alternaria leaf spot, cercospora leafmold,powdery mildew	0.20-0.30L prod/ ha	-	-	
AGWAY CHEMICALS CORPORATION	DIFENOCONAZOLE	DIFFERENCE 250 EC	250 g/L	EC	FUNGICIDE	4	075-272-5042	24-Feb-26	-	Eggplant	Leaf spot	0.20-0.30L prod/ ha	-	-	
AGWAY CHEMICALS CORPORATION	DIFENOCONAZOLE	DIFFERENCE 250 EC	250 g/L	EC	FUNGICIDE	4	075-272-5042	24-Feb-26	-	Cabbage	Ringspot,alternaria	0.20-0.30L prod/ ha	-	-	
AGWAY CHEMICALS CORPORATION	DIFENOCONAZOLE	DIFFERENCE 250 EC	250 g/L	EC	FUNGICIDE	4	075-272-5042	24-Feb-26	-	Asparagus	Stem and leaf blight	0.36L prod/ ha	-	-	
AGWAY CHEMICALS CORPORATION	DIFENOCONAZOLE	DIFFERENCE 250 EC	250 g/L	EC	FUNGICIDE	4	075-272-5042	24-Feb-26	-	Onion	Purple blotch	0.40-0.50L prod/ ha	-	-	
AGWAY CHEMICALS CORPORATION	DIFENOCONAZOLE	DIFFERENCE 250 EC	250 g/L	EC	FUNGICIDE	4	075-272-5042	24-Feb-26	-	Banana	Black sigatoka	0.3-0.4 L prod/ha	-	-	
TAIPAN BRAND FARM INC.	DIFENOCONAZOLE	DIFENTHRUM 250 EC	250 g/L	EC	FUNGICIDE	4	529-272-3945	02-Dec-25	SYSTEMIC	Banana	Black Sigatoka	0.30-0.40L prod/ha	0.50 ppm	-	
TAIPAN BRAND FARM INC.	DIFENOCONAZOLE	DIFENTHRUM 250 EC	250 g/L	EC	FUNGICIDE	4	529-272-3945	02-Dec-25	SYSTEMIC	Mango	Anthraxnose	0.528-0.88 L/ha	0.07 ppm	14 days	
TAIPAN BRAND FARM INC.	DIFENOCONAZOLE	DIFENTHRUM 250 EC	250 g/L	EC	FUNGICIDE	4	529-272-3945	02-Dec-25	SYSTEMIC	Rice	Sheath Blight	0.25-0.30 L/ha	0.20 ppm	-	
TAIPAN BRAND FARM INC.	DIFENOCONAZOLE	DIFENTHRUM 250 EC	250 g/L	EC	FUNGICIDE	4	529-272-3945	02-Dec-25	SYSTEMIC	Stringbeans	Leaf spot	0.20-0.30L/ha	-	7 days	
TAIPAN BRAND FARM INC.	DIFENOCONAZOLE	DIFENTHRUM 250 EC	250 g/L	EC	FUNGICIDE	4	529-272-3945	02-Dec-25	SYSTEMIC	Eggplant	Leaf Spot	0.20-0.30 L/ha	0.60 ppm	7 days	
TAIPAN BRAND FARM INC.	DIFENOCONAZOLE	DIFENTHRUM 250 EC	250 g/L	EC	FUNGICIDE	4	529-272-3945	02-Dec-25	SYSTEMIC	Tomato	Alternaria leaf spot, cercospora leafmold,powdery mildew	0.20-0.30L/ha	0.60 ppm	7 days	
TAIPAN BRAND FARM INC.	DIFENOCONAZOLE	DIFENTHRUM 250 EC	250 g/L	EC	FUNGICIDE	4	529-272-3945	02-Dec-25	SYSTEMIC	Cabbage	Ringspot,alternaria	0.20-0.30L/ha	2.00 ppm	7 days	
TAIPAN BRAND FARM INC.	DIFENOCONAZOLE	DIFENTHRUM 250 EC	250 g/L	EC	FUNGICIDE	4	529-272-3945	02-Dec-25	SYSTEMIC	Onion	Purple blotch	0.40-0.50L/ha	0.20 ppm	7 days	
TAIPAN BRAND FARM INC.	DIFENOCONAZOLE	DIFENTHRUM 250 EC	250 g/L	EC	FUNGICIDE	4	529-272-3945	02-Dec-25	SYSTEMIC	Asparagus	Stem and leaf blight	0.36L/ha	0.02 ppm	7 days	
TAIPAN BRAND FARM INC.	DIFENOCONAZOLE	DIFENTHRUM 250 EC	250 g/L	EC	FUNGICIDE	4	529-272-3945	02-Dec-25	SYSTEMIC	Banana	Black Sigatoka	300-400ml prod/ha	-	0 day	Do not enter treated areas until spray has dried
JOCANIMA CORPORATION	DIFENOCONAZOLE	DIFECOR 250 EC	250 g/L	EC	FUNGICIDE	4	241-272-2966	02-Oct-23	SYSTEMIC	Banana	Black Sigatoka	-	-	-	
UNITED AGROSCIENCE PHILS., INC.	DINOTEFURAN	DIFAN 20 SG	200g/kg	SG	INSECTICIDE	4	602-373-4306	11-Jul-22	SYSTEMIC/CONTACT	Mango	Mango leafhopper	1.0-2.0 g/16 water	-	7 days after the last spray	As soon as spray solution has dried on the foliage
UNITED AGROSCIENCE PHILS., INC.	DINOTEFURAN	DIFAN 20 SG	200g/kg	SG	INSECTICIDE	4	602-373-4306	11-Jul-22	SYSTEMIC/CONTACT	Watermelon	Aphids, whiteflies	2.0-5.0 g/16 water	-	10 days after the last spray	As soon as spray solution has dried on the foliage
UNITED AGROSCIENCE PHILS., INC.	DINOTEFURAN	DIFAN 20 SG	200g/kg	SG	INSECTICIDE	4	602-373-4306	11-Jul-22	SYSTEMIC/CONTACT	Tomato	Whiteflies, hoppers,cutworm	2.0-5.0 g/16 water	-	24 days after the last spray	As soon as spray solution has dried on the foliage
UNITED AGROSCIENCE PHILS., INC.	DINOTEFURAN	DIFAN 20 SG	200g/kg	SG	INSECTICIDE	4	602-373-4306	11-Jul-22	SYSTEMIC/CONTACT	Eggplant	Hoppers, whiteflies,fruit borer	2.0-5.0 g/16 water	-	24 days after the last spray	As soon as spray solution has dried on the foliage
UNITED AGROSCIENCE PHILS., INC.	DINOTEFURAN	DIFAN 20 SG	200g/kg	SG	INSECTICIDE	4	602-373-4306	11-Jul-22	SYSTEMIC/CONTACT	Rice	Green leafhopper, brown planthopper, rice bug	2.0-5.0 g/16 water	-	24 days after the last spray	As soon as spray solution has dried on the foliage
UNITED AGROSCIENCE PHILS., INC.	DINOTEFURAN	DIFAN 20 SG	200g/kg	SG	INSECTICIDE	4	602-373-4306	11-Jul-22	SYSTEMIC/CONTACT	Coconut	Scale insects	9g/Tree (Trunk Injection)	-	-	As soon as spray solution has dried on the foliage
HAUIR PHILIPPINES AGROSERVICE INC.	DICODIDE 250 EC	DICODIDE 250 EC	250 g/L	EC	FUNGICIDE	4	672-272-5182	27-Aug-26	SYSTEMIC	Rice	Sheath Blight	0.25-0.30 L prod/ Ha	-	-	
HAUIR PHILIPPINES AGROSERVICE INC.	DIFENOCONAZOLE	DICODIDE 250 EC	250 g/L	EC	FUNGICIDE	4	672-272-5182	27-Aug-26	SYSTEMIC	Mango	Anthraxnose	0.528-0.88 L prod/ Ha	-	14 days	
HAUIR PHILIPPINES AGROSERVICE INC.	DIFENOCONAZOLE	DICODIDE 250 EC	250 g/L	EC	FUNGICIDE	4	672-272-5182	27-Aug-26	SYSTEMIC	Stringbeans	Leafspot	0.25-0.30L prod/ Ha	-	7 days	
HAUIR PHILIPPINES AGROSERVICE INC.	DIFENOCONAZOLE	DICODIDE 250 EC	250 g/L	EC	FUNGICIDE	4	672-272-5182	27-Aug-26	SYSTEMIC	Tomato	Alternaria leaf spot, cercospora leafmold,powdery mildew	0.25-0.30L prod/ Ha	-	7 days	

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
HAULR PHILIPPINES AGROSERVICE INC.	DIFENOCANAZOLE	DICODE 250 EC	250 g/L	EC	FUNGICIDE	4	672-272-5182	27-Aug-26	SYSTEMIC	Eggplant	Leaf spot	0.25-0.30/L prod/Ha	-	7 days	
HAULR PHILIPPINES AGROSERVICE INC.	DIFENOCANAZOLE	DICODE 250 EC	250 g/L	EC	FUNGICIDE	4	672-272-5182	27-Aug-26	SYSTEMIC	Cabbage	Ringspot,alternaria	0.25-0.30/L prod/Ha	-	7 days	
HAULR PHILIPPINES AGROSERVICE INC.	DIFENOCANAZOLE	DICODE 250 EC	250 g/L	EC	FUNGICIDE	4	672-272-5182	27-Aug-26	SYSTEMIC	Asparagus	Stem and leaf blight	0.36/L prod/Ha	-	7 days	
HAULR PHILIPPINES AGROSERVICE INC.	DIFENOCANAZOLE	DICODE 250 EC	250 g/L	EC	FUNGICIDE	4	672-272-5182	27-Aug-26	SYSTEMIC	Straw	Purple blotch	0.40-0.50/L prod/Ha	-	7 days	
HAULR PHILIPPINES AGROSERVICE INC.	DIFENOCANAZOLE	DICODE 250 EC	250 g/L	EC	FUNGICIDE	4	672-272-5182	27-Aug-26	SYSTEMIC	Banana	Black sigatoka	0.30-0.40/L prod/Ha	-	-	
AGSPEC PHILIPPINES CORPORATION	FORMETANATE HCI	DICARZOL 20 SP	200 g/kg	SP	INSECTICIDE	2	508-213-2925	22-Aug-25	-	Watermelon	Thrips, Mites	40-80 g/16 L water	-	7 days	1 day or when spray droplets have dried up
AGSPEC PHILIPPINES CORPORATION	FORMETANATE HCI	DICARZOL 20 SP	200 g/kg	SP	INSECTICIDE	2	508-213-2925	22-Aug-25	-	Melon	Thrips, Mites	40-80 g/16 L water	-	7 days	1 day or when spray droplets have dried up
AGSPEC PHILIPPINES CORPORATION	FORMETANATE HCI	DICARZOL 20 SP	200 g/kg	SP	INSECTICIDE	2	508-213-2925	22-Aug-25	-	Cucumber	Thrips, Mites	40-80 g/16 L water	-	7 days	1 day or when spray droplets have dried up
AGSPEC PHILIPPINES CORPORATION	FORMETANATE HCI	DICARZOL 20 SP	200 g/kg	SP	INSECTICIDE	2	508-213-2925	22-Aug-25	-	Squash	Thrips, Mites	40-80 g/16 L water	-	7 days	1 day or when spray droplets have dried up
AGSPEC PHILIPPINES CORPORATION	FORMETANATE HCI	DICARZOL 20 SP	200 g/kg	SP	INSECTICIDE	2	508-213-2925	22-Aug-25	-	Soybeans & other beans	Thrips, Aphids, Mites, Flea Beetle	40-80 g/16 L water	-	7 days	1 day or when spray droplets have dried up
AGSPEC PHILIPPINES CORPORATION	FORMETANATE HCI	DICARZOL 20 SP	200 g/kg	SP	INSECTICIDE	2	508-213-2925	22-Aug-25	-	Tobacco	Aphids, Budworm	40-80 g/16 L water	-	7 days	1 day or when spray droplets have dried up
AGSPEC PHILIPPINES CORPORATION	FORMETANATE HCI	DICARZOL 20 SP	200 g/kg	SP	INSECTICIDE	2	508-213-2925	22-Aug-25	-	White potato	Thrips	40-80 g/16 L water	-	7 days	1 day or when spray droplets have dried up
AGSPEC PHILIPPINES CORPORATION	FORMETANATE HCI	DICARZOL 20 SP	200 g/kg	SP	INSECTICIDE	2	508-213-2925	22-Aug-25	-	Tomato	Fruitworm	40-80 g/16 L water	-	7 days	1 day or when spray droplets have dried up
AGSPEC PHILIPPINES CORPORATION	FORMETANATE HCI	DICARZOL 20 SP	200 g/kg	SP	INSECTICIDE	2	508-213-2925	22-Aug-25	-	Mango	Thrips,capsid bugs, leafhoppers	40-80 g/16 L water	-	7 days	1 day or when spray droplets have dried up
AGSPEC PHILIPPINES CORPORATION	FORMETANATE HCI	DICARZOL 20 SP	200 g/kg	SP	INSECTICIDE	2	508-213-2925	22-Aug-25	-	Banana	Flower thrips	1 dilute 3-5 g product /L water. Inject 60-100 ml of the solution per bud	-	7 days	1 day or when spray droplets have dried up
BIOSTADT PHILIPPINES INC.	FORMETANATE HCI	DICARZOL 20 SP	200 g/kg	SP	INSECTICIDE	2	097-213-2717	17-Mar-20	-	Watermelon	Thrips, Mites	40-80 g/16 L water	-	7 days	1 day or when spray droplets have dried up
BIOSTADT PHILIPPINES INC.	FORMETANATE HCI	DICARZOL 20 SP	200 g/kg	SP	INSECTICIDE	2	097-213-2717	17-Mar-20	-	Melon	Thrips, Mites	40-80 g/16 L water	-	7 days	1 day or when spray droplets have dried up
BIOSTADT PHILIPPINES INC.	FORMETANATE HCI	DICARZOL 20 SP	200 g/kg	SP	INSECTICIDE	2	097-213-2717	17-Mar-20	-	Cucumber	Thrips, Mites	40-80 g/16 L water	-	7 days	1 day or when spray droplets have dried up
BIOSTADT PHILIPPINES INC.	FORMETANATE HCI	DICARZOL 20 SP	200 g/kg	SP	INSECTICIDE	2	097-213-2717	17-Mar-20	-	Squash	Thrips, Mites	40-80 g/16 L water	-	7 days	1 day or when spray droplets have dried up
BIOSTADT PHILIPPINES INC.	FORMETANATE HCI	DICARZOL 20 SP	200 g/kg	SP	INSECTICIDE	2	097-213-2717	17-Mar-20	-	Soybeans & other beans	Thrips, Aphids, Mites, Flea Beetle	40-80 g/16 L water	-	7 days	1 day or when spray droplets have dried up
BIOSTADT PHILIPPINES INC.	FORMETANATE HCI	DICARZOL 20 SP	200 g/kg	SP	INSECTICIDE	2	097-213-2717	17-Mar-20	-	Tobacco	Aphids, Budworm	40-80 g/16 L water	-	7 days	1 day or when spray droplets have dried up
BIOSTADT PHILIPPINES INC.	FORMETANATE HCI	DICARZOL 20 SP	200 g/kg	SP	INSECTICIDE	2	097-213-2717	17-Mar-20	-	White potato	Thrips	40-80 g/16 L water	-	7 days	1 day or when spray droplets have dried up
BIOSTADT PHILIPPINES INC.	FORMETANATE HCI	DICARZOL 20 SP	200 g/kg	SP	INSECTICIDE	2	097-213-2717	17-Mar-20	-	Tomato	Fruitworm	40-80 g/16 L water	-	7 days	1 day or when spray droplets have dried up
ENVIRO CROPVET PRODUCTS INC.	DIAZINON	DIAZINON 600 EC	600 g/L	EC	INSECTICIDE	2	282-034-6024	12-Nov-25	-	Rice	Planthopper, rice bug, stemborer, leaf folder, whorl maggot	2.5-3.5 tbsp/36L	-	-	Soon as solution dries up
ENVIRO CROPVET PRODUCTS INC.	DIAZINON	DIAZINON 600 EC	600 g/L	EC	INSECTICIDE	2	282-034-6024	12-Nov-25	-	Beans	Cutworm, pod borer, aphids, flea beetle	2.5-3.5 tbsp/36L	-	-	Soon as solution dries up
ENVIRO CROPVET PRODUCTS INC.	DIAZINON	DIAZINON 600 EC	600 g/L	EC	INSECTICIDE	2	282-034-6024	12-Nov-25	-	Cowpea	Aphids, cutworm, grasshopper	2.5-3.5 tbsp/36L	-	-	Soon as solution dries up
ENVIRO CROPVET PRODUCTS INC.	DIAZINON	DIAZINON 600 EC	600 g/L	EC	INSECTICIDE	2	282-034-6024	12-Nov-25	-	Soybeans	Cutworm, aphids, stink bug, grasshopper	2.5-3.5 tbsp/36L	-	-	Soon as solution dries up
ENVIRO CROPVET PRODUCTS INC.	DIAZINON	DIAZINON 600 EC	600 g/L	EC	INSECTICIDE	2	282-034-6024	12-Nov-25	-	Pineapple	Mealy bug	2.5-3.5 tbsp/36L	-	14 days	Soon as solution dries up
ENVIRO CROPVET PRODUCTS INC.	DIAZINON	DIAZINON 600 EC	600 g/L	EC	INSECTICIDE	2	282-034-6024	12-Nov-25	-	Cotton	Katydid, grasshopper, cutworm, mites	2.5-3.5 tbsp/36L	-	-	Soon as solution dries up
ENVIRO CROPVET PRODUCTS INC.	DIAZINON	DIAZINON 600 EC	600 g/L	EC	INSECTICIDE	2	282-034-6024	12-Nov-25	-	Tobacco	Budworm, aphids, armyworm, flea beetle	2.5-3.5 tbsp/36L	-	-	Soon as solution dries up
ENVIRO CROPVET PRODUCTS INC.	DIAZINON	DIAZINON 600 EC	600 g/L	EC	INSECTICIDE	2	282-034-6024	12-Nov-25	-	White potato	Aphids, leaf folder, cutworm	2.5-3.5 tbsp/36L	-	-	Soon as solution dries up
ENVIRO CROPVET PRODUCTS INC.	DIAZINON	DIAZINON 600 EC	600 g/L	EC	INSECTICIDE	2	282-034-6024	12-Nov-25	-	Citrus	Mites, aphids, stink bug	2.5-3.5 tbsp/36L	-	-	Soon as solution dries up
ENVIRO CROPVET PRODUCTS INC.	DIAZINON	DIAZINON 600 EC	600 g/L	EC	INSECTICIDE	2	282-034-6024	12-Nov-25	-	Banana	Thrips, mealy bug, leaf folder	2.5-3.5 tbsp/36L	-	0 day	Soon as solution dries up
ENVIRO CROPVET PRODUCTS INC.	DIAZINON	DIAZINON 600 EC	600 g/L	EC	INSECTICIDE	2	282-034-6024	12-Nov-25	-	Corn	Corn borer, earworm, aphids, silk beetle	2.5-3.5 tbsp/36L	-	-	Soon as solution dries up
ENVIRO CROPVET PRODUCTS INC.	DIAZINON	DIAZINON 600 EC	600 g/L	EC	INSECTICIDE	2	282-034-6024	12-Nov-25	-	Mango	Hopper, tip borer	2.5-3.5 tbsp/36L	-	-	Soon as solution dries up
LEADS AGRICULTURAL PRODUCTS CORPORATION	DIAZINON	DIAZOL 60 EC	600 g/L	EC	INSECTICIDE	2	099-034-0900	30-Jul-26	CONTACT	Rice	Whorl maggot, stemborer, leaf folder, planthopper, rice bug	2.5-4.0 Tbsp/16L Water	-	14 days	As soon as spray has dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	DIAZINON	DIAZOL 60 EC	600 g/L	EC	INSECTICIDE	2	099-034-0900	30-Jul-26	CONTACT	Corn	Comborer, earworm, aphids, silk beetle	2.5-4.0 Tbsp/16L Water	-	14 days	As soon as spray has dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	DIAZINON	DIAZOL 60 EC	600 g/L	EC	INSECTICIDE	2	099-034-0900	30-Jul-26	CONTACT	Beans	Cutworm, podborer, aphids, flea beetle	2.5-4.0 Tbsp/16L Water	-	14 days	As soon as spray has dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	DIAZINON	DIAZOL 60 EC	600 g/L	EC	INSECTICIDE	2	099-034-0900	30-Jul-26	CONTACT	Cowpea	Aphids, cutworm, grasshopper	2.5-4.0 Tbsp/16L Water	-	14 days	As soon as spray has dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	DIAZINON	DIAZOL 60 EC	600 g/L	EC	INSECTICIDE	2	099-034-0900	30-Jul-26	CONTACT	Soybeans	Cutworm, aphids, stink bug, grasshopper	2.5-4.0 Tbsp/16L Water	-	14 days	As soon as spray has dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	DIAZINON	DIAZOL 60 EC	600 g/L	EC	INSECTICIDE	2	099-034-0900	30-Jul-26	CONTACT	Pineapple	Mealybug	2.5-4.0 Tbsp/16L Water	-	14 days	As soon as spray has dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	DIAZINON	DIAZOL 60 EC	600 g/L	EC	INSECTICIDE	2	099-034-0900	30-Jul-26	CONTACT	Pineapple (VALID ONLY FOR USE BY Del Monte Philippines, Inc.)	Mealybug	-	-	14 days	As soon as spray has dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	DIAZINON	DIAZOL 60 EC	600 g/L	EC	INSECTICIDE	2	099-034-0900	30-Jul-26	CONTACT	Cotton	Katydid, grasshopper, cutworm, mites	2.5-4.0 Tbsp/16L Water	-	14 days	As soon as spray has dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	DIAZINON	DIAZOL 60 EC	600 g/L	EC	INSECTICIDE	2	099-034-0900	30-Jul-26	CONTACT	Tobacco	Budworm aphids, flea beetle, armyworm	2.5-4.0 Tbsp/16L Water	-	14 days	As soon as spray has dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	DIAZINON	DIAZOL 60 EC	600 g/L	EC	INSECTICIDE	2	099-034-0900	30-Jul-26	CONTACT	White potato	Aphids, leaf folder, cutworm	2.5-4.0 Tbsp/16L Water	-	14 days	As soon as spray has dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	DIAZINON	DIAZOL 60 EC	600 g/L	EC	INSECTICIDE	2	099-034-0900	30-Jul-26	CONTACT	Citrus	Mites, aphids, stink bug	2.5-4.0 Tbsp/16L Water	-	14 days	As soon as spray has dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	DIAZINON	DIAZOL 60 EC	600 g/L	EC	INSECTICIDE	2	099-034-0900	30-Jul-26	CONTACT	Banana	Thrips, mealybug, leaf folder	2.5-4.0 Tbsp/16L Water	-	14 days	As soon as spray has dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	DIAZINON	DIAZOL 60 EC	600 g/L	EC	INSECTICIDE	2	099-034-0900	30-Jul-26	CONTACT	Mango	Hopper, tip borer	2.5-4.0 Tbsp/16L Water	-	14 days	As soon as spray has dried
SUMITOMO CORPORATION PHILIPPINES	DIAZINON	DIAZINON 60 EC	600 g/L	EC	INSECTICIDE	2	482-034-3128	19-Mar-22	CONTACT	Rice	Whorl maggot, stemborer, leaf folder, planthopper, rice bug	2.5-4.0 Tbsp/16L Water	-	14 days	Treated area may be entered 1 day after application
SUMITOMO CORPORATION PHILIPPINES	DIAZINON	DIAZINON 60 EC	600 g/L	EC	INSECTICIDE	2	482-034-3128	19-Mar-22	CONTACT	Corn	Comborer, earworm, aphids, silk beetle	2.5-4.0 Tbsp/16L Water	-	14 days	Treated area may be entered 1 day after application
SUMITOMO CORPORATION PHILIPPINES	DIAZINON	DIAZINON 60 EC	600 g/L	EC	INSECTICIDE	2	482-034-3128	19-Mar-22	CONTACT	Beans	Cutworm, podborer, aphids, flea beetle	2.5-4.0 Tbsp/16L Water	-	14 days	Treated area may be entered 1 day after application
SUMITOMO CORPORATION PHILIPPINES	DIAZINON	DIAZINON 60 EC	600 g/L	EC	INSECTICIDE	2	482-034-3128	19-Mar-22	CONTACT	Cowpea	Aphids, cutworm, grasshopper	2.5-4.0 Tbsp/16L Water	-	14 days	Treated area may be entered 1 day after application
SUMITOMO CORPORATION PHILIPPINES	DIAZINON	DIAZINON 60 EC	600 g/L	EC	INSECTICIDE	2	482-034-3128	19-Mar-22	CONTACT	Soybeans	Cutworm, aphids, stink bug, grasshopper	2.5-4.0 Tbsp/16L Water	-	14 days	Treated area may be entered 1 day after application
SUMITOMO CORPORATION PHILIPPINES	DIAZINON	DIAZINON 60 EC	600 g/L	EC	INSECTICIDE	2	482-034-3128	19-Mar-22	CONTACT	Pineapple	Mealybug	2.5-4.0 Tbsp/16L Water	-	14 days	Treated area may be entered 1 day after application
SUMITOMO CORPORATION PHILIPPINES	DIAZINON	DIAZINON 60 EC	600 g/L	EC	INSECTICIDE	2	482-034-3128	19-Mar-22	CONTACT	Cotton	Katydid, grasshopper, cutworm, mites	2.5-4.0 Tbsp/16L Water	-	14 days	Treated area may be entered 1 day after application
SUMITOMO CORPORATION PHILIPPINES	DIAZINON	DIAZINON 60 EC	600 g/L	EC	INSECTICIDE	2	482-034-3128	19-Mar-22	CONTACT	Tobacco	Budworm aphids, flea beetle, armyworm	2.5-4.0 Tbsp/16L Water	-	14 days	Treated area may be entered 1 day after application

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
SUMTOMO CORPORATION PHILIPPINES	DAZINON	DAZINON 60 EC	600 g/L	EC	INSECTICIDE	2	482-034-3128	19-Mar-22	CONTACT	White potato	Aphids, leafhopper, cutworm	2.5-4.0 Tbsp/16L Water	-	14 days	Treated area may be entered 1 day after application
SUMTOMO CORPORATION PHILIPPINES	DAZINON	DAZINON 60 EC	600 g/L	EC	INSECTICIDE	2	482-034-3128	19-Mar-22	CONTACT	Citrus	Mites, aphids, stink bug	2.5-4.0 Tbsp/16L Water	-	14 days	Treated area may be entered 1 day after application
SUMTOMO CORPORATION PHILIPPINES	DAZINON	DAZINON 40 EC	600 g/L	EC	INSECTICIDE	2	482-034-3128	19-Mar-22	CONTACT	Banana	Thrips, mealybug, leafhopper	2.5-4.0 Tbsp/16L Water	-	14 days	Treated area may be entered 1 day after application
SUMTOMO CORPORATION PHILIPPINES	DAZINON	DAZINON 60 EC	600 g/L	EC	INSECTICIDE	2	482-034-3128	19-Mar-22	CONTACT	Mango	Hopper, tip borer	2.5-4.0 Tbsp/16L Water	-	14 days	Treated area may be entered 1 day after application
TRANS WORLD TRADING CO., INC.	DAZINON	DAZIN 600 EC	600 g/L	EC	INSECTICIDE	2	038-034-5537	16-Sep-24	CONTACT	Rice	Whorl maggot, stemborer, leafhopper, planthopper, rice bug	2.5-3.5 Tbsp/ 16L water	-	-	-
TRANS WORLD TRADING CO., INC.	DAZINON	DAZIN 600 EC	600 g/L	EC	INSECTICIDE	2	038-034-5537	16-Sep-24	CONTACT	Corn	Comborer, earworm, aphids, silk beetle	2.5-3.5 Tbsp/ 16L water	-	-	-
TRANS WORLD TRADING CO., INC.	DAZINON	DAZIN 600 EC	600 g/L	EC	INSECTICIDE	2	038-034-5537	16-Sep-24	CONTACT	Beans	Cutworm, podborer, aphids, flea beetle	2.5-3.5 Tbsp/ 16L water	-	-	-
TRANS WORLD TRADING CO., INC.	DAZINON	DAZIN 600 EC	600 g/L	EC	INSECTICIDE	2	038-034-5537	16-Sep-24	CONTACT	Cowpea	Aphids, cutworm, grasshopper	2.5-3.5 Tbsp/ 16L water	-	-	-
TRANS WORLD TRADING CO., INC.	DAZINON	DAZIN 600 EC	600 g/L	EC	INSECTICIDE	2	038-034-5537	16-Sep-24	CONTACT	Soybeans	Cutworm, aphids, stink bug, grasshopper	2.5-3.5 Tbsp/ 16L water	-	-	-
TRANS WORLD TRADING CO., INC.	DAZINON	DAZIN 600 EC	600 g/L	EC	INSECTICIDE	2	038-034-5537	16-Sep-24	CONTACT	Pineapple	Mealybug	2.5-3.5 Tbsp/ 16L water	-	-	-
TRANS WORLD TRADING CO., INC.	DAZINON	DAZIN 600 EC	600 g/L	EC	INSECTICIDE	2	038-034-5537	16-Sep-24	CONTACT	Cotton	Katydid, grasshopper, cutworm, mites	2.5-5.5 Tbsp/ 16L water	-	-	-
TRANS WORLD TRADING CO., INC.	DAZINON	DAZIN 600 EC	600 g/L	EC	INSECTICIDE	2	038-034-5537	16-Sep-24	CONTACT	Tobacco	Budworm aphids, flea beetle, armyworm	2.5-3.5 Tbsp/ 16L water	-	-	-
TRANS WORLD TRADING CO., INC.	DAZINON	DAZIN 600 EC	600 g/L	EC	INSECTICIDE	2	038-034-5537	16-Sep-24	CONTACT	White potato	Aphids, leafhopper, cutworm	2.5-3.5 Tbsp/ 16L water	-	-	-
TRANS WORLD TRADING CO., INC.	DAZINON	DAZIN 600 EC	600 g/L	EC	INSECTICIDE	2	038-034-5537	16-Sep-24	CONTACT	Citrus	Mites, aphids, stink bug	2.5-3.5 Tbsp/ 16L water	-	-	-
TRANS WORLD TRADING CO., INC.	DAZINON	DAZIN 600 EC	600 g/L	EC	INSECTICIDE	2	038-034-5537	16-Sep-24	CONTACT	Banana	Thrips, mealybug, leafhopper (STEM and MAT spray application of mealy bug)	2.5-3.5 Tbsp/ 16L water	-	-	-
TRANS WORLD TRADING CO., INC.	DAZINON	DAZIN 600 EC	600 g/L	EC	INSECTICIDE	2	038-034-5537	16-Sep-24	CONTACT	Mango	Hopper, tip borer	-	-	-	-
RAINBOW AGRSCIENCES PHILIPPINES INC.	BIFENTHRIN-NOVALURON	DIAMONA PLUS 100 SC	50g/L+500/L	SC	INSECTICIDE	2	539-484-5906	27-Oct-25	-	Cabbage	Diamond back moth	1.5-2.0 Tbsp/16L water	-	-	-
RAINBOW AGRSCIENCES PHILIPPINES INC.	NOVALURON	DIAMONA 100 EC	100 g/L	EC	INSECTICIDE	4	539-949-5974	28-Dec-25	-	Cabbage	Diamondback moth	3-2 Tbsp/16L	-	-	Do not spray DIAMONA 100 EC at least one week before harvest
SUMTOMO CORPORATION PHILIPPINES	DIAGRAN S G	DIAGRAN S G	50 g/kg	G	INSECTICIDE	4	482-034-3129	19-Mar-22	CONTACT	Corn	Comborer, earworm, aphids, silk beetle	15-30kg/ha	-	14 days	Treated area may be entered 1 day after application
SUMTOMO CORPORATION PHILIPPINES	DAZINON	DIAGRAN S G	50 g/kg	G	INSECTICIDE	4	482-034-3129	19-Mar-22	CONTACT	Cotton	Mites, katydid, grasshopper cutworm	15-30kg/ha	-	14 days	Treated area may be entered 1 day after application
SUMTOMO CORPORATION PHILIPPINES	DAZINON	DIAGRAN S G	50 g/kg	G	INSECTICIDE	4	482-034-3129	19-Mar-22	CONTACT	Legumes	Cutworm, aphids, beanflies	15-30kg/ha	-	14 days	Treated area may be entered 1 day after application
SUMTOMO CORPORATION PHILIPPINES	DAZINON	DIAGRAN S G	50 g/kg	G	INSECTICIDE	4	482-034-3129	19-Mar-22	CONTACT	Ornamentals	Grubs, mites, thrips	15-30kg/ha	-	14 days	Treated area may be entered 1 day after application
SUMTOMO CORPORATION PHILIPPINES	DAZINON	DIAGRAN S G	50 g/kg	G	INSECTICIDE	4	482-034-3129	19-Mar-22	CONTACT	Rice	Green leafhopper, whorl maggots, leafhopper, stemborer, rice bugs	15-30kg/ha	-	14 days	Treated area may be entered 1 day after application
SUMTOMO CORPORATION PHILIPPINES	DAZINON	DIAGRAN S G	50 g/kg	G	INSECTICIDE	4	482-034-3129	19-Mar-22	CONTACT	Perennial fruits	White grubs and other soil insects	15-30kg/ha	-	14 days	Treated area may be entered 1 day after application
VANN HAWK AGRO CHEMICALS, INC.	DAZINON	DIAGNOZE 600 EC	600 g/L	EC	INSECTICIDE	2	295-034-5501	12-Nov-25	CONTACT	Rice	Whorl maggot, stemborer, leaf folder, planthopper, rice bug	2.5-4.0 Tbsp/16L Water	-	14 days	Do not enter treated fields for at least 1 day after application.
VANN HAWK AGRO CHEMICALS, INC.	DAZINON	DIAGNOZE 600 EC	600 g/L	EC	INSECTICIDE	2	295-034-5501	12-Nov-25	CONTACT	Corn	Comborer, earworm, aphids, silk beetle	2.5-4.0 Tbsp/16L Water	-	14 days	Do not enter treated fields for at least 1 day after application.
VANN HAWK AGRO CHEMICALS, INC.	DAZINON	DIAGNOZE 600 EC	600 g/L	EC	INSECTICIDE	2	295-034-5501	12-Nov-25	CONTACT	Beans	Cutworm, pod borer, aphids, flea beetle	2.5-4.0 Tbsp/16L Water	-	14 days	Do not enter treated fields for at least 1 day after application.
VANN HAWK AGRO CHEMICALS, INC.	DAZINON	DIAGNOZE 600 EC	600 g/L	EC	INSECTICIDE	2	295-034-5501	12-Nov-25	CONTACT	Cowpea	Aphids, cutworm, grasshopper	2.5-4.0 Tbsp/16L Water	-	14 days	Do not enter treated fields for at least 1 day after application.
VANN HAWK AGRO CHEMICALS, INC.	DAZINON	DIAGNOZE 600 EC	600 g/L	EC	INSECTICIDE	2	295-034-5501	12-Nov-25	CONTACT	Soybeans	Cutworm, aphids, stink bug, grasshopper	2.5-4.0 Tbsp/16L Water	-	14 days	Do not enter treated fields for at least 1 day after application.
VANN HAWK AGRO CHEMICALS, INC.	DAZINON	DIAGNOZE 600 EC	600 g/L	EC	INSECTICIDE	2	295-034-5501	12-Nov-25	CONTACT	Pineapple	Mealy bug	2.5-4.0 Tbsp/16L Water	-	14 days	Do not enter treated fields for at least 1 day after application.
VANN HAWK AGRO CHEMICALS, INC.	DAZINON	DIAGNOZE 600 EC	600 g/L	EC	INSECTICIDE	2	295-034-5501	12-Nov-25	CONTACT	Cotton	Katydid, grasshopper, cutworm, mites	2.5-4.0 Tbsp/16L Water	-	14 days	Do not enter treated fields for at least 1 day after application.
VANN HAWK AGRO CHEMICALS, INC.	DAZINON	DIAGNOZE 600 EC	600 g/L	EC	INSECTICIDE	2	295-034-5501	12-Nov-25	CONTACT	Tobacco	Budworm, aphids, flea beetle, armyworm	2.5-4.0 Tbsp/16L Water	-	14 days	Do not enter treated fields for at least 1 day after application.
VANN HAWK AGRO CHEMICALS, INC.	DAZINON	DIAGNOZE 600 EC	600 g/L	EC	INSECTICIDE	2	295-034-5501	12-Nov-25	CONTACT	White potato	Aphids, leaf folder, cutworm	2.5-4.0 Tbsp/16L Water	-	14 days	Do not enter treated fields for at least 1 day after application.
VANN HAWK AGRO CHEMICALS, INC.	DAZINON	DIAGNOZE 600 EC	600 g/L	EC	INSECTICIDE	2	295-034-5501	12-Nov-25	CONTACT	Citrus	Mites, aphids, stink bug	2.5-4.0 Tbsp/16L Water	-	14 days	Do not enter treated fields for at least 1 day after application.
VANN HAWK AGRO CHEMICALS, INC.	DAZINON	DIAGNOZE 600 EC	600 g/L	EC	INSECTICIDE	2	295-034-5501	12-Nov-25	CONTACT	Banana	Thrips, mealy bug, leaf folder	2.5-4.0 Tbsp/16L Water	-	14 days	Do not enter treated fields for at least 1 day after application.
VANN HAWK AGRO CHEMICALS, INC.	DAZINON	DIAGNOZE 600 EC	600 g/L	EC	INSECTICIDE	2	295-034-5501	12-Nov-25	CONTACT	Mango	Hopper, tip borer	2.5-4.0 Tbsp/16L Water	-	14 days	Do not enter treated fields for at least 1 day after application.
TRANS WORLD TRADING CO., INC.	CARBOFURAN	DIAFURAN 5G	50 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	038-104-0812	10-Feb-23	-	Sugarcane	Borer, leafhopper, mealy bug, scale insects, nematodes, white grubs, crickets & root flies	20-40 kg/ha	-	-	-
TRANS WORLD TRADING CO., INC.	CARBOFURAN	DIAFURAN 5G	50 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	038-104-0812	10-Feb-23	-	Banana	Nematodes, corn weevil and scarab weevil	25-30 kg/ha	-	-	-
TRANS WORLD TRADING CO., INC.	CARBOFURAN	DIAFURAN 3 G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	038-104-0380	17-Sep-25	-	Corn	Borer, earworm, grubs, seedling maggot	16-7-33.3 kg prod/ha	-	Do apply within 30 days of harvest	-
TRANS WORLD TRADING CO., INC.	CARBOFURAN	DIAFURAN 3 G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	038-104-0380	17-Sep-25	-	Cotton	Nematodes, grubs	16-7-33.3 kg prod/ha	-	Do apply within 30 days of harvest	-
TRANS WORLD TRADING CO., INC.	CARBOFURAN	DIAFURAN 3 G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	038-104-0380	17-Sep-25	-	Eggplant	Fruitborer	16-7-33.3 kg prod/ha	-	Do apply within 30 days of harvest	-
TRANS WORLD TRADING CO., INC.	CARBOFURAN	DIAFURAN 3 G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	038-104-0380	17-Sep-25	-	Field legumes	Beanflies, grubs, nematodes	16-7-33.3 kg prod/ha	-	Do apply within 30 days of harvest	-
TRANS WORLD TRADING CO., INC.	CARBOFURAN	DIAFURAN 3 G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	038-104-0380	17-Sep-25	-	Rice	Stem borer, whorl maggot, leafhopper, leafhopper, caseworm, planthopper	16-7-33.3 kg prod/ha	0.2gpm	Do apply within 30 days of harvest	-
TRANS WORLD TRADING CO., INC.	CARBOFURAN	DIAFURAN 3 G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	038-104-0380	17-Sep-25	-	Soybeans	Beanfly, grubs, nematodes, other soil insects	16-7-33.3 kg prod/ha	-	Do apply within 30 days of harvest	-
TRANS WORLD TRADING CO., INC.	CARBOFURAN	DIAFURAN 3 G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	038-104-0380	17-Sep-25	-	Sugarcane	Borer, leafhopper, mealy bug, nematodes, scale insects	16-7-33.3 kg prod/ha	-	Do apply within 30 days of harvest	-
TRANS WORLD TRADING CO., INC.	CARBOFURAN	DIAFURAN 3 G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	038-104-0380	17-Sep-25	-	Tobacco	Nematode, budworm	16-7-33.3 kg prod/ha	-	Do apply within 30 days of harvest	-
TRANS WORLD TRADING CO., INC.	CARBOFURAN	DIAFURAN 3 G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	038-104-0380	17-Sep-25	-	White potato	Nematodes, grubs	16-7-33.3 kg prod/ha	-	Do apply within 30 days of harvest	-
TRANS WORLD TRADING CO., INC.	CARBOFURAN	DIAFURAN 3 G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	038-104-0380	17-Sep-25	-	Ornamentals	Scale insect, aphids, mealy bug	16-7-33.3 kg prod/ha	-	Do apply within 30 days of harvest	-
TRANS WORLD TRADING CO., INC.	CARBOFURAN	DIAFURAN 10 G	100 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	038-104-0608	23-May-24	-	Banana	Nematodes, corn weevil and scarab weevil	10-15kg prod/ha	-	Do not apply within 30 days of harvest	-
STERK INCORPORATED	S-METHOPHOS	DIACON IGR	33.3 g/L	-	INSECTICIDE	4	434-612-5986	13-Jan-24	-	Corn (field corn, sweet corn, popcorn, seed corn, silage)	Staphylinus spp., Rhysopertha dominica, Tribolium castaneum, and Cryptolestes ferrugineus	30-30 ml product / L water; 1 L cubic meter of grains	-	-	-
TRANS WORLD TRADING CO., INC.	BPAC	DIACAB 50 EC	500 g/L	EC	INSECTICIDE	3	038-002-0617	18-Sep-26	-	Rice	Green leafhopper, brown plant hopper & leafhopper	3-5 Tbsp/16L water	-	Do not spray within 14 days of harvest	Do not enter the field within 2 days after spraying
TRANS WORLD TRADING CO., INC.	BPAC	DIACAB 50 EC	500 g/L	EC	INSECTICIDE	3	038-002-0617	18-Sep-26	-	Cotton	leafhopper/thrips & aphids	3-5 Tbsp/16L water	-	Do not spray within 14 days of harvest	Do not enter the field within 2 days after spraying
TRANS WORLD TRADING CO., INC.	BPAC	DIACAB 50 EC	500 g/L	EC	INSECTICIDE	3	038-002-0617	18-Sep-26	-	Citrus	Scale insects, aphids, mealy bug, aphids, & cutworm	3-4 Tbsp/16L water	-	Do not spray within 14 days of harvest	Do not enter the field within 2 days after spraying
TRANS WORLD TRADING CO., INC.	BPAC	DIACAB 50 EC	500 g/L	EC	INSECTICIDE	3	038-002-0617	18-Sep-26	-	Cruisers	Diamond-back moth, cabbage worms, aphids & cutworms	3-5 Tbsp/16L water	-	Do not spray within 14 days of harvest	Do not enter the field within 2 days after spraying
TRANS WORLD TRADING CO., INC.	BPAC	DIACAB 50 EC	500 g/L	EC	INSECTICIDE	3	038-002-0617	18-Sep-26	-	Mango	hopper & tip borer	3-5 Tbsp/16L water	-	Do not spray within 14 days of harvest	Do not enter the field within 2 days after spraying
HQ AGRICARE TRADING, INC.	CARBOFURAN	DIGRAND	30g/kg	G	INSECTICIDE/ NEMATOCIDE	2	505-104-4251	05-Feb-24	-	Corn	Borer, earworm, grubs, seedling maggot	16-7-33.3 kg prod/ha	-	-	2 days

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
HQ AGRICARE TRADING, INC.	CARBOFURAN	D'GRAND	30g/kg	G	INSECTICIDE/ NEMATOCIDE	2	505-104-4251	05-Feb-24		Cotton	Nematodes, grubs	16.7-33.3 kg prod/ha	-	-	2 days
HQ AGRICARE TRADING, INC.	CARBOFURAN	D'GRAND	30g/kg	G	INSECTICIDE/ NEMATOCIDE	2	505-104-4251	05-Feb-24		Eggplant	Fruitborer	16.7-33.3 kg prod/ha	-	-	2 days
HQ AGRICARE TRADING, INC.	CARBOFURAN	D'GRAND	30g/kg	G	INSECTICIDE/ NEMATOCIDE	2	505-104-4251	05-Feb-24		Field legumes	Beanflies, grubs, nematodes	16.7-33.3 kg prod/ha	-	-	2 days
HQ AGRICARE TRADING, INC.	CARBOFURAN	D'GRAND	30g/kg	G	INSECTICIDE/ NEMATOCIDE	2	505-104-4251	05-Feb-24		Rice	Stem borer, wheat maggot, leafhopper, leaf folder, case worm, planthopper	16.7-33.3 kg prod/ha	0.3ppm	28 days	2 days
HQ AGRICARE TRADING, INC.	CARBOFURAN	D'GRAND	30g/kg	G	INSECTICIDE/ NEMATOCIDE	2	505-104-4251	05-Feb-24		Soybeans	Beanfly, grubs, nematodes, other soil insects	16.7-33.3 kg prod/ha	-	-	2 days
HQ AGRICARE TRADING, INC.	CARBOFURAN	D'GRAND	30g/kg	G	INSECTICIDE/ NEMATOCIDE	2	505-104-4251	05-Feb-24		Sugarcane	Borer, leafhopper, mealy bug, nematodes, scale insects	16.7-33.3 kg prod/ha	-	-	2 days
HQ AGRICARE TRADING, INC.	CARBOFURAN	D'GRAND	30g/kg	G	INSECTICIDE/ NEMATOCIDE	2	505-104-4251	05-Feb-24		Tobacco	Nematode, budworm	16.7-33.3 kg prod/ha	-	-	2 days
HQ AGRICARE TRADING, INC.	CARBOFURAN	D'GRAND	30g/kg	G	INSECTICIDE/ NEMATOCIDE	2	505-104-4251	05-Feb-24		White potato	Nematodes, grubs	16.7-33.3 kg prod/ha	-	-	2 days
HQ AGRICARE TRADING, INC.	CARBOFURAN	D'GRAND	30g/kg	G	INSECTICIDE/ NEMATOCIDE	2	505-104-4251	05-Feb-24		Cowpea	Beanfly, grubs, nematodes, other soil insects	16.7-33.3 kg prod/ha	-	-	2 days
HQ AGRICARE TRADING, INC.	CARBOFURAN	D'GRAND	30g/kg	G	INSECTICIDE/ NEMATOCIDE	2	505-104-4251	05-Feb-24		Ornamentals	Scale insect, aphids, mealy bug	16.7-33.3 kg prod/ha	-	-	2 days
FLAGLEAF AGRI PHILIPPINES, INC.	BENOMYL	DEWPOINT 50 WP	500 g/kg	WP	FUNGICIDE	4	564-167-3801	15-Nov-19	SYSTEMIC	Mungbeans	Powdery mildew, cercospora leaf spot	1-2 Tbsp/38L water	-	-	
FLAGLEAF AGRI PHILIPPINES, INC.	BENOMYL	DEWPOINT 50 WP	500 g/kg	WP	FUNGICIDE	4	564-167-3801	15-Nov-19	SYSTEMIC	Beans	Powdery mildew, cercospora leaf spot	1-2 Tbsp/38L water	-	-	
FLAGLEAF AGRI PHILIPPINES, INC.	BENOMYL	DEWPOINT 50 WP	500 g/kg	WP	FUNGICIDE	4	564-167-3801	15-Nov-19	SYSTEMIC	Wongbok	Cercospora leaf spot	1-2 Tbsp/38L water	-	-	
FLAGLEAF AGRI PHILIPPINES, INC.	BENOMYL	DEWPOINT 50 WP	500 g/kg	WP	FUNGICIDE	4	564-167-3801	15-Nov-19	SYSTEMIC	Cabbage	Cercospora leaf spot	1-2 Tbsp/38L water	-	-	
FLAGLEAF AGRI PHILIPPINES, INC.	BENOMYL	DEWPOINT 50 WP	500 g/kg	WP	FUNGICIDE	4	564-167-3801	15-Nov-19	SYSTEMIC	Calamansi	Scab	1-2 Tbsp/38L water	-	-	
FLAGLEAF AGRI PHILIPPINES, INC.	BENOMYL	DEWPOINT 50 WP	500 g/kg	WP	FUNGICIDE	4	564-167-3801	15-Nov-19	SYSTEMIC	Cucumber	Powdery mildew	1-2 Tbsp/38L water	-	-	
FLAGLEAF AGRI PHILIPPINES, INC.	BENOMYL	DEWPOINT 50 WP	500 g/kg	WP	FUNGICIDE	4	564-167-3801	15-Nov-19	SYSTEMIC	Ginger	Cercospora leaf spot	1-2 Tbsp/38L water	-	-	
FLAGLEAF AGRI PHILIPPINES, INC.	BENOMYL	DEWPOINT 50 WP	500 g/kg	WP	FUNGICIDE	4	564-167-3801	15-Nov-19	SYSTEMIC	Grapes	Powdery mildew	1-2 Tbsp/38L water	-	-	
FLAGLEAF AGRI PHILIPPINES, INC.	BENOMYL	DEWPOINT 50 WP	500 g/kg	WP	FUNGICIDE	4	564-167-3801	15-Nov-19	SYSTEMIC	Mandarin	Scab	1-2 Tbsp/38L water	-	-	
FLAGLEAF AGRI PHILIPPINES, INC.	BENOMYL	DEWPOINT 50 WP	500 g/kg	WP	FUNGICIDE	4	564-167-3801	15-Nov-19	SYSTEMIC	Mango	Anthraxnose, powdery mildew	1-2 Tbsp/38L water	-	-	
FLAGLEAF AGRI PHILIPPINES, INC.	BENOMYL	DEWPOINT 50 WP	500 g/kg	WP	FUNGICIDE	4	564-167-3801	15-Nov-19	SYSTEMIC	Melon	Powdery mildew	1-2 Tbsp/38L water	-	-	
FLAGLEAF AGRI PHILIPPINES, INC.	BENOMYL	DEWPOINT 50 WP	500 g/kg	WP	FUNGICIDE	4	564-167-3801	15-Nov-19	SYSTEMIC	Orange	Scab	1-2 Tbsp/38L water	-	-	
FLAGLEAF AGRI PHILIPPINES, INC.	BENOMYL	DEWPOINT 50 WP	500 g/kg	WP	FUNGICIDE	4	564-167-3801	15-Nov-19	SYSTEMIC	Papaya	Powdery mildew	1-2 Tbsp/38L water	-	-	
FLAGLEAF AGRI PHILIPPINES, INC.	BENOMYL	DEWPOINT 50 WP	500 g/kg	WP	FUNGICIDE	4	564-167-3801	15-Nov-19	SYSTEMIC	Pepper	Cercospora leaf spot	1-2 Tbsp/38L water	-	-	
FLAGLEAF AGRI PHILIPPINES, INC.	BENOMYL	DEWPOINT 50 WP	500 g/kg	WP	FUNGICIDE	4	564-167-3801	15-Nov-19	SYSTEMIC	Rice	Blast, sheath blight	1-4 Tbsp/38L water	1.0 ppm	7 days	
FLAGLEAF AGRI PHILIPPINES, INC.	BENOMYL	DEWPOINT 50 WP	500 g/kg	WP	FUNGICIDE	4	564-167-3801	15-Nov-19	SYSTEMIC	Strawberry	Cercospora leaf spot	1-2 Tbsp/38L water	-	-	
FLAGLEAF AGRI PHILIPPINES, INC.	BENOMYL	DEWPOINT 50 WP	500 g/kg	WP	FUNGICIDE	4	564-167-3801	15-Nov-19	SYSTEMIC	Tobacco	Leaf mold, frog eye	1-2 Tbsp/38L water	-	-	
FLAGLEAF AGRI PHILIPPINES, INC.	BENOMYL	DEWPOINT 50 WP	500 g/kg	WP	FUNGICIDE	4	564-167-3801	15-Nov-19	SYSTEMIC	Banana	Black sigatoka	200 g/ha	-	-	
PLANTERS PRODUCTS INC.	GLYPHOSATE IPA	DEVAST 480 SL	480 g/L	SL	HERBICIDE	4	031-151-1435	11-Apr-26	POST-EMERGENT	Glyphosate tolerant corn	Cogon,mutha,paragrass,talahib,fern and other annual weeds.	2.0-4.0 Liters/ha	-	-	
PLANTERS PRODUCTS INC.	GLYPHOSATE IPA	DEVAST 480 SL	480 g/L	SL	HERBICIDE	4	031-151-1435	11-Apr-26	POST-EMERGENT	Mango	Cogon,mutha,paragrass,talahib,fern and other annual weeds.	3.0-4.5 Liters/ha	-	-	
PLANTERS PRODUCTS INC.	GLYPHOSATE IPA	DEVAST 480 SL	480 g/L	SL	HERBICIDE	4	031-151-1435	11-Apr-26	POST-EMERGENT	Banana	Cogon,mutha,paragrass,talahib,fern and other annual weeds.	3.0-4.5 Liters/ha	-	-	
PLANTERS PRODUCTS INC.	GLYPHOSATE IPA	DEVAST 480 SL	480 g/L	SL	HERBICIDE	4	031-151-1435	11-Apr-26	POST-EMERGENT	Coffee	Cogon,mutha,paragrass,talahib,fern and other annual weeds.	3.0-4.5 Liters/ha	-	-	
PLANTERS PRODUCTS INC.	GLYPHOSATE IPA	DEVAST 480 SL	480 g/L	SL	HERBICIDE	4	031-151-1435	11-Apr-26	POST-EMERGENT	Cacao	Cogon,mutha,paragrass,talahib,fern and other annual weeds.	3.0-4.5 Liters/ha	-	-	
PLANTERS PRODUCTS INC.	GLYPHOSATE IPA	DEVAST 480 SL	480 g/L	SL	HERBICIDE	4	031-151-1435	11-Apr-26	POST-EMERGENT	Rubber	Cogon,mutha,paragrass,talahib,fern and other annual weeds.	2.0 Liters/ha	-	-	
PLANTERS PRODUCTS INC.	GLYPHOSATE IPA	DEVAST 480 SL	480 g/L	SL	HERBICIDE	4	031-151-1435	11-Apr-26	POST-EMERGENT	Oil palm	Cogon,mutha,paragrass,talahib,fern and other annual weeds.	2.0 Liters/ha	-	-	
PLANTERS PRODUCTS INC.	GLYPHOSATE IPA	DEVAST 480 SL	480 g/L	SL	HERBICIDE	4	031-151-1435	11-Apr-26	POST-EMERGENT	Citrus	Cogon,mutha,paragrass,talahib,fern and other annual weeds.	2.0 Liters/ha	-	-	
PLANTERS PRODUCTS INC.	GLYPHOSATE IPA	DEVAST 480 SL	480 g/L	SL	HERBICIDE	4	031-151-1435	11-Apr-26	POST-EMERGENT	Coconut	Cogon,mutha,paragrass,talahib,fern and other annual weeds.	4.5 Liters/ha	-	-	
PLANTERS PRODUCTS INC.	GLYPHOSATE IPA	DEVAST 480 SL	480 g/L	SL	HERBICIDE	4	031-151-1435	11-Apr-26	POST-EMERGENT	Sugarcane	Cogon,mutha,paragrass,talahib,fern and other annual weeds.	2.0 Liters/ha	-	-	
PLANTERS PRODUCTS INC.	GLYPHOSATE IPA	DEVAST 480 SL	480 g/L	SL	HERBICIDE	4	031-151-1435	11-Apr-26	POST-EMERGENT	Vegetables	Cogon,mutha,paragrass,talahib,fern and other annual weeds.	2.0 Liters/ha	-	-	
PLANTERS PRODUCTS INC.	GLYPHOSATE IPA	DEVAST 480 SL	480 g/L	SL	HERBICIDE	4	031-151-1435	11-Apr-26	POST-EMERGENT	non-crop	Cogon,mutha,paragrass,talahib,fern and other annual weeds.	1 Sachet/38L Sprayer	-	-	Do not enter treated field within 12 hours after application
ZAGRO CORPORATION	METHOMYL	DETONATE 40 SP	400 g/kg	SP	INSECTICIDE	2	043-164-1385	02-Oct-24	CONTACT	Asparagus	Armyworm, cutworm	1 Sachet/38L Sprayer	-	-	Do not enter treated field within 12 hours after application
ZAGRO CORPORATION	METHOMYL	DETONATE 40 SP	400 g/kg	SP	INSECTICIDE	2	043-164-1385	02-Oct-24	CONTACT	Banana	Thrips	1.5-2 Sachet/38L Sprayer	-	-	Do not enter treated field within 12 hours after application
ZAGRO CORPORATION	METHOMYL	DETONATE 40 SP	400 g/kg	SP	INSECTICIDE	2	043-164-1385	02-Oct-24	CONTACT	Beans	Leaf folder, flea beetle , beanfly, podborer,aphids	1 Sachet/38L Sprayer	-	-	Do not enter treated field within 12 hours after application
ZAGRO CORPORATION	METHOMYL	DETONATE 40 SP	400 g/kg	SP	INSECTICIDE	2	043-164-1385	02-Oct-24	CONTACT	Mungbeans	Leaf folder, flea beetle , beanfly, podborer,aphids	1 Sachet/38L Sprayer	-	-	Do not enter treated field within 12 hours after application
ZAGRO CORPORATION	METHOMYL	DETONATE 40 SP	400 g/kg	SP	INSECTICIDE	2	043-164-1385	02-Oct-24	CONTACT	Soybeans	Leaf folder, flea beetle , beanfly, podborer,aphids	1 Sachet/38L Sprayer	-	-	Do not enter treated field within 12 hours after application
ZAGRO CORPORATION	METHOMYL	DETONATE 40 SP	400 g/kg	SP	INSECTICIDE	2	043-164-1385	02-Oct-24	CONTACT	Sitao	Leaf folder, flea beetle , beanfly, podborer,aphids	1 Sachet/38L Sprayer	-	-	Do not enter treated field within 12 hours after application
ZAGRO CORPORATION	METHOMYL	DETONATE 40 SP	400 g/kg	SP	INSECTICIDE	2	043-164-1385	02-Oct-24	CONTACT	Corn	Comborer, earworm	1 Sachet/38L Sprayer	-	-	Do not enter treated field within 12 hours after application
ZAGRO CORPORATION	METHOMYL	DETONATE 40 SP	400 g/kg	SP	INSECTICIDE	2	043-164-1385	02-Oct-24	CONTACT	Sorghum	Comborer,earworm	1 Sachet/38L Sprayer	-	-	Do not enter treated field within 12 hours after application
ZAGRO CORPORATION	METHOMYL	DETONATE 40 SP	400 g/kg	SP	INSECTICIDE	2	043-164-1385	02-Oct-24	CONTACT	Eggplant	Aphids, flea beetle , fruitworm, lady beetle	1 Sachet/38L Sprayer	-	-	Do not enter treated field within 12 hours after application
ZAGRO CORPORATION	METHOMYL	DETONATE 40 SP	400 g/kg	SP	INSECTICIDE	2	043-164-1385	02-Oct-24	CONTACT	Melon	Aphids, squash beetle , leaf folder	1 Sachet/38L Sprayer	-	-	Do not enter treated field within 12 hours after application
ZAGRO CORPORATION	METHOMYL	DETONATE 40 SP	400 g/kg	SP	INSECTICIDE	2	043-164-1385	02-Oct-24	CONTACT	Rice	Green leafhopper, armyworm, case worm, leaf folder	1 Sachet/38L Sprayer	0.03ppm	3 Days	Do not enter treated field within 12 hours after application
ZAGRO CORPORATION	METHOMYL	DETONATE 40 SP	400 g/kg	SP	INSECTICIDE	2	043-164-1385	02-Oct-24	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	1 Sachet/38L Sprayer	-	-	Do not enter treated field within 12 hours after application
ZAGRO CORPORATION	METHOMYL	DETONATE 40 SP	400 g/kg	SP	INSECTICIDE	2	043-164-1385	02-Oct-24	CONTACT	Tomato	Tomato fruitworm, aphids	1 Sachet/38L Sprayer	-	-	Do not enter treated field within 12 hours after application
DIVERSIFIED AGROCHEM TRDGL	ALUMINUM PHOSPHIDE	DETA PHOSPHINE PELLETS	570 g/kg	P	FUMIGANT	1	208-084-0779	11-Dec-24	CONTACT		Stored product pest	1 bag/7.5m	-	-	
DIVERSIFIED AGROCHEM TRDGL	ALUMINUM PHOSPHIDE	DETA GAS EX-T	570 g/kg	TAB	FUMIGANT	1	208-084-0777	11-Dec-24	CONTACT		Stored product pest	1 bag/7.5m	-	-	
DIVERSIFIED AGROCHEM TRDGL	ALUMINUM PHOSPHIDE	DETA GAS EX-B	570 g/L	P	FUMIGANT	1	208-084-0778	11-Dec-24	CONTACT		Stored product pest	1 bag/7.5m	-	-	

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
GRANDIA AGRO MARKETING CORPORATION	CYPERMETHRIN	DESTROY'S EC	50 g/L	EC	INSECTICIDE	4	445-037-2404	24-Jul-24	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dries
GRANDIA AGRO MARKETING CORPORATION	CYPERMETHRIN	DESTROY'S EC	50 g/L	EC	INSECTICIDE	4	445-037-2404	24-Jul-24	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leafhoppers, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dries
GRANDIA AGRO MARKETING CORPORATION	CYPERMETHRIN	DESTROY'S EC	50 g/L	EC	INSECTICIDE	4	445-037-2404	24-Jul-24	CONTACT	Cabbage	Diamond-back moth, cabbage moth, worm	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dries
GRANDIA AGRO MARKETING CORPORATION	CYPERMETHRIN	DESTROY'S EC	50 g/L	EC	INSECTICIDE	4	445-037-2404	24-Jul-24	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dries
GRANDIA AGRO MARKETING CORPORATION	CYPERMETHRIN	DESTROY'S EC	50 g/L	EC	INSECTICIDE	4	445-037-2404	24-Jul-24	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dries
GRANDIA AGRO MARKETING CORPORATION	CYPERMETHRIN	DESTROY'S EC	50 g/L	EC	INSECTICIDE	4	445-037-2404	24-Jul-24	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dries
GRANDIA AGRO MARKETING CORPORATION	CYPERMETHRIN	DESTROY'S EC	50 g/L	EC	INSECTICIDE	4	445-037-2404	24-Jul-24	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dries
GRANDIA AGRO MARKETING CORPORATION	CYPERMETHRIN	DESTROY'S EC	50 g/L	EC	INSECTICIDE	4	445-037-2404	24-Jul-24	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dries
GRANDIA AGRO MARKETING CORPORATION	CYPERMETHRIN	DESTROY'S EC	50 g/L	EC	INSECTICIDE	4	445-037-2404	24-Jul-24	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dries
GRANDIA AGRO MARKETING CORPORATION	CYPERMETHRIN	DESTROY'S EC	50 g/L	EC	INSECTICIDE	4	445-037-2404	24-Jul-24	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dries
GRANDIA AGRO MARKETING CORPORATION	CYPERMETHRIN	DESTROY'S EC	50 g/L	EC	INSECTICIDE	4	445-037-2404	24-Jul-24	CONTACT	Corn	Comborer, earworm	1.0-4.5 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dries
CYMEJB CORPORATION	GLYPHOSATE IPA	DESSERTO 480 SL	480g/L	SL	HERBICIDE	4	537-151-4018	21-Mar-25	POST-EMERGENT	Glyphosate tolerant corn under minimum or reduced	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/ha	-	-	-
CYMEJB CORPORATION	GLYPHOSATE IPA	DESSERTO 480 SL	480g/L	SL	HERBICIDE	4	537-151-4018	21-Mar-25	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
CYMEJB CORPORATION	GLYPHOSATE IPA	DESSERTO 480 SL	480g/L	SL	HERBICIDE	4	537-151-4018	21-Mar-25	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
CYMEJB CORPORATION	GLYPHOSATE IPA	DESSERTO 480 SL	480g/L	SL	HERBICIDE	4	537-151-4018	21-Mar-25	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
CYMEJB CORPORATION	GLYPHOSATE IPA	DESSERTO 480 SL	480g/L	SL	HERBICIDE	4	537-151-4018	21-Mar-25	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
CYMEJB CORPORATION	GLYPHOSATE IPA	DESSERTO 480 SL	480g/L	SL	HERBICIDE	4	537-151-4018	21-Mar-25	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
CYMEJB CORPORATION	GLYPHOSATE IPA	DESSERTO 480 SL	480g/L	SL	HERBICIDE	4	537-151-4018	21-Mar-25	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
CYMEJB CORPORATION	GLYPHOSATE IPA	DESSERTO 480 SL	480g/L	SL	HERBICIDE	4	537-151-4018	21-Mar-25	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
CYMEJB CORPORATION	GLYPHOSATE IPA	DESSERTO 480 SL	480g/L	SL	HERBICIDE	4	537-151-4018	21-Mar-25	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/ha	-	-	-
CYMEJB CORPORATION	GLYPHOSATE IPA	DESSERTO 480 SL	480g/L	SL	HERBICIDE	4	537-151-4018	21-Mar-25	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
CYMEJB CORPORATION	GLYPHOSATE IPA	DESSERTO 480 SL	480g/L	SL	HERBICIDE	4	537-151-4018	21-Mar-25	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
CYMEJB CORPORATION	GLYPHOSATE IPA	DESSERTO 480 SL	480g/L	SL	HERBICIDE	4	537-151-4018	21-Mar-25	POST-EMERGENT	Non-crop areas	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
VANN HAWK AGRO CHEMICALS, INC.	DELTAMETHRIN	DEISTIN 2.5 EC	25 g/L	EC	INSECTICIDE	4	295-085-1289	22-Apr-25	-	Mango	Hopper, Tip borer, twig borer	0.75-1.0 Tbsp/36L water	-	-	24 Hours after each spray
VANN HAWK AGRO CHEMICALS, INC.	DELTAMETHRIN	DEISTIN 2.5 EC	25 g/L	EC	INSECTICIDE	4	295-085-1289	22-Apr-25	-	Cabbage & other crucifers	Diamond-back moth, cabbage moth, cabbage worm	1.0 Tbsp/36L water	-	-	24 Hours after each spray
VANN HAWK AGRO CHEMICALS, INC.	DELTAMETHRIN	DEISTIN 2.5 EC	25 g/L	EC	INSECTICIDE	4	295-085-1289	22-Apr-25	-	Tobacco	Budworm, armyworm, cutworm	0.8-1.0 Tbsp/36L water	-	-	24 Hours after each spray
VANN HAWK AGRO CHEMICALS, INC.	DELTAMETHRIN	DEISTIN 2.5 EC	25 g/L	EC	INSECTICIDE	4	295-085-1289	22-Apr-25	-	Beans	Flea beetle, beanfly, bugs, thrips, cutworm, armyworm, podborer, semi-looper, bean lycanid	0.8-1.0 Tbsp/36L water	-	-	24 Hours after each spray
VANN HAWK AGRO CHEMICALS, INC.	DELTAMETHRIN	DEISTIN 2.5 EC	25 g/L	EC	INSECTICIDE	4	295-085-1289	22-Apr-25	-	Soybeans	Flea beetle, beanfly, bugs, thrips, cutworm, armyworm, podborer, semi-looper, bean lycanid	0.8-1.0 Tbsp/36L water	-	-	24 Hours after each spray
VANN HAWK AGRO CHEMICALS, INC.	DELTAMETHRIN	DEISTIN 2.5 EC	25 g/L	EC	INSECTICIDE	4	295-085-1289	22-Apr-25	-	Tomato	Fruitworm (heliothis)	0.8-1.0 Tbsp/36L water	-	-	24 Hours after each spray
VANN HAWK AGRO CHEMICALS, INC.	DELTAMETHRIN	DEISTIN 2.5 EC	25 g/L	EC	INSECTICIDE	4	295-085-1289	22-Apr-25	-	Corn	Corn borer, corn earworm, seedling maggots	1.0 Tbsp/36L water	-	-	24 Hours after each spray
VANN HAWK AGRO CHEMICALS, INC.	DELTAMETHRIN	DEISTIN 2.5 EC	25 g/L	EC	INSECTICIDE	4	295-085-1289	22-Apr-25	-	Eggplant	Thrips, flea beetle, fruitworm	1.0 Tbsp/36L water	-	-	24 Hours after each spray
VANN HAWK AGRO CHEMICALS, INC.	DELTAMETHRIN	DEISTIN 2.5 EC	25 g/L	EC	INSECTICIDE	4	295-085-1289	22-Apr-25	-	Cotton	Leafhopper (jassids), bollworm, weevil	0.8-1.0 Tbsp/36L water	-	-	24 Hours after each spray
VANN HAWK AGRO CHEMICALS, INC.	DELTAMETHRIN	DEISTIN 2.5 EC	25 g/L	EC	INSECTICIDE	4	295-085-1289	22-Apr-25	-	Horticultural and agronomic crops	Locusts nymphs/ Locusts adult	1.0-1.5* 1.0 Tbsp/36L water	-	-	24 Hours after each spray
VANN HAWK AGRO CHEMICALS, INC.	DELTAMETHRIN	DEISTIN 2.5 EC	25 g/L	EC	INSECTICIDE	4	295-085-1289	22-Apr-25	-	Cacao	Podborer, aphids	1.0Tbsp/36L water	-	-	24 Hours after each spray
VANN HAWK AGRO CHEMICALS, INC.	DELTAMETHRIN	DEISTIN 2.5 EC	25 g/L	EC	INSECTICIDE	4	295-085-1289	22-Apr-25	-	Rice	Whorl maggot, green leafhopper, stemborer, ricebug, rice black bug, caseworm	-	-	-	24 Hours after each spray
PLANTERS PRODUCTS INC.	LAMBDA-CHYALOTHIRIN	DESCARTE 2.5 EC	25 g/L	EC	INSECTICIDE	2	031-204-1897	18-Sep-24	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leafroller, black bug	1.0-1.5Tbsp/36 L of water	0.05ppm	3 Days	Re-entry is allowed to treated fields as soon as spray dries up
PLANTERS PRODUCTS INC.	LAMBDA-CHYALOTHIRIN	DESCARTE 2.5 EC	25 g/L	EC	INSECTICIDE	2	031-204-1897	18-Sep-24	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/36 L of water	-	1 Days	Re-entry is allowed to treated fields as soon as spray dries up
PLANTERS PRODUCTS INC.	LAMBDA-CHYALOTHIRIN	DESCARTE 2.5 EC	25 g/L	EC	INSECTICIDE	2	031-204-1897	18-Sep-24	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/36 L of water	-	3 Days	Re-entry is allowed to treated fields as soon as spray dries up
PLANTERS PRODUCTS INC.	LAMBDA-CHYALOTHIRIN	DESCARTE 2.5 EC	25 g/L	EC	INSECTICIDE	2	031-204-1897	18-Sep-24	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/36 L of water	-	3 Days	Re-entry is allowed to treated fields as soon as spray dries up
PLANTERS PRODUCTS INC.	LAMBDA-CHYALOTHIRIN	DESCARTE 2.5 EC	25 g/L	EC	INSECTICIDE	2	031-204-1897	18-Sep-24	SYSTEMIC	Mungbeans	Beanfly, flea beetle, leafhopper, aphids, mites, podborer	1.0Tbsp/36 L of water	-	3 Days	Re-entry is allowed to treated fields as soon as spray dries up
PLANTERS PRODUCTS INC.	LAMBDA-CHYALOTHIRIN	DESCARTE 2.5 EC	25 g/L	EC	INSECTICIDE	2	031-204-1897	18-Sep-24	SYSTEMIC	Corn	Comborer, aphids, seedling maggots	1.0-1.5Tbsp/36 L of water	-	3 Days	Re-entry is allowed to treated fields as soon as spray dries up
PLANTERS PRODUCTS INC.	LAMBDA-CHYALOTHIRIN	DESCARTE 2.5 EC	25 g/L	EC	INSECTICIDE	2	031-204-1897	18-Sep-24	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, batyids	1.0-1.5Tbsp/36 L of water	-	3 Days	Re-entry is allowed to treated fields as soon as spray dries up
PLANTERS PRODUCTS INC.	LAMBDA-CHYALOTHIRIN	DESCARTE 2.5 EC	25 g/L	EC	INSECTICIDE	2	031-204-1897	18-Sep-24	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/36 L of water	-	3 Days	Re-entry is allowed to treated fields as soon as spray dries up
PLANTERS PRODUCTS INC.	LAMBDA-CHYALOTHIRIN	DESCARTE 2.5 EC	25 g/L	EC	INSECTICIDE	2	031-204-1897	18-Sep-24	SYSTEMIC	Cocoa	Podborer	1.0-2.0Tbsp/36 L of water	-	3 Days	Re-entry is allowed to treated fields as soon as spray dries up
PLANTERS PRODUCTS INC.	LAMBDA-CHYALOTHIRIN	DESCARTE 2.5 EC	25 g/L	EC	INSECTICIDE	2	031-204-1897	18-Sep-24	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/36 L of water	-	3 Days	Re-entry is allowed to treated fields as soon as spray dries up
PLANTERS PRODUCTS INC.	LAMBDA-CHYALOTHIRIN	DESCARTE 2.5 EC	25 g/L	EC	INSECTICIDE	2	031-204-1897	18-Sep-24	SYSTEMIC	Corn	Fall armyworm	30-15 mL / L	-	-	-
ABG TRADING CORPORATION	DIFENOCONAZOLE	DEPRIVE 250 EC	250 g/L	EC	FUNGICIDE	4	673-272-6168	27-Aug-26	-	Rice	Sheath-blight	0.25-0.30 L prod./ha	-	-	-
ABG TRADING CORPORATION	DIFENOCONAZOLE	DEPRIVE 250 EC	250 g/L	EC	FUNGICIDE	4	673-272-6168	27-Aug-26	-	Mango	Anthraxnose	0.529-88 L pro./ha; 30-50 mL prod./100L	-	14 days	-
ABG TRADING CORPORATION	DIFENOCONAZOLE	DEPRIVE 250 EC	250 g/L	EC	FUNGICIDE	4	673-272-6168	27-Aug-26	-	Stringbeans	Leafspot	0.25-0.30 L prod./ha	-	-	-
ABG TRADING CORPORATION	DIFENOCONAZOLE	DEPRIVE 250 EC	250 g/L	EC	FUNGICIDE	4	673-272-6168	27-Aug-26	-	Tomato	Alternaria leaf spot, cercospora leaf mold, powdery mildew	0.25-0.30 L prod./ha	-	-	-
ABG TRADING CORPORATION	DIFENOCONAZOLE	DEPRIVE 250 EC	250 g/L	EC	FUNGICIDE	4	673-272-6168	27-Aug-26	-	Eggplant	Leaf spot	0.25-0.30 L prod./ha	-	-	-
ABG TRADING CORPORATION	DIFENOCONAZOLE	DEPRIVE 250 EC	250 g/L	EC	FUNGICIDE	4	673-272-6168	27-Aug-26	-	Cabbage	Ringspot, alternaria	0.25-0.30 L prod./ha	-	-	-
ABG TRADING CORPORATION	DIFENOCONAZOLE	DEPRIVE 250 EC	250 g/L	EC	FUNGICIDE	4	673-272-6168	27-Aug-26	-	Asparagus	Stem and leaf blight	0.36 L prod./ha; 0.6L	-	-	-
ABG TRADING CORPORATION	DIFENOCONAZOLE	DEPRIVE 250 EC	250 g/L	EC	FUNGICIDE	4	673-272-6168	27-Aug-26	-	Onion	Purple blotch	0.40-0.50 L prod./ha	-	-	-
ABG TRADING CORPORATION	DIFENOCONAZOLE	DEPRIVE 250 EC	250 g/L	EC	FUNGICIDE	4	673-272-6168	27-Aug-26	-	Banana	Black sigatoka	0.30-0.40 L prod./ha	-	-	-
TAIPAN BRAND FARM INC.	CAITAP HYDROCHLORIDE	DENOMATOR 50 SP	500 g/kg	SP	INSECTICIDE	3	529-306-3122	28-Feb-22	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.0-5.0Tbsp/36 L water	0.2ppm	10 days	48 hours after application

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
TAIPAN BRAND FARM INC.	CARTAP HYDROCHLORIDE	DENOMINATOR 50 SP	500 g/kg	SP	INSECTICIDE	3	529-106-3122	28-Feb-22	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/36 L water	-	10 days	48 hours after application
TAIPAN BRAND FARM INC.	CARTAP HYDROCHLORIDE	DENOMINATOR 50 SP	500 g/kg	SP	INSECTICIDE	3	529-106-3122	28-Feb-22	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/36 L water	-	10 days	48 hours after application
TAIPAN BRAND FARM INC.	CARTAP HYDROCHLORIDE	DENOMINATOR 50 SP	500 g/kg	SP	INSECTICIDE	3	529-106-3122	28-Feb-22	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/36 L water	-	10 days	48 hours after application
TAIPAN BRAND FARM INC.	CARTAP HYDROCHLORIDE	DENOMINATOR 50 SP	500 g/kg	SP	INSECTICIDE	3	529-106-3122	28-Feb-22	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/36 L water	-	10 days	48 hours after application
TAIPAN BRAND FARM INC.	CARTAP HYDROCHLORIDE	DENOMINATOR 50 SP	500 g/kg	SP	INSECTICIDE	3	529-106-3122	28-Feb-22	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/36 L water	-	10 days	48 hours after application
TAIPAN BRAND FARM INC.	CARTAP HYDROCHLORIDE	DENOMINATOR 50 SP	500 g/kg	SP	INSECTICIDE	3	529-106-3122	28-Feb-22	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/36 L water	-	10 days	48 hours after application
TAIPAN BRAND FARM INC.	CARTAP HYDROCHLORIDE	DENOMINATOR 50 SP	500 g/kg	SP	INSECTICIDE	3	529-106-3122	28-Feb-22	SYSTEMIC	Mango	leafhoppers	1.5-2.0Tbsp/36 L water	-	10 days	48 hours after application
TAIPAN BRAND FARM INC.	CARTAP HYDROCHLORIDE	DENOMINATOR 50 SP	500 g/kg	SP	INSECTICIDE	3	529-106-3122	28-Feb-22	SYSTEMIC	Pechay	loopier, cutworm, aphids	1.5-3.0Tbsp/36 L water	-	10 days	48 hours after application
LUCHEMPHIL INTERNATIONAL INC.	PRETILACHLOR	DENOFIT 300 EC	300 g/L	EC	HERBICIDE	4	590-061-4807	25-Jun-25	PRE-EMERGENCE	Rice (Direct Seeded)	Grasses, sedges, and broadleaves weeds	30-35 drop per tankload of 16 L capacity sprayer	0.05ppm	-	-
VAST AGRO SOLUTIONS, INC.	GLYPHOSATE IPA	DEMOLITION X 480 SL	480 g/L	SL	HERBICIDE	4	385-151-2148-C	01-Aug-26	POST-EMERGENT	Glyphosate tolerant corn	Annual and perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/ha	-	-	-
VAST AGRO SOLUTIONS, INC.	GLYPHOSATE IPA	DEMOLITION X 480 SL	480 g/L	SL	HERBICIDE	4	385-151-2148-C	01-Aug-26	POST-EMERGENT	Mango	Annual and perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
VAST AGRO SOLUTIONS, INC.	GLYPHOSATE IPA	DEMOLITION X 480 SL	480 g/L	SL	HERBICIDE	4	385-151-2148-C	01-Aug-26	POST-EMERGENT	Banana	Annual and perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
VAST AGRO SOLUTIONS, INC.	GLYPHOSATE IPA	DEMOLITION X 480 SL	480 g/L	SL	HERBICIDE	4	385-151-2148-C	01-Aug-26	POST-EMERGENT	Coffee	Annual and perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
VAST AGRO SOLUTIONS, INC.	GLYPHOSATE IPA	DEMOLITION X 480 SL	480 g/L	SL	HERBICIDE	4	385-151-2148-C	01-Aug-26	POST-EMERGENT	Cacao	Annual and perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
VAST AGRO SOLUTIONS, INC.	GLYPHOSATE IPA	DEMOLITION X 480 SL	480 g/L	SL	HERBICIDE	4	385-151-2148-C	01-Aug-26	POST-EMERGENT	Rubber	Annual and perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
VAST AGRO SOLUTIONS, INC.	GLYPHOSATE IPA	DEMOLITION X 480 SL	480 g/L	SL	HERBICIDE	4	385-151-2148-C	01-Aug-26	POST-EMERGENT	Oil palm	Annual and perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
VAST AGRO SOLUTIONS, INC.	GLYPHOSATE IPA	DEMOLITION X 480 SL	480 g/L	SL	HERBICIDE	4	385-151-2148-C	01-Aug-26	POST-EMERGENT	Citrus	Annual and perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
VAST AGRO SOLUTIONS, INC.	GLYPHOSATE IPA	DEMOLITION X 480 SL	480 g/L	SL	HERBICIDE	4	385-151-2148-C	01-Aug-26	POST-EMERGENT	Coconut	Annual and perennial grasses, broadleaf weeds & sedges	4.5 Liters/ha	-	-	-
VAST AGRO SOLUTIONS, INC.	GLYPHOSATE IPA	DEMOLITION X 480 SL	480 g/L	SL	HERBICIDE	4	385-151-2148-C	01-Aug-26	POST-EMERGENT	Sugarcane	Annual and perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
VAST AGRO SOLUTIONS, INC.	GLYPHOSATE IPA	DEMOLITION X 480 SL	480 g/L	SL	HERBICIDE	4	385-151-2148-C	01-Aug-26	POST-EMERGENT	Vegetables under minimum or reduced tillage system	Annual and perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
VAST AGRO SOLUTIONS, INC.	GLYPHOSATE IPA	DEMOLITION X 480 SL	480 g/L	SL	HERBICIDE	4	385-151-2148-C	01-Aug-26	POST-EMERGENT	Non-crop agricultural areas	Annual and perennial grasses, broadleaf weeds & sedges	-	-	-	-
VAST AGRO SOLUTIONS, INC.	GLYPHOSATE IPA	DEMOLITION X	160 g/L	SL	HERBICIDE	4	385-151-1961	12-May-20	POST-EMERGENT	Non-crop areas	common grassy fields	-	-	-	-
ACE CROP SOLUTIONS INC.	BISPYRIBAC SODIUM	DEMOLISH 100 SC	105.5 g/L	SC	HERBICIDE	4	530-276-3244	04-Dec-25	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Rice(Direct seeded)	Grasses, sedges and broadleaves	15ml/36 L water, 20 spray load/ hectare	0.1 ppm	-	As soon as spray deposits have dried
ACE CROP SOLUTIONS INC.	BISPYRIBAC SODIUM	DEMOLISH 100 SC	105.5 g/L	SC	HERBICIDE	4	530-276-3244	04-Dec-25	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Rice(Transplanted)	Grasses, sedges and broadleaves	-	-	-	As soon as spray deposits have dried
SINOCHEM CROP PROTECTION (PHILS.) INC.	CYPERMETHRIN	DELUXE 5 EC	50 g/L	EC	INSECTICIDE	4	432-037-3528	03-Sep-24	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
SINOCHEM CROP PROTECTION (PHILS.) INC.	CYPERMETHRIN	DELUXE 5 EC	50 g/L	EC	INSECTICIDE	4	432-037-3528	03-Sep-24	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leafroller, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
SINOCHEM CROP PROTECTION (PHILS.) INC.	CYPERMETHRIN	DELUXE 5 EC	50 g/L	EC	INSECTICIDE	4	432-037-3528	03-Sep-24	CONTACT	Cabbage	Diamond-back-moth, cabbage moth, worm	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
SINOCHEM CROP PROTECTION (PHILS.) INC.	CYPERMETHRIN	DELUXE 5 EC	50 g/L	EC	INSECTICIDE	4	432-037-3528	03-Sep-24	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
SINOCHEM CROP PROTECTION (PHILS.) INC.	CYPERMETHRIN	DELUXE 5 EC	50 g/L	EC	INSECTICIDE	4	432-037-3528	03-Sep-24	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
SINOCHEM CROP PROTECTION (PHILS.) INC.	CYPERMETHRIN	DELUXE 5 EC	50 g/L	EC	INSECTICIDE	4	432-037-3528	03-Sep-24	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
SINOCHEM CROP PROTECTION (PHILS.) INC.	CYPERMETHRIN	DELUXE 5 EC	50 g/L	EC	INSECTICIDE	4	432-037-3528	03-Sep-24	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
SINOCHEM CROP PROTECTION (PHILS.) INC.	CYPERMETHRIN	DELUXE 5 EC	50 g/L	EC	INSECTICIDE	4	432-037-3528	03-Sep-24	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
SINOCHEM CROP PROTECTION (PHILS.) INC.	CYPERMETHRIN	DELUXE 5 EC	50 g/L	EC	INSECTICIDE	4	432-037-3528	03-Sep-24	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
SINOCHEM CROP PROTECTION (PHILS.) INC.	CYPERMETHRIN	DELUXE 5 EC	50 g/L	EC	INSECTICIDE	4	432-037-3528	03-Sep-24	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
SINOCHEM CROP PROTECTION (PHILS.) INC.	CYPERMETHRIN	DELUXE 5 EC	50 g/L	EC	INSECTICIDE	4	432-037-3528	03-Sep-24	CONTACT	Corn	Comborer, earworm	1.0-4.5 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
SINOCHEM CROP PROTECTION (PHILS.) INC.	CYPERMETHRIN	DELUXE 5 EC	50 g/L	EC	INSECTICIDE	4	432-037-3528	03-Sep-24	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
SYNGENTA PHILIPPINES INC.	CYPERMETHRIN	DELUXE 5 EC	50 g/L	EC	INSECTICIDE	4	432-037-3528	03-Sep-24	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leafroller, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
SYNGENTA PHILIPPINES INC.	CYPERMETHRIN	DELUXE 5 EC	50 g/L	EC	INSECTICIDE	4	432-037-3528	03-Sep-24	CONTACT	Cabbage	Diamond-back-moth, cabbage moth, worm	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
SYNGENTA PHILIPPINES INC.	CYPERMETHRIN	DELUXE 5 EC	50 g/L	EC	INSECTICIDE	4	432-037-3528	03-Sep-24	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
SYNGENTA PHILIPPINES INC.	CYPERMETHRIN	DELUXE 5 EC	50 g/L	EC	INSECTICIDE	4	432-037-3528	03-Sep-24	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
SYNGENTA PHILIPPINES INC.	CYPERMETHRIN	DELUXE 5 EC	50 g/L	EC	INSECTICIDE	4	432-037-3528	03-Sep-24	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
SYNGENTA PHILIPPINES INC.	CYPERMETHRIN	DELUXE 5 EC	50 g/L	EC	INSECTICIDE	4	432-037-3528	03-Sep-24	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
SYNGENTA PHILIPPINES INC.	CYPERMETHRIN	DELUXE 5 EC	50 g/L	EC	INSECTICIDE	4	432-037-3528	03-Sep-24	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
SYNGENTA PHILIPPINES INC.	CYPERMETHRIN	DELUXE 5 EC	50 g/L	EC	INSECTICIDE	4	432-037-3528	03-Sep-24	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
SYNGENTA PHILIPPINES INC.	CYPERMETHRIN	DELUXE 5 EC	50 g/L	EC	INSECTICIDE	4	432-037-3528	03-Sep-24	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
SYNGENTA PHILIPPINES INC.	CYPERMETHRIN	DELUXE 5 EC	50 g/L	EC	INSECTICIDE	4	432-037-3528	03-Sep-24	CONTACT	Corn	Comborer, earworm	1.0-4.5 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
SINO-MONSANTO OIL CORPORATION	WILCOSSAMIDE ETHANOLAMINE SALT	DELBAYO WILCOSSAMIDE 70 WP	700 g/kg	WP	MOLLUSCICIDE	4	624-229-5485	29-Apr-24	-	Rice	Golden apple snail	35 grams (1 sachet)	-	-	48 hours after spraying
SINO-MONSANTO OIL CORPORATION	GLUFOSINATE AMMONIUM	DELBAYO GLUFOSINATE 150 SL	150 g/L	SL	HERBICIDE	4	624-182-5802	27-May-25	NON-SELECTIVE(POST-EMERGENT)	Rubber	Annual & Perennial grasses, sedges & broad-leaf weeds	25L, 270L, 135mL/36L water	-	-	After spray deposits have dried
SINO-MONSANTO OIL CORPORATION	GLUFOSINATE AMMONIUM	DELBAYO GLUFOSINATE 150 SL	150 g/L	SL	HERBICIDE	4	624-182-5802	27-May-25	NON-SELECTIVE(POST-EMERGENT)	Oil palm	Annual & Perennial grasses, sedges & broad-leaf weeds	36L, 135mL/36L water	-	-	After spray deposits have dried
SINO-MONSANTO OIL CORPORATION	GLUFOSINATE AMMONIUM	DELBAYO GLUFOSINATE 150 SL	150 g/L	SL	HERBICIDE	4	624-182-5802	27-May-25	NON-SELECTIVE(POST-EMERGENT)	Non-crop areas	Annual & Perennial grasses, sedges & broad-leaf weeds	360-225 mL/36L water	-	-	After spray deposits have dried
SINO-MONSANTO OIL CORPORATION	GLUFOSINATE AMMONIUM	DELBAYO GLUFOSINATE 150 SL	150 g/L	SL	HERBICIDE	4	624-182-5802	27-May-25	NON-SELECTIVE(POST-EMERGENT)	Coffee	Annual & Perennial grasses, sedges & broad-leaf weeds	36L, 135mL/36L water	-	-	After spray deposits have dried
SINO-MONSANTO OIL CORPORATION	GLUFOSINATE AMMONIUM	DELBAYO GLUFOSINATE 150 SL	150 g/L	SL	HERBICIDE	4	624-182-5802	27-May-25	NON-SELECTIVE(POST-EMERGENT)	Citrus	Annual & Perennial grasses, sedges & broad-leaf weeds	36L, 135mL/36L water	-	-	After spray deposits have dried
SINO-MONSANTO OIL CORPORATION	GLUFOSINATE AMMONIUM	DELBAYO GLUFOSINATE 150 SL	150 g/L	SL	HERBICIDE	4	624-182-5802	27-May-25	NON-SELECTIVE(POST-EMERGENT)	Cavendish Banana	Annual & Perennial grasses, sedges & broad-leaf weeds	36L, 135-200 mL/36L water	-	-	-
SINO-MONSANTO OIL CORPORATION	GLUFOSINATE AMMONIUM	DELBAYO GLUFOSINATE 150 SL	150 g/L	SL	HERBICIDE	4	624-182-5802	27-May-25	NON-SELECTIVE(POST-EMERGENT)	Cacao	Annual & Perennial grasses, sedges & broad-leaf weeds	36L, 135mL/36L water	-	-	-
SINO-MONSANTO OIL CORPORATION	CARTAP HYDROCHLORIDE	DELBAYO CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	624-106-5459	16-Feb-24	-	Rice	Whorl maggot, stem-borer, green leafhopper, brown planthopper	1.0-5.0Tbsp/36 L water	-	-	-
SINO-MONSANTO OIL CORPORATION	CARTAP HYDROCHLORIDE	DELBAYO CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	624-106-5459	16-Feb-24	-	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/36 L water	-	-	-

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
SINO-MONSANTO OIL CORPORATION	CARTAP HYDROCHLORIDE	DELBUIO CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	624-106-5459	16-Feb-24	-	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/36 L water	-	-	-
SINO-MONSANTO OIL CORPORATION	CARTAP HYDROCHLORIDE	DELBUIO CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	624-106-5459	16-Feb-24	-	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/36 L water	-	-	-
SINO-MONSANTO OIL CORPORATION	CARTAP HYDROCHLORIDE	DELBUIO CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	624-106-5459	16-Feb-24	-	Isaric	Thrips, cutworm	1.5-2.0Tbsp/36 L water	-	-	-
SINO-MONSANTO OIL CORPORATION	CARTAP HYDROCHLORIDE	DELBUIO CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	624-106-5459	16-Feb-24	-	Stron	Thrips, cutworm	1.5-2.0Tbsp/36 L water	-	-	-
SINO-MONSANTO OIL CORPORATION	CARTAP HYDROCHLORIDE	DELBUIO CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	624-106-5459	16-Feb-24	-	Putato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/36 L water	-	-	-
SINO-MONSANTO OIL CORPORATION	CARTAP HYDROCHLORIDE	DELBUIO CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	624-106-5459	16-Feb-24	-	Mango	leafhoppers	1.5-2.0Tbsp/36 L water	-	-	-
SINO-MONSANTO OIL CORPORATION	CARTAP HYDROCHLORIDE	DELBUIO CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	624-106-5459	16-Feb-24	-	Pechay	looper, cutworm, aphids	1.5-3.0Tbsp/36 L water	-	-	-
SINO-MONSANTO OIL CORPORATION	2,4-D IBE	DELBUIO 2,4-D ESTER	400 g/L	EC	HERBICIDE	2	624-049-5702 (590)	26-Apr-25	POST-EMERGENCE	Rice	Annual broadleaves and sedges	3.5-6.5 Tbsp / 36 L water; Apply 25-30 days after transplanting	-	-	One day after spraying.
SINO-MONSANTO OIL CORPORATION	2,4-D IBE	DELBUIO 2,4-D ESTER	400 g/L	EC	HERBICIDE	2	624-049-5702 (590)	26-Apr-25	POST-EMERGENCE	Corn	Annual broadleaves and sedges	5.0-6.7Tbsp/36 L water; Apply when plants are 15-25 cms. high	-	-	One day after spraying.
SINO-MONSANTO OIL CORPORATION	2,4-D IBE	DELBUIO 2,4-D ESTER	400 g/L	EC	HERBICIDE	2	624-049-5702 (590)	26-Apr-25	POST-EMERGENCE	Sugarcane	Annual broadleaves and sedges	11.0-26.0Tbsp/36 L water; Apply when plants are 30-39 cms high	-	-	One day after spraying.
SINO-MONSANTO OIL CORPORATION	2,4-D AMINE	DELBUIO 2,4-D AMINE	400 g/L	-	HERBICIDE	2	624-013-5703 (590)	26-Apr-25	POST-EMERGENCE	Rice	Annual broadleaves and sedges	3.5-6.5 Tbsp/36 L water	-	-	One day after spraying.
SINO-MONSANTO OIL CORPORATION	2,4-D AMINE	DELBUIO 2,4-D AMINE	400 g/L	-	HERBICIDE	2	624-013-5703 (590)	26-Apr-25	POST-EMERGENCE	Corn	Annual broadleaves and sedges	5.0-6.5 Tbsp/36 L water	-	-	One day after spraying.
SINO-MONSANTO OIL CORPORATION	2,4-D AMINE	DELBUIO 2,4-D AMINE	400 g/L	-	HERBICIDE	2	624-013-5703 (590)	26-Apr-25	POST-EMERGENCE	Sugarcane	Annual broadleaves and sedges	11.0-26.0 Tbsp/36 L water	-	-	One day after spraying.
UPL PHILIPPINES, INC.	DELTAMETHRIN	DELTUP 2.5 EC	25 g/L	EC	INSECTICIDE	4	562-085-4036	22-May-26	-	Mango	Hopper, Tip borer, twig borer	0.75-1.0Tbsp/36L water	-	-	24 Hours after each spray
UPL PHILIPPINES, INC.	DELTAMETHRIN	DELTUP 2.5 EC	25 g/L	EC	INSECTICIDE	4	562-085-4036	22-May-26	-	Cabbage & other crucifers	Diamond-back moth, cabbage moth, cabbage worm	0.1 Tbsp/36L water	-	-	24 Hours after each spray
UPL PHILIPPINES, INC.	DELTAMETHRIN	DELTUP 2.5 EC	25 g/L	EC	INSECTICIDE	4	562-085-4036	22-May-26	-	Tobacco	Budworm, armyworm, cutworm	0.8-1.0 Tbsp/36L water	-	-	24 Hours after each spray
UPL PHILIPPINES, INC.	DELTAMETHRIN	DELTUP 2.5 EC	25 g/L	EC	INSECTICIDE	4	562-085-4036	22-May-26	-	Beans	Flea beetle, beanfly, bugs, thrips, cutworm, armyworm	0.8-1.0 Tbsp/36L water	-	-	24 Hours after each spray
UPL PHILIPPINES, INC.	DELTAMETHRIN	DELTUP 2.5 EC	25 g/L	EC	INSECTICIDE	4	562-085-4036	22-May-26	-	Soybeans	Flea beetle, beanfly, bugs, thrips, cutworm, armyworm	0.8-1.0 Tbsp/36L water	-	-	24 Hours after each spray
UPL PHILIPPINES, INC.	DELTAMETHRIN	DELTUP 2.5 EC	25 g/L	EC	INSECTICIDE	4	562-085-4036	22-May-26	-	Tomato	Fruitworm (heliothis)	0.8-1.0 Tbsp/36L water	-	-	24 Hours after each spray
UPL PHILIPPINES, INC.	DELTAMETHRIN	DELTUP 2.5 EC	25 g/L	EC	INSECTICIDE	4	562-085-4036	22-May-26	-	Corn	Corn borer, corn earworm, seedling maggots	0.1 Tbsp/36L water	-	-	24 Hours after each spray
UPL PHILIPPINES, INC.	DELTAMETHRIN	DELTUP 2.5 EC	25 g/L	EC	INSECTICIDE	4	562-085-4036	22-May-26	-	eggplant	Thrips, flea beetle, fruitworm	0.1 Tbsp/36L water	-	-	24 Hours after each spray
UPL PHILIPPINES, INC.	DELTAMETHRIN	DELTUP 2.5 EC	25 g/L	EC	INSECTICIDE	4	562-085-4036	22-May-26	-	Cotton	Leafhopper, bollworm, weevil	0.8-1.0 Tbsp/36L water	-	-	24 Hours after each spray
UPL PHILIPPINES, INC.	DELTAMETHRIN	DELTUP 2.5 EC	25 g/L	EC	INSECTICIDE	4	562-085-4036	22-May-26	-	Agricultural crops	Locusts-nymphs/ Locusts-adult	1.0-1.5*/ 3.0 Tbsp/36L water	-	-	24 Hours after each spray
UPL PHILIPPINES, INC.	DELTAMETHRIN	DELTUP 2.5 EC	25 g/L	EC	INSECTICIDE	4	562-085-4036	22-May-26	-	Cacao	Podborer, aphids	0.1 Tbsp/36L water	-	-	24 Hours after each spray
S&P ENTERPRISES, INC.	DELTAMETHRIN	DELTA-S 2.5 EC	25 g/L	EC	INSECTICIDE	4	566-085-3698	01-Apr-25	-	Mango	Hopper, Tip borer, twig borer	0.75-1.0 Tbsp/36L water	-	-	24 hours after last spray
S&P ENTERPRISES, INC.	DELTAMETHRIN	DELTA-S 2.5 EC	25 g/L	EC	INSECTICIDE	4	566-085-3698	01-Apr-25	-	Cabbage & other crucifers	Diamond-back moth, cabbage moth, cabbage worm	0.1 Tbsp/36L water	-	-	Enter treated area 24 hours after each spray
S&P ENTERPRISES, INC.	DELTAMETHRIN	DELTA-S 2.5 EC	25 g/L	EC	INSECTICIDE	4	566-085-3698	01-Apr-25	-	Tobacco	Budworm, armyworm, cutworm	0.75-1.0 Tbsp/36L water	-	-	Enter treated area 24 hours after each spray
S&P ENTERPRISES, INC.	DELTAMETHRIN	DELTA-S 2.5 EC	25 g/L	EC	INSECTICIDE	4	566-085-3698	01-Apr-25	-	Beans	Flea beetle, beanfly, bugs, thrips, cutworm, armyworm, thrips, podborer, semi-looper, bean lycanid	0.75-1.0 Tbsp/36L water	-	-	Enter treated area 24 hours after each spray
S&P ENTERPRISES, INC.	DELTAMETHRIN	DELTA-S 2.5 EC	25 g/L	EC	INSECTICIDE	4	566-085-3698	01-Apr-25	-	Soybeans	Flea beetle, beanfly, bugs, thrips, cutworm, armyworm, thrips, podborer, semi-looper, bean lycanid	0.75-1.0 Tbsp/36L water	-	-	Enter treated area 24 hours after each spray
S&P ENTERPRISES, INC.	DELTAMETHRIN	DELTA-S 2.5 EC	25 g/L	EC	INSECTICIDE	4	566-085-3698	01-Apr-25	-	Tomato	Fruitworm (heliothis)	0.75-1.0 Tbsp/36L water	-	-	Enter treated area 24 hours after each spray
S&P ENTERPRISES, INC.	DELTAMETHRIN	DELTA-S 2.5 EC	25 g/L	EC	INSECTICIDE	4	566-085-3698	01-Apr-25	-	Corn	Corn borer, corn earworm, seedling maggots	0.1 Tbsp/36L water	-	-	Enter treated area 24 hours after each spray
S&P ENTERPRISES, INC.	DELTAMETHRIN	DELTA-S 2.5 EC	25 g/L	EC	INSECTICIDE	4	566-085-3698	01-Apr-25	-	eggplant	Thrips, flea beetle, fruitworm	0.1 Tbsp/36L water	-	-	Enter treated area 24 hours after each spray
S&P ENTERPRISES, INC.	DELTAMETHRIN	DELTA-S 2.5 EC	25 g/L	EC	INSECTICIDE	4	566-085-3698	01-Apr-25	-	Cotton	Leafhopper (assids), bollworm, weevil	0.75-1.0 Tbsp/36L water	-	-	Enter treated area 24 hours after each spray
S&P ENTERPRISES, INC.	DELTAMETHRIN	DELTA-S 2.5 EC	25 g/L	EC	INSECTICIDE	4	566-085-3698	01-Apr-25	-	Agricultural crops	Locusts-nymphs/ Locusts-adult	1.0-1.5*/ 3.0 Tbsp/36L water	-	-	Enter treated area 24 hours after each spray
S&P ENTERPRISES, INC.	DELTAMETHRIN	DELTA-S 2.5 EC	25 g/L	EC	INSECTICIDE	4	566-085-3698	01-Apr-25	-	Cacao	Podborer, aphids	0.1 Tbsp/36L water	-	-	Enter treated area 24 hours after each spray
S&P ENTERPRISES, INC.	DELTAMETHRIN	DELTA-S 2.5 EC	25 g/L	EC	INSECTICIDE	4	566-085-3698	01-Apr-25	-	Mango	Hopper, Tip borer, twig borer	0.75-1.0 Tbsp/36L water	-	-	-
FKA AGR CHEMICAL CORPORATION	DELTAMETHRIN	DELTA-PRIME 2.5 EC	25 g/L	EC	INSECTICIDE	4	399-085-3530	03-Sep-18	-	Cabbage & other crucifers	Diamond-back moth, cabbage moth, cabbage worm	0.1 Tbsp/36L water	-	-	-
FKA AGR CHEMICAL CORPORATION	DELTAMETHRIN	DELTA-PRIME 2.5 EC	25 g/L	EC	INSECTICIDE	4	399-085-3530	03-Sep-18	-	Tobacco	Budworm, armyworm, cutworm	0.8-1.0 Tbsp/36L water	-	-	-
FKA AGR CHEMICAL CORPORATION	DELTAMETHRIN	DELTA-PRIME 2.5 EC	25 g/L	EC	INSECTICIDE	4	399-085-3530	03-Sep-18	-	Beans	Flea beetle, beanfly, bugs, thrips, cutworm, armyworm	0.8-1.0 Tbsp/36L water	-	-	-
FKA AGR CHEMICAL CORPORATION	DELTAMETHRIN	DELTA-PRIME 2.5 EC	25 g/L	EC	INSECTICIDE	4	399-085-3530	03-Sep-18	-	Soybeans	Flea beetle, beanfly, bugs, thrips, cutworm, armyworm	0.8-1.0 Tbsp/36L water	-	-	-
FKA AGR CHEMICAL CORPORATION	DELTAMETHRIN	DELTA-PRIME 2.5 EC	25 g/L	EC	INSECTICIDE	4	399-085-3530	03-Sep-18	-	Tomato	Fruitworm (heliothis)	0.8-1.0 Tbsp/36L water	-	-	-
FKA AGR CHEMICAL CORPORATION	DELTAMETHRIN	DELTA-PRIME 2.5 EC	25 g/L	EC	INSECTICIDE	4	399-085-3530	03-Sep-18	-	Corn	Corn borer, corn earworm, seedling maggots	0.1 Tbsp/36L water	-	-	-
FKA AGR CHEMICAL CORPORATION	DELTAMETHRIN	DELTA-PRIME 2.5 EC	25 g/L	EC	INSECTICIDE	4	399-085-3530	03-Sep-18	-	eggplant	Thrips, flea beetle, fruitworm	0.1 Tbsp/36L water	-	-	-
FKA AGR CHEMICAL CORPORATION	DELTAMETHRIN	DELTA-PRIME 2.5 EC	25 g/L	EC	INSECTICIDE	4	399-085-3530	03-Sep-18	-	Cotton	Leafhopper, bollworm, weevil	0.8-1.0 Tbsp/36L water	-	-	-
FKA AGR CHEMICAL CORPORATION	DELTAMETHRIN	DELTA-PRIME 2.5 EC	25 g/L	EC	INSECTICIDE	4	399-085-3530	03-Sep-18	-	Agricultural crops	Locusts-nymphs/ Locusts-adult	1.0-1.5*/ 3.0 Tbsp/36L water	-	-	-
FKA AGR CHEMICAL CORPORATION	DELTAMETHRIN	DELTA-PRIME 2.5 EC	25 g/L	EC	INSECTICIDE	4	399-085-3530	03-Sep-18	-	Cacao	Podborer, aphids	0.1 Tbsp/36L water	-	-	-
ZAGRO CORPORATION	DELTAMETHRIN	DELTAMET 2.5 EC	25 g/L	EC	INSECTICIDE	4	043-085-1948	14-Aug-18	-	Mango	Hopper, Tip borer, twig borer	0.75-1.0 Tbsp/36L water	-	-	-
ZAGRO CORPORATION	DELTAMETHRIN	DELTAMET 2.5 EC	25 g/L	EC	INSECTICIDE	4	043-085-1948	14-Aug-18	-	Cabbage & other crucifers	Diamond-back moth, cabbage moth, cabbage worm	0.1 Tbsp/36L water	-	-	-
ZAGRO CORPORATION	DELTAMETHRIN	DELTAMET 2.5 EC	25 g/L	EC	INSECTICIDE	4	043-085-1948	14-Aug-18	-	Tobacco	Budworm, armyworm, cutworm	0.8-1.0 Tbsp/36L water	-	-	-
ZAGRO CORPORATION	DELTAMETHRIN	DELTAMET 2.5 EC	25 g/L	EC	INSECTICIDE	4	043-085-1948	14-Aug-18	-	Beans	Flea beetle, beanfly, bugs, thrips, cutworm, armyworm	0.8-1.0 Tbsp/36L water	-	-	-
ZAGRO CORPORATION	DELTAMETHRIN	DELTAMET 2.5 EC	25 g/L	EC	INSECTICIDE	4	043-085-1948	14-Aug-18	-	Soybeans	Flea beetle, beanfly, bugs, thrips, cutworm, armyworm	0.8-1.0 Tbsp/36L water	-	-	-
ZAGRO CORPORATION	DELTAMETHRIN	DELTAMET 2.5 EC	25 g/L	EC	INSECTICIDE	4	043-085-1948	14-Aug-18	-	Tomato	Fruitworm (heliothis)	0.8-1.0 Tbsp/36L water	-	-	-
ZAGRO CORPORATION	DELTAMETHRIN	DELTAMET 2.5 EC	25 g/L	EC	INSECTICIDE	4	043-085-1948	14-Aug-18	-	Corn	Corn borer, corn earworm, seedling maggots	0.1 Tbsp/36L water	-	-	-
ZAGRO CORPORATION	DELTAMETHRIN	DELTAMET 2.5 EC	25 g/L	EC	INSECTICIDE	4	043-085-1948	14-Aug-18	-	eggplant	Thrips, flea beetle, fruitworm	0.1 Tbsp/36L water	-	-	-
ZAGRO CORPORATION	DELTAMETHRIN	DELTAMET 2.5 EC	25 g/L	EC	INSECTICIDE	4	043-085-1948	14-Aug-18	-	Cotton	Leafhopper, bollworm, weevil	0.8-1.0 Tbsp/36L water	-	-	-
ZAGRO CORPORATION	DELTAMETHRIN	DELTAMET 2.5 EC	25 g/L	EC	INSECTICIDE	4	043-085-1948	14-Aug-18	-	Agricultural crops	Locusts-nymphs/ Locusts-adult	1.0-1.5*/ 3.0 Tbsp/36L water	-	-	-

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
ZAGRO CORPORATION	DELTAMETHRIN	DELTAMET 2.5 EC	25 g/L	EC	INSECTICIDE	4	043-085-1948	14-Aug-18		Cacao	Podborer, aphids	0.1 Tbsp/36L water	-	-	-
LEADS AGRICULTURAL PRODUCTS CORPORATION	DELTAMETHRIN	DELTAMAX 2.5 EC	25g/L	EC	INSECTICIDE	4	099-085-4349	07-May-24		Mango	Hopper, Tip borer, twig borer	0.75-1.0 Tbsp/36L water	-	7-10 (Do not spray at 29-35 days after budbreak	24 hours after each spray
LEADS AGRICULTURAL PRODUCTS CORPORATION	DELTAMETHRIN	DELTAMAX 2.5 EC	25g/L	EC	INSECTICIDE	4	099-085-4349	07-May-24		Cabbage & other crucifers	Diamond-back moth, cabbage moth, cabbage worm	0.1 Tbsp/36L water	-	7 days	24 hours after each spray
LEADS AGRICULTURAL PRODUCTS CORPORATION	DELTAMETHRIN	DELTAMAX 2.5 EC	25g/L	EC	INSECTICIDE	4	099-085-4349	07-May-24		Tobacco	Budworm, armyworm, cutworm	0.8-1.0 Tbsp/36L water	-	7-10 days	24 hours after each spray
LEADS AGRICULTURAL PRODUCTS CORPORATION	DELTAMETHRIN	DELTAMAX 2.5 EC	25g/L	EC	INSECTICIDE	4	099-085-4349	07-May-24		Beans	Flea beetle, beanfly, bugs, thrips, cutworm, armyworm	0.8-1.0 Tbsp/36L water	-	for pre-flowering insects, 7-10 days are sufficient	24 hours after each spray
LEADS AGRICULTURAL PRODUCTS CORPORATION	DELTAMETHRIN	DELTAMAX 2.5 EC	25g/L	EC	INSECTICIDE	4	099-085-4349	07-May-24		Soybeans	Flea beetle, beanfly, bugs, thrips, cutworm, armyworm	0.8-1.0 Tbsp/36L water	-	for pre-flowering insects, 7-10 days are sufficient	24 hours after each spray
LEADS AGRICULTURAL PRODUCTS CORPORATION	DELTAMETHRIN	DELTAMAX 2.5 EC	25g/L	EC	INSECTICIDE	4	099-085-4349	07-May-24		Tomato	Fruitworm (heliothis)	0.8-1.0 Tbsp/36L water	-	7-10 days	24 hours after each spray
LEADS AGRICULTURAL PRODUCTS CORPORATION	DELTAMETHRIN	DELTAMAX 2.5 EC	25g/L	EC	INSECTICIDE	4	099-085-4349	07-May-24		Corn	Corn borer, corn earworm, seedling maggots	0.1 Tbsp/36L water	-	7-10 days	24 hours after each spray
LEADS AGRICULTURAL PRODUCTS CORPORATION	DELTAMETHRIN	DELTAMAX 2.5 EC	25g/L	EC	INSECTICIDE	4	099-085-4349	07-May-24		Eggplant	Thrips, flea beetle, fruitworm	0.1 Tbsp/36L water	-	7-10 days	24 hours after each spray
LEADS AGRICULTURAL PRODUCTS CORPORATION	DELTAMETHRIN	DELTAMAX 2.5 EC	25g/L	EC	INSECTICIDE	4	099-085-4349	07-May-24		Cotton	Leafhopper, bollworm, weevil	0.8-1.0 Tbsp/36L water	-	7-10 days	24 hours after each spray
LEADS AGRICULTURAL PRODUCTS CORPORATION	DELTAMETHRIN	DELTAMAX 2.5 EC	25g/L	EC	INSECTICIDE	4	099-085-4349	07-May-24		Agricultural crops	Locusts-nymphs/ Locusts-adult	1.0-1.5*/ 3.0 Tbsp/ 36L water	-	-	24 hours after each spray
LEADS AGRICULTURAL PRODUCTS CORPORATION	DELTAMETHRIN	DELTAMAX 2.5 EC	25g/L	EC	INSECTICIDE	4	099-085-4349	07-May-24		Cacao	Podborer, aphids	0.1 Tbsp/36L water	-	2-4 days	24 hours after each spray
CROPKING CHEMICALS INC.	DELTAMETHRIN	DELTAKING 2.5 EC	25 g/L	EC	INSECTICIDE	4	065-085-1143	25-Sep-26	-	Mango	Hopper, Tip borer, twig borer	0.75-1.0 Tbsp/36L water	-	-	24 hours after spraying
CROPKING CHEMICALS INC.	DELTAMETHRIN	DELTAKING 2.5 EC	25 g/L	EC	INSECTICIDE	4	065-085-1143	25-Sep-26	-	Cabbage & other crucifers	Diamond-back moth, cabbage moth, cabbage worm	0.1 Tbsp/36L water	-	-	24 hours after spraying
CROPKING CHEMICALS INC.	DELTAMETHRIN	DELTAKING 2.5 EC	25 g/L	EC	INSECTICIDE	4	065-085-1143	25-Sep-26	-	Tobacco	Budworm, armyworm, cutworm	0.8-1.0 Tbsp/36L water	-	-	24 hours after spraying
CROPKING CHEMICALS INC.	DELTAMETHRIN	DELTAKING 2.5 EC	25 g/L	EC	INSECTICIDE	4	065-085-1143	25-Sep-26	-	Beans	Flea beetle, beanfly, bugs, thrips, cutworm, armyworm, podborer, semilooper, bean lycanid	0.8-1.0 Tbsp/36L water	-	-	24 hours after spraying
CROPKING CHEMICALS INC.	DELTAMETHRIN	DELTAKING 2.5 EC	25 g/L	EC	INSECTICIDE	4	065-085-1143	25-Sep-26	-	Soybeans	Flea beetle, beanfly, bugs, thrips, cutworm, armyworm, podborer, semilooper, bean lycanid	0.8-1.0 Tbsp/36L water	-	-	24 hours after spraying
CROPKING CHEMICALS INC.	DELTAMETHRIN	DELTAKING 2.5 EC	25 g/L	EC	INSECTICIDE	4	065-085-1143	25-Sep-26	-	Tomato	Fruitworm (heliothis)	0.8-1.0 Tbsp/36L water	-	-	24 hours after spraying
CROPKING CHEMICALS INC.	DELTAMETHRIN	DELTAKING 2.5 EC	25 g/L	EC	INSECTICIDE	4	065-085-1143	25-Sep-26	-	Corn	Corn borer, corn earworm, seedling maggots	0.1 Tbsp/36L water	-	-	24 hours after spraying
CROPKING CHEMICALS INC.	DELTAMETHRIN	DELTAKING 2.5 EC	25 g/L	EC	INSECTICIDE	4	065-085-1143	25-Sep-26	-	Eggplant	Thrips, flea beetle	0.1 Tbsp/36L water	-	-	24 hours after spraying
CROPKING CHEMICALS INC.	DELTAMETHRIN	DELTAKING 2.5 EC	25 g/L	EC	INSECTICIDE	4	065-085-1143	25-Sep-26	-	Cotton	Leafhopper, bollworm, weevil	0.8-1.0 Tbsp/36L water	-	-	24 hours after spraying
CROPKING CHEMICALS INC.	DELTAMETHRIN	DELTAKING 2.5 EC	25 g/L	EC	INSECTICIDE	4	065-085-1143	25-Sep-26	-	Other horticultural and agronomic crops	Locusts-nymphs/ Locusts-adult	1.0-1.5*/ 3.0 Tbsp/ 36L water	-	-	24 hours after spraying
CROPKING CHEMICALS INC.	DELTAMETHRIN	DELTAKING 2.5 EC	25 g/L	EC	INSECTICIDE	4	065-085-1143	25-Sep-26	-	Cacao	Podborer, aphids	0.1 Tbsp/36L water	-	-	24 hours after spraying
CROPKING CHEMICALS INC.	DELTAMETHRIN	DELTAKING 2.5 EC	25 g/L	EC	INSECTICIDE	4	065-085-1143	25-Sep-26	-	Banana	Aphids, flower thrips	1.0 Tbsp/36L water	-	-	-
PAIMTIRE CORPORATION	DELTAMETHRIN	DELTAGUARD 2.5 EC	25 g/L	EC	INSECTICIDE	4	504-085-3157	23-Apr-19	-	Mango	Hopper, Tip borer, twig borer	0.75-1.0 Tbsp/36L water	-	24 hours after last spray	Enter treated area 24 hours after each spray
PAIMTIRE CORPORATION	DELTAMETHRIN	DELTAGUARD 2.5 EC	25 g/L	EC	INSECTICIDE	4	504-085-3157	23-Apr-19	-	Cabbage & other crucifers	Diamond-back moth, cabbage moth, cabbage worm	0.1 Tbsp/36L water	-	24 hours after last spray	Enter treated area 24 hours after each spray
PAIMTIRE CORPORATION	DELTAMETHRIN	DELTAGUARD 2.5 EC	25 g/L	EC	INSECTICIDE	4	504-085-3157	23-Apr-19	-	Tobacco	Budworm, armyworm, cutworm	0.8-1.0 Tbsp/36L water	-	24 hours after last spray	Enter treated area 24 hours after each spray
PAIMTIRE CORPORATION	DELTAMETHRIN	DELTAGUARD 2.5 EC	25 g/L	EC	INSECTICIDE	4	504-085-3157	23-Apr-19	-	Beans	Flea beetle, beanfly, bugs, thrips, cutworm, armyworm	0.8-1.0 Tbsp/36L water	-	24 hours after last spray	Enter treated area 24 hours after each spray
PAIMTIRE CORPORATION	DELTAMETHRIN	DELTAGUARD 2.5 EC	25 g/L	EC	INSECTICIDE	4	504-085-3157	23-Apr-19	-	Soybeans	Flea beetle, beanfly, bugs, thrips, cutworm, armyworm	0.8-1.0 Tbsp/36L water	-	24 hours after last spray	Enter treated area 24 hours after each spray
PAIMTIRE CORPORATION	DELTAMETHRIN	DELTAGUARD 2.5 EC	25 g/L	EC	INSECTICIDE	4	504-085-3157	23-Apr-19	-	Tomato	Fruitworm (heliothis)	0.8-1.0 Tbsp/36L water	-	24 hours after last spray	Enter treated area 24 hours after each spray
PAIMTIRE CORPORATION	DELTAMETHRIN	DELTAGUARD 2.5 EC	25 g/L	EC	INSECTICIDE	4	504-085-3157	23-Apr-19	-	Corn	Corn borer, corn earworm, seedling maggots	0.1 Tbsp/36L water	-	24 hours after last spray	Enter treated area 24 hours after each spray
PAIMTIRE CORPORATION	DELTAMETHRIN	DELTAGUARD 2.5 EC	25 g/L	EC	INSECTICIDE	4	504-085-3157	23-Apr-19	-	Eggplant	Thrips, flea beetle, fruitworm	0.1 Tbsp/36L water	-	24 hours after last spray	Enter treated area 24 hours after each spray
PAIMTIRE CORPORATION	DELTAMETHRIN	DELTAGUARD 2.5 EC	25 g/L	EC	INSECTICIDE	4	504-085-3157	23-Apr-19	-	Cotton	Leafhopper, bollworm, weevil	0.8-1.0 Tbsp/36L water	-	24 hours after last spray	Enter treated area 24 hours after each spray
PAIMTIRE CORPORATION	DELTAMETHRIN	DELTAGUARD 2.5 EC	25 g/L	EC	INSECTICIDE	4	504-085-3157	23-Apr-19	-	Agricultural crops	Locusts-nymphs/ Locusts-adult	1.0-1.5*/ 3.0 Tbsp/ 36L water	-	24 hours after last spray	Enter treated area 24 hours after each spray
PAIMTIRE CORPORATION	DELTAMETHRIN	DELTAGUARD 2.5 EC	25 g/L	EC	INSECTICIDE	4	504-085-3157	23-Apr-19	-	Cacao	Podborer, aphids	0.1 Tbsp/36L water	-	24 hours after last spray	Enter treated area 24 hours after each spray
ASICHEM MANUFACTURING CORPORATION	DELTAMETHRIN	DELTA 2.5 EC	25 g/L	EC	INSECTICIDE	4	001-085-1339	14-Jun-26	-	Mango	Hopper, Tip borer, twig borer	0.75-1.0 Tbsp/36L water	-	24 hours after last spray	Enter treated area 24 hours after each spray
ASICHEM MANUFACTURING CORPORATION	DELTAMETHRIN	DELTA 2.5 EC	25 g/L	EC	INSECTICIDE	4	001-085-1339	14-Jun-26	-	Cabbage & other crucifers	Diamond-back moth, cabbage moth, cabbage worm	0.1 Tbsp/36L water	-	24 hours after last spray	Enter treated area 24 hours after each spray
ASICHEM MANUFACTURING CORPORATION	DELTAMETHRIN	DELTA 2.5 EC	25 g/L	EC	INSECTICIDE	4	001-085-1339	14-Jun-26	-	Tobacco	Budworm, armyworm, cutworm	0.8-1.0 Tbsp/36L water	-	24 hours after last spray	Enter treated area 24 hours after each spray
ASICHEM MANUFACTURING CORPORATION	DELTAMETHRIN	DELTA 2.5 EC	25 g/L	EC	INSECTICIDE	4	001-085-1339	14-Jun-26	-	Beans	Flea beetle, beanfly, bugs, thrips, cutworm, armyworm	0.8-1.0 Tbsp/36L water	-	24 hours after last spray	Enter treated area 24 hours after each spray
ASICHEM MANUFACTURING CORPORATION	DELTAMETHRIN	DELTA 2.5 EC	25 g/L	EC	INSECTICIDE	4	001-085-1339	14-Jun-26	-	Soybeans	Flea beetle, beanfly, bugs, thrips, cutworm, armyworm	0.8-1.0 Tbsp/36L water	-	24 hours after last spray	Enter treated area 24 hours after each spray
ASICHEM MANUFACTURING CORPORATION	DELTAMETHRIN	DELTA 2.5 EC	25 g/L	EC	INSECTICIDE	4	001-085-1339	14-Jun-26	-	Tomato	Fruitworm (heliothis)	0.8-1.0 Tbsp/36L water	-	24 hours after last spray	Enter treated area 24 hours after each spray
ASICHEM MANUFACTURING CORPORATION	DELTAMETHRIN	DELTA 2.5 EC	25 g/L	EC	INSECTICIDE	4	001-085-1339	14-Jun-26	-	Corn	Corn borer, corn earworm, seedling maggots	0.1 Tbsp/36L water	-	24 hours after last spray	Enter treated area 24 hours after each spray
ASICHEM MANUFACTURING CORPORATION	DELTAMETHRIN	DELTA 2.5 EC	25 g/L	EC	INSECTICIDE	4	001-085-1339	14-Jun-26	-	Eggplant	Thrips, flea beetle, fruitworm	0.1 Tbsp/36L water	-	24 hours after last spray	Enter treated area 24 hours after each spray
ASICHEM MANUFACTURING CORPORATION	DELTAMETHRIN	DELTA 2.5 EC	25 g/L	EC	INSECTICIDE	4	001-085-1339	14-Jun-26	-	Cotton	Leafhopper, bollworm, weevil	0.8-1.0 Tbsp/36L water	-	24 hours after last spray	Enter treated area 24 hours after each spray
ASICHEM MANUFACTURING CORPORATION	DELTAMETHRIN	DELTA 2.5 EC	25 g/L	EC	INSECTICIDE	4	001-085-1339	14-Jun-26	-	Other horticultural and agronomic crops	Locusts-nymphs/ Locusts-adult	1.0-1.5*/ 3.0 Tbsp/ 36L water	-	24 hours after last spray	Enter treated area 24 hours after each spray
ASICHEM MANUFACTURING CORPORATION	DELTAMETHRIN	DELTA 2.5 EC	25 g/L	EC	INSECTICIDE	4	001-085-1339	14-Jun-26	-	Cacao	Podborer, aphids	0.1 Tbsp/36L water	-	24 hours after last spray	Enter treated area 24 hours after each spray
ASICHEM MANUFACTURING CORPORATION	DELTAMETHRIN	DELTA 2.5 EC	25 g/L	EC	INSECTICIDE	4	001-085-1339	14-Jun-26	-	Banana	Flower thrips, aphids	1.0 Tbsp/36L water	-	24 hours after last spray	Enter treated area 24 hours after each spray
AGWAY CHEMICALS CORPORATION	LAMBDA-CHYALOTHIRIN	DELIVER 2.5 EC	25 g/L	EC	INSECTICIDE	2	075-204-1691	09-Mar-24	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leafroller, black bug	1.0-1.5Tbsp/36L of water	0.05ppm	3Days	Re-entry to treated fields is allowed as soon as spray deposits dry
AGWAY CHEMICALS CORPORATION	LAMBDA-CHYALOTHIRIN	DELIVER 2.5 EC	25 g/L	EC	INSECTICIDE	2	075-204-1691	09-Mar-24	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/36L of water	-	3Days	Re-entry to treated fields is allowed as soon as spray deposits dry
AGWAY CHEMICALS CORPORATION	LAMBDA-CHYALOTHIRIN	DELIVER 2.5 EC	25 g/L	EC	INSECTICIDE	2	075-204-1691	09-Mar-24	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/36L of water	-	3Days	Re-entry to treated fields is allowed as soon as spray deposits dry
AGWAY CHEMICALS CORPORATION	LAMBDA-CHYALOTHIRIN	DELIVER 2.5 EC	25 g/L	EC	INSECTICIDE	2	075-204-1691	09-Mar-24	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/36L of water	-	3Days	Re-entry to treated fields is allowed as soon as spray deposits dry
AGWAY CHEMICALS CORPORATION	LAMBDA-CHYALOTHIRIN	DELIVER 2.5 EC	25 g/L	EC	INSECTICIDE	2	075-204-1691	09-Mar-24	SYSTEMIC	Mungbeans	Beanfly, flea beetle, leafhopper, aphids, mites, podborer	1.0Tbsp/36L of water	-	3Days	Re-entry to treated fields is allowed as soon as spray deposits dry
AGWAY CHEMICALS CORPORATION	LAMBDA-CHYALOTHIRIN	DELIVER 2.5 EC	25 g/L	EC	INSECTICIDE	2	075-204-1691	09-Mar-24	SYSTEMIC	Corn	Comborer, aphids, seedling maggots	1.0-1.5Tbsp/36L of water	-	3Days	Re-entry to treated fields is allowed as soon as spray deposits dry
AGWAY CHEMICALS CORPORATION	LAMBDA-CHYALOTHIRIN	DELIVER 2.5 EC	25 g/L	EC	INSECTICIDE	2	075-204-1691	09-Mar-24	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5Tbsp/36L of water	-	3Days	Re-entry to treated fields is allowed as soon as spray deposits dry
AGWAY CHEMICALS CORPORATION	LAMBDA-CHYALOTHIRIN	DELIVER 2.5 EC	25 g/L	EC	INSECTICIDE	2	075-204-1691	09-Mar-24	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/36L of water	-	3Days	Re-entry to treated fields is allowed as soon as spray deposits dry
AGWAY CHEMICALS CORPORATION	LAMBDA-CHYALOTHIRIN	DELIVER 2.5 EC	25 g/L	EC	INSECTICIDE	2	075-204-1691	09-Mar-24	SYSTEMIC	Cocoa	Podborer	1.0-2.0Tbsp/36L of water	-	3Days	Re-entry to treated fields is allowed as soon as spray deposits dry

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
AGWAY CHEMICALS CORPORATION	LAMBDA-CYHALOTHRIN	DELIVER 2.5 EC	25 g/L	EC	INSECTICIDE	2	075-204-1691	09-Mar-24	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/36L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
JYNNSONS PHILIPPINES, INC.	PROFENOFOS	DELETE 50 EC	500 g/L	EC	INSECTICIDE	2	551-070-4022	16-Feb-25	CONTACT	Mango	Thrips	2.0-2.0Tbsp/36L water	-	Do not apply at least seven (7) days before harvest.	Do not enter treated fields for at least one (1) day after application.
JYNNSONS PHILIPPINES, INC.	PROFENOFOS	DELETE 50 EC	500 g/L	EC	INSECTICIDE	2	551-070-4022	16-Feb-25	CONTACT	Tomato	Fruitworm, armyworm, cutworm	3-5 Tbsp/36L water	-	Do not apply at least seven (7) days before harvest.	Do not enter treated fields for at least one (1) day after application.
JYNNSONS PHILIPPINES, INC.	PROFENOFOS	DELETE 50 EC	500 g/L	EC	INSECTICIDE	2	551-070-4022	16-Feb-25	CONTACT	Eggplant	Fruitborer, aphids, leafhopper, & thrips	2.5-3.0 Tbsp/36L water	-	Do not apply at least seven (7) days before harvest.	Do not enter treated fields for at least one (1) day after application.
JYNNSONS PHILIPPINES, INC.	PROFENOFOS	DELETE 50 EC	500 g/L	EC	INSECTICIDE	2	551-070-4022	16-Feb-25	CONTACT	Cabbage	Diamond back moth, cabbage worm & aphids, thrips	3-5 Tbsp/36L water	-	Do not apply at least seven (7) days before harvest.	Do not enter treated fields for at least one (1) day after application.
JYNNSONS PHILIPPINES, INC.	PROFENOFOS	DELETE 50 EC	500 g/L	EC	INSECTICIDE	2	551-070-4022	16-Feb-25	CONTACT	Watermelon	Thrips	3-5 Tbsp/36L water	-	Do not apply at least seven (7) days before harvest.	Do not enter treated fields for at least one (1) day after application.
JYNNSONS PHILIPPINES, INC.	PROFENOFOS	DELETE 50 EC	500 g/L	EC	INSECTICIDE	2	551-070-4022	16-Feb-25	CONTACT	Potato	Thrips, army worm, cutworm, tuber moth	3-5 Tbsp/36L water	-	Do not apply at least seven (7) days before harvest.	Do not enter treated fields for at least one (1) day after application.
JYNNSONS PHILIPPINES, INC.	PROFENOFOS	DELETE 50 EC	500 g/L	EC	INSECTICIDE	2	551-070-4022	16-Feb-25	CONTACT	Soybeans	Corn earworm, leafminer	3-5 Tbsp/36L water	-	Do not apply at least seven (7) days before harvest.	Do not enter treated fields for at least one (1) day after application.
JYNNSONS PHILIPPINES, INC.	PROFENOFOS	DELETE 50 EC	500 g/L	EC	INSECTICIDE	2	551-070-4022	16-Feb-25	CONTACT	Mungbeans	Corn earworm, leafminer	3-5 Tbsp/36L water	-	Do not apply at least seven (7) days before harvest.	Do not enter treated fields for at least one (1) day after application.
JYNNSONS PHILIPPINES, INC.	PROFENOFOS	DELETE 50 EC	500 g/L	EC	INSECTICIDE	2	551-070-4022	16-Feb-25	CONTACT	Cotton	Thrips, bollworm & budworm	3-5 Tbsp/36L water	-	Do not apply at least seven (7) days before harvest.	Do not enter treated fields for at least one (1) day after application.
JYNNSONS PHILIPPINES, INC.	PROFENOFOS	DELETE 50 EC	500 g/L	EC	INSECTICIDE	2	551-070-4022	16-Feb-25	CONTACT	Sitao	Beanyfly, leaf folder & aphids	1.5-3.0 Tbsp/36L water	-	Do not apply at least seven (7) days before harvest.	Do not enter treated fields for at least one (1) day after application.
INTERSORORA INC.	AZIOXYSTROBIN-DIFENOCONAZOLE	DEGRADO 325 SC	200 g/L+125 g/L	SC	FUNGICIDE	3	664-486-6260	23-Aug-26	-	Corn	Northern corn leaf blight, white spot, gray leaf spot, brown spot	960-750 mL prod. / ha; 50-75 mL prod. / 36L water; 300-350 L/ha	0.03 ppm 0.03 ppm	28 days	Do not enter or allow workers to enter treated areas until spray deposits have dried up or unless a protective clothing is worn.
INTERSORORA INC.	AZIOXYSTROBIN-DIFENOCONAZOLE	DEGRADO 325 SC	200 g/L+125 g/L	SC	FUNGICIDE	3	664-486-6260	23-Aug-26	-	Onion	Anthracoosis	300-500 mL prod. / ha; 20-35 mL prod. / 36L water; 200-300 L/ha	0.03 ppm 0.03 ppm	12 days	Do not enter or allow workers to enter treated areas until spray deposits have dried up or unless a protective clothing is worn.
INTERSORORA INC.	AZIOXYSTROBIN-DIFENOCONAZOLE	DEGRADO 325 SC	200 g/L+125 g/L	SC	FUNGICIDE	3	664-486-6260	23-Aug-26	-	Potato	Late blight	400-500 mL prod. / ha; 20-25 mL prod. / 36L water; 300-500 L/ha	0.03 ppm 0.3 ppm	14 days	Do not enter or allow workers to enter treated areas until spray deposits have dried up or unless a protective clothing is worn.
INTERSORORA INC.	AZIOXYSTROBIN-DIFENOCONAZOLE	DEGRADO 325 SC	200 g/L+125 g/L	SC	FUNGICIDE	3	664-486-6260	23-Aug-26	-	Rice	Rice blast sheath blight	200-500 mL prod. / ha; 20-50 mL prod. / 36L water; 160-200 L/ha	0.6 ppm 0.4 ppm	30 days	Do not enter or allow workers to enter treated areas until spray deposits have dried up or unless a protective clothing is worn.
INTERSORORA INC.	AZIOXYSTROBIN-DIFENOCONAZOLE	DEGRADO 325 SC	200 g/L+125 g/L	SC	FUNGICIDE	3	664-486-6260	23-Aug-26	-	Mango	Anthracoosis, scab, stem-end rot	100-200 mL prod. / ha; 100-200 mL prod. / 200 L water; 2-4000-3,472 L/ha	0.03 ppm 0.07 ppm	14 days	Do not enter or allow workers to enter treated areas until spray deposits have dried up or unless a protective clothing is worn.
INTERSORORA INC.	AZIOXYSTROBIN-DIFENOCONAZOLE	DEGRADO 325 SC	200 g/L+125 g/L	SC	FUNGICIDE	3	664-486-6260	23-Aug-26	-	Cabbage	Leaf spot	300-500 mL prod. / ha; 400-600 L/ha	0.03 ppm 0.03 ppm	14 days	Do not enter or allow workers to enter treated areas until spray deposits have dried up or unless a protective clothing is worn.
INTERSORORA INC.	AZIOXYSTROBIN-DIFENOCONAZOLE	DEGRADO 325 SC	200 g/L+125 g/L	SC	FUNGICIDE	3	664-486-6260	23-Aug-26	-	Tomato	Early blight and late blight	400-500 mL prod. / ha; 400-600 L/ha	0.3 ppm 0.3 ppm	0 day	Do not enter or allow workers to enter treated areas until spray deposits have dried up or unless a protective clothing is worn.
DIVERSIFIED AGRICHEM TRDG.	MAGNESIUM PHOSPHIDE	DEGESCH PLATES/STRIPS	560 g/kg	-	FUMIGANT	1	208-294-0781	13-Dec-24	-	Stored commodities & processed foods	Grain and rice weevil, saw toothed grain beetle, confused flourbeetle, lesser grain beetle, rust-red grain beetle, cadelle, khapra	1 bag/7.5m	-	-	-
DIVERSIFIED AGRICHEM TRDG.	ALUMINIUM PHOSPHIDE	DEGESCH PHOSTORN	560 g/kg	TAB	FUMIGANT	1	208-084-0782	13-Dec-24	CONTACT	Stored commodities & processed foods	Grain and rice weevil, saw toothed grain beetle, confused flourbeetle, lesser grain beetle, rust-red grain beetle, cadelle, khapra	1 bag/7.5m	-	-	-
DIVERSIFIED AGRICHEM TRDG.	MAGNESIUM PHOSPHIDE	DEGESCH MASTOXIN	560 g/kg	TAB	FUMIGANT	1	208-294-0780	13-Dec-24	-	Stored commodities & processed foods	Grain and rice weevil, saw toothed grain beetle, confused flourbeetle, lesser grain beetle, rust-red grain beetle, cadelle, khapra	1 bag/7.5m	-	-	-
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	METHOMYL	DEFUSE 40 SP	400 g/kg	SP	INSECTICIDE	2	376-164-2307	08/28/2020	CONTACT	Asparagus	Armyworm, cutworm	1 Sachet/36L Sprayer	-	-	-
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	METHOMYL	DEFUSE 40 SP	400 g/kg	SP	INSECTICIDE	2	376-164-2307	08/28/2020	CONTACT	Banana	Thrips	1.5-2 Sachet/36L Sprayer	-	-	-
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	METHOMYL	DEFUSE 40 SP	400 g/kg	SP	INSECTICIDE	2	376-164-2307	08/28/2020	CONTACT	Beans	Leaf folder, flea beetle, beanfly, podborer, aphids	1 Sachet/36L Sprayer	-	-	-
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	METHOMYL	DEFUSE 40 SP	400 g/kg	SP	INSECTICIDE	2	376-164-2307	08/28/2020	CONTACT	Mungbeans	Leaf folder, flea beetle, beanfly, podborer, aphids	1 Sachet/36L Sprayer	-	-	-
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	METHOMYL	DEFUSE 40 SP	400 g/kg	SP	INSECTICIDE	2	376-164-2307	08/28/2020	CONTACT	Soybeans	Leaf folder, flea beetle, beanfly, podborer, aphids	1 Sachet/36L Sprayer	-	-	-
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	METHOMYL	DEFUSE 40 SP	400 g/kg	SP	INSECTICIDE	2	376-164-2307	08/28/2020	CONTACT	Sitao	Leaf folder, flea beetle, beanfly, podborer, aphids	1 Sachet/36L Sprayer	-	-	-
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	METHOMYL	DEFUSE 40 SP	400 g/kg	SP	INSECTICIDE	2	376-164-2307	08/28/2020	CONTACT	Corn	Comborer, earworm	1 Sachet/36L Sprayer	-	-	-
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	METHOMYL	DEFUSE 40 SP	400 g/kg	SP	INSECTICIDE	2	376-164-2307	08/28/2020	CONTACT	Sorghum	Comborer, earworm	1 Sachet/36L Sprayer	-	-	-
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	METHOMYL	DEFUSE 40 SP	400 g/kg	SP	INSECTICIDE	2	376-164-2307	08/28/2020	CONTACT	Eggplant	Aphids, flea beetle, fruitworm, lady beetle	1 Sachet/36L Sprayer	-	-	-
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	METHOMYL	DEFUSE 40 SP	400 g/kg	SP	INSECTICIDE	2	376-164-2307	08/28/2020	CONTACT	Melon	Aphids, Squash beetle, leaf folder	1 Sachet/36L Sprayer	-	-	-
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	METHOMYL	DEFUSE 40 SP	400 g/kg	SP	INSECTICIDE	2	376-164-2307	08/28/2020	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leaf folder	1 Sachet/36L Sprayer	0.03ppm	3 Days	-
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	METHOMYL	DEFUSE 40 SP	400 g/kg	SP	INSECTICIDE	2	376-164-2307	08/28/2020	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	1 Sachet/36L Sprayer	-	-	-
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	METHOMYL	DEFUSE 40 SP	400 g/kg	SP	INSECTICIDE	2	376-164-2307	08/28/2020	CONTACT	Tomato	Tomato fruitworm, aphids	1 Sachet/36L Sprayer	-	-	-
YULIME TRADE OPC	LAMBDA-CYHALOTHRIN	DEFENDER 2.5 EC	25 g/L	EC	INSECTICIDE	2	691-204-5517	13-Aug-24	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leaf folder, black bug	1.0-1.5Tbsp/36L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
YULIME TRADE OPC	LAMBDA-CYHALOTHRIN	DEFENDER 2.5 EC	25 g/L	EC	INSECTICIDE	2	691-204-5517	13-Aug-24	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/36L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
YULIME TRADE OPC	LAMBDA-CYHALOTHRIN	DEFENDER 2.5 EC	25 g/L	EC	INSECTICIDE	2	691-204-5517	13-Aug-24	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/36L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
YULIME TRADE OPC	LAMBDA-CYHALOTHRIN	DEFENDER 2.5 EC	25 g/L	EC	INSECTICIDE	2	691-204-5517	13-Aug-24	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/36L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
YULIME TRADE OPC	LAMBDA-CYHALOTHRIN	DEFENDER 2.5 EC	25 g/L	EC	INSECTICIDE	2	691-204-5517	13-Aug-24	SYSTEMIC	Mungbeans	Beanyfly, flea beetle, leafhopper, aphids, mites, podborer	1.0Tbsp/36L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
YULIME TRADE OPC	LAMBDA-CYHALOTHRIN	DEFENDER 2.5 EC	25 g/L	EC	INSECTICIDE	2	691-204-5517	13-Aug-24	SYSTEMIC	Corn	Comborer, aphids, seedling maggots	1.0-1.5Tbsp/36L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
YULIME TRADE OPC	LAMBDA-CYHALOTHRIN	DEFENDER 2.5 EC	25 g/L	EC	INSECTICIDE	2	691-204-5517	13-Aug-24	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5Tbsp/36L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
YULIME TRADE OPC	LAMBDA-CYHALOTHRIN	DEFENDER 2.5 EC	25 g/L	EC	INSECTICIDE	2	691-204-5517	13-Aug-24	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/36L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
YULIME TRADE OPC	LAMBDA-CYHALOTHRIN	DEFENDER 2.5 EC	25 g/L	EC	INSECTICIDE	2	691-204-5517	13-Aug-24	SYSTEMIC	Cocoa	Podborer	1.0-2.0Tbsp/36L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
YULIME TRADE OPC	LAMBDA-CYHALOTHRIN	DEFENDER 2.5 EC	25 g/L	EC	INSECTICIDE	2	691-204-5517	13-Aug-24	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/36L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
ACE CROP SOLUTIONS INC.	COPPER OXYCHLORIDE	DEFEND PRO 50 WP	500 g/kg	WP	FUNGICIDE	4	530-007-4793 (234)	24-Mar-26	-	Rice	Rice blast, helminthosporium, oryzaeopsis leaf spot	5-6 tbsps/36L water	-	24 hours after last spray	24 hours after each spray
ACE CROP SOLUTIONS INC.	COPPER OXYCHLORIDE	DEFEND PRO 50 WP	500 g/kg	WP	FUNGICIDE	4	530-007-4793 (234)	24-Mar-26	-	Coffee	Brown eye spot, rust, anthracnose, pink disease	5.5-8 tbsps/36L water	-	24 hours after last spray	24 hours after each spray
ACE CROP SOLUTIONS INC.	COPPER OXYCHLORIDE	DEFEND PRO 50 WP	500 g/kg	WP	FUNGICIDE	4	530-007-4793 (234)	24-Mar-26	-	Cacao	Pod rot, brown bark rot, black pod	5.5-8 tbsps/36L water	-	24 hours after last spray	24 hours after each spray
ACE CROP SOLUTIONS INC.	COPPER OXYCHLORIDE	DEFEND PRO 50 WP	500 g/kg	WP	FUNGICIDE	4	530-007-4793 (234)	24-Mar-26	-	Mango	Anthracoosis, sooty mold	5.5-8 tbsps/36L water	-	24 hours after last spray	24 hours after each spray
ACE CROP SOLUTIONS INC.	COPPER OXYCHLORIDE	DEFEND PRO 50 WP	500 g/kg	WP	FUNGICIDE	4	530-007-4793 (234)	24-Mar-26	-	Tomato	Early blight, late blight, fruit rot, septoria leaf spot	5.5-8 tbsps/36L water	-	24 hours after last spray	24 hours after each spray
ACE CROP SOLUTIONS INC.	COPPER OXYCHLORIDE	DEFEND PRO 50 WP	500 g/kg	WP	FUNGICIDE	4	530-007-4793 (234)	24-Mar-26	-	Tobacco	Blue mold fusarium, alternaria leafspot, froggye disease	5.5-8 tbsps/36L water	-	24 hours after last spray	24 hours after each spray
ACE CROP SOLUTIONS INC.	COPPER OXYCHLORIDE	DEFEND PRO 50 WP	500 g/kg	WP	FUNGICIDE	4	530-007-4793 (234)	24-Mar-26	-	Citrus	Black spot, anthracnose, scab, rust, fruit rot	5.5-8 tbsps/36L water	-	24 hours after last spray	24 hours after each spray
ACE CROP SOLUTIONS INC.	COPPER OXYCHLORIDE	DEFEND PRO 50 WP	500 g/kg	WP	FUNGICIDE	4	530-007-4793 (234)	24-Mar-26	-	Banana	Sigatoka	5.5-8 tbsps/36L water	-	24 hours after last spray	24 hours after each spray
ACE CROP SOLUTIONS INC.	COPPER OXYCHLORIDE	DEFEND PRO 50 WP	500 g/kg	WP	FUNGICIDE	4	530-007-4793 (234)	24-Mar-26	-	Pepper	Anthracoosis, mildews, blight, fruit rot	5.5-8 tbsps/36L water	-	24 hours after last spray	24 hours after each spray
ACE CROP SOLUTIONS INC.	COPPER OXYCHLORIDE	DEFEND PRO 50 WP	500 g/kg	WP	FUNGICIDE	4	530-007-4793 (234)	24-Mar-26	-	Potato	Early blight, late blight	5.5-8 tbsps/36L water	-	24 hours after last spray	24 hours after each spray
ACE CROP SOLUTIONS INC.	COPPER OXYCHLORIDE	DEFEND PRO 50 WP	500 g/kg	WP	FUNGICIDE	4	530-007-4793 (234)	24-Mar-26	-	Watermelon	Anthracoosis, mildews, alternaria, fruit rot	5.5-8 tbsps/36L water	-	24 hours after last spray	24 hours after each spray
ACE CROP SOLUTIONS INC.	COPPER OXYCHLORIDE	DEFEND PRO 50 WP	500 g/kg	WP	FUNGICIDE	4	530-007-4793 (234)	24-Mar-26	-	Gelery	Mildews, early blight, late blight	5.5-8 tbsps/36L water	-	24 hours after last spray	24 hours after each spray

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
ACE CROP SOLUTIONS INC.	COPPER OXYCHLORIDE	DEFEND PRO 50 WP	500g/kg	WP	FUNGICIDE	4	530-007-4793 (234)	24-Mar-26	-	Crucifers	Midewes, cercospora alternaria	5.5-8 tbsps/16L water	-	24 hours after last spray	24 hours after each spray
ACE CROP SOLUTIONS INC.	COPPER OXYCHLORIDE	DEFEND PRO 50 WP	500 g/kg	WP	FUNGICIDE	4	530-007-4793 (234)	24-Mar-26	-	Carrot	Alternaria, cercospora	5.5-8 tbsps/16L water	-	24 hours after last spray	24 hours after each spray
ACE CROP SOLUTIONS INC.	COPPER OXYCHLORIDE	DEFEND PRO 50 WP	500g/kg	WP	FUNGICIDE	4	530-007-4793 (234)	24-Mar-26	-	Meiion	Midew, cercospora, alternaria, anthracnose	5.5-8 tbsps/16L water	-	24 hours after last spray	24 hours after each spray
GOLDEN FARMERS AGRI PRODUCT CORPORATION	CYPERMETHRIN	DEFEAT 5 EC	50g/L	EC	INSECTICIDE	4	603-037-4221	09-Jan-24	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water	-	Do not spray DEFEAT 5 EC 7 days before harvest	Entry to field treated with DEFEAT 5 EC can be done as soon as spray deposits dry
GOLDEN FARMERS AGRI PRODUCT CORPORATION	CYPERMETHRIN	DEFEAT 5 EC	50g/L	EC	INSECTICIDE	4	603-037-4221	09-Jan-24	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leafhopper, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water	-	Do not spray DEFEAT 5 EC 7 days before harvest	Entry to field treated with DEFEAT 5 EC can be done as soon as spray deposits dry
GOLDEN FARMERS AGRI PRODUCT CORPORATION	CYPERMETHRIN	DEFEAT 5 EC	50g/L	EC	INSECTICIDE	4	603-037-4221	09-Jan-24	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	-	Do not spray DEFEAT 5 EC 7 days before harvest	Entry to field treated with DEFEAT 5 EC can be done as soon as spray deposits dry
GOLDEN FARMERS AGRI PRODUCT CORPORATION	CYPERMETHRIN	DEFEAT 5 EC	50g/L	EC	INSECTICIDE	4	603-037-4221	09-Jan-24	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	-	Do not spray DEFEAT 5 EC 7 days before harvest	Entry to field treated with DEFEAT 5 EC can be done as soon as spray deposits dry
GOLDEN FARMERS AGRI PRODUCT CORPORATION	CYPERMETHRIN	DEFEAT 5 EC	50g/L	EC	INSECTICIDE	4	603-037-4221	09-Jan-24	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	-	Do not spray DEFEAT 5 EC 7 days before harvest	Entry to field treated with DEFEAT 5 EC can be done as soon as spray deposits dry
GOLDEN FARMERS AGRI PRODUCT CORPORATION	CYPERMETHRIN	DEFEAT 5 EC	50g/L	EC	INSECTICIDE	4	603-037-4221	09-Jan-24	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	-	Do not spray DEFEAT 5 EC 7 days before harvest	Entry to field treated with DEFEAT 5 EC can be done as soon as spray deposits dry
GOLDEN FARMERS AGRI PRODUCT CORPORATION	CYPERMETHRIN	DEFEAT 5 EC	50g/L	EC	INSECTICIDE	4	603-037-4221	09-Jan-24	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	Do not spray DEFEAT 5 EC 7 days before harvest	Entry to field treated with DEFEAT 5 EC can be done as soon as spray deposits dry
GOLDEN FARMERS AGRI PRODUCT CORPORATION	CYPERMETHRIN	DEFEAT 5 EC	50g/L	EC	INSECTICIDE	4	603-037-4221	09-Jan-24	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	-	Do not spray DEFEAT 5 EC 7 days before harvest	Entry to field treated with DEFEAT 5 EC can be done as soon as spray deposits dry
GOLDEN FARMERS AGRI PRODUCT CORPORATION	CYPERMETHRIN	DEFEAT 5 EC	50g/L	EC	INSECTICIDE	4	603-037-4221	09-Jan-24	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	Do not spray DEFEAT 5 EC 7 days before harvest	Entry to field treated with DEFEAT 5 EC can be done as soon as spray deposits dry
GOLDEN FARMERS AGRI PRODUCT CORPORATION	CYPERMETHRIN	DEFEAT 5 EC	50g/L	EC	INSECTICIDE	4	603-037-4221	09-Jan-24	CONTACT	Tobacco	Bulworn, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-	Do not spray DEFEAT 5 EC 7 days before harvest	Entry to field treated with DEFEAT 5 EC can be done as soon as spray deposits dry
GOLDEN FARMERS AGRI PRODUCT CORPORATION	CYPERMETHRIN	DEFEAT 5 EC	50g/L	EC	INSECTICIDE	4	603-037-4221	09-Jan-24	CONTACT	Corn	Comborer, earworm	1.0-4.5 Tbsp/16 L water	-	Do not spray DEFEAT 5 EC 7 days before harvest	Entry to field treated with DEFEAT 5 EC can be done as soon as spray deposits dry
TAIPAN BRAND FARM INC.	DIFENOCANAZOLE	DEF CON 25 EC	250g/L	EC	FUNGICIDE	4	529-272-3511	24-Aug-18	SYSTEMIC	Banana	Black Sigatoka	0.30-0.40 L prod/ha	-		
TAIPAN BRAND FARM INC.	DIFENOCANAZOLE	DEF CON 25 EC	250g/L	EC	FUNGICIDE	4	529-272-3511	24-Aug-18	SYSTEMIC	Mango	Anthraxnose	0.529-0.88 L/ha	-		
TAIPAN BRAND FARM INC.	DIFENOCANAZOLE	DEF CON 25 EC	250g/L	EC	FUNGICIDE	4	529-272-3511	24-Aug-18	SYSTEMIC	Rice	Sheath Blight	0.25-0.30 L/ha	-		
TAIPAN BRAND FARM INC.	DIFENOCANAZOLE	DEF CON 25 EC	250g/L	EC	FUNGICIDE	4	529-272-3511	24-Aug-18	SYSTEMIC	Stringbeans	Leaf spot	0.20-0.30 L/ha	-		
TAIPAN BRAND FARM INC.	DIFENOCANAZOLE	DEF CON 25 EC	250g/L	EC	FUNGICIDE	4	529-272-3511	24-Aug-18	SYSTEMIC	Eggplant	Leaf Spot	0.20-0.30 L/ha	-		
TAIPAN BRAND FARM INC.	DIFENOCANAZOLE	DEF CON 25 EC	250g/L	EC	FUNGICIDE	4	529-272-3511	24-Aug-18	SYSTEMIC	Tomato	Alternaria leaf spot, cercospora leaf mold, powdery mildew	0.20-0.30 L/ha	-		
TAIPAN BRAND FARM INC.	DIFENOCANAZOLE	DEF CON 25 EC	250g/L	EC	FUNGICIDE	4	529-272-3511	24-Aug-18	SYSTEMIC	Cabbage	Ringspot, alternaria	0.20-0.30 L/ha	-		
TAIPAN BRAND FARM INC.	DIFENOCANAZOLE	DEF CON 25 EC	250g/L	EC	FUNGICIDE	4	529-272-3511	24-Aug-18	SYSTEMIC	Onion	Purple blotch	0.40-0.50 L/ha	-		
TAIPAN BRAND FARM INC.	DIFENOCANAZOLE	DEF CON 25 EC	250g/L	EC	FUNGICIDE	4	529-272-3511	24-Aug-18	SYSTEMIC	Asparagus	Stem and leaf blight	0.36 L/ha	-		
TAIPAN BRAND FARM INC.	DIFENOCANAZOLE	DEF CON 25 EC	250g/L	EC	FUNGICIDE	4	529-272-3511	24-Aug-18	SYSTEMIC				-		Re-enter treated area only after spray has dried
TWIN BAMBOO CORPORATION	ABAMECTIN	DEEH STRESS 1.8 EC	18 g/L	EC	INSECTICIDE	2	526-234-6372	24-Jul-24	-	Banana	Banana flower thrips	4.5 L water, 0.5 L water	-		Re-enter treated area only after spray has dried
TWIN BAMBOO CORPORATION	ABAMECTIN	DEEH STRESS 1.8 EC	18 g/L	EC	INSECTICIDE	2	526-234-6372	24-Jul-24	-	Cabbage	Diamond back moth	1000 mL prod/ha	-	7 days	Re-enter treated area only after spray has dried
TWIN BAMBOO CORPORATION	ABAMECTIN	DEEH STRESS 1.8 EC	18 g/L	EC	INSECTICIDE	2	526-234-6372	24-Jul-24	-	Ornamentals	Mites	30-25 mL/16L, 1.0-1.5 Tbsp/16L water	-		Re-enter treated area only after spray has dried
TWIN BAMBOO CORPORATION	ABAMECTIN	DEEH STRESS 1.8 EC	18 g/L	EC	INSECTICIDE	2	526-234-6372	24-Jul-24	-	Pineapple	Mites	1000-4000 mL prod./ha	-		Re-enter treated area only after spray has dried
TWIN BAMBOO CORPORATION	ABAMECTIN	DEEH STRESS 1.8 EC	18 g/L	EC	INSECTICIDE	2	526-234-6372	24-Jul-24	-	Eggplant	Thrips, leafhopper, fruit and shoot borer	500-1500 mL prod./ha, 1 water, 1500 mL prod./ha	-	3 days	Re-enter treated area only after spray has dried
TWIN BAMBOO CORPORATION	ABAMECTIN	DEEH STRESS 1.8 EC	18 g/L	EC	INSECTICIDE	2	526-234-6372	24-Jul-24	-	Onion	Leafminer, thrips	500-1000 mL prod./ha, 2.0-3.0 Tbsp/18 water	-	3 days	Re-enter treated area only after spray has dried
TWIN BAMBOO CORPORATION	ABAMECTIN	DEEH STRESS 1.8 EC	18 g/L	EC	INSECTICIDE	2	526-234-6372	24-Jul-24	-	Potato	Leafminer, thrips	500-1000 mL prod./ha, 2.0-3.0 Tbsp/18 water	-	14 days	Re-enter treated area only after spray has dried
TWIN BAMBOO CORPORATION	ABAMECTIN	DEEH STRESS 1.8 EC	18 g/L	EC	INSECTICIDE	2	526-234-6372	24-Jul-24	-	Tomato	Leafminer, thrips, aphids	500-1000 mL prod./ha, 2.0-3.0 Tbsp/18 water	-	3 days	Re-enter treated area only after spray has dried
TWIN BAMBOO CORPORATION	ABAMECTIN	DEEH STRESS 1.8 EC	18 g/L	EC	INSECTICIDE	2	526-234-6372	24-Jul-24	-	Watermelon	Leafminer, thrips, melonworm	500-1000 mL prod./ha, 50-1000 mL prod./ha	-	3 days	Re-enter treated area only after spray has dried
TWIN BAMBOO CORPORATION	ABAMECTIN	DEEH STRESS 1.8 EC	18 g/L	EC	INSECTICIDE	2	526-234-6372	24-Jul-24	-	Papaya	Mites	150-400 mL prod./ha, 0.5-1.0 Tbsp/16L water	-	14 days	Re-enter treated area only after spray has dried
TWIN BAMBOO CORPORATION	ABAMECTIN	DEEH STRESS 1.8 EC	18 g/L	EC	INSECTICIDE	2	526-234-6372	24-Jul-24	-	Strawberry	Mites	400-1200 mL prod./ha, 2.0-4.0 Tbsp/16L water	-	3 days	Re-enter treated area only after spray has dried
UNIVERSAL HARVESTER INC.	LAMBDA-CYHALOTHIN	DEOPLUX 2.5 EC	25 g/L	EC	INSECTICIDE	2	606-204-4271	05-Mar-21	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leafroller, black bug	1.0-1.5 Tbsp/16 L of water	0.05ppm	Do not spray 3 Days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
UNIVERSAL HARVESTER INC.	LAMBDA-CYHALOTHIN	DEOPLUX 2.5 EC	25 g/L	EC	INSECTICIDE	2	606-204-4271	05-Mar-21	SYSTEMIC	Mango	Hoppers	0.75-1.5 Tbsp/16 L of water	-	Do not spray 3 Days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
UNIVERSAL HARVESTER INC.	LAMBDA-CYHALOTHIN	DEOPLUX 2.5 EC	25 g/L	EC	INSECTICIDE	2	606-204-4271	05-Mar-21	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5 Tbsp/16 L of water	-	Do not spray 3 Days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
UNIVERSAL HARVESTER INC.	LAMBDA-CYHALOTHIN	DEOPLUX 2.5 EC	25 g/L	EC	INSECTICIDE	2	606-204-4271	05-Mar-21	SYSTEMIC	Onion	Thrips, cutworm	1.0 Tbsp/16 L of water	-	Do not spray 3 Days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
UNIVERSAL HARVESTER INC.	LAMBDA-CYHALOTHIN	DEOPLUX 2.5 EC	25 g/L	EC	INSECTICIDE	2	606-204-4271	05-Mar-21	SYSTEMIC	Mungbeans	Beanfly, flea beetle, leafhopper, aphids, mites, podborer	1.0 Tbsp/16 L of water	-	Do not spray 3 Days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
UNIVERSAL HARVESTER INC.	LAMBDA-CYHALOTHIN	DEOPLUX 2.5 EC	25 g/L	EC	INSECTICIDE	2	606-204-4271	05-Mar-21	SYSTEMIC	Corn	Comborer, aphids, seedling maggots	1.0-1.5 Tbsp/16 L of water	-	Do not spray 3 Days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
UNIVERSAL HARVESTER INC.	LAMBDA-CYHALOTHIN	DEOPLUX 2.5 EC	25 g/L	EC	INSECTICIDE	2	606-204-4271	05-Mar-21	SYSTEMIC	Tobacco	Bulworn, Cutworm, aphids, katydids	1.0-1.5 Tbsp/16 L of water	-	Do not spray 3 Days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
UNIVERSAL HARVESTER INC.	LAMBDA-CYHALOTHIN	DEOPLUX 2.5 EC	25 g/L	EC	INSECTICIDE	2	606-204-4271	05-Mar-21	SYSTEMIC	Cotton	Bollworm	1.0-1.5 Tbsp/16 L of water	-	Do not spray 3 Days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
UNIVERSAL HARVESTER INC.	LAMBDA-CYHALOTHIN	DEOPLUX 2.5 EC	25 g/L	EC	INSECTICIDE	2	606-204-4271	05-Mar-21	SYSTEMIC	Cocoa	Podborer	1.0-2.0 Tbsp/16 L of water	-	Do not spray 3 Days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
UNIVERSAL HARVESTER INC.	LAMBDA-CYHALOTHIN	DEOPLUX 2.5 EC	25 g/L	EC	INSECTICIDE	2	606-204-4271	05-Mar-21	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0 Tbsp/16 L of water	-	Do not spray 3 Days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
CHEMREZ TECHNOLOGIES, INC.	NILCOSULFONE ETHANOLAMINE SALT	DEKOL 70 WP	850g/kg	WP	MOLLUSCICIDE	4	529-229-5386	26-May-26	-	Rice	Golden apple snail	1 sachet/35gml/hankload (16L)	-		
EZERTECH CORPORATION	DIFENOCANAZOLE	DECORA 250 EC	250 g/L	EC	FUNGICIDE	4	648-272-6017	6-Feb-26	SYSTEMIC	Asparagus	Stem and leaf blight	0.36 L prod./ha	-	7 days	-
EZERTECH CORPORATION	DIFENOCANAZOLE	DECORA 250 EC	250 g/L	EC	FUNGICIDE	4	648-272-6017	6-Feb-26	SYSTEMIC	Banana	Black sigatoka	0.30-0.40 L prod./ha	-		
EZERTECH CORPORATION	DIFENOCANAZOLE	DECORA 250 EC	250 g/L	EC	FUNGICIDE	4	648-272-6017	6-Feb-26	SYSTEMIC	Cabbage	Alternaria leafspot and ring spot	0.20-0.25 L prod./ha	-	7 days	-
EZERTECH CORPORATION	DIFENOCANAZOLE	DECORA 250 EC	250 g/L	EC	FUNGICIDE	4	648-272-6017	6-Feb-26	SYSTEMIC	Eggplant	Leaf spot	0.20-0.25 L prod./ha	-	7 days	-
EZERTECH CORPORATION	DIFENOCANAZOLE	DECORA 250 EC	250 g/L	EC	FUNGICIDE	4	648-272-6017	6-Feb-26	SYSTEMIC	Mango	Anthraxnose	0.529-0.880 L prod./ha	-	14 days	-
EZERTECH CORPORATION	DIFENOCANAZOLE	DECORA 250 EC	250 g/L	EC	FUNGICIDE	4	648-272-6017	6-Feb-26	SYSTEMIC	Onion	Purple blotch	0.40-0.50 L prod./ha	-	-	-
EZERTECH CORPORATION	DIFENOCANAZOLE	DECORA 250 EC	250 g/L	EC	FUNGICIDE	4	648-272-6017	6-Feb-26	SYSTEMIC	Rice	Sheath blight	0.25-0.30 L prod./ha	-	7 days	-
EZERTECH CORPORATION	DIFENOCANAZOLE	DECORA 250 EC	250 g/L	EC	FUNGICIDE	4	648-272-6017	6-Feb-26	SYSTEMIC	Stringbeans	Leaf spot	0.20-0.25 L prod./ha	-	7 days	-
EZERTECH CORPORATION	DIFENOCANAZOLE	DECORA 250 EC	250 g/L	EC	FUNGICIDE	4	648-272-6017	6-Feb-26	SYSTEMIC	Tomato	Alternaria leaf spot, cercospora leaf mold, powdery mildew	0.40 L prod./ha	-	7 days	-
BAYER CROSCIENCE, INC.	DELTAMETHRIN	DECS 2.5 EC	25 g/L	EC	INSECTICIDE	4	284-080-0124	26-Dec-25	-	Mango	Hopper, Tip borer, twig borer	0.75-1.0 Tbsp/16L water	-	24 hours after last spray	24 hours after each spray
BAYER CROSCIENCE, INC.	DELTAMETHRIN	DECS 2.5 EC	25 g/L	EC	INSECTICIDE	4	284-080-0124	26-Dec-25	-	Cabbage & other crucifers	Diamond-back moth, cabbage moth, cabbage worm	0.1 Tbsp/16L water	-	24 hours after last spray	24 hours after each spray

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
BAYER CROPSCIENCE, INC.	DELTAMETHRIN	DECS 2.5 EC	25 g/L	EC	INSECTICIDE	4	284-085-0124	26-Dec-25	-	Tobacco	Budworm, armyworm, cutworm	0.8-1.0 Tbsp/36L water	-	24 hours after last spray	24 hours after each spray
BAYER CROPSCIENCE, INC.	DELTAMETHRIN	DECS 2.5 EC	25 g/L	EC	INSECTICIDE	4	284-085-0124	26-Dec-25	-	Beans	Flea beetle, beanfly, bugs, thrips, cutworm, armyworm	0.8-1.0 Tbsp/36L water	-	24 hours after last spray	24 hours after each spray
BAYER CROPSCIENCE, INC.	DELTAMETHRIN	DECS 2.5 EC	25 g/L	EC	INSECTICIDE	4	284-085-0124	26-Dec-25	-	Soybeans	Flea beetle, beanfly, bugs, thrips, cutworm, armyworm	0.8-1.0 Tbsp/36L water	-	24 hours after last spray	24 hours after each spray
BAYER CROPSCIENCE, INC.	DELTAMETHRIN	DECS 2.5 EC	25 g/L	EC	INSECTICIDE	4	284-085-0124	26-Dec-25	-	Tomato	Fruitworm (heliothis)	0.8-1.0 Tbsp/36L water	-	24 hours after last spray	24 hours after each spray
BAYER CROPSCIENCE, INC.	DELTAMETHRIN	DECS 2.5 EC	25 g/L	EC	INSECTICIDE	4	284-085-0124	26-Dec-25	-	Corn	Corn borer, corn earworm, seedling maggots	0.1 Tbsp/36L water	-	24 hours after last spray	24 hours after each spray
BAYER CROPSCIENCE, INC.	DELTAMETHRIN	DECS 2.5 EC	25 g/L	EC	INSECTICIDE	4	284-085-0124	26-Dec-25	-	Eggplant	Thrips, flea beetle, fruitworm	0.1 Tbsp/36L water	-	24 hours after last spray	24 hours after each spray
BAYER CROPSCIENCE, INC.	DELTAMETHRIN	DECS 2.5 EC	25 g/L	EC	INSECTICIDE	4	284-085-0124	26-Dec-25	-	Cotton	Leafhopper, bollworm, weevil	0.8-1.0 Tbsp/36L water	-	24 hours after last spray	24 hours after each spray
BAYER CROPSCIENCE, INC.	DELTAMETHRIN	DECS 2.5 EC	25 g/L	EC	INSECTICIDE	4	284-085-0124	26-Dec-25	-	Rice	Whorl maggot, green leafhopper, stemborer, ricebug, rice black bug, caseworm	8-30 ml/36 L water	1.0ppm	24 hours after last spray	24 hours after each spray
BAYER CROPSCIENCE, INC.	DELTAMETHRIN	DECS 2.5 EC	25 g/L	EC	INSECTICIDE	4	284-085-0124	26-Dec-25	-	Cacao	Podborer, aphids	0.1 Tbsp/36L water	-	24 hours after last spray	24 hours after each spray
MONARCH AGRICULTURAL PRODUCTS, INC.	DELTAMETHRIN	DECMATE 2.5 EC	25 g/L	EC	INSECTICIDE	4	096-085-1136	30-Nov-19	-	Mango	Hopper, tip borer, twig borer	0.75-1.0 Tbsp/36L water	-	24 hours after last spray	24 hours after each spray
MONARCH AGRICULTURAL PRODUCTS, INC.	DELTAMETHRIN	DECMATE 2.5 EC	25 g/L	EC	INSECTICIDE	4	096-085-1136	30-Nov-19	-	Cabbage & other crucifers	Diamond-back moth, cabbage moth, cabbage worm	0.1 Tbsp/36L water	-	24 hours after last spray	24 hours after each spray
MONARCH AGRICULTURAL PRODUCTS, INC.	DELTAMETHRIN	DECMATE 2.5 EC	25 g/L	EC	INSECTICIDE	4	096-085-1136	30-Nov-19	-	Tobacco	Budworm, armyworm, cutworm	0.8-1.0 Tbsp/36L water	-	24 hours after last spray	24 hours after each spray
MONARCH AGRICULTURAL PRODUCTS, INC.	DELTAMETHRIN	DECMATE 2.5 EC	25 g/L	EC	INSECTICIDE	4	096-085-1136	30-Nov-19	-	Beans	Flea beetle, beanfly, bugs, thrips, cutworm, armyworm	0.8-1.0 Tbsp/36L water	-	24 hours after last spray	24 hours after each spray
MONARCH AGRICULTURAL PRODUCTS, INC.	DELTAMETHRIN	DECMATE 2.5 EC	25 g/L	EC	INSECTICIDE	4	096-085-1136	30-Nov-19	-	Soybeans	Flea beetle, beanfly, bugs, thrips, cutworm, armyworm	0.8-1.0 Tbsp/36L water	-	24 hours after last spray	24 hours after each spray
MONARCH AGRICULTURAL PRODUCTS, INC.	DELTAMETHRIN	DECMATE 2.5 EC	25 g/L	EC	INSECTICIDE	4	096-085-1136	30-Nov-19	-	Tomato	Fruitworm (heliothis)	0.8-1.0 Tbsp/36L water	-	24 hours after last spray	24 hours after each spray
MONARCH AGRICULTURAL PRODUCTS, INC.	DELTAMETHRIN	DECMATE 2.5 EC	25 g/L	EC	INSECTICIDE	4	096-085-1136	30-Nov-19	-	Corn	Corn borer, corn earworm, seedling maggots	0.1 Tbsp/36L water	-	24 hours after last spray	24 hours after each spray
MONARCH AGRICULTURAL PRODUCTS, INC.	DELTAMETHRIN	DECMATE 2.5 EC	25 g/L	EC	INSECTICIDE	4	096-085-1136	30-Nov-19	-	Eggplant	Thrips, flea beetle, fruitworm	0.1 Tbsp/36L water	-	24 hours after last spray	24 hours after each spray
MONARCH AGRICULTURAL PRODUCTS, INC.	DELTAMETHRIN	DECMATE 2.5 EC	25 g/L	EC	INSECTICIDE	4	096-085-1136	30-Nov-19	-	Cotton	Leafhopper, bollworm, weevil	0.8-1.0 Tbsp/36L water	-	24 hours after last spray	24 hours after each spray
MONARCH AGRICULTURAL PRODUCTS, INC.	DELTAMETHRIN	DECMATE 2.5 EC	25 g/L	EC	INSECTICIDE	4	096-085-1136	30-Nov-19	-	Agricultural crops	Locusts nymphs/ Locusts-adult	1.0-1.5" 1.0 Tbsp/ 36L water	-	24 hours after last spray	24 hours after each spray
MONARCH AGRICULTURAL PRODUCTS, INC.	DELTAMETHRIN	DECMATE 2.5 EC	25 g/L	EC	INSECTICIDE	4	096-085-1136	30-Nov-19	-	Cacao	Podborer, aphids	0.1 Tbsp/36L water	-	24 hours after last spray	24 hours after each spray
ELITE AGROCHEMICALS INC.	FLUAZIFOP-P-BUTYL	DECODE 15 EC	150 g/L	EC	HERBICIDE	4	719-212-6348	31-Jan-24	SELECTIVE/SYSTEMIC	Banana	Grass, itch grass, goose grass, sour parpalum, jungle rice, crabgrass, and crowfoot grass	30-50 mL/ 36L spray load	-	-	-
ELITE AGROCHEMICALS INC.	FLUAZIFOP-P-BUTYL	DECODE 15 EC	150 g/L	EC	HERBICIDE	4	719-212-6348	31-Jan-24	SELECTIVE/SYSTEMIC	Cacao	Grass, itch grass, goose grass, sour parpalum, jungle rice, crabgrass, and crowfoot grass	30-50 mL/ 36L spray load	-	-	-
ELITE AGROCHEMICALS INC.	FLUAZIFOP-P-BUTYL	DECODE 15 EC	150 g/L	EC	HERBICIDE	4	719-212-6348	31-Jan-24	SELECTIVE/SYSTEMIC	Coffee	Grass, itch grass, goose grass, sour parpalum, jungle rice, crabgrass, and crowfoot grass	30-50 mL/ 36L spray load	-	-	-
ELITE AGROCHEMICALS INC.	FLUAZIFOP-P-BUTYL	DECODE 15 EC	150 g/L	EC	HERBICIDE	4	719-212-6348	31-Jan-24	SELECTIVE/SYSTEMIC	Citrus	Grass, itch grass, goose grass, sour parpalum, jungle rice, crabgrass, and crowfoot grass	30-50 mL/ 36L spray load	-	-	-
ELITE AGROCHEMICALS INC.	FLUAZIFOP-P-BUTYL	DECODE 15 EC	150 g/L	EC	HERBICIDE	4	719-212-6348	31-Jan-24	SELECTIVE/SYSTEMIC	Cotton	Grass, itch grass, goose grass, sour parpalum, jungle rice, crabgrass, and crowfoot grass	30-50 mL/ 36L spray load	-	-	-
ELITE AGROCHEMICALS INC.	FLUAZIFOP-P-BUTYL	DECODE 15 EC	150 g/L	EC	HERBICIDE	4	719-212-6348	31-Jan-24	SELECTIVE/SYSTEMIC	Oil palm	Grass, itch grass, goose grass, sour parpalum, jungle rice, crabgrass, and crowfoot grass	30-50 mL/ 36L spray load	-	-	-
ELITE AGROCHEMICALS INC.	FLUAZIFOP-P-BUTYL	DECODE 15 EC	150 g/L	EC	HERBICIDE	4	719-212-6348	31-Jan-24	SELECTIVE/SYSTEMIC	Onion	Grass, itch grass, goose grass, sour parpalum, jungle rice, crabgrass, and crowfoot grass	30-50 mL/ 36L spray load	-	-	-
ELITE AGROCHEMICALS INC.	FLUAZIFOP-P-BUTYL	DECODE 15 EC	150 g/L	EC	HERBICIDE	4	719-212-6348	31-Jan-24	SELECTIVE/SYSTEMIC	Pineapple	Grass, itch grass, goose grass, sour parpalum, jungle rice, crabgrass, and crowfoot grass	30-50 mL/ 36L spray load	-	-	-
ELITE AGROCHEMICALS INC.	FLUAZIFOP-P-BUTYL	DECODE 15 EC	150 g/L	EC	HERBICIDE	4	719-212-6348	31-Jan-24	SELECTIVE/SYSTEMIC	Ramie	Grass, itch grass, goose grass, sour parpalum, jungle rice, crabgrass, and crowfoot grass	30-50 mL/ 36L spray load	-	-	-
ELITE AGROCHEMICALS INC.	FLUAZIFOP-P-BUTYL	DECODE 15 EC	150 g/L	EC	HERBICIDE	4	719-212-6348	31-Jan-24	SELECTIVE/SYSTEMIC	Rubber	Grass, itch grass, goose grass, sour parpalum, jungle rice, crabgrass, and crowfoot grass	30-50 mL/ 36L spray load	-	-	-
ELITE AGROCHEMICALS INC.	FLUAZIFOP-P-BUTYL	DECODE 15 EC	150 g/L	EC	HERBICIDE	4	719-212-6348	31-Jan-24	SELECTIVE/SYSTEMIC	Soybeans	Grass, itch grass, goose grass, sour parpalum, jungle rice, crabgrass, and crowfoot grass	30-50 mL/ 36L spray load	-	-	-
ELITE AGROCHEMICALS INC.	FLUAZIFOP-P-BUTYL	DECODE 15 EC	150 g/L	EC	HERBICIDE	4	719-212-6348	31-Jan-24	SELECTIVE/SYSTEMIC	Tomato	Grass, itch grass, goose grass, sour parpalum, jungle rice, crabgrass, and crowfoot grass	30-50 mL/ 36L spray load	-	-	-
GENTRADEPHIL INC.	DIAZINON	DECA 600 EC	600 g/L	EC	INSECTICIDE	2	660-034-5306	12-Nov-25	-	Rice	Whorl maggot, stemborer, leaf folder, planthopper, rice bug	2.5-3.5 Tbsp/36L Water	-	14 Days	Soon as spray has dried.
GENTRADEPHIL INC.	DIAZINON	DECA 600 EC	600 g/L	EC	INSECTICIDE	2	660-034-5306	12-Nov-25	-	Corn	Comborer, earworm, aphids, silk beetle	2.5-3.5 Tbsp/36L Water	-	14 Days	Soon as spray has dried.
GENTRADEPHIL INC.	DIAZINON	DECA 600 EC	600 g/L	EC	INSECTICIDE	2	660-034-5306	12-Nov-25	-	Beans	Cutworm, pod borer, aphids, flea beetle	2.5-3.5 Tbsp/36L Water	-	14 Days	Soon as spray has dried.
GENTRADEPHIL INC.	DIAZINON	DECA 600 EC	600 g/L	EC	INSECTICIDE	2	660-034-5306	12-Nov-25	-	Cowpea	Aphids, cutworm, grasshopper	2.5-3.5 Tbsp/36L Water	-	14 Days	Soon as spray has dried.
GENTRADEPHIL INC.	DIAZINON	DECA 600 EC	600 g/L	EC	INSECTICIDE	2	660-034-5306	12-Nov-25	-	Soybeans	Cutworm, aphids, stink bug, grasshopper	2.5-3.5 Tbsp/36L Water	-	14 Days	Soon as spray has dried.
GENTRADEPHIL INC.	DIAZINON	DECA 600 EC	600 g/L	EC	INSECTICIDE	2	660-034-5306	12-Nov-25	-	Pineapple	Mealy bug	2.5-3.5 Tbsp/36L Water	-	14 Days	Soon as spray has dried.
GENTRADEPHIL INC.	DIAZINON	DECA 600 EC	600 g/L	EC	INSECTICIDE	2	660-034-5306	12-Nov-25	-	Cotton	Katydid, grasshopper, cutworm, mites	2.5-3.5 Tbsp/36L Water	-	14 Days	Soon as spray has dried.
GENTRADEPHIL INC.	DIAZINON	DECA 600 EC	600 g/L	EC	INSECTICIDE	2	660-034-5306	12-Nov-25	-	Tobacco	Budworm, aphids, flea beetle, armyworm	2.5-3.5 Tbsp/36L Water	-	14 Days	Soon as spray has dried.
GENTRADEPHIL INC.	DIAZINON	DECA 600 EC	600 g/L	EC	INSECTICIDE	2	660-034-5306	12-Nov-25	-	White potato	Aphids, leaf folder, cutworm	2.5-3.5 Tbsp/36L Water	-	14 Days	Soon as spray has dried.
GENTRADEPHIL INC.	DIAZINON	DECA 600 EC	600 g/L	EC	INSECTICIDE	2	660-034-5306	12-Nov-25	-	Citrus	Mites, aphids, stink bug	2.5-3.5 Tbsp/36L Water	-	14 Days	Soon as spray has dried.
GENTRADEPHIL INC.	DIAZINON	DECA 600 EC	600 g/L	EC	INSECTICIDE	2	660-034-5306	12-Nov-25	-	Banana	Thrips, mealy bug, leaf folder	2.5-3.5 Tbsp/36L Water	-	14 Days	Soon as spray has dried.
GENTRADEPHIL INC.	DIAZINON	DECA 600 EC	600 g/L	EC	INSECTICIDE	2	660-034-5306	12-Nov-25	-	Mango	Hopper, tip borer	2.5-3.5 Tbsp/36L Water	-	14 Days	Soon as spray has dried.
PRIMSTOCKS CHEMICAL CORPORATION	CYPERMETHRIN	DEATH BUG 5 EC	50 g/L	EC	INSECTICIDE	4	623-037-4604	07-May-24	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
PRIMSTOCKS CHEMICAL CORPORATION	CYPERMETHRIN	DEATH BUG 5 EC	50 g/L	EC	INSECTICIDE	4	623-037-4604	07-May-24	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leafhoppers, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
PRIMSTOCKS CHEMICAL CORPORATION	CYPERMETHRIN	DEATH BUG 5 EC	50 g/L	EC	INSECTICIDE	4	623-037-4604	07-May-24	CONTACT	Cabbage	Diamond-back-moth, cabbage moth, worm	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
PRIMSTOCKS CHEMICAL CORPORATION	CYPERMETHRIN	DEATH BUG 5 EC	50 g/L	EC	INSECTICIDE	4	623-037-4604	07-May-24	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
PRIMSTOCKS CHEMICAL CORPORATION	CYPERMETHRIN	DEATH BUG 5 EC	50 g/L	EC	INSECTICIDE	4	623-037-4604	07-May-24	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
PRIMSTOCKS CHEMICAL CORPORATION	CYPERMETHRIN	DEATH BUG 5 EC	50 g/L	EC	INSECTICIDE	4	623-037-4604	07-May-24	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
PRIMSTOCKS CHEMICAL CORPORATION	CYPERMETHRIN	DEATH BUG 5 EC	50 g/L	EC	INSECTICIDE	4	623-037-4604	07-May-24	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
PRIMSTOCKS CHEMICAL CORPORATION	CYPERMETHRIN	DEATH BUG 5 EC	50 g/L	EC	INSECTICIDE	4	623-037-4604	07-May-24	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
PRIMSTOCKS CHEMICAL CORPORATION	CYPERMETHRIN	DEATH BUG 5 EC	50 g/L	EC	INSECTICIDE	4	623-037-4604	07-May-24	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
PRIMSTOCKS CHEMICAL CORPORATION	CYPERMETHRIN	DEATH BUG 5 EC	50 g/L	EC	INSECTICIDE	4	623-037-4604	07-May-24	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
PRIMSTOCKS CHEMICAL CORPORATION	CYPERMETHRIN	DEATH BUG 5 EC	50 g/L	EC	INSECTICIDE	4	623-037-4604	07-May-24	CONTACT	Corn	Comborer, earworm	1.0-4.5 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
TROPICURE, INC.	CYPERMETHRIN	DEAL 5 EC	50 g/L	EC	INSECTICIDE	4	091-037-1419	27-Jun-25	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)		PHI	RE-ENTRY PERIOD
TROPICURE, INC.	CYPERMETHRIN	DEAL 5 EC	50 g/L	EC	INSECTICIDE	4	091-037-1419	27-Jun-25	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leafhopper, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water	-	7 Days		Re-entry to treated field is allowed as soon as spray deposit dries
TROPICURE, INC.	CYPERMETHRIN	DEAL 5 EC	50 g/L	EC	INSECTICIDE	4	091-037-1419	27-Jun-25	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	2.0-3.0 Tbsp/16 L water	-	7 Days		Re-entry to treated field is allowed as soon as spray deposit dries
TROPICURE, INC.	CYPERMETHRIN	DEAL 5 EC	50 g/L	EC	INSECTICIDE	4	091-037-1419	27-Jun-25	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days		Re-entry to treated field is allowed as soon as spray deposit dries
TROPICURE, INC.	CYPERMETHRIN	DEAL 5 EC	50 g/L	EC	INSECTICIDE	4	091-037-1419	27-Jun-25	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	2.0-3.0 Tbsp/16 L water	-	7 Days		Re-entry to treated field is allowed as soon as spray deposit dries
TROPICURE, INC.	CYPERMETHRIN	DEAL 5 EC	50 g/L	EC	INSECTICIDE	4	091-037-1419	27-Jun-25	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days		Re-entry to treated field is allowed as soon as spray deposit dries
TROPICURE, INC.	CYPERMETHRIN	DEAL 5 EC	50 g/L	EC	INSECTICIDE	4	091-037-1419	27-Jun-25	CONTACT	Onion	Thrips, cutworm	3.0-3.0 Tbsp/16 L water	-	7 Days		Re-entry to treated field is allowed as soon as spray deposit dries
TROPICURE, INC.	CYPERMETHRIN	DEAL 5 EC	50 g/L	EC	INSECTICIDE	4	091-037-1419	27-Jun-25	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	-	7 Days		Re-entry to treated field is allowed as soon as spray deposit dries
TROPICURE, INC.	CYPERMETHRIN	DEAL 5 EC	50 g/L	EC	INSECTICIDE	4	091-037-1419	27-Jun-25	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	7 Days		Re-entry to treated field is allowed as soon as spray deposit dries
TROPICURE, INC.	CYPERMETHRIN	DEAL 5 EC	50 g/L	EC	INSECTICIDE	4	091-037-1419	27-Jun-25	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-	7 Days		Re-entry to treated field is allowed as soon as spray deposit dries
TROPICURE, INC.	CYPERMETHRIN	DEAL 5 EC	50 g/L	EC	INSECTICIDE	4	091-037-1419	27-Jun-25	CONTACT	Corn	Comborer, earworm	1.0-4.5 Tbsp/16 L water	-	7 Days		Re-entry to treated field is allowed as soon as spray deposit dries
VAST AGRO SOLUTIONS, INC.	GLUFOSINATE AMMONIUM	DEADSHOCK 15 SL	150 g/L	SL	HERBICIDE	4	385-182-4963-A	10-Dec-25	NON-SELECTIVE/POST-EMERGENT	Cavendish Banana	Annual and perennial, grass and broad-leaved weeds	160/ml/16 L water; 135-200 ml/26 L water	-	-		After spray deposits have dried
VAST AGRO SOLUTIONS, INC.	GLUFOSINATE AMMONIUM	DEADSHOCK 15 SL	150 g/L	SL	HERBICIDE	4	385-182-4963-A	10-Dec-25	NON-SELECTIVE/POST-EMERGENT	Rubber	Annual and perennial, grass and broad-leaved weeds	250ml/16 L water; 270ml/16 L water; 150ml/26 L water	-	-		After spray deposits have dried
VAST AGRO SOLUTIONS, INC.	GLUFOSINATE AMMONIUM	DEADSHOCK 15 SL	150 g/L	SL	HERBICIDE	4	385-182-4963-A	10-Dec-25	NON-SELECTIVE/POST-EMERGENT	Oil palm	Annual and perennial, grass and broad-leaved weeds	160ml/16 L water; 135ml/16 L water	-	-		After spray deposits have dried
VAST AGRO SOLUTIONS, INC.	GLUFOSINATE AMMONIUM	DEADSHOCK 15 SL	150 g/L	SL	HERBICIDE	4	385-182-4963-A	10-Dec-25	NON-SELECTIVE/POST-EMERGENT	Non-crop areas	Annual and perennial, grass and broad-leaved weeds	300ml-225ml/26 L water	-	-		After spray deposits have dried
AGWAY CHEMICALS CORPORATION	METALDEHYDE	DEADLINE 6N PELLET	60 g/kg	P	MOLLUSCICIDE	4	075-075-4517	20-Sep-24	CONTACT	Rice (Transplanted)	Golden apple snail	2-4 kg/ product per hectare	-	-		Do not enter treated field within 48 Hours after application
AGWAY CHEMICALS CORPORATION	METALDEHYDE	DEADLINE 6N PELLET	60 g/kg	P	MOLLUSCICIDE	4	075-075-4517	20-Sep-24	CONTACT	Rice (Direct seeded)	Golden apple snail	6-8 kg/product per hectare	-	-		Do not enter treated field within 48 Hours after application
AGWAY CHEMICALS CORPORATION	METALDEHYDE	DEADLINE 6N PELLET	60 g/kg	P	MOLLUSCICIDE	4	075-075-4517	20-Sep-24	CONTACT	Potted and driftwood-attached plants such as Chinese Cabbage	Bush, snails, giant african snail and slugs	1-2 kg/product per hectare	-	-		Do not enter treated field within 48 Hours after application
AGWAY CHEMICALS CORPORATION	METALDEHYDE	DEADLINE 6N PELLET	60 g/kg	P	MOLLUSCICIDE	4	075-075-4517	20-Sep-24	CONTACT	Slugs, snails	Slugs, snails	6-8 kg/product per hectare	-	-		Do not enter treated field within 48 Hours after application
AGWAY CHEMICALS CORPORATION	METALDEHYDE	DEADLINE 6N PELLET	60 g/kg	P	MOLLUSCICIDE	4	075-075-4517	20-Sep-24	CONTACT	Strawberry	Slugs, snails	6-8 kg/product per hectare	-	-		Do not enter treated field within 48 Hours after application
BIOSTADT PHILIPPINES INC.	NICLOSMAN ETHANOLAMINE SALT	DEADBOL 70 WP	700 g/kg	WP	MOLLUSCICIDE	4	027-229-1013	23-Feb-25	CONTACT	Rice	Golden Apple Snail (Kuhol)	30-gm/16 L water	-	-		Do not enter the treated field within 48 hours after application
BAYER CROSCIENCE, INC.	CHLOROTHALONIL	DEACON 75 WP	750 g/kg	WP	FUNGICIDE	4	284-118-1672	12-May-23	-	Grapes	Downy mildew, powdery mildew, fruit rot	3.2-4.8 Tbsp/16L water	-	-		Do not enter treatment areas until spray deposit have dried
BAYER CROSCIENCE, INC.	CHLOROTHALONIL	DEACON 75 WP	750 g/kg	WP	FUNGICIDE	4	284-118-1672	12-May-20	-	Potato	Early and late blight, vine rot	3.2-4.8 Tbsp/16L water	-	-		Do not enter treatment areas until spray deposit have dried
BAYER CROSCIENCE, INC.	CHLOROTHALONIL	DEACON 75 WP	750 g/kg	WP	FUNGICIDE	4	284-118-1672	12-May-20	-	Tomato	Early and late blight, vine rot	3.2-4.8 Tbsp/16L water	-	-		Do not enter treatment areas until spray deposit have dried
BAYER CROSCIENCE, INC.	CHLOROTHALONIL	DEACON 75 WP	750 g/kg	WP	FUNGICIDE	4	284-118-1672	12-May-20	-	Banana	Sigatoka, rust, freckles	3.2-4.8 Tbsp/16L water	2.0 mg/kg	-		Do not enter treatment areas until spray deposit have dried
BAYER CROSCIENCE, INC.	CHLOROTHALONIL	DEACON 75 WP	750 g/kg	WP	FUNGICIDE	4	284-118-1672	12-May-20	-	Peas	Rust, anthracnose	3.2-4.8 Tbsp/16L water	-	7 Days		Do not enter treatment areas until spray deposit have dried
BAYER CROSCIENCE, INC.	CHLOROTHALONIL	DEACON 75 WP	750 g/kg	WP	FUNGICIDE	4	284-118-1672	12-May-20	-	Beans	Rust, anthracnose	3.2-4.8 Tbsp/16L water	-	7 Days		Do not enter treatment areas until spray deposit have dried
BAYER CROSCIENCE, INC.	CHLOROTHALONIL	DEACON 75 WP	750 g/kg	WP	FUNGICIDE	4	284-118-1672	12-May-20	-	Citrus	Scab, melanose	3.2-4.8 Tbsp/16L water	-	-		Do not enter treatment areas until spray deposit have dried
BAYER CROSCIENCE, INC.	CHLOROTHALONIL	DEACON 75 WP	750 g/kg	WP	FUNGICIDE	4	284-118-1672	12-May-20	-	Watermelon	Powdery mildew, anthracnose, early and late blight, cercospora leaf spot	3.2-4.8 Tbsp/16L water	-	-		Do not enter treatment areas until spray deposit have dried
BAYER CROSCIENCE, INC.	CHLOROTHALONIL	DEACON 75 WP	750 g/kg	WP	FUNGICIDE	4	284-118-1672	12-May-20	-	Garlic	Purple blotch, bulb rot, neck rot	3.2-4.8 Tbsp/16L water	-	7 Days		Do not enter treatment areas until spray deposit have dried
BAYER CROSCIENCE, INC.	CHLOROTHALONIL	DEACON 75 WP	750 g/kg	WP	FUNGICIDE	4	284-118-1672	12-May-20	-	Onion	Purple blotch, bulb rot, neck rot	3.2-4.8 Tbsp/16L water	-	7 Days		Do not enter treatment areas until spray deposit have dried
BAYER CROSCIENCE, INC.	CHLOROTHALONIL	DEACON 75 WP	750 g/kg	WP	FUNGICIDE	4	284-118-1672	12-May-20	-	Rice	Rice blast, stem rot, helminthosporium leaf spot, cercospora leaf spot, sheath blight	3.2-4.8 Tbsp/16L water	0.1 ppm	14 Days		Do not enter treatment areas until spray deposit have dried
BAYER CROSCIENCE, INC.	CHLOROTHALONIL	DEACON 75 WP	750 g/kg	WP	FUNGICIDE	4	284-118-1672	12-May-20	-	Corn	Helminthosporium leafspot, rust, downy mildew	3.2-4.8 Tbsp/16L water	-	14 Days		Do not enter treatment areas until spray deposit have dried
BAYER CROSCIENCE, INC.	CHLOROTHALONIL	DEACON 75 WP	750 g/kg	WP	FUNGICIDE	4	284-118-1672	12-May-20	-	Celery	late blight	3.2-4.8 Tbsp/16L water	-	7 Days		Do not enter treatment areas until spray deposit have dried
BAYER CROSCIENCE, INC.	CHLOROTHALONIL	DEACON 75 WP	750 g/kg	WP	FUNGICIDE	4	284-118-1672	12-May-20	-	Eggplant	Early and late blight, cercospora, leaf spot	3.2-4.8 Tbsp/16L water	-	-		Do not enter treatment areas until spray deposit have dried
BAYER CROSCIENCE, INC.	CHLOROTHALONIL	DEACON 75 WP	750 g/kg	WP	FUNGICIDE	4	284-118-1672	12-May-20	-	Pepper	Early and late blight, cercospora, leaf spot	3.2-4.8 Tbsp/16L water	-	-		Do not enter treatment areas until spray deposit have dried
BAYER CROSCIENCE, INC.	CHLOROTHALONIL	DEACON 75 WP	750 g/kg	WP	FUNGICIDE	4	284-118-1672	12-May-20	-	Melon	Anthraco, powdery mildew, early and late blight, cercospora leaf spot	3.2-4.8 Tbsp/16L water	-	-		Do not enter treatment areas until spray deposit have dried
BAYER CROSCIENCE, INC.	CHLOROTHALONIL	DEACON 75 WP	750 g/kg	WP	FUNGICIDE	4	284-118-1672	12-May-20	-	Mango	Anthraco, diplodia rot	3.2-4.8 Tbsp/16L water	0.5 mg/kg	-		Do not enter treatment areas until spray deposit have dried
BAYER CROSCIENCE, INC.	CHLOROTHALONIL	DEACON 75 WP	750 g/kg	WP	FUNGICIDE	4	284-118-1672	12-May-20	-	Ornamentals	Black spot, black rot, powdery mildew	3.2-4.8 Tbsp/16L water	-	-		Do not enter treatment areas until spray deposit have dried
BAYER CROSCIENCE, INC.	CHLOROTHALONIL	DEACON 75 WP	750 g/kg	WP	FUNGICIDE	4	284-118-1672	12-May-20	-	Peanut	Cercospora leaf spot	3.2-4.8 Tbsp/16L water	-	14 Days		Do not enter treatment areas until spray deposit have dried
BAYER CROSCIENCE, INC.	CHLOROTHALONIL	DEACON 75 WP	750 g/kg	WP	FUNGICIDE	4	284-118-1672	12-May-20	-	Lettuce	Downy mildew	3.2-4.8 Tbsp/16L water	-	-		Do not enter treatment areas until spray deposit have dried
BAYER CROSCIENCE, INC.	CHLOROTHALONIL	DEACON 75 WP	750 g/kg	WP	FUNGICIDE	4	284-118-1672	12-May-20	-	Cabbage	Powdery mildew	3.2-4.8 Tbsp/16L water	-	-		Do not enter treatment areas until spray deposit have dried
BAYER CROSCIENCE, INC.	CHLOROTHALONIL	DEACON 75 WP	750 g/kg	WP	FUNGICIDE	4	284-118-1672	12-May-20	-	Cauliflower	Powdery mildew	3.2-4.8 Tbsp/16L water	-	-		Do not enter treatment areas until spray deposit have dried
BAYER CROSCIENCE, INC.	CHLOROTHALONIL	DEACON 75 WP	750 g/kg	WP	FUNGICIDE	4	284-118-1672	12-May-20	-	Broccoli	Powdery mildew	3.2-4.8 Tbsp/16L water	-	-		Do not enter treatment areas until spray deposit have dried
BAYER CROSCIENCE, INC.	CHLOROTHALONIL	DEACON 75 WP	750 g/kg	WP	FUNGICIDE	4	284-118-1672	12-May-20	-	Carrot	Alternaria leaf spot, cercospora leaf spot	3.2-4.8 Tbsp/16L water	-	-		Do not enter treatment areas until spray deposit have dried
BAYER CROSCIENCE, INC.	CHLOROTHALONIL	DEACON 75 WP	750 g/kg	WP	FUNGICIDE	4	284-118-1672	12-May-20	-	Squash	Anthraco, powdery mildew, early and late blight, cercospora leaf spot	3.2-4.8 Tbsp/16L water	-	-		Do not enter treatment areas until spray deposit have dried
AKTIV MULTI TRADING CO. PHILS, INC.	CHLOROTHALONIL	DEACON 720 SC	720 g/L	SC	FUNGICIDE	4	540-118-3294	09-Jun-26	-	Potato	Early blight, late blight, vine rot	1.00-1.80 L/ha or 4.5-5.5 Tbsp/16L	-	7-14 days		Do not enter treatment areas until spray deposit have dried
AKTIV MULTI TRADING CO. PHILS, INC.	CHLOROTHALONIL	DEACON 720 SC	720 g/L	SC	FUNGICIDE	4	540-118-3294	09-Jun-26	-	Tomato	Early blight, late blight, vine rot	1.13-1.90 L/ha or 4.5-6.0 Tbsp/16L	-	7-14 days		Do not enter treatment areas until spray deposit have dried
AKTIV MULTI TRADING CO. PHILS, INC.	CHLOROTHALONIL	DEACON 720 SC	720 g/L	SC	FUNGICIDE	4	540-118-3294	09-Jun-26	-	Beans	Rust, anthracnose	1.13-1.90 L/ha or 4.5-6.0 Tbsp/16L	-	7-14 days		Do not enter treatment areas until spray deposit have dried
AKTIV MULTI TRADING CO. PHILS, INC.	CHLOROTHALONIL	DEACON 720 SC	720 g/L	SC	FUNGICIDE	4	540-118-3294	09-Jun-26	-	Carrot	Alternaria leaf spot, cercospora leaf spot, helminthosporium leaf spot	1.13-1.90 L/ha or 4.5-6.0 Tbsp/16L	-	7-14 days		Do not enter treatment areas until spray deposit have dried
AKTIV MULTI TRADING CO. PHILS, INC.	CHLOROTHALONIL	DEACON 720 SC	720 g/L	SC	FUNGICIDE	4	540-118-3294	09-Jun-26	-	Crucifers	Powdery mildew	1.13-1.90 L/ha or 4.5-6.0 Tbsp/16L	-	7-14 days		Do not enter treatment areas until spray deposit have dried
AKTIV MULTI TRADING CO. PHILS, INC.	CHLOROTHALONIL	DEACON 720 SC	720 g/L	SC	FUNGICIDE	4	540-118-3294	09-Jun-26	-	Melon	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 Tbsp/16L	-	7-14 days		Do not enter treatment areas until spray deposit have dried
AKTIV MULTI TRADING CO. PHILS, INC.	CHLOROTHALONIL	DEACON 720 SC	720 g/L	SC	FUNGICIDE	4	540-118-3294	09-Jun-26	-	Cucumber	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 Tbsp/16L	-	7-14 days		Do not enter treatment areas until spray deposit have dried
AKTIV MULTI TRADING CO. PHILS, INC.	CHLOROTHALONIL	DEACON 720 SC	720 g/L	SC	FUNGICIDE	4	540-118-3294	09-Jun-26	-	Squash	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 Tbsp/16L	-	7-14 days		Do not enter treatment areas until spray deposit have dried
AKTIV MULTI TRADING CO. PHILS, INC.	CHLOROTHALONIL	DEACON 720 SC	720 g/L	SC	FUNGICIDE	4	540-118-3294	09-Jun-26	-	Watermelon	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 Tbsp/16L	-	7-14 days		Do not enter treatment areas until spray deposit have dried
AKTIV MULTI TRADING CO. PHILS, INC.	CHLOROTHALONIL	DEACON 720 SC	720 g/L	SC	FUNGICIDE	4	540-118-3294	09-Jun-26	-	Celery	Early blight, late blight	1.13-1.90 L/ha or 4.5-6.0 Tbsp/16L	-	7-14 days		Do not enter treatment areas until spray deposit have dried
AKTIV MULTI TRADING CO. PHILS, INC.	CHLOROTHALONIL	DEACON 720 SC	720 g/L	SC	FUNGICIDE	4	540-118-3294	09-Jun-26	-	Eggplant	Early blight, late blight, cercospora leafspot, anthracnose	1.13-1.90 L/ha or 4.5-6.0 Tbsp/16L	-	7-14 days		Do not enter treatment areas until spray deposit have dried

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
AKTIV MULTI TRADING CO. PHILS, INC.	CHLOROTHALONIL	DEACON 720 SC	720 g/L	SC	FUNGICIDE	4	540-118-3294	09-Jun-26	-	Onion	Purple blotch, bulb rot, neck rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
AKTIV MULTI TRADING CO. PHILS, INC.	CHLOROTHALONIL	DEACON 720 SC	720 g/L	SC	FUNGICIDE	4	540-118-3294	09-Jun-26	-	Pepper	Early blight, cercospora leaf spot, anthracnose	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
AKTIV MULTI TRADING CO. PHILS, INC.	CHLOROTHALONIL	DEACON 720 SC	720 g/L	SC	FUNGICIDE	4	540-118-3294	09-Jun-26	-	Grapes	Downy mildew, powdery mildew, fruit rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
AKTIV MULTI TRADING CO. PHILS, INC.	CHLOROTHALONIL	DEACON 720 SC	720 g/L	SC	FUNGICIDE	4	540-118-3294	09-Jun-26	-	Mango	Anthraxnose, diploia rot	0.75-5.90 L/ha or 4.5-6.0 tbsp/36L	0.5 mg/kg	7-14 days	Do not enter treatment areas until spray deposit have dried
AKTIV MULTI TRADING CO. PHILS, INC.	CHLOROTHALONIL	DEACON 720 SC	720 g/L	SC	FUNGICIDE	4	540-118-3294	09-Jun-26	-	Ornamentals	Black spot, powdery mildew, black rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
AKTIV MULTI TRADING CO. PHILS, INC.	CHLOROTHALONIL	DEACON 720 SC	720 g/L	SC	FUNGICIDE	4	540-118-3294	09-Jun-26	-	Asparagus	Stem and leaf blight	1.80 L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
AKTIV MULTI TRADING CO. PHILS, INC.	CHLOROTHALONIL	DEACON 720 SC	720 g/L	SC	FUNGICIDE	4	540-118-3294	09-Jun-26	-	Banana	Black sigatoka	1.38 L/ha	2.0 mg/kg	0 day	Do not enter treatment areas until spray deposit have dried
BAYER CROPS SCIENCE, INC.	CHLOROTHALONIL	DEACON 720 SC	720 g/L	SC	FUNGICIDE	4	284-118-1673	12-May-23	-	Rice	Rice blast, helminthosporium, cercospora leaf spot	5.6 tbsp/36L water	-	-	-
BAYER CROPS SCIENCE, INC.	CHLOROTHALONIL	DEACON 720 SC	720 g/L	SC	FUNGICIDE	4	284-118-1673	12-May-23	-	Coffee	Brown eye spot, rust, anthracnose, pink disease	5.5-8 tbsp/36L water	-	-	-
BAYER CROPS SCIENCE, INC.	CHLOROTHALONIL	DEACON 720 SC	720 g/L	SC	FUNGICIDE	4	284-118-1673	12-May-23	-	Cacao	Pod rot, brown bark rot, black pod	5.5-8 tbsp/36L water	-	-	-
BAYER CROPS SCIENCE, INC.	CHLOROTHALONIL	DEACON 720 SC	720 g/L	SC	FUNGICIDE	4	284-118-1673	12-May-23	-	Mango	Anthraxnose, sooty mold	5.5-8 tbsp/36L water	-	-	-
BAYER CROPS SCIENCE, INC.	CHLOROTHALONIL	DEACON 720 SC	720 g/L	SC	FUNGICIDE	4	284-118-1673	12-May-23	-	Tomato	Early blight, late blight, fruit rot, septoria leaf spot	5.5-8 tbsp/36L water	-	-	-
BAYER CROPS SCIENCE, INC.	CHLOROTHALONIL	DEACON 720 SC	720 g/L	SC	FUNGICIDE	4	284-118-1673	12-May-23	-	Tobacco	Blue mold fusarium, alternaria leafspot, frogeye disease	5.5-8 tbsp/36L water	-	-	-
BAYER CROPS SCIENCE, INC.	CHLOROTHALONIL	DEACON 720 SC	720 g/L	SC	FUNGICIDE	4	284-118-1673	12-May-23	-	Citrus	Black spot, anthracnose, scab, rust, fruit rot	5.5-8 tbsp/36L water	-	-	-
BAYER CROPS SCIENCE, INC.	CHLOROTHALONIL	DEACON 720 SC	720 g/L	SC	FUNGICIDE	4	284-118-1673	12-May-23	-	Banana	Sigatoka	5.5-8 tbsp/36L water	-	-	-
BAYER CROPS SCIENCE, INC.	CHLOROTHALONIL	DEACON 720 SC	720 g/L	SC	FUNGICIDE	4	284-118-1673	12-May-23	-	Pepper	Anthraxnose, mildews, blight, fruit rot	5.5-8 tbsp/36L water	-	-	-
BAYER CROPS SCIENCE, INC.	CHLOROTHALONIL	DEACON 720 SC	720 g/L	SC	FUNGICIDE	4	284-118-1673	12-May-23	-	Potato	Early blight, late blight	5.5-8 tbsp/36L water	-	-	-
BAYER CROPS SCIENCE, INC.	CHLOROTHALONIL	DEACON 720 SC	720 g/L	SC	FUNGICIDE	4	284-118-1673	12-May-23	-	Watermelon	Anthraxnose, mildews, alternaria, fruit rot	5.5-8 tbsp/36L water	-	-	-
BAYER CROPS SCIENCE, INC.	CHLOROTHALONIL	DEACON 720 SC	720 g/L	SC	FUNGICIDE	4	284-118-1673	12-May-23	-	Celery	Mildews, early blight, late blight	5.5-8 tbsp/36L water	-	-	-
BAYER CROPS SCIENCE, INC.	CHLOROTHALONIL	DEACON 720 SC	720 g/L	SC	FUNGICIDE	4	284-118-1673	12-May-23	-	Cruifers	Mildews, cercospora alternaria	5.5-8 tbsp/36L water	-	-	-
BAYER CROPS SCIENCE, INC.	CHLOROTHALONIL	DEACON 720 SC	720 g/L	SC	FUNGICIDE	4	284-118-1673	12-May-23	-	Carrot	Alternaria, cercospora	5.5-8 tbsp/36L water	-	-	-
BAYER CROPS SCIENCE, INC.	CHLOROTHALONIL	DEACON 720 SC	720 g/L	SC	FUNGICIDE	4	284-118-1673	12-May-23	-	Melon	Mildew, cercospora, alternaria, anthracnose	5.5-8 tbsp/36L water	-	-	-
NS NORTHERN ORGANIC FERTILIZER INC.	MANCOZEB+METALAXYL	D-DUAL 72 WP	640+80 g/kg	WP	FUNGICIDE	4	470-035-3784	18-Oct-24	SYSTEMIC	Potato	Late blight	1 sachet/36L	-	14 days	Do not enter treated field unit spray deposits have dried up
NS NORTHERN ORGANIC FERTILIZER INC.	MANCOZEB+METALAXYL	D-DUAL 72 WP	640+80 g/kg	WP	FUNGICIDE	4	470-035-3784	18-Oct-24	SYSTEMIC	Tomato	Late blight	1 sachet/36L	-	3 days	Do not enter treated field unit spray deposits have dried up
NS NORTHERN ORGANIC FERTILIZER INC.	MANCOZEB+METALAXYL	D-DUAL 72 WP	640+80 g/kg	WP	FUNGICIDE	4	470-035-3784	16-Oct-24	SYSTEMIC	Pineapple	Heart rot	2 kg prod./ha	-	21 days	Do not enter treated field unit spray deposits have dried up
NS NORTHERN ORGANIC FERTILIZER INC.	MANCOZEB+METALAXYL	D-DUAL 72 WP	640+80 g/kg	WP	FUNGICIDE	4	470-035-3784	16-Oct-24	SYSTEMIC	Asparagus	Spear rot	30 kg prod./ha	-	1 day	Do not enter treated field unit spray deposits have dried up
NS NORTHERN ORGANIC FERTILIZER INC.	MANCOZEB+METALAXYL	D-DUAL 72 WP	640+80 g/kg	WP	FUNGICIDE	4	470-035-3784	16-Oct-24	SYSTEMIC	Orchids	Black rot	25 kg prod./ha	-	-	Do not enter treated field unit spray deposits have dried up
DCOM MARKETING INCORPORATED	LAMBDA-CHYALOTHIRIN	D-DESTRUCTOR 2.5 EC	25 g/L	EC	INSECTICIDE	2	467-204-2759	16-May-24	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leafroller, black bug	1.0-1.5 tbsp/36 L of water	0.05ppm	-	Re-entry to treated fields is allowed as soon as spray deposits dry
DCOM MARKETING INCORPORATED	LAMBDA-CHYALOTHIRIN	D-DESTRUCTOR 2.5 EC	25 g/L	EC	INSECTICIDE	2	467-204-2759	16-May-24	SYSTEMIC	Mango	Hoppers	0.75-1.5 tbsp/36 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
DCOM MARKETING INCORPORATED	LAMBDA-CHYALOTHIRIN	D-DESTRUCTOR 2.5 EC	25 g/L	EC	INSECTICIDE	2	467-204-2759	16-May-24	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5 tbsp/36 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
DCOM MARKETING INCORPORATED	LAMBDA-CHYALOTHIRIN	D-DESTRUCTOR 2.5 EC	25 g/L	EC	INSECTICIDE	2	467-204-2759	16-May-24	SYSTEMIC	Onion	Thrips, cutworm	1.0 tbsp/36 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
DCOM MARKETING INCORPORATED	LAMBDA-CHYALOTHIRIN	D-DESTRUCTOR 2.5 EC	25 g/L	EC	INSECTICIDE	2	467-204-2759	16-May-24	SYSTEMIC	Mungbeans	Beanfly, flea beetle, leafhopper, aphids, mites, podborer	1.0 tbsp/36 L of water	-	1 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
DCOM MARKETING INCORPORATED	LAMBDA-CHYALOTHIRIN	D-DESTRUCTOR 2.5 EC	25 g/L	EC	INSECTICIDE	2	467-204-2759	16-May-24	SYSTEMIC	Cam	Combever, aphids, seedling maggots	1.0-1.5 tbsp/36 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
DCOM MARKETING INCORPORATED	LAMBDA-CHYALOTHIRIN	D-DESTRUCTOR 2.5 EC	25 g/L	EC	INSECTICIDE	2	467-204-2759	16-May-24	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5 tbsp/36 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
DCOM MARKETING INCORPORATED	LAMBDA-CHYALOTHIRIN	D-DESTRUCTOR 2.5 EC	25 g/L	EC	INSECTICIDE	2	467-204-2759	16-May-24	SYSTEMIC	Cotton	Bollworm	1.0-1.5 tbsp/36 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
DCOM MARKETING INCORPORATED	LAMBDA-CHYALOTHIRIN	D-DESTRUCTOR 2.5 EC	25 g/L	EC	INSECTICIDE	2	467-204-2759	16-May-24	SYSTEMIC	Cocoa	Podborer	1.0-2.0 tbsp/36 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
DCOM MARKETING INCORPORATED	LAMBDA-CHYALOTHIRIN	D-DESTRUCTOR 2.5 EC	25 g/L	EC	INSECTICIDE	2	467-204-2759	16-May-24	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0 tbsp/36 L of water	-	1 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
EVERLAND AGRI CORPORATION	PROFENOFOS	D'CHOICE 500 EC	500 g/L	EC	INSECTICIDE	2	261-070-2122	18-Oct-26	CONTACT	Mango	Thrips	1.0-2.0 tbsp/36L water	-	-	Do not enter treated field 1 Day after application
EVERLAND AGRI CORPORATION	PROFENOFOS	D'CHOICE 500 EC	500 g/L	EC	INSECTICIDE	2	261-070-2122	18-Oct-26	CONTACT	Tomato	Fruitworm, armyworm, cutworm	3-5 tbsp/36L water	-	14 Days	Do not enter treated field 1 Day after application
EVERLAND AGRI CORPORATION	PROFENOFOS	D'CHOICE 500 EC	500 g/L	EC	INSECTICIDE	2	261-070-2122	18-Oct-26	CONTACT	Eggplant	Fruitborer, aphids, leafhopper, & thrips	1.5-3.0 tbsp/36L water	-	14 Days	Do not enter treated field 1 Day after application
EVERLAND AGRI CORPORATION	PROFENOFOS	D'CHOICE 500 EC	500 g/L	EC	INSECTICIDE	2	261-070-2122	18-Oct-26	CONTACT	Cabbage	Diamond back moth, cabbage worm & aphids, thrips	3-5 tbsp/36L water	-	14 Days	Do not enter treated field 1 Day after application
EVERLAND AGRI CORPORATION	PROFENOFOS	D'CHOICE 500 EC	500 g/L	EC	INSECTICIDE	2	261-070-2122	18-Oct-26	CONTACT	Watermelon	Thrips	3-5 tbsp/36L water	-	14 Days	Do not enter treated field 1 Day after application
EVERLAND AGRI CORPORATION	PROFENOFOS	D'CHOICE 500 EC	500 g/L	EC	INSECTICIDE	2	261-070-2122	18-Oct-26	CONTACT	Potato	Thrips, army worm, cutworm, tuber moth	3-5 tbsp/36L water	-	14 Days	Do not enter treated field 1 Day after application
EVERLAND AGRI CORPORATION	PROFENOFOS	D'CHOICE 500 EC	500 g/L	EC	INSECTICIDE	2	261-070-2122	18-Oct-26	CONTACT	Soybeans	Com earworm, leafminer	3-5 tbsp/36L water	-	14 Days	Do not enter treated field 1 Day after application
EVERLAND AGRI CORPORATION	PROFENOFOS	D'CHOICE 500 EC	500 g/L	EC	INSECTICIDE	2	261-070-2122	18-Oct-26	CONTACT	Mungbeans	Com earworm, leafminer	3-5 tbsp/36L water	-	14 Days	Do not enter treated field 1 Day after application
EVERLAND AGRI CORPORATION	PROFENOFOS	D'CHOICE 500 EC	500 g/L	EC	INSECTICIDE	2	261-070-2122	18-Oct-26	CONTACT	Cotton	Thrips, bollworm & budworm	3-5 tbsp/36L water	-	14 Days	Do not enter treated field 1 Day after application
EVERLAND AGRI CORPORATION	PROFENOFOS	D'CHOICE 500 EC	500 g/L	EC	INSECTICIDE	2	261-070-2122	18-Oct-26	CONTACT	Stringbeans	Beanfly, leafroller & aphids	1.5-3.0 tbsp/36L water	-	14 Days	Do not enter treated field 1 Day after application
DCOM MARKETING INCORPORATED	MANCOZEB	DCOM MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	467-053-5696	23-Dec-25	-	Potato	Early and late blight	-	-	-	-
DCOM MARKETING INCORPORATED	MANCOZEB	DCOM MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	467-053-5696	23-Dec-25	-	Cabbage	Downy mildew, alternaria leaf spot	-	-	-	-
DCOM MARKETING INCORPORATED	MANCOZEB	DCOM MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	467-053-5696	23-Dec-25	-	Caiflower	Downy mildew, alternaria leaf spot	-	-	-	-
DCOM MARKETING INCORPORATED	MANCOZEB	DCOM MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	467-053-5696	23-Dec-25	-	Broccoli	Downy mildew, alternaria leaf spot	-	-	-	-
DCOM MARKETING INCORPORATED	MANCOZEB	DCOM MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	467-053-5696	23-Dec-25	-	Celery	Late blight	-	-	-	-
DCOM MARKETING INCORPORATED	MANCOZEB	DCOM MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	467-053-5696	23-Dec-25	-	Cucumber	Downy mildew, anthracnose, scab	-	-	-	-
DCOM MARKETING INCORPORATED	MANCOZEB	DCOM MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	467-053-5696	23-Dec-25	-	Squash	Downy mildew, anthracnose, scab	-	-	-	-
DCOM MARKETING INCORPORATED	MANCOZEB	DCOM MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	467-053-5696	23-Dec-25	-	Cotton	Damping off	-	-	-	-
DCOM MARKETING INCORPORATED	MANCOZEB	DCOM MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	467-053-5696	23-Dec-25	-	Lettuce	Downy mildew	-	-	-	-

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD	
DCDM MARKETING INCORPORATED	MANCOZEB	DCDM MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	467-053-5696	23-Dec-25	-	Beans	Anthracoese, Downy Mildew, Rust	-	-	-	-	
DCDM MARKETING INCORPORATED	MANCOZEB	DCDM MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	467-053-5696	23-Dec-25	-	Peas	Anthracoese, Downy Mildew, Rust	-	-	-	-	
DCDM MARKETING INCORPORATED	MANCOZEB	DCDM MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	467-053-5696	23-Dec-25	-	Mungo	Anthracoese, Downy Mildew, Rust	-	-	-	-	
DCDM MARKETING INCORPORATED	MANCOZEB	DCDM MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	467-053-5696	23-Dec-25	-	Tomato	Early and late blight, athracnose, septoria leaf spot	-	-	-	-	
DCDM MARKETING INCORPORATED	MANCOZEB	DCDM MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	467-053-5696	23-Dec-25	-	Onion	Purple blotch, downy mildew, botrytis leaf blight,	-	-	-	-	
DCDM MARKETING INCORPORATED	MANCOZEB	DCDM MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	467-053-5696	23-Dec-25	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight,	-	-	-	-	
DCDM MARKETING INCORPORATED	MANCOZEB	DCDM MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	467-053-5696	23-Dec-25	-	Pepper	Anthracoese	-	-	-	-	
DCDM MARKETING INCORPORATED	MANCOZEB	DCDM MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	467-053-5696	23-Dec-25	-	Chili	Anthracoese	-	-	-	-	
DCDM MARKETING INCORPORATED	MANCOZEB	DCDM MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	467-053-5696	23-Dec-25	-	Eggplant	Blight, Anthracnose	-	-	-	-	
DCDM MARKETING INCORPORATED	MANCOZEB	DCDM MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	467-053-5696	23-Dec-25	-	Banana	Sigatoka, black leaf streak	-	-	-	-	
DCDM MARKETING INCORPORATED	MANCOZEB	DCDM MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	467-053-5696	23-Dec-25	-	Grapes	Downy mildew, black rot	-	-	-	-	
DCDM MARKETING INCORPORATED	MANCOZEB	DCDM MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	467-053-5696	23-Dec-25	-	Mango	Anthracoese and scab	-	-	-	-	
DCDM MARKETING INCORPORATED	MANCOZEB	DCDM MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	467-053-5696	23-Dec-25	-	Papaya	Fruit rot	-	-	-	-	
DCDM MARKETING INCORPORATED	MANCOZEB	DCDM MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	467-053-5696	23-Dec-25	-	Melon	Downey mildew, anthracnose, scab	-	-	-	-	
DCDM MARKETING INCORPORATED	MANCOZEB	DCDM MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	467-053-5696	23-Dec-25	-	Watermelon	Downey mildew, anthracnose, scab	-	-	-	-	
DCDM MARKETING INCORPORATED	MANCOZEB	DCDM MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	467-053-5696	23-Dec-25	-	Corn (sweet corn)	Helminthosporium leaf spot	-	-	-	-	
DCDM MARKETING INCORPORATED	MANCOZEB	DCDM MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	467-053-5696	23-Dec-25	-	Rice	Black, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	-	-	-	-	
DCDM MARKETING INCORPORATED	MANCOZEB	DCDM MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	467-053-5696	23-Dec-25	-	Peanut	Cercospora leaf spot	-	-	-	-	
DCDM MARKETING INCORPORATED	MANCOZEB	DCDM MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	467-053-5696	23-Dec-25	-	Soybeans	Leaf rust	-	-	-	-	
DCDM MARKETING INCORPORATED	MANCOZEB	DCDM MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	467-053-5696	23-Dec-25	-	Ornamentals	Black spot, blight, athracnose	-	-	-	-	
DCDM MARKETING INCORPORATED	MALATHION	DCDM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	467-038-2758	29-Jul-24	NON-SYSTEMIC	Fruit trees	Aphids, mealy bug scale insect	1.5-3.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying	
DCDM MARKETING INCORPORATED	MALATHION	DCDM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	467-038-2758	29-Jul-24	NON-SYSTEMIC	Rice	Armyworm, caseworm, leafhopper, bugs	2.0-3.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying	
DCDM MARKETING INCORPORATED	MALATHION	DCDM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	467-038-2758	29-Jul-24	NON-SYSTEMIC	Corn	Earworm, silkworm, aphids, grasshopper	3.0-5.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying	
DCDM MARKETING INCORPORATED	MALATHION	DCDM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	467-038-2758	29-Jul-24	NON-SYSTEMIC	Cabbage	Cabbage worm, looper, diamond-back moth	2.0-5.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying	
DCDM MARKETING INCORPORATED	MALATHION	DCDM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	467-038-2758	29-Jul-24	NON-SYSTEMIC	Legumes	Aphids, beanfly, cutworm, flea beetles, leafminer, maggots, mealybug, podborer, thrips	2.0-5.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying	
DCDM MARKETING INCORPORATED	MALATHION	DCDM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	467-038-2758	29-Jul-24	NON-SYSTEMIC	Grapes	Beetles, cutworm, leafhopper, mealybug, scale, insect, spider mites	3.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying	
DCDM MARKETING INCORPORATED	MALATHION	DCDM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	467-038-2758	29-Jul-24	NON-SYSTEMIC	Pineapple	Mealy bug	3.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying	
DCDM MARKETING INCORPORATED	MALATHION	DCDM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	467-038-2758	29-Jul-24	NON-SYSTEMIC	Pepper	Aphid, cutworm, fruitworm	3.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying	
DCDM MARKETING INCORPORATED	MALATHION	DCDM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	467-038-2758	29-Jul-24	NON-SYSTEMIC	Garlic	Cutworm	3.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying	
DCDM MARKETING INCORPORATED	MALATHION	DCDM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	467-038-2758	29-Jul-24	NON-SYSTEMIC	Onion	Cutworm	3.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying	
DCDM MARKETING INCORPORATED	MALATHION	DCDM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	467-038-2758	29-Jul-24	NON-SYSTEMIC	Tobacco	Aphids, katydid	3.0-6.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying	
DCDM MARKETING INCORPORATED	MALATHION	DCDM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	467-038-2758	29-Jul-24	NON-SYSTEMIC	Ornamentals	Aphids, cutworm, mealybug, scale insect, spider mites	3.0-5.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying	
DCDM MARKETING INCORPORATED	MALATHION	DCDM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	467-038-2758	29-Jul-24	NON-SYSTEMIC	Tomato	Lady beetle	3.0-5.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying	
DCDM MARKETING INCORPORATED	MALATHION	DCDM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	467-038-2758	29-Jul-24	NON-SYSTEMIC	Eggplant	Aphids, fruitworm	3.0-5.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying	
DCDM MARKETING INCORPORATED	MALATHION	DCDM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	467-038-2758	29-Jul-24	NON-SYSTEMIC	Sorghum	Web worm	3.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying	
DCDM MARKETING INCORPORATED	DIURON	DCDM DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	467-021-2777	17-Dec-24	SYSTEMIC	Citrus	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/36 L water	-	-	Entry to fields treated with DCDM DIURON WP can be done one day after the application	
DCDM MARKETING INCORPORATED	DIURON	DCDM DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	467-021-2777	17-Dec-24	SYSTEMIC	Coffee	Annual and Perennial broadleaves and grasses	13.0-19.0Tbsp/36 L water	-	-	Entry to fields treated with DCDM DIURON WP can be done one day after the application	
DCDM MARKETING INCORPORATED	DIURON	DCDM DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	467-021-2777	17-Dec-24	SYSTEMIC	Cotton	Annual and Perennial broadleaves and grasses	8.0Tbsp/36 L water	-	-	Entry to fields treated with DCDM DIURON WP can be done one day after the application	
DCDM MARKETING INCORPORATED	DIURON	DCDM DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	467-021-2777	17-Dec-24	SYSTEMIC	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0Tbsp/36 L water	-	-	Entry to fields treated with DCDM DIURON WP can be done one day after the application	
DCDM MARKETING INCORPORATED	DIURON	DCDM DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	467-021-2777	17-Dec-24	SYSTEMIC	Pineapple	Annual and Perennial broadleaves and grasses	13.0Tbsp/36 L water	-	-	Entry to fields treated with DCDM DIURON WP can be done one day after the application	
DCDM MARKETING INCORPORATED	DIURON	DCDM DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	467-021-2777	17-Dec-24	SYSTEMIC	Non-crop ares	Annual and Perennial broadleaves and grasses	20.0-28.0Tbsp/36 L water	-	-	Entry to fields treated with DCDM DIURON WP can be done one day after the application	
DCDM MARKETING INCORPORATED	2,4-D IBE	DCDM 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	467-040-2731	31-Dec-26	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual Broadleaves & sedges	5.0-6.50Tbsp/36 L water	0.1 ppm	-	Do not spray within 7 days before harvest	Entry to fields and crops treated with DCDM 2,4-D Ester can be done one day after spraying
DCDM MARKETING INCORPORATED	2,4-D IBE	DCDM 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	467-040-2731	31-Dec-26	SELECTIVE (POST-EMERGENT)	Corn	Annual Broadleaves & sedges	5.0-6.50Tbsp/36 L water	-	-	Do not spray within 7 days before harvest	Entry to fields and crops treated with DCDM 2,4-D Ester can be done one day after spraying
DCDM MARKETING INCORPORATED	2,4-D IBE	DCDM 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	467-040-2731	31-Dec-26	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual Broadleaves & sedges	5.0-6.50Tbsp/36 L water	-	-	Do not spray within 7 days before harvest	Entry to fields and crops treated with DCDM 2,4-D Ester can be done one day after spraying
DCDM MARKETING INCORPORATED	2,4-D AMINE	DCDM 2,4-D AMINE	400 g/L	SC	HERBICIDE	2	467-013-2730	31-Dec-26	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual broadleaves and sedges	3.5-6.5Tbsp/36 L water	0.1 ppm	-	-	Do not enter treated fields within 24 hours after application. Be sure that spray deposits have dried up before entering the treated fields
DCDM MARKETING INCORPORATED	2,4-D AMINE	DCDM 2,4-D AMINE	400 g/L	SC	HERBICIDE	2	467-013-2730	31-Dec-26	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual broadleaves and sedges	13-25 Tbsp/36 L water	-	-	-	Entry to field and crops treated with DCDM 2,4-D AMINE can be done one day after spraying
DCDM MARKETING INCORPORATED	2,4-D AMINE	DCDM 2,4-D AMINE	400 g/L	SC	HERBICIDE	2	467-013-2730	31-Dec-26	SELECTIVE (POST-EMERGENT)	Corn	Annual broadleaves and sedges	5-6.5 Tbsp/36 L water	-	-	-	Entry to field and crops treated with DCDM 2,4-D AMINE can be done one day after spraying
AGRI-SPROUT PHILIPPINES, INC.	PROFENOFOS	DAZZLE 500 EC	500 g/L	EC	INSECTICIDE	2	668-070-5706	16-Feb-25	-	Mango	Blossom thrips	1.0-2.0 Tbsp/36 L water	-	Do not apply at less than 7 days before harvest	Do not enter treated fields within 24 hours after application. Be sure that spray deposits have dried up before entering the treated fields	
AGRI-SPROUT PHILIPPINES, INC.	PROFENOFOS	DAZZLE 500 EC	500 g/L	EC	INSECTICIDE	2	668-070-5706	02/34/25	-	Tomato	Fruitworm, armyworm, cutworm	3-5 Tbsp/36 L water	-	Do not apply at less than 7 days before harvest	Do not enter treated fields within 24 hours after application. Be sure that spray deposits have dried up before entering the treated fields	
AGRI-SPROUT PHILIPPINES, INC.	PROFENOFOS	DAZZLE 500 EC	500 g/L	EC	INSECTICIDE	2	668-070-5706	02/34/25	-	eggplant	Fruitborer, aphids, leafhopper, & thrips	1.5-3.0 Tbsp/36 L water	-	Do not apply at less than 7 days before harvest	Do not enter treated fields within 24 hours after application. Be sure that spray deposits have dried up before entering the treated fields	
AGRI-SPROUT PHILIPPINES, INC.	PROFENOFOS	DAZZLE 500 EC	500 g/L	EC	INSECTICIDE	2	668-070-5706	02/34/25	-	Cabbage	Diamond back moth, cabbage worm & aphids, thrips	3-5 Tbsp/36 L water	-	Do not apply at less than 7 days before harvest	Do not enter treated fields within 24 hours after application. Be sure that spray deposits have dried up before entering the treated fields	
AGRI-SPROUT PHILIPPINES, INC.	PROFENOFOS	DAZZLE 500 EC	500 g/L	EC	INSECTICIDE	2	668-070-5706	02/34/25	-	Watermelon	Thrips	3-5 Tbsp/36 L water	-	Do not apply at less than 7 days before harvest	Do not enter treated fields within 24 hours after application. Be sure that spray deposits have dried up before entering the treated fields	
AGRI-SPROUT PHILIPPINES, INC.	PROFENOFOS	DAZZLE 500 EC	500 g/L	EC	INSECTICIDE	2	668-070-5706	02/34/25	-	Potato	Thrips, army worm, cutworm, tuber moth	3-5 Tbsp/36 L water	-	Do not apply at less than 7 days before harvest	Do not enter treated fields within 24 hours after application. Be sure that spray deposits have dried up before entering the treated fields	
AGRI-SPROUT PHILIPPINES, INC.	PROFENOFOS	DAZZLE 500 EC	500 g/L	EC	INSECTICIDE	2	668-070-5706	02/34/25	-	Soybeans	Corn earworm, leafminer	3-5 Tbsp/36 L water	-	Do not apply at less than 7 days before harvest	Do not enter treated fields within 24 hours after application. Be sure that spray deposits have dried up before entering the treated fields	
AGRI-SPROUT PHILIPPINES, INC.	PROFENOFOS	DAZZLE 500 EC	500 g/L	EC	INSECTICIDE	2	668-070-5706	02/34/25	-	Mungbeans	Corn earworm, leafminer	3-5 Tbsp/36 L water	-	Do not apply at less than 7 days before harvest	Do not enter treated fields within 24 hours after application. Be sure that spray deposits have dried up before entering the treated fields	
AGRI-SPROUT PHILIPPINES, INC.	PROFENOFOS	DAZZLE 500 EC	500 g/L	EC	INSECTICIDE	2	668-070-5706	02/34/25	-	Cotton	Thrips, bollworm & budworm	3-5 Tbsp/36 L water	-	Do not apply at less than 7 days before harvest	Do not enter treated fields within 24 hours after application. Be sure that spray deposits have dried up before entering the treated fields	

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD	
AGRI-SPROUT PHILIPPINES, INC.	PROFENOFOS	DAZZLE 300 EC	300 g/L	EC	INSECTICIDE	2	468-070-5706	02/30/25	-	Maize	Bearfly, leaf folder & aphids	1.5-3.0 Tbsp/36 L water	-	-	Do not apply at less than 7 days before harvest	Do not enter treated fields within 24 hours after application. Be sure that spray deposits have dried up before entering the treated fields
MANAGRA TRADING CORPORATION	MANCOZEB	DAYTEN	800 g/kg	WP	FUNGICIDE	4	476-051-2609	17-Sep-22	-	Potato	Early and late blight	3-6 Tbsp/36 L water	-	-	-	As soon as spray dries
MANAGRA TRADING CORPORATION	MANCOZEB	DAYTEN	800 g/kg	WP	FUNGICIDE	4	476-051-2609	17-Sep-22	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	-	7 Days	As soon as spray dries
MANAGRA TRADING CORPORATION	MANCOZEB	DAYTEN	800 g/kg	WP	FUNGICIDE	4	476-051-2609	17-Sep-22	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	-	7 Days	As soon as spray dries
MANAGRA TRADING CORPORATION	MANCOZEB	DAYTEN	800 g/kg	WP	FUNGICIDE	4	476-051-2609	17-Sep-22	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	-	7 Days	As soon as spray dries
MANAGRA TRADING CORPORATION	MANCOZEB	DAYTEN	800 g/kg	WP	FUNGICIDE	4	476-051-2609	17-Sep-22	-	Celery	Late blight	3-6 Tbsp/36 L water	-	-	14 Days	As soon as spray dries
MANAGRA TRADING CORPORATION	MANCOZEB	DAYTEN	800 g/kg	WP	FUNGICIDE	4	476-051-2609	17-Sep-22	-	Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	-	5 days	As soon as spray dries
MANAGRA TRADING CORPORATION	MANCOZEB	DAYTEN	800 g/kg	WP	FUNGICIDE	4	476-051-2609	17-Sep-22	-	Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	-	5 days	As soon as spray dries
MANAGRA TRADING CORPORATION	MANCOZEB	DAYTEN	800 g/kg	WP	FUNGICIDE	4	476-051-2609	17-Sep-22	-	Cotton	Damping off	3-6 Tbsp/36 L water	-	-	-	As soon as spray dries
MANAGRA TRADING CORPORATION	MANCOZEB	DAYTEN	800 g/kg	WP	FUNGICIDE	4	476-051-2609	17-Sep-22	-	Lettuce	Downy mildew	3-6 Tbsp/36 L water	-	-	7 Days	As soon as spray dries
MANAGRA TRADING CORPORATION	MANCOZEB	DAYTEN	800 g/kg	WP	FUNGICIDE	4	476-051-2609	17-Sep-22	-	Beans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/36 L water	-	-	5 days	As soon as spray dries
MANAGRA TRADING CORPORATION	MANCOZEB	DAYTEN	800 g/kg	WP	FUNGICIDE	4	476-051-2609	17-Sep-22	-	Peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/36 L water	-	-	5 days	As soon as spray dries
MANAGRA TRADING CORPORATION	MANCOZEB	DAYTEN	800 g/kg	WP	FUNGICIDE	4	476-051-2609	17-Sep-22	-	Mungo	Anthracnose, Downy mildew, Rust	3-6 Tbsp/36 L water	-	-	5 days	As soon as spray dries
MANAGRA TRADING CORPORATION	MANCOZEB	DAYTEN	800 g/kg	WP	FUNGICIDE	4	476-051-2609	17-Sep-22	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/36 L water	-	-	5 days	As soon as spray dries
MANAGRA TRADING CORPORATION	MANCOZEB	DAYTEN	800 g/kg	WP	FUNGICIDE	4	476-051-2609	17-Sep-22	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36 L water	-	-	7 Days	As soon as spray dries
MANAGRA TRADING CORPORATION	MANCOZEB	DAYTEN	800 g/kg	WP	FUNGICIDE	4	476-051-2609	17-Sep-22	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36 L water	-	-	7 Days	As soon as spray dries
MANAGRA TRADING CORPORATION	MANCOZEB	DAYTEN	800 g/kg	WP	FUNGICIDE	4	476-051-2609	17-Sep-22	-	Pepper	Anthracnose	3-6 Tbsp/36 L water	-	-	7 Days	As soon as spray dries
MANAGRA TRADING CORPORATION	MANCOZEB	DAYTEN	800 g/kg	WP	FUNGICIDE	4	476-051-2609	17-Sep-22	-	Chili	Anthracnose	3-6 Tbsp/36 L water	-	-	7 Days	As soon as spray dries
MANAGRA TRADING CORPORATION	MANCOZEB	DAYTEN	800 g/kg	WP	FUNGICIDE	4	476-051-2609	17-Sep-22	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/36 L water	-	-	7 Days	As soon as spray dries
MANAGRA TRADING CORPORATION	MANCOZEB	DAYTEN	800 g/kg	WP	FUNGICIDE	4	476-051-2609	17-Sep-22	-	Banana	Sigatoka, Black leaf streak	3-6 Tbsp/36 L water	-	-	-	As soon as spray dries
MANAGRA TRADING CORPORATION	MANCOZEB	DAYTEN	800 g/kg	WP	FUNGICIDE	4	476-051-2609	17-Sep-22	-	Grapes	Downy mildew, black rot	3-6 Tbsp/36 L water	-	-	60 days	As soon as spray dries
MANAGRA TRADING CORPORATION	MANCOZEB	DAYTEN	800 g/kg	WP	FUNGICIDE	4	476-051-2609	17-Sep-22	-	Mango	Anthracnose and Scab	3-6 Tbsp/36 L water	-	-	5 days	As soon as spray dries
MANAGRA TRADING CORPORATION	MANCOZEB	DAYTEN	800 g/kg	WP	FUNGICIDE	4	476-051-2609	17-Sep-22	-	Papaya	Fruit rot	3-6 Tbsp/36 L water	-	-	-	As soon as spray dries
MANAGRA TRADING CORPORATION	MANCOZEB	DAYTEN	800 g/kg	WP	FUNGICIDE	4	476-051-2609	17-Sep-22	-	Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	-	5 days	As soon as spray dries
MANAGRA TRADING CORPORATION	MANCOZEB	DAYTEN	800 g/kg	WP	FUNGICIDE	4	476-051-2609	17-Sep-22	-	Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	-	5 days	As soon as spray dries
MANAGRA TRADING CORPORATION	MANCOZEB	DAYTEN	800 g/kg	WP	FUNGICIDE	4	476-051-2609	17-Sep-22	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/36 L water	-	-	7 Days	As soon as spray dries
MANAGRA TRADING CORPORATION	MANCOZEB	DAYTEN	800 g/kg	WP	FUNGICIDE	4	476-051-2609	17-Sep-22	-	Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/36 L water	0.02ppm	-	-	As soon as spray dries
MANAGRA TRADING CORPORATION	MANCOZEB	DAYTEN	800 g/kg	WP	FUNGICIDE	4	476-051-2609	17-Sep-22	-	Peanut	Cercospora leaf spot	3-6 Tbsp/36 L water	-	-	14 Days	As soon as spray dries
MANAGRA TRADING CORPORATION	MANCOZEB	DAYTEN	800 g/kg	WP	FUNGICIDE	4	476-051-2609	17-Sep-22	-	Soybeans	Leaf rust	3-6 Tbsp/36 L water	-	-	-	As soon as spray dries
MANAGRA TRADING CORPORATION	MANCOZEB	DAYTEN	800 g/kg	WP	FUNGICIDE	4	476-051-2609	17-Sep-22	-	Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/36 L water	-	-	-	As soon as spray dries
BIOSTADT PHILIPPINES INC.	ETOFENPROX	DASH 30 EC	300 g/L	EC	INSECTICIDE	4	097-208-1391	16-Nov-24	CONTACT	Rice	Green leafhopper, brown planthopper, stem borer, whorl maggot & leaf folder	2-4Tbsp/200L	0.05ppm	-	7 Days after the last spray	As soon as the spray solution has dried on the foliage
BIOSTADT PHILIPPINES INC.	ETOFENPROX	DASH 30 EC	300 g/L	EC	INSECTICIDE	4	097-208-1391	16-Nov-24	CONTACT	Mango	Mango Hopper, oodid fly,capsid bug, fruit fly & seed borer	2-4 Tbsp/200L, 7-14 Tbsp/2000L	2.0 mg/kg	-	7 Days after the last spray	As soon as the spray solution has dried on the foliage
BIOSTADT PHILIPPINES INC.	ETOFENPROX	DASH 30 EC	300 g/L	EC	INSECTICIDE	4	097-208-1391	16-Nov-24	CONTACT	Banana	Scarring beetle	2.5-10.0 Tbsp/200L	2.0 mg/kg	-	77 days	As soon as the spray solution has dried on the foliage
TAIPAN BRAND FARM INC.	METALDEHYDE	DART 6P	60 g/kg	P	MOLLUSCIDE	4	529-075-3246	09-Dec-22	CONTACT	Rice (Transplanted)	Golden apple snail	2-4 kg/ product per hectare	-	-	-	48 hours after application
TAIPAN BRAND FARM INC.	METALDEHYDE	DART 6P	60 g/kg	P	MOLLUSCIDE	4	529-075-3246	09-Dec-22	CONTACT	Rice (Direct-Seeded)	Golden apple snail	4-8 kg/product per hectare	-	-	-	48 hours after application
TAIPAN BRAND FARM INC.	METALDEHYDE	DART 6P	60 g/kg	P	MOLLUSCIDE	4	529-075-3246	09-Dec-22	CONTACT	Potted and driftwood-attached plants such as	Bush, snails, giant african snail and slugs	1-2 kg/product per hectare	-	-	-	48 hours after application
TAIPAN BRAND FARM INC.	METALDEHYDE	DART 6P	60 g/kg	P	MOLLUSCIDE	4	529-075-3246	09-Dec-22	CONTACT	Chinese Cabbage	Slug, snails	6-8 kg/product per hectare	-	-	-	48 hours after application
TAIPAN BRAND FARM INC.	METALDEHYDE	DART 6P	60 g/kg	P	MOLLUSCIDE	4	529-075-3246	09-Dec-22	CONTACT	Strawberry	Slug, snails	6-8 kg/product per hectare	-	-	-	48 hours after application
TAIPAN BRAND FARM INC.	METALDEHYDE	DART 5 G	50 g/kg	G	MOLLUSCIDE	4	529-075-3205	28-Sep-26	CONTACT	Rice (Transplanted)	Golden apple snail	2-4 kg/ product per hectare	-	-	-	48 hours after application
TAIPAN BRAND FARM INC.	METALDEHYDE	DART 5 G	50 g/kg	G	MOLLUSCIDE	4	529-075-3205	28-Sep-26	CONTACT	Rice (Direct-Seeded)	Golden apple snail	4-8 kg/product per hectare	-	-	-	48 hours after application
TAIPAN BRAND FARM INC.	METALDEHYDE	DART 5 G	50 g/kg	G	MOLLUSCIDE	4	529-075-3205	28-Sep-26	CONTACT	Potted and driftwood-attached plants such as	Bush, snails, giant african snail and slugs	1-2 kg/product per hectare	-	-	-	48 hours after application
TAIPAN BRAND FARM INC.	METALDEHYDE	DART 5 G	50 g/kg	G	MOLLUSCIDE	4	529-075-3205	28-Sep-26	CONTACT	Chinese Cabbage	Slug, snails	6-8 kg/product per hectare	-	-	-	48 hours after application
TAIPAN BRAND FARM INC.	METALDEHYDE	DART 5 G	50 g/kg	G	MOLLUSCIDE	4	529-075-3205	28-Sep-26	CONTACT	Strawberry	Slug, snails	6-8 kg/product per hectare	-	-	-	48 hours after application
SUMITOMO CHEMICAL PHILIPPINES INC.	CLOTHIANIDIN	DANTOTSU 16 WSG	160 g/kg	WSG	INSECTICIDE	4	472-375-2590	18-May-25	SYSTEMIC/CONTACT	Mango	Hoppers, tip borers, thrips, oodid fly, capsid bug	2.0-2.5 g prod./36L water	-	-	40 days	Enter treated fields only after spray deposits have dried.
SUMITOMO CHEMICAL PHILIPPINES INC.	CLOTHIANIDIN	DANTOTSU 16 WSG	160 g/kg	WSG	INSECTICIDE	4	472-375-2590	18-May-25	SYSTEMIC/CONTACT	Rice	Green leafhopper, brown planthopper, leaf folder, brown/white backed planthopper, stem borer, black bug, rice bug	3.0-3.5 g prod./36L water	0.5 ppm	-	28 days	Enter treated fields only after spray deposits have dried.
SUMITOMO CHEMICAL PHILIPPINES INC.	CLOTHIANIDIN	DANTOTSU 16 WSG	160 g/kg	WSG	INSECTICIDE	4	472-375-2590	18-May-25	SYSTEMIC/CONTACT	Eggplant	leafhopper, aphids	3.0 g prod/36L water	-	-	3 days	Enter treated fields only after spray deposits have dried.
JARDINE DISTRIBUTION, INC.	CLOTHIANIDIN	DANTOP 16 WSG	160 g/kg	WSG	INSECTICIDE	4	367-375-1714	18-May-25	SYSTEMIC (PREVENTIVE)	Mango	Hoppers, tip borers, thrips, oodid fly, capsid bug	2.0-2.5 g/36 L	1 ppm	-	40 days	Enter treated fields only after spray deposits have dried.
JARDINE DISTRIBUTION, INC.	CLOTHIANIDIN	DANTOP 16 WSG	160 g/kg	WSG	INSECTICIDE	4	367-375-1714	18-May-25	SYSTEMIC (PREVENTIVE)	Rice	Green leafhopper, brown planthopper, leaf folder, brown/white backed planthopper, stem borer, black bug, rice bug	3.0-3.5 g/36 L	0.5 ppm	-	28 days	Enter treated fields only after spray deposits have dried.
AGWAY CHEMICALS CORPORATION	CHLOROTHALONIL	DANINIL 720 SC	720 g/L	SC	FUNGICIDE	4	075-118-1884	15-Dec-24	-	Potato	Early blight, late blight, vine rot	1.00-1.90 L/ha or 4.5-9.0 Tbsp/36L	-	-	7-14 days	Do not enter treatment areas until spray deposit have dried
AGWAY CHEMICALS CORPORATION	CHLOROTHALONIL	DANINIL 720 SC	720 g/L	SC	FUNGICIDE	4	075-118-1884	15-Dec-24	-	Tomato	Early blight, late blight, vine rot	1.13-1.90 L/ha or 4.5-9.0 Tbsp/36L	-	-	7-14 days	Do not enter treatment areas until spray deposit have dried
AGWAY CHEMICALS CORPORATION	CHLOROTHALONIL	DANINIL 720 SC	720 g/L	SC	FUNGICIDE	4	075-118-1884	15-Dec-24	-	Beans	Rust, anthracnose	1.13-1.90 L/ha or 4.5-9.0 Tbsp/36L	-	-	7-14 days	Do not enter treatment areas until spray deposit have dried
AGWAY CHEMICALS CORPORATION	CHLOROTHALONIL	DANINIL 720 SC	720 g/L	SC	FUNGICIDE	4	075-118-1884	15-Dec-24	-	Carrot	Alternaria leaf spot, cercospora leaf spot, helminthosporium leaf spot	1.13-1.90 L/ha or 4.5-9.0 Tbsp/36L	-	-	7-14 days	Do not enter treatment areas until spray deposit have dried
AGWAY CHEMICALS CORPORATION	CHLOROTHALONIL	DANINIL 720 SC	720 g/L	SC	FUNGICIDE	4	075-118-1884	15-Dec-24	-	Crucifers	Powdery mildew	1.13-1.90 L/ha or 4.5-9.0 Tbsp/36L	-	-	7-14 days	Do not enter treatment areas until spray deposit have dried
AGWAY CHEMICALS CORPORATION	CHLOROTHALONIL	DANINIL 720 SC	720 g/L	SC	FUNGICIDE	4	075-118-1884	15-Dec-24	-	Cucumber	Powdery mildew, downy mildew cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-9.0 Tbsp/36L	-	-	7-14 days	Do not enter treatment areas until spray deposit have dried
AGWAY CHEMICALS CORPORATION	CHLOROTHALONIL	DANINIL 720 SC	720 g/L	SC	FUNGICIDE	4	075-118-1884	15-Dec-24	-	Celery	Early blight, late blight	1.13-1.90 L/ha or 4.5-9.0 Tbsp/36L	-	-	7-14 days	Do not enter treatment areas until spray deposit have dried
AGWAY CHEMICALS CORPORATION	CHLOROTHALONIL	DANINIL 720 SC	720 g/L	SC	FUNGICIDE	4	075-118-1884	15-Dec-24	-	Eggplant	Early blight, late blight, cercospora leafspot, anthracnose	1.13-1.90 L/ha or 4.5-9.0 Tbsp/36L	-	-	7-14 days	Do not enter treatment areas until spray deposit have dried

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
AGWAY CHEMICALS CORPORATION	CHLOROTHALONIL	DANINIL 720 SC	720 g/L	SC	FUNGICIDE	4	075-118-1884	15-Dec-24	-	Onion	Purple blotch, bulb rot, neck rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
AGWAY CHEMICALS CORPORATION	CHLOROTHALONIL	DANINIL 720 SC	720 g/L	SC	FUNGICIDE	4	075-118-1884	15-Dec-24	-	Pepper	Early and late blight, bulb rot, neck rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
AGWAY CHEMICALS CORPORATION	CHLOROTHALONIL	DANINIL 720 SC	720 g/L	SC	FUNGICIDE	4	075-118-1884	15-Dec-24	-	Grapes	Downy mildew, powdery mildew, fruit rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
AGWAY CHEMICALS CORPORATION	CHLOROTHALONIL	DANINIL 720 SC	720 g/L	SC	FUNGICIDE	4	075-118-1884	15-Dec-24	-	Mango	Anthraxnose, diploidi rot	1.75-5.90 L/ha or 4.5-6.0 tbsp/36 L	0.5 mg/kg	7-14 days	Do not enter treatment areas until spray deposit have dried
AGWAY CHEMICALS CORPORATION	CHLOROTHALONIL	DANINIL 720 SC	720 g/L	SC	FUNGICIDE	4	075-118-1884	15-Dec-24	-	Ornamentals	Black spot, powdery mildew, black rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
AGWAY CHEMICALS CORPORATION	CHLOROTHALONIL	DANINIL 720 SC	720 g/L	SC	FUNGICIDE	4	075-118-1884	15-Dec-24	-	Asparagus	Stem and leaf blight	1.80 L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
AGWAY CHEMICALS CORPORATION	CHLOROTHALONIL	DANINIL 720 SC	720 g/L	SC	FUNGICIDE	4	075-118-1884	15-Dec-24	-	Banana	Black sigatoka	1.38 L/ha	2.0 mg/kg	0 day	Do not enter treatment areas until spray deposit have dried
UNIVERSAL HARVESTER INC.	GLUFOSINATE AMMONIUM	DAMOLUSH 15 SL	250 g/L	SL	HERBICIDE	4	606-182-4272	05-Mar-21	NON-SELECTIVE/POST-EMERGENT	Rubber	Annual & Perennial grasses, sedges & broadleaf weeds	250ml/16L water, 270ml/16L water, 3.85ml/16L water	-	-	-
UNIVERSAL HARVESTER INC.	GLUFOSINATE AMMONIUM	DAMOLUSH 15 SL	150 g/L	SL	HERBICIDE	4	606-182-4272	05-Mar-21	NON-SELECTIVE/POST-EMERGENT	Oil palm	Annual & Perennial grasses, sedges & broadleaf weeds	400ml/16 L water, 135ml/16 L water	-	-	-
UNIVERSAL HARVESTER INC.	GLUFOSINATE AMMONIUM	DAMOLUSH 15 SL	150 g/L	SL	HERBICIDE	4	606-182-4272	05-Mar-21	NON-SELECTIVE/POST-EMERGENT	Non-Agricultural Crop Areas	Annual & Perennial grasses, sedges & broadleaf weeds	180-215ml/16 L water	-	-	-
UNIVERSAL HARVESTER INC.	GLUFOSINATE AMMONIUM	DAMOLUSH 15 SL	150 g/L	SL	HERBICIDE	4	606-182-4272	05-Mar-21	NON-SELECTIVE/POST-EMERGENT	Coffee	Annual & Perennial grasses, sedges & broadleaf weeds	300ml/16L water, 135ml/16 L water	-	-	-
UNIVERSAL HARVESTER INC.	GLUFOSINATE AMMONIUM	DAMOLUSH 15 SL	150 g/L	SL	HERBICIDE	4	606-182-4272	05-Mar-21	NON-SELECTIVE/POST-EMERGENT	Citrus	Annual & Perennial grasses, sedges & broadleaf weeds	300ml/16 L water, 135ml/16 L water	-	-	-
UNIVERSAL HARVESTER INC.	GLUFOSINATE AMMONIUM	DAMOLUSH 15 SL	150 g/L	SL	HERBICIDE	4	606-182-4272	05-Mar-21	NON-SELECTIVE/POST-EMERGENT	Cavendish Banana	Annual & Perennial grasses, sedges & broadleaf weeds	160ml/16 L water, 135-200ml/16 L water	0.2 mg/kg	-	-
UNIVERSAL HARVESTER INC.	GLUFOSINATE AMMONIUM	DAMOLUSH 15 SL	150 g/L	SL	HERBICIDE	4	606-182-4272	05-Mar-21	NON-SELECTIVE/POST-EMERGENT	Cacao	Annual & Perennial grasses, sedges & broadleaf weeds	300ml/16 L water, 135ml/16 L water	-	-	-
SEM AGROLOGIC, INC.	CYHALOXYL BUTYL	DAMOLUS 10 EC	200 g/L	EC	HERBICIDE	4	218-207-3706	17-May-22	SYSTEMIC	Rice (Direct Seeded)	Grass weeds	7-9 tbsp./tank load; 12 of tank load/ha (18L capacity)	-	-	-
GREENTHUMB VENTURES CORP.	GLYPHOSATE IPA	DAMOKIL 480 SL	480 g/L	SL	HERBICIDE	4	596-151-5498	15-Dec-23	-	glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/ha	-	-	-
GREENTHUMB VENTURES CORP.	GLYPHOSATE IPA	DAMOKIL 480 SL	480 g/L	SL	HERBICIDE	4	596-151-5498	15-Dec-23	-	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
GREENTHUMB VENTURES CORP.	GLYPHOSATE IPA	DAMOKIL 480 SL	480 g/L	SL	HERBICIDE	4	596-151-5498	15-Dec-23	-	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
GREENTHUMB VENTURES CORP.	GLYPHOSATE IPA	DAMOKIL 480 SL	480 g/L	SL	HERBICIDE	4	596-151-5498	15-Dec-23	-	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
GREENTHUMB VENTURES CORP.	GLYPHOSATE IPA	DAMOKIL 480 SL	480 g/L	SL	HERBICIDE	4	596-151-5498	15-Dec-23	-	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
GREENTHUMB VENTURES CORP.	GLYPHOSATE IPA	DAMOKIL 480 SL	480 g/L	SL	HERBICIDE	4	596-151-5498	15-Dec-23	-	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
GREENTHUMB VENTURES CORP.	GLYPHOSATE IPA	DAMOKIL 480 SL	480 g/L	SL	HERBICIDE	4	596-151-5498	15-Dec-23	-	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
GREENTHUMB VENTURES CORP.	GLYPHOSATE IPA	DAMOKIL 480 SL	480 g/L	SL	HERBICIDE	4	596-151-5498	15-Dec-23	-	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
GREENTHUMB VENTURES CORP.	GLYPHOSATE IPA	DAMOKIL 480 SL	480 g/L	SL	HERBICIDE	4	596-151-5498	15-Dec-23	-	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/ha	-	-	-
GREENTHUMB VENTURES CORP.	GLYPHOSATE IPA	DAMOKIL 480 SL	480 g/L	SL	HERBICIDE	4	596-151-5498	15-Dec-23	-	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
GREENTHUMB VENTURES CORP.	GLYPHOSATE IPA	DAMOKIL 480 SL	480 g/L	SL	HERBICIDE	4	596-151-5498	15-Dec-23	-	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
GREENTHUMB VENTURES CORP.	GLYPHOSATE IPA	DAMOKIL 480 SL	480 g/L	SL	HERBICIDE	4	596-151-5498	15-Dec-23	-	non-crop	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
MEGA BOOSTER AGR TRADING CO.	TRIDEMORPH	DAMASCUS 86 OL	860 g/L	OL	FUNGICIDE	2	531-097-3438	07-Jul-18	SYSTEMIC/CONTACT	Banana	Sigatoka	0.5 L/ha Tridemorph + 5.0 L/ha Oil	-	-	-
GNM AGRIVENTURES INC.	METHOMYL	DAMA 40 SP	400 g/kg	SP	INSECTICIDE	2	577-164-3756	01-Jul-22	CONTACT	Asparagus	Armyworm, cutworm	2.0-2.5 Tbsp/36L sprayer	-	-	Do not enter fields treated with DAMA 40 SP within twelve hours after application
GNM AGRIVENTURES INC.	METHOMYL	DAMA 40 SP	400 g/kg	SP	INSECTICIDE	2	577-164-3756	03-Jul-22	CONTACT	Banana	Thrips	3.5-4.5 Tbsp/36L sprayer	-	-	Do not enter fields treated with DAMA 40 SP within twelve hours after application
GNM AGRIVENTURES INC.	METHOMYL	DAMA 40 SP	400 g/kg	SP	INSECTICIDE	2	577-164-3756	01-Jul-22	CONTACT	Beans	Leafroller, flea beetle , beanfly, podborer,aphids	2.0-2.5 Tbsp/36L sprayer	-	-	Do not enter fields treated with DAMA 40 SP within twelve hours after application
GNM AGRIVENTURES INC.	METHOMYL	DAMA 40 SP	400 g/kg	SP	INSECTICIDE	2	577-164-3756	03-Jul-22	CONTACT	Mungbeans	Leafroller, flea beetle , beanfly, podborer,aphids	2.0-2.5 Tbsp/36L sprayer	-	-	Do not enter fields treated with DAMA 40 SP within twelve hours after application
GNM AGRIVENTURES INC.	METHOMYL	DAMA 40 SP	400 g/kg	SP	INSECTICIDE	2	577-164-3756	03-Jul-22	CONTACT	Soybeans	Leafroller, flea beetle , beanfly, podborer,aphids	2.0-2.5 Tbsp/36L sprayer	-	-	Do not enter fields treated with DAMA 40 SP within twelve hours after application
GNM AGRIVENTURES INC.	METHOMYL	DAMA 40 SP	400 g/kg	SP	INSECTICIDE	2	577-164-3756	01-Jul-22	CONTACT	Sitao	Leafroller, flea beetle , beanfly, podborer,aphids	2.0-2.5 Tbsp/36L sprayer	-	-	Do not enter fields treated with DAMA 40 SP within twelve hours after application
GNM AGRIVENTURES INC.	METHOMYL	DAMA 40 SP	400 g/kg	SP	INSECTICIDE	2	577-164-3756	03-Jul-22	CONTACT	Corn	Comborer, earworm	2.0-2.5 Tbsp/36L sprayer	-	-	Do not enter fields treated with DAMA 40 SP within twelve hours after application
GNM AGRIVENTURES INC.	METHOMYL	DAMA 40 SP	400 g/kg	SP	INSECTICIDE	2	577-164-3756	01-Jul-22	CONTACT	Sorghum	Comborer,earworm	2.0-2.5 Tbsp/36L sprayer	-	-	Do not enter fields treated with DAMA 40 SP within twelve hours after application
GNM AGRIVENTURES INC.	METHOMYL	DAMA 40 SP	400 g/kg	SP	INSECTICIDE	2	577-164-3756	03-Jul-22	CONTACT	leggplant	Aphids, flea beetle , fruitworm, lady beetle	2.0-2.5 Tbsp/36L sprayer	-	-	Do not enter fields treated with DAMA 40 SP within twelve hours after application
GNM AGRIVENTURES INC.	METHOMYL	DAMA 40 SP	400 g/kg	SP	INSECTICIDE	2	577-164-3756	01-Jul-22	CONTACT	Melon	Aphids, Squash beetle , leafroller	2.0-2.5 Tbsp/36L sprayer	-	-	Do not enter fields treated with DAMA 40 SP within twelve hours after application
GNM AGRIVENTURES INC.	METHOMYL	DAMA 40 SP	400 g/kg	SP	INSECTICIDE	2	577-164-3756	03-Jul-22	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leafroller	2.0-2.5 Tbsp/36L sprayer	0.01ppm	3 Days	Do not enter fields treated with DAMA 40 SP within twelve hours after application
GNM AGRIVENTURES INC.	METHOMYL	DAMA 40 SP	400 g/kg	SP	INSECTICIDE	2	577-164-3756	03-Jul-22	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	2.0-2.5 Tbsp/36L sprayer	-	-	Do not enter fields treated with DAMA 40 SP within twelve hours after application
GNM AGRIVENTURES INC.	METHOMYL	DAMA 40 SP	400 g/kg	SP	INSECTICIDE	2	577-164-3756	01-Jul-22	CONTACT	Tomato	Tomato fruitworm, aphids	2.0-2.5 Tbsp/36L sprayer	-	-	Do not enter fields treated with DAMA 40 SP within twelve hours after application
GLYCON CORPORATION	GLYPHOSATE IPA	DAITAN 480 SL	480 g/L	SL	HERBICIDE	4	544-151-3352	03-Nov-17	POST-EMERGENT	glyphosate tolerant corn	Cogon,mutha,paragrass,talahib,fern and other annual weeds.	2.0-4.0 Liters/ha	-	-	-
GLYCON CORPORATION	GLYPHOSATE IPA	DAITAN 480 SL	480 g/L	SL	HERBICIDE	4	544-151-3352	03-Nov-17	POST-EMERGENT	Mango	Cogon,mutha,paragrass,talahib,fern and other annual weeds.	3.0-4.5 Liters/ha	-	-	-
GLYCON CORPORATION	GLYPHOSATE IPA	DAITAN 480 SL	480 g/L	SL	HERBICIDE	4	544-151-3352	03-Nov-17	POST-EMERGENT	Banana	Cogon,mutha,paragrass,talahib,fern and other annual weeds.	3.0-4.5 Liters/ha	-	-	-
GLYCON CORPORATION	GLYPHOSATE IPA	DAITAN 480 SL	480 g/L	SL	HERBICIDE	4	544-151-3352	03-Nov-17	POST-EMERGENT	Coffee	Cogon,mutha,paragrass,talahib,fern and other annual weeds.	3.0-4.5 Liters/ha	-	-	-
GLYCON CORPORATION	GLYPHOSATE IPA	DAITAN 480 SL	480 g/L	SL	HERBICIDE	4	544-151-3352	03-Nov-17	POST-EMERGENT	Rubber	Cogon,mutha,paragrass,talahib,fern and other annual weeds.	2.0 Liters/ha	-	-	-
GLYCON CORPORATION	GLYPHOSATE IPA	DAITAN 480 SL	480 g/L	SL	HERBICIDE	4	544-151-3352	03-Nov-17	POST-EMERGENT	Oil palm	Cogon,mutha,paragrass,talahib,fern and other annual weeds.	2.0 Liters/ha	-	-	-
GLYCON CORPORATION	GLYPHOSATE IPA	DAITAN 480 SL	480 g/L	SL	HERBICIDE	4	544-151-3352	03-Nov-17	POST-EMERGENT	Citrus	Cogon,mutha,paragrass,talahib,fern and other annual weeds.	2.0 Liters/ha	-	-	-
GLYCON CORPORATION	GLYPHOSATE IPA	DAITAN 480 SL	480 g/L	SL	HERBICIDE	4	544-151-3352	03-Nov-17	POST-EMERGENT	Coconut	Cogon,mutha,paragrass,talahib,fern and other annual weeds.	4.5 Liters/ha	-	-	-
GLYCON CORPORATION	GLYPHOSATE IPA	DAITAN 480 SL	480 g/L	SL	HERBICIDE	4	544-151-3352	03-Nov-17	POST-EMERGENT	Sugarcane	Cogon,mutha,paragrass,talahib,fern and other annual weeds.	2.0 Liters/ha	-	-	-
GLYCON CORPORATION	GLYPHOSATE IPA	DAITAN 480 SL	480 g/L	SL	HERBICIDE	4	544-151-3352	03-Nov-17	POST-EMERGENT	Vegetables	Cogon,mutha,paragrass,talahib,fern and other annual weeds.	2.0 Liters/ha	-	-	-
GLYCON CORPORATION	GLYPHOSATE IPA	DAITAN 480 SL	480 g/L	SL	HERBICIDE	4	544-151-3352	03-Nov-17	POST-EMERGENT	Non-crop	Cogon,mutha,paragrass,talahib,fern and other annual weeds.	-	-	-	-
KOKO CROP CARE SUPPLIES, INC.	CHLOROTHALONIL	DAKOR 725C	720 g/L	SC	FUNGICIDE	3	765-118-6157	20-Apr-24	-	Ornamentals	Black spot, black rot, powdery mildew	4.5-6.0 tbsp	-	-	For Banana there is no pre-harvest interval necessary from last spray until harvest but for other crops, 7-14
KOKO CROP CARE SUPPLIES, INC.	CHLOROTHALONIL	DAKOR 725C	720 g/L	SC	FUNGICIDE	3	765-118-6157	20-Apr-24	-	Pepper	Early and late blight, bulb rot, neck rot	4.5-6.0 tbsp	-	-	For Banana there is no pre-harvest interval necessary from last spray until harvest but for other crops, 7-14
KOKO CROP CARE SUPPLIES, INC.	CHLOROTHALONIL	DAKOR 725C	720 g/L	SC	FUNGICIDE	3	765-118-6157	20-Apr-24	-	Onion	Purple blotch, bulb rot, neck rot	4.5-6.0 tbsp	-	-	For Banana there is no pre-harvest interval necessary from last spray until harvest but for other crops, 7-14

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
KOKO CROP CARE SUPPLIES, INC.	CHLOROTHALONIL	DAKOR 725C	720 g/L	SC	FUNGICIDE	3	765-118-6157	20-Apr-24	-	Mango	Anthraxnose, diploida rot	4.5-6.0 t/bsp	-	For Banana there is no pre-harvest interval necessary from last spray until harvest but for other crops, 7-14	Do not enter unless spray deposits have dried
KOKO CROP CARE SUPPLIES, INC.	CHLOROTHALONIL	DAKOR 725C	720 g/L	SC	FUNGICIDE	3	765-118-6157	20-Apr-24	-	Grapes	Downy mildew, powdery mildew, fruit rot	4.5-6.0 t/bsp	-	For Banana there is no pre-harvest interval necessary from last spray until harvest but for other crops, 7-14	Do not enter unless spray deposits have dried
KOKO CROP CARE SUPPLIES, INC.	CHLOROTHALONIL	DAKOR 725C	720 g/L	SC	FUNGICIDE	3	765-118-6157	20-Apr-24	-	Eggplant	Early and late blight, cercospora, anthracnose	4.5-6.0 t/bsp	-	For Banana there is no pre-harvest interval necessary from last spray until harvest but for other crops, 7-14	Do not enter unless spray deposits have dried
KOKO CROP CARE SUPPLIES, INC.	CHLOROTHALONIL	DAKOR 725C	720 g/L	SC	FUNGICIDE	3	765-118-6157	20-Apr-24	-	Galery	Early and late blight	4.5-6.0 t/bsp	-	For Banana there is no pre-harvest interval necessary from last spray until harvest but for other crops, 7-14	Do not enter unless spray deposits have dried
KOKO CROP CARE SUPPLIES, INC.	CHLOROTHALONIL	DAKOR 725C	720 g/L	SC	FUNGICIDE	3	765-118-6157	20-Apr-24	-	Cucurbits	Powdery mildew, downy mildew, cercospora, anthracnose, septoria, fruit rot, early and late blight	4.5-6.0 t/bsp	-	For Banana there is no pre-harvest interval necessary from last spray until harvest but for other crops, 7-14	Do not enter unless spray deposits have dried
KOKO CROP CARE SUPPLIES, INC.	CHLOROTHALONIL	DAKOR 725C	720 g/L	SC	FUNGICIDE	3	765-118-6157	20-Apr-24	-	Crucifers	Powdery mildew	4.5-6.0 t/bsp	-	For Banana there is no pre-harvest interval necessary from last spray until harvest but for other crops, 7-14	Do not enter unless spray deposits have dried
KOKO CROP CARE SUPPLIES, INC.	CHLOROTHALONIL	DAKOR 725C	720 g/L	SC	FUNGICIDE	3	765-118-6157	20-Apr-24	-	Carrot	Alternaria, cercospora, helminthosporium	4.5-6.0 t/bsp	-	For Banana there is no pre-harvest interval necessary from last spray until harvest but for other crops, 7-14	Do not enter unless spray deposits have dried
KOKO CROP CARE SUPPLIES, INC.	CHLOROTHALONIL	DAKOR 725C	720 g/L	SC	FUNGICIDE	3	765-118-6157	20-Apr-24	-	Beans	Rust, anthracnose	4.5-6.0 t/bsp	-	For Banana there is no pre-harvest interval necessary from last spray until harvest but for other crops, 7-14	Do not enter unless spray deposits have dried
KOKO CROP CARE SUPPLIES, INC.	CHLOROTHALONIL	DAKOR 725C	720 g/L	SC	FUNGICIDE	3	765-118-6157	20-Apr-24	-	Tomato	Early and late blight, vine rot	4.5-6.0 t/bsp	-	For Banana there is no pre-harvest interval necessary from last spray until harvest but for other crops, 7-14	Do not enter unless spray deposits have dried
KOKO CROP CARE SUPPLIES, INC.	CHLOROTHALONIL	DAKOR 725C	720 g/L	SC	FUNGICIDE	3	765-118-6157	20-Apr-24	-	Potato	Early and late blight, vine rot	4.5-6.0 t/bsp	-	For Banana there is no pre-harvest interval necessary from last spray until harvest but for other crops, 7-14	Do not enter unless spray deposits have dried
KOKO CROP CARE SUPPLIES, INC.	CHLOROTHALONIL	DAKOR 725C	720 g/L	SC	FUNGICIDE	3	765-118-6157	20-Apr-24	-	Asparagus	Stem and leaf blight	1.00 t/Lha	-	For Banana there is no pre-harvest interval necessary from last spray until harvest but for other crops, 7-14	Do not enter unless spray deposits have dried
KOKO CROP CARE SUPPLIES, INC.	CHLOROTHALONIL	DAKOR 725C	720 g/L	SC	FUNGICIDE	3	765-118-6157	20-Apr-24	-	Banana	Black sigatoka	1.0-2.0 t/Lha	-	For Banana there is no pre-harvest interval necessary from last spray until harvest but for other crops, 7-14	Do not enter unless spray deposits have dried
IAGRI CHEMICAL CORPORATION	LAMBDA-CHYALOTHIRIN	DAIGER 2.5 EC	25 g/L	EC	INSECTICIDE	2	534-204-3329	07-Oct-17	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leafroller, black bug	1.0-1.5 t/bsp/36 l of water	0.05ppm	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
IAGRI CHEMICAL CORPORATION	LAMBDA-CHYALOTHIRIN	DAIGER 2.5 EC	25 g/L	EC	INSECTICIDE	2	534-204-3329	07-Oct-17	SYSTEMIC	Mango	Heppers	0.75-1.5 t/bsp/36 l of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
IAGRI CHEMICAL CORPORATION	LAMBDA-CHYALOTHIRIN	DAIGER 2.5 EC	25 g/L	EC	INSECTICIDE	2	534-204-3329	07-Oct-17	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5 t/bsp/36 l of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
IAGRI CHEMICAL CORPORATION	LAMBDA-CHYALOTHIRIN	DAIGER 2.5 EC	25 g/L	EC	INSECTICIDE	2	534-204-3329	07-Oct-17	SYSTEMIC	Onion	Thrips, cutworm	1.0 t/bsp/36 l of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
IAGRI CHEMICAL CORPORATION	LAMBDA-CHYALOTHIRIN	DAIGER 2.5 EC	25 g/L	EC	INSECTICIDE	2	534-204-3329	07-Oct-17	SYSTEMIC	Mungbeans	Beanfly, flea beetle, leafhopper, aphids, mites, podborer	1.0 t/bsp/36 l of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
IAGRI CHEMICAL CORPORATION	LAMBDA-CHYALOTHIRIN	DAIGER 2.5 EC	25 g/L	EC	INSECTICIDE	2	534-204-3329	07-Oct-17	SYSTEMIC	Corn	Comborer, aphids, seedling maggots	1.0-1.5 t/bsp/36 l of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
IAGRI CHEMICAL CORPORATION	LAMBDA-CHYALOTHIRIN	DAIGER 2.5 EC	25 g/L	EC	INSECTICIDE	2	534-204-3329	07-Oct-17	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katyids	1.0-1.5 t/bsp/36 l of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
IAGRI CHEMICAL CORPORATION	LAMBDA-CHYALOTHIRIN	DAIGER 2.5 EC	25 g/L	EC	INSECTICIDE	2	534-204-3329	07-Oct-17	SYSTEMIC	Cotton	Bollworm	1.0-1.5 t/bsp/36 l of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
IAGRI CHEMICAL CORPORATION	LAMBDA-CHYALOTHIRIN	DAIGER 2.5 EC	25 g/L	EC	INSECTICIDE	2	534-204-3329	07-Oct-17	SYSTEMIC	Cocoa	Podborer	1.0-2.0 t/bsp/36 l of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
IAGRI CHEMICAL CORPORATION	LAMBDA-CHYALOTHIRIN	DAIGER 2.5 EC	25 g/L	EC	INSECTICIDE	2	534-204-3329	07-Oct-17	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0 t/bsp/36 l of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
DCOM MARKETING INCORPORATED	CHLOPYRIFOS	DAGE 30 EC	300 g/L	EC	INSECTICIDE	2	467-101-2760	02-Oct-25	-	Rice	Stemborer, armyworm, leafhopper, caseworm, planthopper, cutworm	1.5-3.5 t/bsp/36L water	-	-	-
DCOM MARKETING INCORPORATED	CHLOPYRIFOS	DAGE 30 EC	300 g/L	EC	INSECTICIDE	2	467-101-2760	02-Oct-25	-	Potato	Tubermoth, leafhopper, cutworm, aphids	2.5-3.5 t/bsp/36L water	-	-	-
DCOM MARKETING INCORPORATED	CHLOPYRIFOS	DAGE 30 EC	300 g/L	EC	INSECTICIDE	2	467-101-2760	02-Oct-25	-	Corn	Armyworm, comborer, sawworm, seedling maggots	2.5-3.5 t/bsp/36L water	-	-	-
DCOM MARKETING INCORPORATED	CHLOPYRIFOS	DAGE 30 EC	300 g/L	EC	INSECTICIDE	2	467-101-2760	02-Oct-25	-	Beans	Beanfly, leafroller, podborer, cutworm, armyworm	2.5-3.5 t/bsp/36L water	-	-	-
BAYER CROPSCIENCE, INC.	CHLOROTHALONIL	DAICONIL WP 75	750 g/kg	WP	FUNGICIDE	4	284-118-0214	15-Jul-24	-	Grapes	Downy mildew, powdery mildew, fruit rot	3.2-4.8 t/bsp/36L water	-	-	Do not enter treatment areas until spray deposit have dried
BAYER CROPSCIENCE, INC.	CHLOROTHALONIL	DAICONIL WP 75	750 g/kg	WP	FUNGICIDE	4	284-118-0214	15-Jul-24	-	Potato	Early and late blight, vine rot	3.2-4.8 t/bsp/36L water	-	-	Do not enter treatment areas until spray deposit have dried
BAYER CROPSCIENCE, INC.	CHLOROTHALONIL	DAICONIL WP 75	750 g/kg	WP	FUNGICIDE	4	284-118-0214	15-Jul-24	-	Tomato	Early and late blight, vine rot	3.2-4.8 t/bsp/36L water	-	-	Do not enter treatment areas until spray deposit have dried
BAYER CROPSCIENCE, INC.	CHLOROTHALONIL	DAICONIL WP 75	750 g/kg	WP	FUNGICIDE	4	284-118-0214	15-Jul-24	-	Banana	Sigatoka, rust, freckles	3.2-4.8 t/bsp/36L water	2.0 mg/kg	-	Do not enter treatment areas until spray deposit have dried
BAYER CROPSCIENCE, INC.	CHLOROTHALONIL	DAICONIL WP 75	750 g/kg	WP	FUNGICIDE	4	284-118-0214	15-Jul-24	-	Peas	Rust, anthracnose	3.2-4.8 t/bsp/36L water	-	7 Days	Do not enter treatment areas until spray deposit have dried
BAYER CROPSCIENCE, INC.	CHLOROTHALONIL	DAICONIL WP 75	750 g/kg	WP	FUNGICIDE	4	284-118-0214	15-Jul-24	-	Beans	Rust, anthracnose	3.2-4.8 t/bsp/36L water	-	7 Days	Do not enter treatment areas until spray deposit have dried
BAYER CROPSCIENCE, INC.	CHLOROTHALONIL	DAICONIL WP 75	750 g/kg	WP	FUNGICIDE	4	284-118-0214	15-Jul-24	-	Citrus	Scab, melanose	3.2-4.8 t/bsp/36L water	-	-	Do not enter treatment areas until spray deposit have dried
BAYER CROPSCIENCE, INC.	CHLOROTHALONIL	DAICONIL WP 75	750 g/kg	WP	FUNGICIDE	4	284-118-0214	15-Jul-24	-	Watermelon	Powdery mildew, anthracnose, early and late blight, cercospora leaf spot	3.2-4.8 t/bsp/36L water	-	-	Do not enter treatment areas until spray deposit have dried
BAYER CROPSCIENCE, INC.	CHLOROTHALONIL	DAICONIL WP 75	750 g/kg	WP	FUNGICIDE	4	284-118-0214	15-Jul-24	-	Garlic	Purple blotch, bulb rot, neck rot	3.2-4.8 t/bsp/36L water	-	7 Days	Do not enter treatment areas until spray deposit have dried
BAYER CROPSCIENCE, INC.	CHLOROTHALONIL	DAICONIL WP 75	750 g/kg	WP	FUNGICIDE	4	284-118-0214	15-Jul-24	-	Onion	Purple blotch, bulb rot, neck rot	3.2-4.8 t/bsp/36L water	-	7 Days	Do not enter treatment areas until spray deposit have dried
BAYER CROPSCIENCE, INC.	CHLOROTHALONIL	DAICONIL WP 75	750 g/kg	WP	FUNGICIDE	4	284-118-0214	15-Jul-24	-	Rice	Rice blast, stem rot, helminthosporium leaf spot, cercospora leaf spot, sheath blight	3.2-4.8 t/bsp/36L water	0.1ppm	14 Days	Do not enter treatment areas until spray deposit have dried
BAYER CROPSCIENCE, INC.	CHLOROTHALONIL	DAICONIL WP 75	750 g/kg	WP	FUNGICIDE	4	284-118-0214	15-Jul-24	-	Corn	Helminthosporium leafspot, rust, downy mildew	3.2-4.8 t/bsp/36L water	-	14 Days	Do not enter treatment areas until spray deposit have dried
BAYER CROPSCIENCE, INC.	CHLOROTHALONIL	DAICONIL WP 75	750 g/kg	WP	FUNGICIDE	4	284-118-0214	15-Jul-24	-	Galery	late blight	3.2-4.8 t/bsp/36L water	-	7 Days	Do not enter treatment areas until spray deposit have dried
BAYER CROPSCIENCE, INC.	CHLOROTHALONIL	DAICONIL WP 75	750 g/kg	WP	FUNGICIDE	4	284-118-0214	15-Jul-24	-	Eggplant	Early and late blight, cercospora, leaf spot	3.2-4.8 t/bsp/36L water	-	-	Do not enter treatment areas until spray deposit have dried
BAYER CROPSCIENCE, INC.	CHLOROTHALONIL	DAICONIL WP 75	750 g/kg	WP	FUNGICIDE	4	284-118-0214	15-Jul-24	-	Pepper	Early and late blight, cercospora, leaf spot	3.2-4.8 t/bsp/36L water	-	-	Do not enter treatment areas until spray deposit have dried
BAYER CROPSCIENCE, INC.	CHLOROTHALONIL	DAICONIL WP 75	750 g/kg	WP	FUNGICIDE	4	284-118-0214	15-Jul-24	-	Melon	Anthraxnose, powdery mildew, early and late blight, cercospora leaf spot	3.2-4.8 t/bsp/36L water	-	-	Do not enter treatment areas until spray deposit have dried
BAYER CROPSCIENCE, INC.	CHLOROTHALONIL	DAICONIL WP 75	750 g/kg	WP	FUNGICIDE	4	284-118-0214	15-Jul-24	-	Mango	Anthraxnose, diploida rot	3.2-4.8 t/bsp/36L water	0.5 mg/kg	-	Do not enter treatment areas until spray deposit have dried
BAYER CROPSCIENCE, INC.	CHLOROTHALONIL	DAICONIL WP 75	750 g/kg	WP	FUNGICIDE	4	284-118-0214	15-Jul-24	-	Ornamentals	Black spot, black rot, powdery mildew	3.2-4.8 t/bsp/36L water	-	-	Do not enter treatment areas until spray deposit have dried
BAYER CROPSCIENCE, INC.	CHLOROTHALONIL	DAICONIL WP 75	750 g/kg	WP	FUNGICIDE	4	284-118-0214	15-Jul-24	-	Peanut	Cercospora leaf spot	3.2-4.8 t/bsp/36L water	-	14 Days	Do not enter treatment areas until spray deposit have dried
BAYER CROPSCIENCE, INC.	CHLOROTHALONIL	DAICONIL WP 75	750 g/kg	WP	FUNGICIDE	4	284-118-0214	15-Jul-24	-	Lettuce	Downy mildew	3.2-4.8 t/bsp/36L water	-	-	Do not enter treatment areas until spray deposit have dried
BAYER CROPSCIENCE, INC.	CHLOROTHALONIL	DAICONIL WP 75	750 g/kg	WP	FUNGICIDE	4	284-118-0214	15-Jul-24	-	Cabbage	Powdery mildew	3.2-4.8 t/bsp/36L water	-	-	Do not enter treatment areas until spray deposit have dried
BAYER CROPSCIENCE, INC.	CHLOROTHALONIL	DAICONIL WP 75	750 g/kg	WP	FUNGICIDE	4	284-118-0214	15-Jul-24	-	Cauliflower	Powdery mildew	3.2-4.8 t/bsp/36L water	-	-	Do not enter treatment areas until spray deposit have dried
BAYER CROPSCIENCE, INC.	CHLOROTHALONIL	DAICONIL WP 75	750 g/kg	WP	FUNGICIDE	4	284-118-0214	15-Jul-24	-	Broccoli	Powdery mildew	3.2-4.8 t/bsp/36L water	-	-	Do not enter treatment areas until spray deposit have dried
BAYER CROPSCIENCE, INC.	CHLOROTHALONIL	DAICONIL WP 75	750 g/kg	WP	FUNGICIDE	4	284-118-0214	15-Jul-24	-	Carrot	Alternaria leaf spot, cercospora leaf spot	3.2-4.8 t/bsp/36L water	-	-	Do not enter treatment areas until spray deposit have dried
BAYER CROPSCIENCE, INC.	CHLOROTHALONIL	DAICONIL WP 75	750 g/kg	WP	FUNGICIDE	4	284-118-0214	15-Jul-24	-	Squash	Anthraxnose, powdery mildew, early and late blight, cercospora leaf spot	3.2-4.8 t/bsp/36L water	-	-	Do not enter treatment areas until spray deposit have dried
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	CHLOROTHALONIL	DAICONIL 720 SC	720 g/L	SC	FUNGICIDE	4	080-118-2120	21-Dec-24	-	Potato	Early blight, late blight, vine rot	1.00-1.80 t/Lha or 4.5-5.5 t/bsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	CHLOROTHALONIL	DAICONIL 720 SC	720 g/L	SC	FUNGICIDE	4	080-118-2120	21-Dec-24	-	Tomato	Early blight, late blight, vine rot	1.15-1.90 t/Lha or 4.5-6.0 t/bsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
INTERNATIONAL VETERINARY & AGROCHEMICAL (VA), INC.	CHLOROTHALONIL	DACONIL 720 SC	720 g/L	SC	FUNGICIDE	4	088-118-2120	23-Dec-24	-	Beans	Rust, anthracnose	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
CHLOROTHALONIL	DACONIL 720 SC	720 g/L	SC	FUNGICIDE	4	088-118-2120	23-Dec-24	-	-	Carrot	Alternaria leaf spot, cercospora leaf spot, helminthosporium leaf spot	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
INTERNATIONAL VETERINARY & AGROCHEMICAL (VA), INC.	CHLOROTHALONIL	DACONIL 720 SC	720 g/L	SC	FUNGICIDE	4	088-118-2120	23-Dec-24	-	Cucufers	Powdery mildew	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
INTERNATIONAL VETERINARY & AGROCHEMICAL (VA), INC.	CHLOROTHALONIL	DACONIL 720 SC	720 g/L	SC	FUNGICIDE	4	088-118-2120	23-Dec-24	-	Melon	Powdery mildew, cercospora, sepioria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
INTERNATIONAL VETERINARY & AGROCHEMICAL (VA), INC.	CHLOROTHALONIL	DACONIL 720 SC	720 g/L	SC	FUNGICIDE	4	088-118-2120	23-Dec-24	-	Cucumber	Powdery mildew, cercospora, sepioria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
INTERNATIONAL VETERINARY & AGROCHEMICAL (VA), INC.	CHLOROTHALONIL	DACONIL 720 SC	720 g/L	SC	FUNGICIDE	4	088-118-2120	23-Dec-24	-	Squash	Powdery mildew, cercospora, sepioria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
INTERNATIONAL VETERINARY & AGROCHEMICAL (VA), INC.	CHLOROTHALONIL	DACONIL 720 SC	720 g/L	SC	FUNGICIDE	4	088-118-2120	23-Dec-24	-	Watermelon	Powdery mildew, cercospora, sepioria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
INTERNATIONAL VETERINARY & AGROCHEMICAL (VA), INC.	CHLOROTHALONIL	DACONIL 720 SC	720 g/L	SC	FUNGICIDE	4	088-118-2120	23-Dec-24	-	Celery	Early blight, late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
INTERNATIONAL VETERINARY & AGROCHEMICAL (VA), INC.	CHLOROTHALONIL	DACONIL 720 SC	720 g/L	SC	FUNGICIDE	4	088-118-2120	23-Dec-24	-	Eggplant	Early blight, late blight, cercospora leafspot, anthracnose	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
INTERNATIONAL VETERINARY & AGROCHEMICAL (VA), INC.	CHLOROTHALONIL	DACONIL 720 SC	720 g/L	SC	FUNGICIDE	4	088-118-2120	23-Dec-24	-	Onion	Purple blotch, bulb rot, neck rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
INTERNATIONAL VETERINARY & AGROCHEMICAL (VA), INC.	CHLOROTHALONIL	DACONIL 720 SC	720 g/L	SC	FUNGICIDE	4	088-118-2120	23-Dec-24	-	Pepper	Early blight, cercospora leaf spot, anthracnose	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
INTERNATIONAL VETERINARY & AGROCHEMICAL (VA), INC.	CHLOROTHALONIL	DACONIL 720 SC	720 g/L	SC	FUNGICIDE	4	088-118-2120	23-Dec-24	-	Grapes	Downy mildew, powdery mildew, fruit rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
INTERNATIONAL VETERINARY & AGROCHEMICAL (VA), INC.	CHLOROTHALONIL	DACONIL 720 SC	720 g/L	SC	FUNGICIDE	4	088-118-2120	23-Dec-24	-	Mango	Anthracoese, diplodia rot	3.75-5.80 L/ha or 4.5-6.0 tbsp/36 L	0.5 mg/kg	7-14 days	Do not enter treatment areas until spray deposit have dried
INTERNATIONAL VETERINARY & AGROCHEMICAL (VA), INC.	CHLOROTHALONIL	DACONIL 720 SC	720 g/L	SC	FUNGICIDE	4	088-118-2120	23-Dec-24	-	Ornamentals	Black spot, powdery mildew, black rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
INTERNATIONAL VETERINARY & AGROCHEMICAL (VA), INC.	CHLOROTHALONIL	DACONIL 720 SC	720 g/L	SC	FUNGICIDE	4	088-118-2120	23-Dec-24	-	Asparagus	Stem and leaf blight	1.80 L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
INTERNATIONAL VETERINARY & AGROCHEMICAL (VA), INC.	CHLOROTHALONIL	DACONIL 720 SC	720 g/L	SC	FUNGICIDE	4	088-118-2120	23-Dec-24	-	Banana	Black sigatoka	1.38 L/ha	2.0 mg/kg	0 day	Do not enter treatment areas until spray deposit have dried
BERRIS AGRICULTURAL CO., INC.	MANCOZEB	D-30 600 DS	600 g/L	DS	FUNGICIDE	4	213-053-2773	04-Jan-23	-	Banana	Black sigatoka	-	-	-	-
BERRIS AGRICULTURAL CO., INC.	MANCOZEB	D-30 412 SC	412 g/L	SC	FUNGICIDE	4	213-053-2880	14-Jun-26	-	Banana	Sigatoka	9.0 Liter/ha in sufficient 38.7oz/36L water	30	-	-
UPL PHILIPPINES, INC.	CYRUS S EC	-	50 g/L	EC	INSECTICIDE	4	562-037-3749	27-Jun-25	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/36 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposit dry
UPL PHILIPPINES, INC.	CYRUS S EC	-	50 g/L	EC	INSECTICIDE	4	562-037-3749	27-Jun-25	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leafhopper, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/36 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposit dry
UPL PHILIPPINES, INC.	CYRUS S EC	-	50 g/L	EC	INSECTICIDE	4	562-037-3749	27-Jun-25	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/36 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposit dry
UPL PHILIPPINES, INC.	CYRUS S EC	-	50 g/L	EC	INSECTICIDE	4	562-037-3749	27-Jun-25	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/36 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposit dry
UPL PHILIPPINES, INC.	CYRUS S EC	-	50 g/L	EC	INSECTICIDE	4	562-037-3749	27-Jun-25	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/36 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposit dry
UPL PHILIPPINES, INC.	CYRUS S EC	-	50 g/L	EC	INSECTICIDE	4	562-037-3749	27-Jun-25	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/36 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposit dry
UPL PHILIPPINES, INC.	CYRUS S EC	-	50 g/L	EC	INSECTICIDE	4	562-037-3749	27-Jun-25	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/36 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposit dry
UPL PHILIPPINES, INC.	CYRUS S EC	-	50 g/L	EC	INSECTICIDE	4	562-037-3749	27-Jun-25	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/36 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposit dry
UPL PHILIPPINES, INC.	CYRUS S EC	-	50 g/L	EC	INSECTICIDE	4	562-037-3749	27-Jun-25	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/36 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposit dry
UPL PHILIPPINES, INC.	CYRUS S EC	-	50 g/L	EC	INSECTICIDE	4	562-037-3749	27-Jun-25	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/36 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposit dry
UPL PHILIPPINES, INC.	CYRUS S EC	-	50 g/L	EC	INSECTICIDE	4	562-037-3749	27-Jun-25	CONTACT	Corn	Comborer, earworm	1.0-4.5 Tbsp/36 L water	-	7 days	7 days
S&P ENTERPRISES, INC.	CYROMAZINE	CYROKILL 75 WP	750 g/kg	WP	INSECTICIDE	4	366-331-6478	21-Dec-26	-	Chrysanthemum	Leafminer	4.0 tbsp/ 16L sprayer	-	14 days	Do not enter unless spray deposits have dried
CYROMAZINE	CYROKILL 75 WP	750 g/kg	WP	INSECTICIDE	4	366-331-6478	21-Dec-26	-	-	Garden peas	Leafminer	4.0-7.0 tbsp/ 16L sprayer	-	14 days	Do not enter unless spray deposits have dried
S&P ENTERPRISES, INC.	CYROMAZINE	CYROKILL 75 WP	750 g/kg	WP	INSECTICIDE	4	366-331-6478	21-Dec-26	-	Onion	Leafminer	4.0-7.0 tbsp/ 16L sprayer	-	14 days	Do not enter unless spray deposits have dried
S&P ENTERPRISES, INC.	CYROMAZINE	CYROKILL 75 WP	750 g/kg	WP	INSECTICIDE	4	366-331-6478	21-Dec-26	-	Potato	Leafminer	4.0-7.0 tbsp/ 16L sprayer	-	14 days	Do not enter unless spray deposits have dried
S&P ENTERPRISES, INC.	CYROMAZINE	CYROKILL 75 WP	750 g/kg	WP	INSECTICIDE	4	366-331-6478	21-Dec-26	-	Stringbeans	Leafminer	4.0-7.0 tbsp/ 16L sprayer	-	14 days	Do not enter unless spray deposits have dried
S&P ENTERPRISES, INC.	CYROMAZINE	CYROKILL 75 WP	750 g/kg	WP	INSECTICIDE	4	366-331-6478	21-Dec-26	-	Tomato	Leafminer	4.0-7.0 tbsp/ 16L sprayer	-	14 days	Do not enter unless spray deposits have dried
S&P ENTERPRISES, INC.	CYROMAZINE	CYROKILL 75 WP	750 g/kg	WP	INSECTICIDE	4	366-331-6478	21-Dec-26	-	Watermelon	Leafminer	4.0-7.0 tbsp/ 16L sprayer	-	14 days	Do not enter unless spray deposits have dried
VETREMOCA CORPORATION	CYROMAZINE	CYROKARE	-	-	OTHERS	4	700-331-5575	31-Dec-24	-	-	Housetfly larvae in animal facilities	-	-	-	-
AGREXPORE CORPORATION	CYRUS S EC	-	50 g/L	EC	INSECTICIDE	4	528-037-4141	09-Oct-30	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/36 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposit dry
AGREXPORE CORPORATION	CYRUS S EC	-	50 g/L	EC	INSECTICIDE	4	528-037-4141	09-Oct-30	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leafhopper, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/36 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposit dry
AGREXPORE CORPORATION	CYRUS S EC	-	50 g/L	EC	INSECTICIDE	4	528-037-4141	09-Oct-30	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/36 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposit dry
AGREXPORE CORPORATION	CYRUS S EC	-	50 g/L	EC	INSECTICIDE	4	528-037-4141	09-Oct-30	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/36 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposit dry
AGREXPORE CORPORATION	CYRUS S EC	-	50 g/L	EC	INSECTICIDE	4	528-037-4141	09-Oct-30	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/36 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposit dry
AGREXPORE CORPORATION	CYRUS S EC	-	50 g/L	EC	INSECTICIDE	4	528-037-4141	09-Oct-30	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/36 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposit dry
AGREXPORE CORPORATION	CYRUS S EC	-	50 g/L	EC	INSECTICIDE	4	528-037-4141	09-Oct-30	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/36 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposit dry
AGREXPORE CORPORATION	CYRUS S EC	-	50 g/L	EC	INSECTICIDE	4	528-037-4141	09-Oct-30	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/36 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposit dry
AGREXPORE CORPORATION	CYRUS S EC	-	50 g/L	EC	INSECTICIDE	4	528-037-4141	09-Oct-30	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/36 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposit dry
AGREXPORE CORPORATION	CYRUS S EC	-	50 g/L	EC	INSECTICIDE	4	528-037-4141	09-Oct-30	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/36 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposit dry
AGREXPORE CORPORATION	CYRUS S EC	-	50 g/L	EC	INSECTICIDE	4	528-037-4141	09-Oct-30	CONTACT	Corn	Comborer, earworm	1.0-4.5 Tbsp/36 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposit dry
TRANS WORLD TRADING CO., INC.	CYRUS S EC	-	50g/L	EC	INSECTICIDE	4	038-037-4770	27-Mar-24	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/36 L water	-	7 days	Entry to field and crops treated with CYRUS S EC is allowed as soon as spray deposits dry.
TRANS WORLD TRADING CO., INC.	CYRUS S EC	-	50g/L	EC	INSECTICIDE	4	038-037-4770	27-Mar-24	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leafhoppers, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/36 L water	-	7 days	Entry to field and crops treated with CYRUS S EC is allowed as soon as spray deposits dry.
TRANS WORLD TRADING CO., INC.	CYRUS S EC	-	50g/L	EC	INSECTICIDE	4	038-037-4770	27-Mar-24	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/36 L water	-	7 days	Entry to field and crops treated with CYRUS S EC is allowed as soon as spray deposits dry.
TRANS WORLD TRADING CO., INC.	CYRUS S EC	-	50g/L	EC	INSECTICIDE	4	038-037-4770	27-Mar-24	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/36 L water	-	7 days	Entry to field and crops treated with CYRUS S EC is allowed as soon as spray deposits dry.
TRANS WORLD TRADING CO., INC.	CYRUS S EC	-	50g/L	EC	INSECTICIDE	4	038-037-4770	27-Mar-24	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/36 L water	-	7 days	Entry to field and crops treated with CYRUS S EC is allowed as soon as spray deposits dry.
TRANS WORLD TRADING CO., INC.	CYRUS S EC	-	50g/L	EC	INSECTICIDE	4	038-037-4770	27-Mar-24	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/36 L water	-	7 days	Entry to field and crops treated with CYRUS S EC is allowed as soon as spray deposits dry.
TRANS WORLD TRADING CO., INC.	CYRUS S EC	-	50g/L	EC	INSECTICIDE	4	038-037-4770	27-Mar-24	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/36 L water	-	7 days	Entry to field and crops treated with CYRUS S EC is allowed as soon as spray deposits dry.

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MO OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (proposed)	PHI	RE ENTRY PERIOD
UCHEMPHIL INTERNATIONAL INC.	CYPERMETHRIN	CYPERKILL 5 EC	50 g/L	EC	INSECTICIDE	4	590-037-5606	29-Nov-24	CONTACT	Tomato	Fruitworm, cutworm, beetle	1.0-3.0 Tbsp/36 L water		Do not spray 7 days before harvest	As soon as spray deposits have dried.
UCHEMPHIL INTERNATIONAL INC.	CYPERMETHRIN	CYPERKILL 5 EC	50 g/L	EC	INSECTICIDE	4	590-037-5606	29-Nov-24	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/36 L water		Do not spray 7 days before harvest	As soon as spray deposits have dried.
UCHEMPHIL INTERNATIONAL INC.	CYPERMETHRIN	CYPERKILL 5 EC	50 g/L	EC	INSECTICIDE	4	590-037-5606	29-Nov-24	CONTACT	Cotton	Leafhoppers, bollworm, cutworm, leafworm aphids, thrips, boll weevil	1.0-3.0 Tbsp/36 L water		Do not spray 7 days before harvest	As soon as spray deposits have dried.
LEADS ENVIRONMENTAL HEALTH PRODUCTS CORPORATION	CYPERMETHRIN	CYPERBUSTER 5 EC	50 g/L	EC	INSECTICIDE	4	645-037-5595	07-May-24	-	Mango	Leafhopper, twig borer, tip borer, fruit fly	1-3 Tbsp/ 36L		Do not spray CYPERBUSTER 5 EC INSECTICIDE seven (7) days before harvest	Entry to field and crops treated with CYPERBUSTER 5 EC INSECTICIDE can be done as soon as spray deposits dry
LEADS ENVIRONMENTAL HEALTH PRODUCTS CORPORATION	CYPERMETHRIN	CYPERBUSTER 5 EC	50 g/L	EC	INSECTICIDE	4	645-037-5595	07-May-24	-	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leafhopper, stem borer, armyworm, rice bug	1-3 Tbsp/ 36L		Do not spray CYPERBUSTER 5 EC INSECTICIDE seven (7) days before harvest	Entry to field and crops treated with CYPERBUSTER 5 EC INSECTICIDE can be done as soon as spray deposits dry
LEADS ENVIRONMENTAL HEALTH PRODUCTS CORPORATION	CYPERMETHRIN	CYPERBUSTER 5 EC	50 g/L	EC	INSECTICIDE	4	645-037-5595	07-May-24	-	Cabbage	Diamond back-moth, cabbage moth, worm	1-3 Tbsp/ 36L		Do not spray CYPERBUSTER 5 EC INSECTICIDE seven (7) days before harvest	Entry to field and crops treated with CYPERBUSTER 5 EC INSECTICIDE can be done as soon as spray deposits dry
LEADS ENVIRONMENTAL HEALTH PRODUCTS CORPORATION	CYPERMETHRIN	CYPERBUSTER 5 EC	50 g/L	EC	INSECTICIDE	4	645-037-5595	07-May-24	-	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1-3 Tbsp/ 36L		Do not spray CYPERBUSTER 5 EC INSECTICIDE seven (7) days before harvest	Entry to field and crops treated with CYPERBUSTER 5 EC INSECTICIDE can be done as soon as spray deposits dry
LEADS ENVIRONMENTAL HEALTH PRODUCTS CORPORATION	CYPERMETHRIN	CYPERBUSTER 5 EC	50 g/L	EC	INSECTICIDE	4	645-037-5595	07-May-24	-	Tomato	Tomato fruitworm, aphids, beetle	1-3 Tbsp/ 36L		Do not spray CYPERBUSTER 5 EC INSECTICIDE seven (7) days before harvest	Entry to field and crops treated with CYPERBUSTER 5 EC INSECTICIDE can be done as soon as spray deposits dry
LEADS ENVIRONMENTAL HEALTH PRODUCTS CORPORATION	CYPERMETHRIN	CYPERBUSTER 5 EC	50 g/L	EC	INSECTICIDE	4	645-037-5595	07-May-24	-	Watermelon	Aphids, thrips, beetle	1-3 Tbsp/ 36L		Do not spray CYPERBUSTER 5 EC INSECTICIDE seven (7) days before harvest	Entry to field and crops treated with CYPERBUSTER 5 EC INSECTICIDE can be done as soon as spray deposits dry
LEADS ENVIRONMENTAL HEALTH PRODUCTS CORPORATION	CYPERMETHRIN	CYPERBUSTER 5 EC	50 g/L	EC	INSECTICIDE	4	645-037-5595	07-May-24	-	Onion	Thrips, cutworm	1-3 Tbsp/ 36L		Do not spray CYPERBUSTER 5 EC INSECTICIDE seven (7) days before harvest	Entry to field and crops treated with CYPERBUSTER 5 EC INSECTICIDE can be done as soon as spray deposits dry
LEADS ENVIRONMENTAL HEALTH PRODUCTS CORPORATION	CYPERMETHRIN	CYPERBUSTER 5 EC	50 g/L	EC	INSECTICIDE	4	645-037-5595	07-May-24	-	Banana	Thrips,	1-3 Tbsp/ 36L		Do not spray CYPERBUSTER 5 EC INSECTICIDE seven (7) days before harvest	Entry to field and crops treated with CYPERBUSTER 5 EC INSECTICIDE can be done as soon as spray deposits dry
LEADS ENVIRONMENTAL HEALTH PRODUCTS CORPORATION	CYPERMETHRIN	CYPERBUSTER 5 EC	50 g/L	EC	INSECTICIDE	4	645-037-5595	07-May-24	-	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1-3 Tbsp/ 36L		Do not spray CYPERBUSTER 5 EC INSECTICIDE seven (7) days before harvest	Entry to field and crops treated with CYPERBUSTER 5 EC INSECTICIDE can be done as soon as spray deposits dry
LEADS ENVIRONMENTAL HEALTH PRODUCTS CORPORATION	CYPERMETHRIN	CYPERBUSTER 5 EC	50 g/L	EC	INSECTICIDE	4	645-037-5595	07-May-24	-	Tobacco	Budworm, cutworm, aphids, thrips	1-3 Tbsp/ 36L		Do not spray CYPERBUSTER 5 EC INSECTICIDE seven (7) days before harvest	Entry to field and crops treated with CYPERBUSTER 5 EC INSECTICIDE can be done as soon as spray deposits dry
LEADS ENVIRONMENTAL HEALTH PRODUCTS CORPORATION	CYPERMETHRIN	CYPERBUSTER 5 EC	50 g/L	EC	INSECTICIDE	4	645-037-5595	07-May-24	-	Corn	Corn borer, earworm	1-4.5 Tbsp/ 36L		Do not spray CYPERBUSTER 5 EC INSECTICIDE seven (7) days before harvest	Entry to field and crops treated with CYPERBUSTER 5 EC INSECTICIDE can be done as soon as spray deposits dry
AGRI BIZ CO. OF GL, INC.	CYPERMETHRIN	CYPERBEST 5 EC	50g/L	EC	INSECTICIDE	4	626-037-4634	10-Jan-25	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/36 L water		7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
AGRI BIZ CO. OF GL, INC.	CYPERMETHRIN	CYPERBEST 5 EC	50g/L	EC	INSECTICIDE	4	626-037-4634	10-Jan-25	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leafhopper, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/36 L water		7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
AGRI BIZ CO. OF GL, INC.	CYPERMETHRIN	CYPERBEST 5 EC	50g/L	EC	INSECTICIDE	4	626-037-4634	10-Jan-25	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/36 L water		7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
AGRI BIZ CO. OF GL, INC.	CYPERMETHRIN	CYPERBEST 5 EC	50g/L	EC	INSECTICIDE	4	626-037-4634	10-Jan-25	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/36 L water		7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
AGRI BIZ CO. OF GL, INC.	CYPERMETHRIN	CYPERBEST 5 EC	50g/L	EC	INSECTICIDE	4	626-037-4634	10-Jan-25	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/36 L water		7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
AGRI BIZ CO. OF GL, INC.	CYPERMETHRIN	CYPERBEST 5 EC	50g/L	EC	INSECTICIDE	4	626-037-4634	10-Jan-25	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/36 L water		7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
AGRI BIZ CO. OF GL, INC.	CYPERMETHRIN	CYPERBEST 5 EC	50g/L	EC	INSECTICIDE	4	626-037-4634	10-Jan-25	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/36 L water		7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
AGRI BIZ CO. OF GL, INC.	CYPERMETHRIN	CYPERBEST 5 EC	50g/L	EC	INSECTICIDE	4	626-037-4634	10-Jan-25	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/36 L water		7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
AGRI BIZ CO. OF GL, INC.	CYPERMETHRIN	CYPERBEST 5 EC	50g/L	EC	INSECTICIDE	4	626-037-4634	10-Jan-25	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/36 L water		7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
AGRI BIZ CO. OF GL, INC.	CYPERMETHRIN	CYPERBEST 5 EC	50g/L	EC	INSECTICIDE	4	626-037-4634	10-Jan-25	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/36 L water		7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
AGRI BIZ CO. OF GL, INC.	CYPERMETHRIN	CYPERBEST 5 EC	50g/L	EC	INSECTICIDE	4	626-037-4634	10-Jan-25	CONTACT	Corn	Comborer, earworm	1.0-4.5 Tbsp/36 L water		7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
MINDORO SAGANA MERCHANDISING, INC.	CYPERMETHRIN	CYPER ULTRA 5 EC	50 g/L	EC	INSECTICIDE	4	571-037-3701	06-Jul-24	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/36 L water		7 days	Re-entry to treated field is allowed as soon as spray deposit dry
MINDORO SAGANA MERCHANDISING, INC.	CYPERMETHRIN	CYPER ULTRA 5 EC	50 g/L	EC	INSECTICIDE	4	571-037-3701	06-Jul-24	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leafhopper, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/36 L water		7 days	Re-entry to treated field is allowed as soon as spray deposit dry
MINDORO SAGANA MERCHANDISING, INC.	CYPERMETHRIN	CYPER ULTRA 5 EC	50 g/L	EC	INSECTICIDE	4	571-037-3701	06-Jul-24	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/36 L water		7 days	Re-entry to treated field is allowed as soon as spray deposit dry
MINDORO SAGANA MERCHANDISING, INC.	CYPERMETHRIN	CYPER ULTRA 5 EC	50 g/L	EC	INSECTICIDE	4	571-037-3701	06-Jul-24	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/36 L water		7 days	Re-entry to treated field is allowed as soon as spray deposit dry
MINDORO SAGANA MERCHANDISING, INC.	CYPERMETHRIN	CYPER ULTRA 5 EC	50 g/L	EC	INSECTICIDE	4	571-037-3701	06-Jul-24	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/36 L water		7 days	Re-entry to treated field is allowed as soon as spray deposit dry
MINDORO SAGANA MERCHANDISING, INC.	CYPERMETHRIN	CYPER ULTRA 5 EC	50 g/L	EC	INSECTICIDE	4	571-037-3701	06-Jul-24	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/36 L water		7 days	Re-entry to treated field is allowed as soon as spray deposit dry
MINDORO SAGANA MERCHANDISING, INC.	CYPERMETHRIN	CYPER ULTRA 5 EC	50 g/L	EC	INSECTICIDE	4	571-037-3701	06-Jul-24	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/36 L water		7 days	Re-entry to treated field is allowed as soon as spray deposit dry
MINDORO SAGANA MERCHANDISING, INC.	CYPERMETHRIN	CYPER ULTRA 5 EC	50 g/L	EC	INSECTICIDE	4	571-037-3701	06-Jul-24	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/36 L water		7 days	Re-entry to treated field is allowed as soon as spray deposit dry
MINDORO SAGANA MERCHANDISING, INC.	CYPERMETHRIN	CYPER ULTRA 5 EC	50 g/L	EC	INSECTICIDE	4	571-037-3701	06-Jul-24	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/36 L water		7 days	Re-entry to treated field is allowed as soon as spray deposit dry
MINDORO SAGANA MERCHANDISING, INC.	CYPERMETHRIN	CYPER ULTRA 5 EC	50 g/L	EC	INSECTICIDE	4	571-037-3701	06-Jul-24	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/36 L water		7 days	Re-entry to treated field is allowed as soon as spray deposit dry
MINDORO SAGANA MERCHANDISING, INC.	CYPERMETHRIN	CYPER ULTRA 5 EC	50 g/L	EC	INSECTICIDE	4	571-037-3701	06-Jul-24	CONTACT	Corn	Comborer, earworm	1.0-4.5 Tbsp/36 L water		7 days	Re-entry to treated field is allowed as soon as spray deposit dry
SAVERS ALLIANCE TRADING CORPORATION	CYPERMETHRIN	CYPER SAVER 5 EC	50 g/L	EC	INSECTICIDE	4	655-037-5776	06-Jul-24	-	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/36 L water		7 days	Re-entry to treated field is allowed as soon as spray deposit dry
SAVERS ALLIANCE TRADING CORPORATION	CYPERMETHRIN	CYPER SAVER 5 EC	50 g/L	EC	INSECTICIDE	4	655-037-5776	06-Jul-24	-	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leafhopper, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/36 L water		7 days	Re-entry to treated field is allowed as soon as spray deposit dry
SAVERS ALLIANCE TRADING CORPORATION	CYPERMETHRIN	CYPER SAVER 5 EC	50 g/L	EC	INSECTICIDE	4	655-037-5776	06-Jul-24	-	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/36 L water		7 days	Re-entry to treated field is allowed as soon as spray deposit dry
SAVERS ALLIANCE TRADING CORPORATION	CYPERMETHRIN	CYPER SAVER 5 EC	50 g/L	EC	INSECTICIDE	4	655-037-5776	06-Jul-24	-	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/36 L water		7 days	Re-entry to treated field is allowed as soon as spray deposit dry
SAVERS ALLIANCE TRADING CORPORATION	CYPERMETHRIN	CYPER SAVER 5 EC	50 g/L	EC	INSECTICIDE	4	655-037-5776	06-Jul-24	-	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/36 L water		7 days	Re-entry to treated field is allowed as soon as spray deposit dry
SAVERS ALLIANCE TRADING CORPORATION	CYPERMETHRIN	CYPER SAVER 5 EC	50 g/L	EC	INSECTICIDE	4	655-037-5776	06-Jul-24	-	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/36 L water		7 days	Re-entry to treated field is allowed as soon as spray deposit dry
SAVERS ALLIANCE TRADING CORPORATION	CYPERMETHRIN	CYPER SAVER 5 EC	50 g/L	EC	INSECTICIDE	4	655-037-5776	06-Jul-24	-	Onion	Thrips, cutworm	1.0-3.0 Tbsp/36 L water		7 days	Re-entry to treated field is allowed as soon as spray deposit dry
SAVERS ALLIANCE TRADING CORPORATION	CYPERMETHRIN	CYPER SAVER 5 EC	50 g/L	EC	INSECTICIDE	4	655-037-5776	06-Jul-24	-	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/36 L water		7 days	Re-entry to treated field is allowed as soon as spray deposit dry
SAVERS ALLIANCE TRADING CORPORATION	CYPERMETHRIN	CYPER SAVER 5 EC	50 g/L	EC	INSECTICIDE	4	655-037-5776	06-Jul-24	-	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/36 L water		7 days	Re-entry to treated field is allowed as soon as spray deposit dry
SAVERS ALLIANCE TRADING CORPORATION	CYPERMETHRIN	CYPER SAVER 5 EC	50 g/L	EC	INSECTICIDE	4	655-037-5776	06-Jul-24	-	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/36 L water		7 days	Re-entry to treated field is allowed as soon as spray deposit dry
SAVERS ALLIANCE TRADING CORPORATION	CYPERMETHRIN	CYPER SAVER 5 EC	50 g/L	EC	INSECTICIDE	4	655-037-5776	06-Jul-24	-	Corn	Comborer, earworm	1.0-4.5 Tbsp/36 L water		7 days	Re-entry to treated field is allowed as soon as spray deposit dry
SAVERS ALLIANCE TRADING CORPORATION	CYPERMETHRIN	CYPER SAVER 5 EC	50 g/L	EC	INSECTICIDE	4	655-037-5776	06-Jul-24	-	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/36 L water		7 days	Re-entry to treated field is allowed as soon as spray deposit dry
FKA AGR CHEMICAL CORPORATION	CYPERMETHRIN	CYPER PRIME 5 EC	50 g/L	EC	INSECTICIDE	4	399-037-3368.0	28-Jun-24	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leafhopper, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/36 L water		7 days	Re-entry to treated field is allowed as soon as spray deposit dry
FKA AGR CHEMICAL CORPORATION	CYPERMETHRIN	CYPER PRIME 5 EC	50 g/L	EC	INSECTICIDE	4	399-037-3368.0	28-Jun-24	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/36 L water		7 days	Re-entry to treated field is allowed as soon as spray deposit dry
FKA AGR CHEMICAL CORPORATION	CYPERMETHRIN	CYPER PRIME 5 EC	50 g/L	EC	INSECTICIDE	4	399-037-3368.0	28-Jun-24	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/36 L water		7 days	Re-entry to treated field is allowed as soon as spray deposit dry
FKA AGR CHEMICAL CORPORATION	CYPERMETHRIN	CYPER PRIME 5 EC	50 g/L	EC	INSECTICIDE	4	399-037-3368.0	28-Jun-24	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/36 L water		7 days	Re-entry to treated field is allowed as soon as spray deposit dry
FKA AGR CHEMICAL CORPORATION	CYPERMETHRIN	CYPER PRIME 5 EC	50 g/L	EC	INSECTICIDE	4	399-037-3368.0	28-Jun-24	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/36 L water		7 days	Re-entry to treated field is allowed as soon as spray deposit dry
FKA AGR CHEMICAL CORPORATION	CYPERMETHRIN	CYPER PRIME 5 EC	50 g/L	EC	INSECTICIDE	4	399-037-3368.0	28-Jun-24	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/36 L water		7 days	Re-entry to treated field is allowed as soon as spray deposit dry
FKA AGR CHEMICAL CORPORATION	CYPERMETHRIN	CYPER PRIME 5 EC	50 g/L	EC	INSECTICIDE	4	399-037-3368.0	28-Jun-24	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/36 L water		7 days	Re-entry to treated field is allowed as soon as spray deposit dry
FKA AGR CHEMICAL CORPORATION	CYPERMETHRIN	CYPER PRIME 5 EC	50 g/L	EC	INSECTICIDE	4	399-037-3368.0	28-Jun-24	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/36 L water		7 days	Re-entry to treated field is allowed as soon as spray deposit dry

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
FKA AGR CHEMICAL CORPORATION	CYPERMETHRIN	CYPER PRIME 5 EC	50g/L	EC	INSECTICIDE	4	399-037-3366-D	28-Jun-24	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dries
FKA AGR CHEMICAL CORPORATION	CYPERMETHRIN	CYPER PRIME 5 EC	50g/L	EC	INSECTICIDE	4	399-037-3366-D	28-Jun-24	CONTACT	Corn	Comborer, earworm	1.0-4.5 Tbsp/16L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dries
ARIES RINE CHEMICAL CORPORATION	CYMOXANIL-AMANCZEB	CYMOXZEB FUNGICIDE 50S WP	40 g/kg 405 g/L	WP	FUNGICIDE	4	478-163-5749	05-Feb-24	-	Potato	Late blight	5 Tbsp/ 16L Sprayer	-	-	Do not enter fields treated with CYMOXZEB 50S WP within 24 hours after application.
ARIES RINE CHEMICAL CORPORATION	CYMOXANIL-AMANCZEB	CYMOXZEB FUNGICIDE 50S WP	40 g/kg 405 g/L	WP	FUNGICIDE	4	478-163-5749	05-Feb-24	-	Tomato	Late blight	5 Tbsp/ 16L Sprayer	-	-	Do not enter fields treated with CYMOXZEB 50S WP within 24 hours after application.
ARIES RINE CHEMICAL CORPORATION	CYMOXANIL-AMANCZEB	CYMOXZEB FUNGICIDE 50S WP	40 g/kg 405 g/L	WP	FUNGICIDE	4	478-163-5749	05-Feb-24	-	Grapes	Downy Mildew	5 Tbsp/ 16L Sprayer	-	-	Do not enter fields treated with CYMOXZEB 50S WP within 24 hours after application.
SYNGENTA PHILIPPINES INC.	CYPERMETHRIN	CYMBUSH 5 EC	50g/L	EC	INSECTICIDE	4	011-037-0278	27-Dec-26	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dries
SYNGENTA PHILIPPINES INC.	CYPERMETHRIN	CYMBUSH 5 EC	50g/L	EC	INSECTICIDE	4	011-037-0278	27-Dec-26	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leafhoppers, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dries
SYNGENTA PHILIPPINES INC.	CYPERMETHRIN	CYMBUSH 5 EC	50g/L	EC	INSECTICIDE	4	011-037-0278	27-Dec-26	CONTACT	Cabbage	Diamond back moth, cabbage moth, worm	1.0-3.0 Tbsp/16L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dries
SYNGENTA PHILIPPINES INC.	CYPERMETHRIN	CYMBUSH 5 EC	50g/L	EC	INSECTICIDE	4	011-037-0278	27-Dec-26	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dries
SYNGENTA PHILIPPINES INC.	CYPERMETHRIN	CYMBUSH 5 EC	50g/L	EC	INSECTICIDE	4	011-037-0278	27-Dec-26	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dries
SYNGENTA PHILIPPINES INC.	CYPERMETHRIN	CYMBUSH 5 EC	50g/L	EC	INSECTICIDE	4	011-037-0278	27-Dec-26	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dries
SYNGENTA PHILIPPINES INC.	CYPERMETHRIN	CYMBUSH 5 EC	50g/L	EC	INSECTICIDE	4	011-037-0278	27-Dec-26	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dries
SYNGENTA PHILIPPINES INC.	CYPERMETHRIN	CYMBUSH 5 EC	50g/L	EC	INSECTICIDE	4	011-037-0278	27-Dec-26	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dries
SYNGENTA PHILIPPINES INC.	CYPERMETHRIN	CYMBUSH 5 EC	50g/L	EC	INSECTICIDE	4	011-037-0278	27-Dec-26	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dries
SYNGENTA PHILIPPINES INC.	CYPERMETHRIN	CYMBUSH 5 EC	50g/L	EC	INSECTICIDE	4	011-037-0278	27-Dec-26	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dries
SYNGENTA PHILIPPINES INC.	CYPERMETHRIN	CYMBUSH 5 EC	50g/L	EC	INSECTICIDE	4	011-037-0278	27-Dec-26	CONTACT	Corn	Comborer, earworm	1.0-4.5 Tbsp/16L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dries
VETMATE FARMA CORP.	FLUAZIFOP-P-BUTYL	CYMAX 15 EC	150 g/L	EC	HERBICIDE	4	658-212-6431	18-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Banana	Grasses; 1ch grass, goose grass, sour parpalum, jungle rice, crabgrasses, bermuda grass and crowfoot grass	30-50 mL / 16L water	-	-	-
VETMATE FARMA CORP.	FLUAZIFOP-P-BUTYL	CYMAX 15 EC	150 g/L	EC	HERBICIDE	4	658-212-6431	18-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Cacao	Grasses; 1ch grass, goose grass, sour parpalum, jungle rice, crabgrasses, bermuda grass and crowfoot grass	30-50 mL / 16L water	-	-	-
VETMATE FARMA CORP.	FLUAZIFOP-P-BUTYL	CYMAX 15 EC	150 g/L	EC	HERBICIDE	4	658-212-6431	18-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Coffee	Grasses; 1ch grass, goose grass, sour parpalum, jungle rice, crabgrasses, bermuda grass and crowfoot grass	30-50 mL / 16L water	-	-	-
VETMATE FARMA CORP.	FLUAZIFOP-P-BUTYL	CYMAX 15 EC	150 g/L	EC	HERBICIDE	4	658-212-6431	18-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Citrus	Grasses; 1ch grass, goose grass, sour parpalum, jungle rice, crabgrasses, bermuda grass and crowfoot grass	30-50 mL / 16L water	-	-	-
VETMATE FARMA CORP.	FLUAZIFOP-P-BUTYL	CYMAX 15 EC	150 g/L	EC	HERBICIDE	4	658-212-6431	18-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Cotton	Grasses; 1ch grass, goose grass, sour parpalum, jungle rice, crabgrasses, bermuda grass and crowfoot grass	30-50 mL / 16L water	-	-	-
VETMATE FARMA CORP.	FLUAZIFOP-P-BUTYL	CYMAX 15 EC	150 g/L	EC	HERBICIDE	4	658-212-6431	18-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Oil palm	Grasses; 1ch grass, goose grass, sour parpalum, jungle rice, crabgrasses, bermuda grass and crowfoot grass	30-50 mL / 16L water	-	-	-
VETMATE FARMA CORP.	FLUAZIFOP-P-BUTYL	CYMAX 15 EC	150 g/L	EC	HERBICIDE	4	658-212-6431	18-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Onion	Grasses; 1ch grass, goose grass, sour parpalum, jungle rice, crabgrasses, bermuda grass and crowfoot grass	30-50 mL / 16L water	-	-	-
VETMATE FARMA CORP.	FLUAZIFOP-P-BUTYL	CYMAX 15 EC	150 g/L	EC	HERBICIDE	4	658-212-6431	18-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Pineapple	Grasses; 1ch grass, goose grass, sour parpalum, jungle rice, crabgrasses, bermuda grass and crowfoot grass	30-50 mL / 16L water	-	-	-
VETMATE FARMA CORP.	FLUAZIFOP-P-BUTYL	CYMAX 15 EC	150 g/L	EC	HERBICIDE	4	658-212-6431	18-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Ramie	Grasses; 1ch grass, goose grass, sour parpalum, jungle rice, crabgrasses, bermuda grass and crowfoot grass	30-50 mL / 16L water	-	-	-
VETMATE FARMA CORP.	FLUAZIFOP-P-BUTYL	CYMAX 15 EC	150 g/L	EC	HERBICIDE	4	658-212-6431	18-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Rubber	Grasses; 1ch grass, goose grass, sour parpalum, jungle rice, crabgrasses, bermuda grass and crowfoot grass	-	-	-	-
VETMATE FARMA CORP.	FLUAZIFOP-P-BUTYL	CYMAX 15 EC	150 g/L	EC	HERBICIDE	4	658-212-6431	18-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Soybeans	Grasses; 1ch grass, goose grass, sour parpalum, jungle rice, crabgrasses, bermuda grass and crowfoot grass	30-50 mL / 16L water	-	-	-
VETMATE FARMA CORP.	FLUAZIFOP-P-BUTYL	CYMAX 15 EC	150 g/L	EC	HERBICIDE	4	658-212-6431	18-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Tomato	Grasses; 1ch grass, goose grass, sour parpalum, jungle rice, crabgrasses, bermuda grass and crowfoot grass	30-50 mL / 16L water	-	-	-
VETMATE FARMA CORP.	FLUAZIFOP-P-BUTYL	CYMAX 15 EC	150 g/L	EC	HERBICIDE	4	658-212-6431	18-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Cassava	Annual and perennial grass weed	20-30 mL / 16L water	-	-	-
TRANS WORLD TRADING CO., INC.	LAMBDA-CHALOTHIRIN	CYD 2.5 EC	25 g/L	EC	INSECTICIDE	2	038-204-3098	07-Jun-26	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leafroller, black bug	1.0-1.5Tbsp/16L of water	0.05ppm	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
TRANS WORLD TRADING CO., INC.	LAMBDA-CHALOTHIRIN	CYD 2.5 EC	25 g/L	EC	INSECTICIDE	2	038-204-3098	07-Jun-26	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
TRANS WORLD TRADING CO., INC.	LAMBDA-CHALOTHIRIN	CYD 2.5 EC	25 g/L	EC	INSECTICIDE	2	038-204-3098	07-Jun-26	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/16L of water	-	1 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
TRANS WORLD TRADING CO., INC.	LAMBDA-CHALOTHIRIN	CYD 2.5 EC	25 g/L	EC	INSECTICIDE	2	038-204-3098	07-Jun-26	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/16 L of water	-	1 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
TRANS WORLD TRADING CO., INC.	LAMBDA-CHALOTHIRIN	CYD 2.5 EC	25 g/L	EC	INSECTICIDE	2	038-204-3098	07-Jun-26	SYSTEMIC	Mungbeans	Beanfly, flea beetle, leafhopper, aphids, mites, podborer	1.0Tbsp/16L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
TRANS WORLD TRADING CO., INC.	LAMBDA-CHALOTHIRIN	CYD 2.5 EC	25 g/L	EC	INSECTICIDE	2	038-204-3098	07-Jun-26	SYSTEMIC	Corn	Comborer, aphids, seedling maggots	1.0-1.5Tbsp/16L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
TRANS WORLD TRADING CO., INC.	LAMBDA-CHALOTHIRIN	CYD 2.5 EC	25 g/L	EC	INSECTICIDE	2	038-204-3098	07-Jun-26	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5Tbsp/16L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
TRANS WORLD TRADING CO., INC.	LAMBDA-CHALOTHIRIN	CYD 2.5 EC	25 g/L	EC	INSECTICIDE	2	038-204-3098	07-Jun-26	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/16L of water	-	1 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
TRANS WORLD TRADING CO., INC.	LAMBDA-CHALOTHIRIN	CYD 2.5 EC	25 g/L	EC	INSECTICIDE	2	038-204-3098	07-Jun-26	SYSTEMIC	Cacao	Podborer	1.0-2.0Tbsp/16L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
TRANS WORLD TRADING CO., INC.	LAMBDA-CHALOTHIRIN	CYD 2.5 EC	25 g/L	EC	INSECTICIDE	2	038-204-3098	07-Jun-26	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/16L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
FKA AGR CHEMICAL CORPORATION	LAMBDA-CHALOTHIRIN	CYHATEX 2.5 EC	25 g/L	EC	INSECTICIDE	2	399-204-2632	28-Jun-24	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leafroller, black bug	1.0-1.5Tbsp/16L of water	0.05ppm	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
FKA AGR CHEMICAL CORPORATION	LAMBDA-CHALOTHIRIN	CYHATEX 2.5 EC	25 g/L	EC	INSECTICIDE	2	399-204-2632	28-Jun-24	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
FKA AGR CHEMICAL CORPORATION	LAMBDA-CHALOTHIRIN	CYHATEX 2.5 EC	25 g/L	EC	INSECTICIDE	2	399-204-2632	28-Jun-24	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/16L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
FKA AGR CHEMICAL CORPORATION	LAMBDA-CHALOTHIRIN	CYHATEX 2.5 EC	25 g/L	EC	INSECTICIDE	2	399-204-2632	28-Jun-24	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/16 L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
FKA AGR CHEMICAL CORPORATION	LAMBDA-CHALOTHIRIN	CYHATEX 2.5 EC	25 g/L	EC	INSECTICIDE	2	399-204-2632	28-Jun-24	SYSTEMIC	Mungbeans	Beanfly, flea beetle, leafhopper, aphids, mites, podborer	1.0Tbsp/16L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
FKA AGR CHEMICAL CORPORATION	LAMBDA-CHALOTHIRIN	CYHATEX 2.5 EC	25 g/L	EC	INSECTICIDE	2	399-204-2632	28-Jun-24	SYSTEMIC	Corn	Comborer, aphids, seedling maggots	1.0-1.5Tbsp/16L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
FKA AGR CHEMICAL CORPORATION	LAMBDA-CHALOTHIRIN	CYHATEX 2.5 EC	25 g/L	EC	INSECTICIDE	2	399-204-2632	28-Jun-24	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5Tbsp/16L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
FKA AGR CHEMICAL CORPORATION	LAMBDA-CHALOTHIRIN	CYHATEX 2.5 EC	25 g/L	EC	INSECTICIDE	2	399-204-2632	28-Jun-24	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/16L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
FKA AGR CHEMICAL CORPORATION	LAMBDA-CHALOTHIRIN	CYHATEX 2.5 EC	25 g/L	EC	INSECTICIDE	2	399-204-2632	28-Jun-24	SYSTEMIC	Cacao	Podborer	1.0-2.0Tbsp/16L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
FKA AGR CHEMICAL CORPORATION	LAMBDA-CHALOTHIRIN	CYHATEX 2.5 EC	25 g/L	EC	INSECTICIDE	2	399-204-2632	28-Jun-24	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/16L of water	-	Do not spray 3 days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
LAGUNA AGRITECHNOLOGY CHEMICAL PRODUCTS TRADING	PENOXULAM-CHALOFOP-BUTYL	CYHALOPEN 600D	50 g/L+10 g/L	OD	HERBICIDE	4	735-383-6288	5-Oct-26	-	Rice (Transplanted)	Echinochloa crusgalli, E. globosum, C. difformis, L. rugosum, L. chinensis, M. vaginatis, F. miliacea, C. rita, S. yulianica and	-	-	-	-
LAGUNA AGRITECHNOLOGY CHEMICAL PRODUCTS TRADING	PENOXULAM-CHALOFOP-BUTYL	CYHALOPEN 600D	50 g/L+10 g/L	OD	HERBICIDE	4	735-383-6288	5-Oct-26	-	Rice (Direct-seeded)	Echinochloa crusgalli, E. globosum, C. difformis, L. rugosum, L. chinensis, M. vaginatis, F. miliacea, C. rita, S. yulianica and	-	-	-	-
LAGUNA AGRITECHNOLOGY CHEMICAL PRODUCTS TRADING	CYHALOFOP-BUTYL-BOSPYRIBAC SODIUM	CYHALOBIS 2000D	150 g/L+150 g/L	OD	HERBICIDE	4	735-594-6044	18-Feb-26	POST-EMERGENT	Rice (Direct-seeded)	Grasses seedlings and broadleaves	900-ml to 1 L Prod./ha 350-192 L/ha	-	-	As soon as spray dries up.
PRIMSTOCKS CHEMICAL CORPORATION	DURON	CYCLOPS 80 SC	800 g/L	SC	HERBICIDE	4	623-021-4600-A	18-Nov-26	SYSTEMIC	Citrus	Annual and Perennial broadleaves and grasses	11.0-15.0Tbsp/16L water	-	-	Twenty four (24) hours after application.
PRIMSTOCKS CHEMICAL CORPORATION	DURON	CYCLOPS 80 SC	800 g/L	SC	HERBICIDE	4	623-021-4600-A	18-Nov-26	SYSTEMIC	Coffee	Annual and Perennial broadleaves and grasses	11.0-15.0Tbsp/16L water	-	-	Twenty four (24) hours after application.
PRIMSTOCKS CHEMICAL CORPORATION	DURON	CYCLOPS 80 SC	800 g/L	SC	HERBICIDE	4	623-021-4600-A	18-Nov-26	SYSTEMIC	Cotton	Annual and Perennial broadleaves and grasses	6.0Tbsp/16L water	-	-	Twenty four (24) hours after application.
PRIMSTOCKS CHEMICAL CORPORATION	DURON	CYCLOPS 80 SC	800 g/L	SC	HERBICIDE	4	623-021-4600-A	18-Nov-26	SYSTEMIC	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0Tbsp/16L water	-	-	Twenty four (24) hours after application.

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
PRIMSTOCKS CHEMICAL CORPORATION	DIURON	CYCLOPS 80 SC	800 g/L	SC	HERBICIDE	4	623-021-4600-A	18-Nov-26	SYSTEMIC	Pineapple	Annual and Perennial broadleaves and grasses	11.0Tbsp/16 L water	-	-	Twenty four (24) hours after application.
PRIMSTOCKS CHEMICAL CORPORATION	DIURON	CYCLOPS 80 SC	800 g/L	SC	HERBICIDE	4	623-021-4600-A	18-Nov-26	SYSTEMIC	Non-crop agricultural land	Annual and Perennial broadleaves and grasses	20-28.0Tbsp/16 L water	-	-	Twenty four (24) hours after application.
INTERNATIONAL VETERINARY & AGROCHEMICAL (VA), INC.	CYPERMETHRIN	CYCLONE S EC	50 g/L	EC	INSECTICIDE	4	088-037-0730	06-Nov-24	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water	-	7Days	Very short or no to harvest interval is necessary when applied at recommended
INTERNATIONAL VETERINARY & AGROCHEMICAL (VA), INC.	CYPERMETHRIN	CYCLONE S EC	50 g/L	EC	INSECTICIDE	4	088-037-0730	06-Nov-24	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leafroller, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water	-	7Days	Very short or no to harvest interval is necessary when applied at recommended
INTERNATIONAL VETERINARY & AGROCHEMICAL (VA), INC.	CYPERMETHRIN	CYCLONE S EC	50 g/L	EC	INSECTICIDE	4	088-037-0730	06-Nov-24	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	-	7Days	Very short or no to harvest interval is necessary when applied at recommended
INTERNATIONAL VETERINARY & AGROCHEMICAL (VA), INC.	CYPERMETHRIN	CYCLONE S EC	50 g/L	EC	INSECTICIDE	4	088-037-0730	06-Nov-24	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	-	7Days	Very short or no to harvest interval is necessary when applied at recommended
INTERNATIONAL VETERINARY & AGROCHEMICAL (VA), INC.	CYPERMETHRIN	CYCLONE S EC	50 g/L	EC	INSECTICIDE	4	088-037-0730	06-Nov-24	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	-	7Days	Very short or no to harvest interval is necessary when applied at recommended
INTERNATIONAL VETERINARY & AGROCHEMICAL (VA), INC.	CYPERMETHRIN	CYCLONE S EC	50 g/L	EC	INSECTICIDE	4	088-037-0730	06-Nov-24	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	-	7Days	Very short or no to harvest interval is necessary when applied at recommended
INTERNATIONAL VETERINARY & AGROCHEMICAL (VA), INC.	CYPERMETHRIN	CYCLONE S EC	50 g/L	EC	INSECTICIDE	4	088-037-0730	06-Nov-24	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	7Days	Very short or no to harvest interval is necessary when applied at recommended
INTERNATIONAL VETERINARY & AGROCHEMICAL (VA), INC.	CYPERMETHRIN	CYCLONE S EC	50 g/L	EC	INSECTICIDE	4	088-037-0730	06-Nov-24	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	-	7Days	Very short or no to harvest interval is necessary when applied at recommended
INTERNATIONAL VETERINARY & AGROCHEMICAL (VA), INC.	CYPERMETHRIN	CYCLONE S EC	50 g/L	EC	INSECTICIDE	4	088-037-0730	06-Nov-24	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	7Days	Very short or no to harvest interval is necessary when applied at recommended
INTERNATIONAL VETERINARY & AGROCHEMICAL (VA), INC.	CYPERMETHRIN	CYCLONE S EC	50 g/L	EC	INSECTICIDE	4	088-037-0730	06-Nov-24	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-	7Days	Very short or no to harvest interval is necessary when applied at recommended
INTERNATIONAL VETERINARY & AGROCHEMICAL (VA), INC.	CYPERMETHRIN	CYCLONE S EC	50 g/L	EC	INSECTICIDE	4	088-037-0730	06-Nov-24	CONTACT	Corn	Comborer, earworm	1.0-4.5 Tbsp/16 L water	-	7Days	Very short or no to harvest interval is necessary when applied at recommended
PHILIPPINE FARMFIX SOLUTIONS INC.	CHLORPYRIFOS-CYPERMETHRIN	CYCHLOR EC	250-25 g/L	EC	INSECTICIDE	2	535-239-3891	25-Jul-22	-	Rice	Whorl maggot, green leafhopper, brown planthopper, stemborer	20-30 ml (2-3 Tbsp)/16L water	-	-	-
PHILIPPINE FARMFIX SOLUTIONS INC.	CHLORPYRIFOS-CYPERMETHRIN	CYCHLOR EC	250-25 g/L	EC	INSECTICIDE	2	535-239-3891	25-Jul-22	-	Mango	Mango hopper	25-40 ml (2.5-4 Tbsp)/16L water	-	-	-
TRANS WORLD TRADING CO., INC.	BP4MC-CHLORPYRIFOS	CYCABR 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	038-174-1392	27-Dec-24	-	Rice	Stemborer, armyworm, leafhopper, caseworm and planthopper	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
TRANS WORLD TRADING CO., INC.	BP4MC-CHLORPYRIFOS	CYCABR 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	038-174-1392	27-Dec-24	-	Corn	Seedling maggot, corn earworm, comborer and armyworm	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
TRANS WORLD TRADING CO., INC.	BP4MC-CHLORPYRIFOS	CYCABR 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	038-174-1392	27-Dec-24	-	Tobacco	Budworm, grasshopper, aphid, cutworm and armyworm	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
TRANS WORLD TRADING CO., INC.	BP4MC-CHLORPYRIFOS	CYCABR 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	038-174-1392	27-Dec-24	-	Cucumber	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
TRANS WORLD TRADING CO., INC.	BP4MC-CHLORPYRIFOS	CYCABR 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	038-174-1392	27-Dec-24	-	Melon	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
TRANS WORLD TRADING CO., INC.	BP4MC-CHLORPYRIFOS	CYCABR 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	038-174-1392	27-Dec-24	-	Watermelon	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
TRANS WORLD TRADING CO., INC.	BP4MC-CHLORPYRIFOS	CYCABR 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	038-174-1392	27-Dec-24	-	Onion	Thrips, cutworm	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
TRANS WORLD TRADING CO., INC.	BP4MC-CHLORPYRIFOS	CYCABR 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	038-174-1392	27-Dec-24	-	Mango	Beanfly, armyworm, cutworm, leafminer and leafroller	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
TRANS WORLD TRADING CO., INC.	BP4MC-CHLORPYRIFOS	CYCABR 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	038-174-1392	27-Dec-24	-	Soybeans	Beanfly, armyworm, cutworm, leafminer and leafroller	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
TRANS WORLD TRADING CO., INC.	BP4MC-CHLORPYRIFOS	CYCABR 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	038-174-1392	27-Dec-24	-	Beans	Beanfly, armyworm, cutworm, leafminer and leafroller	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
OLD TOWN AGRICULTURAL KINDS CORP.	CYPERMETHRIN	CYREST S EC	50 g/L	EC	INSECTICIDE	4	499-037-2803	15-Apr-23	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water	-	7Days	Re-entry to treated field is allowed as soon as spray deposit dry
OLD TOWN AGRICULTURAL KINDS CORP.	CYPERMETHRIN	CYREST S EC	50 g/L	EC	INSECTICIDE	4	499-037-2803	15-Apr-23	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leafroller, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water	-	7Days	Re-entry to treated field is allowed as soon as spray deposit dry
OLD TOWN AGRICULTURAL KINDS CORP.	CYPERMETHRIN	CYREST S EC	50 g/L	EC	INSECTICIDE	4	499-037-2803	15-Apr-23	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	-	7Days	Re-entry to treated field is allowed as soon as spray deposit dry
OLD TOWN AGRICULTURAL KINDS CORP.	CYPERMETHRIN	CYREST S EC	50 g/L	EC	INSECTICIDE	4	499-037-2803	15-Apr-23	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	-	7Days	Re-entry to treated field is allowed as soon as spray deposit dry
OLD TOWN AGRICULTURAL KINDS CORP.	CYPERMETHRIN	CYREST S EC	50 g/L	EC	INSECTICIDE	4	499-037-2803	15-Apr-23	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	-	7Days	Re-entry to treated field is allowed as soon as spray deposit dry
OLD TOWN AGRICULTURAL KINDS CORP.	CYPERMETHRIN	CYREST S EC	50 g/L	EC	INSECTICIDE	4	499-037-2803	15-Apr-23	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	-	7Days	Re-entry to treated field is allowed as soon as spray deposit dry
OLD TOWN AGRICULTURAL KINDS CORP.	CYPERMETHRIN	CYREST S EC	50 g/L	EC	INSECTICIDE	4	499-037-2803	15-Apr-23	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	7Days	Re-entry to treated field is allowed as soon as spray deposit dry
OLD TOWN AGRICULTURAL KINDS CORP.	CYPERMETHRIN	CYREST S EC	50 g/L	EC	INSECTICIDE	4	499-037-2803	15-Apr-23	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	-	7Days	Re-entry to treated field is allowed as soon as spray deposit dry
OLD TOWN AGRICULTURAL KINDS CORP.	CYPERMETHRIN	CYREST S EC	50 g/L	EC	INSECTICIDE	4	499-037-2803	15-Apr-23	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	7Days	Re-entry to treated field is allowed as soon as spray deposit dry
OLD TOWN AGRICULTURAL KINDS CORP.	CYPERMETHRIN	CYREST S EC	50 g/L	EC	INSECTICIDE	4	499-037-2803	15-Apr-23	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-	7Days	Re-entry to treated field is allowed as soon as spray deposit dry
OLD TOWN AGRICULTURAL KINDS CORP.	CYPERMETHRIN	CYREST S EC	50 g/L	EC	INSECTICIDE	4	499-037-2803	15-Apr-23	CONTACT	Corn	Comborer, earworm	1.0-4.5 Tbsp/16 L water	-	7Days	Re-entry to treated field is allowed as soon as spray deposit dry
CYBERTH PHILIPPINES, INC.	DIURON	CYBERTH DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	216-021-2567	24-Aug-21	SYSTEMIC	Citrus	Annual and Perennial broadleaves and grasses	10-15.0Tbsp/16 L water	-	-	Do not enter treated fields within 24 hours after application. Be sure that spray deposits have dried-up before entering the treated fields
CYBERTH PHILIPPINES, INC.	DIURON	CYBERTH DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	216-021-2567	24-Aug-21	SYSTEMIC	Coffee	Annual and Perennial broadleaves and grasses	11-10.0Tbsp/16 L water	-	-	Do not enter treated fields within 24 hours after application. Be sure that spray deposits have dried-up before entering the treated fields
CYBERTH PHILIPPINES, INC.	DIURON	CYBERTH DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	216-021-2567	24-Aug-21	SYSTEMIC	Cotton	Annual and Perennial broadleaves and grasses	8.0Tbsp/16 L water	-	-	Do not enter treated fields within 24 hours after application. Be sure that spray deposits have dried-up before entering the treated fields
CYBERTH PHILIPPINES, INC.	DIURON	CYBERTH DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	216-021-2567	24-Aug-21	SYSTEMIC	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0Tbsp/16 L water	-	-	Do not enter treated fields within 24 hours after application. Be sure that spray deposits have dried-up before entering the treated fields
CYBERTH PHILIPPINES, INC.	DIURON	CYBERTH DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	216-021-2567	24-Aug-21	SYSTEMIC	Pineapple	Annual and Perennial broadleaves and grasses	11.0Tbsp/16 L water	-	-	Do not enter treated fields within 24 hours after application. Be sure that spray deposits have dried-up before entering the treated fields
CYBERTH PHILIPPINES, INC.	DIURON	CYBERTH DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	216-021-2567	24-Aug-21	SYSTEMIC	Non-crop land	Annual and Perennial broadleaves and grasses	20-28.0Tbsp/16 L water	-	-	Do not enter treated fields within 24 hours after application. Be sure that spray deposits have dried-up before entering the treated fields
SCDM MARKETING INCORPORATED	BP4MC-CHLORPYRIFOS	C-WINNER 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	467-174-2764	27-Dec-24	-	Rice	Stemborer, armyworm, leafhopper, caseworm and planthopper	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
SCDM MARKETING INCORPORATED	BP4MC-CHLORPYRIFOS	C-WINNER 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	467-174-2764	27-Dec-24	-	Corn	Seedling maggot, corn earworm, comborer and armyworm	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
SCDM MARKETING INCORPORATED	BP4MC-CHLORPYRIFOS	C-WINNER 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	467-174-2764	27-Dec-24	-	Tobacco	Budworm, grasshopper, aphid, cutworm and armyworm	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
SCDM MARKETING INCORPORATED	BP4MC-CHLORPYRIFOS	C-WINNER 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	467-174-2764	27-Dec-24	-	Cucumber	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
SCDM MARKETING INCORPORATED	BP4MC-CHLORPYRIFOS	C-WINNER 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	467-174-2764	27-Dec-24	-	Melon	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
SCDM MARKETING INCORPORATED	BP4MC-CHLORPYRIFOS	C-WINNER 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	467-174-2764	27-Dec-24	-	Watermelon	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
SCDM MARKETING INCORPORATED	BP4MC-CHLORPYRIFOS	C-WINNER 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	467-174-2764	27-Dec-24	-	Onion	Thrips, cutworm	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
SCDM MARKETING INCORPORATED	BP4MC-CHLORPYRIFOS	C-WINNER 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	467-174-2764	27-Dec-24	-	Mungbeans	Beanfly, armyworm, cutworm, leafminer and leafroller	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
SCDM MARKETING INCORPORATED	BP4MC-CHLORPYRIFOS	C-WINNER 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	467-174-2764	27-Dec-24	-	Soybeans	Beanfly, armyworm, cutworm, leafminer and leafroller	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
SCDM MARKETING INCORPORATED	BP4MC-CHLORPYRIFOS	C-WINNER 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	467-174-2764	27-Dec-24	-	Beans	Beanfly, armyworm, cutworm, leafminer and leafroller	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
TRON- CUKE, INC.	GLYPHOSATE IPA	CUTDOWN 160 SL	160 g/L	SL	HERBICIDE	4	091-151-2075	19-Apr-22	POST-EMERGENT	non-crop areas	common grassy fields	3-6 Liters/ha	-	-	-
MAGAN AGRO PHILS., ENTERPRISE, INC.	AZDXYSTROBIN+TEBUCONAZOLE	CUSTODIA 320 SC	320g/L	SC	FUNGICIDE	4	461-463-4045	11-Jul-26	SYSTEMIC	Mango	Anthracoose, Scab, Stem-end rot	3-12 L/ha	Azoxystrobin- 4.0g/L Azyoxystrobin 5.0 g/Lm Tebuconazole	30days	Re-entry to treated field is allowed as soon as spray deposits dry up
MAGAN AGRO PHILS., ENTERPRISE, INC.	AZDXYSTROBIN+TEBUCONAZOLE	CUSTODIA 320 SC	320g/L	SC	FUNGICIDE	4	461-463-4045	11-Jul-26	SYSTEMIC	Cabbage	Cercospora leaf spot	0.6-0.8 L/ha	-	5 days	Re-entry to treated field is allowed as soon as spray deposits dry up

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
MAGAN AGRO PHIL. ENTERPRISES, INC.	AZOXYSTROBIN+TRIFLOXSTROBIN	CUSTODIA 320 SC	320g/L	SC	FUNGICIDE	4	461-463-4046	13-Jul-26	SYSTEMIC	Potato	Late blight	0.6-0.8 L/ha	Azoxystrobin 4.0ppm	15 days	Re-entry to treated field is allowed as soon as spray deposits dry up.
CORTEVA ASIA PACIFIC INC. PHILIPPINE BRANCH	CYMOXANIL+MANCOZEB	CURZATE M	41.3 g/kg	-	FUNGICIDE	4	014-161-0348	18-Nov-26	-	Potato	Late blight	50 grams prod. / 56L	-	7 days	Do not enter fields treated with Curzate M within 24 hours after application
CORTEVA ASIA PACIFIC INC. PHILIPPINE BRANCH	CYMOXANIL+MANCOZEB	CURZATE M	41.3 g/kg	-	FUNGICIDE	4	014-161-0348	18-Nov-26	-	Tomato	Late blight	50 grams prod. / 56L	-	7 days	Do not enter fields treated with Curzate M within 24 hours after application
CORTEVA ASIA PACIFIC INC. PHILIPPINE BRANCH	CYMOXANIL+MANCOZEB	CURZATE M	41.3 g/kg	-	FUNGICIDE	4	014-161-0348	18-Nov-26	-	Grapes	Downy mildew	50 grams prod. / 56L	-	7 days	Do not enter fields treated with Curzate M within 24 hours after application
DU PONT FAR EAST, INC.	CYMOXANIL+MANCOZEB	CURZATE M	500 g/kg	WP	FUNGICIDE	4	014-161-0348	18-Nov-23	SYSTEMIC/CONTACT	Potato	Late Blight	5 Tbsp/56L sprayer	-	-	Do not enter fields treated within 24 Hours after application
DU PONT FAR EAST, INC.	CYMOXANIL+MANCOZEB	CURZATE M	500 g/kg	WP	FUNGICIDE	4	014-161-0348	18-Nov-23	SYSTEMIC/CONTACT	Tomato	Late Blight	5 Tbsp/56L sprayer	-	-	Do not enter fields treated within 24 Hours after application
DU PONT FAR EAST, INC.	CYMOXANIL+MANCOZEB	CURZATE M	500 g/kg	WP	FUNGICIDE	4	014-161-0348	18-Nov-23	SYSTEMIC/CONTACT	Grapes	Downy mildew	5 Tbsp/56L sprayer	-	-	Do not enter fields treated within 24 Hours after application
LEADS AGRICULTURAL PRODUCTS CORPORATION	CYMOXANIL+MANCOZEB	CURZATE M	41.3 g/kg+515 g/kg	-	FUNGICIDE	4	099-161-6304	18-Nov-26	-	Potato	Late blight	50 g prod. / 56L	-	7 days	-
LEADS AGRICULTURAL PRODUCTS CORPORATION	CYMOXANIL+MANCOZEB	CURZATE M	41.3 g/kg+515 g/kg	-	FUNGICIDE	4	099-161-6304	18-Nov-26	-	Tomato	Late blight	50 g prod. / 56L	-	7 days	-
LEADS AGRICULTURAL PRODUCTS CORPORATION	CYMOXANIL+MANCOZEB	CURZATE M	41.3 g/kg+515 g/kg	-	FUNGICIDE	4	099-161-6304	18-Nov-26	-	Grapes	Downy mildew	50 g prod. / 56L	-	7 days	-
NAC UNITED CROP SOLUTIONS CORPORATION	TERBUCONAZOLE+TRIFLOXSTROBIN	CUREGOLD 750 WG	500 g/L+250 g/L	WG	FUNGICIDE	4	687-438-5805	3-Aug-25	SYSTEMIC	Mango	Anthracoise	40-80g/ 100 L water	-	30 days	As soon as spray deposits have dried.
NAC UNITED CROP SOLUTIONS CORPORATION	TERBUCONAZOLE+TRIFLOXSTROBIN	CUREGOLD 750 WG	500 g/L+250 g/L	WG	FUNGICIDE	4	687-438-5805	3-Aug-25	SYSTEMIC	Rice	Rice blast, sheath blight, brown leaf spot	11.36g/ 36 L water	-	35 days	As soon as spray deposits have dried.
NAC UNITED CROP SOLUTIONS CORPORATION	AZOXYSTROBIN+DIFENOCONAZOLE	CURE HERO 325 SC	200 g/L+125 g/L	SC	FUNGICIDE	3	687-486-6120	24-Apr-26	-	Corn	Northern corn leaf blight, white spot, gray leaf spot, brown spot	500-750 mL prod. / ha; 50-75 mL prod / 68 L water	Azoxystrobin 0.03ppm	28 days	Do not enter or allow workers to enter treated areas until spray deposits have dried up or unless a protective clothing is worn
NAC UNITED CROP SOLUTIONS CORPORATION	AZOXYSTROBIN+DIFENOCONAZOLE	CURE HERO 325 SC	200 g/L+125 g/L	SC	FUNGICIDE	3	687-486-6120	24-Apr-26	-	Onion	Anthracoise	300-500 mL prod/ ha; 30-35 mL prod/ 56 L water	Azoxystrobin 0.03ppm	12 days	Do not enter or allow workers to enter treated areas until spray deposits have dried up or unless a protective clothing is worn
NAC UNITED CROP SOLUTIONS CORPORATION	AZOXYSTROBIN+DIFENOCONAZOLE	CURE HERO 325 SC	200 g/L+125 g/L	SC	FUNGICIDE	3	687-486-6120	24-Apr-26	-	Potato	Late blight	400-500 mL prod/ ha; 30-25 mL prod / 56 L water	Azoxystrobin 0.03ppm	14 days	Do not enter or allow workers to enter treated areas until spray deposits have dried up or unless a protective clothing is worn
NAC UNITED CROP SOLUTIONS CORPORATION	AZOXYSTROBIN+DIFENOCONAZOLE	CURE HERO 325 SC	200 g/L+125 g/L	SC	FUNGICIDE	3	687-486-6120	24-Apr-26	-	Rice	Rice blast and sheath blight	200-500 mL prod. / ha; 20-50 mL prod. / 16 L water	Azoxystrobin 0.6ppm	30 days	Do not enter or allow workers to enter treated areas until spray deposits have dried up or unless a protective clothing is worn
NAC UNITED CROP SOLUTIONS CORPORATION	AZOXYSTROBIN+DIFENOCONAZOLE	CURE HERO 325 SC	200 g/L+125 g/L	SC	FUNGICIDE	3	687-486-6120	24-Apr-26	-	Mango	Anthracoise, scab, stem-end rot	100-200 mL prod. / ha; 150-300 mL prod. / 200 L water	Azoxystrobin 0.7ppm	34 days	Do not enter or allow workers to enter treated areas until spray deposits have dried up or unless a protective clothing is worn
BERRIS AGRICULTURAL CO., INC.	DIFENOCONAZOLE	CURAZOLE 25 EC	250 g/L	EC	FUNGICIDE	4	233-272-4261	05-Sep-24	SYSTEMIC	Banana	Black Sigatoka	0.30-0.40 L prod/ha	-	-	-
BERRIS AGRICULTURAL CO., INC.	DIFENOCONAZOLE	CURAZOLE 25 EC	250 g/L	EC	FUNGICIDE	4	233-272-4261	05-Sep-24	SYSTEMIC	Mango	Anthracoise	0.028-0.88 L/ha	-	-	-
BERRIS AGRICULTURAL CO., INC.	DIFENOCONAZOLE	CURAZOLE 25 EC	250 g/L	EC	FUNGICIDE	4	233-272-4261	05-Sep-24	SYSTEMIC	Rice	Sheath Blight	0.25-0.30 L/ha	-	-	-
BERRIS AGRICULTURAL CO., INC.	DIFENOCONAZOLE	CURAZOLE 25 EC	250 g/L	EC	FUNGICIDE	4	233-272-4261	05-Sep-24	SYSTEMIC	Stringbeans	Leaf spot	0.20-0.30 L/ha	-	-	-
BERRIS AGRICULTURAL CO., INC.	DIFENOCONAZOLE	CURAZOLE 25 EC	250 g/L	EC	FUNGICIDE	4	233-272-4261	05-Sep-24	SYSTEMIC	Eggplant	Leaf Spot	0.20-0.30 L/ha	-	-	-
BERRIS AGRICULTURAL CO., INC.	DIFENOCONAZOLE	CURAZOLE 25 EC	250 g/L	EC	FUNGICIDE	4	233-272-4261	05-Sep-24	SYSTEMIC	Tomato	Alternaria leaf spot, cercospora leaf mold, powdery mildew	0.20-0.30 L/ha	-	-	-
BERRIS AGRICULTURAL CO., INC.	DIFENOCONAZOLE	CURAZOLE 25 EC	250 g/L	EC	FUNGICIDE	4	233-272-4261	05-Sep-24	SYSTEMIC	Cabbage	Ringspot, alternaria	0.20-0.30 L/ha	-	-	-
BERRIS AGRICULTURAL CO., INC.	DIFENOCONAZOLE	CURAZOLE 25 EC	250 g/L	EC	FUNGICIDE	4	233-272-4261	05-Sep-24	SYSTEMIC	Onion	Purple blotch	0.40-0.50 L/ha	-	-	-
BERRIS AGRICULTURAL CO., INC.	DIFENOCONAZOLE	CURAZOLE 25 EC	250 g/L	EC	FUNGICIDE	4	233-272-4261	05-Sep-24	SYSTEMIC	Asparagus	Stem and leaf blight	0.36 L/ha	-	-	-
UPL PHILIPPINES, INC.	BORDEUX MIXTURE	CUPROX WG	20g/kg	WG	FUNGICIDE	4	562-440-3211	05-Sep-24	-	Pineapple	Bacterial heart rot	1.0-4.0 kg prod. / ha; spray volume 380-350 L/ha	-	No pre-harvest interval necessary from last spray until harvest	Re-entry to field is allowed as soon as spray dried
UPL PHILIPPINES, INC.	BORDEUX MIXTURE	CUPROX WG	20g/kg	WG	FUNGICIDE	4	562-440-3211	23-Jul-22	-	Rice	Bacterial leaf blight, rice blast and sheath blight	0.5 kg prod. / ha. At volume rates of 540-200 L/ ha, 45 and 60 days after	-	-	-
BASF PHILIPPINES, INC.	BOSCAID	CUMORA 513 SC	513 g/L	SC	FUNGICIDE	4	005-413-2598	11-Jun-24	SYSTEMIC	Banana	Black Sigatoka	0.5-0.7 L/ha	0.6 ppm	0 day	After drying of spray or 24 hours after spraying
SYNGENTA PHILIPPINES INC.	PACLOBUTRAZOL	CUTAR 25 SC	250 g/L	SC	OTHERS	3	011-237-0511	07-Apr-24	-	Mango	Plant growth regulator	1.2 tbsp./3-5 L water	-	-	-
SYNGENTA PHILIPPINES INC.	PACLOBUTRAZOL	CUTAR 25 SC	250 g/L	SC	OTHERS	3	011-237-0511	07-Apr-24	-	Durian	Plant growth regulator	0.5-1.5 tbsp./3-5 L water	-	-	-
SYNGENTA PHILIPPINES INC.	PACLOBUTRAZOL	CUTAR 25 SC	250 g/L	SC	OTHERS	3	011-237-0511	07-Apr-24	-	Calamansi	Plant growth regulator	1.2 tbsp./3-5 L water	-	-	-
SYNGENTA PHILIPPINES INC.	PACLOBUTRAZOL	CUTAR 25 SC	250 g/L	SC	OTHERS	3	011-237-0511	07-Apr-24	-	Cocoa	Plant growth regulator	1 tbsp./3-5 L water	-	-	-
TEXICON AGR VENTURES CORPORATION	BUPROFEZIN	CURE 25 SC	250g/L	SC	INSECTICIDE	4	242-224-4346	06-Aug-24	SYSTEMIC	Mango	Leafhopper	40-80mL/200L	-	Do not spray 15 days before harvest	Re-entry to treated fields is allowed as soon as spray dries up.
S&P ENTERPRISES, INC.	CHLORANTHANILIPROLE	CTPR 50 SC	50 g/L	SC	INSECTICIDE	4	366-393-6350	31-Aug-26	-	Bittergourd	Leafhopper, cutworm	20 mL/36L water; 500 L/ha	-	3 days	-
S&P ENTERPRISES, INC.	CHLORANTHANILIPROLE	CTPR 50 SC	50 g/L	SC	INSECTICIDE	4	366-393-6350	31-Aug-26	-	Cabbage	Diamond backmoth, cutworm, cabbage worm	20-15 mL/ 36L water; 800 L/ha	-	1 day	-
S&P ENTERPRISES, INC.	CHLORANTHANILIPROLE	CTPR 50 SC	50 g/L	SC	INSECTICIDE	4	366-393-6350	31-Aug-26	-	Corn	Corn borer, earworm	25-30 mL/36 L water; 240 L/ha	-	7 days	-
S&P ENTERPRISES, INC.	CHLORANTHANILIPROLE	CTPR 50 SC	50 g/L	SC	INSECTICIDE	4	366-393-6350	31-Aug-26	-	Eggplant	Shoot and fruitborer, cutworm	10 mL/36 L water; 800 L/ha	-	1 day	-
S&P ENTERPRISES, INC.	CHLORANTHANILIPROLE	CTPR 50 SC	50 g/L	SC	INSECTICIDE	4	366-393-6350	31-Aug-26	-	Rice	Stemborer, leafborer	20-25 mL/ 36L water	-	40-60 days	-
S&P ENTERPRISES, INC.	CHLORANTHANILIPROLE	CTPR 50 SC	50 g/L	SC	INSECTICIDE	4	366-393-6350	31-Aug-26	-	Stringbeans	Podborer	10 mL/36 L water; 800 L/ha	-	1 day	-
S&P ENTERPRISES, INC.	CHLORANTHANILIPROLE	CTPR 50 SC	50 g/L	SC	INSECTICIDE	4	366-393-6350	31-Aug-26	-	Sugarcane	Sugarcane borer	1.5-2.0 L prod. / ha; 600-800 L/ha	-	240-300 days	-
S&P ENTERPRISES, INC.	CHLORANTHANILIPROLE	CTPR 50 SC	50 g/L	SC	INSECTICIDE	4	366-393-6350	31-Aug-26	-	Tobacco	Budworm, cutworm	25-30 mL/36 L water; 240 L/ha	-	7 days	-
S&P ENTERPRISES, INC.	CHLORANTHANILIPROLE	CTPR 50 SC	50 g/L	SC	INSECTICIDE	4	366-393-6350	31-Aug-26	-	Tomato	Cutworm, fruitworm	27-40 mL/36 L water; 500 L/ha	-	3 days	-
TEXICON AGR VENTURES CORPORATION	NICLOSMIDE ETHANOLAMINE SALT	CRUISER 70 WP	700 g/kg	WP	MOLLUSCIDE	4	242-220-1010	26-Aug-26	CONTACT	Rice	Golden Apple Snail (Luhot)	36 gm/36 L water	-	-	At least 48 hours after application
TEXICON AGR VENTURES CORPORATION	NICLOSMIDE	CRUISER 250 EC	250 g/L	EC	MOLLUSCIDE	4	242-220-1074	26-Aug-26	-	Rice	Golden apple snail	7-10 Tbsp/36 L water	-	-	Do not re-enter the field within two days after spraying
ABG TRADING CORPORATION	CHLORFENAPYR	CRUSADER 100 SC	100 g/L	SC	INSECTICIDE	3	673-283-5341	02-Sep-22	-	Cabbage	Diamond back moth, aphids and cabbage moth	1.5-3.0 Tbsp/36 L water	-	Do not spray within 14 days before harvest	Do not enter treated fields within two days after spraying
ABG TRADING CORPORATION	CHLORFENAPYR	CRUSADER 100 SC	100 g/L	SC	INSECTICIDE	3	673-283-5341	02-Sep-22	-	Potato	Thrips	0.5-1.5 Tbsp/36L water	-	Do not spray within 14 days before harvest	Do not enter treated fields within two days after spraying
ABG TRADING CORPORATION	CHLORFENAPYR	CRUSADER 100 SC	100 g/L	SC	INSECTICIDE	3	673-283-5341	02-Sep-22	-	Banana	Flower thrips	2-3 mL/ L water	-	Do not spray within 14 days before harvest	Do not enter treated fields within two days after spraying
SYNGENTA PHILIPPINES INC.	THIAMETHOAM	CRUISER 350 FS	350 g/L	FS	INSECTICIDE	4	011-312-1583	15-Aug-26	-	Corn (as seed treatment)	Seedling maggot	-	-	-	-
SYNGENTA PHILIPPINES INC.	THIAMETHOAM	CRUISER 300 FS	350 g/L	FS	INSECTICIDE	4	011-312-1583	20-Oct-24	SYSTEMIC	Corn	Maggot field ants, leafhoppers & aphids	100-200 L/ha spray volume; 50 ml product/16-20 kg bag of seeds; 200-400 g/ ml 140 kg sack of seeds	-	26 days (maximum 3-4 applications)	-
SYNGENTA PHILIPPINES INC.	THIAMETHOAM	CRUISER 300 FS	350 g/L	FS	INSECTICIDE	4	011-312-1583	15-Aug-26	SYSTEMIC	Rice	Green Leafhopper, brown planthopper & whitebacked planthopper	25 ml/ 140 kg sack of seeds	-	-	-
JYNSONS PHILIPPINES, INC.	PREFLACHLOH+BUTACHLOR	CROSSFIRE PLUS 55 EC	150 g/L+400 g/L	EC	HERBICIDE	4	551-591-5923	15-Jul-25	PRE-EMERGENT	Rice (Direct Seeded)	Grasses, sedges and broadleaves	10 tbsp/ 36L	-	-	-
JYNSONS PHILIPPINES, INC.	BUTACHLOR+PROPANIL	CROSSFIRE 70 EC	300-350 g/L	EC	HERBICIDE	3	551-238-4021	26-Jun-24	POST-EMERGENT	Rice (Direct Seeded)	Grasses, Sedges and Broadleaves	8-12 Tbsp/36 L water	Butachlor 0.1ppm Propanil 0.1ppm	-	As soon as the spray mist dries up.
JYNSONS PHILIPPINES, INC.	BUTACHLOR+PROPANIL	CROSSFIRE 70 EC	300-350 g/L	EC	HERBICIDE	3	551-238-4021	26-Jun-24	POST-EMERGENT	Rice (Transplanted)	Grasses, Sedges and Broadleaves	8-12 Tbsp/36 L water	Butachlor 0.1ppm Propanil 0.1ppm	-	As soon as the spray mist dries up.
ZAGRO CORPORATION	OXADAZON	CROPSTAR 25 EC	250 g/L	SC	HERBICIDE	4	043-124-1820	23-Feb-24	SELECTIVE (PRE-EMERGENT)	Onion (Transplanted)	Grasses, Sedges & Broadleaves	40-100 gm/36 L water	-	-	Re-entry could be done after spray droplets have dried up. It recommended to avoid disturbing the soil. By stepping on sprayed soil surface, to maintain the
ZAGRO CORPORATION	OXADAZON	CROPSTAR 25 EC	250 g/L	EC	HERBICIDE	4	043-124-1820	23-Feb-24	SELECTIVE (PRE-EMERGENT)	Rice (Transplanted)	Grasses, Sedges & Broadleaves	40-60 gm/36 L water	-	-	Re-entry could be done after spray droplets have dried up. It recommended to avoid disturbing the soil. By stepping on sprayed soil surface, to maintain the

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
ZAGRO CORPORATION	OXADIAZON	CROPSTAR 25 EC	250 g/L	EC	HERBICIDE	4	045-124-1820	23-Feb-24	SELECTIVE (PRE-EMERGENCE)	Rice (Dry-Seeded)	Grasses, Sedges & Broadleaves	40-100 gm/16L water	-	-	Re-entry could be done after spray droplets have dried up. It is recommended to avoid disturbing the soil. By stepping on sprayed soil surface, to maintain the
ZAGRO CORPORATION	OXADIAZON	CROPSTAR 25 EC	250 g/L	EC	HERBICIDE	4	045-124-1820	23-Feb-24	SELECTIVE (PRE-EMERGENCE)	Rice (Direct Seeded Pre-germinated)	Grasses, Sedges & Broadleaves	40-50 gm/16 L water	-	-	Re-entry could be done after spray droplets have dried up. It is recommended to avoid disturbing the soil. By stepping on sprayed soil surface, to maintain the
VAST AGRO SOLUTIONS, INC.	DNOTEFURAN	CROPSHOT 20 SG	200g/kg	SG	INSECTICIDE	4	385-373-5555	04-Oct-24	SYSTEMIC	Mango	Mango leafhopper	1.0-2.0 g/16 water; 6.25-12.50 g/100L water	-	7 days	As soon as the spray solution has dried on the foliage
VAST AGRO SOLUTIONS, INC.	DNOTEFURAN	CROPSHOT 20 SG	200g/kg	SG	INSECTICIDE	4	385-373-5555	04-Oct-24	SYSTEMIC	Watermelon	Aphids, whiteflies	2.0-3.0 g/16 water; 15.62-31.25 g/100L water	-	16 days	As soon as the spray solution has dried on the foliage
VAST AGRO SOLUTIONS, INC.	DNOTEFURAN	CROPSHOT 20 SG	200g/kg	SG	INSECTICIDE	4	385-373-5555	04-Oct-24	SYSTEMIC	Rice	Green leafhopper, brown planthopper, rice bug	2.0-5.0 g/16 water; 15.62-31.25 g/100 L water	-	24 days	As soon as the spray solution has dried on the foliage
VAST AGRO SOLUTIONS, INC.	DNOTEFURAN	CROPSHOT 20 SG	200g/kg	SG	INSECTICIDE	4	385-373-5555	04-Oct-24	SYSTEMIC	Eggplant	Hoppers, whiteflies, fruit borer	2.0-5.0 g/16 water; 15.62-31.25 g/100 L water	-	7 days	As soon as the spray solution has dried on the foliage
VAST AGRO SOLUTIONS, INC.	DNOTEFURAN	CROPSHOT 20 SG	200g/kg	SG	INSECTICIDE	4	385-373-5555	04-Oct-24	SYSTEMIC	Tomato	Whiteflies, hoppers, cutworm	2.0-5.0 g/16 water; 15.62-31.25 g/100 L water	-	7 days	As soon as the spray solution has dried on the foliage
VAST AGRO SOLUTIONS, INC.	DNOTEFURAN	CROPSHOT 20 SG	200g/kg	SG	INSECTICIDE	4	385-373-5555	04-Oct-24	SYSTEMIC	Coconut	Scale insects	-	-	-	As soon as the spray solution has dried on the foliage
SINOCHEM CROP PROTECTION (PHILS.) INC.	C14C18ALKYL CARBOXYLIC ACID METHYL ESTER	CROPGUARD	826.6 g/L	EC	OTHERS	4	432-434-3293	04-Jun-17	-	Cavendish Banana	Black Sigatoka, leaf freckle	9-7L, 100L Spray vol./ha (ground app.) 15.67-23.35, 30 L spray	-	-	-
SINOCHEM CROP PROTECTION (PHILS.) INC.	C14C18ALKYL CARBOXYLIC ACID METHYL ESTER	CROPGUARD	826.6 g/L	EC	OTHERS	4	432-434-3293	04-Jun-17	-	Okra	Leafhopper, cotton stainer	6-8tbsp/16 L	-	-	-
SINOCHEM CROP PROTECTION (PHILS.) INC.	C14C18ALKYL CARBOXYLIC ACID METHYL ESTER	CROPGUARD	826.6 g/L	EC	OTHERS	4	432-434-3293	04-Jun-17	-	Sugarcane	Weeds	6-8tbsp/16 L	-	-	-
SINOCHEM CROP PROTECTION (PHILS.) INC.	C14C18ALKYL CARBOXYLIC ACID METHYL ESTER	CROPGUARD	826.6 g/L	EC	OTHERS	4	432-434-3293	04-Jun-17	-	Tomato	Cutworms, leafhopper, whiteflies, fruitworm	6-8tbsp/16 L	-	-	-
SINOCHEM CROP PROTECTION (PHILS.) INC.	C14C18ALKYL CARBOXYLIC ACID METHYL ESTER	CROPGUARD	826.6 g/L	EC	OTHERS	4	432-434-3293	04-Jun-17	-	Mango	Leafhopper, Scale insects	6-8tbsp/16 L	-	-	-
CHEMREZ TECHNOLOGIES, INC.	C14C18ALKYL CARBOXYLIC ACID METHYL ESTER	CROPGUARD	826.6 g/L	EC	OTHERS	4	529-434-3111	10-May-25	-	Cavendish Banana	Black Sigatoka, leaf freckle	9-7L, 100L Spray vol./ha	-	-	As soon as the spray solution has dried up. It is recommended to avoid disturbing the soil. By stepping on sprayed soil surface, to maintain the
CHEMREZ TECHNOLOGIES, INC.	C14C18ALKYL CARBOXYLIC ACID METHYL ESTER	CROPGUARD	826.6 g/L	EC	OTHERS	4	529-434-3111	10-May-25	-	Okra	Leafhopper, cotton stainer	6-8tbsp/16 L	-	-	-
CHEMREZ TECHNOLOGIES, INC.	C14C18ALKYL CARBOXYLIC ACID METHYL ESTER	CROPGUARD	826.6 g/L	EC	OTHERS	4	529-434-3111	10-May-25	-	Sugarcane	Weeds	6-8tbsp/16 L	-	-	-
CHEMREZ TECHNOLOGIES, INC.	C14C18ALKYL CARBOXYLIC ACID METHYL ESTER	CROPGUARD	826.6 g/L	EC	OTHERS	4	529-434-3111	10-May-25	-	Tomato	Cutworms, leafhopper, whiteflies, fruitworm	6-8tbsp/16 L	-	-	-
CHEMREZ TECHNOLOGIES, INC.	C14C18ALKYL CARBOXYLIC ACID METHYL ESTER	CROPGUARD	826.6 g/L	EC	OTHERS	4	529-434-3111	10-May-25	-	Mango	Leafhopper, Scale insects	6-8tbsp/16 L	-	-	-
CHEMREZ TECHNOLOGIES, INC.	C14C18ALKYL CARBOXYLIC ACID METHYL ESTER	CROPGUARD	826.6 g/L	EC	OTHERS	4	529-434-3111	10-May-25	-	Rice	Stem borer	32-96 mL product/16L water	-	-	-
CHEMREZ TECHNOLOGIES, INC.	C14C18ALKYL CARBOXYLIC ACID METHYL ESTER	CROPGUARD	826.6 g/L	EC	OTHERS	4	529-434-3111	10-May-25	-	Eggplant	Coccinellid beetle, leafhoppers, aphids, shoot and fruit borers, arthropods and white flies	32-96 mL/16L	-	-	-
CHEMREZ TECHNOLOGIES, INC.	C14C18ALKYL CARBOXYLIC ACID METHYL ESTER	CROPGUARD	826.6 g/L	EC	OTHERS	4	529-434-3111	10-May-25	-	Amplaya	Coccinellid beetle, leafhoppers, aphids, webworms, flea beetles and fruit flies	32-96 mL/16L	-	-	-
CHEMREZ TECHNOLOGIES, INC.	C14C18ALKYL CARBOXYLIC ACID METHYL ESTER	CROPGUARD	826.6 g/L	EC	OTHERS	4	529-434-3111	10-May-25	-	Stringbeans	Coccinellid beetle, leafhoppers, aphids, shoot and fruit borers, arthropods and white flies	32-96mL/16L, 500L/ha	-	-	-
CROPEVO PHILIPPINES, INC.	DIURON	CROPEVO MEGA DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	593-021-4085	29-Aug-20	SYSTEMIC	Citrus	Annual and Perennial broadleaves and grasses	13.0-15.0tbsp/16 L water	-	-	24 hours after application
CROPEVO PHILIPPINES, INC.	DIURON	CROPEVO MEGA DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	593-021-4085	29-Aug-20	SYSTEMIC	Coffee	Annual and Perennial broadleaves and grasses	13.0-15.0tbsp/16 L water	-	-	24 hours after application
CROPEVO PHILIPPINES, INC.	DIURON	CROPEVO MEGA DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	593-021-4085	29-Aug-20	SYSTEMIC	Cotton	Annual and Perennial broadleaves and grasses	8.0tbsp/16 L water	-	-	24 hours after application
CROPEVO PHILIPPINES, INC.	DIURON	CROPEVO MEGA DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	593-021-4085	29-Aug-20	SYSTEMIC	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0tbsp/16 L water	-	-	24 hours after application
CROPEVO PHILIPPINES, INC.	DIURON	CROPEVO MEGA DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	593-021-4085	29-Aug-20	SYSTEMIC	Pineapple	Annual and Perennial broadleaves and grasses	11.0tbsp/16 L water	-	-	24 hours after application
CROPEVO PHILIPPINES, INC.	DIURON	CROPEVO MEGA DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	593-021-4085	29-Aug-20	SYSTEMIC	Non-crop land	Annual and Perennial broadleaves and grasses	20.0-25.0tbsp/16 L water	-	-	24 hours after application
MIGHTY AGRICULTURAL TRADING CORPORATION	HYDROGEN PEROXIDE+ACETIC ACID	CROP SHIELD	-	-	OTHERS	2	733-493-5879	19-Nov-25	-	Banana	Crown rot and crown mold	-	-	-	-
MIGHTY AGRICULTURAL TRADING CORPORATION	HYDROGEN PEROXIDE+ACETIC ACID	CROP SHIELD	-	-	OTHERS	2	733-493-5879	19-Nov-25	-	Pineapple	Crown and butt molds, bacterial heart rot and fruitlet core rot	-	-	-	-
SAVERS ALLIANCE TRADING CORPORATION	BISPYRIBAC SODIUM	CROP SAVER 10 SC	100 g/L	SC	HERBICIDE	2	655-276-5764	08-Nov-24	-	Rice (Direct-Seeded Irrigated)	Grasses, sedges & broadleaves	25-30-20-25, 20, 15 ML/16L water	-	-	As soon as spray deposits dry up
MONARCH AGRICULTURAL PRODUCTS, INC.	PROFENOFOS	CRONIC 50 EC	500 g/L	EC	INSECTICIDE	2	096-070-4281	06-Mar-24	CONTACT	Tomato	Fruitworm, armyworm, cutworm	3-5 Tbsp/16L water	-	14 Days	Do not enter treated field 1 Day after application
MONARCH AGRICULTURAL PRODUCTS, INC.	PROFENOFOS	CRONIC 50 EC	500 g/L	EC	INSECTICIDE	2	096-070-4281	06-Mar-24	CONTACT	Eggplant	Fruitborer, aphids, leafhopper, & thrips	1.5-3.0 Tbsp/16L water	-	14 Days	Do not enter treated field 1 Day after application
MONARCH AGRICULTURAL PRODUCTS, INC.	PROFENOFOS	CRONIC 50 EC	500 g/L	EC	INSECTICIDE	2	096-070-4281	06-Mar-24	CONTACT	Cabbage	Diamond back moth, cabbage worm & aphids, thrips	3-5 Tbsp/16L water	-	14 Days	Do not enter treated field 1 Day after application
MONARCH AGRICULTURAL PRODUCTS, INC.	PROFENOFOS	CRONIC 50 EC	500 g/L	EC	INSECTICIDE	2	096-070-4281	06-Mar-24	CONTACT	Watermelon	Thrips	3-5 Tbsp/16L water	-	14 Days	Do not enter treated field 1 Day after application
MONARCH AGRICULTURAL PRODUCTS, INC.	PROFENOFOS	CRONIC 50 EC	500 g/L	EC	INSECTICIDE	2	096-070-4281	06-Mar-24	CONTACT	Potato	Thrips, army worm, cutworm, tuber moth	3-5 Tbsp/16L water	-	14 Days	Do not enter treated field 1 Day after application
MONARCH AGRICULTURAL PRODUCTS, INC.	PROFENOFOS	CRONIC 50 EC	500 g/L	EC	INSECTICIDE	2	096-070-4281	06-Mar-24	CONTACT	Soybeans	Corn earworm, leafminer	3-5 Tbsp/16L water	-	14 Days	Do not enter treated field 1 Day after application
MONARCH AGRICULTURAL PRODUCTS, INC.	PROFENOFOS	CRONIC 50 EC	500 g/L	EC	INSECTICIDE	2	096-070-4281	06-Mar-24	CONTACT	Mungbeans	Corn earworm, leafminer	3-5 Tbsp/16L water	-	14 Days	Do not enter treated field 1 Day after application
MONARCH AGRICULTURAL PRODUCTS, INC.	PROFENOFOS	CRONIC 50 EC	500 g/L	EC	INSECTICIDE	2	096-070-4281	06-Mar-24	CONTACT	Cotton	Thrips, bollworm & budworm	3-5 Tbsp/16L water	-	14 Days	Do not enter treated field 1 Day after application
MONARCH AGRICULTURAL PRODUCTS, INC.	PROFENOFOS	CRONIC 50 EC	500 g/L	EC	INSECTICIDE	2	096-070-4281	06-Mar-24	CONTACT	Peas	Beetfly, leafhopper & aphids	1.5-3.0 Tbsp/16L water	-	14 Days	Do not enter treated field 1 Day after application
VERDANT LUSTRECORE CORPORATION	BUTACHLOR+PROPANIL	CRIMSON 70 EC	300-300 g/L	EC	HERBICIDE	3	946-238-3587	22-Oct-18	POST-EMERGENT	Rice (Direct-Seeded)	Grasses, Sedges and Broadleaves	8-12tbsp/16 L water	-	-	Entry to the fields sprayed with the products allowed after the mist has dried up
PLUTODUS NUTRITION SOLUTIONS COMPANY, INC.	CARBENDAZIM	CREST 500 SC	-	SC	FUNGICIDE	4	639-247-6266	11-Sep-24	SYSTEMIC	Banana	Diamond fruit spot, anthracnose	0.5-1.0 mL prod./L water (at 80-100 mL spray volume/ha/bunch)	-	7 days	-
PLUTODUS NUTRITION SOLUTIONS COMPANY, INC.	CARBENDAZIM	CREST 500 SC	-	SC	FUNGICIDE	4	639-247-6266	11-Sep-24	SYSTEMIC	Mango	Anthracnose	10-20 mL prod./16L	-	-	-
PLUTODUS NUTRITION SOLUTIONS COMPANY, INC.	CARBENDAZIM	CREST 500 SC	-	SC	FUNGICIDE	4	639-247-6266	11-Sep-24	SYSTEMIC	Cucurbits	Downy mildew	30-20 mL prod./16L	-	-	-
PLUTODUS NUTRITION SOLUTIONS COMPANY, INC.	CARBENDAZIM	CREST 500 SC	-	SC	FUNGICIDE	4	639-247-6266	11-Sep-24	SYSTEMIC	Garden Peas	Powdery mildew	30-20 mL prod./16L	-	-	-
PLUTODUS NUTRITION SOLUTIONS COMPANY, INC.	CARBENDAZIM	CREST 500 SC	-	SC	FUNGICIDE	4	639-247-6266	11-Sep-24	SYSTEMIC	Sugarcane	Pineapple disease caused by <i>Ceratocystis paradoxa</i>	50-100 mL prod./2000L water	-	-	-
PLUTODUS NUTRITION SOLUTIONS COMPANY, INC.	CARBENDAZIM	CREST 500 SC	-	SC	FUNGICIDE	4	639-247-6266	11-Sep-24	SYSTEMIC	Pineapple	<i>Fusarium</i> spp., <i>Phytophthora</i> spp., <i>Phyium</i> spp.	3-4 L prod./ha	-	0 day	-
ARISTA LIFESCIENCE PHILIPPINES INC.	CYHALOXYF-ETHYL	CRANSTAN 300 EC	100 g/L	EC	HERBICIDE	4	093-306-2397	18-Jun-18	SYSTEMIC	Rice (Direct-Seeded)	Grasses	7-9tbsp./tank load; 12 of tank load/ha (16L capacity)	-	-	-
LIOMPHIL INTERNATIONAL INC.	CHLORPYRIFOS+CYPERMETHRIN	OPP KILLER 275 EC	250+25 g/L	EC	INSECTICIDE	2	590-239-5022	27-Jan-26	-	Rice	Wheat maggot, green leafhopper, brown planthopper, stem borer	20-30mL (3-7tbsp)/16L water	-	-	-
LIOMPHIL INTERNATIONAL INC.	CHLORPYRIFOS+CYPERMETHRIN	OPP KILLER 275 EC	250+25 g/L	EC	INSECTICIDE	2	590-239-5022	27-Jan-23	-	Mango	Mango hopper	25-40 mL (2.5-4tbsp)/16L water	-	-	-
CROP PROTECTION ADVENTURES INC.	CPAI 2,4-D ESTER	CPAI 2,4-D ESTER	400 g/L	EC	HERBICIDE	2	616-040-5475	31-Dec-23	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	0.1 ppm	-	Do not spray within two days before harvest
CROP PROTECTION ADVENTURES INC.	CPAI 2,4-D ESTER	CPAI 2,4-D ESTER	400 g/L	EC	HERBICIDE	2	616-040-5475	31-Dec-23	SELECTIVE (POST-EMERGENT)	corn	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	-	-	Do not spray within two days before harvest
CROP PROTECTION ADVENTURES INC.	CPAI 2,4-D ESTER	CPAI 2,4-D ESTER	400 g/L	EC	HERBICIDE	2	616-040-5475	31-Dec-23	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	-	-	Do not spray within two days before harvest
CROP PROTECTION ADVENTURES INC.	CPAI 2,4-D AMINE	CPAI 2,4-D AMINE	400 g/L	-	HERBICIDE	2	616-013-5474	31-Dec-23	POST-EMERGENT	Rice (Transplanted)	Annual broadleaves and sedges	5.5-6.5Tbsp/16 L water	0.1 ppm	-	Entry to fields and crops treated with CPAI 2,4-D ESTER can be done one day after spraying
CROP PROTECTION ADVENTURES INC.	CPAI 2,4-D AMINE	CPAI 2,4-D AMINE	400 g/L	-	HERBICIDE	2	616-013-5474	31-Dec-23	POST-EMERGENT	Sugarcane	Annual broadleaves and sedges	13-25 Tbsp/16 L water	-	-	-

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
CROP PROTECTION ADVENTURES INC.	2,4-D AMINE	CPAI 2,4-D AMINE	400 g/L	-	HERBICIDE	2	856-023-5474	31-Dec-23	POST-EMERGENT	Corn	Annual broadleaves and sedges	5-6.5 Tbsp/56 L water	-	-	-
JYNNSONS PHILIPPINES, INC.	CHLALOPOP BUTYL-BISPYRIBAC SODIUM	COVER 200 OD	150g/L +50g/L	OD	HERBICIDE	4	551-504-5999	29-Nov-25	POST-EMERGENT	Rice (direct-seeded)	Grasses, broadleaves and sedges	50-100 mL/ 18L	-	-	As soon as spray dries up.
AGSMART CORPORATION	CHLOROTHALONIL	COVER-PRO 720 SC	720 g/L	SC	FUNGICIDE	4	680-118-5565	18-Oct-24	-	Onion	Purple blotch, bulb rot, neck rot	1.25-1.9 L/ha	-	7-14 days	As soon as spray solution has dried on the foliage, re-entry into treated areas may be done.
AGSMART CORPORATION	CHLOROTHALONIL	COVER-PRO 720 SC	720 g/L	SC	FUNGICIDE	4	680-118-5565	18-Oct-24	-	Mango	Anthraxnose, diploia rot	1.75-5.60 L/ha	-	7-14 days	As soon as spray solution has dried on the foliage, re-entry into treated areas may be done.
AGSMART CORPORATION	CHLOROTHALONIL	COVER-PRO 720 SC	720 g/L	SC	FUNGICIDE	4	680-118-5565	18-Oct-24	-	Grapes	Downy mildew, powdery mildew, fruit rot	1.25-1.9 L/ha	-	7-14 days	As soon as spray solution has dried on the foliage, re-entry into treated areas may be done.
AGSMART CORPORATION	CHLOROTHALONIL	COVER-PRO 720 SC	720 g/L	SC	FUNGICIDE	4	680-118-5565	18-Oct-24	-	Eggplant	Early and late blight, cercospora, anthracnose	1.25-1.9 L/ha	-	7-14 days	As soon as spray solution has dried on the foliage, re-entry into treated areas may be done.
AGSMART CORPORATION	CHLOROTHALONIL	COVER-PRO 720 SC	720 g/L	SC	FUNGICIDE	4	680-118-5565	18-Oct-24	-	Carrot	Alternaria, cercospora, helminthosporium	1.25-1.9 L/ha	-	7-14 days	As soon as spray solution has dried on the foliage, re-entry into treated areas may be done.
AGSMART CORPORATION	CHLOROTHALONIL	COVER-PRO 720 SC	720 g/L	SC	FUNGICIDE	4	680-118-5565	18-Oct-24	-	Tomato	Early and late blight, vine rot	1.25-1.9 L/ha	-	7-14 days	As soon as spray solution has dried on the foliage, re-entry into treated areas may be done.
AGSMART CORPORATION	CHLOROTHALONIL	COVER-PRO 720 SC	720 g/L	SC	FUNGICIDE	4	680-118-5565	18-Oct-24	-	Beans	Rust, anthracnose	1.25-1.9 L/ha	-	7-14 days	As soon as spray solution has dried on the foliage, re-entry into treated areas may be done.
AGSMART CORPORATION	CHLOROTHALONIL	COVER-PRO 720 SC	720 g/L	SC	FUNGICIDE	4	680-118-5565	18-Oct-24	-	Potato	Early and late blight, vine rot	1.0-1.8 L/ha	-	7-14 days	As soon as spray solution has dried on the foliage, re-entry into treated areas may be done.
AGSMART CORPORATION	CHLOROTHALONIL	COVER-PRO 720 SC	720 g/L	SC	FUNGICIDE	4	680-118-5565	18-Oct-24	-	Banana	Black Sigatoka	1.0-2.0 L/ha	-	0 day	As soon as spray solution has dried on the foliage, re-entry into treated areas may be done.
AGSMART CORPORATION	CHLOROTHALONIL	COVER-PRO 720 SC	720 g/L	SC	FUNGICIDE	4	680-118-5565	18-Oct-24	-	Cucurbits	Powdery mildew, downy mildew, cercospora, anthracnose, septoria, fruit rot, early and late blight	1.25-1.9 L/ha	-	7-14 days	As soon as spray solution has dried on the foliage, re-entry into treated areas may be done.
AGSMART CORPORATION	CHLOROTHALONIL	COVER-PRO 720 SC	720 g/L	SC	FUNGICIDE	4	680-118-5565	18-Oct-24	-	Pepper	Early and late blight, Bulb rot, neck rot	1.25-1.9 L/ha	-	7-14 days	As soon as spray solution has dried on the foliage, re-entry into treated areas may be done.
AGSMART CORPORATION	CHLOROTHALONIL	COVER-PRO 720 SC	720 g/L	SC	FUNGICIDE	4	680-118-5565	18-Oct-24	-	Celery	Early and late blight	1.25-1.9 L/ha	-	7-14 days	As soon as spray solution has dried on the foliage, re-entry into treated areas may be done.
AGSMART CORPORATION	CHLOROTHALONIL	COVER-PRO 720 SC	720 g/L	SC	FUNGICIDE	4	680-118-5565	18-Oct-24	-	Ornamentals	Black spot, black rot, powdery mildew	1.25-1.9 L/ha	-	7-14 days	As soon as spray solution has dried on the foliage, re-entry into treated areas may be done.
AGSMART CORPORATION	CHLOROTHALONIL	COVER-PRO 720 SC	720 g/L	SC	FUNGICIDE	4	680-118-5565	18-Oct-24	-	Crucifers	Powdery mildew	1.25-1.9 L/ha	-	7-14 days	As soon as spray solution has dried on the foliage, re-entry into treated areas may be done.
AGSMART CORPORATION	CHLOROTHALONIL	COVER-PRO 720 SC	720 g/L	SC	FUNGICIDE	4	680-118-5565	18-Oct-24	-	Asparagus	Stem and leaf blight	1.8 L/ha	-	7-14 days	As soon as spray solution has dried on the foliage, re-entry into treated areas may be done.
RAINBOW AGROSCIENCES PHILIPPINES INC.	METSULFURION METHYL-CHLORIMURON ETHYL	COURON 20 WP	100 g/kg+100 g/kg	WP	HERBICIDE	4	539-298-5429	05-May-24	POST-EMERGENT	Rice (Direct-Seeded)	Broadleaf weeds & sedges	9-10 tankloads/ha (34L sprayer); 1.2 of sachet/7packload	3	-	As soon as the spray mist dries up
RAINBOW AGROSCIENCES PHILIPPINES INC.	METSULFURION METHYL-CHLORIMURON ETHYL	COURON 20 WP	100 g/kg+100 g/kg	WP	HERBICIDE	4	539-298-5429	05-May-24	POST-EMERGENT	Rice (Transplanted)	Broadleaf weeds & sedges	9-10 tankloads/ha (34L sprayer); 5-7 of sachet/7packload	3	-	As soon as the spray mist dries up
AGWAY CHEMICALS CORPORATION	ETHEPHON	COUPON 48 SL	480g/L	SL	OTHERS	4	075-061-4701	08-Mar-25	-	Pineapple	Plant growth for regulator	Unshaded: 100-150ml/1000 trees ; Shaded : 150-200ml/1000 trees	-	-	Fruits that are already ripe on the day of treatment can be harvested without any harmful residue. Generally, Re-entry into treated areas may be done as soon as spray has dried.
AGWAY CHEMICALS CORPORATION	ETHEPHON	COUPON 48 SL	480g/L	SL	OTHERS	4	075-061-4701	08-Mar-25	-	Banana	Plant growth for regulator	Unshaded: 100-150ml/1000 trees ; Shaded : 150-200ml/1000 trees	-	-	Fruits that are already ripe on the day of treatment can be harvested without any harmful residue. Generally, Re-entry into treated areas may be done as soon as spray has dried.
AGWAY CHEMICALS CORPORATION	ETHEPHON	COUPON 48 SL	480g/L	SL	OTHERS	4	075-061-4701	08-Mar-25	-	Mango	Plant growth for regulator	Unshaded: 100-150ml/1000 trees ; Shaded : 150-200ml/1000 trees	-	-	Fruits that are already ripe on the day of treatment can be harvested without any harmful residue. Generally, Re-entry into treated areas may be done as soon as spray has dried.
AGWAY CHEMICALS CORPORATION	ETHEPHON	COUPON 48 SL	480g/L	SL	OTHERS	4	075-061-4701	08-Mar-25	-	Coffee	Plant growth for regulator	Unshaded: 100-150ml/1000 trees ; Shaded : 150-200ml/1000 trees	-	-	Fruits that are already ripe on the day of treatment can be harvested without any harmful residue. Generally, Re-entry into treated areas may be done as soon as spray has dried.
FKA AGR CHEMICAL CORPORATION	BUTACHLOR-PROPANIL	COUNTER 70 EC	350 g/L+350 g/L	EC	HERBICIDE	3	399-238-6393	19-Dec-26	POST-EMERGENT	Rice (Transplanted)	Grasses, sedges and broadleaves	8-12 Tbsp/56 L water	-	-	-
FKA AGR CHEMICAL CORPORATION	BUTACHLOR-PROPANIL	COUNTER 70 EC	350 g/L+350 g/L	EC	HERBICIDE	3	399-238-6393	19-Dec-26	POST-EMERGENT	Rice (Direct-seeded)	Grasses, sedges and broadleaves	8-12 Tbsp/56 L water	-	-	-
JYNNSONS PHILIPPINES, INC.	DIURON	COUNT DOWN 80 WP	800 g/kg	WP	HERBICIDE	4	551-021-3956	23-Aug-26	SYSTEMIC	Citrus	Broadleaves and annual grasses	11.0-15.0Tbsp/56 L water	-	-	Twenty four (24) hours after application.
JYNNSONS PHILIPPINES, INC.	DIURON	COUNT DOWN 80 WP	800 g/kg	WP	HERBICIDE	4	551-021-3956	23-Aug-26	SYSTEMIC	Coffee	Broadleaves and annual grasses	11.0-15.0Tbsp/56 L water	-	-	Twenty four (24) hours after application.
JYNNSONS PHILIPPINES, INC.	DIURON	COUNT DOWN 80 WP	800 g/kg	WP	HERBICIDE	4	551-021-3956	23-Aug-26	SYSTEMIC	Cotton	Broadleaves and annual grasses	8.0Tbsp/56 L water	-	-	Twenty four (24) hours after application.
JYNNSONS PHILIPPINES, INC.	DIURON	COUNT DOWN 80 WP	800 g/kg	WP	HERBICIDE	4	551-021-3956	23-Aug-26	SYSTEMIC	Sugarcane	Broadleaves and annual grasses	6.5-13.0Tbsp/56 L water	-	-	Twenty four (24) hours after application.
JYNNSONS PHILIPPINES, INC.	DIURON	COUNT DOWN 80 WP	800 g/kg	WP	HERBICIDE	4	551-021-3956	23-Aug-26	SYSTEMIC	Pineapple	Broadleaves and annual grasses	11.0Tbsp/56 L water	-	-	Twenty four (24) hours after application.
JYNNSONS PHILIPPINES, INC.	DIURON	COUNT DOWN 80 WP	800 g/kg	WP	HERBICIDE	4	551-021-3956	23-Aug-26	SYSTEMIC	Non-crop agricultural land	Annual and perennial grasses	20.0-28.0Tbsp/56 L water	-	-	Twenty four (24) hours after application.
JYNNSONS PHILIPPINES, INC.	DIURON	COUNT DOWN 80 SC	800 g/L	SC	HERBICIDE	4	551-021-5140	09-Dec-24	SYSTEMIC	Citrus	Broadleaves and annual grasses	11.0-15.0Tbsp/56 L water	-	-	Twenty four (24) hours after application.
JYNNSONS PHILIPPINES, INC.	DIURON	COUNT DOWN 80 SC	800 g/L	SC	HERBICIDE	4	551-021-5140	09-Dec-24	SYSTEMIC	Coffee	Broadleaves and annual grasses	11.0-15.0Tbsp/56 L water	-	-	Twenty four (24) hours after application.
JYNNSONS PHILIPPINES, INC.	DIURON	COUNT DOWN 80 SC	800 g/L	SC	HERBICIDE	4	551-021-5140	09-Dec-24	SYSTEMIC	Cotton	Broadleaves and annual grasses	8.0Tbsp/56 L water	-	-	Twenty four (24) hours after application.
JYNNSONS PHILIPPINES, INC.	DIURON	COUNT DOWN 80 SC	800 g/L	SC	HERBICIDE	4	551-021-5140	09-Dec-24	SYSTEMIC	Sugarcane	Broadleaves and annual grasses	6.5-13.0Tbsp/56 L water	-	-	Twenty four (24) hours after application.
JYNNSONS PHILIPPINES, INC.	DIURON	COUNT DOWN 80 SC	800 g/L	SC	HERBICIDE	4	551-021-5140	09-Dec-24	SYSTEMIC	Pineapple	Broadleaves and annual grasses	11.0Tbsp/56 L water	-	-	Twenty four (24) hours after application.
JYNNSONS PHILIPPINES, INC.	DIURON	COUNT DOWN 80 SC	800 g/L	SC	HERBICIDE	4	551-021-5140	09-Dec-24	SYSTEMIC	Non-crop land	Annual and perennial grasses	20.0-28.0Tbsp/56 L water	-	-	Twenty four (24) hours after application.
BAYER CROSCIENCE, INC.	TEFLUTHIATRIONE+TRIFAMONE	COUNCIL COMPLETE SC 300	200g/L+100g/L	SC	HERBICIDE	3	284-487-4512	17-Sep-24	PRE-EMERGENT	Rice	Grasses, sedges and broadleaf weed	75-100ml product/ha applied at 2-4 days after transplanting with spray of (15-17) grams product/16 liters water applied at same volume of 160	0.01 mg/kg(Tefluthi)trion	-	As soon as spray deposit have dried
BAYER CROSCIENCE, INC.	ETHOXYLSULFURON + TRIFAMONE	COUNCIL ACTV WG 30	200 g/kg+100 g/kg	WG	HERBICIDE	4	284-517-4905	18-Sep-22	SELECTIVE	Rice (Transplanted)	Grasses sedges and broadleaf weeds	As soon as spray deposits have dried	-	-	As soon as spray deposits have dried
MGR TRADING CORP.	MANCOZEB	COSTZER 80WP	800 g/kg	WP	FUNGICIDE	4	777-053-6369	2-Jul-25	-	Potato	Early and Late Blight	3-6 Tbsp/56 L water	-	-	-
MGR TRADING CORP.	MANCOZEB	COSTZER 80WP	800 g/kg	WP	FUNGICIDE	4	777-053-6369	2-Jul-25	-	Cabbage, Cauliflower & Broccoli	Downy mildew, Alternaria Leaf Spot	3-6 Tbsp/56 L water	-	-	7 days
MGR TRADING CORP.	MANCOZEB	COSTZER 80WP	800 g/kg	WP	FUNGICIDE	4	777-053-6369	2-Jul-25	-	Celery	Late blight	3-6 Tbsp/56 L water	-	14 days	-
MGR TRADING CORP.	MANCOZEB	COSTZER 80WP	800 g/kg	WP	FUNGICIDE	4	777-053-6369	2-Jul-25	-	Cucumber & squash	Downy mildew, Anthracnose, scab	3-6 Tbsp/56 L water	-	5 days	-
MGR TRADING CORP.	MANCOZEB	COSTZER 80WP	800 g/kg	WP	FUNGICIDE	4	777-053-6369	2-Jul-25	-	Cotton	Damping off	3-6 Tbsp/56 L water	-	-	-
MGR TRADING CORP.	MANCOZEB	COSTZER 80WP	800 g/kg	WP	FUNGICIDE	4	777-053-6369	2-Jul-25	-	Lettuce	Downy mildew	3-6 Tbsp/56 L water	-	7 days	-
MGR TRADING CORP.	MANCOZEB	COSTZER 80WP	800 g/kg	WP	FUNGICIDE	4	777-053-6369	2-Jul-25	-	Beans, peas & mungbean	Anthraxnose	3-6 Tbsp/56 L water	-	5 days	-
MGR TRADING CORP.	MANCOZEB	COSTZER 80WP	800 g/kg	WP	FUNGICIDE	4	777-053-6369	2-Jul-25	-	Tomato	Early & late blight, Anthracnose, Septia, Leaf spot	3-6 Tbsp/56 L water	-	5 days	-
MGR TRADING CORP.	MANCOZEB	COSTZER 80WP	800 g/kg	WP	FUNGICIDE	4	777-053-6369	2-Jul-25	-	Onion & Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/56 L water	-	7 days	-
MGR TRADING CORP.	MANCOZEB	COSTZER 80WP	800 g/kg	WP	FUNGICIDE	4	777-053-6369	2-Jul-25	-	Pepper & chili	Anthraxnose	3-6 Tbsp/56 L water	-	7 days	-
MGR TRADING CORP.	MANCOZEB	COSTZER 80WP	800 g/kg	WP	FUNGICIDE	4	777-053-6369	2-Jul-25	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/56 L water	-	7 days	-
MGR TRADING CORP.	MANCOZEB	COSTZER 80WP	800 g/kg	WP	FUNGICIDE	4	777-053-6369	2-Jul-25	-	Banana	Sigatoka, Black leaf streak	3-6 Tbsp/56 L water	-	-	-
MGR TRADING CORP.	MANCOZEB	COSTZER 80WP	800 g/kg	WP	FUNGICIDE	4	777-053-6369	2-Jul-25	-	Grapes	Downy mildew, black rot	3-6 Tbsp/56 L water	-	60 days	-
MGR TRADING CORP.	MANCOZEB	COSTZER 80WP	800 g/kg	WP	FUNGICIDE	4	777-053-6369	2-Jul-25	-	Mango	Anthraxnose, scab	3-6 Tbsp/56 L water	-	5 days	-
MGR TRADING CORP.	MANCOZEB	COSTZER 80WP	800 g/kg	WP	FUNGICIDE	4	777-053-6369	2-Jul-25	-	Papaya	Fruit rot	3-6 Tbsp/56 L water	-	-	-
MGR TRADING CORP.	MANCOZEB	COSTZER 80WP	800 g/kg	WP	FUNGICIDE	4	777-053-6369	2-Jul-25	-	Melon & watermelon	Downy mildew, Anthracnose, scab	3-6 Tbsp/56 L water	-	5 days	-
MGR TRADING CORP.	MANCOZEB	COSTZER 80WP	800 g/kg	WP	FUNGICIDE	4	777-053-6369	2-Jul-25	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/56 L water	-	7 days	-

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
M&B TRADING CORP.	MANCOZEB	COSTZER 80WP	800 g/kg	WP	FUNGICIDE	4	777-053-6369	2-Jul-25	-	Rice	Black sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/36 L water	-	-	-
M&B TRADING CORP.	MANCOZEB	COSTZER 80WP	800 g/kg	WP	FUNGICIDE	4	777-053-6369	2-Jul-25	-	Peanut	Cercospora leaf spot	3-6 Tbsp/36 L water	-	14 days	-
M&B TRADING CORP.	MANCOZEB	COSTZER 80WP	800 g/kg	WP	FUNGICIDE	4	777-053-6369	2-Jul-25	-	Soybeans	Leaf rust	3-6 Tbsp/36 L water	-	-	-
M&B TRADING CORP.	MANCOZEB	COSTZER 80WP	800 g/kg	WP	FUNGICIDE	4	777-053-6369	2-Jul-25	-	Ornamentals	Black spot, blight, anthracnose	3-6 Tbsp/36 L water	-	-	-
ZAGRO CORPORATION	SULPHUR	COSAVET DF	800 g/kg	DF	FUNGICIDE	4	043-083-0699	31-Dec-26	-	Beans	Downy mildew, powdery mildew	3.5-7.0 Tbsp/36 L water	-	Do not spray within 7 days before harvest	Entry can be done after spray deposit has dried
ZAGRO CORPORATION	SULPHUR	COSAVET DF	800 g/kg	DF	FUNGICIDE	4	043-083-0699	31-Dec-26	-	Citrus	Downy mildew, powdery mildew	5.0-6.0 Tbsp/36 L water	-	Do not spray within 7 days before harvest	Entry can be done after spray deposit has dried
ZAGRO CORPORATION	SULPHUR	COSAVET DF	800 g/kg	DF	FUNGICIDE	4	043-083-0699	31-Dec-26	-	Vegetables	Powdery mildew	5.0-6.0 Tbsp/36 L water	-	Do not spray within 7 days before harvest	Entry can be done after spray deposit has dried
ZAGRO CORPORATION	SULPHUR	COSAVET DF	800 g/kg	DF	FUNGICIDE	4	043-083-0699	31-Dec-26	-	Ornamentals	Downy mildew, powdery mildew	5.0-6.0 Tbsp/36 L water	-	Do not spray within 7 days before harvest	Entry can be done after spray deposit has dried
ZAGRO CORPORATION	SULPHUR	COSAVET DF	800 g/kg	DF	FUNGICIDE	4	043-083-0699	31-Dec-26	-	Papaya	Powdery mildew	5.0-6.0 Tbsp/36 L water	-	Do not spray within 7 days before harvest	Entry can be done after spray deposit has dried
ZAGRO CORPORATION	SULPHUR	COSAVET DF	800 g/kg	DF	FUNGICIDE	4	043-083-0699	31-Dec-26	-	Pepper	Downy mildew, powdery mildew	6.0-7.0 Tbsp/36 L water	-	Do not spray within 7 days before harvest	Entry can be done after spray deposit has dried
ZAGRO CORPORATION	SULPHUR	COSAVET DF	800 g/kg	DF	FUNGICIDE	4	043-083-0699	31-Dec-26	-	Tomato	Downy mildew, powdery mildew	5.0-6.0 Tbsp/36 L water	-	Do not spray within 7 days before harvest	Entry can be done after spray deposit has dried
ZAGRO CORPORATION	SULPHUR	COSAVET DF	800 g/kg	DF	FUNGICIDE	4	043-083-0699	31-Dec-26	-	Eggplant	Downy mildew, powdery mildew	5.0-6.0 Tbsp/36 L water	-	Do not spray within 7 days before harvest	Entry can be done after spray deposit has dried
ZAGRO CORPORATION	SULPHUR	COSAVET DF	800 g/kg	DF	FUNGICIDE	4	043-083-0699	31-Dec-26	-	Grapes	Powdery mildew	5.0-6.0 Tbsp/36 L water	-	Do not spray within 7 days before harvest	Entry can be done after spray deposit has dried
ZAGRO CORPORATION	SULPHUR	COSAVET DF	800 g/kg	DF	FUNGICIDE	4	043-083-0699	31-Dec-26	-	Cotton	Downy mildew, powdery mildew	5.0-6.0 Tbsp/36 L water	-	Do not spray within 7 days before harvest	Entry can be done after spray deposit has dried
ZAGRO CORPORATION	SULPHUR	COSAVET DF	800 g/kg	DF	FUNGICIDE	4	043-083-0699	31-Dec-26	-	Pineapple	Heart rot	5.0Tbsp/36 L water	-	Do not spray within 7 days before harvest	Entry can be done after spray deposit has dried
RAINBOW AGROSCIENCES PHILIPPINES INC.	FOSETYL-ALUMINUM	CORWAY 80 WP	800 g/kg	WP	FUNGICIDE	4	539-154-5955	7-Dec-25	SYSTEMIC	Pineapple	Heart rot and root rot caused by Phytophthora spp. And white leaf spot caused by chalara (Theilaviopsis) paradoxa	6-12 tbsp/ 36L	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	FOSETYL-ALUMINUM	CORWAY 80 WP	800 g/kg	WP	FUNGICIDE	4	539-154-5955	7-Dec-25	SYSTEMIC	Coconut	Wet-bud rot, nut rot	6-12 tbsp/ 36L	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	FOSETYL-ALUMINUM	CORWAY 80 WP	800 g/kg	WP	FUNGICIDE	4	539-154-5955	7-Dec-25	SYSTEMIC	Rubber	Black stripe (panel disease)	6-12 tbsp/ 36L	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	FOSETYL-ALUMINUM	CORWAY 80 WP	800 g/kg	WP	FUNGICIDE	4	539-154-5955	7-Dec-25	SYSTEMIC	Cacao	Black pod	6-12 tbsp/ 36L	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	FOSETYL-ALUMINUM	CORWAY 80 WP	800 g/kg	WP	FUNGICIDE	4	539-154-5955	7-Dec-25	SYSTEMIC	Orchids	Black rot	6-12 tbsp/ 36L	-	-	-
ZAGRO CORPORATION	PERMETHRIN	CORSAIR 5 EC	50 g/L	EC	INSECTICIDE	4	043-127-0260	03-Apr-21	-	Cotton	Leafhopper, bollworms & aphids	1-3 Tbsp /36 water	-	Harvest is generally 4-7 days	One day after spraying
ZAGRO CORPORATION	PERMETHRIN	CORSAIR 5 EC	50 g/L	EC	INSECTICIDE	4	043-127-0260	03-Apr-21	-	Mango	Mango hoppers, twig borer, tip borer & fruitflies	1-3 Tbsp /36 water	-	Harvest is generally 4-7 days	One day after spraying
ZAGRO CORPORATION	PERMETHRIN	CORSAIR 5 EC	50 g/L	EC	INSECTICIDE	4	043-127-0260	03-Apr-21	-	Tobacco	Budworm, leafworm & aphids	1-3 Tbsp /36 water	-	Harvest is generally 4-7 days	One day after spraying
ZAGRO CORPORATION	PERMETHRIN	CORSAIR 5 EC	50 g/L	EC	INSECTICIDE	4	043-127-0260	03-Apr-21	-	Cabbage	Diamond back moth, cabbage moth cutworm & aphids	1-3 Tbsp /36 water	-	Harvest is generally 4-7 days	One day after spraying
ZAGRO CORPORATION	PERMETHRIN	CORSAIR 5 EC	50 g/L	EC	INSECTICIDE	4	043-127-0260	03-Apr-21	-	Cucurlers	Diamond back moth, cabbage moth cutworm & aphids	1-3 Tbsp /36 water	-	Harvest is generally 4-7 days	One day after spraying
ZAGRO CORPORATION	PERMETHRIN	CORSAIR 5 EC	50 g/L	EC	INSECTICIDE	4	043-127-0260	03-Apr-21	-	Beans	Flea beetle, aphids, bean fly & pod borer	1-3 Tbsp /36 water	-	Harvest is generally 4-7 days	One day after spraying
ZAGRO CORPORATION	PERMETHRIN	CORSAIR 5 EC	50 g/L	EC	INSECTICIDE	4	043-127-0260	03-Apr-21	-	Mango	Flea beetle, aphids, bean fly & pod borer	1-3 Tbsp /36 water	-	Harvest is generally 4-7 days	One day after spraying
SABERO ORGANICS PHILIPPINES ASIA INC.	PYRACLOSTROBIN	COROPYR 250 EC	250 g/L	EC	FUNGICIDE	2	466-396-5299	18-Dec-23	-	Corn	leafspot	0.4 Dose rate (L/HA)	-	4 days	After drying of spray or 24 hours after spraying
SABERO ORGANICS PHILIPPINES ASIA INC.	PYRACLOSTROBIN	COROPYR 250 EC	250 g/L	EC	FUNGICIDE	2	466-396-5299	18-Dec-23	-	Camvish Banana	Black sigatoka and freckles	0.4 Dose rate (L/HA)	-	4 days	After drying of spray or 24 hours after spraying
SABERO ORGANICS PHILIPPINES ASIA INC.	PROCLORAZ	COROPROZ SUPER 450 EW	450 g/L	EW	FUNGICIDE	3	466-300-5884	6-Oct-25	-	Banana	Fungal crown mold/ crown rot	2 mL/L	-	-	-
SABERO ORGANICS PHILIPPINES ASIA INC.	PROCLORAZ	COROPROZ SUPER 450 EW	450 g/L	EW	FUNGICIDE	3	466-300-5884	6-Oct-25	-	Pineapple	Butt and crown mold and fruit core rot	0.5-1 mL/L water, 10L/ha	-	-	-
SABERO ORGANICS PHILIPPINES ASIA INC.	PROCLORAZ	COROPROZ 450 EC	450 g/L	EC	FUNGICIDE	2	466-300-5430	05-May-27	POST-HARVEST	Banana	Fungal crown/crown rot	2 mL/L	5.0 mg/kg	-	-
GRANDIA AGRO MARKETING CORPORATION	PROFENOFOS	CORDON 500 EC	500 g/L	EC	INSECTICIDE	2	445-070-3658	25-Nov-24	CONTACT	Mango	Thrips	1.0-2.0 Tbsp/36L water	-	14 days	Do not enter treated field 1 day after application.
GRANDIA AGRO MARKETING CORPORATION	PROFENOFOS	CORDON 500 EC	500 g/L	EC	INSECTICIDE	2	445-070-3658	25-Nov-24	CONTACT	Tomato	Fruitworm, armyworm, cutworm	3-5 Tbsp/36L water	-	14 days	Do not enter treated field 1 day after application.
GRANDIA AGRO MARKETING CORPORATION	PROFENOFOS	CORDON 500 EC	500 g/L	EC	INSECTICIDE	2	445-070-3658	25-Nov-24	CONTACT	Eggplant	Fruitborer, aphids, leafhopper, & thrips	1.5-3.0 Tbsp/36L water	-	14 days	Do not enter treated field 1 day after application.
GRANDIA AGRO MARKETING CORPORATION	PROFENOFOS	CORDON 500 EC	500 g/L	EC	INSECTICIDE	2	445-070-3658	25-Nov-24	CONTACT	Cabbage	Diamond back moth, cabbage worm & aphids	3-5 Tbsp/36L water	-	14 days	Do not enter treated field 1 day after application.
GRANDIA AGRO MARKETING CORPORATION	PROFENOFOS	CORDON 500 EC	500 g/L	EC	INSECTICIDE	2	445-070-3658	25-Nov-24	CONTACT	Watermelon	Thrips	3-5 Tbsp/36L water	-	14 days	Do not enter treated field 1 day after application.
GRANDIA AGRO MARKETING CORPORATION	PROFENOFOS	CORDON 500 EC	500 g/L	EC	INSECTICIDE	2	445-070-3658	25-Nov-24	CONTACT	Potato	Thrips, army worm, cutworm, tuber moth	3-5 Tbsp/36L water	-	14 days	Do not enter treated field 1 day after application.
GRANDIA AGRO MARKETING CORPORATION	PROFENOFOS	CORDON 500 EC	500 g/L	EC	INSECTICIDE	2	445-070-3658	25-Nov-24	CONTACT	Soybeans	Corn earworm, leafminer	3-5 Tbsp/36L water	-	14 days	Do not enter treated field 1 day after application.
GRANDIA AGRO MARKETING CORPORATION	PROFENOFOS	CORDON 500 EC	500 g/L	EC	INSECTICIDE	2	445-070-3658	25-Nov-24	CONTACT	Mungbeans	Corn earworm, leafminer	3-5 Tbsp/36L water	-	14 days	Do not enter treated field 1 day after application.
GRANDIA AGRO MARKETING CORPORATION	PROFENOFOS	CORDON 500 EC	500 g/L	EC	INSECTICIDE	2	445-070-3658	25-Nov-24	CONTACT	Cotton	Thrips, bollworm & budworm	3-5 Tbsp/36L water	-	14 days	Do not enter treated field 1 day after application.
GRANDIA AGRO MARKETING CORPORATION	PROFENOFOS	CORDON 500 EC	500 g/L	EC	INSECTICIDE	2	445-070-3658	25-Nov-24	CONTACT	Sitaa	Beanyfly, leafhopper & aphids	1.5-3.0 Tbsp/36L water	-	14 days	Do not enter treated field 1 day after application.
AGSMART CORPORATION	COPPER HYDROXIDE	COPERNICUS 770 WP	770 g/kg	WP	FUNGICIDE	3	680-006-6468	19-Feb-27	-	Tomato	Early blight, fruit rot septorio, downy mildew	2.0-6.0 tbsp/ 36L	-	Allow 7 days from last spray till harvest	Do not enter treated area until spray has dried
AGSMART CORPORATION	COPPER HYDROXIDE	COPERNICUS 770 WP	770 g/kg	WP	FUNGICIDE	3	680-006-6468	19-Feb-27	-	Mango	Anthracoese	2.0-6.0 tbsp/ 36L	-	Allow 7 days from last spray till harvest	Do not enter treated area until spray has dried
AGSMART CORPORATION	COPPER HYDROXIDE	COPERNICUS 770 WP	770 g/kg	WP	FUNGICIDE	3	680-006-6468	19-Feb-27	-	Rice	Rice blast, sheath blight, bacterial leaf streak	2.0-5.0 tbsp/ 36L	-	Allow 7 days from last spray till harvest	Do not enter treated area until spray has dried
AGSMART CORPORATION	COPPER HYDROXIDE	COPERNICUS 770 WP	770 g/kg	WP	FUNGICIDE	3	680-006-6468	19-Feb-27	-	Cacao	Black pod	2.0-6.0 tbsp/ 36L	-	Allow 7 days from last spray till harvest	Do not enter treated area until spray has dried
AGSMART CORPORATION	COPPER HYDROXIDE	COPERNICUS 770 WP	770 g/kg	WP	FUNGICIDE	3	680-006-6468	19-Feb-27	-	Coffee	Leaf rust, coffee berry disease	2.0-6.0 tbsp/ 36L	-	Allow 7 days from last spray till harvest	Do not enter treated area until spray has dried
AGSMART CORPORATION	COPPER HYDROXIDE	COPERNICUS 770 WP	770 g/kg	WP	FUNGICIDE	3	680-006-6468	19-Feb-27	-	Citrus	Melanose, scab, canker, fruit rot, brown and black spot	2.0-6.0 tbsp/ 36L	-	Allow 7 days from last spray till harvest	Do not enter treated area until spray has dried
AGSMART CORPORATION	COPPER HYDROXIDE	COPERNICUS 770 WP	770 g/kg	WP	FUNGICIDE	3	680-006-6468	19-Feb-27	-	Onion	Purple blotch, downy mildew	2.0-6.0 tbsp/ 36L	-	Allow 7 days from last spray till harvest	Do not enter treated area until spray has dried
AGSMART CORPORATION	COPPER HYDROXIDE	COPERNICUS 770 WP	770 g/kg	WP	FUNGICIDE	3	680-006-6468	19-Feb-27	-	Cabbage	Black rot, black leaf streak	2.0-6.0 tbsp/ 36L	-	Allow 7 days from last spray till harvest	Do not enter treated area until spray has dried
AGSMART CORPORATION	COPPER HYDROXIDE	COPERNICUS 770 WP	770 g/kg	WP	FUNGICIDE	3	680-006-6468	19-Feb-27	-	Carrot	Carrot blight, alternaria	2.0-6.0 tbsp/ 36L	-	Allow 7 days from last spray till harvest	Do not enter treated area until spray has dried
AGSMART CORPORATION	COPPER HYDROXIDE	COPERNICUS 770 WP	770 g/kg	WP	FUNGICIDE	3	680-006-6468	19-Feb-27	-	Beans	Rust, bacterial blight	2.0-6.0 tbsp/ 36L	-	Allow 7 days from last spray till harvest	Do not enter treated area until spray has dried
AGSMART CORPORATION	COPPER HYDROXIDE	COPERNICUS 770 WP	770 g/kg	WP	FUNGICIDE	3	680-006-6468	19-Feb-27	-	Banana	Sigatoka	2.0-6.0 tbsp/ 36L	-	Allow 7 days from last spray till harvest	Do not enter treated area until spray has dried
AGCHEM MANUFACTURING CORPORATION	BPNC	CONVOY 50 EC	500 g/L	EC	INSECTICIDE	2	001-002-1508	30-Apr-25	-	Nice	Green leafhopper, brown plant hopper & leaf folder	3-5 Tbsp/36L water	-	Do not spray 14 days before harvest	48 hours after spraying
AGCHEM MANUFACTURING CORPORATION	BPNC	CONVOY 50 EC	500 g/L	EC	INSECTICIDE	2	001-002-1508	30-Apr-25	-	Cotton	leafhopper,thrips & aphids	3-5 Tbsp/36L water	-	Do not spray 14 days before harvest	48 hours after spraying

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
AGCHEM MANUFACTURING CORPORATION	BPVC	CONVOY 50 EC	500 g/L	EC	INSECTICIDE	2	001-002-1508	30-Apr-25		Citrus	Scale insects, aphids, mealy bug, aphids, & cutworm	3-4 Tbsp/36L water	-	Do not spray 14 days before harvest	48 hours after spraying
AGCHEM MANUFACTURING CORPORATION	BPVC	CONVOY 50 EC	500 g/L	EC	INSECTICIDE	2	001-002-1508	30-Apr-25		Crucifers	Diamond-back moth, cabbage worms, aphids, & cutworms	3-5 Tbsp/36L water	-	Do not spray 14 days before harvest	48 hours after spraying
AGCHEM MANUFACTURING CORPORATION	BPVC	CONVOY 50 EC	500 g/L	EC	INSECTICIDE	2	001-002-1508	30-Apr-25		Mango	hopper & tip borer	3-3.5 Tbsp/36L water	-	Do not spray 14 days before harvest	48 hours after spraying
JYNNSONS PHILLIPINES, INC.	CARBENDAZIM	CONVEK 500 SC	500 g/L	SC	FUNGICIDE	4	551-267-5378	16-Jun-24	SYSTEMIC	Mango	Anthraxnose	1-2 Tbsp/36 L water	-	-	Re-entry is allowed as soon as the spray deposits dry up.
JYNNSONS PHILLIPINES, INC.	CARBENDAZIM	CONVEK 500 SC	500 g/L	SC	FUNGICIDE	4	551-267-5378	16-Jun-24	SYSTEMIC	Cucurbits	Downy mildew	1-2Tbsp/36 L water	-	-	Re-entry is allowed as soon as the spray deposits dry up.
JYNNSONS PHILLIPINES, INC.	CARBENDAZIM	CONVEK 500 SC	500 g/L	SC	FUNGICIDE	4	551-267-5378	16-Jun-24	SYSTEMIC	Green Peas (Legumes)	Powdery mildew	3-2Tbsp/36L water	-	-	Re-entry is allowed as soon as the spray deposits dry up.
JYNNSONS PHILLIPINES, INC.	CARBENDAZIM	CONVEK 500 SC	500 g/L	SC	FUNGICIDE	4	551-267-5378	16-Jun-24	SYSTEMIC	Sugarcane	Pineapple disease	5-10/200L water cane dipping	-	-	Re-entry is allowed as soon as the spray deposits dry up.
JYNNSONS PHILLIPINES, INC.	CARBENDAZIM	CONVEK 500 SC	500 g/L	SC	FUNGICIDE	4	551-267-5378	16-Jun-24	SYSTEMIC	Banana	Diamond fruit spot, anthracnose	0.5-1.0 ml/L of water (80-100 ml spray volume)	-	-	Re-entry is allowed as soon as the spray deposits dry up.
MSCHA AGRO INDUSTRIAL CORPORATION	LAMBDA-CHYALOTHIRIN	CONTROLLER 2.5 EC	25 g/L	EC	INSECTICIDE	2	620-021-4494	29-Aug-24	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leafroller, black bug	1.0-1.5Tbsp/36L of water	0.05ppm	Do not spray 3 days before harvest	Re-entry to treated field is allowed as soon as spray dries up
MSCHA AGRO INDUSTRIAL CORPORATION	LAMBDA-CHYALOTHIRIN	CONTROLLER 2.5 EC	25 g/L	EC	INSECTICIDE	2	620-021-4494	29-Aug-24	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/36L of water	-	Do not spray 3 days before harvest	Re-entry to treated field is allowed as soon as spray dries up
MSCHA AGRO INDUSTRIAL CORPORATION	LAMBDA-CHYALOTHIRIN	CONTROLLER 2.5 EC	25 g/L	EC	INSECTICIDE	2	620-021-4494	29-Aug-24	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/36L of water	-	Do not spray 3 days before harvest	Re-entry to treated field is allowed as soon as spray dries up
MSCHA AGRO INDUSTRIAL CORPORATION	LAMBDA-CHYALOTHIRIN	CONTROLLER 2.5 EC	25 g/L	EC	INSECTICIDE	2	620-021-4494	29-Aug-24	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/36 L of water	-	Do not spray 3 days before harvest	Re-entry to treated field is allowed as soon as spray dries up
MSCHA AGRO INDUSTRIAL CORPORATION	LAMBDA-CHYALOTHIRIN	CONTROLLER 2.5 EC	25 g/L	EC	INSECTICIDE	2	620-021-4494	29-Aug-24	SYSTEMIC	Mungbeans	Beanfly, flea beetle, leafhopper, aphids, mites, podborer	1.0Tbsp/36L of water	-	Do not spray 3 days before harvest	Re-entry to treated field is allowed as soon as spray dries up
MSCHA AGRO INDUSTRIAL CORPORATION	LAMBDA-CHYALOTHIRIN	CONTROLLER 2.5 EC	25 g/L	EC	INSECTICIDE	2	620-021-4494	29-Aug-24	SYSTEMIC	Corn	Comborer, aphids, seedling maggots	1.0-1.5Tbsp/36L of water	-	Do not spray 3 days before harvest	Re-entry to treated field is allowed as soon as spray dries up
MSCHA AGRO INDUSTRIAL CORPORATION	LAMBDA-CHYALOTHIRIN	CONTROLLER 2.5 EC	25 g/L	EC	INSECTICIDE	2	620-021-4494	29-Aug-24	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5Tbsp/36L of water	-	Do not spray 3 days before harvest	Re-entry to treated field is allowed as soon as spray dries up
MSCHA AGRO INDUSTRIAL CORPORATION	LAMBDA-CHYALOTHIRIN	CONTROLLER 2.5 EC	25 g/L	EC	INSECTICIDE	2	620-021-4494	29-Aug-24	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/36L of water	-	Do not spray 3 days before harvest	Re-entry to treated field is allowed as soon as spray dries up
MSCHA AGRO INDUSTRIAL CORPORATION	LAMBDA-CHYALOTHIRIN	CONTROLLER 2.5 EC	25 g/L	EC	INSECTICIDE	2	620-021-4494	29-Aug-24	SYSTEMIC	Cocoa	Podborer	1.0-2.0Tbsp/36L of water	-	Do not spray 3 days before harvest	Re-entry to treated field is allowed as soon as spray dries up
MSCHA AGRO INDUSTRIAL CORPORATION	LAMBDA-CHYALOTHIRIN	CONTROLLER 2.5 EC	25 g/L	EC	INSECTICIDE	2	620-021-4494	29-Aug-24	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/36L of water	-	Do not spray 3 days before harvest	Re-entry to treated field is allowed as soon as spray dries up
RADSSON AGROCHEMICAL CORPORATION	NICLOXAMIDE ETHANOLAMINE SALT	CONTROL 70 WP	700 g/kg	WP	MOLLUSCICIDE	4	234-229-0576	17-Nov-26	CONTACT	Rice	Golden Apple Snail (Kuhol)	26 gm/36 L water	-	-	48 hours after spraying
RADSSON AGROCHEMICAL CORPORATION	NICLOXAMIDE	CONTROL 250 EC	250 g/L	EC	MOLLUSCICIDE	4	234-229-0557	18-Oct-26		Rice	Golden apple snail	7-10/50-145Tbsp/36L water	-	-	Entry to field and crops treated with CONTROL 250 EC can be done 48 hours after spraying
JYNNSONS PHILLIPINES, INC.	CARTAP HYDROCHLORIDE	CONTRACT 50 SP	500 g/kg	SP	INSECTICIDE	3	551-106-3804	26-May-24	SYSTEMIC	Rice	Stemborer, green leafhopper, brown planthopper	1.0-5.0Tbsp/36L water	0.3ppm	Spraying should be done 10 days before harvest.	Enter the treated field 48 hours after spraying.
JYNNSONS PHILLIPINES, INC.	CARTAP HYDROCHLORIDE	CONTRACT 50 SP	500 g/kg	SP	INSECTICIDE	3	551-106-3804	26-May-24	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/36L water	-	Spraying should be done 10 days before harvest.	Enter the treated field 48 hours after spraying.
JYNNSONS PHILLIPINES, INC.	CARTAP HYDROCHLORIDE	CONTRACT 50 SP	500 g/kg	SP	INSECTICIDE	3	551-106-3804	26-May-24	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/36L water	-	Spraying should be done 10 days before harvest.	Enter the treated field 48 hours after spraying.
JYNNSONS PHILLIPINES, INC.	CARTAP HYDROCHLORIDE	CONTRACT 50 SP	500 g/kg	SP	INSECTICIDE	3	551-106-3804	26-May-24	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/36L water	-	Spraying should be done 10 days before harvest.	Enter the treated field 48 hours after spraying.
JYNNSONS PHILLIPINES, INC.	CARTAP HYDROCHLORIDE	CONTRACT 50 SP	500 g/kg	SP	INSECTICIDE	3	551-106-3804	26-May-24	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/36L water	-	Spraying should be done 10 days before harvest.	Enter the treated field 48 hours after spraying.
JYNNSONS PHILLIPINES, INC.	CARTAP HYDROCHLORIDE	CONTRACT 50 SP	500 g/kg	SP	INSECTICIDE	3	551-106-3804	26-May-24	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/36L water	-	Spraying should be done 10 days before harvest.	Enter the treated field 48 hours after spraying.
JYNNSONS PHILLIPINES, INC.	CARTAP HYDROCHLORIDE	CONTRACT 50 SP	500 g/kg	SP	INSECTICIDE	3	551-106-3804	26-May-24	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, and aphids	1.5-2.0Tbsp/36L water	-	Spraying should be done 10 days before harvest.	Enter the treated field 48 hours after spraying.
JYNNSONS PHILLIPINES, INC.	CARTAP HYDROCHLORIDE	CONTRACT 50 SP	500 g/kg	SP	INSECTICIDE	3	551-106-3804	26-May-24	SYSTEMIC	Mango	leafhoppers	1.5-2.0Tbsp/36L water	-	Spraying should be done 10 days before harvest.	Enter the treated field 48 hours after spraying.
JYNNSONS PHILLIPINES, INC.	CARTAP HYDROCHLORIDE	CONTRACT 50 SP	500 g/kg	SP	INSECTICIDE	3	551-106-3804	26-May-24	SYSTEMIC	Pechay	looper, cutworm, aphids	1.5-3.0Tbsp/36L water	-	Spraying should be done 10 days before harvest.	Enter the treated field 48 hours after spraying.
PLANTCARE TRADING CORPORATION	POLYDIOXYETHYLENE SORBITAN FATTY ACID/POLYDIOXYETHYLENE DODECYL ETHER	CONSOL A - 150K	265+475 ml/L	LC	OTHERS	4	495-348-3390	07-Jan-22			Surfactant on Yield Master SC 100	spray/loads 50-20-30 ml/36 L water: spray/loads 25-15-20 ml/36L water	-	-	-
FKA AGRI CHEMICAL CORPORATION	LAMBDA-CHYALOTHIRIN+THIAMETHOXAM	CONRISS 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	399-395-5862	29-Dec-24	CONTACT	Potato	Whiteflies, aphids, thrips	300-200 mL/ha	-	7 days	Do not enter treated fields for at least 1 day after application
FKA AGRI CHEMICAL CORPORATION	LAMBDA-CHYALOTHIRIN+THIAMETHOXAM	CONRISS 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	399-395-5862	29-Dec-24	CONTACT	Stringbean	Green leafhopper, aphids, mites	300-200 mL/ha	-	7 days	Do not enter treated fields for at least 1 day after application
FKA AGRI CHEMICAL CORPORATION	LAMBDA-CHYALOTHIRIN+THIAMETHOXAM	CONRISS 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	399-395-5862	29-Dec-24	CONTACT	Eggplant	Whiteflies, green leafhopper, aphids	300-200 mL/ha	-	7 days	Do not enter treated fields for at least 1 day after application
FKA AGRI CHEMICAL CORPORATION	LAMBDA-CHYALOTHIRIN+THIAMETHOXAM	CONRISS 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	399-395-5862	29-Dec-24	CONTACT	Bittergourd	Leafhoppers, thrips, aphids, fruitfly, cutworm	300-400 mL/ha	-	7 days	Do not enter treated fields for at least 1 day after application
FKA AGRI CHEMICAL CORPORATION	LAMBDA-CHYALOTHIRIN+THIAMETHOXAM	CONRISS 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	399-395-5862	29-Dec-24	CONTACT	Mango	Leafhoppers, tip borer, capsid bug, fruitfly, cecid fly	20-30 mL/200L	-	3 days	Do not enter treated fields for at least 1 day after application
FKA AGRI CHEMICAL CORPORATION	LAMBDA-CHYALOTHIRIN+THIAMETHOXAM	CONRISS 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	399-395-5862	29-Dec-24	CONTACT	Corn	Asiatic corn borer, cutworm, leafhoppers, aphids, earworm	260-400 mL/ha	-	3 days	Do not enter treated fields for at least 1 day after application
FKA AGRI CHEMICAL CORPORATION	LAMBDA-CHYALOTHIRIN+THIAMETHOXAM	CONRISS 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	399-395-5862	29-Dec-24	CONTACT	Banana	Flower thrips	1-3 mL/L	-	90 days	Do not enter treated fields for at least 1 day after application
FKA AGRI CHEMICAL CORPORATION	LAMBDA-CHYALOTHIRIN+THIAMETHOXAM	CONRISS 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	399-395-5862	29-Dec-24	CONTACT	Rice	Stemborer, leafhopper, rice bugs	300-200 mL/ha	-	14 days	Do not enter treated fields for at least 1 day after application
INTERO AGROCHEM ENTERPRISES CO.	CARTAP HYDROCHLORIDE	CONQUESTADOR 50 SP	500 g/kg	SP	INSECTICIDE	3	661-106-4993	26-Jun-23	SYSTEMIC	Cabbage	Diamond-back moth, cabbage moth, cabbage worm, aphids	1.5-2 Tbsp / 36L water	-		
INTERO AGROCHEM ENTERPRISES CO.	CARTAP HYDROCHLORIDE	CONQUESTADOR 50 SP	500 g/kg	SP	INSECTICIDE	3	661-106-4993	26-Jun-23	SYSTEMIC	Wongbok	Diamond-back moth, cabbage moth, cabbage worm, aphids	1.5-2 Tbsp / 36L water	-		
INTERO AGROCHEM ENTERPRISES CO.	CARTAP HYDROCHLORIDE	CONQUESTADOR 50 SP	500 g/kg	SP	INSECTICIDE	3	661-106-4993	26-Jun-23	SYSTEMIC	Pechay	looper, cutworm, aphids	1.5-3 Tbsp / 36L water	-		
INTERO AGROCHEM ENTERPRISES CO.	CARTAP HYDROCHLORIDE	CONQUESTADOR 50 SP	500 g/kg	SP	INSECTICIDE	3	661-106-4993	26-Jun-23	SYSTEMIC	Onion	Thrips, cutworm	1.5-2 Tbsp / 36L water	-		
INTERO AGROCHEM ENTERPRISES CO.	CARTAP HYDROCHLORIDE	CONQUESTADOR 50 SP	500 g/kg	SP	INSECTICIDE	3	661-106-4993	26-Jun-23	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, flea beetle, aphids	1.5-2 Tbsp / 36L water	-		
INTERO AGROCHEM ENTERPRISES CO.	CARTAP HYDROCHLORIDE	CONQUESTADOR 50 SP	500 g/kg	SP	INSECTICIDE	3	661-106-4993	26-Jun-23	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, aphids, tuber moth, leafminer	1.5-2 Tbsp / 36L water	-		
INTERO AGROCHEM ENTERPRISES CO.	CARTAP HYDROCHLORIDE	CONQUESTADOR 50 SP	500 g/kg	SP	INSECTICIDE	3	661-106-4993	26-Jun-23	SYSTEMIC	Mango	leafhopper	1.5-2 Tbsp / 36L water	-		
INTERO AGROCHEM ENTERPRISES CO.	CARTAP HYDROCHLORIDE	CONQUESTADOR 50 SP	500 g/kg	SP	INSECTICIDE	3	661-106-4993	26-Jun-23	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3-5 Tbsp/36L water	-		
INTERO AGROCHEM ENTERPRISES CO.	CARTAP HYDROCHLORIDE	CONQUESTADOR 50 SP	500 g/kg	SP	INSECTICIDE	3	661-106-4993	26-Jun-23	SYSTEMIC	Garlic	Thrips, cut worm	1.5-2 Tbsp / 36L water	-		
VERDANT LUSTERCORE CORPORATION	CYPERMETHRIN	CONQUIROR 5 EC	50 g/L	EC	INSECTICIDE	4	546-037-3684	05-Apr-19	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-1.0 Tbsp/36L water	-	7Days	Re-entry to treated field is allowed as soon as spray deposit dry
VERDANT LUSTERCORE CORPORATION	CYPERMETHRIN	CONQUIROR 5 EC	50 g/L	EC	INSECTICIDE	4	546-037-3684	05-Apr-19	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leafroller, stem borer, armyworm, rice bug	1.0-1.0 Tbsp/36L water	-	7Days	Re-entry to treated field is allowed as soon as spray deposit dry
VERDANT LUSTERCORE CORPORATION	CYPERMETHRIN	CONQUIROR 5 EC	50 g/L	EC	INSECTICIDE	4	546-037-3684	05-Apr-19	CONTACT	Cabbage	Diamond-back-moth, cabbage moth, worm	1.0-1.0 Tbsp/36L water	-	7Days	Re-entry to treated field is allowed as soon as spray deposit dry
VERDANT LUSTERCORE CORPORATION	CYPERMETHRIN	CONQUIROR 5 EC	50 g/L	EC	INSECTICIDE	4	546-037-3684	05-Apr-19	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-1.0 Tbsp/36L water	-	7Days	Re-entry to treated field is allowed as soon as spray deposit dry
VERDANT LUSTERCORE CORPORATION	CYPERMETHRIN	CONQUIROR 5 EC	50 g/L	EC	INSECTICIDE	4	546-037-3684	05-Apr-19	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-1.0 Tbsp/36L water	-	7Days	Re-entry to treated field is allowed as soon as spray deposit dry
VERDANT LUSTERCORE CORPORATION	CYPERMETHRIN	CONQUIROR 5 EC	50 g/L	EC	INSECTICIDE	4	546-037-3684	05-Apr-19	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-1.0 Tbsp/36L water	-	7Days	Re-entry to treated field is allowed as soon as spray deposit dry
VERDANT LUSTERCORE CORPORATION	CYPERMETHRIN	CONQUIROR 5 EC	50 g/L	EC	INSECTICIDE	4	546-037-3684	05-Apr-19	CONTACT	Onion	Thrips, cutworm	1.0-1.0 Tbsp/36L water	-	7Days	Re-entry to treated field is allowed as soon as spray deposit dry
VERDANT LUSTERCORE CORPORATION	CYPERMETHRIN	CONQUIROR 5 EC	50 g/L	EC	INSECTICIDE	4	546-037-3684	05-Apr-19	CONTACT	Banana	Thrips, scarring beetle	1.0-1.0 Tbsp/36L water	-	7Days	Re-entry to treated field is allowed as soon as spray deposit dry
VERDANT LUSTERCORE CORPORATION	CYPERMETHRIN	CONQUIROR 5 EC	50 g/L	EC	INSECTICIDE	4	546-037-3684	05-Apr-19	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-1.0 Tbsp/36L water	-	7Days	Re-entry to treated field is allowed as soon as spray deposit dry

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
VERDANT LUSTERCORE CORPORATION	CYPERMETHRIN	CONQUOROR S EC	50 g/L	EC	INSECTICIDE	4	546-037-3684	05-Apr-19	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/36 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposit dry
VERDANT LUSTERCORE CORPORATION	CYPERMETHRIN	CONQUOROR S EC	50 g/L	EC	INSECTICIDE	4	546-037-3684	05-Apr-19	CONTACT	Corn	Comborer, earworm	1.0-4.5 Tbsp/36 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposit dry
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	GLYPHOSATE #1A	CONQUER 360 SL	360 g/L	SL	HERBICIDE	4	376-151-2071	19-Apr-19	POST-EMERGENT	Non-crop areas	common grassy fields	-	-	-	-
BAYER CROSCIENCE, INC.	IMIDACLOPRID	CONFIDOR SL 200	200 g/L	SL	INSECTICIDE	3	284-240-0781	28-Dec-25	SYSTEMIC	Mango	Hoppers	20-25ml/1200 L water/300-2500 spray volume Liters/ha	0.2 ppm	30 days	In banana(bud injection)enter the treated area immediately after bud injection in other crops (including banana as foliar application) enter treated
BAYER CROSCIENCE, INC.	IMIDACLOPRID	CONFIDOR SL 200	200 g/L	SL	INSECTICIDE	3	284-240-0781	28-Dec-25	SYSTEMIC	Banana	Flower thrips, aphids, mealy bugs	0.5-1.0 ms. prod./L water(100-160 spray volume Liters/ha) 0.5-1.5 ml/3-4 ml/36 L water(400 spray volume L/ha)	0.05 ppm	0 day	In banana(bud injection)enter the treated area immediately after bud injection in other crops (including banana as foliar application) enter treated
BAYER CROSCIENCE, INC.	IMIDACLOPRID	CONFIDOR SL 200	200 g/L	SL	INSECTICIDE	3	284-240-0781	28-Dec-25	SYSTEMIC	Watermelon	Thrips, aphids	1.25-2.50ml/36 L water, 2500 spray volume L/ha	-	7 days	In banana(bud injection)enter the treated area immediately after bud injection in other crops (including banana as foliar application) enter treated
BAYER CROSCIENCE, INC.	IMIDACLOPRID	CONFIDOR SL 200	200 g/L	SL	INSECTICIDE	3	284-240-0781	28-Dec-25	SYSTEMIC	Citrus	Rindborer, mealybug, scale insects	2.0-2.5 ml/36 L water, 2000 spray volume L/ha	-	14 days	In banana(bud injection)enter the treated area immediately after bud injection in other crops (including banana as foliar application) enter treated
BAYER CROSCIENCE, INC.	IMIDACLOPRID	CONFIDOR SL 200	200 g/L	SL	INSECTICIDE	3	284-240-0781	28-Dec-25	SYSTEMIC	Cabbage	DBM, Flea beetle	1.5-2.5 ml/36 L water, 2000 spray volume L/ha	-	28 days	In banana(bud injection)enter the treated area immediately after bud injection in other crops (including banana as foliar application) enter treated
BAYER CROSCIENCE, INC.	IMIDACLOPRID	CONFIDOR SL 200	200 g/L	SL	INSECTICIDE	3	284-240-0781	28-Dec-25	SYSTEMIC	Sugarcane	Termites	3 ml/36 L water, 400 spray volume L/ha	0.7 ppm	0 day	In banana(bud injection)enter the treated area immediately after bud injection in other crops (including banana as foliar application) enter treated
BAYER CROSCIENCE, INC.	IMIDACLOPRID	CONFIDOR SL 200	200 g/L	SL	INSECTICIDE	3	284-240-0781	28-Dec-25	SYSTEMIC	Asparagus	Thrips	0.62-1.25ml/36 L water, 350-500 spray volume L/ha	0.1 ppm	3 days	In banana(bud injection)enter the treated area immediately after bud injection in other crops (including banana as foliar application) enter treated
BAYER CROSCIENCE, INC.	IMIDACLOPRID	CONFIDOR SL 200	200 g/L	SL	INSECTICIDE	3	284-240-0781	28-Dec-25	SYSTEMIC	Okra	Leafhopper	before planting at the rate of 0.85 liter per 568 liters of water, 2-3 months	0.05 ppm	30 days	In banana(bud injection)enter the treated area immediately after bud injection in other crops (including banana as foliar application) enter treated
BAYER CROSCIENCE, INC.	IMIDACLOPRID	CONFIDOR SL 200	200 g/L	SL	INSECTICIDE	3	284-240-0781	28-Dec-25	SYSTEMIC	Pineapple	Mealybug	20-25 M 100 L water	-	20 days	In banana(bud injection)enter the treated area immediately after bud injection in other crops (including banana as foliar application) enter treated
TAIPAN BRAND FARM INC.	IMIDACLOPRID	CONFIDOR SL 200	200 g/L	SL	INSECTICIDE	3	529-240-5151	28-Dec-25	SYSTEMIC	Mango	Hoppers	0.5-1.0 ml, 0.5-1.5 ml, prod./liter water	-	0 day	In banana(bud injection)enter the treated area immediately after bud injection in other crops (including banana as foliar application) enter treated
TAIPAN BRAND FARM INC.	IMIDACLOPRID	CONFIDOR SL 200	200 g/L	SL	INSECTICIDE	3	529-240-5151	28-Dec-25	SYSTEMIC	Banana	Flower thrips, aphids, mealy bugs	3-4 ml/36 L water	-	0 day	In banana(bud injection)enter the treated area immediately after bud injection in other crops (including banana as foliar application) enter treated
TAIPAN BRAND FARM INC.	IMIDACLOPRID	CONFIDOR SL 200	200 g/L	SL	INSECTICIDE	3	529-240-5151	28-Dec-25	SYSTEMIC	Watermelon	Thrips, aphids	1.25-2.50 ml/36 L water	-	14 days	In banana(bud injection)enter the treated area immediately after bud injection in other crops (including banana as foliar application) enter treated
TAIPAN BRAND FARM INC.	IMIDACLOPRID	CONFIDOR SL 200	200 g/L	SL	INSECTICIDE	3	529-240-5151	28-Dec-25	SYSTEMIC	Citrus	Rindborer, mealybug, scale insects	2.0-2.5 ml/36 L water	-	28 days	In banana(bud injection)enter the treated area immediately after bud injection in other crops (including banana as foliar application) enter treated
TAIPAN BRAND FARM INC.	IMIDACLOPRID	CONFIDOR SL 200	200 g/L	SL	INSECTICIDE	3	529-240-5151	28-Dec-25	SYSTEMIC	Cabbage	DBM, Flea beetle	1.5-2.5 ml/36 L water	-	28 days	In banana(bud injection)enter the treated area immediately after bud injection in other crops (including banana as foliar application) enter treated
TAIPAN BRAND FARM INC.	IMIDACLOPRID	CONFIDOR SL 200	200 g/L	SL	INSECTICIDE	3	529-240-5151	28-Dec-25	SYSTEMIC	Sugarcane	Termites	3 ml	-	0 day	In banana(bud injection)enter the treated area immediately after bud injection in other crops (including banana as foliar application) enter treated
TAIPAN BRAND FARM INC.	IMIDACLOPRID	CONFIDOR SL 200	200 g/L	SL	INSECTICIDE	3	529-240-5151	28-Dec-25	SYSTEMIC	Asparagus	Thrips	0.62-1.25 ml/36 L water	-	0 day	In banana(bud injection)enter the treated area immediately after bud injection in other crops (including banana as foliar application) enter treated
TAIPAN BRAND FARM INC.	IMIDACLOPRID	CONFIDOR SL 200	200 g/L	SL	INSECTICIDE	3	529-240-5151	28-Dec-25	SYSTEMIC	Okra	Leafhopper	before planting at the rate of 0.85 liter prod in 568 liters of water, 2-3 months	-	30 days	In banana(bud injection)enter the treated area immediately after bud injection in other crops (including banana as foliar application) enter treated
TAIPAN BRAND FARM INC.	IMIDACLOPRID	CONFIDOR SL 200	200 g/L	SL	INSECTICIDE	3	529-240-5151	28-Dec-25	SYSTEMIC	Pineapple	Mealybug	11.0-15.0 Tbsp/36 L water	-	24 hours after application	24 hours after application
MAGAN AGRO PHILS., ENTERPRISE, INC.	DIURON	CONFIDENCE 80 WG	800 g/kg	WG	HERBICIDE	4	461-021-3235	28-Jul-26	SYSTEMIC	Citrus	Annual and Perennial broadleaves and grasses	11.0-15.0 Tbsp/36 L water	-	24 hours after application	24 hours after application
MAGAN AGRO PHILS., ENTERPRISE, INC.	DIURON	CONFIDENCE 80 WG	800 g/kg	WG	HERBICIDE	4	461-021-3235	28-Jul-26	SYSTEMIC	Coffee	Annual and Perennial broadleaves and grasses	8.0 Tbsp/36 L water	-	24 hours after application	24 hours after application
MAGAN AGRO PHILS., ENTERPRISE, INC.	DIURON	CONFIDENCE 80 WG	800 g/kg	WG	HERBICIDE	4	461-021-3235	28-Jul-26	SYSTEMIC	Cotton	Annual and Perennial broadleaves and grasses	11.0 Tbsp/36 L water	-	24 hours after application	24 hours after application
MAGAN AGRO PHILS., ENTERPRISE, INC.	DIURON	CONFIDENCE 80 WG	800 g/kg	WG	HERBICIDE	4	461-021-3235	28-Jul-26	SYSTEMIC	Sugarcane	Annual and Perennial broadleaves and grasses	11.0 Tbsp/36 L water	-	24 hours after application	24 hours after application
MAGAN AGRO PHILS., ENTERPRISE, INC.	DIURON	CONFIDENCE 80 WG	800 g/kg	WG	HERBICIDE	4	461-021-3235	28-Jul-26	SYSTEMIC	Pineapple	Annual and Perennial broadleaves and grasses	40ml/ha	-	-	-
KEMSTAR CORPORATION	PROFENAZOLE	CONAZOLE 25 EC	250 g/L	EC	FUNGICIDE	3	239-178-1732	26-Jul-26	SYSTEMIC	Banana	Black sigatoka	8 ml / 200 L	-	-	-
KEMSTAR CORPORATION	PROFENAZOLE	CONAZOLE 25 EC	250 g/L	EC	FUNGICIDE	3	239-178-1732	26-Jul-23	SYSTEMIC	Pineapple	Butt rot	6.0-8.5 Tbsp/36 L	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
UPL PHILIPPINES, INC.	CHLOROTHALONIL	CONAN 500 SC	500 g/L	SC	FUNGICIDE	4	562-118-4618	09-Jan-25	-	Corn	Helminthosphorium leaf spot, cercospora leafspot	6.0-8.5 Tbsp/36 L	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
UPL PHILIPPINES, INC.	CHLOROTHALONIL	CONAN 500 SC	500 g/L	SC	FUNGICIDE	4	562-118-4618	09-Jan-25	-	Eggplant	Anthracoese, cercospora leafspot, early and late blight	6.0-8.5 Tbsp/36 L	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
UPL PHILIPPINES, INC.	CHLOROTHALONIL	CONAN 500 SC	500 g/L	SC	FUNGICIDE	4	562-118-4618	09-Jan-25	-	Peanut	Cercospora leaf spot, rust	6.0-8.5 Tbsp/36 L	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
UPL PHILIPPINES, INC.	CHLOROTHALONIL	CONAN 500 SC	500 g/L	SC	FUNGICIDE	4	562-118-4618	09-Jan-25	-	Potato	Early and late blight, vine rot	6.0-8.5 Tbsp/36 L	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
UPL PHILIPPINES, INC.	CHLOROTHALONIL	CONAN 500 SC	500 g/L	SC	FUNGICIDE	4	562-118-4618	09-Jan-25	-	Tomato	Early and late blight, vine rot	6.0-8.5 Tbsp/36 L	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
UPL PHILIPPINES, INC.	CHLOROTHALONIL	CONAN 500 SC	500 g/L	SC	FUNGICIDE	4	562-118-4618	09-Jan-25	-	Carrot	Alternaria, cercospora leaf spot, heminithosphorium leaf spot	6.0-8.5 Tbsp/36 L	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
UPL PHILIPPINES, INC.	CHLOROTHALONIL	CONAN 500 SC	500 g/L	SC	FUNGICIDE	4	562-118-4618	09-Jan-25	-	Banana	Sigatoka, rust, freckles, heminithosphorium leaf spot	2 L/ha	2.0 mg/kg	0 day	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
UPL PHILIPPINES, INC.	CHLOROTHALONIL	CONAN 500 SC	500 g/L	SC	FUNGICIDE	4	562-118-4618	09-Jan-25	-	Mango	Anthracoese, diplodia rot	6.0-8.5 Tbsp/36 L	0.5 mg/kg	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
UPL PHILIPPINES, INC.	CHLOROTHALONIL	CONAN 500 SC	500 g/L	SC	FUNGICIDE	4	562-118-4618	09-Jan-25	-	beans	Rust, anthracnose	6.0-8.5 Tbsp/36 L	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
UPL PHILIPPINES, INC.	CHLOROTHALONIL	CONAN 500 SC	500 g/L	SC	FUNGICIDE	4	562-118-4618	09-Jan-25	-	Cucubers	Powdery mildew	6.0-8.5 Tbsp/36 L	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
UPL PHILIPPINES, INC.	CHLOROTHALONIL	CONAN 500 SC	500 g/L	SC	FUNGICIDE	4	562-118-4618	09-Jan-25	-	Onion	Purple blotch, bulb rot, neck rot	6.0-8.5 Tbsp/36 L	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
UPL PHILIPPINES, INC.	CHLOROTHALONIL	CONAN 500 SC	500 g/L	SC	FUNGICIDE	4	562-118-4618	09-Jan-25	-	Garlic	Purple blotch, bulb rot, neck rot	6.0-8.5 Tbsp/36 L	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
UPL PHILIPPINES, INC.	CHLOROTHALONIL	CONAN 500 SC	500 g/L	SC	FUNGICIDE	4	562-118-4618	09-Jan-25	-	Ornamentals	Black spot, black rot, powdery mildew	6.0-8.5 Tbsp/36 L	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
UPL PHILIPPINES, INC.	CHLOROTHALONIL	CONAN 500 SC	500 g/L	SC	FUNGICIDE	4	562-118-4618	09-Jan-25	-	Grapes	Downy mildew, powdery mildew, fruit rot	6.0-8.5 Tbsp/36 L	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
UPL PHILIPPINES, INC.	CHLOROTHALONIL	CONAN 500 SC	500 g/L	SC	FUNGICIDE	4	562-118-4618	09-Jan-25	-	Pepper	Anthracoese, cercospora leaf spot, early blight	6.0-8.5 Tbsp/36 L	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
UPL PHILIPPINES, INC.	CHLOROTHALONIL	CONAN 500 SC	500 g/L	SC	FUNGICIDE	4	562-118-4618	09-Jan-25	-	Melon	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/36 L	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
UPL PHILIPPINES, INC.	CHLOROTHALONIL	CONAN 500 SC	500 g/L	SC	FUNGICIDE	4	562-118-4618	09-Jan-25	-	Cucumber	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/36 L	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
UPL PHILIPPINES, INC.	CHLOROTHALONIL	CONAN 500 SC	500 g/L	SC	FUNGICIDE	4	562-118-4618	09-Jan-25	-	Squash	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/36 L	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
UPL PHILIPPINES, INC.	CHLOROTHALONIL	CONAN 500 SC	500 g/L	SC	FUNGICIDE	4	562-118-4618	09-Jan-25	-	Watermelon	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/36 L	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
UPL PHILIPPINES, INC.	CHLOROTHALONIL	CONAN 500 SC	500 g/L	SC	FUNGICIDE	4	562-118-4618	09-Jan-25	-	Celery	Early and late blight	6.0-8.5 Tbsp/36 L	-	7-14 days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
FARM EDGE AGRO TRADING CORPORATION	PYMETROZINE	COMBAGE 50 WG	500 g/kg	WG	INSECTICIDE	4	518-307-4461	03-Aug-24	-	Mango	Mango Leafhopper	1 sachet*/200 L	-	-	Do not enter the treated fields for at least 24 hours after application
ZAGRO CORPORATION	BENDIML	COMPLY 50 WP	500 g/kg	WP	FUNGICIDE	4	043-367-2363	26-May-24	SYSTEMIC	Mungbeans	Powdery mildew, cercospora leaf spot	1-2 Tbsp/36L water	-	14 days	Do not enter treated fields until spray deposits have dried
ZAGRO CORPORATION	BENDIML	COMPLY 50 WP	500 g/kg	WP	FUNGICIDE	4	043-367-2363	26-May-24	SYSTEMIC	Beans	Powdery mildew, cercospora leaf spot	1-2 Tbsp/36L water	-	14 days	Do not enter treated fields until spray deposits have dried
ZAGRO CORPORATION	BENDIML	COMPLY 50 WP	500 g/kg	WP	FUNGICIDE	4	043-367-2363	26-May-24	SYSTEMIC	Wongbok	Cercospora leaf spot	1-2 Tbsp/36L water	-	7 days	Do not enter treated fields until spray deposits have dried
ZAGRO CORPORATION	BENDIML	COMPLY 50 WP	500 g/kg	WP	FUNGICIDE	4	043-367-2363	26-May-24	SYSTEMIC	Cabbage	Cercospora leaf spot	1-2 Tbsp/36L water	-	7 days	Do not enter treated fields until spray deposits have dried
ZAGRO CORPORATION	BENDIML	COMPLY 50 WP	500 g/kg	WP	FUNGICIDE	4	043-367-2363	26-May-24	SYSTEMIC	Calamansi	Scab	1-2 Tbsp/36L water	-	14 days	Do not enter treated fields until spray deposits have dried
ZAGRO CORPORATION	BENDIML	COMPLY 50 WP	500 g/kg	WP	FUNGICIDE	4	043-367-2363	26-May-24	SYSTEMIC	Cucumber	Powdery mildew	1-2 Tbsp/36L water	-	14 days	Do not enter treated fields until spray deposits have dried
ZAGRO CORPORATION	BENDIML	COMPLY 50 WP	500 g/kg	WP	FUNGICIDE	4	043-367-2363	26-May-24	SYSTEMIC	Ginger	Cercospora leaf spot	1-2 Tbsp/36L water	-	7 days	Do not enter treated fields until spray deposits have dried

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
ZAGRO CORPORATION	BENOMYL	COMPLY 50 WP	500 g/kg	WP	FUNGICIDE	4	043-167-2363	26-May-24	SYSTEMIC	Grapes	Powdery mildew	1-2 Tbsp/36L water	-	14 days	Do not enter treated fields until spray deposits have dried
ZAGRO CORPORATION	BENOMYL	COMPLY 50 WP	500 g/kg	WP	FUNGICIDE	4	043-167-2363	26-May-24	SYSTEMIC	Mandarin	Scab	3-2 Tbsp/36L water	-	14 days	Do not enter treated fields until spray deposits have dried
ZAGRO CORPORATION	BENOMYL	COMPLY 50 WP	500 g/kg	WP	FUNGICIDE	4	043-167-2363	26-May-24	SYSTEMIC	Mango	Anthraxnose, powdery mildew	1-2 Tbsp/36L water	-	14 days	Do not enter treated fields until spray deposits have dried
ZAGRO CORPORATION	BENOMYL	COMPLY 50 WP	500 g/kg	WP	FUNGICIDE	4	043-167-2363	26-May-24	SYSTEMIC	Melon	Powdery mildew	1-2 Tbsp/36L water	-	14 days	Do not enter treated fields until spray deposits have dried
ZAGRO CORPORATION	BENOMYL	COMPLY 50 WP	500 g/kg	WP	FUNGICIDE	4	043-167-2363	26-May-24	SYSTEMIC	Orange	Scab	1-2 Tbsp/36L water	-	14 days	Do not enter treated fields until spray deposits have dried
ZAGRO CORPORATION	BENOMYL	COMPLY 50 WP	500 g/kg	WP	FUNGICIDE	4	043-167-2363	26-May-24	SYSTEMIC	Papaya	Powdery mildew	1-2 Tbsp/36L water	-	14 days	Do not enter treated fields until spray deposits have dried
ZAGRO CORPORATION	BENOMYL	COMPLY 50 WP	500 g/kg	WP	FUNGICIDE	4	043-167-2363	26-May-24	SYSTEMIC	Pepper	Cercospora leaf spot	1-2 Tbsp/36L water	-	7-14 days	Do not enter treated fields until spray deposits have dried
ZAGRO CORPORATION	BENOMYL	COMPLY 50 WP	500 g/kg	WP	FUNGICIDE	4	043-167-2363	26-May-24	SYSTEMIC	Rice	Blast, sheath blight	3-4 Tbsp/36L water	1.0 ppm	7-14 days	Do not enter treated fields until spray deposits have dried
ZAGRO CORPORATION	BENOMYL	COMPLY 50 WP	500 g/kg	WP	FUNGICIDE	4	043-167-2363	26-May-24	SYSTEMIC	Strawberry	Cercospora leaf spot	1-2 Tbsp/36L water	-	7-14 days	Do not enter treated fields until spray deposits have dried
ZAGRO CORPORATION	BENOMYL	COMPLY 50 WP	500 g/kg	WP	FUNGICIDE	4	043-167-2363	26-May-24	SYSTEMIC	Tobacco	Leaf mold, frog eye	1-2 Tbsp/36L water	-	7-14 days	Do not enter treated fields until spray deposits have dried
ZAGRO CORPORATION	BENOMYL	COMPLY 50 WP	500 g/kg	WP	FUNGICIDE	4	043-167-2363	26-May-24	SYSTEMIC	Banana	Black Sigatoka	280 g/ha	-	7-14 days	Do not enter treated fields until spray deposits have dried
TRIPLE DIAMONDS AGRICULTURE	CYPERMETHRIN	COMPLEX 5 EC	500 g/L	EC	INSECTICIDE	4	605-037-4232	11-Jan-21	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leafhopper, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/36 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
TRIPLE DIAMONDS AGRICULTURE	CYPERMETHRIN	COMPLEX 5 EC	500 g/L	EC	INSECTICIDE	4	605-037-4232	11-Jan-21	CONTACT	Cabbage	Diamond back moth, cabbage moth, worm	1.0-3.0 Tbsp/36 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
TRIPLE DIAMONDS AGRICULTURE	CYPERMETHRIN	COMPLEX 5 EC	500 g/L	EC	INSECTICIDE	4	605-037-4232	11-Jan-21	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/36 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
TRIPLE DIAMONDS AGRICULTURE	CYPERMETHRIN	COMPLEX 5 EC	500 g/L	EC	INSECTICIDE	4	605-037-4232	11-Jan-21	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/36 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
TRIPLE DIAMONDS AGRICULTURE	CYPERMETHRIN	COMPLEX 5 EC	500 g/L	EC	INSECTICIDE	4	605-037-4232	11-Jan-21	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/36 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
TRIPLE DIAMONDS AGRICULTURE	CYPERMETHRIN	COMPLEX 5 EC	500 g/L	EC	INSECTICIDE	4	605-037-4232	11-Jan-21	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/36 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
TRIPLE DIAMONDS AGRICULTURE	CYPERMETHRIN	COMPLEX 5 EC	500 g/L	EC	INSECTICIDE	4	605-037-4232	11-Jan-21	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/36 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
TRIPLE DIAMONDS AGRICULTURE	CYPERMETHRIN	COMPLEX 5 EC	500 g/L	EC	INSECTICIDE	4	605-037-4232	11-Jan-21	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/36 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
TRIPLE DIAMONDS AGRICULTURE	CYPERMETHRIN	COMPLEX 5 EC	500 g/L	EC	INSECTICIDE	4	605-037-4232	11-Jan-21	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/36 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
TRIPLE DIAMONDS AGRICULTURE	CYPERMETHRIN	COMPLEX 5 EC	500 g/L	EC	INSECTICIDE	4	605-037-4232	11-Jan-21	CONTACT	Corn	Combsore, earworm	1.0-4.5 Tbsp/36 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
AGRIBASE CHEMICALS, INC.	2,4-D AMINE	COMPLETE 2,4-D AMINE	400 g/L	EC	HERBICIDE	2	457-033-3267	31-Dec-23	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual broadleaves and sedges	3-5.5 Tbsp/36 L water	0.1 ppm	-	Entry to fields and crops treated with COMPLETE 2,4-D Amine can be done one day after spraying.
AGRIBASE CHEMICALS, INC.	2,4-D AMINE	COMPLETE 2,4-D AMINE	400 g/L	EC	HERBICIDE	2	457-033-3267	31-Dec-23	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual broadleaves and sedges	15-25 Tbsp/36 L water	-	-	Entry to fields and crops treated with COMPLETE 2,4-D Amine can be done one day after spraying.
AGRIBASE CHEMICALS, INC.	2,4-D AMINE	COMPLETE 2,4-D AMINE	400 g/L	EC	HERBICIDE	2	457-033-3267	31-Dec-23	SELECTIVE (POST-EMERGENT)	Corn	Annual broadleaves and sedges	9-6.5 Tbsp/36 L water	-	-	Entry to fields and crops treated with COMPLETE 2,4-D Amine can be done one day after spraying.
ZAGRO CORPORATION	ACEPHATE	COMPLETE 75 SP	750 g/kg	SP	INSECTICIDE	3	043-242-0759	15-Oct-24	SYSTEMIC	Tobacco	Budworm, aphids	2-3 Tbsp/36L water	-	-	Crop sprayed with COMPLETE 75 SP can be harvest 2 weeks after treatment
ZAGRO CORPORATION	ACEPHATE	COMPLETE 75 SP	750 g/kg	SP	INSECTICIDE	3	043-242-0759	15-Oct-24	SYSTEMIC	Eggplant	Fruitborer	2-3 Tbsp/36L water	-	-	Crop sprayed with COMPLETE 75 SP can be harvest 2 weeks after treatment
ZAGRO CORPORATION	ACEPHATE	COMPLETE 75 SP	750 g/kg	SP	INSECTICIDE	3	043-242-0759	15-Oct-24	SYSTEMIC	Stringbeans	Aphids	2-3 Tbsp/36L water	-	-	Crop sprayed with COMPLETE 75 SP can be harvest 2 weeks after treatment
ZAGRO CORPORATION	ACEPHATE	COMPLETE 75 SP	750 g/kg	SP	INSECTICIDE	3	043-242-0759	15-Oct-24	SYSTEMIC	Tomato	Fruitworm	2-3 Tbsp/36L water	-	-	Crop sprayed with COMPLETE 75 SP can be harvest 2 weeks after treatment
ZAGRO CORPORATION	ACEPHATE	COMPLETE 75 SP	750 g/kg	SP	INSECTICIDE	3	043-242-0759	15-Oct-24	SYSTEMIC	Banana	Thrips	1.5-2 Tbsp/36L water	-	-	Crop sprayed with COMPLETE 75 SP can be harvest 2 weeks after treatment
ZAGRO CORPORATION	ACEPHATE	COMPLETE 75 SP	750 g/kg	SP	INSECTICIDE	3	043-242-0759	15-Oct-24	SYSTEMIC	Watermelon	Aphids, thrips	2-3 Tbsp/36L water	-	-	Crop sprayed with COMPLETE 75 SP can be harvest 2 weeks after treatment
ZAGRO CORPORATION	ACEPHATE	COMPLETE 75 SP	750 g/kg	SP	INSECTICIDE	3	043-242-0759	15-Oct-24	SYSTEMIC	Rice	Whorl maggot, green leafhopper, brown planthopper, stemborer, leafhopper, rice bug	2-3 Tbsp/36L water	0.02 ppm	-	Crop sprayed with COMPLETE 75 SP can be harvest 2 weeks after treatment
ZAGRO CORPORATION	ACEPHATE	COMPLETE 75 SP	750 g/kg	SP	INSECTICIDE	3	043-242-0759	15-Oct-24	SYSTEMIC	Mango	Hopper, Tipborers	1.5-2 Tbsp/36L water	-	-	Crop sprayed with COMPLETE 75 SP can be harvest 2 weeks after treatment
ZAGRO CORPORATION	TERBUCONAZOLE	COMPASS 430 SC	430 g/L	SC	FUNGICIDE	4	043-299-5592	28-Oct-24	SYSTEMIC	Banana	Sigatoka	0.26 prod./ha	-	0 Day	After spray deposits have dried.
ZAGRO CORPORATION	TERBUCONAZOLE	COMPASS 430 SC	430 g/L	SC	FUNGICIDE	4	043-299-5592	28-Oct-24	SYSTEMIC	Corn	Rust	25-30mL/36 L water	-	-	After spray deposits have dried.
ZAGRO CORPORATION	TERBUCONAZOLE	COMPASS 430 SC	430 g/L	SC	FUNGICIDE	4	043-299-5592	28-Oct-24	SYSTEMIC	Mango	Anthraxnose	35-45mL/300 L water	-	22 days	After spray deposits have dried.
FMC AGRO PHILIPPINES INC.	GLOMAZONE-PROPANIL	COMMAND PLUS 600 EC	200-400 g/L	EC	HERBICIDE	2	598-330-4190	02-Nov-26	POST-EMERGENT	Rice	Grasses, broadleaves & sedges	8-10 Tbsp/36L water	-	-	-
FMC AGRO PHILIPPINES INC.	GLOMAZONE	COMMAND 3 ME	336 g/L	ME	HERBICIDE	4	598-285-4189	02-Nov-26	PRE-EMERGENT/POST-EMERGENT	Rice (Direct Seeded)	Grasses	3 Tbsp/36L Spray Load	-	-	-
FMC AGRO PHILIPPINES INC.	GLOMAZONE	COMMAND 3 ME	336 g/L	ME	HERBICIDE	4	598-285-4189	02-Nov-26	PRE-EMERGENT/POST-EMERGENT	Rice (Transplanted)	Grasses	3-4 Tbsp/36L Spray Load	-	-	-
NEXCHEM CORPORATION	CYHALOPOF-BUTYL-BISPIRIBAC SODIUM	COMBONEX 200 OD	150 g/L +50 g/L	OD	HERBICIDE	4	702-504-6326	20-Oct-25	POST-EMERGENT	Rice (Direct Seeded)	Grasses (Echinochloa sp., Lysitochloa chinensis, and Ischaemum rugosum, broadleaves Lysichitonella revarica, Ludwigia octovalvis)	500 mL to 1L prod./ hectare using a spray volume of 180 to 192 L water/	-	-	Re-entry to treated field is allowed as soon as spray deposits dry up.
GRANDIA AGRO MARKETING CORPORATION	BISPIRIBAC SODIUM	COMBEE 100 SC	100 g/L	SC	HERBICIDE	4	445-276-5079	09-Mar-23	SELECTIVE(POST-EMERGENT)	Rice(Direct seeded lowland)	Grasses, Sedges and Broadleaves	-	-	-	As soon as spray deposits dry up.
NS NORTHERN ORGANIC FERTILIZER INC.	MANCOZEB	COLUMBIA 600 SC	600 g/L	SC	FUNGICIDE	4	470-053-5222	16-Nov-22	-	Banana	Black Sigatoka	1.5-2.0 L/ha	-	-	As soon as spray has dried
NS NORTHERN ORGANIC FERTILIZER INC.	MANCOZEB	COLUMBIA 600 SC	600 g/L	SC	FUNGICIDE	4	470-053-5222	16-Nov-22	-	Potato	Late Blight	5-6 tbsp./36L water	-	-	As soon as spray has dried
SINOCHEM CROP PROTECTION (PHILS.) INC.	DIURON	COIT DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	432-021-3091	04-Jan-25	SELECTIVE	Citrus	Annual and Perennial broadleaves and grasses	11.0-13.0Tbsp/36 L water	-	-	A day after application or after the spray has dried;do not enter the treated fields without protective clothing
SINOCHEM CROP PROTECTION (PHILS.) INC.	DIURON	COIT DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	432-021-3091	04-Jan-25	SELECTIVE	Coffee	Annual and Perennial broadleaves and grasses	11.0-13.0Tbsp/36 L water	-	-	A day after application or after the spray has dried;do not enter the treated fields without protective clothing
SINOCHEM CROP PROTECTION (PHILS.) INC.	DIURON	COIT DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	432-021-3091	04-Jan-25	SELECTIVE	Cotton	Annual and Perennial broadleaves and grasses	8.0Tbsp/36L water	-	-	A day after application or after the spray has dried;do not enter the treated fields without protective clothing
SINOCHEM CROP PROTECTION (PHILS.) INC.	DIURON	COIT DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	432-021-3091	04-Jan-25	SELECTIVE	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0Tbsp/36 L water	-	-	A day after application or after the spray has dried;do not enter the treated fields without protective clothing
SINOCHEM CROP PROTECTION (PHILS.) INC.	DIURON	COIT DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	432-021-3091	04-Jan-25	SELECTIVE	Pineapple	Annual and Perennial broadleaves and grasses	13.0Tbsp/36 L water	-	-	A day after application or after the spray has dried;do not enter the treated fields without protective clothing
SINOCHEM CROP PROTECTION (PHILS.) INC.	DIURON	COIT DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	432-021-3091	04-Jan-25	SELECTIVE	Non-crop land	Annual and Perennial broadleaves and grasses	20.0-28.0Tbsp/36 L water	-	-	A day after application or after the spray has dried;do not enter the treated fields without protective clothing
SYNGENTA PHILIPPINES INC.	DIURON	COIT DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	011-021-3091	23-Aug-26	SELECTIVE	Citrus	Annual and perennial broadleaves and grasses	11.0-13.0Tbsp/36 L water	-	-	A day after application or after the spray has dried, do not enter the treated fields without protective clothing
SYNGENTA PHILIPPINES INC.	DIURON	COIT DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	011-021-3091	23-Aug-26	SELECTIVE	Coffee	Annual and perennial broadleaves and grasses	13.0-19.0Tbsp/36 L water	-	-	A day after application or after the spray has dried, do not enter the treated fields without protective clothing
SYNGENTA PHILIPPINES INC.	DIURON	COIT DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	011-021-3091	23-Aug-26	SELECTIVE	Cotton	Annual and perennial broadleaves and grasses	8.0Tbsp/36 L water	-	-	A day after application or after the spray has dried, do not enter the treated fields without protective clothing
SYNGENTA PHILIPPINES INC.	DIURON	COIT DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	011-021-3091	23-Aug-26	SELECTIVE	Sugarcane	Annual and perennial broadleaves and grasses	6.5-13.0Tbsp/36 L water	-	-	A day after application or after the spray has dried, do not enter the treated fields without protective clothing
SYNGENTA PHILIPPINES INC.	DIURON	COIT DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	011-021-3091	23-Aug-26	SELECTIVE	Pineapple	Annual and perennial broadleaves and grasses	11.0Tbsp/36 L water	-	-	A day after application or after the spray has dried, do not enter the treated fields without protective clothing
SYNGENTA PHILIPPINES INC.	DIURON	COIT DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	011-021-3091	23-Aug-26	SELECTIVE	Non-crop	Annual and perennial broadleaves and grasses	20.0-28.0Tbsp/36 L water	-	-	A day after application or after the spray has dried, do not enter the treated fields without protective clothing
SYNGENTA PHILIPPINES INC.	DIURON	COIT DIURON 80 WG	800 g/kg	WG	HERBICIDE	4	011-021-5462	23-Aug-26	SELECTIVE	Citrus	Annual and perennial broadleaves and grasses	11.0-13.0Tbsp/36 L water	-	-	A day after application or after the spray has dried, do not enter the treated fields without protective clothing
SYNGENTA PHILIPPINES INC.	DIURON	COIT DIURON 80 WG	800 g/kg	WG	HERBICIDE	4	011-021-5462	23-Aug-26	SELECTIVE	Coffee	Annual and perennial broadleaves and grasses	13.0-19.0Tbsp/36 L water	-	-	A day after application or after the spray has dried, do not enter the treated fields without protective clothing

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
SYNGENTA PHILIPPINES INC.	DIURON	COLT DIURON 80 WG	800 g/kg	WG	HERBICIDE	4	011-021-5462	23-Aug-26	SELECTIVE	Cotton	Annual and perennial broadleaves and grasses	8.07bsp/16 L water	-	-	A day after application or after the spray has dried; do not enter the treated fields without protective clothing
SYNGENTA PHILIPPINES INC.	DIURON	COLT DIURON 80 WG	800 g/kg	WG	HERBICIDE	4	011-021-5462	23-Aug-26	SELECTIVE	Sugarcane	Annual and perennial broadleaves and grasses	6.5-13.07bsp/16 L water	-	-	A day after application or after the spray has dried; do not enter the treated fields without protective clothing
SYNGENTA PHILIPPINES INC.	DIURON	COLT DIURON 80 WG	800 g/kg	WG	HERBICIDE	4	011-021-5462	23-Aug-26	SELECTIVE	Pineapple	Annual and perennial broadleaves and grasses	11.07bsp/16 L water	-	-	A day after application or after the spray has dried; do not enter the treated fields without protective clothing
SYNGENTA PHILIPPINES INC.	DIURON	COLT DIURON 80 WG	800 g/kg	WG	HERBICIDE	4	011-021-5462	23-Aug-26	SELECTIVE	Non-crop	Annual and perennial broadleaves and grasses	20.0-28.07bsp/16 L water	-	-	A day after application or after the spray has dried; do not enter the treated fields without protective clothing
SINOCHEM CROP PROTECTION (PHILS.) INC.	DIURON	COLT DIURON 80 WG	800 g/kg	WG	HERBICIDE	4	432-021-5462	23-Aug-26	SELECTIVE	Citrus	Annual and perennial broadleaves and grasses	11.0-18.07bsp/16 L water	-	-	-
SINOCHEM CROP PROTECTION (PHILS.) INC.	DIURON	COLT DIURON 80 WG	800 g/kg	WG	HERBICIDE	4	432-021-5462	23-Aug-26	SELECTIVE	Coffee	Annual and perennial broadleaves and grasses	11.0-19.07bsp/16 L water	-	-	-
SINOCHEM CROP PROTECTION (PHILS.) INC.	DIURON	COLT DIURON 80 WG	800 g/kg	WG	HERBICIDE	4	432-021-5462	23-Aug-26	SELECTIVE	Cotton	Annual and perennial broadleaves and grasses	8.07bsp/16 L water	-	-	-
SINOCHEM CROP PROTECTION (PHILS.) INC.	DIURON	COLT DIURON 80 WG	800 g/kg	WG	HERBICIDE	4	432-021-5462	23-Aug-26	SELECTIVE	Sugarcane	Annual and perennial broadleaves and grasses	6.5-13.07bsp/16 L water	-	-	-
SINOCHEM CROP PROTECTION (PHILS.) INC.	DIURON	COLT DIURON 80 WG	800 g/kg	WG	HERBICIDE	4	432-021-5462	23-Aug-26	SELECTIVE	Pineapple	Annual and perennial broadleaves and grasses	11.07bsp/16 L water	-	-	-
SINOCHEM CROP PROTECTION (PHILS.) INC.	DIURON	COLT DIURON 80 WG	800 g/kg	WG	HERBICIDE	4	432-021-5462	23-Aug-26	SELECTIVE	Non-crop land	Annual and perennial broadleaves and grasses	20.0-28.07bsp/16 L water	-	-	-
SYNGENTA PHILIPPINES INC.	MANCOZEB	COLMAN 600 OS	606.43 g/L	OS	FUNGICIDE	4	452-053-6083	11-Sep-24	-	Banana	Black sigatoka	1.75- 2.50 L/ha	-	-	No pre-harvest interval necessary from 1st spray until harvest
RAINBOW AGROSCIENCES PHILIPPINES INC.	LAMBDA-CHYALOTHRIN+THIAMETHOXAM	COLAM 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	539-395-4126	26-Sep-26	CONTACT/SYSTEMIC	Potato	Whiteflies, aphids, thrips	100-200ml product/ha, 4-6 ml/16 L	0.1 Thiamethoxam; 0.1	7 days	Do not enter treated fields at least 1 Day after application
RAINBOW AGROSCIENCES PHILIPPINES INC.	LAMBDA-CHYALOTHRIN+THIAMETHOXAM	COLAM 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	539-395-4126	26-Sep-26	CONTACT/SYSTEMIC	Stringbeans	Green Leafhopper, aphids, mites	100-200ml product/ha, 4-6 ml/16 L	0.5 Thiamethoxam; 0.2 Iarth podi	7 days	Do not enter treated fields at least 1 Day after application
RAINBOW AGROSCIENCES PHILIPPINES INC.	LAMBDA-CHYALOTHRIN+THIAMETHOXAM	COLAM 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	539-395-4126	26-Sep-26	CONTACT/SYSTEMIC	Eggplant	Whiteflies, green leafhopper, aphids	100-200ml product/ha, 4-6 ml/16 L	0.2 Thiamethoxam; 0.2	7 days	Do not enter treated fields at least 1 Day after application
RAINBOW AGROSCIENCES PHILIPPINES INC.	LAMBDA-CHYALOTHRIN+THIAMETHOXAM	COLAM 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	539-395-4126	26-Sep-26	CONTACT/SYSTEMIC	Bittergourd	Leafhoppers, thrips, aphids, fruitfly, cutworm	100-200ml product/ha, 4-13 ml/16L	0.2 Thiamethoxam; 0.2	7 days	Do not enter treated fields at least 1 Day after application
RAINBOW AGROSCIENCES PHILIPPINES INC.	LAMBDA-CHYALOTHRIN+THIAMETHOXAM	COLAM 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	539-395-4126	26-Sep-26	CONTACT/SYSTEMIC	Mango	Leafhoppers, tiphoppers, capid bug, fruitfly, cord fly	12-24ml/200L	0.1 Thiamethoxam; 0.2	3 days	Do not enter treated fields at least 1 Day after application
RAINBOW AGROSCIENCES PHILIPPINES INC.	LAMBDA-CHYALOTHRIN+THIAMETHOXAM	COLAM 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	539-395-4126	26-Sep-26	CONTACT/SYSTEMIC	Corn	Asiatic corn borer, cutworm, leafhopper, aphids, earworm	200-400ml product/ha, 10.0-16.0 ml product/16L	0.05ppm Thiamethoxam	3 days	Do not enter treated fields at least 1 Day after application
RAINBOW AGROSCIENCES PHILIPPINES INC.	LAMBDA-CHYALOTHRIN+THIAMETHOXAM	COLAM 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	539-395-4126	26-Sep-26	CONTACT/SYSTEMIC	Banana	Flower thrips	3-3 ml/L	1.0ppm Thiamethoxam	90 days	Do not enter treated fields at least 1 Day after application
RAINBOW AGROSCIENCES PHILIPPINES INC.	LAMBDA-CHYALOTHRIN+THIAMETHOXAM	COLAM 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	539-395-4126	26-Sep-26	CONTACT/SYSTEMIC	Rice	Stem borer, leafhopper, rice bugs	30-30 Tbsp prod/16L	0.5ppm Thiamethoxam	14 days	Do not enter treated fields at least 1 Day after application
MIGHTY AGRICULTURAL TRADING CORPORATION	CHLORDANTHRANILIPROLE	COAGENT 5 SC	50 g/L	SC	INSECTICIDE	4	733-393-6175	1-Jun-24	-	Pineapple	White grubs, scale insect, mealy bug, mites, aphids	1.5-5.0 L prod/ha	-	7 days	After spray deposits have dried
MIGHTY AGRICULTURAL TRADING CORPORATION	CHLORDANTHRANILIPROLE	COAGENT 5 SC	50 g/L	SC	INSECTICIDE	4	733-393-6175	1-Jun-24	-	Sugarcane	Sugarcane borer	1.5-2.0 L prod/ ha 600-800 L/ha	-	340-300	After spray deposits have dried
MIGHTY AGRICULTURAL TRADING CORPORATION	CHLORDANTHRANILIPROLE	COAGENT 5 SC	50 g/L	SC	INSECTICIDE	4	733-393-6175	1-Jun-24	-	Bittergourd	Leafhopper, cutworm	20 ml prod/ha 600 L/ha	-	3	After spray deposits have dried
MIGHTY AGRICULTURAL TRADING CORPORATION	CHLORDANTHRANILIPROLE	COAGENT 5 SC	50 g/L	SC	INSECTICIDE	4	733-393-6175	1-Jun-24	-	Cabbage	Diamondback moth, cutworm, cabbage worm	10-15 ml prod/ 16L 600 L/ha	-	1	After spray deposits have dried
MIGHTY AGRICULTURAL TRADING CORPORATION	CHLORDANTHRANILIPROLE	COAGENT 5 SC	50 g/L	SC	INSECTICIDE	4	733-393-6175	1-Jun-24	-	Eggplant	Shoot borer, fruit borer, cutworm	10-15 ml prod/ 16L 600 L/ha	-	1	After spray deposits have dried
MIGHTY AGRICULTURAL TRADING CORPORATION	CHLORDANTHRANILIPROLE	COAGENT 5 SC	50 g/L	SC	INSECTICIDE	4	733-393-6175	1-Jun-24	-	Stringbeans	Pod borer, leafhopper	10-15 ml prod/ 16L 600 L/ha	-	-	After spray deposits have dried
MIGHTY AGRICULTURAL TRADING CORPORATION	CHLORDANTHRANILIPROLE	COAGENT 5 SC	50 g/L	SC	INSECTICIDE	4	733-393-6175	1-Jun-24	-	Rice	Stem borer; leafhopper	20-25 ml prod/ 16L 800 L/ha	-	-	After spray deposits have dried
MIGHTY AGRICULTURAL TRADING CORPORATION	CHLORDANTHRANILIPROLE	COAGENT 5 SC	50 g/L	SC	INSECTICIDE	4	733-393-6175	1-Jun-24	-	Tomato	Cutworm, fruitworm	17-40 ml prod/ 16L 320 L/ha	-	3	After spray deposits have dried
MIGHTY AGRICULTURAL TRADING CORPORATION	CHLORDANTHRANILIPROLE	COAGENT 5 SC	50 g/L	SC	INSECTICIDE	4	733-393-6175	1-Jun-24	-	Tobacco	Cutworm, budworm	25-30 ml prod/ 16L 240 L/ha	-	7	After spray deposits have dried
MIGHTY AGRICULTURAL TRADING CORPORATION	CHLORDANTHRANILIPROLE	COAGENT 5 SC	50 g/L	SC	INSECTICIDE	4	733-393-6175	1-Jun-24	-	Corn	Corn borer, earworm	20-30 ml prod/ 16L 240 L/ha	-	7	After spray deposits have dried
MIGHTY AGRICULTURAL TRADING CORPORATION	CHLORDANTHRANILIPROLE	COAGENT 20 SC	200 g/L	SC	INSECTICIDE	4	733-393-6176	1-Jun-24	-	Pineapple	White grubs, scale insect, mealy bug, mites, aphids	0.4-1.0 L prod/ ha 1,800-3,800 L/ha	-	150	-
LINK AGRITECH SOLUTIONS PHILIPPINES INC.	CHLOROTHALONIL	COCONA 720 SC	720 g/L	SC	FUNGICIDE	4	615-118-4687	05-Mar-22	-	Potato	Early blight, late blight, vine rot	1.0-1.8 L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
LINK AGRITECH SOLUTIONS PHILIPPINES INC.	CHLOROTHALONIL	COCONA 720 SC	720 g/L	SC	FUNGICIDE	4	615-118-4687	05-Mar-22	-	Tomato	Early blight, late blight, vine rot	1.25-1.9 L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
LINK AGRITECH SOLUTIONS PHILIPPINES INC.	CHLOROTHALONIL	COCONA 720 SC	720 g/L	SC	FUNGICIDE	4	615-118-4687	05-Mar-22	-	Beans	Rust, anthracnose	1.25-1.9 L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
LINK AGRITECH SOLUTIONS PHILIPPINES INC.	CHLOROTHALONIL	COCONA 720 SC	720 g/L	SC	FUNGICIDE	4	615-118-4687	05-Mar-22	-	Carrot	Alternaria leaf spot, cercospora leaf spot, helminthosporium leaf spot	1.25-1.9 L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
LINK AGRITECH SOLUTIONS PHILIPPINES INC.	CHLOROTHALONIL	COCONA 720 SC	720 g/L	SC	FUNGICIDE	4	615-118-4687	05-Mar-22	-	Cucifers	Powdery mildew	1.25-1.9 L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
LINK AGRITECH SOLUTIONS PHILIPPINES INC.	CHLOROTHALONIL	COCONA 720 SC	720 g/L	SC	FUNGICIDE	4	615-118-4687	05-Mar-22	-	Cucurbits	Powdery mildew, downy mildew, cercospora, anthracnose, septoria, fruit rot, early and late blight	1.25-1.9 L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
LINK AGRITECH SOLUTIONS PHILIPPINES INC.	CHLOROTHALONIL	COCONA 720 SC	720 g/L	SC	FUNGICIDE	4	615-118-4687	05-Mar-22	-	Celery	Early blight, late blight	1.25-1.9 L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
LINK AGRITECH SOLUTIONS PHILIPPINES INC.	CHLOROTHALONIL	COCONA 720 SC	720 g/L	SC	FUNGICIDE	4	615-118-4687	05-Mar-22	-	Eggplant	Early blight, late blight, cercospora, anthracnose	1.25-1.9 L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
LINK AGRITECH SOLUTIONS PHILIPPINES INC.	CHLOROTHALONIL	COCONA 720 SC	720 g/L	SC	FUNGICIDE	4	615-118-4687	05-Mar-22	-	Onion	Purple blotch, bulb rot, neck rot	1.25-1.9 L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
LINK AGRITECH SOLUTIONS PHILIPPINES INC.	CHLOROTHALONIL	COCONA 720 SC	720 g/L	SC	FUNGICIDE	4	615-118-4687	05-Mar-22	-	Pepper	Early & Late blight, Bulb rot, Neck rot	1.25-1.9 L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
LINK AGRITECH SOLUTIONS PHILIPPINES INC.	CHLOROTHALONIL	COCONA 720 SC	720 g/L	SC	FUNGICIDE	4	615-118-4687	05-Mar-22	-	Grapes	Downy mildew, powdery mildew, fruit rot	1.25-1.9 L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
LINK AGRITECH SOLUTIONS PHILIPPINES INC.	CHLOROTHALONIL	COCONA 720 SC	720 g/L	SC	FUNGICIDE	4	615-118-4687	05-Mar-22	-	Mango	Anthracnose, diplodia rot	0.75-5.00 L/ha	0.5 mg/kg	7-14 days	Do not enter treatment areas until spray deposit have dried
LINK AGRITECH SOLUTIONS PHILIPPINES INC.	CHLOROTHALONIL	COCONA 720 SC	720 g/L	SC	FUNGICIDE	4	615-118-4687	05-Mar-22	-	Ornamentals	Black spot, powdery mildew, black rot	1.25-1.9 L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
LINK AGRITECH SOLUTIONS PHILIPPINES INC.	CHLOROTHALONIL	COCONA 720 SC	720 g/L	SC	FUNGICIDE	4	615-118-4687	05-Mar-22	-	Asparagus	Stem and leaf blight	2.8 L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
LINK AGRITECH SOLUTIONS PHILIPPINES INC.	CHLOROTHALONIL	COCONA 720 SC	720 g/L	SC	FUNGICIDE	4	615-118-4687	05-Mar-22	-	Banana	Black sigatoka	1.0-2.0 L/ha	2.0 mg/kg	0 day	Do not enter treatment areas until spray deposit have dried
LINK AGRITECH SOLUTIONS PHILIPPINES INC.	CHLOROTHALONIL	COCONA 720 SC	720 g/L	SC	FUNGICIDE	4	615-118-4687	05-Mar-22	-	-	-	-	-	-	-
PLUTIOS NUTRITION SOLUTIONS COMPANY, INC.	POTASSIUM SALTS OF FATTY ACID	COCHIGARD	40 g/L	-	INSECTICIDE	4	639-476-4708	18-Mar-25	CONTACT	Cavendish banana as insecticidal soap	Mealy bugs and scale insects and aphids through stem and mat spray	30-40 mL/L H2O, 20-30 mL/L H2O	-	-	-
CAVILLA AGRI VENTURES, INC.	GLYPHOSATE IPA	COBRA 480 SL	480 g/L	SL	HERBICIDE	4	636-151-4095	06-Mar-22	POST-EMERGENT	Glyphosate tolerant corn	Cogon, Mutha, Paragrass, Talahib, Fern and other annual weeds	2.0-4.0 Liters/ha	-	-	-
CAVILLA AGRI VENTURES, INC.	GLYPHOSATE IPA	COBRA 480 SL	480 g/L	SL	HERBICIDE	4	636-151-4095	06-Mar-22	POST-EMERGENT	Mango	Cogon, Mutha, Paragrass, Talahib, Fern and other annual weeds	3.0-4.5 Liters/ha	-	-	-
CAVILLA AGRI VENTURES, INC.	GLYPHOSATE IPA	COBRA 480 SL	480 g/L	SL	HERBICIDE	4	636-151-4095	06-Mar-22	POST-EMERGENT	Banana	Cogon, Mutha, Paragrass, Talahib, Fern and other annual weeds	3.0-4.5 Liters/ha	-	-	-
CAVILLA AGRI VENTURES, INC.	GLYPHOSATE IPA	COBRA 480 SL	480 g/L	SL	HERBICIDE	4	636-151-4095	06-Mar-22	POST-EMERGENT	Coffee	Cogon, Mutha, Paragrass, Talahib, Fern and other annual weeds	3.0-4.5 Liters/ha	-	-	-
CAVILLA AGRI VENTURES, INC.	GLYPHOSATE IPA	COBRA 480 SL	480 g/L	SL	HERBICIDE	4	636-151-4095	06-Mar-22	POST-EMERGENT	Cacao	Cogon, Mutha, Paragrass, Talahib, Fern and other annual weeds	3.0-4.5 Liters/ha	-	-	-
CAVILLA AGRI VENTURES, INC.	GLYPHOSATE IPA	COBRA 480 SL	480 g/L	SL	HERBICIDE	4	636-151-4095	06-Mar-22	POST-EMERGENT	Rubber	Cogon, Mutha, Paragrass, Talahib, Fern and other annual weeds	2.0 Liters/ha	-	-	-
CAVILLA AGRI VENTURES, INC.	GLYPHOSATE IPA	COBRA 480 SL	480 g/L	SL	HERBICIDE	4	636-151-4095	06-Mar-22	POST-EMERGENT	Oil palm	Cogon, Mutha, Paragrass, Talahib, Fern and other annual weeds	2.0 Liters/ha	-	-	-
CAVILLA AGRI VENTURES, INC.	GLYPHOSATE IPA	COBRA 480 SL	480 g/L	SL	HERBICIDE	4	636-151-4095	06-Mar-22	POST-EMERGENT	Citrus	Cogon, Mutha, Paragrass, Talahib, Fern and other annual weeds	2.0 Liters/ha	-	-	-
CAVILLA AGRI VENTURES, INC.	GLYPHOSATE IPA	COBRA 480 SL	480 g/L	SL	HERBICIDE	4	636-151-4095	06-Mar-22	POST-EMERGENT	Coconut	Cogon, Mutha, Paragrass, Talahib, Fern and other annual weeds	4.5 Liters/ha	-	-	-
CAVILLA AGRI VENTURES, INC.	GLYPHOSATE IPA	COBRA 480 SL	480 g/L	SL	HERBICIDE	4	636-151-4095	06-Mar-22	POST-EMERGENT	Sugarcane	Cogon, Mutha, Paragrass, Talahib, Fern and other annual weeds	2.0 Liters/ha	-	-	-

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
CAVILLA AGR VENTURES, INC.	GLYPHOSATE IPA	COBRA 480 SL	480 g/L	SL	HERBICIDE	4	636-151-4695	06-Mar-22	POST-EMERGENT	Vegetables	Cogon, Mutha, Paragrass, Talahib, Fern and other annual weeds	2.0 liter/ha	-	-	-
CAVILLA AGR VENTURES, INC.	GLYPHOSATE IPA	COBRA 480 SL	480 g/L	SL	HERBICIDE	4	636-151-4695	06-Mar-22	POST-EMERGENT	Non-crop	Cogon, Mutha, Paragrass, Talahib, Fern and other annual weeds	-	-	-	-
AGSMART CORPORATION	CLOTHIANIDIN	CLOTHIANIL 200 SC	200 g/L	SC	INSECTICIDE	4	080-379-6467	19-Feb-27	-	Rice	Rice black bug	0.08-0.1 kg/ha; 40-50 ml prod/ 16L water; 400-500 ml. prod. / ha	-	-	-
AGCHEM MANUFACTURING CORPORATION	CLOTHIANIDIN	CLOTHACHEM 20 SC	200 g/L	SC	INSECTICIDE	4	001-379-5728	31-May-25	-	Rice	Rice black bug	4-5 Tbsp/ 16L	-	-	-
UNITED AGRO TRADE CORPORATION	CHLOROTHALONIL	CLOTHANIL 720 SC	720 g/L	SC	FUNGICIDE	4	264-118-2041	03-Sep-24	-	Potato	Early blight, late blight, vine rot	1.00-1.80 L/ha or 4.5-5.5 tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
UNITED AGRO TRADE CORPORATION	CHLOROTHALONIL	CLOTHANIL 720 SC	720 g/L	SC	FUNGICIDE	4	264-118-2041	03-Sep-24	-	Tomato	Early blight, late blight, vine rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
UNITED AGRO TRADE CORPORATION	CHLOROTHALONIL	CLOTHANIL 720 SC	720 g/L	SC	FUNGICIDE	4	264-118-2041	03-Sep-24	-	Beans	Rust, anthracnose	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
UNITED AGRO TRADE CORPORATION	CHLOROTHALONIL	CLOTHANIL 720 SC	720 g/L	SC	FUNGICIDE	4	264-118-2041	03-Sep-24	-	Carrot	Alternaria leaf spot, cercospora leaf spot, helminthosporium leaf spot	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
UNITED AGRO TRADE CORPORATION	CHLOROTHALONIL	CLOTHANIL 720 SC	720 g/L	SC	FUNGICIDE	4	264-118-2041	03-Sep-24	-	Crucifers	Powdery mildew	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
UNITED AGRO TRADE CORPORATION	CHLOROTHALONIL	CLOTHANIL 720 SC	720 g/L	SC	FUNGICIDE	4	264-118-2041	03-Sep-24	-	Melon	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
UNITED AGRO TRADE CORPORATION	CHLOROTHALONIL	CLOTHANIL 720 SC	720 g/L	SC	FUNGICIDE	4	264-118-2041	03-Sep-24	-	Cucumber	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
UNITED AGRO TRADE CORPORATION	CHLOROTHALONIL	CLOTHANIL 720 SC	720 g/L	SC	FUNGICIDE	4	264-118-2041	03-Sep-24	-	Squash	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
UNITED AGRO TRADE CORPORATION	CHLOROTHALONIL	CLOTHANIL 720 SC	720 g/L	SC	FUNGICIDE	4	264-118-2041	03-Sep-24	-	Watermelon	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
UNITED AGRO TRADE CORPORATION	CHLOROTHALONIL	CLOTHANIL 720 SC	720 g/L	SC	FUNGICIDE	4	264-118-2041	03-Sep-24	-	Celery	Early blight, late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
UNITED AGRO TRADE CORPORATION	CHLOROTHALONIL	CLOTHANIL 720 SC	720 g/L	SC	FUNGICIDE	4	264-118-2041	03-Sep-24	-	Ligplant	Early blight, late blight, cercospora leafspot, anthracnose	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
UNITED AGRO TRADE CORPORATION	CHLOROTHALONIL	CLOTHANIL 720 SC	720 g/L	SC	FUNGICIDE	4	264-118-2041	03-Sep-24	-	Onion	Purple blotch, bulb rot, neck rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
UNITED AGRO TRADE CORPORATION	CHLOROTHALONIL	CLOTHANIL 720 SC	720 g/L	SC	FUNGICIDE	4	264-118-2041	03-Sep-24	-	Pepper	Early blight, cercospora leaf spot, anthracnose	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
UNITED AGRO TRADE CORPORATION	CHLOROTHALONIL	CLOTHANIL 720 SC	720 g/L	SC	FUNGICIDE	4	264-118-2041	03-Sep-24	-	Grapes	Downy mildew, powdery mildew, fruit rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
UNITED AGRO TRADE CORPORATION	CHLOROTHALONIL	CLOTHANIL 720 SC	720 g/L	SC	FUNGICIDE	4	264-118-2041	03-Sep-24	-	Mango	Anthracoese, d'plodia rot	0.75-5.60 L/ha or 4.5-6.0 tbsp/36 L	0.5 mg/kg	7-14 days	Do not enter treatment areas until spray deposit have dried
UNITED AGRO TRADE CORPORATION	CHLOROTHALONIL	CLOTHANIL 720 SC	720 g/L	SC	FUNGICIDE	4	264-118-2041	03-Sep-24	-	Ornamentals	Black spot, powdery mildew, black rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
UNITED AGRO TRADE CORPORATION	CHLOROTHALONIL	CLOTHANIL 720 SC	720 g/L	SC	FUNGICIDE	4	264-118-2041	03-Sep-24	-	Asparagus	Stem and leaf blight	1.80 L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
UNITED AGRO TRADE CORPORATION	CHLOROTHALONIL	CLOTHANIL 720 SC	720 g/L	SC	FUNGICIDE	4	264-118-2041	03-Sep-24	-	Banana	Black sigatoka	1.38 L/ha	2.0 mg/kg	0 day	Do not enter treatment areas until spray deposit have dried
CORTEVA ASIA PACIFIC INC. PHILIPPINE BRANCH	SULFOXAFLOP	CLOSER 500 WG	500 g/kg	WG	INSECTICIDE	4	737-528-5032	23-Aug-26	-	Rice	Green leafhopper	10-25-1500 grams product per hectare at spray volume of 150 liters per hectare	6 mg/kg	21 days	-
AGCHEM MANUFACTURING CORPORATION	PROPICONAZOLE	CUPPER 25 EC	250 g/L	EC	FUNGICIDE	4	001-178-4384	18-Jan-27	SYSTEMIC	Banana	Black sigatoka	400ml/ha	-	-	-
AGCHEM MANUFACTURING CORPORATION	PROPICONAZOLE	CUPPER 25 EC	250 g/L	EC	FUNGICIDE	4	001-178-4384	04-Jan-22	SYSTEMIC	Pineapple	Butt rot	8 ml / 500L	-	-	-
DU PONT F&R EAST, INC.	CYHALOPOF-BUTYL	CLUNCHER 100 EC	100 g/L	EC	HERBICIDE	4	014-257-4292	19-Mar-24	SYSTEMIC	Rice (Direct-seeded)	Grasses	12 tankload/ha	-	-	-
DOW AGRO SCIENCES B.V.	CYHALOPOF-BUTYL	CLUNCHER 100 EC	100 g/L	EC	HERBICIDE	4	013-257-0601	13-Dec-21	SYSTEMIC	Rice (Direct-Seeded)	Grasses	7-9 tbsp./tank load; 12 of tank load/ha (15L capacity)	-	-	-
EZERECH CORPORATION	PYRIMETHANIL	CLUMAX 600 SC	600 g/L	SC	FUNGICIDE	4	648-345-5113	26-Nov-22	SYSTEMIC	Cavendish Banana	Black sigatoka	900-750L prod./ ha	-	-	Harvest can be done 8 days after application.
PLANTCARE TRADING CORPORATION	CYHALOPOF-BUTYL	CLIFF 10 EC	100 g/L	EC	HERBICIDE	4	495-257-4846	15-Apr-25	SYSTEMIC	Rice (Direct-Seeded)	Grasses	7-9 tbsp./tank load; 12 of tank load/ha	-	-	Do not enter treated area until sprayed plants dry up.
RAINBOW AGROSCIENCES PHILIPPINES INC.	CHLORANTHANILIPROLE	CLEVEROLE 50 SC	50 g/L	SC	INSECTICIDE	4	539-393-6238	2-Aug-26	-	Bittergourd	Cutworm leafhopper	30 ml prod/ha 500 L/ha	0.60 ppm	3 Days	12 hours after spraying
RAINBOW AGROSCIENCES PHILIPPINES INC.	CHLORANTHANILIPROLE	CLEVEROLE 50 SC	50 g/L	SC	INSECTICIDE	4	539-393-6238	2-Aug-26	-	Cabbage	Cabbage worm, cutworm, diamondback moth	30-15 ml prod. / 16L water 600 L/ha	4 ppm	1 day	12 hours after spraying
RAINBOW AGROSCIENCES PHILIPPINES INC.	CHLORANTHANILIPROLE	CLEVEROLE 50 SC	50 g/L	SC	INSECTICIDE	4	539-393-6238	2-Aug-26	-	Corn	Corn borer, corn earworm, fall armyworm	25-30 ml prod. / 16L water; 30 ml prod. / 16L water 800 L/ha	0.03 ppm	7 days	12 hours after spraying
RAINBOW AGROSCIENCES PHILIPPINES INC.	CHLORANTHANILIPROLE	CLEVEROLE 50 SC	50 g/L	SC	INSECTICIDE	4	539-393-6238	2-Aug-26	-	Ligplant	Fruit and shoot borer cutworm	10-15 ml prod. / 16L water 800 L/ha	0.3 ppm	1 day	12 hours after spraying
RAINBOW AGROSCIENCES PHILIPPINES INC.	CHLORANTHANILIPROLE	CLEVEROLE 50 SC	50 g/L	SC	INSECTICIDE	4	539-393-6238	2-Aug-26	-	Rice	Stem borer, leafroller	20-25 ml prod. / 16L water 800 L/ha	2 ppm	-	12 hours after spraying
RAINBOW AGROSCIENCES PHILIPPINES INC.	CHLORANTHANILIPROLE	CLEVEROLE 50 SC	50 g/L	SC	INSECTICIDE	4	539-393-6238	2-Aug-26	-	Stringbeans	Cutworm, pod borer	10-15 ml prod. / 16L water 600 L/ha	0.2 ppm	-	12 hours after spraying
RAINBOW AGROSCIENCES PHILIPPINES INC.	CHLORANTHANILIPROLE	CLEVEROLE 50 SC	50 g/L	SC	INSECTICIDE	4	539-393-6238	2-Aug-26	-	Sugarcane	Sugarcane borer	800 L/ha (1.5-2.0 g prod/ ha)	-	255 days	12 hours after spraying
RAINBOW AGROSCIENCES PHILIPPINES INC.	CHLORANTHANILIPROLE	CLEVEROLE 50 SC	50 g/L	SC	INSECTICIDE	4	539-393-6238	2-Aug-26	-	Tobacco	Rudworm, cutworm	25-30 ml prod. / 16L water 240 L/ha	3 ppm	7 days	12 hours after spraying
RAINBOW AGROSCIENCES PHILIPPINES INC.	CHLORANTHANILIPROLE	CLEVEROLE 50 SC	50 g/L	SC	INSECTICIDE	4	539-393-6238	2-Aug-26	-	Tomato	Cutworm, fruitworm	27-40 ml prod. / 16L water 600 L/ha	0.60 ppm	3 Days	12 hours after spraying
LIHEMPHIL INTERNATIONAL INC.	INDOXACARB	CLEVER 15 EC	150g/L	EC	INSECTICIDE	2	590-353-5718	01/18/25	-	Cabbage	Diamond-back moth	8-13ml/16L water	-	1 Day	Twelve hours after spraying
LIHEMPHIL INTERNATIONAL INC.	INDOXACARB	CLEVER 15 EC	150g/L	EC	INSECTICIDE	2	590-353-5718	02/18/25	-	Bittergourd Ampalaya*	Leafroller, cutworm	8-10ml/16L water	-	1 Day	Twelve hours after spraying
LIHEMPHIL INTERNATIONAL INC.	INDOXACARB	CLEVER 15 EC	150g/L	EC	INSECTICIDE	2	590-353-5718	01/18/25	-	Eggplant	Shootbore/fruitborer	8-10ml/16L water	-	1 Day	Twelve hours after spraying
LIHEMPHIL INTERNATIONAL INC.	INDOXACARB	CLEVER 15 EC	150g/L	EC	INSECTICIDE	2	590-353-5718	01/18/25	-	Stringbeans	Podborer	8-10ml/16L water	-	1 Day	Twelve hours after spraying
EZERECH CORPORATION	CLETO-D 24 EC	240 g/L	240 g/L	EC	HERBICIDE	4	648-334-5039	18-Feb-26	SYSTEMIC	Onion	Grasses for the control of E.colona, Eleusine indica, D. aegyptium & D. citrifolia	50 ml / ha	-	-	Do not spray 14 days before harvest
AGSMART CORPORATION	CLETHODIUM	CLETHODIONE 240 EC	240 g/L	EC	HERBICIDE	4	680-334-4469	30-Feb-27	-	Onion	E.colona, Eleusine indica, D. aegyptium & D. citrifolia	500 ml. prod. / ha	-	-	Do not spray 14 days before harvest
S&P ENTERPRISES, INC.	CLETHODIUM	CLETHOMAX 240 EC	240 g/L	EC	HERBICIDE	4	566-334-5892	6-Jun-25	-	Onion	Grasses (E.colona, Eleusine indica, D.aegyptium and D.ciliaris)	-	-	-	Entry to crops and fields sprayed with CLETHODIONE 240 EC may be done 1 day after spraying.
C.B. ANDREW ASIA, INC.	FLUAZIFOP-P-BUTYL	CLEARZERO 15 EC	150 g/L	EC	HERBICIDE	4	460-212-4310	28-Mar-24	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Banana	Grasses; itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16L sprayload	-	-	-
C.B. ANDREW ASIA, INC.	FLUAZIFOP-P-BUTYL	CLEARZERO 15 EC	150 g/L	EC	HERBICIDE	4	460-212-4310	28-Mar-24	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Cacao	Grasses; itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-
C.B. ANDREW ASIA, INC.	FLUAZIFOP-P-BUTYL	CLEARZERO 15 EC	150 g/L	EC	HERBICIDE	4	460-212-4310	28-Mar-24	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Citrus	Grasses; itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-
C.B. ANDREW ASIA, INC.	FLUAZIFOP-P-BUTYL	CLEARZERO 15 EC	150 g/L	EC	HERBICIDE	4	460-212-4310	28-Mar-24	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Cotton	Grasses; itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-
C.B. ANDREW ASIA, INC.	FLUAZIFOP-P-BUTYL	CLEARZERO 15 EC	150 g/L	EC	HERBICIDE	4	460-212-4310	28-Mar-24	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Coffee	Grasses; itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-
C.B. ANDREW ASIA, INC.	FLUAZIFOP-P-BUTYL	CLEARZERO 15 EC	150 g/L	EC	HERBICIDE	4	460-212-4310	28-Mar-24	SELECTIVE/SYSTEMIC (POST-EMERGENT)	oil palm	Grasses; itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfoot grass	30-100ml/16 L sprayload	-	-	-
C.B. ANDREW ASIA, INC.	FLUAZIFOP-P-BUTYL	CLEARZERO 15 EC	150 g/L	EC	HERBICIDE	4	460-212-4310	28-Mar-24	SELECTIVE/SYSTEMIC (POST-EMERGENT)	banie	Grasses; itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-
C.B. ANDREW ASIA, INC.	FLUAZIFOP-P-BUTYL	CLEARZERO 15 EC	150 g/L	EC	HERBICIDE	4	460-212-4310	28-Mar-24	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Rubber	Grasses; itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfoot grass	30-100ml/16 L sprayload	-	-	-
C.B. ANDREW ASIA, INC.	FLUAZIFOP-P-BUTYL	CLEARZERO 15 EC	150 g/L	EC	HERBICIDE	4	460-212-4310	28-Mar-24	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Onion	Grasses; itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-
C.B. ANDREW ASIA, INC.	FLUAZIFOP-P-BUTYL	CLEARZERO 15 EC	150 g/L	EC	HERBICIDE	4	460-212-4310	28-Mar-24	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Pineapple	Grasses; itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfoot grass	30-100ml/16 L sprayload	-	-	-

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
C.B. ANDREW ASIA, INC.	FLUAZIFOP-P-BUTYL	CLEARZERO 15 EC	150 g/L	EC	HERBICIDE	4	460-212-4310	28-Mar-24	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Soybeans	Grasses; Ichgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfoot grass	80-10ml/16 L sprayload	-	-	-
C.B. ANDREW ASIA, INC.	FLUAZIFOP-P-BUTYL	CLEARZERO 15 EC	150 g/L	EC	HERBICIDE	4	460-212-4310	28-Mar-24	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Tomato	Grasses; Ichgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-
GOLDENMAN MARKETING CORPORATION	GLYPHOSATE IPA	CLEAR-UP 480 SL	480g/L	SL	HERBICIDE	4	400-151-4002	15-Dec-23	NON-SELECTIVE(POST-EMERGENT)	Glyphosate tolerant corn	Annual & Perennial grasses,broadleaf weeds & sedges	2.0-4.0 Liters/ha	-	-	-
GOLDENMAN MARKETING CORPORATION	GLYPHOSATE IPA	CLEAR-UP 480 SL	480g/L	SL	HERBICIDE	4	400-151-4002	15-Dec-23	NON-SELECTIVE(POST-EMERGENT)	Mango	Annual & Perennial grasses,broadleaf weeds & sedges	2.0-4.5 Liters/ha	-	-	-
GOLDENMAN MARKETING CORPORATION	GLYPHOSATE IPA	CLEAR-UP 480 SL	480g/L	SL	HERBICIDE	4	400-151-4002	15-Dec-23	NON-SELECTIVE(POST-EMERGENT)	Cacao	Annual & Perennial grasses,broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
GOLDENMAN MARKETING CORPORATION	GLYPHOSATE IPA	CLEAR-UP 480 SL	480g/L	SL	HERBICIDE	4	400-151-4002	15-Dec-23	NON-SELECTIVE(POST-EMERGENT)	Banana	Annual & Perennial grasses,broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
GOLDENMAN MARKETING CORPORATION	GLYPHOSATE IPA	CLEAR-UP 480 SL	480g/L	SL	HERBICIDE	4	400-151-4002	15-Dec-23	NON-SELECTIVE(POST-EMERGENT)	Coffee	Annual & Perennial grasses,broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
GOLDENMAN MARKETING CORPORATION	GLYPHOSATE IPA	CLEAR-UP 480 SL	480g/L	SL	HERBICIDE	4	400-151-4002	15-Dec-23	NON-SELECTIVE(POST-EMERGENT)	Rubber	Annual & Perennial grasses,broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
GOLDENMAN MARKETING CORPORATION	GLYPHOSATE IPA	CLEAR-UP 480 SL	480g/L	SL	HERBICIDE	4	400-151-4002	15-Dec-23	NON-SELECTIVE(POST-EMERGENT)	Oil palm	Annual & Perennial grasses,broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
GOLDENMAN MARKETING CORPORATION	GLYPHOSATE IPA	CLEAR-UP 480 SL	480g/L	SL	HERBICIDE	4	400-151-4002	15-Dec-23	NON-SELECTIVE(POST-EMERGENT)	Citrus	Annual & Perennial grasses,broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
GOLDENMAN MARKETING CORPORATION	GLYPHOSATE IPA	CLEAR-UP 480 SL	480g/L	SL	HERBICIDE	4	400-151-4002	15-Dec-23	NON-SELECTIVE(POST-EMERGENT)	Coconut	Annual & Perennial grasses,broadleaf weeds & sedges	4.5 Liters/ha	-	-	-
GOLDENMAN MARKETING CORPORATION	GLYPHOSATE IPA	CLEAR-UP 480 SL	480g/L	SL	HERBICIDE	4	400-151-4002	15-Dec-23	NON-SELECTIVE(POST-EMERGENT)	Sugarcane	Annual & Perennial grasses,broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
GOLDENMAN MARKETING CORPORATION	GLYPHOSATE IPA	CLEAR-UP 480 SL	480g/L	SL	HERBICIDE	4	400-151-4002	15-Dec-23	NON-SELECTIVE(POST-EMERGENT)	Vegetables under minimum or reduced tillage system	Annual & Perennial grasses,broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
GOLDENMAN MARKETING CORPORATION	GLYPHOSATE IPA	CLEAR-UP 480 SL	480g/L	SL	HERBICIDE	4	400-151-4002	15-Dec-23	NON-SELECTIVE(POST-EMERGENT)	Non-crop areas	Annual & Perennial grasses,broadleaf weeds & sedges	-	-	-	-
C.B. ANDREW ASIA, INC.	GLYPHOSATE IPA	CLEAROUT 41 PLUS	480 g/L	SL	HERBICIDE	4	460-151-2496	07-Feb-24	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/ha	-	-	-
C.B. ANDREW ASIA, INC.	GLYPHOSATE IPA	CLEAROUT 41 PLUS	480 g/L	SL	HERBICIDE	4	460-151-2496	07-Feb-24	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
C.B. ANDREW ASIA, INC.	GLYPHOSATE IPA	CLEAROUT 41 PLUS	480 g/L	SL	HERBICIDE	4	460-151-2496	07-Feb-24	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
C.B. ANDREW ASIA, INC.	GLYPHOSATE IPA	CLEAROUT 41 PLUS	480 g/L	SL	HERBICIDE	4	460-151-2496	07-Feb-24	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
C.B. ANDREW ASIA, INC.	GLYPHOSATE IPA	CLEAROUT 41 PLUS	480 g/L	SL	HERBICIDE	4	460-151-2496	07-Feb-24	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
C.B. ANDREW ASIA, INC.	GLYPHOSATE IPA	CLEAROUT 41 PLUS	480 g/L	SL	HERBICIDE	4	460-151-2496	07-Feb-24	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
C.B. ANDREW ASIA, INC.	GLYPHOSATE IPA	CLEAROUT 41 PLUS	480 g/L	SL	HERBICIDE	4	460-151-2496	07-Feb-24	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
C.B. ANDREW ASIA, INC.	GLYPHOSATE IPA	CLEAROUT 41 PLUS	480 g/L	SL	HERBICIDE	4	460-151-2496	07-Feb-24	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/ha	-	-	-
C.B. ANDREW ASIA, INC.	GLYPHOSATE IPA	CLEAROUT 41 PLUS	480 g/L	SL	HERBICIDE	4	460-151-2496	07-Feb-24	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
C.B. ANDREW ASIA, INC.	GLYPHOSATE IPA	CLEAROUT 41 PLUS	480 g/L	SL	HERBICIDE	4	460-151-2496	07-Feb-24	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
C.B. ANDREW ASIA, INC.	GLYPHOSATE IPA	CLEAROUT 41 PLUS	480 g/L	SL	HERBICIDE	4	460-151-2496	07-Feb-24	POST-EMERGENT	non-crop	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
C.B. ANDREW ASIA, INC.	ATRAZINE-TOPramezone	CLEARMORE 31 SC	300 g/L+10 g/L	SC	HERBICIDE	4	451-626-6227	18-Aug-24	SYSTEMIC (POST-EMERGENT)	Corn	Grasses sedges, broadleaves	2L prod / hectare; 150 L/ha	-	30 days	As soon as the spray droplets have dried on the foliage
C.B. ANDREW ASIA, INC.	GLYPHOSATE IPA	CLEARMAX 640 PLUS	640 g/L	SC	HERBICIDE	4	460-151-2967	24-Feb-24	POST-EMERGENT	Glyphosate tolerant corn	Annual & Perennial grasses, broadleaf weeds & sedges	-	-	-	-
C.B. ANDREW ASIA, INC.	GLYPHOSATE IPA	CLEARMAX 640 PLUS	640 g/L	SC	HERBICIDE	4	460-151-2967	24-Feb-24	POST-EMERGENT	Mango	Annual & Perennial grasses, broadleaf weeds & sedges	-	-	-	-
C.B. ANDREW ASIA, INC.	GLYPHOSATE IPA	CLEARMAX 640 PLUS	640 g/L	SC	HERBICIDE	4	460-151-2967	24-Feb-24	POST-EMERGENT	Banana	Annual & Perennial grasses, broadleaf weeds & sedges	-	-	-	-
C.B. ANDREW ASIA, INC.	GLYPHOSATE IPA	CLEARMAX 640 PLUS	640 g/L	SC	HERBICIDE	4	460-151-2967	24-Feb-24	POST-EMERGENT	Coffee	Annual & Perennial grasses, broadleaf weeds & sedges	-	-	-	-
C.B. ANDREW ASIA, INC.	GLYPHOSATE IPA	CLEARMAX 640 PLUS	640 g/L	SC	HERBICIDE	4	460-151-2967	24-Feb-24	POST-EMERGENT	Rubber	Annual & Perennial grasses, broadleaf weeds & sedges	-	-	-	-
C.B. ANDREW ASIA, INC.	GLYPHOSATE IPA	CLEARMAX 640 PLUS	640 g/L	SC	HERBICIDE	4	460-151-2967	24-Feb-24	POST-EMERGENT	Oil Palm	Annual & Perennial grasses, broadleaf weeds & sedges	-	-	-	-
C.B. ANDREW ASIA, INC.	GLYPHOSATE IPA	CLEARMAX 640 PLUS	640 g/L	SC	HERBICIDE	4	460-151-2967	24-Feb-24	POST-EMERGENT	Citrus	Annual & Perennial grasses, broadleaf weeds & sedges	-	-	-	-
C.B. ANDREW ASIA, INC.	GLYPHOSATE IPA	CLEARMAX 640 PLUS	640 g/L	SC	HERBICIDE	4	460-151-2967	24-Feb-24	POST-EMERGENT	Coconut	Annual & Perennial grasses, broadleaf weeds & sedges	-	-	-	-
C.B. ANDREW ASIA, INC.	GLYPHOSATE IPA	CLEARMAX 640 PLUS	640 g/L	SC	HERBICIDE	4	460-151-2967	24-Feb-24	POST-EMERGENT	Sugarcane	Annual & Perennial grasses, broadleaf weeds & sedges	-	-	-	-
C.B. ANDREW ASIA, INC.	GLYPHOSATE IPA	CLEARMAX 640 PLUS	640 g/L	SC	HERBICIDE	4	460-151-2967	24-Feb-24	POST-EMERGENT	Vegetables	Annual & Perennial grasses, broadleaf weeds & sedges	-	-	-	-
C.B. ANDREW ASIA, INC.	GLYPHOSATE IPA	CLEARMAX 640 PLUS	640 g/L	SC	HERBICIDE	4	460-151-2967	24-Feb-24	POST-EMERGENT	Onion	Annual & Perennial grasses, broadleaf weeds & sedges	-	-	-	-
C.B. ANDREW ASIA, INC.	GLYPHOSATE IPA	CLEARMAX 640 PLUS	640 g/L	SC	HERBICIDE	4	460-151-2967	24-Feb-21	POST-EMERGENT	Non-crop land	Annual & Perennial grasses, broadleaf weeds & sedges	-	-	-	-
TRANS WORLD TRADING CO., INC.	CHLORPYRIFOS	CLEARFOS 400 EC	400 g/L	EC	INSECTICIDE	2	038-101-3803	09-Jun-24	-	Banana	Thrips,scarring beetle & aphids	20-30 ml per 16L water	-	-	-
TRANS WORLD TRADING CO., INC.	CHLORPYRIFOS	CLEARFOS 400 EC	400 g/L	EC	INSECTICIDE	2	038-101-3803	09-Jun-24	-	Sugarcane	whitegrubs	80-100 ml per 16L water	-	-	-
TRANS WORLD TRADING CO., INC.	CHLORPYRIFOS	CLEARFOS 400 EC	400 g/L	EC	INSECTICIDE	2	038-101-3803	09-Jun-24	-	Pineapple	Ants & Mealybugs	1-4 L per hectare	-	-	-
TRANS WORLD TRADING CO., INC.	CHLORPYRIFOS	CLEARFOS 300 EC	300 g/L	EC	INSECTICIDE	2	038-101-2504	23-Nov-24	-	Rice	Stemborer, armyworm, leafhopper, caseworm, planthopper, cutworm	2.5-3.5 tbbp/16L water	-	-	-
TRANS WORLD TRADING CO., INC.	CHLORPYRIFOS	CLEARFOS 300 EC	300 g/L	EC	INSECTICIDE	2	038-101-2504	23-Nov-24	-	Potato	Tubermoth, leafhopper, cutworm, aphids	2.5-3.5 tbbp/16L water	-	-	-
TRANS WORLD TRADING CO., INC.	CHLORPYRIFOS	CLEARFOS 300 EC	300 g/L	EC	INSECTICIDE	2	038-101-2504	23-Nov-24	-	Corn	Armyworm, cornborer, earworm, seedling maggots	2.5-3.5 tbbp/16L water	-	-	-
TRANS WORLD TRADING CO., INC.	CHLORPYRIFOS	CLEARFOS 300 EC	300 g/L	EC	INSECTICIDE	2	038-101-2504	23-Nov-24	-	Beans	Beanfly, leafroller, podborer, cutworm, armyworm	2.5-3.5 tbbp/16L water	-	-	-
C.B. ANDREW ASIA, INC.	DIURON	CLEAROLI 80 WP	800 g/kg	WP	HERBICIDE	4	460-021-4775	03-May-22	SYSTEMIC	Citrus	Grasses, annual & perennial broadleaves	10.0-15.0tbsp/16 L water	-	-	A day after application
C.B. ANDREW ASIA, INC.	DIURON	CLEAROLI 80 WP	800 g/kg	WP	HERBICIDE	4	460-021-4775	03-May-22	SYSTEMIC	Coffee	Grasses, annual & perennial broadleaves	10.0-15.0tbsp/16 L water	-	-	A day after application
C.B. ANDREW ASIA, INC.	DIURON	CLEAROLI 80 WP	800 g/kg	WP	HERBICIDE	4	460-021-4775	03-May-22	SYSTEMIC	Cotton	Grasses, annual & perennial broadleaves	8.0Tbsp/16 L water	-	-	A day after application
C.B. ANDREW ASIA, INC.	DIURON	CLEAROLI 80 WP	800 g/kg	WP	HERBICIDE	4	460-021-4775	03-May-22	SYSTEMIC	Sugarcane	Grasses, annual & perennial broadleaves	6-5-13.0Tbsp/16 L water	-	-	A day after application
C.B. ANDREW ASIA, INC.	DIURON	CLEAROLI 80 WP	800 g/kg	WP	HERBICIDE	4	460-021-4775	03-May-22	SYSTEMIC	Pineapple	Grasses, annual & perennial broadleaves	11.0Tbsp/16 L water	-	-	A day after application
C.B. ANDREW ASIA, INC.	DIURON	CLEAROLI 80 WP	800 g/kg	WP	HERBICIDE	4	460-021-4775	03-May-22	SYSTEMIC	Non-crop land	Grasses, annual & perennial broadleaves	20.0-28.0Tbsp/16 L water	-	-	A day after application
ALBERT JOSEPH AGRO TRADING CORPORATION	GLYPHOSATE IPA	CLEARCUT 480 SL	480 g/L	SL	HERBICIDE	4	456-151-2492	01-Aug-26	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/ha	-	-	-
ALBERT JOSEPH AGRO TRADING CORPORATION	GLYPHOSATE IPA	CLEARCUT 480 SL	480 g/L	SL	HERBICIDE	4	456-151-2492	01-Aug-26	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
ALBERT JOSEPH AGRO TRADING CORPORATION	GLYPHOSATE IPA	CLEARCUT 480 SL	480 g/L	SL	HERBICIDE	4	456-151-2492	01-Aug-26	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
ALBERT JOSEPH AGRO TRADING CORPORATION	GLYPHOSATE IPA	CLEARCUT 480 SL	480 g/L	SL	HERBICIDE	4	456-151-2492	01-Aug-26	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
RAINBOW AGROSCIENCES PHILIPPINES INC.	CHLOROTHALONIL	CLEANER 720 SC	720 g/L	SC	FUNGICIDE	4	539-118-3992	07-Mar-26	-	Grapes	Downy mildew, powdery mildew, fruit rot	1.13-1.90L/ha or 4.5-6.0tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
RAINBOW AGROSCIENCES PHILIPPINES INC.	CHLOROTHALONIL	CLEANER 720 SC	720 g/L	SC	FUNGICIDE	4	539-118-3992	07-Mar-26	-	Mango	Anthracoise, diploida rot	3.75-5.80L/ha or 4.5-6.0tbsp/36L	0.5 mg/kg	7-14 days	Do not enter treatment areas until spray deposit have dried
RAINBOW AGROSCIENCES PHILIPPINES INC.	CHLOROTHALONIL	CLEANER 720 SC	720 g/L	SC	FUNGICIDE	4	539-118-3992	07-Mar-26	-	Ornamentals	Black spot, powdery mildew, black rot	1.13-1.90L/ha or 4.5-6.0tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
RAINBOW AGROSCIENCES PHILIPPINES INC.	CHLOROTHALONIL	CLEANER 720 SC	720 g/L	SC	FUNGICIDE	4	539-118-3992	07-Mar-26	-	Asparagus	Stem and leaf blight	1.80L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
RAINBOW AGROSCIENCES PHILIPPINES INC.	CHLOROTHALONIL	CLEANER 720 SC	720 g/L	SC	FUNGICIDE	4	539-118-3992	07-Mar-26	-	Banana	Black sigatoka	1.38L/ha	2.0 mg/kg	0 day	Do not enter treatment areas until spray deposit have dried
RAINBOW AGROSCIENCES PHILIPPINES INC.	CHLOROTHALONIL	CLEANER 500 SC	500 g/L	SC	FUNGICIDE	4	539-118-5626 (385)	10-Dec-24	-	Corn	Helminthosporium leaf spot, rust, downy mildew, cercospora leaf spot	6.0-8.5 / 36 L sprayer	-	-	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
RAINBOW AGROSCIENCES PHILIPPINES INC.	CHLOROTHALONIL	CLEANER 500 SC	500 g/L	SC	FUNGICIDE	4	539-118-5626 (385)	10-Dec-24	-	Eggplant	Early and late blight, Cercospora leaf spot, anthracnose	6.0-8.5 / 36 L sprayer	-	-	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
RAINBOW AGROSCIENCES PHILIPPINES INC.	CHLOROTHALONIL	CLEANER 500 SC	500 g/L	SC	FUNGICIDE	4	539-118-5626 (385)	10-Dec-24	-	Peanut	Cercospora leaf spot, rust	6.0-8.0 / 36 L sprayer	-	-	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
RAINBOW AGROSCIENCES PHILIPPINES INC.	CHLOROTHALONIL	CLEANER 500 SC	500 g/L	SC	FUNGICIDE	4	539-118-5626 (385)	10-Dec-24	-	Potato	Early and late blight, vine rot	6.0-8.5 / 36 L sprayer	-	-	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
RAINBOW AGROSCIENCES PHILIPPINES INC.	CHLOROTHALONIL	CLEANER 500 SC	500 g/L	SC	FUNGICIDE	4	539-118-5626 (385)	10-Dec-24	-	Tomato	Early and late blight, vine rot	6.0-8.5 / 36 L sprayer	-	-	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
RAINBOW AGROSCIENCES PHILIPPINES INC.	CHLOROTHALONIL	CLEANER 500 SC	500 g/L	SC	FUNGICIDE	4	539-118-5626 (385)	10-Dec-24	-	Carrot	Alternaria, helminthosporium leaf spot, cercospora leaf spot	6.0-8.5 / 36 L sprayer	-	-	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
RAINBOW AGROSCIENCES PHILIPPINES INC.	CHLOROTHALONIL	CLEANER 500 SC	500 g/L	SC	FUNGICIDE	4	539-118-5626 (385)	10-Dec-24	-	Banana	Sigatoka, rust, freckles, heminithosporium leaf spot	2.0L/ha	-	-	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
RAINBOW AGROSCIENCES PHILIPPINES INC.	CHLOROTHALONIL	CLEANER 500 SC	500 g/L	SC	FUNGICIDE	4	539-118-5626 (385)	10-Dec-24	-	Mango	Anthracoise, diploida rot	6.0-8.5 / 36 L sprayer	-	-	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
RAINBOW AGROSCIENCES PHILIPPINES INC.	ta	CLEANER 500 SC	500 g/L	SC	FUNGICIDE	4	539-118-5626 (385)	10-Dec-24	-	Beans	Anthracoise, rust	6.0-8.5 / 36 L sprayer	-	-	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
RAINBOW AGROSCIENCES PHILIPPINES INC.	CHLOROTHALONIL	CLEANER 500 SC	500 g/L	SC	FUNGICIDE	4	539-118-5626 (385)	10-Dec-24	-	Crucifers	Powdery mildew	6.0-8.5 / 36 L sprayer	-	-	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
RAINBOW AGROSCIENCES PHILIPPINES INC.	CHLOROTHALONIL	CLEANER 500 SC	500 g/L	SC	FUNGICIDE	4	539-118-5626 (385)	10-Dec-24	-	Onion	Purple blotch, bulb rot, neck rot	6.0-8.5 / 36 L sprayer	-	-	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
RAINBOW AGROSCIENCES PHILIPPINES INC.	CHLOROTHALONIL	CLEANER 500 SC	500 g/L	SC	FUNGICIDE	4	539-118-5626 (385)	10-Dec-24	-	Garlic	Purple blotch, bulb rot, neck rot	6.0-8.5 / 36 L sprayer	-	-	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
RAINBOW AGROSCIENCES PHILIPPINES INC.	CHLOROTHALONIL	CLEANER 500 SC	500 g/L	SC	FUNGICIDE	4	539-118-5626 (385)	10-Dec-24	-	Ornamentals	Black spot, black rot, powdery mildew	6.0-8.5 / 36 L sprayer	-	-	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
RAINBOW AGROSCIENCES PHILIPPINES INC.	CHLOROTHALONIL	CLEANER 500 SC	500 g/L	SC	FUNGICIDE	4	539-118-5626 (385)	10-Dec-24	-	Grapes	Downy mildew, powdery mildew, fruit rot	6.0-8.5 / 36 L sprayer	-	-	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
RAINBOW AGROSCIENCES PHILIPPINES INC.	CHLOROTHALONIL	CLEANER 500 SC	500 g/L	SC	FUNGICIDE	4	539-118-5626 (385)	10-Dec-24	-	Pepper	Anthracoise, cercospora leaf spot, early blight	6.0-8.5 / 36 L sprayer	-	-	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
RAINBOW AGROSCIENCES PHILIPPINES INC.	CHLOROTHALONIL	CLEANER 500 SC	500 g/L	SC	FUNGICIDE	4	539-118-5626 (385)	10-Dec-24	-	Melon	Anthracoise, cercospora leaf spot, downy mildew, leaf blight	6.0-8.5 / 36 L sprayer	-	-	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
RAINBOW AGROSCIENCES PHILIPPINES INC.	CHLOROTHALONIL	CLEANER 500 SC	500 g/L	SC	FUNGICIDE	4	539-118-5626 (385)	10-Dec-24	-	Cucumber	Anthracoise, powdery mildew, cercospora leaf spot, early and late blight, septoria fruit rot	6.0-8.5 / 36 L sprayer	-	-	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
RAINBOW AGROSCIENCES PHILIPPINES INC.	CHLOROTHALONIL	CLEANER 500 SC	500 g/L	SC	FUNGICIDE	4	539-118-5626 (385)	10-Dec-24	-	Squash	Anthracoise, powdery mildew, cercospora leaf spot, early and late blight, septoria fruit rot	6.0-8.5 / 36 L sprayer	-	-	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
RAINBOW AGROSCIENCES PHILIPPINES INC.	CHLOROTHALONIL	CLEANER 500 SC	500 g/L	SC	FUNGICIDE	4	539-118-5626 (385)	10-Dec-24	-	Watermelon	Anthracoise, powdery mildew, cercospora leaf spot, early and late blight, septoria fruit rot	6.0-8.5 / 36 L sprayer	-	-	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
RAINBOW AGROSCIENCES PHILIPPINES INC.	CHLOROTHALONIL	CLEANER 500 SC	500 g/L	SC	FUNGICIDE	4	539-118-5626 (385)	10-Dec-24	-	Celery	Early and late blight	6.0-8.5 / 36 L sprayer	-	-	Re-entry to treated areas may be done as soon as spray solution has dried on the foliage.
MARS AGRI VENTURES AND COMMODITIES INC.	GLYPHOSATE IPA	CLEAN CUT 480	480 g/L	SL	HERBICIDE	4	609-151-4368	18-May-21	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/ha	-	-	-
MARS AGRI VENTURES AND COMMODITIES INC.	GLYPHOSATE IPA	CLEAN CUT 480	480 g/L	SL	HERBICIDE	4	609-151-4368	18-May-21	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
MARS AGRI VENTURES AND COMMODITIES INC.	GLYPHOSATE IPA	CLEAN CUT 480	480 g/L	SL	HERBICIDE	4	609-151-4368	18-May-21	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
MARS AGRI VENTURES AND COMMODITIES INC.	GLYPHOSATE IPA	CLEAN CUT 480	480 g/L	SL	HERBICIDE	4	609-151-4368	18-May-21	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
MARS AGRI VENTURES AND COMMODITIES INC.	GLYPHOSATE IPA	CLEAN CUT 480	480 g/L	SL	HERBICIDE	4	609-151-4368	18-May-21	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
MARS AGRI VENTURES AND COMMODITIES INC.	GLYPHOSATE IPA	CLEAN CUT 480	480 g/L	SL	HERBICIDE	4	609-151-4368	18-May-21	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0Liters/ha	-	-	-
MARS AGRI VENTURES AND COMMODITIES INC.	GLYPHOSATE IPA	CLEAN CUT 480	480 g/L	SL	HERBICIDE	4	609-151-4368	18-May-21	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0Liters/ha	-	-	-
MARS AGRI VENTURES AND COMMODITIES INC.	GLYPHOSATE IPA	CLEAN CUT 480	480 g/L	SL	HERBICIDE	4	609-151-4368	18-May-21	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0Liters/ha	-	-	-
MARS AGRI VENTURES AND COMMODITIES INC.	GLYPHOSATE IPA	CLEAN CUT 480	480 g/L	SL	HERBICIDE	4	609-151-4368	18-May-21	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5Liters/ha	-	-	-
MARS AGRI VENTURES AND COMMODITIES INC.	GLYPHOSATE IPA	CLEAN CUT 480	480 g/L	SL	HERBICIDE	4	609-151-4368	18-May-21	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0Liters/ha	-	-	-
MARS AGRI VENTURES AND COMMODITIES INC.	GLYPHOSATE IPA	CLEAN CUT 480	480 g/L	SL	HERBICIDE	4	609-151-4368	18-May-21	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0Liters/ha	-	-	-
MARS AGRI VENTURES AND COMMODITIES INC.	GLYPHOSATE IPA	CLEAN CUT 480	480 g/L	SL	HERBICIDE	4	609-151-4368	18-May-21	POST-EMERGENT	Non-crop	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
EDSEL AGRI AND CHEMICAL CORP.	METHOMYL	CLAW 40 SP	400 g/kg	SP	INSECTICIDE	2	597-164-5297	25-Nov-26	CONTACT	Asparagus	Armyworm, cutworm	1 per 36L sprayer	-	-	-
EDSEL AGRI AND CHEMICAL CORP.	METHOMYL	CLAW 40 SP	400 g/kg	SP	INSECTICIDE	2	597-164-5297	25-Nov-26	CONTACT	Banana	Thrips	1.5-2 per 36L sprayer	-	-	-
EDSEL AGRI AND CHEMICAL CORP.	METHOMYL	CLAW 40 SP	400 g/kg	SP	INSECTICIDE	2	597-164-5297	25-Nov-26	CONTACT	Beans	Leafroller, flea beetle , beanfly, podborer,aphids	1 per 36L sprayer	-	-	-
EDSEL AGRI AND CHEMICAL CORP.	METHOMYL	CLAW 40 SP	400 g/kg	SP	INSECTICIDE	2	597-164-5297	25-Nov-26	CONTACT	Mungbeans	Leafroller, flea beetle , beanfly, podborer,aphids	1 per 36L sprayer	-	-	-
EDSEL AGRI AND CHEMICAL CORP.	METHOMYL	CLAW 40 SP	400 g/kg	SP	INSECTICIDE	2	597-164-5297	25-Nov-26	CONTACT	Soybeans	Leafroller, flea beetle , beanfly, podborer,aphids	1 per 36L sprayer	-	-	-
EDSEL AGRI AND CHEMICAL CORP.	METHOMYL	CLAW 40 SP	400 g/kg	SP	INSECTICIDE	2	597-164-5297	25-Nov-26	CONTACT	lilas	Leafroller, flea beetle , beanfly, podborer,aphids	1 per 36L sprayer	-	-	-
EDSEL AGRI AND CHEMICAL CORP.	METHOMYL	CLAW 40 SP	400 g/kg	SP	INSECTICIDE	2	597-164-5297	25-Nov-26	CONTACT	Corn	Comborer, earworm	1 per 36L sprayer	-	-	-
EDSEL AGRI AND CHEMICAL CORP.	METHOMYL	CLAW 40 SP	400 g/kg	SP	INSECTICIDE	2	597-164-5297	25-Nov-26	CONTACT	Sorghum	Comborer,earworm	1 per 36L sprayer	-	-	-
EDSEL AGRI AND CHEMICAL CORP.	METHOMYL	CLAW 40 SP	400 g/kg	SP	INSECTICIDE	2	597-164-5297	25-Nov-26	CONTACT	Eggplant	Aphids, flea beetle , fruitworm, lady beetle	1 per 36L sprayer	-	-	-
EDSEL AGRI AND CHEMICAL CORP.	METHOMYL	CLAW 40 SP	400 g/kg	SP	INSECTICIDE	2	597-164-5297	25-Nov-26	CONTACT	Melon	Aphids, Squash beetle , leafroller	1 per 36L sprayer	-	-	-
EDSEL AGRI AND CHEMICAL CORP.	METHOMYL	CLAW 40 SP	400 g/kg	SP	INSECTICIDE	2	597-164-5297	25-Nov-26	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leafroller	1 per 36L sprayer	-	-	-
EDSEL AGRI AND CHEMICAL CORP.	METHOMYL	CLAW 40 SP	400 g/kg	SP	INSECTICIDE	2	597-164-5297	25-Nov-26	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	1 per 36L sprayer	-	-	-
EDSEL AGRI AND CHEMICAL CORP.	METHOMYL	CLAW 40 SP	400 g/kg	SP	INSECTICIDE	2	597-164-5297	25-Nov-26	CONTACT	Tomato	Tomato fruitworm, aphids	1 per 36L sprayer	-	-	-
ELITE AGROCHEMICALS INC.	CLOTHIANIDIN	CLAUDIN 200 SC	200 g/L	SC	INSECTICIDE	4	719-379-6111	7-Sep-25	-	Rice	Rice black bug	40-50 mL	-	-	-
ABG TRADING CORPORATION	CYPERMETHRIN	CLASSIC 5 EC	50 g/L	EC	INSECTICIDE	4	673-037-5528	27-Jun-25	-	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposits dry.
ABG TRADING CORPORATION	CYPERMETHRIN	CLASSIC 5 EC	50 g/L	EC	INSECTICIDE	4	673-037-5528	27-Jun-25	-	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leafroller, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposits dry.
ABG TRADING CORPORATION	CYPERMETHRIN	CLASSIC 5 EC	50 g/L	EC	INSECTICIDE	4	673-037-5528	27-Jun-25	-	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposits dry.
ABG TRADING CORPORATION	CYPERMETHRIN	CLASSIC 5 EC	50 g/L	EC	INSECTICIDE	4	673-037-5528	27-Jun-25	-	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposits dry.
ABG TRADING CORPORATION	CYPERMETHRIN	CLASSIC 5 EC	50 g/L	EC	INSECTICIDE	4	673-037-5528	27-Jun-25	-	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposits dry.

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
ABG TRADING CORPORATION	CYPERMETHRIN	CLASSIC S EC	50g/L	EC	INSECTICIDE	4	673-037-5528	27-Jun-25	-	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/36 L of water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposits dry.
ABG TRADING CORPORATION	CYPERMETHRIN	CLASSIC S EC	50g/L	EC	INSECTICIDE	4	673-037-5528	27-Jun-25	-	Onion	Thrips, cutworm	1.0-3.0 Tbsp/36 L of water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposits dry.
ABG TRADING CORPORATION	CYPERMETHRIN	CLASSIC S EC	50g/L	EC	INSECTICIDE	4	673-037-5528	27-Jun-25	-	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/36 L of water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposits dry.
ABG TRADING CORPORATION	CYPERMETHRIN	CLASSIC S EC	50g/L	EC	INSECTICIDE	4	673-037-5528	27-Jun-25	-	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/36 L of water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposits dry.
ABG TRADING CORPORATION	CYPERMETHRIN	CLASSIC S EC	50g/L	EC	INSECTICIDE	4	673-037-5528	27-Jun-25	-	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/36 L of water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposits dry.
ABG TRADING CORPORATION	CYPERMETHRIN	CLASSIC S EC	50g/L	EC	INSECTICIDE	4	673-037-5528	27-Jun-25	-	Corn	Comborer, earworm	1.0-3.5 Tbsp/36 L of water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposits dry.
EDSEL AGRI AND CHEMICAL CORP.	LAMBDA-CYHALOTHRIN	CLASH 2.5 EC	25g/L	EC	INSECTICIDE	2	597-204-4148	05-Jul-26	SYSTEMIC	Rice	Green leafhopper,armyworm,rice bug,leafhoppers,black bug	1.0-1.5Tbsp/36 L of water	0.05ppm	3Days	Re-entry to treated fields is allowed as soon as spray deposits dry
EDSEL AGRI AND CHEMICAL CORP.	LAMBDA-CYHALOTHRIN	CLASH 2.5 EC	25g/L	EC	INSECTICIDE	2	597-204-4148	05-Jul-26	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/36 L of water	-	3Days	Re-entry to treated fields is allowed as soon as spray deposits dry
EDSEL AGRI AND CHEMICAL CORP.	LAMBDA-CYHALOTHRIN	CLASH 2.5 EC	25g/L	EC	INSECTICIDE	2	597-204-4148	05-Jul-26	SYSTEMIC	Tomato	Fruitworm,cutworm,aphids	1.0-1.5Tbsp/36 L of water	-	3Days	Re-entry to treated fields is allowed as soon as spray deposits dry
EDSEL AGRI AND CHEMICAL CORP.	LAMBDA-CYHALOTHRIN	CLASH 2.5 EC	25g/L	EC	INSECTICIDE	2	597-204-4148	05-Jul-26	SYSTEMIC	Onion	Thrips,cutworm	1.0Tbsp/36 L of water	-	3Days	Re-entry to treated fields is allowed as soon as spray deposits dry
EDSEL AGRI AND CHEMICAL CORP.	LAMBDA-CYHALOTHRIN	CLASH 2.5 EC	25g/L	EC	INSECTICIDE	2	597-204-4148	05-Jul-26	SYSTEMIC	Mungbeans	Beanflies, flea beetle, leafhopper, aphids, mites, podborer	1.0Tbsp/36 L of water	-	3Days	Re-entry to treated fields is allowed as soon as spray deposits dry
EDSEL AGRI AND CHEMICAL CORP.	LAMBDA-CYHALOTHRIN	CLASH 2.5 EC	25g/L	EC	INSECTICIDE	2	597-204-4148	05-Jul-26	SYSTEMIC	Corn	Comborer, aphids, seedling maggots	1.0-1.5Tbsp/36 L of water	-	3Days	Re-entry to treated fields is allowed as soon as spray deposits dry
EDSEL AGRI AND CHEMICAL CORP.	LAMBDA-CYHALOTHRIN	CLASH 2.5 EC	25g/L	EC	INSECTICIDE	2	597-204-4148	05-Jul-26	SYSTEMIC	Tobacco	Budworm,cutworm, aphids, ladybirds	1.0-1.5Tbsp/36 L of water	-	3Days	Re-entry to treated fields is allowed as soon as spray deposits dry
EDSEL AGRI AND CHEMICAL CORP.	LAMBDA-CYHALOTHRIN	CLASH 2.5 EC	25g/L	EC	INSECTICIDE	2	597-204-4148	05-Jul-26	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/36 L of water	-	3Days	Re-entry to treated fields is allowed as soon as spray deposits dry
EDSEL AGRI AND CHEMICAL CORP.	LAMBDA-CYHALOTHRIN	CLASH 2.5 EC	25g/L	EC	INSECTICIDE	2	597-204-4148	05-Jul-26	SYSTEMIC	Cacao	Pod borer	1.0-2.0Tbsp/36 L of water	-	3Days	Re-entry to treated fields is allowed as soon as spray deposits dry
EDSEL AGRI AND CHEMICAL CORP.	LAMBDA-CYHALOTHRIN	CLASH 2.5 EC	25g/L	EC	INSECTICIDE	2	597-204-4148	05-Jul-26	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/36 L of water	-	3Days	Re-entry to treated fields is allowed as soon as spray deposits dry
LEADS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	CIVIL 75 WP	750 g/kg	WP	FUNGICIDE	4	099-118-0924	09-Jun-24	-	Grapes	Downy mildew, powdery mildew, fruit rot	3.2-4.8 Tbsp/36L water	-	-	Do not enter treatment areas until spray deposit have dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	CIVIL 75 WP	750 g/kg	WP	FUNGICIDE	4	099-118-0924	09-Jun-24	-	Potato	Early and late blight, vine rot	3.2-4.8 Tbsp/36L water	-	-	Do not enter treatment areas until spray deposit have dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	CIVIL 75 WP	750 g/kg	WP	FUNGICIDE	4	099-118-0924	09-Jun-24	-	Tomato	Early and late blight, vine rot	3.2-4.8 Tbsp/36L water	-	-	Do not enter treatment areas until spray deposit have dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	CIVIL 75 WP	750 g/kg	WP	FUNGICIDE	4	099-118-0924	09-Jun-24	-	Banana	Sigatoka, rust, freckles	3.2-4.8 Tbsp/36L water	2.0 mg/kg	-	Do not enter treatment areas until spray deposit have dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	CIVIL 75 WP	750 g/kg	WP	FUNGICIDE	4	099-118-0924	09-Jun-24	-	Peas	Rust, anthracnose	3.2-4.8 Tbsp/36L water	-	7 Days	Do not enter treatment areas until spray deposit have dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	CIVIL 75 WP	750 g/kg	WP	FUNGICIDE	4	099-118-0924	09-Jun-24	-	Beans	Rust, anthracnose	3.2-4.8 Tbsp/36L water	-	7 Days	Do not enter treatment areas until spray deposit have dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	CIVIL 75 WP	750 g/kg	WP	FUNGICIDE	4	099-118-0924	09-Jun-24	-	Citrus	Scab, melanose	3.2-4.8 Tbsp/36L water	-	-	Do not enter treatment areas until spray deposit have dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	CIVIL 75 WP	750 g/kg	WP	FUNGICIDE	4	099-118-0924	09-Jun-24	-	Watermelon	Powdery mildew, anthracnose, early and late blight, cercospora leaf spot	3.2-4.8 Tbsp/36L water	-	-	Do not enter treatment areas until spray deposit have dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	CIVIL 75 WP	750 g/kg	WP	FUNGICIDE	4	099-118-0924	09-Jun-24	-	Garlic	Purple blotch, bulb rot, neck rot	3.2-4.8 Tbsp/36L water	-	7 Days	Do not enter treatment areas until spray deposit have dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	CIVIL 75 WP	750 g/kg	WP	FUNGICIDE	4	099-118-0924	09-Jun-24	-	Onion	Purple blotch, bulb rot, neck rot	3.2-4.8 Tbsp/36L water	-	7 Days	Do not enter treatment areas until spray deposit have dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	CIVIL 75 WP	750 g/kg	WP	FUNGICIDE	4	099-118-0924	09-Jun-24	-	Rice	Rice blast, stem rot, helminthosporium leaf spot, cercospora leaf spot, sheath blight	3.2-4.8 Tbsp/36L water	0.1ppm	14 Days	Do not enter treatment areas until spray deposit have dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	CIVIL 75 WP	750 g/kg	WP	FUNGICIDE	4	099-118-0924	09-Jun-24	-	Corn	Helminthosporium leafspot, rust, downy mildew	3.2-4.8 Tbsp/36L water	-	14 Days	Do not enter treatment areas until spray deposit have dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	CIVIL 75 WP	750 g/kg	WP	FUNGICIDE	4	099-118-0924	09-Jun-24	-	Celery	Late blight	3.2-4.8 Tbsp/36L water	-	7 Days	Do not enter treatment areas until spray deposit have dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	CIVIL 75 WP	750 g/kg	WP	FUNGICIDE	4	099-118-0924	09-Jun-24	-	Eggplant	Early and late blight, cercospora, leaf spot	3.2-4.8 Tbsp/36L water	-	-	Do not enter treatment areas until spray deposit have dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	CIVIL 75 WP	750 g/kg	WP	FUNGICIDE	4	099-118-0924	09-Jun-24	-	Pepper	Early and late blight, cercospora, leaf spot	3.2-4.8 Tbsp/36L water	-	-	Do not enter treatment areas until spray deposit have dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	CIVIL 75 WP	750 g/kg	WP	FUNGICIDE	4	099-118-0924	09-Jun-24	-	Melon	Anthracoese, powdery mildew, early and late blight, cercospora leaf spot	3.2-4.8 Tbsp/36L water	-	-	Do not enter treatment areas until spray deposit have dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	CIVIL 75 WP	750 g/kg	WP	FUNGICIDE	4	099-118-0924	09-Jun-24	-	Mango	Anthracoese, diplodia rot	3.2-4.8 Tbsp/36L water	0.5 mg/kg	-	Do not enter treatment areas until spray deposit have dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	CIVIL 75 WP	750 g/kg	WP	FUNGICIDE	4	099-118-0924	09-Jun-24	-	Ornamentals	Black spot, block rot, powdery mildew	3.2-4.8 Tbsp/36L water	-	-	Do not enter treatment areas until spray deposit have dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	CIVIL 75 WP	750 g/kg	WP	FUNGICIDE	4	099-118-0924	09-Jun-24	-	Peanut	Cercospora leaf spot	3.2-4.8 Tbsp/36L water	-	14 Days	Do not enter treatment areas until spray deposit have dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	CIVIL 75 WP	750 g/kg	WP	FUNGICIDE	4	099-118-0924	09-Jun-24	-	Lettuce	Downy mildew	3.2-4.8 Tbsp/36L water	-	-	Do not enter treatment areas until spray deposit have dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	CIVIL 75 WP	750 g/kg	WP	FUNGICIDE	4	099-118-0924	09-Jun-24	-	Cabbage	Powdery mildew	3.2-4.8 Tbsp/36L water	-	-	Do not enter treatment areas until spray deposit have dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	CIVIL 75 WP	750 g/kg	WP	FUNGICIDE	4	099-118-0924	09-Jun-24	-	Caiflower	Powdery mildew	3.2-4.8 Tbsp/36L water	-	-	Do not enter treatment areas until spray deposit have dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	CIVIL 75 WP	750 g/kg	WP	FUNGICIDE	4	099-118-0924	09-Jun-24	-	Broccoli	Powdery mildew	3.2-4.8 Tbsp/36L water	-	-	Do not enter treatment areas until spray deposit have dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	CIVIL 75 WP	750 g/kg	WP	FUNGICIDE	4	099-118-0924	09-Jun-24	-	Carrot	Alternaria leaf spot, cercospora leaf spot	3.2-4.8 Tbsp/36L water	-	-	Do not enter treatment areas until spray deposit have dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	CHLOROTHALONIL	CIVIL 75 WP	750 g/kg	WP	FUNGICIDE	4	099-118-0924	09-Jun-24	-	Squash	Anthracoese, powdery mildew, early and late blight, cercospora leaf spot	3.2-4.8 Tbsp/36L water	-	-	Do not enter treatment areas until spray deposit have dried
UCHEMPHIL INTERNATIONAL INC.	AZOXYSTROBIN+O-FENOCONAZOLE	OTENEGOLD 32S SC	200 g/L+125 g/L	SC	FUNGICIDE	3	590-486-6185	8-Jun-26	-	Corn	Northern corn leaf blight white spot gray leaf spot brown spot	500-750 mL prod/ha; 50-75 mL prod/36L water; 160-180 L/ha	Azoxystrobin 0.01ppm	28 days	Do not enter treated areas until spray deposits has dried up or unless protective clothing is worn
UCHEMPHIL INTERNATIONAL INC.	AZOXYSTROBIN+O-FENOCONAZOLE	OTENEGOLD 32S SC	200 g/L+125 g/L	SC	FUNGICIDE	3	590-486-6185	8-Jun-26	-	Onion	Anthracoese	400-500 mL prod/ha; 20-35 mL prod/36L water; 200-300 L/ha	Azoxystrobin 0.05ppm	32 days	Do not enter treated areas until spray deposits has dried up or unless protective clothing is worn
UCHEMPHIL INTERNATIONAL INC.	AZOXYSTROBIN+O-FENOCONAZOLE	OTENEGOLD 32S SC	200 g/L+125 g/L	SC	FUNGICIDE	3	590-486-6185	8-Jun-26	-	Potato	Late blight	400-500 mL prod/ha; 20-25 mL prod/36L water; 200-300 L/ha	Azoxystrobin 0.02ppm	14 days	Do not enter treated areas until spray deposits has dried up or unless protective clothing is worn
UCHEMPHIL INTERNATIONAL INC.	AZOXYSTROBIN+O-FENOCONAZOLE	OTENEGOLD 32S SC	200 g/L+125 g/L	SC	FUNGICIDE	3	590-486-6185	8-Jun-26	-	Rice	Rice blast, sheath blight	250-300 mL prod/ha; 20-30 mL prod/36L water; 150-200 L/ha	Azoxystrobin 0.06ppm	30 days	Do not enter treated areas until spray deposits has dried up or unless protective clothing is worn
UCHEMPHIL INTERNATIONAL INC.	AZOXYSTROBIN+O-FENOCONAZOLE	OTENEGOLD 32S SC	200 g/L+125 g/L	SC	FUNGICIDE	3	590-486-6185	8-Jun-26	-	Mango	Anthracoese, scab, stem-end rot	100-200 mL prod/ha; 150-200 mL prod/200 L water; 2-260 L-470 L/ha	Azoxystrobin 0.2ppm	14 days	Do not enter treated areas until spray deposits has dried up or unless protective clothing is worn
KEMSTAR CORPORATION	CYPERMETHRIN	CIPO S EC	50g/L	EC	INSECTICIDE	4	239-037-1671	27-Mar-24	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/36 L of water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
KEMSTAR CORPORATION	CYPERMETHRIN	CIPO S EC	50g/L	EC	INSECTICIDE	4	239-037-1671	27-Mar-24	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leafhopper, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/36 L of water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
KEMSTAR CORPORATION	CYPERMETHRIN	CIPO S EC	50g/L	EC	INSECTICIDE	4	239-037-1671	27-Mar-24	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/36 L of water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
KEMSTAR CORPORATION	CYPERMETHRIN	CIPO S EC	50g/L	EC	INSECTICIDE	4	239-037-1671	27-Mar-24	CONTACT	Beans	Pod borers, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/36 L of water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
KEMSTAR CORPORATION	CYPERMETHRIN	CIPO S EC	50g/L	EC	INSECTICIDE	4	239-037-1671	27-Mar-24	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/36 L of water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
KEMSTAR CORPORATION	CYPERMETHRIN	CIPO S EC	50g/L	EC	INSECTICIDE	4	239-037-1671	27-Mar-24	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/36 L of water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
KEMSTAR CORPORATION	CYPERMETHRIN	CIPO S EC	50g/L	EC	INSECTICIDE	4	239-037-1671	27-Mar-24	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/36 L of water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
KEMSTAR CORPORATION	CYPERMETHRIN	CIPO S EC	50g/L	EC	INSECTICIDE	4	239-037-1671	27-Mar-24	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/36 L of water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
KEMSTAR CORPORATION	CYPERMETHRIN	CIPO S EC	50g/L	EC	INSECTICIDE	4	239-037-1671	27-Mar-24	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/36 L of water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
KEMSTAR CORPORATION	CYPERMETHRIN	CIP0 S EC	50g/L	EC	INSECTICIDE	4	239-037-1671	27-Mar-24	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
KEMSTAR CORPORATION	CYPERMETHRIN	CIP0 S EC	50g/L	EC	INSECTICIDE	4	239-037-1671	27-Mar-24	CONTACT	Corn	Comborer, earworm	1.0-4.5 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
RAINBOW AGROSCIENCES PHILIPPINES INC.	CYPERMETHRIN	CIPERMAN 50 EC	50 g/L	EC	INSECTICIDE	4	539-037-5482-A (075)	28-Jun-24	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
RAINBOW AGROSCIENCES PHILIPPINES INC.	CYPERMETHRIN	CIPERMAN 50 EC	50 g/L	EC	INSECTICIDE	4	539-037-5482-A (075)	28-Jun-24	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leafhopper, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
RAINBOW AGROSCIENCES PHILIPPINES INC.	CYPERMETHRIN	CIPERMAN 50 EC	50 g/L	EC	INSECTICIDE	4	539-037-5482-A (075)	28-Jun-24	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
RAINBOW AGROSCIENCES PHILIPPINES INC.	CYPERMETHRIN	CIPERMAN 50 EC	50 g/L	EC	INSECTICIDE	4	539-037-5482-A (075)	28-Jun-24	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
RAINBOW AGROSCIENCES PHILIPPINES INC.	CYPERMETHRIN	CIPERMAN 50 EC	50 g/L	EC	INSECTICIDE	4	539-037-5482-A (075)	28-Jun-24	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
RAINBOW AGROSCIENCES PHILIPPINES INC.	CYPERMETHRIN	CIPERMAN 50 EC	50 g/L	EC	INSECTICIDE	4	539-037-5482-A (075)	28-Jun-24	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
RAINBOW AGROSCIENCES PHILIPPINES INC.	CYPERMETHRIN	CIPERMAN 50 EC	50 g/L	EC	INSECTICIDE	4	539-037-5482-A (075)	28-Jun-24	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
RAINBOW AGROSCIENCES PHILIPPINES INC.	CYPERMETHRIN	CIPERMAN 50 EC	50 g/L	EC	INSECTICIDE	4	539-037-5482-A (075)	28-Jun-24	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
RAINBOW AGROSCIENCES PHILIPPINES INC.	CYPERMETHRIN	CIPERMAN 50 EC	50 g/L	EC	INSECTICIDE	4	539-037-5482-A (075)	28-Jun-24	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
RAINBOW AGROSCIENCES PHILIPPINES INC.	CYPERMETHRIN	CIPERMAN 50 EC	50 g/L	EC	INSECTICIDE	4	539-037-5482-A (075)	28-Jun-24	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
RAINBOW AGROSCIENCES PHILIPPINES INC.	CYPERMETHRIN	CIPERMAN 50 EC	50 g/L	EC	INSECTICIDE	4	539-037-5482-A (075)	28-Jun-24	CONTACT	Corn	Comborer, earworm	1.0-4.5 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
FKA AGRI CHEMICAL CORPORATION	ABAMECTIN	CINATTE 1.8 EC	180 g/L	EC	INSECTICIDE	4	399-234-5966	7-Jun-24	-	Banana	Blossom thrips	0.5 L water	-	0 day	Re-enter treated area only after spray has dried
FKA AGRI CHEMICAL CORPORATION	ABAMECTIN	CINATTE 1.8 EC	180 g/L	EC	INSECTICIDE	4	399-234-5966	7-Jun-24	-	Cabbage	Diamond back moth	2-3 Tbsp/ 36L water	-	-	Re-enter treated area only after spray has dried
FKA AGRI CHEMICAL CORPORATION	ABAMECTIN	CINATTE 1.8 EC	180 g/L	EC	INSECTICIDE	4	399-234-5966	7-Jun-24	-	Ornamentals	Mites	1-1.5 Tbsp/ 36L water	-	-	Re-enter treated area only after spray has dried
FKA AGRI CHEMICAL CORPORATION	ABAMECTIN	CINATTE 1.8 EC	180 g/L	EC	INSECTICIDE	4	399-234-5966	7-Jun-24	-	Pineapple	Mites	-	-	-	Re-enter treated area only after spray has dried
FKA AGRI CHEMICAL CORPORATION	ABAMECTIN	CINATTE 1.8 EC	180 g/L	EC	INSECTICIDE	4	399-234-5966	7-Jun-24	-	Eggplant	Thrips, leafhopper, fruit and shoot borer	2-5 Tbsp/ 36L water; 5 Tbsp/ 36L water	-	-	Re-enter treated area only after spray has dried
FKA AGRI CHEMICAL CORPORATION	ABAMECTIN	CINATTE 1.8 EC	180 g/L	EC	INSECTICIDE	4	399-234-5966	7-Jun-24	-	Onion	Leafminer, thrips	2-3 Tbsp/ 36L water	-	-	Re-enter treated area only after spray has dried
FKA AGRI CHEMICAL CORPORATION	ABAMECTIN	CINATTE 1.8 EC	180 g/L	EC	INSECTICIDE	4	399-234-5966	7-Jun-24	-	Potato	Leafminer, thrips	2-3 Tbsp/ 36L water	-	-	Re-enter treated area only after spray has dried
FKA AGRI CHEMICAL CORPORATION	ABAMECTIN	CINATTE 1.8 EC	180 g/L	EC	INSECTICIDE	4	399-234-5966	7-Jun-24	-	Tomato	Leafminer, thrips, aphids	2-3 Tbsp/ 36L water	-	-	Re-enter treated area only after spray has dried
FKA AGRI CHEMICAL CORPORATION	ABAMECTIN	CINATTE 1.8 EC	180 g/L	EC	INSECTICIDE	4	399-234-5966	7-Jun-24	-	Watermelon	Leafminer, thrips, melonworm	2-3 Tbsp/ 36L water	-	-	Re-enter treated area only after spray has dried
FKA AGRI CHEMICAL CORPORATION	ABAMECTIN	CINATTE 1.8 EC	180 g/L	EC	INSECTICIDE	4	399-234-5966	7-Jun-24	-	Papaya	Mites	-	-	-	Re-enter treated area only after spray has dried
FKA AGRI CHEMICAL CORPORATION	ABAMECTIN	CINATTE 1.8 EC	180 g/L	EC	INSECTICIDE	4	399-234-5966	7-Jun-24	-	Strawberry	Mites	2-4 Tbsp/ 36L water	-	-	Re-enter treated area only after spray has dried
MONARCH AGRICULTURAL PRODUCTS, INC.	DAZOMET	CIMOXZID-6	980 g/kg	G	OTHERS	3	096-095-5370	24-Mar-24	-	Soil fumigant	nematodes, root disease, soil insects & weeds	-	-	-	Non Pre-harvest interval is necessary from fumigation to harvest
MONARCH AGRICULTURAL PRODUCTS, INC.	OXAMIL	CIMOXAMATE 240 SL	240 g/L	SL	NEMATOCIDE	1	096-172-4063-B	31-Dec-26	SYSTEMIC	Banana	Nematodes and *corn weevils	2-30 mL/mut	-	14 Days	Do not enter fields treated with CIMOXAMATE 240SL within 12 hours after application
MONARCH AGRICULTURAL PRODUCTS, INC.	SPINOTERAMAT	CIMOTERAVEN 240 SC	240 g/L	SC	INSECTICIDE	3	096-419-6022	8-Feb-26	-	Banana	Flower thrips	30-40 mL/L water	-	-	-
MONARCH AGRICULTURAL PRODUCTS, INC.	SPINOTERAMAT	CIMOTERAVEN 240 SC	240 g/L	SC	INSECTICIDE	3	096-419-6022	8-Feb-26	-	Pineapple	Mealy bugs, scale insects, white grubs and mites	30-40 mL/2L water	-	-	-
MONARCH AGRICULTURAL PRODUCTS, INC.	PROCHLORAZ	CIMPROMES 45 EW	450 g/L	EW	FUNGICIDE	3	096-300-5990	12-Jan-26	-	Banana	Fungal crown mold/ crown rot	2-4 L prod./ha	-	-	-
MONARCH AGRICULTURAL PRODUCTS, INC.	PROCHLORAZ	CIMPROMES 45 EW	450 g/L	EW	FUNGICIDE	3	096-300-5990	12-Jan-26	-	Pineapple	Butt and crown mold	0.5 mL Prod/ L water	-	-	-
ALDO INCORPORATED	NICLOXAMIDE ETHANOLAMINE SALT	CIMARRON 70 WP	700g/kg	WP	MOLLUSCICIDE	4	002-229-2448	17-Sep-24	CONTACT	Rice	Golden apple snail	Rtg or 1 satchet	-	-	Do not enter the treated field within 48 hours after application
KEMSTAR CORPORATION	NICLOXAMIDE ETHANOLAMINE SALT	CIMARRON 70 WP	700g/kg	WP	MOLLUSCICIDE	4	239-229-3036	30-Mar-21	CONTACT	Rice	Golden apple snail	Rtg or 1 satchet	-	-	Do not enter the treated field within 48 hours after application
SOUTHLAND CONSUMERS COOPERATIVE	CYPERMETHRIN	CIA S EC	50 g/L	EC	INSECTICIDE	4	599-037-4285	09-Mar-21	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
SOUTHLAND CONSUMERS COOPERATIVE	CYPERMETHRIN	CIA S EC	50 g/L	EC	INSECTICIDE	4	599-037-4285	09-Mar-21	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leafhopper, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
SOUTHLAND CONSUMERS COOPERATIVE	CYPERMETHRIN	CIA S EC	50 g/L	EC	INSECTICIDE	4	599-037-4285	09-Mar-21	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
SOUTHLAND CONSUMERS COOPERATIVE	CYPERMETHRIN	CIA S EC	50 g/L	EC	INSECTICIDE	4	599-037-4285	09-Mar-21	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
SOUTHLAND CONSUMERS COOPERATIVE	CYPERMETHRIN	CIA S EC	50 g/L	EC	INSECTICIDE	4	599-037-4285	09-Mar-21	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
SOUTHLAND CONSUMERS COOPERATIVE	CYPERMETHRIN	CIA S EC	50 g/L	EC	INSECTICIDE	4	599-037-4285	09-Mar-21	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
SOUTHLAND CONSUMERS COOPERATIVE	CYPERMETHRIN	CIA S EC	50 g/L	EC	INSECTICIDE	4	599-037-4285	09-Mar-21	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
SOUTHLAND CONSUMERS COOPERATIVE	CYPERMETHRIN	CIA S EC	50 g/L	EC	INSECTICIDE	4	599-037-4285	09-Mar-21	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
SOUTHLAND CONSUMERS COOPERATIVE	CYPERMETHRIN	CIA S EC	50 g/L	EC	INSECTICIDE	4	599-037-4285	09-Mar-21	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
SOUTHLAND CONSUMERS COOPERATIVE	CYPERMETHRIN	CIA S EC	50 g/L	EC	INSECTICIDE	4	599-037-4285	09-Mar-21	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
SOUTHLAND CONSUMERS COOPERATIVE	CYPERMETHRIN	CIA S EC	50 g/L	EC	INSECTICIDE	4	599-037-4285	09-Mar-21	CONTACT	Corn	Comborer, earworm	1.0-4.5 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
SOUTHLAND CONSUMERS COOPERATIVE	CYPERMETHRIN	CIA S EC	50 g/L	EC	INSECTICIDE	4	599-037-4285	09-Mar-21	CONTACT	Rice	Golden Apple Snail (Kuhol)	35 grams product/ load (1 satchet)	-	-	48 hours after spraying
PRIMSTOCKS CHEMICAL CORPORATION	NICLOXAMIDE ETHANOLAMINE SALT	CHUN-UP 70 WP	700g/kg	WP	MOLLUSCICIDE	4	623-229-4595-A	04-Jan-26	CONTACT	Mango	Leafhopper	1 satchet*/200L	-	-	Do not enter the treated fields for at least 24 hours after application.
DCDM MARKETING INCORPORATED	PIVETROZINE	CHOSEN 50 WG	500 g/kg	WG	INSECTICIDE	4	467-307-4341	26-Apr-24	-	Rice	Sheath blight	0.4-0.8 product kg/ha	30ppm	14 Days	Do not enter treated areas without protective clothing until sprays have dried
BERRIS AGRICULTURAL CO., INC.	IPRODIONE	CHORALE 50 WP	500 g/kg	WP	FUNGICIDE	4	233-155-4260	01-Aug-24	SELECTIVE	Banana	Sigatoka & crown rot & mold	1.0-1.5 product kg/ha	10.0 mg/kg	0 Day	Do not enter treated areas without protective clothing until sprays have dried
BERRIS AGRICULTURAL CO., INC.	IPRODIONE	CHORALE 50 WP	500 g/kg	WP	FUNGICIDE	4	233-155-4260	01-Aug-24	SELECTIVE	Cabbage	Black leg	-	-	-	Do not enter treated areas without protective clothing until sprays have dried
BERRIS AGRICULTURAL CO., INC.	IPRODIONE	CHORALE 50 WP	500 g/kg	WP	FUNGICIDE	4	233-155-4260	01-Aug-24	SELECTIVE	Turf grass	Fairy ring	6.0-12.0 product kg/ha	-	-	Do not enter treated areas without protective clothing until sprays have dried
CROPKING CHEMICALS INC.	CARBARYL	CHOPPER BS S	850 g/kg	WP	INSECTICIDE	2	065-035-1141	15-Oct-25	-	Tobacco	Budworm, cutworm, aphids	4-6 Tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
CROPKING CHEMICALS INC.	CARBARYL	CHOPPER BS S	850 g/kg	WP	INSECTICIDE	2	065-035-1141	15-Oct-25	-	Sorghum	Webworm, armyworm, cutworm, headworm	4-6 Tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
CROPKING CHEMICALS INC.	CARBARYL	CHOPPER BS S	850 g/kg	WP	INSECTICIDE	2	065-035-1141	15-Oct-25	-	Ornamentals	Aphids, scale insect, mealy bug, cutworm	4-6 Tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
CROPKING CHEMICALS INC.	CARBARYL	CHOPPER BS S	850 g/kg	WP	INSECTICIDE	2	065-035-1141	15-Oct-25	-	Mango	Mango hopper, tip borer, twig borer, fruit fly, mealy bug	4-8 Tbsp/16 L water	-	1 Day	Do not enter treatment areas until spray deposit have dried
CROPKING CHEMICALS INC.	CARBARYL	CHOPPER BS S	850 g/kg	WP	INSECTICIDE	2	065-035-1141	15-Oct-25	-	Coffee	Berry borer	4-6 Tbsp/16 L water	-	1 Day	Do not enter treatment areas until spray deposit have dried
CROPKING CHEMICALS INC.	CARBARYL	CHOPPER BS S	850 g/kg	WP	INSECTICIDE	2	065-035-1141	15-Oct-25	-	Cacao	Podborer, aphids, capsid bug	4-6 Tbsp/16 L water	-	1 Day	Do not enter treatment areas until spray deposit have dried
CROPKING CHEMICALS INC.	CARBARYL	CHOPPER BS S	850 g/kg	WP	INSECTICIDE	2	065-035-1141	15-Oct-25	-	Citrus	Rind borer	4-6 Tbsp/16 L water	-	5 Days	Do not enter treatment areas until spray deposit have dried

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
CROPKING CHEMICALS INC.	CARBARYL	CHOPPER BS 5	800 g/kg	WP	INSECTICIDE	2	065-035-1141	15-Oct-25	-	Soybeans	Podborer, beanfly, leafminer, aphids	4-6 tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
CROPKING CHEMICALS INC.	CARBARYL	CHOPPER BS 5	850 g/kg	WP	INSECTICIDE	2	065-035-1141	15-Oct-25	-	Rice	Green leafhopper, caseworm, ricebug	4-6 tbsp/16 L water	1ppm	14 Days	Do not enter treatment areas until spray deposit have dried
CROPKING CHEMICALS INC.	CARBARYL	CHOPPER BS 5	850 g/kg	WP	INSECTICIDE	2	065-035-1141	15-Oct-25	-	Cowpea and other beans	Podborer, beanfly, leafminer, aphids	4-6 tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
CROPKING CHEMICALS INC.	CARBARYL	CHOPPER BS 5	850 g/kg	WP	INSECTICIDE	2	065-035-1141	15-Oct-25	-	Cotton seed	Silkworm, cutworm	4-6 tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
CROPKING CHEMICALS INC.	CARBARYL	CHOPPER BS 5	850 g/kg	WP	INSECTICIDE	2	065-035-1141	15-Oct-25	-	Corn	Corn borer, corn earworm, army worm	4-6 tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
CROPKING CHEMICALS INC.	CARBARYL	CHOPPER BS 5	850 g/kg	WP	INSECTICIDE	2	065-035-1141	15-Oct-25	-	Tomato	Fruitworm, lady beetle	4-6 tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
CROPKING CHEMICALS INC.	CARBARYL	CHOPPER BS 5	850 g/kg	WP	INSECTICIDE	2	065-035-1141	15-Oct-25	-	Cucurbits	Squash beetle, lady beetle, aphids	4-6 tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
RADISSON AGROCHEMICAL CORPORATION	BISPYRIBAC SODIUM	CHOICE 10 SC *	105.5 g/L	SC	HERBICIDE	2	234-276-4210	25-Dec-23	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Rice (Transplanted and Direct-Seeded)	Grasses, sedges & broadleaves	10ml/16L water, 20 spray load/ hectare	0.1 ppm	-	As soon as spray deposit have dried
RADISSON AGROCHEMICAL CORPORATION	BISPYRIBAC SODIUM	CHOICE 10 SC *	105.5 g/L	SC	HERBICIDE	4	234-276-2558	05-Mar-25	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Rice (Direct Seeded and Transplanted)	Grasses, sedges & broadleaves	10ml/16L water, 20 spray load/ hectare	0.1 ppm	-	As soon as spray deposit have dried.
ZAGRO CORPORATION	PROCHLORAZ	CHLORZAC 400 EW	450 g/L	EW	FUNGICIDE	3	043-300-4801	27-May-25	-	Banana	Fungal crown mold/crown rot	2 mL/L	5.0 mg/kg	-	-
ZAGRO CORPORATION	PROCHLORAZ	CHLORZAC 400 EW	450 g/L	EW	FUNGICIDE	3	043-300-4801	27-May-25	-	Pineapple	Butt & crown rot	200-400 ppm ai	2.0 mg/kg	-	-
FKA AGR CHEMICAL CORPORATION	CHLORPYRIFOS	CHLOR PRIME 30 EC	300 g/L	EC	INSECTICIDE	2	399-101-3529	03-Sep-18	-	Rice	Stemborer, armyworm, leafhopper, caseworm, planthopper, cutworm	2.5-3.5 tbsp/16L water	-	-	-
FKA AGR CHEMICAL CORPORATION	CHLORPYRIFOS	CHLOR PRIME 30 EC	300 g/L	EC	INSECTICIDE	2	399-101-3529	03-Sep-18	-	Potato	Tuber moth, leafhopper, cutworm, aphids	2.5-3.5 tbsp/16L water	-	-	-
FKA AGR CHEMICAL CORPORATION	CHLORPYRIFOS	CHLOR PRIME 30 EC	300 g/L	EC	INSECTICIDE	2	399-101-3529	03-Sep-18	-	Corn	Armyworm, cornborer, earworm, seedling maggots	2.5-3.5 tbsp/16L water	-	-	-
FKA AGR CHEMICAL CORPORATION	CHLORPYRIFOS	CHLOR PRIME 30 EC	300 g/L	EC	INSECTICIDE	2	399-101-3529	03-Sep-18	-	Beans	Beanfly, leafroller, podborer, cutworm, armyworm	2.5-3.5 tbsp/16L water	-	-	-
SANHEM CORPORATION	CHLORPYRIFOS	CHLORPI 300 EC	300 g/L	EC	INSECTICIDE	2	515-101-3533	03-Sep-24	-	Rice	Stemborer, armyworm, leafhopper, caseworm, planthopper, cutworm	2.5-3.5 tbsp/16L water	-	-	-
SANHEM CORPORATION	CHLORPYRIFOS	CHLORPI 300 EC	300 g/L	EC	INSECTICIDE	2	515-101-3533	03-Sep-24	-	Potato	Tuber moth, leafhopper, cutworm, aphids	2.5-3.5 tbsp/16L water	-	-	-
SANHEM CORPORATION	CHLORPYRIFOS	CHLORPI 300 EC	300 g/L	EC	INSECTICIDE	2	515-101-3533	03-Sep-24	-	Corn	Armyworm, cornborer, earworm, seedling maggots	2.5-3.5 tbsp/16L water	-	-	-
SANHEM CORPORATION	CHLORPYRIFOS	CHLORPI 300 EC	300 g/L	EC	INSECTICIDE	2	515-101-3533	03-Sep-24	-	Beans	Beanfly, leafroller, podborer, cutworm, armyworm	2.5-3.5 tbsp/16L water	-	-	-
BIOQUE SCIENCES SOLUTIONS COMPANY	CHLOROTHALONIL-MANCOZEB	CHLORDEEB WP	-	WP	FUNGICIDE	2	191-031-9148	02-Jul-21	-	Banana	Sigatoka & leaf speckle	1.5-2.5 L/ha	-	-	-
BIOSTADT PHILIPPINES INC.	CHLOROTHALONIL	CHLOROTEX 720 SC	720 g/L	SC	FUNGICIDE	4	097-118-3450	14-Jul-24	-	Potato	Early blight, late blight, vine rot	1.00-1.80 L/ha or 4.5-5.5 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
BIOSTADT PHILIPPINES INC.	CHLOROTHALONIL	CHLOROTEX 720 SC	720 g/L	SC	FUNGICIDE	4	097-118-3450	14-Jul-24	-	Tomato	Early blight, late blight, vine rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
BIOSTADT PHILIPPINES INC.	CHLOROTHALONIL	CHLOROTEX 720 SC	720 g/L	SC	FUNGICIDE	4	097-118-3450	14-Jul-24	-	Beans	Rust, anthracnose	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
BIOSTADT PHILIPPINES INC.	CHLOROTHALONIL	CHLOROTEX 720 SC	720 g/L	SC	FUNGICIDE	4	097-118-3450	14-Jul-24	-	Carrot	Alternaria leaf spot, cercospora leaf spot, helminthosporium leaf spot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
BIOSTADT PHILIPPINES INC.	CHLOROTHALONIL	CHLOROTEX 720 SC	720 g/L	SC	FUNGICIDE	4	097-118-3450	14-Jul-24	-	Cucifers	Powdery mildew	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
BIOSTADT PHILIPPINES INC.	CHLOROTHALONIL	CHLOROTEX 720 SC	720 g/L	SC	FUNGICIDE	4	097-118-3450	14-Jul-24	-	Melon	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
BIOSTADT PHILIPPINES INC.	CHLOROTHALONIL	CHLOROTEX 720 SC	720 g/L	SC	FUNGICIDE	4	097-118-3450	14-Jul-24	-	Cucumber	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
BIOSTADT PHILIPPINES INC.	CHLOROTHALONIL	CHLOROTEX 720 SC	720 g/L	SC	FUNGICIDE	4	097-118-3450	14-Jul-24	-	Squash	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
BIOSTADT PHILIPPINES INC.	CHLOROTHALONIL	CHLOROTEX 720 SC	720 g/L	SC	FUNGICIDE	4	097-118-3450	14-Jul-24	-	Watermelon	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
BIOSTADT PHILIPPINES INC.	CHLOROTHALONIL	CHLOROTEX 720 SC	720 g/L	SC	FUNGICIDE	4	097-118-3450	14-Jul-24	-	Celery	Early blight, late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
BIOSTADT PHILIPPINES INC.	CHLOROTHALONIL	CHLOROTEX 720 SC	720 g/L	SC	FUNGICIDE	4	097-118-3450	14-Jul-24	-	Eggplant	Early blight, late blight, cercospora leafspot, anthracnose	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
BIOSTADT PHILIPPINES INC.	CHLOROTHALONIL	CHLOROTEX 720 SC	720 g/L	SC	FUNGICIDE	4	097-118-3450	14-Jul-24	-	Garlic	Purple blotch, bulb rot, neck rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
BIOSTADT PHILIPPINES INC.	CHLOROTHALONIL	CHLOROTEX 720 SC	720 g/L	SC	FUNGICIDE	4	097-118-3450	14-Jul-24	-	Onion	Purple blotch, bulb rot, neck rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
BIOSTADT PHILIPPINES INC.	CHLOROTHALONIL	CHLOROTEX 720 SC	720 g/L	SC	FUNGICIDE	4	097-118-3450	14-Jul-24	-	Pepper	Early blight, cercospora leaf spot, anthracnose	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
BIOSTADT PHILIPPINES INC.	CHLOROTHALONIL	CHLOROTEX 720 SC	720 g/L	SC	FUNGICIDE	4	097-118-3450	14-Jul-24	-	Grapes	Downy mildew, powdery mildew, fruit rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
BIOSTADT PHILIPPINES INC.	CHLOROTHALONIL	CHLOROTEX 720 SC	720 g/L	SC	FUNGICIDE	4	097-118-3450	14-Jul-24	-	Mango	Anthracoese, diplodia rot	3.75-5.60 L/ha or 4.5-6.0 tbsp/16 L	0.5 mg/kg	7-14 days	Do not enter treatment areas until spray deposit have dried
BIOSTADT PHILIPPINES INC.	CHLOROTHALONIL	CHLOROTEX 720 SC	720 g/L	SC	FUNGICIDE	4	097-118-3450	14-Jul-24	-	Ornamentals	Black spot, powdery mildew, black rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
BIOSTADT PHILIPPINES INC.	CHLOROTHALONIL	CHLOROTEX 720 SC	720 g/L	SC	FUNGICIDE	4	097-118-3450	14-Jul-24	-	Peanut	Cercospora leaf spot/rust	1.13-1.90 L/ha or 4.5-6.0 tbsp/16L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
BIOSTADT PHILIPPINES INC.	CHLOROTHALONIL	CHLOROTEX 720 SC	720 g/L	SC	FUNGICIDE	4	097-118-3450	14-Jul-24	-	Banana	Black sigatoka	1.38 L/ha	2.0 mg/kg	0 day	Do not enter treatment areas until spray deposit have dried
BIOSTADT PHILIPPINES INC.	CHLOROTHALONIL	CHLOROTEX 720 SC	720 g/L	SC	FUNGICIDE	4	097-118-3450	14-Jul-24	-	Asparagus	Stem and leaf blight	1.80 L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
BIOSTADT PHILIPPINES INC.	CHLOROTHALONIL	CHLOROTEX 50 SC	500 g/L	SC	FUNGICIDE	4	097-118-3451	11-Jan-25	-	Corn	Heminthosporium leaf spot, cercospora leafspot	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
BIOSTADT PHILIPPINES INC.	CHLOROTHALONIL	CHLOROTEX 50 SC	500 g/L	SC	FUNGICIDE	4	097-118-3451	11-Jan-25	-	Eggplant	Anthracoese, cercospora leafspot, early and late blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
BIOSTADT PHILIPPINES INC.	CHLOROTHALONIL	CHLOROTEX 50 SC	500 g/L	SC	FUNGICIDE	4	097-118-3451	11-Jan-25	-	Peanut	Cercospora leaf spot, rust	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
BIOSTADT PHILIPPINES INC.	CHLOROTHALONIL	CHLOROTEX 50 SC	500 g/L	SC	FUNGICIDE	4	097-118-3451	11-Jan-25	-	Potato	Early and late blight, vine rot	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
BIOSTADT PHILIPPINES INC.	CHLOROTHALONIL	CHLOROTEX 50 SC	500 g/L	SC	FUNGICIDE	4	097-118-3451	11-Jan-25	-	Tomato	Early and late blight, vine rot	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
BIOSTADT PHILIPPINES INC.	CHLOROTHALONIL	CHLOROTEX 50 SC	500 g/L	SC	FUNGICIDE	4	097-118-3451	11-Jan-25	-	Carrot	Alternaria, cercospora leaf spot, heminthosporium leaf spot	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
BIOSTADT PHILIPPINES INC.	CHLOROTHALONIL	CHLOROTEX 50 SC	500 g/L	SC	FUNGICIDE	4	097-118-3451	11-Jan-25	-	Banana	Sigatoka, rust, freckles, heminthosporium leaf spot	2 L/ha	2.0 mg/kg	-	Do not enter treatment areas until spray deposit have dried
BIOSTADT PHILIPPINES INC.	CHLOROTHALONIL	CHLOROTEX 50 SC	500 g/L	SC	FUNGICIDE	4	097-118-3451	11-Jan-25	-	Mango	Anthracoese, diplodia rot	6.0-8.5 Tbsp/16 L	0.5 mg/kg	7-14 days	Do not enter treatment areas until spray deposit have dried
BIOSTADT PHILIPPINES INC.	CHLOROTHALONIL	CHLOROTEX 50 SC	500 g/L	SC	FUNGICIDE	4	097-118-3451	11-Jan-25	-	Beans	Rust, anthracnose	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
BIOSTADT PHILIPPINES INC.	CHLOROTHALONIL	CHLOROTEX 50 SC	500 g/L	SC	FUNGICIDE	4	097-118-3451	11-Jan-25	-	Cucifers	Powdery mildew	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
BIOSTADT PHILIPPINES INC.	CHLOROTHALONIL	CHLOROTEX 50 SC	500 g/L	SC	FUNGICIDE	4	097-118-3451	11-Jan-25	-	Onion	Purple blotch, bulb rot, neck rot	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
BIOSTADT PHILIPPINES INC.	CHLOROTHALONIL	CHLOROTEX 50 SC	500 g/L	SC	FUNGICIDE	4	097-118-3451	11-Jan-25	-	Garlic	Purple blotch, bulb rot, neck rot	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
BIOSTADT PHILIPPINES INC.	CHLOROTHALONIL	CHLOROTEX 50 SC	500 g/L	SC	FUNGICIDE	4	097-118-3451	11-Jan-25	-	Ornamentals	Black spot, black rot, powdery mildew	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
BIOSTADT PHILIPPINES INC.	CHLOROTHALONIL	CHLOROTEX 50 SC	500 g/L	SC	FUNGICIDE	4	097-118-3451	11-Jan-25	-	Grapes	Downy mildew, powdery mildew, fruit rot	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
BIOSTADT PHILIPPINES INC.	CHLOROTHALONIL	CHLOROTEX 50 SC	500 g/L	SC	FUNGICIDE	4	097-118-3451	11-Jan-25	-	Pepper	Anthracoese, cercospora leaf spot, early blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
BIOSTADT PHILIPPINES INC.	CHLOROTHALONIL	CHLOROTEX 50 SC	500 g/L	SC	FUNGICIDE	4	097-118-3451	11-Jan-25	-	Melon	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/16 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
ZAGRO CORPORATION	CHLOROTHALONIL	CHLORONIL 75 WP	750 g/kg	WP	FUNGICIDE	4	043-118-1509	15-Feb-26	-	Ornamentals	Black spot, black rot, powdery mildew	1.2-4.8 Tbsp/16L water	-	-	Do not enter treatment areas until spray deposit have dried
ZAGRO CORPORATION	CHLOROTHALONIL	CHLORONIL 75 WP	750 g/kg	WP	FUNGICIDE	4	043-118-1509	15-Feb-26	-	Peanut	Cercospora leaf spot	3.2-4.8 Tbsp/16L water	-	14 Days	Do not enter treatment areas until spray deposit have dried
ZAGRO CORPORATION	CHLOROTHALONIL	CHLORONIL 75 WP	750 g/kg	WP	FUNGICIDE	4	043-118-1509	15-Feb-26	-	Lettuce	Downy mildew	1.2-4.8 Tbsp/16L water	-	-	Do not enter treatment areas until spray deposit have dried
ZAGRO CORPORATION	CHLOROTHALONIL	CHLORONIL 75 WP	750 g/kg	WP	FUNGICIDE	4	043-118-1509	15-Feb-26	-	Cabbage	Powdery mildew	1.2-4.8 Tbsp/16L water	-	-	Do not enter treatment areas until spray deposit have dried
ZAGRO CORPORATION	CHLOROTHALONIL	CHLORONIL 75 WP	750 g/kg	WP	FUNGICIDE	4	043-118-1509	15-Feb-26	-	Cauliflower	Powdery mildew	1.2-4.8 Tbsp/16L water	-	-	Do not enter treatment areas until spray deposit have dried
ZAGRO CORPORATION	CHLOROTHALONIL	CHLORONIL 75 WP	750 g/kg	WP	FUNGICIDE	4	043-118-1509	15-Feb-26	-	Broccoli	Powdery mildew	1.2-4.8 Tbsp/16L water	-	-	Do not enter treatment areas until spray deposit have dried
ZAGRO CORPORATION	CHLOROTHALONIL	CHLORONIL 75 WP	750 g/kg	WP	FUNGICIDE	4	043-118-1509	15-Feb-26	-	Carrot	Alternaria leaf spot, cercospora leaf spot	1.2-4.8 Tbsp/16L water	-	-	Do not enter treatment areas until spray deposit have dried
ZAGRO CORPORATION	CHLOROTHALONIL	CHLORONIL 75 WP	750 g/kg	WP	FUNGICIDE	4	043-118-1509	15-Feb-26	-	Squash	Anthraxnose, powdery mildew, early and late blight, cercospora leaf spot	1.2-4.8 Tbsp/16L water	-	-	Do not enter treatment areas until spray deposit have dried
KEMISTAR CORPORATION	CHLORPYRIFOS	CHLORFOS 400 EC	400 g/L	EC	INSECTICIDE	2	239-101-2882	09-Jul-24	-	Banana	Thrips, scarifying beetle & aphids	20-30 ml per 16L water	-	-	-
KEMISTAR CORPORATION	CHLORPYRIFOS	CHLORFOS 400 EC	400 g/L	EC	INSECTICIDE	2	239-101-2882	09-Jul-24	-	Sugarcane	Whitegrubs	80-100 ml per 16L water	-	-	-
KEMISTAR CORPORATION	CHLORPYRIFOS	CHLORFOS 400 EC	400 g/L	EC	INSECTICIDE	2	239-101-2882	09-Jul-24	-	Pineapple	Ants & Mealybugs; White grubs symphylids	1-4.1 per hectare, 8L/ha (pre-plant)	0.05 ppm	-	-
KEMISTAR CORPORATION	CHLORPYRIFOS	CHLORFOS 300 EC	300 g/L	EC	INSECTICIDE	2	239-101-1511	09-Jun-24	-	Rice	Stem borer, armyworm, leafhopper, caseworm, planthopper, cutworm	2.5-3.5 tbsp/16L water	-	-	-
KEMISTAR CORPORATION	CHLORPYRIFOS	CHLORFOS 300 EC	300 g/L	EC	INSECTICIDE	2	239-101-1511	09-Jun-24	-	Potato	Tubermoth, leafhopper, cutworm, aphids	2.5-3.5 tbsp/16L water	-	-	-
KEMISTAR CORPORATION	CHLORPYRIFOS	CHLORFOS 300 EC	300 g/L	EC	INSECTICIDE	2	239-101-1511	09-Jun-24	-	Corn	Armyworm, cornborer, earworm, seedling maggots	2.5-3.5 tbsp/16L water	-	-	-
KEMISTAR CORPORATION	CHLORPYRIFOS	CHLORFOS 300 EC	300 g/L	EC	INSECTICIDE	2	239-101-1511	09-Jun-24	-	Beans	Beanfly, leafroller, podborer, cutworm, armyworm	2.5-3.5 tbsp/16L water	-	-	-
LINK AGRITECH SOLUTIONS PHILIPPINES INC.	CHLORFENAPYR	CHLORFEN 100 SC	100 g/L	SC	INSECTICIDE	3	615-283-5244	14-Oct-23	-	Cabbage	Diamond back moth, aphids and cabbage moth	1.5-3.0 Tbsp/16L	-	-	-
LINK AGRITECH SOLUTIONS PHILIPPINES INC.	CHLORFENAPYR	CHLORFEN 100 SC	100 g/L	SC	INSECTICIDE	3	615-283-5244	14-Oct-23	-	Potato	Thrips	0.5-1.5, 1.5-3.0 Tbsp/16L	-	-	-
LINK AGRITECH SOLUTIONS PHILIPPINES INC.	CHLORFENAPYR	CHLORFEN 100 SC	100 g/L	SC	INSECTICIDE	3	615-283-5244	14-Oct-23	-	Banana	Flower thrips	2-3 ml/ 3L water	-	-	-
NEXCHEM CORPORATION	CHLORANTHANILIPROLE	CHLORANEX 5 SC	50 g/L	SC	INSECTICIDE	4	702-393-6331	2-Aug-26	-	Bitter melon	Cutworm, leafhopper	20 ml prod. / 16L water; 500 L/ ha	-	3 days	12 hours after spraying
NEXCHEM CORPORATION	CHLORANTHANILIPROLE	CHLORANEX 5 SC	50 g/L	SC	INSECTICIDE	4	702-393-6331	2-Aug-26	-	Cabbage	Cabbage worm, cutworm, diamondback moth	10-15 ml prod. / 16L water; 600 L/ha	-	1 day	12 hours after spraying
NEXCHEM CORPORATION	CHLORANTHANILIPROLE	CHLORANEX 5 SC	50 g/L	SC	INSECTICIDE	4	702-393-6331	2-Aug-26	-	Corn	Corn borer, corn earworm, fall armyworm	25-30 ml prod. / 16L water; 30 ml prod. / 16L water	-	7 days	12 hours after spraying
NEXCHEM CORPORATION	CHLORANTHANILIPROLE	CHLORANEX 5 SC	50 g/L	SC	INSECTICIDE	4	702-393-6331	2-Aug-26	-	Eggplant	Fruit and shoot borer, cutworm	10-15 ml prod. / 16L water; 800 L/ha	-	1 day	12 hours after spraying
NEXCHEM CORPORATION	CHLORANTHANILIPROLE	CHLORANEX 5 SC	50 g/L	SC	INSECTICIDE	4	702-393-6331	2-Aug-26	-	Rice	Stem borer, leaf folder	800 L/ha	-	-	12 hours after spraying
NEXCHEM CORPORATION	CHLORANTHANILIPROLE	CHLORANEX 5 SC	50 g/L	SC	INSECTICIDE	4	702-393-6331	2-Aug-26	-	Stringbeans	Cutworm, pod borer	10-15 ml prod. / 16L water; 600 L/ha	-	-	12 hours after spraying
NEXCHEM CORPORATION	CHLORANTHANILIPROLE	CHLORANEX 5 SC	50 g/L	SC	INSECTICIDE	4	702-393-6331	2-Aug-26	-	Sugarcane	Sugarcane borer	800 L/ha (1.5-2.0 g prod. / ha)	-	25 days	12 hours after spraying
NEXCHEM CORPORATION	CHLORANTHANILIPROLE	CHLORANEX 5 SC	50 g/L	SC	INSECTICIDE	4	702-393-6331	2-Aug-26	-	Tobacco	Budworm, cutworm	25-30 ml prod. / 16L water; 240 L/ha	-	7 days	12 hours after spraying
NEXCHEM CORPORATION	CHLORANTHANILIPROLE	CHLORANEX 5 SC	50 g/L	SC	INSECTICIDE	4	702-393-6331	2-Aug-26	-	Tomato	Cutworm, fruitworm	27-40 ml prod. / 16L water; 500 L/ha	-	3 days	12 hours after spraying
FKA AGRIC CHEMICAL CORPORATION	CHLORANTHANILIPROLE	CHLORACE 50 SC	50 g/L	SC	INSECTICIDE	4	399-393-6394	2-Aug-26	-	Bitter melon	Cutworm, leafhopper	20 ml prod. / 16L water	-	-	12 hours after spraying
FKA AGRIC CHEMICAL CORPORATION	CHLORANTHANILIPROLE	CHLORACE 50 SC	50 g/L	SC	INSECTICIDE	4	399-393-6394	2-Aug-26	-	Cabbage	Cabbage worm, loopers, diamond back moth	10-15 ml prod. / 16L water	-	-	12 hours after spraying
FKA AGRIC CHEMICAL CORPORATION	CHLORANTHANILIPROLE	CHLORACE 50 SC	50 g/L	SC	INSECTICIDE	4	399-393-6394	2-Aug-26	-	Corn	Corn borer, corn earworm, fall armyworm	25-30 ml prod. / 16L water; 30 ml prod. / 16L water	-	-	12 hours after spraying
FKA AGRIC CHEMICAL CORPORATION	CHLORANTHANILIPROLE	CHLORACE 50 SC	50 g/L	SC	INSECTICIDE	4	399-393-6394	2-Aug-26	-	Eggplant	Fruit and shoot borer, cutworm	10-15 ml prod. / 16L water	-	-	12 hours after spraying
FKA AGRIC CHEMICAL CORPORATION	CHLORANTHANILIPROLE	CHLORACE 50 SC	50 g/L	SC	INSECTICIDE	4	399-393-6394	2-Aug-26	-	Rice	Stem borer, leaf folder	20-25 ml prod. / 16L water	-	-	12 hours after spraying
FKA AGRIC CHEMICAL CORPORATION	CHLORANTHANILIPROLE	CHLORACE 50 SC	50 g/L	SC	INSECTICIDE	4	399-393-6394	2-Aug-26	-	Stringbeans	Cutworm, pod borer	10-15 ml prod. / 16L water	-	-	12 hours after spraying
FKA AGRIC CHEMICAL CORPORATION	CHLORANTHANILIPROLE	CHLORACE 50 SC	50 g/L	SC	INSECTICIDE	4	399-393-6394	2-Aug-26	-	Sugarcane	Sugarcane borer	800 L/ha (1.5-2.0 g prod. / ha)	-	-	12 hours after spraying
FKA AGRIC CHEMICAL CORPORATION	CHLORANTHANILIPROLE	CHLORACE 50 SC	50 g/L	SC	INSECTICIDE	4	399-393-6394	2-Aug-26	-	Tobacco	Budworm, cutworm	25-30 ml prod. / 16L water	-	-	12 hours after spraying
FKA AGRIC CHEMICAL CORPORATION	CHLORANTHANILIPROLE	CHLORACE 50 SC	50 g/L	SC	INSECTICIDE	4	399-393-6394	2-Aug-26	-	Tomato	Cutworm, fruitworm	27-40 ml prod. / 16L water	-	-	12 hours after spraying
JARDINE DISTRIBUTION, INC.	BETA-CYPERMETHRIN	CHX 2.5 EC	25 g/L	EC	INSECTICIDE	3	367-332-1784	24-Oct-26	-	Rice	Green leafhopper, whorl maggot, brown planthopper, stem borer, rice bugs, rice black bugs, leaf folder	16-32 ml/16L water	0.00 ppm	28 days	After spray deposits have dried up.
JARDINE DISTRIBUTION, INC.	BETA-CYPERMETHRIN	CHX 2.5 EC	25 g/L	EC	INSECTICIDE	3	367-332-1784	24-Oct-26	-	Mango	Hoppers, twig/tip borer	32-48 ml/16L water	0.03 ppm	40 days	After spray deposits have dried up.
JARDINE DISTRIBUTION, INC.	BETA-CYPERMETHRIN	CHX 2.5 EC	25 g/L	EC	INSECTICIDE	3	367-332-1784	24-Oct-26	-	Corn	Seedling maggot, corn borer, earworms	16-32 ml/16L water	-	-	After spray deposits have dried up.
JARDINE DISTRIBUTION, INC.	BETA-CYPERMETHRIN	CHX 2.5 EC	25 g/L	EC	INSECTICIDE	3	367-332-1784	24-Oct-26	-	Tomato	Fruitworms	32 ml/16L water	2.00 ppm	-	After spray deposits have dried up.
JARDINE DISTRIBUTION, INC.	BETA-CYPERMETHRIN	CHX 2.5 EC	25 g/L	EC	INSECTICIDE	3	367-332-1784	24-Oct-26	-	Eggplant	Shoot/fruit borers, leafhoppers	16-32 ml/16L water	0.50 ppm	-	After spray deposits have dried up.
JARDINE DISTRIBUTION, INC.	BETA-CYPERMETHRIN	CHX 2.5 EC	25 g/L	EC	INSECTICIDE	3	367-332-1784	24-Oct-26	-	Mungbeans	Pod borers, leafhoppers	16-32 ml/16L water	-	-	After spray deposits have dried up.
UPL PHILIPPINES, INC.	BETA-CYPERMETHRIN	CHX 2.5 EC	25 g/L	EC	INSECTICIDE	3	562-332-4647	13-Jan-25	-	Rice	Green leafhopper, whorl maggot, brown planthopper, stem borer, rice bugs, rice black bugs, leaf folder	16-32 ml/16L water	-	-	Crop sprayed with CHX 2.5 EC can be harvested 2 weeks after treatment. Entry to fields and crops treated with CHX 2.5 EC can be done as soon as spray deposits have dried.
UPL PHILIPPINES, INC.	BETA-CYPERMETHRIN	CHX 2.5 EC	25 g/L	EC	INSECTICIDE	3	562-332-4647	13-Jan-25	-	Mango	Hoppers, twig/tip borer	32-48 ml/16L water	-	-	Crop sprayed with CHX 2.5 EC can be harvested 2 weeks after treatment. Entry to fields and crops treated with CHX 2.5 EC can be done as soon as spray deposits have dried.
UPL PHILIPPINES, INC.	BETA-CYPERMETHRIN	CHX 2.5 EC	25 g/L	EC	INSECTICIDE	3	562-332-4647	13-Jan-25	-	Corn	Seedling maggot, corn borer, earworms	16-32 ml/16L water	-	-	Crop sprayed with CHX 2.5 EC can be harvested 2 weeks after treatment. Entry to fields and crops treated with CHX 2.5 EC can be done as soon as spray deposits have dried.
UPL PHILIPPINES, INC.	BETA-CYPERMETHRIN	CHX 2.5 EC	25 g/L	EC	INSECTICIDE	3	562-332-4647	13-Jan-25	-	Tomato	Fruitworms	32 ml/16L water	-	-	Crop sprayed with CHX 2.5 EC can be harvested 2 weeks after treatment. Entry to fields and crops treated with CHX 2.5 EC can be done as soon as spray deposits have dried.
UPL PHILIPPINES, INC.	BETA-CYPERMETHRIN	CHX 2.5 EC	25 g/L	EC	INSECTICIDE	3	562-332-4647	13-Jan-25	-	Mungbeans	Pod borers, leafhoppers	16-32 ml/16L water	-	-	Crop sprayed with CHX 2.5 EC can be harvested 2 weeks after treatment. Entry to fields and crops treated with CHX 2.5 EC can be done as soon as spray deposits have dried.
ORACLE CHEM CORPORATION	DELTAMETHRIN	CHKTIN 2.5 EC	25g/L	EC	INSECTICIDE	4	417-085-4554	26-Oct-21	-	Mango	Hopper, Tip borer, twig borer	0.75-1.0 Tbsp/16L water	-	-	24 hours after last spray
ORACLE CHEM CORPORATION	DELTAMETHRIN	CHKTIN 2.5 EC	25g/L	EC	INSECTICIDE	4	417-085-4554	26-Oct-21	-	Cabbage & other crucifers	Diamond-back moth, cabbage moth, cabbage worm	0.1 Tbsp/16L water	-	-	24 hours after last spray
ORACLE CHEM CORPORATION	DELTAMETHRIN	CHKTIN 2.5 EC	25g/L	EC	INSECTICIDE	4	417-085-4554	26-Oct-21	-	Tobacco	Budworm, armyworm, cutworm	0.8-1.0 Tbsp/16L water	-	-	24 hours after last spray
ORACLE CHEM CORPORATION	DELTAMETHRIN	CHKTIN 2.5 EC	25g/L	EC	INSECTICIDE	4	417-085-4554	26-Oct-21	-	Beans	Flea beetle, beanfly, bugs, thrips, cutworm, armyworm, podborer, semiohoppers, bean lycanid	0.8-1.0 Tbsp/16L water	-	-	24 hours after last spray
ORACLE CHEM CORPORATION	DELTAMETHRIN	CHKTIN 2.5 EC	25g/L	EC	INSECTICIDE	4	417-085-4554	26-Oct-21	-	Soybeans	Flea beetle, beanfly, bugs, thrips, cutworm, armyworm, podborer, semiohoppers, bean lycanid	0.8-1.0 Tbsp/16L water	-	-	24 hours after last spray
ORACLE CHEM CORPORATION	DELTAMETHRIN	CHKTIN 2.5 EC	25g/L	EC	INSECTICIDE	4	417-085-4554	26-Oct-21	-	Tomato	Fruitworm (heliothis)	0.8-1.0 Tbsp/16L water	-	-	24 hours after last spray
ORACLE CHEM CORPORATION	DELTAMETHRIN	CHKTIN 2.5 EC	25g/L	EC	INSECTICIDE	4	417-085-4554	26-Oct-21	-	Corn	Corn borer, corn earworm, seedling maggots	0.1 Tbsp/16L water	-	-	24 hours after last spray
ORACLE CHEM CORPORATION	DELTAMETHRIN	CHKTIN 2.5 EC	25g/L	EC	INSECTICIDE	4	417-085-4554	26-Oct-21	-	Eggplant	Thrips, flea beetle, fruitworm	0.1 Tbsp/16L water	-	-	24 hours after last spray

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
ORACLE CHEM CORPORATION	DELTAMETHRIN	CHIKTIN 2.5 EC	25g/L	EC	INSECTICIDE	4	417-085-4554	26-Oct-21	-	Cotton	Leafhopper, bollworm, weevil	0.8-1.0 Tbsp/36L water	-	-	24 hours after last spray
ORACLE CHEM CORPORATION	DELTAMETHRIN	CHIKTIN 2.5 EC	25g/L	EC	INSECTICIDE	4	417-085-4554	26-Oct-21	-	Agricultural crops	Locusts nymphs/ Locusts-adult	1.0-1.5"/ 3.0 Tbsp/ 36L water	-	-	24 hours after last spray
ORACLE CHEM CORPORATION	DELTAMETHRIN	CHIKTIN 2.5 EC	25g/L	EC	INSECTICIDE	4	417-085-4554	26-Oct-21	-	Cacao	Poilborer, aphids	0.1 Tbsp/36L water	-	-	24 hours after last spray
ORACLE CHEM CORPORATION	DELTAMETHRIN	CHIKTIN 2.5 EC	25g/L	EC	INSECTICIDE	4	417-085-4554	26-Oct-21	-	Rice	Whorl maggot, green leafhopper, stemborer, ricebug, rice black bug, caseworm	-	1.0ppm	-	24 hours after last spray
LIHEMPHIL INTERNATIONAL INC.	CYHALOPOF BUTYL-ETHOXYSUUFURON	CHEF 330 OD	300 g/L 30 g/L	OD	HERBICIDE	3	590-540-5354	29-Nov-24	-	Rice (Direct-Seeded)	Major weeds	0.1L prod./ hectare	-	-	As soon as spray deposits have dry.
LIHEMPHIL INTERNATIONAL INC.	CYHALOPOF BUTYL-ETHOXYSUUFURON	CHEF 330 OD	300 g/L 30 g/L	OD	HERBICIDE	3	590-540-5354	29-Nov-24	-	Rice (Transplanted)	(Echinochloa sp., Leptochloa chinensis), sedges (Cyperus difformis, Cyperus ita, Fimbristylis miliacea) and broadleaves (Ludwigia	500-750 mL prod./ ha	-	-	As soon as spray deposits have dry.
SYNGENTA PHILIPPINES INC.	CYHALOPOF BUTYL-ETHOXYSUUFURON	CHEF 330 OD	300 g/L 30 g/L	OD	HERBICIDE	3	011-540-5744	29-Nov-24	POST-EMERGENCE	Rice (Transplanted)	(Echinochloa sp., Leptochloa chinensis), sedges (Cyperus difformis, Cyperus ita, Fimbristylis miliacea) and broadleaves (Ludwigia	10-12 tankload/ ha	-	-	As soon as spray deposits have dry.
SYNGENTA PHILIPPINES INC.	CYHALOPOF BUTYL-ETHOXYSUUFURON	CHEF 330 OD	300 g/L 30 g/L	OD	HERBICIDE	3	011-540-5744	29-Nov-24	POST-EMERGENCE	Rice (Direct-Seeded)	Major weeds	500-750 ml/ha	-	-	As soon as spray deposits have dry.
SYNGENTA PHILIPPINES INC.	PYMETROZINE	CHESS 50 WG	500 g/kg	WG	INSECTICIDE	4	011-307-1088	13-Jun-26	-	Mango	leafhopper	40 g prod or 1 Sachet/200L	-	No PHI	Do not enter treated fields until spray deposit have completely dried
SYNGENTA PHILIPPINES INC.	PYMETROZINE	CHESS 50 WG	500 g/kg	WG	INSECTICIDE	4	011-307-1088	13-Jun-26	-	Corn	Leafhopper, planthopper & aphids	7-16 g prod/36L	0.02 ppm	5 days	Do not enter treated fields until spray deposit have completely dried
SYNGENTA PHILIPPINES INC.	PYMETROZINE	CHESS 50 WG	500 g/kg	WG	INSECTICIDE	4	011-307-1088	13-Jun-26	-	Rice	Leafhopper and green leafhopper Rice black bug and brown planthopper	25-30 gms/36L 0.25-0.30 kg prod / ha (0.125-0.150 kg	0.02 mg/kg	36 days	Do not enter treated fields until spray deposit have completely dried
CHEM-SOURCE UNLIMITED CORPORATION	CHEM-PYMETROZINE 25 SC	CHEM-PYMETROZINE 25 SC	250 g/L	SC	INSECTICIDE	4	674-307-6004	23-Jan-24	-	Banana	Scale insects, mealybugs, aphids	0.5-2.5 mL product/ L water	-	0 day	After spray deposits have dried.
CHEM-SOURCE UNLIMITED CORPORATION	PROCHLORAZ	CHEM-PROCHLORAZ 450 EW	450 g/L	EW	FUNGICIDE	3	674-302-5384	5-May-24	-	Banana	Fungal crown mold/crown rot, anthracnose, pitmark, and smoky fruit	2-4 mL/ L water	-	0 day	After spray deposits have dried
CHEM-SOURCE UNLIMITED CORPORATION	PROCHLORAZ	CHEM-PROCHLORAZ 450 EW	450 g/L	EW	FUNGICIDE	3	674-302-5384	5-May-24	-	Pineapple	Butt and crown mold/ Butt and crown rot	0.5-1.0 mL/L water: 1.0-3.0 L/ hectare	-	0 day	After spray deposits have dried
CHEM-SOURCE UNLIMITED CORPORATION	IMDACLOPRID	CHEM-IMDACLOPRID 70 WG	700 g/kg	WG	INSECTICIDE	-	674-240-5349	17-May-22	-	Banana	Scale insects, mealybugs, aphids	1.5-2.0 g prod./ L water	-	-	-
CHEM-SOURCE UNLIMITED CORPORATION	IMDACLOPRID	CHEM-IMDACLOPRID 70 WG	700 g/kg	WG	INSECTICIDE	-	674-240-5349	19-Oct-22	-	Banana	Common weevils, white grubs	500-250 prod./ ha	-	-	-
UNITED AGRISCIENCE PHILS., INC.	PYMETROZINE	CHEK 50 WG	500 g/kg	WG	INSECTICIDE	4	264-307-4897	27-Dec-23	-	Mango	Leafhopper	1 sachet/200L	-	-	Do not enter the treated fields for at least 24 hours after application.
LIHEMPHIL INTERNATIONAL INC.	PYMETROZINE	CHESTAR 30 WG	300 g/kg	WG	INSECTICIDE	4	590-307-5025	27-Jan-26	-	Mango	Leafhopper	80 g prod rate per 200L water	-	No PHI proposed as the product will be applied at least 20-40 days before harvest	Do not enter treated fields until spray deposit have completely dried
LIHEMPHIL INTERNATIONAL INC.	PYMETROZINE	CHESTAR 30 WG	300 g/kg	WG	INSECTICIDE	4	590-307-5025	27-Jan-26	-	Corn	Leafhopper, planthopper and aphids	7-16 g prod/ 36L water 100-250 g prod/ha	0.02 ppm	5 days	Do not enter treated fields until spray deposit have completely dried
LIHEMPHIL INTERNATIONAL INC.	PYMETROZINE	CHESTAR 30 WG	300 g/kg	WG	INSECTICIDE	4	590-307-5025	27-Jan-26	-	Rice	brown planthopper and green leafhopper	25-30 g prod/ 36L water	0.02 ppm	36 days	Do not enter treated fields until spray deposit have completely dried
ARIES RMC CHEMICAL CORPORATION	PYMETROZINE	CHEERS 50 WG	500 g/kg	WG	INSECTICIDE	4	478-307-5351	27-Dec-23	-	Mango	Leafhopper	1 Sachet/200L	-	-	Do not enter the treated fields for at least 24 hours after application.
UPL PHILIPPINES, INC.	CHLOROTHALONIL	CHECKPOINT 720 SC	720 g/L	SC	FUNGICIDE	4	562-118-4828	26-Jun-25	-	Potato	Early blight, late blight, vine rot	4.5-6.0 Tbsp/36L water	-	-	For Banana, harvesting may be done on the day of application. For other crops, do not apply within 7-14
UPL PHILIPPINES, INC.	CHLOROTHALONIL	CHECKPOINT 720 SC	720 g/L	SC	FUNGICIDE	4	562-118-4828	26-Jun-25	-	Tomato	Early blight, late blight, vine rot	4.5-6.0 Tbsp/36L water	-	-	For Banana, harvesting may be done on the day of application. For other crops, do not apply within 7-14
UPL PHILIPPINES, INC.	CHLOROTHALONIL	CHECKPOINT 720 SC	720 g/L	SC	FUNGICIDE	4	562-118-4828	26-Jun-25	-	Beans	Rust, anthracnose	4.5-6.0 Tbsp/36L water	-	-	For Banana, harvesting may be done on the day of application. For other crops, do not apply within 7-14
UPL PHILIPPINES, INC.	CHLOROTHALONIL	CHECKPOINT 720 SC	720 g/L	SC	FUNGICIDE	4	562-118-4828	26-Jun-25	-	Carrot	Alternaria leaf spot, cercospora leaf spot, helminthosporium leaf spot	4.5-6.0 Tbsp/36L water	-	-	For Banana, harvesting may be done on the day of application. For other crops, do not apply within 7-14
UPL PHILIPPINES, INC.	CHLOROTHALONIL	CHECKPOINT 720 SC	720 g/L	SC	FUNGICIDE	4	562-118-4828	26-Jun-25	-	Cucurbits	Powdery mildew	4.5-6.0 Tbsp/36L water	-	-	For Banana, harvesting may be done on the day of application. For other crops, do not apply within 7-14
UPL PHILIPPINES, INC.	CHLOROTHALONIL	CHECKPOINT 720 SC	720 g/L	SC	FUNGICIDE	4	562-118-4828	26-Jun-25	-	Cucurbits	Powdery mildew, downy mildew, cercospora, anthracnose, septoria, fruit rot, early and late blight	4.5-6.0 Tbsp/36L water	-	-	For Banana, harvesting may be done on the day of application. For other crops, do not apply within 7-14
UPL PHILIPPINES, INC.	CHLOROTHALONIL	CHECKPOINT 720 SC	720 g/L	SC	FUNGICIDE	4	562-118-4828	26-Jun-25	-	Salery	Early blight, late blight	4.5-6.0 Tbsp/36L water	-	-	For Banana, harvesting may be done on the day of application. For other crops, do not apply within 7-14
UPL PHILIPPINES, INC.	CHLOROTHALONIL	CHECKPOINT 720 SC	720 g/L	SC	FUNGICIDE	4	562-118-4828	26-Jun-25	-	Eggplant	Early blight, late blight, cercospora, anthracnose	4.5-6.0 Tbsp/36L water	-	-	For Banana, harvesting may be done on the day of application. For other crops, do not apply within 7-14
UPL PHILIPPINES, INC.	CHLOROTHALONIL	CHECKPOINT 720 SC	720 g/L	SC	FUNGICIDE	4	562-118-4828	26-Jun-25	-	Onion	Purple blotch, bulb rot, neck rot	4.5-6.0 Tbsp/36L water	-	-	For Banana, harvesting may be done on the day of application. For other crops, do not apply within 7-14
UPL PHILIPPINES, INC.	CHLOROTHALONIL	CHECKPOINT 720 SC	720 g/L	SC	FUNGICIDE	4	562-118-4828	26-Jun-25	-	Pepper	Early & Late blight, Bulb rot, Neck rot	4.5-6.0 Tbsp/36L water	-	-	For Banana, harvesting may be done on the day of application. For other crops, do not apply within 7-14
UPL PHILIPPINES, INC.	CHLOROTHALONIL	CHECKPOINT 720 SC	720 g/L	SC	FUNGICIDE	4	562-118-4828	26-Jun-25	-	Grapes	Downy mildew, powdery mildew, fruit rot	4.5-6.0 Tbsp/36L water	-	-	For Banana, harvesting may be done on the day of application. For other crops, do not apply within 7-14
UPL PHILIPPINES, INC.	CHLOROTHALONIL	CHECKPOINT 720 SC	720 g/L	SC	FUNGICIDE	4	562-118-4828	26-Jun-25	-	Mango	Anthracnose, diploila rot	4.5-6.0 Tbsp/36L water	0.5 mg/kg	-	For Banana, harvesting may be done on the day of application. For other crops, do not apply within 7-14
UPL PHILIPPINES, INC.	CHLOROTHALONIL	CHECKPOINT 720 SC	720 g/L	SC	FUNGICIDE	4	562-118-4828	26-Jun-25	-	Ornamentals	Black spot, powdery mildew, black rot	4.5-6.0 Tbsp/36L water	-	-	For Banana, harvesting may be done on the day of application. For other crops, do not apply within 7-14
UPL PHILIPPINES, INC.	CHLOROTHALONIL	CHECKPOINT 720 SC	720 g/L	SC	FUNGICIDE	4	562-118-4828	26-Jun-25	-	Asparagus	Stem and leaf blight	1.8 L/ha	-	-	For Banana, harvesting may be done on the day of application. For other crops, do not apply within 7-14
UPL PHILIPPINES, INC.	CHLOROTHALONIL	CHECKPOINT 720 SC	720 g/L	SC	FUNGICIDE	4	562-118-4828	26-Jun-25	-	Banana	Black sigatoka	1.2 L/ha	2.0 mg/kg	-	For Banana, harvesting may be done on the day of application. For other crops, do not apply within 7-14
AGRI-SPOUT PHILIPPINES, INC.	METHOMYL	CHECKMATE 40 SP	400 g/kg	SP	INSECTICIDE	2	668-164-5707	04-Jul-25	-	Asparagus	Armyworm, cutworm	2.0-2.5 Tbsp/36L water	-	-	Do not enter fields treated with CHECKMATE 40SP within twelve hours after application.
AGRI-SPOUT PHILIPPINES, INC.	METHOMYL	CHECKMATE 40 SP	400 g/kg	SP	INSECTICIDE	2	668-164-5707	04-Jul-25	-	Banana	Thrips	3.5-4.5 Tbsp/36L sprayer	-	-	Do not enter fields treated with CHECKMATE 40SP within twelve hours after application.
AGRI-SPOUT PHILIPPINES, INC.	METHOMYL	CHECKMATE 40 SP	400 g/kg	SP	INSECTICIDE	2	668-164-5707	04-Jul-25	-	Beans	Leafroller, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/36 L sprayer	-	-	Do not enter fields treated with CHECKMATE 40SP within twelve hours after application.
AGRI-SPOUT PHILIPPINES, INC.	METHOMYL	CHECKMATE 40 SP	400 g/kg	SP	INSECTICIDE	2	668-164-5707	04-Jul-25	-	Mungbeans	Leafroller, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/36 L sprayer	-	-	Do not enter fields treated with CHECKMATE 40SP within twelve hours after application.
AGRI-SPOUT PHILIPPINES, INC.	METHOMYL	CHECKMATE 40 SP	400 g/kg	SP	INSECTICIDE	2	668-164-5707	04-Jul-25	-	Soybeans	Leafroller, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/36 L sprayer	-	-	Do not enter fields treated with CHECKMATE 40SP within twelve hours after application.
AGRI-SPOUT PHILIPPINES, INC.	METHOMYL	CHECKMATE 40 SP	400 g/kg	SP	INSECTICIDE	2	668-164-5707	04-Jul-25	-	Situa	Leafroller, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/36 L sprayer	-	-	Do not enter fields treated with CHECKMATE 40SP within twelve hours after application.
AGRI-SPOUT PHILIPPINES, INC.	METHOMYL	CHECKMATE 40 SP	400 g/kg	SP	INSECTICIDE	2	668-164-5707	04-Jul-25	-	Corn	Comborer, earworm	2.0-3.5 Tbsp/36 L sprayer	-	-	Do not enter fields treated with CHECKMATE 40SP within twelve hours after application.
AGRI-SPOUT PHILIPPINES, INC.	METHOMYL	CHECKMATE 40 SP	400 g/kg	SP	INSECTICIDE	2	668-164-5707	04-Jul-25	-	Eggplant	Aphids, flea beetle , fruitworm, lady beetle	2.0-3.5 Tbsp/36 L sprayer	-	-	Do not enter fields treated with CHECKMATE 40SP within twelve hours after application.
AGRI-SPOUT PHILIPPINES, INC.	METHOMYL	CHECKMATE 40 SP	400 g/kg	SP	INSECTICIDE	2	668-164-5707	04-Jul-25	-	Melon	Aphids, squash beetle , leafroller	2.0-3.5 Tbsp/36 L sprayer	-	-	Do not enter fields treated with CHECKMATE 40SP within twelve hours after application.
AGRI-SPOUT PHILIPPINES, INC.	METHOMYL	CHECKMATE 40 SP	400 g/kg	SP	INSECTICIDE	2	668-164-5707	04-Jul-25	-	Rice	Green leafhopper, armyworm, caseworm, leafroller	2.0-3.5 Tbsp/36 L sprayer	0.05ppm	3 Days	Do not enter fields treated with CHECKMATE 40SP within twelve hours after application.
AGRI-SPOUT PHILIPPINES, INC.	METHOMYL	CHECKMATE 40 SP	400 g/kg	SP	INSECTICIDE	2	668-164-5707	04-Jul-25	-	Tobacco	Budworm, cutworm, aphids, hornworm	2.0-3.5 Tbsp/36 L sprayer	-	-	Do not enter fields treated with CHECKMATE 40SP within twelve hours after application.
AGRI-SPOUT PHILIPPINES, INC.	METHOMYL	CHECKMATE 40 SP	400 g/kg	SP	INSECTICIDE	2	668-164-5707	04-Jul-25	-	Tomato	Tomato fruitworm, aphids	2.0-5.5 Tbsp/36 L sprayer	-	-	Do not enter fields treated with CHECKMATE 40SP within twelve hours after application.
GENTRADPHIL INC.	CHLORFENAPYR	CHARLIE 100 SC	100 g/L	SC	INSECTICIDE	3	660-283-5129	02-Sep-25	-	Cabbage	Diamond back moth, aphids and cabbage moth	1.5-1.0 Tbsp/36 L water	-	-	Do not enter treated fields within two days after spraying
GENTRADPHIL INC.	CHLORFENAPYR	CHARLIE 100 SC	100 g/L	SC	INSECTICIDE	3	660-283-5129	02-Sep-25	-	Potato	Thrips	0.5-1.5 Tbsp/36L water	-	-	Do not enter treated fields within two days after spraying
GENTRADPHIL INC.	CHLORFENAPYR	CHARLIE 100 SC	100 g/L	SC	INSECTICIDE	3	660-283-5129	02-Sep-25	-	Banana	Flower thrips	2-3 mL/ L water	-	-	Do not enter treated fields within two days after spraying
C.B. ANDREW ASIA, INC.	PHYACLOSTROBIN	CHARGEEDOR 250 EC	250 g/L	EC	FUNGICIDE	2	460-396-4954	29-Oct-26	SYSTEMIC	Banana	Black sigatoka and freckles	0.4 L/ha	0.02 ppm	4 days	After drying of spray or 24 hours after spraying
C.B. ANDREW ASIA, INC.	PHYACLOSTROBIN	CHARGEEDOR 250 EC	250 g/L	EC	FUNGICIDE	2	460-396-4954	29-Oct-26	-	Corn	Leaf spot	0.4 L/ ha	-	4 days	After drying of spray or 24 hours after spraying
VANH HAWK AGRIC CHEMICALS, INC.	BUTACHLOR-PROPANIL	CHARGE 70 EC	300-350 g/L	EC	HERBICIDE	3	295-238-2775	05-Sep-25	POST-EMERGENCE	Rice (Direct-Seeded)	Grasses, Sedges and Broadleaves	9-12Tbsp/36 L water	Butachlor 0.1ppm Propanil 0.1ppm	-	As soon as the spray mist dries up
VANH HAWK AGRIC CHEMICALS, INC.	BUTACHLOR-PROPANIL	CHARGE 70 EC	300-350 g/L	EC	HERBICIDE	3	295-238-2775	05-Sep-25	POST-EMERGENCE	Rice (Transplanted)	Grasses, Sedges and Broadleaves	9-12Tbsp/36 L water	Butachlor 0.1ppm Propanil 0.1ppm	-	As soon as the spray mist dries up
R & A AGRIFARM PRODUCTS, INC.	CHLOROTHALONIL	CHARLIE 720 SC	720 g/L	SC	FUNGICIDE	4	400-118-2521	18-Sep-20	-	Potato	Early blight, late blight, vine rot	1.00-1.80 L/ha or 4.5-5.5 Tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)		PHI	RE-ENTRY PERIOD
R & A AGROFARM PRODUCTS, INC.	CHLOROTHALONIL	CHANIL 720 SC	720 g/L	SC	FUNGICIDE	4	400-118-2521	19-Sep-20		Tomato	Early blight, late blight, vine rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L		7-14 days		Do not enter treatment areas until spray deposit have dried
R & A AGROFARM PRODUCTS, INC.	CHLOROTHALONIL	CHANIL 720 SC	720 g/L	SC	FUNGICIDE	4	400-118-2521	19-Sep-20		Beans	Rust, anthracnose	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L		7-14 days		Do not enter treatment areas until spray deposit have dried
R & A AGROFARM PRODUCTS, INC.	CHLOROTHALONIL	CHANIL 720 SC	720 g/L	SC	FUNGICIDE	4	400-118-2521	19-Sep-20		Carrot	Alternaria leaf spot, cercospora leaf spot, helminthosporium leaf spot	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L		7-14 days		Do not enter treatment areas until spray deposit have dried
R & A AGROFARM PRODUCTS, INC.	CHLOROTHALONIL	CHANIL 720 SC	720 g/L	SC	FUNGICIDE	4	400-118-2521	19-Sep-20		Cucubers	Powdery mildew	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L		7-14 days		Do not enter treatment areas until spray deposit have dried
R & A AGROFARM PRODUCTS, INC.	CHLOROTHALONIL	CHANIL 720 SC	720 g/L	SC	FUNGICIDE	4	400-118-2521	19-Sep-20		Melon	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L		7-14 days		Do not enter treatment areas until spray deposit have dried
R & A AGROFARM PRODUCTS, INC.	CHLOROTHALONIL	CHANIL 720 SC	720 g/L	SC	FUNGICIDE	4	400-118-2521	19-Sep-20		Cucumber	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L		7-14 days		Do not enter treatment areas until spray deposit have dried
R & A AGROFARM PRODUCTS, INC.	CHLOROTHALONIL	CHANIL 720 SC	720 g/L	SC	FUNGICIDE	4	400-118-2521	19-Sep-20		Squash	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L		7-14 days		Do not enter treatment areas until spray deposit have dried
R & A AGROFARM PRODUCTS, INC.	CHLOROTHALONIL	CHANIL 720 SC	720 g/L	SC	FUNGICIDE	4	400-118-2521	19-Sep-20		Watermelon	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L		7-14 days		Do not enter treatment areas until spray deposit have dried
R & A AGROFARM PRODUCTS, INC.	CHLOROTHALONIL	CHANIL 720 SC	720 g/L	SC	FUNGICIDE	4	400-118-2521	19-Sep-20		Citlery	Early blight, late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L		7-14 days		Do not enter treatment areas until spray deposit have dried
R & A AGROFARM PRODUCTS, INC.	CHLOROTHALONIL	CHANIL 720 SC	720 g/L	SC	FUNGICIDE	4	400-118-2521	19-Sep-20		Eggplant	Early blight, late blight, cercospora leafspot, anthracnose	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L		7-14 days		Do not enter treatment areas until spray deposit have dried
R & A AGROFARM PRODUCTS, INC.	CHLOROTHALONIL	CHANIL 720 SC	720 g/L	SC	FUNGICIDE	4	400-118-2521	19-Sep-20		Onion	Purple blotch, bulb rot, neck rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L		7-14 days		Do not enter treatment areas until spray deposit have dried
R & A AGROFARM PRODUCTS, INC.	CHLOROTHALONIL	CHANIL 720 SC	720 g/L	SC	FUNGICIDE	4	400-118-2521	19-Sep-20		Pepper	Early blight, cercospora leaf spot, anthracnose	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L		7-14 days		Do not enter treatment areas until spray deposit have dried
R & A AGROFARM PRODUCTS, INC.	CHLOROTHALONIL	CHANIL 720 SC	720 g/L	SC	FUNGICIDE	4	400-118-2521	19-Sep-20		Grapes	Downy mildew, powdery mildew, fruit rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L		7-14 days		Do not enter treatment areas until spray deposit have dried
R & A AGROFARM PRODUCTS, INC.	CHLOROTHALONIL	CHANIL 720 SC	720 g/L	SC	FUNGICIDE	4	400-118-2521	19-Sep-20		Mango	Anthracoese, diploidia rot	1.75-5.40 L/ha or 4.5-6.0 tbsp/36L	0.5 mg/kg	7-14 days		Do not enter treatment areas until spray deposit have dried
R & A AGROFARM PRODUCTS, INC.	CHLOROTHALONIL	CHANIL 720 SC	720 g/L	SC	FUNGICIDE	4	400-118-2521	19-Sep-20		Ornamentals	Black spot, powdery mildew, black rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L		7-14 days		Do not enter treatment areas until spray deposit have dried
R & A AGROFARM PRODUCTS, INC.	CHLOROTHALONIL	CHANIL 720 SC	720 g/L	SC	FUNGICIDE	4	400-118-2521	19-Sep-20		Asparagus	Stem and leaf blight	1.40 L/ha		7-14 days		Do not enter treatment areas until spray deposit have dried
R & A AGROFARM PRODUCTS, INC.	CHLOROTHALONIL	CHANIL 720 SC	720 g/L	SC	FUNGICIDE	4	400-118-2521	19-Sep-20		Banana	Black sigatoka	1.38 L/ha	2.0 mg/kg	0 day		Do not enter treatment areas until spray deposit have dried
ALVA CHEMICALS, INC.	CUPRIC HYDROXIDE	CHAMPION WP	770 g/kg	WP	FUNGICIDE	4	401-180-2068	30-Mar-19	-	Banana	Sigatoka	-	-	Allow 7 days from last spray until harvest		Spray area may be entered as soon as the spray has dried
ALVA CHEMICALS, INC.	CUPRIC HYDROXIDE	CHAMPION WP	770 g/kg	WP	FUNGICIDE	4	401-180-2068	30-Mar-19	-	Beans	Rust, bacterial blight	-	-	Allow 7 days from last spray until harvest		Spray area may be entered as soon as the spray has dried
ALVA CHEMICALS, INC.	CUPRIC HYDROXIDE	CHAMPION WP	770 g/kg	WP	FUNGICIDE	4	401-180-2068	30-Mar-19	-	Cabbage	Black rot, black leaf spot	-	-	Allow 7 days from last spray until harvest		Spray area may be entered as soon as the spray has dried
ALVA CHEMICALS, INC.	CUPRIC HYDROXIDE	CHAMPION WP	770 g/kg	WP	FUNGICIDE	4	401-180-2068	30-Mar-19	-	Cacao	Black pod	-	-	Allow 7 days from last spray until harvest		Spray area may be entered as soon as the spray has dried
ALVA CHEMICALS, INC.	CUPRIC HYDROXIDE	CHAMPION WP	770 g/kg	WP	FUNGICIDE	4	401-180-2068	30-Mar-19	-	Carrot	Carrot blight, alternaria cercospora	-	-	Allow 7 days from last spray until harvest		Spray area may be entered as soon as the spray has dried
ALVA CHEMICALS, INC.	CUPRIC HYDROXIDE	CHAMPION WP	770 g/kg	WP	FUNGICIDE	4	401-180-2068	30-Mar-19	-	Cauliflower	Downy mildew, alternaria leaf spot	-	-	Allow 7 days from last spray until harvest		Spray area may be entered as soon as the spray has dried
ALVA CHEMICALS, INC.	CUPRIC HYDROXIDE	CHAMPION WP	770 g/kg	WP	FUNGICIDE	4	401-180-2068	30-Mar-19	-	Galery	Early and late blight	-	-	Allow 7 days from last spray until harvest		Spray area may be entered as soon as the spray has dried
ALVA CHEMICALS, INC.	CUPRIC HYDROXIDE	CHAMPION WP	770 g/kg	WP	FUNGICIDE	4	401-180-2068	30-Mar-19	-	Citrus	Melanose scab, canker fruit rot, brown spot, black spot	-	-	Allow 7 days from last spray until harvest		Spray area may be entered as soon as the spray has dried
ALVA CHEMICALS, INC.	CUPRIC HYDROXIDE	CHAMPION WP	770 g/kg	WP	FUNGICIDE	4	401-180-2068	30-Mar-19	-	Coffee	Leaf rust, coffee berry disease	-	-	Allow 7 days from last spray until harvest		Spray area may be entered as soon as the spray has dried
ALVA CHEMICALS, INC.	CUPRIC HYDROXIDE	CHAMPION WP	770 g/kg	WP	FUNGICIDE	4	401-180-2068	30-Mar-19	-	Cucumber	Anthracoese, septoria cercospora, fruit rot, downy mildew	-	-	Allow 7 days from last spray until harvest		Spray area may be entered as soon as the spray has dried
ALVA CHEMICALS, INC.	CUPRIC HYDROXIDE	CHAMPION WP	770 g/kg	WP	FUNGICIDE	4	401-180-2068	30-Mar-19	-	Grapes	Black rot, downy mildew, powdery mildew	-	-	Allow 7 days from last spray until harvest		Spray area may be entered as soon as the spray has dried
ALVA CHEMICALS, INC.	CUPRIC HYDROXIDE	CHAMPION WP	770 g/kg	WP	FUNGICIDE	4	401-180-2068	30-Mar-19	-	Mango	Anthracoese	-	-	Allow 7 days from last spray until harvest		Spray area may be entered as soon as the spray has dried
ALVA CHEMICALS, INC.	CUPRIC HYDROXIDE	CHAMPION WP	770 g/kg	WP	FUNGICIDE	4	401-180-2068	30-Mar-19	-	Onion	Purple blotch, downy mildew	-	-	Allow 7 days from last spray until harvest		Spray area may be entered as soon as the spray has dried
ALVA CHEMICALS, INC.	CUPRIC HYDROXIDE	CHAMPION WP	770 g/kg	WP	FUNGICIDE	4	401-180-2068	30-Mar-19	-	Pepper	Bacterial spot	-	-	Allow 7 days from last spray until harvest		Spray area may be entered as soon as the spray has dried
ALVA CHEMICALS, INC.	CUPRIC HYDROXIDE	CHAMPION WP	770 g/kg	WP	FUNGICIDE	4	401-180-2068	30-Mar-19	-	Potato	Early and late blight	-	-	Allow 7 days from last spray until harvest		Spray area may be entered as soon as the spray has dried
ALVA CHEMICALS, INC.	CUPRIC HYDROXIDE	CHAMPION WP	770 g/kg	WP	FUNGICIDE	4	401-180-2068	30-Mar-19	-	Tomato	Early blight, fruit rot, septoria	-	-	Allow 7 days from last spray until harvest		Spray area may be entered as soon as the spray has dried
ALVA CHEMICALS, INC.	CUPRIC HYDROXIDE	CHAMPION WP	770 g/kg	WP	FUNGICIDE	4	401-180-2068	30-Mar-19	-	Watermelon	Anthracoese, fruit rot	-	-	Allow 7 days from last spray until harvest		Spray area may be entered as soon as the spray has dried
ALTRADE INCORPORATED	CUPRIC HYDROXIDE	CHAMP DP	576 g/kg	DP	FUNGICIDE	4	079-180-5489	01-Jul-24		Banana	Sigatoka					
ALTRADE INCORPORATED	CUPRIC HYDROXIDE	CHAMP DP	576 g/kg	DP	FUNGICIDE	4	079-180-5489	01-Jul-24		Beans	Rust, bacterial blight					
ALTRADE INCORPORATED	CUPRIC HYDROXIDE	CHAMP DP	576 g/kg	DP	FUNGICIDE	4	079-180-5489	01-Jul-24		Cabbage	Black rot, black leaf spot					
ALTRADE INCORPORATED	CUPRIC HYDROXIDE	CHAMP DP	576 g/kg	DP	FUNGICIDE	4	079-180-5489	01-Jul-24		Cacao	Black pod					
ALTRADE INCORPORATED	CUPRIC HYDROXIDE	CHAMP DP	576 g/kg	DP	FUNGICIDE	4	079-180-5489	01-Jul-24		Carrot	Carrot blight, alternaria cercospora					
ALTRADE INCORPORATED	CUPRIC HYDROXIDE	CHAMP DP	576 g/kg	DP	FUNGICIDE	4	079-180-5489	01-Jul-24		Cauliflower	Downy mildew, alternaria leaf spot					
ALTRADE INCORPORATED	CUPRIC HYDROXIDE	CHAMP DP	576 g/kg	DP	FUNGICIDE	4	079-180-5489	01-Jul-24		Galery	Early and late blight					
ALTRADE INCORPORATED	CUPRIC HYDROXIDE	CHAMP DP	576 g/kg	DP	FUNGICIDE	4	079-180-5489	01-Jul-24		Citrus	Melanose scab, canker fruit rot, brown spot, black spot					
ALTRADE INCORPORATED	CUPRIC HYDROXIDE	CHAMP DP	576 g/kg	DP	FUNGICIDE	4	079-180-5489	01-Jul-24		Coffee	Leaf rust, coffee berry disease					
ALTRADE INCORPORATED	CUPRIC HYDROXIDE	CHAMP DP	576 g/kg	DP	FUNGICIDE	4	079-180-5489	01-Jul-24		Cucumber	Anthracoese, septoria cercospora, fruit rot, downy mildew					
ALTRADE INCORPORATED	CUPRIC HYDROXIDE	CHAMP DP	576 g/kg	DP	FUNGICIDE	4	079-180-5489	01-Jul-24		Grapes	Black rot, downy mildew, powdery mildew					
ALTRADE INCORPORATED	CUPRIC HYDROXIDE	CHAMP DP	576 g/kg	DP	FUNGICIDE	4	079-180-5489	01-Jul-24		Mango	Anthracoese					
ALTRADE INCORPORATED	CUPRIC HYDROXIDE	CHAMP DP	576 g/kg	DP	FUNGICIDE	4	079-180-5489	01-Jul-24		Onion	Purple blotch, downy mildew					
ALTRADE INCORPORATED	CUPRIC HYDROXIDE	CHAMP DP	576 g/kg	DP	FUNGICIDE	4	079-180-5489	01-Jul-24		Pepper	Bacterial spot					
ALTRADE INCORPORATED	CUPRIC HYDROXIDE	CHAMP DP	576 g/kg	DP	FUNGICIDE	4	079-180-5489	01-Jul-24		Potato	Early and late blight					
ALTRADE INCORPORATED	CUPRIC HYDROXIDE	CHAMP DP	576 g/kg	DP	FUNGICIDE	4	079-180-5489	01-Jul-24		Tomato	Early blight, fruit rot, septoria					
ALTRADE INCORPORATED	CUPRIC HYDROXIDE	CHAMP DP	576 g/kg	DP	FUNGICIDE	4	079-180-5489	01-Jul-24		Watermelon	Anthracoese, fruit rot					
UNIVERSAL SCOPE PHILIPPINES, INC.	CHLORPYRIFOS	CHALLENGER 300 EC	300 g/L	EC	INSECTICIDE	2	428-101-2885	21-Sep-20		Rice	Stemborer, armyworm, leafhopper, caseworm, planthopper, cutworm	2.5-3.5 tbsp/36L water				
UNIVERSAL SCOPE PHILIPPINES, INC.	CHLORPYRIFOS	CHALLENGER 300 EC	300 g/L	EC	INSECTICIDE	2	428-101-2885	21-Sep-20		Potato	Tubermoth, leafhopper, cutworm, aphids	2.5-3.5 tbsp/36L water				
UNIVERSAL SCOPE PHILIPPINES, INC.	CHLORPYRIFOS	CHALLENGER 300 EC	300 g/L	EC	INSECTICIDE	2	428-101-2885	21-Sep-20		Corn	Armyworm, cornborer, earworm, seedling maggots	2.5-3.5 tbsp/36L water				
UNIVERSAL SCOPE PHILIPPINES, INC.	CHLORPYRIFOS	CHALLENGER 300 EC	300 g/L	EC	INSECTICIDE	2	428-101-2885	21-Sep-20		Beans	Beanfly, leafroller, podborer, cutworm, armyworm	2.5-3.5 tbsp/36L water				
LEADS AGRICULTURAL PRODUCTS CORPORATION	LAMBDA-CYHALOTHRIN	CHAKU 2.5 EC	25 g/L	EC	INSECTICIDE	2	009-204-1187-A	25-Mar-25	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leafroller, black bug	1.0-1.5 tbsp/36 L of water	0.05ppm	3Days		Re-entry to treated fields is allowed as soon as spray deposits dry

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
LEADS AGRICULTURAL PRODUCTS CORPORATION	LAMBDA-CYHALOTHRIN	CHAKU 2.5 EC	25 g/L	EC	INSECTICIDE	2	099-204-1187-A	25-Mar-25	SYSTEMIC	Mango	Hoppers	0.75-1.5tbsp/36L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
LEADS AGRICULTURAL PRODUCTS CORPORATION	LAMBDA-CYHALOTHRIN	CHAKU 2.5 EC	25 g/L	EC	INSECTICIDE	2	099-204-1187-A	25-Mar-25	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5tbsp/36L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
LEADS AGRICULTURAL PRODUCTS CORPORATION	LAMBDA-CYHALOTHRIN	CHAKU 2.5 EC	25 g/L	EC	INSECTICIDE	2	099-204-1187-A	25-Mar-25	SYSTEMIC	Onion	Thrips, cutworm	1.0tbsp/36L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
LEADS AGRICULTURAL PRODUCTS CORPORATION	LAMBDA-CYHALOTHRIN	CHAKU 2.5 EC	25 g/L	EC	INSECTICIDE	2	099-204-1187-A	25-Mar-25	SYSTEMIC	Mungbeans	Beanyflies, flea beetle, leafhopper, aphids, mites, podborer	1.0tbsp/36L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
LEADS AGRICULTURAL PRODUCTS CORPORATION	LAMBDA-CYHALOTHRIN	CHAKU 2.5 EC	25 g/L	EC	INSECTICIDE	2	099-204-1187-A	25-Mar-25	SYSTEMIC	Corn	Comborer, aphids, seedling maggots	1.0-1.5tbsp/36L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
LEADS AGRICULTURAL PRODUCTS CORPORATION	LAMBDA-CYHALOTHRIN	CHAKU 2.5 EC	25 g/L	EC	INSECTICIDE	2	099-204-1187-A	25-Mar-25	SYSTEMIC	Tobacco	Budworm, cutworm, aphids, katyids	1.0-1.5tbsp/36L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
LEADS AGRICULTURAL PRODUCTS CORPORATION	LAMBDA-CYHALOTHRIN	CHAKU 2.5 EC	25 g/L	EC	INSECTICIDE	2	099-204-1187-A	25-Mar-25	SYSTEMIC	Cotton	Bollworm	1.0-1.5tbsp/36L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
LEADS AGRICULTURAL PRODUCTS CORPORATION	LAMBDA-CYHALOTHRIN	CHAKU 2.5 EC	25 g/L	EC	INSECTICIDE	2	099-204-1187-A	25-Mar-25	SYSTEMIC	Cocoa	Podborer	1.0-2.0tbsp/36L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
LEADS AGRICULTURAL PRODUCTS CORPORATION	LAMBDA-CYHALOTHRIN	CHAKU 2.5 EC	25 g/L	EC	INSECTICIDE	2	099-204-1187-A	25-Mar-25	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0tbsp/36L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
AGSMART CORPORATION	DIFENOCANAZOLE	CHANNILINK 250 EC	250 g/L	EC	FUNGICIDE	4	680-272-6019	8-Feb-26	-	Asparagus	Stem and leaf blight	0.36L prod./ ha	-	7 days	-
AGSMART CORPORATION	DIFENOCANAZOLE	CHANNILINK 250 EC	250 g/L	EC	FUNGICIDE	4	680-272-6019	8-Feb-26	-	Banana	Black sigatoka	0.30-0.40L prod./ ha	-	-	-
AGSMART CORPORATION	DIFENOCANAZOLE	CHANNILINK 250 EC	250 g/L	EC	FUNGICIDE	4	680-272-6019	8-Feb-26	-	Cabbage	Alternaria leaf blight	0.20-0.25 L prod./ ha	-	7 days	-
AGSMART CORPORATION	DIFENOCANAZOLE	CHANNILINK 250 EC	250 g/L	EC	FUNGICIDE	4	680-272-6019	8-Feb-26	-	Eggplant	Leaf spot	0.20-0.25 L prod./ ha	-	7 days	-
AGSMART CORPORATION	DIFENOCANAZOLE	CHANNILINK 250 EC	250 g/L	EC	FUNGICIDE	4	680-272-6019	8-Feb-26	-	Mango	Anthraxnose	0.029-0.080 L prod./ ha	-	14 days	-
AGSMART CORPORATION	DIFENOCANAZOLE	CHANNILINK 250 EC	250 g/L	EC	FUNGICIDE	4	680-272-6019	8-Feb-26	-	Onion	Purple blotch	0.40-0.50L prod./ ha	-	7 days	-
AGSMART CORPORATION	DIFENOCANAZOLE	CHANNILINK 250 EC	250 g/L	EC	FUNGICIDE	4	680-272-6019	8-Feb-26	-	Rice	Sheath blight	0.25-0.30L prod./ ha	-	-	-
AGSMART CORPORATION	DIFENOCANAZOLE	CHANNILINK 250 EC	250 g/L	EC	FUNGICIDE	4	680-272-6019	8-Feb-26	-	Stringbeans	Leaf spot	0.20-0.25 L prod./ ha	-	7 days	-
AGSMART CORPORATION	DIFENOCANAZOLE	CHANNILINK 250 EC	250 g/L	EC	FUNGICIDE	4	680-272-6019	8-Feb-26	-	Tomato	Alternaria leaf spot, cercospora leaf mold, powdery mildew	0.40L prod./ ha	-	7 days	-
RED BUFFALO AGRIVENTURES CORPORATION	LAMBDA-CYHALOTHRIN	CHA CHA 2.5 EC	25 g/L	EC	INSECTICIDE	2	501-204-3446	09-Jul-21	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leafroller, black bug	1.0-1.5tbsp/36L of water	0.05ppm	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
RED BUFFALO AGRIVENTURES CORPORATION	LAMBDA-CYHALOTHRIN	CHA CHA 2.5 EC	25 g/L	EC	INSECTICIDE	2	501-204-3446	09-Jul-21	SYSTEMIC	Mango	Hoppers	0.75-1.5tbsp/36L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
RED BUFFALO AGRIVENTURES CORPORATION	LAMBDA-CYHALOTHRIN	CHA CHA 2.5 EC	25 g/L	EC	INSECTICIDE	2	501-204-3446	09-Jul-21	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5tbsp/36L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
RED BUFFALO AGRIVENTURES CORPORATION	LAMBDA-CYHALOTHRIN	CHA CHA 2.5 EC	25 g/L	EC	INSECTICIDE	2	501-204-3446	09-Jul-21	SYSTEMIC	Onion	Thrips, cutworm	1.0tbsp/36L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
RED BUFFALO AGRIVENTURES CORPORATION	LAMBDA-CYHALOTHRIN	CHA CHA 2.5 EC	25 g/L	EC	INSECTICIDE	2	501-204-3446	09-Jul-21	SYSTEMIC	Mungbeans	Beanyfly, flea beetle, leafhopper, aphids, mites, podborer	1.0tbsp/36L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
RED BUFFALO AGRIVENTURES CORPORATION	LAMBDA-CYHALOTHRIN	CHA CHA 2.5 EC	25 g/L	EC	INSECTICIDE	2	501-204-3446	09-Jul-21	SYSTEMIC	Corn	Comborer, aphids, seedling maggots	1.0-1.5tbsp/36L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
RED BUFFALO AGRIVENTURES CORPORATION	LAMBDA-CYHALOTHRIN	CHA CHA 2.5 EC	25 g/L	EC	INSECTICIDE	2	501-204-3446	09-Jul-21	SYSTEMIC	Tobacco	Budworm, cutworm, aphids, katyids	1.0-1.5tbsp/36L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
RED BUFFALO AGRIVENTURES CORPORATION	LAMBDA-CYHALOTHRIN	CHA CHA 2.5 EC	25 g/L	EC	INSECTICIDE	2	501-204-3446	09-Jul-21	SYSTEMIC	Cotton	Bollworm	1.0-1.5tbsp/36L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
RED BUFFALO AGRIVENTURES CORPORATION	LAMBDA-CYHALOTHRIN	CHA CHA 2.5 EC	25 g/L	EC	INSECTICIDE	2	501-204-3446	09-Jul-21	SYSTEMIC	Cocoa	Podborer	1.0-2.0tbsp/36L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
RED BUFFALO AGRIVENTURES CORPORATION	LAMBDA-CYHALOTHRIN	CHA CHA 2.5 EC	25 g/L	EC	INSECTICIDE	2	501-204-3446	09-Jul-21	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0tbsp/36L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
CFS AGR-VENTURES, INC.	GLYPHOSATE IPA	CFS GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	631-151-4050	09-Mar-25	POST-EMERGENT	Glyphosate tolerant corn	Cogon, Mutha, Paragrass, Talahib, Fern and other annual weeds	2.0-4.0 Liters/ha	-	-	-
CFS AGR-VENTURES, INC.	GLYPHOSATE IPA	CFS GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	631-151-4050	09-Mar-25	POST-EMERGENT	Mango	Cogon, Mutha, Paragrass, Talahib, Fern and other annual weeds	3.0-4.5 Liters/ha	-	-	-
CFS AGR-VENTURES, INC.	GLYPHOSATE IPA	CFS GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	631-151-4050	09-Mar-25	POST-EMERGENT	Banana	Cogon, Mutha, Paragrass, Talahib, Fern and other annual weeds	3.0-4.5 Liters/ha	-	-	-
CFS AGR-VENTURES, INC.	GLYPHOSATE IPA	CFS GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	631-151-4050	09-Mar-25	POST-EMERGENT	Coffee	Cogon, Mutha, Paragrass, Talahib, Fern and other annual weeds	3.0-4.5 Liters/ha	-	-	-
CFS AGR-VENTURES, INC.	GLYPHOSATE IPA	CFS GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	631-151-4050	09-Mar-25	POST-EMERGENT	Cacao	Cogon, Mutha, Paragrass, Talahib, Fern and other annual weeds	3.0-4.5 Liters/ha	-	-	-
CFS AGR-VENTURES, INC.	GLYPHOSATE IPA	CFS GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	631-151-4050	09-Mar-25	POST-EMERGENT	Rubber	Cogon, Mutha, Paragrass, Talahib, Fern and other annual weeds	2.0 Liters/ha	-	-	-
CFS AGR-VENTURES, INC.	GLYPHOSATE IPA	CFS GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	631-151-4050	09-Mar-25	POST-EMERGENT	Oil palm	Cogon, Mutha, Paragrass, Talahib, Fern and other annual weeds	2.0 Liters/ha	-	-	-
CFS AGR-VENTURES, INC.	GLYPHOSATE IPA	CFS GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	631-151-4050	09-Mar-25	POST-EMERGENT	Citrus	Cogon, Mutha, Paragrass, Talahib, Fern and other annual weeds	2.0 Liters/ha	-	-	-
CFS AGR-VENTURES, INC.	GLYPHOSATE IPA	CFS GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	631-151-4050	09-Mar-25	POST-EMERGENT	Coconut	Cogon, Mutha, Paragrass, Talahib, Fern and other annual weeds	4.5 Liters/ha	-	-	-
CFS AGR-VENTURES, INC.	GLYPHOSATE IPA	CFS GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	631-151-4050	09-Mar-25	POST-EMERGENT	Jagarsane	Cogon, Mutha, Paragrass, Talahib, Fern and other annual weeds	2.0 Liters/ha	-	-	-
CFS AGR-VENTURES, INC.	GLYPHOSATE IPA	CFS GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	631-151-4050	09-Mar-25	POST-EMERGENT	Vegetables under minimum or reduced tillage	Cogon, Mutha, Paragrass, Talahib, Fern and other annual weeds	2.0 Liters/ha	-	-	-
CFS AGR-VENTURES, INC.	GLYPHOSATE IPA	CFS GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	631-151-4050	09-Mar-25	POST-EMERGENT	Non-crop areas			-	-	-
FMIC AGRO PHILIPPINES INC.	CHLORDANTHRANILIPROLE	CERTACOR 35 WG	350 g/kg	WG	INSECTICIDE	4	598-391-4527	18-Mar-25	-	Rice	Stemborer	46.7 gms. prod./ha, 400 gms prod/36L. Spray volume at 1 sachet/35 gm/36L water; 10 sachet/350 gm/36L water	(8.57 mg/kg)	70 days	-
JODEPABS AGRICHEM CORPORATION	INDOLOMETH ETHANOLAMINE SALT	CENTURION 70 WP	700 g/kg	WP	MOLLUSCICIDE	4	638-229-4721	18-Mar-25	CONTACT	Rice	Golden Apple Snail		-	-	At least 48 hours after application
SHELLHOMES CHEMICALS, INCORPORATED	CHLORPYRIFOS	CENTRAL 30 EC	300 g/L	EC	INSECTICIDE	2	481-101-2651	27-Dec-24	-	Rice	Stemborer, armyworm, leafhopper, cutworm, planthopper, cutworm	2.5-3.5 tbsps/36L water	-	-	-
SHELLHOMES CHEMICALS, INCORPORATED	CHLORPYRIFOS	CENTRAL 30 EC	300 g/L	EC	INSECTICIDE	2	481-101-2651	27-Dec-24	-	Potato	Tubermoth, leafhopper, cutworm, aphids	2.5-3.5 tbsps/36L water	-	-	-
SHELLHOMES CHEMICALS, INCORPORATED	CHLORPYRIFOS	CENTRAL 30 EC	300 g/L	EC	INSECTICIDE	2	481-101-2651	27-Dec-24	-	Corn	Armyworm, combor, earworm, seedling maggots	2.5-3.5 tbsps/36L water	-	-	-
SHELLHOMES CHEMICALS, INCORPORATED	CHLORPYRIFOS	CENTRAL 30 EC	300 g/L	EC	INSECTICIDE	2	481-101-2651	27-Dec-24	-	Beans	Beanyfly, leafroller, podborer, cutworm, armyworm	2.5-3.5 tbsps/36L water	-	-	-
UNITED AGROSCIENCE PHILS., INC.	LAMBDA-CYHALOTHRIN	CELEBRITY 2.5 EC	25g/L	EC	INSECTICIDE	2	602-204-4213	27-Dec-20	SYSTEMIC	Rice	Green leafhopper,armyworm,rice bug/leafrollers,black bug	1.0-1.5tbsp/36L of water	0.05ppm	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
UNITED AGROSCIENCE PHILS., INC.	LAMBDA-CYHALOTHRIN	CELEBRITY 2.5 EC	25g/L	EC	INSECTICIDE	2	602-204-4213	27-Dec-20	SYSTEMIC	Mango	Hoppers	0.75-1.5tbsp/36L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
UNITED AGROSCIENCE PHILS., INC.	LAMBDA-CYHALOTHRIN	CELEBRITY 2.5 EC	25g/L	EC	INSECTICIDE	2	602-204-4213	27-Dec-20	SYSTEMIC	Tomato	Fruitworm,cutworm,aphids	1.0-1.5tbsp/36L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
UNITED AGROSCIENCE PHILS., INC.	LAMBDA-CYHALOTHRIN	CELEBRITY 2.5 EC	25g/L	EC	INSECTICIDE	2	602-204-4213	27-Dec-20	SYSTEMIC	Onion	Thrips,cutworm	1.0tbsp/36L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
UNITED AGROSCIENCE PHILS., INC.	LAMBDA-CYHALOTHRIN	CELEBRITY 2.5 EC	25g/L	EC	INSECTICIDE	2	602-204-4213	27-Dec-20	SYSTEMIC	Mungbeans	Beanyfly,flea beetle,leafhopper,aphids,mite,podborer	1.0tbsp/36L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
UNITED AGROSCIENCE PHILS., INC.	LAMBDA-CYHALOTHRIN	CELEBRITY 2.5 EC	25g/L	EC	INSECTICIDE	2	602-204-4213	27-Dec-20	SYSTEMIC	Corn	Comborer,aphids,seedling maggots	1.0-1.5tbsp/36L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
UNITED AGROSCIENCE PHILS., INC.	LAMBDA-CYHALOTHRIN	CELEBRITY 2.5 EC	25g/L	EC	INSECTICIDE	2	602-204-4213	27-Dec-20	SYSTEMIC	Tobacco	Budworm,cutworm,aphids,katyids	1.0-1.5tbsp/36L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
UNITED AGROSCIENCE PHILS., INC.	LAMBDA-CYHALOTHRIN	CELEBRITY 2.5 EC	25g/L	EC	INSECTICIDE	2	602-204-4213	27-Dec-20	SYSTEMIC	Cotton	Bollworm	1.0-1.5tbsp/36L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
UNITED AGROSCIENCE PHILS., INC.	LAMBDA-CYHALOTHRIN	CELEBRITY 2.5 EC	25g/L	EC	INSECTICIDE	2	602-204-4213	27-Dec-20	SYSTEMIC	Cocoa	Pod borer	1.0-2.0tbsp/36L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
UNITED AGROSCIENCE PHILS., INC.	LAMBDA-CYHALOTHRIN	CELEBRITY 2.5 EC	25g/L	EC	INSECTICIDE	2	602-204-4213	27-Dec-20	SYSTEMIC	Watermelon	Squash beetle,melon worm	1.0tbsp/36L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
ARIELA MARKETING COMPANY INCORPORATED	POTASSIUM PERKINETMONOSULPHATE	CEKOCIDE	900 g/kg	-	OTHERS	2	784-602-5870	31-Dec-24	-		Disinfection in livestock farms		-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	CYAZOFAMID	CEADEW 100 SC	100 g/L	SC	FUNGICIDE	2	539-426-5961	12-Dec-25	-	Cabbage	Clubroot	30 mL / gallon 4L water	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	CYAZOFAMID	CEADEW 100 SC	100 g/L	SC	FUNGICIDE	2	539-426-5961	12-Dec-25	-	Potato	Late blight	25-30 mL / 36L	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	CYAZOFAMID	CEADEW 100 SC	100 g/L	SC	FUNGICIDE	2	539-426-5961	12-Dec-25	-	Tomato	Late blight	25-30 mL / 36L	-	-	-
C.B. ANDREW ASIA, INC.	2,4-D IBE	CB ANDREW 2,4-D ESTER 400 EC	400 g/L	EC	HERBICIDE	2	400-049-3197	18-Oct-25	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual Broadleaves & sedges	5.0-6.50Tbsp/36 L water	0.1 ppm	-	Entry to fields and crops treated with C.B. ANDREW 2,4-D ESTER 400 EC can be done one day after spraying
C.B. ANDREW ASIA, INC.	2,4-D IBE	CB ANDREW 2,4-D ESTER 400 EC	400 g/L	EC	HERBICIDE	2	400-049-3197	18-Oct-25	SELECTIVE (POST-EMERGENT)	Corn	Annual Broadleaves & sedges	5.0-6.50Tbsp/36 L water	-	-	Entry to fields and crops treated with C.B. ANDREW 2,4-D ESTER 400 EC can be done one day after spraying
C.B. ANDREW ASIA, INC.	2,4-D IBE	CB ANDREW 2,4-D ESTER 400 EC	400 g/L	EC	HERBICIDE	2	400-049-3197	18-Oct-25	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual Broadleaves & sedges	5.0-6.50Tbsp/36 L water	-	-	Entry to fields and crops treated with C.B. ANDREW 2,4-D ESTER 400 EC can be done one day after spraying
CAVILLA AGRI VENTURES, INC.	2,4-D IBE	CAVILLA 2,4-D ESTER	400g/L	EC	HERBICIDE	2	636-049-4692	06-Mar-22	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual Broadleaves & sedges	5.0-6.50Tbsp/36 L water	0.1 ppm	Do not spray within two days before harvest	Entry to fields and crops treated with CAVILLA 2,4-D ESTER can be done one (1)day after spraying
CAVILLA AGRI VENTURES, INC.	2,4-D IBE	CAVILLA 2,4-D ESTER	400g/L	EC	HERBICIDE	2	636-049-4692	06-Mar-22	SELECTIVE (POST-EMERGENT)	Corn	Annual Broadleaves & sedges	5.0-6.50Tbsp/36 L water	-	Do not spray within two days before harvest	Entry to fields and crops treated with CAVILLA 2,4-D ESTER can be done one (1)day after spraying
CAVILLA AGRI VENTURES, INC.	2,4-D IBE	CAVILLA 2,4-D ESTER	400g/L	EC	HERBICIDE	2	636-049-4692	06-Mar-22	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual Broadleaves & sedges	5.0-6.50Tbsp/36 L water	-	Do not spray within two days before harvest	Entry to fields and crops treated with CAVILLA 2,4-D ESTER can be done one (1)day after spraying
MAGAN AGRO PHILS., ENTERPRISE, INC.	CHLOROTHALONIL	CAVALRY 900 SC	900 g/L	SC	FUNGICIDE	4	461-118-2577-A	29-Oct-26	-	Corn	Heminthosphorium leaf spot, cercospora leafspot	6.0-8.5 Tbsp/36L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
MAGAN AGRO PHILS., ENTERPRISE, INC.	CHLOROTHALONIL	CAVALRY 900 SC	900 g/L	SC	FUNGICIDE	4	461-118-2577-A	29-Oct-26	-	Eggplant	Anthracoese, cercospora leafspot, early and late blight	6.0-8.5 Tbsp/36L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
MAGAN AGRO PHILS., ENTERPRISE, INC.	CHLOROTHALONIL	CAVALRY 900 SC	900 g/L	SC	FUNGICIDE	4	461-118-2577-A	29-Oct-26	-	Peanut	Cercospora leaf spot, rust	6.0-8.0 Tbsp/36L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
MAGAN AGRO PHILS., ENTERPRISE, INC.	CHLOROTHALONIL	CAVALRY 900 SC	900 g/L	SC	FUNGICIDE	4	461-118-2577-A	29-Oct-26	-	Potato	Early and late blight, vine rot	6.0-8.5 Tbsp/36L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
MAGAN AGRO PHILS., ENTERPRISE, INC.	CHLOROTHALONIL	CAVALRY 900 SC	900 g/L	SC	FUNGICIDE	4	461-118-2577-A	29-Oct-26	-	Tomato	Early and late blight, vine rot	6.0-8.5 Tbsp/36L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
MAGAN AGRO PHILS., ENTERPRISE, INC.	CHLOROTHALONIL	CAVALRY 900 SC	900 g/L	SC	FUNGICIDE	4	461-118-2577-A	29-Oct-26	-	Carrot	Alternaria, cercospora leaf spot, heminthosphorium leaf spot	6.0-8.5 Tbsp/36L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
MAGAN AGRO PHILS., ENTERPRISE, INC.	CHLOROTHALONIL	CAVALRY 900 SC	900 g/L	SC	FUNGICIDE	4	461-118-2577-A	29-Oct-26	-	Banana	Sigatoka, rust, freckles, heminthosphorium leaf spot	2.0 L/ha	2.0 mg/Kg	0 day	Do not enter treatment areas until spray deposit have dried
MAGAN AGRO PHILS., ENTERPRISE, INC.	CHLOROTHALONIL	CAVALRY 900 SC	900 g/L	SC	FUNGICIDE	4	461-118-2577-A	29-Oct-26	-	Mango	Anthracoese, diplozia rot	6.0-8.5 Tbsp/36L water	0.5 mg/kg	7-14 days	Do not enter treatment areas until spray deposit have dried
MAGAN AGRO PHILS., ENTERPRISE, INC.	CHLOROTHALONIL	CAVALRY 900 SC	900 g/L	SC	FUNGICIDE	4	461-118-2577-A	29-Oct-26	-	Beans	Rust, anthracnose	6.0-8.5 Tbsp/36L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
MAGAN AGRO PHILS., ENTERPRISE, INC.	CHLOROTHALONIL	CAVALRY 900 SC	900 g/L	SC	FUNGICIDE	4	461-118-2577-A	29-Oct-26	-	Cruifers	Powdery mildew	6.0-8.5 Tbsp/36L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
MAGAN AGRO PHILS., ENTERPRISE, INC.	CHLOROTHALONIL	CAVALRY 900 SC	900 g/L	SC	FUNGICIDE	4	461-118-2577-A	29-Oct-26	-	Onion	Purple blotch, bulb rot, neck rot	6.0-8.5 Tbsp/36L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
MAGAN AGRO PHILS., ENTERPRISE, INC.	CHLOROTHALONIL	CAVALRY 900 SC	900 g/L	SC	FUNGICIDE	4	461-118-2577-A	29-Oct-26	-	Garlic	Purple blotch, bulb rot, neck rot	6.0-8.5 Tbsp/36L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
MAGAN AGRO PHILS., ENTERPRISE, INC.	CHLOROTHALONIL	CAVALRY 900 SC	900 g/L	SC	FUNGICIDE	4	461-118-2577-A	29-Oct-26	-	Ornamentals	Black spot, black rot, powdery mildew	6.0-8.5 Tbsp/36L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
MAGAN AGRO PHILS., ENTERPRISE, INC.	CHLOROTHALONIL	CAVALRY 900 SC	900 g/L	SC	FUNGICIDE	4	461-118-2577-A	29-Oct-26	-	Grapes	Downy mildew, powdery mildew, fruit rot	6.0-8.5 Tbsp/36L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
MAGAN AGRO PHILS., ENTERPRISE, INC.	CHLOROTHALONIL	CAVALRY 900 SC	900 g/L	SC	FUNGICIDE	4	461-118-2577-A	29-Oct-26	-	Pepper	Anthracoese, cercospora leaf spot, early blight	6.0-8.5 Tbsp/36L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
MAGAN AGRO PHILS., ENTERPRISE, INC.	CHLOROTHALONIL	CAVALRY 900 SC	900 g/L	SC	FUNGICIDE	4	461-118-2577-A	29-Oct-26	-	Melon	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/36L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
MAGAN AGRO PHILS., ENTERPRISE, INC.	CHLOROTHALONIL	CAVALRY 900 SC	900 g/L	SC	FUNGICIDE	4	461-118-2577-A	29-Oct-26	-	Cucumber	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/36L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
MAGAN AGRO PHILS., ENTERPRISE, INC.	CHLOROTHALONIL	CAVALRY 900 SC	900 g/L	SC	FUNGICIDE	4	461-118-2577-A	29-Oct-26	-	Squash	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/36L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
MAGAN AGRO PHILS., ENTERPRISE, INC.	CHLOROTHALONIL	CAVALRY 900 SC	900 g/L	SC	FUNGICIDE	4	461-118-2577-A	29-Oct-26	-	Watermelon	Powdery mildew, cercospora, anthracnose, septoria fruit rot, early and late blight	6.0-8.5 Tbsp/36L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
MAGAN AGRO PHILS., ENTERPRISE, INC.	CHLOROTHALONIL	CAVALRY 900 SC	900 g/L	SC	FUNGICIDE	4	461-118-2577-A	29-Oct-26	-	Celery	Early and late blight	6.0-8.5 Tbsp/36L water	-	7-14 days	Do not enter treatment areas until spray deposit have dried
UNIVERSAL HARVESTER INC.	DELTAMETHRIN	CAVALIER 2.5 EC	25 g/L	EC	INSECTICIDE	4	606-085-4273	02-Mar-21	-	Mango	Hopper, Tip borer, twig borer	0.8-1.0 Tbsp/36L water	-	-	24 hours after last spray
UNIVERSAL HARVESTER INC.	DELTAMETHRIN	CAVALIER 2.5 EC	25 g/L	EC	INSECTICIDE	4	606-085-4273	02-Mar-21	-	Cabbage & other crucifers	Diamond-back moth, cabbage moth, cabbage worm	1.0 Tbsp/36L water	-	-	24 hours after last spray
UNIVERSAL HARVESTER INC.	DELTAMETHRIN	CAVALIER 2.5 EC	25 g/L	EC	INSECTICIDE	4	606-085-4273	02-Mar-21	-	Tobacco	Budworm, armyworm, cutworm	0.8-1.0 Tbsp/36L water	-	-	24 hours after last spray
UNIVERSAL HARVESTER INC.	DELTAMETHRIN	CAVALIER 2.5 EC	25 g/L	EC	INSECTICIDE	4	606-085-4273	02-Mar-21	-	Beans	Fllea beetle, beanfly, bugs, thrips, cutworm, armyworm	0.8-1.0 Tbsp/36L water	-	-	24 hours after last spray
UNIVERSAL HARVESTER INC.	DELTAMETHRIN	CAVALIER 2.5 EC	25 g/L	EC	INSECTICIDE	4	606-085-4273	02-Mar-21	-	Soybeans	Fllea beetle, beanfly, bugs, thrips, cutworm, armyworm	0.8-1.0 Tbsp/36L water	-	-	24 hours after last spray
UNIVERSAL HARVESTER INC.	DELTAMETHRIN	CAVALIER 2.5 EC	25 g/L	EC	INSECTICIDE	4	606-085-4273	02-Mar-21	-	Tomato	Fruitworm (heliothis)	0.8-1.0 Tbsp/36L water	-	-	24 hours after last spray
UNIVERSAL HARVESTER INC.	DELTAMETHRIN	CAVALIER 2.5 EC	25 g/L	EC	INSECTICIDE	4	606-085-4273	02-Mar-21	-	Corn	Corn borer, corn earworm, seedling maggots	1.0 Tbsp/36L water	-	-	24 hours after last spray
UNIVERSAL HARVESTER INC.	DELTAMETHRIN	CAVALIER 2.5 EC	25 g/L	EC	INSECTICIDE	4	606-085-4273	02-Mar-21	-	Eggplant	Thrips, flea beetle, fruitworm	1.0 Tbsp/36L water	-	-	24 hours after last spray
UNIVERSAL HARVESTER INC.	DELTAMETHRIN	CAVALIER 2.5 EC	25 g/L	EC	INSECTICIDE	4	606-085-4273	02-Mar-21	-	Cotton	Leafhopper, bollworm, weevil	0.8-1.0 Tbsp/36L water	-	-	24 hours after last spray
UNIVERSAL HARVESTER INC.	DELTAMETHRIN	CAVALIER 2.5 EC	25 g/L	EC	INSECTICIDE	4	606-085-4273	02-Mar-21	-	Agricultural crops	Locusts-nymphs/Locusts-adult	1.0-1.5*/3.0 Tbsp/36L water	-	-	24 hours after last spray
UNIVERSAL HARVESTER INC.	DELTAMETHRIN	CAVALIER 2.5 EC	25 g/L	EC	INSECTICIDE	4	606-085-4273	02-Mar-21	-	Cacao	Podborer, aphids	0.1 Tbsp/36L water	-	-	24 hours after last spray
CROWN AGRI-TRADING CORPORATION	NICOSAMIDE ETHANOLAMINE SALT	CAT MANCOZEB 70 WP	700 g/kg	WP	MOLLUSCICIDE	4	438-029-2867	27-Jul-20	CONTACT	Rice	Golden Apple Snail (Kuhol)	30 gm/36L water	-	-	-
CROWN AGRI-TRADING CORPORATION	MANCOZEB	CAT MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	438-053-2865	27-Jul-20	-	Potato	Early and late blight	3-6 Tbsp/36 L water	-	-	As soon as spray dries
CROWN AGRI-TRADING CORPORATION	MANCOZEB	CAT MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	438-053-2865	27-Jul-20	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	-	As soon as spray dries
CROWN AGRI-TRADING CORPORATION	MANCOZEB	CAT MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	438-053-2865	27-Jul-20	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	-	As soon as spray dries
CROWN AGRI-TRADING CORPORATION	MANCOZEB	CAT MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	438-053-2865	27-Jul-20	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	-	As soon as spray dries
CROWN AGRI-TRADING CORPORATION	MANCOZEB	CAT MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	438-053-2865	27-Jul-20	-	Celery	Late blight	3-6 Tbsp/36 L water	-	-	As soon as spray dries
CROWN AGRI-TRADING CORPORATION	MANCOZEB	CAT MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	438-053-2865	27-Jul-20	-	Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	-	As soon as spray dries
CROWN AGRI-TRADING CORPORATION	MANCOZEB	CAT MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	438-053-2865	27-Jul-20	-	Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	-	As soon as spray dries
CROWN AGRI-TRADING CORPORATION	MANCOZEB	CAT MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	438-053-2865	27-Jul-20	-	Cotton	Damping off	3-6 Tbsp/36 L water	-	-	As soon as spray dries
CROWN AGRI-TRADING CORPORATION	MANCOZEB	CAT MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	438-053-2865	27-Jul-20	-	Lettuce	Downy mildew	3-6 Tbsp/36 L water	-	-	As soon as spray dries
CROWN AGRI-TRADING CORPORATION	MANCOZEB	CAT MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	438-053-2865	27-Jul-20	-	Beans	Anthracoese, Downy mildew, Rust	3-6 Tbsp/36 L water	-	-	As soon as spray dries
CROWN AGRI-TRADING CORPORATION	MANCOZEB	CAT MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	438-053-2865	27-Jul-20	-	Peas	Anthracoese, Downy mildew, Rust	3-6 Tbsp/36 L water	-	-	As soon as spray dries
CROWN AGRI-TRADING CORPORATION	MANCOZEB	CAT MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	438-053-2865	27-Jul-20	-	Mungo	Anthracoese, Downy mildew, Rust	3-6 Tbsp/36 L water	-	-	As soon as spray dries
CROWN AGRI-TRADING CORPORATION	MANCOZEB	CAT MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	438-053-2865	27-Jul-20	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/36 L water	-	-	As soon as spray dries
CROWN AGRI-TRADING CORPORATION	MANCOZEB	CAT MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	438-053-2865	27-Jul-20	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36 L water	-	-	As soon as spray dries

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
CROWN AGR-TRADING CORPORATION	MANCOZEB	CAT MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	438-053-2865	27-Jul-20		Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36 L water		7 Days	As soon as spray dries
CROWN AGR-TRADING CORPORATION	MANCOZEB	CAT MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	438-053-2865	27-Jul-20		Pepper	Anthracoise	3-6 Tbsp/36 L water		7 Days	As soon as spray dries
CROWN AGR-TRADING CORPORATION	MANCOZEB	CAT MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	438-053-2865	27-Jul-20		Chili	Anthracoise	3-6 Tbsp/36 L water		7 Days	As soon as spray dries
CROWN AGR-TRADING CORPORATION	MANCOZEB	CAT MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	438-053-2865	27-Jul-20		Eggplant	Blight, Anthracnose	3-6 Tbsp/36 L water		7 Days	As soon as spray dries
CROWN AGR-TRADING CORPORATION	MANCOZEB	CAT MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	438-053-2865	27-Jul-20		Banana	Sigatoka, Black leaf streak	3-6 Tbsp/36 L water			As soon as spray dries
CROWN AGR-TRADING CORPORATION	MANCOZEB	CAT MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	438-053-2865	27-Jul-20		Grapes	Downy mildew, black rot	3-6 Tbsp/36 L water		60 days	As soon as spray dries
CROWN AGR-TRADING CORPORATION	MANCOZEB	CAT MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	438-053-2865	27-Jul-20		Mango	Anthracoise and scab	3-6 Tbsp/36 L water		5 days	As soon as spray dries
CROWN AGR-TRADING CORPORATION	MANCOZEB	CAT MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	438-053-2865	27-Jul-20		Papaya	Fruit rot	3-6 Tbsp/36 L water			As soon as spray dries
CROWN AGR-TRADING CORPORATION	MANCOZEB	CAT MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	438-053-2865	27-Jul-20		Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water		5 days	As soon as spray dries
CROWN AGR-TRADING CORPORATION	MANCOZEB	CAT MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	438-053-2865	27-Jul-20		Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water		5 days	As soon as spray dries
CROWN AGR-TRADING CORPORATION	MANCOZEB	CAT MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	438-053-2865	27-Jul-20		Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/36 L water		7 Days	As soon as spray dries
CROWN AGR-TRADING CORPORATION	MANCOZEB	CAT MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	438-053-2865	27-Jul-20		Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/36 L water	0.02ppm		As soon as spray dries
CROWN AGR-TRADING CORPORATION	MANCOZEB	CAT MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	438-053-2865	27-Jul-20		Peanut	Cercospora leaf spot	3-6 Tbsp/36 L water		14 Days	As soon as spray dries
CROWN AGR-TRADING CORPORATION	MANCOZEB	CAT MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	438-053-2865	27-Jul-20		Soybeans	Leaf rust	3-6 Tbsp/36 L water			As soon as spray dries
CROWN AGR-TRADING CORPORATION	MANCOZEB	CAT MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	438-053-2865	27-Jul-20		Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/36 L water			As soon as spray dries
CROWN AGR-TRADING CORPORATION	MALATHION	CAT MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	438-038-2767	04-Jan-17	NON-SYSTEMIC	Fruit trees	Aphids, mealy bug scale insect	1-5-3.0Tbsp/36 L water		One (1) day after each spraying	One (1) day after each spraying
CROWN AGR-TRADING CORPORATION	MALATHION	CAT MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	438-038-2767	04-Jan-17	NON-SYSTEMIC	Rice	Armyworm, caseworm, leafhopper, bugs	2-0-3.0Tbsp/36 L water		One (1) day after each spraying	One (1) day after each spraying
CROWN AGR-TRADING CORPORATION	MALATHION	CAT MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	438-038-2767	04-Jan-17	NON-SYSTEMIC	Corn	Earworm, silkworm, aphids, grasshopper	3-0-5.0Tbsp/36 L water		One (1) day after each spraying	One (1) day after each spraying
CROWN AGR-TRADING CORPORATION	MALATHION	CAT MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	438-038-2767	04-Jan-17	NON-SYSTEMIC	Cabbage	Cabbage worm, loopers, diamond-back moth	2-0-5.0Tbsp/36 L water		One (1) day after each spraying	One (1) day after each spraying
CROWN AGR-TRADING CORPORATION	MALATHION	CAT MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	438-038-2767	04-Jan-17	NON-SYSTEMIC	Legumes	Aphids, beanfly, cutworm, flea beetles, leafminer, maggots, mealybug, podborer, thrips	2-0-5.0Tbsp/36 L water		One (1) day after each spraying	One (1) day after each spraying
CROWN AGR-TRADING CORPORATION	MALATHION	CAT MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	438-038-2767	04-Jan-17	NON-SYSTEMIC	Grapes	Beetles, cutworm, leafhopper, mealybug, scale, insect, spider mites	3.0Tbsp/36 L water		One (1) day after each spraying	One (1) day after each spraying
CROWN AGR-TRADING CORPORATION	MALATHION	CAT MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	438-038-2767	04-Jan-17	NON-SYSTEMIC	Pineapple	Mealy bug	3.0Tbsp/36 L water		One (1) day after each spraying	One (1) day after each spraying
CROWN AGR-TRADING CORPORATION	MALATHION	CAT MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	438-038-2767	04-Jan-17	NON-SYSTEMIC	Pepper	Aphid, cutworm, fruitworm	3.0Tbsp/36 L water		One (1) day after each spraying	One (1) day after each spraying
CROWN AGR-TRADING CORPORATION	MALATHION	CAT MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	438-038-2767	04-Jan-17	NON-SYSTEMIC	Garlic	Cutworm	3.0Tbsp/36 L water		One (1) day after each spraying	One (1) day after each spraying
CROWN AGR-TRADING CORPORATION	MALATHION	CAT MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	438-038-2767	04-Jan-17	NON-SYSTEMIC	Onion	Cutworm	3.0Tbsp/36 L water		One (1) day after each spraying	One (1) day after each spraying
CROWN AGR-TRADING CORPORATION	MALATHION	CAT MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	438-038-2767	04-Jan-17	NON-SYSTEMIC	Tobacco	Aphids, katydid	3-0-6.0Tbsp/36 L water		One (1) day after each spraying	One (1) day after each spraying
CROWN AGR-TRADING CORPORATION	MALATHION	CAT MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	438-038-2767	04-Jan-17	NON-SYSTEMIC	Ornamentals	Aphids, cutworm, mealybug, scale insect, spider mites	3-0-5.0Tbsp/36 L water		One (1) day after each spraying	One (1) day after each spraying
CROWN AGR-TRADING CORPORATION	MALATHION	CAT MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	438-038-2767	04-Jan-17	NON-SYSTEMIC	Tomato	Lady beetle	3-0-5.0Tbsp/36 L water		One (1) day after each spraying	One (1) day after each spraying
CROWN AGR-TRADING CORPORATION	MALATHION	CAT MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	438-038-2767	04-Jan-17	NON-SYSTEMIC	Eggplant	Aphids, fruitworm	3-0-5.0Tbsp/36 L water		One (1) day after each spraying	One (1) day after each spraying
CROWN AGR-TRADING CORPORATION	MALATHION	CAT MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	438-038-2767	04-Jan-17	NON-SYSTEMIC	Sorghum	Web worm	3.0Tbsp/36 L water		One (1) day after each spraying	One (1) day after each spraying
CROWN AGR-TRADING CORPORATION	GLYPHOSATE IPA	CAT GLYPHOSATE 480 SL	480g/L	SL	HERBICIDE	4	438-151-2584	27-Apr-24	NON-SELECTIVE	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2-0-4.0 Liters/Ha	-	-	-
CROWN AGR-TRADING CORPORATION	GLYPHOSATE IPA	CAT GLYPHOSATE 480 SL	480g/L	SL	HERBICIDE	4	438-151-2584	27-Apr-24	NON-SELECTIVE	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3-0-4.5 Liters/Ha	-	-	-
CROWN AGR-TRADING CORPORATION	GLYPHOSATE IPA	CAT GLYPHOSATE 480 SL	480g/L	SL	HERBICIDE	4	438-151-2584	27-Apr-24	NON-SELECTIVE	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3-0-4.5 Liters/Ha	-	-	-
CROWN AGR-TRADING CORPORATION	GLYPHOSATE IPA	CAT GLYPHOSATE 480 SL	480g/L	SL	HERBICIDE	4	438-151-2584	27-Apr-24	NON-SELECTIVE	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3-0-4.5 Liters/Ha	-	-	-
CROWN AGR-TRADING CORPORATION	GLYPHOSATE IPA	CAT GLYPHOSATE 480 SL	480g/L	SL	HERBICIDE	4	438-151-2584	27-Apr-24	NON-SELECTIVE	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3-0-4.5 Liters/Ha	-	-	-
CROWN AGR-TRADING CORPORATION	GLYPHOSATE IPA	CAT GLYPHOSATE 480 SL	480g/L	SL	HERBICIDE	4	438-151-2584	27-Apr-24	NON-SELECTIVE	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
CROWN AGR-TRADING CORPORATION	GLYPHOSATE IPA	CAT GLYPHOSATE 480 SL	480g/L	SL	HERBICIDE	4	438-151-2584	27-Apr-24	NON-SELECTIVE	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
CROWN AGR-TRADING CORPORATION	GLYPHOSATE IPA	CAT GLYPHOSATE 480 SL	480g/L	SL	HERBICIDE	4	438-151-2584	27-Apr-24	NON-SELECTIVE	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
CROWN AGR-TRADING CORPORATION	GLYPHOSATE IPA	CAT GLYPHOSATE 480 SL	480g/L	SL	HERBICIDE	4	438-151-2584	27-Apr-24	NON-SELECTIVE	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha	-	-	-
CROWN AGR-TRADING CORPORATION	GLYPHOSATE IPA	CAT GLYPHOSATE 480 SL	480g/L	SL	HERBICIDE	4	438-151-2584	27-Apr-24	NON-SELECTIVE	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
CROWN AGR-TRADING CORPORATION	GLYPHOSATE IPA	CAT GLYPHOSATE 480 SL	480g/L	SL	HERBICIDE	4	438-151-2584	27-Apr-24	NON-SELECTIVE	Vegetables under minimum or reduced tillage	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
CROWN AGR-TRADING CORPORATION	GLYPHOSATE IPA	CAT GLYPHOSATE 480 SL	480g/L	SL	HERBICIDE	4	438-151-2584	27-Apr-24	NON-SELECTIVE	Non-crop agricultural areas	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
CROWN AGR-TRADING CORPORATION	DIURON	CAT DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	438-021-3543	08-Mar-25	SYSTEMIC	Citrus	Annual and Perennial broadleaves and grasses	10-0-19.0Tbsp/36 L water			Entry to fields treated with CAT DIURON 80 WP can be done one day after the application.
CROWN AGR-TRADING CORPORATION	DIURON	CAT DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	438-021-3543	08-Mar-25	SYSTEMIC	Coffee	Annual and Perennial broadleaves and grasses	10-0-19.0Tbsp/36 L water			Entry to fields treated with CAT DIURON 80 WP can be done one day after the application.
CROWN AGR-TRADING CORPORATION	DIURON	CAT DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	438-021-3543	08-Mar-25	SYSTEMIC	Cotton	Annual and Perennial broadleaves and grasses	6-0Tbsp/36 L water			Entry to fields treated with CAT DIURON 80 WP can be done one day after the application.
CROWN AGR-TRADING CORPORATION	DIURON	CAT DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	438-021-3543	08-Mar-25	SYSTEMIC	Sugarcane	Annual and Perennial broadleaves and grasses	6-5-13.0Tbsp/36 L water			Entry to fields treated with CAT DIURON 80 WP can be done one day after the application.
CROWN AGR-TRADING CORPORATION	DIURON	CAT DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	438-021-3543	08-Mar-25	SYSTEMIC	Pineapple	Annual and Perennial broadleaves and grasses	11.0Tbsp/36 L water			Entry to fields treated with CAT DIURON 80 WP can be done one day after the application.
CROWN AGR-TRADING CORPORATION	DIURON	CAT DIURON 80 WP	800 g/Kg	WP	HERBICIDE	4	438-021-3543	08-Mar-25	SYSTEMIC	Non-crop land	Annual and Perennial broadleaves and grasses	20-0-28.0Tbsp/36 L water			Entry to fields treated with CAT DIURON 80 WP can be done one day after the application.
CROWN AGR-TRADING CORPORATION	CYPERMETHRIN	CAT CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	438-037-2378	24-Mar-24	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1-0-3.0 Tbsp/36 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
CROWN AGR-TRADING CORPORATION	CYPERMETHRIN	CAT CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	438-037-2378	24-Mar-24	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leafhopper, stem borer, armyworm, rice bug	1-0-3.0 Tbsp/36 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
CROWN AGR-TRADING CORPORATION	CYPERMETHRIN	CAT CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	438-037-2378	24-Mar-24	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1-0-3.0 Tbsp/36 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
CROWN AGR-TRADING CORPORATION	CYPERMETHRIN	CAT CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	438-037-2378	24-Mar-24	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1-0-3.0 Tbsp/36 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
CROWN AGR-TRADING CORPORATION	CYPERMETHRIN	CAT CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	438-037-2378	24-Mar-24	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1-0-3.0 Tbsp/36 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
CROWN AGR-TRADING CORPORATION	CYPERMETHRIN	CAT CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	438-037-2378	24-Mar-24	CONTACT	Watermelon	Aphids, thrips, beetle	1-0-3.0 Tbsp/36 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
CROWN AGR-TRADING CORPORATION	CYPERMETHRIN	CAT CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	438-037-2378	24-Mar-24	CONTACT	Onion	Thrips, cutworm	1-0-3.0 Tbsp/36 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
CROWN AGR-TRADING CORPORATION	CYPERMETHRIN	CAT CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	438-037-2378	24-Mar-24	CONTACT	Banana	Thrips, scarring beetle	1-0-3.0 Tbsp/36 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
CROWN AGRI-TRADING CORPORATION	CYPERMETHRIN	CAT CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	438-037-2378	28-Mar-24	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dries
CROWN AGRI-TRADING CORPORATION	CYPERMETHRIN	CAT CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	438-037-2378	24-Mar-24	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	2.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dries
CROWN AGRI-TRADING CORPORATION	CYPERMETHRIN	CAT CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	438-037-2378	24-Mar-24	CONTACT	Corn	Comborer, earworm	1.0-4.5 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dries
CROWN AGRI-TRADING CORPORATION	CHLORPYRIFOS	CAT CHLORPYRIFOS 30 EC	300 g/L	EC	INSECTICIDE	2	438-101-2866	27-Jul-20	-	Rice	Stemborer, armyworm, leafhopper, caseworm, planthopper, cutworm	2.5-3.5 Tbsp/16L water	-	-	-
CROWN AGRI-TRADING CORPORATION	CHLORPYRIFOS	CAT CHLORPYRIFOS 30 EC	300 g/L	EC	INSECTICIDE	2	438-101-2866	27-Jul-20	-	Potato	Tubermoth, leafhopper, cutworm, aphids	2.5-3.5 Tbsp/16L water	-	-	-
CROWN AGRI-TRADING CORPORATION	CHLORPYRIFOS	CAT CHLORPYRIFOS 30 EC	300 g/L	EC	INSECTICIDE	2	438-101-2866	27-Jul-20	-	Corn	Armyworm, comborner, earworm, seedling maggots	2.5-3.5 Tbsp/16L water	-	-	-
CROWN AGRI-TRADING CORPORATION	CHLORPYRIFOS	CAT CHLORPYRIFOS 30 EC	300 g/L	EC	INSECTICIDE	2	438-101-2866	27-Jul-20	-	Beans	Beanfly, leafroller, podborer, cutworm, armyworm	2.5-3.5 Tbsp/16L water	-	-	-
CROWN AGRI-TRADING CORPORATION	BENOMYL	CAT BENOMYL 50 WP	500 g/L	WP	FUNGICIDE	4	438-167-2868	27-Jul-20	SYSTEMIC	Mungbeans	Powdery mildew, cercospora leaf spot	1-2 Tbsp/16L water	-	-	-
CROWN AGRI-TRADING CORPORATION	BENOMYL	CAT BENOMYL 50 WP	500 g/L	WP	FUNGICIDE	4	438-167-2868	27-Jul-20	SYSTEMIC	Beans	Powdery mildew, cercospora leaf spot	1-2 Tbsp/16L water	-	-	-
CROWN AGRI-TRADING CORPORATION	BENOMYL	CAT BENOMYL 50 WP	500 g/L	WP	FUNGICIDE	4	438-167-2868	27-Jul-20	SYSTEMIC	Wongbok	Cercospora leaf spot	1-2 Tbsp/16L water	-	-	-
CROWN AGRI-TRADING CORPORATION	BENOMYL	CAT BENOMYL 50 WP	500 g/L	WP	FUNGICIDE	4	438-167-2868	27-Jul-20	SYSTEMIC	Cabbage	Cercospora leaf spot	1-2 Tbsp/16L water	-	-	-
CROWN AGRI-TRADING CORPORATION	BENOMYL	CAT BENOMYL 50 WP	500 g/L	WP	FUNGICIDE	4	438-167-2868	27-Jul-20	SYSTEMIC	Calamansi	Scab	1-2 Tbsp/16L water	-	-	-
CROWN AGRI-TRADING CORPORATION	BENOMYL	CAT BENOMYL 50 WP	500 g/L	WP	FUNGICIDE	4	438-167-2868	27-Jul-20	SYSTEMIC	Cucumber	Powdery mildew	1-2 Tbsp/16L water	-	-	-
CROWN AGRI-TRADING CORPORATION	BENOMYL	CAT BENOMYL 50 WP	500 g/L	WP	FUNGICIDE	4	438-167-2868	27-Jul-20	SYSTEMIC	Singer	Cercospora leaf spot	1-2 Tbsp/16L water	-	-	-
CROWN AGRI-TRADING CORPORATION	BENOMYL	CAT BENOMYL 50 WP	500 g/L	WP	FUNGICIDE	4	438-167-2868	27-Jul-20	SYSTEMIC	Grapes	Powdery mildew	1-2 Tbsp/16L water	-	-	-
CROWN AGRI-TRADING CORPORATION	BENOMYL	CAT BENOMYL 50 WP	500 g/L	WP	FUNGICIDE	4	438-167-2868	27-Jul-20	SYSTEMIC	Mandarin	Scab	1-2 Tbsp/16L water	-	-	-
CROWN AGRI-TRADING CORPORATION	BENOMYL	CAT BENOMYL 50 WP	500 g/L	WP	FUNGICIDE	4	438-167-2868	27-Jul-20	SYSTEMIC	Mango	Anthraxnose, powdery mildew	1-2 Tbsp/16L water	-	-	-
CROWN AGRI-TRADING CORPORATION	BENOMYL	CAT BENOMYL 50 WP	500 g/L	WP	FUNGICIDE	4	438-167-2868	27-Jul-20	SYSTEMIC	Melon	Powdery mildew	1-2 Tbsp/16L water	-	-	-
CROWN AGRI-TRADING CORPORATION	BENOMYL	CAT BENOMYL 50 WP	500 g/L	WP	FUNGICIDE	4	438-167-2868	27-Jul-20	SYSTEMIC	Orange	Scab	1-2 Tbsp/16L water	-	-	-
CROWN AGRI-TRADING CORPORATION	BENOMYL	CAT BENOMYL 50 WP	500 g/L	WP	FUNGICIDE	4	438-167-2868	27-Jul-20	SYSTEMIC	Papaya	Powdery mildew	1-2 Tbsp/16L water	-	-	-
CROWN AGRI-TRADING CORPORATION	BENOMYL	CAT BENOMYL 50 WP	500 g/L	WP	FUNGICIDE	4	438-167-2868	27-Jul-20	SYSTEMIC	Pepper	Cercospora leaf spot	1-2 Tbsp/16L water	-	-	-
CROWN AGRI-TRADING CORPORATION	BENOMYL	CAT BENOMYL 50 WP	500 g/L	WP	FUNGICIDE	4	438-167-2868	27-Jul-20	SYSTEMIC	Rice	Blast, sheath blight	3-4 Tbsp/16L water	1.0 ppm	7 days	-
CROWN AGRI-TRADING CORPORATION	BENOMYL	CAT BENOMYL 50 WP	500 g/L	WP	FUNGICIDE	4	438-167-2868	27-Jul-20	SYSTEMIC	Strawberry	Cercospora leaf spot	1-2 Tbsp/16L water	-	-	-
CROWN AGRI-TRADING CORPORATION	BENOMYL	CAT BENOMYL 50 WP	500 g/L	WP	FUNGICIDE	4	438-167-2868	27-Jul-20	SYSTEMIC	Tobacco	Leaf mold, frog eye	1-2 Tbsp/16L water	-	-	-
CROWN AGRI-TRADING CORPORATION	BENOMYL	CAT BENOMYL 50 WP	500 g/L	WP	FUNGICIDE	4	438-167-2868	27-Jul-20	SYSTEMIC	Banana	Black sigatoka	380 g/ha	-	-	-
CROWN AGRI-TRADING CORPORATION	ATRAZINE	CAT ATRAZINE 80 WP	800 g/kg	WP	HERBICIDE	4	438-065-2825	10-Jun-20	SELECTIVE (PRE-EMERGENT)	Corn	Broadleaf weeds & annual grasses	8-12Tbsp/16 L water	-	-	-
CROWN AGRI-TRADING CORPORATION	ATRAZINE	CAT ATRAZINE 80 WP	800 g/kg	WP	HERBICIDE	4	438-065-2825	10-Jun-20	SELECTIVE (PRE-EMERGENT)	Sorghum	Broadleaf weeds & annual grasses	8-12Tbsp/16 L water	-	-	-
CROWN AGRI-TRADING CORPORATION	ATRAZINE	CAT ATRAZINE 80 WP	800 g/kg	WP	HERBICIDE	4	438-065-2825	10-Jun-20	SELECTIVE (PRE-EMERGENT)	Sugarcane	Broadleaf weeds & annual grasses	8-12Tbsp/16 L water	-	-	-
CROWN AGRI-TRADING CORPORATION	2,4-D-BE	CAT 2,4-D-ESTER	490 g/L	EC	HERBICIDE	2	438-049-2873	22-Aug-17	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	0.1 ppm	-	-
CROWN AGRI-TRADING CORPORATION	2,4-D-BE	CAT 2,4-D-ESTER	490 g/L	EC	HERBICIDE	2	438-049-2873	22-Aug-17	SELECTIVE (POST-EMERGENT)	Corn	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	-	-	-
CROWN AGRI-TRADING CORPORATION	2,4-D-AMINE	CAT 2,4-D-AMINE	400 g/L	SC	HERBICIDE	2	438-031-2845	13-Sep-24	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual broadleaves and sedges	5.0-6.5Tbsp/16 L water	0.1 ppm	-	Entry to fields and crops treated with CAT 2,4-D AMINE can be done one day after spraying
CROWN AGRI-TRADING CORPORATION	2,4-D-AMINE	CAT 2,4-D-AMINE	400 g/L	SC	HERBICIDE	2	438-031-2845	13-Sep-24	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual broadleaves and sedges	15-25 Tbsp/16 L water	-	-	Entry to fields and crops treated with CAT 2,4-D AMINE can be done one day after spraying
CROWN AGRI-TRADING CORPORATION	2,4-D-AMINE	CAT 2,4-D-AMINE	400 g/L	SC	HERBICIDE	2	438-031-2845	13-Sep-24	SELECTIVE (POST-EMERGENT)	Corn	Annual broadleaves and sedges	5-6.5 Tbsp/16 L water	-	-	Entry to fields and crops treated with CAT 2,4-D AMINE can be done one day after spraying
RAINBOW AGROSCIENCES PHILIPPINES INC.	CARBARYL	CARWIN 85 WP	850 g/kg	WP	INSECTICIDE	2	539-035-5522	13-Aug-24	-	Tobacco	Budworm, cutworm, aphids	4-6 Tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
RAINBOW AGROSCIENCES PHILIPPINES INC.	CARBARYL	CARWIN 85 WP	850 g/kg	WP	INSECTICIDE	2	539-035-5522	13-Aug-24	-	Sorghum	Webworm, armyworm, cutworm, headworm	4-6 Tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
RAINBOW AGROSCIENCES PHILIPPINES INC.	CARBARYL	CARWIN 85 WP	850 g/kg	WP	INSECTICIDE	2	539-035-5522	13-Aug-24	-	Ornamentals	Aphids, scale insect, mealy bug, cutworm	4-6 Tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
RAINBOW AGROSCIENCES PHILIPPINES INC.	CARBARYL	CARWIN 85 WP	850 g/kg	WP	INSECTICIDE	2	539-035-5522	13-Aug-24	-	Mango	Mango hopper, tip borer, twig borer, fruit fly, mealy bug	4-8 Tbsp/16 L water	-	7 days	Do not enter treatment areas until spray deposit have dried
RAINBOW AGROSCIENCES PHILIPPINES INC.	CARBARYL	CARWIN 85 WP	850 g/kg	WP	INSECTICIDE	2	539-035-5522	13-Aug-24	-	Coffee	Berry borer	4-6 Tbsp/16 L water	-	1 Day	Do not enter treatment areas until spray deposit have dried
RAINBOW AGROSCIENCES PHILIPPINES INC.	CARBARYL	CARWIN 85 WP	850 g/kg	WP	INSECTICIDE	2	539-035-5522	13-Aug-24	-	Cacao	Podborer, aphids, capsid bug	4-6 Tbsp/16 L water	-	1 Day	Do not enter treatment areas until spray deposit have dried
RAINBOW AGROSCIENCES PHILIPPINES INC.	CARBARYL	CARWIN 85 WP	850 g/kg	WP	INSECTICIDE	2	539-035-5522	13-Aug-24	-	Citrus	Rind borer	4-6 Tbsp/16 L water	-	5 days	Do not enter treatment areas until spray deposit have dried
RAINBOW AGROSCIENCES PHILIPPINES INC.	CARBARYL	CARWIN 85 WP	850 g/kg	WP	INSECTICIDE	2	539-035-5522	13-Aug-24	-	Soybeans	Podborer, beanfly, leafminer, aphids	4-6 Tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
RAINBOW AGROSCIENCES PHILIPPINES INC.	CARBARYL	CARWIN 85 WP	850 g/kg	WP	INSECTICIDE	2	539-035-5522	13-Aug-24	-	Rice	Green leafhopper, caseworm, aphids	4-6 Tbsp/16 L water	-	14 days	Do not enter treatment areas until spray deposit have dried
RAINBOW AGROSCIENCES PHILIPPINES INC.	CARBARYL	CARWIN 85 WP	850 g/kg	WP	INSECTICIDE	2	539-035-5522	13-Aug-24	-	Cowpeas and other beans	Podborer, beanfly, leafminer, cutworm, aphids	4-6 Tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
RAINBOW AGROSCIENCES PHILIPPINES INC.	CARBARYL	CARWIN 85 WP	850 g/kg	WP	INSECTICIDE	2	539-035-5522	13-Aug-24	-	Cotton seed	Bollworm, cutworm	4-6 Tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
RAINBOW AGROSCIENCES PHILIPPINES INC.	CARBARYL	CARWIN 85 WP	850 g/kg	WP	INSECTICIDE	2	539-035-5522	13-Aug-24	-	Corn	Corn borer, corn earworm, army worm	4-6 Tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
RAINBOW AGROSCIENCES PHILIPPINES INC.	CARBARYL	CARWIN 85 WP	850 g/kg	WP	INSECTICIDE	2	539-035-5522	13-Aug-24	-	Tomato	Fruitworm, leafy beetle	4-6 Tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
RAINBOW AGROSCIENCES PHILIPPINES INC.	CARBARYL	CARWIN 85 WP	850 g/kg	WP	INSECTICIDE	2	539-035-5522	13-Aug-24	-	Cucurbits	Squash beetle, leafy beetle	4-6 Tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
PLANTERS PRODUCTS INC.	BPAC	CARVIL 50 EC	500 g/L	EC	INSECTICIDE	2	031-002-0165	13-Dec-24	-	Rice	Green leafhopper, brown plant hopper & leaf folder	3-5 Tbsp/16L water	-	-	Do not spray within 14 days of harvest
PLANTERS PRODUCTS INC.	BPAC	CARVIL 50 EC	500 g/L	EC	INSECTICIDE	2	031-002-0165	13-Dec-24	-	Cotton	leafhopper, thrips & aphids	3-5 Tbsp/16L water	-	-	Do not enter the field within 2 days after spraying
PLANTERS PRODUCTS INC.	BPAC	CARVIL 50 EC	500 g/L	EC	INSECTICIDE	2	031-002-0165	13-Dec-24	-	Citrus	Scale insects, aphids, mealy bug, aphids, & cutworm	3-4 Tbsp/16L water	-	-	Do not enter the field within 2 days after spraying
PLANTERS PRODUCTS INC.	BPAC	CARVIL 50 EC	500 g/L	EC	INSECTICIDE	2	031-002-0165	13-Dec-24	-	Cucifers	Diamond back moth, cabbage worms, aphid & cutworms	3-5 Tbsp/16L water	-	-	Do not spray within 14 days of harvest
PLANTERS PRODUCTS INC.	BPAC	CARVIL 50 EC	500 g/L	EC	INSECTICIDE	2	031-002-0165	13-Dec-24	-	Mango	Leafhopper and tip borer	3-5 Tbsp/16L water	-	-	Do not spray within 14 days of harvest
SHELLHOMES CHEMICALS, INCORPORATED	CHLORPYRIFOS-CYPERMETHRIN	CARTEL 27.5 EC	250-75 g/L	EC	INSECTICIDE	2	481-239-3429	29-Jun-18	-	Rice	Whorl maggot, green leafhopper, brown planthopper, stemborer	20-30 mL (2-3 Tbsp)/16L water	-	-	-
SHELLHOMES CHEMICALS, INCORPORATED	CHLORPYRIFOS-CYPERMETHRIN	CARTEL 27.5 EC	250-75 g/L	EC	INSECTICIDE	2	481-239-3429	29-Jun-18	-	Mango	Mango hopper	20-40 mL (2-5-4 Tbsp)/16L water	-	-	-
DCOM MARKETING INCORPORATED	CATAP GOLD 50 SP	CATAP GOLD 50 SP	500 g/kg	SP	INSECTICIDE	3	467-306-2762	26-May-24	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.0-5.0Tbsp/16 L water	-	-	Spraying should be done 10 days before harvest. Enter the treated-Field 48 hours after spraying.

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
DCAM MARKETING INCORPORATED	CARTAP HYDROCHLORIDE	CARTAP GOLD 50 SP	500g/kg	SP	INSECTICIDE	3	467-106-2762	26-May-24	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0tbsp/36 L water	-	Spraying should be done 10 days before harvest.	Enter the treated- field 48 hours after spraying.
DCAM MARKETING INCORPORATED	CARTAP HYDROCHLORIDE	CARTAP GOLD 50 SP	500g/kg	SP	INSECTICIDE	3	467-106-2762	26-May-24	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0tbsp/36 L water	-	Spraying should be done 10 days before harvest.	Enter the treated- field 48 hours after spraying.
DCAM MARKETING INCORPORATED	CARTAP HYDROCHLORIDE	CARTAP GOLD 50 SP	500g/kg	SP	INSECTICIDE	3	467-106-2762	26-May-24	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0tbsp/36 L water	-	Spraying should be done 10 days before harvest.	Enter the treated- field 48 hours after spraying.
DCAM MARKETING INCORPORATED	CARTAP HYDROCHLORIDE	CARTAP GOLD 50 SP	500g/kg	SP	INSECTICIDE	3	467-106-2762	26-May-24	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0tbsp/36 L water	-	Spraying should be done 10 days before harvest.	Enter the treated- field 48 hours after spraying.
DCAM MARKETING INCORPORATED	CARTAP HYDROCHLORIDE	CARTAP GOLD 50 SP	500g/kg	SP	INSECTICIDE	3	467-106-2762	26-May-24	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0tbsp/36 L water	-	Spraying should be done 10 days before harvest.	Enter the treated- field 48 hours after spraying.
DCAM MARKETING INCORPORATED	CARTAP HYDROCHLORIDE	CARTAP GOLD 50 SP	500g/kg	SP	INSECTICIDE	3	467-106-2762	26-May-24	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0tbsp/36 L water	-	Spraying should be done 10 days before harvest.	Enter the treated- field 48 hours after spraying.
DCAM MARKETING INCORPORATED	CARTAP HYDROCHLORIDE	CARTAP GOLD 50 SP	500g/kg	SP	INSECTICIDE	3	467-106-2762	26-May-24	SYSTEMIC	Mango	leafhoppers	1.5-2.0tbsp/36 L water	-	Spraying should be done 10 days before harvest.	Enter the treated- field 48 hours after spraying.
DCAM MARKETING INCORPORATED	CARTAP HYDROCHLORIDE	CARTAP GOLD 50 SP	500g/kg	SP	INSECTICIDE	3	467-106-2762	26-May-24	SYSTEMIC	Pechay	Looper, cutworm, aphids	1.5-3.0tbsp/36 L water	-	Spraying should be done 10 days before harvest.	Enter the treated- field 48 hours after spraying.
LEADS AGRICULTURAL PRODUCTS CORPORATION	CARTAP HYDROCHLORIDE	CARTAP ES	500g/kg	ES	INSECTICIDE	3	099-106-0716-B	18-Jan-27	SYSTEMIC	Rice	Whorl maggot, stemborer, green leafhopper, brown planthopper	3.0-5.0tbsp/36 L water	0.2ppm	10 days	Do not enter treated field within 2 days after spraying.
LEADS AGRICULTURAL PRODUCTS CORPORATION	CARTAP HYDROCHLORIDE	CARTAP ES	500g/kg	ES	INSECTICIDE	3	099-106-0716-B	18-Jan-27	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0tbsp/36 L water	-	10 days	Do not enter treated field within 2 days after spraying.
LEADS AGRICULTURAL PRODUCTS CORPORATION	CARTAP HYDROCHLORIDE	CARTAP ES	500g/kg	ES	INSECTICIDE	3	099-106-0716-B	18-Jan-27	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0tbsp/36 L water	-	10 days	Do not enter treated field within 2 days after spraying.
LEADS AGRICULTURAL PRODUCTS CORPORATION	CARTAP HYDROCHLORIDE	CARTAP ES	500g/kg	ES	INSECTICIDE	3	099-106-0716-B	18-Jan-27	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0tbsp/36 L water	-	10 days	Do not enter treated field within 2 days after spraying.
LEADS AGRICULTURAL PRODUCTS CORPORATION	CARTAP HYDROCHLORIDE	CARTAP ES	500g/kg	ES	INSECTICIDE	3	099-106-0716-B	18-Jan-27	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0tbsp/36 L water	-	10 days	Do not enter treated field within 2 days after spraying.
LEADS AGRICULTURAL PRODUCTS CORPORATION	CARTAP HYDROCHLORIDE	CARTAP ES	500g/kg	ES	INSECTICIDE	3	099-106-0716-B	18-Jan-27	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0tbsp/36 L water	-	10 days	Do not enter treated field within 2 days after spraying.
LEADS AGRICULTURAL PRODUCTS CORPORATION	CARTAP HYDROCHLORIDE	CARTAP ES	500g/kg	ES	INSECTICIDE	3	099-106-0716-B	18-Jan-27	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, and aphids	1.5-2.0tbsp/36 L water	-	10 days	Do not enter treated field within 2 days after spraying.
LEADS AGRICULTURAL PRODUCTS CORPORATION	CARTAP HYDROCHLORIDE	CARTAP ES	500g/kg	ES	INSECTICIDE	3	099-106-0716-B	18-Jan-27	SYSTEMIC	Mango	leafhoppers	1.5-2.0tbsp/36 L water	-	10 days	Do not enter treated field within 2 days after spraying.
LEADS AGRICULTURAL PRODUCTS CORPORATION	CARTAP HYDROCHLORIDE	CARTAP ES	500g/kg	ES	INSECTICIDE	3	099-106-0716-B	18-Jan-27	SYSTEMIC	Pechay	Looper, cutworm, aphids	1.5-3.0tbsp/36 L water	-	10 days	Do not enter treated field within 2 days after spraying.
NEXCHEM CORPORATION	CARTAP HYDROCHLORIDE	CARTANEX 50 SP	500g/kg	SP	INSECTICIDE	3	702-106-5621	26-May-24	SYSTEMIC	Rice	Whorl maggot, stemborer, green leafhopper, brown planthopper	3.0-5.0tbsp/36 L water	-	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
NEXCHEM CORPORATION	CARTAP HYDROCHLORIDE	CARTANEX 50 SP	500g/kg	SP	INSECTICIDE	3	702-106-5621	26-May-24	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0tbsp/36 L water	-	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
NEXCHEM CORPORATION	CARTAP HYDROCHLORIDE	CARTANEX 50 SP	500g/kg	SP	INSECTICIDE	3	702-106-5621	26-May-24	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0tbsp/36 L water	-	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
NEXCHEM CORPORATION	CARTAP HYDROCHLORIDE	CARTANEX 50 SP	500g/kg	SP	INSECTICIDE	3	702-106-5621	26-May-24	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0tbsp/36 L water	-	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
NEXCHEM CORPORATION	CARTAP HYDROCHLORIDE	CARTANEX 50 SP	500g/kg	SP	INSECTICIDE	3	702-106-5621	26-May-24	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0tbsp/36 L water	-	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
NEXCHEM CORPORATION	CARTAP HYDROCHLORIDE	CARTANEX 50 SP	500g/kg	SP	INSECTICIDE	3	702-106-5621	26-May-24	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0tbsp/36 L water	-	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
NEXCHEM CORPORATION	CARTAP HYDROCHLORIDE	CARTANEX 50 SP	500g/kg	SP	INSECTICIDE	3	702-106-5621	26-May-24	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0tbsp/36 L water	-	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
NEXCHEM CORPORATION	CARTAP HYDROCHLORIDE	CARTANEX 50 SP	500g/kg	SP	INSECTICIDE	3	702-106-5621	26-May-24	SYSTEMIC	Mango	leafhoppers	1.5-2.0tbsp/36 L water	-	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
NEXCHEM CORPORATION	CARTAP HYDROCHLORIDE	CARTANEX 50 SP	500g/kg	SP	INSECTICIDE	3	702-106-5621	26-May-24	SYSTEMIC	Pechay	Looper, cutworm, aphids	1.5-2.0tbsp/36 L water	-	Spraying should be done 10 days before harvest	Enter the treated field 48 hours after spraying
RAINBOW AGRSCIENCES PHILIPPINES INC.	DIURON	CARITEK 80 WP	800g/kg	WP	HERBICIDE	4	539-021-4524	25-Sep-24	SYSTEMIC	Citrus	Annual and Perennial broadleaves and grasses	11.0-15.0tbsp/36 L water	-	-	A day after application
RAINBOW AGRSCIENCES PHILIPPINES INC.	DIURON	CARITEK 80 WP	800g/kg	WP	HERBICIDE	4	539-021-4524	25-Sep-24	SYSTEMIC	Coffee	Annual and Perennial broadleaves and grasses	11.0-15.0tbsp/36 L water	-	-	A day after application
RAINBOW AGRSCIENCES PHILIPPINES INC.	DIURON	CARITEK 80 WP	800g/kg	WP	HERBICIDE	4	539-021-4524	25-Sep-24	SYSTEMIC	Cotton	Annual and Perennial broadleaves and grasses	8.0tbsp/36 L water	-	-	A day after application
RAINBOW AGRSCIENCES PHILIPPINES INC.	DIURON	CARITEK 80 WP	800g/kg	WP	HERBICIDE	4	539-021-4524	25-Sep-24	SYSTEMIC	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0tbsp/36 L water	-	-	A day after application
RAINBOW AGRSCIENCES PHILIPPINES INC.	DIURON	CARITEK 80 WP	800g/kg	WP	HERBICIDE	4	539-021-4524	25-Sep-24	SYSTEMIC	Pineapple	Annual and Perennial broadleaves and grasses	11.0tbsp/36 L water	-	-	A day after application
RAINBOW AGRSCIENCES PHILIPPINES INC.	DIURON	CARITEK 80 WP	800g/kg	WP	HERBICIDE	4	539-021-4524	25-Sep-24	SYSTEMIC	Non-crop land	Annual and Perennial broadleaves and grasses	20.0-28.0tbsp/36 L water	-	-	A day after application
VANN HAWK AGRO CHEMICALS, INC.	CARTAP HYDROCHLORIDE	CARDINAL 50 SP	500g/kg	SP	INSECTICIDE	3	295-106-1290	10-Dec-26	SYSTEMIC	Rice	Stemborer, green leafhoppers, brown planthopper	3.0-5.0tbsp/36 L water	0.2ppm	Stop spraying 10 days before harvest.	Do not enter the field within two days after spraying.
VANN HAWK AGRO CHEMICALS, INC.	CARTAP HYDROCHLORIDE	CARDINAL 50 SP	500g/kg	SP	INSECTICIDE	3	295-106-1290	10-Dec-26	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0tbsp/36 L water	-	Stop spraying 10 days before harvest.	Do not enter the field within two days after spraying.
VANN HAWK AGRO CHEMICALS, INC.	CARTAP HYDROCHLORIDE	CARDINAL 50 SP	500g/kg	SP	INSECTICIDE	3	295-106-1290	10-Dec-26	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0tbsp/36 L water	-	Stop spraying 10 days before harvest.	Do not enter the field within two days after spraying.
VANN HAWK AGRO CHEMICALS, INC.	CARTAP HYDROCHLORIDE	CARDINAL 50 SP	500g/kg	SP	INSECTICIDE	3	295-106-1290	10-Dec-26	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0tbsp/36 L water	-	Stop spraying 10 days before harvest.	Do not enter the field within two days after spraying.
VANN HAWK AGRO CHEMICALS, INC.	CARTAP HYDROCHLORIDE	CARDINAL 50 SP	500g/kg	SP	INSECTICIDE	3	295-106-1290	10-Dec-26	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0tbsp/36 L water	-	Stop spraying 10 days before harvest.	Do not enter the field within two days after spraying.
VANN HAWK AGRO CHEMICALS, INC.	CARTAP HYDROCHLORIDE	CARDINAL 50 SP	500g/kg	SP	INSECTICIDE	3	295-106-1290	10-Dec-26	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0tbsp/36 L water	-	Stop spraying 10 days before harvest.	Do not enter the field within two days after spraying.
VANN HAWK AGRO CHEMICALS, INC.	CARTAP HYDROCHLORIDE	CARDINAL 50 SP	500g/kg	SP	INSECTICIDE	3	295-106-1290	10-Dec-26	SYSTEMIC	Potato	Thrips, aphids, cutworm, tubermoth, leafhopper	1.5-2.0tbsp/36 L water	-	Stop spraying 10 days before harvest.	Do not enter the field within two days after spraying.
VANN HAWK AGRO CHEMICALS, INC.	CARTAP HYDROCHLORIDE	CARDINAL 50 SP	500g/kg	SP	INSECTICIDE	3	295-106-1290	10-Dec-26	SYSTEMIC	Mango	leafhoppers	1.5-2.0tbsp/36 L water	-	Stop spraying 10 days before harvest.	Do not enter the field within two days after spraying.
VANN HAWK AGRO CHEMICALS, INC.	CARTAP HYDROCHLORIDE	CARDINAL 50 SP	500g/kg	SP	INSECTICIDE	3	295-106-1290	10-Dec-26	SYSTEMIC	Pechay	Looper, cutworm, aphids	1.5-3.0tbsp/36 L water	-	Stop spraying 10 days before harvest.	Do not enter the field within two days after spraying.
AGSMART CORPORATION	CARTAP HYDROCHLORIDE	CARDAN 50 SP	500g/kg	SP	INSECTICIDE	3	680-106-5350	16-Feb-24	SYSTEMIC	Rice	Whorl maggot, stemborer, green leafhopper, brown planthopper	3.0-5.0tbsp/36 L water	0.2ppm	-	-
AGSMART CORPORATION	CARTAP HYDROCHLORIDE	CARDAN 50 SP	500g/kg	SP	INSECTICIDE	3	680-106-5350	16-Feb-24	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0tbsp/36 L water	-	-	-
AGSMART CORPORATION	CARTAP HYDROCHLORIDE	CARDAN 50 SP	500g/kg	SP	INSECTICIDE	3	680-106-5350	16-Feb-24	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0tbsp/36 L water	-	-	-
AGSMART CORPORATION	CARTAP HYDROCHLORIDE	CARDAN 50 SP	500g/kg	SP	INSECTICIDE	3	680-106-5350	16-Feb-24	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0tbsp/36 L water	-	-	-
AGSMART CORPORATION	CARTAP HYDROCHLORIDE	CARDAN 50 SP	500g/kg	SP	INSECTICIDE	3	680-106-5350	16-Feb-24	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0tbsp/36 L water	-	-	-
AGSMART CORPORATION	CARTAP HYDROCHLORIDE	CARDAN 50 SP	500g/kg	SP	INSECTICIDE	3	680-106-5350	16-Feb-24	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0tbsp/36 L water	-	-	-
AGSMART CORPORATION	CARTAP HYDROCHLORIDE	CARDAN 50 SP	500g/kg	SP	INSECTICIDE	3	680-106-5350	16-Feb-24	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0tbsp/36 L water	-	-	-
AGSMART CORPORATION	CARTAP HYDROCHLORIDE	CARDAN 50 SP	500g/kg	SP	INSECTICIDE	3	680-106-5350	16-Feb-24	SYSTEMIC	Mango	leafhoppers	1.5-2.0tbsp/36 L water	-	-	-
AGSMART CORPORATION	CARTAP HYDROCHLORIDE	CARDAN 50 SP	500g/kg	SP	INSECTICIDE	3	680-106-5350	16-Feb-24	SYSTEMIC	Pechay	Looper, cutworm, aphids	1.5-3.0tbsp/36 L water	-	-	-
VAST AGRO SOLUTIONS, INC.	CARBOPURAN	CARBOMAX 3G	30g/kg	G	INSECTICIDE/ NEMATOCIDE	2	385-104-2119-A	17-Sep-25	-	Corn	Borer, earworm, grubs, seedling maggot	16.7-33.3 kg prod/ha	-	-	2 days
VAST AGRO SOLUTIONS, INC.	CARBOPURAN	CARBOMAX 3G	30g/kg	G	INSECTICIDE/ NEMATOCIDE	2	385-104-2119-A	17-Sep-25	-	Cotton	Nematodes, grubs	16.7-33.3 kg prod/ha	-	-	2 days
VAST AGRO SOLUTIONS, INC.	CARBOPURAN	CARBOMAX 3G	30g/kg	G	INSECTICIDE/ NEMATOCIDE	2	385-104-2119-A	17-Sep-25	-	Eggplant	Fruitborer	16.7-33.3 kg prod/ha	-	-	2 days
VAST AGRO SOLUTIONS, INC.	CARBOPURAN	CARBOMAX 3G	30g/kg	G	INSECTICIDE/ NEMATOCIDE	2	385-104-2119-A	17-Sep-25	-	Field legumes	Grubs	16.7-33.3 kg prod/ha	-	-	2 days
VAST AGRO SOLUTIONS, INC.	CARBOPURAN	CARBOMAX 3G	30g/kg	G	INSECTICIDE/ NEMATOCIDE	2	385-104-2119-A	17-Sep-25	-	Rice	Stem borer, whorl maggot, leafhopper, leaf folder, cutworm, planthopper	16.7-33.3 kg prod/ha	0.2ppm	28 days	2 days
VAST AGRO SOLUTIONS, INC.	CARBOPURAN	CARBOMAX 3G	30g/kg	G	INSECTICIDE/ NEMATOCIDE	2	385-104-2119-A	17-Sep-25	-	Soybeans	Beetfly, grubs, nematode, other soil insects	16.7-33.3 kg prod/ha	-	-	2 days

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
VAST AGRO SOLUTIONS, INC.	CARBOPURAN	CARBOMAX 3G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	385-104-2119-A	17-Sep-25	-	Sugarcane	Borer, leafhopper, mealy bug, nematodes, scale insects	16-7.33.3 kg prod/ha	-	-	2 days
VAST AGRO SOLUTIONS, INC.	CARBOPURAN	CARBOMAX 3G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	385-104-2119-A	17-Sep-25	-	Tobacco	Nematodes, budworm	16-7.33.3 kg prod/ha	-	-	2 days
VAST AGRO SOLUTIONS, INC.	CARBOPURAN	CARBOMAX 3G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	385-104-2119-A	17-Sep-25	-	White potato	Nematodes, grubs	16-7.33.3 kg prod/ha	-	-	2 days
VAST AGRO SOLUTIONS, INC.	CARBOPURAN	CARBOMAX 3G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	385-104-2119-A	17-Sep-25	-	Cowpea	Beanfly, grubs, nematodes, other soil insects	16-7.33.3 kg prod/ha	-	-	2 days
VAST AGRO SOLUTIONS, INC.	CARBOPURAN	CARBOMAX 3G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	385-104-2119-A	17-Sep-25	-	Ornamentals	Scale insects, aphids, mealy bug	16-7.33.3 kg prod/ha	-	-	2 days
ALTRADE INCORPORATED	CARTAP HYDROCHLORIDE	CARBINE 50 SP	500 g/kg	SP	INSECTICIDE	3	079-106-1706	14-Jun-20	SYSTEMIC	Rice	Wheat maggot, stemborer, green leafhopper, brown planthopper	1.0-5.0tbsp/16 L water	0.2ppm	Stop spraying 10 days before harvest	
ALTRADE INCORPORATED	CARTAP HYDROCHLORIDE	CARBINE 50 SP	500 g/kg	SP	INSECTICIDE	3	079-106-1706	14-Jun-20	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0tbsp/16 L water	-	-	
ALTRADE INCORPORATED	CARTAP HYDROCHLORIDE	CARBINE 50 SP	500 g/kg	SP	INSECTICIDE	3	079-106-1706	14-Jun-20	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0tbsp/16 L water	-	-	
ALTRADE INCORPORATED	CARTAP HYDROCHLORIDE	CARBINE 50 SP	500 g/kg	SP	INSECTICIDE	3	079-106-1706	14-Jun-20	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0tbsp/16 L water	-	-	
ALTRADE INCORPORATED	CARTAP HYDROCHLORIDE	CARBINE 50 SP	500 g/kg	SP	INSECTICIDE	3	079-106-1706	14-Jun-20	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0tbsp/16 L water	-	-	
ALTRADE INCORPORATED	CARTAP HYDROCHLORIDE	CARBINE 50 SP	500 g/kg	SP	INSECTICIDE	3	079-106-1706	14-Jun-20	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0tbsp/16 L water	-	-	
ALTRADE INCORPORATED	CARTAP HYDROCHLORIDE	CARBINE 50 SP	500 g/kg	SP	INSECTICIDE	3	079-106-1706	14-Jun-20	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0tbsp/16 L water	-	-	
ALTRADE INCORPORATED	CARTAP HYDROCHLORIDE	CARBINE 50 SP	500 g/kg	SP	INSECTICIDE	3	079-106-1706	14-Jun-20	SYSTEMIC	Mango	leafhoppers	1.5-2.0tbsp/16 L water	-	-	
ALTRADE INCORPORATED	CARTAP HYDROCHLORIDE	CARBINE 50 SP	500 g/kg	SP	INSECTICIDE	3	079-106-1706	14-Jun-20	SYSTEMIC	Pechay	Looper, cutworm, aphids	1.5-3.0tbsp/16 L water	-	-	
ZAGRO CORPORATION	CARBENDAZIM	CARBENAL 50 SC	500 g/L	SC	FUNGICIDE	4	043-267-3408	18-May-24	SYSTEMIC	Mango	Anthracoise	1-2tbsp/16 L water	-	-	
ZAGRO CORPORATION	CARBENDAZIM	CARBENAL 50 SC	500 g/L	SC	FUNGICIDE	4	043-267-3408	18-May-24	SYSTEMIC	Cucurbits	Downy mildew	1-2tbsp/16 L water	-	-	
ZAGRO CORPORATION	CARBENDAZIM	CARBENAL 50 SC	500 g/L	SC	FUNGICIDE	4	043-267-3408	18-May-24	SYSTEMIC	Garden Peas (Legumes)	Powdery mildew	1-2tbsp/16 L water	-	-	
ZAGRO CORPORATION	CARBENDAZIM	CARBENAL 50 SC	500 g/L	SC	FUNGICIDE	4	043-267-3408	18-May-24	SYSTEMIC	Sugarcane	Pineapple disease(<i>Cercospora haysi</i>)	9-10/200L water cane dipping	-	-	
ZAGRO CORPORATION	CARBENDAZIM	CARBENAL 50 SC	500 g/L	SC	FUNGICIDE	4	043-267-3408	18-May-24	SYSTEMIC	Banana	Diamond fruit spot(<i>Cercospora haysi</i>), anthracnose(<i>Colletotrichum musae</i>)	0.5-1.0 mL / L water (80-100 mL spray volume)	-	-	
SHENGBANG CROP PROTECTION (PHILIPPINES) INC.	CARBENDAZIM	CARBENDA 500 SC	500 g/L	SC	FUNGICIDE	4	667-267-5124	25-Jun-26	SYSTEMIC	Mango	Anthracoise	1-2 Tbsp/16L water	-	-	Re-entry is allowed as soon as the spray deposits dry up
SHENGBANG CROP PROTECTION (PHILIPPINES) INC.	CARBENDAZIM	CARBENDA 500 SC	500 g/L	SC	FUNGICIDE	4	667-267-5124	25-Jun-26	SYSTEMIC	Cucurbits	Downy mildew	1-2 Tbsp/16L water	-	-	Re-entry is allowed as soon as the spray deposits dry up
SHENGBANG CROP PROTECTION (PHILIPPINES) INC.	CARBENDAZIM	CARBENDA 500 SC	500 g/L	SC	FUNGICIDE	4	667-267-5124	25-Jun-26	SYSTEMIC	Garden peas	Powdery mildew	1-2 Tbsp/16L water	-	-	Re-entry is allowed as soon as the spray deposits dry up
SHENGBANG CROP PROTECTION (PHILIPPINES) INC.	CARBENDAZIM	CARBENDA 500 SC	500 g/L	SC	FUNGICIDE	4	667-267-5124	25-Jun-26	SYSTEMIC	Sugarcane	Pineapple disease	9-10 per 200 L water cane dipping	-	-	Re-entry is allowed as soon as the spray deposits dry up
SHENGBANG CROP PROTECTION (PHILIPPINES) INC.	CARBENDAZIM	CARBENDA 500 SC	500 g/L	SC	FUNGICIDE	4	667-267-5124	25-Jun-26	SYSTEMIC	Banana	Diamond fruit spot, anthracnose	0.5-1.0 mL per L water	-	7 days	Re-entry is allowed as soon as the spray deposits dry up
ARIES RNE CHEMICAL CORPORATION	CARBARYL	CARBAZAL 85 WP	850 g/kg	WP	INSECTICIDE	2	478-035-2725	03-Feb-24	-	Tobacco	Budworm, cutworm, aphids	4-6 tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
ARIES RNE CHEMICAL CORPORATION	CARBARYL	CARBAZAL 85 WP	850 g/kg	WP	INSECTICIDE	2	478-035-2725	03-Feb-24	-	Sorghum	Webworm, armyworm, cutworm, headworm	4-6 tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
ARIES RNE CHEMICAL CORPORATION	CARBARYL	CARBAZAL 85 WP	850 g/kg	WP	INSECTICIDE	2	478-035-2725	03-Feb-24	-	Ornamentals	Aphids, scale insect, mealy bug, cutworm	4-6 tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
ARIES RNE CHEMICAL CORPORATION	CARBARYL	CARBAZAL 85 WP	850 g/kg	WP	INSECTICIDE	2	478-035-2725	03-Feb-24	-	Mango	Mango hopper, tip borer, twig borer, fruit fly, mealy bug	4-6 tbsp/16 L water	-	1 day	Do not enter treatment areas until spray deposit have dried
ARIES RNE CHEMICAL CORPORATION	CARBARYL	CARBAZAL 85 WP	850 g/kg	WP	INSECTICIDE	2	478-035-2725	03-Feb-24	-	Coffee	Berry borer	4-6 tbsp/16 L water	-	1 day	Do not enter treatment areas until spray deposit have dried
ARIES RNE CHEMICAL CORPORATION	CARBARYL	CARBAZAL 85 WP	850 g/kg	WP	INSECTICIDE	2	478-035-2725	03-Feb-24	-	Cacao	Podborer, aphids, capsid bug	4-6 tbsp/16 L water	-	1 day	Do not enter treatment areas until spray deposit have dried
ARIES RNE CHEMICAL CORPORATION	CARBARYL	CARBAZAL 85 WP	850 g/kg	WP	INSECTICIDE	2	478-035-2725	03-Feb-24	-	Citrus	Rind borer	4-6 tbsp/16 L water	-	5 days	Do not enter treatment areas until spray deposit have dried
ARIES RNE CHEMICAL CORPORATION	CARBARYL	CARBAZAL 85 WP	850 g/kg	WP	INSECTICIDE	2	478-035-2725	03-Feb-24	-	Soybeans	Podborer, beanfly, leafminer, aphids	4-6 tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
ARIES RNE CHEMICAL CORPORATION	CARBARYL	CARBAZAL 85 WP	850 g/kg	WP	INSECTICIDE	2	478-035-2725	03-Feb-24	-	Rice	Green leafhopper, caseworm, aphids	4-6 tbsp/16 L water	1ppm	14 Days	Do not enter treatment areas until spray deposit have dried
ARIES RNE CHEMICAL CORPORATION	CARBARYL	CARBAZAL 85 WP	850 g/kg	WP	INSECTICIDE	2	478-035-2725	03-Feb-24	-	Cowpea and other beans	Podborer, beanfly, leafminer, cutworm, aphids	4-6 tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
ARIES RNE CHEMICAL CORPORATION	CARBARYL	CARBAZAL 85 WP	850 g/kg	WP	INSECTICIDE	2	478-035-2725	03-Feb-24	-	Cotton seed	Bollworm, cutworm	4-6 tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
ARIES RNE CHEMICAL CORPORATION	CARBARYL	CARBAZAL 85 WP	850 g/kg	WP	INSECTICIDE	2	478-035-2725	03-Feb-24	-	Corn	Corn borer, corn earworm, army worm	4-6 tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
ARIES RNE CHEMICAL CORPORATION	CARBARYL	CARBAZAL 85 WP	850 g/kg	WP	INSECTICIDE	2	478-035-2725	03-Feb-24	-	Tomato	Fruitworm, lady beetle	4-6 tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
ARIES RNE CHEMICAL CORPORATION	CARBARYL	CARBAZAL 85 WP	850 g/kg	WP	INSECTICIDE	2	478-035-2725	03-Feb-24	-	Cucurbits	Squash beetle, lady beetle	4-6 tbsp/16 L water	-	-	Do not enter treatment areas until spray deposit have dried
NEXCHEM CORPORATION	CARBARYL	CARBANEX 85 WP	850 g/L	WP	INSECTICIDE	2	702-035-5722	04-Feb-26	-	Mango	Mango hopper, tip borer, twig borer, fruit fly, mealy bug	40-60 g/16L water	-	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango
NEXCHEM CORPORATION	CARBARYL	CARBANEX 85 WP	850 g/L	WP	INSECTICIDE	2	702-035-5722	04-Feb-26	-	Rice	Green leafhopper, armyworm, caseworm, rice bug	40-60 g/16L water	-	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango
NEXCHEM CORPORATION	CARBARYL	CARBANEX 85 WP	850 g/L	WP	INSECTICIDE	2	702-035-5722	04-Feb-26	-	Cowpea and other beans	Podborer, beanfly, leaf miner, cutworm, aphids	40-60 g/16L water	-	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango
NEXCHEM CORPORATION	CARBARYL	CARBANEX 85 WP	850 g/L	WP	INSECTICIDE	2	702-035-5722	04-Feb-26	-	Soybeans	Podborer, beanfly, leaf miner, aphids	40-60 g/16L water	-	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango
NEXCHEM CORPORATION	CARBARYL	CARBANEX 85 WP	850 g/L	WP	INSECTICIDE	2	702-035-5722	04-Feb-26	-	Cucurbits	Squash beetle, lady beetle, aphids	40-60 g/16L water	-	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango
NEXCHEM CORPORATION	CARBARYL	CARBANEX 85 WP	850 g/L	WP	INSECTICIDE	2	702-035-5722	04-Feb-26	-	Tomato	Fruit worm, lady beetle	40-60 g/16L water	-	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango
NEXCHEM CORPORATION	CARBARYL	CARBANEX 85 WP	850 g/L	WP	INSECTICIDE	2	702-035-5722	04-Feb-26	-	Cotton	Bollworm, cutworm	40-60 g/16L water	-	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango
NEXCHEM CORPORATION	CARBARYL	CARBANEX 85 WP	850 g/L	WP	INSECTICIDE	2	702-035-5722	04-Feb-26	-	Corn	Corn borer, corn earworm, armyworm	40-60 g/16L water	-	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango
NEXCHEM CORPORATION	CARBARYL	CARBANEX 85 WP	850 g/L	WP	INSECTICIDE	2	702-035-5722	04-Feb-26	-	Sorghum	Web worm, armyworm, cutworm, headworm	40-60 g/16L water	-	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango
NEXCHEM CORPORATION	CARBARYL	CARBANEX 85 WP	850 g/L	WP	INSECTICIDE	2	702-035-5722	04-Feb-26	-	Tobacco	Budworm, cutworm, aphids	40-60 g/16L water	-	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango
NEXCHEM CORPORATION	CARBARYL	CARBANEX 85 WP	850 g/L	WP	INSECTICIDE	2	702-035-5722	04-Feb-26	-	Citrus	Rindborer	40-60 g/16L water	-	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango
NEXCHEM CORPORATION	CARBARYL	CARBANEX 85 WP	850 g/L	WP	INSECTICIDE	2	702-035-5722	04-Feb-26	-	Cacao	Pod borer, aphids, capsid bug	40-60 g/16L water	-	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango
NEXCHEM CORPORATION	CARBARYL	CARBANEX 85 WP	850 g/L	WP	INSECTICIDE	2	702-035-5722	04-Feb-26	-	Coffee	Berry borer	40-60 g/16L water	-	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango
ACK CROP SOLUTIONS INC.	ELUTHIONION	CARAKES 20 SC	200 mL/L	SC	INSECTICIDE	4	340-375-599	29-Jul-25	-	Rice	Rice black bug	8-5 tbsp/16 L	-	-	
HEXTAR VENTURE PHILIPPINES INC.	CYPERMETHRIN	CAPTURE 5 EC	50 g/L	EC	INSECTICIDE	4	477-037-2636	05-Aug-25	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-1.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
HEXTAR VENTURE PHILIPPINES INC.	CYPERMETHRIN	CAPTURE 5 EC	50 g/L	EC	INSECTICIDE	4	477-037-2636	05-Aug-25	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leafhopper, stem borer, armyworm, rice bug	1.0-1.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
HEXTAR VENTURE PHILIPPINES INC.	CYPERMETHRIN	CAPTURE 5 EC	50 g/L	EC	INSECTICIDE	4	477-037-2636	05-Aug-25	CONTACT	Cabbage	Diamond-back-moth, cabbage moth, worm	1.0-1.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
HEXTAR VENTURE PHILIPPINES INC.	CYPERMETHRIN	CAPTURE 5 EC	50 g/L	EC	INSECTICIDE	4	477-037-2636	05-Aug-25	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-1.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
HEXTAR VENTURE PHILIPPINES INC.	CYPERMETHRIN	CAPTURE 3 EC	50g/L	EC	INSECTICIDE	4	477-037-2636	05-Aug-25	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
HEXTAR VENTURE PHILIPPINES INC.	CYPERMETHRIN	CAPTURE 5 EC	50/L	EC	INSECTICIDE	4	477-037-2636	05-Aug-25	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
HEXTAR VENTURE PHILIPPINES INC.	CYPERMETHRIN	CAPTURE 5 EC	50 g/L	EC	INSECTICIDE	4	477-037-2636	05-Aug-25	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
HEXTAR VENTURE PHILIPPINES INC.	CYPERMETHRIN	CAPTURE 5 EC	50/L	EC	INSECTICIDE	4	477-037-2636	05-Aug-25	CONTACT	Banana	Thrips, scarrier beetle	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
HEXTAR VENTURE PHILIPPINES INC.	CYPERMETHRIN	CAPTURE 5 EC	50/L	EC	INSECTICIDE	4	477-037-2636	05-Aug-25	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
HEXTAR VENTURE PHILIPPINES INC.	CYPERMETHRIN	CAPTURE 5 EC	50 g/L	EC	INSECTICIDE	4	477-037-2636	05-Aug-25	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
HEXTAR VENTURE PHILIPPINES INC.	CYPERMETHRIN	CAPTURE 5 EC	50/L	EC	INSECTICIDE	4	477-037-2636	05-Aug-25	CONTACT	Corn	Comborer, earworm	1.0-4.5 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
MARS AGRI VENTURES AND COMMODITIES INC.	GLUFOSINATE AMMONIUM	CAPTIVATE 15 SL	250 g/L	SL	HERBICIDE	4	609-382-4499	30-Aug-21	NON-SELECTIVE/POST-EMERGENT	Rubber	Annual and perennial grasses, sedges and broadleaf weeds	-	-	-	-
MARS AGRI VENTURES AND COMMODITIES INC.	GLUFOSINATE AMMONIUM	CAPTIVATE 15 SL	150 g/L	SL	HERBICIDE	4	609-382-4499	30-Aug-21	NON-SELECTIVE/POST-EMERGENT	Oil palm	Annual and perennial grasses, sedges and broadleaf weeds	-	-	-	-
MARS AGRI VENTURES AND COMMODITIES INC.	GLUFOSINATE AMMONIUM	CAPTIVATE 15SL	150 g/L	SL	HERBICIDE	4	609-382-4499	30-Aug-21	NON-SELECTIVE/POST-EMERGENT	Non-crop areas	Annual and perennial grasses, sedges and broadleaf weeds	-	-	-	-
MARS AGRI VENTURES AND COMMODITIES INC.	GLUFOSINATE AMMONIUM	CAPTIVATE 15 SL	150 g/L	SL	HERBICIDE	4	609-382-4499	30-Aug-21	NON-SELECTIVE/POST-EMERGENT	Cavendish Banana	Annual and perennial grasses, sedges and broadleaf weeds	-	0.2 mg/kg	-	-
MONARCH AGRICULTURAL PRODUCTS, INC.	AZIOXYSTROBIN	CAPTIVA 25 SC	250g/L	SC	FUNGICIDE	4	096-309-4282	06-Mar-21	SYSTEMIC	Mango	Anthracoese, scab, stem-end rot	6-8/100L water	-	Do not spray 3-7 days before harvest	Re-entry to treat is allowed as soon as spray dries up
MONARCH AGRICULTURAL PRODUCTS, INC.	AZIOXYSTROBIN	CAPTIVA 25 SC	250g/L	SC	FUNGICIDE	4	096-309-4282	06-Mar-21	SYSTEMIC	Watermelon	Damping off, leaf spot, anthracnose, downy mildew, powdery mildew	1-2Tbsp/36 L water	-	Do not spray 3-7 days before harvest	Re-entry to treat is allowed as soon as spray dries up
MONARCH AGRICULTURAL PRODUCTS, INC.	AZIOXYSTROBIN	CAPTIVA 25 SC	250g/L	SC	FUNGICIDE	4	096-309-4282	06-Mar-21	SYSTEMIC	Onion	Basal/bulb rot	3-7Tbsp/36 L water	-	Do not spray 3-7 days before harvest	Re-entry to treat is allowed as soon as spray dries up
MONARCH AGRICULTURAL PRODUCTS, INC.	AZIOXYSTROBIN	CAPTIVA 25 SC	250g/L	SC	FUNGICIDE	4	096-309-4282	06-Mar-21	SYSTEMIC	Tomato	Late/early blight, powdery mildew	0.5-1Tbsp/36 L water	-	Do not spray 3-7 days before harvest	Re-entry to treat is allowed as soon as spray dries up
MONARCH AGRICULTURAL PRODUCTS, INC.	AZIOXYSTROBIN	CAPTIVA 25 SC	250g/L	SC	FUNGICIDE	4	096-309-4282	06-Mar-21	SYSTEMIC	Corn	Sheath blight, leaf spot, leaf rust, ear rot	2-4Tbsp/36 L water	-	Do not spray 3-7 days before harvest	Re-entry to treat is allowed as soon as spray dries up
MONARCH AGRICULTURAL PRODUCTS, INC.	AZIOXYSTROBIN	CAPTIVA 25 SC	250g/L	SC	FUNGICIDE	4	096-309-4282	06-Mar-21	SYSTEMIC	Asparagus	Stem blight, leaf blight, fusarium wilt	1-3Tbsp/36 L water	-	Do not spray 3-7 days before harvest	Re-entry to treat is allowed as soon as spray dries up
JARDINE DISTRIBUTION, INC.	CAPTAN	CAPTAN 50 WP	500 g/kg	WP	FUNGICIDE	4	367-215-0416	24-Oct-20	-	Avocado	Black spots	8-8 tbsp/36 L water	-	-	-
JARDINE DISTRIBUTION, INC.	CAPTAN	CAPTAN 50 WP	500 g/kg	WP	FUNGICIDE	4	367-215-0416	24-Oct-20	-	Beans	Anthracoese, rust, downy mildew	4-8 tbsp/36 L water	-	-	-
JARDINE DISTRIBUTION, INC.	CAPTAN	CAPTAN 50 WP	500 g/kg	WP	FUNGICIDE	4	367-215-0416	24-Oct-20	-	Carrot	Alternaria and cercospora leaf spot, late blight, cercospora blight	4-8 tbsp/36 L water	-	-	-
JARDINE DISTRIBUTION, INC.	CAPTAN	CAPTAN 50 WP	500 g/kg	WP	FUNGICIDE	4	367-215-0416	24-Oct-20	-	Celery	Damping-off, pink rot	4-8 tbsp/36 L water	-	-	-
JARDINE DISTRIBUTION, INC.	CAPTAN	CAPTAN 50 WP	500 g/kg	WP	FUNGICIDE	4	367-215-0416	24-Oct-20	-	Citrus	Brown spots, melanose black spots, scab	4-8 tbsp/36 L water	-	-	-
JARDINE DISTRIBUTION, INC.	CAPTAN	CAPTAN 50 WP	500 g/kg	WP	FUNGICIDE	4	367-215-0416	24-Oct-20	-	Corn	Diplodia rot	4-8 tbsp/36 L water	-	-	-
JARDINE DISTRIBUTION, INC.	CAPTAN	CAPTAN 50 WP	500 g/kg	WP	FUNGICIDE	4	367-215-0416	24-Oct-20	-	Cucumber	Mildew, anthracnose, cercospora, septoria	4-8 tbsp/36 L water	-	-	-
JARDINE DISTRIBUTION, INC.	CAPTAN	CAPTAN 50 WP	500 g/kg	WP	FUNGICIDE	4	367-215-0416	24-Oct-20	-	Eggplant	Anthracoese, fruit rot, early blight, phomopsis blight	4-8 tbsp/36 L water	-	-	-
JARDINE DISTRIBUTION, INC.	CAPTAN	CAPTAN 50 WP	500 g/kg	WP	FUNGICIDE	4	367-215-0416	24-Oct-20	-	Garlic	Downy mildew, leaf blight, purple blotch	4-8 tbsp/36 L water	-	-	-
JARDINE DISTRIBUTION, INC.	CAPTAN	CAPTAN 50 WP	500 g/kg	WP	FUNGICIDE	4	367-215-0416	24-Oct-20	-	Grapes	Deam arm disease	4-8 tbsp/36 L water	-	-	-
JARDINE DISTRIBUTION, INC.	CAPTAN	CAPTAN 50 WP	500 g/kg	WP	FUNGICIDE	4	367-215-0416	24-Oct-20	-	Mango	Anthracoese, scab	4-8 tbsp/36 L water	-	-	-
JARDINE DISTRIBUTION, INC.	CAPTAN	CAPTAN 50 WP	500 g/kg	WP	FUNGICIDE	4	367-215-0416	24-Oct-20	-	Melon	Cercospora leaf spot, mildew	4-8 tbsp/36 L water	-	-	-
JARDINE DISTRIBUTION, INC.	CAPTAN	CAPTAN 50 WP	500 g/kg	WP	FUNGICIDE	4	367-215-0416	24-Oct-20	-	Onion	Downy mildew, purple blotch, leaf blight	4-8 tbsp/36 L water	-	-	-
JARDINE DISTRIBUTION, INC.	CAPTAN	CAPTAN 50 WP	500 g/kg	WP	FUNGICIDE	4	367-215-0416	24-Oct-20	-	Ornamentals	Black spots, phytophthora	4-8 tbsp/36 L water	-	-	-
JARDINE DISTRIBUTION, INC.	CAPTAN	CAPTAN 50 WP	500 g/kg	WP	FUNGICIDE	4	367-215-0416	24-Oct-20	-	Oil palm	Anthracoese, seedling blight, diplodia leaf spot	4-8 tbsp/36 L water	-	-	-
JARDINE DISTRIBUTION, INC.	CAPTAN	CAPTAN 50 WP	500 g/kg	WP	FUNGICIDE	4	367-215-0416	24-Oct-20	-	Pepper	Anthracoese, stem end rot, fruit rot, cercospora, leaf spot	4-8 tbsp/36 L water	-	-	-
JARDINE DISTRIBUTION, INC.	CAPTAN	CAPTAN 50 WP	500 g/kg	WP	FUNGICIDE	4	367-215-0416	24-Oct-20	-	Pineapple	Heart rot, root rot	4-8 tbsp/36 L water	-	-	-
JARDINE DISTRIBUTION, INC.	CAPTAN	CAPTAN 50 WP	500 g/kg	WP	FUNGICIDE	4	367-215-0416	24-Oct-20	-	Potato	Early and late blight	4-8 tbsp/36 L water	-	-	-
JARDINE DISTRIBUTION, INC.	CAPTAN	CAPTAN 50 WP	500 g/kg	WP	FUNGICIDE	4	367-215-0416	24-Oct-20	-	Squash	Mildew, cercospora, anthracnose, septoria	4-8 tbsp/36 L water	-	-	-
JARDINE DISTRIBUTION, INC.	CAPTAN	CAPTAN 50 WP	500 g/kg	WP	FUNGICIDE	4	367-215-0416	24-Oct-20	-	Strawberry	Botrytis rot, Grey molds	4-8 tbsp/36 L water	-	-	-
JARDINE DISTRIBUTION, INC.	CAPTAN	CAPTAN 50 WP	500 g/kg	WP	FUNGICIDE	4	367-215-0416	24-Oct-20	-	Tomato	Anthracoese, early and late blight, septoria leaf spot	4-8 tbsp/36 L water	-	-	-
JARDINE DISTRIBUTION, INC.	CAPTAN	CAPTAN 50 WP	500 g/kg	WP	FUNGICIDE	4	367-215-0416	24-Oct-20	-	Watermelon	Mildew, alternaria and cercospora leaf spot	4-8 tbsp/36 L water	-	-	-
TAIPAN BRAND FARM INC.	CAPTAN	CAPTAN 50 WP	500 g/kg	WP	FUNGICIDE	4	529-215-3538	07-Sep-24	-	Avocado	Black spots	8-8 tbsp/36 L water	-	0 day	After spray deposits have dried up
TAIPAN BRAND FARM INC.	CAPTAN	CAPTAN 50 WP	500 g/kg	WP	FUNGICIDE	4	529-215-3538	07-Sep-24	-	Beans	Anthracoese, rust, downy mildew	4-8 tbsp/36 L water	-	0 day	After spray deposits have dried up
TAIPAN BRAND FARM INC.	CAPTAN	CAPTAN 50 WP	500 g/kg	WP	FUNGICIDE	4	529-215-3538	07-Sep-24	-	Carrot	Alternaria and cercospora leaf spot, late blight, cercospora blight	4-8 tbsp/36 L water	-	0 day	After spray deposits have dried up
TAIPAN BRAND FARM INC.	CAPTAN	CAPTAN 50 WP	500 g/kg	WP	FUNGICIDE	4	529-215-3538	07-Sep-24	-	Celery	Damping-off, pink rot	4-8 tbsp/36 L water	-	0 day	After spray deposits have dried up
TAIPAN BRAND FARM INC.	CAPTAN	CAPTAN 50 WP	500 g/kg	WP	FUNGICIDE	4	529-215-3538	07-Sep-24	-	Citrus	Brown spots, melanose black spots, scab	4-8 tbsp/36 L water	-	0 day	After spray deposits have dried up
TAIPAN BRAND FARM INC.	CAPTAN	CAPTAN 50 WP	500 g/kg	WP	FUNGICIDE	4	529-215-3538	07-Sep-24	-	Corn	Diplodia rot	4-8 tbsp/36 L water	-	0 day	After spray deposits have dried up
TAIPAN BRAND FARM INC.	CAPTAN	CAPTAN 50 WP	500 g/kg	WP	FUNGICIDE	4	529-215-3538	07-Sep-24	-	Cucumber	Mildew, anthracnose, cercospora, septoria	4-8 tbsp/36 L water	-	0 day	After spray deposits have dried up
TAIPAN BRAND FARM INC.	CAPTAN	CAPTAN 50 WP	500 g/kg	WP	FUNGICIDE	4	529-215-3538	07-Sep-24	-	Eggplant	Anthracoese, fruit rot, early blight, phomopsis blight	4-8 tbsp/36 L water	-	0 day	After spray deposits have dried up
TAIPAN BRAND FARM INC.	CAPTAN	CAPTAN 50 WP	500 g/kg	WP	FUNGICIDE	4	529-215-3538	07-Sep-24	-	Garlic	Downy mildew, leaf blight, purple blotch	4-8 tbsp/36 L water	-	0 day	After spray deposits have dried up
TAIPAN BRAND FARM INC.	CAPTAN	CAPTAN 50 WP	500 g/kg	WP	FUNGICIDE	4	529-215-3538	07-Sep-24	-	Grapes	Deam arm disease	4-8 tbsp/36 L water	-	0 day	After spray deposits have dried up
TAIPAN BRAND FARM INC.	CAPTAN	CAPTAN 50 WP	500 g/kg	WP	FUNGICIDE	4	529-215-3538	07-Sep-24	-	Mango	Anthracoese, scab	4-8 tbsp/36 L water	-	0 day	After spray deposits have dried up
TAIPAN BRAND FARM INC.	CAPTAN	CAPTAN 50 WP	500 g/kg	WP	FUNGICIDE	4	529-215-3538	07-Sep-24	-	Melon	Cercospora leaf spot, mildew	4-8 tbsp/36 L water	-	0 day	After spray deposits have dried up
TAIPAN BRAND FARM INC.	CAPTAN	CAPTAN 50 WP	500 g/kg	WP	FUNGICIDE	4	529-215-3538	07-Sep-24	-	Onion	Downy mildew, purple blotch, leaf blight	4-8 tbsp/36 L water	-	0 day	After spray deposits have dried up
TAIPAN BRAND FARM INC.	CAPTAN	CAPTAN 50 WP	500 g/kg	WP	FUNGICIDE	4	529-215-3538	07-Sep-24	-	Ornamentals	Black spots, phytophthora	4-8 tbsp/36 L water	-	0 day	After spray deposits have dried up
TAIPAN BRAND FARM INC.	CAPTAN	CAPTAN 50 WP	500 g/kg	WP	FUNGICIDE	4	529-215-3538	07-Sep-24	-	Oil palm	Anthracoese, seedling blight, diplodia leaf spot	4-8 tbsp/36 L water	-	0 day	After spray deposits have dried up
TAIPAN BRAND FARM INC.	CAPTAN	CAPTAN 50 WP	500 g/kg	WP	FUNGICIDE	4	529-215-3538	07-Sep-24	-	Pepper	Anthracoese, stem end rot, fruit rot, cercospora, leaf spot	4-8 tbsp/36 L water	-	0 day	After spray deposits have dried up
TAIPAN BRAND FARM INC.	CAPTAN	CAPTAN 50 WP	500 g/kg	WP	FUNGICIDE	4	529-215-3538	07-Sep-24	-	Pineapple	Heart rot, root rot	4-8 tbsp/36 L water	-	0 day	After spray deposits have dried up

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
TAIPAN BRAND FARM INC.	CAPTAN	CAPTAN 50 WP	500 g/kg	WP	FUNGICIDE	4	529-215-3538	07-Sep-24	-	Potato	Early and late blight	4.8 tbsp /36 L water	-	0 day	After spray deposits have dried up
TAIPAN BRAND FARM INC.	CAPTAN	CAPTAN 50 WP	500 g/kg	WP	FUNGICIDE	4	529-215-3538	07-Sep-24	-	Squash	Mildew, cercospora, anthracnose, septoria	4.8 tbsp /36 L water	-	0 day	After spray deposits have dried up
TAIPAN BRAND FARM INC.	CAPTAN	CAPTAN 50 WP	500 g/kg	WP	FUNGICIDE	4	529-215-3538	07-Sep-24	-	Strawberry	Botrytis rot, Grey molds	4.8 tbsp /36 L water	-	0 day	After spray deposits have dried up
TAIPAN BRAND FARM INC.	CAPTAN	CAPTAN 50 WP	500 g/kg	WP	FUNGICIDE	4	529-215-3538	07-Sep-24	-	Tomato	Anthracoese, early and late blight, septoria leaf spot	4.8 tbsp /36 L water	-	0 day	After spray deposits have dried up
TAIPAN BRAND FARM INC.	CAPTAN	CAPTAN 50 WP	500 g/kg	WP	FUNGICIDE	4	529-215-3538	07-Sep-24	-	Watermelon	Mildew, alternaria and cercospora leaf spot	4.8 tbsp /36 L water	-	0 day	After spray deposits have dried up
UPL PHILIPPINES, INC.	CAPTAN	CAPTAN 50 WP	500 g/kg	WP	FUNGICIDE	4	562-215-5062	16-Jun-24	-	Avocado	Black spots	4.8 tbsp /36 L water	-	When applied of recommended rates, very short or no harvest interval will be normally necessary	After spray has dried up
UPL PHILIPPINES, INC.	CAPTAN	CAPTAN 50 WP	500 g/kg	WP	FUNGICIDE	4	562-215-5062	16-Jun-24	-	Beans	Anthracoese, rust, downy mildew	4.8 tbsp /36 L water	-	When applied of recommended rates, very short or no harvest interval will be normally necessary	After spray has dried up
UPL PHILIPPINES, INC.	CAPTAN	CAPTAN 50 WP	500 g/kg	WP	FUNGICIDE	4	562-215-5062	16-Jun-24	-	Carrot	Alternaria and cercospora leaf spot, late blight, cercospora blight	4.8 tbsp /36 L water	-	When applied of recommended rates, very short or no harvest interval will be normally necessary	After spray has dried up
UPL PHILIPPINES, INC.	CAPTAN	CAPTAN 50 WP	500 g/kg	WP	FUNGICIDE	4	562-215-5062	16-Jun-24	-	Celery	Damping off, pink rot	4.8 tbsp /36 L water	-	When applied of recommended rates, very short or no harvest interval will be normally necessary	After spray has dried up
UPL PHILIPPINES, INC.	CAPTAN	CAPTAN 50 WP	500 g/kg	WP	FUNGICIDE	4	562-215-5062	16-Jun-24	-	Citrus	Brown spots, melanose black spots, scab	4.8 tbsp /36 L water	-	When applied of recommended rates, very short or no harvest interval will be normally necessary	After spray has dried up
UPL PHILIPPINES, INC.	CAPTAN	CAPTAN 50 WP	500 g/kg	WP	FUNGICIDE	4	562-215-5062	16-Jun-24	-	Corn	Oyodora rot	4.8 tbsp /36 L water	-	When applied of recommended rates, very short or no harvest interval will be normally necessary	After spray has dried up
UPL PHILIPPINES, INC.	CAPTAN	CAPTAN 50 WP	500 g/kg	WP	FUNGICIDE	4	562-215-5062	16-Jun-24	-	Cucumber	Mildew, anthracnose, cercospora, septoria	4.8 tbsp /36 L water	-	When applied of recommended rates, very short or no harvest interval will be normally necessary	After spray has dried up
UPL PHILIPPINES, INC.	CAPTAN	CAPTAN 50 WP	500 g/kg	WP	FUNGICIDE	4	562-215-5062	16-Jun-24	-	Eggplant	Anthracoese, fruit rot, early blight, phomoguid blight	4.8 tbsp /36 L water	-	When applied of recommended rates, very short or no harvest interval will be normally necessary	After spray has dried up
UPL PHILIPPINES, INC.	CAPTAN	CAPTAN 50 WP	500 g/kg	WP	FUNGICIDE	4	562-215-5062	16-Jun-24	-	Garlic	Downy mildew, leaf blight, purple blotch	4.8 tbsp /36 L water	-	When applied of recommended rates, very short or no harvest interval will be normally necessary	After spray has dried up
UPL PHILIPPINES, INC.	CAPTAN	CAPTAN 50 WP	500 g/kg	WP	FUNGICIDE	4	562-215-5062	16-Jun-24	-	Grapes	Deam arm disease	4.8 tbsp /36 L water	-	When applied of recommended rates, very short or no harvest interval will be normally necessary	After spray has dried up
UPL PHILIPPINES, INC.	CAPTAN	CAPTAN 50 WP	500 g/kg	WP	FUNGICIDE	4	562-215-5062	16-Jun-24	-	Mango	Anthracoese, scab	4.8 tbsp /36 L water	-	When applied of recommended rates, very short or no harvest interval will be normally necessary	After spray has dried up
UPL PHILIPPINES, INC.	CAPTAN	CAPTAN 50 WP	500 g/kg	WP	FUNGICIDE	4	562-215-5062	16-Jun-24	-	Melon	Cercospora leaf spot, mildew	4.8 tbsp /36 L water	-	When applied of recommended rates, very short or no harvest interval will be normally necessary	After spray has dried up
UPL PHILIPPINES, INC.	CAPTAN	CAPTAN 50 WP	500 g/kg	WP	FUNGICIDE	4	562-215-5062	16-Jun-24	-	Onion	Downy mildew, purple blotch, leaf blight	4.8 tbsp /36 L water	-	When applied of recommended rates, very short or no harvest interval will be normally necessary	After spray has dried up
UPL PHILIPPINES, INC.	CAPTAN	CAPTAN 50 WP	500 g/kg	WP	FUNGICIDE	4	562-215-5062	16-Jun-24	-	Ornamentals	Black spots, phytophthora	4.8 tbsp /36 L water	-	When applied of recommended rates, very short or no harvest interval will be normally necessary	After spray has dried up
UPL PHILIPPINES, INC.	CAPTAN	CAPTAN 50 WP	500 g/kg	WP	FUNGICIDE	4	562-215-5062	16-Jun-24	-	Oil palm	Anthracoese, seedling blight, diplolea leaf spot	4.8 tbsp /36 L water	-	When applied of recommended rates, very short or no harvest interval will be normally necessary	After spray has dried up
UPL PHILIPPINES, INC.	CAPTAN	CAPTAN 50 WP	500 g/kg	WP	FUNGICIDE	4	562-215-5062	16-Jun-24	-	Pepper	Anthracoese, stem end rot, fruit rot, cercospora, leaf spot	4.8 tbsp /36 L water	-	When applied of recommended rates, very short or no harvest interval will be normally necessary	After spray has dried up
UPL PHILIPPINES, INC.	CAPTAN	CAPTAN 50 WP	500 g/kg	WP	FUNGICIDE	4	562-215-5062	16-Jun-24	-	Pineapple	Heart rot, root rot	4.8 tbsp /36 L water	-	When applied of recommended rates, very short or no harvest interval will be normally necessary	After spray has dried up
UPL PHILIPPINES, INC.	CAPTAN	CAPTAN 50 WP	500 g/kg	WP	FUNGICIDE	4	562-215-5062	16-Jun-24	-	Potato	Early and late blight	4.8 tbsp /36 L water	-	When applied of recommended rates, very short or no harvest interval will be normally necessary	After spray has dried up
UPL PHILIPPINES, INC.	CAPTAN	CAPTAN 50 WP	500 g/kg	WP	FUNGICIDE	4	562-215-5062	16-Jun-24	-	Squash	Mildew, cercospora, anthracnose, septoria	4.8 tbsp /36 L water	-	When applied of recommended rates, very short or no harvest interval will be normally necessary	After spray has dried up
UPL PHILIPPINES, INC.	CAPTAN	CAPTAN 50 WP	500 g/kg	WP	FUNGICIDE	4	562-215-5062	16-Jun-24	-	Strawberry	Botrytis rot, Grey molds	4.8 tbsp /36 L water	-	When applied of recommended rates, very short or no harvest interval will be normally necessary	After spray has dried up
UPL PHILIPPINES, INC.	CAPTAN	CAPTAN 50 WP	500 g/kg	WP	FUNGICIDE	4	562-215-5062	16-Jun-24	-	Tomato	Anthracoese, early and late blight, septoria leaf spot	4.8 tbsp /36 L water	-	When applied of recommended rates, very short or no harvest interval will be normally necessary	After spray has dried up
UPL PHILIPPINES, INC.	CAPTAN	CAPTAN 50 WP	500 g/kg	WP	FUNGICIDE	4	562-215-5062	16-Jun-24	-	Watermelon	Mildew, alternaria and cercospora leaf spot	4.8 tbsp /36 L water	-	When applied of recommended rates, very short or no harvest interval will be normally necessary	After spray has dried up
MANAGRA TRADING CORPORATION	CYPERMETHRIN	CAPETAN 5 EC	50 g/L	EC	INSECTICIDE	4	476-037-2982	28-Apr-24	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/36 L water	-	7Days	Re-entry to treated field is allowed as soon as spray deposit dry
MANAGRA TRADING CORPORATION	CYPERMETHRIN	CAPETAN 5 EC	50 g/L	EC	INSECTICIDE	4	476-037-2982	28-Apr-24	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leafhoppers, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
MANAGRA TRADING CORPORATION	CYPERMETHRIN	CAPETAN 5 EC	50 g/L	EC	INSECTICIDE	4	476-037-2982	28-Apr-24	CONTACT	Cabbage	Diamond back moth, cabbage moth, worm	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
MANAGRA TRADING CORPORATION	CYPERMETHRIN	CAPETAN 5 EC	50 g/L	EC	INSECTICIDE	4	476-037-2982	28-Apr-24	CONTACT	Beans	Pod borer, bearfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
MANAGRA TRADING CORPORATION	CYPERMETHRIN	CAPETAN 5 EC	50 g/L	EC	INSECTICIDE	4	476-037-2982	28-Apr-24	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
MANAGRA TRADING CORPORATION	CYPERMETHRIN	CAPETAN 5 EC	50 g/L	EC	INSECTICIDE	4	476-037-2982	28-Apr-24	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
MANAGRA TRADING CORPORATION	CYPERMETHRIN	CAPETAN 5 EC	50 g/L	EC	INSECTICIDE	4	476-037-2982	28-Apr-24	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
MANAGRA TRADING CORPORATION	CYPERMETHRIN	CAPETAN 5 EC	50 g/L	EC	INSECTICIDE	4	476-037-2982	28-Apr-24	CONTACT	Banana	Thrips, scarring beetles	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
MANAGRA TRADING CORPORATION	CYPERMETHRIN	CAPETAN 5 EC	50 g/L	EC	INSECTICIDE	4	476-037-2982	28-Apr-24	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
MANAGRA TRADING CORPORATION	CYPERMETHRIN	CAPETAN 5 EC	50 g/L	EC	INSECTICIDE	4	476-037-2982	28-Apr-24	CONTACT	Tobacco	Rudworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
MANAGRA TRADING CORPORATION	CYPERMETHRIN	CAPETAN 5 EC	50 g/L	EC	INSECTICIDE	4	476-037-2982	28-Apr-24	CONTACT	Corn	Combscor, earworm	1.0-4.3 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ALTACROP PROTECTION CORPORATION	MANCOZEB	CANOPY 80 WP	800 g/kg	WP	FUNGICIDE	4	351-053-2841	27-Feb-26	-	Potato	Early and late blight	3-6 Tbsp/36 L water	-	-	As soon as spray dries
ALTACROP PROTECTION CORPORATION	MANCOZEB	CANOPY 80 WP	800 g/kg	WP	FUNGICIDE	4	351-053-2841	27-Feb-26	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	7Days	As soon as spray dries
ALTACROP PROTECTION CORPORATION	MANCOZEB	CANOPY 80 WP	800 g/kg	WP	FUNGICIDE	4	351-053-2841	27-Feb-26	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
ALTACROP PROTECTION CORPORATION	MANCOZEB	CANOPY 80 WP	800 g/kg	WP	FUNGICIDE	4	351-053-2841	27-Feb-26	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
ALTACROP PROTECTION CORPORATION	MANCOZEB	CANOPY 80 WP	800 g/kg	WP	FUNGICIDE	4	351-053-2841	27-Feb-26	-	Celery	Late blight	3-6 Tbsp/36 L water	-	14 Days	As soon as spray dries
ALTACROP PROTECTION CORPORATION	MANCOZEB	CANOPY 80 WP	800 g/kg	WP	FUNGICIDE	4	351-053-2841	27-Feb-26	-	Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
ALTACROP PROTECTION CORPORATION	MANCOZEB	CANOPY 80 WP	800 g/kg	WP	FUNGICIDE	4	351-053-2841	27-Feb-26	-	Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
ALTACROP PROTECTION CORPORATION	MANCOZEB	CANOPY 80 WP	800 g/kg	WP	FUNGICIDE	4	351-053-2841	27-Feb-26	-	Cotton	Damping off	3-6 Tbsp/36 L water	-	-	As soon as spray dries
ALTACROP PROTECTION CORPORATION	MANCOZEB	CANOPY 80 WP	800 g/kg	WP	FUNGICIDE	4	351-053-2841	27-Feb-26	-	Lettuce	Downy mildew	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
ALTACROP PROTECTION CORPORATION	MANCOZEB	CANOPY 80 WP	800 g/kg	WP	FUNGICIDE	4	351-053-2841	27-Feb-26	-	Beans	Anthracoese, Downy mildew, Rust	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
ALTACROP PROTECTION CORPORATION	MANCOZEB	CANOPY 80 WP	800 g/kg	WP	FUNGICIDE	4	351-053-2841	27-Feb-26	-	Peas	Anthracoese, Downy mildew, Rust	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
ALTACROP PROTECTION CORPORATION	MANCOZEB	CANOPY 80 WP	800 g/kg	WP	FUNGICIDE	4	351-053-2841	27-Feb-26	-	Mungbeans	Anthracoese, Downy mildew, Rust	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
ALTACROP PROTECTION CORPORATION	MANCOZEB	CANOPY 80 WP	800 g/kg	WP	FUNGICIDE	4	351-053-2841	27-Feb-26	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
ALTACROP PROTECTION CORPORATION	MANCOZEB	CANOPY 80 WP	800 g/kg	WP	FUNGICIDE	4	351-053-2841	27-Feb-26	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
ALTACROP PROTECTION CORPORATION	MANCOZEB	CANOPY 80 WP	800 g/kg	WP	FUNGICIDE	4	351-053-2841	27-Feb-26	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
ALTACROP PROTECTION CORPORATION	MANCOZEB	CANOPY 80 WP	800 g/kg	WP	FUNGICIDE	4	351-053-2841	27-Feb-26	-	Pepper	Anthracoese	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
ALTACROP PROTECTION CORPORATION	MANCOZEB	CANOPY 80 WP	800 g/kg	WP	FUNGICIDE	4	351-053-2841	27-Feb-26	-	Chili	Anthracoese	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
ALTACROP PROTECTION CORPORATION	MANCOZEB	CANOPY 80 WP	800 g/kg	WP	FUNGICIDE	4	351-053-2841	27-Feb-26	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
ALTACROP PROTECTION CORPORATION	MANCOZEB	CANOPY 80 WP	800 g/kg	WP	FUNGICIDE	4	351-053-2841	27-Feb-26	-	Banana	Sigatoka, Black leaf streak	3-6 Tbsp/36 L water	-	-	As soon as spray dries
ALTACROP PROTECTION CORPORATION	MANCOZEB	CANOPY 80 WP	800 g/kg	WP	FUNGICIDE	4	351-053-2841	27-Feb-26	-	Grapes	Downy mildew, black rot	3-6 Tbsp/36 L water	-	60 days	As soon as spray dries
ALTACROP PROTECTION CORPORATION	MANCOZEB	CANOPY 80 WP	800 g/kg	WP	FUNGICIDE	4	351-053-2841	27-Feb-26	-	Mango	Anthrachnose and Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
ALTACROP PROTECTION CORPORATION	MANCOZEB	CANOPY 80 WP	800 g/kg	WP	FUNGICIDE	4	351-053-2841	27-Feb-26	-	Papaya	Fruit rot	3-6 Tbsp/36 L water	-	-	As soon as spray dries
ALTACROP PROTECTION CORPORATION	MANCOZEB	CANOPY 80 WP	800 g/kg	WP	FUNGICIDE	4	351-053-2841	27-Feb-26	-	Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
ALTACROP PROTECTION CORPORATION	MANCOZEB	CANOPY 80 WP	800 g/kg	WP	FUNGICIDE	4	351-053-2841	27-Feb-26	-	Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
ALTACROP PROTECTION CORPORATION	MANCOZEB	CANOPY 80 WP	800 g/kg	WP	FUNGICIDE	4	351-053-2841	27-Feb-26	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries
ALTACROP PROTECTION CORPORATION	MANCOZEB	CANOPY 80 WP	800 g/kg	WP	FUNGICIDE	4	351-053-2841	27-Feb-26	-	Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/36 L water	0.02ppm	-	As soon as spray dries
ALTACROP PROTECTION CORPORATION	MANCOZEB	CANOPY 80 WP	800 g/kg	WP	FUNGICIDE	4	351-053-2841	27-Feb-26	-	Peanut	Cercospora leaf spot	3-6 Tbsp/36 L water	-	34 days	As soon as spray dries
ALTACROP PROTECTION CORPORATION	MANCOZEB	CANOPY 80 WP	800 g/kg	WP	FUNGICIDE	4	351-053-2841	27-Feb-26	-	Soybeans	Leaf rust	3-6 Tbsp/36 L water	-	-	As soon as spray dries
ALTACROP PROTECTION CORPORATION	MANCOZEB	CANOPY 80 WP	800 g/kg	WP	FUNGICIDE	4	351-053-2841	27-Feb-26	-	Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/36 L water	-	-	As soon as spray dries
C.B. ANDREW ASIA, INC.	NICLOSAMIDE ETHANOLAMINE SALT	CANON 70 WP	700g/kg	WP	MOLLUSCICIDE	4	460-229-4749-C	24-Apr-26	CONTACT	Rice	Golden apple snail	25g or 1 sachet	-	-	-
JARDINE DISTRIBUTION, INC.	GLYPHOSATE IPA	CANE RIPENER 48 SL	480g/L	SL	INSECTICIDE	4	367-153-5230	27-Apr-24	-	Sugarcane	Ripener	2-3 L Prod. Per 30L water per hectare	-	-	6-8 weeks before harvesting
BERRIS AGRICULTURAL CO., INC.	BESUFURAC SODIUM	CANDIDATE 10 SC	106.4 g/L	SC	HERBICIDE	2	233-276-2443	09-Jun-25	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Rice	Grasses, sedges & broadleaves	10ml/36L water, 20 spray load/ hectare	0.1 ppm	-	Entry to treated field is allowed as soon as spray deposits on crops and weeds have dried
INDOFIL PHILIPPINES INC.	SULPHUR	INDOFIL AZUL RE 800 WG	800 g/kg	WG	FUNGICIDE	4	604-081-4667	25-Mar-27	-	Tomato	Downy mildew, powdery mildew	5-6 Tbsp/36L water	-	5 days	Re-entry to fields is allowed as soon as spray deposits have dried
INDOFIL PHILIPPINES INC.	SULPHUR	INDOFIL AZUL RE 800 WG	800 g/kg	WG	FUNGICIDE	4	604-081-4667	25-Mar-27	-	Eggplant	Downy mildew, powdery mildew	5-6 Tbsp/36L water	-	5 days	Re-entry to fields is allowed as soon as spray deposits have dried
INDOFIL PHILIPPINES INC.	SULPHUR	INDOFIL AZUL RE 800 WG	800 g/kg	WG	FUNGICIDE	4	604-081-4667	25-Mar-27	-	Vegetables	Powdery mildew	5-6 Tbsp/36L water	-	5 days	Re-entry to fields is allowed as soon as spray deposits have dried
INDOFIL PHILIPPINES INC.	SULPHUR	INDOFIL AZUL RE 800 WG	800 g/kg	WG	FUNGICIDE	4	604-081-4667	25-Mar-27	-	Cotton	Downy mildew, powdery mildew	5-6 Tbsp/36L water	-	5 days	Re-entry to fields is allowed as soon as spray deposits have dried
INDOFIL PHILIPPINES INC.	SULPHUR	INDOFIL AZUL RE 800 WG	800 g/kg	WG	FUNGICIDE	4	604-081-4667	25-Mar-27	-	Grapes	Powdery mildew	5-6 Tbsp/36L water	-	5 days	Re-entry to fields is allowed as soon as spray deposits have dried
INDOFIL PHILIPPINES INC.	SULPHUR	INDOFIL AZUL RE 800 WG	800 g/kg	WG	FUNGICIDE	4	604-081-4667	25-Mar-27	-	Beans	Downy mildew, powdery mildew	3.5-7 Tbsp/36L water	-	5 days	Re-entry to fields is allowed as soon as spray deposits have dried
INDOFIL PHILIPPINES INC.	SULPHUR	INDOFIL AZUL RE 800 WG	800 g/kg	WG	FUNGICIDE	4	604-081-4667	25-Mar-27	-	Pepper	Downy mildew, powdery mildew	6-7 Tbsp/36L water	-	5 days	Re-entry to fields is allowed as soon as spray deposits have dried
INDOFIL PHILIPPINES INC.	SULPHUR	INDOFIL AZUL RE 800 WG	800 g/kg	WG	FUNGICIDE	4	604-081-4667	25-Mar-27	-	Ornamentals	Downy mildew, powdery mildew	5-6 Tbsp/36L water	-	5 days	Re-entry to fields is allowed as soon as spray deposits have dried
INDOFIL PHILIPPINES INC.	SULPHUR	INDOFIL AZUL RE 800 WG	800 g/kg	WG	FUNGICIDE	4	604-081-4667	25-Mar-27	-	Papaya	Oidium	5-6 Tbsp/36L water	-	5 days	Re-entry to fields is allowed as soon as spray deposits have dried
INDOFIL PHILIPPINES INC.	SULPHUR	INDOFIL AZUL RE 800 WG	800 g/kg	WG	FUNGICIDE	4	604-081-4667	25-Mar-27	-	Citrus	Downy mildew, powdery mildew	5-6 Tbsp/36L water	-	5 days	Re-entry to fields is allowed as soon as spray deposits have dried
INDOFIL PHILIPPINES INC.	SULPHUR	INDOFIL AZUL RE 800 WG	800 g/kg	WG	FUNGICIDE	4	604-081-4667	25-Mar-27	-	Pineapple	Mites, heart rot	Re-entry to fields is allowed as soon as spray deposits have dried	-	5 days	Re-entry to fields is allowed as soon as spray deposits have dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	HYDRA METHYLON	CAMPAIGN ANT BAIT	7.3 g/kg	B	INSECTICIDE	4	099-292-3991	17-Feb-26	-	Pineapple (Product is restricted for institutional)	Ants	1.75 kg/ha	-	-	Do not harvest within thirty (30) days after last application
INTEGRO AGROCHEM ENTERPRISES CO.	LAMBDA-CHYALOTHRIN+THIAMETHOXAM	CALYA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	661-395-4996	26-Mar-22	CONTACT/SYSTEMIC	Potato	Whiteflies, aphids, thrips	100-200ml product/ha; 4-6 ml/36 L	0.1 Thiamethoxam; 0.1	7 days	Do not enter treated fields at least 1 Day after application
INTEGRO AGROCHEM ENTERPRISES CO.	LAMBDA-CHYALOTHRIN+THIAMETHOXAM	CALYA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	661-395-4996	26-Mar-22	CONTACT/SYSTEMIC	Soybeans	Green Leafhopper, aphids, mites	100-200ml product/ha; 4-6 ml/36 L	0.5 Thiamethoxam; 0.5 (with pod)	7 days	Do not enter treated fields at least 1 Day after application
INTEGRO AGROCHEM ENTERPRISES CO.	LAMBDA-CHYALOTHRIN+THIAMETHOXAM	CALYA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	661-395-4996	26-Mar-22	CONTACT/SYSTEMIC	Eggplant	Whiteflies, green leafhopper, aphids	100-200ml product/ha; 4-6 ml/36 L	0.2 Thiamethoxam; 0.2	7 days	Do not enter treated fields at least 1 Day after application
INTEGRO AGROCHEM ENTERPRISES CO.	LAMBDA-CHYALOTHRIN+THIAMETHOXAM	CALYA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	661-395-4996	26-Mar-22	CONTACT/SYSTEMIC	Intergrourd	Leafhoppers, thrips, aphids, fruitfly, cutworm	100-200ml product/ha; 4-13 ml/36L	0.1 Thiamethoxam; 0.2	7 days	Do not enter treated fields at least 1 Day after application
INTEGRO AGROCHEM ENTERPRISES CO.	LAMBDA-CHYALOTHRIN+THIAMETHOXAM	CALYA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	661-395-4996	26-Mar-22	CONTACT/SYSTEMIC	Mango	Leafhoppers, typhloer, capsid bug, fruitfly, cecid fly	12-24ml/200L	0.1 Thiamethoxam; 0.2	3 days	Do not enter treated fields at least 1 Day after application
INTEGRO AGROCHEM ENTERPRISES CO.	LAMBDA-CHYALOTHRIN+THIAMETHOXAM	CALYA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	661-395-4996	26-Mar-22	CONTACT/SYSTEMIC	Corn	Asiatic corn borer, cutworm, leafhopper, aphids, earworm	200-400ml product/ha; 10.0-16.0 ml product/36L	0.05ppm Thiamethoxam; 0.10ppm Thiamethoxam	10 days	Do not enter treated fields at least 1 Day after application
INTEGRO AGROCHEM ENTERPRISES CO.	LAMBDA-CHYALOTHRIN+THIAMETHOXAM	CALYA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	661-395-4996	26-Mar-22	CONTACT/SYSTEMIC	Banana	Flower thrips	1-1 ml/L	0.1ppm Thiamethoxam	60 days	Do not enter treated fields at least 1 Day after application
INTEGRO AGROCHEM ENTERPRISES CO.	LAMBDA-CHYALOTHRIN+THIAMETHOXAM	CALYA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	661-395-4996	26-Mar-22	CONTACT/SYSTEMIC	Rice	Stemborer, leafhopper, rice bugs	10-30 Tbsp prod/36L	0.5ppm Thiamethoxam	14 days	Do not enter treated fields at least 1 Day after application
BASF PHILIPPINES, INC.	TRICLOMIPH	CALUXIN 86 OL	860 g/L	OL	FUNGICIDE	2	005-097-1179	29-Jul-17	SYSTEMIC/CONTACT	Banana	Sigatoka	0.5 L/ha Tridemorph + 5.0 L/ha Oil	-	-	-
PHILAGROW INC.	CHALCOPRO BUTYL	CALIBRE 100 EC	100 g/L	EC	HERBICIDE	4	372-257-3580	21-Oct-18	-	Rice (Direct-Seeded)	Grasses	12 tankload/ha; 30ml/36 L; 15 tankload/ha; 10ml/36 L; 20	-	-	-
AGCHEM MANUFACTURING CORPORATION	NICLOSAMIDE ETHANOLAMINE SALT	CALIBER 70 WP	700 g/kg	WP	MOLLUSCICIDE	4	001-229-1134	22-Feb-24	CONTACT	Rice	Golden Apple Snail (Kuhol)	35 gm/36 L water	-	-	Do not enter the treated field within 48 hours after application
UPL PHILIPPINES, INC.	PROFENOFOS	CALFOS 500 EC	500g/L	EC	INSECTICIDE	2	562-070-4814-A (DDIM & 239F)	15-Jun-24	CONTACT	Tomato	Fruitworm, armyworm, cutworm	3-5 Tbsp/36L water	-	5 days after the last spray	As soon as the spray solution has dried on the foliage
UPL PHILIPPINES, INC.	PROFENOFOS	CALFOS 500 EC	500g/L	EC	INSECTICIDE	2	562-070-4814-A (DDIM & 239F)	15-Jun-24	CONTACT	Eggplant	Fruitborer, aphids, leafhopper, & thrips	1.5-3.0 Tbsp/36L water	-	5 days after the last spray	As soon as the spray solution has dried on the foliage
UPL PHILIPPINES, INC.	PROFENOFOS	CALFOS 500 EC	500g/L	EC	INSECTICIDE	2	562-070-4814-A (DDIM & 239F)	15-Jun-24	CONTACT	Cabbage	Diamond back moth, cabbage worm & aphids	3-5 Tbsp/36L water	-	5 days after the last spray	As soon as the spray solution has dried on the foliage
UPL PHILIPPINES, INC.	PROFENOFOS	CALFOS 500 EC	500g/L	EC	INSECTICIDE	2	562-070-4814-A (DDIM & 239F)	15-Jun-24	CONTACT	Watermelon	Thrips	3-5 Tbsp/36L water	-	5 days after the last spray	As soon as the spray solution has dried on the foliage
UPL PHILIPPINES, INC.	PROFENOFOS	CALFOS 500 EC	500g/L	EC	INSECTICIDE	2	562-070-4814-A (DDIM & 239F)	15-Jun-24	CONTACT	Potato	Thrips, army worm, cutworm, tuber moth	3-5 Tbsp/36L water	-	5 days after the last spray	As soon as the spray solution has dried on the foliage
UPL PHILIPPINES, INC.	PROFENOFOS	CALFOS 500 EC	500g/L	EC	INSECTICIDE	2	562-070-4814-A (DDIM & 239F)	15-Jun-24	CONTACT	Soybeans	Corn earworm, leafminer	3-5 Tbsp/36L water	-	5 days after the last spray	As soon as the spray solution has dried on the foliage
UPL PHILIPPINES, INC.	PROFENOFOS	CALFOS 500 EC	500g/L	EC	INSECTICIDE	2	562-070-4814-A (DDIM & 239F)	15-Jun-24	CONTACT	Mungbeans	Corn earworm, leafminer	3-5 Tbsp/36L water	-	5 days after the last spray	As soon as the spray solution has dried on the foliage
UPL PHILIPPINES, INC.	PROFENOFOS	CALFOS 500 EC	500g/L	EC	INSECTICIDE	2	562-070-4814-A (DDIM & 239F)	15-Jun-24	CONTACT	Cotton	Thrips, bollworm & budworm	3-5 Tbsp/36L water	-	5 days after the last spray	As soon as the spray solution has dried on the foliage
UPL PHILIPPINES, INC.	PROFENOFOS	CALFOS 500 EC	500g/L	EC	INSECTICIDE	2	562-070-4814-A (DDIM & 239F)	15-Jun-24	CONTACT	Sitao	Beanyfly, leaf folder & aphids	3-5 Tbsp/36L water	-	5 days after the last spray	As soon as the spray solution has dried on the foliage
VETEMEDICA CORPORATION	ETHANOLAMINE CHLORIDE+GLUCOLIC ACID+CTRIC ACID	CAL CLEAN	250g/L+100g+250g+25g	-	OTHERS	2	705-557-5570	31-Dec-24	-	-	Disinfection of swine, poultry drinking systems and water lines	-	-	-	-
VERDANT LUSTERCORE CORPORATION	BPIMC-CHLORPYRIFOS	CAGE 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	546-174-3631	04-Feb-22	-	Rice	Stemborer, armyworm, leafhopper, caseworm and planthopper	2.5-3.5 Tbsp/36L water	-	-	Discontinue spraying at least 15 days before harvest.
VERDANT LUSTERCORE CORPORATION	BPIMC-CHLORPYRIFOS	CAGE 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	546-174-3631	04-Feb-22	-	Corn	Seedling maggot, corn earworm, cornborer and army worm	2.5-3.5 Tbsp/36L water	-	-	Entry to fields sprayed with the product is not allowed within two days after application.
VERDANT LUSTERCORE CORPORATION	BPIMC-CHLORPYRIFOS	CAGE 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	546-174-3631	04-Feb-22	-	Tobacco	Budworm, aphid, cutworm and armyworm	2.5-3.5 Tbsp/36L water	-	-	Entry to fields sprayed with the product is not allowed within two days after application.
VERDANT LUSTERCORE CORPORATION	BPIMC-CHLORPYRIFOS	CAGE 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	546-174-3631	04-Feb-22	-	Coffee	Berry borer, bark borer	2.5-3.5 Tbsp/36L water	-	-	Entry to fields sprayed with the product is not allowed within two days after application.
VERDANT LUSTERCORE CORPORATION	BPIMC-CHLORPYRIFOS	CAGE 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	546-174-3631	04-Feb-22	-	Melon	Squash beetle, squash bug, leafworm	2.5-3.5 Tbsp/36L water	-	-	Entry to fields sprayed with the product is not allowed within two days after application.
VERDANT LUSTERCORE CORPORATION	BPIMC-CHLORPYRIFOS	CAGE 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	546-174-3631	04-Feb-22	-	Watermelon	Squash beetle, squash bug, leafworm	2.5-3.5 Tbsp/36L water	-	-	Entry to fields sprayed with the product is not allowed within two days after application.
VERDANT LUSTERCORE CORPORATION	BPIMC-CHLORPYRIFOS	CAGE 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	546-174-3631	04-Feb-22	-	Garlic	Thrips, cutworm	2.5-3.5 Tbsp/36L water	-	-	Entry to fields sprayed with the product is not allowed within two days after application.
VERDANT LUSTERCORE CORPORATION	BPIMC-CHLORPYRIFOS	CAGE 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	546-174-3631	04-Feb-22	-	Onion	Thrips, cutworm	2.5-3.5 Tbsp/36L water	-	-	Entry to fields sprayed at least 15 days before harvest.
VERDANT LUSTERCORE CORPORATION	BPIMC-CHLORPYRIFOS	CAGE 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	546-174-3631	04-Feb-22	-	Mungo	Bean podborer, beanyfly, armyworm, cutworm, leafminer, leaf folder	2.5-3.5 Tbsp/36L water	-	-	Entry to fields sprayed with the product is not allowed within two days after application.

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
VERDANT LUSTERCORE CORPORATION	BPfMC-CHLORPYRIFOS	CAGE 31.5 EC	210-320 g/L	EC	INSECTICIDE	2	546-174-3631	04-Feb-22		bananas	Berry borer,bark borer	2.5-3.5 Tbsp/36L water	-	Discontinue spraying at least 15 days before harvest.	Entry to fields sprayed with the product is not allowed within two days after application.
VERDANT LUSTERCORE CORPORATION	BPfMC-CHLORPYRIFOS	CAGE 31.5 EC	210-320 g/L	EC	INSECTICIDE	2	546-174-3631	04-Feb-22		beans	Bean podborer,beanfly,armyworm,cutworm, leafminer ,leaf folder	2.5-3.5 Tbsp/36L water	-	Discontinue spraying at least 15 days before harvest.	Entry to fields sprayed with the product is not allowed within two days after application.
BASF PHILIPPINES, INC.	IMAZAPIC	CADRE 240 SL	240 g/L	SL	HERBICIDE	3	055-507-4773	03-Jul-26		sugarcane	Grasses and broadleaves	0.3-0.4 L/ha	-	No PHI	As soon as spray droplets dries or 12 hours after spraying.
BIOTADT PHILIPPINES INC.	ETOFENPROX	CADET 2.5 EC	25 g/L	EC	INSECTICIDE	4	097-208-3348	16-Nov-24	CONTACT	rice	Green leafhopper,brown plant hopper,stem borer,whorl maggot & leaf folder	4-8 Tbsp/36L water	0.05ppm	7 Days	As soon as the spray solution has dried on the foliage
BIOTADT PHILIPPINES INC.	ETOFENPROX	CADET 2.5 EC	25 g/L	EC	INSECTICIDE	4	097-208-3348	16-Nov-24	CONTACT	Mango	Mango Hoppers	4-8 Tbsp/36L water	2.0 mg/kg	7 Days	As soon as the spray solution has dried on the foliage
TWIN BAMBOO CORPORATION	MANCOZEB	CADAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	526-053-4043	23-May-24		Potato	Early and late blight	3-6 Tbsp/36L water	-	-	As soon as spray dries.
TWIN BAMBOO CORPORATION	MANCOZEB	CADAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	526-053-4043	23-May-24		Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/36L water	-	7 Days	As soon as spray dries
TWIN BAMBOO CORPORATION	MANCOZEB	CADAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	526-053-4043	23-May-24		Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/36L water	-	7 Days	As soon as spray dries
TWIN BAMBOO CORPORATION	MANCOZEB	CADAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	526-053-4043	23-May-24		broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/36L water	-	7 Days	As soon as spray dries
TWIN BAMBOO CORPORATION	MANCOZEB	CADAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	526-053-4043	23-May-24		Celery	late blight	3-6 Tbsp/36L water	-	14 Days	As soon as spray dries
TWIN BAMBOO CORPORATION	MANCOZEB	CADAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	526-053-4043	23-May-24		Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36L water	-	5 days	As soon as spray dries
TWIN BAMBOO CORPORATION	MANCOZEB	CADAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	526-053-4043	23-May-24		Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36L water	-	5 days	As soon as spray dries
TWIN BAMBOO CORPORATION	MANCOZEB	CADAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	526-053-4043	23-May-24		Cotton	Damping off	3-6 Tbsp/36L water	-	-	As soon as spray dries
TWIN BAMBOO CORPORATION	MANCOZEB	CADAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	526-053-4043	23-May-24		lettuce	Downy mildew	3-6 Tbsp/36L water	-	7 Days	As soon as spray dries
TWIN BAMBOO CORPORATION	MANCOZEB	CADAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	526-053-4043	23-May-24		beans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/36L water	-	5 days	As soon as spray dries
TWIN BAMBOO CORPORATION	MANCOZEB	CADAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	526-053-4043	23-May-24		peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/36L water	-	5 days	As soon as spray dries
TWIN BAMBOO CORPORATION	MANCOZEB	CADAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	526-053-4043	23-May-24		Mungo	Anthracnose, Downy mildew, Rust	3-6 Tbsp/36L water	-	5 days	As soon as spray dries
TWIN BAMBOO CORPORATION	MANCOZEB	CADAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	526-053-4043	23-May-24		Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/36L water	-	5 days	As soon as spray dries
TWIN BAMBOO CORPORATION	MANCOZEB	CADAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	526-053-4043	23-May-24		Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36L water	-	7 Days	As soon as spray dries
TWIN BAMBOO CORPORATION	MANCOZEB	CADAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	526-053-4043	23-May-24		Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36L water	-	7 Days	As soon as spray dries
TWIN BAMBOO CORPORATION	MANCOZEB	CADAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	526-053-4043	23-May-24		Pepper	Anthracoese	3-6 Tbsp/36L water	-	7 Days	As soon as spray dries
TWIN BAMBOO CORPORATION	MANCOZEB	CADAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	526-053-4043	23-May-24		Chili	Anthracoese	3-6 Tbsp/36L water	-	7 Days	As soon as spray dries
TWIN BAMBOO CORPORATION	MANCOZEB	CADAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	526-053-4043	23-May-24		Eggplant	Blight, Anthracnose	3-6 Tbsp/36L water	-	7 Days	As soon as spray dries
TWIN BAMBOO CORPORATION	MANCOZEB	CADAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	526-053-4043	23-May-24		Banana	Sigatoka, Black leaf streak	3-6 Tbsp/36L water	-	-	As soon as spray dries
TWIN BAMBOO CORPORATION	MANCOZEB	CADAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	526-053-4043	23-May-24		Grapes	Downy mildew, black rot	3-6 Tbsp/36L water	-	60 days	As soon as spray dries
TWIN BAMBOO CORPORATION	MANCOZEB	CADAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	526-053-4043	23-May-24		Mango	Anthracoese and Scab	3-6 Tbsp/36L water	-	5 days	As soon as spray dries
TWIN BAMBOO CORPORATION	MANCOZEB	CADAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	526-053-4043	23-May-24		Papaya	Fruit rot	3-6 Tbsp/36L water	-	-	As soon as spray dries
TWIN BAMBOO CORPORATION	MANCOZEB	CADAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	526-053-4043	23-May-24		Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36L water	-	5 days	As soon as spray dries
TWIN BAMBOO CORPORATION	MANCOZEB	CADAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	526-053-4043	23-May-24		Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36L water	-	5 days	As soon as spray dries
TWIN BAMBOO CORPORATION	MANCOZEB	CADAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	526-053-4043	23-May-24		Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/36L water	-	7 Days	As soon as spray dries
TWIN BAMBOO CORPORATION	MANCOZEB	CADAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	526-053-4043	23-May-24		rice	Blas, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/36L water	0.03ppm	-	As soon as spray dries
TWIN BAMBOO CORPORATION	MANCOZEB	CADAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	526-053-4043	23-May-24		Peanut	Cercospora leaf spot	3-6 Tbsp/36L water	-	14 Days	As soon as spray dries
TWIN BAMBOO CORPORATION	MANCOZEB	CADAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	526-053-4043	23-May-24		Soybeans	leaf rust	3-6 Tbsp/36L water	-	-	As soon as spray dries
TWIN BAMBOO CORPORATION	MANCOZEB	CADAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	526-053-4043	23-May-24		Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/36L water	-	-	As soon as spray dries
BASF PHILIPPINES, INC.	METIRAM + PYRACLOSTROBIN	CABRIO TOP 60 WG	550 g/kg+50 g/kg	WG	FUNGICIDE	3	055-522-4991	01-Apr-25		Mango	Anthracoese	0.75-1.5 kg/ha	-	-	-
BASF PHILIPPINES, INC.	METIRAM + PYRACLOSTROBIN	CABRIO TOP 60 WG	550 g/kg+50 g/kg	WG	FUNGICIDE	3	055-522-4991	01-Apr-25	-	Tomato	Early Blight	1.0-1.5 kg/ha	-	-	-
BASF PHILIPPINES, INC.	PYRACLOSTROBIN	CABRIO 25 EC	250 g/L	EC	FUNGICIDE	2	055-396-2202	21-Mar-20	SYSTEMIC	Banana	Sigatoka frecklies	0.4 L/ha	0.02 ppm	4 days	After drying of spray or 24 hours after spraying
BASF PHILIPPINES, INC.	PYRACLOSTROBIN	CABRIO 25 EC	250 g/L	EC	FUNGICIDE	2	055-396-2202	21-Mar-20	SYSTEMIC	Cam	Rust, Leaf blight and Corn eyespot	0.4 L/ha	0.02 ppm	4 days	After drying of spray or 24 hours after spraying
BASF PHILIPPINES, INC.	PYRACLOSTROBIN	CABRIO 25 EC	250 g/L	EC	FUNGICIDE	2	055-396-2202	01-Apr-25	SYSTEMIC	Cavendish banana	Black sigatoka	0.4 L/ha	-	-	As soon as spray droplets dry
BASF PHILIPPINES, INC.	PYRACLOSTROBIN	CABRIO 25 EC	250 g/L	EC	FUNGICIDE	2	055-396-2202	01-Apr-25	SYSTEMIC	Corn	leaf spot	0.4-0.6 L/ha	-	-	As soon as spray droplets dry
C.B. ANDREW ASIA, INC.	DIURON	C.B. ANDREW DIURON 80 SC	800 g/L	SC	HERBICIDE	4	460-021-4774	14-May-25	SYSTEMIC	Citrus	Grasses, annual & perennial broadleaves	11.0-19.0Tbsp/36 L water	-	-	A day after application
C.B. ANDREW ASIA, INC.	DIURON	C.B. ANDREW DIURON 80 SC	800 g/L	SC	HERBICIDE	4	460-021-4774	14-May-25	SYSTEMIC	Coffee	Grasses, annual & perennial broadleaves	11.0-19.0Tbsp/36 L water	-	-	A day after application
C.B. ANDREW ASIA, INC.	DIURON	C.B. ANDREW DIURON 80 SC	800 g/L	SC	HERBICIDE	4	460-021-4774	14-May-25	SYSTEMIC	Cotton	Grasses, annual & perennial broadleaves	6.0Tbsp/36 L water	-	-	A day after application
C.B. ANDREW ASIA, INC.	DIURON	C.B. ANDREW DIURON 80 SC	800 g/L	SC	HERBICIDE	4	460-021-4774	14-May-25	SYSTEMIC	Sugarcane	Grasses, annual & perennial broadleaves	6.5-13.0Tbsp/36 L water	-	-	A day after application
C.B. ANDREW ASIA, INC.	DIURON	C.B. ANDREW DIURON 80 SC	800 g/L	SC	HERBICIDE	4	460-021-4774	14-May-25	SYSTEMIC	Pineapple	Grasses, annual & perennial broadleaves	11.0Tbsp/36 L water	-	-	A day after application
C.B. ANDREW ASIA, INC.	DIURON	C.B. ANDREW DIURON 80 SC	800 g/L	SC	HERBICIDE	4	460-021-4774	14-May-25	SYSTEMIC	Non-crop agricultural areas	Grasses, annual & perennial broadleaves	20.0-28.0Tbsp/36 L water	-	-	A day after application
C.B. ANDREW ASIA, INC.	NICOSAMIDE	C.B. ANDREW NICOSAMIDE 25 EC	250 g/L	EC	MOLLUSCICIDE	4	460-229-5175	18-Aug-26		Rice	Golden apple snail	7-10 Tbsp/36L water	-	-	At least 48 hours after application
C.B. ANDREW ASIA, INC.	METALDEHYDE	C.B. ANDREW METALDEHYDE 60 PELLET	60 g/kg	P	MOLLUSCICIDE	4	460-075-4519	21-Sep-24	CONTACT	Rice (Transplanted)	Golden apple snail	2-4 kg/ product per hectare	-	-	Do not enter treated field within 48 hours after application.
C.B. ANDREW ASIA, INC.	METALDEHYDE	C.B. ANDREW METALDEHYDE 60 PELLET	60 g/kg	P	MOLLUSCICIDE	4	460-075-4519	21-Sep-24	CONTACT	Rice (Direct Seeded)	Golden apple snail	4-8 kg/ product per hectare	-	-	Do not enter treated field within 48 hours after application.
C.B. ANDREW ASIA, INC.	METALDEHYDE	C.B. ANDREW METALDEHYDE 60 PELLET	60 g/kg	P	MOLLUSCICIDE	4	460-075-4519	21-Sep-24	CONTACT	Plotted and driftwood-attached plants such as	Rush, snails, giant african snail and slugs	3-2 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application.
C.B. ANDREW ASIA, INC.	METALDEHYDE	C.B. ANDREW METALDEHYDE 60 PELLET	60 g/kg	P	MOLLUSCICIDE	4	460-075-4519	21-Sep-24	CONTACT	Crucifers (Chinese Cabbage)	Slug, snails	6-8 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application.
C.B. ANDREW ASIA, INC.	METALDEHYDE	C.B. ANDREW METALDEHYDE 60 PELLET	60 g/kg	P	MOLLUSCICIDE	4	460-075-4519	21-Sep-24	CONTACT	Strawberry	Slug, snails	6-8 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application.
BYTER PHILIPPINES, INC.	PROFENOFOS	BYTER-CRACKER 500 EC	500 g/L	EC	INSECTICIDE	2	738-070-5881	9-Oct-26	-	Tomato	Fruitworm, armyworm, cutworm	1.5-3.0 Tbsp/36 L water	-	Do not apply at less than 7 days before harvest	Do not enter treated fields for at least 1 day after application
BYTER PHILIPPINES, INC.	PROFENOFOS	BYTER-CRACKER 500 EC	500 g/L	EC	INSECTICIDE	2	738-070-5881	9-Oct-26	-	Eggplant	Fruitborer, aphids, leafhopper, thrips	1.5-3.0 Tbsp/36 L water	-	Do not apply at less than 7 days before harvest	Do not enter treated fields for at least 1 day after application
BYTER PHILIPPINES, INC.	PROFENOFOS	BYTER-CRACKER 500 EC	500 g/L	EC	INSECTICIDE	2	738-070-5881	9-Oct-26	-	Cabbage	Diamond-back moth, cabbage worms, loopers	3-5 Tbsp/36L water	-	Do not apply at less than 7 days before harvest	Do not enter treated fields for at least 1 day after application
BYTER PHILIPPINES, INC.	PROFENOFOS	BYTER-CRACKER 500 EC	500 g/L	EC	INSECTICIDE	2	738-070-5881	9-Oct-26	-	Potato	Thrips, armyworms, cutworm, tuber moth	3-5 Tbsp/36L water	-	Do not apply at less than 7 days before harvest	Do not enter treated fields for at least 1 day after application

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD	
BYTER PHILIPPINES, INC.	PROFENOFOS	BYTER-CRACKER 500 EC	500 g/L	EC	INSECTICIDE	2	738-070-5891	9-Oct-26	-	Joybean	Corn earworm, leafminers	3-5 Tbsp/ 36L water	-	-	Do not apply at less than 7 days before harvest Do not enter treated fields for at least 1 day after application	
BYTER PHILIPPINES, INC.	PROFENOFOS	BYTER-CRACKER 500 EC	500 g/L	EC	INSECTICIDE	2	738-070-5891	9-Oct-26	-	Mungbeans	Corn earworm, leafminers	3-5 Tbsp/ 36L water	-	-	Do not apply at less than 7 days before harvest Do not enter treated fields for at least 1 day after application	
BYTER PHILIPPINES, INC.	PROFENOFOS	BYTER-CRACKER 500 EC	500 g/L	EC	INSECTICIDE	2	738-070-5891	9-Oct-26	-	Cotton	Thrips, bollworms, budworms	3-5 Tbsp/ 36L water	-	-	Do not apply at less than 7 days before harvest Do not enter treated fields for at least 1 day after application	
BYTER PHILIPPINES, INC.	PROFENOFOS	BYTER-CRACKER 500 EC	500 g/L	EC	INSECTICIDE	2	738-070-5891	9-Oct-26	-	Sitao	Beetfly, leafhopper, aphids, podborer	1.5-3.0 Tbsp/36 L water	-	-	Do not apply at less than 7 days before harvest Do not enter treated fields for at least 1 day after application	
BYTER PHILIPPINES, INC.	PROFENOFOS	BYTER-CRACKER 500 EC	500 g/L	EC	INSECTICIDE	2	738-070-5891	9-Oct-26	-	Watermelon	Thrips	3-5 Tbsp/ 36L water	-	-	Do not apply at less than 7 days before harvest Do not enter treated fields for at least 1 day after application	
BYTER PHILIPPINES, INC.	PROFENOFOS	BYTER-CRACKER 500 EC	500 g/L	EC	INSECTICIDE	2	738-070-5891	9-Oct-26	-	Mango	Blossom thrips	3-5 Tbsp/ 36L water	-	-	Do not apply at less than 7 days before harvest Do not enter treated fields for at least 1 day after application	
BYTER PHILIPPINES, INC.	TEBUCONAZOLE+TRIFLOXYSTROBIN	BYTER TOP 750 WG	500 g/L+250 g/L	WG	FUNGICIDE	4	738-438-6269	18-Sep-26	SYSTEMIC	Mango	Anthraxnose	40-80 g/ 200L water; 2,000 L/ha	0.01 ppm 0.07 ppm	30 days	As soon as spray deposit have dried.	
BYTER PHILIPPINES, INC.	TEBUCONAZOLE+TRIFLOXYSTROBIN	BYTER TOP 750 WG	500 g/L+250 g/L	WG	FUNGICIDE	4	738-438-6269	18-Sep-26	SYSTEMIC	Rice	Rice blast, sheath blight, brown leaf spot	120-160g prod/ ha; 12-36g/ 36L water; 240L/ha	0.05 ppm 2.0 ppm	35 days	As soon as spray deposit have dried.	
BYTER PHILIPPINES, INC.	GLYPHOSATE IPA	BYTER GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	738-151-6335	25-Oct-26	-	-	Glyphosate tolerant corn	Rich grass, morning glory, day flower, button weed, spindrop, colopogonium, hairy beggarticks, tropic ageratum	2-3 L prod./ha	-	-	-
BYTER PHILIPPINES, INC.	GLYPHOSATE IPA	BYTER GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	738-151-6335	25-Oct-26	-	Mango	Cagon (Shade Condition)	3.0 L prod./ha	-	-	-	
BYTER PHILIPPINES, INC.	GLYPHOSATE IPA	BYTER GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	738-151-6335	25-Oct-26	-	Banana	Cagon (Shade Condition)	3.0 L prod./ha	-	-	-	
BYTER PHILIPPINES, INC.	GLYPHOSATE IPA	BYTER GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	738-151-6335	25-Oct-26	-	Coffee	Cagon (Open Condition)	4.5 L prod./ha	-	-	-	
BYTER PHILIPPINES, INC.	GLYPHOSATE IPA	BYTER GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	738-151-6335	25-Oct-26	-	Cacao	Cagon (Open Condition)	4.5 L prod./ha	-	-	-	
BYTER PHILIPPINES, INC.	GLYPHOSATE IPA	BYTER GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	738-151-6335	25-Oct-26	-	Rubber	Mutha, Paragras, Talahib, Fern (Shade Condition)	2.0 L prod./ha	-	-	-	
BYTER PHILIPPINES, INC.	GLYPHOSATE IPA	BYTER GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	738-151-6335	25-Oct-26	-	Oil palm	Mutha, Paragras, Talahib, Fern (Shade Condition)	2.0 L prod./ha	-	-	-	
BYTER PHILIPPINES, INC.	GLYPHOSATE IPA	BYTER GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	738-151-6335	25-Oct-26	-	Citrus	Mutha, Paragras, Talahib, Fern (Shade Condition)	4.5 L prod./ha	-	-	-	
BYTER PHILIPPINES, INC.	GLYPHOSATE IPA	BYTER GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	738-151-6335	25-Oct-26	-	Coconut	Mutha, Paragras, Talahib, Fern (Shade Condition)	2.0 L prod./ha	-	-	-	
BYTER PHILIPPINES, INC.	GLYPHOSATE IPA	BYTER GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	738-151-6335	25-Oct-26	-	Sugarcane	Other annual weeds	2.0 L prod./ha	-	-	-	
BYTER PHILIPPINES, INC.	GLYPHOSATE IPA	BYTER GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	738-151-6335	25-Oct-26	-	Vegetables	Other annual weeds	2.0 L prod./ha	-	-	-	
BYTER PHILIPPINES, INC.	GLUFOSINATE AMMONIUM	BYTER GLUFOSINATE 150 SL	150 g/L	SL	HERBICIDE	4	738-182-6442	26-Jan-27	NON-SELECTIVE/POST-EMERGENT	Cavendish Banana	Grasses, sedges and broadleaves	160 mL/ 36L water; 130-200 mL/ 36L water	-	-	After spray deposits have dried.	
BYTER PHILIPPINES, INC.	GLUFOSINATE AMMONIUM	BYTER GLUFOSINATE 150 SL	150 g/L	SL	HERBICIDE	4	738-182-6442	26-Jan-27	NON-SELECTIVE/POST-EMERGENT	Rubber	Grasses, sedges and broadleaves	215 mL/ 36L water; 270 mL 36L water; 135 mL/ 36L water	-	-	After spray deposits have dried.	
BYTER PHILIPPINES, INC.	GLUFOSINATE AMMONIUM	BYTER GLUFOSINATE 150 SL	150 g/L	SL	HERBICIDE	4	738-182-6442	26-Jan-27	NON-SELECTIVE/POST-EMERGENT	Oil palm	Grasses, sedges and broadleaves	160 mL/ 36L water; 135 mL/ 36L water	-	-	After spray deposits have dried.	
BYTER PHILIPPINES, INC.	GLUFOSINATE AMMONIUM	BYTER GLUFOSINATE 150 SL	150 g/L	SL	HERBICIDE	4	738-182-6442	26-Jan-27	NON-SELECTIVE/POST-EMERGENT	Non-agricultural crop areas	Grasses, sedges and broadleaves	160-215 mL/36L water	-	-	After spray deposits have dried.	
NEXCHEM CORPORATION	BUTACHLOR	BUTANEX 60 EC	600 g/L	EC	HERBICIDE	4	702-150-5720	29-Apr-26	PRE-EMERGENT	Rice (Direct-seeded)	Grasses and sedges	8/7,7,7,11 Tbsp/36L Sprayload	-	-	-	
NEXCHEM CORPORATION	BUTACHLOR	BUTANEX 60 EC	600 g/L	EC	HERBICIDE	4	702-150-5720	29-Apr-26	PRE-EMERGENT	Rice (Transplanted)	Grasses and sedges	8/7,11,18 Tbsp/36L Sprayload	-	-	-	
GOLDEN FARMERS AGRI PRODUCT CORPORATION	LAMBDA-CHYALOTHIRIN	BUTCHER 2.5 EC	25g/L	EC	INSECTICIDE	2	603-204-4223	03-Apr-24	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leafrollers, black bug	1.0-1.5Tbsp/36 L of water	0.05ppm	-	Do not spray within 3 days before harvest Re-entry to treated field is allowed as soon as solution dries	
GOLDEN FARMERS AGRI PRODUCT CORPORATION	LAMBDA-CHYALOTHIRIN	BUTCHER 2.5 EC	25g/L	EC	INSECTICIDE	2	603-204-4223	03-Apr-24	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/36L of water	-	-	Do not spray within 3 days before harvest Re-entry to treated field is allowed as soon as solution dries	
GOLDEN FARMERS AGRI PRODUCT CORPORATION	LAMBDA-CHYALOTHIRIN	BUTCHER 2.5 EC	25g/L	EC	INSECTICIDE	2	603-204-4223	03-Apr-24	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/36 L of water	-	-	Do not spray within 3 days before harvest Re-entry to treated field is allowed as soon as solution dries	
GOLDEN FARMERS AGRI PRODUCT CORPORATION	LAMBDA-CHYALOTHIRIN	BUTCHER 2.5 EC	25g/L	EC	INSECTICIDE	2	603-204-4223	03-Apr-24	SYSTEMIC	Onion	Thrips,cutworm	1.0Tbsp/36L of water	-	-	Do not spray within 3 days before harvest Re-entry to treated field is allowed as soon as solution dries	
GOLDEN FARMERS AGRI PRODUCT CORPORATION	LAMBDA-CHYALOTHIRIN	BUTCHER 2.5 EC	25g/L	EC	INSECTICIDE	2	603-204-4223	03-Apr-24	SYSTEMIC	Mungbeans	Beetfly, flea beetle,leafhopper,aphids, mites, podborer	1.0Tbsp/36 L of water	-	-	Do not spray within 3 days before harvest Re-entry to treated field is allowed as soon as solution dries	
GOLDEN FARMERS AGRI PRODUCT CORPORATION	LAMBDA-CHYALOTHIRIN	BUTCHER 2.5 EC	25g/L	EC	INSECTICIDE	2	603-204-4223	03-Apr-24	SYSTEMIC	Corn	Comborer, aphids, seedling maggots	1.0-1.5Tbsp/36 L of water	-	-	Do not spray within 3 days before harvest Re-entry to treated field is allowed as soon as solution dries	
GOLDEN FARMERS AGRI PRODUCT CORPORATION	LAMBDA-CHYALOTHIRIN	BUTCHER 2.5 EC	25g/L	EC	INSECTICIDE	2	603-204-4223	03-Apr-24	SYSTEMIC	Tobacco	Budworm, cutworm, aphids,katydid.	1.0-1.5Tbsp/36 L of water	-	-	Do not spray within 3 days before harvest Re-entry to treated field is allowed as soon as solution dries	
GOLDEN FARMERS AGRI PRODUCT CORPORATION	LAMBDA-CHYALOTHIRIN	BUTCHER 2.5 EC	25g/L	EC	INSECTICIDE	2	603-204-4223	03-Apr-24	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/36 L of water	-	-	Do not spray within 3 days before harvest Re-entry to treated field is allowed as soon as solution dries	
GOLDEN FARMERS AGRI PRODUCT CORPORATION	LAMBDA-CHYALOTHIRIN	BUTCHER 2.5 EC	25g/L	EC	INSECTICIDE	2	603-204-4223	03-Apr-24	SYSTEMIC	Cocoa	Pod borer	1.0-2.0Tbsp/36 L of water	-	-	Do not spray within 3 days before harvest Re-entry to treated field is allowed as soon as solution dries	
GOLDEN FARMERS AGRI PRODUCT CORPORATION	LAMBDA-CHYALOTHIRIN	BUTCHER 2.5 EC	25g/L	EC	INSECTICIDE	2	603-204-4223	03-Apr-24	SYSTEMIC	Watermelon	Squash beetle,melon worm	1.0Tbsp/36 L of water	-	-	Do not spray within 3 days before harvest Re-entry to treated field is allowed as soon as solution dries	
KEMSTAR CORPORATION	BUTACHLOR	BUTASTAR 60 EC	600 g/L	EC	HERBICIDE	3	239-150-2260	05-Jun-25	PRE-EMERGENT	Rice (Direct-seeded)	Grasses and sedges	8Tbsp (2-4 DAT)/9Tbsp(0-4 DAT); 8Tbsp-7Tbsp	0.1 ppm	-	-	
KEMSTAR CORPORATION	BUTACHLOR	BUTASTAR 60 EC	600 g/L	EC	HERBICIDE	3	239-150-2260	05-Jun-25	PRE-EMERGENT	Rice (Transplanted)	Grasses and sedges	8Tbsp(2-4 DAT)/9Tbsp(0-4 DAT); 8Tbsp-7Tbsp	0.1 ppm	-	-	
AGSMART CORPORATION	BUTACHLOR+PROPANIL	BUTAPROP 70 EC	350 g/L+350 g/L	EC	HERBICIDE	3	680-238-6387	4-Dec-26	POST-EMERGENT	Rice (Transplanted)	Grasses, sedges and broadleaves weeds	-	-	-	-	
AGSMART CORPORATION	BUTACHLOR+PROPANIL	BUTAPROP 70 EC	350 g/L+350 g/L	EC	HERBICIDE	3	680-238-6387	4-Dec-26	POST-EMERGENT	Rice (Direct-seeded)	Grasses, sedges and broadleaves weeds	-	-	-	-	
LIOMPHIL INTERNATIONAL INC.	BUTACHLOR+PROPANIL	BUTANIL 70 EC	350-350 g/L	EC	HERBICIDE	3	590-238-5030	03-Feb-26	POST-EMERGENT	Rice (Direct-Seeded)	Grasses, Sedges and Broadleaves	8-12Tbsp/36 L water	Butachlor 0.1ppm Propanil 0.1ppm	-	-	
LIOMPHIL INTERNATIONAL INC.	BUTACHLOR+PROPANIL	BUTANIL 70 EC	350-350 g/L	EC	HERBICIDE	3	590-238-5030	03-Feb-26	POST-EMERGENT	Rice (Transplanted)	Grasses, Sedges and Broadleaves	8-12Tbsp/36 L water	Butachlor 0.1ppm Propanil 0.1ppm	-	-	
ZAGRO CORPORATION	BUTACHLOR	BUTAKILL 600 EC	600 g/L	EC	HERBICIDE	4	043-150-1344	12-Aug-24	PRE-EMERGENT	Rice (Direct-seeded)	Grasses and sedges	9, 7BUTAKILL 600 EC FOLLOWED BY 12(2-4 DAT) 18, 7Tbsp/36L water)	0.1 ppm	-	-	
ZAGRO CORPORATION	BUTACHLOR	BUTAKILL 600 EC	600 g/L	EC	HERBICIDE	4	043-150-1344	12-Aug-24	PRE-EMERGENT	Rice (Transplanted)	Grasses and sedges	12(2-4 DAT) 18, 7Tbsp(36L water) + 7(2-4 DAT) 18, 7Tbsp(36L water)	0.1 ppm	-	-	
GRANDIA AGRO MARKETING CORPORATION	BUTACHLOR	BUTAGRAN0 60 EC	600 g/L	EC	HERBICIDE	4	445-150-3465	24-Jul-21	PRE-EMERGENT	Rice (Direct-seeded)	Grasses and sedges	8Tbsp (2-4 DAT)/9Tbsp(0-4 DAT); 8Tbsp-7Tbsp	0.1 ppm	-	-	
GRANDIA AGRO MARKETING CORPORATION	BUTACHLOR	BUTAGRAN0 60 EC	600 g/L	EC	HERBICIDE	4	445-150-3465	24-Jul-21	PRE-EMERGENT	Rice (Transplanted)	Grasses and sedges	8Tbsp(2-4 DAT)/9Tbsp(0-4 DAT); 8Tbsp-7Tbsp	0.1 ppm	-	-	
UNIVERSAL SCOPE PHILIPPINES, INC.	BUTACHLOR	BUTACLEAN 60 EC	600 g/L	EC	HERBICIDE	4	428-150-2641	01-Sep-19	PRE-EMERGENT	Rice (Direct-seeded)	Grasses and sedges	8Tbsp (2-4 DAT)/9Tbsp(0-4 DAT); 8Tbsp-7Tbsp	0.1 ppm	-	-	
UNIVERSAL SCOPE PHILIPPINES, INC.	BUTACHLOR	BUTACLEAN 60 EC	600 g/L	EC	HERBICIDE	4	428-150-2641	01-Sep-19	PRE-EMERGENT	Rice (Transplanted)	Grasses and sedges	8Tbsp(2-4 DAT)/9Tbsp(0-4 DAT); 8Tbsp-7Tbsp	0.1 ppm	-	-	
UNITED AGRO TRADE CORPORATION	BUTACHLOR	BUTACHOR 600 EC	600 g/L	EC	HERBICIDE	4	264-150-1032	10-Jul-24	PRE-EMERGENT	Rice (Direct-seeded)	Grasses and sedges	8Tbsp (2-4 DAT)/9Tbsp(0-4 DAT); 8Tbsp-7Tbsp	0.1 ppm	-	-	
UNITED AGRO TRADE CORPORATION	BUTACHLOR	BUTACHOR 600 EC	600 g/L	EC	HERBICIDE	4	264-150-1032	10-Jul-24	PRE-EMERGENT	Rice (Transplanted)	Grasses and sedges	8Tbsp (2-4 DAT)/9Tbsp(0-4 DAT); 8Tbsp-7Tbsp	0.1 ppm	-	-	
AGSHEM MANUFACTURING CORPORATION	BUTACHLOR	BUTACHEM 60 EC	600 g/L	EC	HERBICIDE	4	051-150-1960	18-Sep-24	PRE-EMERGENT	Rice (Direct-seeded)	Grasses and sedges	8Tbsp (2-4 DAT)/9Tbsp(0-4 DAT); 8Tbsp-7Tbsp	0.1 ppm	-	-	
AGSHEM MANUFACTURING CORPORATION	BUTACHLOR	BUTACHEM 60 EC	600 g/L	EC	HERBICIDE	4	051-150-1960	18-Sep-24	PRE-EMERGENT	Rice (Transplanted)	Grasses and sedges	8Tbsp (2-4 DAT)/9Tbsp(0-4 DAT); 8Tbsp-7Tbsp	0.1 ppm	-	-	
R & A AGROFARM PRODUCTS, INC.	CHLOPYRIFOS	BUSTER 300 EC	300g/L	EC	INSECTICIDE	2	400-101-2522	19-Sep-20	-	Rice	Stemborer, armyworm, leafhopper, caseworm, planthopper, cutworm	25-35 mL/36L water	-	-	-	
R & A AGROFARM PRODUCTS, INC.	CHLOPYRIFOS	BUSTER 300 EC	300g/L	EC	INSECTICIDE	2	400-101-2522	19-Sep-20	-	Potato	Tubermoth, leafhopper, cutworm, aphids	25-35 mL/36L water	-	-	-	
R & A AGROFARM PRODUCTS, INC.	CHLOPYRIFOS	BUSTER 300 EC	300g/L	EC	INSECTICIDE	2	400-101-2522	19-Sep-20	-	Corn	Armyworm, comborer, earworm, seedling maggots	25-35 mL/36L water	-	-	-	
R & A AGROFARM PRODUCTS, INC.	CHLOPYRIFOS	BUSTER 300 EC	300g/L	EC	INSECTICIDE	2	400-101-2522	19-Sep-20	-	Beans	Beetfly, leafroller, podborer, cutworm, armyworm	25-35 mL/36L water	-	-	-	
PLANTERS PRODUCTS INC.	CYPERMETHRIN	BUSHWACK 5 EC	50 g/L	EC	INSECTICIDE	4	031-037-0472	31-Dec-26	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry	

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
PLANTERS PRODUCTS INC.	CYPERMETHRIN	BUSHWACK 5 EC	50 g/L	EC	INSECTICIDE	4	031-037-0472	31-Dec-26	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leafhopper, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dries
PLANTERS PRODUCTS INC.	CYPERMETHRIN	BUSHWACK 5 EC	50 g/L	EC	INSECTICIDE	4	031-037-0472	31-Dec-26	CONTACT	Cabbage	Diamond back moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
PLANTERS PRODUCTS INC.	CYPERMETHRIN	BUSHWACK 5 EC	50 g/L	EC	INSECTICIDE	4	031-037-0472	31-Dec-26	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
PLANTERS PRODUCTS INC.	CYPERMETHRIN	BUSHWACK 5 EC	50 g/L	EC	INSECTICIDE	4	031-037-0472	31-Dec-26	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
PLANTERS PRODUCTS INC.	CYPERMETHRIN	BUSHWACK 5 EC	50 g/L	EC	INSECTICIDE	4	031-037-0472	31-Dec-26	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
PLANTERS PRODUCTS INC.	CYPERMETHRIN	BUSHWACK 5 EC	50 g/L	EC	INSECTICIDE	4	031-037-0472	31-Dec-26	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
PLANTERS PRODUCTS INC.	CYPERMETHRIN	BUSHWACK 5 EC	50 g/L	EC	INSECTICIDE	4	031-037-0472	31-Dec-26	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
PLANTERS PRODUCTS INC.	CYPERMETHRIN	BUSHWACK 5 EC	50 g/L	EC	INSECTICIDE	4	031-037-0472	31-Dec-26	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
PLANTERS PRODUCTS INC.	CYPERMETHRIN	BUSHWACK 5 EC	50 g/L	EC	INSECTICIDE	4	031-037-0472	31-Dec-26	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
PLANTERS PRODUCTS INC.	CYPERMETHRIN	BUSHWACK 5 EC	50 g/L	EC	INSECTICIDE	4	031-037-0472	31-Dec-26	CONTACT	Corn	Comborer, earworm	1.0-4.5 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ELITE AGROCHEMICALS INC.	CYPERMETHRIN	BUSHTHRN 5 EC	50 g/L	EC	INSECTICIDE	4	719-037-5942	15-Nov-24	-	Mango	Leafhopper, twig borer, tip borer, fruitfly	1.0-3.0 Tbsp/16L water	-	Do not spray 7 days before harvest	Re-entry to treated field is allowed one day after spraying or as soon as spray deposits dries
ELITE AGROCHEMICALS INC.	CYPERMETHRIN	BUSHTHRN 5 EC	50 g/L	EC	INSECTICIDE	4	719-037-5942	15-Nov-24	-	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leafhopper, stem borer, army worm, rice bug	1.0-3.0 Tbsp/16L water	-	Do not spray 7 days before harvest	Re-entry to treated field is allowed one day after spraying or as soon as spray deposits dries
ELITE AGROCHEMICALS INC.	CYPERMETHRIN	BUSHTHRN 5 EC	50 g/L	EC	INSECTICIDE	4	719-037-5942	15-Nov-24	-	Cabbage	Diamond back moth, cabbage moth, worm	1.0-3.0 Tbsp/16L water	-	Do not spray 7 days before harvest	Re-entry to treated field is allowed one day after spraying or as soon as spray deposits dries
ELITE AGROCHEMICALS INC.	CYPERMETHRIN	BUSHTHRN 5 EC	50 g/L	EC	INSECTICIDE	4	719-037-5942	15-Nov-24	-	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16L water	-	Do not spray 7 days before harvest	Re-entry to treated field is allowed one day after spraying or as soon as spray deposits dries
ELITE AGROCHEMICALS INC.	CYPERMETHRIN	BUSHTHRN 5 EC	50 g/L	EC	INSECTICIDE	4	719-037-5942	15-Nov-24	-	Tomato	Tomato fruit worm, aphids, beetle	1.0-3.0 Tbsp/16L water	-	Do not spray 7 days before harvest	Re-entry to treated field is allowed one day after spraying or as soon as spray deposits dries
ELITE AGROCHEMICALS INC.	CYPERMETHRIN	BUSHTHRN 5 EC	50 g/L	EC	INSECTICIDE	4	719-037-5942	15-Nov-24	-	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16L water	-	Do not spray 7 days before harvest	Re-entry to treated field is allowed one day after spraying or as soon as spray deposits dries
ELITE AGROCHEMICALS INC.	CYPERMETHRIN	BUSHTHRN 5 EC	50 g/L	EC	INSECTICIDE	4	719-037-5942	15-Nov-24	-	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16L water	-	Do not spray 7 days before harvest	Re-entry to treated field is allowed one day after spraying or as soon as spray deposits dries
ELITE AGROCHEMICALS INC.	CYPERMETHRIN	BUSHTHRN 5 EC	50 g/L	EC	INSECTICIDE	4	719-037-5942	15-Nov-24	-	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16L water	-	Do not spray 7 days before harvest	Re-entry to treated field is allowed one day after spraying or as soon as spray deposits dries
ELITE AGROCHEMICALS INC.	CYPERMETHRIN	BUSHTHRN 5 EC	50 g/L	EC	INSECTICIDE	4	719-037-5942	15-Nov-24	-	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16L water	-	Do not spray 7 days before harvest	Re-entry to treated field is allowed one day after spraying or as soon as spray deposits dries
ELITE AGROCHEMICALS INC.	CYPERMETHRIN	BUSHTHRN 5 EC	50 g/L	EC	INSECTICIDE	4	719-037-5942	15-Nov-24	-	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16L water	-	Do not spray 7 days before harvest	Re-entry to treated field is allowed one day after spraying or as soon as spray deposits dries
ELITE AGROCHEMICALS INC.	CYPERMETHRIN	BUSHTHRN 5 EC	50 g/L	EC	INSECTICIDE	4	719-037-5942	15-Nov-24	-	Corn	Corn borer, earworm	1.0-4.5 Tbsp/16L water	-	Do not spray 7 days before harvest	Re-entry to treated field is allowed one day after spraying or as soon as spray deposits dries
ACE CROP SOLUTIONS INC.	ATRAZINE	BUSHMASTER 80 WP	800 g/kg	WP	HERBICIDE	4	530-065-3516	24-Aug-18	SELECTIVE (PRE-EMERGENT)	Corn	Broadleaf weeds & annual grasses	8-12Tbsp/16 L water	-	-	Do not enter the field within 5 days after application.
ACE CROP SOLUTIONS INC.	ATRAZINE	BUSHMASTER 80 WP	800 g/kg	WP	HERBICIDE	4	530-065-3516	24-Aug-18	SELECTIVE (PRE-EMERGENT)	Sorghum	Broadleaf weeds & annual grasses	8-12Tbsp/16 L water	-	-	Do not enter the field within 5 days after application.
ACE CROP SOLUTIONS INC.	ATRAZINE	BUSHMASTER 80 WP	800 g/kg	WP	HERBICIDE	4	530-065-3516	24-Aug-18	SELECTIVE (PRE-EMERGENT)	Sugarcane	Broadleaf weeds & annual grasses	8-12Tbsp/16 L water	-	-	Do not enter the field within 5 days after application.
GMA AGRIVENTURES INC.	CYPERMETHRIN	BUSH 5 EC	50 g/L	EC	INSECTICIDE	4	577-037-3761	01-Jul-19	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GMA AGRIVENTURES INC.	CYPERMETHRIN	BUSH 5 EC	50 g/L	EC	INSECTICIDE	4	577-037-3761	01-Jul-19	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leafhopper, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GMA AGRIVENTURES INC.	CYPERMETHRIN	BUSH 5 EC	50 g/L	EC	INSECTICIDE	4	577-037-3761	01-Jul-19	CONTACT	Cabbage	Diamond back moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GMA AGRIVENTURES INC.	CYPERMETHRIN	BUSH 5 EC	50 g/L	EC	INSECTICIDE	4	577-037-3761	01-Jul-19	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GMA AGRIVENTURES INC.	CYPERMETHRIN	BUSH 5 EC	50 g/L	EC	INSECTICIDE	4	577-037-3761	01-Jul-19	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GMA AGRIVENTURES INC.	CYPERMETHRIN	BUSH 5 EC	50 g/L	EC	INSECTICIDE	4	577-037-3761	01-Jul-19	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GMA AGRIVENTURES INC.	CYPERMETHRIN	BUSH 5 EC	50 g/L	EC	INSECTICIDE	4	577-037-3761	01-Jul-19	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GMA AGRIVENTURES INC.	CYPERMETHRIN	BUSH 5 EC	50 g/L	EC	INSECTICIDE	4	577-037-3761	01-Jul-19	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GMA AGRIVENTURES INC.	CYPERMETHRIN	BUSH 5 EC	50 g/L	EC	INSECTICIDE	4	577-037-3761	01-Jul-19	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GMA AGRIVENTURES INC.	CYPERMETHRIN	BUSH 5 EC	50 g/L	EC	INSECTICIDE	4	577-037-3761	01-Jul-19	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GMA AGRIVENTURES INC.	CYPERMETHRIN	BUSH 5 EC	50 g/L	EC	INSECTICIDE	4	577-037-3761	01-Jul-19	CONTACT	Corn	Comborer, earworm	1.0-4.5 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
SURE CROP SCIENCE AGRIVENTURES, INC.	PHMETROZANE	BURST 50 WG	500 g/kg	WG	INSECTICIDE	4	640-307-4718	19-Mar-26	-	Mango	Leafhopper	1 sachet*/200L	-	7 Days	Do not enter the treated field for at least 24 hours after application
AGROTIGER PHILIPPINES CORPORATION	GLYPHOSATE IPA	BURN OUT 480 SL	480 g/L	SL	HERBICIDE	4	611-151-4396	07-Jun-21	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/ha	-	-	-
AGROTIGER PHILIPPINES CORPORATION	GLYPHOSATE IPA	BURN OUT 480 SL	480 g/L	SL	HERBICIDE	4	611-151-4396	07-Jun-21	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
AGROTIGER PHILIPPINES CORPORATION	GLYPHOSATE IPA	BURN OUT 480 SL	480 g/L	SL	HERBICIDE	4	611-151-4396	07-Jun-21	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
AGROTIGER PHILIPPINES CORPORATION	GLYPHOSATE IPA	BURN OUT 480 SL	480 g/L	SL	HERBICIDE	4	611-151-4396	07-Jun-21	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
AGROTIGER PHILIPPINES CORPORATION	GLYPHOSATE IPA	BURN OUT 480 SL	480 g/L	SL	HERBICIDE	4	611-151-4396	07-Jun-21	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
AGROTIGER PHILIPPINES CORPORATION	GLYPHOSATE IPA	BURN OUT 480 SL	480 g/L	SL	HERBICIDE	4	611-151-4396	07-Jun-21	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
AGROTIGER PHILIPPINES CORPORATION	GLYPHOSATE IPA	BURN OUT 480 SL	480 g/L	SL	HERBICIDE	4	611-151-4396	07-Jun-21	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
AGROTIGER PHILIPPINES CORPORATION	GLYPHOSATE IPA	BURN OUT 480 SL	480 g/L	SL	HERBICIDE	4	611-151-4396	07-Jun-21	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
AGROTIGER PHILIPPINES CORPORATION	GLYPHOSATE IPA	BURN OUT 480 SL	480 g/L	SL	HERBICIDE	4	611-151-4396	07-Jun-21	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/ha	-	-	-
AGROTIGER PHILIPPINES CORPORATION	GLYPHOSATE IPA	BURN OUT 480 SL	480 g/L	SL	HERBICIDE	4	611-151-4396	07-Jun-21	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
AGROTIGER PHILIPPINES CORPORATION	GLYPHOSATE IPA	BURN OUT 480 SL	480 g/L	SL	HERBICIDE	4	611-151-4396	07-Jun-21	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
AGROTIGER PHILIPPINES CORPORATION	GLYPHOSATE IPA	BURN OUT 480 SL	480 g/L	SL	HERBICIDE	4	611-151-4396	07-Jun-21	POST-EMERGENT	Non-crop	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
TEXICON AGR VENTURES CORPORATION	GLYPHOSATE IPA	BURNER 160 SL	160 g/L	SL	HERBICIDE	4	242-151-2173	25-Nov-26	POST-EMERGENT	Non-crop areas	Common grassy fields	3-6 L / hectare; 24-48 200L / ha; 12-24 480L / ha	-	-	-
ALTRADE INCORPORATED	GLYPHOSATE IPA	BURN UP 480 SL	480 g/L	SL	HERBICIDE	4	079-151-3590	11-Nov-18	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/ha	-	-	-
ALTRADE INCORPORATED	GLYPHOSATE IPA	BURN UP 480 SL	480 g/L	SL	HERBICIDE	4	079-151-3590	11-Nov-18	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
ALTRADE INCORPORATED	GLYPHOSATE IPA	BURN UP 480 SL	480 g/L	SL	HERBICIDE	4	079-151-3590	11-Nov-18	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
ALTRADE INCORPORATED	GLYPHOSATE IPA	BURN UP 480 SL	480 g/L	SL	HERBICIDE	4	079-151-3590	11-Nov-18	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
ALTRADE INCORPORATED	GLYPHOSATE IPA	BURN UP 480 SL	480 g/L	SL	HERBICIDE	4	079-151-3590	11-Nov-18	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
ALTRADE INCORPORATED	GLYPHOSATE IPA	BURN UP 480 SL	480 g/L	SL	HERBICIDE	4	079-151-3590	11-Nov-18	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
ALTRADE INCORPORATED	GLYPHOSATE IPA	BURN UP 480 SL	480 g/L	SL	HERBICIDE	4	079-151-3590	11-Nov-18	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
ALTRADE INCORPORATED	GLYPHOSATE IPA	BURN UP 480 SL	480 g/L	SL	HERBICIDE	4	079-151-3590	11-Nov-18	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
ALTRADE INCORPORATED	GLYPHOSATE IPA	BURN UP 480 SL	480 g/L	SL	HERBICIDE	4	079-151-3590	11-Nov-18	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/ha	-	-	-
ALTRADE INCORPORATED	GLYPHOSATE IPA	BURN UP 480 SL	480 g/L	SL	HERBICIDE	4	079-151-3590	11-Nov-18	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
ALTRADE INCORPORATED	GLYPHOSATE IPA	BURN UP 480 SL	480 g/L	SL	HERBICIDE	4	079-151-3590	11-Nov-18	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
ALTRADE INCORPORATED	GLYPHOSATE IPA	BURN UP 480 SL	480 g/L	SL	HERBICIDE	4	079-151-3590	11-Nov-18	POST-EMERGENT	Non-crop	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
ASIA GOLD TRADING CORPORATION	BUTACHLOR	BURADO 60 EC	600 g/L	EC	HERBICIDE	4	266-150-3970	05-Mar-24	PRE-EMERGENT	Rice (Direct-seeded)	Annual grasses and sedges	90bp (2-4 DAT) 970bp (0-4 DAT), 970bp (77bp)	0.1 ppm	-	-
ASIA GOLD TRADING CORPORATION	BUTACHLOR	BURADO 60 EC	600 g/L	EC	HERBICIDE	4	266-150-3970	05-Mar-24	PRE-EMERGENT	Rice (Transplanted)	Annual grasses and sedges	90bp (2-4096), 770bp (2-4096), 1170bp (30 DAS)	0.1 ppm	-	-
PHILAGROW INC.	BUPROFEZIN	BUPROZEN 25 SC	250g/L	SC	INSECTICIDE	3	372-224-4401	18-Jun-24	SYSTEMIC	Mango	Leafhopper	40-80mL/200L water	-	Do not spray 15 days before harvest	Re-entry to treated field is allowed as soon as spray dries up.
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	BUTACHLOR+PROPANIL	BUPROTECT 70 EC	350-350 g/L	EC	HERBICIDE	3	667-238-5262-A	19-Dec-26	POST-EMERGENT	Rice (Direct-Seeded)	Grasses, Sedges and Broadleaves	9-127bp/16 L water	Butachlor 0.1ppm	-	-
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	BUTACHLOR+PROPANIL	BUPROTECT 70 EC	350-350 g/L	EC	HERBICIDE	3	667-238-5262-A	19-Dec-26	POST-EMERGENT	Rice (Transplanted)	Grasses, Sedges and Broadleaves	9-127bp/16 L water	Butachlor 0.1ppm	-	-
LIOMPHIL INTERNATIONAL INC.	BUPROFEZIN	BUPROKILL 25 SC	250 g/L	SC	INSECTICIDE	3	590-224-5604	23-Nov-24	-	Mango	Leafhopper	40-80mL/200 L water	-	Do not spray within 15 days before harvest	Immediately after spray deposit has dried up
UPLI PHILIPPINES, INC.	BUPROFEZIN	BUPRO 25 SC	250g/L	SC	INSECTICIDE	3	562-224-3990	14-Jan-26	SYSTEMIC	Mango	Leafhoppers	40-80mL/200 L water	-	Do not spray 15 days before harvest.	Re-entry to treated field is allowed as soon as solution dries up.
LEADS AGRICULTURAL PRODUCTS CORPORATION	PROFICONAZOLE	BUMPER 25 EC	250 g/L	EC	FUNGICIDE	3	099-178-0785-A	05-Jul-26	SYSTEMIC	Banana	Black Sigatoka	400mL/ha	-	0 day	Do not enter fields until spray has completely dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	PROFICONAZOLE	BUMPER 25 EC	250 g/L	EC	FUNGICIDE	3	099-178-0785-A	05-Jul-26	SYSTEMIC	Pineapple	Butt rot, Fusarium sp.	8 ml / 300L, 2-4 L product/ha.	-	No PHI since the product is applied as seed piece dip before planting	Do not enter fields until spray has completely dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	PROFICONAZOLE	BUMPER 25 EC	250 g/L	EC	FUNGICIDE	3	099-178-0785	21-Feb-24	-	Pineapple	Leaf dieback caused by Fusarium sp.	2-4 L prod./ ha	-	-	-
AGSMART CORPORATION	DIURON	BULLTRAK 80 SC	800 g/L	SC	HERBICIDE	4	680-021-6377	28-Nov-26	-	Citrus	Annual and perennial broadleaf weeds and grasses	130-190 ml prod. / 16L water	-	-	Twenty four (24) hours after application
AGSMART CORPORATION	DIURON	BULLTRAK 80 SC	800 g/L	SC	HERBICIDE	4	680-021-6377	28-Nov-26	-	Coffee	Annual and perennial broadleaf weeds and grasses	130-190 ml prod. / 16L water	-	-	Twenty four (24) hours after application
AGSMART CORPORATION	DIURON	BULLTRAK 80 SC	800 g/L	SC	HERBICIDE	4	680-021-6377	28-Nov-26	-	Cotton	Annual and perennial broadleaf weeds and grasses	80 ml prod. / 16L water	-	-	Twenty four (24) hours after application
AGSMART CORPORATION	DIURON	BULLTRAK 80 SC	800 g/L	SC	HERBICIDE	4	680-021-6377	28-Nov-26	-	Sugarcane	Annual and perennial broadleaf weeds and grasses	60-130 ml prod. / 16L water	-	-	Twenty four (24) hours after application
AGSMART CORPORATION	DIURON	BULLTRAK 80 SC	800 g/L	SC	HERBICIDE	4	680-021-6377	28-Nov-26	-	Pineapple	Annual and perennial broadleaf weeds and grasses	160 ml prod. / 16L water	-	-	Twenty four (24) hours after application
AGSMART CORPORATION	DIURON	BULLTRAK 80 SC	800 g/L	SC	HERBICIDE	4	680-021-6377	28-Nov-26	-	Non-crop agricultural areas	Annual and perennial broadleaf weeds and grasses	200-280 ml prod. / 16L water	-	-	Twenty four (24) hours after application
ALTRADE INCORPORATED	CYPERMETHRIN	BULL'S EYE INSECTICIDE	50g/L	EC	INSECTICIDE	4	079-037-0605	21-Jun-23	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water	7 days	-	Do not enter treated area until spray has dried
ALTRADE INCORPORATED	CYPERMETHRIN	BULL'S EYE INSECTICIDE	50g/L	EC	INSECTICIDE	4	079-037-0605	21-Jun-23	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leafroller, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water	7 days	-	Do not enter treated area until spray has dried
ALTRADE INCORPORATED	CYPERMETHRIN	BULL'S EYE INSECTICIDE	50g/L	EC	INSECTICIDE	4	079-037-0605	21-Jun-23	CONTACT	Cabbage	Diamond back moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	7 days	-	Do not enter treated area until spray has dried
ALTRADE INCORPORATED	CYPERMETHRIN	BULL'S EYE INSECTICIDE	50g/L	EC	INSECTICIDE	4	079-037-0605	21-Jun-23	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	7 days	-	Do not enter treated area until spray has dried
ALTRADE INCORPORATED	CYPERMETHRIN	BULL'S EYE INSECTICIDE	50g/L	EC	INSECTICIDE	4	079-037-0605	21-Jun-23	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	7 days	-	Do not enter treated area until spray has dried
ALTRADE INCORPORATED	CYPERMETHRIN	BULL'S EYE INSECTICIDE	50g/L	EC	INSECTICIDE	4	079-037-0605	21-Jun-23	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	7 days	-	Do not enter treated area until spray has dried
ALTRADE INCORPORATED	CYPERMETHRIN	BULL'S EYE INSECTICIDE	50g/L	EC	INSECTICIDE	4	079-037-0605	21-Jun-23	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	7 days	-	Do not enter treated area until spray has dried
ALTRADE INCORPORATED	CYPERMETHRIN	BULL'S EYE INSECTICIDE	50g/L	EC	INSECTICIDE	4	079-037-0605	21-Jun-23	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	7 days	-	Do not enter treated area until spray has dried
ALTRADE INCORPORATED	CYPERMETHRIN	BULL'S EYE INSECTICIDE	50g/L	EC	INSECTICIDE	4	079-037-0605	21-Jun-23	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	7 days	-	Do not enter treated area until spray has dried
ALTRADE INCORPORATED	CYPERMETHRIN	BULL'S EYE INSECTICIDE	50g/L	EC	INSECTICIDE	4	079-037-0605	21-Jun-23	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	7 days	-	Do not enter treated area until spray has dried
ALTRADE INCORPORATED	CYPERMETHRIN	BULL'S EYE INSECTICIDE	50g/L	EC	INSECTICIDE	4	079-037-0605	21-Jun-23	CONTACT	Corn	Comborer, earworm	1.0-4.5 Tbsp/16 L water	7 days	-	Do not enter treated area until spray has dried
OLD TOWN AGRICULTURAL KINDS CORP.	NICLOXAMIDE ETHANOLAMINE SALT	BULLDOZER	700 g/kg	WP	MOLLUSCICIDE	4	499-229-2802	15-Apr-26	CONTACT	Rice	Golden Apple Snail (Kuhol)	25 gm/16L water	-	At least 48 hours after application	-
BAYER CROPSCIENCE, INC.	BETACYFLUTHRIN	BULLDOCK 025 EC	25 g/L	EC	INSECTICIDE	2	284-356-1210	26-Dec-25	CONTACT	Tobacco	Budworm	30-20 mL/16L	-	7 days	Do not enter treated area after spray deposits have dried completely (for atleast 12 hours after application)
BAYER CROPSCIENCE, INC.	BETACYFLUTHRIN	BULLDOCK 025 EC	25 g/L	EC	INSECTICIDE	2	284-356-1210	26-Dec-25	CONTACT	Corn	Seeding maggot, corn borer	25-50 mL/16L	-	13 days	Do not enter treated area after spray deposits have dried completely (for atleast 12 hours after application)
BAYER CROPSCIENCE, INC.	BETACYFLUTHRIN	BULLDOCK 025 EC	25 g/L	EC	INSECTICIDE	2	284-356-1210	26-Dec-25	CONTACT	Rice	Leafhopper, stemborer, black bug, whorl maggot	40-50 mL/16 L, 25-40 mL/16 L, 15-20 mL/16L	0.0020 µg/g	18 days	Do not enter treated area after spray deposits have dried completely (for atleast 12 hours after application)
BAYER CROPSCIENCE, INC.	BETACYFLUTHRIN	BULLDOCK 025 EC	25 g/L	EC	INSECTICIDE	2	284-356-1210	26-Dec-25	CONTACT	Mango	Mango hopper	80-65 mL/16L	-	28 days	Do not enter treated area after spray deposits have dried completely (for atleast 12 hours after application)
BAYER CROPSCIENCE, INC.	BETACYFLUTHRIN	BULLDOCK 025 EC	25 g/L	EC	INSECTICIDE	2	284-356-1210	26-Dec-25	CONTACT	Eggplant	Fruit borer, tip borer, whiteflies, aphids, leaf hoppers	15-20 mL/16L	-	3 days	Do not enter treated area after spray deposits have dried completely (for atleast 12 hours after application)
RAINBOW AGROSCIENCES PHILIPPINES INC.	PROCHLOAZ	BUHAMAT 450 EW	450 g/L	EW	FUNGICIDE	3	539-300-5956	7-Dec-25	-	Banana	Fungal crown mold/ crown rot	2 mL / L	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	PROCHLOAZ	BUHAMAT 450 EW	450 g/L	EW	FUNGICIDE	3	539-300-5956	7-Dec-25	-	Pineapple	Butt and crown mold and fruitrot core rot	0.5-1 mL / L water or 200-400 ppm a.i.	-	-	-
ARIES RNE CHEMICAL CORPORATION	LAMBDA-CHYALOTHIRIN	BUSSEK 2.5 EC	25 g/L	EC	INSECTICIDE	2	478-204-2728	03-Feb-24	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leafroller, black bug	1.0-1.5Tbsp/16 L of water	0.05ppm	3 days	Re-entry to treated fields is allowed as soon as spray deposits dry
ARIES RNE CHEMICAL CORPORATION	LAMBDA-CHYALOTHIRIN	BUSSEK 2.5 EC	25 g/L	EC	INSECTICIDE	2	478-204-2728	03-Feb-24	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/16 L of water	-	3 days	Re-entry to treated fields is allowed as soon as spray deposits dry
ARIES RNE CHEMICAL CORPORATION	LAMBDA-CHYALOTHIRIN	BUSSEK 2.5 EC	25 g/L	EC	INSECTICIDE	2	478-204-2728	03-Feb-24	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/16 L of water	-	3 days	Re-entry to treated fields is allowed as soon as spray deposits dry
ARIES RNE CHEMICAL CORPORATION	LAMBDA-CHYALOTHIRIN	BUSSEK 2.5 EC	25 g/L	EC	INSECTICIDE	2	478-204-2728	03-Feb-24	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/16 L of water	-	3 days	Re-entry to treated fields is allowed as soon as spray deposits dry
ARIES RNE CHEMICAL CORPORATION	LAMBDA-CHYALOTHIRIN	BUSSEK 2.5 EC	25 g/L	EC	INSECTICIDE	2	478-204-2728	03-Feb-24	SYSTEMIC	Mungbeans	Beanfly, flea beetle, leafhopper, aphids, mites, podborer	1.0Tbsp/16 L of water	-	3 days	Re-entry to treated fields is allowed as soon as spray deposits dry
ARIES RNE CHEMICAL CORPORATION	LAMBDA-CHYALOTHIRIN	BUSSEK 2.5 EC	25 g/L	EC	INSECTICIDE	2	478-204-2728	03-Feb-24	SYSTEMIC	Corn	Comborer, aphids, seedling maggots	1.0-1.5Tbsp/16 L of water	-	3 days	Re-entry to treated fields is allowed as soon as spray deposits dry
ARIES RNE CHEMICAL CORPORATION	LAMBDA-CHYALOTHIRIN	BUSSEK 2.5 EC	25 g/L	EC	INSECTICIDE	2	478-204-2728	03-Feb-24	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katyids	1.0-1.5Tbsp/16 L of water	-	3 days	Re-entry to treated fields is allowed as soon as spray deposits dry
ARIES RNE CHEMICAL CORPORATION	LAMBDA-CHYALOTHIRIN	BUSSEK 2.5 EC	25 g/L	EC	INSECTICIDE	2	478-204-2728	03-Feb-24	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/16 L of water	-	3 days	Re-entry to treated fields is allowed as soon as spray deposits dry
ARIES RNE CHEMICAL CORPORATION	LAMBDA-CHYALOTHIRIN	BUSSEK 2.5 EC	25 g/L	EC	INSECTICIDE	2	478-204-2728	03-Feb-24	SYSTEMIC	Cocoa	Podborer	1.0-2.0Tbsp/16 L of water	-	1 days	Re-entry to treated fields is allowed as soon as spray deposits dry
ARIES RNE CHEMICAL CORPORATION	LAMBDA-CHYALOTHIRIN	BUSSEK 2.5 EC	25 g/L	EC	INSECTICIDE	2	478-204-2728	03-Feb-24	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/16 L of water	-	3 days	Re-entry to treated fields is allowed as soon as spray deposits dry
NORTHERN PRIME TRADING CORPORATION	CYPERMETHRIN	BUGGATT 5 EC	50 g/L	EC	INSECTICIDE	4	728-037-5859	21-Mar-25	-	Mango	Leafhoppers, twig borer, tip borer, fruitfly	1-3 Tbsp/16L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry
NORTHERN PRIME TRADING CORPORATION	CYPERMETHRIN	BUGGATT 5 EC	50 g/L	EC	INSECTICIDE	4	728-037-5859	21-Mar-25	-	Rice	Planthoppers, green leafhoppers, stemborers, whorl maggots, rice bugs	1-3 Tbsp/16L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry
NORTHERN PRIME TRADING CORPORATION	CYPERMETHRIN	BUGGATT 5 EC	50 g/L	EC	INSECTICIDE	4	728-037-5859	21-Mar-25	-	Cabbage	Diamond back moth, cabbage moth, worm	1-3 Tbsp/16L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry
NORTHERN PRIME TRADING CORPORATION	CYPERMETHRIN	BUGGATT 5 EC	50 g/L	EC	INSECTICIDE	4	728-037-5859	21-Mar-25	-	Beans	Aphids, pod borer, beanfly, leaf miner, cutworm	1-3 Tbsp/16L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
NORTHERN PRIME TRADING CORPORATION	CYPERMETHRIN	BUGGATI 5 EC	50 g/L	EC	INSECTICIDE	4	728-037-5859	21-Mar-25	-	Tomato	Fruitworm, aphids, beetle	1-3 tbsp/16L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry
NORTHERN PRIME TRADING CORPORATION	CYPERMETHRIN	BUGGATI 5 EC	50 g/L	EC	INSECTICIDE	4	728-037-5859	21-Mar-25	-	Watermelon	Thrips, beetles, aphids	1-3 tbsp/16L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry
NORTHERN PRIME TRADING CORPORATION	CYPERMETHRIN	BUGGATI 5 EC	50 g/L	EC	INSECTICIDE	4	728-037-5859	21-Mar-25	-	Onion	Thrips, cutworm	1-3 tbsp/16L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry
NORTHERN PRIME TRADING CORPORATION	CYPERMETHRIN	BUGGATI 5 EC	50 g/L	EC	INSECTICIDE	4	728-037-5859	21-Mar-25	-	Banana	Thrips, scarring beetles	1-3 tbsp/16L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry
NORTHERN PRIME TRADING CORPORATION	CYPERMETHRIN	BUGGATI 5 EC	50 g/L	EC	INSECTICIDE	4	728-037-5859	21-Mar-25	-	Cotton	Leafhoppers, cotton bollworm, cutworm, leafworm, aphids, thrips, boll weevil	1-3 tbsp/16L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry
NORTHERN PRIME TRADING CORPORATION	CYPERMETHRIN	BUGGATI 5 EC	50 g/L	EC	INSECTICIDE	4	728-037-5859	21-Mar-25	-	Tobacco	Budworm, cutworm, aphids, thrips	1-3 tbsp/16L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry
NORTHERN PRIME TRADING CORPORATION	CYPERMETHRIN	BUGGATI 5 EC	50 g/L	EC	INSECTICIDE	4	728-037-5859	21-Mar-25	-	Corn	Borer, earworms	1-0-4.5 tbsp/16L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry
LEADS AGRICULTURAL PRODUCTS CORPORATION	CYPERMETHRIN	BUGBUSTER 5 EC	50 g/L	EC	INSECTICIDE	4	099-037-0725	12-Feb-25	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1-0-3.0 tbsp/16 L water	-	Do not spray 7 days before harvest	Entry to field and crops treated can be done as soon as spray deposits dry
LEADS AGRICULTURAL PRODUCTS CORPORATION	CYPERMETHRIN	BUGBUSTER 5 EC	50 g/L	EC	INSECTICIDE	4	099-037-0725	12-Feb-25	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leafhopper, stem borer, armyworm, rice bug	1-0-3.0 tbsp/16 L water	-	Do not spray 7 days before harvest	Entry to field and crops treated can be done as soon as spray deposits dry
LEADS AGRICULTURAL PRODUCTS CORPORATION	CYPERMETHRIN	BUGBUSTER 5 EC	50 g/L	EC	INSECTICIDE	4	099-037-0725	12-Feb-25	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1-0-3.0 tbsp/16 L water	-	Do not spray 7 days before harvest	Entry to field and crops treated can be done as soon as spray deposits dry
LEADS AGRICULTURAL PRODUCTS CORPORATION	CYPERMETHRIN	BUGBUSTER 5 EC	50 g/L	EC	INSECTICIDE	4	099-037-0725	12-Feb-25	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1-0-3.0 tbsp/16 L water	-	Do not spray 7 days before harvest	Entry to field and crops treated can be done as soon as spray deposits dry
LEADS AGRICULTURAL PRODUCTS CORPORATION	CYPERMETHRIN	BUGBUSTER 5 EC	50 g/L	EC	INSECTICIDE	4	099-037-0725	12-Feb-25	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1-0-3.0 tbsp/16 L water	-	Do not spray 7 days before harvest	Entry to field and crops treated can be done as soon as spray deposits dry
LEADS AGRICULTURAL PRODUCTS CORPORATION	CYPERMETHRIN	BUGBUSTER 5 EC	50 g/L	EC	INSECTICIDE	4	099-037-0725	12-Feb-25	CONTACT	Watermelon	Aphids, thrips, beetle	1-0-3.0 tbsp/16 L water	-	Do not spray 7 days before harvest	Entry to field and crops treated can be done as soon as spray deposits dry
LEADS AGRICULTURAL PRODUCTS CORPORATION	CYPERMETHRIN	BUGBUSTER 5 EC	50 g/L	EC	INSECTICIDE	4	099-037-0725	12-Feb-25	CONTACT	Onion	Thrips, cutworm	1-0-3.0 tbsp/16 L water	-	Do not spray 7 days before harvest	Entry to field and crops treated can be done as soon as spray deposits dry
LEADS AGRICULTURAL PRODUCTS CORPORATION	CYPERMETHRIN	BUGBUSTER 5 EC	50 g/L	EC	INSECTICIDE	4	099-037-0725	12-Feb-25	CONTACT	Banana	Thrips, scarring beetle	1-0-3.0 tbsp/16 L water	-	Do not spray 7 days before harvest	Entry to field and crops treated can be done as soon as spray deposits dry
LEADS AGRICULTURAL PRODUCTS CORPORATION	CYPERMETHRIN	BUGBUSTER 5 EC	50 g/L	EC	INSECTICIDE	4	099-037-0725	12-Feb-25	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1-0-3.0 tbsp/16 L water	-	Do not spray 7 days before harvest	Entry to field and crops treated can be done as soon as spray deposits dry
LEADS AGRICULTURAL PRODUCTS CORPORATION	CYPERMETHRIN	BUGBUSTER 5 EC	50 g/L	EC	INSECTICIDE	4	099-037-0725	12-Feb-25	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1-0-3.0 tbsp/16 L water	-	Do not spray 7 days before harvest	Entry to field and crops treated can be done as soon as spray deposits dry
LEADS AGRICULTURAL PRODUCTS CORPORATION	CYPERMETHRIN	BUGBUSTER 5 EC	50 g/L	EC	INSECTICIDE	4	099-037-0725	12-Feb-25	CONTACT	Corn	Comborer, earworm	1-0-4.5 tbsp/16 L water	-	Do not spray 7 days before harvest	Entry to field and crops treated can be done as soon as spray deposits dry
FARMON AGR- COMMUNITY CORPORATION	CYPERMETHRIN	BUG- 5 EC	50 g/L	EC	INSECTICIDE	4	621-037-4530	09-Oct-21	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1-0-3.0 tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
FARMON AGR- COMMUNITY CORPORATION	CYPERMETHRIN	BUG- 5 EC	50 g/L	EC	INSECTICIDE	4	621-037-4530	09-Oct-21	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leafhopper, stem borer, armyworm, rice bug	1-0-3.0 tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
FARMON AGR- COMMUNITY CORPORATION	CYPERMETHRIN	BUG- 5 EC	50 g/L	EC	INSECTICIDE	4	621-037-4530	09-Oct-21	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1-0-3.0 tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
FARMON AGR- COMMUNITY CORPORATION	CYPERMETHRIN	BUG- 5 EC	50 g/L	EC	INSECTICIDE	4	621-037-4530	09-Oct-21	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1-0-3.0 tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
FARMON AGR- COMMUNITY CORPORATION	CYPERMETHRIN	BUG- 5 EC	50 g/L	EC	INSECTICIDE	4	621-037-4530	09-Oct-21	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1-0-3.0 tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
FARMON AGR- COMMUNITY CORPORATION	CYPERMETHRIN	BUG- 5 EC	50 g/L	EC	INSECTICIDE	4	621-037-4530	09-Oct-21	CONTACT	Watermelon	Aphids, thrips, beetle	1-0-3.0 tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
FARMON AGR- COMMUNITY CORPORATION	CYPERMETHRIN	BUG- 5 EC	50 g/L	EC	INSECTICIDE	4	621-037-4530	09-Oct-21	CONTACT	Onion	Thrips, cutworm	1-0-3.0 tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
FARMON AGR- COMMUNITY CORPORATION	CYPERMETHRIN	BUG- 5 EC	50 g/L	EC	INSECTICIDE	4	621-037-4530	09-Oct-21	CONTACT	Banana	Thrips, scarring beetle	1-0-3.0 tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
FARMON AGR- COMMUNITY CORPORATION	CYPERMETHRIN	BUG- 5 EC	50 g/L	EC	INSECTICIDE	4	621-037-4530	09-Oct-21	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1-0-3.0 tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
FARMON AGR- COMMUNITY CORPORATION	CYPERMETHRIN	BUG- 5 EC	50 g/L	EC	INSECTICIDE	4	621-037-4530	09-Oct-21	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1-0-3.0 tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
FARMON AGR- COMMUNITY CORPORATION	CYPERMETHRIN	BUG- 5 EC	50 g/L	EC	INSECTICIDE	4	621-037-4530	09-Oct-21	CONTACT	Corn	Comborer, earworm	1-0-4.5 tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ARIES INC CHEMICAL CORPORATION	GLOTHANIDIN	BUG WIPER 20 SC	200 g/L	SC	INSECTICIDE	4	478-378-5754	30-May-25	-	Rice	Rice black bug	8-5 tbsp/ 38L	-	-	-
RBAY HARVEST TRADING CORPORATION	GLYPHOSATE IPA	BUFFASATE 480 SL	480 g/L	SL	HERBICIDE	4	772-151-6437	08-Dec-26	PRE-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2-0-4.0 Liters/ha	-	-	-
RBAY HARVEST TRADING CORPORATION	GLYPHOSATE IPA	BUFFASATE 480 SL	480 g/L	SL	HERBICIDE	4	772-151-6437	08-Dec-26	PRE-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3-0-4.5 Liters/ha	-	-	-
RBAY HARVEST TRADING CORPORATION	GLYPHOSATE IPA	BUFFASATE 480 SL	480 g/L	SL	HERBICIDE	4	772-151-6437	08-Dec-26	PRE-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3-0-4.5 Liters/ha	-	-	-
RBAY HARVEST TRADING CORPORATION	GLYPHOSATE IPA	BUFFASATE 480 SL	480 g/L	SL	HERBICIDE	4	772-151-6437	08-Dec-26	PRE-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3-0-4.5 Liters/ha	-	-	-
RBAY HARVEST TRADING CORPORATION	GLYPHOSATE IPA	BUFFASATE 480 SL	480 g/L	SL	HERBICIDE	4	772-151-6437	08-Dec-26	PRE-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3-0-4.5 Liters/ha	-	-	-
RBAY HARVEST TRADING CORPORATION	GLYPHOSATE IPA	BUFFASATE 480 SL	480 g/L	SL	HERBICIDE	4	772-151-6437	08-Dec-26	PRE-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2-0 Liters/ha	-	-	-
RBAY HARVEST TRADING CORPORATION	GLYPHOSATE IPA	BUFFASATE 480 SL	480 g/L	SL	HERBICIDE	4	772-151-6437	08-Dec-26	PRE-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2-0 Liters/ha	-	-	-
RBAY HARVEST TRADING CORPORATION	GLYPHOSATE IPA	BUFFASATE 480 SL	480 g/L	SL	HERBICIDE	4	772-151-6437	08-Dec-26	PRE-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2-0 Liters/ha	-	-	-
RBAY HARVEST TRADING CORPORATION	GLYPHOSATE IPA	BUFFASATE 480 SL	480 g/L	SL	HERBICIDE	4	772-151-6437	08-Dec-26	PRE-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4-5 Liters/ha	-	-	-
RBAY HARVEST TRADING CORPORATION	GLYPHOSATE IPA	BUFFASATE 480 SL	480 g/L	SL	HERBICIDE	4	772-151-6437	08-Dec-26	PRE-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2-0 Liters/ha	-	-	-
RBAY HARVEST TRADING CORPORATION	GLYPHOSATE IPA	BUFFASATE 480 SL	480 g/L	SL	HERBICIDE	4	772-151-6437	08-Dec-26	PRE-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2-0 Liters/ha	-	-	-
RBAY HARVEST TRADING CORPORATION	GLYPHOSATE IPA	BUFFASATE 480 SL	480 g/L	SL	HERBICIDE	4	772-151-6437	08-Dec-26	PRE-EMERGENT	Non-crop agricultural areas and minimum or reduced	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
RED BUFFALO AGRIVENTURES CORPORATION	METHOMYL	BUFFAMET 40 SP	400g/kg	SP	INSECTICIDE	2	501-164-4352	11-May-21	CONTACT	Banana	Thrips	1-5-2 Sachet/38L Sprayer	-	-	-
RED BUFFALO AGRIVENTURES CORPORATION	METHOMYL	BUFFAMET 40 SP	400g/kg	SP	INSECTICIDE	2	501-164-4352	11-May-21	CONTACT	Beans	Leafhopper, flea beetle , beanfly, podborer,aphids	1 Sachet/38L Sprayer	-	-	-
RED BUFFALO AGRIVENTURES CORPORATION	METHOMYL	BUFFAMET 40 SP	400g/kg	SP	INSECTICIDE	2	501-164-4352	11-May-21	CONTACT	Mungbeans	Leafhopper, flea beetle , beanfly, podborer,aphids	1 Sachet/38L Sprayer	-	-	-
RED BUFFALO AGRIVENTURES CORPORATION	METHOMYL	BUFFAMET 40 SP	400g/kg	SP	INSECTICIDE	2	501-164-4352	11-May-21	CONTACT	Soybeans	Leafhopper, flea beetle , beanfly, podborer,aphids	1 Sachet/38L Sprayer	-	-	-
RED BUFFALO AGRIVENTURES CORPORATION	METHOMYL	BUFFAMET 40 SP	400g/kg	SP	INSECTICIDE	2	501-164-4352	11-May-21	CONTACT	Corn	Comborer, earworm	1 Sachet/ 38L Sprayer	-	-	-
RED BUFFALO AGRIVENTURES CORPORATION	METHOMYL	BUFFAMET 40 SP	400g/kg	SP	INSECTICIDE	2	501-164-4352	11-May-21	CONTACT	Eggplant	Aphids, flea beetle, fruitworm, lady beetle	1 Sachet/38L Sprayer	-	-	-
RED BUFFALO AGRIVENTURES CORPORATION	METHOMYL	BUFFAMET 40 SP	400g/kg	SP	INSECTICIDE	2	501-164-4352	11-May-21	CONTACT	Melon	Aphids, Squash beetle , leafhopper	1 Sachet/38L Sprayer	-	-	-
RED BUFFALO AGRIVENTURES CORPORATION	METHOMYL	BUFFAMET 40 SP	400g/kg	SP	INSECTICIDE	2	501-164-4352	11-May-21	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leafhopper	1 Sachet/38L Sprayer	0.01ppm	3 Days	-
RED BUFFALO AGRIVENTURES CORPORATION	METHOMYL	BUFFAMET 40 SP	400g/kg	SP	INSECTICIDE	2	501-164-4352	11-May-21	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	1 Sachet/38L Sprayer	-	-	-
RED BUFFALO AGRIVENTURES CORPORATION	METHOMYL	BUFFAMET 40 SP	400g/kg	SP	INSECTICIDE	2	501-164-4352	11-May-21	CONTACT	Tomato	Tomato fruitworm, aphids	1 Sachet/38L Sprayer	-	-	-
EZERTECH CORPORATION	BUTACHLOR-PROPANIL	BUENO PRO 70 EC	350g/L+350g/L	EC	HERBICIDE	3	648-238-5882	29-Apr-26	POST-EMERGENT	Rice (Transplanted)	Grasses sedges and broadleaves	8-12 tbsp/ 38L	-	-	-
EZERTECH CORPORATION	BUTACHLOR-PROPANIL	BUENO PRO 70 EC	350g/L+350g/L	EC	HERBICIDE	3	648-238-5882	29-Apr-26	POST-EMERGENT	Rice (Direct-seeded)	Grasses sedges and broadleaves	8-12 tbsp/ 38L	-	-	-
EZERTECH CORPORATION	BUTACHLOR	BUENO 60 EC	600 g/L	EC	HERBICIDE	4	648-150-5146	29-Apr-26	PRE-EMERGENT	Rice (Direct-seeded)	Grasses and sedges	90bsp (2-4 DAT)/70bsp(0-4 DAT), 70bsp-77bsp	0.1 ppm	-	-
EZERTECH CORPORATION	BUTACHLOR	BUENO 60 EC	600 g/L	EC	HERBICIDE	4	648-150-5146	29-Apr-26	PRE-EMERGENT	Rice (Transplanted)	Grasses and sedges	90bsp(2-4086),77bsp(2-4086), 117bsp / 80 DAT	0.1 ppm	-	-
GRASOL AGRICHEM INC.	POTASSIUM SALTS OF FATTY ACID	BT CURE	400 g/L	-	INSECTICIDE	4	465-476-5029	27-Jan-23	CONTACT	Lavendish banana as insecticidal soap	Mealybugs and scale insects	90-40 mL/L H2O; 20-30 mL/L H2O	-	-	-

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
SYNGENTA PHILIPPINES INC.	Cry2Ab, VipAba2L, Cry3Aa and Cry3Ba2	BT11 x WR162 x MONBRO3 X GA21	-	-	OTHERS	-	PP-01-08-07	28-Oct-25	-	Corn	Fall armyworm (PP)	-	-	-	-
BETTERSCIENTIFIC AGRIVENTURES OPC	DIURON	ISA DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	769-021-6213	12-Jul-26	SYSTEMIC	Citrus	Annual and perennial broadleaf weeds and grasses	11.0-15.0 Tbsp/36L water	-	-	Twenty four (24) hours after application
BETTERSCIENTIFIC AGRIVENTURES OPC	DIURON	ISA DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	769-021-6213	12-Jul-26	SYSTEMIC	Coffee	Annual and perennial broadleaf weeds and grasses	11.0-15.0 Tbsp/36L water	-	-	Twenty four (24) hours after application
BETTERSCIENTIFIC AGRIVENTURES OPC	DIURON	ISA DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	769-021-6213	12-Jul-26	SYSTEMIC	Cotton	Annual and perennial broadleaf weeds and grasses	8.0 Tbsp/36L water	-	-	Twenty four (24) hours after application
BETTERSCIENTIFIC AGRIVENTURES OPC	DIURON	ISA DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	769-021-6213	12-Jul-26	SYSTEMIC	Sugarcane	Annual and perennial broadleaf weeds and grasses	6.5-13.0 Tbsp/36L water	-	-	Twenty four (24) hours after application
BETTERSCIENTIFIC AGRIVENTURES OPC	DIURON	ISA DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	769-021-6213	12-Jul-26	SYSTEMIC	Pineapple	Annual and perennial broadleaf weeds and grasses	11.0 Tbsp/36L water	-	-	Twenty four (24) hours after application
BETTERSCIENTIFIC AGRIVENTURES OPC	DIURON	ISA DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	769-021-6213	12-Jul-26	SYSTEMIC	Non-crop agricultural areas	Annual and perennial broadleaf weeds and grasses	20.0-28.0 Tbsp/36L water	-	-	Twenty four (24) hours after application
MINDORO SAGANA MERCHANDISING, INC.	LAMBDA-CHYALOTHIRIN	BRUSKO 2.5 EC	25g/L	EC	INSECTICIDE	2	571-204-3729	05-Jul-26	SYSTEMIC	Rice	Green leafhopper,armyworm,rice bug,leafhoppers,black bug	1.0-1.5 Tbsp/36 L of water	0.05ppm	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
MINDORO SAGANA MERCHANDISING, INC.	LAMBDA-CHYALOTHIRIN	BRUSKO 2.5 EC	25g/L	EC	INSECTICIDE	2	571-204-3729	05-Jul-26	SYSTEMIC	Mango	Hoppers	0.75-1.5 Tbsp/36L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
MINDORO SAGANA MERCHANDISING, INC.	LAMBDA-CHYALOTHIRIN	BRUSKO 2.5 EC	25g/L	EC	INSECTICIDE	2	571-204-3729	05-Jul-26	SYSTEMIC	Tomato	Fruitworm,cutworm,aphids	1.0-1.5 Tbsp/36 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
MINDORO SAGANA MERCHANDISING, INC.	LAMBDA-CHYALOTHIRIN	BRUSKO 2.5 EC	25g/L	EC	INSECTICIDE	2	571-204-3729	05-Jul-26	SYSTEMIC	Onion	Thrips,cutworm	1.0 Tbsp/36L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
MINDORO SAGANA MERCHANDISING, INC.	LAMBDA-CHYALOTHIRIN	BRUSKO 2.5 EC	25g/L	EC	INSECTICIDE	2	571-204-3729	05-Jul-26	SYSTEMIC	Mungbeans	Beanfly,leaf beetle, leafhopper, aphids,mites,podborer	1.0 Tbsp/36 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
MINDORO SAGANA MERCHANDISING, INC.	LAMBDA-CHYALOTHIRIN	BRUSKO 2.5 EC	25g/L	EC	INSECTICIDE	2	571-204-3729	05-Jul-26	SYSTEMIC	Corn	Comborer, aphids, seedling maggots	1.0-1.5 Tbsp/36 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
MINDORO SAGANA MERCHANDISING, INC.	LAMBDA-CHYALOTHIRIN	BRUSKO 2.5 EC	25g/L	EC	INSECTICIDE	2	571-204-3729	05-Jul-26	SYSTEMIC	Tobacco	Budworm,cutworm, aphids, Jatyrids	1.0-1.5 Tbsp/36 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
MINDORO SAGANA MERCHANDISING, INC.	LAMBDA-CHYALOTHIRIN	BRUSKO 2.5 EC	25g/L	EC	INSECTICIDE	2	571-204-3729	05-Jul-26	SYSTEMIC	Cotton	Bollworm	1.0-1.5 Tbsp/36 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
MINDORO SAGANA MERCHANDISING, INC.	LAMBDA-CHYALOTHIRIN	BRUSKO 2.5 EC	25g/L	EC	INSECTICIDE	2	571-204-3729	05-Jul-26	SYSTEMIC	Cocoa	Pod borer	1.0-2.0 Tbsp/36 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
MINDORO SAGANA MERCHANDISING, INC.	LAMBDA-CHYALOTHIRIN	BRUSKO 2.5 EC	25g/L	EC	INSECTICIDE	2	571-204-3729	05-Jul-26	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0 Tbsp/36L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
MINDORO SAGANA MERCHANDISING, INC.	LAMBDA-CHYALOTHIRIN	BRUSKO 2.5 EC	25g/L	EC	INSECTICIDE	2	571-204-3729	05-Jul-26	SYSTEMIC	Rice	Leafhopper, planthopper, stemborer, armyworm, caseworm	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
NEXCHEM CORPORATION	BP4MC-CHLORPYRIFOS	BRONEX 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	702-174-5656	27-Dec-24	-	Corn	Seedling maggot, corn earworm, cornborer and armyworm	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
NEXCHEM CORPORATION	BP4MC-CHLORPYRIFOS	BRONEX 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	702-174-5656	27-Dec-24	-	Tobacco	Budworm, grasshopper, aphid, cutworm and armyworm	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
NEXCHEM CORPORATION	BP4MC-CHLORPYRIFOS	BRONEX 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	702-174-5656	27-Dec-24	-	Cucumber	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
NEXCHEM CORPORATION	BP4MC-CHLORPYRIFOS	BRONEX 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	702-174-5656	27-Dec-24	-	Melon	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
NEXCHEM CORPORATION	BP4MC-CHLORPYRIFOS	BRONEX 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	702-174-5656	27-Dec-24	-	Watermelon	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
NEXCHEM CORPORATION	BP4MC-CHLORPYRIFOS	BRONEX 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	702-174-5656	27-Dec-24	-	Onion	Thrips, cutworm	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
NEXCHEM CORPORATION	BP4MC-CHLORPYRIFOS	BRONEX 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	702-174-5656	27-Dec-24	-	Mungo	Aphids, beanfly, armyworm, cutworm, leafminer, leaf folder	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
NEXCHEM CORPORATION	BP4MC-CHLORPYRIFOS	BRONEX 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	702-174-5656	27-Dec-24	-	Soybeans	Aphids, beanfly, armyworm, cutworm, leafminer, leaf folder	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
NEXCHEM CORPORATION	BP4MC-CHLORPYRIFOS	BRONEX 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	702-174-5656	27-Dec-24	-	Beans	Aphids, beanfly, armyworm, cutworm, leafminer, leaf folder	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
PHILIPPINE FARMEX SOLUTIONS INC.	BROMACIL	BROMIRAGE 80 WP	800 g/kg	WP	HERBICIDE	4	535-169-3365	22-Dec-24	NON-SELECTIVE	Pineapple	Annual grasses & broadleaves	4.9kg/ha, 14 Tbsp/36 L water	-	-	-
INTERNATIONAL VETERINARY & AGROCHEMICAL (I.V.A.) INC.	BROMACIL	BROMAX 800 WP	800 g/kg	WP	HERBICIDE	4	088-169-3213	25-Sep-24	-	Pineapple	Annual & Perennial grasses	4.9kg/ha, 14 Tbsp/36 L water	-	Do not apply within 7 to 14 days from last spray till harvest.	Entry into treated fields may be done as soon as a spray solution has dried on the foliage.
C.B. ANDREW ASIA, INC.	BROMACIL	BROMACLEAR 80 WP	800 g/kg	WP	HERBICIDE	4	460-169-3374	02-Feb-24	NON-SELECTIVE	Pineapple	Annual & Perennial grasses	4.9kg/ha, 14 Tbsp/36 L water	-	-	-
GEM AGROLOGIC, INC.	BP4MC-CHLORPYRIFOS	BROGEM 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	238-174-4761	25-Apr-22	-	Rice	Stemborer, armyworm, leafhopper, caseworm and planthopper	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
GEM AGROLOGIC, INC.	BP4MC-CHLORPYRIFOS	BROGEM 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	238-174-4761	25-Apr-22	-	Corn	Seedling maggot, corn earworm, cornborer and armyworm	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
GEM AGROLOGIC, INC.	BP4MC-CHLORPYRIFOS	BROGEM 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	238-174-4761	25-Apr-22	-	Tobacco	Budworm, grasshopper, aphid, cutworm and armyworm	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
GEM AGROLOGIC, INC.	BP4MC-CHLORPYRIFOS	BROGEM 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	238-174-4761	25-Apr-22	-	Cucumber	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
GEM AGROLOGIC, INC.	BP4MC-CHLORPYRIFOS	BROGEM 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	238-174-4761	25-Apr-22	-	Melon	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
GEM AGROLOGIC, INC.	BP4MC-CHLORPYRIFOS	BROGEM 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	238-174-4761	25-Apr-22	-	Watermelon	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
GEM AGROLOGIC, INC.	BP4MC-CHLORPYRIFOS	BROGEM 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	238-174-4761	25-Apr-22	-	Onion	Thrips, cutworm	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
GEM AGROLOGIC, INC.	BP4MC-CHLORPYRIFOS	BROGEM 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	238-174-4761	25-Apr-22	-	Mungo	Bean podborer, aphids, Beanfly, armyworm, cutworm, leafminer and leaf folder	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
GEM AGROLOGIC, INC.	BP4MC-CHLORPYRIFOS	BROGEM 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	238-174-4761	25-Apr-22	-	Soybeans	Bean podborer, aphids, Beanfly, armyworm, cutworm, leafminer and leaf folder	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
GEM AGROLOGIC, INC.	BP4MC-CHLORPYRIFOS	BROGEM 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	238-174-4761	25-Apr-22	-	Beans	Bean podborer, aphids, Beanfly, armyworm, cutworm, leafminer and leaf folder	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
LEADS AGRICULTURAL PRODUCTS CORPORATION	BROFANILDE	BROPREVA 20 SC	-	SC	INSECTICIDE	4	099-548-5511	12-Nov-24	-	Eggplant	Fruit and shoot borer, aphids and hoppers	125 mL prod. / ha.	-	-	-
INTERNATIONAL VETERINARY & AGROCHEMICAL (I.V.A.) INC.	GLUFOSINATE AMMONIUM	BRODEX 15 SL	150 g/L	SL	HERBICIDE	4	088-182-4239	27-Jul-24	NON-SELECTIVE/POST-EMERGENT	Rubber	Annual & Perennial grasses, sedges & broadleaf weeds	215mL/36 L water, 270mL/36 L water, 135mL/36L water	-	-	-
INTERNATIONAL VETERINARY & AGROCHEMICAL (I.V.A.) INC.	GLUFOSINATE AMMONIUM	BRODEX 15 SL	150 g/L	SL	HERBICIDE	4	088-182-4239	27-Jul-24	NON-SELECTIVE/POST-EMERGENT	Oil palm	Annual & Perennial grasses, sedges & broadleaf weeds	180m/36 L water, 135m/36 L water	-	-	-
INTERNATIONAL VETERINARY & AGROCHEMICAL (I.V.A.) INC.	GLUFOSINATE AMMONIUM	BRODEX 15 SL	150 g/L	SL	HERBICIDE	4	088-182-4239	27-Jul-24	NON-SELECTIVE/POST-EMERGENT	Non-Agricultural Crop Areas	Annual & Perennial grasses, sedges & broadleaf weeds	140-215m/36 L water	-	-	-
INTERNATIONAL VETERINARY & AGROCHEMICAL (I.V.A.) INC.	GLUFOSINATE AMMONIUM	BRODEX 15 SL	150 g/L	SL	HERBICIDE	4	088-182-4239	27-Jul-24	NON-SELECTIVE/POST-EMERGENT	Coffee	Annual & Perennial grasses, sedges & broadleaf weeds	180m/36 L water, 135m/36 L water	-	-	-
INTERNATIONAL VETERINARY & AGROCHEMICAL (I.V.A.) INC.	GLUFOSINATE AMMONIUM	BRODEX 15 SL	150 g/L	SL	HERBICIDE	4	088-182-4239	27-Jul-24	NON-SELECTIVE/POST-EMERGENT	Citrus	Annual & Perennial grasses, sedges & broadleaf weeds	160m/36 L water, 135m/36 L water	-	-	-
INTERNATIONAL VETERINARY & AGROCHEMICAL (I.V.A.) INC.	GLUFOSINATE AMMONIUM	BRODEX 15 SL	150 g/L	SL	HERBICIDE	4	088-182-4239	27-Jul-24	NON-SELECTIVE/POST-EMERGENT	Cavendish Banana	Annual & Perennial grasses, sedges & broadleaf weeds	160m/36 L water, 135-200m/36 L water	0.2 mg/kg	-	-
INTERNATIONAL VETERINARY & AGROCHEMICAL (I.V.A.) INC.	GLUFOSINATE AMMONIUM	BRODEX 15 SL	150 g/L	SL	HERBICIDE	4	088-182-4239	27-Jul-24	NON-SELECTIVE/POST-EMERGENT	Cacao	Annual & Perennial grasses, sedges & broadleaf weeds	180m/36 L water, 135m/36 L water	-	-	-
PLANTERS PRODUCTS INC.	BP4MC-CHLORPYRIFOS	BRODAN 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	031-174-0162	27-Apr-24	-	Rice	Stemborer, armyworm, leafhopper, caseworm and planthopper	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
PLANTERS PRODUCTS INC.	BP4MC-CHLORPYRIFOS	BRODAN 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	031-174-0162	27-Apr-24	-	Corn	Seedling maggot, corn earworm, cornborer and armyworm	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
PLANTERS PRODUCTS INC.	BP4MC-CHLORPYRIFOS	BRODAN 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	031-174-0162	27-Apr-24	-	Tobacco	Budworm, grasshopper, aphid, cutworm and armyworm	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
PLANTERS PRODUCTS INC.	BP4MC-CHLORPYRIFOS	BRODAN 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	031-174-0162	27-Apr-24	-	Cucumber	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
PLANTERS PRODUCTS INC.	BP4MC-CHLORPYRIFOS	BRODAN 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	031-174-0162	27-Apr-24	-	Melon	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
PLANTERS PRODUCTS INC.	BP4MC-CHLORPYRIFOS	BRODAN 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	031-174-0162	27-Apr-24	-	Watermelon	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
PLANTERS PRODUCTS INC.	BP4MC-CHLORPYRIFOS	BRODAN 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	031-174-0162	27-Apr-24	-	Onion	Thrips, cutworm	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
PLANTERS PRODUCTS INC.	BP4MC-CHLORPYRIFOS	BRODAN 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	031-174-0162	27-Apr-24	-	Mungo	Beanfly, armyworm, cutworm, leafminer and leaf folder	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
PLANTERS PRODUCTS INC.	BP4MC-CHLORPYRIFOS	BRODAN 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	031-174-0162	27-Apr-24	-	Soybeans	Beanfly, armyworm, cutworm, leafminer and leaf folder	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
PLANTERS PRODUCTS INC.	BPAC-CHLORPYRIFOS	BRODAN 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	031-174-0162	27-Apr-24	-	Beans	Beanyfly, armyworm, cutworm, leafminer and leaf folder	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying.
PLANTERS PRODUCTS INC.	BPAC-CHLORPYRIFOS	BRODAN 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	031-174-0162	15-Oct-21	-	Corn	Fall armyworm	29-35 mL / L	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying.
TEXICON AGR VENTURES CORPORATION	BPAC-CHLORPYRIFOS	BROADTEX 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	242-174-3443	09-Jul-18	-	Rice	Stemborer, armyworm, leafhopper, caseworm and planthopper	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying.
TEXICON AGR VENTURES CORPORATION	BPAC-CHLORPYRIFOS	BROADTEX 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	242-174-3443	09-Jul-18	-	Corn	Seedling maggot, corn earworm, cornborer and armyworm	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest.	Do not enter the field within 2 days after spraying.
TEXICON AGR VENTURES CORPORATION	BPAC-CHLORPYRIFOS	BROADTEX 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	242-174-3443	09-Jul-18	-	Tobacco	Budworm, grasshopper, aphid, cutworm and armyworm	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest.	Do not enter the field within 2 days after spraying.
TEXICON AGR VENTURES CORPORATION	BPAC-CHLORPYRIFOS	BROADTEX 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	242-174-3443	09-Jul-18	-	Cucumber	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest.	Do not enter the field within 2 days after spraying.
TEXICON AGR VENTURES CORPORATION	BPAC-CHLORPYRIFOS	BROADTEX 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	242-174-3443	09-Jul-18	-	Melon	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest.	Do not enter the field within 2 days after spraying.
TEXICON AGR VENTURES CORPORATION	BPAC-CHLORPYRIFOS	BROADTEX 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	242-174-3443	09-Jul-18	-	Watermelon	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest.	Do not enter the field within 2 days after spraying.
TEXICON AGR VENTURES CORPORATION	BPAC-CHLORPYRIFOS	BROADTEX 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	242-174-3443	09-Jul-18	-	Onion	Thrips, cutworm	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest.	Do not enter the field within 2 days after spraying.
TEXICON AGR VENTURES CORPORATION	BPAC-CHLORPYRIFOS	BROADTEX 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	242-174-3443	09-Jul-18	-	Mungo	Bean podborer, beanyfly, armyworm, cutworm, leafminer and leaf folder	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest.	Do not enter the field within 2 days after spraying.
TEXICON AGR VENTURES CORPORATION	BPAC-CHLORPYRIFOS	BROADTEX 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	242-174-3443	09-Jul-18	-	Soybeans	Bean podborer, beanyfly, armyworm, cutworm, leafminer and leaf folder	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest.	Do not enter the field within 2 days after spraying.
TEXICON AGR VENTURES CORPORATION	BPAC-CHLORPYRIFOS	BROADTEX 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	242-174-3443	09-Jul-18	-	Beans	Bean podborer, beanyfly, armyworm, cutworm, leafminer and leaf folder	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest.	Do not enter the field within 2 days after spraying.
AKTIV MALAI TRADING CO. PHLS, INC.	HEXAZINONE-DIURON	BROADLAST 600 WG	132 g/kg-468 g/kg	WG	HERBICIDE	4	540-435-6195	23-Jun-26	-	Sugarcane	Annual grasses, broadleaf weeds and sedges	400-L prod/ha	-	118 to 137 days before harvest	Do not enter treated fields within 12 hours after spraying or until the spray has dried
MONARCH CROP SOLUTIONS PROVIDER CORPORATION	NICOSAMIDE ETAMOLAMINE SALT	BRO 70 WP	700 g/kg	WP	MOLLUSCICIDE	4	390-229-3384	07-Mar-23	-	Rice	Golden Apple Snail (Kuhol)	30 gm/36L water	-	-	Do not enter the treated field within 48 hours after application.
FIRST PLANTERS AGR- SOLUTION INC.	CYPERMETHRIN	BRITANNICA 5 EC	50 g/L	EC	INSECTICIDE	4	682-037-5360	27-Mar-24	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/36L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dries
FIRST PLANTERS AGR- SOLUTION INC.	CYPERMETHRIN	BRITANNICA 5 EC	50 g/L	EC	INSECTICIDE	4	682-037-5360	27-Mar-24	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaf folder, stem borer, armyworm, cut bug	1.0-3.0 Tbsp/36L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dries
FIRST PLANTERS AGR- SOLUTION INC.	CYPERMETHRIN	BRITANNICA 5 EC	50 g/L	EC	INSECTICIDE	4	682-037-5360	27-Mar-24	CONTACT	Cabbage	Diamond back moth, cabbage moth, worm	1.0-3.0 Tbsp/36L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dries
FIRST PLANTERS AGR- SOLUTION INC.	CYPERMETHRIN	BRITANNICA 5 EC	50 g/L	EC	INSECTICIDE	4	682-037-5360	27-Mar-24	CONTACT	Beans	Pod borer, beanyfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/36L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dries
FIRST PLANTERS AGR- SOLUTION INC.	CYPERMETHRIN	BRITANNICA 5 EC	50 g/L	EC	INSECTICIDE	4	682-037-5360	27-Mar-24	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/36L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dries
FIRST PLANTERS AGR- SOLUTION INC.	CYPERMETHRIN	BRITANNICA 5 EC	50 g/L	EC	INSECTICIDE	4	682-037-5360	27-Mar-24	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/36L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dries
FIRST PLANTERS AGR- SOLUTION INC.	CYPERMETHRIN	BRITANNICA 5 EC	50 g/L	EC	INSECTICIDE	4	682-037-5360	27-Mar-24	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/36L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dries
FIRST PLANTERS AGR- SOLUTION INC.	CYPERMETHRIN	BRITANNICA 5 EC	50 g/L	EC	INSECTICIDE	4	682-037-5360	27-Mar-24	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/36L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dries
FIRST PLANTERS AGR- SOLUTION INC.	CYPERMETHRIN	BRITANNICA 5 EC	50 g/L	EC	INSECTICIDE	4	682-037-5360	27-Mar-24	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/36L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dries
FIRST PLANTERS AGR- SOLUTION INC.	CYPERMETHRIN	BRITANNICA 5 EC	50 g/L	EC	INSECTICIDE	4	682-037-5360	27-Mar-24	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/36L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dries
FIRST PLANTERS AGR- SOLUTION INC.	CYPERMETHRIN	BRITANNICA 5 EC	50 g/L	EC	INSECTICIDE	4	682-037-5360	27-Mar-24	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/36L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dries
TEXICON AGR VENTURES CORPORATION	CARBOFURAN	BRIFUR 3G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	242-104-1552	09-Aug-25	-	Corn	Borer, earworm, grubs, seedling maggot	36-7-33.3 kg prod/ha	-	Do not apply within 30 days of harvest	Do not enter the field within two days after application
TEXICON AGR VENTURES CORPORATION	CARBOFURAN	BRIFUR 3G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	242-104-1552	09-Aug-25	-	Cotton	Nematodes, grubs	36-7-33.3 kg prod/ha	-	Do not apply within 30 days of harvest	Do not enter the field within two days after application
TEXICON AGR VENTURES CORPORATION	CARBOFURAN	BRIFUR 3G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	242-104-1552	09-Aug-25	-	Eggplant	Fruitborer	36-7-33.3 kg prod/ha	-	Do not apply within 30 days of harvest	Do not enter the field within two days after application
TEXICON AGR VENTURES CORPORATION	CARBOFURAN	BRIFUR 3G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	242-104-1552	09-Aug-25	-	Field legumes	Beanyflies, grubs, nematodes	36-7-33.3 kg prod/ha	-	Do not apply within 30 days of harvest	Do not enter the field within two days after application
TEXICON AGR VENTURES CORPORATION	CARBOFURAN	BRIFUR 3G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	242-104-1552	09-Aug-25	-	Rice	Stem borer, whorl maggot, leafhopper, leaf folder, caseworm, planthopper	36-7-33.3 kg prod/ha	0.2ppm	28 Days	Do not enter the field within two days after application
TEXICON AGR VENTURES CORPORATION	CARBOFURAN	BRIFUR 3G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	242-104-1552	09-Aug-25	-	Sugarcane	Borer, leafhopper, mealy bug, nematodes, scale insects	34-4-66.8 kg prod/ha	-	Do not apply within 30 days of harvest	Do not enter the field within two days after application
TEXICON AGR VENTURES CORPORATION	CARBOFURAN	BRIFUR 3G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	242-104-1552	09-Aug-25	-	Tobacco	Nematode, budworm	36-7-33.3 kg prod/ha	-	Do not apply within 30 days of harvest	Do not enter the field within two days after application
TEXICON AGR VENTURES CORPORATION	CARBOFURAN	BRIFUR 3G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	242-104-1552	09-Aug-25	-	White potato	Nematodes, grubs	36-7-33.3 kg prod/ha	-	Do not apply within 30 days of harvest	Do not enter the field within two days after application
TEXICON AGR VENTURES CORPORATION	CARBOFURAN	BRIFUR 3G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	242-104-1552	09-Aug-25	-	Banana	Cornweevils, scarring beetles and nematodes	30-15 kg/ha	-	0 Day	0 Day
C.B. ANDREW ASIA, INC.	BUTACHLOR-PROPANIL	BRIDGE 70 EC	350-350 g/L	EC	HERBICIDE	3	440-238-5137-A	19-Dec-26	POST-EMERGENT	Rice (Transplanted)	Grasses, sedges and broadleaves	8-12 Tbsp /36L water	Butachlor 0.1ppm	-	-
C.B. ANDREW ASIA, INC.	BUTACHLOR-PROPANIL	BRIDGE 70 EC	350-350 g/L	EC	HERBICIDE	3	440-238-5137-A	19-Dec-26	POST-EMERGENT	Rice (Direct Seeded)	Grasses, sedges and broadleaves	8-12 Tbsp /36L water	Butachlor 0.1ppm	-	-
MONARCH AGRICULTURAL PRODUCTS, INC.	POLYETHER-POLYMETHYLSILOXANE COPOLYMER	BREK-THRU S 240	100 g/L	-	OTHERS	2	096-289-0769	27-Sep-26	-	Banana	Black sigatoka	50ml/5liters of banole in 30liters of water	-	-	-
MONARCH AGRICULTURAL PRODUCTS, INC.	PROQUATE(MONO-ESTER)+PEE 300 DI-OLEATE(DI-ESTER)+PEE 300	BREK-THRU EM 07	705 g/L + 140 g/L + 135 g/L	L	OTHERS	4	096-409-3192	11-May-24	-	Banana	Black sigatoka	50ml/5liters of banole in 30liters of water	-	-	-
VAST AGRO SOLUTIONS, INC.	BPAC-CHLORPYRIFOS	BREAKER 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	385-174-2095	27-Dec-24	-	Rice	Stemborer, armyworm, leafhopper, caseworm and planthopper	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
VAST AGRO SOLUTIONS, INC.	BPAC-CHLORPYRIFOS	BREAKER 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	385-174-2095	27-Dec-24	-	Corn	Seedling maggot, corn earworm, cornborer and armyworm	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
VAST AGRO SOLUTIONS, INC.	BPAC-CHLORPYRIFOS	BREAKER 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	385-174-2095	27-Dec-24	-	Tobacco	Budworm, grasshopper, aphid, cutworm and armyworm	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
VAST AGRO SOLUTIONS, INC.	BPAC-CHLORPYRIFOS	BREAKER 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	385-174-2095	27-Dec-24	-	Cucumber	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
VAST AGRO SOLUTIONS, INC.	BPAC-CHLORPYRIFOS	BREAKER 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	385-174-2095	27-Dec-24	-	Melon	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
VAST AGRO SOLUTIONS, INC.	BPAC-CHLORPYRIFOS	BREAKER 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	385-174-2095	27-Dec-24	-	Watermelon	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
VAST AGRO SOLUTIONS, INC.	BPAC-CHLORPYRIFOS	BREAKER 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	385-174-2095	27-Dec-24	-	Onion	Thrips, cutworm	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
VAST AGRO SOLUTIONS, INC.	BPAC-CHLORPYRIFOS	BREAKER 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	385-174-2095	27-Dec-24	-	Mungo	Beanyfly, armyworm, cutworm, leafminer and leaf folder	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
VAST AGRO SOLUTIONS, INC.	BPAC-CHLORPYRIFOS	BREAKER 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	385-174-2095	27-Dec-24	-	Soybeans	Beanyfly, armyworm, cutworm, leafminer and leaf folder	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
VAST AGRO SOLUTIONS, INC.	BPAC-CHLORPYRIFOS	BREAKER 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	385-174-2095	27-Dec-24	-	Beans	Beanyfly, armyworm, cutworm, leafminer and leaf folder	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
MEL JAY AGR BUSINESS	GLYPHOSATE IPA	BRAVE 480 SL	480 g/L	SL	HERBICIDE	4	512-151-2962	21-Feb-21	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/ha	-	-	-
MEL JAY AGR BUSINESS	GLYPHOSATE IPA	BRAVE 480 SL	480 g/L	SL	HERBICIDE	4	512-151-2962	21-Feb-21	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
MEL JAY AGR BUSINESS	GLYPHOSATE IPA	BRAVE 480 SL	480 g/L	SL	HERBICIDE	4	512-151-2962	21-Feb-21	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
MEL JAY AGR BUSINESS	GLYPHOSATE IPA	BRAVE 480 SL	480 g/L	SL	HERBICIDE	4	512-151-2962	21-Feb-21	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
MEL JAY AGR BUSINESS	GLYPHOSATE IPA	BRAVE 480 SL	480 g/L	SL	HERBICIDE	4	512-151-2962	21-Feb-21	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
MEL JAY AGR BUSINESS	GLYPHOSATE IPA	BRAVE 480 SL	480 g/L	SL	HERBICIDE	4	512-151-2962	21-Feb-21	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
MEL JAY AGR BUSINESS	GLYPHOSATE IPA	BRAVE 480 SL	480 g/L	SL	HERBICIDE	4	512-151-2962	21-Feb-21	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
MEL JAY AGR BUSINESS	GLYPHOSATE IPA	BRAVE 480 SL	480 g/L	SL	HERBICIDE	4	512-151-2962	21-Feb-21	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
MEL JAY AGR BUSINESS	GLYPHOSATE IPA	BRAVE 480 SL	480 g/L	SL	HERBICIDE	4	512-151-2962	21-Feb-21	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/ha	-	-	-

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD	
MEL-JAY AGR. BUSINESS	GLYPHOSATE IPA	BRAVE 480 SL	480 g/L	SL	HERBICIDE	4	512-151-2962	21-Feb-21	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 liter/ha	-	-	-	
MEL-JAY AGR. BUSINESS	GLYPHOSATE IPA	BRAVE 480 SL	480 g/L	SL	HERBICIDE	4	512-151-2962	21-Feb-21	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weed & sedges	2.0 liter/ha	-	-	-	
MEL-JAY AGR. BUSINESS	GLYPHOSATE IPA	BRAVE 480 SL	480 g/L	SL	HERBICIDE	4	512-151-2962	21-Feb-21	POST-EMERGENT	non-crop	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-	
LIUEMPHIL INTERNATIONAL INC.	LAMBDA-CHYALOTHIRIN	BOXING 2.5 EC	25 g/L	EC	INSECTICIDE	2	590-204-5795	29-Jul-25	-	Corn	Comboner, aphids, seedling maggots	1-1 1/2 tbsp/36L	-	-	Re-entry to treated field is allowed as soon as solution dries up.	
LIUEMPHIL INTERNATIONAL INC.	LAMBDA-CHYALOTHIRIN	BOXING 2.5 EC	25 g/L	EC	INSECTICIDE	2	590-204-5795	29-Jul-25	-	Mango	Hoppers	3/4-1 1/2 tbsp/36L	-	-	Re-entry to treated field is allowed as soon as solution dries up.	
LIUEMPHIL INTERNATIONAL INC.	LAMBDA-CHYALOTHIRIN	BOXING 2.5 EC	25 g/L	EC	INSECTICIDE	2	590-204-5795	29-Jul-25	-	Onion	Cutworms, Thrips	1 tbsp/36L	-	-	Re-entry to treated field is allowed as soon as solution dries up.	
LIUEMPHIL INTERNATIONAL INC.	LAMBDA-CHYALOTHIRIN	BOXING 2.5 EC	25 g/L	EC	INSECTICIDE	2	590-204-5795	29-Jul-25	-	Tobacco	Budworm, Cutworm, aphids, katydids	1-1 1/2 tbsp/36L	-	-	Re-entry to treated field is allowed as soon as solution dries up.	
LIUEMPHIL INTERNATIONAL INC.	LAMBDA-CHYALOTHIRIN	BOXING 2.5 EC	25 g/L	EC	INSECTICIDE	2	590-204-5795	29-Jul-25	-	Tomato	Fruitworm, cutworm, aphids	1-1 1/2 tbsp/36L	-	-	Re-entry to treated field is allowed as soon as solution dries up.	
LIUEMPHIL INTERNATIONAL INC.	LAMBDA-CHYALOTHIRIN	BOXING 2.5 EC	25 g/L	EC	INSECTICIDE	2	590-204-5795	29-Jul-25	-	Rice	Green leafhopper, armyworm rice bug, leafhopper, black bug	1-1 1/2 tbsp/36L	-	-	Re-entry to treated field is allowed as soon as solution dries up.	
LIUEMPHIL INTERNATIONAL INC.	LAMBDA-CHYALOTHIRIN	BOXING 2.5 EC	25 g/L	EC	INSECTICIDE	2	590-204-5795	29-Jul-25	-	Cotton	Bollworm	1-1 1/2 tbsp/36L	-	-	Re-entry to treated field is allowed as soon as solution dries up.	
LIUEMPHIL INTERNATIONAL INC.	LAMBDA-CHYALOTHIRIN	BOXING 2.5 EC	25 g/L	EC	INSECTICIDE	2	590-204-5795	29-Jul-25	-	Mungbean	Beanfly, flea, beetles, leafhoppers	1 tbsp/36L	-	-	Re-entry to treated field is allowed as soon as solution dries up.	
LIUEMPHIL INTERNATIONAL INC.	LAMBDA-CHYALOTHIRIN	BOXING 2.5 EC	25 g/L	EC	INSECTICIDE	2	590-204-5795	29-Jul-25	-	Cocoa	Aphids, mites, pod borer	1-2 tbsp/36L	-	-	Re-entry to treated field is allowed as soon as solution dries up.	
LIUEMPHIL INTERNATIONAL INC.	LAMBDA-CHYALOTHIRIN	BOXING 2.5 EC	25 g/L	EC	INSECTICIDE	2	590-204-5795	29-Jul-25	-	Watermelon	Squash beetle, melon worm	1 tbsp/36L	-	-	Re-entry to treated field is allowed as soon as solution dries up.	
PRIMSTOCKS CHEMICAL CORPORATION	LAMBDA-CHYALOTHIRIN	BOX OUT 2.5 EC	25 g/L	EC	INSECTICIDE	2	623-204-4951-A	04-Jan-25	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leaffolder, black bug	1.0-1.5tbsp/36 L of water	0.05ppm	-	Do not spray within 3 days before harvest	Re-entry to treated field is allowed as soon as solution dries up.
PRIMSTOCKS CHEMICAL CORPORATION	LAMBDA-CHYALOTHIRIN	BOX OUT 2.5 EC	25 g/L	EC	INSECTICIDE	2	623-204-4951-A	04-Jan-25	SYSTEMIC	Mango	Hoppers	0.75-1.5tbsp/36 L of water	-	-	Do not spray within 3 days before harvest	Re-entry to treated field is allowed as soon as solution dries up.
PRIMSTOCKS CHEMICAL CORPORATION	LAMBDA-CHYALOTHIRIN	BOX OUT 2.5 EC	25 g/L	EC	INSECTICIDE	2	623-204-4951-A	04-Jan-25	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5tbsp/36 L of water	-	-	Do not spray within 3 days before harvest	Re-entry to treated field is allowed as soon as solution dries up.
PRIMSTOCKS CHEMICAL CORPORATION	LAMBDA-CHYALOTHIRIN	BOX OUT 2.5 EC	25 g/L	EC	INSECTICIDE	2	623-204-4951-A	04-Jan-25	SYSTEMIC	Onion	Thrips, cutworm	1.0tbsp/36 L of water	-	-	Do not spray within 3 days before harvest	Re-entry to treated field is allowed as soon as solution dries up.
PRIMSTOCKS CHEMICAL CORPORATION	LAMBDA-CHYALOTHIRIN	BOX OUT 2.5 EC	25 g/L	EC	INSECTICIDE	2	623-204-4951-A	04-Jan-25	SYSTEMIC	Mungbeans	Beanfly, flea beetle, leafhopper, aphids, mites, podborer	1.0tbsp/36 L of water	-	-	Do not spray within 3 days before harvest	Re-entry to treated field is allowed as soon as solution dries up.
PRIMSTOCKS CHEMICAL CORPORATION	LAMBDA-CHYALOTHIRIN	BOX OUT 2.5 EC	25 g/L	EC	INSECTICIDE	2	623-204-4951-A	04-Jan-25	SYSTEMIC	Corn	Comboner, aphids, seedling maggots	1.0-1.5tbsp/36 L of water	-	-	Do not spray within 3 days before harvest	Re-entry to treated field is allowed as soon as solution dries up.
PRIMSTOCKS CHEMICAL CORPORATION	LAMBDA-CHYALOTHIRIN	BOX OUT 2.5 EC	25 g/L	EC	INSECTICIDE	2	623-204-4951-A	04-Jan-25	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5tbsp/36 L of water	-	-	Do not spray within 3 days before harvest	Re-entry to treated field is allowed as soon as solution dries up.
PRIMSTOCKS CHEMICAL CORPORATION	LAMBDA-CHYALOTHIRIN	BOX OUT 2.5 EC	25 g/L	EC	INSECTICIDE	2	623-204-4951-A	04-Jan-25	SYSTEMIC	Cotton	Bollworm	1.0-1.5tbsp/36 L of water	-	-	Do not spray within 3 days before harvest	Re-entry to treated field is allowed as soon as solution dries up.
PRIMSTOCKS CHEMICAL CORPORATION	LAMBDA-CHYALOTHIRIN	BOX OUT 2.5 EC	25 g/L	EC	INSECTICIDE	2	623-204-4951-A	04-Jan-25	SYSTEMIC	Cocoa	Podborer	1.0-2.0tbsp/36 L of water	-	-	Do not spray within 3 days before harvest	Re-entry to treated field is allowed as soon as solution dries up.
PRIMSTOCKS CHEMICAL CORPORATION	LAMBDA-CHYALOTHIRIN	BOX OUT 2.5 EC	25 g/L	EC	INSECTICIDE	2	623-204-4951-A	04-Jan-25	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0tbsp/36 L of water	-	-	Do not spray within 3 days before harvest	Re-entry to treated field is allowed as soon as solution dries up.
RAINBOW AGROSCIENCES PHILIPPINES INC.	OXADIAZON	BOWSAR 250 EC	250 g/L	EC	HERBICIDE	4	539-124-5245	14-Oct-26	SELECTIVE (PRE-EMERGENCE)	Onion (Transplanted)	Grasses, Sedges & Broadleaves	2-3 L prod / ha	-	-	Re-entry can be done after the spray droplets have dried up. It is recommended to keep from disturbing the soil, even by treading on the sprayed soil surfaces, to	
RAINBOW AGROSCIENCES PHILIPPINES INC.	OXADIAZON	BOWSAR 250 EC	250 g/L	EC	HERBICIDE	4	539-124-5245	14-Oct-26	SELECTIVE (PRE-EMERGENCE)	Rice (Transplanted)	Grasses, Sedges & Broadleaves	1-1.5 L prod / ha	-	-	Re-entry can be done after the spray droplets have dried up. It is recommended to keep from disturbing the soil, even by treading on the sprayed soil surfaces, to	
RAINBOW AGROSCIENCES PHILIPPINES INC.	OXADIAZON	BOWSAR 250 EC	250 g/L	EC	HERBICIDE	4	539-124-5245	14-Oct-26	SELECTIVE (PRE-EMERGENCE)	Rice (Dry-Seeded)	Grasses, Sedges & Broadleaves	2-3 L prod / ha	-	-	Re-entry can be done after the spray droplets have dried up. It is recommended to keep from disturbing the soil, even by treading on the sprayed soil surfaces, to	
RAINBOW AGROSCIENCES PHILIPPINES INC.	OXADIAZON	BOWSAR 250 EC	250 g/L	EC	HERBICIDE	4	539-124-5245	14-Oct-26	SELECTIVE (PRE-EMERGENCE)	Rice (Direct Seeded Pre-Semminated)	Grasses, Sedges & Broadleaves	1-1.5 L prod / ha	-	-	Re-entry can be done after the spray droplets have dried up. It is recommended to keep from disturbing the soil, even by treading on the sprayed soil surfaces, to	
TEXICON AGR. VENTURES CORPORATION	BUTACHLOR	BOTACD 60 EC	600g/L	EC	HERBICIDE	4	242-150-4558	27-May-25	PRE-EMERGENT	Rice (Direct Seeded)	Grasses and Sedges	90bsp (2-4 DAT) 97bsp (0-4 DAT) 120bsp 77bsp	0.1 ppm	-	-	
TEXICON AGR. VENTURES CORPORATION	BUTACHLOR	BOTACD 60 EC	600g/L	EC	HERBICIDE	4	242-150-4558	27-May-25	PRE-EMERGENT	Rice (Transplanted)	Grasses and Sedges	80bsp (2-4088), 77bsp (2-4088), 117bsp (80 DAT)	0.1 ppm	-	-	
TEXICON AGR. VENTURES CORPORATION	BUTACHLOR	BOTACD 60 EC	600g/L	EC	HERBICIDE	4	242-150-4558	27-May-25	PRE-EMERGENT	Rice (drill seeded dryland)	Grasses and Sedges	48 Tbsp /36L sprayload	-	-	-	
TEXICON AGR. VENTURES CORPORATION	BUTACHLOR	BOTACD 60 EC	600g/L	EC	HERBICIDE	4	242-150-4558	27-May-25	PRE-EMERGENT	Rice (drill seeded upland)	Grasses and Sedges	48 Tbsp /36L sprayload	-	-	-	
KEMSTAR CORPORATION	CHLOROTHALONIL	BOSSING 720 SC	720 g/L	SC	FUNGICIDE	4	239-118-2115	26-Jun-25	-	Potato	Early blight, late blight, vine rot	1.00-1.80 L/ha or 4.5-5.5 tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried	
KEMSTAR CORPORATION	CHLOROTHALONIL	BOSSING 720 SC	720 g/L	SC	FUNGICIDE	4	239-118-2115	26-Jun-25	-	Tomato	Early blight, late blight, vine rot	1.13-1.90 L/ha or 4.5-6.0tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried	
KEMSTAR CORPORATION	CHLOROTHALONIL	BOSSING 720 SC	720 g/L	SC	FUNGICIDE	4	239-118-2115	26-Jun-25	-	Beans	Rust, anthracnose	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried	
KEMSTAR CORPORATION	CHLOROTHALONIL	BOSSING 720 SC	720 g/L	SC	FUNGICIDE	4	239-118-2115	26-Jun-25	-	Carrot	Alternaria leaf spot, cercospora leaf spot, helminthosporium leaf spot	1.13-1.90 L/ha or 4.5-6.0tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried	
KEMSTAR CORPORATION	CHLOROTHALONIL	BOSSING 720 SC	720 g/L	SC	FUNGICIDE	4	239-118-2115	26-Jun-25	-	Crucifers	Powdery mildew	1.13-1.90 L/ha or 4.5-6.0tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried	
KEMSTAR CORPORATION	CHLOROTHALONIL	BOSSING 720 SC	720 g/L	SC	FUNGICIDE	4	239-118-2115	26-Jun-25	-	Melon	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried	
KEMSTAR CORPORATION	CHLOROTHALONIL	BOSSING 720 SC	720 g/L	SC	FUNGICIDE	4	239-118-2115	26-Jun-25	-	Cucumber	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried	
KEMSTAR CORPORATION	CHLOROTHALONIL	BOSSING 720 SC	720 g/L	SC	FUNGICIDE	4	239-118-2115	26-Jun-25	-	Squash	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried	
KEMSTAR CORPORATION	CHLOROTHALONIL	BOSSING 720 SC	720 g/L	SC	FUNGICIDE	4	239-118-2115	26-Jun-25	-	Watermelon	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried	
KEMSTAR CORPORATION	CHLOROTHALONIL	BOSSING 720 SC	720 g/L	SC	FUNGICIDE	4	239-118-2115	26-Jun-25	-	Celery	Early blight, late blight	1.13-1.90 L/ha or 4.5-6.0tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried	
KEMSTAR CORPORATION	CHLOROTHALONIL	BOSSING 720 SC	720 g/L	SC	FUNGICIDE	4	239-118-2115	26-Jun-25	-	Eggplant	Early blight, late blight, cercospora leafspot, anthracnose	1.13-1.90 L/ha or 4.5-6.0tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried	
KEMSTAR CORPORATION	CHLOROTHALONIL	BOSSING 720 SC	720 g/L	SC	FUNGICIDE	4	239-118-2115	26-Jun-25	-	Onion	Purple blotch, bulb rot, neck rot	1.13-1.90 L/ha or 4.5-6.0tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried	
KEMSTAR CORPORATION	CHLOROTHALONIL	BOSSING 720 SC	720 g/L	SC	FUNGICIDE	4	239-118-2115	26-Jun-25	-	Pepper	Early blight, cercospora leaf spot, anthracnose	1.13-1.90 L/ha or 4.5-6.0tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried	
KEMSTAR CORPORATION	CHLOROTHALONIL	BOSSING 720 SC	720 g/L	SC	FUNGICIDE	4	239-118-2115	26-Jun-25	-	Grapes	Downy mildew, powdery mildew, fruit rot	1.13-1.90 L/ha or 4.5-6.0tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried	
KEMSTAR CORPORATION	CHLOROTHALONIL	BOSSING 720 SC	720 g/L	SC	FUNGICIDE	4	239-118-2115	26-Jun-25	-	Mango	Anthracnose, diploida rot	3.75-5.60 L/ha or 4.5-6.0tbsp/36 L	-	7-14 days	Do not enter treatment areas until spray deposit have dried	
KEMSTAR CORPORATION	CHLOROTHALONIL	BOSSING 720 SC	720 g/L	SC	FUNGICIDE	4	239-118-2115	26-Jun-25	-	Ornamentals	Black spot, powdery mildew, black rot	1.13-1.90 L/ha or 4.5-6.0tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried	
KEMSTAR CORPORATION	CHLOROTHALONIL	BOSSING 720 SC	720 g/L	SC	FUNGICIDE	4	239-118-2115	26-Jun-25	-	Asparagus	Stem and leaf blight	1.80 L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried	
KEMSTAR CORPORATION	CHLOROTHALONIL	BOSSING 720 SC	720 g/L	SC	FUNGICIDE	4	239-118-2115	26-Jun-25	-	Banana	Black sigatoka	1.38 L/ha	0 day	-	Do not enter treatment areas until spray deposit have dried	
FLAGLEAF AGR. PHILIPPINES, INC.	POTASSIUM SALT MCPA	BOSHIDO 40 SL	400 g/L	SL	HERBICIDE	2	564-130-3817	15-Nov-19	PRE/POST-EMERGENCE	Rice	Annual grasses, broadleaves and sedges	9-6 Tbsp/36L water	-	-	Re-entry to field is allowed as soon as spray dries.	
FLAGLEAF AGR. PHILIPPINES, INC.	POTASSIUM SALT MCPA	BOSHIDO 40 SL	400 g/L	SL	HERBICIDE	2	564-130-3817	15-Nov-19	PRE/POST-EMERGENCE	Sugarcane	Annual grasses, broadleaves and sedges	9-6 Tbsp/36L water	-	-	Re-entry to field is allowed as soon as spray dries.	
FLAGLEAF AGR. PHILIPPINES, INC.	POTASSIUM SALT MCPA	BOSHIDO 40 SL	400 g/L	SL	HERBICIDE	2	564-130-3817	15-Nov-19	PRE/POST-EMERGENCE	Corn	Annual grasses, broadleaves and sedges	9-6 Tbsp/36L water	-	-	Re-entry to field is allowed as soon as spray dries.	
FLAGLEAF AGR. PHILIPPINES, INC.	POTASSIUM SALT MCPA	BOSHIDO 40 SL	400 g/L	SL	HERBICIDE	2	564-130-3817	15-Nov-19	PRE/POST-EMERGENCE	Lawns	Annual grasses, broadleaves and sedges	2 Tbsp/36L water	-	-	Re-entry to field is allowed as soon as spray dries.	
FLAGLEAF AGR. PHILIPPINES, INC.	POTASSIUM SALT MCPA	BOSHIDO 40 SL	400 g/L	SL	HERBICIDE	2	564-130-3817	15-Nov-19	PRE/POST-EMERGENCE	Grassland	Annual grasses, broadleaves and sedges	2 Tbsp/36L water	-	-	Re-entry to field is allowed as soon as spray dries.	
SABERO ORGANICS PHILIPPINES ASIA INC.	BOSSCAUD	BOXCORO 50 SC	500 g/L	SC	FUNGICIDE	4	466-413-5097	08-Jun-26	SYSTEMIC	Banana	Black sigatoka	0.5-0.7 L/ha	-	0 day	After drying of spray or 24 hours after spraying	
VAST AGRO SOLUTIONS, INC.	IPRODIL	BOREX 1 SC	80 g/L	SC	INSECTICIDE	3	385-244-3938	15-Feb-25	CONTACT	Rice	Stemborer, brown planthopper, leafhopper, rice bug	1.3-2.0, 2.0-3.0, 2.7-4.0tbsp/36L	0.05ppm	-	Do not apply 7 days before harvest	One day after application.

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
VAST AGRO SOLUTIONS, INC.	FFPRONIL	BOREX S SC	90 g/L	SC	INSECTICIDE	3	385-244-3508	15-Feb-25	CONTACT	Cabbage	Diamond backed moth	1.3-2.0, 2.0-3.0, 2.7-4.0 tbsp./36L	-	Do not apply 7 days before harvest	One day after application.
VAST AGRO SOLUTIONS, INC.	FFPRONIL	BOREX S SC	90 g/L	SC	INSECTICIDE	3	385-244-3508	15-Feb-25	CONTACT	Watermelon	Thrips, leaf beetles	2.5-3.0 tbsp./36L	-	Do not apply 7 days before harvest	One day after application.
VAST AGRO SOLUTIONS, INC.	FFPRONIL	BOREX S SC	90 g/L	SC	INSECTICIDE	3	385-244-3508	15-Feb-25	CONTACT	Onion	Cutworm	5.33 tbsp./36L	-	Do not apply 7 days before harvest	One day after application.
VAST AGRO SOLUTIONS, INC.	FFPRONIL	BOREX S SC	90 g/L	SC	INSECTICIDE	3	385-244-3508	15-Feb-25	CONTACT	Eggplant	Shoot borer	3.0-4.0 tbsp./36L	-	Do not apply 7 days before harvest	One day after application.
LUHEMPHL INTERNATIONAL INC.	CHLOPRIFOS	BOP 400 EC	400 g/L	EC	INSECTICIDE	2	590-101-5766	29-Jun-25	-	Sugarcane	White grubs	80-100 ml/36L water	-	-	-
LUHEMPHL INTERNATIONAL INC.	CHLOPRIFOS	BOP 400 EC	400 g/L	EC	INSECTICIDE	2	590-101-5766	29-Jun-25	-	Banana	Thrips, aphids, scarifying beetle	20-30 ml/36L water	-	-	-
LUHEMPHL INTERNATIONAL INC.	CHLOPRIFOS	BOP 400 EC	400 g/L	EC	INSECTICIDE	2	590-101-5766	29-Jun-25	-	Pineapple	White grubs, symphyliids, ants and mealybugs	4000 L/ha	-	-	-
LUHEMPHL INTERNATIONAL INC.	CHLOPRIFOS	BOP 300 EC	300 g/L	EC	INSECTICIDE	2	590-101-6250	15-Aug-26	-	Rice	Stemborer, armyworm, leafhopper, earworm, planthopper, cutworm, rice bug	25-35 ml/36L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
LUHEMPHL INTERNATIONAL INC.	CHLOPRIFOS	BOP 300 EC	300 g/L	EC	INSECTICIDE	2	590-101-6250	15-Aug-26	-	Corn	Armyworm, corn borer earworm, seedling maggot	20-35 ml/36L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
LUHEMPHL INTERNATIONAL INC.	CHLOPRIFOS	BOP 300 EC	300 g/L	EC	INSECTICIDE	2	590-101-6250	15-Aug-26	-	Potato	Tubermoth, leafhopper, cutworm, aphids	20-35 ml/36L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
LUHEMPHL INTERNATIONAL INC.	CHLOPRIFOS	BOP 300 EC	300 g/L	EC	INSECTICIDE	2	590-101-6250	15-Aug-26	-	Beans	Beanfly, leafroller, podborer, cutworm, armyworm	20-35 ml/36L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
RAINBOW AGROSCIENCES PHILIPPINES INC.	GLIMAZONE-PROPANIL	BOOTMADY 600 EC	200 g/L+400 g/L	EC	HERBICIDE	2	539-330-6553	7-Nov-26	POST-EMERGENT	Rice	Grasses, broadleaf weeds, sedges	1 L prod./ha	-	-	-
PHILAGROW INC.	FFPRONIL	BOOM 50 SC	50g/L	SC	INSECTICIDE	3	372-244-2325	18-Jun-24	CONTACT	Rice	Stemborer, brown planthopper, leafhopper, rice bug	1.3-2.0, 2.0-3.0, 2.7-4.0 tbsp./36L	0.05ppm	Do not apply 7 days before harvest	One day after application.
PHILAGROW INC.	FFPRONIL	BOOM 50 SC	50g/L	SC	INSECTICIDE	3	372-244-2325	18-Jun-24	CONTACT	Cabbage	Diamond backed moth	1.3-2.0, 2.0-3.0, 2.7-4.0 tbsp./36L	-	Do not apply 7 days before harvest	One day after application.
PHILAGROW INC.	FFPRONIL	BOOM 50 SC	50g/L	SC	INSECTICIDE	3	372-244-2325	18-Jun-24	CONTACT	Watermelon	Thrips, leaf beetles	2.5-3.0 tbsp./36L	-	Do not apply 7 days before harvest	One day after application.
PHILAGROW INC.	FFPRONIL	BOOM 50 SC	50g/L	SC	INSECTICIDE	3	372-244-2325	18-Jun-24	CONTACT	Onion	Cutworm	5.33 tbsp./36L	-	Do not apply 7 days before harvest	One day after application.
PHILAGROW INC.	FFPRONIL	BOOM 50 SC	50g/L	SC	INSECTICIDE	3	372-244-2325	18-Jun-24	CONTACT	Eggplant	Shoot borer	3.0-4.0 tbsp./36L	-	Do not apply 7 days before harvest	One day after application.
MEL JAY AGR BUSINESS	NICLOXAMIDE ETHANOLAMINE SALT	BOND 70 WP	700 g/kg	WP	MOLLUSCIDE	4	415-229-2528	15-Apr-21	CONTACT	Rice	Golden Apple Snail (Kuhol)	1 sachet (35 grams)/Tankload (36L)	-	-	At least 48 hours after application
HEXTAR VENTURE PHILIPPINES INC.	DIFENOCONAZOLE	BOND 25 EC	250 g/L	EC	FUNGICIDE	4	477-272-4529	09-Oct-21	SYSTEMIC	Banana	Black Sigatoka	0.30-0.40 L prod/ha	-	-	-
HEXTAR VENTURE PHILIPPINES INC.	DIFENOCONAZOLE	BOND 25 EC	250 g/L	EC	FUNGICIDE	4	477-272-4529	09-Oct-21	SYSTEMIC	Mango	Anthraxnose	0.528-0.88 L/ha	-	-	-
HEXTAR VENTURE PHILIPPINES INC.	DIFENOCONAZOLE	BOND 25 EC	250 g/L	EC	FUNGICIDE	4	477-272-4529	09-Oct-21	SYSTEMIC	Rice	Sheath Blight	0.25-0.30 L/ha	-	-	-
HEXTAR VENTURE PHILIPPINES INC.	DIFENOCONAZOLE	BOND 25 EC	250 g/L	EC	FUNGICIDE	4	477-272-4529	09-Oct-21	SYSTEMIC	Stringbeans	Leaf spot	0.20-0.30 L/ha	-	-	-
HEXTAR VENTURE PHILIPPINES INC.	DIFENOCONAZOLE	BOND 25 EC	250 g/L	EC	FUNGICIDE	4	477-272-4529	09-Oct-21	SYSTEMIC	Eggplant	Leaf spot	0.20-0.30 L/ha	-	-	-
HEXTAR VENTURE PHILIPPINES INC.	DIFENOCONAZOLE	BOND 25 EC	250 g/L	EC	FUNGICIDE	4	477-272-4529	09-Oct-21	SYSTEMIC	Tomato	Alternaria leaf spot, cercospora leaf mold, powdery mildew	0.20-0.30 L/ha	-	-	-
HEXTAR VENTURE PHILIPPINES INC.	DIFENOCONAZOLE	BOND 25 EC	250 g/L	EC	FUNGICIDE	4	477-272-4529	09-Oct-21	SYSTEMIC	Cabbage	Ringspot, alternaria	0.20-0.30 L/ha	-	-	-
HEXTAR VENTURE PHILIPPINES INC.	DIFENOCONAZOLE	BOND 25 EC	250 g/L	EC	FUNGICIDE	4	477-272-4529	09-Oct-21	SYSTEMIC	Onion	Purple blotch	0.40-0.50 L/ha	-	-	-
HEXTAR VENTURE PHILIPPINES INC.	DIFENOCONAZOLE	BOND 25 EC	250 g/L	EC	FUNGICIDE	4	477-272-4529	09-Oct-21	SYSTEMIC	Asparagus	Stem and leaf blight	0.36 L/ha	-	-	-
AGRO IRIIS PHILIPPINES, INC.	INDOXACARB	BOMPROX 30 WG	300 g/kg	WG	INSECTICIDE	3	752-353-6062	28-Sep-23	-	Cabbage	Diamondback moth	4.0 grams/36L sprayer	-	-	As soon as the spray mist dries up
AGRO IRIIS PHILIPPINES, INC.	INDOXACARB	BOMPROX 30 WG	300 g/kg	WG	INSECTICIDE	3	752-353-6062	28-Sep-23	-	Eggplant	Shoot and fruit borer	4.0 grams/36L sprayer	-	-	As soon as the spray mist dries up
AGRO IRIIS PHILIPPINES, INC.	INDOXACARB	BOMPROX 30 WG	300 g/kg	WG	INSECTICIDE	3	752-353-6062	28-Sep-23	-	Stringbeans	Podborer	4.0 grams/36L sprayer	-	-	As soon as the spray mist dries up
AGRO IRIIS PHILIPPINES, INC.	INDOXACARB	BOMPROX 30 WG	300 g/kg	WG	INSECTICIDE	3	752-353-6062	28-Sep-23	-	Bitterbourd	Leafroller and cutworm	4.0 grams/36L sprayer	-	-	As soon as the spray mist dries up
AGRO IRIIS PHILIPPINES, INC.	INDOXACARB	BOMPROX 30 WG	300 g/kg	WG	INSECTICIDE	3	752-353-6062	28-Sep-23	-	Corn	Corn borer, earworm	4.0 grams/36L sprayer	-	-	As soon as the spray mist dries up
AGRO IRIIS PHILIPPINES, INC.	INDOXACARB	BOMPROX 30 WG	300 g/kg	WG	INSECTICIDE	3	752-353-6062	28-Sep-23	-	Tobacco	Cutworm and budworm	4.0 grams/36L sprayer	-	-	As soon as the spray mist dries up
ZAGRO CORPORATION	CHLOPRIFOS+CYPERMETHRIN	BOMBARD 275 EC	250+25 g/L	EC	INSECTICIDE	2	045-239-1420	14-Nov-21	-	Rice	Whorl maggot, green leafhopper, brown planthopper, stemborer	20-30 ml (2-3 tbsp)/36L water	-	-	-
ZAGRO CORPORATION	CHLOPRIFOS+CYPERMETHRIN	BOMBARD 275 EC	250+25 g/L	EC	INSECTICIDE	2	045-239-1420	14-Nov-21	-	Mango	Mango hopper	20-40 ml (2.5-4 tbsp)/36L water	-	-	-
CROPKING CHEMICALS INC.	CARTAP HYDROCHLORIDE	BOLTRIN 50 SP	500 g/kg	SP	INSECTICIDE	3	065-106-1218	12-May-25	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.0-5.0 tbsp/36 L water	0.2ppm	Do not spray within 10 days before harvest	Do not enter treated field within 2 days after spraying
CROPKING CHEMICALS INC.	CARTAP HYDROCHLORIDE	BOLTRIN 50 SP	500 g/kg	SP	INSECTICIDE	3	065-106-1218	12-May-25	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0 tbsp/36L water	-	Do not spray within 10 days before harvest	Do not enter treated field within 2 days after spraying
CROPKING CHEMICALS INC.	CARTAP HYDROCHLORIDE	BOLTRIN 50 SP	500 g/kg	SP	INSECTICIDE	3	065-106-1218	12-May-25	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0 tbsp/36L water	-	Do not spray within 10 days before harvest	Do not enter treated field within 2 days after spraying
CROPKING CHEMICALS INC.	CARTAP HYDROCHLORIDE	BOLTRIN 50 SP	500 g/kg	SP	INSECTICIDE	3	065-106-1218	12-May-25	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0 tbsp/36L water	-	Do not spray within 10 days before harvest	Do not enter treated field within 2 days after spraying
CROPKING CHEMICALS INC.	CARTAP HYDROCHLORIDE	BOLTRIN 50 SP	500 g/kg	SP	INSECTICIDE	3	065-106-1218	12-May-25	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0 tbsp/36L water	-	Do not spray within 10 days before harvest	Do not enter treated field within 2 days after spraying
CROPKING CHEMICALS INC.	CARTAP HYDROCHLORIDE	BOLTRIN 50 SP	500 g/kg	SP	INSECTICIDE	3	065-106-1218	12-May-25	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0 tbsp/36L water	-	Do not spray within 10 days before harvest	Do not enter treated field within 2 days after spraying
CROPKING CHEMICALS INC.	CARTAP HYDROCHLORIDE	BOLTRIN 50 SP	500 g/kg	SP	INSECTICIDE	3	065-106-1218	12-May-25	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0 tbsp/36L water	-	Do not spray within 10 days before harvest	Do not enter treated field within 2 days after spraying
CROPKING CHEMICALS INC.	CARTAP HYDROCHLORIDE	BOLTRIN 50 SP	500 g/kg	SP	INSECTICIDE	3	065-106-1218	12-May-25	SYSTEMIC	Mango	leafhoppers	1.5-2.0 tbsp/36L water	-	Do not spray within 10 days before harvest	Do not enter treated field within 2 days after spraying
CROPKING CHEMICALS INC.	CARTAP HYDROCHLORIDE	BOLTRIN 50 SP	500 g/kg	SP	INSECTICIDE	3	065-106-1218	12-May-25	SYSTEMIC	Pechay	looper, cutworm, aphids	1.5-3.0 tbsp/36L water	-	Do not spray within 10 days before harvest	Do not enter treated field within 2 days after spraying
AGRO IRIIS PHILIPPINES, INC.	PIVETROZINE	BOLEZIN 50 WG	500 g/L	WP	INSECTICIDE	4	762-307-6964	7-Jan-26	-	Mango	leafhoppers	80 g/ 200L	-	No PHI proposed as the product will be applied at least 20-40 days before harvest	Do not enter treated fields until spray deposits have completely dried
VETMATE FARMA CORP.	BENOMYL	BOCA 50WP	500 g/kg	WP	FUNGICIDE	4	658-167-6148	15-Nov-25	-	Beans	Powdery mildew, cercospora leaf spot	1-2 Tbsp/36L water	-	14 days	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray.
VETMATE FARMA CORP.	BENOMYL	BOCA 50WP	500 g/kg	WP	FUNGICIDE	4	658-167-6148	15-Nov-25	-	Mungbeans	Powdery mildew, cercospora leaf spot	1-2 Tbsp/36L water	-	7 days	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray.
VETMATE FARMA CORP.	BENOMYL	BOCA 50WP	500 g/kg	WP	FUNGICIDE	4	658-167-6148	15-Nov-25	-	Cabbage	Cercospora leaf spot	1-2 Tbsp/36L water	-	7 days	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray.
VETMATE FARMA CORP.	BENOMYL	BOCA 50WP	500 g/kg	WP	FUNGICIDE	4	658-167-6148	15-Nov-25	-	Calamansi	Scab	1-2 Tbsp/36L water	-	14 days	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray.
VETMATE FARMA CORP.	BENOMYL	BOCA 50WP	500 g/kg	WP	FUNGICIDE	4	658-167-6148	15-Nov-25	-	Cucumber	Powdery mildew	1-2 Tbsp/36L water	-	14 days	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray.
VETMATE FARMA CORP.	BENOMYL	BOCA 50WP	500 g/kg	WP	FUNGICIDE	4	658-167-6148	15-Nov-25	-	Ginger	Cercospora leaf spot	1-2 Tbsp/36L water	-	7 days	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray.
VETMATE FARMA CORP.	BENOMYL	BOCA 50WP	500 g/kg	WP	FUNGICIDE	4	658-167-6148	15-Nov-25	-	Grapes	Powdery mildew	1-2 Tbsp/36L water	-	14 days	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray.
VETMATE FARMA CORP.	BENOMYL	BOCA 50WP	500 g/kg	WP	FUNGICIDE	4	658-167-6148	15-Nov-25	-	Mandarin	Scab	1-2 Tbsp/36L water	-	14 days	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray.
VETMATE FARMA CORP.	BENOMYL	BOCA 50WP	500 g/kg	WP	FUNGICIDE	4	658-167-6148	15-Nov-25	-	Mango	Anthraxnose, powdery mildew	1-2 Tbsp/36L water	-	14 days	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray.
VETMATE FARMA CORP.	BENOMYL	BOCA 50WP	500 g/kg	WP	FUNGICIDE	4	658-167-6148	15-Nov-25	-	Melon	Powdery mildew	1-2 Tbsp/36L water	-	14 days	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray.
VETMATE FARMA CORP.	BENOMYL	BOCA 50WP	500 g/kg	WP	FUNGICIDE	4	658-167-6148	15-Nov-25	-	Orange	Scab	1-2 Tbsp/36L water	-	14 days	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray.

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
VETAMATE FARMA CORP.	BENDIMYL	BOCA 50WP	500 g/kg	WP	FUNGICIDE	4	658-167-6148	15-Nov-25	-	Papaya	Powdery mildew	1-2 Tbsp/36 L water	-	14 days	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or after the spray.
VETAMATE FARMA CORP.	BENDIMYL	BOCA 50WP	500 g/kg	WP	FUNGICIDE	4	658-167-6148	15-Nov-25	-	Pepper	Cercospora leaf spot	1-2 Tbsp/36 L water	-	7 days	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or after the spray.
VETAMATE FARMA CORP.	BENDIMYL	BOCA 50WP	500 g/kg	WP	FUNGICIDE	4	658-167-6148	15-Nov-25	-	Rice	Blast, sheath blight	3-4 Tbsp/36 L water	-	7 days	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or after the spray.
VETAMATE FARMA CORP.	BENDIMYL	BOCA 50WP	500 g/kg	WP	FUNGICIDE	4	658-167-6148	15-Nov-25	-	Strawberry	Cercospora leaf spot	1-2 Tbsp/36 L water	-	7 days	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or after the spray.
VETAMATE FARMA CORP.	BENDIMYL	BOCA 50WP	500 g/kg	WP	FUNGICIDE	4	658-167-6148	15-Nov-25	-	Tobacco	Leaf mold, frog eye	1-2 Tbsp/36 L water	-	7 days	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or after the spray.
VETAMATE FARMA CORP.	BENDIMYL	BOCA 50WP	500 g/kg	WP	FUNGICIDE	4	658-167-6148	15-Nov-25	CONTACT	Banana	Black sigtaka	280g/ha	-	7 days	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or after the spray.
LEADS AGRICULTURAL PRODUCTS CORPORATION	BORDEAUX MIXTURE MICRONIZED TRICALCIUM TETRACUPRIC SULFATE	BM 20 WG	200 g/kg	WG	OTHERS	4	099-444-3250	26-Dec-19	-	Pineapple	Bacterial heart rot caused by Erwinia Chrysanthemi	4.7-18.8kg/ha	-	-	-
LEADS AGRICULTURAL PRODUCTS CORPORATION	BORDEAUX MIXTURE MICRONIZED TRICALCIUM TETRACUPRIC SULFATE	BM 20 WG	770 g/kg	WG	FUNGICIDE	4	099-444-3250	11-Nov-25	-	Rice	Bacterial leaf blight	0.5-1.25 kg prod./ ha. At volume rate of 160 L/ ha. Using knapsack spray	-	-	-
LEADS AGRICULTURAL PRODUCTS CORPORATION	BORDEAUX MIXTURE MICRONIZED TRICALCIUM TETRACUPRIC SULFATE	BM 20 WG	770 g/kg	WG	FUNGICIDE	4	099-444-3250	11-Nov-25	-	Mango	Anthracoese	5.5-16.38 Tbsp/36 L water	-	-	-
LEADS AGRICULTURAL PRODUCTS CORPORATION	BORDEAUX MIXTURE MICRONIZED TRICALCIUM TETRACUPRIC SULFATE	BM 20 WGS	770 g/kg	WG	FUNGICIDE	4	099-444-3250	11-Nov-25	-	Cacao	Black pod	5.5-16.38 Tbsp/36 L water	-	-	-
LEADS AGRICULTURAL PRODUCTS CORPORATION	BORDEAUX MIXTURE MICRONIZED TRICALCIUM TETRACUPRIC SULFATE	BM 20 WG	770 g/kg	WG	FUNGICIDE	4	099-444-3250	11-Nov-25	-	Coffee	leaf rust, coffee berry disease	5.5-16.38 Tbsp/36 L water	-	-	-
LEADS AGRICULTURAL PRODUCTS CORPORATION	BORDEAUX MIXTURE MICRONIZED TRICALCIUM TETRACUPRIC SULFATE	BM 20 WG	770 g/kg	WG	FUNGICIDE	4	099-444-3250	11-Nov-25	-	Citrus	Melanose, scab, canker, fruit rot, brown and black spot	5.5-16.38 Tbsp/36 L water	-	-	-
LEADS AGRICULTURAL PRODUCTS CORPORATION	BORDEAUX MIXTURE MICRONIZED TRICALCIUM TETRACUPRIC SULFATE	BM 20 WGS	770 g/kg	WG	FUNGICIDE	4	099-444-3250	11-Nov-25	-	Tomato	Early blight, fruit rot, downey mildew, Septoria	5.5-16.38 Tbsp/36 L water	-	-	-
LEADS AGRICULTURAL PRODUCTS CORPORATION	BORDEAUX MIXTURE MICRONIZED TRICALCIUM TETRACUPRIC SULFATE	BM 20 WG	770 g/kg	WG	FUNGICIDE	4	099-444-3250	11-Nov-25	-	Cabbage	Black rot, black leaf spot	5.5-16.38 Tbsp/36 L water	-	-	-
LEADS AGRICULTURAL PRODUCTS CORPORATION	BORDEAUX MIXTURE MICRONIZED TRICALCIUM TETRACUPRIC SULFATE	BM 20 WGS	770 g/kg	WG	FUNGICIDE	4	099-444-3250	11-Nov-25	-	Carrot	Carrot blight	5.5-16.38 Tbsp/36 L water	-	-	-
LEADS AGRICULTURAL PRODUCTS CORPORATION	BORDEAUX MIXTURE MICRONIZED TRICALCIUM TETRACUPRIC SULFATE	BM 20 WG	770 g/kg	WG	FUNGICIDE	4	099-444-3250	11-Nov-25	-	Onion	Purple blotch, downey mildew	5.5-16.38 Tbsp/36 L water	-	-	-
LEADS AGRICULTURAL PRODUCTS CORPORATION	BORDEAUX MIXTURE MICRONIZED TRICALCIUM TETRACUPRIC SULFATE	BM 20 WG	770 g/kg	WG	FUNGICIDE	4	099-444-3250	11-Nov-25	-	Garlic	Purple blotch, downey mildew	5.5-16.38 Tbsp/36 L water	-	-	-
LEADS AGRICULTURAL PRODUCTS CORPORATION	BORDEAUX MIXTURE MICRONIZED TRICALCIUM TETRACUPRIC SULFATE	BM 20 WG	770 g/kg	WG	FUNGICIDE	4	099-444-3250	11-Nov-25	-	Beans	Rust, bacterial blight	5.5-16.38 Tbsp/36 L water	-	-	-
LA TRINIDAD SUNRISE	MANCOZEB	BULIZATE 800	800 g/kg	WP	FUNGICIDE	4	554-053-3444	09-Jul-21	-	Potato	Early and late blight	3-6 Tbsp/36 L water	-	4 days	As soon as spray dries
LA TRINIDAD SUNRISE	MANCOZEB	BULIZATE 800	800 g/kg	WP	FUNGICIDE	4	554-053-3444	09-Jul-21	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries
LA TRINIDAD SUNRISE	MANCOZEB	BULIZATE 800	800 g/kg	WP	FUNGICIDE	4	554-053-3444	09-Jul-21	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries
LA TRINIDAD SUNRISE	MANCOZEB	BULIZATE 800	800 g/kg	WP	FUNGICIDE	4	554-053-3444	09-Jul-21	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries
LA TRINIDAD SUNRISE	MANCOZEB	BULIZATE 800	800 g/kg	WP	FUNGICIDE	4	554-053-3444	09-Jul-21	-	Celery	Late blight	3-6 Tbsp/36 L water	-	14 days	As soon as spray dries
LA TRINIDAD SUNRISE	MANCOZEB	BULIZATE 800	800 g/kg	WP	FUNGICIDE	4	554-053-3444	09-Jul-21	-	Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
LA TRINIDAD SUNRISE	MANCOZEB	BULIZATE 800	800 g/kg	WP	FUNGICIDE	4	554-053-3444	09-Jul-21	-	Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
LA TRINIDAD SUNRISE	MANCOZEB	BULIZATE 800	800 g/kg	WP	FUNGICIDE	4	554-053-3444	09-Jul-21	-	Cotton	Damping off	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
LA TRINIDAD SUNRISE	MANCOZEB	BULIZATE 800	800 g/kg	WP	FUNGICIDE	4	554-053-3444	09-Jul-21	-	Lettuce	Downy mildew	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries
LA TRINIDAD SUNRISE	MANCOZEB	BULIZATE 800	800 g/kg	WP	FUNGICIDE	4	554-053-3444	09-Jul-21	-	Beans	Anthracoese, Downy mildew, Rust	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
LA TRINIDAD SUNRISE	MANCOZEB	BULIZATE 800	800 g/kg	WP	FUNGICIDE	4	554-053-3444	09-Jul-21	-	Peas	Anthracoese, Downy mildew, Rust	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
LA TRINIDAD SUNRISE	MANCOZEB	BULIZATE 800	800 g/kg	WP	FUNGICIDE	4	554-053-3444	09-Jul-21	-	Mango	Anthracoese, Downy mildew, Rust	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
LA TRINIDAD SUNRISE	MANCOZEB	BULIZATE 800	800 g/kg	WP	FUNGICIDE	4	554-053-3444	09-Jul-21	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
LA TRINIDAD SUNRISE	MANCOZEB	BULIZATE 800	800 g/kg	WP	FUNGICIDE	4	554-053-3444	09-Jul-21	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
LA TRINIDAD SUNRISE	MANCOZEB	BULIZATE 800	800 g/kg	WP	FUNGICIDE	4	554-053-3444	09-Jul-21	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries
LA TRINIDAD SUNRISE	MANCOZEB	BULIZATE 800	800 g/kg	WP	FUNGICIDE	4	554-053-3444	09-Jul-21	-	Pepper	Anthracoese	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries
LA TRINIDAD SUNRISE	MANCOZEB	BULIZATE 800	800 g/kg	WP	FUNGICIDE	4	554-053-3444	09-Jul-21	-	Chili	Anthracoese	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries
LA TRINIDAD SUNRISE	MANCOZEB	BULIZATE 800	800 g/kg	WP	FUNGICIDE	4	554-053-3444	09-Jul-21	-	eggplant	Blight, Anthracnose	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries
LA TRINIDAD SUNRISE	MANCOZEB	BULIZATE 800	800 g/kg	WP	FUNGICIDE	4	554-053-3444	09-Jul-21	-	Banana	Sigtoka, Black leaf streak	3-6 Tbsp/36 L water	-	10-12 days	As soon as spray dries
LA TRINIDAD SUNRISE	MANCOZEB	BULIZATE 800	800 g/kg	WP	FUNGICIDE	4	554-053-3444	09-Jul-21	-	Grapes	Downy mildew, black rot	3-6 Tbsp/36 L water	-	60 days	As soon as spray dries
LA TRINIDAD SUNRISE	MANCOZEB	BULIZATE 800	800 g/kg	WP	FUNGICIDE	4	554-053-3444	09-Jul-21	-	Mango	Anthracoese and Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
LA TRINIDAD SUNRISE	MANCOZEB	BULIZATE 800	800 g/kg	WP	FUNGICIDE	4	554-053-3444	09-Jul-21	-	Papaya	Fruit rot	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
LA TRINIDAD SUNRISE	MANCOZEB	BULIZATE 800	800 g/kg	WP	FUNGICIDE	4	554-053-3444	09-Jul-21	-	Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
LA TRINIDAD SUNRISE	MANCOZEB	BULIZATE 800	800 g/kg	WP	FUNGICIDE	4	554-053-3444	09-Jul-21	-	Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
LA TRINIDAD SUNRISE	MANCOZEB	BULIZATE 800	800 g/kg	WP	FUNGICIDE	4	554-053-3444	09-Jul-21	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries
LA TRINIDAD SUNRISE	MANCOZEB	BULIZATE 800	800 g/kg	WP	FUNGICIDE	4	554-053-3444	09-Jul-21	-	Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/36 L water	0.02ppm	5 days	As soon as spray dries
LA TRINIDAD SUNRISE	MANCOZEB	BULIZATE 800	800 g/kg	WP	FUNGICIDE	4	554-053-3444	09-Jul-21	-	Peanut	Cercospora leaf spot	3-6 Tbsp/36 L water	-	14 days	As soon as spray dries
LA TRINIDAD SUNRISE	MANCOZEB	BULIZATE 800	800 g/kg	WP	FUNGICIDE	4	554-053-3444	09-Jul-21	-	Soybeans	Leaf rust	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
LA TRINIDAD SUNRISE	MANCOZEB	BULIZATE 800	800 g/kg	WP	FUNGICIDE	4	554-053-3444	09-Jul-21	-	Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
FLAGLEAF AGR PHILIPPINES, INC.	CARTAP HYDROCHLORIDE	BLUTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	564-106-3605	27-Nov-18	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	1.0-5.0Tbsp/36 L water	0.2ppm	Do not spray within 10 days before harvest.	Do not enter treated field within 2 days after spraying.
FLAGLEAF AGR PHILIPPINES, INC.	CARTAP HYDROCHLORIDE	BLUTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	564-106-3605	27-Nov-18	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/36 L water	-	Do not spray within 10 days before harvest.	Do not enter treated field within 2 days after spraying.
FLAGLEAF AGR PHILIPPINES, INC.	CARTAP HYDROCHLORIDE	BLUTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	564-106-3605	27-Nov-18	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/36 L water	-	Do not spray within 10 days before harvest.	Do not enter treated field within 2 days after spraying.
FLAGLEAF AGR PHILIPPINES, INC.	CARTAP HYDROCHLORIDE	BLUTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	564-106-3605	27-Nov-18	SYSTEMIC	Cucarbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/36 L water	-	Do not spray within 10 days before harvest.	Do not enter treated field within 2 days after spraying.
FLAGLEAF AGR PHILIPPINES, INC.	CARTAP HYDROCHLORIDE	BLUTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	564-106-3605	27-Nov-18	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/36 L water	-	Do not spray within 10 days before harvest.	Do not enter treated field within 2 days after spraying.
FLAGLEAF AGR PHILIPPINES, INC.	CARTAP HYDROCHLORIDE	BLUTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	564-106-3605	27-Nov-18	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/36 L water	-	Do not spray within 10 days before harvest.	Do not enter treated field within 2 days after spraying.
FLAGLEAF AGR PHILIPPINES, INC.	CARTAP HYDROCHLORIDE	BLUTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	564-106-3605	27-Nov-18	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/36 L water	-	Do not spray within 10 days before harvest.	Do not enter treated field within 2 days after spraying.
FLAGLEAF AGR PHILIPPINES, INC.	CARTAP HYDROCHLORIDE	BLUTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	564-106-3605	27-Nov-18	SYSTEMIC	Mango	leafhoppers	1.5-2.0Tbsp/36 L water	-	Do not spray within 10 days before harvest.	Do not enter treated field within 2 days after spraying.

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD	
FLAGSHIP AGR PHILIPPINES, INC.	CAPTAN HYDROCHLORIDE	BULUTAP 501P	500 g/kg	SP	INSECTICIDE	3	166-106-3605	27-Nov-18	SYSTEMIC	Pechay	Looper, cutworm, aphids	1.5-3.0Tbsp/36 L water	-	-	Do not spray within 10 days before harvest.	Do not enter treated field within 2 days after spraying.
PLANTCARE TRADING CORPORATION	BLUEMER BOWP	BLUEMER BOWP	800 g/kg	WP	FUNGICIDE	4	495-051-6070	27-Feb-26	-	Potato	Early and late blight	3-6 Tbsp/36 L water	-	-	-	-
PLANTCARE TRADING CORPORATION	BLUEMER BOWP	BLUEMER BOWP	800 g/kg	WP	FUNGICIDE	4	495-051-6070	27-Feb-26	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	-	7 Days	-
PLANTCARE TRADING CORPORATION	BLUEMER BOWP	BLUEMER BOWP	800 g/kg	WP	FUNGICIDE	4	495-051-6070	27-Feb-26	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	-	7 Days	-
PLANTCARE TRADING CORPORATION	BLUEMER BOWP	BLUEMER BOWP	800 g/kg	WP	FUNGICIDE	4	495-051-6070	27-Feb-26	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	-	7 Days	-
PLANTCARE TRADING CORPORATION	BLUEMER BOWP	BLUEMER BOWP	800 g/kg	WP	FUNGICIDE	4	495-051-6070	27-Feb-26	-	Celery	Late blight	3-6 Tbsp/36 L water	-	-	14 days	-
PLANTCARE TRADING CORPORATION	BLUEMER BOWP	BLUEMER BOWP	800 g/kg	WP	FUNGICIDE	4	495-051-6070	27-Feb-26	-	Cucumber	Downy mildew, anthracnose, scab	3-6 Tbsp/36 L water	-	-	5 days	-
PLANTCARE TRADING CORPORATION	BLUEMER BOWP	BLUEMER BOWP	800 g/kg	WP	FUNGICIDE	4	495-051-6070	27-Feb-26	-	Squash	Downy mildew, anthracnose, scab	3-6 Tbsp/36 L water	-	-	5 days	-
PLANTCARE TRADING CORPORATION	BLUEMER BOWP	BLUEMER BOWP	800 g/kg	WP	FUNGICIDE	4	495-051-6070	27-Feb-26	-	Cotton	Damping off	3-6 Tbsp/36 L water	-	-	-	-
PLANTCARE TRADING CORPORATION	BLUEMER BOWP	BLUEMER BOWP	800 g/kg	WP	FUNGICIDE	4	495-051-6070	27-Feb-26	-	Lettuce	Downy mildew	3-6 Tbsp/36 L water	-	-	7 Days	-
PLANTCARE TRADING CORPORATION	BLUEMER BOWP	BLUEMER BOWP	800 g/kg	WP	FUNGICIDE	4	495-051-6070	27-Feb-26	-	Beans	Anthracoese, Downy Mildew, Rust	3-6 Tbsp/36 L water	-	-	5 days	-
PLANTCARE TRADING CORPORATION	BLUEMER BOWP	BLUEMER BOWP	800 g/kg	WP	FUNGICIDE	4	495-051-6070	27-Feb-26	-	Peas	Anthracoese, Downy Mildew, Rust	3-6 Tbsp/36 L water	-	-	5 days	-
PLANTCARE TRADING CORPORATION	BLUEMER BOWP	BLUEMER BOWP	800 g/kg	WP	FUNGICIDE	4	495-051-6070	27-Feb-26	-	Mungo	Anthracoese, Downy Mildew, Rust	3-6 Tbsp/36 L water	-	-	5 days	-
PLANTCARE TRADING CORPORATION	BLUEMER BOWP	BLUEMER BOWP	800 g/kg	WP	FUNGICIDE	4	495-051-6070	27-Feb-26	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/36 L water	-	-	5 days	-
PLANTCARE TRADING CORPORATION	BLUEMER BOWP	BLUEMER BOWP	800 g/kg	WP	FUNGICIDE	4	495-051-6070	27-Feb-26	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36 L water	-	-	7 Days	-
PLANTCARE TRADING CORPORATION	BLUEMER BOWP	BLUEMER BOWP	800 g/kg	WP	FUNGICIDE	4	495-051-6070	27-Feb-26	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36 L water	-	-	7 Days	-
PLANTCARE TRADING CORPORATION	BLUEMER BOWP	BLUEMER BOWP	800 g/kg	WP	FUNGICIDE	4	495-051-6070	27-Feb-26	-	Pepper	Anthracoese	3-6 Tbsp/36 L water	-	-	7 days	-
PLANTCARE TRADING CORPORATION	BLUEMER BOWP	BLUEMER BOWP	800 g/kg	WP	FUNGICIDE	4	495-051-6070	27-Feb-26	-	Chili	Anthracoese	3-6 Tbsp/36 L water	-	-	7 Days	-
PLANTCARE TRADING CORPORATION	BLUEMER BOWP	BLUEMER BOWP	800 g/kg	WP	FUNGICIDE	4	495-051-6070	27-Feb-26	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/36 L water	-	-	7 Days	-
PLANTCARE TRADING CORPORATION	BLUEMER BOWP	BLUEMER BOWP	800 g/kg	WP	FUNGICIDE	4	495-051-6070	27-Feb-26	-	Banana	Sigatoka, Black leaf streak	3-6 Tbsp/36 L water	-	-	-	-
PLANTCARE TRADING CORPORATION	BLUEMER BOWP	BLUEMER BOWP	800 g/kg	WP	FUNGICIDE	4	495-051-6070	27-Feb-26	-	Grapes	Downy mildew, black rot	3-6 Tbsp/36 L water	-	-	60 days	-
PLANTCARE TRADING CORPORATION	BLUEMER BOWP	BLUEMER BOWP	800 g/kg	WP	FUNGICIDE	4	495-051-6070	27-Feb-26	-	Mango	Anthracoese and Scab	3-6 Tbsp/36 L water	-	-	5 days	-
PLANTCARE TRADING CORPORATION	BLUEMER BOWP	BLUEMER BOWP	800 g/kg	WP	FUNGICIDE	4	495-051-6070	27-Feb-26	-	Papaya	Fruit rot	3-6 Tbsp/36 L water	-	-	-	-
PLANTCARE TRADING CORPORATION	BLUEMER BOWP	BLUEMER BOWP	800 g/kg	WP	FUNGICIDE	4	495-051-6070	27-Feb-26	-	Melon	Downy mildew, anthracnose, scab	3-6 Tbsp/36 L water	-	-	5 days	-
PLANTCARE TRADING CORPORATION	BLUEMER BOWP	BLUEMER BOWP	800 g/kg	WP	FUNGICIDE	4	495-051-6070	27-Feb-26	-	Watermelon	Downy mildew, anthracnose, scab	3-6 Tbsp/36 L water	-	-	5 days	-
PLANTCARE TRADING CORPORATION	BLUEMER BOWP	BLUEMER BOWP	800 g/kg	WP	FUNGICIDE	4	495-051-6070	27-Feb-26	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/36 L water	-	-	7 Days	-
PLANTCARE TRADING CORPORATION	BLUEMER BOWP	BLUEMER BOWP	800 g/kg	WP	FUNGICIDE	4	495-051-6070	27-Feb-26	-	Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/36 L water	-	-	-	-
PLANTCARE TRADING CORPORATION	BLUEMER BOWP	BLUEMER BOWP	800 g/kg	WP	FUNGICIDE	4	495-051-6070	27-Feb-26	-	Peanut	Cercospora leaf spot	3-6 Tbsp/36 L water	-	-	14 days	-
PLANTCARE TRADING CORPORATION	BLUEMER BOWP	BLUEMER BOWP	800 g/kg	WP	FUNGICIDE	4	495-051-6070	27-Feb-26	-	Soybeans	Leaf rust	3-6 Tbsp/36 L water	-	-	-	-
PLANTCARE TRADING CORPORATION	BLUEMER BOWP	BLUEMER BOWP	800 g/kg	WP	FUNGICIDE	4	495-051-6070	27-Feb-26	-	Ornamentals	Black spot, blight anthracnose	3-6 Tbsp/36 L water	-	-	-	-
INTERNATIONAL VETERINARY & AGROCHEMICAL (VA), INC.	BP4MC-CHLORPYRIFOS	BUDAN PLUS 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	088-174-2879	27-Dec-24	-	Rice	Stemborer, armyworm, leafhopper, caseworm and planthopper	2.5-3.5 Tbsp/36L water	-	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
INTERNATIONAL VETERINARY & AGROCHEMICAL (VA), INC.	BP4MC-CHLORPYRIFOS	BUDAN PLUS 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	088-174-2879	27-Dec-24	-	Corn	Seeding maggot, corn earworm, cornborer and armyworm	2.5-3.5 Tbsp/36L water	-	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
INTERNATIONAL VETERINARY & AGROCHEMICAL (VA), INC.	BP4MC-CHLORPYRIFOS	BUDAN PLUS 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	088-174-2879	27-Dec-24	-	Tobacco	Budworm, grasshopper, aphid, cutworm and armyworm	2.5-3.5 Tbsp/36L water	-	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
INTERNATIONAL VETERINARY & AGROCHEMICAL (VA), INC.	BP4MC-CHLORPYRIFOS	BUDAN PLUS 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	088-174-2879	27-Dec-24	-	Cucurbits	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/36L water	-	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
INTERNATIONAL VETERINARY & AGROCHEMICAL (VA), INC.	BP4MC-CHLORPYRIFOS	BUDAN PLUS 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	088-174-2879	27-Dec-24	-	Melon	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/36L water	-	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
INTERNATIONAL VETERINARY & AGROCHEMICAL (VA), INC.	BP4MC-CHLORPYRIFOS	BUDAN PLUS 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	088-174-2879	27-Dec-24	-	Watermelon	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/36L water	-	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
INTERNATIONAL VETERINARY & AGROCHEMICAL (VA), INC.	BP4MC-CHLORPYRIFOS	BUDAN PLUS 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	088-174-2879	27-Dec-24	-	Onion	Thrips, cutworm	2.5-3.5 Tbsp/36L water	-	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
INTERNATIONAL VETERINARY & AGROCHEMICAL (VA), INC.	BP4MC-CHLORPYRIFOS	BUDAN PLUS 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	088-174-2879	27-Dec-24	-	Mungbean	Beetfly, armyworm, cutworm, leafminer and leaf folder	2.5-3.5 Tbsp/36L water	-	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
INTERNATIONAL VETERINARY & AGROCHEMICAL (VA), INC.	BP4MC-CHLORPYRIFOS	BUDAN PLUS 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	088-174-2879	27-Dec-24	-	Soybeans	Beetfly, armyworm, cutworm, leafminer and leaf folder	2.5-3.5 Tbsp/36L water	-	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
INTERNATIONAL VETERINARY & AGROCHEMICAL (VA), INC.	BP4MC-CHLORPYRIFOS	BUDAN PLUS 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	088-174-2879	27-Dec-24	-	Beans	Beetfly, armyworm, cutworm, leafminer and leaf folder	2.5-3.5 Tbsp/36L water	-	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
INTERNATIONAL VETERINARY & AGROCHEMICAL (VA), INC.	CHLORPYRIFOS	BUDAN 300 EC	300 g/L	EC	INSECTICIDE	2	088-101-2862	16-Aug-23	-	Rice	Stemborer, armyworm, leafhopper, caseworm, planthopper, cutworm	2.5-3.5 Tbsp/36L water	-	-	-	-
INTERNATIONAL VETERINARY & AGROCHEMICAL (VA), INC.	CHLORPYRIFOS	BUDAN 300 EC	300 g/L	EC	INSECTICIDE	2	088-101-2862	16-Aug-23	-	Potato	Tubermoth, leafhopper, cutworm, aphids	2.5-3.5 Tbsp/36L water	-	-	-	-
INTERNATIONAL VETERINARY & AGROCHEMICAL (VA), INC.	CHLORPYRIFOS	BUDAN 300 EC	300 g/L	EC	INSECTICIDE	2	088-101-2862	16-Aug-23	-	Corn	Armyworm, cornborer, earworm, seedling maggots	2.5-3.5 Tbsp/36L water	-	-	-	-
INTERNATIONAL VETERINARY & AGROCHEMICAL (VA), INC.	CHLORPYRIFOS	BUDAN 300 EC	300 g/L	EC	INSECTICIDE	2	088-101-2862	16-Aug-23	-	Beans	Beetfly, leafroller, podborer, cutworm, armyworm	2.5-3.5 Tbsp/36L water	-	-	-	-
BERRIS AGRICULTURAL CO., INC.	COPPER HYDROXIDE	BLUCOP 77% WP	770g/kg	WP	FUNGICIDE	3	213-006-4620	15-Jan-22	-	Banana	Sigatoka, finger rot,com rot	2.6-6.0 Tbsp/36L water	-	-	7 days from last spray until harvest.	Do not enter treated area until spray has dried.
BERRIS AGRICULTURAL CO., INC.	COPPER HYDROXIDE	BLUCOP 77% WP	770g/kg	WP	FUNGICIDE	3	213-006-4620	15-Jan-22	-	Beans	Rust,bacterial blight	2.6-6.0 Tbsp/36L water	-	-	7 days from last spray until harvest.	Do not enter treated area until spray has dried.
BERRIS AGRICULTURAL CO., INC.	COPPER HYDROXIDE	BLUCOP 77% WP	770g/kg	WP	FUNGICIDE	3	213-006-4620	15-Jan-22	-	Cabbage	Black rot, black leaf spot	2.6-6.0 Tbsp/36L water	-	-	7 days from last spray until harvest.	Do not enter treated area until spray has dried.
BERRIS AGRICULTURAL CO., INC.	COPPER HYDROXIDE	BLUCOP 77% WP	770g/kg	WP	FUNGICIDE	3	213-006-4620	15-Jan-22	-	Cacao	Black pod	2.6-6.0 Tbsp/36L water	-	-	7 days from last spray until harvest.	Do not enter treated area until spray has dried.
BERRIS AGRICULTURAL CO., INC.	COPPER HYDROXIDE	BLUCOP 77% WP	770g/kg	WP	FUNGICIDE	3	213-006-4620	15-Jan-22	-	Carrot	Carrot blight,Alternaria	2.6-6.0 Tbsp/36L water	-	-	7 days from last spray until harvest.	Do not enter treated area until spray has dried.
BERRIS AGRICULTURAL CO., INC.	COPPER HYDROXIDE	BLUCOP 77% WP	770g/kg	WP	FUNGICIDE	3	213-006-4620	15-Jan-22	-	Celery	Early and late blight	2.6-6.0 Tbsp/36L water	-	-	7 days from last spray until harvest.	Do not enter treated area until spray has dried.
BERRIS AGRICULTURAL CO., INC.	COPPER HYDROXIDE	BLUCOP 77% WP	770g/kg	WP	FUNGICIDE	3	213-006-4620	15-Jan-22	-	Citrus	Meianose,scab, canker, fruit rot, brown and black spot	2.6-6.0 Tbsp/36L water	-	-	7 days from last spray until harvest.	Do not enter treated area until spray has dried.
BERRIS AGRICULTURAL CO., INC.	COPPER HYDROXIDE	BLUCOP 77% WP	770g/kg	WP	FUNGICIDE	3	213-006-4620	15-Jan-22	-	Coffee	Leaf rust, coffee berry disease	2.6-6.0 Tbsp/36L water	-	-	7 days from last spray until harvest.	Do not enter treated area until spray has dried.
BERRIS AGRICULTURAL CO., INC.	COPPER HYDROXIDE	BLUCOP 77% WP	770g/kg	WP	FUNGICIDE	3	213-006-4620	15-Jan-22	-	Cucumber	Anthracoese, septoria, cercospora, fruit rot, downy mildew	2.6-6.0 Tbsp/36L water	-	-	7 days from last spray until harvest.	Do not enter treated area until spray has dried.
BERRIS AGRICULTURAL CO., INC.	COPPER HYDROXIDE	BLUCOP 77% WP	770g/kg	WP	FUNGICIDE	3	213-006-4620	15-Jan-22	-	Grapes	Black rot,downy and powdery mildew	2.6-6.0 Tbsp/36L water	-	-	7 days from last spray until harvest.	Do not enter treated area until spray has dried.
BERRIS AGRICULTURAL CO., INC.	COPPER HYDROXIDE	BLUCOP 77% WP	770g/kg	WP	FUNGICIDE	3	213-006-4620	15-Jan-22	-	Mango	Anthracoese	2.6-6.0 Tbsp/36L water	-	-	7 days from last spray until harvest.	Do not enter treated area until spray has dried.
BERRIS AGRICULTURAL CO., INC.	COPPER HYDROXIDE	BLUCOP 77% WP	770g/kg	WP	FUNGICIDE	3	213-006-4620	15-Jan-22	-	Onion	Purple blotch, downy mildew	2.6-6.0 Tbsp/36L water	-	-	7 days from last spray until harvest.	Do not enter treated area until spray has dried.

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD	
BERRIS AGRICULTURAL CO., INC.	COPPER HYDROXIDE	BLUCOP 77% WP	770g/kg	WP	FUNGICIDE	3	233-006-4020	15-Jan-22		Garlic	Purple blotch, downy mildew	2.6-6.0 Tbsp/36L water		7 days from last spray until harvest.	Do not enter treated area until spray has dried.	
BERRIS AGRICULTURAL CO., INC.	COPPER HYDROXIDE	BLUCOP 77% WP	770g/kg	WP	FUNGICIDE	3	233-006-4020	15-Jan-22		Pepper	Bacterial spot	2.6-6.0 Tbsp/36L water		7 days from last spray until harvest.	Do not enter treated area until spray has dried.	
BERRIS AGRICULTURAL CO., INC.	COPPER HYDROXIDE	BLUCOP 77% WP	770g/kg	WP	FUNGICIDE	3	233-006-4020	15-Jan-22		Potato	Early and late blight	2.6-6.0 Tbsp/36L water		7 days from last spray until harvest.	Do not enter treated area until spray has dried.	
BERRIS AGRICULTURAL CO., INC.	COPPER HYDROXIDE	BLUCOP 77% WP	770g/kg	WP	FUNGICIDE	3	233-006-4020	15-Jan-22		Rice	Bacterial blight,rice blast,sheath blight,bacterial leaf streak	2.6-6.0 Tbsp/36L water		7 days from last spray until harvest.	Do not enter treated area until spray has dried.	
BERRIS AGRICULTURAL CO., INC.	COPPER HYDROXIDE	BLUCOP 77% WP	770g/kg	WP	FUNGICIDE	3	233-006-4020	15-Jan-22		Tomato	Early blight, fruit rot septoria, downy mildew	2.6-6.0 Tbsp/36L water		7 days from last spray until harvest.	Do not enter treated area until spray has dried.	
BERRIS AGRICULTURAL CO., INC.	COPPER HYDROXIDE	BLUCOP 77% WP	770g/kg	WP	FUNGICIDE	3	233-006-4020	15-Jan-22		Watermelon	Anthraxnose, fruit rot	2.6-6.0 Tbsp/36L water		7 days from last spray until harvest.	Do not enter treated area until spray has dried.	
AGSMART CORPORATION	METHOMYL	BLUBOLO 40 SP	400 g/kg	SP	INSECTICIDE	2	680-164-5603	23-Nov-24	CONTACT	Asparagus	Armyworm, cutworm	2.0-2.5 Tbsp/36 L sprayer			Do not enter fields treated with LANNATE within 12 hours after application	
AGSMART CORPORATION	METHOMYL	BLUBOLO 40 SP	400 g/kg	SP	INSECTICIDE	2	680-164-5603	23-Nov-24	CONTACT	Banana	Thrips	3.5-4.5 Tbsp/36 L sprayer			Do not enter fields treated with LANNATE within 12 hours after application	
AGSMART CORPORATION	METHOMYL	BLUBOLO 40 SP	400 g/kg	SP	INSECTICIDE	2	680-164-5603	23-Nov-24	CONTACT	Beans	Leafroller, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/36 L sprayer			Do not enter fields treated with LANNATE within 12 hours after application	
AGSMART CORPORATION	METHOMYL	BLUBOLO 40 SP	400 g/kg	SP	INSECTICIDE	2	680-164-5603	23-Nov-24	CONTACT	Mungbeans	Leafroller, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/36 L sprayer			Do not enter fields treated with LANNATE within 12 hours after application	
AGSMART CORPORATION	METHOMYL	BLUBOLO 40 SP	400 g/kg	SP	INSECTICIDE	2	680-164-5603	23-Nov-24	CONTACT	Soybeans	Leafroller, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/36 L sprayer			Do not enter fields treated with LANNATE within 12 hours after application	
AGSMART CORPORATION	METHOMYL	BLUBOLO 40 SP	400 g/kg	SP	INSECTICIDE	2	680-164-5603	23-Nov-24	CONTACT	Sitao	Leafroller, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/36 L sprayer			Do not enter fields treated with LANNATE within 12 hours after application	
AGSMART CORPORATION	METHOMYL	BLUBOLO 40 SP	400 g/kg	SP	INSECTICIDE	2	680-164-5603	23-Nov-24	CONTACT	Corn	Comborer, earworm	2.0-3.5 Tbsp/36 L sprayer			Do not enter fields treated with LANNATE within 12 hours after application	
AGSMART CORPORATION	METHOMYL	BLUBOLO 40 SP	400 g/kg	SP	INSECTICIDE	2	680-164-5603	23-Nov-24	CONTACT	Sorghum	Comborer,earworm	2.0-3.5 Tbsp/36 L sprayer			Do not enter fields treated with LANNATE within 12 hours after application	
AGSMART CORPORATION	METHOMYL	BLUBOLO 40 SP	400 g/kg	SP	INSECTICIDE	2	680-164-5603	23-Nov-24	CONTACT	Eggplant	Aphids, flea beetle , fruitworm, lady beetle	2.0-3.5 Tbsp/36 L sprayer			Do not enter fields treated with LANNATE within 12 hours after application	
AGSMART CORPORATION	METHOMYL	BLUBOLO 40 SP	400 g/kg	SP	INSECTICIDE	2	680-164-5603	23-Nov-24	CONTACT	Melon	Aphids, Squash beetle , leafroller	2.0-3.5 Tbsp/36 L sprayer			Do not enter fields treated with LANNATE within 12 hours after application	
AGSMART CORPORATION	METHOMYL	BLUBOLO 40 SP	400 g/kg	SP	INSECTICIDE	2	680-164-5603	23-Nov-24	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leafroller	2.0-3.5 Tbsp/36 L sprayer			Do not enter fields treated with LANNATE within 12 hours after application	
AGSMART CORPORATION	METHOMYL	BLUBOLO 40 SP	400 g/kg	SP	INSECTICIDE	2	680-164-5603	23-Nov-24	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	2.0-3.5 Tbsp/36 L sprayer			Do not enter fields treated with LANNATE within 12 hours after application	
AGSMART CORPORATION	METHOMYL	BLUBOLO 40 SP	400 g/kg	SP	INSECTICIDE	2	680-164-5603	23-Nov-24	CONTACT	Tomato	Tomato fruitworm, aphids	2.0-3.5 Tbsp/36 L sprayer			Do not enter fields treated with LANNATE within 12 hours after application	
ZAGRO CORPORATION	BUTACHLOR-2,4-D IBE	BLDG 60 EC	360-240 g/L	EC	HERBICIDE	3	049-152-2435	02-Sep-24	PRE-EMERGENT	Rice (Direct-seeded)	Broadleaf weeds,grasses & sedges	6-20Tbsp/36 L sprayload	Butachlor 0.1ppm	-	-	
ZAGRO CORPORATION	BUTACHLOR-2,4-D IBE	BLDG 60 EC	360-240 g/L	EC	HERBICIDE	3	049-152-2435	02-Sep-24	PRE-EMERGENT	Rice (Transplanted)	Broadleaf weeds,grasses & sedges	6-20Tbsp/36 L sprayload	Butachlor 0.1ppm	-	-	
MINDORO SAGANA MERCHANDISING, INC.	MANCOZEB	BLOCKER 80 WP	800 g/kg	WP	FUNGICIDE	4	571-051-4082	02-Jul-25	-	Potato	Early and late blight	3-6 Tbsp/36L water	-	-	As soon as spray dries	
MINDORO SAGANA MERCHANDISING, INC.	MANCOZEB	BLOCKER 80 WP	800 g/kg	WP	FUNGICIDE	4	571-051-4082	02-Jul-25	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/36L water	-	7 Days	As soon as spray dries	
MINDORO SAGANA MERCHANDISING, INC.	MANCOZEB	BLOCKER 80 WP	800 g/kg	WP	FUNGICIDE	4	571-051-4082	02-Jul-25	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/36L water	-	7 Days	As soon as spray dries	
MINDORO SAGANA MERCHANDISING, INC.	MANCOZEB	BLOCKER 80 WP	800 g/kg	WP	FUNGICIDE	4	571-051-4082	02-Jul-25	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/36L water	-	7 Days	As soon as spray dries	
MINDORO SAGANA MERCHANDISING, INC.	MANCOZEB	BLOCKER 80 WP	800 g/kg	WP	FUNGICIDE	4	571-051-4082	02-Jul-25	-	Celery	Late blight	3-6 Tbsp/36L water	-	30 Days	As soon as spray dries	
MINDORO SAGANA MERCHANDISING, INC.	MANCOZEB	BLOCKER 80 WP	800 g/kg	WP	FUNGICIDE	4	571-051-4082	02-Jul-25	-	Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36L water	-	5 days	As soon as spray dries	
MINDORO SAGANA MERCHANDISING, INC.	MANCOZEB	BLOCKER 80 WP	800 g/kg	WP	FUNGICIDE	4	571-051-4082	02-Jul-25	-	Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36L water	-	5 days	As soon as spray dries	
MINDORO SAGANA MERCHANDISING, INC.	MANCOZEB	BLOCKER 80 WP	800 g/kg	WP	FUNGICIDE	4	571-051-4082	02-Jul-25	-	Cotton	Damping off	3-6 Tbsp/36L water	-	-	As soon as spray dries	
MINDORO SAGANA MERCHANDISING, INC.	MANCOZEB	BLOCKER 80 WP	800 g/kg	WP	FUNGICIDE	4	571-051-4082	02-Jul-25	-	Lettuce	Downy mildew	3-6 Tbsp/36L water	-	7 Days	As soon as spray dries	
MINDORO SAGANA MERCHANDISING, INC.	MANCOZEB	BLOCKER 80 WP	800 g/kg	WP	FUNGICIDE	4	571-051-4082	02-Jul-25	-	Beans	Anthraxnose, Downy mildew, Rust	3-6 Tbsp/36L water	-	5 days	As soon as spray dries	
MINDORO SAGANA MERCHANDISING, INC.	MANCOZEB	BLOCKER 80 WP	800 g/kg	WP	FUNGICIDE	4	571-051-4082	02-Jul-25	-	Peas	Anthraxnose, Downy mildew, Rust	3-6 Tbsp/36L water	-	5 days	As soon as spray dries	
MINDORO SAGANA MERCHANDISING, INC.	MANCOZEB	BLOCKER 80 WP	800 g/kg	WP	FUNGICIDE	4	571-051-4082	02-Jul-25	-	Mungo	Anthraxnose, Downy mildew, Rust	3-6 Tbsp/36L water	-	5 days	As soon as spray dries	
MINDORO SAGANA MERCHANDISING, INC.	MANCOZEB	BLOCKER 80 WP	800 g/kg	WP	FUNGICIDE	4	571-051-4082	02-Jul-25	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/36L water	-	5 days	As soon as spray dries	
MINDORO SAGANA MERCHANDISING, INC.	MANCOZEB	BLOCKER 80 WP	800 g/kg	WP	FUNGICIDE	4	571-051-4082	02-Jul-25	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36L water	-	7 days	As soon as spray dries	
MINDORO SAGANA MERCHANDISING, INC.	MANCOZEB	BLOCKER 80 WP	800 g/kg	WP	FUNGICIDE	4	571-051-4082	02-Jul-25	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36L water	-	7 days	As soon as spray dries	
MINDORO SAGANA MERCHANDISING, INC.	MANCOZEB	BLOCKER 80 WP	800 g/kg	WP	FUNGICIDE	4	571-051-4082	02-Jul-25	-	Pepper	Anthraxnose	3-6 Tbsp/36L water	-	7 days	As soon as spray dries	
MINDORO SAGANA MERCHANDISING, INC.	MANCOZEB	BLOCKER 80 WP	800 g/kg	WP	FUNGICIDE	4	571-051-4082	02-Jul-25	-	Chili	Anthraxnose	3-6 Tbsp/36L water	-	7 days	As soon as spray dries	
MINDORO SAGANA MERCHANDISING, INC.	MANCOZEB	BLOCKER 80 WP	800 g/kg	WP	FUNGICIDE	4	571-051-4082	02-Jul-25	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/36L water	-	7 days	As soon as spray dries	
MINDORO SAGANA MERCHANDISING, INC.	MANCOZEB	BLOCKER 80 WP	800 g/kg	WP	FUNGICIDE	4	571-051-4082	02-Jul-25	-	Banana	Sigatoka, Black leaf streak	3-6 Tbsp/36L water	-	-	As soon as spray dries	
MINDORO SAGANA MERCHANDISING, INC.	MANCOZEB	BLOCKER 80 WP	800 g/kg	WP	FUNGICIDE	4	571-051-4082	02-Jul-25	-	Grapes	Downy mildew, black rot	3-6 Tbsp/36L water	-	60 days	As soon as spray dries	
MINDORO SAGANA MERCHANDISING, INC.	MANCOZEB	BLOCKER 80 WP	800 g/kg	WP	FUNGICIDE	4	571-051-4082	02-Jul-25	-	Mango	Anthraxnose and Scab	3-6 Tbsp/36L water	-	5 days	As soon as spray dries	
MINDORO SAGANA MERCHANDISING, INC.	MANCOZEB	BLOCKER 80 WP	800 g/kg	WP	FUNGICIDE	4	571-051-4082	02-Jul-25	-	Papaya	Fruit rot	3-6 Tbsp/36L water	-	-	As soon as spray dries	
MINDORO SAGANA MERCHANDISING, INC.	MANCOZEB	BLOCKER 80 WP	800 g/kg	WP	FUNGICIDE	4	571-051-4082	02-Jul-25	-	Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36L water	-	5 days	As soon as spray dries	
MINDORO SAGANA MERCHANDISING, INC.	MANCOZEB	BLOCKER 80 WP	800 g/kg	WP	FUNGICIDE	4	571-051-4082	02-Jul-25	-	Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36L water	-	5 days	As soon as spray dries	
MINDORO SAGANA MERCHANDISING, INC.	MANCOZEB	BLOCKER 80 WP	800 g/kg	WP	FUNGICIDE	4	571-051-4082	02-Jul-25	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/36L water	-	7 days	As soon as spray dries	
MINDORO SAGANA MERCHANDISING, INC.	MANCOZEB	BLOCKER 80 WP	800 g/kg	WP	FUNGICIDE	4	571-051-4082	02-Jul-25	-	Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/36L water	-	-	As soon as spray dries	
MINDORO SAGANA MERCHANDISING, INC.	MANCOZEB	BLOCKER 80 WP	800 g/kg	WP	FUNGICIDE	4	571-051-4082	02-Jul-25	-	Peanut	Cercospora leaf spot	3-6 Tbsp/36L water	-	34 days	As soon as spray dries	
MINDORO SAGANA MERCHANDISING, INC.	MANCOZEB	BLOCKER 80 WP	800 g/kg	WP	FUNGICIDE	4	571-051-4082	02-Jul-25	-	Soybeans	Leaf rust	3-6 Tbsp/36L water	-	-	As soon as spray dries	
MINDORO SAGANA MERCHANDISING, INC.	MANCOZEB	BLOCKER 80 WP	800 g/kg	WP	FUNGICIDE	4	571-051-4082	02-Jul-25	-	Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/36L water	-	-	As soon as spray dries	
SINOCHEM CROP PROTECTION (PHILS.) INC.	CARTAP HYDROCHLORIDE	BUZZARD 50 SP	500 g/kg	SP	INSECTICIDE	3	432-106-2549-B	09-Feb-27	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.0-5.0Tbsp/36 L water	0.2ppm	-	The last spray application should be done 30 days before harvest	At least 48 hours after application
SINOCHEM CROP PROTECTION (PHILS.) INC.	CARTAP HYDROCHLORIDE	BUZZARD 50 SP	500 g/kg	SP	INSECTICIDE	3	432-106-2549-B	09-Feb-27	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/36 L water	-	-	The last spray application should be done 30 days before harvest	At least 48 hours after application
SINOCHEM CROP PROTECTION (PHILS.) INC.	CARTAP HYDROCHLORIDE	BUZZARD 50 SP	500 g/kg	SP	INSECTICIDE	3	432-106-2549-B	09-Feb-27	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/36 L water	-	-	The last spray application should be done 30 days before harvest	At least 48 hours after application
SINOCHEM CROP PROTECTION (PHILS.) INC.	CARTAP HYDROCHLORIDE	BUZZARD 50 SP	500 g/kg	SP	INSECTICIDE	3	432-106-2549-B	09-Feb-27	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/36 L water	-	-	The last spray application should be done 30 days before harvest	At least 48 hours after application
SINOCHEM CROP PROTECTION (PHILS.) INC.	CARTAP HYDROCHLORIDE	BUZZARD 50 SP	500 g/kg	SP	INSECTICIDE	3	432-106-2549-B	09-Feb-27	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/36 L water	-	-	The last spray application should be done 30 days before harvest	At least 48 hours after application
SINOCHEM CROP PROTECTION (PHILS.) INC.	CARTAP HYDROCHLORIDE	BUZZARD 50 SP	500 g/kg	SP	INSECTICIDE	3	432-106-2549-B	09-Feb-27	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/36 L water	-	-	The last spray application should be done 30 days before harvest	At least 48 hours after application

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
SINOCHEM CROP PROTECTION (PHILS.) INC.	CARTAP HYDROCHLORIDE	BUZZARD 50 SP	500 g/kg	SP	INSECTICIDE	3	432-106-2549-B	09-Feb-27	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0tbsp/36 l water	-	The last spray application should be done 10 days before harvest	At least 48 hours after application
SINOCHEM CROP PROTECTION (PHILS.) INC.	CARTAP HYDROCHLORIDE	BUZZARD 50 SP	500 g/kg	SP	INSECTICIDE	3	432-106-2549-B	09-Feb-27	SYSTEMIC	Mango	Leafhoppers	1.5-2.0tbsp/36 l water	-	The last spray application should be done 10 days before harvest	At least 48 hours after application
SINOCHEM CROP PROTECTION (PHILS.) INC.	CARTAP HYDROCHLORIDE	BUZZARD 50 SP	500 g/kg	SP	INSECTICIDE	3	432-106-2549-B	09-Feb-27	SYSTEMIC	Pechay	looper, cutworm, aphids	1.5-2.0tbsp/36 l water	-	The last spray application should be done 10 days before harvest	At least 48 hours after application
SYNGENTA PHILIPPINES INC.	CARTAP HYDROCHLORIDE	BUZZARD 50 SP	500 g/kg	SP	INSECTICIDE	3	011-106-2549	26-Jun-26	SYSTEMIC	Rice	Whorl maggot, stemborer, green leafhopper, brown planthopper	3.0-5.0tbsp/36 l water	-	The last spray application should be done 10 days before harvest	Do not enter the field within 2 days after spraying
SYNGENTA PHILIPPINES INC.	CARTAP HYDROCHLORIDE	BUZZARD 50 SP	500 g/kg	SP	INSECTICIDE	3	011-106-2549	26-Jun-26	SYSTEMIC	Wingbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0tbsp/36 l water	-	The last spray application should be done 10 days before harvest	Do not enter the field within 2 days after spraying
SYNGENTA PHILIPPINES INC.	CARTAP HYDROCHLORIDE	BUZZARD 50 SP	500 g/kg	SP	INSECTICIDE	3	011-106-2549	26-Jun-26	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0tbsp/36 l water	-	The last spray application should be done 10 days before harvest	Do not enter the field within 2 days after spraying
SYNGENTA PHILIPPINES INC.	CARTAP HYDROCHLORIDE	BUZZARD 50 SP	500 g/kg	SP	INSECTICIDE	3	011-106-2549	26-Jun-26	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0tbsp/36 l water	-	The last spray application should be done 10 days before harvest	Do not enter the field within 2 days after spraying
SYNGENTA PHILIPPINES INC.	CARTAP HYDROCHLORIDE	BUZZARD 50 SP	500 g/kg	SP	INSECTICIDE	3	011-106-2549	26-Jun-26	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0tbsp/36 l water	-	The last spray application should be done 10 days before harvest	Do not enter the field within 2 days after spraying
SYNGENTA PHILIPPINES INC.	CARTAP HYDROCHLORIDE	BUZZARD 50 SP	500 g/kg	SP	INSECTICIDE	3	011-106-2549	26-Jun-26	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0tbsp/36 l water	-	The last spray application should be done 10 days before harvest	Do not enter the field within 2 days after spraying
SYNGENTA PHILIPPINES INC.	CARTAP HYDROCHLORIDE	BUZZARD 50 SP	500 g/kg	SP	INSECTICIDE	3	011-106-2549	26-Jun-26	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0tbsp/36 l water	-	The last spray application should be done 10 days before harvest	Do not enter the field within 2 days after spraying
SYNGENTA PHILIPPINES INC.	CARTAP HYDROCHLORIDE	BUZZARD 50 SP	500 g/kg	SP	INSECTICIDE	3	011-106-2549	26-Jun-26	SYSTEMIC	Mango	Leafhoppers	1.5-2.0tbsp/36 l water	-	The last spray application should be done 10 days before harvest	Do not enter the field within 2 days after spraying
SYNGENTA PHILIPPINES INC.	CARTAP HYDROCHLORIDE	BUZZARD 50 SP	500 g/kg	SP	INSECTICIDE	3	011-106-2549	26-Jun-26	SYSTEMIC	Pechay	looper, cutworm, aphids	1.5-2.0tbsp/36 l water	-	The last spray application should be done 10 days before harvest	Do not enter the field within 2 days after spraying
FLAGLEAF AGR PHILIPPINES, INC.	BPfMC-CHlorPyRifOS	BUTZKRIEG 31.5 EC	210-105 g/l	EC	INSECTICIDE	2	564-174-3676	31-Mar-22	-	Rice	Stemborer, armyworm, leafhopper, caseworm and planthopper	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest.	Do not enter the field within 2 days after spraying.
FLAGLEAF AGR PHILIPPINES, INC.	BPfMC-CHlorPyRifOS	BUTZKRIEG 31.5 EC	210-105 g/l	EC	INSECTICIDE	2	564-174-3676	31-Mar-22	-	Corn	Seedling maggot, corn earworm, cornborer and armyworm	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest.	Do not enter the field within 2 days after spraying.
FLAGLEAF AGR PHILIPPINES, INC.	BPfMC-CHlorPyRifOS	BUTZKRIEG 31.5 EC	210-105 g/l	EC	INSECTICIDE	2	564-174-3676	31-Mar-22	-	Tobacco	Budworm, grasshopper, aphid, cutworm and armyworm	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest.	Do not enter the field within 2 days after spraying.
FLAGLEAF AGR PHILIPPINES, INC.	BPfMC-CHlorPyRifOS	BUTZKRIEG 31.5 EC	210-105 g/l	EC	INSECTICIDE	2	564-174-3676	31-Mar-22	-	Cucumber	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest.	Do not enter the field within 2 days after spraying.
FLAGLEAF AGR PHILIPPINES, INC.	BPfMC-CHlorPyRifOS	BUTZKRIEG 31.5 EC	210-105 g/l	EC	INSECTICIDE	2	564-174-3676	31-Mar-22	-	Melon	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest.	Do not enter the field within 2 days after spraying.
FLAGLEAF AGR PHILIPPINES, INC.	BPfMC-CHlorPyRifOS	BUTZKRIEG 31.5 EC	210-105 g/l	EC	INSECTICIDE	2	564-174-3676	31-Mar-22	-	Watermelon	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest.	Do not enter the field within 2 days after spraying.
FLAGLEAF AGR PHILIPPINES, INC.	BPfMC-CHlorPyRifOS	BUTZKRIEG 31.5 EC	210-105 g/l	EC	INSECTICIDE	2	564-174-3676	31-Mar-22	-	Onion	Thrips, cutworm	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest.	Do not enter the field within 2 days after spraying.
FLAGLEAF AGR PHILIPPINES, INC.	BPfMC-CHlorPyRifOS	BUTZKRIEG 31.5 EC	210-105 g/l	EC	INSECTICIDE	2	564-174-3676	31-Mar-22	-	Mungo	Bean podborer,aphids, beanyfly, armyworm, cutworm, leafminer and leafhopper	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest.	Do not enter the field within 2 days after spraying.
FLAGLEAF AGR PHILIPPINES, INC.	BPfMC-CHlorPyRifOS	BUTZKRIEG 31.5 EC	210-105 g/l	EC	INSECTICIDE	2	564-174-3676	31-Mar-22	-	Soybeans	Bean podborer,aphids, beanyfly, armyworm, cutworm, leafminer and leafhopper	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest.	Do not enter the field within 2 days after spraying.
FLAGLEAF AGR PHILIPPINES, INC.	BPfMC-CHlorPyRifOS	BUTZKRIEG 31.5 EC	210-105 g/l	EC	INSECTICIDE	2	564-174-3676	31-Mar-22	-	Beans	Bean podborer,aphids, beanyfly, armyworm, cutworm, leafminer and leafhopper	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest.	Do not enter the field within 2 days after spraying.
C.B. ANDREW ASIA, INC.	METAMFOP	RIUS 100 EC	100 g/L	EC	HERBICIDE	4	460-409-6211	18-Jul-26	POST-EMERGENT	Rice (Direct-seeded)	Grasses, echnioclora sp., Leptotheca chinensis, isachnum rugosum	750 ml to 1 L pred/ha 7.5 Tbsp (75 ml) to 10 Tbsp or 100 mL	-	-	-
ARISTA LIFE SCIENCE PHILIPPINES INC.	CHlorPyRifOS-Cypermethrin	BUNK EC	250-25 g/L	EC	INSECTICIDE	2	083-239-2353	08-Jan-18	-	Rice	Whorl maggot, green leafhopper, brown planthopper, stemborer	20-30 mL (2-3 Tbsp)/36L water	-	-	-
ARISTA LIFE SCIENCE PHILIPPINES INC.	CHlorPyRifOS-Cypermethrin	BUNK EC	250-25 g/L	EC	INSECTICIDE	2	083-239-2353	08-Jan-18	-	Mango	Mango hopper	25-40 mL (2.5-4 Tbsp)/36L water	-	-	-
ACE CROP SOLUTIONS INC.	THIODIAZOLE COPPER	BUGHT STOP 20 SC	200g/L	SC	FUNGICIDE	4	530-371-3152	26-Feb-27	-	Rice	Bacterial leaf blight	6 Tbsp. or 1/2 bottle (7tbsp/36 l or 1 tankload)	-	Stop spraying 30 days before harvest	Do not enter the treated field until the solution has dried up on the foliage
LS BIOTECH CORPORATION	THIODIAZOLE COPPER	BLUE STOPPER 20 SC	200 g/L	SC	FUNGICIDE	4	519-371-3005	26-Apr-24	-	Rice	Bacterial leaf blight	6 Tbsp/36L	-	Stop spraying 20 days before harvest	Do not enter the treated field until the solution has dried up on the foliage
LEADS AGRICULTURAL PRODUCTS CORPORATION	BUTACHLOR	BLADE 60 EC	600 g/L	EC	HERBICIDE	4	099-150-0718	24-Sep-24	PRE-EMERGENT	Rice (Direct-seeded)	Grasses and sedges	8tbsp (2-4 DAT)8Tbsp(10-4 DAT)1.8Tbsp/7tbsp	0.1 ppm	-	Entry to field and crops treated with BLADE 60 EC can be done one day after spraying.
LEADS AGRICULTURAL PRODUCTS CORPORATION	BUTACHLOR	BLADE 60 EC	600 g/L	EC	HERBICIDE	4	099-150-0718	24-Sep-24	PRE-EMERGENT	Rice (Transplanted)	Grasses and sedges	8tbsp(2-4086), 7Tbsp(2-4086), 1.1Tbsp (30 TADs)	0.1 ppm	-	Entry to field and crops treated with BLADE 60 EC can be done one day after spraying.
SURE CROP SCIENCE AGRIVENTURES, INC.	PROFENOFOS	BLACKWIDOW 50 EC	500 g/L	EC	INSECTICIDE	2	640-070-4872-A (DOI-239)	13-Aug-25	CONTACT	Mango	Thrips	1.0-2.0 Tbsp/36L water	-	Do not apply at least seven(7) days before harvest	Do not enter treated fields for at least one(1) day after application
SURE CROP SCIENCE AGRIVENTURES, INC.	PROFENOFOS	BLACKWIDOW 50 EC	500 g/L	EC	INSECTICIDE	2	640-070-4872-A (DOI-239)	13-Aug-25	CONTACT	Tomato	Fruitworm, armyworm, cutworm	3-5 Tbsp/36L water	-	Do not apply at least seven(7) days before harvest	Do not enter treated fields for at least one(1) day after application
SURE CROP SCIENCE AGRIVENTURES, INC.	PROFENOFOS	BLACKWIDOW 50 EC	500 g/L	EC	INSECTICIDE	2	640-070-4872-A (DOI-239)	13-Aug-25	CONTACT	Eggplant	Fruitborer, aphids, leafhopper, & thrips	1.5-3.0 Tbsp/36L water	-	Do not apply at least seven(7) days before harvest	Do not enter treated fields for at least one(1) day after application
SURE CROP SCIENCE AGRIVENTURES, INC.	PROFENOFOS	BLACKWIDOW 50 EC	500 g/L	EC	INSECTICIDE	2	640-070-4872-A (DOI-239)	13-Aug-25	CONTACT	Cabbage	Diamond back moth, cabbage worm & aphids, thrips	3-5 Tbsp/36L water	-	Do not apply at least seven(7) days before harvest	Do not enter treated fields for at least one(1) day after application
SURE CROP SCIENCE AGRIVENTURES, INC.	PROFENOFOS	BLACKWIDOW 50 EC	500 g/L	EC	INSECTICIDE	2	640-070-4872-A (DOI-239)	13-Aug-25	CONTACT	Watermelon	Thrips	3-5 Tbsp/36L water	-	Do not apply at least seven(7) days before harvest	Do not enter treated fields for at least one(1) day after application
SURE CROP SCIENCE AGRIVENTURES, INC.	PROFENOFOS	BLACKWIDOW 50 EC	500 g/L	EC	INSECTICIDE	2	640-070-4872-A (DOI-239)	13-Aug-25	CONTACT	Potato	Thrips, army worm, cutworm, tuber moth	3-5 Tbsp/36L water	-	Do not apply at least seven(7) days before harvest	Do not enter treated fields for at least one(1) day after application
SURE CROP SCIENCE AGRIVENTURES, INC.	PROFENOFOS	BLACKWIDOW 50 EC	500 g/L	EC	INSECTICIDE	2	640-070-4872-A (DOI-239)	13-Aug-25	CONTACT	Soybeans	Corn earworm, leafminer	3-5 Tbsp/36L water	-	Do not apply at least seven(7) days before harvest	Do not enter treated fields for at least one(1) day after application
SURE CROP SCIENCE AGRIVENTURES, INC.	PROFENOFOS	BLACKWIDOW 50 EC	500 g/L	EC	INSECTICIDE	2	640-070-4872-A (DOI-239)	13-Aug-25	CONTACT	Mungbeans	Corn earworm, leafminer	3-5 Tbsp/36L water	-	Do not apply at least seven(7) days before harvest	Do not enter treated fields for at least one(1) day after application
SURE CROP SCIENCE AGRIVENTURES, INC.	PROFENOFOS	BLACKWIDOW 50 EC	500 g/L	EC	INSECTICIDE	2	640-070-4872-A (DOI-239)	13-Aug-25	CONTACT	Cotton	Thrips, bollworm & budworm	3-5 Tbsp/36L water	-	Do not apply at least seven(7) days before harvest	Do not enter treated fields for at least one(1) day after application
SURE CROP SCIENCE AGRIVENTURES, INC.	PROFENOFOS	BLACKWIDOW 50 EC	500 g/L	EC	INSECTICIDE	2	640-070-4872-A (DOI-239)	13-Aug-25	CONTACT	Sitao	Beanyfly, leaf folder & aphids	1.5-3.0 Tbsp/36L water	-	Do not apply at least seven(7) days before harvest	Do not enter treated fields for at least one(1) day after application
TEAMAGRO TRADING CORPORATION	CLOTHIANIDIN	BLACKSPADE 200 SC	200 g/L	SC	INSECTICIDE	4	248-379-5888	7-Sep-25	-	Rice	Rice black bug	40-50 mL	-	-	-
SURE CROP SCIENCE AGRIVENTURES, INC.	METHOMYL	BLACK MAMBA 40 SP	400 g/kg	SP	INSECTICIDE	2	640-164-4873	13-Aug-25	CONTACT	Asparagus	Armyworm, cutworm	2.0-3.5 Tbsp/36L water	-	-	Do not enter fields treated with BLACK MAMBA 40 SP within twelve hours after application.
SURE CROP SCIENCE AGRIVENTURES, INC.	METHOMYL	BLACK MAMBA 40 SP	400 g/kg	SP	INSECTICIDE	2	640-164-4873	13-Aug-25	CONTACT	Banana	Thrips	3.3-4.5 Tbsp/36L water	-	-	Do not enter fields treated with BLACK MAMBA 40 SP within twelve hours after application.
SURE CROP SCIENCE AGRIVENTURES, INC.	METHOMYL	BLACK MAMBA 40 SP	400 g/kg	SP	INSECTICIDE	2	640-164-4873	13-Aug-25	CONTACT	Beans	Leafroller, flea beetle , beanyfly, podborer,aphids	2.0-3.5 Tbsp/36L water	-	-	Do not enter fields treated with BLACK MAMBA 40 SP within twelve hours after application.
SURE CROP SCIENCE AGRIVENTURES, INC.	METHOMYL	BLACK MAMBA 40 SP	400 g/kg	SP	INSECTICIDE	2	640-164-4873	13-Aug-25	CONTACT	Mungbeans	Leafroller, flea beetle , beanyfly, podborer,aphids	2.0-3.5 Tbsp/36L water	-	-	Do not enter fields treated with BLACK MAMBA 40 SP within twelve hours after application.
SURE CROP SCIENCE AGRIVENTURES, INC.	METHOMYL	BLACK MAMBA 40 SP	400 g/kg	SP	INSECTICIDE	2	640-164-4873	13-Aug-25	CONTACT	Soybeans	Leafroller, flea beetle , beanyfly, podborer,aphids	2.0-3.5 Tbsp/36L water	-	-	Do not enter fields treated with BLACK MAMBA 40 SP within twelve hours after application.
SURE CROP SCIENCE AGRIVENTURES, INC.	METHOMYL	BLACK MAMBA 40 SP	400 g/kg	SP	INSECTICIDE	2	640-164-4873	13-Aug-25	CONTACT	Sitao	Leafroller, flea beetle , beanyfly, podborer,aphids	2.0-3.5 Tbsp/36L water	-	-	Do not enter fields treated with BLACK MAMBA 40 SP within twelve hours after application.
SURE CROP SCIENCE AGRIVENTURES, INC.	METHOMYL	BLACK MAMBA 40 SP	400 g/kg	SP	INSECTICIDE	2	640-164-4873	13-Aug-25	CONTACT	Corn	Comborer, earworm	2.0-3.5 Tbsp/36L water	-	-	Do not enter fields treated with BLACK MAMBA 40 SP within twelve hours after application.
SURE CROP SCIENCE AGRIVENTURES, INC.	METHOMYL	BLACK MAMBA 40 SP	400 g/kg	SP	INSECTICIDE	2	640-164-4873	13-Aug-25	CONTACT	Eggplant	Aphids, flea beetle , fruitworm, lady beetle	2.0-3.5 Tbsp/36L water	-	-	Do not enter fields treated with BLACK MAMBA 40 SP within twelve hours after application.
SURE CROP SCIENCE AGRIVENTURES, INC.	METHOMYL	BLACK MAMBA 40 SP	400 g/kg	SP	INSECTICIDE	2	640-164-4873	13-Aug-25	CONTACT	Melon	Aphids, Squash beetle , leaf folder	2.0-3.5 Tbsp/36L water	-	-	Do not enter fields treated with BLACK MAMBA 40 SP within twelve hours after application.
SURE CROP SCIENCE AGRIVENTURES, INC.	METHOMYL	BLACK MAMBA 40 SP	400 g/kg	SP	INSECTICIDE	2	640-164-4873	13-Aug-25	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leaf folder	2.0-3.5 Tbsp/36L water	0.0tppm	3 Days	Do not enter fields treated with BLACK MAMBA 40 SP within twelve hours after application.
SURE CROP SCIENCE AGRIVENTURES, INC.	METHOMYL	BLACK MAMBA 40 SP	400 g/kg	SP	INSECTICIDE	2	640-164-4873	13-Aug-25	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	2.0-3.5 Tbsp/36L water	-	-	Do not enter fields treated with BLACK MAMBA 40 SP within twelve hours after application.
SURE CROP SCIENCE AGRIVENTURES, INC.	METHOMYL	BLACK MAMBA 40 SP	400 g/kg	SP	INSECTICIDE	2	640-164-4873	13-Aug-25	CONTACT	Tomato	Tomato fruitworm, aphids	2.0-3.5 Tbsp/36L water	-	-	Do not enter fields treated with BLACK MAMBA 40 SP within twelve hours after application.
SURE CROP SCIENCE AGRIVENTURES, INC.	METHOMYL	BLACK MAMBA 40 SP	400 g/kg	SP	INSECTICIDE	2	640-164-4873	13-Aug-25	CONTACT	Rice	Rice black bug	4-5 Tbsp/36L	-	-	-
LEADS AGRICULTURAL PRODUCTS CORPORATION	ACEPHATE	BLACK HAWK 40 SL	400 g/L	SL	INSECTICIDE	3	099-242-2561	04-Jan-25	SYSTEMIC	Tobacco	Budworm, aphids	8-14 Tbsp/36 L water (200L of water/ha)	-	-	Crop sprayed with BLACK HAWK 40 SL can be harvested two weeks after treatment.
LEADS AGRICULTURAL PRODUCTS CORPORATION	ACEPHATE	BLACK HAWK 40 SL	400 g/L	SL	INSECTICIDE	3	099-242-2561	04-Jan-25	SYSTEMIC	Eggplant	Fruitborer	8-14 Tbsp/36 L water (200L of water/ha)	-	-	Crop sprayed with BLACK HAWK 40 SL can be harvested two weeks after treatment.
LEADS AGRICULTURAL PRODUCTS CORPORATION	ACEPHATE	BLACK HAWK 40 SL	400 g/L	SL	INSECTICIDE	3	099-242-2561	04-Jan-25	SYSTEMIC	Stringbeans	Aphids	8-14 Tbsp/36 L water (200L of water/ha)	-	-	Crop sprayed with BLACK HAWK 40 SL can be harvested two weeks after treatment.

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD	
LEADS AGRICULTURAL PRODUCTS CORPORATION	ACEPHATE	BLACK HAWK 40 SL	400 g/L	SL	INSECTICIDE	3	099-242-2561	04-Jan-25	SYSTEMIC	Tomato	Fruitworm	8-14 Tbsp/36 L water (200L of water/ha)	-	-	Crop sprayed with BLACK HAWK 40 SL can be harvested two weeks after treatment.	Re-entry to treated field is allowed as soon as solution dries up.
LEADS AGRICULTURAL PRODUCTS CORPORATION	ACEPHATE	BLACK HAWK 40 SL	400 g/L	SL	INSECTICIDE	3	099-242-2561	04-Jan-25	SYSTEMIC	Banana	Thrips	2.5-3.5 Tbsp/36L water	-	-	Crop sprayed with BLACK HAWK 40 SL can be harvested two weeks after treatment.	Re-entry to treated field is allowed as soon as solution dries up.
LEADS AGRICULTURAL PRODUCTS CORPORATION	ACEPHATE	BLACK HAWK 40 SL	400 g/L	SL	INSECTICIDE	3	099-242-2561	04-Jan-25	SYSTEMIC	Watermelon	Aphids, thrips	8-14 Tbsp/36 L water (200L of water/ha)	-	-	Crop sprayed with BLACK HAWK 40 SL can be harvested two weeks after treatment.	Re-entry to treated field is allowed as soon as solution dries up.
LEADS AGRICULTURAL PRODUCTS CORPORATION	ACEPHATE	BLACK HAWK 40 SL	400 g/L	SL	INSECTICIDE	3	099-242-2561	04-Jan-25	SYSTEMIC	Rice	Whorl maggot, green leafhopper, brown planthopper, stemborer, leafroller, rice bug	8-14 Tbsp/36 L water (200L of water/ha)	0.02 ppm	-	Crop sprayed with BLACK HAWK 40 SL can be harvested two weeks after treatment.	Re-entry to treated field is allowed as soon as solution dries up.
LEADS AGRICULTURAL PRODUCTS CORPORATION	ACEPHATE	BLACK HAWK 40 SL	400 g/L	SL	INSECTICIDE	3	099-242-2561	04-Jan-25	SYSTEMIC	Mango	Hopper, Tipborers	2.5-3.5 Tbsp/36L water	-	-	Crop sprayed with BLACK HAWK 40 SL can be harvested two weeks after treatment.	Re-entry to treated field is allowed as soon as solution dries up.
TOP AGRO PRODUCTS COMPANY	CLOTHIANIDIN	BLACK DIAMOND 20 SC	200 g/L	SC	INSECTICIDE	4	210-379-5753	31-May-25	-	Rice	Rice black bug	6-5 Tbsp/36L	-	-	-	-
MAGAN AGRO PHILS. ENTERPRISE INC.	BIFENTHRIN	BITILENE 0.1% PE BANANA BAG	-	-	INSECTICIDE	-	361-328-6443	30-Jan-25	-	Banana	Mealy bugs and scale insects	-	-	-	-	-
EZERECH CORPORATION	METALDEHYDE	BITAG 6% PELLET	60 g/kg	P	MOLLUSCICIDE	4	648-075-6113	18-Jul-24	-	Rice (Transplanted)	Golden apple snail	2-4 kgs/ha	-	-	-	Do not enter treated field within 48 hours after application
EZERECH CORPORATION	METALDEHYDE	BITAG 6% PELLET	60 g/kg	P	MOLLUSCICIDE	4	648-075-6113	18-Jul-24	-	Rice (Direct-seeded)	Golden apple snail	4-8 kgs/ha	-	-	-	Do not enter treated field within 48 hours after application
EZERECH CORPORATION	METALDEHYDE	BITAG 6% PELLET	60 g/kg	P	MOLLUSCICIDE	4	648-075-6113	18-Jul-24	-	Potted and driftwood attached plants	Bush snails, giant african snails and slugs	1-2 kgs/ha	-	-	-	Do not enter treated field within 48 hours after application
EZERECH CORPORATION	METALDEHYDE	BITAG 6% PELLET	60 g/kg	P	MOLLUSCICIDE	4	648-075-6113	18-Jul-24	-	Strawberry	Slug snails	6-8 kgs/ha	-	-	-	Do not enter treated field within 48 hours after application
EZERECH CORPORATION	METALDEHYDE	BITAG 6% PELLET	60 g/kg	P	MOLLUSCICIDE	4	648-075-6113	18-Jul-24	-	Chinese Cabbage	Slug snails	6-8 kgs/ha	-	-	-	Do not enter treated field within 48 hours after application
NEXCHEM CORPORATION	BISPYRIBAC SODIUM	BISPYRINEX 10 SC	100 g/L	SC	HERBICIDE	2	702-276-5615	21-Jan-25	-	Rice (Direct-Seeded lowland)	Grasses, sedges and broadleaves	10ml/36 L water, 20 spray load/ hectare	0.1 ppm	-	-	Entry to fields treated with BISPYRINEX SC is allowed as soon as spray deposits on crops and weeds have dried
UPL PHILIPPINES, INC.	BISPYRIBAC SODIUM	BISPYN 400 SC	400 g/L	SC	HERBICIDE	4	562-276-4005	07-Aug-26	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Rice (Direct-Seeded lowland)	Grasses, sedges, and broadleaves	10ml/36 L water, 20 spray load/ hectare	0.1 ppm	-	-	As soon as spray deposits have dried
GRANIS GRANTED AGRO-CHEMICAL CORPORATION	BISPYRIBAC SODIUM	BISPYDEX 10 SC	100 g/L	SC	HERBICIDE	2	596-276-5278	08-Nov-24	SELECTIVE (POST-EMERGENCE)	Rice (Direct-Seeded lowland)	Grasses, sedges & broadleaves	10ml/36 L water, 20 spray load/ hectare	0.1 ppm	-	-	As soon as spray deposits dry up
MISCHA AGRO INDUSTRIAL CORPORATION	CHLADOPROP BUTYL-BISPYRIBAC SODIUM	BISPY TON 200 OD	180 g/L+OD g/L	OD	HERBICIDE	4	620-504-5302	02-Dec-26	POST-EMERGENT	Rice (Direct-Seeded)	Grasses sedges and Broadleaves	700mL/ hectare (70mL/ 36L spray load; 30 spray load/ hectare)	-	-	-	As soon as spray dries up
GREENTHUMB AGRISOLUTIONS, INC.	NICLOXAMIDE ETHANOLAMINE SALT	BIOCTOR 70 WP	700 g/kg	WP	MOLLUSCICIDE	4	596-229-5514	20-Jul-26	CONTACT	Rice	Golden Apple Snail (Kuhol)	35 gms/ Tank load 36L	-	-	-	Re-enter fields at least 48 hours after application
SYNCHRON CROP PROTECTION (PHILS.) INC.	BISPYRIBAC SODIUM	BIOG 100 SC	100 g/L	SC	HERBICIDE	4	432-276-9327-A	09-Mar-26	-	Rice (Direct-Seeded lowland)	Grasses, sedges & broadleaves	10ml/36 L water, 20 spray load/ hectare	0.1 ppm	-	-	As soon as spray deposits have dried.
SYNCHRON PHILIPPINES INC.	BISPYRIBAC SODIUM	BIOG 100 SC	100 g/L	SC	HERBICIDE	4	011-276-3527	09-Mar-26	-	Rice (Direct-Seeded lowland)	Grasses, sedges & broadleaves	10ml/36 L water, 20 spray load/ hectare	0.1 ppm	-	-	As soon as spray deposits have dried.
UPL PHILIPPINES, INC.	BIFENTHRIN	BIOECT 30 WP	30 g/kg	WP	INSECTICIDE	2	562-328-4480	13-Aug-24	-	Banana	Flower thrips	4-6 grams prod/L water	-	-	-	As soon as the spray mist dries-up
GEM AGROLOGIC, INC.	BPME	BIFEMSI 50 EC	500 g/L	EC	INSECTICIDE	2	238-002-4762	25-Apr-22	-	Rice	Green leafhopper, brown plant hopper & leafroller	3-5 Tbsp/36 L water	-	-	-	Do not spray within 14 days of harvest
GEM AGROLOGIC, INC.	BPME	BIFEMSI 50 EC	500 g/L	EC	INSECTICIDE	2	238-002-4762	25-Apr-22	-	Cotton	leafhopper, thrips & aphids	3-5 Tbsp/36 L water	-	-	-	Do not enter the field within 2 days after spraying
GEM AGROLOGIC, INC.	BPME	BIFEMSI 50 EC	500 g/L	EC	INSECTICIDE	2	238-002-4762	25-Apr-22	-	Citrus	Scale insects, aphids, mealy bug, aphids, & cutworm	3-4 Tbsp/36 L water	-	-	-	Do not enter the field within 2 days after spraying
GEM AGROLOGIC, INC.	BPME	BIFEMSI 50 EC	500 g/L	EC	INSECTICIDE	2	238-002-4762	25-Apr-22	-	Crucifers	Diamond-back moth, cabbage worms, aphids & cutworms	3-5 Tbsp/36 L water	-	-	-	Do not enter the field within 2 days after spraying
GEM AGROLOGIC, INC.	BPME	BIFEMSI 50 EC	500 g/L	EC	INSECTICIDE	2	238-002-4762	25-Apr-22	-	Mango	hopper & tip borer	3-3.5 Tbsp/36 L water	-	-	-	Do not enter the field within 14 days of harvest
MONARCH AGRICULTURAL PRODUCTS, INC.	MANCOZEB	BIOCEB 80 WP	800 g/kg	WP	FUNGICIDE	4	096-053-0943	12-Jan-27	-	Potato	Early and late blight	3-6 Tbsp/36 L water	-	-	-	As soon as spray dries
MONARCH AGRICULTURAL PRODUCTS, INC.	MANCOZEB	BIOCEB 80 WP	800 g/kg	WP	FUNGICIDE	4	096-053-0943	12-Jan-27	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	-	-	As soon as spray dries
MONARCH AGRICULTURAL PRODUCTS, INC.	MANCOZEB	BIOCEB 80 WP	800 g/kg	WP	FUNGICIDE	4	096-053-0943	12-Jan-27	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	-	-	As soon as spray dries
MONARCH AGRICULTURAL PRODUCTS, INC.	MANCOZEB	BIOCEB 80 WP	800 g/kg	WP	FUNGICIDE	4	096-053-0943	12-Jan-27	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	-	-	As soon as spray dries
MONARCH AGRICULTURAL PRODUCTS, INC.	MANCOZEB	BIOCEB 80 WP	800 g/kg	WP	FUNGICIDE	4	096-053-0943	12-Jan-27	-	Celery	Late blight	3-6 Tbsp/36 L water	-	-	-	As soon as spray dries
MONARCH AGRICULTURAL PRODUCTS, INC.	MANCOZEB	BIOCEB 80 WP	800 g/kg	WP	FUNGICIDE	4	096-053-0943	12-Jan-27	-	Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	-	-	As soon as spray dries
MONARCH AGRICULTURAL PRODUCTS, INC.	MANCOZEB	BIOCEB 80 WP	800 g/kg	WP	FUNGICIDE	4	096-053-0943	12-Jan-27	-	Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	-	-	As soon as spray dries
MONARCH AGRICULTURAL PRODUCTS, INC.	MANCOZEB	BIOCEB 80 WP	800 g/kg	WP	FUNGICIDE	4	096-053-0943	12-Jan-27	-	Cotton	Damping off	3-6 Tbsp/36 L water	-	-	-	As soon as spray dries
MONARCH AGRICULTURAL PRODUCTS, INC.	MANCOZEB	BIOCEB 80 WP	800 g/kg	WP	FUNGICIDE	4	096-053-0943	12-Jan-27	-	Lettuce	Downy mildew	3-6 Tbsp/36 L water	-	-	-	As soon as spray dries
MONARCH AGRICULTURAL PRODUCTS, INC.	MANCOZEB	BIOCEB 80 WP	800 g/kg	WP	FUNGICIDE	4	096-053-0943	12-Jan-27	-	Beans	Anthracoese, Downy mildew, Rust	3-6 Tbsp/36 L water	-	-	-	As soon as spray dries
MONARCH AGRICULTURAL PRODUCTS, INC.	MANCOZEB	BIOCEB 80 WP	800 g/kg	WP	FUNGICIDE	4	096-053-0943	12-Jan-27	-	Peas	Anthracoese, Downy mildew, Rust	3-6 Tbsp/36 L water	-	-	-	As soon as spray dries
MONARCH AGRICULTURAL PRODUCTS, INC.	MANCOZEB	BIOCEB 80 WP	800 g/kg	WP	FUNGICIDE	4	096-053-0943	12-Jan-27	-	Mungo	Anthracoese, Downy mildew, Rust	3-6 Tbsp/36 L water	-	-	-	As soon as spray dries
MONARCH AGRICULTURAL PRODUCTS, INC.	MANCOZEB	BIOCEB 80 WP	800 g/kg	WP	FUNGICIDE	4	096-053-0943	12-Jan-27	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/36 L water	-	-	-	As soon as spray dries
MONARCH AGRICULTURAL PRODUCTS, INC.	MANCOZEB	BIOCEB 80 WP	800 g/kg	WP	FUNGICIDE	4	096-053-0943	12-Jan-27	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36 L water	-	-	-	As soon as spray dries
MONARCH AGRICULTURAL PRODUCTS, INC.	MANCOZEB	BIOCEB 80 WP	800 g/kg	WP	FUNGICIDE	4	096-053-0943	12-Jan-27	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36 L water	-	-	-	As soon as spray dries
MONARCH AGRICULTURAL PRODUCTS, INC.	MANCOZEB	BIOCEB 80 WP	800 g/kg	WP	FUNGICIDE	4	096-053-0943	12-Jan-27	-	Pepper	Anthracoese	3-6 Tbsp/36 L water	-	-	-	As soon as spray dries
MONARCH AGRICULTURAL PRODUCTS, INC.	MANCOZEB	BIOCEB 80 WP	800 g/kg	WP	FUNGICIDE	4	096-053-0943	12-Jan-27	-	Chili	Anthracoese	3-6 Tbsp/36 L water	-	-	-	As soon as spray dries
MONARCH AGRICULTURAL PRODUCTS, INC.	MANCOZEB	BIOCEB 80 WP	800 g/kg	WP	FUNGICIDE	4	096-053-0943	12-Jan-27	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/36 L water	-	-	-	As soon as spray dries
MONARCH AGRICULTURAL PRODUCTS, INC.	MANCOZEB	BIOCEB 80 WP	800 g/kg	WP	FUNGICIDE	4	096-053-0943	12-Jan-27	-	Banana	Sigatoka, Black leaf streak	3-6 Tbsp/36 L water	-	-	-	As soon as spray dries
MONARCH AGRICULTURAL PRODUCTS, INC.	MANCOZEB	BIOCEB 80 WP	800 g/kg	WP	FUNGICIDE	4	096-053-0943	12-Jan-27	-	Grapes	Downy mildew, black rot	3-6 Tbsp/36 L water	-	-	-	As soon as spray dries
MONARCH AGRICULTURAL PRODUCTS, INC.	MANCOZEB	BIOCEB 80 WP	800 g/kg	WP	FUNGICIDE	4	096-053-0943	12-Jan-27	-	Mango	Anthracoese and Scab	3-6 Tbsp/36 L water	-	-	-	As soon as spray dries
MONARCH AGRICULTURAL PRODUCTS, INC.	MANCOZEB	BIOCEB 80 WP	800 g/kg	WP	FUNGICIDE	4	096-053-0943	12-Jan-27	-	Papaya	Fruit rot	3-6 Tbsp/36 L water	-	-	-	As soon as spray dries
MONARCH AGRICULTURAL PRODUCTS, INC.	MANCOZEB	BIOCEB 80 WP	800 g/kg	WP	FUNGICIDE	4	096-053-0943	12-Jan-27	-	Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	-	-	As soon as spray dries
MONARCH AGRICULTURAL PRODUCTS, INC.	MANCOZEB	BIOCEB 80 WP	800 g/kg	WP	FUNGICIDE	4	096-053-0943	12-Jan-27	-	Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	-	-	As soon as spray dries
MONARCH AGRICULTURAL PRODUCTS, INC.	MANCOZEB	BIOCEB 80 WP	800 g/kg	WP	FUNGICIDE	4	096-053-0943	12-Jan-27	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/36 L water	-	-	-	As soon as spray dries
MONARCH AGRICULTURAL PRODUCTS, INC.	MANCOZEB	BIOCEB 80 WP	800 g/kg	WP	FUNGICIDE	4	096-053-0943	12-Jan-27	-	Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/36 L water	0.02ppm	-	-	As soon as spray dries
MONARCH AGRICULTURAL PRODUCTS, INC.	MANCOZEB	BIOCEB 80 WP	800 g/kg	WP	FUNGICIDE	4	096-053-0943	12-Jan-27	-	Peanut	Cercospora leaf spot	3-6 Tbsp/36 L water	-	-	-	As soon as spray dries
MONARCH AGRICULTURAL PRODUCTS, INC.	MANCOZEB	BIOCEB 80 WP	800 g/kg	WP	FUNGICIDE	4	096-053-0943	12-Jan-27	-	Soybeans	Leaf rust	3-6 Tbsp/36 L water	-	-	-	As soon as spray dries
MONARCH AGRICULTURAL PRODUCTS, INC.	MANCOZEB	BIOCEB 80 WP	800 g/kg	WP	FUNGICIDE	4	096-053-0943	12-Jan-27	-	Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/36 L water	-	-	-	As soon as spray dries
MONARCH AGRICULTURAL PRODUCTS, INC.	MANCOZEB	BIOCEB 600 SC	600 g/L	SC	FUNGICIDE	4	096-053-3829	12-Jan-27	-	Banana	Black Sigatoka	1.5L- 2.0L/ ha	-	-	-	No pre-harvest interval necessary from last spray until harvest
MONARCH AGRICULTURAL PRODUCTS, INC.	MANCOZEB	BIOCEB 600 SC	600 g/L	SC	FUNGICIDE	4	096-053-3829	12-Jan-27	-	Potato	Late blight	5-6Tbsp/36L water	0.2 mg/kg	-	-	No pre-harvest interval necessary from last spray until harvest

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
MONARCH AGRICULTURAL PRODUCTS, INC.	MANCOZEB	BIOZEB 600 DS	600 g/L	DS	FUNGICIDE	4	096-053-1399	12-Jan-27	-	Banana	Sigatoka, Black leaf streak	2.5-2.80/L/ha	-	No pre-harvest interval necessary from last spray until harvest	-
MONARCH AGRICULTURAL PRODUCTS, INC.	MANCOZEB	BIOZEB 455 SC	455 g/L	SC	FUNGICIDE	4	096-053-1516	12-Jan-27	-	Banana	Black Sigatoka	2.5-5/L/ha	-	Allow 7 days from last spray until harvest.	As soon as spray has dried.
CAMDEN INDUSTRIES, INC.	PENTAPOTASSIUM BIS (PEROXOMONOSULPHATE) BIS (SULPHATES)	BIONV	400 g/kg	-	OTHERS	-	730-433-5834	31-Dec-24	-	-	Disinfection of livestock housing surfaces, equipment, foot dips and wheels/mats	-	-	-	-
BIOSTADT PHILIPPINES INC.	CARBENDAZIM	BIOSTIN 500 SC	500 g/L	SC	FUNGICIDE	4	097-267-3939	06-Apr-27	SYSTEMIC	Mango	Anthraxnose	1-2fbsp/36 L water	-	63 days before harvest	Re-entry is allowed as soon as the spray deposits dry up.
BIOSTADT PHILIPPINES INC.	CARBENDAZIM	BIOSTIN 500 SC	500 g/L	SC	FUNGICIDE	4	097-267-3939	06-Apr-27	SYSTEMIC	Cucurbits	Downy mildew	1-2fbsp/36 L water	-	63 days before harvest	Re-entry is allowed as soon as the spray deposits dry up.
BIOSTADT PHILIPPINES INC.	CARBENDAZIM	BIOSTIN 500 SC	500 g/L	SC	FUNGICIDE	4	097-267-3939	06-Apr-27	SYSTEMIC	Garden Peas (Legumes)	Powdery mildew	1-2fbsp/36 L water	-	63 days before harvest	Re-entry is allowed as soon as the spray deposits dry up.
BIOSTADT PHILIPPINES INC.	CARBENDAZIM	BIOSTIN 500 SC	500 g/L	SC	FUNGICIDE	4	097-267-3939	06-Apr-27	SYSTEMIC	Sugarcane	Pineapple disease	5-10/200L water(cane dipping)	-	63 days before harvest	Re-entry is allowed as soon as the spray deposits dry up.
BIOSTADT PHILIPPINES INC.	CARBENDAZIM	BIOSTIN 500 SC	500 g/L	SC	FUNGICIDE	4	097-267-3939	06-Apr-27	SYSTEMIC	Banana	Diamond fruit spot, anthracnose	0.5-1.0 ml/L water	-	63 days before harvest	Re-entry is allowed as soon as the spray deposits dry up.
BIOSTADT PHILIPPINES INC.	MALATHION	BIOSTADT MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	097-038-1733	07-Aug-18	NON-SYSTEMIC	Fruit trees	Aphids, mealy bug, scale insect	1.5-5.0fbsp/36 L water	-	Interval between last application and harvest is generally 2-7 days.	One day after spraying
BIOSTADT PHILIPPINES INC.	MALATHION	BIOSTADT MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	097-038-1733	07-Aug-18	NON-SYSTEMIC	Rice	Armyworm, caseworm, leafhopper, bugs	3.0-5.0fbsp/36 L water	-	Interval between last application and harvest is generally 2-7 days.	One day after spraying
BIOSTADT PHILIPPINES INC.	MALATHION	BIOSTADT MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	097-038-1733	07-Aug-18	NON-SYSTEMIC	Corn	Earworm, silkworm, aphids, grasshopper	3.0-5.0fbsp/36 L water	-	Interval between last application and harvest is generally 2-7 days.	One day after spraying
BIOSTADT PHILIPPINES INC.	MALATHION	BIOSTADT MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	097-038-1733	07-Aug-18	NON-SYSTEMIC	Cabbage	Cabbage worm, loopers, diamond-back moth	2.0-5.0fbsp/36 L water	-	Interval between last application and harvest is generally 2-7 days.	One day after spraying
BIOSTADT PHILIPPINES INC.	MALATHION	BIOSTADT MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	097-038-1733	07-Aug-18	NON-SYSTEMIC	Legumes	Aphids, beanfly, cutworm, flea beetles, leafminer, maggots, mealybug, podborer, thrips	2.0-5.0fbsp/36 L water	-	Interval between last application and harvest is generally 2-7 days.	One day after spraying
BIOSTADT PHILIPPINES INC.	MALATHION	BIOSTADT MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	097-038-1733	07-Aug-18	NON-SYSTEMIC	Grapes	Beetles, cutworm, leafhopper, mealybug, scale, insect, spider mites	3.0fbsp/36 L water	-	Interval between last application and harvest is generally 2-7 days.	One day after spraying
BIOSTADT PHILIPPINES INC.	MALATHION	BIOSTADT MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	097-038-1733	07-Aug-18	NON-SYSTEMIC	Pineapple	Mealy bug	1.0fbsp/36 L water	-	Interval between last application and harvest is generally 2-7 days.	One day after spraying
BIOSTADT PHILIPPINES INC.	MALATHION	BIOSTADT MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	097-038-1733	07-Aug-18	NON-SYSTEMIC	Pepper	Aphids, cutworm, fruitworm	3.0fbsp/36 L water	-	Interval between last application and harvest is generally 2-7 days.	One day after spraying
BIOSTADT PHILIPPINES INC.	MALATHION	BIOSTADT MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	097-038-1733	07-Aug-18	NON-SYSTEMIC	Garlic	Cutworm	3.0fbsp/36 L water	-	Interval between last application and harvest is generally 2-7 days.	One day after spraying
BIOSTADT PHILIPPINES INC.	MALATHION	BIOSTADT MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	097-038-1733	07-Aug-18	NON-SYSTEMIC	Onion	Cutworm	3.0fbsp/36 L water	-	Interval between last application and harvest is generally 2-7 days.	One day after spraying
BIOSTADT PHILIPPINES INC.	MALATHION	BIOSTADT MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	097-038-1733	07-Aug-18	NON-SYSTEMIC	Tobacco	Aphids, katydid	3.0-6.0fbsp/36 L water	-	Interval between last application and harvest is generally 2-7 days.	One day after spraying
BIOSTADT PHILIPPINES INC.	MALATHION	BIOSTADT MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	097-038-1733	07-Aug-18	NON-SYSTEMIC	Ornamentals	Aphids, cutworm, mealybug, scale insect, spider mites	3.0-5.0fbsp/36 L water	-	Interval between last application and harvest is generally 2-7 days.	One day after spraying
BIOSTADT PHILIPPINES INC.	MALATHION	BIOSTADT MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	097-038-1733	07-Aug-18	NON-SYSTEMIC	Tomato	Lady beetle	3.0-5.0fbsp/36 L water	-	Interval between last application and harvest is generally 2-7 days.	One day after spraying
BIOSTADT PHILIPPINES INC.	MALATHION	BIOSTADT MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	097-038-1733	07-Aug-18	NON-SYSTEMIC	Eggplant	Aphids, fruitworm	3.0-5.0fbsp/36 L water	-	Interval between last application and harvest is generally 2-7 days.	One day after spraying
BIOSTADT PHILIPPINES INC.	MALATHION	BIOSTADT MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	097-038-1733	07-Aug-18	NON-SYSTEMIC	Sorghum	Web worm	3.0fbsp/36 L water	-	Interval between last application and harvest is generally 2-7 days.	One day after spraying
SUPERIORVET, INC.	POTASSIUM MONOPERSULFATE	BIO SAN STERIOD	500 g/kg	-	OTHERS	3	724-556-5788	31-Dec-24	-	-	Disinfection in animal farms, veterinary equipment and facilities	-	-	-	-
C.B. ANDREW ASIA, INC.	PROCHLORAZ	BIOPRO 45 EW	450 g/L	EW	FUNGICIDE	3	460-300-4047	11-Jul-26	POST-HARVEST	Banana	Fungal crown mold/crown rot	2 mL	5.0 mg/kg	-	-
C.B. ANDREW ASIA, INC.	PROCHLORAZ	BIOPRO 45 EW	450 g/L	EW	FUNGICIDE	3	460-300-4047	11-Jul-26	POST-HARVEST	Pineapple	Butt & crown mold	200-400 ppm a.i.	2.0 mg/kg	-	-
C.B. ANDREW ASIA, INC.	PROCHLORAZ	BIOPRO 45 EW	450 g/L	EW	FUNGICIDE	3	460-300-4047	11-Jul-22	POST-HARVEST	Pineapple	Fruitlet core rot	1L product per hectare	-	-	-
C.B. ANDREW ASIA, INC.	PROCHLORAZ	BIOPRO 45 EW	450 g/L	EW	FUNGICIDE	3	460-300-4047	11-Apr-24	POST-HARVEST	Durian	Stem end rot, molds, anthracnose	0.25 mL prod./L solution	7 mg/kg	-	-
VANH HAWK AGRO CHEMICALS, INC.	(Z)-1,1,2,1,2-TETRADECADIEN-1-yl ACETATE	BIO-PHERO	-	-	OTHERS	4	295-521-4958	17-Jul-21	-	Corn	Fall armyworm	5 pcs. Lures per hectare	-	-	-
VANH HAWK AGRO CHEMICALS, INC.	(Z)-1,1,2,1,2-TETRADECADIEN-1-yl ACETATE	BIO-PHERO	-	-	OTHERS	4	295-521-4958	29-Jan-25	-	Onion	Army worm (as pheromone lure)	5 lures per ha.	-	-	-
VANH HAWK AGRO CHEMICALS, INC.	(Z)-1,1,2,1,2-TETRADECADIEN-1-yl ACETATE	BIO-PHERO	-	-	OTHERS	4	295-521-4958	27-May-21	-	Onion	Fall armyworm	-	-	-	-
KARPOS CHEMICALS SOLUTIONS CO.	AZADIRACTIN	BIO-NEEM 400	-	-	INSECTICIDE/FUNGICIDE	-	684-513-5463	26-May-22	-	Banana	Scale insects, mealybugs, aphids, sigatoka	-	-	-	-
MANAGRA TRADING CORPORATION	CARBOFURAN	BIONATE 3G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	476-104-2961	25-Jun-18	-	Corn	Borer, earworm, grubs, seedling maggot	16-7-33.3 kg prod/ha	-	-	-
MANAGRA TRADING CORPORATION	CARBOFURAN	BIONATE 3G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	476-104-2961	25-Jun-18	-	Cotton	Nematodes, grubs	16-7-33.3 kg prod/ha	-	-	-
MANAGRA TRADING CORPORATION	CARBOFURAN	BIONATE 3G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	476-104-2961	25-Jun-18	-	Eggplant	Fruitborer	16-7-33.3 kg prod/ha	-	-	-
MANAGRA TRADING CORPORATION	CARBOFURAN	BIONATE 3G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	476-104-2961	25-Jun-18	-	Field legumes	Beanflies, grubs, nematodes	16-7-33.3 kg prod/ha	-	-	-
MANAGRA TRADING CORPORATION	CARBOFURAN	BIONATE 3G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	476-104-2961	25-Jun-18	-	Nice	Stem borer, whorl maggot, leafhopper, leafroller, caseworm, planthopper	16-7-33.3 kg prod/ha	0.2ppm	28 Days	-
MANAGRA TRADING CORPORATION	CARBOFURAN	BIONATE 3G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	476-104-2961	25-Jun-18	-	Soybeans	Beanfly, grubs, nematodes, other soil insects	16-7-33.3 kg prod/ha	-	-	-
MANAGRA TRADING CORPORATION	CARBOFURAN	BIONATE 3G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	476-104-2961	25-Jun-18	-	Sugarcane	Borer, leafhopper, mealy bug, nematodes, scale insects	16-7-33.3 kg prod/ha	-	-	-
MANAGRA TRADING CORPORATION	CARBOFURAN	BIONATE 3G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	476-104-2961	25-Jun-18	-	Tobacco	Nematode, budworm	16-7-33.3 kg prod/ha	-	-	-
MANAGRA TRADING CORPORATION	CARBOFURAN	BIONATE 3G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	476-104-2961	25-Jun-18	-	White potato	Nematodes, grubs	16-7-33.3 kg prod/ha	-	-	-
MANAGRA TRADING CORPORATION	CARBOFURAN	BIONATE 3G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	476-104-2961	25-Jun-18	-	Cowpea	Beanfly, grubs, nematodes, other soil insects	16-7-33.3 kg prod/ha	-	-	-
MANAGRA TRADING CORPORATION	CARBOFURAN	BIONATE 3G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	476-104-2961	25-Jun-18	-	Ornamentals	Scale insect, aphids, mealy bug	16-7-33.3 kg prod/ha	-	-	-
BIOUFE SCIENCES SOLUTIONS COMPANY	BENZALKONIUM CHLORIDE-BRONOPOL	BIO-MICROGARD	100 g/L~200 g/L	-	OTHERS	2	581-456-3826	30-Nov-25	-	Banana	As tool disinfectant, foot bath, tie bath or wheel bath for the control of <i>Moko disease/bacterial wilt (Ralstonia solanacearum) & Fusarium</i>	10-30 mL/L water	-	-	-
BIOUFE SCIENCES SOLUTIONS COMPANY	BENZALKONIUM CHLORIDE-BRONOPOL	BIO-MICROGARD	100 g/L~200 g/L	-	OTHERS	2	581-456-3826	08-Jan-30	-	Pineapple	Phytophthora sp. and Fusarium spp.	10-30 mL/L water	-	-	-
BIOUFE SCIENCES SOLUTIONS COMPANY	CHLOROTHALONIL	BIO LIFE-CHLOROTHALONIL 720 SC	720 g/L	SC	FUNGICIDE	4	581-118-5041	20-Feb-23	-	Ornamentals	Black spot, Black rot, Powdery mildew	-	-	-	-
BIOUFE SCIENCES SOLUTIONS COMPANY	CHLOROTHALONIL	BIO LIFE-CHLOROTHALONIL 720 SC	720 g/L	SC	FUNGICIDE	4	581-118-5041	20-Feb-23	-	Pepper	Early and late blight, bulb rot, neck rot	-	-	-	-
BIOUFE SCIENCES SOLUTIONS COMPANY	CHLOROTHALONIL	BIO LIFE-CHLOROTHALONIL 720 SC	720 g/L	SC	FUNGICIDE	4	581-118-5041	20-Feb-23	-	Onion	Purple blotch, bulb rot, neck rot	-	-	-	-
BIOUFE SCIENCES SOLUTIONS COMPANY	CHLOROTHALONIL	BIO LIFE-CHLOROTHALONIL 720 SC	720 g/L	SC	FUNGICIDE	4	581-118-5041	20-Feb-23	-	Mango	Anthraxnose, diploidi rot	-	-	-	-
BIOUFE SCIENCES SOLUTIONS COMPANY	CHLOROTHALONIL	BIO LIFE-CHLOROTHALONIL 720 SC	720 g/L	SC	FUNGICIDE	4	581-118-5041	20-Feb-23	-	Grapes	Downy mildew, powdery mildew, fruit rot	-	-	-	-
BIOUFE SCIENCES SOLUTIONS COMPANY	CHLOROTHALONIL	BIO LIFE-CHLOROTHALONIL 720 SC	720 g/L	SC	FUNGICIDE	4	581-118-5041	20-Feb-23	-	Eggplant	Early and late blight, Cercospora, leafspot, anthracnose	-	-	-	-
BIOUFE SCIENCES SOLUTIONS COMPANY	CHLOROTHALONIL	BIO LIFE-CHLOROTHALONIL 720 SC	720 g/L	SC	FUNGICIDE	4	581-118-5041	20-Feb-23	-	Celery	Early and late blight	-	-	-	-
BIOUFE SCIENCES SOLUTIONS COMPANY	CHLOROTHALONIL	BIO LIFE-CHLOROTHALONIL 720 SC	720 g/L	SC	FUNGICIDE	4	581-118-5041	20-Feb-23	-	Cucurbits	Powdery mildew, downy mildew, cercospora, anthracnose, septoria, fruit rot, early and late blight	-	-	-	-
BIOUFE SCIENCES SOLUTIONS COMPANY	CHLOROTHALONIL	BIO LIFE-CHLOROTHALONIL 720 SC	720 g/L	SC	FUNGICIDE	4	581-118-5041	20-Feb-23	-	Crustifers	Powdery mildew	-	-	-	-
BIOUFE SCIENCES SOLUTIONS COMPANY	CHLOROTHALONIL	BIO LIFE-CHLOROTHALONIL 720 SC	720 g/L	SC	FUNGICIDE	4	581-118-5041	20-Feb-23	-	Carrot	Alternaria leafspot, cercospora leafspot, helminthosporium leaf spot	-	-	-	-

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)		PHI	RE-ENTRY PERIOD
BIQFUE SCIENCES SOLUTIONS COMPANY	CHLOROTHALONIL	BIQFUE-CHLOROTHALONIL 720 SC	720 g/L	SC	FUNGICIDE	4	581-118-5041	20-Feb-23	-	Beans	Rust, anthracnose	-	-	-	-	-
BIQFUE SCIENCES SOLUTIONS COMPANY	CHLOROTHALONIL	BIQFUE-CHLOROTHALONIL 720 SC	720 g/L	SC	FUNGICIDE	4	581-118-5041	20-Feb-23	-	Tomato	Early and late blight, vine rot	-	-	-	-	-
BIQFUE SCIENCES SOLUTIONS COMPANY	CHLOROTHALONIL	BIQFUE-CHLOROTHALONIL 720 SC	720 g/L	SC	FUNGICIDE	4	581-118-5041	20-Feb-23	-	Potato	Early and late blight, vine rot	-	-	-	-	-
BIQFUE SCIENCES SOLUTIONS COMPANY	CHLOROTHALONIL	BIQFUE-CHLOROTHALONIL 720 SC	720 g/L	SC	FUNGICIDE	4	581-118-5041	20-Feb-23	-	Asparagus	Stem and leaf blight	-	-	-	-	-
BIQFUE SCIENCES SOLUTIONS COMPANY	CHLOROTHALONIL	BIQFUE-CHLOROTHALONIL 720 SC	720 g/L	SC	FUNGICIDE	4	581-118-5041	20-Feb-23	-	Banana	Black Sigatoka	-	-	-	-	-
EDSEL AGRI AND CHEMICAL CORP.	METALDEHYDE	BIOKILL 0% PELLETS	60 g/kg	P	MOLLUSCICIDE	4	597-075-5597	07-Feb-24	-	Rice (Transplanted)	Golden apple snail	2-4 kg/ product per hectare	-	-	-	Do not enter treated field within 48 hours after application
EDSEL AGRI AND CHEMICAL CORP.	METALDEHYDE	BIOKILL 0% PELLETS	60 g/kg	P	MOLLUSCICIDE	4	597-075-5597	07-Feb-24	-	Rice (Direct Seeded)	Golden apple snail	4-8 kg/product per hectare	-	-	-	Do not enter treated field within 48 hours after application
EDSEL AGRI AND CHEMICAL CORP.	METALDEHYDE	BIOKILL 0% PELLETS	60 g/kg	P	MOLLUSCICIDE	4	597-075-5597	07-Feb-24	-	Potted and driftwood-attached plants such as crucifers	Bush, snails, giant african snail and slugs	1-2 kg/product per hectare	-	-	-	Do not enter treated field within 48 hours after application
EDSEL AGRI AND CHEMICAL CORP.	METALDEHYDE	BIOKILL 0% PELLETS	60 g/kg	P	MOLLUSCICIDE	4	597-075-5597	07-Feb-24	-	Crucifers	Slugs, Snails	6-8 kg/product per hectare	-	-	-	Do not enter treated field within 48 hours after application
EDSEL AGRI AND CHEMICAL CORP.	METALDEHYDE	BIOKILL 0% PELLETS	60 g/kg	P	MOLLUSCICIDE	4	597-075-5597	07-Feb-24	-	Strawberry	Slugs, Snails	6-8 kg/product per hectare	-	-	-	Do not enter treated field within 48 hours after application
BIQFUE SCIENCES SOLUTIONS COMPANY	IMIDACLOPRID	BIO-IMIDACLOPRID 70 WP	700 g/kg	WP	INSECTICIDE	-	581-240-5443	12-May-12	-	Banana	Corn weevils, white grubs, scale insects, mealy bugs and aphids	0.2-0.4 kg prod. / ha (Soil broadcast), 2-4 g prod. / L insect 80 mL to the	-	-	-	-
BIQFUE SCIENCES SOLUTIONS COMPANY	BUPROFEZIN	BIO-FEZIN 25 SC	250 g/L	SC	INSECTICIDE	3	581-224-5177	21-Jul-24	-	Cavendish Banana	Scale insects, mealybugs and aphids	1-2-5 ml prod. /L water (stem and root spray)	-	-	-	-
BIQFUE SCIENCES SOLUTIONS COMPANY	DIMETHOMORPH	BIO-DIMETHOMORPH 48 SC	480 g/L	SC	FUNGICIDE	2	581-264-5366	19-Oct-22	SYSTEMIC	Banana	Leaf spot and leaf speckle	1.0-2.5 L/ha	-	-	-	-
MONARCH AGRICULTURAL PRODUCTS, INC.	CARBOFURAN	BIODAN 3G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	096-104-0993	22-Oct-24	-	Corn	Borer, earworm, grubs, seedling maggot	16.7-33.3 kg prod/ha	-	-	-	Do not apply within 30 days prior to harvest 2 days
MONARCH AGRICULTURAL PRODUCTS, INC.	CARBOFURAN	BIODAN 3G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	096-104-0993	22-Oct-24	-	Cotton	Nematodes, grubs	16.7-33.3 kg prod/ha	-	-	-	Do not apply within 30 days prior to harvest 2 days
MONARCH AGRICULTURAL PRODUCTS, INC.	CARBOFURAN	BIODAN 3G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	096-104-0993	22-Oct-24	-	Eggplant	Fruitborer	16.7-33.3 kg prod/ha	-	-	-	Do not apply within 30 days prior to harvest 2 days
MONARCH AGRICULTURAL PRODUCTS, INC.	CARBOFURAN	BIODAN 3G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	096-104-0993	22-Oct-24	-	Field legumes	Beanflies, grubs, nematodes	16.7-33.3 kg prod/ha	-	-	-	Do not apply within 30 days prior to harvest 2 days
MONARCH AGRICULTURAL PRODUCTS, INC.	CARBOFURAN	BIODAN 3G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	096-104-0993	22-Oct-24	-	Rice	Stem borer, whorl maggot, leafhopper, leafroller, caseworm, planthopper	16.7-33.3 kg prod/ha	0.2ppm	-	-	Do not apply within 30 days prior to harvest 2 days
MONARCH AGRICULTURAL PRODUCTS, INC.	CARBOFURAN	BIODAN 3G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	096-104-0993	22-Oct-24	-	Soybeans	Beanfly, grubs, nematodes, other soil insects	16.7-33.3 kg prod/ha	-	-	-	Do not apply within 30 days prior to harvest 2 days
MONARCH AGRICULTURAL PRODUCTS, INC.	CARBOFURAN	BIODAN 3G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	096-104-0993	22-Oct-24	-	Sugarcane	Borer, leafhopper, mealy bug, nematodes, scale insects	16.7-33.3 kg prod/ha	-	-	-	Do not apply within 30 days prior to harvest 2 days
MONARCH AGRICULTURAL PRODUCTS, INC.	CARBOFURAN	BIODAN 3G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	096-104-0993	22-Oct-24	-	Tobacco	Nematode, budworm	16.7-33.3 kg prod/ha	-	-	-	Do not apply within 30 days prior to harvest 2 days
MONARCH AGRICULTURAL PRODUCTS, INC.	CARBOFURAN	BIODAN 3G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	096-104-0993	22-Oct-24	-	White potato	Nematodes, grubs	16.7-33.3 kg prod/ha	-	-	-	Do not apply within 30 days prior to harvest 2 days
MONARCH AGRICULTURAL PRODUCTS, INC.	CARBOFURAN	BIODAN 3G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	096-104-0993	22-Oct-24	-	Cowpeas	Beanfly, grubs, nematodes, other soil insects	16.7-33.3 kg prod/ha	-	-	-	Do not apply within 30 days prior to harvest 2 days
MONARCH AGRICULTURAL PRODUCTS, INC.	CARBOFURAN	BIODAN 3G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	096-104-0993	22-Oct-24	-	Ornamentals	Scale insect, aphids, mealy bug	16.7-33.3 kg prod/ha	-	-	-	Do not apply within 30 days prior to harvest 2 days
FKA AGRI CHEMICAL CORPORATION	BENZALKONIUM CHLORIDE	BIOCIT 40SL	400 g/L	SL	OTHERS	4	399-394-2329	14-Sep-26	-	Banana	Ralstonia solanaceorum - as tool disinfectant	10-20ml/L water	-	-	-	As soon as solution has dried up
ZOTIS PHILIPPINES, INC.	IODINE	BIOCID-30	33.2 g/L	-	OTHERS	-	705-449-3656	28-Feb-25	-	-	As disinfectant for dairy and livestock hygiene to control animal diseases	-	-	-	-	-
BIQFUE SCIENCES SOLUTIONS COMPANY	CALCIUM HYPOCHLORITE	BIO-CHLON	650g/kg	-	OTHERS	2	581-466-4125	26-Sep-23	-	Cavendish Banana	Crown rot and crown mold	0.005-0.10 mg/L of water	-	-	-	-
PLUTOUS NUTRITION SOLUTIONS COMPANY, INC.	BUPROFEZIN	BIO-BUPROFEZIN 25 SC	250g/L	SC	INSECTICIDE	3	074-224-5383	22-Jul-24	-	Cavendish Banana	Scale insects, mealybugs and aphids	1.5-2.5 ml prod. /L water (stem and root spray)	-	-	-	-
BIOAGRO AGRICULTURAL PRODUCTS, INC.	ATRAZINE	BIOAGRO ATRAZINE	800 g/kg	WP	HERBICIDE	4	408-005-5484	01-Jul-24	SELECTIVE (PRE-EMERGENT)	Corn	Broadleaf weeds & annual grasses	8-1275gq/36 L water	-	-	-	Do not enter fields within (5) days after application
BIOAGRO AGRICULTURAL PRODUCTS, INC.	ATRAZINE	BIOAGRO ATRAZINE	800 g/kg	WP	HERBICIDE	4	408-005-5484	01-Jul-24	SELECTIVE (PRE-EMERGENT)	Sorghum	Broadleaf weeds & annual grasses	8-1275gq/36 L water	-	-	-	Do not enter fields within (5) days after application
BIOAGRO AGRICULTURAL PRODUCTS, INC.	ATRAZINE	BIOAGRO ATRAZINE	800 g/kg	WP	HERBICIDE	4	408-005-5484	01-Jul-24	SELECTIVE (PRE-EMERGENT)	Sugarcane	Broadleaf weeds & annual grasses	8-1275gq/36 L water	-	-	-	Do not enter fields within (5) days after application
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	GLYPHOSATE IPA	BIO 480 PLUS	480 g/L	SL	HERBICIDE	4	409-151-2573-A	11-Oct-25	POST-EMERGENCE	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-3.0 Liters/ha	-	-	-	-
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	GLYPHOSATE IPA	BIO 480 PLUS	480 g/L	SL	HERBICIDE	4	409-151-2573-A	11-Oct-25	POST-EMERGENCE	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-	-
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	GLYPHOSATE IPA	BIO 480 PLUS	480 g/L	SL	HERBICIDE	4	409-151-2573-A	11-Oct-25	POST-EMERGENCE	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-	-
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	GLYPHOSATE IPA	BIO 480 PLUS	480 g/L	SL	HERBICIDE	4	409-151-2573-A	11-Oct-25	POST-EMERGENCE	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-	-
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	GLYPHOSATE IPA	BIO 480 PLUS	480 g/L	SL	HERBICIDE	4	409-151-2573-A	11-Oct-25	POST-EMERGENCE	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-	-
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	GLYPHOSATE IPA	BIO 480 PLUS	480 g/L	SL	HERBICIDE	4	409-151-2573-A	11-Oct-25	POST-EMERGENCE	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-	-
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	GLYPHOSATE IPA	BIO 480 PLUS	480 g/L	SL	HERBICIDE	4	409-151-2573-A	11-Oct-25	POST-EMERGENCE	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-	-
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	GLYPHOSATE IPA	BIO 480 PLUS	480 g/L	SL	HERBICIDE	4	409-151-2573-A	11-Oct-25	POST-EMERGENCE	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-	-
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	GLYPHOSATE IPA	BIO 480 PLUS	480 g/L	SL	HERBICIDE	4	409-151-2573-A	11-Oct-25	POST-EMERGENCE	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/ha	-	-	-	-
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	GLYPHOSATE IPA	BIO 480 PLUS	480 g/L	SL	HERBICIDE	4	409-151-2573-A	11-Oct-25	POST-EMERGENCE	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-	-
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	GLYPHOSATE IPA	BIO 480 PLUS	480 g/L	SL	HERBICIDE	4	409-151-2573-A	11-Oct-25	POST-EMERGENCE	Vegetables under minimum tillage	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-	-
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	GLYPHOSATE IPA	BIO 480 PLUS	480 g/L	SL	HERBICIDE	4	409-151-2573-A	11-Oct-25	POST-EMERGENCE	Pre-crop and minimum or reduced tillage system	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-	-
FKA AGRI CHEMICAL CORPORATION	BIFENTHRIN-NOVALURON	BI-NOVAL 100 SC	50 g/L-150 g/L	SC	INSECTICIDE	2	399-484-6392	27-Oct-25	-	Cabbage	Diamond back moth	1.5-2.0 tbsp/ 16L water	-	-	-	-
INTERNATIONAL VETERINARY & AGROCHEMICAL (VA), INC.	METHOMIL	BINNATE 400 SP	400 g/kg	SP	INSECTICIDE	2	088-164-4049	14-Jul-26	CONTACT	Asparagus	Armyworm, cutworm	1 Sachet/38L Sprayer	-	-	-	Do not enter fields treated with BINNATE 400 SP within 12 hours after application
INTERNATIONAL VETERINARY & AGROCHEMICAL (VA), INC.	METHOMIL	BINNATE 400 SP	400 g/kg	SP	INSECTICIDE	2	088-164-4049	14-Jul-26	CONTACT	Banana	Thrips	1.5-2 Sachet/25L Sprayer	-	-	-	Do not enter fields treated with BINNATE 400 SP within 12 hours after application
INTERNATIONAL VETERINARY & AGROCHEMICAL (VA), INC.	METHOMIL	BINNATE 400 SP	400 g/kg	SP	INSECTICIDE	2	088-164-4049	14-Jul-26	CONTACT	Beans	Leafroller, flea beetle , beanfly, podborer,aphids	1 Sachet/38L Sprayer	-	-	-	Do not enter fields treated with BINNATE 400 SP within 12 hours after application
INTERNATIONAL VETERINARY & AGROCHEMICAL (VA), INC.	METHOMIL	BINNATE 400 SP	400 g/kg	SP	INSECTICIDE	2	088-164-4049	14-Jul-26	CONTACT	Mungbeans	Leafroller, flea beetle , beanfly, podborer,aphids	1 Sachet/38L Sprayer	-	-	-	Do not enter fields treated with BINNATE 400 SP within 12 hours after application
INTERNATIONAL VETERINARY & AGROCHEMICAL (VA), INC.	METHOMIL	BINNATE 400 SP	400 g/kg	SP	INSECTICIDE	2	088-164-4049	14-Jul-26	CONTACT	Soybeans	Leafroller, flea beetle , beanfly, podborer,aphids	1 Sachet/38L Sprayer	-	-	-	Do not enter fields treated with BINNATE 400 SP within 12 hours after application
INTERNATIONAL VETERINARY & AGROCHEMICAL (VA), INC.	METHOMIL	BINNATE 400 SP	400 g/kg	SP	INSECTICIDE	2	088-164-4049	14-Jul-26	CONTACT	Itaas	Leafroller, flea beetle , beanfly, podborer,aphids	1 Sachet/38L Sprayer	-	-	-	Do not enter fields treated with BINNATE 400 SP within 12 hours after application
INTERNATIONAL VETERINARY & AGROCHEMICAL (VA), INC.	METHOMIL	BINNATE 400 SP	400 g/kg	SP	INSECTICIDE	2	088-164-4049	14-Jul-26	CONTACT	Corn	Comborer, earworm	1 Sachet/38L Sprayer	-	-	-	Do not enter fields treated with BINNATE 400 SP within 12 hours after application
INTERNATIONAL VETERINARY & AGROCHEMICAL (VA), INC.	METHOMIL	BINNATE 400 SP	400 g/kg	SP	INSECTICIDE	2	088-164-4049	14-Jul-26	CONTACT	Sorghum	Comborer, earworm	1 Sachet/38L Sprayer	-	-	-	Do not enter fields treated with BINNATE 400 SP within 12 hours after application
INTERNATIONAL VETERINARY & AGROCHEMICAL (VA), INC.	METHOMIL	BINNATE 400 SP	400 g/kg	SP	INSECTICIDE	2	088-164-4049	14-Jul-26	CONTACT	Eggplant	Aphids, flea beetle, fruitworm, lady beetle	1 Sachet/38L Sprayer	-	-	-	Do not enter fields treated with BINNATE 400 SP within 12 hours after application
INTERNATIONAL VETERINARY & AGROCHEMICAL (VA), INC.	METHOMIL	BINNATE 400 SP	400 g/kg	SP	INSECTICIDE	2	088-164-4049	14-Jul-26	CONTACT	Melon	Aphids, squash beetle , leafroller	1 Sachet/38L Sprayer	-	-	-	Do not enter fields treated with BINNATE 400 SP within 12 hours after application
INTERNATIONAL VETERINARY & AGROCHEMICAL (VA), INC.	METHOMIL	BINNATE 400 SP	400 g/kg	SP	INSECTICIDE	2	088-164-4049	14-Jul-26	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leafroller	1 Sachet/38L Sprayer	0.05ppm	3 Days	-	Do not enter fields treated with BINNATE 400 SP within 12 hours after application
INTERNATIONAL VETERINARY & AGROCHEMICAL (VA), INC.	METHOMIL	BINNATE 400 SP	400 g/kg	SP	INSECTICIDE	2	088-164-4049	14-Jul-26	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	1 Sachet/38L Sprayer	-	-	-	Do not enter fields treated with BINNATE 400 SP within 12 hours after application

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
INTERNATIONAL VETERINARY & AGROCHEMICAL (IV&A) INC.	METHOMYL	BINNATE 400 SP	400 g/kg	SP	INSECTICIDE	2	089-184-4049	14-Jul-26	CONTACT	Tomato	Tomato fruitworm, aphids	1 Sachet/36L Sprayer	-	-	Do not enter fields treated with BINNATE 400 SP within 12 hours after application
LIUCHENGPHIL INTERNATIONAL INC.	CARBENDAZIM+TEBUCONAZOLE	BINSTAR 250 SC	125 g/L+125 g/L	SC	FUNGICIDE	4	590-405-5023	20-Feb-26	-	Mango	Anthraxnose	200-300 mL/200L drum	-	50 days after last application	When spray deposits have dried.
UPL PHILIPPINES, INC.	DIFLUBENZQUIN+GELTAMETHRIN	BILARY PLUS 200 SC	200g/L+20g/L	-	INSECTICIDE	2	162-070-5662	31-Dec-24	-	-	Flies in poultry houses	-	-	-	-
ENVIRO CROPVET PRODUCTS INC.	CYPERMETHRIN	BIGSHOT 5 EC	50 g/L	EC	INSECTICIDE	4	282-037-1223	06-Jul-22	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposit dry
ENVIRO CROPVET PRODUCTS INC.	CYPERMETHRIN	BIGSHOT 5 EC	50 g/L	EC	INSECTICIDE	4	282-037-1223	06-Jul-22	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leafhoppers, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposit dry
ENVIRO CROPVET PRODUCTS INC.	CYPERMETHRIN	BIGSHOT 5 EC	50 g/L	EC	INSECTICIDE	4	282-037-1223	06-Jul-22	CONTACT	Cabbage	Diamond back moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposit dry
ENVIRO CROPVET PRODUCTS INC.	CYPERMETHRIN	BIGSHOT 5 EC	50 g/L	EC	INSECTICIDE	4	282-037-1223	06-Jul-22	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposit dry
ENVIRO CROPVET PRODUCTS INC.	CYPERMETHRIN	BIGSHOT 5 EC	50 g/L	EC	INSECTICIDE	4	282-037-1223	06-Jul-22	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposit dry
ENVIRO CROPVET PRODUCTS INC.	CYPERMETHRIN	BIGSHOT 5 EC	50 g/L	EC	INSECTICIDE	4	282-037-1223	06-Jul-22	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposit dry
ENVIRO CROPVET PRODUCTS INC.	CYPERMETHRIN	BIGSHOT 5 EC	50 g/L	EC	INSECTICIDE	4	282-037-1223	06-Jul-22	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposit dry
ENVIRO CROPVET PRODUCTS INC.	CYPERMETHRIN	BIGSHOT 5 EC	50 g/L	EC	INSECTICIDE	4	282-037-1223	06-Jul-22	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposit dry
ENVIRO CROPVET PRODUCTS INC.	CYPERMETHRIN	BIGSHOT 5 EC	50 g/L	EC	INSECTICIDE	4	282-037-1223	06-Jul-22	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposit dry
ENVIRO CROPVET PRODUCTS INC.	CYPERMETHRIN	BIGSHOT 5 EC	50 g/L	EC	INSECTICIDE	4	282-037-1223	06-Jul-22	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposit dry
ENVIRO CROPVET PRODUCTS INC.	CYPERMETHRIN	BIGSHOT 5 EC	50 g/L	EC	INSECTICIDE	4	282-037-1223	06-Jul-22	CONTACT	Corn	Comborer, earworm	1.0-4.5 Tbsp/16 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposit dry
PHILAGROW INC.	LAMBDA-CHYALOTHIRIN	BIGBOSS 2.5 EC	25 g/L	EC	INSECTICIDE	2	372-204-1805	02-Feb-24	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leafroller, black bug	1.0-1.5Tbsp/16 L of water	0.05ppm	1 days	Re-entry to treated field is allowed as soon as spray deposits dry
PHILAGROW INC.	LAMBDA-CHYALOTHIRIN	BIGBOSS 2.5 EC	25 g/L	EC	INSECTICIDE	2	372-204-1805	02-Feb-24	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/16 L of water	-	1 days	Re-entry to treated fields is allowed as soon as spray deposits dry
PHILAGROW INC.	LAMBDA-CHYALOTHIRIN	BIGBOSS 2.5 EC	25 g/L	EC	INSECTICIDE	2	372-204-1805	02-Feb-24	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/16 L of water	-	3 days	Re-entry to treated fields is allowed as soon as spray deposits dry
PHILAGROW INC.	LAMBDA-CHYALOTHIRIN	BIGBOSS 2.5 EC	25 g/L	EC	INSECTICIDE	2	372-204-1805	02-Feb-24	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/16 L of water	-	1 days	Re-entry to treated field is allowed as soon as spray deposits dry
PHILAGROW INC.	LAMBDA-CHYALOTHIRIN	BIGBOSS 2.5 EC	25 g/L	EC	INSECTICIDE	2	372-204-1805	02-Feb-24	SYSTEMIC	Mungbeans	Beanfly, flea beetle, leafhopper, aphids, mites, podborer	1.0Tbsp/16 L of water	-	3 days	Re-entry to treated fields is allowed as soon as spray deposits dry
PHILAGROW INC.	LAMBDA-CHYALOTHIRIN	BIGBOSS 2.5 EC	25 g/L	EC	INSECTICIDE	2	372-204-1805	02-Feb-24	SYSTEMIC	Corn	Comborer, aphids, seedling maggots	1.0-1.5Tbsp/16 L of water	-	1 days	Re-entry to treated fields is allowed as soon as spray deposits dry
PHILAGROW INC.	LAMBDA-CHYALOTHIRIN	BIGBOSS 2.5 EC	25 g/L	EC	INSECTICIDE	2	372-204-1805	02-Feb-24	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katyids	1.0-1.5Tbsp/16 L of water	-	3 days	Re-entry to treated fields is allowed as soon as spray deposits dry
PHILAGROW INC.	LAMBDA-CHYALOTHIRIN	BIGBOSS 2.5 EC	25 g/L	EC	INSECTICIDE	2	372-204-1805	02-Feb-24	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/16 L of water	-	1 days	Re-entry to treated field is allowed as soon as spray deposits dry
PHILAGROW INC.	LAMBDA-CHYALOTHIRIN	BIGBOSS 2.5 EC	25 g/L	EC	INSECTICIDE	2	372-204-1805	02-Feb-24	SYSTEMIC	Cocoa	Podborer	1.0-2.0Tbsp/16 L of water	-	3 days	Re-entry to treated fields is allowed as soon as spray deposits dry
PHILAGROW INC.	LAMBDA-CHYALOTHIRIN	BIGBOSS 2.5 EC	25 g/L	EC	INSECTICIDE	2	372-204-1805	02-Feb-24	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/16 L of water	-	3 days	Re-entry to treated fields is allowed as soon as spray deposits dry
AGRI CHEMICAL CORPORATION	BENOMYL	BIGEN 50 WP	500 g/kg	WP	FUNGICIDE	4	534-167-3326	24-Aug-18	SYSTEMIC	Mungbeans	Powdery mildew, cercospora leaf spot	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
AGRI CHEMICAL CORPORATION	BENOMYL	BIGEN 50 WP	500 g/kg	WP	FUNGICIDE	4	534-167-3326	24-Aug-18	SYSTEMIC	Beans	Powdery mildew, cercospora leaf spot	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
AGRI CHEMICAL CORPORATION	BENOMYL	BIGEN 50 WP	500 g/kg	WP	FUNGICIDE	4	534-167-3326	24-Aug-18	SYSTEMIC	Wongbok	Cercospora leaf spot	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
AGRI CHEMICAL CORPORATION	BENOMYL	BIGEN 50 WP	500 g/kg	WP	FUNGICIDE	4	534-167-3326	24-Aug-18	SYSTEMIC	Cabbage	Cercospora leaf spot	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
AGRI CHEMICAL CORPORATION	BENOMYL	BIGEN 50 WP	500 g/kg	WP	FUNGICIDE	4	534-167-3326	24-Aug-18	SYSTEMIC	Calamansi	Scab	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
AGRI CHEMICAL CORPORATION	BENOMYL	BIGEN 50 WP	500 g/kg	WP	FUNGICIDE	4	534-167-3326	24-Aug-18	SYSTEMIC	Cucumber	Powdery mildew	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
AGRI CHEMICAL CORPORATION	BENOMYL	BIGEN 50 WP	500 g/kg	WP	FUNGICIDE	4	534-167-3326	24-Aug-18	SYSTEMIC	Singer	Cercospora leaf spot	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
AGRI CHEMICAL CORPORATION	BENOMYL	BIGEN 50 WP	500 g/kg	WP	FUNGICIDE	4	534-167-3326	24-Aug-18	SYSTEMIC	Grapes	Powdery mildew	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
AGRI CHEMICAL CORPORATION	BENOMYL	BIGEN 50 WP	500 g/kg	WP	FUNGICIDE	4	534-167-3326	24-Aug-18	SYSTEMIC	Mandarin	Scab	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
AGRI CHEMICAL CORPORATION	BENOMYL	BIGEN 50 WP	500 g/kg	WP	FUNGICIDE	4	534-167-3326	24-Aug-18	SYSTEMIC	Mango	Anthraxnose, powdery mildew	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
AGRI CHEMICAL CORPORATION	BENOMYL	BIGEN 50 WP	500 g/kg	WP	FUNGICIDE	4	534-167-3326	24-Aug-18	SYSTEMIC	Melon	Powdery mildew	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
AGRI CHEMICAL CORPORATION	BENOMYL	BIGEN 50 WP	500 g/kg	WP	FUNGICIDE	4	534-167-3326	24-Aug-18	SYSTEMIC	Orange	Scab	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
AGRI CHEMICAL CORPORATION	BENOMYL	BIGEN 50 WP	500 g/kg	WP	FUNGICIDE	4	534-167-3326	24-Aug-18	SYSTEMIC	Papaya	Powdery mildew	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
AGRI CHEMICAL CORPORATION	BENOMYL	BIGEN 50 WP	500 g/kg	WP	FUNGICIDE	4	534-167-3326	24-Aug-18	SYSTEMIC	Pepper	Cercospora leaf spot	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
AGRI CHEMICAL CORPORATION	BENOMYL	BIGEN 50 WP	500 g/kg	WP	FUNGICIDE	4	534-167-3326	24-Aug-18	SYSTEMIC	Rice	Blast, sheath blight	3-4 Tbsp/36L water	1.0 ppm	7 days	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
AGRI CHEMICAL CORPORATION	BENOMYL	BIGEN 50 WP	500 g/kg	WP	FUNGICIDE	4	534-167-3326	24-Aug-18	SYSTEMIC	Strawberry	Cercospora leaf spot	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
AGRI CHEMICAL CORPORATION	BENOMYL	BIGEN 50 WP	500 g/kg	WP	FUNGICIDE	4	534-167-3326	24-Aug-18	SYSTEMIC	Tobacco	Leaf mold, frog eye	3-2 Tbsp/36L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
AGRI CHEMICAL CORPORATION	BENOMYL	BIGEN 50 WP	500 g/kg	WP	FUNGICIDE	4	534-167-3326	24-Aug-18	SYSTEMIC	Banana	Black sigatoka	380 g/L	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
PHILAGROW INC.	CYPERMETHRIN	BIGATHRIN 5 EC	50g/L	EC	INSECTICIDE	4	372-037-1807	02-Feb-24	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry into treated areas maybe done as soon as spray solution has dried on the foliage
PHILAGROW INC.	CYPERMETHRIN	BIGATHRIN 5 EC	50g/L	EC	INSECTICIDE	4	372-037-1807	02-Feb-24	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leafhoppers, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry into treated areas maybe done as soon as spray solution has dried on the foliage
PHILAGROW INC.	CYPERMETHRIN	BIGATHRIN 5 EC	50g/L	EC	INSECTICIDE	4	372-037-1807	02-Feb-24	CONTACT	Cabbage	Diamond back moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry into treated areas maybe done as soon as spray solution has dried on the foliage
PHILAGROW INC.	CYPERMETHRIN	BIGATHRIN 5 EC	50g/L	EC	INSECTICIDE	4	372-037-1807	02-Feb-24	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry into treated areas maybe done as soon as spray solution has dried on the foliage
PHILAGROW INC.	CYPERMETHRIN	BIGATHRIN 5 EC	50g/L	EC	INSECTICIDE	4	372-037-1807	02-Feb-24	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry into treated areas maybe done as soon as spray solution has dried on the foliage
PHILAGROW INC.	CYPERMETHRIN	BIGATHRIN 5 EC	50g/L	EC	INSECTICIDE	4	372-037-1807	02-Feb-24	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry into treated areas maybe done as soon as spray solution has dried on the foliage
PHILAGROW INC.	CYPERMETHRIN	BIGATHRIN 5 EC	50g/L	EC	INSECTICIDE	4	372-037-1807	02-Feb-24	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry into treated areas maybe done as soon as spray solution has dried on the foliage
PHILAGROW INC.	CYPERMETHRIN	BIGATHRIN 5 EC	50g/L	EC	INSECTICIDE	4	372-037-1807	02-Feb-24	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry into treated areas maybe done as soon as spray solution has dried on the foliage
PHILAGROW INC.	CYPERMETHRIN	BIGATHRIN 5 EC	50g/L	EC	INSECTICIDE	4	372-037-1807	02-Feb-24	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry into treated areas maybe done as soon as spray solution has dried on the foliage
PHILAGROW INC.	CYPERMETHRIN	BIGATHRIN 5 EC	50g/L	EC	INSECTICIDE	4	372-037-1807	02-Feb-24	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-	7 days	Re-entry into treated areas maybe done as soon as spray solution has dried on the foliage
PHILAGROW INC.	CYPERMETHRIN	BIGATHRIN 5 EC	50g/L	EC	INSECTICIDE	4	372-037-1807	02-Feb-24	CONTACT	Corn	Comborer, earworm	1.0-4.5 Tbsp/16 L water	-	7 days	Re-entry into treated areas maybe done as soon as spray solution has dried on the foliage
MARTHADAVE CO., LTD.	CARBARYL	BIG SEVEN 85 WP	850 g/kg	WP	INSECTICIDE	2	409-035-4079	29-Aug-20	-	Tobacco	Budworm, cutworm, aphids	4-6 Tbsp/16L water	-	-	Do not enter treatment areas until spray deposit have dried
MARTHADAVE CO., LTD.	CARBARYL	BIG SEVEN 85 WP	850 g/kg	WP	INSECTICIDE	2	409-035-4079	29-Aug-20	-	Sorghum	Weberworm, armyworm, cutworm, headworm	4-6 Tbsp/16L water	-	-	Do not enter treatment areas until spray deposit have dried
MARTHADAVE CO., LTD.	CARBARYL	BIG SEVEN 85 WP	850 g/kg	WP	INSECTICIDE	2	409-035-4079	29-Aug-20	-	Ornamentals	Aphids, scale insect, mealy bug, cutworm	4-6 Tbsp/16L water	-	-	Do not enter treatment areas until spray deposit have dried

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
MARTHAVE CO., LTD.	CARBARYL	BIG SEVEN 85 WP	850 g/kg	WP	INSECTICIDE	2	409-035-4079	29-Aug-20	-	Mango	Mango hopper, tip borer, twig borer, fruit fly, mealy bug	4-8 tbsp/16L water	-	1 day	Do not enter treatment areas until spray deposit have dried
MARTHAVE CO., LTD.	CARBARYL	BIG SEVEN 85 WP	850 g/kg	WP	INSECTICIDE	2	409-035-4079	29-Aug-20	-	Coffee	Berry borer	4-6 tbsp/16L water	-	1 day	Do not enter treatment areas until spray deposit have dried
MARTHAVE CO., LTD.	CARBARYL	BIG SEVEN 85 WP	850 g/kg	WP	INSECTICIDE	2	409-035-4079	29-Aug-20	-	Cacao	Podborer, aphids, capsid bug	4-6 tbsp/16L water	-	-	Do not enter treatment areas until spray deposit have dried
MARTHAVE CO., LTD.	CARBARYL	BIG SEVEN 85 WP	850 g/kg	WP	INSECTICIDE	2	409-035-4079	29-Aug-20	-	Citrus	Rind borer	4-6 tbsp/16L water	-	5 days	Do not enter treatment areas until spray deposit have dried
MARTHAVE CO., LTD.	CARBARYL	BIG SEVEN 85 WP	850 g/kg	WP	INSECTICIDE	2	409-035-4079	29-Aug-20	-	Soybeans	Podborer, beanfly, leafminer, aphids	4-6 tbsp/16L water	-	-	Do not enter treatment areas until spray deposit have dried
MARTHAVE CO., LTD.	CARBARYL	BIG SEVEN 85 WP	850 g/kg	WP	INSECTICIDE	2	409-035-4079	29-Aug-20	-	Rice	Green leafhopper, caseworm, rice bug	4-6 tbsp/16L water	10ppm	14 Days	Do not enter treatment areas until spray deposit have dried
MARTHAVE CO., LTD.	CARBARYL	BIG SEVEN 85 WP	850 g/kg	WP	INSECTICIDE	2	409-035-4079	29-Aug-20	-	Cowpea and other beans	Podborer, beanfly, leafminer, cutworm, aphids	4-8 tbsp/16L water	-	-	Do not enter treatment areas until spray deposit have dried
MARTHAVE CO., LTD.	CARBARYL	BIG SEVEN 85 WP	850 g/kg	WP	INSECTICIDE	2	409-035-4079	29-Aug-20	-	Cotton seed	Bollworm, cutworm	4-6 tbsp/16L water	-	-	Do not enter treatment areas until spray deposit have dried
MARTHAVE CO., LTD.	CARBARYL	BIG SEVEN 85 WP	850 g/kg	WP	INSECTICIDE	2	409-035-4079	29-Aug-20	-	Corn	Corn borer, corn earworm, army worm	4-6 tbsp/16L water	-	-	Do not enter treatment areas until spray deposit have dried
MARTHAVE CO., LTD.	CARBARYL	BIG SEVEN 85 WP	850 g/kg	WP	INSECTICIDE	2	409-035-4079	29-Aug-20	-	Tomato	Fruitworm, lady beetle	4-6 tbsp/16L water	-	-	Do not enter treatment areas until spray deposit have dried
MARTHAVE CO., LTD.	CARBARYL	BIG SEVEN 85 WP	850 g/kg	WP	INSECTICIDE	2	409-035-4079	29-Aug-20	-	Cucurbits	Squash beetle, lady beetle	4-6 tbsp/16L water	-	-	Do not enter treatment areas until spray deposit have dried
ALDIX INCORPORATED	LAMBDA-CHYALOTHRIN	BIDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	002-204-1006	23-Feb-26	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leafroller, black bug	1.0-1.5 tbsp/16 L of water	0.05ppm	3 Days	As soon as the spray has dried
ALDIX INCORPORATED	LAMBDA-CHYALOTHRIN	BIDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	002-204-1006	23-Feb-26	SYSTEMIC	Mango	Hoppers	0.75-1.5 tbsp/16 L of water	-	3 Days	As soon as the spray has dried
ALDIX INCORPORATED	LAMBDA-CHYALOTHRIN	BIDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	002-204-1006	23-Feb-26	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5 tbsp/16 L of water	-	3 Days	As soon as the spray has dried
ALDIX INCORPORATED	LAMBDA-CHYALOTHRIN	BIDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	002-204-1006	23-Feb-26	SYSTEMIC	Onion	Thrips, cutworm	1.0 tbsp/16 L of water	-	3 Days	As soon as the spray has dried
ALDIX INCORPORATED	LAMBDA-CHYALOTHRIN	BIDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	002-204-1006	23-Feb-26	SYSTEMIC	Mungbeans	Beanfly, flea beetle, leafhopper, aphids, mites, podborer	1.0 tbsp/16 L of water	-	3 Days	As soon as the spray has dried
ALDIX INCORPORATED	LAMBDA-CHYALOTHRIN	BIDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	002-204-1006	23-Feb-26	SYSTEMIC	Corn	Comborer, aphids, seedling maggots	1.0-1.5 tbsp/16 L of water	-	3 Days	As soon as the spray has dried
ALDIX INCORPORATED	LAMBDA-CHYALOTHRIN	BIDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	002-204-1006	23-Feb-26	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5 tbsp/16 L of water	-	3 Days	As soon as the spray has dried
ALDIX INCORPORATED	LAMBDA-CHYALOTHRIN	BIDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	002-204-1006	23-Feb-26	SYSTEMIC	Cotton	Bollworm	1.0-1.5 tbsp/16 L of water	-	3 Days	As soon as the spray has dried
ALDIX INCORPORATED	LAMBDA-CHYALOTHRIN	BIDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	002-204-1006	23-Feb-26	SYSTEMIC	Cocoa	Podborer	1.0-2.0 tbsp/16 L of water	-	3 Days	As soon as the spray has dried
ALDIX INCORPORATED	LAMBDA-CHYALOTHRIN	BIDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	002-204-1006	23-Feb-26	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0 tbsp/16 L of water	-	3 Days	As soon as the spray has dried
INTERSORORA INC.	PHYMETHANIL	BFF 400 SC	400 g/L	SC	FUNGICIDE	4	666-345-5875	3-Oct-25	-	Cavendish banana	Black sigatoka	0.1 L prod / ha	-	0 day	Do not allow entry into treated areas until spray deposits have dried. When prior entry is necessary, wear cotton coveralls and PVC gloves. Wash thoroughly at the spray should be allowed to dry before re-entry
JARDINE DISTRIBUTION, INC.	TOUFENPYRAD	BEXAR 15 SC	150 g/L	SC	INSECTICIDE	2	367-490-4733	15-Nov-24	CONTACT	Cabbage	Cutworm, diamond back moth, semi-looper, flea beetle and aphids	2.2-3.2 Tbsp/16L water with spray volume of 500L/ha	0.3 mg/kg	7 days	-
TAIPAN BRAND FARM INC.	BETA-CYPERMETHRIN	BETA C 2.5 EC	25 g/L	EC	INSECTICIDE	3	529-332-3124	27-Jan-26	-	Rice	Green leafhopper, whorl maggot, brown planthopper, stemborer, leafhoppers, rice bugs, rice black bug	16-32 mL/16 L water	0.90 ppm	28 days	After spray deposits have dried up.
TAIPAN BRAND FARM INC.	BETA-CYPERMETHRIN	BETA C 2.5 EC	25 g/L	EC	INSECTICIDE	3	529-332-3124	27-Jan-26	-	Mango	Hoppers, twig/tip borer	16-48 mL/16 L water	0.03 ppm	40 days	After spray deposits have dried up.
TAIPAN BRAND FARM INC.	BETA-CYPERMETHRIN	BETA C 2.5 EC	25 g/L	EC	INSECTICIDE	3	529-332-3124	27-Jan-26	-	Corn	Seedling maggot, corn borers, earworms	16-32 mL/16L water	-	-	After spray deposits have dried up.
TAIPAN BRAND FARM INC.	BETA-CYPERMETHRIN	BETA C 2.5 EC	25 g/L	EC	INSECTICIDE	3	529-332-3124	27-Jan-26	-	Tomato	Fruitworm	16 mL/16 water	2.00 ppm	-	After spray deposits have dried up.
TAIPAN BRAND FARM INC.	BETA-CYPERMETHRIN	BETA C 2.5 EC	25 g/L	EC	INSECTICIDE	3	529-332-3124	27-Jan-26	-	Eggplant	Shoot/fruit borer, leafhoppers	16-32 mL/16L water	0.50 ppm	-	After spray deposits have dried up.
TAIPAN BRAND FARM INC.	BETA-CYPERMETHRIN	BETA C 2.5 EC	25 g/L	EC	INSECTICIDE	3	529-332-3124	27-Jan-26	-	Mungbeans	Pod borers, leafhoppers	16-32 mL/16L water	-	-	After spray deposits have dried up.
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	AZIOXYSTROBIN-OF ENOCONAZOLE	BESTIDEA 32S SC	200-125 g/L	SC	FUNGICIDE	4	667-486-5654	22-May-26	-	Rice	Rice blast, sheath blight and sheat rot	4.0-5.0 : 2.5-5.0 tbsp/ 16L water	-	-	-
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	AZIOXYSTROBIN-OF ENOCONAZOLE	BESTIDEA 32S SC	200-125 g/L	SC	FUNGICIDE	4	667-486-5654	22-May-26	-	Corn	Northern corn leaf blight white spot gray leaf spot brown spot	5.0-7.5 Tbsp/16L water	-	-	-
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	AZIOXYSTROBIN-OF ENOCONAZOLE	BESTIDEA 32S SC	200-125 g/L	SC	FUNGICIDE	4	667-486-5654	22-May-26	-	Mango	Anthracoese, scab stem and rot	100-200 mL / 200 L drum	-	-	-
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	AZIOXYSTROBIN-OF ENOCONAZOLE	BESTIDEA 32S SC	200-125 g/L	SC	FUNGICIDE	4	667-486-5654	22-May-26	-	Onion	Anthracoese	2.0-3.5 Tbsp/16L water	-	-	-
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	AZIOXYSTROBIN-OF ENOCONAZOLE	BESTIDEA 32S SC	200-125 g/L	SC	FUNGICIDE	4	667-486-5654	22-May-26	-	Potato	Late blight	2.0-2.5 Tbsp/16L water	-	-	-
INTERGO AGROCHEM ENTERPRISES CO.	MANCOZEB	BESTGUARD BLUE 80 WP	800 g/kg	WP	FUNGICIDE	4	661-053-4994	21-Oct-21	-	Potato	Early and late blight	-	-	-	As soon as spray dries
INTERGO AGROCHEM ENTERPRISES CO.	MANCOZEB	BESTGUARD BLUE 80 WP	800 g/kg	WP	FUNGICIDE	4	661-053-4994	21-Oct-21	-	Cabbage	Downy mildew, alternaria leaf spot	-	-	7	As soon as spray dries
INTERGO AGROCHEM ENTERPRISES CO.	MANCOZEB	BESTGUARD BLUE 80 WP	800 g/kg	WP	FUNGICIDE	4	661-053-4994	21-Oct-21	-	Cauliflower	Downy mildew, alternaria leaf spot	-	-	7	As soon as spray dries
INTERGO AGROCHEM ENTERPRISES CO.	MANCOZEB	BESTGUARD BLUE 80 WP	800 g/kg	WP	FUNGICIDE	4	661-053-4994	21-Oct-21	-	Broccoli	Downy mildew, alternaria leaf spot	-	-	7	As soon as spray dries
INTERGO AGROCHEM ENTERPRISES CO.	MANCOZEB	BESTGUARD BLUE 80 WP	800 g/kg	WP	FUNGICIDE	4	661-053-4994	21-Oct-21	-	Garley	Late blight	-	-	14	As soon as spray dries
INTERGO AGROCHEM ENTERPRISES CO.	MANCOZEB	BESTGUARD BLUE 80 WP	800 g/kg	WP	FUNGICIDE	4	661-053-4994	21-Oct-21	-	Cucumber	Downy mildew, Anthracnose, Scab	-	-	5	As soon as spray dries
INTERGO AGROCHEM ENTERPRISES CO.	MANCOZEB	BESTGUARD BLUE 80 WP	800 g/kg	WP	FUNGICIDE	4	661-053-4994	21-Oct-21	-	Squash	Downy mildew, Anthracnose, Scab	-	-	5	As soon as spray dries
INTERGO AGROCHEM ENTERPRISES CO.	MANCOZEB	BESTGUARD BLUE 80 WP	800 g/kg	WP	FUNGICIDE	4	661-053-4994	21-Oct-21	-	Cotton	Damping off	-	-	-	As soon as spray dries
INTERGO AGROCHEM ENTERPRISES CO.	MANCOZEB	BESTGUARD BLUE 80 WP	800 g/kg	WP	FUNGICIDE	4	661-053-4994	21-Oct-21	-	Lettuce	Downy mildew	-	-	7	As soon as spray dries
INTERGO AGROCHEM ENTERPRISES CO.	MANCOZEB	BESTGUARD BLUE 80 WP	800 g/kg	WP	FUNGICIDE	4	661-053-4994	21-Oct-21	-	Beans	Anthracoese, Downy mildew, Rust	-	-	5	As soon as spray dries
INTERGO AGROCHEM ENTERPRISES CO.	MANCOZEB	BESTGUARD BLUE 80 WP	800 g/kg	WP	FUNGICIDE	4	661-053-4994	21-Oct-21	-	Peas	Anthracoese, Downy mildew, Rust	-	-	5	As soon as spray dries
INTERGO AGROCHEM ENTERPRISES CO.	MANCOZEB	BESTGUARD BLUE 80 WP	800 g/kg	WP	FUNGICIDE	4	661-053-4994	21-Oct-21	-	Mungbeans	Anthracoese, Downy mildew, Rust	-	-	5	As soon as spray dries
INTERGO AGROCHEM ENTERPRISES CO.	MANCOZEB	BESTGUARD BLUE 80 WP	800 g/kg	WP	FUNGICIDE	4	661-053-4994	21-Oct-21	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	-	-	5	As soon as spray dries
INTERGO AGROCHEM ENTERPRISES CO.	MANCOZEB	BESTGUARD BLUE 80 WP	800 g/kg	WP	FUNGICIDE	4	661-053-4994	21-Oct-21	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	-	-	7	As soon as spray dries
INTERGO AGROCHEM ENTERPRISES CO.	MANCOZEB	BESTGUARD BLUE 80 WP	800 g/kg	WP	FUNGICIDE	4	661-053-4994	21-Oct-21	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	-	-	7	As soon as spray dries
INTERGO AGROCHEM ENTERPRISES CO.	MANCOZEB	BESTGUARD BLUE 80 WP	800 g/kg	WP	FUNGICIDE	4	661-053-4994	21-Oct-21	-	Pepper	Anthracoese	-	-	7	As soon as spray dries
INTERGO AGROCHEM ENTERPRISES CO.	MANCOZEB	BESTGUARD BLUE 80 WP	800 g/kg	WP	FUNGICIDE	4	661-053-4994	21-Oct-21	-	Chili	Anthracoese	-	-	7	As soon as spray dries
INTERGO AGROCHEM ENTERPRISES CO.	MANCOZEB	BESTGUARD BLUE 80 WP	800 g/kg	WP	FUNGICIDE	4	661-053-4994	21-Oct-21	-	Eggplant	Blight, Anthracnose	-	-	7	As soon as spray dries
INTERGO AGROCHEM ENTERPRISES CO.	MANCOZEB	BESTGUARD BLUE 80 WP	800 g/kg	WP	FUNGICIDE	4	661-053-4994	21-Oct-21	-	Banana	Sigatoka, black leaf streak	-	-	-	As soon as spray dries
INTERGO AGROCHEM ENTERPRISES CO.	MANCOZEB	BESTGUARD BLUE 80 WP	800 g/kg	WP	FUNGICIDE	4	661-053-4994	21-Oct-21	-	Grapes	Downy mildew black rot	-	-	60	As soon as spray dries
INTERGO AGROCHEM ENTERPRISES CO.	MANCOZEB	BESTGUARD BLUE 80 WP	800 g/kg	WP	FUNGICIDE	4	661-053-4994	21-Oct-21	-	Mango	Anthracoese and Scab	-	-	5	As soon as spray dries
INTERGO AGROCHEM ENTERPRISES CO.	MANCOZEB	BESTGUARD BLUE 80 WP	800 g/kg	WP	FUNGICIDE	4	661-053-4994	21-Oct-21	-	Papaya	Fruit rot	-	-	-	As soon as spray dries

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
INTERGO AGROCHEM ENTERPRISES CO.	MANCOZEB	BESTGUARD BLUE 80 WP	800 g/kg	WP	FUNGICIDE	4	461-053-4994	21-Oct-21	-	Melon	Downy mildew, Anthracnose, Scab	-	-	5	As soon as spray dries
INTERGO AGROCHEM ENTERPRISES CO.	MANCOZEB	BESTGUARD BLUE 80 WP	800 g/kg	WP	FUNGICIDE	4	461-053-4994	21-Oct-21	-	Watermelon	Downy mildew, Anthracnose, Scab	-	-	5	As soon as spray dries
INTERGO AGROCHEM ENTERPRISES CO.	MANCOZEB	BESTGUARD BLUE 80 WP	800 g/kg	WP	FUNGICIDE	4	461-053-4994	22-Oct-21	-	Cantaloupe	Downy mildew, Anthracnose, Scab	-	-	5	As soon as spray dries
INTERGO AGROCHEM ENTERPRISES CO.	MANCOZEB	BESTGUARD BLUE 80 WP	800 g/kg	WP	FUNGICIDE	4	461-053-4994	21-Oct-21	-	Con(sweet and popcorn)	Helminthosporium leaf spot	-	-	7	As soon as spray dries
INTERGO AGROCHEM ENTERPRISES CO.	MANCOZEB	BESTGUARD BLUE 80 WP	800 g/kg	WP	FUNGICIDE	4	461-053-4994	21-Oct-21	-	Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	-	-	-	As soon as spray dries
INTERGO AGROCHEM ENTERPRISES CO.	MANCOZEB	BESTGUARD BLUE 80 WP	800 g/kg	WP	FUNGICIDE	4	461-053-4994	21-Oct-21	-	Peanut	Cercospora leaf spot	-	-	14	As soon as spray dries
INTERGO AGROCHEM ENTERPRISES CO.	MANCOZEB	BESTGUARD BLUE 80 WP	800 g/kg	WP	FUNGICIDE	4	461-053-4994	21-Oct-21	-	Soybean	Leaf rust	-	-	-	As soon as spray dries
INTERGO AGROCHEM ENTERPRISES CO.	MANCOZEB	BESTGUARD BLUE 80 WP	800 g/kg	WP	FUNGICIDE	4	461-053-4994	21-Oct-21	-	Ornamentals	Black spot, blight, Anthracnose	-	-	-	As soon as spray dries
BEST SEASON AGRIVENTURE CORPORATION	DIURON	BEST SEASON DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	764-021-6272	9-Jun-26	-	Citrus	Annual and perennial grasses and broadleaves	11.0-19.0tbsp/36 L water	-	-	24 hours after application
BEST SEASON AGRIVENTURE CORPORATION	DIURON	BEST SEASON DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	764-021-6272	9-Jun-26	-	Coffee	Annual and perennial grasses and broadleaves	11.0-19.0tbsp/36 L water	-	-	24 hours after application
BEST SEASON AGRIVENTURE CORPORATION	DIURON	BEST SEASON DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	764-021-6272	9-Jun-26	-	Cotton	Annual and perennial grasses and broadleaves	8.0tbsp/ 36L water	-	-	24 hours after application
BEST SEASON AGRIVENTURE CORPORATION	DIURON	BEST SEASON DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	764-021-6272	9-Jun-26	-	Sugarcane	Annual and perennial grasses and broadleaves	6.5-13.0tbsp/ 36L water	-	-	24 hours after application
BEST SEASON AGRIVENTURE CORPORATION	DIURON	BEST SEASON DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	764-021-6272	9-Jun-26	-	Pineapple	Annual and perennial grasses and broadleaves	13.0tbsp/ 36L water	-	-	24 hours after application
BEST SEASON AGRIVENTURE CORPORATION	DIURON	BEST SEASON DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	764-021-6272	9-Jun-26	-	Non-crop land	Annual and perennial grasses and broadleaves	30-28tbsp/ 36L water	-	-	24 hours after application
RAINBOW AGROSCIENCES PHILIPPINES INC.	2,4-D IBE	BESPRAY 400 EC	400 g/L	EC	HERBICIDE	2	539-049-3359	06-Nov-26	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual Broadleaves & sedges	3.5-6.5 Tbsp/36 L water. Apply 25-30 days	0.1 ppm	-	Entry to field and crops treated with Bespray 400 EC can be done one day after spraying.
RAINBOW AGROSCIENCES PHILIPPINES INC.	2,4-D IBE	BESPRAY 400 EC	400 g/L	EC	HERBICIDE	2	539-049-3359	06-Nov-26	SELECTIVE (POST-EMERGENT)	Cam	Annual Broadleaves & sedges	5.0-6.5 Tbsp/36 L water. Apply when plants are 15-25 cms high	-	-	Entry to field and crops treated with Bespray 400 EC can be done one day after spraying.
RAINBOW AGROSCIENCES PHILIPPINES INC.	2,4-D IBE	BESPRAY 400 EC	400 g/L	EC	HERBICIDE	2	539-049-3359	06-Nov-26	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual Broadleaves & sedges	13.0-26.0 Tbsp/36 L water. Apply when plants are 15-25 cms high	-	-	Entry to field and crops treated with Bespray 400 EC can be done one day after spraying.
TRANS WORLD TRADING CO., INC.	BESPRINAC SODIUM	BESPA 30 SC	300 g/L	SC	HERBICIDE	2	038-276-4363	09-Jun-25	SELECTIVE (POST-EMERGENT)	Rice (Direct-Seeded wetland)	Grasses, sedges and broadleaves	11cm/36 L water, 20 spray load/ hectare	0.1 ppm	-	Re-entry is allowed as soon as spray dries up
BERRIS AGRICULTURAL CO., INC.	BUTACHLOR	BERRIS 60 EC	600 g/L	EC	HERBICIDE	4	233-150-1563	16-May-26	PRE-EMERGENT	Rice (Direct-seeded)	Grasses and sedges	9tbsp [2-4 DAT]/9tbsp[0-4 DAT], 17tbsp/77tbsp	0.1 ppm	-	-
BERRIS AGRICULTURAL CO., INC.	BUTACHLOR	BERRIS 60 EC	600 g/L	EC	HERBICIDE	4	233-150-1563	16-May-26	PRE-EMERGENT	Rice (Transplanted)	Grasses and sedges	9tbsp(2-4DBS), 77tbsp(2-4DBS), 117tbsp / 80 DAS)	0.1 ppm	-	-
CAVILLA AGR VENTURES, INC.	LAMBDA-CHYALOTHIRIN	BERETTA 2.5 EC	25g/L	EC	INSECTICIDE	2	636-021-4691	06-Mar-22	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leafroller, black bug	1-15 Tbsp/36 L of water	0.05ppm	-	-
CAVILLA AGR VENTURES, INC.	LAMBDA-CHYALOTHIRIN	BERETTA 2.5 EC	25g/L	EC	INSECTICIDE	2	636-021-4691	06-Mar-22	SYSTEMIC	Mango	Hoppers	4-13 Tbsp/36 L of water	-	-	Do not spray 3 days before harvest
CAVILLA AGR VENTURES, INC.	LAMBDA-CHYALOTHIRIN	BERETTA 2.5 EC	25g/L	EC	INSECTICIDE	2	636-021-4691	06-Mar-22	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	3-15 Tbsp/36 L of water	-	-	Do not spray 3 days before harvest
CAVILLA AGR VENTURES, INC.	LAMBDA-CHYALOTHIRIN	BERETTA 2.5 EC	25g/L	EC	INSECTICIDE	2	636-021-4691	06-Mar-22	SYSTEMIC	Onion	Thrips, cutworm	1,0Tbsp/36 L of water	-	-	Do not spray 3 days before harvest
CAVILLA AGR VENTURES, INC.	LAMBDA-CHYALOTHIRIN	BERETTA 2.5 EC	25g/L	EC	INSECTICIDE	2	636-021-4691	06-Mar-22	SYSTEMIC	Mungbeans	Beanfly, flea beetle, leafhopper, aphids, mites, podborer	1,0Tbsp/36 L of water	-	-	Do not spray 3 days before harvest
CAVILLA AGR VENTURES, INC.	LAMBDA-CHYALOTHIRIN	BERETTA 2.5 EC	25g/L	EC	INSECTICIDE	2	636-021-4691	06-Mar-22	SYSTEMIC	Cam	Cambridge, aphids, seedling maggots	1-15 Tbsp/36 L of water	-	-	Do not spray 3 days before harvest
CAVILLA AGR VENTURES, INC.	LAMBDA-CHYALOTHIRIN	BERETTA 2.5 EC	25g/L	EC	INSECTICIDE	2	636-021-4691	06-Mar-22	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1-15 Tbsp/36 L of water	-	-	Do not spray 3 days before harvest
CAVILLA AGR VENTURES, INC.	LAMBDA-CHYALOTHIRIN	BERETTA 2.5 EC	25g/L	EC	INSECTICIDE	2	636-021-4691	06-Mar-22	SYSTEMIC	Cotton	Bollworm	1-15 Tbsp/36 L of water	-	-	Do not spray 3 days before harvest
CAVILLA AGR VENTURES, INC.	LAMBDA-CHYALOTHIRIN	BERETTA 2.5 EC	25g/L	EC	INSECTICIDE	2	636-021-4691	06-Mar-22	SYSTEMIC	Cocoa	Podborer	1.0-2.0Tbsp/36 L of water	-	-	Do not spray 3 days before harvest
CAVILLA AGR VENTURES, INC.	LAMBDA-CHYALOTHIRIN	BERETTA 2.5 EC	25g/L	EC	INSECTICIDE	2	636-021-4691	06-Mar-22	SYSTEMIC	Watermelon	Squash beetle, melon worm	1,0Tbsp/36 L of water	-	-	Do not spray 3 days before harvest
SUMTOMAD CHEMICAL PHILIPPINES INC.	GIBBERELIC ACID	BEXILEX TABLETS	-	TAB	OTHERS	4	472-139-2703	07-Oct-19	-	Strawberry	Plant growth regulator	8-9 Tbsp/200L water	-	-	1 day after application
SUMTOMAD CHEMICAL PHILIPPINES INC.	GIBBERELIC ACID	BEXILEX TABLETS	-	TAB	OTHERS	4	472-139-2703	07-Oct-19	-	Grapes seedling	Plant growth regulator	20-40tbsp/1000L water	-	-	7 days after application
CROP PROTECTION AGRIVENTURES INC.	BPiMC-CHLORPIRIFOS	BERDAN 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	616-174-5651	27-Dec-24	-	Rice	Stemborer, armyworm, leafhopper, planthopper, caseworm	2-5-3.5 Tbsp/36L water	-	-	Spray seedlings Do not enter the field within 2 days after spraying
CROP PROTECTION AGRIVENTURES INC.	BPiMC-CHLORPIRIFOS	BERDAN 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	616-174-5651	27-Dec-24	-	Corn	Seedling maggot, corn earworm, cornborer and armyworm	2-5-3.5 Tbsp/36L water	-	-	Stop spraying 15 days before harvest Do not enter the field within 2 days after spraying
CROP PROTECTION AGRIVENTURES INC.	BPiMC-CHLORPIRIFOS	BERDAN 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	616-174-5651	27-Dec-24	-	Tobacco	Budworm, grasshopper, aphid, cutworm and armyworm	2-5-3.5 Tbsp/36L water	-	-	Stop spraying 15 days before harvest Do not enter the field within 2 days after spraying
CROP PROTECTION AGRIVENTURES INC.	BPiMC-CHLORPIRIFOS	BERDAN 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	616-174-5651	27-Dec-24	-	Cucurbits (Cucumber, melon, watermelon)	Leafworm, squash bug and 28 spotted beetle	2-5-3.5 Tbsp/36L water	-	-	Stop spraying 15 days before harvest Do not enter the field within 2 days after spraying
CROP PROTECTION AGRIVENTURES INC.	BPiMC-CHLORPIRIFOS	BERDAN 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	616-174-5651	27-Dec-24	-	Onion	Thrips, cutworm	2-5-3.5 Tbsp/36L water	-	-	Stop spraying 15 days before harvest Do not enter the field within 2 days after spraying
CROP PROTECTION AGRIVENTURES INC.	BPiMC-CHLORPIRIFOS	BERDAN 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	616-174-5651	27-Dec-24	-	Legumes (Mango, Soybean, Beans)	Bean podborer, aphids, beanfly, armyworm, cutworm, leafminer, leaf folder	2-5-3.5 Tbsp/36L water	-	-	Stop spraying 15 days before harvest Do not enter the field within 2 days after spraying
VERDANT LUSTERCORE CORPORATION	BENZYL 50 WP	500 g/kg	WP	FUNGICIDE	4	546-167-3370	30-Jan-21	SYSTEMIC	Mungbeans	Powdery mildew, cercospora leaf spot	1-2 Tbsp/36L water	-	-	-	Do not enter treated fields within 24 hours after application. Be sure that spray deposits have dried-up before entering the treated fields.
VERDANT LUSTERCORE CORPORATION	BENZYL 50 WP	500 g/kg	WP	FUNGICIDE	4	546-167-3370	30-Jan-21	SYSTEMIC	Beans	Powdery mildew, cercospora leaf spot	1-2 Tbsp/36L water	-	-	-	Do not enter treated fields within 24 hours after application. Be sure that spray deposits have dried-up before entering the treated fields.
VERDANT LUSTERCORE CORPORATION	BENZYL 50 WP	500 g/kg	WP	FUNGICIDE	4	546-167-3370	30-Jan-21	SYSTEMIC	Wongbok	Cercospora leaf spot	1-2 Tbsp/36L water	-	-	-	Do not enter treated fields within 24 hours after application. Be sure that spray deposits have dried-up before entering the treated fields.
VERDANT LUSTERCORE CORPORATION	BENZYL 50 WP	500 g/kg	WP	FUNGICIDE	4	546-167-3370	30-Jan-21	SYSTEMIC	Cabbage	Cercospora leaf spot	1-2 Tbsp/36L water	-	-	-	Do not enter treated fields within 24 hours after application. Be sure that spray deposits have dried-up before entering the treated fields.
VERDANT LUSTERCORE CORPORATION	BENZYL 50 WP	500 g/kg	WP	FUNGICIDE	4	546-167-3370	30-Jan-21	SYSTEMIC	Calamansi	Scab	1-2 Tbsp/36L water	-	-	-	Do not enter treated fields within 24 hours after application. Be sure that spray deposits have dried-up before entering the treated fields.
VERDANT LUSTERCORE CORPORATION	BENZYL 50 WP	500 g/kg	WP	FUNGICIDE	4	546-167-3370	30-Jan-21	SYSTEMIC	Cucumber	Powdery mildew	1-2 Tbsp/36L water	-	-	-	Do not enter treated fields within 24 hours after application. Be sure that spray deposits have dried-up before entering the treated fields.
VERDANT LUSTERCORE CORPORATION	BENZYL 50 WP	500 g/kg	WP	FUNGICIDE	4	546-167-3370	30-Jan-21	SYSTEMIC	Anggur	Cercospora leaf spot	1-2 Tbsp/36L water	-	-	-	Do not enter treated fields within 24 hours after application. Be sure that spray deposits have dried-up before entering the treated fields.
VERDANT LUSTERCORE CORPORATION	BENZYL 50 WP	500 g/kg	WP	FUNGICIDE	4	546-167-3370	30-Jan-21	SYSTEMIC	Grapes	Powdery mildew	1-2 Tbsp/36L water	-	-	-	Do not enter treated fields within 24 hours after application. Be sure that spray deposits have dried-up before entering the treated fields.
VERDANT LUSTERCORE CORPORATION	BENZYL 50 WP	500 g/kg	WP	FUNGICIDE	4	546-167-3370	30-Jan-21	SYSTEMIC	Mandarin	Scab	1-2 Tbsp/36L water	-	-	-	Do not enter treated fields within 24 hours after application. Be sure that spray deposits have dried-up before entering the treated fields.
VERDANT LUSTERCORE CORPORATION	BENZYL 50 WP	500 g/kg	WP	FUNGICIDE	4	546-167-3370	30-Jan-21	SYSTEMIC	Mango	Anthracoze, powdery mildew	1-2 Tbsp/36L water	-	-	-	Do not enter treated fields within 24 hours after application. Be sure that spray deposits have dried-up before entering the treated fields.
VERDANT LUSTERCORE CORPORATION	BENZYL 50 WP	500 g/kg	WP	FUNGICIDE	4	546-167-3370	30-Jan-21	SYSTEMIC	Melon	Powdery mildew	1-2 Tbsp/36L water	-	-	-	Do not enter treated fields within 24 hours after application. Be sure that spray deposits have dried-up before entering the treated fields.
VERDANT LUSTERCORE CORPORATION	BENZYL 50 WP	500 g/kg	WP	FUNGICIDE	4	546-167-3370	30-Jan-21	SYSTEMIC	Orange	Scab	1-2 Tbsp/36L water	-	-	-	Do not enter treated fields within 24 hours after application. Be sure that spray deposits have dried-up before entering the treated fields.
VERDANT LUSTERCORE CORPORATION	BENZYL 50 WP	500 g/kg	WP	FUNGICIDE	4	546-167-3370	30-Jan-21	SYSTEMIC	Papaya	Powdery mildew	1-2 Tbsp/36L water	-	-	-	Do not enter treated fields within 24 hours after application. Be sure that spray deposits have dried-up before entering the treated fields.
VERDANT LUSTERCORE CORPORATION	BENZYL 50 WP	500 g/kg	WP	FUNGICIDE	4	546-167-3370	30-Jan-21	SYSTEMIC	Pepper	Cercospora leaf spot	1-2 Tbsp/36L water	-	-	-	Do not enter treated fields within 24 hours after application. Be sure that spray deposits have dried-up before entering the treated fields.
VERDANT LUSTERCORE CORPORATION	BENZYL 50 WP	500 g/kg	WP	FUNGICIDE	4	546-167-3370	30-Jan-21	SYSTEMIC	Rice	Blast, sheath blight	3-4 Tbsp/36L water	1.0 ppm	7 days	-	Do not enter treated fields within 24 hours after application. Be sure that spray deposits have dried-up before entering the treated fields.
VERDANT LUSTERCORE CORPORATION	BENZYL 50 WP	500 g/kg	WP	FUNGICIDE	4	546-167-3370	30-Jan-21	SYSTEMIC	Strawberry	Cercospora leaf spot	1-2 Tbsp/36L water	-	-	-	Do not enter treated fields within 24 hours after application. Be sure that spray deposits have dried-up before entering the treated fields.
VERDANT LUSTERCORE CORPORATION	BENZYL 50 WP	500 g/kg	WP	FUNGICIDE	4	546-167-3370	30-Jan-21	SYSTEMIC	Tobacco	Leaf mold, frog eye	1-2 Tbsp/36L water	-	-	-	Do not enter treated fields within 24 hours after application. Be sure that spray deposits have dried-up before entering the treated fields.
VERDANT LUSTERCORE CORPORATION	BENZYL 50 WP	500 g/kg	WP	FUNGICIDE	4	546-167-3370	30-Jan-21	SYSTEMIC	Banana	Black sigatoka	280 g/ha	-	-	-	Do not enter treated fields within 24 hours after application. Be sure that spray deposits have dried-up before entering the treated fields.

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
POLARA CHEMICAL CORPORATION	BENZALKONIUM CHLORIDE	BENZON BIC 50 SL	500g/kg	SL	OTHERS	2	054-097-4889	27-Aug-25	-	Banana	As tool disinfectant, foot bath, wheel bath for the control of moka disease or bacterial wilt (<i>Ralstonia solanaceorum</i>) and fusarium wilt	20-50 mg/L	-	-	-
AGCHEM MANUFACTURING CORPORATION	ATRAZINE	BENTRAZINE 80 WP	800g/kg	WP	HERBICIDE	4	001-065-1464	20-Aug-24	SELECTIVE (PRE-EMERGENT)	Corn	Broadleaf weeds & annual grasses	8-12Tbsp/36 L water	-	-	Do not enter the field within 5 days after application.
AGCHEM MANUFACTURING CORPORATION	ATRAZINE	BENTRAZINE 80 WP	800g/kg	WP	HERBICIDE	4	001-065-1464	20-Aug-24	SELECTIVE (PRE-EMERGENT)	Jorghum	Broadleaf weeds & annual grasses	8-12Tbsp/36 L water	-	-	Do not enter the field within 5 days after application.
AGCHEM MANUFACTURING CORPORATION	ATRAZINE	BENTRAZINE 80 WP	800g/kg	WP	HERBICIDE	4	001-065-1464	20-Aug-24	SELECTIVE (PRE-EMERGENT)	Sugarcane	Broadleaf weeds & annual grasses	8-12Tbsp/36 L water	-	-	Do not enter the field within 5 days after application.
SHARPHL INC.	BENTAZONE	BENTA 5L	480 g/L	SL	HERBICIDE	4	402-098-5359	23-Feb-24	SELECTIVE (POST-EMERGENT)	Rice	Perennial sedges, annual broadleaves and weeds	6-13Tbsp/36L water	-	-	30 days before harvest Immediately after spray deposit has dried up
SHARPHL INC.	BENTAZONE	BENTA 48 SL	480 g/L	SL	HERBICIDE	4	402-098-5359	23-Feb-24	SELECTIVE (POST-EMERGENT)	Soybeans	Perennial sedges, annual broadleaves and weeds	-	-	-	30 days before harvest Immediately after spray deposit has dried up
ROM ROEM CHEMICAL CORPORATION	BENOMYL	BENROEMYL 50 WP	500g/kg	WP	FUNGICIDE	4	561-167-3682	05-Apr-19	SYSTEMIC	Mungbeans	Powdery mildew, cercospora leaf spot	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
ROM ROEM CHEMICAL CORPORATION	BENOMYL	BENROEMYL 50 WP	500g/kg	WP	FUNGICIDE	4	561-167-3682	05-Apr-19	SYSTEMIC	Beans	Powdery mildew, cercospora leaf spot	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
ROM ROEM CHEMICAL CORPORATION	BENOMYL	BENROEMYL 50 WP	500g/kg	WP	FUNGICIDE	4	561-167-3682	05-Apr-19	SYSTEMIC	Wongbok	Cercospora leaf spot	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
ROM ROEM CHEMICAL CORPORATION	BENOMYL	BENROEMYL 50 WP	500g/kg	WP	FUNGICIDE	4	561-167-3682	05-Apr-19	SYSTEMIC	Cabbage	Cercospora leaf spot	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
ROM ROEM CHEMICAL CORPORATION	BENOMYL	BENROEMYL 50 WP	500g/kg	WP	FUNGICIDE	4	561-167-3682	05-Apr-19	SYSTEMIC	Calamansi	Scab	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
ROM ROEM CHEMICAL CORPORATION	BENOMYL	BENROEMYL 50 WP	500g/kg	WP	FUNGICIDE	4	561-167-3682	05-Apr-19	SYSTEMIC	Cucumber	Powdery mildew	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
ROM ROEM CHEMICAL CORPORATION	BENOMYL	BENROEMYL 50 WP	500g/kg	WP	FUNGICIDE	4	561-167-3682	05-Apr-19	SYSTEMIC	Ginger	Cercospora leaf spot	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
ROM ROEM CHEMICAL CORPORATION	BENOMYL	BENROEMYL 50 WP	500g/kg	WP	FUNGICIDE	4	561-167-3682	05-Apr-19	SYSTEMIC	Grapes	Powdery mildew	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
ROM ROEM CHEMICAL CORPORATION	BENOMYL	BENROEMYL 50 WP	500g/kg	WP	FUNGICIDE	4	561-167-3682	05-Apr-19	SYSTEMIC	Mandarin	Scab	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
ROM ROEM CHEMICAL CORPORATION	BENOMYL	BENROEMYL 50 WP	500g/kg	WP	FUNGICIDE	4	561-167-3682	05-Apr-19	SYSTEMIC	Mango	Anthraxnose, powdery mildew	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
ROM ROEM CHEMICAL CORPORATION	BENOMYL	BENROEMYL 50 WP	500g/kg	WP	FUNGICIDE	4	561-167-3682	05-Apr-19	SYSTEMIC	Melon	Powdery mildew	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
ROM ROEM CHEMICAL CORPORATION	BENOMYL	BENROEMYL 50 WP	500g/kg	WP	FUNGICIDE	4	561-167-3682	05-Apr-19	SYSTEMIC	Orange	Scab	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
ROM ROEM CHEMICAL CORPORATION	BENOMYL	BENROEMYL 50 WP	500g/kg	WP	FUNGICIDE	4	561-167-3682	05-Apr-19	SYSTEMIC	Papaya	Powdery mildew	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
ROM ROEM CHEMICAL CORPORATION	BENOMYL	BENROEMYL 50 WP	500g/kg	WP	FUNGICIDE	4	561-167-3682	05-Apr-19	SYSTEMIC	Pepper	Cercospora leaf spot	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
ROM ROEM CHEMICAL CORPORATION	BENOMYL	BENROEMYL 50 WP	500g/kg	WP	FUNGICIDE	4	561-167-3682	05-Apr-19	SYSTEMIC	Rice	Blast, sheath blight	3-4 Tbsp/36L water	1.0 ppm	7 days	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
ROM ROEM CHEMICAL CORPORATION	BENOMYL	BENROEMYL 50 WP	500g/kg	WP	FUNGICIDE	4	561-167-3682	05-Apr-19	SYSTEMIC	Strawberry	Cercospora leaf spot	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
ROM ROEM CHEMICAL CORPORATION	BENOMYL	BENROEMYL 50 WP	500g/kg	WP	FUNGICIDE	4	561-167-3682	05-Apr-19	SYSTEMIC	Tobacco	Leaf mold, frog eye	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
ROM ROEM CHEMICAL CORPORATION	BENOMYL	BENROEMYL 50 WP	500g/kg	WP	FUNGICIDE	4	561-167-3682	05-Apr-19	SYSTEMIC	Banana	Black sigatoka	280 g/ha	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
JOCANIMA CORPORATION	CARBENDAZIM	BENPLUS 500 SC	500g/L	SC	FUNGICIDE	4	282-267-3302 (569)	23-Sep-25	SYSTEMIC	Mango	Anthraxnose	1-2 Tbsp/36L water	-	-	Re-entry is allowed as soon as the spray deposits dry up
JOCANIMA CORPORATION	CARBENDAZIM	BENPLUS 500 SC	500g/L	SC	FUNGICIDE	4	282-267-3302 (569)	23-Sep-25	SYSTEMIC	Cucurbits	Downy mildew	1-2 Tbsp/36L water	-	-	63 days before harvest Re-entry is allowed as soon as the spray deposits dry up
JOCANIMA CORPORATION	CARBENDAZIM	BENPLUS 500 SC	500g/L	SC	FUNGICIDE	4	282-267-3302 (569)	23-Sep-25	SYSTEMIC	Green peas (legumes)	Powdery mildew	1-2 Tbsp/36L water	-	-	Re-entry is allowed as soon as the spray deposits dry up
JOCANIMA CORPORATION	CARBENDAZIM	BENPLUS 500 SC	500g/L	SC	FUNGICIDE	4	282-267-3302 (569)	23-Sep-25	SYSTEMIC	Sugarcane	Pinnapple disease	5-10/ 200L water cane dipping	-	-	63 days before harvest Re-entry is allowed as soon as the spray deposits dry up
JOCANIMA CORPORATION	CARBENDAZIM	BENPLUS 500 SC	500g/L	SC	FUNGICIDE	4	282-267-3302 (569)	23-Sep-25	SYSTEMIC	Banana	Diamond fruit spot and anthracnose	0.5-1.0 mL per l water (80-100 mL spray volume)	-	-	63 days before harvest Re-entry is allowed as soon as the spray deposits dry up
ROTAM PHILIPPINES, INC.	CARBENDAZIM	BENPLUS 500 SC	500 g/L	SC	FUNGICIDE	4	569-267-3686	22-Jul-25	SYSTEMIC	Mango	Anthraxnose	1-2Tbsp/36 L water	-	-	63 days before harvest Re-entry is allowed as soon as the spray deposits dry up
ROTAM PHILIPPINES, INC.	CARBENDAZIM	BENPLUS 500 SC	500 g/L	SC	FUNGICIDE	4	569-267-3686	22-Jul-25	SYSTEMIC	Cucurbits	Downy mildew	1-2Tbsp/36 L water	-	-	63 days before harvest Re-entry is allowed as soon as the spray deposits dry up
ROTAM PHILIPPINES, INC.	CARBENDAZIM	BENPLUS 500 SC	500 g/L	SC	FUNGICIDE	4	569-267-3686	22-Jul-25	SYSTEMIC	Garden Peas (Legumes)	Powdery mildew	1-2Tbsp/36 L water	-	-	Re-entry is allowed as soon as the spray deposits dry up
ROTAM PHILIPPINES, INC.	CARBENDAZIM	BENPLUS 500 SC	500 g/L	SC	FUNGICIDE	4	569-267-3686	22-Jul-25	SYSTEMIC	Sugarcane	Pinnapple disease (<i>Eriocystis persea</i>)	5-10/200L water cane dipping	-	-	63 days before harvest Re-entry is allowed as soon as the spray deposits dry up
ROTAM PHILIPPINES, INC.	CARBENDAZIM	BENPLUS 500 SC	500 g/L	SC	FUNGICIDE	4	569-267-3686	22-Jul-25	SYSTEMIC	Banana	Diamond fruit spot (<i>Cercospora hayi</i>), anthracnose (<i>Colletotrichum musae</i>)	0.5-1.0 mL per l water (80-100 mL spray volume)	-	-	63 days before harvest Re-entry is allowed as soon as the spray deposits dry up
SAVEWELL AGR-MARKETING CO.	BENOMYL	BENOWELL 50 WP	500g/kg	WP	FUNGICIDE	4	425-167-3501	14-Aug-19	SYSTEMIC	Mungbeans	Powdery mildew, cercospora leaf spot	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
SAVEWELL AGR-MARKETING CO.	BENOMYL	BENOWELL 50 WP	500g/kg	WP	FUNGICIDE	4	425-167-3501	14-Aug-19	SYSTEMIC	Beans	Powdery mildew, cercospora leaf spot	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
SAVEWELL AGR-MARKETING CO.	BENOMYL	BENOWELL 50 WP	500g/kg	WP	FUNGICIDE	4	425-167-3501	14-Aug-19	SYSTEMIC	Wongbok	Cercospora leaf spot	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
SAVEWELL AGR-MARKETING CO.	BENOMYL	BENOWELL 50 WP	500g/kg	WP	FUNGICIDE	4	425-167-3501	14-Aug-19	SYSTEMIC	Cabbage	Cercospora leaf spot	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
SAVEWELL AGR-MARKETING CO.	BENOMYL	BENOWELL 50 WP	500g/kg	WP	FUNGICIDE	4	425-167-3501	14-Aug-19	SYSTEMIC	Calamansi	Scab	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
SAVEWELL AGR-MARKETING CO.	BENOMYL	BENOWELL 50 WP	500g/kg	WP	FUNGICIDE	4	425-167-3501	14-Aug-19	SYSTEMIC	Cucumber	Powdery mildew	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
SAVEWELL AGR-MARKETING CO.	BENOMYL	BENOWELL 50 WP	500g/kg	WP	FUNGICIDE	4	425-167-3501	14-Aug-19	SYSTEMIC	Ginger	Cercospora leaf spot	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
SAVEWELL AGR-MARKETING CO.	BENOMYL	BENOWELL 50 WP	500g/kg	WP	FUNGICIDE	4	425-167-3501	14-Aug-19	SYSTEMIC	Grapes	Powdery mildew	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
SAVEWELL AGR-MARKETING CO.	BENOMYL	BENOWELL 50 WP	500g/kg	WP	FUNGICIDE	4	425-167-3501	14-Aug-19	SYSTEMIC	Mandarin	Scab	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
SAVEWELL AGR-MARKETING CO.	BENOMYL	BENOWELL 50 WP	500g/kg	WP	FUNGICIDE	4	425-167-3501	14-Aug-19	SYSTEMIC	Mango	Anthraxnose, powdery mildew	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
SAVEWELL AGR-MARKETING CO.	BENOMYL	BENOWELL 50 WP	500g/kg	WP	FUNGICIDE	4	425-167-3501	14-Aug-19	SYSTEMIC	Melon	Powdery mildew	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
SAVEWELL AGR-MARKETING CO.	BENOMYL	BENOWELL 50 WP	500g/kg	WP	FUNGICIDE	4	425-167-3501	14-Aug-19	SYSTEMIC	Orange	Scab	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
SAVEWELL AGR-MARKETING CO.	BENOMYL	BENOWELL 50 WP	500g/kg	WP	FUNGICIDE	4	425-167-3501	14-Aug-19	SYSTEMIC	Papaya	Powdery mildew	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
SAVEWELL AGR-MARKETING CO.	BENOMYL	BENOWELL 50 WP	500g/kg	WP	FUNGICIDE	4	425-167-3501	14-Aug-19	SYSTEMIC	Pepper	Cercospora leaf spot	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
SAVEWELL AGR-MARKETING CO.	BENOMYL	BENOWELL 50 WP	500g/kg	WP	FUNGICIDE	4	425-167-3501	14-Aug-19	SYSTEMIC	Rice	Blast, sheath blight	3-4 Tbsp/36L water	1.0 ppm	7 days	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
SAVEWELL AGR-MARKETING CO.	BENOMYL	BENOWELL 50 WP	500g/kg	WP	FUNGICIDE	4	425-167-3501	14-Aug-19	SYSTEMIC	Strawberry	Cercospora leaf spot	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
SAVEWELL AGR-MARKETING CO.	BENOMYL	BENOWELL 50 WP	500g/kg	WP	FUNGICIDE	4	425-167-3501	14-Aug-19	SYSTEMIC	Tobacco	Leaf mold, frog eye	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
SAVEWELL AGR-MARKETING CO.	BENOMYL	BENOWELL 50 WP	500g/kg	WP	FUNGICIDE	4	425-167-3501	14-Aug-19	SYSTEMIC	Banana	Black sigatoka	280g/ha	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
PHILAGROW INC.	BENOMYL	BENOPHIL 50 WP	500g/kg	WP	FUNGICIDE	4	372-167-1808	24-Oct-24	SYSTEMIC	Mungbeans	Powdery mildew, cercospora leaf spot	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray deposits
PHILAGROW INC.	BENOMYL	BENOPHIL 50 WP	500g/kg	WP	FUNGICIDE	4	372-167-1808	24-Oct-24	SYSTEMIC	beans	Powdery mildew, cercospora leaf spot	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray deposits
PHILAGROW INC.	BENOMYL	BENOPHIL 50 WP	500g/kg	WP	FUNGICIDE	4	372-167-1808	24-Oct-24	SYSTEMIC	Cabbage	Cercospora leaf spot	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray deposits
PHILAGROW INC.	BENOMYL	BENOPHIL 50 WP	500g/kg	WP	FUNGICIDE	4	372-167-1808	24-Oct-24	SYSTEMIC	Calamansi	Scab	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray deposits

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
LEADS AGRICULTURAL PRODUCTS CORPORATION	CARBOSULFAN	BENEFIT 20 SC	200g/L	SC	INSECTICIDE	2	099-224-4118	18-Sep-26	-	Watermelon	Thrips, leaf folder	4-6 Tbsp/36 L water	-	14 days	1 day
GLYCORN CORPORATION	CYPERMETHRIN	BENDITA 5 EC	50 g/L	EC	INSECTICIDE	4	544-037-3347	03-Nov-17	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/36 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposit dry
GLYCORN CORPORATION	CYPERMETHRIN	BENDITA 5 EC	50 g/L	EC	INSECTICIDE	4	544-037-3347	03-Nov-17	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaf folder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/36 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposit dry
GLYCORN CORPORATION	CYPERMETHRIN	BENDITA 5 EC	50 g/L	EC	INSECTICIDE	4	544-037-3347	03-Nov-17	CONTACT	Cabbage	Diamond back moth, cabbage moth, worm	1.0-3.0 Tbsp/36 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposit dry
GLYCORN CORPORATION	CYPERMETHRIN	BENDITA 5 EC	50 g/L	EC	INSECTICIDE	4	544-037-3347	03-Nov-17	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/36 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposit dry
GLYCORN CORPORATION	CYPERMETHRIN	BENDITA 5 EC	50 g/L	EC	INSECTICIDE	4	544-037-3347	03-Nov-17	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/36 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposit dry
GLYCORN CORPORATION	CYPERMETHRIN	BENDITA 5 EC	50 g/L	EC	INSECTICIDE	4	544-037-3347	03-Nov-17	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/36 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposit dry
GLYCORN CORPORATION	CYPERMETHRIN	BENDITA 5 EC	50 g/L	EC	INSECTICIDE	4	544-037-3347	03-Nov-17	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/36 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposit dry
GLYCORN CORPORATION	CYPERMETHRIN	BENDITA 5 EC	50 g/L	EC	INSECTICIDE	4	544-037-3347	03-Nov-17	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/36 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposit dry
GLYCORN CORPORATION	CYPERMETHRIN	BENDITA 5 EC	50 g/L	EC	INSECTICIDE	4	544-037-3347	03-Nov-17	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/36 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposit dry
GLYCORN CORPORATION	CYPERMETHRIN	BENDITA 5 EC	50 g/L	EC	INSECTICIDE	4	544-037-3347	03-Nov-17	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/36 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposit dry
GLYCORN CORPORATION	CYPERMETHRIN	BENDITA 5 EC	50 g/L	EC	INSECTICIDE	4	544-037-3347	03-Nov-17	CONTACT	Corn	Comborer, earworm	1.0-4.5 Tbsp/36 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposit dry
UPL PHILIPPINES, INC.	CARBENDAZIM	BENDAZID 500 SC	500 g/L	SC	FUNGICIDE	4	562-267-4790	16-Jun-24	SYSTEMIC	Mango	Anthraxnose	1-2Tbsp/36 L water	-	-	Re-entry is allowed as soon as the spray deposits dry up.
UPL PHILIPPINES, INC.	CARBENDAZIM	BENDAZID 500 SC	500 g/L	SC	FUNGICIDE	4	562-267-4790	16-Jun-24	SYSTEMIC	Cucurbits	Downy mildew	1-2Tbsp/36 L water	-	-	Re-entry is allowed as soon as the spray deposits dry up.
UPL PHILIPPINES, INC.	CARBENDAZIM	BENDAZID 500 SC	500 g/L	SC	FUNGICIDE	4	562-267-4790	16-Jun-24	SYSTEMIC	Green Peas (legumes)	Powdery mildew	1-2Tbsp/36 L water	-	-	Re-entry is allowed as soon as the spray deposits dry up.
UPL PHILIPPINES, INC.	CARBENDAZIM	BENDAZID 500 SC	500 g/L	SC	FUNGICIDE	4	562-267-4790	16-Jun-24	SYSTEMIC	Fig/cane	Pineapple disease	5-10/200L water cane dipping	-	-	Re-entry is allowed as soon as the spray deposits dry up.
UPL PHILIPPINES, INC.	CARBENDAZIM	BENDAZID 500 SC	500 g/L	SC	FUNGICIDE	4	562-267-4790	16-Jun-24	SYSTEMIC	Banana	Diamond fruit spot, anthracnose	0.5-1.0 ml/L water (80-100 ml spray volume)	-	-	Re-entry is allowed as soon as the spray deposits dry up.
AGRO IRIS PHILIPPINES, INC.	IMIDACLOPRID-BETA-CYFLUTHRIN	BEMD 300 OD	210 g/L	OD	INSECTICIDE	2	762-998-6013	27-Aug-25	SYSTEMIC	Mango	Mango leafhopper	20-40 mL 200 L	-	-	No re-entry within 48 hours after spray. Appropriate warning signs should be placed before and after spraying
ELI LILLY PHILIPPINES, INC.	BENZOXENILUM CHLORIDE	BEMDOR	383-333-3948	SL	OTHERS	3	02-Dec-19	-	-	Banana	Moka disease as disinfectant tool	50-80 mL 200 L	-	-	-
BIOSTADT PHILIPPINES INC.	IMINOCTADINE TRIS (ALBESILATE)	BELLKUTE 40 WP	400g/kg	WP	FUNGICIDE	4	039-367-2369	05-Feb-21	-	Banana	Diamond fruit spot	8.8-10.0 Tbsp/36 L water	-	14 days	-
BIOSTADT PHILIPPINES INC.	IMINOCTADINE TRIS (ALBESILATE)	BELLKUTE 40 WP	400g/kg	WP	FUNGICIDE	4	039-367-2369	05-Feb-21	-	Mango	Anthraxnose, scab, stem-end rot	10.0-12.0 Tbsp/36 L water	-	14 days	-
BIOSTADT PHILIPPINES INC.	IMINOCTADINE TRIS (ALBESILATE)	BELLKUTE 40 WP	400g/kg	WP	FUNGICIDE	4	039-367-2369	05-Feb-21	-	Onion (Bulb/green)	Purple blotch, twister disease/anthracnose/stem/ bulb rot	7.0-12.0 Tbsp/36 L water	-	14 days	-
BIOSTADT PHILIPPINES INC.	IMINOCTADINE TRIS (ALBESILATE)	BELLKUTE 40 WP	400g/kg	WP	FUNGICIDE	4	039-367-2369	05-Feb-21	-	Carrot	Leaf blight	4.4-8.8 Tbsp/36 L water	-	14 days	-
TRANS WORLD TRADING CO., INC.	IMINOCTADINE TRIS (ALBESILATE)	BELLKUTE 40 WP	400g/kg	WP	FUNGICIDE	4	038-367-3460	22-Jul-24	-	Banana	Diamond fruit spot	8.8-10.0 Tbsp/36 L water	-	-	-
TRANS WORLD TRADING CO., INC.	IMINOCTADINE TRIS (ALBESILATE)	BELLKUTE 40 WP	400g/kg	WP	FUNGICIDE	4	038-367-3460	22-Jul-24	-	Mango	Anthraxnose, scab, stem-end rot	10.0-12.0 Tbsp/36 L water	-	-	-
TRANS WORLD TRADING CO., INC.	IMINOCTADINE TRIS (ALBESILATE)	BELLKUTE 40 WP	400g/kg	WP	FUNGICIDE	4	038-367-3460	22-Jul-24	-	Onion (Bulb/green)	Purple blotch, twister disease/anthracnose/stem/ bulb rot	7.0-12.0 Tbsp/36 L water	-	-	-
TRANS WORLD TRADING CO., INC.	IMINOCTADINE TRIS (ALBESILATE)	BELLKUTE 40 WP	400g/kg	WP	FUNGICIDE	4	038-367-3460	22-Jul-24	-	Carrot	Leaf blight	4.4-8.8 Tbsp/36 L water	-	-	-
MINDORO SAGANA MERCHANDISING, INC.	PROFENOFOS	BEATER 500 EC	500 g/L	EC	INSECTICIDE	2	571-070-4081	08-Jul-24	CONTACT	Tomato	Fruitworm, armyworm, cutworm	3-5 Tbsp/36L water	-	14 days	Do not enter treated field one (1) day after application
MINDORO SAGANA MERCHANDISING, INC.	PROFENOFOS	BEATER 500 EC	500 g/L	EC	INSECTICIDE	2	571-070-4081	08-Jul-24	CONTACT	Eggplant	Fruitborer, aphids, leafhopper, & thrips	1.5-3.0 Tbsp/36L water	-	14 days	Do not enter treated field one (1) day after application
MINDORO SAGANA MERCHANDISING, INC.	PROFENOFOS	BEATER 500 EC	500 g/L	EC	INSECTICIDE	2	571-070-4081	08-Jul-24	CONTACT	Cabbage	Diamond back moth, cabbage worm & aphids, thrips	3-5 Tbsp/36L water	-	14 days	Do not enter treated field one (1) day after application
MINDORO SAGANA MERCHANDISING, INC.	PROFENOFOS	BEATER 500 EC	500 g/L	EC	INSECTICIDE	2	571-070-4081	08-Jul-24	CONTACT	Watermelon	Thrips	3-5 Tbsp/36L water	-	14 days	Do not enter treated field one (1) day after application
MINDORO SAGANA MERCHANDISING, INC.	PROFENOFOS	BEATER 500 EC	500 g/L	EC	INSECTICIDE	2	571-070-4081	08-Jul-24	CONTACT	Potato	Thrips, army worm, cutworm, tuber moth	3-5 Tbsp/36L water	-	14 days	Do not enter treated field one (1) day after application
MINDORO SAGANA MERCHANDISING, INC.	PROFENOFOS	BEATER 500 EC	500 g/L	EC	INSECTICIDE	2	571-070-4081	08-Jul-24	CONTACT	Soybeans	Corn earworm, leafminer	3-5 Tbsp/36L water	-	14 days	Do not enter treated field one (1) day after application
MINDORO SAGANA MERCHANDISING, INC.	PROFENOFOS	BEATER 500 EC	500 g/L	EC	INSECTICIDE	2	571-070-4081	08-Jul-24	CONTACT	Mungbeans	Corn earworm, leafminer	3-5 Tbsp/36L water	-	14 days	Do not enter treated field one (1) day after application
MINDORO SAGANA MERCHANDISING, INC.	PROFENOFOS	BEATER 500 EC	500 g/L	EC	INSECTICIDE	2	571-070-4081	08-Jul-24	CONTACT	Cotton	Thrips, bollworm & budworm	3-5 Tbsp/36L water	-	14 days	Do not enter treated field one (1) day after application
MINDORO SAGANA MERCHANDISING, INC.	PROFENOFOS	BEATER 500 EC	500 g/L	EC	INSECTICIDE	2	571-070-4081	08-Jul-24	CONTACT	Sitao	Beanfly, leaf folder & aphids	1.5-3.0 Tbsp/36L water	-	14 days	Do not enter treated field one (1) day after application
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	PROFENOFOS	BEAT DOWN 50 EC	500 g/L	EC	INSECTICIDE	2	667-070-5054 (097)	06-Mar-26	CONTACT	Mango	Blossom thrips	1.0-2.0 Tbsp/36 L water	-	14 days	Do not enter treated field 1 day after application.
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	PROFENOFOS	BEAT DOWN 50 EC	500 g/L	EC	INSECTICIDE	2	667-070-5054 (097)	06-Mar-26	CONTACT	Tomato	Fruitworm, armyworm, cutworm	1.0-5.0 Tbsp/36L water	-	14 days	Do not enter treated field 1 day after application.
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	PROFENOFOS	BEAT DOWN 50 EC	500 g/L	EC	INSECTICIDE	2	667-070-5054 (097)	06-Mar-26	CONTACT	Eggplant	Fruitborer, aphids, leafhopper, & thrips	1.5-3.0 Tbsp/36L water	-	14 days	Do not enter treated field 1 day after application.
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	PROFENOFOS	BEAT DOWN 50 EC	500 g/L	EC	INSECTICIDE	2	667-070-5054 (097)	06-Mar-26	CONTACT	Cabbage	Diamondback moth, Cabbage worms, aphids, thrips	3.0-5.0 Tbsp/36L water	-	14 days	Do not enter treated field 1 day after application.
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	PROFENOFOS	BEAT DOWN 50 EC	500 g/L	EC	INSECTICIDE	2	667-070-5054 (097)	06-Mar-26	CONTACT	Watermelon	Thrips	3.0-5.0 Tbsp/36L water	-	14 days	Do not enter treated field 1 day after application.
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	PROFENOFOS	BEAT DOWN 50 EC	500 g/L	EC	INSECTICIDE	2	667-070-5054 (097)	06-Mar-26	CONTACT	Potato	Thrips, armyworm, cutworm, tuber moth	1.5-3.0 Tbsp/36L water	-	14 days	Do not enter treated field 1 day after application.
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	PROFENOFOS	BEAT DOWN 50 EC	500 g/L	EC	INSECTICIDE	2	667-070-5054 (097)	06-Mar-26	CONTACT	Soybeans	Corn earworm, leafminer	3.0-5.0 Tbsp/36L water	-	14 days	Do not enter treated field 1 day after application.
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	PROFENOFOS	BEAT DOWN 50 EC	500 g/L	EC	INSECTICIDE	2	667-070-5054 (097)	06-Mar-26	CONTACT	Mungbeans	Corn earworm, leafminer	3.0-5.0 Tbsp/36L water	-	14 days	Do not enter treated field 1 day after application.
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	PROFENOFOS	BEAT DOWN 50 EC	500 g/L	EC	INSECTICIDE	2	667-070-5054 (097)	06-Mar-26	CONTACT	Cotton	Thrips, bollworm, budworms	3.0-5.0 Tbsp/36L water	-	14 days	Do not enter treated field 1 day after application.
ZHENGBANG CROP PROTECTION (PHILIPPINES) INC.	PROFENOFOS	BEAT DOWN 50 EC	500 g/L	EC	INSECTICIDE	2	667-070-5054 (097)	06-Mar-26	CONTACT	Sitao	Beanfly, leaf folder, aphids	1.5-3.0 Tbsp/36L water	-	14 days	Do not enter treated field 1 day after application.
ORACLE CHEM CORPORATION	BENOMYL	BEACON 50 WP	500 g/kg	WP	FUNGICIDE	4	417-167-3828	15-Nov-25	SYSTEMIC	Mungbeans	Powdery mildew, cercospora leaf spot	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray deposits
ORACLE CHEM CORPORATION	BENOMYL	BEACON 50 WP	500 g/kg	WP	FUNGICIDE	4	417-167-3828	15-Nov-25	SYSTEMIC	Beans	Powdery mildew, cercospora leaf spot	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray deposits
ORACLE CHEM CORPORATION	BENOMYL	BEACON 50 WP	500 g/kg	WP	FUNGICIDE	4	417-167-3828	15-Nov-25	SYSTEMIC	Cabbage	Cercospora leaf spot	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray deposits
ORACLE CHEM CORPORATION	BENOMYL	BEACON 50 WP	500 g/kg	WP	FUNGICIDE	4	417-167-3828	15-Nov-25	SYSTEMIC	Calamansi	Scab	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray deposits
ORACLE CHEM CORPORATION	BENOMYL	BEACON 50 WP	500 g/kg	WP	FUNGICIDE	4	417-167-3828	15-Nov-25	SYSTEMIC	Cucumber	Powdery mildew	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray deposits
ORACLE CHEM CORPORATION	BENOMYL	BEACON 50 WP	500 g/kg	WP	FUNGICIDE	4	417-167-3828	15-Nov-25	SYSTEMIC	ginger	Cercospora leaf spot	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray deposits
ORACLE CHEM CORPORATION	BENOMYL	BEACON 50 WP	500 g/kg	WP	FUNGICIDE	4	417-167-3828	15-Nov-25	SYSTEMIC	Grapes	Powdery mildew	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray deposits
ORACLE CHEM CORPORATION	BENOMYL	BEACON 50 WP	500 g/kg	WP	FUNGICIDE	4	417-167-3828	15-Nov-25	SYSTEMIC	Mandarin	Scab	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray deposits
ORACLE CHEM CORPORATION	BENOMYL	BEACON 50 WP	500 g/kg	WP	FUNGICIDE	4	417-167-3828	15-Nov-25	SYSTEMIC	Mango	Anthraxnose, powdery mildew	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray deposits
ORACLE CHEM CORPORATION	BENOMYL	BEACON 50 WP	500 g/kg	WP	FUNGICIDE	4	417-167-3828	15-Nov-25	SYSTEMIC	Melon	Powdery mildew	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray deposits

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
ORACLE CHEM CORPORATION	BENOMYL	BEACON 50 WP	500 g/kg	WP	FUNGICIDE	4	417-167-3828	15-Nov-25	SYSTEMIC	Orange	Scab	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) after the spray deposits
ORACLE CHEM CORPORATION	BENOMYL	BEACON 50 WP	500 g/kg	WP	FUNGICIDE	4	417-167-3828	15-Nov-25	SYSTEMIC	Papaya	Powdery mildew	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) after the spray deposits
ORACLE CHEM CORPORATION	BENOMYL	BEACON 50 WP	500 g/kg	WP	FUNGICIDE	4	417-167-3828	15-Nov-25	SYSTEMIC	Pepper	Cercospora leaf spot	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) after the spray deposits
ORACLE CHEM CORPORATION	BENOMYL	BEACON 50 WP	500 g/kg	WP	FUNGICIDE	4	417-167-3828	15-Nov-25	SYSTEMIC	Rice	Blatt, sheath blight	1-4 Tbsp/36L water	1.0 ppm	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) after the spray deposits
ORACLE CHEM CORPORATION	BENOMYL	BEACON 50 WP	500 g/kg	WP	FUNGICIDE	4	417-167-3828	15-Nov-25	SYSTEMIC	Strawberry	Cercospora leaf spot	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) after the spray deposits
ORACLE CHEM CORPORATION	BENOMYL	BEACON 50 WP	500 g/kg	WP	FUNGICIDE	4	417-167-3828	15-Nov-25	SYSTEMIC	Tobacco	Leaf mold, frog eye	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) after the spray deposits
ORACLE CHEM CORPORATION	BENOMYL	BEACON 50 WP	500 g/kg	WP	FUNGICIDE	4	417-167-3828	15-Nov-25	SYSTEMIC	Banana	Black sigatoka	280 g/ha	-	-	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) after the spray deposits
JARDINE DISTRIBUTION, INC.	METALDEHYDE	BAYONET 6N PELLETS	60 g/kg	P	MOLLUSCIDE	4	367-075-0842	24-Oct-26	CONTACT	Rice (Transplanted)	Golden apple snail	2-4 kg/ product per hectare	-	-	48 hours after application
JARDINE DISTRIBUTION, INC.	METALDEHYDE	BAYONET 6N PELLETS	60 g/kg	P	MOLLUSCIDE	4	367-075-0842	24-Oct-26	CONTACT	Rice (Direct Seeded)	Golden apple snail	4-8 kg/product per hectare	-	-	48 hours after application
JARDINE DISTRIBUTION, INC.	METALDEHYDE	BAYONET 6N PELLETS	60 g/kg	P	MOLLUSCIDE	4	367-075-0842	24-Oct-26	CONTACT	Potted and driftwood- attached plants such as	Bush, snails, giant african snail and slugs	1-2 kg/product per hectare	-	-	48 hours after application
JARDINE DISTRIBUTION, INC.	METALDEHYDE	BAYONET 6N PELLETS	60 g/kg	P	MOLLUSCIDE	4	367-075-0842	24-Oct-26	CONTACT	Chinese Cabbage	Slug, snails	6-8 kg/product per hectare	-	-	48 hours after application
JARDINE DISTRIBUTION, INC.	METALDEHYDE	BAYONET 6N PELLETS	60 g/kg	P	MOLLUSCIDE	4	367-075-0842	24-Oct-26	CONTACT	Strawberry	Slug, snails	6-8 kg/product per hectare	-	-	48 hours after application
BAYER CROSCIENCE, INC.	NICLOSAMIDE ETHANOLAMINE SALT	BAYLUSCIDE WP 70	700 g/kg	WP	MOLLUSCIDE	4	284-229-1153	28-Dec-25	CONTACT	Rice	Golden Apple Snail (Kuhol)	35 gm/36 L water	-	-	
BAYER CROSCIENCE, INC.	NICLOSAMIDE	BAYLUSCIDE 250 EC	250 g/L	EC	MOLLUSCIDE	4	284-229-0477	21-Nov-26		Rice	Golden apple snail	7-10 Tbsp/36L water	-	-	At least 48 hours after application
BAYER CROSCIENCE, INC.	NICLOSAMIDE	BAYLUSCIDE 250 EC	250 g/L	EC	MOLLUSCIDE	4	284-229-0477	05-Nov-22		Pineapple	Semi-slug (Pamaroni martens)	5.31 ml prod. / kg mixture / 1,800 ml per ha	-	-	
BAYER CROSCIENCE, INC.	TRIAZINMEFON	BAYLETON 25 WP	250 g/kg	WP	FUNGICIDE	4	284-004-0005	28-Oct-17	SYSTEMIC	Pineapple	Fruit rot, heart rot & root rot	8-16grams/36 L water	-	-	
BAYER CROSCIENCE, INC.	TRIAZINMEFON	BAYLETON 25 WP	250 g/kg	WP	FUNGICIDE	4	284-004-0005	28-Oct-17	SYSTEMIC	Soybeans	Rust	15-30grams/36 L water	-	-	
BAYER CROSCIENCE, INC.	TRIAZINMEFON	BAYLETON 25 WP	250 g/kg	WP	FUNGICIDE	4	284-004-0005	28-Oct-17	SYSTEMIC	Mungbeans	Cercospora	7.5-15grams/36 L water	-	-	
BAYER CROSCIENCE, INC.	BITERTANOL	BAYCOR DC 300	300g/L	DC	FUNGICIDE	4	284-003-0004	26-Dec-16		Banana	Sigatoka, freckle disease, black spot	0.50-0.65 product/ha	-	-	
BAYER CROSCIENCE, INC.	BITERTANOL	BAYCOR DC 300	300g/L	DC	FUNGICIDE	4	284-003-0004	26-Dec-16		Asparagus	Stem & Leaf blight, phoma blight	0.3-0.5 product/ha	-	-	
VAST AGRO SOLUTIONS, INC.	BISPYRIBAC SODIUM	BAYPROL 10 SC	100 g/L	SC	HERBICIDE	4	385-276-3621	23-Jul-24	SELECTIVE (POST-EMERGENT)	Rice (Direct Seeded)	Grasses, sedges & broadleaves	10ml/36 L1 water, 20 spray load/ hectare	0.1 ppm	-	Entry to fields treated with BAYPROL 10 SC is allowed as soon as spray deposits on crops and weeds have dried
VAST AGRO SOLUTIONS, INC.	BISPYRIBAC SODIUM	BAYPROL 10 SC	100 g/L	SC	HERBICIDE	4	385-276-3621	23-Jul-24	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Grasses, sedges & broadleaves	10ml/36 L1 water, 20 spray load/ hectare	0.1 ppm	-	Entry to fields treated with BAYPROL 10 SC is allowed as soon as spray deposits on crops and weeds have dried
UNIAICO, INC.	2,4-D AMINE	BATTLEFIELD 40 SL	400g/L	SL	HERBICIDE	2	612-013-5002	08-Oct-25	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual broadleaves and sedges	3.5-6.5Tbsp/36 L water	0.1 ppm	-	Entry to fields and crops treated with ERADICATOR 2,4-D AMINE 40 SL can be done 1 day after spraying
UNIAICO, INC.	2,4-D AMINE	BATTLEFIELD 40 SL	400g/L	SL	HERBICIDE	2	612-013-5002	08-Oct-25	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual broadleaves and sedges	18-25 Tbsp/36 L water	-	-	Entry to fields and crops treated with ERADICATOR 2,4-D AMINE 40 SL can be done 1 day after spraying
UNIAICO, INC.	2,4-D AMINE	BATTLEFIELD 40 SL	400g/L	SL	HERBICIDE	2	612-013-5002	08-Oct-25	SELECTIVE (POST-EMERGENT)	Corn	Annual broadleaves and sedges	5-6.5 Tbsp/36 L1 water	-	-	Entry to fields and crops treated with ERADICATOR 2,4-D AMINE 40 SL can be done 1 day after spraying
FMC AGRO PHILIPPINES INC.	NICLOSAMIDE ETHANOLAMINE SALT	BATTALION 70 WP	700 g/kg	WP	MOLLUSCIDE	4	596-299-4174	30-Oct-20	CONTACT	Rice	Apple Snail	35 gm/36 L water	-	-	Do not enter the treated field within 48 hours after application
ZAGRO CORPORATION	DIAZINON	BASULION 60 EC	600 g/L	EC	INSECTICIDE	2	043-034-1379	14-Jun-25	CONTACT	Rice	Whorl maggot, stemborer, leafroller, planthopper, rice bug	2.5-3.5 Tbsp/36L Water	-	14 Days	Do not enter treated field for at least 1 day after application
ZAGRO CORPORATION	DIAZINON	BASULION 60 EC	600 g/L	EC	INSECTICIDE	2	043-034-1379	14-Jun-25	CONTACT	Corn	Comborer, earworm, aphids, silk beetle	2.5-3.5 Tbsp/36L Water	-	14 Days	Do not enter treated field for at least 1 day after application
ZAGRO CORPORATION	DIAZINON	BASULION 60 EC	600 g/L	EC	INSECTICIDE	2	043-034-1379	14-Jun-25	CONTACT	Beans	Cutworm, podborer, aphids, flea beetle	3.0-6.0 Tbsp/36L Water	-	14 Days	Do not enter treated field for at least 1 day after application
ZAGRO CORPORATION	DIAZINON	BASULION 60 EC	600 g/L	EC	INSECTICIDE	2	043-034-1379	14-Jun-25	CONTACT	Cowpea	Aphids, cutworm, grasshopper	2.5-4.0 Tbsp/36L Water	-	14 Days	Do not enter treated field for at least 1 day after application
ZAGRO CORPORATION	DIAZINON	BASULION 60 EC	600 g/L	EC	INSECTICIDE	2	043-034-1379	14-Jun-25	CONTACT	Soybeans	Cutworm, aphids, stink bug, grasshopper	2.5-4.0 Tbsp/36L Water	-	14 Days	Do not enter treated field for at least 1 day after application
ZAGRO CORPORATION	DIAZINON	BASULION 60 EC	600 g/L	EC	INSECTICIDE	2	043-034-1379	14-Jun-25	CONTACT	Pineapple	Mealybug	2.5-4.0 Tbsp/36L Water	-	14 Days	Do not enter treated field for at least 1 day after application
ZAGRO CORPORATION	DIAZINON	BASULION 60 EC	600 g/L	EC	INSECTICIDE	2	043-034-1379	14-Jun-25	CONTACT	Cotton	Katydid, grasshopper, cutworm, mites	2.5-4.0 Tbsp/36L Water	-	14 Days	Do not enter treated field for at least 1 day after application
ZAGRO CORPORATION	DIAZINON	BASULION 60 EC	600 g/L	EC	INSECTICIDE	2	043-034-1379	14-Jun-25	CONTACT	Tobacco	Budworm aphids, flea beetle, armyworm	2.5-4.0 Tbsp/36L Water	-	14 Days	Do not enter treated field for at least 1 day after application
ZAGRO CORPORATION	DIAZINON	BASULION 60 EC	600 g/L	EC	INSECTICIDE	2	043-034-1379	14-Jun-25	CONTACT	White potato	Aphids, leafroller, cutworm	3.0-6.0 Tbsp/36L Water	-	14 Days	Do not enter treated field for at least 1 day after application
ZAGRO CORPORATION	DIAZINON	BASULION 60 EC	600 g/L	EC	INSECTICIDE	2	043-034-1379	14-Jun-25	CONTACT	Citrus	Mites, aphids, stink bug	6.0-8.0 Tbsp/36L Water	-	14 Days	Do not enter treated field for at least 1 day after application
ZAGRO CORPORATION	DIAZINON	BASULION 60 EC	600 g/L	EC	INSECTICIDE	2	043-034-1379	14-Jun-25	CONTACT	Banana	Thrips, mealybug, leafroller	2.5-3.0 Tbsp/36L Water	-	14 Days	Do not enter treated field for at least 1 day after application
ZAGRO CORPORATION	DIAZINON	BASULION 60 EC	600 g/L	EC	INSECTICIDE	2	043-034-1379	14-Jun-25	CONTACT	Mango	Hopper, tip borer	2.5-4.0 Tbsp/36L Water	-	14 Days	Do not enter treated field for at least 1 day after application
BASF PHILIPPINES, INC.	GLUFOSINATE AMMONIUM	BASTA 15 SL	150 g/L	SL	HERBICIDE	4	005-182-4580	11-Jun-26	NON-SELECTIVE(POST-EMERGENT)	Rubber	Weeds	Shaded: 215ml/36 L water, Open field: 220ml/36 L water, M-lard	-	-	After spray deposits have dried.
BASF PHILIPPINES, INC.	GLUFOSINATE AMMONIUM	BASTA 15 SL	150 g/L	SL	HERBICIDE	4	005-182-4580	11-Jun-26	NON-SELECTIVE(POST-EMERGENT)	Oil palm	Weeds	Shaded: 160ml/36 L water, Open field: 135 ml/36 L water	-	-	After spray deposits have dried.
BASF PHILIPPINES, INC.	GLUFOSINATE AMMONIUM	BASTA 15 SL	150 g/L	SL	HERBICIDE	4	005-182-4580	11-Jun-26	NON-SELECTIVE(POST-EMERGENT)	Non-crop areas	Weeds	Mixed weeds: 380-225 ml/36 L water	-	-	After spray deposits have dried.
BASF PHILIPPINES, INC.	GLUFOSINATE AMMONIUM	BASTA 15 SL	150 g/L	SL	HERBICIDE	4	005-182-4580	11-Jun-26	NON-SELECTIVE(POST-EMERGENT)	Cavendish Banana	Weeds	Shaded: 160ml/36 L water, Open field: 135-200ml/36 L water	0.2 mg/kg	-	After spray deposits have dried.
GRANS GRANTED AGRO-CHEMICAL CORPORATION	CYPERMETHRIN	BASSTHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	596-037-4109	06-Jul-24	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GRANS GRANTED AGRO-CHEMICAL CORPORATION	CYPERMETHRIN	BASSTHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	596-037-4109	06-Jul-24	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leafroller, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GRANS GRANTED AGRO-CHEMICAL CORPORATION	CYPERMETHRIN	BASSTHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	596-037-4109	06-Jul-24	CONTACT	Cabbage	Diamond-back moth, cabbage moth, worm	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GRANS GRANTED AGRO-CHEMICAL CORPORATION	CYPERMETHRIN	BASSTHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	596-037-4109	06-Jul-24	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GRANS GRANTED AGRO-CHEMICAL CORPORATION	CYPERMETHRIN	BASSTHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	596-037-4109	06-Jul-24	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GRANS GRANTED AGRO-CHEMICAL CORPORATION	CYPERMETHRIN	BASSTHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	596-037-4109	06-Jul-24	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GRANS GRANTED AGRO-CHEMICAL CORPORATION	CYPERMETHRIN	BASSTHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	596-037-4109	06-Jul-24	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GRANS GRANTED AGRO-CHEMICAL CORPORATION	CYPERMETHRIN	BASSTHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	596-037-4109	06-Jul-24	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GRANS GRANTED AGRO-CHEMICAL CORPORATION	CYPERMETHRIN	BASSTHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	596-037-4109	06-Jul-24	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GRANS GRANTED AGRO-CHEMICAL CORPORATION	CYPERMETHRIN	BASSTHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	596-037-4109	06-Jul-24	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GRANS GRANTED AGRO-CHEMICAL CORPORATION	CYPERMETHRIN	BASSTHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	596-037-4109	06-Jul-24	CONTACT	Corn	Comborer, earworm	1.0-4.5 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
BERRIS AGRICULTURAL CO., INC.	PROPICONAZOLE	BASIC 25 EC	250 g/L	EC	FUNGICIDE	3	233-178-4040	19-Jun-26	SYSTEMIC	Banana	Black sigatoka	0.4 liters product/ha	-	-	Do not enter treated fields until spray has completely dried
BERRIS AGRICULTURAL CO., INC.	PROPICONAZOLE	BASIC 25 EC	250 g/L	EC	FUNGICIDE	3	233-178-4040	19-Jun-26	SYSTEMIC	Pineapple	Butt rot	6 ml / 200L	-	-	Do not enter treated fields until spray has completely dried
SINOCHEM CROP PROTECTION (PHILS.) INC.	DIFENOCANAZOLE	BASH 250 EC	250 g/L	EC	FUNGICIDE	4	432-272-3578	28-Dec-25	SYSTEMIC	Banana	Black Sigatoka	0.30-0.40L prod/ha	-	-	

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
SINOCHEM CROP PROTECTION (PHILS.) INC.	DIFENOCONAZOLE	BASH 250 EC	250 g/L	EC	FUNGICIDE	4	432-272-3578	28-Dec-25	SYSTEMIC	Mango	Anthracoise	0.528-0.88 L/ha	-	14 days	-
SINOCHEM CROP PROTECTION (PHILS.) INC.	DIFENOCONAZOLE	BASH 250 EC	250 g/L	EC	FUNGICIDE	4	432-272-3578	28-Dec-25	SYSTEMIC	Rice	Sheath Blight	0.25-0.30 L/ha	-	-	-
SINOCHEM CROP PROTECTION (PHILS.) INC.	DIFENOCONAZOLE	BASH 250 EC	250 g/L	EC	FUNGICIDE	4	432-272-3578	28-Dec-25	SYSTEMIC	Stringbeans	Leaf spot	0.20-0.30 L/ha	-	7 days	-
SINOCHEM CROP PROTECTION (PHILS.) INC.	DIFENOCONAZOLE	BASH 250 EC	250 g/L	EC	FUNGICIDE	4	432-272-3578	28-Dec-25	SYSTEMIC	Eggplant	Leaf spot	0.30-0.30 L/ha	-	7 days	-
SINOCHEM CROP PROTECTION (PHILS.) INC.	DIFENOCONAZOLE	BASH 250 EC	250 g/L	EC	FUNGICIDE	4	432-272-3578	28-Dec-25	SYSTEMIC	Tomato	Alternaria leaf spot, cercospora leafmold, powdery mildew	0.20-0.30 L/ha	-	7 days	-
SINOCHEM CROP PROTECTION (PHILS.) INC.	DIFENOCONAZOLE	BASH 250 EC	250 g/L	EC	FUNGICIDE	4	432-272-3578	28-Dec-25	SYSTEMIC	Cabbage	Ringspot, alternaria	0.20-0.30 L/ha	-	7 days	-
SINOCHEM CROP PROTECTION (PHILS.) INC.	DIFENOCONAZOLE	BASH 250 EC	250 g/L	EC	FUNGICIDE	4	432-272-3578	28-Dec-25	SYSTEMIC	Onion	Purple blotch	0.40-0.50 L/ha	-	7 days	-
SINOCHEM CROP PROTECTION (PHILS.) INC.	DIFENOCONAZOLE	BASH 250 EC	250 g/L	EC	FUNGICIDE	4	432-272-3578	28-Dec-25	SYSTEMIC	Asparagus	Stem and leaf blight	0.35 L/ha	-	7 days	-
SINOCHEM CROP PROTECTION (PHILS.) INC.	DIFENOCONAZOLE	BASH 250 EC	250 g/L	EC	FUNGICIDE	4	011-272-3578	21-Oct-24	-	Banana	Black Sigatoka	0.30-0.40 L prod/ha	-	-	-
SYNGENTA PHILIPPINES INC.	DIFENOCONAZOLE	BASH 250 EC	250 g/L	EC	FUNGICIDE	4	011-272-3578	21-Oct-24	-	Mango	Anthracoise	0.528-0.8 L prod/ha	-	14 days	-
SYNGENTA PHILIPPINES INC.	DIFENOCONAZOLE	BASH 250 EC	250 g/L	EC	FUNGICIDE	4	011-272-3578	21-Oct-24	-	Rice	Sheath Blight	0.25-0.30 L prod/ha	-	7 days	-
SYNGENTA PHILIPPINES INC.	DIFENOCONAZOLE	BASH 250 EC	250 g/L	EC	FUNGICIDE	4	011-272-3578	21-Oct-24	-	Stringbeans	Leaf spot	0.20-0.30 L prod/ha	-	7 days	-
SYNGENTA PHILIPPINES INC.	DIFENOCONAZOLE	BASH 250 EC	250 g/L	EC	FUNGICIDE	4	011-272-3578	21-Oct-24	-	Eggplant	Leaf Spot	0.20-0.30 L prod/ha	-	7 days	-
SYNGENTA PHILIPPINES INC.	DIFENOCONAZOLE	BASH 250 EC	250 g/L	EC	FUNGICIDE	4	011-272-3578	21-Oct-24	-	Tomato	Alternaria leaf spot, cercospora leafmold, powdery mildew	0.20-0.30 L prod/ha	-	7 days	-
SYNGENTA PHILIPPINES INC.	DIFENOCONAZOLE	BASH 250 EC	250 g/L	EC	FUNGICIDE	4	011-272-3578	21-Oct-24	-	Cabbage	Ringspot, alternaria	0.20-0.30 L prod/ha	-	7 days	-
SYNGENTA PHILIPPINES INC.	DIFENOCONAZOLE	BASH 250 EC	250 g/L	EC	FUNGICIDE	4	011-272-3578	21-Oct-24	-	Onion	Purple blotch	0.40-0.50 L prod/ha	-	7 days	-
SYNGENTA PHILIPPINES INC.	DIFENOCONAZOLE	BASH 250 EC	250 g/L	EC	FUNGICIDE	4	011-272-3578	21-Oct-24	-	Asparagus	Stem and leaf blight	0.36 L prod/ha	-	7 days	-
MTSU & CO. (ASIA PACIFIC) PTE. LTD. (MANILA BRANCH)	DAZOMET	BASAMID-G	980 g/kg	G	OTHERS	3	307-095-2915	09-Dec-26	-	Soil fumigant	nematodes, root disease, soil insects & weeds	-	-	-	-
TRANS WORLD TRADING CO., INC.	DAZOMET	BASAMID-G	980 g/kg	G	OTHERS	3	038-095-1769	31-May-24	-	Soil fumigant	nematodes, root disease, soil insects & weeds	-	-	-	-
BASF PHILIPPINES, INC.	BENTAZONE	BASAGRAN 48 SL	480 g/L	SL	HERBICIDE	4	005-081-4012	23-Mar-26	SELECTIVE (POST-EMERGENT)	Rice	Perennial sedges, annual broadleaves and weeds	6-17 tbsp/36 L water	0.1 ppm	30 days before harvest	Immediately after spray deposit has dried up
BASF PHILIPPINES, INC.	BENTAZONE	BASAGRAN 48 SL	480 g/L	SL	HERBICIDE	4	005-081-4012	23-Mar-26	SELECTIVE (POST-EMERGENT)	soybeans	Perennial sedges, annual broadleaves and weeds	-	-	30 days before harvest	Immediately after spray deposit has dried up
KEMSTAR CORPORATION	CARBARYL	BARYL 85 WP	850 g/kg	WP	INSECTICIDE	2	239-035-1236	29-Nov-25	-	Mango	Mango hoppers, tip borer, twig borer, fruitfly, mealy bug	4-8 tbsp/36 L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus, and 1 day on cacao, coffee and mango	Enter treated areas immediately after spray has dried
KEMSTAR CORPORATION	CARBARYL	BARYL 85 WP	850 g/kg	WP	INSECTICIDE	2	239-035-1236	29-Nov-25	-	Rice	Green leafhopper, case worm, rice bug	4-6 tbsp/36 L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus, and 1 day on cacao, coffee and mango	Enter treated areas immediately after spray has dried
KEMSTAR CORPORATION	CARBARYL	BARYL 85 WP	850 g/kg	WP	INSECTICIDE	2	239-035-1236	29-Nov-25	-	Cowpea	Pod borer, beanfly, leafminer, cutworm, aphids	4-6 tbsp/36 L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus, and 1 day on cacao, coffee and mango	Enter treated areas immediately after spray has dried
KEMSTAR CORPORATION	CARBARYL	BARYL 85 WP	850 g/kg	WP	INSECTICIDE	2	239-035-1236	29-Nov-25	-	Soybean	Pod borer, beanfly, leafminer, cutworm, aphids	4-6 tbsp/36 L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus, and 1 day on cacao, coffee and mango	Enter treated areas immediately after spray has dried
KEMSTAR CORPORATION	CARBARYL	BARYL 85 WP	850 g/kg	WP	INSECTICIDE	2	239-035-1236	29-Nov-25	-	Cucurbits	Squash beetle, lady beetle, aphids	4-6 tbsp/36 L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus, and 1 day on cacao, coffee and mango	Enter treated areas immediately after spray has dried
KEMSTAR CORPORATION	CARBARYL	BARYL 85 WP	850 g/kg	WP	INSECTICIDE	2	239-035-1236	29-Nov-25	-	Tomato	Fruitworm, lady beetle	4-6 tbsp/36 L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus, and 1 day on cacao, coffee and mango	Enter treated areas immediately after spray has dried
KEMSTAR CORPORATION	CARBARYL	BARYL 85 WP	850 g/kg	WP	INSECTICIDE	2	239-035-1236	29-Nov-25	-	Cotton	Bollworm, cutworm	4-6 tbsp/36 L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus, and 1 day on cacao, coffee and mango	Enter treated areas immediately after spray has dried
KEMSTAR CORPORATION	CARBARYL	BARYL 85 WP	850 g/kg	WP	INSECTICIDE	2	239-035-1236	29-Nov-25	-	Corn	Corn borer, corn earworm, armyworm	4-6 tbsp/36 L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus, and 1 day on cacao, coffee and mango	Enter treated areas immediately after spray has dried
KEMSTAR CORPORATION	CARBARYL	BARYL 85 WP	850 g/kg	WP	INSECTICIDE	2	239-035-1236	29-Nov-25	-	Sorghum	Web worm, armyworm, cutworm, headworm	4-6 tbsp/36 L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus, and 1 day on cacao, coffee and mango	Enter treated areas immediately after spray has dried
KEMSTAR CORPORATION	CARBARYL	BARYL 85 WP	850 g/kg	WP	INSECTICIDE	2	239-035-1236	29-Nov-25	-	Tobacco	Bullworm, Cutworm, Aphids	4-6 tbsp/36 L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus, and 1 day on cacao, coffee and mango	Enter treated areas immediately after spray has dried
KEMSTAR CORPORATION	CARBARYL	BARYL 85 WP	850 g/kg	WP	INSECTICIDE	2	239-035-1236	29-Nov-25	-	Citrus	Ring borer	4-6 tbsp/36 L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus, and 1 day on cacao, coffee and mango	Enter treated areas immediately after spray has dried
KEMSTAR CORPORATION	CARBARYL	BARYL 85 WP	850 g/kg	WP	INSECTICIDE	2	239-035-1236	29-Nov-25	-	Cacao	Pod borer, aphids, capsid bug	4-6 tbsp/36 L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus, and 1 day on cacao, coffee and mango	Enter treated areas immediately after spray has dried
KEMSTAR CORPORATION	CARBARYL	BARYL 85 WP	850 g/kg	WP	INSECTICIDE	2	239-035-1236	29-Nov-25	-	Coffee	Berry borer	4-6 tbsp/36 L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus, and 1 day on cacao, coffee and mango	Enter treated areas immediately after spray has dried
KEMSTAR CORPORATION	CARBARYL	BARYL 85 WP	850 g/kg	WP	INSECTICIDE	2	239-035-1236	29-Nov-25	-	Ornamentals	Aphids, scale insects, mealy bug, cutworm	4-6 tbsp/36 L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus, and 1 day on cacao, coffee and mango	Enter treated areas immediately after spray has dried
FMC AGRO PHILIPPINES INC.	GAMMA-CHALOTHRIN	BARRICADE 15 CS	15 g/L	CS	INSECTICIDE	4	598-372-4175	30-Oct-30	CONTACT	Rice	Green leafhopper, stem borer	2-3 tbsp/36 L water	0.2ppm	-	-
FMC AGRO PHILIPPINES INC.	GAMMA-CHALOTHRIN	BARRICADE 15 CS	15 g/L	CS	INSECTICIDE	4	598-372-4175	30-Oct-30	CONTACT	Mango	Mango hopper, tip hopper, twig borer	4-5 tbsp/36 L water	-	-	-
PHIL DREAM AGRO VENTURES INC.	LAMBDA-CHYALOTHRIN+THIAMETHOXAM	BARRET 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	726-395-5794	26-Sep-25	-	Potato	Whiteflies, aphids, thrips	100-200ml product/ha, 4-6 ml/36 L	-	7 days	Do not enter treated fields at least 1 Day after application
PHIL DREAM AGRO VENTURES INC.	LAMBDA-CHYALOTHRIN+THIAMETHOXAM	BARRET 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	726-395-5794	26-Sep-25	-	Stringbeans	Green Leafhopper, aphids, mites	100-200ml product/ha, 4-6 ml/36 L	-	7 days	Do not enter treated fields at least 1 Day after application
PHIL DREAM AGRO VENTURES INC.	LAMBDA-CHYALOTHRIN+THIAMETHOXAM	BARRET 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	726-395-5794	26-Sep-25	-	Eggplant	Whiteflies, green leafhopper, aphids	100-200ml product/ha, 4-6 ml/36 L	-	7 days	Do not enter treated fields at least 1 Day after application
PHIL DREAM AGRO VENTURES INC.	LAMBDA-CHYALOTHRIN+THIAMETHOXAM	BARRET 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	726-395-5794	26-Sep-25	-	Bittergourd	Leafhoppers, thrips, aphids, fruitfly, cutworm	100-200ml product/ha, 4-13 ml/36 L	-	7 days	Do not enter treated fields at least 1 Day after application
PHIL DREAM AGRO VENTURES INC.	LAMBDA-CHYALOTHRIN+THIAMETHOXAM	BARRET 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	726-395-5794	26-Sep-25	-	Mango	Leafhoppers, tipborers, capsid bug, fruitfly, cecid fly	12-24ml/200L	-	3 days	Do not enter treated fields at least 1 Day after application
PHIL DREAM AGRO VENTURES INC.	LAMBDA-CHYALOTHRIN+THIAMETHOXAM	BARRET 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	726-395-5794	26-Sep-25	-	Corn	Asiatic corn borer, cutworm, leafhopper, aphids, earworm	200-400ml product/ha, 10-19.0 ml product/36L	-	3 days	Do not enter treated fields at least 1 Day after application
PHIL DREAM AGRO VENTURES INC.	LAMBDA-CHYALOTHRIN+THIAMETHOXAM	BARRET 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	726-395-5794	26-Sep-25	-	Banana	Flower thrips	1-3 ml/L	-	90 days	Do not enter treated fields at least 1 Day after application
PHIL DREAM AGRO VENTURES INC.	LAMBDA-CHYALOTHRIN+THIAMETHOXAM	BARRET 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	726-395-5794	26-Sep-25	-	Rice	Stemborer, leafhopper, rice bugs	30-30 tbsp prod/36L	-	14 days	Do not enter treated fields at least 1 Day after application
AGWAY CHEMICALS CORPORATION	NICLOSMETHOSUL ETANOLAMINE SALT	BARREL 70 WP	700 g/kg	WP	MOLLUSCICIDE	4	075-229-4006	08-Mar-25	CONTACT	Rice	Golden Apple Snail (Kuhol)	35 gm/36 L water	-	-	No less than 48 hours after spraying
AKTIV MULTI TRADING CO. PHILS. INC.	BIFENTHRIN	BARRAGE 300 EC	300g/L	EC	FUNGICIDE	4	340-020-4830	08-Jul-25	-	Banana	Black sigatoka, black leaf streak and freckle disease	0.5-0.85 L Product/ha	-	0 Day	0 day or as soon as excess solution dries up
AGRO TECHNOPRODUCTS INC.	CHLOROTHALONIL	BARON 720 SC	720 g/L	SC	FUNGICIDE	4	370-118-2318	27-Apr-24	-	Potato	Early blight, late blight, vine rot	1.00-1.80 L/ha or 4.5-5.5 tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
AGRO TECHNOPRODUCTS INC.	CHLOROTHALONIL	BARON 720 SC	720 g/L	SC	FUNGICIDE	4	370-118-2318	27-Apr-24	-	Tomato	Early blight, late blight, vine rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
AGRO TECHNOPRODUCTS INC.	CHLOROTHALONIL	BARON 720 SC	720 g/L	SC	FUNGICIDE	4	370-118-2318	27-Apr-24	-	beans	Rust, anthracnose	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
AGRO TECHNOPRODUCTS INC.	CHLOROTHALONIL	BARON 720 SC	720 g/L	SC	FUNGICIDE	4	370-118-2318	27-Apr-24	-	Carrot	Alternaria leaf spot, cercospora leaf spot, helminthosporium leaf spot	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
AGRO TECHNOPRODUCTS INC.	CHLOROTHALONIL	BARON 720 SC	720 g/L	SC	FUNGICIDE	4	370-118-2318	27-Apr-24	-	Cucufers	Powdery mildew	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
AGRO TECHNOPRODUCTS INC.	CHLOROTHALONIL	BARON 720 SC	720 g/L	SC	FUNGICIDE	4	370-118-2318	27-Apr-24	-	Melon	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
AGRO TECHNOPRODUCTS INC.	CHLOROTHALONIL	BARON 720 SC	720 g/L	SC	FUNGICIDE	4	370-118-2318	27-Apr-24	-	Cucumber	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
AGRO TECHNOPRODUCTS INC.	CHLOROTHALONIL	BARON 720 SC	720 g/L	SC	FUNGICIDE	4	370-118-2318	27-Apr-24	-	Squash	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
AGRO TECHNOPRODUCTS INC.	CHLOROTHALONIL	BARON 720 SC	720 g/L	SC	FUNGICIDE	4	370-118-2318	27-Apr-24	-	Watermelon	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
AGRO TECHNOPRODUCTS INC.	CHLOROTHALONIL	BARON 720 SC	720 g/L	SC	FUNGICIDE	4	370-118-2318	27-Apr-24		Celery	Early blight, late blight	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L		7-14 days	Do not enter treatment areas until spray deposit have dried
AGRO TECHNOPRODUCTS INC.	CHLOROTHALONIL	BARON 720 SC	720 g/L	SC	FUNGICIDE	4	370-118-2318	27-Apr-24		Eggplant	Early blight, late blight, cercospora leafspot, anthracnose	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L		7-14 days	Do not enter treatment areas until spray deposit have dried
AGRO TECHNOPRODUCTS INC.	CHLOROTHALONIL	BARON 720 SC	720 g/L	SC	FUNGICIDE	4	370-118-2318	27-Apr-24		Onion	Purple blotch, bulb rot, neck rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L		7-14 days	Do not enter treatment areas until spray deposit have dried
AGRO TECHNOPRODUCTS INC.	CHLOROTHALONIL	BARON 720 SC	720 g/L	SC	FUNGICIDE	4	370-118-2318	27-Apr-24		Pepper	Early blight, cercospora leaf spot, anthracnose	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L		7-14 days	Do not enter treatment areas until spray deposit have dried
AGRO TECHNOPRODUCTS INC.	CHLOROTHALONIL	BARON 720 SC	720 g/L	SC	FUNGICIDE	4	370-118-2318	27-Apr-24		Grapes	Downy mildew, powdery mildew, fruit rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L		7-14 days	Do not enter treatment areas until spray deposit have dried
AGRO TECHNOPRODUCTS INC.	CHLOROTHALONIL	BARON 720 SC	720 g/L	SC	FUNGICIDE	4	370-118-2318	27-Apr-24		Mango	Anthracoese, diploidi rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L	0.5 mg/kg	7-14 days	Do not enter treatment areas until spray deposit have dried
AGRO TECHNOPRODUCTS INC.	CHLOROTHALONIL	BARON 720 SC	720 g/L	SC	FUNGICIDE	4	370-118-2318	27-Apr-24		Ornamentals	Black spot, powdery mildew, black rot	1.13-1.90 L/ha or 4.5-6.0 tbsp/36L		7-14 days	Do not enter treatment areas until spray deposit have dried
AGRO TECHNOPRODUCTS INC.	CHLOROTHALONIL	BARON 720 SC	720 g/L	SC	FUNGICIDE	4	370-118-2318	27-Apr-24		Asparagus	Stem and leaf blight	1.80 L/ha		7-14 days	Do not enter treatment areas until spray deposit have dried
AGRO TECHNOPRODUCTS INC.	CHLOROTHALONIL	BARON 720 SC	720 g/L	SC	FUNGICIDE	4	370-118-2318	27-Apr-24		Banana	Black Sigatoka	1.38 L/ha	2.0 mg/kg	0 day	Do not enter treatment areas until spray deposit have dried
BIOSTADT PHILIPPINES INC.	GLUFOSINATE AMMONIUM	BARITON 150 SL	150 g/L	SL	HERBICIDE	4	097-182-4817-A	31-May-25	NON-SELECTIVE(POST-EMERGENT)	Rubber	Annual & Perennial grasses, sedges & broadleaf weeds	21.5, 27, 13.5 Tbsp/36L water	-	-	After spray deposits have dried
BIOSTADT PHILIPPINES INC.	GLUFOSINATE AMMONIUM	BARITON 150 SL	150 g/L	SL	HERBICIDE	4	097-182-4817-A	31-May-25	NON-SELECTIVE(POST-EMERGENT)	Oil palm	Annual & Perennial grasses, sedges & broadleaf weeds	36, 13.5 Tbsp/36L water	-	-	After spray deposits have dried
BIOSTADT PHILIPPINES INC.	GLUFOSINATE AMMONIUM	BARITON 150 SL	150 g/L	SL	HERBICIDE	4	097-182-4817-A	31-May-25	NON-SELECTIVE(POST-EMERGENT)	Non-crop agricultural areas	Annual & Perennial grasses, sedges & broadleaf weeds	36, 13.5 Tbsp/36L water	-	-	After spray deposits have dried
BIOSTADT PHILIPPINES INC.	GLUFOSINATE AMMONIUM	BARITON 150 SL	150 g/L	SL	HERBICIDE	4	097-182-4817-A	31-May-25	NON-SELECTIVE(POST-EMERGENT)	Coffee	Annual & Perennial grasses, sedges & broadleaf weeds	36, 13.5 Tbsp/36L water	-	-	After spray deposits have dried
BIOSTADT PHILIPPINES INC.	GLUFOSINATE AMMONIUM	BARITON 150 SL	150 g/L	SL	HERBICIDE	4	097-182-4817-A	31-May-25	NON-SELECTIVE(POST-EMERGENT)	Citrus	Annual & Perennial grasses, sedges & broadleaf weeds	36, 13.5 Tbsp/36L water	-	-	After spray deposits have dried
BIOSTADT PHILIPPINES INC.	GLUFOSINATE AMMONIUM	BARITON 150 SL	150 g/L	SL	HERBICIDE	4	097-182-4817-A	31-May-25	NON-SELECTIVE(POST-EMERGENT)	Cavendish Banana	Annual & Perennial grasses, sedges & broadleaf weeds	36, 13.5-20 Tbsp/36L water	0.2 mg/kg	-	After spray deposits have dried
BIOSTADT PHILIPPINES INC.	GLUFOSINATE AMMONIUM	BARITON 150 SL	150 g/L	SL	HERBICIDE	4	097-182-4817-A	31-May-25	NON-SELECTIVE(POST-EMERGENT)	Cacao	Annual & Perennial grasses, sedges & broadleaf weeds	36, 13.5 Tbsp/36L water	-	-	After spray deposits have dried
TOP AGRO PRODUCTS COMPANY	CARTAP HYDROCHLORIDE	BARENA 50 SP	500 g/kg	SP	INSECTICIDE	3	210-106-2101	26-May-24	SYSTEMIC	Rice	Whorl maggot, stemborer, green leafhopper, brown planthopper	3.0-5.0 Tbsp/36 L water	0.2ppm	Spraying should be done 10 days before harvest	Do not enter the fields within 2 days after spraying
TOP AGRO PRODUCTS COMPANY	CARTAP HYDROCHLORIDE	BARENA 50 SP	500 g/kg	SP	INSECTICIDE	3	210-106-2101	26-May-24	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0 Tbsp/36 L water	-	Spraying should be done 10 days before harvest	Do not enter the fields within 2 days after spraying
TOP AGRO PRODUCTS COMPANY	CARTAP HYDROCHLORIDE	BARENA 50 SP	500 g/kg	SP	INSECTICIDE	3	210-106-2101	26-May-24	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0 Tbsp/36 L water	-	Spraying should be done 10 days before harvest	Do not enter the fields within 2 days after spraying
TOP AGRO PRODUCTS COMPANY	CARTAP HYDROCHLORIDE	BARENA 50 SP	500 g/kg	SP	INSECTICIDE	3	210-106-2101	26-May-24	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphid, flea beetle	1.5-2.0 Tbsp/36 L water	-	Spraying should be done 10 days before harvest	Do not enter the fields within 2 days after spraying
TOP AGRO PRODUCTS COMPANY	CARTAP HYDROCHLORIDE	BARENA 50 SP	500 g/kg	SP	INSECTICIDE	3	210-106-2101	26-May-24	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0 Tbsp/36 L water	-	Spraying should be done 10 days before harvest	Do not enter the fields within 2 days after spraying
TOP AGRO PRODUCTS COMPANY	CARTAP HYDROCHLORIDE	BARENA 50 SP	500 g/kg	SP	INSECTICIDE	3	210-106-2101	26-May-24	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0 Tbsp/36 L water	-	Spraying should be done 10 days before harvest	Do not enter the fields within 2 days after spraying
TOP AGRO PRODUCTS COMPANY	CARTAP HYDROCHLORIDE	BARENA 50 SP	500 g/kg	SP	INSECTICIDE	3	210-106-2101	26-May-24	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0 Tbsp/36 L water	-	Spraying should be done 10 days before harvest	Do not enter the fields within 2 days after spraying
TOP AGRO PRODUCTS COMPANY	CARTAP HYDROCHLORIDE	BARENA 50 SP	500 g/kg	SP	INSECTICIDE	3	210-106-2101	26-May-24	SYSTEMIC	Mango	leafhoppers	1.5-2.0 Tbsp/36 L water	-	Spraying should be done 10 days before harvest	Do not enter the fields within 2 days after spraying
TOP AGRO PRODUCTS COMPANY	CARTAP HYDROCHLORIDE	BARENA 50 SP	500 g/kg	SP	INSECTICIDE	3	210-106-2101	26-May-24	SYSTEMIC	Peachay	looper, cutworm, aphids	1.5-3.0 Tbsp/36 L water	-	Spraying should be done 10 days before harvest	Do not enter the fields within 2 days after spraying
EVERLAND AGRI CORPORATION	BUTACHLOR-PROPANIL	BARBER 70 EC	350 g/L+350 g/L	EC	HERBICIDE	3	261-238-6211	3-Feb-26	POST-EMERGENT	Rice (Direct Seeded)	Grasses, sedges and broadleaves	8-12 Tbsp/36 L water	-	-	
EVERLAND AGRI CORPORATION	BUTACHLOR-PROPANIL	BARBER 70 EC	350 g/L+350 g/L	EC	HERBICIDE	3	261-238-6211	3-Feb-26	POST-EMERGENT	Rice (Transplanted)	Grasses, sedges and broadleaves	8-12 Tbsp/36 L water	-	-	
ARIES RINE CHEMICAL CORPORATION	PROFENOFOS	BARAKO 500 EC	500 g/L	EC	INSECTICIDE	2	478-070-6245	28-Jun-24	CONTACT	Tomato	Fruitworm, armyworm, cutworm	3-5 Tbsp/36L water	-	-	Do not enter treated field 1 day after application
ARIES RINE CHEMICAL CORPORATION	PROFENOFOS	BARAKO 500 EC	500 g/L	EC	INSECTICIDE	2	478-070-6245	28-Jun-24	CONTACT	Eggplant	Fruitborer, aphids, leafhopper, & thrips	1.5-3.0 Tbsp/36L water	-	-	Do not enter treated field 1 day after application
ARIES RINE CHEMICAL CORPORATION	PROFENOFOS	BARAKO 500 EC	500 g/L	EC	INSECTICIDE	2	478-070-6245	28-Jun-24	CONTACT	Cabbage	Diamond-back moth, cabbage worms, aphids and thrips	3-5 Tbsp/36L water	-	-	Do not enter treated field 1 day after application
ARIES RINE CHEMICAL CORPORATION	PROFENOFOS	BARAKO 500 EC	500 g/L	EC	INSECTICIDE	2	478-070-6245	28-Jun-24	CONTACT	Potato	Thrips, armyworm, cutworm, tuber moth	3-5 Tbsp/36L water	-	-	Do not enter treated field 1 day after application
ARIES RINE CHEMICAL CORPORATION	PROFENOFOS	BARAKO 500 EC	500 g/L	EC	INSECTICIDE	2	478-070-6245	28-Jun-24	CONTACT	Soybeans	Corn earworm, leafminer	3-5 Tbsp/36L water	-	-	Do not enter treated field 1 day after application
ARIES RINE CHEMICAL CORPORATION	PROFENOFOS	BARAKO 500 EC	500 g/L	EC	INSECTICIDE	2	478-070-6245	28-Jun-24	CONTACT	Mungbeans	Corn earworm, leafminer	3-5 Tbsp/36L water	-	-	Do not enter treated field 1 day after application
ARIES RINE CHEMICAL CORPORATION	PROFENOFOS	BARAKO 500 EC	500 g/L	EC	INSECTICIDE	2	478-070-6245	28-Jun-24	CONTACT	Cotton	Thrips, bollworm, budworms	3-5 Tbsp/36L water	-	-	Do not enter treated field 1 day after application
ARIES RINE CHEMICAL CORPORATION	PROFENOFOS	BARAKO 500 EC	500 g/L	EC	INSECTICIDE	2	478-070-6245	28-Jun-24	CONTACT	Sitao	Beanyfly, leaffolder, aphids	1.5-3.0 Tbsp/36L water	-	-	Do not enter treated field 1 day after application
ARIES RINE CHEMICAL CORPORATION	PROFENOFOS	BARAKO 500 EC	500 g/L	EC	INSECTICIDE	2	478-070-6245	28-Jun-24	CONTACT	Watermelon	Thrips	3-5 Tbsp/36L water	-	-	Do not enter treated field 1 day after application
ARIES RINE CHEMICAL CORPORATION	PROFENOFOS	BARAKO 500 EC	500 g/L	EC	INSECTICIDE	2	478-070-6245	28-Jun-24	CONTACT	Mango	Blossom thrips	1.0-2.0 Tbsp/36L water	-	-	Do not enter treated field 1 day after application
TAIPAN BRAND FARM INC.	PROFENOFOS	BARAK 500 EC	500 g/L	EC	INSECTICIDE	2	529-070-3536	07-Sep-24	CONTACT	Tomato	Fruitworm, armyworm, cutworm	3-5 Tbsp/36L water	-	5 days after the last spray	As soon as the spray solution has dried on the foliage
TAIPAN BRAND FARM INC.	PROFENOFOS	BARAK 500 EC	500 g/L	EC	INSECTICIDE	2	529-070-3536	07-Sep-24	CONTACT	Eggplant	Fruitborer, aphids, leafhopper, & thrips	1.5-3.0 Tbsp/36L water	-	5 days after the last spray	As soon as the spray solution has dried on the foliage
TAIPAN BRAND FARM INC.	PROFENOFOS	BARAK 500 EC	500 g/L	EC	INSECTICIDE	2	529-070-3536	07-Sep-24	CONTACT	Cabbage	Diamond back moth, cabbage worm & aphids, thrips	3-5 Tbsp/36L water	-	5 days after the last spray	As soon as the spray solution has dried on the foliage
TAIPAN BRAND FARM INC.	PROFENOFOS	BARAK 500 EC	500 g/L	EC	INSECTICIDE	2	529-070-3536	07-Sep-24	CONTACT	Watermelon	Thrips	3-5 Tbsp/36L water	-	5 days after the last spray	As soon as the spray solution has dried on the foliage
TAIPAN BRAND FARM INC.	PROFENOFOS	BARAK 500 EC	500 g/L	EC	INSECTICIDE	2	529-070-3536	07-Sep-24	CONTACT	Potato	Thrips, army worm, cutworm, tuber moth	3-5 Tbsp/36L water	-	5 days after the last spray	As soon as the spray solution has dried on the foliage
TAIPAN BRAND FARM INC.	PROFENOFOS	BARAK 500 EC	500 g/L	EC	INSECTICIDE	2	529-070-3536	07-Sep-24	CONTACT	soybeans	Corn earworm, leafminer	3-5 Tbsp/36L water	-	5 days after the last spray	As soon as the spray solution has dried on the foliage
TAIPAN BRAND FARM INC.	PROFENOFOS	BARAK 500 EC	500 g/L	EC	INSECTICIDE	2	529-070-3536	07-Sep-24	CONTACT	Mungbeans	Corn earworm, leafminer	3-5 Tbsp/36L water	-	5 days after the last spray	As soon as the spray solution has dried on the foliage
TAIPAN BRAND FARM INC.	PROFENOFOS	BARAK 500 EC	500 g/L	EC	INSECTICIDE	2	529-070-3536	07-Sep-24	CONTACT	Cotton	Thrips, bollworm & budworm	3-5 Tbsp/36L water	-	5 days after the last spray	As soon as the spray solution has dried on the foliage
TAIPAN BRAND FARM INC.	PROFENOFOS	BARAK 500 EC	500 g/L	EC	INSECTICIDE	2	529-070-3536	07-Sep-24	CONTACT	Sitao	Beanyfly, leaffolder & aphids	1.5-3.0 Tbsp/36L water	-	5 days after the last spray	As soon as the spray solution has dried on the foliage
UPL PHILIPPINES, INC.	CHLOROTHALONIL	BANONIL 75 WP		WP	FUNGICIDE	4	562-118-5060	14-Mar-22		Ornamentals	Black spot, Black rot, powdery mildew				
UPL PHILIPPINES, INC.	CHLOROTHALONIL	BANONIL 75 WP		WP	FUNGICIDE	4	562-118-5060	14-Mar-22		Pepper	Early and late blight, bulb rot, neck rot				
UPL PHILIPPINES, INC.	CHLOROTHALONIL	BANONIL 75 WP		WP	FUNGICIDE	4	562-118-5060	14-Mar-22		Onion	Purple blotch, bulb rot, neck rot				
UPL PHILIPPINES, INC.	CHLOROTHALONIL	BANONIL 75 WP		WP	FUNGICIDE	4	562-118-5060	14-Mar-22		Mango	Anthracoese, Diploidi rot				
UPL PHILIPPINES, INC.	CHLOROTHALONIL	BANONIL 75 WP		WP	FUNGICIDE	4	562-118-5060	14-Mar-22		Grapes	Downy mildew, powdery mildew, fruit rot				
UPL PHILIPPINES, INC.	CHLOROTHALONIL	BANONIL 75 WP		WP	FUNGICIDE	4	562-118-5060	14-Mar-22		Eggplant	Early and late blight, cercospora leaf spot, anthracnose				
UPL PHILIPPINES, INC.	CHLOROTHALONIL	BANONIL 75 WP		WP	FUNGICIDE	4	562-118-5060	14-Mar-22		Celery	Early and late blight				
UPL PHILIPPINES, INC.	CHLOROTHALONIL	BANONIL 75 WP		WP	FUNGICIDE	4	562-118-5060	14-Mar-22		Cucurbits	Powdery mildew, downy mildew, cercospora, anthracnose, Septoria, fruit rot, early and late blight				
UPL PHILIPPINES, INC.	CHLOROTHALONIL	BANONIL 75 WP		WP	FUNGICIDE	4	562-118-5060	14-Mar-22		Courtlers	Powdery mildew				
UPL PHILIPPINES, INC.	CHLOROTHALONIL	BANONIL 75 WP		WP	FUNGICIDE	4	562-118-5060	14-Mar-22		Carrot	Alternaria leaf spot, Cercosporaleaf spot, Helminthosporiumleaf spot				

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)		PHI	RE-ENTRY PERIOD
UPL PHILIPPINES, INC.	CHLOROTHALONIL	BANONIL 75 WP		WP	FUNGICIDE	4	162-118-5060	14-Mar-22		Beans	Rust, anthracnose					
UPL PHILIPPINES, INC.	CHLOROTHALONIL	BANONIL 75 WP		WP	FUNGICIDE	4	162-118-5060	14-Mar-22		Tomato	Early and late blight, vine rot					
UPL PHILIPPINES, INC.	CHLOROTHALONIL	BANONIL 75 WP		WP	FUNGICIDE	4	162-118-5060	14-Mar-22		Potato	Early and late blight, vine rot					
UPL PHILIPPINES, INC.	CHLOROTHALONIL	BANONIL 75 WP		WP	FUNGICIDE	4	162-118-5060	14-Mar-22		Asparagus	Stem and late blight					
UPL PHILIPPINES, INC.	CHLOROTHALONIL	BANONIL 75 WP		WP	FUNGICIDE	4	162-118-5060	14-Mar-22		Banana	Black sigatoka					
TOTAL (PHILIPPINES) CORPORATION	PARAFFINIC MINERAL OIL	BANOLE	100 g/L	-	OTHERS	4	315-262-0714	12-May-24	CONTACT	Banana	Black sigatoka as spray adjuvant in combination with the standard fungicides used for sigatoka control	15 L/ha	-	-	-	No re-entry needs to be taken from an one pesticide product that was used. When crops were solely treated with Endigap N, re-entry could be done as soon as spray have dried.
TOTAL (PHILIPPINES) CORPORATION	PARAFFINIC MINERAL OIL	BANOLE	100 g/L	-	OTHERS	4	315-262-0714	28-Sep-26	-	Banana	Black sigatoka (as adjuvant)	15 L/ha	-	-	-	-
TOTAL (PHILIPPINES) CORPORATION	PARAFFINIC MINERAL OIL	BANOLE	100 g/L	-	OTHERS	4	315-262-0714	28-Sep-26		Pineapple	Heart rot caused by Phytophthora spp.	15-20 L/ hectare	-	-	-	-
BERRIS AGRICULTURAL CO., INC.	AZIOXYSTROBIN	BANKSTAR 25N SC	250g/L	SC	FUNGICIDE	4	233-309-4619	15-Jan-25	SYSTEMIC	Mango	Anthracoese, scab, stem-end rot	6-9/200L water		-	-	Do not spray 3-7 days before harvest
BERRIS AGRICULTURAL CO., INC.	AZIOXYSTROBIN	BANKSTAR 25N SC	250g/L	SC	FUNGICIDE	4	233-309-4619	15-Jan-25	SYSTEMIC	Watermelon	Damping off, leaf spot, anthracnose, downy mildew, powdery mildew	1-2Tbsp/16 L water		-	-	Do not spray 3-7 days before harvest
BERRIS AGRICULTURAL CO., INC.	AZIOXYSTROBIN	BANKSTAR 25N SC	250g/L	SC	FUNGICIDE	4	233-309-4619	15-Jan-25	SYSTEMIC	Onion	Basil/bulb rot	1-2Tbsp/16 L water		-	-	Do not spray 3-7 days before harvest
BERRIS AGRICULTURAL CO., INC.	AZIOXYSTROBIN	BANKSTAR 25N SC	250g/L	SC	FUNGICIDE	4	233-309-4619	15-Jan-25	SYSTEMIC	Tomato	Late/early blight, powdery mildew	0.5-1Tbsp/16 L water		-	-	Do not spray 3-7 days before harvest
BERRIS AGRICULTURAL CO., INC.	AZIOXYSTROBIN	BANKSTAR 25N SC	250g/L	SC	FUNGICIDE	4	233-309-4619	29-Jan-25	SYSTEMIC	Corn	Sheath-blight, leaf spot, leaf rust, ear rot	2-4Tbsp/16 L water		-	-	Do not spray 3-7 days before harvest
BERRIS AGRICULTURAL CO., INC.	AZIOXYSTROBIN	BANKSTAR 25N SC	250g/L	SC	FUNGICIDE	4	233-309-4619	15-Jan-25	SYSTEMIC	Asparagus	Stem blight, leaf blight, fusarium wilt	1-1Tbsp/16 L water		-	-	Do not spray 3-7 days before harvest
BERRIS AGRICULTURAL CO., INC.	AZIOXYSTROBIN	BANKSTAR 25N SC	250g/L	SC	FUNGICIDE	4	233-309-4619	15-Jan-25	SYSTEMIC	Banana	Sigatoka,Black Leaf Streak	0.4 L product in 30-40 L water/ ha		-	-	Do not spray 3-7 days before harvest
ARISTA LIFESCENCE PHILIPPINES INC.	CHLOROTHALONIL	BANKO 75 WP	750 g/kg	WP	FUNGICIDE	4	083-118-1091	14-Mar-22		Grapes	Downy mildew, powdery mildew, fruit rot	3.2-4.8 Tbsp/16L water		-	-	Do not enter treatment areas until spray deposit have dried
ARISTA LIFESCENCE PHILIPPINES INC.	CHLOROTHALONIL	BANKO 75 WP	750 g/kg	WP	FUNGICIDE	4	083-118-1091	14-Mar-22		Potato	Early and late blight, vine rot	3.2-4.8 Tbsp/16L water		-	-	Do not enter treatment areas until spray deposit have dried
ARISTA LIFESCENCE PHILIPPINES INC.	CHLOROTHALONIL	BANKO 75 WP	750 g/kg	WP	FUNGICIDE	4	083-118-1091	14-Mar-22		Tomato	Early and late blight, vine rot	3.2-4.8 Tbsp/16L water		-	-	Do not enter treatment areas until spray deposit have dried
ARISTA LIFESCENCE PHILIPPINES INC.	CHLOROTHALONIL	BANKO 75 WP	750 g/kg	WP	FUNGICIDE	4	083-118-1091	14-Mar-22		Banana	Sigatoka, rust, freckles	3.2-4.8 Tbsp/16L water	2.0 mg/kg	-	-	Do not enter treatment areas until spray deposit have dried
ARISTA LIFESCENCE PHILIPPINES INC.	CHLOROTHALONIL	BANKO 75 WP	750 g/kg	WP	FUNGICIDE	4	083-118-1091	14-Mar-22		Peas	Rust, anthracnose	3.2-4.8 Tbsp/16L water		7 Days	-	Do not enter treatment areas until spray deposit have dried
ARISTA LIFESCENCE PHILIPPINES INC.	CHLOROTHALONIL	BANKO 75 WP	750 g/kg	WP	FUNGICIDE	4	083-118-1091	14-Mar-22		Beans	Rust, anthracnose	3.2-4.8 Tbsp/16L water		7 Days	-	Do not enter treatment areas until spray deposit have dried
ARISTA LIFESCENCE PHILIPPINES INC.	CHLOROTHALONIL	BANKO 75 WP	750 g/kg	WP	FUNGICIDE	4	083-118-1091	14-Mar-22		Citrus	Scab, melanose	3.2-4.8 Tbsp/16L water		-	-	Do not enter treatment areas until spray deposit have dried
ARISTA LIFESCENCE PHILIPPINES INC.	CHLOROTHALONIL	BANKO 75 WP	750 g/kg	WP	FUNGICIDE	4	083-118-1091	14-Mar-22		Watermelon	Powdery mildew, anthracnose, early and late blight, cercospora leaf spot	3.2-4.8 Tbsp/16L water		-	-	Do not enter treatment areas until spray deposit have dried
ARISTA LIFESCENCE PHILIPPINES INC.	CHLOROTHALONIL	BANKO 75 WP	750 g/kg	WP	FUNGICIDE	4	083-118-1091	14-Mar-22		Garlic	Purple blotch, bulb rot, neck rot	3.2-4.8 Tbsp/16L water		7 Days	-	Do not enter treatment areas until spray deposit have dried
ARISTA LIFESCENCE PHILIPPINES INC.	CHLOROTHALONIL	BANKO 75 WP	750 g/kg	WP	FUNGICIDE	4	083-118-1091	14-Mar-22		Onion	Purple blotch, bulb rot, neck rot	3.2-4.8 Tbsp/16L water		7 Days	-	Do not enter treatment areas until spray deposit have dried
ARISTA LIFESCENCE PHILIPPINES INC.	CHLOROTHALONIL	BANKO 75 WP	750 g/kg	WP	FUNGICIDE	4	083-118-1091	14-Mar-22		Rice	Rice blast, stem rot, helminthosporium leaf spot, cercospora leaf spot, sheath blight	3.2-4.8 Tbsp/16L water	0.1ppm	14 Days	-	Do not enter treatment areas until spray deposit have dried
ARISTA LIFESCENCE PHILIPPINES INC.	CHLOROTHALONIL	BANKO 75 WP	750 g/kg	WP	FUNGICIDE	4	083-118-1091	14-Mar-22		Corn	Helminthosporium leafspot, rust, downy mildew	3.2-4.8 Tbsp/16L water		14 Days	-	Do not enter treatment areas until spray deposit have dried
ARISTA LIFESCENCE PHILIPPINES INC.	CHLOROTHALONIL	BANKO 75 WP	750 g/kg	WP	FUNGICIDE	4	083-118-1091	14-Mar-22		Celery	late blight	3.2-4.8 Tbsp/16L water		7 Days	-	Do not enter treatment areas until spray deposit have dried
ARISTA LIFESCENCE PHILIPPINES INC.	CHLOROTHALONIL	BANKO 75 WP	750 g/kg	WP	FUNGICIDE	4	083-118-1091	14-Mar-22		Eggplant	Early and late blight, cercospora, leaf spot	3.2-4.8 Tbsp/16L water		-	-	Do not enter treatment areas until spray deposit have dried
ARISTA LIFESCENCE PHILIPPINES INC.	CHLOROTHALONIL	BANKO 75 WP	750 g/kg	WP	FUNGICIDE	4	083-118-1091	14-Mar-22		Pepper	Early and late blight, cercospora, leaf spot	3.2-4.8 Tbsp/16L water		-	-	Do not enter treatment areas until spray deposit have dried
ARISTA LIFESCENCE PHILIPPINES INC.	CHLOROTHALONIL	BANKO 75 WP	750 g/kg	WP	FUNGICIDE	4	083-118-1091	14-Mar-22		Melon	Anthracoese, powdery mildew, early and late blight, cercospora leaf spot	3.2-4.8 Tbsp/16L water		-	-	Do not enter treatment areas until spray deposit have dried
ARISTA LIFESCENCE PHILIPPINES INC.	CHLOROTHALONIL	BANKO 75 WP	750 g/kg	WP	FUNGICIDE	4	083-118-1091	14-Mar-22		Mango	Anthracoese, diplodia rot	3.2-4.8 Tbsp/16L water	0.5 mg/kg	-	-	Do not enter treatment areas until spray deposit have dried
ARISTA LIFESCENCE PHILIPPINES INC.	CHLOROTHALONIL	BANKO 75 WP	750 g/kg	WP	FUNGICIDE	4	083-118-1091	14-Mar-22		Ornamentals	Black spot, black rot, powdery mildew	3.2-4.8 Tbsp/16L water		-	-	Do not enter treatment areas until spray deposit have dried
ARISTA LIFESCENCE PHILIPPINES INC.	CHLOROTHALONIL	BANKO 75 WP	750 g/kg	WP	FUNGICIDE	4	083-118-1091	14-Mar-22		Peanut	Cercospora leaf spot	3.2-4.8 Tbsp/16L water		14 Days	-	Do not enter treatment areas until spray deposit have dried
ARISTA LIFESCENCE PHILIPPINES INC.	CHLOROTHALONIL	BANKO 75 WP	750 g/kg	WP	FUNGICIDE	4	083-118-1091	14-Mar-22		Lettuce	Downy mildew	3.2-4.8 Tbsp/16L water		-	-	Do not enter treatment areas until spray deposit have dried
ARISTA LIFESCENCE PHILIPPINES INC.	CHLOROTHALONIL	BANKO 75 WP	750 g/kg	WP	FUNGICIDE	4	083-118-1091	14-Mar-22		Cabbage	Powdery mildew	3.2-4.8 Tbsp/16L water		-	-	Do not enter treatment areas until spray deposit have dried
ARISTA LIFESCENCE PHILIPPINES INC.	CHLOROTHALONIL	BANKO 75 WP	750 g/kg	WP	FUNGICIDE	4	083-118-1091	14-Mar-22		Cauliflower	Powdery mildew	3.2-4.8 Tbsp/16L water		-	-	Do not enter treatment areas until spray deposit have dried
ARISTA LIFESCENCE PHILIPPINES INC.	CHLOROTHALONIL	BANKO 75 WP	750 g/kg	WP	FUNGICIDE	4	083-118-1091	14-Mar-22		Broccoli	Powdery mildew	3.2-4.8 Tbsp/16L water		-	-	Do not enter treatment areas until spray deposit have dried
ARISTA LIFESCENCE PHILIPPINES INC.	CHLOROTHALONIL	BANKO 75 WP	750 g/kg	WP	FUNGICIDE	4	083-118-1091	14-Mar-22		Carrot	Alternaria leaf spot, cercospora leaf spot	3.2-4.8 Tbsp/16L water		-	-	Do not enter treatment areas until spray deposit have dried
ARISTA LIFESCENCE PHILIPPINES INC.	CHLOROTHALONIL	BANKO 75 WP	750 g/kg	WP	FUNGICIDE	4	083-118-1091	14-Mar-22		Squash	Anthracoese, powdery mildew, early and late blight, cercospora leaf spot	3.2-4.8 Tbsp/16L water		-	-	Do not enter treatment areas until spray deposit have dried
SYNGENTA PHILIPPINES INC.	AZIOXYSTROBIN	BANKIT 25 SC	250 g/L	SC	FUNGICIDE	4	011-309-0840	29-Aug-26	SYSTEMIC/POST-HARVEST	Cavendish Banana (Post-harvest treatment)	Anthracoese,crown rot,crown mold	2000-400ppm	-	-	-	No harvest interval is necessary
SYNGENTA PHILIPPINES INC.	AZIOXYSTROBIN	BANKIT 25 SC	250 g/L	SC	FUNGICIDE	4	011-309-0840	29-Aug-26	SYSTEMIC/POST-HARVEST	Banana	Black sigatoka and freckle			-	-	No harvest interval is necessary
SYNGENTA PHILIPPINES INC.	AZIOXYSTROBIN	BANKIT 25 SC	250 g/L	SC	FUNGICIDE	4	011-309-0840	29-Aug-26	SYSTEMIC/POST-HARVEST	Pineapple	Butt mold	200-300ppm		-	-	No harvest interval is necessary
AGRI-SPROUT PHILIPPINES, INC.	LAMBDA-CHYALOTHIRIN	BANKER 2.5 EC	25 g/L	EC	INSECTICIDE	2	668-204-5460	03-Apr-24	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leafroller, black bug	1.0-1.5Tbsp/16 L of water	0.05ppm	-	-	Discontinue spraying at least 3 day before harvest
AGRI-SPROUT PHILIPPINES, INC.	LAMBDA-CHYALOTHIRIN	BANKER 2.5 EC	25 g/L	EC	INSECTICIDE	2	668-204-5460	03-Apr-24	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/16L of water		-	-	Discontinue spraying at least 3 day before harvest
AGRI-SPROUT PHILIPPINES, INC.	LAMBDA-CHYALOTHIRIN	BANKER 2.5 EC	25 g/L	EC	INSECTICIDE	2	668-204-5460	03-Apr-24	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/16 L of water		-	-	Discontinue spraying at least 3 day before harvest
AGRI-SPROUT PHILIPPINES, INC.	LAMBDA-CHYALOTHIRIN	BANKER 2.5 EC	25 g/L	EC	INSECTICIDE	2	668-204-5460	03-Apr-24	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/16 L of water		-	-	Discontinue spraying at least 3 day before harvest
AGRI-SPROUT PHILIPPINES, INC.	LAMBDA-CHYALOTHIRIN	BANKER 2.5 EC	25 g/L	EC	INSECTICIDE	2	668-204-5460	03-Apr-24	SYSTEMIC	Mungbeans	Beanfly, flea beetle, leafhopper, aphids, mites, podborer	1.0Tbsp/16 L of water		-	-	Discontinue spraying at least 3 day before harvest
AGRI-SPROUT PHILIPPINES, INC.	LAMBDA-CHYALOTHIRIN	BANKER 2.5 EC	25 g/L	EC	INSECTICIDE	2	668-204-5460	03-Apr-24	SYSTEMIC	Corn	Comborer, aphids, seedling maggots	1.0-1.5Tbsp/16 L of water		-	-	Discontinue spraying at least 3 day before harvest
AGRI-SPROUT PHILIPPINES, INC.	LAMBDA-CHYALOTHIRIN	BANKER 2.5 EC	25 g/L	EC	INSECTICIDE	2	668-204-5460	03-Apr-24	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydid	1.0-1.5Tbsp/16 L of water		-	-	Discontinue spraying at least 3 day before harvest
AGRI-SPROUT PHILIPPINES, INC.	LAMBDA-CHYALOTHIRIN	BANKER 2.5 EC	25 g/L	EC	INSECTICIDE	2	668-204-5460	03-Apr-24	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/16 L of water		-	-	Discontinue spraying at least 3 day before harvest
AGRI-SPROUT PHILIPPINES, INC.	LAMBDA-CHYALOTHIRIN	BANKER 2.5 EC	25 g/L	EC	INSECTICIDE	2	668-204-5460	03-Apr-24	SYSTEMIC	Cocoa	Podborer	1.0-2.0Tbsp/16 L of water		-	-	Discontinue spraying at least 3 day before harvest
AGRI-SPROUT PHILIPPINES, INC.	LAMBDA-CHYALOTHIRIN	BANKER 2.5 EC	25 g/L	EC	INSECTICIDE	2	668-204-5460	03-Apr-24	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/16 L of water		-	-	Discontinue spraying at least 3 day before harvest
AGWAY CHEMICALS CORPORATION	THRIFAM	BANGUARD 80 WG	800 g/kg	WG	FUNGICIDE	3	075-337-1856	03-Apr-24		Banana	Black sigatoka & freckle	2.5 kg/ha		0 Day	-	Re-enter treated area as soon as the spray deposit has dried
AGWAY CHEMICALS CORPORATION	THRIFAM	BANGUARD 80 WG	800 g/kg	WG	FUNGICIDE	3	075-337-1856	03-Apr-24		Pineapple	Phylogththora heart rot & fruitlet rot	7.5-11.25kg/ha		7-30 days	-	Re-enter treated area as soon as the spray deposit has dried
AGWAY CHEMICALS CORPORATION	THRIFAM	BANGUARD 80 WG	800 g/kg	WG	FUNGICIDE	3	075-337-1856	03-Apr-24		Celery	Leafspot & blight	-		7-10 days	-	Re-enter treated area as soon as the spray deposit has dried

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
AGWAY CHEMICALS CORPORATION	THIRAM	BANGUARD 80 WG	800 g/kg	WG	FUNGICIDE	3	075-837-1856	03-Apr-24	-	Mango	Scab & anthracnose	4 Tbsp/ha	-	14-21 days	Re-enter treated area as soon as the spray deposit has dried
AGWAY CHEMICALS CORPORATION	THIRAM	BANGUARD 80 WG	800 g/kg	WG	FUNGICIDE	3	075-837-1856	03-Apr-24	-	Avocado	Cercospora	2.5-3.5 gmsprod/L water	-	0 Day	Re-enter treated area as soon as the spray deposit has dried
AGWAY CHEMICALS CORPORATION	THIRAM	BANGUARD 80 WG	800 g/kg	WG	FUNGICIDE	3	075-837-1856	03-Apr-24	-	Rice	Sheath blight	2-4gms. Product/liter water	5.0 mg/kg	-	Re-enter treated area as soon as the spray deposit has dried
AGWAY CHEMICALS CORPORATION	THIRAM	BANGUARD 80 WG	800 g/kg	WG	FUNGICIDE	3	075-837-1856	03-Apr-24	-	Potato	Late Blight	2-4 gms. Product/liter water	0.02 mg/kg	-	Re-enter treated area as soon as the spray deposit has dried
AGWAY CHEMICALS CORPORATION	THIRAM	BANGUARD 420 SC	42 g/L	SC	FUNGICIDE	3	075-837-4268	01-Oct-25	-	Banana	Black Sigatoka & freckle disease	2.5-3.0 kg/ha; Spray Volume 80 liters/ha using Mustang pump sprayer	2.0 ppm	0 Day	Re-enter treated areas as soon as the spray deposit has dried
118 AGRICULTURAL CORPORATION	METHOMYL	BANGZ 40 SP	400 g/kg	SP	INSECTICIDE	2	506-164-3743	07-Apr-25	CONTACT	Asparagus	Armyworm, cutworm	2.0-2.5 Tbsp/16 L sprayer	-	-	-
118 AGRICULTURAL CORPORATION	METHOMYL	BANGZ 40 SP	400 g/kg	SP	INSECTICIDE	2	506-164-3743	07-Apr-25	CONTACT	Banana	Thrips	3.5-4.5 Tbsp/16 L sprayer	-	-	-
118 AGRICULTURAL CORPORATION	METHOMYL	BANGZ 40 SP	400 g/kg	SP	INSECTICIDE	2	506-164-3743	07-Apr-25	CONTACT	Beans	Leafroller, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/16 L sprayer	-	-	-
118 AGRICULTURAL CORPORATION	METHOMYL	BANGZ 40 SP	400 g/kg	SP	INSECTICIDE	2	506-164-3743	07-Apr-25	CONTACT	Mungbeans	Leafroller, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/16 L sprayer	-	-	-
118 AGRICULTURAL CORPORATION	METHOMYL	BANGZ 40 SP	400 g/kg	SP	INSECTICIDE	2	506-164-3743	07-Apr-25	CONTACT	Soybeans	Leafroller, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/16 L sprayer	-	-	-
118 AGRICULTURAL CORPORATION	METHOMYL	BANGZ 40 SP	400 g/kg	SP	INSECTICIDE	2	506-164-3743	07-Apr-25	CONTACT	Sitao	Leafroller, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/16 L sprayer	-	-	-
118 AGRICULTURAL CORPORATION	METHOMYL	BANGZ 40 SP	400 g/kg	SP	INSECTICIDE	2	506-164-3743	07-Apr-25	CONTACT	Corn	Comborer, earworm	2.0-3.5 Tbsp/16 L sprayer	-	-	-
118 AGRICULTURAL CORPORATION	METHOMYL	BANGZ 40 SP	400 g/kg	SP	INSECTICIDE	2	506-164-3743	07-Apr-25	CONTACT	Sorghum	Comborer, earworm	2.0-3.5 Tbsp/16 L sprayer	-	-	-
118 AGRICULTURAL CORPORATION	METHOMYL	BANGZ 40 SP	400 g/kg	SP	INSECTICIDE	2	506-164-3743	07-Apr-25	CONTACT	Eggplant	Aphids, flea beetle , fruitworm, lady beetle	2.0-3.5 Tbsp/16 L sprayer	-	-	-
118 AGRICULTURAL CORPORATION	METHOMYL	BANGZ 40 SP	400 g/kg	SP	INSECTICIDE	2	506-164-3743	07-Apr-25	CONTACT	Melon	Aphids, Squash beetle , leafroller	2.0-3.5 Tbsp/16 L sprayer	-	-	-
118 AGRICULTURAL CORPORATION	METHOMYL	BANGZ 40 SP	400 g/kg	SP	INSECTICIDE	2	506-164-3743	07-Apr-25	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leafroller	2.0-3.5 Tbsp/16 L sprayer	0.05ppm	3 Days	-
118 AGRICULTURAL CORPORATION	METHOMYL	BANGZ 40 SP	400 g/kg	SP	INSECTICIDE	2	506-164-3743	07-Apr-25	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	2.0-3.5 Tbsp/16 L sprayer	-	-	-
118 AGRICULTURAL CORPORATION	METHOMYL	BANGZ 40 SP	400 g/kg	SP	INSECTICIDE	2	506-164-3743	07-Apr-25	CONTACT	Tomato	Tomato fruitworm, aphids	2.0-3.5 Tbsp/16 L sprayer	-	-	-
118 AGRICULTURAL CORPORATION	METHOMYL	BANGZ 40 SP	400 g/kg	SP	INSECTICIDE	2	506-164-3743	07-Apr-25	CONTACT	Rice	Golden Apple Snail (Kuhol)	36 gm/16 L water	-	-	-
NICLOSAMIDE ETHANOLAMINE SALT		BANGZ 40 SP	700 g/kg	WP	MOLLUSCICIDE	4	506-229-3222	22-Feb-24	CONTACT	Rice			-	-	-
JAIRONE DISTRIBUTION, INC.	TRIFLOPROPH	BANEX 80 OL	800 g/L	OL	FUNGICIDE	2	367-097-2080	20-Dec-14	SYSTEMIC/CONTACT	Banana	Sigatoka and freckles	0.5 L/ha Banex 80 OL + 5.0 L/ha Oil	0.07 ppm	0 day	Until the spray deposit has dried
ABG TRADING CORPORATION	CHLOROTHALONIL	BANANIL 720 SC	720 g/L	SC	FUNGICIDE	4	673-118-5224	15-Nov-24	-	Potato	Early blight, late blight, vine rot	-	-	7-14 days except in banana (0) day	Do not enter treated areas until spray deposits have dried
ABG TRADING CORPORATION	CHLOROTHALONIL	BANANIL 720 SC	720 g/L	SC	FUNGICIDE	4	673-118-5224	15-Nov-24	-	Tomato	Early blight, late blight, vine rot	-	-	7-14 days except in banana (0) day	Do not enter treated areas until spray deposits have dried
ABG TRADING CORPORATION	CHLOROTHALONIL	BANANIL 720 SC	720 g/L	SC	FUNGICIDE	4	673-118-5224	15-Nov-24	-	Beans	Rust, anthracnose	-	-	7-14 days except in banana (0) day	Do not enter treated areas until spray deposits have dried
ABG TRADING CORPORATION	CHLOROTHALONIL	BANANIL 720 SC	720 g/L	SC	FUNGICIDE	4	673-118-5224	15-Nov-24	-	Carrot	Alternaria leaf spot, cercospora leaf spot, helminthosporium leaf spot	-	-	7-14 days except in banana (0) day	Do not enter treated areas until spray deposits have dried
ABG TRADING CORPORATION	CHLOROTHALONIL	BANANIL 720 SC	720 g/L	SC	FUNGICIDE	4	673-118-5224	15-Nov-24	-	Cucufers	Powdery mildew	-	-	7-14 days except in banana (0) day	Do not enter treated areas until spray deposits have dried
ABG TRADING CORPORATION	CHLOROTHALONIL	BANANIL 720 SC	720 g/L	SC	FUNGICIDE	4	673-118-5224	15-Nov-24	-	Cucurbits	Powdery mildew, downy mildew, cercospora, anthracnose, septoria, fruit rot, early and late blight	-	-	7-14 days except in banana (0) day	Do not enter treated areas until spray deposits have dried
ABG TRADING CORPORATION	CHLOROTHALONIL	BANANIL 720 SC	720 g/L	SC	FUNGICIDE	4	673-118-5224	15-Nov-24	-	Calery	Early blight, late blight	-	-	7-14 days except in banana (0) day	Do not enter treated areas until spray deposits have dried
ABG TRADING CORPORATION	CHLOROTHALONIL	BANANIL 720 SC	720 g/L	SC	FUNGICIDE	4	673-118-5224	15-Nov-24	-	Eggplant	Early blight, late blight, cercospora, anthracnose	-	-	7-14 days except in banana (0) day	Do not enter treated areas until spray deposits have dried
ABG TRADING CORPORATION	CHLOROTHALONIL	BANANIL 720 SC	720 g/L	SC	FUNGICIDE	4	673-118-5224	15-Nov-24	-	Onion	Purple blotch, bulb rot, neck rot	-	-	7-14 days except in banana (0) day	Do not enter treated areas until spray deposits have dried
ABG TRADING CORPORATION	CHLOROTHALONIL	BANANIL 720 SC	720 g/L	SC	FUNGICIDE	4	673-118-5224	15-Nov-24	-	Pepper	Early & Late blight, Bulb rot, Neck rot	-	-	7-14 days except in banana (0) day	Do not enter treated areas until spray deposits have dried
ABG TRADING CORPORATION	CHLOROTHALONIL	BANANIL 720 SC	720 g/L	SC	FUNGICIDE	4	673-118-5224	15-Nov-24	-	Grapes	Downy mildew, powdery mildew, fruit rot	-	-	7-14 days except in banana (0) day	Do not enter treated areas until spray deposits have dried
ABG TRADING CORPORATION	CHLOROTHALONIL	BANANIL 720 SC	720 g/L	SC	FUNGICIDE	4	673-118-5224	15-Nov-24	-	Mango	Anthracnose, diploidia rot	0.5 mg/kg	-	7-14 days except in banana (0) day	Do not enter treated areas until spray deposits have dried
ABG TRADING CORPORATION	CHLOROTHALONIL	BANANIL 720 SC	720 g/L	SC	FUNGICIDE	4	673-118-5224	15-Nov-24	-	Ornamentals	Black spot, powdery mildew, black rot	-	-	7-14 days except in banana (0) day	Do not enter treated areas until spray deposits have dried
ABG TRADING CORPORATION	CHLOROTHALONIL	BANANIL 720 SC	720 g/L	SC	FUNGICIDE	4	673-118-5224	15-Nov-24	-	Asparagus	Stem and leaf blight	-	-	7-14 days except in banana (0) day	Do not enter treated areas until spray deposits have dried
ABG TRADING CORPORATION	CHLOROTHALONIL	BANANIL 720 SC	720 g/L	SC	FUNGICIDE	4	673-118-5224	15-Nov-24	-	Banana	Black sigatoka	2.0 mg/kg	-	7-14 days except in banana (0) day	Do not enter treated areas until spray deposits have dried
GREEN AND NATURAL LINES PHILIPPINES CO.	HYDROTREATED LIGHT PARAFFINIC DISTILLATES	BANANE ECO OIL	-	-	OTHERS	4	637-262-4707	18-Jul-25	-	Banana	Black Sigatoka	5.0 Liters/ha	-	-	-
GREEN AND NATURAL LINES PHILIPPINES CO.	HYDROTREATED LIGHT PARAFFINIC DISTILLATES	BANANE ECO OIL	-	-	OTHERS	4	630-282-4641	04-Feb-20	-	Banana	Black Sigatoka	5.0 Liters/ha	-	-	-
AGWAY CHEMICALS CORPORATION	BIFENTHRIN+FLUPROFEZIN/BANAFLEX 22% MB	BANAFLEX TREEBAG 2.1%	-	-	INSECTICIDE	-	075-455-5240	07-Sep-23	-	Banana	Flower thrips, mealybugs & aphids	-	-	-	-
CHEMPLAST PHILIPPINES, INC.	BIFENTHRIN+FLUPROFEZIN/BANAFLEX 22% MB	BANAFLEX TREEBAG 2.1%	20 g/kg+1 g/kg	-	INSECTICIDE	4	574-455-5196	07-Sep-23	-	Banana	Flower thrips, mealybugs & aphids	-	-	-	-
JOCANIMA CORPORATION	CONDENSED OLIGOSACCHARIDES	BANADAK	36.5 g/L	L	OTHERS	4	241-450-3442	04-Sep-26	SYSTEMIC	Cavendish Banana	Black sigatoka	1.0 Liter/ha	-	-	-
GREEN THUMB EXPERT VENTURES, INC.	BISPYRIBAC SODIUM	BALMOND 10 SC	100 g/L	SC	HERBICIDE	2	596-276-5250	08-Nov-21	SELECTIVE (POST-EMERGENT)	Rice (Direct-Seeded outland)	Grasses, sedges & broadleaves	25ml/16 L water, 20 spray load/ hectare	0.1 ppm	-	As soon as spray deposits dry up
JYNSONS PHILIPPINES, INC.	CLOTHIANIDIN	BALESTIC 20 SC	200 g/L	SC	INSECTICIDE	4	151-379-9752	13-May-25	-	Rice	Rice Black bug	4.5 Tbsp/ 16L	-	-	-
ZAGRO CORPORATION	CHLOROTHALONIL	BALEAR 720 SC	720 g/L	SC	FUNGICIDE	4	043-118-3103	06-Apr-25	-	Potato	Early blight, late blight, vine rot	1.00-1.80 L/ha or 4.5-6.0 Tbsp/16L	-	-	Allow 7-14 days from last spray until harvest for all crops. Except for banana (0 day).
ZAGRO CORPORATION	CHLOROTHALONIL	BALEAR 720 SC	720 g/L	SC	FUNGICIDE	4	043-118-3103	06-Apr-25	-	Tomato	Early blight, late blight, vine rot	1.13-1.90 L/ha or 4.5-6.0 Tbsp/16L	-	-	Allow 7-14 days from last spray until harvest for all crops. Except for banana (0 day).
ZAGRO CORPORATION	CHLOROTHALONIL	BALEAR 720 SC	720 g/L	SC	FUNGICIDE	4	043-118-3103	06-Apr-25	-	Beans	Rust, anthracnose	1.13-1.90 L/ha or 4.5-6.0 Tbsp/16L	-	-	Allow 7-14 days from last spray until harvest for all crops. Except for banana (0 day).
ZAGRO CORPORATION	CHLOROTHALONIL	BALEAR 720 SC	720 g/L	SC	FUNGICIDE	4	043-118-3103	06-Apr-25	-	Carrot	Alternaria leaf spot, cercospora leaf spot, helminthosporium leaf spot	1.13-1.90 L/ha or 4.5-6.0 Tbsp/16L	-	-	Allow 7-14 days from last spray until harvest for all crops. Except for banana (0 day).
ZAGRO CORPORATION	CHLOROTHALONIL	BALEAR 720 SC	720 g/L	SC	FUNGICIDE	4	043-118-3103	06-Apr-25	-	Cucufers	Powdery mildew	1.13-1.90 L/ha or 4.5-6.0 Tbsp/16L	-	-	Allow 7-14 days from last spray until harvest for all crops. Except for banana (0 day).
ZAGRO CORPORATION	CHLOROTHALONIL	BALEAR 720 SC	720 g/L	SC	FUNGICIDE	4	043-118-3103	06-Apr-25	-	Melon	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 Tbsp/16L	-	-	Allow 7-14 days from last spray until harvest for all crops. Except for banana (0 day).
ZAGRO CORPORATION	CHLOROTHALONIL	BALEAR 720 SC	720 g/L	SC	FUNGICIDE	4	043-118-3103	06-Apr-25	-	Cucumber	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 Tbsp/16L	-	-	Allow 7-14 days from last spray until harvest for all crops. Except for banana (0 day).
ZAGRO CORPORATION	CHLOROTHALONIL	BALEAR 720 SC	720 g/L	SC	FUNGICIDE	4	043-118-3103	06-Apr-25	-	Squash	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 Tbsp/16L	-	-	Allow 7-14 days from last spray until harvest for all crops. Except for banana (0 day).
ZAGRO CORPORATION	CHLOROTHALONIL	BALEAR 720 SC	720 g/L	SC	FUNGICIDE	4	043-118-3103	06-Apr-25	-	Watermelon	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 Tbsp/16L	-	-	Allow 7-14 days from last spray until harvest for all crops. Except for banana (0 day).
ZAGRO CORPORATION	CHLOROTHALONIL	BALEAR 720 SC	720 g/L	SC	FUNGICIDE	4	043-118-3103	06-Apr-25	-	Calery	Early blight, late blight	1.13-1.90 L/ha or 4.5-6.0 Tbsp/16L	-	-	Allow 7-14 days from last spray until harvest for all crops. Except for banana (0 day).
ZAGRO CORPORATION	CHLOROTHALONIL	BALEAR 720 SC	720 g/L	SC	FUNGICIDE	4	043-118-3103	06-Apr-25	-	Eggplant	Early blight, late blight, cercospora leafspot, anthracnose	1.13-1.90 L/ha or 4.5-6.0 Tbsp/16L	-	-	Allow 7-14 days from last spray until harvest for all crops. Except for banana (0 day).
ZAGRO CORPORATION	CHLOROTHALONIL	BALEAR 720 SC	720 g/L	SC	FUNGICIDE	4	043-118-3103	06-Apr-25	-	Onion	Purple blotch, bulb rot, neck rot	1.13-1.90 L/ha or 4.5-6.0 Tbsp/16L	-	-	Allow 7-14 days from last spray until harvest for all crops. Except for banana (0 day).
ZAGRO CORPORATION	CHLOROTHALONIL	BALEAR 720 SC	720 g/L	SC	FUNGICIDE	4	043-118-3103	06-Apr-25	-	Bartic	Purple blotch, bulb rot, neck rot	1.13-1.90 L/ha or 4.5-6.0 Tbsp/16L	-	-	Allow 7-14 days from last spray until harvest for all crops. Except for banana (0 day).
ZAGRO CORPORATION	CHLOROTHALONIL	BALEAR 720 SC	720 g/L	SC	FUNGICIDE	4	043-118-3103	06-Apr-25	-	Pepper	Early blight, cercospora leaf spot, anthracnose	1.13-1.90 L/ha or 4.5-6.0 Tbsp/16L	-	-	Allow 7-14 days from last spray until harvest for all crops. Except for banana (0 day).

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
ZAGRO CORPORATION	CHLOROTHALONIL	BALEAR 720 SC	720 g/L	SC	FUNGICIDE	4	043-118-3103	06-Apr-25	-	Grapes	Downy mildew, powdery mildew, fruit rot	1.13-1.90L/ha or 4.5-6.0tbsp/36L	-	Allow 7-14 days from last spray until harvest for all crops. Except for banana (0 day).	Do not enter treatment areas until spray deposit have dried
ZAGRO CORPORATION	CHLOROTHALONIL	BALEAR 720 SC	720 g/L	SC	FUNGICIDE	4	043-118-3103	06-Apr-25	-	Mango	Anthraxnose, diploia rot	3.75-5.80L/ha or 4.5-6.0tbsp/36L	0.5 mg/kg	Allow 7-14 days from last spray until harvest for all crops. Except for banana (0 day).	Do not enter treatment areas until spray deposit have dried
ZAGRO CORPORATION	CHLOROTHALONIL	BALEAR 720 SC	720 g/L	SC	FUNGICIDE	4	043-118-3103	06-Apr-25	-	Ornamentals	Black spot, powdery mildew, black rot	1.13-1.90L/ha or 4.5-6.0tbsp/36L	-	Allow 7-14 days from last spray until harvest for all crops. Except for banana (0 day).	Do not enter treatment areas until spray deposit have dried
ZAGRO CORPORATION	CHLOROTHALONIL	BALEAR 720 SC	720 g/L	SC	FUNGICIDE	4	043-118-3103	06-Apr-25	-	Asparagus	Stem and leaf blight	1.80L/ha	-	Allow 7-14 days from last spray until harvest for all crops. Except for banana (0 day).	Do not enter treatment areas until spray deposit have dried
ZAGRO CORPORATION	CHLOROTHALONIL	BALEAR 720 SC	720 g/L	SC	FUNGICIDE	4	043-118-3103	06-Apr-25	-	Banana	Black sigatoka	1.38L/ha	2.0 mg/kg	Allow 7-14 days from last spray until harvest for all crops. Except for banana (0 day).	Do not enter treatment areas until spray deposit have dried
ZAGRO CORPORATION	CHLOROTHALONIL	BALEAR 500 SC	500 g/L	SC	FUNGICIDE	4	043-118-0889	06-Apr-25	-	Potato	Early blight, late blight, vine rot	6.0-8.5 tbsp/ 36L	-	7-14 days	Do not enter treated field until spray deposits have dried
ZAGRO CORPORATION	CHLOROTHALONIL	BALEAR 500 SC	500 g/L	SC	FUNGICIDE	4	043-118-0889	06-Apr-25	-	Tomato	Early blight, late blight, vine rot	6.0-8.5 tbsp/ 36L	-	7-14 days	Do not enter treated field until spray deposits have dried
ZAGRO CORPORATION	CHLOROTHALONIL	BALEAR 500 SC	500 g/L	SC	FUNGICIDE	4	043-118-0889	06-Apr-25	-	Beans	Rust, anthracnose	6.0-8.5 tbsp/ 36L	-	7-14 days	Do not enter treated field until spray deposits have dried
ZAGRO CORPORATION	CHLOROTHALONIL	BALEAR 500 SC	500 g/L	SC	FUNGICIDE	4	043-118-0889	06-Apr-25	-	Carrot	Alternaria leaf spot, cercospora leaf spot, helminthosporium leaf spot	6.0-8.5 tbsp/ 36L	-	7-14 days	Do not enter treated field until spray deposits have dried
ZAGRO CORPORATION	CHLOROTHALONIL	BALEAR 500 SC	500 g/L	SC	FUNGICIDE	4	043-118-0889	06-Apr-25	-	Crucifers	Powdery mildew	6.0-8.5 tbsp/ 36L	-	7-14 days	Do not enter treated field until spray deposits have dried
ZAGRO CORPORATION	CHLOROTHALONIL	BALEAR 500 SC	500 g/L	SC	FUNGICIDE	4	043-118-0889	06-Apr-25	-	Cucumber	Downy mildew, powdery mildew cercospora, septoria, fruit rot, anthracnose, early and late blight	6.0-8.5 tbsp/ 36L	-	7-14 days	Do not enter treated field until spray deposits have dried
ZAGRO CORPORATION	CHLOROTHALONIL	BALEAR 500 SC	500 g/L	SC	FUNGICIDE	4	043-118-0889	06-Apr-25	-	Squash	Downy mildew, powdery mildew cercospora, septoria, fruit rot, anthracnose, early and late blight	6.0-8.5 tbsp/ 36L	-	7-14 days	Do not enter treated field until spray deposits have dried
ZAGRO CORPORATION	CHLOROTHALONIL	BALEAR 500 SC	500 g/L	SC	FUNGICIDE	4	043-118-0889	06-Apr-25	-	Watermelon	Downy mildew, powdery mildew cercospora, septoria, fruit rot, anthracnose, early and late blight	6.0-8.5 tbsp/ 36L	2.0 mg/kg	-	Do not enter treated field until spray deposits have dried
ZAGRO CORPORATION	CHLOROTHALONIL	BALEAR 500 SC	500 g/L	SC	FUNGICIDE	4	043-118-0889	06-Apr-25	-	Melon	Downy mildew, powdery mildew cercospora, septoria, fruit rot, anthracnose, early and late blight	6.0-8.5 tbsp/ 36L	0.5 mg/kg	7-14 days	Do not enter treated field until spray deposits have dried
ZAGRO CORPORATION	CHLOROTHALONIL	BALEAR 500 SC	500 g/L	SC	FUNGICIDE	4	043-118-0889	06-Apr-25	-	Celery	Early blight, late blight	6.0-8.5 tbsp/ 36L	-	7-14 days	Do not enter treated field until spray deposits have dried
ZAGRO CORPORATION	CHLOROTHALONIL	BALEAR 500 SC	500 g/L	SC	FUNGICIDE	4	043-118-0889	06-Apr-25	-	Eggplant	Early blight, late blight, cercospora leafspot, anthracnose	6.0-8.5 tbsp/ 36L	-	7-14 days	Do not enter treated field until spray deposits have dried
ZAGRO CORPORATION	CHLOROTHALONIL	BALEAR 500 SC	500 g/L	SC	FUNGICIDE	4	043-118-0889	06-Apr-25	-	Onion	Purple blotch, bulb rot, neck rot	6.0-8.5 tbsp/ 36L	-	7-14 days	Do not enter treated field until spray deposits have dried
ZAGRO CORPORATION	CHLOROTHALONIL	BALEAR 500 SC	500 g/L	SC	FUNGICIDE	4	043-118-0889	06-Apr-25	-	Garlic	Purple blotch, bulb rot, neck rot	6.0-8.5 tbsp/ 36L	-	7-14 days	Do not enter treated field until spray deposits have dried
ZAGRO CORPORATION	CHLOROTHALONIL	BALEAR 500 SC	500 g/L	SC	FUNGICIDE	4	043-118-0889	06-Apr-25	-	Pepper	Early and late blight, cercospora leaf spot, anthracnose	6.0-8.5 tbsp/ 36L	-	7-14 days	Do not enter treated field until spray deposits have dried
ZAGRO CORPORATION	CHLOROTHALONIL	BALEAR 500 SC	500 g/L	SC	FUNGICIDE	4	043-118-0889	06-Apr-25	-	Grapes	Downy mildew, powdery mildew, fruit rot	6.0-8.5 tbsp/ 36L	-	7-14 days	Do not enter treated field until spray deposits have dried
ZAGRO CORPORATION	CHLOROTHALONIL	BALEAR 500 SC	500 g/L	SC	FUNGICIDE	4	043-118-0889	06-Apr-25	-	Mango	Anthraxnose, diploia rot	6.0-8.5 tbsp/ 36L	-	7-14 days	Do not enter treated field until spray deposits have dried
ZAGRO CORPORATION	CHLOROTHALONIL	BALEAR 500 SC	500 g/L	SC	FUNGICIDE	4	043-118-0889	06-Apr-25	-	Ornamentals	Black spot, powdery mildew, black rot	6.0-8.5 tbsp/ 36L	-	7-14 days	Do not enter treated field until spray deposits have dried
ZAGRO CORPORATION	CHLOROTHALONIL	BALEAR 500 SC	500 g/L	SC	FUNGICIDE	4	043-118-0889	06-Apr-25	-	Banana	Black sigatoka, rust, freckles, helminthosporium leaf spot	6.0-8.5 tbsp/ 36L	-	0 day	Do not enter treated field until spray deposits have dried
ZAGRO CORPORATION	CHLOROTHALONIL	BALEAR 500 SC	500 g/L	SC	FUNGICIDE	4	043-118-0889	06-Apr-25	-	Corn	Helminthosporium leaf spot, Cercospora leaf spot	6.0-8.5 tbsp/ 36L	-	7-14 days	Do not enter treated field until spray deposits have dried
TEXICON AGR VENTURES CORPORATION	METHOMIL	BAGYO 40 SP	400 g/kg	SP	INSECTICIDE	2	242-364-1716	09-Mar-25	CONTACT	Asparagus	Armyworm, cutworm	2-3 tbsp/36L sprayer	-	-	Do not enter fields treated with BAGYO 40 SP within 12 hours after application
TEXICON AGR VENTURES CORPORATION	METHOMIL	BAGYO 40 SP	400 g/kg	SP	INSECTICIDE	2	242-364-1716	09-Mar-25	CONTACT	Banana	Thrips	3-4 tbsp/36L sprayer	-	-	Do not enter fields treated with BAGYO 40 SP within 12 hours after application
TEXICON AGR VENTURES CORPORATION	METHOMIL	BAGYO 40 SP	400 g/kg	SP	INSECTICIDE	2	242-364-1716	09-Mar-25	CONTACT	Beans	Leafroller, flea beetle , beanfly, podborer,aphids	2-3 tbsp/36L sprayer	-	-	Do not enter fields treated with BAGYO 40 SP within 12 hours after application
TEXICON AGR VENTURES CORPORATION	METHOMIL	BAGYO 40 SP	400 g/kg	SP	INSECTICIDE	2	242-364-1716	09-Mar-25	CONTACT	Mungbeans	Leafroller, flea beetle , beanfly, podborer,aphids	2-3 tbsp/36L sprayer	-	-	Do not enter fields treated with BAGYO 40 SP within 12 hours after application
TEXICON AGR VENTURES CORPORATION	METHOMIL	BAGYO 40 SP	400 g/kg	SP	INSECTICIDE	2	242-364-1716	09-Mar-25	CONTACT	Soybeans	Leafroller, flea beetle , beanfly, podborer,aphids	2-3 tbsp/36L sprayer	-	-	Do not enter fields treated with BAGYO 40 SP within 12 hours after application
TEXICON AGR VENTURES CORPORATION	METHOMIL	BAGYO 40 SP	400 g/kg	SP	INSECTICIDE	2	242-364-1716	09-Mar-25	CONTACT	Stao	Leafroller, flea beetle , beanfly, podborer,aphids	2-3 tbsp/36L sprayer	-	-	Do not enter fields treated with BAGYO 40 SP within 12 hours after application
TEXICON AGR VENTURES CORPORATION	METHOMIL	BAGYO 40 SP	400 g/kg	SP	INSECTICIDE	2	242-364-1716	09-Mar-25	CONTACT	Corn	Comborer, earworm	2-3 tbsp/36L sprayer	-	-	Do not enter fields treated with BAGYO 40 SP within 12 hours after application
TEXICON AGR VENTURES CORPORATION	METHOMIL	BAGYO 40 SP	400 g/kg	SP	INSECTICIDE	2	242-364-1716	09-Mar-25	CONTACT	Sorghum	Comborer,earworm	2-3 tbsp/36L sprayer	-	-	Do not enter fields treated with BAGYO 40 SP within 12 hours after application
TEXICON AGR VENTURES CORPORATION	METHOMIL	BAGYO 40 SP	400 g/kg	SP	INSECTICIDE	2	242-364-1716	09-Mar-25	CONTACT	Eggplant	Aphids, flea beetle, fruitworm, lady beetle	2-3 tbsp/36L sprayer	-	-	Do not enter fields treated with BAGYO 40 SP within 12 hours after application
TEXICON AGR VENTURES CORPORATION	METHOMIL	BAGYO 40 SP	400 g/kg	SP	INSECTICIDE	2	242-364-1716	09-Mar-25	CONTACT	Melon	Aphids, Squash beetle , leafroller	2-3 tbsp/36L sprayer	-	-	Do not enter fields treated with BAGYO 40 SP within 12 hours after application
TEXICON AGR VENTURES CORPORATION	METHOMIL	BAGYO 40 SP	400 g/kg	SP	INSECTICIDE	2	242-364-1716	09-Mar-25	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leafroller	2-3 tbsp/36L sprayer	0.02ppm	3 Days	Do not enter fields treated with BAGYO 40 SP within 12 hours after application
TEXICON AGR VENTURES CORPORATION	METHOMIL	BAGYO 40 SP	400 g/kg	SP	INSECTICIDE	2	242-364-1716	09-Mar-25	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	2-3 tbsp/36L sprayer	-	-	Do not enter fields treated with BAGYO 40 SP within 12 hours after application
TEXICON AGR VENTURES CORPORATION	METHOMIL	BAGYO 40 SP	400 g/kg	SP	INSECTICIDE	2	242-364-1716	09-Mar-25	CONTACT	Tomato	Tomato fruitworm, aphids	2-3 tbsp/36L sprayer	-	-	Do not enter fields treated with BAGYO 40 SP within 12 hours after application
JEELS MASAGANA FARM SUPPLY, INC.	PROFENOFOS	BADODOR 50 EC	500 g/L	EC	INSECTICIDE	2	487-070-5226	11-Sep-24	CONTACT	Mango	Thrips	1.0-2.0 tbsp/36L water	-	Do not apply at least seven (7) days before harvest.	Do not enter treated fields for at least one (1) day after application.
JEELS MASAGANA FARM SUPPLY, INC.	PROFENOFOS	BADODOR 50 EC	500 g/L	EC	INSECTICIDE	2	487-070-5226	11-Sep-24	CONTACT	Tomato	Fruitworm, armyworm, cutworm	3-5 tbsp/36L water	-	Do not apply at least seven (7) days before harvest.	Do not enter treated fields for at least one (1) day after application.
JEELS MASAGANA FARM SUPPLY, INC.	PROFENOFOS	BADODOR 50 EC	500 g/L	EC	INSECTICIDE	2	487-070-5226	11-Sep-24	CONTACT	Eggplant	Fruitbore, aphids, leafhopper & thrips	1.5-3.0 tbsp/36L water	-	Do not apply at least seven (7) days before harvest.	Do not enter treated fields for at least one (1) day after application.
JEELS MASAGANA FARM SUPPLY, INC.	PROFENOFOS	BADODOR 50 EC	500 g/L	EC	INSECTICIDE	2	487-070-5226	11-Sep-24	CONTACT	Cabbage	Diamond back moth, cabbage worm & aphids	3-5 tbsp/36L water	-	Do not apply at least seven (7) days before harvest.	Do not enter treated fields for at least one (1) day after application.
JEELS MASAGANA FARM SUPPLY, INC.	PROFENOFOS	BADODOR 50 EC	500 g/L	EC	INSECTICIDE	2	487-070-5226	11-Sep-24	CONTACT	Watermelon	Thrips	3-5 tbsp/36L water	-	Do not apply at least seven (7) days before harvest.	Do not enter treated fields for at least one (1) day after application.
JEELS MASAGANA FARM SUPPLY, INC.	PROFENOFOS	BADODOR 50 EC	500 g/L	EC	INSECTICIDE	2	487-070-5226	11-Sep-24	CONTACT	Potato	Thrips, army worm, cutworm, tuber moth	3-5 tbsp/36L water	-	Do not apply at least seven (7) days before harvest.	Do not enter treated fields for at least one (1) day after application.
JEELS MASAGANA FARM SUPPLY, INC.	PROFENOFOS	BADODOR 50 EC	500 g/L	EC	INSECTICIDE	2	487-070-5226	11-Sep-24	CONTACT	Soybeans	Corn earworm, leafminer	3-5 tbsp/36L water	-	Do not apply at least seven (7) days before harvest.	Do not enter treated fields for at least one (1) day after application.
JEELS MASAGANA FARM SUPPLY, INC.	PROFENOFOS	BADODOR 50 EC	500 g/L	EC	INSECTICIDE	2	487-070-5226	11-Sep-24	CONTACT	Mungbeans	Corn earworm, leafminer	3-5 tbsp/36L water	-	Do not apply at least seven (7) days before harvest.	Do not enter treated fields for at least one (1) day after application.
JEELS MASAGANA FARM SUPPLY, INC.	PROFENOFOS	BADODOR 50 EC	500 g/L	EC	INSECTICIDE	2	487-070-5226	11-Sep-24	CONTACT	Cotton	Thrips, bollworm & budworm	3-5 tbsp/36L water	-	Do not apply at least seven (7) days before harvest.	Do not enter treated fields for at least one (1) day after application.
JEELS MASAGANA FARM SUPPLY, INC.	PROFENOFOS	BADODOR 50 EC	500 g/L	EC	INSECTICIDE	2	487-070-5226	11-Sep-24	CONTACT	Stao	Beanfly, leafroller & aphids	1.5-3.0 tbsp/36L water	-	Do not apply at least seven (7) days before harvest.	Do not enter treated fields for at least one (1) day after application.
TROPIC-LIKE, INC.	COPPER OXYCHLORIDE-COPPER HYDROXIDE	BADGE 20 SC	200 g/L	SC	FUNGICIDE	3	091-437-3140	02-Sep-30	-	Cavendish Banana	Diamond fruit spot, finger rot & freckle	30-11 mL/Liter water	-	-	-
BIQHE SCIENCES SOLUTIONS COMPANY	BENZALKONIUM CHLORIDE	BACTIGARD FORTE	800 g/L	-	OTHERS	2	581-097-3832	01-Dec-25	-	Banana	As tool disinfectant, foot bath, tire bath or wheel bath for the control of Moko disease/bacterial wilt (<i>Ralstonia solanaceorum</i>) and As tool disinfectant, foot bath, tire bath or wheel bath for the control of Moko disease/bacterial wilt (<i>Ralstonia solanaceorum</i>) & <i>Fusarium</i>	10-30 mL/L water	-	-	-
KARROS CHEMICALS SOLUTIONS CO.	BENZALKONIUM CHLORIDE-HIBRONOL	BACTIGARD	300 g/L-2000 g/L	-	OTHERS	2	484-456-5408	30-Nov-25	-	Banana	As tool disinfectant, foot bath, tire bath or wheel bath for the control of Moko disease/bacterial wilt (<i>Ralstonia solanaceorum</i>) and As tool disinfectant, foot bath, tire bath or wheel bath for the control of Moko disease/bacterial wilt (<i>Ralstonia solanaceorum</i>) & <i>Fusarium</i>	10-30 mL/L water	-	-	-
B.M. CUSPAG AGR TRADE	GLYPHOSATE IPA	BACHHOE 480 SL	480 g/L	SL	HERBICIDE	4	568-151-3728	02-Jun-19	POST-EMERGENT	-	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/ha	-	-
B.M. CUSPAG AGR TRADE	GLYPHOSATE IPA	BACHHOE 480 SL	480 g/L	SL	HERBICIDE	4	568-151-3728	02-Jun-19	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
B.M. CUSPAG AGR TRADE	GLYPHOSATE IPA	BACHHOE 480 SL	480 g/L	SL	HERBICIDE	4	568-151-3728	02-Jun-19	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
B.M. CUSPAG AGR TRADE	GLYPHOSATE IPA	BACHHOE 480 SL	480 g/L	SL	HERBICIDE	4	568-151-3728	02-Jun-19	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
B.M. CUSPAG AGR TRADE	GLYPHOSATE IPA	BACHHOE 480 SL	480 g/L	SL	HERBICIDE	4	568-151-3728	02-Jun-19	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
B.M. CUSPAG AGR TRADE	GLYPHOSATE IPA	BACHHOE 480 SL	480 g/L	SL	HERBICIDE	4	568-151-3728	02-Jun-19	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
B.M. CUSPAG AGR TRADE	GLYPHOSATE IPA	BACHHOE 480 SL	480 g/L	SL	HERBICIDE	4	568-151-3728	02-Jun-19	POST-EMERGENT	oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liter/ha	-	-	-
B.M. CUSPAG AGR TRADE	GLYPHOSATE IPA	BACHHOE 480 SL	480 g/L	SL	HERBICIDE	4	568-151-3728	02-Jun-19	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liter/ha	-	-	-
B.M. CUSPAG AGR TRADE	GLYPHOSATE IPA	BACHHOE 480 SL	480 g/L	SL	HERBICIDE	4	568-151-3728	02-Jun-19	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liter/ha	-	-	-
B.M. CUSPAG AGR TRADE	GLYPHOSATE IPA	BACHHOE 480 SL	480 g/L	SL	HERBICIDE	4	568-151-3728	02-Jun-19	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liter/ha	-	-	-
B.M. CUSPAG AGR TRADE	GLYPHOSATE IPA	BACHHOE 480 SL	480 g/L	SL	HERBICIDE	4	568-151-3728	02-Jun-19	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liter/ha	-	-	-
B.M. CUSPAG AGR TRADE	GLYPHOSATE IPA	BACHHOE 480 SL	480 g/L	SL	HERBICIDE	4	568-151-3728	02-Jun-19	POST-EMERGENT	Non-crop	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
BRIDLEN PHILIPPINES CORP.	BENZALKONIUM CHLORIDE	BAC40 400 SL	400 g/L	SL	OTHERS	4	704-087-5650	25-Jan-25	-	Banana	Ralstonia solanaceorum - as tool disinfectant	30-20m/L water	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	AZIXYSTROBIN	AZTROSTAR 250 SC	250g/L	SC	FUNGICIDE	4	539-309-3746	14-Jun-25	SYSTEMIC	Mango	Anthracoese, scab, stem-end rot	6-8/100L water	-	Do not spray 3-7 days before harvest	Re-entry to treated field is allowed as soon as spray dries up
RAINBOW AGROSCIENCES PHILIPPINES INC.	AZIXYSTROBIN	AZTROSTAR 250 SC	250g/L	SC	FUNGICIDE	4	539-309-3746	14-Jun-25	SYSTEMIC	Watermelon	Damping-off, leaf spot, anthracnose, downy, mildew, powdery mildew	1-2Tbsp/16 L water	-	Do not spray 3-7 days before harvest	Re-entry to treated field is allowed as soon as spray dries up
RAINBOW AGROSCIENCES PHILIPPINES INC.	AZIXYSTROBIN	AZTROSTAR 250 SC	250g/L	SC	FUNGICIDE	4	539-309-3746	14-Jun-25	SYSTEMIC	Onion	Basal/bulb rot	1-2Tbsp/16 L water	-	Do not spray 3-7 days before harvest	Re-entry to treated field is allowed as soon as spray dries up
RAINBOW AGROSCIENCES PHILIPPINES INC.	AZIXYSTROBIN	AZTROSTAR 250 SC	250g/L	SC	FUNGICIDE	4	539-309-3746	14-Jun-25	SYSTEMIC	Tomato	Late/early blight, powdery mildew	0.5-1Tbsp/16 L water	-	Do not spray 3-7 days before harvest	Re-entry to treated field is allowed as soon as spray dries up
RAINBOW AGROSCIENCES PHILIPPINES INC.	AZIXYSTROBIN	AZTROSTAR 250 SC	250g/L	SC	FUNGICIDE	4	539-309-3746	14-Jun-25	SYSTEMIC	Corn	Sheath blight, leaf spot, leaf rust, ear rot	2-4Tbsp/16 L water	-	Do not spray 3-7 days before harvest	Re-entry to treated field is allowed as soon as spray dries up
RAINBOW AGROSCIENCES PHILIPPINES INC.	AZIXYSTROBIN	AZTROSTAR 250 SC	250g/L	SC	FUNGICIDE	4	539-309-3746	14-Jun-25	SYSTEMIC	Asparagus	Stem blight, leaf blight, Fusarium wilt	1-3Tbsp/16 L water	-	Do not spray 3-7 days before harvest	Re-entry to treated field is allowed as soon as spray dries up
LEADS AGRICULTURAL PRODUCTS CORPORATION	BACILLUS THURINGENSIS VAR. AIZAWAI	AZTRION WDG	103 g/kg	WDG	INSECTICIDE	4	099-094-2518	31-May-24	-	Cabbage	Diamondback moth armyworm and armyworm	2 Tbsp./16 L water	-	0 day	Do not enter treated areas without protective clothing until sprays have dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	BACILLUS THURINGENSIS VAR. AIZAWAI	AZTRION WDG	103 g/kg	WDG	INSECTICIDE	4	099-094-2518	31-May-24	-	Mustard	Diamondback moth armyworm and armyworm	2 Tbsp./16 L water	-	0 day	Do not enter treated areas without protective clothing until sprays have dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	BACILLUS THURINGENSIS VAR. AIZAWAI	AZTRION WDG	103 g/kg	WDG	INSECTICIDE	4	099-094-2518	31-May-24	-	Caiflower	Diamondback moth armyworm and armyworm	2 Tbsp./16 L water	-	0 day	Do not enter treated areas without protective clothing until sprays have dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	BACILLUS THURINGENSIS VAR. AIZAWAI	AZTRION WDG	103 g/kg	WDG	INSECTICIDE	4	099-094-2518	31-May-24	-	Broccoli	Diamondback moth armyworm and armyworm	2 Tbsp./16 L water	-	0 day	Do not enter treated areas without protective clothing until sprays have dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	BACILLUS THURINGENSIS VAR. AIZAWAI	AZTRION WDG	103 g/kg	WDG	INSECTICIDE	4	099-094-2518	31-May-24	-	Pechay	Diamondback moth armyworm and armyworm	2 Tbsp./16 L water	-	0 day	Do not enter treated areas without protective clothing until sprays have dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	BACILLUS THURINGENSIS VAR. AIZAWAI	AZTRION WDG	103 g/kg	WDG	INSECTICIDE	4	099-094-2518	31-May-24	-	Cavendish Banana	Slug caterpillars	1-2Tg/L water	-	0 day	Do not enter treated areas without protective clothing until sprays have dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	BACILLUS THURINGENSIS VAR. AIZAWAI	AZTRION WDG	103 g/kg	WDG	INSECTICIDE	4	099-094-2518	08-Jan-19	-	Pineapple	Pink scavenger larva	1.0-2.5 Kg/ha	-	-	Do not enter treated areas without protective clothing until sprays have dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	BACILLUS THURINGENSIS VAR. AIZAWAI	AZTRION WDG	103 g/kg	WDG	INSECTICIDE	4	099-094-2518	02-Dec-23	-	Pineapple (drone and boom spray application)	Antrachytmis larvae (VALID ONLY FOR USE BY Del Monte fresh produce (Philis), Inc. and Delmonte philippines, Inc.)	1 kg	-	-	Do not enter treated areas without protective clothing until sprays have dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	BACILLUS THURINGENSIS VAR. AIZAWAI	AZTRION WDG	103 g/kg	WDG	INSECTICIDE	4	099-094-2518	31-May-24	-	Corn	Fall army worm	1 kg product/ ha	-	-	Do not enter treated areas without protective clothing until sprays have dried
PHILAGROW INC.	AZIXYSTROBIN	AZTROBIN 25 SC	250 g/L	SC	FUNGICIDE	4	372-309-2978	18-Jun-24	SYSTEMIC	Cavendish Banana (Post-harvest treatment)	Anthracoese, crown rot, crown mold	3000-4000gm	-	No harvest interval is necessary	-
PHILAGROW INC.	AZIXYSTROBIN	AZTROBIN 25 SC	250 g/L	SC	FUNGICIDE	4	372-309-2978	18-Jun-24	SYSTEMIC	Pineapple	Butt mold	250-3000gm	-	No harvest interval is necessary	-
EZERTech CORPORATION	ATRAZINE	AZTEC ATRAZINE 80 WP	800 g/kg	WP	HERBICIDE	4	648-005-6104	29-Apr-26	SELECTIVE (PRE-EMERGENCE)	Corn	Annual broadleaf weeds and annual grasses	8-12 Tbsp/16 L water	-	-	Do not enter the field within 5 days after application
EZERTech CORPORATION	ATRAZINE	AZTEC ATRAZINE 80 WP	800 g/kg	WP	HERBICIDE	4	648-005-6104	29-Apr-26	SELECTIVE (PRE-EMERGENCE)	Sorghum	Annual broadleaf weeds and annual grasses	8-12 Tbsp/16 L water	-	-	Do not enter the field within 5 days after application
EZERTech CORPORATION	ATRAZINE	AZTEC ATRAZINE 80 WP	800 g/kg	WP	HERBICIDE	4	648-005-6104	29-Apr-26	SELECTIVE (PRE-EMERGENCE)	Sugarcane	Annual broadleaf weeds and annual grasses	8-12 Tbsp/16 L water	-	-	Do not enter the field within 5 days after application
SHELLHOMES CHEMICALS, INCORPORATED	METHOMYL	AZOPRIM 40 SP	400 g/kg	SP	INSECTICIDE	2	481-164-3523	03-Sep-18	CONTACT	Asparagus	Armyworm, cutworm	1 Sachet/16L Sprayer	-	-	-
SHELLHOMES CHEMICALS, INCORPORATED	METHOMYL	AZOPRIM 40 SP	400 g/kg	SP	INSECTICIDE	2	481-164-3523	03-Sep-18	CONTACT	Banana	Thrips	1.5-2 Sachets/16L Sprayer	-	-	-
SHELLHOMES CHEMICALS, INCORPORATED	METHOMYL	AZOPRIM 40 SP	400 g/kg	SP	INSECTICIDE	2	481-164-3523	03-Sep-18	CONTACT	Beans	Leafhopper, flea beetle , beanfly, podborer,aphids	1 Sachet/16L Sprayer	-	-	-
SHELLHOMES CHEMICALS, INCORPORATED	METHOMYL	AZOPRIM 40 SP	400 g/kg	SP	INSECTICIDE	2	481-164-3523	03-Sep-18	CONTACT	Mungbeans	Leafhopper, flea beetle , beanfly, podborer,aphids	1 Sachet/16L Sprayer	-	-	-
SHELLHOMES CHEMICALS, INCORPORATED	METHOMYL	AZOPRIM 40 SP	400 g/kg	SP	INSECTICIDE	2	481-164-3523	03-Sep-18	CONTACT	Soybeans	Leafhopper, flea beetle , beanfly, podborer,aphids	1 Sachet/16L Sprayer	-	-	-
SHELLHOMES CHEMICALS, INCORPORATED	METHOMYL	AZOPRIM 40 SP	400 g/kg	SP	INSECTICIDE	2	481-164-3523	03-Sep-18	CONTACT	Peas	Leafhopper, flea beetle , beanfly, podborer,aphids	1 Sachet/16L Sprayer	-	-	-
SHELLHOMES CHEMICALS, INCORPORATED	METHOMYL	AZOPRIM 40 SP	400 g/kg	SP	INSECTICIDE	2	481-164-3523	03-Sep-18	CONTACT	Corn	Comborer, earworm	1 Sachet/16L Sprayer	-	-	-
SHELLHOMES CHEMICALS, INCORPORATED	METHOMYL	AZOPRIM 40 SP	400 g/kg	SP	INSECTICIDE	2	481-164-3523	03-Sep-18	CONTACT	Sorghum	Comborer, earworm	1 Sachet/16L Sprayer	-	-	-
SHELLHOMES CHEMICALS, INCORPORATED	METHOMYL	AZOPRIM 40 SP	400 g/kg	SP	INSECTICIDE	2	481-164-3523	03-Sep-18	CONTACT	Eggplant	Aphids, flea beetle , fruitworm, lady beetle	1 Sachet/16L Sprayer	-	-	-
SHELLHOMES CHEMICALS, INCORPORATED	METHOMYL	AZOPRIM 40 SP	400 g/kg	SP	INSECTICIDE	2	481-164-3523	03-Sep-18	CONTACT	Melon	Aphids, Squash beetle , leafhopper	1 Sachet/16L Sprayer	-	-	-
SHELLHOMES CHEMICALS, INCORPORATED	METHOMYL	AZOPRIM 40 SP	400 g/kg	SP	INSECTICIDE	2	481-164-3523	03-Sep-18	CONTACT	Rice	Green leafhopper, armyworm, cutworm, leafhopper	1 Sachet/16L Sprayer	0.05ppm	3 Days	-
SHELLHOMES CHEMICALS, INCORPORATED	METHOMYL	AZOPRIM 40 SP	400 g/kg	SP	INSECTICIDE	2	481-164-3523	03-Sep-18	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	1 Sachet/16L Sprayer	-	-	-
SHELLHOMES CHEMICALS, INCORPORATED	METHOMYL	AZOPRIM 40 SP	400 g/kg	SP	INSECTICIDE	2	481-164-3523	03-Sep-18	CONTACT	Tomato	Tomato fruitworm, aphids	1 Sachet/16L Sprayer	-	-	-
SHELLHOMES CHEMICALS, INCORPORATED	THIAMETHOXAM	AZOPRIM 25 WG	250g/kg	WG	INSECTICIDE	4	481-312-4899	06/30/2022	SYSTEMIC	Pineapple	Mealy bug	100-300 g/ha	0.01 mg/kg	-	No PHI proposed as last application of AZOPRIM 25 WG will be 48 days before harvest
SHELLHOMES CHEMICALS, INCORPORATED	THIAMETHOXAM	AZOPRIM 25 WG	250g/kg	WG	INSECTICIDE	4	481-312-4899	06/30/2022	SYSTEMIC	Mango	Leafhopper	105.6-123.3g prod/ha	0.20 mg/kg	-	No PHI proposed as the product will be applied at least 28 to 40 days before harvest
SHELLHOMES CHEMICALS, INCORPORATED	THIAMETHOXAM	AZOPRIM 25 WG	250g/kg	WG	INSECTICIDE	4	481-312-4899	06/30/2022	SYSTEMIC	Rice	Green leafhopper, brown plant hopper, white backed planthopper, rice bug, black bug	4-6 5.0 Tbsp/16L water; For black bug 7.5-10 10 Tbsp/16L water	-	28 days	Do not enter unless spray deposits have dried
SHELLHOMES CHEMICALS, INCORPORATED	THIAMETHOXAM	AZOPRIM 25 WG	250g/kg	WG	INSECTICIDE	4	481-312-4899	06/30/2022	SYSTEMIC	Stringbeans	Aphids, leafhopper	0.5-2.0 Drench, Foliar spray 2.0-5.0 Tbsp/16L water	-	7 days	Do not enter unless spray deposits have dried
SHELLHOMES CHEMICALS, INCORPORATED	THIAMETHOXAM	AZOPRIM 25 WG	250g/kg	WG	INSECTICIDE	4	481-312-4899	06/30/2022	SYSTEMIC	Eggplant	Aphids, leafhopper	0.5-2.0 Drench, Foliar spray 2.0-5.0 Tbsp/16L water	-	3 days	Do not enter unless spray deposits have dried
SHELLHOMES CHEMICALS, INCORPORATED	THIAMETHOXAM	AZOPRIM 25 WG	250g/kg	WG	INSECTICIDE	4	481-312-4899	06/30/2022	SYSTEMIC	Banana	Flower Thrips	4-6/L	0.02 mg/kg	-	No PHI proposed as AZOPRIM 25 WG will be applied as last injection
SABERO ORGANICS PHILIPPINES ASIA INC.	AZIXYSTROBIN	AZOSRO 250 SC	250g/L	SC	FUNGICIDE	4	466-309-4342	04-May-27	SYSTEMIC	Mango	Anthracoese, scab, stem-end rot	6-8/100L water	-	Do not spray 3-7 days before harvest	Re-entry to treated field is allowed as soon as spray dries up
SABERO ORGANICS PHILIPPINES ASIA INC.	AZIXYSTROBIN	AZOSRO 250 SC	250g/L	SC	FUNGICIDE	4	466-309-4342	04-May-27	SYSTEMIC	Watermelon	Damping off, leaf spot, anthracnose, downy, mildew, powdery mildew	1-2Tbsp/16 L water	-	Do not spray 3-7 days before harvest	Re-entry to treated field is allowed as soon as spray dries up
SABERO ORGANICS PHILIPPINES ASIA INC.	AZIXYSTROBIN	AZOSRO 250 SC	250g/L	SC	FUNGICIDE	4	466-309-4342	04-May-27	SYSTEMIC	Onion	Basal/bulb rot	1-2Tbsp/16 L water	-	Do not spray 3-7 days before harvest	Re-entry to treated field is allowed as soon as spray dries up
SABERO ORGANICS PHILIPPINES ASIA INC.	AZIXYSTROBIN	AZOSRO 250 SC	250g/L	SC	FUNGICIDE	4	466-309-4342	04-May-27	SYSTEMIC	Tomato	Late/early blight, powdery mildew	0.5-1Tbsp/16 L water	-	Do not spray 3-7 days before harvest	Re-entry to treated field is allowed as soon as spray dries up
SABERO ORGANICS PHILIPPINES ASIA INC.	AZIXYSTROBIN	AZOSRO 250 SC	250g/L	SC	FUNGICIDE	4	466-309-4342	04-May-27	SYSTEMIC	Corn	Sheath blight, leaf spot, leaf rust, ear rot	2-4Tbsp/16 L water	-	Do not spray 3-7 days before harvest	Re-entry to treated field is allowed as soon as spray dries up
SABERO ORGANICS PHILIPPINES ASIA INC.	AZIXYSTROBIN	AZOSRO 250 SC	250g/L	SC	FUNGICIDE	4	466-309-4342	04-May-27	SYSTEMIC	Asparagus	Stem blight, leaf blight, Fusarium wilt	1-3Tbsp/16 L water	-	Do not spray 3-7 days before harvest	Re-entry to treated field is allowed as soon as spray dries up
IGIDORE AGROCHEMICALS, INC.	POLYDITHYLENE SORBIFAN MONOSULFATE-HYDROXYETHYLENE ALKOXY ETHER	AZIRO AI 1000	290-490 mL/L	-	OTHERS	4	576-348-4771	01-May-25	-	-	As surfactant on ORYZA 10 SC (ai: Bispyribac Sodium)	10 spray loads: 20-30mL/16L water, 12 spray loads: 30-20mL/16L water, 15	-	-	-
INTERNATIONAL VETERINARY & AGROCHEMICAL (I.V.A.) INC.	LAMBDA-CHALOTHRIN+THIAMETHOXAM	AWESOME PLUS 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	088-395-5645	26-Sep-26	CONTACT/SYSTEMIC	Potato	Whiteflies, aphids, thrips	100-200mL product/ha, 4-6 ml/16L	-	-	-
INTERNATIONAL VETERINARY & AGROCHEMICAL (I.V.A.) INC.	LAMBDA-CHALOTHRIN+THIAMETHOXAM	AWESOME PLUS 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	088-395-5645	26-Sep-26	CONTACT/SYSTEMIC	Stringbeans	Green Leafhopper, aphids, mites	200-200mL product/ha, 4-6 ml/16L	-	-	-
INTERNATIONAL VETERINARY & AGROCHEMICAL (I.V.A.) INC.	LAMBDA-CHALOTHRIN+THIAMETHOXAM	AWESOME PLUS 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	088-395-5645	26-Sep-26	CONTACT/SYSTEMIC	Eggplant	Whiteflies, green leafhopper, aphids	100-200mL product/ha, 4-6 ml/16L	-	-	-

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
INTERNATIONAL VETERINARY & AGROCHEMICAL (PVA), INC.	LAMBDA-CHYALOTHIRIN+THIAMETHOXAM	AWESOME PLUS 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	088-395-5645	26-Sep-26	CONTACT/SYSTEMIC	Interground	Leafhoppers, thrips, aphids, fruitfly, cutworm	100-200ml product/ha, 4-13 ml/16L	-	-	-
INTERNATIONAL VETERINARY & AGROCHEMICAL (PVA), INC.	LAMBDA-CHYALOTHIRIN+THIAMETHOXAM	AWESOME PLUS 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	088-395-5645	26-Sep-26	CONTACT/SYSTEMIC	Mango	Leafhoppers, tipborers, capsid bug, fruitfly, cecid fly	12-24ml/200L	-	-	-
INTERNATIONAL VETERINARY & AGROCHEMICAL (PVA), INC.	LAMBDA-CHYALOTHIRIN+THIAMETHOXAM	AWESOME PLUS 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	088-395-5645	26-Sep-26	CONTACT/SYSTEMIC	Corn	Asiatic corn borer, cutworm, leafhopper, aphids, earworm	200-400ml product/ha, 10.0-16.0 ml product/16L	-	-	-
INTERNATIONAL VETERINARY & AGROCHEMICAL (PVA), INC.	LAMBDA-CHYALOTHIRIN+THIAMETHOXAM	AWESOME PLUS 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	088-395-5645	26-Sep-26	CONTACT/SYSTEMIC	Banana	Flower thrips	1-3 ml/L	-	-	-
INTERNATIONAL VETERINARY & AGROCHEMICAL (PVA), INC.	LAMBDA-CHYALOTHIRIN+THIAMETHOXAM	AWESOME PLUS 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	088-395-5645	26-Sep-26	CONTACT/SYSTEMIC	Rice	Stem borer, leafhopper, rice bugs	10-30 Tbsp prod/16L	-	-	-
INTERNATIONAL VETERINARY & AGROCHEMICAL (PVA), INC.	THIAMETHOXAM	AWESOME 250 WG	250 g/kg	WG	INSECTICIDE	4	088-312-4038	08-Jun-26	SYSTEMIC	Pineapple	Mealy bug	100-200 g/ha	0.01 mg/kg	No PHI as last application will be 436 days before harvest	Do not enter unless spray deposits have dried.
INTERNATIONAL VETERINARY & AGROCHEMICAL (PVA), INC.	THIAMETHOXAM	AWESOME 250 WG	250 g/kg	WG	INSECTICIDE	4	088-312-4038	08-Jun-26	SYSTEMIC	Mango	Leafhopper	105-6-123.2g prod/ha	0.20 mg/kg	No PHI since applied at least 20-40 days before harvest	Do not enter unless spray deposits have dried.
INTERNATIONAL VETERINARY & AGROCHEMICAL (PVA), INC.	THIAMETHOXAM	AWESOME 250 WG	250 g/kg	WG	INSECTICIDE	4	088-312-4038	08-Jun-26	SYSTEMIC	Rice	Green leafhopper, brown planthopper, white backed planthopper, rice bug, black bug	4.0-5.0 Tbsp/16L water; For black bug 2.0-10.0 Tbsp/16L water	-	28 days	Do not enter unless spray deposits have dried.
INTERNATIONAL VETERINARY & AGROCHEMICAL (PVA), INC.	THIAMETHOXAM	AWESOME 250 WG	250 g/kg	WG	INSECTICIDE	4	088-312-4038	08-Jun-26	SYSTEMIC	Stringbeans	Aphids, leafhopper	0.5-2.0 Drench, Foliar spray 2.0-5.0 Tbsp/16L water	-	7 Days	Do not enter unless spray deposits have dried.
INTERNATIONAL VETERINARY & AGROCHEMICAL (PVA), INC.	THIAMETHOXAM	AWESOME 250 WG	250 g/kg	WG	INSECTICIDE	4	088-312-4038	08-Jun-26	SYSTEMIC	Eggplant	Aphids, leafhopper	0.5-2.0 Drench, Foliar spray 2.0-5.0 Tbsp/16L water	-	3 Days	Do not enter unless spray deposits have dried.
INTERNATIONAL VETERINARY & AGROCHEMICAL (PVA), INC.	THIAMETHOXAM	AWESOME 250 WG	250 g/kg	WG	INSECTICIDE	4	088-312-4038	08-Jun-26	SYSTEMIC	Banana	Flower thrips	4-6g/L	0.02 mg/kg	No PHI as will be applied as bud injection	Do not enter unless spray deposits have dried.
INTERNATIONAL VETERINARY & AGROCHEMICAL (PVA), INC.	CYALOTOP BUTYL-BISPYRIBAC SODIUM	AWARDEE 200 OD	50 g/L + 150 g/L	OD	HERBICIDE	4	088-504-5761	21-Jul-25	POST-EMERGENT	Rice	grasses, broad eaves and sedges	500ml to 1 Liter product/ha	-	-	As soon as spray dries up.
EZERTech CORPORATION	ABAMECTIN	AVOMEX 1.8 EC	18 g/L	EC	INSECTICIDE	2	648-234-5542	21-Sep-24	-	Banana	Blossom thrips	0.5/ L water	-	14 days	Do not enter treated field 28 hours after spraying
EZERTech CORPORATION	ABAMECTIN	AVOMEX 1.8 EC	18 g/L	EC	INSECTICIDE	2	648-234-5542	21-Sep-24	-	Cabbage	Diamond back moth	2-0.3-0 Tbsp/ 16L water	-	14 days	Do not enter treated field 24 hours after spraying
EZERTech CORPORATION	ABAMECTIN	AVOMEX 1.8 EC	18 g/L	EC	INSECTICIDE	2	648-234-5542	21-Sep-24	-	Ornamentals	Mites	1-0-1.5 Tbsp/ 16L water	-	14 days	Do not enter treated field 24 hours after spraying
EZERTech CORPORATION	ABAMECTIN	AVOMEX 1.8 EC	18 g/L	EC	INSECTICIDE	2	648-234-5542	21-Sep-24	-	Pineapple	Mites	N/A	-	14 days	Do not enter treated field 24 hours after spraying
EZERTech CORPORATION	ABAMECTIN	AVOMEX 1.8 EC	18 g/L	EC	INSECTICIDE	2	648-234-5542	21-Sep-24	-	Eggplant	Thrips, leafhopper, fruit and shoot borer	2-0-5.0 Tbsp/16 L of water	-	14 days	Do not enter treated field 24 hours after spraying
EZERTech CORPORATION	ABAMECTIN	AVOMEX 1.8 EC	18 g/L	EC	INSECTICIDE	2	648-234-5542	21-Sep-24	-	Onion	leafminer, thrips	2-0-3-0 Tbsp/16 L of water	-	14 days	Do not enter treated field 24 hours after spraying
EZERTech CORPORATION	ABAMECTIN	AVOMEX 1.8 EC	18 g/L	EC	INSECTICIDE	2	648-234-5542	21-Sep-24	-	Potato	leafminer, thrips	2-0-3-0 Tbsp/16 L of water	-	14 days	Do not enter treated field 24 hours after spraying
EZERTech CORPORATION	ABAMECTIN	AVOMEX 1.8 EC	18 g/L	EC	INSECTICIDE	2	648-234-5542	21-Sep-24	-	Tomato	leafminer, thrips, aphids	2-0-3-0 Tbsp/16 L of water	-	14 days	Do not enter treated field 24 hours after spraying
EZERTech CORPORATION	ABAMECTIN	AVOMEX 1.8 EC	18 g/L	EC	INSECTICIDE	2	648-234-5542	21-Sep-24	-	Watermelon	leafmines, thrips, melonworm	2-0-3-0 Tbsp/16 L of water	-	14 days	Do not enter treated field 28 hours after spraying
EZERTech CORPORATION	ABAMECTIN	AVOMEX 1.8 EC	18 g/L	EC	INSECTICIDE	2	648-234-5542	21-Sep-24	-	Papaya	Mites	0.5-1.0 Tbsp/16 L of water	-	14 days	Do not enter treated field 24 hours after spraying
EZERTech CORPORATION	ABAMECTIN	AVOMEX 1.8 EC	18 g/L	EC	INSECTICIDE	2	648-234-5542	21-Sep-24	-	Strawberry	Mites	2-0-4-0 Tbsp/16 L of water	-	14 days	Do not enter treated field 24 hours after spraying
EZERTech CORPORATION	ABAMECTIN	AVOMEX 1.8 EC	18 g/L	EC	INSECTICIDE	2	648-234-5542	21-Sep-24	-	Mango	Cecid fly	260-500ml/200L water	-	14 days	Do not enter treated field 24 hours after spraying
AGWAY CHEMICALS CORPORATION	SPINOTHRAMAT	AVIO 240 SC	240 g/L	SC	INSECTICIDE	4	075-419-9782	4-Nov-24	-	Banana	Flower thrips	3.3-4.17 ml prod. L water	-	84 days	-
TEXICON AGR VENTURES CORPORATION	CARBENDAZIM	AVERT 50 WP	500 g/kg	WP	FUNGICIDE	4	242-267-1512	12-May-25	SYSTEMIC	Mango	Anthraxose	1-2Tbsp/16 L water	-	-	-
TEXICON AGR VENTURES CORPORATION	CARBENDAZIM	AVERT 50 WP	500 g/kg	WP	FUNGICIDE	4	242-267-1512	12-May-25	SYSTEMIC	Cucurbits	Downy mildew	1-2Tbsp/16 L water	-	-	-
TEXICON AGR VENTURES CORPORATION	CARBENDAZIM	AVERT 50 WP	500 g/kg	WP	FUNGICIDE	4	242-267-1512	12-May-25	SYSTEMIC	Garden Peas (Legumes)	Powdery mildew	1-2Tbsp/16 L water	-	-	-
TEXICON AGR VENTURES CORPORATION	CARBENDAZIM	AVERT 50 WP	500 g/kg	WP	FUNGICIDE	4	242-267-1512	12-May-25	SYSTEMIC	Sugarcane	Pineapple disease	5-10/200L water cane dipping	-	-	-
TEXICON AGR VENTURES CORPORATION	CARBENDAZIM	AVERT 50 WP	500 g/kg	WP	FUNGICIDE	4	242-267-1512	12-May-25	SYSTEMIC	Banana	Diamond fruit spot, anthracnose	80-160 Ml prod. / 16L water (80-100 mL solution per bunch)	-	-	-
TEXICON AGR VENTURES CORPORATION	CARBENDAZIM	AVERT 50 WP	500 g/kg	WP	FUNGICIDE	4	242-267-1512	12-May-22	SYSTEMIC	Okra	Damping off, stem rot, leafhopper and aphid	4-2.5 Tbs in 16 L water	-	-	-
AGRO ADVANCED INTERNATIONAL PHILS., INC.	BENZALKONIUM CHLORIDE	AVENGERMS 40 SL	400 g/L	SL	OTHERS	4	473-087-2078	08-Sep-24	-	Banana	Raisitonia colascerum - as tool disinfectant	10-20ml/L water	-	-	As soon as solution has dried up
SOUTHLAND CONSUMERS COOPERATIVE	LAMBDA-CHYALOTHIRIN	AVENGER 2.5 EC	25 g/L	EC	INSECTICIDE	2	599-204-4286	09-Mar-21	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leaf folder, black bug	1-0-1.5Tbsp/16 L of water	0.05ppm	Do not spray 3 Days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
SOUTHLAND CONSUMERS COOPERATIVE	LAMBDA-CHYALOTHIRIN	AVENGER 2.5 EC	25 g/L	EC	INSECTICIDE	2	599-204-4286	09-Mar-21	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/16 L of water	-	Do not spray 3 Days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
SOUTHLAND CONSUMERS COOPERATIVE	LAMBDA-CHYALOTHIRIN	AVENGER 2.5 EC	25 g/L	EC	INSECTICIDE	2	599-204-4286	09-Mar-21	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1-0-1.5Tbsp/16 L of water	-	Do not spray 3 Days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
SOUTHLAND CONSUMERS COOPERATIVE	LAMBDA-CHYALOTHIRIN	AVENGER 2.5 EC	25 g/L	EC	INSECTICIDE	2	599-204-4286	09-Mar-21	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/16 L of water	-	Do not spray 3 Days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
SOUTHLAND CONSUMERS COOPERATIVE	LAMBDA-CHYALOTHIRIN	AVENGER 2.5 EC	25 g/L	EC	INSECTICIDE	2	599-204-4286	09-Mar-21	SYSTEMIC	Mungbeans	Beanfly, flea beetle, leafhopper, aphids, mites, podborer	1.0Tbsp/16 L of water	-	Do not spray 3 Days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
SOUTHLAND CONSUMERS COOPERATIVE	LAMBDA-CHYALOTHIRIN	AVENGER 2.5 EC	25 g/L	EC	INSECTICIDE	2	599-204-4286	09-Mar-21	SYSTEMIC	Corn	Comborer, aphids, seedling maggots	1-0-1.5Tbsp/16 L of water	-	Do not spray 3 Days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
SOUTHLAND CONSUMERS COOPERATIVE	LAMBDA-CHYALOTHIRIN	AVENGER 2.5 EC	25 g/L	EC	INSECTICIDE	2	599-204-4286	09-Mar-21	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1-0-1.5Tbsp/16 L of water	-	Do not spray 3 Days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
SOUTHLAND CONSUMERS COOPERATIVE	LAMBDA-CHYALOTHIRIN	AVENGER 2.5 EC	25 g/L	EC	INSECTICIDE	2	599-204-4286	09-Mar-21	SYSTEMIC	Cotton	Bollworm	1-0-1.5Tbsp/16 L of water	-	Do not spray 3 Days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
SOUTHLAND CONSUMERS COOPERATIVE	LAMBDA-CHYALOTHIRIN	AVENGER 2.5 EC	25 g/L	EC	INSECTICIDE	2	599-204-4286	09-Mar-21	SYSTEMIC	Cocoa	Podborer	1-0-2.0Tbsp/16 L of water	-	Do not spray 3 Days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
SOUTHLAND CONSUMERS COOPERATIVE	LAMBDA-CHYALOTHIRIN	AVENGER 2.5 EC	25 g/L	EC	INSECTICIDE	2	599-204-4286	09-Mar-21	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/16 L of water	-	Do not spray 3 Days before harvest	Re-entry to treated fields is allowed as soon as spray deposits dry
HQ AGRICARE TRADING, INC.	LAMBDA-CHYALOTHIRIN	AUTOKILL 2.5 EC	25 g/L	EC	INSECTICIDE	2	505-204-2897	08-Nov-17	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leaf folder, black bug	1-0-1.5Tbsp/16 L of water	0.05ppm	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
HQ AGRICARE TRADING, INC.	LAMBDA-CHYALOTHIRIN	AUTOKILL 2.5 EC	25 g/L	EC	INSECTICIDE	2	505-204-2897	08-Nov-17	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
HQ AGRICARE TRADING, INC.	LAMBDA-CHYALOTHIRIN	AUTOKILL 2.5 EC	25 g/L	EC	INSECTICIDE	2	505-204-2897	08-Nov-17	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1-0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
HQ AGRICARE TRADING, INC.	LAMBDA-CHYALOTHIRIN	AUTOKILL 2.5 EC	25 g/L	EC	INSECTICIDE	2	505-204-2897	08-Nov-17	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
HQ AGRICARE TRADING, INC.	LAMBDA-CHYALOTHIRIN	AUTOKILL 2.5 EC	25 g/L	EC	INSECTICIDE	2	505-204-2897	08-Nov-17	SYSTEMIC	Mungbeans	Beanfly, flea beetle, leafhopper, aphids, mites, podborer	1.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
HQ AGRICARE TRADING, INC.	LAMBDA-CHYALOTHIRIN	AUTOKILL 2.5 EC	25 g/L	EC	INSECTICIDE	2	505-204-2897	08-Nov-17	SYSTEMIC	Corn	Comborer, aphids, seedling maggots	1-0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
HQ AGRICARE TRADING, INC.	LAMBDA-CHYALOTHIRIN	AUTOKILL 2.5 EC	25 g/L	EC	INSECTICIDE	2	505-204-2897	08-Nov-17	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1-0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
HQ AGRICARE TRADING, INC.	LAMBDA-CHYALOTHIRIN	AUTOKILL 2.5 EC	25 g/L	EC	INSECTICIDE	2	505-204-2897	08-Nov-17	SYSTEMIC	Cotton	Bollworm	1-0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
HQ AGRICARE TRADING, INC.	LAMBDA-CHYALOTHIRIN	AUTOKILL 2.5 EC	25 g/L	EC	INSECTICIDE	2	505-204-2897	08-Nov-17	SYSTEMIC	Cocoa	Podborer	1-0-2.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
HQ AGRICARE TRADING, INC.	LAMBDA-CHYALOTHIRIN	AUTOKILL 2.5 EC	25 g/L	EC	INSECTICIDE	2	505-204-2897	08-Nov-17	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
FMC AGRO PHILIPPINES INC.	SULFENTHAZONE	AUTHORITY 480 SC	480 g/L	SC	INSECTICIDE	2	505-204-2897	08-Nov-17	SYSTEMIC	Pineapple	Nutsedge broadleaves	1.5L/ ha, 165ml/ 200L, 1800L/ ha	-	-	0 day
FMC AGRO PHILIPPINES INC.	SULFENTHAZONE	AUTHORITY 480 SC	480 g/L	SC	HERBICIDE	3	598-392-4176	30-Oct-26	PRE-EMERGENT	Sugarcane	Sedge (Cyperus rotundus) Grasses broadleaves	1.0L/ha, 0.5L/ 200L, 400L/ha	-	-	0 day
EZERTech CORPORATION	CLOTHIANIDIN	AURO 20 SC	200 g/L	SC	INSECTICIDE	4	648-379-5755	12-May-26	SYSTEMIC	Rice	Rice black bug	4-5 Tbsp/ 16L	-	-	Allowed as soon as spray deposits dry up
SINCHEN CROP PROTECTION (PHILS.) INC.	FFPH08L	AUGER 30 SC	50 g/L	SC	INSECTICIDE	3	432-244-3366	30-Jul-24	CONTACT	Rice	Stem borer, brown planthopper, leaf folder, rice bug	1.3-2.0, 2.0-3.0, 2-7-4.0 Tbsp/16L	0.02ppm	Do not apply 7 days before harvest	One day after application

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
SINOCHEM CROP PROTECTION (PHILS.) INC.	FFPRONIL	AUGER 50 SC	50 g/L	SC	INSECTICIDE	3	432-244-3366	30-Jul-24	CONTACT	Cabbage	Diamond backed moth	1.3-2.0, 2.0-3.0, 2-7.40 tbsp./36L	-	Do not apply 7 days before harvest	One day after application
SINOCHEM CROP PROTECTION (PHILS.) INC.	FFPRONIL	AUGER 50 SC	50 g/L	SC	INSECTICIDE	3	432-244-3366	30-Jul-24	CONTACT	Watermelon	Thrips, leaf beetles	2.5-3.0 tbsp./36L	-	Do not apply 7 days before harvest	One day after application
SINOCHEM CROP PROTECTION (PHILS.) INC.	FFPRONIL	AUGER 50 SC	50 g/L	SC	INSECTICIDE	3	432-244-3366	30-Jul-24	CONTACT	Onion	Cutworm	5.33 tbsp./36L	-	Do not apply 7 days before harvest	One day after application
SINOCHEM CROP PROTECTION (PHILS.) INC.	FFPRONIL	AUGER 50 SC	50 g/L	SC	INSECTICIDE	3	432-244-3366	30-Jul-24	CONTACT	Eggplant	Shoot borer	3.0-4.0 tbsp./36L	-	Do not apply 7 days before harvest	One day after application
SINOCHEM CROP PROTECTION (PHILS.) INC.	FFPRONIL	AUGER 50 SC	50 g/L	SC	INSECTICIDE	3	432-244-3366	23-May-24	CONTACT	Corn	Seedling maggot	200-250 mL/20 kg seed	-	Do not apply 7 days before harvest	One day after application
SYNGENTA PHILIPPINES INC.	FFPRONIL	AUGER 50 SC	50 g/L	SC	INSECTICIDE	3	011-244-3366-A	30-Jul-27	CONTACT	Rice	Stemborer, brown planthopper, leafhopper, rice bug	1.3-2.0, 2.0-3.0, 2-7.40 tbsp./36L	-	Do not apply 7 days before harvest	One day after application
SYNGENTA PHILIPPINES INC.	FFPRONIL	AUGER 50 SC	50 g/L	SC	INSECTICIDE	3	011-244-3366-A	30-Jul-27	CONTACT	Cabbage	Diamond backed moth	1.3-2.0, 2.0-3.0, 2-7.40 tbsp./36L	-	Do not apply 7 days before harvest	One day after application
SYNGENTA PHILIPPINES INC.	FFPRONIL	AUGER 50 SC	50 g/L	SC	INSECTICIDE	3	011-244-3366-A	30-Jul-27	CONTACT	Watermelon	Thrips, leaf beetles	2.5-3.0 tbsp./36L	-	Do not apply 7 days before harvest	One day after application
SYNGENTA PHILIPPINES INC.	FFPRONIL	AUGER 50 SC	50 g/L	SC	INSECTICIDE	3	011-244-3366-A	30-Jul-27	CONTACT	Onion	Cutworm	5.33 tbsp./36L	-	Do not apply 7 days before harvest	One day after application
SYNGENTA PHILIPPINES INC.	FFPRONIL	AUGER 50 SC	50 g/L	SC	INSECTICIDE	3	011-244-3366-A	30-Jul-27	CONTACT	Eggplant	Shoot borer	3.0-4.0 tbsp./36L	-	Do not apply 7 days before harvest	One day after application
SYNGENTA PHILIPPINES INC.	FFPRONIL	AUGER 50 SC	50 g/L	SC	INSECTICIDE	3	011-244-3366-A	30-Jul-27	CONTACT	Banana	Flower/Thrips	Do not apply 7 days before harvest	-	Do not apply 7 days before harvest	One day after application
SINOCHEM CROP PROTECTION (PHILS.) INC.	FFPRONIL	AUGER 50 FS	200 g/L	FS	INSECTICIDE	3	432-244-4904	30-Jul-24	CONTACT	Corn (as seed treatment)	Seedling maggot, ants, white grub and field crickets	90-75 (mL). Mix the required rate plus 100 mL water and mix per 5 kg of corn	-	One day after application	Do not apply 7 days before harvest
ALTACROP PROTECTION CORPORATION	CHLOPYRIFOS-CYPERMETHRIN	ATTACK PLUS	250+25 g/L	EC	INSECTICIDE	2	351-239-3284	27-Feb-25	-	Rice	Whorl maggot, green leafhopper, brown planthopper, stemborer	20-30 mL (2-3 tbsp)/36L water	-	-	-
ALTACROP PROTECTION CORPORATION	CHLOPYRIFOS-CYPERMETHRIN	ATTACK PLUS	250+25 g/L	EC	INSECTICIDE	2	351-239-3284	27-Feb-25	-	Mango	Mango hopper	20-40 mL (2-5 tbsp)/36L water	-	-	-
ALTACROP PROTECTION CORPORATION	CYPERMETHRIN	ATTACK SR	50 g/L	EC	INSECTICIDE	4	351-037-2018	31-Jan-25	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ALTACROP PROTECTION CORPORATION	CYPERMETHRIN	ATTACK SR	50 g/L	EC	INSECTICIDE	4	351-037-2018	31-Jan-25	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leafhopper, stem borer, armyworm, rice bug	1.0-3.0 tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ALTACROP PROTECTION CORPORATION	CYPERMETHRIN	ATTACK SR	50 g/L	EC	INSECTICIDE	4	351-037-2018	31-Jan-25	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ALTACROP PROTECTION CORPORATION	CYPERMETHRIN	ATTACK SR	50 g/L	EC	INSECTICIDE	4	351-037-2018	31-Jan-25	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ALTACROP PROTECTION CORPORATION	CYPERMETHRIN	ATTACK SR	50 g/L	EC	INSECTICIDE	4	351-037-2018	31-Jan-25	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ALTACROP PROTECTION CORPORATION	CYPERMETHRIN	ATTACK SR	50 g/L	EC	INSECTICIDE	4	351-037-2018	31-Jan-25	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ALTACROP PROTECTION CORPORATION	CYPERMETHRIN	ATTACK SR	50 g/L	EC	INSECTICIDE	4	351-037-2018	31-Jan-25	CONTACT	Onion	Thrips, cutworm	1.0-3.0 tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ALTACROP PROTECTION CORPORATION	CYPERMETHRIN	ATTACK SR	50 g/L	EC	INSECTICIDE	4	351-037-2018	31-Jan-25	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ALTACROP PROTECTION CORPORATION	CYPERMETHRIN	ATTACK SR	50 g/L	EC	INSECTICIDE	4	351-037-2018	31-Jan-25	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ALTACROP PROTECTION CORPORATION	CYPERMETHRIN	ATTACK SR	50 g/L	EC	INSECTICIDE	4	351-037-2018	31-Jan-25	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ALTACROP PROTECTION CORPORATION	CYPERMETHRIN	ATTACK SR	50 g/L	EC	INSECTICIDE	4	351-037-2018	31-Jan-25	CONTACT	Corn	Comborer, earworm	1.0-4.5 tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
PALMITRE CORPORATION	PROFENOFOS	ATROPOS 500 EC	500 g/L	EC	INSECTICIDE	2	504-070-3155	23-Apr-22	CONTACT	Mango	Thrips	1.0-2.0 tbsp/36 water	-	14 days	Do not enter treated field 1 day after application
PALMITRE CORPORATION	PROFENOFOS	ATROPOS 500 EC	500 g/L	EC	INSECTICIDE	2	504-070-3155	23-Apr-22	CONTACT	Tomato	Fruitworm, armyworm, cutworm	3-5 tbsp/36L water	-	14 days	Do not enter treated field 1 day after application
PALMITRE CORPORATION	PROFENOFOS	ATROPOS 500 EC	500 g/L	EC	INSECTICIDE	2	504-070-3155	23-Apr-22	CONTACT	Eggplant	Fruitborer, aphids, leafhopper, & thrips	1.5-3.0 tbsp/36 water	-	14 days	Do not enter treated field 1 day after application
PALMITRE CORPORATION	PROFENOFOS	ATROPOS 500 EC	500 g/L	EC	INSECTICIDE	2	504-070-3155	23-Apr-22	CONTACT	Cabbage	Diamond back moth, cabbage worm & aphids, thrips	3-5 tbsp/36L water	-	14 days	Do not enter treated field 1 day after application
PALMITRE CORPORATION	PROFENOFOS	ATROPOS 500 EC	500 g/L	EC	INSECTICIDE	2	504-070-3155	23-Apr-22	CONTACT	Watermelon	Thrips	3-5 tbsp/36L water	-	14 days	Do not enter treated field 1 day after application
PALMITRE CORPORATION	PROFENOFOS	ATROPOS 500 EC	500 g/L	EC	INSECTICIDE	2	504-070-3155	23-Apr-22	CONTACT	Potato	Thrips, army worm, cutworm, tuber moth	3-5 tbsp/36L water	-	14 days	Do not enter treated field 1 day after application
PALMITRE CORPORATION	PROFENOFOS	ATROPOS 500 EC	500 g/L	EC	INSECTICIDE	2	504-070-3155	23-Apr-22	CONTACT	Soybeans	Corn earworm, leafminer	3-5 tbsp/36L water	-	14 days	Do not enter treated field 1 day after application
PALMITRE CORPORATION	PROFENOFOS	ATROPOS 500 EC	500 g/L	EC	INSECTICIDE	2	504-070-3155	23-Apr-22	CONTACT	Mungbeans	Corn earworm, leafminer	3-5 tbsp/36L water	-	14 days	Do not enter treated field 1 day after application
PALMITRE CORPORATION	PROFENOFOS	ATROPOS 500 EC	500 g/L	EC	INSECTICIDE	2	504-070-3155	23-Apr-22	CONTACT	Cotton	Thrips, bollworm & budworm	3-5 tbsp/36L water	-	14 days	Do not enter treated field 1 day after application
PALMITRE CORPORATION	PROFENOFOS	ATROPOS 500 EC	500 g/L	EC	INSECTICIDE	2	504-070-3155	23-Apr-22	CONTACT	Sitao	Beanyfly, leafhopper & aphids	1.5-3.0 tbsp/36 water	-	14 days	Do not enter treated field 1 day after application
LEADS AGRICULTURAL PRODUCTS CORPORATION	AMETRYN+ATRAZINE	ATRAMET COMBI 80 WP	400+400 g/kg	WP	HERBICIDE	4	099-079-0899	30-Jul-26	SELECTIVE (POST-EMERGENT)	Sugarcane	Broadleaf weeds & Annual Grasses	9-14 Tbsp/36 Liters	-	21 days	0-1 day
LEADS AGRICULTURAL PRODUCTS CORPORATION	AMETRYN+ATRAZINE	ATRAMET COMBI 80 WP	400+400 g/kg	WP	HERBICIDE	4	099-079-0899	30-Jul-26	SELECTIVE (POST-EMERGENT)	Oil palm	Broadleaf weeds & Annual Grasses	9-14 Tbsp/36 Liters	-	21 days	0-1 day
LEADS AGRICULTURAL PRODUCTS CORPORATION	AMETRYN+ATRAZINE	ATRAMET COMBI 80 WP	400+400 g/kg	WP	HERBICIDE	4	099-079-0899	30-Jul-26	SELECTIVE (POST-EMERGENT)	Banana	Broadleaf weeds & Annual Grasses	9-14 Tbsp/36 Liters	-	21 days	0-1 day
LEADS AGRICULTURAL PRODUCTS CORPORATION	AMETRYN+ATRAZINE	ATRAMET COMBI 80 WP	400+400 g/kg	WP	HERBICIDE	4	099-079-0899	30-Jul-26	SELECTIVE (POST-EMERGENT)	Citrus	Broadleaf weeds & Annual Grasses	9-14 Tbsp/36 Liters	-	21 days	0-1 day
LEADS AGRICULTURAL PRODUCTS CORPORATION	AMETRYN+ATRAZINE	ATRAMET COMBI 80 WP	400+400 g/kg	WP	HERBICIDE	4	099-079-0899	30-Jul-26	SELECTIVE (POST-EMERGENT)	Coffee	Broadleaf weeds & Annual Grasses	9-14 Tbsp/36 Liters	-	21 days	0-1 day
LEADS AGRICULTURAL PRODUCTS CORPORATION	AMETRYN+ATRAZINE	ATRAMET COMBI 80 WP	400+400 g/kg	WP	HERBICIDE	4	099-079-0899	30-Jul-26	SELECTIVE (POST-EMERGENT)	Cacao	Broadleaf weeds & Annual Grasses	9-14 Tbsp/36 Liters	-	21 days	0-1 day
LEADS AGRICULTURAL PRODUCTS CORPORATION	ATRAZINE	ATRAKORN 80 WP	800 g/kg	WP	HERBICIDE	4	099-060-0829	30-Jul-26	SELECTIVE (PRE-EMERGENT)	Corn	Broadleaf weeds & annual grasses	8-12 tbsp/36 L water	-	5 Days	-
LEADS AGRICULTURAL PRODUCTS CORPORATION	ATRAZINE	ATRAKORN 80 WP	800 g/kg	WP	HERBICIDE	4	099-060-0829	30-Jul-26	SELECTIVE (PRE-EMERGENT)	Sorghum	Broadleaf weeds & annual grasses	8-12 tbsp/36 L water	-	5 Days	-
LEADS AGRICULTURAL PRODUCTS CORPORATION	ATRAZINE	ATRAKORN 80 WP	800 g/kg	WP	HERBICIDE	4	099-060-0829	30-Jul-26	SELECTIVE (PRE-EMERGENT)	Sugarcane	Broadleaf weeds & annual grasses	8-12 tbsp/36 L water	-	5 Days	-
TEAMAGRO TRADING CORPORATION	METALDEHIDE	ATRAK-KILL 6% PELLET	60 g/kg	P	MOLLUSCICIDE	4	248-075-1519	31-Dec-23	CONTACT	Rice (Transplanted)	Golden apple snail	2-4 kg/ product per hectare	-	-	-
TEAMAGRO TRADING CORPORATION	METALDEHIDE	ATRAK-KILL 6% PELLET	60 g/kg	P	MOLLUSCICIDE	4	248-075-1519	31-Dec-23	CONTACT	Rice (Direct Seeded)	Golden apple snail	4-8 kg/ product per hectare	-	-	-
TEAMAGRO TRADING CORPORATION	METALDEHIDE	ATRAK-KILL 6% PELLET	60 g/kg	P	MOLLUSCICIDE	4	248-075-1519	31-Dec-23	CONTACT	Plotted and driftwood-attached plants such as	Slugs, snails	6-2 kg/product per hectare	-	-	-
TEAMAGRO TRADING CORPORATION	METALDEHIDE	ATRAK-KILL 6% PELLET	60 g/kg	P	MOLLUSCICIDE	4	248-075-1519	31-Dec-23	CONTACT	Chinese Cabbage	Slugs, snails	6-8 kg/product per hectare	-	-	-
TEAMAGRO TRADING CORPORATION	METALDEHIDE	ATRAK-KILL 6% PELLET	60 g/kg	P	MOLLUSCICIDE	4	248-075-1519	31-Dec-23	CONTACT	Strawberry	Slugs, snails	6-8 kg/product per hectare	-	-	-
TAIPAN BRAND FARM INC.	METHOMYL	ATOM 40 SP	400 g/kg	SP	INSECTICIDE	2	529-164-4112	15-Jun-24	CONTACT	Asparagus	Armyworm, cutworm	2-5 Tbsp/36L water	0.30-2.0 mg/kg	-	12 hours after application
TAIPAN BRAND FARM INC.	METHOMYL	ATOM 40 SP	400 g/kg	SP	INSECTICIDE	2	529-164-4112	15-Jun-24	CONTACT	Banana	Thrips	3.75-5 Tbsp/36L water	-	-	12 hours after application
TAIPAN BRAND FARM INC.	METHOMYL	ATOM 40 SP	400 g/kg	SP	INSECTICIDE	2	529-164-4112	15-Jun-24	CONTACT	Beans	Leafhopper, flea beetle, beanyfly, podborer,aphids	2-5 Tbsp/36L water	0.05-1.0 mg/kg	-	12 hours after application
TAIPAN BRAND FARM INC.	METHOMYL	ATOM 40 SP	400 g/kg	SP	INSECTICIDE	2	529-164-4112	15-Jun-24	CONTACT	Mungbeans	Leafhopper, flea beetle, beanyfly, podborer,aphids	2-5 Tbsp/36L water	0.05-1.0 mg/kg	-	12 hours after application
TAIPAN BRAND FARM INC.	METHOMYL	ATOM 40 SP	400 g/kg	SP	INSECTICIDE	2	529-164-4112	15-Jun-24	CONTACT	Soybeans	Leafhopper, flea beetle, beanyfly, podborer,aphids	2-5 Tbsp/36L water	0.05-1.0 mg/kg	-	12 hours after application
TAIPAN BRAND FARM INC.	METHOMYL	ATOM 40 SP	400 g/kg	SP	INSECTICIDE	2	529-164-4112	15-Jun-24	CONTACT	Sitao	Leafhopper, flea beetle, beanyfly, podborer,aphids	2-5 Tbsp/36L water	0.05-1.0 mg/kg	-	12 hours after application
TAIPAN BRAND FARM INC.	METHOMYL	ATOM 40 SP	400 g/kg	SP	INSECTICIDE	2	529-164-4112	15-Jun-24	CONTACT	Corn	Comborer, earworm	2-5 Tbsp/36L water	0.10 mg/kg	-	12 hours after application

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
TAIPAN BRAND FARM INC.	METHOMYL	ATOM 40 SP	400 g/kg	SP	INSECTICIDE	2	529-164-4112	15-Jun-24	CONTACT	Eggplant	Aphids, flea beetle, fruitworm, lady beetle	2.5 Tbsp/16L water	0.20-2.0 mg/kg	-	12 hours after application
TAIPAN BRAND FARM INC.	METHOMYL	ATOM 40 SP	400 g/kg	SP	INSECTICIDE	2	529-164-4112	15-Jun-24	CONTACT	Melon	Aphids, Squash beetle , leaf folder	2.5 Tbsp/16L water	-	-	12 hours after application
TAIPAN BRAND FARM INC.	METHOMYL	ATOM 40 SP	400 g/kg	SP	INSECTICIDE	2	529-164-4112	15-Jun-24	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leaf folder	2.5 Tbsp/16L water	0.05ppm	1Days	12 hours after application
TAIPAN BRAND FARM INC.	METHOMYL	ATOM 40 SP	400 g/kg	SP	INSECTICIDE	2	529-164-4112	15-Jun-24	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	2.5 Tbsp/16L water	-	-	12 hours after application
TAIPAN BRAND FARM INC.	METHOMYL	ATOM 40 SP	400 g/kg	SP	INSECTICIDE	2	529-164-4112	15-Jun-24	CONTACT	Tomato	Tomato fruitworm, aphids	2.5 Tbsp/16L water	1.0 mg/kg	-	12 hours after application
CROPKING CHEMICALS INC.	ABAMECTIN	ATMOS 1.8 EC	18 g/L	EC	INSECTICIDE	2	065-234-3378	10-Feb-24	-	Banana	Blossom thrips	0.1/ L water	-	-	Re-enter treated area only after spray has dried
CROPKING CHEMICALS INC.	ABAMECTIN	ATMOS 1.8 EC	18 g/L	EC	INSECTICIDE	2	065-234-3378	10-Feb-24	-	Cabbage	Diamond back moth	3000 mL prod/ha	-	7 days	Re-enter treated area only after spray has dried
CROPKING CHEMICALS INC.	ABAMECTIN	ATMOS 1.8 EC	18 g/L	EC	INSECTICIDE	2	065-234-3378	10-Feb-24	-	Ornamentals	Mites	1.0-1.5Tbsp/16L of water	-	-	Re-enter treated area only after spray has dried
CROPKING CHEMICALS INC.	ABAMECTIN	ATMOS 1.8 EC	18 g/L	EC	INSECTICIDE	2	065-234-3378	10-Feb-24	-	Pineapple	Mites	3000-4000mL prod/ha	-	-	Re-enter treated area only after spray has dried
CROPKING CHEMICALS INC.	ABAMECTIN	ATMOS 1.8 EC	18 g/L	EC	INSECTICIDE	2	065-234-3378	10-Feb-24	-	Eggplant	Thrips, leafhopper, fruit and shoot borer	2.0-5.0 Tbsp/16 L of water	-	3 days	Re-enter treated area only after spray has dried
CROPKING CHEMICALS INC.	ABAMECTIN	ATMOS 1.8 EC	18 g/L	EC	INSECTICIDE	2	065-234-3378	10-Feb-24	-	Onion	leafminers, thrips	2.0-3.0 Tbsp/16 L of water	-	3 days	Re-enter treated area only after spray has dried
CROPKING CHEMICALS INC.	ABAMECTIN	ATMOS 1.8 EC	18 g/L	EC	INSECTICIDE	2	065-234-3378	10-Feb-24	-	Potato	leafminer, thrips	2.0-3.0 Tbsp/16 L of water	-	14 days	Re-enter treated area only after spray has dried
CROPKING CHEMICALS INC.	ABAMECTIN	ATMOS 1.8 EC	18 g/L	EC	INSECTICIDE	2	065-234-3378	10-Feb-24	-	Tomato	leafminer, thrips, aphids	2.0-3.0 Tbsp/16 L of water	-	3 days	Re-enter treated area only after spray has dried
CROPKING CHEMICALS INC.	ABAMECTIN	ATMOS 1.8 EC	18 g/L	EC	INSECTICIDE	2	065-234-3378	10-Feb-24	-	Watermelon	Leafminer, thrips, melonworm	2.0-3.0 Tbsp/16 L of water	-	3 days	Re-enter treated area only after spray has dried
CROPKING CHEMICALS INC.	ABAMECTIN	ATMOS 1.8 EC	18 g/L	EC	INSECTICIDE	2	065-234-3378	10-Feb-24	-	Papaya	Mites	0.5-1.0 Tbsp/16 L of water	-	14 days	Re-enter treated area only after spray has dried
CROPKING CHEMICALS INC.	ABAMECTIN	ATMOS 1.8 EC	18 g/L	EC	INSECTICIDE	2	065-234-3378	10-Feb-24	-	Strawberry	Mites	2.0-4.0 Tbsp/16 L of water	-	3 days	Re-enter treated area only after spray has dried
EVERLAND AGRI CORPORATION	THIOPHANATE METHYL	ATM	700 g/kg	-	FUNGICIDE	4	261-107-2782	25-Mar-24	-	Rice	Rice blast, neck rot, black spot	1.5-2.0 Tbsp/16L Water	1.0ppm	Do not spray within 14 days of harvest	Do not enter treated field within five (5) days after spraying
EVERLAND AGRI CORPORATION	THIOPHANATE METHYL	ATM	700 g/kg	-	FUNGICIDE	4	261-107-2782	25-Mar-24	-	Mango	Antracnose	0.5-1.0 Tbsp/16L Water	-	Do not spray within 14 days of harvest	Do not enter treated field within five (5) days after spraying
EVERLAND AGRI CORPORATION	THIOPHANATE METHYL	ATM	700 g/kg	-	FUNGICIDE	4	261-107-2782	25-Mar-24	-	Tobacco	Frog eye leaf spot	0.5-1.0 Tbsp/16L Water	-	Do not spray within 14 days of harvest	Do not enter treated field within five (5) days after spraying
EVERLAND AGRI CORPORATION	THIOPHANATE METHYL	ATM	700 g/kg	-	FUNGICIDE	4	261-107-2782	25-Mar-24	-	Tomato	Powdery mildew	0.5-1.0 Tbsp/16L Water	-	Do not spray within 14 days of harvest	Do not enter treated field within five (5) days after spraying
EVERLAND AGRI CORPORATION	THIOPHANATE METHYL	ATM	700 g/kg	-	FUNGICIDE	4	261-107-2782	25-Mar-24	-	Legumes	Powdery mildew, cercospora leaf spot, antracnose, botrytis rot, fusarium wilt	0.5-1.0 Tbsp/16L Water	-	Do not spray within 14 days of harvest	Do not enter treated field within five (5) days after spraying
EVERLAND AGRI CORPORATION	THIOPHANATE METHYL	ATM	700 g/kg	-	FUNGICIDE	4	261-107-2782	25-Mar-24	-	Beans	Powdery mildew, cercospora leaf spot, antracnose, botrytis rot, fusarium wilt	0.5-1.0 Tbsp/16L Water	-	Do not spray within 14 days of harvest	Do not enter treated field within five (5) days after spraying
EVERLAND AGRI CORPORATION	THIOPHANATE METHYL	ATM	700 g/kg	-	FUNGICIDE	4	261-107-2782	25-Mar-24	-	Cucumber	Powdery mildew, gummy stem blight, leaf and fruit spots	0.5-1.0 Tbsp/16L Water	-	Do not spray within 14 days of harvest	Do not enter treated field within five (5) days after spraying
EVERLAND AGRI CORPORATION	THIOPHANATE METHYL	ATM	700 g/kg	-	FUNGICIDE	4	261-107-2782	25-Mar-24	-	Melon	Powdery mildew, gummy stem blight, leaf and fruit spots	0.5-1.0 Tbsp/16L Water	-	Do not spray within 14 days of harvest	Do not enter treated field within five (5) days after spraying
EVERLAND AGRI CORPORATION	THIOPHANATE METHYL	ATM	700 g/kg	-	FUNGICIDE	4	261-107-2782	25-Mar-24	-	Ornamentals	Powdery mildew, black spots	0.5-1.0 Tbsp/16L Water	-	Do not spray within 14 days of harvest	Do not enter treated field within five (5) days after spraying
EVERLAND AGRI CORPORATION	THIOPHANATE METHYL	ATM	700 g/kg	-	FUNGICIDE	4	261-107-2782	25-Mar-24	-	Orchids	Powdery mildew, black spots	0.5-1.0 Tbsp/16L Water	-	Do not spray within 14 days of harvest	Do not enter treated field within five (5) days after spraying
EVERLAND AGRI CORPORATION	THIOPHANATE METHYL	ATM	700 g/kg	-	FUNGICIDE	4	261-107-2782	25-Mar-24	-	Cabbage	Shot hole disease, cercospora leaf spot	0.5-1.0 Tbsp/16L Water	-	Do not spray within 14 days of harvest	Do not enter treated field within five (5) days after spraying
EVERLAND AGRI CORPORATION	THIOPHANATE METHYL	ATM	700 g/kg	-	FUNGICIDE	4	261-107-2782	25-Mar-24	-	Cauliflower	Shot hole disease, cercospora leaf spot	0.5-1.0 Tbsp/16L Water	-	Do not spray within 14 days of harvest	Do not enter treated field within five (5) days after spraying
EVERLAND AGRI CORPORATION	THIOPHANATE METHYL	ATM	700 g/kg	-	FUNGICIDE	4	261-107-2782	25-Mar-24	-	Lettuce	Shot hole disease, cercospora leaf spot	0.5-1.0 Tbsp/16L Water	-	Do not spray within 14 days of harvest	Do not enter treated field within five (5) days after spraying
EVERLAND AGRI CORPORATION	THIOPHANATE METHYL	ATM	700 g/kg	-	FUNGICIDE	4	261-107-2782	25-Mar-24	-	Strawberry	Powdery mildew	0.5-1.0 Tbsp/16L Water	-	Do not spray within 14 days of harvest	Do not enter treated field within five (5) days after spraying
EVERLAND AGRI CORPORATION	THIOPHANATE METHYL	ATM	700 g/kg	-	FUNGICIDE	4	261-107-2782	25-Mar-24	-	Grapes	Fruit rot, Powdery mildew, anthracnose	0.5-1.0 Tbsp/16L Water	-	Do not spray within 14 days of harvest	Do not enter treated field within five (5) days after spraying
EVERLAND AGRI CORPORATION	THIOPHANATE METHYL	ATM	700 g/kg	-	FUNGICIDE	4	261-107-2782	25-Mar-24	-	Orange	Scabs	0.5-1.0 Tbsp/16L Water	-	Do not spray within 14 days of harvest	Do not enter treated field within five (5) days after spraying
EVERLAND AGRI CORPORATION	THIOPHANATE METHYL	ATM	700 g/kg	-	FUNGICIDE	4	261-107-2782	25-Mar-24	-	Citrus	Scabs	0.5-1.0 Tbsp/16L Water	-	Do not spray within 14 days of harvest	Do not enter treated field within five (5) days after spraying
EVERLAND AGRI CORPORATION	THIOPHANATE METHYL	ATM	700 g/kg	-	FUNGICIDE	4	261-107-2782	25-Mar-24	-	Calamansi	Scabs	0.5-1.0 Tbsp/16L Water	-	Do not spray within 14 days of harvest	Do not enter treated field within five (5) days after spraying
EVERLAND AGRI CORPORATION	THIOPHANATE METHYL	ATM	700 g/kg	-	FUNGICIDE	4	261-107-2782	25-Mar-24	-	Banana	Sigatoka disease	1.5-2.0 Tbsp/16L Water	-	Do not spray within 14 days of harvest	Do not enter treated field within five (5) days after spraying
EVERLAND AGRI CORPORATION	THIOPHANATE METHYL	ATM	700 g/kg	-	FUNGICIDE	4	261-107-2782	25-Mar-24	-	Papaya	Powdery mildew	0.5-1.0 Tbsp/16L Water	-	Do not spray within 14 days of harvest	Do not enter treated field within five (5) days after spraying
LIQHEMPHIL INTERNATIONAL INC.	METALDEHYDE	ATLANTIS 6N PELLET	60g/kg	P	MOLLUSCIDE	4	590-075-4300	18-Jul-24	CONTACT	Rice (Transplanted)	Golden apple snail	2-4 kg/ product per hectare	-	-	Do not enter treated field within 48 hours after application
LIQHEMPHIL INTERNATIONAL INC.	METALDEHYDE	ATLANTIS 6N PELLET	60g/kg	P	MOLLUSCIDE	4	590-075-4300	18-Jul-24	CONTACT	Rice (Direct Seeded)	Golden apple snail	4-8 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application
LIQHEMPHIL INTERNATIONAL INC.	METALDEHYDE	ATLANTIS 6N PELLET	60g/kg	P	MOLLUSCIDE	4	590-075-4300	18-Jul-24	CONTACT	Potted and driftwood-planted plants such as Chinese Cabbage	Bush, snails, giant african snail and slugs	1-2 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application
LIQHEMPHIL INTERNATIONAL INC.	METALDEHYDE	ATLANTIS 6N PELLET	60g/kg	P	MOLLUSCIDE	4	590-075-4300	18-Jul-24	CONTACT	Strawberry	Slug, snails	6-8 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application
LIQHEMPHIL INTERNATIONAL INC.	METALDEHYDE	ATLANTIS 6N PELLET	60g/kg	P	MOLLUSCIDE	4	590-075-4300	18-Jul-24	CONTACT	-	Slug, snails	6-8 kg/product per hectare	-	-	Do not enter treated field within 48 hours after application
PHILIPPINE FARMAP SOLUTIONS INC.	LAMBDA-CHALOTHRIN+THIAMETHOXAM	ASTROS 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	135-395-4371	25-Jan-27	-	Mango	Leafhopper	30-30 mL/100L mL prod. Ha	-	-	Do not enter treated fields for at least 1 day after application.
AVC CHEMICAL CORPORATION	CHLORFLUAZURON	ATABRON 5 E	50 g/L	EC	INSECTICIDE	4	060-207-0401	31-Dec-25	-	Cabbage	Diamond back-moth, cabbage moth and cutworm	30 mL/38L water	-	7 days	-
AVC CHEMICAL CORPORATION	CHLORFLUAZURON	ATABRON 5 E	50 g/L	EC	INSECTICIDE	4	060-207-0401	31-Dec-25	-	Eggplant	Fruit & shoot borer, cutworm	20-25 mL/16L water	-	7 days	-
AVC CHEMICAL CORPORATION	CHLORFLUAZURON	ATABRON 5 E	50 g/L	EC	INSECTICIDE	4	060-207-0401	31-Dec-25	-	Watermelon	Melon worm, leafminer and whiteflies	20-25 mL/16L water	-	7 days	-
AVC CHEMICAL CORPORATION	CHLORFLUAZURON	ATABRON 5 E	50 g/L	EC	INSECTICIDE	4	060-207-0401	31-Dec-25	-	Okra	Cutworm,army worm	20-25 mL/16L water	2.0 ppm	3 days	-
AVC CHEMICAL CORPORATION	CHLORFLUAZURON	ATABRON 5 E	50 g/L	EC	INSECTICIDE	4	060-207-0401	31-Dec-25	-	Onion	Cutworm,Fruit worm,Fruit borer	20-25 mL/16L water	2.0 ppm	3 days	-
AVC CHEMICAL CORPORATION	CHLORFLUAZURON	ATABRON 5 E	50 g/L	EC	INSECTICIDE	4	060-207-0401	17-Sep-30	-	Corn	Fall armyworm	(10-40) mL/16L water; (0.5-1.0)/ha	-	-	-
UNITED AGROSCIENCE PHILS., INC.	LAMBDA-CHALOTHRIN+THIAMETHOXAM	ASTROS 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	602-395-4821	18-Jun-25	CONTACT/SYSTEMIC	Potato	Whiteflies, aphids, thrips	100-200mL product/ha, 4-6 mL/16L	0.1 Thiamethoxam; 0.1	7 days	Do not enter treated fields at least 1 Day after application
UNITED AGROSCIENCE PHILS., INC.	LAMBDA-CHALOTHRIN+THIAMETHOXAM	ASTROS 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	602-395-4821	18-Jun-25	CONTACT/SYSTEMIC	Stringbeans	Green Leafhopper, aphids, mites	100-300mL product/ha, 4-6 mL/16L	0.1 Thiamethoxam; 0.2 (with pod)	7 Days	Do not enter treated fields at least 1 Day after application
UNITED AGROSCIENCE PHILS., INC.	LAMBDA-CHALOTHRIN+THIAMETHOXAM	ASTROS 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	602-395-4821	18-Jun-25	CONTACT/SYSTEMIC	Eggplant	Whiteflies, green leafhopper, aphids	100-200mL product/ha, 4-6 mL/16L	0.2 Thiamethoxam; 0.2	7 Days	Do not enter treated fields at least 1 Day after application
UNITED AGROSCIENCE PHILS., INC.	LAMBDA-CHALOTHRIN+THIAMETHOXAM	ASTROS 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	602-395-4821	18-Jun-25	CONTACT/SYSTEMIC	Interguard	Leafhoppers, thrips, aphids, fruitfly, cutworm	100-200mL product/ha, 4-13 mL/16L	0.2 Thiamethoxam; 0.2	7 days	Do not enter treated fields at least 1 Day after application
UNITED AGROSCIENCE PHILS., INC.	LAMBDA-CHALOTHRIN+THIAMETHOXAM	ASTROS 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	602-395-4821	18-Jun-25	CONTACT/SYSTEMIC	Mango	Leafhoppers, tyborders, capsid bug, fruitfly, cecid fly	13-24mL/200L	0.1 Thiamethoxam; 0.2	3 days	Do not enter treated fields at least 1 Day after application
UNITED AGROSCIENCE PHILS., INC.	LAMBDA-CHALOTHRIN+THIAMETHOXAM	ASTROS 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	602-395-4821	18-Jun-25	CONTACT/SYSTEMIC	Corn	Asiatic corn borer, cutworm, leafhopper, aphids, earworm	200-400mL product/ha, 10.0-16.0 mL product/16L	0.05ppm Thiamethoxam; 0.05ppm Thiamethoxam	1 days	Do not enter treated fields at least 1 Day after application
UNITED AGROSCIENCE PHILS., INC.	LAMBDA-CHALOTHRIN+THIAMETHOXAM	ASTROS 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	602-395-4821	18-Jun-25	CONTACT/SYSTEMIC	Banana	Flower thrips	8-9 mL/	0.05ppm Thiamethoxam; 0.05ppm Thiamethoxam	30 days	Do not enter treated fields at least 1 Day after application
UNITED AGROSCIENCE PHILS., INC.	LAMBDA-CHALOTHRIN+THIAMETHOXAM	ASTROS 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	602-395-4821	18-Jun-25	CONTACT/SYSTEMIC	Rice	Stem borer, leafhopper, rice bugs	10-30 Tbsp prod/16L	0.5ppm Thiamethoxam	14 Days	Do not enter treated fields at least 1 Day after application

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
BIO SOLUTIONS INTERNATIONAL CORPORATION	LAPONIN	ASTIG KUHOL TERMINATOR	100 g/L	DP	MOLLUSCICIDE	4	365-458-3967	07-Mar-26		Rice	Golden apple snails	15-20 kg		7 days after the last application	As soon as the product has settled on the soil surface
CYBERTH PHILIPPINES, INC.	FFPRONIL	ASSET 50 SC	50g/L	SC	INSECTICIDE	3	216-244-4046	07-Nov-20	CONTACT	Rice	Stemborer, BPH, Leaf folder, Rice bug	1.3-2.0, 2.0-3.0, 2-7.4.0 tbsp./16L	0.05ppm	10 days	
CYBERTH PHILIPPINES, INC.	FFPRONIL	ASSET 50 SC	50g/L	SC	INSECTICIDE	3	216-244-4046	07-Nov-20	CONTACT	Cabbage	Diamond-back moth	1.3-2.0, 2.0-3.0, 2-7.4.0 tbsp./16L			
CYBERTH PHILIPPINES, INC.	FFPRONIL	ASSET 50 SC	50g/L	SC	INSECTICIDE	3	216-244-4046	07-Nov-20	CONTACT	Watermelon	Thrips, Leaf beetles	2-5-3.0 tbsp./16L			
CYBERTH PHILIPPINES, INC.	FFPRONIL	ASSET 50 SC	50g/L	SC	INSECTICIDE	3	216-244-4046	07-Nov-20	CONTACT	Onion	Cutworm	5.33 tbsp./16L			
CYBERTH PHILIPPINES, INC.	FFPRONIL	ASSET 50 SC	50g/L	SC	INSECTICIDE	3	216-244-4046	07-Nov-20	CONTACT	Eggplant	Shoot borer	10-4.0 tbsp./16L			
TRANS WORLD TRADING CO., INC.	DIFENOCANAZOLE+PROPICONAZOLE	ASSERO 300 EC	150 g/L+150 g/L	EC	FUNGICIDE	3	038-325-4348	07-May-24	SYSTEMIC	Rice	Sheath Blight	2.5-3.5 tbsp/16L water	0.05ppm	45-60 days after transplanting	
TRANS WORLD TRADING CO., INC.	DIFENOCANAZOLE+PROPICONAZOLE	ASSERO 300 EC	150 g/L+150 g/L	EC	FUNGICIDE	3	038-325-4348	07-May-24	SYSTEMIC	Corn	Banded leaf, sheath blight, ear rot, leaf blight & rust	1-2 tbsp/16 L water	-	45 days	
UNIVERSAL SCOPE PHILIPPINES, INC.	CYPERMETHRIN	ASSASSIN 5 EC	50 g/L	EC	INSECTICIDE	4	428-037-2258	02-May-17	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
UNIVERSAL SCOPE PHILIPPINES, INC.	CYPERMETHRIN	ASSASSIN 5 EC	50 g/L	EC	INSECTICIDE	4	428-037-2258	02-May-17	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaf folder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
UNIVERSAL SCOPE PHILIPPINES, INC.	CYPERMETHRIN	ASSASSIN 5 EC	50 g/L	EC	INSECTICIDE	4	428-037-2258	02-May-17	CONTACT	Cabbage	Diamond-back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
UNIVERSAL SCOPE PHILIPPINES, INC.	CYPERMETHRIN	ASSASSIN 5 EC	50 g/L	EC	INSECTICIDE	4	428-037-2258	02-May-17	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
UNIVERSAL SCOPE PHILIPPINES, INC.	CYPERMETHRIN	ASSASSIN 5 EC	50 g/L	EC	INSECTICIDE	4	428-037-2258	02-May-17	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
UNIVERSAL SCOPE PHILIPPINES, INC.	CYPERMETHRIN	ASSASSIN 5 EC	50 g/L	EC	INSECTICIDE	4	428-037-2258	02-May-17	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
UNIVERSAL SCOPE PHILIPPINES, INC.	CYPERMETHRIN	ASSASSIN 5 EC	50 g/L	EC	INSECTICIDE	4	428-037-2258	02-May-17	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
UNIVERSAL SCOPE PHILIPPINES, INC.	CYPERMETHRIN	ASSASSIN 5 EC	50 g/L	EC	INSECTICIDE	4	428-037-2258	02-May-17	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
UNIVERSAL SCOPE PHILIPPINES, INC.	CYPERMETHRIN	ASSASSIN 5 EC	50 g/L	EC	INSECTICIDE	4	428-037-2258	02-May-17	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
UNIVERSAL SCOPE PHILIPPINES, INC.	CYPERMETHRIN	ASSASSIN 5 EC	50 g/L	EC	INSECTICIDE	4	428-037-2258	02-May-17	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
UNIVERSAL SCOPE PHILIPPINES, INC.	CYPERMETHRIN	ASSASSIN 5 EC	50 g/L	EC	INSECTICIDE	4	428-037-2258	02-May-17	CONTACT	Corn	Comborer, earworm	1.0-4.3 Tbsp/16 L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
TEXICON AGR VENTURES CORPORATION	BISPYRIBAC SODIUM	ASPIRE 30 SC TWIN	100 g/L	SC	HERBICIDE	4	242-276-4032	24-Jan-22	SELECTIVE (POST-EMERGENCE)	Rice (Direct Seeded)	Grasses, sedges & broadleaves	10spray/load, 25-30m/16L water; 10spray/load, 30-25m/16L water	0.1 ppm	-	
TEXICON AGR VENTURES CORPORATION	BISPYRIBAC SODIUM	ASPIRE 30 SC TWIN	100 g/L	SC	HERBICIDE	4	242-276-4032	24-Jan-22	SELECTIVE (POST-EMERGENCE)	Rice (Transplanted)	Grasses, sedges & broadleaves	10spray/load, 25-30m/16L water; 10spray/load, 30-25m/16L water	0.1 ppm	-	
TEXICON AGR VENTURES CORPORATION	BISPYRIBAC SODIUM	ASPIRE 30 SC SOLO	100 g/L	SC	HERBICIDE	4	242-276-3102	02-Sep-24	SELECTIVE (POST-EMERGENCE)	Rice (Direct Seeded)	Grasses, sedges & broadleaves	10spray/load, 25-30m/16L water; 10spray/load, 30-25m/16L water	0.1 ppm	-	Entry to treated field is allowed as soon as spray deposits on crops and weeds have dried
TEXICON AGR VENTURES CORPORATION	BISPYRIBAC SODIUM	ASPIRE 30 SC SOLO	100 g/L	SC	HERBICIDE	4	242-276-3102	02-Sep-24	SELECTIVE (POST-EMERGENCE)	Rice (Transplanted)	Grasses, sedges & broadleaves	10spray/load, 25-30m/16L water; 10spray/load, 30-25m/16L water	0.1 ppm	-	Entry to treated field is allowed as soon as spray deposits on crops and weeds have dried
TEXICON AGR VENTURES CORPORATION	BISPYRIBAC SODIUM	ASPIRE 30 SC	106.4 g/L	SC	HERBICIDE	4	242-276-3102	02-Sep-21	SELECTIVE (POST-EMERGENCE)	Rice (Direct-Seeded lowland)	Grasses and broadleaves	10m/16 L water, 20 spray load/ hectare	0.1 ppm	-	Entry to treated field is allowed as soon as spray deposits on crops and weeds have dried
AGRI- SPROUT PHILIPPINES, INC.	MALATHION	ASPI MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	668-038-5291	06-Jun-24	NON-SYSTEMIC	Fruit trees	Aphids, mealy bug scale insect	1.5-3.0Tbsp/16 L water		Discontinue spraying at least 2-7 days before harvest	Entry to sprayed areas is not allowed within one day after application
AGRI- SPROUT PHILIPPINES, INC.	MALATHION	ASPI MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	668-038-5291	06-Jun-24	NON-SYSTEMIC	Rice	Armyworm, caseworm, leafhopper, bugs	2-0.3.0Tbsp/16 L water		Discontinue spraying at least 2-7 days before harvest	Entry to sprayed areas is not allowed within one day after application
AGRI- SPROUT PHILIPPINES, INC.	MALATHION	ASPI MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	668-038-5291	06-Jun-24	NON-SYSTEMIC	Corn	Earworm, silkworm, aphids, grasshopper	3.0-5.0Tbsp/16 L water		Discontinue spraying at least 2-7 days before harvest	Entry to sprayed areas is not allowed within one day after application
AGRI- SPROUT PHILIPPINES, INC.	MALATHION	ASPI MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	668-038-5291	06-Jun-24	NON-SYSTEMIC	Cabbage	Cabbage worm, loopers, diamond-back moth	2-0.5.0Tbsp/16 L water		Discontinue spraying at least 2-7 days before harvest	Entry to sprayed areas is not allowed within one day after application
AGRI- SPROUT PHILIPPINES, INC.	MALATHION	ASPI MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	668-038-5291	06-Jun-24	NON-SYSTEMIC	Legumes	Aphids, beanfly, cutworm, flea beetles, leafminer, maggots, mealybug, podborer, thrips	2.0-5.0Tbsp/16 L water		Discontinue spraying at least 2-7 days before harvest	Entry to sprayed areas is not allowed within one day after application
AGRI- SPROUT PHILIPPINES, INC.	MALATHION	ASPI MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	668-038-5291	06-Jun-24	NON-SYSTEMIC	Grapes	Beetles, cutworm, leafhopper, mealybug, scale, insect, spider mites	3.0Tbsp/16 L water		Discontinue spraying at least 2-7 days before harvest	Entry to sprayed areas is not allowed within one day after application
AGRI- SPROUT PHILIPPINES, INC.	MALATHION	ASPI MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	668-038-5291	06-Jun-24	NON-SYSTEMIC	Pineapple	Mealy bug	3.0Tbsp/16 L water		Discontinue spraying at least 2-7 days before harvest	Entry to sprayed areas is not allowed within one day after application
AGRI- SPROUT PHILIPPINES, INC.	MALATHION	ASPI MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	668-038-5291	06-Jun-24	NON-SYSTEMIC	Pepper	Aphid, cutworm, fruitworm	3.0Tbsp/16 L water		Discontinue spraying at least 2-7 days before harvest	Entry to sprayed areas is not allowed within one day after application
AGRI- SPROUT PHILIPPINES, INC.	MALATHION	ASPI MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	668-038-5291	06-Jun-24	NON-SYSTEMIC	Garlic	Cutworm	3.0Tbsp/16 L water		Discontinue spraying at least 2-7 days before harvest	Entry to sprayed areas is not allowed within one day after application
AGRI- SPROUT PHILIPPINES, INC.	MALATHION	ASPI MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	668-038-5291	06-Jun-24	NON-SYSTEMIC	Onion	Cutworm	3.0Tbsp/16 L water		Discontinue spraying at least 2-7 days before harvest	Entry to sprayed areas is not allowed within one day after application
AGRI- SPROUT PHILIPPINES, INC.	MALATHION	ASPI MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	668-038-5291	06-Jun-24	NON-SYSTEMIC	Tobacco	Aphids, katydid	3.0-6.0Tbsp/16 L water		Discontinue spraying at least 2-7 days before harvest	Entry to sprayed areas is not allowed within one day after application
AGRI- SPROUT PHILIPPINES, INC.	MALATHION	ASPI MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	668-038-5291	06-Jun-24	NON-SYSTEMIC	Ornamentals	Aphids, cutworm, mealybug, scale insect, spider mites	3.0-5.0Tbsp/16 L water		Discontinue spraying at least 2-7 days before harvest	Entry to sprayed areas is not allowed within one day after application
AGRI- SPROUT PHILIPPINES, INC.	MALATHION	ASPI MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	668-038-5291	06-Jun-24	NON-SYSTEMIC	Tomato	Lady beetle	3.0-5.0Tbsp/16 L water		Discontinue spraying at least 2-7 days before harvest	Entry to sprayed areas is not allowed within one day after application
AGRI- SPROUT PHILIPPINES, INC.	MALATHION	ASPI MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	668-038-5291	06-Jun-24	NON-SYSTEMIC	Eggplant	Aphids, fruitworm	3.0-5.0Tbsp/16 L water		Discontinue spraying at least 2-7 days before harvest	Entry to sprayed areas is not allowed within one day after application
AGRI- SPROUT PHILIPPINES, INC.	MALATHION	ASPI MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	668-038-5291	06-Jun-24	NON-SYSTEMIC	Sorghum	Web worm	3.0Tbsp/16 L water		Discontinue spraying at least 2-7 days before harvest	Entry to sprayed areas is not allowed within one day after application
AGRI- SPROUT PHILIPPINES, INC.	2,4-D BB	ASPI 2,4-D ESTER 40 EC	490 g/L	EC	HERBICIDE	2	668-040-5065	31-Dec-26	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	0.1 ppm	Do not spray within 2 days before harvest	Entry to fields and crops treated with 2,4-D Ester 40 EC can be done 1 day after spraying
AGRI- SPROUT PHILIPPINES, INC.	2,4-D BB	ASPI 2,4-D ESTER 40 EC	490 g/L	EC	HERBICIDE	2	668-040-5065	31-Dec-26	SELECTIVE (POST-EMERGENT)	Corn	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water		Do not spray within 2 days before harvest	Entry to fields and crops treated with 2,4-D Ester 40 EC can be done 1 day after spraying
AGRI- SPROUT PHILIPPINES, INC.	2,4-D BB	ASPI 2,4-D ESTER 40 EC	490 g/L	EC	HERBICIDE	2	668-040-5065	31-Dec-26	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water		Do not spray within 2 days before harvest	Entry to fields and crops treated with 2,4-D Ester 40 EC can be done 1 day after spraying
AGRI- SPROUT PHILIPPINES, INC.	2,4-D AMINE	ASPI 2,4-D AMINE 40 EC	400 g/L	EC	HERBICIDE	2	668-013-5063	31-Dec-26	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual broadleaves and sedges	3.5-6.5Tbsp/16 L water	0.1 ppm	-	Entry to the fields sprayed with the product is not allowed within one day after application
AGRI- SPROUT PHILIPPINES, INC.	2,4-D AMINE	ASPI 2,4-D AMINE 40 EC	400 g/L	EC	HERBICIDE	2	668-013-5063	31-Dec-26	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual broadleaves and sedges	10-25 Tbsp/16 L water		-	Entry to the fields sprayed with the product is not allowed within one day after application
AGRI- SPROUT PHILIPPINES, INC.	2,4-D AMINE	ASPI 2,4-D AMINE 40 EC	400 g/L	EC	HERBICIDE	2	668-013-5063	31-Dec-26	SELECTIVE (POST-EMERGENT)	Corn	Annual broadleaves and sedges	5-6.5 Tbsp/16 L water		-	Entry to the fields sprayed with the product is not allowed within one day after application
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	THIRAM	ASLAN 80 WG	800 g/kg	WG	FUNGICIDE	3	459-337-3637	19-Feb-19		Banana	Black sigatoka & freckle	2-3kg/ha			
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	THIRAM	ASLAN 80 WG	800 g/kg	WG	FUNGICIDE	3	459-337-3637	19-Feb-19		Pineapple	Phytophthora heart rot & fruit rot	7.5-11.25kg/ha			
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	THIRAM	ASLAN 80 WG	800 g/kg	WG	FUNGICIDE	3	459-337-3637	19-Feb-19		Celery	Leafspot & blight	8 Tbsp			
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	THIRAM	ASLAN 80 WG	800 g/kg	WG	FUNGICIDE	3	459-337-3637	19-Feb-19		Mango	Scab & anthracnose	4 Tbsp/16 L water			
BASF PHILIPPINES, INC.	FFPRONIL	ASCEND 50 SC	50 g/L	SC	INSECTICIDE	3	005-244-0580	21-Feb-24	CONTACT	Rice	Stemborer, brown planthopper, leaf folder, rice bug	27-40, 14-52, 40-63 ml/16L water	0.05ppm	10 days	
BASF PHILIPPINES, INC.	FFPRONIL	ASCEND 50 SC	50 g/L	SC	INSECTICIDE	3	005-244-0580	21-Feb-24	CONTACT	Cabbage	Diamond backed moth	19-25, 25-25, 30-50 ml/16L water	-	-	
BASF PHILIPPINES, INC.	FFPRONIL	ASCEND 50 SC	50 g/L	SC	INSECTICIDE	3	005-244-0580	21-Feb-24	CONTACT	Watermelon	Thrips, leaf beetles	25-30 ml/16L water	-	-	
BASF PHILIPPINES, INC.	FFPRONIL	ASCEND 50 SC	50 g/L	SC	INSECTICIDE	3	005-244-0580	21-Feb-24	CONTACT	Onion	Cutworm	53.30 ml/16L water	-	-	
BASF PHILIPPINES, INC.	FFPRONIL	ASCEND 50 SC	50 g/L	SC	INSECTICIDE	3	005-244-0580	21-Feb-24	CONTACT	Eggplant	Shoot borer	30-40 ml/16L water	-	-	
BASF PHILIPPINES, INC.	FFPRONIL	ASCEND 50 SC	50 g/L	SC	INSECTICIDE	3	005-244-0580	21-Feb-24	CONTACT	Corn (as seed treatment)	Seedling maggot	200-250 ml/20 kg seed	-	-	
BASF PHILIPPINES, INC.	FFPRONIL	ASCEND 50 SC	50 g/L	SC	INSECTICIDE	3	005-244-0580	21-Feb-24	CONTACT	Banana	Flower thrips	-	-	-	

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
ZAGRO CORPORATION	BPfMC-CHLORPYRIFOS	ARVUZ 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	043-174-2875	22-Aug-23		Rice	Stemborer, armyworm, leafhopper, cutworm and planthopper	2.5-3.5 Tbsp/36L water		Stop spraying 15 days before harvest	
ZAGRO CORPORATION	BPfMC-CHLORPYRIFOS	ARVUZ 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	043-174-2875	22-Aug-23		Corn	Seeding maggot, corn earworm, cornborer and armyworm	2.5-3.5 Tbsp/36L water			
ZAGRO CORPORATION	BPfMC-CHLORPYRIFOS	ARVUZ 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	043-174-2875	22-Aug-23		Tobacco	Budworm, grasshopper, aphid, cutworm and armyworm	2.5-3.5 Tbsp/36L water			
ZAGRO CORPORATION	BPfMC-CHLORPYRIFOS	ARVUZ 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	043-174-2875	22-Aug-23		Cucumber	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/36L water			
ZAGRO CORPORATION	BPfMC-CHLORPYRIFOS	ARVUZ 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	043-174-2875	22-Aug-23		Melon	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/36L water			
ZAGRO CORPORATION	BPfMC-CHLORPYRIFOS	ARVUZ 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	043-174-2875	22-Aug-23		Watermelon	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/36L water			
ZAGRO CORPORATION	BPfMC-CHLORPYRIFOS	ARVUZ 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	043-174-2875	22-Aug-23		Onion	Thrips, cutworm	2.5-3.5 Tbsp/36L water			
ZAGRO CORPORATION	BPfMC-CHLORPYRIFOS	ARVUZ 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	043-174-2875	22-Aug-23		Mungo	Beanfly, armyworm, cutworm, leafminer and leaf folder	2.5-3.5 Tbsp/36L water			
ZAGRO CORPORATION	BPfMC-CHLORPYRIFOS	ARVUZ 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	043-174-2875	22-Aug-23		Soybeans	Beanfly, armyworm, cutworm, leafminer and leaf folder	2.5-3.5 Tbsp/36L water			
ZAGRO CORPORATION	BPfMC-CHLORPYRIFOS	ARVUZ 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	043-174-2875	22-Aug-23		Beans	Beanfly, armyworm, cutworm, leafminer and leaf folder	2.5-3.5 Tbsp/36L water			
UNIVERSAL HARVESTER INC.	CYPERMETHRIN	ARTEMIS 5 EC	50 g/L	EC	INSECTICIDE	4	606-037-4270	05-Mar-21	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/36L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
UNIVERSAL HARVESTER INC.	CYPERMETHRIN	ARTEMIS 5 EC	50 g/L	EC	INSECTICIDE	4	606-037-4270	05-Mar-21	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaf folder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/36L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
UNIVERSAL HARVESTER INC.	CYPERMETHRIN	ARTEMIS 5 EC	50 g/L	EC	INSECTICIDE	4	606-037-4270	05-Mar-21	CONTACT	Cabbage	Diamond back moth, cabbage moth, worm	1.0-3.0 Tbsp/36L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
UNIVERSAL HARVESTER INC.	CYPERMETHRIN	ARTEMIS 5 EC	50 g/L	EC	INSECTICIDE	4	606-037-4270	05-Mar-21	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/36L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
UNIVERSAL HARVESTER INC.	CYPERMETHRIN	ARTEMIS 5 EC	50 g/L	EC	INSECTICIDE	4	606-037-4270	05-Mar-21	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/36L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
UNIVERSAL HARVESTER INC.	CYPERMETHRIN	ARTEMIS 5 EC	50 g/L	EC	INSECTICIDE	4	606-037-4270	05-Mar-21	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/36L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
UNIVERSAL HARVESTER INC.	CYPERMETHRIN	ARTEMIS 5 EC	50 g/L	EC	INSECTICIDE	4	606-037-4270	05-Mar-21	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/36L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
UNIVERSAL HARVESTER INC.	CYPERMETHRIN	ARTEMIS 5 EC	50 g/L	EC	INSECTICIDE	4	606-037-4270	05-Mar-21	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/36L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
UNIVERSAL HARVESTER INC.	CYPERMETHRIN	ARTEMIS 5 EC	50 g/L	EC	INSECTICIDE	4	606-037-4270	05-Mar-21	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/36L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
UNIVERSAL HARVESTER INC.	CYPERMETHRIN	ARTEMIS 5 EC	50 g/L	EC	INSECTICIDE	4	606-037-4270	05-Mar-21	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/36L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
UNIVERSAL HARVESTER INC.	CYPERMETHRIN	ARTEMIS 5 EC	50 g/L	EC	INSECTICIDE	4	606-037-4270	05-Mar-21	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/36L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
MONARC CROP SOLUTIONS PROVIDER CORPORATION	LAMBDA-CHYALOTHIRIN	ARSENAL 2.5 EC	25 g/L	EC	INSECTICIDE	2	550-204-3627	02-Dec-22	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leaf folder, black bug	1.0-1.5Tbsp/36L of water	0.05ppm	3 Days	Re-entry to treated field is allowed as soon as spray deposits dry
MONARC CROP SOLUTIONS PROVIDER CORPORATION	LAMBDA-CHYALOTHIRIN	ARSENAL 2.5 EC	25 g/L	EC	INSECTICIDE	2	550-204-3627	02-Dec-22	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/36L of water		3 Days	Re-entry to treated field is allowed as soon as spray deposits dry
MONARC CROP SOLUTIONS PROVIDER CORPORATION	LAMBDA-CHYALOTHIRIN	ARSENAL 2.5 EC	25 g/L	EC	INSECTICIDE	2	550-204-3627	02-Dec-22	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/36L of water		3 Days	Re-entry to treated field is allowed as soon as spray deposits dry
MONARC CROP SOLUTIONS PROVIDER CORPORATION	LAMBDA-CHYALOTHIRIN	ARSENAL 2.5 EC	25 g/L	EC	INSECTICIDE	2	550-204-3627	02-Dec-22	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/36L of water		3 Days	Re-entry to treated field is allowed as soon as spray deposits dry
MONARC CROP SOLUTIONS PROVIDER CORPORATION	LAMBDA-CHYALOTHIRIN	ARSENAL 2.5 EC	25 g/L	EC	INSECTICIDE	2	550-204-3627	02-Dec-22	SYSTEMIC	Mungbeans	Beanfly, flea beetle, leafhopper, aphids, mites, podborer	1.0Tbsp/36L of water		3 Days	Re-entry to treated field is allowed as soon as spray deposits dry
MONARC CROP SOLUTIONS PROVIDER CORPORATION	LAMBDA-CHYALOTHIRIN	ARSENAL 2.5 EC	25 g/L	EC	INSECTICIDE	2	550-204-3627	02-Dec-22	SYSTEMIC	Corn	Cornborer, aphids, seedling maggots	1.0-1.5Tbsp/36L of water		3 Days	Re-entry to treated field is allowed as soon as spray deposits dry
MONARC CROP SOLUTIONS PROVIDER CORPORATION	LAMBDA-CHYALOTHIRIN	ARSENAL 2.5 EC	25 g/L	EC	INSECTICIDE	2	550-204-3627	02-Dec-22	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5Tbsp/36L of water		3 Days	Re-entry to treated field is allowed as soon as spray deposits dry
MONARC CROP SOLUTIONS PROVIDER CORPORATION	LAMBDA-CHYALOTHIRIN	ARSENAL 2.5 EC	25 g/L	EC	INSECTICIDE	2	550-204-3627	02-Dec-22	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/36L of water		3 Days	Re-entry to treated field is allowed as soon as spray deposits dry
MONARC CROP SOLUTIONS PROVIDER CORPORATION	LAMBDA-CHYALOTHIRIN	ARSENAL 2.5 EC	25 g/L	EC	INSECTICIDE	2	550-204-3627	02-Dec-22	SYSTEMIC	Cocoa	Podborer	1.0-2.0Tbsp/36L of water		3 Days	Re-entry to treated field is allowed as soon as spray deposits dry
MONARC CROP SOLUTIONS PROVIDER CORPORATION	LAMBDA-CHYALOTHIRIN	ARSENAL 2.5 EC	25 g/L	EC	INSECTICIDE	2	550-204-3627	02-Dec-22	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/36L of water		3 Days	Re-entry to treated field is allowed as soon as spray deposits dry
JEELS MASAGANA FARM SUPPLY, INC.	CYPERMETHRIN	ARROW 5 EC	50 g/L	EC	INSECTICIDE	4	487-037-2696	15-Nov-24	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/36L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
JEELS MASAGANA FARM SUPPLY, INC.	CYPERMETHRIN	ARROW 5 EC	50 g/L	EC	INSECTICIDE	4	487-037-2696	15-Nov-24	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaf folder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/36L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
JEELS MASAGANA FARM SUPPLY, INC.	CYPERMETHRIN	ARROW 5 EC	50 g/L	EC	INSECTICIDE	4	487-037-2696	15-Nov-24	CONTACT	Cabbage	Diamond back moth, cabbage moth, worm	1.0-3.0 Tbsp/36L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
JEELS MASAGANA FARM SUPPLY, INC.	CYPERMETHRIN	ARROW 5 EC	50 g/L	EC	INSECTICIDE	4	487-037-2696	15-Nov-24	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/36L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
JEELS MASAGANA FARM SUPPLY, INC.	CYPERMETHRIN	ARROW 5 EC	50 g/L	EC	INSECTICIDE	4	487-037-2696	15-Nov-24	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/36L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
JEELS MASAGANA FARM SUPPLY, INC.	CYPERMETHRIN	ARROW 5 EC	50 g/L	EC	INSECTICIDE	4	487-037-2696	15-Nov-24	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/36L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
JEELS MASAGANA FARM SUPPLY, INC.	CYPERMETHRIN	ARROW 5 EC	50 g/L	EC	INSECTICIDE	4	487-037-2696	15-Nov-24	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/36L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
JEELS MASAGANA FARM SUPPLY, INC.	CYPERMETHRIN	ARROW 5 EC	50 g/L	EC	INSECTICIDE	4	487-037-2696	15-Nov-24	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/36L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
JEELS MASAGANA FARM SUPPLY, INC.	CYPERMETHRIN	ARROW 5 EC	50 g/L	EC	INSECTICIDE	4	487-037-2696	15-Nov-24	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/36L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
JEELS MASAGANA FARM SUPPLY, INC.	CYPERMETHRIN	ARROW 5 EC	50 g/L	EC	INSECTICIDE	4	487-037-2696	15-Nov-24	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/36L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
JEELS MASAGANA FARM SUPPLY, INC.	CYPERMETHRIN	ARROW 5 EC	50 g/L	EC	INSECTICIDE	4	487-037-2696	15-Nov-24	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/36L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
FMC AGRO PHILIPPINES INC.	CYPERMETHRIN	ARRIVO 5 EC	50 g/L	EC	INSECTICIDE	4	598-037-4177	30-Oct-30	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/36L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
FMC AGRO PHILIPPINES INC.	CYPERMETHRIN	ARRIVO 5 EC	50 g/L	EC	INSECTICIDE	4	598-037-4177	30-Oct-30	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaf folder, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/36L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
FMC AGRO PHILIPPINES INC.	CYPERMETHRIN	ARRIVO 5 EC	50 g/L	EC	INSECTICIDE	4	598-037-4177	30-Oct-30	CONTACT	Cabbage	Diamond back moth, cabbage moth, worm	1.0-3.0 Tbsp/36L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
FMC AGRO PHILIPPINES INC.	CYPERMETHRIN	ARRIVO 5 EC	50 g/L	EC	INSECTICIDE	4	598-037-4177	30-Oct-30	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/36L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
FMC AGRO PHILIPPINES INC.	CYPERMETHRIN	ARRIVO 5 EC	50 g/L	EC	INSECTICIDE	4	598-037-4177	30-Oct-30	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/36L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
FMC AGRO PHILIPPINES INC.	CYPERMETHRIN	ARRIVO 5 EC	50 g/L	EC	INSECTICIDE	4	598-037-4177	30-Oct-30	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/36L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
FMC AGRO PHILIPPINES INC.	CYPERMETHRIN	ARRIVO 5 EC	50 g/L	EC	INSECTICIDE	4	598-037-4177	30-Oct-30	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/36L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
FMC AGRO PHILIPPINES INC.	CYPERMETHRIN	ARRIVO 5 EC	50 g/L	EC	INSECTICIDE	4	598-037-4177	30-Oct-30	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/36L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
FMC AGRO PHILIPPINES INC.	CYPERMETHRIN	ARRIVO 5 EC	50 g/L	EC	INSECTICIDE	4	598-037-4177	30-Oct-30	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/36L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
FMC AGRO PHILIPPINES INC.	CYPERMETHRIN	ARRIVO 5 EC	50 g/L	EC	INSECTICIDE	4	598-037-4177	30-Oct-30	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/36L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
FMC AGRO PHILIPPINES INC.	CYPERMETHRIN	ARRIVO 5 EC	50 g/L	EC	INSECTICIDE	4	598-037-4177	30-Oct-30	CONTACT	Corn	Cornborer, earworm	1.0-4.5 Tbsp/36L water		7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
KEMISTAR CORPORATION	LAMBDA-CHYALOTHIRIN	ARNIS 2.5 EC	25 g/L	EC	INSECTICIDE	2	239-204-1040	07-Jun-26	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leaf folder, black bug	1.0-1.5Tbsp/36L of water	0.05ppm	3 Days	Re-entry to treated field is allowed as soon as spray deposits dry
KEMISTAR CORPORATION	LAMBDA-CHYALOTHIRIN	ARNIS 2.5 EC	25 g/L	EC	INSECTICIDE	2	239-204-1040	07-Jun-26	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/36L of water		3 Days	Re-entry to treated field is allowed as soon as spray deposits dry
KEMISTAR CORPORATION	LAMBDA-CHYALOTHIRIN	ARNIS 2.5 EC	25 g/L	EC	INSECTICIDE	2	239-204-1040	07-Jun-26	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/36L of water		3 Days	Re-entry to treated field is allowed as soon as spray deposits dry

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
KEMSTAR CORPORATION	LAMBDA-CYHALOTHRIN	ARNIS 2.5 EC	25 g/L	EC	INSECTICIDE	2	239-204-1040	07-Jun-26	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
KEMSTAR CORPORATION	LAMBDA-CYHALOTHRIN	ARNIS 2.5 EC	25 g/L	EC	INSECTICIDE	2	239-204-1040	07-Jun-26	SYSTEMIC	Mungbeans	Beanfly, flea beetle, leafhopper, aphids, mites, podborer	1.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
KEMSTAR CORPORATION	LAMBDA-CYHALOTHRIN	ARNIS 2.5 EC	25 g/L	EC	INSECTICIDE	2	239-204-1040	07-Jun-26	SYSTEMIC	Corn	Comborer, aphids, seedling maggots	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
KEMSTAR CORPORATION	LAMBDA-CYHALOTHRIN	ARNIS 2.5 EC	25 g/L	EC	INSECTICIDE	2	239-204-1040	07-Jun-26	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katyids	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
KEMSTAR CORPORATION	LAMBDA-CYHALOTHRIN	ARNIS 2.5 EC	25 g/L	EC	INSECTICIDE	2	239-204-1040	07-Jun-26	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
KEMSTAR CORPORATION	LAMBDA-CYHALOTHRIN	ARNIS 2.5 EC	25 g/L	EC	INSECTICIDE	2	239-204-1040	07-Jun-26	SYSTEMIC	Cacao	Podborer	1.0-2.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
KEMSTAR CORPORATION	LAMBDA-CYHALOTHRIN	ARNIS 2.5 EC	25 g/L	EC	INSECTICIDE	2	239-204-1040	07-Jun-26	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
SYNGENTA PHILIPPINES INC.	DIFENOCANAZOLE+PROPCONAZOLE	ARMURE 300 EC	190 g/L+150 g/L	EC	FUNGICIDE	3	011-325-0951	18-Sep-24	SYSTEMIC	Rice	Sheath blight	25 ml prod/16 L water	0.05mg/kg	-	-
SYNGENTA PHILIPPINES INC.	DIFENOCANAZOLE+PROPCONAZOLE	ARMURE 300 EC	150 g/L+150 g/L	EC	FUNGICIDE	3	011-325-0951	10-Nov-22	SYSTEMIC	Corn	Standed leaf,sheath blight,ear rot,leaf blight & rust	1.0-2.0 Tbsp/16L water	-	45 days	-
ARMORY AGRO CHEMICALS COMPANY	MANCOZEB	ARMOZEB 800 WP	800 g/kg	WP	FUNGICIDE	4	671-053-5698	05-Feb-24		Potato	Early and late blight			Do not spray within 7 days of harvest	Do not enter field within 48 hours after spraying
ARMORY AGRO CHEMICALS COMPANY	MANCOZEB	ARMOZEB 800 WP	800 g/kg	WP	FUNGICIDE	4	671-053-5698	05-Feb-24		Cabbage	Downy mildew, alternaria leaf spot			Do not spray within 7 days of harvest	Do not enter field within 48 hours after spraying
ARMORY AGRO CHEMICALS COMPANY	MANCOZEB	ARMOZEB 800 WP	800 g/kg	WP	FUNGICIDE	4	671-053-5698	05-Feb-24		Cauliflower	Downy mildew, alternaria leaf spot			Do not spray within 7 days of harvest	Do not enter field within 48 hours after spraying
ARMORY AGRO CHEMICALS COMPANY	MANCOZEB	ARMOZEB 800 WP	800 g/kg	WP	FUNGICIDE	4	671-053-5698	05-Feb-24		Broccoli	Downy mildew, alternaria leaf spot			Do not spray within 7 days of harvest	Do not enter field within 48 hours after spraying
ARMORY AGRO CHEMICALS COMPANY	MANCOZEB	ARMOZEB 800 WP	800 g/kg	WP	FUNGICIDE	4	671-053-5698	05-Feb-24		Celery	Late blight			Do not spray within 7 days of harvest	Do not enter field within 48 hours after spraying
ARMORY AGRO CHEMICALS COMPANY	MANCOZEB	ARMOZEB 800 WP	800 g/kg	WP	FUNGICIDE	4	671-053-5698	05-Feb-24		Cucumber	Downy mildew, anthracnose, scab			Do not spray within 7 days of harvest	Do not enter field within 48 hours after spraying
ARMORY AGRO CHEMICALS COMPANY	MANCOZEB	ARMOZEB 800 WP	800 g/kg	WP	FUNGICIDE	4	671-053-5698	05-Feb-24		Squash	Downy mildew, anthracnose, scab			Do not spray within 7 days of harvest	Do not enter field within 48 hours after spraying
ARMORY AGRO CHEMICALS COMPANY	MANCOZEB	ARMOZEB 800 WP	800 g/kg	WP	FUNGICIDE	4	671-053-5698	05-Feb-24		Cotton	Damping off			Do not spray within 7 days of harvest	Do not enter field within 48 hours after spraying
ARMORY AGRO CHEMICALS COMPANY	MANCOZEB	ARMOZEB 800 WP	800 g/kg	WP	FUNGICIDE	4	671-053-5698	05-Feb-24		Lettuce	Downy mildew			Do not spray within 7 days of harvest	Do not enter field within 48 hours after spraying
ARMORY AGRO CHEMICALS COMPANY	MANCOZEB	ARMOZEB 800 WP	800 g/kg	WP	FUNGICIDE	4	671-053-5698	05-Feb-24		Beans	Anthracoese, Downy Mildew, Rust			Do not spray within 7 days of harvest	Do not enter field within 48 hours after spraying
ARMORY AGRO CHEMICALS COMPANY	MANCOZEB	ARMOZEB 800 WP	800 g/kg	WP	FUNGICIDE	4	671-053-5698	05-Feb-24		Peas	Anthracoese, Downy Mildew, Rust			Do not spray within 7 days of harvest	Do not enter field within 48 hours after spraying
ARMORY AGRO CHEMICALS COMPANY	MANCOZEB	ARMOZEB 800 WP	800 g/kg	WP	FUNGICIDE	4	671-053-5698	05-Feb-24		Mango	Anthracoese, Downy Mildew, Rust			Do not spray within 7 days of harvest	Do not enter field within 48 hours after spraying
ARMORY AGRO CHEMICALS COMPANY	MANCOZEB	ARMOZEB 800 WP	800 g/kg	WP	FUNGICIDE	4	671-053-5698	05-Feb-24		Tomato	Early and late blight, athracnose, septoria leaf spot			Do not spray within 7 days of harvest	Do not enter field within 48 hours after spraying
ARMORY AGRO CHEMICALS COMPANY	MANCOZEB	ARMOZEB 800 WP	800 g/kg	WP	FUNGICIDE	4	671-053-5698	05-Feb-24		Onion	Purple blotch, downy mildew, botrytis leaf blight,			Do not spray within 7 days of harvest	Do not enter field within 48 hours after spraying
ARMORY AGRO CHEMICALS COMPANY	MANCOZEB	ARMOZEB 800 WP	800 g/kg	WP	FUNGICIDE	4	671-053-5698	05-Feb-24		Garlic	Purple blotch, downy mildew, botrytis leaf blight,			Do not spray within 7 days of harvest	Do not enter field within 48 hours after spraying
ARMORY AGRO CHEMICALS COMPANY	MANCOZEB	ARMOZEB 800 WP	800 g/kg	WP	FUNGICIDE	4	671-053-5698	05-Feb-24		Pepper	Anthracoese			Do not spray within 7 days of harvest	Do not enter field within 48 hours after spraying
ARMORY AGRO CHEMICALS COMPANY	MANCOZEB	ARMOZEB 800 WP	800 g/kg	WP	FUNGICIDE	4	671-053-5698	05-Feb-24		Chili	Anthracoese			Do not spray within 7 days of harvest	Do not enter field within 48 hours after spraying
ARMORY AGRO CHEMICALS COMPANY	MANCOZEB	ARMOZEB 800 WP	800 g/kg	WP	FUNGICIDE	4	671-053-5698	05-Feb-24		Eggplant	Blight, Anthracnose			Do not spray within 7 days of harvest	Do not enter field within 48 hours after spraying
ARMORY AGRO CHEMICALS COMPANY	MANCOZEB	ARMOZEB 800 WP	800 g/kg	WP	FUNGICIDE	4	671-053-5698	05-Feb-24		Banana	Sigatoka, black leaf streak			Do not spray within 7 days of harvest	Do not enter field within 48 hours after spraying
ARMORY AGRO CHEMICALS COMPANY	MANCOZEB	ARMOZEB 800 WP	800 g/kg	WP	FUNGICIDE	4	671-053-5698	05-Feb-24		Grapes	Downy mildew, black rot			Do not spray within 7 days of harvest	Do not enter field within 48 hours after spraying
ARMORY AGRO CHEMICALS COMPANY	MANCOZEB	ARMOZEB 800 WP	800 g/kg	WP	FUNGICIDE	4	671-053-5698	05-Feb-24		Mango	Anthracoese and scab			Do not spray within 7 days of harvest	Do not enter field within 48 hours after spraying
ARMORY AGRO CHEMICALS COMPANY	MANCOZEB	ARMOZEB 800 WP	800 g/kg	WP	FUNGICIDE	4	671-053-5698	05-Feb-24		Papaya	Fruit rot			Do not spray within 7 days of harvest	Do not enter field within 48 hours after spraying
ARMORY AGRO CHEMICALS COMPANY	MANCOZEB	ARMOZEB 800 WP	800 g/kg	WP	FUNGICIDE	4	671-053-5698	05-Feb-24		Melon	Downy mildew, anthracnose, scab			Do not spray within 7 days of harvest	Do not enter field within 48 hours after spraying
ARMORY AGRO CHEMICALS COMPANY	MANCOZEB	ARMOZEB 800 WP	800 g/kg	WP	FUNGICIDE	4	671-053-5698	05-Feb-24		Watermelon	Downy mildew, anthracnose, scab			Do not spray within 7 days of harvest	Do not enter field within 48 hours after spraying
ARMORY AGRO CHEMICALS COMPANY	MANCOZEB	ARMOZEB 800 WP	800 g/kg	WP	FUNGICIDE	4	671-053-5698	05-Feb-24		Corn (sweet corn)	Helminthosporium leaf spot			Do not spray within 7 days of harvest	Do not enter field within 48 hours after spraying
ARMORY AGRO CHEMICALS COMPANY	MANCOZEB	ARMOZEB 800 WP	800 g/kg	WP	FUNGICIDE	4	671-053-5698	05-Feb-24		Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot			Do not spray within 7 days of harvest	Do not enter field within 48 hours after spraying
ARMORY AGRO CHEMICALS COMPANY	MANCOZEB	ARMOZEB 800 WP	800 g/kg	WP	FUNGICIDE	4	671-053-5698	05-Feb-24		Peanut	Cercospora leaf spot			Do not spray within 7 days of harvest	Do not enter field within 48 hours after spraying
ARMORY AGRO CHEMICALS COMPANY	MANCOZEB	ARMOZEB 800 WP	800 g/kg	WP	FUNGICIDE	4	671-053-5698	05-Feb-24		Soybeans	leaf rust			Do not spray within 7 days of harvest	Do not enter field within 48 hours after spraying
ARMORY AGRO CHEMICALS COMPANY	MANCOZEB	ARMOZEB 800 WP	800 g/kg	WP	FUNGICIDE	4	671-053-5698	05-Feb-24		Ornamentals	Black spot, blight, athracnose			Do not spray within 7 days of harvest	Do not enter field within 48 hours after spraying
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	CYPERMETHRIN	ARMETHRIN S EC	50 g/L	EC	INSECTICIDE	4	575-037-3735	06-Jul-24	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	CYPERMETHRIN	ARMETHRIN S EC	50 g/L	EC	INSECTICIDE	4	575-037-3735	06-Jul-24	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leafroller, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	CYPERMETHRIN	ARMETHRIN S EC	50 g/L	EC	INSECTICIDE	4	575-037-3735	06-Jul-24	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	CYPERMETHRIN	ARMETHRIN S EC	50 g/L	EC	INSECTICIDE	4	575-037-3735	06-Jul-24	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	CYPERMETHRIN	ARMETHRIN S EC	50 g/L	EC	INSECTICIDE	4	575-037-3735	06-Jul-24	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	CYPERMETHRIN	ARMETHRIN S EC	50 g/L	EC	INSECTICIDE	4	575-037-3735	06-Jul-24	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	CYPERMETHRIN	ARMETHRIN S EC	50 g/L	EC	INSECTICIDE	4	575-037-3735	06-Jul-24	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	CYPERMETHRIN	ARMETHRIN S EC	50 g/L	EC	INSECTICIDE	4	575-037-3735	06-Jul-24	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	CYPERMETHRIN	ARMETHRIN S EC	50 g/L	EC	INSECTICIDE	4	575-037-3735	06-Jul-24	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	CYPERMETHRIN	ARMETHRIN S EC	50 g/L	EC	INSECTICIDE	4	575-037-3735	06-Jul-24	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	CYPERMETHRIN	ARMETHRIN S EC	50 g/L	EC	INSECTICIDE	4	575-037-3735	06-Jul-24	CONTACT	Corn	Comborer, earworm	1.0-4.5 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
GOLDEN FARMERS AGRIC PRODUCT CORPORATION	PHMETROZINE	ARMADO 50 WG	500 g/kg	WG	INSECTICIDE	4	468-307-4311	03-Apr-21		Mango	Mango leafhopper	1 sachet*/200L	-	-	Do not enter the treated fields for at least 24 hours after application.
VAST AGRO SOLUTIONS, INC.	FLUAZIFOP-P-BUTYL	ARLOX 15EC	150 g/L	EC	HERBICIDE	4	385-212-6100	18-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Banana	Grasses; Ith grass, goose grass, sour paralum, jungle rice, crabgrasses, bermuda grass and crowfoot grass	30-50 mL 16L water	-	-	-
VAST AGRO SOLUTIONS, INC.	FLUAZIFOP-P-BUTYL	ARLOX 15EC	150 g/L	EC	HERBICIDE	4	385-212-6100	18-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Cacao	Grasses; Ith grass, goose grass, sour paralum, jungle rice, crabgrasses, bermuda grass and crowfoot grass	30-50 mL 16L water	-	-	-
VAST AGRO SOLUTIONS, INC.	FLUAZIFOP-P-BUTYL	ARLOX 15EC	150 g/L	EC	HERBICIDE	4	385-212-6100	18-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Coffee	Grasses; Ith grass, goose grass, sour paralum, jungle rice, crabgrasses, bermuda grass and crowfoot grass	30-50 mL 16L water	-	-	-
VAST AGRO SOLUTIONS, INC.	FLUAZIFOP-P-BUTYL	ARLOX 15EC	150 g/L	EC	HERBICIDE	4	385-212-6100	18-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Citrus	Grasses; Ith grass, goose grass, sour paralum, jungle rice, crabgrasses, bermuda grass and crowfoot grass	30-50 mL 16L water	-	-	-
VAST AGRO SOLUTIONS, INC.	FLUAZIFOP-P-BUTYL	ARLOX 15EC	150 g/L	EC	HERBICIDE	4	385-212-6100	18-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Cotton	Grasses; Ith grass, goose grass, sour paralum, jungle rice, crabgrasses, bermuda grass and crowfoot grass	30-50 mL 16L water	-	-	-
VAST AGRO SOLUTIONS, INC.	FLUAZIFOP-P-BUTYL	ARLOX 15EC	150 g/L	EC	HERBICIDE	4	385-212-6100	18-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Oil palm	Grasses; Ith grass, goose grass, sour paralum, jungle rice, crabgrasses, bermuda grass and crowfoot grass	30-50 mL 16L water	-	-	-

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
VAST AGRO SOLUTIONS, INC.	FLUAZIFOP-P-BUTYL	ARLOX 15EC	150 g/L	EC	HERBICIDE	4	385-212-6100	18-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Onion	Grasses; Ith grass, goose grass, sour paralum, jungle rice, crabgrasses, bermuda grass and crowfoot grass	30-50 mL /5L water	-	-	-
VAST AGRO SOLUTIONS, INC.	FLUAZIFOP-P-BUTYL	ARLOX 15EC	150 g/L	EC	HERBICIDE	4	385-212-6100	18-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Pineapple	Grasses; Ith grass, goose grass, sour paralum, jungle rice, crabgrasses, bermuda grass and crowfoot grass	30-50 mL /5L water	-	-	-
VAST AGRO SOLUTIONS, INC.	FLUAZIFOP-P-BUTYL	ARLOX 15EC	150 g/L	EC	HERBICIDE	4	385-212-6100	18-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Ramie	Grasses; Ith grass, goose grass, sour paralum, jungle rice, crabgrasses, bermuda grass and crowfoot grass	30-50 mL /5L water	-	-	-
VAST AGRO SOLUTIONS, INC.	FLUAZIFOP-P-BUTYL	ARLOX 15EC	150 g/L	EC	HERBICIDE	4	385-212-6100	18-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Rubber	Grasses; Ith grass, goose grass, sour paralum, jungle rice, crabgrasses, bermuda grass and crowfoot grass	30-50 mL /5L water	-	-	-
VAST AGRO SOLUTIONS, INC.	FLUAZIFOP-P-BUTYL	ARLOX 15EC	150 g/L	EC	HERBICIDE	4	385-212-6100	18-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Soybeans	Grasses; Ith grass, goose grass, sour paralum, jungle rice, crabgrasses, bermuda grass and crowfoot grass	30-50 mL /5L water	-	-	-
VAST AGRO SOLUTIONS, INC.	FLUAZIFOP-P-BUTYL	ARLOX 15EC	150 g/L	EC	HERBICIDE	4	385-212-6100	18-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Tomato	Grasses; Ith grass, goose grass, sour paralum, jungle rice, crabgrasses, bermuda grass and crowfoot grass	30-50 mL /5L water	-	-	-
VAST AGRO SOLUTIONS, INC.	FLUAZIFOP-P-BUTYL	ARLOX 15EC	150 g/L	EC	HERBICIDE	4	385-212-6100	18-Jan-25	SELECTIVE/SYSTEMIC (POST-EMERGENCE)	Cassava	Annual and perennial grasses weeds	30-50 mL /5L water	-	-	-
ARIES RNE CHEMICAL CORPORATION	AZOXYSTROBIN	ARIESTAR 25 SC	250 g/L	SC	FUNGICIDE	4	478-309-5204	11-Mar-26	-	Mango	Anthraxnose, scab, stem-end rot	6-8/15L water	-	Do not spray 3-7 days before harvest	Re-entry to treated field is allowed as soon as spray dries.
ARIES RNE CHEMICAL CORPORATION	AZOXYSTROBIN	ARIESTAR 25 SC	250 g/L	SC	FUNGICIDE	4	478-309-5204	11-Mar-26	-	Watermelon	Damping-off, leaf spot, anthracnose, downy, mildew, powdery mildew	1-7 Tbsp/ /36 L water	-	Do not spray 3-7 days before harvest	Re-entry to treated field is allowed as soon as spray dries.
ARIES RNE CHEMICAL CORPORATION	AZOXYSTROBIN	ARIESTAR 25 SC	250 g/L	SC	FUNGICIDE	4	478-309-5204	11-Mar-26	-	Onion	Basal/ bulb rot	Do not spray 3-7 days before harvest	-	Do not enter treated fields at least 1 day after application.	Re-entry to treated field is allowed as soon as spray dries.
ARIES RNE CHEMICAL CORPORATION	AZOXYSTROBIN	ARIESTAR 25 SC	250 g/L	SC	FUNGICIDE	4	478-309-5204	11-Mar-26	-	Tomato	Late/ early blight, powdery mildew	0.5-1 Tbsp/36S water	-	Do not spray 3-7 days before harvest	Re-entry to treated field is allowed as soon as spray dries.
ARIES RNE CHEMICAL CORPORATION	AZOXYSTROBIN	ARIESTAR 25 SC	250 g/L	SC	FUNGICIDE	4	478-309-5204	11-Mar-26	-	Corn	Sheath blight, leaf spot, leaf rust, ear rot	1-3 Tbsp/36L water	-	Do not spray 3-7 days before harvest	Re-entry to treated field is allowed as soon as spray dries.
ARIES RNE CHEMICAL CORPORATION	AZOXYSTROBIN	ARIESTAR 25 SC	250 g/L	SC	FUNGICIDE	4	478-309-5204	11-Mar-26	-	Asparagus	Stem blight, leaf blight, Fusarium wilt	1-3 Tbsp/36L water	-	Do not spray 3-7 days before harvest	Re-entry to treated field is allowed as soon as spray dries.
ARIES RNE CHEMICAL CORPORATION	LAMBDA-CHYALOTHIRIN+THIAMETHOXAM	ARIESKA 247 ZC	106g/L+141g/L	ZC	INSECTICIDE	2	478-395-5874	18-Feb-25	CONTACT	Potato	Whiteflies, aphids, thrips	400-200 mL/ha	-	7 days	Do not enter treated fields at least 1 day after application.
ARIES RNE CHEMICAL CORPORATION	LAMBDA-CHYALOTHIRIN+THIAMETHOXAM	ARIESKA 247 ZC	106g/L+141g/L	ZC	INSECTICIDE	2	478-395-5874	18-Feb-25	CONTACT	Stringbeans	Green leafhopper, aphids, mites	100-200 mL/ha	-	7 days	Do not enter treated fields at least 1 day after application.
ARIES RNE CHEMICAL CORPORATION	LAMBDA-CHYALOTHIRIN+THIAMETHOXAM	ARIESKA 247 ZC	106g/L+141g/L	ZC	INSECTICIDE	2	478-395-5874	18-Feb-25	CONTACT	Eggplant	Whiteflies, green leafhopper, aphids	100-200 mL/ha	-	7 days	Do not enter treated fields at least 1 day after application.
ARIES RNE CHEMICAL CORPORATION	LAMBDA-CHYALOTHIRIN+THIAMETHOXAM	ARIESKA 247 ZC	106g/L+141g/L	ZC	INSECTICIDE	2	478-395-5874	18-Feb-25	CONTACT	Bittergourd	Leafhoppers, thrips, aphids	100-400 mL/ha	-	7 days	Do not enter treated fields at least 1 day after application.
ARIES RNE CHEMICAL CORPORATION	LAMBDA-CHYALOTHIRIN+THIAMETHOXAM	ARIESKA 247 ZC	106g/L+141g/L	ZC	INSECTICIDE	2	478-395-5874	18-Feb-25	CONTACT	Mango	Leafhoppers, tip borers	20-30mL/300L	-	3 days	Do not enter treated fields at least 1 day after application.
ARIES RNE CHEMICAL CORPORATION	LAMBDA-CHYALOTHIRIN+THIAMETHOXAM	ARIESKA 247 ZC	106g/L+141g/L	ZC	INSECTICIDE	2	478-395-5874	18-Feb-25	CONTACT	Corn	Asian corn borer, cutworm, leafhoppers, aphids	200-400 mL/ha	-	3 days	Do not enter treated fields at least 1 day after application.
ARIES RNE CHEMICAL CORPORATION	LAMBDA-CHYALOTHIRIN+THIAMETHOXAM	ARIESKA 247 ZC	106g/L+141g/L	ZC	INSECTICIDE	2	478-395-5874	18-Feb-25	CONTACT	Banana	Flower thrips	1-3 mL/L	-	90 days	Do not enter treated fields at least 1 day after application.
ARIES RNE CHEMICAL CORPORATION	LAMBDA-CHYALOTHIRIN+THIAMETHOXAM	ARIESKA 247 ZC	106g/L+141g/L	ZC	INSECTICIDE	2	478-395-5874	18-Feb-25	CONTACT	Rice	Stem-borer, leafhopper, rice bugs	100-200 mL/ha	-	14 days	Do not enter treated fields at least 1 day after application.
ARIES RNE CHEMICAL CORPORATION	MANCOZEB	ARIES MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	478-053-2729	25-Sep-25	-	Potato	Early and late blight	3-6 Tbsp/36 L water	-	-	As soon as spray dries
ARIES RNE CHEMICAL CORPORATION	MANCOZEB	ARIES MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	478-053-2729	25-Sep-25	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
ARIES RNE CHEMICAL CORPORATION	MANCOZEB	ARIES MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	478-053-2729	25-Sep-25	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
ARIES RNE CHEMICAL CORPORATION	MANCOZEB	ARIES MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	478-053-2729	25-Sep-25	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
ARIES RNE CHEMICAL CORPORATION	MANCOZEB	ARIES MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	478-053-2729	25-Sep-25	-	Celery	Late blight	3-6 Tbsp/36 L water	-	14 Days	As soon as spray dries
ARIES RNE CHEMICAL CORPORATION	MANCOZEB	ARIES MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	478-053-2729	25-Sep-25	-	Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
ARIES RNE CHEMICAL CORPORATION	MANCOZEB	ARIES MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	478-053-2729	25-Sep-25	-	Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
ARIES RNE CHEMICAL CORPORATION	MANCOZEB	ARIES MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	478-053-2729	25-Sep-25	-	Cotton	Damping off	3-6 Tbsp/36 L water	-	-	As soon as spray dries
ARIES RNE CHEMICAL CORPORATION	MANCOZEB	ARIES MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	478-053-2729	25-Sep-25	-	Lettuce	Downy mildew	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
ARIES RNE CHEMICAL CORPORATION	MANCOZEB	ARIES MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	478-053-2729	25-Sep-25	-	Beans	Anthraxnose, Downy mildew, Rust	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
ARIES RNE CHEMICAL CORPORATION	MANCOZEB	ARIES MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	478-053-2729	25-Sep-25	-	Peas	Anthraxnose, Downy mildew, Rust	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
ARIES RNE CHEMICAL CORPORATION	MANCOZEB	ARIES MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	478-053-2729	25-Sep-25	-	Mango	Anthraxnose, Downy mildew, Rust	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
ARIES RNE CHEMICAL CORPORATION	MANCOZEB	ARIES MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	478-053-2729	25-Sep-25	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
ARIES RNE CHEMICAL CORPORATION	MANCOZEB	ARIES MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	478-053-2729	25-Sep-25	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
ARIES RNE CHEMICAL CORPORATION	MANCOZEB	ARIES MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	478-053-2729	25-Sep-25	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
ARIES RNE CHEMICAL CORPORATION	MANCOZEB	ARIES MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	478-053-2729	25-Sep-25	-	Pepper	Anthraxnose	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
ARIES RNE CHEMICAL CORPORATION	MANCOZEB	ARIES MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	478-053-2729	25-Sep-25	-	Chili	Anthraxnose	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
ARIES RNE CHEMICAL CORPORATION	MANCOZEB	ARIES MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	478-053-2729	25-Sep-25	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
ARIES RNE CHEMICAL CORPORATION	MANCOZEB	ARIES MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	478-053-2729	25-Sep-25	-	Banana	Sigatoka, Black leaf streak	3-6 Tbsp/36 L water	-	-	As soon as spray dries
ARIES RNE CHEMICAL CORPORATION	MANCOZEB	ARIES MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	478-053-2729	25-Sep-25	-	Grapes	Downy mildew, black rot	3-6 Tbsp/36 L water	-	60 days	As soon as spray dries
ARIES RNE CHEMICAL CORPORATION	MANCOZEB	ARIES MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	478-053-2729	25-Sep-25	-	Mango	Anthraxnose and Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
ARIES RNE CHEMICAL CORPORATION	MANCOZEB	ARIES MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	478-053-2729	25-Sep-25	-	Papaya	Fruit rot	3-6 Tbsp/36 L water	-	-	As soon as spray dries
ARIES RNE CHEMICAL CORPORATION	MANCOZEB	ARIES MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	478-053-2729	25-Sep-25	-	Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
ARIES RNE CHEMICAL CORPORATION	MANCOZEB	ARIES MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	478-053-2729	25-Sep-25	-	Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
ARIES RNE CHEMICAL CORPORATION	MANCOZEB	ARIES MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	478-053-2729	25-Sep-25	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
ARIES RNE CHEMICAL CORPORATION	MANCOZEB	ARIES MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	478-053-2729	25-Sep-25	-	Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/36 L water	-	-	As soon as spray dries
ARIES RNE CHEMICAL CORPORATION	MANCOZEB	ARIES MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	478-053-2729	25-Sep-25	-	Peanut	Cercospora leaf spot	3-6 Tbsp/36 L water	-	14 Days	As soon as spray dries
ARIES RNE CHEMICAL CORPORATION	MANCOZEB	ARIES MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	478-053-2729	25-Sep-25	-	Soybeans	Leaf rust	3-6 Tbsp/36 L water	-	-	As soon as spray dries
ARIES RNE CHEMICAL CORPORATION	MANCOZEB	ARIES MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	478-053-2729	25-Sep-25	-	Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/36 L water	-	-	As soon as spray dries
ARIES RNE CHEMICAL CORPORATION	2,4-D AMINE	ARIES HEAD-ON 2,4-D AMINE	400 g/L	SC	HERBICIDE	2	478-013-2639	24-Sep-24	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Broadleaves and Cyperaceous weeds	5-6.5 Tbsp/36 L water	0.1 ppm	-	Entry to fields and crops treated with ARIES HEAD-ON 2,4-D AMINE can be done one day after spraying.
ARIES RNE CHEMICAL CORPORATION	2,4-D AMINE	ARIES HEAD-ON 2,4-D AMINE	400 g/L	SC	HERBICIDE	2	478-013-2639	24-Sep-24	SELECTIVE (POST-EMERGENT)	Sugarcane	Broadleaves and Cyperaceous weeds	18-25 Tbsp/36 L water	-	-	Entry to fields and crops treated with ARIES HEAD-ON 2,4-D AMINE can be done one day after spraying.
ARIES RNE CHEMICAL CORPORATION	2,4-D AMINE	ARIES HEAD-ON 2,4-D AMINE	400 g/L	SC	HERBICIDE	2	478-013-2639	24-Sep-24	SELECTIVE (POST-EMERGENT)	Corn	Broadleaves and Cyperaceous weeds	5-6.5 Tbsp/36 L water	-	-	Entry to fields and crops treated with ARIES HEAD-ON 2,4-D AMINE can be done one day after spraying.
TEXICON AGR VENTURES CORPORATION	LAMBDA-CHYALOTHIRIN	ARIBA 2.5 EC	25 g/L	EC	INSECTICIDE	2	242-204-1802	19-Mar-24	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leafroller, black bug	1.0-1.5Tbsp/36 L of water	0.05ppm	1 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
TEXICON AGR VENTURES CORPORATION	LAMBDA-CHYALOTHIRIN	ARIBA 2.5 EC	25 g/L	EC	INSECTICIDE	2	242-204-1802	19-Mar-24	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/36 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
TEXICON AGR VENTURES CORPORATION	LAMBDA-CHYALOTHIRIN	ARIBA 2.5 EC	25 g/L	EC	INSECTICIDE	2	242-204-1802	19-Mar-24	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/36 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
TEXICON AGR VENTURES CORPORATION	LAMBDA-CHYALOTHIRIN	ARIBA 2.5 EC	25 g/L	EC	INSECTICIDE	2	242-204-1802	19-Mar-24	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/16L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
TEXICON AGR VENTURES CORPORATION	LAMBDA-CHYALOTHIRIN	ARIBA 2.5 EC	25 g/L	EC	INSECTICIDE	2	242-204-1802	19-Mar-24	SYSTEMIC	Mungbeans	Beanfly, flea beetle, leafhopper, aphids, mites, podborer	1.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
TEXICON AGR VENTURES CORPORATION	LAMBDA-CHYALOTHIRIN	ARIBA 2.5 EC	25 g/L	EC	INSECTICIDE	2	242-204-1802	19-Mar-24	SYSTEMIC	Corn	Comborer, aphids, seedling maggots	1.0-1.5Tbsp/16L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
TEXICON AGR VENTURES CORPORATION	LAMBDA-CHYALOTHIRIN	ARIBA 2.5 EC	25 g/L	EC	INSECTICIDE	2	242-204-1802	19-Mar-24	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katyids	1.0-1.5Tbsp/16L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
TEXICON AGR VENTURES CORPORATION	LAMBDA-CHYALOTHIRIN	ARIBA 2.5 EC	25 g/L	EC	INSECTICIDE	2	242-204-1802	19-Mar-24	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/16L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
TEXICON AGR VENTURES CORPORATION	LAMBDA-CHYALOTHIRIN	ARIBA 2.5 EC	25 g/L	EC	INSECTICIDE	2	242-204-1802	19-Mar-24	SYSTEMIC	Cacao	Podborer	1.0-2.0Tbsp/16L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
TEXICON AGR VENTURES CORPORATION	LAMBDA-CHYALOTHIRIN	ARIBA 2.5 EC	25 g/L	EC	INSECTICIDE	2	242-204-1802	19-Mar-24	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
TEXICON AGR VENTURES CORPORATION	LAMBDA-CHYALOTHIRIN	ARIBA 2.5 EC	25 g/L	EC	INSECTICIDE	2	242-204-1802	19-Mar-24	SYSTEMIC	Okra	Ants, leaf miner, leafhopper, aphids	7.5 mL in 36 L water	-	-	Re-entry to treated fields is allowed as soon as spray deposits dry
TEXICON AGR VENTURES CORPORATION	LAMBDA-CHYALOTHIRIN	ARIBA 2.5 EC	25 g/L	EC	INSECTICIDE	2	242-204-1802	19-Mar-24	SYSTEMIC	Corn	Fall armyworm	2 Liters product/36L water; Spray Volume 5 Liters/ha	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	GLUFOSINATE AMMONIUM	ARGOZ 150 SL	150 g/L	SL	HERBICIDE	4	459-182-5057	30-Nov-25	NON-SELECTIVE(POST-EMERGENT)	Cavendish Banana	Annual & Perennial grasses, sedges & broadleaf weeds	160ml /16 L water, 135-200ml/16L water	-	-	After spray deposits have dried
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	GLUFOSINATE AMMONIUM	ARGOZ 150 SL	150 g/L	SL	HERBICIDE	4	459-182-5057	30-Nov-25	NON-SELECTIVE(POST-EMERGENT)	Rubber	Annual & Perennial grasses, sedges & broadleaf weeds	215ml/16L water, 270ml/16L water, 135ml/16 L water	-	-	After spray deposits have dried
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	GLUFOSINATE AMMONIUM	ARGOZ 150 SL	150 g/L	SL	HERBICIDE	4	459-182-5057	30-Nov-25	NON-SELECTIVE(POST-EMERGENT)	Oil Palm	Annual & Perennial grasses, sedges & broadleaf weeds	160ml/16 L water, 135ml/16 L water	-	-	After spray deposits have dried
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	GLUFOSINATE AMMONIUM	ARGOZ 150 SL	150 g/L	SL	HERBICIDE	4	459-182-5057	30-Nov-25	NON-SELECTIVE(POST-EMERGENT)	Non-crop areas	Weeds	160-215ml/16 L water	-	-	After spray deposits have dried
FARM EDGE AGRO TRADING CORPORATION	FPFONIL	ARDUOUS 50 SC	50g/L	SC	INSECTICIDE	3	618-244-4903	27-Sep-25	CONTACT	Rice	Stemborer, brown planthopper, leafroller, rice bug	1.3-2.0, 2.0-3.0, 2-7-4.0 Tbsp/16L	0.03ppm	Do not apply 7 days before harvest	One day after application.
FARM EDGE AGRO TRADING CORPORATION	FPFONIL	ARDUOUS 50 SC	50g/L	SC	INSECTICIDE	3	618-244-4903	27-Sep-25	CONTACT	Cabbage	Diamond backed moth	1.3-2.0, 2.0-3.0, 2-7-4.0 Tbsp/16L	-	Do not apply 7 days before harvest	One day after application.
FARM EDGE AGRO TRADING CORPORATION	FPFONIL	ARDUOUS 50 SC	50g/L	SC	INSECTICIDE	3	618-244-4903	27-Sep-25	CONTACT	Watermelon	Thrips, leaf beetles	2-5-10 Tbsp/16L	-	Do not apply 7 days before harvest	One day after application.
FARM EDGE AGRO TRADING CORPORATION	FPFONIL	ARDUOUS 50 SC	50g/L	SC	INSECTICIDE	3	618-244-4903	27-Sep-25	CONTACT	Onion	Cutworm	5.33 Tbsp./16L	-	Do not apply 7 days before harvest	One day after application.
FARM EDGE AGRO TRADING CORPORATION	FPFONIL	ARDUOUS 50 SC	50g/L	SC	INSECTICIDE	3	618-244-4903	27-Sep-25	CONTACT	Eggplant	Shoot borer	3.0-4.0 Tbsp/16L	-	Do not apply 7 days before harvest	One day after application.
FARM EDGE AGRO TRADING CORPORATION	FPFONIL	ARDUOUS 50 SC	50g/L	SC	INSECTICIDE	3	618-244-4903	27-Sep-25	CONTACT	Corn	Seeding maggot	-	-	Do not apply 7 days before harvest	One day after application.
AGWAY CHEMICALS CORPORATION	THIOPHANATE METHYL	ARCHER	700 g/kg	WP	FUNGICIDE	4	075-107-4030	12-May-23	SYSTEMIC	Rice	Blast, neck rot, black spot	1.5-2.0 Tbsp/16L Water	1.0ppm	14 days	
AGWAY CHEMICALS CORPORATION	THIOPHANATE METHYL	ARCHER	700 g/kg	WP	FUNGICIDE	4	075-107-4030	12-May-23	SYSTEMIC	Mango	Anthracoise	0.5-1.0 Tbsp/16L Water	-		
AGWAY CHEMICALS CORPORATION	THIOPHANATE METHYL	ARCHER	700 g/kg	WP	FUNGICIDE	4	075-107-4030	12-May-23	SYSTEMIC	Tobacco	Frog eye leaf spot	0.5-1.0 Tbsp/16L Water	-		
AGWAY CHEMICALS CORPORATION	THIOPHANATE METHYL	ARCHER	700 g/kg	WP	FUNGICIDE	4	075-107-4030	12-May-23	SYSTEMIC	Tomato	Powdery mildew	0.5-1.0 Tbsp/16L Water	-		
AGWAY CHEMICALS CORPORATION	THIOPHANATE METHYL	ARCHER	700 g/kg	WP	FUNGICIDE	4	075-107-4030	12-May-23	SYSTEMIC	Legumes	Cercospora leaf spot, Anthracnose, botrytis leaf spot, fusarium wilt, powdery mildew	0.5-1.0 Tbsp/16L Water	-		
AGWAY CHEMICALS CORPORATION	THIOPHANATE METHYL	ARCHER	700 g/kg	WP	FUNGICIDE	4	075-107-4030	12-May-23	SYSTEMIC	Beans	Cercospora leaf spot, Anthracnose, botrytis leaf spot, fusarium wilt, powdery mildew	0.5-1.0 Tbsp/16L Water	-		
AGWAY CHEMICALS CORPORATION	THIOPHANATE METHYL	ARCHER	700 g/kg	WP	FUNGICIDE	4	075-107-4030	12-May-23	SYSTEMIC	Cucumber	Powdery mildew, Gummy Stem blight, leaf and fruit spots	0.5-1.0 Tbsp/16L Water	-		
AGWAY CHEMICALS CORPORATION	THIOPHANATE METHYL	ARCHER	700 g/kg	WP	FUNGICIDE	4	075-107-4030	12-May-23	SYSTEMIC	Melon	Powdery mildew, Gummy Stem blight, leaf and fruit spots	0.5-1.0 Tbsp/16L Water	-		
AGWAY CHEMICALS CORPORATION	THIOPHANATE METHYL	ARCHER	700 g/kg	WP	FUNGICIDE	4	075-107-4030	12-May-23	SYSTEMIC	Ornamentals	Powdery mildew, black spots	0.5-1.0 Tbsp/16L Water	-		
AGWAY CHEMICALS CORPORATION	THIOPHANATE METHYL	ARCHER	700 g/kg	WP	FUNGICIDE	4	075-107-4030	12-May-23	SYSTEMIC	Orchids	Powdery mildew, black spots	0.5-1.0 Tbsp/16L Water	-		
AGWAY CHEMICALS CORPORATION	THIOPHANATE METHYL	ARCHER	700 g/kg	WP	FUNGICIDE	4	075-107-4030	12-May-23	SYSTEMIC	Cabbage	Shot hole disease, cercospora leaf spot	0.5-1.0 Tbsp/16L Water	-		
AGWAY CHEMICALS CORPORATION	THIOPHANATE METHYL	ARCHER	700 g/kg	WP	FUNGICIDE	4	075-107-4030	12-May-23	SYSTEMIC	Cauliflower	Shot hole disease, cercospora leaf spot	0.5-1.0 Tbsp/16L Water	-		
AGWAY CHEMICALS CORPORATION	THIOPHANATE METHYL	ARCHER	700 g/kg	WP	FUNGICIDE	4	075-107-4030	12-May-23	SYSTEMIC	Lettuce	Shot hole disease, cercospora leaf spot	0.5-1.0 Tbsp/16L Water	-		
AGWAY CHEMICALS CORPORATION	THIOPHANATE METHYL	ARCHER	700 g/kg	WP	FUNGICIDE	4	075-107-4030	12-May-23	SYSTEMIC	Strawberry	Powdery mildew	0.5-1.0 Tbsp/16L Water	-		
AGWAY CHEMICALS CORPORATION	THIOPHANATE METHYL	ARCHER	700 g/kg	WP	FUNGICIDE	4	075-107-4030	12-May-23	SYSTEMIC	Grapes	Fruit rot, Powdery mildew, anthracnose	0.5-1.0 Tbsp/16L Water	-		
AGWAY CHEMICALS CORPORATION	THIOPHANATE METHYL	ARCHER	700 g/kg	WP	FUNGICIDE	4	075-107-4030	12-May-23	SYSTEMIC	Orange	Scabs	0.5-1.0 Tbsp/16L Water	-		
AGWAY CHEMICALS CORPORATION	THIOPHANATE METHYL	ARCHER	700 g/kg	WP	FUNGICIDE	4	075-107-4030	12-May-23	SYSTEMIC	Citrus	Scabs	0.5-1.0 Tbsp/16L Water	-		
AGWAY CHEMICALS CORPORATION	THIOPHANATE METHYL	ARCHER	700 g/kg	WP	FUNGICIDE	4	075-107-4030	12-May-23	SYSTEMIC	Calamansi	Scabs	0.5-1.0 Tbsp/16L Water	-		
AGWAY CHEMICALS CORPORATION	THIOPHANATE METHYL	ARCHER	700 g/kg	WP	FUNGICIDE	4	075-107-4030	12-May-23	SYSTEMIC	Banana	Sigatoka disease	1-5-2.0 Tbsp/16L Water	-		
AGWAY CHEMICALS CORPORATION	THIOPHANATE METHYL	ARCHER	700 g/kg	WP	FUNGICIDE	4	075-107-4030	12-May-23	SYSTEMIC	Papaya	Powdery mildew	0.5-1.0 Tbsp/16L Water	-		
JYNNSONS PHILIPPINES, INC.	CHLOPYRIFOS	ARICANE 40 EC	400 g/L	EC	INSECTICIDE	2	551-101-5133	23-Sep-25	-	Banana	Thrips, scarring beetle aphids	20-30 ml (2-3 Tbsp) per 16L of water	-	-	
JYNNSONS PHILIPPINES, INC.	CHLOPYRIFOS	ARICANE 40 EC	400 g/L	EC	INSECTICIDE	2	551-101-5133	23-Sep-25	-	Sugarcane	Whitegrubs	80-1000 ml (8-10 Tbsp) per 15L of water	-	-	
JYNNSONS PHILIPPINES, INC.	CHLOPYRIFOS	ARICANE 40 EC	400 g/L	EC	INSECTICIDE	2	551-101-5133	23-Sep-25	-	Pineapple	Mealy bugs ants	1-4.0L/ha Using boom sprayer	-	-	
ALBERT JOSEPH AGRO TRADING CORPORATION	GLUFOSINATE AMMONIUM	ARBOR 15 SL	150 g/L	SL	HERBICIDE	4	456-182-6249	27-May-25	NON-SELECTIVE (POST-EMERGENT)	Rubber	Annual & Perennial grasses, sedges & broadleaf weeds	215, 270, 135ml/16L water	-	-	After spray deposits have dried
ALBERT JOSEPH AGRO TRADING CORPORATION	GLUFOSINATE AMMONIUM	ARBOR 15 SL	150 g/L	SL	HERBICIDE	4	456-182-6249	27-May-25	NON-SELECTIVE (POST-EMERGENT)	Oil palm	Annual & Perennial grasses, sedges & broadleaf weeds	160, 135ml/16L water	-	-	After spray deposits have dried
ALBERT JOSEPH AGRO TRADING CORPORATION	GLUFOSINATE AMMONIUM	ARBOR 15 SL	150 g/L	SL	HERBICIDE	4	456-182-6249	27-May-25	NON-SELECTIVE (POST-EMERGENT)	Non-crop areas	Annual & Perennial grasses, sedges & broadleaf weeds	160-215 ml/16L water	-	-	After spray deposits have dried
ALBERT JOSEPH AGRO TRADING CORPORATION	GLUFOSINATE AMMONIUM	ARBOR 15 SL	150 g/L	SL	HERBICIDE	4	456-182-6249	27-May-25	NON-SELECTIVE (POST-EMERGENT)	Coffee	Annual & Perennial grasses, sedges & broadleaf weeds	160, 135ml/16L water	-	-	After spray deposits have dried
ALBERT JOSEPH AGRO TRADING CORPORATION	GLUFOSINATE AMMONIUM	ARBOR 15 SL	150 g/L	SL	HERBICIDE	4	456-182-6249	27-May-25	NON-SELECTIVE (POST-EMERGENT)	Citrus	Annual & Perennial grasses, sedges & broadleaf weeds	160, 135ml/16L water	-	-	After spray deposits have dried
ALBERT JOSEPH AGRO TRADING CORPORATION	GLUFOSINATE AMMONIUM	ARBOR 15 SL	150 g/L	SL	HERBICIDE	4	456-182-6249	27-May-25	NON-SELECTIVE (POST-EMERGENT)	Cavendish Banana	Annual & Perennial grasses, sedges & broadleaf weeds	160, 135-200 ml/16L water	-	-	After spray deposits have dried
ALBERT JOSEPH AGRO TRADING CORPORATION	GLUFOSINATE AMMONIUM	ARBOR 15 SL	150 g/L	SL	HERBICIDE	4	456-182-6249	27-May-25	NON-SELECTIVE (POST-EMERGENT)	Cacao	Annual & Perennial grasses, sedges & broadleaf weeds	160, 135ml/16L water	-	-	After spray deposits have dried
AGRI-BIO PHILIPPINES, INC.	HYDRO PEROXIDE+SILVER CHLORIDE	AQUAZIX PLUS	500 g/kg+83 g/kg	-	OTHERS	2	703-562-5634	31-Dec-24	-	-	Disinfection of water tanks, ponds, water wells in animal facilities	-	-	-	
AGRI-BIO PHILIPPINES, INC.	HYDROGEN PEROXIDE	AQUAZIX F-52	500 g/L	-	OTHERS	2	703-464-5632	31-Dec-24	-	-	Disinfection of surfaces for the treatment of water from animal and industrial waste	-	-	-	
GALDIV AGRI TRADING CORPORATION	PROFENOFOS	AQUARIUS 500 EC	500g/L	EC	INSECTICIDE	2	641-070-4842	02-Mar-24	CONTACT	Tomato	Fruitworm, armyworm, cutworm	3-5 Tbsp/16L water	-	Do not apply at less than 7 days before harvest	Do not enter treated field one (1) day after application
GALDIV AGRI TRADING CORPORATION	PROFENOFOS	AQUARIUS 500 EC	500g/L	EC	INSECTICIDE	2	641-070-4842	02-Mar-24	CONTACT	Eggplant	Fruitborer, aphids, leafhopper, & thrips	1.5-3.0 Tbsp/16L water	-	Do not apply at less than 7 days before harvest	Do not enter treated field one (1) day after application
GALDIV AGRI TRADING CORPORATION	PROFENOFOS	AQUARIUS 500 EC	500g/L	EC	INSECTICIDE	2	641-070-4842	02-Mar-24	CONTACT	Cabbage	Diamond back moth, cabbage worm & aphids	3-5 Tbsp/16L water	-	Do not apply at less than 7 days before harvest	Do not enter treated field one (1) day after application
GALDIV AGRI TRADING CORPORATION	PROFENOFOS	AQUARIUS 500 EC	500g/L	EC	INSECTICIDE	2	641-070-4842	02-Mar-24	CONTACT	Watermelon	Thrips	3-5Tbsp/16L water	-	Do not apply at less than 7 days before harvest	Do not enter treated field one (1) day after application
GALDIV AGRI TRADING CORPORATION	PROFENOFOS	AQUARIUS 500 EC	500g/L	EC	INSECTICIDE	2	641-070-4842	02-Mar-24	CONTACT	Potato	Thrips, army worm, cutworm, tuber moth	3-5 Tbsp/16L water	-	Do not apply at less than 7 days before harvest	Do not enter treated field one (1) day after application

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
GALDIV AGRI TRADING CORPORATION	PROFENOFOS	AQUARIUS 500 EC	500g/L	EC	INSECTICIDE	2	641-070-4842	02-Mar-24	CONTACT	Soybeans	Corn earworm, leafminer	3-5 Tbsp/36L water	-	Do not apply at less than 7 days before harvest	Do not enter treated field one (1) day after application
GALDIV AGRI TRADING CORPORATION	PROFENOFOS	AQUARIUS 500 EC	500g/L	EC	INSECTICIDE	2	641-070-4842	02-Mar-24	CONTACT	Mungbeans	Corn earworm, leafminer	3-5 Tbsp/36L water	-	Do not apply at less than 7 days before harvest	Do not enter treated field one (1) day after application
GALDIV AGRI TRADING CORPORATION	PROFENOFOS	AQUARIUS 500 EC	500g/L	EC	INSECTICIDE	2	641-070-4842	02-Mar-24	CONTACT	Cotton	Thrips, bollworm & budworm	3-5 Tbsp/36L water	-	Do not apply at less than 7 days before harvest	Do not enter treated field one (1) day after application
GALDIV AGRI TRADING CORPORATION	PROFENOFOS	AQUARIUS 500 EC	500g/L	EC	INSECTICIDE	2	641-070-4842	02-Mar-24	CONTACT	Sitao	Beanyfly, leafhopper & aphids	1.5-3.0 Tbsp/36L water	-	Do not apply at less than 7 days before harvest	Do not enter treated field one (1) day after application
GALDIV AGRI TRADING CORPORATION	PROFENOFOS	AQUARIUS 500 EC	500g/L	EC	INSECTICIDE	2	641-070-4842	02-Mar-24	CONTACT	Mango	Blossom thrips	1.5-3.0 Tbsp/36L water	-	Do not apply at less than 7 days before harvest	Do not enter treated field one (1) day after application
CEVA ANIMAL HEALTH (PHILIPPINES) INC.	BENZALKONIUM CHLORIDE SOLUTION (PHOTOCURE-IP)	AQUAGUAT SUPER	60 g/L +40 g/L	-	OTHERS	2	714-583-5712	31-Dec-24	-	-	Disinfection and descaling of water lines in poultry farms	-	-	-	-
PLANTERS PRODUCTS INC.	NICLOSAMIDE ETHANOLAMINE SALT	AQUADIN 70 WP	700 g/kg	WP	MOLLUSCIDE	4	031-229-1022	15-Dec-24	CONTACT	Rice	Golden Apple Snail (Kuhol)	26 gm/36 L water	-	-	No less than 48 hours after spraying
VETEMOCCA CORPORATION	HYDROGEN PEROXIDE	AQUA-CLEAN	300 g	-	OTHERS	2	700-464-5589	31-Dec-24	-	-	Disinfection of swine, poultry drinking systems and water lines	-	-	-	-
FLAGLEAF AGRI PHILIPPINES, INC.	NICLOSAMIDE ETHANOLAMINE SALT	AQUADIN 70 WP	700 g/kg	WP	MOLLUSCIDE	4	564-229-3677	31-Mar-22	CONTACT	Rice	Golden Apple Snail (Kuhol)	30 gm/36 L water	-	-	Do not enter the treated field within 48 hours after application
MAGAN AGRO PHILS., ENTERPRISE, INC.	AZOXYSTROBIN-PROPICONAZOLE	AFPROPO 200 SE	75g/L+125g/L	SE	FUNGICIDE	4	463-501-4675	22-Feb-25	SYSTEMIC	Rice	Sheath blight	500-750ml product/ha	Azoxystrobin 0.2ppm	Do not spray within 21 days before harvest	Re-entry to treated field is allowed as soon as spray deposits dry up.
SYNGENTA PHILIPPINES INC.	METALAXYL-m	APRON XL 350 ES	350 g/L	ES	FUNGICIDE	4	011-394-1793	19-Oct-26	SYSTEMIC	Seed treatment	Cam Downy Mildew	343-358ml/1000kg seeds	-	-	-
JARDINE DISTRIBUTION, INC.	BUPROFEZIN	APPLAUD 25 SC	250 g/L	SC	INSECTICIDE	3	367-224-1865	07-Apr-24	SYSTEMIC	Mango	Leafhopper	40-80ml/200 L water	0.90 ppm	15 days	After spray deposits have dried up.
JARDINE DISTRIBUTION, INC.	BUPROFEZIN	APPLAUD 30 WP	300 g/kg	WP	INSECTICIDE	4	367-224-0453	24-Oct-26	SYSTEMIC	Rice	Brown planthopper & Green Leafhopper	1-2 Tbsp/35 L	0.50 ppm	7 days	Re-entry to field allowed as soon as spray dries
JARDINE DISTRIBUTION, INC.	BUPROFEZIN	APPLAUD 30 WP	300 g/kg	WP	INSECTICIDE	4	367-224-0453	24-Oct-26	SYSTEMIC	Mango	Hopper	1-2 sachet/drum, 1 drum=200 L	-	15 days	Re-entry to field allowed as soon as spray dries
JARDINE DISTRIBUTION, INC.	BUPROFEZIN	APPLAUD 30 WP	300 g/kg	WP	INSECTICIDE	4	367-224-0453	24-Oct-26	SYSTEMIC	Pineapple	Mealybugs	4.68 kg/ha	-	7 days	Re-entry to field allowed as soon as spray dries
JARDINE DISTRIBUTION, INC.	BUPROFEZIN	APPLAUD 30 WP	300 g/kg	WP	INSECTICIDE	4	367-224-0453	24-Oct-26	SYSTEMIC	Banana	Mealybugs and scale insects	0.5-0.7 Kg prod/ha (mat spray)	-	28 days	Re-entry to field allowed as soon as spray dries
AGSMART CORPORATION	SPINOTETRAMAT	APOLINATU 240 SC	240 g/L	SC	INSECTICIDE	4	680-419-6025	10-Feb-26	-	Banana	Flower thrips	3.3-4.17 ml prod/L water	-	77 days	Treated areas may be re-entered immediately after bud injection
AGSMART CORPORATION	SPINOTETRAMAT	APOLINATU 240 SC	240 g/L	SC	INSECTICIDE	4	680-419-6025	10-Feb-26	-	Pineapple	Mealybugs, nematodes, scale insects, white grubs and mites	0.40-1.20 L prod/ha; 4.17 L prod/ ha	-	120 days	Treated areas may be re-entered immediately after bud injection
PRIMSTOCKS CHEMICAL CORPORATION	BISPYRACAC SODIUM	APOCALYPSE 10 SC	105 g/L	SC	HERBICIDE	4	623-276-4009	04-Jan-25	SELECTIVE (POST-EMERGENT)	Rice (Direct-Seeded land)	Grasses, sedges & broadleaves	30 spray load/ha, 25-30ml/36 L water; 12 spray load/ha, 20-25 ml/36 L water (15)	0.1 ppm	-	Entry is permitted only after 24 hours of application
JARDINE DISTRIBUTION, INC.	PROFENOFOS	AP0 50 EC	500g/L	EC	INSECTICIDE	2	367-070-4565	19-Nov-24	CONTACT	Tomato	Fruitworm, armyworm, cutworm	3-5 Tbsp/36L water	-	Do not apply at least seven(7) days before harvest.	Do not enter treated fields for at least one(1) day after application.
JARDINE DISTRIBUTION, INC.	PROFENOFOS	AP0 50 EC	500g/L	EC	INSECTICIDE	2	367-070-4565	19-Nov-24	CONTACT	Eggplant	Fruitborer, aphids, leafhopper, & thrips	3-5 Tbsp/36L water	-	Do not apply at least seven(7) days before harvest.	Do not enter treated fields for at least one(1) day after application.
JARDINE DISTRIBUTION, INC.	PROFENOFOS	AP0 50 EC	500g/L	EC	INSECTICIDE	2	367-070-4565	19-Nov-24	CONTACT	Cabbage	Diamond back moth, cabbage worm & aphids, thrips	3-5 Tbsp/36L water	-	Do not apply at least seven(7) days before harvest.	Do not enter treated fields for at least one(1) day after application.
JARDINE DISTRIBUTION, INC.	PROFENOFOS	AP0 50 EC	500g/L	EC	INSECTICIDE	2	367-070-4565	19-Nov-24	CONTACT	Watermelon	Thrips	3-5 Tbsp/36L water	-	Do not apply at least seven(7) days before harvest.	Do not enter treated fields for at least one(1) day after application.
JARDINE DISTRIBUTION, INC.	PROFENOFOS	AP0 50 EC	500g/L	EC	INSECTICIDE	2	367-070-4565	19-Nov-24	CONTACT	Potato	Thrips, army worm, cutworm, tubermoth	3-5 Tbsp/36L water	-	Do not apply at least seven(7) days before harvest.	Do not enter treated fields for at least one(1) day after application.
JARDINE DISTRIBUTION, INC.	PROFENOFOS	AP0 50 EC	500g/L	EC	INSECTICIDE	2	367-070-4565	19-Nov-24	CONTACT	Soybeans	Corn earworm, leafminer	3-5 Tbsp/36L water	-	Do not apply at least seven(7) days before harvest.	Do not enter treated fields for at least one(1) day after application.
JARDINE DISTRIBUTION, INC.	PROFENOFOS	AP0 50 EC	500g/L	EC	INSECTICIDE	2	367-070-4565	19-Nov-24	CONTACT	Mungbeans	Corn earworm, leafminer	3-5 Tbsp/36L water	-	Do not apply at least seven(7) days before harvest.	Do not enter treated fields for at least one(1) day after application.
JARDINE DISTRIBUTION, INC.	PROFENOFOS	AP0 50 EC	500g/L	EC	INSECTICIDE	2	367-070-4565	19-Nov-24	CONTACT	Cotton	Thrips, bollworm & budworm	3-5 Tbsp/36L water	-	Do not apply at least seven(7) days before harvest.	Do not enter treated fields for at least one(1) day after application.
JARDINE DISTRIBUTION, INC.	PROFENOFOS	AP0 50 EC	500g/L	EC	INSECTICIDE	2	367-070-4565	19-Nov-24	CONTACT	Sitao	Beanyfly, leafhopper & aphids	1.5-3.0 Tbsp/36L water	-	Do not apply at least seven(7) days before harvest.	Do not enter treated fields for at least one(1) day after application.
SYNGENTA PHILIPPINES INC.	PYRIFALID-SENSULFURON METHYL	APIRO FORTÉ 500 SC	366+184.8 g/L	SC	HERBICIDE	3	011-545-5418	27-Apr-24	POST-EMERGENT	Rice	Grasses sedges, Broadleaves	39 ml prod / tankload, 10 tank loads/ ha; 190 ml prod./ha. With minimum of	0.02 mg/ kg Pyrifalid 0.02	77	-
FMC AGRO PHILIPPINES INC.	CADUSAFOS	APACHE 200 CS	200 g/L	CS	NEMATOCIDE	3	598-226-4178	30-Oct-26	-	Pineapple	Reniform and root-knot nematodes	-	-	-	-
FMC AGRO PHILIPPINES INC.	CADUSAFOS	APACHE 100 ME	100 g/L	ME	NEMATOCIDE	3	598-226-4179	30-Oct-26	-	Pineapple	Nematodes	-	-	-	-
FMC AGRO PHILIPPINES INC.	CADUSAFOS	APACHE 10 G	100 g/kg	G	NEMATOCIDE	3	598-226-4180	30-Oct-26	-	Banana	Nematodes	25-30 grams/mat twice per year or 20 grams/mat 3 to 1 time a year	-	0 day	0 day
FMC AGRO PHILIPPINES INC.	CADUSAFOS	APACHE 10 G	100 g/kg	G	NEMATOCIDE	3	598-226-4180	30-Oct-26	-	Ingacane	Nematodes	40 kg/ha	-	0 day	0 day
FMC AGRO PHILIPPINES INC.	CADUSAFOS	APACHE 10 G	100 g/kg	G	NEMATOCIDE	3	598-226-4180	30-Oct-26	-	Pineapple	Nematodes	11-2-16.8 kg ai/ha	-	0 day	0 day
AGSMART CORPORATION	NICLOSAMIDE ETHANOLAMINE SALT	A-CONE 700 WP	700 g/kg	WP	MOLLUSCIDE	4	680-229-5433	29-Apr-24	-	Rice	Golden apple snail	30 gm or 1 sachet(per 36 L of water)	-	-	48 hours after spraying
JARDINE DISTRIBUTION, INC.	HEXACONAZOLE	ANVIL S SC	50 g/L	SC	FUNGICIDE	4	017-243-2292	11-Apr-19	-	Rice	Sheath blight	8 Tbsp/36L water per 200 Spray Volume	0.02ppm	44 days	-
SYNGENTA PHILIPPINES INC.	HEXACONAZOLE	ANVIL S SC	50 g/L	SC	FUNGICIDE	4	011-243-0934	11-Apr-25	-	Rice	Sheath blight	8 Tbsp/36L water per 200 Spray Volume	0.02ppm	44 days	-
TAIPAN BRAND FARM INC.	HEXACONAZOLE	ANVIL S SC	50 g/L	SC	FUNGICIDE	4	129-243-6252	11-Apr-25	-	Rice	Sheath blight	8 Tbsp/36L water per 200 Spray Volume	-	44 days	Re-entry to treated fields is allowed as soon as spray dries up
SURE CROP SCIENCE AGRIVENTURES, INC.	MANCOZEB	ANTRAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	640-053-4990	16-Dec-25	-	Potato	Early and late blight	3-6 Tbsp/36 L water	-	-	As soon as spray dries
SURE CROP SCIENCE AGRIVENTURES, INC.	MANCOZEB	ANTRAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	640-053-4990	16-Dec-25	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
SURE CROP SCIENCE AGRIVENTURES, INC.	MANCOZEB	ANTRAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	640-053-4990	16-Dec-25	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
SURE CROP SCIENCE AGRIVENTURES, INC.	MANCOZEB	ANTRAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	640-053-4990	16-Dec-25	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
SURE CROP SCIENCE AGRIVENTURES, INC.	MANCOZEB	ANTRAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	640-053-4990	16-Dec-25	-	Celery	Late blight	3-6 Tbsp/36 L water	-	16 Days	As soon as spray dries
SURE CROP SCIENCE AGRIVENTURES, INC.	MANCOZEB	ANTRAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	640-053-4990	16-Dec-25	-	Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
SURE CROP SCIENCE AGRIVENTURES, INC.	MANCOZEB	ANTRAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	640-053-4990	16-Dec-25	-	Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
SURE CROP SCIENCE AGRIVENTURES, INC.	MANCOZEB	ANTRAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	640-053-4990	16-Dec-25	-	Cotton	Damping off	3-6 Tbsp/36 L water	-	-	As soon as spray dries
SURE CROP SCIENCE AGRIVENTURES, INC.	MANCOZEB	ANTRAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	640-053-4990	16-Dec-25	-	Lettuce	Downy mildew	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
SURE CROP SCIENCE AGRIVENTURES, INC.	MANCOZEB	ANTRAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	640-053-4990	16-Dec-25	-	Beans	Anthraxnose, Downy mildew, Rust	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
SURE CROP SCIENCE AGRIVENTURES, INC.	MANCOZEB	ANTRAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	640-053-4990	16-Dec-25	-	Peas	Anthraxnose, Downy mildew, Rust	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
SURE CROP SCIENCE AGRIVENTURES, INC.	MANCOZEB	ANTRAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	640-053-4990	16-Dec-25	-	Mungbeans	Anthraxnose, Downy mildew, Rust	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
SURE CROP SCIENCE AGRIVENTURES, INC.	MANCOZEB	ANTRAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	640-053-4990	16-Dec-25	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
SURE CROP SCIENCE AGRIVENTURES, INC.	MANCOZEB	ANTRAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	640-053-4990	16-Dec-25	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
SURE CROP SCIENCE AGRIVENTURES, INC.	MANCOZEB	ANTRAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	640-053-4990	16-Dec-25	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
SURE CROP SCIENCE AGRIVENTURES, INC.	MANCOZEB	ANTRAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	640-053-4990	16-Dec-25	-	Pepper	Anthraxnose	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
SURE CROP SCIENCE AGRIVENTURES, INC.	MANCOZEB	ANTRAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	640-053-4990	16-Dec-25	-	Chili	Anthraxnose	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
SURE CROP SCIENCE AGRIVENTURES, INC.	MANCOZEB	ANTRAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	640-053-4990	16-Dec-25	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
SURE CROP SCIENCE AGRIVENTURES, INC.	MANCOZEB	ANTRAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	640-053-4990	16-Dec-25	-	Banana	Sigatoka, Black leaf streak	3-6 Tbsp/36 L water	-	-	As soon as spray dries
SURE CROP SCIENCE AGRIVENTURES, INC.	MANCOZEB	ANTRAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	640-053-4990	16-Dec-25	-	Grapes	Downy mildew, black rot	3-6 Tbsp/36 L water	-	60 days	As soon as spray dries
SURE CROP SCIENCE AGRIVENTURES, INC.	MANCOZEB	ANTRAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	640-053-4990	16-Dec-25	-	Mango	Anthracoese and Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
SURE CROP SCIENCE AGRIVENTURES, INC.	MANCOZEB	ANTRAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	640-053-4990	16-Dec-25	-	Papaya	Fruit rot	3-6 Tbsp/36 L water	-	-	As soon as spray dries
SURE CROP SCIENCE AGRIVENTURES, INC.	MANCOZEB	ANTRAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	640-053-4990	16-Dec-25	-	Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
SURE CROP SCIENCE AGRIVENTURES, INC.	MANCOZEB	ANTRAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	640-053-4990	16-Dec-25	-	Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
SURE CROP SCIENCE AGRIVENTURES, INC.	MANCOZEB	ANTRAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	640-053-4990	16-Dec-25	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries
SURE CROP SCIENCE AGRIVENTURES, INC.	MANCOZEB	ANTRAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	640-053-4990	16-Dec-25	-	Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/36 L water	-	-	As soon as spray dries
SURE CROP SCIENCE AGRIVENTURES, INC.	MANCOZEB	ANTRAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	640-053-4990	16-Dec-25	-	Peanut	Cercospora leaf spot	3-6 Tbsp/36 L water	-	58 days	As soon as spray dries
SURE CROP SCIENCE AGRIVENTURES, INC.	MANCOZEB	ANTRAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	640-053-4990	16-Dec-25	-	Soybeans	Leaf rust	3-6 Tbsp/36 L water	-	-	As soon as spray dries
SURE CROP SCIENCE AGRIVENTURES, INC.	MANCOZEB	ANTRAZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	640-053-4990	16-Dec-25	-	Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/36 L water	-	-	As soon as spray dries
PHILIPPINE FARMFIX SOLUTIONS INC.	CARBENDAZIM+TERBUCONAZOLE	ANTRACURE 250 EC	125 g/L+125 g/L	EC	FUNGICIDE	4	535-405-4454	26-Jul-24	SYSTEMIC	Mango	Anthracoese	200ml, 300ml/200L drum	-	55 days after last application	When spray deposits have dried
PHILIPPINE FARMFIX SOLUTIONS INC.	CARBENDAZIM+TERBUCONAZOLE	ANTRACURE 250 EC	125 g/L+125 g/L	EC	FUNGICIDE	4	535-405-4454	26-Jul-24	SYSTEMIC	Rice	Sheath blight	125-500 ml prod./ha at volume rate of 200L/ha	-	-	-
BAYER CROSCIENCE, INC.	PROPIEB	ANTRACOL SMART WG 70	700 g/kg	WG	FUNGICIDE	4	284-001-0992	2-Dec-25	CONTACT	Asparagus	Cercospora leaf blight	1-75 g propimeb / ha, 2.5 kg prod. / ha	-	7 days	Do not enter treated area before the spray deposit has dried completely (for at least 12 hours after application) unless wearing full PPE. Gloves are also
BAYER CROSCIENCE, INC.	PROPIEB	ANTRACOL SMART WG 70	700 g/kg	WG	FUNGICIDE	4	284-001-0992	2-Dec-25	CONTACT	Banana	Sigatoka, freckle disease	1-75 g propimeb / ha, 2.5 kg prod. / ha	-	0 day	Do not enter treated area before the spray deposit has dried completely (for at least 12 hours after application) unless wearing full PPE. Gloves are also
BAYER CROSCIENCE, INC.	PROPIEB	ANTRACOL SMART WG 70	700 g/kg	WG	FUNGICIDE	4	284-001-0992	2-Dec-25	CONTACT	Rice	Dirty panicle disease complex, brown leaf spot	0.5-0.75 g propimeb / ha, 0.5-1.0 kg prod. / ha	-	7 days	Do not enter treated area before the spray deposit has dried completely (for at least 12 hours after application) unless wearing full PPE. Gloves are also
BAYER CROSCIENCE, INC.	PROPIEB	ANTRACOL SMART WG 70	700 g/kg	WG	FUNGICIDE	4	284-001-0992	2-Dec-25	CONTACT	Lettuce	Early blight, neck rot	50-65 g/36L water	-	7 days	Do not enter treated area before the spray deposit has dried completely (for at least 12 hours after application) unless wearing full PPE. Gloves are also
BAYER CROSCIENCE, INC.	PROPIEB	ANTRACOL SMART WG 70	700 g/kg	WG	FUNGICIDE	4	284-001-0992	2-Dec-25	CONTACT	Onion	Downy mildew, anthracnose, purple blotch	50-65 g/36L water	-	7 days	Do not enter treated area before the spray deposit has dried completely (for at least 12 hours after application) unless wearing full PPE. Gloves are also
BAYER CROSCIENCE, INC.	PROPIEB	ANTRACOL SMART WG 70	700 g/kg	WG	FUNGICIDE	4	284-001-0992	2-Dec-25	CONTACT	Cucurbits	Downy mildew, late blight	50-65 g/36L water	-	7 days	Do not enter treated area before the spray deposit has dried completely (for at least 12 hours after application) unless wearing full PPE. Gloves are also
BAYER CROSCIENCE, INC.	PROPIEB	ANTRACOL SMART WG 70	700 g/kg	WG	FUNGICIDE	4	284-001-0992	2-Dec-25	CONTACT	Celery	Early and late blight	50-65 g/36L water	-	7 days	Do not enter treated area before the spray deposit has dried completely (for at least 12 hours after application) unless wearing full PPE. Gloves are also
BAYER CROSCIENCE, INC.	PROPIEB	ANTRACOL SMART WG 70	700 g/kg	WG	FUNGICIDE	4	284-001-0992	2-Dec-25	CONTACT	Beans	Rust	50-65 g/36L water	-	7 days	Do not enter treated area before the spray deposit has dried completely (for at least 12 hours after application) unless wearing full PPE. Gloves are also
BAYER CROSCIENCE, INC.	PROPIEB	ANTRACOL SMART WG 70	700 g/kg	WG	FUNGICIDE	4	284-001-0992	2-Dec-25	CONTACT	Potato	Early and late blight	50-65 g/36L water	-	7 days	Do not enter treated area before the spray deposit has dried completely (for at least 12 hours after application) unless wearing full PPE. Gloves are also
BAYER CROSCIENCE, INC.	PROPIEB	ANTRACOL SMART WG 70	700 g/kg	WG	FUNGICIDE	4	284-001-0992	2-Dec-25	CONTACT	Tomato	Early and late blight	50-65 g/36L water	-	3 days	Do not enter treated area before the spray deposit has dried completely (for at least 12 hours after application) unless wearing full PPE. Gloves are also
BAYER CROSCIENCE, INC.	PROPIEB	ANTRACOL SMART WG 70	700 g/kg	WG	FUNGICIDE	4	284-001-0992	2-Dec-25	CONTACT	Tobacco	Brown leaf spot	50-65 g/36L water	-	7 days	Do not enter treated area before the spray deposit has dried completely (for at least 12 hours after application) unless wearing full PPE. Gloves are also
BAYER CROSCIENCE, INC.	PROPIEB	ANTRACOL SMART WG 70	700 g/kg	WG	FUNGICIDE	4	284-001-0992	2-Dec-25	CONTACT	Coffee	Brown eye spot	65 g/36L water	-	7 days	Do not enter treated area before the spray deposit has dried completely (for at least 12 hours after application) unless wearing full PPE. Gloves are also
BAYER CROSCIENCE, INC.	PROPIEB	ANTRACOL SMART WG 70	700 g/kg	WG	FUNGICIDE	4	284-001-0992	2-Dec-25	CONTACT	Citrus	Black spot	50-65 g/36L water	-	7 days	Do not enter treated area before the spray deposit has dried completely (for at least 12 hours after application) unless wearing full PPE. Gloves are also
BAYER CROSCIENCE, INC.	PROPIEB	ANTRACOL SMART WG 70	700 g/kg	WG	FUNGICIDE	4	284-001-0992	2-Dec-25	CONTACT	Melon	Downy mildew	50-65 g/36L water	-	7 days	Do not enter treated area before the spray deposit has dried completely (for at least 12 hours after application) unless wearing full PPE. Gloves are also
BAYER CROSCIENCE, INC.	PROPIEB	ANTRACOL SMART WG 70	700 g/kg	WG	FUNGICIDE	4	284-001-0992	2-Dec-25	CONTACT	Watermelon	Downy mildew	50-65 g/36L water	-	7 days	Do not enter treated area before the spray deposit has dried completely (for at least 12 hours after application) unless wearing full PPE. Gloves are also
BAYER CROSCIENCE, INC.	PROPIEB	ANTRACOL SMART WG 70	700 g/kg	WG	FUNGICIDE	4	284-001-0992	2-Dec-25	CONTACT	Ornamentals	Black spot, rust	35-50 g/36L water	-	7 days	Do not enter treated area before the spray deposit has dried completely (for at least 12 hours after application) unless wearing full PPE. Gloves are also
BAYER CROSCIENCE, INC.	PROPIEB	ANTRACOL SMART WG 70	700 g/kg	WG	FUNGICIDE	4	284-001-0992	2-Dec-25	CONTACT	Mango	Anthracoese	65-82.50 g/200L water	-	7 days	Do not enter treated area before the spray deposit has dried completely (for at least 12 hours after application) unless wearing full PPE. Gloves are also
BAYER CROSCIENCE, INC.	PROPIEB	ANTRACOL 70 WP	700 g/kg	WP	FUNGICIDE	4	284-001-0001	28-Dec-25	-	Lettuce	Early blight, neck rot	50-65 g/36L water	-	-	Immediately after spray deposits have dried
BAYER CROSCIENCE, INC.	PROPIEB	ANTRACOL 70 WP	700 g/kg	WP	FUNGICIDE	4	284-001-0001	28-Dec-25	-	Onion	Downy mildew, anthracnose, purple blotch	50-65 g/36L water	-	-	Immediately after spray deposits have dried
BAYER CROSCIENCE, INC.	PROPIEB	ANTRACOL 70 WP	700 g/kg	WP	FUNGICIDE	4	284-001-0001	28-Dec-25	-	Cucurbits	Downy mildew, late blight	50-65 g/36L water	-	-	Immediately after spray deposits have dried
BAYER CROSCIENCE, INC.	PROPIEB	ANTRACOL 70 WP	700 g/kg	WP	FUNGICIDE	4	284-001-0001	28-Dec-25	-	Celery	Early and late blight	50-65 g/36L water	-	-	Immediately after spray deposits have dried
BAYER CROSCIENCE, INC.	PROPIEB	ANTRACOL 70 WP	700 g/kg	WP	FUNGICIDE	4	284-001-0001	28-Dec-25	-	Beans	Rust	50-65 g/36L water	-	-	Immediately after spray deposits have dried
BAYER CROSCIENCE, INC.	PROPIEB	ANTRACOL 70 WP	700 g/kg	WP	FUNGICIDE	4	284-001-0001	28-Dec-25	-	Potato	Early and late blight	50-65 g/36L water	-	-	Immediately after spray deposits have dried
BAYER CROSCIENCE, INC.	PROPIEB	ANTRACOL 70 WP	700 g/kg	WP	FUNGICIDE	4	284-001-0001	28-Dec-25	-	Tomato	Early and late blight	50-65 g/36L water	-	3 days	Immediately after spray deposits have dried
BAYER CROSCIENCE, INC.	PROPIEB	ANTRACOL 70 WP	700 g/kg	WP	FUNGICIDE	4	284-001-0001	28-Dec-25	-	Tobacco	Brown leaf spot	50-65 g/36L water	-	-	Immediately after spray deposits have dried
BAYER CROSCIENCE, INC.	PROPIEB	ANTRACOL 70 WP	700 g/kg	WP	FUNGICIDE	4	284-001-0001	28-Dec-25	-	Coffee	Brown eye spot	65 g/36L water	-	-	Immediately after spray deposits have dried
BAYER CROSCIENCE, INC.	PROPIEB	ANTRACOL 70 WP	700 g/kg	WP	FUNGICIDE	4	284-001-0001	28-Dec-25	-	Citrus	Black spot	50-65 g/36L water	-	-	Immediately after spray deposits have dried
BAYER CROSCIENCE, INC.	PROPIEB	ANTRACOL 70 WP	700 g/kg	WP	FUNGICIDE	4	284-001-0001	28-Dec-25	-	Melon	Downy mildew	50-65 g/36L water	-	-	Immediately after spray deposits have dried
BAYER CROSCIENCE, INC.	PROPIEB	ANTRACOL 70 WP	700 g/kg	WP	FUNGICIDE	4	284-001-0001	28-Dec-25	-	Watermelon	Downy mildew	50-65 g/36L water	-	-	Immediately after spray deposits have dried
BAYER CROSCIENCE, INC.	PROPIEB	ANTRACOL 70 WP	700 g/kg	WP	FUNGICIDE	4	284-001-0001	28-Dec-25	-	Asparagus	Cercospora Leaf Blight	2.5 kg/ha	-	-	Immediately after spray deposits have dried
BAYER CROSCIENCE, INC.	PROPIEB	ANTRACOL 70 WP	700 g/kg	WP	FUNGICIDE	4	284-001-0001	28-Dec-25	-	Ornamentals	Black spot, rust	35-50 g/36L water	-	-	Immediately after spray deposits have dried
BAYER CROSCIENCE, INC.	PROPIEB	ANTRACOL 70 WP	700 g/kg	WP	FUNGICIDE	4	284-001-0001	28-Dec-25	-	Mango	Anthracoese	50-65 g/36L water	-	-	Immediately after spray deposits have dried
BAYER CROSCIENCE, INC.	PROPIEB	ANTRACOL 70 WP	700 g/kg	WP	FUNGICIDE	4	284-001-0001	28-Dec-25	-	Rice	Dirty panicle, brown leaf spot	50-100 (500-1,000 product/ha)	0.05 ppm	18 days	Immediately after spray deposits have dried
BAYER CROSCIENCE, INC.	PROPIEB	ANTRACOL 70 WP	700 g/kg	WP	FUNGICIDE	4	284-001-0001	28-Dec-25	-	Banana	Sigatoka, freckle disease	2.5 kg/ha	-	0 day	Immediately after spray deposits have dried
VANN HAWK AGRIC CHEMICALS, INC.	METOMANOSTROBIN	ANTHRAVANN 20 SC	200 g/L	SC	FUNGICIDE	2	295-424-5107	28-Apr-23	SYSTEMIC	Mango	Anthracoese	0.8-1.2 tbsp prod/36L water	-	7 days	Do not enter treated fields until spray deposit have completely dried
VANN HAWK AGRIC CHEMICALS, INC.	METOMANOSTROBIN	ANTHRAVANN 20 SC	200 g/L	SC	FUNGICIDE	2	295-424-5107	28-Apr-23	SYSTEMIC	Onion	Anthracoese/twister bulb rot	0.8-2.0 tbsp prod/36L water	-	14 days	Do not enter treated fields until spray deposit have completely dried
BIOSTADT PHILIPPINES INC.	HYDAMETHYLNON	ANTENMULE 0.75 G	7.3 g/kg	B	INSECTICIDE	4	087-292-2820	12-May-30	-	Pineapple	Ants	1.7 kg/ha	-	-	-
JYNNSONS PHILIPPINES, INC.	BULPROFENIN	ANNEX 5 SC	250 g/L	SC	INSECTICIDE	3	551-224-5134	27-Nov-25	-	Mango	Leafhopper	40-80 mL/200L water	-	-	Re-entry to treated fields is allowed as soon as spray dries up
UCHEMPHIL INTERNATIONAL INC.	AMETRYN+AZADINE	ANIMEX 800 WP	400 g/kg+400 g/kg	WP	HERBICIDE	4	590-079-6094	24-Mar-26	SELECTIVE (PRE-EMERGENT)	Pineapple	Annual broadleaves and grasses	50-65 g prod / 36L water 1.5-2.0 kg prod / ha	-	21 days	Immediately after spray deposits has dried up
UCHEMPHIL INTERNATIONAL INC.	AMETRYN+AZADINE	ANIMEX 800 WP	400 g/kg+400 g/kg	WP	HERBICIDE	4	590-079-6094	24-Mar-26	SELECTIVE (PRE-EMERGENT)	Sugarcane	Annual broadleaves and grasses	45-100 g prod / 36L water 2.0-3.0 kg prod / ha	-	21 days	Immediately after spray deposits has dried up
JARDINE DISTRIBUTION, INC.	HEXACONAZOLE	ANGEL 50 SC	50 g/L	SC	FUNGICIDE	4	107-243-4104	04-Sep-26	-	Rice	Sheath blight	4-8 Tbsp/36L water per 200 Spray Volume	0.03ppm	44 days	After spray deposits have dried up
ANGELX AGRITRACE CORPORATION	2,4-D IRE	ANGELSTAR 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	401-049-2913	07-Jul-26	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual Broadleaves & sedges	5.0-6.30Tbsp/36L water	0.1 ppm	-	Do not spray within two days before harvest
ANGELX AGRITRACE CORPORATION	2,4-D IRE	ANGELSTAR 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	401-049-2913	07-Jul-26	SELECTIVE (POST-EMERGENT)	Corn	Annual Broadleaves & sedges	5.0-6.30Tbsp/36L water	-	-	Do not spray within two days before harvest

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
ANGELUX AGRI-TRADE CORPORATION	2,4-D BB	ANGELSTAR 2,4-D ESTER	400 g/L	EC	HERBICIDE	2	491-049-2913	07-Jul-26	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual Broadleaves & sedges	1.0-6.5Tbsp/16L water	-	-	Entry to fields and crops treated with ANGELSTAR 2,4-D ESTER can be done one (1) day after spraying
ANGELUX AGRI-TRADE CORPORATION	2,4-D AMINE	ANGELSTAR 2,4-D AMINE	400 g/L	EC	HERBICIDE	2	491-013-2914	07-Jul-26	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual broadleaves and sedges	3.5-6.5Tbsp/16 L water	0.1 ppm	-	Entry to fields crops treated with ANGELSTAR 2,4-D AMINE can be done one day (1) day after spraying
ANGELUX AGRI-TRADE CORPORATION	2,4-D AMINE	ANGELSTAR 2,4-D AMINE	400 g/L	EC	HERBICIDE	2	491-013-2914	07-Jul-26	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual broadleaves and sedges	13-25 Tbsp/16 L water	-	-	Entry to fields crops treated with ANGELSTAR 2,4-D AMINE can be done one day (1) day after spraying
ANGELUX AGRI-TRADE CORPORATION	2,4-D AMINE	ANGELSTAR 2,4-D AMINE	400 g/L	EC	HERBICIDE	2	491-013-2914	07-Jul-26	SELECTIVE (POST-EMERGENT)	corn	Annual broadleaves and sedges	4-6.5 Tbsp/16 L water	-	-	Entry to fields crops treated with ANGELSTAR 2,4-D AMINE can be done one day (1) day after spraying
GOLDENMAN MARKETING CORPORATION	BUTACHLOR-PROFANIL	ANDARI 700 EC	350-350 g/L	EC	HERBICIDE	3	400-238-5687	23-Aug-24	POST-EMERGENT	Rice (Direct-Seeded)	Grasses, Sedges and Broadleaves	9-14 Tbsp / 16L water	-	-	-
GOLDENMAN MARKETING CORPORATION	BUTACHLOR-PROFANIL	ANDARI 700 EC	350-350 g/L	EC	HERBICIDE	3	400-238-5687	23-Aug-24	POST-EMERGENT	Rice (Transplanted)	Grasses, Sedges and Broadleaves	9-14 Tbsp / 16L water	-	-	-
RADSSON AGROCHEMICAL CORPORATION	PYRIBENZOXIM-CYHALOPOF-BUTYL	ANCHOR SUPRA 8.5 EC	75 g/L + 40 g/L	EC	HERBICIDE	3	234-453-5786	26-Jul-25	-	Rice (Direct-seeded)	grasses, broadleaves and sedges	1.0-1.5 L/Ha	-	-	-
AKTV MULTI TRADING CO. PHILS, INC.	FLUAZOPOP-P-BUTYL	AMZOPOP 15 EC	150 g/L	EC	HERBICIDE	4	540-212-4473	11-May-22	SELECTIVE/SYSTEMIC (POST-EMERGENT)	banana	Grasses, litchgrass, goosegrass, sour papalum, crabgrasses, bermuda grass & crowfoot grass	30-50ml/16 L sprayload	-	-	-
AKTV MULTI TRADING CO. PHILS, INC.	FLUAZOPOP-P-BUTYL	AMZOPOP 15 EC	150 g/L	EC	HERBICIDE	4	540-212-4473	11-May-22	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Cacao	Grasses, litchgrass, goosegrass, sour papalum, crabgrasses, bermuda grass & crowfoot grass	30-50ml/16 L sprayload	-	-	-
AKTV MULTI TRADING CO. PHILS, INC.	FLUAZOPOP-P-BUTYL	AMZOPOP 15 EC	150 g/L	EC	HERBICIDE	4	540-212-4473	11-May-22	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Citrus	Grasses, litchgrass, goosegrass, sour papalum, crabgrasses, bermuda grass & crowfoot grass	30-50ml/16 L sprayload	-	-	-
AKTV MULTI TRADING CO. PHILS, INC.	FLUAZOPOP-P-BUTYL	AMZOPOP 15 EC	150 g/L	EC	HERBICIDE	4	540-212-4473	11-May-22	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Cotton	Grasses, litchgrass, goosegrass, sour papalum, crabgrasses, bermuda grass & crowfoot grass	30-50ml/16 L sprayload	-	-	-
AKTV MULTI TRADING CO. PHILS, INC.	FLUAZOPOP-P-BUTYL	AMZOPOP 15 EC	150 g/L	EC	HERBICIDE	4	540-212-4473	11-May-22	SELECTIVE/SYSTEMIC (POST-EMERGENT)	oil palm	Grasses, litchgrass, goosegrass, sour papalum, crabgrasses, bermuda grass & crowfoot grass	30-50ml/16 L sprayload	-	-	-
AKTV MULTI TRADING CO. PHILS, INC.	FLUAZOPOP-P-BUTYL	AMZOPOP 15 EC	150 g/L	EC	HERBICIDE	4	540-212-4473	11-May-22	SELECTIVE/SYSTEMIC (POST-EMERGENT)	onion	Grasses, litchgrass, goosegrass, sour papalum, crabgrasses, bermuda grass & crowfoot grass	30-50ml/16 L sprayload	-	-	-
AKTV MULTI TRADING CO. PHILS, INC.	FLUAZOPOP-P-BUTYL	AMZOPOP 15 EC	150 g/L	EC	HERBICIDE	4	540-212-4473	11-May-22	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Pineapple	Grasses, litchgrass, goosegrass, sour papalum, crabgrasses, bermuda grass & crowfoot grass	30-50ml/16 L sprayload	-	-	-
AKTV MULTI TRADING CO. PHILS, INC.	FLUAZOPOP-P-BUTYL	AMZOPOP 15 EC	150 g/L	EC	HERBICIDE	4	540-212-4473	11-May-22	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Kamie	Grasses, litchgrass, goosegrass, sour papalum, crabgrasses, bermuda grass & crowfoot grass	30-50ml/16 L sprayload	-	-	-
AKTV MULTI TRADING CO. PHILS, INC.	FLUAZOPOP-P-BUTYL	AMZOPOP 15 EC	150 g/L	EC	HERBICIDE	4	540-212-4473	11-May-22	SELECTIVE/SYSTEMIC (POST-EMERGENT)	rubber	Grasses, litchgrass, goosegrass, sour papalum, crabgrasses, bermuda grass & crowfoot grass	30-50ml/16 L sprayload	-	-	-
AKTV MULTI TRADING CO. PHILS, INC.	FLUAZOPOP-P-BUTYL	AMZOPOP 15 EC	150 g/L	EC	HERBICIDE	4	540-212-4473	11-May-22	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Soybeans	Grasses, litchgrass, goosegrass, sour papalum, crabgrasses, bermuda grass & crowfoot grass	30-50ml/16 L sprayload	-	-	-
AKTV MULTI TRADING CO. PHILS, INC.	FLUAZOPOP-P-BUTYL	AMZOPOP 15 EC	150 g/L	EC	HERBICIDE	4	540-212-4473	11-May-22	SELECTIVE/SYSTEMIC (POST-EMERGENT)	tomato	Grasses, litchgrass, goosegrass, sour papalum, crabgrasses, bermuda grass & crowfoot grass	30-50ml/16 L sprayload	-	-	-
AKTV MULTI TRADING CO. PHILS, INC.	FLUAZOPOP-P-BUTYL	AMZOPOP 15 EC	150 g/L	EC	HERBICIDE	4	540-212-4473	11-May-22	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Cassava	Annual & Perennial grass weeds	30-50ml/16 L sprayload	-	-	-
MAGAN AGRO PHILS., ENTERPRISE, INC.	ALCOHOL C13 (w/ 4-ETHOXYLATED	AMPLIFY	800g/L	-	OTHERS	4	461-460-3995	13-Aug-24	POST-EMERGENT	-	Surfactant for Narkis 100 SC	25-30 ml/16 L water	-	-	As soon as spray have deposits dried up
KEMSTAR CORPORATION	DIFENCONAZOLE-PROFICONAZOLE	AMOREE 300 EC	150 g/L + 150 g/L	EC	FUNGICIDE	3	239-325-4262	20-Feb-24	SYSTEMIC	Rice	Sheath Blight	2.5-3.5 Tbsp/16 L water	0.5ppm	-	-
KEMSTAR CORPORATION	DIFENCONAZOLE-PROFICONAZOLE	AMOREE 300 EC	150 g/L + 150 g/L	EC	FUNGICIDE	3	239-325-4262	20-Feb-24	SYSTEMIC	Corn	Banded leaf, sheath blight, ear rot, leaf blight & rust	1-2 Tbsp/16 L water	-	45 days	-
FMC AGRO PHILIPPINES INC.	INDOXACARB	AMMATE 15 EC	150 g/L	EC	INSECTICIDE	2	598-353-4411	28-Jun-24	CONTACT	Cabbage	Diamond back moth	8-13 ml product/16 u	-	1 day	Twelve hours after spraying
FMC AGRO PHILIPPINES INC.	INDOXACARB	AMMATE 15 EC	150 g/L	EC	INSECTICIDE	2	598-353-4411	28-Jun-24	CONTACT	Bitterguard	Leaf folder/cutworm	8-10 ml product/16 u	-	1 day	Twelve hours after spraying
FMC AGRO PHILIPPINES INC.	INDOXACARB	AMMATE 15 EC	150 g/L	EC	INSECTICIDE	2	598-353-4411	28-Jun-24	CONTACT	Stringbeans	Podborer	8-13 ml product/16 u	-	1 day	Twelve hours after spraying
FMC AGRO PHILIPPINES INC.	INDOXACARB	AMMATE 15 EC	150 g/L	EC	INSECTICIDE	2	598-353-4411	28-Jun-24	CONTACT	Eggplant	Shoot/fruitborer	6-10 ml product/16 u	-	1 day	Twelve hours after spraying
FMC AGRO PHILIPPINES INC.	INDOXACARB	AMMATE 15 EC	150 g/L	EC	INSECTICIDE	2	598-353-4411	28-Jun-24	CONTACT	Mango	Fall armyworm	50 ml. per 36L	-	-	-
SYNGENTA PHILIPPINES INC.	AZOXYSTROBIN	AMSTAR 25 SC	250 g/L	SC	FUNGICIDE	4	011-309-0834	29-Aug-26	SYSTEMIC	Mango	Anthracoosis, scab, stem-end rot	6-8/100L water	-	-	Do not spray 3-7 days before harvest; 14 days for corn
SYNGENTA PHILIPPINES INC.	AZOXYSTROBIN	AMSTAR 25 SC	250 g/L	SC	FUNGICIDE	4	011-309-0834	29-Aug-26	SYSTEMIC	Watermelon	Damping off, leaf spot, anthracnose, downy, mildew, powdery mildew	1-2Tbsp/16 L water	-	-	Do not spray 3-7 days before harvest; 14 days for corn
SYNGENTA PHILIPPINES INC.	AZOXYSTROBIN	AMSTAR 25 SC	250 g/L	SC	FUNGICIDE	4	011-309-0834	29-Aug-26	SYSTEMIC	onion	Basal/bulb rot	1-2Tbsp/16 L water	-	-	Do not spray 3-7 days before harvest; 14 days for corn
SYNGENTA PHILIPPINES INC.	AZOXYSTROBIN	AMSTAR 25 SC	250 g/L	SC	FUNGICIDE	4	011-309-0834	29-Aug-26	SYSTEMIC	Tomato	Late/early blight, powdery mildew	0.5-1Tbsp/16 L water	-	-	Do not spray 3-7 days before harvest; 14 days for corn
SYNGENTA PHILIPPINES INC.	AZOXYSTROBIN	AMSTAR 25 SC	250 g/L	SC	FUNGICIDE	4	011-309-0834	29-Aug-26	SYSTEMIC	Corn	Sheath blight, leaf spot, leaf rust, ear rot	2-4Tbsp/16 L water	-	-	Do not spray 3-7 days before harvest; 14 days for corn
SYNGENTA PHILIPPINES INC.	AZOXYSTROBIN	AMSTAR 25 SC	250 g/L	SC	FUNGICIDE	4	011-309-0834	29-Aug-26	SYSTEMIC	Asparagus	Stem blight, leaf blight, fusarium wilt	1-3Tbsp/16 L water	-	-	Do not spray 3-7 days before harvest; 14 days for corn
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	POLY(VINYLENE SORBITAN FATTY ACID)-POLY(VINYLPIRROLIDONE DODECYL ETHER	AMISOL A 150-K	250.5-450 mL L	-	OTHERS	4	376-284-2272	02-Jun-24	-	-	As surfactant in Dominate 100 SC	-	-	-	-
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	POLY(VINYLENE SORBITAN FATTY ACID)-POLY(VINYLPIRROLIDONE DODECYL ETHER	AMISOL A 150-K	250.5-450 mL L	-	OTHERS	4	376-284-2272	15-Jun-24	-	-	As surfactant in Dominate 100 SC	-	-	-	-
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	POLY(VINYLENE SORBITAN FATTY ACID)-POLY(VINYLPIRROLIDONE DODECYL ETHER	AMISOL	250.5-450 mL L	-	OTHERS	4	376-284-2272	15-Jun-24	SELECTIVE (POST-EMERGENT)	-	As surfactant in Dominate 100 SC	-	-	-	-
LIQHEMPHIL INTERNATIONAL INC.	THIAMETHOXAM	AMARA 25 WG	250 g/kg	WG	INSECTICIDE	4	590-312-5262	27-Oct-26	SYSTEMIC	Pineapple	Mealy bug	100-200 g/ha	0.05 mg/kg	-	no PHI proposed as last application will be 436 days before harvest
LIQHEMPHIL INTERNATIONAL INC.	THIAMETHOXAM	AMARA 25 WG	250 g/kg	WG	INSECTICIDE	4	590-312-5262	27-Oct-26	SYSTEMIC	Mango	Leafhopper	105.6-123.2g prod/ha	0.20 mg/kg	-	No PHI proposed as the product will be applied at least 20 to 40 days before harvest
LIQHEMPHIL INTERNATIONAL INC.	THIAMETHOXAM	AMARA 25 WG	250 g/kg	WG	INSECTICIDE	4	590-312-5262	27-Oct-26	SYSTEMIC	Rice	Green leafhopper, brown plant hopper, white backed planthopper, Aphis, leafhopper	4.0-5.0 Tbsp/16L water; For black bug 7.0-9.0 Tbsp/16L water	-	28 days	Enter as soon as spray deposits have dried
LIQHEMPHIL INTERNATIONAL INC.	THIAMETHOXAM	AMARA 25 WG	250 g/kg	WG	INSECTICIDE	4	590-312-5262	27-Oct-26	SYSTEMIC	Stringbeans	Aphids, leafhopper	0.5-2.0 Drench, Foliar spray 2.0-5.0 Tbsp/16L water	-	7 days	Enter as soon as spray deposits have dried
LIQHEMPHIL INTERNATIONAL INC.	THIAMETHOXAM	AMARA 25 WG	250 g/kg	WG	INSECTICIDE	4	590-312-5262	27-Oct-26	SYSTEMIC	Eggplant	Aphids, leafhopper	0.5-2.0 Drench, Foliar spray 2.0-5.0 Tbsp/16L water	-	3 days	Enter as soon as spray deposits have dried
LIQHEMPHIL INTERNATIONAL INC.	THIAMETHOXAM	AMARA 25 WG	250 g/kg	WG	INSECTICIDE	4	590-312-5262	27-Oct-26	SYSTEMIC	banana	Flower thrips	4 g/L	0.02 mg/kg	-	No PHI proposed as X-TARA 25 WG will be applied as bud rejection
RAINBOW AGROSCIENCES PHILIPPINES INC.	2,4-D AMINE	AMINESPRAY 400 SL	400g/L	SL	HERBICIDE	2	539-013-4520	24-Sep-24	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual broadleaves and sedges	3.5-6.5Tbsp/16 L water	0.1 ppm	-	Entry to fields and crops treated with AMINE SPRAY 400SL can be done one day after spraying
RAINBOW AGROSCIENCES PHILIPPINES INC.	2,4-D AMINE	AMINESPRAY 400 SL	400g/L	SL	HERBICIDE	2	539-013-4520	24-Sep-24	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual broadleaves and sedges	13-25 Tbsp/16 L water	-	-	Entry to fields and crops treated with AMINE SPRAY 400 SL can be done one day after spraying
RAINBOW AGROSCIENCES PHILIPPINES INC.	2,4-D AMINE	AMINESPRAY 400 SL	400g/L	SL	HERBICIDE	2	539-013-4520	24-Sep-24	SELECTIVE (POST-EMERGENT)	corn	Annual broadleaves and sedges	5-6.5 Tbsp/16 L water	-	-	Entry to fields and crops treated with AMINE SPRAY 400SL can be done one day after spraying
JARDINE DISTRIBUTION, INC.	2,4-D AMINE	AMINA	400 g/L	SL	HERBICIDE	2	367-013-3418	08-Jun-21	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Broadleaves and Cyperaceous weeds	3.5-6.5Tbsp/16 L water	0.10 ppm	-	24 hours after spraying
JARDINE DISTRIBUTION, INC.	2,4-D AMINE	AMINA	400 g/L	SL	HERBICIDE	2	367-013-3418	08-Jun-21	SELECTIVE (POST-EMERGENT)	Sugarcane	Broadleaves and Cyperaceous weeds	13-25 Tbsp/16 L water	0.5 ppm	-	24 hours after spraying
JARDINE DISTRIBUTION, INC.	2,4-D AMINE	AMINA	400 g/L	SL	HERBICIDE	2	367-013-3418	08-Jun-21	SELECTIVE (POST-EMERGENT)	corn	Broadleaves and Cyperaceous weeds	9-6.5 Tbsp/16 L water	0.5 ppm	-	24 hours after spraying
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	CYPERMETHRIN	AMHAN 5 EC	50 g/L	EC	INSECTICIDE	4	376-037-5212	21-Mar-25	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-1.0 Tbsp/16 L water	-	7 Days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	CYPERMETHRIN	AMHAN 5 EC	50 g/L	EC	INSECTICIDE	4	376-037-5212	21-Mar-25	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leaf folder, stem borer, armyworm, rice bug	1.0-1.0 Tbsp/16 L water	-	7 Days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	CYPERMETHRIN	AMHAN 5 EC	50 g/L	EC	INSECTICIDE	4	376-037-5212	21-Mar-25	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-1.0 Tbsp/16 L water	-	7 Days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	CYPERMETHRIN	AMHAN 5 EC	50 g/L	EC	INSECTICIDE	4	376-037-5212	21-Mar-25	CONTACT	beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-1.0 Tbsp/16 L water	-	7 Days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	CYPERMETHRIN	AMHAN 5 EC	50 g/L	EC	INSECTICIDE	4	376-037-5212	21-Mar-25	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-1.0 Tbsp/16 L water	-	7 Days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	CYPERMETHRIN	AMHAN 5 EC	50 g/L	EC	INSECTICIDE	4	376-037-5212	21-Mar-25	CONTACT	Watermelon	Aphids, Thrips, beetle	1.0-1.0 Tbsp/16 L water	-	7 Days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	CYPERMETHRIN	AMHAN 5 EC	50 g/L	EC	INSECTICIDE	4	376-037-5212	21-Mar-25	CONTACT	Citron	Thrips, cutworm	1.0-1.0 Tbsp/16 L water	-	7 Days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	CYPERMETHRIN	AMHAN 5 EC	50 g/L	EC	INSECTICIDE	4	376-037-5212	21-Mar-25	CONTACT	Banana	Thrips, scarring beetle	1.0-1.0 Tbsp/16 L water	-	7 Days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD	
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	CYPERMETHRIN	AMHAN 5 EC	50 g/L	EC	INSECTICIDE	4	376-037-5212	25-Mar-25	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage	
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	CYPERMETHRIN	AMHAN 5 EC	50 g/L	EC	INSECTICIDE	4	376-037-5212	25-Mar-25	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage	
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	CYPERMETHRIN	AMHAN 5 EC	50 g/L	EC	INSECTICIDE	4	376-037-5212	25-Mar-25	CONTACT	Corn	Comborer, earworm	1.0-4.5 Tbsp/16 L water	-	7 Days	Re-entry into treated areas may be done as soon as spray solution has dried on the foliage	
AMIHAN FARM SUPPLY	CYPERMETHRIN	AMHAN 5 EC	50 g/L	EC	INSECTICIDE	4	594-037-4094	29-Aug-20	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry	
AMIHAN FARM SUPPLY	CYPERMETHRIN	AMHAN 5 EC	50 g/L	EC	INSECTICIDE	4	594-037-4094	29-Aug-20	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leafhopper, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry	
AMIHAN FARM SUPPLY	CYPERMETHRIN	AMHAN 5 EC	50 g/L	EC	INSECTICIDE	4	594-037-4094	29-Aug-20	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry	
AMIHAN FARM SUPPLY	CYPERMETHRIN	AMHAN 5 EC	50 g/L	EC	INSECTICIDE	4	594-037-4094	29-Aug-20	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry	
AMIHAN FARM SUPPLY	CYPERMETHRIN	AMHAN 5 EC	50 g/L	EC	INSECTICIDE	4	594-037-4094	29-Aug-20	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry	
AMIHAN FARM SUPPLY	CYPERMETHRIN	AMHAN 5 EC	50 g/L	EC	INSECTICIDE	4	594-037-4094	29-Aug-20	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry	
AMIHAN FARM SUPPLY	CYPERMETHRIN	AMHAN 5 EC	50 g/L	EC	INSECTICIDE	4	594-037-4094	29-Aug-20	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry	
AMIHAN FARM SUPPLY	CYPERMETHRIN	AMHAN 5 EC	50 g/L	EC	INSECTICIDE	4	594-037-4094	29-Aug-20	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry	
AMIHAN FARM SUPPLY	CYPERMETHRIN	AMHAN 5 EC	50 g/L	EC	INSECTICIDE	4	594-037-4094	29-Aug-20	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry	
AMIHAN FARM SUPPLY	CYPERMETHRIN	AMHAN 5 EC	50 g/L	EC	INSECTICIDE	4	594-037-4094	29-Aug-20	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry	
AMIHAN FARM SUPPLY	CYPERMETHRIN	AMHAN 5 EC	50 g/L	EC	INSECTICIDE	4	594-037-4094	29-Aug-20	CONTACT	Corn	Comborer, earworm	1.0-4.5 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry	
FKA AGR CHEMICAL CORPORATION	NICLOXAMIDE ETHANOLAMINE SALT	AMIDE PRIME 70 WP	700 g/kg	WP	MOLLUSCICIDE	4	399-229-4796	21-Feb-25	CONTACT	Rice	Golden Apple Snail (Kuhol)	35 gm/16 L water	-	-	Do not enter the treated field within 48 hours after application	
C.B. ANDREW ASIA, INC.	AMETRYNE	AMETRA 80 WP	800 g/kg	WP	HERBICIDE	3	460-088-2547	12-Jul-24	SELECTIVE (POST/PRE-EMERGENCE)	Banana	Annual broadleaves and grasses	9-15 tbsp/16L water	-	-	Enter treated area one day after spray application	
C.B. ANDREW ASIA, INC.	AMETRYNE	AMETRA 80 WP	800 g/kg	WP	HERBICIDE	3	460-088-2547	12-Jul-24	SELECTIVE (POST/PRE-EMERGENCE)	Coffee	Annual broadleaves and grasses	9-15 tbsp/16L water	-	-	Enter treated area one day after spray application	
C.B. ANDREW ASIA, INC.	AMETRYNE	AMETRA 80 WP	800 g/kg	WP	HERBICIDE	3	460-088-2547	12-Jul-24	SELECTIVE (POST/PRE-EMERGENCE)	Cacao	Annual broadleaves and grasses	9-15 tbsp/16L water	-	-	Enter treated area one day after spray application	
C.B. ANDREW ASIA, INC.	AMETRYNE	AMETRA 80 WP	800 g/kg	WP	HERBICIDE	3	460-088-2547	12-Jul-24	SELECTIVE (POST/PRE-EMERGENCE)	Oil palm	Annual broadleaves and grasses	9-15 tbsp/16L water	-	-	Enter treated area one day after spray application	
C.B. ANDREW ASIA, INC.	AMETRYNE	AMETRA 80 WP	800 g/kg	WP	HERBICIDE	3	460-088-2547	12-Jul-24	SELECTIVE (POST/PRE-EMERGENCE)	Citrus	Annual broadleaves and grasses	9-15 tbsp/16L water	-	-	Enter treated area one day after spray application	
C.B. ANDREW ASIA, INC.	AMETRYNE	AMETRA 80 WP	800 g/kg	WP	HERBICIDE	3	460-088-2547	12-Jul-24	SELECTIVE (POST/PRE-EMERGENCE)	Pineapple	Annual broadleaves and grasses	9-15 tbsp/16L water	-	-	Enter treated area one day after spray application	
C.B. ANDREW ASIA, INC.	AMETRYNE	AMETRA 80 WP	800 g/kg	WP	HERBICIDE	3	460-088-2547	12-Jul-24	SELECTIVE (POST/PRE-EMERGENCE)	Rubber	Annual broadleaves and grasses	9-15 tbsp/16L water	-	-	Enter treated area one day after spray application	
C.B. ANDREW ASIA, INC.	AMETRYNE	AMETRA 80 WP	800 g/kg	WP	HERBICIDE	3	460-088-2547	12-Jul-24	SELECTIVE (POST/PRE-EMERGENCE)	Corn	Annual broadleaves and grasses	9-15 tbsp/16L water	-	-	Enter treated area one day after spray application	
C.B. ANDREW ASIA, INC.	AMETRYNE	AMETRA 80 WP	800 g/kg	WP	HERBICIDE	3	460-088-2547	12-Jul-24	SELECTIVE (POST/PRE-EMERGENCE)	Sugarcane	Annual broadleaves and grasses	9-15 tbsp/16L water	-	-	Enter treated area one day after spray application	
SULI AGROSCIENCE PHILIPPINES INC.	AZOXYSTROBIN	AMEED 25 SC	250g/L	SC	FUNGICIDE	4	692-309-4850	28-Sep-25	SYSTEMIC	Mango	Anthraxnose, scab, stem-end rot	6-8/100L water	-	Do not spray 3-7 days before harvest	Re-entry to treated field is allowed as soon as spray dries up	
SULI AGROSCIENCE PHILIPPINES INC.	AZOXYSTROBIN	AMEED 25 SC	250g/L	SC	FUNGICIDE	4	692-309-4850	28-Sep-25	SYSTEMIC	Watermelon	Damping off, leaf spot, anthracnose, downy mildew, powdery mildew	5-7Tbsp/16 L water	-	Do not spray 3-7 days before harvest	Re-entry to treated field is allowed as soon as spray dries up	
SULI AGROSCIENCE PHILIPPINES INC.	AZOXYSTROBIN	AMEED 25 SC	250g/L	SC	FUNGICIDE	4	692-309-4850	28-Sep-25	SYSTEMIC	Onion	Basal/bulbrot	1-2Tbsp/16 L water	-	Do not spray 3-7 days before harvest	Re-entry to treated field is allowed as soon as spray dries up	
SULI AGROSCIENCE PHILIPPINES INC.	AZOXYSTROBIN	AMEED 25 SC	250g/L	SC	FUNGICIDE	4	692-309-4850	28-Sep-25	SYSTEMIC	Tomato	Late/early blight, powdery mildew	0.5-1Tbsp/16 L water	-	Do not spray 3-7 days before harvest	Re-entry to treated field is allowed as soon as spray dries up	
SULI AGROSCIENCE PHILIPPINES INC.	AZOXYSTROBIN	AMEED 25 SC	250g/L	SC	FUNGICIDE	4	692-309-4850	28-Sep-25	SYSTEMIC	Asparagus	Stem blight, leaf blight, fusarium wilt	1-3Tbsp/16 L water	-	Do not spray 3-7 days before harvest	Re-entry to treated field is allowed as soon as spray dries up	
SULI AGROSCIENCE PHILIPPINES INC.	AZOXYSTROBIN	AMEED 25 SC	250g/L	SC	FUNGICIDE	4	692-309-4850	28-Sep-25	SYSTEMIC	Banana	Sigatoka	0.300-0.400 L/ha	-	Do not spray 3-7 days before harvest	Re-entry to treated field is allowed as soon as spray dries up	
AGCHEM MANUFACTURING CORPORATION	CYPERMETHRIN	AMDA EC	50 g/L	EC	INSECTICIDE	4	001-037-1654	17-Mar-26	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry	
AGCHEM MANUFACTURING CORPORATION	CYPERMETHRIN	AMDA EC	50 g/L	EC	INSECTICIDE	4	001-037-1654	17-Mar-26	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leafhopper, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry	
AGCHEM MANUFACTURING CORPORATION	CYPERMETHRIN	AMDA EC	50 g/L	EC	INSECTICIDE	4	001-037-1654	17-Mar-26	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry	
AGCHEM MANUFACTURING CORPORATION	CYPERMETHRIN	AMDA EC	50 g/L	EC	INSECTICIDE	4	001-037-1654	17-Mar-26	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry	
AGCHEM MANUFACTURING CORPORATION	CYPERMETHRIN	AMDA EC	50 g/L	EC	INSECTICIDE	4	001-037-1654	17-Mar-26	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry	
AGCHEM MANUFACTURING CORPORATION	CYPERMETHRIN	AMDA EC	50 g/L	EC	INSECTICIDE	4	001-037-1654	17-Mar-26	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry	
AGCHEM MANUFACTURING CORPORATION	CYPERMETHRIN	AMDA EC	50 g/L	EC	INSECTICIDE	4	001-037-1654	17-Mar-26	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry	
AGCHEM MANUFACTURING CORPORATION	CYPERMETHRIN	AMDA EC	50 g/L	EC	INSECTICIDE	4	001-037-1654	17-Mar-26	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry	
AGCHEM MANUFACTURING CORPORATION	CYPERMETHRIN	AMDA EC	50 g/L	EC	INSECTICIDE	4	001-037-1654	17-Mar-26	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry	
AGCHEM MANUFACTURING CORPORATION	CYPERMETHRIN	AMDA EC	50 g/L	EC	INSECTICIDE	4	001-037-1654	17-Mar-26	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry	
AGCHEM MANUFACTURING CORPORATION	CYPERMETHRIN	AMDA EC	50 g/L	EC	INSECTICIDE	4	001-037-1654	17-Mar-26	CONTACT	Corn	Comborer, earworm	1.0-4.5 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry	
ARIELA MARKETING COMPANY INCORPORATED	2-PHENYLPHENOL-BENZALCONIUM CHLORIDE-GLUTARALDEHYDE	AMCTROL	-	-	OTHERS	2	714-602-3871	31-Dec-24	-	-	Disinfection for poultry hatcheries, livestock buildings and equipment	-	-	-	-	
AGPLANTA MARKETING CORPORATION	GLYPHOSATE IPA	AMC G-MAX 480SL	480 g/L	SL	HERBICIDE	4	720-151-6634	9-Mar-25	-	-	Glyphosate tolerant corn	Annual and perennial grasses, broadleaves and sedges	2.0-4.0 Liters/ha	-	-	-
AGPLANTA MARKETING CORPORATION	GLYPHOSATE IPA	AMC G-MAX 480SL	480 g/L	SL	HERBICIDE	4	720-151-6634	9-Mar-25	-	-	Mango	Annual and perennial grasses, broadleaves and sedges	3.0-4.5 Liters/ha	-	-	-
AGPLANTA MARKETING CORPORATION	GLYPHOSATE IPA	AMC G-MAX 480SL	480 g/L	SL	HERBICIDE	4	720-151-6634	9-Mar-25	-	-	Banana	Annual and perennial grasses, broadleaves and sedges	3.0-4.5 Liters/ha	-	-	-
AGPLANTA MARKETING CORPORATION	GLYPHOSATE IPA	AMC G-MAX 480SL	480 g/L	SL	HERBICIDE	4	720-151-6634	9-Mar-25	-	-	Coffee	Annual and perennial grasses, broadleaves and sedges	3.0-4.5 Liters/ha	-	-	-
AGPLANTA MARKETING CORPORATION	GLYPHOSATE IPA	AMC G-MAX 480SL	480 g/L	SL	HERBICIDE	4	720-151-6634	9-Mar-25	-	-	Cacao	Annual and perennial grasses, broadleaves and sedges	3.0-4.5 Liters/ha	-	-	-
AGPLANTA MARKETING CORPORATION	GLYPHOSATE IPA	AMC G-MAX 480SL	480 g/L	SL	HERBICIDE	4	720-151-6634	9-Mar-25	-	-	Rubber	Annual and perennial grasses, broadleaves and sedges	2.0 Liters/ha	-	-	-
AGPLANTA MARKETING CORPORATION	GLYPHOSATE IPA	AMC G-MAX 480SL	480 g/L	SL	HERBICIDE	4	720-151-6634	9-Mar-25	-	-	Oil palm	Annual and perennial grasses, broadleaves and sedges	2.0 Liters/ha	-	-	-
AGPLANTA MARKETING CORPORATION	GLYPHOSATE IPA	AMC G-MAX 480SL	480 g/L	SL	HERBICIDE	4	720-151-6634	9-Mar-25	-	-	Citrus	Annual and perennial grasses, broadleaves and sedges	2.0 Liters/ha	-	-	-
AGPLANTA MARKETING CORPORATION	GLYPHOSATE IPA	AMC G-MAX 480SL	480 g/L	SL	HERBICIDE	4	720-151-6634	9-Mar-25	-	-	Coconut	Annual and perennial grasses, broadleaves and sedges	4.5 Liters/ha	-	-	-
AGPLANTA MARKETING CORPORATION	GLYPHOSATE IPA	AMC G-MAX 480SL	480 g/L	SL	HERBICIDE	4	720-151-6634	9-Mar-25	-	-	Sugarcane	Annual and perennial grasses, broadleaves and sedges	2.0 Liters/ha	-	-	-
AGPLANTA MARKETING CORPORATION	GLYPHOSATE IPA	AMC G-MAX 480SL	480 g/L	SL	HERBICIDE	4	720-151-6634	9-Mar-25	-	-	Vegetables under minimum or reduced tillage system	Annual and perennial grasses, broadleaves and sedges	2.0 Liters/ha	-	-	-
AGPLANTA MARKETING CORPORATION	GLYPHOSATE IPA	AMC G-MAX 480SL	480 g/L	SL	HERBICIDE	4	720-151-6634	9-Mar-25	-	-	Non-areas	Annual and perennial grasses, broadleaves and sedges	-	-	-	-
AGRO RES PHILIPPINES, INC.	CLITHODIM	AMBULLUS 240 EC	240 g/L	EC	HERBICIDE	4	752-334-6063	6-Jun-25	-	-	Onion	Grasses (<i>E. ciliaris</i> , <i>Eleusine indica</i> , <i>D. oxyperium</i> and <i>D. ciliaris</i>)	0.5 L/ha 50 mL or 5 Tbsp	-	-	-
GNM AGVENTURES INC.	BPMC-CHLORPYRIFOS	AMAZING 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	577-174-3758	01-Jul-22	-	-	Rice	Stemborer, armyworm, leafhopper, cutworm and planthopper	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying.

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
GMA AGRIVENTURES INC.	BPfMC-CHLORPYRIFOS	AMAZING 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	577-174-3758	03-Jul-22	-	Corn	Seedling maggot, corn earworm, cornborer and armyworm	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying.
GMA AGRIVENTURES INC.	BPfMC-CHLORPYRIFOS	AMAZING 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	577-174-3758	03-Jul-22	-	Tobacco	Budworm, grasshopper, aphid, cutworm and armyworm	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying.
GMA AGRIVENTURES INC.	BPfMC-CHLORPYRIFOS	AMAZING 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	577-174-3758	03-Jul-22	-	Cucumber	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying.
GMA AGRIVENTURES INC.	BPfMC-CHLORPYRIFOS	AMAZING 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	577-174-3758	03-Jul-22	-	Melon	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying.
GMA AGRIVENTURES INC.	BPfMC-CHLORPYRIFOS	AMAZING 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	577-174-3758	03-Jul-22	-	Watermelon	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying.
GMA AGRIVENTURES INC.	BPfMC-CHLORPYRIFOS	AMAZING 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	577-174-3758	03-Jul-22	-	Onion	Thrips, cutworm	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying.
GMA AGRIVENTURES INC.	BPfMC-CHLORPYRIFOS	AMAZING 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	577-174-3758	03-Jul-22	-	Mungo	Beanfly, armyworm, cutworm, leafminer and leaf folder	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying.
GMA AGRIVENTURES INC.	BPfMC-CHLORPYRIFOS	AMAZING 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	577-174-3758	03-Jul-22	-	Soybeans	Beanfly, armyworm, cutworm, leafminer and leaf folder	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying.
GMA AGRIVENTURES INC.	BPfMC-CHLORPYRIFOS	AMAZING 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	577-174-3758	03-Jul-22	-	Beans	Beanfly, armyworm, cutworm, leafminer and leaf folder	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying.
TEXCON AGR VENTURES CORPORATION	AZOXYSTROBIN	AMAZE 250 SC	250 g/L	SC	FUNGICIDE	4	242-309-4030	12-May-26	SYSTEMIC	Mango	Anthracoese, scab, stem-end rot	6-8/100L water	-	Do not spray 3-7 days before harvest	Re-entry to treated field is allowed as soon spray dries up
TEXCON AGR VENTURES CORPORATION	AZOXYSTROBIN	AMAZE 250 SC	250 g/L	SC	FUNGICIDE	4	242-309-4030	12-May-26	SYSTEMIC	Watermelon	Damping off, leaf spot, anthracnose, downy, mildew, powdery mildew	3-7Tbsp/36L water	-	Do not spray 3-7 days before harvest	Re-entry to treated field is allowed as soon spray dries up
TEXCON AGR VENTURES CORPORATION	AZOXYSTROBIN	AMAZE 250 SC	250 g/L	SC	FUNGICIDE	4	242-309-4030	12-May-26	SYSTEMIC	Onion	Basal/bulb rot	1-2Tbsp/36 L water	-	Do not spray 3-7 days before harvest	Re-entry to treated field is allowed as soon spray dries up
TEXCON AGR VENTURES CORPORATION	AZOXYSTROBIN	AMAZE 250 SC	250 g/L	SC	FUNGICIDE	4	242-309-4030	12-May-26	SYSTEMIC	Tomato	Late/early blight, powdery mildew	0.5-1Tbsp/36 L water	-	Do not spray 3-7 days before harvest	Re-entry to treated field is allowed as soon spray dries up
TEXCON AGR VENTURES CORPORATION	AZOXYSTROBIN	AMAZE 250 SC	250 g/L	SC	FUNGICIDE	4	242-309-4030	12-May-26	SYSTEMIC	Corn	Sheath blight, leaf spot, leaf rust, ear rot	3-4Tbsp/36 L water	-	Do not spray 3-7 days before harvest	Re-entry to treated field is allowed as soon spray dries up
TEXCON AGR VENTURES CORPORATION	AZOXYSTROBIN	AMAZE 250 SC	250 g/L	SC	FUNGICIDE	4	242-309-4030	12-May-26	SYSTEMIC	Asparagus	Stem blight, leaf blight, fusarium wilt	1-3Tbsp/36 L water	-	Do not spray 3-7 days before harvest	Re-entry to treated field is allowed as soon spray dries up
TEXCON AGR VENTURES CORPORATION	AMETRYNE	AMATX 80 WP	800 g/kg	WP	HERBICIDE	3	242-088-1779	24-Nov-26	-	Pineapple	Grasses and broadleaf weeds	6-12 tbsps/ 16L water	-	-	Do not enter field within 5 days after application
TEXCON AGR VENTURES CORPORATION	AMETRYNE	AMATX 80 WP	800 g/kg	WP	HERBICIDE	3	242-088-1779	24-Nov-26	-	Sugarcane	Grasses and broadleaf weeds	6-12 tbsps/ 16L water	-	-	Do not enter field within 5 days after application
NAC UNITED CROP SOLUTIONS CORPORATION	DIFENCOCAZOLE+PROPICONAZOLE	AMAG BUSTER 300 EC	150g/L+150g/L	EC	FUNGICIDE	3	687-325-5841	2-Sep-25	SYSTEMIC	Rice	Sheath blight	20-350 mL/ha	-	No PHI is needed since last application of the product is at 45 days after planting for rice and at 60 days after	-
NAC UNITED CROP SOLUTIONS CORPORATION	DIFENCOCAZOLE+PROPICONAZOLE	AMAG BUSTER 300 EC	150g/L+150g/L	EC	FUNGICIDE	3	687-325-5841	2-Sep-25	SYSTEMIC	Corn	Banded leaf and sheath blight, ear rot, leaf blight, rust	80-300 mL/ha	-	No PHI is needed since last application of the product is at 45 days after planting for rice and at 60 days after	-
LIChemPHIL INTERNATIONAL INC.	FOSETYL-ALUMINUM	ALLUMIN 80 WP	800 g/kg	WP	FUNGICIDE	4	590-154-5017	20-Jan-26	SYSTEMIC	Pineapple	Heart rot	56-110, 35 product (gms/36L)	-	90 days	12-24 hours
LIChemPHIL INTERNATIONAL INC.	FOSETYL-ALUMINUM	ALLUMIN 80 WP	800 g/kg	WP	FUNGICIDE	4	590-154-5017	20-Jan-26	SYSTEMIC	Coconut	Wet bud rot, nut rot	360/product (gms/36L)	-	90 days	12-24 hours
LIChemPHIL INTERNATIONAL INC.	FOSETYL-ALUMINUM	ALLUMIN 80 WP	800 g/kg	WP	FUNGICIDE	4	590-154-5017	20-Jan-26	SYSTEMIC	Rubber	Black striae	225-405 product (gms/36L)	-	90 days	12-24 hours
LIChemPHIL INTERNATIONAL INC.	FOSETYL-ALUMINUM	ALLUMIN 80 WP	800 g/kg	WP	FUNGICIDE	4	590-154-5017	20-Jan-26	SYSTEMIC	Cacao	Black pod	95 product (gms/36L)	-	90 days	12-24 hours
LIChemPHIL INTERNATIONAL INC.	FOSETYL-ALUMINUM	ALLUMIN 80 WP	800 g/kg	WP	FUNGICIDE	4	590-154-5017	20-Jan-26	SYSTEMIC	Orchids	Black rot	95 product (gms/36L)	-	90 days	12-24 hours
LIChemPHIL INTERNATIONAL INC.	FOSETYL-ALUMINUM	ALLUMIN 80 WP	800 g/kg	WP	FUNGICIDE	4	590-154-5017	20-Jan-26	SYSTEMIC	Asparagus	Crown & Spear rot	100-140 product (gms/36L)	-	90 days	12-24 hours
JOCANIMA CORPORATION	CHLOROTHALONIL	ALTERNIL 720 SC	720 g/L	SC	FUNGICIDE	4	241-118-1267	23-Jun-19	-	Potato	Early blight, late blight, vine rot	1.00-1.80 L/ha or 4.5-5.9 Tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
JOCANIMA CORPORATION	CHLOROTHALONIL	ALTERNIL 720 SC	720 g/L	SC	FUNGICIDE	4	241-118-1267	23-Jun-19	-	Tomato	Early blight, late blight, vine rot	1.13-1.90 L/ha or 4.5-6.0 Tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
JOCANIMA CORPORATION	CHLOROTHALONIL	ALTERNIL 720 SC	720 g/L	SC	FUNGICIDE	4	241-118-1267	23-Jun-19	-	Beans	Rust, anthracnose	1.13-1.90 L/ha or 4.5-6.0 Tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
JOCANIMA CORPORATION	CHLOROTHALONIL	ALTERNIL 720 SC	720 g/L	SC	FUNGICIDE	4	241-118-1267	23-Jun-19	-	Carrot	Alternaria leaf spot, cercospora leaf spot, helminthosporium leaf spot	1.13-1.90 L/ha or 4.5-6.0 Tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
JOCANIMA CORPORATION	CHLOROTHALONIL	ALTERNIL 720 SC	720 g/L	SC	FUNGICIDE	4	241-118-1267	23-Jun-19	-	Cucifers	Powdery mildew	1.13-1.90 L/ha or 4.5-6.0 Tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
JOCANIMA CORPORATION	CHLOROTHALONIL	ALTERNIL 720 SC	720 g/L	SC	FUNGICIDE	4	241-118-1267	23-Jun-19	-	Melon	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 Tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
JOCANIMA CORPORATION	CHLOROTHALONIL	ALTERNIL 720 SC	720 g/L	SC	FUNGICIDE	4	241-118-1267	23-Jun-19	-	Cucumber	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 Tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
JOCANIMA CORPORATION	CHLOROTHALONIL	ALTERNIL 720 SC	720 g/L	SC	FUNGICIDE	4	241-118-1267	23-Jun-19	-	Squash	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 Tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
JOCANIMA CORPORATION	CHLOROTHALONIL	ALTERNIL 720 SC	720 g/L	SC	FUNGICIDE	4	241-118-1267	23-Jun-19	-	Watermelon	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 Tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
JOCANIMA CORPORATION	CHLOROTHALONIL	ALTERNIL 720 SC	720 g/L	SC	FUNGICIDE	4	241-118-1267	23-Jun-19	-	Celery	Early blight, late blight	1.13-1.90 L/ha or 4.5-6.0 Tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
JOCANIMA CORPORATION	CHLOROTHALONIL	ALTERNIL 720 SC	720 g/L	SC	FUNGICIDE	4	241-118-1267	23-Jun-19	-	Eggplant	Early blight, late blight, cercospora leafspot, anthracnose	1.13-1.90 L/ha or 4.5-6.0 Tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
JOCANIMA CORPORATION	CHLOROTHALONIL	ALTERNIL 720 SC	720 g/L	SC	FUNGICIDE	4	241-118-1267	23-Jun-19	-	Onion	Purple blotch, bulb rot, neck rot	1.13-1.90 L/ha or 4.5-6.0 Tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
JOCANIMA CORPORATION	CHLOROTHALONIL	ALTERNIL 720 SC	720 g/L	SC	FUNGICIDE	4	241-118-1267	23-Jun-19	-	Pepper	Early blight, cercospora leaf spot, anthracnose	1.13-1.90 L/ha or 4.5-6.0 Tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
JOCANIMA CORPORATION	CHLOROTHALONIL	ALTERNIL 720 SC	720 g/L	SC	FUNGICIDE	4	241-118-1267	23-Jun-19	-	Grapes	Downy mildew, powdery mildew, fruit rot	1.13-1.90 L/ha or 4.5-6.0 Tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
JOCANIMA CORPORATION	CHLOROTHALONIL	ALTERNIL 720 SC	720 g/L	SC	FUNGICIDE	4	241-118-1267	23-Jun-19	-	Mango	Anthracoese, diploidia rot	0.75-5.40 L/ha or 4.5-6.0 Tbsp/36 L	0.5 mg/kg	7-14 days	Do not enter treatment areas until spray deposit have dried
JOCANIMA CORPORATION	CHLOROTHALONIL	ALTERNIL 720 SC	720 g/L	SC	FUNGICIDE	4	241-118-1267	23-Jun-19	-	Ornamentals	Black spot, powdery mildew, black rot	1.13-1.90 L/ha or 4.5-6.0 Tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
JOCANIMA CORPORATION	CHLOROTHALONIL	ALTERNIL 720 SC	720 g/L	SC	FUNGICIDE	4	241-118-1267	23-Jun-19	-	Asparagus	Stem and leaf blight	1.80 L/ha	-	7-14 days	Do not enter treatment areas until spray deposit have dried
JOCANIMA CORPORATION	CHLOROTHALONIL	ALTERNIL 720 SC	720 g/L	SC	FUNGICIDE	4	241-118-1267	23-Jun-19	-	Banana	Black Sigatoka	1.80 L/ha	2.0 mg/kg	0 day	Do not enter treatment areas until spray deposit have dried
UPL PHILIPPINES, INC.	CHLOROTHALONIL	ALTERNIL 720 SC	720 g/L	SC	FUNGICIDE	4	562-118-4828	16-Jun-24	-	Potato	Early blight, late blight, vine rot	1.00-1.80 L/ha or 4.5-5.9 Tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
UPL PHILIPPINES, INC.	CHLOROTHALONIL	ALTERNIL 720 SC	720 g/L	SC	FUNGICIDE	4	562-118-4828	16-Jun-24	-	Tomato	Early blight, late blight, vine rot	1.13-1.90 L/ha or 4.5-6.0 Tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
UPL PHILIPPINES, INC.	CHLOROTHALONIL	ALTERNIL 720 SC	720 g/L	SC	FUNGICIDE	4	562-118-4828	16-Jun-24	-	Beans	Rust, anthracnose	1.13-1.90 L/ha or 4.5-6.0 Tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
UPL PHILIPPINES, INC.	CHLOROTHALONIL	ALTERNIL 720 SC	720 g/L	SC	FUNGICIDE	4	562-118-4828	16-Jun-24	-	Carrot	Alternaria leaf spot, cercospora leaf spot, helminthosporium leaf spot	1.13-1.90 L/ha or 4.5-6.0 Tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
UPL PHILIPPINES, INC.	CHLOROTHALONIL	ALTERNIL 720 SC	720 g/L	SC	FUNGICIDE	4	562-118-4828	16-Jun-24	-	Cucifers	Powdery mildew	1.13-1.90 L/ha or 4.5-6.0 Tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
UPL PHILIPPINES, INC.	CHLOROTHALONIL	ALTERNIL 720 SC	720 g/L	SC	FUNGICIDE	4	562-118-4828	16-Jun-24	-	Cucumber	Powdery mildew, cercospora, septoria, fruit rot, anthracnose, early and late blight	1.13-1.90 L/ha or 4.5-6.0 Tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
UPL PHILIPPINES, INC.	CHLOROTHALONIL	ALTERNIL 720 SC	720 g/L	SC	FUNGICIDE	4	562-118-4828	16-Jun-24	-	Celery	Early blight, late blight	1.13-1.90 L/ha or 4.5-6.0 Tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
UPL PHILIPPINES, INC.	CHLOROTHALONIL	ALTERNIL 720 SC	720 g/L	SC	FUNGICIDE	4	562-118-4828	16-Jun-24	-	Eggplant	Early blight, late blight, cercospora leafspot, anthracnose	1.13-1.90 L/ha or 4.5-6.0 Tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
UPL PHILIPPINES, INC.	CHLOROTHALONIL	ALTERNIL 720 SC	720 g/L	SC	FUNGICIDE	4	562-118-4828	16-Jun-24	-	Onion	Purple blotch, bulb rot, neck rot	1.13-1.90 L/ha or 4.5-6.0 Tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
UPL PHILIPPINES, INC.	CHLOROTHALONIL	ALTERNIL 720 SC	720 g/L	SC	FUNGICIDE	4	562-118-4828	16-Jun-24	-	Pepper	Early and late blight, cercospora leaf spot, anthracnose	1.13-1.90 L/ha or 4.5-6.0 Tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
UPL PHILIPPINES, INC.	CHLOROTHALONIL	ALTERNIL 720 SC	720 g/L	SC	FUNGICIDE	4	562-118-4828	16-Jun-24	-	Grapes	Downy mildew, powdery mildew, fruit rot	1.13-1.90 L/ha or 4.5-6.0 Tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried
UPL PHILIPPINES, INC.	CHLOROTHALONIL	ALTERNIL 720 SC	720 g/L	SC	FUNGICIDE	4	562-118-4828	16-Jun-24	-	Mango	Anthracoese, diploidia rot	0.75-5.40 L/ha or 4.5-6.0 Tbsp/36 L	0.5 mg/kg	7-14 days	Do not enter treatment areas until spray deposit have dried
UPL PHILIPPINES, INC.	CHLOROTHALONIL	ALTERNIL 720 SC	720 g/L	SC	FUNGICIDE	4	562-118-4828	16-Jun-24	-	Ornamentals	Black spot, powdery mildew, black rot	1.13-1.90 L/ha or 4.5-6.0 Tbsp/36L	-	7-14 days	Do not enter treatment areas until spray deposit have dried

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
UPL PHILIPPINES, INC.	CHLOROTHALONIL	ALTERNIL 720 SC	720 g/L	SC	FUNGICIDE	4	160-118-4828	16-Jun-24	-	Asparagus	Stem and leaf blight	1.80L/ha	-	7-14 days	Do not enter treatment areas until spray deposit has dried
UPL PHILIPPINES, INC.	CHLOROTHALONIL	ALTERNIL 720 SC	720 g/L	SC	FUNGICIDE	4	160-118-4828	16-Jun-24	-	Banana	Black Sigatoka	1-2 L/ha	2.0 mg/kg	0 day	Do not enter treatment areas until spray deposit has dried
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	CARTAP HYDROCHLORIDE	ALTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	376-106-2256	27-Oct-26	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	1.0-5.0Tbsp/16L water	0.2ppm	-	Enter the treated field 48 hours after spraying
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	CARTAP HYDROCHLORIDE	ALTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	376-106-2256	27-Oct-26	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16L water	-	-	Enter the treated field 48 hours after spraying
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	CARTAP HYDROCHLORIDE	ALTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	376-106-2256	27-Oct-26	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16L water	-	-	Enter the treated field 48 hours after spraying
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	CARTAP HYDROCHLORIDE	ALTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	376-106-2256	27-Oct-26	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/16L water	-	-	Enter the treated field 48 hours after spraying
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	CARTAP HYDROCHLORIDE	ALTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	376-106-2256	27-Oct-26	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/16L water	-	-	Enter the treated field 48 hours after spraying
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	CARTAP HYDROCHLORIDE	ALTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	376-106-2256	27-Oct-26	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/16L water	-	-	Enter the treated field 48 hours after spraying
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	CARTAP HYDROCHLORIDE	ALTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	376-106-2256	27-Oct-26	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/16L water	-	-	Enter the treated field 48 hours after spraying
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	CARTAP HYDROCHLORIDE	ALTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	376-106-2256	27-Oct-26	SYSTEMIC	Mango	leafhoppers	1.5-2.0Tbsp/16L water	-	-	Enter the treated field 48 hours after spraying
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	CARTAP HYDROCHLORIDE	ALTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	376-106-2256	27-Oct-26	SYSTEMIC	Peachay	looper, cutworm, aphids	1.5-3.0Tbsp/16L water	-	-	Enter the treated field 48 hours after spraying
BAYER CROSCIENCE, INC.	CHLORANTHRANILIPROLE	ALTACOR 35 WG	350 g/kg	WG	INSECTICIDE	4	284-393-4858	18-Mar-25	-	Rice	Stemborer	85.7 gms. prod/ha (85.7 gms prod/16L)	(8.57	70 days	-
VANN HAWK AGRO CHEMICALS, INC.	ABAMECTIN	ALPHAMECTIN 1.8 EC	180 g/L	EC	INSECTICIDE	2	295-234-4058	07-Jun-24	-	Banana	Blossom thrips	4.5 mL/Liter	-	0 day	Re-enter treated area only after spray has dried
VANN HAWK AGRO CHEMICALS, INC.	ABAMECTIN	ALPHAMECTIN 1.8 EC	180 g/L	EC	INSECTICIDE	2	295-234-4058	07-Jun-24	-	Cabbage	Diamond back moth	20ml/16L water	-	-	Re-enter treated area only after spray has dried
VANN HAWK AGRO CHEMICALS, INC.	ABAMECTIN	ALPHAMECTIN 1.8 EC	180 g/L	EC	INSECTICIDE	2	295-234-4058	07-Jun-24	-	Ornamentals	Mites	-	-	-	Re-enter treated area only after spray has dried
VANN HAWK AGRO CHEMICALS, INC.	ABAMECTIN	ALPHAMECTIN 1.8 EC	180 g/L	EC	INSECTICIDE	2	295-234-4058	07-Jun-24	-	Pineapple	Mites	-	-	-	Re-enter treated area only after spray has dried
VANN HAWK AGRO CHEMICALS, INC.	ABAMECTIN	ALPHAMECTIN 1.8 EC	180 g/L	EC	INSECTICIDE	2	295-234-4058	07-Jun-24	-	Eggplant	Thrips, leafhopper, fruit and shoot borer	-	-	-	Re-enter treated area only after spray has dried
VANN HAWK AGRO CHEMICALS, INC.	ABAMECTIN	ALPHAMECTIN 1.8 EC	180 g/L	EC	INSECTICIDE	2	295-234-4058	07-Jun-24	-	Onion	leafminer, thrips	-	-	-	Re-enter treated area only after spray has dried
VANN HAWK AGRO CHEMICALS, INC.	ABAMECTIN	ALPHAMECTIN 1.8 EC	180 g/L	EC	INSECTICIDE	2	295-234-4058	07-Jun-24	-	Potato	leafminer, thrips	-	-	-	Re-enter treated area only after spray has dried
VANN HAWK AGRO CHEMICALS, INC.	ABAMECTIN	ALPHAMECTIN 1.8 EC	180 g/L	EC	INSECTICIDE	2	295-234-4058	07-Jun-24	-	Tomato	leafminer, thrips, aphids	-	-	-	Re-enter treated area only after spray has dried
VANN HAWK AGRO CHEMICALS, INC.	ABAMECTIN	ALPHAMECTIN 1.8 EC	180 g/L	EC	INSECTICIDE	2	295-234-4058	07-Jun-24	-	Watermelon	leafminer, thrips, melonworm	-	-	-	Re-enter treated area only after spray has dried
VANN HAWK AGRO CHEMICALS, INC.	ABAMECTIN	ALPHAMECTIN 1.8 EC	180 g/L	EC	INSECTICIDE	2	295-234-4058	07-Jun-24	-	Papaya	Mites	-	-	-	Re-enter treated area only after spray has dried
VANN HAWK AGRO CHEMICALS, INC.	ABAMECTIN	ALPHAMECTIN 1.8 EC	180 g/L	EC	INSECTICIDE	2	295-234-4058	07-Jun-24	-	Strawberry	Mites	-	-	-	Re-enter treated area only after spray has dried
RISOLUTIONS INTERNATIONAL CORPORATION	ALPHA-CYPERMETHRIN	ALPHAMAX 10 EC	100 g/L	EC	INSECTICIDE	2	185-274-9715	19-May-23	-	Rice	Whorl maggots, stemborer, rice bug, leaf hopper, brown planthopper and leafhopper	12.5 mL prod. / 36 L or 125 mL prod. / 36 L	-	-	Crops treated with Alphamax can be harvested three (3) days after spray application
VANN HAWK AGRO CHEMICALS, INC.	PIRACLOSTROBIN	ALPHAHAWK 25 EC	250 g/L	EC	FUNGICIDE	2	295-396-6164 (694)	17-May-26	-	Corn	Leaf spot	0.4L/ha	-	4 days	As soon as solution has dried up
VANN HAWK AGRO CHEMICALS, INC.	PIRACLOSTROBIN	ALPHAHAWK 25 EC	250 g/L	EC	FUNGICIDE	2	295-396-6164 (694)	17-May-26	-	Banana	Black Sigatoka freckles	0.4 L/ha	-	4 days	As soon as solution has dried up
RAMGO INTERNATIONAL CORPORATION	FOSETYL-ALUMINUM	ALQUETTE 80 WP	800 g/kg	WP	FUNGICIDE	4	570-154-5502	03-Jul-25	SYSTEMIC	Pineapple	Heart rot	-	-	-	-
RAMGO INTERNATIONAL CORPORATION	FOSETYL-ALUMINUM	ALQUETTE 80 WP	800 g/kg	WP	FUNGICIDE	4	570-154-5502	03-Jul-25	SYSTEMIC	Coconut	Wet-bud rot, nut rot	-	-	-	-
RAMGO INTERNATIONAL CORPORATION	FOSETYL-ALUMINUM	ALQUETTE 80 WP	800 g/kg	WP	FUNGICIDE	4	570-154-5502	03-Jul-25	SYSTEMIC	Rubber	Black stripe	-	-	-	-
RAMGO INTERNATIONAL CORPORATION	FOSETYL-ALUMINUM	ALQUETTE 80 WP	800 g/kg	WP	FUNGICIDE	4	570-154-5502	03-Jul-25	SYSTEMIC	Cacao	Black pod	-	-	-	-
RAMGO INTERNATIONAL CORPORATION	FOSETYL-ALUMINUM	ALQUETTE 80 WP	800 g/kg	WP	FUNGICIDE	4	570-154-5502	03-Jul-25	SYSTEMIC	Orchids	Black rot	-	-	-	-
RAMGO INTERNATIONAL CORPORATION	FOSETYL-ALUMINUM	ALQUETTE 80 WP	800 g/kg	WP	FUNGICIDE	4	570-154-5502	03-Jul-25	SYSTEMIC	Asparagus	Crown & spear rot	-	-	-	-
CORTEVA ASIA PACIFIC INC. PHILIPPINE BRANCH	METSULFURON METHYL-CHLORIMURON ETHYL	ALMX 20 WP	100 g/kg-100 g/L	WP	HERBICIDE	4	014-298-0793	01-Mar-24	POST-EMERGENT	Rice (Direct seeded)	Broadleaf weeds & sedges	5-10 Tankloads/ha (14L sprayer); 1-2 of sachet/Tankload	g	-	As soon as the spray mist dries up
CORTEVA ASIA PACIFIC INC. PHILIPPINE BRANCH	METSULFURON METHYL-CHLORIMURON ETHYL	ALMX 20 WP	100 g/kg-100 g/L	WP	HERBICIDE	4	014-298-0793	01-Mar-24	POST-EMERGENT	Rice (Transplanted)	Broadleaf weeds & sedges	5-10 Tankloads/ha (14L sprayer); 1-2 of sachet/Tankload	g	-	As soon as the spray mist dries up
INTERBORORA INC.	DIFENOCONAZOLE-PROPICONAZOLE	ALLWIN 300 EC	150 g/L+150 g/L	EC	FUNGICIDE	3	664-325-5375	26-Mar-24	SYSTEMIC	Rice	Sheath-Blight	-	-	-	-
INTERBORORA INC.	DIFENOCONAZOLE-PROPICONAZOLE	ALLWIN 300 EC	150 g/L+150 g/L	EC	FUNGICIDE	3	664-325-5375	26-Mar-24	SYSTEMIC	Corn	Banded leaf,sheath blight,ear rot,leaf blight & rust	-	-	-	-
UNITED AGRO TRADE CORPORATION	AZOXYSTROBIN	ALLSTAR 25 SC	250 g/L	SC	FUNGICIDE	4	264-309-5273	17-Mar-26	-	Mango	Anthraxnose, scab, stem-end rot	6-8/300L water	-	Do not spray 3-7 days before harvest	Re-entry to treated areas is allowed as soon as spray dried up
UNITED AGRO TRADE CORPORATION	AZOXYSTROBIN	ALLSTAR 25 SC	250 g/L	SC	FUNGICIDE	4	264-309-5273	17-Mar-26	-	Watermelon	Damping off, leaf spot, anthracnose, downy, mildew, powdery mildew	1-2 Tbsp/ 16 L water	-	Do not spray 3-7 days before harvest	Re-entry to treated areas is allowed as soon as spray dried up
UNITED AGRO TRADE CORPORATION	AZOXYSTROBIN	ALLSTAR 25 SC	250 g/L	SC	FUNGICIDE	4	264-309-5273	17-Mar-26	-	Onion	Basal/ bulb rot	1-2 Tbsp/ 16 L water	-	Do not spray 3-7 days before harvest	Re-entry to treated areas is allowed as soon as spray dried up
UNITED AGRO TRADE CORPORATION	AZOXYSTROBIN	ALLSTAR 25 SC	250 g/L	SC	FUNGICIDE	4	264-309-5273	17-Mar-26	-	Tomato	Late/ early blight, powdery mildew	0.5-1 Tbsp/ 16 L water	-	Do not spray 3-7 days before harvest	Re-entry to treated areas is allowed as soon as spray dried up
UNITED AGRO TRADE CORPORATION	AZOXYSTROBIN	ALLSTAR 25 SC	250 g/L	SC	FUNGICIDE	4	264-309-5273	17-Mar-26	-	Corn	Sheath blight, leaf spot, leaf rust, ear rot	1-3 Tbsp/16L water	-	Do not spray 3-7 days before harvest	Re-entry to treated areas is allowed as soon as spray dried up
UNITED AGRO TRADE CORPORATION	AZOXYSTROBIN	ALLSTAR 25 SC	250 g/L	SC	FUNGICIDE	4	264-309-5273	17-Mar-26	-	Asparagus	Stem blight, leaf blight, fusarium wilt	1-3 Tbsp/16L water	-	Do not spray 3-7 days before harvest	Re-entry to treated areas is allowed as soon as spray dried up
PINE VALLEY CORPORATION	DIFENOCONAZOLE	ALLGROW TRIZOLE 250 EC	250 g/L	EC	FUNGICIDE	4	643-272-5381	22-Nov-21	SYSTEMIC	Banana	Black Sigatoka	0.30-0.40L prod/ha	-	-	-
PINE VALLEY CORPORATION	DIFENOCONAZOLE	ALLGROW TRIZOLE 250 EC	250 g/L	EC	FUNGICIDE	4	643-272-5381	22-Nov-21	SYSTEMIC	Mango	Anthraxnose	0.528-0.88 L/ha	-	-	-
PINE VALLEY CORPORATION	DIFENOCONAZOLE	ALLGROW TRIZOLE 250 EC	250 g/L	EC	FUNGICIDE	4	643-272-5381	22-Nov-21	SYSTEMIC	Rice	Sheath-Blight	0.25-0.30L/ha	-	-	-
PINE VALLEY CORPORATION	DIFENOCONAZOLE	ALLGROW TRIZOLE 250 EC	250 g/L	EC	FUNGICIDE	4	643-272-5381	22-Nov-21	SYSTEMIC	Stringbeans	Leaf spot	0.20-0.30 L/ha	-	-	-
PINE VALLEY CORPORATION	DIFENOCONAZOLE	ALLGROW TRIZOLE 250 EC	250 g/L	EC	FUNGICIDE	4	643-272-5381	22-Nov-21	SYSTEMIC	Eggplant	Leaf Spot	0.20-0.30L/ha	-	-	-
PINE VALLEY CORPORATION	DIFENOCONAZOLE	ALLGROW TRIZOLE 250 EC	250 g/L	EC	FUNGICIDE	4	643-272-5381	22-Nov-21	SYSTEMIC	Tomato	Alternaria leaf spot, cercospora leafmold,powdery mil dew	0.20-0.30 L/ha	-	-	-
PINE VALLEY CORPORATION	DIFENOCONAZOLE	ALLGROW TRIZOLE 250 EC	250 g/L	EC	FUNGICIDE	4	643-272-5381	22-Nov-21	SYSTEMIC	Cabbage	Ringspot,alternaria	0.20-0.30L/ha	-	-	-
PINE VALLEY CORPORATION	DIFENOCONAZOLE	ALLGROW TRIZOLE 250 EC	250 g/L	EC	FUNGICIDE	4	643-272-5381	22-Nov-21	SYSTEMIC	Onion	Purple blotch	0.40-0.50L/ha	-	-	-
PINE VALLEY CORPORATION	DIFENOCONAZOLE	ALLGROW TRIZOLE 250 EC	250 g/L	EC	FUNGICIDE	4	643-272-5381	22-Nov-21	SYSTEMIC	Asparagus	Stem and leaf blight	0.36 L/ha	-	-	-
PINE VALLEY CORPORATION	LAMBDA-CHYALOTHIRIN	ALLGROW KATRIRA 2.5 EC	25 g/L	EC	INSECTICIDE	2	643-204-5380	22-May-25	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leafroller, black bug	1.0-1.5Tbsp/16L of water	0.05ppm	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
PINE VALLEY CORPORATION	LAMBDA-CHYALOTHIRIN	ALLGROW KATRIRA 2.5 EC	25 g/L	EC	INSECTICIDE	2	643-204-5380	22-May-25	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
PINE VALLEY CORPORATION	LAMBDA-CHYALOTHIRIN	ALLGROW KATRIRA 2.5 EC	25 g/L	EC	INSECTICIDE	2	643-204-5380	22-May-25	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/16L of water	-	1 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
PINE VALLEY CORPORATION	LAMBDA-CHYALOTHIRIN	ALLGROW KATRIRA 2.5 EC	25 g/L	EC	INSECTICIDE	2	643-204-5380	22-May-25	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
PINE VALLEY CORPORATION	LAMBDA-CHYALOTHIRIN	ALLGROW KATRIRA 2.5 EC	25 g/L	EC	INSECTICIDE	2	643-204-5380	22-May-25	SYSTEMIC	Mungbeans	Beanyfly, flea beetle, leafhopper, aphids, mites, podborer	1.0Tbsp/16L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
PINE VALLEY CORPORATION	LAMBDA-CHYALOTHRIN	ALLGROW KATRINA 2.5 EC	25 g/L	EC	INSECTICIDE	2	643-204-5380	22-May-25	SYSTEMIC	Corn	Comborer, aphids, seedling maggots	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
PINE VALLEY CORPORATION	LAMBDA-CHYALOTHRIN	ALLGROW KATRINA 2.5 EC	25 g/L	EC	INSECTICIDE	2	643-204-5380	22-May-25	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
PINE VALLEY CORPORATION	LAMBDA-CHYALOTHRIN	ALLGROW KATRINA 2.5 EC	25 g/L	EC	INSECTICIDE	2	643-204-5380	22-May-25	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/16 L of water	-	1 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
PINE VALLEY CORPORATION	LAMBDA-CHYALOTHRIN	ALLGROW KATRINA 2.5 EC	25 g/L	EC	INSECTICIDE	2	643-204-5380	22-May-25	SYSTEMIC	Cocoa	Podborer	1.0-2.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
PINE VALLEY CORPORATION	LAMBDA-CHYALOTHRIN	ALLGROW KATRINA 2.5 EC	25 g/L	EC	INSECTICIDE	2	643-204-5380	22-May-25	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/16 L of water	-	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
VANN HAWK AGRO CHEMICALS, INC.	FLUAZIFOP-P-BUTYL	ALLICIDE 150 EC	150 g/L	EC	HERBICIDE	4	295-212-4482	13-Aug-24	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Banana	Grasses, Icthrass, goosegrass, sour papalum, crabgrasses, bermuda grass & crowfoot grass	30-50ml/16 L sprayload	-	-	-
VANN HAWK AGRO CHEMICALS, INC.	FLUAZIFOP-P-BUTYL	ALLICIDE 150 EC	150 g/L	EC	HERBICIDE	4	295-212-4482	13-Aug-24	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Cacao	Grasses, Icthrass, goosegrass, sour papalum, crabgrasses, bermuda grass & crowfoot grass	30-50ml/16 L sprayload	-	-	-
VANN HAWK AGRO CHEMICALS, INC.	FLUAZIFOP-P-BUTYL	ALLICIDE 150 EC	150 g/L	EC	HERBICIDE	4	295-212-4482	13-Aug-24	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Citrus	Grasses, Icthrass, goosegrass, sour papalum, crabgrasses, bermuda grass & crowfoot grass	30-50ml/16 L sprayload	-	-	-
VANN HAWK AGRO CHEMICALS, INC.	FLUAZIFOP-P-BUTYL	ALLICIDE 150 EC	150 g/L	EC	HERBICIDE	4	295-212-4482	13-Aug-24	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Cotton	Grasses, Icthrass, goosegrass, sour papalum, crabgrasses, bermuda grass & crowfoot grass	30-50ml/16 L sprayload	-	-	-
VANN HAWK AGRO CHEMICALS, INC.	FLUAZIFOP-P-BUTYL	ALLICIDE 150 EC	150 g/L	EC	HERBICIDE	4	295-212-4482	13-Aug-24	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Oil palm	Grasses, Icthrass, goosegrass, sour papalum, crabgrasses, bermuda grass & crowfoot grass	30-50ml/16 L sprayload	-	-	-
VANN HAWK AGRO CHEMICALS, INC.	FLUAZIFOP-P-BUTYL	ALLICIDE 150 EC	150 g/L	EC	HERBICIDE	4	295-212-4482	13-Aug-24	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Onion	Grasses, Icthrass, goosegrass, sour papalum, crabgrasses, bermuda grass & crowfoot grass	30-50ml/16 L sprayload	-	-	-
VANN HAWK AGRO CHEMICALS, INC.	FLUAZIFOP-P-BUTYL	ALLICIDE 150 EC	150 g/L	EC	HERBICIDE	4	295-212-4482	13-Aug-24	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Pineapple	Grasses, Icthrass, goosegrass, sour papalum, crabgrasses, bermuda grass & crowfoot grass	30-50ml/16 L sprayload	-	-	-
VANN HAWK AGRO CHEMICALS, INC.	FLUAZIFOP-P-BUTYL	ALLICIDE 150 EC	150 g/L	EC	HERBICIDE	4	295-212-4482	13-Aug-24	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Ramie	Grasses, Icthrass, goosegrass, sour papalum, crabgrasses, bermuda grass & crowfoot grass	30-50ml/16 L sprayload	-	-	-
VANN HAWK AGRO CHEMICALS, INC.	FLUAZIFOP-P-BUTYL	ALLICIDE 150 EC	150 g/L	EC	HERBICIDE	4	295-212-4482	13-Aug-24	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Rubber	Grasses, Icthrass, goosegrass, sour papalum, crabgrasses, bermuda grass & crowfoot grass	30-50ml/16 L sprayload	-	-	-
VANN HAWK AGRO CHEMICALS, INC.	FLUAZIFOP-P-BUTYL	ALLICIDE 150 EC	150 g/L	EC	HERBICIDE	4	295-212-4482	13-Aug-24	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Soybeans	Grasses, Icthrass, goosegrass, sour papalum, crabgrasses, bermuda grass & crowfoot grass	30-50ml/16 L sprayload	-	-	-
VANN HAWK AGRO CHEMICALS, INC.	FLUAZIFOP-P-BUTYL	ALLICIDE 150 EC	150 g/L	EC	HERBICIDE	4	295-212-4482	13-Aug-24	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Tomato	Grasses, Icthrass, goosegrass, sour papalum, crabgrasses, bermuda grass & crowfoot grass	30-50ml/16 L sprayload	-	-	-
VANN HAWK AGRO CHEMICALS, INC.	FLUAZIFOP-P-BUTYL	ALLICIDE 150 EC	150 g/L	EC	HERBICIDE	4	295-212-4482	13-Aug-24	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Cassava	Annual & Perennial grass weeds	30-50ml/16 L sprayload	-	-	-
TRANS WORLD TRADING CO., INC.	GLUFOSINATE AMMONIUM	ALL WEED 15 SL	150 g/L	SL	HERBICIDE	4	038-182-4347	28-Aug-24	NON-SELECTIVE(POST-EMERGENT)	Rubber	Annual grasses, perennial grasses and broadleaf weeds	215ml/16 L water, 270ml/16 L water, 150ml/16 L water	-	-	After spray deposits have dried.
TRANS WORLD TRADING CO., INC.	GLUFOSINATE AMMONIUM	ALL WEED 15 SL	150 g/L	SL	HERBICIDE	4	038-182-4347	28-Aug-24	NON-SELECTIVE(POST-EMERGENT)	Oil palm	Annual grasses, perennial grasses and broadleaf weeds	360ml/16 L water, 135ml/16 L water	-	-	After spray deposits have dried.
TRANS WORLD TRADING CO., INC.	GLUFOSINATE AMMONIUM	ALL WEED 15 SL	150 g/L	SL	HERBICIDE	4	038-182-4347	28-Aug-24	NON-SELECTIVE(POST-EMERGENT)	Non-crop areas	Annual grasses, perennial grasses and broadleaf weeds	360-215ml/16 L water	-	-	After spray deposits have dried.
TRANS WORLD TRADING CO., INC.	GLUFOSINATE AMMONIUM	ALL WEED 15 SL	150 g/L	SL	HERBICIDE	4	038-182-4347	28-Aug-24	NON-SELECTIVE(POST-EMERGENT)	Coffee	Annual grasses, perennial grasses and broadleaf weeds	360ml/16 L water, 135ml/16 L water	-	-	After spray deposits have dried.
TRANS WORLD TRADING CO., INC.	GLUFOSINATE AMMONIUM	ALL WEED 15 SL	150 g/L	SL	HERBICIDE	4	038-182-4347	28-Aug-24	NON-SELECTIVE(POST-EMERGENT)	Citrus	Annual grasses, perennial grasses and broadleaf weeds	360ml/16 L water, 135ml/16 L water	-	-	After spray deposits have dried.
TRANS WORLD TRADING CO., INC.	GLUFOSINATE AMMONIUM	ALL WEED 15 SL	150 g/L	SL	HERBICIDE	4	038-182-4347	28-Aug-24	NON-SELECTIVE(POST-EMERGENT)	Cavendish Banana	Annual grasses, perennial grasses and broadleaf weeds	360ml/16 L water, 135-200ml/16 L water	0.2 mg/kg	-	After spray deposits have dried.
TRANS WORLD TRADING CO., INC.	GLUFOSINATE AMMONIUM	ALL WEED 15 SL	150 g/L	SL	HERBICIDE	4	038-182-4347	28-Aug-24	NON-SELECTIVE(POST-EMERGENT)	Cacao	Annual grasses, perennial grasses and broadleaf weeds	360ml/16 L water, 135ml/16 L water	-	-	After spray deposits have dried.
EVERLAND AGRI CORPORATION	CARTAP HYDROCHLORIDE	ALL OUT 50 SP	500 g/kg	SP	INSECTICIDE	3	261-106-1989	17-Oct-21	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.0-5.0Tbsp/16 L water	0.2ppm	Stop spraying 10 days before harvest	
EVERLAND AGRI CORPORATION	CARTAP HYDROCHLORIDE	ALL OUT 50 SP	500 g/kg	SP	INSECTICIDE	3	261-106-1989	17-Oct-21	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	-	-	
EVERLAND AGRI CORPORATION	CARTAP HYDROCHLORIDE	ALL OUT 50 SP	500 g/kg	SP	INSECTICIDE	3	261-106-1989	17-Oct-21	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/16 L water	-	-	
EVERLAND AGRI CORPORATION	CARTAP HYDROCHLORIDE	ALL OUT 50 SP	500 g/kg	SP	INSECTICIDE	3	261-106-1989	17-Oct-21	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/16 L water	-	-	
EVERLAND AGRI CORPORATION	CARTAP HYDROCHLORIDE	ALL OUT 50 SP	500 g/kg	SP	INSECTICIDE	3	261-106-1989	17-Oct-21	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	-	
EVERLAND AGRI CORPORATION	CARTAP HYDROCHLORIDE	ALL OUT 50 SP	500 g/kg	SP	INSECTICIDE	3	261-106-1989	17-Oct-21	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/16 L water	-	-	
EVERLAND AGRI CORPORATION	CARTAP HYDROCHLORIDE	ALL OUT 50 SP	500 g/kg	SP	INSECTICIDE	3	261-106-1989	17-Oct-21	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/16 L water	-	-	
EVERLAND AGRI CORPORATION	CARTAP HYDROCHLORIDE	ALL OUT 50 SP	500 g/kg	SP	INSECTICIDE	3	261-106-1989	17-Oct-21	SYSTEMIC	Mango	leafhoppers	1.5-2.0Tbsp/16 L water	-	-	
EVERLAND AGRI CORPORATION	CARTAP HYDROCHLORIDE	ALL OUT 50 SP	500 g/kg	SP	INSECTICIDE	3	261-106-1989	17-Oct-21	SYSTEMIC	Peachy	lonper, cutworm, aphids	1.5-3.0Tbsp/16 L water	-	-	
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	MANCOZEB	ALJAY MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	376-051-4056	12-Feb-22		Potato	Early and late blight	3-6 Tbsp/16 L water			
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	MANCOZEB	ALJAY MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	376-051-4056	12-Feb-22		Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water			
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	MANCOZEB	ALJAY MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	376-051-4056	12-Feb-22		Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water			
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	MANCOZEB	ALJAY MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	376-051-4056	12-Feb-22		Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water			
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	MANCOZEB	ALJAY MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	376-051-4056	12-Feb-22		Celery	Late blight	3-6 Tbsp/16 L water			
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	MANCOZEB	ALJAY MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	376-051-4056	12-Feb-22		Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water			
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	MANCOZEB	ALJAY MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	376-051-4056	12-Feb-22		Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water			
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	MANCOZEB	ALJAY MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	376-051-4056	12-Feb-22		Cotton	Damping off	3-6 Tbsp/16 L water			
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	MANCOZEB	ALJAY MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	376-051-4056	12-Feb-22		Lettuce	Downy mildew	3-6 Tbsp/16 L water			
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	MANCOZEB	ALJAY MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	376-051-4056	12-Feb-22		Beans	Anthracoese, Downy mildew, Rust	3-6 Tbsp/16 L water			
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	MANCOZEB	ALJAY MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	376-051-4056	12-Feb-22		Peas	Anthracoese, Downy mildew, Rust	3-6 Tbsp/16 L water			
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	MANCOZEB	ALJAY MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	376-051-4056	12-Feb-22		Mungo	Anthracoese, Downy mildew, Rust	3-6 Tbsp/16 L water			
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	MANCOZEB	ALJAY MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	376-051-4056	12-Feb-22		Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16 L water			
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	MANCOZEB	ALJAY MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	376-051-4056	12-Feb-22		Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water			
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	MANCOZEB	ALJAY MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	376-051-4056	12-Feb-22		Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water			
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	MANCOZEB	ALJAY MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	376-051-4056	12-Feb-22		Pepper	Anthracoese	3-6 Tbsp/16 L water			
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	MANCOZEB	ALJAY MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	376-051-4056	12-Feb-22		Chili	Anthracoese	3-6 Tbsp/16 L water			
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	MANCOZEB	ALJAY MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	376-051-4056	12-Feb-22		Eggplant	Blight, Anthracnose	3-6 Tbsp/16 L water			
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	MANCOZEB	ALJAY MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	376-051-4056	12-Feb-22		Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16 L water			
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	MANCOZEB	ALJAY MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	376-051-4056	12-Feb-22		Grapes	Downy mildew, black rot	3-6 Tbsp/16 L water			
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	MANCOZEB	ALJAY MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	376-051-4056	12-Feb-22		Mango	Anthracoese and Scab	3-6 Tbsp/16 L water			
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	MANCOZEB	ALJAY MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	376-051-4056	12-Feb-22		Papaya	Fruit rot	3-6 Tbsp/16 L water			
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	MANCOZEB	ALJAY MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	376-051-4056	12-Feb-22		Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water			

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD	
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	MANCOZEB	ALJAY MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	376-053-4656	12-Feb-22		Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water				
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	MANCOZEB	ALJAY MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	376-053-4656	12-Feb-22		Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/36 L water				
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	MANCOZEB	ALJAY MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	376-053-4656	12-Feb-22		Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/36 L water	0.03ppm			
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	MANCOZEB	ALJAY MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	376-053-4656	12-Feb-22		Peanut	Cercospora leaf spot	3-6 Tbsp/36 L water				
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	MANCOZEB	ALJAY MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	376-053-4656	12-Feb-22		Soybeans	Leaf rust	3-6 Tbsp/36 L water				
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	MANCOZEB	ALJAY MANCOZEB 80 WP	800g/kg	WP	FUNGICIDE	4	376-053-4656	12-Feb-22		Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/36 L water				
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	MALATHION	ALJAY MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	376-038-2508	11-Nov-24	NON-SYSTEMIC	Fruit trees	Aphids, mealy bug scale insect	1.5-3.0Tbsp/36 L water		One (1) day after each application	One (1) day after each application	
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	MALATHION	ALJAY MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	376-038-2508	11-Nov-24	NON-SYSTEMIC	Rice	Armyworm, caseworm, leafhopper, bugs	2.0-3.0Tbsp/36 L water		One (1) day after each application	One (1) day after each application	
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	MALATHION	ALJAY MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	376-038-2508	11-Nov-24	NON-SYSTEMIC	Corn	Earworm, silkworm, aphids, grasshopper	3.0-5.0Tbsp/36 L water		One (1) day after each application	One (1) day after each application	
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	MALATHION	ALJAY MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	376-038-2508	11-Nov-24	NON-SYSTEMIC	Cabbage	Cabbage worm, loopers, diamond back moth	2.0-5.0Tbsp/36 L water		One (1) day after each application	One (1) day after each application	
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	MALATHION	ALJAY MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	376-038-2508	11-Nov-24	NON-SYSTEMIC	Legumes	Aphids, beanfly, cutworm, flea beetles, leafminer, maggots, mealybug, podborer, thrips	2.0-5.0Tbsp/36 L water		One (1) day after each application	One (1) day after each application	
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	MALATHION	ALJAY MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	376-038-2508	11-Nov-24	NON-SYSTEMIC	Grapes	Beetles, cutworm, leafhopper, mealybug, scale, insect, spider mites	3.0Tbsp/36 L water		One (1) day after each application	One (1) day after each application	
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	MALATHION	ALJAY MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	376-038-2508	11-Nov-24	NON-SYSTEMIC	Pineapple	Mealy bug	3.0Tbsp/36 L water		One (1) day after each application	One (1) day after each application	
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	MALATHION	ALJAY MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	376-038-2508	11-Nov-24	NON-SYSTEMIC	Pepper	Aphid, cutworm, fruitworm	3.0Tbsp/36 L water		One (1) day after each application	One (1) day after each application	
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	MALATHION	ALJAY MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	376-038-2508	11-Nov-24	NON-SYSTEMIC	Garlic	Cutworm	3.0Tbsp/36 L water		One (1) day after each application	One (1) day after each application	
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	MALATHION	ALJAY MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	376-038-2508	11-Nov-24	NON-SYSTEMIC	Onion	Cutworm	3.0Tbsp/36 L water		One (1) day after each application	One (1) day after each application	
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	MALATHION	ALJAY MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	376-038-2508	11-Nov-24	NON-SYSTEMIC	Tobacco	Aphids, katydid	3.0-6.0Tbsp/36 L water		One (1) day after each application	One (1) day after each application	
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	MALATHION	ALJAY MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	376-038-2508	11-Nov-24	NON-SYSTEMIC	Ornamentals	Aphids, cutworm, mealybug, scale insect, spider mites	3.0-5.0Tbsp/36 L water		One (1) day after each application	One (1) day after each application	
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	MALATHION	ALJAY MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	376-038-2508	11-Nov-24	NON-SYSTEMIC	Tomato	Lady beetle	3.0-5.0Tbsp/36 L water		One (1) day after each application	One (1) day after each application	
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	MALATHION	ALJAY MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	376-038-2508	11-Nov-24	NON-SYSTEMIC	Eggplant	Aphids, fruitworm	3.0-5.0Tbsp/36 L water		One (1) day after each application	One (1) day after each application	
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	MALATHION	ALJAY MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	376-038-2508	11-Nov-24	NON-SYSTEMIC	Sorghum	Web worm	3.0Tbsp/36 L water		One (1) day after each application	One (1) day after each application	
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	ATRAZINE	ALJAY ATRAZINE 80 WP	800g/kg	WP	HERBICIDE	4	376-060-4657	12-Feb-25	SELECTIVE (PRE-EMERGENT)	Corn	Annual grasses and broadleaves	8-12Tbsp/36 L water				
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	ATRAZINE	ALJAY ATRAZINE 80 WP	800g/kg	WP	HERBICIDE	4	376-060-4657	12-Feb-25	SELECTIVE (PRE-EMERGENT)	Sorghum	Annual grasses and broadleaves	8-12Tbsp/36 L water				
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	ATRAZINE	ALJAY ATRAZINE 80 WP	800g/kg	WP	HERBICIDE	4	376-060-4657	12-Feb-25	SELECTIVE (PRE-EMERGENT)	Sugarcane	Annual grasses and broadleaves	8-12Tbsp/36 L water				
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	2,4-D AMINE	ALJAY 2,4-D AMINE	400g/L	SL	HERBICIDE	2	376-033-2254	31-Dec-26	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual broadleaves and sedges	3.5-6.5Tbsp/36 L water	0.1 ppm	-	Entry to fields and crops treated with ALJAY 2,4-D AMINE can be done one day after spraying.	
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	2,4-D AMINE	ALJAY 2,4-D AMINE	400g/L	SL	HERBICIDE	2	376-033-2254	31-Dec-26	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual broadleaves and sedges	13-25 Tbsp/36 L water	-	-	Entry to fields and crops treated with ALJAY 2,4-D AMINE can be done one day after spraying.	
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	2,4-D AMINE	ALJAY 2,4-D AMINE	400g/L	SL	HERBICIDE	2	376-033-2254	31-Dec-26	SELECTIVE (POST-EMERGENT)	Corn	Annual broadleaves and sedges	5-6.5 Tbsp/36 L water	-	-	Entry to fields and crops treated with ALJAY 2,4-D AMINE can be done one day after spraying.	
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	2,4-D IBE	ALJAY 2,4-D IBE	490 g/L	EC	HERBICIDE	2	376-049-4204	04-Nov-26	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual Broadleaves & sedges	5.0-6.50Tbsp/36 L water	0.1 ppm	-	Do not spray within 2 days before harvest	
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	2,4-D IBE	ALJAY 2,4-D IBE	490 g/L	EC	HERBICIDE	2	376-049-4204	04-Nov-26	SELECTIVE (POST-EMERGENT)	Corn	Annual Broadleaves & sedges	5.0-6.50Tbsp/36 L water	-	-	Entry to fields and crops treated with ALJAY 2,4-D IBE can be done one day after spraying.	
ALJAY AGRO INDUSTRIAL SOLUTIONS INC.	2,4-D IBE	ALJAY 2,4-D IBE	490 g/L	EC	HERBICIDE	2	376-049-4204	04-Nov-26	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual Broadleaves & sedges	5.0-6.50Tbsp/36 L water	-	-	Entry to fields and crops treated with ALJAY 2,4-D IBE can be done one day after spraying.	
HAULIR PHILIPPINES AGROSERVICE INC.	LAMBDA-CHYALOTHRIN+THIAMETHOXAM	ALUKAM 247 ZC	106 g/L+145g/L	ZC	INSECTICIDE	2	672-395-6027	1-Feb-26	-	Potato	Whiteflies, aphids, thrips	100-200 ml. prod./ha 4.0-6.0 ml. prod./36L	-	-	Do not enter treated fields for at least 1 day after application	
HAULIR PHILIPPINES AGROSERVICE INC.	LAMBDA-CHYALOTHRIN+THIAMETHOXAM	ALUKAM 247 ZC	106 g/L+145g/L	ZC	INSECTICIDE	2	672-395-6027	1-Feb-26	-	Stringbeans	Green leafhopper, aphids, mites	100-200 ml. prod./ha 4.0-6.0 ml. prod./36L	-	-	Do not enter treated fields for at least 1 day after application	
HAULIR PHILIPPINES AGROSERVICE INC.	LAMBDA-CHYALOTHRIN+THIAMETHOXAM	ALUKAM 247 ZC	106 g/L+145g/L	ZC	INSECTICIDE	2	672-395-6027	1-Feb-26	-	Eggplant	Green leafhopper, whiteflies, aphids	100-200 ml. prod./ha 4.0-6.0 ml. prod./36L	-	-	Do not enter treated fields for at least 1 day after application	
HAULIR PHILIPPINES AGROSERVICE INC.	LAMBDA-CHYALOTHRIN+THIAMETHOXAM	ALUKAM 247 ZC	106 g/L+145g/L	ZC	INSECTICIDE	2	672-395-6027	1-Feb-26	-	Bittergourd	Leafhopper, thrips, fruit fly, cutworm	100-200 ml. prod./ha 4.0-12.0 ml. prod./36L	-	-	Do not enter treated fields for at least 1 day after application	
HAULIR PHILIPPINES AGROSERVICE INC.	LAMBDA-CHYALOTHRIN+THIAMETHOXAM	ALUKAM 247 ZC	106 g/L+145g/L	ZC	INSECTICIDE	2	672-395-6027	1-Feb-26	-	Corn	Asiatic corn borer, earworms, cutworm, leafhopper, aphids	100-200 ml. prod./ha 10.0-16.0 ml. prod./36L	-	-	Do not enter treated fields for at least 1 day after application	
HAULIR PHILIPPINES AGROSERVICE INC.	LAMBDA-CHYALOTHRIN+THIAMETHOXAM	ALUKAM 247 ZC	106 g/L+145g/L	ZC	INSECTICIDE	2	672-395-6027	1-Feb-26	-	Mango	Leafhoppers, tip borers, capsid bug, fruit fly, acid fly	20-30 mL/100	-	-	Do not enter treated fields for at least 1 day after application	
HAULIR PHILIPPINES AGROSERVICE INC.	LAMBDA-CHYALOTHRIN+THIAMETHOXAM	ALUKAM 247 ZC	106 g/L+145g/L	ZC	INSECTICIDE	2	672-395-6027	1-Feb-26	-	Banana	Flower Thrips	1-3mL/L	-	-	Do not enter treated fields for at least 1 day after application	
HAULIR PHILIPPINES AGROSERVICE INC.	LAMBDA-CHYALOTHRIN+THIAMETHOXAM	ALUKAM 247 ZC	106 g/L+145g/L	ZC	INSECTICIDE	2	672-395-6027	1-Feb-26	-	Rice	Stemborer	100-200 ml. prod./ha 10.0-16.0 ml. prod./36L	-	-	Do not enter treated fields for at least 1 day after application	
TEAMGRO TRADING CORPORATION	POLYETHYLENE SORBITAN OLEATHPOLYETHYLENE DOSECHL ETHER	AUSOL	250-450 mL/L	-	OTHERS	4	248-348-3648	19-Feb-25	SELECTIVE (POST-EMERGENT)		Surfactant on Razer 10SC	25-30ml/16 L water	-	-	-	
BAYER CROSCIENCE, INC.	INDAZIFLAM	ALION SC 500	500 g/L	SC	HERBICIDE	3	284-429-3021	28-Dec-25	PRE-EMERGENT/CONTACT	Banana	Grasses, sedges and broadleaf weeds	100-150 ml product/ha	0 day	-	May enter treated areas immediately after spray deposits have dried.	
BAYER CROSCIENCE, INC.	INDAZIFLAM	ALION SC 500	500 g/L	SC	HERBICIDE	3	284-429-3021	28-Dec-25	PRE-EMERGENT/CONTACT	Oil palm	Grasses, sedges and broadleaf weeds	90-150 ml product/ha	0.03ppm	0 day	-	May enter treated areas immediately after spray deposits have dried.
BAYER CROSCIENCE, INC.	INDAZIFLAM	ALION SC 500	500 g/L	SC	HERBICIDE	3	284-429-3021	28-Dec-25	PRE-EMERGENT/CONTACT	Rubber	Grasses, sedges and broadleaf weeds	90-150 ml product/ha	0 day	-	May enter treated areas immediately after spray deposits have dried.	
BAYER CROSCIENCE, INC.	INDAZIFLAM	ALION SC 500	500 g/L	SC	HERBICIDE	3	284-429-3021	28-Dec-25	-	Sugarcane	Grasses, sedges and broadleaf weeds	90-100 ml. prod./ha	0.01 mg/kg	90 days	-	May enter treated areas immediately after spray deposits have dried.
SYNGENTA PHILIPPINES INC.	LAMBDA-CHYALOTHRIN+THIAMETHOXAM	ALUKA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	011-395-2150	23-Nov-24	SYSTEMIC/CONTACT	Potato	Whiteflies, aphids, thrips	100-200ml product/ha; 4-6 ml/36 L	0.1 Thiamethoxam; 0.2	7 Days	-	Do not enter treated fields at least 1 Day after application
SYNGENTA PHILIPPINES INC.	LAMBDA-CHYALOTHRIN+THIAMETHOXAM	ALUKA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	011-395-2150	23-Nov-24	SYSTEMIC/CONTACT	Stringbeans	Green Leafhopper, aphids, mites	100-200ml product/ha; 4-6 ml/36 L	0.1 Thiamethoxam; 0.2	7 Days	-	Do not enter treated fields at least 1 Day after application
SYNGENTA PHILIPPINES INC.	LAMBDA-CHYALOTHRIN+THIAMETHOXAM	ALUKA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	011-395-2150	23-Nov-24	SYSTEMIC/CONTACT	Eggplant	Whiteflies, green leafhopper, aphids	100-200ml product/ha; 4-6 ml/36 L	0.2 Thiamethoxam; 0.2	7 Days	-	Do not enter treated fields at least 1 Day after application
SYNGENTA PHILIPPINES INC.	LAMBDA-CHYALOTHRIN+THIAMETHOXAM	ALUKA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	011-395-2150	23-Nov-24	SYSTEMIC/CONTACT	Bittergourd	Leafhoppers, thrips, aphids, fruitfly, cutworm	100-200ml product/ha; 4-13 ml/36L	0.2 Thiamethoxam; 0.2	7 Days	-	Do not enter treated fields at least 1 Day after application
SYNGENTA PHILIPPINES INC.	LAMBDA-CHYALOTHRIN+THIAMETHOXAM	ALUKA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	011-395-2150	23-Nov-24	SYSTEMIC/CONTACT	Mango	Leafhoppers, tipborers, capsid bug, fruitfly, cecid fly	12-24mL/200L	0.1 Thiamethoxam; 0.2	3 Days	-	Do not enter treated fields at least 1 Day after application
SYNGENTA PHILIPPINES INC.	LAMBDA-CHYALOTHRIN+THIAMETHOXAM	ALUKA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	011-395-2150	23-Nov-24	SYSTEMIC/CONTACT	Corn	Asiatic corn borer, cutworm, leafhopper, aphids, earworm	200-400ml product/ha; 10.0-16.0 mL prod/36L	0.05ppm Thiamethoxam; 0.2	3 Days	-	Do not enter treated fields at least 1 Day after application
SYNGENTA PHILIPPINES INC.	LAMBDA-CHYALOTHRIN+THIAMETHOXAM	ALUKA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	011-395-2150	23-Nov-24	SYSTEMIC/CONTACT	Banana	Flower thrips	1-3 mL/L	0.1ppm Thiamethoxam; 0.2	90 days	-	Do not enter treated fields at least 1 Day after application
SYNGENTA PHILIPPINES INC.	LAMBDA-CHYALOTHRIN+THIAMETHOXAM	ALUKA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	011-395-2150	23-Nov-24	SYSTEMIC/CONTACT	Rice	Stemborer, leafhopper, rice bugs	10-30 Tbsp prod/36L	0.5ppm Thiamethoxam	14 Days	-	Do not enter treated fields at least 1 Day after application
SYNGENTA PHILIPPINES INC.	LAMBDA-CHYALOTHRIN+THIAMETHOXAM	ALUKA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	011-395-2150	23-Nov-24	-	Rice	Rice bug (Drone spray application)	100 ml. prod./ha; 15-30 L/ha.	-	-	-	
ELITE AGROCHEMICALS INC.	GLUFOSINATE AMMONIUM	ALION 15 SL	150 g/L	SL	HERBICIDE	4	719-182-6219	6-Feb-26	NON-SELECTIVE (POST-EMERGENT)	Cavendish Banana	Weeds	160mL/ 16L water; 135-200 mL/ 16L water	-	-	-	
ELITE AGROCHEMICALS INC.	GLUFOSINATE AMMONIUM	ALION 15 SL	150 g/L	SL	HERBICIDE	4	719-182-6219	6-Feb-26	NON-SELECTIVE (POST-EMERGENT)	Rubber	Weeds	215 mL/ 16L water; 270 mL/ 16L water; 135 mL/ 16L water	-	-	-	
ELITE AGROCHEMICALS INC.	GLUFOSINATE AMMONIUM	ALION 15 SL	150 g/L	SL	HERBICIDE	4	719-182-6219	6-Feb-26	NON-SELECTIVE (POST-EMERGENT)	Oil palm	Weeds	160mL/ 16L water; 135 mL/ 16L water	-	-	-	
ELITE AGROCHEMICALS INC.	GLUFOSINATE AMMONIUM	ALION 15 SL	150 g/L	SL	HERBICIDE	4	719-182-6219	6-Feb-26	NON-SELECTIVE (POST-EMERGENT)	Non-crops areas	Weeds	160-215 mL/ 16L water	-	-	-	

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
BAYER CROPSCIENCE, INC.	FOSETYL-ALUMINUM	AUETTE 80 WP	800 g/kg	WP	FUNGICIDE	4	284-154-0388	04-Aug-26	SYSTEMIC	Pineapple	Heart rot	6-12 Tbsp/36L	-	90 days	Do not enter treated area before the spray deposits have dried completely
BAYER CROPSCIENCE, INC.	FOSETYL-ALUMINUM	AUETTE 80 WP	800 g/kg	WP	FUNGICIDE	4	284-154-0388	04-Aug-26	SYSTEMIC	Coconut	Wet-bud rot, nut rot	6-12 Tbsp/36L	-	-	Do not enter treated area before the spray deposits have dried completely
BAYER CROPSCIENCE, INC.	FOSETYL-ALUMINUM	AUETTE 80 WP	800 g/kg	WP	FUNGICIDE	4	284-154-0388	04-Aug-26	SYSTEMIC	Rubber	Black stripe	3-6 Tbsp/36L	-	-	Do not enter treated area before the spray deposits have dried completely
BAYER CROPSCIENCE, INC.	FOSETYL-ALUMINUM	AUETTE 80 WP	800 g/kg	WP	FUNGICIDE	4	284-154-0388	04-Aug-26	SYSTEMIC	Cacao	Black pod	6-12 Tbsp/36L	-	-	Do not enter treated area before the spray deposits have dried completely
BAYER CROPSCIENCE, INC.	FOSETYL-ALUMINUM	AUETTE 80 WP	800 g/kg	WP	FUNGICIDE	4	284-154-0388	04-Aug-26	SYSTEMIC	Orchids	Black rot	6-12 Tbsp/36L	-	-	Do not enter treated area before the spray deposits have dried completely
BAYER CROPSCIENCE, INC.	FOSETYL-ALUMINUM	AUETTE 80 WP	800 g/kg	WP	FUNGICIDE	4	284-154-0388	04-Aug-26	SYSTEMIC	Asparagus	Crown & spear rot	12-16 g/36L	-	-	Do not enter treated area before the spray deposits have dried completely
BAYER CROPSCIENCE, INC.	FOSETYL-ALUMINUM	AUETTE 80 WP	800 g/kg	WP	FUNGICIDE	4	284-154-0388	04-Aug-26	SYSTEMIC	Rice	Bacterial leaf blight	1.5-2.0g product/ha	0.05 µg/g	-	Do not enter treated area before the spray deposits have dried completely
AGWAY CHEMICALS CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	ALIAH 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	075-395-4900	25-Sep-25	CONTACT/SYSTEMIC	Potato	Whiteflies, aphids, thrips	100-200ml product/ha, 4-6 ml/36L	0.1 Thiamethoxam; 0.1	7 days	Do not enter treated fields at least 1 Day after application
AGWAY CHEMICALS CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	ALIAH 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	075-395-4900	25-Sep-25	CONTACT/SYSTEMIC	Stringbeans	Green Leafhopper, aphids, mites	100-200ml product/ha, 4-6 ml/36L	0.1 Thiamethoxam; 0.2 (with pod)	7 days	Do not enter treated fields at least 1 Day after application
AGWAY CHEMICALS CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	ALIAH 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	075-395-4900	25-Sep-25	CONTACT/SYSTEMIC	Eggplant	Whiteflies, green leafhopper, aphids	100-200ml product/ha, 4-6 ml/36L	0.2 Thiamethoxam; 0.2	7 days	Do not enter treated fields at least 1 Day after application
AGWAY CHEMICALS CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	ALIAH 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	075-395-4900	25-Sep-25	CONTACT/SYSTEMIC	Bittermelon	Leafhoppers, thrips, aphids, fruitfly, cutworm	100-200ml product/ha, 4-13 ml/36L	0.2 Thiamethoxam; 0.2	7 days	Do not enter treated fields at least 1 Day after application
AGWAY CHEMICALS CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	ALIAH 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	075-395-4900	25-Sep-25	CONTACT/SYSTEMIC	Mango	Leafhoppers, tipborers, capsid bug, fruitfly, cecid fly	12-24ml/200L	0.1 Thiamethoxam; 0.2	3 days	Do not enter treated fields at least 1 Day after application
AGWAY CHEMICALS CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	ALIAH 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	075-395-4900	25-Sep-25	CONTACT/SYSTEMIC	Corn	Asiatic corn-borer, cutworm, leafhopper, aphids, earworm	200-400ml product/ha, 10.0-16.0 ml product/36L	0.05ppm Thiamethoxam	3 days	Do not enter treated fields at least 1 Day after application
AGWAY CHEMICALS CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	ALIAH 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	075-395-4900	25-Sep-25	CONTACT/SYSTEMIC	Banana	Flower thrips	3-5 ml/L	0.0ppm Thiamethoxam	90 days	Do not enter treated fields at least 1 Day after application
AGWAY CHEMICALS CORPORATION	LAMBDA-CYHALOTHRIN+THIAMETHOXAM	ALIAH 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	075-395-4900	25-Sep-25	CONTACT/SYSTEMIC	Rice	Stemborer, leafhopper, rice bugs	10-30 Tbsp prod/36L	0.0ppm Thiamethoxam	14 days	Do not enter treated fields at least 1 Day after application
JOCANIMA CORPORATION	LAMBDA-CYHALOTHRIN	ALERT 2.5 EC	25 g/L	EC	INSECTICIDE	2	241-204-1272	11-Apr-23	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leafroller, black bug	1.0-1.5Tbsp/36 L of water	0.06ppm	3 days	Re-entry to treated fields is allowed as soon as spray deposits dry
JOCANIMA CORPORATION	LAMBDA-CYHALOTHRIN	ALERT 2.5 EC	25 g/L	EC	INSECTICIDE	2	241-204-1272	11-Apr-23	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/36 L of water	0.06ppm	3 days	Re-entry to treated fields is allowed as soon as spray deposits dry
JOCANIMA CORPORATION	LAMBDA-CYHALOTHRIN	ALERT 2.5 EC	25 g/L	EC	INSECTICIDE	2	241-204-1272	11-Apr-23	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/36 L of water	-	3 days	Re-entry to treated fields is allowed as soon as spray deposits dry
JOCANIMA CORPORATION	LAMBDA-CYHALOTHRIN	ALERT 2.5 EC	25 g/L	EC	INSECTICIDE	2	241-204-1272	11-Apr-23	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/36 L of water	-	3 days	Re-entry to treated fields is allowed as soon as spray deposits dry
JOCANIMA CORPORATION	LAMBDA-CYHALOTHRIN	ALERT 2.5 EC	25 g/L	EC	INSECTICIDE	2	241-204-1272	11-Apr-23	SYSTEMIC	Mungbeans	Beanfly, flea beetle, leafhopper, aphids, mites, podborer	1.0Tbsp/36 L of water	-	1 days	Re-entry to treated fields is allowed as soon as spray deposits dry
JOCANIMA CORPORATION	LAMBDA-CYHALOTHRIN	ALERT 2.5 EC	25 g/L	EC	INSECTICIDE	2	241-204-1272	11-Apr-23	SYSTEMIC	Corn	Comborers, aphids, seedling maggots	1.0-1.5Tbsp/36 L of water	-	3 days	Re-entry to treated fields is allowed as soon as spray deposits dry
JOCANIMA CORPORATION	LAMBDA-CYHALOTHRIN	ALERT 2.5 EC	25 g/L	EC	INSECTICIDE	2	241-204-1272	11-Apr-23	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydids	1.0-1.5Tbsp/36 L of water	-	3 days	Re-entry to treated fields is allowed as soon as spray deposits dry
JOCANIMA CORPORATION	LAMBDA-CYHALOTHRIN	ALERT 2.5 EC	25 g/L	EC	INSECTICIDE	2	241-204-1272	11-Apr-23	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/36 L of water	-	3 days	Re-entry to treated fields is allowed as soon as spray deposits dry
JOCANIMA CORPORATION	LAMBDA-CYHALOTHRIN	ALERT 2.5 EC	25 g/L	EC	INSECTICIDE	2	241-204-1272	11-Apr-23	SYSTEMIC	Cocoa	Podborer	1.0-2.0Tbsp/36 L of water	-	3 days	Re-entry to treated fields is allowed as soon as spray deposits dry
JOCANIMA CORPORATION	LAMBDA-CYHALOTHRIN	ALERT 2.5 EC	25 g/L	EC	INSECTICIDE	2	241-204-1272	11-Apr-23	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/36 L of water	-	3 days	Re-entry to treated fields is allowed as soon as spray deposits dry
ISIDORE AGROCHEMICALS, INC.	GLYPHOSATE IPA	ALECTA 480 SL	480 g/L	SL	HERBICIDE	4	576-151-3754	20-Oct-26	POST-EMERGENT	Glyphosate tolerant corn under minimum or reduced	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/ha	-	-	-
ISIDORE AGROCHEMICALS, INC.	GLYPHOSATE IPA	ALECTA 480 SL	480 g/L	SL	HERBICIDE	4	576-151-3754	20-Oct-26	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
ISIDORE AGROCHEMICALS, INC.	GLYPHOSATE IPA	ALECTA 480 SL	480 g/L	SL	HERBICIDE	4	576-151-3754	20-Oct-26	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
ISIDORE AGROCHEMICALS, INC.	GLYPHOSATE IPA	ALECTA 480 SL	480 g/L	SL	HERBICIDE	4	576-151-3754	20-Oct-26	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
ISIDORE AGROCHEMICALS, INC.	GLYPHOSATE IPA	ALECTA 480 SL	480 g/L	SL	HERBICIDE	4	576-151-3754	20-Oct-26	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-
ISIDORE AGROCHEMICALS, INC.	GLYPHOSATE IPA	ALECTA 480 SL	480 g/L	SL	HERBICIDE	4	576-151-3754	20-Oct-26	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
ISIDORE AGROCHEMICALS, INC.	GLYPHOSATE IPA	ALECTA 480 SL	480 g/L	SL	HERBICIDE	4	576-151-3754	20-Oct-26	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
ISIDORE AGROCHEMICALS, INC.	GLYPHOSATE IPA	ALECTA 480 SL	480 g/L	SL	HERBICIDE	4	576-151-3754	20-Oct-26	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
ISIDORE AGROCHEMICALS, INC.	GLYPHOSATE IPA	ALECTA 480 SL	480 g/L	SL	HERBICIDE	4	576-151-3754	20-Oct-26	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/ha	-	-	-
ISIDORE AGROCHEMICALS, INC.	GLYPHOSATE IPA	ALECTA 480 SL	480 g/L	SL	HERBICIDE	4	576-151-3754	20-Oct-26	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
ISIDORE AGROCHEMICALS, INC.	GLYPHOSATE IPA	ALECTA 480 SL	480 g/L	SL	HERBICIDE	4	576-151-3754	20-Oct-26	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-
ISIDORE AGROCHEMICALS, INC.	GLYPHOSATE IPA	ALECTA 480 SL	480 g/L	SL	HERBICIDE	4	576-151-3754	20-Oct-26	POST-EMERGENT	Non-crop areas	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-
ALDIX INCORPORATED	ALDIX 80 WP	ALDIX 80 WP	800 g/kg	WP	HERBICIDE	4	002-021-6452	12-Jul-26	SYSTEMIC	Citrus	Grasses, annual and perennial broadleaf weeds	11.0-19.0 Tbsp/36 L water	-	-	Twenty four (24) hours after application
ALDIX INCORPORATED	ALDIX 80 WP	ALDIX 80 WP	800 g/kg	WP	HERBICIDE	4	002-021-6452	12-Jul-26	SYSTEMIC	Coffee	Grasses, annual and perennial broadleaf weeds	11.0-19.0 Tbsp/36 L water	-	-	Twenty four (24) hours after application
ALDIX INCORPORATED	ALDIX 80 WP	ALDIX 80 WP	800 g/kg	WP	HERBICIDE	4	002-021-6452	12-Jul-26	SYSTEMIC	Cotton	Grasses, annual and perennial broadleaf weeds	8.0 Tbsp/36 L water	-	-	Twenty four (24) hours after application
ALDIX INCORPORATED	ALDIX 80 WP	ALDIX 80 WP	800 g/kg	WP	HERBICIDE	4	002-021-6452	12-Jul-26	SYSTEMIC	Sugarcane	Grasses, annual and perennial broadleaf weeds	8.0-13.0 Tbsp/ 36L water	-	-	Twenty four (24) hours after application
ALDIX INCORPORATED	ALDIX 80 WP	ALDIX 80 WP	800 g/kg	WP	HERBICIDE	4	002-021-6452	12-Jul-26	SYSTEMIC	Pineapple	Grasses, annual and perennial broadleaf weeds	11.0Tbsp/ 36L water	-	-	Twenty four (24) hours after application
ALDIX INCORPORATED	ALDIX 80 WP	ALDIX 80 WP	800 g/kg	WP	HERBICIDE	4	002-021-6452	12-Jul-26	SYSTEMIC	Non-crop agricultural areas	Grasses, annual and perennial broadleaf weeds	10.0-28.0Tbsp/ 36L water	-	-	Twenty four (24) hours after application
CARDILL PHILIPPINES INC.	GLYCOL DIMETHYL AMMONIUM CHLORIDE	ALDEKOL DES-03	250g/L+25g/L+185g/L	-	OTHERS	2	708-573-5664	31-Dec-24	-	-	Disinfection of surfaces and food/wheel dips in livestock facilities	-	-	-	-
CARDILL PHILIPPINES INC.	GLYCOL DIMETHYL AMMONIUM CHLORIDE	ALDEKOL DES-03	112g/L+74g/L+46g/L	-	OTHERS	2	708-573-5663	31-Dec-24	-	-	Disinfection of surfaces and equipment in livestock facilities	-	-	-	-
GMA AGRIVENTURES INC.	CARTAP HYDROCHLORIDE	ALDAB 50 SP	500 g/kg	SP	INSECTICIDE	3	577-106-3764	03-Jul-19	SYSTEMIC	Rice	Whorl maggot, stemborer, green leafhopper, brown planthopper	3.0-5.0Tbsp/36 L water	0.2ppm	Stop spraying 10 days before harvest	-
GMA AGRIVENTURES INC.	CARTAP HYDROCHLORIDE	ALDAB 50 SP	500 g/kg	SP	INSECTICIDE	3	577-106-3764	03-Jul-19	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/36 L water	-	-	-
GMA AGRIVENTURES INC.	CARTAP HYDROCHLORIDE	ALDAB 50 SP	500 g/kg	SP	INSECTICIDE	3	577-106-3764	03-Jul-19	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/36 L water	-	-	-
GMA AGRIVENTURES INC.	CARTAP HYDROCHLORIDE	ALDAB 50 SP	500 g/kg	SP	INSECTICIDE	3	577-106-3764	03-Jul-19	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/36 L water	-	-	-
GMA AGRIVENTURES INC.	CARTAP HYDROCHLORIDE	ALDAB 50 SP	500 g/kg	SP	INSECTICIDE	3	577-106-3764	03-Jul-19	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/36 L water	-	-	-
GMA AGRIVENTURES INC.	CARTAP HYDROCHLORIDE	ALDAB 50 SP	500 g/kg	SP	INSECTICIDE	3	577-106-3764	03-Jul-19	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/36 L water	-	-	-
GMA AGRIVENTURES INC.	CARTAP HYDROCHLORIDE	ALDAB 50 SP	500 g/kg	SP	INSECTICIDE	3	577-106-3764	03-Jul-19	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/36 L water	-	-	-
GMA AGRIVENTURES INC.	CARTAP HYDROCHLORIDE	ALDAB 50 SP	500 g/kg	SP	INSECTICIDE	3	577-106-3764	03-Jul-19	SYSTEMIC	Mango	leafhoppers	1.5-2.0Tbsp/36 L water	-	-	-
GMA AGRIVENTURES INC.	CARTAP HYDROCHLORIDE	ALDAB 50 SP	500 g/kg	SP	INSECTICIDE	3	577-106-3764	03-Jul-19	SYSTEMIC	Peachay	looper, cutworm, aphids	1.5-3.0Tbsp/36 L water	-	-	-
FLAGLEAF AGRI PHILIPPINES, INC.	METHOMYL	ALCANTAR 40 SP	400 g/kg	SP	INSECTICIDE	2	164-164-3808	21-Feb-22	CONTACT	Asparagus	Armyworm, cutworm	1 Sachet/36L/ Sprayer	-	-	-
FLAGLEAF AGRI PHILIPPINES, INC.	METHOMYL	ALCANTAR 40 SP	400 g/kg	SP	INSECTICIDE	2	164-164-3808	21-Feb-22	CONTACT	Banana	Thrips	1.5-2 Sachet/36L/ Sprayer	-	-	-

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
FLAGLEAF AGRI PHILIPPINES, INC.	METHOMYL	ALCANTAR 40 SP	400 g/kg	SP	INSECTICIDE	2	564-164-3808	21-Feb-22	CONTACT	beans	leafhopper, flea beetle , beanfly, podborer,aphids	1 Sachet/38L Sprayer			
FLAGLEAF AGRI PHILIPPINES, INC.	METHOMYL	ALCANTAR 40 SP	400 g/kg	SP	INSECTICIDE	2	564-164-3808	21-Feb-22	CONTACT	Mungbeans	Leafhopper, flea beetle , beanfly, podborer,aphids	1 Sachet/38L Sprayer			
FLAGLEAF AGRI PHILIPPINES, INC.	METHOMYL	ALCANTAR 40 SP	400 g/kg	SP	INSECTICIDE	2	564-164-3808	21-Feb-22	CONTACT	Soybeans	leafhopper, flea beetle , beanfly, podborer,aphids	1 Sachet/38L Sprayer			
FLAGLEAF AGRI PHILIPPINES, INC.	METHOMYL	ALCANTAR 40 SP	400 g/kg	SP	INSECTICIDE	2	564-164-3808	21-Feb-22	CONTACT	litao	leafhopper, flea beetle , beanfly, podborer,aphids	1 Sachet/38L Sprayer			
FLAGLEAF AGRI PHILIPPINES, INC.	METHOMYL	ALCANTAR 40 SP	400 g/kg	SP	INSECTICIDE	2	564-164-3808	21-Feb-22	CONTACT	Corn	Comborer , earworm	1 Sachet/38L Sprayer			
FLAGLEAF AGRI PHILIPPINES, INC.	METHOMYL	ALCANTAR 40 SP	400 g/kg	SP	INSECTICIDE	2	564-164-3808	21-Feb-22	CONTACT	orghum	Comborer , earworm	1 Sachet/38L Sprayer			
FLAGLEAF AGRI PHILIPPINES, INC.	METHOMYL	ALCANTAR 40 SP	400 g/kg	SP	INSECTICIDE	2	564-164-3808	21-Feb-22	CONTACT	Eggplant	Aphids, flea beetle , fruitworm, lady beetle	1 Sachet/38L Sprayer			
FLAGLEAF AGRI PHILIPPINES, INC.	METHOMYL	ALCANTAR 40 SP	400 g/kg	SP	INSECTICIDE	2	564-164-3808	21-Feb-22	CONTACT	Meiron	Aphids, Squash beetle , leafhopper	1 Sachet/38L Sprayer			
FLAGLEAF AGRI PHILIPPINES, INC.	METHOMYL	ALCANTAR 40 SP	400 g/kg	SP	INSECTICIDE	2	564-164-3808	21-Feb-22	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leafhopper	1 Sachet/38L Sprayer	0.0ppm	3 Days	
FLAGLEAF AGRI PHILIPPINES, INC.	METHOMYL	ALCANTAR 40 SP	400 g/kg	SP	INSECTICIDE	2	564-164-3808	21-Feb-22	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	1 Sachet/38L Sprayer			
FLAGLEAF AGRI PHILIPPINES, INC.	METHOMYL	ALCANTAR 40 SP	400 g/kg	SP	INSECTICIDE	2	564-164-3808	21-Feb-22	CONTACT	Tomato	Tomato fruitworm, aphids	1 Sachet/38L Sprayer			
ALTA CROP PROTECTION CORPORATION	BENOMYL	ALBAGUARD 50 WP	500 g/kg	WP	FUNGICIDE	4	351-167-2157	09-Aug-24	SYSTEMIC	Mungbeans	Powdery mildew, cercospora leaf spot	1-2 Tbsp/38L water	-		Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
ALTA CROP PROTECTION CORPORATION	BENOMYL	ALBAGUARD 50 WP	500 g/kg	WP	FUNGICIDE	4	351-167-2157	09-Aug-24	SYSTEMIC	beans	Powdery mildew, cercospora leaf spot	1-2 Tbsp/38L water	-		Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
ALTA CROP PROTECTION CORPORATION	BENOMYL	ALBAGUARD 50 WP	500 g/kg	WP	FUNGICIDE	4	351-167-2157	09-Aug-24	SYSTEMIC	Cabbage	Cercospora leaf spot	1-2 Tbsp/38L water	-		Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
ALTA CROP PROTECTION CORPORATION	BENOMYL	ALBAGUARD 50 WP	500 g/kg	WP	FUNGICIDE	4	351-167-2157	09-Aug-24	SYSTEMIC	Calamansi	Scab	1-2 Tbsp/38L water	-		Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
ALTA CROP PROTECTION CORPORATION	BENOMYL	ALBAGUARD 50 WP	500 g/kg	WP	FUNGICIDE	4	351-167-2157	09-Aug-24	SYSTEMIC	Cucumber	Powdery mildew	1-2 Tbsp/38L water	-		Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
ALTA CROP PROTECTION CORPORATION	BENOMYL	ALBAGUARD 50 WP	500 g/kg	WP	FUNGICIDE	4	351-167-2157	09-Aug-24	SYSTEMIC	Ginger	Cercospora leaf spot	1-2 Tbsp/38L water	-		Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
ALTA CROP PROTECTION CORPORATION	BENOMYL	ALBAGUARD 50 WP	500 g/kg	WP	FUNGICIDE	4	351-167-2157	09-Aug-24	SYSTEMIC	grapes	Powdery mildew	1-2 Tbsp/38L water	-		Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
ALTA CROP PROTECTION CORPORATION	BENOMYL	ALBAGUARD 50 WP	500 g/kg	WP	FUNGICIDE	4	351-167-2157	09-Aug-24	SYSTEMIC	Mandarin	Scab	1-2 Tbsp/38L water	-		Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
ALTA CROP PROTECTION CORPORATION	BENOMYL	ALBAGUARD 50 WP	500 g/kg	WP	FUNGICIDE	4	351-167-2157	09-Aug-24	SYSTEMIC	Mango	Anthracoise, powdery mildew	1-2 Tbsp/38L water	-		Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
ALTA CROP PROTECTION CORPORATION	BENOMYL	ALBAGUARD 50 WP	500 g/kg	WP	FUNGICIDE	4	351-167-2157	09-Aug-24	SYSTEMIC	Meiron	Powdery mildew	1-2 Tbsp/38L water	-		Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
ALTA CROP PROTECTION CORPORATION	BENOMYL	ALBAGUARD 50 WP	500 g/kg	WP	FUNGICIDE	4	351-167-2157	09-Aug-24	SYSTEMIC	Orange	Scab	1-2 Tbsp/38L water	-		Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
ALTA CROP PROTECTION CORPORATION	BENOMYL	ALBAGUARD 50 WP	500 g/kg	WP	FUNGICIDE	4	351-167-2157	09-Aug-24	SYSTEMIC	Papaya	Powdery mildew	1-2 Tbsp/38L water	-		Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
ALTA CROP PROTECTION CORPORATION	BENOMYL	ALBAGUARD 50 WP	500 g/kg	WP	FUNGICIDE	4	351-167-2157	09-Aug-24	SYSTEMIC	Pepper	Cercospora leaf spot	1-2 Tbsp/38L water	-		Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
ALTA CROP PROTECTION CORPORATION	BENOMYL	ALBAGUARD 50 WP	500 g/kg	WP	FUNGICIDE	4	351-167-2157	09-Aug-24	SYSTEMIC	Rice	Blast, sheath blight	1-4 Tbsp/38L water	1.0 ppm	7 days	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
ALTA CROP PROTECTION CORPORATION	BENOMYL	ALBAGUARD 50 WP	500 g/kg	WP	FUNGICIDE	4	351-167-2157	09-Aug-24	SYSTEMIC	Strawberry	Cercospora leaf spot	1-2 Tbsp/38L water	-		Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
ALTA CROP PROTECTION CORPORATION	BENOMYL	ALBAGUARD 50 WP	500 g/kg	WP	FUNGICIDE	4	351-167-2157	09-Aug-24	SYSTEMIC	Tobacco	Leaf mold, frog eye	1-2 Tbsp/38L water	-		Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
ALTA CROP PROTECTION CORPORATION	BENOMYL	ALBAGUARD 50 WP	500 g/kg	WP	FUNGICIDE	4	351-167-2157	09-Aug-24	SYSTEMIC	banana	Black sigatoka	200 g/ha	-		Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
ELITE AGROCHEMICALS INC.	LAMBDA-CHALOTHRIN+THIAMETHOXAM	ALANA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	719-395-5941	18-Feb-25	CONTACT	Potato	Whiteflies, aphids and thrips	100-200 mL/ha	-	7 days	Do not enter treated fields at least 1 day after application.
ELITE AGROCHEMICALS INC.	LAMBDA-CHALOTHRIN+THIAMETHOXAM	ALANA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	719-395-5941	18-Feb-25	CONTACT	Stringbeans	Green leafhopper, aphids, mites	100-200 mL/ha	-	7 days	Do not enter treated fields at least 1 day after application.
ELITE AGROCHEMICALS INC.	LAMBDA-CHALOTHRIN+THIAMETHOXAM	ALANA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	719-395-5941	18-Feb-25	CONTACT	Eggplant	Whiteflies, green leafhopper, aphids	100-200 mL/ha	-	7 days	Do not enter treated fields at least 1 day after application.
ELITE AGROCHEMICALS INC.	LAMBDA-CHALOTHRIN+THIAMETHOXAM	ALANA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	719-395-5941	18-Feb-25	CONTACT	lettorground	leafhoppers, thrips, aphids, fruitfly, cutworm	100-400 mL/ha	-	7 days	Do not enter treated fields at least 1 day after application.
ELITE AGROCHEMICALS INC.	LAMBDA-CHALOTHRIN+THIAMETHOXAM	ALANA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	719-395-5941	18-Feb-25	CONTACT	Mango	leafhoppers, tip borers, capsid bug, fruitfly, oxid fly	20-30mL/100L	-	3 days	Do not enter treated fields at least 1 day after application.
ELITE AGROCHEMICALS INC.	LAMBDA-CHALOTHRIN+THIAMETHOXAM	ALANA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	719-395-5941	18-Feb-25	CONTACT	Corn	Asiatic corn borer, cutworm, leafhoppers, aphids, earworm	200-400 mL/ha	-	3 days	Do not enter treated fields at least 1 day after application.
ELITE AGROCHEMICALS INC.	LAMBDA-CHALOTHRIN+THIAMETHOXAM	ALANA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	719-395-5941	18-Feb-25	CONTACT	banana	Flower thrips	3 mL/L	-	90 days	Do not enter treated fields at least 1 day after application.
ELITE AGROCHEMICALS INC.	LAMBDA-CHALOTHRIN+THIAMETHOXAM	ALANA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	719-395-5941	18-Feb-25	CONTACT	Rice	Stemborer, leafhopper, rice bugs	100-200 mL/ha	-	14 days	Do not enter treated fields at least 1 day after application.
GNM AGRIVENTURES INC.	BENOMYL	ALAMID 50 WP	500 g/kg	WP	FUNGICIDE	4	577-167-3760	03-Jul-22	SYSTEMIC	Mungbeans	Powdery mildew, cercospora leaf spot	1-2 Tbsp/38L water	-		Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
GNM AGRIVENTURES INC.	BENOMYL	ALAMID 50 WP	500 g/kg	WP	FUNGICIDE	4	577-167-3760	03-Jul-22	SYSTEMIC	beans	Powdery mildew, cercospora leaf spot	1-2 Tbsp/38L water	-		Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
GNM AGRIVENTURES INC.	BENOMYL	ALAMID 50 WP	500 g/kg	WP	FUNGICIDE	4	577-167-3760	03-Jul-22	SYSTEMIC	Wongbok	Cercospora leaf spot	1-2 Tbsp/38L water	-		Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
GNM AGRIVENTURES INC.	BENOMYL	ALAMID 50 WP	500 g/kg	WP	FUNGICIDE	4	577-167-3760	03-Jul-22	SYSTEMIC	Cabbage	Cercospora leaf spot	1-2 Tbsp/38L water	-		Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
GNM AGRIVENTURES INC.	BENOMYL	ALAMID 50 WP	500 g/kg	WP	FUNGICIDE	4	577-167-3760	03-Jul-22	SYSTEMIC	Calamansi	Scab	1-2 Tbsp/38L water	-		Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
GNM AGRIVENTURES INC.	BENOMYL	ALAMID 50 WP	500 g/kg	WP	FUNGICIDE	4	577-167-3760	03-Jul-22	SYSTEMIC	Cucumber	Powdery mildew	1-2 Tbsp/38L water	-		Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
GNM AGRIVENTURES INC.	BENOMYL	ALAMID 50 WP	500 g/kg	WP	FUNGICIDE	4	577-167-3760	03-Jul-22	SYSTEMIC	ginger	Cercospora leaf spot	1-2 Tbsp/38L water	-		Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
GNM AGRIVENTURES INC.	BENOMYL	ALAMID 50 WP	500 g/kg	WP	FUNGICIDE	4	577-167-3760	03-Jul-22	SYSTEMIC	Grapes	Powdery mildew	1-2 Tbsp/38L water	-		Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
GNM AGRIVENTURES INC.	BENOMYL	ALAMID 50 WP	500 g/kg	WP	FUNGICIDE	4	577-167-3760	03-Jul-22	SYSTEMIC	Mandarin	Scab	1-2 Tbsp/38L water	-		Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
GNM AGRIVENTURES INC.	BENOMYL	ALAMID 50 WP	500 g/kg	WP	FUNGICIDE	4	577-167-3760	03-Jul-22	SYSTEMIC	Mango	Anthracoise, powdery mildew	1-2 Tbsp/38L water	-		Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
GNM AGRIVENTURES INC.	BENOMYL	ALAMID 50 WP	500 g/kg	WP	FUNGICIDE	4	577-167-3760	03-Jul-22	SYSTEMIC	Meiron	Powdery mildew	1-2 Tbsp/38L water	-		Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
GNM AGRIVENTURES INC.	BENOMYL	ALAMID 50 WP	500 g/kg	WP	FUNGICIDE	4	577-167-3760	03-Jul-22	SYSTEMIC	Orange	Scab	1-2 Tbsp/38L water	-		Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
GNM AGRIVENTURES INC.	BENOMYL	ALAMID 50 WP	500 g/kg	WP	FUNGICIDE	4	577-167-3760	03-Jul-22	SYSTEMIC	Papaya	Powdery mildew	1-2 Tbsp/38L water	-		Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
GNM AGRIVENTURES INC.	BENOMYL	ALAMID 50 WP	500 g/kg	WP	FUNGICIDE	4	577-167-3760	03-Jul-22	SYSTEMIC	Pepper	Cercospora leaf spot	1-2 Tbsp/38L water	-		Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
GNM AGRIVENTURES INC.	BENOMYL	ALAMID 50 WP	500 g/kg	WP	FUNGICIDE	4	577-167-3760	03-Jul-22	SYSTEMIC	Rice	Blast, sheath blight	1-4 Tbsp/38L water	1.0 ppm	7 days	Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
GNM AGRIVENTURES INC.	BENOMYL	ALAMID 50 WP	500 g/kg	WP	FUNGICIDE	4	577-167-3760	03-Jul-22	SYSTEMIC	Strawberry	Cercospora leaf spot	1-2 Tbsp/38L water	-		Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
GNM AGRIVENTURES INC.	BENOMYL	ALAMID 50 WP	500 g/kg	WP	FUNGICIDE	4	577-167-3760	03-Jul-22	SYSTEMIC	Tobacco	Leaf mold, frog eye	1-2 Tbsp/38L water	-		Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
GNM AGRIVENTURES INC.	BENOMYL	ALAMID 50 WP	500 g/kg	WP	FUNGICIDE	4	577-167-3760	03-Jul-22	SYSTEMIC	banana	Black sigatoka	200 g/ha	-		Within 24 hours after spraying the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
LEADS AGRICULTURAL PRODUCTS CORPORATION	BPME-CHLORPYRIFOS	ALAKDAN 300 EC	210-105 g/L	EC	INSECTICIDE	2	099-174-1051	27-Dec-24	-	Rice	Stemborer, armyworm, leafhopper, caseworm and plathopper	2.5-3.5 Tbsp/36L water	-		Stop spraying 15 days before harvest
LEADS AGRICULTURAL PRODUCTS CORPORATION	BPME-CHLORPYRIFOS	ALAKDAN 300 EC	210-105 g/L	EC	INSECTICIDE	2	099-174-1051	27-Dec-24	-	Corn	Seedling maggot, corn earworm, comborer and armyworm	2.5-3.5 Tbsp/36L water	-		Do not enter treated field within 2 days after spraying

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
LEADS AGRICULTURAL PRODUCTS CORPORATION	BPfMC-CHLORPYRIFOS	ALAKDAN 300 EC	210-105 g/L	EC	INSECTICIDE	2	099-174-1051	27-Dec-24	-	Tobacco	Budworm, grasshopper, aphid, cutworm and armyworm	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest	Do not enter treated field within 2 days after spraying
LEADS AGRICULTURAL PRODUCTS CORPORATION	BPfMC-CHLORPYRIFOS	ALAKDAN 300 EC	210-105 g/L	EC	INSECTICIDE	2	099-174-1051	27-Dec-24	-	Cucumber	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest	Do not enter treated field within 2 days after spraying
LEADS AGRICULTURAL PRODUCTS CORPORATION	BPfMC-CHLORPYRIFOS	ALAKDAN 300 EC	210-105 g/L	EC	INSECTICIDE	2	099-174-1051	27-Dec-24	-	Melon	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest	Do not enter treated field within 2 days after spraying
LEADS AGRICULTURAL PRODUCTS CORPORATION	BPfMC-CHLORPYRIFOS	ALAKDAN 300 EC	210-105 g/L	EC	INSECTICIDE	2	099-174-1051	27-Dec-24	-	Watermelon	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest	Do not enter treated field within 2 days after spraying
LEADS AGRICULTURAL PRODUCTS CORPORATION	BPfMC-CHLORPYRIFOS	ALAKDAN 300 EC	210-105 g/L	EC	INSECTICIDE	2	099-174-1051	27-Dec-24	-	Onion	Thrips, cutworm	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest	Do not enter treated field within 2 days after spraying
LEADS AGRICULTURAL PRODUCTS CORPORATION	BPfMC-CHLORPYRIFOS	ALAKDAN 300 EC	210-105 g/L	EC	INSECTICIDE	2	099-174-1051	27-Dec-24	-	Mungo	Beetfly, armyworm, cutworm, leafminer and leaf folder	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest	Do not enter treated field within 2 days after spraying
LEADS AGRICULTURAL PRODUCTS CORPORATION	BPfMC-CHLORPYRIFOS	ALAKDAN 300 EC	210-105 g/L	EC	INSECTICIDE	2	099-174-1051	27-Dec-24	-	Soybeans	Beetfly, armyworm, cutworm, leafminer and leaf folder	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest	Do not enter treated field within 2 days after spraying
LEADS AGRICULTURAL PRODUCTS CORPORATION	BPfMC-CHLORPYRIFOS	ALAKDAN 300 EC	210-105 g/L	EC	INSECTICIDE	2	099-174-1051	27-Dec-24	-	Beans	Beetfly, armyworm, cutworm, leafminer and leaf folder	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest	Do not enter treated field within 2 days after spraying
SYNGENTA PHILIPPINES INC.	SORBITAN MONOLAUATE-POLYDIOXYETHYLENE SORBITAN TRIPOLEATE	AL-100 TS	-	-	OTHERS	4	011-324-0942	25-Apr-25	-	Banana	Black Sigatoka	0.3-0.4 L/ha	-	-	-
AKTV MULTI TRADING CO. PHILS, INC.	MANCOZEB	AKZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	540-053-4471	17-Oct-24	-	Potato	Early and late blight	3-6 Tbsp/36 L water	-	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
AKTV MULTI TRADING CO. PHILS, INC.	MANCOZEB	AKZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	540-053-4471	17-Oct-24	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
AKTV MULTI TRADING CO. PHILS, INC.	MANCOZEB	AKZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	540-053-4471	17-Oct-24	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
AKTV MULTI TRADING CO. PHILS, INC.	MANCOZEB	AKZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	540-053-4471	17-Oct-24	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
AKTV MULTI TRADING CO. PHILS, INC.	MANCOZEB	AKZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	540-053-4471	17-Oct-24	-	Celery	Late blight	3-6 Tbsp/36 L water	-	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
AKTV MULTI TRADING CO. PHILS, INC.	MANCOZEB	AKZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	540-053-4471	17-Oct-24	-	Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
AKTV MULTI TRADING CO. PHILS, INC.	MANCOZEB	AKZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	540-053-4471	17-Oct-24	-	Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
AKTV MULTI TRADING CO. PHILS, INC.	MANCOZEB	AKZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	540-053-4471	17-Oct-24	-	Cotton	Damping off	3-6 Tbsp/36 L water	-	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
AKTV MULTI TRADING CO. PHILS, INC.	MANCOZEB	AKZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	540-053-4471	17-Oct-24	-	Lettuce	Downy mildew	3-6 Tbsp/36 L water	-	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
AKTV MULTI TRADING CO. PHILS, INC.	MANCOZEB	AKZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	540-053-4471	17-Oct-24	-	Beans	Anthracnose, Downy mildew, Rust	3-6 Tbsp/36 L water	-	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
AKTV MULTI TRADING CO. PHILS, INC.	MANCOZEB	AKZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	540-053-4471	17-Oct-24	-	Peas	Anthracnose, Downy mildew, Rust	3-6 Tbsp/36 L water	-	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
AKTV MULTI TRADING CO. PHILS, INC.	MANCOZEB	AKZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	540-053-4471	17-Oct-24	-	Mungo	Anthracnose, Downy mildew, Rust	3-6 Tbsp/36 L water	-	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
AKTV MULTI TRADING CO. PHILS, INC.	MANCOZEB	AKZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	540-053-4471	17-Oct-24	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/36 L water	-	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
AKTV MULTI TRADING CO. PHILS, INC.	MANCOZEB	AKZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	540-053-4471	17-Oct-24	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36 L water	-	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
AKTV MULTI TRADING CO. PHILS, INC.	MANCOZEB	AKZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	540-053-4471	17-Oct-24	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36 L water	-	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
AKTV MULTI TRADING CO. PHILS, INC.	MANCOZEB	AKZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	540-053-4471	17-Oct-24	-	Pepper	Anthracnose	3-6 Tbsp/36 L water	-	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
AKTV MULTI TRADING CO. PHILS, INC.	MANCOZEB	AKZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	540-053-4471	17-Oct-24	-	Chili	Anthracnose	3-6 Tbsp/36 L water	-	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
AKTV MULTI TRADING CO. PHILS, INC.	MANCOZEB	AKZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	540-053-4471	17-Oct-24	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/36 L water	-	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
AKTV MULTI TRADING CO. PHILS, INC.	MANCOZEB	AKZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	540-053-4471	17-Oct-24	-	Banana	Sigatoka, Black leaf streak	3-6 Tbsp/36 L water	-	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
AKTV MULTI TRADING CO. PHILS, INC.	MANCOZEB	AKZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	540-053-4471	17-Oct-24	-	Grapes	Downy mildew, black rot	3-6 Tbsp/36 L water	-	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
AKTV MULTI TRADING CO. PHILS, INC.	MANCOZEB	AKZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	540-053-4471	17-Oct-24	-	Mango	Anthracnose and Scab	3-6 Tbsp/36 L water	-	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
AKTV MULTI TRADING CO. PHILS, INC.	MANCOZEB	AKZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	540-053-4471	17-Oct-24	-	Papaya	Fruit rot	3-6 Tbsp/36 L water	-	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
AKTV MULTI TRADING CO. PHILS, INC.	MANCOZEB	AKZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	540-053-4471	17-Oct-24	-	Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
AKTV MULTI TRADING CO. PHILS, INC.	MANCOZEB	AKZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	540-053-4471	17-Oct-24	-	Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
AKTV MULTI TRADING CO. PHILS, INC.	MANCOZEB	AKZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	540-053-4471	17-Oct-24	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/36 L water	-	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
AKTV MULTI TRADING CO. PHILS, INC.	MANCOZEB	AKZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	540-053-4471	17-Oct-24	-	Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/36 L water	0.02ppm	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
AKTV MULTI TRADING CO. PHILS, INC.	MANCOZEB	AKZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	540-053-4471	17-Oct-24	-	Peanut	Cercospora leaf spot	3-6 Tbsp/36 L water	-	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
AKTV MULTI TRADING CO. PHILS, INC.	MANCOZEB	AKZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	540-053-4471	17-Oct-24	-	Soybeans	leaf rust	3-6 Tbsp/36 L water	-	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
AKTV MULTI TRADING CO. PHILS, INC.	MANCOZEB	AKZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	540-053-4471	17-Oct-24	-	Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/36 L water	-	Do not spray within 7 days before harvest	Do not enter the field within 2 days after spraying
AKTV MULTI TRADING CO. PHILS, INC.	ATRAZINE	AKTRAZINE 80 WP	800g/kg	WP	HERBICIDE	4	540-060-4769	02-May-22	SELECTIVE (PRE-EMERGENT)	Corn	Annual broadleaf weeds and annual grasses	8-12Tbsp/36 L water	-	-	Do not enter treated fields within 5 days after application
AKTV MULTI TRADING CO. PHILS, INC.	ATRAZINE	AKTRAZINE 80 WP	800g/kg	WP	HERBICIDE	4	540-060-4769	02-May-22	SELECTIVE (PRE-EMERGENT)	Sorghum	Annual broadleaf weeds and annual grasses	8-12Tbsp/36 L water	-	-	Do not enter treated fields within 5 days after application
AKTV MULTI TRADING CO. PHILS, INC.	ATRAZINE	AKTRAZINE 80 WP	800g/kg	WP	HERBICIDE	4	540-060-4769	02-May-22	SELECTIVE (PRE-EMERGENT)	Sugarcane	Annual broadleaf weeds and annual grasses	8-12Tbsp/36 L water	-	-	Do not enter treated fields within 5 days after application
AKTV MULTI TRADING CO. PHILS, INC.	2,4-D IBE	AKTV 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	540-040-3811	31-Dec-26	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual Broadleaves & sedges	5.0-6.5Tbsp/36 L water	0.1 ppm	Do not spray within two days before harvest	Entry to field and crops treated with AKTV 2,4-D ESTER can be done one day after spraying
AKTV MULTI TRADING CO. PHILS, INC.	2,4-D IBE	AKTV 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	540-040-3811	31-Dec-26	SELECTIVE (POST-EMERGENT)	Corn	Annual Broadleaves & sedges	5.0-6.5Tbsp/36 L water	-	Do not spray within two days before harvest	Entry to field and crops treated with AKTV 2,4-D ESTER can be done one day after spraying
AKTV MULTI TRADING CO. PHILS, INC.	2,4-D IBE	AKTV 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	540-040-3811	31-Dec-26	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual Broadleaves & sedges	5.0-6.5Tbsp/36 L water	-	Do not spray within two days before harvest	Entry to field and crops treated with AKTV 2,4-D ESTER can be done one day after spraying
AKTV MULTI TRADING CO. PHILS, INC.	2,4-D AMINE	AKTV 2,4-D AMINE	400 g/L	SC	HERBICIDE	2	540-013-3812	31-Dec-26	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual broadleaves and sedges	3.5-6.5Tbsp/36 L water	0.1 ppm	-	Entry to fields and crops treated with AKTV 2,4-D AMINE can be done one day after spraying
AKTV MULTI TRADING CO. PHILS, INC.	2,4-D AMINE	AKTV 2,4-D AMINE	400 g/L	SC	HERBICIDE	2	540-013-3812	31-Dec-26	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual broadleaves and sedges	13-25Tbsp/36 L water	-	-	Entry to fields and crops treated with AKTV 2,4-D AMINE can be done one day after spraying
AKTV MULTI TRADING CO. PHILS, INC.	2,4-D AMINE	AKTV 2,4-D AMINE	400 g/L	SC	HERBICIDE	2	540-013-3812	31-Dec-26	SELECTIVE (POST-EMERGENT)	Corn	Annual broadleaves and sedges	5.0-6.5Tbsp/36 L water	-	-	Entry to fields and crops treated with AKTV 2,4-D AMINE can be done one day after spraying
AKTV MULTI TRADING CO. PHILS, INC.	CARTAP HYDROCHLORIDE	AKTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	540-106-3599	25-Nov-24	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.0-5.0Tbsp/36 L water	0.2ppm	Stop spraying 10 days before harvest	Do not enter the field within 2 days after spraying
AKTV MULTI TRADING CO. PHILS, INC.	CARTAP HYDROCHLORIDE	AKTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	540-106-3599	25-Nov-24	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/36 L water	-	-	Do not enter the field within 2 days after spraying
AKTV MULTI TRADING CO. PHILS, INC.	CARTAP HYDROCHLORIDE	AKTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	540-106-3599	25-Nov-24	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/36 L water	-	-	Do not enter the field within 2 days after spraying
AKTV MULTI TRADING CO. PHILS, INC.	CARTAP HYDROCHLORIDE	AKTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	540-106-3599	25-Nov-24	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/36 L water	-	-	Do not enter the field within 2 days after spraying
AKTV MULTI TRADING CO. PHILS, INC.	CARTAP HYDROCHLORIDE	AKTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	540-106-3599	25-Nov-24	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/36 L water	-	-	Do not enter the field within 2 days after spraying
AKTV MULTI TRADING CO. PHILS, INC.	CARTAP HYDROCHLORIDE	AKTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	540-106-3599	25-Nov-24	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/36 L water	-	-	Do not enter the field within 2 days after spraying
AKTV MULTI TRADING CO. PHILS, INC.	CARTAP HYDROCHLORIDE	AKTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	540-106-3599	25-Nov-24	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/36 L water	-	-	Do not enter the field within 2 days after spraying
AKTV MULTI TRADING CO. PHILS, INC.	CARTAP HYDROCHLORIDE	AKTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	540-106-3599	25-Nov-24	SYSTEMIC	Mango	leafhoppers	1.5-2.0Tbsp/36 L water	-	-	Do not enter the field within 2 days after spraying
AKTV MULTI TRADING CO. PHILS, INC.	CARTAP HYDROCHLORIDE	AKTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	540-106-3599	25-Nov-24	SYSTEMIC	Pechay	loopers, cutworm, aphids	1.5-3.0Tbsp/36 L water	-	-	Do not enter the field within 2 days after spraying

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
AKTV MULTI TRADING CO. PHILS, INC.	BUTACHLOR-PROPANIL	AKTACHLOR 70 EC	300-350 g/L	EC	HERBICIDE	3	340-238-3593	25-Nov-24	POST-EMERGENT	Rice (Direct-Seeded)	Grasses, Sedges and Broadleaves	8-12tbsp/36 L water	Butachlor 0.1ppm Propanil 0.1ppm	-	As soon as the spray mist dried up
AKTV MULTI TRADING CO. PHILS, INC.	BUTACHLOR-PROPANIL	AKTACHLOR 70 EC	300-350 g/L	EC	HERBICIDE	3	340-238-3593	25-Nov-24	POST-EMERGENT	Rice (Transplanted)	Grasses, Sedges and Broadleaves	8-12tbsp/36 L water	Butachlor 0.1ppm Propanil 0.1ppm	-	As soon as the spray mist dried up
AKTV MULTI TRADING CO. PHILS, INC.	NICLOSMETH ETANOLAMINE SALT	ASAMIDE 70 WP	200 g/kg	WP	MOLLUSCICIDE	4	340-229-3596	25-Nov-24	CONTACT	Rice	Golden Apple Snail (Kuhol)	30 gm/36L water	-	-	Do not enter the treated field within 48 hours after application
AKTV MULTI TRADING CO. PHILS, INC.	FFIPRONIL	AKFPRONIL 50 SC	50 g/L	SC	INSECTICIDE	3	340-244-3592	25-Nov-24	CONTACT	Rice	Stemborer, brown planthopper, leafhopper, rice bug	1.5-2.0, 2.0-3.0, 2.7-4.0 tbsp./36L	0.05ppm	Do not apply 7 days before harvest	One day after application
AKTV MULTI TRADING CO. PHILS, INC.	FFIPRONIL	AKFPRONIL 50 SC	50 g/L	SC	INSECTICIDE	3	340-244-3592	25-Nov-24	CONTACT	Cabbage	Diamond backed moth	1.3-2.0, 2.0-3.0, 2.7-4.0 tbsp./36L	-	Do not apply 7 days before harvest	One day after application
AKTV MULTI TRADING CO. PHILS, INC.	FFIPRONIL	AKFPRONIL 50 SC	50 g/L	SC	INSECTICIDE	3	340-244-3592	25-Nov-24	CONTACT	Watermelon	Thrips, leaf beetles	2.5-3.0 tbsp./36L	-	Do not apply 7 days before harvest	One day after application
AKTV MULTI TRADING CO. PHILS, INC.	FFIPRONIL	AKFPRONIL 50 SC	50 g/L	SC	INSECTICIDE	3	340-244-3592	25-Nov-24	CONTACT	Onion	Cutworm	5.33 tbsp./36L	-	Do not apply 7 days before harvest	One day after application
AKTV MULTI TRADING CO. PHILS, INC.	FFIPRONIL	AKFPRONIL 50 SC	50 g/L	SC	INSECTICIDE	3	340-244-3592	25-Nov-24	CONTACT	Eggplant	Shoot borer	3.0-4.0 tbsp./36L	-	Do not apply 7 days before harvest	One day after application
INDOFIL PHILIPPINES INC.	GLYPHOSATE IPA	AKOSTAR 480 SL	480g/L	SL	HERBICIDE	4	604-151-4230-A	18-Jan-27	POST-EMERGENT	Glyphosate tolerant corn under minimum or reduced	Annual & Perennial grasses, broadleaf weeds & sedges	2.0-3.0 Liters/Ha	-	-	-
INDOFIL PHILIPPINES INC.	GLYPHOSATE IPA	AKOSTAR 480 SL	480g/L	SL	HERBICIDE	4	604-151-4230-A	18-Jan-27	POST-EMERGENT	Mango	Annual & Perennial grasses, broadleaf weeds & sedges	3.0-3.5 Liters/Ha	-	-	-
INDOFIL PHILIPPINES INC.	GLYPHOSATE IPA	AKOSTAR 480 SL	480g/L	SL	HERBICIDE	4	604-151-4230-A	18-Jan-27	POST-EMERGENT	Banana	Annual & Perennial grasses, broadleaf weeds & sedges	3.0-3.5 Liters/Ha	-	-	-
INDOFIL PHILIPPINES INC.	GLYPHOSATE IPA	AKOSTAR 480 SL	480g/L	SL	HERBICIDE	4	604-151-4230-A	18-Jan-27	POST-EMERGENT	Coffee	Annual & Perennial grasses, broadleaf weeds & sedges	3.0-3.5 Liters/Ha	-	-	-
INDOFIL PHILIPPINES INC.	GLYPHOSATE IPA	AKOSTAR 480 SL	480g/L	SL	HERBICIDE	4	604-151-4230-A	18-Jan-27	POST-EMERGENT	Cacao	Annual & Perennial grasses, broadleaf weeds & sedges	3.0-3.5 Liters/Ha	-	-	-
INDOFIL PHILIPPINES INC.	GLYPHOSATE IPA	AKOSTAR 480 SL	480g/L	SL	HERBICIDE	4	604-151-4230-A	18-Jan-27	POST-EMERGENT	Rubber	Annual & Perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
INDOFIL PHILIPPINES INC.	GLYPHOSATE IPA	AKOSTAR 480 SL	480g/L	SL	HERBICIDE	4	604-151-4230-A	18-Jan-27	POST-EMERGENT	Oil palm	Annual & Perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
INDOFIL PHILIPPINES INC.	GLYPHOSATE IPA	AKOSTAR 480 SL	480g/L	SL	HERBICIDE	4	604-151-4230-A	18-Jan-27	POST-EMERGENT	Citrus	Annual & Perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
INDOFIL PHILIPPINES INC.	GLYPHOSATE IPA	AKOSTAR 480 SL	480g/L	SL	HERBICIDE	4	604-151-4230-A	18-Jan-27	POST-EMERGENT	Coconut	Annual & Perennial grasses, broadleaf weeds & sedges	4.5 Liters/Ha	-	-	-
INDOFIL PHILIPPINES INC.	GLYPHOSATE IPA	AKOSTAR 480 SL	480g/L	SL	HERBICIDE	4	604-151-4230-A	18-Jan-27	POST-EMERGENT	Sugarcane	Annual & Perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
INDOFIL PHILIPPINES INC.	GLYPHOSATE IPA	AKOSTAR 480 SL	480g/L	SL	HERBICIDE	4	604-151-4230-A	18-Jan-27	POST-EMERGENT	Vegetables	Annual & Perennial grasses, broadleaf weeds & sedges	2.0 Liters/Ha	-	-	-
INDOFIL PHILIPPINES INC.	GLYPHOSATE IPA	AKOSTAR 480 SL	480g/L	SL	HERBICIDE	4	604-151-4230-A	18-Jan-27	POST-EMERGENT	Non-crop areas	Annual & Perennial grasses, broadleaf weeds & sedges	-	-	-	-
AKTV MULTI TRADING CO. PHILS, INC.	CYPERMETHRIN	AKMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	340-037-3597	25-Nov-24	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
AKTV MULTI TRADING CO. PHILS, INC.	CYPERMETHRIN	AKMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	340-037-3597	25-Nov-24	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leafhopper, stem borer, armyworm, tip bug	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
AKTV MULTI TRADING CO. PHILS, INC.	CYPERMETHRIN	AKMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	340-037-3597	25-Nov-24	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
AKTV MULTI TRADING CO. PHILS, INC.	CYPERMETHRIN	AKMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	340-037-3597	25-Nov-24	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
AKTV MULTI TRADING CO. PHILS, INC.	CYPERMETHRIN	AKMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	340-037-3597	25-Nov-24	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
AKTV MULTI TRADING CO. PHILS, INC.	CYPERMETHRIN	AKMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	340-037-3597	25-Nov-24	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
AKTV MULTI TRADING CO. PHILS, INC.	CYPERMETHRIN	AKMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	340-037-3597	25-Nov-24	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
AKTV MULTI TRADING CO. PHILS, INC.	CYPERMETHRIN	AKMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	340-037-3597	25-Nov-24	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
AKTV MULTI TRADING CO. PHILS, INC.	CYPERMETHRIN	AKMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	340-037-3597	25-Nov-24	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
AKTV MULTI TRADING CO. PHILS, INC.	CYPERMETHRIN	AKMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	340-037-3597	25-Nov-24	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
AKTV MULTI TRADING CO. PHILS, INC.	CYPERMETHRIN	AKMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	340-037-3597	25-Nov-24	CONTACT	Corn	Comborer, earworm	1.0-4.5 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
LIHEMPHIL INTERNATIONAL INC.	ABAMECTIN	AKXA 1.8 EC	18 g/L	EC	INSECTICIDE	2	390-234-5033	29-Jan-26	-	Banana	Blossom thrips	0.5 per L water	-	-	It is allowed as soon as spray deposits had dried up
LIHEMPHIL INTERNATIONAL INC.	ABAMECTIN	AKXA 1.8 EC	18 g/L	EC	INSECTICIDE	2	390-234-5033	29-Jan-26	-	Cabbage	Diamond back moth	3000 ml. prod./Ha	-	7 days	It is allowed as soon as spray deposits had dried up
LIHEMPHIL INTERNATIONAL INC.	ABAMECTIN	AKXA 1.8 EC	18 g/L	EC	INSECTICIDE	2	390-234-5033	29-Jan-26	-	Ornamentals	Mites	0-10 Tbsp/36L of water	-	-	It is allowed as soon as spray deposits had dried up
LIHEMPHIL INTERNATIONAL INC.	ABAMECTIN	AKXA 1.8 EC	18 g/L	EC	INSECTICIDE	2	390-234-5033	29-Jan-26	-	Pineapple	Mites	3000-4000 ml prod./ha	-	-	It is allowed as soon as spray deposits had dried up
LIHEMPHIL INTERNATIONAL INC.	ABAMECTIN	AKXA 1.8 EC	18 g/L	EC	INSECTICIDE	2	390-234-5033	29-Jan-26	-	Eggplant	Thrips, leafhopper, fruit and shoot borer	2.0-5.0 Tbsp/ 36L water	-	3 days	It is allowed as soon as spray deposits had dried up
LIHEMPHIL INTERNATIONAL INC.	ABAMECTIN	AKXA 1.8 EC	18 g/L	EC	INSECTICIDE	2	390-234-5033	29-Jan-26	-	Onion	Leafminer, Thrips	2.0-3.0 Tbsp/ 36L water	-	3 days	It is allowed as soon as spray deposits had dried up
LIHEMPHIL INTERNATIONAL INC.	ABAMECTIN	AKXA 1.8 EC	18 g/L	EC	INSECTICIDE	2	390-234-5033	29-Jan-26	-	Potato	Leafminer, Thrips	2.0-3.0 Tbsp/ 36L water	-	14 days	It is allowed as soon as spray deposits had dried up
LIHEMPHIL INTERNATIONAL INC.	ABAMECTIN	AKXA 1.8 EC	18 g/L	EC	INSECTICIDE	2	390-234-5033	29-Jan-26	-	Tomato	Leafminer, Thrips, aphids	2.0-3.0 Tbsp/ 36L water	-	3 days	It is allowed as soon as spray deposits had dried up
LIHEMPHIL INTERNATIONAL INC.	ABAMECTIN	AKXA 1.8 EC	18 g/L	EC	INSECTICIDE	2	390-234-5033	29-Jan-26	-	Watermelon	Leafminer, thrips, melonworm	2.0-3.0 Tbsp/ 36L water	-	3 days	It is allowed as soon as spray deposits had dried up
LIHEMPHIL INTERNATIONAL INC.	ABAMECTIN	AKXA 1.8 EC	18 g/L	EC	INSECTICIDE	2	390-234-5033	29-Jan-26	-	Papaya	Mites	2.0-5.0 Tbsp/ 36L water	-	14 days	It is allowed as soon as spray deposits had dried up
LIHEMPHIL INTERNATIONAL INC.	ABAMECTIN	AKXA 1.8 EC	18 g/L	EC	INSECTICIDE	2	390-234-5033	29-Jan-26	-	Strawberry	Mites	2.0-4.0 Tbsp/ 36L water	-	3 days	It is allowed as soon as spray deposits had dried up
AKTV MULTI TRADING CO. PHILS, INC.	AKULURON BW WP	AKULURON BW WP	800 g/kg	WP	HERBICIDE	4	340-021-3595	15-Nov-24	SYSTEMIC	Citrus	Annual and Perennial broadleaves and grasses	10.0-15.0Tbsp/36 L water	-	-	Entry to fields treated with AKULURON BW WP can be done one day after the application
AKTV MULTI TRADING CO. PHILS, INC.	AKULURON BW WP	AKULURON BW WP	800 g/kg	WP	HERBICIDE	4	340-021-3595	15-Nov-24	SYSTEMIC	Coffee	Annual and Perennial broadleaves and grasses	10.0-15.0Tbsp/36 L water	-	-	Entry to fields treated with AKULURON BW WP can be done one day after the application
AKTV MULTI TRADING CO. PHILS, INC.	AKULURON BW WP	AKULURON BW WP	800 g/kg	WP	HERBICIDE	4	340-021-3595	15-Nov-24	SYSTEMIC	Cotton	Annual and Perennial broadleaves and grasses	8.0Tbsp/36L water	-	-	Entry to fields treated with AKULURON BW WP can be done one day after the application
AKTV MULTI TRADING CO. PHILS, INC.	AKULURON BW WP	AKULURON BW WP	800 g/kg	WP	HERBICIDE	4	340-021-3595	15-Nov-24	SYSTEMIC	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0Tbsp/36 L water	-	-	Entry to fields treated with AKULURON BW WP can be done one day after the application
AKTV MULTI TRADING CO. PHILS, INC.	AKULURON BW WP	AKULURON BW WP	800 g/kg	WP	HERBICIDE	4	340-021-3595	15-Nov-24	SYSTEMIC	Pineapple	Annual and Perennial broadleaves and grasses	15.0Tbsp/36 L water	-	-	Entry to fields treated with AKULURON BW WP can be done one day after the application
AKTV MULTI TRADING CO. PHILS, INC.	AKULURON BW WP	AKULURON BW WP	800 g/kg	WP	HERBICIDE	4	340-021-3595	15-Nov-24	SYSTEMIC	Non-crop land	Annual and Perennial broadleaves and grasses	20.0-28.0Tbsp/36 L water	-	-	Entry to fields treated with AKULURON BW WP can be done one day after the application
AKTV MULTI TRADING CO. PHILS, INC.	BFMCH-CHLORPYRIFOS	AFXOS 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	340-174-3594	25-Nov-24	SYSTEMIC	Rice	Stemborer, armyworm, leafhopper, caseworm and planthopper	2.5-3.5 Tbsp/36L water	-	-	Stop spraying 15 days before harvest
AKTV MULTI TRADING CO. PHILS, INC.	BFMCH-CHLORPYRIFOS	AFXOS 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	340-174-3594	25-Nov-24	SYSTEMIC	Corn	Seedling maggot, corn earworm, comborer and armyworm	2.5-3.5 Tbsp/36L water	-	-	Stop spraying 15 days before harvest
AKTV MULTI TRADING CO. PHILS, INC.	BFMCH-CHLORPYRIFOS	AFXOS 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	340-174-3594	25-Nov-24	SYSTEMIC	Tobacco	Budworm, grasshopper, aphid, cutworm and armyworm	2.5-3.5 Tbsp/36L water	-	-	Do not enter the field within 2 days after spraying.
AKTV MULTI TRADING CO. PHILS, INC.	BFMCH-CHLORPYRIFOS	AFXOS 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	340-174-3594	25-Nov-24	SYSTEMIC	Cucumber	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/36L water	-	-	Do not enter the field within 2 days after spraying.
AKTV MULTI TRADING CO. PHILS, INC.	BFMCH-CHLORPYRIFOS	AFXOS 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	340-174-3594	25-Nov-24	SYSTEMIC	Melon	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/36L water	-	-	Do not enter the field within 2 days after spraying.
AKTV MULTI TRADING CO. PHILS, INC.	BFMCH-CHLORPYRIFOS	AFXOS 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	340-174-3594	25-Nov-24	SYSTEMIC	Watermelon	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/36L water	-	-	Do not enter the field within 2 days after spraying.
AKTV MULTI TRADING CO. PHILS, INC.	BFMCH-CHLORPYRIFOS	AFXOS 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	340-174-3594	25-Nov-24	SYSTEMIC	Onion	Thrips, cutworm	2.5-3.5 Tbsp/36L water	-	-	Stop spraying 15 days before harvest
AKTV MULTI TRADING CO. PHILS, INC.	BFMCH-CHLORPYRIFOS	AFXOS 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	340-174-3594	25-Nov-24	SYSTEMIC	Mungo	Bean podborer, aphids, beanfly, armyworm, cutworm, leafminer, leafhopper	2.5-3.5 Tbsp/36L water	-	-	Do not enter the field within 2 days after spraying.

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
AKTIV MULTI TRADING CO. PHILS, INC.	BPfMC-CHLORPYRIFOS	AKTOS 31.5 EC	210-320 g/L	EC	INSECTICIDE	2	540-174-3594	25-Nov-24		Soybeans	Bean podborer, aphids, beanfly, armyworm, cutworm, leafminer, leafroller	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying.
AKTIV MULTI TRADING CO. PHILS, INC.	BPfMC-CHLORPYRIFOS	AKTOS 31.5 EC	210-320 g/L	EC	INSECTICIDE	2	540-174-3594	25-Nov-24		Beans	Bean podborer, aphids, beanfly, armyworm, cutworm, leafminer, leafroller	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying.
AKTIV MULTI TRADING CO. PHILS, INC.	LAMBDA-CHYALOTHRIN	AKCHLOTHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	540-204-3598	25-Nov-24	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leafroller, black bug	1.0-1.5Tbsp/36L of water	0.05ppm	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray deposits dry.
AKTIV MULTI TRADING CO. PHILS, INC.	LAMBDA-CHYALOTHRIN	AKCHLOTHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	540-204-3598	25-Nov-24	SYSTEMIC	Mango	Hoppers	0.75-1.5Tbsp/36L of water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray deposits dry.
AKTIV MULTI TRADING CO. PHILS, INC.	LAMBDA-CHYALOTHRIN	AKCHLOTHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	540-204-3598	25-Nov-24	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5Tbsp/36L of water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray deposits dry.
AKTIV MULTI TRADING CO. PHILS, INC.	LAMBDA-CHYALOTHRIN	AKCHLOTHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	540-204-3598	25-Nov-24	SYSTEMIC	Onion	Thrips, cutworm	1.0Tbsp/36L of water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray deposits dry.
AKTIV MULTI TRADING CO. PHILS, INC.	LAMBDA-CHYALOTHRIN	AKCHLOTHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	540-204-3598	25-Nov-24	SYSTEMIC	Mungbeans	Beanfly, flea beetle, leafhopper, aphids, mites, podborer	1.0Tbsp/36L of water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray deposits dry.
AKTIV MULTI TRADING CO. PHILS, INC.	LAMBDA-CHYALOTHRIN	AKCHLOTHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	540-204-3598	25-Nov-24	SYSTEMIC	Corn	Comborer, aphids, seedling maggots	1.0-1.5Tbsp/36L of water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray deposits dry.
AKTIV MULTI TRADING CO. PHILS, INC.	LAMBDA-CHYALOTHRIN	AKCHLOTHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	540-204-3598	25-Nov-24	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katydid	1.0-1.5Tbsp/36L of water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray deposits dry.
AKTIV MULTI TRADING CO. PHILS, INC.	LAMBDA-CHYALOTHRIN	AKCHLOTHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	540-204-3598	25-Nov-24	SYSTEMIC	Cotton	Bollworm	1.0-1.5Tbsp/36L of water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray deposits dry.
AKTIV MULTI TRADING CO. PHILS, INC.	LAMBDA-CHYALOTHRIN	AKCHLOTHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	540-204-3598	25-Nov-24	SYSTEMIC	Cocoa	Podborer	1.0-2.0Tbsp/36L of water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray deposits dry.
AKTIV MULTI TRADING CO. PHILS, INC.	LAMBDA-CHYALOTHRIN	AKCHLOTHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	540-204-3598	25-Nov-24	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0Tbsp/36L of water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray deposits dry.
AKTIV MULTI TRADING CO. PHILS, INC.	CARBENDAZIM	AKRENZIM 500 SC	500 g/L	SC	FUNGICIDE	4	540-267-4808	27-May-22	SYSTEMIC	Mango	Anthraxnose	1-2Tbsp/36L water	-	-	Re-entry is allowed as soon as the spray deposits dry up.
AKTIV MULTI TRADING CO. PHILS, INC.	CARBENDAZIM	AKRENZIM 500 SC	500 g/L	SC	FUNGICIDE	4	540-267-4808	27-May-22	SYSTEMIC	Cucurbits	Dowry midew	1-2Tbsp/36L water	-	-	Re-entry is allowed as soon as the spray deposits dry up.
AKTIV MULTI TRADING CO. PHILS, INC.	CARBENDAZIM	AKRENZIM 500 SC	500 g/L	SC	FUNGICIDE	4	540-267-4808	27-May-22	SYSTEMIC	Garden Peas (Legumes)	Powdery mildew	1-2Tbsp/36L water	-	-	Re-entry is allowed as soon as the spray deposits dry up.
AKTIV MULTI TRADING CO. PHILS, INC.	CARBENDAZIM	AKRENZIM 500 SC	500 g/L	SC	FUNGICIDE	4	540-267-4808	27-May-22	SYSTEMIC	Sugarcane	Pineapple disease	5-10/200L water cane dipping	-	-	Re-entry is allowed as soon as the spray deposits dry up.
AKTIV MULTI TRADING CO. PHILS, INC.	CARBENDAZIM	AKRENZIM 500 SC	500 g/L	SC	FUNGICIDE	4	540-267-4808	27-May-22	SYSTEMIC	Banana	Diamond fruit spot, anthracnose	0.5-1.0 mL / L water (80-100 mL spray volume)	-	7 days (Banana)	Re-entry is allowed as soon as the spray deposits dry up.
LIHEMPHIL INTERNATIONAL INC.	SPINOSAD	AKASA 25 SC	25 g/L	SC	INSECTICIDE	4	590-306-5432	10-May-24		Cabbage	Diamond back moth	25-50mL (2.5-5 Tbsp) /36L of water	-	-	Immediately after spray deposits have dried
LIHEMPHIL INTERNATIONAL INC.	SPINOSAD	AKASA 25 SC	25 g/L	SC	INSECTICIDE	4	590-306-5432	10-May-24		Banana	Flower thrips	1.0-1.25 mL of water	-	-	Immediately after spray deposits have dried
LIHEMPHIL INTERNATIONAL INC.	SPINOSAD	AKASA 25 SC	25 g/L	SC	INSECTICIDE	4	590-306-5432	10-May-24		Eggplant	Fruit borer	40-65mL/36L of water	-	-	Immediately after spray deposits have dried
LIHEMPHIL INTERNATIONAL INC.	SPINOSAD	AKASA 25 SC	25 g/L	SC	INSECTICIDE	4	590-306-5432	10-May-24		Beans	Podborer	30-50mL/36L of water	-	-	Immediately after spray deposits have dried
LIHEMPHIL INTERNATIONAL INC.	SPINOSAD	AKASA 25 SC	25 g/L	SC	INSECTICIDE	4	590-306-5432	10-May-24		Bulb Onion	Thrips & Cutworm	40-100mL/36L of water	-	-	Immediately after spray deposits have dried
VETMATE FARMA CORP.	CYPERMETHRIN	AK-47.5 EC	50 g/L	EC	INSECTICIDE	4	658-037-6108	06-Jul-24	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/36L water	-	7Days	Re-entry to treated field is allowed as soon as spray deposit dry
VETMATE FARMA CORP.	CYPERMETHRIN	AK-47.5 EC	50 g/L	EC	INSECTICIDE	4	658-037-6108	06-Jul-24	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leafhoppers, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/36L water	-	7Days	Re-entry to treated field is allowed as soon as spray deposit dry
VETMATE FARMA CORP.	CYPERMETHRIN	AK-47.5 EC	50 g/L	EC	INSECTICIDE	4	658-037-6108	06-Jul-24	CONTACT	Cabbage	Diamond back moth, cabbage moth, worm	1.0-3.0 Tbsp/36L water	-	7Days	Re-entry to treated field is allowed as soon as spray deposit dry
VETMATE FARMA CORP.	CYPERMETHRIN	AK-47.5 EC	50 g/L	EC	INSECTICIDE	4	658-037-6108	06-Jul-24	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/36L water	-	7Days	Re-entry to treated field is allowed as soon as spray deposit dry
VETMATE FARMA CORP.	CYPERMETHRIN	AK-47.5 EC	50 g/L	EC	INSECTICIDE	4	658-037-6108	06-Jul-24	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/36L water	-	7Days	Re-entry to treated field is allowed as soon as spray deposit dry
VETMATE FARMA CORP.	CYPERMETHRIN	AK-47.5 EC	50 g/L	EC	INSECTICIDE	4	658-037-6108	06-Jul-24	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/36L water	-	7Days	Re-entry to treated field is allowed as soon as spray deposit dry
VETMATE FARMA CORP.	CYPERMETHRIN	AK-47.5 EC	50 g/L	EC	INSECTICIDE	4	658-037-6108	06-Jul-24	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/36L water	-	7Days	Re-entry to treated field is allowed as soon as spray deposit dry
VETMATE FARMA CORP.	CYPERMETHRIN	AK-47.5 EC	50 g/L	EC	INSECTICIDE	4	658-037-6108	06-Jul-24	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/36L water	-	7Days	Re-entry to treated field is allowed as soon as spray deposit dry
VETMATE FARMA CORP.	CYPERMETHRIN	AK-47.5 EC	50 g/L	EC	INSECTICIDE	4	658-037-6108	06-Jul-24	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/36L water	-	7Days	Re-entry to treated field is allowed as soon as spray deposit dry
VETMATE FARMA CORP.	CYPERMETHRIN	AK-47.5 EC	50 g/L	EC	INSECTICIDE	4	658-037-6108	06-Jul-24	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/36L water	-	7Days	Re-entry to treated field is allowed as soon as spray deposit dry
VETMATE FARMA CORP.	CYPERMETHRIN	AK-47.5 EC	50 g/L	EC	INSECTICIDE	4	658-037-6108	06-Jul-24	CONTACT	Corn	Comborer, earworm	1.0-4.5 Tbsp/36L water	-	7Days	Re-entry to treated field is allowed as soon as spray deposit dry
SABERO ORGANICS PHILIPPINES ASIA INC.	PROFENOFOS	AJANTA 50 EC	500 g/L	EC	INSECTICIDE	2	466-070-4136	09-Oct-26	CONTACT	Mango	Thrips	1.0-3.0 Tbsp/36L water	-	Do not apply at less than 7 days before harvest	Do not enter treated fields for at least 1 day after application
SABERO ORGANICS PHILIPPINES ASIA INC.	PROFENOFOS	AJANTA 50 EC	500 g/L	EC	INSECTICIDE	2	466-070-4136	09-Oct-26	CONTACT	Tomato	Fruitworm, armyworm, cutworm	3-5 Tbsp/36L water	-	Do not apply at less than 7 days before harvest	Do not enter treated fields for at least 1 day after application
SABERO ORGANICS PHILIPPINES ASIA INC.	PROFENOFOS	AJANTA 50 EC	500 g/L	EC	INSECTICIDE	2	466-070-4136	09-Oct-26	CONTACT	Eggplant	Fruitborer, aphids, leafhopper, & thrips	1.5-3.0 Tbsp/36L water	-	Do not apply at less than 7 days before harvest	Do not enter treated fields for at least 1 day after application
SABERO ORGANICS PHILIPPINES ASIA INC.	PROFENOFOS	AJANTA 50 EC	500 g/L	EC	INSECTICIDE	2	466-070-4136	09-Oct-26	CONTACT	Cabbage	Diamond back moth, cabbage worm & aphids, thrips	3-5 Tbsp/36L water	-	Do not apply at less than 7 days before harvest	Do not enter treated fields for at least 1 day after application
SABERO ORGANICS PHILIPPINES ASIA INC.	PROFENOFOS	AJANTA 50 EC	500 g/L	EC	INSECTICIDE	2	466-070-4136	09-Oct-26	CONTACT	Watermelon	Thrips	3-5 Tbsp/36L water	-	Do not apply at less than 7 days before harvest	Do not enter treated fields for at least 1 day after application
SABERO ORGANICS PHILIPPINES ASIA INC.	PROFENOFOS	AJANTA 50 EC	500 g/L	EC	INSECTICIDE	2	466-070-4136	09-Oct-26	CONTACT	Potato	Thrips, army worm, cutworm, tuber moth	3-5 Tbsp/36L water	-	Do not apply at less than 7 days before harvest	Do not enter treated fields for at least 1 day after application
SABERO ORGANICS PHILIPPINES ASIA INC.	PROFENOFOS	AJANTA 50 EC	500 g/L	EC	INSECTICIDE	2	466-070-4136	09-Oct-26	CONTACT	Soybeans	Corn earworm, leafminer	3-5 Tbsp/36L water	-	Do not apply at less than 7 days before harvest	Do not enter treated fields for at least 1 day after application
SABERO ORGANICS PHILIPPINES ASIA INC.	PROFENOFOS	AJANTA 50 EC	500 g/L	EC	INSECTICIDE	2	466-070-4136	09-Oct-26	CONTACT	Mungbeans	Corn earworm, leafminer	3-5 Tbsp/36L water	-	Do not apply at less than 7 days before harvest	Do not enter treated fields for at least 1 day after application
SABERO ORGANICS PHILIPPINES ASIA INC.	PROFENOFOS	AJANTA 50 EC	500 g/L	EC	INSECTICIDE	2	466-070-4136	09-Oct-26	CONTACT	Cotton	Thrips, bollworm & budworm	3-5 Tbsp/36L water	-	Do not apply at less than 7 days before harvest	Do not enter treated fields for at least 1 day after application
SABERO ORGANICS PHILIPPINES ASIA INC.	PROFENOFOS	AJANTA 50 EC	500 g/L	EC	INSECTICIDE	2	466-070-4136	09-Oct-26	CONTACT	Stringbeans	Beanfly, leafroller & aphids	1.5-3.0 Tbsp/36L water	-	Do not apply at less than 7 days before harvest	Do not enter treated fields for at least 1 day after application
GREEN THUMS EXERT VENTURES, INC.	NICLOXAMIDE ETHANOLAMINE SALT	AJM 70 WP	700 g/kg	WP	MOLLUSCICIDE	4	596-229-4116	20-Jul-26	CONTACT	Rice	Golden Apple Snail (kukol)	35 gm/36L water	-	-	-
PHILIPPINE FARMFAX SOLUTIONS INC.	LAMBDA-CHYALOTHRIN+THIAMETHOXAM	AKIDDO 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	535-395-5052	03-Mar-26	-	Potato	Whiteflies, aphids, thrips	100-200 mL prod./ha;3.0-6.0 mLprod./36L	-	7 days	Do not enter treated fields for atleast 1 day after application
PHILIPPINE FARMFAX SOLUTIONS INC.	LAMBDA-CHYALOTHRIN+THIAMETHOXAM	AKIDDO 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	535-395-5052	03-Mar-26	-	Stringbean	Green Leafhopper, aphids, mites	100-200 mL prod./ha;4.0-6.0 mLprod./36L	-	7 days	Do not enter treated fields for atleast 1 day after application
PHILIPPINE FARMFAX SOLUTIONS INC.	LAMBDA-CHYALOTHRIN+THIAMETHOXAM	AKIDDO 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	535-395-5052	03-Mar-26	-	Eggplant	Whiteflies, green leafhopper, aphids	100-200 mL prod./ha;4.0-6.0 mLprod./36L	-	7 days	Do not enter treated fields for atleast 1 day after application
PHILIPPINE FARMFAX SOLUTIONS INC.	LAMBDA-CHYALOTHRIN+THIAMETHOXAM	AKIDDO 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	535-395-5052	03-Mar-26	-	Bittergourd	Leafhoppers, thrips, aphids, fruitfly, cutworm	100-400 mL prod./ha;4.0-10.0 mL prod./36L	-	7 days	Do not enter treated fields for atleast 1 day after application
PHILIPPINE FARMFAX SOLUTIONS INC.	LAMBDA-CHYALOTHRIN+THIAMETHOXAM	AKIDDO 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	535-395-5052	03-Mar-26	-	Mango	Leafhoppers, tip borers, capsid bug, fruitfly, cecid fly	20-30 mL/200L	-	3 days	Do not enter treated fields for atleast 1 day after application
PHILIPPINE FARMFAX SOLUTIONS INC.	LAMBDA-CHYALOTHRIN+THIAMETHOXAM	AKIDDO 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	535-395-5052	03-Mar-26	-	Corn	Asiatic corn borer, cutworm, leafhoppers, aphids, earworm	20-400 mL prod./ha;10.0-16.0 mL prod./36L	-	3 days	Do not enter treated fields for atleast 1 day after application
PHILIPPINE FARMFAX SOLUTIONS INC.	LAMBDA-CHYALOTHRIN+THIAMETHOXAM	AKIDDO 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	535-395-5052	03-Mar-26	-	Banana	Flower thrips	3-3 mL/L	-	90 days	Do not enter treated fields for atleast 1 day after application
PHILIPPINE FARMFAX SOLUTIONS INC.	LAMBDA-CHYALOTHRIN+THIAMETHOXAM	AKIDDO 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	535-395-5052	03-Mar-26	-	Rice	Stem-borer, leafhoppers, rice bugs	100-200 mL prod./ha;10.0-30.0 mL prod./36L	-	14 days	Do not enter treated fields for atleast 1 day after application
ARIES INC. CHEMICAL CORPORATION	BUTACHLOR-PROPANIL	AHEAD 70 EC	350 g/L+350 g/L	WP	HERBICIDE	3	478-238-2635	19-Dec-23	POST-EMERGENT	Rice (Direct-seeded)	Grasses, sedges and broadleaves	8-12 Tbsp/36L water	-	-	-
ARIES INC. CHEMICAL CORPORATION	BUTACHLOR-PROPANIL	AHEAD 70 EC	350 g/L+350 g/L	WP	HERBICIDE	3	478-238-2635	19-Dec-23	POST-EMERGENT	Rice (Transplanted)	Grasses, sedges and broadleaves	8-12 Tbsp/36L water	-	-	-
AGWAY CHEMICALS CORPORATION	HEXAZINONE-DIURON	AGWAY TELAR 60 WG	132 g/kg+608 g/kg	WG	HERBICIDE	4	075-435-6299	13-Dec-25	-	Sugarcane	Annual grasses, broadleaves and sedges	400L/ha	-	-	-
AGWAY CHEMICALS CORPORATION	MALATHION	AGWAY MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	075-038-1689-A	29-Aug-26	NON-SYSTEMIC	Fruit trees	Aphids, mealy bug scale insect	1.5-3.0Tbsp/36L water	-	1 day after each spraying	1 day after each spraying

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
AGWAY CHEMICALS CORPORATION	MALATHION	AGWAY MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	075-038-1689-A	29-Aug-26	NON-SYSTEMIC	Rice	Armyworm, caseworm, leafhopper, bugs	2.0-5.0Tbsp/36 L water	-	1 day after each spraying	1 day after each spraying
AGWAY CHEMICALS CORPORATION	MALATHION	AGWAY MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	075-038-1689-A	29-Aug-26	NON-SYSTEMIC	Corn	Earworm, silkworm, aphids, grasshopper	3.0-5.0Tbsp/36 L water	-	1 day after each spraying	1 day after each spraying
AGWAY CHEMICALS CORPORATION	MALATHION	AGWAY MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	075-038-1689-A	29-Aug-26	NON-SYSTEMIC	Cabbage	Cabbage worm, loopers, diamond back moth	2.0-5.0Tbsp/36 L water	-	1 day after each spraying	1 day after each spraying
AGWAY CHEMICALS CORPORATION	MALATHION	AGWAY MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	075-038-1689-A	29-Aug-26	NON-SYSTEMIC	Legumes	Aphids, beanfly, cutworm, flea beetles, leafminer, maggot, mealybug, podborer, thrips	2.0-5.0Tbsp/36 L water	-	1 day after each spraying	1 day after each spraying
AGWAY CHEMICALS CORPORATION	MALATHION	AGWAY MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	075-038-1689-A	29-Aug-26	NON-SYSTEMIC	Grapes	Beetles, cutworm, leafhopper, mealybug, scale, insect, spider mites	3.0Tbsp/36 L water	-	1 day after each spraying	1 day after each spraying
AGWAY CHEMICALS CORPORATION	MALATHION	AGWAY MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	075-038-1689-A	29-Aug-26	NON-SYSTEMIC	Pineapple	Mealy bug	3.0Tbsp/36 L water	-	1 day after each spraying	1 day after each spraying
AGWAY CHEMICALS CORPORATION	MALATHION	AGWAY MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	075-038-1689-A	29-Aug-26	NON-SYSTEMIC	Pepper	Aphid, cutworm, fruitworm	3.0Tbsp/36 L water	-	1 day after each spraying	1 day after each spraying
AGWAY CHEMICALS CORPORATION	MALATHION	AGWAY MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	075-038-1689-A	29-Aug-26	NON-SYSTEMIC	Garlic	Cutworm	3.0Tbsp/36 L water	-	1 day after each spraying	1 day after each spraying
AGWAY CHEMICALS CORPORATION	MALATHION	AGWAY MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	075-038-1689-A	29-Aug-26	NON-SYSTEMIC	Onion	Cutworm	3.0Tbsp/36 L water	-	1 day after each spraying	1 day after each spraying
AGWAY CHEMICALS CORPORATION	MALATHION	AGWAY MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	075-038-1689-A	29-Aug-26	NON-SYSTEMIC	Tobacco	Aphids, katydid	3.0-6.0Tbsp/36 L water	-	1 day after each spraying	1 day after each spraying
AGWAY CHEMICALS CORPORATION	MALATHION	AGWAY MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	075-038-1689-A	29-Aug-26	NON-SYSTEMIC	Ornamentals	Aphids, cutworm, mealybug, scale insect, spider mites	3.0-5.0Tbsp/36 L water	-	1 day after each spraying	1 day after each spraying
AGWAY CHEMICALS CORPORATION	MALATHION	AGWAY MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	075-038-1689-A	29-Aug-26	NON-SYSTEMIC	Tomato	Lady beetle	3.0-5.0Tbsp/36 L water	-	1 day after each spraying	1 day after each spraying
AGWAY CHEMICALS CORPORATION	MALATHION	AGWAY MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	075-038-1689-A	29-Aug-26	NON-SYSTEMIC	Eggplant	Aphids, fruitworm	3.0-5.0Tbsp/36 L water	-	1 day after each spraying	1 day after each spraying
AGWAY CHEMICALS CORPORATION	MALATHION	AGWAY MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	075-038-1689-A	29-Aug-26	NON-SYSTEMIC	Sorghum	Web worm	3.0Tbsp/36 L water	-	1 day after each spraying	1 day after each spraying
AGWAY CHEMICALS CORPORATION	DIURON	AGWAY DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	075-021-2708-A	23-Feb-27	SYSTEMIC	Citrus	Annual and Perennial broadleaves and grasses	13.0-15.0Tbsp/36 L water	-	A day after application	-
AGWAY CHEMICALS CORPORATION	DIURON	AGWAY DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	075-021-2708-A	23-Feb-27	SYSTEMIC	Coffee	Annual and Perennial broadleaves and grasses	13.0-15.0Tbsp/36 L water	-	A day after application	-
AGWAY CHEMICALS CORPORATION	DIURON	AGWAY DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	075-021-2708-A	23-Feb-27	SYSTEMIC	Cotton	Annual and Perennial broadleaves and grasses	8.0Tbsp/36 L water	-	A day after application	-
AGWAY CHEMICALS CORPORATION	DIURON	AGWAY DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	075-021-2708-A	23-Feb-27	SYSTEMIC	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0Tbsp/36 L water	-	A day after application	-
AGWAY CHEMICALS CORPORATION	DIURON	AGWAY DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	075-021-2708-A	23-Feb-27	SYSTEMIC	Pineapple	Annual and Perennial broadleaves and grasses	11.0Tbsp/36 L water	-	A day after application	-
AGWAY CHEMICALS CORPORATION	DIURON	AGWAY DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	075-021-2708-A	23-Feb-27	SYSTEMIC	Non-crop land	Annual and Perennial broadleaves and grasses	20.0-28.0Tbsp/36 L water	-	A day after application	-
AGWAY CHEMICALS CORPORATION	DIURON	AGWAY DIURON 80 SC	800 g/L	SC	HERBICIDE	4	075-021-4700	08-Mar-25	SYSTEMIC	Citrus	Grasses, annual & perennial broadleaves	13.0-15.0Tbsp/36 L water	-	A day after application	-
AGWAY CHEMICALS CORPORATION	DIURON	AGWAY DIURON 80 SC	800 g/L	SC	HERBICIDE	4	075-021-4700	08-Mar-25	SYSTEMIC	Coffee	Grasses, annual & perennial broadleaves	11.0-13.0Tbsp/36 L water	-	A day after application	-
AGWAY CHEMICALS CORPORATION	DIURON	AGWAY DIURON 80 SC	800 g/L	SC	HERBICIDE	4	075-021-4700	08-Mar-25	SYSTEMIC	Cotton	Grasses, annual & perennial broadleaves	8.0Tbsp/36 L water	-	A day after application	-
AGWAY CHEMICALS CORPORATION	DIURON	AGWAY DIURON 80 SC	800 g/L	SC	HERBICIDE	4	075-021-4700	08-Mar-25	SYSTEMIC	Sugarcane	Grasses, annual & perennial broadleaves	6.5-13.0Tbsp/36 L water	-	A day after application	-
AGWAY CHEMICALS CORPORATION	DIURON	AGWAY DIURON 80 SC	800 g/L	SC	HERBICIDE	4	075-021-4700	08-Mar-25	SYSTEMIC	Pineapple	Grasses, annual & perennial broadleaves	11.0Tbsp/36 L water	-	A day after application	-
AGWAY CHEMICALS CORPORATION	DIURON	AGWAY DIURON 80 SC	800 g/L	SC	HERBICIDE	4	075-021-4700	08-Mar-25	SYSTEMIC	Non-crop land	Grasses, annual & perennial broadleaves	20.0-28.0Tbsp/36 L water	-	A day after application	-
AGWAY CHEMICALS CORPORATION	CARTAP HYDROCHLORIDE	AGWAY CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	075-106-3667	14-Mar-25	SYSTEMIC	Rice	Worm maggot, stemborer, green leafhopper, brown planthopper	3.0-5.0Tbsp/36 L water	0.2ppm	Do not spray within 10 days before harvest	Do not enter treated field within 2 days after spraying
AGWAY CHEMICALS CORPORATION	CARTAP HYDROCHLORIDE	AGWAY CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	075-106-3667	14-Mar-25	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/36 L water	-	Do not spray within 10 days before harvest	Do not enter treated field within 2 days after spraying
AGWAY CHEMICALS CORPORATION	CARTAP HYDROCHLORIDE	AGWAY CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	075-106-3667	14-Mar-25	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/36 L water	-	Do not spray within 10 days before harvest	Do not enter treated field within 2 days after spraying
AGWAY CHEMICALS CORPORATION	CARTAP HYDROCHLORIDE	AGWAY CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	075-106-3667	14-Mar-25	SYSTEMIC	Cucurbit	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/36 L water	-	Do not spray within 10 days before harvest	Do not enter treated field within 2 days after spraying
AGWAY CHEMICALS CORPORATION	CARTAP HYDROCHLORIDE	AGWAY CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	075-106-3667	14-Mar-25	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/36 L water	-	Do not spray within 10 days before harvest	Do not enter treated field within 2 days after spraying
AGWAY CHEMICALS CORPORATION	CARTAP HYDROCHLORIDE	AGWAY CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	075-106-3667	14-Mar-25	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/36 L water	-	Do not spray within 10 days before harvest	Do not enter treated field within 2 days after spraying
AGWAY CHEMICALS CORPORATION	CARTAP HYDROCHLORIDE	AGWAY CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	075-106-3667	14-Mar-25	SYSTEMIC	White Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0Tbsp/36 L water	-	Do not spray within 10 days before harvest	Do not enter treated field within 2 days after spraying
AGWAY CHEMICALS CORPORATION	CARTAP HYDROCHLORIDE	AGWAY CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	075-106-3667	14-Mar-25	SYSTEMIC	Mango	leafhoppers	1.5-2.0Tbsp/36 L water	-	Do not spray within 10 days before harvest	Do not enter treated field within 2 days after spraying
AGWAY CHEMICALS CORPORATION	CARTAP HYDROCHLORIDE	AGWAY CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	075-106-3667	14-Mar-25	SYSTEMIC	Pechay	Looper, cutworm, aphids	1.5-3.0Tbsp/36 L water	-	Do not spray within 10 days before harvest	Do not enter treated field within 2 days after spraying
AGWAY CHEMICALS CORPORATION	BENOMYL	AGWAY BENOMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	075-167-3542	10-Sep-24	SYSTEMIC	Mungbeans	Powdery mildew, cercospora leaf spot	1-2 Tbsp/36 L water	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or after the spray
AGWAY CHEMICALS CORPORATION	BENOMYL	AGWAY BENOMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	075-167-3542	10-Sep-24	SYSTEMIC	beans	Powdery mildew, cercospora leaf spot	1-2 Tbsp/36 L water	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or after the spray
AGWAY CHEMICALS CORPORATION	BENOMYL	AGWAY BENOMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	075-167-3542	10-Sep-24	SYSTEMIC	Wongbok	Cercospora leaf spot	1-2 Tbsp/36 L water	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or after the spray
AGWAY CHEMICALS CORPORATION	BENOMYL	AGWAY BENOMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	075-167-3542	10-Sep-24	SYSTEMIC	Cabbage	Cercospora leaf spot	1-2 Tbsp/36 L water	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or after the spray
AGWAY CHEMICALS CORPORATION	BENOMYL	AGWAY BENOMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	075-167-3542	10-Sep-24	SYSTEMIC	Calamansi	Scab	1-2 Tbsp/36 L water	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or after the spray
AGWAY CHEMICALS CORPORATION	BENOMYL	AGWAY BENOMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	075-167-3542	10-Sep-24	SYSTEMIC	Cucumber	Powdery mildew	1-2 Tbsp/36 L water	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or after the spray
AGWAY CHEMICALS CORPORATION	BENOMYL	AGWAY BENOMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	075-167-3542	10-Sep-24	SYSTEMIC	ginger	Cercospora leaf spot	1-2 Tbsp/36 L water	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or after the spray
AGWAY CHEMICALS CORPORATION	BENOMYL	AGWAY BENOMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	075-167-3542	10-Sep-24	SYSTEMIC	Grapes	Powdery mildew	1-2 Tbsp/36 L water	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or after the spray
AGWAY CHEMICALS CORPORATION	BENOMYL	AGWAY BENOMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	075-167-3542	10-Sep-24	SYSTEMIC	Mandarin	Scab	1-2 Tbsp/36 L water	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or after the spray
AGWAY CHEMICALS CORPORATION	BENOMYL	AGWAY BENOMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	075-167-3542	10-Sep-24	SYSTEMIC	Mango	Anthracoose, powdery mildew	1-2 Tbsp/36 L water	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or after the spray
AGWAY CHEMICALS CORPORATION	BENOMYL	AGWAY BENOMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	075-167-3542	10-Sep-24	SYSTEMIC	Melon	Powdery mildew	1-2 Tbsp/36 L water	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or after the spray
AGWAY CHEMICALS CORPORATION	BENOMYL	AGWAY BENOMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	075-167-3542	10-Sep-24	SYSTEMIC	Orange	Scab	1-2 Tbsp/36 L water	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or after the spray
AGWAY CHEMICALS CORPORATION	BENOMYL	AGWAY BENOMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	075-167-3542	10-Sep-24	SYSTEMIC	Papaya	Powdery mildew	1-2 Tbsp/36 L water	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or after the spray
AGWAY CHEMICALS CORPORATION	BENOMYL	AGWAY BENOMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	075-167-3542	10-Sep-24	SYSTEMIC	Pepper	Cercospora leaf spot	1-2 Tbsp/36 L water	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or after the spray
AGWAY CHEMICALS CORPORATION	BENOMYL	AGWAY BENOMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	075-167-3542	10-Sep-24	SYSTEMIC	Rice	Blat, sheath blight	1-4 Tbsp/36 L water	1.0 ppm	7 days	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or after the spray
AGWAY CHEMICALS CORPORATION	BENOMYL	AGWAY BENOMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	075-167-3542	10-Sep-24	SYSTEMIC	Strawberry	Cercospora leaf spot	1-2 Tbsp/36 L water	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or after the spray
AGWAY CHEMICALS CORPORATION	BENOMYL	AGWAY BENOMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	075-167-3542	10-Sep-24	SYSTEMIC	Tobacco	Leaf mold, frog eye	1-2 Tbsp/36 L water	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or after the spray
AGWAY CHEMICALS CORPORATION	BENOMYL	AGWAY BENOMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	075-167-3542	10-Sep-24	SYSTEMIC	Banana	Black sigatoka	280 g/ha	-	-	Within 24 hours after spraying,the treated field may be entered only with the use of an appropriate personal protective equipment(PPE) or after the spray
AGWAY CHEMICALS CORPORATION	HYDROTREATED LIGHT PARAFINIC DISTILLATES	AGWAY BANANA ECO OIL	-	-	OTHERS	4	075-282-4880	18-Jul-22	-	Banana	Black Sigatoka	5.0liters/ha	-	-	-
AGWAY CHEMICALS CORPORATION	ATRAZINE	AGWAY ATRAZINE 80 WP	800g/kg	WP	HERBICIDE	4	075-005-4098	08-Mar-25	SELECTIVE (PRE-EMERGENT)	Corn	Annual grasses and broadleaves	6-12Tbsp/36 L water	-	-	Do not enter treated fields within 5 days after application
AGWAY CHEMICALS CORPORATION	ATRAZINE	AGWAY ATRAZINE 80 WP	800g/kg	WP	HERBICIDE	4	075-005-4098	08-Mar-25	SELECTIVE (PRE-EMERGENT)	Sorghum	Annual grasses and broadleaves	8-12Tbsp/36 L water	-	-	Do not enter treated fields within 5 days after application

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
AGWAY CHEMICALS CORPORATION	ATRAZINE	AGWAY ATRAZINE 80 WP	800g/kg	WP	HERBICIDE	4	075-005-4086	08-Mar-25	SELECTIVE (PRE-EMERGENT)	Sugarcane	Annual grasses and broadleaves	8-12tbsp/16 L water	-	-	Do not enter treated fields within 5 days after application
AGWAY CHEMICALS CORPORATION	AMETRYNE	AGWAY AMETRYN 80 WP	800g/kg	WP	HERBICIDE	4	075-068-4702	08-Mar-25	SELECTIVE (POST/PRE-EMERGENCE)	Banana	Annual and perennial broadleaves and grasses	9-15 tbsp/16L water	-	-	-
AGWAY CHEMICALS CORPORATION	AMETRYNE	AGWAY AMETRYN 80 WP	800g/kg	WP	HERBICIDE	4	075-068-4702	08-Mar-25	SELECTIVE (POST/PRE-EMERGENCE)	Coffee	Annual and perennial broadleaves and grasses	9-15 tbsp/16L water	-	-	-
AGWAY CHEMICALS CORPORATION	AMETRYNE	AGWAY AMETRYN 80 WP	800g/kg	WP	HERBICIDE	4	075-068-4702	08-Mar-25	SELECTIVE (POST/PRE-EMERGENCE)	Cacao	Annual and perennial broadleaves and grasses	9-15 tbsp/16L water	-	-	-
AGWAY CHEMICALS CORPORATION	AMETRYNE	AGWAY AMETRYN 80 WP	800g/kg	WP	HERBICIDE	4	075-068-4702	08-Mar-25	SELECTIVE (POST/PRE-EMERGENCE)	Oil palm	Annual and perennial broadleaves and grasses	9-15 tbsp/16L water	-	-	-
AGWAY CHEMICALS CORPORATION	AMETRYNE	AGWAY AMETRYN 80 WP	800g/kg	WP	HERBICIDE	4	075-068-4702	08-Mar-25	SELECTIVE (POST/PRE-EMERGENCE)	Citrus	Annual and perennial broadleaves and grasses	9-15 tbsp/16L water	-	-	-
AGWAY CHEMICALS CORPORATION	AMETRYNE	AGWAY AMETRYN 80 WP	800g/kg	WP	HERBICIDE	4	075-068-4702	08-Mar-25	SELECTIVE (POST/PRE-EMERGENCE)	Pineapple	Annual and perennial broadleaves and grasses	9-15 tbsp/16L water	-	-	-
AGWAY CHEMICALS CORPORATION	AMETRYNE	AGWAY AMETRYN 80 WP	800g/kg	WP	HERBICIDE	4	075-068-4702	08-Mar-25	SELECTIVE (POST/PRE-EMERGENCE)	Rubber	Annual and perennial broadleaves and grasses	9-15 tbsp/16L water	-	-	-
AGWAY CHEMICALS CORPORATION	AMETRYNE	AGWAY AMETRYN 80 WP	800g/kg	WP	HERBICIDE	4	075-068-4702	08-Mar-25	SELECTIVE (POST/PRE-EMERGENCE)	Corn	Annual and perennial broadleaves and grasses	9-15tbsp/16L water	-	-	-
AGWAY CHEMICALS CORPORATION	AMETRYNE	AGWAY AMETRYN 80 WP	800g/kg	WP	HERBICIDE	4	075-068-4702	08-Mar-25	SELECTIVE (POST/PRE-EMERGENCE)	Sugarcane	Annual and perennial broadleaves and grasses	9-15tbsp/16L water	-	-	-
AGWAY CHEMICALS CORPORATION	2,4-D AMINE	AGWAY 2,4-D AMINE	400 g/L	EC	HERBICIDE	2	075-013-3196	13-Sep-24	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual broadleaves and sedges	3-5-6.5tbsp/16 L water	0.1 ppm	-	Entry to field and crops treated with AGWAY 2,4-D AMINE can be done one day after spraying
AGWAY CHEMICALS CORPORATION	2,4-D AMINE	AGWAY 2,4-D AMINE	400 g/L	EC	HERBICIDE	2	075-013-3196	13-Sep-24	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual broadleaves and sedges	13-25tbsp/16 L water	-	-	Entry to field and crops treated with AGWAY 2,4-D AMINE can be done one day after spraying
AGWAY CHEMICALS CORPORATION	2,4-D AMINE	AGWAY 2,4-D AMINE	400 g/L	EC	HERBICIDE	2	075-013-3196	13-Sep-24	SELECTIVE (POST-EMERGENT)	Corn	Annual broadleaves and sedges	5-6.5tbsp/16 L water	-	-	Entry to field and crops treated with AGWAY 2,4-D AMINE can be done one day after spraying
JEELS MASAGANA FARM SUPPLY, INC.	GLUFOSINATE AMMONIUM	AGSUPO 15 SL	150 g/L	SL	HERBICIDE	4	487-182-5229	05-Jul-24	NON-SELECTIVE(POST-EMERGENT)	Cavendish Banana	Annual & Perennial grasses, sedges & broad-leaf weeds	160ml /16 L water, 130-200ml/16 L water	-	-	-
JEELS MASAGANA FARM SUPPLY, INC.	GLUFOSINATE AMMONIUM	AGSUPO 15 SL	150 g/L	SL	HERBICIDE	4	487-182-5229	05-Jul-24	NON-SELECTIVE(POST-EMERGENT)	Rubber	Annual & Perennial grasses, sedges & broad-leaf weeds	250ml/16 L water, 270ml/16 L water, 130ml/16 L water	-	-	-
JEELS MASAGANA FARM SUPPLY, INC.	GLUFOSINATE AMMONIUM	AGSUPO 15 SL	150 g/L	SL	HERBICIDE	4	487-182-5229	05-Jul-24	NON-SELECTIVE(POST-EMERGENT)	Oil palm	Annual & Perennial grasses, sedges & broad-leaf weeds	160ml/16 L water, 130ml/16 L water	-	-	-
JEELS MASAGANA FARM SUPPLY, INC.	GLUFOSINATE AMMONIUM	AGSUPO 15 SL	150 g/L	SL	HERBICIDE	4	487-182-5229	05-Jul-24	NON-SELECTIVE(POST-EMERGENT)	Coffee	Annual & Perennial grasses, sedges & broad-leaf weeds	160ml/16 L water, 130ml/16 L water	-	-	-
JEELS MASAGANA FARM SUPPLY, INC.	GLUFOSINATE AMMONIUM	AGSUPO 15 SL	150 g/L	SL	HERBICIDE	4	487-182-5229	05-Jul-24	NON-SELECTIVE(POST-EMERGENT)	Cacao	Annual & Perennial grasses, sedges & broad-leaf weeds	160ml/16 L water, 130ml/16 L water	-	-	-
JEELS MASAGANA FARM SUPPLY, INC.	GLUFOSINATE AMMONIUM	AGSUPO 15 SL	150 g/L	SL	HERBICIDE	4	487-182-5229	05-Jul-24	NON-SELECTIVE(POST-EMERGENT)	Citrus	Annual & Perennial grasses, sedges & broad-leaf weeds	160ml/16 L water, 130ml/16 L water	-	-	-
JEELS MASAGANA FARM SUPPLY, INC.	GLUFOSINATE AMMONIUM	AGSUPO 15 SL	150 g/L	SL	HERBICIDE	4	487-182-5229	05-Jul-24	NON-SELECTIVE(POST-EMERGENT)	Non-agricultural crop areas	Annual & Perennial grasses, sedges & broad-leaf weeds	160-215 ml/16L water	-	-	-
TRANS WORLD TRADING CO., INC.	LAMBDA-CHALOTHRIN+THIAMETHOXAM	AGULA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	038-395-4423	06-Jul-24	CONTACT/SYSTEMIC	Potato	Whiteflies, aphids, thrips	300-200ml product/ha, 4-6 ml/16L	0.1 Thiamethoxam, 0.1	7 Days	Do not enter treated fields at least 1 Day after application
TRANS WORLD TRADING CO., INC.	LAMBDA-CHALOTHRIN+THIAMETHOXAM	AGULA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	038-395-4423	06-Jul-24	CONTACT/SYSTEMIC	Stringbeans	Green Leafhopper, aphids, mites	100-200ml product/ha, 4-6 ml/16L	0.5 Thiamethoxam, 0.2 (with pod)	7 Days	Do not enter treated fields at least 1 Day after application
TRANS WORLD TRADING CO., INC.	LAMBDA-CHALOTHRIN+THIAMETHOXAM	AGULA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	038-395-4423	06-Jul-24	CONTACT/SYSTEMIC	Eggplant	Whiteflies, green leafhopper, aphids	300-200ml product/ha, 4-6 ml/16L	0.2 Thiamethoxam, 0.2	7 Days	Do not enter treated fields at least 1 Day after application
TRANS WORLD TRADING CO., INC.	LAMBDA-CHALOTHRIN+THIAMETHOXAM	AGULA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	038-395-4423	06-Jul-24	CONTACT/SYSTEMIC	Bittergourd	Leafhoppers, thrips, aphids, fruitfly, cutworm	300-200ml product/ha, 4-13 ml/16L	0.2 Thiamethoxam, 0.2	7 Days	Do not enter treated fields at least 1 Day after application
TRANS WORLD TRADING CO., INC.	LAMBDA-CHALOTHRIN+THIAMETHOXAM	AGULA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	038-395-4423	06-Jul-24	CONTACT/SYSTEMIC	Mango	Leafhoppers, tipboners, capsid bug, fruitfly, cecid fly	12-24ml/200L	0.1 Thiamethoxam, 0.2	3 Days	Do not enter treated fields at least 1 Day after application
TRANS WORLD TRADING CO., INC.	LAMBDA-CHALOTHRIN+THIAMETHOXAM	AGULA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	038-395-4423	06-Jul-24	CONTACT/SYSTEMIC	Corn	Asiatic corn borer, cutworm, leafhopper, aphids, earworm	250-400ml product/ha, 10-30-60 ml product/16L	0.10ppm Thiamethoxam	3 Days	Do not enter treated fields at least 1 Day after application
TRANS WORLD TRADING CO., INC.	LAMBDA-CHALOTHRIN+THIAMETHOXAM	AGULA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	038-395-4423	06-Jul-24	CONTACT/SYSTEMIC	Banana	Flowerthrips	1-3 ml/L	1.0ppm Thiamethoxam	30 days	Do not enter treated fields at least 1 Day after application
TRANS WORLD TRADING CO., INC.	LAMBDA-CHALOTHRIN+THIAMETHOXAM	AGULA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	038-395-4423	06-Jul-24	CONTACT/SYSTEMIC	Rice	Stemborer, leafhopper, rice bugs	30-30tbsp prod/16L	0.5-ppm Thiamethoxam	14 days	Do not enter treated fields at least 1 Day after application
AGSMART CORPORATION	THIOPHANATE METHYL	AGTOP-M	700 g/kg	WP	FUNGICIDE	4	680-107-5377	25-Mar-24	-	Mango	Anthracoze	0.5-1.0 TBSP/16L Water	-	-	-
AGSMART CORPORATION	THIOPHANATE METHYL	AGTOP-M	700 g/kg	WP	FUNGICIDE	4	680-107-5377	25-Mar-24	-	Tobacco	Frog eye leaf spot	0.5-1.0 TBSP/16L Water	-	-	-
AGSMART CORPORATION	THIOPHANATE METHYL	AGTOP-M	700 g/kg	WP	FUNGICIDE	4	680-107-5377	25-Mar-24	-	Tomato	Powdery mildew	0.5-1.0 TBSP/16L Water	-	-	-
AGSMART CORPORATION	THIOPHANATE METHYL	AGTOP-M	700 g/kg	WP	FUNGICIDE	4	680-107-5377	25-Mar-24	-	Legumes	Cercospora leaf spot, Anthracnose, botrytis leaf spot, fusarium wilt, powdery mildew	0.5-1.0 TBSP/16L Water	-	-	-
AGSMART CORPORATION	THIOPHANATE METHYL	AGTOP-M	700 g/kg	WP	FUNGICIDE	4	680-107-5377	25-Mar-24	-	Beans	Cercospora leaf spot, Anthracnose, botrytis leaf spot, fusarium wilt, powdery mildew	0.5-1.0 TBSP/16L Water	-	-	-
AGSMART CORPORATION	THIOPHANATE METHYL	AGTOP-M	700 g/kg	WP	FUNGICIDE	4	680-107-5377	25-Mar-24	-	Cucumber	Powdery mildew, Gummy Stem blight, leaf and fruit spots	0.5-1.0 TBSP/16L Water	-	-	-
AGSMART CORPORATION	THIOPHANATE METHYL	AGTOP-M	700 g/kg	WP	FUNGICIDE	4	680-107-5377	25-Mar-24	-	Melon	Powdery mildew, Gummy Stem blight, leaf and fruit spots	0.5-1.0 TBSP/16L Water	-	-	-
AGSMART CORPORATION	THIOPHANATE METHYL	AGTOP-M	700 g/kg	WP	FUNGICIDE	4	680-107-5377	25-Mar-24	-	Ornamentals	Powdery mildew, black spots	0.5-1.0 TBSP/16L Water	-	-	-
AGSMART CORPORATION	THIOPHANATE METHYL	AGTOP-M	700 g/kg	WP	FUNGICIDE	4	680-107-5377	25-Mar-24	-	Dichide	Powdery mildew, black spots	0.5-1.0 TBSP/16L Water	-	-	-
AGSMART CORPORATION	THIOPHANATE METHYL	AGTOP-M	700 g/kg	WP	FUNGICIDE	4	680-107-5377	25-Mar-24	-	Cabbage	Shot hole disease, cercospora leaf spot	0.5-1.0 TBSP/16L Water	-	-	-
AGSMART CORPORATION	THIOPHANATE METHYL	AGTOP-M	700 g/kg	WP	FUNGICIDE	4	680-107-5377	25-Mar-24	-	Cauliflower	Shot hole disease, cercospora leaf spot	0.5-1.0 TBSP/16L Water	-	-	-
AGSMART CORPORATION	THIOPHANATE METHYL	AGTOP-M	700 g/kg	WP	FUNGICIDE	4	680-107-5377	25-Mar-24	-	Lettuce	Shot hole disease, cercospora leaf spot	0.5-1.0 TBSP/16L Water	-	-	-
AGSMART CORPORATION	THIOPHANATE METHYL	AGTOP-M	700 g/kg	WP	FUNGICIDE	4	680-107-5377	25-Mar-24	-	Strawberry	Powdery mildew	0.5-1.0 TBSP/16L Water	-	-	-
AGSMART CORPORATION	THIOPHANATE METHYL	AGTOP-M	700 g/kg	WP	FUNGICIDE	4	680-107-5377	25-Mar-24	-	Grapes	Fruit rot, Powdery mildew, anthracnose	0.5-1.0 TBSP/16L Water	-	-	-
AGSMART CORPORATION	THIOPHANATE METHYL	AGTOP-M	700 g/kg	WP	FUNGICIDE	4	680-107-5377	25-Mar-24	-	Orange	Scabs	0.5-1.0 TBSP/16L Water	-	-	-
AGSMART CORPORATION	THIOPHANATE METHYL	AGTOP-M	700 g/kg	WP	FUNGICIDE	4	680-107-5377	25-Mar-24	-	Citrus	Scabs	0.5-1.0 TBSP/16L Water	-	-	-
AGSMART CORPORATION	THIOPHANATE METHYL	AGTOP-M	700 g/kg	WP	FUNGICIDE	4	680-107-5377	25-Mar-24	-	Calamansi	Scabs	0.5-1.0 TBSP/16L Water	-	-	-
AGSMART CORPORATION	THIOPHANATE METHYL	AGTOP-M	700 g/kg	WP	FUNGICIDE	4	680-107-5377	25-Mar-24	-	Banana	Sigatoka disease	0.5-1.0 TBSP/16L Water	-	-	-
AGSMART CORPORATION	THIOPHANATE METHYL	AGTOP-M	700 g/kg	WP	FUNGICIDE	4	680-107-5377	25-Mar-24	-	Papaya	Powdery mildew	0.5-1.0 TBSP/16L Water	-	-	-
AGSMART CORPORATION	BP3MC-CHLORPYRIFOS	AGSMART PYRICARB 31.5% EC	210 g/L+105 g/L	EC	INSECTICIDE	2	680-174-5953	2-Dec-25	-	Rice	Stemborer, armyworm, leafhopper, caseworm and planthopper	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
AGSMART CORPORATION	BP3MC-CHLORPYRIFOS	AGSMART PYRICARB 31.5% EC	210 g/L+105 g/L	EC	INSECTICIDE	2	680-174-5953	2-Dec-25	-	Corn	Seedling maggot, corn borer, corn earworm, armyworm	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
AGSMART CORPORATION	BP3MC-CHLORPYRIFOS	AGSMART PYRICARB 31.5% EC	210 g/L+105 g/L	EC	INSECTICIDE	2	680-174-5953	2-Dec-25	-	Tobacco	Budworm, grasshopper, aphid, cutworm, armyworm	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
AGSMART CORPORATION	BP3MC-CHLORPYRIFOS	AGSMART PYRICARB 31.5% EC	210 g/L+105 g/L	EC	INSECTICIDE	2	680-174-5953	2-Dec-25	-	Onion	Thrips, cutworm	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
AGSMART CORPORATION	BP3MC-CHLORPYRIFOS	AGSMART PYRICARB 31.5% EC	210 g/L+105 g/L	EC	INSECTICIDE	2	680-174-5953	2-Dec-25	-	Cucumber	Leafworm, squash bug, 28-spotted beetle	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
AGSMART CORPORATION	BP3MC-CHLORPYRIFOS	AGSMART PYRICARB 31.5% EC	210 g/L+105 g/L	EC	INSECTICIDE	2	680-174-5953	2-Dec-25	-	Melon	Leafworm, squash bug, 28-spotted beetle	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
AGSMART CORPORATION	BP3MC-CHLORPYRIFOS	AGSMART PYRICARB 31.5% EC	210 g/L+105 g/L	EC	INSECTICIDE	2	680-174-5953	2-Dec-25	-	Watermelon	Leafworm, squash bug, 28-spotted beetle	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
AGSMART CORPORATION	BP3MC-CHLORPYRIFOS	AGSMART PYRICARB 31.5% EC	210 g/L+105 g/L	EC	INSECTICIDE	2	680-174-5953	2-Dec-25	-	Mungbeans	Bean pod borer, aphid, bearily armyworm, cutworm, leafminer, leafhopper	2.5-3.5 Tbsp/16L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
AGSMART CORPORATION	BPfMC-CHLORPYRIFOS	AGSMART PYRICARB 31.5% EC	210 g/L + 105 g/L	EC	INSECTICIDE	2	680-174-5953	2-Dec-25	-	Soybean	Bean pod borer, aphid, beanfly armyworm, cutworm, leafminer, leafroller	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
AGSMART CORPORATION	BPfMC-CHLORPYRIFOS	AGSMART PYRICARB 31.5% EC	210 g/L + 105 g/L	EC	INSECTICIDE	2	680-174-5953	2-Dec-25	-	Beans	Bean pod borer, aphid, beanfly armyworm, cutworm, leafminer, leafroller	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
AGSMART CORPORATION	CARBARYL	AGSMART GIMBAL BS WP	850 g/kg	WP	INSECTICIDE	2	680-035-6384	1-Dec-26	-	Cacao	Pod borer, aphids, capsid bug	40-60 mL prod. / 36L water	-	Do not spray within 14-days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango	Treated areas may be re-entered immediately after spray has dried
AGSMART CORPORATION	CARBARYL	AGSMART GIMBAL BS WP	850 g/kg	WP	INSECTICIDE	2	680-035-6384	1-Dec-26	-	Citrus	Bird borer	40-60 mL prod. / 36L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango	Treated areas may be re-entered immediately after spray has dried
AGSMART CORPORATION	CARBARYL	AGSMART GIMBAL BS WP	850 g/kg	WP	INSECTICIDE	2	680-035-6384	1-Dec-26	-	Coffee	Berry borer	40-60 mL prod. / 36L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango	Treated areas may be re-entered immediately after spray has dried
AGSMART CORPORATION	CARBARYL	AGSMART GIMBAL BS WP	850 g/kg	WP	INSECTICIDE	2	680-035-6384	1-Dec-26	-	Corn	Corn borer, corn earworm, army worm	40-60 mL prod. / 36L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango	Treated areas may be re-entered immediately after spray has dried
AGSMART CORPORATION	CARBARYL	AGSMART GIMBAL BS WP	850 g/kg	WP	INSECTICIDE	2	680-035-6384	1-Dec-26	-	Cotton seeds	Silkworm, cutworm	40-60 mL prod. / 36L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango	Treated areas may be re-entered immediately after spray has dried
AGSMART CORPORATION	CARBARYL	AGSMART GIMBAL BS WP	850 g/kg	WP	INSECTICIDE	2	680-035-6384	1-Dec-26	-	Cowpea and other beans	Pod borer, beanfly, leafminer, aphids	40-60 mL prod. / 36L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango	Treated areas may be re-entered immediately after spray has dried
AGSMART CORPORATION	CARBARYL	AGSMART GIMBAL BS WP	850 g/kg	WP	INSECTICIDE	2	680-035-6384	1-Dec-26	-	Cucurbits	Squash beetle, lady beetle, aphids	40-60 mL prod. / 36L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango	Treated areas may be re-entered immediately after spray has dried
AGSMART CORPORATION	CARBARYL	AGSMART GIMBAL BS WP	850 g/kg	WP	INSECTICIDE	2	680-035-6384	1-Dec-26	-	Mango	Mango hoppers, tip borer, twig borer, fruitfly, mealy bug	40-60 mL prod. / 36L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango	Treated areas may be re-entered immediately after spray has dried
AGSMART CORPORATION	CARBARYL	AGSMART GIMBAL BS WP	850 g/kg	WP	INSECTICIDE	2	680-035-6384	1-Dec-26	-	Ornamentals	Aphids, scale insect, mealy bug, cutworm	40-60 mL prod. / 36L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango	Treated areas may be re-entered immediately after spray has dried
AGSMART CORPORATION	CARBARYL	AGSMART GIMBAL BS WP	850 g/kg	WP	INSECTICIDE	2	680-035-6384	1-Dec-26	-	Rice	Green leafhopper, caseworm, rice bug	40-60 mL prod. / 36L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango	Treated areas may be re-entered immediately after spray has dried
AGSMART CORPORATION	CARBARYL	AGSMART GIMBAL BS WP	850 g/kg	WP	INSECTICIDE	2	680-035-6384	1-Dec-26	-	Sorghum	Armyworm, cutworm, headworm, webworm	40-60 mL prod. / 36L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango	Treated areas may be re-entered immediately after spray has dried
AGSMART CORPORATION	CARBARYL	AGSMART GIMBAL BS WP	850 g/kg	WP	INSECTICIDE	2	680-035-6384	1-Dec-26	-	Soybeans	Pod borer, beanfly, leafminer, aphids	40-60 mL prod. / 36L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango	Treated areas may be re-entered immediately after spray has dried
AGSMART CORPORATION	CARBARYL	AGSMART GIMBAL BS WP	850 g/kg	WP	INSECTICIDE	2	680-035-6384	1-Dec-26	-	Tobacco	Aphids, budworm, cutworm	40-60 mL prod. / 36L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango	Treated areas may be re-entered immediately after spray has dried
AGSMART CORPORATION	CARBARYL	AGSMART GIMBAL BS WP	850 g/kg	WP	INSECTICIDE	2	680-035-6384	1-Dec-26	-	Tomato	Fruitworm, lady beetle	40-60 mL prod. / 36L water	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango	Treated areas may be re-entered immediately after spray has dried
AGSMART CORPORATION	MANCOZEB	AGSMART CAVENZER 420 SC	420 g/L	SC	FUNGICIDE	4	680-053-5952	2-Dec-25	-	Banana	Black sigatoka	4-5 L/ha or 12 Tbsp/36L	-	It is recommended to observe a 7 days pre-harvest interval	Re-entry to fields is allowed as soon as spray has dried
UCHEMPLI INTERNATIONAL INC.	DAIZINON	AGROZINON 600 EC	600 g/L	EC	INSECTICIDE	2	590-034-4955	12-Nov-25	CONTACT	Rice	Whorl maggot, stemborer, leaf folder, planthopper, rice bug	2.5-3.5 Tbsp/36L Water	-	14 Days	Soon as spray has dried
UCHEMPLI INTERNATIONAL INC.	DAIZINON	AGROZINON 600 EC	600 g/L	EC	INSECTICIDE	2	590-034-4955	12-Nov-25	CONTACT	Corn	Comborer, earworm, aphids, silk beetle	2.5-3.5 Tbsp/36L Water	-	14 Days	Soon as spray has dried
UCHEMPLI INTERNATIONAL INC.	DAIZINON	AGROZINON 600 EC	600 g/L	EC	INSECTICIDE	2	590-034-4955	12-Nov-25	CONTACT	Beans	Cutworm, pod borer, aphids, flea beetle	2.5-3.5 Tbsp/36L Water	-	14 Days	Soon as spray has dried
UCHEMPLI INTERNATIONAL INC.	DAIZINON	AGROZINON 600 EC	600 g/L	EC	INSECTICIDE	2	590-034-4955	12-Nov-25	CONTACT	Cowpea	Aphids, cutworm, grasshopper	2.5-3.5 Tbsp/36L Water	-	14 Days	Soon as spray has dried
UCHEMPLI INTERNATIONAL INC.	DAIZINON	AGROZINON 600 EC	600 g/L	EC	INSECTICIDE	2	590-034-4955	12-Nov-25	CONTACT	Soybeans	Cutworm, aphids, stink bug, grasshopper	2.5-3.5 Tbsp/36L Water	-	14 Days	Soon as spray has dried
UCHEMPLI INTERNATIONAL INC.	DAIZINON	AGROZINON 600 EC	600 g/L	EC	INSECTICIDE	2	590-034-4955	12-Nov-25	CONTACT	Pineapple	Mealy bug	2.5-3.5 Tbsp/36L Water	-	14 Days	Soon as spray has dried
UCHEMPLI INTERNATIONAL INC.	DAIZINON	AGROZINON 600 EC	600 g/L	EC	INSECTICIDE	2	590-034-4955	12-Nov-25	CONTACT	Cotton	Katydid, grasshopper, cutworm, mites	2.5-3.5 Tbsp/36L Water	-	14 Days	Soon as spray has dried
UCHEMPLI INTERNATIONAL INC.	DAIZINON	AGROZINON 600 EC	600 g/L	EC	INSECTICIDE	2	590-034-4955	12-Nov-25	CONTACT	Tobacco	Budworm, aphids, flea beetle, armyworm	2.5-3.5 Tbsp/36L Water	-	14 Days	Soon as spray has dried
UCHEMPLI INTERNATIONAL INC.	DAIZINON	AGROZINON 600 EC	600 g/L	EC	INSECTICIDE	2	590-034-4955	12-Nov-25	CONTACT	White potato	Aphids, leaf folder, cutworm	2.5-3.5 Tbsp/36L Water	-	14 Days	Soon as spray has dried
UCHEMPLI INTERNATIONAL INC.	DAIZINON	AGROZINON 600 EC	600 g/L	EC	INSECTICIDE	2	590-034-4955	12-Nov-25	CONTACT	Citrus	Mites, aphids, stink bug	2.5-3.5 Tbsp/36L Water	-	14 Days	Soon as spray has dried
UCHEMPLI INTERNATIONAL INC.	DAIZINON	AGROZINON 600 EC	600 g/L	EC	INSECTICIDE	2	590-034-4955	12-Nov-25	CONTACT	Banana	Thrips, mealy bug, leaf folder	2.5-3.5 Tbsp/36L Water	-	14 Days	Soon as spray has dried
UCHEMPLI INTERNATIONAL INC.	DAIZINON	AGROZINON 600 EC	600 g/L	EC	INSECTICIDE	2	590-034-4955	12-Nov-25	CONTACT	Mango	Hopper, tip borer	2.5-3.5 Tbsp/36L Water	-	14 Days	Soon as spray has dried
UNITED AGRO TRADE CORPORATION	MANCOZEB	AGROZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	210-053-0927	04-Jun-24	-	Potato	Early and late blight	3-6 Tbsp/36 L water	-	-	As soon as spray dries
UNITED AGRO TRADE CORPORATION	MANCOZEB	AGROZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	210-053-0927	04-Jun-24	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
UNITED AGRO TRADE CORPORATION	MANCOZEB	AGROZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	210-053-0927	04-Jun-24	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
UNITED AGRO TRADE CORPORATION	MANCOZEB	AGROZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	210-053-0927	04-Jun-24	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
UNITED AGRO TRADE CORPORATION	MANCOZEB	AGROZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	210-053-0927	04-Jun-24	-	Calety	Late blight	3-6 Tbsp/36 L water	-	14 Days	As soon as spray dries
UNITED AGRO TRADE CORPORATION	MANCOZEB	AGROZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	210-053-0927	04-Jun-24	-	Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
UNITED AGRO TRADE CORPORATION	MANCOZEB	AGROZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	210-053-0927	04-Jun-24	-	Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
UNITED AGRO TRADE CORPORATION	MANCOZEB	AGROZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	210-053-0927	04-Jun-24	-	Cotton	Damping off	3-6 Tbsp/36 L water	-	-	As soon as spray dries
UNITED AGRO TRADE CORPORATION	MANCOZEB	AGROZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	210-053-0927	04-Jun-24	-	lettuce	Downy mildew	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
UNITED AGRO TRADE CORPORATION	MANCOZEB	AGROZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	210-053-0927	04-Jun-24	-	Beans	Anthracoise, Downy mildew, Rust	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
UNITED AGRO TRADE CORPORATION	MANCOZEB	AGROZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	210-053-0927	04-Jun-24	-	Peas	Anthracoise, Downy mildew, Rust	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
UNITED AGRO TRADE CORPORATION	MANCOZEB	AGROZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	210-053-0927	04-Jun-24	-	Mungo	Anthracoise, Downy mildew, Rust	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
UNITED AGRO TRADE CORPORATION	MANCOZEB	AGROZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	210-053-0927	04-Jun-24	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
UNITED AGRO TRADE CORPORATION	MANCOZEB	AGROZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	210-053-0927	04-Jun-24	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
UNITED AGRO TRADE CORPORATION	MANCOZEB	AGROZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	210-053-0927	04-Jun-24	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
UNITED AGRO TRADE CORPORATION	MANCOZEB	AGROZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	210-053-0927	04-Jun-24	-	Pepper	Anthracoise	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
UNITED AGRO TRADE CORPORATION	MANCOZEB	AGROZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	210-053-0927	04-Jun-24	-	Chili	Anthracoise	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
UNITED AGRO TRADE CORPORATION	MANCOZEB	AGROZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	210-053-0927	04-Jun-24	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
UNITED AGRO TRADE CORPORATION	MANCOZEB	AGROZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	210-053-0927	04-Jun-24	-	Banana	Sigatoka, Black leaf streak	3-6 Tbsp/36 L water	-	-	As soon as spray dries
UNITED AGRO TRADE CORPORATION	MANCOZEB	AGROZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	210-053-0927	04-Jun-24	-	Grapes	Downy mildew, black rot	3-6 Tbsp/36 L water	-	60 days	As soon as spray dries
UNITED AGRO TRADE CORPORATION	MANCOZEB	AGROZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	210-053-0927	04-Jun-24	-	Mango	Anthracoise and Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
UNITED AGRO TRADE CORPORATION	MANCOZEB	AGROZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	210-053-0927	04-Jun-24	-	Papaya	Fruit rot	3-6 Tbsp/36 L water	-	-	As soon as spray dries
UNITED AGRO TRADE CORPORATION	MANCOZEB	AGROZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	210-053-0927	04-Jun-24	-	Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
UNITED AGRO TRADE CORPORATION	MANCOZEB	AGROZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	210-053-0927	04-Jun-24	-	Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
UNITED AGRO TRADE CORPORATION	MANCOZEB	AGROZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	210-053-0927	04-Jun-24	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
UNITED AGRO TRADE CORPORATION	MANCOZEB	AGROZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	210-053-0927	04-Jun-24	-	Rice	Blas, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/36 L water	0.02ppm	-	As soon as spray dries
UNITED AGRO TRADE CORPORATION	MANCOZEB	AGROZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	210-053-0927	04-Jun-24	-	Peanut	Cercospora leaf spot	3-6 Tbsp/36 L water	-	14 Days	As soon as spray dries

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
UNITED AGRO TRADE CORPORATION	MANCOZEB	AGROZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	210-053-0927	06-Jun-24	-	Soybeans	Leaf rust	3-6 Tbsp/36 L water	-	-	As soon as spray dries
UNITED AGRO TRADE CORPORATION	MANCOZEB	AGROZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	210-053-0927	06-Jun-24	-	Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/36 L water	-	-	As soon as spray dries
JARDINE DISTRIBUTION, INC.	MCFA	AGROXONE S	400 g/L	S	HERBICIDE	2	367-130-0286	24-Oct-26	-	Rice	Annual grasses, broadleaves & sedges	3-6 Tbsp/36 L water	-	-	Re-entry to fields is allowed as soon as spray dries
JARDINE DISTRIBUTION, INC.	MCFA	AGROXONE S	400 g/L	S	HERBICIDE	2	367-130-0286	24-Oct-26	-	Sugarcane	Annual grasses, broadleaves & sedges	3-6 Tbsp/36 L water	-	-	Re-entry to fields is allowed as soon as spray dries
JARDINE DISTRIBUTION, INC.	MCFA	AGROXONE S	400 g/L	S	HERBICIDE	2	367-130-0286	24-Oct-26	-	Corn	Annual grasses, broadleaves & sedges	3-6 Tbsp/36 L water	-	-	Re-entry to fields is allowed as soon as spray dries
JARDINE DISTRIBUTION, INC.	MCFA	AGROXONE S	400 g/L	S	HERBICIDE	2	367-130-0286	24-Oct-26	-	Lawns	Annual grasses, broadleaves & sedges	2 Tbsp/36 L water	-	-	Re-entry to fields is allowed as soon as spray dries
JARDINE DISTRIBUTION, INC.	MCFA	AGROXONE S	400 g/L	S	HERBICIDE	2	367-130-0286	24-Oct-26	-	Grassland	Annual grasses, broadleaves & sedges	2 Tbsp/36 L water	-	-	Re-entry to fields is allowed as soon as spray dries
PHILAGROW INC.	GLYPHOSATE IPA	AGROWZATE 48 SL	480 g/L	SL	HERBICIDE	4	372-216-1940	24-Nov-23	POST-EMERGENT	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/ha	-	-	
PHILAGROW INC.	GLYPHOSATE IPA	AGROWZATE 48 SL	480 g/L	SL	HERBICIDE	4	372-216-1940	24-Nov-23	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	
PHILAGROW INC.	GLYPHOSATE IPA	AGROWZATE 48 SL	480 g/L	SL	HERBICIDE	4	372-216-1940	24-Nov-23	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	
PHILAGROW INC.	GLYPHOSATE IPA	AGROWZATE 48 SL	480 g/L	SL	HERBICIDE	4	372-216-1940	24-Nov-23	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	
PHILAGROW INC.	GLYPHOSATE IPA	AGROWZATE 48 SL	480 g/L	SL	HERBICIDE	4	372-216-1940	24-Nov-23	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	
PHILAGROW INC.	GLYPHOSATE IPA	AGROWZATE 48 SL	480 g/L	SL	HERBICIDE	4	372-216-1940	24-Nov-23	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	
PHILAGROW INC.	GLYPHOSATE IPA	AGROWZATE 48 SL	480 g/L	SL	HERBICIDE	4	372-216-1940	24-Nov-23	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	
PHILAGROW INC.	GLYPHOSATE IPA	AGROWZATE 48 SL	480 g/L	SL	HERBICIDE	4	372-216-1940	24-Nov-23	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	
PHILAGROW INC.	GLYPHOSATE IPA	AGROWZATE 48 SL	480 g/L	SL	HERBICIDE	4	372-216-1940	24-Nov-23	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/ha	-	-	
PHILAGROW INC.	GLYPHOSATE IPA	AGROWZATE 48 SL	480 g/L	SL	HERBICIDE	4	372-216-1940	24-Nov-23	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	
PHILAGROW INC.	GLYPHOSATE IPA	AGROWZATE 48 SL	480 g/L	SL	HERBICIDE	4	372-216-1940	24-Nov-23	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	
PHILAGROW INC.	GLYPHOSATE IPA	AGROWZATE 48 SL	480 g/L	SL	HERBICIDE	4	372-216-1940	24-Nov-23	POST-EMERGENT	non-crop	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	
AGROW CROP CARE CORPORATION	PROCHLOAZ	AGROW-PRO 450 EW	450 g/L	EW	FUNGICIDE	3	718-300-5745	05-May-24	-	Banana	Fungal crown mold, crown rot, anthracnose, pink rot, and smoky fruit	2-4 ml/L water	-	0 days	After spray deposits have dried.
AGROW CROP CARE CORPORATION	PROCHLOAZ	AGROW-PRO 450 EW	450 g/L	EW	FUNGICIDE	3	718-300-5745	05-May-24	-	Pineapple	Butt & crown mold and butt rot	0.5-1.0 ml / L water	-	0 days	After spray deposits have dried.
AGROW CROP CARE CORPORATION	PROCHLOAZ	AGROW-PRO 450 EW	450 g/L	EW	FUNGICIDE	3	718-300-5745	05-May-24	-	Pineapple	Fruitlet core rot	1.0-3.0 ml / ha	-	0 days	After spray deposits have dried.
AGROW CROP CARE CORPORATION	PROCHLOAZ	AGROW-PRO 450 EW	450 g/L	EW	FUNGICIDE	3	718-300-5745	25-Apr-23	-	Pineapple	Pineapple black rot (Thielaviopsis rot)	3.0-3.0 L prod. / ha; 0.5-1.0 ml prod. / L water	-	0 days	After spray deposits have dried.
AGROW CROP CARE CORPORATION	AZADIRACTIN	AGROW-NEEM	-	-	INSECTICIDE	4	718-513-5741	05-May-23	-	Banana	Scale insects, mealybugs, aphids, sapgotas	2.0-3.5 ml/L water; 2-4/ha	-	-	
AGROW CROP CARE CORPORATION	BUPROFEZIN	AGROW-PEEM 25 SC	250g/L	SC	INSECTICIDE	3	381-234-9177	22-Jul-24	-	Cavendish Banana	Scale insects, mealybugs and aphids	1.0-2.5 ml prod./L water (stem and main spray)	-	0 days	After spray deposits have dried.
SUPREME POLYMER MASTERBATCH PLASTIC PRODUCTS TRADING INC.	BIFENTHRIN	AGROWFEN	-	-	INSECTICIDE	4	765-328-6230	14-Jul-26	-	Banana	Mealybugs and scale insects	-	-	-	
VETMATE FARMA CORP.	GLUFOSINATE AMMONIUM	AGROTROL 15 SL	150 g/L	SL	HERBICIDE	4	668-182-5327	12-Nov-24	NON-SELECTIVE(POST-EMERGENT)	Rubber	Weeds	-	-	-	
VETMATE FARMA CORP.	GLUFOSINATE AMMONIUM	AGROTROL 15 SL	150 g/L	SL	HERBICIDE	4	668-182-5327	12-Nov-24	NON-SELECTIVE(POST-EMERGENT)	Oil palm	Weeds	-	-	-	
VETMATE FARMA CORP.	GLUFOSINATE AMMONIUM	AGROTROL 15 SL	150 g/L	SL	HERBICIDE	4	668-182-5327	12-Nov-24	NON-SELECTIVE(POST-EMERGENT)	Non-crop areas	Weeds	-	-	-	
VETMATE FARMA CORP.	GLUFOSINATE AMMONIUM	AGROTROL 15 SL	150 g/L	SL	HERBICIDE	4	668-182-5327	12-Nov-24	NON-SELECTIVE(POST-EMERGENT)	Cavendish Banana	Weeds	-	-	-	
AGRO TECHNOPRODUCTS INC.	FFPHONIL	AGROTECHNO ZAP 50 SC	50 g/L	SC	INSECTICIDE	3	370-244-5007	07-Jan-26	STOMACH/CONTACT	Rice	Stemborer, brown planthopper, leaf folder, rice bug	1.5-2.0, 2.0-3.0, 2.7-4.0 Tbsp./36L	-	Do not apply 7 days before harvest	One day after application
AGRO TECHNOPRODUCTS INC.	FFPHONIL	AGROTECHNO ZAP 50 SC	50 g/L	SC	INSECTICIDE	3	370-244-5007	07-Jan-26	STOMACH/CONTACT	Cabbage	Diamond back moth	1.9-2.5, 2.5-3.75, 3.0-5.0 Tbsp./36L	-	Do not apply 7 days before harvest	One day after application
AGRO TECHNOPRODUCTS INC.	FFPHONIL	AGROTECHNO ZAP 50 SC	50 g/L	SC	INSECTICIDE	3	370-244-5007	07-Jan-26	STOMACH/CONTACT	Watermelon	Thrips, leaf beetles	2.5-3.0 Tbsp./36L	-	Do not apply 7 days before harvest	One day after application
AGRO TECHNOPRODUCTS INC.	FFPHONIL	AGROTECHNO ZAP 50 SC	50 g/L	SC	INSECTICIDE	3	370-244-5007	07-Jan-26	STOMACH/CONTACT	Onion	Cutworm	5.33 Tbsp./36L	-	Do not apply 7 days before harvest	One day after application
AGRO TECHNOPRODUCTS INC.	FFPHONIL	AGROTECHNO ZAP 50 SC	50 g/L	SC	INSECTICIDE	3	370-244-5007	07-Jan-26	STOMACH/CONTACT	Eggplant	Shoot borer	3.0-4.0 Tbsp./36L	-	Do not apply 7 days before harvest	One day after application
AGRO TECHNOPRODUCTS INC.	GLYPHOSATE IPA	AGROTECHNO SMARTER 480 SL	480 g/L	SL	HERBICIDE	4	370-151-2321-A	01-Aug-26	POST-EMERGENT	Glyphosate tolerant corn under minimum or no-till	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/ha	-	-	
AGRO TECHNOPRODUCTS INC.	GLYPHOSATE IPA	AGROTECHNO SMARTER 480 SL	480 g/L	SL	HERBICIDE	4	370-151-2321-A	01-Aug-26	POST-EMERGENT	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	
AGRO TECHNOPRODUCTS INC.	GLYPHOSATE IPA	AGROTECHNO SMARTER 480 SL	480 g/L	SL	HERBICIDE	4	370-151-2321-A	01-Aug-26	POST-EMERGENT	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	
AGRO TECHNOPRODUCTS INC.	GLYPHOSATE IPA	AGROTECHNO SMARTER 480 SL	480 g/L	SL	HERBICIDE	4	370-151-2321-A	01-Aug-26	POST-EMERGENT	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	
AGRO TECHNOPRODUCTS INC.	GLYPHOSATE IPA	AGROTECHNO SMARTER 480 SL	480 g/L	SL	HERBICIDE	4	370-151-2321-A	01-Aug-26	POST-EMERGENT	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	
AGRO TECHNOPRODUCTS INC.	GLYPHOSATE IPA	AGROTECHNO SMARTER 480 SL	480 g/L	SL	HERBICIDE	4	370-151-2321-A	01-Aug-26	POST-EMERGENT	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	
AGRO TECHNOPRODUCTS INC.	GLYPHOSATE IPA	AGROTECHNO SMARTER 480 SL	480 g/L	SL	HERBICIDE	4	370-151-2321-A	01-Aug-26	POST-EMERGENT	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	
AGRO TECHNOPRODUCTS INC.	GLYPHOSATE IPA	AGROTECHNO SMARTER 480 SL	480 g/L	SL	HERBICIDE	4	370-151-2321-A	01-Aug-26	POST-EMERGENT	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	3.0 Liters/ha	-	-	
AGRO TECHNOPRODUCTS INC.	GLYPHOSATE IPA	AGROTECHNO SMARTER 480 SL	480 g/L	SL	HERBICIDE	4	370-151-2321-A	01-Aug-26	POST-EMERGENT	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/ha	-	-	
AGRO TECHNOPRODUCTS INC.	GLYPHOSATE IPA	AGROTECHNO SMARTER 480 SL	480 g/L	SL	HERBICIDE	4	370-151-2321-A	01-Aug-26	POST-EMERGENT	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	
AGRO TECHNOPRODUCTS INC.	GLYPHOSATE IPA	AGROTECHNO SMARTER 480 SL	480 g/L	SL	HERBICIDE	4	370-151-2321-A	01-Aug-26	POST-EMERGENT	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	
AGRO TECHNOPRODUCTS INC.	GLYPHOSATE IPA	AGROTECHNO SMARTER 480 SL	480 g/L	SL	HERBICIDE	4	370-151-2321-A	01-Aug-26	POST-EMERGENT	Non-crop & minimum tillage system	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	
AGRO TECHNOPRODUCTS INC.	LAMBDA-CHALOTHRIN	AGROTECHNO LAMBDACHALOTHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	370-204-5559	11-Oct-24	-	Rice	Green leafhopper, armyworm, rice bug, leaf folder, black bug	1.0-1.5 Tbsp/36 L water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray deposits dry
AGRO TECHNOPRODUCTS INC.	LAMBDA-CHALOTHRIN	AGROTECHNO LAMBDACHALOTHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	370-204-5559	11-Oct-24	-	Mango	Hoppers	0.75-1.5 Tbsp/36 L water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray deposits dry
AGRO TECHNOPRODUCTS INC.	LAMBDA-CHALOTHRIN	AGROTECHNO LAMBDACHALOTHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	370-204-5559	11-Oct-24	-	Tomato	Fruitworm, cutworm, aphids	1.0-1.5 Tbsp/36 L water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray deposits dry
AGRO TECHNOPRODUCTS INC.	LAMBDA-CHALOTHRIN	AGROTECHNO LAMBDACHALOTHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	370-204-5559	11-Oct-24	-	Onion	Thrips, cutworm	1.0 Tbsp/36 L water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray deposits dry
AGRO TECHNOPRODUCTS INC.	LAMBDA-CHALOTHRIN	AGROTECHNO LAMBDACHALOTHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	370-204-5559	11-Oct-24	-	Mungbeans	Beetfly, flea beetle, leafhopper, aphids, mites, podborer	1.0 Tbsp/36 L water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray deposits dry
AGRO TECHNOPRODUCTS INC.	LAMBDA-CHALOTHRIN	AGROTECHNO LAMBDACHALOTHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	370-204-5559	11-Oct-24	-	Corn	Comborer, aphids, seedling maggots	1.0-1.5 Tbsp/36 L water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray deposits dry
AGRO TECHNOPRODUCTS INC.	LAMBDA-CHALOTHRIN	AGROTECHNO LAMBDACHALOTHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	370-204-5559	11-Oct-24	-	Tobacco	Rudworm, Cutworm, aphids, katydids	1.0-1.5 Tbsp/36 L water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray deposits dry
AGRO TECHNOPRODUCTS INC.	LAMBDA-CHALOTHRIN	AGROTECHNO LAMBDACHALOTHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	370-204-5559	11-Oct-24	-	Cotton	Beltworm	1.0-1.5 Tbsp/36 L water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray deposits dry
AGRO TECHNOPRODUCTS INC.	LAMBDA-CHALOTHRIN	AGROTECHNO LAMBDACHALOTHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	370-204-5559	11-Oct-24	-	Cocoa	Podborer	1.0-2.0 Tbsp/36 L water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray deposits dry

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
AGRO TECHNOPRODUCTS INC.	LAMBDA-CYHALOTHRIN	AGROTECHNO LAMBDA-CYHALOTHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	2	370-204-5009	11-Oct-24	-	Watermelon	Squash beetle, melon worm	1.0 Tbsp/16 L water	-	Do not spray 3 days before harvest.	Re-entry to treated fields is allowed as soon as spray deposits dry
AGRO TECHNOPRODUCTS INC.	GLUFOSINATE AMMONIUM	AGROTECHNO GLUFOSINATE 15 SL	150 g/L	SL	HERBICIDE	4	370-182-3822	10-Nov-25	NON-SELECTIVE/POST-EMERGENT	Rubber	Annual & Perennial grasses, sedges & broadleaf weeds	250ml/16 L water, 270ml/16 L water, 135ml/16 L water	-	-	After spray deposits have dried
AGRO TECHNOPRODUCTS INC.	GLUFOSINATE AMMONIUM	AGROTECHNO GLUFOSINATE 15 SL	150 g/L	SL	HERBICIDE	4	370-182-3822	10-Nov-25	NON-SELECTIVE/POST-EMERGENT	Oil palm	Annual & Perennial grasses, sedges & broadleaf weeds	160ml/16 L water, 135ml/16 L water	-	-	After spray deposits have dried
AGRO TECHNOPRODUCTS INC.	GLUFOSINATE AMMONIUM	AGROTECHNO GLUFOSINATE 15 SL	150 g/L	SL	HERBICIDE	4	370-182-3822	10-Nov-25	NON-SELECTIVE/POST-EMERGENT	Non-crop land	Annual & Perennial grasses, sedges & broadleaf weeds	160ml/16 L water, 135ml/16 L water	-	-	After spray deposits have dried
AGRO TECHNOPRODUCTS INC.	GLUFOSINATE AMMONIUM	AGROTECHNO GLUFOSINATE 15 SL	150 g/L	SL	HERBICIDE	4	370-182-3822	10-Nov-25	NON-SELECTIVE/POST-EMERGENT	Coffee	Annual & Perennial grasses, sedges & broadleaf weeds	160ml/16 L water, 135ml/16 L water	-	-	After spray deposits have dried
AGRO TECHNOPRODUCTS INC.	GLUFOSINATE AMMONIUM	AGROTECHNO GLUFOSINATE 15 SL	150 g/L	SL	HERBICIDE	4	370-182-3822	10-Nov-25	NON-SELECTIVE/POST-EMERGENT	Citrus	Annual & Perennial grasses, sedges & broadleaf weeds	160ml/16 L water, 135ml/16 L water	-	-	After spray deposits have dried
AGRO TECHNOPRODUCTS INC.	GLUFOSINATE AMMONIUM	AGROTECHNO GLUFOSINATE 15 SL	150 g/L	SL	HERBICIDE	4	370-182-3822	10-Nov-25	NON-SELECTIVE/POST-EMERGENT	Cavendish Banana	Annual & Perennial grasses, sedges & broadleaf weeds	160ml/16 L water, 135-200ml/16 L water	0.2 mg/kg	-	After spray deposits have dried
AGRO TECHNOPRODUCTS INC.	GLUFOSINATE AMMONIUM	AGROTECHNO GLUFOSINATE 15 SL	150 g/L	SL	HERBICIDE	4	370-182-3822	10-Nov-25	NON-SELECTIVE/POST-EMERGENT	Cacao	Annual & Perennial grasses, sedges & broadleaf weeds	160ml/16 L water, 135ml/16 L water	-	-	After spray deposits have dried
AGRO TECHNOPRODUCTS INC.	ABAMECTIN	AGROTECHNO GARD 1.8 EC	18.0 g/L	EC	INSECTICIDE	2	370-234-5006	29-Jan-26	-	Banana	Blossom thrips	0.5f L water	-	-	-
AGRO TECHNOPRODUCTS INC.	ABAMECTIN	AGROTECHNO GARD 1.8 EC	18.0 g/L	EC	INSECTICIDE	2	370-234-5006	29-Jan-26	-	Cabbage	Diamond back moth	1000 mL Prod. / ha	-	7 days	-
AGRO TECHNOPRODUCTS INC.	ABAMECTIN	AGROTECHNO GARD 1.8 EC	18.0 g/L	EC	INSECTICIDE	2	370-234-5006	29-Jan-26	-	Ornamentals	Mites	1.0-1.5 Tbsp/ 16L water	-	-	-
AGRO TECHNOPRODUCTS INC.	ABAMECTIN	AGROTECHNO GARD 1.8 EC	18.0 g/L	EC	INSECTICIDE	2	370-234-5006	29-Jan-26	-	Pineapple	Mites	1000-4000 mL Prod. / ha	-	-	-
AGRO TECHNOPRODUCTS INC.	ABAMECTIN	AGROTECHNO GARD 1.8 EC	18.0 g/L	EC	INSECTICIDE	2	370-234-5006	29-Jan-26	-	Eggplant	Thrips, leafhopper, fruit and shoot borer	2.0-5.0 Tbsp/ 16L water	-	3 days	-
AGRO TECHNOPRODUCTS INC.	ABAMECTIN	AGROTECHNO GARD 1.8 EC	18.0 g/L	EC	INSECTICIDE	2	370-234-5006	29-Jan-26	-	Onion	Leafminer, thrips	2.0-3.0 Tbsp/ 16L water	-	3 days	-
AGRO TECHNOPRODUCTS INC.	ABAMECTIN	AGROTECHNO GARD 1.8 EC	18.0 g/L	EC	INSECTICIDE	2	370-234-5006	29-Jan-26	-	Potato	Leafminer, thrips	2.0-3.0 Tbsp/ 16L water	-	14 days	-
AGRO TECHNOPRODUCTS INC.	ABAMECTIN	AGROTECHNO GARD 1.8 EC	18.0 g/L	EC	INSECTICIDE	2	370-234-5006	29-Jan-26	-	Tomato	Leafminer, thrips, aphids	2.0-3.0 Tbsp/ 16L water	-	3 days	-
AGRO TECHNOPRODUCTS INC.	ABAMECTIN	AGROTECHNO GARD 1.8 EC	18.0 g/L	EC	INSECTICIDE	2	370-234-5006	29-Jan-26	-	Watermelon	Leafminer, thrips, melonworm	2.0-3.0 Tbsp/ 16L water	-	3 days	-
AGRO TECHNOPRODUCTS INC.	ABAMECTIN	AGROTECHNO GARD 1.8 EC	18.0 g/L	EC	INSECTICIDE	2	370-234-5006	29-Jan-26	-	Papaya	Mites	0.5-1.0 Tbsp/ 16L water	-	14 days	-
AGRO TECHNOPRODUCTS INC.	ABAMECTIN	AGROTECHNO GARD 1.8 EC	18.0 g/L	EC	INSECTICIDE	2	370-234-5006	29-Jan-26	-	Strawberry	Mites	2.0-4.0 Tbsp/ 16L water	-	3 days	-
AGRO TECHNOPRODUCTS INC.	FLUAZIFOP-P-BUTYL	AGROTECHNO FLUAZIFOP 15 EC	150 g/L	EC	HERBICIDE	4	370-212-0439	12-Jul-24	SYSTEMIC/SELECTIVE/POST-EMERGENT	Banana	Grasses, itchgrass, goosegrass, sour pangalum, crabgrasses, bermuda grass & crowfoot grass	30-50ml/16 L water	-	-	-
AGRO TECHNOPRODUCTS INC.	FLUAZIFOP-P-BUTYL	AGROTECHNO FLUAZIFOP 15 EC	150 g/L	EC	HERBICIDE	4	370-212-0439	12-Jul-24	SYSTEMIC/SELECTIVE/POST-EMERGENT	Cacao	Grasses, itchgrass, goosegrass, sour pangalum, crabgrasses, bermuda grass & crowfoot grass	30-50ml/16 L water	-	-	-
AGRO TECHNOPRODUCTS INC.	FLUAZIFOP-P-BUTYL	AGROTECHNO FLUAZIFOP 15 EC	150 g/L	EC	HERBICIDE	4	370-212-0439	12-Jul-24	SYSTEMIC/SELECTIVE/POST-EMERGENT	Citrus	Grasses, itchgrass, goosegrass, sour pangalum, crabgrasses, bermuda grass & crowfoot grass	30-50ml/16 L water	-	-	-
AGRO TECHNOPRODUCTS INC.	FLUAZIFOP-P-BUTYL	AGROTECHNO FLUAZIFOP 15 EC	150 g/L	EC	HERBICIDE	4	370-212-0439	12-Jul-24	SYSTEMIC/SELECTIVE/POST-EMERGENT	Cotton	Grasses, itchgrass, goosegrass, sour pangalum, crabgrasses, bermuda grass & crowfoot grass	30-50ml/16 L water	-	-	-
AGRO TECHNOPRODUCTS INC.	FLUAZIFOP-P-BUTYL	AGROTECHNO FLUAZIFOP 15 EC	150 g/L	EC	HERBICIDE	4	370-212-0439	12-Jul-24	SYSTEMIC/SELECTIVE/POST-EMERGENT	Coffee	Grasses, itchgrass, goosegrass, sour pangalum, crabgrasses, bermuda grass & crowfoot grass	30-50ml/16 L water	-	-	-
AGRO TECHNOPRODUCTS INC.	FLUAZIFOP-P-BUTYL	AGROTECHNO FLUAZIFOP 15 EC	150 g/L	EC	HERBICIDE	4	370-212-0439	12-Jul-24	SYSTEMIC/SELECTIVE/POST-EMERGENT	Oil palm	Grasses, itchgrass, goosegrass, sour pangalum, crabgrasses, bermuda grass & crowfoot grass	30-50ml/16 L water	-	-	-
AGRO TECHNOPRODUCTS INC.	FLUAZIFOP-P-BUTYL	AGROTECHNO FLUAZIFOP 15 EC	150 g/L	EC	HERBICIDE	4	370-212-0439	12-Jul-24	SYSTEMIC/SELECTIVE/POST-EMERGENT	Ramie	Grasses, itchgrass, goosegrass, sour pangalum, crabgrasses, bermuda grass & crowfoot grass	30-50ml/16 L water	-	-	-
AGRO TECHNOPRODUCTS INC.	FLUAZIFOP-P-BUTYL	AGROTECHNO FLUAZIFOP 15 EC	150 g/L	EC	HERBICIDE	4	370-212-0439	12-Jul-24	SYSTEMIC/SELECTIVE/POST-EMERGENT	Rubber	Grasses, itchgrass, goosegrass, sour pangalum, crabgrasses, bermuda grass & crowfoot grass	30-50ml/16 L water	-	-	-
AGRO TECHNOPRODUCTS INC.	FLUAZIFOP-P-BUTYL	AGROTECHNO FLUAZIFOP 15 EC	150 g/L	EC	HERBICIDE	4	370-212-0439	12-Jul-24	SYSTEMIC/SELECTIVE/POST-EMERGENT	Onion	Grasses, itchgrass, goosegrass, sour pangalum, crabgrasses, bermuda grass & crowfoot grass	30-50ml/16 L water	-	-	-
AGRO TECHNOPRODUCTS INC.	FLUAZIFOP-P-BUTYL	AGROTECHNO FLUAZIFOP 15 EC	150 g/L	EC	HERBICIDE	4	370-212-0439	12-Jul-24	SYSTEMIC/SELECTIVE/POST-EMERGENT	Pineapple	Grasses, itchgrass, goosegrass, sour pangalum, crabgrasses, bermuda grass & crowfoot grass	30-50ml/16 L water	-	-	-
AGRO TECHNOPRODUCTS INC.	FLUAZIFOP-P-BUTYL	AGROTECHNO FLUAZIFOP 15 EC	150 g/L	EC	HERBICIDE	4	370-212-0439	12-Jul-24	SYSTEMIC/SELECTIVE/POST-EMERGENT	Soybeans	Grasses, itchgrass, goosegrass, sour pangalum, crabgrasses, bermuda grass & crowfoot grass	30-50ml/16 L water	-	-	-
AGRO TECHNOPRODUCTS INC.	FLUAZIFOP-P-BUTYL	AGROTECHNO FLUAZIFOP 15 EC	150 g/L	EC	HERBICIDE	4	370-212-0439	12-Jul-24	SYSTEMIC/SELECTIVE/POST-EMERGENT	Tomato	Grasses, itchgrass, goosegrass, sour pangalum, crabgrasses, bermuda grass & crowfoot grass	30-50ml/16 L water	-	-	-
AGRO TECHNOPRODUCTS INC.	FLUAZIFOP-P-BUTYL	AGROTECHNO FLUAZIFOP 15 EC	150 g/L	EC	HERBICIDE	4	370-212-0439	12-Jul-24	SYSTEMIC/SELECTIVE/POST-EMERGENT	Cassava	Annual & Perennial grass weeds	-	-	-	-
AGRO TECHNOPRODUCTS INC.	DURON	AGROTECHNO DURON 80 WP	800 g/L	WP	HERBICIDE	4	370-021-6150	2-Oct-25	SYSTEMIC	Citrus	Grasses, annual and perennial broadleaves	6-5-13 Tbsp/16L water	-	-	Twenty four (24) hours after application
AGRO TECHNOPRODUCTS INC.	DURON	AGROTECHNO DURON 80 WP	800 g/L	WP	HERBICIDE	4	370-021-6150	2-Oct-25	SYSTEMIC	Coffee	Grasses, annual and perennial broadleaves	11 Tbsp/16L water	-	-	Twenty four (24) hours after application
AGRO TECHNOPRODUCTS INC.	DURON	AGROTECHNO DURON 80 WP	800 g/L	WP	HERBICIDE	4	370-021-6150	2-Oct-25	SYSTEMIC	Cotton	Grasses, annual and perennial broadleaves	15-19 Tbsp/16L water	-	-	Twenty four (24) hours after application
AGRO TECHNOPRODUCTS INC.	DURON	AGROTECHNO DURON 80 WP	800 g/L	WP	HERBICIDE	4	370-021-6150	2-Oct-25	SYSTEMIC	Sugarcane	Grasses, annual and perennial broadleaves	8 Tbsp/16L water	-	-	Twenty four (24) hours after application
AGRO TECHNOPRODUCTS INC.	DURON	AGROTECHNO DURON 80 WP	800 g/L	WP	HERBICIDE	4	370-021-6150	2-Oct-25	SYSTEMIC	Pineapple	Grasses, annual and perennial broadleaves	15-19 Tbsp/16L water	-	-	Twenty four (24) hours after application
AGRO TECHNOPRODUCTS INC.	DURON	AGROTECHNO DURON 80 WP	800 g/L	WP	HERBICIDE	4	370-021-6150	2-Oct-25	SYSTEMIC	Non-crop	Grasses, annual and perennial broadleaves	20-28 Tbsp/16L water	-	-	Twenty four (24) hours after application
AGRO TECHNOPRODUCTS INC.	CARTAP HYDROCHLORIDE	AGROTECHNO CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	370-106-5558	11-Oct-24	SYSTEMIC	Rice	Wheat maggot, stemborer, green leafhopper, brown planthopper	3.0-5.0 Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Do not enter the field within 2 days after spraying
AGRO TECHNOPRODUCTS INC.	CARTAP HYDROCHLORIDE	AGROTECHNO CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	370-106-5558	11-Oct-24	SYSTEMIC	Wongbok	Diamond back moth, aphids, cabbage moth, cabbage worm	1.5-2.0 Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Do not enter the field within 2 days after spraying
AGRO TECHNOPRODUCTS INC.	CARTAP HYDROCHLORIDE	AGROTECHNO CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	370-106-5558	11-Oct-24	SYSTEMIC	Cabbage	Diamond back moth, aphids, cabbage moth, cabbage worm	1.5-2.0 Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Do not enter the field within 2 days after spraying
AGRO TECHNOPRODUCTS INC.	CARTAP HYDROCHLORIDE	AGROTECHNO CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	370-106-5558	11-Oct-24	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0 Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Do not enter the field within 2 days after spraying
AGRO TECHNOPRODUCTS INC.	CARTAP HYDROCHLORIDE	AGROTECHNO CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	370-106-5558	11-Oct-24	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0 Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Do not enter the field within 2 days after spraying
AGRO TECHNOPRODUCTS INC.	CARTAP HYDROCHLORIDE	AGROTECHNO CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	370-106-5558	11-Oct-24	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0 Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Do not enter the field within 2 days after spraying
AGRO TECHNOPRODUCTS INC.	CARTAP HYDROCHLORIDE	AGROTECHNO CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	370-106-5558	11-Oct-24	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0 Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Do not enter the field within 2 days after spraying
AGRO TECHNOPRODUCTS INC.	CARTAP HYDROCHLORIDE	AGROTECHNO CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	370-106-5558	11-Oct-24	SYSTEMIC	Mango	leafhoppers	1.5-2.0 Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Do not enter the field within 2 days after spraying
AGRO TECHNOPRODUCTS INC.	CARTAP HYDROCHLORIDE	AGROTECHNO CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	370-106-5558	11-Oct-24	SYSTEMIC	Pechay	looper, cutworm, aphids	1.5-3.0 Tbsp/16 L water	-	Spraying should be done 10 days before harvest	Do not enter the field within 2 days after spraying
AGRO TECHNOPRODUCTS INC.	2,4-D AMINE	AGROTECHNO 2,4-D AMINE	400 g/L	-	HERBICIDE	2	370-031-6383	10-May-24	POST-EMERGENT	Rice	Sedges and broadleaf weeds	3.5-6.5 Tbsp/ 16L water	-	-	Entry to field and crops treated with AGROTECHNO 2,4-D AMINE can be done one day after spraying
AGRO TECHNOPRODUCTS INC.	2,4-D AMINE	AGROTECHNO 2,4-D AMINE	400 g/L	-	HERBICIDE	2	370-031-6383	10-May-24	POST-EMERGENT	Corn	Sedges and broadleaf weeds	5.0-6.5 Tbsp/ 16L water	-	-	Entry to field and crops treated with AGROTECHNO 2,4-D AMINE can be done one day after spraying
AGRO TECHNOPRODUCTS INC.	2,4-D AMINE	AGROTECHNO 2,4-D AMINE	400 g/L	-	HERBICIDE	2	370-031-6383	10-May-24	POST-EMERGENT	Sugarcane	Sedges and broadleaf weeds	18.25 Tbsp/ 16L water	-	-	Entry to field and crops treated with AGROTECHNO 2,4-D AMINE can be done one day after spraying
AGRO TECHNOPRODUCTS INC.	PYRIBENZOXIM-CYHALOTHRIN	AGROTECH PRIFOP 8.5 EC	25 g/L+40 g/L	EC	HERBICIDE	3	370-451-6401	20-Dec-26	-	Rice (Direct-seeded)	Grasses, broadleaf weeds, sedges	1.0-1.5 L prod. / ha dispensed at 12-16 days after seedling at 16 grams (1 sachet), 30 tank load/ha	-	-	As soon as spray deposits dry up
AGRO TECHNOPRODUCTS INC.	NICLOSAMIDE ETHANOLAMINE SALT	AGROTECH NICLOSAMIDE 70 WP	700 g/kg	WP	MOLLUSCICIDE	4	370-229-6380 (6/22)	24-Oct-26	-	Rice	Golden apple snail	-	-	-	At least 48 hours after application
AGRO TECHNOPRODUCTS INC.	AZIXYMBROBIN-OF ENOCONAZOLE	AGROTECH DIFESTROBIN 325 SC	200 g/L+125 g/L	SC	FUNGICIDE	4	370-486-6402	20-Dec-26	-	Corn	Northern corn leaf blight, white spot, gray leaf spot, brown spot	500-750 mL prod. / ha, 50-75 mL prod. / 16L water, 360-72 L/ha	0.03 ppm 0.03 ppm	28 days	Do not enter or allow workers to enter treated areas until spray deposits have dried up or unless a protective clothing is worn
AGRO TECHNOPRODUCTS INC.	AZIXYMBROBIN-OF ENOCONAZOLE	AGROTECH DIFESTROBIN 325 SC	200 g/L+125 g/L	SC	FUNGICIDE	4	370-486-6402	20-Dec-26	-	Mango	Anthraxnose, scab, stem-end rot	150-200 mL prod. / ha, 150-200 mL prod. / 200L water, 2.040-3.3,472 L/ha	0.02 ppm 0.07 ppm	14 days	Do not enter or allow workers to enter treated areas until spray deposits have dried up or unless a protective clothing is worn
AGRO TECHNOPRODUCTS INC.	AZIXYMBROBIN-OF ENOCONAZOLE	AGROTECH DIFESTROBIN 325 SC	200 g/L+125 g/L	SC	FUNGICIDE	4	370-486-6402	20-Dec-26	-	Onion	Anthraxnose	400-500 mL prod. / ha, 20-30 mL prod. / 16L water, 200-500 L/ha	0.05 ppm 0.05 ppm	32 days	Do not enter or allow workers to enter treated areas until spray deposits have dried up or unless a protective clothing is worn
AGRO TECHNOPRODUCTS INC.	AZIXYMBROBIN-OF ENOCONAZOLE	AGROTECH DIFESTROBIN 325 SC	200 g/L+125 g/L	SC	FUNGICIDE	4	370-486-6402	20-Dec-26	-	Potato	Late blight	400-500 mL prod. / ha, 20-25 mL prod. / 16L water, 800-500 L/ha	0.05 ppm 0.1 ppm	14 days	Do not enter or allow workers to enter treated areas until spray deposits have dried up or unless a protective clothing is worn

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD	
AGRO TECHPRODUCTS INC.	ADZXYSTROBIN-DIFENOCONAZOLE	AGROTECH DIFESTROBIN 325 SC	200 g/L+125 g/L	SC	FUNGICIDE	4	370-486-6402	20-Dec-26	-	Rice	rice blast, sheath blight	200-500 mL prod / ha, 20-50 mL prod / 16L water; 160-200 L / ha	0.6 ppm 0.4 ppm	30 days	Do not enter or allow workers to enter treated areas until spray deposits have dried up or unless a protective clothing is worn	
AGRO TECHPRODUCTS INC.	DIFENOCONAZOLE+PROPICONAZOLE	AGROTECH DIFEPRO 300EC	150 g/L+150 g/L	EC	FUNGICIDE	3	370-325-6297 (672)	9-Oct-26	-	Rice	Sheath blight	250-350 mL prod.	-	-	-	
AGRO TECHPRODUCTS INC.	DIFENOCONAZOLE+PROPICONAZOLE	AGROTECH DIFEPRO 300EC	150 g/L+150 g/L	EC	FUNGICIDE	3	370-325-6297 (672)	9-Oct-26	-	Corn	Ear rot, leaf blight, rust, banded leaf, and sheath blight	200-500 mL prod.	-	45 days	-	
AGRO TECHPRODUCTS INC.	DIFENOCONAZOLE	AGROTECH DIFECO 250 EC	250 g/L	EC	FUNGICIDE	4	370-272-6296 (088)	9-Oct-26	-	Asparagus	Stem and leaf blight	0.36 L prod / ha	-	7 days	-	
AGRO TECHPRODUCTS INC.	DIFENOCONAZOLE	AGROTECH DIFECO 250 EC	250 g/L	EC	FUNGICIDE	4	370-272-6296 (088)	9-Oct-26	-	Banana	Black sigatoka	0.30-0.40 L prod/ha	-	-	-	
AGRO TECHPRODUCTS INC.	DIFENOCONAZOLE	AGROTECH DIFECO 250 EC	250 g/L	EC	FUNGICIDE	4	370-272-6296 (088)	9-Oct-26	-	Cabbage	Alternaria leaf spot and ring spot	0.20-0.25 L prod / ha	-	7 days	-	
AGRO TECHPRODUCTS INC.	DIFENOCONAZOLE	AGROTECH DIFECO 250 EC	250 g/L	EC	FUNGICIDE	4	370-272-6296 (088)	9-Oct-26	-	Eggplant	Leaf spot	0.20-0.25 L prod / ha	-	7 days	-	
AGRO TECHPRODUCTS INC.	DIFENOCONAZOLE	AGROTECH DIFECO 250 EC	250 g/L	EC	FUNGICIDE	4	370-272-6296 (088)	9-Oct-26	-	Mango	Anthraxnose	0.528-0.880 L prod / ha	-	14 days	-	
AGRO TECHPRODUCTS INC.	DIFENOCONAZOLE	AGROTECH DIFECO 250 EC	250 g/L	EC	FUNGICIDE	4	370-272-6296 (088)	9-Oct-26	-	Onion	Purple blotch	0.40-0.50 L prod / ha	-	7 days	-	
AGRO TECHPRODUCTS INC.	DIFENOCONAZOLE	AGROTECH DIFECO 250 EC	250 g/L	EC	FUNGICIDE	4	370-272-6296 (088)	9-Oct-26	-	Rice	Sheath blight	0.25-0.30 L prod/ ha	-	-	-	
AGRO TECHPRODUCTS INC.	DIFENOCONAZOLE	AGROTECH DIFECO 250 EC	250 g/L	EC	FUNGICIDE	4	370-272-6296 (088)	9-Oct-26	-	Stringbeans	Leaf spot	0.20-0.25 L prod / ha	-	7 days	-	
AGRO TECHPRODUCTS INC.	DIFENOCONAZOLE	AGROTECH DIFECO 250 EC	250 g/L	EC	FUNGICIDE	4	370-272-6296 (088)	9-Oct-26	-	Tomato	Alternaria leaf spot, cercospora leaf mold, and powdery mildew	0.40 L prod / ha	-	7 days	-	
AGRO TECHPRODUCTS INC.	LAMBDA-CHALOTHRIN+THIAMETHOXAM	AGROTECH ALTA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	370-395-6381	29-Dec-24	-	Potato	Whiteflies, aphids, thrips	100-200 mL prod / ha, 4.0-6.0 mL prod / 16L	-	7 days	Do not enter treated fields for at least 1 day after application	
AGRO TECHPRODUCTS INC.	LAMBDA-CHALOTHRIN+THIAMETHOXAM	AGROTECH ALTA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	370-395-6381	29-Dec-24	-	Stringbeans	Green leafhopper, aphids, mites	100-200 mL prod / ha, 4.0-6.0 mL prod / 16L	-	7 days	Do not enter treated fields for at least 1 day after application	
AGRO TECHPRODUCTS INC.	LAMBDA-CHALOTHRIN+THIAMETHOXAM	AGROTECH ALTA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	370-395-6381	29-Dec-24	-	Eggplant	Whiteflies, green leafhopper, aphids	100-200 mL prod / ha, 4.0-6.0 mL prod / 16L	-	7 days	Do not enter treated fields for at least 1 day after application	
AGRO TECHPRODUCTS INC.	LAMBDA-CHALOTHRIN+THIAMETHOXAM	AGROTECH ALTA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	370-395-6381	29-Dec-24	-	Enter ground	Leafhoppers, thrips, aphids	100-400 mL prod / ha, 4.0-13.0 mL prod / 16L	-	7 days	Do not enter treated fields for at least 1 day after application	
AGRO TECHPRODUCTS INC.	LAMBDA-CHALOTHRIN+THIAMETHOXAM	AGROTECH ALTA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	370-395-6381	29-Dec-24	-	Mango	Leafhoppers, tipborers	20-30mL / 100L	-	3 days	Do not enter treated fields for at least 1 day after application	
AGRO TECHPRODUCTS INC.	LAMBDA-CHALOTHRIN+THIAMETHOXAM	AGROTECH ALTA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	370-395-6381	29-Dec-24	-	Corn	Asian corn borer, cutworm, leafhoppers, aphids	200-400 mL prod / ha, 10.0-16 mL prod / 16L	-	3 days	Do not enter treated fields for at least 1 day after application	
AGRO TECHPRODUCTS INC.	LAMBDA-CHALOTHRIN+THIAMETHOXAM	AGROTECH ALTA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	370-395-6381	29-Dec-24	-	Banana	Flower thrips	3-9mL / L	-	90 days	Do not enter treated fields for at least 1 day after application	
AGRO TECHPRODUCTS INC.	LAMBDA-CHALOTHRIN+THIAMETHOXAM	AGROTECH ALTA 247 ZC	106 g/L+141 g/L	ZC	INSECTICIDE	2	370-395-6381	29-Dec-24	-	Rice	Stemborer, leafhopper, rice bugs	100-200 mL prod / ha, 10.0-30.0 mL prod / 16L	-	14 days	Do not enter treated fields for at least 1 day after application	
AGWAY CHEMICALS CORPORATION	2,4-D IBE	AGROTECH 2,4-D ISTER	490 g/L	EC	HERBICIDE	2	075-049-3383	08-Mar-25	-	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual Broadleaves & sedges	5.0-6.50tbsp/16 L water	0.1 ppm	-	-
AGWAY CHEMICALS CORPORATION	2,4-D IBE	AGROTECH 2,4-D ISTER	490 g/L	EC	HERBICIDE	2	075-049-3383	08-Mar-25	-	SELECTIVE (POST-EMERGENT)	Annual Broadleaves & sedges	5.0-6.50tbsp/16 L water	-	-	-	-
AGWAY CHEMICALS CORPORATION	2,4-D IBE	AGROTECH 2,4-D ISTER	490 g/L	EC	HERBICIDE	2	075-049-3383	08-Mar-25	-	SELECTIVE (POST-EMERGENT)	Annual Broadleaves & sedges	5.0-6.50tbsp/16 L water	-	-	-	-
UNITED AGRO TRADE CORPORATION	CARTAP HYDROCHLORIDE	AGROTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	264-106-1333	10-Jul-24	-	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.0-5.0tbsp/16 L water	0.2 ppm	Stop spraying 10 days before harvest	Do not enter field within 48 hours after spraying
UNITED AGRO TRADE CORPORATION	CARTAP HYDROCHLORIDE	AGROTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	264-106-1333	10-Jul-24	-	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0tbsp/16 L water	-	Stop spraying 10 days before harvest	Do not enter field within 48 hours after spraying
UNITED AGRO TRADE CORPORATION	CARTAP HYDROCHLORIDE	AGROTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	264-106-1333	10-Jul-24	-	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0tbsp/16 L water	-	Stop spraying 10 days before harvest	Do not enter field within 48 hours after spraying
UNITED AGRO TRADE CORPORATION	CARTAP HYDROCHLORIDE	AGROTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	264-106-1333	10-Jul-24	-	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0tbsp/16 L water	-	Stop spraying 10 days before harvest	Do not enter field within 48 hours after spraying
UNITED AGRO TRADE CORPORATION	CARTAP HYDROCHLORIDE	AGROTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	264-106-1333	10-Jul-24	-	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0tbsp/16 L water	-	Stop spraying 10 days before harvest	Do not enter field within 48 hours after spraying
UNITED AGRO TRADE CORPORATION	CARTAP HYDROCHLORIDE	AGROTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	264-106-1333	10-Jul-24	-	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0tbsp/16 L water	-	Stop spraying 10 days before harvest	Do not enter field within 48 hours after spraying
UNITED AGRO TRADE CORPORATION	CARTAP HYDROCHLORIDE	AGROTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	264-106-1333	10-Jul-24	-	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1.5-2.0tbsp/16 L water	-	Stop spraying 10 days before harvest	Do not enter field within 48 hours after spraying
UNITED AGRO TRADE CORPORATION	CARTAP HYDROCHLORIDE	AGROTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	264-106-1333	10-Jul-24	-	SYSTEMIC	Mango	leafhoppers	1.5-2.0tbsp/16 L water	-	Stop spraying 10 days before harvest	Do not enter field within 48 hours after spraying
UNITED AGRO TRADE CORPORATION	CARTAP HYDROCHLORIDE	AGROTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	264-106-1333	10-Jul-24	-	SYSTEMIC	Peachay	Looper, cutworm, aphids	1.5-3.0tbsp/16 L water	-	Stop spraying 10 days before harvest	Do not enter field within 48 hours after spraying
INTEGRATED CROP TRADING CORPORATION	CHLOROTHALONIL	AGRONIL 72 SC	720 g/L	SC	FUNGICIDE	4	274-118-5732	20-04-24	-	Asparagus	Stem and leaf blight	1.0-2.0 L/ha	-	For Banana there is no pre-harvest interval necessary from last spray until harvest but for other crops, 7-14	Do not enter unless spray deposits have dried.	
INTEGRATED CROP TRADING CORPORATION	CHLOROTHALONIL	AGRONIL 72 SC	720 g/L	SC	FUNGICIDE	4	274-118-5732	20-04-24	-	Banana	Black sigatoka	4.5-6.0 Tbsp	-	For Banana there is no pre-harvest interval necessary from last spray until harvest but for other crops, 7-14	Do not enter unless spray deposits have dried.	
INTEGRATED CROP TRADING CORPORATION	CHLOROTHALONIL	AGRONIL 72 SC	720 g/L	SC	FUNGICIDE	4	274-118-5732	20-04-24	-	Beans	Rust, Anthracnose	4.5-6.0 Tbsp	-	For Banana there is no pre-harvest interval necessary from last spray until harvest but for other crops, 7-14	Do not enter unless spray deposits have dried.	
INTEGRATED CROP TRADING CORPORATION	CHLOROTHALONIL	AGRONIL 72 SC	720 g/L	SC	FUNGICIDE	4	274-118-5732	20-04-24	-	Carrot	Alternaria, Cercospora, helminthosporium	4.5-6.0 Tbsp	-	For Banana there is no pre-harvest interval necessary from last spray until harvest but for other crops, 7-14	Do not enter unless spray deposits have dried.	
INTEGRATED CROP TRADING CORPORATION	CHLOROTHALONIL	AGRONIL 72 SC	720 g/L	SC	FUNGICIDE	4	274-118-5732	20-04-24	-	Celery	Early and late blight	4.5-6.0 Tbsp	-	For Banana there is no pre-harvest interval necessary from last spray until harvest but for other crops, 7-14	Do not enter unless spray deposits have dried.	
INTEGRATED CROP TRADING CORPORATION	CHLOROTHALONIL	AGRONIL 72 SC	720 g/L	SC	FUNGICIDE	4	274-118-5732	20-04-24	-	Cucifers	Powdery mildew	4.5-6.0 Tbsp	-	For Banana there is no pre-harvest interval necessary from last spray until harvest but for other crops, 7-14	Do not enter unless spray deposits have dried.	
INTEGRATED CROP TRADING CORPORATION	CHLOROTHALONIL	AGRONIL 72 SC	720 g/L	SC	FUNGICIDE	4	274-118-5732	20-04-24	-	Cucurbits	Powdery mildew, downy mildew, cercospora, anthracnose, septoria, fruit rot, early and late blight	4.5-6.0 Tbsp	-	For Banana there is no pre-harvest interval necessary from last spray until harvest but for other crops, 7-14	Do not enter unless spray deposits have dried.	
INTEGRATED CROP TRADING CORPORATION	CHLOROTHALONIL	AGRONIL 72 SC	720 g/L	SC	FUNGICIDE	4	274-118-5732	20-04-24	-	Eggplant	Early and late blight, cercospora, anthracnose	4.5-6.0 Tbsp	-	For Banana there is no pre-harvest interval necessary from last spray until harvest but for other crops, 7-14	Do not enter unless spray deposits have dried.	
INTEGRATED CROP TRADING CORPORATION	CHLOROTHALONIL	AGRONIL 72 SC	720 g/L	SC	FUNGICIDE	4	274-118-5732	20-04-24	-	Grapes	Downy mildew, powdery mildew, fruit rot	4.5-6.0 Tbsp	-	For Banana there is no pre-harvest interval necessary from last spray until harvest but for other crops, 7-14	Do not enter unless spray deposits have dried.	
INTEGRATED CROP TRADING CORPORATION	CHLOROTHALONIL	AGRONIL 72 SC	720 g/L	SC	FUNGICIDE	4	274-118-5732	20-04-24	-	Mango	Anthraxnose, diploidi rot	4.5-6.0 Tbsp	-	For Banana there is no pre-harvest interval necessary from last spray until harvest but for other crops, 7-14	Do not enter unless spray deposits have dried.	
INTEGRATED CROP TRADING CORPORATION	CHLOROTHALONIL	AGRONIL 72 SC	720 g/L	SC	FUNGICIDE	4	274-118-5732	20-04-24	-	Onion	Purple blotch, bulb rot, neck rot	4.5-6.0 Tbsp	-	For Banana there is no pre-harvest interval necessary from last spray until harvest but for other crops, 7-14	Do not enter unless spray deposits have dried.	
INTEGRATED CROP TRADING CORPORATION	CHLOROTHALONIL	AGRONIL 72 SC	720 g/L	SC	FUNGICIDE	4	274-118-5732	20-04-24	-	Ornamentals	Black spot, black rot, powdery mildew	4.5-6.0 Tbsp	-	For Banana there is no pre-harvest interval necessary from last spray until harvest but for other crops, 7-14	Do not enter unless spray deposits have dried.	
INTEGRATED CROP TRADING CORPORATION	CHLOROTHALONIL	AGRONIL 72 SC	720 g/L	SC	FUNGICIDE	4	274-118-5732	20-04-24	-	Pepper	Early and late blight, bulb rot, neck rot	4.5-6.0 Tbsp	-	For Banana there is no pre-harvest interval necessary from last spray until harvest but for other crops, 7-14	Do not enter unless spray deposits have dried.	
INTEGRATED CROP TRADING CORPORATION	CHLOROTHALONIL	AGRONIL 72 SC	720 g/L	SC	FUNGICIDE	4	274-118-5732	20-04-24	-	Potato	Early and late blight, vine rot	4.5-6.0 Tbsp	-	For Banana there is no pre-harvest interval necessary from last spray until harvest but for other crops, 7-14	Do not enter unless spray deposits have dried.	
INTEGRATED CROP TRADING CORPORATION	CHLOROTHALONIL	AGRONIL 72 SC	720 g/L	SC	FUNGICIDE	4	274-118-5732	20-04-24	-	Tomato	Early and late blight, vine rot	4.5-6.0 Tbsp	-	For Banana there is no pre-harvest interval necessary from last spray until harvest but for other crops, 7-14	Do not enter unless spray deposits have dried.	
INTEGRATED CROP TRADING CORPORATION	CHLOROTHALONIL	AGRONIL 500 SC	500g/L	SC	FUNGICIDE	4	274-118-4988	12-Feb-25	-	Melon	Anthraxnose, Cercospora leaf spot, downy mildew, Leaf blight	-	-	7-14 days	Into treated areas may be done as soon as spray solution has dried on the foliage.	
INTEGRATED CROP TRADING CORPORATION	CHLOROTHALONIL	AGRONIL 500 SC	500g/L	SC	FUNGICIDE	4	274-118-4988	12-Feb-25	-	Corn	Helminthosporium leaf spot, Cercospora leaf spot	-	-	7-14 days	Into treated areas may be done as soon as spray solution has dried on the foliage.	
INTEGRATED CROP TRADING CORPORATION	CHLOROTHALONIL	AGRONIL 500 SC	500g/L	SC	FUNGICIDE	4	274-118-4988	12-Feb-25	-	Eggplant	Anthraxnose, Cercosporaleaf spot, early and late blight	-	-	7-14 days	Into treated areas may be done as soon as spray solution has dried on the foliage.	
INTEGRATED CROP TRADING CORPORATION	CHLOROTHALONIL	AGRONIL 500 SC	500g/L	SC	FUNGICIDE	4	274-118-4988	12-Feb-25	-	Peanut	Cercospora leaf spot	-	-	7-14 days	Into treated areas may be done as soon as spray solution has dried on the foliage.	
INTEGRATED CROP TRADING CORPORATION	CHLOROTHALONIL	AGRONIL 500 SC	500g/L	SC	FUNGICIDE	4	274-118-4988	12-Feb-25	-	Potato	Early and late blight, vine rot	-	-	7-14 days	Into treated areas may be done as soon as spray solution has dried on the foliage.	
INTEGRATED CROP TRADING CORPORATION	CHLOROTHALONIL	AGRONIL 500 SC	500g/L	SC	FUNGICIDE	4	274-118-4988	12-Feb-25	-	Tomato	Early and late blight, vine rot	-	-	7-14 days	Into treated areas may be done as soon as spray solution has dried on the foliage.	
INTEGRATED CROP TRADING CORPORATION	CHLOROTHALONIL	AGRONIL 500 SC	500g/L	SC	FUNGICIDE	4	274-118-4988	12-Feb-25	-	Carrot	Alternaria, cercospora leaf spot, helminthosporium leaf spot	-	-	7-14 days	Into treated areas may be done as soon as spray solution has dried on the foliage.	
INTEGRATED CROP TRADING CORPORATION	CHLOROTHALONIL	AGRONIL 500 SC	500g/L	SC	FUNGICIDE	4	274-118-4988	12-Feb-25	-	Banana	Sigatoka, rust, freckles, helminthosporium leaf spot	-	-	0 Day	Into treated areas may be done as soon as spray solution has dried on the foliage.	
INTEGRATED CROP TRADING CORPORATION	CHLOROTHALONIL	AGRONIL 500 SC	500g/L	SC	FUNGICIDE	4	274-118-4988	12-Feb-25	-	Mango	Anthraxnose, diploidi rot	-	-	7-14 days	Into treated areas may be done as soon as spray solution has dried on the foliage.	

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
INTEGRATED CROP TRADING CORPORATION	CHLOROTHALONIL	AGRONIL 900 SC	900g/L	SC	FUNGICIDE	4	274-118-4988	12-Feb-25		beans	Rust, Anthracnose	-	-	7-14 days	into treated areas may be done as soon as spray solution has dried on the foliage.
INTEGRATED CROP TRADING CORPORATION	CHLOROTHALONIL	AGRONIL 900 SC	900g/L	SC	FUNGICIDE	4	274-118-4988	12-Feb-25		Cucifers	Powdery mildew	-	-	7-14 days	into treated areas may be done as soon as spray solution has dried on the foliage.
INTEGRATED CROP TRADING CORPORATION	CHLOROTHALONIL	AGRONIL 900 SC	900g/L	SC	FUNGICIDE	4	274-118-4988	12-Feb-25		Onion	Purple blotch, bulb rot, neck rot	-	-	7-14 days	into treated areas may be done as soon as spray solution has dried on the foliage.
INTEGRATED CROP TRADING CORPORATION	CHLOROTHALONIL	AGRONIL 900 SC	900g/L	SC	FUNGICIDE	4	274-118-4988	12-Feb-25		Garlic	Purple blotch, bulb rot, neck rot	-	-	7-14 days	into treated areas may be done as soon as spray solution has dried on the foliage.
INTEGRATED CROP TRADING CORPORATION	CHLOROTHALONIL	AGRONIL 900 SC	900g/L	SC	FUNGICIDE	4	274-118-4988	12-Feb-25		Ornamentals	Black spot, Black rot, Powdery mildew	-	-	7-14 days	into treated areas may be done as soon as spray solution has dried on the foliage.
INTEGRATED CROP TRADING CORPORATION	CHLOROTHALONIL	AGRONIL 900 SC	900g/L	SC	FUNGICIDE	4	274-118-4988	12-Feb-25		Grapes	Downy mildew, powdery mildew, fruit rot	-	-	7-14 days	into treated areas may be done as soon as spray solution has dried on the foliage.
INTEGRATED CROP TRADING CORPORATION	CHLOROTHALONIL	AGRONIL 900 SC	900g/L	SC	FUNGICIDE	4	274-118-4988	12-Feb-25		Pepper	Anthracnose, cercospora leaf spot, early blight	-	-	7-14 days	into treated areas may be done as soon as spray solution has dried on the foliage.
INTEGRATED CROP TRADING CORPORATION	CHLOROTHALONIL	AGRONIL 900 SC	900g/L	SC	FUNGICIDE	4	274-118-4988	12-Feb-25		Cucurbits	Powdery mildew, Cercospora, anthracnose, Septoria, Fruit rot, early and late blight	-	-	7-14 days	into treated areas may be done as soon as spray solution has dried on the foliage.
INTEGRATED CROP TRADING CORPORATION	CHLOROTHALONIL	AGRONIL 900 SC	900g/L	SC	FUNGICIDE	4	274-118-4988	12-Feb-25		Melon	Powdery mildew, Cercospora, anthracnose, Septoria, Fruit rot, early and late blight	-	-	7-14 days	into treated areas may be done as soon as spray solution has dried on the foliage.
INTEGRATED CROP TRADING CORPORATION	CHLOROTHALONIL	AGRONIL 900 SC	900g/L	SC	FUNGICIDE	4	274-118-4988	12-Feb-25		Cucumber	Powdery mildew, Cercospora, anthracnose, Septoria, Fruit rot, early and late blight	-	-	7-14 days	into treated areas may be done as soon as spray solution has dried on the foliage.
INTEGRATED CROP TRADING CORPORATION	CHLOROTHALONIL	AGRONIL 900 SC	900g/L	SC	FUNGICIDE	4	274-118-4988	12-Feb-25		Squash	Powdery mildew, Cercospora, anthracnose, Septoria, Fruit rot, early and late blight	-	-	7-14 days	into treated areas may be done as soon as spray solution has dried on the foliage.
INTEGRATED CROP TRADING CORPORATION	CHLOROTHALONIL	AGRONIL 900 SC	900g/L	SC	FUNGICIDE	4	274-118-4988	12-Feb-25		Watermelon	Powdery mildew, Cercospora, anthracnose, Septoria, Fruit rot, early and late blight	-	-	7-14 days	into treated areas may be done as soon as spray solution has dried on the foliage.
INTEGRATED CROP TRADING CORPORATION	CHLOROTHALONIL	AGRONIL 900 SC	900g/L	SC	FUNGICIDE	4	274-118-4988	12-Feb-25		Galeria	Early and late blight	-	-	7-14 days	into treated areas may be done as soon as spray solution has dried on the foliage.
UNITED AGRO TRADE CORPORATION	METHOMYL	AGRONET SP	400 g/kg	SP	INSECTICIDE	2	264-164-1478	01-Oct-24	CONTACT	Asparagus	Army worm, cutworm	2.0-2.5 Tbsp/36 L sprayer	-	-	Do not enter fields treated with AGRONET 40 SP within 12 hours after application
UNITED AGRO TRADE CORPORATION	METHOMYL	AGRONET SP	400 g/kg	SP	INSECTICIDE	2	264-164-1478	01-Oct-24	CONTACT	Banana	Thrips	3.5-4.5 Tbsp/36 L sprayer	-	-	Do not enter fields treated with AGRONET 40 SP within 12 hours after application
UNITED AGRO TRADE CORPORATION	METHOMYL	AGRONET SP	400 g/kg	SP	INSECTICIDE	2	264-164-1478	01-Oct-24	CONTACT	beans	Leafroller, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/36 L sprayer	-	-	Do not enter fields treated with AGRONET 40 SP within 12 hours after application
UNITED AGRO TRADE CORPORATION	METHOMYL	AGRONET SP	400 g/kg	SP	INSECTICIDE	2	264-164-1478	01-Oct-24	CONTACT	Mungbeans	Leafroller, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/36 L sprayer	-	-	Do not enter fields treated with AGRONET 40 SP within 12 hours after application
UNITED AGRO TRADE CORPORATION	METHOMYL	AGRONET SP	400 g/kg	SP	INSECTICIDE	2	264-164-1478	01-Oct-24	CONTACT	Soybeans	Leafroller, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/36 L sprayer	-	-	Do not enter fields treated with AGRONET 40 SP within 12 hours after application
UNITED AGRO TRADE CORPORATION	METHOMYL	AGRONET SP	400 g/kg	SP	INSECTICIDE	2	264-164-1478	01-Oct-24	CONTACT	Sitao	Leafroller, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/36 L sprayer	-	-	Do not enter fields treated with AGRONET 40 SP within 12 hours after application
UNITED AGRO TRADE CORPORATION	METHOMYL	AGRONET SP	400 g/kg	SP	INSECTICIDE	2	264-164-1478	01-Oct-24	CONTACT	Corn	Comborer, earworm	2.0-3.5 Tbsp/36 L sprayer	-	-	Do not enter fields treated with AGRONET 40 SP within 12 hours after application
UNITED AGRO TRADE CORPORATION	METHOMYL	AGRONET SP	400 g/kg	SP	INSECTICIDE	2	264-164-1478	01-Oct-24	CONTACT	Sorghum	Comborer, earworm	2.0-3.5 Tbsp/36 L sprayer	-	-	Do not enter fields treated with AGRONET 40 SP within 12 hours after application
UNITED AGRO TRADE CORPORATION	METHOMYL	AGRONET SP	400 g/kg	SP	INSECTICIDE	2	264-164-1478	01-Oct-24	CONTACT	Eggplant	Aphids, flea beetle, fruitworm, lady beetle	2.0-3.5 Tbsp/36 L sprayer	-	-	Do not enter fields treated with AGRONET 40 SP within 12 hours after application
UNITED AGRO TRADE CORPORATION	METHOMYL	AGRONET SP	400 g/kg	SP	INSECTICIDE	2	264-164-1478	01-Oct-24	CONTACT	Melon	Aphids, Squash beetle , leafroller	2.0-3.5 Tbsp/36 L sprayer	-	-	Do not enter fields treated with AGRONET 40 SP within 12 hours after application
UNITED AGRO TRADE CORPORATION	METHOMYL	AGRONET SP	400 g/kg	SP	INSECTICIDE	2	264-164-1478	01-Oct-24	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leafroller	2.0-3.5 Tbsp/36 L sprayer	0.0tppm	3 days	Do not enter fields treated with AGRONET 40 SP within 12 hours after application
UNITED AGRO TRADE CORPORATION	METHOMYL	AGRONET SP	400 g/kg	SP	INSECTICIDE	2	264-164-1478	01-Oct-24	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	2.0-3.5 Tbsp/36 L sprayer	-	-	Do not enter fields treated with AGRONET 40 SP within 12 hours after application
UNITED AGRO TRADE CORPORATION	METHOMYL	AGRONET SP	400 g/kg	SP	INSECTICIDE	2	264-164-1478	01-Oct-24	CONTACT	Tomato	Tomato fruitworm, aphids	2.0-3.5 Tbsp/36 L sprayer	-	-	Do not enter fields treated with AGRONET 40 SP within 12 hours after application
ASIA GOLD TRADING CORPORATION	DIURON	ARGON 80 WP	800 g/kg	WP	HERBICIDE	4	266-021-2963	21-Feb-24	SYSTEMIC	Citrus	Annual and Perennial broadleaves and grasses	11.0-15.0Tbsp/36 L water	-	-	Entry to fields treated with ARGON 80 WP can be done one day after application
ASIA GOLD TRADING CORPORATION	DIURON	ARGON 80 WP	800 g/kg	WP	HERBICIDE	4	266-021-2963	21-Feb-24	SYSTEMIC	Coffee	Annual and Perennial broadleaves and grasses	11.0-15.0Tbsp/36 L water	-	-	Entry to fields treated with ARGON 80 WP can be done one day after application
ASIA GOLD TRADING CORPORATION	DIURON	ARGON 80 WP	800 g/kg	WP	HERBICIDE	4	266-021-2963	21-Feb-24	SYSTEMIC	Cotton	Annual and Perennial broadleaves and grasses	8.0Tbsp/36 L water	-	-	Entry to fields treated with ARGON 80 WP can be done one day after application
ASIA GOLD TRADING CORPORATION	DIURON	ARGON 80 WP	800 g/kg	WP	HERBICIDE	4	266-021-2963	21-Feb-24	SYSTEMIC	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0Tbsp/36 L water	-	-	Entry to fields treated with ARGON 80 WP can be done one day after application
ASIA GOLD TRADING CORPORATION	DIURON	ARGON 80 WP	800 g/kg	WP	HERBICIDE	4	266-021-2963	21-Feb-24	SYSTEMIC	Pineapple	Annual and Perennial broadleaves and grasses	11.0Tbsp/36 L water	-	-	Entry to fields treated with ARGON 80 WP can be done one day after application
ASIA GOLD TRADING CORPORATION	DIURON	ARGON 80 WP	800 g/kg	WP	HERBICIDE	4	266-021-2963	21-Feb-24	SYSTEMIC	Non-crop land	Annual and Perennial broadleaves and grasses	20-28.0Tbsp/36 L water	-	-	Entry to fields treated with ARGON 80 WP can be done one day after application
UNITED AGRO TRADE CORPORATION	BENOMYL	AGROMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	264-167-1618	09-Aug-24	SYSTEMIC	Mungbeans	Powdery mildew, cercospora leaf spot	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
UNITED AGRO TRADE CORPORATION	BENOMYL	AGROMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	264-167-1618	09-Aug-24	SYSTEMIC	Beans	Powdery mildew, cercospora leaf spot	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
UNITED AGRO TRADE CORPORATION	BENOMYL	AGROMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	264-167-1618	09-Aug-24	SYSTEMIC	Wongbok	Cercospora leaf spot	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
UNITED AGRO TRADE CORPORATION	BENOMYL	AGROMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	264-167-1618	09-Aug-24	SYSTEMIC	Cabbage	Cercospora leaf spot	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
UNITED AGRO TRADE CORPORATION	BENOMYL	AGROMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	264-167-1618	09-Aug-24	SYSTEMIC	Calamansi	Scab	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
UNITED AGRO TRADE CORPORATION	BENOMYL	AGROMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	264-167-1618	09-Aug-24	SYSTEMIC	Cucumber	Powdery mildew	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
UNITED AGRO TRADE CORPORATION	BENOMYL	AGROMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	264-167-1618	09-Aug-24	SYSTEMIC	Ginger	Cercospora leaf spot	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
UNITED AGRO TRADE CORPORATION	BENOMYL	AGROMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	264-167-1618	09-Aug-24	SYSTEMIC	Grapes	Powdery mildew	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
UNITED AGRO TRADE CORPORATION	BENOMYL	AGROMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	264-167-1618	09-Aug-24	SYSTEMIC	Mandarin	Scab	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
UNITED AGRO TRADE CORPORATION	BENOMYL	AGROMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	264-167-1618	09-Aug-24	SYSTEMIC	Mango	Anthracnose, powdery mildew	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
UNITED AGRO TRADE CORPORATION	BENOMYL	AGROMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	264-167-1618	09-Aug-24	SYSTEMIC	Melon	Powdery mildew	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
UNITED AGRO TRADE CORPORATION	BENOMYL	AGROMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	264-167-1618	09-Aug-24	SYSTEMIC	Orange	Scab	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
UNITED AGRO TRADE CORPORATION	BENOMYL	AGROMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	264-167-1618	09-Aug-24	SYSTEMIC	Papaya	Powdery mildew	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
UNITED AGRO TRADE CORPORATION	BENOMYL	AGROMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	264-167-1618	09-Aug-24	SYSTEMIC	Pepper	Cercospora leaf spot	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
UNITED AGRO TRADE CORPORATION	BENOMYL	AGROMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	264-167-1618	09-Aug-24	SYSTEMIC	Rice	Blast, sheath blight	3-4 Tbsp/36L water	-	7 days	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
UNITED AGRO TRADE CORPORATION	BENOMYL	AGROMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	264-167-1618	09-Aug-24	SYSTEMIC	Strawberry	Cercospora leaf spot	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
UNITED AGRO TRADE CORPORATION	BENOMYL	AGROMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	264-167-1618	09-Aug-24	SYSTEMIC	Tobacco	leaf mold, frog eye	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
UNITED AGRO TRADE CORPORATION	BENOMYL	AGROMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	264-167-1618	09-Aug-24	SYSTEMIC	Banana	Black sigatoka	200 g/ha	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
UNITED AGRO TRADE CORPORATION	ABAMECTIN	AGROMECTIN 1.8 EC	18 g/L	EC	INSECTICIDE	2	264-234-3553	21-Sep-24		Banana	Blossom thrips	0.5/ L water	-	-	Re-enter the field as soon as spray dries
UNITED AGRO TRADE CORPORATION	ABAMECTIN	AGROMECTIN 1.8 EC	18 g/L	EC	INSECTICIDE	2	264-234-3553	21-Sep-24		Cabbage	Diamond back moth	1000 ml. prod/ha	-	-	Re-enter the field as soon as spray dries
UNITED AGRO TRADE CORPORATION	ABAMECTIN	AGROMECTIN 1.8 EC	18 g/L	EC	INSECTICIDE	2	264-234-3553	21-Sep-24		Ornamentals	Mites	1.0-1.5Tbsp/36 L of water	-	-	Re-enter the field as soon as spray dries
UNITED AGRO TRADE CORPORATION	ABAMECTIN	AGROMECTIN 1.8 EC	18 g/L	EC	INSECTICIDE	2	264-234-3553	21-Sep-24		Pineapple	Mites	1000-4000ml. prod/ha	-	-	Re-enter the field as soon as spray dries
UNITED AGRO TRADE CORPORATION	ABAMECTIN	AGROMECTIN 1.8 EC	18 g/L	EC	INSECTICIDE	2	264-234-3553	21-Sep-24		Eggplant	Thrips, leafhopper, fruit and shoot borer	2.0-5.0 Tbsp/36 L of water	-	-	Re-enter the field as soon as spray dries
UNITED AGRO TRADE CORPORATION	ABAMECTIN	AGROMECTIN 1.8 EC	18 g/L	EC	INSECTICIDE	2	264-234-3553	21-Sep-24		Onion	leafminer, thrips	2.0-3.0 Tbsp/36 L of water	-	-	Re-enter the field as soon as spray dries

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
UNITED AGRO TRADE CORPORATION	ABAMECTIN	AGROMEXTIN 1.8 EC	18 g/L	EC	INSECTICIDE	2	264-234-3553	25-Sep-24	-	Potato	leafminer, thrips	2.0-3.0 Tbsp/16 L of water	-	-	Re-enter the field as soon as spray dries
UNITED AGRO TRADE CORPORATION	ABAMECTIN	AGROMEXTIN 1.8 EC	18 g/L	EC	INSECTICIDE	2	264-234-3553	21-Sep-24	-	Tomato	leafminer, thrips, aphids	2.0-3.0 Tbsp/16 L of water	-	-	Re-enter the field as soon as spray dries
UNITED AGRO TRADE CORPORATION	ABAMECTIN	AGROMEXTIN 1.8 EC	18 g/L	EC	INSECTICIDE	2	264-234-3553	25-Sep-24	-	Watermelon	leafminer, thrips, melonworm	2.0-3.0 Tbsp/16 L of water	-	-	Re-enter the field as soon as spray dries
UNITED AGRO TRADE CORPORATION	ABAMECTIN	AGROMEXTIN 1.8 EC	18 g/L	EC	INSECTICIDE	2	264-234-3553	21-Sep-24	-	Papaya	Mites	0.5-1.0 Tbsp/16 L of water	-	-	Re-enter the field as soon as spray dries
UNITED AGRO TRADE CORPORATION	ABAMECTIN	AGROMEXTIN 1.8 EC	18 g/L	EC	INSECTICIDE	2	264-234-3553	21-Sep-24	-	Strawberry	Mites	2.0-4.0 Tbsp/16 L of water	-	-	Re-enter the field as soon as spray dries
EVERLAND AGRI CORPORATION	CARBOFURAN	AGROFURAN 3G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	261-104-1283	17-Sep-25	-	Corn	Borer, earworm, grubs, seedling maggot	16.7-33.3 kg prod/ha	-	Do not apply within thirty (30) days of harvest	Two (2) days
EVERLAND AGRI CORPORATION	CARBOFURAN	AGROFURAN 3G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	261-104-1283	17-Sep-25	-	Cotton	Nematodes, grubs	16.7-33.3 kg prod/ha	-	Do not apply within thirty (30) days of harvest	Two (2) days
EVERLAND AGRI CORPORATION	CARBOFURAN	AGROFURAN 3G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	261-104-1283	17-Sep-25	-	Eggplant	Fruitborer	16.7-33.3 kg prod/ha	-	Do not apply within thirty (30) days of harvest	Two (2) days
EVERLAND AGRI CORPORATION	CARBOFURAN	AGROFURAN 3G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	261-104-1283	17-Sep-25	-	Field legumes	Beanflies, grubs, nematodes	16.7-33.3 kg prod/ha	-	Do not apply within thirty (30) days of harvest	Two (2) days
EVERLAND AGRI CORPORATION	CARBOFURAN	AGROFURAN 3G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	261-104-1283	17-Sep-25	-	Rice	Stem borer, whorl maggot, leafhopper, leafroller, caseworm, planthopper	16.7-33.3 kg prod/ha	0.2ppm	Do not apply within thirty (30) days of harvest	Two (2) days
EVERLAND AGRI CORPORATION	CARBOFURAN	AGROFURAN 3G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	261-104-1283	17-Sep-25	-	Soybeans	Beanfly, grubs, nematodes, other soil insects	16.7-33.3 kg prod/ha	-	Do not apply within thirty (30) days of harvest	Two (2) days
EVERLAND AGRI CORPORATION	CARBOFURAN	AGROFURAN 3G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	261-104-1283	17-Sep-25	-	Sugarcane	Borer, leafhopper, mealy bug, nematodes, scale insects	16.7-33.3 kg prod/ha	-	Do not apply within thirty (30) days of harvest	Two (2) days
EVERLAND AGRI CORPORATION	CARBOFURAN	AGROFURAN 3G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	261-104-1283	17-Sep-25	-	Tobacco	Nematode, budworm	16.7-33.3 kg prod/ha	-	Do not apply within thirty (30) days of harvest	Two (2) days
EVERLAND AGRI CORPORATION	CARBOFURAN	AGROFURAN 3G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	261-104-1283	17-Sep-25	-	white potato	Nematodes, grubs	16.7-33.3 kg prod/ha	-	Do not apply within thirty (30) days of harvest	Two (2) days
EVERLAND AGRI CORPORATION	CARBOFURAN	AGROFURAN 3G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	261-104-1283	17-Sep-25	-	Cowpea	Beanfly, grubs, nematodes, other soil insects	16.7-33.3 kg prod/ha	-	Do not apply within thirty (30) days of harvest	Two (2) days
EVERLAND AGRI CORPORATION	CARBOFURAN	AGROFURAN 3G	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	261-104-1283	17-Sep-25	-	Ornamentals	Scale insect, aphids, mealy bug	16.7-33.3 kg prod/ha	-	Do not apply within thirty (30) days of harvest	Two (2) days
TOP AGRO PRODUCTS COMPANY	DIFENOCONAZOLE	AGROCONAZOLE 25 EC	250 g/L	EC	FUNGICIDE	4	210-272-5274	11-Aug-24	SYSTEMIC	Rice	Sheath Blight	0.25-0.30 L prod/ Ha	-	-	-
TOP AGRO PRODUCTS COMPANY	DIFENOCONAZOLE	AGROCONAZOLE 25 EC	250 g/L	EC	FUNGICIDE	4	210-272-5274	11-Aug-24	SYSTEMIC	Mango	Anthracoese	0.528-88 L prod/ Ha	-	14 days	-
TOP AGRO PRODUCTS COMPANY	DIFENOCONAZOLE	AGROCONAZOLE 25 EC	250 g/L	EC	FUNGICIDE	4	210-272-5274	11-Aug-24	SYSTEMIC	Stringbeans	Leafspot	0.25-0.30 L prod/ Ha	-	7 days	-
TOP AGRO PRODUCTS COMPANY	DIFENOCONAZOLE	AGROCONAZOLE 25 EC	250 g/L	EC	FUNGICIDE	4	210-272-5274	11-Aug-24	SYSTEMIC	Tomato	Alternaria leaf spot, cercospora leafmold,powdery mildew	0.25-0.30 L prod/ Ha	-	7 days	-
TOP AGRO PRODUCTS COMPANY	DIFENOCONAZOLE	AGROCONAZOLE 25 EC	250 g/L	EC	FUNGICIDE	4	210-272-5274	11-Aug-24	SYSTEMIC	Eggplant	leaf spot	0.25-0.30 L prod/ Ha	-	7 days	-
TOP AGRO PRODUCTS COMPANY	DIFENOCONAZOLE	AGROCONAZOLE 25 EC	250 g/L	EC	FUNGICIDE	4	210-272-5274	11-Aug-24	SYSTEMIC	Cabbage	Ringspot,alternaria	0.25-0.30 L prod/ Ha	-	7 days	-
TOP AGRO PRODUCTS COMPANY	DIFENOCONAZOLE	AGROCONAZOLE 25 EC	250 g/L	EC	FUNGICIDE	4	210-272-5274	11-Aug-24	SYSTEMIC	Asparagus	Stem and leaf blight	0.36 L prod/ Ha	-	-	-
TOP AGRO PRODUCTS COMPANY	DIFENOCONAZOLE	AGROCONAZOLE 25 EC	250 g/L	EC	FUNGICIDE	4	210-272-5274	11-Aug-24	SYSTEMIC	Ghion	Purple blotch	0.40-0.50 L prod/ Ha	-	7 days	-
TOP AGRO PRODUCTS COMPANY	DIFENOCONAZOLE	AGROCONAZOLE 25 EC	250 g/L	EC	FUNGICIDE	4	210-272-5274	11-Aug-24	SYSTEMIC	Banana	Black sigtaka	0.30-0.40 L prod/ha	-	-	-
UNITED AGRO TRADE CORPORATION	FLUAZIFOP-P-BUTYL	AGRODICE 15 EC	150 g/L	EC	HERBICIDE	4	264-212-4528	01-Oct-24	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Banana	Grasses; hchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	Re-enter the field as soon as spray dries
UNITED AGRO TRADE CORPORATION	FLUAZIFOP-P-BUTYL	AGRODICE 15 EC	150 g/L	EC	HERBICIDE	4	264-212-4528	01-Oct-24	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Cacao	Grasses; hchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-
UNITED AGRO TRADE CORPORATION	FLUAZIFOP-P-BUTYL	AGRODICE 15 EC	150 g/L	EC	HERBICIDE	4	264-212-4528	01-Oct-24	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Citrus	Grasses; hchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-
UNITED AGRO TRADE CORPORATION	FLUAZIFOP-P-BUTYL	AGRODICE 15 EC	150 g/L	EC	HERBICIDE	4	264-212-4528	01-Oct-24	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Cotton	Grasses; hchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-
UNITED AGRO TRADE CORPORATION	FLUAZIFOP-P-BUTYL	AGRODICE 15 EC	150 g/L	EC	HERBICIDE	4	264-212-4528	01-Oct-24	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Coffee	Grasses; hchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-
UNITED AGRO TRADE CORPORATION	FLUAZIFOP-P-BUTYL	AGRODICE 15 EC	150 g/L	EC	HERBICIDE	4	264-212-4528	01-Oct-24	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Oil palm	Grasses; hchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-
UNITED AGRO TRADE CORPORATION	FLUAZIFOP-P-BUTYL	AGRODICE 15 EC	150 g/L	EC	HERBICIDE	4	264-212-4528	01-Oct-24	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Janie	Grasses; hchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-
UNITED AGRO TRADE CORPORATION	FLUAZIFOP-P-BUTYL	AGRODICE 15 EC	150 g/L	EC	HERBICIDE	4	264-212-4528	01-Oct-24	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Rubber	Grasses; hchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-
UNITED AGRO TRADE CORPORATION	FLUAZIFOP-P-BUTYL	AGRODICE 15 EC	150 g/L	EC	HERBICIDE	4	264-212-4528	01-Oct-24	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Onion	Grasses; hchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-
UNITED AGRO TRADE CORPORATION	FLUAZIFOP-P-BUTYL	AGRODICE 15 EC	150 g/L	EC	HERBICIDE	4	264-212-4528	01-Oct-24	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Pineapple	Grasses; hchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-
UNITED AGRO TRADE CORPORATION	FLUAZIFOP-P-BUTYL	AGRODICE 15 EC	150 g/L	EC	HERBICIDE	4	264-212-4528	01-Oct-24	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Soybeans	Grasses; hchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-
UNITED AGRO TRADE CORPORATION	FLUAZIFOP-P-BUTYL	AGRODICE 15 EC	150 g/L	EC	HERBICIDE	4	264-212-4528	01-Oct-24	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Tomato	Grasses; hchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-
VETMATE FARMA CORP.	ABAMECTIN	AGROCHECK 1.8 EC	18 g/L	EC	INSECTICIDE	2	658-234-6406	28-Mar-26	-	Banana	Blossom thrips	4.5 L water: 0.5 L water	-	-	Is allowed as soon as spray deposits had dried up
VETMATE FARMA CORP.	ABAMECTIN	AGROCHECK 1.8 EC	18 g/L	EC	INSECTICIDE	2	658-234-6406	28-Mar-26	-	Cabbage	Diamondback moth	1000 mL prod / ha, 2.0 Tbsp/ 16L water	-	7 days	Is allowed as soon as spray deposits had dried up
VETMATE FARMA CORP.	ABAMECTIN	AGROCHECK 1.8 EC	18 g/L	EC	INSECTICIDE	2	658-234-6406	28-Mar-26	-	Ornamentals	Mites	10-15 mL/ 16L water; 1.0-1.5 Tbsp/16 L water	-	-	Is allowed as soon as spray deposits had dried up
VETMATE FARMA CORP.	ABAMECTIN	AGROCHECK 1.8 EC	18 g/L	EC	INSECTICIDE	2	658-234-6406	28-Mar-26	-	Pineapple	Mites	1000-4000 mL prod / ha	-	-	Is allowed as soon as spray deposits had dried up
VETMATE FARMA CORP.	ABAMECTIN	AGROCHECK 1.8 EC	18 g/L	EC	INSECTICIDE	2	658-234-6406	28-Mar-26	-	Eggplant	Thrips, leafhopper, fruit and shoot borer	500-1500 mL prod./ha; 1500 mL prod./ha	-	3 days	Is allowed as soon as spray deposits had dried up
VETMATE FARMA CORP.	ABAMECTIN	AGROCHECK 1.8 EC	18 g/L	EC	INSECTICIDE	2	658-234-6406	28-Mar-26	-	Onion	Leafminer and thrips	400-1000 mL prod / ha; 2.0-3.0 Tbsp/ 16 water	-	3 days	Is allowed as soon as spray deposits had dried up
VETMATE FARMA CORP.	ABAMECTIN	AGROCHECK 1.8 EC	18 g/L	EC	INSECTICIDE	2	658-234-6406	28-Mar-26	-	Potato	Leafminer and thrips	500-1000 mL prod / ha; 2.0-3.0 Tbsp/ 16 water	-	14 days	Is allowed as soon as spray deposits had dried up
VETMATE FARMA CORP.	ABAMECTIN	AGROCHECK 1.8 EC	18 g/L	EC	INSECTICIDE	2	658-234-6406	28-Mar-26	-	Tomato	Leafminer, thrips and aphids	500-1000 mL prod / ha; 2.0-3.0 Tbsp/ 16 water	-	3 days	Is allowed as soon as spray deposits had dried up
VETMATE FARMA CORP.	ABAMECTIN	AGROCHECK 1.8 EC	18 g/L	EC	INSECTICIDE	2	658-234-6406	28-Mar-26	-	Watermelon	Leafminer, thrips and melonworm	500-1000 mL prod / ha; 500-1500 mL prod / ha	-	3 days	Is allowed as soon as spray deposits had dried up
VETMATE FARMA CORP.	ABAMECTIN	AGROCHECK 1.8 EC	18 g/L	EC	INSECTICIDE	2	658-234-6406	28-Mar-26	-	Papaya	Mites	150-600 mL prod / ha; 2.0-5.0 Tbsp/ 16L water	-	14 days	Is allowed as soon as spray deposits had dried up
VETMATE FARMA CORP.	ABAMECTIN	AGROCHECK 1.8 EC	18 g/L	EC	INSECTICIDE	2	658-234-6406	28-Mar-26	-	Strawberry	Mites	400-1200 mL prod / ha; 2.0-4.0 Tbsp/ 16 water	-	3 days	Is allowed as soon as spray deposits had dried up
UNITED AGRO TRADE CORPORATION	BUTACHLOR-PROPANIL	AGROBONDS 70 EC	350-350 g/L	EC	HERBICIDE	3	264-238-1297	26-Jun-24	POST-EMERGENT	Rice (Direct Seeded)	Grasses, Sedges and Broadleaves	8-12Tbsp/16 L water	-	-	Butachlor 0.1ppm Propanil 0.1ppm
UNITED AGRO TRADE CORPORATION	BUTACHLOR-PROPANIL	AGROBONDS 70 EC	350-350 g/L	EC	HERBICIDE	3	264-238-1297	26-Jun-24	POST-EMERGENT	Rice (Transplanted)	Grasses, Sedges and Broadleaves	8-12Tbsp/16 L water	-	-	Butachlor 0.1ppm Propanil 0.1ppm
TOP AGRO PRODUCTS COMPANY	MANCOZEB	AGROBLUE 80 WP	800 g/kg	WP	FUNGICIDE	4	210-093-3557	21-Sep-24	-	Potato	Early and late blight	3-6 Tbsp/16 L water	-	-	At least 48 hours after application
TOP AGRO PRODUCTS COMPANY	MANCOZEB	AGROBLUE 80 WP	800 g/kg	WP	FUNGICIDE	4	210-093-3557	21-Sep-24	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 days	At least 48 hours after application
TOP AGRO PRODUCTS COMPANY	MANCOZEB	AGROBLUE 80 WP	800 g/kg	WP	FUNGICIDE	4	210-093-3557	21-Sep-24	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 days	At least 48 hours after application
TOP AGRO PRODUCTS COMPANY	MANCOZEB	AGROBLUE 80 WP	800 g/kg	WP	FUNGICIDE	4	210-093-3557	21-Sep-24	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 days	At least 48 hours after application
TOP AGRO PRODUCTS COMPANY	MANCOZEB	AGROBLUE 80 WP	800 g/kg	WP	FUNGICIDE	4	210-093-3557	21-Sep-24	-	Celery	Late blight	3-6 Tbsp/16 L water	-	14 days	At least 48 hours after application
TOP AGRO PRODUCTS COMPANY	MANCOZEB	AGROBLUE 80 WP	800 g/kg	WP	FUNGICIDE	4	210-093-3557	21-Sep-24	-	Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	At least 48 hours after application

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD	
TOP AGRO PRODUCTS COMPANY	MANCOZEB	AGROBILLIE 80 WP	800 g/Kg	WP	FUNGICIDE	4	210-053-3557	21-Sep-24	-	Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	At least 48 hours after application	
TOP AGRO PRODUCTS COMPANY	MANCOZEB	AGROBILLIE 80 WP	800 g/Kg	WP	FUNGICIDE	4	210-053-3557	21-Sep-24	-	Cotton	Damping off	3-6 Tbsp/36 L water	-	-	At least 48 hours after application	
TOP AGRO PRODUCTS COMPANY	MANCOZEB	AGROBILLIE 80 WP	800 g/Kg	WP	FUNGICIDE	4	210-053-3557	21-Sep-24	-	Lettuce	Downy mildew	3-6 Tbsp/36 L water	-	7 days	At least 48 hours after application	
TOP AGRO PRODUCTS COMPANY	MANCOZEB	AGROBILLIE 80 WP	800 g/Kg	WP	FUNGICIDE	4	210-053-3557	21-Sep-24	-	Beans	Anthracoese, Downy mildew, Rust	3-6 Tbsp/36 L water	-	5 days	At least 48 hours after application	
TOP AGRO PRODUCTS COMPANY	MANCOZEB	AGROBILLIE 80 WP	800 g/Kg	WP	FUNGICIDE	4	210-053-3557	21-Sep-24	-	Peas	Anthracoese, Downy mildew, Rust	3-6 Tbsp/36 L water	-	5 days	At least 48 hours after application	
TOP AGRO PRODUCTS COMPANY	MANCOZEB	AGROBILLIE 80 WP	800 g/Kg	WP	FUNGICIDE	4	210-053-3557	21-Sep-24	-	Mungo	Anthracoese, Downy mildew, Rust	3-6 Tbsp/36 L water	-	5 days	At least 48 hours after application	
TOP AGRO PRODUCTS COMPANY	MANCOZEB	AGROBILLIE 80 WP	800 g/Kg	WP	FUNGICIDE	4	210-053-3557	21-Sep-24	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/36 L water	-	5 days	At least 48 hours after application	
TOP AGRO PRODUCTS COMPANY	MANCOZEB	AGROBILLIE 80 WP	800 g/Kg	WP	FUNGICIDE	4	210-053-3557	21-Sep-24	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36 L water	-	7 days	At least 48 hours after application	
TOP AGRO PRODUCTS COMPANY	MANCOZEB	AGROBILLIE 80 WP	800 g/Kg	WP	FUNGICIDE	4	210-053-3557	21-Sep-24	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36 L water	-	7 days	At least 48 hours after application	
TOP AGRO PRODUCTS COMPANY	MANCOZEB	AGROBILLIE 80 WP	800 g/Kg	WP	FUNGICIDE	4	210-053-3557	21-Sep-24	-	Pepper	Anthracoese	3-6 Tbsp/36 L water	-	7 days	At least 48 hours after application	
TOP AGRO PRODUCTS COMPANY	MANCOZEB	AGROBILLIE 80 WP	800 g/Kg	WP	FUNGICIDE	4	210-053-3557	21-Sep-24	-	Chili	Anthracoese	3-6 Tbsp/36 L water	-	7 days	At least 48 hours after application	
TOP AGRO PRODUCTS COMPANY	MANCOZEB	AGROBILLIE 80 WP	800 g/Kg	WP	FUNGICIDE	4	210-053-3557	21-Sep-24	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/36 L water	-	7 days	At least 48 hours after application	
TOP AGRO PRODUCTS COMPANY	MANCOZEB	AGROBILLIE 80 WP	800 g/Kg	WP	FUNGICIDE	4	210-053-3557	21-Sep-24	-	Banana	Sigatoka, Black leaf streak	3-6 Tbsp/36 L water	-	-	At least 48 hours after application	
TOP AGRO PRODUCTS COMPANY	MANCOZEB	AGROBILLIE 80 WP	800 g/Kg	WP	FUNGICIDE	4	210-053-3557	21-Sep-24	-	Grapes	Downy mildew, black rot	3-6 Tbsp/36 L water	-	60 days	At least 48 hours after application	
TOP AGRO PRODUCTS COMPANY	MANCOZEB	AGROBILLIE 80 WP	800 g/Kg	WP	FUNGICIDE	4	210-053-3557	21-Sep-24	-	Mango	Anthracoese and Scab	3-6 Tbsp/36 L water	-	5 days	At least 48 hours after application	
TOP AGRO PRODUCTS COMPANY	MANCOZEB	AGROBILLIE 80 WP	800 g/Kg	WP	FUNGICIDE	4	210-053-3557	21-Sep-24	-	Papaya	Fruit rot	3-6 Tbsp/36 L water	-	-	At least 48 hours after application	
TOP AGRO PRODUCTS COMPANY	MANCOZEB	AGROBILLIE 80 WP	800 g/Kg	WP	FUNGICIDE	4	210-053-3557	21-Sep-24	-	Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	At least 48 hours after application	
TOP AGRO PRODUCTS COMPANY	MANCOZEB	AGROBILLIE 80 WP	800 g/Kg	WP	FUNGICIDE	4	210-053-3557	21-Sep-24	-	Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	At least 48 hours after application	
TOP AGRO PRODUCTS COMPANY	MANCOZEB	AGROBILLIE 80 WP	800 g/Kg	WP	FUNGICIDE	4	210-053-3557	21-Sep-24	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/36 L water	-	7 days	At least 48 hours after application	
TOP AGRO PRODUCTS COMPANY	MANCOZEB	AGROBILLIE 80 WP	800 g/Kg	WP	FUNGICIDE	4	210-053-3557	21-Sep-24	-	Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/36 L water	0.03ppm	-	At least 48 hours after application	
TOP AGRO PRODUCTS COMPANY	MANCOZEB	AGROBILLIE 80 WP	800 g/Kg	WP	FUNGICIDE	4	210-053-3557	21-Sep-24	-	Peanut	Cercospora leaf spot	3-6 Tbsp/36 L water	-	34 days	At least 48 hours after application	
TOP AGRO PRODUCTS COMPANY	MANCOZEB	AGROBILLIE 80 WP	800 g/Kg	WP	FUNGICIDE	4	210-053-3557	21-Sep-24	-	Soybeans	Leaf rust	3-6 Tbsp/36 L water	-	-	At least 48 hours after application	
TOP AGRO PRODUCTS COMPANY	MANCOZEB	AGROBILLIE 80 WP	800 g/Kg	WP	FUNGICIDE	4	210-053-3557	21-Sep-24	-	Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/36 L water	-	-	At least 48 hours after application	
AGRO TECHNOPRODUCTS INC.	THRIFAM	AGRO TECHNO THRIFAM 80 WG	800 g/Kg	WG	FUNGICIDE	3	370-337-5263	27-Oct-23	-	Banana	Black sigatoka & freckle	-	-	0 day	Re-entry to treated areas as soon as the spray deposits has dried	
AGRO TECHNOPRODUCTS INC.	THRIFAM	AGRO TECHNO THRIFAM 80 WG	800 g/Kg	WG	FUNGICIDE	3	370-337-5263	27-Oct-23	-	Pineapple	Phytophthora heart rot & fruit/rot rot	-	-	7-30 days	Re-entry to treated areas as soon as the spray deposits has dried	
AGRO TECHNOPRODUCTS INC.	THRIFAM	AGRO TECHNO THRIFAM 80 WG	800 g/Kg	WG	FUNGICIDE	3	370-337-5263	27-Oct-23	-	Celery	Leaf/spot & blight	-	-	14-21 days	Re-entry to treated areas as soon as the spray deposits has dried	
AGRO TECHNOPRODUCTS INC.	THRIFAM	AGRO TECHNO THRIFAM 80 WG	800 g/Kg	WG	FUNGICIDE	3	370-337-5263	27-Oct-23	-	Mango	Scab & anthracnose	-	-	7-10 days	Re-entry to treated areas as soon as the spray deposits has dried	
AGRO TECHNOPRODUCTS INC.	THIOPHANATE METHYL	AGRO TECHNO THIOPHANATE METHYL 70 WP	700 g/Kg	WP	FUNGICIDE	4	370-107-5247	15-Oct-23	-	Rice	Rice blast, neck rot, black spot	1.5-2.0 Tbsp /36L water	-	-	Do not spray within 14 days of harvest	Do not enter the field within 2 days after spraying
AGRO TECHNOPRODUCTS INC.	THIOPHANATE METHYL	AGRO TECHNO THIOPHANATE METHYL 70 WP	700 g/Kg	WP	FUNGICIDE	4	370-107-5247	15-Oct-23	-	Mango	Anthracoese	0.5-1.0 Tbsp/36L Water	-	-	Do not spray within 14 days of harvest	Do not enter the field within 2 days after spraying
AGRO TECHNOPRODUCTS INC.	THIOPHANATE METHYL	AGRO TECHNO THIOPHANATE METHYL 70 WP	700 g/Kg	WP	FUNGICIDE	4	370-107-5247	15-Oct-23	-	Tobacco	Frog eye leaf spot	0.5-1.0 Tbsp/36L Water	-	-	Do not spray within 14 days of harvest	Do not enter the field within 2 days after spraying
AGRO TECHNOPRODUCTS INC.	THIOPHANATE METHYL	AGRO TECHNO THIOPHANATE METHYL 70 WP	700 g/Kg	WP	FUNGICIDE	4	370-107-5247	15-Oct-23	-	Tomato	Powdery mildew	0.5-1.0 Tbsp/36L Water	-	-	Do not spray within 14 days of harvest	Do not enter the field within 2 days after spraying
AGRO TECHNOPRODUCTS INC.	THIOPHANATE METHYL	AGRO TECHNO THIOPHANATE METHYL 70 WP	700 g/Kg	WP	FUNGICIDE	4	370-107-5247	15-Oct-23	-	Legumes	Powdery mildew, cercospora leaf spot, anthracnose, botrytis rot, Fusarium wilt	0.5-1.0 Tbsp/36L Water	-	-	Do not spray within 14 days of harvest	Do not enter the field within 2 days after spraying
AGRO TECHNOPRODUCTS INC.	THIOPHANATE METHYL	AGRO TECHNO THIOPHANATE METHYL 70 WP	700 g/Kg	WP	FUNGICIDE	4	370-107-5247	15-Oct-23	-	Beans	Powdery mildew, cercospora leaf spot, anthracnose, botrytis rot, Fusarium wilt	0.5-1.0 Tbsp/36L Water	-	-	Do not spray within 14 days of harvest	Do not enter the field within 2 days after spraying
AGRO TECHNOPRODUCTS INC.	THIOPHANATE METHYL	AGRO TECHNO THIOPHANATE METHYL 70 WP	700 g/Kg	WP	FUNGICIDE	4	370-107-5247	15-Oct-23	-	Cucumber	Powdery mildew, gummy stem bligh, leaf and fruit spots	0.5-1.0 Tbsp/36L Water	-	-	Do not spray within 14 days of harvest	Do not enter the field within 2 days after spraying
AGRO TECHNOPRODUCTS INC.	THIOPHANATE METHYL	AGRO TECHNO THIOPHANATE METHYL 70 WP	700 g/Kg	WP	FUNGICIDE	4	370-107-5247	15-Oct-23	-	Melon	Powdery mildew, gummy stem bligh, leaf and fruit spots	0.5-1.0 Tbsp/36L Water	-	-	Do not spray within 14 days of harvest	Do not enter the field within 2 days after spraying
AGRO TECHNOPRODUCTS INC.	THIOPHANATE METHYL	AGRO TECHNO THIOPHANATE METHYL 70 WP	700 g/Kg	WP	FUNGICIDE	4	370-107-5247	15-Oct-23	-	Ornamentals	Powdery mildew, black spots	0.5-1.0 Tbsp/36L Water	-	-	Do not spray within 14 days of harvest	Do not enter the field within 2 days after spraying
AGRO TECHNOPRODUCTS INC.	THIOPHANATE METHYL	AGRO TECHNO THIOPHANATE METHYL 70 WP	700 g/Kg	WP	FUNGICIDE	4	370-107-5247	15-Oct-23	-	Orchids	Powdery mildew, black spots	0.5-1.0 Tbsp/36L Water	-	-	Do not spray within 14 days of harvest	Do not enter the field within 2 days after spraying
AGRO TECHNOPRODUCTS INC.	THIOPHANATE METHYL	AGRO TECHNO THIOPHANATE METHYL 70 WP	700 g/Kg	WP	FUNGICIDE	4	370-107-5247	15-Oct-23	-	Cabbage	Shot hole disease, cercospora leaf spot	0.5-1.0 Tbsp/36L Water	-	-	Do not spray within 14 days of harvest	Do not enter the field within 2 days after spraying
AGRO TECHNOPRODUCTS INC.	THIOPHANATE METHYL	AGRO TECHNO THIOPHANATE METHYL 70 WP	700 g/Kg	WP	FUNGICIDE	4	370-107-5247	15-Oct-23	-	Cauliflower	Shot hole disease, cercospora leaf spot	0.5-1.0 Tbsp/36L Water	-	-	Do not spray within 14 days of harvest	Do not enter the field within 2 days after spraying
AGRO TECHNOPRODUCTS INC.	THIOPHANATE METHYL	AGRO TECHNO THIOPHANATE METHYL 70 WP	700 g/Kg	WP	FUNGICIDE	4	370-107-5247	15-Oct-23	-	Lettuce	Shot hole disease, cercospora leaf spot	0.5-1.0 Tbsp/36L Water	-	-	Do not spray within 14 days of harvest	Do not enter the field within 2 days after spraying
AGRO TECHNOPRODUCTS INC.	THIOPHANATE METHYL	AGRO TECHNO THIOPHANATE METHYL 70 WP	700 g/Kg	WP	FUNGICIDE	4	370-107-5247	15-Oct-23	-	Strawberry	Powdery mildew	0.5-1.0 Tbsp/36L Water	-	-	Do not spray within 14 days of harvest	Do not enter the field within 2 days after spraying
AGRO TECHNOPRODUCTS INC.	THIOPHANATE METHYL	AGRO TECHNO THIOPHANATE METHYL 70 WP	700 g/Kg	WP	FUNGICIDE	4	370-107-5247	15-Oct-23	-	Grapes	Fruit rot, Powdery mildew, anthracnose	0.5-1.0 Tbsp/36L Water	-	-	Do not spray within 14 days of harvest	Do not enter the field within 2 days after spraying
AGRO TECHNOPRODUCTS INC.	THIOPHANATE METHYL	AGRO TECHNO THIOPHANATE METHYL 70 WP	700 g/Kg	WP	FUNGICIDE	4	370-107-5247	15-Oct-23	-	Orange	Scabs	0.5-1.0 Tbsp/36L Water	-	-	Do not spray within 14 days of harvest	Do not enter the field within 2 days after spraying
AGRO TECHNOPRODUCTS INC.	THIOPHANATE METHYL	AGRO TECHNO THIOPHANATE METHYL 70 WP	700 g/Kg	WP	FUNGICIDE	4	370-107-5247	15-Oct-23	-	Citrus	Scabs	0.5-1.0 Tbsp/36L Water	-	-	Do not spray within 14 days of harvest	Do not enter the field within 2 days after spraying
AGRO TECHNOPRODUCTS INC.	THIOPHANATE METHYL	AGRO TECHNO THIOPHANATE METHYL 70 WP	700 g/Kg	WP	FUNGICIDE	4	370-107-5247	15-Oct-23	-	Calamansi	Scabs	0.5-1.0 Tbsp/36L Water	-	-	Do not spray within 14 days of harvest	Do not enter the field within 2 days after spraying
AGRO TECHNOPRODUCTS INC.	THIOPHANATE METHYL	AGRO TECHNO THIOPHANATE METHYL 70 WP	700 g/Kg	WP	FUNGICIDE	4	370-107-5247	15-Oct-23	-	Banana	Sigatoka	1.5-2.0 Tbsp/ 36L water	-	-	Do not spray within 14 days of harvest	Do not enter the field within 2 days after spraying
AGRO TECHNOPRODUCTS INC.	THIOPHANATE METHYL	AGRO TECHNO THIOPHANATE METHYL 70 WP	700 g/Kg	WP	FUNGICIDE	4	370-107-5247	15-Oct-23	-	Papaya	Powdery mildew	0.1-1.0 Tbsp/ 36L water	-	-	Do not spray within 14 days of harvest	Do not enter the field within 2 days after spraying
AGRO TECHNOPRODUCTS INC.	MANCOZEB	AGRO TECHNO MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	370-053-2319	31-Jul-24	-	Potato	Early and late blight	3-6 Tbsp/36 L water	-	-	As soon as spray dries	-
AGRO TECHNOPRODUCTS INC.	MANCOZEB	AGRO TECHNO MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	370-053-2319	31-Jul-24	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	-	As soon as spray dries	-
AGRO TECHNOPRODUCTS INC.	MANCOZEB	AGRO TECHNO MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	370-053-2319	31-Jul-24	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	-	As soon as spray dries	-
AGRO TECHNOPRODUCTS INC.	MANCOZEB	AGRO TECHNO MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	370-053-2319	31-Jul-24	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	-	As soon as spray dries	-
AGRO TECHNOPRODUCTS INC.	MANCOZEB	AGRO TECHNO MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	370-053-2319	31-Jul-24	-	Celery	Late blight	3-6 Tbsp/36 L water	-	-	As soon as spray dries	-
AGRO TECHNOPRODUCTS INC.	MANCOZEB	AGRO TECHNO MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	370-053-2319	31-Jul-24	-	Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	-	As soon as spray dries	-
AGRO TECHNOPRODUCTS INC.	MANCOZEB	AGRO TECHNO MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	370-053-2319	31-Jul-24	-	Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	-	As soon as spray dries	-
AGRO TECHNOPRODUCTS INC.	MANCOZEB	AGRO TECHNO MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	370-053-2319	31-Jul-24	-	Cotton	Damping off	3-6 Tbsp/36 L water	-	-	As soon as spray dries	-
AGRO TECHNOPRODUCTS INC.	MANCOZEB	AGRO TECHNO MANCOZEB 80 WP	800 g/Kg	WP	FUNGICIDE	4	370-053-2319	31-Jul-24	-	Lettuce	Downy mildew	3-6 Tbsp/36 L water	-	-	As soon as spray dries	-

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
AGRO TECHNOPRODUCTS INC.	MANCOZEB	AGRO TECHNO MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	370-053-2319	31-Jul-24	-	Beans	Anthracoise, Downy mildew, Rust	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
AGRO TECHNOPRODUCTS INC.	MANCOZEB	AGRO TECHNO MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	370-053-2319	31-Jul-24	-	Peas	Anthracoise, Downy mildew, Rust	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
AGRO TECHNOPRODUCTS INC.	MANCOZEB	AGRO TECHNO MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	370-053-2319	31-Jul-24	-	Mungo	Anthracoise, Downy mildew, Rust	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
AGRO TECHNOPRODUCTS INC.	MANCOZEB	AGRO TECHNO MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	370-053-2319	31-Jul-24	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
AGRO TECHNOPRODUCTS INC.	MANCOZEB	AGRO TECHNO MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	370-053-2319	31-Jul-24	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
AGRO TECHNOPRODUCTS INC.	MANCOZEB	AGRO TECHNO MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	370-053-2319	31-Jul-24	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
AGRO TECHNOPRODUCTS INC.	MANCOZEB	AGRO TECHNO MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	370-053-2319	31-Jul-24	-	Pepper	Anthracoise	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
AGRO TECHNOPRODUCTS INC.	MANCOZEB	AGRO TECHNO MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	370-053-2319	31-Jul-24	-	Chili	Anthracoise	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
AGRO TECHNOPRODUCTS INC.	MANCOZEB	AGRO TECHNO MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	370-053-2319	31-Jul-24	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
AGRO TECHNOPRODUCTS INC.	MANCOZEB	AGRO TECHNO MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	370-053-2319	31-Jul-24	-	Banana	Sigatoka, Black leaf streak	3-6 Tbsp/36 L water	-	-	As soon as spray dries
AGRO TECHNOPRODUCTS INC.	MANCOZEB	AGRO TECHNO MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	370-053-2319	31-Jul-24	-	Grapes	Downy mildew, black rot	3-6 Tbsp/36 L water	-	80 days	As soon as spray dries
AGRO TECHNOPRODUCTS INC.	MANCOZEB	AGRO TECHNO MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	370-053-2319	31-Jul-24	-	Mango	Anthracoise and Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
AGRO TECHNOPRODUCTS INC.	MANCOZEB	AGRO TECHNO MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	370-053-2319	31-Jul-24	-	Papaya	Fruit rot	3-6 Tbsp/36 L water	-	-	As soon as spray dries
AGRO TECHNOPRODUCTS INC.	MANCOZEB	AGRO TECHNO MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	370-053-2319	31-Jul-24	-	Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
AGRO TECHNOPRODUCTS INC.	MANCOZEB	AGRO TECHNO MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	370-053-2319	31-Jul-24	-	Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
AGRO TECHNOPRODUCTS INC.	MANCOZEB	AGRO TECHNO MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	370-053-2319	31-Jul-24	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
AGRO TECHNOPRODUCTS INC.	MANCOZEB	AGRO TECHNO MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	370-053-2319	31-Jul-24	-	Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/36 L water	0.02ppm	-	As soon as spray dries
AGRO TECHNOPRODUCTS INC.	MANCOZEB	AGRO TECHNO MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	370-053-2319	31-Jul-24	-	Peanut	Cercospora leaf spot	3-6 Tbsp/36 L water	-	14 Days	As soon as spray dries
AGRO TECHNOPRODUCTS INC.	MANCOZEB	AGRO TECHNO MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	370-053-2319	31-Jul-24	-	Soybeans	Leaf rust	3-6 Tbsp/36 L water	-	-	As soon as spray dries
AGRO TECHNOPRODUCTS INC.	MANCOZEB	AGRO TECHNO MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	370-053-2319	31-Jul-24	-	Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/36 L water	-	-	As soon as spray dries
AGRO TECHNOPRODUCTS INC.	GLYPHOSATE IPA	AGRO TECHNO GLYPHOSATE 170 SL	170 g/L	SL	HERBICIDE	4	370-151-2322	17-Sep-23	POST-EMERGENT	non-crop areas	common grassy fields	-	-	-	-
UNITED AGRO TRADE CORPORATION	MALATHION	AGRO MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	264-038-1655	04-May-24	NON-SYSTEMIC	Fruit trees	Aphids, mealy bug scale insect	1.5-3.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying
UNITED AGRO TRADE CORPORATION	MALATHION	AGRO MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	264-038-1655	04-May-24	NON-SYSTEMIC	Rice	Armyworm, caseworm, leafhopper, bugs	2.0-3.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying
UNITED AGRO TRADE CORPORATION	MALATHION	AGRO MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	264-038-1655	04-May-24	NON-SYSTEMIC	Corn	Earworm, silkworm, aphids, grasshopper	3.0-5.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying
UNITED AGRO TRADE CORPORATION	MALATHION	AGRO MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	264-038-1655	04-May-24	NON-SYSTEMIC	Cabbage	Cabbage worm, loopers, diamond-back moth	2.0-5.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying
UNITED AGRO TRADE CORPORATION	MALATHION	AGRO MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	264-038-1655	04-May-24	NON-SYSTEMIC	Legumes	Aphids, beanfly, cutworm, flea beetles, leafminer, maggots, mealybug, podborer, thrips	2.0-5.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying
UNITED AGRO TRADE CORPORATION	MALATHION	AGRO MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	264-038-1655	04-May-24	NON-SYSTEMIC	Grapes	Beetles, cutworm, leafhopper, mealybug, scale, insect, spider mites	3.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying
UNITED AGRO TRADE CORPORATION	MALATHION	AGRO MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	264-038-1655	04-May-24	NON-SYSTEMIC	Pineapple	Mealy bug	3.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying
UNITED AGRO TRADE CORPORATION	MALATHION	AGRO MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	264-038-1655	04-May-24	NON-SYSTEMIC	Pepper	Aphid, cutworm, fruitworm	3.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying
UNITED AGRO TRADE CORPORATION	MALATHION	AGRO MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	264-038-1655	04-May-24	NON-SYSTEMIC	Garlic	Cutworm	3.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying
UNITED AGRO TRADE CORPORATION	MALATHION	AGRO MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	264-038-1655	04-May-24	NON-SYSTEMIC	Onion	Cutworm	3.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying
UNITED AGRO TRADE CORPORATION	MALATHION	AGRO MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	264-038-1655	04-May-24	NON-SYSTEMIC	Tobacco	Aphids, katydid	3.0-6.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying
UNITED AGRO TRADE CORPORATION	MALATHION	AGRO MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	264-038-1655	04-May-24	NON-SYSTEMIC	Ornamentals	Aphids, cutworm, mealybug, scale insect, spider mites	3.0-5.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying
UNITED AGRO TRADE CORPORATION	MALATHION	AGRO MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	264-038-1655	04-May-24	NON-SYSTEMIC	Tomato	Lady beetle	3.0-5.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying
UNITED AGRO TRADE CORPORATION	MALATHION	AGRO MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	264-038-1655	04-May-24	NON-SYSTEMIC	Eggplant	Aphids, fruitworm	3.0-5.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying
UNITED AGRO TRADE CORPORATION	MALATHION	AGRO MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	264-038-1655	04-May-24	NON-SYSTEMIC	Sorghum	Web worm	3.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying
AGRO IRIIS PHILIPPINES, INC.	NICLOSAMIDE ETHANOLAMINE SALT	AGRO IRIIS NICLOSAMIDE 70 WP	700 g/kg	WP	MOLLUSCIDE	4	752-229-6032	21-Feb-25	CONTACT	Rice	Golden apple snails	30 gms or 1 sachet	-	-	Do not enter the treated field within 48 hours after application
AGRO IRIIS PHILIPPINES, INC.	METHOMYL	AGRO IRIIS METHOMYL 40 SP	400 g/kg	SP	INSECTICIDE	2	752-164-6067	21-Feb-25	CONTACT	Asparagus	Armyworm, cutworm	2.0-2.5 Tbsp/36L water	-	-	Do not enter treated fields within 12 hours after application.
AGRO IRIIS PHILIPPINES, INC.	METHOMYL	AGRO IRIIS METHOMYL 40 SP	400 g/kg	SP	INSECTICIDE	2	752-164-6067	21-Feb-25	CONTACT	Banana	Thrips	3.5-4.5 Tbsp/36L water	-	-	Do not enter treated fields within 12 hours after application.
AGRO IRIIS PHILIPPINES, INC.	METHOMYL	AGRO IRIIS METHOMYL 40 SP	400 g/kg	SP	INSECTICIDE	2	752-164-6067	21-Feb-25	CONTACT	Beans	Leafroller, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/36L water	-	-	Do not enter treated fields within 12 hours after application.
AGRO IRIIS PHILIPPINES, INC.	METHOMYL	AGRO IRIIS METHOMYL 40 SP	400 g/kg	SP	INSECTICIDE	2	752-164-6067	21-Feb-25	CONTACT	Mungbeans	Leafroller, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/36L water	-	-	Do not enter treated fields within 12 hours after application.
AGRO IRIIS PHILIPPINES, INC.	METHOMYL	AGRO IRIIS METHOMYL 40 SP	400 g/kg	SP	INSECTICIDE	2	752-164-6067	21-Feb-25	CONTACT	Soybeans	Leafroller, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/36L water	-	-	Do not enter treated fields within 12 hours after application.
AGRO IRIIS PHILIPPINES, INC.	METHOMYL	AGRO IRIIS METHOMYL 40 SP	400 g/kg	SP	INSECTICIDE	2	752-164-6067	21-Feb-25	CONTACT	Sitao	Leafroller, flea beetle , beanfly, podborer,aphids	2.0-3.5 Tbsp/36L water	-	-	Do not enter treated fields within 12 hours after application.
AGRO IRIIS PHILIPPINES, INC.	METHOMYL	AGRO IRIIS METHOMYL 40 SP	400 g/kg	SP	INSECTICIDE	2	752-164-6067	21-Feb-25	CONTACT	Corn	Corn borer, earworm	2.0-3.5 Tbsp/36L water	-	-	Do not enter treated fields within 12 hours after application.
AGRO IRIIS PHILIPPINES, INC.	METHOMYL	AGRO IRIIS METHOMYL 40 SP	400 g/kg	SP	INSECTICIDE	2	752-164-6067	21-Feb-25	CONTACT	Eggplant	Aphids, flea beetle, fruitworm, lady beetle	2.0-3.5 Tbsp/36L water	-	-	Do not enter treated fields within 12 hours after application.
AGRO IRIIS PHILIPPINES, INC.	METHOMYL	AGRO IRIIS METHOMYL 40 SP	400 g/kg	SP	INSECTICIDE	2	752-164-6067	21-Feb-25	CONTACT	Melon	Aphids, Squash beetle , leafroller	2.0-3.5 Tbsp/36L water	-	-	Do not enter treated fields within 12 hours after application.
AGRO IRIIS PHILIPPINES, INC.	METHOMYL	AGRO IRIIS METHOMYL 40 SP	400 g/kg	SP	INSECTICIDE	2	752-164-6067	21-Feb-25	CONTACT	Rice	Green leafhopper, armyworm, caseworm, leafroller	2.0-3.5 Tbsp/36L water	-	-	Do not enter treated fields within 12 hours after application.
AGRO IRIIS PHILIPPINES, INC.	METHOMYL	AGRO IRIIS METHOMYL 40 SP	400 g/kg	SP	INSECTICIDE	2	752-164-6067	21-Feb-25	CONTACT	Tobacco	Budworm, cutworm, aphids, hornworm	2.0-3.5 Tbsp/36L water	-	-	Do not enter treated fields within 12 hours after application.
AGRO IRIIS PHILIPPINES, INC.	METHOMYL	AGRO IRIIS METHOMYL 40 SP	400 g/kg	SP	INSECTICIDE	2	752-164-6067	21-Feb-25	CONTACT	Tomato	Tomato fruitworm, aphids	2.0-3.5 Tbsp/36L water	-	-	Do not enter treated fields within 12 hours after application.
AGRO IRIIS PHILIPPINES, INC.	MANCOZEB	AGRO IRIIS MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	752-053-6066	22-May-24	-	Potato	Early and late blight	3-6 Tbsp/36 L water	-	-	As soon as spray dries
AGRO IRIIS PHILIPPINES, INC.	MANCOZEB	AGRO IRIIS MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	752-053-6066	22-May-24	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries
AGRO IRIIS PHILIPPINES, INC.	MANCOZEB	AGRO IRIIS MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	752-053-6066	22-May-24	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries
AGRO IRIIS PHILIPPINES, INC.	MANCOZEB	AGRO IRIIS MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	752-053-6066	22-May-24	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries
AGRO IRIIS PHILIPPINES, INC.	MANCOZEB	AGRO IRIIS MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	752-053-6066	22-May-24	-	Celery	Late blight	3-6 Tbsp/36 L water	-	14 days	As soon as spray dries
AGRO IRIIS PHILIPPINES, INC.	MANCOZEB	AGRO IRIIS MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	752-053-6066	22-May-24	-	Cucumber	Downy mildew, anthracnose, scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
AGRO IRIIS PHILIPPINES, INC.	MANCOZEB	AGRO IRIIS MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	752-053-6066	22-May-24	-	Squash	Downy mildew, anthracnose, scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
AGRO IRIIS PHILIPPINES, INC.	MANCOZEB	AGRO IRIIS MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	752-053-6066	22-May-24	-	Cotton	Damping off	3-6 Tbsp/36 L water	-	-	As soon as spray dries
AGRO IRIIS PHILIPPINES, INC.	MANCOZEB	AGRO IRIIS MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	752-053-6066	22-May-24	-	Lettuce	Downy mildew	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries
AGRO IRIIS PHILIPPINES, INC.	MANCOZEB	AGRO IRIIS MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	752-053-6066	22-May-24	-	Beans	Anthraxnose, Downy Mildew, Rust	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
AGRO IRIIS PHILIPPINES, INC.	MANCOZEB	AGRO IRIIS MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	752-053-6066	22-May-24	-	Peas	Anthraxnose, Downy Mildew, Rust	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
AGRO IRIIS PHILIPPINES, INC.	MANCOZEB	AGRO IRIIS MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	752-053-6066	22-May-24	-	Mungo	Anthraxnose, Downy Mildew, Rust	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
AGRO IRIIS PHILIPPINES, INC.	MANCOZEB	AGRO IRIIS MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	752-053-6066	22-May-24	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
AGRO IRIIS PHILIPPINES, INC.	MANCOZEB	AGRO IRIIS MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	752-053-6066	22-May-24	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries
AGRO IRIIS PHILIPPINES, INC.	MANCOZEB	AGRO IRIIS MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	752-053-6066	22-May-24	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries
AGRO IRIIS PHILIPPINES, INC.	MANCOZEB	AGRO IRIIS MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	752-053-6066	22-May-24	-	Pepper	Anthraxnose	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries
AGRO IRIIS PHILIPPINES, INC.	MANCOZEB	AGRO IRIIS MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	752-053-6066	22-May-24	-	Chili	Anthraxnose	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries
AGRO IRIIS PHILIPPINES, INC.	MANCOZEB	AGRO IRIIS MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	752-053-6066	22-May-24	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries
AGRO IRIIS PHILIPPINES, INC.	MANCOZEB	AGRO IRIIS MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	752-053-6066	22-May-24	-	Banana	Sigatoka, Black leaf streak	3-6 Tbsp/36 L water	-	-	As soon as spray dries
AGRO IRIIS PHILIPPINES, INC.	MANCOZEB	AGRO IRIIS MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	752-053-6066	22-May-24	-	Grapes	Downy mildew, black rot	3-6 Tbsp/36 L water	-	60 days	As soon as spray dries
AGRO IRIIS PHILIPPINES, INC.	MANCOZEB	AGRO IRIIS MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	752-053-6066	22-May-24	-	Mango	Anthraxnose and Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
AGRO IRIIS PHILIPPINES, INC.	MANCOZEB	AGRO IRIIS MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	752-053-6066	22-May-24	-	Papaya	Fruit rot	3-6 Tbsp/36 L water	-	-	As soon as spray dries
AGRO IRIIS PHILIPPINES, INC.	MANCOZEB	AGRO IRIIS MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	752-053-6066	22-May-24	-	Melon	Downy mildew, anthracnose, scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
AGRO IRIIS PHILIPPINES, INC.	MANCOZEB	AGRO IRIIS MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	752-053-6066	22-May-24	-	Watermelon	Downy mildew, anthracnose, scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
AGRO IRIIS PHILIPPINES, INC.	MANCOZEB	AGRO IRIIS MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	752-053-6066	22-May-24	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/36 L water	-	7 days	As soon as spray dries
AGRO IRIIS PHILIPPINES, INC.	MANCOZEB	AGRO IRIIS MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	752-053-6066	22-May-24	-	Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/36 L water	-	-	As soon as spray dries
AGRO IRIIS PHILIPPINES, INC.	MANCOZEB	AGRO IRIIS MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	752-053-6066	22-May-24	-	Peanut	Cercospora leaf spot	3-6 Tbsp/36 L water	-	14 days	As soon as spray dries
AGRO IRIIS PHILIPPINES, INC.	MANCOZEB	AGRO IRIIS MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	752-053-6066	22-May-24	-	Soybeans	Leaf rust	3-6 Tbsp/36 L water	-	-	As soon as spray dries
AGRO IRIIS PHILIPPINES, INC.	MANCOZEB	AGRO IRIIS MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	752-053-6066	22-May-24	-	Ornamentals	Black spot, blight, anthracnose	3-6 Tbsp/36 L water	-	-	As soon as spray dries
AGRO IRIIS PHILIPPINES, INC.	GLYPHOSATE IPA	AGRO IRIIS GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	752-151-6034	29-Apr-26	POST-EMERGENT	glyphosate tolerant corn	Annual and perennial grasses, broadleaf weeds and sedges	2.0-4.0 Liters/ha	-	-	-
AGRO IRIIS PHILIPPINES, INC.	GLYPHOSATE IPA	AGRO IRIIS GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	752-151-6034	29-Apr-26	POST-EMERGENT	Mango	Annual and perennial grasses, broadleaf weeds and sedges	3.0-4.5 Liters/ha	-	-	-
AGRO IRIIS PHILIPPINES, INC.	GLYPHOSATE IPA	AGRO IRIIS GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	752-151-6034	29-Apr-26	POST-EMERGENT	Banana	Annual and perennial grasses, broadleaf weeds and sedges	3.0-4.5 Liters/ha	-	-	-
AGRO IRIIS PHILIPPINES, INC.	GLYPHOSATE IPA	AGRO IRIIS GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	752-151-6034	29-Apr-26	POST-EMERGENT	Coffee	Annual and perennial grasses, broadleaf weeds and sedges	3.0-4.5 Liters/ha	-	-	-
AGRO IRIIS PHILIPPINES, INC.	GLYPHOSATE IPA	AGRO IRIIS GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	752-151-6034	29-Apr-26	POST-EMERGENT	Cacao	Annual and perennial grasses, broadleaf weeds and sedges	3.0-4.5 Liters/ha	-	-	-
AGRO IRIIS PHILIPPINES, INC.	GLYPHOSATE IPA	AGRO IRIIS GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	752-151-6034	29-Apr-26	POST-EMERGENT	Rubber	Annual and perennial grasses, broadleaf weeds and sedges	2.0 Liters/ha	-	-	-
AGRO IRIIS PHILIPPINES, INC.	GLYPHOSATE IPA	AGRO IRIIS GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	752-151-6034	29-Apr-26	POST-EMERGENT	Oil palm	Annual and perennial grasses, broadleaf weeds and sedges	2.0 Liters/ha	-	-	-
AGRO IRIIS PHILIPPINES, INC.	GLYPHOSATE IPA	AGRO IRIIS GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	752-151-6034	29-Apr-26	POST-EMERGENT	Citrus	Annual and perennial grasses, broadleaf weeds and sedges	2.0 Liters/ha	-	-	-
AGRO IRIIS PHILIPPINES, INC.	GLYPHOSATE IPA	AGRO IRIIS GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	752-151-6034	29-Apr-26	POST-EMERGENT	Coconut	Annual and perennial grasses, broadleaf weeds and sedges	4.5 Liters/ha	-	-	-
AGRO IRIIS PHILIPPINES, INC.	GLYPHOSATE IPA	AGRO IRIIS GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	752-151-6034	29-Apr-26	POST-EMERGENT	Sugarcane	Annual and perennial grasses, broadleaf weeds and sedges	2.0 Liters/ha	-	-	-
AGRO IRIIS PHILIPPINES, INC.	GLYPHOSATE IPA	AGRO IRIIS GLYPHOSATE 480 SL	480 g/L	SL	HERBICIDE	4	752-151-6034	29-Apr-26	POST-EMERGENT	Vegetables	Annual and perennial grasses, broadleaf weeds and sedges	2.0 Liters/ha	-	-	-
AGRO IRIIS PHILIPPINES, INC.	GLUFOSINATE AMMONIUM	AGRO IRIIS GLUFOSINATE 150 SL	150 g/L	SL	HERBICIDE	4	752-382-6036	30-Nov-25	NON-SELECTIVE (POST-EMERGENT)	Cavendish banana	Weeds	-	-	-	-
AGRO IRIIS PHILIPPINES, INC.	GLUFOSINATE AMMONIUM	AGRO IRIIS GLUFOSINATE 150 SL	150 g/L	SL	HERBICIDE	4	752-382-6036	30-Nov-25	NON-SELECTIVE (POST-EMERGENT)	Rubber	Weeds	-	-	-	-
AGRO IRIIS PHILIPPINES, INC.	GLUFOSINATE AMMONIUM	AGRO IRIIS GLUFOSINATE 150 SL	150 g/L	SL	HERBICIDE	4	752-382-6036	30-Nov-25	NON-SELECTIVE (POST-EMERGENT)	Oil palm	Weeds	-	-	-	-
AGRO IRIIS PHILIPPINES, INC.	GLUFOSINATE AMMONIUM	AGRO IRIIS GLUFOSINATE 150 SL	150 g/L	SL	HERBICIDE	4	752-382-6036	30-Nov-25	NON-SELECTIVE (POST-EMERGENT)	Non-crop areas	Weeds	-	-	-	-
AGRO IRIIS PHILIPPINES, INC.	DIURON	AGRO IRIIS DIURON 80 SC	800 g/L	SC	HERBICIDE	4	752-027-6129	24-Sep-24	-	Citrus	Annual and Perennial broadleaves and grasses	11.0-19.0 tbsp/ 36 water	-	-	A day after application
AGRO IRIIS PHILIPPINES, INC.	DIURON	AGRO IRIIS DIURON 80 SC	800 g/L	SC	HERBICIDE	4	752-027-6129	24-Sep-24	-	Coffee	Annual and Perennial broadleaves and grasses	11.0-19.0 tbsp/ 36 water	-	-	A day after application
AGRO IRIIS PHILIPPINES, INC.	DIURON	AGRO IRIIS DIURON 80 SC	800 g/L	SC	HERBICIDE	4	752-027-6129	24-Sep-24	-	Cotton	Annual and Perennial broadleaves and grasses	8 tbsp/ 36 water	-	-	A day after application
AGRO IRIIS PHILIPPINES, INC.	DIURON	AGRO IRIIS DIURON 80 SC	800 g/L	SC	HERBICIDE	4	752-027-6129	24-Sep-24	-	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0 tbsp/36 water	-	-	A day after application
AGRO IRIIS PHILIPPINES, INC.	DIURON	AGRO IRIIS DIURON 80 SC	800 g/L	SC	HERBICIDE	4	752-027-6129	24-Sep-24	-	Pineapple	Annual and Perennial broadleaves and grasses	11 tbsp/36 water	-	-	A day after application
AGRO IRIIS PHILIPPINES, INC.	DIURON	AGRO IRIIS DIURON 80 SC	800 g/L	SC	HERBICIDE	4	752-027-6129	24-Sep-24	-	Non-crop land	Annual and Perennial broadleaves and grasses	20.0-28.0 tbsp/36 water	-	-	A day after application
AGRO IRIIS PHILIPPINES, INC.	CYPERMETHRIN	AGRO IRIIS CYPERMETHRIN SEC	50 g/L	EC	INSECTICIDE	4	752-037-6061	28-Jun-24	-	Mango	Leafhopper, twig borer, tip borer, fruit fly	1-3 Tbsp/36L	-	-	-
AGRO IRIIS PHILIPPINES, INC.	CYPERMETHRIN	AGRO IRIIS CYPERMETHRIN SEC	50 g/L	EC	INSECTICIDE	4	752-037-6061	28-Jun-24	-	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leafroller, stem borer, armyworm, rice bug	2-3 Tbsp/36L	-	-	-
AGRO IRIIS PHILIPPINES, INC.	CYPERMETHRIN	AGRO IRIIS CYPERMETHRIN SEC	50 g/L	EC	INSECTICIDE	4	752-037-6061	28-Jun-24	-	Cabbage	Diamond-back moth, cabbage moth, worm	1-3 Tbsp/36L	-	-	-
AGRO IRIIS PHILIPPINES, INC.	CYPERMETHRIN	AGRO IRIIS CYPERMETHRIN SEC	50 g/L	EC	INSECTICIDE	4	752-037-6061	28-Jun-24	-	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1-3 Tbsp/36L	-	-	-
AGRO IRIIS PHILIPPINES, INC.	CYPERMETHRIN	AGRO IRIIS CYPERMETHRIN SEC	50 g/L	EC	INSECTICIDE	4	752-037-6061	28-Jun-24	-	Tomato	Tomato fruit worm, aphids, beetle	1-3 Tbsp/36L	-	-	-
AGRO IRIIS PHILIPPINES, INC.	CYPERMETHRIN	AGRO IRIIS CYPERMETHRIN SEC	50 g/L	EC	INSECTICIDE	4	752-037-6061	28-Jun-24	-	Watermelon	Aphids, thrips, beetle	1-3 Tbsp/36L	-	-	-
AGRO IRIIS PHILIPPINES, INC.	CYPERMETHRIN	AGRO IRIIS CYPERMETHRIN SEC	50 g/L	EC	INSECTICIDE	4	752-037-6061	28-Jun-24	-	Onion	Thrips, cutworm	1-3 Tbsp/36L	-	-	-
AGRO IRIIS PHILIPPINES, INC.	CYPERMETHRIN	AGRO IRIIS CYPERMETHRIN SEC	50 g/L	EC	INSECTICIDE	4	752-037-6061	28-Jun-24	-	Banana	Thrips, scarring beetle	1-3 Tbsp/36L	-	-	-
AGRO IRIIS PHILIPPINES, INC.	CYPERMETHRIN	AGRO IRIIS CYPERMETHRIN SEC	50 g/L	EC	INSECTICIDE	4	752-037-6061	28-Jun-24	-	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1-3 Tbsp/36L	-	-	-
AGRO IRIIS PHILIPPINES, INC.	CYPERMETHRIN	AGRO IRIIS CYPERMETHRIN SEC	50 g/L	EC	INSECTICIDE	4	752-037-6061	28-Jun-24	-	Tobacco	Budworm, cutworm, aphids, thrips	1-3 Tbsp/36L	-	-	-
AGRO IRIIS PHILIPPINES, INC.	CYPERMETHRIN	AGRO IRIIS CYPERMETHRIN SEC	50 g/L	EC	INSECTICIDE	4	752-037-6061	28-Jun-24	-	Corn	Corn borer, earworm	1-4.5 Tbsp/36L	-	-	-
AGRO IRIIS PHILIPPINES, INC.	2,4-D AMINE	AGRO IRIIS 2,4-D AMINE 400 SL	400 g/L	SL	HERBICIDE	2	752-033-6035	24-Sep-24	POST-EMERGENCE	Rice (Transplanted)	Annual broadleaves and sedges	3.5-6.5 tbsp/ 36L	-	-	Entry to fields and crops treated with AGRO IRIIS 2,4-D AMINE 400 SL can be done one day after spraying
AGRO IRIIS PHILIPPINES, INC.	2,4-D AMINE	AGRO IRIIS 2,4-D AMINE 400 SL	400 g/L	SL	HERBICIDE	2	752-033-6035	24-Sep-24	POST-EMERGENCE	Corn	Annual broadleaves and sedges	5-6.5 tbsp/ 36L	-	-	Entry to fields and crops treated with AGRO IRIIS 2,4-D AMINE 400 SL can be done one day after spraying

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
AGRO IRES PHILIPPINES, INC.	2,4-D AMINE	AGRO IRES 2,4-D AMINE 400 SL	400 g/L	SL	HERBICIDE	2	702-023-0025	28-Sep-24	POST-EMERGENCE	Sugarcane	Annual broadleaves and sedges	15-25 litsp/ 36L	-	-	Entry to fields and crops treated with AGRO IRES 2,4-D AMINE 400 SL can be done one day after spraying.
UNITED AGRO TRADE CORPORATION	DELTAMETHRIN	AGRO DELTAMETHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	4	264-085-2153	11-Oct-25	NON-SYSTEMIC	Mango	Hopper, tip borer, twig borer	0.75-1.0 Tbsp/36L water	-	24 hours after last spray	Enter treated area 24 hours after each spray
UNITED AGRO TRADE CORPORATION	DELTAMETHRIN	AGRO DELTAMETHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	4	264-085-2153	12-Oct-25	NON-SYSTEMIC	Cabbage & other crucifers	Diamond-back moth, cabbage moth, cabbage worm	0.1 Tbsp/36L water	-	24 hours after last spray	Enter treated area 24 hours after each spray
UNITED AGRO TRADE CORPORATION	DELTAMETHRIN	AGRO DELTAMETHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	4	264-085-2153	11-Oct-25	NON-SYSTEMIC	Tobacco	Budworm, armyworm, cutworm	0.8-1.0 Tbsp/36L water	-	24 hours after last spray	Enter treated area 24 hours after each spray
UNITED AGRO TRADE CORPORATION	DELTAMETHRIN	AGRO DELTAMETHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	4	264-085-2153	11-Oct-25	NON-SYSTEMIC	Beans	Fllea beetle, beanfly, bugs, thrips, cutworm, armyworm	0.8-1.0 Tbsp/36L water	-	24 hours after last spray	Enter treated area 24 hours after each spray
UNITED AGRO TRADE CORPORATION	DELTAMETHRIN	AGRO DELTAMETHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	4	264-085-2153	11-Oct-25	NON-SYSTEMIC	Soybeans	Fllea beetle, beanfly, bugs, thrips, cutworm, armyworm	0.8-1.0 Tbsp/36L water	-	24 hours after last spray	Enter treated area 24 hours after each spray
UNITED AGRO TRADE CORPORATION	DELTAMETHRIN	AGRO DELTAMETHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	4	264-085-2153	11-Oct-25	NON-SYSTEMIC	Tomato	Fruitworm (heliothis)	0.8-1.0 Tbsp/36L water	-	24 hours after last spray	Enter treated area 24 hours after each spray
UNITED AGRO TRADE CORPORATION	DELTAMETHRIN	AGRO DELTAMETHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	4	264-085-2153	11-Oct-25	NON-SYSTEMIC	Corn	Corn borer, corn earworm, seedling maggots	0.1 Tbsp/36L water	-	24 hours after last spray	Enter treated area 24 hours after each spray
UNITED AGRO TRADE CORPORATION	DELTAMETHRIN	AGRO DELTAMETHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	4	264-085-2153	11-Oct-25	NON-SYSTEMIC	Eggplant	Thrips, flea beetle, fruitworm	0.1 Tbsp/36L water	-	24 hours after last spray	Enter treated area 24 hours after each spray
UNITED AGRO TRADE CORPORATION	DELTAMETHRIN	AGRO DELTAMETHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	4	264-085-2153	11-Oct-25	NON-SYSTEMIC	Cotton	Leafhopper, bollworm, weevil	0.8-1.0 Tbsp/36L water	-	24 hours after last spray	Enter treated area 24 hours after each spray
UNITED AGRO TRADE CORPORATION	DELTAMETHRIN	AGRO DELTAMETHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	4	264-085-2153	11-Oct-25	NON-SYSTEMIC	Agricultural crops	Locusts-nymphs/ Locusts-adult	1.0-1.57/ 3.0 Tbsp/ 36L water	-	24 hours after last spray	Enter treated area 24 hours after each spray
UNITED AGRO TRADE CORPORATION	DELTAMETHRIN	AGRO DELTAMETHRIN 2.5 EC	25 g/L	EC	INSECTICIDE	4	264-085-2153	11-Oct-25	NON-SYSTEMIC	Cacao	Podborer, aphids	0.1 Tbsp/36L water	-	24 hours after last spray	Enter treated area 24 hours after each spray
TOP AGRO PRODUCTS COMPANY	CYPERMETHRIN	AGRO CYPERMETHRIN 5 EC	50g/L	EC	INSECTICIDE	4	210-037-1116	26-Apr-24	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/36 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
TOP AGRO PRODUCTS COMPANY	CYPERMETHRIN	AGRO CYPERMETHRIN 5 EC	50g/L	EC	INSECTICIDE	4	210-037-1116	26-Apr-24	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leafroller, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/36 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
TOP AGRO PRODUCTS COMPANY	CYPERMETHRIN	AGRO CYPERMETHRIN 5 EC	50g/L	EC	INSECTICIDE	4	210-037-1116	26-Apr-24	CONTACT	Cabbage	Diamond-back-moth, cabbage moth, worm	1.0-3.0 Tbsp/36 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
TOP AGRO PRODUCTS COMPANY	CYPERMETHRIN	AGRO CYPERMETHRIN 5 EC	50g/L	EC	INSECTICIDE	4	210-037-1116	26-Apr-24	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/36 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
TOP AGRO PRODUCTS COMPANY	CYPERMETHRIN	AGRO CYPERMETHRIN 5 EC	50g/L	EC	INSECTICIDE	4	210-037-1116	26-Apr-24	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/36 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
TOP AGRO PRODUCTS COMPANY	CYPERMETHRIN	AGRO CYPERMETHRIN 5 EC	50g/L	EC	INSECTICIDE	4	210-037-1116	26-Apr-24	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/36 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
TOP AGRO PRODUCTS COMPANY	CYPERMETHRIN	AGRO CYPERMETHRIN 5 EC	50g/L	EC	INSECTICIDE	4	210-037-1116	26-Apr-24	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/36 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
TOP AGRO PRODUCTS COMPANY	CYPERMETHRIN	AGRO CYPERMETHRIN 5 EC	50g/L	EC	INSECTICIDE	4	210-037-1116	26-Apr-24	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/36 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
TOP AGRO PRODUCTS COMPANY	CYPERMETHRIN	AGRO CYPERMETHRIN 5 EC	50g/L	EC	INSECTICIDE	4	210-037-1116	26-Apr-24	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/36 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
TOP AGRO PRODUCTS COMPANY	CYPERMETHRIN	AGRO CYPERMETHRIN 5 EC	50g/L	EC	INSECTICIDE	4	210-037-1116	26-Apr-24	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/36 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
TOP AGRO PRODUCTS COMPANY	CYPERMETHRIN	AGRO CYPERMETHRIN 5 EC	50g/L	EC	INSECTICIDE	4	210-037-1116	26-Apr-24	CONTACT	Corn	Comborer, earworm	1.0-4.5 Tbsp/36 L water	-	7 days	Re-entry to treated field is allowed as soon as spray deposits dry.
ONERAIN MARKETING CORPORATION	DIFENOCONAZOLE	AGRIZOLE 250 EC	250 g/L	EC	FUNGICIDE	4	723-272-5807	11-Aug-24	-	Rice	Sheath Blight	0.25-0.30 L prod/ Ha	-	-	-
ONERAIN MARKETING CORPORATION	DIFENOCONAZOLE	AGRIZOLE 250 EC	250 g/L	EC	FUNGICIDE	4	723-272-5807	11-Aug-24	-	Mango	Anthracoese	0.028-0.08 L prod/ Ha	-	14 days	-
ONERAIN MARKETING CORPORATION	DIFENOCONAZOLE	AGRIZOLE 250 EC	250 g/L	EC	FUNGICIDE	4	723-272-5807	11-Aug-24	-	Stringbeans	Leafspot	0.25-0.30 L prod/ Ha	-	7 days	-
ONERAIN MARKETING CORPORATION	DIFENOCONAZOLE	AGRIZOLE 250 EC	250 g/L	EC	FUNGICIDE	4	723-272-5807	11-Aug-24	-	Tomato	Alternaria leaf spot, cercospora leafmold,powdery mildew	0.25-0.30 L prod/ Ha	-	7 days	-
ONERAIN MARKETING CORPORATION	DIFENOCONAZOLE	AGRIZOLE 250 EC	250 g/L	EC	FUNGICIDE	4	723-272-5807	11-Aug-24	-	Eggplant	Leaf spot	0.25-0.30 L prod/ Ha	-	7 days	-
ONERAIN MARKETING CORPORATION	DIFENOCONAZOLE	AGRIZOLE 250 EC	250 g/L	EC	FUNGICIDE	4	723-272-5807	11-Aug-24	-	Cabbage	Ringspot,alternaria	0.25-0.30 L prod/ Ha	-	7 days	-
ONERAIN MARKETING CORPORATION	DIFENOCONAZOLE	AGRIZOLE 250 EC	250 g/L	EC	FUNGICIDE	4	723-272-5807	11-Aug-24	-	Asparagus	Stem and leaf blight	0.36 L prod/ Ha	-	-	-
ONERAIN MARKETING CORPORATION	DIFENOCONAZOLE	AGRIZOLE 250 EC	250 g/L	EC	FUNGICIDE	4	723-272-5807	11-Aug-24	-	Onion	Purple blotch	0.40-0.50 L prod/ Ha	-	7 days	-
ONERAIN MARKETING CORPORATION	DIFENOCONAZOLE	AGRIZOLE 250 EC	250 g/L	EC	FUNGICIDE	4	723-272-5807	11-Aug-24	-	Banana	Black sigatoka	0.30-0.40 L prod/ Ha	-	-	-
AGRIVESTA INDUSTRIAL CORPORATION	MALATHION	AGRIVESTA MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	633-038-4717	18-Mar-22	NON-SYSTEMIC	Fruit trees	Aphids, mealy bug, scale insect	1.5-3.0Tbsp/36 L water	-	One (1) day after each spraying	One day after spraying.
AGRIVESTA INDUSTRIAL CORPORATION	MALATHION	AGRIVESTA MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	633-038-4717	18-Mar-22	NON-SYSTEMIC	Rice	Armyworm, caseworm, leafhopper, bugs	2.0-3.0Tbsp/36 L water	-	One (1) day after each spraying	One day after spraying.
AGRIVESTA INDUSTRIAL CORPORATION	MALATHION	AGRIVESTA MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	633-038-4717	18-Mar-22	NON-SYSTEMIC	Corn	Earworm, silkworm, aphids, grasshopper	3.0-5.0Tbsp/36 L water	-	One (1) day after each spraying	One day after spraying.
AGRIVESTA INDUSTRIAL CORPORATION	MALATHION	AGRIVESTA MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	633-038-4717	18-Mar-22	NON-SYSTEMIC	Cabbage	Cabbage worm, looper, diamond-back moth	2.0-5.0Tbsp/36 L water	-	One (1) day after each spraying	One day after spraying.
AGRIVESTA INDUSTRIAL CORPORATION	MALATHION	AGRIVESTA MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	633-038-4717	18-Mar-22	NON-SYSTEMIC	Legumes	Aphids, beanfly, cutworm, flea beetles, leafminer, maggots, mealybug, podborer, thrips	2.0-5.0Tbsp/36 L water	-	One (1) day after each spraying	One day after spraying.
AGRIVESTA INDUSTRIAL CORPORATION	MALATHION	AGRIVESTA MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	633-038-4717	18-Mar-22	NON-SYSTEMIC	Grapes	Beetles, cutworm, leafhopper, mealybug, scale, insect, spider mites	3.0Tbsp/36 L water	-	One (1) day after each spraying	One day after spraying.
AGRIVESTA INDUSTRIAL CORPORATION	MALATHION	AGRIVESTA MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	633-038-4717	18-Mar-22	NON-SYSTEMIC	Pineapple	Mealy bug	3.0Tbsp/36 L water	-	One (1) day after each spraying	One day after spraying.
AGRIVESTA INDUSTRIAL CORPORATION	MALATHION	AGRIVESTA MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	633-038-4717	18-Mar-22	NON-SYSTEMIC	Pepper	Aphid, cutworm, fruitworm	3.0Tbsp/36 L water	-	One (1) day after each spraying	One day after spraying.
AGRIVESTA INDUSTRIAL CORPORATION	MALATHION	AGRIVESTA MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	633-038-4717	18-Mar-22	NON-SYSTEMIC	Garlic	Cutworm	3.0Tbsp/36 L water	-	One (1) day after each spraying	One day after spraying.
AGRIVESTA INDUSTRIAL CORPORATION	MALATHION	AGRIVESTA MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	633-038-4717	18-Mar-22	NON-SYSTEMIC	Onion	Cutworm	3.0Tbsp/36 L water	-	One (1) day after each spraying	One day after spraying.
AGRIVESTA INDUSTRIAL CORPORATION	MALATHION	AGRIVESTA MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	633-038-4717	18-Mar-22	NON-SYSTEMIC	Tobacco	Aphids, katydid	3.0-6.0Tbsp/36 L water	-	One (1) day after each spraying	One day after spraying.
AGRIVESTA INDUSTRIAL CORPORATION	MALATHION	AGRIVESTA MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	633-038-4717	18-Mar-22	NON-SYSTEMIC	Ornamentals	Aphids, cutworm, mealybug, scale insect, spider mites	3.0-5.0Tbsp/36 L water	-	One (1) day after each spraying	One day after spraying.
AGRIVESTA INDUSTRIAL CORPORATION	MALATHION	AGRIVESTA MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	633-038-4717	18-Mar-22	NON-SYSTEMIC	Tomato	Lady beetle	3.0-5.0Tbsp/36 L water	-	One (1) day after each spraying	One day after spraying.
AGRIVESTA INDUSTRIAL CORPORATION	MALATHION	AGRIVESTA MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	633-038-4717	18-Mar-22	NON-SYSTEMIC	Eggplant	Aphids, fruitworm	3.0-5.0Tbsp/36 L water	-	One (1) day after each spraying	One day after spraying.
AGRIVESTA INDUSTRIAL CORPORATION	MALATHION	AGRIVESTA MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	633-038-4717	18-Mar-22	NON-SYSTEMIC	Sorghum	Web worm	3.0Tbsp/36 L water	-	One (1) day after each spraying	One day after spraying.
AGRIVESTA INDUSTRIAL CORPORATION	BENOMYL	AGRIVESTA BENOMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	633-367-5126	09-Aug-24	SYSTEMIC	Mungbeans	Powdery mildew, cercospora leaf spot	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray.
AGRIVESTA INDUSTRIAL CORPORATION	BENOMYL	AGRIVESTA BENOMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	633-367-5126	09-Aug-24	SYSTEMIC	Beans	Powdery mildew, cercospora leaf spot	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray.
AGRIVESTA INDUSTRIAL CORPORATION	BENOMYL	AGRIVESTA BENOMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	633-367-5126	09-Aug-24	SYSTEMIC	Cabbage	Cercospora leaf spot	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray.
AGRIVESTA INDUSTRIAL CORPORATION	BENOMYL	AGRIVESTA BENOMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	633-367-5126	09-Aug-24	SYSTEMIC	Calamansi	Scab	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray.
AGRIVESTA INDUSTRIAL CORPORATION	BENOMYL	AGRIVESTA BENOMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	633-367-5126	09-Aug-24	SYSTEMIC	Cucumber	Powdery mildew	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray.
AGRIVESTA INDUSTRIAL CORPORATION	BENOMYL	AGRIVESTA BENOMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	633-367-5126	09-Aug-24	SYSTEMIC	Ginger	Cercospora leaf spot	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray.
AGRIVESTA INDUSTRIAL CORPORATION	BENOMYL	AGRIVESTA BENOMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	633-367-5126	09-Aug-24	SYSTEMIC	Grapes	Powdery mildew	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray.
AGRIVESTA INDUSTRIAL CORPORATION	BENOMYL	AGRIVESTA BENOMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	633-367-5126	09-Aug-24	SYSTEMIC	Mandarin	Scab	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray.
AGRIVESTA INDUSTRIAL CORPORATION	BENOMYL	AGRIVESTA BENOMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	633-367-5126	09-Aug-24	SYSTEMIC	Mango	Anthracoese, powdery mildew	1-2 Tbsp/36L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray.

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
AGRIVESTA INDUSTRIAL CORPORATION	BENOMYL	AGRIVESTA BENOMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	633-167-5126	09-Aug-24	SYSTEMIC	Melon	Powdery mildew	1-2 Tbsp/36L water			Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
AGRIVESTA INDUSTRIAL CORPORATION	BENOMYL	AGRIVESTA BENOMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	633-167-5126	09-Aug-24	SYSTEMIC	Orange	Scab	1-2 Tbsp/36L water			Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
AGRIVESTA INDUSTRIAL CORPORATION	BENOMYL	AGRIVESTA BENOMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	633-167-5126	09-Aug-24	SYSTEMIC	Papaya	Powdery mildew	1-2 Tbsp/36L water			Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
AGRIVESTA INDUSTRIAL CORPORATION	BENOMYL	AGRIVESTA BENOMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	633-167-5126	09-Aug-24	SYSTEMIC	Pepper	Cercospora leaf spot	1-2 Tbsp/36L water			Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
AGRIVESTA INDUSTRIAL CORPORATION	BENOMYL	AGRIVESTA BENOMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	633-167-5126	09-Aug-24	SYSTEMIC	Rice	Blast, sheath blight	3-4 Tbsp/36L water	1.0 ppm	7 days	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
AGRIVESTA INDUSTRIAL CORPORATION	BENOMYL	AGRIVESTA BENOMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	633-167-5126	09-Aug-24	SYSTEMIC	Strawberry	Cercospora leaf spot	1-2 Tbsp/36L water			Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
AGRIVESTA INDUSTRIAL CORPORATION	BENOMYL	AGRIVESTA BENOMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	633-167-5126	09-Aug-24	SYSTEMIC	Tobacco	Leaf mold, frog eye	1-2 Tbsp/36L water			Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
AGRIVESTA INDUSTRIAL CORPORATION	BENOMYL	AGRIVESTA BENOMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	633-167-5126	09-Aug-24	SYSTEMIC	Banana	Black sigatoka	380 g/L			Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
AGWAY CHEMICALS CORPORATION	DIMETHOATE	AGRITHON 40 EC	400 g/L	EC	INSECTICIDE	2	075-045-3377-A (590)	27-Oct-25	SYSTEMIC/CONTACT	Rice	Leafhopper, planthoppers, bugs, stemborer	2-3 mL/36L water	0.1 ppm	-	Do not spray within 14 days before harvest interval. For other crop, banana 3 months.
AGWAY CHEMICALS CORPORATION	DIMETHOATE	AGRITHON 40 EC	400 g/L	EC	INSECTICIDE	2	075-045-3377-A (590)	27-Oct-25	SYSTEMIC/CONTACT	Tobacco	Aphids, thrips	2-3 mL/36L water			Do not spray within 14 days before harvest interval. For other crop, banana 3 months.
AGWAY CHEMICALS CORPORATION	DIMETHOATE	AGRITHON 40 EC	400 g/L	EC	INSECTICIDE	2	075-045-3377-A (590)	27-Oct-25	SYSTEMIC/CONTACT	Mango	Leafhoppers	2-3 mL/36L water			Do not spray within 14 days before harvest interval. For other crop, banana 3 months.
AGWAY CHEMICALS CORPORATION	DIMETHOATE	AGRITHON 40 EC	400 g/L	EC	INSECTICIDE	2	075-045-3377-A (590)	27-Oct-25	SYSTEMIC/CONTACT	Beans	Aphids, thrips, beanflies, leaffolders	3-5 mL/36L water			Do not spray within 14 days before harvest interval. For other crop, banana 3 months.
AGWAY CHEMICALS CORPORATION	DIMETHOATE	AGRITHON 40 EC	400 g/L	EC	INSECTICIDE	2	075-045-3377-A (590)	27-Oct-25	SYSTEMIC/CONTACT	Eggplant	Aphids, thrips	2-3 mL/36L water			Do not spray within 14 days before harvest interval. For other crop, banana 3 months.
AGWAY CHEMICALS CORPORATION	DIMETHOATE	AGRITHON 40 EC	400 g/L	EC	INSECTICIDE	2	075-045-3377-A (590)	27-Oct-25	SYSTEMIC/CONTACT	Cucurbits	Aphids, thrips	2-3 mL/36L water			Do not spray within 14 days before harvest interval. For other crop, banana 3 months.
AGWAY CHEMICALS CORPORATION	DIMETHOATE	AGRITHON 40 EC	400 g/L	EC	INSECTICIDE	2	075-045-3377-A (590)	27-Oct-25	SYSTEMIC/CONTACT	Pineapple	Mealybug	2-3 mL/36L water			Do not spray within 14 days before harvest interval. For other crop, banana 3 months.
AGWAY CHEMICALS CORPORATION	DIMETHOATE	AGRITHON 40 EC	400 g/L	EC	INSECTICIDE	2	075-045-3377-A (590)	27-Oct-25	SYSTEMIC/CONTACT	Coffee	Berryborer, leafroller, mealybug	2-3 mL/36L water			Do not spray within 14 days before harvest interval. For other crop, banana 3 months.
AGWAY CHEMICALS CORPORATION	DIMETHOATE	AGRITHON 40 EC	400 g/L	EC	INSECTICIDE	2	075-045-3377-A (590)	27-Oct-25	SYSTEMIC/CONTACT	Cacao	Aphids, capid bugs	3-5 mL/36L water			Do not spray within 14 days before harvest interval. For other crop, banana 3 months.
AGWAY CHEMICALS CORPORATION	DIMETHOATE	AGRITHON 40 EC	400 g/L	EC	INSECTICIDE	2	075-045-3377-A (590)	27-Oct-25	SYSTEMIC/CONTACT	Citrus	Aphids, mealybugs, indoborers, scale insects	2-3 mL/36L water			Do not spray within 14 days before harvest interval. For other crop, banana 3 months.
AGWAY CHEMICALS CORPORATION	DIMETHOATE	AGRITHON 40 EC	400 g/L	EC	INSECTICIDE	2	075-045-3377-A (590)	27-Oct-25	SYSTEMIC/CONTACT	Cotton	Aphids, leafroller, whiteflies, mites	2-3 mL/36L water			Do not spray within 14 days before harvest interval. For other crop, banana 3 months.
AGWAY CHEMICALS CORPORATION	DIMETHOATE	AGRITHON 40 EC	400 g/L	EC	INSECTICIDE	2	075-045-3377-A (590)	27-Oct-25	SYSTEMIC/CONTACT	Banana	Flower thrips	3.0 mL of water. Inject 60-80 mL solution per bud			Do not spray within 14 days before harvest interval. For other crop, banana 3 months.
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	2,4-D AMINE	AGRISOLUTIONS STARSHINE 2,4-D AMINE	400 g/L	EC	HERBICIDE	2	459-033-2918	24-Sep-24	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual broadleaves and sedges	8-6.5 Tbsp/36 L water	0.1 ppm	-	1 Day
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	2,4-D AMINE	AGRISOLUTIONS STARSHINE 2,4-D AMINE	400 g/L	EC	HERBICIDE	2	459-033-2918	24-Sep-24	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual broadleaves and sedges	18-25 Tbsp/36 L water		-	1 Day
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	2,4-D AMINE	AGRISOLUTIONS STARSHINE 2,4-D AMINE	400 g/L	EC	HERBICIDE	2	459-033-2918	24-Sep-24	SELECTIVE (POST-EMERGENT)	Corn	Annual broadleaves and sedges	9-6.5 Tbsp/36 L water		-	1 Day
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	LAMBDA-CHYALOTHIRIN	AGRISOLUTIONS POLARIS LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	459-204-2984	27-Jun-25	SYSTEMIC	Rice	Green leafhopper, armyworm, rice bug, leafroller, black bug	1.0-1.5 Tbsp/36 L of water	0.05ppm	3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	LAMBDA-CHYALOTHIRIN	AGRISOLUTIONS POLARIS LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	459-204-2984	27-Jun-25	SYSTEMIC	Mango	Hoppers	0.75-1.5 Tbsp/36 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	LAMBDA-CHYALOTHIRIN	AGRISOLUTIONS POLARIS LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	459-204-2984	27-Jun-25	SYSTEMIC	Tomato	Fruitworm, cutworm, aphids	1.0-1.5 Tbsp/36 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	LAMBDA-CHYALOTHIRIN	AGRISOLUTIONS POLARIS LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	459-204-2984	27-Jun-25	SYSTEMIC	Onion	Thrips, cutworm	1.0 Tbsp/36 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	LAMBDA-CHYALOTHIRIN	AGRISOLUTIONS POLARIS LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	459-204-2984	27-Jun-25	SYSTEMIC	Mungbeans	Beanfly, flea beetle, leafhopper, aphids, mites, podborer	1.0 Tbsp/36 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	LAMBDA-CHYALOTHIRIN	AGRISOLUTIONS POLARIS LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	459-204-2984	27-Jun-25	SYSTEMIC	Corn	Comborer, aphids, seedling maggots	1.0-1.5 Tbsp/36 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	LAMBDA-CHYALOTHIRIN	AGRISOLUTIONS POLARIS LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	459-204-2984	27-Jun-25	SYSTEMIC	Tobacco	Budworm, Cutworm, aphids, katyids	1.0-1.5 Tbsp/36 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	LAMBDA-CHYALOTHIRIN	AGRISOLUTIONS POLARIS LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	459-204-2984	27-Jun-25	SYSTEMIC	Cotton	Bollworm	1.0-1.5 Tbsp/36 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	LAMBDA-CHYALOTHIRIN	AGRISOLUTIONS POLARIS LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	459-204-2984	27-Jun-25	SYSTEMIC	Cocoa	Podborer	1.0-2.0 Tbsp/36 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	LAMBDA-CHYALOTHIRIN	AGRISOLUTIONS POLARIS LAMBDA 2.5 EC	25 g/L	EC	INSECTICIDE	2	459-204-2984	27-Jun-25	SYSTEMIC	Watermelon	Squash beetle, melon worm	1.0 Tbsp/36 L of water		3 Days	Re-entry to treated fields is allowed as soon as spray deposits dry
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	2,4-D-BE	AGRISOLUTIONS MASTER 2,4-D-ESTER	480 g/L	EC	HERBICIDE	2	459-040-2987	16-Apr-24	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual Broadleaves & sedges	5.0-6.50 Tbsp/36 L water	0.1 ppm	-	Entry to fields and crops treated with AGRISOLUTIONS MASTER 2,4-D-ESTER can be done one day after spraying
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	2,4-D-BE	AGRISOLUTIONS MASTER 2,4-D-ESTER	480 g/L	EC	HERBICIDE	2	459-040-2987	16-Apr-24	SELECTIVE (POST-EMERGENT)	Corn	Annual Broadleaves & sedges	5.0-6.50 Tbsp/36 L water		-	Entry to fields and crops treated with AGRISOLUTIONS MASTER 2,4-D-ESTER can be done one day after spraying
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	2,4-D-BE	AGRISOLUTIONS MASTER 2,4-D-ESTER	480 g/L	EC	HERBICIDE	2	459-040-2987	16-Apr-24	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual Broadleaves & sedges	5.0-6.50 Tbsp/36 L water		-	Entry to fields and crops treated with AGRISOLUTIONS MASTER 2,4-D-ESTER can be done one day after spraying
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CARTAP HYDROCHLORIDE	AGRISOLUTIONS LEAFGRAD CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	459-106-2986	16-Apr-24	SYSTEMIC	Nice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.0-5.0 Tbsp/36 L water	0.2ppm	Stop spraying 10 days before harvest	Enter the treated field 48 hours after spraying
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CARTAP HYDROCHLORIDE	AGRISOLUTIONS LEAFGRAD CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	459-106-2986	16-Apr-24	SYSTEMIC	Wongbok	Diamond-back moth, aphids, cabbage moth, cabbage worm	1-5.2 0Tbsp/36 L water		Stop spraying 10 days before harvest	Enter the treated field 48 hours after spraying
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CARTAP HYDROCHLORIDE	AGRISOLUTIONS LEAFGRAD CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	459-106-2986	16-Apr-24	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1-5.2 0Tbsp/36 L water		Stop spraying 10 days before harvest	Enter the treated field 48 hours after spraying
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CARTAP HYDROCHLORIDE	AGRISOLUTIONS LEAFGRAD CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	459-106-2986	16-Apr-24	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1-5.2 0Tbsp/36 L water		Stop spraying 10 days before harvest	Enter the treated field 48 hours after spraying
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CARTAP HYDROCHLORIDE	AGRISOLUTIONS LEAFGRAD CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	459-106-2986	16-Apr-24	SYSTEMIC	Garlic	Thrips, cutworm	1-5.2 0Tbsp/36 L water		Stop spraying 10 days before harvest	Enter the treated field 48 hours after spraying
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CARTAP HYDROCHLORIDE	AGRISOLUTIONS LEAFGRAD CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	459-106-2986	16-Apr-24	SYSTEMIC	Onion	Thrips, cutworm	1-5.2 0Tbsp/36 L water		Stop spraying 10 days before harvest	Enter the treated field 48 hours after spraying
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CARTAP HYDROCHLORIDE	AGRISOLUTIONS LEAFGRAD CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	459-106-2986	16-Apr-24	SYSTEMIC	Potato	Thrips, cutworm, leafhopper, tuber moth, aphids and leafminer	1-5.2 0Tbsp/36 L water		Stop spraying 10 days before harvest	Enter the treated field 48 hours after spraying
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CARTAP HYDROCHLORIDE	AGRISOLUTIONS LEAFGRAD CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	459-106-2986	16-Apr-24	SYSTEMIC	Mango	leafhoppers	1-5.2 0Tbsp/36 L water		Stop spraying 10 days before harvest	Enter the treated field 48 hours after spraying
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CARTAP HYDROCHLORIDE	AGRISOLUTIONS LEAFGRAD CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	459-106-2986	16-Apr-24	SYSTEMIC	Peachay	looper, cutworm, aphids	1-5.3 0Tbsp/36 L water		Stop spraying 10 days before harvest	Enter the treated field 48 hours after spraying
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CHLORPYRIFOS	AGRISOLUTIONS JEDI CHLORPYRIFOS 300 EC	300 g/L	EC	INSECTICIDE	2	459-101-3019	27-Apr-24	SYSTEMIC	Rice	Stemborer, armyworm, leafhopper, caseworm, planthopper, cutworm	2-5.5-3 tps/36L water			
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CHLORPYRIFOS	AGRISOLUTIONS JEDI CHLORPYRIFOS 300 EC	300 g/L	EC	INSECTICIDE	2	459-101-3019	27-Apr-24	SYSTEMIC	Potato	Tubermoth, leafhopper, cutworm, aphids	2-5.5-3 tps/36L water			
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CHLORPYRIFOS	AGRISOLUTIONS JEDI CHLORPYRIFOS 300 EC	300 g/L	EC	INSECTICIDE	2	459-101-3019	27-Apr-24	SYSTEMIC	Corn	Armyworm, cornborer, earworm, seedling maggots	2-5.5-3 tps/36L water			
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CHLORPYRIFOS	AGRISOLUTIONS JEDI CHLORPYRIFOS 300 EC	300 g/L	EC	INSECTICIDE	2	459-101-3019	27-Apr-24	SYSTEMIC	Beans	Beanfly, leafroller, podborer, cutworm, armyworm	2-5.5-3 tps/36L water			
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CARBOFURAN	AGRISOLUTIONS GRANDE CARBOFURAN 30	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	459-104-3018	27-Apr-24		Banana	Nematodes, corn weevil and scarab weevil	26-30 kg/ha		Do not apply within thirty (30) days of harvest	Two (2) days
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CARBOFURAN	AGRISOLUTIONS GRANDE CARBOFURAN 30	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	459-104-3018	30-Jul-22		Sugarcane	Borer, leafhopper, mealy bug, scale insects, nematodes white grubs, cutworm and flies			Do not apply within thirty (30) days of harvest	Two (2) days
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CARBOFURAN	AGRISOLUTIONS GRANDE CARBOFURAN 30	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	459-104-3017	27-Apr-24		Corn	Borer, earworms, grubs, seedling maggot	16-7-33.3 kg prod/ha		Do not apply within thirty (30) days of harvest	Two (2) days
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CARBOFURAN	AGRISOLUTIONS GRANDE CARBOFURAN 30	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	459-104-3017	27-Apr-24		Eggplant	Fruitborer	16-7-33.3 kg prod/ha		Do not apply within thirty (30) days of harvest	Two (2) days
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CARBOFURAN	AGRISOLUTIONS GRANDE CARBOFURAN 30	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	459-104-3017	27-Apr-24		Nice	Stem borer, whorl maggot, leafhopper, leafroller, caseworm, planthopper	16-7-33.3 kg prod/ha		Do not apply within thirty (30) days of harvest	Two (2) days
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CARBOFURAN	AGRISOLUTIONS GRANDE CARBOFURAN 30	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	459-104-3017	27-Apr-24		Sugarcane	Borer, leafhopper, mealy bug, nematodes, scale insects	16.4-66.8 kg prod/ha		Do not apply within thirty (30) days of harvest	Two (2) days
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CARBOFURAN	AGRISOLUTIONS GRANDE CARBOFURAN 30	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	459-104-3017	27-Apr-24		Tobacco	Nematode, budworm	16-7-33.3 kg prod/ha		Do not apply within thirty (30) days of harvest	Two (2) days

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	CARBOFURAN	AGRSOLUTIONS GRANDE CARBOFURAN 30	30 g/kg	G	INSECTICIDE/ NEMATOCIDE	2	409-024-3017	27-Apr-24	-	legumes	Beanyfly nematodes	16.7-33.4kg prod/ha	-	Do not apply within thirty (30) days of harvest	Two (2) days
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	DIURON	AGRSOLUTIONS EL NIÑO DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	459-021-2865	25-Jan-25	SYSTEMIC	Citrus	Annual and Perennial broadleaves and grasses	11.0-15.0Tbsp/16 L water	-	-	A day after application
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	DIURON	AGRSOLUTIONS EL NIÑO DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	459-021-2865	25-Jan-25	SYSTEMIC	Coffee	Annual and Perennial broadleaves and grasses	11.0-15.0Tbsp/16 L water	-	-	A day after application
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	DIURON	AGRSOLUTIONS EL NIÑO DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	459-021-2865	25-Jan-25	SYSTEMIC	Cotton	Annual and Perennial broadleaves and grasses	6.0Tbsp/16 L water	-	-	A day after application
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	DIURON	AGRSOLUTIONS EL NIÑO DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	459-021-2865	25-Jan-25	SYSTEMIC	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0Tbsp/16 L water	-	-	A day after application
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	DIURON	AGRSOLUTIONS EL NIÑO DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	459-021-2865	25-Jan-25	SYSTEMIC	Pineapple	Annual and Perennial broadleaves and grasses	11.0Tbsp/16 L water	-	-	A day after application
ADVANCED AGRISOLUTIONS PHILIPPINES CORPORATION	DIURON	AGRSOLUTIONS EL NIÑO DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	459-021-2865	25-Jan-25	SYSTEMIC	Non-crop land	Annual and Perennial broadleaves and grasses	20-28.0Tbsp/16 L water	-	-	A day after application
BAYER CROSCIENCE, INC.	POLY(VINYLENE SORBITAN FATTY ACID)-POLY(VINYLENE DODECYL ETHER	AGRISOL A-150K	285+475 mL/L	LC	OTHERS	4	384-348-1142	22-Dec-26	-	-	surfactant on Nominee 100 SC	10- 30 mL/16 L water; 10- 20 spray loads	-	-	-
TAIPAN BRAND FARM INC.	POLY(VINYLENE SORBITAN FATTY ACID)-POLY(VINYLENE DODECYL ETHER	AGRISOL A-150K	285mL/L+475mL/L	-	OTHERS	4	529-348-6105	23-Dec-26	-	-	As surfactant on NONGMEE 100 SC	-	-	-	-
SINOCHIM CROP PROTECTION (PHILS.) INC.	ALCOHOL C13 (ω)-ETHOXYLATED	AGRIPAK	900g/L	-	OTHERS	4	432-460-5427	13-Aug-24	-	-	As surfactant for B8IG 300 SC	25-30 ml/16 L water	-	-	As soon as spray have deposits dried up
SYNGENTA PHILIPPINES INC.	ALCOHOL C13 (ω)-ETHOXYLATED	AGRIPAK	900g/L	-	OTHERS	4	432-440-5427	13-Aug-24	-	-	As surfactant for B8IG 300 SC	25-30 ml/16 L water	-	-	As soon as spray have deposits dried up
SYNGENTA PHILIPPINES INC.	ABAMECTIN	AGRIMEX 1.8 EC	18 g/L	EC	INSECTICIDE	2	011-234-0791	20-Oct-24	-	Banana	Blossom thrips	0.5/ L water	-	-	Re-enter treated area only after spray deposits have dried
SYNGENTA PHILIPPINES INC.	ABAMECTIN	AGRIMEX 1.8 EC	18 g/L	EC	INSECTICIDE	2	011-234-0791	20-Oct-24	-	Cabbage	Diamond back moth	1000 mL prod/ha	-	7 days	Re-enter treated area only after spray deposits have dried
SYNGENTA PHILIPPINES INC.	ABAMECTIN	AGRIMEX 1.8 EC	18 g/L	EC	INSECTICIDE	2	011-234-0791	20-Oct-24	-	Ornamentals	Mites	1.0-1.5Tbsp/16 L of water	-	-	Re-enter treated area only after spray deposits have dried
SYNGENTA PHILIPPINES INC.	ABAMECTIN	AGRIMEX 1.8 EC	18 g/L	EC	INSECTICIDE	2	011-234-0791	20-Oct-24	-	Pineapple	Mites	1000-4000mL prod/ha	-	-	Re-enter treated area only after spray deposits have dried
SYNGENTA PHILIPPINES INC.	ABAMECTIN	AGRIMEX 1.8 EC	18 g/L	EC	INSECTICIDE	2	011-234-0791	20-Oct-24	-	Eggplant	Thrips, leafhopper, fruit and shoot borer	2.0-5.0 Tbsp/16 L of water	-	3 days	Re-enter treated area only after spray deposits have dried
SYNGENTA PHILIPPINES INC.	ABAMECTIN	AGRIMEX 1.8 EC	18 g/L	EC	INSECTICIDE	2	011-234-0791	20-Oct-24	-	Onion	leafminer, thrips	2.0-3.0 Tbsp/16 L of water	-	3 days	Re-enter treated area only after spray deposits have dried
SYNGENTA PHILIPPINES INC.	ABAMECTIN	AGRIMEX 1.8 EC	18 g/L	EC	INSECTICIDE	2	011-234-0791	20-Oct-24	-	Potato	leafminer, thrips	2.0-3.0 Tbsp/16 L of water	-	14 days	Re-enter treated area only after spray deposits have dried
SYNGENTA PHILIPPINES INC.	ABAMECTIN	AGRIMEX 1.8 EC	18 g/L	EC	INSECTICIDE	2	011-234-0791	20-Oct-24	-	Tomato	leafminer, thrips, aphids	2.0-3.0 Tbsp/16 L of water	-	3 days	Re-enter treated area only after spray deposits have dried
SYNGENTA PHILIPPINES INC.	ABAMECTIN	AGRIMEX 1.8 EC	18 g/L	EC	INSECTICIDE	2	011-234-0791	20-Oct-24	-	Watermelon	leafminer, thrips, melonworm	2.0-3.0 Tbsp/16 L of water	-	1 days	Re-enter treated area only after spray deposits have dried
SYNGENTA PHILIPPINES INC.	ABAMECTIN	AGRIMEX 1.8 EC	18 g/L	EC	INSECTICIDE	2	011-234-0791	20-Oct-24	-	Papaya	Mites	0.5-1.0 Tbsp/16 L of water	-	14 days	Re-enter treated area only after spray deposits have dried
SYNGENTA PHILIPPINES INC.	ABAMECTIN	AGRIMEX 1.8 EC	18 g/L	EC	INSECTICIDE	2	011-234-0791	20-Oct-24	-	Strawberry	Mites	2.0-4.0 Tbsp/16 L of water	-	3 days	Re-enter treated area only after spray deposits have dried
SYNGENTA PHILIPPINES INC.	ABAMECTIN	AGRIMEX 1.8 EC	18 g/L	EC	INSECTICIDE	2	011-234-0791	13-Nov-22	-	Mango	Cecid fly	250-500mL/200L water	0.04 mg/Kg	-	Re-enter treated area only after spray deposits have dried
HQ AGRICARE TRADING, INC.	ABAMECTIN	AGRIMAX 1.8 EC	18 g/L	EC	INSECTICIDE	2	505-234-3424	15-Jun-24	-	Banana	Blossom thrips	0.5/ L water	-	-	Re enter the field as soon as spray dries
HQ AGRICARE TRADING, INC.	ABAMECTIN	AGRIMAX 1.8 EC	18 g/L	EC	INSECTICIDE	2	505-234-3424	15-Jun-24	-	Cabbage	Diamond back moth	1000 mL prod/ha	-	-	Re enter the field as soon as spray dries
HQ AGRICARE TRADING, INC.	ABAMECTIN	AGRIMAX 1.8 EC	18 g/L	EC	INSECTICIDE	2	505-234-3424	15-Jun-24	-	Ornamentals	Mites	1.0-1.5Tbsp/16 L of water	-	-	Re enter the field as soon as spray dries
HQ AGRICARE TRADING, INC.	ABAMECTIN	AGRIMAX 1.8 EC	18 g/L	EC	INSECTICIDE	2	505-234-3424	15-Jun-24	-	Pineapple	Mites	1000-4000mL prod/ha	-	-	Re enter the field as soon as spray dries
HQ AGRICARE TRADING, INC.	ABAMECTIN	AGRIMAX 1.8 EC	18 g/L	EC	INSECTICIDE	2	505-234-3424	15-Jun-24	-	Eggplant	Thrips, leafhopper, fruit and shoot borer	2.0-5.0 Tbsp/16 L of water	-	-	Re enter the field as soon as spray dries
HQ AGRICARE TRADING, INC.	ABAMECTIN	AGRIMAX 1.8 EC	18 g/L	EC	INSECTICIDE	2	505-234-3424	15-Jun-24	-	Onion	leafminer, thrips	2.0-3.0 Tbsp/16 L of water	-	-	Re enter the field as soon as spray dries
HQ AGRICARE TRADING, INC.	ABAMECTIN	AGRIMAX 1.8 EC	18 g/L	EC	INSECTICIDE	2	505-234-3424	15-Jun-24	-	Potato	leafminer, thrips	2.0-3.0 Tbsp/16 L of water	-	-	Re enter the field as soon as spray dries
HQ AGRICARE TRADING, INC.	ABAMECTIN	AGRIMAX 1.8 EC	18 g/L	EC	INSECTICIDE	2	505-234-3424	15-Jun-24	-	Tomato	leafminer, thrips, aphids	2.0-3.0 Tbsp/16 L of water	-	-	Re enter the field as soon as spray dries
HQ AGRICARE TRADING, INC.	ABAMECTIN	AGRIMAX 1.8 EC	18 g/L	EC	INSECTICIDE	2	505-234-3424	15-Jun-24	-	Watermelon	leafminer, thrips, melonworm	2.0-3.0 Tbsp/16 L of water	-	-	Re enter the field as soon as spray dries
HQ AGRICARE TRADING, INC.	ABAMECTIN	AGRIMAX 1.8 EC	18 g/L	EC	INSECTICIDE	2	505-234-3424	15-Jun-24	-	Papaya	Mites	0.5-1.0 Tbsp/16 L of water	-	-	Re enter the field as soon as spray dries
HQ AGRICARE TRADING, INC.	ABAMECTIN	AGRIMAX 1.8 EC	18 g/L	EC	INSECTICIDE	2	505-234-3424	15-Jun-24	-	Strawberry	Mites	2.0-4.0 Tbsp/16 L of water	-	-	Re enter the field as soon as spray dries
SINOCHIM CROP PROTECTION (PHILS.) INC.	POLY(VINYLENE SORBITAN FATTY ACID)-POLY(VINYLENE DODECYL ETHER	AGRISAP A-150K	285+475 mL/L	LC	OTHERS	4	412-348-8326	09-Sep-24	-	-	Surfactant on Blug SC 100	10-30 mL/16 L water; 10-20 mL/16 L water; spray loads 15-15-20 mL/16 L water	-	-	-
TOP AGRO PRODUCTS COMPANY	LAMBDA-CHYALOTHIRIN+THIAMETHOXAM	AGRIRA 247 ZC	100g/L+141g/L	ZC	INSECTICIDE	2	210-395-5873	18-Feb-25	CONTACT	Potato	Whiteflies, aphids, thrips	100-200 mL/ha	-	7 days	Do not enter treated fields at least 1 day after application.
TOP AGRO PRODUCTS COMPANY	LAMBDA-CHYALOTHIRIN+THIAMETHOXAM	AGRIRA 247 ZC	100g/L+141g/L	ZC	INSECTICIDE	2	210-395-5873	18-Feb-25	CONTACT	Stringbeans	Green leafhopper, aphids, mites	100-200 mL/ha	-	7 days	Do not enter treated fields at least 1 day after application.
TOP AGRO PRODUCTS COMPANY	LAMBDA-CHYALOTHIRIN+THIAMETHOXAM	AGRIRA 247 ZC	100g/L+141g/L	ZC	INSECTICIDE	2	210-395-5873	18-Feb-25	CONTACT	Eggplant	Whiteflies, green leafhopper, aphids	100-200 mL/ha	-	7 days	Do not enter treated fields at least 1 day after application.
TOP AGRO PRODUCTS COMPANY	LAMBDA-CHYALOTHIRIN+THIAMETHOXAM	AGRIRA 247 ZC	100g/L+141g/L	ZC	INSECTICIDE	2	210-395-5873	18-Feb-25	CONTACT	Bittergourd	Leafhoppers, thrips, aphids, fruit fly, cutworm	100-400 mL/ha	-	7 days	Do not enter treated fields at least 1 day after application.
TOP AGRO PRODUCTS COMPANY	LAMBDA-CHYALOTHIRIN+THIAMETHOXAM	AGRIRA 247 ZC	100g/L+141g/L	ZC	INSECTICIDE	2	210-395-5873	18-Feb-25	CONTACT	Mango	Leafhoppers, tip borers, capsid bug, fruitfly, cecid fly	20-30mL/300L	-	3 days	Do not enter treated fields at least 1 day after application.
TOP AGRO PRODUCTS COMPANY	LAMBDA-CHYALOTHIRIN+THIAMETHOXAM	AGRIRA 247 ZC	100g/L+141g/L	ZC	INSECTICIDE	2	210-395-5873	18-Feb-25	CONTACT	Corn	Asiatic corn borer, cutworm, leafhoppers, aphids, earworm	200-400 mL/ha	-	3 days	Do not enter treated fields at least 1 day after application.
TOP AGRO PRODUCTS COMPANY	LAMBDA-CHYALOTHIRIN+THIAMETHOXAM	AGRIRA 247 ZC	100g/L+141g/L	ZC	INSECTICIDE	2	210-395-5873	18-Feb-25	CONTACT	Banana	Flower thrips	1-3 mL/L	-	90 days	Do not enter treated fields at least 1 day after application.
TOP AGRO PRODUCTS COMPANY	LAMBDA-CHYALOTHIRIN+THIAMETHOXAM	AGRIRA 247 ZC	100g/L+141g/L	ZC	INSECTICIDE	2	210-395-5873	18-Feb-25	CONTACT	Rice	Stemborer/leafhopper, rice bugs	100-200 mL/ha	-	14 days	Do not enter treated fields at least 1 day after application.
AGWAY CHEMICALS CORPORATION	ABAMECTIN	AGRIGUARD 1.8 EC	18 g/L	EC	INSECTICIDE	2	075-234-2417	13-Sep-24	-	Banana	Blossom thrips	0.5/ L water	-	-	-
AGWAY CHEMICALS CORPORATION	ABAMECTIN	AGRIGUARD 1.8 EC	18 g/L	EC	INSECTICIDE	2	075-234-2417	13-Sep-24	-	Cabbage	Diamond back moth	1000 mL prod/ha	-	7 days	-
AGWAY CHEMICALS CORPORATION	ABAMECTIN	AGRIGUARD 1.8 EC	18 g/L	EC	INSECTICIDE	2	075-234-2417	13-Sep-24	-	Ornamentals	Mites	1.0-1.5Tbsp/16 L of water	-	-	-
AGWAY CHEMICALS CORPORATION	ABAMECTIN	AGRIGUARD 1.8 EC	18 g/L	EC	INSECTICIDE	2	075-234-2417	13-Sep-24	-	Pineapple	Mites	1000-4000mL prod/ha	-	-	-
AGWAY CHEMICALS CORPORATION	ABAMECTIN	AGRIGUARD 1.8 EC	18 g/L	EC	INSECTICIDE	2	075-234-2417	13-Sep-24	-	Eggplant	Thrips, Leafhopper, fruit and shoot borer	2.0-5.0 Tbsp/16 L of water	-	3 days	-
AGWAY CHEMICALS CORPORATION	ABAMECTIN	AGRIGUARD 1.8 EC	18 g/L	EC	INSECTICIDE	2	075-234-2417	13-Sep-24	-	Onion	leafminer, thrips	2.0-3.0 Tbsp/16 L of water	-	3 days	-
AGWAY CHEMICALS CORPORATION	ABAMECTIN	AGRIGUARD 1.8 EC	18 g/L	EC	INSECTICIDE	2	075-234-2417	13-Sep-24	-	Potato	leafminer, thrips	2.0-3.0 Tbsp/16 L of water	-	14 days	-
AGWAY CHEMICALS CORPORATION	ABAMECTIN	AGRIGUARD 1.8 EC	18 g/L	EC	INSECTICIDE	2	075-234-2417	13-Sep-24	-	Tomato	leafminer, thrips, aphids	2.0-3.0 Tbsp/16 L of water	-	3 days	-
AGWAY CHEMICALS CORPORATION	ABAMECTIN	AGRIGUARD 1.8 EC	18 g/L	EC	INSECTICIDE	2	075-234-2417	13-Sep-24	-	Watermelon	leafminer, thrips, melonworm	2.0-3.0 Tbsp/16 L of water	-	3 days	-
AGWAY CHEMICALS CORPORATION	ABAMECTIN	AGRIGUARD 1.8 EC	18 g/L	EC	INSECTICIDE	2	075-234-2417	13-Sep-24	-	Papaya	Mites	0.5-1.0 Tbsp/16 L of water	-	14 days	-
AGWAY CHEMICALS CORPORATION	ABAMECTIN	AGRIGUARD 1.8 EC	18 g/L	EC	INSECTICIDE	2	075-234-2417	13-Sep-24	-	Strawberry	Mites	2.0-4.0 Tbsp/16 L of water	-	3 days	-
ZAGRO CORPORATION	CHYALOFOP BUTYL	AGRIFOP 100 EC	100 g/L	EC	HERBICIDE	4	043-257-5593	28-Oct-24	-	Rice (Direct seeded)	Grasses	2L tankload/ha	-	-	-
ABRI TRADING CORPORATION	ABAMECTIN	AGRICURE 1.8 EC	18 g/L	EC	INSECTICIDE	2	073-234-5343	29-Jan-23	-	Banana	Blossom Thrips	0.5/ L water	-	-	Is allowed as soon as spray deposits had dried up

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
ABG TRADING CORPORATION	ABAMECTIN	AGRICURE 1.8 EC	18 g/L	EC	INSECTICIDE	2	673-234-5343	29-Jan-23		Cabbage	Diamond back moth	2.0 Tbsp/ 36 L water		7 days	Is allowed as soon as spray deposits had dried up
ABG TRADING CORPORATION	ABAMECTIN	AGRICURE 1.8 EC	18 g/L	EC	INSECTICIDE	2	673-234-5343	29-Jan-23		Ornamentals	Mites	0.5 L water	-	-	Is allowed as soon as spray deposits had dried up
ABG TRADING CORPORATION	ABAMECTIN	AGRICURE 1.8 EC	18 g/L	EC	INSECTICIDE	2	673-234-5343	29-Jan-23		Pineapple	Mites	1000-4000ml prod/ha		-	Is allowed as soon as spray deposits had dried up
ABG TRADING CORPORATION	ABAMECTIN	AGRICURE 1.8 EC	18 g/L	EC	INSECTICIDE	2	673-234-5343	29-Jan-23		Eggplant	Thrips, leafhopper, fruit and shoot borer	2.0-5.0 Tbsp/36 L of water		3 days	Is allowed as soon as spray deposits had dried up
ABG TRADING CORPORATION	ABAMECTIN	AGRICURE 1.8 EC	18 g/L	EC	INSECTICIDE	2	673-234-5343	29-Jan-23		Onion	Leafminer, thrips	2.0-3.0 Tbsp/36 L of water		3 days	Is allowed as soon as spray deposits had dried up
ABG TRADING CORPORATION	ABAMECTIN	AGRICURE 1.8 EC	18 g/L	EC	INSECTICIDE	2	673-234-5343	29-Jan-23		Potato	Leafminer, thrips	2.0-3.0 Tbsp/36 L of water		14 days	Is allowed as soon as spray deposits had dried up
ABG TRADING CORPORATION	ABAMECTIN	AGRICURE 1.8 EC	18 g/L	EC	INSECTICIDE	2	673-234-5343	29-Jan-23		Tomato	Leafminer, thrips, aphids	2.0-3.0 Tbsp/36 L of water		3 days	Is allowed as soon as spray deposits had dried up
ABG TRADING CORPORATION	ABAMECTIN	AGRICURE 1.8 EC	18 g/L	EC	INSECTICIDE	2	673-234-5343	29-Jan-23		Watermelon	Leafminer, thrips, melonworm	2.0-3.0 Tbsp/36 L of water		3 days	Is allowed as soon as spray deposits had dried up
ABG TRADING CORPORATION	ABAMECTIN	AGRICURE 1.8 EC	18 g/L	EC	INSECTICIDE	2	673-234-5343	29-Jan-23		Papaya	Mites	2.0-5.0 Tbsp/36 L of water		16 days	Is allowed as soon as spray deposits had dried up
ABG TRADING CORPORATION	ABAMECTIN	AGRICURE 1.8 EC	18 g/L	EC	INSECTICIDE	2	673-234-5343	29-Jan-23		Strawberry	Mites	2.0-4.0 Tbsp/36 L of water		3 days	Is allowed as soon as spray deposits had dried up
AGWAY CHEMICALS CORPORATION	CYMOXANIL-MANCOZEB	AGRICOTE PRO 50S WP	40+46g/kg	WP	FUNGICIDE	4	075-163-5270	06-Nov-26	CONTACT	Potato	Late Blight	50 (gram product)/36 L	-	-	Do not entry fields treated with AGRICOTE PRO 50S WP 24 hours after application
AGWAY CHEMICALS CORPORATION	CYMOXANIL-MANCOZEB	AGRICOTE PRO 50S WP	40+46g/kg	WP	FUNGICIDE	4	075-163-5270	04-Nov-26	CONTACT	Tomato	Late Blight	50 (gram product)/36 L	-	-	Do not entry fields treated with AGRICOTE PRO 50S WP 24 hours after application
AGWAY CHEMICALS CORPORATION	CYMOXANIL-MANCOZEB	AGRICOTE PRO 50S WP	40+46g/kg	WP	FUNGICIDE	4	075-163-5270	06-Nov-26	CONTACT	Grapes	Downy mildew	50 (gram product)/36 L	-	-	Do not entry fields treated with AGRICOTE PRO 50S WP 24 hours after application
AGWAY CHEMICALS CORPORATION	MANCOZEB	AGRICOTE M2 80 WP	800 g/kg	WP	FUNGICIDE	4	075-053-1367	08-Mar-25		Potato	Early and late blight	3-6 Tbsp/36 L water		-	As soon as spray dries
AGWAY CHEMICALS CORPORATION	MANCOZEB	AGRICOTE M2 80 WP	800 g/kg	WP	FUNGICIDE	4	075-053-1367	08-Mar-25		Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water		7 Days	As soon as spray dries
AGWAY CHEMICALS CORPORATION	MANCOZEB	AGRICOTE M2 80 WP	800 g/kg	WP	FUNGICIDE	4	075-053-1367	08-Mar-25		Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water		7 Days	As soon as spray dries
AGWAY CHEMICALS CORPORATION	MANCOZEB	AGRICOTE M2 80 WP	800 g/kg	WP	FUNGICIDE	4	075-053-1367	08-Mar-25		Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water		7 Days	As soon as spray dries
AGWAY CHEMICALS CORPORATION	MANCOZEB	AGRICOTE M2 80 WP	800 g/kg	WP	FUNGICIDE	4	075-053-1367	08-Mar-25		Celery	Late blight	3-6 Tbsp/36 L water		14 days	As soon as spray dries
AGWAY CHEMICALS CORPORATION	MANCOZEB	AGRICOTE M2 80 WP	800 g/kg	WP	FUNGICIDE	4	075-053-1367	08-Mar-25		Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water		5 days	As soon as spray dries
AGWAY CHEMICALS CORPORATION	MANCOZEB	AGRICOTE M2 80 WP	800 g/kg	WP	FUNGICIDE	4	075-053-1367	08-Mar-25		Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water		5 days	As soon as spray dries
AGWAY CHEMICALS CORPORATION	MANCOZEB	AGRICOTE M2 80 WP	800 g/kg	WP	FUNGICIDE	4	075-053-1367	08-Mar-25		Cotton	Damping off	3-6 Tbsp/36 L water		-	As soon as spray dries
AGWAY CHEMICALS CORPORATION	MANCOZEB	AGRICOTE M2 80 WP	800 g/kg	WP	FUNGICIDE	4	075-053-1367	08-Mar-25		Lettuce	Downy mildew	3-6 Tbsp/36 L water		7 Days	As soon as spray dries
AGWAY CHEMICALS CORPORATION	MANCOZEB	AGRICOTE M2 80 WP	800 g/kg	WP	FUNGICIDE	4	075-053-1367	08-Mar-25		Beans	Anthracoese, Downy mildew, Rust	3-6 Tbsp/36 L water		5 days	As soon as spray dries
AGWAY CHEMICALS CORPORATION	MANCOZEB	AGRICOTE M2 80 WP	800 g/kg	WP	FUNGICIDE	4	075-053-1367	08-Mar-25		Peas	Anthracoese, Downy mildew, Rust	3-6 Tbsp/36 L water		5 days	As soon as spray dries
AGWAY CHEMICALS CORPORATION	MANCOZEB	AGRICOTE M2 80 WP	800 g/kg	WP	FUNGICIDE	4	075-053-1367	08-Mar-25		Mungo	Anthracoese, Downy mildew, Rust	3-6 Tbsp/36 L water		5 days	As soon as spray dries
AGWAY CHEMICALS CORPORATION	MANCOZEB	AGRICOTE M2 80 WP	800 g/kg	WP	FUNGICIDE	4	075-053-1367	08-Mar-25		Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/36 L water		5 days	As soon as spray dries
AGWAY CHEMICALS CORPORATION	MANCOZEB	AGRICOTE M2 80 WP	800 g/kg	WP	FUNGICIDE	4	075-053-1367	08-Mar-25		Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36 L water		7 Days	As soon as spray dries
AGWAY CHEMICALS CORPORATION	MANCOZEB	AGRICOTE M2 80 WP	800 g/kg	WP	FUNGICIDE	4	075-053-1367	08-Mar-25		Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36 L water		7 Days	As soon as spray dries
AGWAY CHEMICALS CORPORATION	MANCOZEB	AGRICOTE M2 80 WP	800 g/kg	WP	FUNGICIDE	4	075-053-1367	08-Mar-25		Pepper	Anthracoese	3-6 Tbsp/36 L water		7 Days	As soon as spray dries
AGWAY CHEMICALS CORPORATION	MANCOZEB	AGRICOTE M2 80 WP	800 g/kg	WP	FUNGICIDE	4	075-053-1367	08-Mar-25		Chili	Anthracoese	3-6 Tbsp/36 L water		7 Days	As soon as spray dries
AGWAY CHEMICALS CORPORATION	MANCOZEB	AGRICOTE M2 80 WP	800 g/kg	WP	FUNGICIDE	4	075-053-1367	08-Mar-25		Eggplant	Blight, Anthracnose	3-6 Tbsp/36 L water		7 Days	As soon as spray dries
AGWAY CHEMICALS CORPORATION	MANCOZEB	AGRICOTE M2 80 WP	800 g/kg	WP	FUNGICIDE	4	075-053-1367	08-Mar-25		Banana	Sigatoka, Black leaf streak	3-6 Tbsp/36 L water		-	As soon as spray dries
AGWAY CHEMICALS CORPORATION	MANCOZEB	AGRICOTE M2 80 WP	800 g/kg	WP	FUNGICIDE	4	075-053-1367	08-Mar-25		Grapes	Downy mildew, black rot	3-6 Tbsp/36 L water		60 days	As soon as spray dries
AGWAY CHEMICALS CORPORATION	MANCOZEB	AGRICOTE M2 80 WP	800 g/kg	WP	FUNGICIDE	4	075-053-1367	08-Mar-25		Mango	Anthracoese and Scab	3-6 Tbsp/36 L water		5 days	As soon as spray dries
AGWAY CHEMICALS CORPORATION	MANCOZEB	AGRICOTE M2 80 WP	800 g/kg	WP	FUNGICIDE	4	075-053-1367	08-Mar-25		Papaya	Fruit rot	3-6 Tbsp/36 L water		-	As soon as spray dries
AGWAY CHEMICALS CORPORATION	MANCOZEB	AGRICOTE M2 80 WP	800 g/kg	WP	FUNGICIDE	4	075-053-1367	08-Mar-25		Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water		5 days	As soon as spray dries
AGWAY CHEMICALS CORPORATION	MANCOZEB	AGRICOTE M2 80 WP	800 g/kg	WP	FUNGICIDE	4	075-053-1367	08-Mar-25		Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water		5 days	As soon as spray dries
AGWAY CHEMICALS CORPORATION	MANCOZEB	AGRICOTE M2 80 WP	800 g/kg	WP	FUNGICIDE	4	075-053-1367	08-Mar-25		Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/36 L water		7 Days	As soon as spray dries
AGWAY CHEMICALS CORPORATION	MANCOZEB	AGRICOTE M2 80 WP	800 g/kg	WP	FUNGICIDE	4	075-053-1367	08-Mar-25		Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/36 L water	0.02ppm	-	As soon as spray dries
AGWAY CHEMICALS CORPORATION	MANCOZEB	AGRICOTE M2 80 WP	800 g/kg	WP	FUNGICIDE	4	075-053-1367	08-Mar-25		Peanut	Cercospora leaf spot	3-6 Tbsp/36 L water		14 Days	As soon as spray dries
AGWAY CHEMICALS CORPORATION	MANCOZEB	AGRICOTE M2 80 WP	800 g/kg	WP	FUNGICIDE	4	075-053-1367	08-Mar-25		Soybeans	Leaf rust	3-6 Tbsp/36 L water		-	As soon as spray dries
AGWAY CHEMICALS CORPORATION	MANCOZEB	AGRICOTE M2 80 WP	800 g/kg	WP	FUNGICIDE	4	075-053-1367	08-Mar-25		Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/36 L water		-	As soon as spray dries
AGWAY CHEMICALS CORPORATION	MANCOZEB	AGRICOTE 75 WG	750 g/kg	WG	FUNGICIDE	4	075-053-5362	23-Feb-24		Tomato	Early and late blight				
AGWAY CHEMICALS CORPORATION	MANCOZEB	AGRICOTE 75 WG	750 g/kg	WG	FUNGICIDE	4	075-053-5362	23-Feb-24		Banana	Sigatoka				
AGWAY CHEMICALS CORPORATION	MANCOZEB	AGRICOTE 75 WG	750 g/kg	WG	FUNGICIDE	4	075-053-5362	23-Feb-24		Potato	Early and Late Blight				
AGWAY CHEMICALS CORPORATION	MANCOZEB	AGRICOTE 75 WG	750 g/kg	WG	FUNGICIDE	4	075-053-5362	23-Feb-24		Cabbage	Downy mildew, Alternaria leaf spot				
AGWAY CHEMICALS CORPORATION	MANCOZEB	AGRICOTE 75 WG	750 g/kg	WG	FUNGICIDE	4	075-053-5362	23-Feb-24		Cauliflower	Downy mildew, Alternaria leaf spot				
AGWAY CHEMICALS CORPORATION	MANCOZEB	AGRICOTE 75 WG	750 g/kg	WG	FUNGICIDE	4	075-053-5362	23-Feb-24		broccoli	Downy mildew, Alternaria leaf spot				
AGWAY CHEMICALS CORPORATION	MANCOZEB	AGRICOTE 75 WG	750 g/kg	WG	FUNGICIDE	4	075-053-5362	23-Feb-24		Celery	Late Blight				
AGWAY CHEMICALS CORPORATION	MANCOZEB	AGRICOTE 75 WG	750 g/kg	WG	FUNGICIDE	4	075-053-5362	23-Feb-24		Cucumber	Downy Mildew, Anthracnose, Scab				
AGWAY CHEMICALS CORPORATION	MANCOZEB	AGRICOTE 75 WG	750 g/kg	WG	FUNGICIDE	4	075-053-5362	23-Feb-24		Squash	Downy Mildew, Anthracnose, Scab				
AGWAY CHEMICALS CORPORATION	MANCOZEB	AGRICOTE 75 WG	750 g/kg	WG	FUNGICIDE	4	075-053-5362	23-Feb-24		Cotton	Damping off				
AGWAY CHEMICALS CORPORATION	MANCOZEB	AGRICOTE 75 WG	750 g/kg	WG	FUNGICIDE	4	075-053-5362	23-Feb-24		Lettuce	Downy Mildew				
AGWAY CHEMICALS CORPORATION	MANCOZEB	AGRICOTE 75 WG	750 g/kg	WG	FUNGICIDE	4	075-053-5362	23-Feb-24		beans	Anthracoese, Downy Mildew, Rust				
AGWAY CHEMICALS CORPORATION	MANCOZEB	AGRICOTE 75 WG	750 g/kg	WG	FUNGICIDE	4	075-053-5362	23-Feb-24		Peas	Anthracoese, Downy Mildew, Rust				
AGWAY CHEMICALS CORPORATION	MANCOZEB	AGRICOTE 75 WG	750 g/kg	WG	FUNGICIDE	4	075-053-5362	23-Feb-24		Mungo	Anthracoese, Downy Mildew, Rust				

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)		PHI	RE-ENTRY PERIOD
AGWAY CHEMICALS CORPORATION	MANCOZEB	AGRICOTE 75 WG	750 g/kg	WG	FUNGICIDE	4	075-053-5362	23-Feb-24	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	-	-	-	-	-
AGWAY CHEMICALS CORPORATION	MANCOZEB	AGRICOTE 75 WG	750 g/kg	WG	FUNGICIDE	4	075-053-5362	23-Feb-24	-	Onion	Purple blotch, Downy mildew, Botrytis leaf blight	-	-	-	-	-
AGWAY CHEMICALS CORPORATION	MANCOZEB	AGRICOTE 75 WG	750 g/kg	WG	FUNGICIDE	4	075-053-5362	23-Feb-24	-	Garlic	Purple blotch, Downy mildew, Botrytis leaf blight	-	-	-	-	-
AGWAY CHEMICALS CORPORATION	MANCOZEB	AGRICOTE 75 WG	750 g/kg	WG	FUNGICIDE	4	075-053-5362	23-Feb-24	-	Pepper	Anthracoese	-	-	-	-	-
AGWAY CHEMICALS CORPORATION	MANCOZEB	AGRICOTE 75 WG	750 g/kg	WG	FUNGICIDE	4	075-053-5362	23-Feb-24	-	Eggplant	Blight, Anthracnose	-	-	-	-	-
AGWAY CHEMICALS CORPORATION	MANCOZEB	AGRICOTE 75 WG	750 g/kg	WG	FUNGICIDE	4	075-053-5362	23-Feb-24	-	Banana	Sigatoka, Black leaf streak	-	-	-	-	-
AGWAY CHEMICALS CORPORATION	MANCOZEB	AGRICOTE 75 WG	750 g/kg	WG	FUNGICIDE	4	075-053-5362	23-Feb-24	-	Grapes	Downy Mildew, Black rot	-	-	-	-	-
AGWAY CHEMICALS CORPORATION	MANCOZEB	AGRICOTE 75 WG	750 g/kg	WG	FUNGICIDE	4	075-053-5362	23-Feb-24	-	Mango	Anthracoese, and scab	-	-	-	-	-
AGWAY CHEMICALS CORPORATION	MANCOZEB	AGRICOTE 75 WG	750 g/kg	WG	FUNGICIDE	4	075-053-5362	23-Feb-24	-	Papaya	Fruit rot	-	-	-	-	-
AGWAY CHEMICALS CORPORATION	MANCOZEB	AGRICOTE 75 WG	750 g/kg	WG	FUNGICIDE	4	075-053-5362	23-Feb-24	-	Melon	Downy mildew, Anthracnose, Scab	-	-	-	-	-
AGWAY CHEMICALS CORPORATION	MANCOZEB	AGRICOTE 75 WG	750 g/kg	WG	FUNGICIDE	4	075-053-5362	23-Feb-24	-	Watermelon	Downy mildew, Anthracnose, Scab	-	-	-	-	-
AGWAY CHEMICALS CORPORATION	MANCOZEB	AGRICOTE 75 WG	750 g/kg	WG	FUNGICIDE	4	075-053-5362	23-Feb-24	-	Corn (sweet and popcorn)	Helminthosporium leaf spot	-	-	-	-	-
AGWAY CHEMICALS CORPORATION	MANCOZEB	AGRICOTE 75 WG	750 g/kg	WG	FUNGICIDE	4	075-053-5362	23-Feb-24	-	Rice	Blast, Sheath blight, Cercospora leaf spot, Helminthosporium leaf spot	-	-	-	-	-
AGWAY CHEMICALS CORPORATION	MANCOZEB	AGRICOTE 75 WG	750 g/kg	WG	FUNGICIDE	4	075-053-5362	23-Feb-24	-	Peanut	Cercospora leaf spot	-	-	-	-	-
AGWAY CHEMICALS CORPORATION	MANCOZEB	AGRICOTE 75 WG	750 g/kg	WG	FUNGICIDE	4	075-053-5362	23-Feb-24	-	Soybeans	Leaf rust	-	-	-	-	-
AGWAY CHEMICALS CORPORATION	MANCOZEB	AGRICOTE 75 WG	750 g/kg	WG	FUNGICIDE	4	075-053-5362	23-Feb-24	-	Ornamentals	Black spot, Blight, Anthracnose	-	-	-	-	-
G CHEMTRADING CORPORATION	CHLORPYRIFOS	AGRICHLOR 40 EC	400 g/L	EC	INSECTICIDE	2	703-103-5584	09-Jun-24	-	Banana	Thrips,scarring beetle & aphids	20-30 ml per 16L water	-	-	-	-
G CHEMTRADING CORPORATION	CHLORPYRIFOS	AGRICHLOR 40 EC	400 g/L	EC	INSECTICIDE	2	703-103-5584	09-Jun-24	-	Sugarcane	whitegrubs	80-100 ml per 16L water	-	-	-	-
G CHEMTRADING CORPORATION	CHLORPYRIFOS	AGRICHLOR 40 EC	400 g/L	EC	INSECTICIDE	2	703-103-5584	09-Jun-24	-	Pineapple	Ants & Mealybugs	3-4 l per hectare; 8L/ha (pre-plant)	-	-	-	-
AGWAY CHEMICALS CORPORATION	COPPER OXYCHLORIDE	AGRIBLUE 58 WP	580 g/kg	WP	FUNGICIDE	4	075-007-2422	07-Apr-26	-	Rice	Rice blast, helminthosporium, cercospora leaf spot	5-6 tbsp/16L water	-	-	24 hours after the last spray	24 hours after the last spray
AGWAY CHEMICALS CORPORATION	COPPER OXYCHLORIDE	AGRIBLUE 58 WP	580 g/kg	WP	FUNGICIDE	4	075-007-2422	07-Apr-26	-	Coffee	Brown eye spot, rust, anthracnose, pink disease	5-5-8 tbsp/16L water	-	-	24 hours after the last spray	24 hours after the last spray
AGWAY CHEMICALS CORPORATION	COPPER OXYCHLORIDE	AGRIBLUE 58 WP	580 g/kg	WP	FUNGICIDE	4	075-007-2422	07-Apr-26	-	Cacao	Pod rot, brown bark rot, black pod	5-5-8 tbsp/16L water	-	-	24 hours after the last spray	24 hours after the last spray
AGWAY CHEMICALS CORPORATION	COPPER OXYCHLORIDE	AGRIBLUE 58 WP	580 g/kg	WP	FUNGICIDE	4	075-007-2422	07-Apr-26	-	Mango	Anthracoese, sooty mold	5-5-8 tbsp/16L water	-	-	24 hours after the last spray	24 hours after the last spray
AGWAY CHEMICALS CORPORATION	COPPER OXYCHLORIDE	AGRIBLUE 58 WP	580 g/kg	WP	FUNGICIDE	4	075-007-2422	07-Apr-26	-	Tomato	Early blight, late blight, fruit rot, septoria leaf spot	5-5-8 tbsp/16L water	-	-	24 hours after the last spray	24 hours after the last spray
AGWAY CHEMICALS CORPORATION	COPPER OXYCHLORIDE	AGRIBLUE 58 WP	580 g/kg	WP	FUNGICIDE	4	075-007-2422	07-Apr-26	-	Tobacco	Blue mold fusarium, alternaria leafspot, froggye disease	5-5-8 tbsp/16L water	-	-	24 hours after the last spray	24 hours after the last spray
AGWAY CHEMICALS CORPORATION	COPPER OXYCHLORIDE	AGRIBLUE 58 WP	580 g/kg	WP	FUNGICIDE	4	075-007-2422	07-Apr-26	-	Citrus	Black spot, anthracnose, scab, rust, fruit rot	5-5-8 tbsp/16L water	-	-	24 hours after the last spray	24 hours after the last spray
AGWAY CHEMICALS CORPORATION	COPPER OXYCHLORIDE	AGRIBLUE 58 WP	580 g/kg	WP	FUNGICIDE	4	075-007-2422	07-Apr-26	-	Banana	Sigatoka	5-5-8 tbsp/16L water	-	-	24 hours after the last spray	24 hours after the last spray
AGWAY CHEMICALS CORPORATION	COPPER OXYCHLORIDE	AGRIBLUE 58 WP	580 g/kg	WP	FUNGICIDE	4	075-007-2422	07-Apr-26	-	Pepper	Anthracoese, mildews, blight, fruit rot	5-5-8 tbsp/16L water	-	-	24 hours after the last spray	24 hours after the last spray
AGWAY CHEMICALS CORPORATION	COPPER OXYCHLORIDE	AGRIBLUE 58 WP	580 g/kg	WP	FUNGICIDE	4	075-007-2422	07-Apr-26	-	Potato	Early blight, late blight	5-5-8 tbsp/16L water	-	-	24 hours after the last spray	24 hours after the last spray
AGWAY CHEMICALS CORPORATION	COPPER OXYCHLORIDE	AGRIBLUE 58 WP	580 g/kg	WP	FUNGICIDE	4	075-007-2422	07-Apr-26	-	Watermelon	Anthracoese, mildews, alternaria, fruit rot	5-5-8 tbsp/16L water	-	-	24 hours after the last spray	24 hours after the last spray
AGWAY CHEMICALS CORPORATION	COPPER OXYCHLORIDE	AGRIBLUE 58 WP	580 g/kg	WP	FUNGICIDE	4	075-007-2422	07-Apr-26	-	Celery	Mildews, early blight, late blight	5-5-8 tbsp/16L water	-	-	24 hours after the last spray	24 hours after the last spray
AGWAY CHEMICALS CORPORATION	COPPER OXYCHLORIDE	AGRIBLUE 58 WP	580 g/kg	WP	FUNGICIDE	4	075-007-2422	07-Apr-26	-	Crucifers	Mildews, cercospora alternaria	5-5-8 tbsp/16L water	-	-	24 hours after the last spray	24 hours after the last spray
AGWAY CHEMICALS CORPORATION	COPPER OXYCHLORIDE	AGRIBLUE 58 WP	580 g/kg	WP	FUNGICIDE	4	075-007-2422	07-Apr-26	-	Carrot	Alternaria, cercospora	5-5-8 tbsp/16L water	-	-	24 hours after the last spray	24 hours after the last spray
AGWAY CHEMICALS CORPORATION	COPPER OXYCHLORIDE	AGRIBLUE 58 WP	580 g/kg	WP	FUNGICIDE	4	075-007-2422	07-Apr-26	-	Melon	Mildew, cercospora, alternaria, anthracnose	5-5-8 tbsp/16L water	-	-	24 hours after the last spray	24 hours after the last spray
AGRIBASE CHEMICALS, INC.	2,4-D IBE	AGRIBASE 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	457-049-2520	08-Jan-24	-	Rice (Transplanted)	Annual Broadleaves & sedges	5.0-6.50tbsp/16L water	0.1 ppm	-	Do not spray within two days before harvest	Entry to fields and crops treated with AGRIBASE 2,4-D ESTER can be done one day after spraying
AGRIBASE CHEMICALS, INC.	2,4-D IBE	AGRIBASE 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	457-049-2520	08-Jan-24	-	Corn	Annual Broadleaves & sedges	5.0-6.50tbsp/16 L water	-	-	Do not spray within two days before harvest	Entry to fields and crops treated with AGRIBASE 2,4-D ESTER can be done one day after spraying
AGRIBASE CHEMICALS, INC.	2,4-D IBE	AGRIBASE 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	457-049-2520	08-Jan-24	-	Sugarcane	Annual Broadleaves & sedges	5.0-6.50tbsp/16L water	-	-	Do not spray within two days before harvest	Entry to fields and crops treated with AGRIBASE 2,4-D ESTER can be done one day after spraying
AGRESOURCE CORPORATION	GLYPHOSATE IPA	AGRESOURCE GLYPHOSATE 48 SL	480 g/L	SL	HERBICIDE	4	497-153-3311	11-Aug-17	-	Glyphosate tolerant corn	Annual & perennial grasses, broadleaf weeds & sedges	2.0-4.0 Liters/ha	-	-	-	-
AGRESOURCE CORPORATION	GLYPHOSATE IPA	AGRESOURCE GLYPHOSATE 48 SL	480 g/L	SL	HERBICIDE	4	497-153-3311	11-Aug-17	-	Mango	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-	-
AGRESOURCE CORPORATION	GLYPHOSATE IPA	AGRESOURCE GLYPHOSATE 48 SL	480 g/L	SL	HERBICIDE	4	497-153-3311	11-Aug-17	-	Banana	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-	-
AGRESOURCE CORPORATION	GLYPHOSATE IPA	AGRESOURCE GLYPHOSATE 48 SL	480 g/L	SL	HERBICIDE	4	497-153-3311	11-Aug-17	-	Coffee	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-	-
AGRESOURCE CORPORATION	GLYPHOSATE IPA	AGRESOURCE GLYPHOSATE 48 SL	480 g/L	SL	HERBICIDE	4	497-153-3311	11-Aug-17	-	Cacao	Annual & perennial grasses, broadleaf weeds & sedges	3.0-4.5 Liters/ha	-	-	-	-
AGRESOURCE CORPORATION	GLYPHOSATE IPA	AGRESOURCE GLYPHOSATE 48 SL	480 g/L	SL	HERBICIDE	4	497-153-3311	11-Aug-17	-	Rubber	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-	-
AGRESOURCE CORPORATION	GLYPHOSATE IPA	AGRESOURCE GLYPHOSATE 48 SL	480 g/L	SL	HERBICIDE	4	497-153-3311	11-Aug-17	-	Oil palm	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-	-
AGRESOURCE CORPORATION	GLYPHOSATE IPA	AGRESOURCE GLYPHOSATE 48 SL	480 g/L	SL	HERBICIDE	4	497-153-3311	11-Aug-17	-	Citrus	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-	-
AGRESOURCE CORPORATION	GLYPHOSATE IPA	AGRESOURCE GLYPHOSATE 48 SL	480 g/L	SL	HERBICIDE	4	497-153-3311	11-Aug-17	-	Coconut	Annual & perennial grasses, broadleaf weeds & sedges	4.5 Liters/ha	-	-	-	-
AGRESOURCE CORPORATION	GLYPHOSATE IPA	AGRESOURCE GLYPHOSATE 48 SL	480 g/L	SL	HERBICIDE	4	497-153-3311	11-Aug-17	-	Sugarcane	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-	-
AGRESOURCE CORPORATION	GLYPHOSATE IPA	AGRESOURCE GLYPHOSATE 48 SL	480 g/L	SL	HERBICIDE	4	497-153-3311	11-Aug-17	-	Vegetables	Annual & perennial grasses, broadleaf weeds & sedges	2.0 Liters/ha	-	-	-	-
AGRESOURCE CORPORATION	GLYPHOSATE IPA	AGRESOURCE GLYPHOSATE 48 SL	480 g/L	SL	HERBICIDE	4	497-153-3311	11-Aug-17	-	non-crop	Annual & perennial grasses, broadleaf weeds & sedges	-	-	-	-	-
AGRESOURCE CORPORATION	BENZALKONIUM CHLORIDE	AGRESOURCE BENZALKONIUM CHLORIDE 400 SL	40 g/L by Mass	SL	OTHERS	4	467-097-3679	25-Jan-25	-	Banana	Roloxone solanaceorum - as tool disinfectant	10-20ml/L water	-	-	-	-
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	BACILLUS THURINGENSIS SL AZAWAI	AGREE 50 WP	500.0 g/kg	WP	INSECTICIDE	-	088-094-4947	29-Nov-25	-	Cabbage	Diamond-back moth & asparagus	0.40- kg prod./ha, 0.75 kg prod./ha	-	-	-	-
INTERNATIONAL VETERINARY & AGROCHEMICAL (IVA), INC.	BACILLUS THURINGENSIS SL AZAWAI	AGREE 50 WP	500.0 g/kg	WP	INSECTICIDE	-	088-094-4947	29-Nov-25	-	Asparagus	Corn earworm	1.10 kg prod./ha, 1.60 kg/ha	-	-	-	-
SABRIO ORGANICS PHILIPPINES ASIA INC.	PROPIWEB	AGNI 70 WP	700 g/kg	WP	FUNGICIDE	4	466-001-4138	09-Oct-26	-	Lettuce	Early blight, neck rot	50-65 g/ 16L water	-	-	7 days	Immediately after spray deposits have dried
SABRIO ORGANICS PHILIPPINES ASIA INC.	PROPIWEB	AGNI 70 WP	700 g/kg	WP	FUNGICIDE	4	466-001-4138	09-Oct-26	-	Onion	Downy mildew, anthracnose, purple blotch	50-65 g/ 16L water	-	-	7 days	Immediately after spray deposits have dried
SABRIO ORGANICS PHILIPPINES ASIA INC.	PROPIWEB	AGNI 70 WP	700 g/kg	WP	FUNGICIDE	4	466-001-4138	09-Oct-26	-	Cucurbits	Downy mildew, late blight	50-65 g/ 16L water	-	-	7 days	Immediately after spray deposits have dried
SABRIO ORGANICS PHILIPPINES ASIA INC.	PROPIWEB	AGNI 70 WP	700 g/kg	WP	FUNGICIDE	4	466-001-4138	09-Oct-26	-	Celery	Early and late blight	50-65 g/ 16L water	-	-	7 days	Immediately after spray deposits have dried

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
SABERO ORGANICS PHILIPPINES ASIA INC.	PROFENEB	AGNI 70 WP	700 g/kg	WP	FUNGICIDE	4	466-001-4138	09-Oct-26	-	Beans	Rust	50-65 g/ 16L water	-	7 days	Immediately after spray deposits have dried
SABERO ORGANICS PHILIPPINES ASIA INC.	PROFENEB	AGNI 70 WP	700 g/kg	WP	FUNGICIDE	4	466-001-4138	09-Oct-26	-	Potato	Early and late blight	50-65 g/ 16L water	-	7 days	Immediately after spray deposits have dried
SABERO ORGANICS PHILIPPINES ASIA INC.	PROFENEB	AGNI 70 WP	700 g/kg	WP	FUNGICIDE	4	466-001-4138	09-Oct-26	-	Tomato	Early and late blight	50-65 g/ 16L water	-	1 days	Immediately after spray deposits have dried
SABERO ORGANICS PHILIPPINES ASIA INC.	PROFENEB	AGNI 70 WP	700 g/kg	WP	FUNGICIDE	4	466-001-4138	09-Oct-26	-	Tobacco	Brown leaf spot	50-65 g/ 16L water	-	7 days	Immediately after spray deposits have dried
SABERO ORGANICS PHILIPPINES ASIA INC.	PROFENEB	AGNI 70 WP	700 g/kg	WP	FUNGICIDE	4	466-001-4138	09-Oct-26	-	Coffee	Brown eye spot	6 g/ 16L water	-	7 days	Immediately after spray deposits have dried
SABERO ORGANICS PHILIPPINES ASIA INC.	PROFENEB	AGNI 70 WP	700 g/kg	WP	FUNGICIDE	4	466-001-4138	09-Oct-26	-	Citrus	Black spot	50-65 g/ 16L water	-	7 days	Immediately after spray deposits have dried
SABERO ORGANICS PHILIPPINES ASIA INC.	PROFENEB	AGNI 70 WP	700 g/kg	WP	FUNGICIDE	4	466-001-4138	09-Oct-26	-	Melon	Downy mildew	50-65 g/ 16L water	-	7 days	Immediately after spray deposits have dried
SABERO ORGANICS PHILIPPINES ASIA INC.	PROFENEB	AGNI 70 WP	700 g/kg	WP	FUNGICIDE	4	466-001-4138	09-Oct-26	-	Watermelon	Downy mildew	50-65 g/ 16L water	-	7 days	Immediately after spray deposits have dried
SABERO ORGANICS PHILIPPINES ASIA INC.	PROFENEB	AGNI 70 WP	700 g/kg	WP	FUNGICIDE	4	466-001-4138	09-Oct-26	-	Ornamentals	Black spot, rust	50-90 g/ 16L water	-	7 days	Immediately after spray deposits have dried
SABERO ORGANICS PHILIPPINES ASIA INC.	PROFENEB	AGNI 70 WP	700 g/kg	WP	FUNGICIDE	4	466-001-4138	09-Oct-26	-	Mango	Anthracoese	50-65 g/ 16L water	-	7 days	Immediately after spray deposits have dried
SABERO ORGANICS PHILIPPINES ASIA INC.	PROFENEB	AGNI 70 WP	700 g/kg	WP	FUNGICIDE	4	466-001-4138	09-Oct-26	-	Rice	Grassy panicle, brown leaf spot	50-100 (500-1000g prod/ ha)	-	18 days	Immediately after spray deposits have dried
SABERO ORGANICS PHILIPPINES ASIA INC.	PROFENEB	AGNI 70 WP	700 g/kg	WP	FUNGICIDE	4	466-001-4138	09-Oct-26	-	Banana	Sigatoka, freckle disease	2.5 kgs / ha	-	7 days	Immediately after spray deposits have dried
SABERO ORGANICS PHILIPPINES ASIA INC.	PROFENEB	AGNI 70 WP	700 g/kg	WP	FUNGICIDE	4	466-001-4138	09-Oct-26	-	Asparagus	Stem and leaf blight	2.5 kgs / ha	-	7 days	Immediately after spray deposits have dried
AGNEWTEK PHILIPPINES CORPORATION	NICLOSAMIDE ETHANOLAMINE SALT	AGNEWTEK NICLOSAMIDE 70WP	700 g/kg	WP	MOLLUSCICIDE	4	762-229-6121	24-Apr-26	-	Rice	Golden apple snail	86 g (1 pouch) / 16L water	-	-	-
AGNEWTEK PHILIPPINES CORPORATION	MANCOZEB	AGNEWTEK MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	762-053-6261	23-Aug-26	-	Potato	Early and late blight	-	-	-	-
AGNEWTEK PHILIPPINES CORPORATION	MANCOZEB	AGNEWTEK MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	762-053-6261	23-Aug-26	-	Cabbage	Downy mildew, alternaria leaf spot	-	-	-	-
AGNEWTEK PHILIPPINES CORPORATION	MANCOZEB	AGNEWTEK MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	762-053-6261	23-Aug-26	-	Cauliflower	Downy mildew, alternaria leaf spot	-	-	-	-
AGNEWTEK PHILIPPINES CORPORATION	MANCOZEB	AGNEWTEK MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	762-053-6261	23-Aug-26	-	Broccoli	Downy mildew, alternaria leaf spot	-	-	-	-
AGNEWTEK PHILIPPINES CORPORATION	MANCOZEB	AGNEWTEK MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	762-053-6261	23-Aug-26	-	Celery	Late blight	-	-	-	-
AGNEWTEK PHILIPPINES CORPORATION	MANCOZEB	AGNEWTEK MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	762-053-6261	23-Aug-26	-	Cucumber	Downy mildew, anthracnose, scab	-	-	-	-
AGNEWTEK PHILIPPINES CORPORATION	MANCOZEB	AGNEWTEK MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	762-053-6261	23-Aug-26	-	Squash	Downy mildew, anthracnose, scab	-	-	-	-
AGNEWTEK PHILIPPINES CORPORATION	MANCOZEB	AGNEWTEK MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	762-053-6261	23-Aug-26	-	Cotton	Damping off	-	-	-	-
AGNEWTEK PHILIPPINES CORPORATION	MANCOZEB	AGNEWTEK MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	762-053-6261	23-Aug-26	-	lettuce	Downy mildew	-	-	-	-
AGNEWTEK PHILIPPINES CORPORATION	MANCOZEB	AGNEWTEK MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	762-053-6261	23-Aug-26	-	Beans	Anthracoese, Downy Mildew, Rust	-	-	-	-
AGNEWTEK PHILIPPINES CORPORATION	MANCOZEB	AGNEWTEK MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	762-053-6261	23-Aug-26	-	Peas	Anthracoese, Downy Mildew, Rust	-	-	-	-
AGNEWTEK PHILIPPINES CORPORATION	MANCOZEB	AGNEWTEK MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	762-053-6261	23-Aug-26	-	Mungbeans	Anthracoese, Downy Mildew, Rust	-	-	-	-
AGNEWTEK PHILIPPINES CORPORATION	MANCOZEB	AGNEWTEK MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	762-053-6261	23-Aug-26	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	-	-	-	-
AGNEWTEK PHILIPPINES CORPORATION	MANCOZEB	AGNEWTEK MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	762-053-6261	23-Aug-26	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	-	-	-	-
AGNEWTEK PHILIPPINES CORPORATION	MANCOZEB	AGNEWTEK MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	762-053-6261	23-Aug-26	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	-	-	-	-
AGNEWTEK PHILIPPINES CORPORATION	MANCOZEB	AGNEWTEK MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	762-053-6261	23-Aug-26	-	Pepper	Anthracoese	-	-	-	-
AGNEWTEK PHILIPPINES CORPORATION	MANCOZEB	AGNEWTEK MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	762-053-6261	23-Aug-26	-	Chili	Anthracoese	-	-	-	-
AGNEWTEK PHILIPPINES CORPORATION	MANCOZEB	AGNEWTEK MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	762-053-6261	23-Aug-26	-	eggplant	Blight, Anthracnose	-	-	-	-
AGNEWTEK PHILIPPINES CORPORATION	MANCOZEB	AGNEWTEK MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	762-053-6261	23-Aug-26	-	Banana	Sigatoka, Black leaf streak	-	-	-	-
AGNEWTEK PHILIPPINES CORPORATION	MANCOZEB	AGNEWTEK MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	762-053-6261	23-Aug-26	-	Grapes	Downy mildew, black rot	-	-	-	-
AGNEWTEK PHILIPPINES CORPORATION	MANCOZEB	AGNEWTEK MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	762-053-6261	23-Aug-26	-	Mango	Anthracoese and Scab	-	-	-	-
AGNEWTEK PHILIPPINES CORPORATION	MANCOZEB	AGNEWTEK MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	762-053-6261	23-Aug-26	-	Papaya	Fruit rot	-	-	-	-
AGNEWTEK PHILIPPINES CORPORATION	MANCOZEB	AGNEWTEK MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	762-053-6261	23-Aug-26	-	Melon	Downy mildew, anthracnose, scab	-	-	-	-
AGNEWTEK PHILIPPINES CORPORATION	MANCOZEB	AGNEWTEK MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	762-053-6261	23-Aug-26	-	Watermelon	Downy mildew, anthracnose, scab	-	-	-	-
AGNEWTEK PHILIPPINES CORPORATION	MANCOZEB	AGNEWTEK MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	762-053-6261	23-Aug-26	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	-	-	-	-
AGNEWTEK PHILIPPINES CORPORATION	MANCOZEB	AGNEWTEK MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	762-053-6261	23-Aug-26	-	Rice	Blast sheath blight, cercospora leaf spot, helminthosporium leaf spot	-	-	-	-
AGNEWTEK PHILIPPINES CORPORATION	MANCOZEB	AGNEWTEK MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	762-053-6261	23-Aug-26	-	Peanut	Cercospora leaf spot	-	-	-	-
AGNEWTEK PHILIPPINES CORPORATION	MANCOZEB	AGNEWTEK MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	762-053-6261	23-Aug-26	-	Soybeans	Leaf rust	-	-	-	-
AGNEWTEK PHILIPPINES CORPORATION	MANCOZEB	AGNEWTEK MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	762-053-6261	23-Aug-26	-	Ornamentals	Black spot, blight, athracnose	-	-	-	-
AGNEWTEK PHILIPPINES CORPORATION	GLYPHOSATE IPA	AGNEWTEK GLYPHOSATE 480SL	480 g/L	SL	HERBICIDE	4	762-151-6123	24-Apr-26	POST-EMERGENT	Glyphosate tolerant corn	Rich grass, morning glory, day flower, button weed, spindletop, colapogonium hairy beggarticks, tropic ageratum	2-3 L prod/ ha	-	-	-
AGNEWTEK PHILIPPINES CORPORATION	GLYPHOSATE IPA	AGNEWTEK GLYPHOSATE 480SL	480 g/L	SL	HERBICIDE	4	762-151-6123	24-Apr-26	POST-EMERGENT	Mango	Cagon (Shade condition)	3-0 L prod/ ha	-	-	-
AGNEWTEK PHILIPPINES CORPORATION	GLYPHOSATE IPA	AGNEWTEK GLYPHOSATE 480SL	480 g/L	SL	HERBICIDE	4	762-151-6123	24-Apr-26	POST-EMERGENT	Banana	Cagon (Shade Condition)	3-0 L prod/ on	-	-	-
AGNEWTEK PHILIPPINES CORPORATION	GLYPHOSATE IPA	AGNEWTEK GLYPHOSATE 480SL	480 g/L	SL	HERBICIDE	4	762-151-6123	24-Apr-26	POST-EMERGENT	Coffee	Cagon (Open Condition)	4-5 L prod/ ha	-	-	-
AGNEWTEK PHILIPPINES CORPORATION	GLYPHOSATE IPA	AGNEWTEK GLYPHOSATE 480SL	480 g/L	SL	HERBICIDE	4	762-151-6123	24-Apr-26	POST-EMERGENT	Cacao	Cagon (Open Condition)	4-5 L prod/ ha	-	-	-
AGNEWTEK PHILIPPINES CORPORATION	GLYPHOSATE IPA	AGNEWTEK GLYPHOSATE 480SL	480 g/L	SL	HERBICIDE	4	762-151-6123	24-Apr-26	POST-EMERGENT	Rubber	Mutha	2-0 L prod/ ha	-	-	-
AGNEWTEK PHILIPPINES CORPORATION	GLYPHOSATE IPA	AGNEWTEK GLYPHOSATE 480SL	480 g/L	SL	HERBICIDE	4	762-151-6123	24-Apr-26	POST-EMERGENT	oil palm	Paragrass	2-0 L prod/ ha	-	-	-
AGNEWTEK PHILIPPINES CORPORATION	GLYPHOSATE IPA	AGNEWTEK GLYPHOSATE 480SL	480 g/L	SL	HERBICIDE	4	762-151-6123	24-Apr-26	POST-EMERGENT	Citrus	Paragrass	2-0 L prod/ ha	-	-	-
AGNEWTEK PHILIPPINES CORPORATION	GLYPHOSATE IPA	AGNEWTEK GLYPHOSATE 480SL	480 g/L	SL	HERBICIDE	4	762-151-6123	24-Apr-26	POST-EMERGENT	Coconut	Talahib	4-5 L prod/ ha	-	-	-
AGNEWTEK PHILIPPINES CORPORATION	GLYPHOSATE IPA	AGNEWTEK GLYPHOSATE 480SL	480 g/L	SL	HERBICIDE	4	762-151-6123	24-Apr-26	POST-EMERGENT	Sugarcane	Fern (Shade Condition)	2-0 L prod/ ha	-	-	-
AGNEWTEK PHILIPPINES CORPORATION	GLYPHOSATE IPA	AGNEWTEK GLYPHOSATE 480SL	480 g/L	SL	HERBICIDE	4	762-151-6123	24-Apr-26	POST-EMERGENT	Vegetables	Other annual weeds	2-0 L prod/ ha	-	-	-
AGNEWTEK PHILIPPINES CORPORATION	GLUFOSINATE AMMONIUM	AGNEWTEK GLUFOSINATE 350 SL	350 g/L	SL	HERBICIDE	4	762-021-6186	9-Jun-26	NON-SELECTIVE (POST-EMERGENT)	Carandish banana	Weeds	-	-	-	After spray, deposits have dried
AGNEWTEK PHILIPPINES CORPORATION	GLUFOSINATE AMMONIUM	AGNEWTEK GLUFOSINATE 350 SL	350 g/L	SL	HERBICIDE	4	762-021-6186	9-Jun-26	NON-SELECTIVE (POST-EMERGENT)	Rubber	Weeds	-	-	-	After spray, deposits have dried

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
AGNEWTEK PHILIPPINES CORPORATION	GLUFOSINATE AMMONIUM	AGNEWTEK GLUFOSINATE 150 SL	150 g/L	SL	HERBICIDE	4	762-021-6186	9-Jun-26	NON-SELECTIVE (POST-EMERGENT)	Oil palm	Weeds	-	-	-	After spray, deposits have dried
AGNEWTEK PHILIPPINES CORPORATION	GLUFOSINATE AMMONIUM	AGNEWTEK GLUFOSINATE 150 SL	150 g/L	SL	HERBICIDE	4	762-021-6186	9-Jun-26	NON-SELECTIVE (POST-EMERGENT)	Non-crop areas	Weeds	-	-	-	After spray, deposits have dried
AGNEWTEK PHILIPPINES CORPORATION	DIURON	AGNEWTEK DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	762-021-6187	9-Jun-23	-	Citrus	Annual and perennial grasses and broadleaves	11.0-19.0 tbsp/ 16L water	-	-	24 hours after application
AGNEWTEK PHILIPPINES CORPORATION	DIURON	AGNEWTEK DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	762-021-6187	9-Jun-23	-	Coffee	Annual and perennial grasses and broadleaves	11.0-19.0 tbsp/ 16L water	-	-	24 hours after application
AGNEWTEK PHILIPPINES CORPORATION	DIURON	AGNEWTEK DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	762-021-6187	9-Jun-23	-	Cotton	Annual and perennial grasses and broadleaves	8.0 tbsp/ 16L water	-	-	24 hours after application
AGNEWTEK PHILIPPINES CORPORATION	DIURON	AGNEWTEK DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	762-021-6187	9-Jun-23	-	Jugarcane	Annual and perennial grasses and broadleaves	6.5-13.0 tbsp/ 16L water	-	-	24 hours after application
AGNEWTEK PHILIPPINES CORPORATION	DIURON	AGNEWTEK DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	762-021-6187	9-Jun-23	-	Pineapple	Annual and perennial grasses and broadleaves	11.0 tbsp/ 16L water	-	-	24 hours after application
AGNEWTEK PHILIPPINES CORPORATION	DIURON	AGNEWTEK DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	762-021-6187	9-Jun-23	-	Non-crop land	Annual and perennial grasses and broadleaves	10-28 tbsp/ 16L water	-	-	24 hours after application
FARM EDGE AGRO TRADING CORPORATION	THIAMETHOXAM	AGILE 25 WG	250g/kg	WG	INSECTICIDE	4	618-312-4462	03-Aug-24	SYSTEMIC	Pineapple	Mealy bug	100-200 g/ha	0.01 mg/kg	-	Do not enter unless spray deposits have dried
FARM EDGE AGRO TRADING CORPORATION	THIAMETHOXAM	AGILE 25 WG	250g/kg	WG	INSECTICIDE	4	618-312-4462	03-Aug-24	SYSTEMIC	Mango	Leafhopper	105.6-123.7g prod/ha	0.20 mg/kg	-	Do not enter unless spray deposits have dried
FARM EDGE AGRO TRADING CORPORATION	THIAMETHOXAM	AGILE 25 WG	250g/kg	WG	INSECTICIDE	4	618-312-4462	03-Aug-24	SYSTEMIC	Rice	Green leafhopper, brown plant hopper, white backed planthopper, rice bug, black bug	4.0-5.0 Tbsp/16L water; For black bug, 7.0-10.0 Tbsp/16L water	-	20 days	Do not enter unless spray deposits have dried
FARM EDGE AGRO TRADING CORPORATION	THIAMETHOXAM	AGILE 25 WG	250g/kg	WG	INSECTICIDE	4	618-312-4462	03-Aug-24	SYSTEMIC	Stringbeans	Aphids, leafhopper	0.5-2.0 Drench, Foliar spray 2.0-5.0 Tbsp/16L water	-	7 days	Do not enter unless spray deposits have dried
FARM EDGE AGRO TRADING CORPORATION	THIAMETHOXAM	AGILE 25 WG	250g/kg	WG	INSECTICIDE	4	618-312-4462	03-Aug-24	SYSTEMIC	Eggplant	Aphids, leafhopper	0.5-2.0 Drench, Foliar spray 2.0-5.0 Tbsp/16L water	-	3 days	Do not enter unless spray deposits have dried
FARM EDGE AGRO TRADING CORPORATION	THIAMETHOXAM	AGILE 25 WG	250g/kg	WG	INSECTICIDE	4	618-312-4462	03-Aug-24	SYSTEMIC	Banana	Flower thrips	4 t/gL	0.02 mg/kg	-	Do not enter unless spray deposits have dried
LEADS AGRICULTURAL PRODUCTS CORPORATION	PROPAQUAZOL	AGIS 100 EC	100 g/L	EC	HERBICIDE	4	099-377-1641	30-Jul-26	SELECTIVE (POST-EMERGENT)	Onion	Grasses	2-4 Tbsp/16L water (400L/ha)	-	-	-
ZAGRO CORPORATION	FFRONIL	AGENT 50 SC	50g/L	SC	INSECTICIDE	3	043-244-4154	19-Oct-23	CONTACT	Rice	Stenobothrus, BPH, Leafhopper, Rice bug	1-3-2.0, 2.0-3.0, 2.7-4.0 tbsp /16L	0.03ppm	10 days	-
ZAGRO CORPORATION	FFRONIL	AGENT 50 SC	50g/L	SC	INSECTICIDE	3	043-244-4154	19-Oct-23	CONTACT	Cabbage	Diamond-back moth	1.3-2.0, 2.0-3.0, 2.7-4.0 tbsp /16L	-	-	-
ZAGRO CORPORATION	FFRONIL	AGENT 50 SC	50g/L	SC	INSECTICIDE	3	043-244-4154	19-Oct-23	CONTACT	Watermelon	Thrips, Leaf beetles	2.5-3.0 tbsp /16L	-	-	-
ZAGRO CORPORATION	FFRONIL	AGENT 50 SC	50g/L	SC	INSECTICIDE	3	043-244-4154	19-Oct-23	CONTACT	Onion	Cutworm	5.33 tbsp /16L	-	-	-
ZAGRO CORPORATION	FFRONIL	AGENT 50 SC	50g/L	SC	INSECTICIDE	3	043-244-4154	19-Oct-23	CONTACT	Eggplant	Shoot borer	1.0-4.0 tbsp /16L	-	-	-
AGCHEM MANUFACTURING CORPORATION	THIRAM	AGCHEM THIRAM 480 SC	480g/L	SC	FUNGICIDE	3	001-337-4357	25-Oct-24	-	Banana	Black Sigatoka	2.5 L/ha	-	-	Do not apply to fruits or vegetables later 14-32 days before harvest
AGCHEM MANUFACTURING CORPORATION	PYMETROZINE	AGCHEM PYMETROZINE 50 WG	500 g/kg	WG	INSECTICIDE	4	001-307-4215	27-Dec-26	-	Mango	Leafhopper	1 sachet/200L	-	-	Do not enter the treated fields for atleast 24 hours after application
AGCHEM MANUFACTURING CORPORATION	PYMETROZINE	AGCHEM PYMETROZINE 50 WG	500 g/kg	WG	INSECTICIDE	4	001-307-4215	27-Dec-26	-	Rice	Brown planthopper, Green leafhopper	25-30 gms/16L	0.02 mg/kg	36 days	Do not enter the treated fields for atleast 24 hours after application
AGCHEM MANUFACTURING CORPORATION	PYMETROZINE	AGCHEM PYMETROZINE 50 WG	500 g/kg	WG	INSECTICIDE	4	001-307-4215	27-Dec-26	-	Corn	Leafhoppers, Planthoppers and aphids	7-16 g Product/16L, 100-250 g Product/ha	0.02 mg/kg	5 days	Do not enter the treated fields for atleast 24 hours after application
AGCHEM MANUFACTURING CORPORATION	PACLOBUTRAZOL	AGCHEM PACLOBUTRAZOL 25 SC	250g/L	SC	OTHERS	3	001-237-4455	26-Jul-24	-	Mango	Plant growth regulator	1-2 tbsp /3-5 L water	-	-	-
AGCHEM MANUFACTURING CORPORATION	PACLOBUTRAZOL	AGCHEM PACLOBUTRAZOL 25 SC	250g/L	SC	OTHERS	3	001-237-4455	26-Jul-24	-	Durian	Plant growth regulator	0.5-1.5 tbsp /3-5 L water	-	-	-
AGCHEM MANUFACTURING CORPORATION	PACLOBUTRAZOL	AGCHEM PACLOBUTRAZOL 25 SC	250g/L	SC	OTHERS	3	001-237-4455	26-Jul-24	-	Calamansi	Plant growth regulator	1-2 tbsp /3-5 L water	-	-	-
AGCHEM MANUFACTURING CORPORATION	PACLOBUTRAZOL	AGCHEM PACLOBUTRAZOL 25 SC	250g/L	SC	OTHERS	3	001-237-4455	26-Jul-24	-	Cocoa	Plant growth regulator	1 tbsp /3-5 L water	-	-	-
AGCHEM MANUFACTURING CORPORATION	MANCOZEB	AGCHEM MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	001-053-2613	27-Feb-26	-	Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
AGCHEM MANUFACTURING CORPORATION	MANCOZEB	AGCHEM MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	001-053-2613	27-Feb-26	-	Potato	Early and late blight	3-6 Tbsp/16 L water	-	-	As soon as spray dries
AGCHEM MANUFACTURING CORPORATION	MANCOZEB	AGCHEM MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	001-053-2613	27-Feb-26	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 days	As soon as spray dries
AGCHEM MANUFACTURING CORPORATION	MANCOZEB	AGCHEM MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	001-053-2613	27-Feb-26	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 days	As soon as spray dries
AGCHEM MANUFACTURING CORPORATION	MANCOZEB	AGCHEM MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	001-053-2613	27-Feb-26	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	7 days	As soon as spray dries
AGCHEM MANUFACTURING CORPORATION	MANCOZEB	AGCHEM MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	001-053-2613	27-Feb-26	-	Celery	Late blight	3-6 Tbsp/16 L water	-	14 days	As soon as spray dries
AGCHEM MANUFACTURING CORPORATION	MANCOZEB	AGCHEM MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	001-053-2613	27-Feb-26	-	Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
AGCHEM MANUFACTURING CORPORATION	MANCOZEB	AGCHEM MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	001-053-2613	27-Feb-26	-	Cotton	Damping off	3-6 Tbsp/16 L water	-	-	As soon as spray dries
AGCHEM MANUFACTURING CORPORATION	MANCOZEB	AGCHEM MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	001-053-2613	27-Feb-26	-	Lettuce	Downy mildew	3-6 Tbsp/16 L water	-	7 days	As soon as spray dries
AGCHEM MANUFACTURING CORPORATION	MANCOZEB	AGCHEM MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	001-053-2613	27-Feb-26	-	Beans	Anthracoese, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
AGCHEM MANUFACTURING CORPORATION	MANCOZEB	AGCHEM MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	001-053-2613	27-Feb-26	-	Peas	Anthracoese, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
AGCHEM MANUFACTURING CORPORATION	MANCOZEB	AGCHEM MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	001-053-2613	27-Feb-26	-	Mungo	Anthracoese, Downy mildew, Rust	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
AGCHEM MANUFACTURING CORPORATION	MANCOZEB	AGCHEM MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	001-053-2613	27-Feb-26	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
AGCHEM MANUFACTURING CORPORATION	MANCOZEB	AGCHEM MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	001-053-2613	27-Feb-26	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	-	7 days	As soon as spray dries
AGCHEM MANUFACTURING CORPORATION	MANCOZEB	AGCHEM MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	001-053-2613	27-Feb-26	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	-	7 days	As soon as spray dries
AGCHEM MANUFACTURING CORPORATION	MANCOZEB	AGCHEM MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	001-053-2613	27-Feb-26	-	Pepper	Anthracoese	3-6 Tbsp/16 L water	-	7 days	As soon as spray dries
AGCHEM MANUFACTURING CORPORATION	MANCOZEB	AGCHEM MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	001-053-2613	27-Feb-26	-	Chili	Anthracoese	3-6 Tbsp/16 L water	-	7 days	As soon as spray dries
AGCHEM MANUFACTURING CORPORATION	MANCOZEB	AGCHEM MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	001-053-2613	27-Feb-26	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/16 L water	-	7 days	As soon as spray dries
AGCHEM MANUFACTURING CORPORATION	MANCOZEB	AGCHEM MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	001-053-2613	27-Feb-26	-	Banana	Sigatoka, Black leaf streak	3-6 Tbsp/16 L water	-	-	As soon as spray dries
AGCHEM MANUFACTURING CORPORATION	MANCOZEB	AGCHEM MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	001-053-2613	27-Feb-26	-	Grapes	Downy mildew, black rot	3-6 Tbsp/16 L water	-	60 days	As soon as spray dries
AGCHEM MANUFACTURING CORPORATION	MANCOZEB	AGCHEM MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	001-053-2613	27-Feb-26	-	Mango	Anthracoese and Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
AGCHEM MANUFACTURING CORPORATION	MANCOZEB	AGCHEM MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	001-053-2613	27-Feb-26	-	Papaya	Fruit rot	3-6 Tbsp/16 L water	-	-	As soon as spray dries
AGCHEM MANUFACTURING CORPORATION	MANCOZEB	AGCHEM MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	001-053-2613	27-Feb-26	-	Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
AGCHEM MANUFACTURING CORPORATION	MANCOZEB	AGCHEM MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	001-053-2613	27-Feb-26	-	Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/16 L water	-	5 days	As soon as spray dries
AGCHEM MANUFACTURING CORPORATION	MANCOZEB	AGCHEM MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	001-053-2613	27-Feb-26	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/16 L water	-	7 days	As soon as spray dries
AGCHEM MANUFACTURING CORPORATION	MANCOZEB	AGCHEM MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	001-053-2613	27-Feb-26	-	Rice	Blast, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/16 L water	0.03ppm	-	As soon as spray dries
AGCHEM MANUFACTURING CORPORATION	MANCOZEB	AGCHEM MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	001-053-2613	27-Feb-26	-	Peanut	Cercospora leaf spot	3-6 Tbsp/16 L water	-	34 days	As soon as spray dries
AGCHEM MANUFACTURING CORPORATION	MANCOZEB	AGCHEM MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	001-053-2613	27-Feb-26	-	Soybeans	Leaf rust	3-6 Tbsp/16 L water	-	-	As soon as spray dries

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
AGCHEM MANUFACTURING CORPORATION	MANCOZEB	AGCHEM MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	001-030-2613	27-Feb-26	-	Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/16 L water	-	-	As soon as spray dries
AGCHEM MANUFACTURING CORPORATION	MALATHION	AGCHEM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	001-038-2421	29-Jul-27	NON-SYSTEMIC	Fruit trees	Aphids, mealy bug scale insect	1.5-3.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
AGCHEM MANUFACTURING CORPORATION	MALATHION	AGCHEM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	001-038-2421	29-Jul-27	NON-SYSTEMIC	Rice	Armyworm, cutworm, leafhopper, bugs	2.0-3.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
AGCHEM MANUFACTURING CORPORATION	MALATHION	AGCHEM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	001-038-2421	29-Jul-27	NON-SYSTEMIC	Corn	Earworm, silkworm, aphids, grasshopper	1.0-5.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
AGCHEM MANUFACTURING CORPORATION	MALATHION	AGCHEM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	001-038-2421	29-Jul-27	NON-SYSTEMIC	Crucifers (Cabbage)	Cabbage worm, loopers, diamond-back moth	2.0-5.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
AGCHEM MANUFACTURING CORPORATION	MALATHION	AGCHEM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	001-038-2421	29-Jul-27	NON-SYSTEMIC	Legumes	Aphids, beanfly, cutworm, flea beetles, leafminer, maggots, mealybug, podborer, thrips	2.0-5.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
AGCHEM MANUFACTURING CORPORATION	MALATHION	AGCHEM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	001-038-2421	29-Jul-27	NON-SYSTEMIC	Grapes	Beetles, cutworm, leafhopper, mealybug, scale, insect, spider mites	3.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
AGCHEM MANUFACTURING CORPORATION	MALATHION	AGCHEM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	001-038-2421	29-Jul-27	NON-SYSTEMIC	Pineapple	Mealy bug	3.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
AGCHEM MANUFACTURING CORPORATION	MALATHION	AGCHEM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	001-038-2421	29-Jul-27	NON-SYSTEMIC	Pepper	Aphid, cutworm, fruitworm	3.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
AGCHEM MANUFACTURING CORPORATION	MALATHION	AGCHEM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	001-038-2421	29-Jul-27	NON-SYSTEMIC	Garlic	Cutworm	3.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
AGCHEM MANUFACTURING CORPORATION	MALATHION	AGCHEM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	001-038-2421	29-Jul-27	NON-SYSTEMIC	Onion	Cutworm	3.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
AGCHEM MANUFACTURING CORPORATION	MALATHION	AGCHEM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	001-038-2421	29-Jul-27	NON-SYSTEMIC	Tobacco	Aphids, katydid	3.0-6.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
AGCHEM MANUFACTURING CORPORATION	MALATHION	AGCHEM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	001-038-2421	29-Jul-27	NON-SYSTEMIC	Ornamentals	Aphids, cutworm, mealybug, scale insect, spider mites	3.0-5.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
AGCHEM MANUFACTURING CORPORATION	MALATHION	AGCHEM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	001-038-2421	29-Jul-27	NON-SYSTEMIC	Tomato	Lady beetle	3.0-5.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
AGCHEM MANUFACTURING CORPORATION	MALATHION	AGCHEM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	001-038-2421	29-Jul-27	NON-SYSTEMIC	Fig/plant	Aphids, fruitworm	3.0-5.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
AGCHEM MANUFACTURING CORPORATION	MALATHION	AGCHEM MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	001-038-2421	29-Jul-27	NON-SYSTEMIC	Sorghum	Web worm	3.0Tbsp/16 L water	-	One (1) day after each spraying	One (1) day after each spraying
AGCHEM MANUFACTURING CORPORATION	GLUFOSINATE AMMONIUM	AGCHEM GLUFOSINATE AMMONIUM 15 SL	150 g/L	SL	HERBICIDE	4	001-182-4562	30-Nov-25	NON-SELECTIVE/POST-EMERGENT	Rubber	Annual and perennial weeds	11.5, 21.5, 27 Tbsp/16 L water	-	-	Do not enter the treated fields until the spray has dried. When prior entry is necessary, wear protective clothing and chemical resistant gloves
AGCHEM MANUFACTURING CORPORATION	GLUFOSINATE AMMONIUM	AGCHEM GLUFOSINATE AMMONIUM 15 SL	150 g/L	SL	HERBICIDE	4	001-182-4562	30-Nov-25	NON-SELECTIVE/POST-EMERGENT	Oil palm	Annual and perennial weeds	11.5, 16 Tbsp/16 water	-	-	Do not enter the treated fields until the spray has dried. When prior entry is necessary, wear protective clothing and chemical resistant gloves
AGCHEM MANUFACTURING CORPORATION	GLUFOSINATE AMMONIUM	AGCHEM GLUFOSINATE AMMONIUM 15 SL	150 g/L	SL	HERBICIDE	4	001-182-4562	30-Nov-25	NON-SELECTIVE/POST-EMERGENT	Non-crop areas	Annual and perennial weeds	16-21.5 Tbsp/16 L water	-	-	Do not enter the treated fields until the spray has dried. When prior entry is necessary, wear protective clothing and chemical resistant gloves
AGCHEM MANUFACTURING CORPORATION	GLUFOSINATE AMMONIUM	AGCHEM GLUFOSINATE AMMONIUM 15 SL	150 g/L	SL	HERBICIDE	4	001-182-4562	30-Nov-25	NON-SELECTIVE/POST-EMERGENT	Cavendish Banana	Annual and perennial weeds	16, 13-20 Tbsp/16 L water	0.2 mg/kg	-	Do not enter the treated fields until the spray has dried. When prior entry is necessary, wear protective clothing and chemical resistant gloves
AGCHEM MANUFACTURING CORPORATION	FLUAZIFOP-P-BUTYL	AGCHEM FLUAZIFOP 15 EC	150 g/L	EC	HERBICIDE	4	001-212-4356	17-Sep-24	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Banana	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-
AGCHEM MANUFACTURING CORPORATION	FLUAZIFOP-P-BUTYL	AGCHEM FLUAZIFOP 15 EC	150 g/L	EC	HERBICIDE	4	001-212-4356	17-Sep-24	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Cacao	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-
AGCHEM MANUFACTURING CORPORATION	FLUAZIFOP-P-BUTYL	AGCHEM FLUAZIFOP 15 EC	150 g/L	EC	HERBICIDE	4	001-212-4356	17-Sep-24	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Citrus	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-
AGCHEM MANUFACTURING CORPORATION	FLUAZIFOP-P-BUTYL	AGCHEM FLUAZIFOP 15 EC	150 g/L	EC	HERBICIDE	4	001-212-4356	17-Sep-24	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Cotton	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-
AGCHEM MANUFACTURING CORPORATION	FLUAZIFOP-P-BUTYL	AGCHEM FLUAZIFOP 15 EC	150 g/L	EC	HERBICIDE	4	001-212-4356	17-Sep-24	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Coffee	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-
AGCHEM MANUFACTURING CORPORATION	FLUAZIFOP-P-BUTYL	AGCHEM FLUAZIFOP 15 EC	150 g/L	EC	HERBICIDE	4	001-212-4356	17-Sep-24	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Oil palm	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-
AGCHEM MANUFACTURING CORPORATION	FLUAZIFOP-P-BUTYL	AGCHEM FLUAZIFOP 15 EC	150 g/L	EC	HERBICIDE	4	001-212-4356	17-Sep-24	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Ramie	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-
AGCHEM MANUFACTURING CORPORATION	FLUAZIFOP-P-BUTYL	AGCHEM FLUAZIFOP 15 EC	150 g/L	EC	HERBICIDE	4	001-212-4356	17-Sep-24	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Rubber	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-
AGCHEM MANUFACTURING CORPORATION	FLUAZIFOP-P-BUTYL	AGCHEM FLUAZIFOP 15 EC	150 g/L	EC	HERBICIDE	4	001-212-4356	17-Sep-24	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Onion	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-
AGCHEM MANUFACTURING CORPORATION	FLUAZIFOP-P-BUTYL	AGCHEM FLUAZIFOP 15 EC	150 g/L	EC	HERBICIDE	4	001-212-4356	17-Sep-24	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Pineapple	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-
AGCHEM MANUFACTURING CORPORATION	FLUAZIFOP-P-BUTYL	AGCHEM FLUAZIFOP 15 EC	150 g/L	EC	HERBICIDE	4	001-212-4356	17-Sep-24	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Soybeans	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-
AGCHEM MANUFACTURING CORPORATION	FLUAZIFOP-P-BUTYL	AGCHEM FLUAZIFOP 15 EC	150 g/L	EC	HERBICIDE	4	001-212-4356	17-Sep-24	SELECTIVE/SYSTEMIC (POST-EMERGENT)	Tomato	Grasses; Itchgrass, goosegrass, sour paspalum, crabgrasses, bermuda grasses & crowfoot grass	30-50ml/16 L sprayload	-	-	-
AGCHEM MANUFACTURING CORPORATION	FIPRONIL	AGCHEM FIPRONIL 5 SC	50 g/L	SC	INSECTICIDE	3	001-244-3028-A	21-May-24	CONTACT	Rice	Bemborer, brown planthopper, leafhopper, rice bug	1.5-2.0, 2.0-3.0, 2.7-4.0 Tbsp./16L	0.03ppm	Do not apply 7 days before harvest	One day after application
AGCHEM MANUFACTURING CORPORATION	FIPRONIL	AGCHEM FIPRONIL 5 SC	50 g/L	SC	INSECTICIDE	3	001-244-3028-A	21-May-24	CONTACT	Cabbage	Diamond backed moth	1.3-2.0, 2.0-3.0, 2.7-4.0 Tbsp./16L	-	Do not apply 7 days before harvest	One day after application
AGCHEM MANUFACTURING CORPORATION	FIPRONIL	AGCHEM FIPRONIL 5 SC	50 g/L	SC	INSECTICIDE	3	001-244-3028-A	21-May-24	CONTACT	Watermelon	Thrips, leaf beetles	2.5-3.0 Tbsp./16L	-	Do not apply 7 days before harvest	One day after application
AGCHEM MANUFACTURING CORPORATION	FIPRONIL	AGCHEM FIPRONIL 5 SC	50 g/L	SC	INSECTICIDE	3	001-244-3028-A	21-May-24	CONTACT	Onion	Cutworm	5.33 Tbsp./16L	-	Do not apply 7 days before harvest	One day after application
AGCHEM MANUFACTURING CORPORATION	FIPRONIL	AGCHEM FIPRONIL 5 SC	50 g/L	SC	INSECTICIDE	3	001-244-3028-A	21-May-24	CONTACT	Fig/plant	Shoot borer	3.0-4.0 Tbsp./16L	-	Do not apply 7 days before harvest	One day after application
AGCHEM MANUFACTURING CORPORATION	FIPRONIL	AGCHEM FIPRONIL 5 SC	50 g/L	SC	INSECTICIDE	3	001-244-3028-A	21-May-24	CONTACT	Corn	Seedling maggots	200 ml, 250 ml, 18-20 kg	-	Do not apply 7 days before harvest	One day after application
AGCHEM MANUFACTURING CORPORATION	DIURON	AGCHEM DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	001-021-3087	17-Dec-24	SYSTEMIC	Citrus	Annual and Perennial broadleaves and grasses	11.0-15.0Tbsp/16 L water	-	-	Twenty four (24) hours after application.
AGCHEM MANUFACTURING CORPORATION	DIURON	AGCHEM DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	001-021-3087	17-Dec-24	SYSTEMIC	Coffee	Annual and Perennial broadleaves and grasses	11.0-15.0Tbsp/16 L water	-	-	Twenty four (24) hours after application.
AGCHEM MANUFACTURING CORPORATION	DIURON	AGCHEM DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	001-021-3087	17-Dec-24	SYSTEMIC	Cotton	Annual and Perennial broadleaves and grasses	8.0Tbsp/16 L water	-	-	Twenty four (24) hours after application.
AGCHEM MANUFACTURING CORPORATION	DIURON	AGCHEM DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	001-021-3087	17-Dec-24	SYSTEMIC	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0Tbsp/16 L water	-	-	Twenty four (24) hours after application.
AGCHEM MANUFACTURING CORPORATION	DIURON	AGCHEM DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	001-021-3087	17-Dec-24	SYSTEMIC	Pineapple	Annual and Perennial broadleaves and grasses	11.0Tbsp/16 L water	-	-	Twenty four (24) hours after application.
AGCHEM MANUFACTURING CORPORATION	DIURON	AGCHEM DIURON 80 WP	800 g/kg	WP	HERBICIDE	4	001-021-3087	17-Dec-24	SYSTEMIC	Non-crop land	Annual and Perennial broadleaves and grasses	20.0-28.0Tbsp/16 L water	-	-	Twenty four (24) hours after application.
AGCHEM MANUFACTURING CORPORATION	DIURON	AGCHEM DIURON 80 SC	800 g/L	SC	HERBICIDE	4	001-021-3613	17-Dec-24	SYSTEMIC	Citrus	Annual and Perennial broadleaves and grasses	11.0-15.0Tbsp/16 L water	-	-	Twenty four (24) hours after application.
AGCHEM MANUFACTURING CORPORATION	DIURON	AGCHEM DIURON 80 SC	800 g/L	SC	HERBICIDE	4	001-021-3613	17-Dec-24	SYSTEMIC	Coffee	Annual and Perennial broadleaves and grasses	11.0-15.0Tbsp/16 L water	-	-	Twenty four (24) hours after application.
AGCHEM MANUFACTURING CORPORATION	DIURON	AGCHEM DIURON 80 SC	800 g/L	SC	HERBICIDE	4	001-021-3613	17-Dec-24	SYSTEMIC	Cotton	Annual and Perennial broadleaves and grasses	8.0Tbsp/16 L water	-	-	Twenty four (24) hours after application.
AGCHEM MANUFACTURING CORPORATION	DIURON	AGCHEM DIURON 80 SC	800 g/L	SC	HERBICIDE	4	001-021-3613	17-Dec-24	SYSTEMIC	Sugarcane	Annual and Perennial broadleaves and grasses	6.5-13.0Tbsp/16 L water	-	-	Twenty four (24) hours after application.
AGCHEM MANUFACTURING CORPORATION	DIURON	AGCHEM DIURON 80 SC	800 g/L	SC	HERBICIDE	4	001-021-3613	17-Dec-24	SYSTEMIC	Pineapple	Annual and Perennial broadleaves and grasses	11.0Tbsp/16 L water	-	-	Twenty four (24) hours after application.
AGCHEM MANUFACTURING CORPORATION	DIURON	AGCHEM DIURON 80 SC	800 g/L	SC	HERBICIDE	4	001-021-3613	17-Dec-24	SYSTEMIC	Non-crop land	Annual and Perennial broadleaves and grasses	20.0-28.0Tbsp/16 L water	-	-	Twenty four (24) hours after application.
AGCHEM MANUFACTURING CORPORATION	CHLORFOP-BUTYL	AGCHEM CHLORFOP 30 EC	100 g/L	EC	HERBICIDE	4	001-257-4661	15-Apr-25	SYSTEMIC	Rice (Direct Seeded)	Grasses	7.9 Tbsp./tank load, 12 of tank load/ha (16L water/ha)	-	-	-
AGCHEM MANUFACTURING CORPORATION	CHLORPYRIFOS	AGCHEM CHLORPYRIFOS 40 EC	400g/L	EC	INSECTICIDE	2	001-101-4811	27-Dec-24	-	Banana	Thrips, scarring brette & aphids	30-30 ml (2-3 Tbsp) per 16L of water	-	-	-
AGCHEM MANUFACTURING CORPORATION	CHLORPYRIFOS	AGCHEM CHLORPYRIFOS 40 EC	400g/L	EC	INSECTICIDE	2	001-101-4811	27-Dec-24	-	Sugarcane	White grubs	80-100 ml (3-10 Tbsp) per 15L of water	-	-	-
AGCHEM MANUFACTURING CORPORATION	CHLORPYRIFOS	AGCHEM CHLORPYRIFOS 40 EC	400g/L	EC	INSECTICIDE	2	001-101-4811	27-Dec-24	-	Pineapple	Ants & Mealybugs	1-4 Liter/ha (Using boom sprayer)	-	-	-
AGCHEM MANUFACTURING CORPORATION	CHLOROTHALONIL	AGCHEM CHLOROTHALONIL 72 SC	720 g/L	SC	FUNGICIDE	4	001-118-5412	20-Apr-24	-	Ornamentals	Blackspot, black rot, powdery	4.5-6.0 Tbsp	-	-	Do not enter treatment areas until spray deposit have dried
AGCHEM MANUFACTURING CORPORATION	CHLOROTHALONIL	AGCHEM CHLOROTHALONIL 72 SC	720 g/L	SC	FUNGICIDE	4	001-118-5412	20-Apr-24	-	Pepper	Early and late blight, bulb rot, neck rot	4.5-6.0 Tbsp	-	-	Do not enter treatment areas until spray deposit have dried

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
ASICHEM MANUFACTURING CORPORATION	CHLOROTHALONIL	ASICHEM CHLOROTHALONIL 72 SC	720 g/L	SC	FUNGICIDE	4	001-118-5412	20-Apr-24	-	Onion	Purple blotch, bulb rot, neck rot	4.5-6.0 Tbsp	-	-	Do not enter treatment areas until spray deposit have dried
ASICHEM MANUFACTURING CORPORATION	CHLOROTHALONIL	ASICHEM CHLOROTHALONIL 72 SC	720 g/L	SC	FUNGICIDE	4	001-118-5412	20-Apr-24	-	Mango	Anthraxnose, d'plodia rot	4.5-6.0 Tbsp	-	-	Do not enter treatment areas until spray deposit have dried
ASICHEM MANUFACTURING CORPORATION	CHLOROTHALONIL	ASICHEM CHLOROTHALONIL 72 SC	720 g/L	SC	FUNGICIDE	4	001-118-5412	20-Apr-24	-	Grapes	Downy mildew, powdery mildew, fruit rot	4.5-6.0 Tbsp	-	-	Do not enter treatment areas until spray deposit have dried
ASICHEM MANUFACTURING CORPORATION	CHLOROTHALONIL	ASICHEM CHLOROTHALONIL 72 SC	720 g/L	SC	FUNGICIDE	4	001-118-5412	20-Apr-24	-	Eggplant	Early and late blight, Cercospora leaf spot, anthracnose	4.5-6.0 Tbsp	-	-	Do not enter treatment areas until spray deposit have dried
ASICHEM MANUFACTURING CORPORATION	CHLOROTHALONIL	ASICHEM CHLOROTHALONIL 72 SC	720 g/L	SC	FUNGICIDE	4	001-118-5412	20-Apr-24	-	Galery	Early and late blight	4.5-6.0 Tbsp	-	-	Do not enter treatment areas until spray deposit have dried
ASICHEM MANUFACTURING CORPORATION	CHLOROTHALONIL	ASICHEM CHLOROTHALONIL 72 SC	720 g/L	SC	FUNGICIDE	4	001-118-5412	20-Apr-24	-	Cucurbits	Powdery mildew, downy mildew, cercospora, anthracnose, septoria, fruit rot, early and late blight	4.5-6.0 Tbsp	-	-	Do not enter treatment areas until spray deposit have dried
ASICHEM MANUFACTURING CORPORATION	CHLOROTHALONIL	ASICHEM CHLOROTHALONIL 72 SC	720 g/L	SC	FUNGICIDE	4	001-118-5412	20-Apr-24	-	Crucifers	Powdery m	4.5-6.0 Tbsp	-	-	Do not enter treatment areas until spray deposit have dried
ASICHEM MANUFACTURING CORPORATION	CHLOROTHALONIL	ASICHEM CHLOROTHALONIL 72 SC	720 g/L	SC	FUNGICIDE	4	001-118-5412	20-Apr-24	-	Carrot	Alternative, cercospora, helminthosporium	4.5-6.0 Tbsp	-	-	Do not enter treatment areas until spray deposit have dried
ASICHEM MANUFACTURING CORPORATION	CHLOROTHALONIL	ASICHEM CHLOROTHALONIL 72 SC	720 g/L	SC	FUNGICIDE	4	001-118-5412	20-Apr-24	-	Beans	Rust, anthracnose	4.5-6.0 Tbsp	-	-	Do not enter treatment areas until spray deposit have dried
ASICHEM MANUFACTURING CORPORATION	CHLOROTHALONIL	ASICHEM CHLOROTHALONIL 72 SC	720 g/L	SC	FUNGICIDE	4	001-118-5412	20-Apr-24	-	Tomato	Early and late blight, vine rot	4.5-6.0 Tbsp	-	-	Do not enter treatment areas until spray deposit have dried
ASICHEM MANUFACTURING CORPORATION	CHLOROTHALONIL	ASICHEM CHLOROTHALONIL 72 SC	720 g/L	SC	FUNGICIDE	4	001-118-5412	20-Apr-24	-	Potato	Early and late blight, vine rot	4.5-6.0 Tbsp	-	-	Do not enter treatment areas until spray deposit have dried
ASICHEM MANUFACTURING CORPORATION	CHLOROTHALONIL	ASICHEM CHLOROTHALONIL 72 SC	720 g/L	SC	FUNGICIDE	4	001-118-5412	20-Apr-24	-	Banana	Black sigatoka	1.0-2.0 L/ha	-	-	Do not enter treatment areas until spray deposit have dried
ASICHEM MANUFACTURING CORPORATION	CHLOROTHALONIL	ASICHEM CHLOROTHALONIL 72 SC	720 g/L	SC	FUNGICIDE	4	001-118-5412	20-Apr-24	-	Asparagus	Stem and leaf blight	1.00L/ha	-	-	Do not enter treatment areas until spray deposit have dried
ASICHEM MANUFACTURING CORPORATION	CARBARYL	ASICHEM CARBARYL BS WP	850 g/kg	WP	INSECTICIDE	2	001-035-5035	04-Feb-26	-	Tobacco	Budworm, cutworm, aphids	4-6 tbsp/16 L water	-	-	Do not spray within 14 days before harvest on rice, 3 days on citrus and 1 day on cacao, coffee and mango
ASICHEM MANUFACTURING CORPORATION	CARBARYL	ASICHEM CARBARYL BS WP	850 g/kg	WP	INSECTICIDE	2	001-035-5035	04-Feb-26	-	Sorghum	Webworm, armyworm, cutworm, headworm	4-6 tbsp/16 L water	-	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango
ASICHEM MANUFACTURING CORPORATION	CARBARYL	ASICHEM CARBARYL BS WP	850 g/kg	WP	INSECTICIDE	2	001-035-5035	04-Feb-26	-	Ornamentals	Aphids, scale insect, mealy bug, cutworm	4-6 tbsp/16 L water	-	-	Do not spray within 14 days before harvest on rice, 3 days on citrus and 1 day on cacao, coffee and mango
ASICHEM MANUFACTURING CORPORATION	CARBARYL	ASICHEM CARBARYL BS WP	850 g/kg	WP	INSECTICIDE	2	001-035-5035	04-Feb-26	-	Mango	Mango hopper, tip borer, twig borer, fruit fly, mealy bug	4-8 tbsp/16 L water	-	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango
ASICHEM MANUFACTURING CORPORATION	CARBARYL	ASICHEM CARBARYL BS WP	850 g/kg	WP	INSECTICIDE	2	001-035-5035	04-Feb-26	-	Coffee	Berry borer	4-6 tbsp/16 L water	-	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango
ASICHEM MANUFACTURING CORPORATION	CARBARYL	ASICHEM CARBARYL BS WP	850 g/kg	WP	INSECTICIDE	2	001-035-5035	04-Feb-26	-	Cacao	Podborer, aphids, capsid bug	4-6 tbsp/16 L water	-	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango
ASICHEM MANUFACTURING CORPORATION	CARBARYL	ASICHEM CARBARYL BS WP	850 g/kg	WP	INSECTICIDE	2	001-035-5035	04-Feb-26	-	Citrus	Rind borer	4-6 tbsp/16 L water	-	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango
ASICHEM MANUFACTURING CORPORATION	CARBARYL	ASICHEM CARBARYL BS WP	850 g/kg	WP	INSECTICIDE	2	001-035-5035	04-Feb-26	-	Soybeans	Podborer, beanfly, leafminer, aphids	4-6 tbsp/16 L water	-	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango
ASICHEM MANUFACTURING CORPORATION	CARBARYL	ASICHEM CARBARYL BS WP	850 g/kg	WP	INSECTICIDE	2	001-035-5035	04-Feb-26	-	Rice	Green leafhopper, caseworm, aphids	4-6 tbsp/16 L water	-	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango
ASICHEM MANUFACTURING CORPORATION	CARBARYL	ASICHEM CARBARYL BS WP	850 g/kg	WP	INSECTICIDE	2	001-035-5035	04-Feb-26	-	Cowpea and other beans	Podborer, beanfly, leafminer, cutworm, aphids	4-6 tbsp/16 L water	-	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango
ASICHEM MANUFACTURING CORPORATION	CARBARYL	ASICHEM CARBARYL BS WP	850 g/kg	WP	INSECTICIDE	2	001-035-5035	04-Feb-26	-	Cotton seed	Bollworm	4-6 tbsp/16 L water	-	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango
ASICHEM MANUFACTURING CORPORATION	CARBARYL	ASICHEM CARBARYL BS WP	850 g/kg	WP	INSECTICIDE	2	001-035-5035	04-Feb-26	-	Cam	Cam borer, corn earworm, army worm	4-6 tbsp/16 L water	-	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango
ASICHEM MANUFACTURING CORPORATION	CARBARYL	ASICHEM CARBARYL BS WP	850 g/kg	WP	INSECTICIDE	2	001-035-5035	04-Feb-26	-	Tomato	Fruitworm, leafy beetle	4-6 tbsp/16 L water	-	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango
ASICHEM MANUFACTURING CORPORATION	CARBARYL	ASICHEM CARBARYL BS WP	850 g/kg	WP	INSECTICIDE	2	001-035-5035	04-Feb-26	-	Cucurbits	Squash beetle, leafy beetle	4-6 tbsp/16 L water	-	-	Do not spray within 14 days before harvest on rice, 5 days on citrus and 1 day on cacao, coffee and mango
ASICHEM MANUFACTURING CORPORATION	BUPROFEZIN	ASICHEM BUPROFEZIN 25 SC	250g/L	SC	INSECTICIDE	3	001-224-4959	27-Nov-25	-	Mango	Leafhopper	50-80 mL/2000 water	-	-	Re-entry to treated fields is allowed as soon as spray dries up
ASICHEM MANUFACTURING CORPORATION	BENOMYL	ASICHEM BENOMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	001-167-1853	09-Aug-24	SYSTEMIC	Mungbeans	Powdery mildew, cercospora leaf spot	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
ASICHEM MANUFACTURING CORPORATION	BENOMYL	ASICHEM BENOMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	001-167-1853	09-Aug-24	SYSTEMIC	Beans	Powdery mildew, cercospora leaf spot	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
ASICHEM MANUFACTURING CORPORATION	BENOMYL	ASICHEM BENOMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	001-167-1853	09-Aug-24	SYSTEMIC	Cabbage/Wongbook	Cercospora leaf spot	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
ASICHEM MANUFACTURING CORPORATION	BENOMYL	ASICHEM BENOMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	001-167-1853	09-Aug-24	SYSTEMIC	Calamansi	Scab	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
ASICHEM MANUFACTURING CORPORATION	BENOMYL	ASICHEM BENOMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	001-167-1853	09-Aug-24	SYSTEMIC	Cucumber	Powdery mildew	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
ASICHEM MANUFACTURING CORPORATION	BENOMYL	ASICHEM BENOMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	001-167-1853	09-Aug-24	SYSTEMIC	Ginger	Cercospora leaf spot	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
ASICHEM MANUFACTURING CORPORATION	BENOMYL	ASICHEM BENOMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	001-167-1853	09-Aug-24	SYSTEMIC	Grapes	Powdery mildew	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
ASICHEM MANUFACTURING CORPORATION	BENOMYL	ASICHEM BENOMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	001-167-1853	09-Aug-24	SYSTEMIC	Mandarin	Scab	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
ASICHEM MANUFACTURING CORPORATION	BENOMYL	ASICHEM BENOMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	001-167-1853	09-Aug-24	SYSTEMIC	Mango	Anthraxnose, powdery mildew	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
ASICHEM MANUFACTURING CORPORATION	BENOMYL	ASICHEM BENOMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	001-167-1853	09-Aug-24	SYSTEMIC	Melon	Powdery mildew	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
ASICHEM MANUFACTURING CORPORATION	BENOMYL	ASICHEM BENOMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	001-167-1853	09-Aug-24	SYSTEMIC	Orange	Scab	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
ASICHEM MANUFACTURING CORPORATION	BENOMYL	ASICHEM BENOMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	001-167-1853	09-Aug-24	SYSTEMIC	Papaya	Powdery mildew	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
ASICHEM MANUFACTURING CORPORATION	BENOMYL	ASICHEM BENOMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	001-167-1853	09-Aug-24	SYSTEMIC	Pepper	Cercospora leaf spot	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
ASICHEM MANUFACTURING CORPORATION	BENOMYL	ASICHEM BENOMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	001-167-1853	09-Aug-24	SYSTEMIC	Rice	Blast, sheath blight	3-4 Tbsp/16L water	1.0 ppm	7 days	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
ASICHEM MANUFACTURING CORPORATION	BENOMYL	ASICHEM BENOMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	001-167-1853	09-Aug-24	SYSTEMIC	Strawberry	Cercospora leaf spot	3-2 Tbsp/16L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
ASICHEM MANUFACTURING CORPORATION	BENOMYL	ASICHEM BENOMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	001-167-1853	09-Aug-24	SYSTEMIC	Tobacco	Leaf mold, frog eye	1-2 Tbsp/16L water	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
ASICHEM MANUFACTURING CORPORATION	BENOMYL	ASICHEM BENOMYL 50 WP	500 g/kg	WP	FUNGICIDE	4	001-167-1853	09-Aug-24	SYSTEMIC	Banana	Black sigatoka	200 g/ha	-	-	Within 24 hours after spraying, the treated field may be entered only with the use of an appropriate personal protective equipment (PPE) or after the spray
ASICHEM MANUFACTURING CORPORATION	AZOXYSTROBIN	ASICHEM AZOXYSTROBIN 25 SC	250 g/L	SC	FUNGICIDE	4	001-309-5069	11-Mar-26	SYSTEMIC	Mango	Anthraxnose, scab, stem-end rot	6-8/ 100L water	-	-	Re-entry to treated field is allowed as soon as spray dries
ASICHEM MANUFACTURING CORPORATION	AZOXYSTROBIN	ASICHEM AZOXYSTROBIN 25 SC	250 g/L	SC	FUNGICIDE	4	001-309-5069	11-Mar-26	SYSTEMIC	Watermelon	Damping off, leaf spot, anthracnose, downy, mildew, powdery mildew	1-2 Tbsp/16L water	-	-	Do not spray 3-7 days before harvest
ASICHEM MANUFACTURING CORPORATION	AZOXYSTROBIN	ASICHEM AZOXYSTROBIN 25 SC	250 g/L	SC	FUNGICIDE	4	001-309-5069	11-Mar-26	SYSTEMIC	Onion	Basal/ bulb rot	1-2 Tbsp/16L water	-	-	Do not spray 3-7 days before harvest
ASICHEM MANUFACTURING CORPORATION	AZOXYSTROBIN	ASICHEM AZOXYSTROBIN 25 SC	250 g/L	SC	FUNGICIDE	4	001-309-5069	11-Mar-26	SYSTEMIC	Tomato	Late/ early blight, powdery mildew	0.5-1 Tbsp/16L water	-	-	Do not spray 3-7 days before harvest
ASICHEM MANUFACTURING CORPORATION	AZOXYSTROBIN	ASICHEM AZOXYSTROBIN 25 SC	250 g/L	SC	FUNGICIDE	4	001-309-5069	11-Mar-26	SYSTEMIC	Cam	Sheath blight, leaf spot, leaf rust, ear rot	1-3 Tbsp/16L water	-	-	Do not spray 3-7 days before harvest
ASICHEM MANUFACTURING CORPORATION	AZOXYSTROBIN	ASICHEM AZOXYSTROBIN 25 SC	250 g/L	SC	FUNGICIDE	4	001-309-5069	11-Mar-26	SYSTEMIC	Asparagus	Stem blight, leaf blight, fusarium wilt	0.3 Tbsp/16L water	-	-	Do not spray 3-7 days before harvest
ASICHEM MANUFACTURING CORPORATION	ALPHA-CYPERMETHRIN	ASICHEM ALPHA-CYPERMETHRIN 25 SC	250 g/L	SC	INSECTICIDE	4	001-274-4890	28-Aug-25	-	Rice	Whorl maggot, stemborer, Rice bug, Green Leafhopper, Brown Planthopper and leafhopper	8-5 mL/16L water	-	-	Crops treated With ASICHEM ALPHA-CYPERMETHRIN 25 SC can be harvested 3 days after application.
ASICHEM MANUFACTURING CORPORATION	ALPHA-CYPERMETHRIN	ASICHEM ALPHA-CYPERMETHRIN 25 SC	250 g/L	SC	INSECTICIDE	4	001-274-4890	28-Aug-25	-	Cam	Maggots borers, Earworms	2.3 mL/ 16L water	-	-	Crops treated With ASICHEM ALPHA-CYPERMETHRIN 25 SC can be harvested 3 days after application.
ASICHEM MANUFACTURING CORPORATION	ALPHA-CYPERMETHRIN	ASICHEM ALPHA-CYPERMETHRIN 25 SC	250 g/L	SC	INSECTICIDE	4	001-274-4890	28-Aug-25	-	Watermelon	Armyworm, Leafhopper, leafroller, aphids, squash beetles	2.3 mL/ 16L water	-	-	Crops treated With ASICHEM ALPHA-CYPERMETHRIN 25 SC can be harvested 3 days after application.
ASICHEM MANUFACTURING CORPORATION	ALPHA-CYPERMETHRIN	ASICHEM ALPHA-CYPERMETHRIN 25 SC	250 g/L	SC	INSECTICIDE	4	001-274-4890	28-Aug-25	-	Stringbeans	Pod borers, Aphids, Cutworm	2.3 mL/ 16L water	-	-	Crops treated With ASICHEM ALPHA-CYPERMETHRIN 25 SC can be harvested 3 days after application.
ASICHEM MANUFACTURING CORPORATION	ALPHA-CYPERMETHRIN	ASICHEM ALPHA-CYPERMETHRIN 25 SC	250 g/L	SC	INSECTICIDE	4	001-274-4890	28-Aug-25	-	Eggplant	Leafhoppers, Mites, Borers	2.3 mL/ 16L water	-	-	Crops treated With ASICHEM ALPHA-CYPERMETHRIN 25 SC can be harvested 3 days after application.

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
AGCHEM MANUFACTURING CORPORATION	ALPHA-CYPERMETHRIN	AGCHEM ALPHA-CYPERMETHRIN 25 SC	250 g/L	SC	INSECTICIDE	4	001-274-4890	28-Aug-25	-	Tomato	Fruitworm	2.5-3.5 mL/36L water	-	Crops treated With AGCHEM ALPHA-CYPERMETHRIN 25 SC can be harvested 3 days after application.	Twenty four (24) hours after application.
AGCHEM MANUFACTURING CORPORATION	ALPHA-CYPERMETHRIN	AGCHEM ALPHA-CYPERMETHRIN 25 SC	250 g/L	SC	INSECTICIDE	4	001-274-4890	28-Aug-25	-	Tobacco	Budworm, Cutworm, Aphids	2.3 mL/36L water	-	Crops treated With AGCHEM ALPHA-CYPERMETHRIN 25 SC can be harvested 3 days after application.	Twenty four (24) hours after application.
AGCHEM MANUFACTURING CORPORATION	ACETAMIPRID	AGCHEM ACETAMIPRID 3EC	30g/L	EC	INSECTICIDE	3	001-329-3987	06-Feb-26	-	Mango	Mango hopper	1.5-2.0 Tbsp/36L water	1 mg/kg	Do not spray within 14 days of harvest	Do not enter the field within 2 days after spraying
AGCHEM MANUFACTURING CORPORATION	ACETAMIPRID	AGCHEM ACETAMIPRID 3EC	30g/L	EC	INSECTICIDE	3	001-329-3987	06-Feb-26	-	Eggplant	Leafhopper and fruit/ shoot borer	1.0-2.0 Tbsp/36L water	-	Do not spray within 14 days of harvest	Do not enter the field within 2 days after spraying
ASIA GOLD TRADING CORPORATION	MALATHION	AG MALATHION	570g/L	EC	INSECTICIDE	4	266-038-4227	17-Jan-21	NON-SYSTEMIC	Fruit trees	Aphids, mealy bug scale insect	1.5-3.0Tbsp/36L water	-	One(1) day after each spraying	One(1) day after each spraying
ASIA GOLD TRADING CORPORATION	MALATHION	AG MALATHION	570g/L	EC	INSECTICIDE	4	266-038-4227	17-Jan-21	NON-SYSTEMIC	Rice	Armyworm, caseworm, leafhopper, bugs	2.0-3.0Tbsp/36L water	-	One(1) day after each spraying	One(1) day after each spraying
ASIA GOLD TRADING CORPORATION	MALATHION	AG MALATHION	570g/L	EC	INSECTICIDE	4	266-038-4227	17-Jan-21	NON-SYSTEMIC	Corn	Earworm, silkworm, aphids, grasshopper	3.0-5.0Tbsp/36L water	-	One(1) day after each spraying	One(1) day after each spraying
ASIA GOLD TRADING CORPORATION	MALATHION	AG MALATHION	570g/L	EC	INSECTICIDE	4	266-038-4227	17-Jan-21	NON-SYSTEMIC	Cabbage	Cabbage worm, loopers, diamond back moth	2.0-5.0Tbsp/36L water	-	One(1) day after each spraying	One(1) day after each spraying
ASIA GOLD TRADING CORPORATION	MALATHION	AG MALATHION	570g/L	EC	INSECTICIDE	4	266-038-4227	17-Jan-21	NON-SYSTEMIC	Legumes	Aphids, beanfly, cutworm, flea beetles, leafminer, maggots, mealybug, podborer, thrips	2.0-5.0Tbsp/36L water	-	One(1) day after each spraying	One(1) day after each spraying
ASIA GOLD TRADING CORPORATION	MALATHION	AG MALATHION	570g/L	EC	INSECTICIDE	4	266-038-4227	17-Jan-21	NON-SYSTEMIC	Grapes	Beetles, cutworm, leafhopper, mealybug, scale, insect, spider mites	3.0Tbsp/36L water	-	One(1) day after each spraying	One(1) day after each spraying
ASIA GOLD TRADING CORPORATION	MALATHION	AG MALATHION	570g/L	EC	INSECTICIDE	4	266-038-4227	17-Jan-21	NON-SYSTEMIC	Pineapple	Mealy bug	3.0Tbsp/36L water	-	One(1) day after each spraying	One(1) day after each spraying
ASIA GOLD TRADING CORPORATION	MALATHION	AG MALATHION	570g/L	EC	INSECTICIDE	4	266-038-4227	17-Jan-21	NON-SYSTEMIC	Pepper	Aphid, cutworm, fruitworm	3.0Tbsp/36L water	-	One(1) day after each spraying	One(1) day after each spraying
ASIA GOLD TRADING CORPORATION	MALATHION	AG MALATHION	570g/L	EC	INSECTICIDE	4	266-038-4227	17-Jan-21	NON-SYSTEMIC	Garlic	Cutworm	3.0Tbsp/36L water	-	One(1) day after each spraying	One(1) day after each spraying
ASIA GOLD TRADING CORPORATION	MALATHION	AG MALATHION	570g/L	EC	INSECTICIDE	4	266-038-4227	17-Jan-21	NON-SYSTEMIC	Onion	Cutworm	3.0Tbsp/36L water	-	One(1) day after each spraying	One(1) day after each spraying
ASIA GOLD TRADING CORPORATION	MALATHION	AG MALATHION	570g/L	EC	INSECTICIDE	4	266-038-4227	17-Jan-21	NON-SYSTEMIC	Tobacco	Aphids, katydid	3.0-6.0Tbsp/36L water	-	One(1) day after each spraying	One(1) day after each spraying
ASIA GOLD TRADING CORPORATION	MALATHION	AG MALATHION	570g/L	EC	INSECTICIDE	4	266-038-4227	17-Jan-21	NON-SYSTEMIC	Ornamentals	Aphids, cutworm, mealybug, scale insect, spider mites	3.0-5.0Tbsp/36L water	-	One(1) day after each spraying	One(1) day after each spraying
ASIA GOLD TRADING CORPORATION	MALATHION	AG MALATHION	570g/L	EC	INSECTICIDE	4	266-038-4227	17-Jan-21	NON-SYSTEMIC	Tomato	Lady beetle	3.0-5.0Tbsp/36L water	-	One(1) day after each spraying	One(1) day after each spraying
ASIA GOLD TRADING CORPORATION	MALATHION	AG MALATHION	570g/L	EC	INSECTICIDE	4	266-038-4227	17-Jan-21	NON-SYSTEMIC	Eggplant	Aphids, fruitworm	3.0-5.0Tbsp/36L water	-	One(1) day after each spraying	One(1) day after each spraying
ASIA GOLD TRADING CORPORATION	MALATHION	AG MALATHION	570g/L	EC	INSECTICIDE	4	266-038-4227	17-Jan-21	NON-SYSTEMIC	Sorghum	Web worm	3.0Tbsp/36L water	-	One(1) day after each spraying	One(1) day after each spraying
ASIA GOLD TRADING CORPORATION	CARBOFURAN	AG CARBOFURAN 3G	30 g/kg	G	INSECTICIDE	2	266-104-5391	01-Feb-24	-	Corn	Borer, earworm, grubs, seedling maggot	16-7.33.3 kg prod/ha	-	-	2 Days
ASIA GOLD TRADING CORPORATION	CARBOFURAN	AG CARBOFURAN 3G	30 g/kg	G	INSECTICIDE	2	266-104-5391	01-Feb-24	-	Cotton	Nematodes, grubs	16-7.33.3 kg prod/ha	-	-	2 Days
ASIA GOLD TRADING CORPORATION	CARBOFURAN	AG CARBOFURAN 3G	30 g/kg	G	INSECTICIDE	2	266-104-5391	01-Feb-24	-	Eggplant	Fruitborer	16-7.33.3 kg prod/ha	-	-	2 Days
ASIA GOLD TRADING CORPORATION	CARBOFURAN	AG CARBOFURAN 3G	30 g/kg	G	INSECTICIDE	2	266-104-5391	01-Feb-24	-	Field legumes	Grubs	16-7.33.3 kg prod/ha	-	-	2 Days
ASIA GOLD TRADING CORPORATION	CARBOFURAN	AG CARBOFURAN 3G	30 g/kg	G	INSECTICIDE	2	266-104-5391	01-Feb-24	-	Rice	Stem borer, whorl maggot, leafhopper, leafroller, caseworm, planthopper	16-7.33.3 kg prod/ha	0.2ppm	-	2 Days
ASIA GOLD TRADING CORPORATION	CARBOFURAN	AG CARBOFURAN 3G	30 g/kg	G	INSECTICIDE	2	266-104-5391	01-Feb-24	-	Soybeans	Bean fly, grubs, nematodes, other soil insects	16-7.33.3 kg prod/ha	-	-	2 Days
ASIA GOLD TRADING CORPORATION	CARBOFURAN	AG CARBOFURAN 3G	30 g/kg	G	INSECTICIDE	2	266-104-5391	01-Feb-24	-	Sugarcane	Borer, leafhopper, mealy bug, scale insects	16-7.33.3 kg prod/ha	-	-	2 Days
ASIA GOLD TRADING CORPORATION	CARBOFURAN	AG CARBOFURAN 3G	30 g/kg	G	INSECTICIDE	2	266-104-5391	01-Feb-24	-	Tobacco	Nematodes, budworm	16-7.33.3 kg prod/ha	-	-	2 Days
ASIA GOLD TRADING CORPORATION	CARBOFURAN	AG CARBOFURAN 3G	30 g/kg	G	INSECTICIDE	2	266-104-5391	01-Feb-24	-	White potato	Nematodes, grubs	16-7.33.3 kg prod/ha	-	-	2 Days
ASIA GOLD TRADING CORPORATION	CARBOFURAN	AG CARBOFURAN 3G	30 g/kg	G	INSECTICIDE	2	266-104-5391	01-Feb-24	-	Cowpea	Bean fly, grubs, nematode, other soil insects	16-7.33.3 kg prod/ha	-	-	2 Days
ASIA GOLD TRADING CORPORATION	CARBOFURAN	AG CARBOFURAN 3G	30 g/kg	G	INSECTICIDE	2	266-104-5391	01-Feb-24	-	Ornamentals	Scale insects, aphids, mealy bug	16-7.33.3 kg prod/ha	-	-	2 Days
UPL PHILIPPINES, INC.	AZIXOTROBIN	AFFIX 25 SC	250 g/L	SC	FUNGICIDE	4	562-309-5050	02-Mar-26	-	Mango	Anthracoise, scab, stem-end rot	6-8 /200L water	-	Do not spray 3-7 days before harvest	Re-entry to treated area is allowed as soon as spray dried up
UPL PHILIPPINES, INC.	AZIXOTROBIN	AFFIX 25 SC	250 g/L	SC	FUNGICIDE	4	562-309-5050	02-Mar-26	-	Watermelon	Damping off, leaf spot, anthracnose, downy, mildew, powdery mildew	1-2 Tbsp/36L water	-	Do not spray 3-7 days before harvest	Re-entry to treated area is allowed as soon as spray dried up
UPL PHILIPPINES, INC.	AZIXOTROBIN	AFFIX 25 SC	250 g/L	SC	FUNGICIDE	4	562-309-5050	02-Mar-26	-	Onion	Basil/Bulb rot	1-2 Tbsp/36L water	-	Do not spray 3-7 days before harvest	Re-entry to treated area is allowed as soon as spray dried up
UPL PHILIPPINES, INC.	AZIXOTROBIN	AFFIX 25 SC	250 g/L	SC	FUNGICIDE	4	562-309-5050	02-Mar-26	-	Tomato	Late and early blight, powdery mildew	0.5-1 Tbsp/36L water	-	Do not spray 3-7 days before harvest	Re-entry to treated area is allowed as soon as spray dried up
UPL PHILIPPINES, INC.	AZIXOTROBIN	AFFIX 25 SC	250 g/L	SC	FUNGICIDE	4	562-309-5050	02-Mar-26	-	Asparagus	Stem blight, leaf blight, fusarium wilt	3-3 Tbsp/36L water	-	Do not spray 3-7 days before harvest	Re-entry to treated area is allowed as soon as spray dried up
UPL PHILIPPINES, INC.	AZIXOTROBIN	AFFIX 25 SC	250 g/L	SC	FUNGICIDE	4	562-309-5050	02-Mar-26	-	Corn	Sheath blight, leaf spot, leaf rust, ear rot	2-4 Tbsp/36L water	-	Do not spray 3-7 days before harvest	Re-entry to treated area is allowed as soon as spray dried up
WYNSONS PHILIPPINES, INC.	TETRACONAZOLE-CARBENDAZIM	AFFIX	125 g/L+150 g/L	-	FUNGICIDE	4	551-423-4953	27-Sep-22	SYSTEMIC	Mango	Anthracoise,stem-end rot	60-80 mL per 100L water	-	Do not spray 14 days before harvest	As soon as spray solution dries up.
WYNSONS PHILIPPINES, INC.	TETRACONAZOLE-CARBENDAZIM	AFFIX	125 g/L+150 g/L	-	FUNGICIDE	4	551-423-4953	27-Sep-22	SYSTEMIC	Rice	Sheath Blight	26 mL/36L	-	Do not spray 14 days before harvest	As soon as spray solution dries up.
LEADS AGRICULTURAL PRODUCTS CORPORATION	AFALON 50 WP	AFALON 50 WP	500 g/kg	WP	HERBICIDE	4	099-171-1439	28-Jul-26	SELECTIVE (PRE /POST EMERGENCE)	Soybeans	Annual weeds	3.0-4.0 Tbsp/36L water	-	No restriction-product is applied only once at planting time	Do not enter treated field within 24 hours after spray application
LEADS AGRICULTURAL PRODUCTS CORPORATION	AFALON 50 WP	AFALON 50 WP	500 g/kg	WP	HERBICIDE	4	099-171-1439	28-Jul-26	SELECTIVE (PRE /POST EMERGENCE)	Peanut	Annual weeds	3.0-4.0 Tbsp/36L water	-	No restriction-product is applied only once at planting time	Do not enter treated field within 24 hours after spray application
LEADS AGRICULTURAL PRODUCTS CORPORATION	AFALON 50 WP	AFALON 50 WP	500 g/kg	WP	HERBICIDE	4	099-171-1439	28-Jul-26	SELECTIVE (PRE /POST EMERGENCE)	Sweet peas	Annual weeds	3.0-4.0 Tbsp/36L water	-	No restriction-product is applied only once at planting time	Do not enter treated field within 24 hours after spray application
LEADS AGRICULTURAL PRODUCTS CORPORATION	AFALON 50 WP	AFALON 50 WP	500 g/kg	WP	HERBICIDE	4	099-171-1439	28-Jul-26	SELECTIVE (PRE /POST EMERGENCE)	Carrot	Annual weeds	3.5-4.0 Tbsp/36L water	-	No restriction-product is applied only once at planting time	Do not enter treated field within 24 hours after spray application
LEADS AGRICULTURAL PRODUCTS CORPORATION	AFALON 50 WP	AFALON 50 WP	500 g/kg	WP	HERBICIDE	4	099-171-1439	28-Jul-26	SELECTIVE (PRE /POST EMERGENCE)	Celery	Annual weeds	3.5-4.0 Tbsp/36L water	-	No restriction-product is applied only once at planting time	Do not enter treated field within 24 hours after spray application
LEADS AGRICULTURAL PRODUCTS CORPORATION	AFALON 50 WP	AFALON 50 WP	500 g/kg	WP	HERBICIDE	4	099-171-1439	28-Jul-26	SELECTIVE (PRE /POST EMERGENCE)	Corn	Annual weeds	3.5-4.0 Tbsp/36L water	-	No restriction-product is applied only once at planting time	Do not enter treated field within 24 hours after spray application
LEADS AGRICULTURAL PRODUCTS CORPORATION	AFALON 50 WP	AFALON 50 WP	500 g/kg	WP	HERBICIDE	4	099-171-1439	28-Jul-26	SELECTIVE (PRE /POST EMERGENCE)	Onion	Annual weeds	3.0-4.0 Tbsp/36L water	-	No restriction-product is applied only once at planting time	Do not enter treated field within 24 hours after spray application
LEADS AGRICULTURAL PRODUCTS CORPORATION	AFALON 50 WP	AFALON 50 WP	500 g/kg	WP	HERBICIDE	4	099-171-1439	28-Jul-26	SELECTIVE (PRE /POST EMERGENCE)	Garlic	Annual weeds	3.0-4.0 Tbsp/36L water	-	No restriction-product is applied only once at planting time	Do not enter treated field within 24 hours after spray application
LEADS AGRICULTURAL PRODUCTS CORPORATION	AFALON 50 WP	AFALON 50 WP	500 g/kg	WP	HERBICIDE	4	099-171-1439	28-Jul-26	SELECTIVE (PRE /POST EMERGENCE)	Potato	Annual weeds	3.0-7.0 Tbsp/36L water	-	No restriction-product is applied only once at planting time	Do not enter treated field within 24 hours after spray application
LEADS AGRICULTURAL PRODUCTS CORPORATION	AFALON 50 WP	AFALON 50 WP	500 g/kg	WP	HERBICIDE	4	099-171-1439	28-Jul-26	SELECTIVE (PRE /POST EMERGENCE)	Sugarcane	Annual weeds	3.0-5.0 Tbsp/36L water	-	No restriction-product is applied only once at planting time	Do not enter treated field within 24 hours after spray application
LEADS AGRICULTURAL PRODUCTS CORPORATION	AFALON 50 WP	AFALON 50 WP	500 g/kg	WP	HERBICIDE	4	099-171-1439	28-Jul-26	SELECTIVE (PRE /POST EMERGENCE)	Tobacco	Annual weeds	3.50 Tbsp/36L water	-	No restriction-product is applied only once at planting time	Do not enter treated field within 24 hours after spray application
LEADS AGRICULTURAL PRODUCTS CORPORATION	AFALON 50 WP	AFALON 50 WP	500 g/kg	WP	HERBICIDE	4	099-171-1439	28-Jul-26	SELECTIVE (PRE /POST EMERGENCE)	Pineapple	Annual weeds	7.0-10.5	-	No restriction-product is applied only once at planting time	Do not enter treated field within 24 hours after spray application
MAGAN AGRO PHILS., ENTERPRISE, INC.	AFALON 50 WP	AFALON 50 WP	500 g/kg	WP	HERBICIDE	4	461-171-2499	28-Jul-26	SELECTIVE (PRE /POST EMERGENCE)	Soybeans	Annual weeds	3.0-4.0 Tbsp/36L water	-	No restriction-product is applied only once at planting time	Do not enter treated field within 24 hours after spray application
MAGAN AGRO PHILS., ENTERPRISE, INC.	AFALON 50 WP	AFALON 50 WP	500 g/kg	WP	HERBICIDE	4	461-171-2499	28-Jul-26	SELECTIVE (PRE /POST EMERGENCE)	Peanut	Annual weeds	3.0-4.0 Tbsp/36L water	-	No restriction-product is applied only once at planting time	Do not enter treated field within 24 hours after spray application
MAGAN AGRO PHILS., ENTERPRISE, INC.	AFALON 50 WP	AFALON 50 WP	500 g/kg	WP	HERBICIDE	4	461-171-2499	28-Jul-26	SELECTIVE (PRE /POST EMERGENCE)	Sweet peas	Annual weeds	3.0-4.0 Tbsp/36L water	-	No restriction-product is applied only once at planting time	Do not enter treated field within 24 hours after spray application
MAGAN AGRO PHILS., ENTERPRISE, INC.	AFALON 50 WP	AFALON 50 WP	500 g/kg	WP	HERBICIDE	4	461-171-2499	28-Jul-26	SELECTIVE (PRE /POST EMERGENCE)	Carrot	Annual weeds	3.5-4.0 Tbsp/36L water	-	No restriction-product is applied only once at planting time	Do not enter treated field within 24 hours after spray application
MAGAN AGRO PHILS., ENTERPRISE, INC.	AFALON 50 WP	AFALON 50 WP	500 g/kg	WP	HERBICIDE	4	461-171-2499	28-Jul-26	SELECTIVE (PRE /POST EMERGENCE)	Celery	Annual weeds	3.5-4.0 Tbsp/36L water	-	No restriction-product is applied only once at planting time	Do not enter treated field within 24 hours after spray application

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
MAGAN AGRO PHILS., ENTERPRISE, INC.	UNURON	AFALON 50 WP	500 g/kg	WP	HERBICIDE	4	461-171-2499	28-Jul-26	SELECTIVE (PRE / POST EMERGENCE)	Corn	Annual weeds	1.5-4.0 Tbsp/36L water	-	No restriction-product is applied only once at planting time	Do not enter treated field within 24 hours after spray application
MAGAN AGRO PHILS., ENTERPRISE, INC.	UNURON	AFALON 50 WP	500 g/kg	WP	HERBICIDE	4	461-171-2499	28-Jul-26	SELECTIVE (PRE / POST EMERGENCE)	Onion	Annual weeds	3.0-4.0 Tbsp/36L water	-	No restriction-product is applied only once at planting time	Do not enter treated field within 24 hours after spray application
MAGAN AGRO PHILS., ENTERPRISE, INC.	UNURON	AFALON 50 WP	500 g/kg	WP	HERBICIDE	4	461-171-2499	28-Jul-26	SELECTIVE (PRE / POST EMERGENCE)	Garlic	Annual weeds	3.0-4.0 Tbsp/36L water	-	No restriction-product is applied only once at planting time	Do not enter treated field within 24 hours after spray application
MAGAN AGRO PHILS., ENTERPRISE, INC.	UNURON	AFALON 50 WP	500 g/kg	WP	HERBICIDE	4	461-171-2499	28-Jul-26	SELECTIVE (PRE / POST EMERGENCE)	Potato	Annual weeds	1.0-7.0 Tbsp/36L water	-	No restriction-product is applied only once at planting time	Do not enter treated field within 24 hours after spray application
MAGAN AGRO PHILS., ENTERPRISE, INC.	UNURON	AFALON 50 WP	500 g/kg	WP	HERBICIDE	4	461-171-2499	28-Jul-26	SELECTIVE (PRE / POST EMERGENCE)	Sugarcane	Annual weeds	3.0-5.0 Tbsp/36L water	-	No restriction-product is applied only once at planting time	Do not enter treated field within 24 hours after spray application
MAGAN AGRO PHILS., ENTERPRISE, INC.	UNURON	AFALON 50 WP	500 g/kg	WP	HERBICIDE	4	461-171-2499	28-Jul-26	SELECTIVE (PRE / POST EMERGENCE)	Tobacco	Annual weeds	3.0 Tbsp/36L water	-	No restriction-product is applied only once at planting time	Do not enter treated field within 24 hours after spray application
MAGAN AGRO PHILS., ENTERPRISE, INC.	UNURON	AFALON 50 WP	500 g/kg	WP	HERBICIDE	4	461-171-2499	28-Jul-26	SELECTIVE (PRE / POST EMERGENCE)	Pineapple	Annual weeds	7.0-10.5	-	No restriction-product is applied only once at planting time	Do not enter treated field within 24 hours after spray application
BAYER CROSCIENCE, INC.	IMIDACLOPRID+THIOICARB	AERIS WG 69	690 g/kg	WG	INSECTICIDE	4	284-443-3233	19-Nov-19	-	Eggplant	Aphids, leafhopper, whiteflies, tipborer, fruitborer	-	-	-	-
BAYER CROSCIENCE, INC.	IMIDACLOPRID+THIOICARB	AERIS WG 69	690 g/kg	WG	INSECTICIDE	4	284-443-3233	19-Nov-19	-	Stringbeans	Aphids, cutworms, beanleaf beetle, podborers, beanfly, armyworm	-	-	-	-
BAYER CROSCIENCE, INC.	IMIDACLOPRID+THIOICARB	AERIS WG 69	690 g/kg	WG	INSECTICIDE	4	284-443-3233	19-Nov-19	-	Tomato	Leafhoppers, cutworm, whitefly, fruitworm, leafminer	-	-	-	-
SHELLHOMES CHEMICALS, INCORPORATED	2,4-D AMINE	AEON 2,4-D AMINE	400 g/L	EC	HERBICIDE	2	461-013-2901	06-Oct-26	SELECTIVE (POST EMERGENT)	Rice (Transplanted)	Annual broadleaves and sedges	3.5-6.5Tbsp/36 L water	0.1 ppm	-	Entry to fields and crops treated with AEON 2,4-D AMINE can be done one day after spraying
SHELLHOMES CHEMICALS, INCORPORATED	2,4-D AMINE	AEON 2,4-D AMINE	400 g/L	EC	HERBICIDE	2	461-013-2901	06-Oct-26	SELECTIVE (POST EMERGENT)	Sugarcane	Annual broadleaves and sedges	13-25 Tbsp/36 L water	-	-	Entry to fields and crops treated with AEON 2,4-D AMINE can be done one day after spraying
SHELLHOMES CHEMICALS, INCORPORATED	2,4-D AMINE	AEON 2,4-D AMINE	400 g/L	EC	HERBICIDE	2	461-013-2901	06-Oct-26	SELECTIVE (POST EMERGENT)	Corn	Annual broadleaves and sedges	5-6.5 Tbsp/36 L water	-	-	Entry to fields and crops treated with AEON 2,4-D AMINE can be done one day after spraying
MAJORITY AGRICULTURAL TRADING CORPORATION	METALAXYL-M	AEUS 48 EC	480 g/L	EC	FUNGICIDE	2	733-384-3367	22-Mar-24	-	Pineapple	Heart rot disease, root rot, and fungal diseases caused by Fusarium spp., and Phytophthora spp.	1-2.5 mL prod / L solution; 1.8-4.0 L prod / hectare	-	-	-
LEADS AGRICULTURAL PRODUCTS CORPORATION	BUTACHLOR+PROPANIL	ADVICE 70 EC	350-350 g/L	EC	HERBICIDE	3	598-238-1326	04-May-25	POST-EMERGENT	Rice (Direct-Seeded)	Grasses, Sedges and Broadleaves	9-17Tbsp/36 L water	Butachlor 0.1ppm Propanil 0.1ppm	-	-
LEADS AGRICULTURAL PRODUCTS CORPORATION	BUTACHLOR+PROPANIL	ADVICE 70 EC	350-350 g/L	EC	HERBICIDE	3	598-238-1326	04-May-25	POST-EMERGENT	Rice (Transplanted)	Grasses, Sedges and Broadleaves	9-17Tbsp/36 L water	Butachlor 0.1ppm Propanil 0.1ppm	-	-
TOTAL FARM CARE AGR PRODUCTS INC.	BUTACHLOR+PROPANIL	ADVENT 70 EC	350-350 g/L	EC	HERBICIDE	3	533-238-3488	14-Aug-18	POST-EMERGENT	Rice (Direct-Seeded)	Grasses, Sedges and Broadleaves	9-12 Tbsp/36 L water	Butachlor 0.1ppm Propanil 0.1ppm	-	-
TOTAL FARM CARE AGR PRODUCTS INC.	BUTACHLOR+PROPANIL	ADVENT 70 EC	350-350 g/L	EC	HERBICIDE	3	533-238-3488	14-Aug-18	POST-EMERGENT	Rice (Transplanted)	Grasses, Sedges and Broadleaves	9-12 Tbsp/36 L water	Butachlor 0.1ppm Propanil 0.1ppm	-	-
FMC AGRO PHILIPPINES INC.	CARBOXULFAN	ADVANTAGE 5 G	50 g/kg	G	INSECTICIDE	3	598-223-4196	02-Nov-20	-	Rice	Green leafhopper & whorl maggot	25-20 kg product/ha	0.2ppm	14 days	0 day
FMC AGRO PHILIPPINES INC.	CARBOXULFAN	ADVANTAGE 5 G	50 g/kg	G	INSECTICIDE	3	598-223-4196	02-Nov-20	-	Corn	Seeding maggots	10-15 kg/ha	-	-	0 day
SINOCHEM CROP PROTECTION (PHILS.) INC.	BUTACHLOR+PROPANIL	ADVANCE EC	350-350 g/L	EC	HERBICIDE	3	432-238-2302	20-Mar-25	POST-EMERGENT	Rice (Transplanted)	Annual broadleaves and sedges	-	-	-	-
SINOCHEM CROP PROTECTION (PHILS.) INC.	BUTACHLOR+PROPANIL	ADVANCE EC	350-350 g/L	EC	HERBICIDE	3	432-238-2302	20-Mar-25	POST-EMERGENT	Corn	Annual broadleaves and sedges	-	-	-	-
SINOCHEM CROP PROTECTION (PHILS.) INC.	BUTACHLOR+PROPANIL	ADVANCE EC	350-350 g/L	EC	HERBICIDE	3	432-238-2302	20-Mar-25	POST-EMERGENT	Sugarcane	Annual broadleaves and sedges	-	-	-	-
SYNGENTA PHILIPPINES INC.	BUTACHLOR+PROPANIL	ADVANCE EC	350-350 g/L	EC	HERBICIDE	3	432-238-2302	20-Mar-25	POST-EMERGENT	Rice (Transplanted)	Annual broadleaves and sedges	-	-	-	-
SYNGENTA PHILIPPINES INC.	BUTACHLOR+PROPANIL	ADVANCE EC	350-350 g/L	EC	HERBICIDE	3	432-238-2302	20-Mar-25	POST-EMERGENT	Corn	Annual broadleaves and sedges	-	-	-	-
SYNGENTA PHILIPPINES INC.	BUTACHLOR+PROPANIL	ADVANCE EC	350-350 g/L	EC	HERBICIDE	3	432-238-2302	20-Mar-25	POST-EMERGENT	Sugarcane	Annual broadleaves and sedges	-	-	-	-
BAYER CROSCIENCE, INC.	IMIDACLOPRID+DELTA METHRIN	ADMIRE MAX 75 WG	500g/250g/kg	WG	INSECTICIDE	2	284-451-3520	28-Mar-20	CONTACT	Cabbage	Aphids	4-6 gm/36 L water	imidacloprid - 0.25 ppm	14 days	As soon as spray deposits have dried
BAYER CROSCIENCE, INC.	IMIDACLOPRID+DELTA METHRIN	ADMIRE MAX 75 WG	500g/250g/kg	WG	INSECTICIDE	2	284-451-3520	28-Mar-20	CONTACT	Eggplant	Aphids, whiteflies, hoppers, & tipborers	4-6 gm/36 L water	imidacloprid - 0.25 ppm Deltamethrin - 0.005 ppm	7 days	As soon as spray deposits have dried
BAYER CROSCIENCE, INC.	IMIDACLOPRID+DELTA METHRIN	ADMIRE MAX 75 WG	500g/250g/kg	WG	INSECTICIDE	2	284-451-3520	28-Mar-20	CONTACT	Bittergourd	Cucurbit beetles, aphids, leafrollers, whiteflies, cutworm	4-6 gm/36 L water	imidacloprid - 0.25 ppm Deltamethrin - 0.005 ppm	3 days	As soon as spray deposits have dried
BAYER CROSCIENCE, INC.	IMIDACLOPRID+DELTA METHRIN	ADMIRE MAX 75 WG	500g/250g/kg	WG	INSECTICIDE	2	284-451-3520	28-Mar-20	CONTACT	Stringbeans	Bean fly, aphids, podborer, cutworm, leaf hopper	4-6 gm/36 L water	imidacloprid - 0.25 ppm Deltamethrin - 0.005 ppm	3 days	As soon as spray deposits have dried
BAYER CROSCIENCE, INC.	IMIDACLOPRID+DELTA METHRIN	ADMIRE MAX 75 WG	500g/250g/kg	WG	INSECTICIDE	2	284-451-3520	28-Mar-20	CONTACT	Tomato	Fruit worm, white flies, leafhoppers	4-6 gm/36 L water	imidacloprid - 0.25 ppm Deltamethrin - 0.005 ppm	3 days	As soon as spray deposits have dried
BAYER CROSCIENCE, INC.	IMIDACLOPRID+DELTA METHRIN	ADMIRE MAX 75 WG	500g/250g/kg	WG	INSECTICIDE	2	284-451-3520	28-Mar-20	CONTACT	Mango	Leafhoppers, tipborer, capsid bugs	20-40 g prod./200L water	imidacloprid - 0.25 ppm	40 days	As soon as spray deposits have dried
JARDINE DISTRIBUTION, INC.	PHYPROXYFEN	ADMIRAL 10 EW	100 g/L	EW	INSECTICIDE	4	472-469-4283	21-Jan-25	-	Papaya	Scale insects and mites	0.5-1.1 product per ha 100 g & 1 per ha	(30)	-	-
JARDINE DISTRIBUTION, INC.	PHYPROXYFEN	ADMIRAL 10 EW	100 g/L	EW	INSECTICIDE	4	472-469-4283	21-Jan-25	-	Pineapple	Scale insects and Mealy bugs	100-250 grams a/ha/hectare	-	-	-
SUMITOMO CHEMICAL PHILIPPINES INC.	PHYPROXYFEN	ADMIRAL 10 EW	100 g/L	EW	INSECTICIDE	4	472-469-4283	09-Mar-24	-	Papaya	Scale insects and mites	0.5-1.1 product per ha 100 g & 1 per ha	(30)	1 day after foliar application	-
SUMITOMO CHEMICAL PHILIPPINES INC.	PHYPROXYFEN	ADMIRAL 10 EW	100 g/L	EW	INSECTICIDE	4	472-469-4283	05-Nov-22	-	Pineapple	Scale insects and Mealy bugs	-	-	-	-
BERNIS AGRICULTURAL CO., INC.	NICLOSAMIDE	ADIOS 25 EC	250 g/L	EC	MOLLUSCIDE	4	219-229-1030	16-Jun-26	-	Rice	Golden apple snail	7-10 Tbsp/36L water	-	-	48 hours after spraying
INTERSCORA INC.	NICLOSAMIDE	ADIO 70 WP	700 g/kg	WP	MOLLUSCIDE	4	444-229-6378	29-Nov-26	-	Rice	Golden apple snail	260 g prod. / ha	-	-	Do not enter the treated field within 48 hours after application
AGWAY CHEMICALS CORPORATION	CYPERMETHRIN	ADER 5 EC	50 g/L	EC	INSECTICIDE	4	075-037-0832	24-Mar-24	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
AGWAY CHEMICALS CORPORATION	CYPERMETHRIN	ADER 5 EC	50 g/L	EC	INSECTICIDE	4	075-037-0832	24-Mar-24	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leafroller, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
AGWAY CHEMICALS CORPORATION	CYPERMETHRIN	ADER 5 EC	50 g/L	EC	INSECTICIDE	4	075-037-0832	24-Mar-24	CONTACT	Cabbage	Diamond back-moth, cabbage moth, worm	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
AGWAY CHEMICALS CORPORATION	CYPERMETHRIN	ADER 5 EC	50 g/L	EC	INSECTICIDE	4	075-037-0832	24-Mar-24	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
AGWAY CHEMICALS CORPORATION	CYPERMETHRIN	ADER 5 EC	50 g/L	EC	INSECTICIDE	4	075-037-0832	24-Mar-24	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
AGWAY CHEMICALS CORPORATION	CYPERMETHRIN	ADER 5 EC	50 g/L	EC	INSECTICIDE	4	075-037-0832	24-Mar-24	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
AGWAY CHEMICALS CORPORATION	CYPERMETHRIN	ADER 5 EC	50 g/L	EC	INSECTICIDE	4	075-037-0832	24-Mar-24	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
AGWAY CHEMICALS CORPORATION	CYPERMETHRIN	ADER 5 EC	50 g/L	EC	INSECTICIDE	4	075-037-0832	24-Mar-24	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
AGWAY CHEMICALS CORPORATION	CYPERMETHRIN	ADER 5 EC	50 g/L	EC	INSECTICIDE	4	075-037-0832	24-Mar-24	CONTACT	Cotton	Ballworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
AGWAY CHEMICALS CORPORATION	CYPERMETHRIN	ADER 5 EC	50 g/L	EC	INSECTICIDE	4	075-037-0832	24-Mar-24	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
AGWAY CHEMICALS CORPORATION	CYPERMETHRIN	ADER 5 EC	50 g/L	EC	INSECTICIDE	4	075-037-0832	24-Mar-24	CONTACT	Corn	Comborer, earworm	1.0-4.5 Tbsp/36 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
BAYER CROSCIENCE, INC.	BIOXAFLOTOLE+THENCARBAZONE- METHYL	ADIRNGO XTRA SC 335	225g/1700 g/L	SC	HERBICIDE	3	284-990-5773	26-Jul-25	PRE-EMERGENCE	Corn	Grasses, sedges, broadleaf weeds	12-16 mL product/ 36 L water at spray volume of 400L per hectare (300-400)	0.02 mg/kg Isosalif 0.02	-	Do not enter treated area before the spray deposit has dried completely (for atleast 12 hours after application).
SULI AGROSCIENCE PHILIPPINES INC.	BOSCAUD	ACUBOR 500 SC	500 g/L	SC	FUNGICIDE	4	692-413-5759	24-Jun-25	SYSTEMIC	Banana	black sigatoka	0.5-0.7 L/ha	-	0 day	After drying of spray or 24 hours after spraying
FKA AGR CHEMICAL CORPORATION	THIAMETHOXAM	ACTXAM 25 WG	250 g/kg	WG	INSECTICIDE	4	399-312-6405	29-Aug-26	-	Pineapple	Mealy bug	100-250 g/ha	-	-	No PHI as last application will be 438 days before harvest
FKA AGR CHEMICAL CORPORATION	THIAMETHOXAM	ACTXAM 25 WG	250 g/kg	WG	INSECTICIDE	4	399-312-6405	29-Aug-26	-	Mango	Leafhopper	305.6-123.2 g/ha	-	-	No PHI as applied at least 20-40 days before harvest
FKA AGR CHEMICAL CORPORATION	THIAMETHOXAM	ACTXAM 25 WG	250 g/kg	WG	INSECTICIDE	4	399-312-6405	29-Aug-26	-	Rice	Green leafhopper, brown plant hopper, white backed planthopper, rice bug, black bug	-	-	28 days	Do not enter unless spray deposits have dried
FKA AGR CHEMICAL CORPORATION	THIAMETHOXAM	ACTXAM 25 WG	250 g/kg	WG	INSECTICIDE	4	399-312-6405	29-Aug-26	-	Stringbeans	Aphids, leafhopper	-	-	7 Days	Do not enter unless spray deposits have dried
FKA AGR CHEMICAL CORPORATION	THIAMETHOXAM	ACTXAM 25 WG	250 g/kg	WG	INSECTICIDE	4	399-312-6405	29-Aug-26	-	Eggplant	Aphids, leafhopper	-	-	3 days	Do not enter unless spray deposits have dried

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
FRA AGR CHEMICAL CORPORATION	THIAMETHORAM	ACTAM 25 WG	250g/kg	WG	INSECTICIDE	4	999-912-6405	29-Aug-26	-	Banana	Flower thrips	-	-	No PHI as will be applied as bud injection	Do not enter unless spray deposits have dried
B.M. CUSPAG AGR TRADE	CYPERMETHRIN	ACTOR 5 EC	50g/L	EC	INSECTICIDE	4	568-037-3668	14-Mar-19	CONTACT	Mango	Leafhopper, twig borer, tip borer, fruit fly	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
B.M. CUSPAG AGR TRADE	CYPERMETHRIN	ACTOR 5 EC	50 g/L	EC	INSECTICIDE	4	568-037-3668	14-Mar-19	CONTACT	Rice	Green leafhopper, brown planthopper, white-backed planthopper, leafhopper, stem borer, armyworm, rice bug	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
B.M. CUSPAG AGR TRADE	CYPERMETHRIN	ACTOR 5 EC	50g/L	EC	INSECTICIDE	4	568-037-3668	14-Mar-19	CONTACT	Cabbage	Diamond back moth, cabbage moth, worm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
B.M. CUSPAG AGR TRADE	CYPERMETHRIN	ACTOR 5 EC	50g/L	EC	INSECTICIDE	4	568-037-3668	14-Mar-19	CONTACT	Beans	Pod borer, beanfly, leafminer, aphids, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
B.M. CUSPAG AGR TRADE	CYPERMETHRIN	ACTOR 5 EC	50g/L	EC	INSECTICIDE	4	568-037-3668	14-Mar-19	CONTACT	Tomato	Tomato fruitworm, aphids, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
B.M. CUSPAG AGR TRADE	CYPERMETHRIN	ACTOR 5 EC	50g/L	EC	INSECTICIDE	4	568-037-3668	14-Mar-19	CONTACT	Watermelon	Aphids, thrips, beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
B.M. CUSPAG AGR TRADE	CYPERMETHRIN	ACTOR 5 EC	50g/L	EC	INSECTICIDE	4	568-037-3668	14-Mar-19	CONTACT	Onion	Thrips, cutworm	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
B.M. CUSPAG AGR TRADE	CYPERMETHRIN	ACTOR 5 EC	50g/L	EC	INSECTICIDE	4	568-037-3668	14-Mar-19	CONTACT	Banana	Thrips, scarring beetle	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
B.M. CUSPAG AGR TRADE	CYPERMETHRIN	ACTOR 5 EC	50g/L	EC	INSECTICIDE	4	568-037-3668	14-Mar-19	CONTACT	Cotton	Bollworm, cutworm, leafworm, aphids, leafhopper, thrips, boll weevil	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
B.M. CUSPAG AGR TRADE	CYPERMETHRIN	ACTOR 5 EC	50g/L	EC	INSECTICIDE	4	568-037-3668	14-Mar-19	CONTACT	Tobacco	Budworm, cutworm, aphids, thrips	1.0-3.0 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
B.M. CUSPAG AGR TRADE	CYPERMETHRIN	ACTOR 5 EC	50g/L	EC	INSECTICIDE	4	568-037-3668	14-Mar-19	CONTACT	Corn	Comborer, earworm	1.0-4.5 Tbsp/16 L water	-	7 Days	Re-entry to treated field is allowed as soon as spray deposit dry
CHEMREZ TECHNOLOGIES, INC.	ALKYL POLYETHYLENE GLYCOL MONOALKYL ETHER	ACTIV EM88	900g/L	E	OTHERS	4	529-430-4779	14-May-25	-	Banana	Sigatoka & Freckles	-	-	-	-
CHEMREZ TECHNOLOGIES, INC.	C14C3ALKYL CARBOXYLIC ACID METHYL ESTER	ACTIV A028	861.30 g/L	-	OTHERS	4	529-434-3230	07-Nov-25	-	Cavendish Banana	Black Sigatoka, Leaf freckle disease as spray oil adjuvant	46-96 Tbsp/16L, 100-130 Tbsp/16L	-	-	-
CHEMREZ TECHNOLOGIES, INC.	C14C3ALKYL CARBOXYLIC ACID METHYL ESTER	ACTIV 32E	826.6 g/L	E	OTHERS	4	529-434-4511	14-Sep-24	-	Cavendish Banana	Black Sigatoka, leaf freckle/Scale insects and mealybugs	Ground 5-7/1000 of spray, Aerial 18-67 25.3 L/1000 of spray, 8-20 mL/L water	-	-	-
CHEMREZ TECHNOLOGIES, INC.	C14C3ALKYL CARBOXYLIC ACID METHYL ESTER	ACTIV 32E	826.6 g/L	E	OTHERS	4	529-434-4511	14-Sep-24	-	Okra	Leafhopper, cotton stainer	6-8Tbsp/16 L	-	-	-
CHEMREZ TECHNOLOGIES, INC.	C14C3ALKYL CARBOXYLIC ACID METHYL ESTER	ACTIV 32E	826.6 g/L	E	OTHERS	4	529-434-4511	14-Sep-24	-	Sugarcane	Weeds	6-8Tbsp/16 L	-	-	-
CHEMREZ TECHNOLOGIES, INC.	C14C3ALKYL CARBOXYLIC ACID METHYL ESTER	ACTIV 32E	826.6 g/L	E	OTHERS	4	529-434-4511	14-Sep-24	-	Tomato	Cutworms, leafhopper, whiteflies, fruitworm	6-8Tbsp/16 L	-	-	-
CHEMREZ TECHNOLOGIES, INC.	C14C3ALKYL CARBOXYLIC ACID METHYL ESTER	ACTIV 32E	826.6 g/L	E	OTHERS	4	529-434-4511	14-Sep-24	-	Mango	Leafhopper, Scale insects	6-8Tbsp/16 L	-	-	-
CHEMREZ TECHNOLOGIES, INC.	C14C3ALKYL CARBOXYLIC ACID METHYL ESTER	ACTIV 32E	826.6 g/L	E	OTHERS	4	529-434-4511	14-Sep-24	-	Pineapple	As a single adjuvant or in combination with the Diazinon 60 EC for the control of scale insects and mealy bugs	6-22L of Activ 32E + 1L of Diazinon 25L of Activ 32E only	-	-	-
NORTHERN PRIME TRADING CORPORATION	CLOTHIANIDIN	ACTION 20 SC	200 mL/L	SC	INSECTICIDE	4	728-379-5926	29-Jul-25	-	Rice	Rice black bug	40-50 mL	-	-	-
SUMITOMO CHEMICAL PHILIPPINES INC.	CERLEAF 10 SC	ACTLEAF 10 SC	100g/L	SC	FUNGICIDE	4	472-587-5742	29-Jun-25	SYSTEMIC	Cavendish Banana	Black sigatoka	500-1000 mL prod./ hectare at volume rate of 50-80L/ Hectare	-	-	-
SYNGENTA PHILIPPINES INC.	PHOSPHOS METHYL	ACTELIC 50 EC	500 g/L	EC	INSECTICIDE	2	011-137-1776	03-May-25	-	-	Stored product pests (beetles, weevils and borers)	-	-	-	-
SYNGENTA PHILIPPINES INC.	PHOSPHOS METHYL	ACTELIC 50 EC	500 g/L	EC	INSECTICIDE	2	011-137-1776	03-May-25	-	Pineapple	Mites	-	-	-	-
SYNGENTA PHILIPPINES INC.	THIAMETHORAM	ACTARA 25 WG	250 g/kg	WG	INSECTICIDE	4	011-312-0851	15-Aug-26	SYSTEMIC	Pineapple	Mealy bug	100-200 g/L	0.01 mg/kg	-	Treated areas should not be entered before spray deposits on the leaf surface has dried unless protective clothing is used
SYNGENTA PHILIPPINES INC.	THIAMETHORAM	ACTARA 25 WG	250 g/kg	WG	INSECTICIDE	4	011-312-0851	15-Aug-26	SYSTEMIC	Mango	Leafhopper	105.6-123.2g prod/ha	0.20 mg/kg	-	Treated areas should not be entered before spray deposits on the leaf surface has dried unless protective clothing is used
SYNGENTA PHILIPPINES INC.	THIAMETHORAM	ACTARA 25 WG	250 g/kg	WG	INSECTICIDE	4	011-312-0851	15-Aug-26	SYSTEMIC	Rice	Green leafhopper, brown plant hopper, white backed planthopper, rice bug, black bug	4.0-5.0 Tbsp/16L water; For black bug 7.0-10.0 Tbsp/16L water	-	-	Treated areas should not be entered before spray deposits on the leaf surface has dried unless protective clothing is used
SYNGENTA PHILIPPINES INC.	THIAMETHORAM	ACTARA 25 WG	250 g/kg	WG	INSECTICIDE	4	011-312-0851	15-Aug-26	SYSTEMIC	Stringbeans	Aphids, leafhopper	0.5-2.0 Drench, Foliar spray 2.0-5.0 Tbsp/16L water	-	-	Treated areas should not be entered before spray deposits on the leaf surface has dried unless protective clothing is used
SYNGENTA PHILIPPINES INC.	THIAMETHORAM	ACTARA 25 WG	250 g/kg	WG	INSECTICIDE	4	011-312-0851	15-Aug-26	SYSTEMIC	Eggplant	Aphids, leafhopper	0.5-2.0 Drench, Foliar spray 2.0-5.0 Tbsp/16L water	-	-	Treated areas should not be entered before spray deposits on the leaf surface has dried unless protective clothing is used
SYNGENTA PHILIPPINES INC.	THIAMETHORAM	ACTARA 25 WG	250 g/kg	WG	INSECTICIDE	4	011-312-0851	15-Aug-26	SYSTEMIC	Banana	Flower thrips	4-6g/L	0.02 mg/kg	-	Treated areas should not be entered before spray deposits on the leaf surface has dried unless protective clothing is used
GNM AGRIVENTURES INC.	THIAMETHORAM	ACTAMET 25 WG	250g/kg	WG	INSECTICIDE	4	577-312-4772	03-May-22	SYSTEMIC/CONTACT	Pineapple	Mealy bug	100-200 g/L	0.01 mg/kg	No PHI proposed as last application of ACTAMET 25 WG will be 48-60 days before harvest	Do not enter unless spray deposits have dried
GNM AGRIVENTURES INC.	THIAMETHORAM	ACTAMET 25 WG	250g/kg	WG	INSECTICIDE	4	577-312-4772	03-May-22	SYSTEMIC/CONTACT	Mango	Leafhopper	105.6-123.2g prod/ha	0.20 mg/kg	No PHI proposed as the product will be applied at least 20 to 40 days before harvest	Do not enter unless spray deposits have dried
GNM AGRIVENTURES INC.	THIAMETHORAM	ACTAMET 25 WG	250g/kg	WG	INSECTICIDE	4	577-312-4772	03-May-22	SYSTEMIC/CONTACT	Rice	Green leafhopper, brown plant hopper, white backed planthopper, rice bug, black bug	4.0-5.0 Tbsp/16L water; For black bug 7.0-10.0 Tbsp/16L water	-	28 days	Do not enter unless spray deposits have dried
GNM AGRIVENTURES INC.	THIAMETHORAM	ACTAMET 25 WG	250g/kg	WG	INSECTICIDE	4	577-312-4772	03-May-22	SYSTEMIC/CONTACT	Stringbeans	Aphids, leafhopper	0.5-2.0 Drench, Foliar spray 2.0-5.0 Tbsp/16L water	-	7 days	Do not enter unless spray deposits have dried
GNM AGRIVENTURES INC.	THIAMETHORAM	ACTAMET 25 WG	250g/kg	WG	INSECTICIDE	4	577-312-4772	03-May-22	SYSTEMIC/CONTACT	Eggplant	Aphids, leafhopper	0.5-2.0 Drench, Foliar spray 2.0-5.0 Tbsp/16L water	-	3 days	Do not enter unless spray deposits have dried
GNM AGRIVENTURES INC.	THIAMETHORAM	ACTAMET 25 WG	250g/kg	WG	INSECTICIDE	4	577-312-4772	03-May-22	SYSTEMIC/CONTACT	Banana	Flower Thrips	4-6g/L	0.02 mg/kg	No PHI proposed as ACTAMET 25 WG will be applied as bud injection	Do not enter unless spray deposits have dried
ZEAL ECOLOGICAL NATURE (ZENCOR) CORPORATION	PYRIBENZODIAM-CHALCOPROP-BUTYL	ACROSS 8.5 EC	250g/L	EC	HERBICIDE	3	575-493-5737	22-Jan-26	-	Rice (Direct Seeded)	Grasses, sedges & broadleaves	10-12 spray loads/ha	-	-	As soon as spray deposit dry up...
BASF PHILIPPINES, INC.	DMETHOMORPH-MANCOZEB	ACROBAT ME	90-600 g/kg	MZ	FUNGICIDE	3	005-281-0713	05-Aug-26	-	White Potato	Late Blight	55-65 g/16L water	-	Do not spray at 7 days before harvest	Entry to crops and fields sprayed with ACROBAT ME may done 1 day after spraying
BASF PHILIPPINES, INC.	DMETHOMORPH-MANCOZEB	ACROBAT ME	90-600 g/kg	MZ	FUNGICIDE	3	005-281-0713	05-Aug-26	-	Tomato	Late Blight	55-65 g/16L water	-	Do not spray at 14 Days before harvest	Entry to crops and fields sprayed with ACROBAT ME may done 1 day after spraying
TRADETON CORPORATION	DMETHOMORPH-MANCOZEB	ACROBAT ME	90-600 g/kg	MZ	FUNGICIDE	3	439-281-2380	05-Aug-17	-	White Potato	Late Blight	55-65 g/16L water	-	Do not spray at 7 days before harvest	Entry to crops and fields sprayed with ACROBAT ME may done 1 day after spraying
TRADETON CORPORATION	DMETHOMORPH-MANCOZEB	ACROBAT ME	90-600 g/kg	MZ	FUNGICIDE	3	439-281-2380	05-Aug-17	-	Tomato	Late Blight	55-65 g/16L water	-	Do not spray at 14 Days before harvest	Entry to crops and fields sprayed with ACROBAT ME may done 1 day after spraying
BASF PHILIPPINES, INC.	DMETHOMORPH	ACROBAT 50 WP	500 g/kg	WP	FUNGICIDE	4	005-264-0653	20-Jun-26	SYSTEMIC	Potato	Late Blight	5-10 g/L	-	14 days	Entry to crops and fields sprayed with ACROBAT 50 WP may be done 1 day after spraying
BASF PHILIPPINES, INC.	DMETHOMORPH	ACROBAT 50 WP	500 g/kg	WP	FUNGICIDE	4	005-264-0653	20-Jun-26	SYSTEMIC	Tomato	Late Blight	5-10 g/L	-	7 days	Entry to crops and fields sprayed with ACROBAT 50 WP may be done 1 day after spraying
BASF PHILIPPINES, INC.	DMETHOMORPH	ACROBAT 50 WP	500 g/kg	WP	FUNGICIDE	4	005-264-0653	20-Jun-26	SYSTEMIC	Pineapple	Root rot and heart rot	60, 30 g/L	-	14 days	Entry to crops and fields sprayed with ACROBAT 50 WP may be done 1 day after spraying
BASF PHILIPPINES, INC.	DMETHOMORPH	ACROBAT 50 WP	500 g/kg	WP	FUNGICIDE	4	005-264-0653	20-Jun-26	SYSTEMIC	Papaya	Phytophthora root and basal rot	4-8 g/L	0.01 ppm	3 days	Entry to crops and fields sprayed with ACROBAT 50 WP may be done 1 day after spraying
PHILIPPINE FARMFLEX SOLUTIONS INC.	FOSETYL-ALUMINUM	ACQUIN 80 WP	800 g/kg	WP	FUNGICIDE	4	535-154-3193	03-Jul-25	SYSTEMIC	Pineapple	Heart rot	56-110, 55 product (gms/16L)	-	90 days	12-24 hours
PHILIPPINE FARMFLEX SOLUTIONS INC.	FOSETYL-ALUMINUM	ACQUIN 80 WP	800 g/kg	WP	FUNGICIDE	4	535-154-3193	03-Jul-25	SYSTEMIC	Coconut	Wet-bud rot, nut rot	180 product (gms/16L)	-	90 days	12-24 hours
PHILIPPINE FARMFLEX SOLUTIONS INC.	FOSETYL-ALUMINUM	ACQUIN 80 WP	800 g/kg	WP	FUNGICIDE	4	535-154-3193	03-Jul-25	SYSTEMIC	Rubber	Black stripe	225-455 product (gms/16L)	-	90 days	12-24 hours
PHILIPPINE FARMFLEX SOLUTIONS INC.	FOSETYL-ALUMINUM	ACQUIN 80 WP	800 g/kg	WP	FUNGICIDE	4	535-154-3193	03-Jul-25	SYSTEMIC	Cacao	Black pod	55 product (gms/16L)	-	90 days	12-24 hours
PHILIPPINE FARMFLEX SOLUTIONS INC.	FOSETYL-ALUMINUM	ACQUIN 80 WP	800 g/kg	WP	FUNGICIDE	4	535-154-3193	03-Jul-25	SYSTEMIC	Onchids	Black rot	55 product (gms/16L)	-	90 days	12-24 hours
PHILIPPINE FARMFLEX SOLUTIONS INC.	FOSETYL-ALUMINUM	ACQUIN 80 WP	800 g/kg	WP	FUNGICIDE	4	535-154-3193	03-Jul-25	SYSTEMIC	Asparagus	Crown & Spear rot	120-140 product (gms/16L)	-	90 days	12-24 hours
MONARCH AGRICULTURAL PRODUCTS, INC.	THIAMETHORAM	ACHTUNG 25 WDG	250g/kg	WG	INSECTICIDE	4	096-312-4052	07-Feb-22	SYSTEMIC/CONTACT	Pineapple	Mealy bug	100-200 g/L	0.01 mg/kg	No PHI proposed as last application of Actara will be 486 days before harvest	Do not enter unless spray deposits have dried
MONARCH AGRICULTURAL PRODUCTS, INC.	THIAMETHORAM	ACHTUNG 25 WDG	250g/kg	WG	INSECTICIDE	4	096-312-4052	07-Feb-22	SYSTEMIC/CONTACT	Mango	Leafhopper	105.6-123.2g prod/ha	0.20 mg/kg	No PHI proposed as the product will be applied at least 20 to 40 days before harvest	Do not enter unless spray deposits have dried
MONARCH AGRICULTURAL PRODUCTS, INC.	THIAMETHORAM	ACHTUNG 25 WDG	250g/kg	WG	INSECTICIDE	4	096-312-4052	07-Feb-22	SYSTEMIC/CONTACT	Rice	Green leafhopper, brown plant hopper, white backed planthopper, rice bug, black bug	4.0-5.0 Tbsp/16L water; For black bug 7.0-10.0 Tbsp/16L water	-	28 days	Do not enter unless spray deposits have dried
MONARCH AGRICULTURAL PRODUCTS, INC.	THIAMETHORAM	ACHTUNG 25 WDG	250g/kg	WG	INSECTICIDE	4	096-312-4052	07-Feb-22	SYSTEMIC/CONTACT	Stringbeans	Aphids, leafhopper	0.5-2.0 Drench, Foliar spray 2.0-5.0 Tbsp/16L water	-	7 days	Do not enter unless spray deposits have dried
MONARCH AGRICULTURAL PRODUCTS, INC.	THIAMETHORAM	ACHTUNG 25 WDG	250g/kg	WG	INSECTICIDE	4	096-312-4052	07-Feb-22	SYSTEMIC/CONTACT	Eggplant	Aphids, leafhopper	0.5-2.0 Drench, Foliar spray 2.0-5.0 Tbsp/16L water	-	3 days	Do not enter unless spray deposits have dried

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
MONARCH AGRICULTURAL PRODUCTS, INC.	THIAMETHORAM	ACHTUNG 25 WG	250g/kg	WG	INSECTICIDE	4	096-812-4602	07-Feb-22	SYSTEMIC/CONTACT	Banana	Flower Thrips	4 g/L	0.02 mg/kg	No PHI proposed as ACHTUNG 25 WG will be applied as bud injection	Do not enter unless spray deposits have dried
RAINBOW AGROSCIENCES PHILIPPINES INC.	ACEPHATE	ACEFATE 75 SP	750 g/kg	SP	INSECTICIDE	4	539-242-6410	21-Dec-26	-	Tobacco	Budworm, and aphids	2-3 tbsp /36L	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	ACEPHATE	ACEFATE 75 SP	750 g/kg	SP	INSECTICIDE	4	539-242-6410	21-Dec-26	-	Eggplant	Fruitborer	2-3 tbsp /36L	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	ACEPHATE	ACEFATE 75 SP	750 g/kg	SP	INSECTICIDE	4	539-242-6410	21-Dec-26	-	Stringbeans	Aphids	2-3 tbsp /36L	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	ACEPHATE	ACEFATE 75 SP	750 g/kg	SP	INSECTICIDE	4	539-242-6410	21-Dec-26	-	Tomato	Fruitworm	2-3 tbsp /36L	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	ACEPHATE	ACEFATE 75 SP	750 g/kg	SP	INSECTICIDE	4	539-242-6410	21-Dec-26	-	Banana	Thrips	1.5-2 tbsp/ 36L	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	ACEPHATE	ACEFATE 75 SP	750 g/kg	SP	INSECTICIDE	4	539-242-6410	21-Dec-26	-	Watermelon	Aphids, and thrips	2-3 tbsp /36L	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	ACEPHATE	ACEFATE 75 SP	750 g/kg	SP	INSECTICIDE	4	539-242-6410	21-Dec-26	-	Rice	Whorl maggot, green leafhopper, brown planthopper, stemborer, leafroller, rice bug	2-3 tbsp /36L	-	-	-
RAINBOW AGROSCIENCES PHILIPPINES INC.	ACEPHATE	ACEFATE 75 SP	750 g/kg	SP	INSECTICIDE	4	539-242-6410	21-Dec-26	-	Mango	leafhopper, and tip borer	1.5-2 tbspp/ 36L	-	-	-
ACE CROP SOLUTIONS INC.	ALUMINUM PHOSPHIDE	ACETOXIN	560 g/kg	TAB	FUMIGANT	1	530-084-4646	13-Feb-25	CONTACT	-	Rust-red beetle, cadelle, khapra beetle, grain moth, indian-meal moth, grain and rice weevil, saw toothed grain beetle, confused flour	1 bag/7.5m	-	-	-
ACE CROP SOLUTIONS INC.	PROFENOFOS	ACEPRO 500 EC	500 g/L	EC	INSECTICIDE	2	530-070-5132	31-Mar-22	CONTACT	Tomato	Fruitworm, armyworm, cutworm	3.0-5.0 Tbsp/ 36L water	-	14 days	Do not enter treated field 1 day after application
ACE CROP SOLUTIONS INC.	PROFENOFOS	ACEPRO 500 EC	500 g/L	EC	INSECTICIDE	2	530-070-5132	31-Mar-22	CONTACT	Eggplant	Fruitborer, aphids, leafhopper, & thrips	1.5-3.0 Tbsp/ 36L water	-	14 days	Do not enter treated field 1 day after application
ACE CROP SOLUTIONS INC.	PROFENOFOS	ACEPRO 500 EC	500 g/L	EC	INSECTICIDE	2	530-070-5132	31-Mar-22	CONTACT	Cabbage	Diamond-back moth, cabbage worms, aphids, thrips	3.0-5.0 Tbsp/ 36L water	-	14 days	Do not enter treated field 1 day after application
ACE CROP SOLUTIONS INC.	PROFENOFOS	ACEPRO 500 EC	500 g/L	EC	INSECTICIDE	2	530-070-5132	31-Mar-22	CONTACT	Potato	Thrips, armyworm, cutworm, tubermoth	3.0-5.0 Tbsp/ 36L water	-	14 days	Do not enter treated field 1 day after application
ACE CROP SOLUTIONS INC.	PROFENOFOS	ACEPRO 500 EC	500 g/L	EC	INSECTICIDE	2	530-070-5132	31-Mar-22	CONTACT	Soybeans	Corn earworm, leafminer	3.0-5.0 Tbsp/ 36L water	-	14 days	Do not enter treated field 1 day after application
ACE CROP SOLUTIONS INC.	PROFENOFOS	ACEPRO 500 EC	500 g/L	EC	INSECTICIDE	2	530-070-5132	31-Mar-22	CONTACT	Mungbeans	Corn earworm, leafminer	3.0-5.0 Tbsp/ 36L water	-	14 days	Do not enter treated field 1 day after application
ACE CROP SOLUTIONS INC.	PROFENOFOS	ACEPRO 500 EC	500 g/L	EC	INSECTICIDE	2	530-070-5132	31-Mar-22	CONTACT	Cotton	Thrips, bollworm & budworm	3.0-5.0 Tbsp/ 36L water	-	14 days	Do not enter treated field 1 day after application
ACE CROP SOLUTIONS INC.	PROFENOFOS	ACEPRO 500 EC	500 g/L	EC	INSECTICIDE	2	530-070-5132	31-Mar-22	CONTACT	Peas	Beetfly, leafroller, aphids	1.0-3.0 Tbsp/36 L water	-	14 days	Do not enter treated field 1 day after application
ACE CROP SOLUTIONS INC.	PROFENOFOS	ACEPRO 500 EC	500 g/L	EC	INSECTICIDE	2	530-070-5132	31-Mar-22	CONTACT	Watermelon	Thrips	3.0-5.0 Tbsp/ 36L water	-	14 days	Do not enter treated field 1 day after application
ACE CROP SOLUTIONS INC.	PROFENOFOS	ACEPRO 500 EC	500 g/L	EC	INSECTICIDE	2	530-070-5132	31-Mar-22	CONTACT	Mango	Blossom thrips	3.0-5.0 Tbsp/ 36L water	-	14 days	Do not enter treated field 1 day after application
ARIES RINE CHEMICAL CORPORATION	ATRAZINE	ACENDRO ATRAZINE 80 WP	800 g/kg	WP	HERBICIDE	4	478-065-2633	09-Jul-24	SELECTIVE (PRE-EMERGENT)	Corn	Broadleaf weeds & annual grasses	8-12Tbsp/36 L water	-	-	Do not enter the field within 5 days after application.
ARIES RINE CHEMICAL CORPORATION	ATRAZINE	ACENDRO ATRAZINE 80 WP	800 g/kg	WP	HERBICIDE	4	478-065-2633	09-Jul-24	SELECTIVE (PRE-EMERGENT)	Sorghum	Broadleaf weeds & annual grasses	8-12Tbsp/36 L water	-	-	Do not enter the field within 5 days after application.
ARIES RINE CHEMICAL CORPORATION	ATRAZINE	ACENDRO ATRAZINE 80 WP	800 g/kg	WP	HERBICIDE	4	478-065-2633	09-Jul-24	SELECTIVE (PRE-EMERGENT)	Sugarcane	Broadleaf weeds & annual grasses	8-12Tbsp/36 L water	-	-	Do not enter the field within 5 days after application.
ACE CROP SOLUTIONS INC.	CHLOFENAPYR	ACE VAMPYR 10 SC	100 g/L	SC	INSECTICIDE	3	530-281-5523	13-Aug-24	-	Cabbage	Diamond back moth, aphids and cabbage moth	1.5-3.0 Tbsp/36L	-	-	Do not spray within 14 days before harvest
ACE CROP SOLUTIONS INC.	CHLOFENAPYR	ACE VAMPYR 10 SC	100 g/L	SC	INSECTICIDE	3	530-281-5523	13-Aug-24	-	Potato	Thrips	0.5-1.5, 1.5-3.0 Tbsp/36L	-	-	Do not spray within 14 days before harvest
ACE CROP SOLUTIONS INC.	CHLOFENAPYR	ACE VAMPYR 10 SC	100 g/L	SC	INSECTICIDE	3	530-281-5523	13-Aug-24	-	Banana	Flower thrips	2-3 ml / 36L water	-	-	Do not spray within 14 days before harvest
ACE CROP SOLUTIONS INC.	PENDIMISALAM-CHLOROP-BUTYL	ACE P-REX 60 OD	10 g/L+50 g/L	OD	HERBICIDE	4	530-385-5605	29-Nov-24	-	Rice (Direct-seeded)	Echinochloa crusgalli, E.glabrescens, C.difformis, L. rugosum, L.chinensis, M.vaginalis, F.miliacea, C.liria, S.zylatica and	8.5Tbsp/tank load	-	-	-
ACE CROP SOLUTIONS INC.	PENDIMISALAM-CHLOROP-BUTYL	ACE P-REX 60 OD	10 g/L+50 g/L	OD	HERBICIDE	4	530-385-5605	29-Nov-24	-	Rice (Transplanted)	Echinochloa crusgalli, E.glabrescens, C.difformis, L. rugosum, L.chinensis, M.vaginalis, F.miliacea, C.liria, S.zylatica and	20Tbsp/tank load	-	-	-
ACE CROP SOLUTIONS INC.	ACE PLUS	250 mL/L+450 mL/L	-	-	OTHERS	4	530-348-3243	04-Dec-25	SELECTIVE (POST-EMERGENT)	-	As surfactant on Demolish 300 SC	20-30 mL/36 L water; 10 spray loads/ha	-	-	-
ACE CROP SOLUTIONS INC.	MANCOZEB	ACE MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	530-053-3152	15-Apr-25	-	Potato	Early and late blight	3-6 Tbsp/36 L water	-	-	As soon as spray dries
ACE CROP SOLUTIONS INC.	MANCOZEB	ACE MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	530-053-3152	15-Apr-25	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
ACE CROP SOLUTIONS INC.	MANCOZEB	ACE MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	530-053-3152	15-Apr-25	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
ACE CROP SOLUTIONS INC.	MANCOZEB	ACE MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	530-053-3152	15-Apr-25	-	Broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
ACE CROP SOLUTIONS INC.	MANCOZEB	ACE MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	530-053-3152	15-Apr-25	-	Celery	Late blight	3-6 Tbsp/36 L water	-	14 Days	As soon as spray dries
ACE CROP SOLUTIONS INC.	MANCOZEB	ACE MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	530-053-3152	15-Apr-25	-	Cucumber	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
ACE CROP SOLUTIONS INC.	MANCOZEB	ACE MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	530-053-3152	15-Apr-25	-	Squash	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
ACE CROP SOLUTIONS INC.	MANCOZEB	ACE MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	530-053-3152	15-Apr-25	-	Cotton	Damping off	3-6 Tbsp/36 L water	-	-	As soon as spray dries
ACE CROP SOLUTIONS INC.	MANCOZEB	ACE MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	530-053-3152	15-Apr-25	-	lettuce	Downy mildew	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
ACE CROP SOLUTIONS INC.	MANCOZEB	ACE MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	530-053-3152	15-Apr-25	-	Beans	Anthracoese, Downy mildew, Rust	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
ACE CROP SOLUTIONS INC.	MANCOZEB	ACE MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	530-053-3152	15-Apr-25	-	Peas	Anthracoese, Downy mildew, Rust	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
ACE CROP SOLUTIONS INC.	MANCOZEB	ACE MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	530-053-3152	15-Apr-25	-	Mungo	Anthracoese, Downy mildew, Rust	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
ACE CROP SOLUTIONS INC.	MANCOZEB	ACE MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	530-053-3152	15-Apr-25	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
ACE CROP SOLUTIONS INC.	MANCOZEB	ACE MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	530-053-3152	15-Apr-25	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
ACE CROP SOLUTIONS INC.	MANCOZEB	ACE MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	530-053-3152	15-Apr-25	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
ACE CROP SOLUTIONS INC.	MANCOZEB	ACE MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	530-053-3152	15-Apr-25	-	Pepper	Anthracoese	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
ACE CROP SOLUTIONS INC.	MANCOZEB	ACE MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	530-053-3152	15-Apr-25	-	Chili	Anthracoese	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
ACE CROP SOLUTIONS INC.	MANCOZEB	ACE MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	530-053-3152	15-Apr-25	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
ACE CROP SOLUTIONS INC.	MANCOZEB	ACE MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	530-053-3152	15-Apr-25	-	Banana	Sigatoka, Black leaf streak	3-6 Tbsp/36 L water	-	-	As soon as spray dries
ACE CROP SOLUTIONS INC.	MANCOZEB	ACE MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	530-053-3152	15-Apr-25	-	Grapes	Downy mildew, black rot	3-6 Tbsp/36 L water	-	60 days	As soon as spray dries
ACE CROP SOLUTIONS INC.	MANCOZEB	ACE MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	530-053-3152	15-Apr-25	-	Mango	Anthracoese and Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
ACE CROP SOLUTIONS INC.	MANCOZEB	ACE MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	530-053-3152	15-Apr-25	-	Papaya	Fruit rot	3-6 Tbsp/36 L water	-	-	As soon as spray dries
ACE CROP SOLUTIONS INC.	MANCOZEB	ACE MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	530-053-3152	15-Apr-25	-	Melon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
ACE CROP SOLUTIONS INC.	MANCOZEB	ACE MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	530-053-3152	15-Apr-25	-	Watermelon	Downy mildew, Anthracnose, Scab	3-6 Tbsp/36 L water	-	5 days	As soon as spray dries
ACE CROP SOLUTIONS INC.	MANCOZEB	ACE MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	530-053-3152	15-Apr-25	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/36 L water	-	7 Days	As soon as spray dries
ACE CROP SOLUTIONS INC.	MANCOZEB	ACE MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	530-053-3152	15-Apr-25	-	Rice	Blas, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/36 L water	0.02ppm	-	As soon as spray dries
ACE CROP SOLUTIONS INC.	MANCOZEB	ACE MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	530-053-3152	15-Apr-25	-	Peanut	Cercospora leaf spot	3-6 Tbsp/36 L water	-	14 Days	As soon as spray dries

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
ACE CROP SOLUTIONS INC.	MANCOZEB	ACE MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	530-023-3152	15-Apr-25	-	Soybeans	Leaf rust	3-6 Tbsp/36 L water	-	-	As soon as spray dries
ACE CROP SOLUTIONS INC.	MANCOZEB	ACE MANCOZEB 80 WP	800 g/kg	WP	FUNGICIDE	4	530-061-3152	15-Apr-25	-	Ornamentals	Black spot, blight, Anthracnose	3-6 Tbsp/36 L water	-	-	As soon as spray dries
ACE CROP SOLUTIONS INC.	MALATHION	ACE MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	530-038-3136	21-Mar-25	NON-SYSTEMIC	Fruit trees	Aphids, mealy bug scale insect	1.5-3.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying
ACE CROP SOLUTIONS INC.	MALATHION	ACE MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	530-038-3136	21-Mar-25	NON-SYSTEMIC	Rice	Armyworm, cutworm, leafhopper, bugs	2-0.3.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying
ACE CROP SOLUTIONS INC.	MALATHION	ACE MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	530-038-3136	21-Mar-25	NON-SYSTEMIC	Corn	Earworm, silkworm, aphids, grasshopper	3.0-5.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying
ACE CROP SOLUTIONS INC.	MALATHION	ACE MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	530-038-3136	21-Mar-25	NON-SYSTEMIC	Cabbage	Cabbage worm, looper, diamond back moth	2.0-5.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying
ACE CROP SOLUTIONS INC.	MALATHION	ACE MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	530-038-3136	21-Mar-25	NON-SYSTEMIC	Legumes	Aphids, beanfly, cutworm, flea beetles, leafminer, maggots, mealybug, psyllids, thrips	2.0-5.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying
ACE CROP SOLUTIONS INC.	MALATHION	ACE MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	530-038-3136	21-Mar-25	NON-SYSTEMIC	Grapes	Beetles, cutworm, leafhopper, mealybug, scale, insect, spider mites	3.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying
ACE CROP SOLUTIONS INC.	MALATHION	ACE MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	530-038-3136	21-Mar-25	NON-SYSTEMIC	Pineapple	Mealy bug	3.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying
ACE CROP SOLUTIONS INC.	MALATHION	ACE MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	530-038-3136	21-Mar-25	NON-SYSTEMIC	Pepper	Aphid, cutworm, fruitworm	3.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying
ACE CROP SOLUTIONS INC.	MALATHION	ACE MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	530-038-3136	21-Mar-25	NON-SYSTEMIC	Garlic	Cutworm	3.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying
ACE CROP SOLUTIONS INC.	MALATHION	ACE MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	530-038-3136	21-Mar-25	NON-SYSTEMIC	Onion	Cutworm	3.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying
ACE CROP SOLUTIONS INC.	MALATHION	ACE MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	530-038-3136	21-Mar-25	NON-SYSTEMIC	Tobacco	Aphids, katydid	3.0-6.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying
ACE CROP SOLUTIONS INC.	MALATHION	ACE MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	530-038-3136	21-Mar-25	NON-SYSTEMIC	Ornamentals	Aphids, cutworm, mealybug, scale insect, spider mites	3.0-5.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying
ACE CROP SOLUTIONS INC.	MALATHION	ACE MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	530-038-3136	21-Mar-25	NON-SYSTEMIC	Tomato	Lady beetle	3.0-5.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying
ACE CROP SOLUTIONS INC.	MALATHION	ACE MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	530-038-3136	21-Mar-25	NON-SYSTEMIC	Eggplant	Aphids, fruitworm	3.0-5.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying
ACE CROP SOLUTIONS INC.	MALATHION	ACE MALATHION 57 EC	570 g/L	EC	INSECTICIDE	4	530-038-3136	21-Mar-25	NON-SYSTEMIC	Sorghum	Web worm	3.0Tbsp/36 L water	-	One (1) day after each spraying	One (1) day after each spraying
ACE CROP SOLUTIONS INC.	COPPER HYDROXIDE	ACE HYDRA 77 WP	770g/kg	WP	FUNGICIDE	3	530-004-4792	05-Dec-26	-	Banana	Sigatoka	2.6-6.0 Tbsp/36L water	-	Allow 7 days from last spray has dried	Do not enter treated area until spray has dried
ACE CROP SOLUTIONS INC.	COPPER HYDROXIDE	ACE HYDRA 77 WP	770g/kg	WP	FUNGICIDE	3	530-004-4792	05-Dec-26	-	Beans	Rust,bacterial blight	2.6-6.0 Tbsp/36L water	-	Allow 7 days from last spray has dried	Do not enter treated area until spray has dried
ACE CROP SOLUTIONS INC.	COPPER HYDROXIDE	ACE HYDRA 77 WP	770g/kg	WP	FUNGICIDE	3	530-004-4792	05-Dec-26	-	Cabbage	Black rot, black leaf spot	2.6-6.0 Tbsp/36L water	-	Allow 7 days from last spray has dried	Do not enter treated area until spray has dried
ACE CROP SOLUTIONS INC.	COPPER HYDROXIDE	ACE HYDRA 77 WP	770g/kg	WP	FUNGICIDE	3	530-004-4792	05-Dec-26	-	Cacao	Black pod	2.6-6.0 Tbsp/36L water	-	Allow 7 days from last spray has dried	Do not enter treated area until spray has dried
ACE CROP SOLUTIONS INC.	COPPER HYDROXIDE	ACE HYDRA 77 WP	770g/kg	WP	FUNGICIDE	3	530-004-4792	05-Dec-26	-	Carrot	Carrot blight,Alternaria	2.6-6.0 Tbsp/36L water	-	Allow 7 days from last spray has dried	Do not enter treated area until spray has dried
ACE CROP SOLUTIONS INC.	COPPER HYDROXIDE	ACE HYDRA 77 WP	770g/kg	WP	FUNGICIDE	3	530-004-4792	05-Dec-26	-	Celery	Early and late blight	2.6-6.0 Tbsp/36L water	-	Allow 7 days from last spray has dried	Do not enter treated area until spray has dried
ACE CROP SOLUTIONS INC.	COPPER HYDROXIDE	ACE HYDRA 77 WP	770g/kg	WP	FUNGICIDE	3	530-004-4792	05-Dec-26	-	Citrus	Meianose,scab, canker, fruit rot, brown and black spot	2.6-6.0 Tbsp/36L water	-	Allow 7 days from last spray has dried	Do not enter treated area until spray has dried
ACE CROP SOLUTIONS INC.	COPPER HYDROXIDE	ACE HYDRA 77 WP	770g/kg	WP	FUNGICIDE	3	530-004-4792	05-Dec-26	-	Coffee	Leaf rust, coffee berry disease	2.6-6.0 Tbsp/36L water	-	Allow 7 days from last spray has dried	Do not enter treated area until spray has dried
ACE CROP SOLUTIONS INC.	COPPER HYDROXIDE	ACE HYDRA 77 WP	770g/kg	WP	FUNGICIDE	3	530-004-4792	05-Dec-26	-	Cucumber	Anthracoese, septoria, cercospora, fruit rot, downy mildew	2.6-6.0 Tbsp/36L water	-	Allow 7 days from last spray has dried	Do not enter treated area until spray has dried
ACE CROP SOLUTIONS INC.	COPPER HYDROXIDE	ACE HYDRA 77 WP	770g/kg	WP	FUNGICIDE	3	530-004-4792	05-Dec-26	-	Grapes	Black rot,downy and powdery mildew	2.6-6.0 Tbsp/36L water	-	Allow 7 days from last spray has dried	Do not enter treated area until spray has dried
ACE CROP SOLUTIONS INC.	COPPER HYDROXIDE	ACE HYDRA 77 WP	770g/kg	WP	FUNGICIDE	3	530-004-4792	05-Dec-26	-	Mango	Anthracoese	2.6-6.0 Tbsp/36L water	-	Allow 7 days from last spray has dried	Do not enter treated area until spray has dried
ACE CROP SOLUTIONS INC.	COPPER HYDROXIDE	ACE HYDRA 77 WP	770g/kg	WP	FUNGICIDE	3	530-004-4792	05-Dec-26	-	Onion	Purple blotch, downy mildew	2.6-6.0 Tbsp/36L water	-	Allow 7 days from last spray has dried	Do not enter treated area until spray has dried
ACE CROP SOLUTIONS INC.	COPPER HYDROXIDE	ACE HYDRA 77 WP	770g/kg	WP	FUNGICIDE	3	530-004-4792	05-Dec-26	-	Cauliflower	Downy mildew, alternaria leaf spot	2.6-6.0 Tbsp/36L water	-	Allow 7 days from last spray has dried	Do not enter treated area until spray has dried
ACE CROP SOLUTIONS INC.	COPPER HYDROXIDE	ACE HYDRA 77 WP	770g/kg	WP	FUNGICIDE	3	530-004-4792	05-Dec-26	-	Pepper	Bacterial spot	2.6-6.0 Tbsp/36L water	-	Allow 7 days from last spray has dried	Do not enter treated area until spray has dried
ACE CROP SOLUTIONS INC.	COPPER HYDROXIDE	ACE HYDRA 77 WP	770g/kg	WP	FUNGICIDE	3	530-004-4792	05-Dec-26	-	Potato	Early and late blight	2.6-6.0 Tbsp/36L water	-	Allow 7 days from last spray has dried	Do not enter treated area until spray has dried
ACE CROP SOLUTIONS INC.	COPPER HYDROXIDE	ACE HYDRA 77 WP	770g/kg	WP	FUNGICIDE	3	530-004-4792	05-Dec-26	-	Rice	Rice blast, sheath blight,bacterial leaf streak	2.6-6.0 Tbsp/36L water	-	Allow 7 days from last spray has dried	Do not enter treated area until spray has dried
ACE CROP SOLUTIONS INC.	COPPER HYDROXIDE	ACE HYDRA 77 WP	770g/kg	WP	FUNGICIDE	3	530-004-4792	05-Dec-26	-	Tomato	Early blight, fruit rot septoria, downy mildew	2.6-6.0 Tbsp/36L water	-	Allow 7 days from last spray has dried	Do not enter treated area until spray has dried
ACE CROP SOLUTIONS INC.	COPPER HYDROXIDE	ACE HYDRA 77 WP	770g/kg	WP	FUNGICIDE	3	530-004-4792	05-Dec-26	-	Watermelon	Anthracoese, fruit rot	2.6-6.0 Tbsp/36L water	-	Allow 7 days from last spray has dried	Do not enter treated area until spray has dried
ACE CROP SOLUTIONS INC.	PENOXULAM	ACE GENX 25 OD	25 g/L	OD	HERBICIDE	4	530-374-5434	05-May-24	-	Rice (Direct-Seeded)	Echinochloa spp., Sphenoclea peylanica, Echinochloa polystachya, Monochoria, Cyperus difformis and C. iria	-	-	-	-
ACE CROP SOLUTIONS INC.	GLUFOSINATE AMMONIUM	ACE FURY 15 SL	150 g/L	SL	HERBICIDE	4	530-382-3705	24-Oct-25	NON-SELECTIVE (POST-EMERGENT)	Cavendish Banana	In-field, shaded condition: Mixed weeds (grasses, sedges and broadleaves), mature, open field-mixed weeds (grasses and broadleaves), immature, open conditions: cogon	-	-	-	-
ACE CROP SOLUTIONS INC.	GLUFOSINATE AMMONIUM	ACE FURY 15 SL	150 g/L	SL	HERBICIDE	4	530-382-3705	24-Oct-25	NON-SELECTIVE (POST-EMERGENT)	Rubber	Mature, shaded conditions: cogon, Immature, open conditions: cogon	-	-	-	-
ACE CROP SOLUTIONS INC.	GLUFOSINATE AMMONIUM	ACE FURY 15 SL	150 g/L	SL	HERBICIDE	4	530-382-3705	24-Oct-25	NON-SELECTIVE (POST-EMERGENT)	Oil palm	Mature, shaded conditions: mixed weeds (grasses, sedges and broadleaves), immature, open conditions: mixed weeds (grasses and broadleaves)	-	-	-	-
ACE CROP SOLUTIONS INC.	GLUFOSINATE AMMONIUM	ACE FURY 15 SL	150 g/L	SL	HERBICIDE	4	530-382-3705	24-Oct-25	NON-SELECTIVE (POST-EMERGENT)	Non-crop areas (Agricultural)	Mixed weeds (grasses, sedges and broadleaves)	-	-	-	-
ACE CROP SOLUTIONS INC.	BPiMC-CHLORPYRIFOS	ACE CLEAR 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	530-174-5130	23-Feb-24	-	Rice	Stemborer, armyworm, leafhopper, cutworm and planthopper	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest	Do not enter treated field within 2 days after spraying
ACE CROP SOLUTIONS INC.	BPiMC-CHLORPYRIFOS	ACE CLEAR 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	530-174-5130	23-Feb-24	-	Corn	Seeding maggot, corn earworm, cornborer and armyworm	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest	Do not enter treated field within 2 days after spraying
ACE CROP SOLUTIONS INC.	BPiMC-CHLORPYRIFOS	ACE CLEAR 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	530-174-5130	23-Feb-24	-	Tobacco	Budworm, grasshopper, aphid, cutworm and armyworm	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest	Do not enter treated field within 2 days after spraying
ACE CROP SOLUTIONS INC.	BPiMC-CHLORPYRIFOS	ACE CLEAR 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	530-174-5130	23-Feb-24	-	Cucumber	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest	Do not enter treated field within 2 days after spraying
ACE CROP SOLUTIONS INC.	BPiMC-CHLORPYRIFOS	ACE CLEAR 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	530-174-5130	23-Feb-24	-	Melon	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest	Do not enter treated field within 2 days after spraying
ACE CROP SOLUTIONS INC.	BPiMC-CHLORPYRIFOS	ACE CLEAR 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	530-174-5130	23-Feb-24	-	Watermelon	Leafworm, squash bug and 28 spotted beetle	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest	Do not enter treated field within 2 days after spraying
ACE CROP SOLUTIONS INC.	BPiMC-CHLORPYRIFOS	ACE CLEAR 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	530-174-5130	23-Feb-24	-	Onion	Thrips, cutworm	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest	Do not enter treated field within 2 days after spraying
ACE CROP SOLUTIONS INC.	BPiMC-CHLORPYRIFOS	ACE CLEAR 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	530-174-5130	23-Feb-24	-	Mungo	Beanfly, armyworm, cutworm, leafminer and leaf folder	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest	Do not enter treated field within 2 days after spraying
ACE CROP SOLUTIONS INC.	BPiMC-CHLORPYRIFOS	ACE CLEAR 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	530-174-5130	23-Feb-24	-	Soybeans	Beanfly, armyworm, cutworm, leafminer and leaf folder	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest	Do not enter treated field within 2 days after spraying
ACE CROP SOLUTIONS INC.	BPiMC-CHLORPYRIFOS	ACE CLEAR 31.5 EC	210-105 g/L	EC	INSECTICIDE	2	530-174-5130	23-Feb-24	-	Beans	Beanfly, armyworm, cutworm, leafminer and leaf folder	2.5-3.5 Tbsp/36L water	-	Stop spraying 15 days before harvest	Do not enter treated field within 2 days after spraying
ACE CROP SOLUTIONS INC.	CARTAP HYDROCHLORIDE	ACE CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	530-106-3340	27-Oct-26	SYSTEMIC	Rice	Whorl maggots, stemborer, green leafhopper, brown planthopper	3.0-5.0Tbsp/36 L water	0.2ppm	Stop spraying 10 days before harvest	Do not enter the field within 2 days after spraying
ACE CROP SOLUTIONS INC.	CARTAP HYDROCHLORIDE	ACE CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	530-106-3340	27-Oct-26	SYSTEMIC	Wongbok	Onionnand back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/36 L water	-	Stop spraying 10 days before harvest	Do not enter the field within 2 days after spraying
ACE CROP SOLUTIONS INC.	CARTAP HYDROCHLORIDE	ACE CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	530-106-3340	27-Oct-26	SYSTEMIC	Cabbage	Diamond-back moth, aphids, cabbage moth, cabbage worm	1.5-2.0Tbsp/36 L water	-	Stop spraying 10 days before harvest	Do not enter the field within 2 days after spraying
ACE CROP SOLUTIONS INC.	CARTAP HYDROCHLORIDE	ACE CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	530-106-3340	27-Oct-26	SYSTEMIC	Cucurbits	Thrips, leafworm, squash beetle, aphids, flea beetle	1.5-2.0Tbsp/36 L water	-	Stop spraying 10 days before harvest	Do not enter the field within 2 days after spraying
ACE CROP SOLUTIONS INC.	CARTAP HYDROCHLORIDE	ACE CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	530-106-3340	27-Oct-26	SYSTEMIC	Garlic	Thrips, cutworm	1.5-2.0Tbsp/36 L water	-	Stop spraying 10 days before harvest	Do not enter the field within 2 days after spraying
ACE CROP SOLUTIONS INC.	CARTAP HYDROCHLORIDE	ACE CARTAP 50 SP	500 g/kg	SP	INSECTICIDE	3	530-106-3340	27-Oct-26	SYSTEMIC	Onion	Thrips, cutworm	1.5-2.0Tbsp/36 L water	-	Stop spraying 10 days before harvest	Do not enter the field within 2 days after spraying

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
RAINBOW AGROSCIENCES PHILIPPINES INC.	ABAMECTIN	ABINSEC 1.8 EC	18 g/L	EC	INSECTICIDE	2	539-234-4388	07-Jun-24	-	Tomato	leafminer, thrips, aphids	2.0-3.0 Tbsp/16 L of water	-	-	Re-enter treated area only after spray has dried
RAINBOW AGROSCIENCES PHILIPPINES INC.	ABAMECTIN	ABINSEC 1.8 EC	18 g/L	EC	INSECTICIDE	2	539-234-4388	07-Jun-24	-	Watermelon	Leafminer, thrips, melonworm	2.0-3.0 Tbsp/16 L of water	-	-	Re-enter treated area only after spray has dried
RAINBOW AGROSCIENCES PHILIPPINES INC.	ABAMECTIN	ABINSEC 1.8 EC	18 g/L	EC	INSECTICIDE	2	539-234-4388	07-Jun-24	-	Papaya	Mites	0.5-1.0 Tbsp/16 L of water	-	-	Re-enter treated area only after spray has dried
RAINBOW AGROSCIENCES PHILIPPINES INC.	ABAMECTIN	ABINSEC 1.8 EC	18 g/L	EC	INSECTICIDE	2	539-234-4388	07-Jun-24	-	Strawberry	Mites	2.0-4.0 Tbsp/16 L of water	-	-	Re-enter treated area only after spray has dried
JYNNSONS PHILIPPINES, INC.	METIBULIZIN	ABIDE 70 WG	700g/kg	WG	HERBICIDE	4	551-022-5910	25-Jun-25	SELECTIVE	Potato	Annual grasses and broadleaves	15-22.5 g/ 16L water	-	60 days	Re-entry to treated areas is allowed as soon as spray dried up
JYNNSONS PHILIPPINES, INC.	METIBULIZIN	ABIDE 70 WG	700g/kg	WG	HERBICIDE	4	551-022-5910	25-Jun-25	SELECTIVE	Soybean	Annual grasses and broadleaves	15-22.5 g/ 16L water	-	60 days	Re-entry to treated areas is allowed as soon as spray dried up
JYNNSONS PHILIPPINES, INC.	METIBULIZIN	ABIDE 70 WG	700g/kg	WG	HERBICIDE	4	551-022-5910	25-Jun-25	SELECTIVE	Sugarcane	Annual grasses and broadleaves	35-50 g / 16L water	-	60 days	Re-entry to treated areas is allowed as soon as spray dried up
JYNNSONS PHILIPPINES, INC.	METIBULIZIN	ABIDE 70 WG	700g/kg	WG	HERBICIDE	4	551-022-5910	25-Jun-25	SELECTIVE	Tomato	Annual grasses and broadleaves	15-22.5 g/ 16L water	-	60 days	Re-entry to treated areas is allowed as soon as spray dried up
AGRI BIZ CO. OF GS, INC.	MALATHION	ABC MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	580-038-4247	05-Feb-24	NON-SYSTEMIC	Fruit trees	Aphids, mealy bug scale insect	1.5-3.0Tbsp/16L water	-	One(1) day after each spraying	One(1) day after each spraying
AGRI BIZ CO. OF GS, INC.	MALATHION	ABC MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	580-038-4247	05-Feb-24	NON-SYSTEMIC	Rice	Armyworm, caseworm, leafhopper, bugs	2.0-3.0Tbsp/16 L water	-	One(1) day after each spraying	One(1) day after each spraying
AGRI BIZ CO. OF GS, INC.	MALATHION	ABC MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	580-038-4247	05-Feb-24	NON-SYSTEMIC	Com	Sawworm, silkworm, aphids, grasshopper	3.0-5.0Tbsp/16L water	-	One(1) day after each spraying	One(1) day after each spraying
AGRI BIZ CO. OF GS, INC.	MALATHION	ABC MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	580-038-4247	05-Feb-24	NON-SYSTEMIC	Cabbage	Cabbage worm, loopers, diamond back moth	2.0-5.0Tbsp/16 L water	-	One(1) day after each spraying	One(1) day after each spraying
AGRI BIZ CO. OF GS, INC.	MALATHION	ABC MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	580-038-4247	05-Feb-24	NON-SYSTEMIC	Legumes	Aphids, beanfly, cutworm, flea beetles, leafminer, maggots, mealybug, podborer, thrips	2.0-5.0Tbsp/16L water	-	One(1) day after each spraying	One(1) day after each spraying
AGRI BIZ CO. OF GS, INC.	MALATHION	ABC MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	580-038-4247	05-Feb-24	NON-SYSTEMIC	Grapes	Beetles, cutworm, leafhopper, mealybug, scale, insect, spider mites	3.0Tbsp/16 L water	-	One(1) day after each spraying	One(1) day after each spraying
AGRI BIZ CO. OF GS, INC.	MALATHION	ABC MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	580-038-4247	05-Feb-24	NON-SYSTEMIC	Pineapple	Mealy bug	3.0Tbsp/16L water	-	One(1) day after each spraying	One(1) day after each spraying
AGRI BIZ CO. OF GS, INC.	MALATHION	ABC MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	580-038-4247	05-Feb-24	NON-SYSTEMIC	Pepper	Aphid, cutworm, fruitworm	3.0Tbsp/16 L water	-	One(1) day after each spraying	One(1) day after each spraying
AGRI BIZ CO. OF GS, INC.	MALATHION	ABC MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	580-038-4247	05-Feb-24	NON-SYSTEMIC	Garlic	Cutworm	3.0Tbsp/16 L water	-	One(1) day after each spraying	One(1) day after each spraying
AGRI BIZ CO. OF GS, INC.	MALATHION	ABC MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	580-038-4247	05-Feb-24	NON-SYSTEMIC	Onion	Cutworm	3.0Tbsp/16L water	-	One(1) day after each spraying	One(1) day after each spraying
AGRI BIZ CO. OF GS, INC.	MALATHION	ABC MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	580-038-4247	05-Feb-24	NON-SYSTEMIC	Tobacco	Aphids, katydid	3.0-6.0Tbsp/16 L water	-	One(1) day after each spraying	One(1) day after each spraying
AGRI BIZ CO. OF GS, INC.	MALATHION	ABC MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	580-038-4247	05-Feb-24	NON-SYSTEMIC	Ornamentals	Aphids, cutworm, mealybug, scale insect, spider mites	3.0-5.0Tbsp/16 L water	-	One(1) day after each spraying	One(1) day after each spraying
AGRI BIZ CO. OF GS, INC.	MALATHION	ABC MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	580-038-4247	05-Feb-24	NON-SYSTEMIC	Tomato	Lady beetle	3.0-5.0Tbsp/16L water	-	One(1) day after each spraying	One(1) day after each spraying
AGRI BIZ CO. OF GS, INC.	MALATHION	ABC MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	580-038-4247	05-Feb-24	NON-SYSTEMIC	Eggplant	Aphids, fruitworm	3.0-5.0Tbsp/16 L water	-	One(1) day after each spraying	One(1) day after each spraying
AGRI BIZ CO. OF GS, INC.	MALATHION	ABC MALATHION 57 EC	570g/L	EC	INSECTICIDE	4	580-038-4247	05-Feb-21	NON-SYSTEMIC	Sorghum	Web worm	3.0Tbsp/16L water	-	One(1) day after each spraying	One(1) day after each spraying
AGRI BIZ CO. OF GS, INC.	2,4-D BEE	ABC 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	580-040-4249	05-Feb-24	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual Broadleaves & sedges	5.0-6.50Tbsp/16 L water	0.1 ppm	Do not spray within two days before harvest	Entry to fields and crops treated with ABC 2,4-D ESTER can be done one day after spraying
AGRI BIZ CO. OF GS, INC.	2,4-D BEE	ABC 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	580-040-4249	05-Feb-24	SELECTIVE (POST-EMERGENT)	Com	Annual Broadleaves & sedges	5.0-6.50Tbsp/16L water	-	Do not spray within two days before harvest	Entry to fields and crops treated with ABC 2,4-D ESTER can be done one day after spraying
AGRI BIZ CO. OF GS, INC.	2,4-D BEE	ABC 2,4-D ESTER	490 g/L	EC	HERBICIDE	2	580-040-4249	05-Feb-24	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual Broadleaves & sedges	5.0-6.50Tbsp/16L water	-	Do not spray within two days before harvest	Entry to fields and crops treated with ABC 2,4-D ESTER can be done one day after spraying
AGRI BIZ CO. OF GS, INC.	2,4-D AMINE	ABC 2,4-D AMINE	400g/L	EC	HERBICIDE	2	580-013-4248	31-Dec-26	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual broadleaves and sedges	3.5-6.5Tbsp/16 L water	-	Entry to fields and crops treated with ABC 2,4-D AMINE can be done one day after spraying	Entry to fields and crops treated with ABC 2,4-D AMINE can be done one day after spraying
AGRI BIZ CO. OF GS, INC.	2,4-D AMINE	ABC 2,4-D AMINE	400g/L	SC	HERBICIDE	2	580-013-4248	31-Dec-26	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual broadleaves and sedges	15-25 Tbsp/16L water	-	Entry to fields and crops treated with ABC 2,4-D AMINE can be done one day after spraying	Entry to fields and crops treated with ABC 2,4-D AMINE can be done one day after spraying
AGRI BIZ CO. OF GS, INC.	2,4-D AMINE	ABC 2,4-D AMINE	400g/L	SC	HERBICIDE	2	580-013-4248	31-Dec-26	SELECTIVE (POST-EMERGENT)	Com	Annual broadleaves and sedges	5-6.5 Tbsp/16 L water	-	Entry to fields and crops treated with ABC 2,4-D AMINE can be done one day after spraying	Entry to fields and crops treated with ABC 2,4-D AMINE can be done one day after spraying
ZAGRO CORPORATION	ABAMECTIN	ABAMEC 1.8 EC	18 g/L	EC	INSECTICIDE	2	043-234-1619-A	12-Aug-26	-	Banana	Blossom thrips	0.5/ L water	-	-	Re-enter treated area only after spray had dried.
ZAGRO CORPORATION	ABAMECTIN	ABAMEC 1.8 EC	18 g/L	EC	INSECTICIDE	2	043-234-1619-A	12-Aug-26	-	Cabbage	Diamond back moth	3000 mL prod/ha	-	7 days	Re-enter treated area only after spray had dried.
ZAGRO CORPORATION	ABAMECTIN	ABAMEC 1.8 EC	18 g/L	EC	INSECTICIDE	2	043-234-1619-A	12-Aug-26	-	Ornamentals	Mites	1.0-1.5Tbsp/16 L of water	-	-	Re-enter treated area only after spray had dried.
ZAGRO CORPORATION	ABAMECTIN	ABAMEC 1.8 EC	18 g/L	EC	INSECTICIDE	2	043-234-1619-A	12-Aug-26	-	Pineapple	Mites	3000-4000mL prod/ha	-	-	Re-enter treated area only after spray had dried.
ZAGRO CORPORATION	ABAMECTIN	ABAMEC 1.8 EC	18 g/L	EC	INSECTICIDE	2	043-234-1619-A	12-Aug-26	-	Eggplant	Thrips, Leafhopper, fruit and shoot borer	2.0-5.0 Tbsp/16 L of water	-	3 days	Re-enter treated area only after spray had dried.
ZAGRO CORPORATION	ABAMECTIN	ABAMEC 1.8 EC	18 g/L	EC	INSECTICIDE	2	043-234-1619-A	12-Aug-26	-	Onion	leafminer, thrips	2.0-3.0 Tbsp/16L of water	-	3 days	Re-enter treated area only after spray had dried.
ZAGRO CORPORATION	ABAMECTIN	ABAMEC 1.8 EC	18 g/L	EC	INSECTICIDE	2	043-234-1619-A	12-Aug-26	-	Potato	leafminer, thrips	2.0-3.0 Tbsp/16 L of water	-	14 days	Re-enter treated area only after spray had dried.
ZAGRO CORPORATION	ABAMECTIN	ABAMEC 1.8 EC	18 g/L	EC	INSECTICIDE	2	043-234-1619-A	12-Aug-26	-	Tomato	leafminer, thrips, aphids	2.0-3.0 Tbsp/16 L of water	-	3 days	Re-enter treated area only after spray had dried.
ZAGRO CORPORATION	ABAMECTIN	ABAMEC 1.8 EC	18 g/L	EC	INSECTICIDE	2	043-234-1619-A	12-Aug-26	-	Watermelon	Leafminer, thrips, melonworm	2.0-3.0 Tbsp/16 L of water	-	3 days	Re-enter treated area only after spray had dried.
ZAGRO CORPORATION	ABAMECTIN	ABAMEC 1.8 EC	18 g/L	EC	INSECTICIDE	2	043-234-1619-A	12-Aug-26	-	Papaya	Mites	0.5-1.0 Tbsp/16 L of water	-	14 days	Re-enter treated area only after spray had dried.
ZAGRO CORPORATION	ABAMECTIN	ABAMEC 1.8 EC	18 g/L	EC	INSECTICIDE	2	043-234-1619-A	12-Aug-26	-	Strawberry	Mites	2.0-4.0 Tbsp/16 L of water	-	3 days	Re-enter treated area only after spray had dried.
JOCANIMA CORPORATION	DELTAMETHRIN	2FAST 2.5 EC	25 g/L	EC	INSECTICIDE	4	241-085-1447	23-Jan-27	-	Mango	Hopper, Tip borer, twig borer	0.75-1.0 Tbsp/16L water	-	-	24 Hours after each spray
JOCANIMA CORPORATION	DELTAMETHRIN	2FAST 2.5 EC	25 g/L	EC	INSECTICIDE	4	241-085-1447	23-Jan-27	-	Cabbage & other crucifers	Diamond-back moth, cabbage moth, cabbage worm	1.0 Tbsp/16L water	-	-	24 Hours after each spray
JOCANIMA CORPORATION	DELTAMETHRIN	2FAST 2.5 EC	25 g/L	EC	INSECTICIDE	4	241-085-1447	23-Jan-27	-	Tobacco	Budworm, armyworm, cutworm	0.8-1.0 Tbsp/16L water	-	-	24 Hours after each spray
JOCANIMA CORPORATION	DELTAMETHRIN	2FAST 2.5 EC	25 g/L	EC	INSECTICIDE	4	241-085-1447	23-Jan-27	-	Beans	Flea beetle, beanfly, bugs, thrips, cutworm, armyworm	0.8-1.0 Tbsp/16L water	-	-	24 Hours after each spray
JOCANIMA CORPORATION	DELTAMETHRIN	2FAST 2.5 EC	25 g/L	EC	INSECTICIDE	4	241-085-1447	23-Jan-27	-	Soybeans	Flea beetle, beanfly, bugs, thrips, cutworm, armyworm	0.8-1.0 Tbsp/16L water	-	-	24 Hours after each spray
JOCANIMA CORPORATION	DELTAMETHRIN	2FAST 2.5 EC	25 g/L	EC	INSECTICIDE	4	241-085-1447	23-Jan-27	-	Tomato	Fruitworm (helioliths)	0.8-1.0 Tbsp/16L water	-	-	24 Hours after each spray
JOCANIMA CORPORATION	DELTAMETHRIN	2FAST 2.5 EC	25 g/L	EC	INSECTICIDE	4	241-085-1447	23-Jan-27	-	Com	Com borer, corn earworm, seedling maggots	1.0 Tbsp/16L water	-	-	24 Hours after each spray
JOCANIMA CORPORATION	DELTAMETHRIN	2FAST 2.5 EC	25 g/L	EC	INSECTICIDE	4	241-085-1447	23-Jan-27	-	Eggplant	Thrips, flea beetle, fruitworm	1.0 Tbsp/16L water	-	-	24 Hours after each spray
JOCANIMA CORPORATION	DELTAMETHRIN	2FAST 2.5 EC	25 g/L	EC	INSECTICIDE	4	241-085-1447	23-Jan-27	-	Cotton	Leafhopper, bollworm, weevil	0.8-1.0 Tbsp/16L water	-	-	24 Hours after each spray
JOCANIMA CORPORATION	DELTAMETHRIN	2FAST 2.5 EC	25 g/L	EC	INSECTICIDE	4	241-085-1447	23-Jan-27	-	Agricultural crops	Locusts nymph/ Locusts adult	1.0-1.5* 3.0 Tbsp/ 16L water	-	-	24 Hours after each spray
JOCANIMA CORPORATION	DELTAMETHRIN	2FAST 2.5 EC	25 g/L	EC	INSECTICIDE	4	241-085-1447	23-Jan-27	-	Cacao	Podborer, aphids	1.0 Tbsp/16L water	-	-	24 Hours after each spray
JOCANIMA CORPORATION	DELTAMETHRIN	2FAST 2.5 EC	25 g/L	EC	INSECTICIDE	4	241-085-1447	23-Jan-27	-	Rice	Whorl maggot, green leafhopper, stemborer, ricebug, rice black bug, caseworm	0.8-1.0 Tbsp/16L water	1.0ppm	-	24 Hours after each spray
SHELLHOMES CHEMICALS, INCORPORATED	FIPRONIL	202-R FIPRONIL 50 SC	50 g/L	SC	INSECTICIDE	3	481-244-3256	27-Sep-25	CONTACT	Rice	Stemborer, brown planthopper, leafroller, rice bug	1.3-2.0, 2.0-3.0, 2.7-4.0 Tbsp./16L	0.05ppm	Do not apply 7 days before harvest	One day after application
SHELLHOMES CHEMICALS, INCORPORATED	FIPRONIL	202-R FIPRONIL 50 SC	50 g/L	SC	INSECTICIDE	3	481-244-3256	27-Sep-25	CONTACT	Cabbage	Diamond backed moth	1.3-2.0, 2.0-3.0, 2.7-4.0 Tbsp./16L	-	Do not apply 7 days before harvest	One day after application
SHELLHOMES CHEMICALS, INCORPORATED	FIPRONIL	202-R FIPRONIL 50 SC	50 g/L	SC	INSECTICIDE	3	481-244-3256	27-Sep-25	CONTACT	Watermelon	Thrips, leaf beetles	2.5-3.0 Tbsp./16L	-	Do not apply 7 days before harvest	One day after application
SHELLHOMES CHEMICALS, INCORPORATED	FIPRONIL	202-R FIPRONIL 50 SC	50 g/L	SC	INSECTICIDE	3	481-244-3256	27-Sep-25	CONTACT	Onion	Cutworm	5.33 Tbsp./16L	-	Do not apply 7 days before harvest	One day after application

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD	
SHELLHOMES CHEMICALS, INCORPORATED	FIPRONIL	202-R FIPRONIL 50 SC	90 g/L	SC	INSECTICIDE	3	481-244-3256	27-Sep-25	CONTACT	Eggplant	Shoot borer	3.0-4.0tbsp /16L	-	-	Do not apply 7 days before harvest	One day after application
SHELLHOMES CHEMICALS, INCORPORATED	FIPRONIL	202-R FIPRONIL 50 SC	90 g/L	SC	INSECTICIDE	3	481-244-3256	27-Sep-25	CONTACT	Corn	Seeding maggots	-	-	-	Do not apply 7 days before harvest	One day after application
ZAGRO CORPORATION	2,4-D IBE	2,4-D ESTER	490 g/L	EC	HERBICIDE	2	043-049-0253	23-Aug-25	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual Broadleaves & sedges	3.5-6.5 Tbsp/16 L water	0.1 ppm	-	-	Entry to fields and crops treated with 2,4-D Ester 400 EC can be done one day after spraying.
ZAGRO CORPORATION	2,4-D IBE	2,4-D ESTER	490 g/L	EC	HERBICIDE	2	043-049-0253	23-Aug-25	SELECTIVE (POST-EMERGENT)	Corn	Annual Broadleaves & sedges	3.0-6.5 Tbsp/16 L water	-	-	-	Entry to fields and crops treated with 2,4-D Ester 400 EC can be done one day after spraying.
ZAGRO CORPORATION	2,4-D IBE	2,4-D ESTER	490 g/L	EC	HERBICIDE	2	043-049-0253	23-Aug-25	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual Broadleaves & sedges	11.0-23.0 Tbsp/16 L water	-	-	-	Entry to fields and crops treated with 2,4-D Ester 400 EC can be done one day after spraying.
ZAGRO CORPORATION	2,4-D AMINE	2,4-D AMINE EC	400 g/L	EC	HERBICIDE	2	043-033-0258	31-Dec-21	SELECTIVE (POST-EMERGENT)	Rice (Transplanted)	Annual broadleaves and sedges	3.5-6.5Tbsp/16 L water	0.1 ppm	-	-	-
ZAGRO CORPORATION	2,4-D AMINE	2,4-D AMINE EC	400 g/L	EC	HERBICIDE	2	043-033-0258	31-Dec-21	SELECTIVE (POST-EMERGENT)	Sugarcane	Annual broadleaves and sedges	13-25 Tbsp/16 L water	-	-	-	-
ZAGRO CORPORATION	2,4-D AMINE	2,4-D AMINE EC	400 g/L	EC	HERBICIDE	2	043-033-0258	31-Dec-21	SELECTIVE (POST-EMERGENT)	Corn	Annual broadleaves and sedges	5-6.5 Tbsp/16 L water	-	-	-	-
AKTIV MULTI TRADING CO. PHILS, INC.	OXADIAZON	1S1 OPTION 25 EC	250 g/L	EC	HERBICIDE	4	540-124-5100	02-Jun-23	SELECTIVE (PRE-EMERGENCE)	Onion (Transplanted)	Grasses, Sedges, Broad-leaf Weeds	-	-	-	-	Re-entry can be done after the spray droplets have dried up. It is recommended to keep from disturbing the soil, even by treading on the sprayed soil surfaces, to
AKTIV MULTI TRADING CO. PHILS, INC.	OXADIAZON	1S1 OPTION 25 EC	250 g/L	EC	HERBICIDE	4	540-124-5100	02-Jun-23	SELECTIVE (PRE-EMERGENCE)	Rice (Transplanted)	Grasses, Sedges, Broad-leaf Weeds	-	-	-	-	Re-entry can be done after the spray droplets have dried up. It is recommended to keep from disturbing the soil, even by treading on the sprayed soil surfaces, to
AKTIV MULTI TRADING CO. PHILS, INC.	OXADIAZON	1S1 OPTION 25 EC	250 g/L	EC	HERBICIDE	4	540-124-5100	02-Jun-23	SELECTIVE (PRE-EMERGENCE)	Rice (Dry-Seeded)	Grasses, Sedges, Broad-leaf Weeds	-	-	-	-	Re-entry can be done after the spray droplets have dried up. It is recommended to keep from disturbing the soil, even by treading on the sprayed soil surfaces, to
AKTIV MULTI TRADING CO. PHILS, INC.	OXADIAZON	1S1 OPTION 25 EC	250 g/L	EC	HERBICIDE	4	540-124-5100	02-Jun-23	SELECTIVE (PRE-EMERGENCE)	Rice (Direct Seeded Pre-germinated)	Grasses, Sedges, Broad-leaf Weeds	-	-	-	-	Re-entry can be done after the spray droplets have dried up. It is recommended to keep from disturbing the soil, even by treading on the sprayed soil surfaces, to
DEL MONTE PHILIPPINES, INC.	2-(3-CHLOROPHENYL) PROPIONIC ACID	-	-	-	FUNGICIDE	4	094-234-1786	13-Jun-23	-	Pineapple	A plant growth regulator	38-76g product in 187Ll water made alkaline by the additional of 15.2g	-	21 days	-	Re-entry into treated areas may be done as soon as spray dries on the foliage
DEL MONTE PHILIPPINES, INC.	PHOSPHOROUS ACID TECHNICAL 98.5%	-	-	-	FUNGICIDE	-	094-421-2827	16-Jun-26	-	Pineapple	Fungal heart and root rot caused by phytophthora sp.	-	-	-	-	-
RBAY HARVEST TRADING CORPORATION	PIRIMETHROLINE	PIRIMETHROLINE SOWG	500 g/kg	WG	INSECTICIDE	4	772-307-6497	27-Dec-26	-	Mango	Leafhopper	80 g/16L	-	-	-	Do not enter the treated fields for at least 24 hours after application.
RBAY HARVEST TRADING CORPORATION	PIRIMETHROLINE	PIRIMETHROLINE SOWG	500 g/kg	WG	INSECTICIDE	4	772-307-6497	27-Dec-26	-	Rice	Green leafhopper and brown planthopper	25-30 g/16L	-	-	Do not spray 36 days before harvest	Do not enter the treated fields for at least 24 hours after application.
RBAY HARVEST TRADING CORPORATION	PIRIMETHROLINE	PIRIMETHROLINE SOWG	500 g/kg	WG	INSECTICIDE	4	772-307-6497	27-Dec-26	-	Corn	Leafhopper, planthopper and aphids	7-16 g/16L	-	5 days	-	Do not enter the treated fields for at least 24 hours after application.
RBAY HARVEST TRADING CORPORATION	DIFENCONAZOLE-PROPICONAZOLE	RBCURE 30EC	150 g/L+150 g/L	EC	FUNGICIDE	3	772-325-6493	19-Oct-26	SYSTEMIC	Rice	Sheath blight and corn	25-35 mL/16L water	-	-	-	-
RBAY HARVEST TRADING CORPORATION	DIFENCONAZOLE-PROPICONAZOLE	RBCURE 30EC	150 g/L+150 g/L	EC	FUNGICIDE	3	772-325-6493	19-Oct-26	SYSTEMIC	Corn	Banded leaf, sheath blight, ear rot, leaf blight, and rust	20 mL/16L water	-	-	-	-
RBAY HARVEST TRADING CORPORATION	CLOTHIANIDIN	RBAY ALL-IN 20 SC	200 g/L	SC	INSECTICIDE	4	772-379-6496	31-May-25	-	Rice	Rice black bug	4-5 tbsp/ 16L	-	-	-	-
ELITE AGROCHEMICALS INC.	ACEPHATE	ELITE CALIPHATE 75 SP	750 g/kg	SP	INSECTICIDE	3	719-242-6470	15-Sep-25	-	Tobacco	Budworm, aphids	2-3 tbsp/ 16L water	-	-	Crop sprayed with Elite Caliphate 75 SP can be harvested 2 weeks after treatment	Entry to fields and crops treated with Elite Caliphate 75 SP can be done as soon as spray deposits have dried
ELITE AGROCHEMICALS INC.	ACEPHATE	ELITE CALIPHATE 75 SP	750 g/kg	SP	INSECTICIDE	3	719-242-6470	15-Sep-25	-	Eggplant	Fruit borer	2-3 tbsp/ 16L water	-	-	Crop sprayed with Elite Caliphate 75 SP can be harvested 2 weeks after treatment	Entry to fields and crops treated with Elite Caliphate 75 SP can be done as soon as spray deposits have dried
ELITE AGROCHEMICALS INC.	ACEPHATE	ELITE CALIPHATE 75 SP	750 g/kg	SP	INSECTICIDE	3	719-242-6470	15-Sep-25	-	Stringbeans	Aphids	2-3 tbsp/ 16L water	-	-	Crop sprayed with Elite Caliphate 75 SP can be harvested 2 weeks after treatment	Entry to fields and crops treated with Elite Caliphate 75 SP can be done as soon as spray deposits have dried
ELITE AGROCHEMICALS INC.	ACEPHATE	ELITE CALIPHATE 75 SP	750 g/kg	SP	INSECTICIDE	3	719-242-6470	15-Sep-25	-	Tomato	Fruitworm	2-3 tbsp/ 16L water	-	-	Crop sprayed with Elite Caliphate 75 SP can be harvested 2 weeks after treatment	Entry to fields and crops treated with Elite Caliphate 75 SP can be done as soon as spray deposits have dried
ELITE AGROCHEMICALS INC.	ACEPHATE	ELITE CALIPHATE 75 SP	750 g/kg	SP	INSECTICIDE	3	719-242-6470	15-Sep-25	-	Watermelon	Aphids and thrips	2-3 tbsp/ 16L water	-	-	Crop sprayed with Elite Caliphate 75 SP can be harvested 2 weeks after treatment	Entry to fields and crops treated with Elite Caliphate 75 SP can be done as soon as spray deposits have dried
ELITE AGROCHEMICALS INC.	ACEPHATE	ELITE CALIPHATE 75 SP	750 g/kg	SP	INSECTICIDE	3	719-242-6470	15-Sep-25	-	Rice	Whorl maggot, green leafhopper, brown planthopper, stemborer, leafroller and rice bug	2-3 tbsp/ 16L water	-	-	Crop sprayed with Elite Caliphate 75 SP can be harvested 2 weeks after treatment	Entry to fields and crops treated with Elite Caliphate 75 SP can be done as soon as spray deposits have dried
ELITE AGROCHEMICALS INC.	ACEPHATE	ELITE CALIPHATE 75 SP	750 g/kg	SP	INSECTICIDE	3	719-242-6470	15-Sep-25	-	Banana	Thrips	15-20 tbsp/ 16L water	-	-	Crop sprayed with Elite Caliphate 75 SP can be harvested 2 weeks after treatment	Entry to fields and crops treated with Elite Caliphate 75 SP can be done as soon as spray deposits have dried
ELITE AGROCHEMICALS INC.	ACEPHATE	ELITE CALIPHATE 75 SP	750 g/kg	SP	INSECTICIDE	3	719-242-6470	15-Sep-25	-	Mango	Leafhopper, tip borer	15-20 tbsp/ 16L water	-	-	Crop sprayed with Elite Caliphate 75 SP can be harvested 2 weeks after treatment	Entry to fields and crops treated with Elite Caliphate 75 SP can be done as soon as spray deposits have dried
GRANS GRANTED AGRO-CHEMICAL CORPORATION	ABAMECTIN	KYRUMIC 1.BEC	18 g/L	EC	INSECTICIDE	2	595-234-6482	28-Mar-26	-	Banana	Blossom thrips	4.5/ L water; 0.5/ L water	-	-	-	Is allowed as soon as spray deposits had dried up
GRANS GRANTED AGRO-CHEMICAL CORPORATION	ABAMECTIN	KYRUMIC 1.BEC	18 g/L	EC	INSECTICIDE	2	595-234-6482	28-Mar-26	-	Cabbage	Diamondback moth	1000 mL prod./ha; 2.0 tbsp/ L water	-	7 days	-	Is allowed as soon as spray deposits had dried up
GRANS GRANTED AGRO-CHEMICAL CORPORATION	ABAMECTIN	KYRUMIC 1.BEC	18 g/L	EC	INSECTICIDE	2	595-234-6482	28-Mar-26	-	Ornamentals	Mites	30-15 mL/16L water; 1.0-1.5 tbsp/16L water	-	-	-	Is allowed as soon as spray deposits had dried up
GRANS GRANTED AGRO-CHEMICAL CORPORATION	ABAMECTIN	KYRUMIC 1.BEC	18 g/L	EC	INSECTICIDE	2	595-234-6482	28-Mar-26	-	Pineapple	Mites	1000-4000 mL prod./ ha	-	-	-	Is allowed as soon as spray deposits had dried up
GRANS GRANTED AGRO-CHEMICAL CORPORATION	ABAMECTIN	KYRUMIC 1.BEC	18 g/L	EC	INSECTICIDE	2	595-234-6482	28-Mar-26	-	Eggplant	Thrips, leafhopper, fruit and shoot borer	900-1000 mL prod./ha; 2.0-5.0 tbsp/ 16L water	-	3 days	-	Is allowed as soon as spray deposits had dried up
GRANS GRANTED AGRO-CHEMICAL CORPORATION	ABAMECTIN	KYRUMIC 1.BEC	18 g/L	EC	INSECTICIDE	2	595-234-6482	28-Mar-26	-	Onion	Leafminer and thrips	900-1000 mL prod./ ha; 2.0-3.0 tbsp/ 16L water	-	3 days	-	Is allowed as soon as spray deposits had dried up
GRANS GRANTED AGRO-CHEMICAL CORPORATION	ABAMECTIN	KYRUMIC 1.BEC	18 g/L	EC	INSECTICIDE	2	595-234-6482	28-Mar-26	-	Potato	Leafminer and thrips	900-1000 mL prod./ ha; 2.0-3.0 tbsp/ 16 water	-	14 days	-	Is allowed as soon as spray deposits had dried up
GRANS GRANTED AGRO-CHEMICAL CORPORATION	ABAMECTIN	KYRUMIC 1.BEC	18 g/L	EC	INSECTICIDE	2	595-234-6482	28-Mar-26	-	Tomato	Leafminer, thrips and aphids	900-1000 mL prod./ ha; 2.0-3.0 tbsp/ 16 water	-	3 days	-	Is allowed as soon as spray deposits had dried up
GRANS GRANTED AGRO-CHEMICAL CORPORATION	ABAMECTIN	KYRUMIC 1.BEC	18 g/L	EC	INSECTICIDE	2	595-234-6482	28-Mar-26	-	Watermelon	Leafminer, thrips and melonworm	900-1000 mL prod./ ha; 2.0-3.0 tbsp/ 16L water	-	3 days	-	Is allowed as soon as spray deposits had dried up
GRANS GRANTED AGRO-CHEMICAL CORPORATION	ABAMECTIN	KYRUMIC 1.BEC	18 g/L	EC	INSECTICIDE	2	595-234-6482	28-Mar-26	-	Papaya	Mites	100-400 mL prod./ ha; 2.0-5.0 tbsp/ 16L water	-	3 days	-	Is allowed as soon as spray deposits had dried up
GRANS GRANTED AGRO-CHEMICAL CORPORATION	ABAMECTIN	KYRUMIC 1.BEC	18 g/L	EC	INSECTICIDE	2	595-234-6482	28-Mar-26	-	Strawberry	Mites	400-1200 mL prod./ ha; 2.0-4.0 tbsp/ 16L water	-	3 days	-	Is allowed as soon as spray deposits had dried up
ARIES RINE CHEMICAL CORPORATION	HEXAZINONE-GUIRON	CANESMART 60WG	132 g/kg+48 g/kg	WG	HERBICIDE	4	478-435-6488	13-Dec-25	-	Sugarcane	Annual grasses, broadleaves and sedges	600/ ha	-	-	-	-
KENSO PHILIPPINES, INC.	DIURON	KEN-URON 800 WP	800 g/kg	WP	HERBICIDE	4	780-021-6460	9-Jun-26	SELECTIVE	Citrus	Grasses, annual and perennial grasses and broadleaves	13-19 tbsp/16L water	-	-	-	-
KENSO PHILIPPINES, INC.	DIURON	KEN-URON 800 WP	800 g/kg	WP	HERBICIDE	4	780-021-6460	9-Jun-26	SELECTIVE	Coffee	Grasses, annual and perennial grasses and broadleaves	13-19 tbsp/16L water	-	-	-	-
KENSO PHILIPPINES, INC.	DIURON	KEN-URON 800 WP	800 g/kg	WP	HERBICIDE	4	780-021-6460	9-Jun-26	SELECTIVE	Cotton	Grasses, annual and perennial grasses and broadleaves	8-9 tbsp/16L water	-	-	-	-
KENSO PHILIPPINES, INC.	DIURON	KEN-URON 800 WP	800 g/kg	WP	HERBICIDE	4	780-021-6460	9-Jun-26	SELECTIVE	Sugarcane	Grasses, annual and perennial grasses and broadleaves	6.5-13 tbsp/16L water	-	-	-	-
KENSO PHILIPPINES, INC.	DIURON	KEN-URON 800 WP	800 g/kg	WP	HERBICIDE	4	780-021-6460	9-Jun-26	SELECTIVE	Pineapple	Grasses, annual and perennial grasses and broadleaves	13tbsp/16L water	-	-	-	-
KENSO PHILIPPINES, INC.	DIURON	KEN-URON 800 WP	800 g/kg	WP	HERBICIDE	4	780-021-6460	9-Jun-26	SELECTIVE	Non-crop land	Grasses, annual and perennial grasses and broadleaves	20-28 tbsp/ 16L water	-	-	-	-
KENSO PHILIPPINES, INC.	GLYPHOSATE IPA	KEN-PHOSATE 480SL	480 g/L	SL	HERBICIDE	4	780-151-6487	24-Apr-26	-	Glyphosate tolerant corn	Annual and perennial grasses, broadleaf weeds and sedges	2-3 L prod/ ha	-	-	-	-
KENSO PHILIPPINES, INC.	GLYPHOSATE IPA	KEN-PHOSATE 480SL	480 g/L	SL	HERBICIDE	4	780-151-6487	24-Apr-26	-	Mango	Annual and perennial grasses, broadleaf weeds and sedges	3.0 L prod/ ha	-	-	-	-
KENSO PHILIPPINES, INC.	GLYPHOSATE IPA	KEN-PHOSATE 480SL	480 g/L	SL	HERBICIDE	4	780-151-6487	24-Apr-26	-	Banana	Annual and perennial grasses, broadleaf weeds and sedges	3.0 L prod/ ha	-	-	-	-
KENSO PHILIPPINES, INC.	GLYPHOSATE IPA	KEN-PHOSATE 480SL	480 g/L	SL	HERBICIDE	4	780-151-6487	24-Apr-26	-	Coffee	Annual and perennial grasses, broadleaf weeds and sedges	4-5 L prod/ ha	-	-	-	-
KENSO PHILIPPINES, INC.	GLYPHOSATE IPA	KEN-PHOSATE 480SL	480 g/L	SL	HERBICIDE	4	780-151-6487	24-Apr-26	-	Cacao	Annual and perennial grasses, broadleaf weeds and sedges	4-5 L prod/ ha	-	-	-	-
KENSO PHILIPPINES, INC.	GLYPHOSATE IPA	KEN-PHOSATE 480SL	480 g/L	SL	HERBICIDE	4	780-151-6487	24-Apr-26	-	Rubber	Annual and perennial grasses, broadleaf weeds and sedges	2.0 L prod/ ha	-	-	-	-
KENSO PHILIPPINES, INC.	GLYPHOSATE IPA	KEN-PHOSATE 480SL	480 g/L	SL	HERBICIDE	4	780-151-6487	24-Apr-26	-	Oil palm	Annual and perennial grasses, broadleaf weeds and sedges	2.0 L prod/ ha	-	-	-	-
KENSO PHILIPPINES, INC.	GLYPHOSATE IPA	KEN-PHOSATE 480SL	480 g/L	SL	HERBICIDE	4	780-151-6487	24-Apr-26	-	Citrus	Annual and perennial grasses, broadleaf weeds and sedges	2.0 L prod/ ha	-	-	-	-
KENSO PHILIPPINES, INC.	GLYPHOSATE IPA	KEN-PHOSATE 480SL	480 g/L	SL	HERBICIDE	4	780-151-6487	24-Apr-26	-	Coconut	Annual and perennial grasses, broadleaf weeds and sedges	4-5 L prod/ ha	-	-	-	-
KENSO PHILIPPINES, INC.	GLYPHOSATE IPA	KEN-PHOSATE 480SL	480 g/L	SL	HERBICIDE	4	780-151-6487	24-Apr-26	-	Sugarcane	Annual and perennial grasses, broadleaf weeds and sedges	2.0 L prod/ ha	-	-	-	-

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD	
KENSO PHILIPPINES, INC.	GLYPHOSATE IPA	KEN-PHOSATE 480SL	480 g/L	SL	HERBICIDE	4	780-151-6487	28-Apr-26	-	Vegetables under minimum or reduced tillage system	Annual and perennial grasses, broadleaf weeds and sedges	2.0L prod/ ha	-	-	-	
KENSO PHILIPPINES, INC.	GLUFOSINATE AMMONIUM	KENBAST 150SL	150 g/L	SL	HERBICIDE	4	780-182-6486	9-Jun-26	NON-SELECTIVE (POST-EMERGENT)	Cavendish banana	Weeds	-	-	-	After spray deposits have dried	
KENSO PHILIPPINES, INC.	GLUFOSINATE AMMONIUM	KENBAST 150SL	150 g/L	SL	HERBICIDE	4	780-182-6486	9-Jun-26	NON-SELECTIVE (POST-EMERGENT)	Rubber	Weeds	-	-	-	After spray deposits have dried	
KENSO PHILIPPINES, INC.	GLUFOSINATE AMMONIUM	KENBAST 150SL	150 g/L	SL	HERBICIDE	4	780-182-6486	9-Jun-26	NON-SELECTIVE (POST-EMERGENT)	Oil palm	Weeds	-	-	-	After spray deposits have dried	
KENSO PHILIPPINES, INC.	GLUFOSINATE AMMONIUM	KENBAST 150SL	150 g/L	SL	HERBICIDE	4	780-182-6486	9-Jun-26	NON-SELECTIVE (POST-EMERGENT)	Non-crop areas	Weeds	-	-	-	After spray deposits have dried	
HEINLAB CORPORATION	HYDROGEN PEROXIDE	ENDOSAN 10	100 g/L	-	OTHERS	2	715-585-9714	31-Dec-24	-	-	Disinfection of equipment and facilities in livestock and poultry farms	-	-	-	-	
S&P ENTERPRISE, INC.	METRIBUZIN	S&P METRIBUZIN 70 WG	700 g/kg	WG	HERBICIDE	4	566-022-6355	25-Jun-25	SELECTIVE	Potato	Annual grasses and broadleaves	15-22.5 g/ 16L water	-	60 days	Re-entry to treated areas is allowed as soon as spray dried up	
S&P ENTERPRISE, INC.	METRIBUZIN	S&P METRIBUZIN 70 WG	700 g/kg	WG	HERBICIDE	4	566-022-6355	25-Jun-25	SELECTIVE	Soybeans	Annual grasses and broadleaves	15-22.5 g/ 16L water	-	60 days	Re-entry to treated areas is allowed as soon as spray dried up	
S&P ENTERPRISE, INC.	METRIBUZIN	S&P METRIBUZIN 70 WG	700 g/kg	WG	HERBICIDE	4	566-022-6355	25-Jun-25	SELECTIVE	Sugarcane	Annual grasses and broadleaves	30-50 g/ 16L water	-	60 days	Re-entry to treated areas is allowed as soon as spray dried up	
S&P ENTERPRISE, INC.	METRIBUZIN	S&P METRIBUZIN 70 WG	700 g/kg	WG	HERBICIDE	4	566-022-6355	25-Jun-25	SELECTIVE	Tomato	Annual grasses and broadleaves	15-22.5 g/ 16L water	-	60 days	Re-entry to treated areas is allowed as soon as spray dried up	
EZERTECH CORPORATION	AMETRYN+TRIAZINE	PROCANE 80 WP	400 g/kg+400 g/kg	WP	HERBICIDE	4	648-079-6483	24-Mar-26	SELECTIVE (PRE/POST-EMERGENT)	Pineapple	Annual broadleaves and grasses	1.5-2.0 kg prod./ha; 5.0-6.5 tbsp/ 16L water	-	21 days	Immediately after spray deposit has dried up	
EZERTECH CORPORATION	AMETRYN+TRIAZINE	PROCANE 80 WP	400 g/kg+400 g/kg	WP	HERBICIDE	4	648-079-6483	24-Mar-26	SELECTIVE (PRE/POST-EMERGENT)	Sugarcane	Annual broadleaves and grasses	2.0-3.0 kg prod./ha; 6.5-10.0 tbsp/ 16L water	-	21 days	Immediately after spray deposit has dried up	
EZERTECH CORPORATION	BUPROFEZIN	ALPINE 25 SC	250 g/L	SC	INSECTICIDE	3	648-224-6484	23-Nov-24	-	Mango	Leafhopper	60-80 mL/200L water	-	-	Last application should be 15 days before harvest	Allowed as soon as spray deposits dry up
WEALTHY GROWER AGRICORPORATION	LAMBDA-CHYALOTHIRIN+THIAMETHOXAM	NUCLEAR 247 ZC	106 g/L+144g/L	ZC	INSECTICIDE	2	782-399-6492	29-Dec-24	-	Potato	Whiteflies, aphids, thrips	100-200 mL prod./ha; 4.0-6.0 mL prod./ 16L	-	7 days	Do not enter treated fields for at least 1 day after application	
WEALTHY GROWER AGRICORPORATION	LAMBDA-CHYALOTHIRIN+THIAMETHOXAM	NUCLEAR 247 ZC	106 g/L+144g/L	ZC	INSECTICIDE	2	782-399-6492	29-Dec-24	-	Stringbeans	Green leafhopper, aphids, mites	100-200 mL prod./ha; 4.0-6.0 mL prod./ 16L	-	7 days	Do not enter treated fields for at least 1 day after application	
WEALTHY GROWER AGRICORPORATION	LAMBDA-CHYALOTHIRIN+THIAMETHOXAM	NUCLEAR 247 ZC	106 g/L+144g/L	ZC	INSECTICIDE	2	782-399-6492	29-Dec-24	-	Eggplant	Whiteflies, green leafhopper, aphids	100-200 mL prod./ha; 4.0-6.0 mL prod./ 16L	-	7 days	Do not enter treated fields for at least 1 day after application	
WEALTHY GROWER AGRICORPORATION	LAMBDA-CHYALOTHIRIN+THIAMETHOXAM	NUCLEAR 247 ZC	106 g/L+144g/L	ZC	INSECTICIDE	2	782-399-6492	29-Dec-24	-	Bittergourd	Leafhopper, thrips, aphids, fruitfly, cutworm	100-400 mL prod./ha; 4.0-13.0 mL prod./ 16L	-	7 days	Do not enter treated fields for at least 1 day after application	
WEALTHY GROWER AGRICORPORATION	LAMBDA-CHYALOTHIRIN+THIAMETHOXAM	NUCLEAR 247 ZC	106 g/L+144g/L	ZC	INSECTICIDE	2	782-399-6492	29-Dec-24	-	Mango	Leafhopper, tip borers, capid bug, fruitfly, cecid fly	20-30 mL/ 100L	-	3 days	Do not enter treated fields for at least 1 day after application	
WEALTHY GROWER AGRICORPORATION	LAMBDA-CHYALOTHIRIN+THIAMETHOXAM	NUCLEAR 247 ZC	106 g/L+144g/L	ZC	INSECTICIDE	2	782-399-6492	29-Dec-24	-	Corn	Asian corn borer, cutworm, leafhopper, aphids, earworm	200-400 mL prod./ha; 10.0-16.0 mL prod./ 16L	-	3 days	Do not enter treated fields for at least 1 day after application	
WEALTHY GROWER AGRICORPORATION	LAMBDA-CHYALOTHIRIN+THIAMETHOXAM	NUCLEAR 247 ZC	106 g/L+144g/L	ZC	INSECTICIDE	2	782-399-6492	29-Dec-24	-	Banana	Flower thrips	2-3 mL/L	-	90 days	Do not enter treated fields for at least 1 day after application	
WEALTHY GROWER AGRICORPORATION	LAMBDA-CHYALOTHIRIN+THIAMETHOXAM	NUCLEAR 247 ZC	106 g/L+144g/L	ZC	INSECTICIDE	2	782-399-6492	29-Dec-24	-	Rice	Stem borer	100-200 mL prod./ha; 10.0-30.0 mL prod./ 16L	-	14 days	Do not enter treated fields for at least 1 day after application	
INDOFIL PHILIPPINES INC.	BIFENTHRIN+IMIDACLOPRID	GAUL 300 SC	50 g/L+200 g/L	SC	INSECTICIDE	2	604-489-6490	1-Oct-24	SYSTEMIC	Mango	Mango hoppers, thrips and cecid fly	40-50 mL/ 100L water; 6.5-8.0 mL/ 16L water	-	-	Allowed as soon as spray deposits have dried up	
INDOFIL PHILIPPINES INC.	BIFENTHRIN+IMIDACLOPRID	GAUL 300 SC	50 g/L+200 g/L	SC	INSECTICIDE	2	604-489-6490	1-Oct-24	SYSTEMIC	Potato	Leafminer and thrips	200-300 mL prod./ha; 6.0-12.0 mL/16L water	-	3 days	Allowed as soon as spray deposits have dried up	
INDOFIL PHILIPPINES INC.	BIFENTHRIN+IMIDACLOPRID	GAUL 300 SC	50 g/L+200 g/L	SC	INSECTICIDE	2	604-489-6490	1-Oct-24	SYSTEMIC	Rice	Stem borer, whorl maggot, leaf folder and green leafhopper	200-400 mL prod./ha; 13.0-25.0 mL/ 16L water	-	21 days	Allowed as soon as spray deposits have dried up	
LTC MORITA CORPORATION	CARBOFURAN	LTC CAARBOFURAN 3G	30 g/kg	G	INSECTICIDE	2	679-104-6498	31-Oct-24	-	Corn	Borer, earworm, grubs, seedling maggot	16.7-33.3 kg prod/ha	-	-	Two (2) days	
LTC MORITA CORPORATION	CARBOFURAN	LTC CAARBOFURAN 3G	30 g/kg	G	INSECTICIDE	2	679-104-6498	31-Oct-24	-	Cotton	Nematodes, grubs	16.7-33.3 kg prod/ha	-	-	Two (2) days	
LTC MORITA CORPORATION	CARBOFURAN	LTC CAARBOFURAN 3G	30 g/kg	G	INSECTICIDE	2	679-104-6498	31-Oct-24	-	Eggplant	Fruit borer	16.7-33.3 kg prod/ha	-	-	Two (2) days	
LTC MORITA CORPORATION	CARBOFURAN	LTC CAARBOFURAN 3G	30 g/kg	G	INSECTICIDE	2	679-104-6498	31-Oct-24	-	Field legumes	Grubs	16.7-33.3 kg prod/ha	-	-	Two (2) days	
LTC MORITA CORPORATION	CARBOFURAN	LTC CAARBOFURAN 3G	30 g/kg	G	INSECTICIDE	2	679-104-6498	31-Oct-24	-	Ornamentals	Scale insect, aphids, mealy bug	16.7-33.3 kg prod/ha	-	-	Two (2) days	
LTC MORITA CORPORATION	CARBOFURAN	LTC CAARBOFURAN 3G	30 g/kg	G	INSECTICIDE	2	679-104-6498	31-Oct-24	-	Rice	Stem borer, whorl maggot, leafhopper, leaf folder, cutworm, planthopper	16.7-33.3 kg prod/ha	-	-	Two (2) days	
LTC MORITA CORPORATION	CARBOFURAN	LTC CAARBOFURAN 3G	30 g/kg	G	INSECTICIDE	2	679-104-6498	31-Oct-24	-	Soybeans	Beetfly, grubs, nematodes, other soil insects	16.7-33.3 kg prod/ha	-	-	Two (2) days	
LTC MORITA CORPORATION	CARBOFURAN	LTC CAARBOFURAN 3G	30 g/kg	G	INSECTICIDE	2	679-104-6498	31-Oct-24	-	Sugarcane	Borer, leafhopper, mealy bug, scale insects	13.3-66.7 kg prod./ha	-	-	Two (2) days	
LTC MORITA CORPORATION	CARBOFURAN	LTC CAARBOFURAN 3G	30 g/kg	G	INSECTICIDE	2	679-104-6498	31-Oct-24	-	Tobacco	Nematodes, budworm	16.7-33.3 kg prod/ha	-	-	Two (2) days	
LTC MORITA CORPORATION	CARBOFURAN	LTC CAARBOFURAN 3G	30 g/kg	G	INSECTICIDE	2	679-104-6498	31-Oct-24	-	White Potato	Nematodes, grubs	16.7-33.3 kg prod/ha	-	-	Two (2) days	
LTC MORITA CORPORATION	CARBOFURAN	LTC CAARBOFURAN 3G	30 g/kg	G	INSECTICIDE	2	679-104-6498	31-Oct-24	-	Cowpea	Beetfly, grubs, nematodes, other soil insects	16.7-33.3 kg prod/ha	-	-	Two (2) days	
LTC MORITA CORPORATION	CHYALOPF-BUTYL-BISPYRIBAC SODIUM	FLORIERE ULTRA 200 OD	150 g/L+50 g/L	OD	HERBICIDE	4	679-504-6499	24-Oct-26	POST-EMERGENT	Rice (Direct-Seeded)	Grasses (Echinochloa sp., Lysitochloa chinensis, and Ischaemum rugosum), broadleaves (Sphenoclea zeylanica, Ludwigia octovalvis)	500 mL to 1L prod./ hectare using a spray volume of 100 to 150 L water/ha	-	-	Re-entry to treated field is allowed as soon as spray deposits dry up	
LOHEM PHIL INTERNATIONAL INC.	FENPROPHAMPH	LOHEM/FENPROMEX 88 OL	880 g/L	OL	FUNGICIDE	2	590-531-6446	7-Feb-27	SYSTEMIC	Banana	Black sigatoka	0.5-0.7 L/ha	-	0 day	As soon as spray droplets dries	
INDOFIL PHILIPPINES INC.	AZIXOTROBIN+PROPICONAZOLE	APROPO 200 SE	75 g/L+125 g/L	SE	FUNGICIDE	4	604-501-6491	22-Feb-25	SYSTEMIC	Rice	Sheath blight	-	-	-	Do not spray within 21 days before harvest	
KENSO PHILIPPINES, INC.	NICLOSMETH ETANOLAMINE SALT	KENSCAZER 700 WP	700 g/kg	WP	MOLLUSCICIDE	4	780-229-6485	24-Apr-26	-	Rice	Golden apple snail	30g (1 sachet) g prod./ load	-	-	48 hours after spraying	
KENSO PHILIPPINES, INC.	MANCOZEB	KENCOZEB 800 WP	800 g/kg	WP	FUNGICIDE	4	780-053-6461	23-Aug-26	-	Potato	Early and late blight	3-6 Tbsp/16 L water	-	-	-	
KENSO PHILIPPINES, INC.	MANCOZEB	KENCOZEB 800 WP	800 g/kg	WP	FUNGICIDE	4	780-053-6461	23-Aug-26	-	Cabbage	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	-	-	
KENSO PHILIPPINES, INC.	MANCOZEB	KENCOZEB 800 WP	800 g/kg	WP	FUNGICIDE	4	780-053-6461	23-Aug-26	-	Cauliflower	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	-	-	
KENSO PHILIPPINES, INC.	MANCOZEB	KENCOZEB 800 WP	800 g/kg	WP	FUNGICIDE	4	780-053-6461	23-Aug-26	-	broccoli	Downy mildew, alternaria leaf spot	3-6 Tbsp/16 L water	-	-	-	
KENSO PHILIPPINES, INC.	MANCOZEB	KENCOZEB 800 WP	800 g/kg	WP	FUNGICIDE	4	780-053-6461	23-Aug-26	-	Celery	Late blight	3-6 Tbsp/16 L water	-	-	-	
KENSO PHILIPPINES, INC.	MANCOZEB	KENCOZEB 800 WP	800 g/kg	WP	FUNGICIDE	4	780-053-6461	23-Aug-26	-	Cucumber	Downy mildew, anthracnose, scab	3-6 Tbsp/16 L water	-	-	-	
KENSO PHILIPPINES, INC.	MANCOZEB	KENCOZEB 800 WP	800 g/kg	WP	FUNGICIDE	4	780-053-6461	23-Aug-26	-	Squash	Downy mildew, anthracnose, scab	3-6 Tbsp/16 L water	-	-	-	
KENSO PHILIPPINES, INC.	MANCOZEB	KENCOZEB 800 WP	800 g/kg	WP	FUNGICIDE	4	780-053-6461	23-Aug-26	-	Cotton	Damping off	3-6 Tbsp/16 L water	-	-	-	
KENSO PHILIPPINES, INC.	MANCOZEB	KENCOZEB 800 WP	800 g/kg	WP	FUNGICIDE	4	780-053-6461	23-Aug-26	-	Lettuce	Downy mildew	3-6 Tbsp/16 L water	-	-	-	
KENSO PHILIPPINES, INC.	MANCOZEB	KENCOZEB 800 WP	800 g/kg	WP	FUNGICIDE	4	780-053-6461	23-Aug-26	-	Beans	Anthracoese, Downy Mildew, Rust	3-6 Tbsp/16 L water	-	-	-	
KENSO PHILIPPINES, INC.	MANCOZEB	KENCOZEB 800 WP	800 g/kg	WP	FUNGICIDE	4	780-053-6461	23-Aug-26	-	Peas	Anthracoese, Downy Mildew, Rust	3-6 Tbsp/16 L water	-	-	-	
KENSO PHILIPPINES, INC.	MANCOZEB	KENCOZEB 800 WP	800 g/kg	WP	FUNGICIDE	4	780-053-6461	23-Aug-26	-	Mungbeans	Anthracoese, Downy Mildew, Rust	3-6 Tbsp/16 L water	-	-	-	
KENSO PHILIPPINES, INC.	MANCOZEB	KENCOZEB 800 WP	800 g/kg	WP	FUNGICIDE	4	780-053-6461	23-Aug-26	-	Tomato	Early and late blight, Anthracnose, Septoria leaf spot	3-6 Tbsp/16 L water	-	-	-	
KENSO PHILIPPINES, INC.	MANCOZEB	KENCOZEB 800 WP	800 g/kg	WP	FUNGICIDE	4	780-053-6461	23-Aug-26	-	Onion	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	-	-	-	
KENSO PHILIPPINES, INC.	MANCOZEB	KENCOZEB 800 WP	800 g/kg	WP	FUNGICIDE	4	780-053-6461	23-Aug-26	-	Garlic	Purple blotch, downy mildew, botrytis leaf blight	3-6 Tbsp/16 L water	-	-	-	
KENSO PHILIPPINES, INC.	MANCOZEB	KENCOZEB 800 WP	800 g/kg	WP	FUNGICIDE	4	780-053-6461	23-Aug-26	-	Pepper	Anthracoese	3-6 Tbsp/16 L water	-	-	-	
KENSO PHILIPPINES, INC.	MANCOZEB	KENCOZEB 800 WP	800 g/kg	WP	FUNGICIDE	4	780-053-6461	23-Aug-26	-	Chili	Anthracoese	3-6 Tbsp/16 L water	-	-	-	

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
KENSO PHILIPPINES, INC.	MANCOZEB	KENCOZEB 800 WP	800 g/kg	WP	FUNGICIDE	4	780-053-6461	23-Aug-26	-	Eggplant	Blight, Anthracnose	3-6 Tbsp/36 L water	-	-	-
KENSO PHILIPPINES, INC.	MANCOZEB	KENCOZEB 800 WP	800 g/kg	WP	FUNGICIDE	4	780-053-6461	23-Aug-26	-	Banana	Sigatoka, black leaf streak	3-6 Tbsp/36 L water	-	-	-
KENSO PHILIPPINES, INC.	MANCOZEB	KENCOZEB 800 WP	800 g/kg	WP	FUNGICIDE	4	780-053-6461	23-Aug-26	-	Grapes	Downy mildew, black rot	3-6 Tbsp/36 L water	-	-	-
KENSO PHILIPPINES, INC.	MANCOZEB	KENCOZEB 800 WP	800 g/kg	WP	FUNGICIDE	4	780-053-6461	23-Aug-26	-	Mango	Anthracnose and scab	3-6 Tbsp/36 L water	-	-	-
KENSO PHILIPPINES, INC.	MANCOZEB	KENCOZEB 800 WP	800 g/kg	WP	FUNGICIDE	4	780-053-6461	23-Aug-26	-	Papaya	Fruit rot	3-6 Tbsp/36 L water	-	-	-
KENSO PHILIPPINES, INC.	MANCOZEB	KENCOZEB 800 WP	800 g/kg	WP	FUNGICIDE	4	780-053-6461	23-Aug-26	-	Melon	Downy mildew, anthracnose, scab	3-6 Tbsp/36 L water	-	-	-
KENSO PHILIPPINES, INC.	MANCOZEB	KENCOZEB 800 WP	800 g/kg	WP	FUNGICIDE	4	780-053-6461	23-Aug-26	-	Watermelon	Downy mildew, anthracnose, scab	3-6 Tbsp/36 L water	-	-	-
KENSO PHILIPPINES, INC.	MANCOZEB	KENCOZEB 800 WP	800 g/kg	WP	FUNGICIDE	4	780-053-6461	23-Aug-26	-	Corn (Sweet and Popcorn)	Helminthosporium leaf spot	3-6 Tbsp/36 L water	-	-	-
KENSO PHILIPPINES, INC.	MANCOZEB	KENCOZEB 800 WP	800 g/kg	WP	FUNGICIDE	4	780-053-6461	23-Aug-26	-	Rice	Blas, Sheath blight, cercospora leaf spot, helminthosporium leaf spot	3-6 Tbsp/36 L water	-	-	-
KENSO PHILIPPINES, INC.	MANCOZEB	KENCOZEB 800 WP	800 g/kg	WP	FUNGICIDE	4	780-053-6461	23-Aug-26	-	Peanut	Cercospora leaf spot	3-6 Tbsp/36 L water	-	-	-
KENSO PHILIPPINES, INC.	MANCOZEB	KENCOZEB 800 WP	800 g/kg	WP	FUNGICIDE	4	780-053-6461	23-Aug-26	-	Soybean	Leaf rust	3-6 Tbsp/36 L water	-	-	-
KENSO PHILIPPINES, INC.	MANCOZEB	KENCOZEB 800 WP	800 g/kg	WP	FUNGICIDE	4	780-053-6461	23-Aug-26	-	Ornamentals	Black spot, blight, anthracnose	3-6 Tbsp/36 L water	-	-	-
RBAY HARVEST TRADING CORPORATION	BP/MC	RBCARB SEC	500 g/L	EC	INSECTICIDE	2	772-002-6494	30-Apr-25	-	Rice	Green leafhopper, brown planthopper and leafhopper	3-5 tbsp/36L water	-	Do not spray 14 days before harvest	48 hours after spraying
RBAY HARVEST TRADING CORPORATION	BP/MC	RBCARB SEC	500 g/L	EC	INSECTICIDE	2	772-002-6494	30-Apr-25	-	Cotton	Leafhopper, thrips and aphids	3-5 tbsp/36L water	-	Do not spray 14 days before harvest	48 hours after spraying
RBAY HARVEST TRADING CORPORATION	BP/MC	RBCARB SEC	500 g/L	EC	INSECTICIDE	2	772-002-6494	30-Apr-25	-	Citrus	Scale insects, aphids, mealy bugs and cutworm	3-4 Tbsp/36L water	-	Do not spray 14 days before harvest	48 hours after spraying
RBAY HARVEST TRADING CORPORATION	BP/MC	RBCARB SEC	500 g/L	EC	INSECTICIDE	2	772-002-6494	30-Apr-25	-	Crucifers	Diamond-back moth, cabbage worms aphids and cutworms	3-5 tbsp/36L water	-	Do not spray 14 days before harvest	48 hours after spraying
RBAY HARVEST TRADING CORPORATION	BP/MC	RBCARB SEC	500 g/L	EC	INSECTICIDE	2	772-002-6494	30-Apr-25	-	Mango	Mango thrips and tipborer	3-5 tbsp/36L water	-	Do not spray 14 days before harvest	48 hours after spraying
INDOFIL PHILIPPINES INC.	CYPERMETHRIN	INDOFIL CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	604-037-6500	26-Mar-27	-	Banana	Thrips, scarring beetle	1.5-4.5 tbsp/36L water	-	7 days	Re-entry to fields is allowed as soon as spray deposits has dried
INDOFIL PHILIPPINES INC.	CYPERMETHRIN	INDOFIL CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	604-037-6500	26-Mar-27	-	Beans	Aphids, beanfly, leafminer, pod borer	1.0-3.0 tbsp/36 L water	-	7 days	Re-entry to fields is allowed as soon as spray deposits has dried
INDOFIL PHILIPPINES INC.	CYPERMETHRIN	INDOFIL CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	604-037-6500	26-Mar-27	-	Cabbage	Diamondback moth, cabbage moth	1.0-3.0 tbsp/36 L water	-	7 days	Re-entry to fields is allowed as soon as spray deposits has dried
INDOFIL PHILIPPINES INC.	CYPERMETHRIN	INDOFIL CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	604-037-6500	26-Mar-27	-	Corn	Corn borer, earworm	1.0-4.5 tbsp/36 L water	-	7 days	Re-entry to fields is allowed as soon as spray deposits has dried
INDOFIL PHILIPPINES INC.	CYPERMETHRIN	INDOFIL CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	604-037-6500	26-Mar-27	-	Cotton	Bollworm, leafhopper	1.5-4.5 tbsp/36L water	-	7 days	Re-entry to fields is allowed as soon as spray deposits has dried
INDOFIL PHILIPPINES INC.	CYPERMETHRIN	INDOFIL CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	604-037-6500	26-Mar-27	-	Mango	Fruitfly, leafhopper, tip borer, twig borer	1.5-4.5 tbsp/36L water	-	7 days	Re-entry to fields is allowed as soon as spray deposits has dried
INDOFIL PHILIPPINES INC.	CYPERMETHRIN	INDOFIL CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	604-037-6500	26-Mar-27	-	Ginon	Thrips, cutworm	1.5-4.5 tbsp/36L water	-	7 days	Re-entry to fields is allowed as soon as spray deposits has dried
INDOFIL PHILIPPINES INC.	CYPERMETHRIN	INDOFIL CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	604-037-6500	26-Mar-27	-	Rice	Brown planthopper, green leafhopper, leafhopper, rice bug, stem borer, white-backed planthopper	1.0-4.5 Tbsp/36 L water	-	7 days	Re-entry to fields is allowed as soon as spray deposits has dried
INDOFIL PHILIPPINES INC.	CYPERMETHRIN	INDOFIL CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	604-037-6500	26-Mar-27	-	Tobacco	Aphids, budworm, cutworm, thrips	1.5-4.5 tbsp/36L water	-	7 days	Re-entry to fields is allowed as soon as spray deposits has dried
INDOFIL PHILIPPINES INC.	CYPERMETHRIN	INDOFIL CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	604-037-6500	26-Mar-27	-	Tomato	Aphids, beetles, tomato fruitworm	1.5-4.5 tbsp/36L water	-	7 days	Re-entry to fields is allowed as soon as spray deposits has dried
INDOFIL PHILIPPINES INC.	CYPERMETHRIN	INDOFIL CYPERMETHRIN 5 EC	50 g/L	EC	INSECTICIDE	4	604-037-6500	26-Mar-27	-	Watermelon	Aphids, beetles, thrips	1.0-3.0 Tbsp/36 L water	-	7 days	Re-entry to fields is allowed as soon as spray deposits has dried
PLANTERS PRODUCT INC.	CHLORPYRIFOS	TERMEX 40 EC	400 g/L	EC	INSECTICIDE	2	031-101-6051	23-Feb-26	-	Sugarcane	White grubs	8-10 tbsp/ 36L water (80-100 ml)	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying unless wearing complete personal protective Equipment (PPE)/ clothing
PLANTERS PRODUCT INC.	CHLORPYRIFOS	TERMEX 40 EC	400 g/L	EC	INSECTICIDE	2	031-101-6051	23-Feb-26	-	Banana	Thrips, scarring beetle and aphids	2-3 tbsp/ 36L water (20-30 ml)	-	Stop spraying 15 days before harvest	Do not enter the field within 3 days after spraying unless wearing complete personal protective Equipment (PPE)/ clothing
PLANTERS PRODUCT INC.	CHLORPYRIFOS	TERMEX 40 EC	400 g/L	EC	INSECTICIDE	2	031-101-6051	23-Feb-26	-	Pineapple	Mealy bugs and ants	3-4L/ ha	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying unless wearing complete personal protective Equipment (PPE)/ clothing
NORIEL VETERINARY LABORATORIES, INC.	PANKILL	PANKILL	-	-	OTHERS	2	713-576-5880	31-Dec-24	-	-	Disinfection of farm stable, equipment, general vehicles, carcass and transport containers for swine, poultry and livestock farm	-	-	-	-
YUJAMIE TRADE OPC	DIAZINON	YUJAMIE DIAZINON 600 EC	600 g/L	EC	INSECTICIDE	2	691-034-6515	12-Nov-25	-	Rice	Planthopper, rice bug, stemborer, leaf folder, whorl maggot	2.5-3.5 tbsp/ 36L	-	Do not spray within 14 days before harvest	Soon as solution dries up
YUJAMIE TRADE OPC	DIAZINON	YUJAMIE DIAZINON 600 EC	600 g/L	EC	INSECTICIDE	2	691-034-6515	12-Nov-25	-	Beans	Cutworm, pod borer, aphids, flea beetle	2.5-3.5 tbsp/ 36L	-	Do not spray within 14 days before harvest	Soon as solution dries up
YUJAMIE TRADE OPC	DIAZINON	YUJAMIE DIAZINON 600 EC	600 g/L	EC	INSECTICIDE	2	691-034-6515	12-Nov-25	-	Cowpea	Aphids, cutworm, grasshopper	2.5-3.5 tbsp/ 36L	-	Do not spray within 14 days before harvest	Soon as solution dries up
YUJAMIE TRADE OPC	DIAZINON	YUJAMIE DIAZINON 600 EC	600 g/L	EC	INSECTICIDE	2	691-034-6515	12-Nov-25	-	Soybeans	Cutworm, aphids, stink bug, grasshopper	2.5-3.5 tbsp/ 36L	-	Do not spray within 14 days before harvest	Soon as solution dries up
YUJAMIE TRADE OPC	DIAZINON	YUJAMIE DIAZINON 600 EC	600 g/L	EC	INSECTICIDE	2	691-034-6515	12-Nov-25	-	Pineapple	Mealybugs	2.5-3.5 tbsp/ 36L	-	Do not spray within 14 days before harvest	Soon as solution dries up
YUJAMIE TRADE OPC	DIAZINON	YUJAMIE DIAZINON 600 EC	600 g/L	EC	INSECTICIDE	2	691-034-6515	12-Nov-25	-	Cotton	Katyids, grasshopper, cutworm, mites	2.5-3.5 tbsp/ 36L	-	Do not spray within 14 days before harvest	Soon as solution dries up
YUJAMIE TRADE OPC	DIAZINON	YUJAMIE DIAZINON 600 EC	600 g/L	EC	INSECTICIDE	2	691-034-6515	12-Nov-25	-	Tobacco	Budworm, aphids, armyworm, flea beetle	2.5-3.5 tbsp/ 36L	-	Do not spray within 14 days before harvest	Soon as solution dries up
YUJAMIE TRADE OPC	DIAZINON	YUJAMIE DIAZINON 600 EC	600 g/L	EC	INSECTICIDE	2	691-034-6515	12-Nov-25	-	White Potato	Aphids, leafhopper, cutworm	2.5-3.5 tbsp/ 36L	-	Do not spray within 14 days before harvest	Soon as solution dries up
YUJAMIE TRADE OPC	DIAZINON	YUJAMIE DIAZINON 600 EC	600 g/L	EC	INSECTICIDE	2	691-034-6515	12-Nov-25	-	Citrus	Mites, aphids, stink bug	2.5-3.5 tbsp/ 36L	-	Do not spray within 14 days before harvest	Soon as solution dries up
YUJAMIE TRADE OPC	DIAZINON	YUJAMIE DIAZINON 600 EC	600 g/L	EC	INSECTICIDE	2	691-034-6515	12-Nov-25	-	Banana	Thrips, mealy bug, leafhopper	2.5-3.5 tbsp/ 36L	-	Do not spray within 14 days before harvest	Soon as solution dries up
YUJAMIE TRADE OPC	DIAZINON	YUJAMIE DIAZINON 600 EC	600 g/L	EC	INSECTICIDE	2	691-034-6515	12-Nov-25	-	Corn	Corn borer, earworm, aphids, silk beetle	2.5-3.5 tbsp/ 36L	-	Do not spray within 14 days before harvest	Soon as solution dries up
YUJAMIE TRADE OPC	DIAZINON	YUJAMIE DIAZINON 600 EC	600 g/L	EC	INSECTICIDE	2	691-034-6515	12-Nov-25	-	Mango	Hopper, tip borer	2.5-3.5 tbsp/ 36L	-	Do not spray within 14 days before harvest	Soon as solution dries up
YUJAMIE TRADE OPC	CHLORPYRIFOS	YUJAMIE CHLORPYRIFOS 300 EC	300 g/L	EC	INSECTICIDE	2	691-101-6516	15-Aug-26	-	Rice	Stemborer, armyworm, leafhopper, caseworm, planthopper, cutworm, rice bug	25-35 ml/36 L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
YUJAMIE TRADE OPC	CHLORPYRIFOS	YUJAMIE CHLORPYRIFOS 300 EC	300 g/L	EC	INSECTICIDE	2	691-101-6516	15-Aug-26	-	Corn	Armyworm, cornborer, earworm, seeding maggots	25-35 ml/36 L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
YUJAMIE TRADE OPC	CHLORPYRIFOS	YUJAMIE CHLORPYRIFOS 300 EC	300 g/L	EC	INSECTICIDE	2	691-101-6516	15-Aug-26	-	Potato	Tubermoth, leafhopper, cutworm, aphids	25-35 ml/36 L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
YUJAMIE TRADE OPC	CHLORPYRIFOS	YUJAMIE CHLORPYRIFOS 300 EC	300 g/L	EC	INSECTICIDE	2	691-101-6516	15-Aug-26	-	Beans	Beanfly, leafroller, podborer, cutworm, armyworm	25-35 ml/36 L water	-	Stop spraying 15 days before harvest	Do not enter the field within 2 days after spraying
LIHEMPHIL INTERNATIONAL INC.	FLUAZOP-P-BUTYL	FLUZI 15 EC	150 g/L	EC	HERBICIDE	4	590-212-6504	4-Apr-27	-	Banana	Itch grass, goosegrass, crabgrasses, and bermuda grass	30-50 mL/ 36L water	-	-	-
LIHEMPHIL INTERNATIONAL INC.	FLUAZOP-P-BUTYL	FLUZI 15 EC	150 g/L	EC	HERBICIDE	4	590-212-6504	4-Apr-27	-	Cacao	Itch grass, goosegrass, crabgrasses, and bermuda grass	30-50 mL/ 36L water	-	-	-
LIHEMPHIL INTERNATIONAL INC.	FLUAZOP-P-BUTYL	FLUZI 15 EC	150 g/L	EC	HERBICIDE	4	590-212-6504	4-Apr-27	-	Citrus	Itch grass, goosegrass, crabgrasses, and bermuda grass	30-50 mL/ 36L water	-	-	-
LIHEMPHIL INTERNATIONAL INC.	FLUAZOP-P-BUTYL	FLUZI 15 EC	150 g/L	EC	HERBICIDE	4	590-212-6504	4-Apr-27	-	Coffee	Itch grass, goosegrass, crabgrasses, and bermuda grass	30-50 mL/ 36L water	-	-	-
LIHEMPHIL INTERNATIONAL INC.	FLUAZOP-P-BUTYL	FLUZI 15 EC	150 g/L	EC	HERBICIDE	4	590-212-6504	4-Apr-27	-	Cotton	Itch grass, goosegrass, crabgrasses, and bermuda grass	30-50 mL/ 36L water	-	-	-
LIHEMPHIL INTERNATIONAL INC.	FLUAZOP-P-BUTYL	FLUZI 15 EC	150 g/L	EC	HERBICIDE	4	590-212-6504	4-Apr-27	-	Onion	Itch grass, goosegrass, crabgrasses, and bermuda grass	30-50 mL/ 36L water	-	-	-
LIHEMPHIL INTERNATIONAL INC.	FLUAZOP-P-BUTYL	FLUZI 15 EC	150 g/L	EC	HERBICIDE	4	590-212-6504	4-Apr-27	-	Pineapple	Itch grass, goosegrass, crabgrasses, and bermuda grass	30-50 mL/ 36L water	-	-	-
LIHEMPHIL INTERNATIONAL INC.	FLUAZOP-P-BUTYL	FLUZI 15 EC	150 g/L	EC	HERBICIDE	4	590-212-6504	4-Apr-27	-	Soybeans	Itch grass, goosegrass, crabgrasses, and bermuda grass	30-50 mL/ 36L water	-	-	-

NAME OF COMPANY	ACTIVE INGREDIENT	PRODUCT NAME	CONCENTRATION	FORMULATION TYPE	USE/S	TOXICITY CATEGORY	REGISTRATION NO.	EXPIRY DATE	MODE OF ENTRY	CROPS	PESTS / WEEDS / DISEASES	RECOMMENDED RATE	MRL (Proposed)	PHI	RE-ENTRY PERIOD
UCHEMPHIL INTERNATIONAL INC.	FLUAZIFOP-P-BUTYL	FLUZI 15 EC	150 g/L	EC	HERBICIDE	4	990-212-6004	4-Apr-27	SELECTIVE/SYSTEMIC (POST-EMERGENT)	tomato	itch grass, goosegrass, crabgrasses, and bermuda grass	30-90 mL/ 16L water			